R3850-1.1 U
11/86

LOS

LENGTH OF STAY

CPHA PUBLICATIONS

Length of Stay by Diagnosis, United States, 1985

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1986

LENGTH OF STAY

Copyright 1986 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1985
. . . by Diagnosis, United States, North Central Region, 1985
. . . by Diagnosis, United States, Northeastern Region, 1985
. . . by Diagnosis, United States, Southern Region, 1985
. . . by Diagnosis, United States, Western Region, 1985
. . . by Diagnosis, Canada, 1985

. . . by Operation, United States, 1985
. . . by Operation, United States, North Central Region, 1985
. . . by Operation, United States, Northeastern Region, 1985
. . . by Operation, United States, Southern Region, 1985
. . . by Operation, United States, Western Region, 1985
. . . by Operation, Canada, 1985

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1985
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1985

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1985 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1985 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1985 LENGTH OF STAY BOOKS

Peg Eby, Research Assistant, Research Services
Carol A. Prevost, Research Associate
Jeanine DeLay, Assistant Director
Edward J. Kobrinski, Director

CONTENTS

Preface iii

Discussion of the Data 1

- Source of the Data. 1
- Data Quality. 2
- Coverage 3
- Organization of Length of Stay Tables. 5
  - Definition of Multiple Diagnosis Patients 5
  - Definition of Operated Patients 5
- Explanation of Statistics. 6
- Defining the Extended Stay Case 7

Length of Stay Tables 17

- Summary of All Patients. 18
- Summary of All Patients Except Newborn 19
- Diagnosis Groups 1-398 20

Appendix: ***ICD-9-CM*** **Codes for Selected Diagnosis Groups** 219

Index to Length of Stay Tables 223

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.



** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1985

	Short-Term Nonfederal Hospitals			Short-Term Nonfederal Hospital Beds		
	U.S. Total[2]	Number in Books	Percent in Books	U.S. Total[2]	Number in Books	Percent in Books
Hospital Category						
Bedsize						
6-24	332	44	13.3	6,138	880	14.3
25-49	1,161	226	19.5	42,908	8,735	20.3
50-99	1,283	383	29.9	92,066	27,587	30.0
100-199	1,221	393	32.2	172,860	56,242	32.5
200-299	703	232	33.0	170,564	57,368	33.6
300-399	415	142	34.2	141,454	48,545	34.3
400-499	265	90	34.0	117,253	39,787	33.9
500+	307	73	23.8	212,299	47,783	22.5
Total	5,687	1,583	27.8	955,542	286,927	30.0
Region and Census Division						
Northeast	814	342	42.0	205,568	67,158	32.7
New England	241	131	54.4	48,426	20,234	41.8
Middle Atlantic	573	211	36.8	157,142	46,924	29.9
North Central	1,673	515	30.8	267,603	105,699	39.5
East North Central	880	418	47.5	182,843	90,510	49.5
West North Central	793	97	12.2	84,760	15,189	17.9
South	2,139	366	17.1	338,647	61,836	18.3
South Atlantic	810	186	23.0	158,360	34,351	21.7
East South Central	496	89	17.9	71,653	13,196	18.4
West South Central	833	91	10.9	108,634	14,289	13.2
West	1,061	360	33.9	143,724	52,234	36.3
Mountain	370	153	41.4	40,264	19,940	49.5
Pacific	691	207	30.0	103,460	32,294	31.2
Total	5,687	1,583	27.8	955,542	286,927	30.0

The Pediatric book was compiled from the data of 1,569 hospitals. The Geriatric book was compiled from the data of 1,559 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1984 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients

Operated patients are patients who had at least one UHDDS[3] Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

  a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

  b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g.			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	**2**		**215**
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	**Cholelithiasis**
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis **INDEX TO DISEASES**

Cholangitis (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
- chronic nonsuppurative destructive 571.6
- nonsuppurative destructive (chronic) 571.6

Cholecystdocholithiasis — *see* Choledocholithiasis

Cholecystitis (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

- with
  - calculus, stones in
    - bile duct (common) (hepatic) 574.4
    - gallbladder 574.1
  - choledocholithiasis 574.4
  - cholelithiasis 574.1
- acute 575.0
  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.3
      - gallbladder 574.0
    - choledocholithiasis 574.3
    - cholelithiasis 574.0
- emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
- gangrenous *(see also* Cholecystitis, acute) 575.0
- paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
- suppurative *(see also* cholecystitis, acute) 575.0
- typhoidal 002.0

Choledochitis (suppurative) 576.1

Choledocholith — *see* Choledocholithiasis

Choledocholithiasis 574.5

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

- with cholecystitis (chronic) 574.4
  - acute 574.3

Cholelithiasis (impacted) (multiple) 574.2

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

- with cholecystitis (chronic) 574.1
  - acute 574.0

Cholemia *(see also* Jaundice) 782.4
- familial 277.4
- Gilbert's (familial nonhemolytic) 277.4

Cholemic gallstone — *see* Cholelithiasis

Choleperitoneum, choleperitonitis *(see also* Disease, gallbladder) 567.8

Cholera (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
- antimonial 985.4
- carrier (suspected) of V02.0
- classical 001.0
- contact V01.0
- due to
  - Vibrio
    - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
      - El Tor 001.1
- El Tor 001.1
- exposure to V01.0
- vaccination, prophylactic (against) V03.0

Cholerine *(see also* Cholera) 001.9

Cholestasis *(see also* Disease, gallbladder) 575.8

Cholesteatoma (ear) 385.30
- attic (primary) 385.31
- diffuse 385.35
- external ear (canal) 380.21
- marginal (middle ear) 385.32
  - with involvement of mastoid cavity 385.33
  - secondary (with middle ear involvement) 385.33
- mastoid cavity 385.30
- middle ear 385.30
  - secondary 385.32
    - with involvement of mastoid cavity 385.33
- postmastoidectomy cavity (recurrent) 383.32
- primary 385.31
- recurrent, postmastoidectomy cavity 383.32
- secondary (middle ear) 385.32
  - with involvement of mastoid cavity 385.33

Cholesteatosis (middle ear) *(see also* Cholesteatoma) 385.30
- diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	4.7	10	1	2	4	6	9	11	15
20-34	1472	4.4	10	1	1	4	6	8	10	16
35-49	1964	5.2	14	1	2	4	7	9	12	17
50-64	3826	5.8	15	2	2	5	7	10	13	19
65+	7503	7.6	32	2	3	6	10	14	17	28
B. *Operated*										
0-19 YRS	671	9.6	30	5	5	8	11	15	17	32
20-34	9073	9.2	24	5	5	8	11	14	17	27
35-49	11544	9.9	27	5	6	8	12	16	19	30
50-64	17699	11.4	41	5	6	10	13	18	23	35
65+	18538	15.1	82	6	7	13	18	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6693	4.1	9	1	1	3	5	8	9	14
B. *Operated*	50291	8.3	14	5	5	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	14921	6.5	24	2	2	5	8	12	15	25
B. *Operated*	57525	11.9	54	5	6	10	14	20	25	41
1. SINGLE DX	56984	7.8	15	3	4	7	9	12	14	21
2. MULTIPLE DX	72446	10.8	53	3	5	9	13	19	24	39
A. NOT OPERATED	21614	5.7	21	1	2	5	7	11	14	22
B. OPERATED	107816	10.2	38	5	6	8	12	17	21	34
TOTAL 0-19 YRS	2325	7.5	19	2	3	7	9	12	14	22
20-34	27293	7.6	16	3	4	7	9	12	14	21
35-49	28151	8.3	21	3	4	7	10	13	16	24
50-64	36761	9.4	31	3	5	8	11	16	19	30
65+	34900	12.1	68	3	5	10	15	21	27	44
GRAND TOTAL	**129430**	**9.5**	**38**	**3**	**4**	**8**	**11**	**16**	**20**	**33**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 5. The patient is 47-years-old and therefore falls in the age group 35-49.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	723463	3.0	12	1	1	2	3	5	6	14
20-34	451111	3.4	20	<1	1	2	3	6	9	25
35-49	160231	4.8	33	1	1	3	5	10	15	30
50-64	107921	5.2	33	1	1	4	6	10	15	30
65+	95628	5.8	37	1	1	4	7	11	15	32
B. *Operated*										
0-19 YRS	250046	2.8	10	<1	<1	2	3	5	7	15
20-34	517475	3.2	7	<1	1	3	4	6	7	13
35-49	236715	4.0	14	<1	1	3	5	8	10	17
50-64	191445	4.6	18	1	1	3	6	10	12	20
65+	158631	5.6	29	1	1	4	8	12	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	666327	4.5	42	1	1	3	5	7	12	40
20-34	404074	5.6	52	1	1	3	6	12	21	36
35-49	384197	6.2	45	1	1	4	7	12	19	33
50-64	591225	6.5	39	1	2	5	8	13	17	32
65+	1293380	7.7	49	2	2	6	9	14	19	37
B. *Operated*										
0-19 YRS	223737	5.7	85	<1	1	3	6	12	21	61
20-34	626449	5.0	32	1	1	4	6	8	12	31
35-49	432810	6.6	51	1	1	5	8	13	18	39
50-64	521518	8.3	76	1	2	6	10	17	24	47
65+	820539	10.5	103	1	2	8	14	21	29	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1538354	3.6	21	1	1	3	4	6	10	24
B. *Operated*	1354312	3.7	14	<1	1	3	5	8	10	18
2. MULTIPLE DX										
A. *Not Operated*	3339203	6.4	47	1	2	4	8	13	18	36
B. *Operated*	2625053	7.7	76	1	1	5	9	16	23	48
1. SINGLE DX	2892666	3.7	17	<1	1	3	4	7	10	21
2. MULTIPLE DX	5964256	7.0	60	1	2	5	8	14	21	42
A. NOT OPERATED	4877557	5.5	40	1	1	4	7	11	16	33
B. OPERATED	3979365	6.3	58	1	1	4	8	14	19	41
TOTAL 0-19 YRS	1863573	3.8	33	1	1	3	4	6	10	32
20-34	1999109	4.3	28	1	1	3	5	8	12	28
35-49	1213953	5.7	40	1	1	4	7	11	16	32
50-64	1412109	6.8	51	1	1	5	8	14	19	37
65+	2368178	8.4	69	1	2	6	11	17	23	46
GRAND TOTAL	**8856922**	**5.9**	**49**	**1**	**1**	**4**	**7**	**12**	**18**	**37**

1,583 Hospitals, United States, January-December 1985

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10,	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	292713	3.5	28	1	1	2	4	6	9	29
20-34	451111	3.4	20	<1	1	2	3	6	9	25
35-49	160231	4.8	33	1	1	3	5	10	15	30
50-64	107921	5.2	33	1	1	4	6	10	15	30
65+	95628	5.8	37	1	1	4	7	11	15	32
B. *Operated*										
0-19 YRS	249845	2.8	10	<1	<1	2	3	5	7	15
20-34	517475	3.2	7	<1	1	3	4	6	7	13
35-49	236715	4.0	14	<1	1	3	5	8	10	17
50-64	191445	4.6	18	1	1	3	6	10	12	20
65+	158631	5.6	29	1	1	4	8	12	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	378674	4.9	61	1	1	3	5	9	15	48
20-34	404074	5.6	52	1	1	3	6	12	21	36
35-49	384197	6.2	45	1	1	4	7	12	19	33
50-64	591225	6.5	39	1	2	5	8	13	17	32
65+	1293380	7.7	49	2	2	6	9	14	19	37
B. *Operated*										
0-19 YRS	212896	5.0	56	<1	1	3	5	10	17	43
20-34	626449	5.0	32	1	1	4	6	8	12	31
35-49	432810	6.6	51	1	1	5	8	13	18	39
50-64	521518	8.3	76	1	2	6	10	17	24	47
65+	820539	10.5	103	1	2	8	14	21	29	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1107604	4.0	28	1	1	3	4	8	11	28
B. *Operated*	1354111	3.7	14	<1	1	3	5	8	10	18
2. MULTIPLE DX										
A. *Not Operated*	3051550	6.6	49	1	2	5	8	13	19	37
B. *Operated*	2614212	7.6	73	1	1	5	9	16	23	47
1. SINGLE DX	2461715	3.9	20	<1	1	3	4	8	11	22
2. MULTIPLE DX	5665762	7.1	61	1	2	5	9	15	21	42
A. NOT OPERATED	4159154	5.9	45	1	1	4	7	12	17	35
B. OPERATED	3968323	6.3	56	1	1	4	8	14	19	40
TOTAL 0-19 YRS	1134128	4.1	41	<1	1	3	4	7	12	37
20-34	1999109	4.3	28	1	1	3	5	8	12	28
35-49	1213953	5.7	40	1	1	4	7	11	16	32
50-64	1412109	6.8	51	1	1	5	8	14	19	37
65+	2368178	8.4	69	1	2	6	11	17	23	46
GRAND TOTAL	**8127477**	**6.1**	**51**	**1**	**1**	**4**	**7**	**13**	**18**	**37**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6720	3.0	4	1	1	3	4	5	7	10
20-34	2726	2.9	4	1	1	2	4	5	7	10
35-49	1177	3.3	4	1	1	3	4	6	7	10
50-64	655	3.4	[illegible]	1	1	3	4	6	8	11
65+	408	3.9	10	1	1	3	5	7	9	15
B. *Operated*										
0-19 YRS	120	5.3	35	2	2	4	6	9	15	31
20-34	203	5.0	10	2	2	4	6	8	10	20
35-49	82	6.2	13	2	3	5	8	11	13	19
50-64	39	5.8	13	2	2	5	7	11	12	18
65+	26	6.8	22	2	3	5	7	15	17	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11943	3.5	8	1	1	3	4	6	8	13
20-34	4368	3.3	5	1	1	3	4	6	8	12
35-49	2832	4.0	8	1	1	3	5	7	9	15
50-64	2822	4.4	13	1	2	4	6	8	10	17
65+	5012	5.5	20	1	2	4	7	10	13	24
B. *Operated*										
0-19 YRS	281	9.0	124	2	3	5	9	18	33	66
20-34	438	6.8	45	2	2	5	8	13	16	44
35-49	301	8.3	59	2	3	6	10	15	21	45
50-64	329	9.3	73	2	3	7	11	18	23	42
65+	496	11.1	82	3	4	9	14	21	31	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11686	3.1	5	1	1	3	4	5	7	11
B. *Operated*	470	5.5	18	2	2	5	6	10	13	19
2. MULTIPLE DX										
A. *Not Operated*	26977	4.0	11	1	1	3	5	7	9	16
B. *Operated*	1845	9.0	77	2	3	6	11	17	26	48
1. SINGLE DX	12156	3.2	5	1	1	3	4	6	7	11
2. MULTIPLE DX	28822	4.3	17	1	1	3	5	8	10	20
A. NOT OPERATED	38663	3.7	9	1	1	3	5	7	9	15
B. OPERATED	2315	8.3	67	2	3	6	10	16	22	46
TOTAL 0-19 YRS	19064	3.4	9	1	1	3	4	6	8	13
20-34	7735	3.4	8	1	1	3	4	6	8	14
35-49	4392	4.1	12	1	1	3	5	7	10	17
50-64	3845	4.7	19	1	2	4	6	8	11	20
65+	5942	5.9	27	1	2	4	7	11	15	28
GRAND TOTAL	**40978**	**4.0**	**13**	**1**	**1**	**3**	**5**	**7**	**9**	**17**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	80	5.7	23	1	2	4	7	13	17	23
20-34	110	10.7	63	3	3	9	14	20	28	42
35-49	85	10.3	71	2	3	8	14	18	26	50
50-64	62	14.1	273	2	2	9	15	28	50	89
65+	47	10.7	108	2	3	8	12	20	30	60
B. *Operated*										
0-19 YRS	11	8.5	26	2	2	8	12	16	18	18
20-34	70	8.6	61	2	3	7	10	14	17	51
35-49	53	10.3	114	2	3	7	12	21	29	67
50-64	61	9.7	44	2	2	9	12	17	22	35
65+	46	11.0	57	2	4	9	14	24	28	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	6.8	15	2	3	6	10	12	13	16
20-34	186	12.2	117	2	3	9	15	24	36	55
35-49	232	13.9	140	3	4	10	18	29	38	67
50-64	247	13.1	160	3	4	10	16	23	38	95
65+	423	13.9	131	3	5	11	18	26	34	69
B. *Operated*										
0-19 YRS	9	10.0	161	1	1	5	10	31	42	42
20-34	120	14.6	116	2	3	13	19	28	33	56
35-49	190	17.2	233	3	4	13	21	42	59	99+
50-64	266	14.9	173	2	4	12	18	27	44	68
65+	440	16.4	148	4	5	14	20	29	39	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	384	10.1	102	2	3	7	13	20	27	57
B. *Operated*	241	9.7	66	2	3	7	12	17	25	42
2. MULTIPLE DX										
A. *Not Operated*	1134	13.2	134	3	4	10	16	26	35	73
B. *Operated*	1025	15.9	167	3	5	13	20	31	43	79
1. SINGLE DX	625	10.0	88	2	3	7	12	18	26	54
2. MULTIPLE DX	2159	14.5	151	3	4	11	18	28	39	75
A. NOT OPERATED	1518	12.4	128	3	3	10	15	24	33	70
B. OPERATED	1266	14.7	154	3	4	12	18	29	39	70
TOTAL 0-19 YRS	146	6.5	29	2	2	4	9	13	16	25
20-34	486	11.9	100	2	3	9	15	23	33	50
35-49	560	14.1	165	3	4	10	18	30	42	96
50-64	636	13.6	167	2	4	10	16	24	40	80
65+	956	14.8	137	3	5	12	19	28	36	68
GRAND TOTAL	**2784**	**13.5**	**141**	**3**	**3**	**10**	**17**	**27**	**36**	**70**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	15.7	679	<1	1	6	11	77	80	81
20-34	14	6.2	23	1	1	6	9	12	17	18
35-49	6	15.8	119	5	5	14	17	34	36	36
50-64	7	12.4	63	5	5	10	16	25	27	27
65+	4	15.3	295	1	1	11	28	38	38	38
B. *Operated*										
0-19 YRS	13	5.3	45	<1	<1	2	7	17	18	18
20-34	20	7.3	41	1	1	6	11	13	20	27
35-49	23	10.9	106	1	2	8	17	29	32	35
50-64	7	10.0	28	3	3	11	13	17	18	18
65+	16	8.8	86	1	1	8	10	15	32	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	11.9	73	3	3	11	19	23	28	28
20-34	23	12.9	227	2	2	6	19	38	49	59
35-49	26	10.3	41	1	2	9	16	20	22	24
50-64	45	9.5	53	2	3	8	12	20	26	32
65+	46	13.0	241	1	2	9	17	31	51	99+
B. *Operated*										
0-19 YRS	24	15.6	379	<1	1	6	25	39	55	82
20-34	44	20.9	369	1	3	15	28	46	64	87
35-49	55	17.8	201	3	5	15	25	34	56	98
50-64	70	19.0	254	2	4	16	25	48	65	99+
65+	108	23.4	463	3	4	17	28	57	80	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	12.3	277	1	1	8	15	26	46	81
B. *Operated*	79	8.5	70	1	1	5	11	18	28	38
2. MULTIPLE DX										
A. *Not Operated*	151	11.4	135	2	3	8	16	22	33	95
B. *Operated*	301	20.3	348	2	3	15	27	48	72	99+
1. SINGLE DX	125	9.9	148	1	1	8	12	19	32	78
2. MULTIPLE DX	452	17.4	294	2	3	13	23	39	59	99
A. NOT OPERATED	197	11.6	167	2	2	8	15	23	36	89
B. OPERATED	380	17.9	313	1	2	13	25	40	63	98
TOTAL 0-19 YRS	63	12.9	332	<1	1	5	17	30	55	82
20-34	101	14.3	258	1	2	9	18	36	47	82
35-49	110	14.5	148	2	3	12	20	31	36	84
50-64	129	14.8	180	2	3	11	20	32	55	99+
65+	174	19.1	393	2	3	13	25	44	76	99
GRAND TOTAL	**577**	**15.7**	**272**	**1**	**2**	**11**	**20**	**35**	**57**	**96**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	714	2.5	2	1	1	2	3	4	5	7
20-34	282	2.7	1	1	1	3	3	4	5	6
35-49	87	3.1	1	2	2	3	4	5	5	7
50-64	33	3.5	3	1	2	3	4	6	7	9
65+	3	4.7	1	4	4	4	6	6	6	6
B. *Operated*										
0-19 YRS	118	1.6	1	1	1	1	2	3	4	7
20-34	28	1.7	1	1	1	1	2	4	4	6
35-49	3	1.0		1	1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1941	2.9	4	1	1	3	4	5	6	9
20-34	688	3.2	3	1	2	3	4	6	7	9
35-49	270	3.8	4	2	2	3	5	6	7	12
50-64	156	4.4	16	2	2	4	5	6	8	26
65+	108	5.6	12	2	3	4	7	9	12	20
B. *Operated*										
0-19 YRS	101	2.4	7	1	1	2	3	5	6	16
20-34	24	3.7	14	1	1	3	5	7	10	18
35-49	12	8.7	41	1	1	8	10	18	23	24
50-64	8	6.6	15	<1	1	6	9	12	13	13
65+	7	16.3	202	5	5	10	27	39	41	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1119	2.7	2	1	1	2	3	4	5	7
B. *Operated*	149	1.6	1	1	1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	3163	3.2	5	1	1	3	4	5	7	10
B. *Operated*	152	4.0	29	1	1	2	5	9	13	32
1. SINGLE DX	1268	2.5	2	1	1	2	3	4	5	7
2. MULTIPLE DX	3315	3.3	6	1	1	3	4	6	7	11
A. NOT OPERATED	4282	3.1	4	1	1	3	4	5	6	9
B. OPERATED	301	2.8	17	1	1	1	3	6	9	21
TOTAL 0-19 YRS	2874	2.8	4	1	1	2	3	5	6	8
20-34	1022	3.1	3	1	1	3	4	5	6	8
35-49	372	3.8	6	2	2	3	4	6	7	15
50-64	197	4.3	14	2	2	4	5	7	8	21
65+	118	6.2	28	2	3	5	7	10	14	35
GRAND TOTAL	**4583**	**3.1**	**5**	**1**	**1**	**3**	**4**	**5**	**6**	**10**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1396	4.7	9	1	2	4	6	9	11	14
20-34	93	5.7	20	1	2	5	7	10	13	26
35-49	66	6.3	16	2	2	6	8	12	15	18
50-64	91	7.1	23	2	2	6	10	12	14	29
65+	228	8.4	33	2	3	7	10	14	20	36
B. *Operated*										
0-19 YRS	41	8.9	34	3	3	9	11	14	21	33
20-34	10	13.2	117	6	6	10	14	29	42	42
35-49	13	15.2	174	3	5	12	15	41	46	47
50-64	9	11.0	55	2	2	11	15	22	24	24
65+	21	16.1	62	7	8	14	18	28	33	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2805	6.0	21	2	2	5	8	11	14	23
20-34	963	8.8	47	2	3	7	11	16	22	37
35-49	1167	9.5	54	3	3	8	12	17	23	36
50-64	2851	10.2	48	3	4	9	12	17	22	38
65+	13415	11.1	56	4	5	9	13	19	24	41
B. *Operated*										
0-19 YRS	271	13.9	129	2	4	11	17	28	35	89
20-34	350	16.3	165	3	4	13	21	32	46	72
35-49	540	17.6	209	4	5	14	23	38	57	99+
50-64	1115	18.1	195	5	6	14	23	37	52	96
65+	3582	19.5	191	6	8	15	24	37	48	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1874	5.4	15	1	2	4	7	10	12	19
B. *Operated*	94	12.0	76	3	4	10	14	22	32	45
2. MULTIPLE DX										
A. *Not Operated*	21201	10.1	52	3	4	9	12	18	23	39
B. *Operated*	5858	18.6	191	5	7	15	23	37	48	90
1. SINGLE DX	1968	5.7	20	1	2	4	7	11	13	23
2. MULTIPLE DX	27059	11.9	95	3	4	9	14	22	30	56
A. NOT OPERATED	23075	9.7	51	2	3	8	12	17	22	38
B. OPERATED	5952	18.5	189	5	6	15	23	36	48	90
TOTAL 0-19 YRS	4513	6.1	28	2	2	4	8	11	15	28
20-34	1416	10.5	86	2	3	8	13	21	28	49
35-49	1786	11.9	115	3	4	9	14	24	33	71
50-64	4066	12.3	100	3	4	10	15	23	31	61
65+	17246	12.8	95	4	5	10	15	23	31	56
GRAND TOTAL	**29027**	**11.5**	**92**	**3**	**4**	**9**	**14**	**22**	**30**	**54**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	823	6.5	20	1	2	5	10	12	14	19
20-34	165	5.2	11	1	2	4	7	11	12	14
35-49	104	5.6	14	2	2	4	7	12	14	16
50-64	81	5.9	22	1	2	4	7	12	16	25
65+	59	6.4	22	2	2	5	8	13	15	27
B. *Operated*										
0-19 YRS	40	7.3	43	<1	1	6	11	13	15	37
20-34	30	5.6	16	2	2	4	9	11	12	19
35-49	29	9.0	60	2	2	7	11	18	22	40
50-64	21	10.7	107	2	3	8	12	24	36	45
65+	12	11.3	63	2	3	9	13	26	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	861	7.3	34	2	2	6	10	13	15	34
20-34	326	6.4	41	2	2	5	8	12	15	27
35-49	236	7.5	54	2	3	6	9	14	17	30
50-64	395	8.2	64	2	3	6	10	15	20	45
65+	801	8.9	55	3	3	7	11	16	21	39
B. *Operated*										
0-19 YRS	90	15.7	258	1	3	11	21	43	63	99+
20-34	100	14.4	221	2	3	9	16	36	44	75
35-49	140	18.7	344	2	3	10	27	49	64	87
50-64	205	18.2	190	4	5	16	24	35	50	99+
65+	324	18.5	228	4	6	14	23	40	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1232	6.2	19	1	2	5	9	12	14	19
B. *Operated*	132	8.2	54	1	2	7	11	15	21	41
2. MULTIPLE DX										
A. *Not Operated*	2619	7.8	48	2	3	6	10	14	17	37
B. *Operated*	859	17.7	241	3	4	13	23	39	57	99+
1. SINGLE DX	1364	6.4	23	1	2	5	9	12	14	23
2. MULTIPLE DX	3478	10.3	114	2	3	7	12	21	31	64
A. NOT OPERATED	3851	7.3	39	2	2	6	10	13	16	32
B. OPERATED	991	16.4	226	2	4	12	21	37	53	95
TOTAL 0-19 YRS	1814	7.4	42	2	2	6	10	13	16	39
20-34	621	7.3	70	2	2	5	9	14	19	48
35-49	509	10.3	153	2	3	6	11	22	32	68
50-64	702	10.9	120	2	3	7	14	24	33	65
65+	1196	11.4	119	3	4	8	13	22	32	65
GRAND TOTAL	**4842**	**9.2**	**91**	**2**	**2**	**7**	**11**	**17**	**26**	**58**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2990	3.4	4	1	1	3	4	5	7	11
20-34	1603	3.6	5	1	1	3	4	6	7	10
35-49	363	4.1	6	1	2	3	5	7	9	13
50-64	58	4.2	5	1	2	4	6	8	8	13
65+	25	6.5	32	1	2	5	7	16	19	26
B. *Operated*										
0-19 YRS	35	5.1	12	1	2	4	6	12	14	15
20-34	25	5.6	15	2	2	4	7	10	15	17
35-49	3	13.7	46	6	6	16	18	19	19	19
50-64	2	4.5	13	2	2	4	7	7	7	7
65+	2	4.0	8	2	2	4	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1597	4.2	9	1	2	3	5	7	10	15
20-34	849	4.8	13	1	2	4	6	9	11	20
35-49	326	5.4	16	2	2	4	6	10	13	2'
50-64	119	6.8	20	2	2	6	9	14	15	22
65+	86	8.5	29	3	3	7	11	17	20	23
B. *Operated*										
0-19 YRS	54	9.5	169	1	2	5	11	16	33	80
20-34	50	9.8	42	3	3	9	12	15	26	35
35-49	21	11.6	45	4	4	10	15	22	26	29
50-64	17	12.8	51	5	6	11	18	25	27	28
65+	14	14.2	84	5	6	11	18	32	34	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5039	3.5	5	1	1	3	4	6	7	11
B. *Operated*	67	5.6	16	2	2	4	6	13	15	19
2. MULTIPLE DX										
A. *Not Operated*	2977	4.7	13	1	2	4	6	9	11	20
B. *Operated*	156	10.6	92	2	3	9	12	18	30	45
1. SINGLE DX	5106	3.6	5	1	1	3	4	6	7	12
2. MULTIPLE DX	3133	5.0	18	1	2	4	6	10	12	22
A. NOT OPERATED	8016	4.0	8	1	2	3	5	7	9	14
B. OPERATED	223	9.1	74	2	3	7	11	17	26	38
TOTAL 0-19 YRS	4676	3.8	8	1	2	3	4	6	8	13
20-34	2527	4.1	9	1	2	3	5	7	10	14
35-49	713	4.9	14	1	2	4	6	9	12	20
50-64	196	6.5	23	2	2	5	8	14	17	24
65+	127	8.6	39	2	3	7	11	17	21	33
GRAND TOTAL	**8239**	**4.1**	**10**	**1**	**2**	**3**	**5**	**7**	**10**	**16**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	903	3.2	5	1	1	3	4	6	7	11
20-34	277	4.7	33	1	1	4	6	7	9	16
35-49	122	5.3	15	1	2	4	7	10	13	20
50-64	192	5.2	13	1	2	5	7	8	12	17
65+	336	6.0	17	1	2	5	7	10	14	23
B. *Operated*										
0-19 YRS	11	6.4	19	1	1	8	9	12	13	13
20-34	17	4.2	7	1	1	3	5	9	10	11
35-49	17	5.7	33	<1	1	4	7	16	20	21
50-64	18	3.8	8	1	1	3	6	8	10	11
65+	22	4.9	13	1	1	4	8	10	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2120	3.9	9	1	2	3	5	7	9	14
20-34	529	6.1	49	2	2	5	7	10	13	25
35-49	365	6.6	26	2	2	6	8	11	15	29
50-64	885	6.9	18	2	3	6	8	12	14	23
65+	2859	8.0	39	2	3	7	10	15	20	33
B. *Operated*										
0-19 YRS	59	11.3	203	1	2	7	14	29	47	98
20-34	65	11.3	203	2	2	7	11	24	40	82
35-49	61	11.2	128	2	3	8	17	21	31	97
50-64	147	12.7	165	2	3	9	15	27	48	99+
65+	332	14.4	162	2	3	10	18	32	43	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1830	4.3	14	1	1	3	5	8	10	17
B. *Operated*	85	4.9	16	1	1	3	7	9	12	20
2. MULTIPLE DX										
A. *Not Operated*	6758	6.4	30	2	2	5	8	12	15	27
B. *Operated*	664	13.2	168	2	3	9	16	29	43	84
1. SINGLE DX	1915	4.3	14	1	1	3	5	8	10	17
2. MULTIPLE DX	7422	7.0	46	2	2	5	8	13	18	35
A. NOT OPERATED	8588	5.9	27	1	2	5	7	11	14	25
B. OPERATED	749	12.2	158	1	2	8	15	27	39	82
TOTAL 0-19 YRS	3093	3.9	12	1	1	3	5	7	9	15
20-34	888	6.0	57	1	2	5	7	10	13	27
35-49	565	6.8	37	2	2	5	8	12	18	30
50-64	1242	7.3	38	2	3	6	8	13	16	33
65+	3549	8.4	52	2	3	7	10	16	22	39
GRAND TOTAL	**9337**	**6.4**	**40**	**1**	**2**	**5**	**8**	**12**	**17**	**32**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	315	4.7	10	1	2	4	6	8	10	15
20-34	946	5.8	13	2	2	5	7	10	12	18
35-49	291	6.6	20	2	2	5	8	12	14	27
50-64	126	7.1	37	2	3	5	7	13	20	34
65+	41	6.3	17	2	3	5	8	11	17	20
B. *Operated*										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	53	4.9	32	<1	1	2	6	12	16	28
35-49	33	6.1	56	1	1	2	10	19	23	28
50-64	21	9.7	98	1	1	8	14	24	33	37
65+	9	8.2	25	<1	<1	9	12	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	230	5.7	44	1	2	4	7	10	14	21
20-34	1067	6.2	29	2	2	5	7	11	14	27
35-49	424	7.3	37	2	3	6	9	13	17	27
50-64	336	7.7	30	2	3	6	10	15	18	27
65+	337	8.8	38	3	3	7	11	17	22	29
B. *Operated*										
0-19 YRS	15	7.2	29	1	1	7	11	15	16	17
20-34	103	8.4	31	2	3	7	11	15	18	31
35-49	57	11.9	213	2	2	8	13	24	39	80
50-64	81	13.6	176	1	2	10	17	28	38	78
65+	78	13.5	146	4	5	10	15	24	34	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1719	5.8	16	2	2	5	7	10	13	22
B. *Operated*	118	6.4	51	1	1	3	9	16	21	32
2. MULTIPLE DX										
A. *Not Operated*	2394	6.9	34	2	2	5	8	13	17	27
B. *Operated*	334	11.4	128	2	3	9	14	21	32	68
1. SINGLE DX	1837	5.9	18	1	2	5	7	10	13	23
2. MULTIPLE DX	2728	7.4	48	2	2	6	9	14	18	34
A. NOT OPERATED	4113	6.5	27	2	2	5	8	12	15	25
B. OPERATED	452	10.1	113	1	1	8	13	19	28	63
TOTAL 0-19 YRS	562	5.2	25	1	2	4	6	9	12	19
20-34	2169	6.1	23	2	2	5	7	11	14	24
35-49	805	7.3	46	2	2	6	9	13	18	32
50-64	564	8.5	59	2	3	6	10	17	22	39
65+	465	9.4	58	3	3	7	11	17	23	35
GRAND TOTAL	**4565**	**6.8**	**37**	**2**	**2**	**5**	**8**	**13**	**17**	**29**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1269	3.7	5	1	2	3	5	6	7	11
20-34	368	4.2	5	1	2	4	6	7	9	11
35-49	83	5.0	11	2	2	4	6	8	11	19
50-64	14	4.3	7	1	2	4	5	8	10	11
65+	7	6.6	21	2	2	5	9	14	15	15
B. *Operated*										
0-19 YRS	11	6.7	17	2	2	7	8	13	15	15
20-34	9	6.1	4	2	3	6	7	9	10	10
35-49	6	9.8	15	5	5	9	13	15	15	15
50-64	3	13.0	63	4	4	16	18	19	19	19
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2575	4.0	5	1	2	3	5	7	8	11
20-34	744	4.6	8	2	2	4	6	8	10	15
35-49	149	5.2	10	1	1	4	7	10	11	15
50-64	54	5.3	14	1	1	5	7	9	11	22
65+	40	7.2	27	1	2	6	10	16	18	19
B. *Operated*										
0-19 YRS	68	9.5	86	2	2	7	12	19	21	60
20-34	50	8.1	27	2	4	7	9	15	19	28
35-49	15	10.1	61	5	5	8	11	13	31	37
50-64	9	8.1	21	2	2	8	12	14	16	16
65+	7	10.7	24	7	7	8	13	19	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1741	3.9	5	1	2	3	5	7	8	11
B. *Operated*	30	7.8	19	2	3	7	10	15	16	19
2. MULTIPLE DX										
A. *Not Operated*	3562	4.2	7	1	2	4	5	7	9	14
B. *Operated*	149	9.0	56	2	3	7	11	17	21	37
1. SINGLE DX	1771	4.0	6	1	2	3	5	7	8	13
2. MULTIPLE DX	3711	4.4	10	1	2	4	5	8	10	15
A. NOT OPERATED	5303	4.1	6	1	2	4	5	7	9	13
B. OPERATED	179	8.8	50	2	3	7	11	16	20	36
TOTAL 0-19 YRS	3923	4.0	7	1	2	3	5	7	8	12
20-34	1171	4.6	9	1	2	4	6	8	10	16
35-49	253	5.5	15	1	2	5	7	10	11	16
50-64	80	5.8	17	1	2	5	7	11	15	21
65+	55	7.5	26	1	2	6	10	15	19	20
GRAND TOTAL	**5482**	**4.3**	**8**	**1**	**2**	**4**	**5**	**7**	**9**	**15**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.6	14	<1	<1	1	2	8	13	13
20-34	13	1.5	1	<1	<1	1	1	3	5	5
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	350	1.6	1	<1	<1	1	2	3	3	7
20-34	1083	1.7	1	<1	<1	1	2	3	4	6
35-49	276	2.1	5	<1	<1	1	2	4	5	12
50-64	95	1.9	2	<1	<1	1	3	4	5	6
65+	22	2.0	2	<1	<1	1	2	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.4	6	<1	<1	3	5	7	8	8
20-34	21	2.2	6	<1	<1	1	2	7	8	10
35-49	3	2.0	3	<1	<1	1	3	4	4	4
50-64	4	3.8	7	1	1	4	6	6	6	6
65+	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-19 YRS	91	3.2	23	1	1	2	4	5	8	31
20-34	451	2.7	9	<1	<1	2	3	5	8	15
35-49	207	3.2	10	<1	<1	3	4	6	8	20
50-64	87	3.1	4	<1	1	3	4	5	7	11
65+	44	3.6	8	1	1	3	5	7	8	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	2.0	6	<1	<1	1	2	3	7	13
B. *Operated*	1826	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	40	2.6	6	<1	<1	1	3	7	8	10
B. *Operated*	880	3.0	10	<1	<1	2	3	5	8	15
1. SINGLE DX	1850	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	920	2.9	10	<1	<1	2	3	5	8	15
A. NOT OPERATED	64	2.3	6	<1	<1	1	3	6	8	13
B. OPERATED	2706	2.2	5	<1	<1	1	3	4	5	10
TOTAL 0-19 YRS	461	2.0	6	<1	<1	1	2	4	5	8
20-34	1568	2.0	4	<1	<1	1	2	4	5	9
35-49	487	2.6	8	<1	<1	2	3	5	7	15
50-64	186	2.5	3	<1	<1	2	3	4	6	10
65+	68	3.0	7	<1	<1	2	4	7	8	14
GRAND TOTAL	**2770**	**2.2**	**5**	**<1**	**<1**	**1**	**3**	**4**	**5**	**10**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5654	2.7	2	1	1	2	3	4	5	8
20-34	1029	3.1	7	1	1	3	4	6	7	13
35-49	460	3.7	6	1	1	3	5	7	9	12
50-64	251	3.8	5	1	2	3	5	7	9	12
65+	150	4.2	32	1	1	3	5	7	8	21
B. *Operated*										
0-19 YRS	141	3.3	8	<1	<1	3	4	6	7	15
20-34	63	4.7	22	<1	1	3	7	10	11	28
35-49	27	2.9	4	1	1	2	3	5	7	10
50-64	19	7.5	46	<1	<1	5	13	21	61	99+
65+	8	11.3	65	2	3	9	13	25	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7347	3.1	6	1	1	3	4	5	6	11
20-34	2292	3.7	10	1	1	3	4	6	8	14
35-49	1576	4.2	10	1	1	3	5	8	9	16
50-64	1514	4.7	19	1	2	4	6	8	11	17
65+	2316	5.3	16	2	2	4	7	10	12	20
B. *Operated*										
0-19 YRS	226	6.5	70	1	1	4	7	14	22	48
20-34	189	8.0	84	2	2	5	9	16	23	72
35-49	175	10.7	128	2	2	7	13	23	38	66
50-64	172	10.9	100	2	3	8	15	23	31	98
65+	187	12.7	145	3	4	10	15	22	29	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7544	2.9	4	1	1	3	4	5	6	10
B. *Operated*	258	4.1	18	<1	1	3	5	9	11	29
2. MULTIPLE DX										
A. *Not Operated*	15045	3.8	10	1	1	3	5	7	9	15
B. *Operated*	949	9.6	108	1	2	7	12	20	28	68
1. SINGLE DX	7802	2.9	5	1	1	3	4	5	6	10
2. MULTIPLE DX	15994	4.1	18	1	1	3	5	7	10	20
A. NOT OPERATED	22589	3.5	8	1	1	3	4	6	8	14
B. OPERATED	1207	8.4	94	1	2	5	10	18	26	65
TOTAL 0-19 YRS	13368	3.0	6	1	1	3	4	5	6	11
20-34	3573	3.8	14	1	1	3	4	7	9	17
35-49	2238	4.6	22	1	1	3	5	8	11	24
50-64	1956	5.1	28	1	2	4	6	10	13	26
65+	2661	5.8	30	2	2	4	7	11	14	26
GRAND TOTAL	**23796**	**3.7**	**14**	**1**	**1**	**3**	**4**	**7**	**9**	**17**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	164	3.9	5	1	1	4	5	7	8	10
20-34	141	3.9	6	1	1	3	5	7	8	12
35-49	76	4.5	7	1	2	4	6	8	10	12
50-64	45	4.4	4	2	2	4	5	7	9	10
65+	19	5.8	7	2	3	6	8	8	10	12
B. *Operated*										
0-19 YRS	3	6.3	9	3	3	7	8	9	9	9
20-34	2	13.5	41	9	9	13	18	18	18	18
35-49	4	7.5	11	3	3	8	10	11	11	11
50-64	2	4.5	1	4	4	4	5	5	5	5
65+	2	6.0	2	5	5	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	117	4.7	9	1	2	4	6	10	11	15
20-34	100	4.0	6	1	1	3	5	8	9	12
35-49	70	4.8	7	1	2	4	6	8	10	15
50-64	51	6.6	23	1	2	5	9	14	16	24
65+	45	7.0	22	2	3	5	10	14	15	25
B. *Operated*										
0-19 YRS	5	6.2	14	2	2	5	8	12	12	12
20-34	6	8.2	47	2	2	7	9	20	21	21
35-49	8	9.0	20	3	3	9	12	15	16	16
50-64	12	17.7	222	4	7	13	20	39	56	59
65+	8	13.0	85	1	3	10	16	28	32	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	445	4.1	6	1	2	4	5	7	9	12
B. *Operated*	13	7.5	16	3	3	7	9	12	17	18
2. MULTIPLE DX										
A. *Not Operated*	383	5.1	12	1	2	4	6	10	11	16
B. *Operated*	39	12.0	110	2	3	10	15	23	31	59
1. SINGLE DX	458	4.2	6	1	2	4	6	8	9	12
2. MULTIPLE DX	422	5.7	25	1	2	4	7	10	14	24
A. NOT OPERATED	828	4.6	9	1	2	4	6	8	10	15
B. OPERATED	52	10.9	90	2	3	9	13	20	29	58
TOTAL 0-19 YRS	289	4.3	7	1	1	4	6	8	10	12
20-34	249	4.1	8	1	1	3	5	7	9	15
35-49	158	4.9	9	1	2	4	7	9	10	16
50-64	110	6.9	50	2	2	5	8	14	17	42
65+	74	7.3	27	1	3	6	9	14	16	30
GRAND TOTAL	**880**	**4.9**	**16**	**1**	**2**	**4**	**6**	**9**	**11**	**18**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	370	4.9	7	2	2	4	6	8	10	12
20-34	480	4.3	6	2	2	4	5	7	8	12
35-49	71	4.7	13	1	1	4	6	9	11	21
50-64	22	4.6	14	<1	1	3	8	10	11	12
65+	14	4.4	24	<1	1	2	6	13	15	15
B. *Operated*										
0-19 YRS	42	2.8	7	<1	<1	2	5	6	7	14
20-34	146	2.7	6	<1	<1	2	4	5	7	13
35-49	32	2.8	8	<1	<1	2	3	6	10	13
50-64	20	5.7	53	<1	1	3	7	15	23	30
65+	13	5.5	38	1	1	2	6	16	21	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	342	5.5	12	2	2	5	7	10	12	19
20-34	525	5.1	9	2	2	4	6	9	10	16
35-49	115	6.9	25	1	2	5	9	14	16	26
50-64	76	8.4	54	1	1	7	10	17	22	39
65+	106	9.1	69	1	1	7	12	19	23	41
B. *Operated*										
0-19 YRS	52	6.0	19	1	2	5	8	10	15	25
20-34	178	5.3	21	1	1	4	7	11	16	21
35-49	73	7.8	76	1	1	5	11	16	22	51
50-64	55	10.9	258	1	2	6	11	24	50	90
65+	43	10.3	75	1	2	9	14	19	26	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	957	4.6	7	1	2	4	6	8	10	13
B. *Operated*	253	3.1	12	<1	<1	2	4	6	9	16
2. MULTIPLE DX										
A. *Not Operated*	1164	5.9	22	1	2	5	7	11	14	25
B. *Operated*	401	7.1	73	1	1	5	9	15	18	50
1. SINGLE DX	1210	4.3	9	1	1	4	5	7	10	14
2. MULTIPLE DX	1565	6.3	35	1	2	5	8	12	16	29
A. NOT OPERATED	2121	5.3	16	1	2	4	6	10	12	20
B. OPERATED	654	5.6	53	<1	1	3	7	13	16	31
TOTAL 0-19 YRS	806	5.1	10	1	2	4	6	9	11	17
20-34	1329	4.6	10	1	2	4	6	8	10	16
35-49	291	6.1	35	1	1	4	8	13	16	26
50-64	173	8.4	117	1	1	5	10	17	25	59
65+	176	8.7	67	1	1	6	12	18	22	41
GRAND TOTAL	**2775**	**5.4**	**25**	**1**	**2**	**4**	**6**	**10**	**13**	**24**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	4.2	8	<1	1	3	6	8	9	15
20-34	34	4.8	17	1	1	4	7	10	14	19
35-49	31	7.9	131	1	1	5	8	12	45	51
50-64	18	5.2	11	2	2	4	7	10	12	14
65+	20	8.0	25	2	3	7	9	16	19	21
B. *Operated*										
0-19 YRS	14	6.1	30	<1	<1	5	9	15	17	18
20-34	29	12.0	242	2	3	7	12	24	59	69
35-49	55	6.9	39	1	1	6	8	10	21	37
50-64	56	7.6	107	1	1	6	8	12	19	60
65+	32	5.3	10	1	1	5	7	9	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	223	4.9	43	<1	1	4	5	8	12	25
20-34	180	8.2	113	1	2	5	9	15	23	64
35-49	185	8.8	132	1	1	5	10	19	31	65
50-64	198	9.2	107	2	3	7	10	15	21	58
65+	453	9.7	65	2	3	8	12	19	25	40
B. *Operated*										
0-19 YRS	38	16.0	188	2	2	12	24	41	50	99+
20-34	144	19.8	314	4	5	14	28	45	68	99+
35-49	190	17.4	345	2	3	10	23	48	61	99+
50-64	212	18.4	375	2	2	10	25	48	67	97
65+	285	16.2	198	2	4	12	22	33	45	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	171	5.5	36	1	1	4	7	10	15	42
B. *Operated*	186	7.6	88	1	1	6	8	12	22	60
2. MULTIPLE DX										
A. *Not Operated*	1239	8.4	88	1	2	6	10	16	22	55
B. *Operated*	869	17.6	292	2	3	12	24	43	58	99
1. SINGLE DX	357	6.6	64	1	1	5	8	11	17	52
2. MULTIPLE DX	2108	12.2	192	1	2	8	14	28	43	80
A. NOT OPERATED	1410	8.1	82	1	2	6	10	15	21	51
B. OPERATED	1055	15.8	271	2	2	10	21	39	56	96
TOTAL 0-19 YRS	343	6.0	64	<1	1	4	6	12	20	47
20-34	387	12.5	222	1	2	7	15	31	53	88
35-49	461	12.1	228	1	2	7	14	32	48	94
50-64	484	12.9	245	2	2	8	14	31	51	93
65+	790	11.8	121	2	3	9	14	24	32	57
GRAND TOTAL	**2465**	**11.4**	**178**	**1**	**2**	**7**	**13**	**25**	**41**	**78**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	4.4	39	1	1	3	4	7	8	36
20-34	13	5.3	18	1	1	4	7	11	15	16
35-49	13	5.8	13	2	2	5	8	12	13	13
50-64	4	4.0	1	3	3	4	5	5	5	5
65+	3	7.0	63	<1	<1	4	13	16	16	16
B. *Operated*										
0-19 YRS	28	3.3	2	<1	2	3	4	6	6	7
20-34	15	6.3	43	<1	1	5	7	12	23	27
35-49	10	5.7	17	<1	1	5	6	12	15	15
50-64	5	8.6	25	4	4	8	10	17	17	17
65+	2	7.0	32	3	3	7	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	5.2	26	1	1	4	7	8	11	32
20-34	41	5.5	18	1	2	4	8	11	14	20
35-49	32	5.8	15	2	2	4	7	10	16	18
50-64	13	7.2	23	1	2	8	10	14	16	16
65+	17	8.8	43	1	2	5	13	16	22	26
B. *Operated*										
0-19 YRS	35	5.4	33	1	2	3	5	12	16	30
20-34	23	9.1	89	1	2	6	11	17	31	46
35-49	21	8.6	44	<1	1	7	13	17	21	24
50-64	18	11.8	79	4	4	8	15	25	32	36
65+	12	16.3	182	3	4	12	22	34	49	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	5.0	27	1	1	4	6	9	14	33
B. *Operated*	60	5.0	19	<1	2	4	6	10	13	26
2. MULTIPLE DX										
A. *Not Operated*	146	6.0	23	1	2	5	8	12	16	26
B. *Operated*	109	9.0	79	1	2	6	12	20	27	48
1. SINGLE DX	123	5.0	23	1	1	4	6	10	14	29
2. MULTIPLE DX	255	7.3	49	1	2	5	9	15	21	36
A. NOT OPERATED	209	5.7	25	1	2	4	7	12	16	28
B. OPERATED	169	7.6	61	1	2	5	10	16	24	44
TOTAL 0-19 YRS	136	4.7	26	1	1	3	6	8	12	33
20-34	92	6.5	41	1	2	5	8	12	17	38
35-49	76	6.5	24	1	2	5	9	14	17	22
50-64	40	9.2	51	2	3	7	11	17	24	36
65+	34	11.1	102	1	3	9	14	24	27	52
GRAND TOTAL	**378**	**6.6**	**42**	**1**	**2**	**4**	**8**	**14**	**17**	**35**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	4.0	11	<1	1	3	5	8	13	16
20-34	77	5.8	34	1	1	4	6	11	18	31
35-49	66	5.3	15	1	2	5	7	8	13	23
50-64	26	5.7	17	1	2	5	7	12	16	18
65+	12	7.6	137	1	1	5	7	19	40	44
B. *Operated*										
0-19 YRS	23	6.4	63	<1	<1	4	11	16	23	33
20-34	369	4.4	18	1	1	3	6	10	13	20
35-49	224	4.4	24	1	1	2	5	9	15	24
50-64	88	4.3	15	1	1	3	6	11	12	17
65+	20	6.0	46	1	1	4	8	12	22	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	145	4.9	11	1	2	4	6	8	12	16
20-34	319	7.6	41	2	2	6	9	15	22	34
35-49	347	7.6	35	1	2	6	10	15	21	32
50-64	193	8.8	54	2	2	7	11	17	20	36
65+	190	8.2	41	2	3	7	10	15	18	38
B. *Operated*										
0-19 YRS	26	12.8	88	2	3	9	19	26	29	40
20-34	673	13.4	146	2	2	10	19	27	36	60
35-49	598	14.1	134	1	2	11	20	28	37	59
50-64	286	12.6	122	1	2	9	18	26	36	60
65+	103	13.9	182	2	3	9	18	32	40	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	225	5.4	27	1	1	4	6	9	15	28
B. *Operated*	724	4.5	21	1	1	3	6	10	13	23
2. MULTIPLE DX										
A. *Not Operated*	1194	7.6	39	2	2	6	9	15	20	33
B. *Operated*	1686	13.5	139	2	2	10	19	28	37	60
1. SINGLE DX	949	4.7	23	1	1	3	6	10	14	24
2. MULTIPLE DX	2880	11.1	106	2	2	8	15	23	31	52
A. NOT OPERATED	1419	7.2	37	1	2	5	9	15	19	33
B. OPERATED	2410	10.8	121	1	1	7	15	24	32	53
TOTAL 0-19 YRS	238	5.7	30	1	1	4	7	12	16	27
20-34	1438	9.4	99	1	2	6	12	21	28	46
35-49	1235	10.0	96	1	2	7	14	22	29	53
50-64	593	9.8	89	1	2	7	14	21	27	49
65+	325	9.9	96	2	3	7	11	19	31	45
GRAND TOTAL	**3829**	**9.5**	**93**	**1**	**2**	**6**	**13**	**21**	**28**	**48**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+	2	6.5	61	1	1	6	12	12	12	12
B. *Operated*										
0-19 YRS	2	8.5	85	2	2	8	15	15	15	15
20-34	2	8.5	85	2	2	8	15	15	15	15
35-49	6	7.7	84	1	1	3	15	22	23	23
50-64	5	2.0	3	1	1	1	3	5	5	5
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	5.0	13	1	1	4	8	10	10	10
20-34										
35-49	4	5.3	22	2	2	4	8	12	12	12
50-64	8	7.1	68	1	1	4	11	21	23	23
65+	7	5.1	12	1	1	5	8	10	10	10
B. *Operated*										
0-19 YRS	5	9.0	25	2	2	10	13	14	14	14
20-34	6	6.5	25	2	2	5	7	15	16	16
35-49	5	9.0	72	2	2	5	15	22	22	22
50-64	12	10.7	36	3	3	11	13	19	22	23
65+	11	8.9	109	1	1	5	11	23	37	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	4.8	24	1	1	3	8	12	12	12
B. *Operated*	16	5.8	49	1	1	2	10	15	21	23
2. MULTIPLE DX										
A. *Not Operated*	24	5.8	30	1	1	4	8	12	19	23
B. *Operated*	39	9.1	54	1	2	7	13	17	23	38
1. SINGLE DX	20	5.6	42	1	1	3	8	15	19	23
2. MULTIPLE DX	63	7.8	47	1	2	5	12	16	22	36
A. NOT OPERATED	28	5.6	28	1	1	4	8	12	18	23
B. OPERATED	55	8.1	54	1	1	5	13	16	23	37
TOTAL 0-19 YRS	13	6.9	25	1	2	6	11	14	15	15
20-34	9	6.6	29	2	2	4	9	16	16	16
35-49	15	7.5	57	1	2	3	13	22	23	23
50-64	25	7.8	48	1	1	5	13	17	23	23
65+	21	7.1	65	1	1	5	9	13	24	38
GRAND TOTAL	**83**	**7.3**	**46**	**1**	**1**	**5**	**12**	**15**	**22**	**33**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.9	2	1	1	3	4	4	4	4
20-34	7	3.9	6	1	1	4	5	7	8	8
35-49	21	5.5	37	<1	1	4	6	13	21	27
50-64	75	6.1	88	1	2	4	7	9	13	65
65+	55	4.6	9	1	1	4	6	9	11	12
B. *Operated*										
0-19 YRS	24	3.5	4	1	1	3	5	7	7	8
20-34	87	4.1	14	1	1	3	5	9	14	68
35-49	282	4.9	32	1	1	3	6	10	13	30
50-64	712	5.1	32	1	1	3	7	13	16	29
65+	692	5.1	33	1	1	3	6	12	17	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	4.7	7	1	2	4	7	8	9	9
20-34	18	4.1	6	<1	1	4	5	7	8	9
35-49	123	8.4	106	1	1	6	10	17	25	52
50-64	426	8.0	80	1	2	6	9	15	22	54
65+	443	9.1	111	1	2	6	10	18	28	64
B. *Operated*										
0-19 YRS	22	8.8	73	1	2	5	11	24	30	31
20-34	64	9.5	96	1	1	7	10	25	33	41
35-49	489	12.1	158	1	2	8	17	28	38	67
50-64	1798	12.1	165	1	2	8	16	28	39	71
65+	2084	10.8	157	1	2	7	13	25	38	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	166	5.3	48	1	1	4	6	9	11	40
B. *Operated*	1797	5.0	31	1	1	3	6	12	16	28
2. MULTIPLE DX										
A. *Not Operated*	1022	8.4	95	1	2	6	9	16	24	62
B. *Operated*	4457	11.4	159	1	2	7	15	27	38	70
1. SINGLE DX	1963	5.0	32	1	1	3	6	11	15	28
2. MULTIPLE DX	5479	10.9	149	1	2	7	14	25	37	69
A. NOT OPERATED	1188	8.0	90	1	2	6	9	16	23	62
B. OPERATED	6254	9.6	131	1	1	6	12	23	33	65
TOTAL 0-19 YRS	66	5.4	33	1	1	4	7	11	15	31
20-34	176	6.1	49	1	1	4	7	15	23	41
35-49	915	9.2	120	1	1	6	12	22	32	61
50-64	3011	9.7	128	1	1	6	13	22	32	65
65+	3274	9.3	128	1	1	5	11	22	32	66
GRAND TOTAL	**7442**	**9.3**	**125**	**1**	**1**	**6**	**12**	**22**	**32**	**64**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	10	7.1	15	2	2	6	10	13	15	15
50-64	23	9.1	199	<1	1	6	10	13	39	70
65+	33	5.9	40	1	1	4	7	12	17	34
B. *Operated*										
0-19 YRS										
20-34	1	12.0		12	12	12	12	12	12	12
35-49	27	9.4	85	1	1	6	13	21	29	40
50-64	139	10.9	145	1	1	8	13	25	34	55
65+	115	8.0	58	1	1	6	12	16	20	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	12.5	5	11	11	12	14	14	14	14
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	51	9.1	56	2	3	8	11	16	22	47
50-64	289	7.5	48	1	2	6	9	14	20	34
65+	366	8.8	74	2	2	6	11	19	24	50
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	7	13.1	78	1	2	16	21	24	24	24
35-49	155	17.2	195	3	4	13	23	37	53	76
50-64	687	16.8	206	2	3	13	21	34	45	92
65+	1007	15.8	203	2	3	12	21	32	46	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	7.2	91	1	1	5	9	12	18	64
B. *Operated*	282	9.6	105	1	1	7	12	20	31	47
2. MULTIPLE DX										
A. *Not Operated*	710	8.3	62	2	2	6	10	16	22	46
B. *Operated*	1857	16.3	203	2	3	13	21	33	46	83
1. SINGLE DX	348	9.1	103	1	1	6	12	19	30	48
2. MULTIPLE DX	2567	14.0	177	2	3	11	18	30	41	75
A. NOT OPERATED	776	8.2	64	1	2	6	10	16	22	46
B. OPERATED	2139	15.4	195	2	3	12	20	32	44	79
TOTAL 0-19 YRS	3	11.7	4	10	10	11	13	14	14	14
20-34	10	10.6	78	<1	<1	9	17	23	24	24
35-49	243	14.2	161	2	3	11	18	29	41	68
50-64	1138	13.5	175	2	2	10	17	29	39	80
65+	1521	13.3	170	2	3	10	17	29	39	70
GRAND TOTAL	**2915**	**13.5**	**170**	**2**	**3**	**10**	**17**	**29**	**39**	**74**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	1	6.0		6	6	6	6	6	6	6
35-49	8	3.4	6	1	1	3	5	7	8	8
50-64	25	6.3	33	<1	<1	5	10	12	18	25
65+	42	7.0	54	<1	1	4	9	18	23	34
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	10	8.7	17	2	4	8	10	15	16	16
35-49	44	11.2	37	2	3	11	14	18	22	31
50-64	155	11.1	86	<1	3	10	14	19	24	30
65+	205	12.0	63	2	3	10	15	21	29	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	7.5	61	2	2	7	13	13	13	13
20-34	17	9.3	52	3	3	7	10	19	27	31
35-49	56	7.7	37	1	2	6	11	15	21	27
50-64	238	8.1	66	1	2	6	10	15	21	41
65+	650	8.4	60	1	2	6	11	17	24	38
B. *Operated*										
0-19 YRS	9	16.3	79	4	6	15	20	30	34	34
20-34	59	13.4	72	2	3	11	17	25	33	41
35-49	271	14.6	101	3	5	12	19	25	34	64
50-64	1096	16.0	131	3	6	14	19	29	38	67
65+	2757	17.0	136	4	6	14	22	31	39	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	6.3	41	<1	1	4	8	15	21	32
B. *Operated*	415	11.5	68	1	3	10	14	20	26	35
2. MULTIPLE DX										
A. *Not Operated*	963	8.3	60	1	2	6	11	17	23	38
B. *Operated*	4192	16.6	132	4	6	14	21	30	38	67
1. SINGLE DX	493	10.7	67	1	2	10	14	20	25	34
2. MULTIPLE DX	5155	15.0	129	3	4	13	19	28	36	63
A. NOT OPERATED	1041	8.2	59	1	2	6	11	17	23	37
B. OPERATED	4607	16.1	128	3	5	14	20	29	37	66
TOTAL 0-19 YRS	14	12.7	81	2	3	13	16	26	32	34
20-34	87	12.0	65	3	3	10	16	21	29	40
35-49	379	13.0	90	2	3	11	17	24	31	59
50-64	1514	14.1	125	2	3	12	17	26	34	63
65+	3654	15.1	129	3	4	13	20	29	36	62
GRAND TOTAL	**5648**	**14.7**	**125**	**2**	**4**	**12**	**19**	**28**	**36**	**62**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS										
20-34	2	8.0	98	1	1	8	15	15	15	15
35-49	7	7.6	8	2	3	8	9	11	11	11
50-64	9	12.8	32	3	5	13	15	21	22	22
65+	13	13.5	85	2	5	12	15	31	33	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	17.0		17	17	17	17	17	17	17
35-49	9	3.3	9	1	1	2	4	9	9	9
50-64	34	6.7	50	1	2	4	9	14	17	38
65+	49	8.2	60	2	2	6	11	17	20	46
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	14	12.0	46	2	2	12	16	21	23	23
35-49	72	16.7	221	5	7	12	18	28	34	92
50-64	204	17.3	165	6	7	13	22	36	52	99+
65+	353	19.5	174	7	8	16	24	35	46	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	3.0	3	2	2	2	4	5	5	5
B. *Operated*	31	11.6	54	1	3	11	13	21	31	33
2. MULTIPLE DX										
A. *Not Operated*	93	7.3	53	1	2	5	10	16	19	43
B. *Operated*	644	18.3	175	6	7	14	23	34	47	81
1. SINGLE DX	34	10.8	55	1	2	10	13	20	29	33
2. MULTIPLE DX	737	16.9	173	3	6	13	21	33	46	79
A. NOT OPERATED	96	7.2	52	1	2	5	10	16	19	42
B. OPERATED	675	18.0	172	6	7	14	22	33	46	80
TOTAL 0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	17	11.8	47	1	2	13	16	21	22	23
35-49	89	14.5	202	2	2	11	17	27	33	88
50-64	248	15.6	158	3	4	12	19	33	47	99
65+	416	18.0	171	3	6	15	22	34	46	78
GRAND TOTAL	**771**	**16.6**	**169**	**3**	**5**	**13**	**21**	**33**	**45**	**78**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	2.0	2	1	1	2	3	4	4	4
35-49	20	4.0	9	1	1	3	5	8	10	12
50-64	47	5.1	20	<1	1	3	7	12	16	18
65+	82	4.8	24	<1	1	4	5	11	14	29
B. *Operated*										
0-19 YRS	5	8.6	21	4	4	6	13	14	14	14
20-34	34	8.1	10	2	5	8	10	12	14	16
35-49	242	9.5	13	3	6	9	11	14	15	21
50-64	1077	10.0	18	4	6	9	11	14	17	25
65+	1649	10.8	26	4	7	10	12	16	19	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	6.3	34	2	2	4	11	13	13	13
20-34	30	6.7	26	<1	1	5	10	15	17	17
35-49	120	6.9	85	1	1	4	9	14	16	66
50-64	534	7.1	37	1	2	5	9	15	20	32
65+	1550	8.3	68	2	2	6	10	17	24	40
B. *Operated*										
0-19 YRS	19	8.6	22	1	2	9	10	14	19	21
20-34	128	13.9	90	3	5	12	16	24	34	51
35-49	938	13.0	68	6	7	11	15	21	26	51
50-64	5100	13.2	65	6	7	11	15	22	28	47
65+	15768	15.6	92	7	8	13	18	26	34	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	153	4.7	21	<1	1	3	5	10	14	19
B. *Operated*	3007	10.4	22	4	7	10	12	15	18	27
2. MULTIPLE DX										
A. *Not Operated*	2237	7.9	61	1	2	6	10	16	22	37
B. *Operated*	21953	14.9	86	6	8	12	17	25	32	56
1. SINGLE DX	3160	10.1	23	2	6	9	12	15	18	27
2. MULTIPLE DX	24190	14.2	87	4	6	12	17	24	31	54
A. NOT OPERATED	2390	7.7	59	1	2	5	9	16	21	36
B. OPERATED	24960	14.3	80	6	7	12	17	24	31	54
TOTAL 0-19 YRS	27	8.3	22	1	2	8	11	14	17	21
20-34	196	11.5	75	1	3	10	14	21	27	43
35-49	1320	11.7	64	3	5	10	14	19	24	48
50-64	6758	12.1	59	3	6	10	14	21	25	43
65+	19049	14.5	89	4	7	12	17	25	32	56
GRAND TOTAL	**27350**	**13.8**	**82**	**4**	**6**	**12**	**16**	**24**	**30**	**53**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	5	5.2	69	1	1	2	7	20	20	20
35-49	15	6.5	33	<1	1	5	8	15	20	22
50-64	49	3.3	6	1	1	3	4	6	9	13
65+	69	4.3	12	<1	1	4	5	8	10	19
B. *Operated*										
0-19 YRS	6	11.2	25	2	3	12	13	17	17	17
20-34	20	9.3	40	1	1	9	13	16	21	26
35-49	199	8.7	26	1	2	9	12	15	18	21
50-64	844	10.0	27	2	3	10	13	16	18	24
65+	1138	10.2	42	2	2	10	13	18	21	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	23	6.5	33	1	2	5	7	14	20	25
35-49	90	6.5	27	1	2	5	8	13	20	23
50-64	339	7.8	54	1	2	5	9	17	21	37
65+	946	8.7	84	1	2	6	10	18	26	50
B. *Operated*										
0-19 YRS	9	12.3	128	2	2	9	16	32	33	33
20-34	86	12.7	73	3	4	11	16	22	25	50
35-49	514	13.7	86	3	6	12	16	22	31	55
50-64	2778	14.1	83	3	6	12	17	23	31	51
65+	6711	15.6	108	3	5	13	19	27	35	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	139	4.2	14	<1	1	3	5	8	12	20
B. *Operated*	2207	10.0	35	2	2	10	13	17	19	29
2. MULTIPLE DX										
A. *Not Operated*	1399	8.3	73	1	2	6	10	18	24	45
B. *Operated*	10098	15.0	100	3	5	13	18	26	33	60
1. SINGLE DX	2346	9.6	35	1	2	10	13	17	19	28
2. MULTIPLE DX	11497	14.2	102	3	4	12	18	25	33	57
A. NOT OPERATED	1538	7.9	69	1	2	5	9	17	23	44
B. OPERATED	12305	14.1	92	3	4	12	17	24	32	55
TOTAL 0-19 YRS	17	10.7	83	1	2	10	13	27	32	33
20-34	134	10.9	67	1	3	10	14	21	25	46
35-49	818	11.6	72	2	3	10	14	20	26	48
50-64	4010	12.6	74	2	4	11	15	21	27	48
65+	8864	14.1	104	2	3	12	18	25	33	57
GRAND TOTAL	**13843**	**13.5**	**94**	**2**	**3**	**12**	**17**	**24**	**31**	**54**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	4.0	15	<1	<1	2	7	9	13	14
20-34	8	3.1	2	1	1	3	4	5	5	5
35-49	21	3.5	6	<1	1	3	6	7	8	8
50-64	30	5.9	53	1	1	3	7	13	22	36
65+	49	7.2	69	1	1	5	7	17	25	45
B. *Operated*										
0-19 YRS	41	10.9	220	1	2	8	11	17	25	97
20-34	32	7.3	15	1	2	8	9	13	15	16
35-49	70	7.7	38	1	1	6	9	17	23	27
50-64	125	9.7	60	1	2	8	14	21	26	34
65+	158	10.7	97	1	1	9	15	22	28	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	5.8	40	1	1	4	8	13	15	30
20-34	42	7.4	98	1	1	4	8	17	31	50
35-49	82	6.6	33	1	2	5	9	14	17	31
50-64	255	7.4	36	1	2	6	10	16	20	28
65+	495	9.2	71	2	2	7	12	18	23	38
B. *Operated*										
0-19 YRS	54	14.7	184	3	5	10	17	36	41	69
20-34	59	12.9	104	2	4	10	17	27	31	53
35-49	203	15.3	163	2	4	11	19	32	44	61
50-64	739	16.0	161	3	5	13	20	31	41	66
65+	1685	16.5	140	3	5	14	21	31	37	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	122	5.6	45	1	1	4	7	10	21	39
B. *Operated*	426	9.6	83	1	2	8	13	19	25	38
2. MULTIPLE DX										
A. *Not Operated*	923	8.2	59	1	2	6	11	17	22	35
B. *Operated*	2740	16.2	147	3	5	13	20	31	39	67
1. SINGLE DX	548	8.8	77	1	1	7	11	18	24	37
2. MULTIPLE DX	3663	14.2	137	2	3	11	18	28	36	62
A. NOT OPERATED	1045	7.9	58	1	2	6	10	17	22	36
B. OPERATED	3166	15.3	144	2	4	12	19	29	37	66
TOTAL 0-19 YRS	158	10.0	148	1	1	7	11	21	31	68
20-34	141	9.5	85	1	2	7	11	20	29	50
35-49	376	11.3	121	1	2	8	14	23	35	56
50-64	1149	13.1	134	2	3	10	17	26	34	61
65+	2387	14.4	132	2	3	12	19	28	35	63
GRAND TOTAL	**4211**	**13.5**	**132**	**2**	**3**	**11**	**18**	**27**	**35**	**61**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49	11	9.4	370	<1	1	3	6	32	64	67
50-64	52	5.8	28	1	1	4	8	11	17	29
65+	71	7.4	52	1	2	5	9	17	26	32
B. *Operated*										
0-19 YRS	2	9.5	5	8	8	9	11	11	11	11
20-34	5	16.8	201	1	1	17	23	39	39	39
35-49	22	12.0	51	2	5	10	16	23	25	26
50-64	121	12.0	108	1	2	10	15	23	28	65
65+	157	11.6	88	1	2	10	15	22	27	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	9.4	138	1	1	4	10	30	35	35
20-34	6	4.2	7	2	2	3	5	9	9	9
35-49	108	8.2	125	1	2	5	9	17	21	71
50-64	478	8.1	54	1	2	6	10	17	22	44
65+	1075	8.4	49	2	2	6	10	17	21	38
B. *Operated*										
0-19 YRS	7	12.4	60	2	2	14	17	23	24	24
20-34	11	16.0	51	7	8	15	21	27	27	27
35-49	240	16.2	133	3	5	13	21	32	39	56
50-64	1189	16.8	154	3	5	14	21	31	42	67
65+	2573	17.6	150	4	6	15	22	33	42	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	135	7.0	67	1	2	4	9	14	26	37
B. *Operated*	307	11.8	94	1	2	10	15	22	27	54
2. MULTIPLE DX										
A. *Not Operated*	1674	8.3	56	2	2	6	10	17	21	39
B. *Operated*	4020	17.3	150	3	6	14	22	32	42	67
1. SINGLE DX	442	10.4	90	1	2	8	14	21	27	48
2. MULTIPLE DX	5694	14.6	139	2	3	12	19	29	38	63
A. NOT OPERATED	1809	8.2	57	2	2	6	10	17	21	39
B. OPERATED	4327	16.9	148	3	5	14	21	32	41	67
TOTAL 0-19 YRS	16	10.8	82	1	2	9	14	23	32	35
20-34	23	12.8	91	1	2	9	18	27	31	39
35-49	381	13.5	144	2	2	11	17	28	37	57
50-64	1840	13.9	138	2	3	11	18	28	36	62
65+	3876	14.6	136	2	4	12	19	29	37	64
GRAND TOTAL	**6136**	**14.3**	**137**	**2**	**3**	**11**	**19**	**28**	**37**	**63**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	6	4.5	19	1	1	3	5	12	13	13
35-49	87	3.9	15	1	1	3	5	7	10	22
50-64	373	5.2	52	1	1	3	6	10	15	44
65+	316	6.3	54	1	1	4	8	12	17	28
B. *Operated*										
0-19 YRS	10	7.1	29	1	1	6	10	15	19	19
20-34	35	10.4	78	1	3	9	11	16	28	50
35-49	380	7.8	39	1	2	7	10	15	20	36
50-64	1682	8.2	38	1	2	7	11	16	20	29
65+	1546	7.9	36	1	2	7	11	15	18	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	8.5	112	1	1	3	13	24	35	36
20-34	42	7.8	58	1	2	5	10	16	27	36
35-49	918	6.9	51	1	2	5	8	15	20	37
50-64	4452	7.9	63	1	2	6	10	16	21	39
65+	5828	8.7	66	2	2	7	11	18	23	45
B. *Operated*										
0-19 YRS	19	14.1	151	2	2	13	20	41	71	99+
20-34	102	11.8	97	3	3	9	14	25	29	56
35-49	1691	11.6	86	2	3	9	15	22	29	48
50-64	9455	11.8	87	2	3	10	15	22	29	49
65+	13165	12.3	93	2	3	10	16	23	30	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	783	5.5	49	1	1	4	7	11	15	34
B. *Operated*	3653	8.0	38	1	2	7	11	16	19	29
2. MULTIPLE DX										
A. *Not Operated*	11251	8.2	64	1	2	6	10	17	22	42
B. *Operated*	24432	12.1	90	2	3	10	15	23	30	49
1. SINGLE DX	4436	7.6	41	1	1	6	10	15	19	29
2. MULTIPLE DX	35683	10.9	85	2	3	9	14	21	28	48
A. NOT OPERATED	12034	8.1	63	1	2	6	10	17	22	42
B. OPERATED	28085	11.5	85	2	3	9	15	22	29	48
TOTAL 0-19 YRS	41	10.6	115	1	1	7	15	32	41	99+
20-34	185	10.4	85	2	3	8	13	21	28	48
35-49	3076	9.5	73	1	2	8	12	19	25	44
50-64	15962	10.1	78	1	2	8	13	20	26	44
65+	20855	10.9	84	2	2	9	14	21	28	47
GRAND TOTAL	**40119**	**10.5**	**81**	**2**	**2**	**8**	**14**	**21**	**27**	**46**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.0	2	<1	<1	1	3	4	4	4
20-34	10	4.6	7	1	1	4	7	8	8	8
35-49	17	3.9	13	<1	1	4	5	6	13	16
50-64	62	3.4	17	<1	<1	2	4	8	11	25
65+	60	4.4	24	<1	1	2	6	11	12	26
B. *Operated*										
0-19 YRS	28	5.9	9	1	2	6	8	11	12	12
20-34	40	5.8	21	<1	1	5	8	14	15	17
35-49	165	6.8	43	<1	1	5	11	14	17	31
50-64	585	7.1	49	<1	1	4	11	17	20	31
65+	480	6.4	46	<1	1	3	11	16	20	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	4.6	29	<1	1	4	6	7	18	24
20-34	21	5.4	27	1	1	4	6	12	17	23
35-49	63	7.1	37	1	2	6	8	12	16	39
50-64	219	7.8	62	1	1	5	10	18	26	38
65+	283	8.6	112	1	2	6	10	17	23	52
B. *Operated*										
0-19 YRS	42	9.2	72	2	2	7	11	18	24	49
20-34	49	14.7	212	2	2	11	17	37	41	68
35-49	261	12.8	130	1	2	11	18	25	32	51
50-64	1176	12.8	118	1	2	11	17	26	34	55
65+	1439	12.6	163	1	2	10	17	27	37	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	156	3.8	18	<1	1	2	5	8	12	26
B. *Operated*	1298	6.7	46	<1	1	4	11	16	19	29
2. MULTIPLE DX										
A. *Not Operated*	603	7.9	81	1	1	5	10	16	23	42
B. *Operated*	2967	12.7	142	1	2	10	17	26	36	63
1. SINGLE DX	1454	6.4	43	<1	1	3	10	15	19	28
2. MULTIPLE DX	3570	11.9	135	1	2	9	16	25	34	59
A. NOT OPERATED	759	7.1	71	1	1	5	9	15	22	40
B. OPERATED	4265	10.9	120	1	1	9	15	23	31	56
TOTAL 0-19 YRS	94	6.9	45	1	1	5	8	13	20	38
20-34	120	9.3	118	1	1	6	12	19	36	60
35-49	506	9.9	95	1	1	8	13	21	28	49
50-64	2042	10.3	98	1	1	8	15	22	29	48
65+	2262	10.5	136	1	1	8	15	23	32	63
GRAND TOTAL	**5024**	**10.3**	**114**	**1**	**1**	**8**	**14**	**22**	**30**	**54**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	117	2.5	2	<1	1	2	3	5	5	7
20-34	25	3.2	4	<1	<1	3	5	6	7	8
35-49	21	8.7	200	1	1	4	9	15	40	67
50-64	31	4.6	11	1	1	3	7	9	11	15
65+	20	7.2	45	1	1	5	9	14	22	30
B. *Operated*										
0-19 YRS	308	5.9	18	1	1	5	9	12	14	18
20-34	181	7.1	70	1	2	5	9	13	16	44
35-49	205	6.5	44	1	1	4	9	14	17	35
50-64	224	6.7	47	1	1	5	9	13	20	43
65+	288	7.0	44	1	1	5	10	14	19	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	215	4.6	21	1	1	3	5	10	13	27
20-34	74	5.8	32	1	1	4	7	13	19	27
35-49	63	6.5	41	1	1	5	8	15	21	29
50-64	120	7.0	40	1	2	5	9	15	24	27
65+	196	8.5	63	1	2	6	10	18	26	50
B. *Operated*										
0-19 YRS	191	11.6	179	1	2	8	14	24	36	77
20-34	114	12.8	207	2	2	8	14	28	52	68
35-49	188	11.3	151	1	2	8	13	29	38	94
50-64	356	12.7	146	1	2	9	16	28	39	60
65+	697	13.1	176	2	2	9	16	29	45	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	214	3.9	30	1	1	3	5	8	10	22
B. *Operated*	1206	6.6	42	1	1	5	9	13	17	31
2. MULTIPLE DX										
A. *Not Operated*	668	6.5	42	1	1	4	8	14	21	29
B. *Operated*	1546	12.6	169	1	2	9	15	28	41	70
1. SINGLE DX	1420	6.2	41	1	1	4	8	12	16	31
2. MULTIPLE DX	2214	10.7	138	1	2	7	13	24	36	65
A. NOT OPERATED	882	5.9	40	1	1	4	7	13	18	29
B. OPERATED	2752	10.0	122	1	2	7	12	21	33	63
TOTAL 0-19 YRS	831	6.4	63	1	1	4	8	13	18	37
20-34	394	8.3	107	1	1	5	10	15	24	60
35-49	477	8.5	97	1	1	6	10	18	28	62
50-64	731	9.6	102	1	2	7	12	2[illegible]	29	59
65+	1201	10.8	131	1	2	7	13	2[illegible]	36	66
GRAND TOTAL	**3634**	**9.0**	**105**	**1**	**1**	**6**	**11**	**19**	**28**	**60**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	3.0	2	2	2	3	4	5	5	5
35-49	15	2.1	2	<1	<1	2	3	4	5	5
50-64	28	4.7	15	1	1	4	6	9	12	18
65+	7	4.0	25	<1	<1	2	4	13	15	15
B. *Operated*										
0-19 YRS	26	4.5	7	1	1	4	6	8	9	11
20-34	270	4.1	8	1	1	3	6	8	10	11
35-49	496	4.2	12	<1	1	3	6	9	10	16
50-64	462	4.3	12	<1	1	3	6	8	10	15
65+	376	4.5	17	<1	1	3	6	9	12	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	8.0	127	1	1	2	16	21	21	21
20-34	33	5.7	48	<1	1	3	6	16	21	33
35-49	58	6.6	44	1	1	4	7	14	22	33
50-64	67	9.0	68	1	2	5	12	22	28	34
65+	77	5.5	14	1	2	5	7	10	14	20
B. *Operated*										
0-19 YRS	12	7.3	47	1	1	6	10	18	21	22
20-34	135	5.6	24	1	1	5	7	11	15	30
35-49	277	6.1	48	1	1	5	7	11	16	44
50-64	398	6.4	43	1	1	5	8	13	20	36
65+	605	7.8	62	1	2	6	10	15	21	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	3.8	13	<1	1	3	5	8	11	18
B. *Operated*	1630	4.3	12	1	1	3	6	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	238	6.8	43	1	2	5	8	15	22	33
B. *Operated*	1427	6.9	51	1	1	5	8	14	19	37
1. SINGLE DX	1684	4.3	12	1	1	3	6	8	10	16
2. MULTIPLE DX	1665	6.8	50	1	1	5	8	14	20	35
A. NOT OPERATED	292	6.2	39	1	1	4	7	14	21	32
B. OPERATED	3057	5.5	32	1	1	4	7	10	14	29
TOTAL 0-19 YRS	41	5.6	26	1	1	4	8	11	19	22
20-34	442	4.7	16	1	1	4	6	9	11	20
35-49	846	4.9	26	1	1	4	7	9	12	24
50-64	955	5.5	31	1	1	4	7	10	15	30
65+	1065	6.4	45	1	1	5	8	13	17	34
GRAND TOTAL	**3349**	**5.6**	**33**	**1**	**1**	**4**	**7**	**11**	**15**	**29**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	5	3.6	10	1	1	2	5	9	9	9
50-64	6	3.0	5	1	1	2	4	7	7	7
65+	20	5.2	83	<1	1	3	5	8	26	43
B. *Operated*										
0-19 YRS	28	3.6	17	<1	<1	2	4	10	11	19
20-34	85	2.4	5	<1	<1	1	3	6	7	11
35-49	247	2.7	9	<1	<1	2	3	6	8	15
50-64	587	2.7	13	<1	<1	2	3	5	8	18
65+	1115	2.8	8	<1	<1	2	3	6	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	6.0	9	3	3	6	8	9	9	9
20-34	22	7.3	163	2	2	4	7	11	32	63
35-49	27	7.5	71	1	2	5	8	17	26	40
50-64	35	6.7	52	<1	<1	3	11	20	22	22
65+	100	7.6	56	<1	1	4	12	18	23	32
B. *Operated*										
0-19 YRS	12	5.7	56	<1	<1	2	6	20	23	23
20-34	65	8.6	89	1	1	4	14	23	32	38
35-49	205	4.6	32	<1	<1	2	6	11	15	31
50-64	665	4.4	39	<1	1	2	5	9	14	35
65+	2366	5.5	54	1	1	3	7	12	18	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	4.5	54	1	1	3	4	8	9	43
B. *Operated*	2062	2.7	10	<1	<1	2	3	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	187	7.4	68	<1	1	4	11	19	22	37
B. *Operated*	3313	5.3	51	<1	1	3	6	12	18	40
1. SINGLE DX	2094	2.8	10	<1	<1	2	3	6	8	16
2. MULTIPLE DX	3500	5.4	52	<1	1	3	6	12	18	39
A. NOT OPERATED	219	7.0	67	<1	1	4	9	17	22	41
B. OPERATED	5375	4.3	36	<1	<1	2	5	10	14	32
TOTAL 0-19 YRS	43	4.3	27	<1	<1	2	5	10	19	23
20-34	173	5.4	64	<1	<1	2	5	14	21	37
35-49	484	3.8	24	<1	<1	2	4	9	12	25
50-64	1293	3.7	28	<1	<1	2	4	8	12	29
65+	3601	4.7	42	<1	1	2	5	11	15	33
GRAND TOTAL	**5594**	**4.4**	**38**	**<1**	**<1**	**2**	**5**	**10**	**15**	**32**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	12	3.3	6	<1	1	3	4	6	9	10
35-49	55	3.7	6	1	1	3	5	6	9	15
50-64	95	4.2	10	1	1	4	6	8	10	15
65+	60	4.4	9	1	1	4	6	8	11	15
B. *Operated*										
0-19 YRS	18	5.6	17	<1	1	5	8	12	14	14
20-34	505	4.4	6	<1	1	4	6	7	9	12
35-49	3095	4.7	7	1	2	4	6	8	9	12
50-64	4652	5.0	7	1	2	5	7	8	9	13
65+	4656	5.5	8	1	2	5	7	9	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	6.8	2	5	5	7	8	9	9	9
20-34	51	7.0	50	1	1	5	8	13	26	33
35-49	300	7.4	75	1	1	5	9	16	24	44
50-64	736	8.5	81	1	1	6	11	18	26	48
65+	815	8.5	77	1	2	6	11	17	23	48
B. *Operated*										
0-19 YRS	23	7.0	12	1	2	7	8	12	14	15
20-34	529	5.9	19	1	2	5	7	10	12	22
35-49	3699	6.1	20	2	2	5	7	10	12	24
50-64	7728	6.8	25	2	3	6	8	11	15	26
65+	11828	7.6	33	2	3	7	9	12	16	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	223	4.1	9	1	1	3	5	8	10	15
B. *Operated*	12926	5.1	7	1	2	5	7	8	10	13
2. MULTIPLE DX										
A. *Not Operated*	1907	8.3	78	1	1	6	11	17	25	46
B. *Operated*	23807	7.1	28	2	3	6	8	11	15	28
1. SINGLE DX	13149	5.1	7	1	2	5	7	8	10	13
2. MULTIPLE DX	25714	7.2	32	2	3	6	8	12	15	30
A. NOT OPERATED	2130	7.8	72	1	1	5	10	16	23	45
B. OPERATED	36733	6.4	22	2	2	6	8	10	13	24
TOTAL 0-19 YRS	47	6.3	13	1	1	6	8	12	14	15
20-34	1097	5.2	15	1	2	5	6	9	11	21
35-49	7149	5.6	17	1	2	5	7	9	11	21
50-64	13211	6.3	23	1	2	5	8	10	13	25
65+	17359	7.0	29	2	3	6	8	11	15	28
GRAND TOTAL	**38863**	**6.5**	**25**	**2**	**2**	**6**	**8**	**11**	**14**	**25**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	64	3.1	1	1	1	3	4	4	5	6
35-49	125	3.3	2	1	1	3	4	4	6	9
50-64	148	3.5	4	1	2	3	4	5	7	11
65+	100	4.0	10	2	2	4	4	5	8	21
B. *Operated*										
0-19 YRS	5	6.2	14	<1	<1	7	9	10	10	10
20-34	323	5.3	19	1	1	4	8	10	14	17
35-49	438	5.6	32	1	2	4	8	11	13	19
50-64	278	4.9	37	1	1	4	6	10	11	19
65+	188	4.4	16	1	1	3	5	9	11	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.6	3	2	2	4	5	6	6	6
20-34	101	6.1	33	1	1	4	8	14	16	31
35-49	234	5.8	33	1	1	4	7	13	17	30
50-64	313	6.3	42	1	1	4	7	13	18	39
65+	297	6.5	44	2	2	4	7	14	19	39
B. *Operated*										
0-19 YRS	7	7.6	35	1	1	6	11	17	18	18
20-34	404	8.1	69	1	2	6	10	14	18	50
35-49	759	8.8	60	1	2	7	11	17	23	44
50-64	689	8.8	71	1	2	7	10	18	25	52
65+	702	9.2	102	2	2	6	11	19	27	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	439	3.5	5	1	2	3	4	5	6	11
B. *Operated*	1232	5.2	27	1	1	4	7	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	950	6.2	39	1	2	4	7	13	18	37
B. *Operated*	2561	8.8	76	1	2	7	10	17	24	48
1. SINGLE DX	1671	4.7	22	1	1	3	6	9	11	17
2. MULTIPLE DX	3511	8.1	67	1	2	6	10	16	22	45
A. NOT OPERATED	1389	5.4	30	1	2	4	6	11	16	31
B. OPERATED	3793	7.6	63	1	2	6	9	15	20	44
TOTAL 0-19 YRS	19	5.7	19	<1	1	4	8	11	15	18
20-34	892	6.5	45	1	1	5	8	12	15	41
35-49	1556	7.0	47	1	2	5	9	14	18	39
50-64	1428	6.9	55	1	2	5	9	14	21	40
65+	1287	7.5	73	1	2	5	9	16	21	44
GRAND TOTAL	**5182**	**7.0**	**55**	**1**	**2**	**5**	**9**	**14**	**19**	**41**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.3	2	1	1	2	3	4	4	4
35-49	25	3.6	1	1	2	4	4	5	5	6
50-64	85	3.5	10	1	2	3	4	4	5	23
65+	143	3.7	7	1	2	3	4	5	8	16
B. *Operated*										
0-19 YRS	5	8.6	38	4	4	7	11	19	19	19
20-34	41	5.5	7	1	1	6	7	8	9	13
35-49	190	5.8	8	1	1	6	7	9	10	16
50-64	769	5.9	9	1	2	6	7	9	10	15
65+	864	6.0	10	1	2	6	8	9	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	9	5.2	12	1	1	4	7	10	12	12
35-49	28	6.9	45	<1	1	5	8	19	25	25
50-64	186	5.9	38	1	1	4	6	15	20	32
65+	378	7.1	55	1	2	4	8	16	23	47
B. *Operated*										
0-19 YRS	10	6.5	12	<1	1	6	8	11	12	12
20-34	83	6.9	8	2	3	7	9	10	13	71
35-49	609	7.0	16	2	3	6	8	11	14	24
50-64	2468	7.8	34	2	2	7	9	12	16	33
65+	3860	8.2	33	2	2	7	10	14	18	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	256	3.6	7	1	2	3	4	5	7	16
B. *Operated*	1869	5.9	9	1	2	6	7	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	602	6.7	49	1	1	4	8	15	21	37
B. *Operated*	7030	7.9	32	2	2	7	9	13	17	31
1. SINGLE DX	2125	5.6	10	1	2	6	7	9	10	15
2. MULTIPLE DX	7632	7.8	33	2	2	7	9	13	18	32
A. NOT OPERATED	858	5.7	38	1	2	4	6	12	19	34
B. OPERATED	8899	7.5	28	1	2	7	9	12	16	28
TOTAL 0-19 YRS	16	6.9	19	1	2	6	8	12	17	19
20-34	136	6.3	8	1	2	6	8	10	12	25
35-49	852	6.6	15	1	2	6	8	10	13	22
50-64	3508	7.1	29	1	2	6	8	12	15	30
65+	5245	7.7	31	1	2	7	9	13	17	30
GRAND TOTAL	**9757**	**7.4**	**29**	**1**	**2**	**7**	**9**	**12**	**16**	**29**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.5		3	3	3	4	4	4	4
20-34	12	1.8	1	1	1	1	3	3	3	3
35-49	51	2.3	3	<1	1	2	3	4	6	8
50-64	122	2.3	4	<1	1	2	2	4	6	12
65+	57	4.3	30	1	1	3	5	10	12	95
B. *Operated*										
0-19 YRS	31	7.3	6	4	4	7	9	11	12	12
20-34	87	6.2	6	3	4	6	7	9	11	15
35-49	150	7.4	23	2	3	7	9	12	14	30
50-64	229	7.7	15	2	3	7	9	12	15	21
65+	157	8.7	18	2	4	8	11	14	17	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	4.4	6	1	2	4	5	8	10	11
20-34	20	2.8	12	1	1	2	3	6	12	15
35-49	165	4.2	14	1	1	3	6	9	11	18
50-64	485	4.9	38	1	1	3	6	11	17	29
65+	584	7.3	53	1	1	5	9	17	24	32
B. *Operated*										
0-19 YRS	36	9.5	97	4	5	7	10	13	17	64
20-34	209	8.2	18	4	4	7	10	15	18	22
35-49	684	10.0	59	4	5	8	12	16	21	49
50-64	1608	12.4	71	4	6	10	15	22	28	44
65+	1695	15.1	107	6	7	12	18	26	34	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	246	2.8	10	1	1	2	3	6	8	18
B. *Operated*	654	7.7	17	2	4	7	9	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	1271	5.9	43	1	1	4	7	13	20	31
B. *Operated*	4232	12.9	85	4	6	10	15	23	29	55
1. SINGLE DX	900	6.3	20	1	1	6	8	11	14	21
2. MULTIPLE DX	5503	11.2	84	2	3	9	14	21	28	50
A. NOT OPERATED	1517	5.4	39	1	1	3	7	12	18	30
B. OPERATED	4886	12.2	79	4	5	10	15	22	28	51
TOTAL 0-19 YRS	88	7.5	47	3	3	7	9	11	13	46
20-34	328	7.1	17	1	3	6	8	13	16	21
35-49	1050	8.4	50	1	2	7	10	15	18	40
50-64	2444	10.0	68	1	2	8	12	19	25	41
65+	2493	12.6	100	2	3	10	16	23	31	56
GRAND TOTAL	**6403**	**10.6**	**78**	**1**	**2**	**8**	**13**	**20**	**27**	**47**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.0	2	<1	<1	3	4	4	4	4
20-34	8	4.3	6	1	1	4	6	8	8	8
35-49	4	6.0	19	2	2	5	9	12	12	12
50-64	11	3.4	3	1	1	3	4	6	7	7
65+	32	5.3	15	2	2	4	7	11	15	15
B. *Operated*										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	14	4.0	6	<1	1	3	5	7	9	10
35-49	38	6.9	35	1	1	5	9	17	20	22
50-64	68	6.9	26	1	2	6	9	14	16	29
65+	150	7.0	44	1	1	5	9	17	21	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	13	5.5	9	2	2	5	7	10	11	11
35-49	11	9.8	242	1	2	5	8	29	54	56
50-64	52	6.5	61	1	2	4	7	12	21	40
65+	125	8.1	99	2	2	5	8	19	29	54
B. *Operated*										
0-19 YRS	3	23.0	399	10	10	29	73	99+	99+	99+
20-34	33	11.2	165	1	3	8	14	24	29	71
35-49	90	11.3	123	2	2	7	16	25	31	61
50-64	205	12.2	135	2	3	9	16	23	30	56
65+	547	13.4	150	2	3	10	17	27	38	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	4.7	11	1	2	4	6	9	13	15
B. *Operated*	272	6.8	36	1	2	5	9	15	20	30
2. MULTIPLE DX										
A. *Not Operated*	203	7.6	90	1	2	5	7	15	29	54
B. *Operated*	878	12.8	145	2	3	10	16	26	37	77
1. SINGLE DX	332	6.4	32	1	2	5	8	15	19	26
2. MULTIPLE DX	1081	11.8	139	2	3	8	15	24	35	70
A. NOT OPERATED	263	6.9	73	1	2	4	7	13	21	52
B. OPERATED	1150	11.4	126	2	2	8	15	23	33	67
TOTAL 0-19 YRS	12	8.3	154	<1	2	4	11	57	92	99+
20-34	68	7.8	93	1	2	5	8	15	23	64
35-49	143	9.9	108	1	2	7	13	22	28	58
50-64	336	9.9	105	2	2	7	12	20	27	51
65+	854	11.2	128	2	2	8	15	23	34	66
GRAND TOTAL	**1413**	**10.6**	**119**	**2**	**2**	**7**	**13**	**22**	**31**	**60**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	25	3.6	7	1	1	3	5	7	9	12
65+	87	4.8	16	1	1	4	7	11	13	19
B. Operated										
0-19 YRS	5	6.0	40	1	1	4	7	17	17	17
20-34	3	5.0	19	2	2	3	8	10	10	10
35-49	34	5.9	26	1	1	4	8	13	16	23
50-64	1315	5.9	20	1	1	5	8	11	14	21
65+	3616	5.3	13	1	1	5	7	10	12	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	7.8	79	1	1	6	9	22	30	30
20-34	1	2.0		2	2	2	2	2	2	2
35-49	15	7.3	45	1	2	4	12	16	23	25
50-64	434	7.4	43	1	2	5	9	16	22	35
65+	2234	7.8	56	1	2	6	10	15	20	42
B. Operated										
0-19 YRS	22	8.4	92	2	3	6	8	14	30	48
20-34	3	15.0	16	11	11	15	18	19	19	19
35-49	84	8.3	58	2	2	7	10	14	20	48
50-64	3007	7.8	46	1	2	6	10	15	19	33
65+	16980	8.0	44	2	2	6	10	15	20	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	113	4.5	14	1	1	3	6	10	13	18
B. Operated	4973	5.5	15	1	1	5	7	10	13	19
2. MULTIPLE DX										
A. Not Operated	2693	7.7	54	1	2	6	9	16	21	40
B. Operated	20096	8.0	44	2	2	6	10	15	19	34
1. SINGLE DX	5086	5.4	15	1	1	5	7	10	13	19
2. MULTIPLE DX	22789	8.0	45	2	2	6	10	15	20	35
A. NOT OPERATED	2806	7.6	53	1	2	6	9	15	20	39
B. OPERATED	25069	7.5	39	1	2	6	9	14	18	32
TOTAL 0-19 YRS	36	7.9	78	1	2	6	8	17	26	48
20-34	7	8.9	46	2	2	10	14	18	19	19
35-49	134	7.5	48	1	2	6	10	14	18	42
50-64	4781	7.2	39	1	2	6	9	14	18	31
65+	22917	7.6	41	1	2	6	9	14	19	33
GRAND TOTAL	**27875**	**7.5**	**41**	**1**	**2**	**6**	**9**	**14**	**19**	**33**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	3.0	4	1	1	3	4	5	5	5
20-34	24	3.9	3	1	1	5	5	6	6	6
35-49	10	3.8	6	2	2	3	5	8	10	10
50-64	4	8.3	66	2	2	5	13	20	20	20
65+										
B. Operated										
0-19 YRS	48	3.1	4	1	1	3	4	6	7	9
20-34	565	3.5	13	1	1	3	4	7	9	14
35-49	194	2.8	4	1	1	2	3	5	7	11
50-64	81	4.3	31	<1	1	3	5	9	12	36
65+	55	4.4	7	1	2	4	6	9	10	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	6.0	43	1	1	5	6	14	24	25
20-34	74	5.7	28	1	1	5	7	12	14	33
35-49	20	7.0	18	3	4	5	8	15	16	17
50-64	14	7.0	15	1	2	7	8	11	16	17
65+	10	5.4	24	1	1	3	9	13	15	15
B. Operated										
0-19 YRS	29	7.1	30	1	2	6	10	13	14	29
20-34	269	7.9	84	1	1	6	10	15	21	39
35-49	125	5.7	32	1	1	4	7	13	15	28
50-64	108	7.5	72	1	2	5	10	15	22	46
65+	148	7.7	56	1	2	6	9	18	24	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	41	4.2	10	1	1	4	5	6	8	20
B. Operated	943	3.4	12	1	1	3	4	7	9	13
2. MULTIPLE DX										
A. Not Operated	129	6.1	25	1	1	5	7	12	15	28
B. Operated	679	7.4	64	1	1	5	9	15	21	38
1. SINGLE DX	984	3.5	12	1	1	3	4	7	9	14
2. MULTIPLE DX	808	7.1	58	1	1	5	9	15	20	37
A. NOT OPERATED	170	5.6	22	1	1	5	7	10	15	24
B. OPERATED	1622	5.1	38	1	1	3	6	10	15	30
TOTAL 0-19 YRS	91	4.7	20	1	1	3	6	9	13	27
20-34	932	4.9	38	1	1	3	6	10	14	33
35-49	349	4.1	17	1	1	3	5	9	12	17
50-64	207	6.2	54	1	1	4	8	14	19	37
65+	213	6.7	44	1	2	5	8	13	22	32
GRAND TOTAL	**1792**	**5.1**	**36**	**1**	**1**	**3**	**6**	**10**	**15**	**29**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	6	3.7	3	2	2	3	5	6	6	6
50-64	22	3.0	6	<1	<1	2	5	8	8	8
65+	61	5.2	18	1	1	4	8	12	14	16
B. *Operated*										
0-19 YRS	10	3.4	4	1	1	3	4	6	8	8
20-34	67	3.3	11	<1	1	2	4	8	10	17
35-49	372	3.2	15	<1	1	2	3	6	10	19
50-64	1940	3.9	14	1	1	3	4	9	12	18
65+	3723	4.0	14	1	1	3	5	8	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	9.0	13	6	6	8	12	13	13	13
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	18	4.8	17	<1	1	3	6	11	15	17
50-64	158	5.9	53	1	1	4	7	12	17	38
65+	702	7.6	67	1	1	5	9	15	23	45
B. *Operated*										
0-19 YRS	21	10.0	116	<1	1	6	15	25	33	40
20-34	50	6.0	108	1	1	3	5	13	17	57
35-49	364	6.6	60	1	1	4	8	16	20	38
50-64	2948	6.6	54	1	1	4	8	15	20	40
65+	11623	7.1	55	1	2	5	9	15	21	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	4.5	15	1	1	3	6	11	13	16
B. *Operated*	6112	3.9	14	1	1	3	5	8	12	18
2. MULTIPLE DX										
A. *Not Operated*	883	7.2	64	1	1	5	9	15	21	42
B. *Operated*	15006	7.0	55	1	2	5	9	15	21	39
1. SINGLE DX	6201	3.9	14	1	1	3	5	8	12	18
2. MULTIPLE DX	15889	7.0	56	1	2	5	9	15	21	39
A. NOT OPERATED	972	7.0	60	1	1	5	9	15	20	39
B. OPERATED	21118	6.1	45	1	1	4	7	14	18	35
TOTAL 0-19 YRS	34	8.0	81	1	1	5	11	23	26	40
20-34	119	4.4	53	1	1	3	4	9	15	51
35-49	760	4.9	39	1	1	3	6	12	17	29
50-64	5068	5.5	40	1	1	3	6	13	17	35
65+	16109	6.4	48	1	1	4	8	14	19	35
GRAND TOTAL	**22090**	**6.2**	**46**	**1**	**1**	**4**	**7**	**14**	**18**	**35**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	3.5	32	1	1	2	4	5	12	30
20-34	6	5.0	24	2	2	3	4	14	15	15
35-49	12	2.4	2	1	1	2	3	5	6	6
50-64	25	4.1	13	<1	1	3	4	9	14	16
65+	30	3.8	6	<1	1	3	5	7	8	8
B. *Operated*										
0-19 YRS	93	8.9	21	2	4	9	11	13	16	29
20-34	43	7.9	11	2	4	7	10	11	13	20
35-49	174	8.0	14	2	3	8	10	14	16	19
50-64	420	8.3	25	1	2	8	10	13	16	29
65+	422	9.2	40	1	2	9	11	15	18	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	3.8	12	<1	<1	3	5	8	10	19
20-34	14	3.7	8	<1	1	3	5	8	10	10
35-49	67	6.3	22	1	1	5	9	11	15	25
50-64	292	7.6	51	1	2	5	10	16	23	35
65+	505	8.3	47	1	2	7	11	18	23	40
B. *Operated*										
0-19 YRS	93	11.8	84	4	4	9	12	24	32	47
20-34	38	11.7	28	5	6	11	15	17	20	31
35-49	352	10.2	32	2	5	9	12	16	21	33
50-64	1465	11.5	60	2	4	10	14	20	24	41
65+	2421	13.0	76	2	4	11	16	23	30	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	99	3.7	15	1	1	3	4	7	9	23
B. *Operated*	1152	8.6	28	1	2	8	11	14	16	27
2. MULTIPLE DX										
A. *Not Operated*	930	7.6	45	1	2	6	10	16	22	36
B. *Operated*	4369	12.2	68	2	4	10	15	22	28	44
1. SINGLE DX	1251	8.2	29	1	2	8	10	14	16	27
2. MULTIPLE DX	5299	11.4	67	2	3	10	14	21	27	43
A. NOT OPERATED	1029	7.3	44	1	1	5	9	16	21	35
B. OPERATED	5521	11.5	62	2	4	10	14	20	26	42
TOTAL 0-19 YRS	264	8.4	53	1	1	7	10	15	22	41
20-34	101	8.6	25	1	2	8	11	15	17	26
35-49	605	9.0	28	2	3	8	11	15	18	29
50-64	2202	10.3	55	2	3	9	13	18	23	39
65+	3378	11.7	71	2	3	10	15	22	27	44
GRAND TOTAL	**6550**	**10.8**	**61**	**2**	**3**	**9**	**14**	**20**	**25**	**41**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	1.1		<1	<1	<1	1	1	2	2
20-34	2	4.5	25	1	1	4	8	8	8	8
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	3.7	4	2	2	3	5	6	6	6
B. *Operated*										
0-19 YRS	68	2.4	4	<1	<1	2	3	5	5	11
20-34	15	3.5	6	<1	1	3	5	8	9	9
35-49	27	2.6	3	<1	1	2	3	5	6	7
50-64	56	4.1	6	1	1	3	6	8	8	9
65+	67	3.3	5	1	1	3	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	2.3	3	<1	<1	1	3	5	6	7
20-34	3	16.0	333	4	4	7	29	37	37	37
35-49	3	6.0	4	4	4	6	7	8	8	8
50-64	10	5.0	18	1	1	4	7	11	15	15
65+	20	5.2	15	<1	1	4	9	12	53	99+
B. *Operated*										
0-19 YRS	28	5.7	39	<1	<1	3	7	16	20	26
20-34	7	7.6	32	1	1	6	12	16	16	16
35-49	16	5.3	25	1	1	3	7	12	18	20
50-64	39	5.1	48	1	1	3	5	10	23	34
65+	105	4.9	76	1	1	3	5	8	12	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	1.4	2	<1	<1	<1	1	2	4	8
B. *Operated*	233	3.2	5	<1	1	3	4	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	56	4.7	31	<1	1	3	7	11	15	96
B. *Operated*	195	5.2	59	1	1	3	6	10	15	32
1. SINGLE DX	277	2.9	5	<1	<1	2	4	6	8	10
2. MULTIPLE DX	251	5.1	53	1	1	3	6	10	15	37
A. NOT OPERATED	100	3.3	21	<1	<1	1	4	8	11	68
B. OPERATED	428	4.1	30	1	1	3	5	8	10	21
TOTAL 0-19 YRS	154	2.7	11	<1	<1	1	3	5	9	19
20-34	27	6.0	53	1	1	3	7	13	19	37
35-49	46	3.8	12	1	1	3	5	8	10	20
50-64	106	4.5	22	1	1	3	6	8	10	31
65+	195	4.4	45	1	1	3	5	8	11	55
GRAND TOTAL	**528**	**3.9**	**29**	**<1**	**1**	**3**	**5**	**8**	**11**	**27**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	102	5.0	40	1	1	4	5	10	13	41
20-34	46	5.6	30	1	1	4	7	12	16	27
35-49	100	5.9	36	1	1	4	8	11	16	35
50-64	120	8.4	98	2	2	5	10	18	25	57
65+	104	7.7	36	1	2	6	10	15	20	29
B. *Operated*										
0-19 YRS	222	10.0	51	1	2	9	13	17	21	30
20-34	196	9.1	27	2	3	8	12	16	19	24
35-49	298	10.4	57	3	4	9	13	19	22	33
50-64	325	11.7	73	3	4	10	14	21	24	47
65+	210	13.2	107	2	4	11	16	23	29	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	183	5.7	88	<1	1	3	6	11	16	78
20-34	147	6.1	33	1	1	4	8	14	19	32
35-49	305	7.8	93	1	2	5	9	16	26	72
50-64	506	9.7	110	2	2	7	12	20	30	64
65+	616	10.7	108	2	3	8	12	23	32	58
B. *Operated*										
0-19 YRS	395	16.0	230	2	3	11	19	36	54	93
20-34	267	14.6	210	2	3	11	17	28	48	97
35-49	367	15.1	224	2	4	11	17	30	53	79
50-64	604	17.4	204	3	5	14	22	36	51	98
65+	651	19.4	222	4	6	16	23	38	55	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	472	6.7	54	1	1	4	8	13	20	41
B. *Operated*	1251	10.9	65	2	3	10	14	19	23	41
2. MULTIPLE DX										
A. *Not Operated*	1757	9.0	100	1	2	6	11	19	29	66
B. *Operated*	2284	17.0	220	3	4	13	21	35	51	91
1. SINGLE DX	1723	9.8	66	2	2	8	13	18	23	41
2. MULTIPLE DX	4041	13.5	184	2	3	10	17	29	43	84
A. NOT OPERATED	2229	8.5	91	1	2	6	11	18	26	58
B. OPERATED	3535	14.9	174	2	4	11	18	29	42	78
TOTAL 0-19 YRS	902	11.2	156	1	2	8	14	24	36	75
20-34	656	10.4	116	1	2	8	13	21	27	69
35-49	1070	10.9	133	1	2	8	13	20	30	72
50-64	1555	13.0	151	2	3	10	16	26	38	74
65+	1581	14.4	169	2	3	11	18	29	42	76
GRAND TOTAL	**5764**	**12.4**	**152**	**2**	**2**	**9**	**15**	**25**	**37**	**74**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.8	8	<1	1	2	4	19	82	99+
20-34	2	7.5	1	7	7	7	8	8	8	8
35-49	3	4.3		4	4	4	5	5	5	5
50-64	4	6.0	10	2	2	6	8	9	9	9
65+	4	7.3	9	3	3	8	9	10	10	10
B. *Operated*										
0-19 YRS	40	9.4	127	1	1	7	11	18	23	68
20-34	18	14.8	128	4	6	11	16	27	43	53
35-49	15	8.5	44	1	1	8	10	17	24	27
50-64	15	13.3	38	7	7	13	15	19	28	31
65+	10	14.2	62	4	5	14	16	27	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	4.7	12	1	1	4	6	10	12	13
20-34	7	22.1	1087	3	4	10	17	81	96	96
35-49	9	6.8	26	1	1	6	11	15	15	15
50-64	18	8.2	42	2	3	6	11	20	23	24
65+	43	10.8	149	1	2	7	12	23	45	54
B. *Operated*										
0-19 YRS	46	17.8	296	1	2	14	26	51	63	99+
20-34	31	21.2	250	4	5	17	25	50	52	64
35-49	33	10.0	33	1	1	11	13	29	99+	99+
50-64	60	16.9	159	4	6	13	22	32	53	97
65+	84	20.3	204	3	6	17	23	37	52	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	4.5	10	<1	1	4	8	10	24	99+
B. *Operated*	98	11.3	98	1	2	10	14	20	28	61
2. MULTIPLE DX										
A. *Not Operated*	105	9.1	153	1	2	6	10	19	25	73
B. *Operated*	254	17.8	202	2	4	14	22	40	59	99+
1. SINGLE DX	124	9.9	87	1	1	8	13	19	27	76
2. MULTIPLE DX	359	15.3	203	1	3	12	20	36	52	99+
A. NOT OPERATED	131	8.2	128	1	1	5	10	17	24	97
B. OPERATED	352	16.0	181	1	3	13	20	35	52	99+
TOTAL 0-19 YRS	127	10.7	182	1	1	6	14	29	52	99+
20-34	58	18.9	299	3	5	13	22	46	53	93
35-49	60	8.8	34	1	1	10	12	17	54	99+
50-64	97	14.3	125	3	4	12	17	27	35	85
65+	141	16.6	191	2	3	13	21	35	46	71
GRAND TOTAL	**483**	**13.9**	**179**	**1**	**2**	**11**	**17**	**31**	**50**	**99+**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	2.7	6	<1	1	2	4	5	7	14
20-34	61	2.7	14	1	1	2	3	4	5	27
35-49	52	2.4	3	1	1	2	3	5	5	10
50-64	24	2.5	3	1	1	2	3	4	7	9
65+	21	3.0	2	1	2	3	4	5	6	6
B. *Operated*										
0-19 YRS	88	5.5	88	1	1	4	6	10	12	61
20-34	353	3.5	4	1	2	3	4	5	7	11
35-49	342	3.8	6	1	2	3	4	5	7	14
50-64	215	4.3	9	1	2	4	5	6	10	19
65+	110	5.6	30	2	2	4	6	10	15	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	124	4.5	23	<1	1	3	5	11	14	22
20-34	64	3.8	10	1	1	3	4	8	11	17
35-49	76	3.8	9	1	1	3	5	7	12	78
50-64	87	6.9	59	1	2	4	7	15	28	37
65+	121	6.8	69	2	2	4	7	12	21	55
B. *Operated*										
0-19 YRS	138	11.7	213	1	3	7	13	22	36	80
20-34	377	5.4	26	2	2	4	6	10	13	26
35-49	403	5.7	35	2	2	4	6	10	14	28
50-64	399	7.2	48	2	3	5	8	14	21	35
65+	430	10.1	109	2	3	7	12	21	32	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	211	2.6	7	1	1	2	3	4	6	12
B. *Operated*	1108	4.1	15	1	2	3	5	6	9	18
2. MULTIPLE DX										
A. *Not Operated*	472	5.3	39	1	1	3	6	11	15	37
B. *Operated*	1747	7.5	73	2	2	5	8	15	22	54
1. SINGLE DX	1319	3.9	14	1	1	3	4	6	9	17
2. MULTIPLE DX	2219	7.1	66	1	2	5	8	14	21	45
A. NOT OPERATED	683	4.5	31	1	1	3	5	9	14	33
B. OPERATED	2855	6.2	53	1	2	4	7	12	17	40
TOTAL 0-19 YRS	403	7.0	112	1	1	4	8	14	20	66
20-34	855	4.3	16	1	2	3	5	8	10	21
35-49	873	4.6	21	1	2	4	5	8	11	21
50-64	725	6.1	38	1	2	4	7	12	18	33
65+	682	8.6	90	2	2	5	10	18	25	63
GRAND TOTAL	**3538**	**5.9**	**49**	**1**	**2**	**4**	**6**	**11**	**16**	**37**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	4.0	72	<1	<1	2	3	5	9	53
20-34	30	4.2	14	<1	<1	3	6	10	11	13
35-49	93	5.8	22	1	2	4	7	14	17	21
50-64	229	5.5	33	1	1	4	7	11	15	32
65+	270	6.2	39	1	1	4	8	14	18	30
B. *Operated*										
0-19 YRS	74	6.6	39	1	1	5	9	13	15	39
20-34	64	4.9	16	<1	1	3	7	10	14	18
35-49	211	6.0	33	<1	1	4	8	12	15	30
50-64	469	6.9	44	<1	1	5	9	15	18	37
65+	545	6.5	43	1	1	5	9	14	18	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	199	4.2	21	<1	1	3	5	9	11	20
20-34	657	6.3	36	1	1	4	8	13	18	31
35-49	2865	7.8	58	1	2	5	10	17	22	39
50-64	8695	8.5	69	1	2	6	11	18	24	41
65+	15183	9.1	66	2	2	7	11	18	24	41
B. *Operated*										
0-19 YRS	245	10.7	153	1	2	8	12	25	32	69
20-34	930	9.3	79	1	2	7	11	19	26	48
35-49	3762	10.9	110	1	2	8	14	23	32	59
50-64	10374	11.7	115	1	2	9	15	24	32	54
65+	15635	12.5	120	2	3	10	16	25	34	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	659	5.7	35	1	1	4	7	12	16	30
B. *Operated*	1363	6.5	40	1	1	5	9	14	18	31
2. MULTIPLE DX										
A. *Not Operated*	27599	8.7	66	1	2	6	11	18	24	41
B. *Operated*	30946	11.9	116	2	2	9	15	25	33	57
1. SINGLE DX	2022	6.2	39	1	1	4	8	13	17	31
2. MULTIPLE DX	58545	10.4	95	1	2	8	13	22	29	50
A. NOT OPERATED	28258	8.6	65	1	2	6	11	18	24	41
B. OPERATED	32309	11.7	114	1	2	9	15	24	32	56
TOTAL 0-19 YRS	555	7.4	94	1	1	5	9	14	25	53
20-34	1681	7.9	61	1	2	6	10	16	21	42
35-49	6931	9.4	88	1	2	7	12	20	28	50
50-64	19767	10.1	95	1	2	7	13	21	29	50
65+	31633	10.7	95	2	2	8	14	22	29	50
GRAND TOTAL	**60567**	**10.3**	**94**	**1**	**2**	**8**	**13**	**22**	**29**	**50**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	2.5	8	<1	<1	1	4	4	6	17
20-34	98	3.2	8	<1	1	2	4	6	10	15
35-49	25	2.5	5	<1	<1	1	3	6	7	8
50-64	31	3.7	9	<1	<1	3	5	7	9	15
65+	18	4.3	17	<1	<1	3	9	10	13	14
B. *Operated*										
0-19 YRS	248	4.7	13	1	1	5	6	9	11	18
20-34	601	5.7	20	<1	1	5	8	10	13	21
35-49	246	5.4	20	1	1	4	7	11	14	21
50-64	117	6.4	33	1	1	5	8	15	18	27
65+	76	5.9	40	<1	1	4	7	12	22	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	4.2	17	<1	<1	3	5	8	11	26
20-34	195	5.7	39	1	1	4	8	13	16	27
35-49	84	6.8	50	1	1	5	8	13	26	34
50-64	103	6.5	32	1	1	5	9	14	17	27
65+	114	8.3	80	1	2	6	11	16	22	47
B. *Operated*										
0-19 YRS	156	8.3	33	2	2	7	11	16	19	28
20-34	450	9.7	105	1	2	7	11	22	29	48
35-49	252	11.0	99	1	2	8	13	23	34	53
50-64	215	12.4	106	2	3	10	17	24	30	51
65+	215	13.8	142	2	3	11	18	29	38	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	209	3.1	9	<1	<1	2	4	7	9	15
B. *Operated*	1288	5.5	21	1	1	5	7	10	14	24
2. MULTIPLE DX										
A. *Not Operated*	567	6.3	46	1	1	5	8	14	18	31
B. *Operated*	1288	10.9	104	1	2	8	14	23	29	51
1. SINGLE DX	1497	5.2	20	<1	1	4	7	10	14	23
2. MULTIPLE DX	1855	9.5	91	1	2	7	12	20	28	48
A. NOT OPERATED	776	5.5	38	1	1	4	7	12	16	29
B. OPERATED	2576	8.2	70	1	1	6	10	18	24	42
TOTAL 0-19 YRS	512	5.6	23	1	1	5	7	11	15	24
20-34	1344	6.9	55	1	1	5	8	14	19	38
35-49	607	7.8	65	1	1	6	9	17	24	42
50-64	466	9.0	75	1	1	7	12	20	24	46
65+	423	10.5	113	1	2	7	14	23	30	57
GRAND TOTAL	**3352**	**7.6**	**64**	**1**	**1**	**6**	**9**	**16**	**22**	**41**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	313	4.2	25	<1	<1	3	5	10	15	28
20-34	13	4.5	35	1	1	2	5	10	20	23
35-49	24	4.4	33	<1	<1	2	4	12	19	24
50-64	36	5.2	31	<1	1	3	8	12	14	27
65+	43	5.4	20	1	2	4	7	9	11	27
B. *Operated*										
0-19 YRS	326	6.3	53	<1	<1	4	9	13	20	30
20-34	48	11.4	92	1	1	10	20	27	29	99+
35-49	34	7.9	82	1	1	4	9	21	32	34
50-64	45	7.5	61	1	2	5	9	16	28	38
65+	59	6.4	36	1	2	5	8	11	16	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	521	5.8	53	<1	1	4	7	12	15	31
20-34	69	6.9	50	<1	1	6	9	15	26	30
35-49	76	6.7	34	1	1	5	10	15	21	24
50-64	254	6.9	44	1	1	5	9	16	20	33
65+	662	7.8	60	1	2	5	10	16	21	35
B. *Operated*										
0-19 YRS	411	15.0	220	2	3	11	20	33	46	95
20-34	138	22.7	208	3	4	22	33	40	46	69
35-49	104	19.3	287	2	3	15	31	46	54	85
50-64	241	13.7	228	2	3	8	16	35	61	99+
65+	524	12.5	144	2	3	9	15	25	36	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	429	4.5	26	<1	<1	3	5	10	15	27
B. *Operated*	512	7.0	59	<1	1	5	9	16	24	35
2. MULTIPLE DX										
A. *Not Operated*	1582	6.9	54	1	1	5	9	15	19	34
B. *Operated*	1418	14.9	206	2	3	10	20	34	47	78
1. SINGLE DX	941	5.8	45	<1	1	4	7	12	21	32
2. MULTIPLE DX	3000	10.7	142	1	2	7	13	25	35	68
A. NOT OPERATED	2011	6.4	49	<1	1	4	8	14	18	33
B. OPERATED	1930	12.8	179	1	2	8	16	31	40	75
TOTAL 0-19 YRS	1571	8.0	109	<1	1	5	10	18	28	63
20-34	268	15.7	192	1	1	11	26	36	42	64
35-49	238	12.1	191	1	1	6	17	33	43	71
50-64	576	9.7	133	1	1	6	11	21	34	69
65+	1288	9.6	98	1	2	7	12	20	28	58
GRAND TOTAL	**3941**	**9.5**	**123**	**1**	**1**	**6**	**12**	**23**	**32**	**65**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	123	3.2	7	<1	<1	2	5	7	8	38
20-34	51	5.6	51	<1	1	3	6	12	25	32
35-49	70	6.8	120	<1	1	4	6	15	22	70
50-64	77	5.6	32	<1	1	4	8	11	18	30
65+	99	5.7	59	<1	1	3	7	14	18	43
B. *Operated*										
0-19 YRS	82	10.9	130	1	2	7	13	31	35	53
20-34	77	13.8	244	1	2	7	24	41	54	90
35-49	68	12.6	158	2	3	7	16	33	40	51
50-64	103	13.7	192	1	2	8	24	36	43	53
65+	100	9.5	109	1	1	5	10	24	36	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	238	6.0	35	<1	1	4	8	13	17	32
20-34	146	6.7	61	<1	<1	4	9	16	20	35
35-49	171	8.7	94	1	1	6	11	21	27	51
50-64	362	7.7	77	1	1	5	10	17	28	42
65+	971	7.2	65	1	1	5	10	15	22	39
B. *Operated*										
0-19 YRS	203	21.1	347	2	3	13	32	51	61	80
20-34	297	27.0	391	2	3	27	39	55	63	94
35-49	344	23.9	316	2	3	25	35	47	53	87
50-64	545	24.0	362	2	3	23	35	50	62	86
65+	1017	18.5	298	3	3	11	29	42	55	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	420	5.1	49	<1	<1	3	6	11	17	35
B. *Operated*	430	12.0	166	1	2	7	16	32	40	57
2. MULTIPLE DX										
A. *Not Operated*	1888	7.3	66	1	1	5	9	16	23	39
B. *Operated*	2406	21.8	340	2	3	16	33	48	59	89
1. SINGLE DX	850	8.6	120	<1	1	5	9	25	33	54
2. MULTIPLE DX	4294	15.4	271	1	2	9	24	39	50	78
A. NOT OPERATED	2308	6.9	64	1	1	4	9	15	22	39
B. OPERATED	2836	20.3	326	2	3	13	32	46	57	86
TOTAL 0-19 YRS	646	10.8	192	<1	1	6	12	31	47	66
20-34	571	18.1	347	1	1	9	30	45	59	88
35-49	653	16.9	276	1	2	9	28	39	49	82
50-64	1087	16.3	290	1	2	9	27	40	51	74
65+	2187	12.5	206	1	2	7	15	32	43	74
GRAND TOTAL	**5144**	**14.3**	**253**	**1**	**1**	**8**	**22**	**37**	**48**	**76**

49: Lymphatic and hematopoietic neoplasm, except hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	3.2	4	1	1	3	4	6	8	8
20-34	68	4.1	21	<1	1	3	5	8	10	29
35-49	108	4.0	14	1	1	3	5	8	9	23
50-64	261	4.7	21	1	1	3	6	11	14	22
65+	272	6.0	37	1	1	4	8	12	15	32
B. *Operated*										
0-19 YRS	104	6.3	35	1	1	5	9	13	20	29
20-34	187	6.2	41	1	1	4	9	12	18	44
35-49	413	5.8	28	<1	1	4	8	13	16	25
50-64	765	5.9	29	1	1	4	8	13	16	25
65+	861	6.7	43	1	1	5	9	14	18	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	110	5.8	62	1	1	3	6	11	15	46
20-34	153	6.6	40	1	2	5	8	12	18	35
35-49	447	7.4	72	1	1	4	9	16	25	42
50-64	1388	8.1	65	1	2	6	10	18	24	39
65+	2825	9.0	75	1	2	7	11	19	26	46
B. *Operated*										
0-19 YRS	125	15.9	286	2	3	10	19	39	59	96
20-34	254	13.6	142	2	3	10	18	31	42	73
35-49	706	12.5	150	1	2	9	16	29	37	65
50-64	2051	13.2	152	2	3	10	16	28	37	69
65+	4120	13.8	141	2	3	10	18	29	38	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	755	4.9	25	1	1	3	6	10	14	26
B. *Operated*	2330	6.2	35	1	1	4	9	13	17	30
2. MULTIPLE DX										
A. *Not Operated*	4923	8.5	71	1	2	6	11	18	25	43
B. *Operated*	7256	13.5	148	2	3	10	17	29	38	65
1. SINGLE DX	3085	5.9	33	1	1	4	8	12	16	29
2. MULTIPLE DX	12179	11.5	123	1	2	8	15	25	34	58
A. NOT OPERATED	5678	8.0	67	1	2	6	10	17	23	42
B. OPERATED	9586	11.8	130	1	2	9	15	25	35	60
TOTAL 0-19 YRS	385	8.9	144	1	1	5	10	21	36	68
20-34	662	8.9	91	1	1	6	11	20	31	49
35-49	1674	8.9	100	1	1	6	11	20	30	52
50-64	4465	9.9	107	1	2	7	13	22	30	57
65+	8078	11.1	112	1	2	8	14	24	32	54
GRAND TOTAL	**15264**	**10.4**	**110**	**1**	**2**	**7**	**13**	**22**	**31**	**54**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	3	2.3	5	1	1	1	4	5	5	5
65+	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-19 YRS	146	2.8	9	<1	<1	2	3	6	9	17
20-34	460	2.4	2	1	1	2	3	4	5	7
35-49	614	2.8	3	1	1	3	4	5	5	7
50-64	667	2.7	2	1	1	2	3	5	5	8
65+	510	2.9	2	1	1	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.0		<1	<1	1	1	1	1	1
20-34										
35-49	5	2.8	7	<1	<1	1	5	7	7	7
50-64	5	1.4		1	1	1	2	2	2	2
65+	8	12.9	719	1	1	4	6	57	79	79
B. *Operated*										
0-19 YRS	42	2.8	5	1	1	2	3	6	7	10
20-34	126	3.1	14	1	1	2	3	5	7	16
35-49	203	3.2	10	1	1	2	4	6	7	15
50-64	407	3.3	6	1	1	3	4	6	7	13
65+	620	4.2	10	1	1	3	5	7	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.4	3	<1	<1	2	4	5	5	5
B. *Operated*	2397	2.7	3	1	1	2	3	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	22	5.8	271	<1	<1	1	4	7	36	79
B. *Operated*	1398	3.6	9	1	1	3	4	6	8	16
1. SINGLE DX	2406	2.7	3	1	1	2	3	5	5	8
2. MULTIPLE DX	1420	3.7	13	1	1	3	4	6	8	16
A. NOT OPERATED	31	4.8	193	<1	<1	1	4	6	7	79
B. OPERATED	3795	3.0	5	1	1	3	4	5	6	12
TOTAL 0-19 YRS	193	2.8	8	<1	1	2	3	6	8	15
20-34	587	2.6	5	1	1	2	3	4	5	8
35-49	824	2.9	4	1	1	3	4	5	6	9
50-64	1082	2.9	4	1	1	3	4	5	6	9
65+	1140	3.6	12	1	1	3	4	6	8	15
GRAND TOTAL	**3826**	**3.1**	**7**	**1**	**1**	**3**	**4**	**5**	**6**	**12**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.4	3	<1	<1	2	3	5	6	7
20-34	17	2.3	1	<1	<1	2	3	4	4	4
35-49	26	3.0	7	<1	<1	2	4	8	8	8
50-64	76	1.8	2	<1	<1	1	2	3	5	8
65+	91	1.6	2	<1	<1	1	2	3	5	8
B. *Operated*										
0-19 YRS	126	4.8	52	<1	1	3	6	10	12	35
20-34	134	5.5	19	<1	<1	5	8	12	14	17
35-49	350	4.1	15	<1	<1	2	7	9	11	14
50-64	906	3.4	13	<1	<1	2	5	9	11	15
65+	1030	3.9	18	<1	<1	2	6	10	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	3.4	12	<1	1	2	4	6	14	15
20-34	46	4.5	16	1	2	3	6	9	10	25
35-49	77	3.6	7	<1	1	3	4	6	9	14
50-64	239	3.5	14	<1	1	2	5	8	9	12
65+	498	4.7	28	<1	1	3	6	9	13	19
B. *Operated*										
0-19 YRS	118	5.1	23	1	1	3	8	11	14	23
20-34	226	7.7	79	<1	1	5	9	15	26	51
35-49	624	6.2	31	<1	1	5	9	13	17	27
50-64	2160	5.8	35	<1	1	4	8	12	16	29
65+	4655	6.9	53	1	1	5	10	15	20	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	228	2.0	3	<1	<1	1	2	4	7	8
B. *Operated*	2546	3.9	18	<1	<1	2	6	10	11	16
2. MULTIPLE DX										
A. *Not Operated*	888	4.3	22	<1	1	3	6	9	11	18
B. *Operated*	7783	6.5	47	<1	1	5	9	14	18	32
1. SINGLE DX	2774	3.7	17	<1	<1	2	6	9	11	16
2. MULTIPLE DX	8671	6.3	45	<1	1	4	9	13	18	31
A. NOT OPERATED	1116	3.8	19	<1	<1	2	5	8	10	16
B. OPERATED	10329	5.9	41	<1	1	4	8	12	16	29
TOTAL 0-19 YRS	290	4.6	34	<1	1	3	6	10	12	22
20-34	423	6.5	52	<1	1	5	9	13	16	45
35-49	1077	5.3	25	<1	<1	4	8	11	14	24
50-64	3381	4.9	28	<1	<1	3	7	11	13	25
65+	6274	6.2	46	<1	1	4	9	13	18	30
GRAND TOTAL	**11445**	**5.7**	**39**	**<1**	**1**	**4**	**8**	**12**	**16**	**29**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	1.2		<1	<1	1	1	2	2	2
20-34	7	1.3		1	1	1	2	2	2	2
35-49	4	1.8	1	<1	<1	1	2	3	3	3
50-64	4	2.8	4	<1	<1	2	4	5	5	5
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	358	1.8	3	<1	<1	1	2	2	5	9
20-34	140	2.8	8	<1	<1	2	4	7	9	13
35-49	191	3.4	11	<1	<1	2	5	9	10	14
50-64	211	4.2	11	<1	1	3	6	9	10	14
65+	147	4.1	16	<1	1	2	6	9	11	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	3.5	5	1	1	3	5	7	8	8
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	6	6.7	34	1	1	5	9	16	17	17
50-64	16	6.1	36	<1	<1	4	8	14	20	22
65+	11	5.3	14	1	1	5	7	10	14	14
B. *Operated*										
0-19 YRS	143	3.4	18	<1	1	2	3	9	15	29
20-34	84	5.0	35	1	1	3	7	11	14	35
35-49	157	5.4	23	1	1	5	7	10	13	27
50-64	235	7.8	69	1	1	6	10	17	22	54
65+	344	7.9	58	1	1	6	11	17	21	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	1.4	1	<1	<1	1	2	2	3	5
B. *Operated*	1047	3.1	9	<1	<1	2	4	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	54	4.9	20	1	1	4	6	10	14	22
B. *Operated*	963	6.6	50	1	1	5	9	15	19	42
1. SINGLE DX	1103	3.0	9	<1	<1	2	4	7	9	14
2. MULTIPLE DX	1017	6.5	48	1	1	5	9	14	19	42
A. NOT OPERATED	110	3.1	13	<1	<1	2	4	7	9	19
B. OPERATED	2010	4.7	32	<1	1	2	7	11	15	27
TOTAL 0-19 YRS	558	2.3	7	<1	<1	2	2	4	7	17
20-34	234	3.5	18	<1	<1	2	5	8	11	20
35-49	358	4.3	17	<1	1	3	6	9	11	18
50-64	466	6.0	44	<1	1	4	8	12	17	41
65+	504	6.7	47	1	1	5	9	15	19	30
GRAND TOTAL	**2120**	**4.6**	**31**	**<1**	**1**	**2**	**7**	**10**	**15**	**26**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	3.6	56	<1	<1	2	4	5	7	45
20-34	18	2.8	1	<1	1	3	4	5	5	5
35-49	22	2.9	5	<1	<1	2	4	5	8	11
50-64	20	2.8	22	<1	<1	2	3	4	13	22
65+	8	3.0	8	<1	<1	2	4	8	9	9
B. *Operated*										
0-19 YRS	1625	2.4	5	<1	<1	2	3	5	6	10
20-34	1514	2.5	5	<1	<1	2	3	5	6	11
35-49	1728	2.3	6	<1	<1	2	3	5	6	12
50-64	1476	2.4	5	<1	<1	2	3	4	6	11
65+	576	2.5	5	<1	<1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	2.9	29	<1	<1	1	2	4	10	35
20-34	31	3.6	15	<1	<1	2	5	9	15	15
35-49	35	3.5	12	<1	<1	3	4	9	10	16
50-64	46	3.9	23	<1	<1	3	5	8	10	30
65+	61	4.4	14	<1	1	3	5	11	13	16
B. *Operated*										
0-19 YRS	349	3.8	14	<1	1	2	5	9	12	20
20-34	543	3.8	18	<1	1	2	4	8	12	23
35-49	940	3.7	15	<1	1	2	4	8	11	20
50-64	1243	3.9	19	<1	1	3	5	8	12	21
65+	1011	4.7	28	<1	1	3	6	10	14	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	3.1	24	<1	<1	2	3	5	6	33
B. *Operated*	6919	2.4	5	<1	<1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	218	3.7	19	<1	<1	2	4	8	12	21
B. *Operated*	4086	4.1	20	<1	1	3	5	9	12	22
1. SINGLE DX	7021	2.4	5	<1	<1	2	3	5	6	11
2. MULTIPLE DX	4304	4.0	20	<1	1	3	5	9	12	22
A. NOT OPERATED	320	3.5	20	<1	<1	2	4	7	10	24
B. OPERATED	11005	3.0	11	<1	<1	2	3	6	9	17
TOTAL 0-19 YRS	2053	2.7	8	<1	<1	2	3	5	7	14
20-34	2106	2.8	9	<1	<1	2	3	5	7	15
35-49	2725	2.8	9	<1	<1	2	3	6	8	16
50-64	2785	3.1	12	<1	<1	2	3	6	9	18
65+	1656	3.9	21	<1	<1	2	4	9	12	21
GRAND TOTAL	**11325**	**3.0**	**11**	**<1**	**<1**	**2**	**3**	**6**	**9**	**17**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	3.5	19	<1	<1	2	3	8	17	19
20-34	11	2.5	6	<1	<1	1	3	7	8	8
35-49	17	3.2	5	<1	1	2	4	6	8	9
50-64	13	3.5	11	<1	<1	2	5	7	12	13
65+	11	2.5	4	<1	<1	2	3	5	8	8
B. *Operated*										
0-19 YRS	1585	2.3	11	<1	<1	1	2	4	6	12
20-34	484	2.5	6	<1	<1	2	3	5	7	13
35-49	394	2.8	9	<1	<1	2	3	6	8	15
50-64	300	2.9	9	<1	<1	2	3	6	9	17
65+	146	3.2	16	<1	<1	2	3	7	9	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	3.6	26	<1	<1	2	4	9	11	30
20-34	26	4.0	10	<1	<1	3	6	8	11	12
35-49	32	3.6	7	<1	1	3	5	7	8	11
50-64	38	4.7	18	<1	<1	4	6	10	16	19
65+	76	6.9	32	1	1	5	9	13	19	28
B. *Operated*										
0-19 YRS	466	5.0	70	<1	<1	2	5	12	19	51
20-34	251	4.4	36	<1	<1	2	6	9	15	29
35-49	379	4.7	51	<1	<1	3	5	10	15	35
50-64	387	4.6	30	<1	1	2	6	10	16	27
65+	390	6.7	79	<1	1	3	8	16	24	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	3.2	13	<1	<1	2	4	7	11	18
B. *Operated*	2909	2.5	10	<1	<1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	266	4.7	25	<1	<1	3	6	11	13	26
B. *Operated*	1873	5.1	56	<1	<1	2	6	12	18	38
1. SINGLE DX	3019	2.5	10	<1	<1	2	3	5	7	15
2. MULTIPLE DX	2139	5.1	52	<1	<1	3	6	11	17	38
A. NOT OPERATED	376	4.3	22	<1	<1	3	5	10	13	22
B. OPERATED	4782	3.5	29	<1	<1	2	4	8	11	26
TOTAL 0-19 YRS	2203	3.0	25	<1	<1	2	3	6	9	23
20-34	772	3.2	16	<1	<1	2	3	7	9	19
35-49	822	3.7	29	<1	<1	2	4	8	11	22
50-64	738	3.9	21	<1	<1	2	5	9	13	23
65+	623	5.8	60	<1	1	3	7	13	21	39
GRAND TOTAL	**5158**	**3.6**	**29**	**<1**	**<1**	**2**	**4**	**8**	**12**	**26**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	360	1.6	1	<1	<1	1	2	2	3	4
20-34	731	1.5	1	<1	<1	1	2	2	3	4
35-49	695	1.7	2	<1	<1	1	2	2	3	4
50-64	385	1.8	1	<1	<1	2	2	2	3	5
65+	178	2.0	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	2.4	7	<1	<1	1	3	7	7	7
35-49	3	1.7		1	1	2	2	2	2	2
50-64	8	3.0	7	1	1	2	5	7	8	8
65+	7	2.3	2	<1	<1	2	3	4	4	4
B. *Operated*										
0-19 YRS	61	2.0	1	<1	<1	2	2	3	4	7
20-34	248	2.3	5	<1	<1	2	2	4	6	14
35-49	610	2.5	9	<1	<1	2	3	4	6	10
50-64	543	2.6	7	<1	<1	2	3	5	6	14
65+	421	2.9	7	<1	1	2	3	5	7	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		1	1	1	1	1	1	1
B. *Operated*	2349	1.7	1	<1	<1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	24	2.4	4	<1	1	2	3	5	7	8
B. *Operated*	1883	2.6	7	<1	<1	2	3	5	6	12
1. SINGLE DX	2351	1.7	1	<1	<1	2	2	2	3	4
2. MULTIPLE DX	1907	2.6	7	<1	<1	2	3	5	6	12
A. NOT OPERATED	26	2.3	4	<1	1	2	2	5	7	8
B. OPERATED	4232	2.1	4	<1	<1	2	2	3	5	9
TOTAL 0-19 YRS	422	1.7	1	<1	<1	2	2	2	3	5
20-34	984	1.7	2	<1	<1	1	2	3	3	7
35-49	1309	2.0	6	<1	<1	2	2	3	4	9
50-64	936	2.3	5	<1	<1	2	2	4	5	11
65+	607	2.6	5	<1	1	2	3	5	7	10
GRAND TOTAL	**4258**	**2.1**	**4**	**<1**	**<1**	**2**	**2**	**3**	**5**	**9**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	55	3.0	4	1	1	2	4	6	6	10
35-49	92	2.8	5	<1	1	2	4	5	6	13
50-64	11	2.6	4	<1	<1	2	3	6	7	7
65+	6	5.5	39	1	1	3	4	17	18	18
B. *Operated*										
0-19 YRS	18	5.1	4	<1	1	5	6	7	8	8
20-34	1392	5.2	5	1	2	5	6	7	8	11
35-49	4206	5.5	4	1	3	6	7	8	8	11
50-64	614	5.2	5	<1	1	6	7	7	8	10
65+	68	5.8	11	<1	2	6	7	9	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	191	2.6	5	<1	<1	2	3	5	7	12
35-49	586	3.0	7	<1	<1	2	4	7	8	12
50-64	93	3.2	8	<1	1	2	4	7	10	13
65+	49	5.7	42	2	2	4	6	10	15	44
B. *Operated*										
0-19 YRS	59	6.3	12	2	3	6	7	9	12	24
20-34	5372	5.6	6	1	3	6	7	8	9	13
35-49	30026	6.0	6	2	4	6	7	8	10	15
50-64	5768	6.3	9	1	3	6	7	9	10	17
65+	759	8.2	25	2	4	7	9	13	16	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	166	2.9	6	<1	1	2	4	6	7	15
B. *Operated*	6298	5.4	4	1	2	6	7	8	8	11
2. MULTIPLE DX										
A. *Not Operated*	921	3.1	9	<1	<1	2	4	7	8	13
B. *Operated*	41984	6.0	7	2	4	6	7	8	10	15
1. SINGLE DX	6464	5.3	4	1	2	6	7	8	8	11
2. MULTIPLE DX	42905	6.0	7	2	3	6	7	8	10	15
A. NOT OPERATED	1087	3.1	9	<1	<1	2	4	6	8	13
B. OPERATED	48282	6.0	7	2	3	6	7	8	10	15
TOTAL 0-19 YRS	81	5.9	10	2	2	6	7	8	10	22
20-34	7010	5.4	6	1	2	5	7	8	9	13
35-49	34910	5.9	6	2	3	6	7	8	9	14
50-64	6486	6.1	9	1	3	6	7	9	10	16
65+	882	7.8	26	2	3	7	9	13	16	31
GRAND TOTAL	**49369**	**5.9**	**7**	**1**	**3**	**6**	**7**	**8**	**10**	**15**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	3	2.7	2	<1	<1	3	4	4	4	4
50-64										
65+										
B. Operated										
0-19 YRS	6	3.8	5	1	1	4	5	7	7	7
20-34	49	3.6	4	<1	1	4	5	6	7	8
35-49	67	4.0	5	<1	1	5	6	7	7	9
50-64	16	4.7	6	<1	<1	5	7	8	8	8
65+	10	4.3	11	<1	<1	4	7	9	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	3	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	10	2.7	2	<1	<1	3	4	4	4	4
50-64	2	5.5	5	4	4	5	7	7	7	7
65+	2	5.0	32	1	1	5	9	9	9	9
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	124	4.7	5	1	1	5	6	7	8	10
35-49	373	5.5	5	1	2	6	7	8	9	12
50-64	102	5.2	10	1	1	6	7	8	9	18
65+	39	7.2	19	2	2	6	8	15	17	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.7	2	<1	<1	3	4	4	4	4
B. Operated	148	4.0	5	<1	1	4	6	7	8	9
2. MULTIPLE DX										
A. Not Operated	17	3.0	5	<1	<1	3	4	6	8	9
B. Operated	639	5.4	7	1	2	6	7	8	9	15
1. SINGLE DX	151	4.0	5	<1	1	4	6	7	8	9
2. MULTIPLE DX	656	5.3	7	1	2	6	7	8	9	15
A. NOT OPERATED	20	3.0	5	<1	<1	3	4	6	8	9
B. OPERATED	787	5.1	7	1	1	5	6	8	9	14
TOTAL 0-19 YRS	7	3.4	5	1	1	4	5	7	7	7
20-34	176	4.3	5	<1	1	5	6	7	8	9
35-49	453	5.2	6	1	1	5	7	7	8	12
50-64	120	5.2	9	<1	1	6	7	8	9	16
65+	51	6.5	19	1	2	6	8	13	17	18
GRAND TOTAL	**807**	**5.1**	**7**	**1**	**1**	**5**	**6**	**8**	**9**	**14**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.6	[illegible]	<1	<1	1	2	3	3	3
20-34	5	1.8	[illegible]	<1	<1	1	2	4	4	4
35-49	2	5.5	[illegible]	5	5	5	6	6	6	6
50-64										
65+	2	3.5	[illegible]	2	2	3	5	5	5	5
B. Operated										
0-19 YRS	358	4.8	2	3	3	5	6	7	7	9
20-34	1499	4.7	2	3	3	5	6	6	7	9
35-49	541	5.2	2	3	3	5	6	7	8	10
50-64	349	6.1	6	4	4	6	7	8	10	18
65+	207	7.1	6	4	5	7	8	10	12	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	4.3	6	2	2	4	6	7	7	7
20-34	13	2.8	2	1	1	3	4	5	6	6
35-49	6	4.7	4	1	1	5	6	6	6	6
50-64	4	6.3	11	2	2	6	8	10	10	10
65+	13	5.7	35	<1	1	3	7	17	19	19
B. Operated										
0-19 YRS	301	5.6	6	3	3	5	6	8	9	17
20-34	1871	5.3	4	3	3	5	6	7	9	12
35-49	1718	6.2	6	3	4	6	7	9	10	15
50-64	1133	7.6	15	4	5	7	8	12	15	24
65+	1018	9.5	34	5	5	8	11	15	20	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	2.5	3	<1	<1	2	4	5	6	6
B. Operated	2954	5.2	5	3	3	5	6	7	8	12
2. MULTIPLE DX										
A. Not Operated	39	4.5	15	1	1	4	6	8	14	19
B. Operated	6041	6.7	14	3	4	6	7	10	13	21
1. SINGLE DX	2968	5.1	3	3	3	5	6	7	8	12
2. MULTIPLE DX	6080	6.7	14	3	4	6	7	10	13	21
A. NOT OPERATED	53	4.0	13	[illegible]	1	3	5	7	10	19
B. OPERATED	8995	6.2	11	3	4	6	7	9	11	19
TOTAL 0-19 YRS	667	5.1	4	3	3	5	6	7	8	11
20-34	3388	5.0	3	3	3	5	6	7	8	11
35-49	2267	5.9	6	3	4	6	7	8	10	14
50-64	1486	7.2	13	4	4	6	8	11	14	21
65+	1240	9.0	31	5	5	8	10	15	19	32
GRAND TOTAL	**9048**	**6.2**	**11**	**3**	**4**	**6**	**7**	**9**	**11**	**19**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	12	3.3	6	<1	<1	3	5	7	8	8
20-34	43	3.3	4	<1	<1	3	5	6	7	7
35-49	53	3.2	5	<1	<1	3	5	6	7	9
50-64	27	3.0	5	<1	<1	2	5	6	7	8
65+	12	3.3	7	<1	1	2	4	8	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	2.0	2	<1	<1	1	3	3	3	3
65+	1	14.0		14	14	14	14	14	14	14
B. *Operated*										
0-19 YRS	7	4.6	4	2	2	5	6	8	8	8
20-34	61	4.9	6	<1	1	5	6	8	9	13
35-49	97	5.3	13	1	2	5	6	8	10	24
50-64	53	3.9	12	<1	1	3	5	7	10	21
65+	32	5.6	14	<1	1	5	8	11	14	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	3.7		3	3	4	4	4	4	4
B. *Operated*	147	3.2	5	<1	<1	3	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	8	3.3	20	<1	<1	2	3	11	14	14
B. *Operated*	250	4.9	11	<1	1	5	6	8	10	21
1. SINGLE DX	150	3.2	5	<1	<1	3	5	6	7	9
2. MULTIPLE DX	258	4.9	11	<1	1	5	6	8	10	20
A. NOT OPERATED	11	3.4	14	<1	<1	3	4	8	14	14
B. OPERATED	397	4.3	9	<1	1	4	6	8	9	15
TOTAL 0-19 YRS	21	3.6	5	<1	1	3	5	7	8	8
20-34	109	4.1	6	<1	1	4	6	7	8	11
35-49	151	4.6	11	<1	1	4	6	8	9	21
50-64	82	3.6	10	<1	<1	2	5	7	8	18
65+	45	5.2	15	<1	2	4	7	10	14	15
GRAND TOTAL	**408**	**4.3**	**10**	**<1**	**1**	**4**	**6**	**8**	**9**	**15**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	24	1.4	1	<1	<1	1	2	3	3	4
20-34	45	2.1	3	<1	1	1	3	5	5	8
35-49	51	1.8	2	<1	<1	1	2	3	4	7
50-64	28	2.3	2	1	1	2	3	4	6	7
65+	13	1.8	1	<1	<1	1	3	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	8	2.3	2	<1	<1	2	3	4	5	5
20-34	24	3.8	30	<1	<1	2	4	6	13	28
35-49	27	3.3	14	<1	1	2	3	11	13	14
50-64	27	3.1	3	1	1	3	4	6	7	8
65+	39	5.9	42	<1	1	4	6	14	22	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	161	1.9	2	<1	<1	1	2	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	125	4.1	24	<1	1	3	5	8	13	29
1. SINGLE DX	161	1.9	2	<1	<1	1	2	4	5	7
2. MULTIPLE DX	126	4.1	24	<1	1	3	5	8	13	29
A. NOT OPERATED	1	2.0		2	2	2	2	2	2	2
B. OPERATED	286	2.9	13	<1	1	2	3	6	7	23
TOTAL 0-19 YRS	32	1.6	1	<1	<1	1	2	3	4	5
20-34	69	2.7	12	<1	1	2	3	5	6	24
35-49	78	2.3	6	<1	1	2	2	4	7	14
50-64	56	2.7	3	1	1	2	3	5	7	8
65+	52	4.9	35	<1	1	3	6	12	17	31
GRAND TOTAL	**287**	**2.9**	**13**	**<1**	**1**	**2**	**3**	**6**	**7**	**23**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+	3	2.7	8	1	1	1	5	6	6	6
B. *Operated*										
0-19 YRS	8	5.9	23	1	1	4	9	13	14	14
20-34	20	3.7	9	<1	<1	3	6	8	10	11
35-49	30	3.7	9	<1	<1	3	6	8	10	11
50-64	71	3.9	18	<1	<1	2	5	9	12	22
65+	79	3.3	13	<1	<1	2	3	7	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	2	4.5	13	2	2	4	7	7	7	7
50-64	2	3.0	8	1	1	3	5	5	5	5
65+	6	5.0	20	1	1	3	10	11	11	11
B. *Operated*										
0-19 YRS	7	5.7	25	1	1	5	8	14	15	15
20-34	34	7.9	52	1	1	6	12	16	22	33
35-49	53	6.9	31	1	2	5	9	16	17	25
50-64	132	5.1	29	1	1	3	7	11	19	26
65+	287	5.4	30	1	1	3	7	12	16	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.6	4	1	1	2	4	6	6	6
B. *Operated*	208	3.7	14	<1	<1	2	5	8	12	21
2. MULTIPLE DX										
A. *Not Operated*	12	4.2	12	1	1	3	6	10	11	11
B. *Operated*	513	5.6	31	1	1	3	8	12	17	27
1. SINGLE DX	213	3.7	14	<1	<1	2	5	8	12	21
2. MULTIPLE DX	525	5.6	31	1	1	3	8	12	17	26
A. NOT OPERATED	17	3.7	10	1	1	3	5	9	11	11
B. OPERATED	721	5.1	27	1	1	3	7	12	15	26
TOTAL 0-19 YRS	16	5.6	21	1	1	4	8	14	15	15
20-34	56	6.2	39	<1	1	4	8	13	19	32
35-49	86	5.7	25	<1	1	4	8	12	17	24
50-64	205	4.7	25	<1	1	3	6	11	14	26
65+	375	4.9	26	1	1	3	7	11	14	25
GRAND TOTAL	**738**	**5.0**	**27**	**1**	**1**	**3**	**7**	**11**	**15**	**26**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	51	1.4	1	<1	<1	1	2	2	3	5
20-34	17	2.2	3	<1	1	2	3	4	6	7
35-49	5	3.6	5	<1	<1	3	5	7	7	7
50-64	7	1.4		<1	<1	1	2	2	2	2
65+	7	3.3	8	<1	<1	2	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.3		<1	<1	<1	1	2	2	2
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	19	3.8	82	<1	<1	1	3	4	24	41
20-34	4	1.3		1	1	1	2	2	2	2
35-49	4	2.3	2	<1	<1	2	3	4	4	4
50-64	7	2.4	4	<1	<1	2	2	6	7	7
65+	7	4.4	15	1	1	3	8	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	87	1.8	2	<1	<1	1	2	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	5	1.4		<1	<1	<1	2	2	2	2
B. *Operated*	41	3.3	41	<1	<1	2	3	5	10	41
1. SINGLE DX	87	1.8	2	<1	<1	1	2	4	5	7
2. MULTIPLE DX	46	3.1	37	<1	<1	2	3	4	10	41
A. NOT OPERATED	5	1.4		<1	<1	<1	2	2	2	2
B. OPERATED	128	2.3	15	<1	<1	1	2	4	7	17
TOTAL 0-19 YRS	74	2.0	22	<1	<1	1	2	3	3	32
20-34	22	2.0	2	<1	1	2	2	4	5	7
35-49	9	3.0	4	<1	<1	3	4	6	7	7
50-64	14	1.9	2	<1	<1	2	2	3	6	7
65+	14	3.9	11	<1	<1	3	7	10	10	10
GRAND TOTAL	**133**	**2.2**	**14**	**<1**	**<1**	**1**	**2**	**4**	**7**	**15**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.8		<1	<1	2	2	2	2	2
20-34	10	3.6	6	1	1	3	4	7	9	9
35-49	20	4.3	20	<1	1	3	6	10	14	18
50-64	27	2.7	4	<1	1	2	4	6	7	8
65+	23	8.8	245	1	1	3	8	26	53	65
B. *Operated*										
0-19 YRS	30	8.9	21	3	3	8	12	15	16	21
20-34	139	8.9	26	1	2	9	11	15	18	24
35-49	261	9.2	30	1	2	9	11	15	19	27
50-64	328	9.6	47	2	3	9	12	16	20	51
65+	192	10.9	73	1	2	10	14	19	25	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	3.6	30	1	1	2	3	12	18	18
20-34	20	4.6	29	<1	1	2	6	12	18	22
35-49	41	4.0	13	<1	1	3	5	8	11	18
50-64	79	5.6	36	<1	1	4	7	11	17	35
65+	319	8.0	67	2	2	6	9	14	18	51
B. *Operated*										
0-19 YRS	55	15.6	152	5	6	12	18	33	44	65
20-34	136	14.4	115	4	5	12	16	27	36	56
35-49	318	14.5	161	2	4	11	17	28	37	79
50-64	580	16.1	157	3	5	13	21	33	43	94
65+	686	18.4	206	3	5	15	23	38	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	4.8	78	1	1	3	4	9	13	59
B. *Operated*	950	9.6	44	1	2	9	12	16	20	30
2. MULTIPLE DX										
A. *Not Operated*	468	7.0	57	1	1	5	8	13	18	49
B. *Operated*	1775	16.5	175	3	5	13	21	33	46	91
1. SINGLE DX	1034	9.2	48	1	2	8	12	16	20	31
2. MULTIPLE DX	2243	14.6	166	2	3	11	18	31	43	79
A. NOT OPERATED	552	6.7	61	1	1	5	8	12	18	50
B. OPERATED	2725	14.1	140	2	4	11	17	28	39	78
TOTAL 0-19 YRS	98	11.9	115	1	2	9	15	22	34	59
20-34	305	10.9	77	1	2	9	13	19	26	47
35-49	640	11.4	105	1	2	9	14	21	29	58
50-64	1014	12.8	124	1	3	10	16	26	37	74
65+	1220	14.3	171	2	3	11	18	30	44	83
GRAND TOTAL	**3277**	**12.9**	**135**	**2**	**2**	**10**	**16**	**26**	**37**	**70**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	2.1		1	1	2	3	3	3	3
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	4	2.5	2	1	1	2	3	4	4	4
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	109	2.8	2	1	1	3	3	4	5	10
20-34	766	2.9	2	1	2	3	4	4	5	6
35-49	1070	3.0	2	1	1	3	4	4	5	7
50-64	632	3.2	2	1	2	3	4	5	5	7
65+	256	3.7	3	1	2	4	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	3	2.3	1	1	1	3	3	3	3	3
35-49	7	3.7	12	<1	<1	3	7	9	9	9
50-64	4	2.0	1	1	1	2	3	3	3	3
65+	11	6.0	16	1	1	6	10	11	12	12
B. *Operated*										
0-19 YRS	22	3.4	3	1	2	3	4	6	7	9
20-34	296	3.4	5	1	2	3	4	5	6	14
35-49	543	3.7	7	1	2	3	4	5	7	13
50-64	571	4.2	11	2	2	4	5	6	8	16
65+	437	5.2	21	2	2	4	6	8	12	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	2.3	1	1	1	2	3	3	4	4
B. *Operated*	2833	3.1	2	1	2	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	27	4.2	12	1	1	3	7	10	11	12
B. *Operated*	1869	4.2	11	2	2	4	5	6	8	16
1. SINGLE DX	2848	3.1	2	1	2	3	4	5	5	7
2. MULTIPLE DX	1896	4.2	11	2	2	4	5	6	8	16
A. NOT OPERATED	42	3.5	9	1	1	3	4	9	10	12
B. OPERATED	4702	3.5	6	1	2	3	4	5	6	12
TOTAL 0-19 YRS	133	2.9	3	1	1	3	4	4	5	10
20-34	1072	3.1	2	1	2	3	4	5	5	8
35-49	1622	3.2	3	1	2	3	4	5	6	8
50-64	1211	3.7	6	1	2	3	4	5	6	12
65+	706	4.7	15	2	2	4	5	8	10	22
GRAND TOTAL	**4744**	**3.5**	**6**	**1**	**2**	**3**	**4**	**5**	**6**	**12**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.0	2	<1	<1	3	4	5	5	5
20-34	20	3.6	6	<1	1	3	5	7	9	9
35-49	21	5.2	17	<1	1	4	8	12	14	15
50-64	8	5.1	12	2	2	4	7	11	12	12
65+										
B. *Operated*										
0-19 YRS	26	6.7	7	2	3	7	8	10	12	12
20-34	103	6.9	10	3	3	6	8	10	13	17
35-49	130	6.1	9	2	3	6	8	10	12	14
50-64	188	6.4	14	2	2	5	8	11	14	18
65+	85	6.5	20	2	3	5	9	12	15	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.7	6	1	1	3	5	7	9	9
20-34	39	4.8	26	1	1	3	5	12	17	23
35-49	55	4.6	9	1	1	4	7	9	10	13
50-64	62	6.0	21	2	2	5	8	13	16	21
65+	82	9.6	115	2	3	7	11	19	25	66
B. *Operated*										
0-19 YRS	31	11.6	114	2	3	8	13	25	39	49
20-34	180	8.3	37	2	3	7	10	15	19	28
35-49	304	7.7	38	2	3	6	10	16	21	36
50-64	479	8.5	69	2	3	6	10	17	23	36
65+	493	9.9	85	3	3	7	13	19	26	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	4.3	11	<1	1	3	5	9	12	15
B. *Operated*	532	6.4	13	2	3	6	8	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	250	6.6	54	1	2	5	8	13	19	40
B. *Operated*	1487	8.8	66	2	3	6	11	18	23	40
1. SINGLE DX	589	6.2	13	2	2	6	8	11	13	18
2. MULTIPLE DX	1737	8.5	65	2	3	6	10	17	22	40
A. NOT OPERATED	307	6.2	46	1	1	4	7	12	16	33
B. OPERATED	2019	8.2	53	2	3	6	10	16	21	36
TOTAL 0-19 YRS	77	7.8	60	1	2	6	9	13	20	47
20-34	342	7.2	28	2	2	6	9	12	17	23
35-49	510	6.9	28	2	2	6	8	13	18	29
50-64	737	7.7	52	2	3	6	10	15	19	33
65+	660	9.4	81	2	3	6	12	19	25	45
GRAND TOTAL	**2326**	**7.9**	**52**	**2**	**3**	**6**	**10**	**15**	**20**	**36**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	1.9	2	1	1	1	3	4	5	5
35-49	5	2.8	1	1	1	3	3	4	4	4
50-64	4	3.0		3	3	3	3	3	3	3
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	28	2.6	3	1	1	2	3	6	7	7
20-34	1799	3.4	4	<1	1	3	5	6	7	9
35-49	816	4.1	5	1	1	4	6	7	8	10
50-64	194	4.1	6	1	1	4	6	7	8	11
65+	96	4.2	7	1	1	4	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	26	2.6	11	<1	<1	1	3	6	8	17
35-49	26	2.2	4	<1	<1	1	3	6	7	8
50-64	11	4.3	10	1	1	5	7	9	9	9
65+	6	2.8	2	<1	<1	3	3	5	5	5
B. *Operated*										
0-19 YRS	17	3.1	5	1	1	2	4	6	7	8
20-34	1709	4.6	6	1	1	5	6	7	8	12
35-49	1521	5.4	8	1	2	5	6	8	10	15
50-64	442	6.0	15	1	2	6	7	9	12	22
65+	258	6.4	22	1	2	6	8	10	13	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	2.4	1	1	1	3	3	4	5	5
B. *Operated*	2933	3.7	5	<1	1	3	5	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	69	2.8	8	<1	<1	1	4	6	8	15
B. *Operated*	3947	5.2	9	1	1	5	6	8	10	16
1. SINGLE DX	2952	3.7	5	<1	1	3	5	7	7	9
2. MULTIPLE DX	4016	5.1	9	1	1	5	6	8	10	16
A. NOT OPERATED	88	2.7	6	<1	<1	2	3	6	8	14
B. OPERATED	6880	4.5	8	1	1	5	6	7	9	13
TOTAL 0-19 YRS	45	2.8	4	1	1	2	4	6	7	8
20-34	3543	4.0	6	1	1	4	6	7	8	11
35-49	2368	4.9	8	1	1	5	6	8	9	13
50-64	651	5.4	13	1	1	5	7	9	11	21
65+	361	5.7	19	1	2	6	7	9	12	22
GRAND TOTAL	**6968**	**4.5**	**8**	**1**	**1**	**5**	**6**	**7**	**9**	**13**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64	4	5.0	38	1	1	3	9	14	14	14
65+	7	4.1	10	1	1	3	7	9	9	9
B. *Operated*										
0-19 YRS	6	1.8	2	<1	<1	1	3	4	4	4
20-34	82	4.0	10	<1	1	3	6	8	10	16
35-49	249	4.2	20	<1	1	3	5	7	9	14
50-64	440	4.0	11	<1	1	3	5	8	10	17
65+	403	4.2	14	<1	1	3	5	9	11	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	6	2.7	4	1	1	2	4	6	6	6
50-64	21	3.4	7	<1	1	2	5	8	8	9
65+	36	4.9	25	<1	1	3	6	12	17	21
B. *Operated*										
0-19 YRS	3	7.7	42	1	1	8	12	14	14	14
20-34	98	5.2	11	1	1	5	7	9	12	18
35-49	382	5.5	16	1	2	5	7	10	13	22
50-64	762	6.3	29	1	1	5	8	12	17	29
65+	1319	7.6	61	1	2	5	10	16	22	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	3.7	13	<1	1	2	4	9	12	14
B. *Operated*	1180	4.1	14	<1	1	3	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	66	4.1	17	<1	1	3	5	9	12	21
B. *Operated*	2564	6.8	44	1	1	5	9	14	18	33
1. SINGLE DX	1196	4.1	14	<1	1	3	5	8	10	17
2. MULTIPLE DX	2630	6.8	43	1	1	5	9	14	18	33
A. NOT OPERATED	82	4.0	16	<1	1	3	5	9	13	20
B. OPERATED	3744	6.0	36	1	1	4	8	12	17	29
TOTAL 0-19 YRS	10	3.7	18	<1	<1	2	4	11	14	14
20-34	184	4.6	11	<1	1	4	6	9	10	16
35-49	640	4.9	18	1	1	4	6	9	12	20
50-64	1227	5.4	24	1	1	4	7	11	15	24
65+	1765	6.8	52	1	1	5	9	15	20	36
GRAND TOTAL	**3826**	**5.9**	**36**	**1**	**1**	**4**	**8**	**12**	**16**	**29**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	117	2.8	5	<1	<1	2	4	5	8	11
20-34	77	3.3	8	1	1	2	4	7	8	15
35-49	116	3.6	17	<1	1	2	4	7	9	21
50-64	153	3.5	10	<1	1	2	4	7	11	18
65+	136	3.6	16	<1	1	2	4	7	10	21
B. *Operated*										
0-19 YRS	445	4.4	18	<1	1	3	6	9	12	25
20-34	635	4.2	12	<1	1	3	6	9	10	17
35-49	682	4.1	15	1	1	3	6	8	10	19
50-64	895	4.4	17	1	1	3	6	10	12	21
65+	912	4.5	18	<1	1	3	6	10	12	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	179	3.9	28	<1	1	2	4	8	10	25
20-34	158	4.2	25	<1	1	3	5	9	14	18
35-49	262	4.4	26	<1	1	3	6	9	11	34
50-64	524	5.4	49	1	1	4	7	10	13	38
65+	1400	6.6	52	1	1	4	8	13	19	38
B. *Operated*										
0-19 YRS	325	8.9	111	1	2	6	11	20	29	51
20-34	588	7.5	101	1	1	5	8	14	25	71
35-49	848	7.2	67	1	1	6	8	14	18	54
50-64	1476	7.5	50	1	1	6	10	15	20	43
65+	3117	8.6	60	1	2	7	11	17	23	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	599	3.4	12	<1	1	2	4	7	9	17
B. *Operated*	3569	4.3	16	<1	1	3	6	9	11	21
2. MULTIPLE DX										
A. *Not Operated*	2523	5.8	46	1	1	4	7	12	16	37
B. *Operated*	6354	8.1	67	1	2	6	10	16	22	45
1. SINGLE DX	4168	4.2	16	<1	1	3	6	9	11	20
2. MULTIPLE DX	8877	7.4	63	1	1	5	9	15	20	43
A. NOT OPERATED	3122	5.3	41	1	1	3	7	11	15	35
B. OPERATED	9923	6.7	52	1	1	5	9	14	19	36
TOTAL 0-19 YRS	1066	5.5	52	<1	1	3	7	12	17	34
20-34	1458	5.5	52	1	1	4	6	10	15	47
35-49	1908	5.5	42	1	1	4	7	10	15	35
50-64	3048	6.0	45	1	1	4	8	12	16	31
65+	5565	7.3	52	1	1	5	10	15	20	36
GRAND TOTAL	**13045**	**6.4**	**50**	**1**	**1**	**4**	**8**	**13**	**18**	**36**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	3	1	1	1	3	4	4	4
20-34	14	2.9	4	<1	1	2	3	6	8	8
35-49	19	2.5	3	<1	<1	2	4	5	6	6
50-64	17	3.5	9	<1	1	3	4	6	11	14
65+	11	2.8	2	<1	<1	3	4	5	6	6
B. *Operated*										
0-19 YRS	67	2.9	1	1	1	3	4	4	5	5
20-34	593	3.2	2	1	2	3	4	5	5	7
35-49	918	3.3	2	1	2	3	4	5	6	8
50-64	753	3.6	2	2	2	3	4	5	6	9
65+	351	3.7	3	1	2	4	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.3	3	1	1	2	3	5	6	6
20-34	29	3.2	7	<1	<1	2	4	7	9	12
35-49	58	3.5	6	<1	1	3	5	8	9	10
50-64	66	3.9	5	1	1	4	5	7	8	12
65+	118	5.2	15	1	1	4	7	10	13	20
B. *Operated*										
0-19 YRS	22	3.5	3	1	1	3	5	6	7	7
20-34	222	4.1	19	1	2	4	4	6	10	14
35-49	535	4.2	9	1	2	4	5	7	10	18
50-64	743	4.5	11	2	2	4	5	7	9	17
65+	629	6.1	31	2	3	5	7	11	16	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	2.9	5	<1	1	3	4	5	6	13
B. *Operated*	2682	3.4	2	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	281	4.2	10	<1	1	4	6	8	10	17
B. *Operated*	2151	4.8	18	2	2	4	5	8	11	24
1. SINGLE DX	2746	3.4	2	1	2	3	4	5	6	9
2. MULTIPLE DX	2432	4.8	17	1	2	4	5	8	11	22
A. NOT OPERATED	345	4.0	10	<1	1	3	5	7	10	16
B. OPERATED	4833	4.0	10	1	2	4	5	6	8	16
TOTAL 0-19 YRS	102	3.0	2	1	1	3	4	5	5	7
20-34	858	3.4	7	1	2	3	4	5	6	11
35-49	1530	3.6	5	1	2	3	4	5	7	12
50-64	1579	4.0	7	2	2	4	5	6	8	14
65+	1109	5.2	21	2	2	4	6	9	13	25
GRAND TOTAL	**5178**	**4.0**	**10**	**1**	**2**	**4**	**5**	**6**	**8**	**16**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	4.0	8	1	1	3	5	8	11	12
20-34	200	4.3	7	1	2	4	6	7	8	15
35-49	155	4.6	12	1	2	4	5	7	11	18
50-64	110	5.2	10	2	2	4	7	10	10	17
65+	57	4.9	10	1	2	4	7	10	11	14
B. *Operated*										
0-19 YRS	110	3.9	4	1	2	4	5	6	8	12
20-34	464	4.2	10	1	2	4	5	6	8	15
35-49	439	3.6	3	1	2	3	4	5	6	10
50-64	290	3.5	4	1	2	3	4	5	6	12
65+	98	4.3	11	1	2	4	5	7	9	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	116	5.3	38	1	1	4	6	8	17	39
20-34	381	5.3	18	1	2	4	7	10	12	24
35-49	548	5.8	17	1	2	5	7	11	13	20
50-64	637	6.5	27	2	2	5	8	12	15	24
65+	1194	8.6	53	2	3	7	10	16	20	40
B. *Operated*										
0-19 YRS	44	6.4	43	1	2	4	6	13	20	36
20-34	278	5.5	14	2	2	4	6	10	12	20
35-49	304	4.9	13	2	2	4	6	9	12	17
50-64	412	6.5	51	2	2	4	7	12	17	42
65+	351	10.1	118	2	3	6	13	21	29	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	584	4.6	9	1	2	4	6	8	10	14
B. *Operated*	1401	3.8	6	1	2	3	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	2876	7.0	37	2	2	6	9	13	17	31
B. *Operated*	1389	6.9	56	2	2	5	8	14	19	37
1. SINGLE DX	1985	4.1	7	1	2	4	5	7	8	14
2. MULTIPLE DX	4265	7.0	43	2	2	5	8	13	18	35
A. NOT OPERATED	3460	6.6	33	1	2	5	8	12	16	29
B. OPERATED	2790	5.3	33	2	2	4	5	10	14	30
TOTAL 0-19 YRS	332	4.7	22	1	1	4	5	8	12	27
20-34	1323	4.8	13	1	2	4	6	8	11	19
35-49	1446	4.8	12	1	2	4	6	9	11	17
50-64	1449	5.8	30	2	2	4	7	11	14	27
65+	1700	8.6	65	2	3	6	10	17	22	42
GRAND TOTAL	**6250**	**6.1**	**34**	**2**	**2**	**4**	**7**	**11**	**16**	**29**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	675	5.2	6	1	2	5	7	8	9	13
20-34	215	4.5	7	1	1	4	6	8	10	13
35-49	188	5.0	12	2	2	4	6	8	9	22
50-64	230	5.0	9	1	2	4	6	8	9	16
65+	83	6.8	24	1	2	6	8	12	17	25
B. *Operated*										
0-19 YRS	6	3.8	30	1	1	2	2	14	15	15
20-34	6	3.2	9	1	1	2	4	8	9	9
35-49	9	5.0	22	1	1	3	8	13	14	14
50-64	14	5.4	11	2	2	4	8	10	11	11
65+	9	5.0	5	2	2	6	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	569	5.4	28	1	1	5	7	9	12	36
20-34	465	4.6	11	<1	1	4	6	8	10	18
35-49	848	5.5	14	2	2	5	7	9	11	20
50-64	1363	6.2	18	2	2	5	8	11	13	20
65+	884	6.8	25	2	3	6	8	11	15	28
B. *Operated*										
0-19 YRS	13	8.4	64	1	2	3	16	21	22	22
20-34	54	8.2	70	2	2	6	9	17	22	51
35-49	110	8.5	42	2	3	7	11	16	22	36
50-64	182	9.3	69	2	3	7	11	15	24	52
65+	118	12.5	93	2	2	10	17	22	29	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1391	5.1	9	1	2	5	7	8	10	16
B. *Operated*	44	4.7	14	1	1	3	7	10	12	15
2. MULTIPLE DX										
A. *Not Operated*	4129	5.9	19	1	2	5	7	10	13	23
B. *Operated*	477	9.8	70	2	2	8	12	19	24	52
1. SINGLE DX	1435	5.1	9	1	2	5	7	8	10	16
2. MULTIPLE DX	4606	6.3	26	1	2	5	8	11	14	26
A. NOT OPERATED	5520	5.7	17	1	2	5	7	10	12	22
B. OPERATED	521	9.3	68	2	2	7	12	17	23	51
TOTAL 0-19 YRS	1263	5.3	17	1	2	5	7	9	10	17
20-34	740	4.8	15	1	1	4	6	9	10	20
35-49	1155	5.7	17	2	2	5	7	10	12	22
50-64	1789	6.3	23	2	2	5	8	11	13	24
65+	1094	7.4	35	2	3	6	9	13	17	32
GRAND TOTAL	**6041**	**6.0**	**22**	**1**	**2**	**5**	**7**	**10**	**13**	**24**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2569	3.9	10	1	1	3	5	7	9	14
20-34	1589	3.9	6	1	1	3	5	7	9	12
35-49	614	4.7	10	1	2	4	6	9	11	16
50-64	335	5.5	10	2	2	5	7	10	12	15
65+	236	6.5	14	2	3	6	8	12	14	18
B. *Operated*										
0-19 YRS	19	5.7	8	2	2	5	8	9	11	13
20-34	19	5.9	8	2	3	5	8	10	11	11
35-49	10	5.1	4	2	2	5	7	7	7	7
50-64	10	10.1	44	3	3	9	13	20	25	25
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3143	4.4	15	1	1	4	6	8	10	16
20-34	3817	4.9	16	1	2	4	6	9	11	18
35-49	2555	6.1	20	2	2	5	8	11	14	24
50-64	2213	7.8	32	2	3	7	10	14	18	31
65+	3228	9.2	47	3	3	8	11	17	21	37
B. *Operated*										
0-19 YRS	115	8.6	44	2	3	7	11	15	20	39
20-34	372	11.0	123	3	3	8	13	20	34	77
35-49	362	13.6	157	3	4	10	16	27	45	70
50-64	380	16.3	194	4	5	12	20	34	50	99+
65+	471	19.6	219	6	7	15	24	39	52	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5343	4.2	10	1	1	3	5	8	10	15
B. *Operated*	58	6.4	16	2	3	6	8	11	13	24
2. MULTIPLE DX										
A. *Not Operated*	14956	6.4	29	1	2	5	8	12	15	27
B. *Operated*	1700	15.0	180	3	4	11	18	31	45	91
1. SINGLE DX	5401	4.3	10	1	1	3	6	8	10	15
2. MULTIPLE DX	16656	7.2	51	2	2	5	9	14	19	40
A. NOT OPERATED	20299	5.8	25	1	2	5	7	11	14	25
B. OPERATED	1758	14.7	177	3	4	11	18	30	45	90
TOTAL 0-19 YRS	5846	4.3	14	1	1	3	5	8	10	16
20-34	5797	5.0	23	1	2	4	6	9	12	22
35-49	3541	6.7	38	2	2	5	8	12	17	33
50-64	2938	8.6	60	2	3	7	10	16	22	47
65+	3935	10.3	78	3	3	8	12	19	26	50
GRAND TOTAL	**22057**	**6.5**	**43**	**1**	**2**	**5**	**8**	**12**	**17**	**35**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1330	5.1	8	1	2	5	7	9	10	15
20-34	1210	4.8	7	1	2	4	6	8	10	13
35-49	1542	5.2	9	2	2	5	6	9	10	15
50-64	1945	5.6	10	2	2	5	7	9	11	17
65+	1425	5.8	11	2	2	5	7	10	12	17
B. *Operated*										
0-19 YRS	14	3.4	4	<1	1	2	5	6	8	8
20-34	80	4.5	21	1	1	3	5	9	15	25
35-49	110	5.1	27	1	1	3	6	13	17	25
50-64	223	4.6	24	1	1	2	5	12	16	23
65+	220	4.5	35	1	1	2	4	13	17	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1454	5.4	29	1	1	4	7	9	12	33
20-34	4154	5.5	20	1	2	5	7	10	13	22
35-49	7996	6.2	17	2	2	5	8	11	13	21
50-64	15154	6.9	22	2	3	6	8	12	15	24
65+	20773	7.8	37	2	3	6	9	13	17	32
B. *Operated*										
0-19 YRS	83	11.6	213	2	3	7	12	28	42	83
20-34	1188	9.3	100	2	2	6	11	20	29	60
35-49	2617	12.4	140	2	3	9	15	26	38	66
50-64	5851	14.4	188	2	3	10	18	31	44	81
65+	7767	16.1	199	2	4	12	21	35	48	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7452	5.3	9	2	2	5	7	9	11	16
B. *Operated*	647	4.6	27	1	1	2	5	12	17	25
2. MULTIPLE DX										
A. *Not Operated*	49531	7.0	28	2	3	6	8	12	15	27
B. *Operated*	17506	14.5	184	2	3	10	19	31	44	88
1. SINGLE DX	8099	5.2	11	1	2	5	7	9	11	17
2. MULTIPLE DX	67037	9.0	79	2	3	7	10	17	25	54
A. NOT OPERATED	56983	6.8	26	2	3	6	8	12	15	26
B. OPERATED	18153	14.1	181	2	3	10	18	31	43	87
TOTAL 0-19 YRS	2881	5.4	26	1	2	5	7	9	12	28
20-34	6632	6.0	34	1	2	5	7	11	15	30
35-49	12265	7.4	49	2	2	6	8	13	19	40
50-64	23173	8.7	74	2	3	6	10	16	23	49
65+	30185	9.8	91	2	3	7	11	19	27	62
GRAND TOTAL	**75136**	**8.6**	**73**	**2**	**3**	**6**	**10**	**16**	**23**	**51**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.7		1	1	2	2	3	3	3
20-34	34	2.6	3	1	1	2	3	5	6	8
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	42	3.5	5	<1	1	3	5	6	8	11
20-34	249	3.7	4	<1	1	4	5	6	7	8
35-49	25	4.2	5	1	2	4	5	8	9	9
50-64	1	10.0		10	10	10	10	10	10	10
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	3.9	7	1	1	3	5	7	10	11
20-34	67	4.0	6	1	1	4	5	8	10	10
35-49	14	4.1	11	<1	<1	3	6	9	11	11
50-64	3	3.0	1	2	2	3	4	4	4	4
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	71	3.5	7	<1	1	3	5	6	7	16
20-34	692	4.3	6	<1	1	4	6	7	8	12
35-49	157	5.1	7	1	2	5	6	8	9	13
50-64	12	6.3	4	3	4	6	7	9	10	10
65+	2	9.5	25	6	6	9	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	2.4	2	1	1	2	3	4	5	8
B. *Operated*	318	3.7	5	<1	1	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	100	4.0	6	<1	1	4	5	8	10	11
B. *Operated*	934	4.4	6	1	1	4	6	7	9	13
1. SINGLE DX	366	3.5	4	<1	1	3	5	6	7	9
2. MULTIPLE DX	1034	4.4	6	1	1	4	6	7	9	13
A. NOT OPERATED	148	3.5	6	1	1	3	5	7	8	11
B. OPERATED	1252	4.3	6	<1	1	4	6	7	8	12
TOTAL 0-19 YRS	140	3.4	6	<1	1	3	5	6	7	12
20-34	1042	4.1	6	<1	1	4	6	7	8	12
35-49	198	4.9	7	1	2	5	6	8	9	13
50-64	16	5.9	6	2	3	6	7	10	10	10
65+	4	8.0	11	6	6	7	10	13	13	13
GRAND TOTAL	**1400**	**4.2**	**6**	**<1**	**1**	**4**	**6**	**7**	**8**	**12**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	515	2.4	6	<1	1	2	3	5	7	14
20-34	232	3.3	4	1	1	3	5	6	7	9
35-49	235	3.4	6	<1	1	3	5	6	8	12
50-64	198	3.8	7	1	1	3	5	8	9	14
65+	196	3.7	11	1	1	3	5	8	9	19
B. *Operated*										
0-19 YRS	71	4.9	14	<1	1	4	7	10	12	17
20-34	58	5.1	15	1	1	4	6	10	14	20
35-49	80	6.2	58	1	1	4	7	10	18	49
50-64	108	4.2	5	1	2	4	5	8	8	12
65+	52	6.6	27	2	2	6	8	10	19	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1038	3.1	14	<1	1	2	4	6	9	17
20-34	1159	4.3	17	1	1	3	5	8	11	22
35-49	1499	5.0	26	1	1	4	6	10	13	24
50-64	2490	5.5	24	1	1	4	7	11	14	26
65+	6581	6.3	33	1	2	5	8	12	16	29
B. *Operated*										
0-19 YRS	87	8.7	160	1	2	5	9	19	37	94
20-34	204	7.7	55	1	2	6	9	15	20	43
35-49	355	9.0	79	2	2	7	11	19	26	40
50-64	581	10.2	111	2	3	7	12	22	32	64
65+	830	12.3	130	3	3	9	15	25	36	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1376	3.1	7	<1	1	2	4	6	8	12
B. *Operated*	369	5.2	24	1	2	4	7	9	11	24
2. MULTIPLE DX										
A. *Not Operated*	12767	5.6	28	1	1	4	7	11	14	27
B. *Operated*	2057	10.5	112	2	3	7	13	22	32	70
1. SINGLE DX	1745	3.5	11	1	1	3	5	7	9	15
2. MULTIPLE DX	14824	6.2	43	1	1	4	8	12	17	34
A. NOT OPERATED	14143	5.3	26	1	1	4	7	10	14	26
B. OPERATED	2426	9.7	102	2	3	7	12	21	30	63
TOTAL 0-19 YRS	1711	3.3	21	<1	1	2	4	7	10	19
20-34	1653	4.6	21	1	1	4	6	9	12	25
35-49	2169	5.6	36	1	1	4	7	11	15	31
50-64	3377	6.1	41	1	2	4	7	12	16	34
65+	7659	6.9	46	1	2	5	8	13	19	36
GRAND TOTAL	**16569**	**6.0**	**40**	**1**	**1**	**4**	**7**	**12**	**16**	**33**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	5.4	19	1	1	4	7	11	15	20
20-34	7	3.1	1	<1	1	3	4	5	5	5
35-49	10	11.3	192	2	2	6	15	32	48	48
50-64	12	8.5	28	<1	1	9	11	16	17	17
65+	22	5.6	20	1	1	5	8	11	16	20
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	4.4	13	1	1	3	7	10	10	10
35-49	9	8.0	59	1	1	6	10	21	25	25
50-64	5	6.8	34	1	1	6	10	16	16	16
65+	11	8.6	31	3	3	8	10	17	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	183	10.9	200	1	2	6	12	30	57	90
20-34	91	11.5	229	1	2	6	12	30	50	75
35-49	166	8.9	51	2	3	7	11	17	23	57
50-64	324	10.6	104	2	3	8	13	20	28	51
65+	1428	9.5	62	2	3	8	12	18	25	44
B. *Operated*										
0-19 YRS	52	12.6	276	1	3	8	15	66	95	99+
20-34	106	8.8	90	4	4	5	8	22	30	50
35-49	163	10.0	99	4	4	5	11	24	31	47
50-64	226	14.7	172	3	4	11	18	28	44	65
65+	673	15.0	160	3	4	11	19	31	44	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	6.5	44	1	1	4	8	14	17	40
B. *Operated*	31	7.2	36	1	1	6	9	15	22	25
2. MULTIPLE DX										
A. *Not Operated*	2192	9.8	86	2	3	7	12	19	27	62
B. *Operated*	1220	13.6	158	3	4	10	17	29	41	81
1. SINGLE DX	110	6.7	41	1	1	5	8	15	17	34
2. MULTIPLE DX	3412	11.2	115	2	3	8	14	23	33	67
A. NOT OPERATED	2271	9.7	85	2	3	7	12	19	27	62
B. OPERATED	1251	13.5	155	3	4	9	17	28	41	80
TOTAL 0-19 YRS	264	10.6	198	1	2	6	12	29	58	99+
20-34	209	9.7	149	2	3	5	10	22	36	67
35-49	348	9.5	77	3	4	7	11	20	27	48
50-64	567	12.2	133	2	3	9	15	24	33	59
65+	2134	11.2	99	2	3	8	14	22	32	64
GRAND TOTAL	**3522**	**11.1**	**113**	**2**	**3**	**8**	**14**	**23**	**32**	**67**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	481	10.0	30	2	3	10	13	16	19	28
20-34	174	11.0	24	2	4	11	14	17	21	25
35-49	14	10.5	26	2	2	11	13	15	20	21
50-64										
65+										
B. *Operated*										
0-19 YRS	26	12.3	63	2	2	11	16	25	29	31
20-34	7	14.1	125	3	3	14	15	33	37	37
35-49	2	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	992	10.8	47	2	3	10	14	18	21	37
20-34	496	12.5	55	3	5	12	15	20	23	40
35-49	50	14.2	43	3	6	14	16	24	27	31
50-64										
65+										
B. *Operated*										
0-19 YRS	121	17.4	231	2	4	14	21	32	51	91
20-34	69	15.6	100	4	6	13	19	27	39	46
35-49	10	14.3	211	3	3	10	16	37	52	52
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	669	10.2	28	2	3	10	14	16	19	27
B. *Operated*	35	12.1	76	2	2	10	15	26	30	37
2. MULTIPLE DX										
A. *Not Operated*	1538	11.5	50	2	4	11	14	19	22	38
B. *Operated*	200	16.6	184	3	4	14	21	31	44	84
1. SINGLE DX	704	10.3	31	2	3	10	14	16	20	29
2. MULTIPLE DX	1738	12.1	68	2	4	11	15	20	25	45
A. NOT OPERATED	2207	11.1	44	2	3	10	14	18	21	32
B. OPERATED	235	16.0	170	2	3	14	20	30	40	82
TOTAL 0-19 YRS	1620	11.1	59	2	3	10	14	18	22	40
20-34	746	12.5	54	3	5	12	15	20	24	42
35-49	76	13.2	63	2	3	13	16	23	26	47
50-64										
65+										
GRAND TOTAL	**2442**	**11.6**	**58**	**2**	**3**	**11**	**14**	**19**	**23**	**40**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	3.3	19	1	1	2	4	5	8	28
20-34	20	16.4	710	1	1	5	12	77	77	77
35-49	22	6.2	256	<1	1	2	4	8	36	77
50-64	3	3.3	6	<1	<1	3	5	6	6	6
65+										
B. *Operated*										
0-19 YRS	37	6.0	2	3	4	6	7	8	8	8
20-34	624	6.6	5	4	4	6	8	9	10	14
35-49	505	6.8	7	4	4	6	8	9	10	14
50-64	69	6.7	5	2	4	7	8	9	10	13
65+	2	7.0	8	5	5	7	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	12.4	468	1	1	5	10	35	69	99
20-34	84	5.4	66	<1	1	3	6	10	24	44
35-49	145	5.4	78	<1	1	3	6	11	16	47
50-64	82	7.0	46	<1	1	5	10	16	21	32
65+	23	5.9	22	1	1	4	8	13	17	19
B. *Operated*										
0-19 YRS	66	8.5	62	4	5	7	9	12	16	56
20-34	1163	7.7	21	4	5	7	8	10	13	25
35-49	1777	8.3	38	5	5	7	9	11	15	31
50-64	463	9.1	38	5	5	8	10	13	17	40
65+	25	10.1	34	5	5	8	13	19	23	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83	7.2	267	1	1	3	5	9	45	77
B. *Operated*	1237	6.7	6	4	4	6	8	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	411	7.1	145	<1	1	4	7	15	25	75
B. *Operated*	3494	8.2	33	5	5	7	9	11	15	32
1. SINGLE DX	1320	6.7	22	3	4	6	8	9	10	15
2. MULTIPLE DX	3905	8.1	45	3	4	7	9	11	15	39
A. NOT OPERATED	494	7.1	165	<1	1	3	7	14	27	77
B. OPERATED	4731	7.8	26	4	5	7	9	11	13	27
TOTAL 0-19 YRS	218	8.6	197	1	2	5	8	13	30	93
20-34	1891	7.3	26	3	4	7	8	10	12	25
35-49	2449	7.8	36	3	4	7	9	11	13	30
50-64	617	8.5	36	2	4	7	9	13	17	37
65+	50	8.0	31	1	2	6	9	17	19	26
GRAND TOTAL	**5225**	**7.8**	**39**	**3**	**4**	**7**	**8**	**11**	**14**	**34**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	564	2.7	32	<1	<1	1	3	5	7	18
20-34	295	3.7	26	<1	<1	2	5	7	13	26
35-49	152	3.7	19	<1	<1	2	5	9	14	21
50-64	129	3.3	14	<1	<1	2	4	7	11	19
65+	82	3.6	7	<1	<1	3	5	7	9	13
B. *Operated*										
0-19 YRS	149	4.6	35	1	1	3	5	8	14	32
20-34	307	3.5	27	<1	1	2	4	7	11	23
35-49	298	3.4	42	<1	1	2	4	7	10	18
50-64	140	2.9	8	<1	1	2	4	5	7	16
65+	54	4.4	17	<1	1	3	7	10	15	96
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	817	4.8	59	<1	<1	3	5	10	15	41
20-34	823	6.1	53	<1	<1	4	8	14	21	40
35-49	1083	6.0	53	<1	<1	4	7	14	19	35
50-64	1100	5.8	31	<1	<1	4	8	13	17	28
65+	1404	7.9	49	1	2	6	10	15	20	36
B. *Operated*										
0-19 YRS	221	11.1	221	1	1	6	13	34	67	99+
20-34	643	12.5	195	1	2	8	17	31	41	98
35-49	730	12.2	187	1	2	8	15	29	45	85
50-64	607	9.5	108	1	1	6	12	22	31	55
65+	556	11.4	112	1	2	9	14	24	32	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1222	3.2	25	<1	<1	2	4	7	10	19
B. *Operated*	948	3.6	30	<1	1	2	4	7	11	23
2. MULTIPLE DX										
A. *Not Operated*	5227	6.3	50	<1	<1	4	8	14	19	34
B. *Operated*	2757	11.4	160	1	2	7	14	28	40	83
1. SINGLE DX	2170	3.4	27	<1	<1	2	4	7	10	20
2. MULTIPLE DX	7984	8.1	94	<1	<1	5	10	18	27	57
A. NOT OPERATED	6449	5.7	46	<1	<1	4	7	13	18	33
B. OPERATED	3705	9.4	138	1	1	5	12	24	33	77
TOTAL 0-19 YRS	1751	4.9	75	<1	<1	2	5	10	18	60
20-34	2068	7.3	102	<1	<1	4	9	18	28	56
35-49	2263	7.5	104	<1	<1	4	9	18	27	62
50-64	1976	6.6	57	<1	<1	4	8	15	21	40
65+	2096	8.5	67	1	2	7	10	17	24	45
GRAND TOTAL	**10154**	**7.1**	**83**	**<1**	**<1**	**4**	**9**	**16**	**24**	**52**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	39	2.8	2	1	1	3	4	5	5	6
35-49	88	3.6	4	1	1	3	5	7	7	9
50-64	81	4.7	23	1	1	3	5	10	11	30
65+	120	4.5	10	1	2	4	6	9	11	15
B. *Operated*										
0-19 YRS										
20-34	12	2.9	8	<1	<1	1	4	8	9	9
35-49	10	4.9	14	1	1	4	6	10	14	14
50-64	25	3.0	8	<1	1	2	3	9	10	10
65+	32	4.1	15	<1	<1	3	5	8	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.4	2	<1	<1	3	3	4	4	4
20-34	57	3.9	7	1	1	3	5	7	10	15
35-49	200	5.2	14	2	2	4	7	9	11	20
50-64	445	5.7	30	2	2	5	7	10	13	18
65+	1081	6.2	24	2	2	5	8	11	14	26
B. *Operated*										
0-19 YRS										
20-34	13	5.3	5	1	3	6	7	8	9	9
35-49	56	7.2	43	1	2	6	9	13	18	38
50-64	113	8.2	63	1	2	5	11	17	24	41
65+	231	9.3	71	1	2	7	11	19	30	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	328	4.1	11	1	1	3	5	8	10	15
B. *Operated*	79	3.7	12	<1	<1	3	5	8	11	17
2. MULTIPLE DX										
A. *Not Operated*	1788	5.9	24	2	2	5	7	10	13	24
B. *Operated*	413	8.6	63	1	2	6	11	18	27	45
1. SINGLE DX	407	4.0	11	1	1	3	5	8	10	15
2. MULTIPLE DX	2201	6.4	32	2	2	5	8	12	16	32
A. NOT OPERATED	2116	5.6	22	2	2	4	7	10	13	23
B. OPERATED	492	7.8	58	1	2	6	10	16	23	42
TOTAL 0-19 YRS	5	2.4	2	<1	<1	3	3	4	4	4
20-34	121	3.6	6	<1	1	3	5	6	8	12
35-49	354	5.1	18	1	2	4	7	9	12	24
50-64	664	5.9	35	1	2	4	8	11	15	32
65+	1464	6.5	32	2	2	5	8	12	16	32
GRAND TOTAL	**2608**	**6.0**	**30**	**1**	**2**	**5**	**8**	**11**	**15**	**30**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	418	2.6	4	1	1	2	3	4	6	9
20-34	139	2.7	4	<1	1	2	3	6	7	11
35-49	153	4.3	36	1	1	3	5	7	12	39
50-64	158	4.1	11	1	1	3	5	8	10	18
65+	462	5.3	32	1	2	4	6	10	14	27
B. *Operated*										
0-19 YRS	3	11.7	60	3	3	14	17	18	18	18
20-34	2	6.0	50	<1	<1	5	11	11	11	11
35-49	3	6.0	7	4	4	5	8	9	9	9
50-64	6	7.7	31	3	3	5	12	16	17	17
65+	18	11.6	116	2	3	7	14	28	36	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8884	3.2	7	1	1	3	4	5	7	13
20-34	3544	3.5	8	1	1	3	4	6	8	14
35-49	3892	4.6	20	1	1	4	5	8	11	21
50-64	7572	5.7	23	1	2	4	7	11	14	25
65+	35289	7.3	43	2	2	6	9	13	18	35
B. *Operated*										
0-19 YRS	198	10.0	177	1	1	5	13	24	39	68
20-34	249	7.0	68	1	1	5	8	15	25	37
35-49	430	8.9	90	1	1	6	11	17	25	53
50-64	902	11.1	118	1	2	8	14	24	32	62
65+	3546	14.4	159	3	4	11	18	29	41	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1330	3.9	20	1	1	3	5	7	10	23
B. *Operated*	32	10.0	80	2	3	6	14	21	28	42
2. MULTIPLE DX										
A. *Not Operated*	59181	6.1	34	1	2	5	7	12	15	29
B. *Operated*	5325	12.9	148	2	3	10	16	27	38	85
1. SINGLE DX	1362	4.0	22	1	1	3	5	7	11	26
2. MULTIPLE DX	64506	6.6	47	1	2	5	8	13	18	37
A. NOT OPERATED	60511	6.0	34	1	2	4	7	11	15	29
B. OPERATED	5357	12.9	148	2	3	10	16	27	38	85
TOTAL 0-19 YRS	9503	3.3	11	1	1	3	4	5	7	16
20-34	3934	3.7	13	1	1	3	4	7	9	18
35-49	4478	5.0	29	1	1	4	6	9	13	26
50-64	8638	6.2	35	1	2	5	8	12	16	31
65+	39315	7.9	57	2	2	6	9	15	20	43
GRAND TOTAL	**65868**	**6.6**	**47**	**1**	**2**	**5**	**8**	**13**	**18**	**36**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	3.2	5	1	1	3	4	6	8	10
20-34	78	2.9	3	1	1	3	4	6	7	8
35-49	114	3.2	4	1	1	3	4	5	6	10
50-64	70	3.9	6	1	1	3	5	7	8	13
65+	201	3.6	6	<1	1	3	5	6	8	13
B. *Operated*										
0-19 YRS	16	3.6	9	1	1	3	4	9	11	12
20-34	20	5.1	7	2	3	4	6	8	11	13
35-49	36	4.1	7	1	2	3	5	8	10	12
50-64	24	5.7	9	2	2	5	8	9	11	13
65+	59	5.6	10	2	3	5	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	242	4.1	14	1	1	3	5	7	9	13
20-34	329	4.0	7	1	1	3	5	7	9	13
35-49	703	4.3	9	1	1	4	6	8	10	15
50-64	1014	5.0	13	1	1	4	6	9	11	18
65+	5251	5.9	26	1	2	5	7	11	14	26
B. *Operated*										
0-19 YRS	49	6.7	91	1	2	5	7	11	18	64
20-34	137	5.8	29	1	2	5	7	10	12	29
35-49	382	6.7	20	2	2	6	8	12	15	21
50-64	542	8.2	42	2	3	7	10	15	19	34
65+	1983	8.9	45	3	3	7	11	16	21	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	540	3.4	5	1	1	3	4	6	8	11
B. *Operated*	155	5.0	9	2	2	4	6	9	11	13
2. MULTIPLE DX										
A. *Not Operated*	7539	5.5	22	1	2	4	7	10	13	23
B. *Operated*	3093	8.4	42	2	3	7	10	15	20	34
1. SINGLE DX	695	3.8	6	1	1	3	5	7	9	13
2. MULTIPLE DX	10632	6.3	30	1	2	5	8	12	15	28
A. NOT OPERATED	8079	5.3	21	1	1	4	7	10	12	22
B. OPERATED	3248	8.2	41	2	3	7	10	15	19	34
TOTAL 0-19 YRS	384	4.2	23	1	1	3	5	8	9	17
20-34	564	4.3	13	1	1	4	6	8	9	15
35-49	1235	4.9	14	1	1	4	6	9	12	19
50-64	1650	6.0	25	1	2	5	8	11	14	23
65+	7494	6.6	33	1	2	5	8	12	16	30
GRAND TOTAL	**11327**	**6.2**	**29**	**1**	**2**	**5**	**8**	**11**	**15**	**27**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1873	4.1	8	1	1	4	5	8	9	12
20-34	2152	5.4	14	1	2	5	7	10	12	18
35-49	423	5.8	15	2	2	5	7	10	13	19
50-64	39	5.4	12	1	1	5	7	10	14	15
65+	12	4.7	6	2	2	4	7	8	9	9
B. *Operated*										
0-19 YRS	9	4.9	14	1	1	4	5	11	14	14
20-34	44	9.9	52	3	4	8	11	18	27	36
35-49	6	6.3	2	4	4	6	7	8	8	8
50-64										
65+	1	20.0		20	20	20	20	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1838	5.2	18	1	2	4	6	10	12	20
20-34	2769	6.8	29	2	2	6	9	12	15	27
35-49	822	7.2	27	2	3	6	9	13	16	29
50-64	154	7.6	37	1	2	6	10	15	19	38
65+	27	5.8	32	1	2	5	7	10	14	31
B. *Operated*										
0-19 YRS	70	14.5	276	2	2	10	18	30	61	99+
20-34	220	12.9	144	2	3	10	16	23	33	74
35-49	88	13.0	125	2	3	10	16	26	37	54
50-64	15	10.8	35	3	6	10	14	25	78	99+
65+	5	32.8	1447	9	9	15	48	99	99	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4499	4.9	12	1	2	4	6	9	11	16
B. *Operated*	60	8.9	46	2	3	7	11	17	24	35
2. MULTIPLE DX										
A. *Not Operated*	5610	6.4	26	1	2	5	8	12	15	25
B. *Operated*	398	13.4	176	2	3	10	16	26	40	96
1. SINGLE DX	4559	4.9	12	1	2	4	6	9	11	17
2. MULTIPLE DX	6008	6.8	39	2	2	5	8	12	16	31
A. NOT OPERATED	10109	5.7	20	1	2	5	7	10	13	22
B. OPERATED	458	12.8	161	2	3	10	15	25	36	92
TOTAL 0-19 YRS	3790	4.8	20	1	1	4	6	9	11	20
20-34	5185	6.5	30	2	2	5	8	12	15	27
35-49	1339	7.1	32	2	2	6	9	13	16	31
50-64	208	7.4	34	1	2	6	9	14	19	40
65+	45	8.8	230	2	2	5	8	15	31	99
GRAND TOTAL	**10567**	**6.0**	**28**	**1**	**2**	**5**	**7**	**11**	**14**	**26**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	737	2.1	5	<1	<1	1	2	5	6	12
20-34	166	2.6	5	<1	<1	2	3	6	8	10
35-49	133	3.2	9	<1	1	2	4	7	9	15
50-64	227	3.1	9	<1	<1	2	4	7	9	15
65+	816	2.8	8	<1	<1	2	4	6	8	13
B. *Operated*										
0-19 YRS	165	4.5	11	1	1	4	5	7	11	19
20-34	63	5.2	12	1	2	5	6	9	11	20
35-49	76	5.4	10	1	2	5	8	10	12	16
50-64	97	6.6	18	1	2	6	9	13	16	18
65+	202	6.0	21	1	2	5	7	11	14	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1164	3.4	20	<1	<1	2	4	8	11	20
20-34	656	4.0	13	<1	1	3	5	8	11	16
35-49	1179	4.3	18	1	1	3	6	9	12	21
50-64	2710	4.6	24	1	1	3	6	10	13	24
65+	9821	5.3	30	1	1	4	7	11	15	27
B. *Operated*										
0-19 YRS	320	9.2	117	1	2	6	11	20	30	62
20-34	303	8.1	58	1	2	6	10	16	21	43
35-49	531	8.2	61	1	2	6	10	16	21	41
50-64	1067	9.7	86	1	2	8	11	20	27	57
65+	3406	10.1	79	2	3	8	13	19	26	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2079	2.6	7	<1	<1	1	3	6	8	13
B. *Operated*	603	5.5	16	1	2	5	7	10	13	19
2. MULTIPLE DX										
A. *Not Operated*	15530	4.9	27	1	1	3	6	10	14	26
B. *Operated*	5627	9.7	80	2	2	8	12	19	26	52
1. SINGLE DX	2682	3.3	11	<1	<1	2	4	7	9	16
2. MULTIPLE DX	21157	6.2	46	1	1	4	8	13	18	35
A. NOT OPERATED	17609	4.6	25	1	1	3	6	10	13	24
B. OPERATED	6230	9.3	75	2	2	7	11	18	25	49
TOTAL 0-19 YRS	2386	3.9	33	<1	<1	2	5	8	13	30
20-34	1188	4.9	27	<1	1	4	6	10	14	26
35-49	1919	5.3	32	1	1	4	7	11	15	28
50-64	4101	5.9	44	1	1	4	8	12	17	32
65+	14245	6.3	45	1	1	4	8	13	18	35
GRAND TOTAL	**23839**	**5.8**	**43**	**1**	**1**	**4**	**7**	**12**	**17**	**33**

85: Hemophilia (congenital factor V[illegible]er) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	3.4	9	<1	1	3	4	7	11	16
20-34	35	3.8	6	1	2	3	5	8	9	10
35-49	21	3.8	36	<1	<1	2	4	6	17	29
50-64	3	5.0	7	3	3	4	7	6	8	8
65+	2	7.0	2	6	6	7	8	8	8	8
B. *Operated*										
0-19 YRS	11	7.7	63	1	1	5	13	21	23	23
20-34	6	14.5	20	7	7	15	17	20	20	20
35-49	2	9.5	13	7	7	9	12	12	12	12
50-64	2	6.0	32	2	2	6	10	10	10	10
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	242	4.1	14	1	1	3	5	9	12	22
20-34	103	4.1	9	1	1	3	5	8	11	15
35-49	44	5.7	15	1	2	5	7	13	14	17
50-64	17	7.4	27	3	3	6	8	12	20	25
65+	12	6.8	11	2	3	7	9	12	13	13
B. *Operated*										
0-19 YRS	28	11.2	141	2	2	8	15	23	31	59
20-34	25	14.5	398	2	3	8	15	29	54	99
35-49	8	8.9	30	3	3	8	14	16	16	16
50-64	6	15.0	61	8	8	12	16	29	30	30
65+	3	20.7	646	5	5	7	39	50	50	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	137	3.6	12	<1	1	3	4	7	10	18
B. *Operated*	21	9.7	49	1	1	7	15	20	21	23
2. MULTIPLE DX										
A. *Not Operated*	418	4.4	14	1	1	3	6	9	12	20
B. *Operated*	70	12.8	227	2	3	8	15	27	39	91
1. SINGLE DX	158	4.4	21	<1	1	3	5	10	15	23
2. MULTIPLE DX	488	5.7	53	1	1	4	7	12	16	35
A. NOT OPERATED	555	4.2	14	1	1	3	6	9	12	19
B. OPERATED	91	12.1	187	2	2	8	15	24	30	83
TOTAL 0-19 YRS	357	4.6	28	1	1	3	6	10	15	25
20-34	169	5.9	81	1	1	4	7	12	16	37
35-49	75	5.6	24	<1	1	4	7	13	15	26
50-64	28	8.7	41	3	3	7	11	15	25	30
65+	17	9.3	118	2	3	7	9	13	37	50
GRAND TOTAL	**646**	**5.4**	**45**	**1**	**1**	**3**	**7**	**11**	**16**	**29**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	887	2.8	5	<1	<1	2	4	5	7	11
20-34	122	3.8	11	<1	1	3	5	7	8	18
35-49	158	3.1	10	<1	1	2	4	7	10	13
50-64	119	3.9	21	<1	1	3	5	7	12	27
65+	130	4.0	14	1	1	3	5	9	12	18
B. *Operated*										
0-19 YRS	468	5.0	13	1	1	5	6	9	12	20
20-34	283	6.3	23	2	3	5	7	10	17	22
35-49	157	6.4	13	2	3	5	8	12	14	18
50-64	147	7.0	23	2	2	6	9	12	15	22
65+	144	7.5	32	2	2	7	9	13	17	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1301	4.3	15	1	1	3	5	8	11	19
20-34	631	5.2	27	1	1	4	7	10	13	18
35-49	789	5.6	21	1	2	5	7	10	13	23
50-64	1498	6.1	24	1	1	5	8	12	14	24
65+	3105	6.4	35	1	1	5	8	13	16	30
B. *Operated*										
0-19 YRS	406	8.2	116	1	2	5	9	16	28	71
20-34	498	8.6	58	2	3	6	10	16	23	40
35-49	521	10.0	104	2	3	7	12	20	29	63
50-64	885	11.0	84	2	3	8	14	23	28	51
65+	1845	12.1	102	3	4	9	15	23	31	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1416	3.1	9	<1	<1	2	4	6	8	14
B. *Operated*	1199	6.0	20	1	2	5	7	11	14	21
2. MULTIPLE DX										
A. *Not Operated*	7324	5.8	28	1	1	5	7	11	14	26
B. *Operated*	4155	10.8	96	2	3	8	13	21	29	55
1. SINGLE DX	2615	4.5	16	<1	1	4	6	9	11	19
2. MULTIPLE DX	11479	7.6	58	1	2	6	9	15	21	39
A. NOT OPERATED	8740	5.4	25	1	1	4	7	11	14	24
B. OPERATED	5354	9.7	83	2	3	7	12	19	26	51
TOTAL 0-19 YRS	3062	4.5	28	<1	1	3	5	9	12	24
20-34	1534	6.4	38	1	2	5	8	12	16	35
35-49	1625	6.8	51	1	1	5	8	13	18	36
50-64	2649	7.7	49	1	2	6	9	15	20	38
65+	5224	8.4	65	1	2	6	10	17	23	41
GRAND TOTAL	**14094**	**7.0**	**52**	**1**	**1**	**5**	**9**	**14**	**19**	**37**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2253	1.8	1	1	1	2	2	3	4	5
20-34	505	2.0	2	1	1	2	2	4	4	7
35-49	116	2.3	2	1	1	2	3	4	5	9
50-64	23	2.0	1	1	1	2	3	3	4	4
65+	5	2.8	4	1	1	2	4	6	6	6
B. *Operated*										
0-19 YRS	1214	3.3	2	2	2	3	4	5	6	8
20-34	463	3.7	3	2	2	3	4	6	7	10
35-49	67	3.8	3	2	2	4	4	6	7	9
50-64	13	6.2	7	2	3	7	8	9	11	11
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1245	2.3	2	1	1	2	3	4	5	7
20-34	348	2.5	2	1	1	2	3	4	5	8
35-49	88	3.1	3	1	1	3	4	6	7	9
50-64	40	4.0	5	1	1	4	5	7	9	11
65+	25	4.6	9	2	2	4	6	7	12	14
B. *Operated*										
0-19 YRS	606	4.1	5	2	2	4	5	7	9	12
20-34	323	4.9	7	2	3	4	6	8	10	15
35-49	57	5.4	10	2	2	4	7	10	12	16
50-64	17	7.6	15	2	3	6	11	13	15	16
65+	13	9.2	26	3	3	9	13	15	19	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2902	1.9	1	1	1	2	2	3	4	6
B. *Operated*	1758	3.5	2	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	1746	2.5	2	1	1	2	3	4	6	8
B. *Operated*	1016	4.6	7	2	2	4	5	7	10	15
1. SINGLE DX	4660	2.5	2	1	1	2	3	4	5	7
2. MULTIPLE DX	2762	3.2	5	1	1	3	4	6	7	12
A. NOT OPERATED	4648	2.1	2	1	1	2	3	4	5	7
B. OPERATED	2774	3.9	4	2	2	3	4	6	7	12
TOTAL 0-19 YRS	5318	2.5	3	1	1	2	3	4	5	8
20-34	1639	3.2	4	1	1	3	4	5	7	11
35-49	328	3.4	5	1	1	3	4	6	7	11
50-64	93	4.5	10	1	1	4	6	9	11	15
65+	44	5.7	18	2	2	4	7	13	14	20
GRAND TOTAL	**7422**	**2.8**	**3**	**1**	**1**	**2**	**4**	**5**	**6**	**10**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	488	4.0	5	1	2	4	5	7	8	11
20-34	45	4.2	12	1	1	3	5	8	12	18
35-49	28	3.9	12	1	1	3	5	7	8	19
50-64	6	4.3	12	1	1	3	7	10	10	10
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	243	3.1	10	<1	<1	2	4	7	9	18
20-34	166	2.2	4	<1	<1	2	3	4	6	11
35-49	106	2.3	3	<1	<1	2	3	5	6	10
50-64	58	3.0	14	<1	1	2	3	4	11	22
65+	29	2.3	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	454	4.5	6	1	2	4	6	8	10	13
20-34	63	4.7	50	1	1	4	5	8	10	50
35-49	31	4.6	19	<1	1	3	4	11	15	19
50-64	16	3.8	3	<1	1	4	5	6	7	7
65+	17	7.3	23	2	3	6	9	12	18	22
B. *Operated*										
0-19 YRS	190	5.2	15	1	1	4	8	10	12	18
20-34	113	4.0	16	<1	<1	3	5	9	11	21
35-49	78	5.1	28	1	1	4	6	11	16	28
50-64	90	5.5	31	1	1	4	7	13	15	30
65+	71	5.4	52	1	1	3	7	13	17	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	568	4.0	6	1	1	4	5	7	8	13
B. *Operated*	602	2.7	7	<1	<1	2	3	5	8	16
2. MULTIPLE DX										
A. *Not Operated*	581	4.6	12	1	2	4	6	8	10	15
B. *Operated*	542	5.0	25	1	1	3	7	10	14	26
1. SINGLE DX	1170	3.3	7	<1	1	3	4	6	8	14
2. MULTIPLE DX	1123	4.8	18	1	1	4	6	9	12	20
A. NOT OPERATED	1149	4.3	9	1	2	4	5	8	9	14
B. OPERATED	1144	3.8	17	<1	1	2	5	8	11	20
TOTAL 0-19 YRS	1375	4.2	8	1	1	4	5	8	10	14
20-34	387	3.4	17	<1	<1	2	4	7	10	19
35-49	243	3.7	16	<1	1	2	4	7	11	20
50-64	170	4.4	23	1	1	3	5	9	14	28
65+	118	4.9	38	1	1	3	6	10	16	33
GRAND TOTAL	**2293**	**4.0**	**13**	**<1**	**1**	**3**	**5**	**8**	**10**	**18**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	6.3	93	1	1	2	9	16	44	99+
20-34	89	10.4	93	<1	1	7	17	26	30	34
35-49	47	10.4	148	1	1	7	15	22	30	70
50-64	62	11.0	143	1	1	5	20	33	36	92
65+	130	9.6	100	1	1	6	13	25	29	57
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	6.5	41	2	2	6	11	11	11	11
65+	2	10.0	8	8	8	10	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	11.7	188	1	1	5	21	29	43	93
20-34	234	13.4	195	1	1	9	19	30	41	82
35-49	224	11.8	154	1	2	7	16	29	38	65
50-64	383	10.9	149	1	2	7	14	24	30	88
65+	1549	9.3	91	2	2	6	12	20	28	52
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	13	12.9	240	1	2	7	14	35	51	55
35-49	14	19.2	358	2	4	12	29	48	60	64
50-64	36	12.9	128	2	3	8	17	25	39	52
65+	193	11.8	158	1	1	9	16	28	40	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	363	9.8	111	1	1	6	14	26	33	67
B. *Operated*	5	7.0	23	2	2	8	11	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	2458	10.3	120	1	2	7	13	24	32	63
B. *Operated*	257	12.4	168	1	1	9	16	29	42	74
1. SINGLE DX	368	9.8	110	1	1	6	14	26	33	66
2. MULTIPLE DX	2715	10.5	125	1	2	7	13	24	33	65
A. NOT OPERATED	2821	10.2	119	1	2	7	13	24	32	63
B. OPERATED	262	12.3	166	1	1	9	16	29	41	74
TOTAL 0-19 YRS	104	9.8	160	1	1	4	15	29	44	99+
20-34	336	12.6	170	1	1	8	18	29	36	68
35-49	286	11.9	164	1	2	8	16	29	39	68
50-64	483	11.1	146	1	2	7	15	25	34	88
65+	1874	9.6	98	1	2	6	12	21	29	58
GRAND TOTAL	**3083**	**10.4**	**123**	**1**	**2**	**7**	**13**	**24**	**33**	**65**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	513	2.6	32	<1	1	1	2	4	6	31
20-34	353	4.5	34	1	1	3	5	9	19	28
35-49	169	4.7	48	<1	1	3	5	11	16	59
50-64	188	9.0	127	1	1	5	12	23	35	99+
65+	995	11.0	155	1	2	7	14	26	38	99
B. *Operated*										
0-19 YRS	3	18.0	589	3	3	5	36	46	46	46
20-34	9	6.1	40	<1	<1	3	12	16	17	17
35-49	3	2.7		2	2	3	3	3	3	3
50-64	8	4.4	15	1	1	3	7	10	11	11
65+	23	8.7	203	1	2	5	8	17	39	70
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	649	6.5	156	1	1	2	5	17	38	99+
20-34	1176	8.0	114	1	1	5	8	17	30	67
35-49	829	9.3	138	1	2	6	10	23	34	83
50-64	1059	11.2	135	2	2	7	15	27	42	99+
65+	8117	11.3	143	2	3	8	14	25	40	99+
B. *Operated*										
0-19 YRS	35	9.3	267	<1	1	3	27	99+	99+	99+
20-34	83	14.4	529	1	1	6	16	81	99+	99+
35-49	64	14.5	284	1	2	8	19	44	49	71
50-64	128	18.3	353	2	3	12	24	45	80	99+
65+	807	17.2	236	3	4	13	24	43	84	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2218	7.4	110	1	1	4	9	19	29	79
B. *Operated*	46	7.7	147	1	1	3	8	16	27	70
2. MULTIPLE DX										
A. *Not Operated*	11830	10.5	142	1	2	7	13	24	38	99+
B. *Operated*	1117	16.7	277	2	3	12	24	47	88	99+
1. SINGLE DX	2264	7.4	110	1	1	4	9	19	29	77
2. MULTIPLE DX	12947	11.1	157	1	2	7	14	26	42	99+
A. NOT OPERATED	14048	10.0	138	1	2	6	12	23	37	99+
B. OPERATED	1163	16.4	275	2	3	12	23	46	83	99+
TOTAL 0-19 YRS	1200	4.9	111	1	1	2	4	10	28	99+
20-34	1621	7.5	122	1	1	4	8	17	29	81
35-49	1065	8.9	137	1	2	5	9	21	34	80
50-64	1383	11.5	159	1	2	7	15	28	43	99+
65+	9942	11.7	155	2	3	8	14	27	43	99+
GRAND TOTAL	**15211**	**10.5**	**152**	**1**	**2**	**7**	**13**	**25**	**40**	**99+**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	4	10.3	151	2	2	6	18	28	28	28
65+	57	11.4	96	3	3	8	14	25	33	48
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	9.0		9	9	9	9	9	9	9
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49	8	13.3	54	4	4	14	22	70	99+	99+
50-64	78	12.2	133	2	2	9	18	26	39	91
65+	932	11.9	150	2	3	8	15	27	47	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	24.5	61	19	19	24	30	30	30	30
50-64	13	13.0	48	4	5	11	15	23	28	29
65+	110	16.9	212	3	5	13	21	45	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	11.3	97	2	3	8	14	27	32	47
B. *Operated*	2	7.5	5	6	6	7	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	1019	12.0	147	2	3	9	15	27	46	99+
B. *Operated*	125	16.6	194	4	5	13	21	33	57	99+
1. SINGLE DX	63	11.2	95	2	3	8	14	26	32	47
2. MULTIPLE DX	1144	12.5	154	2	3	9	16	28	50	99+
A. NOT OPERATED	1080	11.9	144	2	3	8	15	27	45	99+
B. OPERATED	127	16.5	192	4	5	12	21	33	57	99+
TOTAL 0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49	10	15.5	71	4	4	15	24	58	96	99+
50-64	96	12.2	119	2	2	9	18	26	36	85
65+	1100	12.4	155	2	3	9	16	28	49	99+
GRAND TOTAL	**1207**	**12.4**	**151**	**2**	**3**	**9**	**16**	**28**	**47**	**99+**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.3	8	<1	<1	2	5	8	8	8
20-34	245	3.7	12	1	1	3	5	7	9	17
35-49	326	4.4	28	1	1	3	5	7	11	23
50-64	188	5.2	24	1	1	4	6	12	15	24
65+	66	7.0	64	2	2	5	7	17	27	91
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34										
35-49	2	8.5	5	7	7	8	10	10	10	10
50-64										
65+	2	21.0	18	18	18	21	24	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	7.7	84	1	1	4	7	27	31	35
20-34	2280	6.0	38	1	2	4	6	11	22	30
35-49	3839	5.9	37	1	2	5	6	11	19	30
50-64	2775	7.0	54	2	2	5	8	14	23	43
65+	1254	9.2	96	2	2	6	11	20	27	69
B. *Operated*										
0-19 YRS										
20-34	45	9.7	125	1	1	5	11	22	43	47
35-49	138	11.7	138	2	2	8	15	26	34	99+
50-64	159	15.0	180	2	3	10	21	37	46	97
65+	98	18.2	244	4	5	15	22	41	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	837	4.5	25	1	1	3	5	8	13	26
B. *Operated*	5	13.8	49	7	7	10	19	24	24	24
2. MULTIPLE DX										
A. *Not Operated*	10215	6.6	51	1	2	5	7	13	22	37
B. *Operated*	440	14.1	182	2	3	10	19	32	47	99+
1. SINGLE DX	842	4.6	26	1	1	3	5	9	13	26
2. MULTIPLE DX	10655	6.9	58	1	2	5	7	15	24	43
A. NOT OPERATED	11052	6.5	49	1	2	5	7	13	21	36
B. OPERATED	445	14.1	180	2	3	10	19	32	47	99+
TOTAL 0-19 YRS	80	7.1	74	1	1	4	7	22	31	34
20-34	2570	5.8	38	1	1	4	6	11	21	31
35-49	4305	6.0	40	1	2	4	6	11	20	31
50-64	3122	7.3	62	1	2	5	8	16	24	47
65+	1420	9.7	110	2	2	6	12	21	29	88
GRAND TOTAL	**11497**	**6.8**	**56**	**1**	**2**	**5**	**7**	**14**	**23**	**42**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	7.8	88	1	1	3	11	17	33	41
20-34	158	6.2	71	1	1	4	7	13	21	58
35-49	63	5.0	26	<1	1	3	6	13	17	23
50-64	19	8.5	87	1	1	5	11	27	30	31
65+	48	5.8	21	2	2	4	7	14	17	19
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	9.5	5	8	8	9	11	11	11	11
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	230	10.1	209	1	1	5	11	29	40	99+
20-34	1406	8.0	83	1	2	5	9	18	28	56
35-49	600	7.4	49	1	2	5	9	16	22	31
50-64	365	7.9	58	1	2	5	9	17	24	40
65+	926	7.5	43	2	2	6	10	16	20	33
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	30	10.9	68	1	3	9	14	21	27	40
35-49	20	11.1	50	3	4	9	14	25	26	26
50-64	29	12.6	82	3	3	11	19	27	29	34
65+	75	13.0	210	1	2	9	15	21	44	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	348	6.3	60	1	1	4	7	15	20	39
B. *Operated*	3	6.7	26	1	1	8	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	3527	7.9	73	1	2	5	9	17	26	43
B. *Operated*	155	12.2	136	2	3	9	15	25	34	69
1. SINGLE DX	351	6.3	60	1	1	4	7	15	20	39
2. MULTIPLE DX	3682	8.1	76	1	2	5	10	17	26	44
A. NOT OPERATED	3875	7.8	72	1	2	5	9	17	25	42
B. OPERATED	158	12.1	134	2	3	9	15	25	34	69
TOTAL 0-19 YRS	291	9.6	184	1	1	5	11	27	38	99
20-34	1594	7.9	82	1	2	5	9	17	28	57
35-49	683	7.3	48	1	2	5	9	16	22	31
50-64	415	8.3	61	1	2	6	10	19	25	38
65+	1050	7.8	56	2	2	6	10	16	21	42
GRAND TOTAL	**4033**	**7.9**	**75**	**1**	**2**	**5**	**9**	**17**	**26**	**44**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	310	19.4	263	2	4	14	28	43	63	99+
20-34	3906	15.0	193	1	3	12	20	33	46	99+
35-49	2108	14.3	153	1	3	11	19	31	40	82
50-64	750	14.9	136	2	3	13	21	30	39	99+
65+	197	17.1	192	2	3	15	23	36	57	99+
B. *Operated*										
0-19 YRS										
20-34	2	10.5	1	10	10	10	11	11	11	11
35-49	1	20.0		20	20	20	20	20	20	20
50-64	2	18.5	13	16	16	18	21	21	21	21
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	188	22.6	372	2	4	17	34	60	86	99+
20-34	2696	16.3	210	2	3	13	22	38	54	99+
35-49	1840	16.2	191	2	4	13	22	36	51	99+
50-64	980	17.4	176	3	4	15	23	34	47	99+
65+	465	19.3	225	3	5	16	27	40	67	99+
B. *Operated*										
0-19 YRS	3	14.0	93	7	7	17	62	99+	99+	99+
20-34	96	23.3	326	5	5	19	31	55	79	99+
35-49	75	24.7	277	5	8	21	35	53	82	99+
50-64	48	23.0	177	7	8	21	28	39	49	76
65+	37	23.8	157	9	11	23	35	78	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7271	15.0	180	1	3	12	20	33	44	99+
B. *Operated*	5	15.6	25	10	10	16	20	21	21	21
2. MULTIPLE DX										
A. *Not Operated*	6169	16.9	207	2	3	14	23	38	54	99+
B. *Operated*	259	23.6	256	5	7	21	31	53	88	99+
1. SINGLE DX	7276	15.0	180	1	3	12	20	33	44	99+
2. MULTIPLE DX	6428	17.1	210	2	4	14	24	38	55	99+
A. NOT OPERATED	13440	15.9	193	2	3	13	21	35	49	99+
B. OPERATED	264	23.4	253	5	7	21	31	51	85	99+
TOTAL 0-19 YRS	501	20.6	305	2	4	15	29	50	66	99+
20-34	6700	15.6	203	2	3	12	21	35	50	99+
35-49	4024	15.3	175	2	3	12	21	33	45	99+
50-64	1780	16.5	161	2	4	14	22	33	45	99+
65+	699	18.9	214	3	4	16	26	40	63	99+
GRAND TOTAL	**13704**	**16.0**	**195**	**2**	**3**	**13**	**22**	**35**	**49**	**99+**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	111	21.8	309	3	5	19	35	53	70	99+
20-34	301	13.6	131	2	3	11	19	27	37	60
35-49	72	9.6	61	1	2	7	14	24	28	99+
50-64	27	12.3	113	1	2	10	17	22	34	50
65+	10	17.5	131	6	7	14	18	36	46	46
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	24.5	319	5	7	21	35	55	95	99+
20-34	213	16.7	263	1	2	12	21	36	54	78
35-49	83	13.9	122	1	2	10	21	28	34	49
50-64	51	14.8	234	2	3	10	18	25	54	81
65+	27	12.8	66	2	3	12	15	25	45	99+
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	14	23.9	326	4	6	18	36	45	62	67
35-49	5	20.6	224	5	5	17	28	45	45	45
50-64	1	9.0		9	9	9	9	9	9	9
65+	1	23.0		23	23	23	23	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	521	14.8	172	2	3	11	20	34	49	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	456	17.2	244	2	3	13	23	39	54	99
B. *Operated*	22	21.7	265	5	6	16	35	44	54	67
1. SINGLE DX	521	14.8	172	2	3	11	20	34	49	99+
2. MULTIPLE DX	478	17.4	246	2	3	13	23	39	54	98
A. NOT OPERATED	977	15.9	207	2	3	12	21	36	52	99+
B. OPERATED	22	21.7	265	5	6	16	35	44	54	67
TOTAL 0-19 YRS	194	22.9	313	4	6	20	35	54	82	99+
20-34	528	15.1	192	2	3	11	20	33	47	71
35-49	160	12.2	103	1	2	9	19	26	34	94
50-64	79	13.8	189	1	3	10	18	23	45	76
65+	38	14.3	84	3	4	14	18	26	43	99+
GRAND TOTAL	**999**	**16.0**	**209**	**2**	**3**	**12**	**21**	**36**	**52**	**99+**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	611	19.8	303	2	3	15	29	48	63	99+
20-34	5571	15.0	183	1	3	12	20	33	46	99+
35-49	3027	14.1	138	2	3	11	19	30	39	99+
50-64	1279	15.5	154	1	3	13	21	32	40	78
65+	342	16.6	192	2	4	14	21	35	45	78
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	12	21.1	134	6	7	20	31	37	38	38
35-49	2	28.5	365	15	15	42	85	99+	99+	99+
50-64	4	13.8	138	2	2	11	21	30	30	30
65+	4	18.8	78	11	11	16	25	31	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	500	22.9	396	2	4	18	37	64	99+	99+
20-34	4845	16.9	229	2	3	13	22	40	59	99+
35-49	3231	16.3	191	2	4	13	22	36	47	99+
50-64	2022	17.7	187	3	4	14	24	37	50	99+
65+	911	17.8	231	3	4	14	24	38	56	99+
B. *Operated*										
0-19 YRS	17	28.5	391	10	11	26	62	99+	99+	99+
20-34	182	21.9	247	5	7	19	29	51	77	99+
35-49	160	21.5	243	6	8	18	28	57	99+	99+
50-64	123	27.6	356	9	10	24	34	64	98	99+
65+	65	32.4	430	8	12	28	41	70	90	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10830	15.1	175	1	3	12	20	33	45	99+
B. *Operated*	23	19.3	140	3	6	17	30	38	59	99+
2. MULTIPLE DX										
A. *Not Operated*	11509	17.2	220	2	4	14	23	40	55	99+
B. *Operated*	547	24.5	309	6	8	20	33	59	95	99+
1. SINGLE DX	10853	15.2	175	1	3	12	21	33	45	99+
2. MULTIPLE DX	12056	17.5	226	2	4	14	24	41	56	99+
A. NOT OPERATED	22339	16.2	199	2	3	13	22	36	49	99+
B. OPERATED	570	24.3	303	6	8	20	33	58	95	99+
TOTAL 0-19 YRS	1129	21.3	348	2	4	17	33	55	84	99+
20-34	10610	16.0	206	2	3	12	21	36	51	99+
35-49	6420	15.4	169	2	3	12	21	34	45	99+
50-64	3428	17.2	185	2	4	14	23	35	48	99+
65+	1322	18.2	240	3	4	14	25	39	56	99+
GRAND TOTAL	**22909**	**16.4**	**204**	**2**	**3**	**13**	**22**	**37**	**50**	**99+**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	268	20.2	212	2	5	20	21	41	68	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	120	27.4	646	2	3	29	72	99+	99+	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	8	27.5	1085	1	3	18	64	99	99+	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	268	20.2	212	2	5	20	21	41	68	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	120	27.4	646	2	3	29	72	99+	99+	99+
B. *Operated*	8	27.5	1085	1	3	18	64	99	99+	99+
1. SINGLE DX	268	20.2	212	2	5	20	21	41	68	99+
2. MULTIPLE DX	128	27.4	665	2	3	29	71	99+	99+	99+
A. NOT OPERATED	388	22.4	356	2	4	21	31	77	99+	99+
B. OPERATED	8	27.5	1085	1	3	18	64	99	99+	99+
TOTAL 0-19 YRS	396	22.5	368	2	4	21	31	80	99+	99+
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**396**	**22.5**	**368**	**2**	**4**	**21**	**31**	**80**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1107	22.8	427	2	3	17	34	58	79	99+
20-34	3550	12.7	146	1	2	9	17	28	35	64
35-49	3666	13.7	133	1	3	11	19	28	35	53
50-64	2507	15.9	151	2	4	14	22	31	38	65
65+	2117	19.5	183	3	5	17	26	37	46	71
B. *Operated*										
0-19 YRS	5	12.4	115	2	2	8	18	30	30	30
20-34	7	21.4	430	6	6	16	26	58	65	65
35-49	14	19.1	191	7	8	13	26	41	51	54
50-64	6	22.3	102	12	12	22	24	38	40	40
65+	14	25.4	272	4	5	27	37	65	91	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1981	24.8	491	2	3	20	41	71	99	99+
20-34	7564	14.7	185	2	3	11	20	32	43	84
35-49	7767	15.2	163	2	3	12	20	31	40	72
50-64	6205	17.4	184	3	4	14	23	34	44	73
65+	7636	19.9	231	3	5	16	27	40	50	80
B. *Operated*										
0-19 YRS	63	28.1	537	2	5	20	47	87	99+	99+
20-34	366	21.6	274	3	6	18	30	46	62	99+
35-49	511	23.3	261	5	7	19	33	47	57	99+
50-64	463	24.4	252	6	8	21	31	48	59	95
65+	708	28.0	350	7	9	24	37	58	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12947	15.6	184	1	3	12	21	32	43	75
B. *Operated*	46	21.0	228	5	7	16	29	42	65	99+
2. MULTIPLE DX										
A. *Not Operated*	31153	17.3	218	2	3	14	23	36	49	89
B. *Operated*	2111	24.9	305	5	8	21	34	51	68	99+
1. SINGLE DX	12993	15.6	184	1	3	12	21	32	43	75
2. MULTIPLE DX	33264	17.8	227	2	4	14	24	38	50	92
A. NOT OPERATED	44100	16.8	209	2	3	13	23	35	47	86
B. OPERATED	2157	24.9	303	5	8	21	34	51	68	99+
TOTAL 0-19 YRS	3156	24.2	470	2	3	19	38	67	93	99+
20-34	11487	14.3	179	1	2	10	20	31	42	80
35-49	11958	15.1	161	2	3	12	20	31	40	68
50-64	9181	17.3	181	3	4	14	23	34	44	73
65+	10475	20.4	234	3	5	17	28	41	52	83
GRAND TOTAL	**46257**	**17.2**	**216**	**2**	**3**	**13**	**23**	**36**	**48**	**89**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	465	21.4	380	2	3	16	30	57	80	99+
20-34	3344	14.2	149	1	3	11	19	30	40	77
35-49	2848	14.2	140	2	3	11	19	29	37	75
50-64	1489	16.0	140	2	4	13	21	31	41	70
65+	643	16.9	164	2	4	14	22	34	46	70
B. *Operated*										
0-19 YRS										
20-34	10	13.1	66	4	6	10	22	57	96	99+
35-49	9	20.1	66	10	12	18	24	33	35	35
50-64	3	14.0	91	5	5	13	21	24	24	24
65+	2	5.5	1	5	5	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	748	25.0	442	3	4	19	41	64	85	99+
20-34	3722	16.4	192	2	3	13	22	34	46	99+
35-49	3591	16.1	171	2	4	13	21	32	43	83
50-64	2608	17.9	188	3	4	15	24	35	47	96
65+	1884	20.0	221	4	5	17	27	42	53	99+
B. *Operated*										
0-19 YRS	15	34.6	604	4	10	38	55	99	99+	99+
20-34	137	22.3	281	3	6	19	29	49	70	99+
35-49	194	24.6	252	6	9	21	34	47	70	99+
50-64	191	26.3	292	7	10	23	33	49	72	99+
65+	142	26.3	290	6	10	22	36	54	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8789	15.1	161	2	3	12	20	31	42	82
B. *Operated*	24	15.2	76	5	5	15	22	31	51	99+
2. MULTIPLE DX										
A. *Not Operated*	12553	17.7	210	2	4	14	24	37	50	99+
B. *Operated*	679	25.2	287	6	8	22	34	53	71	99+
1. SINGLE DX	8813	15.1	160	2	3	12	20	31	42	82
2. MULTIPLE DX	13232	18.1	216	2	4	15	24	38	51	99+
A. NOT OPERATED	21342	16.6	191	2	3	13	22	35	47	97
B. OPERATED	703	24.8	283	5	8	21	33	52	70	99+
TOTAL 0-19 YRS	1228	23.8	424	2	4	18	37	61	84	99+
20-34	7213	15.5	175	2	3	12	21	33	44	97
35-49	6642	15.5	163	2	3	12	21	32	42	81
50-64	4291	17.6	180	3	4	15	24	35	46	89
65+	2671	19.6	215	3	5	16	26	41	52	99+
GRAND TOTAL	**22045**	**16.9**	**196**	**2**	**4**	**14**	**23**	**35**	**47**	**99+**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	327	14.8	275	1	1	9	21	40	53	99+
20-34	1219	10.1	113	1	1	7	14	22	31	56
35-49	742	9.5	87	1	1	7	12	21	26	49
50-64	440	11.4	107	1	1	9	16	25	31	56
65+	485	11.1	104	1	2	8	15	24	31	53
B. *Operated*										
0-19 YRS	6	2.2	1	<1	<1	2	3	3	3	3
20-34	3	3.7	4	2	2	3	5	6	6	6
35-49	3	4.7	6	2	2	5	6	7	7	7
50-64	4	5.0	7	2	2	5	7	8	8	8
65+	6	6.0	10	3	3	5	6	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	400	15.6	302	1	2	10	21	40	71	99+
20-34	1759	12.2	149	1	2	9	16	27	39	99
35-49	1188	11.6	100	1	2	9	16	24	31	48
50-64	1266	11.4	133	1	2	8	15	25	35	73
65+	3056	10.4	116	2	2	7	13	22	31	68
B. *Operated*										
0-19 YRS	17	17.4	311	2	3	13	25	38	58	69
20-34	59	17.1	197	1	2	14	21	40	50	97
35-49	53	17.2	320	1	4	13	20	36	60	91
50-64	108	14.7	185	2	3	12	18	30	37	77
65+	281	17.1	266	2	4	12	22	35	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3213	10.8	123	1	1	8	14	24	32	60
B. *Operated*	22	4.3	7	1	2	4	6	7	10	12
2. MULTIPLE DX										
A. *Not Operated*	7669	11.4	135	1	2	8	15	25	35	76
B. *Operated*	518	16.6	247	2	4	13	21	35	52	99
1. SINGLE DX	3235	10.7	123	1	1	8	14	24	32	60
2. MULTIPLE DX	8187	11.8	143	1	2	8	15	25	35	78
A. NOT OPERATED	10882	11.2	131	1	2	8	15	25	34	73
B. OPERATED	540	16.1	243	2	3	12	20	35	51	99
TOTAL 0-19 YRS	750	15.2	289	1	2	10	21	40	60	99+
20-34	3040	11.5	137	1	2	8	15	26	36	79
35-49	1986	11.0	103	1	2	8	15	23	30	52
50-64	1818	11.6	130	1	2	8	16	25	34	70
65+	3828	11.0	128	2	2	7	14	24	33	71
GRAND TOTAL	**11422**	**11.5**	**138**	**1**	**2**	**8**	**15**	**25**	**35**	**75**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	138	5.1	50	<1	1	3	4	14	19	57
20-34	585	5.4	45	<1	1	3	6	12	18	40
35-49	514	5.2	39	1	1	3	6	12	16	31
50-64	279	5.6	39	1	1	3	7	13	21	30
65+	154	5.7	45	1	1	3	7	13	20	32
B. *Operated*										
0-19 YRS										
20-34	3	14.7	310	4	4	5	27	35	35	35
35-49	11	5.6	13	1	1	6	9	10	11	11
50-64	8	4.0	9	1	1	3	5	9	10	10
65+	3	3.3	10	1	1	2	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	242	9.0	161	1	1	4	11	30	43	99+
20-34	1423	7.9	80	1	1	5	10	19	26	40
35-49	1540	7.1	66	1	1	4	8	18	23	39
50-64	1309	6.9	58	1	1	4	8	16	23	39
65+	1269	6.1	55	1	1	4	7	13	20	36
B. *Operated*										
0-19 YRS	2	6.0	32	2	2	6	10	10	10	10
20-34	95	7.3	104	1	1	3	10	19	28	53
35-49	98	11.9	219	1	1	6	16	28	37	84
50-64	61	9.1	47	1	2	7	14	20	22	28
65+	67	11.7	169	1	2	7	18	29	32	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1670	5.3	43	1	1	3	6	12	18	32
B. *Operated*	25	5.9	46	1	1	3	7	10	17	35
2. MULTIPLE DX										
A. *Not Operated*	5783	7.1	70	1	1	4	8	17	24	42
B. *Operated*	323	9.9	144	1	1	6	14	24	30	71
1. SINGLE DX	1695	5.4	43	1	1	3	6	12	18	33
2. MULTIPLE DX	6106	7.2	74	1	1	4	8	18	25	42
A. NOT OPERATED	7453	6.7	64	1	1	4	8	16	23	41
B. OPERATED	348	9.6	138	1	1	6	13	23	30	69
TOTAL 0-19 YRS	382	7.5	123	1	1	3	8	20	37	99+
20-34	2106	7.2	73	1	1	4	9	18	24	41
35-49	2163	6.8	68	1	1	4	8	16	23	39
50-64	1657	6.7	55	1	1	4	8	16	22	37
65+	1493	6.3	60	1	1	4	7	14	21	38
GRAND TOTAL	**7801**	**6.8**	**68**	**1**	**1**	**4**	**8**	**16**	**23**	**42**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	772	21.7	430	1	2	14	35	54	68	98
20-34	1529	8.9	89	1	1	6	12	21	28	45
35-49	1191	8.8	70	1	1	6	12	20	25	41
50-64	508	10.2	93	1	2	7	14	23	30	41
65+	313	10.9	89	1	2	8	14	23	30	47
B. *Operated*										
0-19 YRS	1	25.0		25	25	25	25	25	25	25
20-34	6	10.2	115	3	3	6	12	29	31	31
35-49	9	11.4	48	4	4	10	17	21	22	22
50-64	8	16.8	154	3	3	15	26	34	37	37
65+	4	14.8	30	7	7	16	18	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1678	23.8	506	2	3	17	39	69	91	99+
20-34	3800	10.9	109	1	2	8	15	24	31	51
35-49	3167	10.9	94	2	2	8	15	23	29	47
50-64	1846	10.8	100	2	2	7	15	23	29	49
65+	1818	10.7	104	2	3	8	13	23	31	52
B. *Operated*										
0-19 YRS	45	32.0	797	3	5	26	51	92	96	99+
20-34	167	15.4	139	2	4	12	22	32	39	99+
35-49	179	16.4	161	3	4	14	20	31	39	65
50-64	122	16.8	181	3	4	12	23	33	41	69
65+	132	15.8	212	3	4	11	19	34	47	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4313	11.5	168	1	1	7	15	28	39	70
B. *Operated*	28	13.6	91	3	4	13	19	27	32	37
2. MULTIPLE DX										
A. *Not Operated*	12309	12.6	177	1	2	8	17	28	41	88
B. *Operated*	645	17.2	229	3	4	12	23	37	47	93
1. SINGLE DX	4341	11.5	168	1	2	7	15	28	39	70
2. MULTIPLE DX	12954	12.9	181	1	2	8	17	29	42	88
A. NOT OPERATED	16622	12.3	175	1	2	8	16	28	41	81
B. OPERATED	673	17.0	223	3	4	12	23	36	47	93
TOTAL 0-19 YRS	2496	23.3	489	2	3	16	38	63	86	99+
20-34	5502	10.5	106	1	2	7	14	24	30	51
35-49	4546	10.6	93	1	2	8	14	23	29	46
50-64	2484	11.0	104	2	2	8	15	23	30	50
65+	2267	11.0	110	2	3	8	14	23	31	56
GRAND TOTAL	**17295**	**12.5**	**178**	**1**	**2**	**8**	**17**	**29**	**41**	**82**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	652	12.3	288	1	1	5	16	41	59	99+
20-34	1286	8.5	143	1	1	5	10	21	33	99+
35-49	557	7.9	84	<1	1	5	10	21	30	99+
50-64	185	6.5	73	<1	1	3	8	16	25	54
65+	103	8.0	76	1	1	4	12	23	25	36
B. *Operated*										
0-19 YRS	11	8.2	46	1	1	5	11	20	21	21
20-34	115	7.8	17	2	2	9	9	11	15	23
35-49	90	6.2	15	1	2	6	9	12	14	99+
50-64	77	3.7	4	1	1	4	5	7	9	9
65+	22	3.2	7	1	1	2	4	7	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1123	13.0	294	1	1	6	19	42	69	99+
20-34	3112	9.7	147	1	1	6	13	26	42	99+
35-49	1665	9.7	129	1	1	6	14	27	38	99+
50-64	778	9.3	98	1	2	6	12	24	32	99+
65+	688	8.8	102	1	2	6	11	21	28	77
B. *Operated*										
0-19 YRS	42	19.0	463	1	1	10	38	95	99+	99+
20-34	188	12.4	196	1	1	9	17	36	94	99+
35-49	134	10.4	152	1	2	7	12	23	31	64
50-64	167	7.8	74	1	2	5	9	16	24	52
65+	107	11.4	152	1	2	6	15	26	42	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2783	9.1	161	1	1	5	11	25	41	99+
B. *Operated*	315	6.0	17	1	2	5	9	10	14	23
2. MULTIPLE DX										
A. *Not Operated*	7366	10.1	158	1	1	6	13	27	43	99+
B. *Operated*	638	11.0	171	1	2	7	14	29	53	99+
1. SINGLE DX	3098	8.8	147	1	1	5	10	23	37	99+
2. MULTIPLE DX	8004	10.2	159	1	1	6	13	27	43	99+
A. NOT OPERATED	10149	9.8	159	1	1	5	13	27	42	99+
B. OPERATED	953	9.4	126	1	2	6	10	23	36	99+
TOTAL 0-19 YRS	1828	12.9	295	1	1	6	19	42	68	99+
20-34	4701	9.4	145	1	1	5	12	25	41	99+
35-49	2446	9.2	117	1	1	6	12	24	36	99+
50-64	1207	8.3	88	1	1	5	10	21	29	71
65+	920	8.9	104	1	2	5	11	22	28	60
GRAND TOTAL	**11102**	**9.8**	**156**	**1**	**1**	**5**	**13**	**27**	**42**	**99+**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	334	8.5	148	<1	<1	2	10	29	35	55
20-34	3610	9.4	95	1	1	5	15	28	28	33
35-49	4016	9.3	93	1	2	5	13	28	28	35
50-64	1685	9.2	98	1	2	5	11	28	29	37
65+	357	8.1	79	1	1	5	8	21	28	41
B. *Operated*										
0-19 YRS										
20-34	6	9.3	105	2	2	5	12	27	29	29
35-49	7	22.9	39	14	14	26	28	28	28	28
50-64	3	8.3	20	4	4	8	12	13	13	13
65+	3	14.3	136	4	4	12	23	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2334	23.7	265	1	2	24	35	43	48	64
20-34	15879	13.8	119	1	2	9	24	29	30	37
35-49	16695	12.0	105	2	2	6	21	28	30	36
50-64	9865	11.6	104	2	2	6	21	28	30	36
65+	3872	11.9	101	2	2	7	21	28	30	40
B. *Operated*										
0-19 YRS	46	30.2	438	1	3	28	41	52	78	92
20-34	388	17.1	129	1	3	19	27	30	34	44
35-49	506	17.1	141	2	4	15	27	30	34	53
50-64	469	18.1	158	3	4	16	27	33	41	60
65+	230	15.9	183	2	4	12	22	31	42	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10002	9.2	96	1	1	5	14	28	28	35
B. *Operated*	19	14.9	102	2	3	13	27	28	29	29
2. MULTIPLE DX										
A. *Not Operated*	48645	13.1	123	2	2	7	23	29	31	42
B. *Operated*	1639	17.6	162	2	4	16	27	31	38	61
1. SINGLE DX	10021	9.3	96	1	1	5	14	28	28	35
2. MULTIPLE DX	50284	13.2	125	2	2	7	23	29	31	42
A. NOT OPERATED	58647	12.4	121	1	2	7	22	28	31	42
B. OPERATED	1658	17.6	161	2	4	16	27	31	38	61
TOTAL 0-19 YRS	2714	21.9	279	1	1	22	35	42	47	65
20-34	19883	13.1	118	1	2	7	23	28	30	37
35-49	21224	11.6	106	1	2	6	21	28	30	36
50-64	12022	11.5	108	2	2	6	21	28	30	38
65+	4462	11.8	106	2	2	7	20	28	30	42
GRAND TOTAL	**60305**	**12.6**	**123**	**1**	**2**	**7**	**22**	**28**	**31**	**42**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	15.7	202	1	2	9	29	33	38	57
20-34	697	10.1	53	1	2	8	14	20	25	30
35-49	241	10.9	66	1	2	10	14	21	27	42
50-64	19	16.2	110	3	5	13	21	33	39	42
65+	4	10.5	20	5	5	10	13	16	16	16
B. *Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	15.6	152	2	3	11	27	31	38	44
20-34	2112	12.1	90	2	3	8	18	27	30	42
35-49	849	12.3	76	2	3	10	18	26	28	35
50-64	109	13.5	107	2	3	9	20	28	31	47
65+	57	13.3	92	2	3	10	21	27	31	41
B. *Operated*										
0-19 YRS	1	32.0		32	32	32	32	32	32	32
20-34	78	18.2	121	4	7	16	25	30	35	62
35-49	42	20.0	127	6	7	20	27	31	34	67
50-64	5	11.8	120	4	4	7	15	31	31	31
65+	4	21.8	333	11	11	13	32	49	49	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	987	10.6	62	1	2	9	15	21	28	35
B. *Operated*	2	6.5	13	4	4	6	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	3209	12.3	89	2	3	9	18	27	30	42
B. *Operated*	130	18.7	128	5	7	17	26	31	37	66
1. SINGLE DX	989	10.6	62	1	2	9	15	21	28	35
2. MULTIPLE DX	3339	12.6	92	2	3	9	18	28	30	42
A. NOT OPERATED	4196	11.9	83	2	3	9	17	27	29	42
B. OPERATED	132	18.5	129	5	7	17	26	31	36	66
TOTAL 0-19 YRS	109	15.8	163	2	3	10	28	32	37	49
20-34	2888	11.8	84	2	3	9	17	27	29	42
35-49	1133	12.3	78	2	3	10	17	26	28	38
50-64	133	13.8	107	2	4	10	21	29	33	45
65+	65	13.7	102	2	3	11	21	28	32	48
GRAND TOTAL	**4328**	**12.1**	**86**	**2**	**3**	**9**	**17**	**27**	**29**	**42**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	300	23.0	437	1	2	18	42	53	60	93
20-34	893	12.3	127	1	2	7	22	28	29	42
35-49	275	12.4	125	1	2	7	21	28	37	42
50-64	52	12.0	154	1	2	7	14	30	41	56
65+	10	14.3	200	2	2	6	28	35	42	42
B. *Operated*										
0-19 YRS	2	41.0	338	28	28	41	54	54	54	54
20-34	3	11.3	261	2	2	2	23	30	30	30
35-49										
50-64	1	5.0		5	5	5	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1676	27.0	293	3	5	28	39	49	56	82
20-34	3516	16.9	127	2	3	18	28	30	33	43
35-49	952	15.2	114	2	3	13	25	28	30	39
50-64	233	15.2	142	2	4	11	23	31	35	46
65+	153	14.9	132	2	3	11	22	32	41	43
B. *Operated*										
0-19 YRS	25	37.9	312	17	19	31	51	69	86	99+
20-34	93	21.8	93	4	7	25	29	32	36	38
35-49	39	21.3	93	5	7	21	27	35	39	40
50-64	9	19.3	111	10	10	16	30	35	37	37
65+	7	12.4	134	6	6	9	12	33	38	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1530	14.4	206	1	2	7	24	33	42	60
B. *Operated*	6	20.2	439	2	2	16	30	52	54	54
2. MULTIPLE DX										
A. *Not Operated*	6530	19.1	190	2	3	20	28	35	43	60
B. *Operated*	173	23.5	162	5	8	24	30	37	42	80
1. SINGLE DX	1536	14.4	207	1	2	7	24	33	42	60
2. MULTIPLE DX	6703	19.3	190	2	3	20	28	35	43	61
A. NOT OPERATED	8060	18.2	197	2	3	18	28	35	42	60
B. OPERATED	179	23.4	170	4	7	24	30	38	44	79
TOTAL 0-19 YRS	2003	26.6	318	2	4	28	39	49	57	84
20-34	4505	16.1	130	2	3	15	27	30	33	42
35-49	1266	14.8	118	2	3	12	24	28	31	42
50-64	295	14.7	144	2	3	10	23	31	36	49
65+	170	14.8	134	2	3	11	21	32	41	43
GRAND TOTAL	**8239**	**18.4**	**197**	**2**	**3**	**18**	**28**	**35**	**42**	**61**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	792	1.4	5	<1	<1	1	1	2	2	11
20-34	425	2.4	17	<1	<1	1	2	4	7	28
35-49	249	3.0	17	<1	<1	2	3	6	8	27
50-64	110	3.4	20	<1	<1	2	4	7	8	28
65+	52	4.6	106	<1	<1	2	3	9	21	66
B. *Operated*										
0-19 YRS										
20-34	2	5.5	25	2	2	5	9	9	9	9
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	968	9.2	244	<1	<1	1	7	37	47	60
20-34	1266	5.9	70	<1	<1	2	6	18	28	34
35-49	862	5.8	56	<1	1	3	6	17	26	34
50-64	533	5.8	55	1	1	3	6	14	25	33
65+	278	5.6	46	1	1	3	6	12	22	34
B. *Operated*										
0-19 YRS	23	8.3	339	<1	<1	1	2	35	58	74
20-34	54	6.6	75	<1	<1	3	7	23	26	37
35-49	38	9.2	114	<1	<1	4	13	28	34	38
50-64	21	11.7	114	<1	1	7	19	28	34	35
65+	18	7.7	34	1	1	7	10	18	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1628	2.1	15	<1	<1	1	2	4	6	26
B. *Operated*	4	6.0	13	2	2	6	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	3907	6.7	109	<1	<1	2	6	21	30	52
B. *Operated*	154	8.3	124	<1	<1	4	10	25	32	49
1. SINGLE DX	1632	2.2	15	<1	<1	1	2	4	6	26
2. MULTIPLE DX	4061	6.7	109	<1	<1	2	6	21	30	51
A. NOT OPERATED	5535	5.3	85	<1	<1	2	4	15	28	47
B. OPERATED	158	8.3	121	<1	<1	4	10	25	32	48
TOTAL 0-19 YRS	1783	5.7	154	<1	<1	1	2	25	41	57
20-34	1747	5.0	60	<1	<1	2	5	15	26	32
35-49	1149	5.3	51	<1	1	3	6	15	24	34
50-64	665	5.5	53	<1	1	3	6	13	24	33
65+	349	5.6	54	1	1	3	6	12	22	35
GRAND TOTAL	**5693**	**5.4**	**86**	**<1**	**<1**	**2**	**5**	**15**	**28**	**47**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	176	12.7	289	<1	1	4	22	39	46	66
20-34	511	9.6	95	<1	1	5	19	27	28	35
35-49	127	11.7	107	1	1	8	21	28	28	36
50-64	21	10.3	110	1	2	5	17	29	30	31
65+	11	7.8	56	1	2	5	10	18	27	28
B. *Operated*										
0-19 YRS										
20-34	5	5.2	60	1	1	2	7	19	19	19
35-49	2	5.0		5	5	5	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1069	24.9	370	1	2	25	41	50	60	81
20-34	1970	13.5	140	1	2	9	23	29	32	45
35-49	506	12.0	110	1	2	8	21	28	31	40
50-64	139	10.8	87	1	2	7	16	28	30	35
65+	121	10.7	90	2	3	7	15	26	31	40
B. *Operated*										
0-19 YRS	20	35.5	443	3	4	38	52	63	67	69
20-34	63	21.9	145	3	4	21	30	39	44	46
35-49	30	17.7	101	3	4	18	23	32	33	39
50-64	10	14.9	319	5	5	8	10	45	62	62
65+	3	14.3	146	5	5	10	23	28	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	846	10.5	139	<1	1	5	20	28	30	52
B. *Operated*	7	5.1	40	1	1	3	5	16	19	19
2. MULTIPLE DX										
A. *Not Operated*	3805	16.3	226	1	2	11	28	37	45	68
B. *Operated*	126	22.3	227	3	5	21	30	44	50	66
1. SINGLE DX	853	10.5	138	<1	1	5	19	28	30	52
2. MULTIPLE DX	3931	16.5	227	1	2	11	28	38	45	68
A. NOT OPERATED	4651	15.3	215	1	1	9	26	35	43	65
B. OPERATED	133	21.4	232	2	4	20	29	44	49	66
TOTAL 0-19 YRS	1265	23.4	379	1	2	21	39	49	59	80
20-34	2549	12.9	135	1	1	8	21	29	31	44
35-49	665	12.2	110	1	2	8	21	28	30	39
50-64	170	11.0	102	1	2	7	16	28	30	43
65+	135	10.5	88	2	2	7	15	26	30	40
GRAND TOTAL	**4784**	**15.4**	**216**	**1**	**2**	**10**	**27**	**35**	**44**	**65**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	114	2.7	3	1	1	2	3	4	6	8
20-34	138	3.8	19	1	1	3	4	7	8	31
35-49	114	3.0	6	1	1	2	4	6	8	13
50-64	63	3.5	13	1	1	3	4	6	10	23
65+	43	3.7	24	1	1	2	4	7	14	28
B. *Operated*										
0-19 YRS	14	2.9	3	<1	<1	3	4	6	7	7
20-34	9	3.4	4	<1	1	3	4	7	8	8
35-49	13	4.1	4	1	2	4	5	7	8	8
50-64	7	2.6	3	1	1	2	3	5	6	6
65+	3	4.3	10	2	2	3	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	215	4.4	39	1	1	3	4	8	11	48
20-34	412	4.7	31	1	1	3	5	9	13	38
35-49	414	4.6	23	1	1	3	6	9	12	26
50-64	433	4.7	21	1	1	4	6	8	11	25
65+	457	4.6	13	1	2	4	6	9	11	18
B. *Operated*										
0-19 YRS	21	11.6	355	1	2	6	11	28	62	83
20-34	39	11.8	247	1	2	7	13	20	44	88
35-49	48	8.4	57	1	2	6	10	14	25	43
50-64	30	6.9	27	2	2	6	8	13	14	28
65+	36	9.1	113	2	2	6	10	34	44	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	472	3.3	12	1	1	2	4	6	8	17
B. *Operated*	46	3.4	4	<1	1	3	4	7	8	8
2. MULTIPLE DX										
A. *Not Operated*	1931	4.6	23	1	1	3	5	9	12	27
B. *Operated*	174	9.4	142	2	2	6	10	18	39	87
1. SINGLE DX	518	3.3	11	1	1	3	4	6	8	16
2. MULTIPLE DX	2105	5.0	35	1	1	4	6	9	13	37
A. NOT OPERATED	2403	4.4	21	1	1	3	5	8	11	26
B. OPERATED	220	8.2	119	1	2	5	9	14	28	84
TOTAL 0-19 YRS	364	4.2	47	1	1	3	4	7	11	44
20-34	598	4.9	45	1	1	3	5	9	14	41
35-49	589	4.6	24	1	1	3	6	9	12	27
50-64	533	4.6	20	1	1	4	6	8	12	25
65+	539	4.8	21	1	1	4	6	9	12	28
GRAND TOTAL	**2623**	**4.7**	**31**	**1**	**1**	**3**	**5**	**9**	**12**	**30**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2242	12.6	210	1	1	7	17	34	47	75
20-34	2312	5.9	44	<1	1	4	7	13	18	34
35-49	1399	6.7	60	<1	1	4	8	15	21	41
50-64	323	6.8	65	<1	1	4	9	15	21	37
65+	159	8.7	81	<1	1	6	13	18	23	44
B. *Operated*										
0-19 YRS	3	3.7	6	1	1	5	53	99+	99+	99+
20-34	2	23.0	72	17	17	23	29	29	29	29
35-49	3	10.3	56	3	3	10	16	18	18	18
50-64										
65+	2	11.5	61	6	6	11	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3518	14.9	287	1	1	8	21	42	56	99+
20-34	5573	7.7	74	1	1	5	10	18	24	43
35-49	3365	7.8	64	1	1	5	10	18	24	40
50-64	1322	8.3	60	1	2	6	11	19	25	37
65+	1110	8.6	67	1	2	6	11	19	25	43
B. *Operated*										
0-19 YRS	103	19.1	441	1	1	12	30	59	84	99+
20-34	138	10.5	138	1	1	7	14	24	32	71
35-49	126	12.1	119	1	2	10	16	25	31	64
50-64	49	14.0	192	1	2	9	18	33	42	71
65+	65	13.0	96	2	3	12	20	27	29	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6435	8.5	116	1	1	5	10	21	32	60
B. *Operated*	10	11.1	79	1	2	10	18	57	96	99+
2. MULTIPLE DX										
A. *Not Operated*	14888	9.6	129	1	1	6	12	23	32	64
B. *Operated*	481	13.4	206	1	1	10	17	30	41	85
1. SINGLE DX	6445	8.5	116	1	1	5	10	21	32	60
2. MULTIPLE DX	15369	9.7	132	1	1	6	12	23	32	64
A. NOT OPERATED	21323	9.3	126	1	1	5	11	22	32	62
B. OPERATED	491	13.4	203	1	1	10	17	30	41	90
TOTAL 0-19 YRS	5866	14.1	262	1	1	8	20	39	53	98
20-34	8025	7.3	67	1	1	5	9	16	23	41
35-49	4893	7.6	65	1	1	5	10	17	24	40
50-64	1694	8.2	66	1	1	6	11	18	25	39
65+	1336	8.9	71	1	2	6	12	20	25	43
GRAND TOTAL	**21814**	**9.3**	**128**	**1**	**1**	**5**	**12**	**22**	**32**	**63**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2568	19.6	433	1	2	12	31	54	72	99+
20-34	1237	10.1	192	1	1	5	12	29	41	81
35-49	756	8.3	113	1	1	5	9	20	29	60
50-64	335	11.3	168	1	1	7	15	26	39	68
65+	218	10.2	145	1	1	6	12	26	33	74
B. *Operated*										
0-19 YRS	22	11.7	171	<1	<1	6	19	35	38	39
20-34	22	4.6	10	2	2	4	6	8	11	15
35-49	23	5.1	25	1	2	3	6	12	17	22
50-64	5	8.0	46	3	3	4	12	19	19	19
65+	6	18.2	449	2	2	8	30	53	56	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5118	25.1	550	2	3	19	44	74	99+	99+
20-34	3353	11.6	199	1	2	6	15	32	45	99+
35-49	2347	9.8	130	1	2	6	12	24	32	61
50-64	1511	9.6	114	1	2	6	12	22	31	53
65+	1650	8.8	77	1	2	6	11	20	27	54
B. *Operated*										
0-19 YRS	132	28.0	616	3	4	28	58	99+	99+	99+
20-34	191	20.0	435	2	3	12	31	53	85	99+
35-49	186	14.7	226	2	3	9	20	38	53	99+
50-64	137	14.4	201	3	4	10	19	29	44	76
65+	164	14.6	218	3	3	10	17	32	43	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5114	14.7	323	1	1	7	21	43	60	99+
B. *Operated*	78	8.0	106	1	2	4	8	21	32	51
2. MULTIPLE DX										
A. *Not Operated*	13979	15.7	344	1	2	8	23	47	69	99+
B. *Operated*	810	18.0	355	2	3	11	25	54	85	99+
1. SINGLE DX	5192	14.6	320	1	1	7	20	43	59	99+
2. MULTIPLE DX	14789	15.8	345	1	2	8	23	47	70	99+
A. NOT OPERATED	19093	15.4	338	1	2	8	22	45	66	99+
B. OPERATED	888	17.2	341	2	3	11	24	50	77	99+
TOTAL 0-19 YRS	7840	23.3	519	1	2	16	41	69	92	99+
20-34	4803	11.5	209	1	1	6	14	32	45	98
35-49	3312	9.7	132	1	2	6	11	24	33	62
50-64	1988	10.2	130	1	2	6	13	24	32	58
65+	2038	9.5	99	1	2	6	12	21	30	58
GRAND TOTAL	**19981**	**15.5**	**339**	**1**	**2**	**8**	**22**	**45**	**67**	**99+**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	6.2	46	<1	<1	3	10	15	23	24
20-34	26	15.0	408	2	2	9	21	77	99+	99+
35-49	5	22.6	603	5	5	15	32	65	65	65
50-64	2	7.0	32	3	3	7	11	11	11	11
65+	1	3.0		3	3	51	99+	99+	99+	99+
B. *Operated*										
0-19 YRS	9	5.3	12	3	3	4	5	11	14	14
20-34	1	14.0		14	14	14	14	14	14	14
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	8.0		8	8	8	8	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	137	12.8	310	1	2	7	15	32	82	99+
20-34	174	12.3	170	1	2	10	18	36	99+	99+
35-49	73	11.5	126	1	3	10	16	27	65	99+
50-64	37	13.8	214	1	3	10	19	52	85	99+
65+	12	12.2	134	1	3	9	18	53	91	99+
B. *Operated*										
0-19 YRS	20	5.3	21	<1	1	4	6	10	16	21
20-34	12	4.8	19	1	1	3	6	10	16	17
35-49	5	6.6	24	2	2	5	8	15	15	15
50-64	4	21.5	738	5	5	9	37	62	62	62
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	11.5	271	<1	1	7	14	48	88	99+
B. *Operated*	12	6.0	17	2	3	4	7	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	433	12.4	208	1	2	9	17	33	89	99+
B. *Operated*	41	6.9	97	1	1	5	7	13	19	62
1. SINGLE DX	70	10.6	230	1	1	5	14	33	77	99+
2. MULTIPLE DX	474	12.0	201	1	2	8	16	31	81	99+
A. NOT OPERATED	491	12.3	215	1	2	9	16	35	88	99+
B. OPERATED	53	6.7	78	1	2	5	7	14	17	61
TOTAL 0-19 YRS	190	10.8	241	1	1	6	13	28	64	99+
20-34	213	12.2	192	1	2	9	17	37	99+	99+
35-49	84	11.8	149	2	2	9	15	27	66	99+
50-64	44	14.1	240	2	3	10	18	59	73	99+
65+	13	11.5	130	1	3	9	25	99+	99+	99+
GRAND TOTAL	**544**	**11.8**	**204**	**1**	**2**	**7**	**16**	**31**	**79**	**99+**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1300	9.7	18	2	3	10	12	15	16	21
20-34	208	6.9	30	1	1	6	10	14	15	29
35-49	152	7.3	43	1	1	6	10	14	20	40
50-64	81	7.5	55	1	1	6	11	16	17	43
65+	23	10.9	68	2	3	10	14	19	27	40
B. *Operated*										
0-19 YRS	118	13.0	61	3	5	11	14	22	32	43
20-34	100	7.5	107	1	1	5	10	16	18	58
35-49	122	5.9	61	1	1	3	7	13	19	45
50-64	90	7.1	74	1	1	4	9	17	29	42
65+	20	5.8	40	1	1	3	7	15	22	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1642	10.9	37	2	3	11	13	16	20	32
20-34	278	9.1	54	2	2	8	12	17	21	43
35-49	275	9.3	66	2	2	7	13	17	25	35
50-64	284	12.7	104	1	3	11	15	23	33	52
65+	275	13.4	97	2	4	12	17	26	32	50
B. *Operated*										
0-19 YRS	398	19.7	178	7	10	15	23	43	52	99+
20-34	181	19.4	306	1	2	14	28	48	63	99+
35-49	300	15.8	248	2	2	12	21	37	55	99+
50-64	312	19.1	310	1	3	14	27	46	65	99+
65+	215	22.2	278	3	4	18	33	45	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1764	9.1	26	1	2	10	12	14	16	24
B. *Operated*	450	8.4	81	1	1	6	11	17	23	42
2. MULTIPLE DX										
A. *Not Operated*	2754	11.0	56	2	3	11	14	18	23	42
B. *Operated*	1406	19.1	257	2	3	15	26	44	58	99+
1. SINGLE DX	2214	9.0	37	1	2	10	11	15	17	30
2. MULTIPLE DX	4160	13.7	138	2	3	11	16	27	41	72
A. NOT OPERATED	4518	10.3	45	2	3	10	13	16	21	34
B. OPERATED	1856	16.5	236	1	2	12	22	40	52	99+
TOTAL 0-19 YRS	3458	11.6	56	2	4	11	13	17	23	47
20-34	767	10.7	138	1	2	8	13	23	35	70
35-49	849	10.7	140	1	2	7	14	24	34	75
50-64	767	14.1	200	1	2	10	18	33	45	78
65+	533	16.6	189	2	3	13	23	37	46	82
GRAND TOTAL	**6374**	**12.1**	**108**	**2**	**2**	**10**	**14**	**22**	**33**	**66**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	7.0	32	3	3	7	11	11	11	11
20-34	8	5.9	24	2	2	4	8	14	16	16
35-49	17	7.6	21	1	2	8	10	15	16	17
50-64	120	6.8	31	2	2	5	9	14	18	27
65+	262	9.3	71	2	3	7	11	16	23	48
B. *Operated*										
0-19 YRS										
20-34	1	12.0		12	12	12	12	12	12	12
35-49										
50-64	10	5.4	20	1	1	3	8	12	14	14
65+	14	10.6	66	1	2	10	13	23	26	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.2	1	3	3	4	5	6	6	6
20-34	5	16.4	284	5	5	11	21	46	46	46
35-49	44	7.7	20	2	3	7	10	14	18	21
50-64	398	9.1	59	2	3	7	11	17	22	39
65+	2985	10.4	94	3	3	8	12	20	28	60
B. *Operated*										
0-19 YRS										
20-34										
35-49	5	21.0	478	1	2	22	53	95	99+	99+
50-64	64	16.9	321	3	4	11	19	36	57	93
65+	410	17.1	219	3	5	14	20	34	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	409	8.4	57	2	2	7	11	15	19	41
B. *Operated*	25	8.6	50	1	2	7	12	20	24	27
2. MULTIPLE DX										
A. *Not Operated*	3437	10.2	89	2	3	8	12	19	27	55
B. *Operated*	479	17.1	234	3	5	13	20	35	56	99+
1. SINGLE DX	434	8.4	57	2	2	7	11	15	20	40
2. MULTIPLE DX	3916	11.1	112	3	3	8	13	21	31	73
A. NOT OPERATED	3846	10.0	86	2	3	8	12	19	26	55
B. OPERATED	504	16.7	228	3	4	13	20	34	55	99+
TOTAL 0-19 YRS	7	5.0	8	3	3	4	6	10	11	11
20-34	14	10.1	127	2	2	7	12	19	40	46
35-49	66	8.7	60	2	2	7	10	17	23	92
50-64	592	9.4	88	2	3	7	11	18	23	46
65+	3671	11.1	111	3	3	8	13	21	31	72
GRAND TOTAL	**4350**	**10.8**	**107**	**2**	**3**	**8**	**13**	**21**	**29**	**70**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	8.9	80	2	3	6	10	20	27	44
20-34	637	7.2	44	1	2	6	10	12	15	27
35-49	754	7.8	27	1	2	7	10	14	17	26
50-64	230	9.0	36	2	3	8	11	17	20	32
65+	25	9.5	51	1	1	9	13	23	24	25
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	89	5.7	28	1	1	4	8	14	17	23
35-49	111	5.5	36	1	1	3	8	12	16	33
50-64	33	7.3	54	1	2	5	10	16	16	38
65+	8	2.4	3	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	7.6	34	2	2	6	11	19	25	99+
20-34	662	9.9	82	1	2	8	12	19	27	43
35-49	1163	10.2	86	1	2	8	13	20	25	58
50-64	603	10.2	51	2	3	9	13	18	24	39
65+	138	10.8	78	2	3	9	14	21	27	71
B. *Operated*										
0-19 YRS	14	18.1	408	1	2	11	27	65	91	99+
20-34	154	12.1	176	1	2	9	15	23	51	99
35-49	300	13.9	120	2	3	11	19	29	36	60
50-64	192	13.0	131	2	3	10	18	26	35	93
65+	42	19.1	424	2	4	10	23	47	71	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1674	7.7	36	1	2	7	10	14	17	28
B. *Operated*	242	5.7	35	1	1	3	8	14	16	31
2. MULTIPLE DX										
A. *Not Operated*	2599	10.1	76	1	3	8	13	19	25	49
B. *Operated*	702	13.7	160	2	3	10	18	29	41	93
1. SINGLE DX	1916	7.5	36	1	2	7	10	14	17	28
2. MULTIPLE DX	3301	10.9	96	1	3	9	14	21	29	64
A. NOT OPERATED	4273	9.2	62	1	2	8	11	17	23	43
B. OPERATED	944	11.6	140	1	2	9	16	26	35	83
TOTAL 0-19 YRS	76	9.9	130	2	2	6	11	24	53	99+
20-34	1542	8.7	75	1	2	7	11	16	22	51
35-49	2328	9.7	73	1	2	8	12	19	25	49
50-64	1058	10.3	65	2	3	9	13	19	26	42
65+	213	12.0	154	2	3	9	15	24	35	84
GRAND TOTAL	**5217**	**9.6**	**77**	**1**	**2**	**8**	**12**	**19**	**25**	**52**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2373	3.3	20	1	1	2	4	6	9	22
20-34	1552	3.2	11	1	1	2	4	6	8	14
35-49	728	3.4	18	1	1	2	4	6	9	13
50-64	428	3.4	7	1	1	3	4	6	8	16
65+	345	3.6	6	1	1	3	5	7	8	12
B. *Operated*										
0-19 YRS	53	7.5	50	1	1	4	13	17	20	28
20-34	80	7.6	36	1	1	6	11	17	19	24
35-49	35	5.1	52	<1	1	3	5	11	19	37
50-64	19	4.3	6	1	2	4	6	8	9	9
65+	15	5.9	37	1	1	5	7	10	22	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3816	4.6	35	1	1	3	5	9	13	31
20-34	2774	4.7	26	1	1	3	6	9	13	26
35-49	2502	5.1	33	1	1	4	6	10	13	26
50-64	2771	5.6	32	1	2	4	7	11	15	26
65+	4510	6.8	47	1	2	5	8	13	18	37
B. *Operated*										
0-19 YRS	215	13.6	248	1	2	8	17	32	48	96
20-34	283	9.2	119	1	1	6	12	20	25	73
35-49	249	9.9	112	2	2	7	12	21	29	59
50-64	272	14.0	201	2	3	9	18	34	47	99+
65+	434	14.7	189	2	3	11	18	35	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5426	3.3	15	1	1	2	4	6	8	16
B. *Operated*	202	6.7	40	1	1	4	10	16	19	27
2. MULTIPLE DX										
A. *Not Operated*	16373	5.5	37	1	1	4	7	11	15	31
B. *Operated*	1453	12.5	178	2	2	8	16	28	43	98
1. SINGLE DX	5628	3.4	17	1	1	2	4	7	9	18
2. MULTIPLE DX	17826	6.0	52	1	1	4	7	12	18	40
A. NOT OPERATED	21799	4.9	32	1	1	3	6	10	14	29
B. OPERATED	1655	11.8	165	1	2	8	15	25	40	91
TOTAL 0-19 YRS	6457	4.4	40	1	1	3	5	9	14	33
20-34	4689	4.5	29	1	1	3	5	9	13	26
35-49	3514	5.1	38	1	1	3	6	10	13	29
50-64	3490	6.0	48	1	2	4	7	12	17	42
65+	5304	7.2	61	1	2	5	8	14	20	46
GRAND TOTAL	**23454**	**5.4**	**45**	**1**	**1**	**4**	**6**	**11**	**16**	**36**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	777	3.6	36	<1	1	2	4	7	11	97
20-34	820	4.0	22	1	1	3	5	8	10	16
35-49	619	4.2	16	1	1	3	5	8	10	21
50-64	410	5.1	48	1	1	3	6	10	14	31
65+	532	6.1	46	1	1	4	8	12	16	38
B. *Operated*										
0-19 YRS	769	4.5	14	1	1	3	6	9	12	18
20-34	615	4.8	28	1	1	3	6	10	14	25
35-49	574	4.9	23	1	1	3	7	11	14	24
50-64	464	5.6	31	1	1	4	8	11	14	25
65+	384	7.0	47	1	1	5	9	15	19	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2157	6.6	136	1	1	4	6	22	90	99+
20-34	1687	7.6	125	1	1	4	8	17	32	88
35-49	1681	8.6	129	1	2	5	9	20	30	72
50-64	2673	11.1	167	1	2	7	13	28	42	77
65+	8475	11.1	136	2	3	7	13	25	36	87
B. *Operated*										
0-19 YRS	1657	9.0	171	1	2	5	10	21	41	99+
20-34	1189	10.7	176	1	2	7	13	27	42	99+
35-49	1287	10.0	145	1	2	7	13	24	38	99+
50-64	1715	12.2	182	1	2	8	16	28	41	97
65+	3370	14.7	211	2	3	11	19	34	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3158	4.4	32	1	1	3	5	9	12	29
B. *Operated*	2806	5.2	27	1	1	4	7	11	14	23
2. MULTIPLE DX										
A. *Not Operated*	16673	9.9	142	1	2	6	12	24	38	99+
B. *Operated*	9218	12.1	190	1	2	8	15	29	46	99+
1. SINGLE DX	5964	4.8	30	1	1	3	6	10	13	25
2. MULTIPLE DX	25891	10.7	160	1	2	7	13	26	41	99+
A. NOT OPERATED	19831	9.0	129	1	2	5	10	21	35	99+
B. OPERATED	12024	10.5	160	1	2	7	13	25	38	99+
TOTAL 0-19 YRS	5360	6.6	118	1	1	4	7	15	37	99+
20-34	4311	7.4	112	1	1	4	8	16	28	82
35-49	4161	7.9	107	1	1	5	9	17	28	78
50-64	5262	10.5	156	1	2	6	13	25	38	82
65+	12761	11.7	154	2	3	8	14	27	39	98
GRAND TOTAL	**31855**	**9.6**	**141**	**1**	**2**	**6**	**11**	**23**	**36**	**99+**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	770	2.3	3	<1	1	2	3	4	6	9
20-34	1732	3.1	7	1	1	2	4	6	7	13
35-49	1303	3.6	9	1	1	3	4	7	10	16
50-64	395	3.4	10	1	1	3	4	6	9	15
65+	71	3.9	16	1	1	3	4	9	10	24
B. *Operated*										
0-19 YRS	18	2.6	2	1	1	2	3	5	6	6
20-34	134	3.6	8	1	1	3	4	7	8	18
35-49	136	3.3	7	1	1	2	4	7	9	12
50-64	49	2.8	4	1	1	2	3	5	6	10
65+	10	3.6	3	2	2	3	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	605	3.4	9	1	1	2	4	7	9	14
20-34	2473	4.6	16	1	1	3	6	9	12	19
35-49	2567	5.2	19	1	1	4	7	11	13	21
50-64	1193	5.0	16	1	1	4	6	10	13	19
65+	422	4.7	17	1	1	3	6	9	13	21
B. *Operated*										
0-19 YRS	36	7.0	254	2	2	3	5	8	23	96
20-34	214	6.3	30	[illegible]	2	5	8	13	15	24
35-49	250	7.0	40	1	2	5	9	14	18	34
50-64	188	6.8	30	1	2	5	9	15	18	29
65+	74	6.8	42	1	2	5	8	14	17	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4271	3.1	8	1	1	2	4	6	8	14
B. *Operated*	347	3.3	7	1	1	2	4	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	7260	4.8	16	1	1	4	6	10	13	20
B. *Operated*	762	6.7	45	1	2	5	8	14	17	31
1. SINGLE DX	4618	3.2	8	1	1	2	4	6	8	14
2. MULTIPLE DX	8022	5.0	19	1	1	4	6	10	13	21
A. NOT OPERATED	11531	4.2	14	1	1	3	5	9	11	18
B. OPERATED	1109	5.7	35	1	1	4	7	11	15	28
TOTAL 0-19 YRS	1429	2.9	13	1	1	2	3	5	8	12
20-34	4553	4.1	14	1	1	3	5	8	11	17
35-49	4256	4.7	18	1	1	3	6	10	13	20
50-64	1825	4.8	16	1	1	3	6	10	13	19
65+	577	4.8	20	1	1	3	6	9	13	23
GRAND TOTAL	**12640**	**4.3**	**16**	**1**	**1**	**3**	**5**	**9**	**12**	**19**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	4	1	1	1	3	5	5	5
20-34	24	2.7	3	<1	<1	2	3	5	7	8
35-49	19	3.5	4	<1	1	4	5	6	7	8
50-64	18	2.6	1	<1	1	3	3	4	4	4
65+	9	2.8	2	<1	<1	3	4	52	99+	99+
B. *Operated*										
0-19 YRS	46	1.3		<1	<1	1	2	2	3	3
20-34	947	1.6	1	<1	<1	1	2	3	3	6
35-49	1608	1.7	1	<1	<1	1	2	3	3	7
50-64	1435	1.6	1	<1	<1	1	2	3	3	5
65+	680	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	33	2.7	3	<1	<1	3	4	5	6	9
35-49	92	3.7	8	<1	<1	3	5	8	10	11
50-64	81	3.6	9	<1	<1	3	5	7	9	14
65+	64	3.9	9	<1	1	3	5	8	12	13
B. *Operated*										
0-19 YRS	38	2.4	7	<1	<1	2	3	5	7	16
20-34	471	2.3	4	<1	<1	2	3	4	6	11
35-49	1060	2.9	10	<1	1	2	3	6	9	18
50-64	1443	2.7	8	<1	<1	2	3	5	8	15
65+	1109	2.6	7	<1	1	2	3	5	7	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	2.8	3	<1	1	3	4	5	7	77
B. *Operated*	4716	1.6	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	272	3.6	8	<1	<1	3	5	7	10	13
B. *Operated*	4121	2.7	8	<1	<1	2	3	5	8	15
1. SINGLE DX	4790	1.6	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX	4393	2.7	8	<1	<1	2	3	5	8	15
A. NOT OPERATED	346	3.4	7	<1	<1	3	5	7	9	13
B. OPERATED	8837	2.1	4	<1	<1	2	2	4	5	11
TOTAL 0-19 YRS	90	1.8	4	<1	<1	1	2	3	5	13
20-34	1475	1.9	2	<1	<1	1	2	3	4	9
35-49	2779	2.2	5	<1	<1	2	2	4	6	11
50-64	2977	2.2	5	<1	<1	2	2	4	6	13
65+	1862	2.3	5	<1	<1	2	2	4	6	13
GRAND TOTAL	**9183**	**2.2**	**5**	**<1**	**<1**	**2**	**2**	**4**	**6**	**11**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	251	6.5	58	1	1	4	8	16	23	98
20-34	454	5.1	32	1	1	3	6	11	18	31
35-49	602	4.5	17	1	1	3	6	9	12	23
50-64	472	5.4	49	1	1	3	6	10	16	40
65+	331	5.5	47	1	1	4	7	11	14	37
B. *Operated*										
0-19 YRS	311	3.0	9	<1	1	2	3	5	8	20
20-34	1728	3.3	10	<1	1	2	4	6	8	16
35-49	2095	3.1	7	<1	1	2	4	6	8	14
50-64	1568	3.0	9	<1	1	2	3	6	8	14
65+	834	3.6	21	<1	1	2	4	8	10	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	240	7.7	97	1	1	4	9	21	32	99+
20-34	650	6.2	62	1	1	4	7	12	18	43
35-49	1135	6.3	47	1	1	4	7	12	17	35
50-64	1678	6.9	62	1	2	5	8	13	19	47
65+	2495	7.7	58	1	2	6	9	15	21	41
B. *Operated*										
0-19 YRS	283	7.0	149	1	1	3	6	13	39	87
20-34	1457	5.6	79	1	1	3	6	10	16	60
35-49	1937	5.2	45	1	1	3	6	11	15	42
50-64	2079	5.7	52	1	1	4	7	12	18	50
65+	1801	8.9	129	1	1	5	11	21	31	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2110	5.2	37	1	1	4	6	11	16	34
B. *Operated*	6536	3.2	10	<1	1	2	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	6198	7.1	60	1	2	5	8	14	20	44
B. *Operated*	7557	6.4	80	1	1	4	7	14	21	65
1. SINGLE DX	8646	3.7	17	<1	1	2	4	7	10	21
2. MULTIPLE DX	13755	6.7	71	1	1	4	8	14	21	54
A. NOT OPERATED	8308	6.6	55	1	1	5	8	13	19	41
B. OPERATED	14093	4.9	50	1	1	3	5	10	15	44
TOTAL 0-19 YRS	1085	5.9	80	1	1	3	6	12	24	76
20-34	4289	4.7	45	1	1	3	5	9	13	41
35-49	5769	4.6	31	1	1	3	5	9	13	26
50-64	5797	5.3	45	1	1	3	6	11	15	38
65+	5461	7.3	78	1	1	5	9	15	23	56
GRAND TOTAL	**22401**	**5.5**	**52**	**1**	**1**	**3**	**6**	**11**	**17**	**43**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.0	2	<1	<1	1	3	4	5	5
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	3	1.7		1	1	2	2	2	2	2
50-64	16	3.6	5	<1	1	3	4	5	9	11
65+	10	2.5	2	<1	<1	3	4	4	4	4
B. *Operated*										
0-19 YRS	203	3.4	6	1	1	3	4	5	7	16
20-34	469	3.2	4	1	1	3	4	6	7	11
35-49	539	3.3	3	1	1	3	4	6	7	9
50-64	1452	3.2	4	1	1	3	4	5	6	9
65+	1335	3.3	4	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	1.9	2	<1	<1	1	3	4	5	5
20-34	14	1.6	1	1	1	1	2	3	4	4
35-49	21	2.4	2	<1	<1	2	4	5	5	5
50-64	40	2.7	6	<1	<1	1	4	6	8	9
65+	71	2.8	12	<1	<1	2	3	5	8	23
B. *Operated*										
0-19 YRS	239	4.0	8	1	2	3	5	6	9	16
20-34	524	4.1	8	1	2	4	5	7	8	13
35-49	696	3.8	5	1	2	3	5	7	8	12
50-64	1994	3.8	5	1	2	3	5	6	8	12
65+	2930	4.0	6	1	2	3	5	7	8	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	2.7	4	<1	<1	2	4	5	5	11
B. *Operated*	3998	3.3	4	1	1	3	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	159	2.5	7	<1	<1	2	3	5	7	9
B. *Operated*	6383	3.9	6	1	2	3	5	7	8	13
1. SINGLE DX	4037	3.3	4	1	1	3	4	5	7	10
2. MULTIPLE DX	6542	3.9	6	1	2	3	5	7	8	13
A. NOT OPERATED	198	2.6	7	<1	<1	2	3	5	7	10
B. OPERATED	10381	3.7	5	1	1	3	4	6	8	12
TOTAL 0-19 YRS	463	3.7	7	1	1	3	4	6	8	16
20-34	1009	3.7	6	1	1	3	4	6	8	13
35-49	1259	3.6	4	1	2	3	4	6	8	10
50-64	3502	3.6	5	1	1	3	4	6	7	11
65+	4346	3.8	6	1	2	3	5	6	8	13
GRAND TOTAL	**10579**	**3.7**	**5**	**1**	**1**	**3**	**4**	**6**	**8**	**12**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.3	1	1	1	1	1	3	3	3
20-34	5	2.2	2	<1	<1	2	3	4	4	4
35-49	14	2.1	3	<1	<1	1	3	5	6	6
50-64	37	1.9	2	<1	1	1	2	4	5	6
65+	80	1.8	1	<1	1	1	2	4	5	6
B. *Operated*										
0-19 YRS	21	2.4	2	<1	1	2	3	5	44	99+
20-34	36	2.6	2	<1	1	2	4	5	6	7
35-49	101	2.6	4	<1	1	2	3	5	6	11
50-64	314	2.4	2	<1	1	2	3	4	5	8
65+	468	2.5	3	<1	1	2	3	4	5	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	1.8	2	<1	<1	1	2	4	5	5
20-34	8	2.8	2	<1	<1	3	4	5	5	5
35-49	10	3.6	10	<1	<1	2	4	9	10	10
50-64	42	3.0	5	1	1	2	4	6	7	11
65+	182	3.7	51	1	1	3	4	6	8	69
B. *Operated*										
0-19 YRS	18	3.6	14	<1	1	2	6	10	12	13
20-34	25	3.8	4	1	2	3	5	7	8	9
35-49	75	3.9	13	1	1	3	4	7	11	22
50-64	290	3.1	4	1	1	3	4	6	7	11
65+	1033	3.8	20	1	1	3	4	7	10	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	142	1.8	2	<1	1	1	2	4	5	6
B. *Operated*	940	2.5	3	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	255	3.4	38	1	1	2	4	6	8	19
B. *Operated*	1441	3.7	16	1	1	3	4	7	9	18
1. SINGLE DX	1082	2.4	3	<1	1	2	3	4	5	9
2. MULTIPLE DX	1696	3.6	19	1	1	3	4	7	9	18
A. NOT OPERATED	397	2.9	25	1	1	2	4	5	7	14
B. OPERATED	2381	3.2	11	1	1	2	4	6	8	14
TOTAL 0-19 YRS	58	2.5	6	<1	1	2	3	6	10	92
20-34	74	3.0	3	<1	1	3	4	5	7	9
35-49	200	3.1	8	<1	1	2	4	6	8	16
50-64	683	2.7	3	1	1	2	3	5	6	10
65+	1763	3.3	18	1	1	2	4	6	8	17
GRAND TOTAL	**2778**	**3.1**	**13**	**1**	**1**	**2**	**4**	**6**	**8**	**14**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	7	2.6	2	1	1	3	3	5	5	5
35-49	4	2.8	3	1	1	2	4	5	5	5
50-64	11	1.7	1	<1	<1	1	2	3	5	5
65+	38	2.7	18	<1	<1	1	2	4	11	25
B. *Operated*										
0-19 YRS	22	2.1	2	<1	1	2	2	4	6	7
20-34	37	3.7	16	1	1	2	4	8	13	20
35-49	53	2.7	3	<1	1	2	3	5	6	7
50-64	125	2.5	4	<1	1	2	3	4	6	13
65+	177	2.0	1	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	1.3		<1	<1	1	1	2	3	3
20-34	11	5.0	12	<1	1	4	7	10	13	13
35-49	10	4.7	6	3	3	4	5	8	11	11
50-64	28	3.4	8	1	1	3	4	7	10	13
65+	115	2.9	5	1	1	2	3	6	7	14
B. *Operated*										
0-19 YRS	29	2.9	8	<1	1	2	3	5	6	15
20-34	75	3.3	6	1	1	3	4	6	9	11
35-49	84	3.1	5	1	1	2	4	7	9	11
50-64	237	3.4	7	1	1	3	4	7	9	14
65+	528	3.1	8	1	1	2	4	6	8	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	2.5	12	<1	1	2	3	4	7	23
B. *Operated*	414	2.4	4	<1	1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	177	3.1	6	1	1	2	4	6	8	13
B. *Operated*	953	3.2	7	1	1	2	4	6	8	13
1. SINGLE DX	476	2.4	5	<1	1	2	3	4	6	12
2. MULTIPLE DX	1130	3.2	7	1	1	2	4	6	8	13
A. NOT OPERATED	239	3.0	8	<1	1	2	4	6	8	14
B. OPERATED	1367	3.0	6	1	1	2	4	6	7	13
TOTAL 0-19 YRS	66	2.3	4	<1	<1	2	2	5	6	14
20-34	130	3.5	9	1	1	3	4	7	9	16
35-49	151	3.0	4	1	1	3	4	6	7	11
50-64	401	3.1	6	<1	1	2	4	6	8	13
65+	858	2.9	7	1	1	2	3	5	7	12
GRAND TOTAL	**1606**	**3.0**	**7**	**1**	**1**	**2**	**4**	**6**	**7**	**13**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	1.3		<1	<1	1	2	2	2	2
50-64	9	1.2		<1	<1	1	1	2	2	2
65+	40	1.5		<1	<1	1	2	3	3	3
B. *Operated*										
0-19 YRS										
20-34										
35-49	575	1.6	1	<1	<1	2	2	2	3	4
50-64	3811	1.7	1	<1	<1	2	2	2	3	4
65+	14826	1.7	1	<1	<1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	23	1.3		<1	<1	1	2	2	3	3
50-64	153	2.3	9	<1	<1	1	2	5	8	21
65+	683	2.4	9	<1	<1	1	2	5	8	15
B. *Operated*										
0-19 YRS										
20-34										
35-49	501	2.2	7	<1	1	2	2	3	5	11
50-64	4409	2.1	2	<1	1	2	2	3	4	8
65+	23243	2.2	4	<1	1	2	2	3	4	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	1.4		<1	<1	1	2	2	3	3
B. *Operated*	19212	1.7	1	<1	<1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	859	2.3	8	<1	<1	1	2	5	8	15
B. *Operated*	28153	2.2	3	<1	1	2	2	3	4	9
1. SINGLE DX	19264	1.7	1	<1	<1	2	2	2	3	4
2. MULTIPLE DX	29012	2.2	4	<1	1	2	2	3	4	9
A. NOT OPERATED	911	2.3	8	<1	<1	1	2	5	7	14
B. OPERATED	47365	2.0	2	<1	<1	2	2	3	3	7
TOTAL 0-19 YRS										
20-34										
35-49	1102	1.9	4	<1	<1	2	2	3	3	7
50-64	8382	1.9	2	<1	<1	2	2	3	3	7
65+	38792	2.0	3	<1	<1	2	2	3	3	8
GRAND TOTAL	**48276**	**2.0**	**3**	**<1**	**<1**	**2**	**2**	**3**	**3**	**7**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	151	1.7	1	<1	<1	2	2	3	4	5
20-34	73	1.8	1	<1	1	2	2	3	3	6
35-49	149	1.7	1	<1	<1	2	2	2	3	6
50-64	282	1.8	1	<1	<1	2	2	2	3	4
65+	487	1.9	1	<1	<1	2	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.0	13	<1	<1	1	4	9	10	10
20-34	4	1.5	1	<1	<1	1	2	3	3	3
35-49	4	1.5	1	<1	<1	1	2	3	3	3
50-64	14	2.1	3	1	1	1	2	5	7	7
65+	20	1.9	2	<1	<1	1	2	4	5	5
B. *Operated*										
0-19 YRS	124	2.7	8	<1	1	2	3	4	6	18
20-34	101	2.6	3	1	1	2	3	5	6	11
35-49	165	2.2	2	<1	1	2	2	4	5	9
50-64	395	2.2	4	<1	1	2	2	4	4	9
65+	828	2.4	6	1	1	2	2	3	5	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.0	4	<1	<1	1	3	5	5	5
B. *Operated*	1142	1.8	1	<1	<1	2	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	48	2.0	3	<1	<1	1	2	5	5	10
B. *Operated*	1613	2.3	5	<1	1	2	2	4	5	11
1. SINGLE DX	1146	1.8	1	<1	<1	2	2	3	3	6
2. MULTIPLE DX	1661	2.3	5	<1	1	2	2	4	5	11
A. NOT OPERATED	52	2.0	3	<1	<1	1	2	5	5	10
B. OPERATED	2755	2.1	3	<1	1	2	2	3	4	8
TOTAL 0-19 YRS	282	2.2	5	<1	<1	2	2	4	5	13
20-34	178	2.3	3	<1	1	2	2	4	5	8
35-49	319	1.9	1	<1	<1	2	2	3	4	7
50-64	693	2.0	3	<1	1	2	2	3	4	8
65+	1335	2.2	4	<1	1	2	2	3	4	10
GRAND TOTAL	**2807**	**2.1**	**3**	**<1**	**1**	**2**	**2**	**3**	**4**	**9**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	1.6	1	<1	<1	1	2	4	4	5
20-34	19	3.4	8	<1	1	3	4	5	10	14
35-49	22	3.4	5	<1	1	3	4	6	8	10
50-64	20	3.4	8	1	1	2	4	6	10	14
65+	10	3.2	3	1	1	3	4	6	7	7
B. *Operated*										
0-19 YRS	2879	1.3	1	<1	<1	1	2	2	2	2
20-34	339	1.5		<1	<1	1	2	2	2	4
35-49	199	1.6	1	<1	<1	1	2	2	3	3
50-64	94	1.9	2	<1	<1	2	2	3	5	9
65+	49	2.5	5	<1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	119	1.5	2	<1	<1	1	1	3	4	9
20-34	42	3.0	7	<1	1	2	3	7	9	12
35-49	54	4.9	27	<1	<1	4	6	10	15	29
50-64	106	4.5	11	1	1	3	6	8	10	17
65+	166	5.9	66	1	2	4	6	10	15	82
B. *Operated*										
0-19 YRS	852	1.4	1	<1	<1	1	2	2	2	4
20-34	199	1.6	1	<1	<1	1	2	2	3	5
35-49	153	2.4	7	<1	1	2	2	4	7	14
50-64	154	3.5	20	<1	1	2	4	8	8	25
65+	152	4.7	63	1	1	2	5	10	13	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	2.9	5	<1	<1	2	4	5	6	14
B. *Operated*	3560	1.4	1	<1	<1	1	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	487	4.2	32	<1	<1	3	5	8	11	26
B. *Operated*	1510	2.1	11	<1	<1	1	2	3	6	13
1. SINGLE DX	3662	1.4	1	<1	<1	1	2	2	2	5
2. MULTIPLE DX	1997	2.6	17	<1	<1	2	2	5	8	17
A. NOT OPERATED	589	3.9	27	<1	<1	3	5	8	10	24
B. OPERATED	5070	1.6	4	<1	<1	1	2	2	3	8
TOTAL 0-19 YRS	3881	1.3	1	<1	<1	1	2	2	2	3
20-34	599	1.7	2	<1	<1	1	2	3	3	7
35-49	428	2.4	8	<1	<1	2	2	4	7	14
50-64	374	3.4	13	<1	1	2	4	7	9	18
65+	377	4.9	56	1	1	3	6	9	13	30
GRAND TOTAL	**5659**	**1.8**	**7**	**<1**	**<1**	**1**	**2**	**3**	**5**	**10**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	529	2.3	9	<1	<1	1	3	5	6	11
20-34	101	3.9	11	1	1	3	4	7	10	20
35-49	65	4.1	9	<1	1	3	6	8	9	14
50-64	65	5.1	16	1	1	4	8	10	12	20
65+	84	4.7	14	1	1	4	6	9	10	22
B. *Operated*										
0-19 YRS	405	1.5	1	<1	<1	1	2	2	3	7
20-34	532	1.9	1	<1	<1	2	2	3	4	6
35-49	641	1.9	3	<1	<1	1	2	3	4	9
50-64	757	1.8	1	<1	<1	1	2	3	4	6
65+	1169	2.1	2	<1	<1	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	545	3.3	5	<1	1	3	4	6	8	11
20-34	137	4.0	14	<1	1	3	5	8	11	20
35-49	122	5.2	16	<1	1	4	7	10	13	21
50-64	158	5.3	21	<1	1	4	7	10	14	26
65+	418	5.6	24	<1	1	4	8	12	15	25
B. *Operated*										
0-19 YRS	294	2.2	3	<1	<1	2	3	4	5	10
20-34	339	2.7	12	<1	1	2	3	5	6	17
35-49	672	2.3	5	<1	1	2	3	4	6	16
50-64	1268	2.7	11	<1	1	2	3	5	7	15
65+	3006	2.9	7	1	1	2	3	5	7	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	844	3.1	11	<1	<1	2	4	7	9	15
B. *Operated*	3504	1.9	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	1380	4.5	15	<1	1	3	6	9	12	20
B. *Operated*	5579	2.8	8	1	1	2	3	5	7	15
1. SINGLE DX	4348	2.1	4	<1	<1	2	2	4	5	9
2. MULTIPLE DX	6959	3.1	10	1	1	2	4	6	8	16
A. NOT OPERATED	2224	4.0	14	<1	<1	3	5	8	10	19
B. OPERATED	9083	2.4	6	<1	1	2	3	4	6	12
TOTAL 0-19 YRS	1773	2.4	5	<1	<1	2	3	5	6	10
20-34	1109	2.6	8	<1	1	2	3	5	6	13
35-49	1500	2.5	6	<1	<1	2	3	5	7	15
50-64	2248	2.6	9	<1	1	2	3	5	7	15
65+	4677	3.0	9	<1	1	2	3	6	8	16
GRAND TOTAL	**11307**	**2.7**	**8**	**<1**	**<1**	**2**	**3**	**5**	**7**	**14**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1243	3.4	4	1	1	3	4	6	7	11
20-34	224	3.8	7	1	1	3	5	7	9	13
35-49	135	4.2	11	1	1	3	5	8	10	17
50-64	109	4.0	6	1	1	4	5	7	9	11
65+	151	3.9	10	1	1	3	5	7	10	17
B. *Operated*										
0-19 YRS	178	3.2	11	<1	<1	2	4	7	9	16
20-34	274	2.2	6	<1	<1	1	3	4	6	14
35-49	258	2.0	3	<1	<1	1	2	4	6	10
50-64	539	2.1	3	<1	<1	2	2	4	6	9
65+	1084	2.4	9	<1	<1	2	2	4	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1524	4.1	6	1	2	3	5	7	9	12
20-34	331	4.4	20	1	1	3	5	9	12	20
35-49	271	5.1	20	1	1	4	6	10	14	25
50-64	401	4.8	17	1	1	4	6	9	12	19
65+	745	5.2	20	1	1	4	7	10	12	20
B. *Operated*										
0-19 YRS	255	4.9	22	1	1	3	7	10	14	27
20-34	503	4.4	22	1	1	3	5	8	12	24
35-49	552	4.3	25	1	1	3	5	8	13	26
50-64	1279	3.6	10	1	1	2	4	7	10	17
65+	2851	3.8	20	1	1	2	4	8	11	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1862	3.6	6	1	1	3	4	6	8	13
B. *Operated*	2333	2.3	7	<1	<1	2	2	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	3272	4.5	13	1	1	4	6	8	11	17
B. *Operated*	5440	3.9	19	1	1	3	4	8	11	22
1. SINGLE DX	4195	2.9	7	<1	<1	2	3	6	7	12
2. MULTIPLE DX	8712	4.2	17	1	1	3	5	8	11	20
A. NOT OPERATED	5134	4.2	11	1	1	3	5	8	10	16
B. OPERATED	7773	3.4	16	<1	1	2	4	7	10	19
TOTAL 0-19 YRS	3200	3.8	7	1	1	3	5	7	9	13
20-34	1332	3.9	17	<1	<1	3	5	8	10	20
35-49	1216	4.0	19	<1	1	3	5	8	11	23
50-64	2328	3.5	10	<1	1	2	4	7	9	16
65+	4831	3.7	18	<1	1	2	4	8	11	19
GRAND TOTAL	**12907**	**3.7**	**14**	**<1**	**1**	**3**	**5**	**7**	**10**	**18**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	2.2	2	<1	1	2	3	4	6	6
20-34	28	2.5	4	1	1	2	3	6	7	7
35-49	26	2.9	4	1	1	3	4	5	8	8
50-64	16	2.6	2	1	1	3	4	4	4	4
65+	19	2.9	4	1	1	2	4	6	8	9
B. *Operated*										
0-19 YRS	41	1.4		<1	<1	1	2	2	2	3
20-34	67	1.8	2	<1	<1	1	2	3	4	8
35-49	44	1.6	1	<1	<1	1	2	3	4	6
50-64	37	2.1	2	<1	<1	2	2	4	6	8
65+	33	1.9	1	<1	<1	2	2	4	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	95	2.5	4	<1	1	2	3	5	6	11
20-34	79	3.3	13	<1	1	2	4	8	9	22
35-49	130	3.6	7	1	1	3	5	7	8	13
50-64	159	4.8	21	1	1	3	6	9	14	21
65+	209	4.6	14	1	1	3	6	9	10	21
B. *Operated*										
0-19 YRS	58	2.9	29	<1	<1	2	3	6	7	38
20-34	96	2.4	5	<1	<1	2	3	4	7	13
35-49	117	2.7	6	<1	<1	2	3	5	7	14
50-64	164	3.3	7	1	1	3	4	6	9	14
65+	197	4.1	18	1	1	3	5	8	10	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	128	2.6	3	1	1	2	3	5	6	8
B. *Operated*	222	1.7	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	672	4.0	13	1	1	3	5	8	10	20
B. *Operated*	632	3.2	12	<1	1	2	4	6	9	16
1. SINGLE DX	350	2.0	2	<1	<1	2	2	4	5	8
2. MULTIPLE DX	1304	3.6	13	<1	1	3	4	7	9	20
A. NOT OPERATED	800	3.8	12	1	1	3	5	8	9	20
B. OPERATED	854	2.9	10	<1	<1	2	3	6	8	15
TOTAL 0-19 YRS	233	2.4	9	<1	<1	2	3	4	6	11
20-34	270	2.5	7	<1	<1	2	3	5	8	11
35-49	317	2.9	6	<1	1	2	4	6	7	10
50-64	376	3.8	13	1	1	3	5	8	10	19
65+	458	4.1	15	1	1	3	5	8	10	22
GRAND TOTAL	**1654**	**3.3**	**11**	**<1**	**1**	**2**	**4**	**7**	**9**	**16**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1716	2.6	2	1	1	2	3	4	5	8
20-34	33	3.9	10	<1	1	3	4	8	12	15
35-49	26	4.2	9	1	1	3	5	9	10	14
50-64	15	2.7	6	<1	<1	2	4	6	8	9
65+	18	3.4	10	1	1	2	4	8	12	13
B. *Operated*										
0-19 YRS	6627	1.1		<1	<1	<1	<1	1	2	3
20-34	654	1.5	1	<1	1	1	2	2	3	4
35-49	568	1.7	2	<1	1	1	2	3	3	6
50-64	529	1.7	1	<1	1	2	2	3	3	4
65+	214	1.7	1	<1	1	2	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6756	3.1	4	1	1	3	4	5	7	10
20-34	192	4.2	10	1	1	3	6	8	10	16
35-49	171	4.3	15	<1	1	3	5	8	12	22
50-64	150	4.6	17	1	1	4	6	8	11	25
65+	110	6.2	31	2	2	5	7	11	15	32
B. *Operated*										
0-19 YRS	6333	1.5	2	<1	<1	1	2	2	3	8
20-34	970	1.8	3	<1	1	1	2	3	4	8
35-49	836	2.1	5	<1	1	2	2	3	4	11
50-64	919	2.1	3	1	1	2	2	3	4	9
65+	444	2.6	15	1	1	2	3	4	6	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1808	2.7	3	1	1	2	3	4	5	9
B. *Operated*	8592	1.2	1	<1	<1	<1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	7379	3.2	5	1	1	3	4	6	7	11
B. *Operated*	9502	1.7	3	<1	<1	1	2	3	4	9
1. SINGLE DX	10400	1.5	1	<1	<1	<1	2	3	3	6
2. MULTIPLE DX	16881	2.4	5	<1	<1	2	3	4	6	10
A. NOT OPERATED	9187	3.1	5	1	1	3	4	5	7	11
B. OPERATED	18094	1.5	2	<1	<1	1	2	2	3	7
TOTAL 0-19 YRS	21432	2.0	3	<1	<1	1	2	4	5	8
20-34	1849	2.0	4	<1	1	1	2	3	5	10
35-49	1601	2.2	6	<1	1	2	2	4	5	12
50-64	1613	2.2	4	1	1	2	2	4	6	10
65+	786	2.9	15	1	1	2	3	5	8	19
GRAND TOTAL	**27281**	**2.0**	**4**	**<1**	**<1**	**1**	**2**	**4**	**5**	**9**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	397	3.2	6	1	1	3	4	5	8	11
20-34	122	3.6	3	1	2	3	5	6	7	10
35-49	107	4.8	14	2	2	4	5	7	12	23
50-64	63	4.1	4	1	2	4	6	7	8	10
65+	25	8.2	120	1	2	5	8	18	28	56
B. *Operated*										
0-19 YRS	760	1.6	2	<1	<1	<1	1	3	5	8
20-34	176	2.2	3	<1	1	2	3	4	6	9
35-49	118	2.6	9	<1	1	2	3	5	7	18
50-64	112	2.5	5	<1	1	2	3	4	8	12
65+	69	5.2	72	<1	<1	2	4	12	24	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1095	3.7	8	1	1	3	5	7	8	14
20-34	323	4.6	9	1	2	4	5	8	10	17
35-49	249	5.4	14	2	2	5	7	10	12	22
50-64	205	6.4	27	2	2	5	7	11	18	28
65+	238	9.2	76	2	3	7	10	18	31	55
B. *Operated*										
0-19 YRS	926	2.6	11	<1	<1	1	3	6	9	16
20-34	311	3.9	26	1	1	2	4	9	15	21
35-49	266	3.2	13	1	1	2	3	6	10	20
50-64	277	5.2	59	1	1	3	5	15	19	40
65+	298	8.3	126	1	1	3	11	21	30	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	714	3.8	11	1	1	3	4	6	8	16
B. *Operated*	1235	2.0	8	<1	<1	1	2	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	2110	4.9	22	1	2	4	6	9	12	25
B. *Operated*	2078	4.0	40	<1	1	2	4	9	15	31
1. SINGLE DX	1949	2.7	10	<1	<1	2	3	5	7	13
2. MULTIPLE DX	4188	4.5	31	<1	1	3	5	9	14	29
A. NOT OPERATED	2824	4.7	19	1	2	4	5	8	11	22
B. OPERATED	3313	3.3	29	<1	<1	2	3	7	11	28
TOTAL 0-19 YRS	3178	2.8	8	<1	<1	2	4	6	8	13
20-34	932	3.8	13	1	1	3	5	8	10	17
35-49	740	4.1	14	1	1	3	5	8	11	19
50-64	657	5.0	36	1	1	3	6	10	16	29
65+	630	8.3	102	1	1	4	10	19	30	55
GRAND TOTAL	**6137**	**3.9**	**25**	**<1**	**<1**	**3**	**5**	**8**	**11**	**26**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	2.8	3	1	1	2	4	5	5	10
20-34	400	3.0	4	1	1	3	4	5	7	11
35-49	624	2.8	4	1	1	2	3	5	6	10
50-64	905	2.9	5	1	1	2	4	5	7	11
65+	893	3.2	5	1	1	3	4	6	7	11
B. *Operated*										
0-19 YRS	44	2.0	4	<1	<1	1	3	4	6	10
20-34	146	2.6	4	<1	1	2	3	6	7	11
35-49	238	2.8	5	1	1	2	3	6	7	13
50-64	263	3.0	5	1	1	2	4	6	7	12
65+	120	3.2	5	1	1	2	4	6	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	114	3.7	14	1	1	3	4	6	9	21
20-34	585	3.7	7	1	1	3	5	7	8	12
35-49	1216	3.7	6	1	1	3	5	7	9	12
50-64	2802	3.8	7	1	1	3	5	7	9	13
65+	5370	4.2	9	1	2	4	5	8	9	14
B. *Operated*										
0-19 YRS	33	2.5	5	<1	<1	1	3	6	7	9
20-34	133	5.1	62	1	1	3	5	10	14	29
35-49	204	4.2	13	1	1	3	5	9	11	20
50-64	335	5.5	23	1	1	4	7	11	13	22
65+	453	6.7	30	2	2	5	8	12	16	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2899	3.0	4	1	1	2	4	5	7	11
B. *Operated*	811	2.9	5	1	1	2	3	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	10087	4.0	8	1	1	3	5	7	9	14
B. *Operated*	1158	5.6	29	1	1	4	7	11	14	26
1. SINGLE DX	3710	3.0	5	1	1	2	4	5	7	11
2. MULTIPLE DX	11245	4.2	10	1	1	3	5	8	10	15
A. NOT OPERATED	12986	3.8	7	1	1	3	5	7	9	13
B. OPERATED	1969	4.5	21	1	1	3	6	9	12	21
TOTAL 0-19 YRS	268	3.0	8	<1	1	2	4	5	7	11
20-34	1264	3.5	12	1	1	3	4	6	8	14
35-49	2282	3.4	6	1	1	3	4	6	8	12
50-64	4305	3.7	8	1	1	3	5	7	9	14
65+	6836	4.3	10	1	1	4	5	8	10	15
GRAND TOTAL	**14955**	**3.9**	**9**	**1**	**1**	**3**	**5**	**7**	**9**	**14**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	12	2.3	1	<1	1	2	3	4	5	5
35-49	21	1.9		<1	1	2	2	2	2	2
50-64	26	1.9		<1	1	2	2	2	3	4
65+	18	2.2	1	2	2	2	2	3	4	5
B. *Operated*										
0-19 YRS	75	1.8	1	1	1	2	2	3	3	4
20-34	531	1.9	1	1	1	2	2	3	3	5
35-49	804	1.8	1	1	1	2	2	3	3	5
50-64	713	1.9	1	1	1	2	2	3	3	4
65+	265	2.0	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	4	<1	<1	2	4	5	5	5
20-34	10	1.3		<1	<1	1	2	2	2	2
35-49	16	1.9	2	<1	<1	1	3	5	5	5
50-64	13	3.2	15	1	1	2	3	10	13	14
65+	18	2.3		1	2	2	3	3	4	4
B. *Operated*										
0-19 YRS	37	1.7	1	<1	1	2	2	3	4	4
20-34	170	1.8	2	1	1	2	2	3	3	7
35-49	285	2.0	1	1	1	2	3	3	4	6
50-64	364	2.0	1	1	1	2	3	3	4	6
65+	218	2.2	3	1	1	2	3	3	4	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	2.0	1	<1	1	2	2	2	4	5
B. *Operated*	2388	1.9	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	60	2.3	4	<1	<1	2	2	4	5	13
B. *Operated*	1074	2.0	2	1	1	2	3	3	4	6
1. SINGLE DX	2467	1.9	1	1	1	2	2	3	3	5
2. MULTIPLE DX	1134	2.0	2	1	1	2	2	3	4	6
A. NOT OPERATED	139	2.1	2	<1	<1	2	2	3	4	10
B. OPERATED	3462	1.9	1	1	1	2	2	3	3	5
TOTAL 0-19 YRS	117	1.8	1	1	1	2	2	3	3	5
20-34	723	1.9	1	1	1	2	2	3	3	5
35-49	1126	1.9	1	1	1	2	2	3	3	5
50-64	1116	2.0	1	1	1	2	2	3	3	5
65+	519	2.1	2	1	1	2	3	3	4	6
GRAND TOTAL	**3601**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	1.7	2	<1	<1	1	2	4	5	9
20-34	58	3.6	7	<1	1	3	5	7	9	14
35-49	63	3.1	3	<1	1	3	4	5	6	8
50-64	64	3.7	7	1	1	3	4	7	9	14
65+	36	3.4	5	1	1	3	4	6	7	12
B. *Operated*										
0-19 YRS	1682	1.4	1	<1	<1	1	2	2	3	4
20-34	1064	1.6	2	<1	1	1	2	3	3	5
35-49	863	1.7	1	<1	1	1	2	3	4	7
50-64	708	1.7	1	<1	1	1	2	3	3	4
65+	254	1.8	1	<1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	99	3.0	14	<1	<1	1	4	7	12	19
20-34	91	3.2	8	<1	<1	2	4	7	9	16
35-49	88	3.2	6	<1	1	3	4	6	7	12
50-64	158	4.2	10	1	1	4	5	8	10	16
65+	168	4.3	9	1	1	3	6	9	10	15
B. *Operated*										
0-19 YRS	1595	1.6	1	<1	1	1	2	2	3	5
20-34	1132	1.9	3	1	1	1	2	3	4	9
35-49	1034	2.0	3	1	1	2	2	3	4	8
50-64	969	2.1	6	1	1	2	2	3	4	11
65+	629	2.6	8	1	1	2	3	4	7	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	281	3.1	5	<1	<1	3	4	6	7	12
B. *Operated*	4571	1.6	1	<1	1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	604	3.8	10	<1	1	3	5	8	10	16
B. *Operated*	5359	1.9	3	<1	1	2	2	3	4	10
1. SINGLE DX	4852	1.7	1	<1	1	1	2	3	4	6
2. MULTIPLE DX	5963	2.1	4	<1	1	2	2	4	5	11
A. NOT OPERATED	885	3.5	8	<1	<1	3	4	7	9	15
B. OPERATED	9930	1.8	2	<1	1	1	2	3	4	8
TOTAL 0-19 YRS	3436	1.6	1	<1	<1	1	2	2	3	5
20-34	2345	1.9	3	<1	1	1	2	3	4	9
35-49	2048	1.9	2	<1	1	2	2	3	4	8
50-64	1899	2.2	5	1	1	2	2	4	5	11
65+	1087	2.7	7	1	1	2	3	5	8	14
GRAND TOTAL	**10815**	**1.9**	**3**	**<1**	**1**	**1**	**2**	**3**	**4**	**9**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	190	5.8	21	1	2	5	8	11	14	21
20-34	42	5.4	14	2	2	5	6	11	13	20
35-49	24	5.8	22	2	2	4	7	10	19	20
50-64	7	4.0	5	2	2	4	6	8	8	8
65+	4	7.0	31	2	2	6	11	14	14	14
B. *Operated*										
0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	6	7.8	12	2	2	9	9	12	12	12
35-49	2	4.5	25	<1	<1	4	8	8	8	8
50-64	3	3.7	14	1	1	2	6	8	8	8
65+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	116	7.8	103	1	2	5	8	16	21	59
20-34	76	7.8	58	2	2	5	9	15	22	43
35-49	59	6.5	23	2	2	5	8	14	17	21
50-64	71	6.7	37	1	2	5	8	15	17	32
65+	99	9.9	120	2	3	6	12	19	31	65
B. *Operated*										
0-19 YRS	18	13.1	96	2	3	10	18	22	35	43
20-34	15	19.1	193	4	5	16	23	33	52	59
35-49	27	9.1	142	1	1	7	11	15	29	62
50-64	53	12.0	99	1	2	12	17	24	32	47
65+	42	16.0	239	2	3	9	26	40	51	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	267	5.7	20	1	2	5	8	11	14	21
B. *Operated*	15	5.4	14	<1	1	6	9	9	11	12
2. MULTIPLE DX										
A. *Not Operated*	421	7.9	77	2	2	5	9	16	21	46
B. *Operated*	155	13.4	158	2	2	10	19	31	42	61
1. SINGLE DX	282	5.7	19	1	2	5	8	11	14	21
2. MULTIPLE DX	576	9.4	105	2	2	6	12	20	30	53
A. NOT OPERATED	688	7.1	56	2	2	5	8	15	18	39
B. OPERATED	170	12.7	150	1	2	9	17	28	39	61
TOTAL 0-19 YRS	326	6.9	57	1	2	5	8	14	18	45
20-34	139	8.3	71	2	2	5	10	16	24	46
35-49	112	6.9	52	1	2	5	9	14	18	38
50-64	134	8.6	67	1	2	6	13	20	27	35
65+	147	11.5	158	2	3	7	14	27	37	62
GRAND TOTAL	**858**	**8.2**	**80**	**2**	**2**	**5**	**10**	**17**	**23**	**49**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.9	15	1	1	2	6	10	12	12
20-34	33	3.1	5	1	1	3	4	7	8	10
35-49	28	4.4	14	<1	<1	4	5	8	12	19
50-64	27	4.2	12	<1	<1	3	6	9	11	14
65+	22	5.0	6	1	2	5	7	8	9	9
B. *Operated*										
0-19 YRS	12	3.2	7	<1	1	2	4	8	9	9
20-34	83	5.8	16	1	1	7	9	11	12	17
35-49	195	4.8	20	1	1	2	9	12	13	17
50-64	275	5.2	31	1	1	2	9	13	16	27
65+	99	6.4	46	1	1	2	11	15	18	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	4.4	22	<1	<1	3	5	11	14	22
20-34	104	4.7	26	1	1	4	6	8	9	29
35-49	283	5.0	21	1	1	4	7	9	12	22
50-64	619	6.2	23	1	2	5	8	12	15	24
65+	1074	7.8	41	2	3	6	10	14	19	33
B. *Operated*										
0-19 YRS	48	8.4	107	1	1	3	13	19	24	48
20-34	219	9.1	104	1	1	7	11	19	28	52
35-49	700	9.1	64	1	2	8	12	19	24	39
50-64	1564	10.2	100	1	2	9	14	21	29	49
65+	1470	11.3	117	1	2	10	15	24	31	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	119	4.1	10	<1	1	3	6	8	10	16
B. *Operated*	664	5.3	28	1	1	2	9	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	2107	6.8	33	1	2	5	9	13	16	29
B. *Operated*	4001	10.3	101	1	2	9	14	22	29	50
1. SINGLE DX	783	5.1	25	1	1	2	8	12	14	22
2. MULTIPLE DX	6108	9.1	80	1	2	7	12	19	25	46
A. NOT OPERATED	2226	6.6	32	1	2	5	8	13	16	28
B. OPERATED	4665	9.6	94	1	1	8	13	20	27	48
TOTAL 0-19 YRS	96	6.2	66	<1	1	3	9	16	20	47
20-34	439	7.0	66	1	1	4	9	13	20	43
35-49	1206	7.3	50	1	1	5	10	16	21	33
50-64	2485	8.6	77	1	2	7	12	18	24	44
65+	2665	9.7	86	1	2	8	13	20	27	50
GRAND TOTAL	**6891**	**8.7**	**76**	**1**	**2**	**7**	**12**	**18**	**24**	**45**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	101	3.3	7	1	1	3	4	6	7	15
20-34	385	3.1	4	1	1	3	4	6	7	11
35-49	998	3.5	6	1	1	3	4	6	8	13
50-64	1059	3.8	7	1	1	3	5	7	9	13
65+	672	4.3	28	1	1	3	5	7	10	21
B. *Operated*										
0-19 YRS	27	4.4	30	1	1	3	4	9	21	24
20-34	86	3.3	9	<1	1	2	4	7	10	16
35-49	144	4.1	21	1	1	3	5	8	10	23
50-64	155	3.8	10	1	1	3	5	8	11	14
65+	76	5.2	16	1	2	4	7	11	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	236	4.4	12	1	1	4	5	8	10	23
20-34	1176	4.0	8	1	1	3	5	7	9	14
35-49	4307	4.7	10	1	2	4	6	8	10	16
50-64	6507	5.1	14	1	2	4	6	9	12	19
65+	7638	5.6	25	2	2	4	7	10	13	23
B. *Operated*										
0-19 YRS	68	5.9	30	1	2	4	8	13	18	25
20-34	264	6.6	34	1	2	5	8	15	18	37
35-49	755	7.0	35	1	2	5	9	15	18	28
50-64	1119	7.3	49	1	2	6	10	15	18	33
65+	1142	8.1	68	1	1	6	10	17	24	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3215	3.7	11	1	1	3	5	7	9	14
B. *Operated*	488	4.0	15	1	1	3	5	8	11	19
2. MULTIPLE DX										
A. *Not Operated*	19864	5.1	17	1	2	4	6	9	12	20
B. *Operated*	3348	7.4	51	1	2	6	10	15	20	35
1. SINGLE DX	3703	3.7	11	1	1	3	5	7	9	15
2. MULTIPLE DX	23212	5.5	23	1	2	4	7	10	13	23
A. NOT OPERATED	23079	4.9	16	1	2	4	6	9	11	20
B. OPERATED	3836	7.0	48	1	2	5	9	15	19	33
TOTAL 0-19 YRS	432	4.4	15	1	1	3	5	8	12	24
20-34	1911	4.2	12	1	1	3	5	8	10	18
35-49	6204	4.8	14	1	2	4	6	9	11	19
50-64	8840	5.2	18	1	2	4	6	10	12	21
65+	9528	5.8	31	1	2	4	7	11	14	26
GRAND TOTAL	**26915**	**5.2**	**21**	**1**	**2**	**4**	**6**	**10**	**13**	**23**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	3	2	2	5	5	5	5	5
20-34	30	4.0	5	1	1	4	5	7	8	11
35-49	116	4.7	8	1	2	4	6	9	11	14
50-64	201	5.1	11	1	2	4	6	9	12	19
65+	341	5.5	12	2	2	5	7	10	12	19
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	5	2.2		2	2	2	3	3	3	3
35-49	16	3.1	5	<1	2	2	3	8	9	9
50-64	73	3.0	10	1	1	2	2	8	10	17
65+	45	3.5	12	1	1	2	4	9	12	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	8.3	11	3	5	8	10	14	14	14
20-34	100	5.3	16	1	2	4	6	10	15	21
35-49	741	6.0	16	2	2	5	7	11	13	21
50-64	2753	7.0	29	2	3	6	9	13	17	27
65+	8288	8.1	44	2	3	6	10	15	19	37
B. *Operated*										
0-19 YRS	2	10.0	8	8	8	10	12	12	12	12
20-34	27	5.7	12	1	2	5	7	11	12	15
35-49	211	6.0	29	1	1	5	8	12	16	25
50-64	623	7.7	63	1	2	6	10	16	23	41
65+	1141	13.0	135	2	2	10	17	27	37	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	691	5.2	11	2	2	4	6	9	11	18
B. *Operated*	140	3.1	10	1	1	2	3	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	11896	7.7	39	2	3	6	9	14	18	33
B. *Operated*	2004	10.5	108	1	2	8	14	23	31	64
1. SINGLE DX	831	4.8	11	1	2	4	6	9	11	17
2. MULTIPLE DX	13900	8.1	50	2	3	6	10	15	20	40
A. NOT OPERATED	12587	7.6	38	2	3	6	9	14	18	33
B. OPERATED	2144	10.1	105	1	2	7	13	22	30	62
TOTAL 0-19 YRS	20	7.5	14	1	2	7	10	13	14	14
20-34	162	5.0	13	1	2	4	6	9	12	18
35-49	1084	5.8	18	1	2	5	7	11	13	21
50-64	3650	6.9	34	2	2	6	8	13	17	29
65+	9815	8.6	56	2	3	7	10	16	22	44
GRAND TOTAL	**14731**	**7.9**	**48**	**2**	**2**	**6**	**10**	**15**	**20**	**39**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	5.0	24	<1	1	3	6	11	18	20
20-34	26	3.5	4	<1	1	3	5	7	7	7
35-49	35	5.3	12	2	2	5	6	9	12	19
50-64	69	5.3	17	1	2	4	6	11	16	19
65+	62	6.7	66	1	1	4	8	13	21	51
B. *Operated*										
0-19 YRS	16	3.6	8	1	1	3	4	9	10	10
20-34	68	5.5	26	1	2	4	7	15	19	22
35-49	124	5.2	28	1	1	3	7	12	16	27
50-64	142	5.2	25	1	1	3	7	12	15	24
65+	80	5.1	27	1	1	3	7	12	14	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	84	5.4	21	1	1	4	7	12	16	20
20-34	141	5.0	17	1	1	4	7	10	12	40
35-49	245	6.3	27	1	2	5	8	12	16	27
50-64	492	7.9	40	2	2	6	10	15	19	33
65+	1091	9.6	87	2	3	7	12	18	25	64
B. *Operated*										
0-19 YRS	96	9.4	74	2	2	7	13	20	28	38
20-34	319	8.0	55	1	2	6	10	17	23	41
35-49	580	9.1	87	1	2	7	11	20	27	50
50-64	956	9.9	114	1	2	7	13	20	27	66
65+	1049	12.9	158	2	2	9	17	29	39	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	215	5.4	30	1	1	4	6	10	16	23
B. *Operated*	430	5.2	26	1	1	3	7	12	15	24
2. MULTIPLE DX										
A. *Not Operated*	2053	8.3	64	2	2	6	10	16	22	50
B. *Operated*	3000	10.6	120	1	2	8	13	23	33	69
1. SINGLE DX	645	5.3	27	1	1	3	7	12	15	24
2. MULTIPLE DX	5053	9.6	98	1	2	7	12	20	28	61
A. NOT OPERATED	2268	8.0	61	1	2	6	10	15	21	49
B. OPERATED	3430	9.9	111	1	2	7	13	21	31	67
TOTAL 0-19 YRS	219	7.0	48	1	1	5	8	15	20	35
20-34	554	6.7	42	1	2	5	9	15	19	37
35-49	984	7.8	65	1	2	5	10	17	23	38
50-64	1659	8.7	83	1	2	6	11	17	23	53
65+	2282	10.9	121	2	2	8	13	23	33	72
GRAND TOTAL	**5698**	**9.1**	**92**	**1**	**2**	**7**	**12**	**19**	**27**	**56**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	9.6	6	6	6	11	12	65	99+	99+
20-34	168	8.1	15	1	3	8	10	13	14	18
35-49	1996	8.5	11	2	4	9	10	12	13	17
50-64	4074	8.9	12	3	5	9	11	13	14	18
65+	3386	9.2	14	4	5	9	11	13	15	20
B. *Operated*										
0-19 YRS										
20-34	76	7.5	14	2	2	8	10	12	13	16
35-49	625	8.2	17	2	2	8	11	13	15	20
50-64	1002	8.9	23	2	2	9	11	14	16	24
65+	324	10.4	40	2	4	9	13	16	20	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	8.7	12	4	5	8	10	13	15	21
20-34	411	8.4	19	2	4	8	10	13	14	17
35-49	5811	9.2	16	3	4	9	11	14	15	21
50-64	21063	10.1	20	4	5	10	12	15	17	26
65+	45670	11.1	34	5	6	10	13	17	21	33
B. *Operated*										
0-19 YRS	15	9.7	16	3	5	9	13	15	16	16
20-34	290	9.8	41	2	3	9	12	16	20	32
35-49	3669	10.2	41	2	3	9	12	16	20	32
50-64	9375	11.8	60	2	4	11	14	20	25	43
65+	9424	15.2	99	5	7	13	18	26	34	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9632	8.9	12	3	5	9	11	13	14	19
B. *Operated*	2027	8.9	24	2	2	9	11	14	16	25
2. MULTIPLE DX										
A. *Not Operated*	73022	10.6	29	4	6	10	13	16	20	30
B. *Operated*	22773	13.0	77	2	5	11	15	22	28	51
1. SINGLE DX	11659	8.9	14	2	4	9	11	13	15	20
2. MULTIPLE DX	95795	11.2	42	4	6	10	13	18	22	37
A. NOT OPERATED	82654	10.4	28	4	5	10	12	16	19	29
B. OPERATED	24800	12.6	74	2	5	11	15	21	28	50
TOTAL 0-19 YRS	90	8.9	12	4	5	8	11	14	16	68
20-34	945	8.7	25	2	3	8	11	14	16	23
35-49	12101	9.3	23	2	4	9	11	14	16	24
50-64	35514	10.4	31	3	5	10	12	16	19	30
65+	58804	11.7	46	4	6	10	14	18	23	39
GRAND TOTAL	**107454**	**10.9**	**39**	**4**	**5**	**10**	**13**	**17**	**21**	**35**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.4	2	1	1	3	4	5	6	6
20-34	166	3.2	4	1	1	3	4	5	7	11
35-49	1392	3.1	6	1	1	3	4	5	6	11
50-64	2116	3.2	4	1	1	3	4	5	7	10
65+	1852	3.2	4	1	1	3	4	6	7	11
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	35	2.3	1	1	1	2	3	4	5	6
35-49	478	2.9	8	1	1	2	3	6	8	13
50-64	884	2.7	6	1	1	2	3	5	8	12
65+	342	3.1	14	1	1	2	3	7	10	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	4.1	7	1	2	3	6	8	9	15
20-34	580	3.8	7	1	1	3	5	7	9	12
35-49	6102	3.8	6	1	1	3	5	7	8	13
50-64	16953	4.2	8	1	2	4	5	7	9	14
65+	29319	4.7	12	1	2	4	6	8	10	17
B. *Operated*										
0-19 YRS	16	5.7	32	<1	1	3	7	13	19	22
20-34	188	4.7	15	1	1	3	7	10	13	17
35-49	3338	4.2	16	1	1	2	6	9	12	19
50-64	10079	4.6	22	1	1	2	7	10	13	21
65+	6974	5.9	38	1	1	3	8	13	17	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5534	3.2	4	1	1	3	4	5	7	10
B. *Operated*	1740	2.8	8	1	1	2	3	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	53025	4.4	10	1	2	4	5	8	10	15
B. *Operated*	20595	5.0	27	1	1	3	7	11	14	24
1. SINGLE DX	7274	3.1	5	1	1	2	4	6	7	11
2. MULTIPLE DX	73620	4.6	15	1	2	4	6	9	11	19
A. NOT OPERATED	58559	4.3	9	1	2	4	5	8	9	15
B. OPERATED	22335	4.8	26	1	1	3	7	11	14	24
TOTAL 0-19 YRS	96	4.3	11	1	2	3	6	8	11	19
20-34	969	3.8	8	1	1	3	5	7	10	14
35-49	11310	3.8	9	1	1	3	5	7	9	15
50-64	30032	4.2	12	1	1	3	5	8	10	17
65+	38487	4.8	16	1	2	4	6	9	12	20
GRAND TOTAL	**80894**	**4.4**	**14**	**1**	**1**	**3**	**6**	**8**	**11**	**18**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.5	8	<1	<1	3	4	8	9	9
20-34	88	3.6	11	1	1	3	5	7	8	21
35-49	1229	3.6	4	1	1	3	4	6	8	10
50-64	2634	3.9	6	1	2	3	5	7	8	12
65+	3285	4.3	6	1	2	4	5	7	9	13
B. *Operated*										
0-19 YRS										
20-34	11	5.5	8	2	3	5	7	10	12	12
35-49	302	4.7	13	1	1	4	7	10	12	17
50-64	711	5.3	21	1	1	4	7	11	14	21
65+	417	6.1	28	1	1	4	9	13	17	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	5.4	10	2	2	5	7	10	11	15
20-34	402	4.4	7	1	2	4	6	8	10	16
35-49	6266	4.5	8	1	2	4	6	8	10	14
50-64	22699	5.0	10	2	2	4	6	9	11	16
65+	48486	5.7	17	2	2	5	7	10	12	20
B. *Operated*										
0-19 YRS	12	7.0	17	2	2	7	10	12	13	13
20-34	113	6.7	25	1	2	6	9	13	15	27
35-49	3139	6.6	28	1	2	6	9	13	15	25
50-64	11068	7.8	38	1	2	7	10	15	18	29
65+	11427	9.7	70	1	2	8	13	19	24	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7242	4.0	6	1	2	4	5	7	8	12
B. *Operated*	1441	5.4	21	1	1	4	7	11	15	21
2. MULTIPLE DX										
A. *Not Operated*	77927	5.4	14	2	2	5	7	9	12	19
B. *Operated*	25759	8.5	52	1	2	7	11	16	21	35
1. SINGLE DX	8683	4.2	9	1	2	4	5	8	9	15
2. MULTIPLE DX	103686	6.2	25	2	2	5	8	11	15	25
A. NOT OPERATED	85169	5.3	14	2	2	4	7	9	11	18
B. OPERATED	27200	8.3	51	1	2	7	11	16	21	35
TOTAL 0-19 YRS	92	5.5	11	2	2	5	8	10	12	15
20-34	614	4.7	12	1	2	4	6	9	11	17
35-49	10936	5.0	15	1	2	4	6	9	12	18
50-64	37112	5.8	20	1	2	5	7	11	14	22
65+	63615	6.4	28	2	2	5	8	12	15	26
GRAND TOTAL	**112369**	**6.0**	**24**	**2**	**2**	**5**	**7**	**11**	**14**	**24**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.4	8	<1	<1	2	5	8	8	8
20-34	30	3.1	4	1	1	3	4	6	7	8
35-49	188	3.4	6	1	1	3	4	7	8	11
50-64	418	3.8	12	<1	1	3	5	7	10	17
65+	342	5.4	32	1	2	3	6	12	15	24
B. *Operated*										
0-19 YRS	13	3.3	12	1	1	2	3	10	12	12
20-34	104	3.5	8	1	1	2	4	9	9	13
35-49	2456	3.6	12	1	1	2	4	9	11	16
50-64	6413	3.9	15	1	1	2	5	10	12	17
65+	2687	4.4	20	1	1	2	6	11	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	5.2	34	<1	<1	3	6	14	20	23
20-34	126	3.7	8	1	1	3	5	7	10	14
35-49	1506	4.2	10	1	1	3	5	8	10	15
50-64	4946	4.9	14	1	2	4	6	9	11	19
65+	8258	6.1	25	1	2	5	7	11	15	25
B. *Operated*										
0-19 YRS	41	7.0	132	<1	1	2	9	15	36	53
20-34	380	4.4	21	1	1	2	6	10	12	23
35-49	8321	5.0	25	1	1	3	8	11	14	22
50-64	26967	6.2	39	1	1	3	9	13	17	29
65+	17892	8.0	65	1	1	6	11	17	22	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	983	4.2	18	1	1	3	5	8	12	20
B. *Operated*	11673	3.9	15	1	1	2	5	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	14858	5.5	20	1	2	4	7	10	13	22
B. *Operated*	53601	6.6	46	1	1	4	10	14	18	31
1. SINGLE DX	12656	4.0	15	1	1	2	5	10	12	17
2. MULTIPLE DX	68459	6.3	41	1	1	4	9	14	17	30
A. NOT OPERATED	15841	5.4	20	1	2	4	7	10	13	22
B. OPERATED	65274	6.1	42	1	1	3	9	14	17	30
TOTAL 0-19 YRS	81	5.7	79	<1	1	2	6	12	20	52
20-34	640	4.0	16	1	1	2	5	9	11	20
35-49	12471	4.6	20	1	1	3	7	10	13	20
50-64	38744	5.6	32	1	1	3	8	12	15	26
65+	29179	7.1	51	1	2	5	10	15	19	34
GRAND TOTAL	**81115**	**6.0**	**38**	**1**	**1**	**3**	**9**	**13**	**17**	**29**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	7.7	18	<1	2	8	9	11	15	21
20-34	265	7.8	11	2	4	8	10	12	14	16
35-49	335	8.6	14	3	4	8	10	13	14	18
50-64	374	9.0	11	4	5	9	11	13	15	18
65+	401	9.3	14	4	5	9	11	14	16	22
B. *Operated*										
0-19 YRS	7	7.7	18	2	3	8	8	14	16	16
20-34	68	9.5	19	3	5	9	12	15	17	25
35-49	64	9.4	17	3	4	9	12	14	15	25
50-64	75	9.8	25	2	4	9	12	16	19	25
65+	60	10.7	31	5	6	9	13	18	21	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	9.3	25	2	3	9	11	16	19	24
20-34	510	9.1	27	3	4	8	11	14	16	25
35-49	1092	9.4	21	3	4	9	11	14	17	24
50-64	2056	10.6	28	4	6	10	13	16	20	29
65+	5056	11.6	39	5	6	10	14	18	23	35
B. *Operated*										
0-19 YRS	11	15.9	179	6	6	9	19	36	49	50
20-34	246	12.0	44	4	6	11	14	19	23	36
35-49	412	13.5	82	5	7	11	15	22	30	66
50-64	820	13.5	60	5	7	12	15	23	29	43
65+	1443	15.6	98	6	7	13	19	28	34	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1399	8.7	13	3	5	9	11	13	15	18
B. *Operated*	274	9.8	23	3	5	9	12	15	18	26
2. MULTIPLE DX										
A. *Not Operated*	8758	10.9	34	4	6	10	13	17	21	32
B. *Operated*	2932	14.4	82	6	7	12	17	25	31	52
1. SINGLE DX	1673	8.9	15	3	5	9	11	14	15	21
2. MULTIPLE DX	11690	11.8	48	5	6	10	14	19	24	39
A. NOT OPERATED	10157	10.6	31	4	6	10	13	17	20	31
B. OPERATED	3206	14.0	79	5	7	12	16	24	30	52
TOTAL 0-19 YRS	86	9.5	46	2	3	8	11	18	20	42
20-34	1089	9.5	28	3	4	9	11	14	18	27
35-49	1903	10.1	36	3	5	9	12	15	19	34
50-64	3325	11.1	36	5	6	10	13	17	22	34
65+	6960	12.3	52	5	6	11	14	20	25	42
GRAND TOTAL	**13363**	**11.4**	**45**	**4**	**6**	**10**	**13**	**18**	**23**	**38**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	17.5	175	1	2	14	29	36	43	43
20-34	25	11.4	145	1	1	7	13	31	35	44
35-49	12	13.8	73	4	6	12	15	30	31	31
50-64	16	22.4	133	7	9	22	32	38	39	39
65+	19	16.7	254	2	3	9	25	40	54	60
B. *Operated*										
0-19 YRS	4	17.8	628	2	2	7	32	55	55	55
20-34	2	32.5	85	26	26	32	39	39	39	39
35-49	5	15.8	83	2	3	20	24	92	99+	99+
50-64	3	16.7	56	9	9	17	22	24	24	24
65+	4	24.8	321	2	2	26	37	45	45	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	23.1	220	2	3	22	33	43	46	56
20-34	293	21.9	182	3	4	23	30	41	45	55
35-49	221	23.0	215	3	5	25	31	43	47	59
50-64	245	23.1	179	4	5	24	30	42	45	57
65+	453	24.5	230	4	7	22	34	44	49	72
B. *Operated*										
0-19 YRS	28	27.7	225	2	5	28	42	48	58	99+
20-34	188	30.4	247	6	9	29	42	51	62	80
35-49	134	32.7	216	10	13	33	44	49	53	69
50-64	152	29.4	334	4	9	28	39	54	66	99+
65+	264	32.6	272	10	12	32	44	53	67	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	15.9	169	2	3	12	29	32	41	56
B. *Operated*	18	20.2	231	2	2	22	29	51	80	99+
2. MULTIPLE DX										
A. *Not Operated*	1294	23.3	207	3	5	23	32	43	46	61
B. *Operated*	766	31.3	268	7	11	30	43	52	62	99
1. SINGLE DX	100	16.7	181	2	3	13	29	36	44	80
2. MULTIPLE DX	2060	26.3	244	4	7	27	36	46	53	76
A. NOT OPERATED	1376	22.9	207	3	5	22	31	43	46	60
B. OPERATED	784	31.0	269	7	11	30	43	52	62	99
TOTAL 0-19 YRS	124	23.5	231	2	3	22	34	46	49	68
20-34	508	24.6	228	3	5	26	32	44	51	65
35-49	372	26.1	236	4	6	27	36	46	51	65
50-64	416	25.3	242	5	7	25	33	45	53	90
65+	740	27.2	263	4	8	28	37	48	56	85
GRAND TOTAL	**2160**	**25.8**	**245**	**3**	**6**	**27**	**35**	**46**	**53**	**76**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	100	2.4	4	<1	1	2	3	5	6	9
20-34	158	2.0	1	<1	1	2	3	4	4	6
35-49	261	2.1	2	<1	1	2	3	4	4	7
50-64	354	2.2	2	1	1	2	3	4	5	7
65+	279	2.8	5	1	1	2	4	5	7	10
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	2.6	2	<1	<1	2	3	5	5	5
35-49	7	4.0	8	1	1	3	6	8	9	9
50-64	10	3.4	6	1	1	2	5	7	8	8
65+	8	5.0	23	<1	<1	3	8	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	146	2.8	8	<1	1	2	3	5	7	11
20-34	227	3.0	6	1	1	2	4	6	7	13
35-49	581	3.2	7	1	1	2	4	6	8	13
50-64	1527	3.8	9	1	1	3	5	7	9	14
65+	2961	4.9	19	1	2	4	6	9	12	21
B. *Operated*										
0-19 YRS	14	9.0	118	1	2	4	15	21	36	40
20-34	13	5.5	15	1	2	5	7	10	15	16
35-49	48	4.5	13	1	1	3	6	9	12	17
50-64	126	7.0	28	2	2	6	9	13	17	26
65+	202	9.5	56	2	2	8	12	17	23	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1152	2.3	3	<1	1	2	3	4	5	8
B. *Operated*	31	3.8	10	<1	1	2	5	8	12	13
2. MULTIPLE DX										
A. *Not Operated*	5442	4.3	14	1	1	3	5	8	10	18
B. *Operated*	403	8.0	46	2	2	6	11	16	20	31
1. SINGLE DX	1183	2.4	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	5845	4.5	17	1	1	3	6	9	11	21
A. NOT OPERATED	6594	3.9	13	1	1	3	5	8	10	17
B. OPERATED	434	7.7	44	1	2	6	10	15	20	31
TOTAL 0-19 YRS	261	3.0	14	<1	1	2	3	5	7	19
20-34	403	2.7	5	<1	1	2	3	5	6	11
35-49	897	2.9	6	1	1	2	4	6	7	13
50-64	2017	3.7	10	1	1	3	5	7	9	15
65+	3450	5.0	21	1	1	4	6	10	12	23
GRAND TOTAL	**7028**	**4.2**	**16**	**1**	**1**	**3**	**5**	**8**	**11**	**19**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.6	7	<1	<1	1	4	5	6	14
20-34	364	1.9	2	<1	1	1	2	3	4	7
35-49	655	2.2	3	<1	<1	2	3	4	5	8
50-64	1295	2.5	4	<1	<1	2	3	5	6	9
65+	1524	3.0	7	<1	1	2	4	6	7	11
B. *Operated*										
0-19 YRS										
20-34	6	3.2	3	1	1	3	5	5	5	5
35-49	13	3.4	5	<1	1	3	5	7	7	7
50-64	31	2.9	6	1	1	2	4	7	8	10
65+	37	6.9	81	<1	1	4	7	15	28	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	98	3.1	5	<1	1	3	4	7	8	10
20-34	626	2.9	8	<1	1	2	4	6	7	13
35-49	1788	3.5	8	1	1	3	4	7	9	14
50-64	7444	4.3	14	1	1	3	6	8	11	18
65+	22088	5.6	24	1	2	4	7	11	14	24
B. *Operated*										
0-19 YRS	10	6.1	135	<1	<1	3	5	63	97	99+
20-34	37	4.8	16	1	1	3	7	11	14	16
35-49	135	6.3	50	1	1	4	8	12	16	45
50-64	718	7.9	56	1	2	6	10	16	21	45
65+	2181-	10.7	91	2	3	8	14	21	28	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3871	2.6	5	<1	1	2	3	5	6	10
B. *Operated*	87	4.7	40	1	1	3	5	8	14	40
2. MULTIPLE DX										
A. *Not Operated*	32044	5.1	21	1	1	4	7	10	13	22
B. *Operated*	3081	9.7	83	2	2	7	12	20	27	53
1. SINGLE DX	3958	2.6	6	<1	1	2	3	5	7	10
2. MULTIPLE DX	35125	5.5	28	1	1	4	7	11	14	26
A. NOT OPERATED	35915	4.9	20	1	1	4	6	9	12	21
B. OPERATED	3168	9.6	82	1	2	7	12	19	27	53
TOTAL 0-19 YRS	141	3.2	14	<1	1	2	4	6	8	44
20-34	1033	2.6	6	<1	1	2	3	5	7	12
35-49	2591	3.3	10	<1	1	2	4	7	9	14
50-64	9488	4.3	17	1	1	3	6	9	11	19
65+	25830	5.9	32	1	2	4	7	11	15	29
GRAND TOTAL	**39083**	**5.2**	**27**	**1**	**1**	**4**	**7**	**10**	**14**	**25**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	244	2.7	5	1	1	2	3	5	7	10
20-34	458	2.6	3	<1	1	2	3	5	6	9
35-49	892	2.9	4	1	1	2	4	5	7	10
50-64	1138	3.2	6	1	1	3	4	6	8	13
65+	1324	4.1	13	1	1	3	5	7	9	17
B. *Operated*										
0-19 YRS	65	4.1	12	1	1	3	5	8	13	17
20-34	61	3.9	11	1	1	2	6	7	10	16
35-49	161	3.9	9	1	1	3	5	8	9	17
50-64	344	4.5	13	1	1	4	6	8	11	20
65+	963	5.6	19	1	2	5	7	10	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	564	4.0	33	1	1	3	5	8	11	26
20-34	1426	3.6	9	1	1	3	4	7	9	15
35-49	3664	4.1	10	1	1	3	5	7	9	16
50-64	9954	5.0	17	1	2	4	6	9	12	20
65+	27311	6.1	25	2	2	5	7	11	14	25
B. *Operated*										
0-19 YRS	183	7.7	113	1	1	4	8	23	43	99+
20-34	236	5.9	30	1	1	4	8	12	15	30
35-49	723	6.9	60	1	2	5	9	13	17	47
50-64	3087	7.9	50	2	2	6	10	15	20	40
65+	14542	9.0	55	2	3	7	11	17	22	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4056	3.3	8	1	1	3	4	6	8	13
B. *Operated*	1594	5.1	16	1	2	4	6	9	12	19
2. MULTIPLE DX										
A. *Not Operated*	42919	5.5	22	1	2	4	7	10	13	23
B. *Operated*	18771	8.7	55	2	3	7	11	16	22	41
1. SINGLE DX	5650	3.8	11	1	1	3	5	7	9	16
2. MULTIPLE DX	61690	6.5	34	1	2	5	8	12	16	30
A. NOT OPERATED	46975	5.3	21	1	2	4	7	10	13	23
B. OPERATED	20365	8.4	53	2	2	7	10	16	21	40
TOTAL 0-19 YRS	1056	4.3	41	1	1	3	5	8	12	42
20-34	2181	3.6	11	1	1	3	4	7	9	16
35-49	5440	4.2	17	1	1	3	5	8	10	18
50-64	14523	5.5	25	1	2	4	7	10	14	26
65+	44140	7.0	37	2	2	5	9	13	17	31
GRAND TOTAL	**67340**	**6.3**	**33**	**1**	**2**	**5**	**8**	**12**	**16**	**29**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	5.0	9	1	2	4	6	9	11	16
20-34	17	5.9	35	1	1	3	9	14	19	22
35-49	135	5.0	12	1	1	4	6	9	11	19
50-64	632	5.5	17	1	2	5	7	10	13	24
65+	2925	5.8	17	2	2	5	7	10	13	21
B. *Operated*										
0-19 YRS	2	6.5	25	3	3	6	10	10	10	10
20-34	1	2.0		2	2	2	2	2	2	2
35-49	11	4.9	12	1	1	3	7	10	11	11
50-64	50	7.5	61	1	1	4	11	18	24	38
65+	79	10.8	73	2	2	9	15	20	29	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	575	6.4	48	1	2	5	8	12	17	41
20-34	472	6.4	25	1	2	5	8	12	15	29
35-49	3381	6.9	29	2	2	6	9	12	16	28
50-64	21056	7.3	31	2	3	6	9	13	17	28
65+	106708	8.2	42	2	3	7	10	15	19	34
B. *Operated*										
0-19 YRS	128	13.8	231	2	2	8	17	35	53	87
20-34	174	7.7	48	1	2	6	10	14	21	35
35-49	670	10.1	96	1	2	8	13	20	28	53
50-64	3135	12.3	109	2	3	10	15	25	32	59
65+	10943	14.6	131	3	5	12	18	28	37	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3744	5.7	17	2	2	5	7	10	13	21
B. *Operated*	143	9.1	66	1	2	7	12	19	25	40
2. MULTIPLE DX										
A. *Not Operated*	132192	8.0	40	2	3	7	10	15	19	33
B. *Operated*	15050	13.8	126	2	4	11	17	27	36	69
1. SINGLE DX	3887	5.8	19	2	2	5	7	10	14	23
2. MULTIPLE DX	147242	8.6	52	2	3	7	10	16	21	38
A. NOT OPERATED	135936	8.0	39	2	3	6	10	14	19	32
B. OPERATED	15193	13.8	126	2	4	11	17	27	36	69
TOTAL 0-19 YRS	740	7.6	85	1	2	5	9	15	24	63
20-34	664	6.7	31	1	2	5	8	13	16	31
35-49	4197	7.4	40	2	2	6	9	13	18	33
50-64	24873	7.9	43	2	3	6	10	15	19	34
65+	120655	8.7	53	2	3	7	11	16	21	39
GRAND TOTAL	**151129**	**8.6**	**51**	**2**	**3**	**7**	**10**	**16**	**21**	**38**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	190	4.4	55	1	1	3	5	8	11	24
20-34	721	3.4	8	1	1	3	4	6	7	14
35-49	837	3.5	6	1	1	3	5	6	8	11
50-64	605	4.3	9	1	1	4	6	8	9	14
65+	338	4.7	17	<1	1	4	6	9	11	23
B. *Operated*										
0-19 YRS	238	3.5	14	1	1	2	4	9	11	17
20-34	219	4.7	22	1	1	2	7	11	14	21
35-49	560	4.0	20	1	1	2	5	10	11	16
50-64	853	4.0	16	1	1	2	5	10	12	16
65+	510	5.2	35	1	1	2	8	13	17	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	459	4.8	21	1	1	4	6	9	12	24
20-34	1733	4.8	18	1	1	4	6	9	12	23
35-49	3113	5.5	24	1	2	4	7	11	14	25
50-64	5665	6.7	28	2	2	5	8	13	16	26
65+	8906	7.9	38	2	3	6	10	15	19	31
B. *Operated*										
0-19 YRS	367	7.5	80	1	1	5	9	18	25	42
20-34	706	7.7	64	1	1	5	10	17	23	40
35-49	1870	7.5	74	1	1	5	10	16	22	47
50-64	4589	8.4	76	1	1	6	11	18	24	49
65+	5481	10.7	115	1	2	9	14	22	30	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2691	3.9	12	1	1	3	5	7	9	15
B. *Operated*	2380	4.3	21	1	1	2	6	11	13	21
2. MULTIPLE DX										
A. *Not Operated*	19876	6.8	32	2	2	5	9	13	17	29
B. *Operated*	13013	9.2	93	1	2	7	12	20	26	50
1. SINGLE DX	5071	4.1	17	1	1	3	5	9	11	19
2. MULTIPLE DX	32889	7.8	58	1	2	6	10	16	21	38
A. NOT OPERATED	22567	6.5	31	1	2	5	8	13	16	28
B. OPERATED	15393	8.4	85	1	1	6	12	18	25	48
TOTAL 0-19 YRS	1254	5.3	44	1	1	3	7	11	16	33
20-34	3379	5.1	28	1	1	4	6	10	14	27
35-49	6380	5.7	38	1	1	4	7	12	16	30
50-64	11712	7.1	47	1	2	5	9	14	19	34
65+	15235	8.7	68	1	2	7	11	17	23	41
GRAND TOTAL	**37960**	**7.3**	**54**	**1**	**2**	**5**	**9**	**15**	**20**	**36**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	3	2.7	2	1	1	3	4	4	4	4
50-64	11	2.6	2	1	1	2	3	5	5	5
65+	21	11.7	436	1	1	6	8	31	67	92
B. Operated										
0-19 YRS										
20-34	2	6.5	41	2	2	6	11	11	11	11
35-49	7	6.1	48	2	2	2	10	18	19	19
50-64	21	2.9	7	1	1	2	3	5	9	13
65+	12	4.8	22	1	1	2	6	14	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	4.0	3	2	2	4	5	6	6	6
20-34	4	8.3	4	6	6	8	10	10	10	10
35-49	74	4.8	12	1	2	4	6	10	12	16
50-64	332	5.3	21	1	2	4	7	9	12	18
65+	1011	6.7	40	2	2	5	8	12	16	36
B. Operated										
0-19 YRS	2	11.0		11	11	11	11	11	11	11
20-34	1	2.0		2	2	2	2	2	2	2
35-49	114	3.8	20	1	1	2	4	8	11	28
50-64	326	4.7	22	1	1	2	7	11	13	21
65+	329	8.9	113	1	1	6	11	20	29	87
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	35	8.1	278	1	1	3	6	13	40	92
B. Operated	42	4.1	19	1	1	2	4	13	14	19
2. MULTIPLE DX										
A. Not Operated	1426	6.2	34	2	2	5	8	12	15	34
B. Operated	772	6.4	65	1	1	3	9	14	20	37
1. SINGLE DX	77	5.9	138	1	1	2	5	13	18	80
2. MULTIPLE DX	2198	6.3	45	1	2	4	8	12	16	36
A. NOT OPERATED	1461	6.3	40	2	2	5	8	12	15	35
B. OPERATED	814	6.3	63	1	1	3	9	14	20	37
TOTAL 0-19 YRS	7	6.0	13	2	2	5	10	11	11	11
20-34	7	6.9	14	2	2	7	10	11	11	11
35-49	198	4.2	17	1	1	3	5	9	11	22
50-64	690	4.9	21	1	1	4	7	10	12	19
65+	1373	7.3	64	1	2	5	9	14	20	52
GRAND TOTAL	**2275**	**6.3**	**48**	**1**	**2**	**4**	**8**	**12**	**16**	**36**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	2.8	1	2	2	3	4	4	4	4
20-34	18	5.3	17	<1	1	4	9	11	12	13
35-49	25	3.8	18	<1	1	3	5	7	11	21
50-64	30	5.3	50	<1	<1	2	7	13	27	28
65+	18	11.4	108	<1	1	9	16	24	36	42
B. Operated										
0-19 YRS	8	7.9	16	1	2	8	11	12	13	13
20-34	103	11.8	54	2	2	11	15	20	29	32
35-49	138	14.8	115	2	3	13	18	25	32	64
50-64	128	14.6	123	2	2	12	19	28	35	58
65+	37	17.3	168	3	5	15	21	31	35	73
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	4.3	9	1	1	4	7	8	8	8
20-34	13	6.5	100	1	1	3	6	16	34	38
35-49	36	9.8	80	1	1	7	14	19	29	40
50-64	71	13.8	326	<1	1	8	18	43	60	99
65+	190	14.1	118	2	3	12	18	27	37	59
B. Operated										
0-19 YRS	22	22.8	550	4	5	14	24	60	80	95
20-34	132	20.4	296	3	5	17	26	48	69	99+
35-49	300	22.3	254	4	8	19	27	43	61	96
50-64	419	25.3	350	4	8	20	33	56	74	99+
65+	255	26.4	275	6	10	23	34	53	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	97	5.9	49	<1	<1	3	8	13	21	35
B. Operated	414	14.1	107	2	3	12	18	26	32	58
2. MULTIPLE DX										
A. Not Operated	317	13.0	161	1	2	10	17	27	40	68
B. Operated	1128	24.1	308	5	8	20	31	50	71	99+
1. SINGLE DX	511	12.5	106	1	2	11	17	25	30	55
2. MULTIPLE DX	1445	21.7	297	2	5	18	28	47	64	99+
A. NOT OPERATED	414	11.3	144	<1	1	8	15	25	36	63
B. OPERATED	1542	21.4	274	3	6	17	27	45	62	99+
TOTAL 0-19 YRS	43	14.2	360	1	2	8	14	33	61	95
20-34	266	15.4	201	2	2	13	19	31	48	99
35-49	499	18.4	219	2	3	15	24	36	50	90
50-64	648	21.0	325	1	3	17	28	47	65	99+
65+	500	20.5	237	3	5	17	27	43	54	99+
GRAND TOTAL	**1956**	**19.3**	**263**	**2**	**3**	**16**	**25**	**41**	**57**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	4	51.8	368	34	34	48	67	76	76	76
50-64	11	33.8	509	3	6	32	62	76	97	99+
65+	18	21.8	234	4	5	18	37	41	47	50
B. *Operated*										
0-19 YRS										
20-34	11	37.7	720	2	8	36	62	95	99	99+
35-49	32	34.7	280	13	16	27	49	58	64	75
50-64	37	35.8	562	7	11	30	57	78	99	99+
65+	35	34.1	473	6	13	27	56	74	96	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	34	28.8	423	3	6	29	42	63	73	99+
B. *Operated*	115	35.2	459	9	13	29	55	71	95	99+
1. SINGLE DX										
2. MULTIPLE DX	149	33.7	455	5	11	29	51	71	92	99+
A. NOT OPERATED	34	28.8	423	3	6	29	42	63	73	99+
B. OPERATED	115	35.2	459	9	13	29	55	71	95	99+
TOTAL 0-19 YRS										
20-34	12	35.1	739	2	5	35	61	94	99	99+
35-49	36	36.6	310	14	17	28	51	61	72	76
50-64	48	35.4	539	5	11	30	58	76	99+	99+
65+	53	29.9	420	5	6	25	48	64	86	99+
GRAND TOTAL	**149**	**33.7**	**455**	**5**	**11**	**29**	**51**	**71**	**92**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	9.1	131	<1	<1	4	11	31	35	36
20-34	14	4.9	33	<1	<1	4	5	10	20	23
35-49	26	8.7	86	<1	1	5	13	21	26	41
50-64	67	7.8	63	1	1	5	11	19	25	40
65+	234	9.5	62	1	1	8	12	20	28	35
B. *Operated*										
0-19 YRS	53	8.8	99	1	2	8	11	15	17	69
20-34	58	8.5	44	1	2	7	11	17	22	33
35-49	84	11.2	220	2	3	7	11	15	44	85
50-64	124	10.0	59	2	4	8	12	22	31	99+
65+	256	11.5	87	3	4	9	14	23	29	63
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	6.5	39	<1	1	4	10	17	18	24
20-34	35	10.1	173	1	2	7	12	18	62	99+
35-49	140	11.7	122	1	2	8	16	30	38	55
50-64	541	13.0	170	2	3	9	16	29	39	70
65+	2241	13.0	117	3	4	10	16	25	35	84
B. *Operated*										
0-19 YRS	95	14.9	167	2	4	12	20	35	46	99+
20-34	109	19.9	429	3	4	13	25	52	73	99
35-49	234	19.2	278	4	5	14	25	44	69	99+
50-64	502	19.8	301	4	6	14	26	52	66	99+
65+	1193	20.0	253	5	7	15	25	42	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	354	8.9	66	<1	1	7	12	20	27	38
B. *Operated*	575	10.6	98	2	3	8	13	22	29	69
2. MULTIPLE DX										
A. *Not Operated*	3000	12.8	127	2	3	10	16	25	36	80
B. *Operated*	2133	19.6	273	4	6	15	25	45	65	99+
1. SINGLE DX	929	10.0	86	1	2	8	12	21	28	59
2. MULTIPLE DX	5133	15.7	199	3	4	12	19	34	50	99+
A. NOT OPERATED	3354	12.4	122	2	3	10	16	25	35	78
B. OPERATED	2708	17.7	249	4	5	13	23	40	61	99+
TOTAL 0-19 YRS	204	11.2	131	1	1	8	15	24	37	83
20-34	216	14.3	290	1	2	9	16	32	54	99
35-49	484	15.1	228	2	3	11	19	35	51	99+
50-64	1234	15.2	222	2	3	11	19	35	55	99+
65+	3924	14.8	165	3	4	11	19	30	44	99+
GRAND TOTAL	**6062**	**14.8**	**186**	**2**	**4**	**11**	**18**	**32**	**47**	**99+**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	44.5	1985	13	13	44	76	76	76	76
20-34	6	22.5	308	1	2	17	41	45	46	46
35-49	54	17.1	227	2	3	13	23	43	52	99
50-64	200	19.7	295	3	5	14	25	46	64	99+
65+	903	16.4	177	4	5	13	20	33	47	94
B. *Operated*										
0-19 YRS	3	4.7	9	2	2	8	99+	99+	99+	99+
20-34	12	31.5	474	11	11	26	44	67	68	68
35-49	54	31.8	662	6	8	26	57	92	99+	99+
50-64	121	27.5	395	7	8	21	37	59	68	98
65+	323	24.7	286	7	8	20	35	54	66	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1165	17.0	204	4	5	13	21	37	51	99
B. *Operated*	513	26.2	359	7	8	21	37	60	77	99+
1. SINGLE DX										
2. MULTIPLE DX	1678	19.8	269	4	6	15	25	45	60	99+
A. NOT OPERATED	1165	17.0	204	4	5	13	21	37	51	99
B. OPERATED	513	26.2	359	7	8	21	37	60	77	99+
TOTAL 0-19 YRS	5	20.6	977	2	2	13	94	99+	99+	99+
20-34	18	28.5	416	5	11	19	44	61	68	68
35-49	108	24.4	495	3	5	19	36	74	96	99+
50-64	321	22.6	346	4	6	17	30	55	66	99+
65+	1226	18.6	219	4	6	14	23	40	53	99+
GRAND TOTAL	**1678**	**19.8**	**269**	**4**	**6**	**15**	**25**	**45**	**60**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	5.5	13	3	3	5	8	8	8	8
35-49	16	5.4	23	<1	1	4	8	13	16	17
50-64	84	3.5	10	<1	1	2	5	7	9	17
65+	142	4.1	14	1	1	3	6	9	11	18
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	14	4.1	9	1	1	3	7	8	9	9
35-49	208	4.7	12	1	1	4	6	9	12	15
50-64	1955	4.7	11	1	1	4	6	8	10	15
65+	3301	4.8	12	1	1	4	6	8	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	12.5	132	2	2	11	22	26	26	26
20-34	8	16.0	665	1	1	6	16	61	77	77
35-49	77	5.0	59	1	1	3	6	9	18	89
50-64	530	5.4	26	1	1	4	7	11	14	22
65+	2266	6.8	55	1	2	5	8	13	17	42
B. *Operated*										
0-19 YRS	17	6.4	28	1	2	5	6	13	20	24
20-34	25	8.9	99	1	2	6	11	20	34	43
35-49	632	6.2	26	1	2	5	8	12	16	27
50-64	6484	6.7	30	1	2	5	8	12	16	28
65+	15701	7.3	37	2	2	6	9	14	18	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	244	4.0	13	<1	1	3	5	9	11	18
B. *Operated*	5479	4.7	11	1	1	4	6	8	11	16
2. MULTIPLE DX										
A. *Not Operated*	2885	6.5	52	1	1	5	8	12	16	41
B. *Operated*	22859	7.1	35	2	2	6	9	13	17	30
1. SINGLE DX	5723	4.7	12	1	1	4	6	8	11	16
2. MULTIPLE DX	25744	7.0	37	1	2	6	9	13	17	31
A. NOT OPERATED	3129	6.3	50	1	1	5	8	12	16	40
B. OPERATED	28338	6.6	31	1	2	5	8	12	16	28
TOTAL 0-19 YRS	22	7.3	48	1	2	5	7	20	25	26
20-34	49	8.5	165	1	1	5	8	18	32	77
35-49	933	5.8	26	1	2	5	7	11	14	26
50-64	9053	6.2	26	1	2	5	8	11	15	26
65+	21410	6.8	36	1	2	5	8	13	17	31
GRAND TOTAL	**31467**	**6.6**	**33**	**1**	**2**	**5**	**8**	**12**	**16**	**29**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	43.0		43	43	43	43	43	43	43
20-34	1	5.0		5	5	5	5	5	5	5
35-49	15	13.5	162	2	2	8	23	35	36	37
50-64	67	16.6	286	3	4	11	18	39	57	88
65+	242	12.1	132	2	3	8	15	24	36	78
B. *Operated*										
0-19 YRS	4	9.0	69	2	2	6	14	21	21	21
20-34	9	9.1	29	2	3	9	11	17	21	21
35-49	61	9.8	89	2	2	8	12	18	30	52
50-64	362	11.8	124	2	3	8	15	25	40	96
65+	803	12.3	143	2	3	9	15	25	36	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	326	13.1	169	2	3	9	15	29	43	81
B. *Operated*	1239	12.0	134	2	3	9	15	25	36	78
1. SINGLE DX										
2. MULTIPLE DX	1565	12.2	141	2	3	9	15	26	37	78
A. NOT OPERATED	326	13.1	169	2	3	9	15	29	43	81
B. OPERATED	1239	12.0	134	2	3	9	15	25	36	78
TOTAL 0-19 YRS	5	15.8	283	2	2	7	26	43	43	43
20-34	10	8.7	28	2	3	8	11	16	21	21
35-49	76	10.5	104	2	2	8	12	26	35	51
50-64	429	12.6	152	2	3	9	15	28	43	94
65+	1045	12.3	140	2	3	9	15	25	36	77
GRAND TOTAL	**1565**	**12.2**	**141**	**2**	**3**	**9**	**15**	**26**	**37**	**78**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	3.9	5	<1	1	3	6	7	8	8
20-34	26	5.8	15	1	2	5	9	12	13	14
35-49	87	6.7	68	1	2	5	8	11	14	55
50-64	412	7.3	44	2	2	6	9	13	18	33
65+	1397	8.1	46	2	3	6	10	15	20	38
B. *Operated*										
0-19 YRS	7	3.7	7	1	1	3	6	8	8	8
20-34	35	5.3	23	1	2	3	7	12	14	24
35-49	69	7.8	92	1	2	5	9	14	21	63
50-64	152	6.6	39	1	2	5	9	13	17	40
65+	180	7.7	61	2	2	6	10	15	24	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	9.6	58	2	2	8	13	25	27	99+
20-34	115	8.5	59	2	2	6	11	17	23	39
35-49	673	8.9	66	2	3	7	11	17	25	47
50-64	4117	9.7	81	2	3	7	11	19	26	57
65+	22208	10.9	92	3	4	8	13	20	28	70
B. *Operated*										
0-19 YRS	25	16.3	168	2	3	13	26	33	43	51
20-34	81	11.2	205	2	3	8	12	19	56	99+
35-49	392	11.4	148	2	3	8	13	24	36	89
50-64	1397	12.2	146	2	3	9	15	26	40	92
65+	4063	15.9	214	3	4	11	20	36	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1936	7.8	46	2	2	6	10	14	19	37
B. *Operated*	443	7.1	55	1	2	5	9	14	17	47
2. MULTIPLE DX										
A. *Not Operated*	27162	10.7	89	3	3	8	13	20	28	66
B. *Operated*	5958	14.6	197	3	4	11	18	33	51	99+
1. SINGLE DX	2379	7.6	48	2	2	6	9	14	19	39
2. MULTIPLE DX	33120	11.4	111	3	3	9	14	22	32	81
A. NOT OPERATED	29098	10.5	87	2	3	8	13	20	27	64
B. OPERATED	6401	14.1	190	2	3	10	17	32	49	99+
TOTAL 0-19 YRS	95	10.1	93	2	2	7	13	26	31	77
20-34	257	8.6	99	2	2	6	11	17	24	93
35-49	1221	9.5	95	2	3	7	11	18	27	77
50-64	6078	10.0	94	2	3	7	12	20	28	64
65+	27848	11.5	111	3	3	9	14	22	32	81
GRAND TOTAL	**35499**	**11.1**	**108**	**2**	**3**	**8**	**13**	**22**	**31**	**79**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	9.2	82	2	2	7	10	33	48	99+
20-34	40	12.1	103	1	3	10	17	24	31	53
35-49	301	13.8	189	3	4	10	17	27	45	96
50-64	1832	13.7	152	3	4	10	17	28	39	77
65+	10242	13.6	128	4	5	10	16	26	37	85
B. *Operated*										
0-19 YRS	10	16.6	358	2	4	12	13	44	69	69
20-34	35	12.5	122	2	3	10	14	38	40	41
35-49	126	17.7	291	4	4	12	22	52	69	99+
50-64	482	18.4	275	4	5	13	24	44	62	99+
65+	1563	19.7	253	4	6	15	26	45	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	12440	13.6	133	3	4	10	16	27	38	85
B. *Operated*	2216	19.2	259	4	5	14	26	45	64	99+
1. SINGLE DX										
2. MULTIPLE DX	14656	14.4	156	4	5	11	17	29	43	98
A. NOT OPERATED	12440	13.6	133	3	4	10	16	27	38	85
B. OPERATED	2216	19.2	259	4	5	14	26	45	64	99+
TOTAL 0-19 YRS	35	11.3	164	2	2	9	13	33	59	99+
20-34	75	12.3	110	2	3	10	14	25	39	50
35-49	427	15.0	222	3	4	10	18	36	55	99+
50-64	2314	14.7	181	3	4	10	18	31	45	84
65+	11805	14.4	149	4	5	11	17	29	42	99+
GRAND TOTAL	**14656**	**14.4**	**156**	**4**	**5**	**11**	**17**	**29**	**43**	**98**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.1	1	1	1	2	3	4	4	4
20-34	74	3.3	6	1	1	3	4	6	8	15
35-49	253	3.3	5	1	1	3	4	6	8	11
50-64	874	3.3	6	1	1	3	4	6	8	12
65+	2293	3.8	12	1	1	3	5	7	9	15
B. *Operated*										
0-19 YRS	4	8.8	95	2	2	5	15	23	23	23
20-34	23	3.8	4	1	2	3	5	7	8	8
35-49	166	3.9	9	1	1	3	5	8	9	15
50-64	531	4.0	12	1	1	3	5	8	10	18
65+	616	3.7	9	1	1	3	5	7	8	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	4.3	14	1	1	3	5	7	10	24
20-34	195	4.0	7	1	1	4	5	7	9	13
35-49	1099	4.6	14	1	2	4	6	8	11	17
50-64	5613	4.8	14	1	2	4	6	9	11	17
65+	30909	5.9	30	2	2	5	7	10	14	30
B. *Operated*										
0-19 YRS	15	10.3	96	1	1	8	16	23	32	35
20-34	71	4.8	18	1	1	4	6	9	11	26
35-49	481	5.7	22	1	2	5	7	11	13	28
50-64	2465	6.1	25	1	2	5	8	11	15	24
65+	6318	8.0	60	2	2	6	10	16	22	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3503	3.6	10	1	1	3	4	7	8	14
B. *Operated*	1340	3.8	10	1	1	3	5	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	37884	5.7	27	1	2	5	7	10	13	27
B. *Operated*	9350	7.4	49	1	2	6	9	14	19	41
1. SINGLE DX	4843	3.7	10	1	1	3	5	7	9	15
2. MULTIPLE DX	47234	6.0	32	1	2	5	7	11	14	31
A. NOT OPERATED	41387	5.5	26	1	2	4	7	10	13	26
B. OPERATED	10690	6.9	46	1	2	5	9	13	18	38
TOTAL 0-19 YRS	96	5.2	33	1	1	3	6	9	19	31
20-34	363	4.0	9	1	1	3	5	8	9	14
35-49	1999	4.7	15	1	1	4	6	9	11	18
50-64	9483	5.0	17	1	2	4	6	9	12	19
65+	40136	6.1	34	1	2	5	7	11	15	32
GRAND TOTAL	**52077**	**5.8**	**30**	**1**	**2**	**5**	**7**	**11**	**14**	**29**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	2.8	3	<1	<1	3	4	5	5	5
20-34	28	4.5	10	1	1	4	6	8	10	16
35-49	89	6.2	26	<1	1	5	8	13	18	24
50-64	380	6.7	36	1	2	5	8	13	17	32
65+	1272	8.3	59	2	2	6	10	16	21	43
B. Operated										
0-19 YRS	7	4.4	6	<1	<1	5	6	8	8	8
20-34	9	4.7	11	1	1	4	6	10	12	12
35-49	45	5.6	16	1	1	5	8	11	13	18
50-64	97	6.9	56	1	2	5	9	13	17	46
65+	144	9.3	87	2	2	7	12	19	31	99+
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	30	8.2	86	1	2	5	10	16	24	48
20-34	73	7.0	33	1	2	6	9	12	14	35
35-49	425	8.0	69	2	2	6	10	15	19	48
50-64	2734	8.8	65	2	3	7	10	17	23	49
65+	14199	9.8	72	2	3	8	12	18	24	51
B. Operated										
0-19 YRS	5	5.6		5	5	6	6	6	6	6
20-34	35	8.4	50	1	2	7	11	15	23	35
35-49	180	11.9	182	2	3	7	14	26	40	74
50-64	746	11.7	129	2	3	9	14	24	36	77
65+	2038	14.7	154	3	4	11	19	31	41	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1785	7.8	52	1	2	6	10	15	20	38
B. Operated	302	7.8	65	1	2	6	10	15	20	67
2. MULTIPLE DX										
A. Not Operated	17461	9.6	71	2	3	7	12	18	24	50
B. Operated	3004	13.7	150	3	4	10	17	29	40	95
1. SINGLE DX	2087	7.8	54	1	2	6	10	15	20	41
2. MULTIPLE DX	20465	10.2	85	2	3	8	12	20	27	57
A. NOT OPERATED	19246	9.4	70	2	3	7	11	18	24	49
B. OPERATED	3306	13.2	145	2	3	10	16	29	39	94
TOTAL 0-19 YRS	58	6.0	51	<1	1	4	6	12	16	46
20-34	145	6.7	33	1	2	5	9	13	15	35
35-49	739	8.6	92	1	2	6	10	17	24	56
50-64	3957	9.1	76	2	3	7	11	18	25	61
65+	17653	10.3	84	2	3	8	12	20	27	57
GRAND TOTAL	**22552**	**10.0**	**83**	**2**	**3**	**8**	**12**	**19**	**26**	**56**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	13.8	411	2	3	7	10	32	69	84
20-34	26	11.5	94	2	3	10	14	20	32	46
35-49	165	11.0	114	2	3	8	13	21	25	72
50-64	1154	11.7	113	2	3	9	14	22	33	65
65+	5691	12.0	117	3	4	9	14	23	32	80
B. Operated										
0-19 YRS	5	6.8	30	2	2	5	9	16	16	16
20-34	9	8.7	45	2	2	7	13	19	22	22
35-49	57	13.9	162	4	4	10	17	31	40	98
50-64	264	18.9	370	3	4	12	24	53	80	99+
65+	752	18.0	212	4	5	13	23	39	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated	7052	11.9	117	3	4	9	14	23	32	77
B. Operated	1087	17.8	248	4	5	13	23	41	59	99+
1. SINGLE DX										
2. MULTIPLE DX	8139	12.7	138	3	4	9	15	25	37	85
A. NOT OPERATED	7052	11.9	117	3	4	9	14	23	32	77
B. OPERATED	1087	17.8	248	4	5	13	23	41	59	99+
TOTAL 0-19 YRS	21	12.1	323	2	3	7	10	25	56	84
20-34	35	10.8	81	2	3	8	14	20	26	46
35-49	222	11.7	128	2	4	8	14	22	31	83
50-64	1418	13.0	169	3	4	9	15	27	43	86
65+	6443	12.7	132	3	4	9	15	25	36	85
GRAND TOTAL	**8139**	**12.7**	**138**	**3**	**4**	**9**	**15**	**25**	**37**	**85**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.5	3	<1	<1	2	4	5	6	6
20-34	65	3.4	6	1	1	3	4	6	9	13
35-49	208	4.0	7	1	1	3	5	7	9	12
50-64	276	3.9	11	1	1	3	5	7	10	14
65+	433	4.8	22	1	1	4	6	10	12	24
B. *Operated*										
0-19 YRS	9	8.9	70	2	2	7	11	23	28	28
20-34	46	5.9	21	1	1	5	9	11	16	17
35-49	131	7.2	47	1	1	6	10	16	23	30
50-64	194	5.2	30	1	1	3	7	12	16	28
65+	178	3.8	15	1	1	2	5	8	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	4.4	12	<1	1	3	6	10	11	14
20-34	207	5.0	14	1	2	4	6	10	13	21
35-49	803	5.4	20	1	2	4	7	10	13	23
50-64	2061	6.2	36	1	2	5	7	12	15	29
65+	7617	7.7	66	2	2	6	9	15	21	61
B. *Operated*										
0-19 YRS	32	14.9	472	2	2	7	19	28	82	94
20-34	74	9.2	88	1	2	8	12	17	27	55
35-49	316	10.9	170	1	2	8	12	23	43	99+
50-64	883	9.6	119	1	2	6	12	21	30	62
65+	1623	10.4	138	1	2	7	13	22	36	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	994	4.3	15	1	1	3	5	8	10	18
B. *Operated*	558	5.3	30	1	1	3	8	13	16	27
2. MULTIPLE DX										
A. *Not Operated*	10730	7.2	56	2	2	5	8	13	19	50
B. *Operated*	2928	10.2	138	1	2	7	12	22	35	91
1. SINGLE DX	1552	4.7	21	1	1	3	6	10	13	24
2. MULTIPLE DX	13658	7.8	76	2	2	6	9	15	22	63
A. NOT OPERATED	11724	6.9	54	2	2	5	8	13	18	47
B. OPERATED	3486	9.4	124	1	2	7	12	21	30	33
TOTAL 0-19 YRS	95	8.1	194	1	1	4	8	19	27	91
20-34	392	5.6	31	1	1	4	7	11	15	27
35-49	1458	6.5	59	1	2	5	8	12	17	50
50-64	3414	6.9	58	1	2	5	8	13	19	44
65+	9851	8.0	77	2	2	6	9	16	22	71
GRAND TOTAL	**15210**	**7.5**	**71**	**1**	**2**	**5**	**9**	**15**	**21**	**59**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	12.0	242	1	1	12	23	23	23	23
35-49	5	9.6	349	<1	<1	1	12	43	43	43
50-64	25	2.7	4	<1	1	2	3	5	7	8
65+	31	5.6	131	1	1	3	5	9	14	65
B. *Operated*										
0-19 YRS	5	3.4	10	1	1	2	4	9	9	9
20-34	10	4.2	10	1	1	3	8	9	9	9
35-49	114	4.5	13	1	1	3	8	9	11	14
50-64	453	5.2	24	1	1	3	8	11	13	21
65+	558	5.5	27	1	1	4	9	12	14	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	4.0	1	3	3	4	4	5	5	5
35-49	37	4.7	21	<1	<1	3	5	11	17	19
50-64	196	5.8	30	1	1	4	8	11	15	31
65+	866	7.0	61	1	2	5	8	14	18	45
B. *Operated*										
0-19 YRS	24	9.1	117	1	2	5	11	24	33	48
20-34	63	7.3	37	1	1	6	11	16	20	22
35-49	530	8.1	68	1	1	7	11	16	20	45
50-64	3045	10.1	115	1	2	8	13	20	30	65
65+	6815	12.5	139	1	2	10	16	27	36	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	5.0	97	1	1	2	4	8	17	62
B. *Operated*	1140	5.3	24	1	1	4	8	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	1105	6.7	54	1	1	5	8	14	17	40
B. *Operated*	10477	11.5	130	1	2	9	14	24	34	66
1. SINGLE DX	1203	5.3	28	1	1	3	8	11	13	20
2. MULTIPLE DX	11582	11.1	124	1	2	8	14	23	33	65
A. NOT OPERATED	1168	6.6	57	1	1	5	8	13	17	43
B. OPERATED	11617	10.9	123	1	2	8	14	23	33	64
TOTAL 0-19 YRS	30	7.9	100	1	1	3	9	21	26	48
20-34	80	6.8	35	1	1	5	10	15	20	23
35-49	686	7.3	60	1	1	6	10	15	19	42
50-64	3719	9.2	102	1	1	7	11	19	27	61
65+	8270	11.4	129	1	2	9	14	24	34	65
GRAND TOTAL	**12785**	**10.5**	**118**	**1**	**1**	**8**	**13**	**22**	**32**	**63**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	5	1.4	1	1	1	1	2	3	3	3
50-64	30	2.5	4	<1	<1	2	3	5	7	10
65+	105	3.1	11	<1	<1	2	4	7	10	17
B. *Operated*										
0-19 YRS	3	4.0	19	1	1	2	7	9	9	9
20-34	3	7.3	26	3	3	6	11	13	13	13
35-49	23	7.3	44	1	1	8	9	13	21	31
50-64	317	8.8	23	1	2	9	11	14	17	22
65+	655	9.4	27	1	2	9	12	15	18	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.0	38	<1	<1	2	9	14	14	14
20-34	7	2.9	14	<1	<1	1	3	10	11	11
35-49	12	4.4	10	1	1	4	7	9	10	10
50-64	174	4.8	19	1	1	3	6	11	14	21
65+	1113	6.0	33	1	1	4	7	12	16	31
B. *Operated*										
0-19 YRS	13	18.7	359	3	5	14	24	75	94	99+
20-34	28	10.9	59	2	2	11	14	18	29	34
35-49	122	11.5	71	1	2	10	14	24	32	56
50-64	2082	12.2	78	2	4	10	14	21	27	52
65+	6384	14.2	107	2	5	12	16	25	33	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	141	2.9	9	<1	<1	2	4	7	9	15
B. *Operated*	1001	9.1	26	1	2	9	11	15	18	25
2. MULTIPLE DX										
A. *Not Operated*	1310	5.8	31	1	1	4	7	12	15	30
B. *Operated*	8629	13.7	101	2	5	11	16	24	32	62
1. SINGLE DX	1142	8.4	28	1	1	9	11	14	17	24
2. MULTIPLE DX	9939	12.6	99	2	3	11	15	23	31	58
A. NOT OPERATED	1451	5.5	30	1	1	4	7	11	15	29
B. OPERATED	9630	13.2	95	2	4	11	15	23	31	58
TOTAL 0-19 YRS	21	13.1	276	<1	1	9	17	50	83	99+
20-34	38	9.1	57	<1	1	9	13	14	25	34
35-49	162	10.1	68	1	1	9	12	22	29	40
50-64	2603	11.2	71	2	2	10	13	19	25	50
65+	8257	12.6	100	2	2	11	15	23	31	58
GRAND TOTAL	**11081**	**12.2**	**93**	**2**	**2**	**10**	**15**	**22**	**30**	**56**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	1.8	1	<1	<1	2	2	3	3	3
35-49	5	7.6	66	1	1	2	16	17	17	17
50-64	6	1.3		1	1	1	2	2	2	2
65+	8	2.4	3	<1	<1	2	4	5	5	5
B. *Operated*										
0-19 YRS	16	3.4	10	<1	1	2	6	8	10	11
20-34	58	5.9	37	1	1	3	8	14	19	28
35-49	72	6.4	37	1	1	4	9	13	22	27
50-64	162	6.8	20	1	2	6	9	12	15	22
65+	164	7.3	26	1	2	6	10	13	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	3	4.3	24	<1	<1	2	8	10	10	10
35-49	7	2.6	4	<1	<1	2	3	6	7	7
50-64	26	3.9	20	<1	<1	2	6	10	14	20
65+	58	5.9	39	1	1	3	7	13	23	27
B. *Operated*										
0-19 YRS	24	6.9	38	1	1	6	9	14	21	29
20-34	54	11.6	129	1	2	8	13	24	38	58
35-49	156	9.9	73	1	2	9	12	20	31	47
50-64	582	11.0	100	2	3	8	13	23	32	55
65+	1051	11.4	99	2	3	9	14	23	31	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	3.0	18	<1	<1	2	2	5	16	17
B. *Operated*	472	6.7	27	1	1	6	9	13	16	24
2. MULTIPLE DX										
A. *Not Operated*	96	5.0	31	<1	1	3	7	13	19	26
B. *Operated*	1867	11.1	98	2	3	9	13	22	31	56
1. SINGLE DX	497	6.5	27	1	1	5	9	13	16	24
2. MULTIPLE DX	1963	10.8	96	1	2	9	13	22	31	55
A. NOT OPERATED	121	4.6	29	<1	1	2	6	12	17	26
B. OPERATED	2339	10.2	87	1	2	8	12	20	28	53
TOTAL 0-19 YRS	43	5.3	28	1	1	4	7	10	15	29
20-34	120	8.3	86	1	1	5	11	20	24	48
35-49	240	8.6	63	1	1	7	12	18	25	45
50-64	776	9.8	85	1	2	7	12	19	28	53
65+	1281	10.6	90	1	2	9	13	20	28	55
GRAND TOTAL	**2460**	**9.9**	**85**	**1**	**2**	**8**	**12**	**20**	**28**	**52**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	6.1	10	<1	1	7	9	9	10	10
20-34	36	6.3	9	2	2	6	9	10	11	11
35-49	56	6.9	74	1	1	6	8	11	13	62
50-64	92	5.1	19	1	1	4	7	11	14	20
65+	86	5.2	25	1	1	4	8	10	12	29
B. *Operated*										
0-19 YRS	24	6.1	12	1	2	5	9	11	11	12
20-34	67	5.1	13	1	1	4	8	10	12	14
35-49	415	5.7	16	1	1	5	8	11	12	20
50-64	1111	6.5	32	1	1	6	9	12	14	25
65+	1072	6.6	27	1	1	6	9	13	16	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	8.5	46	<1	<1	7	12	19	20	20
20-34	54	7.2	39	1	2	7	9	12	14	42
35-49	123	7.1	35	1	1	6	10	12	16	35
50-64	369	6.4	32	1	1	5	9	13	15	28
65+	1065	7.4	37	1	2	6	9	14	17	31
B. *Operated*										
0-19 YRS	26	9.1	45	2	2	7	13	19	23	27
20-34	195	11.6	155	1	2	9	13	22	42	93
35-49	1164	9.6	77	1	2	8	12	17	24	46
50-64	5502	10.7	91	1	2	9	13	20	28	53
65+	10097	12.4	119	2	2	10	15	24	32	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	283	5.7	30	1	1	5	8	11	12	20
B. *Operated*	2689	6.4	27	1	1	6	9	12	14	23
2. MULTIPLE DX										
A. *Not Operated*	1617	7.1	36	1	2	6	9	13	17	31
B. *Operated*	16984	11.6	108	1	2	9	14	22	31	59
1. SINGLE DX	2972	6.3	27	1	1	6	9	12	14	23
2. MULTIPLE DX	18601	11.2	103	1	2	9	14	22	30	58
A. NOT OPERATED	1900	6.9	35	1	1	6	9	13	16	30
B. OPERATED	19673	10.9	100	1	2	9	13	21	29	57
TOTAL 0-19 YRS	69	7.4	28	1	2	6	10	13	20	26
20-34	352	9.1	103	1	2	7	11	18	27	79
35-49	1758	8.4	62	1	2	7	10	15	20	43
50-64	7074	9.7	81	1	2	8	12	18	25	50
65+	12320	11.4	107	1	2	9	14	22	30	59
GRAND TOTAL	**21573**	**10.6**	**96**	**1**	**2**	**9**	**13**	**20**	**28**	**55**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	441	5.7	15	1	2	5	8	11	13	18
20-34	62	4.4	16	1	1	3	6	9	12	22
35-49	89	4.8	22	1	1	3	5	8	13	29
50-64	116	4.1	11	<1	1	3	6	8	11	16
65+	163	5.4	32	1	1	4	7	10	14	39
B. *Operated*										
0-19 YRS	53	5.5	44	<1	1	3	8	14	20	31
20-34	141	4.8	17	1	1	3	7	11	13	19
35-49	320	4.5	18	1	1	3	6	10	13	20
50-64	789	4.3	20	1	1	2	6	10	12	22
65+	739	5.3	38	1	1	3	8	12	16	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	369	6.6	30	1	2	5	8	13	16	30
20-34	190	5.4	26	1	1	4	7	10	15	28
35-49	343	5.6	21	1	1	4	8	11	14	24
50-64	785	5.8	32	1	1	4	7	11	16	29
65+	1892	7.0	45	1	2	5	9	14	19	36
B. *Operated*										
0-19 YRS	114	10.6	129	1	1	7	14	31	40	99+
20-34	273	8.5	96	1	1	5	10	19	28	51
35-49	894	8.6	101	1	1	6	10	19	27	51
50-64	3098	8.8	98	1	1	6	11	19	27	54
65+	5431	10.9	130	1	2	8	14	24	32	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	871	5.2	19	1	1	4	7	10	13	21
B. *Operated*	2042	4.8	27	1	1	3	7	11	14	24
2. MULTIPLE DX										
A. *Not Operated*	3579	6.5	37	1	2	5	8	13	17	32
B. *Operated*	9810	9.9	117	1	2	7	13	22	31	60
1. SINGLE DX	2913	4.9	24	1	1	3	7	11	14	22
2. MULTIPLE DX	13389	9.0	98	1	2	6	11	19	28	55
A. NOT OPERATED	4450	6.2	34	1	2	5	8	12	16	30
B. OPERATED	11852	9.0	105	1	1	6	12	20	28	56
TOTAL 0-19 YRS	977	6.6	38	1	2	5	8	13	17	34
20-34	666	6.4	55	1	1	4	8	12	19	36
35-49	1646	7.0	67	1	1	4	9	15	20	41
50-64	4788	7.4	76	1	1	5	9	16	23	47
65+	8225	9.4	104	1	2	7	12	20	29	57
GRAND TOTAL	**16302**	**8.3**	**87**	**1**	**1**	**6**	**10**	**18**	**25**	**51**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	87	6.8	16	2	2	6	9	11	14	22
20-34	978	6.5	11	2	2	6	8	11	13	17
35-49	1309	7.1	13	2	3	7	9	12	14	18
50-64	1327	7.1	11	2	3	7	9	11	13	17
65+	1162	7.4	12	2	3	7	9	11	13	18
B. *Operated*										
0-19 YRS	62	6.1	16	1	1	6	9	12	13	14
20-34	470	6.3	17	1	2	6	9	11	14	18
35-49	661	6.9	25	1	2	6	9	12	14	18
50-64	657	6.8	16	1	2	6	10	12	14	19
65+	499	7.6	17	1	2	7	10	13	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	108	7.1	15	2	3	6	9	12	15	19
20-34	1089	7.9	23	2	3	7	10	13	16	26
35-49	2460	8.1	21	2	3	7	10	13	16	25
50-64	4053	8.6	23	3	4	8	10	14	17	25
65+	7208	9.1	31	3	4	8	11	14	17	29
B. *Operated*										
0-19 YRS	68	8.5	28	2	3	7	11	15	19	25
20-34	716	9.6	53	2	3	8	12	17	24	38
35-49	1351	9.0	53	2	3	8	11	16	21	38
50-64	2305	9.5	46	2	3	8	12	17	21	35
65+	3760	10.7	53	3	4	9	13	19	24	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4863	7.0	12	2	3	7	9	11	13	18
B. *Operated*	2349	6.9	19	1	2	7	9	12	14	19
2. MULTIPLE DX										
A. *Not Operated*	14918	8.7	27	3	4	8	11	14	17	27
B. *Operated*	8200	10.0	51	2	3	9	12	17	22	39
1. SINGLE DX	7212	7.0	14	2	2	7	9	11	13	18
2. MULTIPLE DX	23118	9.1	36	3	4	8	11	15	19	32
A. NOT OPERATED	19781	8.3	24	3	4	8	10	13	16	25
B. OPERATED	10549	9.3	46	2	3	8	11	16	21	35
TOTAL 0-19 YRS	325	7.2	18	1	2	7	9	13	15	22
20-34	3253	7.6	27	2	2	7	10	13	16	27
35-49	5781	7.9	28	2	3	7	10	13	16	27
50-64	8342	8.5	27	2	3	8	10	14	17	27
65+	12629	9.3	36	3	4	8	11	15	19	34
GRAND TOTAL	**30330**	**8.6**	**31**	**2**	**3**	**8**	**11**	**14**	**18**	**29**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	18	6.8	44	1	1	4	12	16	21	23
35-49	66	5.5	17	1	2	4	8	10	14	20
50-64	99	6.6	19	1	2	6	9	13	15	21
65+	140	8.3	44	1	2	7	11	15	20	37
B. *Operated*										
0-19 YRS	66	2.5	2	<1	1	2	3	4	5	7
20-34	1718	2.9	5	1	1	3	4	5	6	11
35-49	2699	3.3	6	1	1	3	4	5	7	13
50-64	1809	4.0	15	1	1	3	4	7	10	21
65+	593	6.5	58	1	1	4	7	16	23	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	7.8	45	1	1	7	14	16	16	16
20-34	74	6.5	50	<1	<1	4	8	15	20	35
35-49	234	7.3	38	<1	1	6	9	15	17	34
50-64	518	8.8	45	1	3	7	11	17	21	34
65+	1815	10.8	77	3	4	9	13	19	25	56
B. *Operated*										
0-19 YRS	25	4.9	14	1	2	4	5	11	12	16
20-34	512	5.1	36	1	1	3	5	10	17	30
35-49	1273	5.4	34	1	2	4	6	12	17	31
50-64	1556	7.5	76	1	2	4	8	17	24	43
65+	1758	13.7	145	2	3	11	19	29	36	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	324	7.1	32	1	2	6	9	14	17	29
B. *Operated*	6885	3.7	14	1	1	3	4	6	9	20
2. MULTIPLE DX										
A. *Not Operated*	2647	10.0	68	2	3	8	12	18	23	49
B. *Operated*	5124	8.9	98	1	2	5	11	21	29	50
1. SINGLE DX	7209	3.8	15	1	1	3	4	6	10	21
2. MULTIPLE DX	7771	9.3	88	1	2	6	12	20	27	50
A. NOT OPERATED	2971	9.7	65	2	3	8	12	18	23	45
B. OPERATED	12009	5.9	56	1	1	3	6	14	21	38
TOTAL 0-19 YRS	98	3.4	9	<1	1	3	4	7	11	16
20-34	2322	3.6	15	1	1	3	4	6	8	20
35-49	4272	4.2	18	1	1	3	5	8	12	22
50-64	3982	6.1	47	1	2	4	7	13	19	36
65+	4306	11.3	107	2	3	8	15	23	31	56
GRAND TOTAL	**14980**	**6.6**	**60**	**1**	**1**	**4**	**8**	**15**	**21**	**40**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	2.7	4	<1	<1	2	4	5	6	10
20-34	191	2.6	4	<1	<1	2	3	5	6	12
35-49	224	2.5	3	<1	<1	2	3	5	6	8
50-64	159	2.5	4	<1	<1	2	3	5	7	11
65+	103	2.3	3	<1	<1	2	3	5	6	8
B. *Operated*										
0-19 YRS	44	3.1	3	<1	1	3	4	5	6	8
20-34	1169	3.5	4	1	1	3	4	6	7	10
35-49	1514	3.7	4	1	2	3	5	6	7	10
50-64	952	3.8	4	1	2	3	5	6	7	11
65+	340	3.8	4	1	1	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	3.5	7	<1	1	3	4	7	7	14
20-34	315	3.3	6	<1	1	3	4	6	8	14
35-49	581	3.5	8	<1	1	3	5	7	8	14
50-64	681	3.7	8	1	1	3	5	7	9	16
65+	1006	4.6	28	1	1	4	6	8	10	18
B. *Operated*										
0-19 YRS	131	3.7	3	1	1	4	5	6	7	9
20-34	4354	3.9	4	1	2	4	5	6	7	11
35-49	7870	4.2	5	1	2	4	5	7	8	12
50-64	6363	4.4	8	1	2	4	5	7	9	14
65+	3575	5.2	16	1	2	4	6	9	12	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	703	2.5	3	<1	<1	2	3	5	6	8
B. *Operated*	4019	3.7	4	1	2	3	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	2615	4.0	16	1	1	3	5	7	9	16
B. *Operated*	22293	4.4	8	1	2	4	5	7	9	14
1. SINGLE DX	4722	3.5	4	1	1	3	4	6	7	10
2. MULTIPLE DX	24908	4.3	9	1	2	4	5	7	9	14
A. NOT OPERATED	3318	3.7	13	<1	1	3	5	7	9	15
B. OPERATED	26312	4.3	7	1	2	4	5	7	9	14
TOTAL 0-19 YRS	233	3.5	4	<1	1	3	4	6	7	10
20-34	6029	3.8	4	1	2	3	5	6	7	11
35-49	10189	4.0	5	1	2	4	5	7	8	12
50-64	8155	4.3	7	1	2	4	5	7	9	14
65+	5024	5.0	17	1	2	4	6	9	11	19
GRAND TOTAL	**29630**	**4.2**	**8**	**1**	**2**	**4**	**5**	**7**	**9**	**14**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	126	4.1	11	1	1	3	6	9	10	14
20-34	443	6.5	31	1	2	6	9	11	14	18
35-49	549	6.5	16	1	2	6	9	11	14	20
50-64	582	6.3	14	1	1	6	9	11	13	16
65+	613	6.4	15	1	2	6	9	11	13	19
B. *Operated*										
0-19 YRS	408	2.7	10	<1	<1	2	3	7	10	15
20-34	1030	3.9	17	<1	1	2	6	10	12	18
35-49	565	5.6	26	<1	1	4	8	12	15	25
50-64	445	6.8	24	1	1	7	9	13	15	21
65+	413	7.1	21	1	1	7	10	13	15	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	258	4.2	17	1	1	3	5	9	11	17
20-34	960	6.4	27	1	1	5	9	13	16	24
35-49	1598	6.4	23	1	2	5	9	12	15	24
50-64	3385	6.7	27	1	2	6	9	12	15	25
65+	8648	7.0	29	2	2	6	9	13	16	27
B. *Operated*										
0-19 YRS	293	4.9	39	<1	1	2	6	12	18	32
20-34	1364	6.2	49	<1	1	4	9	14	18	35
35-49	1592	8.3	61	1	2	7	11	16	22	40
50-64	2324	9.7	66	2	2	8	12	18	24	44
65+	4209	11.1	81	2	3	9	13	21	28	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2313	6.3	18	1	2	6	8	11	13	18
B. *Operated*	2861	5.0	22	<1	1	3	8	11	13	20
2. MULTIPLE DX										
A. *Not Operated*	14849	6.8	28	1	2	6	9	12	16	26
B. *Operated*	9782	9.4	72	1	2	8	12	18	25	45
1. SINGLE DX	5174	5.6	20	1	1	5	8	11	13	19
2. MULTIPLE DX	24631	7.8	47	1	2	7	10	15	19	35
A. NOT OPERATED	17162	6.7	26	1	2	6	9	12	15	25
B. OPERATED	12643	8.4	64	1	1	7	11	17	22	41
TOTAL 0-19 YRS	1085	3.8	20	<1	1	2	4	9	12	23
20-34	3797	5.7	34	1	1	4	8	12	15	26
35-49	4304	7.0	38	1	1	6	9	13	17	30
50-64	6736	7.7	41	1	2	7	10	14	18	32
65+	13883	8.2	47	2	2	7	10	15	20	37
GRAND TOTAL	**29805**	**7.4**	**43**	**1**	**2**	**6**	**10**	**14**	**18**	**33**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10660	2.4	2	1	1	2	3	4	5	7
20-34	1170	2.9	3	1	1	3	4	5	6	7
35-49	511	3.3	5	1	1	3	4	6	7	10
50-64	238	3.5	4	1	1	3	4	6	8	11
65+	132	4.1	10	1	1	4	5	8	9	43
B. Operated										
0-19 YRS	1137	1.7	2	<1	1	1	2	3	4	7
20-34	483	2.1	11	1	1	2	2	4	5	8
35-49	127	3.0	7	<1	1	2	4	7	8	14
50-64	60	3.3	8	<1	1	2	4	8	9	13
65+	21	3.4	14	<1	<1	2	4	9	13	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17236	3.1	5	1	1	3	4	5	7	11
20-34	3029	3.5	5	1	1	3	4	6	7	11
35-49	1912	4.2	7	1	2	4	5	7	9	13
50-64	1886	5.2	14	1	2	4	6	9	12	20
65+	2662	6.3	29	2	2	5	8	11	14	25
B. Operated										
0-19 YRS	1510	3.1	20	1	1	2	3	7	10	19
20-34	626	4.1	22	1	1	3	5	8	11	28
35-49	338	6.1	57	1	1	4	8	13	18	35
50-64	342	6.4	37	1	1	5	8	12	16	37
65+	296	9.1	78	1	2	7	11	19	26	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12711	2.5	3	1	1	2	3	4	5	8
B. Operated	1828	2.0	5	<1	1	1	2	3	5	10
2. MULTIPLE DX										
A. Not Operated	26725	3.7	9	1	1	3	4	7	8	14
B. Operated	3112	4.5	36	1	1	2	6	10	14	32
1. SINGLE DX	14539	2.4	3	1	1	2	3	4	5	8
2. MULTIPLE DX	29837	3.8	12	1	1	3	5	7	9	16
A. NOT OPERATED	39436	3.3	7	1	1	3	4	6	8	13
B. OPERATED	4940	3.6	26	1	1	2	4	8	12	24
TOTAL 0-19 YRS	30543	2.8	5	1	1	2	3	5	6	10
20-34	5308	3.3	7	1	1	3	4	6	7	12
35-49	2888	4.2	13	1	1	3	5	8	10	15
50-64	2526	5.1	17	1	2	4	6	9	12	20
65+	3111	6.4	34	2	2	5	8	12	15	29
GRAND TOTAL	**44376**	**3.3**	**10**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12370	3.3	4	1	1	3	4	6	7	9
20-34	614	3.6	3	1	2	3	4	6	7	10
35-49	756	4.0	4	2	2	4	5	6	8	10
50-64	710	4.7	6	2	2	4	6	8	9	12
65+	785	4.9	9	2	2	4	6	8	10	15
B. Operated										
0-19 YRS	39	4.9	27	<1	1	3	7	10	16	26
20-34	21	3.5	6	<1	<1	3	6	7	8	9
35-49	29	3.8	5	<1	1	3	5	7	8	10
50-64	28	5.1	15	<1	1	4	7	11	14	14
65+	20	4.7	15	1	1	4	6	9	14	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16481	4.0	7	1	2	3	5	7	8	13
20-34	2438	4.8	11	1	2	4	6	9	11	17
35-49	4236	5.3	11	2	2	4	6	9	11	18
50-64	11129	6.3	18	2	3	5	8	11	13	21
65+	24783	7.1	25	2	3	6	9	12	15	25
B. Operated										
0-19 YRS	169	9.1	66	2	2	7	11	18	22	53
20-34	174	7.4	47	1	2	5	9	14	19	31
35-49	398	8.0	44	1	2	7	10	14	19	39
50-64	901	10.2	96	2	3	8	12	19	25	58
65+	1721	11.9	100	3	4	9	14	23	31	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15235	3.5	4	1	1	3	4	6	7	10
B. Operated	137	4.5	15	<1	1	4	6	9	12	20
2. MULTIPLE DX										
A. Not Operated	59067	5.8	19	2	2	5	7	10	13	22
B. Operated	3363	10.6	90	2	3	8	13	20	28	60
1. SINGLE DX	15372	3.5	4	1	1	3	4	6	7	10
2. MULTIPLE DX	62430	6.1	24	2	2	5	7	11	14	24
A. NOT OPERATED	74302	5.4	17	1	2	4	7	10	12	20
B. OPERATED	3500	10.4	88	2	3	8	13	20	27	59
TOTAL 0-19 YRS	29059	3.7	6	1	1	3	5	6	8	12
20-34	3247	4.7	12	1	2	4	6	8	11	18
35-49	5419	5.3	13	2	2	4	6	9	11	19
50-64	12768	6.5	24	2	3	5	8	11	14	24
65+	27309	7.3	31	2	3	6	9	13	16	28
GRAND TOTAL	**77802**	**5.6**	**21**	**2**	**2**	**4**	**7**	**10**	**13**	**23**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.4		<1	<1	1	2	2	2	2
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	6	2.0	1	<1	<1	2	3	3	3	3
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	1352	1.7	1	1	1	2	2	3	3	4
20-34	2883	1.7	1	<1	1	2	2	3	3	4
35-49	1524	1.6	1	<1	1	1	2	3	3	4
50-64	662	1.7	1	1	1	1	2	3	3	4
65+	167	1.8	2	<1	1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	1.1		<1	<1	<1	1	1	2	3
20-34	83	1.3	1	<1	<1	1	1	2	3	6
35-49	56	1.3	1	<1	<1	1	1	2	3	6
50-64	39	1.8	3	<1	<1	1	2	4	5	9
65+	12	2.9	8	<1	<1	2	4	8	9	9
B. *Operated*										
0-19 YRS	3024	1.7	1	1	1	1	2	3	3	5
20-34	7794	1.8	1	1	1	2	2	3	4	5
35-49	5213	1.9	2	1	1	2	2	3	4	6
50-64	2739	2.1	4	1	1	2	3	3	4	7
65+	839	2.2	3	1	1	2	3	4	5	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	1.6	1	<1	<1	1	2	3	3	3
B. *Operated*	6588	1.7	1	<1	1	1	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	227	1.5	1	<1	<1	1	1	3	4	7
B. *Operated*	19609	1.9	2	1	1	2	2	3	4	6
1. SINGLE DX	6604	1.7	1	<1	1	1	2	3	3	4
2. MULTIPLE DX	19836	1.9	2	1	1	2	2	3	4	6
A. NOT OPERATED	243	1.5	1	<1	<1	1	1	3	4	7
B. OPERATED	26197	1.8	2	1	1	2	2	3	4	5
TOTAL 0-19 YRS	4418	1.7	1	1	1	1	2	3	3	5
20-34	10762	1.8	1	1	1	2	2	3	4	5
35-49	6799	1.8	2	1	1	2	2	3	4	6
50-64	3442	2.0	3	1	1	2	2	3	4	7
65+	1019	2.2	3	1	1	2	3	4	5	9
GRAND TOTAL	**26440**	**1.8**	**2**	**1**	**1**	**2**	**2**	**3**	**4**	**5**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	2.0		2	2	2	2	2	2	2
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	4	3.0	16	<1	<1	1	5	9	9	9
B. *Operated*										
0-19 YRS	76	1.8	3	<1	1	1	2	3	4	12
20-34	152	1.8	1	<1	1	2	2	3	4	6
35-49	171	1.7	1	<1	<1	1	2	3	4	7
50-64	233	1.7	1	<1	<1	1	2	3	4	5
65+	110	1.9	2	<1	<1	1	2	3	4	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	3.3	27	<1	<1	1	3	13	15	15
20-34	16	4.9	224	<1	<1	1	2	2	43	61
35-49	12	2.1	3	<1	<1	1	3	5	6	6
50-64	14	3.4	21	<1	<1	2	3	9	16	18
65+	25	3.0	13	<1	<1	2	3	6	14	14
B. *Operated*										
0-19 YRS	195	2.5	20	<1	1	2	3	4	4	14
20-34	477	2.1	2	1	1	2	3	4	4	6
35-49	740	2.1	2	1	1	2	3	4	4	6
50-64	842	2.3	3	1	1	2	3	4	5	9
65+	530	2.5	4	1	1	2	3	4	5	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.5	7	<1	<1	2	3	7	9	9
B. *Operated*	742	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	74	3.4	57	<1	<1	1	3	6	14	51
B. *Operated*	2784	2.3	4	1	1	2	3	4	5	9
1. SINGLE DX	750	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	2858	2.3	5	1	1	2	3	4	5	9
A. NOT OPERATED	82	3.3	52	<1	<1	1	3	6	14	47
B. OPERATED	3526	2.2	3	<1	1	2	3	4	4	8
TOTAL 0-19 YRS	279	2.3	15	<1	1	2	3	4	4	15
20-34	647	2.1	7	<1	1	2	2	4	4	6
35-49	923	2.0	2	<1	1	2	3	4	4	6
50-64	1090	2.2	3	<1	1	2	3	4	5	9
65+	669	2.4	4	<1	1	2	3	4	5	12
GRAND TOTAL	**3608**	**2.2**	**5**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Nct Operated*										
0-19 YRS	162	1.8	2	<1	<1	1	2	3	4	7
20-34	42	1.8	2	<1	<1	1	2	4	4	7
35-49	7	2.3	2	<1	<1	2	4	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	36678	1.3		<1	1	1	2	2	2	3
20-34	9437	1.5	1	1	1	1	2	2	3	4
35-49	1068	1.6	1	1	1	1	2	3	3	6
50-64	166	1.7	2	1	1	1	2	3	4	5
65+	64	1.7	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	697	1.4	1	<1	<1	1	1	2	3	7
20-34	97	1.8	2	<1	<1	1	2	4	5	6
35-49	19	2.1	2	<1	<1	2	3	4	5	6
50-64	9	3.7	11	<1	<1	3	5	9	10	10
65+	4	8.0	77	<1	<1	5	14	20	20	20
B. *Operated*										
0-19 YRS	24020	1.4	1	<1	1	1	2	2	2	4
20-34	2348	1.7	2	1	1	1	2	3	4	7
35-49	474	2.0	3	1	1	2	2	3	5	10
50-64	103	2.2	3	1	1	2	2	5	6	9
65+	69	2.6	8	1	1	2	3	6	8	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	214	1.8	2	<1	<1	1	2	3	4	7
B. *Operated*	47413	1.4		<1	1	1	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	826	1.5	2	<1	<1	1	1	3	4	8
B. *Operated*	27014	1.4	1	<1	1	1	2	2	3	4
1. SINGLE DX	47627	1.4		<1	1	1	2	2	2	3
2. MULTIPLE DX	27840	1.4	1	<1	1	1	2	2	3	5
A. NOT OPERATED	1040	1.6	2	<1	<1	1	2	3	4	7
B. OPERATED	74427	1.4	1	<1	1	1	2	2	2	4
TOTAL 0-19 YRS	61557	1.3		<1	1	1	2	2	2	3
20-34	11924	1.5	1	1	1	1	2	2	3	4
35-49	1568	1.7	1	1	1	1	2	3	4	7
50-64	279	2.0	3	1	1	2	2	4	5	9
65+	139	2.4	7	1	1	2	2	5	7	19
GRAND TOTAL	**75467**	**1.4**	**1**	**<1**	**1**	**1**	**2**	**2**	**2**	**4**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1555	2.7	3	<1	1	2	3	5	6	8
20-34	977	2.9	3	1	1	3	4	5	6	8
35-49	394	3.1	6	<1	1	3	4	5	7	11
50-64	197	3.0	4	<1	1	2	4	6	7	10
65+	88	3.0	4	<1	1	2	4	6	8	9
B. *Operated*										
0-19 YRS	1747	2.3	4	<1	<1	2	3	4	5	10
20-34	2497	2.0	4	<1	1	2	2	4	5	7
35-49	2116	1.9	3	<1	1	2	2	3	4	8
50-64	1700	1.9	3	<1	<1	2	2	3	4	8
65+	844	2.1	13	<1	1	2	2	3	4	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1760	3.5	16	1	1	3	4	6	8	14
20-34	952	3.6	6	1	1	3	4	6	8	11
35-49	802	4.0	11	1	1	3	5	7	9	19
50-64	700	4.3	10	1	1	4	6	8	10	14
65+	625	4.9	19	1	1	4	6	9	12	21
B. *Operated*										
0-19 YRS	2170	3.1	17	<1	1	2	3	6	9	22
20-34	3281	2.5	6	1	1	2	3	5	7	13
35-49	3286	2.7	11	1	1	2	3	5	7	15
50-64	3097	3.2	21	1	1	2	3	6	9	19
65+	2050	4.3	42	1	1	2	4	9	15	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3211	2.8	3	1	1	2	4	5	6	9
B. *Operated*	8904	2.0	4	<1	1	2	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*	4839	3.9	13	1	1	3	5	7	9	16
B. *Operated*	13884	3.0	18	1	1	2	3	6	9	19
1. SINGLE DX	12115	2.2	4	<1	1	2	3	4	5	9
2. MULTIPLE DX	18723	3.3	17	1	1	2	4	6	9	19
A. NOT OPERATED	8050	3.5	9	1	1	3	4	6	8	14
B. OPERATED	22788	2.6	13	<1	1	2	3	5	7	17
TOTAL 0-19 YRS	7232	2.9	11	<1	1	2	3	5	7	14
20-34	7707	2.5	5	1	1	2	3	5	6	11
35-49	6598	2.6	8	<1	1	2	3	5	7	14
50-64	5694	2.9	14	<1	1	2	3	6	8	16
65+	3607	3.9	31	1	1	2	4	8	12	29
GRAND TOTAL	**30838**	**2.9**	**12**	**<1**	**1**	**2**	**3**	**5**	**7**	**16**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19265	3.8	5	1	2	3	5	6	8	11
20-34	3596	4.5	6	2	2	4	6	7	9	14
35-49	3085	5.1	8	2	2	5	6	8	10	14
50-64	3117	5.6	8	2	3	5	7	9	11	15
65+	4671	6.5	15	2	3	6	8	11	13	20
B. *Operated*										
0-19 YRS	119	7.1	38	1	2	6	9	15	20	31
20-34	114	8.1	36	2	2	7	10	14	23	30
35-49	197	7.8	31	2	2	7	10	14	16	27
50-64	256	8.7	35	1	2	8	11	15	18	30
65+	249	9.9	62	2	2	9	12	18	24	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31311	4.6	11	1	2	4	5	8	10	16
20-34	6553	6.2	23	2	2	5	7	11	14	23
35-49	9116	6.6	21	2	3	6	8	11	14	24
50-64	20422	7.7	27	3	3	7	9	13	17	27
65+	77373	9.2	43	3	4	8	11	16	20	35
B. *Operated*										
0-19 YRS	814	12.2	110	2	3	10	16	24	33	63
20-34	874	13.1	125	2	4	10	16	27	35	79
35-49	1533	13.7	120	3	4	11	17	28	35	64
50-64	3701	14.6	129	4	5	12	18	27	36	69
65+	9736	16.6	153	5	6	13	21	31	43	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33734	4.5	8	2	2	4	6	8	10	14
B. *Operated*	935	8.6	43	1	2	7	11	15	21	30
2. MULTIPLE DX										
A. *Not Operated*	144775	7.7	35	2	3	6	10	14	18	30
B. *Operated*	16658	15.5	143	4	5	12	19	30	40	86
1. SINGLE DX	34669	4.6	9	2	2	4	6	8	10	15
2. MULTIPLE DX	161433	8.5	51	2	3	7	10	16	21	39
A. NOT OPERATED	178509	7.1	31	2	2	6	9	13	16	28
B. OPERATED	17593	15.1	140	4	5	12	19	29	39	84
TOTAL 0-19 YRS	51509	4.4	11	1	2	4	5	8	10	17
20-34	11137	6.2	30	2	2	5	7	11	15	29
35-49	13931	7.1	35	2	3	6	8	12	17	32
50-64	27496	8.4	45	3	3	7	10	15	20	35
65+	92029	9.9	59	3	4	8	12	17	23	43
GRAND TOTAL	**196102**	**7.8**	**46**	**2**	**3**	**6**	**10**	**15**	**19**	**36**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	708	2.9	3	1	1	3	4	5	6	8
20-34	365	3.0	3	1	1	3	4	5	6	8
35-49	322	3.7	5	1	2	3	5	6	7	11
50-64	285	4.2	6	1	2	4	5	7	8	13
65+	292	4.7	8	2	2	4	6	8	11	14
B. *Operated*										
0-19 YRS	3	3.3	2	2	2	3	4	5	5	5
20-34	9	3.7	2	2	2	3	4	6	6	6
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	4	8.0	17	3	3	8	11	13	13	13
65+	1	24.0		24	24	24	24	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1573	3.3	8	1	1	3	4	6	7	10
20-34	953	3.5	6	1	1	3	4	6	8	13
35-49	1000	4.4	10	1	2	4	5	7	9	15
50-64	1556	5.1	11	2	2	4	6	9	11	17
65+	3673	6.5	23	2	3	5	8	12	15	24
B. *Operated*										
0-19 YRS	25	8.0	71	1	2	5	10	14	27	40
20-34	34	7.5	152	1	1	4	7	12	29	68
35-49	47	8.6	54	2	3	7	11	15	17	47
50-64	57	8.4	20	3	4	7	10	14	19	21
65+	160	12.9	87	4	5	11	15	24	35	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1972	3.5	5	1	1	3	4	6	7	11
B. *Operated*	19	5.5	28	2	2	3	6	11	19	24
2. MULTIPLE DX										
A. *Not Operated*	8755	5.1	16	1	2	4	6	9	12	20
B. *Operated*	323	10.5	81	2	3	8	13	20	28	57
1. SINGLE DX	1991	3.5	5	1	1	3	4	6	7	11
2. MULTIPLE DX	9078	5.3	20	1	2	4	6	10	13	22
A. NOT OPERATED	10727	4.8	15	1	2	4	6	9	11	19
B. OPERATED	342	10.3	79	2	3	8	13	20	27	57
TOTAL 0-19 YRS	2309	3.2	7	1	1	3	4	5	7	10
20-34	1361	3.5	9	1	1	3	4	6	7	11
35-49	1371	4.3	11	1	2	4	5	7	9	16
50-64	1902	5.0	11	2	2	4	6	9	11	17
65+	4126	6.6	26	2	2	5	8	12	16	26
GRAND TOTAL	**11069**	**5.0**	**18**	**1**	**2**	**4**	**6**	**9**	**12**	**21**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2001	3.0	4	1	1	3	4	5	6	10
20-34	161	3.7	4	1	2	3	5	7	8	12
35-49	275	4.3	6	1	2	4	6	7	9	13
50-64	547	5.1	12	1	2	4	6	9	12	20
65+	611	5.8	17	2	2	5	7	10	13	23
B. *Operated*										
0-19 YRS	21	4.0	14	<1	<1	2	6	9	12	14
20-34	19	4.1	10	<1	<1	4	5	9	11	12
35-49	49	3.9	15	<1	<1	3	5	9	11	18
50-64	89	3.9	12	<1	<1	3	6	8	10	17
65+	56	4.9	15	<1	<1	4	7	10	11	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2865	3.7	6	1	2	3	5	6	8	13
20-34	688	4.4	9	1	2	4	5	8	10	14
35-49	1200	5.3	13	2	2	4	6	9	12	19
50-64	3519	6.6	29	2	3	5	8	12	15	25
65+	7248	7.5	35	2	3	6	9	13	17	30
B. *Operated*										
0-19 YRS	79	6.5	42	1	1	5	9	14	17	38
20-34	120	6.2	63	1	2	5	7	10	15	40
35-49	256	6.3	25	1	2	5	8	12	17	29
50-64	583	9.0	95	1	2	7	11	18	26	54
65+	906	10.1	85	2	2	8	13	20	27	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3595	3.9	9	1	1	3	5	7	9	15
B. *Operated*	234	4.2	13	<1	<1	3	6	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	15520	6.3	27	2	2	5	8	11	14	25
B. *Operated*	1944	8.9	79	1	2	7	11	18	24	53
1. SINGLE DX	3829	3.9	9	1	1	3	5	7	9	15
2. MULTIPLE DX	17464	6.6	34	2	2	5	8	12	16	29
A. NOT OPERATED	19115	5.8	25	1	2	5	7	11	14	24
B. OPERATED	2178	8.4	74	1	2	6	10	17	23	51
TOTAL 0-19 YRS	4966	3.5	6	1	1	3	4	6	8	13
20-34	988	4.5	15	1	2	4	6	8	10	16
35-49	1780	5.3	14	1	2	4	7	9	12	20
50-64	4738	6.7	36	2	2	5	8	12	16	29
65+	8821	7.6	39	2	3	6	9	13	18	32
GRAND TOTAL	**21293**	**6.1**	**30**	**1**	**2**	**5**	**7**	**11**	**15**	**27**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	5.8	5	3	3	5	7	9	9	9
35-49	34	4.5	5	2	2	5	6	7	9	11
50-64	289	6.7	22	2	2	6	9	12	15	21
65+	390	6.6	19	2	3	6	8	12	15	25
B. *Operated*										
0-19 YRS	2	9.0	18	6	6	9	12	12	12	12
20-34	8	19.0	762	1	2	11	15	66	86	86
35-49	19	9.9	23	2	4	10	13	17	18	19
50-64	17	8.4	21	2	3	9	12	15	17	17
65+	5	7.8	41	1	1	8	13	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	8.5	164	1	2	4	6	26	44	47
20-34	26	7.3	38	1	1	6	10	15	21	28
35-49	276	7.3	36	2	2	6	9	14	21	32
50-64	2079	7.8	40	2	3	6	10	14	18	30
65+	4624	8.4	46	2	3	7	10	15	20	36
B. *Operated*										
0-19 YRS	11	13.0	42	5	6	12	19	22	23	23
20-34	65	9.8	46	3	4	8	12	16	22	39
35-49	99	15.1	158	4	4	11	20	30	37	64
50-64	291	15.4	218	3	4	11	18	34	51	94
65+	534	16.0	151	3	5	13	21	31	42	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	719	6.6	20	2	2	6	8	12	15	23
B. *Operated*	51	10.6	140	1	3	10	12	16	19	85
2. MULTIPLE DX										
A. *Not Operated*	7017	8.2	44	2	3	7	10	15	19	34
B. *Operated*	1000	15.3	165	3	4	12	19	31	43	82
1. SINGLE DX	770	6.8	29	2	2	6	9	12	15	24
2. MULTIPLE DX	8017	9.1	65	2	3	7	11	17	23	46
A. NOT OPERATED	7736	8.1	42	2	3	7	10	15	19	33
B. OPERATED	1051	15.1	165	3	4	12	19	31	43	83
TOTAL 0-19 YRS	26	10.2	98	1	2	6	14	22	28	47
20-34	104	9.7	99	1	3	7	12	17	22	62
35-49	428	9.0	73	2	2	6	11	19	25	45
50-64	2676	8.5	63	2	3	7	10	16	20	49
65+	5553	9.0	60	2	3	7	11	17	23	44
GRAND TOTAL	**8787**	**8.9**	**62**	**2**	**3**	**7**	**11**	**17**	**22**	**45**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23837	3.0	3	1	1	3	4	5	6	9
20-34	6695	3.6	4	1	1	3	5	6	7	10
35-49	5615	4.3	7	1	2	4	6	7	9	13
50-64	4293	4.9	9	1	2	4	6	8	10	15
65+	2517	5.2	9	2	2	5	7	9	11	15
B. *Operated*										
0-19 YRS	51	4.3	12	1	1	3	6	9	10	19
20-34	25	4.8	8	<1	1	4	6	9	10	12
35-49	46	6.4	13	2	2	6	8	12	13	15
50-64	43	8.7	64	1	1	7	10	15	25	44
65+	20	8.9	37	2	2	7	14	16	20	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19245	3.6	7	1	2	3	4	6	7	12
20-34	6951	4.4	8	1	2	4	6	8	9	14
35-49	9190	5.4	13	2	2	5	7	9	12	18
50-64	14002	6.3	18	2	3	5	8	11	14	22
65+	17194	7.0	23	2	3	6	9	12	15	25
B. *Operated*										
0-19 YRS	237	8.3	66	1	2	6	9	17	23	42
20-34	246	8.3	48	2	2	6	10	18	22	38
35-49	468	10.5	60	3	4	9	13	20	24	42
50-64	825	12.0	110	3	4	9	14	23	33	75
65+	935	12.7	95	3	5	10	15	23	30	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42957	3.6	5	1	1	3	4	6	8	12
B. *Operated*	185	6.4	30	1	1	5	8	13	15	26
2. MULTIPLE DX										
A. *Not Operated*	66582	5.4	16	2	2	4	7	10	12	20
B. *Operated*	2711	11.4	89	3	4	9	14	21	29	52
1. SINGLE DX	43142	3.6	6	1	1	3	4	6	8	12
2. MULTIPLE DX	69293	5.6	20	2	2	4	7	10	13	22
A. NOT OPERATED	109539	4.7	13	1	2	4	6	9	11	17
B. OPERATED	2896	11.0	87	2	3	9	14	21	28	51
TOTAL 0-19 YRS	43370	3.3	5	1	1	3	4	6	7	10
20-34	13917	4.1	8	1	2	4	5	7	9	14
35-49	15319	5.1	13	2	2	4	6	9	11	18
50-64	19163	6.2	22	2	2	5	8	11	14	24
65+	20666	7.0	26	2	3	6	9	12	16	27
GRAND TOTAL	**112435**	**4.8**	**16**	**1**	**2**	**4**	**6**	**9**	**11**	**19**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	4.6	9	1	2	4	5	9	11	15
20-34	66	4.4	9	1	2	4	6	8	9	17
35-49	299	5.1	11	1	2	4	6	9	12	20
50-64	1625	5.8	18	2	2	5	7	10	13	20
65+	2252	6.2	17	2	2	5	8	11	13	20
B. *Operated*										
0-19 YRS	16	4.9	25	1	1	3	8	13	16	18
20-34	14	5.0	26	1	1	3	8	10	18	20
35-49	40	5.9	16	<1	1	6	8	13	14	14
50-64	82	6.8	39	1	1	5	9	14	17	31
65+	73	7.2	53	1	1	6	9	15	17	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	154	7.4	32	2	2	6	10	16	18	29
20-34	207	6.6	24	1	2	5	9	13	16	23
35-49	1573	6.6	30	2	2	5	8	12	15	28
50-64	11335	7.4	33	2	3	6	9	13	17	29
65+	24261	8.0	40	2	3	6	10	14	19	33
B. *Operated*										
0-19 YRS	45	13.0	108	2	3	10	18	29	42	99+
20-34	52	9.7	68	2	3	7	11	21	30	39
35-49	267	10.4	118	2	3	8	12	19	29	81
50-64	1258	12.4	131	2	3	9	15	26	38	86
65+	2474	14.6	181	3	4	11	18	30	45	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4281	5.9	17	2	2	5	7	10	13	20
B. *Operated*	225	6.5	38	1	1	5	9	14	16	30
2. MULTIPLE DX										
A. *Not Operated*	37530	7.7	38	2	3	6	9	14	18	32
B. *Operated*	4096	13.6	161	2	4	10	17	28	41	99
1. SINGLE DX	4506	5.9	18	2	2	5	7	10	13	21
2. MULTIPLE DX	41626	8.3	53	2	3	7	10	15	20	40
A. NOT OPERATED	41811	7.5	36	2	3	6	9	14	17	31
B. OPERATED	4321	13.2	157	2	3	10	16	28	40	98
TOTAL 0-19 YRS	254	7.8	48	1	2	6	10	16	22	39
20-34	339	6.6	30	1	2	5	9	13	17	30
35-49	2179	6.8	40	2	2	5	8	12	16	33
50-64	14300	7.7	42	2	3	6	9	14	18	35
65+	29060	8.4	55	2	3	7	10	15	21	41
GRAND TOTAL	**46132**	**8.1**	**50**	**2**	**3**	**6**	**10**	**15**	**20**	**38**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	186	2.9	5	1	1	2	4	6	7	11
20-34	519	3.0	5	1	1	2	4	6	8	12
35-49	138	3.6	6	1	1	3	5	7	9	11
50-64	53	3.4	3	1	1	3	5	6	6	7
65+	35	4.9	18	1	1	4	6	8	13	22
B. *Operated*										
0-19 YRS	433	6.0	17	2	2	5	8	11	14	21
20-34	2015	5.7	13	2	3	5	7	10	13	19
35-49	618	5.9	14	2	2	5	7	10	13	21
50-64	235	6.6	18	2	2	6	8	13	15	19
65+	136	7.1	34	2	2	5	9	15	21	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	4.0	15	1	1	3	4	10	15	17
20-34	209	3.8	9	1	1	3	5	7	9	15
35-49	112	5.0	20	1	1	4	6	11	14	25
50-64	181	6.3	30	1	2	5	8	12	15	31
65+	272	7.0	30	1	2	6	9	12	15	32
B. *Operated*										
0-19 YRS	168	9.6	42	3	3	8	12	17	24	33
20-34	917	9.1	46	3	3	7	11	16	20	34
35-49	570	10.0	51	3	3	8	13	19	24	39
50-64	864	10.8	78	3	4	8	14	22	28	46
65+	1285	12.1	121	3	4	9	15	24	34	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	931	3.2	6	1	1	2	4	6	8	12
B. *Operated*	3437	5.9	15	2	2	5	7	11	13	21
2. MULTIPLE DX										
A. *Not Operated*	845	5.5	24	1	1	4	7	11	14	25
B. *Operated*	3804	10.7	80	3	4	8	13	21	28	48
1. SINGLE DX	4368	5.3	14	1	2	4	7	10	13	20
2. MULTIPLE DX	4649	9.7	74	2	3	7	12	19	26	46
A. NOT OPERATED	1776	4.3	16	1	1	3	5	9	12	18
B. OPERATED	7241	8.4	55	2	3	6	10	16	22	40
TOTAL 0-19 YRS	858	5.9	24	1	1	5	8	12	15	24
20-34	3660	6.1	24	1	2	5	8	12	15	23
35-49	1438	7.2	34	2	2	5	9	15	19	29
50-64	1333	9.2	63	2	3	7	12	19	26	40
65+	1728	10.8	103	2	3	8	13	22	30	55
GRAND TOTAL	**9017**	**7.6**	**50**	**2**	**2**	**6**	**9**	**15**	**20**	**37**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1317	3.0	4	1	1	3	4	5	7	10
20-34	680	3.3	9	1	1	3	4	6	8	13
35-49	595	3.8	11	1	1	3	5	7	10	18
50-64	585	4.0	11	1	1	3	5	8	10	17
65+	658	5.5	20	1	1	4	7	10	14	22
B. *Operated*										
0-19 YRS	293	4.5	48	<1	1	2	5	10	14	38
20-34	304	6.4	28	1	1	5	8	13	16	22
35-49	492	6.6	38	1	1	5	9	13	17	32
50-64	744	5.7	23	1	1	5	8	11	14	25
65+	581	6.1	30	1	1	5	9	13	16	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3003	4.9	29	1	1	3	6	9	13	27
20-34	1660	5.2	24	1	1	4	6	11	14	24
35-49	2574	5.7	29	1	2	4	7	11	15	28
50-64	6380	6.7	32	1	2	5	8	12	16	28
65+	19258	8.4	45	2	3	7	10	15	20	34
B. *Operated*										
0-19 YRS	790	9.3	145	1	1	5	13	22	37	95
20-34	948	10.8	113	1	2	8	14	24	32	69
35-49	1868	11.0	124	1	2	8	15	24	33	73
50-64	4045	11.0	113	1	2	8	14	23	31	60
65+	7150	13.5	153	2	3	10	17	27	38	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3835	3.7	11	1	1	3	5	7	9	17
B. *Operated*	2414	5.9	31	1	1	5	8	12	16	27
2. MULTIPLE DX										
A. *Not Operated*	32875	7.4	40	1	2	6	9	14	18	32
B. *Operated*	14801	12.1	137	1	2	9	16	25	35	72
1. SINGLE DX	6249	4.6	20	1	1	3	6	9	12	21
2. MULTIPLE DX	47676	8.8	75	1	2	7	11	18	24	48
A. NOT OPERATED	36710	7.0	38	1	2	5	9	14	18	31
B. OPERATED	17215	11.2	127	1	2	8	15	24	33	68
TOTAL 0-19 YRS	5403	5.0	45	1	1	3	5	10	15	39
20-34	3592	6.4	53	1	1	4	8	14	20	42
35-49	5529	7.4	67	1	1	5	9	16	23	45
50-64	11754	8.0	63	1	2	6	10	16	22	43
65+	27647	9.6	77	2	3	7	12	19	25	48
GRAND TOTAL	**53925**	**8.3**	**71**	**1**	**2**	**6**	**10**	**17**	**23**	**46**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	122	3.0	4	<1	1	2	4	5	6	11
20-34	118	3.7	16	1	1	3	4	7	9	25
35-49	65	3.0	3	<1	1	3	4	5	6	10
50-64	25	3.4	7	<1	1	3	4	8	10	12
65+	12	3.8	8	<1	1	3	6	8	9	9
B. *Operated*										
0-19 YRS	4169	1.9	2	<1	<1	1	3	4	4	6
20-34	4512	2.4	2	<1	<1	2	3	4	5	7
35-49	2030	2.6	2	<1	1	2	3	4	5	8
50-64	1026	2.4	4	<1	1	2	3	4	4	10
65+	354	2.4	5	<1	1	2	3	4	5	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	441	2.9	5	<1	<1	2	4	5	7	12
20-34	432	3.2	7	<1	<1	2	4	6	9	13
35-49	235	4.0	42	<1	1	3	4	7	11	22
50-64	215	3.7	13	<1	<1	3	5	8	10	18
65+	190	5.3	28	1	1	4	6	10	15	27
B. *Operated*										
0-19 YRS	3789	2.4	3	<1	<1	2	3	4	5	8
20-34	4273	2.9	5	<1	1	2	4	5	6	12
35-49	2643	2.9	7	1	1	2	4	5	7	13
50-64	2261	3.0	13	1	1	2	3	5	8	16
65+	1836	3.2	17	1	1	2	3	6	8	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	342	3.3	8	<1	1	3	4	6	8	14
B. *Operated*	12091	2.3	3	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	1513	3.6	16	<1	<1	3	4	7	10	18
B. *Operated*	14802	2.8	8	<1	1	2	3	5	6	13
1. SINGLE DX	12433	2.3	3	<1	<1	2	3	4	5	7
2. MULTIPLE DX	16315	2.9	9	<1	1	2	3	5	7	14
A. NOT OPERATED	1855	3.5	14	<1	1	3	4	7	9	18
B. OPERATED	26893	2.6	5	<1	<1	2	3	4	5	11
TOTAL 0-19 YRS	8521	2.2	3	<1	<1	2	3	4	5	8
20-34	9335	2.7	4	<1	1	2	3	5	6	10
35-49	4973	2.8	7	<1	1	2	3	5	6	12
50-64	3527	2.9	10	<1	1	2	3	5	7	15
65+	2392	3.3	16	1	1	2	3	6	9	20
GRAND TOTAL	**28748**	**2.6**	**6**	**<1**	**<1**	**2**	**3**	**5**	**6**	**12**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	284	3.4	4	1	1	3	4	6	7	11
20-34	140	3.5	3	1	1	3	5	6	6	8
35-49	114	3.9	4	1	2	4	5	7	8	11
50-64	62	4.0	6	1	1	3	5	8	9	10
65+	79	4.8	5	1	2	5	6	8	9	12
B. *Operated*										
0-19 YRS	409	2.3	4	<1	<1	2	3	4	6	11
20-34	473	2.5	4	<1	1	2	3	5	6	11
35-49	537	2.5	4	<1	1	2	3	5	7	9
50-64	514	2.8	20	<1	1	2	3	5	6	9
65+	396	2.8	9	1	1	2	3	4	6	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	619	3.8	6	1	2	3	5	7	8	13
20-34	212	4.0	5	1	2	4	5	6	8	12
35-49	205	5.2	16	1	2	4	7	9	14	22
50-64	329	5.8	20	1	2	5	7	10	12	23
65+	589	7.3	29	2	3	6	9	14	18	29
B. *Operated*										
0-19 YRS	378	3.5	9	1	1	3	4	7	9	17
20-34	415	3.7	12	1	1	3	4	8	11	16
35-49	562	3.9	22	1	1	3	4	8	12	21
50-64	739	4.0	21	1	1	3	4	8	11	24
65+	835	4.9	34	1	1	3	5	10	15	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	679	3.7	4	1	1	3	5	6	8	11
B. *Operated*	2329	2.6	8	<1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	1954	5.4	18	1	2	4	7	10	13	22
B. *Operated*	2929	4.1	23	1	1	3	5	8	12	25
1. SINGLE DX	3008	2.8	8	<1	1	2	4	5	7	11
2. MULTIPLE DX	4883	4.6	21	1	1	3	6	9	12	23
A. NOT OPERATED	2633	4.9	15	1	2	4	6	9	12	21
B. OPERATED	5258	3.5	17	1	1	2	4	7	9	19
TOTAL 0-19 YRS	1690	3.3	6	<1	1	3	4	6	8	13
20-34	1240	3.3	7	1	1	3	4	6	8	13
35-49	1418	3.6	14	1	1	3	4	7	9	18
50-64	1644	4.0	21	1	1	3	5	8	10	18
65+	1899	5.2	29	1	1	4	6	10	15	30
GRAND TOTAL	**7891**	**3.9**	**17**	**1**	**1**	**3**	**5**	**8**	**10**	**20**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1027	2.8	5	1	1	2	3	5	7	11
20-34	427	2.9	4	<1	1	2	4	5	7	11
35-49	719	2.9	3	<1	1	2	4	5	6	9
50-64	557	2.9	6	1	1	2	4	5	6	9
65+	339	3.3	6	1	1	3	4	6	7	14
B. *Operated*										
0-19 YRS	371	4.2	23	<1	<1	2	6	9	12	23
20-34	255	4.8	16	<1	1	4	7	9	11	16
35-49	351	4.9	12	<1	1	4	7	9	10	18
50-64	410	5.0	19	<1	<1	4	7	10	14	21
65+	455	4.6	15	<1	<1	3	6	10	11	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1624	4.2	17	1	1	3	5	8	10	21
20-34	1795	3.7	9	1	1	3	5	7	9	14
35-49	3265	4.0	8	1	1	3	5	7	9	15
50-64	4210	4.3	11	1	1	4	5	8	10	16
65+	6254	5.3	22	1	2	4	7	10	13	21
B. *Operated*										
0-19 YRS	877	11.1	145	1	1	8	14	26	34	63
20-34	869	7.3	60	1	2	5	9	14	19	38
35-49	1674	7.0	50	1	2	5	8	13	18	38
50-64	2774	8.0	83	1	2	6	9	15	21	54
65+	4879	8.7	78	1	2	6	10	18	25	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3069	2.9	5	1	1	2	4	5	7	10
B. *Operated*	1842	4.7	17	<1	<1	4	7	9	11	21
2. MULTIPLE DX										
A. *Not Operated*	17148	4.5	15	1	1	4	6	8	11	18
B. *Operated*	11073	8.3	80	1	2	6	10	17	23	51
1. SINGLE DX	4911	3.6	10	<1	1	3	5	7	9	15
2. MULTIPLE DX	28221	6.0	44	1	2	4	7	11	16	34
A. NOT OPERATED	20217	4.3	14	1	1	3	5	8	10	18
B. OPERATED	12915	7.8	73	1	2	6	9	16	22	48
TOTAL 0-19 YRS	3899	5.4	53	1	1	3	6	11	18	36
20-34	3346	4.6	24	1	1	3	6	9	11	21
35-49	6009	4.7	22	1	1	4	6	9	12	21
50-64	7951	5.5	39	1	1	4	7	10	14	29
65+	11927	6.6	47	1	2	5	8	13	18	37
GRAND TOTAL	**33132**	**5.7**	**40**	**1**	**1**	**4**	**7**	**11**	**15**	**32**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	3.5	4	1	1	3	5	6	7	9
20-34	189	3.5	4	1	1	3	4	6	7	11
35-49	254	4.1	7	1	1	3	5	7	10	13
50-64	242	3.8	6	1	1	3	5	7	9	11
65+	177	3.9	6	1	1	3	5	7	9	12
B. *Operated*										
0-19 YRS	6	3.2	3	<1	<1	4	4	5	5	5
20-34	101	5.8	15	<1	2	5	8	9	11	23
35-49	240	6.4	18	<1	2	6	8	11	14	23
50-64	221	5.5	13	<1	<1	5	8	10	12	16
65+	158	6.1	20	<1	<1	5	9	11	13	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	4.2	8	1	2	3	5	9	11	13
20-34	490	4.7	8	1	2	4	6	8	10	14
35-49	919	5.2	11	2	2	4	6	9	12	18
50-64	1162	5.2	12	2	2	4	6	9	11	19
65+	1796	6.0	18	2	2	5	7	11	14	22
B. *Operated*										
0-19 YRS	26	5.2	10	1	2	4	7	11	12	13
20-34	295	6.9	23	2	3	6	9	13	16	23
35-49	846	7.7	45	2	3	6	9	14	19	36
50-64	1204	8.0	44	2	3	7	10	14	19	32
65+	1856	8.4	46	2	3	7	10	15	20	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	902	3.8	6	1	1	3	5	7	9	12
B. *Operated*	726	6.0	16	<1	1	5	8	11	13	22
2. MULTIPLE DX										
A. *Not Operated*	4427	5.5	14	2	2	5	7	10	12	19
B. *Operated*	4227	8.0	44	2	3	7	10	15	19	34
1. SINGLE DX	1628	4.8	12	<1	1	4	6	9	11	16
2. MULTIPLE DX	8654	6.7	30	2	2	5	8	12	15	29
A. NOT OPERATED	5329	5.2	13	1	2	4	7	9	11	18
B. OPERATED	4953	7.7	40	2	3	6	9	14	18	33
TOTAL 0-19 YRS	132	4.1	7	1	2	4	5	8	11	13
20-34	1075	5.2	14	1	2	4	7	10	11	18
35-49	2259	6.2	26	1	2	5	8	11	14	28
50-64	2829	6.3	27	1	2	5	8	11	15	25
65+	3987	7.1	32	2	2	6	9	13	16	29
GRAND TOTAL	**10282**	**6.4**	**28**	**1**	**2**	**5**	**8**	**12**	**15**	**28**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	3.5	9	<1	1	3	4	7	10	13
20-34	139	3.6	4	1	2	3	5	6	7	11
35-49	264	4.0	5	1	2	4	5	7	8	12
50-64	337	4.4	5	2	2	4	5	7	8	13
65+	438	5.0	8	2	2	4	6	8	10	16
B. *Operated*										
0-19 YRS	11	4.6	6	2	2	4	6	8	10	10
20-34	109	6.5	13	2	2	6	8	9	12	24
35-49	181	7.4	20	3	3	7	9	12	16	20
50-64	311	7.3	16	2	3	7	10	12	15	21
65+	332	7.5	24	2	3	6	10	13	16	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	4.4	7	1	2	4	5	8	9	16
20-34	298	4.2	6	1	2	4	5	7	9	16
35-49	762	5.2	13	2	2	4	6	9	11	21
50-64	1590	5.7	17	2	2	5	7	10	12	21
65+	4454	7.0	27	2	3	6	8	12	16	28
B. *Operated*										
0-19 YRS	38	9.4	58	2	3	8	10	18	21	45
20-34	209	8.1	44	2	3	7	10	14	18	37
35-49	696	8.9	57	2	3	7	11	17	21	47
50-64	1811	9.9	73	3	3	7	11	19	24	47
65+	4807	11.1	88	3	4	8	14	21	28	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1200	4.4	6	2	2	4	5	7	9	13
B. *Operated*	944	7.3	19	2	3	7	9	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	7151	6.4	23	2	3	5	8	11	14	25
B. *Operated*	7561	10.5	81	3	4	8	13	20	27	50
1. SINGLE DX	2144	5.7	14	2	2	5	7	10	12	19
2. MULTIPLE DX	14712	8.5	57	2	3	6	10	16	21	42
A. NOT OPERATED	8351	6.1	21	2	2	5	7	10	14	23
B. OPERATED	8505	10.2	75	3	3	8	12	19	25	49
TOTAL 0-19 YRS	118	5.9	29	1	2	5	7	10	15	29
20-34	755	5.5	20	1	2	4	7	10	12	24
35-49	1903	6.6	32	2	2	5	8	12	17	29
50-64	4049	7.6	46	2	3	6	9	14	19	40
65+	10031	8.9	60	3	3	7	10	17	22	43
GRAND TOTAL	**16856**	**8.1**	**52**	**2**	**3**	**6**	**10**	**15**	**21**	**41**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	273	3.2	4	1	1	3	4	6	7	11
20-34	1148	3.4	4	1	1	3	4	6	7	10
35-49	1107	3.5	5	1	1	3	4	6	8	10
50-64	616	3.8	6	1	2	3	5	6	8	13
65+	318	4.1	7	1	2	4	5	7	9	15
B. *Operated*										
0-19 YRS	17	5.9	12	1	2	5	10	10	11	11
20-34	142	7.4	11	2	3	8	9	11	13	17
35-49	258	8.3	16	3	4	8	9	13	16	22
50-64	139	8.3	27	2	3	8	11	15	16	29
65+	48	7.4	30	2	2	6	9	12	17	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	289	3.9	6	1	2	3	5	7	9	13
20-34	1729	4.2	8	1	2	4	5	7	9	14
35-49	2519	4.5	9	1	2	4	6	8	10	15
50-64	2724	4.9	9	1	2	4	6	8	10	16
65+	3616	5.7	16	2	2	5	7	10	13	20
B. *Operated*										
0-19 YRS	19	5.7	8	2	3	5	8	10	11	11
20-34	332	8.4	35	2	3	7	10	15	21	30
35-49	745	8.7	34	2	3	8	10	16	20	30
50-64	792	8.9	39	2	3	7	11	17	21	32
65+	901	10.1	72	3	3	8	12	18	26	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3462	3.5	5	1	1	3	4	6	7	11
B. *Operated*	604	7.9	18	2	3	8	9	13	15	25
2. MULTIPLE DX										
A. *Not Operated*	10877	4.9	11	2	2	4	6	9	11	17
B. *Operated*	2789	9.2	48	2	3	8	11	17	22	37
1. SINGLE DX	4066	4.2	10	1	1	3	5	8	10	15
2. MULTIPLE DX	13666	5.8	22	2	2	5	7	10	14	24
A. NOT OPERATED	14339	4.6	10	1	2	4	6	8	10	16
B. OPERATED	3393	8.9	43	2	3	8	11	16	21	34
TOTAL 0-19 YRS	598	3.7	5	1	1	3	5	7	8	12
20-34	3351	4.5	12	1	2	4	5	8	10	18
35-49	4629	5.2	16	1	2	4	7	9	12	21
50-64	4271	5.6	18	1	2	4	7	10	13	23
65+	4883	6.4	29	2	2	5	8	11	15	29
GRAND TOTAL	**17732**	**5.4**	**19**	**1**	**2**	**4**	**7**	**10**	**13**	**23**

193: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	96	3.5	4	1	2	3	4	7	7	11
20-34	646	3.6	4	1	2	3	5	6	7	10
35-49	798	4.0	4	1	2	4	5	7	8	11
50-64	791	4.2	4	2	2	4	5	7	8	10
65+	681	4.9	12	2	2	4	6	8	9	14
B. *Operated*										
0-19 YRS	34	6.0	9	1	2	6	7	9	11	16
20-34	264	7.4	8	3	4	7	9	11	13	17
35-49	344	8.1	17	3	4	7	10	12	15	24
50-64	342	8.5	23	3	4	8	10	13	16	26
65+	283	9.2	26	3	4	8	11	15	17	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	109	3.9	6	1	2	3	5	7	8	16
20-34	849	4.3	7	1	2	4	5	7	9	14
35-49	1567	4.8	10	2	2	4	6	8	10	17
50-64	2657	5.5	13	2	2	5	7	9	11	18
65+	6365	7.0	27	2	3	6	8	12	15	27
B. *Operated*										
0-19 YRS	31	13.7	322	5	5	8	11	24	51	97
20-34	319	9.5	52	3	4	8	11	16	23	46
35-49	686	10.3	56	3	4	8	12	18	26	43
50-64	1405	12.1	119	3	4	9	14	22	30	71
65+	3358	14.1	123	4	5	11	17	26	35	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3012	4.2	6	1	2	4	5	7	8	11
B. *Operated*	1267	8.3	19	3	4	8	10	13	16	24
2. MULTIPLE DX										
A. *Not Operated*	11547	6.1	21	2	2	5	7	11	14	22
B. *Operated*	5799	12.9	113	4	5	10	15	24	32	67
1. SINGLE DX	4279	5.4	13	2	2	5	7	9	11	17
2. MULTIPLE DX	17346	8.4	62	2	3	6	10	16	22	42
A. NOT OPERATED	14559	5.7	18	2	2	5	7	10	13	21
B. OPERATED	7066	12.1	100	3	4	9	14	22	30	61
TOTAL 0-19 YRS	270	5.2	51	1	2	4	6	8	11	24
20-34	2078	5.3	17	1	2	4	7	9	12	20
35-49	3395	6.1	24	2	2	5	7	11	14	28
50-64	5195	7.3	50	2	3	6	9	13	18	37
65+	10687	9.2	68	2	3	7	11	17	23	45
GRAND TOTAL	**21625**	**7.8**	**54**	**2**	**3**	**6**	**9**	**15**	**20**	**39**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	4.6	7	1	1	4	6	8	8	8
20-34	32	4.2	6	2	2	4	5	8	9	13
35-49	43	5.3	23	1	3	4	6	7	10	33
50-64	65	5.0	5	2	3	5	6	8	9	13
65+	58	5.3	6	2	2	5	7	8	10	14
B. *Operated*										
0-19 YRS	4	6.8	3	5	5	6	8	9	9	9
20-34	43	9.2	22	2	4	8	12	17	19	19
35-49	104	10.3	22	2	4	10	13	17	20	58
50-64	99	10.8	23	4	6	10	14	17	20	24
65+	89	11.3	32	3	6	10	14	17	19	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	4.6	12	2	2	4	6	10	12	12
20-34	61	5.3	13	1	2	4	7	9	12	20
35-49	167	5.5	10	2	2	5	7	9	10	17
50-64	226	6.8	18	2	3	6	8	12	14	22
65+	568	7.7	33	2	3	6	9	13	17	24
B. *Operated*										
0-19 YRS	8	15.5	123	6	7	10	22	34	37	37
20-34	74	13.5	178	3	4	10	15	21	25	85
35-49	294	13.2	72	5	6	11	16	22	27	48
50-64	477	14.9	135	4	6	12	18	30	38	62
65+	909	16.8	188	4	5	13	21	32	47	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	203	5.0	9	2	2	4	6	8	9	14
B. *Operated*	339	10.5	25	3	5	10	13	17	19	26
2. MULTIPLE DX										
A. *Not Operated*	1031	7.0	26	2	3	6	8	12	16	23
B. *Operated*	1762	15.6	156	4	5	12	19	29	41	84
1. SINGLE DX	542	8.5	26	2	3	8	11	15	18	23
2. MULTIPLE DX	2793	12.4	125	3	4	9	15	24	33	73
A. NOT OPERATED	1234	6.6	23	2	3	6	8	12	15	23
B. OPERATED	2101	14.8	138	4	5	12	18	27	38	81
TOTAL 0-19 YRS	26	8.3	64	1	2	6	9	17	29	37
20-34	210	8.8	86	2	2	7	11	17	20	55
35-49	608	10.0	55	2	3	8	13	18	23	45
50-64	867	11.6	97	3	4	9	14	21	31	51
65+	1624	12.9	140	3	4	10	16	26	34	83
GRAND TOTAL	**3335**	**11.8**	**111**	**3**	**4**	**9**	**14**	**22**	**31**	**65**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1509	2.4	2	1	1	2	3	4	5	8
20-34	2369	2.8	3	1	1	2	4	5	6	9
35-49	1735	3.1	4	1	1	3	4	5	7	9
50-64	994	3.1	4	1	1	3	4	6	7	11
65+	536	3.4	7	1	1	3	4	6	8	14
B. *Operated*										
0-19 YRS	52	4.1	6	<1	2	4	5	7	9	14
20-34	154	4.6	9	<1	1	4	6	8	10	16
35-49	235	5.6	19	<1	<1	5	7	11	15	21
50-64	190	4.8	14	<1	<1	4	7	9	12	17
65+	130	5.3	65	<1	<1	4	7	10	12	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3654	2.8	4	1	1	2	3	5	6	10
20-34	6505	3.8	8	1	1	3	5	7	9	14
35-49	7236	4.5	11	1	2	4	5	8	10	16
50-64	7172	4.7	11	1	2	4	6	8	10	17
65+	10014	5.6	18	2	2	5	7	10	13	21
B. *Operated*										
0-19 YRS	154	5.0	61	1	2	4	6	8	11	21
20-34	985	6.7	33	2	2	5	8	12	16	31
35-49	1589	7.1	29	2	2	6	9	13	17	28
50-64	1950	7.4	44	2	2	6	9	13	18	36
65+	3000	9.0	59	2	3	7	11	17	23	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7143	2.9	4	1	1	2	4	5	6	9
B. *Operated*	761	5.0	23	<1	<1	4	7	9	12	20
2. MULTIPLE DX										
A. *Not Operated*	34581	4.5	12	1	2	4	6	8	10	17
B. *Operated*	7678	7.8	47	2	2	6	9	15	19	37
1. SINGLE DX	7904	3.1	6	1	1	3	4	6	7	11
2. MULTIPLE DX	42259	5.1	20	1	2	4	6	9	12	23
A. NOT OPERATED	41724	4.3	11	1	1	3	5	8	10	16
B. OPERATED	8439	7.6	45	2	2	6	9	14	19	36
TOTAL 0-19 YRS	5369	2.8	5	1	1	2	3	5	6	10
20-34	10013	3.9	11	1	1	3	5	7	9	15
35-49	10795	4.7	14	1	2	4	6	8	11	19
50-64	10306	5.1	18	1	2	4	6	9	12	21
65+	13680	6.2	30	2	2	5	8	11	15	28
GRAND TOTAL	**50163**	**4.8**	**19**	**1**	**2**	**4**	**6**	**9**	**12**	**21**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	292	2.4	2	1	1	2	3	4	5	7
20-34	312	3.3	10	<1	1	3	4	5	7	14
35-49	305	3.4	8	<1	1	3	4	6	8	17
50-64	213	3.8	7	1	1	3	5	7	8	15
65+	113	3.9	10	<1	1	3	5	7	10	18
B. *Operated*										
0-19 YRS	250	3.5	4	1	2	3	4	6	8	12
20-34	60	7.7	48	<1	1	6	9	15	21	39
35-49	75	9.5	41	1	1	8	12	19	23	29
50-64	81	10.0	57	1	2	9	13	17	22	46
65+	55	9.6	63	<1	<1	8	12	21	27	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	627	4.3	40	1	1	3	4	7	10	40
20-34	1005	4.8	34	1	1	3	5	8	12	40
35-49	1168	4.6	17	1	2	4	6	8	10	18
50-64	1280	5.0	17	1	2	4	6	9	12	21
65+	1959	6.3	34	1	2	5	8	12	16	31
B. *Operated*										
0-19 YRS	131	7.2	86	1	2	4	8	16	21	50
20-34	240	9.8	62	2	2	8	13	19	24	44
35-49	520	12.0	120	2	3	9	15	24	32	52
50-64	740	12.8	92	2	3	10	17	26	33	50
65+	1181	15.2	157	3	4	12	20	30	41	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1235	3.3	7	1	1	3	4	6	7	14
B. *Operated*	521	6.5	37	1	2	4	9	13	18	30
2. MULTIPLE DX										
A. *Not Operated*	6039	5.2	28	1	2	4	6	10	13	29
B. *Operated*	2812	13.1	126	2	3	10	17	26	36	63
1. SINGLE DX	1756	4.2	18	1	1	3	5	8	12	22
2. MULTIPLE DX	8851	7.7	73	1	2	5	9	17	24	45
A. NOT OPERATED	7274	4.9	25	1	1	4	6	9	12	27
B. OPERATED	3333	12.1	118	2	3	9	16	25	33	58
TOTAL 0-19 YRS	1300	4.0	31	1	1	3	4	7	9	36
20-34	1617	5.3	38	1	1	3	6	11	15	40
35-49	2068	6.4	53	1	2	4	8	13	19	40
50-64	2314	7.5	55	1	2	5	9	16	22	39
65+	3308	9.4	96	2	2	6	12	21	27	55
GRAND TOTAL	**10607**	**7.1**	**65**	**1**	**2**	**4**	**8**	**16**	**22**	**43**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	154	2.3	2	<1	1	2	3	4	5	8
20-34	132	2.4	2	<1	1	2	3	4	5	8
35-49	42	2.7	3	1	1	2	3	5	6	7
50-64	19	4.2	9	<1	1	3	5	10	11	11
65+	8	4.8	8	1	1	4	7	9	9	9
B. *Operated*										
0-19 YRS	16544	3.2	2	2	2	3	4	5	6	8
20-34	12441	3.3	2	2	2	3	4	5	6	8
35-49	3862	3.7	3	2	2	3	4	6	7	10
50-64	1402	4.3	4	2	2	4	5	7	8	11
65+	390	5.0	5	2	3	5	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	103	2.3	4	<1	1	2	3	4	7	10
20-34	91	3.0	7	<1	1	2	4	6	8	15
35-49	28	3.6	6	1	1	3	5	7	9	9
50-64	27	4.6	5	1	1	5	6	7	8	10
65+	27	6.0	20	2	2	5	7	12	18	19
B. *Operated*										
0-19 YRS	3072	4.3	7	2	2	4	5	7	9	14
20-34	2921	4.6	8	2	2	4	5	8	9	14
35-49	1352	5.4	11	2	3	4	6	9	12	17
50-64	851	6.4	16	2	3	5	8	11	14	21
65+	583	7.8	36	3	3	6	9	13	17	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	355	2.5	3	<1	1	2	3	5	6	9
B. *Operated*	34639	3.4	2	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	276	3.3	8	1	1	2	4	7	8	17
B. *Operated*	8779	5.0	12	2	2	4	6	9	11	18
1. SINGLE DX	34994	3.4	2	2	2	3	4	5	6	9
2. MULTIPLE DX	9055	5.0	12	2	2	4	6	9	11	18
A. NOT OPERATED	631	2.8	5	<1	1	2	4	6	7	11
B. OPERATED	43418	3.7	5	2	2	3	4	6	7	12
TOTAL 0-19 YRS	19873	3.4	3	2	2	3	4	5	6	9
20-34	15585	3.6	4	2	2	3	4	5	7	10
35-49	5284	4.2	5	2	2	4	5	7	8	13
50-64	2299	5.1	10	2	2	4	6	9	11	17
65+	1008	6.6	25	3	3	5	8	11	15	24
GRAND TOTAL	**44049**	**3.7**	**5**	**2**	**2**	**3**	**4**	**6**	**7**	**12**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	6.9	16	2	3	6	9	12	14	20
20-34	41	6.1	14	1	2	6	7	11	14	18
35-49	28	5.9	5	3	3	5	8	9	10	11
50-64	33	8.2	15	2	4	7	11	14	15	16
65+	8	6.4	12	<1	1	7	8	11	12	12
B. *Operated*										
0-19 YRS	3536	6.5	10	3	3	6	8	10	12	17
20-34	2011	6.1	8	2	3	6	8	10	11	15
35-49	1337	6.9	10	3	3	6	8	10	13	18
50-64	851	7.7	11	3	4	7	9	12	14	20
65+	410	8.0	12	4	5	8	10	12	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	7.2	27	1	1	7	9	12	18	25
20-34	26	7.6	12	3	4	7	10	13	14	15
35-49	27	8.0	15	1	3	8	11	13	15	16
50-64	35	8.6	11	3	4	9	11	14	15	16
65+	46	9.9	33	2	3	9	14	18	20	25
B. *Operated*										
0-19 YRS	2383	8.8	26	4	4	8	10	14	18	27
20-34	1563	8.9	27	3	4	8	11	14	18	30
35-49	1365	9.8	36	4	5	9	11	16	20	33
50-64	1578	11.2	47	4	5	10	13	18	24	34
65+	1603	12.8	66	5	6	11	15	22	28	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	171	6.8	13	2	2	6	8	12	14	18
B. *Operated*	8145	6.6	10	3	3	6	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	157	8.5	21	2	3	8	11	14	17	25
B. *Operated*	8492	10.2	42	4	5	9	12	17	22	35
1. SINGLE DX	8316	6.7	10	3	3	6	8	10	12	17
2. MULTIPLE DX	8649	10.2	41	4	5	9	12	17	22	35
A. NOT OPERATED	328	7.6	18	2	3	7	10	14	15	21
B. OPERATED	16637	8.5	29	3	4	7	10	14	18	29
TOTAL 0-19 YRS	6003	7.4	18	3	3	7	9	12	15	23
20-34	3641	7.3	18	3	3	7	9	12	14	25
35-49	2757	8.3	25	3	4	7	10	13	16	28
50-64	2497	9.9	36	4	5	8	12	16	20	31
65+	2067	11.8	58	5	6	10	14	20	25	47
GRAND TOTAL	**16965**	**8.4**	**29**	**3**	**4**	**7**	**10**	**14**	**17**	**29**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	211	1.9	2	<1	1	1	2	4	4	6
20-34	172	2.1	2	<1	1	2	3	4	5	8
35-49	66	2.9	5	1	1	2	4	7	8	10
50-64	19	3.0	4	<1	<1	3	4	5	7	9
65+	6	3.0	4	1	1	2	3	7	7	7
B. *Operated*										
0-19 YRS	1138	3.4	3	2	2	3	4	5	6	10
20-34	824	3.8	4	2	2	3	4	6	7	11
35-49	237	4.2	4	2	2	4	5	7	8	11
50-64	88	5.4	10	2	2	5	7	8	10	21
65+	34	5.5	6	3	3	5	7	9	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	139	2.4	3	1	1	2	3	4	5	9
20-34	123	2.6	3	1	1	2	3	5	6	8
35-49	55	2.9	4	1	1	2	4	4	6	12
50-64	44	5.3	29	1	1	5	6	10	16	31
65+	38	4.1	6	1	2	4	5	7	11	12
B. *Operated*										
0-19 YRS	677	4.4	6	2	2	4	5	7	9	16
20-34	681	5.1	8	2	2	4	6	9	11	16
35-49	251	6.3	28	2	3	5	8	10	12	28
50-64	124	7.8	27	3	3	6	10	14	19	27
65+	78	9.2	30	4	4	7	12	17	19	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	474	2.2	2	<1	1	2	3	4	6	8
B. *Operated*	2321	3.7	4	2	2	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	399	3.0	7	1	1	2	4	6	7	12
B. *Operated*	1811	5.4	14	2	2	4	6	9	12	18
1. SINGLE DX	2795	3.5	4	1	1	3	4	6	7	10
2. MULTIPLE DX	2210	4.9	13	1	2	4	6	9	11	18
A. NOT OPERATED	873	2.6	5	1	1	2	3	5	6	10
B. OPERATED	4132	4.4	9	2	2	4	5	8	10	16
TOTAL 0-19 YRS	2165	3.5	4	1	2	3	4	6	7	11
20-34	1800	4.0	6	1	2	4	5	7	9	13
35-49	609	4.8	16	1	2	4	6	8	10	16
50-64	275	6.3	23	1	2	5	8	11	15	27
65+	156	6.9	23	2	3	6	8	14	17	25
GRAND TOTAL	**5005**	**4.1**	**9**	**1**	**2**	**3**	**5**	**7**	**9**	**15**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	74	1.3	1	<1	<1	1	1	2	2	7
20-34	54	1.7	1	<1	<1	1	2	3	4	4
35-49	48	2.3	2	1	1	2	3	5	5	6
50-64	56	1.9	1	<1	<1	2	2	3	4	6
65+	41	2.2	3	<1	<1	1	3	5	6	7
B. *Operated*										
0-19 YRS	7693	1.5	1	<1	<1	1	2	3	3	5
20-34	9919	2.3	2	1	1	2	3	4	5	6
35-49	9557	2.6	2	1	1	2	3	4	5	7
50-64	12792	2.8	3	1	1	3	4	5	5	7
65+	8430	3.1	3	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	375	1.6	4	<1	<1	1	1	3	4	15
20-34	106	1.8	3	<1	<1	1	2	4	5	11
35-49	111	2.5	6	<1	<1	1	3	6	8	11
50-64	240	2.3	7	<1	<1	1	3	5	6	11
65+	406	3.5	15	<1	<1	2	4	8	11	19
B. *Operated*										
0-19 YRS	4798	1.8	5	<1	<1	1	2	3	4	8
20-34	3716	2.9	5	1	1	3	4	5	6	10
35-49	5832	3.2	5	1	1	3	4	5	7	11
50-64	11961	3.6	7	1	1	3	4	6	8	12
65+	16070	4.4	13	1	1	4	5	8	10	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	273	1.8	2	<1	<1	1	2	4	4	6
B. *Operated*	48391	2.5	3	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	1238	2.4	9	<1	<1	1	3	5	8	15
B. *Operated*	42377	3.6	9	1	1	3	4	6	8	14
1. SINGLE DX	48664	2.5	3	<1	1	2	3	4	5	7
2. MULTIPLE DX	43615	3.6	9	1	1	3	4	6	8	14
A. NOT OPERATED	1511	2.3	8	<1	<1	1	3	5	7	14
B. OPERATED	90768	3.0	6	<1	1	3	4	5	7	11
TOTAL 0-19 YRS	12940	1.7	2	<1	<1	1	2	3	4	6
20-34	13795	2.5	3	1	1	2	3	4	5	8
35-49	15548	2.8	4	1	1	3	4	5	6	9
50-64	25049	3.2	5	1	1	3	4	5	6	10
65+	24947	3.9	10	1	1	3	5	7	9	16
GRAND TOTAL	**92279**	**3.0**	**6**	**<1**	**1**	**3**	**4**	**5**	**7**	**12**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	1.2		<1	<1	1	1	2	3	4
20-34	14	2.1	2	<1	1	2	3	5	5	5
35-49	9	2.0	4	<1	<1	1	2	5	7	7
50-64	12	2.5	5	<1	<1	1	3	7	7	7
65+	37	2.6	4	<1	1	1	4	6	7	7
B. *Operated*										
0-19 YRS	1094	1.7	1	<1	1	1	2	3	4	5
20-34	544	2.7	2	1	1	2	3	5	5	7
35-49	413	3.1	3	1	1	3	4	5	6	8
50-64	594	3.5	4	1	1	3	4	6	7	10
65+	951	4.5	12	1	2	4	6	7	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	2.4	12	<1	1	1	2	4	9	22
20-34	9	3.2	14	<1	<1	1	5	9	12	12
35-49	4	1.3		1	1	1	2	2	2	2
50-64	38	3.3	7	<1	1	3	4	6	10	12
65+	189	5.0	51	<1	1	3	6	9	12	46
B. *Operated*										
0-19 YRS	881	2.6	9	1	1	2	3	5	6	14
20-34	244	3.8	9	1	2	3	5	6	9	15
35-49	306	4.3	10	1	2	4	5	8	10	16
50-64	858	5.8	22	2	2	4	7	11	14	23
65+	3364	7.4	45	2	2	6	9	14	19	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	109	2.0	3	<1	<1	1	2	5	6	7
B. *Operated*	3596	3.0	6	1	1	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	287	4.2	38	<1	1	3	5	9	12	21
B. *Operated*	5653	6.1	36	1	2	5	7	12	17	29
1. SINGLE DX	3705	3.0	6	1	1	3	4	6	7	11
2. MULTIPLE DX	5940	6.0	36	1	1	4	7	12	17	29
A. NOT OPERATED	396	3.6	29	<1	1	2	4	7	10	18
B. OPERATED	9249	4.9	26	1	1	4	6	10	14	25
TOTAL 0-19 YRS	2059	2.1	5	<1	1	2	2	4	5	10
20-34	811	3.0	5	1	1	3	4	5	6	11
35-49	732	3.6	6	1	1	3	5	6	8	13
50-64	1502	4.8	16	1	2	4	6	9	12	20
65+	4541	6.7	40	1	2	5	8	13	18	32
GRAND TOTAL	**9645**	**4.9**	**27**	**1**	**1**	**4**	**6**	**10**	**13**	**24**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.8	1	<1	<1	1	3	3	3	3
20-34	5	1.0		1	1	1	1	1	1	1
35-49	6	2.2	3	<1	<1	2	3	5	5	5
50-64	3	2.0	1	<1	<1	2	3	3	3	3
65+	4	2.5	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	1134	1.6	1	<1	<1	1	2	3	3	5
20-34	514	2.4	2	<1	1	2	3	4	5	7
35-49	734	2.4	2	<1	1	2	3	4	5	7
50-64	572	2.7	3	<1	1	2	3	5	6	8
65+	202	3.0	4	1	1	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	1.6	2	<1	<1	1	2	3	4	8
20-34	21	1.9	2	<1	<1	1	2	5	6	6
35-49	30	2.7	5	<1	<1	2	3	6	8	9
50-64	27	1.8	2	<1	<1	1	2	4	5	7
65+	38	5.1	23	<1	1	4	5	12	15	24
B. *Operated*										
0-19 YRS	295	2.8	40	<1	<1	2	3	5	6	18
20-34	275	3.8	8	1	1	3	5	7	9	13
35-49	692	3.7	7	1	1	3	5	7	8	13
50-64	756	4.1	11	1	1	3	5	8	11	17
65+	499	4.7	12	1	1	4	6	9	11	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	1.8	1	<1	<1	1	3	3	4	5
B. *Operated*	3156	2.2	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	176	2.6	9	<1	<1	1	3	5	8	15
B. *Operated*	2517	3.9	13	1	1	3	5	7	9	16
1. SINGLE DX	3186	2.2	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX	2693	3.8	13	1	1	3	5	7	9	16
A. NOT OPERATED	206	2.5	8	<1	<1	1	3	5	7	15
B. OPERATED	5673	3.0	8	<1	1	2	4	6	7	12
TOTAL 0-19 YRS	1501	1.9	9	<1	<1	1	2	3	4	7
20-34	815	2.8	4	<1	1	2	4	5	7	10
35-49	1462	3.0	5	<1	1	3	4	5	7	11
50-64	1358	3.5	8	1	1	3	4	6	9	14
65+	743	4.2	11	1	1	3	5	8	10	17
GRAND TOTAL	**5879**	**3.0**	**8**	**<1**	**1**	**2**	**4**	**6**	**7**	**12**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.0	1	<1	<1	2	3	3	3	3
20-34	11	2.8	4	<1	<1	3	4	6	7	7
35-49	22	2.1	2	<1	<1	2	2	4	5	5
50-64	19	2.6	3	<1	<1	2	4	5	7	8
65+	22	3.7	10	<1	1	3	6	8	11	11
B. *Operated*										
0-19 YRS	251	2.0	2	<1	<1	1	2	4	5	8
20-34	1064	3.2	5	1	1	3	4	6	7	11
35-49	1849	3.9	5	1	1	4	5	7	8	10
50-64	1953	4.3	5	1	2	4	5	7	8	11
65+	1250	4.7	7	1	2	4	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.9	8	<1	<1	1	5	7	8	8
20-34	50	2.1	2	<1	<1	1	3	5	5	6
35-49	119	3.1	29	<1	<1	2	3	5	11	26
50-64	157	3.9	17	<1	1	3	5	8	11	22
65+	237	4.6	28	<1	1	4	6	9	11	28
B. *Operated*										
0-19 YRS	132	3.9	39	<1	<1	3	4	7	9	29
20-34	768	4.7	17	1	2	4	6	8	10	17
35-49	2138	5.6	21	1	2	5	7	9	12	20
50-64	3167	6.1	16	2	2	5	8	10	13	22
65+	3438	6.9	27	2	3	6	8	12	15	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	2.8	5	<1	<1	2	4	6	7	11
B. *Operated*	6367	4.0	6	1	1	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	571	3.9	23	<1	1	3	5	8	11	21
B. *Operated*	9643	6.2	22	2	2	5	8	10	13	22
1. SINGLE DX	6448	4.0	6	1	1	4	5	7	8	11
2. MULTIPLE DX	10214	6.0	22	1	2	5	7	10	13	22
A. NOT OPERATED	652	3.7	21	<1	1	3	5	7	10	19
B. OPERATED	16010	5.3	17	1	2	5	7	9	11	19
TOTAL 0-19 YRS	398	2.7	15	<1	<1	2	3	5	7	14
20-34	1893	3.8	11	1	1	3	5	7	8	13
35-49	4128	4.8	15	1	1	4	6	8	10	16
50-64	5296	5.3	13	1	2	5	7	9	11	19
65+	4947	6.3	23	1	2	5	8	11	14	22
GRAND TOTAL	**16662**	**5.2**	**17**	**1**	**2**	**4**	**7**	**9**	**11**	**19**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.8	2	1	1	3	4	5	5	5
20-34	69	2.8	2	1	1	2	4	5	5	7
35-49	179	3.0	3	<1	1	3	4	5	6	9
50-64	213	3.2	4	1	1	3	4	5	6	11
65+	148	3.7	7	1	1	3	5	7	9	13
B. *Operated*										
0-19 YRS	17	5.9	5	2	3	6	7	9	10	10
20-34	19	6.9	6	2	3	7	8	10	12	12
35-49	59	6.3	11	1	2	7	8	9	11	20
50-64	95	6.3	9	2	2	6	8	10	11	15
65+	52	7.4	11	1	3	7	10	11	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	3.7	6	<1	1	3	5	6	8	12
20-34	389	3.6	4	1	1	3	4	6	8	11
35-49	1351	3.9	6	1	2	3	5	7	8	13
50-64	2292	4.2	7	1	2	4	5	7	9	14
65+	3251	5.0	15	1	2	4	6	9	11	18
B. *Operated*										
0-19 YRS	48	8.8	45	1	2	8	11	16	22	33
20-34	268	7.3	18	2	3	7	9	11	13	28
35-49	691	7.5	23	2	3	7	9	12	15	25
50-64	1089	7.8	25	2	2	7	9	13	17	28
65+	1084	9.8	61	2	3	8	11	17	21	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	617	3.2	4	1	1	3	4	5	7	11
B. *Operated*	242	6.6	9	2	2	7	8	10	11	15
2. MULTIPLE DX										
A. *Not Operated*	7328	4.5	11	1	2	4	5	8	10	16
B. *Operated*	3180	8.4	38	2	3	7	10	14	19	32
1. SINGLE DX	859	4.2	8	1	1	3	6	8	10	12
2. MULTIPLE DX	10508	5.7	22	1	2	5	7	10	13	23
A. NOT OPERATED	7945	4.4	10	1	2	4	5	8	9	15
B. OPERATED	3422	8.3	36	2	3	7	10	14	18	31
TOTAL 0-19 YRS	118	6.0	27	1	1	5	8	12	14	31
20-34	745	4.9	12	1	2	4	7	9	10	19
35-49	2280	5.0	14	1	2	4	6	9	11	18
50-64	3689	5.3	15	1	2	4	7	10	12	20
65+	4535	6.1	31	2	2	5	8	11	15	28
GRAND TOTAL	**11367**	**5.5**	**21**	**1**	**2**	**4**	**7**	**10**	**13**	**22**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	6.5	12	3	3	6	9	11	11	11
35-49	6	2.3	2	<1	<1	2	3	5	5	5
50-64	11	5.2	12	1	1	4	8	10	10	10
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	40	1.6	1	<1	<1	1	2	3	3	4
20-34	199	2.8	4	1	1	2	4	5	6	11
35-49	286	3.0	4	1	1	3	4	5	6	11
50-64	317	3.1	4	1	1	3	4	6	7	9
65+	231	3.5	4	1	1	3	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	3.0	4	1	1	3	3	6	7	7
20-34	26	3.8	13	<1	<1	3	6	8	13	15
35-49	19	4.4	11	<1	<1	4	6	7	12	15
50-64	23	4.1	7	1	1	4	5	7	9	13
65+	41	5.0	12	<1	1	5	6	9	12	17
B. *Operated*										
0-19 YRS	37	3.5	8	<1	1	3	5	8	12	99+
20-34	112	4.4	12	1	1	3	5	10	11	17
35-49	193	4.8	43	1	1	3	5	8	11	33
50-64	321	5.0	23	1	2	4	6	9	13	26
65+	485	5.4	22	1	1	4	6	10	14	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	4.3	10	<1	1	3	7	10	11	11
B. *Operated*	1073	3.1	4	1	1	3	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	116	4.3	11	<1	1	4	6	8	11	16
B. *Operated*	1148	5.0	24	1	1	4	6	10	13	25
1. SINGLE DX	1096	3.1	4	1	1	3	4	5	7	11
2. MULTIPLE DX	1264	5.0	23	1	1	4	6	9	13	24
A. NOT OPERATED	139	4.3	10	<1	1	4	6	8	11	15
B. OPERATED	2221	4.1	15	1	1	3	5	7	10	17
TOTAL 0-19 YRS	85	2.5	5	<1	<1	2	3	6	7	68
20-34	341	3.4	8	1	1	3	4	6	10	15
35-49	504	3.7	20	1	1	3	4	6	9	15
50-64	672	4.1	14	1	1	3	5	7	10	16
65+	758	4.8	17	1	1	4	6	9	12	21
GRAND TOTAL	**2360**	**4.1**	**15**	**1**	**1**	**3**	**5**	**8**	**10**	**17**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.2		1	1	1	1	2	2	2
20-34	11	1.7	1	<1	<1	1	3	4	4	4
35-49	23	2.4	3	<1	<1	2	4	4	6	7
50-64	36	3.0	4	1	1	2	4	5	7	10
65+	68	3.6	6	1	1	3	5	6	7	14
B. *Operated*										
0-19 YRS	148	2.7	8	<1	1	2	3	5	9	15
20-34	459	3.3	6	1	1	3	4	6	8	12
35-49	843	3.6	6	1	1	3	5	6	8	12
50-64	831	4.3	8	1	1	4	6	8	10	13
65+	947	5.6	15	1	2	5	7	10	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.6	6	<1	<1	2	3	7	8	8
20-34	15	1.7	1	<1	<1	1	3	4	4	4
35-49	63	3.9	6	<1	1	4	5	7	9	11
50-64	124	4.9	32	1	1	4	5	9	12	29
65+	503	5.7	17	2	2	5	7	10	13	25
B. *Operated*										
0-19 YRS	71	5.6	65	1	1	3	6	12	15	53
20-34	315	5.9	34	1	2	4	7	10	13	31
35-49	933	6.7	42	1	2	5	8	13	17	38
50-64	1765	8.3	53	2	3	7	10	15	21	39
65+	3853	10.3	72	2	3	8	13	19	25	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	148	2.9	5	<1	1	2	4	5	6	12
B. *Operated*	3228	4.3	10	1	1	4	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	713	5.3	19	1	2	4	7	10	12	23
B. *Operated*	6937	9.0	64	2	3	7	11	17	23	45
1. SINGLE DX	3376	4.2	10	1	1	3	6	8	10	15
2. MULTIPLE DX	7650	8.7	61	2	2	7	11	17	22	43
A. NOT OPERATED	861	4.9	17	1	1	4	6	9	12	19
B. OPERATED	10165	7.5	51	1	2	6	9	15	20	38
TOTAL 0-19 YRS	237	3.5	26	<1	1	2	4	8	11	20
20-34	800	4.3	19	1	1	3	5	8	10	18
35-49	1862	5.2	26	1	1	4	6	9	13	24
50-64	2756	6.8	41	1	2	5	8	13	17	34
65+	5371	8.9	60	2	3	7	11	17	22	43
GRAND TOTAL	**11026**	**7.3**	**49**	**1**	**2**	**6**	**9**	**14**	**19**	**37**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	613	2.5	4	1	1	2	3	5	7	10
20-34	839	3.7	6	1	1	3	5	7	8	12
35-49	1369	4.2	7	1	1	4	5	8	10	13
50-64	1549	4.2	7	1	1	4	5	7	10	13
65+	1860	4.7	10	1	2	4	6	8	10	16
B. *Operated*										
0-19 YRS	519	6.0	22	2	3	5	8	10	12	19
20-34	561	8.4	16	4	4	8	10	14	16	23
35-49	720	9.8	32	4	5	8	12	17	21	28
50-64	730	10.0	27	5	6	9	11	15	18	29
65+	764	11.1	35	5	6	10	13	17	21	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	606	4.3	30	1	1	3	5	8	11	21
20-34	1171	4.8	14	1	2	4	6	9	11	19
35-49	2248	5.3	17	1	2	4	7	10	12	22
50-64	4299	6.0	20	2	2	5	7	11	14	23
65+	12612	6.9	31	2	2	6	9	13	16	27
B. *Operated*										
0-19 YRS	696	9.7	77	3	4	7	11	17	23	58
20-34	1071	11.9	87	4	5	9	13	21	29	50
35-49	1823	13.5	105	5	6	10	16	25	33	59
50-64	3146	15.1	124	5	6	12	18	27	37	68
65+	7658	16.5	121	6	7	14	20	29	38	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6230	4.1	8	1	1	3	5	8	9	14
B. *Operated*	3294	9.3	30	3	4	8	11	15	19	27
2. MULTIPLE DX										
A. *Not Operated*	20936	6.4	27	2	2	5	8	12	15	26
B. *Operated*	14394	15.1	118	5	6	12	18	27	36	65
1. SINGLE DX	9524	5.9	22	1	2	5	8	11	14	22
2. MULTIPLE DX	35330	9.9	83	2	3	8	12	20	26	49
A. NOT OPERATED	27166	5.9	23	1	2	5	7	11	14	23
B. OPERATED	17688	14.1	107	4	6	11	17	25	33	61
TOTAL 0-19 YRS	2434	5.8	43	1	1	4	7	11	15	33
20-34	3642	7.2	45	1	2	6	9	14	18	33
35-49	6160	8.0	58	1	2	6	10	15	21	41
50-64	9724	8.9	72	2	2	7	11	17	24	46
65+	22894	10.1	81	2	3	8	13	20	26	49
GRAND TOTAL	**44854**	**9.1**	**72**	**2**	**2**	**7**	**11**	**18**	**24**	**45**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12069	2.5	3	1	1	2	3	4	5	7
20-34	5662	2.4	2	1	1	2	3	4	5	8
35-49	2622	2.8	3	1	1	2	3	5	6	9
50-64	1523	2.9	4	1	1	2	4	5	7	10
65+	1113	3.3	6	1	1	3	4	6	8	12
B. *Operated*										
0-19 YRS	329	4.0	11	1	2	3	5	7	9	16
20-34	426	4.3	7	1	2	4	5	8	9	14
35-49	241	5.0	11	1	2	4	7	10	11	16
50-64	151	5.1	12	<1	1	5	6	9	11	21
65+	85	6.3	28	<1	1	6	8	11	14	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26224	3.1	5	1	1	3	4	5	7	11
20-34	9351	3.1	6	1	1	3	4	6	7	11
35-49	6545	3.9	9	1	1	3	5	7	9	14
50-64	7582	4.4	13	1	2	4	5	8	10	17
65+	14770	5.4	20	1	2	4	7	10	13	22
B. *Operated*										
0-19 YRS	544	9.0	150	2	2	5	9	20	36	82
20-34	846	6.4	37	2	2	5	7	11	15	32
35-49	946	7.8	39	2	3	6	10	15	19	30
50-64	1121	8.6	53	2	3	7	10	16	22	40
65+	1913	11.0	90	2	3	8	14	22	29	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22989	2.6	3	1	1	2	3	4	6	8
B. *Operated*	1232	4.6	11	1	2	4	6	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	64472	3.9	11	1	1	3	5	7	9	16
B. *Operated*	5370	9.0	74	2	3	7	11	18	25	48
1. SINGLE DX	24221	2.7	4	1	1	2	3	5	6	9
2. MULTIPLE DX	69842	4.3	18	1	1	3	5	8	10	21
A. NOT OPERATED	87461	3.5	9	1	1	3	4	6	8	14
B. OPERATED	6602	8.2	65	2	2	6	10	16	22	45
TOTAL 0-19 YRS	39166	3.0	7	1	1	3	4	5	6	11
20-34	16285	3.1	7	1	1	2	4	6	7	12
35-49	10354	4.0	12	1	1	3	5	7	10	17
50-64	10377	4.7	18	1	1	4	6	9	11	22
65+	17881	5.8	30	1	2	4	7	11	15	29
GRAND TOTAL	**94063**	**3.9**	**14**	**1**	**1**	**3**	**5**	**7**	**9**	**18**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	4.9	7	1	1	4	7	9	9	9
20-34	229	4.6	7	1	2	4	6	8	9	12
35-49	1411	4.7	6	2	2	4	6	8	9	12
50-64	2385	4.8	7	1	2	4	6	8	9	13
65+	2342	4.9	9	1	2	4	6	8	10	14
B. *Operated*										
0-19 YRS	5	9.2	10	6	6	9	11	14	14	14
20-34	112	7.6	9	4	4	7	9	11	13	19
35-49	409	8.8	16	4	5	8	11	14	17	23
50-64	675	9.4	15	3	5	9	11	14	17	21
65+	513	10.7	29	3	5	10	12	17	21	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	4.9	5	2	2	5	7	8	9	10
20-34	175	4.7	7	1	2	4	6	8	9	13
35-49	1588	5.3	10	2	2	5	7	9	11	15
50-64	5437	5.5	12	2	2	5	7	9	11	17
65+	16705	6.4	23	2	2	5	8	11	14	24
B. *Operated*										
0-19 YRS	23	8.7	26	2	3	7	10	16	19	22
20-34	241	9.8	30	4	5	9	11	17	20	30
35-49	1317	11.5	56	4	5	10	13	19	23	47
50-64	3582	12.5	70	4	5	11	15	21	27	47
65+	7094	14.1	104	4	5	12	17	25	33	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6374	4.8	8	1	2	4	6	8	9	13
B. *Operated*	1714	9.5	20	3	5	9	11	15	18	25
2. MULTIPLE DX										
A. *Not Operated*	23942	6.1	20	2	2	5	8	11	13	22
B. *Operated*	12257	13.3	88	4	5	11	16	23	30	55
1. SINGLE DX	8088	5.8	14	1	2	5	7	10	12	19
2. MULTIPLE DX	36199	8.5	54	2	3	7	10	16	21	40
A. NOT OPERATED	30316	5.8	18	2	2	5	7	10	13	21
B. OPERATED	13971	12.8	81	4	5	11	15	22	29	53
TOTAL 0-19 YRS	72	6.4	15	2	2	6	8	10	15	21
20-34	757	6.7	20	2	2	6	9	11	15	24
35-49	4725	7.2	31	2	2	6	9	13	16	27
50-64	12079	7.7	39	2	2	6	10	14	18	32
65+	26654	8.4	56	2	3	6	10	16	21	40
GRAND TOTAL	**44287**	**8.0**	**48**	**2**	**3**	**6**	**10**	**15**	**20**	**36**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	2.8	3	<1	1	3	4	5	6	9
20-34	120	3.0	7	1	1	2	4	5	7	13
35-49	119	3.0	5	1	1	3	4	5	7	13
50-64	43	3.1	5	<1	1	2	4	7	9	9
65+	24	4.7	13	1	2	3	6	10	13	15
B. *Operated*										
0-19 YRS	434	2.6	4	<1	1	2	3	5	6	10
20-34	2995	2.6	3	1	1	2	3	5	6	9
35-49	2980	2.7	4	1	1	2	3	5	6	10
50-64	1553	2.9	5	1	1	2	4	5	7	12
65+	494	3.3	6	1	1	3	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	126	3.9	19	1	1	3	5	7	9	24
20-34	207	3.6	7	<1	1	3	4	7	9	14
35-49	243	4.3	15	<1	1	4	5	8	10	15
50-64	226	4.5	17	1	1	3	6	9	11	22
65+	246	6.0	32	1	2	5	7	11	15	31
B. *Operated*										
0-19 YRS	295	4.2	20	1	1	3	5	9	11	25
20-34	2773	3.7	15	1	1	3	4	6	8	19
35-49	3945	3.8	14	1	1	3	4	7	9	19
50-64	3122	4.5	25	1	1	3	5	8	12	27
65+	1910	5.7	40	1	2	4	6	11	17	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	376	3.1	6	1	1	2	4	6	7	12
B. *Operated*	8456	2.8	4	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	1048	4.6	19	1	1	3	6	9	11	22
B. *Operated*	12045	4.3	22	1	1	3	5	8	11	24
1. SINGLE DX	8832	2.8	4	1	1	2	3	5	6	10
2. MULTIPLE DX	13093	4.3	22	1	1	3	5	8	11	24
A. NOT OPERATED	1424	4.2	16	1	1	3	5	8	10	20
B. OPERATED	20501	3.7	15	1	1	3	4	6	9	19
TOTAL 0-19 YRS	925	3.3	12	<1	1	2	4	6	8	16
20-34	6095	3.2	9	1	1	3	4	5	7	14
35-49	7287	3.4	10	1	1	3	4	6	8	14
50-64	4944	4.0	19	1	1	3	4	7	10	21
65+	2674	5.3	33	1	1	4	6	10	15	32
GRAND TOTAL	**21925**	**3.7**	**15**	**1**	**1**	**3**	**4**	**7**	**9**	**19**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1782	3.2	11	1	1	2	4	7	9	17
20-34	2613	4.3	11	1	1	3	5	8	10	17
35-49	1888	4.2	11	1	1	3	5	8	10	16
50-64	1212	4.2	12	<1	1	3	5	8	11	18
65+	1099	3.9	14	1	1	3	5	7	10	16
B. *Operated*										
0-19 YRS	747	5.9	48	<1	1	4	8	11	16	32
20-34	1714	6.9	32	1	2	6	9	13	17	30
35-49	1210	7.0	42	<1	1	6	9	14	18	32
50-64	1044	6.9	34	<1	1	6	9	14	18	29
65+	920	7.2	52	1	1	5	9	14	20	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2252	4.1	16	1	1	3	5	8	11	22
20-34	4602	5.1	19	1	2	4	6	10	13	23
35-49	4864	5.3	19	1	2	4	7	10	13	23
50-64	5502	5.4	19	1	2	4	7	10	13	21
65+	13306	6.2	35	1	2	5	8	12	16	29
B. *Operated*										
0-19 YRS	1268	9.8	114	1	2	7	11	22	32	62
20-34	4277	9.8	80	2	3	7	12	20	27	48
35-49	4702	10.3	99	2	2	7	13	21	29	56
50-64	5363	11.5	126	2	3	8	14	24	34	66
65+	9464	12.9	138	2	3	10	16	27	37	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8594	4.0	12	1	1	3	5	8	10	17
B. *Operated*	5635	6.9	40	<1	1	5	9	13	18	31
2. MULTIPLE DX										
A. *Not Operated*	30526	5.6	26	1	2	4	7	11	14	25
B. *Operated*	25074	11.4	119	2	3	8	14	24	33	61
1. SINGLE DX	14229	5.1	25	1	1	4	7	10	14	24
2. MULTIPLE DX	55600	8.2	76	1	2	6	10	17	24	48
A. NOT OPERATED	39120	5.3	24	1	1	4	7	10	13	24
B. OPERATED	30709	10.6	107	1	2	8	13	22	31	57
TOTAL 0-19 YRS	6049	5.3	45	1	1	3	6	11	16	37
20-34	13206	6.7	44	1	2	5	8	13	19	36
35-49	12664	7.2	56	1	2	5	9	14	20	40
50-64	13121	7.9	72	1	2	5	10	16	23	45
65+	24789	8.7	86	1	2	6	11	18	26	51
GRAND TOTAL	**69829**	**7.6**	**67**	**1**	**2**	**5**	**9**	**16**	**22**	**44**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	75	5.3	11	2	2	5	7	8	10	20
35-49	130	6.1	23	2	2	5	7	12	15	27
50-64	149	6.7	31	1	2	5	8	14	19	28
65+	37	7.2	66	1	1	5	8	14	16	49
B. *Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	32	6.0	87	<1	1	3	6	12	16	52
35-49	89	4.8	42	1	1	3	6	10	12	38
50-64	86	4.6	21	<1	1	3	7	11	14	21
65+	33	5.5	42	1	1	2	7	13	23	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	9.0	41	3	3	6	16	18	18	18
20-34	1027	7.4	34	2	3	6	8	14	18	31
35-49	2733	8.6	52	2	3	6	10	16	21	38
50-64	2556	9.8	65	2	3	7	12	19	26	43
65+	1392	10.3	64	3	3	8	13	20	26	43
B. *Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	193	13.2	179	2	3	9	16	29	41	65
35-49	778	12.7	133	2	3	9	17	26	36	60
50-64	992	12.5	152	1	2	9	16	27	35	68
65+	532	14.1	183	2	3	10	17	28	37	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	391	6.3	28	1	2	5	7	13	16	27
B. *Operated*	242	5.0	40	1	1	2	6	10	15	37
2. MULTIPLE DX										
A. *Not Operated*	7715	9.1	57	2	3	7	11	17	24	39
B. *Operated*	2497	12.9	155	1	2	9	16	27	36	66
1. SINGLE DX	633	5.8	33	1	1	4	7	12	15	29
2. MULTIPLE DX	10212	10.1	83	2	3	7	12	20	27	49
A. NOT OPERATED	8106	9.0	56	2	3	7	11	17	23	39
B. OPERATED	2739	12.2	150	1	2	9	15	26	35	64
TOTAL 0-19 YRS	11	6.5	37	1	1	4	8	18	18	18
20-34	1327	8.1	59	2	3	6	9	15	21	41
35-49	3730	9.3	71	2	3	6	11	18	25	45
50-64	3783	10.3	88	2	3	8	12	21	29	49
65+	1994	11.1	99	2	3	8	14	22	29	55
GRAND TOTAL	**10845**	**9.8**	**81**	**2**	**3**	**7**	**12**	**20**	**27**	**49**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	3.9	13	1	1	3	4	7	12	17
20-34	43	4.2	10	1	1	4	5	8	11	17
35-49	73	4.4	16	1	1	3	6	8	11	23
50-64	97	5.0	13	1	1	4	6	10	12	18
65+	50	5.9	36	1	1	5	7	10	13	40
B. *Operated*										
0-19 YRS	59	2.4	3	1	1	2	3	5	7	9
20-34	256	2.6	10	<1	1	1	2	6	10	16
35-49	312	2.4	11	<1	1	1	2	5	7	18
50-64	350	2.8	12	<1	1	1	2	7	10	21
65+	198	3.2	23	<1	1	1	3	8	11	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	84	5.0	62	1	1	3	5	9	12	54
20-34	194	6.7	35	1	2	5	8	14	16	33
35-49	480	8.3	47	2	3	7	11	16	21	32
50-64	975	9.0	57	2	3	7	11	18	23	40
65+	1325	9.8	67	2	3	8	12	18	23	44
B. *Operated*										
0-19 YRS	113	6.1	62	1	1	4	8	14	18	45
20-34	292	6.0	53	1	1	3	7	16	22	31
35-49	692	7.1	78	1	1	4	9	18	22	42
50-64	1144	8.3	85	1	1	6	11	20	27	47
65+	1246	10.3	107	1	1	8	14	23	29	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	284	4.8	18	1	1	4	6	9	12	18
B. *Operated*	1175	2.7	13	<1	1	1	2	6	9	19
2. MULTIPLE DX										
A. *Not Operated*	3058	9.0	59	2	3	7	11	17	22	41
B. *Operated*	3487	8.5	90	1	1	6	11	20	27	48
1. SINGLE DX	1459	3.1	15	<1	1	2	3	7	10	19
2. MULTIPLE DX	6545	8.7	76	1	1	6	11	18	25	44
A. NOT OPERATED	3342	8.6	57	1	2	7	11	16	21	40
B. OPERATED	4662	7.0	77	1	1	4	9	18	24	43
TOTAL 0-19 YRS	277	4.8	47	1	1	3	5	10	15	39
20-34	785	5.0	35	1	1	3	6	12	17	30
35-49	1557	6.4	56	1	1	4	8	15	20	34
50-64	2566	7.7	66	1	1	5	10	18	24	42
65+	2819	9.5	85	1	1	7	12	19	27	49
GRAND TOTAL	**8004**	**7.7**	**69**	**1**	**1**	**5**	**10**	**17**	**23**	**41**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	127	4.2	9	1	1	4	6	8	10	17
20-34	417	4.6	11	1	2	4	6	8	10	18
35-49	249	5.2	18	1	2	4	7	9	11	25
50-64	177	5.3	14	1	2	5	7	9	12	18
65+	108	6.3	20	2	2	5	9	13	16	20
B. *Operated*										
0-19 YRS	35	6.1	33	1	2	4	8	13	17	29
20-34	98	4.8	22	1	1	3	7	12	15	19
35-49	141	6.4	56	1	1	3	9	16	22	32
50-64	137	4.6	34	1	1	2	6	11	14	31
65+	75	7.3	126	<1	1	3	8	18	30	62
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	210	6.0	38	1	2	5	7	10	15	36
20-34	650	5.9	19	1	2	5	7	11	14	22
35-49	988	7.9	69	2	2	6	9	15	20	44
50-64	1858	8.1	46	2	3	6	10	15	20	38
65+	2283	8.8	51	2	3	7	11	17	22	36
B. *Operated*										
0-19 YRS	125	8.9	117	1	1	4	13	24	29	51
20-34	230	9.9	97	1	1	8	13	20	30	53
35-49	478	11.9	159	1	2	8	15	30	41	78
50-64	778	12.7	159	1	2	9	17	27	35	68
65+	818	14.1	133	2	2	11	19	31	37	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1078	5.0	14	1	2	4	6	9	11	21
B. *Operated*	486	5.7	53	1	1	3	7	14	18	35
2. MULTIPLE DX										
A. *Not Operated*	5989	8.0	49	2	3	6	10	15	20	36
B. *Operated*	2429	12.5	144	1	2	9	17	28	36	64
1. SINGLE DX	1564	5.2	26	1	1	4	6	10	14	27
2. MULTIPLE DX	8418	9.3	81	2	2	7	12	19	26	48
A. NOT OPERATED	7067	7.6	45	2	2	6	9	15	19	34
B. OPERATED	2915	11.4	136	1	1	8	15	26	35	59
TOTAL 0-19 YRS	497	6.3	53	1	1	4	7	13	21	45
20-34	1395	6.1	33	1	2	4	8	12	16	30
35-49	1856	8.5	89	1	2	6	10	17	26	54
50-64	2950	8.9	79	1	2	6	11	18	25	46
65+	3284	10.0	78	2	3	8	13	21	28	46
GRAND TOTAL	**9982**	**8.7**	**75**	**1**	**2**	**6**	**11**	**18**	**25**	**46**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	130	2.7	4	1	1	2	4	6	7	9
20-34	1120	2.5	3	<1	1	2	3	5	5	8
35-49	1072	2.7	3	<1	1	2	3	5	6	9
50-64	994	2.9	4	1	1	2	4	5	7	9
65+	755	3.8	7	1	1	3	5	7	9	13
B. *Operated*										
0-19 YRS	949	5.5	5	3	3	5	6	8	10	13
20-34	11419	5.4	4	3	3	5	6	8	9	12
35-49	10674	5.7	5	3	4	5	7	8	10	13
50-64	8851	6.2	6	3	4	6	7	9	10	14
65+	4286	7.3	10	4	4	7	8	11	13	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	163	3.6	8	<1	1	3	5	7	9	15
20-34	1245	3.2	7	1	1	3	4	6	7	12
35-49	1522	3.8	9	1	1	3	5	7	9	14
50-64	2941	4.4	10	1	1	4	6	8	10	15
65+	6766	6.0	24	1	2	5	7	11	14	22
B. *Operated*										
0-19 YRS	823	7.1	20	3	4	6	8	11	14	23
20-34	9873	6.8	14	3	4	6	8	10	13	20
35-49	13500	7.2	15	3	4	6	8	11	14	22
50-64	18370	8.2	23	4	4	7	10	13	16	26
65+	22732	10.9	50	5	5	9	13	18	23	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4071	2.9	4	1	1	2	4	5	7	10
B. *Operated*	36179	5.9	6	3	4	6	7	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	12637	5.1	18	1	1	4	6	9	12	19
B. *Operated*	65298	8.7	32	4	4	7	10	14	18	30
1. SINGLE DX	40250	5.6	6	2	3	5	7	8	10	14
2. MULTIPLE DX	77935	8.1	32	3	4	7	10	14	17	29
A. NOT OPERATED	16708	4.5	16	1	1	4	6	9	11	18
B. OPERATED	101477	7.7	24	3	4	6	9	13	16	26
TOTAL 0-19 YRS	2065	5.8	13	2	3	5	7	9	12	16
20-34	23657	5.7	10	2	3	5	7	9	11	16
35-49	26768	6.2	11	2	3	6	7	10	12	18
50-64	31156	7.1	18	2	3	6	8	12	14	22
65+	34539	9.3	44	3	4	8	11	16	20	35
GRAND TOTAL	**118185**	**7.3**	**24**	**2**	**3**	**6**	**9**	**12**	**15**	**26**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	98	3.2	4	1	1	3	4	6	6	11
20-34	672	3.0	3	1	1	3	4	5	7	9
35-49	616	3.2	4	1	1	3	4	6	7	10
50-64	442	3.4	4	1	1	3	4	6	8	10
65+	324	4.2	7	1	1	4	6	8	9	12
B. *Operated*										
0-19 YRS	73	5.6	8	2	3	5	6	9	12	17
20-34	918	6.2	9	3	4	6	7	10	12	17
35-49	927	6.1	7	3	4	6	7	9	12	16
50-64	591	7.0	10	3	4	6	8	10	12	20
65+	321	8.5	18	4	4	8	10	14	16	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	107	3.9	10	1	2	3	5	7	9	19
20-34	798	3.9	11	1	1	3	5	7	8	13
35-49	915	4.3	12	1	1	4	6	8	10	14
50-64	1137	5.0	13	1	2	4	6	9	11	19
65+	2209	6.7	27	2	2	6	8	12	15	25
B. *Operated*										
0-19 YRS	110	7.6	21	3	4	6	10	13	14	27
20-34	1462	7.3	17	3	4	6	8	12	15	23
35-49	1995	8.0	23	3	4	7	10	13	17	27
50-64	1970	9.4	44	4	5	8	11	15	19	34
65+	2477	12.3	65	5	6	10	15	21	27	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2152	3.3	4	1	1	3	4	6	7	10
B. *Operated*	2830	6.6	10	3	4	6	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	5166	5.4	20	1	2	4	7	10	13	21
B. *Operated*	8014	9.6	44	4	4	8	11	16	21	36
1. SINGLE DX	4982	5.2	10	1	2	5	7	9	11	16
2. MULTIPLE DX	13180	7.9	39	2	3	6	10	14	18	32
A. NOT OPERATED	7318	4.8	16	1	1	4	6	9	11	19
B. OPERATED	10844	8.8	37	3	4	7	10	15	19	33
TOTAL 0-19 YRS	388	5.1	14	1	2	4	6	10	12	19
20-34	3850	5.6	14	1	2	5	7	10	12	20
35-49	4453	6.2	18	1	2	5	8	11	14	22
50-64	4140	7.2	31	2	2	6	9	13	16	28
65+	5331	9.3	52	2	3	8	11	17	22	38
GRAND TOTAL	**18162**	**7.2**	**32**	**2**	**2**	**6**	**9**	**13**	**17**	**29**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	71	2.7	4	<1	1	2	4	5	5	11
35-49	76	3.3	5	<1	1	3	4	6	7	13
50-64	80	3.2	7	1	1	2	4	8	9	12
65+	113	4.2	12	1	1	3	6	8	10	20
B. *Operated*										
0-19 YRS	42	7.0	15	2	3	6	9	12	15	19
20-34	349	6.7	13	1	3	6	8	11	13	19
35-49	331	6.7	13	1	2	7	9	11	12	16
50-64	353	7.1	25	1	1	7	9	13	15	19
65+	523	8.1	33	1	1	8	11	16	19	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	4.1	7	1	1	4	5	8	10	10
20-34	92	3.4	7	1	1	3	5	6	8	15
35-49	138	4.5	8	1	1	4	6	8	10	14
50-64	251	5.0	13	1	2	5	7	9	11	16
65+	802	6.4	21	1	2	5	8	12	15	24
B. *Operated*										
0-19 YRS	47	8.8	17	4	4	8	11	15	17	21
20-34	465	8.8	26	3	4	8	10	14	18	27
35-49	513	9.1	26	2	4	8	11	15	19	25
50-64	1074	11.1	53	3	5	10	13	19	24	39
65+	3279	13.5	75	3	5	12	17	23	29	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	343	3.5	8	1	1	3	4	7	9	14
B. *Operated*	1598	7.2	22	1	2	7	10	13	16	21
2. MULTIPLE DX										
A. *Not Operated*	1292	5.7	18	1	2	5	7	10	14	21
B. *Operated*	5378	12.2	64	3	5	11	15	21	26	43
1. SINGLE DX	1941	6.6	22	1	1	6	9	12	15	20
2. MULTIPLE DX	6670	10.9	62	2	3	9	14	20	25	40
A. NOT OPERATED	1635	5.2	16	1	1	4	7	10	13	20
B. OPERATED	6976	11.0	59	2	4	10	14	20	24	40
TOTAL 0-19 YRS	101	7.5	17	2	4	6	10	14	16	20
20-34	977	7.1	22	1	2	6	9	12	15	24
35-49	1058	7.4	22	1	2	7	10	13	15	22
50-64	1758	9.1	47	1	2	8	12	16	21	34
65+	4717	11.5	69	2	3	10	15	21	26	42
GRAND TOTAL	**8611**	**9.9**	**56**	**2**	**2**	**8**	**13**	**18**	**23**	**38**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	6.4	18	1	2	5	11	13	14	14
20-34	66	3.6	6	1	1	3	5	7	9	11
35-49	90	4.4	10	1	1	4	6	9	11	16
50-64	93	4.4	8	1	1	4	6	9	10	12
65+	118	5.3	17	1	1	5	7	10	12	21
B. *Operated*										
0-19 YRS	11	7.8	43	1	2	7	10	16	24	25
20-34	77	7.0	46	<1	1	6	9	14	16	42
35-49	87	6.1	31	1	1	5	9	13	16	30
50-64	111	5.9	27	1	1	4	8	12	15	25
65+	111	7.1	38	1	1	5	11	16	20	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	89	8.9	57	1	2	7	11	20	24	38
20-34	148	5.7	24	1	1	5	7	11	13	25
35-49	248	6.0	22	1	2	5	7	12	15	23
50-64	446	6.2	18	1	2	5	8	12	14	21
65+	1143	7.4	34	2	2	6	9	13	18	32
B. *Operated*										
0-19 YRS	53	13.9	134	2	3	11	17	31	43	49
20-34	199	10.4	86	1	2	9	13	19	26	64
35-49	364	11.0	86	2	2	9	14	22	27	51
50-64	592	12.1	101	2	3	10	15	23	31	58
65+	1354	14.2	113	2	3	12	18	28	35	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	386	4.7	12	1	1	4	6	9	11	16
B. *Operated*	397	6.6	35	1	1	5	9	14	17	26
2. MULTIPLE DX										
A. *Not Operated*	2074	6.9	30	1	2	6	9	13	17	27
B. *Operated*	2562	13.0	107	2	3	11	17	25	34	56
1. SINGLE DX	783	5.6	24	1	1	4	8	12	15	23
2. MULTIPLE DX	4636	10.3	81	2	2	8	13	21	27	47
A. NOT OPERATED	2460	6.6	28	1	2	5	8	12	16	27
B. OPERATED	2959	12.1	102	1	2	10	16	24	32	55
TOTAL 0-19 YRS	172	10.1	81	1	2	8	13	22	27	46
20-34	490	7.5	57	1	1	6	10	15	20	46
35-49	789	8.1	59	1	2	6	10	17	22	38
50-64	1242	8.9	67	1	2	7	12	18	23	43
65+	2726	10.7	85	2	2	8	14	21	29	48
GRAND TOTAL	**5419**	**9.6**	**76**	**1**	**2**	**7**	**12**	**20**	**26**	**46**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	315	4.5	10	1	2	4	6	8	10	19
20-34	1655	5.0	13	1	2	4	6	9	11	18
35-49	1711	5.1	9	1	2	5	7	9	11	15
50-64	905	5.7	14	2	2	5	7	10	13	20
65+	641	5.6	11	2	2	5	7	9	11	18
B. *Operated*										
0-19 YRS	37	11.0	81	1	1	9	14	26	32	35
20-34	167	9.1	57	1	2	8	12	19	21	44
35-49	253	10.7	98	1	2	8	14	22	32	45
50-64	183	8.8	44	1	1	8	12	18	20	33
65+	95	8.1	68	1	1	7	12	15	18	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	327	5.6	18	2	2	5	7	10	13	23
20-34	4250	6.3	21	2	2	5	8	11	14	24
35-49	6423	6.8	23	2	3	6	8	12	16	25
50-64	4436	7.0	24	2	3	6	9	12	15	26
65+	5074	7.7	34	2	3	6	9	13	17	30
B. *Operated*										
0-19 YRS	97	16.7	235	3	4	11	21	40	52	68
20-34	887	16.1	215	3	4	11	19	36	54	96
35-49	1668	16.5	229	3	4	12	20	36	51	86
50-64	1607	15.7	178	3	4	12	19	32	45	76
65+	1851	15.5	167	3	5	12	19	31	42	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5227	5.2	12	1	2	4	7	9	11	18
B. *Operated*	735	9.5	71	1	1	8	12	20	25	41
2. MULTIPLE DX										
A. *Not Operated*	20510	6.9	26	2	3	6	8	12	16	26
B. *Operated*	6110	15.9	195	3	5	12	19	33	47	86
1. SINGLE DX	5962	5.8	21	1	2	5	7	10	13	23
2. MULTIPLE DX	26620	9.0	79	2	3	7	10	17	24	52
A. NOT OPERATED	25737	6.6	23	2	3	5	8	12	15	25
B. OPERATED	6845	15.2	186	2	4	11	19	32	45	83
TOTAL 0-19 YRS	776	6.8	60	1	2	5	7	13	20	46
20-34	6959	7.3	56	2	2	5	8	13	19	43
35-49	10055	8.3	71	2	3	6	9	15	22	48
50-64	7131	8.8	72	2	3	7	10	17	23	49
65+	7661	9.4	77	2	3	7	11	18	24	50
GRAND TOTAL	**32582**	**8.4**	**70**	**2**	**3**	**6**	**10**	**16**	**22**	**48**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	276	2.6	2	1	1	2	3	5	6	7
20-34	383	2.7	3	1	1	2	3	5	6	9
35-49	381	3.4	6	1	1	3	4	6	7	11
50-64	457	3.8	8	1	1	3	5	7	9	14
65+	770	4.1	7	1	1	3	5	7	9	14
B. *Operated*										
0-19 YRS	20	5.7	21	<1	1	5	6	10	16	22
20-34	46	5.3	13	1	2	4	7	9	14	16
35-49	47	6.0	43	<1	1	4	7	13	18	36
50-64	70	5.6	14	1	2	5	8	10	15	17
65+	109	8.6	86	1	2	6	10	16	28	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	668	3.5	8	1	1	3	4	7	9	17
20-34	1647	3.9	11	1	1	3	5	7	9	16
35-49	2562	4.7	15	1	2	4	6	8	11	19
50-64	4767	5.4	17	1	2	4	7	9	12	21
65+	16935	6.4	25	2	2	5	8	11	15	25
B. *Operated*										
0-19 YRS	97	8.7	137	1	2	5	9	24	32	61
20-34	346	6.9	41	2	2	5	9	14	16	37
35-49	744	7.8	56	2	2	6	9	15	19	44
50-64	1756	8.7	65	2	3	7	11	17	22	38
65+	5051	10.1	79	2	3	8	12	19	26	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2267	3.5	6	1	1	3	5	6	8	12
B. *Operated*	292	6.7	48	1	2	5	8	13	17	37
2. MULTIPLE DX										
A. *Not Operated*	26579	5.8	22	1	2	5	7	10	14	23
B. *Operated*	7994	9.4	74	2	3	7	11	18	25	49
1. SINGLE DX	2559	3.9	12	1	1	3	5	7	9	16
2. MULTIPLE DX	34573	6.7	36	2	2	5	8	12	17	30
A. NOT OPERATED	28846	5.6	21	1	2	5	7	10	13	23
B. OPERATED	8286	9.3	73	2	3	7	11	18	24	49
TOTAL 0-19 YRS	1061	3.8	21	1	1	3	4	7	9	22
20-34	2422	4.2	16	1	1	3	5	8	11	18
35-49	3734	5.2	25	1	2	4	6	10	13	24
50-64	7050	6.1	30	1	2	5	7	11	15	27
65+	22865	7.1	39	2	2	6	9	13	18	33
GRAND TOTAL	**37132**	**6.5**	**35**	**1**	**2**	**5**	**8**	**12**	**16**	**30**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	196	4.1	13	1	1	3	5	8	11	20
20-34	11	5.0	6	2	2	5	7	8	8	8
35-49	23	4.5	13	1	1	3	8	9	11	13
50-64	19	6.7	18	<1	1	7	10	12	14	16
65+	14	3.1	3	1	1	3	4	5	7	7
B. *Operated*										
0-19 YRS	30	5.5	55	<1	<1	2	7	18	22	31
20-34	23	6.8	20	1	2	6	8	12	17	20
35-49	23	10.8	233	<1	<1	5	12	29	48	67
50-64	19	8.3	25	3	4	7	12	15	19	22
65+	9	12.9	367	<1	<1	7	12	45	61	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	375	5.4	60	1	1	3	6	10	14	60
20-34	68	5.9	26	1	2	4	8	12	18	23
35-49	115	7.6	41	1	2	6	10	14	21	33
50-64	143	7.9	37	2	2	6	10	15	18	27
65+	237	9.1	50	2	3	8	11	18	20	36
B. *Operated*										
0-19 YRS	71	12.4	202	1	2	6	21	45	92	99+
20-34	61	10.9	80	2	3	8	14	21	27	51
35-49	143	13.3	125	2	4	10	17	29	41	99+
50-64	164	15.2	135	3	4	13	19	29	40	59
65+	202	15.9	131	3	5	13	21	30	38	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	263	4.3	13	1	1	3	5	9	11	19
B. *Operated*	104	8.1	108	<1	<1	5	9	17	24	64
2. MULTIPLE DX										
A. *Not Operated*	938	7.0	51	1	2	5	9	14	19	37
B. *Operated*	641	14.3	136	2	3	11	19	30	40	99+
1. SINGLE DX	367	5.4	43	<1	1	3	7	11	15	30
2. MULTIPLE DX	1579	10.0	98	1	2	7	13	22	30	63
A. NOT OPERATED	1201	6.4	44	1	2	4	8	13	18	32
B. OPERATED	745	13.4	136	1	3	10	18	29	39	73
TOTAL 0-19 YRS	672	5.8	66	1	1	3	6	12	21	73
20-34	163	7.8	49	1	2	6	10	16	21	31
35-49	304	10.3	101	1	2	8	13	23	32	62
50-64	345	11.3	95	2	3	9	15	22	29	52
65+	462	12.0	103	2	3	9	15	24	31	61
GRAND TOTAL	**1946**	**9.1**	**91**	**1**	**2**	**6**	**12**	**20**	**27**	**59**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	310	4.9	17	1	2	4	7	10	13	17
20-34	46	4.1	12	1	1	3	5	7	9	22
35-49	21	3.4	5	<1	1	3	5	6	8	9
50-64	19	4.6	8	<1	1	4	6	9	11	11
65+	12	6.9	4	3	4	7	8	9	10	10
B. *Operated*										
0-19 YRS	228	3.0	9	1	1	2	3	5	8	18
20-34	179	3.0	12	1	1	2	3	6	10	22
35-49	125	2.9	11	1	1	2	3	4	8	20
50-64	84	4.1	20	1	1	2	4	10	12	26
65+	50	4.0	24	<1	1	2	4	10	15	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	488	5.5	30	1	1	4	7	11	15	30
20-34	143	5.7	16	1	2	5	7	10	12	21
35-49	155	5.9	24	1	2	5	7	11	17	25
50-64	212	7.0	41	2	2	6	9	13	16	25
65+	369	8.3	44	2	3	7	10	15	21	36
B. *Operated*										
0-19 YRS	279	6.9	72	1	1	3	9	17	25	54
20-34	303	6.4	55	1	1	3	8	15	21	36
35-49	307	6.6	71	1	1	3	8	15	22	49
50-64	393	8.2	95	1	1	5	11	18	30	46
65+	392	10.1	99	1	2	7	13	23	29	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	408	4.8	15	1	2	4	6	9	12	17
B. *Operated*	666	3.2	13	1	1	2	3	7	10	22
2. MULTIPLE DX										
A. *Not Operated*	1367	6.6	35	1	2	5	8	13	17	31
B. *Operated*	1674	7.8	82	1	1	4	10	18	26	49
1. SINGLE DX	1074	3.8	14	1	1	2	4	8	11	19
2. MULTIPLE DX	3041	7.2	61	1	2	5	9	16	22	39
A. NOT OPERATED	1775	6.2	31	1	2	5	8	12	16	30
B. OPERATED	2340	6.5	67	1	1	3	8	16	23	43
TOTAL 0-19 YRS	1305	5.2	34	1	1	3	6	11	16	34
20-34	671	5.2	34	1	1	3	7	11	17	30
35-49	608	5.5	47	1	1	3	7	12	19	32
50-64	708	7.3	70	1	2	5	10	16	21	42
65+	823	8.9	70	1	2	7	11	19	27	43
GRAND TOTAL	**4115**	**6.3**	**51**	**1**	**1**	**4**	**8**	**14**	**19**	**36**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	130	4.6	8	1	2	4	6	9	10	12
20-34	21	4.0	5	2	2	3	5	8	9	9
35-49	7	4.6	8	1	1	4	7	8	8	8
50-64	5	5.4	14	2	2	3	9	10	10	10
65+	4	4.3	6	1	1	4	6	7	7	7
B. *Operated*										
0-19 YRS	19	4.1	9	1	1	3	5	9	10	11
20-34	9	5.0	12	1	1	3	8	9	9	9
35-49	12	3.8	12	<1	1	2	5	9	12	13
50-64	3	7.7	97	1	1	3	15	19	19	19
65+	2	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	204	5.3	11	2	2	4	7	9	11	18
20-34	51	4.3	10	<1	1	3	6	8	10	18
35-49	45	5.6	22	2	3	4	6	12	15	26
50-64	47	7.8	25	2	2	6	9	15	17	23
65+	138	9.0	51	3	3	7	10	18	21	43
B. *Operated*										
0-19 YRS	32	4.8	10	1	2	4	7	9	11	14
20-34	44	7.7	42	1	2	7	10	13	23	32
35-49	48	10.2	110	1	2	7	13	19	29	56
50-64	74	11.3	72	2	2	10	16	22	25	41
65+	110	14.5	146	2	2	11	19	27	40	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	167	4.5	7	1	2	4	6	9	10	12
B. *Operated*	45	4.3	15	<1	1	3	6	9	11	19
2. MULTIPLE DX										
A. *Not Operated*	485	6.5	28	2	2	5	8	12	17	26
B. *Operated*	308	11.1	103	2	2	8	14	23	28	54
1. SINGLE DX	212	4.5	9	1	2	4	6	9	10	13
2. MULTIPLE DX	793	8.3	62	2	2	6	10	18	23	43
A. NOT OPERATED	652	6.0	23	2	2	5	7	10	15	25
B. OPERATED	353	10.2	96	1	2	8	14	21	28	52
TOTAL 0-19 YRS	385	5.0	10	1	2	4	7	9	10	16
20-34	125	5.5	23	1	1	4	8	10	12	29
35-49	112	7.3	64	1	2	5	8	15	21	50
50-64	129	9.7	55	2	2	8	14	19	23	36
65+	254	11.2	99	2	3	8	14	22	29	52
GRAND TOTAL	**1005**	**7.5**	**53**	**1**	**2**	**5**	**9**	**15**	**21**	**40**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	3.1	26	<1	<1	1	3	6	11	27
20-34	18	2.7	5	<1	<1	2	3	7	8	9
35-49	21	4.4	46	<1	<1	2	4	11	22	30
50-64	34	4.0	18	<1	1	2	4	10	15	16
65+	30	4.9	18	1	2	3	6	12	14	16
B. *Operated*										
0-19 YRS	79	6.5	39	1	2	4	8	14	20	32
20-34	126	6.8	71	1	1	3	9	17	22	45
35-49	138	5.6	33	1	1	3	9	14	17	26
50-64	195	5.5	34	1	1	3	7	15	18	27
65+	157	5.1	43	1	1	3	6	11	17	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	230	5.3	58	<1	1	2	5	14	21	36
20-34	226	4.6	54	<1	1	3	5	9	12	37
35-49	320	4.4	19	1	1	3	5	9	13	21
50-64	598	6.3	35	1	2	5	8	13	17	32
65+	1464	9.1	73	2	2	7	11	18	24	51
B. *Operated*										
0-19 YRS	351	14.5	197	2	2	10	20	32	42	70
20-34	1062	11.0	131	1	2	7	14	24	35	58
35-49	1363	10.2	105	1	2	7	14	23	30	55
50-64	1860	10.0	105	1	2	7	13	22	30	59
65+	2099	12.1	139	2	2	9	16	26	36	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	131	3.9	22	<1	<1	2	4	9	14	28
B. *Operated*	695	5.8	43	1	1	3	8	14	18	32
2. MULTIPLE DX										
A. *Not Operated*	2838	7.3	60	1	1	5	9	15	20	43
B. *Operated*	6735	11.1	126	1	2	8	15	24	34	60
1. SINGLE DX	826	5.5	40	1	1	3	7	13	18	31
2. MULTIPLE DX	9573	10.0	109	1	2	7	13	22	30	57
A. NOT OPERATED	2969	7.2	58	1	1	5	9	15	20	41
B. OPERATED	7430	10.6	120	1	2	7	14	24	33	59
TOTAL 0-19 YRS	688	10.0	146	1	1	5	14	25	33	61
20-34	1432	9.5	118	1	1	6	12	23	32	57
35-49	1842	8.8	90	1	1	5	12	20	27	51
50-64	2687	8.8	87	1	2	6	11	19	27	46
65+	3750	10.6	112	2	2	7	13	23	32	58
GRAND TOTAL	**10399**	**9.6**	**105**	**1**	**2**	**6**	**12**	**22**	**30**	**56**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	3.9	20	1	1	3	4	9	15	19
20-34	16	3.9	5	1	2	3	5	8	9	9
35-49	8	2.8	2	1	1	3	4	5	5	5
50-64	15	7.5	147	<1	2	4	6	13	41	50
65+	52	8.4	54	1	1	7	11	18	22	37
B. *Operated*										
0-19 YRS	3	3.0	3	1	1	4	4	4	4	4
20-34	13	3.8	11	<1	<1	1	7	8	9	9
35-49	13	4.2	25	<1	<1	2	4	11	17	19
50-64	17	6.5	53	<1	<1	4	9	13	24	30
65+	29	9.7	141	<1	<1	5	12	25	34	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	6.0	33	<1	1	5	8	14	17	28
20-34	114	5.9	18	1	1	5	8	11	15	20
35-49	179	7.2	33	1	2	6	10	13	16	25
50-64	599	8.7	49	1	3	7	11	17	21	35
65+	3178	10.3	58	3	4	8	13	19	25	42
B. *Operated*										
0-19 YRS	69	13.6	213	1	1	10	16	31	54	95
20-34	173	11.3	92	2	3	9	14	23	27	54
35-49	275	12.7	121	1	3	10	17	26	30	70
50-64	645	15.4	189	2	3	12	20	29	42	93
65+	1603	17.8	170	4	5	15	24	35	44	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	6.4	53	1	1	4	7	15	19	42
B. *Operated*	75	6.7	77	<1	<1	4	9	16	25	49
2. MULTIPLE DX										
A. *Not Operated*	4143	9.7	55	2	3	8	12	18	23	39
B. *Operated*	2765	16.2	170	2	4	13	22	32	42	80
1. SINGLE DX	185	6.6	63	<1	1	4	8	15	21	45
2. MULTIPLE DX	6908	12.3	111	2	3	9	16	25	32	58
A. NOT OPERATED	4253	9.6	55	2	3	8	12	18	23	39
B. OPERATED	2840	16.0	170	2	4	13	21	32	42	80
TOTAL 0-19 YRS	164	8.9	122	1	1	5	12	21	30	74
20-34	316	8.6	66	1	2	6	11	18	23	47
35-49	475	10.2	92	1	2	8	13	22	28	52
50-64	1276	12.0	132	2	3	9	15	25	32	62
65+	4862	12.7	108	3	4	10	16	25	33	58
GRAND TOTAL	**7093**	**12.2**	**111**	**2**	**3**	**9**	**15**	**25**	**32**	**58**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1104	3.7	3	1	2	3	5	6	7	9
20-34	1777	3.8	3	1	2	4	5	6	7	10
35-49	538	4.3	5	2	2	4	5	7	9	12
50-64	259	4.6	5	1	2	4	6	8	9	11
65+	208	4.7	6	2	2	4	6	8	8	13
B. *Operated*										
0-19 YRS	57	4.2	5	1	2	4	5	6	8	15
20-34	79	5.5	5	3	3	5	7	7	10	14
35-49	31	5.9	10	2	2	5	7	9	10	17
50-64	8	7.3	7	3	4	8	9	10	10	10
65+	13	5.2	12	1	1	4	8	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2028	4.3	5	2	2	4	5	7	8	12
20-34	3990	4.6	6	2	2	4	5	7	9	13
35-49	1869	5.5	11	2	3	5	7	9	11	17
50-64	2050	6.3	15	2	3	5	8	10	13	19
65+	4488	7.3	26	3	3	6	9	12	15	26
B. *Operated*										
0-19 YRS	191	6.4	17	2	3	5	7	11	14	27
20-34	458	8.0	46	2	3	7	9	14	17	40
35-49	319	9.5	46	3	4	8	11	17	24	38
50-64	450	10.6	56	4	4	9	13	20	25	41
65+	816	12.9	98	4	5	11	15	23	30	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3886	3.9	4	1	2	4	5	6	7	10
B. *Operated*	188	5.2	7	2	2	5	6	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	14425	5.7	15	2	3	5	7	10	12	19
B. *Operated*	2234	10.4	69	3	4	8	13	19	25	42
1. SINGLE DX	4074	4.0	4	1	2	4	5	6	7	11
2. MULTIPLE DX	16659	6.4	25	2	3	5	8	11	14	26
A. NOT OPERATED	18311	5.4	13	2	2	5	6	9	11	18
B. OPERATED	2422	10.0	66	3	4	8	12	18	25	42
TOTAL 0-19 YRS	3380	4.2	5	2	2	4	5	7	8	12
20-34	6304	4.6	9	2	2	4	5	7	9	14
35-49	2757	5.7	16	2	2	5	7	10	12	21
50-64	2767	6.8	23	2	3	6	8	12	15	27
65+	5525	8.0	40	3	3	7	9	14	18	33
GRAND TOTAL	**20733**	**5.9**	**22**	**2**	**2**	**5**	**7**	**10**	**13**	**24**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	884	3.7	3	1	2	3	4	6	7	11
20-34	1281	3.8	7	1	2	3	5	6	7	11
35-49	387	4.1	14	2	2	4	5	6	7	13
50-64	217	4.3	5	2	2	4	5	7	9	10
65+	147	5.4	10	2	2	5	7	9	11	20
B. *Operated*										
0-19 YRS	62	5.5	16	1	2	4	6	11	15	21
20-34	101	6.5	21	1	2	6	8	11	15	25
35-49	66	5.3	9	1	1	5	7	9	10	15
50-64	59	8.2	51	1	2	6	10	17	21	42
65+	27	7.1	20	1	2	6	10	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1335	4.5	6	2	2	4	5	8	10	14
20-34	2432	4.6	7	2	2	4	6	8	9	14
35-49	1191	5.4	12	2	2	5	7	9	12	18
50-64	1239	6.2	16	2	3	5	7	10	13	22
65+	2157	7.2	22	2	3	6	9	12	15	26
B. *Operated*										
0-19 YRS	241	7.4	42	1	3	6	9	13	17	31
20-34	419	8.4	37	3	3	7	10	15	20	33
35-49	402	10.2	59	2	4	8	13	19	26	36
50-64	507	11.3	76	3	4	9	14	21	27	51
65+	697	14.0	103	3	5	12	17	25	34	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2916	3.9	7	1	2	4	5	6	8	11
B. *Operated*	315	6.4	24	1	2	5	8	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	8354	5.6	14	2	2	5	7	10	12	20
B. *Operated*	2266	11.0	76	3	4	8	14	21	27	46
1. SINGLE DX	3231	4.2	9	1	2	4	5	7	8	14
2. MULTIPLE DX	10620	6.8	32	2	3	5	8	13	16	29
A. NOT OPERATED	11270	5.2	13	2	2	4	6	9	11	18
B. OPERATED	2581	10.4	72	2	3	8	13	20	26	44
TOTAL 0-19 YRS	2522	4.5	10	1	2	4	5	8	10	15
20-34	4233	4.8	12	2	2	4	6	8	10	17
35-49	2046	6.1	26	2	2	5	7	11	15	27
50-64	2022	7.3	36	2	3	6	9	13	18	29
65+	3028	8.7	48	2	3	7	10	16	21	38
GRAND TOTAL	**13851**	**6.2**	**28**	**2**	**2**	**5**	**7**	**11**	**15**	**27**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	204	2.2	2	1	1	2	3	4	5	8
20-34	1603	2.0	2	<1	1	2	2	4	5	7
35-49	2118	2.0	2	<1	1	2	2	4	4	6
50-64	1204	2.1	2	<1	1	2	3	4	5	7
65+	416	2.5	3	1	1	2	3	5	6	8
B. *Operated*										
0-19 YRS	83	5.1	11	1	2	5	6	9	12	18
20-34	874	5.6	12	1	2	5	7	9	12	17
35-49	1236	5.8	13	1	2	5	7	10	12	17
50-64	1062	6.0	15	1	2	5	8	11	13	19
65+	493	6.2	14	1	2	6	8	11	14	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	185	2.7	6	1	1	2	3	5	8	13
20-34	1272	2.7	4	1	1	2	3	5	7	10
35-49	1694	2.8	5	1	1	2	3	5	7	11
50-64	1718	3.1	7	1	1	2	4	6	7	12
65+	1357	4.2	17	1	1	3	5	8	10	21
B. *Operated*										
0-19 YRS	101	6.6	21	1	2	6	9	12	15	24
20-34	861	7.3	43	2	2	6	9	13	16	33
35-49	1430	7.8	37	2	2	6	10	14	19	29
50-64	1792	8.4	47	2	3	7	10	15	20	37
65+	1709	9.8	56	2	3	8	12	19	24	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5545	2.1	2	<1	1	2	3	4	5	7
B. *Operated*	3748	5.9	13	1	2	5	8	10	13	18
2. MULTIPLE DX										
A. *Not Operated*	6226	3.2	8	1	1	2	4	6	8	14
B. *Operated*	5893	8.5	47	2	2	7	10	16	20	36
1. SINGLE DX	9293	3.6	10	1	1	2	5	8	10	15
2. MULTIPLE DX	12119	5.8	34	1	1	4	8	12	16	29
A. NOT OPERATED	11771	2.6	6	1	1	2	3	5	7	11
B. OPERATED	9641	7.5	35	2	2	6	9	14	18	32
TOTAL 0-19 YRS	573	3.6	11	1	1	2	4	8	10	16
20-34	4610	3.9	16	1	1	3	5	8	10	18
35-49	6478	4.2	18	1	1	3	5	9	12	20
50-64	5776	5.1	26	1	1	4	7	11	14	24
65+	3975	6.7	40	1	1	5	9	14	18	34
GRAND TOTAL	**21412**	**4.8**	**25**	**1**	**1**	**3**	**6**	**10**	**13**	**24**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	642	1.9	1	1	1	2	2	3	4	6
20-34	5730	1.8	1	<1	1	1	2	3	4	6
35-49	7613	1.8	2	<1	1	1	2	3	4	6
50-64	4068	2.0	2	<1	1	2	2	3	4	6
65+	1237	2.2	2	1	1	2	3	4	5	7
B. *Operated*										
0-19 YRS	348	4.0	5	1	2	3	5	7	9	11
20-34	3554	4.1	8	1	1	3	5	7	9	13
35-49	4985	4.3	8	1	1	4	6	8	10	14
50-64	3384	4.7	10	1	1	4	6	9	11	15
65+	1214	5.1	12	1	2	4	7	10	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	246	2.4	3	1	1	2	3	5	5	8
20-34	2407	2.2	3	1	1	2	3	4	5	8
35-49	3813	2.3	3	1	1	2	3	4	5	8
50-64	3409	2.6	3	1	1	2	3	5	6	9
65+	2152	3.1	8	1	1	3	4	6	7	11
B. *Operated*										
0-19 YRS	203	5.7	18	1	2	5	7	10	13	22
20-34	2025	5.5	15	1	2	5	7	10	12	17
35-49	3243	5.8	17	1	2	5	8	11	13	20
50-64	3997	6.6	22	1	2	5	8	12	15	23
65+	3274	7.9	36	2	2	6	10	15	19	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19290	1.8	1	<1	1	2	2	3	4	6
B. *Operated*	13485	4.4	9	1	1	4	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	12027	2.5	4	1	1	2	3	5	6	9
B. *Operated*	12742	6.5	24	1	2	5	8	12	15	24
1. SINGLE DX	32775	2.9	6	1	1	2	4	6	8	12
2. MULTIPLE DX	24769	4.6	18	1	1	3	6	10	13	20
A. NOT OPERATED	31317	2.1	2	<1	1	2	3	4	5	8
B. OPERATED	26227	5.4	17	1	2	4	7	10	13	20
TOTAL 0-19 YRS	1439	3.0	7	1	1	2	4	6	8	11
20-34	13716	3.0	7	1	1	2	4	6	8	13
35-49	19654	3.2	8	1	1	2	4	7	9	14
50-64	14858	4.0	13	1	1	3	5	8	11	18
65+	7877	5.3	25	1	1	4	7	11	15	24
GRAND TOTAL	**57544**	**3.6**	**12**	**1**	**1**	**2**	**5**	**8**	**10**	**17**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	130	2.5	4	<1	1	2	3	5	6	10
20-34	117	2.5	3	1	1	2	3	5	6	9
35-49	135	2.5	5	<1	1	2	3	5	6	12
50-64	104	2.3	3	<1	1	2	3	4	6	9
65+	64	3.6	11	1	1	2	5	7	10	17
B. *Operated*										
0-19 YRS	1071	5.9	10	<1	1	6	8	9	11	15
20-34	486	5.7	14	1	1	5	8	10	12	17
35-49	460	5.0	16	1	1	4	8	10	13	16
50-64	436	5.3	21	1	1	4	8	11	13	19
65+	329	4.7	17	<1	1	3	7	10	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	353	3.7	17	1	1	3	5	7	10	19
20-34	344	3.8	13	1	1	3	5	7	10	19
35-49	330	4.4	18	1	1	3	6	8	10	20
50-64	539	5.7	40	1	1	4	7	11	14	27
65+	1123	6.9	38	1	2	5	8	13	18	34
B. *Operated*										
0-19 YRS	1526	6.9	26	<1	1	6	9	12	16	27
20-34	1082	7.3	31	1	2	7	9	13	17	28
35-49	1269	7.8	42	1	2	6	10	15	20	33
50-64	1963	8.4	56	1	2	7	11	17	22	39
65+	2518	9.7	82	1	2	8	13	20	25	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	550	2.6	4	<1	1	2	3	5	7	11
B. *Operated*	2782	5.5	14	1	1	5	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	2689	5.5	32	1	1	4	7	11	15	29
B. *Operated*	8358	8.3	54	1	2	7	11	16	21	38
1. SINGLE DX	3332	5.0	14	1	1	4	7	9	12	16
2. MULTIPLE DX	11047	7.6	50	1	2	6	10	15	20	36
A. NOT OPERATED	3239	5.0	28	1	1	4	6	10	14	27
B. OPERATED	11140	7.6	46	1	1	6	10	15	19	35
TOTAL 0-19 YRS	3080	6.0	20	<1	1	6	8	11	14	22
20-34	2029	6.1	24	1	1	5	8	11	15	24
35-49	2194	6.4	33	1	1	5	8	13	16	29
50-64	3042	7.3	49	1	1	5	10	15	19	35
65+	4034	8.4	67	1	2	6	11	17	23	44
GRAND TOTAL	**14379**	**7.0**	**43**	**1**	**1**	**6**	**9**	**14**	**18**	**33**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	2.1	3	<1	1	2	2	3	5	11
20-34	259	2.2	15	<1	1	1	2	4	5	7
35-49	320	1.9	2	<1	1	1	2	3	5	6
50-64	223	2.1	2	<1	1	2	3	4	5	7
65+	49	2.1	2	<1	1	2	3	4	5	7
B. *Operated*										
0-19 YRS	16	3.7	14	<1	<1	2	5	8	13	15
20-34	120	3.9	8	1	1	3	5	8	10	13
35-49	163	3.8	11	1	1	3	5	8	11	16
50-64	165	3.8	9	1	1	3	5	8	8	17
65+	206	3.9	14	1	1	3	5	8	10	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	3.0	4	1	1	3	4	5	7	10
20-34	170	2.6	4	1	1	2	3	5	6	12
35-49	214	2.8	5	1	1	2	3	5	7	10
50-64	216	3.1	7	<1	1	2	4	6	8	15
65+	178	4.0	10	1	1	3	5	8	11	16
B. *Operated*										
0-19 YRS	34	4.8	23	1	1	4	6	10	14	24
20-34	184	5.6	25	1	1	4	7	12	14	24
35-49	241	5.5	20	1	1	5	8	11	14	21
50-64	559	5.7	26	1	1	4	7	11	16	30
65+	1326	6.6	33	1	2	5	9	13	17	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	892	2.0	6	<1	1	2	2	4	5	7
B. *Operated*	670	3.9	11	1	1	3	5	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	801	3.1	7	1	1	2	4	6	8	14
B. *Operated*	2344	6.2	29	1	1	5	8	12	16	25
1. SINGLE DX	1562	2.8	9	1	1	2	3	6	7	12
2. MULTIPLE DX	3145	5.4	25	1	1	4	7	11	15	24
A. NOT OPERATED	1693	2.5	6	1	1	2	3	5	6	12
B. OPERATED	3014	5.7	26	1	1	4	7	12	15	24
TOTAL 0-19 YRS	114	3.3	12	1	1	2	4	7	10	18
20-34	733	3.4	16	1	1	2	4	7	10	15
35-49	938	3.4	11	1	1	2	4	8	10	17
50-64	1163	4.3	18	1	1	3	5	9	12	22
65+	1759	5.9	29	1	1	4	8	12	15	24
GRAND TOTAL	**4707**	**4.5**	**21**	**1**	**1**	**3**	**6**	**10**	**13**	**22**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	148	2.8	3	1	1	2	4	5	6	8
20-34	156	2.9	4	<1	1	2	4	5	6	12
35-49	85	3.2	5	<1	1	3	5	6	7	12
50-64	45	3.0	4	1	1	3	4	6	7	9
65+	58	3.0	3	1	1	3	4	6	7	9
B. *Operated*										
0-19 YRS	149	2.3	3	<1	<1	2	3	4	6	9
20-34	268	2.8	7	<1	<1	2	4	5	7	11
35-49	285	2.5	4	<1	<1	2	3	5	6	11
50-64	370	2.8	11	<1	<1	2	3	5	8	16
65+	427	2.9	5	<1	1	2	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	320	3.4	6	1	1	3	4	6	7	13
20-34	482	4.0	9	1	1	3	5	7	9	14
35-49	371	4.5	14	1	2	4	6	7	9	14
50-64	450	5.3	17	1	2	4	7	9	12	17
65+	1444	6.3	27	2	2	5	8	11	14	24
B. *Operated*										
0-19 YRS	290	3.5	17	<1	<1	2	4	7	9	18
20-34	727	4.5	15	1	1	3	6	9	11	22
35-49	899	4.9	24	1	1	4	6	10	14	24
50-64	1465	4.9	21	1	1	3	6	10	13	22
65+	3443	6.4	39	1	2	5	8	13	17	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	492	2.9	4	1	1	3	4	5	6	9
B. *Operated*	1499	2.7	7	<1	<1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	3067	5.3	20	1	2	4	7	9	12	21
B. *Operated*	6824	5.5	31	1	1	4	7	11	15	29
1. SINGLE DX	1991	2.8	6	<1	1	2	3	5	7	11
2. MULTIPLE DX	9891	5.5	28	1	1	4	7	11	14	27
A. NOT OPERATED	3559	5.0	19	1	2	4	6	9	12	19
B. OPERATED	8323	5.0	28	1	1	4	6	10	14	27
TOTAL 0-19 YRS	907	3.1	9	<1	1	2	4	6	7	12
20-34	1633	3.9	11	1	1	3	5	8	10	18
35-49	1640	4.3	18	<1	1	3	5	8	11	20
50-64	2330	4.6	19	1	1	3	6	9	12	20
65+	5372	6.1	34	1	2	5	7	12	15	30
GRAND TOTAL	**11882**	**5.0**	**25**	**1**	**1**	**4**	**6**	**10**	**13**	**25**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.1	4	1	1	1	3	5	6	6
20-34	9	1.8		<1	<1	2	2	3	3	3
35-49	8	2.5	1	1	1	2	3	4	4	4
50-64	8	1.8	1	<1	<1	1	2	3	3	3
65+	21	2.5	4	<1	<1	2	3	6	7	7
B. *Operated*										
0-19 YRS	774	1.8	4	<1	<1	1	2	3	5	12
20-34	634	2.6	5	<1	1	2	3	5	7	11
35-49	480	2.4	3	<1	<1	2	3	5	5	8
50-64	431	2.7	6	<1	1	2	3	5	8	13
65+	513	3.0	6	<1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	1.7	1	<1	<1	1	2	3	5	6
20-34	30	2.6	5	<1	<1	1	3	6	7	10
35-49	31	3.0	8	<1	1	2	4	7	9	13
50-64	43	3.7	15	<1	1	3	5	7	8	24
65+	194	4.5	11	1	1	4	6	9	11	16
B. *Operated*										
0-19 YRS	737	2.2	7	<1	<1	1	2	4	7	15
20-34	870	3.4	14	<1	<1	2	4	7	10	18
35-49	855	3.6	13	<1	1	3	5	7	10	15
50-64	1274	3.9	20	<1	1	3	5	8	10	19
65+	2729	5.0	23	1	1	4	6	10	13	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	2.2	2	<1	<1	2	3	4	6	7
B. *Operated*	2832	2.4	5	<1	<1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	332	3.8	11	<1	1	3	5	8	10	15
B. *Operated*	6465	4.1	19	<1	1	3	5	8	11	19
1. SINGLE DX	2886	2.4	5	<1	<1	2	3	5	6	12
2. MULTIPLE DX	6797	4.0	18	<1	1	3	5	8	11	19
A. NOT OPERATED	386	3.6	10	<1	1	3	5	7	9	15
B. OPERATED	9297	3.6	15	<1	1	2	4	7	10	18
TOTAL 0-19 YRS	1553	2.0	6	<1	<1	1	2	4	5	14
20-34	1543	3.0	10	<1	1	2	4	6	8	15
35-49	1374	3.1	10	<1	1	2	4	6	8	14
50-64	1756	3.6	17	<1	1	3	4	7	10	17
65+	3457	4.7	20	1	1	3	6	9	12	21
GRAND TOTAL	**9683**	**3.6**	**15**	**<1**	**1**	**2**	**4**	**7**	**10**	**18**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1434	2.9	4	1	1	2	4	5	6	10
20-34	727	3.0	4	1	1	3	4	5	7	10
35-49	396	3.2	5	1	1	3	4	6	7	12
50-64	339	3.7	7	1	1	3	5	7	8	13
65+	752	4.8	17	1	1	4	6	9	10	23
B. *Operated*										
0-19 YRS	712	2.3	5	<1	<1	1	3	5	7	11
20-34	728	2.8	5	<1	<1	2	4	6	7	10
35-49	698	3.1	10	<1	<1	2	4	7	9	15
50-64	912	3.0	7	<1	1	2	4	6	7	12
65+	1176	3.6	14	<1	1	3	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4430	4.0	7	1	1	3	5	7	9	13
20-34	3396	4.4	12	1	1	4	5	8	11	17
35-49	2798	5.4	19	1	2	4	7	10	13	21
50-64	5014	6.2	22	2	2	5	8	11	14	23
65+	23520	7.8	41	2	3	6	9	14	18	34
B. *Operated*										
0-19 YRS	1388	4.5	23	<1	<1	3	6	9	12	26
20-34	1673	5.8	53	<1	1	4	7	12	16	38
35-49	2168	6.0	47	<1	1	4	8	12	16	37
50-64	4207	6.6	49	1	1	5	8	13	18	35
65+	12845	8.4	71	1	2	6	10	17	23	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3648	3.4	7	1	1	3	4	6	8	12
B. *Operated*	4226	3.1	9	<1	<1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	39158	6.7	33	2	2	5	8	12	16	29
B. *Operated*	22281	7.4	62	1	2	5	9	15	21	43
1. SINGLE DX	7874	3.2	8	<1	1	3	4	6	8	13
2. MULTIPLE DX	61439	7.0	43	1	2	5	9	13	17	35
A. NOT OPERATED	42806	6.4	31	1	2	5	8	12	15	28
B. OPERATED	26507	6.7	56	1	1	5	8	14	19	39
TOTAL 0-19 YRS	7964	3.7	10	<1	1	3	5	7	9	15
20-34	6524	4.4	22	1	1	3	5	8	11	20
35-49	6060	5.2	28	1	1	4	6	10	14	29
50-64	10472	6.0	32	1	1	5	7	11	15	28
65+	38293	7.8	50	2	2	6	10	14	19	38
GRAND TOTAL	**69313**	**6.5**	**41**	**1**	**2**	**5**	**8**	**13**	**17**	**33**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	5	3.2	1	2	2	3	4	4	4	4
50-64	43	3.0	8	<1	<1	2	4	5	7	18
65+	81	4.7	57	<1	1	3	5	9	12	50
B. *Operated*										
0-19 YRS	15	4.5	7	<1	1	4	6	9	10	10
20-34	18	3.5	6	<1	1	3	4	6	10	12
35-49	286	3.5	5	<1	1	3	5	6	7	11
50-64	5078	4.6	5	1	2	4	6	7	9	12
65+	8511	5.0	7	1	2	5	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	10.5	25	7	7	10	14	14	14	14
20-34	5	5.6	14	2	2	4	9	11	11	11
35-49	31	3.5	4	<1	1	3	5	6	7	7
50-64	421	3.6	12	<1	1	3	5	7	8	14
65+	1572	4.8	26	<1	1	3	6	10	13	30
B. *Operated*										
0-19 YRS	38	5.5	9	1	2	5	7	11	12	13
20-34	48	4.1	8	<1	1	3	6	8	11	12
35-49	536	5.3	35	1	1	4	6	9	14	24
50-64	12833	5.7	14	2	2	5	7	9	12	19
65+	39036	6.9	24	2	3	6	8	12	15	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	4.1	39	<1	1	3	4	7	10	28
B. *Operated*	13908	4.8	7	1	2	5	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	2031	4.5	23	<1	1	3	6	9	12	27
B. *Operated*	52491	6.6	22	2	3	6	8	11	15	24
1. SINGLE DX	14037	4.8	7	1	2	5	6	8	9	13
2. MULTIPLE DX	54522	6.6	22	2	3	5	8	11	14	24
A. NOT OPERATED	2160	4.5	24	<1	1	3	5	9	12	27
B. OPERATED	66399	6.3	19	2	3	5	7	11	14	23
TOTAL 0-19 YRS	55	5.4	10	1	2	5	7	10	12	14
20-34	71	4.0	8	<1	1	3	5	8	11	12
35-49	858	4.6	25	<1	1	4	5	8	11	18
50-64	18375	5.4	12	1	2	5	6	9	11	17
65+	49200	6.5	22	2	3	5	8	11	14	24
GRAND TOTAL	**68559**	**6.2**	**19**	**2**	**3**	**5**	**7**	**11**	**14**	**23**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.9	4	<1	1	2	5	5	6	7
20-34	139	3.5	4	1	1	3	5	6	7	10
35-49	191	3.8	4	1	2	3	5	6	8	11
50-64	166	4.1	4	2	2	4	5	7	8	13
65+	65	4.0	3	2	2	4	5	6	7	9
B. *Operated*										
0-19 YRS	20	2.1	2	<1	<1	1	3	5	5	6
20-34	118	2.1	2	<1	<1	1	3	4	5	8
35-49	169	2.3	3	<1	<1	2	3	5	6	9
50-64	155	3.1	7	<1	<1	2	4	6	8	11
65+	94	3.2	5	<1	1	3	4	6	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	4.0	5	2	2	4	4	5	8	13
20-34	253	3.9	5	1	2	3	5	7	9	11
35-49	425	4.3	5	1	2	4	5	7	9	12
50-64	703	4.9	7	2	2	4	6	8	9	14
65+	700	5.3	10	2	2	5	7	9	11	16
B. *Operated*										
0-19 YRS	26	4.3	14	<1	<1	3	6	8	11	18
20-34	252	3.9	13	<1	<1	3	5	8	10	21
35-49	491	4.3	13	<1	1	3	6	8	10	18
50-64	805	5.0	17	1	1	4	7	9	12	20
65+	1010	6.1	26	1	2	5	8	12	14	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	579	3.8	4	1	2	3	5	6	7	10
B. *Operated*	556	2.6	5	<1	<1	2	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	2105	4.7	8	2	2	4	6	8	10	14
B. *Operated*	2584	5.2	20	1	1	4	7	10	13	22
1. SINGLE DX	1135	3.2	5	<1	1	3	4	6	7	10
2. MULTIPLE DX	4689	5.0	14	1	1	4	6	9	12	18
A. NOT OPERATED	2684	4.5	7	1	2	4	6	8	9	14
B. OPERATED	3140	4.7	18	<1	1	4	6	9	12	20
TOTAL 0-19 YRS	88	3.4	7	<1	<1	3	4	6	8	16
20-34	762	3.5	7	<1	1	3	5	7	8	13
35-49	1276	4.0	8	<1	1	3	5	7	9	14
50-64	1829	4.7	11	1	1	4	6	8	11	17
65+	1869	5.6	19	1	2	5	7	10	13	20
GRAND TOTAL	**5824**	**4.6**	**13**	**1**	**1**	**4**	**6**	**9**	**11**	**18**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	1.5	1	<1	1	1	2	3	3	3
20-34	5	2.8	3	<1	<1	3	4	5	5	5
35-49	3	1.7		1	1	2	2	2	2	2
50-64	3	5.0	48	1	1	1	10	13	13	13
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	636	1.6	1	<1	<1	1	2	3	3	5
20-34	317	2.1	2	<1	1	2	3	4	4	7
35-49	381	2.0	2	<1	1	2	3	3	4	8
50-64	593	2.3	2	1	1	2	3	4	5	7
65+	385	2.4	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	1.6	4	<1	<1	1	1	2	5	13
20-34	7	3.1	5	<1	<1	3	5	7	7	7
35-49	6	3.8	16	<1	<1	2	6	10	11	11
50-64	15	2.6	11	<1	<1	1	2	10	11	11
65+	23	3.9	15	<1	<1	3	6	7	11	18
B. *Operated*										
0-19 YRS	605	1.8	3	<1	<1	1	2	3	4	7
20-34	217	2.6	3	1	1	2	3	5	6	10
35-49	322	2.8	6	1	1	2	3	5	6	11
50-64	746	3.3	8	1	1	3	4	6	8	16
65+	789	3.7	8	1	1	3	4	7	9	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	2.1	6	<1	<1	1	2	4	6	13
B. *Operated*	2312	2.0	2	<1	<1	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	103	2.5	9	<1	<1	1	3	6	9	15
B. *Operated*	2679	3.0	7	<1	1	2	4	5	7	13
1. SINGLE DX	2339	2.0	2	<1	<1	2	3	4	4	7
2. MULTIPLE DX	2782	2.9	7	<1	1	2	4	5	7	13
A. NOT OPERATED	130	2.4	8	<1	<1	1	3	6	8	14
B. OPERATED	4991	2.5	5	<1	1	2	3	4	6	11
TOTAL 0-19 YRS	1308	1.7	2	<1	<1	1	2	3	4	6
20-34	546	2.4	2	<1	1	2	3	4	5	9
35-49	712	2.4	4	<1	1	2	3	4	6	9
50-64	1357	2.9	6	1	1	2	3	5	6	12
65+	1198	3.3	7	1	1	3	4	6	8	13
GRAND TOTAL	**5121**	**2.5**	**5**	**<1**	**1**	**2**	**3**	**5**	**6**	**11**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	331	3.5	4	1	1	3	5	6	7	9
20-34	709	3.8	5	1	1	3	5	7	8	11
35-49	427	4.4	5	2	2	4	5	7	8	13
50-64	262	5.0	7	2	2	5	6	8	10	15
65+	172	5.4	7	2	3	5	7	9	10	15
B. *Operated*										
0-19 YRS	158	2.6	5	1	1	2	3	5	7	12
20-34	203	3.1	6	1	1	2	4	7	8	12
35-49	192	3.1	6	1	1	2	4	6	9	12
50-64	135	3.7	10	1	1	3	5	8	10	15
65+	99	4.0	9	1	1	3	5	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	153	3.8	5	1	1	3	5	6	7	12
20-34	382	4.8	7	1	2	4	6	8	10	15
35-49	388	5.4	9	2	2	5	7	10	11	16
50-64	571	5.8	9	2	3	5	7	9	10	16
65+	774	6.4	13	2	3	6	8	10	13	21
B. *Operated*										
0-19 YRS	93	3.8	10	1	1	3	5	7	10	17
20-34	210	4.9	16	1	1	4	6	9	12	20
35-49	233	5.0	17	1	1	4	7	10	12	22
50-64	332	6.9	44	1	2	5	9	13	16	38
65+	532	7.6	43	1	2	6	10	14	19	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1901	4.2	6	1	1	4	5	7	8	12
B. *Operated*	787	3.2	7	1	1	2	4	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	2268	5.6	10	2	2	5	7	10	11	17
B. *Operated*	1400	6.3	34	1	1	5	8	13	16	28
1. SINGLE DX	2688	3.9	7	1	1	3	5	7	9	13
2. MULTIPLE DX	3668	5.9	20	1	2	5	7	10	13	22
A. NOT OPERATED	4169	5.0	9	1	2	4	6	9	10	15
B. OPERATED	2187	5.2	27	1	1	4	7	11	14	23
TOTAL 0-19 YRS	735	3.4	5	1	1	3	5	6	8	11
20-34	1504	4.1	8	1	1	4	5	7	9	14
35-49	1240	4.6	9	1	1	4	6	8	10	15
50-64	1300	5.7	19	1	2	5	7	10	12	20
65+	1577	6.6	23	2	2	5	8	11	15	23
GRAND TOTAL	**6356**	**5.1**	**15**	**1**	**1**	**4**	**6**	**9**	**11**	**19**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	1.4	1	<1	<1	1	1	2	4	6
20-34	10	1.3		<1	<1	1	2	2	2	2
35-49	8	1.5	1	<1	<1	1	2	3	3	3
50-64	7	1.9	1	<1	<1	1	3	4	4	4
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	1752	1.3		<1	<1	1	1	2	2	3
20-34	341	1.5		<1	<1	1	2	2	3	4
35-49	203	1.4		<1	<1	1	2	2	3	3
50-64	151	1.7	1	<1	<1	2	2	3	3	4
65+	91	1.8	2	<1	<1	1	2	3	4	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	97	1.3	1	<1	<1	1	1	2	3	5
20-34	12	3.0	7	<1	<1	1	5	7	8	8
35-49	15	2.3	4	<1	<1	1	3	5	7	8
50-64	11	1.9	3	<1	<1	1	2	5	6	6
65+	44	4.1	17	<1	1	3	4	9	13	19
B. *Operated*										
0-19 YRS	473	1.6	1	<1	<1	1	2	3	3	6
20-34	218	2.0	2	<1	<1	2	2	4	4	8
35-49	329	2.1	3	<1	<1	2	2	4	6	10
50-64	344	2.5	11	<1	<1	2	3	4	6	14
65+	346	3.3	14	1	1	2	4	7	9	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	1.5	1	<1	<1	1	2	3	4	6
B. *Operated*	2538	1.3		<1	<1	1	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	179	2.2	7	<1	<1	1	2	5	8	16
B. *Operated*	1710	2.3	7	<1	<1	2	2	4	6	13
1. SINGLE DX	2602	1.4	1	<1	<1	1	2	2	2	4
2. MULTIPLE DX	1889	2.3	7	<1	<1	2	2	4	6	13
A. NOT OPERATED	243	2.0	5	<1	<1	1	2	4	6	12
B. OPERATED	4248	1.7	3	<1	<1	1	2	3	4	8
TOTAL 0-19 YRS	2360	1.3	1	<1	<1	1	2	2	2	4
20-34	581	1.7	1	<1	<1	1	2	3	4	7
35-49	555	1.9	2	<1	<1	1	2	3	4	8
50-64	513	2.2	8	<1	<1	2	2	4	6	11
65+	482	3.1	13	<1	1	2	3	6	9	18
GRAND TOTAL	**4491**	**1.7**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	157	2.0	2	<1	<1	1	2	4	5	7
20-34	108	2.5	3	<1	1	2	4	5	6	9
35-49	78	2.8	5	<1	1	2	3	6	7	13
50-64	65	2.9	3	1	1	2	4	5	6	10
65+	31	2.9	5	<1	1	2	4	6	9	10
B. *Operated*										
0-19 YRS	2208	1.6	1	<1	<1	1	2	3	4	6
20-34	1217	2.0	2	<1	<1	2	2	4	5	8
35-49	852	2.2	3	<1	<1	2	3	4	5	8
50-64	1084	2.9	6	1	1	3	4	5	6	10
65+	476	2.9	5	1	1	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	2.8	3	<1	1	2	3	5	7	10
20-34	162	3.7	12	<1	1	3	4	8	11	18
35-49	135	4.0	10	<1	1	3	6	8	11	14
50-64	175	3.6	11	<1	<1	2	5	8	9	14
65+	196	5.9	40	1	1	5	8	11	15	52
B. *Operated*										
0-19 YRS	902	2.2	3	<1	1	2	3	4	6	10
20-34	913	3.4	16	1	1	2	4	7	9	20
35-49	1248	3.9	19	1	1	3	5	7	10	25
50-64	2070	4.3	29	1	1	3	5	7	10	25
65+	1470	4.9	41	1	1	3	5	9	14	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	439	2.4	3	<1	1	2	3	5	6	10
B. *Operated*	5837	2.1	3	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	824	4.1	18	<1	1	3	5	9	11	18
B. *Operated*	6603	3.9	25	1	1	3	4	7	10	26
1. SINGLE DX	6276	2.2	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	7427	4.0	24	1	1	3	5	7	10	25
A. NOT OPERATED	1263	3.5	13	<1	1	2	4	7	10	17
B. OPERATED	12440	3.1	16	<1	1	2	4	6	8	18
TOTAL 0-19 YRS	3423	1.9	2	<1	1	1	2	3	4	7
20-34	2400	2.7	9	<1	1	2	3	5	7	15
35-49	2313	3.3	13	<1	1	2	4	6	8	16
50-64	3394	3.8	21	1	1	3	4	6	8	20
65+	2173	4.6	33	1	1	3	5	8	12	32
GRAND TOTAL	**13703**	**3.1**	**15**	**<1**	**1**	**2**	**4**	**6**	**8**	**18**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	2.5	5	<1	<1	2	3	6	8	8
35-49	25	2.1	4	<1	<1	1	3	4	6	10
50-64	20	1.4	1	<1	<1	1	1	2	4	6
65+	5	2.8	9	1	1	1	4	8	8	8
B. *Operated*										
0-19 YRS	118	1.8	1	<1	<1	1	2	3	4	6
20-34	1128	2.0	2	<1	<1	2	2	4	5	7
35-49	3431	2.0	2	<1	<1	2	2	3	5	7
50-64	2201	1.9	1	<1	<1	2	2	3	4	6
65+	852	1.9	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	18	3.1	5	<1	<1	3	5	7	8	8
35-49	54	3.3	21	<1	<1	2	3	6	8	30
50-64	48	2.5	5	<1	<1	2	3	6	8	11
65+	20	3.7	11	<1	<1	3	5	8	11	13
B. *Operated*										
0-19 YRS	44	2.5	3	<1	<1	2	3	5	6	10
20-34	746	2.8	4	<1	<1	2	4	5	6	10
35-49	2774	2.9	5	<1	1	2	4	5	7	11
50-64	2150	2.8	6	<1	1	2	3	5	7	13
65+	1420	2.8	5	<1	1	2	3	5	7	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	2.0	4	<1	<1	1	2	4	7	10
B. *Operated*	7730	2.0	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	142	3.1	12	<1	<1	2	4	6	8	16
B. *Operated*	7134	2.8	5	<1	1	2	3	5	7	11
1. SINGLE DX	7791	2.0	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX	7276	2.8	5	<1	1	2	3	5	7	11
A. NOT OPERATED	203	2.7	10	<1	<1	2	3	6	8	14
B. OPERATED	14864	2.4	4	<1	<1	2	3	4	6	9
TOTAL 0-19 YRS	164	2.0	2	<1	<1	2	2	3	5	7
20-34	1903	2.3	3	<1	<1	2	3	5	5	8
35-49	6284	2.4	4	<1	<1	2	3	5	6	9
50-64	4419	2.4	4	<1	<1	2	3	4	6	10
65+	2297	2.5	4	<1	<1	2	3	4	6	10
GRAND TOTAL	**15067**	**2.4**	**4**	**<1**	**<1**	**2**	**3**	**4**	**6**	**9**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	3.6	4	1	2	3	5	7	8	10
20-34	157	3.3	4	1	1	3	4	6	7	10
35-49	65	3.5	5	<1	<1	4	5	7	8	10
50-64	35	3.2	6	<1	1	3	4	6	9	10
65+	15	4.1	10	<1	<1	3	7	9	9	9
B. *Operated*										
0-19 YRS	1145	2.5	2	<1	1	2	3	4	5	7
20-34	2065	2.8	3	<1	1	3	4	5	5	7
35-49	1319	2.7	6	<1	<1	2	3	5	5	9
50-64	911	2.5	2	<1	<1	2	3	4	5	8
65+	403	2.3	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	3.5	7	<1	1	3	5	7	8	12
20-34	157	3.2	5	<1	<1	3	4	7	8	11
35-49	142	3.8	10	<1	<1	3	5	8	10	15
50-64	140	3.5	9	<1	<1	2	5	8	10	13
65+	134	4.4	53	<1	<1	2	5	9	14	44
B. *Operated*										
0-19 YRS	358	3.0	3	1	1	3	4	5	6	10
20-34	1153	3.4	8	1	1	3	4	6	7	13
35-49	1547	3.4	9	1	1	3	4	6	7	13
50-64	1329	3.6	9	1	1	3	4	7	9	16
65+	776	3.7	14	1	1	3	4	7	9	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	341	3.4	5	1	1	3	4	6	8	10
B. *Operated*	5843	2.6	3	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	624	3.7	18	<1	<1	3	5	8	10	16
B. *Operated*	5163	3.5	9	1	1	3	4	6	8	15
1. SINGLE DX	6184	2.7	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	5787	3.5	10	1	1	3	4	6	8	15
A. NOT OPERATED	965	3.6	13	<1	1	3	5	7	9	15
B. OPERATED	11006	3.0	6	<1	1	3	4	5	6	12
TOTAL 0-19 YRS	1623	2.7	3	<1	1	2	3	4	5	9
20-34	3532	3.0	5	<1	1	3	4	5	6	10
35-49	3073	3.1	8	<1	1	3	4	5	7	12
50-64	2415	3.2	7	<1	1	3	4	6	8	13
65+	1328	3.4	15	<1	1	2	4	6	9	19
GRAND TOTAL	**11971**	**3.1**	**7**	**<1**	**1**	**3**	**4**	**5**	**7**	**12**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1259	2.1	2	1	1	2	3	4	5	7
20-34	2157	2.1	2	1	1	2	3	4	5	7
35-49	513	2.3	3	1	1	2	3	4	5	8
50-64	29	2.6	4	<1	<1	2	3	5	6	10
65+	7	2.9	2	1	1	2	4	5	5	5
B. *Operated*										
0-19 YRS	1417	3.6	4	1	1	4	5	6	7	10
20-34	4495	3.8	4	1	1	4	5	6	7	10
35-49	1300	4.7	5	1	2	5	6	7	8	11
50-64	203	5.7	5	2	3	6	7	8	9	13
65+	103	6.4	7	2	3	6	8	10	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	833	2.7	13	1	1	2	3	5	6	8
20-34	1741	2.8	4	1	1	2	4	5	7	10
35-49	523	3.4	6	1	1	3	4	6	8	14
50-64	46	5.1	10	1	1	4	7	10	13	14
65+	34	6.3	29	1	2	5	10	13	24	99+
B. *Operated*										
0-19 YRS	1464	4.4	9	1	2	4	5	7	8	13
20-34	9557	4.9	7	1	2	5	6	8	9	13
35-49	5095	5.9	11	2	3	6	7	9	11	17
50-64	731	6.7	10	3	4	6	8	10	12	18
65+	489	8.4	24	4	5	7	9	14	17	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3965	2.1	2	1	1	2	3	4	5	7
B. *Operated*	7518	4.0	5	1	1	4	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	3177	3.0	7	1	1	2	4	5	7	11
B. *Operated*	17336	5.3	10	1	2	5	6	8	10	15
1. SINGLE DX	11483	3.4	5	1	1	3	5	6	7	10
2. MULTIPLE DX	20513	5.0	10	1	2	5	6	8	10	15
A. NOT OPERATED	7142	2.5	4	1	1	2	3	5	6	9
B. OPERATED	24854	4.9	8	1	2	5	6	8	9	14
TOTAL 0-19 YRS	4973	3.3	7	1	1	3	4	6	7	10
20-34	17950	4.1	6	1	1	4	5	7	8	12
35-49	7431	5.3	10	1	2	5	7	8	10	15
50-64	1009	6.3	10	2	3	6	7	9	12	17
65+	633	7.9	22	2	4	7	9	13	16	26
GRAND TOTAL	**31996**	**4.4**	**9**	**1**	**1**	**4**	**6**	**7**	**9**	**14**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3051	4.0	4	1	2	4	5	6	8	11
20-34	7350	4.0	5	1	2	4	5	7	8	11
35-49	961	4.5	6	2	2	4	6	8	9	13
50-64	56	4.2	4	2	2	4	5	7	8	9
65+	14	4.6	8	1	2	4	5	9	11	12
B. *Operated*										
0-19 YRS	616	4.8	7	1	2	5	6	8	10	13
20-34	2982	4.5	8	<1	1	4	6	8	10	14
35-49	924	4.9	10	<1	1	5	6	8	11	15
50-64	128	6.0	17	1	2	5	7	11	14	24
65+	28	4.8	14	1	1	4	8	9	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2241	4.4	6	2	2	4	5	7	9	12
20-34	6221	4.6	7	2	2	4	6	8	9	13
35-49	1317	5.4	10	2	2	5	7	9	11	16
50-64	151	6.5	19	2	3	5	8	13	15	22
65+	90	7.8	40	2	3	6	9	13	21	35
B. *Operated*										
0-19 YRS	1276	5.7	12	1	2	5	7	10	12	17
20-34	12228	5.4	11	1	2	5	6	9	11	16
35-49	4916	6.5	17	1	2	6	8	11	14	22
50-64	561	8.6	45	2	3	7	10	16	20	38
65+	224	11.1	109	2	3	8	14	22	26	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11432	4.1	5	1	2	4	5	7	8	11
B. *Operated*	4678	4.7	8	<1	1	5	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	10020	4.7	8	2	2	4	6	8	10	14
B. *Operated*	19205	5.9	16	1	2	5	7	10	12	20
1. SINGLE DX	16110	4.2	6	1	2	4	5	7	8	12
2. MULTIPLE DX	29225	5.5	13	1	2	5	7	9	12	18
A. NOT OPERATED	21452	4.4	6	2	2	4	5	7	9	13
B. OPERATED	23883	5.6	14	1	2	5	7	9	12	19
TOTAL 0-19 YRS	7184	4.5	7	1	2	4	6	7	9	13
20-34	28781	4.8	9	1	2	4	6	8	10	15
35-49	8118	5.9	15	1	2	5	7	10	13	20
50-64	896	7.6	36	2	3	6	9	14	19	30
65+	356	9.5	85	1	2	7	12	19	23	72
GRAND TOTAL	**45335**	**5.0**	**11**	**1**	**2**	**5**	**6**	**8**	**11**	**16**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	2.8	4	<1	<1	2	4	6	7	8
20-34	141	2.6	3	<1	1	2	3	5	6	9
35-49	50	2.8	4	1	1	2	4	5	6	10
50-64										
65+										
B. *Operated*										
0-19 YRS	117	2.9	4	<1	<1	2	4	6	7	8
20-34	2439	4.0	5	<1	1	4	6	6	7	10
35-49	1644	5.1	4	1	2	5	6	7	8	10
50-64	95	5.4	4	1	2	6	7	7	8	13
65+	9	5.7	5	2	2	6	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	2.8	2	<1	1	3	3	5	6	6
20-34	328	3.2	6	<1	1	3	4	6	8	12
35-49	136	3.1	6	<1	<1	2	4	7	8	10
50-64	6	3.2	3	2	2	3	4	6	6	6
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	231	3.8	6	<1	1	4	5	7	8	11
20-34	11613	5.1	5	1	2	5	6	7	8	12
35-49	14074	5.9	5	3	4	6	7	8	9	14
50-64	1415	6.4	6	4	4	6	7	9	10	15
65+	161	7.8	21	4	5	7	8	11	14	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	215	2.7	3	<1	1	2	3	5	6	9
B. *Operated*	4304	4.4	5	<1	1	5	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	500	3.1	5	<1	<1	3	4	6	8	12
B. *Operated*	27494	5.5	5	2	3	5	7	8	9	13
1. SINGLE DX	4519	4.4	5	<1	1	5	6	7	8	10
2. MULTIPLE DX	27994	5.5	6	1	3	5	6	8	9	13
A. NOT OPERATED	715	3.0	5	<1	1	2	4	6	7	11
B. OPERATED	31798	5.4	5	1	3	5	6	8	9	13
TOTAL 0-19 YRS	401	3.4	5	<1	<1	3	5	6	8	10
20-34	14521	4.8	5	1	1	5	6	7	8	12
35-49	15904	5.7	5	2	4	6	7	8	9	13
50-64	1516	6.3	6	3	4	6	7	9	10	15
65+	171	7.6	20	4	5	7	8	11	13	26
GRAND TOTAL	**32513**	**5.3**	**6**	**1**	**2**	**5**	**6**	**8**	**9**	**13**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	15	3.1	4	<1	<1	3	4	5	7	8
35-49	3	4.0	3	3	3	3	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	5	1.4		<1	<1	1	2	2	2	2
20-34	167	2.6	5	<1	<1	2	4	6	6	13
35-49	132	2.9	5	<1	<1	2	4	6	7	9
50-64	67	2.1	5	<1	<1	2	2	3	6	14
65+	20	2.5	8	<1	<1	2	3	6	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	3.0	1	<1	2	3	4	5	5	5
20-34	38	4.0	5	<1	1	4	5	8	9	10
35-49	14	8.1	125	1	1	5	11	16	38	44
50-64	6	3.7	7	<1	<1	3	5	8	8	8
65+	8	7.4	29	<1	1	6	11	15	17	17
B. *Operated*										
0-19 YRS	25	4.2	63	<1	<1	2	5	6	15	41
20-34	1000	4.3	8	<1	1	4	6	7	9	13
35-49	1175	4.6	8	<1	1	5	6	8	8	13
50-64	360	3.8	12	<1	<1	2	6	7	9	18
65+	129	4.4	12	<1	1	3	6	9	12	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	3.2	3	<1	<1	3	4	6	7	8
B. *Operated*	391	2.6	5	<1	<1	2	3	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	81	4.8	29	<1	1	4	5	9	12	36
B. *Operated*	2689	4.4	9	<1	1	4	6	7	9	14
1. SINGLE DX	411	2.6	5	<1	<1	2	3	6	7	12
2. MULTIPLE DX	2770	4.4	10	<1	1	4	6	7	9	14
A. NOT OPERATED	101	4.5	25	<1	1	3	5	8	11	30
B. OPERATED	3080	4.1	9	<1	<1	4	6	7	8	14
TOTAL 0-19 YRS	47	3.5	34	<1	<1	2	4	5	6	41
20-34	1220	4.1	8	<1	1	4	6	7	8	13
35-49	1324	4.4	9	<1	<1	5	6	7	8	13
50-64	433	3.5	11	<1	<1	2	5	7	9	18
65+	157	4.4	13	<1	1	3	6	10	12	15
GRAND TOTAL	**3181**	**4.2**	**10**	**<1**	**<1**	**4**	**6**	**7**	**9**	**14**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	143	3.1	3	<1	1	3	4	5	6	11
20-34	401	3.4	4	1	1	3	4	6	7	9
35-49	77	3.8	4	1	1	3	5	7	8	9
50-64	16	3.8	5	<1	<1	4	4	8	8	8
65+	7	5.1	4	2	2	5	7	8	8	8
B. *Operated*										
0-19 YRS	175	2.0	2	<1	<1	1	3	4	5	7
20-34	1191	1.9	2	<1	<1	1	2	3	4	8
35-49	610	1.8	2	<1	<1	1	2	3	4	7
50-64	173	2.2	4	<1	<1	2	3	4	5	13
65+	55	2.7	6	<1	<1	2	3	5	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	220	4.0	5	1	2	4	5	7	8	11
20-34	643	4.2	6	1	2	4	5	7	9	12
35-49	187	4.6	8	1	2	4	6	8	10	15
50-64	80	6.8	41	1	2	5	8	10	18	38
65+	127	8.2	36	2	3	7	10	17	21	30
B. *Operated*										
0-19 YRS	130	3.8	10	<1	1	3	5	8	9	17
20-34	948	4.0	9	<1	1	3	6	7	9	16
35-49	645	4.1	13	<1	<1	3	6	8	10	17
50-64	256	5.6	43	<1	1	3	7	14	20	34
65+	231	6.2	45	1	1	4	8	15	19	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	644	3.4	4	1	1	3	4	6	7	9
B. *Operated*	2204	1.9	2	<1	<1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	1257	4.8	13	1	2	4	6	8	10	19
B. *Operated*	2210	4.4	19	<1	1	3	6	9	12	22
1. SINGLE DX	2848	2.3	3	<1	<1	2	3	4	6	8
2. MULTIPLE DX	3467	4.6	17	<1	1	4	6	8	11	22
A. NOT OPERATED	1901	4.3	10	1	2	4	5	8	9	16
B. OPERATED	4414	3.2	12	<1	<1	2	4	7	9	17
TOTAL 0-19 YRS	668	3.3	5	<1	1	3	4	6	8	11
20-34	3183	3.2	6	<1	1	2	4	6	8	12
35-49	1519	3.2	9	<1	<1	2	4	7	8	14
50-64	525	4.6	32	<1	1	3	5	10	15	31
65+	420	6.3	39	1	1	5	8	14	18	34
GRAND TOTAL	**6315**	**3.5**	**12**	**<1**	**1**	**3**	**5**	**7**	**9**	**17**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	9	2.9	4	<1	<1	3	5	5	5	5
35-49	13	3.6	6	<1	1	4	5	7	9	9
50-64	16	3.8	7	<1	<1	3	6	8	8	8
65+	18	4.3	5	1	1	4	6	8	9	9
B. *Operated*										
0-19 YRS	15	4.3	4	1	2	4	6	7	8	9
20-34	826	5.0	4	2	3	5	6	7	8	11
35-49	1740	5.6	4	2	3	5	7	8	9	12
50-64	2812	5.9	5	3	3	6	7	8	9	13
65+	2446	6.2	5	3	4	6	7	9	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	67	2.5	4	<1	<1	1	4	5	6	10
35-49	127	2.5	4	<1	<1	1	4	6	7	8
50-64	143	2.6	6	<1	<1	1	4	6	8	11
65+	246	4.1	17	<1	1	3	5	9	13	20
B. *Operated*										
0-19 YRS	27	6.0	9	2	3	6	8	12	22	99+
20-34	4264	5.6	5	3	4	5	7	8	9	13
35-49	9210	6.2	6	3	4	6	7	9	10	14
50-64	8253	6.7	7	3	4	6	8	10	11	15
65+	8604	7.2	11	4	4	7	8	10	13	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	3.7	6	<1	1	4	5	8	8	9
B. *Operated*	7839	5.8	5	3	3	6	7	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	585	3.2	11	<1	<1	2	4	7	9	15
B. *Operated*	30358	6.6	8	3	4	6	8	9	11	16
1. SINGLE DX	7897	5.8	5	3	3	6	7	8	9	13
2. MULTIPLE DX	30943	6.5	8	3	4	6	8	9	11	16
A. NOT OPERATED	643	3.2	10	<1	<1	2	5	7	9	15
B. OPERATED	38197	6.4	7	3	4	6	7	9	11	15
TOTAL 0-19 YRS	46	5.1	8	1	1	5	7	9	13	99+
20-34	5166	5.5	5	2	3	5	6	8	9	13
35-49	11090	6.1	6	3	4	6	7	9	10	14
50-64	11224	6.5	7	3	4	6	8	9	11	15
65+	11314	6.9	10	3	4	7	8	10	12	18
GRAND TOTAL	**38840**	**6.4**	**7**	**3**	**4**	**6**	**7**	**9**	**11**	**15**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	18	1.6	1	<1	<1	1	2	3	4	4
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	12	1.8	1	<1	<1	2	2	3	4	4
20-34	176	1.7	1	<1	<1	1	2	3	4	6
35-49	215	1.7	2	<1	<1	1	2	4	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	1.9	1	<1	<1	2	2	4	4	4
20-34	31	3.3	8	<1	<1	2	4	7	11	11
35-49	26	2.7	3	1	1	2	4	5	6	8
50-64										
65+										
B. *Operated*										
0-19 YRS	14	2.2	3	<1	1	1	3	4	6	6
20-34	335	3.9	10	<1	<1	4	6	7	8	15
35-49	536	3.8	8	<1	<1	3	6	7	9	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	1.6	1	<1	1	1	2	3	3	4
B. *Operated*	403	1.7	2	<1	<1	1	2	3	5	6
2. MULTIPLE DX										
A. *Not Operated*	67	2.9	5	<1	1	2	4	6	8	11
B. *Operated*	885	3.8	9	<1	<1	3	6	7	8	13
1. SINGLE DX	427	1.7	2	<1	<1	1	2	3	5	6
2. MULTIPLE DX	952	3.7	8	<1	<1	3	6	7	8	12
A. NOT OPERATED	91	2.5	4	<1	1	2	3	5	7	11
B. OPERATED	1288	3.2	7	<1	<1	2	5	7	8	12
TOTAL 0-19 YRS	39	1.9	2	<1	1	1	2	4	4	6
20-34	560	3.1	8	<1	<1	2	5	6	7	12
35-49	780	3.2	7	<1	<1	2	5	7	8	11
50-64										
65+										
GRAND TOTAL	**1379**	**3.1**	**7**	**<1**	**<1**	**2**	**5**	**7**	**8**	**11**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	223	1.9	1	<1	<1	2	2	3	4	7
20-34	518	1.7	2	<1	<1	1	2	3	4	5
35-49	217	1.8	2	<1	<1	1	2	3	4	9
50-64										
65+										
B. *Operated*										
0-19 YRS	345	1.7	1	<1	<1	1	2	3	3	6
20-34	3784	2.1	3	<1	<1	1	2	5	6	7
35-49	4696	2.1	3	<1	<1	1	2	5	6	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	342	2.4	2	1	1	2	3	4	5	8
20-34	795	2.4	3	<1	1	2	3	4	6	10
35-49	633	2.3	3	<1	<1	2	3	5	6	8
50-64										
65+										
B. *Operated*										
0-19 YRS	476	2.8	6	<1	1	2	3	6	7	11
20-34	9151	4.1	8	<1	1	4	6	7	8	11
35-49	16411	4.4	8	<1	1	5	6	7	8	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	958	1.7	2	<1	<1	1	2	3	4	7
B. *Operated*	8825	2.1	3	<1	<1	1	2	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	1770	2.4	3	<1	<1	2	3	5	6	8
B. *Operated*	26038	4.3	8	<1	1	4	6	7	8	12
1. SINGLE DX	9783	2.0	3	<1	<1	1	2	5	6	8
2. MULTIPLE DX	27808	4.2	8	<1	1	4	6	7	8	12
A. NOT OPERATED	2728	2.2	3	<1	<1	2	3	4	5	8
B. OPERATED	34863	3.7	7	<1	<1	3	6	7	8	11
TOTAL 0-19 YRS	1386	2.3	3	<1	1	2	3	4	5	8
20-34	14248	3.4	7	<1	<1	3	5	6	7	10
35-49	21957	3.9	8	<1	<1	4	6	7	8	12
50-64										
65+										
GRAND TOTAL	**37591**	**3.6**	**7**	**<1**	**<1**	**3**	**5**	**7**	**8**	**11**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	1.5		<1	<1	1	2	2	2	2
35-49	10	4.8	92	<1	<1	2	3	18	32	32
50-64	18	1.9	5	<1	<1	1	2	4	8	10
65+	19	2.0	2	<1	<1	1	2	5	5	5
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	28	2.4	3	<1	<1	1	4	5	5	6
35-49	439	1.6	1	<1	<1	1	2	2	4	6
50-64	1566	1.6	2	<1	<1	1	2	2	3	7
65+	545	1.7	1	<1	<1	1	2	2	3	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	2.7	10	1	1	2	2	8	9	9
35-49	69	3.3	5	<1	<1	3	4	7	8	10
50-64	118	2.7	5	<1	<1	2	4	6	8	9
65+	146	3.7	10	1	1	3	5	8	9	17
B. *Operated*										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	83	4.5	4	1	1	5	6	7	8	11
35-49	786	3.4	6	<1	<1	2	5	7	8	11
50-64	2880	3.0	7	<1	<1	2	4	7	8	12
65+	1873	3.5	15	<1	1	2	4	7	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	2.5	20	<1	<1	1	2	4	5	32
B. *Operated*	2580	1.6	1	<1	<1	1	2	2	4	7
2. MULTIPLE DX										
A. *Not Operated*	339	3.2	7	<1	<1	2	4	7	9	13
B. *Operated*	5625	3.2	10	<1	<1	2	5	7	9	14
1. SINGLE DX	2631	1.6	2	<1	<1	1	2	2	4	7
2. MULTIPLE DX	5964	3.2	10	<1	<1	2	5	7	9	14
A. NOT OPERATED	390	3.1	9	<1	<1	2	4	7	9	15
B. OPERATED	8205	2.7	8	<1	<1	2	3	6	8	12
TOTAL 0-19 YRS	5	2.4		2	2	2	3	3	3	3
20-34	121	3.9	5	<1	<1	4	5	6	8	10
35-49	1304	2.8	6	<1	<1	2	4	6	7	10
50-64	4582	2.5	6	<1	<1	2	3	6	7	11
65+	2583	3.1	12	<1	1	2	3	7	9	16
GRAND TOTAL	**8595**	**2.8**	**8**	**<1**	**<1**	**2**	**3**	**6**	**8**	**12**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	118	2.3	4	<1	<1	2	3	5	6	10
20-34	266	2.2	3	<1	1	2	3	4	5	9
35-49	100	2.8	5	<1	1	2	3	7	8	9
50-64	24	3.0	10	<1	1	2	3	6	10	15
65+	13	2.7	9	<1	<1	2	3	6	11	12
B. *Operated*										
0-19 YRS	314	2.7	4	<1	<1	2	4	5	6	11
20-34	3344	2.8	4	<1	<1	2	4	6	6	9
35-49	2216	3.0	6	<1	<1	2	5	6	7	10
50-64	1104	3.0	7	<1	<1	2	5	6	8	11
65+	374	3.3	11	<1	<1	2	5	7	10	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	135	2.7	7	<1	1	2	3	5	7	15
20-34	442	2.8	6	<1	<1	2	4	6	7	10
35-49	227	2.8	5	<1	<1	2	4	6	7	13
50-64	141	4.0	13	1	1	3	5	9	10	21
65+	255	5.6	25	1	1	4	7	11	14	30
B. *Operated*										
0-19 YRS	451	3.9	10	<1	1	3	5	7	9	16
20-34	5830	4.2	8	<1	1	4	6	7	8	12
35-49	8034	4.7	11	<1	1	5	6	8	9	15
50-64	4373	5.0	20	<1	1	5	7	9	11	19
65+	2248	6.6	53	1	1	5	8	14	19	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	521	2.4	4	<1	1	2	3	5	6	9
B. *Operated*	7352	2.9	5	<1	<1	2	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	1200	3.5	12	<1	1	2	4	7	9	17
B. *Operated*	20936	4.8	17	<1	1	5	6	8	10	19
1. SINGLE DX	7873	2.9	5	<1	<1	2	4	6	7	10
2. MULTIPLE DX	22136	4.8	17	<1	1	5	6	8	10	19
A. NOT OPERATED	1721	3.2	10	<1	1	2	4	7	8	15
B. OPERATED	28288	4.3	15	<1	1	4	6	8	9	18
TOTAL 0-19 YRS	1018	3.2	7	<1	<1	2	4	6	8	13
20-34	9882	3.6	7	<1	1	3	5	7	8	11
35-49	10577	4.3	11	<1	<1	4	6	7	9	14
50-64	5642	4.6	18	<1	1	4	6	8	10	18
65+	2890	6.1	46	<1	1	4	8	13	18	34
GRAND TOTAL	**30009**	**4.3**	**14**	**<1**	**1**	**4**	**6**	**8**	**9**	**17**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	589	1.8	2	<1	1	1	2	3	4	5
20-34	792	2.1	3	<1	1	2	3	4	5	8
35-49	148	2.0	2	<1	<1	2	3	4	5	7
50-64	24	3.3	4	1	1	3	4	7	8	8
65+	10	2.4	2	1	1	2	3	5	5	5
B. *Operated*										
0-19 YRS	266	2.5	3	<1	<1	2	3	5	6	8
20-34	2573	3.1	5	<1	<1	2	5	6	7	9
35-49	2019	4.9	6	<1	1	5	6	8	9	12
50-64	1322	5.9	5	2	3	6	7	9	10	13
65+	608	6.3	6	3	3	6	8	9	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	460	2.2	3	<1	1	2	3	4	5	7
20-34	1222	2.5	5	<1	<1	2	3	5	6	9
35-49	390	3.0	11	<1	<1	2	4	6	8	15
50-64	107	2.8	5	<1	<1	2	4	6	7	11
65+	93	4.1	11	<1	1	3	6	8	10	17
B. *Operated*										
0-19 YRS	328	3.3	7	<1	1	2	5	6	8	14
20-34	8833	4.4	6	<1	1	5	6	7	8	11
35-49	6425	5.7	7	1	3	6	7	8	10	14
50-64	2423	6.9	12	3	4	6	8	10	12	19
65+	1528	7.4	12	3	4	7	9	11	14	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1563	2.0	2	<1	1	2	2	4	5	7
B. *Operated*	6788	4.4	7	<1	1	4	6	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	2272	2.6	6	<1	<1	2	3	5	6	11
B. *Operated*	19537	5.3	8	1	2	5	7	8	10	15
1. SINGLE DX	8351	4.0	7	<1	1	4	6	8	9	11
2. MULTIPLE DX	21809	5.1	9	1	1	5	6	8	10	15
A. NOT OPERATED	3835	2.3	5	<1	<1	2	3	5	6	10
B. OPERATED	26325	5.1	8	1	1	5	7	8	10	14
TOTAL 0-19 YRS	1643	2.3	4	<1	1	2	3	5	6	9
20-34	13420	3.8	6	<1	1	4	5	7	8	10
35-49	8982	5.3	7	1	2	5	7	8	9	13
50-64	3876	6.4	10	2	3	6	8	10	11	17
65+	2239	6.9	11	2	3	7	8	11	13	18
GRAND TOTAL	**30160**	**4.8**	**9**	**<1**	**1**	**5**	**6**	**8**	**9**	**14**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	1.8	1	<1	<1	1	2	4	4	4
20-34	155	2.0	3	<1	<1	1	2	4	5	7
35-49	20	2.2	2	<1	<1	2	3	5	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	504	4.2	2	2	3	4	5	6	6	8
20-34	6741	4.2	2	2	3	4	5	6	7	9
35-49	826	4.4	3	2	3	4	5	6	7	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	1.9	2	<1	<1	1	3	4	5	5
20-34	106	2.6	3	<1	1	2	3	5	7	9
35-49	5	3.8	4	1	1	4	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	454	4.7	5	2	3	4	5	7	8	12
20-34	7462	4.6	3	3	3	4	5	6	7	10
35-49	1248	5.0	5	3	3	5	6	7	8	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	202	2.0	3	<1	<1	1	2	4	5	7
B. *Operated*	8071	4.3	2	2	3	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	130	2.5	3	<1	1	2	3	5	7	8
B. *Operated*	9164	4.7	3	3	3	4	5	7	8	11
1. SINGLE DX	8273	4.2	2	2	3	4	5	6	7	9
2. MULTIPLE DX	9294	4.7	3	2	3	4	5	7	8	11
A. NOT OPERATED	332	2.2	3	<1	<1	2	3	4	5	8
B. OPERATED	17235	4.5	3	2	3	4	5	6	7	10
TOTAL 0-19 YRS	1004	4.3	4	2	2	4	5	6	7	11
20-34	14464	4.4	3	2	3	4	5	6	7	9
35-49	2099	4.7	4	2	3	4	6	7	8	12
50-64										
65+										
GRAND TOTAL	**17567**	**4.4**	**3**	**2**	**3**	**4**	**5**	**6**	**7**	**10**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	93	1.7	3	<1	<1	1	2	2	4	11
20-34	189	1.5	1	<1	1	1	2	2	3	4
35-49	42	2.0	21	<1	1	1	2	2	3	31
50-64										
65+										
B. *Operated*										
0-19 YRS	2535	1.3		<1	<1	1	2	2	2	4
20-34	7287	1.2	1	<1	<1	<1	1	2	2	4
35-49	954	1.2	1	<1	<1	<1	1	2	2	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	86	1.6	1	<1	<1	<1	2	3	5	6
20-34	266	1.9	3	<1	<1	1	2	4	5	11
35-49	76	1.6	1	<1	<1	1	2	3	3	8
50-64										
65+										
B. *Operated*										
0-19 YRS	1011	1.4	2	<1	<1	<1	1	2	3	7
20-34	3600	1.8	5	<1	<1	<1	2	4	5	10
35-49	859	2.1	5	<1	<1	1	2	4	6	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	324	1.6	4	<1	1	1	2	2	3	8
B. *Operated*	10776	1.2	1	<1	<1	<1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	428	1.8	2	<1	<1	1	2	3	4	9
B. *Operated*	5470	1.8	5	<1	<1	<1	2	3	5	10
1. SINGLE DX	11100	1.3	1	<1	<1	<1	1	2	2	4
2. MULTIPLE DX	5898	1.8	5	<1	<1	<1	2	3	5	10
A. NOT OPERATED	752	1.7	3	<1	<1	1	2	3	4	9
B. OPERATED	16246	1.4	2	<1	<1	<1	1	2	3	7
TOTAL 0-19 YRS	3725	1.4	1	<1	<1	<1	1	2	3	5
20-34	11342	1.4	2	<1	<1	<1	1	2	3	7
35-49	1931	1.6	4	<1	<1	<1	2	3	4	8
50-64										
65+										
GRAND TOTAL	**16998**	**1.4**	**2**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**7**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	2.7	2	<1	<1	3	4	4	4	4
20-34	6	1.8	2	1	1	1	3	4	4	4
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	10	2.4	2	<1	<1	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	3	3.0	4	1	1	3	4	5	5	5
1. SINGLE DX	12	2.3	2	<1	<1	2	3	4	5	5
2. MULTIPLE DX	3	3.0	4	1	1	3	4	5	5	5
A. NOT OPERATED	2	1.5	1	1	1	1	2	2	2	2
B. OPERATED	13	2.5	3	<1	<1	3	4	5	5	5
TOTAL 0-19 YRS	6	2.7	3	<1	<1	2	4	5	5	5
20-34	8	1.9	2	1	1	1	3	4	4	4
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
GRAND TOTAL	**15**	**2.4**	**2**	**<1**	**1**	**2**	**4**	**5**	**5**	**5**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	670	1.5	1	<1	<1	1	2	2	3	5
20-34	2407	1.5	1	<1	<1	1	2	2	3	5
35-49	249	1.5	2	<1	<1	1	2	2	3	7
50-64										
65+										
B. *Operated*										
0-19 YRS	4804	1.4	1	<1	<1	1	1	2	3	5
20-34	26831	1.3	1	<1	<1	1	1	2	3	4
35-49	4181	1.2		<1	<1	1	1	2	2	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	181	2.1	2	<1	1	2	3	4	5	8
20-34	670	2.3	3	<1	1	2	3	4	6	10
35-49	80	2.2	4	<1	1	1	2	5	6	12
50-64										
65+										
B. *Operated*										
0-19 YRS	854	2.0	3	<1	1	1	2	4	5	9
20-34	5090	2.0	4	<1	<1	1	2	4	5	9
35-49	1160	2.0	4	<1	<1	1	2	4	6	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3326	1.5	1	<1	<1	1	2	2	3	5
B. *Operated*	35816	1.3	1	<1	<1	1	1	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	931	2.2	3	<1	1	2	3	4	6	10
B. *Operated*	7104	2.0	4	<1	<1	1	2	4	5	10
1. SINGLE DX	39142	1.3	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX	8035	2.0	4	<1	<1	1	2	4	5	10
A. NOT OPERATED	4257	1.6	2	<1	<1	1	2	3	4	7
B. OPERATED	42920	1.4	1	<1	<1	1	1	2	3	6
TOTAL 0-19 YRS	6509	1.5	1	<1	<1	1	2	3	3	6
20-34	34998	1.4	1	<1	<1	1	1	2	3	6
35-49	5670	1.4	1	<1	<1	1	1	2	3	6
50-64										
65+										
GRAND TOTAL	**47177**	**1.4**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**	**6**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	240	2.8	3	1	1	2	4	5	6	8
20-34	935	2.2	3	<1	<1	2	3	4	6	8
35-49	134	1.9	2	<1	<1	1	2	4	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	580	1.8	2	<1	<1	1	2	3	4	7
20-34	5188	1.4	1	<1	<1	1	2	2	3	5
35-49	817	1.4	1	<1	<1	1	2	2	3	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	116	3.2	4	1	1	3	4	6	7	11
20-34	387	3.0	8	<1	1	2	4	6	7	12
35-49	53	2.6	4	1	1	2	3	5	7	10
50-64										
65+										
B. *Operated*										
0-19 YRS	247	2.8	8	<1	1	2	3	6	7	17
20-34	1763	2.6	9	<1	1	2	3	6	7	13
35-49	365	2.6	5	<1	1	2	3	6	8	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1309	2.3	3	<1	<1	2	3	5	6	8
B. *Operated*	6585	1.4	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	556	3.0	7	<1	1	2	4	6	7	12
B. *Operated*	2375	2.6	8	<1	1	2	3	6	7	13
1. SINGLE DX	7894	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	2931	2.7	8	<1	1	2	3	6	7	12
A. NOT OPERATED	1865	2.5	4	<1	1	2	3	5	6	10
B. OPERATED	8960	1.8	3	<1	<1	1	2	3	5	9
TOTAL 0-19 YRS	1183	2.3	4	<1	1	2	3	5	6	10
20-34	8273	1.8	3	<1	<1	1	2	3	5	9
35-49	1369	1.8	3	<1	<1	1	2	4	5	9
50-64										
65+										
GRAND TOTAL	**10825**	**1.9**	**3**	**<1**	**<1**	**1**	**2**	**4**	**5**	**9**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	669	1.9	1	<1	1	2	2	3	4	6
20-34	3888	2.0	2	<1	1	2	2	4	4	7
35-49	312	2.0	2	<1	1	2	3	4	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	15	1.7	1	<1	<1	1	2	3	5	5
20-34	99	1.9	2	<1	<1	1	2	4	5	7
35-49	11	1.3		<1	<1	1	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	176	2.7	5	<1	1	2	3	4	6	11
20-34	1103	2.7	4	1	1	2	3	5	6	11
35-49	97	2.9	5	1	1	2	4	6	8	57
50-64										
65+										
B. *Operated*										
0-19 YRS	23	3.0	4	1	1	3	5	[illegible]	6	8
20-34	112	3.4	28	1	1	2	4	7	9	33
35-49	10	3.4	4	1	1	3	5	6	7	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4869	2.0	2	<1	1	2	2	3	4	7
B. *Operated*	125	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	1376	2.7	4	<1	1	2	3	5	6	11
B. *Operated*	145	3.4	22	1	1	2	4	6	8	24
1. SINGLE DX	4994	2.0	2	<1	1	2	2	3	4	7
2. MULTIPLE DX	1521	2.8	6	1	1	2	4	5	7	11
A. NOT OPERATED	6245	2.2	2	<1	1	2	3	4	5	8
B. OPERATED	270	2.6	13	<1	1	2	3	5	7	12
TOTAL 0-19 YRS	883	2.1	2	<1	1	2	3	4	5	7
20-34	5202	2.2	3	<1	1	2	3	4	5	8
35-49	430	2.2	2	<1	1	2	3	4	5	9
50-64										
65+										
GRAND TOTAL	**6515**	**2.2**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**8**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	1.7	1	<1	1	1	2	3	4	5
20-34	249	1.9	2	<1	<1	2	2	4	4	7
35-49	11	2.8	7	<1	<1	1	4	7	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	16	2.1	2	<1	<1	2	3	4	5	5
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	1.8	1	<1	1	2	2	3	3	4
20-34	106	3.1	13	1	1	2	3	5	6	23
35-49	9	2.0	2	1	1	2	2	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	7	4.0	8	1	1	4	6	8	8	8
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	315	1.9	2	<1	1	1	2	4	4	8
B. *Operated*	19	2.0	2	<1	<1	1	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*	142	2.8	10	1	1	2	3	5	6	21
B. *Operated*	10	3.4	6	1	1	3	6	7	8	8
1. SINGLE DX	334	1.9	2	<1	<1	1	2	4	4	7
2. MULTIPLE DX	152	2.8	10	1	1	2	3	5	6	21
A. NOT OPERATED	457	2.2	5	<1	1	2	3	4	5	9
B. OPERATED	29	2.5	4	<1	<1	2	4	5	6	8
TOTAL 0-19 YRS	86	1.8	1	<1	1	2	2	3	4	5
20-34	378	2.3	6	<1	1	2	3	4	5	13
35-49	22	2.3	4	<1	<1	1	3	5	7	9
50-64										
65+										
GRAND TOTAL	**486**	**2.2**	**5**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	930	3.0	6	1	1	2	4	5	7	13
20-34	4613	2.9	5	1	1	2	3	5	6	10
35-49	411	3.3	5	1	1	3	4	6	8	12
50-64										
65+										
B. *Operated*										
0-19 YRS	96	3.0	4	<1	1	3	4	5	7	12
20-34	446	3.3	6	<1	<1	3	4	6	9	12
35-49	54	3.2	5	1	1	3	4	6	8	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	288	3.4	10	<1	1	3	4	6	9	21
20-34	1630	3.4	11	<1	1	3	4	6	8	17
35-49	231	4.0	9	1	1	3	5	8	10	16
50-64										
65+										
B. *Operated*										
0-19 YRS	68	3.3	7	<1	<1	2	4	7	10	13
20-34	455	3.0	11	<1	<1	2	4	7	9	19
35-49	59	4.3	18	<1	<1	3	6	12	15	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5954	2.9	5	1	1	2	3	5	7	11
B. *Operated*	596	3.2	6	<1	<1	3	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	2149	3.5	10	<1	1	3	4	6	9	16
B. *Operated*	582	3.2	11	<1	<1	2	4	7	10	16
1. SINGLE DX	6550	3.0	5	1	1	2	4	5	7	12
2. MULTIPLE DX	2731	3.4	11	<1	1	3	4	7	9	16
A. NOT OPERATED	8103	3.1	6	1	1	2	4	5	7	13
B. OPERATED	1178	3.2	9	<1	<1	2	4	6	9	15
TOTAL 0-19 YRS	1382	3.1	7	<1	1	2	4	5	8	14
20-34	7144	3.0	7	<1	1	2	4	5	7	13
35-49	755	3.6	7	<1	1	3	4	7	9	14
50-64										
65+										
GRAND TOTAL	**9281**	**3.1**	**7**	**<1**	**1**	**2**	**4**	**6**	**7**	**13**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1235	3.2	5	1	1	3	4	5	7	12
20-34	7201	3.7	6	1	2	3	4	6	8	13
35-49	290	4.3	8	1	2	3	5	8	10	17
50-64										
65+										
B. *Operated*										
0-19 YRS	12	6.4	119	<1	<1	2	6	18	37	40
20-34	35	6.7	50	<1	<1	3	10	21	23	25
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	674	3.4	8	1	1	3	4	6	7	13
20-34	3459	3.9	9	1	1	3	5	7	9	15
35-49	178	4.4	9	1	2	4	5	8	10	17
50-64										
65+										
B. *Operated*										
0-19 YRS	24	4.0	4	1	1	4	5	7	7	7
20-34	153	7.4	93	1	1	4	8	17	23	45
35-49	3	15.7	482	2	2	4	32	41	41	41
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8726	3.6	6	1	2	3	4	6	8	13
B. *Operated*	48	6.6	64	<1	<1	3	9	19	23	40
2. MULTIPLE DX										
A. *Not Operated*	4311	3.8	9	1	1	3	5	7	9	14
B. *Operated*	180	7.1	88	1	1	4	8	16	22	44
1. SINGLE DX	8774	3.6	7	1	2	3	4	6	8	13
2. MULTIPLE DX	4491	3.9	12	1	1	3	5	7	9	17
A. NOT OPERATED	13037	3.7	7	1	1	3	4	6	8	13
B. OPERATED	228	7.0	83	<1	1	4	8	16	23	43
TOTAL 0-19 YRS	1945	3.3	7	1	1	3	4	6	7	13
20-34	10848	3.8	9	1	2	3	4	7	8	14
35-49	472	4.4	11	1	2	4	5	8	10	17
50-64										
65+										
GRAND TOTAL	**13265**	**3.7**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3971	1.1	1	<1	<1	<1	1	1	2	4
20-34	16831	1.1	1	<1	<1	<1	1	1	2	4
35-49	955	1.1	1	<1	<1	<1	1	1	2	3
50-64										
65+										
B. *Operated*										
0-19 YRS	517	1.2	1	<1	<1	<1	1	1	2	5
20-34	2011	1.2	1	<1	<1	<1	1	1	2	5
35-49	127	1.0		<1	<1	<1	1	1	1	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	471	1.7	4	<1	<1	1	2	3	4	9
20-34	2026	1.5	3	<1	<1	1	1	3	4	8
35-49	134	1.6	2	<1	<1	1	2	3	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	77	1.5	2	<1	<1	1	1	3	3	10
20-34	387	1.9	9	<1	<1	1	2	4	5	14
35-49	23	1.7	1	<1	<1	1	2	4	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21757	1.1	1	<1	<1	<1	1	1	2	4
B. *Operated*	2655	1.2	1	<1	<1	<1	1	1	2	5
2. MULTIPLE DX										
A. *Not Operated*	2631	1.6	3	<1	<1	1	1	3	4	8
B. *Operated*	487	1.9	8	<1	<1	1	2	3	5	12
1. SINGLE DX	24412	1.1	1	<1	<1	<1	1	1	2	4
2. MULTIPLE DX	3118	1.6	4	<1	<1	1	1	3	4	9
A. NOT OPERATED	24388	1.2	1	<1	<1	<1	1	1	2	4
B. OPERATED	3142	1.3	2	<1	<1	<1	1	2	3	7
TOTAL 0-19 YRS	5036	1.2	1	<1	<1	<1	1	1	2	5
20-34	21255	1.2	1	<1	<1	<1	1	1	2	5
35-49	1239	1.2	1	<1	<1	<1	1	1	2	5
50-64										
65+										
GRAND TOTAL	**27530**	**1.2**	**1**	**<1**	**<1**	**<1**	**1**	**1**	**2**	**5**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	159	2.7	10	<1	1	2	3	5	7	17
20-34	1773	3.0	12	<1	1	2	4	5	8	17
35-49	200	3.6	20	<1	1	2	4	6	13	27
50-64										
65+										
B. *Operated*										
0-19 YRS	15	3.1	18	<1	1	2	3	4	14	18
20-34	166	4.4	35	<1	1	3	5	10	13	36
35-49	18	5.4	31	1	1	3	8	14	19	21
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	4.1	33	1	1	3	5	7	8	40
20-34	628	4.7	54	<1	1	3	5	9	14	39
35-49	74	4.6	23	<1	1	3	6	11	15	22
50-64										
65+										
B. *Operated*										
0-19 YRS	7	5.7	53	1	1	4	4	18	22	22
20-34	95	4.1	13	1	1	3	6	8	11	21
35-49	18	7.6	83	<1	1	4	7	20	29	35
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2132	3.1	13	<1	1	2	4	5	8	17
B. *Operated*	199	4.4	34	<1	1	3	5	10	14	36
2. MULTIPLE DX										
A. *Not Operated*	762	4.6	49	<1	1	3	5	9	14	37
B. *Operated*	120	4.7	27	1	1	3	5	9	14	29
1. SINGLE DX	2331	3.2	15	<1	1	2	4	6	9	19
2. MULTIPLE DX	882	4.6	46	<1	1	3	5	9	14	34
A. NOT OPERATED	2894	3.5	23	<1	1	2	4	6	10	22
B. OPERATED	319	4.5	31	<1	1	3	5	9	14	35
TOTAL 0-19 YRS	241	3.2	17	<1	1	2	3	5	8	23
20-34	2662	3.6	24	<1	1	2	4	7	10	22
35-49	310	4.2	26	<1	1	2	4	9	15	27
50-64										
65+										
GRAND TOTAL	**3213**	**3.6**	**24**	**<1**	**1**	**2**	**4**	**7**	**11**	**23**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	474	1.7	2	<1	<1	1	2	3	4	10
20-34	2218	2.0	3	<1	<1	1	2	4	5	10
35-49	210	2.3	13	<1	<1	1	2	4	6	13
50-64										
65+										
B. *Operated*										
0-19 YRS	45	1.6	1	<1	<1	1	2	3	4	5
20-34	208	2.0	7	<1	<1	1	2	4	5	10
35-49	25	1.6	1	<1	<1	1	2	4	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	185	2.6	11	<1	<1	1	3	5	8	20
20-34	869	2.6	6	<1	1	2	3	5	7	13
35-49	84	3.0	18	<1	1	2	3	6	9	28
50-64										
65+										
B. *Operated*										
0-19 YRS	16	2.7	3	<1	<1	2	3	6	7	7
20-34	140	3.7	26	<1	<1	2	4	7	12	30
35-49	11	2.3	3	<1	<1	2	3	5	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2902	2.0	4	<1	<1	1	2	3	5	10
B. *Operated*	278	1.9	5	<1	<1	1	2	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	1138	2.6	8	<1	1	2	3	5	7	14
B. *Operated*	167	3.5	23	<1	<1	2	4	7	10	29
1. SINGLE DX	3180	2.0	4	<1	<1	1	2	3	5	10
2. MULTIPLE DX	1305	2.7	10	<1	<1	2	3	5	7	17
A. NOT OPERATED	4040	2.1	5	<1	<1	1	2	4	6	11
B. OPERATED	445	2.5	12	<1	<1	1	3	5	7	22
TOTAL 0-19 YRS	720	1.9	5	<1	<1	1	2	3	5	12
20-34	3435	2.2	5	<1	<1	1	3	4	6	11
35-49	330	2.4	13	<1	<1	1	3	4	7	15
50-64										
65+										
GRAND TOTAL	**4485**	**2.2**	**6**	**<1**	**<1**	**1**	**2**	**4**	**6**	**12**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1089	2.9	4	<1	1	3	4	5	6	7
20-34	2506	2.9	3	<1	1	3	4	5	6	8
35-49	67	3.1	3	<1	1	3	4	5	6	9
50-64										
65+										
B. *Operated*										
0-19 YRS	43	2.7	4	<1	<1	2	3	6	7	8
20-34	145	3.1	7	<1	<1	2	4	6	7	12
35-49	9	3.1	3	1	1	3	4	5	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1550	3.4	6	<1	1	3	4	6	7	10
20-34	3307	3.4	7	<1	1	3	4	6	7	11
35-49	126	3.4	7	1	1	3	4	7	8	14
50-64										
65+										
B. *Operated*										
0-19 YRS	68	4.2	10	1	1	4	5	8	11	14
20-34	238	4.0	11	<1	1	3	5	8	10	14
35-49	12	4.8	13	1	1	4	7	10	13	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3662	2.9	3	<1	1	3	4	5	6	8
B. *Operated*	197	3.0	6	<1	<1	2	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	4983	3.4	7	<1	1	3	4	6	7	10
B. *Operated*	318	4.1	10	<1	1	3	5	8	10	14
1. SINGLE DX	3859	2.9	3	<1	1	3	4	5	6	8
2. MULTIPLE DX	5301	3.5	7	<1	1	3	4	6	7	11
A. NOT OPERATED	8645	3.2	5	<1	1	3	4	5	7	10
B. OPERATED	515	3.7	9	<1	1	3	5	7	9	14
TOTAL 0-19 YRS	2750	3.2	5	<1	1	3	4	5	7	9
20-34	6196	3.2	6	<1	1	3	4	6	7	10
35-49	214	3.4	6	<1	1	3	4	6	8	12
50-64										
65+										
GRAND TOTAL	**9160**	**3.2**	**6**	**<1**	**1**	**3**	**4**	**6**	**7**	**10**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	320	3.2	7	<1	1	2	4	7	9	14
20-34	2193	3.5	8	1	1	3	4	7	8	15
35-49	368	3.9	7	1	1	3	5	7	9	13
50-64										
65+										
B. *Operated*										
0-19 YRS	19	4.7	23	<1	<1	3	5	11	17	20
20-34	145	3.4	8	<1	<1	3	5	6	9	15
35-49	22	4.6	11	1	1	3	6	11	11	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1402	3.3	15	<1	<1	2	4	6	8	16
20-34	7468	3.6	14	<1	1	3	4	7	9	20
35-49	793	4.3	14	1	1	3	5	8	10	22
50-64										
65+										
B. *Operated*										
0-19 YRS	170	4.0	45	<1	<1	3	5	8	9	13
20-34	924	4.9	30	<1	1	4	6	10	16	27
35-49	93	5.4	15	<1	1	5	7	11	13	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2881	3.5	7	1	1	3	4	7	9	14
B. *Operated*	186	3.7	10	<1	<1	3	5	7	10	17
2. MULTIPLE DX										
A. *Not Operated*	9663	3.6	14	<1	1	3	4	7	9	19
B. *Operated*	1187	4.8	31	<1	1	3	6	10	14	25
1. SINGLE DX	3067	3.5	8	<1	1	3	4	7	9	14
2. MULTIPLE DX	10850	3.7	16	<1	1	3	5	7	10	20
A. NOT OPERATED	12544	3.6	13	<1	1	3	4	7	9	18
B. OPERATED	1373	4.7	28	<1	1	3	6	9	13	22
TOTAL 0-19 YRS	1911	3.4	17	<1	<1	2	4	7	9	15
20-34	10730	3.7	14	<1	1	3	4	7	10	20
35-49	1276	4.3	12	1	1	3	5	8	10	18
50-64										
65+										
GRAND TOTAL	**13917**	**3.7**	**14**	**<1**	**1**	**3**	**4**	**7**	**9**	**19**

268: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3588	2.1	6	<1	<1	1	2	4	5	13
20-34	15429	2.2	8	<1	<1	1	2	4	6	13
35-49	1003	2.4	9	<1	<1	1	3	5	8	16
50-64										
65+										
B. *Operated*										
0-19 YRS	904	2.2	8	<1	<1	1	3	4	6	13
20-34	6000	2.3	8	<1	<1	1	3	4	6	13
35-49	513	2.2	4	<1	<1	1	2	4	6	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1838	2.8	13	<1	<1	2	3	5	8	16
20-34	8425	3.1	19	<1	<1	2	3	6	9	22
35-49	632	3.6	19	<1	<1	2	4	7	11	27
50-64										
65+										
B. *Operated*										
0-19 YRS	593	3.4	23	<1	<1	2	4	7	10	26
20-34	3530	3.1	18	<1	<1	2	4	6	9	21
35-49	337	3.2	17	<1	<1	2	3	6	11	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20020	2.2	8	<1	<1	1	2	4	6	13
B. *Operated*	7417	2.3	8	<1	<1	1	3	4	6	13
2. MULTIPLE DX										
A. *Not Operated*	10895	3.1	18	<1	<1	2	3	6	9	22
B. *Operated*	4460	3.1	19	<1	<1	2	4	6	9	21
1. SINGLE DX	27437	2.2	8	<1	<1	1	2	4	6	13
2. MULTIPLE DX	15355	3.1	18	<1	<1	2	4	6	9	22
A. NOT OPERATED	30915	2.5	12	<1	<1	1	3	5	7	16
B. OPERATED	11877	2.6	12	<1	<1	1	3	5	7	18
TOTAL 0-19 YRS	6923	2.4	10	<1	<1	1	3	5	7	15
20-34	33384	2.5	12	<1	<1	1	3	5	7	16
35-49	2485	2.8	12	<1	<1	2	3	6	8	19
50-64										
65+										
GRAND TOTAL	**42792**	**2.5**	**12**	**<1**	**<1**	**1**	**3**	**5**	**7**	**16**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	357	2.7	1	1	1	3	3	4	4	7
20-34	2188	2.7	1	1	1	3	3	4	4	6
35-49	218	2.9	2	1	1	3	3	4	5	9
50-64										
65+										
B. *Operated*										
0-19 YRS	167	3.2	2	1	2	3	4	5	6	7
20-34	1364	3.7	6	1	2	3	4	6	6	12
35-49	124	3.5	2	2	2	3	5	6	6	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	597	2.9	4	1	1	3	3	4	5	10
20-34	3345	2.9	4	1	2	3	3	4	5	9
35-49	310	3.1	12	1	1	3	3	4	5	9
50-64										
65+										
B. *Operated*										
0-19 YRS	790	4.3	17	2	2	3	5	7	10	28
20-34	7604	4.6	22	2	2	4	5	7	9	25
35-49	995	5.0	23	2	2	4	5	8	11	27
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2763	2.7	2	1	1	3	3	4	4	7
B. *Operated*	1655	3.6	6	1	2	3	4	6	6	11
2. MULTIPLE DX										
A. *Not Operated*	4252	2.9	4	1	2	3	3	4	5	9
B. *Operated*	9389	4.6	22	2	2	4	5	7	9	25
1. SINGLE DX	4418	3.1	3	1	2	3	4	5	5	8
2. MULTIPLE DX	13641	4.1	17	1	2	3	4	6	8	21
A. NOT OPERATED	7015	2.8	3	1	1	3	3	4	5	8
B. OPERATED	11044	4.4	19	2	2	4	5	7	9	24
TOTAL 0-19 YRS	1911	3.5	9	1	2	3	4	5	7	19
20-34	14501	3.8	14	1	2	3	4	6	7	17
35-49	1647	4.3	18	1	2	3	5	7	9	24
50-64										
65+										
GRAND TOTAL	**18059**	**3.8**	**14**	**1**	**2**	**3**	**4**	**6**	**7**	**19**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23374	2.4	1	1	1	2	3	3	4	5
20-34	145297	2.5	1	1	1	2	3	3	4	5
35-49	8657	2.5	1	1	1	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	6016	2.4	1	1	1	2	3	3	4	5
20-34	37203	2.5	1	1	1	2	3	4	4	5
35-49	2188	2.5	1	1	1	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	908	2.6	1	1	1	2	3	4	4	7
20-34	4566	2.7	2	1	1	3	3	4	4	6
35-49	353	2.8	3	1	1	3	3	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	524	2.8	2	1	1	3	3	4	5	7
20-34	19629	3.1	1	2	2	3	4	4	5	6
35-49	2559	3.2	1	2	2	3	4	4	5	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	177328	2.5	1	1	1	2	3	3	4	5
B. *Operated*	45407	2.5	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	5827	2.7	2	1	1	3	3	4	4	6
B. *Operated*	22712	3.1	1	2	2	3	4	4	5	6
1. SINGLE DX	222735	2.5	1	1	1	2	3	3	4	5
2. MULTIPLE DX	28539	3.0	1	1	2	3	4	4	5	6
A. NOT OPERATED	183155	2.5	1	1	1	2	3	3	4	5
B. OPERATED	68119	2.7	1	1	2	3	3	4	4	5
TOTAL 0-19 YRS	30822	2.4	1	1	1	2	3	3	4	5
20-34	206695	2.5	1	1	1	3	3	4	4	5
35-49	13757	2.7	1	1	1	3	3	4	4	5
50-64										
65+										
GRAND TOTAL	**251274**	**2.5**	**1**	**1**	**1**	**3**	**3**	**4**	**4**	**5**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.6	3	<1	1	2	3	6	7	7
20-34	100	2.8	4	1	1	3	3	4	5	14
35-49	7	2.4	2	1	1	2	3	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	35	6.7	105	3	3	4	5	8	22	61
20-34	604	7.6	79	3	3	5	6	13	26	50
35-49	70	6.3	18	3	4	5	6	8	15	26
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.2	3	1	1	3	4	6	7	7
20-34	110	4.7	72	1	1	3	4	7	13	52
35-49	10	4.8	16	1	1	4	6	11	15	15
50-64										
65+										
B. *Operated*										
0-19 YRS	90	7.7	123	1	2	4	7	11	40	59
20-34	1738	8.4	110	3	3	5	7	16	29	60
35-49	370	9.5	127	3	3	6	8	22	33	61
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	123	2.7	4	1	1	3	3	4	5	12
B. *Operated*	709	7.4	75	3	3	5	6	12	25	50
2. MULTIPLE DX										
A. *Not Operated*	132	4.6	61	1	1	3	4	7	13	43
B. *Operated*	2198	8.6	113	3	3	5	7	17	30	60
1. SINGLE DX	832	6.7	67	2	2	5	6	10	23	47
2. MULTIPLE DX	2330	8.3	111	2	3	5	7	16	30	60
A. NOT OPERATED	255	3.7	34	1	1	3	3	6	8	32
B. OPERATED	2907	8.3	104	3	3	5	7	16	29	58
TOTAL 0-19 YRS	153	6.6	100	1	2	4	6	9	26	61
20-34	2552	7.8	98	2	3	5	7	15	27	56
35-49	457	8.8	108	3	3	5	8	19	30	59
50-64										
65+										
GRAND TOTAL	**3162**	**7.9**	**100**	**2**	**3**	**5**	**7**	**15**	**27**	**57**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	2.3	2	<1	1	2	3	4	4	7
20-34	694	2.5	2	1	1	2	3	4	4	8
35-49	61	2.6	2	<1	1	3	3	4	5	8
50-64										
65+										
B. *Operated*										
0-19 YRS	113	3.6	3	1	1	4	5	6	6	8
20-34	781	3.9	4	1	2	4	5	6	7	9
35-49	54	3.7	3	1	1	4	5	6	6	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	137	2.7	2	1	1	2	3	5	5	7
20-34	684	2.9	4	1	1	3	3	4	6	13
35-49	78	3.0	6	1	1	2	3	4	6	17
50-64										
65+										
B. *Operated*										
0-19 YRS	399	4.4	11	1	2	4	5	7	8	20
20-34	3023	4.6	15	1	2	4	5	7	9	19
35-49	295	5.3	42	2	2	5	6	7	8	41
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	834	2.5	2	1	1	2	3	4	4	8
B. *Operated*	948	3.9	4	1	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	899	2.9	4	1	1	3	3	4	6	13
B. *Operated*	3717	4.7	17	1	2	4	5	7	9	20
1. SINGLE DX	1782	3.2	4	1	1	3	4	5	6	8
2. MULTIPLE DX	4616	4.3	15	1	2	4	5	7	8	18
A. NOT OPERATED	1733	2.7	3	1	1	2	3	4	5	10
B. OPERATED	4665	4.5	14	1	2	4	5	7	8	18
TOTAL 0-19 YRS	728	3.7	8	1	1	3	5	6	7	13
20-34	5182	4.0	11	1	2	3	5	6	8	17
35-49	488	4.4	28	1	2	4	5	6	8	24
50-64										
65+										
GRAND TOTAL	**6398**	**4.0**	**12**	**1**	**2**	**3**	**5**	**6**	**8**	**17**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.2	1	1	1	2	3	4	4	4
20-34	164	2.5	1	1	1	3	3	4	4	6
35-49	12	2.1	1	<1	<1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	228	2.4	1	1	1	2	3	3	4	4
20-34	1826	2.5	1	1	1	3	3	4	4	5
35-49	132	2.6	2	1	1	3	3	4	4	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	2.1	1	1	1	2	3	3	4	4
20-34	72	2.5	1	1	1	2	3	4	4	5
35-49	9	2.6		2	2	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	163	2.6	1	1	1	2	3	4	5	6
20-34	1585	3.0	2	1	1	3	4	4	5	8
35-49	163	3.5	15	1	2	3	4	5	6	30
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	190	2.4	1	1	1	2	3	4	4	6
B. *Operated*	2186	2.5	1	1	1	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	94	2.5	1	1	1	2	3	4	4	5
B. *Operated*	1911	3.0	3	1	1	3	4	4	5	8
1. SINGLE DX	2376	2.5	1	1	1	3	3	4	4	5
2. MULTIPLE DX	2005	3.0	3	1	1	3	4	4	5	7
A. NOT OPERATED	284	2.4	1	1	1	2	3	4	4	5
B. OPERATED	4097	2.7	2	1	1	3	3	4	5	6
TOTAL 0-19 YRS	418	2.4	1	1	1	2	3	4	4	5
20-34	3647	2.7	2	1	1	3	3	4	5	6
35-49	316	3.0	9	1	1	3	3	4	5	9
50-64										
65+										
GRAND TOTAL	**4381**	**2.7**	**2**	**1**	**1**	**3**	**3**	**4**	**5**	**6**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	147	2.5	2	1	1	3	3	4	4	5
20-34	841	2.5	1	1	1	2	3	4	4	5
35-49	53	2.6	2	1	1	3	3	4	4	8
50-64										
65+										
B. *Operated*										
0-19 YRS	79	2.6	2	1	1	3	3	4	5	7
20-34	507	2.6	1	1	1	3	3	4	4	7
35-49	29	2.6	1	1	1	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	106	2.8	1	1	1	3	3	4	5	7
20-34	505	2.8	3	1	1	3	3	4	5	8
35-49	35	2.5	1	1	1	2	3	3	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	145	3.1	3	1	2	3	3	4	5	12
20-34	940	3.1	3	1	2	3	4	4	5	8
35-49	74	3.5	3	1	2	3	4	5	7	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1041	2.5	1	1	1	2	3	4	4	5
B. *Operated*	615	2.6	1	1	1	3	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	646	2.8	3	1	1	3	3	4	5	7
B. *Operated*	1159	3.1	3	1	2	3	4	5	5	8
1. SINGLE DX	1656	2.5	1	1	1	3	3	4	4	6
2. MULTIPLE DX	1805	3.0	3	1	2	3	4	4	5	8
A. NOT OPERATED	1687	2.6	2	1	1	3	3	4	4	6
B. OPERATED	1774	2.9	2	1	1	3	4	4	5	8
TOTAL 0-19 YRS	477	2.8	2	1	1	3	3	4	5	8
20-34	2793	2.8	2	1	1	3	3	4	5	7
35-49	191	2.9	2	1	1	3	3	4	5	8
50-64										
65+										
GRAND TOTAL	**3461**	**2.8**	**2**	**1**	**1**	**3**	**3**	**4**	**5**	**7**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.8	1	1	2	3	3	4	4	4
20-34	342	3.3	5	1	2	3	4	4	5	11
35-49	28	3.0	1	1	2	3	3	4	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	17	3.8	2	1	2	4	5	5	6	7
20-34	323	4.4	18	2	2	4	5	6	7	15
35-49	19	4.2	4	1	2	4	6	7	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	4.0	7	1	2	3	4	7	11	13
20-34	471	3.7	8	1	2	3	4	5	7	16
35-49	31	3.2	1	1	1	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	197	5.3	23	2	2	4	6	8	9	29
20-34	2922	5.6	29	2	3	5	6	8	10	31
35-49	281	5.2	10	2	3	5	6	8	9	20
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	393	3.2	5	1	2	3	4	4	5	10
B. *Operated*	359	4.4	16	2	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	547	3.7	7	1	2	3	4	5	7	14
B. *Operated*	3400	5.5	27	2	3	5	6	8	10	28
1. SINGLE DX	752	3.8	10	2	2	3	4	5	7	9
2. MULTIPLE DX	3947	5.3	24	2	2	5	6	7	9	28
A. NOT OPERATED	940	3.5	6	1	2	3	4	5	6	12
B. OPERATED	3759	5.4	26	2	3	5	6	7	9	28
TOTAL 0-19 YRS	282	4.8	18	2	2	4	5	8	9	23
20-34	4058	5.0	24	2	2	4	6	7	9	27
35-49	359	4.8	9	2	2	4	6	7	9	14
50-64										
65+										
GRAND TOTAL	**4699**	**5.0**	**22**	**2**	**2**	**4**	**6**	**7**	**9**	**27**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	2.3	1	1	1	2	3	3	4	5
20-34	526	2.5	1	1	1	3	3	4	4	6
35-49	44	2.4	1	<1	1	2	3	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	826	4.3	2	2	3	4	5	6	6	8
20-34	6465	4.4	2	2	3	4	5	6	6	7
35-49	409	4.5	2	2	3	5	5	6	7	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	2.5	3	1	1	2	3	4	5	10
20-34	313	2.7	2	1	1	3	3	4	5	7
35-49	31	2.6	1	1	1	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	976	4.9	5	2	3	5	6	7	8	13
20-34	8574	4.8	5	2	3	5	6	7	7	12
35-49	1038	5.1	6	2	3	5	6	7	8	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	623	2.5	1	1	1	2	3	4	4	6
B. *Operated*	7700	4.4	2	2	3	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	393	2.6	2	1	1	3	3	4	5	8
B. *Operated*	10588	4.9	5	2	3	5	6	7	8	12
1. SINGLE DX	8323	4.2	2	2	3	4	5	6	6	8
2. MULTIPLE DX	10981	4.8	5	2	3	5	5	7	8	12
A. NOT OPERATED	1016	2.6	1	1	1	2	3	4	4	7
B. OPERATED	18288	4.7	4	2	3	5	5	6	7	10
TOTAL 0-19 YRS	1904	4.5	4	2	3	4	5	6	8	12
20-34	15878	4.5	4	2	3	4	5	6	7	10
35-49	1522	4.8	5	2	3	5	6	7	8	13
50-64										
65+										
GRAND TOTAL	**19304**	**4.5**	**4**	**2**	**3**	**4**	**5**	**6**	**7**	**10**

277: Other fetal dystocia, delivere[illegible]0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-66[illegible]9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5 (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	215	2.6	4	1	1	2	3	4	4	6
20-34	1928	2.5	1	1	1	3	3	4	4	5
35-49	134	2.6	1	1	1	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	460	3.4	5	1	2	3	4	6	6	9
20-34	3736	3.5	2	1	2	3	5	6	6	7
35-49	270	3.8	3	2	2	4	5	6	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	169	2.5	1	1	1	2	3	4	4	6
20-34	1269	2.6	1	1	1	3	3	4	4	6
35-49	102	2.9	4	1	1	3	3	4	5	13
50-64										
65+										
B. *Operated*										
0-19 YRS	1815	4.1	7	1	2	4	5	6	8	13
20-34	15039	4.1	5	2	2	4	5	6	7	10
35-49	1559	4.8	9	2	2	5	6	7	8	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2277	2.5	1	1	1	3	3	4	4	5
B. *Operated*	4466	3.5	2	1	2	3	5	6	6	7
2. MULTIPLE DX										
A. *Not Operated*	1540	2.6	1	1	1	3	3	4	4	6
B. *Operated*	18413	4.2	5	2	2	4	5	6	7	10
1. SINGLE DX	6743	3.2	2	1	2	3	4	5	6	7
2. MULTIPLE DX	19953	4.1	5	2	2	4	5	6	7	10
A. NOT OPERATED	3817	2.5	1	1	1	3	3	4	4	6
B. OPERATED	22879	4.1	5	2	2	4	5	6	7	10
TOTAL 0-19 YRS	2659	3.8	7	1	2	3	5	6	7	12
20-34	21972	3.8	4	1	2	4	5	6	7	9
35-49	2065	4.4	8	2	2	4	5	7	7	13
50-64										
65+										
GRAND TOTAL	**26696**	**3.8**	**5**	**1**	**2**	**4**	**5**	**6**	**7**	**9**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.1	2	1	1	3	4	5	5	5
20-34	135	3.1	1	2	2	3	4	5	6	6
35-49	12	3.5	2	2	2	3	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1319	4.9	2	3	3	5	6	6	7	9
20-34	7176	4.9	2	3	3	5	6	6	7	8
35-49	373	5.0	2	3	4	5	6	6	7	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	3.5	3	2	2	3	4	6	7	7
20-34	133	3.6	3	1	2	3	4	6	7	8
35-49	10	2.3	1	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	3707	5.4	5	3	4	5	6	7	9	13
20-34	21706	5.1	3	3	4	5	6	7	7	11
35-49	1633	5.4	5	3	4	5	6	7	8	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	159	3.2	1	2	2	3	4	5	6	6
B. *Operated*	8868	4.9	2	3	3	5	6	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	160	3.5	3	1	2	3	4	6	7	8
B. *Operated*	27046	5.2	3	3	4	5	6	7	8	11
1. SINGLE DX	9027	4.8	2	3	3	5	6	6	7	8
2. MULTIPLE DX	27206	5.2	3	3	4	5	6	7	8	11
A. NOT OPERATED	319	3.3	2	1	2	3	4	6	6	7
B. OPERATED	35914	5.1	3	3	4	5	6	7	7	11
TOTAL 0-19 YRS	5055	5.2	4	3	3	5	6	7	8	13
20-34	29150	5.0	3	3	3	5	6	7	7	10
35-49	2028	5.3	5	3	4	5	6	7	8	11
50-64										
65+										
GRAND TOTAL	**36233**	**5.1**	**3**	**3**	**3**	**5**	**6**	**7**	**7**	**11**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	418	2.7	1	1	2	3	3	4	4	5
20-34	2852	2.7	1	1	1	3	3	4	4	5
35-49	146	2.6	1	1	1	3	3	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	713	3.7	2	1	2	3	5	5	6	8
20-34	5239	3.7	2	2	2	4	5	6	6	7
35-49	334	3.7	2	1	2	3	5	6	6	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	378	2.9	1	1	2	3	3	4	4	6
20-34	2047	2.8	1	1	2	3	3	4	5	6
35-49	133	2.7	1	1	1	3	3	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	2142	4.2	5	1	2	4	5	7	8	11
20-34	14373	4.1	4	2	2	4	5	6	7	10
35-49	1216	4.5	6	2	2	4	5	7	7	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3416	2.7	1	1	1	3	3	4	4	5
B. *Operated*	6286	3.7	2	1	2	4	5	6	6	7
2. MULTIPLE DX										
A. *Not Operated*	2558	2.8	1	1	2	3	3	4	5	6
B. *Operated*	17731	4.1	4	2	2	4	5	6	7	10
1. SINGLE DX	9702	3.4	2	1	2	3	4	5	6	7
2. MULTIPLE DX	20289	4.0	4	2	2	4	5	6	7	10
A. NOT OPERATED	5974	2.8	1	1	1	3	3	4	4	6
B. OPERATED	24017	4.0	4	2	2	4	5	6	7	10
TOTAL 0-19 YRS	3651	3.8	4	1	2	3	5	6	7	10
20-34	24511	3.8	3	1	2	3	5	6	6	9
35-49	1829	4.0	5	1	2	4	5	6	7	10
50-64										
65+										
GRAND TOTAL	**29991**	**3.8**	**4**	**1**	**2**	**3**	**5**	**6**	**7**	**9**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	2.7	1	1	2	3	3	4	4	6
20-34	449	2.8	5	1	1	3	3	4	5	8
35-49	41	2.8	1	1	2	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	183	4.1	3	1	2	4	5	6	7	8
20-34	1451	4.0	3	2	2	4	5	6	6	8
35-49	142	4.0	4	1	1	4	5	6	7	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	2.8	5	1	1	2	3	5	7	14
20-34	371	3.1	7	1	1	3	3	4	5	17
35-49	46	3.2	2	1	2	3	4	4	5	10
50-64										
65+										
B. *Operated*										
0-19 YRS	425	4.9	5	2	2	5	6	8	8	11
20-34	4193	4.7	12	2	2	5	6	7	8	12
35-49	564	5.3	22	2	3	5	6	7	9	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	538	2.8	5	1	1	3	3	4	5	7
B. *Operated*	1776	4.0	3	1	2	4	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	467	3.1	6	1	1	3	3	4	5	15
B. *Operated*	5182	4.8	13	2	2	5	6	7	8	13
1. SINGLE DX	2314	3.7	4	1	2	3	5	6	6	8
2. MULTIPLE DX	5649	4.7	12	2	2	4	6	7	8	13
A. NOT OPERATED	1005	2.9	5	1	1	3	3	4	5	10
B. OPERATED	6958	4.6	10	2	2	4	5	7	7	11
TOTAL 0-19 YRS	706	4.4	5	2	2	4	5	7	8	10
20-34	6464	4.3	10	2	2	4	5	6	7	11
35-49	793	4.8	17	2	2	4	6	7	8	14
50-64										
65+										
GRAND TOTAL	**7963**	**4.4**	**10**	**2**	**2**	**4**	**5**	**6**	**7**	**11**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	2.4	2	1	1	2	3	5	6	6
20-34	729	2.5	1	1	1	2	3	4	5	6
35-49	73	2.6	1	1	1	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1267	4.7	1	3	3	5	5	6	7	8
20-34	25345	4.8	2	3	3	5	6	6	7	8
35-49	1801	5.1	2	3	3	5	6	7	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	2.9	4	<1	1	2	3	6	8	8
20-34	390	2.8	3	1	1	2	3	5	6	9
35-49	39	3.2	3	1	1	3	5	5	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	1122	5.0	5	3	3	5	6	7	8	11
20-34	34596	5.0	3	3	3	5	6	7	7	10
35-49	4374	5.3	3	3	4	5	6	7	8	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	830	2.5	1	1	1	2	3	4	5	6
B. *Operated*	28413	4.8	2	3	3	5	6	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	448	2.8	3	1	1	2	3	5	6	8
B. *Operated*	40092	5.0	3	3	3	5	6	7	7	10
1. SINGLE DX	29243	4.7	2	3	3	5	6	6	7	8
2. MULTIPLE DX	40540	5.0	3	3	3	5	6	7	7	10
A. NOT OPERATED	1278	2.6	2	1	1	2	3	4	5	7
B. OPERATED	68505	4.9	3	3	3	5	6	6	7	9
TOTAL 0-19 YRS	2436	4.8	3	3	3	5	6	6	7	10
20-34	61060	4.8	3	3	3	5	6	6	7	9
35-49	6287	5.2	3	3	3	5	6	7	8	10
50-64										
65+										
GRAND TOTAL	**69783**	**4.9**	**3**	**3**	**3**	**5**	**6**	**6**	**7**	**9**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	661	2.9	1	1	2	3	3	4	5	7
20-34	4600	2.9	1	1	2	3	3	4	5	6
35-49	340	3.0	1	1	2	3	4	4	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	513	3.0	3	1	2	3	3	4	5	8
20-34	3870	3.1	2	1	2	3	4	4	5	7
35-49	284	3.2	2	1	2	3	4	5	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	648	3.4	4	1	2	3	4	5	7	13
20-34	3761	3.4	7	1	2	3	4	5	7	14
35-49	297	3.4	4	1	2	3	4	5	7	13
50-64										
65+										
B. *Operated*										
0-19 YRS	1920	4.1	8	2	2	4	5	6	8	15
20-34	14154	4.2	9	2	2	4	5	6	8	14
35-49	1507	4.4	8	2	2	4	5	7	8	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5601	2.9	1	1	2	3	3	4	5	6
B. *Operated*	4667	3.1	2	1	2	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	4706	3.4	6	1	2	3	4	5	7	13
B. *Operated*	17581	4.2	9	2	2	4	5	6	8	14
1. SINGLE DX	10268	3.0	2	1	2	3	3	4	5	7
2. MULTIPLE DX	22287	4.0	9	2	2	3	5	6	7	14
A. NOT OPERATED	10307	3.1	4	1	2	3	4	4	5	9
B. OPERATED	22248	3.9	8	2	2	3	5	6	7	13
TOTAL 0-19 YRS	3742	3.6	6	1	2	3	4	6	7	13
20-34	26385	3.7	7	1	2	3	4	6	7	12
35-49	2428	4.0	6	2	2	3	5	6	7	13
50-64										
65+										
GRAND TOTAL	**32555**	**3.7**	**7**	**1**	**2**	**3**	**4**	**6**	**7**	**12**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2229	2.4	1	1	1	2	3	3	4	5
20-34	18466	2.5	1	1	1	2	3	3	4	5
35-49	1180	2.5	1	1	1	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1221	2.4	1	1	1	2	3	3	4	5
20-34	9903	2.5	1	1	1	3	3	4	4	5
35-49	593	2.7	1	1	1	3	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	720	2.6	1	1	1	2	3	4	5	7
20-34	4941	2.6	1	1	1	3	3	4	4	5
35-49	378	2.6	1	1	1	3	3	4	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1427	2.9	3	1	1	3	3	4	5	8
20-34	13694	2.9	2	1	2	3	4	4	5	7
35-49	1382	3.3	4	1	2	3	4	5	6	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21875	2.5	1	1	1	2	3	3	4	5
B. *Operated*	11717	2.5	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	6039	2.6	1	1	1	3	3	4	4	6
B. *Operated*	16503	3.0	2	1	2	3	4	4	5	7
1. SINGLE DX	33592	2.5	1	1	1	2	3	4	4	5
2. MULTIPLE DX	22542	2.9	2	1	1	3	3	4	5	7
A. NOT OPERATED	27914	2.5	1	1	1	2	3	4	4	5
B. OPERATED	28220	2.8	2	1	1	3	3	4	5	7
TOTAL 0-19 YRS	5597	2.5	1	1	1	2	3	4	4	6
20-34	47004	2.6	2	1	1	3	3	4	4	6
35-49	3533	2.9	2	1	1	3	3	4	5	7
50-64										
65+										
GRAND TOTAL	**56134**	**2.6**	**2**	**1**	**1**	**3**	**3**	**4**	**4**	**6**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	555	2.2	1	1	1	2	3	3	4	4
20-34	3206	2.2	1	1	1	2	3	3	4	4
35-49	253	2.2	1	1	1	2	3	3	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	4392	2.3	1	1	1	2	3	3	4	4
20-34	34766	2.3	1	1	1	2	3	3	4	5
35-49	2908	2.4	1	1	1	2	3	3	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	295	2.7	4	1	1	3	3	4	5	7
20-34	1413	2.6	3	1	1	2	3	4	4	7
35-49	107	2.5	2	1	1	2	3	4	4	9
50-64										
65+										
B. *Operated*										
0-19 YRS	2379	2.6	4	1	1	2	3	4	4	7
20-34	22808	2.6	2	1	1	3	3	4	4	6
35-49	2611	2.9	2	1	1	3	3	4	5	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4014	2.2	1	1	1	2	3	3	4	4
B. *Operated*	42066	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	1815	2.6	3	1	1	2	3	4	4	7
B. *Operated*	27798	2.7	2	1	1	3	3	4	4	6
1. SINGLE DX	46080	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX	29613	2.7	2	1	1	3	3	4	4	6
A. NOT OPERATED	5829	2.3	2	1	1	2	3	3	4	5
B. OPERATED	69864	2.5	1	1	1	2	3	4	4	5
TOTAL 0-19 YRS	7621	2.4	2	1	1	2	3	3	4	6
20-34	62193	2.4	1	1	1	2	3	4	4	5
35-49	5879	2.6	1	1	1	3	3	4	4	6
50-64										
65+										
GRAND TOTAL	**75693**	**2.4**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**5**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	230	2.5	1	1	1	2	3	4	4	5
20-34	1086	2.6	9	1	1	3	3	4	4	5
35-49	43	2.6	1	1	1	3	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	3618	2.6	1	1	2	3	3	4	4	5
20-34	16370	2.7	1	1	2	3	3	4	4	5
35-49	641	2.7	1	1	2	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	154	2.9	1	2	2	3	3	4	5	8
20-34	445	2.9	5	1	2	3	3	4	5	7
35-49	16	2.9	2	1	2	3	4	5	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	2796	2.9	2	1	2	3	3	4	5	8
20-34	13083	3.0	2	1	2	3	3	4	5	7
35-49	780	3.0	1	1	2	3	4	4	5	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1359	2.6	7	1	1	2	3	4	4	5
B. *Operated*	20629	2.7	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	615	2.9	4	1	2	3	3	4	5	7
B. *Operated*	16659	3.0	2	1	2	3	3	4	5	7
1. SINGLE DX	21988	2.6	1	1	2	3	3	4	4	5
2. MULTIPLE DX	17274	3.0	2	1	2	3	3	4	5	7
A. NOT OPERATED	1974	2.7	6	1	1	3	3	4	4	6
B. OPERATED	37288	2.8	1	1	2	3	3	4	4	6
TOTAL 0-19 YRS	6798	2.7	1	1	2	3	3	4	4	6
20-34	30984	2.8	2	1	2	3	3	4	4	6
35-49	1480	2.8	1	1	2	3	3	4	5	6
50-64										
65+										
GRAND TOTAL	**39262**	**2.8**	**2**	**1**	**2**	**3**	**3**	**4**	**4**	**6**

286: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	287	2.2	1	1	1	2	3	3	4	5
20-34	1273	2.3	1	1	1	2	3	3	4	5
35-49	60	2.5	1	1	1	2	3	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1487	2.5	1	1	1	2	3	3	4	5
20-34	6733	2.5	1	1	1	2	3	4	4	5
35-49	287	2.8	1	1	1	3	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	172	2.8	2	1	2	3	3	4	5	10
20-34	609	2.6	3	1	1	2	3	4	4	7
35-49	25	3.6	9	1	1	3	5	5	9	16
50-64										
65+										
B. *Operated*										
0-19 YRS	1203	2.7	1	1	1	3	3	4	4	6
20-34	6666	2.9	2	1	2	3	3	4	5	7
35-49	415	3.3	4	1	2	3	4	5	7	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1620	2.3	1	1	1	2	3	3	4	5
B. *Operated*	8507	2.5	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	806	2.6	3	1	1	2	3	4	4	9
B. *Operated*	8284	2.9	2	1	2	3	3	4	5	7
1. SINGLE DX	10127	2.5	1	1	1	2	3	4	4	5
2. MULTIPLE DX	9090	2.9	2	1	2	3	3	4	5	7
A. NOT OPERATED	2426	2.4	2	1	1	2	3	3	4	6
B. OPERATED	16791	2.7	1	1	1	3	3	4	4	6
TOTAL 0-19 YRS	3149	2.5	1	1	1	2	3	4	4	6
20-34	15281	2.7	2	1	1	3	3	4	4	6
35-49	787	3.1	3	1	2	3	4	5	6	9
50-64										
65+										
GRAND TOTAL	**19217**	**2.6**	**1**	**1**	**1**	**3**	**3**	**4**	**4**	**6**

287: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4602	2.6	2	1	1	2	3	4	5	7
20-34	23812	2.5	2	1	1	2	3	4	4	7
35-49	1760	2.7	2	1	1	3	3	4	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	8411	3.0	3	1	2	3	3	5	6	9
20-34	46339	3.0	2	1	2	3	4	5	5	8
35-49	2805	3.2	4	1	2	3	4	5	6	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3452	3.0	7	1	1	3	3	5	6	11
20-34	16411	2.8	5	1	1	3	3	4	5	10
35-49	1436	3.0	4	1	1	3	3	5	6	11
50-64										
65+										
B. *Operated*										
0-19 YRS	14064	4.0	9	1	2	3	5	7	8	15
20-34	86121	3.9	9	1	2	3	5	6	8	15
35-49	8729	4.5	15	2	2	4	5	7	9	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30174	2.6	2	1	1	2	3	4	4	7
B. *Operated*	57555	3.0	3	1	2	3	4	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	21299	2.9	5	1	1	3	3	4	5	10
B. *Operated*	108914	4.0	10	1	2	3	5	6	8	15
1. SINGLE DX	87729	2.9	2	1	1	3	3	4	5	8
2. MULTIPLE DX	130213	3.8	9	1	2	3	5	6	8	15
A. NOT OPERATED	51473	2.7	3	1	1	3	3	4	5	8
B. OPERATED	166469	3.7	8	1	2	3	4	6	7	13
TOTAL 0-19 YRS	30529	3.4	7	1	2	3	4	6	7	12
20-34	172683	3.4	6	1	2	3	4	5	7	12
35-49	14730	3.9	11	1	2	3	5	6	8	16
50-64										
65+										
GRAND TOTAL	**217942**	**3.4**	**7**	**1**	**2**	**3**	**4**	**6**	**7**	**12**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	192	3.3	2	1	2	3	4	5	6	8
20-34	743	3.4	3	1	2	3	4	5	6	9
35-49	36	3.6	3	1	1	3	4	6	7	8
50-64										
65+										
B. *Operated*										
0-19 YRS	9	5.4	12	<1	1	4	7	11	11	11
20-34	58	5.0	10	<1	1	4	6	9	12	14
35-49	5	4.0	9	2	2	3	5	9	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	115	4.0	4	2	2	3	5	7	8	11
20-34	404	4.0	15	2	2	3	5	6	7	13
35-49	27	4.5	5	2	2	4	6	8	9	10
50-64										
65+										
B. *Operated*										
0-19 YRS	19	5.5	15	1	1	5	8	10	14	17
20-34	124	5.7	25	1	2	5	7	12	14	28
35-49	10	9.4	165	2	2	5	10	28	45	45
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	971	3.4	2	1	2	3	4	5	6	8
B. *Operated*	72	5.0	10	<1	1	4	6	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	546	4.1	12	2	2	3	5	6	7	13
B. *Operated*	153	5.9	32	1	2	5	7	11	15	29
1. SINGLE DX	1043	3.5	3	1	2	3	4	6	7	10
2. MULTIPLE DX	699	4.5	17	2	2	4	5	7	10	18
A. NOT OPERATED	1517	3.6	6	2	2	3	4	6	7	10
B. OPERATED	225	5.6	25	1	2	4	7	11	14	27
TOTAL 0-19 YRS	335	3.7	4	1	2	3	4	6	7	11
20-34	1329	3.9	9	1	2	3	5	6	8	13
35-49	78	4.7	26	1	2	3	5	8	10	35
50-64										
65+										
GRAND TOTAL	**1742**	**3.9**	**9**	**1**	**2**	**3**	**5**	**6**	**8**	**13**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	1.6		<1	<1	1	2	3	3	3
20-34	255	1.6	1	<1	<1	1	2	3	3	5
35-49	18	1.4	1	<1	<1	1	2	2	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	128	1.5	1	<1	<1	1	2	3	3	4
20-34	868	1.5	2	<1	<1	1	2	3	3	6
35-49	71	1.7	2	<1	<1	1	2	4	6	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	2.2	2	1	1	2	3	4	5	8
20-34	158	2.0	2	<1	1	2	2	4	4	7
35-49	29	2.5	6	1	1	2	3	5	7	13
50-64										
65+										
B. *Operated*										
0-19 YRS	91	2.6	5	1	1	2	3	5	6	15
20-34	633	2.5	4	1	1	2	3	5	7	12
35-49	54	3.5	13	<1	1	2	4	8	10	18
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	306	1.6	1	<1	<1	1	2	3	3	5
B. *Operated*	1067	1.6	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	210	2.1	3	1	1	2	2	4	5	10
B. *Operated*	778	2.5	5	1	1	2	3	5	7	12
1. SINGLE DX	1373	1.6	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX	988	2.5	5	1	1	2	3	5	7	12
A. NOT OPERATED	516	1.8	2	<1	<1	1	2	3	4	7
B. OPERATED	1845	2.0	3	<1	<1	1	2	4	5	10
TOTAL 0-19 YRS	275	1.9	2	<1	1	2	2	3	4	8
20-34	1914	1.9	3	<1	<1	1	2	3	5	8
35-49	172	2.4	7	<1	<1	1	3	5	8	15
50-64										
65+										
GRAND TOTAL	**2361**	**1.9**	**3**	**<1**	**<1**	**1**	**2**	**4**	**5**	**9**

290: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	3.0	4	1	1	2	4	6	7	11
20-34	440	3.9	10	1	1	3	5	8	10	15
35-49	34	5.2	10	1	2	4	8	10	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS	134	2.7	3	1	1	2	3	5	7	9
20-34	629	3.0	6	1	1	2	3	6	8	13
35-49	52	3.4	11	<1	1	3	4	6	8	23
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	3.8	6	<1	1	4	5	7	8	14
20-34	345	4.6	19	1	2	3	5	9	11	19
35-49	34	5.8	22	1	1	5	8	12	15	21
50-64										
65+										
B. *Operated*										
0-19 YRS	91	3.7	11	1	2	3	4	6	10	20
20-34	570	4.4	27	1	1	3	5	9	13	28
35-49	76	6.1	53	1	1	3	8	11	20	36
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	543	3.8	9	1	1	3	5	8	10	15
B. *Operated*	815	3.0	6	1	1	2	3	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	433	4.6	17	1	1	3	5	9	12	19
B. *Operated*	737	4.5	28	1	1	3	5	9	14	30
1. SINGLE DX	1358	3.3	8	1	1	3	4	7	9	13
2. MULTIPLE DX	1170	4.5	24	1	1	3	5	9	13	27
A. NOT OPERATED	976	4.2	13	1	1	3	5	8	11	16
B. OPERATED	1552	3.7	17	1	1	3	4	8	11	21
TOTAL 0-19 YRS	348	3.2	6	1	1	3	4	6	8	11
20-34	1984	3.9	16	1	1	3	4	8	11	20
35-49	196	5.2	30	1	1	3	7	10	15	35
50-64										
65+										
GRAND TOTAL	**2528**	**3.9**	**16**	**1**	**1**	**3**	**4**	**8**	**11**	**20**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2569	3.7	4	1	2	3	4	6	7	11
20-34	2294	4.0	5	1	2	4	5	7	8	12
35-49	1670	4.5	7	2	2	4	6	8	10	14
50-64	1232	5.0	10	2	2	4	6	9	11	15
65+	934	5.9	12	2	3	5	7	10	12	19
B. *Operated*										
0-19 YRS	1064	4.4	11	1	1	4	6	8	11	17
20-34	1260	5.1	20	1	1	4	6	10	12	19
35-49	835	5.3	20	1	1	4	7	11	14	24
50-64	502	5.6	21	1	2	5	7	11	15	24
65+	319	7.2	50	1	2	6	9	13	20	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3322	4.3	9	2	2	4	5	7	10	16
20-34	4082	5.2	15	2	2	4	6	9	12	19
35-49	4701	6.2	19	2	2	5	8	11	14	22
50-64	5980	7.0	24	2	3	6	8	12	16	25
65+	11027	8.4	40	3	3	7	10	15	19	33
B. *Operated*										
0-19 YRS	1315	6.4	42	1	2	5	8	12	16	30
20-34	2748	7.9	61	2	2	6	9	15	23	42
35-49	2833	10.0	89	2	3	7	12	20	28	53
50-64	3263	11.9	113	2	3	9	15	24	34	56
65+	4435	13.6	133	3	4	10	17	28	37	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8699	4.3	7	1	2	4	5	7	9	14
B. *Operated*	3980	5.2	21	1	1	4	6	10	13	23
2. MULTIPLE DX										
A. *Not Operated*	29112	6.9	28	2	3	6	8	12	16	27
B. *Operated*	14594	10.8	104	2	3	8	13	22	31	57
1. SINGLE DX	12679	4.6	12	1	2	4	6	8	10	17
2. MULTIPLE DX	43706	8.2	57	2	3	6	10	15	21	41
A. NOT OPERATED	37811	6.3	25	2	2	5	8	11	15	24
B. OPERATED	18574	9.6	92	2	2	7	12	20	28	53
TOTAL 0-19 YRS	8270	4.5	14	1	2	4	5	8	10	18
20-34	10384	5.6	28	2	2	4	7	10	14	28
35-49	10039	6.9	41	2	2	5	8	13	17	35
50-64	10977	8.2	55	2	3	6	10	15	21	40
65+	16715	9.6	69	3	3	7	11	18	24	49
GRAND TOTAL	**56385**	**7.4**	**49**	**2**	**2**	**5**	**9**	**14**	**19**	**38**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	854	3.9	5	1	2	3	5	7	8	11
20-34	477	3.6	5	1	2	3	4	6	8	13
35-49	231	4.5	22	1	2	4	6	8	10	16
50-64	129	4.9	8	2	2	4	6	8	10	15
65+	94	5.6	19	2	2	5	7	9	14	26
B. *Operated*										
0-19 YRS	522	3.8	10	<1	<1	3	5	8	10	15
20-34	421	3.9	9	1	1	3	5	7	10	15
35-49	305	4.4	21	<1	1	3	5	10	12	21
50-64	170	4.5	18	<1	<1	3	6	10	11	16
65+	102	6.2	82	<1	1	4	7	12	16	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1242	4.2	7	1	2	4	5	7	9	14
20-34	706	4.8	14	1	2	4	6	9	12	18
35-49	623	5.8	21	2	2	5	7	11	14	27
50-64	774	7.0	30	2	3	6	9	12	16	27
65+	1109	7.9	38	2	3	6	9	14	19	33
B. *Operated*										
0-19 YRS	539	5.4	22	1	1	4	7	10	14	26
20-34	634	6.8	49	1	2	5	8	13	20	34
35-49	630	8.5	67	1	2	6	10	17	25	39
50-64	845	10.0	76	2	2	7	13	21	28	45
65+	891	10.4	80	2	3	8	13	21	28	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1785	4.0	8	1	2	3	5	7	8	14
B. *Operated*	1520	4.2	18	<1	1	3	5	8	11	18
2. MULTIPLE DX										
A. *Not Operated*	4454	5.9	24	2	2	5	7	11	14	26
B. *Operated*	3539	8.5	66	1	2	6	11	18	24	43
1. SINGLE DX	3305	4.1	13	1	1	3	5	8	10	16
2. MULTIPLE DX	7993	7.1	44	2	2	5	9	14	20	34
A. NOT OPERATED	6239	5.4	20	1	2	4	7	10	13	24
B. OPERATED	5059	7.2	55	1	1	5	9	15	21	39
TOTAL 0-19 YRS	3157	4.3	10	1	1	4	5	8	10	16
20-34	2238	4.9	23	1	2	4	6	9	13	24
35-49	1789	6.3	40	1	2	5	8	12	17	34
50-64	1918	7.9	51	2	2	6	10	15	22	39
65+	2196	8.7	58	2	3	7	11	17	23	43
GRAND TOTAL	**11298**	**6.2**	**37**	**1**	**2**	**4**	**7**	**12**	**17**	**32**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	3.4	5	<1	<1	3	5	7	19	99+
20-34	42	2.7	4	<1	1	2	3	5	7	9
35-49	7	3.7	22	<1	<1	2	4	12	14	14
50-64										
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS	2361	2.8	4	1	1	2	4	5	6	9
20-34	4260	2.7	3	1	1	2	3	5	6	8
35-49	685	2.8	3	1	1	2	4	5	6	9
50-64	128	3.1	29	1	1	2	3	5	5	23
65+	31	3.7	12	<1	<1	3	4	7	13	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	2.1	3	<1	<1	1	3	5	6	6
20-34	46	2.3	5	<1	<1	1	3	5	7	9
35-49	9	4.0	6	1	1	3	7	7	7	7
50-64	4	5.8	11	2	2	5	8	10	10	10
65+	7	5.6	6	2	2	7	8	8	8	8
B. *Operated*										
0-19 YRS	345	3.5	7	1	1	3	4	6	8	12
20-34	751	3.8	16	1	1	3	4	7	8	17
35-49	261	3.9	7	1	1	3	5	7	9	15
50-64	127	4.5	17	1	1	3	5	9	12	22
65+	53	7.1	146	1	2	4	7	12	16	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	3.1	6	<1	1	2	4	7	9	76
B. *Operated*	7465	2.8	4	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	93	2.8	6	<1	<1	1	5	7	8	10
B. *Operated*	1537	3.9	17	1	1	3	5	7	9	16
1. SINGLE DX	7542	2.8	4	1	1	2	4	5	6	9
2. MULTIPLE DX	1630	3.8	17	1	1	3	5	7	9	16
A. NOT OPERATED	170	2.9	6	<1	<1	2	4	7	8	13
B. OPERATED	9002	2.9	6	1	1	3	4	5	6	10
TOTAL 0-19 YRS	2760	2.8	4	1	1	2	4	5	6	10
20-34	5099	2.9	5	1	1	3	4	5	6	9
35-49	962	3.1	4	1	1	3	4	5	7	12
50-64	259	3.8	23	1	1	3	4	7	11	22
65+	92	5.9	90	1	1	4	7	10	15	58
GRAND TOTAL	**9172**	**2.9**	**6**	**1**	**1**	**3**	**4**	**5**	**6**	**10**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	7	1.7	2	1	1	1	3	4	4	4
35-49	5	2.8	2	2	2	2	3	5	5	5
50-64	4	3.3	4	2	2	3	4	6	6	6
65+	3	4.0	27	<1	<1	1	8	10	10	10
B. *Operated*										
0-19 YRS	337	1.4	1	<1	<1	<1	1	2	3	5
20-34	438	1.4	1	<1	<1	<1	2	2	3	6
35-49	353	1.5	1	<1	<1	<1	2	3	3	7
50-64	242	1.6	2	<1	<1	<1	2	3	4	8
65+	115	1.4	1	<1	<1	<1	1	2	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	2.8	8	<1	<1	2	4	5	10	12
20-34	9	2.4	4	<1	<1	2	3	6	6	6
35-49	12	2.3	2	<1	<1	2	3	4	6	6
50-64	11	3.3	10	<1	<1	1	6	8	9	9
65+	6	3.5	2	2	2	3	4	6	6	6
B. *Operated*										
0-19 YRS	81	2.5	19	<1	<1	1	3	5	6	29
20-34	160	2.6	6	<1	<1	2	3	5	8	15
35-49	189	2.9	7	<1	<1	2	3	6	9	13
50-64	209	3.1	10	<1	<1	2	3	7	9	18
65+	188	4.1	43	<1	<1	2	5	8	10	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	2.5	5	<1	<1	2	3	5	8	10
B. *Operated*	1485	1.5	1	<1	<1	<1	2	2	3	7
2. MULTIPLE DX										
A. *Not Operated*	53	2.8	6	<1	<1	2	3	6	8	12
B. *Operated*	827	3.1	17	<1	<1	2	3	7	9	16
1. SINGLE DX	1506	1.5	1	<1	<1	<1	2	3	3	7
2. MULTIPLE DX	880	3.1	16	<1	<1	2	3	7	9	15
A. NOT OPERATED	74	2.7	5	<1	<1	2	3	6	8	12
B. OPERATED	2312	2.1	8	<1	<1	1	2	4	6	12
TOTAL 0-19 YRS	435	1.6	5	<1	<1	1	2	3	4	7
20-34	614	1.7	3	<1	<1	1	2	3	4	9
35-49	559	2.0	4	<1	<1	1	2	4	6	11
50-64	466	2.3	6	<1	<1	1	3	5	7	12
65+	312	3.1	28	<1	<1	2	3	7	9	17
GRAND TOTAL	**2386**	**2.1**	**7**	**<1**	**<1**	**1**	**2**	**4**	**6**	**12**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1058	3.8	20	1	1	3	4	7	10	23
20-34	722	6.0	45	1	1	4	6	14	21	32
35-49	519	6.6	60	1	1	4	7	16	23	45
50-64	406	6.6	67	1	2	4	7	13	25	45
65+	332	7.6	48	1	2	6	10	16	20	30
B. *Operated*										
0-19 YRS	1234	2.6	15	<1	<1	2	3	5	8	21
20-34	1667	4.1	38	<1	<1	2	4	9	15	34
35-49	1297	4.0	29	<1	<1	2	4	8	14	27
50-64	1172	3.9	31	<1	<1	2	4	8	12	29
65+	864	6.8	86	<1	1	3	9	16	25	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1679	4.7	35	1	1	3	5	9	13	30
20-34	1340	7.3	73	1	1	4	8	16	25	46
35-49	1585	7.9	71	1	2	6	10	17	23	46
50-64	2320	8.8	76	1	2	6	11	18	24	44
65+	5547	10.2	87	2	3	8	12	19	27	57
B. *Operated*										
0-19 YRS	1283	6.3	94	<1	1	3	7	16	24	59
20-34	2592	12.7	252	1	1	6	17	36	50	98
35-49	3066	11.7	214	1	1	6	15	31	44	87
50-64	3759	11.5	198	1	1	6	16	29	42	86
65+	7103	16.6	243	2	3	12	22	39	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3037	5.6	44	1	1	3	6	12	19	33
B. *Operated*	6234	4.1	38	<1	<1	2	4	9	15	32
2. MULTIPLE DX										
A. *Not Operated*	12471	8.6	78	1	2	6	11	18	24	48
B. *Operated*	17803	13.4	228	1	1	8	18	34	48	98
1. SINGLE DX	9271	4.6	41	<1	<1	2	5	10	16	33
2. MULTIPLE DX	30274	11.4	172	1	2	7	15	27	40	85
A. NOT OPERATED	15508	8.0	73	1	2	6	10	17	23	45
B. OPERATED	24037	11.0	195	<1	1	6	15	29	42	88
TOTAL 0-19 YRS	5254	4.4	43	<1	1	2	5	9	15	37
20-34	6321	8.5	147	<1	1	4	10	23	36	73
35-49	6467	8.8	139	1	1	4	10	22	33	67
50-64	7657	9.3	136	1	1	5	11	22	33	67
65+	13846	13.2	179	1	2	9	17	30	43	92
GRAND TOTAL	**39545**	**9.8**	**149**	**1**	**1**	**6**	**12**	**24**	**36**	**76**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	128	3.5	8	<1	<1	3	5	7	10	13
20-34	161	4.7	10	1	1	4	6	9	11	14
35-49	131	5.7	15	1	2	5	8	10	13	22
50-64	77	6.4	33	1	2	5	8	11	15	37
65+	35	5.3	14	1	2	4	7	9	14	18
B. *Operated*										
0-19 YRS	70	4.9	20	1	1	3	7	11	14	20
20-34	99	5.0	36	1	1	3	7	10	14	37
35-49	68	5.3	22	1	1	3	7	12	17	18
50-64	42	7.1	95	<1	1	4	10	15	27	47
65+	29	8.0	30	1	2	8	11	15	18	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	246	6.9	56	1	2	5	8	15	20	39
20-34	683	6.7	47	1	2	5	8	13	17	30
35-49	658	7.9	51	2	2	6	9	14	23	39
50-64	645	7.6	43	2	3	6	10	14	18	31
65+	608	9.0	60	2	3	7	11	16	21	36
B. *Operated*										
0-19 YRS	113	11.0	139	2	2	8	13	28	37	66
20-34	398	12.5	173	2	2	9	17	26	43	99+
35-49	384	11.4	129	2	2	8	14	26	40	99+
50-64	426	12.8	140	2	3	9	15	29	41	60
65+	376	15.3	162	3	5	12	19	30	44	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	532	4.9	15	1	1	4	6	9	12	19
B. *Operated*	308	5.6	38	1	1	3	8	13	16	37
2. MULTIPLE DX										
A. *Not Operated*	2840	7.7	51	2	2	6	9	14	20	35
B. *Operated*	1697	12.9	152	2	2	9	16	28	40	75
1. SINGLE DX	840	5.2	23	1	1	4	7	10	13	22
2. MULTIPLE DX	4537	9.6	95	2	2	7	12	20	29	60
A. NOT OPERATED	3372	7.2	47	1	2	5	9	14	19	34
B. OPERATED	2005	11.8	141	1	2	9	15	26	38	71
TOTAL 0-19 YRS	557	6.7	63	1	1	4	8	14	21	38
20-34	1341	8.1	88	1	2	5	9	17	25	67
35-49	1241	8.6	74	1	2	6	10	17	27	53
50-64	1190	9.4	86	2	2	7	11	18	27	48
65+	1048	11.1	105	2	3	8	13	21	30	58
GRAND TOTAL	**5377**	**8.9**	**87**	**1**	**2**	**6**	**11**	**18**	**26**	**56**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	325	4.9	17	1	1	4	6	10	13	18
20-34	156	5.6	14	1	2	5	8	10	12	17
35-49	254	5.4	16	2	2	4	7	10	13	21
50-64	353	5.9	15	2	2	5	8	11	13	20
65+	265	6.1	24	1	2	5	8	9	12	22
B. *Operated*										
0-19 YRS	56	5.1	24	<1	<1	3	8	13	15	20
20-34	189	6.6	28	1	1	5	9	13	19	31
35-49	513	6.1	21	1	2	4	9	12	14	20
50-64	1071	7.2	34	1	2	6	10	14	16	26
65+	689	8.3	38	2	2	7	12	16	18	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	288	7.1	41	2	2	5	9	14	19	35
20-34	228	6.0	20	1	2	5	7	11	14	24
35-49	538	6.8	32	1	2	6	8	12	17	30
50-64	1283	7.5	40	2	3	6	9	13	17	30
65+	2131	8.2	44	2	3	7	10	15	20	37
B. *Operated*										
0-19 YRS	67	9.4	111	1	2	5	12	21	33	53
20-34	236	8.6	80	1	2	6	11	17	22	51
35-49	726	7.4	47	1	2	5	10	15	21	40
50-64	1943	8.9	58	2	2	7	12	17	22	43
65+	2054	11.2	87	2	3	10	14	20	28	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1353	5.6	17	1	2	5	7	10	13	20
B. *Operated*	2518	7.2	32	1	2	6	10	14	17	25
2. MULTIPLE DX										
A. *Not Operated*	4468	7.7	40	2	3	6	9	14	18	33
B. *Operated*	5026	9.6	72	2	2	8	13	18	24	48
1. SINGLE DX	3871	6.6	28	1	2	5	9	13	16	24
2. MULTIPLE DX	9494	8.7	58	2	2	7	11	17	22	43
A. NOT OPERATED	5821	7.2	36	2	2	6	9	13	17	30
B. OPERATED	7544	8.8	60	1	2	7	12	17	22	41
TOTAL 0-19 YRS	736	6.2	37	1	2	4	8	12	17	35
20-34	809	6.8	39	1	2	5	9	13	17	32
35-49	2031	6.7	33	1	2	5	9	13	17	29
50-64	4650	7.9	45	2	2	6	10	15	19	34
65+	5139	9.3	62	2	3	8	12	17	22	45
GRAND TOTAL	**13365**	**8.1**	**50**	**2**	**2**	**6**	**11**	**16**	**20**	**37**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	5.3	49	1	1	3	5	17	22	22
20-34	15	2.5	4	<1	<1	2	3	5	7	8
35-49	54	3.6	6	<1	1	3	5	8	9	9
50-64	138	4.3	11	1	1	3	6	9	11	15
65+	262	5.3	17	1	1	4	7	10	13	18
B. *Operated*										
0-19 YRS	46	4.8	25	<1	1	3	8	12	16	22
20-34	586	3.8	16	<1	1	3	5	9	11	16
35-49	1432	5.2	18	<1	1	4	8	11	13	18
50-64	5211	8.3	24	1	2	8	11	14	16	22
65+	7763	11.0	21	3	6	11	14	16	18	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	6.6	22	2	2	7	8	13	18	19
20-34	49	3.8	9	<1	<1	3	6	8	9	14
35-49	235	5.4	18	<1	1	4	7	11	14	20
50-64	922	5.1	19	<1	1	4	7	10	13	19
65+	3534	6.7	44	1	1	5	8	13	17	33
B. *Operated*										
0-19 YRS	57	6.9	59	<1	1	4	12	15	27	95
20-34	590	4.7	23	1	1	3	6	11	14	26
35-49	1717	6.3	31	1	1	5	9	13	16	26
50-64	7502	9.8	48	1	2	10	13	17	20	32
65+	18087	13.0	50	3	6	12	16	20	24	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	477	4.8	15	1	1	4	7	9	12	17
B. *Operated*	15038	9.2	26	1	2	9	12	15	17	23
2. MULTIPLE DX										
A. *Not Operated*	4753	6.3	38	1	1	5	8	12	16	29
B. *Operated*	27953	11.5	53	2	3	11	15	19	23	37
1. SINGLE DX	15515	9.1	27	1	2	9	12	15	17	23
2. MULTIPLE DX	32706	10.8	54	1	2	10	14	18	22	37
A. NOT OPERATED	5230	6.1	36	1	1	5	8	12	16	28
B. OPERATED	42991	10.7	45	1	2	10	14	17	21	33
TOTAL 0-19 YRS	124	6.0	42	<1	1	3	9	14	19	57
20-34	1240	4.2	19	<1	1	3	5	10	12	20
35-49	3438	5.7	24	1	1	4	8	12	15	22
50-64	13773	8.9	38	1	2	9	12	16	18	28
65+	29646	11.7	46	2	4	11	15	18	22	36
GRAND TOTAL	**48221**	**10.2**	**46**	**1**	**2**	**10**	**13**	**17**	**20**	**33**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	394	7.0	39	1	2	5	9	14	21	29
20-34	251	5.2	14	2	2	4	7	10	12	20
35-49	199	5.3	19	1	2	4	6	10	15	24
50-64	145	5.1	16	1	2	4	6	11	13	21
65+	136	5.3	17	1	2	4	6	9	13	27
B. *Operated*										
0-19 YRS	292	10.1	60	1	2	8	15	21	24	37
20-34	647	4.7	22	1	1	3	6	10	14	24
35-49	676	4.9	24	1	1	3	6	10	14	23
50-64	681	5.7	28	1	1	4	8	12	16	28
65+	356	9.2	45	1	2	9	12	16	20	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	434	7.9	55	1	2	6	10	16	21	32
20-34	407	6.3	27	2	2	5	8	14	17	25
35-49	418	6.4	43	1	2	5	8	13	16	34
50-64	591	7.4	46	1	2	5	9	14	21	36
65+	1241	8.4	72	2	2	6	10	17	22	43
B. *Operated*										
0-19 YRS	414	14.4	111	2	3	13	20	27	33	50
20-34	770	8.6	93	1	1	5	11	19	29	51
35-49	864	8.3	93	1	2	5	10	18	28	44
50-64	1095	10.6	121	1	2	8	13	24	35	56
65+	1301	15.1	156	2	3	12	19	31	42	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1125	5.9	25	1	2	4	7	12	16	26
B. *Operated*	2652	6.2	35	1	1	4	9	14	17	27
2. MULTIPLE DX										
A. *Not Operated*	3091	7.6	55	1	2	5	9	15	20	38
B. *Operated*	4444	11.5	128	1	2	8	15	25	35	57
1. SINGLE DX	3777	6.1	32	1	1	4	8	13	17	27
2. MULTIPLE DX	7535	9.9	102	1	2	7	13	21	30	54
A. NOT OPERATED	4216	7.1	48	1	2	5	9	14	19	34
B. OPERATED	7096	9.5	100	1	2	6	12	21	29	51
TOTAL 0-19 YRS	1534	9.9	76	1	2	8	14	21	25	42
20-34	2075	6.5	51	1	1	4	8	14	19	38
35-49	2157	6.6	57	1	1	4	8	14	20	39
50-64	2512	8.2	77	1	2	5	10	17	25	46
65+	3034	11.2	114	2	2	8	14	23	32	60
GRAND TOTAL	**11312**	**8.6**	**82**	**1**	**2**	**6**	**11**	**18**	**26**	**46**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.0	3	<1	1	1	2	4	7	8
20-34	42	1.9	2	<1	<1	1	3	4	5	5
35-49	28	3.5	8	1	1	2	5	8	9	9
50-64	21	2.4	4	<1	<1	1	3	5	7	9
65+	3	2.7	2	<1	<1	3	4	4	4	4
B. *Operated*										
0-19 YRS	1441	2.1	2	<1	<1	2	3	4	5	7
20-34	3532	2.3	3	<1	<1	2	3	5	6	8
35-49	1842	2.2	3	<1	<1	2	3	4	5	8
50-64	850	2.2	3	<1	<1	2	3	4	5	8
65+	259	2.6	10	<1	<1	2	3	5	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	2.1	3	<1	<1	1	3	5	6	8
20-34	110	1.8	3	<1	<1	1	2	4	5	11
35-49	83	3.4	30	<1	<1	1	4	7	11	32
50-64	84	3.5	15	<1	<1	2	4	8	11	22
65+	70	4.4	24	<1	<1	3	5	9	10	32
B. *Operated*										
0-19 YRS	1391	2.5	3	<1	1	2	3	5	6	8
20-34	3956	2.7	5	<1	1	2	4	5	7	11
35-49	2857	2.6	5	<1	1	2	3	5	6	11
50-64	2421	2.7	7	<1	1	2	3	5	7	14
65+	1178	3.3	17	<1	1	2	4	7	9	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	119	2.4	4	<1	<1	2	3	5	8	9
B. *Operated*	7924	2.3	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	389	3.0	16	<1	<1	1	3	7	9	24
B. *Operated*	11803	2.7	6	<1	1	2	3	5	7	12
1. SINGLE DX	8043	2.3	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX	12192	2.7	7	<1	1	2	3	5	7	12
A. NOT OPERATED	508	2.9	13	<1	<1	1	3	6	9	19
B. OPERATED	19727	2.5	5	<1	<1	2	3	5	6	10
TOTAL 0-19 YRS	2899	2.3	3	<1	<1	2	3	5	6	8
20-34	7640	2.5	4	<1	<1	2	3	5	6	9
35-49	4810	2.5	5	<1	<1	2	3	5	6	10
50-64	3376	2.6	6	<1	<1	2	3	5	7	13
65+	1510	3.2	16	<1	1	2	4	7	9	18
GRAND TOTAL	**20235**	**2.5**	**5**	**<1**	**<1**	**2**	**3**	**5**	**6**	**11**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	411	3.1	6	1	1	2	4	6	7	14
20-34	247	3.6	12	<1	1	3	4	8	9	17
35-49	173	3.8	12	1	1	3	5	8	9	12
50-64	142	3.9	12	1	1	3	5	8	11	17
65+	169	4.2	24	1	1	3	5	8	11	22
B. *Operated*										
0-19 YRS	3158	2.8	4	1	1	2	3	5	6	10
20-34	5431	2.9	4	1	1	3	4	5	6	9
35-49	1749	2.9	5	<1	1	2	4	5	7	11
50-64	688	3.7	14	<1	1	3	4	7	10	16
65+	325	5.4	57	1	1	3	7	11	15	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	481	4.5	38	<1	1	3	5	9	12	33
20-34	502	4.7	38	<1	<1	3	6	10	15	32
35-49	516	4.6	27	1	1	3	6	9	14	23
50-64	619	5.6	40	1	1	4	7	11	15	31
65+	1515	8.4	83	1	2	6	10	18	26	49
B. *Operated*										
0-19 YRS	2068	3.9	18	1	1	3	5	7	11	24
20-34	3209	3.8	19	1	1	3	4	7	10	20
35-49	1817	4.0	19	1	1	3	5	8	11	23
50-64	1311	5.4	37	1	1	3	6	12	16	29
65+	1121	8.7	75	1	2	6	12	19	26	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1142	3.6	12	1	1	3	4	7	9	17
B. *Operated*	11351	3.0	6	1	1	3	4	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	3633	6.3	58	1	1	4	7	14	20	42
B. *Operated*	9526	4.7	30	1	1	3	5	10	15	29
1. SINGLE DX	12493	3.0	7	1	1	3	4	5	7	12
2. MULTIPLE DX	13159	5.1	39	1	1	3	6	11	16	33
A. NOT OPERATED	4775	5.7	49	1	1	4	7	12	18	38
B. OPERATED	20877	3.7	18	1	1	3	4	7	10	22
TOTAL 0-19 YRS	6118	3.3	12	1	1	3	4	6	8	19
20-34	9389	3.3	11	1	1	3	4	6	8	15
35-49	4255	3.6	14	1	1	3	4	7	10	20
50-64	2760	4.9	31	1	1	3	6	10	15	27
65+	3130	8.0	76	1	2	5	10	17	24	46
GRAND TOTAL	**25652**	**4.1**	**24**	**1**	**1**	**3**	**5**	**8**	**12**	**25**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	6.4	13	2	2	5	10	11	11	11
20-34	28	4.7	6	1	2	5	6	7	9	13
35-49	20	5.4	12	1	2	5	6	9	14	17
50-64	7	7.9	17	3	3	6	12	14	14	14
65+	6	2.7	1	2	2	3	3	4	4	4
B. *Operated*										
0-19 YRS										
20-34	6	12.0	51	2	2	13	17	20	20	20
35-49	16	7.7	72	1	1	5	10	17	29	34
50-64	5	5.6	13	2	2	6	8	10	10	10
65+	6	8.2	65	<1	<1	5	11	22	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	3.3	4	1	1	3	4	6	7	7
20-34	17	5.5	13	1	1	4	9	11	12	12
35-49	55	6.2	15	2	2	6	7	11	14	18
50-64	57	6.7	23	2	2	5	8	13	16	23
65+	71	9.7	70	2	3	8	11	17	25	46
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	22	9.9	42	1	2	9	13	20	24	24
35-49	39	11.1	58	2	3	9	14	22	27	34
50-64	40	10.7	36	3	4	10	14	20	22	23
65+	27	15.6	174	3	3	11	20	44	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	5.2	10	1	2	5	6	10	13	16
B. *Operated*	33	8.2	57	1	1	7	11	18	23	34
2. MULTIPLE DX										
A. *Not Operated*	207	7.4	38	2	2	6	9	14	17	39
B. *Operated*	129	11.7	75	2	3	10	15	23	30	58
1. SINGLE DX	101	6.2	27	1	2	5	8	13	17	28
2. MULTIPLE DX	336	9.0	57	2	2	7	11	18	23	45
A. NOT OPERATED	275	6.8	32	2	2	5	8	12	16	35
B. OPERATED	162	11.0	73	2	2	9	15	22	28	48
TOTAL 0-19 YRS	15	5.0	10	1	2	4	7	11	11	11
20-34	73	7.1	28	1	2	5	9	15	19	24
35-49	130	7.7	39	1	2	6	10	16	19	34
50-64	109	8.2	30	2	2	7	11	16	20	23
65+	110	10.7	100	2	3	8	12	23	41	68
GRAND TOTAL	**437**	**8.4**	**51**	**2**	**2**	**6**	**11**	**17**	**23**	**43**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	5.0	20	<1	1	4	6	12	17	17
20-34	102	4.6	9	1	1	4	6	8	10	16
35-49	325	5.1	20	1	1	4	6	10	12	23
50-64	435	5.2	13	1	1	5	7	10	12	17
65+	403	5.8	15	1	2	5	8	11	13	17
B. *Operated*										
0-19 YRS	22	5.3	23	1	1	5	7	9	15	23
20-34	273	5.2	25	1	1	4	8	11	13	23
35-49	1376	4.8	14	1	1	4	7	10	12	17
50-64	1703	5.1	18	1	1	4	7	10	13	20
65+	774	6.1	27	1	1	5	9	13	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	5.4	29	<1	<1	4	7	11	19	23
20-34	176	5.5	17	1	1	5	7	10	11	22
35-49	875	6.2	20	1	2	5	8	12	14	20
50-64	2213	6.5	20	2	2	5	8	12	15	22
65+	4709	7.2	30	2	3	6	9	13	17	29
B. *Operated*										
0-19 YRS	21	6.8	27	1	2	6	9	12	18	24
20-34	356	6.0	29	1	1	5	8	12	16	25
35-49	1641	6.9	36	1	1	5	9	14	18	32
50-64	3053	7.1	39	1	1	6	9	14	19	29
65+	2886	10.1	80	1	2	8	13	20	28	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1276	5.3	15	1	1	5	7	10	12	17
B. *Operated*	4148	5.2	19	1	1	4	7	11	13	20
2. MULTIPLE DX										
A. *Not Operated*	8001	6.9	26	2	2	6	9	12	16	27
B. *Operated*	7957	8.1	55	1	2	6	10	16	22	37
1. SINGLE DX	5424	5.2	18	1	1	4	7	10	13	20
2. MULTIPLE DX	15958	7.5	41	1	2	6	9	14	19	33
A. NOT OPERATED	9277	6.7	25	2	2	6	8	12	15	26
B. OPERATED	12105	7.1	45	1	1	5	9	14	19	33
TOTAL 0-19 YRS	82	5.7	25	<1	1	4	7	11	18	24
20-34	907	5.5	23	1	1	4	8	11	14	23
35-49	4217	5.9	25	1	1	5	8	12	15	25
50-64	7404	6.3	28	1	1	5	8	12	16	26
65+	8772	8.0	48	1	2	6	10	15	20	37
GRAND TOTAL	**21382**	**6.9**	**36**	**1**	**2**	**6**	**9**	**13**	**17**	**30**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	154	6.1	16	1	2	5	8	11	13	18
20-34	3237	6.1	17	1	1	5	8	11	14	19
35-49	4823	6.4	17	1	2	6	8	12	14	19
50-64	2353	6.7	17	1	2	6	9	12	14	20
65+	698	7.2	21	1	2	7	9	13	15	21
B. *Operated*										
0-19 YRS	642	5.0	15	1	1	4	6	9	13	19
20-34	15097	5.7	20	1	1	5	8	11	14	21
35-49	21272	6.0	21	1	1	5	8	12	14	22
50-64	8673	6.4	24	1	1	5	9	12	15	23
65+	1835	7.1	28	1	1	6	10	14	17	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	7.1	27	1	1	6	10	15	18	23
20-34	1924	6.9	23	1	2	6	9	13	16	23
35-49	4109	7.5	28	1	2	7	10	14	17	26
50-64	4061	7.7	25	2	3	7	10	14	16	25
65+	3869	8.2	36	2	3	7	10	14	18	31
B. *Operated*										
0-19 YRS	155	7.7	36	1	1	6	10	15	19	32
20-34	5199	7.9	40	1	2	7	10	15	19	31
35-49	10198	8.3	41	1	2	7	11	16	20	32
50-64	8022	9.2	50	1	2	8	12	18	22	34
65+	4584	10.9	70	2	2	9	14	21	26	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11265	6.4	17	1	2	6	8	12	14	20
B. *Operated*	47519	6.0	21	1	1	5	8	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	14031	7.7	29	2	2	7	10	14	17	26
B. *Operated*	28158	8.9	49	1	2	8	12	17	22	34
1. SINGLE DX	58784	6.1	21	1	1	5	8	12	14	22
2. MULTIPLE DX	42189	8.5	43	1	2	7	11	16	20	32
A. NOT OPERATED	25296	7.1	24	1	2	6	9	13	16	24
B. OPERATED	75677	7.1	34	1	1	6	9	14	18	28
TOTAL 0-19 YRS	1019	5.7	20	1	1	5	7	11	14	23
20-34	25457	6.3	25	1	1	5	8	12	15	24
35-49	40402	6.8	27	1	1	6	9	13	16	25
50-64	23109	7.6	34	1	2	7	10	14	18	28
65+	10986	9.1	51	1	2	8	11	17	22	35
GRAND TOTAL	**100973**	**7.1**	**31**	**1**	**1**	**6**	**9**	**14**	**17**	**27**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	5.0	16	<1	1	4	8	11	12	17
20-34	376	5.6	15	1	1	5	7	10	13	20
35-49	745	5.7	19	1	1	5	8	11	13	21
50-64	380	5.7	16	1	1	5	8	10	13	20
65+	100	6.1	15	2	2	5	8	10	13	21
B. *Operated*										
0-19 YRS	35	4.6	12	1	1	4	6	8	11	18
20-34	1339	5.1	19	1	1	4	7	10	14	21
35-49	3753	5.4	18	1	1	5	7	10	13	20
50-64	1735	5.3	16	1	1	5	7	10	13	19
65+	193	5.8	23	1	1	5	8	12	17	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	7.2	25	1	2	6	10	15	18	19
20-34	289	6.6	25	1	1	5	8	12	16	25
35-49	834	6.6	24	1	2	5	9	12	15	25
50-64	895	6.9	31	1	2	6	9	12	15	25
65+	717	7.0	32	2	3	6	8	12	15	39
B. *Operated*										
0-19 YRS	19	6.1	23	1	1	6	8	11	16	20
20-34	672	6.5	29	1	1	5	8	14	17	27
35-49	2470	6.7	33	1	1	5	8	13	17	28
50-64	2034	7.4	49	1	1	6	9	14	18	31
65+	583	9.4	72	1	2	7	13	20	25	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1632	5.7	17	1	1	5	8	10	13	21
B. *Operated*	7055	5.3	18	1	1	5	7	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	2753	6.8	28	1	2	6	9	12	15	25
B. *Operated*	5778	7.2	43	1	1	6	9	14	18	31
1. SINGLE DX	8687	5.4	18	1	1	5	7	10	13	20
2. MULTIPLE DX	8531	7.0	38	1	2	6	9	13	17	29
A. NOT OPERATED	4385	6.4	24	1	2	5	8	12	15	23
B. OPERATED	12833	6.2	30	1	1	5	8	12	16	25
TOTAL 0-19 YRS	103	5.5	18	1	1	5	8	11	14	19
20-34	2676	5.7	22	1	1	5	8	11	15	23
35-49	7802	5.9	24	1	1	5	8	11	14	23
50-64	5044	6.5	33	1	1	5	9	12	16	25
65+	1593	7.7	46	1	2	6	9	15	20	39
GRAND TOTAL	**17218**	**6.2**	**29**	**1**	**1**	**5**	**8**	**12**	**15**	**24**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	5.3	21	1	2	4	5	14	17	18
20-34	258	5.3	17	1	1	4	8	11	13	18
35-49	320	5.9	18	1	1	5	7	11	14	20
50-64	144	6.2	15	1	1	5	9	11	13	17
65+	33	5.4	16	1	1	4	8	10	13	17
B. *Operated*										
0-19 YRS	9	3.0	9	1	1	2	3	8	10	10
20-34	320	4.2	16	1	1	2	6	10	13	17
35-49	355	5.0	24	1	1	3	8	11	13	20
50-64	114	5.3	25	1	1	3	8	12	15	22
65+	15	6.1	20	<1	1	6	9	12	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	8.4	30	2	4	8	11	14	21	24
20-34	318	6.8	18	2	2	6	9	11	14	21
35-49	543	7.1	19	2	3	6	9	12	14	24
50-64	369	7.7	25	2	3	6	10	14	18	27
65+	213	7.1	22	2	3	6	9	13	16	25
B. *Operated*										
0-19 YRS	13	4.9	14	1	1	4	7	10	13	14
20-34	299	6.9	33	1	1	6	9	13	18	30
35-49	398	7.6	33	1	1	7	11	15	18	28
50-64	170	8.5	53	1	2	7	11	17	24	40
65+	52	9.8	56	1	2	10	13	21	25	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	777	5.7	17	1	1	5	8	11	14	18
B. *Operated*	813	4.7	21	1	1	3	7	11	13	20
2. MULTIPLE DX										
A. *Not Operated*	1459	7.2	21	2	3	6	9	13	16	24
B. *Operated*	932	7.6	38	1	1	7	10	15	19	29
1. SINGLE DX	1590	5.2	19	1	1	4	7	11	13	19
2. MULTIPLE DX	2391	7.4	28	1	2	6	10	13	17	27
A. NOT OPERATED	2236	6.7	20	1	2	6	9	12	15	23
B. OPERATED	1745	6.3	32	1	1	4	9	13	17	27
TOTAL 0-19 YRS	60	5.7	23	1	1	4	8	13	15	23
20-34	1195	5.8	22	1	1	5	8	11	15	22
35-49	1616	6.5	24	1	1	6	9	12	15	24
50-64	797	7.2	30	1	2	6	10	14	17	27
65+	313	7.3	28	1	2	6	10	14	17	28
GRAND TOTAL	**3981**	**6.5**	**25**	**1**	**1**	**5**	**9**	**12**	**16**	**25**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	4.8	8	1	2	4	6	10	11	11
20-34	296	5.7	13	1	2	5	7	10	13	18
35-49	431	6.0	17	1	1	5	8	11	13	19
50-64	292	6.0	17	1	2	5	8	11	13	23
65+	136	6.5	19	1	2	6	9	12	13	24
B. *Operated*										
0-19 YRS	7	5.0	26	1	1	2	9	13	14	14
20-34	253	3.7	14	1	1	2	5	10	12	18
35-49	374	3.9	18	1	1	2	5	10	13	22
50-64	190	4.0	20	1	1	2	5	10	13	23
65+	47	3.7	15	1	1	2	5	10	13	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	5.4	8	1	2	5	8	9	10	11
20-34	340	7.2	22	1	2	7	9	12	15	29
35-49	595	7.1	19	2	2	6	9	12	15	25
50-64	670	7.5	21	2	3	7	10	13	15	21
65+	945	7.9	25	2	3	7	10	14	17	25
B. *Operated*										
0-19 YRS	12	7.6	41	1	2	5	10	18	21	22
20-34	166	5.5	24	1	1	4	8	12	16	21
35-49	281	7.1	43	1	1	6	10	14	19	33
50-64	221	8.5	45	1	2	7	11	17	22	31
65+	193	10.4	63	1	2	9	14	19	26	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1167	6.0	16	1	2	5	8	11	13	20
B. *Operated*	871	3.9	17	1	1	2	5	10	13	18
2. MULTIPLE DX										
A. *Not Operated*	2573	7.5	22	2	3	7	9	13	16	24
B. *Operated*	873	7.9	47	1	1	6	11	17	21	34
1. SINGLE DX	2038	5.1	18	1	1	4	7	10	13	20
2. MULTIPLE DX	3446	7.6	28	1	2	7	10	14	17	28
A. NOT OPERATED	3740	7.0	21	1	2	6	9	12	15	23
B. OPERATED	1744	5.9	36	1	1	4	8	13	18	30
TOTAL 0-19 YRS	54	5.7	18	1	1	5	8	11	14	22
20-34	1055	5.7	19	1	1	5	8	11	14	20
35-49	1681	6.1	24	1	1	5	8	12	14	25
50-64	1373	6.9	26	1	1	6	9	13	16	25
65+	1321	8.0	31	2	2	7	10	15	18	29
GRAND TOTAL	**5484**	**6.7**	**26**	**1**	**1**	**6**	**9**	**13**	**16**	**25**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	364	3.9	14	1	1	3	5	8	10	16
20-34	3216	5.2	16	1	1	4	7	10	12	18
35-49	4101	5.4	17	1	1	5	7	10	13	20
50-64	2125	5.5	20	1	1	5	8	11	13	19
65+	799	5.7	20	1	1	5	8	11	14	21
B. *Operated*										
0-19 YRS	261	3.2	33	1	1	2	3	6	8	17
20-34	3677	3.7	15	1	1	2	5	8	11	18
35-49	5167	4.1	15	1	1	3	6	9	12	18
50-64	3280	4.8	20	1	1	3	7	10	13	20
65+	1598	6.4	30	1	1	6	9	13	16	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	412	4.2	15	1	1	3	5	9	11	18
20-34	3777	6.4	29	1	1	5	8	13	17	26
35-49	6274	6.8	27	1	2	6	9	13	17	26
50-64	5197	6.9	26	1	2	6	9	13	16	26
65+	5687	7.1	30	2	2	6	9	13	16	27
B. *Operated*										
0-19 YRS	189	5.5	47	1	1	3	7	11	15	43
20-34	3105	5.7	34	1	1	4	8	12	16	27
35-49	5499	6.4	37	1	1	5	9	14	18	30
50-64	5344	7.6	48	1	1	6	10	15	20	34
65+	5196	10.3	75	1	2	9	13	20	27	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10605	5.3	18	1	1	4	7	10	13	19
B. *Operated*	13983	4.4	19	1	1	3	6	10	13	19
2. MULTIPLE DX										
A. *Not Operated*	21347	6.8	28	1	2	6	9	13	16	26
B. *Operated*	19333	7.7	53	1	1	6	10	16	21	36
1. SINGLE DX	24588	4.8	19	1	1	4	7	10	13	19
2. MULTIPLE DX	40680	7.2	40	1	1	6	9	14	18	32
A. NOT OPERATED	31952	6.3	25	1	1	5	8	12	15	24
B. OPERATED	33316	6.3	41	1	1	4	9	14	18	31
TOTAL 0-19 YRS	1226	4.1	24	1	1	3	5	9	11	18
20-34	13775	5.2	24	1	1	4	7	11	14	23
35-49	21041	5.7	26	1	1	4	8	12	15	24
50-64	15946	6.5	32	1	1	5	9	13	16	27
65+	13280	8.2	50	1	2	7	11	16	21	36
GRAND TOTAL	**65268**	**6.3**	**33**	**1**	**1**	**5**	**8**	**13**	**17**	**28**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	580	3.1	5	1	1	3	4	6	7	11
20-34	303	4.0	11	1	1	3	5	7	9	14
35-49	338	4.1	8	1	1	3	5	8	10	14
50-64	261	3.9	9	1	1	3	5	8	10	16
65+	141	4.0	6	1	1	3	5	7	8	14
B. *Operated*										
0-19 YRS	707	2.3	6	<1	<1	2	3	4	6	11
20-34	2204	2.4	4	<1	<1	2	3	5	6	10
35-49	3261	2.5	4	<1	<1	2	3	4	6	10
50-64	2582	2.7	5	<1	<1	2	3	5	6	13
65+	652	2.9	9	<1	<1	2	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	340	4.3	30	1	1	3	5	7	9	13
20-34	418	4.6	11	1	1	4	6	8	11	17
35-49	627	4.9	17	1	1	4	6	9	12	21
50-64	839	5.3	20	1	1	4	7	10	13	19
65+	1093	5.8	16	1	2	5	7	11	13	19
B. *Operated*										
0-19 YRS	367	3.6	24	<1	1	2	4	7	9	24
20-34	1566	3.5	15	<1	1	2	4	7	10	21
35-49	2825	3.6	17	1	1	3	4	7	9	18
50-64	2934	3.9	16	1	1	3	4	8	10	20
65+	1497	5.4	38	1	1	4	6	11	16	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1623	3.7	7	1	1	3	5	7	9	14
B. *Operated*	9406	2.5	5	<1	<1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	3317	5.2	18	1	2	4	7	10	12	19
B. *Operated*	9189	4.0	20	1	1	3	5	8	11	22
1. SINGLE DX	11029	2.7	5	<1	<1	2	3	5	7	11
2. MULTIPLE DX	12506	4.3	20	1	1	3	5	8	12	22
A. NOT OPERATED	4940	4.7	15	1	1	4	6	9	11	18
B. OPERATED	18595	3.2	13	<1	1	2	4	6	9	17
TOTAL 0-19 YRS	1994	3.1	13	<1	1	2	4	6	8	13
20-34	4491	3.1	10	<1	1	2	4	6	8	15
35-49	7051	3.2	11	<1	1	2	4	6	8	15
50-64	6616	3.6	13	<1	1	3	4	7	10	17
65+	3383	5.0	25	1	1	4	6	10	13	26
GRAND TOTAL	**23535**	**3.6**	**14**	**<1**	**1**	**3**	**4**	**7**	**9**	**17**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	2	1	1	2	3	4	4	4
20-34	11	2.8	3	1	1	3	4	5	6	6
35-49	9	2.2	2	1	1	2	3	5	5	5
50-64	18	2.8	4	<1	<1	2	4	5	7	8
65+	9	3.2	3	<1	<1	3	4	6	6	6
B. *Operated*										
0-19 YRS	769	2.4	2	<1	1	2	3	4	5	7
20-34	1574	2.6	2	<1	1	2	3	4	5	7
35-49	1887	2.6	2	<1	1	2	3	4	5	7
50-64	1996	2.8	3	1	1	3	4	5	6	8
65+	872	2.9	4	<1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	1.1		<1	<1	<1	1	2	2	2
20-34	40	1.6	1	<1	<1	1	2	3	5	5
35-49	48	1.7	6	<1	<1	1	1	3	4	16
50-64	100	2.1	4	<1	<1	1	2	5	7	10
65+	62	2.8	16	<1	<1	1	2	6	12	22
B. *Operated*										
0-19 YRS	936	2.7	2	1	1	3	3	4	5	7
20-34	2550	2.9	3	1	1	3	4	5	5	8
35-49	3875	3.1	3	1	1	3	4	5	6	9
50-64	6355	3.3	4	1	1	3	4	5	7	10
65+	4527	3.7	7	1	1	3	5	6	8	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	2.7	3	<1	1	3	4	5	6	8
B. *Operated*	7098	2.7	3	<1	1	2	3	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	269	2.1	7	<1	<1	1	2	4	6	15
B. *Operated*	18243	3.3	5	1	1	3	4	5	7	10
1. SINGLE DX	7149	2.7	3	<1	1	2	3	5	5	8
2. MULTIPLE DX	18512	3.2	5	1	1	3	4	5	7	10
A. NOT OPERATED	320	2.2	6	<1	<1	1	2	5	6	13
B. OPERATED	25341	3.1	4	1	1	3	4	5	6	9
TOTAL 0-19 YRS	1728	2.6	2	1	1	2	3	4	5	7
20-34	4175	2.8	3	1	1	3	4	5	5	8
35-49	5819	2.9	3	1	1	3	4	5	6	8
50-64	8469	3.2	4	1	1	3	4	5	6	10
65+	5470	3.6	7	1	1	3	4	6	8	13
GRAND TOTAL	**25661**	**3.1**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**10**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.8	1	<1	<1	2	2	3	3	3
20-34	15	2.0	4	<1	<1	1	2	7	7	7
35-49	10	1.6		<1	<1	1	2	3	3	3
50-64	13	3.0	5	<1	<1	3	5	6	7	7
65+	10	3.3	4	<1	<1	3	5	6	7	7
B. *Operated*										
0-19 YRS	701	1.4	1	<1	<1	1	2	2	3	4
20-34	1210	1.6	1	<1	<1	1	2	3	3	5
35-49	930	1.7	2	<1	<1	1	2	3	4	7
50-64	533	2.0	2	<1	<1	2	3	4	5	8
65+	211	2.6	5	<1	<1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	1.2		<1	<1	<1	1	2	3	3
20-34	28	2.7	10	<1	<1	1	4	6	11	14
35-49	22	2.2	3	<1	<1	2	3	5	6	7
50-64	44	3.2	7	<1	<1	3	4	6	9	12
65+	58	4.7	12	1	1	4	7	9	12	18
B. *Operated*										
0-19 YRS	107	1.9	2	<1	<1	1	3	3	5	8
20-34	346	2.5	4	<1	<1	2	3	5	7	11
35-49	410	2.8	8	<1	<1	2	3	6	7	15
50-64	521	3.2	8	<1	1	2	4	6	8	14
65+	362	4.1	13	<1	1	3	5	8	11	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	2.4	4	<1	<1	2	3	5	7	7
B. *Operated*	3585	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	161	3.4	10	<1	<1	2	4	8	10	14
B. *Operated*	1746	3.1	8	<1	<1	2	4	6	8	15
1. SINGLE DX	3638	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	1907	3.1	8	<1	<1	2	4	6	8	15
A. NOT OPERATED	214	3.2	8	<1	<1	2	4	7	9	13
B. OPERATED	5331	2.2	4	<1	<1	2	3	4	5	10
TOTAL 0-19 YRS	822	1.5	1	<1	<1	1	2	2	3	5
20-34	1599	1.8	2	<1	<1	1	2	3	4	8
35-49	1372	2.1	4	<1	<1	1	2	4	5	9
50-64	1111	2.6	5	<1	<1	2	3	5	7	12
65+	641	3.6	11	<1	<1	3	4	7	9	18
GRAND TOTAL	**5545**	**2.2**	**4**	**<1**	**<1**	**2**	**3**	**4**	**6**	**10**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	308	11.4	69	1	2	9	15	23	28	41
20-34	124	9.0	55	1	2	7	11	21	26	53
35-49	89	9.3	100	1	2	7	10	19	28	58
50-64	82	10.1	81	2	3	7	13	20	27	51
65+	84	10.8	76	2	3	9	13	20	30	46
B. *Operated*										
0-19 YRS	313	13.7	143	1	2	10	21	29	36	53
20-34	337	11.2	147	1	2	7	13	27	39	62
35-49	290	10.9	96	1	2	8	13	24	35	45
50-64	263	11.3	108	1	2	8	15	25	34	47
65+	205	11.0	83	2	2	9	14	23	28	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	330	14.2	92	3	4	12	21	28	32	44
20-34	252	12.0	114	1	2	9	15	28	35	46
35-49	287	12.1	131	2	3	9	15	27	37	48
50-64	493	13.5	152	2	3	10	17	28	41	61
65+	765	14.8	139	3	4	11	18	31	40	65
B. *Operated*										
0-19 YRS	551	17.2	188	2	4	14	24	39	44	69
20-34	821	16.8	247	2	3	11	22	41	49	87
35-49	1055	17.7	204	2	4	14	24	40	48	69
50-64	1612	18.2	206	3	5	14	24	39	47	83
65+	1938	18.9	250	3	5	14	24	42	53	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	687	10.5	73	1	2	8	14	22	28	43
B. *Operated*	1408	11.7	120	1	2	8	15	26	35	48
2. MULTIPLE DX										
A. *Not Operated*	2127	13.7	132	2	3	10	18	29	37	56
B. *Operated*	5977	18.1	224	3	4	14	24	40	49	82
1. SINGLE DX	2095	11.3	105	1	2	8	15	25	32	46
2. MULTIPLE DX	8104	16.9	204	3	4	13	22	37	47	78
A. NOT OPERATED	2814	12.9	119	2	3	10	16	28	35	53
B. OPERATED	7385	16.8	211	2	3	13	22	38	47	79
TOTAL 0-19 YRS	1502	14.6	138	2	3	11	21	30	39	56
20-34	1534	14.1	196	2	3	10	18	33	44	77
35-49	1721	15.2	179	2	3	11	21	35	44	65
50-64	2450	16.3	188	2	4	12	22	35	45	73
65+	2992	17.1	213	3	4	13	22	37	48	82
GRAND TOTAL	**10199**	**15.8**	**189**	**2**	**3**	**12**	**21**	**35**	**45**	**73**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	469	5.1	36	<1	1	3	7	12	16	29
20-34	318	3.0	5	<1	1	2	4	6	7	11
35-49	465	3.2	8	1	1	2	4	6	8	15
50-64	359	4.7	34	1	1	3	6	9	12	21
65+	609	6.5	19	1	2	6	9	12	15	23
B. *Operated*										
0-19 YRS	3000	4.0	16	<1	1	3	5	8	11	20
20-34	3025	3.7	11	1	1	3	5	7	10	16
35-49	1884	4.8	21	1	1	3	6	10	13	21
50-64	1284	5.6	23	1	1	4	8	12	14	26
65+	781	8.2	40	1	2	7	11	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	386	6.1	61	<1	1	4	7	14	21	63
20-34	740	3.9	12	1	1	3	5	7	10	18
35-49	1504	4.3	18	1	1	3	5	8	11	23
50-64	2491	6.1	28	1	2	5	8	13	17	27
65+	11234	8.5	45	2	3	7	11	15	20	35
B. *Operated*										
0-19 YRS	1389	5.4	38	1	1	3	7	12	17	31
20-34	2336	5.9	54	1	1	4	7	12	16	43
35-49	2263	7.5	66	1	1	5	9	15	22	44
50-64	2869	9.9	86	1	2	8	13	20	27	48
65+	5111	13.8	110	3	4	12	17	25	34	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2220	4.7	23	1	1	3	6	10	13	22
B. *Operated*	9974	4.6	20	1	1	3	6	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	16355	7.5	41	1	2	6	10	14	19	34
B. *Operated*	13968	9.8	93	1	2	7	13	20	27	52
1. SINGLE DX	12194	4.6	20	1	1	3	6	10	13	22
2. MULTIPLE DX	30323	8.6	66	1	2	7	11	17	23	43
A. NOT OPERATED	18575	7.2	40	1	2	6	9	14	18	32
B. OPERATED	23942	7.7	69	1	1	5	10	17	22	43
TOTAL 0-19 YRS	5244	4.6	28	<1	1	3	6	10	14	27
20-34	6419	4.5	28	1	1	3	5	9	12	26
35-49	6116	5.5	38	1	1	4	7	11	16	31
50-64	7003	7.5	55	1	2	5	10	16	21	36
65+	17735	10.0	69	2	3	8	13	19	24	45
GRAND TOTAL	**42517**	**7.5**	**56**	**1**	**1**	**5**	**10**	**15**	**20**	**38**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.0	5	<1	<1	1	2	5	8	8
20-34	8	5.0	19	1	1	3	7	12	14	14
35-49	6	7.0	88	1	1	4	5	24	26	26
50-64	5	3.6	5	1	1	3	5	7	7	7
65+										
B. *Operated*										
0-19 YRS	764	3.7	15	1	1	3	4	6	8	16
20-34	339	3.4	9	<1	1	3	4	7	8	14
35-49	224	3.2	7	<1	<1	2	4	7	8	14
50-64	155	3.7	10	<1	1	3	5	7	10	16
65+	75	5.4	24	<1	1	4	6	11	13	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	4.9	121	<1	<1	1	5	12	17	72
20-34	33	6.1	114	<1	<1	2	6	13	33	52
35-49	26	10.2	151	<1	<1	5	14	32	35	48
50-64	44	15.2	221	1	1	11	22	34	57	58
65+	145	16.4	177	1	3	14	21	36	43	68
B. *Operated*										
0-19 YRS	1367	4.8	41	1	1	3	5	8	11	34
20-34	660	4.6	29	1	1	3	6	8	11	29
35-49	503	4.5	18	1	1	4	6	8	10	20
50-64	530	5.1	33	1	1	4	6	9	12	37
65+	393	8.0	71	1	2	5	9	16	24	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	4.1	26	<1	<1	3	4	9	15	26
B. *Operated*	1557	3.6	13	<1	1	3	5	7	8	16
2. MULTIPLE DX										
A. *Not Operated*	322	12.0	185	<1	1	8	17	30	38	61
B. *Operated*	3453	5.1	39	1	1	4	6	9	13	35
1. SINGLE DX	1586	3.7	13	<1	1	3	4	7	9	16
2. MULTIPLE DX	3775	5.7	55	1	1	4	6	11	17	41
A. NOT OPERATED	351	11.4	177	<1	1	6	16	28	37	58
B. OPERATED	5010	4.7	31	1	1	3	5	8	11	30
TOTAL 0-19 YRS	2215	4.4	35	1	1	3	5	8	10	30
20-34	1040	4.3	26	1	1	3	5	8	11	26
35-49	759	4.4	21	<1	1	3	5	8	11	28
50-64	734	5.4	45	1	1	4	6	10	14	39
65+	613	9.7	105	1	2	6	12	21	31	55
GRAND TOTAL	**5361**	**5.1**	**43**	**1**	**1**	**3**	**6**	**9**	**14**	**37**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	4.1	14	2	2	3	4	9	14	15
20-34	67	5.8	16	1	2	5	8	12	13	19
35-49	96	5.1	13	1	1	5	7	9	11	18
50-64	54	5.9	23	1	1	5	7	11	17	23
65+	20	6.9	29	1	2	5	9	14	19	22
B. *Operated*										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	62	4.0	18	1	1	3	5	8	14	24
35-49	126	3.6	12	1	1	2	4	8	10	18
50-64	46	4.1	26	1	1	2	4	10	14	27
65+	17	4.1	10	1	1	3	7	9	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	4.0	26	1	1	2	3	12	18	18
20-34	69	6.7	42	1	1	5	10	13	13	43
35-49	138	6.0	24	1	2	5	8	11	15	24
50-64	206	6.5	33	2	2	5	8	11	13	37
65+	240	6.6	21	1	2	5	9	12	15	22
B. *Operated*										
0-19 YRS	4	5.5	18	1	1	5	8	11	11	11
20-34	50	5.6	16	1	1	4	9	11	14	16
35-49	96	6.0	20	1	1	5	8	13	15	21
50-64	75	8.0	82	1	1	6	10	15	19	59
65+	71	8.0	65	1	1	6	9	16	29	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	249	5.5	17	1	1	5	7	11	15	20
B. *Operated*	255	3.8	16	1	1	2	5	8	11	20
2. MULTIPLE DX										
A. *Not Operated*	663	6.4	27	1	2	5	8	11	14	29
B. *Operated*	296	6.9	46	1	1	5	9	14	17	36
1. SINGLE DX	504	4.6	17	1	1	3	7	10	13	20
2. MULTIPLE DX	959	6.6	33	1	2	5	8	12	15	31
A. NOT OPERATED	912	6.2	25	1	2	5	8	11	15	23
B. OPERATED	551	5.5	35	1	1	4	8	11	15	29
TOTAL 0-19 YRS	30	3.9	16	1	1	3	4	9	15	18
20-34	248	5.5	25	1	1	4	8	12	14	20
35-49	456	5.1	18	1	1	4	7	10	13	20
50-64	381	6.4	41	1	1	5	8	12	16	33
65+	348	6.8	30	1	2	5	9	13	17	31
GRAND TOTAL	**1463**	**5.9**	**29**	**1**	**1**	**5**	**8**	**11**	**15**	**25**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	495	2.4	4	<1	<1	2	3	5	6	10
20-34	772	4.1	13	1	1	3	5	8	10	17
35-49	878	4.1	14	1	1	3	5	8	11	19
50-64	580	4.5	16	1	1	3	5	9	12	21
65+	268	4.6	16	1	1	3	6	10	13	22
B. *Operated*										
0-19 YRS	1949	5.2	20	<1	1	3	8	11	13	20
20-34	2209	3.7	15	<1	1	2	4	9	11	20
35-49	1779	3.7	15	<1	1	2	4	9	11	20
50-64	1774	2.9	9	<1	1	2	3	6	9	16
65+	917	2.9	13	<1	1	2	3	6	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	610	4.0	39	<1	1	2	5	7	11	27
20-34	1606	4.8	20	1	1	4	6	9	12	26
35-49	2184	5.2	25	1	1	4	6	10	13	24
50-64	2162	5.3	20	1	2	4	7	10	13	22
65+	2575	6.3	29	1	2	5	8	12	16	28
B. *Operated*										
0-19 YRS	2445	5.9	59	1	1	3	8	14	19	38
20-34	3191	4.6	44	1	1	2	5	10	15	33
35-49	3015	5.1	38	1	1	3	6	11	15	30
50-64	2833	5.6	49	1	1	3	7	12	17	38
65+	2310	7.1	77	1	1	4	9	15	21	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2993	3.9	13	<1	1	3	5	8	10	18
B. *Operated*	8628	3.8	16	<1	1	2	5	9	11	19
2. MULTIPLE DX										
A. *Not Operated*	9137	5.4	25	1	1	4	7	10	14	25
B. *Operated*	13794	5.5	52	1	1	3	7	12	17	37
1. SINGLE DX	11621	3.8	15	<1	1	2	5	9	11	18
2. MULTIPLE DX	22931	5.5	42	1	1	4	7	11	16	32
A. NOT OPERATED	12130	5.0	23	1	1	4	6	10	13	24
B. OPERATED	22422	4.9	39	1	1	3	6	11	15	30
TOTAL 0-19 YRS	5499	5.1	39	<1	1	3	7	11	15	29
20-34	7778	4.3	28	<1	1	3	5	9	12	27
35-49	7856	4.7	27	1	1	3	6	10	13	25
50-64	7349	4.8	30	1	1	3	6	10	13	26
65+	6070	6.0	46	1	1	4	7	12	17	34
GRAND TOTAL	**34552**	**4.9**	**33**	**1**	**1**	**3**	**6**	**10**	**14**	**28**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	23	4.7	6	1	2	4	6	8	9	11
35-49	24	4.9	6	1	2	4	6	9	10	11
50-64	14	3.9	5	1	2	4	5	7	9	9
65+	3	8.0	28	4	4	6	12	14	14	14
B. *Operated*										
0-19 YRS	3	2.0		2	2	2	2	2	2	2
20-34	18	2.6	3	1	1	2	4	5	6	7
35-49	18	5.9	40	1	1	3	9	16	21	23
50-64	8	4.6	45	1	1	2	4	16	21	21
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	3.8	4	2	2	3	5	7	8	8
20-34	145	5.4	19	2	2	4	7	10	13	26
35-49	196	5.2	11	2	2	4	7	10	11	21
50-64	108	5.9	18	1	2	5	7	11	14	23
65+	52	5.2	9	2	2	5	6	9	12	14
B. *Operated*										
0-19 YRS										
20-34	33	8.3	86	1	1	5	10	23	33	37
35-49	61	5.3	19	1	1	4	7	14	16	18
50-64	21	8.3	153	1	2	5	8	15	38	59
65+	8	10.9	174	1	1	9	10	33	42	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	4.7	7	1	2	4	6	8	10	14
B. *Operated*	47	4.2	26	1	1	2	4	11	18	23
2. MULTIPLE DX										
A. *Not Operated*	514	5.4	14	2	2	4	7	10	12	22
B. *Operated*	123	7.0	70	1	1	4	8	15	20	47
1. SINGLE DX	113	4.5	15	1	1	4	5	9	12	22
2. MULTIPLE DX	637	5.7	26	1	2	4	7	10	13	26
A. NOT OPERATED	580	5.3	14	2	2	4	7	10	12	21
B. OPERATED	170	6.2	59	1	1	4	7	14	20	41
TOTAL 0-19 YRS	18	3.2	4	1	1	3	4	7	8	8
20-34	219	5.6	28	1	2	4	7	11	13	33
35-49	299	5.2	14	1	2	4	7	10	12	21
50-64	151	6.0	37	1	2	4	7	10	17	24
65+	63	6.0	31	2	2	5	7	11	14	38
GRAND TOTAL	**750**	**5.5**	**24**	**1**	**2**	**4**	**7**	**10**	**13**	**24**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	157	2.5	15	<1	<1	1	2	4	7	29
20-34	18	2.4	2	1	1	2	4	4	5	5
35-49	8	3.4	7	<1	<1	3	4	8	9	9
50-64	7	4.1	11	1	1	3	7	9	9	9
65+	6	3.5	6	<1	<1	3	6	7	7	7
B. *Operated*										
0-19 YRS	360	5.8	22	1	2	5	7	11	15	24
20-34	45	7.8	48	1	2	5	12	17	21	34
35-49	22	9.7	190	1	1	7	12	14	36	68
50-64	19	8.7	35	2	2	7	12	18	21	23
65+	5	4.2	5	2	2	5	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	503	5.3	88	<1	1	3	5	11	22	92
20-34	46	6.2	46	<1	1	4	8	14	24	32
35-49	22	6.8	41	<1	1	5	9	13	23	28
50-64	13	9.6	70	3	3	6	12	25	28	29
65+	32	4.4	13	1	1	4	6	9	13	16
B. *Operated*										
0-19 YRS	846	9.6	94	2	2	7	11	22	32	54
20-34	85	12.2	202	1	2	9	14	24	49	92
35-49	61	10.2	70	1	2	9	13	19	29	46
50-64	49	14.1	241	1	3	9	14	40	46	73
65+	42	12.1	99	2	4	9	16	23	31	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	196	2.6	13	<1	<1	2	3	4	7	24
B. *Operated*	451	6.3	34	1	2	5	8	12	16	33
2. MULTIPLE DX										
A. *Not Operated*	616	5.5	79	<1	1	3	6	11	22	82
B. *Operated*	1083	10.2	109	2	2	7	12	22	34	60
1. SINGLE DX	647	5.2	31	<1	1	4	6	10	15	30
2. MULTIPLE DX	1699	8.5	103	1	1	5	10	19	30	62
A. NOT OPERATED	812	4.8	65	<1	1	2	5	10	16	76
B. OPERATED	1534	9.0	90	1	2	6	11	19	28	54
TOTAL 0-19 YRS	1866	7.1	78	1	1	5	8	16	24	54
20-34	194	8.9	121	1	1	5	11	18	31	76
35-49	113	9.0	85	1	1	7	11	16	27	55
50-64	88	11.5	161	2	2	8	12	24	43	69
65+	85	8.1	70	1	1	6	10	17	23	46
GRAND TOTAL	**2346**	**7.6**	**85**	**1**	**1**	**5**	**9**	**16**	**25**	**55**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	236	1.4	2	<1	<1	<1	1	2	4	7
20-34	13	3.5	14	<1	<1	2	5	10	12	13
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	6.0		6	6	6	6	6	6	6
65+										
B. *Operated*										
0-19 YRS	1557	1.9	3	<1	<1	1	2	3	4	8
20-34	347	2.1	4	<1	<1	2	3	4	5	6
35-49	199	1.9	2	<1	<1	2	3	3	4	7
50-64	131	1.9	2	<1	1	2	2	3	4	8
65+	92	1.7	1	<1	<1	2	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	128	2.1	16	<1	<1	1	2	4	6	28
20-34	10	2.2	4	<1	<1	1	2	6	6	6
35-49	11	3.7	13	1	1	2	5	9	13	13
50-64	6	4.0	8	<1	<1	3	5	9	9	9
65+	6	1.3		<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	706	2.4	5	<1	<1	2	3	5	7	12
20-34	162	2.7	6	1	1	2	3	5	7	14
35-49	91	2.2	2	1	1	2	2	4	5	8
50-64	140	2.3	3	<1	1	2	2	4	6	9
65+	184	2.5	6	<1	1	2	2	4	7	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	251	1.5	3	<1	<1	<1	1	3	5	9
B. *Operated*	2326	1.9	3	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	161	2.3	15	<1	<1	1	2	5	7	25
B. *Operated*	1283	2.4	5	<1	1	2	3	4	7	12
1. SINGLE DX	2577	1.9	3	<1	<1	1	2	3	4	8
2. MULTIPLE DX	1444	2.4	6	<1	<1	2	3	4	7	13
A. NOT OPERATED	412	1.8	7	<1	<1	<1	1	4	6	13
B. OPERATED	3609	2.1	4	<1	<1	2	2	4	5	9
TOTAL 0-19 YRS	2627	2.0	4	<1	<1	1	2	4	5	10
20-34	532	2.3	5	<1	1	2	3	4	6	10
35-49	302	2.1	2	<1	1	2	3	4	5	9
50-64	278	2.2	3	<1	1	2	2	4	5	9
65+	282	2.2	4	<1	<1	2	2	3	5	10
GRAND TOTAL	**4021**	**2.1**	**4**	**<1**	**<1**	**2**	**2**	**4**	**5**	**10**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	157	2.5	5	<1	1	2	3	5	6	11
20-34	37	3.5	11	1	1	2	4	10	12	13
35-49	22	3.4	9	<1	1	3	4	6	10	15
50-64	13	2.8	3	<1	1	2	4	6	6	6
65+	7	3.3	7	<1	<1	2	5	7	8	8
B. *Operated*										
0-19 YRS	2487	4.3	13	1	1	2	7	9	11	17
20-34	336	4.5	16	1	1	3	7	9	11	19
35-49	237	5.4	42	1	1	3	8	11	15	24
50-64	121	4.6	18	1	1	2	7	11	13	17
65+	38	6.3	46	1	1	2	9	12	25	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	881	4.1	27	<1	1	3	5	9	12	23
20-34	146	3.9	11	1	1	3	5	8	9	15
35-49	99	4.6	22	1	1	3	5	9	14	26
50-64	99	5.2	15	1	1	4	7	10	13	20
65+	190	6.2	24	1	2	5	8	11	17	24
B. *Operated*										
0-19 YRS	5402	7.0	71	1	1	5	9	15	21	50
20-34	524	7.0	52	1	1	5	9	15	21	38
35-49	429	7.4	77	1	1	5	9	15	24	68
50-64	351	8.4	91	1	2	6	11	18	21	65
65+	333	10.0	116	1	2	8	12	22	32	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	236	2.8	6	<1	1	2	3	5	8	13
B. *Operated*	3219	4.4	16	1	1	2	7	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	1415	4.5	24	<1	1	3	6	9	12	23
B. *Operated*	7039	7.2	73	1	1	5	9	15	22	50
1. SINGLE DX	3455	4.3	16	1	1	2	7	9	11	17
2. MULTIPLE DX	8454	6.8	66	1	1	4	9	14	20	45
A. NOT OPERATED	1651	4.2	22	<1	1	3	5	9	12	23
B. OPERATED	10258	6.3	57	1	1	4	9	13	19	41
TOTAL 0-19 YRS	8927	5.9	51	1	1	3	8	12	17	39
20-34	1043	5.6	35	1	1	3	8	12	16	31
35-49	787	6.4	59	1	1	4	9	13	20	42
50-64	584	6.9	64	1	1	4	10	15	19	45
65+	568	8.4	83	1	2	6	10	18	24	50
GRAND TOTAL	**11909**	**6.0**	**53**	**1**	**1**	**4**	**8**	**13**	**18**	**39**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	2.5	9	<1	<1	1	3	5	8	16
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1786	3.4	3	1	2	3	4	6	7	8
20-34	45	3.0	2	1	1	3	4	5	5	6
35-49	16	2.9	3	1	1	3	4	6	6	6
50-64	4	2.5	6	1	1	2	4	6	6	6
65+	4	4.5	2	3	3	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	144	2.0	5	<1	<1	1	2	5	7	11
20-34	4	1.0		<1	<1	1	1	1	1	1
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	1612	3.7	7	1	2	3	4	6	8	13
20-34	62	3.2	4	1	1	3	4	6	8	10
35-49	18	3.9	6	1	1	3	5	8	9	9
50-64	10	2.6	4	1	1	2	2	5	8	8
65+	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	2.5	9	<1	<1	1	3	5	7	16
B. *Operated*	1855	3.4	3	1	2	3	4	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	149	2.0	5	<1	<1	1	2	5	6	11
B. *Operated*	1703	3.7	7	1	2	3	4	6	8	13
1. SINGLE DX	1882	3.4	3	1	2	3	4	6	7	8
2. MULTIPLE DX	1852	3.6	7	1	1	3	4	6	8	13
A. NOT OPERATED	176	2.1	6	<1	<1	1	2	5	6	14
B. OPERATED	3558	3.6	5	1	2	3	4	6	7	10
TOTAL 0-19 YRS	3568	3.5	5	1	1	3	4	6	7	10
20-34	112	3.0	3	1	1	3	4	5	7	9
35-49	34	3.4	4	1	1	3	4	6	8	9
50-64	15	2.5	4	1	1	2	2	6	7	8
65+	5	4.0	3	2	2	4	5	6	6	6
GRAND TOTAL	**3734**	**3.5**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**10**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	72	2.2	2	1	1	2	3	4	5	7
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1857	3.4	2	2	2	3	4	5	6	9
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	3.6	12	1	1	3	4	6	10	21
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	591	4.5	9	2	2	4	5	7	9	15
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	2.2	2	1	1	2	3	4	5	7
B. *Operated*	1857	3.4	2	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	77	3.6	12	1	1	3	4	6	10	21
B. *Operated*	591	4.5	9	2	2	4	5	7	9	15
1. SINGLE DX	1929	3.3	2	1	2	3	4	5	6	9
2. MULTIPLE DX	668	4.4	9	2	2	4	5	7	9	16
A. NOT OPERATED	149	2.9	8	1	1	2	4	5	7	16
B. OPERATED	2448	3.6	4	2	2	3	4	6	7	10
TOTAL 0-19 YRS	2597	3.6	4	1	2	3	4	6	7	10
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**2597**	**3.6**	**4**	**1**	**2**	**3**	**4**	**6**	**7**	**10**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	287	2.7	13	<1	<1	2	3	6	8	14
20-34	12	4.0	6	1	1	3	6	7	8	8
35-49	11	3.5	9	1	1	2	5	8	11	11
50-64	15	4.4	14	<1	1	3	6	7	14	16
65+	9	2.1	2	<1	<1	1	3	5	5	5
B. *Operated*										
0-19 YRS	1094	5.1	31	<1	1	3	7	11	15	27
20-34	171	4.1	15	<1	1	3	5	9	12	20
35-49	69	4.8	13	1	1	4	7	9	11	19
50-64	60	4.5	19	<1	<1	3	7	10	13	21
65+	35	5.2	19	1	1	3	9	13	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	480	5.9	61	<1	1	3	7	12	21	48
20-34	47	4.3	9	1	1	3	6	8	11	14
35-49	45	3.9	11	1	1	3	4	8	11	17
50-64	49	4.3	9	<1	1	4	6	9	12	13
65+	116	5.2	15	1	1	4	7	10	14	19
B. *Operated*										
0-19 YRS	1529	8.8	128	1	2	6	10	19	33	98
20-34	262	6.8	45	1	1	5	8	12	17	51
35-49	190	7.5	39	1	1	6	10	16	20	31
50-64	189	8.1	37	1	2	7	10	16	20	31
65+	212	11.0	114	1	2	8	14	22	39	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	334	2.9	12	<1	<1	2	3	6	8	14
B. *Operated*	1429	4.9	28	<1	1	3	7	10	13	25
2. MULTIPLE DX										
A. *Not Operated*	737	5.5	44	<1	1	3	7	11	16	42
B. *Operated*	2382	8.6	104	1	2	6	10	18	28	83
1. SINGLE DX	1763	4.5	25	<1	1	3	6	10	13	22
2. MULTIPLE DX	3119	7.9	92	1	1	5	9	16	25	65
A. NOT OPERATED	1071	4.7	36	<1	1	3	6	10	14	36
B. OPERATED	3811	7.2	79	1	1	5	9	15	22	55
TOTAL 0-19 YRS	3390	6.7	82	<1	1	4	8	14	22	59
20-34	492	5.5	32	1	1	4	7	11	14	31
35-49	315	6.3	30	1	1	5	8	13	18	28
50-64	313	6.6	31	1	1	5	9	13	18	28
65+	372	8.4	80	1	1	6	11	17	24	51
GRAND TOTAL	**4882**	**6.7**	**70**	**<1**	**1**	**4**	**8**	**14**	**20**	**50**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	1.2		<1	<1	1	1	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	1892	1.7	1	<1	<1	1	2	3	4	5
20-34	154	2.1	2	<1	1	2	3	3	5	7
35-49	46	1.8	1	<1	1	2	2	3	3	5
50-64	10	1.6	1	<1	<1	1	2	3	4	4
65+	6	2.7	3	<1	<1	2	3	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	111	1.3	1	<1	<1	1	1	2	3	6
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	1810	1.9	2	<1	<1	2	2	3	4	7
20-34	178	2.6	4	1	1	2	3	4	6	11
35-49	62	2.6	7	1	1	2	3	5	6	18
50-64	30	4.0	15	1	1	3	5	7	8	21
65+	10	2.8	2	1	1	3	3	5	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	1.2		<1	<1	1	1	2	2	2
B. *Operated*	2108	1.8	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	114	1.3	1	<1	<1	1	1	2	3	6
B. *Operated*	2090	2.0	3	<1	<1	2	2	4	5	7
1. SINGLE DX	2127	1.8	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	2204	2.0	3	<1	<1	2	2	4	5	7
A. NOT OPERATED	133	1.3	1	<1	<1	1	1	2	3	6
B. OPERATED	4198	1.9	2	<1	<1	2	2	3	4	7
TOTAL 0-19 YRS	3830	1.8	2	<1	<1	1	2	3	4	6
20-34	335	2.3	3	1	1	2	3	4	6	9
35-49	109	2.3	5	1	1	2	3	4	5	13
50-64	40	3.4	12	<1	1	2	4	7	8	21
65+	17	2.6	2	<1	1	2	3	5	6	6
GRAND TOTAL	**4331**	**1.9**	**2**	**<1**	**<1**	**2**	**2**	**3**	**4**	**7**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	2.4	5	<1	<1	2	3	4	7	12
20-34	29	2.4	4	<1	<1	2	3	6	7	7
35-49	18	2.6	5	<1	1	2	3	4	8	11
50-64	10	3.2	10	1	1	2	2	9	10	10
65+	11	2.7	4	1	1	2	4	6	7	7
B. *Operated*										
0-19 YRS	2543	4.3	13	<1	1	3	6	9	11	15
20-34	493	4.0	9	<1	1	3	5	7	10	16
35-49	170	4.3	10	<1	1	4	6	8	11	15
50-64	76	5.0	29	<1	<1	3	7	11	14	29
65+	30	6.5	28	1	1	6	8	15	16	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	214	3.2	35	<1	<1	2	4	6	8	25
20-34	93	4.0	15	1	1	3	5	9	11	23
35-49	97	4.5	9	1	1	4	6	9	11	14
50-64	66	4.6	9	1	1	4	6	9	11	14
65+	69	5.6	43	1	1	4	7	10	13	40
B. *Operated*										
0-19 YRS	1755	5.6	27	<1	1	4	8	12	15	24
20-34	779	4.9	13	1	1	4	6	9	11	18
35-49	437	5.9	26	1	2	5	7	10	13	27
50-64	270	6.7	25	1	1	6	9	13	16	23
65+	165	7.8	44	1	2	6	10	15	21	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	139	2.5	5	<1	<1	2	3	5	7	11
B. *Operated*	3312	4.3	13	<1	1	3	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	539	4.1	25	<1	1	3	5	8	11	23
B. *Operated*	3406	5.7	25	1	1	5	7	11	14	24
1. SINGLE DX	3451	4.2	13	<1	1	3	6	9	11	16
2. MULTIPLE DX	3945	5.5	25	<1	1	4	7	11	14	24
A. NOT OPERATED	678	3.7	22	<1	1	2	5	8	10	19
B. OPERATED	6718	5.0	19	<1	1	4	7	10	13	21
TOTAL 0-19 YRS	4583	4.7	20	<1	1	3	7	10	13	19
20-34	1394	4.5	12	<1	1	4	6	8	11	17
35-49	722	5.2	20	1	1	5	7	9	12	22
50-64	422	6.0	23	1	1	5	8	12	14	24
65+	275	6.9	42	1	2	5	8	15	18	34
GRAND TOTAL	**7396**	**4.9**	**20**	**<1**	**1**	**4**	**7**	**10**	**13**	**21**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	1.4	1	<1	<1	<1	1	3	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1462	3.2	4	1	1	3	4	6	8	10
20-34	61	3.9	5	<1	1	3	6	7	8	10
35-49	24	3.2	3	1	1	3	4	6	7	7
50-64	29	3.3	3	<1	1	3	4	5	6	8
65+	16	2.8	3	<1	1	3	4	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	128	1.5	2	<1	<1	1	1	3	4	30
20-34	2	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	992	3.8	10	1	1	3	5	7	8	15
20-34	236	3.8	7	1	1	3	5	7	8	13
35-49	163	3.5	3	1	1	3	5	6	7	9
50-64	176	3.4	3	1	1	3	4	6	6	9
65+	105	3.8	4	1	1	4	5	6	7	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	1.4	1	<1	<1	<1	2	3	4	4
B. *Operated*	1592	3.2	4	1	1	3	4	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	132	1.4	2	<1	<1	1	1	3	4	27
B. *Operated*	1672	3.7	8	1	1	3	5	6	8	14
1. SINGLE DX	1635	3.2	4	1	1	3	4	6	7	10
2. MULTIPLE DX	1804	3.6	8	1	1	3	4	6	8	13
A. NOT OPERATED	175	1.4	1	<1	<1	1	1	3	4	10
B. OPERATED	3264	3.5	6	1	1	3	4	6	8	12
TOTAL 0-19 YRS	2624	3.3	7	<1	1	3	4	6	8	12
20-34	300	3.8	7	1	1	3	5	7	8	11
35-49	188	3.5	3	1	1	3	5	6	7	9
50-64	205	3.4	3	1	1	3	4	6	6	9
65+	122	3.6	4	1	1	3	5	6	7	9
GRAND TOTAL	**3439**	**3.4**	**6**	**1**	**1**	**3**	**4**	**6**	**8**	**12**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	515	3.1	28	<1	<1	1	3	7	11	22
20-34	101	4.4	16	1	1	3	6	9	11	21
35-49	76	6.4	134	1	1	4	8	10	11	80
50-64	43	5.1	17	1	1	4	5	10	14	21
65+	26	4.2	15	<1	1	3	5	10	13	17
B. *Operated*										
0-19 YRS	4813	4.0	16	<1	1	3	5	8	10	20
20-34	1228	3.5	11	<1	1	2	4	9	10	16
35-49	654	3.9	14	<1	1	2	5	9	11	17
50-64	338	4.5	20	1	1	3	6	10	12	20
65+	87	5.7	50	1	1	3	7	11	15	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	993	4.6	53	<1	<1	2	5	10	17	53
20-34	238	5.8	39	<1	1	4	8	11	14	48
35-49	202	6.1	33	1	1	5	8	11	16	35
50-64	205	5.8	18	1	1	5	8	11	13	21
65+	182	7.5	31	1	2	6	10	14	19	28
B. *Operated*										
0-19 YRS	2962	6.1	60	1	1	4	7	12	18	51
20-34	885	6.0	43	1	1	4	8	13	17	34
35-49	787	6.2	36	1	1	4	9	12	16	33
50-64	604	7.4	58	1	1	5	10	16	21	38
65+	287	8.6	62	1	2	7	12	17	22	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	761	3.8	36	<1	<1	2	4	8	12	21
B. *Operated*	7120	3.9	16	<1	1	3	5	8	11	19
2. MULTIPLE DX										
A. *Not Operated*	1820	5.3	44	<1	1	4	7	11	16	38
B. *Operated*	5525	6.3	54	1	1	4	8	13	19	40
1. SINGLE DX	7881	3.9	18	<1	1	3	5	8	11	20
2. MULTIPLE DX	7345	6.1	52	1	1	4	8	13	18	40
A. NOT OPERATED	2581	4.9	42	<1	<1	3	6	10	15	36
B. OPERATED	12645	5.0	34	1	1	3	6	10	14	30
TOTAL 0-19 YRS	9283	4.7	36	<1	1	3	6	9	14	31
20-34	2452	4.6	27	<1	1	3	6	10	13	25
35-49	1719	5.3	33	1	1	4	8	11	14	27
50-64	1190	6.2	41	1	1	4	8	13	17	32
65+	582	7.6	50	1	2	6	10	16	20	34
GRAND TOTAL	**15226**	**5.0**	**35**	**<1**	**1**	**3**	**6**	**10**	**14**	**30**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8758	3.0	11	1	1	2	3	5	8	18
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	222	5.6	45	1	1	3	7	14	18	33
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6312	8.1	118	1	2	4	9	20	30	62
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	932	18.7	419	2	3	11	25	64	87	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8758	3.0	11	1	1	2	3	5	8	18
B. *Operated*	222	5.6	45	1	1	3	7	14	18	33
2. MULTIPLE DX										
A. *Not Operated*	6312	8.1	118	1	2	4	9	20	30	62
B. *Operated*	932	18.7	419	2	3	11	25	64	87	99+
1. SINGLE DX	8980	3.0	12	1	1	2	3	5	8	19
2. MULTIPLE DX	7244	9.5	170	1	2	5	11	24	38	88
A. NOT OPERATED	15070	5.1	62	1	1	3	5	11	19	43
B. OPERATED	1154	16.2	374	1	2	10	21	52	81	99+
TOTAL 0-19 YRS	16224	5.9	92	1	1	3	5	14	24	62
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**16224**	**5.9**	**92**	**1**	**1**	**3**	**5**	**14**	**24**	**62**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5823	2.5	5	1	1	2	3	4	6	10
20-34	2144	2.9	6	1	1	2	3	5	7	12
35-49	1189	3.0	5	1	1	2	4	6	7	13
50-64	673	3.4	6	1	1	3	4	6	8	12
65+	570	3.4	5	1	1	3	5	6	8	11
B. *Operated*										
0-19 YRS	38	4.2	23	1	1	3	4	10	13	26
20-34	53	4.1	19	1	1	3	4	9	16	21
35-49	36	3.7	5	1	1	3	5	8	9	10
50-64	29	4.1	11	1	1	3	6	7	11	16
65+	23	4.3	5	1	2	4	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10153	3.0	7	1	1	2	4	6	7	13
20-34	3348	4.2	19	1	1	3	5	8	11	23
35-49	3428	4.7	20	1	1	3	6	9	12	21
50-64	3936	5.3	26	1	2	4	6	10	13	24
65+	6585	6.3	37	1	2	5	8	12	16	32
B. *Operated*										
0-19 YRS	241	7.9	124	1	1	4	8	16	37	67
20-34	258	8.0	72	1	2	5	9	20	27	44
35-49	293	8.7	75	1	2	6	11	16	24	46
50-64	415	9.6	98	2	2	7	12	19	26	47
65+	585	11.8	141	2	3	8	15	23	40	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10399	2.7	5	1	1	2	3	5	7	11
B. *Operated*	179	4.1	14	1	1	3	5	7	12	21
2. MULTIPLE DX										
A. *Not Operated*	27450	4.5	22	1	1	3	5	9	12	23
B. *Operated*	1792	9.7	111	1	2	7	12	20	28	67
1. SINGLE DX	10578	2.7	5	1	1	2	3	5	7	11
2. MULTIPLE DX	29242	4.8	29	1	1	3	6	9	13	26
A. NOT OPERATED	37849	4.0	18	1	1	3	5	8	11	20
B. OPERATED	1971	9.2	104	1	2	6	11	20	27	64
TOTAL 0-19 YRS	16255	2.9	8	1	1	2	3	5	7	13
20-34	5803	3.9	17	1	1	3	4	7	10	23
35-49	4946	4.5	22	1	1	3	5	9	12	22
50-64	5053	5.4	31	1	2	4	7	10	14	27
65+	7763	6.5	45	1	2	5	8	12	17	38
GRAND TOTAL	**39820**	**4.2**	**23**	**1**	**1**	**3**	**5**	**8**	**11**	**23**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1905	2.8	2	1	1	3	3	5	6	8
20-34	290	3.9	7	1	1	3	5	7	8	14
35-49	206	4.4	19	1	1	3	5	8	9	27
50-64	166	4.5	6	1	2	4	6	8	9	13
65+	198	5.0	11	2	2	4	6	9	11	16
B. *Operated*										
0-19 YRS	29	4.9	14	1	1	4	6	9	11	19
20-34	36	8.1	32	2	3	7	10	15	16	31
35-49	23	7.9	24	1	2	7	10	16	18	19
50-64	27	7.4	29	2	2	6	10	16	18	23
65+	14	11.9	52	4	6	8	19	24	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4427	3.4	6	1	1	3	4	6	7	13
20-34	1189	4.5	12	1	2	4	6	9	10	15
35-49	1036	5.2	16	2	2	4	6	9	12	23
50-64	1720	5.7	17	2	2	5	7	10	13	21
65+	3606	6.6	33	2	2	5	8	12	15	28
B. *Operated*										
0-19 YRS	177	8.2	126	1	2	5	9	15	23	70
20-34	233	9.5	56	2	2	8	12	19	26	40
35-49	230	10.4	78	2	3	8	12	19	27	54
50-64	427	11.9	77	3	4	10	14	24	28	48
65+	648	13.0	101	3	4	10	16	25	34	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2765	3.3	6	1	1	3	4	6	7	12
B. *Operated*	129	7.6	31	2	2	6	10	16	19	27
2. MULTIPLE DX										
A. *Not Operated*	11978	4.9	19	1	2	4	6	9	12	22
B. *Operated*	1715	11.4	91	2	3	9	14	23	29	54
1. SINGLE DX	2894	3.5	7	1	1	3	4	6	8	14
2. MULTIPLE DX	13693	5.8	33	1	2	4	7	11	15	29
A. NOT OPERATED	14743	4.6	17	1	2	4	6	9	11	20
B. OPERATED	1844	11.2	87	2	3	9	14	22	28	53
TOTAL 0-19 YRS	6538	3.3	9	1	1	3	4	6	7	14
20-34	1748	5.2	20	1	2	4	6	10	13	26
35-49	1495	5.9	30	1	2	4	7	11	15	31
50-64	2340	6.8	33	2	2	5	8	13	17	28
65+	4466	7.5	47	2	2	6	9	14	19	37
GRAND TOTAL	**16587**	**5.4**	**29**	**1**	**2**	**4**	**6**	**10**	**14**	**27**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	512	2.4	2	1	1	2	3	4	5	7
20-34	1167	3.0	5	1	1	2	4	5	7	11
35-49	753	3.2	7	1	1	3	4	6	7	11
50-64	280	3.5	7	1	1	3	4	7	8	11
65+	80	3.3	4	1	1	3	4	7	7	9
B. *Operated*										
0-19 YRS	24	2.9	3	<1	1	3	4	5	6	8
20-34	138	3.0	5	1	1	2	4	5	7	14
35-49	110	3.4	9	1	1	2	4	8	11	14
50-64	71	3.2	6	1	1	2	4	7	9	10
65+	30	3.7	21	<1	<1	2	4	8	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	806	2.9	4	1	1	2	4	5	7	10
20-34	2142	4.1	11	1	1	3	5	8	9	17
35-49	1890	4.4	12	1	1	4	6	8	11	17
50-64	1188	4.3	10	1	1	3	5	8	10	17
65+	982	4.7	13	1	2	4	6	9	12	19
B. *Operated*										
0-19 YRS	36	3.9	9	1	1	3	5	8	11	13
20-34	263	5.6	28	1	1	4	7	11	15	28
35-49	294	6.3	28	1	2	5	8	13	18	25
50-64	238	6.2	35	1	2	5	8	13	15	38
65+	193	6.5	20	1	2	5	8	12	16	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2792	3.0	5	1	1	2	4	5	7	10
B. *Operated*	373	3.2	7	1	1	2	4	6	9	15
2. MULTIPLE DX										
A. *Not Operated*	7008	4.2	11	1	1	3	5	8	10	17
B. *Operated*	1024	6.0	28	1	1	5	8	12	16	26
1. SINGLE DX	3165	3.0	5	1	1	2	4	5	7	11
2. MULTIPLE DX	8032	4.4	13	1	1	3	6	8	11	19
A. NOT OPERATED	9800	3.8	9	1	1	3	5	7	9	16
B. OPERATED	1397	5.3	24	1	1	4	7	11	14	24
TOTAL 0-19 YRS	1378	2.7	4	1	1	2	3	5	6	10
20-34	3710	3.8	10	1	1	3	5	7	9	16
35-49	3047	4.2	13	1	1	3	5	8	11	18
50-64	1777	4.3	13	1	1	3	5	8	10	19
65+	1285	4.9	14	1	2	4	6	9	12	20
GRAND TOTAL	**11197**	**4.0**	**11**	**1**	**1**	**3**	**5**	**8**	**10**	**17**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	74	2.3	3	<1	1	2	3	5	6	9
20-34	167	2.9	3	1	1	2	4	5	6	7
35-49	200	3.3	4	1	1	3	4	6	7	10
50-64	301	3.3	4	1	1	3	4	6	7	11
65+	341	3.1	4	1	1	3	4	6	7	10
B. *Operated*										
0-19 YRS	95	2.4	4	<1	<1	1	3	6	7	8
20-34	145	3.8	4	1	1	4	5	7	8	9
35-49	225	4.1	4	1	2	4	5	7	8	11
50-64	391	4.2	4	1	2	4	6	7	8	10
65+	345	4.0	6	1	1	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	149	2.4	5	<1	1	2	3	4	5	18
20-34	165	3.1	4	<1	1	3	4	6	7	11
35-49	400	3.8	8	1	1	3	5	6	9	12
50-64	897	4.1	22	1	1	3	5	7	10	15
65+	1640	3.9	13	1	1	3	5	7	9	16
B. *Operated*										
0-19 YRS	63	3.6	8	<1	1	3	5	8	10	12
20-34	144	4.6	7	1	1	4	6	7	10	14
35-49	316	5.0	12	1	2	4	6	9	11	17
50-64	789	5.4	19	1	2	5	6	9	12	21
65+	1390	5.5	24	1	2	4	7	10	14	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1083	3.1	4	1	1	3	4	6	7	10
B. *Operated*	1201	3.9	5	1	1	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	3251	3.9	14	1	1	3	5	7	9	16
B. *Operated*	2702	5.3	20	1	2	4	6	10	12	22
1. SINGLE DX	2284	3.5	5	1	1	3	5	6	7	10
2. MULTIPLE DX	5953	4.5	17	1	1	4	6	8	11	19
A. NOT OPERATED	4334	3.7	11	1	1	3	5	7	8	14
B. OPERATED	3903	4.9	16	1	1	4	6	8	11	19
TOTAL 0-19 YRS	381	2.6	5	<1	<1	2	3	5	7	11
20-34	621	3.5	5	1	1	3	5	7	7	11
35-49	1141	4.1	8	1	1	4	5	7	9	13
50-64	2378	4.5	16	1	1	4	6	8	10	17
65+	3716	4.4	16	1	1	4	5	8	11	19
GRAND TOTAL	**8237**	**4.2**	**14**	**1**	**1**	**4**	**5**	**8**	**10**	**17**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.[illegible]; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	119	2.7	3	1	1	2	4	5	6	9
20-34	84	2.3	3	<1	1	2	3	5	6	7
35-49	57	2.6	5	<1	1	2	3	6	8	10
50-64	66	2.7	9	<1	1	2	3	5	7	20
65+	59	3.3	5	<1	1	3	4	6	9	10
B. *Operated*										
0-19 YRS	381	1.8	3	<1	<1	1	2	3	5	10
20-34	459	2.2	4	<1	<1	1	2	4	6	11
35-49	309	2.2	3	<1	<1	2	3	4	5	9
50-64	205	2.2	4	<1	<1	2	3	4	5	13
65+	101	3.2	47	<1	<1	2	3	6	10	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	238	3.5	12	1	1	3	4	7	9	16
20-34	275	3.7	13	1	1	3	4	7	10	17
35-49	345	3.9	14	1	1	3	5	7	10	21
50-64	550	5.3	30	1	1	4	6	12	15	27
65+	1303	7.3	49	1	2	5	9	15	20	30
B. *Operated*										
0-19 YRS	181	5.4	79	<1	1	2	5	12	21	51
20-34	331	5.0	31	<1	1	3	6	10	14	23
35-49	330	6.2	65	1	1	3	7	13	21	44
50-64	399	7.7	118	<1	1	4	9	18	29	78
65+	528	10.1	118	1	2	7	14	22	33	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	385	2.7	5	<1	1	2	4	5	7	10
B. *Operated*	1455	2.2	7	<1	<1	1	2	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	2711	5.7	36	1	1	4	7	12	17	27
B. *Operated*	1769	7.4	91	1	1	4	9	17	25	57
1. SINGLE DX	1840	2.3	6	<1	<1	2	3	4	6	10
2. MULTIPLE DX	4480	6.4	59	1	1	4	8	14	20	40
A. NOT OPERATED	3096	5.4	33	1	1	4	7	11	16	26
B. OPERATED	3224	5.0	60	<1	<1	2	5	12	18	44
TOTAL 0-19 YRS	919	3.1	22	<1	<1	2	3	6	9	22
20-34	1149	3.4	15	<1	<1	2	4	7	10	18
35-49	1041	4.0	29	<1	1	2	4	8	12	29
50-64	1220	5.4	57	<1	1	3	6	12	19	37
65+	1991	7.7	69	1	1	5	10	17	22	50
GRAND TOTAL	**6320**	**5.2**	**47**	**<1**	**1**	**3**	**6**	**12**	**17**	**35**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	5.0	28	<1	<1	2	10	13	13	13
20-34	6	7.7	32	1	1	7	8	17	18	18
35-49	4	5.8	17	2	2	5	9	11	11	11
50-64	9	7.3	31	1	1	6	13	15	16	16
65+	16	7.3	27	<1	1	7	11	15	17	18
B. *Operated*										
0-19 YRS	42	4.7	14	<1	<1	4	7	9	14	14
20-34	82	5.3	34	<1	1	3	7	13	18	29
35-49	75	7.5	71	<1	1	4	9	20	24	41
50-64	125	9.0	71	<1	1	7	12	20	27	43
65+	236	11.5	77	2	3	10	15	21	28	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	7.3	69	1	1	6	8	19	29	29
20-34	26	6.8	26	2	3	5	7	15	18	25
35-49	56	8.0	74	1	1	7	10	15	16	55
50-64	138	8.4	42	2	3	7	10	17	21	34
65+	664	9.2	58	2	3	7	11	16	24	43
B. *Operated*										
0-19 YRS	57	10.5	89	<1	1	7	20	25	27	33
20-34	238	11.2	127	1	2	9	14	23	32	59
35-49	458	15.8	204	2	3	12	21	33	43	85
50-64	1452	18.0	217	3	5	14	23	37	51	84
65+	4589	17.0	171	4	5	14	21	34	44	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	6.9	26	<1	1	6	10	14	17	18
B. *Operated*	560	9.0	70	1	1	7	12	19	24	42
2. MULTIPLE DX										
A. *Not Operated*	894	8.9	56	2	2	7	11	16	23	42
B. *Operated*	6794	16.9	182	3	5	13	21	34	45	78
1. SINGLE DX	601	8.8	67	1	1	7	12	18	24	42
2. MULTIPLE DX	7688	15.9	174	3	4	12	20	33	43	75
A. NOT OPERATED	935	8.8	55	1	2	7	11	16	22	41
B. OPERATED	7354	16.3	178	2	4	13	21	33	43	76
TOTAL 0-19 YRS	115	7.8	63	<1	1	5	11	22	26	31
20-34	352	9.4	102	1	1	7	13	20	26	58
35-49	593	14.0	185	1	2	10	19	31	40	74
50-64	1724	16.5	203	2	4	13	21	34	45	81
65+	5505	15.8	160	3	5	13	20	32	42	72
GRAND TOTAL	**8289**	**15.4**	**170**	**2**	**4**	**12**	**20**	**32**	**42**	**74**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	247	2.4	2	<1	1	2	3	4	5	8
20-34	2230	2.4	2	1	1	2	3	4	5	8
35-49	6955	2.5	3	1	1	2	3	4	5	8
50-64	5239	2.6	3	1	1	2	3	5	5	8
65+	1835	2.8	4	1	1	2	3	5	6	9
B. *Operated*										
0-19 YRS	5	2.2	3	1	1	2	3	5	5	5
20-34	266	2.6	7	1	1	2	3	5	6	11
35-49	1806	2.3	3	1	1	2	2	4	6	10
50-64	2052	2.3	3	1	1	2	2	4	6	10
65+	541	2.3	3	1	1	2	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	466	2.9	5	1	1	2	4	5	6	9
20-34	4441	3.1	5	1	1	3	4	6	7	10
35-49	17163	3.2	5	1	1	3	4	6	7	11
50-64	21902	3.4	5	1	1	3	4	6	7	12
65+	18128	3.9	9	1	1	3	5	7	9	14
B. *Operated*										
0-19 YRS	26	3.5	4	1	1	3	5	6	7	7
20-34	545	4.0	12	1	1	3	5	8	10	18
35-49	3951	3.7	12	1	1	2	5	7	9	16
50-64	6303	3.7	12	1	1	2	5	8	10	16
65+	3116	4.7	21	1	1	3	6	10	13	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16506	2.5	3	1	1	2	3	4	5	8
B. *Operated*	4670	2.3	3	1	1	2	2	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	62100	3.5	6	1	1	3	4	6	8	12
B. *Operated*	13941	4.0	14	1	1	3	5	8	10	18
1. SINGLE DX	21176	2.5	3	1	1	2	3	4	5	8
2. MULTIPLE DX	76041	3.6	8	1	1	3	4	7	8	14
A. NOT OPERATED	78606	3.3	6	1	1	3	4	6	7	12
B. OPERATED	18611	3.6	12	1	1	2	4	7	10	17
TOTAL 0-19 YRS	744	2.7	4	1	1	2	3	5	6	8
20-34	7482	2.9	5	1	1	2	4	5	7	11
35-49	29875	3.0	5	1	1	2	4	6	7	11
50-64	35496	3.3	6	1	1	3	4	6	8	12
65+	23620	3.9	10	1	1	3	5	7	9	16
GRAND TOTAL	**97217**	**3.3**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1744	2.7	5	1	1	2	3	5	6	10
20-34	129	2.4	18	<1	1	2	3	4	4	16
35-49	157	2.7	7	<1	1	2	3	6	7	14
50-64	173	3.1	12	1	1	2	4	6	8	16
65+	162	4.0	20	1	1	3	5	7	12	21
B. *Operated*										
0-19 YRS	101	3.4	17	<1	<1	2	4	7	11	22
20-34	87	3.7	13	<1	1	3	4	7	11	20
35-49	191	3.7	20	<1	1	2	5	8	10	15
50-64	303	3.1	8	<1	1	2	4	6	8	16
65+	165	3.7	16	<1	<1	2	4	8	11	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2848	4.0	17	1	1	3	5	8	11	20
20-34	549	4.1	27	1	1	3	5	8	10	29
35-49	886	4.3	27	1	1	3	5	8	10	23
50-64	2449	5.6	23	1	1	4	7	11	14	22
65+	4780	6.2	27	1	2	5	8	12	15	27
B. *Operated*										
0-19 YRS	304	6.2	79	<1	1	3	7	14	23	75
20-34	218	5.7	41	1	1	4	7	12	16	40
35-49	547	5.3	27	1	1	4	7	11	15	26
50-64	1264	5.9	41	1	1	4	7	12	17	33
65+	1559	7.1	46	1	2	5	9	15	21	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2365	2.8	7	1	1	2	3	5	7	13
B. *Operated*	847	3.4	14	<1	1	2	4	7	10	19
2. MULTIPLE DX										
A. *Not Operated*	11512	5.3	25	1	1	4	7	10	14	24
B. *Operated*	3892	6.3	45	1	1	4	8	13	18	33
1. SINGLE DX	3212	3.0	9	<1	1	2	4	6	8	15
2. MULTIPLE DX	15404	5.5	30	1	1	4	7	11	15	27
A. NOT OPERATED	13877	4.8	22	1	1	4	6	10	13	22
B. OPERATED	4739	5.8	40	1	1	4	7	12	17	32
TOTAL 0-19 YRS	4997	3.7	17	1	1	3	4	7	10	20
20-34	983	4.2	29	1	1	3	5	8	11	28
35-49	1781	4.4	25	1	1	3	6	8	12	23
50-64	4189	5.4	28	1	1	4	7	11	14	27
65+	6666	6.3	32	1	2	5	8	12	16	29
GRAND TOTAL	**18616**	**5.1**	**27**	**1**	**1**	**4**	**6**	**10**	**14**	**26**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	216	2.2	3	1	1	2	3	4	5	8
20-34	978	1.8	1	<1	1	1	2	3	4	6
35-49	1143	1.9	2	<1	1	1	2	3	4	7
50-64	675	1.9	1	<1	1	2	2	3	4	7
65+	325	2.8	9	1	1	2	3	5	6	11
B. *Operated*										
0-19 YRS	154	2.1	7	<1	<1	1	2	4	6	10
20-34	189	3.6	5	<1	1	3	5	7	8	11
35-49	216	4.2	8	1	1	4	6	8	8	13
50-64	156	4.9	16	1	1	4	6	9	11	16
65+	161	5.2	16	1	1	4	7	11	12	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	260	2.8	6	<1	1	2	3	5	6	11
20-34	943	2.7	5	1	1	2	3	5	7	11
35-49	1177	2.8	5	1	1	2	4	5	7	12
50-64	1285	3.5	10	1	1	3	4	7	9	15
65+	2479	5.1	25	1	1	4	6	10	13	23
B. *Operated*										
0-19 YRS	280	4.1	22	<1	<1	2	5	9	13	26
20-34	339	5.1	16	1	1	4	6	11	14	19
35-49	562	5.4	16	1	2	4	7	10	13	19
50-64	865	6.3	24	1	2	5	8	12	14	21
65+	2459	8.2	52	2	2	6	10	16	20	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3337	2.0	2	<1	1	2	2	4	4	7
B. *Operated*	876	4.0	11	<1	1	3	5	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	6144	3.9	16	1	1	3	5	7	10	17
B. *Operated*	4505	7.0	40	1	2	6	9	14	17	29
1. SINGLE DX	4213	2.4	5	<1	1	2	3	5	6	10
2. MULTIPLE DX	10649	5.2	28	1	1	4	7	11	14	25
A. NOT OPERATED	9481	3.2	12	1	1	2	4	6	9	15
B. OPERATED	5381	6.5	36	1	1	5	8	13	16	28
TOTAL 0-19 YRS	910	2.9	11	<1	<1	2	3	6	8	19
20-34	2449	2.7	6	<1	1	2	3	5	7	13
35-49	3098	3.0	8	1	1	2	4	6	8	14
50-64	2981	4.0	15	1	1	3	5	8	11	18
65+	5424	6.4	39	1	2	5	8	13	16	29
GRAND TOTAL	**14862**	**4.4**	**23**	**1**	**1**	**3**	**6**	**9**	**12**	**22**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5912	2.0	2	<1	1	2	2	4	5	7
20-34	6358	2.4	4	<1	1	2	3	4	6	9
35-49	3237	2.7	4	1	1	2	3	5	6	10
50-64	1703	2.9	4	<1	1	2	4	5	7	10
65+	1054	3.1	6	1	1	3	4	6	8	12
B. *Operated*										
0-19 YRS	730	3.4	3	1	2	3	4	5	7	11
20-34	1110	3.8	7	1	1	3	5	7	9	14
35-49	438	4.1	11	<1	1	3	5	8	11	19
50-64	227	4.2	11	1	1	3	6	8	10	16
65+	92	4.5	10	1	1	4	6	10	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5030	2.5	4	<1	1	2	3	5	6	9
20-34	7531	3.1	6	1	1	2	4	6	8	12
35-49	5598	3.8	8	1	1	3	5	7	9	14
50-64	5355	4.2	10	1	1	3	5	8	10	16
65+	7729	4.7	14	1	2	4	6	9	11	18
B. *Operated*										
0-19 YRS	668	4.3	9	1	2	4	5	8	9	15
20-34	1782	5.4	20	1	1	4	7	10	14	23
35-49	1306	6.4	28	1	2	5	8	12	16	27
50-64	1097	7.2	31	1	2	6	9	14	17	30
65+	1311	8.2	55	2	2	6	10	16	20	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18264	2.4	4	<1	1	2	3	5	6	9
B. *Operated*	2597	3.8	7	1	1	3	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	31243	3.7	9	1	1	3	5	7	9	15
B. *Operated*	6164	6.4	31	1	2	5	8	12	16	28
1. SINGLE DX	20861	2.6	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	37407	4.2	14	1	1	3	5	8	10	18
A. NOT OPERATED	49507	3.2	8	1	1	2	4	6	8	13
B. OPERATED	8761	5.7	26	1	2	4	7	11	15	25
TOTAL 0-19 YRS	12340	2.4	4	<1	1	2	3	4	6	9
20-34	16781	3.1	8	1	1	2	4	6	8	14
35-49	10579	3.8	11	1	1	3	5	7	9	16
50-64	8382	4.3	13	1	1	3	6	8	11	18
65+	10186	5.0	21	1	1	4	6	9	12	21
GRAND TOTAL	**58268**	**3.6**	**11**	**1**	**1**	**3**	**4**	**7**	**9**	**16**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	617	2.4	4	1	1	2	3	5	6	9
20-34	286	2.3	3	<1	1	2	3	4	6	8
35-49	217	3.0	15	<1	1	2	4	6	8	14
50-64	195	3.1	7	<1	1	2	4	6	7	17
65+	179	3.7	13	<1	1	3	5	7	10	15
B. *Operated*										
0-19 YRS	71	3.8	37	<1	<1	2	5	7	9	42
20-34	106	3.8	6	<1	1	4	5	7	8	11
35-49	108	4.1	12	<1	1	3	6	7	9	19
50-64	112	3.6	10	<1	1	2	5	7	9	17
65+	87	4.8	15	<1	1	4	7	10	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2095	2.9	8	1	1	2	3	5	7	13
20-34	1252	3.5	10	1	1	3	4	7	9	16
35-49	1422	4.5	17	1	1	3	6	9	13	20
50-64	2167	5.2	23	1	1	4	7	10	14	24
65+	4541	5.6	22	1	2	4	7	11	14	24
B. *Operated*										
0-19 YRS	305	4.1	27	1	1	2	6	10	13	23
20-34	619	5.0	35	1	1	4	7	10	15	27
35-49	624	6.1	55	1	1	5	7	13	18	36
50-64	810	7.9	65	1	1	6	10	17	24	39
65+	1365	8.9	82	1	1	7	11	19	26	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1494	2.7	7	<1	1	2	3	5	7	12
B. *Operated*	484	4.0	15	<1	1	3	6	8	9	17
2. MULTIPLE DX										
A. *Not Operated*	11477	4.7	19	1	1	3	6	9	12	22
B. *Operated*	3723	7.2	64	1	1	5	9	16	22	39
1. SINGLE DX	1978	3.0	9	<1	1	2	4	6	8	13
2. MULTIPLE DX	15200	5.3	31	1	1	4	7	11	15	28
A. NOT OPERATED	12971	4.5	18	1	1	3	6	9	12	21
B. OPERATED	4207	6.8	60	1	1	5	9	15	21	37
TOTAL 0-19 YRS	3088	3.0	10	1	1	2	4	6	7	14
20-34	2263	3.8	16	1	1	3	5	8	10	19
35-49	2371	4.8	27	1	1	3	6	10	13	25
50-64	3284	5.7	34	1	1	4	7	12	16	29
65+	6172	6.3	37	1	1	5	8	12	17	31
GRAND TOTAL	**17178**	**5.0**	**29**	**1**	**1**	**3**	**6**	**10**	**14**	**27**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4373	3.6	24	1	1	2	4	7	9	27
20-34	2847	4.3	34	<1	1	3	5	8	13	31
35-49	2537	4.4	30	1	1	3	5	9	14	30
50-64	2817	4.9	35	1	1	3	6	10	14	30
65+	3895	6.2	49	1	1	4	7	13	20	35
B. *Operated*										
0-19 YRS	421	4.0	59	<1	<1	2	4	7	16	52
20-34	728	3.5	27	<1	1	2	4	7	11	26
35-49	779	4.4	55	<1	1	2	4	9	13	44
50-64	906	5.2	64	<1	1	2	6	12	19	39
65+	825	8.4	102	1	1	5	11	19	28	59
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7286	4.7	29	1	1	3	5	9	13	28
20-34	4774	3.8	17	1	1	3	5	7	10	21
35-49	6949	4.4	21	1	1	3	5	8	11	21
50-64	15502	5.6	28	1	1	4	7	11	15	25
65+	40297	6.3	34	1	2	5	8	12	16	29
B. *Operated*										
0-19 YRS	703	9.9	215	1	1	5	12	25	47	99
20-34	1034	5.3	48	1	1	3	6	12	19	40
35-49	1666	6.5	91	1	1	4	8	13	21	62
50-64	3374	9.1	128	1	1	5	11	22	33	72
65+	6377	11.0	144	1	2	8	14	25	36	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16469	4.7	35	1	1	3	5	10	14	32
B. *Operated*	3659	5.3	66	<1	1	2	6	12	19	46
2. MULTIPLE DX										
A. *Not Operated*	74808	5.7	31	1	1	4	7	11	15	27
B. *Operated*	13154	9.5	133	1	1	6	12	22	33	75
1. SINGLE DX	20128	4.8	41	1	1	3	5	10	15	33
2. MULTIPLE DX	87962	6.2	48	1	1	4	7	13	17	36
A. NOT OPERATED	91277	5.5	32	1	1	4	7	11	15	28
B. OPERATED	16813	8.5	121	1	1	5	10	20	31	69
TOTAL 0-19 YRS	12783	4.6	41	1	1	3	5	9	13	34
20-34	9383	4.1	27	1	1	3	5	8	11	30
35-49	11931	4.7	35	1	1	3	5	9	13	30
50-64	22599	6.0	47	1	1	4	7	12	18	36
65+	51394	6.9	52	1	2	5	8	14	19	38
GRAND TOTAL	**108090**	**6.0**	**47**	**1**	**1**	**4**	**7**	**12**	**17**	**35**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1387	1.9	3	1	1	1	2	4	5	8
20-34	125	3.6	10	<1	1	3	5	8	9	16
35-49	39	3.6	12	<1	<1	2	4	9	11	17
50-64	18	5.9	41	1	1	3	7	17	21	23
65+	23	2.6	2	<1	1	2	3	4	6	7
B. *Operated*										
0-19 YRS	302	4.7	13	1	2	4	6	8	10	21
20-34	119	5.9	13	1	2	5	8	11	14	42
35-49	36	7.8	33	1	3	6	11	14	18	30
50-64	12	9.2	70	1	2	7	9	25	28	28
65+	6	10.2	109	1	1	8	16	26	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1141	3.6	30	1	1	2	4	7	11	25
20-34	306	5.9	49	1	1	4	7	13	17	58
35-49	168	5.6	28	1	1	4	7	12	18	27
50-64	119	7.3	59	1	2	5	8	17	19	42
65+	132	8.8	70	1	2	7	12	18	23	50
B. *Operated*										
0-19 YRS	510	12.1	241	1	1	6	13	37	52	99+
20-34	530	13.3	264	1	2	8	16	37	62	99+
35-49	212	13.8	240	1	2	9	17	39	58	99+
50-64	106	17.7	355	1	3	12	26	52	81	99+
65+	110	19.1	375	2	2	14	22	47	62	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1592	2.1	4	<1	1	1	2	4	6	11
B. *Operated*	475	5.4	18	1	2	4	7	10	14	26
2. MULTIPLE DX										
A. *Not Operated*	1866	4.8	40	1	1	3	5	11	16	34
B. *Operated*	1468	13.7	271	1	2	8	17	39	60	99+
1. SINGLE DX	2067	2.9	9	1	1	2	4	6	8	16
2. MULTIPLE DX	3334	8.7	161	1	1	4	10	21	39	96
A. NOT OPERATED	3458	3.6	25	1	1	2	4	7	12	24
B. OPERATED	1943	11.7	222	1	2	7	13	32	52	99+
TOTAL 0-19 YRS	3340	4.3	61	1	1	2	4	9	14	49
20-34	1080	9.3	162	1	1	5	11	21	40	99+
35-49	455	9.4	143	1	1	6	11	23	39	99+
50-64	255	11.6	207	1	2	7	15	28	43	99+
65+	271	12.5	221	1	2	7	16	26	44	75
GRAND TOTAL	**5401**	**6.5**	**111**	**1**	**1**	**3**	**7**	**15**	**26**	**77**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	729	2.6	8	1	1	2	3	6	8	15
20-34	214	4.2	26	1	1	3	5	8	13	28
35-49	74	4.2	12	<1	1	3	6	10	12	15
50-64	35	5.1	19	1	1	4	7	11	15	19
65+	35	6.9	110	1	1	4	6	12	35	52
B. *Operated*										
0-19 YRS	100	5.8	35	1	1	4	7	11	15	37
20-34	67	5.4	13	1	2	4	8	10	12	17
35-49	18	6.7	28	<1	1	5	10	16	17	17
50-64	14	6.7	13	2	2	6	9	13	14	14
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	875	4.4	21	1	1	3	5	10	13	24
20-34	647	5.2	35	1	1	3	6	11	14	33
35-49	237	5.7	35	1	1	4	7	12	13	28
50-64	192	7.5	49	1	2	5	10	14	20	29
65+	205	8.6	111	1	2	6	11	16	21	66
B. *Operated*										
0-19 YRS	394	14.0	316	1	2	8	17	40	71	99+
20-34	576	14.4	284	1	2	9	19	45	63	99+
35-49	268	14.3	301	1	2	9	16	38	63	98
50-64	140	17.4	317	2	3	11	24	47	66	99+
65+	101	19.4	276	3	4	15	30	52	83	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1087	3.3	16	1	1	2	4	7	9	17
B. *Operated*	200	5.8	25	1	1	5	8	11	14	26
2. MULTIPLE DX										
A. *Not Operated*	2156	5.5	40	1	1	4	7	12	15	29
B. *Operated*	1479	14.9	300	1	2	9	19	44	67	99+
1. SINGLE DX	1287	3.7	18	1	1	2	4	8	11	19
2. MULTIPLE DX	3635	9.3	167	1	1	5	11	22	38	96
A. NOT OPERATED	3243	4.7	33	1	1	3	6	10	13	26
B. OPERATED	1679	13.8	276	1	2	8	17	39	62	99+
TOTAL 0-19 YRS	2098	5.7	90	1	1	3	6	12	20	71
20-34	1504	8.6	149	1	1	5	9	21	38	97
35-49	597	9.4	171	1	1	5	11	19	38	81
50-64	381	10.9	168	1	2	7	13	25	35	81
65+	342	11.6	184	1	2	7	14	29	47	99+
GRAND TOTAL	**4922**	**7.8**	**134**	**1**	**1**	**4**	**9**	**18**	**31**	**86**

1,583 Hospitals, United States, January-December 1985

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	135	1.8	2	<1	<1	1	2	3	4	8
20-34	179	1.7	2	<1	<1	1	2	3	4	8
35-49	74	2.1	3	<1	<1	1	3	5	6	7
50-64	27	2.2	3	<1	<1	1	3	5	6	9
65+	20	2.2	2	1	1	2	2	4	5	6
B. *Operated*										
0-19 YRS	2062	1.9	2	<1	<1	1	2	3	4	8
20-34	2989	2.4	5	<1	1	2	3	4	6	10
35-49	862	2.5	5	<1	1	2	3	5	7	11
50-64	274	2.5	6	<1	1	2	3	5	6	15
65+	89	2.6	3	1	1	2	3	5	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	372	2.4	8	<1	1	2	3	4	6	13
20-34	667	2.7	11	<1	<1	2	3	5	7	14
35-49	302	3.3	29	<1	1	2	4	6	8	15
50-64	182	4.2	16	<1	1	3	5	10	12	21
65+	404	4.9	21	1	1	4	6	11	14	28
B. *Operated*										
0-19 YRS	2597	3.3	14	1	1	2	4	7	9	18
20-34	4880	4.2	21	1	1	3	5	9	12	22
35-49	1847	4.9	37	1	1	3	6	10	13	27
50-64	786	5.8	42	1	1	4	7	12	17	37
65+	643	6.9	57	1	1	5	9	15	20	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	435	1.9	2	<1	<1	1	2	3	4	7
B. *Operated*	6276	2.2	4	<1	<1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	1927	3.4	17	<1	1	2	4	7	10	18
B. *Operated*	10753	4.4	27	1	1	3	5	9	12	24
1. SINGLE DX	6711	2.2	4	<1	<1	2	3	4	5	10
2. MULTIPLE DX	12680	4.2	25	1	1	3	5	9	12	23
A. NOT OPERATED	2362	3.1	14	<1	1	2	4	6	9	17
B. OPERATED	17029	3.6	19	<1	1	2	4	7	10	21
TOTAL 0-19 YRS	5166	2.6	9	<1	1	2	3	5	7	14
20-34	8715	3.4	15	<1	1	2	4	7	10	18
35-49	3085	4.0	27	1	1	3	5	8	11	22
50-64	1269	4.8	32	1	1	3	6	10	15	30
65+	1156	5.8	41	1	1	4	7	13	17	34
GRAND TOTAL	**19391**	**3.5**	**19**	**<1**	**1**	**2**	**4**	**7**	**10**	**20**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	726	3.9	15	1	1	3	5	8	9	16
20-34	1426	4.5	15	1	1	4	6	8	10	19
35-49	894	4.9	22	1	1	4	6	9	11	16
50-64	767	5.9	18	1	2	5	7	11	13	19
65+	1000	6.9	18	2	2	6	9	12	14	20
B. *Operated*										
0-19 YRS	107	9.1	37	2	3	7	12	17	22	29
20-34	299	9.2	40	2	2	8	12	18	21	34
35-49	129	9.8	61	2	2	8	13	20	24	39
50-64	59	10.3	78	1	2	7	14	23	28	42
65+	47	11.9	135	2	3	9	15	21	26	75
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	698	5.1	32	1	1	4	6	10	13	32
20-34	1777	5.7	30	1	1	4	7	11	13	26
35-49	1227	6.4	34	1	2	5	8	11	15	31
50-64	1793	7.9	39	2	3	7	10	15	19	31
65+	8590	9.1	49	3	3	8	11	16	21	38
B. *Operated*										
0-19 YRS	315	11.6	101	2	3	9	15	25	32	64
20-34	948	11.8	130	2	3	9	15	24	33	72
35-49	466	12.3	114	2	3	10	16	23	30	57
50-64	426	13.7	128	2	4	11	18	26	36	58
65+	942	16.7	190	4	5	13	21	33	44	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4813	5.2	18	1	1	4	7	10	12	19
B. *Operated*	641	9.6	54	2	2	8	13	19	23	36
2. MULTIPLE DX										
A. *Not Operated*	14085	8.1	45	2	2	7	10	15	19	35
B. *Operated*	3097	13.6	147	2	3	10	17	27	37	73
1. SINGLE DX	5454	5.7	25	1	1	5	7	11	14	24
2. MULTIPLE DX	17182	9.1	68	2	3	7	11	17	23	46
A. NOT OPERATED	18898	7.4	40	1	2	6	9	14	18	32
B. OPERATED	3738	12.9	133	2	3	10	16	26	34	70
TOTAL 0-19 YRS	1846	6.0	45	1	1	4	7	12	18	37
20-34	4450	6.9	55	1	2	5	8	14	19	41
35-49	2716	7.1	51	1	2	5	9	14	19	34
50-64	3045	8.3	52	2	2	6	10	16	21	38
65+	10579	9.6	64	2	3	8	12	17	23	45
GRAND TOTAL	**22636**	**8.3**	**60**	**1**	**2**	**6**	**10**	**16**	**21**	**41**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	5.8	26	1	1	4	8	13	17	19
20-34	37	7.6	101	1	1	5	7	15	35	48
35-49	27	5.7	38	1	1	3	8	11	16	31
50-64	15	8.9	28	1	2	9	13	15	18	19
65+	12	11.0	121	2	3	9	12	27	40	42
B. *Operated*										
0-19 YRS	30	17.4	129	5	7	15	25	32	58	99+
20-34	73	15.5	89	4	5	13	22	29	34	45
35-49	25	16.7	161	3	4	15	20	31	40	65
50-64	8	13.3	18	9	9	12	16	20	20	20
65+	6	15.3	16	8	9	16	17	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	16.3	637	1	1	7	12	49	85	95
20-34	82	13.7	334	1	1	8	17	36	76	99+
35-49	38	11.1	89	1	2	8	17	28	34	99+
50-64	45	12.5	335	1	2	6	12	33	72	99+
65+	116	11.6	74	3	4	9	15	21	32	45
B. *Operated*										
0-19 YRS	115	25.5	299	7	10	23	36	81	99+	99+
20-34	301	26.3	345	5	8	23	37	64	99	99+
35-49	137	26.2	325	5	9	22	39	56	77	99+
50-64	62	25.9	330	6	9	20	36	60	77	99+
65+	75	24.6	362	5	8	16	36	54	63	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	7.4	65	1	1	6	9	15	20	44
B. *Operated*	142	16.0	102	4	5	15	20	29	34	67
2. MULTIPLE DX										
A. *Not Operated*	304	12.6	225	1	2	8	15	32	42	99+
B. *Operated*	690	25.9	333	5	8	22	37	62	98	99+
1. SINGLE DX	253	12.2	104	1	2	10	16	25	32	59
2. MULTIPLE DX	994	21.9	337	2	4	17	33	54	81	99+
A. NOT OPERATED	415	11.2	187	1	2	8	13	27	39	97
B. OPERATED	832	24.2	307	5	8	20	34	58	83	99+
TOTAL 0-19 YRS	188	21.0	322	1	3	17	31	65	99+	99+
20-34	493	21.2	330	2	4	17	31	51	80	99+
35-49	227	20.2	294	2	3	16	30	49	66	99+
50-64	130	18.5	326	2	4	13	25	46	67	99+
65+	209	16.4	215	3	4	11	20	37	50	71
GRAND TOTAL	**1247**	**19.9**	**305**	**2**	**4**	**15**	**29**	**50**	**72**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	95	2.1	2	1	1	2	2	4	5	7
20-34	252	2.6	6	1	1	2	3	5	6	9
35-49	306	2.6	3	<1	1	2	3	5	6	9
50-64	302	3.4	15	1	1	3	4	6	7	11
65+	296	4.0	9	1	1	3	5	8	9	15
B. *Operated*										
0-19 YRS	6	6.7	23	3	3	5	7	15	16	16
20-34	25	3.8	6	1	1	3	5	8	8	9
35-49	14	5.8	23	1	1	4	9	13	15	15
50-64	9	8.4	56	2	3	5	10	21	26	26
65+	11	9.2	55	1	2	7	18	45	92	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	302	3.4	9	1	1	3	4	7	9	14
20-34	1232	3.6	8	1	1	3	5	7	9	13
35-49	1505	4.5	14	1	1	4	6	8	10	17
50-64	2100	5.4	24	1	2	4	7	10	13	22
65+	4613	7.0	38	2	2	6	9	13	17	33
B. *Operated*										
0-19 YRS	112	6.6	19	2	2	6	9	12	15	23
20-34	488	7.0	40	1	2	5	8	14	19	31
35-49	478	9.5	108	1	2	7	11	20	27	69
50-64	484	10.6	100	2	3	8	13	22	31	50
65+	719	13.8	181	2	3	9	17	30	47	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1251	3.1	8	1	1	2	4	6	7	12
B. *Operated*	65	6.0	29	1	1	5	8	15	21	88
2. MULTIPLE DX										
A. *Not Operated*	9752	5.7	28	1	2	4	7	11	14	26
B. *Operated*	2281	10.4	117	2	2	7	13	22	32	70
1. SINGLE DX	1316	3.2	10	1	1	2	4	6	8	14
2. MULTIPLE DX	12033	6.6	49	1	2	5	8	13	18	37
A. NOT OPERATED	11003	5.4	27	1	1	4	7	10	13	25
B. OPERATED	2346	10.3	115	1	2	7	13	22	31	70
TOTAL 0-19 YRS	515	3.9	12	1	1	3	5	8	10	17
20-34	1997	4.3	18	1	1	3	5	9	11	20
35-49	2303	5.3	37	1	1	4	6	10	14	30
50-64	2895	6.1	40	1	2	4	7	12	17	32
65+	5639	7.7	61	2	2	6	9	15	21	45
GRAND TOTAL	**13349**	**6.3**	**46**	**1**	**1**	**5**	**8**	**12**	**17**	**35**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	351	4.7	21	1	1	3	6	9	11	28
20-34	356	6.4	43	1	2	5	8	12	16	43
35-49	186	7.3	40	1	2	6	9	14	20	32
50-64	275	8.3	64	2	2	6	9	14	23	49
65+	1018	8.3	46	2	3	7	11	14	18	37
B. *Operated*										
0-19 YRS	24	9.0	61	1	2	5	13	19	26	32
20-34	57	16.5	158	4	5	13	19	33	46	62
35-49	22	21.4	309	5	6	14	26	48	60	71
50-64	19	18.3	114	8	8	13	25	37	41	42
65+	12	11.8	33	2	5	10	16	19	22	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	570	7.7	60	1	2	6	9	14	22	46
20-34	885	9.7	99	2	2	7	11	18	29	49
35-49	483	10.5	86	2	3	8	13	20	27	50
50-64	715	11.2	88	3	3	8	14	22	30	49
65+	5757	11.6	84	3	4	9	14	21	28	52
B. *Operated*										
0-19 YRS	306	16.5	255	2	3	11	22	37	48	91
20-34	694	20.7	318	3	5	15	27	47	57	88
35-49	318	22.5	301	4	6	16	31	50	59	99+
50-64	267	24.7	341	3	5	20	34	52	62	92
65+	742	21.3	285	5	6	16	27	48	59	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2186	7.3	45	1	2	6	9	14	18	38
B. *Operated*	134	15.8	160	2	4	12	19	32	44	64
2. MULTIPLE DX										
A. *Not Operated*	8410	11.0	85	3	3	9	13	20	28	51
B. *Operated*	2327	21.0	303	3	5	16	28	48	58	90
1. SINGLE DX	2320	7.8	56	1	2	6	10	14	20	43
2. MULTIPLE DX	10737	13.2	150	3	4	10	16	27	39	71
A. NOT OPERATED	10596	10.3	79	2	3	8	13	19	26	49
B. OPERATED	2461	20.7	297	3	5	15	28	47	57	89
TOTAL 0-19 YRS	1251	9.0	116	1	2	6	10	21	31	56
20-34	1992	13.1	200	2	3	8	16	31	46	74
35-49	1009	13.9	188	2	3	9	16	32	48	72
50-64	1276	13.5	171	2	3	9	16	31	43	65
65+	7529	12.1	109	3	4	9	14	23	32	65
GRAND TOTAL	**13057**	**12.2**	**137**	**2**	**3**	**9**	**15**	**25**	**37**	**65**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	544	2.6	18	<1	1	1	2	5	12	23
20-34	120	2.8	15	1	1	2	3	5	6	24
35-49	91	2.7	4	1	1	2	3	5	6	12
50-64	184	2.9	9	<1	1	2	3	5	7	20
65+	632	4.0	17	1	1	3	5	8	10	19
B. *Operated*										
0-19 YRS	4344	3.2	17	1	1	2	3	6	13	22
20-34	526	3.6	13	1	1	3	4	7	9	21
35-49	394	3.7	13	1	1	3	4	7	9	20
50-64	597	4.2	13	1	1	3	5	7	10	21
65+	812	5.0	19	1	1	4	7	10	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	242	3.3	15	1	1	2	4	7	13	21
20-34	188	4.2	22	<1	1	3	5	9	15	26
35-49	168	4.7	21	1	1	3	6	10	14	24
50-64	489	5.9	44	1	1	4	7	12	17	33
65+	2909	7.2	64	1	2	5	9	14	20	45
B. *Operated*										
0-19 YRS	1217	5.7	54	1	1	3	6	14	20	33
20-34	748	7.5	77	1	1	5	8	17	25	46
35-49	522	7.9	94	1	1	5	9	17	26	59
50-64	905	8.3	79	1	2	5	10	18	28	47
65+	2633	9.6	96	2	2	7	11	20	28	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1571	3.2	16	1	1	2	4	6	10	22
B. *Operated*	6673	3.5	16	1	1	2	4	7	12	21
2. MULTIPLE DX										
A. *Not Operated*	3996	6.5	56	1	1	5	8	13	18	37
B. *Operated*	6025	8.2	85	1	2	5	10	18	26	50
1. SINGLE DX	8244	3.5	16	1	1	2	4	7	12	21
2. MULTIPLE DX	10021	7.5	74	1	2	5	9	16	23	48
A. NOT OPERATED	5567	5.6	47	1	1	4	7	12	17	34
B. OPERATED	12698	5.7	54	1	1	3	7	13	19	38
TOTAL 0-19 YRS	6347	3.6	25	1	1	2	3	8	15	24
20-34	1582	5.5	48	1	1	3	6	11	18	39
35-49	1175	5.6	54	1	1	3	6	12	18	40
50-64	2175	6.1	51	1	1	4	7	13	19	38
65+	6986	7.5	70	1	2	5	9	15	22	49
GRAND TOTAL	**18265**	**5.7**	**52**	**1**	**1**	**3**	**7**	**13**	**18**	**37**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	316	1.8	14	<1	1	1	2	3	4	7
20-34	102	1.9	1	<1	<1	1	3	4	4	5
35-49	57	2.4	4	<1	1	2	3	5	6	11
50-64	59	2.8	8	<1	1	2	4	6	9	17
65+	104	2.7	9	1	1	2	3	5	6	18
B. *Operated*										
0-19 YRS	7183	1.6	2	<1	1	1	2	3	4	6
20-34	2210	2.7	4	1	1	2	3	5	6	10
35-49	1546	2.5	3	1	1	2	3	4	6	9
50-64	1818	2.4	4	1	1	2	3	5	6	9
65+	1755	2.6	4	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	256	2.5	14	<1	1	2	3	5	7	13
20-34	266	3.1	20	<1	1	2	4	6	8	15
35-49	160	3.4	12	<1	1	2	4	7	9	21
50-64	202	4.8	24	1	1	4	6	10	12	24
65+	587	6.3	58	1	1	4	7	13	18	42
B. *Operated*										
0-19 YRS	1737	3.4	23	1	1	2	4	7	10	23
20-34	1867	5.5	38	1	1	4	6	11	16	33
35-49	1285	5.7	52	1	1	4	6	12	17	39
50-64	1541	5.2	46	1	1	3	6	10	15	40
65+	3006	6.1	52	1	1	4	7	12	18	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	638	2.1	10	<1	1	1	2	4	5	10
B. *Operated*	14512	2.1	3	<1	1	1	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	1471	4.5	36	1	1	3	5	9	13	31
B. *Operated*	9436	5.3	44	1	1	3	6	11	16	36
1. SINGLE DX	15150	2.1	3	<1	1	1	3	4	5	8
2. MULTIPLE DX	10907	5.2	43	1	1	3	6	11	16	35
A. NOT OPERATED	2109	3.8	30	<1	1	2	4	8	11	27
B. OPERATED	23948	3.3	21	1	1	2	4	7	10	23
TOTAL 0-19 YRS	9492	2.0	7	<1	1	1	2	4	5	11
20-34	4445	3.9	21	1	1	3	4	8	11	24
35-49	3048	3.9	27	1	1	2	4	7	11	28
50-64	3620	3.7	25	1	1	2	4	7	10	25
65+	5452	4.9	39	1	1	3	6	10	15	32
GRAND TOTAL	**26057**	**3.4**	**22**	**1**	**1**	**2**	**4**	**7**	**10**	**23**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	2.5	4	<1	1	2	3	5	6	12
20-34	101	2.6	4	<1	<1	2	4	5	7	9
35-49	35	2.9	10	<1	1	2	4	5	12	15
50-64	29	2.5	7	<1	<1	2	3	5	6	15
65+	17	4.1	35	<1	1	3	4	6	19	26
B. *Operated*										
0-19 YRS	1484	1.6	2	<1	<1	1	2	3	4	7
20-34	2032	1.9	3	<1	<1	1	2	3	4	8
35-49	855	1.9	2	<1	<1	1	2	3	4	8
50-64	415	2.0	6	<1	1	1	2	3	4	8
65+	174	2.4	5	1	1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	119	2.9	13	<1	1	2	3	5	8	23
20-34	192	2.7	4	<1	1	2	4	5	7	9
35-49	91	3.4	9	<1	1	3	4	7	9	16
50-64	91	5.0	63	1	1	3	6	10	12	50
65+	162	6.2	58	1	1	5	7	12	16	42
B. *Operated*										
0-19 YRS	807	3.1	19	<1	1	2	3	6	8	24
20-34	1745	3.2	18	1	1	2	4	6	8	18
35-49	898	3.2	15	1	1	2	4	6	9	20
50-64	588	3.2	12	1	1	2	4	7	8	19
65+	447	4.3	29	1	1	3	5	9	14	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	241	2.7	7	<1	<1	2	4	5	7	15
B. *Operated*	4960	1.8	3	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	655	4.0	30	<1	1	3	5	8	11	20
B. *Operated*	4485	3.3	18	1	1	2	4	6	9	20
1. SINGLE DX	5201	1.9	3	<1	<1	1	2	3	4	8
2. MULTIPLE DX	5140	3.4	20	1	1	2	4	7	9	20
A. NOT OPERATED	896	3.7	24	<1	1	2	4	7	11	18
B. OPERATED	9445	2.5	11	<1	1	2	3	5	7	15
TOTAL 0-19 YRS	2469	2.2	9	<1	<1	1	2	4	5	13
20-34	4070	2.5	10	<1	<1	2	3	5	7	13
35-49	1879	2.6	9	<1	1	2	3	5	7	15
50-64	1123	2.9	15	1	1	2	3	6	8	17
65+	800	4.2	31	1	1	3	5	9	13	21
GRAND TOTAL	**10341**	**2.6**	**12**	**<1**	**1**	**2**	**3**	**5**	**7**	**16**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	166	11.9	147	1	1	6	20	28	36	48
20-34	32	9.1	162	1	1	4	9	26	43	52
35-49	35	7.3	109	1	1	5	7	25	47	99+
50-64	90	6.5	60	1	1	5	8	13	19	47
65+	523	7.0	39	1	1	6	9	14	18	33
B. *Operated*										
0-19 YRS	416	9.5	73	2	3	7	11	22	28	36
20-34	222	9.3	51	3	3	8	11	16	23	48
35-49	382	8.7	27	3	4	8	10	14	18	31
50-64	1462	10.1	23	4	5	9	12	15	18	28
65+	8171	12.7	41	6	7	12	15	19	23	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	108	18.0	348	1	2	11	28	40	51	92
20-34	44	7.3	59	<1	1	4	11	21	29	99+
35-49	77	11.3	239	1	2	5	13	27	67	99+
50-64	274	10.5	111	1	2	7	13	21	35	57
65+	2863	11.3	118	2	3	8	14	22	33	73
B. *Operated*										
0-19 YRS	347	14.8	146	4	5	11	19	30	43	61
20-34	589	15.7	172	5	6	12	18	34	47	87
35-49	749	15.6	158	5	6	12	18	29	40	78
50-64	3411	15.0	109	6	7	12	17	25	35	75
65+	39439	16.2	108	7	8	14	18	27	36	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	846	8.0	73	1	1	5	10	18	25	48
B. *Operated*	10653	12.0	41	5	6	11	14	18	22	35
2. MULTIPLE DX										
A. *Not Operated*	3366	11.4	128	2	3	8	14	23	35	79
B. *Operated*	44535	16.0	111	6	8	14	18	27	37	79
1. SINGLE DX	11499	11.7	45	4	5	11	14	18	22	36
2. MULTIPLE DX	47901	15.7	113	6	7	13	18	27	36	79
A. NOT OPERATED	4212	10.7	119	1	2	8	13	22	33	72
B. OPERATED	55188	15.3	100	6	7	13	18	25	34	71
TOTAL 0-19 YRS	1037	12.6	146	2	2	8	17	28	36	57
20-34	887	13.4	146	3	4	10	16	27	43	84
35-49	1243	13.0	131	3	4	10	15	25	35	75
50-64	5237	13.2	91	4	6	11	15	22	30	67
65+	50996	15.2	101	6	7	13	18	25	34	72
GRAND TOTAL	**59400**	**14.9**	**102**	**5**	**7**	**13**	**17**	**25**	**34**	**72**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1421	16.3	149	1	1	17	24	32	37	51
20-34	76	17.2	377	1	1	7	31	46	50	81
35-49	39	8.7	153	<1	1	4	8	25	42	54
50-64	62	14.6	270	1	2	8	19	39	52	74
65+	185	12.3	219	1	2	7	12	37	53	72
B. *Operated*										
0-19 YRS	1802	12.2	148	1	1	8	19	28	36	51
20-34	605	11.3	120	1	3	9	13	20	28	67
35-49	208	11.0	91	1	2	9	14	21	28	48
50-64	181	12.8	117	2	4	11	15	22	34	63
65+	411	14.5	111	4	6	12	17	26	33	59
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	719	17.7	212	1	2	17	25	37	47	63
20-34	131	16.8	372	1	2	8	25	52	60	99+
35-49	81	18.1	416	1	2	8	28	54	63	77
50-64	182	18.8	377	2	3	10	30	55	71	99+
65+	1043	16.6	329	2	3	10	21	46	62	93
B. *Operated*										
0-19 YRS	1808	17.9	205	2	3	15	24	37	47	73
20-34	1686	18.8	248	3	5	14	23	40	55	88
35-49	611	18.9	260	2	4	15	24	44	57	94
50-64	654	21.3	302	4	6	16	27	47	70	99+
65+	2364	19.4	211	5	7	15	23	41	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1783	15.7	172	1	1	14	23	33	40	59
B. *Operated*	3207	12.3	133	1	2	9	16	26	34	55
2. MULTIPLE DX										
A. *Not Operated*	2156	17.2	300	1	2	11	24	45	58	91
B. *Operated*	7123	19.0	231	3	5	15	24	41	55	97
1. SINGLE DX	4990	13.5	150	1	2	10	19	29	37	56
2. MULTIPLE DX	9279	18.6	248	2	4	14	24	41	56	96
A. NOT OPERATED	3939	16.5	243	1	2	12	23	38	50	80
B. OPERATED	10330	16.9	211	2	3	13	22	35	49	86
TOTAL 0-19 YRS	5750	15.7	180	1	2	13	23	33	41	62
20-34	2498	16.8	237	2	4	12	20	38	52	85
35-49	939	16.7	244	1	2	12	21	42	54	86
50-64	1079	19.1	292	3	4	14	25	46	67	99+
65+	4003	17.8	236	3	5	14	22	40	56	99+
GRAND TOTAL	**14269**	**16.8**	**219**	**2**	**3**	**13**	**22**	**37**	**49**	**84**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1006	2.2	3	1	1	2	3	4	5	9
20-34	514	3.0	6	<1	1	2	4	6	8	13
35-49	343	3.8	12	1	1	3	5	7	10	17
50-64	283	5.2	51	1	1	3	6	9	15	41
65+	347	6.4	36	1	2	5	8	12	16	34
B. *Operated*										
0-19 YRS	3008	3.5	11	1	1	3	4	7	9	16
20-34	2237	5.3	17	1	2	4	7	10	13	20
35-49	1552	5.9	28	1	2	5	7	11	13	28
50-64	931	6.6	32	1	2	5	8	12	16	28
65+	548	7.6	35	2	2	6	10	14	17	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	367	3.9	33	1	1	2	4	7	11	28
20-34	410	4.0	14	1	1	3	5	7	11	18
35-49	346	5.5	36	1	1	4	7	11	14	37
50-64	463	6.7	36	1	2	5	8	13	19	33
65+	1150	9.1	86	2	3	7	11	18	27	56
B. *Operated*										
0-19 YRS	1635	8.1	100	1	2	5	9	17	27	58
20-34	2431	10.8	133	2	2	7	13	23	35	65
35-49	1562	11.2	146	2	3	8	13	23	34	77
50-64	1314	12.2	142	2	3	9	14	25	35	79
65+	1491	13.9	162	3	4	10	17	29	40	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2493	3.5	17	1	1	2	4	7	9	18
B. *Operated*	8276	5.0	21	1	1	4	6	10	13	22
2. MULTIPLE DX										
A. *Not Operated*	2736	6.8	58	1	1	5	8	14	20	43
B. *Operated*	8433	11.1	139	2	2	8	13	24	35	71
1. SINGLE DX	10769	4.7	21	1	1	4	6	9	12	22
2. MULTIPLE DX	11169	10.1	123	1	2	7	12	21	31	66
A. NOT OPERATED	5229	5.2	41	1	1	3	6	11	15	36
B. OPERATED	16709	8.1	90	1	2	5	10	17	25	56
TOTAL 0-19 YRS	6016	4.6	40	1	1	3	5	9	13	34
20-34	5592	7.4	76	1	1	5	8	15	22	50
35-49	3803	7.8	84	1	2	5	9	15	23	63
50-64	2991	8.9	91	1	2	6	11	18	26	55
65+	3536	10.6	114	2	3	8	13	21	31	65
GRAND TOTAL	**21938**	**7.4**	**80**	**1**	**1**	**5**	**9**	**15**	**23**	**52**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	471	2.2	3	<1	1	2	3	4	6	8
20-34	538	2.8	7	1	1	2	4	5	7	11
35-49	432	3.2	7	1	1	3	4	6	7	15
50-64	363	3.6	8	<1	1	3	4	7	9	16
65+	358	4.6	26	1	1	4	6	8	11	23
B. *Operated*										
0-19 YRS	3728	2.9	6	1	1	2	4	5	7	11
20-34	5625	3.8	8	1	1	3	5	7	8	13
35-49	4368	4.3	9	1	2	4	5	7	9	15
50-64	3520	4.8	9	1	2	4	6	8	10	15
65+	1942	6.0	20	2	2	5	7	10	13	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	308	3.4	17	<1	1	2	4	6	8	19
20-34	584	3.8	15	<1	1	3	5	8	10	18
35-49	473	5.0	37	1	1	4	6	9	13	27
50-64	659	5.3	20	1	1	4	7	11	14	22
65+	1476	6.8	49	2	2	5	8	13	17	35
B. *Operated*										
0-19 YRS	1908	5.3	40	1	1	4	6	10	15	34
20-34	4346	6.0	39	1	2	4	7	11	16	35
35-49	3132	6.5	48	1	2	5	7	12	16	38
50-64	3340	7.4	48	2	3	6	9	14	18	38
65+	3718	9.3	64	2	3	7	11	17	23	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2162	3.2	10	1	1	2	4	6	8	14
B. *Operated*	19183	4.2	10	1	1	4	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	3500	5.5	35	1	1	4	7	11	14	27
B. *Operated*	16444	7.1	50	1	2	5	8	13	18	38
1. SINGLE DX	21345	4.1	10	1	1	3	5	7	9	15
2. MULTIPLE DX	19944	6.8	48	1	2	5	8	13	18	36
A. NOT OPERATED	5662	4.6	27	1	1	3	6	9	12	23
B. OPERATED	35627	5.5	31	1	2	4	6	10	14	28
TOTAL 0-19 YRS	6415	3.6	17	1	1	3	4	7	9	19
20-34	11093	4.6	22	1	1	4	5	8	11	24
35-49	8405	5.1	26	1	2	4	6	9	12	25
50-64	7882	5.9	28	1	2	5	7	11	14	26
65+	7494	7.8	51	2	2	6	9	14	19	37
GRAND TOTAL	**41289**	**5.4**	**30**	**1**	**1**	**4**	**6**	**10**	**14**	**27**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	1.6	2	<1	<1	1	2	3	5	7
20-34	91	2.2	4	<1	<1	2	3	4	4	13
35-49	40	2.9	14	<1	1	2	3	6	9	22
50-64	17	2.8	6	1	1	2	3	7	9	10
65+	27	3.3	8	<1	1	2	5	6	10	11
B. *Operated*										
0-19 YRS	201	2.0	2	1	1	2	2	3	5	9
20-34	167	2.4	4	1	1	2	3	4	5	8
35-49	69	2.5	2	1	1	2	3	5	5	8
50-64	20	3.0	5	1	1	2	4	6	8	9
65+	7	3.1	3	1	1	2	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	363	2.6	7	1	1	2	3	5	8	12
20-34	550	3.1	6	1	1	2	4	6	8	13
35-49	313	3.8	9	1	1	3	5	8	10	16
50-64	240	4.6	14	1	1	3	6	9	13	16
65+	472	6.6	35	1	2	5	8	13	17	24
B. *Operated*										
0-19 YRS	160	4.9	62	1	1	3	5	9	14	49
20-34	306	5.4	41	1	1	4	6	10	15	40
35-49	157	6.4	81	1	1	4	7	14	18	48
50-64	109	6.9	52	2	2	5	9	13	16	45
65+	131	10.8	134	1	2	7	14	23	38	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	251	2.3	6	<1	<1	2	3	5	6	11
B. *Operated*	464	2.3	3	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	1938	4.2	17	1	1	3	5	9	12	20
B. *Operated*	863	6.5	71	1	1	4	7	14	22	48
1. SINGLE DX	715	2.3	4	<1	1	2	3	4	6	10
2. MULTIPLE DX	2801	4.9	35	1	1	3	6	10	14	30
A. NOT OPERATED	2189	3.9	16	1	1	3	5	8	11	19
B. OPERATED	1327	5.1	51	1	1	3	5	10	16	40
TOTAL 0-19 YRS	800	2.8	17	1	1	2	3	5	8	20
20-34	1114	3.6	17	1	1	2	4	7	9	22
35-49	579	4.3	30	1	1	3	5	8	12	27
50-64	386	5.1	25	1	1	4	6	10	13	20
65+	637	7.3	57	1	2	5	9	15	20	39
GRAND TOTAL	**3516**	**4.4**	**30**	**1**	**1**	**3**	**5**	**9**	**13**	**26**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	2.8	7	1	1	2	3	7	10	10
20-34	6	5.8	57	1	1	3	5	19	21	21
35-49	9	5.2	42	1	1	2	6	16	21	21
50-64	2	5.5	25	2	2	5	9	9	9	9
65+	6	5.7	6	3	3	5	8	9	9	9
B. *Operated*										
0-19 YRS	20	7.3	62	<1	1	5	7	20	26	32
20-34	14	7.9	48	1	2	5	10	19	21	22
35-49	8	12.1	177	2	2	10	13	34	43	43
50-64	5	13.2	30	7	7	12	17	21	21	21
65+	7	10.3	41	2	3	8	16	18	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	4.4	16	<1	1	4	6	14	76	99+
20-34	28	6.4	33	1	1	5	10	21	99+	99+
35-49	11	7.5	24	<1	1	7	11	15	16	16
50-64	13	8.8	76	1	2	8	10	17	32	35
65+	27	9.3	50	3	3	8	10	20	25	34
B. *Operated*										
0-19 YRS	50	15.5	205	1	1	10	26	48	93	99+
20-34	63	23.3	443	2	3	15	43	59	82	99+
35-49	34	19.3	316	3	3	16	28	45	79	99+
50-64	20	24.3	620	2	3	17	39	81	92	99+
65+	23	30.8	506	6	9	25	39	73	84	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	4.1	20	1	1	2	5	9	11	21
B. *Operated*	54	9.1	69	1	2	7	12	20	22	43
2. MULTIPLE DX										
A. *Not Operated*	113	6.9	39	1	1	5	10	15	32	99+
B. *Operated*	190	21.5	398	2	3	16	31	58	84	99+
1. SINGLE DX	103	6.7	51	1	1	4	9	18	21	37
2. MULTIPLE DX	303	16.1	314	1	2	10	23	47	81	99+
A. NOT OPERATED	162	6.0	34	1	1	4	9	14	22	99+
B. OPERATED	244	18.8	351	1	3	12	28	50	80	99+
TOTAL 0-19 YRS	130	8.8	123	1	1	5	10	30	50	99+
20-34	111	16.2	334	1	2	10	23	51	77	99+
35-49	62	14.3	236	1	2	11	20	32	53	98
50-64	40	16.9	387	2	2	10	21	50	81	99+
65+	63	16.9	319	3	3	10	22	35	54	90
GRAND TOTAL	**406**	**13.7**	**264**	**1**	**2**	**8**	**19**	**43**	**63**	**99+**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	1.8	5	<1	<1	1	2	3	8	11
20-34	42	1.6	1	<1	<1	1	2	3	4	4
35-49	10	1.3		<1	<1	1	2	2	2	2
50-64	8	1.5	1	<1	<1	1	2	3	4	4
65+	12	2.0	2	<1	<1	2	3	4	5	5
B. *Operated*										
0-19 YRS	381	2.4	10	1	1	2	3	4	5	7
20-34	1551	2.3	2	1	1	2	3	4	4	6
35-49	524	2.3	2	1	1	2	3	4	5	7
50-64	195	2.1	2	<1	1	2	3	4	5	7
65+	139	2.0	4	<1	<1	1	2	4	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	2.9	5	<1	<1	2	5	7	8	8
20-34	95	2.9	6	<1	<1	2	4	5	7	12
35-49	68	3.6	19	<1	<1	2	4	9	12	23
50-64	47	4.0	19	<1	1	2	5	10	14	20
65+	100	5.5	46	<1	1	4	6	10	14	45
B. *Operated*										
0-19 YRS	93	3.5	10	1	1	3	4	7	10	19
20-34	398	3.5	12	1	1	3	4	7	9	16
35-49	205	3.9	17	1	1	3	5	8	9	16
50-64	156	4.1	23	1	1	3	4	9	15	25
65+	372	5.5	51	1	1	3	7	13	18	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	1.7	2	<1	<1	1	2	3	4	9
B. *Operated*	2790	2.3	3	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	343	3.9	23	<1	1	3	5	8	11	22
B. *Operated*	1224	4.2	27	1	1	3	5	9	13	29
1. SINGLE DX	2881	2.2	3	<1	1	2	3	4	5	7
2. MULTIPLE DX	1567	4.2	26	1	1	3	5	8	12	25
A. NOT OPERATED	434	3.5	19	<1	<1	2	4	7	11	20
B. OPERATED	4014	2.9	11	1	1	2	3	5	7	16
TOTAL 0-19 YRS	526	2.6	10	<1	1	2	3	4	6	11
20-34	2086	2.5	4	1	1	2	3	4	5	10
35-49	807	2.8	8	1	1	2	3	5	7	13
50-64	406	3.1	13	<1	1	2	3	6	9	20
65+	623	4.7	41	<1	1	3	5	10	14	40
GRAND TOTAL	**4448**	**2.9**	**12**	**1**	**1**	**2**	**3**	**5**	**8**	**16**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	1.7	1	<1	<1	1	2	3	4	5
20-34	49	2.6	3	<1	<1	2	4	5	6	7
35-49	24	3.0	9	<1	1	2	3	9	10	11
50-64	19	4.2	15	<1	<1	3	6	10	13	15
65+	12	3.3	5	<1	<1	3	5	7	8	8
B. *Operated*										
0-19 YRS	1738	2.1	3	<1	<1	2	3	4	5	8
20-34	3493	2.1	3	<1	<1	2	3	4	5	8
35-49	1900	2.1	3	<1	<1	2	3	4	5	9
50-64	849	2.2	3	<1	<1	2	3	4	5	10
65+	247	2.7	5	<1	<1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	2.5	10	<1	<1	1	3	6	11	16
20-34	78	2.8	9	<1	<1	1	4	7	10	13
35-49	59	2.7	12	<1	<1	1	4	5	8	23
50-64	61	3.7	13	<1	<1	2	5	8	12	16
65+	67	4.6	15	<1	1	3	6	11	13	17
B. *Operated*										
0-19 YRS	1407	2.8	8	<1	<1	2	3	5	6	13
20-34	3265	2.8	15	<1	<1	2	3	5	7	14
35-49	2240	2.6	6	<1	<1	2	3	5	7	13
50-64	1855	2.8	9	<1	<1	2	3	6	8	15
65+	941	3.5	15	<1	1	2	4	7	10	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	147	2.7	5	<1	<1	2	3	6	8	11
B. *Operated*	8227	2.2	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	304	3.3	12	<1	<1	2	4	8	11	16
B. *Operated*	9708	2.8	11	<1	<1	2	3	5	7	15
1. SINGLE DX	8374	2.2	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX	10012	2.9	11	<1	<1	2	3	5	8	15
A. NOT OPERATED	451	3.1	10	<1	<1	2	4	7	10	15
B. OPERATED	17935	2.5	7	<1	<1	2	3	5	6	12
TOTAL 0-19 YRS	3227	2.4	5	<1	<1	2	3	5	6	10
20-34	6885	2.5	9	<1	<1	2	3	5	6	11
35-49	4223	2.4	5	<1	<1	2	3	5	6	11
50-64	2784	2.7	7	<1	<1	2	3	5	7	13
65+	1267	3.4	13	<1	1	2	4	7	10	17
GRAND TOTAL	**18386**	**2.5**	**7**	**<1**	**<1**	**2**	**3**	**5**	**6**	**12**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	127	3.6	26	<1	1	2	4	7	10	29
20-34	160	4.6	16	1	1	4	6	10	13	17
35-49	94	5.5	17	1	1	5	7	11	15	19
50-64	35	4.4	10	<1	1	5	6	9	12	99+
65+	24	4.7	11	<1	1	4	7	10	12	12
B. *Operated*										
0-19 YRS	680	2.8	12	<1	1	2	3	6	9	18
20-34	856	3.2	13	<1	1	2	4	7	11	19
35-49	430	3.5	12	<1	1	2	5	8	10	17
50-64	243	4.0	16	1	1	3	5	9	12	21
65+	142	4.6	24	1	1	3	6	12	14	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	140	5.0	29	<1	1	4	7	10	14	26
20-34	500	6.5	15	1	2	6	8	11	13	17
35-49	391	7.2	18	1	2	7	9	12	15	20
50-64	205	7.1	24	1	2	6	10	13	15	25
65+	189	7.3	52	1	2	6	9	14	18	31
B. *Operated*										
0-19 YRS	501	6.3	62	1	1	4	8	15	19	40
20-34	878	7.4	77	1	1	4	9	17	24	46
35-49	524	6.9	54	1	1	4	9	16	21	38
50-64	432	7.5	80	1	1	4	10	17	28	52
65+	388	9.2	117	1	1	5	11	21	31	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	440	4.5	19	1	1	3	6	9	12	21
B. *Operated*	2351	3.3	14	<1	1	2	4	8	11	19
2. MULTIPLE DX										
A. *Not Operated*	1425	6.7	24	1	2	6	9	12	14	24
B. *Operated*	2723	7.4	77	1	1	4	9	17	24	47
1. SINGLE DX	2791	3.5	15	<1	1	2	4	8	11	19
2. MULTIPLE DX	4148	7.2	59	1	1	5	9	15	20	42
A. NOT OPERATED	1865	6.2	24	1	1	5	8	12	14	24
B. OPERATED	5074	5.5	51	1	1	3	6	13	18	39
TOTAL 0-19 YRS	1448	4.3	35	<1	1	2	5	10	15	24
20-34	2394	5.6	40	1	1	4	7	12	16	34
35-49	1439	5.9	32	1	1	4	8	12	16	27
50-64	915	6.4	50	1	1	4	8	14	19	43
65+	743	7.7	82	1	1	5	10	16	23	48
GRAND TOTAL	**6939**	**5.7**	**44**	**1**	**1**	**4**	**7**	**12**	**17**	**36**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	94	2.1	3	<1	<1	2	3	4	5	9
20-34	114	2.3	3	<1	<1	2	3	4	6	10
35-49	84	2.8	3	<1	1	3	4	5	6	10
50-64	61	3.0	4	1	1	2	4	5	7	11
65+	52	4.0	6	1	2	3	5	7	9	12
B. *Operated*										
0-19 YRS	1246	2.8	3	<1	1	3	4	5	6	8
20-34	1961	3.1	4	<1	1	3	4	6	6	9
35-49	608	3.3	5	<1	1	3	4	6	7	11
50-64	153	4.3	19	1	1	3	5	7	10	27
65+	76	5.4	10	1	2	5	7	10	12	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	102	3.0	19	<1	<1	2	3	5	7	25
20-34	165	3.2	8	<1	<1	2	4	7	8	14
35-49	140	4.2	12	1	1	3	5	9	11	17
50-64	148	4.4	12	1	1	3	6	8	11	18
65+	424	6.0	40	1	2	5	7	11	15	28
B. *Operated*										
0-19 YRS	1539	3.5	5	1	1	3	5	6	7	11
20-34	2888	3.9	8	1	1	3	5	7	8	14
35-49	1060	4.2	15	<1	1	4	5	7	9	17
50-64	347	5.4	21	1	1	4	6	11	14	26
65+	248	8.2	50	2	2	7	10	15	20	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	405	2.7	4	<1	1	2	3	5	6	11
B. *Operated*	4044	3.1	4	<1	1	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	979	4.7	26	1	1	4	6	9	12	22
B. *Operated*	6082	4.1	12	1	1	4	5	7	9	16
1. SINGLE DX	4449	3.1	4	<1	1	3	4	6	7	10
2. MULTIPLE DX	7061	4.2	14	1	1	4	5	7	10	17
A. NOT OPERATED	1384	4.1	20	<1	1	3	5	8	11	18
B. OPERATED	10126	3.7	9	<1	1	3	5	6	8	14
TOTAL 0-19 YRS	2981	3.1	5	<1	1	3	4	6	7	10
20-34	5128	3.5	6	<1	1	3	5	6	7	12
35-49	1892	3.8	11	<1	1	3	5	7	9	15
50-64	709	4.8	18	1	1	4	6	9	13	24
65+	800	6.5	40	1	2	5	8	12	16	29
GRAND TOTAL	**11510**	**3.8**	**10**	**<1**	**1**	**3**	**5**	**7**	**8**	**15**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	226	4.0	7	1	1	3	5	7	8	14
20-34	2876	5.2	10	1	2	5	7	9	11	16
35-49	2799	5.5	10	2	2	5	7	9	11	15
50-64	1092	5.9	13	2	2	5	8	10	12	16
65+	283	5.3	10	1	2	5	7	9	11	16
B. *Operated*										
0-19 YRS	28	7.1	50	1	1	5	10	19	23	25
20-34	540	5.4	26	1	1	3	8	12	15	21
35-49	410	5.3	20	1	1	4	8	11	14	19
50-64	99	5.1	18	1	1	3	7	12	14	18
65+	11	8.4	55	1	1	5	14	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	287	5.0	11	1	1	4	7	9	12	18
20-34	2951	6.1	15	2	2	5	8	11	14	19
35-49	3989	6.8	20	2	3	6	8	12	15	22
50-64	2783	6.8	21	2	3	6	8	12	15	24
65+	2456	6.9	27	2	3	6	8	12	15	23
B. *Operated*										
0-19 YRS	18	11.7	183	1	2	8	15	23	45	59
20-34	523	8.3	42	1	2	7	11	15	19	31
35-49	663	8.7	36	1	2	8	12	16	19	32
50-64	331	9.5	63	2	2	8	12	17	22	38
65+	168	12.4	111	4	4	10	16	25	34	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7276	5.4	11	1	2	5	7	9	11	16
B. *Operated*	1088	5.4	24	1	1	4	8	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	12466	6.6	20	2	2	6	8	11	15	22
B. *Operated*	1703	9.1	53	1	2	8	12	17	21	35
1. SINGLE DX	8364	5.4	12	1	2	5	7	10	12	17
2. MULTIPLE DX	14169	6.9	25	2	2	6	9	12	16	25
A. NOT OPERATED	19742	6.2	17	2	2	5	8	11	13	20
B. OPERATED	2791	7.7	45	1	1	7	11	15	19	32
TOTAL 0-19 YRS	559	4.9	19	1	1	4	6	9	13	19
20-34	6890	5.8	17	1	2	5	8	11	13	19
35-49	7861	6.4	19	2	2	5	8	11	14	21
50-64	4305	6.7	23	2	2	6	8	12	15	24
65+	2918	7.1	32	2	3	6	9	13	16	28
GRAND TOTAL	**22533**	**6.3**	**21**	**2**	**2**	**5**	**8**	**11**	**14**	**22**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	564	2.7	6	<1	1	2	4	6	8	14
20-34	2246	4.6	11	1	1	4	6	9	11	15
35-49	1815	5.0	12	1	2	4	6	9	11	17
50-64	598	4.7	9	1	1	4	6	9	11	14
65+	202	4.4	10	1	1	4	6	9	11	14
B. *Operated*										
0-19 YRS	45	3.4	8	1	1	2	5	6	9	14
20-34	658	4.1	16	1	1	3	5	9	12	21
35-49	560	4.7	18	1	1	3	7	10	13	19
50-64	93	3.8	12	1	1	3	5	8	10	19
65+	7	3.0	8	1	1	2	5	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	916	3.7	10	1	1	3	5	7	9	15
20-34	5278	5.5	13	1	2	5	7	10	12	19
35-49	4612	6.2	17	1	2	5	8	11	13	20
50-64	2626	6.2	16	1	2	5	8	11	13	20
65+	1927	6.1	20	2	2	5	8	11	14	21
B. *Operated*										
0-19 YRS	70	3.8	9	1	1	3	5	8	11	14
20-34	858	6.0	26	1	1	5	8	12	16	24
35-49	876	7.4	50	1	1	6	10	16	20	32
50-64	331	7.6	55	1	2	6	10	15	17	39
65+	146	10.6	78	2	3	8	14	21	29	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5425	4.5	11	1	1	4	6	9	11	15
B. *Operated*	1363	4.3	16	1	1	3	6	10	13	19
2. MULTIPLE DX										
A. *Not Operated*	15359	5.8	16	1	2	5	7	10	13	20
B. *Operated*	2281	7.0	44	1	1	5	9	14	19	31
1. SINGLE DX	6788	4.5	12	1	1	4	6	9	11	16
2. MULTIPLE DX	17640	5.9	20	1	2	5	8	11	14	21
A. NOT OPERATED	20784	5.5	15	1	2	5	7	10	12	19
B. OPERATED	3644	6.0	35	1	1	4	8	13	17	26
TOTAL 0-19 YRS	1595	3.4	9	1	1	2	4	7	9	14
20-34	9040	5.2	14	1	1	4	7	10	12	19
35-49	7863	5.9	20	1	2	5	8	11	14	21
50-64	3648	6.0	19	1	2	5	8	11	13	20
65+	2282	6.3	25	1	2	5	8	12	14	25
GRAND TOTAL	**24428**	**5.5**	**18**	**1**	**1**	**5**	**7**	**10**	**13**	**20**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	207	2.3	3	<1	1	2	3	4	5	10
20-34	323	2.8	7	1	1	2	3	5	7	12
35-49	209	2.7	4	<1	1	2	3	5	7	12
50-64	132	3.2	5	1	1	2	4	7	8	11
65+	108	3.5	6	<1	1	3	5	7	8	12
B. *Operated*										
0-19 YRS	463	2.0	1	<1	1	2	3	4	4	6
20-34	1658	2.4	2	<1	1	2	3	4	5	7
35-49	1736	2.6	3	1	1	2	3	4	5	7
50-64	1749	3.4	4	1	1	3	4	6	7	10
65+	638	4.0	7	1	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	217	2.6	5	<1	1	2	3	5	7	10
20-34	429	3.4	8	<1	1	3	4	7	9	15
35-49	435	3.8	9	1	1	3	5	7	9	16
50-64	465	4.2	11	1	1	3	5	8	10	16
65+	879	5.8	25	1	2	5	7	11	15	28
B. *Operated*										
0-19 YRS	243	2.7	8	<1	1	2	3	5	7	13
20-34	570	3.0	8	<1	1	2	4	5	7	11
35-49	802	3.9	11	1	1	3	5	7	9	17
50-64	1395	4.4	13	1	2	4	5	8	10	20
65+	908	5.9	29	2	2	5	7	10	14	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	979	2.8	5	<1	1	2	4	5	7	11
B. *Operated*	6244	2.9	4	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	2425	4.4	16	1	1	3	6	9	12	20
B. *Operated*	3918	4.3	16	1	1	3	5	8	10	21
1. SINGLE DX	7223	2.9	4	1	1	2	4	5	6	9
2. MULTIPLE DX	6343	4.4	16	1	1	3	5	8	11	21
A. NOT OPERATED	3404	4.0	13	1	1	3	5	8	10	18
B. OPERATED	10162	3.4	9	1	1	3	4	6	8	14
TOTAL 0-19 YRS	1130	2.3	4	<1	1	2	3	4	5	9
20-34	2980	2.7	5	<1	1	2	3	5	6	10
35-49	3182	3.1	6	1	1	3	4	5	7	12
50-64	3741	3.9	8	1	1	3	5	7	9	15
65+	2533	5.3	22	1	2	4	6	9	13	26
GRAND TOTAL	**13566**	**3.6**	**10**	**1**	**1**	**3**	**4**	**7**	**9**	**16**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6659	1.4	1	<1	1	1	1	2	3	5
20-34	1876	1.8	2	<1	1	1	2	3	5	7
35-49	586	2.1	3	<1	1	2	2	4	6	8
50-64	264	2.1	2	1	1	2	2	4	5	7
65+	183	2.3	3	1	1	2	3	5	6	9
B. *Operated*										
0-19 YRS	19	2.2	7	<1	<1	1	2	5	9	12
20-34	20	3.7	19	<1	1	2	4	10	15	18
35-49	11	6.4	186	1	1	1	4	24	45	47
50-64	4	3.8	9	<1	<1	3	6	8	8	8
65+	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8433	1.9	3	<1	1	1	2	4	5	9
20-34	6789	2.9	8	<1	1	2	4	6	8	13
35-49	3085	3.6	12	1	1	3	5	7	9	16
50-64	1869	3.8	13	1	1	3	5	8	10	17
65+	2643	5.1	28	1	1	4	6	10	15	28
B. *Operated*										
0-19 YRS	1942	2.9	18	<1	1	2	3	6	9	20
20-34	2347	3.8	35	<1	1	2	4	8	11	30
35-49	966	4.3	38	1	1	3	5	9	13	34
50-64	563	5.2	61	1	1	3	6	10	16	41
65+	866	6.4	78	1	1	4	7	15	21	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9568	1.5	1	<1	1	1	2	3	4	6
B. *Operated*	56	3.6	46	<1	1	1	3	8	12	45
2. MULTIPLE DX										
A. *Not Operated*	22819	3.0	11	1	1	2	4	6	8	15
B. *Operated*	6684	4.1	40	1	1	2	4	8	13	33
1. SINGLE DX	9624	1.5	2	<1	1	1	2	3	4	6
2. MULTIPLE DX	29503	3.2	17	1	1	2	4	7	9	19
A. NOT OPERATED	32387	2.5	8	<1	1	2	3	5	7	14
B. OPERATED	6740	4.1	40	1	1	2	4	8	13	33
TOTAL 0-19 YRS	17053	1.8	4	<1	1	1	2	3	5	9
20-34	11032	2.9	13	<1	1	2	3	6	8	15
35-49	4648	3.6	17	1	1	2	4	7	9	18
50-64	2700	3.9	23	1	1	3	5	8	11	21
65+	3694	5.2	39	1	1	3	6	11	16	35
GRAND TOTAL	**39127**	**2.8**	**14**	**<1**	**1**	**2**	**3**	**6**	**8**	**16**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2876	1.7	6	<1	1	1	2	3	4	10
20-34	764	2.9	22	<1	1	2	3	6	8	22
35-49	258	2.7	8	<1	1	2	3	6	8	16
50-64	124	4.0	84	<1	1	2	4	7	10	42
65+	140	5.1	80	<1	1	2	5	9	21	46
B. *Operated*										
0-19 YRS	146	7.1	49	1	2	6	7	14	22	38
20-34	107	9.1	99	1	2	7	11	25	47	99+
35-49	72	10.8	163	1	2	8	15	26	46	99+
50-64	77	8.2	56	2	2	7	9	14	23	44
65+	136	12.4	153	3	4	9	14	24	32	66
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4128	3.0	35	<1	1	1	3	6	10	30
20-34	2616	4.4	48	<1	1	2	5	9	15	48
35-49	1273	5.0	62	<1	1	3	5	10	16	36
50-64	887	5.9	58	1	1	3	7	13	18	44
65+	1943	7.6	74	1	1	5	9	17	24	60
B. *Operated*										
0-19 YRS	1240	11.9	295	1	1	5	15	37	60	99+
20-34	1576	13.6	321	<1	1	6	20	46	72	99+
35-49	613	15.4	353	1	1	9	22	47	72	99+
50-64	515	14.9	299	1	1	9	20	45	68	99+
65+	1254	15.7	249	1	2	11	21	37	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4162	2.2	14	<1	1	1	2	4	6	16
B. *Operated*	538	9.5	105	1	2	7	11	19	32	99+
2. MULTIPLE DX										
A. *Not Operated*	10847	4.6	53	1	1	2	5	10	16	44
B. *Operated*	5198	14.0	301	1	1	8	20	41	64	99+
1. SINGLE DX	4700	3.0	30	<1	1	1	3	7	10	29
2. MULTIPLE DX	16045	7.7	153	1	1	3	8	21	36	94
A. NOT OPERATED	15009	4.0	43	<1	1	2	4	9	14	35
B. OPERATED	5736	13.6	285	1	1	8	18	40	62	99+
TOTAL 0-19 YRS	8390	4.0	75	<1	1	1	3	8	16	60
20-34	5063	7.1	150	<1	1	3	7	20	37	99+
35-49	2216	7.8	163	<1	1	3	8	20	37	96
50-64	1603	8.7	156	1	1	4	10	23	40	84
65+	3473	10.6	156	1	2	7	13	25	37	88
GRAND TOTAL	**20745**	**6.6**	**129**	**<1**	**1**	**2**	**7**	**17**	**30**	**85**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	114	2.6	5	1	1	2	3	5	7	13
20-34	209	2.8	5	<1	1	2	3	6	7	12
35-49	78	3.3	5	1	1	3	4	6	8	11
50-64	33	2.6	2	1	1	2	4	5	5	5
65+	31	3.5	4	<1	1	3	4	7	7	9
B. *Operated*										
0-19 YRS	155	4.9	8	2	2	4	6	8	11	14
20-34	416	5.1	11	2	2	4	6	8	10	17
35-49	134	4.9	8	2	2	4	7	9	10	14
50-64	43	4.9	6	2	2	5	6	8	10	13
65+	24	6.2	23	2	2	5	8	16	17	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	338	3.9	17	1	1	3	5	8	11	25
20-34	656	4.2	27	1	1	3	5	8	10	16
35-49	399	4.3	11	1	1	4	6	8	10	17
50-64	387	5.6	24	1	2	4	7	11	15	24
65+	532	7.3	32	1	2	6	9	13	18	28
B. *Operated*										
0-19 YRS	518	8.8	62	2	3	7	10	16	25	49
20-34	1477	8.5	70	2	3	6	10	16	22	49
35-49	713	10.0	106	2	3	7	12	20	28	53
50-64	466	9.8	87	2	3	7	12	20	28	46
65+	545	12.6	141	3	3	9	15	27	35	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	465	2.9	5	<1	1	2	4	6	7	12
B. *Operated*	772	5.0	10	2	2	4	6	9	10	16
2. MULTIPLE DX										
A. *Not Operated*	2312	5.1	25	1	1	4	6	10	13	24
B. *Operated*	3719	9.6	90	2	3	7	11	19	27	56
1. SINGLE DX	1237	4.2	9	1	1	4	5	8	10	14
2. MULTIPLE DX	6031	7.9	70	1	2	6	9	16	22	47
A. NOT OPERATED	2777	4.7	22	1	1	3	6	9	12	23
B. OPERATED	4491	8.8	79	2	3	6	10	17	24	52
TOTAL 0-19 YRS	1125	6.1	41	1	1	4	8	12	17	32
20-34	2758	6.5	51	1	2	5	8	12	17	40
35-49	1324	7.4	69	1	2	5	8	15	21	46
50-64	929	7.6	59	1	2	5	9	15	22	37
65+	1132	9.7	92	2	3	7	12	19	28	59
GRAND TOTAL	**7268**	**7.3**	**62**	**1**	**2**	**5**	**9**	**14**	**20**	**43**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	848	3.5	10	1	1	2	5	8	10	16
20-34	456	2.9	6	1	1	2	4	6	9	12
35-49	118	2.7	5	1	1	2	3	6	8	10
50-64	43	3.1	10	<1	1	2	3	6	9	18
65+	27	3.1	7	1	1	3	3	6	8	14
B. *Operated*										
0-19 YRS	402	6.5	13	2	3	6	8	10	12	19
20-34	510	6.2	10	2	3	6	7	9	12	18
35-49	154	6.6	10	1	2	6	8	11	12	17
50-64	50	6.5	16	1	2	6	8	12	14	19
65+	24	7.0	12	2	3	7	9	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1255	3.7	12	1	1	3	5	8	10	15
20-34	1100	3.8	11	1	1	3	5	8	10	16
35-49	422	4.0	12	1	1	3	5	8	10	16
50-64	251	5.1	27	1	1	4	7	11	13	18
65+	325	5.8	18	1	2	5	8	11	14	20
B. *Operated*										
0-19 YRS	1513	11.1	115	3	4	8	12	22	33	62
20-34	2752	11.7	118	3	4	8	13	24	35	67
35-49	1063	12.7	142	3	5	9	14	25	37	73
50-64	526	14.7	180	4	5	10	18	31	44	76
65+	440	15.2	187	2	4	12	19	32	44	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1492	3.2	9	1	1	2	4	7	9	14
B. *Operated*	1140	6.4	11	2	3	6	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	3353	4.1	14	1	1	3	5	9	11	17
B. *Operated*	6294	12.2	133	3	4	9	14	25	36	68
1. SINGLE DX	2632	4.6	12	1	1	4	7	9	11	17
2. MULTIPLE DX	9647	9.4	106	1	2	7	11	19	30	61
A. NOT OPERATED	4845	3.8	12	1	1	3	5	8	10	16
B. OPERATED	7434	11.3	119	3	4	8	12	22	34	66
TOTAL 0-19 YRS	4018	6.7	63	1	1	5	8	13	19	45
20-34	4818	8.5	86	1	2	6	10	17	26	56
35-49	1757	9.4	107	1	2	7	11	18	29	60
50-64	870	10.9	140	1	2	7	12	23	35	68
65+	816	10.8	131	1	2	8	13	22	33	68
GRAND TOTAL	**12279**	**8.4**	**90**	**1**	**1**	**6**	**10**	**17**	**26**	**55**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	2.1	2	<1	<1	2	3	4	5	6
20-34	40	2.6	2	<1	<1	2	4	4	6	6
35-49	13	3.1	2	<1	1	3	4	5	5	5
50-64	3	2.7	1	2	2	2	4	4	4	4
65+	6	5.7	39	<1	<1	4	5	17	18	18
B. *Operated*										
0-19 YRS	712	2.3	4	<1	1	1	3	5	6	8
20-34	435	2.7	4	<1	1	2	4	5	6	9
35-49	188	2.8	4	1	1	2	4	6	6	9
50-64	81	2.6	4	<1	1	2	4	5	6	11
65+	56	2.6	5	<1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	3.6	6	<1	1	4	5	8	8	10
20-34	78	2.9	3	<1	1	3	4	5	6	8
35-49	31	3.9	14	<1	1	3	5	9	10	18
50-64	17	3.8	8	1	1	3	5	10	64	99+
65+	24	3.5	5	<1	1	3	5	6	8	10
B. *Operated*										
0-19 YRS	760	3.3	8	1	1	3	5	6	8	12
20-34	827	3.7	11	1	1	3	5	7	9	15
35-49	419	3.9	11	1	1	3	5	7	9	18
50-64	219	3.9	16	1	1	3	5	7	9	24
65+	255	4.6	27	1	1	3	5	10	15	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	109	2.6	4	<1	<1	2	4	4	6	11
B. *Operated*	1472	2.5	4	<1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	224	3.4	6	<1	1	3	4	7	8	12
B. *Operated*	2480	3.7	12	1	1	3	5	7	9	17
1. SINGLE DX	1581	2.5	4	<1	1	2	3	5	6	9
2. MULTIPLE DX	2704	3.7	12	1	1	3	5	7	9	17
A. NOT OPERATED	333	3.1	5	<1	1	3	4	6	8	12
B. OPERATED	3952	3.3	9	1	1	2	4	6	8	15
TOTAL 0-19 YRS	1593	2.8	6	<1	1	2	4	6	7	10
20-34	1380	3.3	8	1	1	3	4	6	8	13
35-49	651	3.5	9	1	1	3	5	7	8	16
50-64	320	3.5	13	1	1	3	5	7	9	24
65+	341	4.2	22	1	1	3	5	8	13	27
GRAND TOTAL	**4285**	**3.3**	**9**	**1**	**1**	**3**	**4**	**6**	**8**	**15**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	314	2.2	9	<1	1	1	3	4	5	7
20-34	229	2.0	3	<1	<1	1	3	4	5	9
35-49	71	2.2	3	<1	<1	2	2	5	5	9
50-64	30	2.0	2	<1	1	1	3	4	6	6
65+	27	2.6	18	<1	1	2	2	5	8	23
B. *Operated*										
0-19 YRS	1103	1.8	3	<1	<1	1	2	3	5	9
20-34	638	2.2	7	<1	<1	1	2	4	6	12
35-49	246	2.1	5	<1	<1	1	2	4	6	12
50-64	84	2.1	2	<1	1	2	3	4	5	8
65+	67	2.0	3	<1	<1	1	2	5	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	639	2.4	11	<1	1	2	3	4	6	11
20-34	937	2.8	13	<1	1	2	3	6	7	16
35-49	412	3.1	14	<1	1	2	4	6	7	18
50-64	281	3.8	22	1	1	2	5	8	10	26
65+	534	4.7	34	1	1	3	6	9	12	24
B. *Operated*										
0-19 YRS	2250	2.6	12	<1	1	2	3	5	7	15
20-34	2794	3.5	23	<1	1	2	4	7	10	22
35-49	1178	4.0	40	1	1	2	4	8	12	32
50-64	685	4.3	32	1	1	3	5	9	13	28
65+	1088	5.0	38	1	1	3	6	10	14	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	671	2.1	6	<1	<1	1	3	4	5	9
B. *Operated*	2138	2.0	5	<1	<1	1	2	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	2803	3.2	18	<1	1	2	4	6	9	18
B. *Operated*	7995	3.6	26	<1	1	2	4	7	11	24
1. SINGLE DX	2809	2.0	5	<1	<1	1	2	4	5	10
2. MULTIPLE DX	10798	3.5	24	<1	1	2	4	7	10	22
A. NOT OPERATED	3474	3.0	16	<1	1	2	4	6	8	17
B. OPERATED	10133	3.3	22	<1	1	2	4	7	10	21
TOTAL 0-19 YRS	4306	2.3	9	<1	1	1	3	4	6	12
20-34	4598	3.1	18	<1	1	2	3	6	9	18
35-49	1907	3.5	29	<1	1	2	4	7	10	24
50-64	1080	4.0	27	1	1	2	5	8	11	27
65+	1716	4.8	36	1	1	3	6	9	14	29
GRAND TOTAL	**13607**	**3.2**	**20**	**<1**	**1**	**2**	**4**	**6**	**9**	**20**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	423	1.7	1	<1	1	1	2	3	4	7
20-34	881	1.9	2	<1	<1	1	2	3	4	9
35-49	225	1.9	2	<1	<1	1	2	3	5	8
50-64	52	2.2	3	<1	1	2	3	4	5	8
65+	18	2.4	3	<1	<1	2	4	5	6	7
B. *Operated*										
0-19 YRS	560	2.3	4	<1	1	1	3	5	6	8
20-34	733	3.3	8	<1	1	3	5	7	8	11
35-49	230	3.6	9	<1	1	3	5	7	9	13
50-64	67	3.8	11	1	1	3	6	9	11	15
65+	19	2.8	5	<1	1	2	4	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	279	2.8	10	<1	1	2	3	5	8	19
20-34	739	2.6	6	<1	<1	2	3	5	7	12
35-49	295	3.2	11	<1	1	2	4	6	9	15
50-64	126	3.7	24	<1	1	2	4	7	13	29
65+	70	5.0	31	<1	1	3	6	12	15	32
B. *Operated*										
0-19 YRS	662	5.0	33	<1	1	4	6	10	14	24
20-34	1568	6.0	47	1	1	5	7	11	15	39
35-49	526	7.3	93	1	1	5	8	14	24	58
50-64	186	9.2	159	1	1	6	9	17	39	68
65+	108	8.4	99	1	1	5	9	20	27	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1599	1.9	2	<1	<1	1	2	3	4	8
B. *Operated*	1609	3.0	7	<1	1	2	4	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	1509	3.0	10	<1	1	2	3	6	8	16
B. *Operated*	3050	6.3	62	1	1	4	7	12	17	48
1. SINGLE DX	3208	2.4	5	<1	1	2	3	5	7	10
2. MULTIPLE DX	4559	5.2	47	<1	1	3	6	10	14	38
A. NOT OPERATED	3108	2.4	6	<1	1	2	3	5	6	13
B. OPERATED	4659	5.1	45	<1	1	3	6	10	14	37
TOTAL 0-19 YRS	1924	3.2	16	<1	1	2	4	7	10	19
20-34	3921	3.9	25	<1	1	2	5	8	11	20
35-49	1276	4.7	48	<1	1	3	6	9	13	39
50-64	431	5.9	86	1	1	3	7	11	17	52
65+	215	6.3	65	1	1	4	7	13	22	48
GRAND TOTAL	**7767**	**4.0**	**32**	**<1**	**1**	**2**	**5**	**8**	**11**	**25**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	418	2.7	3	<1	1	2	3	5	6	10
20-34	701	2.5	3	<1	1	2	3	5	6	9
35-49	244	2.9	4	<1	1	2	4	6	7	9
50-64	82	3.3	5	<1	1	3	4	7	8	10
65+	45	2.7	2	1	1	2	3	5	5	7
B. *Operated*										
0-19 YRS	2563	2.0	4	<1	1	1	2	4	5	10
20-34	4123	2.2	4	<1	<1	1	3	5	6	10
35-49	1767	2.3	10	<1	1	1	2	4	6	12
50-64	868	2.1	5	<1	<1	1	2	4	6	11
65+	331	2.1	4	<1	1	1	2	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	432	3.8	22	<1	1	3	4	7	9	23
20-34	821	3.3	8	<1	1	3	4	6	8	15
35-49	332	3.7	8	<1	1	3	5	8	9	12
50-64	193	4.3	15	1	1	3	5	8	10	24
65+	189	5.4	20	1	2	4	7	11	15	24
B. *Operated*										
0-19 YRS	2244	2.9	12	<1	1	2	3	6	9	18
20-34	4705	3.3	22	<1	1	2	4	6	10	23
35-49	1928	3.7	28	1	1	2	4	8	11	25
50-64	1036	3.9	29	1	1	2	4	8	12	30
65+	723	4.5	41	1	1	3	5	9	14	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1490	2.7	3	<1	1	2	3	5	6	9
B. *Operated*	9652	2.2	5	<1	1	1	2	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	1967	3.8	13	<1	1	3	5	7	9	20
B. *Operated*	10636	3.4	23	<1	1	2	4	7	10	24
1. SINGLE DX	11142	2.2	5	<1	1	2	3	4	6	10
2. MULTIPLE DX	12603	3.5	22	<1	1	2	4	7	10	23
A. NOT OPERATED	3457	3.3	9	<1	1	3	4	6	8	14
B. OPERATED	20288	2.8	15	<1	1	2	3	6	8	18
TOTAL 0-19 YRS	5657	2.5	9	<1	1	2	3	5	7	13
20-34	10350	2.8	13	<1	1	2	3	6	8	16
35-49	4271	3.0	18	<1	1	2	3	6	9	19
50-64	2179	3.2	18	<1	1	2	4	6	9	23
65+	1288	4.0	29	1	1	2	5	8	12	26
GRAND TOTAL	**23745**	**2.9**	**14**	**<1**	**1**	**2**	**3**	**6**	**8**	**17**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	492	2.9	6	<1	1	2	4	5	8	12
20-34	583	2.7	5	<1	1	2	3	5	7	10
35-49	173	3.2	5	1	1	3	4	6	8	10
50-64	68	3.5	7	<1	1	3	5	8	9	11
65+	35	5.6	66	1	1	4	6	8	14	49
B. *Operated*										
0-19 YRS	1873	3.4	15	<1	1	2	4	7	10	21
20-34	1638	3.7	16	1	1	2	4	8	11	21
35-49	590	3.8	16	1	1	3	5	8	11	19
50-64	295	4.3	19	1	1	3	5	9	14	23
65+	157	5.9	47	1	1	4	7	13	20	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	369	3.7	10	1	1	3	5	7	10	19
20-34	456	4.2	17	1	1	3	5	8	10	21
35-49	208	4.5	25	1	1	4	5	8	10	18
50-64	175	6.3	28	1	1	5	8	11	16	28
65+	238	7.6	43	1	2	6	10	15	17	34
B. *Operated*										
0-19 YRS	1173	5.7	48	1	1	4	6	13	19	37
20-34	1510	7.1	80	1	1	4	8	16	24	51
35-49	660	8.1	120	1	1	5	9	16	23	68
50-64	402	9.8	117	1	2	6	13	23	35	56
65+	452	11.0	146	1	2	8	13	25	37	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1351	3.0	7	<1	1	2	4	6	8	11
B. *Operated*	4553	3.7	17	<1	1	2	4	8	11	22
2. MULTIPLE DX										
A. *Not Operated*	1446	4.9	24	1	1	4	6	10	12	26
B. *Operated*	4197	7.6	91	1	1	4	9	17	25	54
1. SINGLE DX	5904	3.6	15	<1	1	2	4	7	10	21
2. MULTIPLE DX	5643	6.9	75	1	1	4	8	15	23	50
A. NOT OPERATED	2797	4.0	17	1	1	3	5	8	10	19
B. OPERATED	8750	5.6	56	1	1	3	6	12	19	41
TOTAL 0-19 YRS	3907	4.1	24	1	1	3	5	8	12	26
20-34	4187	4.9	41	1	1	3	5	10	15	34
35-49	1631	5.6	62	1	1	3	6	11	16	45
50-64	940	7.0	69	1	1	4	8	16	23	44
65+	882	9.0	102	1	2	6	11	18	29	61
GRAND TOTAL	**11547**	**5.2**	**47**	**1**	**1**	**3**	**6**	**11**	**16**	**37**

373: Injury to blood vessels (900-904)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	3.0	7	1	1	2	4	7	9	10
20-34	11	2.6	8	<1	<1	1	4	7	10	10
35-49	7	3.6	4	1	1	4	5	6	6	6
50-64	3	3.7	8	2	2	2	6	7	7	7
65+	5	4.0	8	<1	<1	5	6	7	7	7
B. *Operated*										
0-19 YRS	66	3.0	5	<1	1	2	4	7	8	9
20-34	118	3.7	11	<1	1	2	5	8	11	16
35-49	46	3.5	10	<1	1	2	5	9	10	12
50-64	25	5.3	32	1	1	3	8	16	18	19
65+	13	3.4	4	1	1	3	4	6	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	2.4	3	1	1	2	3	4	6	9
20-34	37	3.6	18	<1	1	2	4	9	10	23
35-49	20	6.9	46	<1	1	4	9	17	23	27
50-64	13	4.9	15	1	1	3	8	11	13	13
65+	31	5.9	21	2	2	4	6	13	16	21
B. *Operated*										
0-19 YRS	208	8.1	134	1	1	4	9	18	37	64
20-34	580	8.9	163	1	1	5	10	21	35	76
35-49	201	7.8	104	1	1	5	9	18	26	43
50-64	106	9.0	113	1	1	6	11	21	33	52
65+	84	8.7	94	1	1	5	12	25	35	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	3.2	7	<1	1	2	5	7	8	10
B. *Operated*	268	3.6	11	1	1	2	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	124	4.6	22	1	1	3	6	10	15	24
B. *Operated*	1179	8.6	138	1	1	5	10	20	34	66
1. SINGLE DX	314	3.6	11	1	1	2	5	8	10	17
2. MULTIPLE DX	1303	8.2	128	1	1	4	9	19	32	66
A. NOT OPERATED	170	4.2	18	1	1	3	5	9	12	23
B. OPERATED	1447	7.6	118	1	1	4	9	17	29	64
TOTAL 0-19 YRS	317	6.3	95	1	1	3	7	13	22	52
20-34	746	7.7	134	1	1	4	9	18	29	66
35-49	274	6.9	84	1	1	4	8	15	23	47
50-64	147	7.9	91	1	1	5	10	18	31	36
65+	133	7.4	68	1	1	5	9	18	27	57
GRAND TOTAL	**1617**	**7.3**	**109**	**1**	**1**	**4**	**8**	**16**	**27**	**63**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	3.4	23	<1	1	2	3	14	16	16
20-34	30	5.0	24	1	1	4	5	12	14	23
35-49	15	4.8	9	1	1	4	7	9	11	12
50-64	12	5.1	15	2	2	4	7	11	14	14
65+	12	3.9	7	1	1	3	5	9	9	9
B. *Operated*										
0-19 YRS	238	3.5	16	<1	1	2	4	8	10	17
20-34	396	3.6	17	1	1	2	4	8	10	20
35-49	205	3.7	13	<1	1	3	5	7	10	22
50-64	122	3.9	20	<1	<1	2	5	9	11	26
65+	28	4.4	14	1	1	3	5	9	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	6.4	178	<1	1	3	5	10	20	86
20-34	109	6.7	64	1	1	4	7	16	29	67
35-49	81	6.7	60	1	1	4	7	13	25	38
50-64	69	8.2	77	1	1	6	10	18	29	45
65+	80	9.8	103	1	2	6	12	29	32	85
B. *Operated*										
0-19 YRS	182	3.8	15	1	1	2	5	8	10	22
20-34	408	5.1	46	1	1	3	6	11	18	57
35-49	263	5.4	45	1	1	3	6	12	19	48
50-64	173	6.5	61	1	1	4	8	15	22	40
65+	117	9.5	95	1	1	7	12	23	30	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	4.5	17	1	1	4	5	10	14	21
B. *Operated*	989	3.7	16	<1	1	2	4	8	10	21
2. MULTIPLE DX										
A. *Not Operated*	398	7.5	91	1	1	4	9	18	30	54
B. *Operated*	1143	5.6	50	1	1	3	7	12	20	48
1. SINGLE DX	1074	3.7	16	<1	1	2	5	8	10	21
2. MULTIPLE DX	1541	6.1	61	1	1	4	7	14	22	50
A. NOT OPERATED	483	7.0	79	1	1	4	8	16	27	51
B. OPERATED	2132	4.7	35	1	1	3	5	10	15	36
TOTAL 0-19 YRS	495	4.0	36	<1	1	2	4	9	11	25
20-34	943	4.6	36	1	1	3	5	10	15	41
35-49	564	5.0	36	1	1	3	6	10	15	37
50-64	376	5.9	51	1	1	3	7	14	19	40
65+	237	8.7	87	1	1	6	10	22	30	59
GRAND TOTAL	**2615**	**5.1**	**44**	**1**	**1**	**3**	**6**	**11**	**17**	**39**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	771	3.7	4	1	1	4	5	6	7	10
20-34	299	3.3	4	1	1	3	5	6	6	10
35-49	95	3.6	6	1	1	3	4	6	9	12
50-64	26	3.4	2	1	1	3	5	5	6	6
65+	13	3.2	5	<1	<1	3	4	6	8	9
B. *Operated*										
0-19 YRS	35	5.7	19	1	1	5	8	11	14	20
20-34	11	4.4	12	1	1	4	6	10	12	12
35-49	6	3.3	1	2	2	3	4	5	5	5
50-64	2	4.5	25	1	1	4	8	8	8	8
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	463	3.6	8	1	1	3	5	6	7	12
20-34	346	3.2	6	<1	1	3	4	6	7	12
35-49	143	3.9	9	<1	1	3	5	6	10	16
50-64	74	4.0	7	1	1	3	5	7	10	13
65+	100	5.7	47	1	2	4	6	10	16	78
B. *Operated*										
0-19 YRS	95	4.5	11	1	1	4	6	10	11	14
20-34	116	3.8	8	1	1	3	5	7	9	16
35-49	38	3.3	4	<1	1	3	5	6	7	9
50-64	21	4.5	17	<1	<1	3	6	12	13	15
65+	38	4.8	35	1	1	2	6	12	19	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1204	3.6	4	1	1	3	5	6	7	11
B. *Operated*	55	5.1	15	1	1	4	7	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	1126	3.7	11	1	1	3	5	6	8	15
B. *Operated*	308	4.1	12	1	1	3	5	8	11	18
1. SINGLE DX	1259	3.6	5	1	1	3	5	6	7	11
2. MULTIPLE DX	1434	3.8	11	1	1	3	5	7	9	16
A. NOT OPERATED	2330	3.7	8	1	1	3	5	6	7	12
B. OPERATED	363	4.3	13	1	1	3	5	9	11	19
TOTAL 0-19 YRS	1364	3.8	6	1	1	4	5	6	8	12
20-34	772	3.3	5	1	1	3	5	6	7	12
35-49	282	3.7	7	<1	1	3	5	6	9	13
50-64	123	4.0	8	1	1	3	5	7	10	14
65+	152	5.2	40	1	1	3	6	10	16	55
GRAND TOTAL	**2693**	**3.7**	**8**	**1**	**1**	**3**	**5**	**6**	**8**	**13**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1925	1.8	3	<1	1	1	2	3	4	7
20-34	1654	2.3	4	<1	1	2	3	5	6	11
35-49	771	2.5	5	<1	1	2	3	5	7	12
50-64	411	3.0	6	1	1	2	4	6	8	13
65+	476	3.6	10	1	1	3	5	7	10	16
B. *Operated*										
0-19 YRS	354	2.3	5	<1	<1	2	2	5	5	11
20-34	335	2.9	15	<1	<1	2	4	6	7	11
35-49	177	3.4	9	<1	<1	2	4	7	9	14
50-64	130	4.4	17	<1	<1	3	5	10	12	20
65+	82	4.4	21	<1	1	3	5	9	12	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3616	2.2	3	<1	1	2	3	4	6	9
20-34	4539	2.8	8	<1	1	2	3	6	7	12
35-49	2489	3.6	12	1	1	3	4	7	10	17
50-64	2220	4.3	16	1	1	3	5	9	11	18
65+	6128	6.0	35	1	2	4	7	12	15	31
B. *Operated*										
0-19 YRS	526	3.9	24	1	1	2	4	8	12	24
20-34	830	4.1	21	<1	1	2	5	9	12	22
35-49	465	5.6	30	1	1	4	7	12	17	27
50-64	442	6.6	50	1	2	5	8	14	19	35
65+	793	9.8	80	1	2	7	13	22	29	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5237	2.3	5	<1	1	2	3	5	6	11
B. *Operated*	1078	3.1	12	<1	<1	2	4	6	9	15
2. MULTIPLE DX										
A. *Not Operated*	18992	4.0	20	1	1	3	5	8	11	21
B. *Operated*	3056	6.1	48	1	1	4	8	14	20	36
1. SINGLE DX	6315	2.4	6	<1	1	2	3	5	7	11
2. MULTIPLE DX	22048	4.3	24	1	1	3	5	9	12	24
A. NOT OPERATED	24229	3.6	17	1	1	2	4	8	10	19
B. OPERATED	4134	5.3	41	<1	1	3	7	12	18	32
TOTAL 0-19 YRS	6421	2.2	5	<1	1	1	3	4	6	10
20-34	7358	2.8	9	<1	1	2	3	6	8	14
35-49	3902	3.6	13	1	1	2	4	7	10	18
50-64	3203	4.5	20	1	1	3	6	9	12	21
65+	7479	6.2	40	1	1	5	8	13	17	34
GRAND TOTAL	**28363**	**3.9**	**21**	**<1**	**1**	**2**	**5**	**8**	**11**	**22**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	158	2.1	3	1	1	2	2	3	5	12
20-34	184	2.3	3	1	1	2	3	4	6	9
35-49	64	2.8	4	1	1	2	4	6	7	10
50-64	32	2.0	2	1	1	2	2	4	6	7
65+	7	3.3	6	<1	<1	3	5	7	7	7
B. *Operated*										
0-19 YRS	92	4.2	29	<1	1	2	4	9	17	30
20-34	217	4.1	29	<1	1	2	5	8	13	29
35-49	110	5.0	64	<1	1	2	5	10	20	45
50-64	57	4.2	49	<1	<1	2	4	9	20	36
65+	20	3.2	11	1	1	2	4	8	11	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	117	3.0	10	1	1	2	3	7	9	18
20-34	164	3.3	6	1	1	2	4	6	9	14
35-49	97	3.7	10	1	1	3	4	8	11	16
50-64	48	4.0	8	1	1	3	5	8	9	14
65+	39	5.3	20	1	1	4	7	13	17	99+
B. *Operated*										
0-19 YRS	193	6.2	57	1	1	3	7	15	24	36
20-34	515	6.8	98	1	1	3	7	16	26	59
35-49	254	6.8	64	1	1	4	9	16	24	50
50-64	181	8.1	132	1	1	4	9	19	30	62
65+	59	10.1	110	1	1	7	13	21	34	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	445	2.3	3	1	1	2	3	4	6	9
B. *Operated*	496	4.3	38	<1	1	2	5	9	16	35
2. MULTIPLE DX										
A. *Not Operated*	465	3.5	10	1	1	3	4	8	10	16
B. *Operated*	1202	7.1	91	1	1	4	8	16	26	56
1. SINGLE DX	941	3.3	23	<1	1	2	3	7	10	28
2. MULTIPLE DX	1667	6.1	70	1	1	3	7	14	22	50
A. NOT OPERATED	910	2.9	7	1	1	2	4	6	8	14
B. OPERATED	1698	6.3	77	1	1	3	7	15	24	50
TOTAL 0-19 YRS	560	4.0	30	1	1	2	4	9	15	33
20-34	1080	5.0	57	1	1	3	5	10	17	47
35-49	525	5.3	49	1	1	3	6	12	18	43
50-64	318	6.2	90	1	1	3	6	14	25	61
65+	125	7.1	68	1	1	4	9	16	23	66
GRAND TOTAL	**2608**	**5.1**	**55**	**1**	**1**	**3**	**5**	**11**	**18**	**42**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	1.5	2	<1	<1	1	1	2	6	8
20-34	5	1.4		1	1	1	2	2	2	2
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	28	1.4	1	<1	<1	<1	1	2	5	6
20-34	14	2.0	2	<1	<1	2	2	4	5	5
35-49	13	1.8	1	<1	<1	1	3	3	4	4
50-64	3	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.0	2	2	2	3	4	5	5	5
20-34	8	2.3	2	<1	<1	2	3	4	5	5
35-49	3	2.0	3	<1	<1	1	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	13	2.4	3	1	1	2	4	5	5	5
20-34	16	2.6	4	1	1	2	4	6	7	7
35-49	7	4.0	11	1	1	4	4	10	11	11
50-64	3	5.7	25	1	1	5	9	11	11	11
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	1.5	2	<1	<1	1	1	2	5	8
B. *Operated*	58	1.6	1	<1	<1	1	2	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	17	2.5	2	<1	<1	2	3	5	5	5
B. *Operated*	39	3.0	7	1	1	2	4	6	9	11
1. SINGLE DX	91	1.6	2	<1	<1	1	2	3	5	7
2. MULTIPLE DX	56	2.9	5	1	1	2	4	5	7	11
A. NOT OPERATED	50	1.8	2	<1	<1	1	2	4	5	8
B. OPERATED	97	2.2	4	<1	<1	1	3	5	6	11
TOTAL 0-19 YRS	73	1.8	2	<1	<1	1	2	4	5	8
20-34	43	2.2	3	<1	1	2	3	5	6	7
35-49	25	2.4	5	<1	<1	1	3	4	6	11
50-64	6	3.3	17	1	1	1	5	10	11	11
65+										
GRAND TOTAL	**147**	**2.1**	**3**	**<1**	**<1**	**1**	**3**	**5**	**5**	**11**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2002	1.3	1	<1	<1	1	1	2	3	5
20-34	374	1.5	1	<1	<1	1	1	2	4	8
35-49	329	1.4	1	<1	<1	1	1	2	3	8
50-64	329	1.4	1	<1	<1	1	1	2	3	7
65+	287	1.4	1	<1	1	1	2	2	3	5
B. *Operated*										
0-19 YRS	583	1.7	2	<1	<1	1	2	3	5	7
20-34	72	3.0	7	<1	1	2	4	7	9	11
35-49	81	2.7	6	<1	<1	2	4	6	8	12
50-64	70	2.7	7	<1	<1	2	3	7	10	12
65+	68	2.2	5	<1	1	1	2	7	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	674	2.2	5	<1	<1	2	3	4	5	11
20-34	202	2.6	9	<1	<1	2	3	5	8	12
35-49	282	2.7	7	<1	<1	2	3	6	8	13
50-64	435	2.8	11	<1	1	2	3	6	8	14
65+	955	3.5	12	1	1	2	4	7	11	17
B. *Operated*										
0-19 YRS	278	4.0	30	<1	1	2	5	9	13	31
20-34	150	7.2	111	<1	1	4	9	16	25	52
35-49	163	6.3	53	1	1	3	8	15	22	33
50-64	290	5.9	56	1	1	3	8	14	22	40
65+	603	5.9	45	1	1	3	8	14	19	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3321	1.3	1	<1	<1	1	1	2	3	6
B. *Operated*	874	2.0	4	<1	<1	1	2	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	2548	2.9	10	<1	1	2	3	6	8	14
B. *Operated*	1484	5.7	53	1	1	3	7	13	20	36
1. SINGLE DX	4195	1.5	2	<1	<1	1	1	2	4	8
2. MULTIPLE DX	4032	3.9	27	<1	1	2	4	9	13	27
A. NOT OPERATED	5869	2.0	5	<1	<1	1	2	4	6	12
B. OPERATED	2358	4.3	38	<1	1	2	5	10	16	31
TOTAL 0-19 YRS	3537	1.7	5	<1	<1	1	2	3	4	10
20-34	798	3.0	29	<1	<1	1	3	6	10	26
35-49	855	2.9	17	<1	<1	1	3	7	10	21
50-64	1124	3.2	23	<1	1	2	3	8	10	25
65+	1913	3.9	23	1	1	2	5	9	13	25
GRAND TOTAL	**8227**	**2.7**	**16**	**<1**	**<1**	**1**	**3**	**6**	**9**	**20**

380: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	114	6.4	33	1	1	5	9	13	17	27
20-34	60	5.8	35	<1	1	3	7	13	19	28
35-49	36	4.9	21	1	1	3	7	11	15	21
50-64	13	5.1	24	1	1	3	7	14	16	17
65+	14	9.9	48	<1	1	10	12	19	24	25
B. *Operated*										
0-19 YRS	262	8.3	81	1	1	6	11	18	21	39
20-34	228	7.3	70	1	1	5	10	16	19	39
35-49	115	9.3	75	1	2	7	13	18	27	43
50-64	88	11.5	91	1	2	9	17	24	30	44
65+	36	10.9	81	1	2	9	14	18	31	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	280	7.8	76	1	1	5	10	17	22	45
20-34	220	6.2	36	1	1	4	9	14	17	24
35-49	139	7.5	52	1	1	6	10	15	22	36
50-64	105	9.8	81	1	2	7	12	19	27	45
65+	141	10.7	79	2	2	8	14	21	26	44
B. *Operated*										
0-19 YRS	682	16.1	221	1	2	12	23	34	48	80
20-34	695	16.6	246	2	3	11	22	39	54	94
35-49	416	17.9	262	2	3	13	24	39	51	82
50-64	390	17.0	190	2	3	13	23	38	49	99+
65+	417	22.3	304	3	5	19	31	51	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	237	6.2	33	1	1	4	9	13	18	26
B. *Operated*	729	8.7	79	1	1	6	12	18	23	40
2. MULTIPLE DX										
A. *Not Operated*	885	8.0	65	1	1	6	11	17	22	42
B. *Operated*	2600	17.6	247	2	3	13	24	40	54	99+
1. SINGLE DX	966	8.0	69	1	1	6	11	17	21	38
2. MULTIPLE DX	3485	15.2	218	1	2	11	21	35	49	87
A. NOT OPERATED	1122	7.6	59	1	1	6	10	16	21	40
B. OPERATED	3329	15.7	224	1	2	11	21	36	49	88
TOTAL 0-19 YRS	1338	12.0	165	1	1	8	16	27	37	72
20-34	1203	12.4	188	1	2	8	16	30	45	76
35-49	706	13.8	203	1	2	9	18	33	42	71
50-64	596	14.6	163	2	3	11	21	34	45	85
65+	608	18.6	261	2	3	14	25	42	59	99+
GRAND TOTAL	**4451**	**13.7**	**195**	**1**	**2**	**9**	**18**	**32**	**44**	**78**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	966	4.2	19	1	1	3	6	9	12	23
20-34	519	3.9	17	<1	1	2	5	9	12	19
35-49	252	4.4	28	<1	1	3	6	10	15	22
50-64	98	4.8	21	1	1	3	7	10	14	24
65+	34	7.3	79	1	1	4	10	15	23	46
B. *Operated*										
0-19 YRS	216	7.6	79	1	1	5	10	16	25	44
20-34	155	7.8	77	<1	1	5	10	17	30	43
35-49	85	7.0	40	1	1	5	10	17	19	26
50-64	39	9.3	78	1	2	6	10	23	30	37
65+	12	12.9	104	1	2	11	18	27	36	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2292	4.9	22	1	1	3	7	11	14	22
20-34	1449	4.6	20	1	1	3	6	10	13	21
35-49	780	5.2	24	1	1	4	7	11	15	24
50-64	470	6.7	46	1	1	4	9	15	19	34
65+	436	8.2	60	1	1	6	11	18	22	39
B. *Operated*										
0-19 YRS	680	9.1	80	1	1	6	11	20	27	42
20-34	518	9.2	97	1	1	6	12	19	28	51
35-49	325	12.3	169	1	2	8	16	29	37	70
50-64	204	16.0	259	1	2	11	21	37	48	98
65+	186	17.5	208	3	4	14	24	36	47	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1869	4.2	21	1	1	3	6	10	13	22
B. *Operated*	507	7.8	73	1	1	5	10	17	25	38
2. MULTIPLE DX										
A. *Not Operated*	5427	5.3	28	1	1	4	7	12	16	25
B. *Operated*	1913	11.2	140	1	2	8	14	26	35	65
1. SINGLE DX	2376	5.0	34	1	1	3	7	11	15	29
2. MULTIPLE DX	7340	6.8	64	1	1	4	9	15	21	39
A. NOT OPERATED	7296	5.0	26	1	1	3	7	11	15	24
B. OPERATED	2420	10.5	128	1	1	7	14	24	34	62
TOTAL 0-19 YRS	4154	5.6	36	1	1	4	7	12	16	29
20-34	2641	5.6	42	1	1	3	7	12	17	34
35-49	1442	6.8	67	1	1	4	9	15	22	40
50-64	811	8.9	115	1	1	6	11	21	30	57
65+	668	10.9	120	1	2	8	14	24	33	62
GRAND TOTAL	**9716**	**6.4**	**57**	**1**	**1**	**4**	**8**	**14**	**20**	**38**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	111	2.9	10	<1	1	2	3	6	8	18
20-34	130	4.6	79	<1	<1	3	5	8	11	64
35-49	83	4.1	20	<1	1	3	5	8	10	28
50-64	39	4.3	13	1	1	4	6	11	13	14
65+	11	4.5	9	1	1	4	6	9	11	11
B. *Operated*										
0-19 YRS	192	2.5	8	<1	<1	2	2	5	9	14
20-34	419	2.5	8	<1	<1	2	3	5	7	15
35-49	176	2.8	15	<1	<1	2	3	5	8	27
50-64	64	2.7	8	<1	<1	2	2	7	10	12
65+	18	3.3	7	<1	1	2	5	7	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	151	6.0	111	<1	1	3	5	12	25	64
20-34	260	5.6	56	1	1	3	6	13	20	44
35-49	156	5.7	30	<1	1	4	7	11	15	30
50-64	116	8.2	117	1	2	5	9	14	24	69
65+	147	8.0	57	1	2	7	10	15	26	99+
B. *Operated*										
0-19 YRS	372	4.2	93	<1	1	2	3	7	17	55
20-34	769	5.0	97	<1	1	2	4	10	20	67
35-49	308	5.8	99	<1	1	2	5	13	30	61
50-64	159	7.4	137	<1	1	2	8	21	34	72
65+	103	11.1	199	1	1	5	16	36	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	374	4.0	37	<1	1	2	5	8	11	21
B. *Operated*	869	2.6	10	<1	<1	2	3	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	830	6.5	71	1	1	4	8	14	20	55
B. *Operated*	1711	5.5	109	<1	1	2	5	14	27	70
1. SINGLE DX	1243	3.0	18	<1	<1	2	3	6	9	19
2. MULTIPLE DX	2541	5.9	96	<1	1	2	6	14	24	64
A. NOT OPERATED	1204	5.7	62	<1	1	4	7	12	17	52
B. OPERATED	2580	4.6	77	<1	1	2	4	9	19	58
TOTAL 0-19 YRS	826	4.0	67	<1	1	2	3	7	13	51
20-34	1578	4.4	66	<1	1	2	4	9	15	49
35-49	723	4.9	56	<1	1	2	5	10	15	48
50-64	378	6.5	100	<1	1	3	7	15	25	67
65+	279	8.7	109	1	1	6	11	21	37	99+
GRAND TOTAL	**3784**	**4.9**	**72**	**<1**	**1**	**2**	**5**	**11**	**18**	**56**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	877	2.0	3	<1	1	1	2	4	5	9
20-34	856	2.5	4	<1	1	2	3	5	6	10
35-49	365	3.1	6	1	1	2	4	7	8	10
50-64	169	3.2	9	1	1	2	4	7	8	17
65+	121	3.5	26	1	1	3	4	7	8	28
B. *Operated*										
0-19 YRS	217	3.8	21	<1	1	2	5	8	10	18
20-34	328	4.1	20	<1	1	2	5	10	14	22
35-49	164	5.9	73	<1	1	3	6	13	19	55
50-64	90	4.8	30	<1	1	3	6	11	18	27
65+	25	7.6	49	1	2	7	10	16	26	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1207	2.8	8	<1	1	2	3	6	8	14
20-34	1664	3.4	14	<1	1	2	4	7	9	14
35-49	908	4.5	20	1	1	3	6	9	11	22
50-64	648	4.9	17	1	1	4	7	10	13	20
65+	1136	6.5	47	1	2	5	8	12	16	34
B. *Operated*										
0-19 YRS	419	7.5	91	1	1	4	9	17	25	55
20-34	809	7.4	78	1	1	5	9	17	25	46
35-49	431	8.5	110	1	2	5	10	18	29	70
50-64	276	9.2	117	1	1	6	11	19	32	62
65+	306	12.5	178	1	2	9	15	28	44	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2388	2.5	6	<1	1	2	3	5	7	11
B. *Operated*	824	4.6	33	<1	1	3	5	10	15	26
2. MULTIPLE DX										
A. *Not Operated*	5563	4.3	23	1	1	3	5	9	12	21
B. *Operated*	2241	8.5	108	1	1	5	10	19	29	62
1. SINGLE DX	3212	3.0	14	<1	1	2	4	6	8	18
2. MULTIPLE DX	7804	5.5	51	1	1	3	7	11	16	40
A. NOT OPERATED	7951	3.7	18	1	1	2	5	8	10	18
B. OPERATED	3065	7.5	91	1	1	4	9	17	25	52
TOTAL 0-19 YRS	2720	3.3	24	<1	1	2	4	7	10	24
20-34	3657	4.1	30	<1	1	3	5	9	12	28
35-49	1868	5.3	46	1	1	3	6	10	15	38
50-64	1183	5.7	44	1	1	4	7	12	16	35
65+	1588	7.5	77	1	2	5	9	15	22	54
GRAND TOTAL	**11016**	**4.8**	**41**	**1**	**1**	**3**	**6**	**10**	**15**	**34**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6145	1.6	2	<1	<1	1	2	3	4	6
20-34	2498	1.8	3	<1	<1	1	2	3	4	8
35-49	983	2.0	3	<1	<1	1	2	4	5	9
50-64	298	2.5	7	<1	1	2	3	4	8	12
65+	216	3.2	33	1	1	2	4	5	7	41
B. *Operated*										
0-19 YRS	14	2.6	4	<1	1	2	4	5	7	7
20-34	10	5.1	36	<1	<1	3	5	16	18	18
35-49	7	6.4	33	1	1	4	12	15	15	15
50-64	6	8.5	36	1	1	11	12	15	15	15
65+	6	5.5	30	1	1	3	9	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8596	3.4	38	<1	1	2	3	6	10	32
20-34	11482	3.5	27	<1	1	2	4	7	11	27
35-49	6279	4.0	29	<1	1	2	4	9	14	29
50-64	3216	5.2	44	1	1	3	6	11	17	36
65+	4652	6.2	42	1	2	5	8	12	16	32
B. *Operated*										
0-19 YRS	92	9.7	141	1	1	5	13	26	35	58
20-34	322	9.0	145	1	1	5	10	24	41	70
35-49	236	10.5	125	1	2	7	14	24	34	69
50-64	233	12.0	133	2	2	8	15	28	42	99+
65+	362	12.7	137	2	3	10	16	24	31	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10140	1.8	3	<1	<1	1	2	3	4	8
B. *Operated*	43	5.0	25	<1	1	3	7	14	15	18
2. MULTIPLE DX										
A. *Not Operated*	34225	4.1	35	<1	1	2	4	9	13	30
B. *Operated*	1245	10.9	138	1	2	7	14	25	35	76
1. SINGLE DX	10183	1.8	4	<1	<1	1	2	3	4	8
2. MULTIPLE DX	35470	4.3	40	<1	1	2	5	9	15	33
A. NOT OPERATED	44365	3.5	29	<1	1	2	4	7	11	27
B. OPERATED	1288	10.8	136	1	2	7	14	24	35	75
TOTAL 0-19 YRS	14847	2.7	25	<1	1	1	3	5	7	25
20-34	14312	3.3	27	<1	1	2	3	6	11	27
35-49	7505	4.0	31	<1	1	2	4	9	14	29
50-64	3753	5.4	50	1	1	3	6	12	19	39
65+	5236	6.5	51	1	1	5	8	13	18	35
GRAND TOTAL	**45653**	**3.7**	**33**	**<1**	**1**	**2**	**4**	**8**	**13**	**29**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3032	1.9	4	<1	<1	1	2	4	6	9
20-34	1262	1.6	2	<1	<1	1	2	3	4	7
35-49	697	1.7	2	<1	<1	1	2	3	4	8
50-64	370	1.7	3	<1	1	1	2	3	4	9
65+	151	1.6	1	<1	1	1	2	3	4	7
B. *Operated*										
0-19 YRS	39	2.7	4	<1	1	2	4	5	8	8
20-34	38	3.2	4	1	1	3	5	6	7	9
35-49	13	3.8	6	1	1	3	6	8	8	8
50-64	10	4.5	19	1	1	3	8	11	14	14
65+	5	6.4	32	3	3	3	9	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1766	2.8	19	<1	1	2	3	6	8	17
20-34	1543	3.0	29	<1	1	2	3	5	9	24
35-49	1099	3.3	19	<1	1	2	4	7	10	22
50-64	808	3.4	16	1	1	2	4	7	11	22
65+	767	4.3	29	1	1	3	5	9	13	29
B. *Operated*										
0-19 YRS	65	10.1	180	1	1	6	12	22	57	93
20-34	129	9.2	166	1	1	5	10	22	44	74
35-49	75	10.5	148	1	2	6	13	25	39	59
50-64	66	10.1	128	1	2	6	15	21	30	59
65+	65	13.6	258	2	2	9	15	33	50	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5512	1.8	3	<1	<1	1	2	3	5	8
B. *Operated*	105	3.4	7	1	1	3	5	7	8	15
2. MULTIPLE DX										
A. *Not Operated*	5983	3.2	23	<1	1	2	3	6	10	22
B. *Operated*	400	10.4	174	1	1	6	12	25	44	70
1. SINGLE DX	5617	1.8	3	<1	<1	1	2	4	5	8
2. MULTIPLE DX	6383	3.7	35	<1	1	2	4	7	11	29
A. NOT OPERATED	11495	2.5	14	<1	1	1	3	5	7	18
B. OPERATED	505	9.0	147	1	1	5	10	20	39	66
TOTAL 0-19 YRS	4902	2.3	12	<1	1	1	2	5	6	14
20-34	2972	2.7	25	<1	1	1	2	5	7	23
35-49	1884	3.0	21	<1	1	2	3	6	9	23
50-64	1254	3.3	21	1	1	2	3	6	11	22
65+	988	4.5	47	1	1	2	5	9	15	34
GRAND TOTAL	**12000**	**2.8**	**21**	**<1**	**1**	**1**	**3**	**6**	**8**	**22**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1284	2.2	14	<1	1	1	2	4	6	10
20-34	792	2.0	3	<1	1	1	2	4	5	11
35-49	599	2.2	6	<1	1	1	2	4	5	13
50-64	421	2.4	5	<1	1	2	3	4	6	14
65+	311	2.8	5	1	1	2	3	6	7	11
B. *Operated*										
0-19 YRS	25	4.8	38	<1	1	2	5	12	22	24
20-34	20	4.4	31	1	1	2	4	12	19	23
35-49	39	6.2	41	1	1	5	9	15	20	29
50-64	17	7.9	91	1	1	4	9	22	33	38
65+	10	4.5	14	1	1	3	6	10	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1659	3.4	22	1	1	2	4	7	10	23
20-34	1497	3.0	9	1	1	2	4	6	8	15
35-49	1555	3.6	23	1	1	2	4	7	10	18
50-64	2020	4.5	23	1	1	3	6	9	12	24
65+	4688	5.9	30	1	2	5	7	11	15	27
B. *Operated*										
0-19 YRS	130	11.2	294	1	1	5	16	35	89	99+
20-34	219	7.5	148	1	1	3	8	19	36	77
35-49	209	8.9	175	1	1	4	10	24	46	99+
50-64	291	11.0	167	1	1	7	13	27	36	72
65+	556	10.8	129	1	1	8	14	26	39	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3407	2.2	8	<1	1	1	3	4	6	11
B. *Operated*	111	5.6	44	1	1	3	8	13	23	33
2. MULTIPLE DX										
A. *Not Operated*	11419	4.6	25	1	1	3	6	9	12	24
B. *Operated*	1405	10.1	163	1	1	6	13	26	40	99+
1. SINGLE DX	3518	2.3	10	<1	1	2	3	4	6	12
2. MULTIPLE DX	12824	5.2	43	1	1	3	6	11	15	37
A. NOT OPERATED	14826	4.1	22	1	1	3	5	8	11	22
B. OPERATED	1516	9.8	156	1	1	6	12	25	39	99+
TOTAL 0-19 YRS	3098	3.3	33	1	1	2	3	6	9	31
20-34	2528	3.1	21	<1	1	2	3	6	9	20
35-49	2402	3.8	35	1	1	2	4	7	11	30
50-64	2749	4.9	41	1	1	3	6	10	15	33
65+	5565	6.2	41	1	1	5	7	12	17	36
GRAND TOTAL	**16342**	**4.6**	**37**	**1**	**1**	**3**	**5**	**9**	**14**	**33**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	198	3.3	14	<1	1	2	4	7	11	17
20-34	194	3.9	14	<1	1	3	5	8	10	17
35-49	165	4.8	27	1	1	3	6	9	16	21
50-64	192	5.2	46	<1	1	3	6	11	15	31
65+	296	6.0	50	1	1	4	7	12	20	41
B. *Operated*										
0-19 YRS	1052	4.2	19	<1	1	3	5	8	11	25
20-34	1587	4.1	21	<1	1	2	5	9	12	22
35-49	1482	5.2	29	<1	1	3	7	12	15	29
50-64	2173	6.6	41	1	1	5	9	14	17	30
65+	3445	6.8	41	1	1	5	10	15	18	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	707	5.2	31	1	1	3	7	11	15	27
20-34	715	5.6	39	1	1	4	7	11	14	40
35-49	706	5.6	27	1	1	4	7	11	16	26
50-64	1014	6.2	43	1	1	4	8	13	17	37
65+	2236	6.9	46	1	1	5	9	14	18	33
B. *Operated*										
0-19 YRS	3084	7.8	82	1	2	5	9	19	26	47
20-34	3559	7.7	98	1	1	5	9	17	27	55
35-49	4922	7.8	79	1	1	5	10	17	24	49
50-64	9064	9.0	97	1	1	6	12	19	27	53
65+	15697	10.2	117	1	2	7	13	22	31	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1045	4.8	33	<1	1	3	6	10	14	32
B. *Operated*	9739	5.8	35	1	1	4	8	13	16	29
2. MULTIPLE DX										
A. *Not Operated*	5378	6.2	40	1	1	4	8	13	17	33
B. *Operated*	36326	9.1	103	1	1	6	12	20	28	55
1. SINGLE DX	10784	5.7	35	1	1	4	8	13	16	29
2. MULTIPLE DX	41704	8.7	96	1	1	6	11	19	27	53
A. NOT OPERATED	6423	6.0	39	1	1	4	8	12	16	32
B. OPERATED	46065	8.4	91	1	1	5	11	18	26	51
TOTAL 0-19 YRS	5041	6.5	62	1	1	4	8	15	22	42
20-34	6055	6.4	71	1	1	4	8	13	21	46
35-49	7275	7.0	64	1	1	4	9	15	21	44
50-64	12443	8.3	83	1	1	6	11	18	24	48
65+	21674	9.2	99	1	2	6	12	20	28	55
GRAND TOTAL	**52488**	**8.1**	**85**	**1**	**1**	**5**	**10**	**18**	**25**	**50**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	641	1.5	1	<1	<1	1	2	2	3	6
20-34	731	2.1	3	<1	1	2	3	4	5	8
35-49	427	2.7	5	1	1	2	3	5	6	10
50-64	482	3.0	5	1	1	3	4	6	7	10
65+	744	3.2	4	1	1	3	4	6	7	11
B. *Operated*										
0-19 YRS	721	1.6	1	<1	<1	1	2	3	4	7
20-34	836	2.3	4	<1	1	2	3	4	6	10
35-49	489	2.8	6	1	1	2	4	6	8	13
50-64	308	3.2	7	1	1	2	4	6	9	14
65+	322	3.9	9	1	1	3	5	8	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	219	2.0	2	<1	1	2	2	4	5	8
20-34	436	3.1	13	1	1	2	4	6	7	13
35-49	405	3.5	9	1	1	3	4	7	11	15
50-64	693	3.6	7	1	1	3	5	7	9	14
65+	1550	4.3	22	1	1	3	5	8	10	20
B. *Operated*										
0-19 YRS	284	2.4	10	1	1	1	3	5	8	19
20-34	677	3.3	14	1	1	2	4	7	9	20
35-49	630	4.3	23	1	1	3	6	10	14	24
50-64	715	5.1	44	1	1	3	6	11	15	39
65+	1489	5.1	44	1	1	3	6	11	16	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3025	2.5	4	<1	1	2	3	5	6	9
B. *Operated*	2676	2.5	5	<1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	3303	3.7	15	1	1	3	5	7	9	16
B. *Operated*	3795	4.5	33	1	1	3	5	10	14	29
1. SINGLE DX	5701	2.5	4	<1	1	2	3	5	6	11
2. MULTIPLE DX	7098	4.1	25	1	1	3	5	8	12	24
A. NOT OPERATED	6328	3.1	10	1	1	2	4	6	8	13
B. OPERATED	6471	3.6	23	1	1	2	4	8	11	23
TOTAL 0-19 YRS	1865	1.7	3	<1	<1	1	2	3	4	8
20-34	2680	2.6	8	<1	1	2	3	5	7	13
35-49	1951	3.4	12	1	1	2	4	7	10	18
50-64	2198	3.9	19	1	1	3	5	7	10	22
65+	4105	4.4	26	1	1	3	5	8	12	24
GRAND TOTAL	**12799**	**3.4**	**17**	**1**	**1**	**2**	**4**	**7**	**9**	**19**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	280	5.1	14	1	2	4	7	10	12	18
20-34	613	4.9	15	1	2	4	6	9	11	17
35-49	458	5.2	13	1	2	4	7	9	11	22
50-64	360	6.2	31	2	2	5	8	11	13	18
65+	236	7.0	39	2	2	5	9	13	17	42
B. *Operated*										
0-19 YRS	250	7.0	30	1	2	6	9	13	16	26
20-34	400	6.8	38	1	2	5	8	14	18	29
35-49	388	7.4	39	1	2	6	9	15	20	31
50-64	299	8.7	63	1	2	6	11	18	23	43
65+	251	9.5	74	1	2	7	12	20	28	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	329	5.7	19	2	2	5	7	11	14	21
20-34	740	6.1	23	2	2	5	7	12	15	25
35-49	834	6.9	25	2	3	5	9	13	16	25
50-64	1035	7.8	32	2	3	6	10	15	18	28
65+	1404	9.0	54	2	3	7	11	17	22	46
B. *Operated*										
0-19 YRS	378	9.2	58	2	2	7	12	19	23	42
20-34	836	10.7	105	2	3	8	14	24	32	59
35-49	967	12.0	117	2	3	9	15	26	35	57
50-64	1332	14.3	171	2	3	10	18	31	42	75
65+	1602	16.1	200	3	4	12	21	34	46	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1947	5.5	21	2	2	4	7	10	13	20
B. *Operated*	1588	7.8	48	1	2	6	10	16	20	35
2. MULTIPLE DX										
A. *Not Operated*	4342	7.6	37	2	3	6	9	14	18	30
B. *Operated*	5115	13.5	156	2	3	10	17	29	40	67
1. SINGLE DX	3535	6.5	34	1	2	5	8	13	17	30
2. MULTIPLE DX	9457	10.8	110	2	3	8	13	22	31	58
A. NOT OPERATED	6289	6.9	33	2	2	5	9	13	17	28
B. OPERATED	6703	12.1	136	2	3	8	15	26	36	62
TOTAL 0-19 YRS	1237	6.9	35	1	2	5	9	14	18	31
20-34	2589	7.4	55	2	2	5	9	15	21	42
35-49	2647	8.6	66	2	2	6	10	18	24	45
50-64	3026	10.5	107	2	3	8	13	21	31	58
65+	3493	12.1	135	2	3	8	15	25	35	66
GRAND TOTAL	**12992**	**9.6**	**93**	**2**	**2**	**7**	**12**	**20**	**28**	**53**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	214	2.7	7	1	1	2	3	6	8	14
20-34	496	3.1	7	1	1	2	4	7	9	13
35-49	441	4.5	17	1	1	3	6	10	12	19
50-64	349	4.4	15	1	1	3	6	10	13	18
65+	299	4.7	18	1	1	3	6	10	12	22
B. *Operated*										
0-19 YRS	283	3.5	20	<1	<1	2	4	8	9	28
20-34	579	4.4	25	<1	1	3	6	9	12	23
35-49	576	5.4	23	1	1	4	7	10	13	25
50-64	528	5.9	40	1	1	4	8	13	18	29
65+	517	5.6	32	1	1	4	8	13	16	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	525	3.2	11	1	1	2	4	7	10	15
20-34	1126	3.8	14	1	1	3	5	8	10	19
35-49	1148	4.7	20	1	1	3	7	10	12	21
50-64	1441	5.7	27	1	1	4	8	11	15	26
65+	2374	6.1	46	1	1	4	8	12	16	36
B. *Operated*										
0-19 YRS	846	4.5	50	1	1	2	5	11	18	35
20-34	1902	5.1	54	1	1	2	6	12	18	38
35-49	2241	7.3	86	1	1	4	10	17	24	48
50-64	2862	8.9	114	1	1	6	11	21	31	68
65+	4871	8.5	111	1	1	5	11	21	29	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1799	3.9	13	1	1	3	5	9	11	18
B. *Operated*	2483	5.1	29	<1	1	3	7	10	14	27
2. MULTIPLE DX										
A. *Not Operated*	6614	5.2	30	1	1	4	7	11	14	25
B. *Operated*	12722	7.6	97	1	1	4	10	18	27	55
1. SINGLE DX	4282	4.6	23	1	1	3	6	10	13	24
2. MULTIPLE DX	19336	6.8	75	1	1	4	9	15	23	46
A. NOT OPERATED	8413	4.9	27	1	1	3	7	10	13	24
B. OPERATED	15205	7.2	87	1	1	4	9	17	25	51
TOTAL 0-19 YRS	1868	3.8	30	1	1	2	4	9	13	29
20-34	4103	4.4	34	1	1	2	5	10	14	30
35-49	4406	6.1	55	1	1	4	8	13	19	37
50-64	5180	7.4	78	1	1	5	9	17	24	52
65+	8061	7.5	85	1	1	5	10	17	24	50
GRAND TOTAL	**23618**	**6.4**	**67**	**1**	**1**	**4**	**8**	**14**	**21**	**43**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	119	2.1	4	<1	1	2	3	4	5	11
20-34	48	3.3	7	1	1	3	4	7	9	14
35-49	37	3.5	6	<1	1	3	5	7	8	9
50-64	28	3.4	5	1	1	3	5	7	7	7
65+	17	2.5	5	<1	1	2	3	4	8	10
B. *Operated*										
0-19 YRS	3	3.0	12	<1	<1	1	5	7	7	7
20-34	3	2.3	1	<1	<1	3	3	3	3	3
35-49	11	4.7	7	1	2	4	6	9	9	9
50-64	5	8.6	122	<1	<1	4	12	28	28	28
65+	3	2.7		2	2	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	182	3.2	9	<1	1	2	4	6	9	17
20-34	102	4.4	13	1	1	3	6	8	11	20
35-49	109	4.6	12	1	1	4	6	9	13	17
50-64	156	4.6	22	1	1	3	6	10	13	29
65+	249	3.9	12	1	1	3	6	9	10	14
B. *Operated*										
0-19 YRS	15	5.3	51	<1	<1	2	8	12	23	27
20-34	43	9.3	146	1	2	6	11	17	31	66
35-49	56	9.7	103	1	1	6	12	25	34	49
50-64	63	8.1	67	1	2	6	10	18	22	47
65+	87	8.9	77	1	2	7	12	19	21	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	249	2.7	5	<1	1	2	3	6	7	10
B. *Operated*	25	4.8	29	<1	<1	3	6	9	14	28
2. MULTIPLE DX										
A. *Not Operated*	798	4.0	14	1	1	3	5	8	11	18
B. *Operated*	264	8.7	89	1	1	6	11	19	25	50
1. SINGLE DX	274	2.9	8	<1	1	2	4	6	7	13
2. MULTIPLE DX	1062	5.2	37	1	1	3	6	11	15	29
A. NOT OPERATED	1047	3.7	12	1	1	3	5	8	10	17
B. OPERATED	289	8.4	85	1	1	6	11	18	25	50
TOTAL 0-19 YRS	319	2.9	10	<1	1	2	3	6	8	18
20-34	196	5.1	45	1	1	3	6	10	14	38
35-49	213	5.8	40	1	1	4	7	12	15	36
50-64	252	5.4	35	1	1	4	7	11	17	29
65+	356	5.0	32	1	1	3	7	11	15	27
GRAND TOTAL	**1336**	**4.7**	**32**	**1**	**1**	**3**	**6**	**10**	**14**	**28**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	23	1.2		<1	<1	1	1	2	3	3
35-49	4	2.0	2	1	1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	43	1.7	1	<1	<1	1	2	4	4	4
20-34	5937	1.6	1	<1	<1	1	2	3	3	5
35-49	2728	1.5	1	<1	<1	1	2	3	3	4
50-64	15	1.1		<1	<1	<1	<1	1	2	2
65+	4	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	2	<1	<1	2	3	4	4	4
20-34	155	1.1		<1	<1	<1	1	1	2	4
35-49	71	1.2	1	<1	<1	<1	1	2	2	7
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	57	2.9	4	<1	1	2	4	6	7	8
20-34	4468	2.0	2	<1	<1	1	3	4	5	7
35-49	2562	2.0	2	<1	<1	1	2	4	5	7
50-64	14	2.4	3	<1	<1	2	3	5	7	7
65+	5	2.4	1	2	2	2	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	1.3	1	<1	<1	1	1	3	3	4
B. *Operated*	8727	1.5	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	230	1.2	1	<1	<1	<1	1	1	2	5
B. *Operated*	7106	2.0	2	<1	<1	1	3	4	5	7
1. SINGLE DX	8754	1.5	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX	7336	2.0	2	<1	<1	1	2	4	5	7
A. NOT OPERATED	257	1.2	1	<1	<1	1	1	2	2	4
B. OPERATED	15833	1.7	1	<1	<1	1	2	3	4	6
TOTAL 0-19 YRS	103	2.4	3	<1	<1	2	3	5	6	8
20-34	10583	1.7	1	<1	<1	1	2	3	4	6
35-49	5365	1.7	1	<1	<1	1	2	3	4	6
50-64	30	1.7	2	<1	<1	1	2	3	5	7
65+	9	1.8	1	1	1	2	2	3	4	4
GRAND TOTAL	**16090**	**1.7**	**1**	**<1**	**<1**	**1**	**2**	**3**	**4**	**6**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	13	39.8	304	17	19	33	50	66	75	77
1500-1749	14	20.8	48	9	12	22	26	30	30	30
1750-2499	6221	2.9	3	1	1	3	3	5	6	10
2500+	418795	2.6	2	1	1	2	3	4	5	6
B. *Operated*										
1-999 G	1	88.0		88	88	88	88	88	88	88
1000-1499	4	35.3	472	8	8	37	52	58	58	58
1500-1749	4	26.5	15	23	23	25	29	32	32	32
1750-2499	18	8.5	24	2	2	9	13	15	16	16
2500+	161	4.5	15	1	2	3	5	10	14	19
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	113	67.3	354	39	46	73	93	99+	99+	99+
1000-1499	828	39.2	247	17	22	37	48	62	69	92
1500-1749	1214	24.1	93	12	14	23	29	36	41	54
1750-2499	20257	6.7	38	1	2	5	8	15	19	30
2500+	256747	3.4	4	1	2	3	4	5	6	10
B. *Operated*										
1-999 G	334	74.4	241	52	60	89	99+	99+	99+	99+
1000-1499	1023	51.2	344	23	25	51	66	85	99	99+
1500-1749	604	33.1	198	15	19	31	40	54	68	99+
1750-2499	2094	17.2	167	2	5	15	23	33	44	98
2500+	5767	7.8	78	1	2	5	9	15	23	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	425043	2.6	2	1	1	2	3	4	5	6
B. *Operated*	188	6.5	88	1	2	4	7	14	19	53
2. MULTIPLE DX										
A. *Not Operated*	279159	3.9	16	1	2	3	4	6	8	19
B. *Operated*	9822	18.2	436	2	3	10	27	60	83	99+
1. SINGLE DX	425231	2.6	2	1	1	2	3	4	5	6
2. MULTIPLE DX	288981	4.3	37	1	2	3	5	6	10	35
A. NOT OPERATED	704202	3.1	8	1	1	3	4	5	6	12
B. OPERATED	10010	17.9	432	2	3	9	26	59	82	99+
TOTAL 1-999 G	448	72.6	279	47	55	86	99+	99+	99+	99+
1000-1499	1868	45.8	337	19	24	44	59	75	90	99+
1500-1749	1836	27.0	145	12	15	25	33	42	51	81
1750-2499	28590	6.7	51	1	2	4	8	15	20	34
2500+	681470	3.0	3	1	1	3	4	5	6	8
GRAND TOTAL	**714212**	**3.3**	**17**	**1**	**1**	**3**	**4**	**5**	**6**	**17**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	2	19.5	221	9	9	19	30	30	30	30
1500-1749	8	17.5	55	8	9	16	19	29	33	33
1750-2499	874	4.4	5	2	2	4	5	7	8	13
2500+	3689	4.0	3	2	2	4	5	6	6	8
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	5	12.8	43	5	5	10	19	21	21	21
2500+	6	17.2	1012	2	2	4	7	74	82	82
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	26	67.0	321	36	44	71	87	99	99+	99+
1000-1499	180	36.8	209	15	21	36	47	56	70	94
1500-1749	329	24.2	119	11	13	22	30	37	43	61
1750-2499	3568	8.7	42	3	3	6	12	17	21	32
2500+	3554	4.9	7	2	3	5	6	7	8	16
B. *Operated*										
1-999 G	72	74.6	302	43	58	88	99+	99+	99+	99+
1000-1499	236	51.7	317	25	32	53	65	92	99+	99+
1500-1749	165	33.5	134	18	22	31	39	51	62	96
1750-2499	367	20.0	178	5	6	17	25	34	50	68
2500+	106	8.4	48	2	3	6	11	16	19	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4573	4.1	4	2	2	4	5	6	7	10
B. *Operated*	11	15.2	528	2	3	7	16	45	79	82
2. MULTIPLE DX										
A. *Not Operated*	7657	8.4	81	2	3	5	9	17	25	48
B. *Operated*	946	33.1	552	5	7	29	54	83	99+	99+
1. SINGLE DX	4584	4.1	5	2	2	4	5	6	7	10
2. MULTIPLE DX	8603	11.2	192	2	3	6	13	27	44	90
A. NOT OPERATED	12230	6.8	57	2	3	5	6	14	21	41
B. OPERATED	957	32.9	555	5	7	29	54	82	99+	99+
TOTAL 1-999 G	98	72.6	315	41	54	86	99+	99+	99+	99+
1000-1499	418	45.1	326	17	25	45	59	78	98	99+
1500-1749	502	27.2	143	12	15	25	33	42	50	71
1750-2499	4814	8.8	59	2	3	6	11	18	23	38
2500+	7355	4.5	7	2	2	4	5	6	8	13
GRAND TOTAL	**13187**	**8.7**	**138**	**2**	**3**	**5**	**7**	**20**	**33**	**79**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	63	3.0	5	<1	1	3	3	6	6	14
2500+	1071	2.1	1	<1	1	2	3	3	4	7
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	1	32.0		32	32	32	32	32	32	32
2500+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	1	69.0		69	69	69	69	69	69	69
1000-1499	13	28.6	272	8	10	26	38	48	65	69
1500-1749	14	21.6	48	12	14	20	26	31	33	34
1750-2499	179	7.7	52	1	2	5	12	17	22	28
2500+	630	3.2	5	1	1	3	4	6	7	12
B. *Operated*										
1-999 G	4	88.8	147	71	75	97	99+	99+	99+	99+
1000-1499	11	58.8	537	23	28	67	74	99	99+	99+
1500-1749	8	23.3	278	7	8	19	36	48	51	51
1750-2499	17	19.9	284	6	7	13	24	41	63	73
2500+	33	8.8	162	2	2	6	9	14	20	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1134	2.2	2	<1	1	2	3	3	4	7
B. *Operated*	2	17.0	450	2	2	17	32	32	32	32
2. MULTIPLE DX										
A. *Not Operated*	837	5.0	42	1	1	3	5	11	17	31
B. *Operated*	73	24.9	771	2	3	12	42	88	99	99+
1. SINGLE DX	1136	2.2	2	<1	1	2	3	3	4	7
2. MULTIPLE DX	910	6.6	129	1	1	3	6	14	24	75
A. NOT OPERATED	1971	3.4	21	1	1	2	3	6	10	23
B. OPERATED	75	24.7	758	2	3	12	42	85	99	99+
TOTAL 1-999 G	5	84.8	188	69	70	96	99+	99+	99+	99+
1000-1499	24	42.5	612	10	14	37	69	74	98	99+
1500-1749	22	22.2	123	8	9	20	30	36	46	51
1750-2499	260	7.5	72	1	1	4	10	18	23	43
2500+	1735	2.6	7	1	1	2	3	4	6	10
GRAND TOTAL	**2046**	**4.1**	**63**	**1**	**1**	**2**	**3**	**7**	**13**	**51**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	2.3	9	<1	<1	1	2	4	8	18
20-34	32	2.0	2	<1	<1	2	3	4	4	6
35-49	16	1.8	2	<1	<1	1	2	4	5	5
50-64	16	2.3	2	<1	1	2	3	4	5	5
65+	9	2.7	2	<1	<1	2	4	5	5	5
B. *Operated*										
0-19 YRS	1950	2.0	2	<1	<1	2	2	4	5	7
20-34	2679	2.1	2	<1	<1	2	3	4	5	8
35-49	1265	2.2	3	<1	<1	2	3	4	5	8
50-64	951	2.3	3	<1	<1	2	3	4	5	9
65+	554	3.2	10	<1	<1	2	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	4.1	180	<1	<1	1	3	5	8	88
20-34	41	1.5	3	<1	<1	1	1	3	3	11
35-49	17	1.4		<1	<1	1	2	3	3	3
50-64	24	2.6	9	<1	<1	1	3	7	11	12
65+	35	5.1	28	<1	1	3	8	13	18	20
B. *Operated*										
0-19 YRS	932	3.0	13	<1	<1	2	3	5	7	16
20-34	820	3.4	19	<1	1	2	4	6	10	23
35-49	556	3.6	14	<1	1	3	4	7	9	21
50-64	536	4.0	18	1	1	3	5	8	11	22
65+	559	5.1	39	1	1	3	6	10	15	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	2.2	4	<1	<1	2	3	4	5	13
B. *Operated*	7399	2.2	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	159	3.1	57	<1	<1	1	3	7	11	20
B. *Operated*	3403	3.7	20	<1	1	2	4	7	10	23
1. SINGLE DX	7515	2.2	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX	3562	3.7	22	<1	1	2	4	7	10	23
A. NOT OPERATED	275	2.7	35	<1	<1	1	3	4	9	19
B. OPERATED	10802	2.7	9	<1	<1	2	3	5	7	14
TOTAL 0-19 YRS	2967	2.3	8	<1	<1	2	3	4	5	12
20-34	3572	2.4	6	<1	<1	2	3	4	6	11
35-49	1854	2.6	7	<1	<1	2	3	5	7	13
50-64	1527	2.9	9	<1	<1	2	3	5	8	14
65+	1157	4.2	25	<1	1	3	5	8	12	23
GRAND TOTAL	**11077**	**2.7**	**10**	**<1**	**<1**	**2**	**3**	**5**	**7**	**14**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	1.2	1	1	1	1	1	2	3	4
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	6	1.2		1	1	1	1	2	2	2
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	5	2.8	3	2	2	2	3	6	6	6
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	2	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	8	3.4	9	<1	<1	2	6	8	8	8
50-64	3	5.3	33	2	2	2	10	12	12	12
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	118	1.3	1	<1	<1	<1	1	2	3	5
20-34	56	3.2	21	1	1	2	3	5	9	32
35-49	131	2.2	5	1	1	2	2	3	4	12
50-64	259	1.7	1	1	1	2	2	3	3	6
65+	279	1.7	1	1	1	2	2	2	4	7
B. *Operated*										
0-19 YRS	18	5.4	16	<1	1	4	8	11	14	15
20-34	215	2.1	11	<1	<1	<1	2	4	6	15
35-49	159	3.3	13	<1	<1	2	4	7	10	14
50-64	209	3.6	29	<1	<1	2	4	8	11	23
65+	183	3.5	15	<1	<1	2	4	8	12	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	1.5	1	1	1	1	2	2	4	6
B. *Operated*	16	3.1	11	<1	<1	2	4	8	11	12
2. MULTIPLE DX										
A. *Not Operated*	843	1.8	3	<1	1	2	2	3	4	7
B. *Operated*	784	3.1	18	<1	<1	2	4	7	10	19
1. SINGLE DX	45	2.1	5	<1	1	1	2	6	7	12
2. MULTIPLE DX	1627	2.5	10	<1	<1	2	2	5	7	15
A. NOT OPERATED	872	1.8	3	<1	1	2	2	3	4	7
B. OPERATED	800	3.1	17	<1	<1	2	4	7	10	19
TOTAL 0-19 YRS	152	1.7	4	<1	<1	1	1	3	5	12
20-34	275	2.3	13	<1	<1	<1	2	5	7	16
35-49	304	2.8	9	<1	<1	2	3	6	7	14
50-64	473	2.6	15	<1	<1	2	3	5	8	19
65+	468	2.4	7	<1	<1	2	2	5	7	15
GRAND TOTAL	**1672**	**2.5**	**10**	**<1**	**<1**	**2**	**2**	**5**	**7**	**15**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2998	2.3	17	<1	<1	1	2	4	6	17
20-34	4102	2.5	25	<1	<1	1	2	4	7	24
35-49	1808	3.2	32	<1	<1	1	3	6	15	27
50-64	1754	2.6	20	<1	<1	1	2	5	8	24
65+	1526	4.4	51	<1	<1	2	4	12	20	38
B. *Operated*										
0-19 YRS	1188	3.0	11	<1	<1	2	4	7	9	14
20-34	3183	3.3	12	<1	<1	2	4	7	9	13
35-49	2136	3.7	10	<1	1	2	5	8	10	14
50-64	1459	4.6	19	<1	1	3	7	10	11	17
65+	966	5.9	39	<1	1	5	9	12	14	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9241	4.3	68	<1	1	2	4	7	15	49
20-34	8814	5.2	83	<1	1	2	5	12	27	51
35-49	14098	4.0	41	1	1	2	4	7	14	32
50-64	34857	3.7	33	1	1	2	4	6	10	31
65+	37414	5.6	71	1	1	3	5	14	23	45
B. *Operated*										
0-19 YRS	3036	4.2	53	<1	1	2	5	9	15	50
20-34	5109	4.7	61	<1	1	3	5	9	14	50
35-49	6081	4.9	43	<1	1	3	6	10	14	38
50-64	8829	5.8	51	1	1	4	7	12	17	42
65+	9934	7.3	88	1	1	4	9	15	24	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12188	2.8	27	<1	<1	1	3	5	10	25
B. *Operated*	8932	3.8	16	<1	<1	2	5	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	104424	4.6	55	1	1	2	5	8	19	41
B. *Operated*	32989	5.8	64	1	1	3	7	12	18	46
1. SINGLE DX	21120	3.3	23	<1	<1	2	4	8	10	24
2. MULTIPLE DX	137413	4.9	58	1	1	2	5	10	19	42
A. NOT OPERATED	116612	4.4	53	1	1	2	4	8	18	39
B. OPERATED	41921	5.4	54	<1	1	3	7	11	16	42
TOTAL 0-19 YRS	16463	3.8	52	<1	<1	2	4	7	12	44
20-34	21208	4.3	57	<1	<1	2	4	8	17	39
35-49	24123	4.1	38	<1	1	2	5	8	13	33
50-64	46899	4.1	36	1	1	2	5	8	12	32
65+	49840	5.9	73	1	1	3	6	14	23	46
GRAND TOTAL	**158533**	**4.7**	**53**	**<1**	**1**	**2**	**5**	**10**	**17**	**40**

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs — *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer — *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer — *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve – *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes – *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease – *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number — Title

131 Otitis media, acute
133 Otosclerosis
243 Ovarian cyst
252 Ovarian disease, except endometriosis and dysfunction
74 Ovarian dysfunction
254 Ovarian pregnancy
74 Ovary, polycystic
384 Overdose, drug

Paget's disease — *see Disease, Paget's*
Pain
  338 Abdominal
  335 Chest
  253 Female genital organ
  331 Head
  335 Precordial
219 Pancreatic disease
128 Papilledema
114 Paralysis agitans
207 Paralytic ileus
100 Paranoia, except schizophrenic
94 Paranoid schizophrenia
114 Parkinsonism
146 Paroxysmal atrial or supraventricular tachycardia
17 Pediculosis
Peptic ulcer — *see Ulcer, peptic*
189 Perforation, esophagus
397 Peritoneal dialysis treatment
211 Peritonitis, except due to appendicitis
84 Pernicious anemia
6 Pertussis
314 Pes planus
116 Petit mal epilepsy
240 Peyronie's disease
239 Phimosis
169 Phlebitis
244 PID
171 Piles
293 Pilonidal cyst
16 Pinworm infection
70 PKU
264 Placenta previa
271 Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma — *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve – *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer – *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease – *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

R3850-1.2 U
11/86

LENGTH OF STAY

CPHA PUBLICATIONS

Length of Stay by Operation, United States, 1985

A Companion Volume To Length of Stay by Diagnosis, United States, 1985

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1986

LENGTH OF STAY

Copyright 1986 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1985
. . . by Diagnosis, United States, North Central Region, 1985
. . . by Diagnosis, United States, Northeastern Region, 1985
. . . by Diagnosis, United States, Southern Region, 1985
. . . by Diagnosis, United States, Western Region, 1985
. . . by Diagnosis, Canada, 1985

. . . by Operation, United States, 1985
. . . by Operation, United States, North Central Region, 1985
. . . by Operation, United States, Northeastern Region, 1985
. . . by Operation, United States, Southern Region, 1985
. . . by Operation, United States, Western Region, 1985
. . . by Operation, Canada, 1985

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1985
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1985

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1985 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1985 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1985 LENGTH OF STAY BOOKS

Peg Eby, Research Assistant, Research Services
Carol A. Prevost, Research Associate
Jeanine DeLay, Assistant Director
Edward J. Kobrinski, Director

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data. 1
  Data Quality. 2
  Coverage 3
  Organization of Length of Stay Tables. 5
    Definition of Multiple Diagnosis Patients 5
    Definition of Operated Patients 6
  Explanation of Statistics. 6
  Defining the Extended Stay Case 7
Length of Stay Tables 15
  Summary of All Patients. 16
  Operation Groups 501-764 17
Appendix: *ICD-9-CM* Codes for Selected Operation Groups 83
Index to Length of Stay Tables 87

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.
January-December 1985

	Short-Term Nonfederal Hospitals			Short-Term Nonfederal Hospital Beds		
	U.S. Total[2]	Number in Books	Percent in Books	U.S. Total[2]	Number in Books	Percent in Books
Hospital Category						
Bedsize						
6-24	332	44	13.3	6,138	880	14.3
25-49	1,161	226	19.5	42,908	8,735	20.3
50-99	1,283	383	29.9	92,066	27,587	30.0
100-199	1,221	393	32.2	172,860	56,242	32.5
200-299	703	232	33.0	170,564	57,368	33.6
300-399	415	142	34.2	141,454	48,545	34.3
400-499	265	90	34.0	117,253	39,787	33.9
500+	307	73	23.8	212,299	47,783	22.5
Total	5,687	1,583	27.8	955,542	286,927	30.0
Region and Census Division						
Northeast	814	342	42.0	205,568	67,158	32.7
New England	241	131	54.4	48,426	20,234	41.8
Middle Atlantic	573	211	36.8	157,142	46,924	29.9
North Central	1,673	515	30.8	267,603	105,699	39.5
East North Central	880	418	47.5	182,843	90,510	49.5
West North Central	793	97	12.2	84,760	15,189	17.9
South	2,139	366	17.1	338,647	61,836	18.3
South Atlantic	810	186	23.0	158,360	34,351	21.7
East South Central	496	89	17.9	71,653	13,196	18.4
West South Central	833	91	10.9	108,634	14,289	13.2
West	1,061	360	33.9	143,724	52,234	36.3
Mountain	370	153	41.4	40,264	19,940	49.5
Pacific	691	207	30.0	103,460	32,294	31.2
Total	5,687	1,583	27.8	955,542	286,927	30.0

The Pediatric book was compiled from the data of 1,569 hospitals. The Geriatric book was compiled from the data of 1,559 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1984 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Procedure information for all patient data included in this book was coded using *ICD-9-CM.*

In *List B* there are 250 groups that contain at least one UHDDS Class 1 procedure. Fourteen of the 264 *List B* groups consist solely of Class 2, 3, or 4 procedures. This book displays data only for those 250 groups with Class 1 procedures.

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are patients with an *ICD-9-CM* procedure code that fell into a UHDDS category containing at least one Class 1 procedure. Class 1 procedures are defined as those procedures that carry an operative or anesthetic risk, require highly trained personnel, or require special facilities or equipment. The following *ICD-9-CM List B* codes contain a mixture of Class 1 and 2-4 procedures: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. All the other *ICD-9-CM List B* groups contain only Class 1 procedures or they contain only Class 2-4 procedures and are excluded from this book.

Explanation of Statistics

The *List B* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in the *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the correct day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, whether the patient had single or multiple diagnoses, and the patient's age.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and different lengths of stay) could be appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy); primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung); and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the contemplated operation in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. Procedures can also be found in the Alphabetic Index at the back of the length of stay books.

c. If an operation is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 3 of *ICD-9-CM.*[3] That code can then be located in *List B* or in the heading of the length of stay table.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 57-year-old patient is admitted to a hospital for elective surgery, a transurethral resection. The admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 3, Procedures: Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening.* Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	3		261
Criteria for admission			
1. Diastolic BP > 110			
2. Not controlled by outpatient Rx			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	2		235
for: Cystoscopy			636
TUR			**648**
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. Sepsis or fever > 102°, chills			
2. Abscess formation			

b. The Alphabetic Index at the back of the operation length of stay book also shows that TUR is included in operation group 648.

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	**Transurethral approach**
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.



Procedure **INDEX TO PROCEDURES**

Procedure — *continued*
diagnostic NEC — *continued*
pleura 34.28
posterior chamber, eye 14.19
prostate 60.18
pulmonary 33.29
rectum 48.29
renal 55.29
respiratory 33.29
retina 14.19
retroperitoneum 59.29
salivary gland or duct 26.19
sclera 12.29
scrotum 61.19
seminal vesicle 60.19
sigmoid 45.28
sinus, nasal 22.19
skin 86.19
skull 01.19
soft tissue 83.29
spermatic cord 63.09
sphincter of Oddi 51.19
spine, spinal (canal) (cord) (meninges) (structure) 03.39
spleen 41.39
stomach 44.19
subcutaneous tissue 86.19
sympathetic nerve 05.19
tarsus 09.19
tendon NEC 83.29
extraocular 15.09
testicle 62.19
thalamus 01.18
thoracic duct 40.19
thorax 34.28
thymus 07.19
thyroid gland 06.19
tongue 25.09
tonsils 28.19
tooth 24.19
trachea 31.49
tunica vaginalis 61.19
ureter 56.39
urethra 58.29
uterus and supporting structures 68.19
uvula 27.29
vagina 70.29
vas deferens 63.09
vesical 57.39
vessel (blood) (any site) 38.29
vitreous 14.19
vulva 71.19
fistulizing, sclera NEC 12.69
miscellaneous (nonoperative) NEC 99.99
respiratory (nonoperative) NEC 93.99
surgical — *see* Operation
Proctectasis 96.22
Proctectomy (partial) *(see also* Resection, rectum) 48.69
abdominoperineal 48.5
Proctectomy (partial) — *continued*
complete (Miles) (Rankin) 48.5
pull-through 48.49
Proctoclysis 96.37
Proctolysis 48.99
Proctopexy (Delorme) 48.76
abdominal (Ripstein) 48.75
Proctoplasty 48.79
Proctorrhaphy 48.71
Proctoscopy 48.23
through stoma (artificial) 48.22
transabdominal approach 48.21
Proctosigmoidectomy *(see also* Resection, rectum) 48.69
Proctosigmoidopexy 48.76
Proctosigmoidoscopy 48.23
through stoma (artificial) 48.22
transabdominal approach 48.21
Proctostomy 48.1
Proctotomy (decompression) (linear) 48.0
Production — *see also* Formation
atrial septal defect 35.42
subcutaneous tunnel for esophageal anastomosis 42.86
with anastomosis — *see* Anastomosis, esophagus, antesternal
Prognathic recession 76.64
Prophylaxis, dental (scaling) (polishing) 96.54
Prostatectomy (complete) (partial) NEC 60.69
loop 60.2
perineal 60.62
radical (any approach) 60.5
retropubic (punch) (transcapsular) 60.4
suprapubic (punch) (transvesical) 60.3
transcapsular NEC 60.69
retropubic 60.4
transurethral 60.2
transvesical punch (suprapubic) 60.3
Prostatocystotomy 60.0
Prostatolithotomy 60.0
Prostatotomy (perineal) 60.0
Prostatovesiculectomy 60.5
Protection (of)
individual from his surroundings 99.84
surroundings from individual 99.84
Psychoanalysis 94.31
Psychodrama 94.43
Psychotherapy NEC 94.39
biofeedback 94.39
exploratory verbal 94.37
group 94.44
for psychosexual dysfunctions 94.41
play 94.36
psychosexual dysfunctions 94.34
supportive verbal 94.38
Ptyalectasis 26.91
Ptyalithotomy 26.0
Ptyalolithotomy 26.0

Step 2. Find the table for group 648 in the length of stay book.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top five lines of the table (1. Single Dx).

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

The patient was admitted on 3 November; therefore the sixth day will fall on 9 November. Prior to or on 9 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	342466	3.0	14	<1	1	2	3	5	8	18
20-34	774231	3.1	7	<1	1	3	4	5	7	13
35-49	297677	4.1	15	<1	1	3	5	8	11	18
50-64	229524	4.7	19	1	1	3	6	10	12	21
65+	191475	5.7	30	1	1	4	8	12	15	25
2. MULTIPLE DX										
0-19 YRS	336940	5.5	76	1	1	3	6	11	19	56
20-34	784180	5.0	33	1	1	4	6	9	13	31
35-49	580197	6.5	47	1	1	5	8	12	17	37
50-64	765322	7.9	64	1	2	6	10	16	22	43
65+	1395305	9.6	84	2	2	7	12	19	26	52
TOT. SINGLE DX	1835373	3.7	15	<1	1	3	4	7	10	18
" MULTIPLE DX	3861944	7.5	67	1	2	5	9	15	22	45
TOTAL 0-19 YRS	679406	4.2	46	<1	1	2	4	8	13	39
20-34	1558411	4.0	21	1	1	3	5	7	10	23
35-49	877874	5.6	37	1	1	4	7	11	15	32
50-64	994846	7.1	56	1	1	5	9	14	20	39
65+	1586780	9.2	79	1	2	7	12	18	25	49
GRAND TOTAL	**5697317**	**6.3**	**53**	**1**	**1**	**4**	**8**	**13**	**19**	**39**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	491	8.0	45	1	2	7	11	15	19	29
20-34	431	9.7	47	3	3	9	12	17	21	28
35-49	554	10.6	55	3	4	9	13	18	22	37
50-64	644	11.1	57	3	5	9	14	20	25	42
65+	593	12.7	98	4	5	10	15	24	30	54
2. MULTIPLE DX										
0-19 YRS	919	15.3	236	2	3	11	19	36	56	99+
20-34	779	20.0	333	4	6	14	27	59	96	99+
35-49	1028	18.5	271	4	6	13	24	44	70	99+
50-64	1871	18.8	223	5	6	14	23	41	56	99+
65+	2655	20.2	216	5	7	16	26	41	56	99+
TOT. SINGLE DX	2713	10.6	65	2	3	9	13	19	24	42
" MULTIPLE DX	7252	19.0	244	4	6	14	24	43	61	99+
TOTAL 0-19 YRS	1410	12.7	183	1	2	9	16	28	44	99+
20-34	1210	16.4	256	3	4	11	20	42	68	99+
35-49	1582	15.7	210	3	5	11	18	35	57	99+
50-64	2515	16.8	192	4	6	13	21	36	51	99+
65+	3248	18.8	203	5	6	15	24	38	53	99+
GRAND TOTAL	**9965**	**16.7**	**209**	**3**	**5**	**12**	**21**	**36**	**53**	**99+**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	289	7.4	58	2	3	5	8	13	20	41
20-34	157	9.6	62	3	4	8	12	16	21	66
35-49	152	10.8	58	3	4	9	13	19	25	54
50-64	186	11.2	93	3	4	9	13	19	26	60
65+	147	12.8	112	3	5	10	14	23	29	63
2. MULTIPLE DX										
0-19 YRS	459	17.4	297	3	4	11	23	44	64	99+
20-34	416	18.4	288	4	5	13	25	49	77	99+
35-49	358	20.0	317	4	6	14	25	52	69	99+
50-64	478	20.5	255	5	7	16	27	44	61	99+
65+	704	21.9	270	6	8	17	28	46	64	99+
TOT. SINGLE DX	931	9.9	78	3	3	8	12	18	24	56
" MULTIPLE DX	2415	19.9	285	4	6	14	26	45	65	99+
TOTAL 0-19 YRS	748	13.5	228	3	3	8	15	36	50	98
20-34	573	16.0	242	3	4	11	20	43	68	99+
35-49	510	17.3	258	4	5	12	21	38	59	99+
50-64	664	17.9	227	4	5	13	23	40	54	92
65+	851	20.3	255	5	7	16	25	42	62	99
GRAND TOTAL	**3346**	**17.1**	**247**	**3**	**4**	**12**	**22**	**40**	**58**	**99+**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	756	4.8	7	2	2	4	6	8	9	13
20-34	184	5.0	8	1	2	4	7	9	11	70
35-49	84	6.2	21	2	2	5	8	11	13	29
50-64	41	7.8	62	2	3	6	8	13	19	51
65+	25	6.2	19	2	2	6	7	11	17	21
2. MULTIPLE DX										
0-19 YRS	580	9.3	134	2	3	6	9	19	37	99+
20-34	417	11.5	171	2	3	7	13	25	44	89
35-49	194	11.7	153	3	3	8	13	25	43	66
50-64	113	10.9	153	2	3	8	13	21	36	88
65+	85	13.9	195	4	4	9	16	28	38	80
TOT. SINGLE DX	1090	5.1	11	2	2	4	6	8	10	16
" MULTIPLE DX	1389	10.7	155	2	3	7	12	23	39	92
TOTAL 0-19 YRS	1336	6.7	67	2	2	5	7	11	17	61
20-34	601	9.5	131	2	3	6	11	20	34	91
35-49	278	10.1	119	2	3	7	11	18	32	63
50-64	154	10.1	131	2	3	7	12	20	32	81
65+	110	12.1	165	3	3	8	14	25	33	73
GRAND TOTAL	**2479**	**8.2**	**99**	**2**	**3**	**5**	**9**	**15**	**27**	**75**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	334	6.4	24	2	3	5	8	10	15	29
20-34	53	7.9	17	2	4	7	11	15	17	18
35-49	41	6.9	19	3	3	6	8	11	13	28
50-64	61	9.5	35	4	4	8	11	14	22	33
65+	136	10.6	37	3	4	9	13	19	23	33
2. MULTIPLE DX										
0-19 YRS	815	15.4	292	3	4	9	20	46	72	99+
20-34	172	16.3	241	3	4	11	24	47	68	99+
35-49	125	18.2	352	4	5	13	23	67	89	99+
50-64	262	19.0	267	4	6	14	25	43	69	99+
65+	704	20.6	247	5	7	16	28	42	62	99+
TOT. SINGLE DX	625	7.8	31	2	3	6	9	14	18	32
" MULTIPLE DX	2078	17.9	278	4	4	13	24	45	70	99+
TOTAL 0-19 YRS	1149	12.8	231	3	3	7	15	35	61	99+
20-34	225	14.3	201	3	4	10	17	37	61	99+
35-49	166	15.4	293	3	4	10	17	40	76	99+
50-64	323	17.2	238	4	5	12	22	39	58	99+
65+	840	19.0	227	5	6	15	24	38	55	99+
GRAND TOTAL	**2703**	**15.5**	**239**	**3**	**4**	**10**	**20**	**37**	**60**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	659	5.0	20	1	2	4	6	9	13	26
20-34	171	7.6	44	1	2	6	9	16	24	34
35-49	93	9.2	130	1	2	6	11	16	25	71
50-64	64	7.2	29	2	2	6	9	16	20	89
65+	52	8.8	37	1	2	7	14	18	20	23
2. MULTIPLE DX										
0-19 YRS	2132	9.4	147	2	2	5	10	23	34	83
20-34	527	15.7	291	2	3	10	20	43	65	99+
35-49	311	16.2	235	2	3	11	23	43	63	99+
50-64	367	17.2	242	3	4	12	23	40	53	99+
65+	407	17.9	262	2	3	14	25	40	61	99+
TOT. SINGLE DX	1039	6.1	38	1	2	4	7	12	16	30
" MULTIPLE DX	3744	12.6	210	2	2	7	16	31	47	99+
TOTAL 0-19 YRS	2791	8.4	121	1	2	5	9	20	30	75
20-34	698	13.7	243	2	3	8	16	36	53	99+
35-49	404	14.6	220	2	3	10	19	38	54	99+
50-64	431	15.7	223	2	3	11	21	37	51	99+
65+	459	16.9	245	2	3	13	23	38	51	99+
GRAND TOTAL	**4783**	**11.2**	**179**	**2**	**2**	**6**	**14**	**28**	**42**	**99+**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	80	10.8	91	3	4	8	12	21	27	59
20-34	743	8.4	29	3	4	7	10	14	18	32
35-49	1594	7.9	23	3	4	7	9	13	17	25
50-64	1589	8.3	21	3	4	7	10	14	17	25
65+	1007	9.6	29	4	5	8	12	16	19	28
2. MULTIPLE DX										
0-19 YRS	180	15.4	171	4	5	10	20	32	47	68
20-34	827	12.1	99	4	5	9	14	23	34	59
35-49	1944	11.1	78	4	4	9	12	20	28	57
50-64	3071	12.3	108	4	5	9	14	22	31	66
65+	3760	15.0	116	5	6	12	18	28	36	63
TOT. SINGLE DX	5013	8.5	26	3	4	7	10	14	18	28
" MULTIPLE DX	9782	13.2	108	4	5	10	15	25	33	62
TOTAL 0-19 YRS	260	14.0	151	4	5	9	17	28	41	68
20-34	1570	10.3	70	3	4	8	12	19	26	46
35-49	3538	9.7	56	3	4	8	11	17	22	46
50-64	4660	10.9	82	4	5	9	12	19	26	56
65+	4767	13.9	103	5	6	11	16	26	34	59
GRAND TOTAL	**14795**	**11.6**	**86**	**4**	**5**	**9**	**13**	**21**	**29**	**53**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	186	8.5	56	1	2	7	11	17	21	35
20-34	551	5.7	31	1	1	4	8	12	16	23
35-49	623	5.7	38	1	1	4	7	12	16	27
50-64	338	6.2	23	1	1	5	9	13	16	24
65+	146	7.8	67	1	1	5	10	17	23	40
2. MULTIPLE DX										
0-19 YRS	380	14.4	161	3	4	10	18	30	44	75
20-34	668	11.1	111	1	2	8	14	25	34	60
35-49	925	10.4	118	1	2	8	13	21	30	66
50-64	762	12.8	142	2	2	10	16	27	38	66
65+	661	16.4	189	2	3	13	22	35	45	70
TOT. SINGLE DX	1844	6.3	38	1	1	4	9	13	17	28
" MULTIPLE DX	3396	12.7	146	2	2	9	16	27	38	66
TOTAL 0-19 YRS	566	12.5	134	2	3	9	15	25	36	62
20-34	1219	8.7	82	1	1	6	11	19	27	51
35-49	1548	8.5	91	1	2	6	11	18	25	61
50-64	1100	10.8	115	1	2	8	14	23	32	64
65+	807	14.8	178	2	2	11	20	33	42	66
GRAND TOTAL	**5240**	**10.4**	**118**	**1**	**2**	**7**	**13**	**23**	**32**	**62**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	128	3.1	9	<1	<1	2	3	7	11	15
20-34	448	3.0	15	<1	<1	2	3	7	9	23
35-49	675	3.2	9	<1	<1	2	4	7	10	15
50-64	645	3.0	9	<1	1	2	3	7	9	14
65+	342	3.2	10	<1	1	2	4	7	9	16
2. MULTIPLE DX										
0-19 YRS	113	4.0	14	1	1	3	5	10	13	51
20-34	418	5.5	77	<1	1	3	6	12	17	44
35-49	520	5.2	56	1	1	3	6	11	16	41
50-64	675	5.9	52	1	1	3	7	14	21	38
65+	565	7.2	93	1	1	3	9	17	26	65
TOT. SINGLE DX	2238	3.1	11	<1	<1	2	3	7	9	15
" MULTIPLE DX	2291	5.9	67	1	1	3	7	13	20	42
TOTAL 0-19 YRS	241	3.5	12	<1	1	2	4	8	11	17
20-34	866	4.2	47	<1	1	2	4	9	14	39
35-49	1195	4.1	31	<1	1	2	5	9	13	23
50-64	1320	4.5	34	<1	1	2	5	10	14	29
65+	907	5.7	66	1	1	3	7	13	22	39
GRAND TOTAL	**4529**	**4.5**	**41**	**<1**	**1**	**2**	**5**	**10**	**14**	**36**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	409	2.3	5	<1	<1	2	2	4	6	13
20-34	2049	2.0	2	<1	<1	1	2	3	5	9
35-49	2614	2.0	2	<1	<1	2	2	3	5	9
50-64	2202	2.0	2	<1	<1	2	2	3	5	9
65+	1072	2.1	3	<1	<1	2	2	4	6	11
2. MULTIPLE DX										
0-19 YRS	648	2.6	15	<1	1	2	3	5	7	20
20-34	1855	3.0	19	<1	1	2	3	6	8	21
35-49	2194	3.7	21	<1	1	2	4	8	11	25
50-64	2441	3.6	22	<1	1	2	4	8	11	22
65+	1833	4.0	31	<1	1	2	4	9	14	28
TOT. SINGLE DX	8346	2.0	3	<1	<1	2	2	3	5	9
" MULTIPLE DX	8971	3.5	23	<1	1	2	4	8	11	24
TOTAL 0-19 YRS	1057	2.5	12	<1	<1	2	3	5	7	17
20-34	3904	2.5	11	<1	<1	2	3	5	7	14
35-49	4808	2.8	12	<1	<1	2	3	5	8	18
50-64	4643	2.8	14	<1	<1	2	3	6	8	16
65+	2905	3.3	22	<1	<1	2	3	7	11	23
GRAND TOTAL	**17317**	**2.8**	**14**	**<1**	**<1**	**2**	**3**	**5**	**8**	**18**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	3.9	5	1	1	4	5	7	8	8
20-34	98	5.3	14	1	2	5	6	9	12	23
35-49	71	5.8	16	<1	2	5	7	10	17	20
50-64	59	6.0	33	2	2	5	7	10	11	41
65+	51	9.6	118	2	3	8	10	17	22	76
2. MULTIPLE DX										
0-19 YRS	11	5.2	11	1	2	5	6	9	14	14
20-34	144	6.7	50	2	3	5	7	10	12	56
35-49	145	8.9	42	3	4	7	12	16	21	41
50-64	245	12.3	107	3	4	9	15	25	33	72
65+	507	12.9	99	4	5	10	15	23	33	61
TOT. SINGLE DX	289	6.3	39	1	2	5	8	11	15	27
" MULTIPLE DX	1052	11.3	91	3	4	9	14	21	30	56
TOTAL 0-19 YRS	21	4.6	9	1	1	5	6	7	11	14
20-34	242	6.2	36	2	2	5	7	10	12	29
35-49	216	7.9	36	2	3	6	10	15	19	32
50-64	304	11.1	99	2	3	8	13	22	32	59
65+	558	12.6	102	4	5	10	15	22	32	62
GRAND TOTAL	**1341**	**10.2**	**84**	**2**	**3**	**8**	**12**	**20**	**27**	**50**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	16	2.8	5	<1	1	3	3	4	8	10
20-34	104	4.2	17	<1	1	3	6	9	12	23
35-49	138	4.7	20	<1	<1	3	6	11	15	20
50-64	86	4.0	11	<1	1	3	5	9	11	16
65+	33	4.8	22	<1	<1	3	7	11	15	19
2. MULTIPLE DX										
0-19 YRS	14	2.8	4	1	1	2	4	6	7	7
20-34	143	7.2	59	<1	1	4	10	16	23	40
35-49	235	8.3	70	1	1	6	10	21	25	38
50-64	246	7.9	68	1	1	6	10	15	21	48
65+	287	9.2	86	1	2	7	12	18	24	48
TOT. SINGLE DX	377	4.3	17	<1	1	3	5	10	13	19
" MULTIPLE DX	925	8.2	73	1	1	6	10	18	23	43
TOTAL 0-19 YRS	30	2.8	4	1	1	3	3	5	7	10
20-34	247	5.9	44	<1	1	4	7	13	21	36
35-49	373	7.0	55	<1	1	4	9	16	22	35
50-64	332	6.9	56	1	1	4	9	13	19	46
65+	320	8.7	82	1	1	6	11	18	23	45
GRAND TOTAL	**1302**	**7.1**	**60**	**1**	**1**	**4**	**9**	**16**	**21**	**38**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	325	3.3	3	1	1	3	4	5	6	11
20-34	2144	3.3	3	1	2	3	4	5	6	10
35-49	2717	3.3	2	1	2	3	4	5	6	9
50-64	1842	3.5	2	1	2	3	4	5	6	9
65+	780	3.9	4	2	2	4	5	6	7	11
2. MULTIPLE DX										
0-19 YRS	140	4.7	16	1	2	4	5	8	11	25
20-34	1085	4.4	14	2	2	4	5	7	9	18
35-49	1657	4.2	8	1	2	4	5	7	9	18
50-64	1929	4.9	19	2	2	4	5	8	12	23
65+	1590	7.2	58	2	3	5	8	15	22	43
TOT. SINGLE DX	7808	3.4	3	1	2	3	4	5	6	9
" MULTIPLE DX	6401	5.2	27	2	2	4	5	9	13	27
TOTAL 0-19 YRS	465	3.7	8	1	2	3	4	6	8	12
20-34	3229	3.7	8	1	2	3	4	5	7	13
35-49	4374	3.6	5	1	2	3	4	5	7	12
50-64	3771	4.2	12	2	2	4	5	6	9	17
65+	2370	6.1	43	2	2	4	6	11	18	39
GRAND TOTAL	**14209**	**4.2**	**15**	**1**	**2**	**4**	**5**	**6**	**9**	**20**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	651	2.0	2	<1	1	2	2	3	4	8
20-34	414	2.3	2	1	1	2	3	4	5	9
35-49	342	3.1	4	1	1	3	4	5	8	11
50-64	336	3.7	7	1	1	3	4	6	8	13
65+	142	4.5	11	1	2	4	5	8	9	15
2. MULTIPLE DX										
0-19 YRS	138	4.3	19	<1	1	3	6	10	13	33
20-34	306	6.5	42	1	2	5	8	12	18	44
35-49	512	6.3	36	1	2	4	7	12	18	33
50-64	841	7.1	64	2	2	5	8	14	21	43
65+	830	8.8	89	2	3	5	10	19	27	58
TOT. SINGLE DX	1885	2.7	5	1	1	2	3	5	7	11
" MULTIPLE DX	2627	7.3	63	1	2	5	8	15	22	44
TOTAL 0-19 YRS	789	2.4	7	<1	1	2	3	4	7	16
20-34	720	4.1	24	1	1	3	4	9	12	30
35-49	854	5.0	26	1	1	4	5	10	14	27
50-64	1177	6.2	51	1	2	4	7	12	17	35
65+	972	8.1	80	2	3	5	9	17	25	57
GRAND TOTAL	**4512**	**5.4**	**44**	**1**	**1**	**4**	**6**	**11**	**16**	**34**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	68	7.3	13	1	3	7	9	12	15	17
20-34	142	8.0	12	4	5	8	9	12	16	19
35-49	122	7.7	8	4	5	7	9	12	14	17
50-64	119	8.7	11	5	5	8	10	13	15	20
65+	67	9.6	25	2	5	9	11	17	20	28
2. MULTIPLE DX										
0-19 YRS	83	13.5	115	5	6	10	17	29	36	88
20-34	214	10.5	67	4	5	8	11	19	25	44
35-49	265	11.8	62	5	6	9	14	21	31	41
50-64	387	13.0	126	3	5	10	15	25	33	70
65+	322	15.0	146	3	5	12	18	28	39	66
TOT. SINGLE DX	518	8.2	13	3	5	8	9	13	16	20
" MULTIPLE DX	1271	12.9	110	4	5	10	15	24	33	61
TOTAL 0-19 YRS	151	10.7	79	2	4	8	13	20	30	66
20-34	356	9.5	47	4	5	8	10	17	21	35
35-49	387	10.5	49	4	5	8	12	19	24	39
50-64	506	12.0	102	4	5	9	13	22	30	59
65+	389	14.0	130	3	5	11	17	26	36	62
GRAND TOTAL	**1789**	**11.5**	**86**	**4**	**5**	**9**	**13**	**21**	**29**	**55**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	302	1.3	1	<1	<1	<1	1	2	2	5
20-34	48	1.7	2	<1	<1	1	2	3	4	8
35-49	76	1.6	1	<1	<1	1	2	3	3	8
50-64	110	1.6	1	<1	<1	1	2	3	3	6
65+	167	1.9	2	<1	<1	2	2	3	5	9
2. MULTIPLE DX										
0-19 YRS	57	2.8	65	<1	<1	1	2	4	5	58
20-34	45	4.3	59	<1	<1	2	3	15	19	45
35-49	121	3.6	30	<1	<1	2	4	8	16	57
50-64	198	4.4	42	<1	<1	2	4	11	16	33
65+	418	5.3	84	<1	1	2	6	12	18	49
TOT. SINGLE DX	703	1.6	2	<1	<1	1	2	3	3	7
" MULTIPLE DX	839	4.6	64	<1	<1	2	5	11	17	45
TOTAL 0-19 YRS	359	1.5	12	<1	<1	<1	1	2	3	6
20-34	93	2.9	31	<1	<1	1	2	5	14	34
35-49	197	2.8	20	<1	<1	1	3	6	11	34
50-64	308	3.4	29	<1	<1	2	3	8	12	32
65+	585	4.4	63	<1	<1	2	4	9	15	40
GRAND TOTAL	**1542**	**3.2**	**38**	**<1**	**<1**	**1**	**3**	**7**	**11**	**32**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	637	1.5		<1	<1	1	2	2	3	6
20-34	179	1.8	5	<1	<1	1	2	3	4	5
35-49	289	1.7	1	<1	<1	1	2	3	4	6
50-64	414	1.5		<1	<1	1	2	2	3	6
65+	357	1.7	1	<1	<1	1	2	2	3	7
2. MULTIPLE DX										
0-19 YRS	927	2.6	10	<1	1	2	3	5	7	15
20-34	1124	3.3	24	<1	1	2	4	6	9	20
35-49	854	3.3	17	<1	1	2	4	7	10	23
50-64	1007	3.3	34	<1	1	2	3	6	10	33
65+	1458	5.2	63	1	1	2	5	12	18	47
TOT. SINGLE DX	1876	1.6	1	<1	<1	1	2	2	3	6
" MULTIPLE DX	5370	3.7	34	<1	1	2	4	7	12	31
TOTAL 0-19 YRS	1564	2.2	7	<1	<1	1	2	4	6	13
20-34	1303	3.1	23	<1	1	2	4	6	9	19
35-49	1143	2.8	14	<1	1	2	3	6	9	18
50-64	1421	2.8	25	<1	1	2	3	5	7	22
65+	1815	4.5	53	<1	1	2	4	10	17	43
GRAND TOTAL	**7246**	**3.1**	**27**	**<1**	**1**	**2**	**3**	**6**	**10**	**27**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	127	1.5	1	<1	<1	1	2	2	3	7
20-34	128	1.7	1	1	1	1	2	3	4	7
35-49	102	1.8	1	1	1	1	2	3	4	8
50-64	135	1.8		1	1	2	2	3	4	5
65+	189	1.8		1	1	2	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	118	2.3	12	<1	1	1	2	4	6	24
20-34	93	1.9	2	<1	1	1	2	3	5	9
35-49	113	2.6	8	1	1	2	3	4	8	19
50-64	188	2.1	2	1	1	2	2	3	4	10
65+	417	2.4	4	1	1	2	3	4	6	13
TOT. SINGLE DX	681	1.7	1	<1	1	1	2	3	3	7
" MULTIPLE DX	929	2.3	5	1	1	2	2	4	6	13
TOTAL 0-19 YRS	245	1.9	7	<1	<1	1	2	3	5	10
20-34	221	1.8	2	<1	1	1	2	3	4	8
35-49	215	2.2	5	1	1	2	2	4	5	13
50-64	323	2.0	2	1	1	2	2	3	4	8
65+	606	2.2	3	1	1	2	2	3	4	12
GRAND TOTAL	**1610**	**2.1**	**4**	**1**	**1**	**2**	**2**	**3**	**4**	**10**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	48	1.2		<1	<1	1	1	2	3	3
20-34	26	3.3	27	<1	<1	2	3	7	12	27
35-49	15	1.8	4	<1	<1	1	2	3	7	9
50-64	18	2.0	1	<1	<1	1	3	4	5	5
65+	24	3.9	16	<1	<1	2	5	8	14	18
2. MULTIPLE DX										
0-19 YRS	51	4.7	59	<1	<1	2	6	8	10	45
20-34	29	3.5	13	<1	<1	2	4	8	10	18
35-49	32	6.8	222	<1	<1	3	5	11	37	79
50-64	37	4.3	18	<1	1	2	6	11	12	20
65+	64	4.7	34	1	1	3	5	10	16	30
TOT. SINGLE DX	131	2.3	10	<1	<1	1	2	5	7	20
" MULTIPLE DX	213	4.8	63	<1	1	2	5	10	13	42
TOTAL 0-19 YRS	99	3.0	33	<1	<1	1	3	6	8	40
20-34	55	3.4	20	<1	<1	2	4	8	10	27
35-49	47	5.2	157	<1	<1	2	5	9	16	79
50-64	55	3.6	14	<1	<1	2	5	9	11	20
65+	88	4.4	29	<1	1	2	5	10	14	29
GRAND TOTAL	**344**	**3.8**	**44**	**<1**	**<1**	**2**	**4**	**8**	**11**	**35**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	61	2.2	1	<1	1	2	3	4	4	9
20-34	274	2.2	1	1	1	2	3	4	4	6
35-49	203	2.4	2	1	1	2	3	4	5	9
50-64	191	2.2	1	1	1	2	3	4	5	6
65+	621	2.5	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	63	2.9	4	1	1	3	3	5	7	12
20-34	124	3.1	15	1	1	3	3	5	6	18
35-49	164	3.1	13	1	1	2	3	5	7	25
50-64	406	3.3	6	1	1	3	4	6	8	15
65+	1911	3.2	7	1	1	3	4	5	7	13
TOT. SINGLE DX	1350	2.4	2	1	1	2	3	4	5	7
" MULTIPLE DX	2668	3.2	8	1	1	3	4	5	7	14
TOTAL 0-19 YRS	124	2.6	3	<1	1	2	3	4	5	10
20-34	398	2.5	6	1	1	2	3	4	5	8
35-49	367	2.7	7	1	1	2	3	4	5	16
50-64	597	3.0	5	1	1	3	3	5	7	14
65+	2532	3.0	6	1	1	3	4	5	6	12
GRAND TOTAL	**4018**	**2.9**	**6**	**1**	**1**	**3**	**3**	**5**	**6**	**12**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	289	2.6	3	<1	<1	2	4	5	6	10
20-34	441	1.9	1	<1	<1	1	2	4	5	6
35-49	292	1.9	4	<1	<1	1	2	4	5	10
50-64	131	2.1	3	<1	<1	1	2	4	5	12
65+	127	2.0	3	<1	<1	1	2	4	6	11
2. MULTIPLE DX										
0-19 YRS	266	3.6	5	<1	1	3	5	6	8	12
20-34	274	3.7	11	<1	<1	3	5	6	8	18
35-49	183	3.5	10	<1	1	3	5	7	9	19
50-64	141	4.2	29	<1	1	3	5	9	14	29
65+	303	3.9	36	1	1	2	4	8	12	26
TOT. SINGLE DX	1280	2.1	3	<1	<1	1	3	4	6	9
" MULTIPLE DX	1167	3.8	19	<1	1	3	5	7	9	20
TOTAL 0-19 YRS	555	3.1	5	<1	1	3	4	6	7	10
20-34	715	2.6	6	<1	<1	2	3	5	6	11
35-49	475	2.5	8	<1	<1	2	3	6	7	12
50-64	272	3.2	18	<1	<1	2	3	6	11	22
65+	430	3.4	27	<1	1	2	4	7	9	21
GRAND TOTAL	**2447**	**2.9**	**11**	**<1**	**<1**	**2**	**4**	**6**	**7**	**14**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	133	2.2	4	<1	<1	2	2	5	6	32
20-34	73	3.1	9	1	1	2	4	6	8	19
35-49	140	2.7	3	<1	1	2	3	5	6	9
50-64	348	2.5	2	<1	1	2	3	4	6	9
65+	491	2.4	3	<1	1	2	3	4	6	10
2. MULTIPLE DX										
0-19 YRS	83	3.0	11	<1	<1	2	4	7	10	20
20-34	103	3.8	18	1	1	3	4	7	10	26
35-49	144	3.7	9	1	1	3	4	8	9	15
50-64	464	3.4	7	1	1	3	4	6	9	14
65+	1229	3.7	16	1	1	3	4	7	10	21
TOT. SINGLE DX	1185	2.5	4	<1	1	2	3	4	6	11
" MULTIPLE DX	2023	3.6	14	1	1	3	4	7	9	19
TOTAL 0-19 YRS	216	2.5	8	<1	<1	2	3	5	7	20
20-34	176	3.5	15	1	1	3	4	6	9	19
35-49	284	3.2	7	1	1	2	4	6	8	14
50-64	812	3.0	6	1	1	2	4	6	7	12
65+	1720	3.4	13	1	1	2	4	6	9	18
GRAND TOTAL	**3208**	**3.2**	**10**	**1**	**1**	**2**	**4**	**6**	**8**	**16**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	120	3.7	9	<1	1	3	5	7	10	16
20-34	112	3.3	7	1	1	3	4	6	8	16
35-49	71	2.6	3	<1	1	2	3	5	6	11
50-64	138	2.1	2	1	1	2	3	4	5	8
65+	244	2.6	7	<1	1	2	3	5	7	12
2. MULTIPLE DX										
0-19 YRS	130	4.4	10	1	1	3	6	9	11	15
20-34	166	4.6	15	1	1	4	6	9	11	22
35-49	123	4.1	10	1	1	3	5	8	10	42
50-64	217	4.2	26	1	1	3	5	8	11	28
65+	743	4.3	33	1	1	3	5	9	13	28
TOT. SINGLE DX	685	2.8	7	<1	1	2	3	5	7	13
" MULTIPLE DX	1379	4.3	26	1	1	3	5	9	12	25
TOTAL 0-19 YRS	250	4.0	10	<1	1	3	5	8	10	15
20-34	278	4.1	13	1	1	3	5	8	10	20
35-49	194	3.5	9	<1	1	3	5	7	9	20
50-64	355	3.4	18	1	1	2	4	7	9	25
65+	987	3.9	28	1	1	2	4	8	11	24
GRAND TOTAL	**2064**	**3.8**	**20**	**1**	**1**	**3**	**5**	**8**	**10**	**22**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	92	1.8	1	<1	<1	1	2	3	4	6
20-34	27	3.0	8	<1	1	2	4	6	8	15
35-49	155	1.9	2	<1	<1	2	2	3	3	6
50-64	1007	1.8		<1	<1	2	2	2	3	4
65+	3854	1.9		<1	<1	2	2	3	3	4
2. MULTIPLE DX										
0-19 YRS	79	3.1	8	<1	<1	2	4	6	10	15
20-34	56	3.4	5	1	1	2	5	7	8	10
35-49	169	2.7	6	1	1	2	3	5	7	15
50-64	1303	2.4	3	1	1	2	3	4	5	13
65+	6670	2.7	16	1	1	2	2	4	6	18
TOT. SINGLE DX	5135	1.9	1	<1	<1	2	2	3	3	4
" MULTIPLE DX	8277	2.7	14	1	1	2	3	4	6	16
TOTAL 0-19 YRS	171	2.4	5	<1	<1	2	3	4	6	14
20-34	83	3.3	6	1	1	2	4	6	8	13
35-49	324	2.3	4	<1	1	2	2	4	6	14
50-64	2310	2.2	3	<1	1	2	2	3	4	10
65+	10524	2.4	11	<1	1	2	2	3	4	14
GRAND TOTAL	**13412**	**2.4**	**9**	**<1**	**1**	**2**	**2**	**3**	**4**	**13**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	211	1.6		<1	<1	1	2	2	3	6
20-34	86	1.8		<1	1	2	2	3	3	7
35-49	614	1.6		<1	<1	1	2	2	3	4
50-64	3148	1.6		<1	<1	2	2	2	3	4
65+	11397	1.7		<1	<1	2	2	2	3	4
2. MULTIPLE DX										
0-19 YRS	170	2.4	4	<1	1	2	3	4	7	12
20-34	120	2.7	7	1	1	2	3	4	6	19
35-49	594	2.6	13	<1	1	2	2	4	6	14
50-64	3869	2.3	9	<1	1	2	2	3	5	14
65+	18804	2.3	9	<1	1	2	2	3	4	13
TOT. SINGLE DX	15456	1.7	1	<1	<1	2	2	2	3	4
" MULTIPLE DX	23557	2.3	9	<1	1	2	2	3	5	14
TOTAL 0-19 YRS	381	2.0	3	<1	<1	2	2	3	4	9
20-34	206	2.3	5	<1	1	2	2	4	6	14
35-49	1208	2.1	7	<1	<1	2	2	3	4	11
50-64	7017	2.0	6	<1	<1	2	2	3	4	10
65+	30201	2.1	6	<1	<1	2	2	3	4	10
GRAND TOTAL	**39013**	**2.1**	**6**	**<1**	**<1**	**2**	**2**	**3**	**4**	**10**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	1.9	1	<1	<1	2	3	3	4	4
20-34	18	1.9	2	<1	<1	1	2	5	6	6
35-49	79	1.6		<1	<1	1	2	2	3	5
50-64	335	1.6		<1	<1	1	2	2	3	5
65+	895	1.7		<1	<1	2	2	2	3	4
2. MULTIPLE DX										
0-19 YRS	12	2.3	3	<1	1	2	2	4	7	8
20-34	23	2.8	4	<1	1	2	4	6	7	8
35-49	73	1.9	1	<1	<1	2	2	3	4	8
50-64	388	1.9	2	<1	1	2	2	3	3	6
65+	1318	2.3	6	<1	1	2	2	3	5	15
TOT. SINGLE DX	1340	1.7	1	<1	<1	2	2	2	3	4
" MULTIPLE DX	1814	2.2	5	<1	1	2	2	3	5	14
TOTAL 0-19 YRS	25	2.1	2	<1	1	2	2	3	5	8
20-34	41	2.4	3	<1	<1	2	3	5	7	8
35-49	152	1.7	1	<1	<1	2	2	3	4	6
50-64	723	1.8	2	<1	<1	2	2	2	3	6
65+	2213	2.1	4	<1	<1	2	2	3	4	12
GRAND TOTAL	**3154**	**2.0**	**3**	**<1**	**<1**	**2**	**2**	**3**	**4**	**9**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	200	3.3	6	1	1	3	4	5	6	16
20-34	471	3.1	3	1	1	3	4	5	7	11
35-49	532	3.3	3	1	1	3	4	6	7	9
50-64	1443	3.2	3	1	1	3	4	5	6	10
65+	1324	3.3	4	1	1	3	4	5	6	9
2. MULTIPLE DX										
0-19 YRS	245	4.8	73	1	1	3	5	6	10	30
20-34	641	4.1	8	1	1	4	5	7	9	13
35-49	795	4.0	6	1	2	3	5	7	8	14
50-64	2090	3.8	9	1	2	3	5	6	8	12
65+	2995	4.0	5	1	2	3	5	7	8	13
TOT. SINGLE DX	3970	3.2	4	1	1	3	4	5	6	10
" MULTIPLE DX	6766	4.0	10	1	2	3	5	7	8	13
TOTAL 0-19 YRS	445	4.1	44	1	1	3	4	6	8	22
20-34	1112	3.7	7	1	1	3	5	7	8	13
35-49	1327	3.7	5	1	2	3	4	6	8	12
50-64	3533	3.6	7	1	1	3	4	6	7	11
65+	4319	3.8	5	1	2	3	5	6	8	12
GRAND TOTAL	**10736**	**3.7**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**12**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	90	3.2	5	<1	1	3	4	7	8	10
20-34	76	3.6	8	1	1	3	4	7	10	15
35-49	84	3.1	4	1	1	2	4	6	7	11
50-64	219	3.0	5	<1	1	2	3	6	8	11
65+	394	2.9	4	<1	1	2	3	5	8	11
2. MULTIPLE DX										
0-19 YRS	157	3.7	7	1	1	3	4	7	9	14
20-34	503	4.4	20	1	2	3	5	7	9	22
35-49	450	4.3	25	1	1	3	5	7	10	22
50-64	825	4.0	17	1	1	3	5	7	9	20
65+	1668	4.0	17	1	1	3	5	8	11	18
TOT. SINGLE DX	863	3.0	5	<1	1	2	4	6	8	12
" MULTIPLE DX	3603	4.0	18	1	1	3	5	7	10	20
TOTAL 0-19 YRS	247	3.5	7	1	1	3	4	7	9	14
20-34	579	4.3	19	1	2	3	5	7	9	20
35-49	534	4.1	22	1	1	3	5	7	9	22
50-64	1044	3.8	15	1	1	3	4	7	8	19
65+	2062	3.8	15	1	1	3	4	7	10	16
GRAND TOTAL	**4466**	**3.9**	**16**	**1**	**1**	**3**	**4**	**7**	**9**	**18**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2896	1.3		<1	<1	1	2	2	2	2
20-34	328	1.5		<1	<1	1	2	2	2	3
35-49	190	1.5		<1	<1	1	2	2	3	3
50-64	86	1.5		<1	<1	1	2	2	2	3
65+	38	1.6		<1	<1	2	2	2	3	3
2. MULTIPLE DX										
0-19 YRS	923	1.4	1	<1	<1	1	2	2	2	4
20-34	208	1.8	5	<1	<1	1	2	2	3	12
35-49	151	2.0	14	<1	1	1	2	2	3	14
50-64	99	2.1	15	<1	1	2	2	3	4	23
65+	98	1.9	1	1	1	2	2	3	3	8
TOT. SINGLE DX	3538	1.3	1	<1	<1	1	2	2	2	3
" MULTIPLE DX	1479	1.6	4	<1	<1	1	2	2	3	6
TOTAL 0-19 YRS	3819	1.3	1	<1	<1	1	2	2	2	3
20-34	536	1.6	2	<1	<1	1	2	2	2	4
35-49	341	1.7	7	<1	<1	1	2	2	3	7
50-64	185	1.8	8	<1	<1	2	2	2	3	6
65+	136	1.8	1	<1	1	2	2	3	3	7
GRAND TOTAL	**5017**	**1.4**	**2**	**<1**	**<1**	**1**	**2**	**2**	**2**	**3**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	15	1.6	2	<1	<1	1	2	2	6	7
20-34	7	1.7	1	<1	<1	1	2	4	4	4
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	3	4.7	40	1	1	1	9	12	12	12
65+	5	4.4	11	2	2	2	7	9	9	9
2. MULTIPLE DX										
0-19 YRS	10	5.5	104	<1	<1	2	3	21	34	34
20-34	10	2.1	2	<1	<1	2	3	5	6	6
35-49	8	2.3	5	1	1	2	2	6	8	8
50-64	8	3.6	14	1	1	2	5	10	11	11
65+	8	5.0	25	1	1	4	5	13	17	17
TOT. SINGLE DX	32	2.3	7	<1	<1	1	2	7	9	12
" MULTIPLE DX	44	3.7	32	<1	1	2	3	8	13	34
TOTAL 0-19 YRS	25	3.2	44	<1	<1	1	2	7	14	34
20-34	17	1.9	2	<1	<1	1	2	4	5	6
35-49	10	2.1	5	1	1	2	2	5	8	8
50-64	11	3.9	18	1	1	2	7	11	12	12
65+	13	4.8	19	1	1	3	6	11	16	17
GRAND TOTAL	**76**	**3.1**	**22**	**<1**	**1**	**2**	**3**	**8**	**10**	**30**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	425	3.5	8	<1	<1	2	5	6	8	16
20-34	214	2.6	4	1	1	2	3	5	7	10
35-49	184	2.8	3	1	1	2	3	5	7	10
50-64	172	2.5	3	<1	1	2	3	5	7	9
65+	197	2.9	5	1	1	2	3	5	7	13
2. MULTIPLE DX										
0-19 YRS	342	4.9	32	1	1	3	6	9	14	39
20-34	417	4.3	14	1	1	3	5	9	12	19
35-49	344	4.5	23	1	1	3	5	10	14	25
50-64	362	4.4	27	1	1	3	5	9	13	30
65+	730	5.0	33	1	1	3	6	11	15	29
TOT. SINGLE DX	1192	3.0	6	<1	1	2	4	6	7	12
" MULTIPLE DX	2195	4.7	27	1	1	3	5	10	14	27
TOTAL 0-19 YRS	767	4.1	20	<1	1	3	6	8	10	24
20-34	631	3.7	12	1	1	3	4	8	10	17
35-49	528	3.9	17	1	1	3	4	8	11	23
50-64	534	3.8	20	1	1	3	4	8	12	26
65+	927	4.5	28	1	1	3	5	10	14	26
GRAND TOTAL	**3387**	**4.1**	**20**	**1**	**1**	**3**	**5**	**8**	**12**	**23**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	878	1.9	3	<1	<1	1	2	3	5	8
20-34	265	2.0	3	<1	<1	1	2	4	6	10
35-49	180	2.1	5	<1	<1	1	2	5	6	19
50-64	154	2.2	4	<1	<1	1	3	5	6	11
65+	189	2.7	18	<1	<1	2	3	5	8	24
2. MULTIPLE DX										
0-19 YRS	861	3.2	22	<1	1	2	4	6	8	26
20-34	431	4.5	35	<1	1	2	5	10	16	29
35-49	267	5.2	64	1	1	3	5	12	18	44
50-64	277	5.2	45	<1	1	3	6	11	20	45
65+	605	7.3	90	1	1	4	9	16	24	54
TOT. SINGLE DX	1666	2.1	6	<1	<1	1	2	4	6	10
" MULTIPLE DX	2441	4.9	51	<1	1	3	5	11	17	42
TOTAL 0-19 YRS	1739	2.6	13	<1	<1	2	3	5	6	19
20-34	696	3.6	24	<1	<1	2	4	8	11	26
35-49	447	4.0	43	<1	<1	2	4	8	14	41
50-64	431	4.2	33	<1	<1	2	5	9	16	42
65+	794	6.2	77	<1	1	3	7	14	21	49
GRAND TOTAL	**4107**	**3.8**	**35**	**<1**	**<1**	**2**	**4**	**8**	**12**	**32**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	159	1.6		<1	1	1	2	3	3	4
20-34	619	1.9	1	1	1	2	2	3	3	5
35-49	878	1.8		1	1	2	2	3	3	5
50-64	799	1.9		1	1	2	2	3	3	4
65+	302	2.0	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
0-19 YRS	125	1.5		1	1	1	2	2	3	4
20-34	296	1.8	1	1	1	2	2	3	3	7
35-49	410	1.9	1	1	1	2	2	3	4	6
50-64	455	2.0	4	1	1	2	2	3	4	7
65+	273	2.1	1	1	1	2	3	3	4	6
TOT. SINGLE DX	2757	1.9	1	1	1	2	2	3	3	5
" MULTIPLE DX	1559	1.9	2	1	1	2	2	3	4	6
TOTAL 0-19 YRS	284	1.6	1	<1	1	1	2	2	3	4
20-34	915	1.8	1	1	1	2	2	3	3	6
35-49	1288	1.9	1	1	1	2	2	3	3	5
50-64	1254	2.0	2	1	1	2	2	3	3	6
65+	575	2.1	1	1	1	2	3	3	4	6
GRAND TOTAL	**4316**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1567	1.4		<1	1	1	2	2	2	3
20-34	979	1.5	1	<1	1	1	2	2	3	4
35-49	800	1.6	1	1	1	1	2	2	3	6
50-64	687	1.6		1	1	2	2	2	3	4
65+	232	1.6		1	1	2	2	2	3	4
2. MULTIPLE DX										
0-19 YRS	1487	1.5	2	<1	1	1	2	2	3	5
20-34	1037	1.6	2	1	1	1	2	3	3	5
35-49	864	1.7	1	1	1	1	2	3	3	7
50-64	874	1.9	2	1	1	2	2	3	4	9
65+	458	2.0	2	1	1	2	2	3	4	8
TOT. SINGLE DX	4265	1.5	1	<1	1	1	2	2	3	4
" MULTIPLE DX	4720	1.7	2	1	1	1	2	3	3	6
TOTAL 0-19 YRS	3054	1.5	2	<1	1	1	2	2	3	4
20-34	2016	1.6	2	1	1	1	2	2	3	5
35-49	1664	1.7	2	1	1	1	2	3	3	6
50-64	1561	1.8	2	1	1	2	2	3	3	6
65+	690	1.8	2	1	1	2	2	3	3	7
GRAND TOTAL	**8985**	**1.6**	**2**	**<1**	**1**	**1**	**2**	**2**	**3**	**5**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6322	1.1		<1	<1	<1	<1	1	1	3
20-34	154	1.4	1	<1	<1	1	1	2	3	7
35-49	124	1.6	2	<1	<1	1	2	2	4	9
50-64	112	1.5		<1	<1	1	2	3	4	5
65+	61	2.2	26	<1	<1	1	2	3	4	37
2. MULTIPLE DX										
0-19 YRS	5920	1.9	9	<1	<1	1	2	3	6	13
20-34	209	3.8	55	<1	<1	1	3	8	14	37
35-49	204	3.8	20	<1	<1	2	4	10	14	23
50-64	214	4.8	39	<1	1	2	6	13	16	33
65+	181	7.5	79	<1	1	4	11	20	24	56
TOT. SINGLE DX	6773	1.1	1	<1	<1	<1	<1	1	1	3
" MULTIPLE DX	6728	2.2	15	<1	<1	1	2	4	8	18
TOTAL 0-19 YRS	12242	1.4	5	<1	<1	<1	1	2	4	9
20-34	363	2.7	34	<1	<1	1	2	5	9	32
35-49	328	2.9	15	<1	<1	1	2	9	11	18
50-64	326	3.7	28	<1	<1	2	3	10	14	29
65+	242	6.2	71	<1	<1	2	9	16	22	44
GRAND TOTAL	**13501**	**1.7**	**8**	**<1**	**<1**	**<1**	**1**	**2**	**5**	**13**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	567	1.9	1	1	1	2	2	3	4	8
20-34	445	1.9	1	1	1	2	2	3	4	8
35-49	347	2.1	2	1	1	2	3	3	4	7
50-64	281	2.2	3	1	1	2	3	3	4	12
65+	138	2.3	5	1	1	2	3	4	4	11
2. MULTIPLE DX										
0-19 YRS	1072	2.4	10	1	1	2	2	4	6	17
20-34	787	2.3	9	1	1	2	3	3	5	16
35-49	718	2.4	5	1	1	2	3	4	6	15
50-64	728	3.0	20	1	1	2	3	4	7	23
65+	515	4.2	42	1	1	3	4	7	16	35
TOT. SINGLE DX	1778	2.0	2	1	1	2	2	3	4	8
" MULTIPLE DX	3820	2.7	16	1	1	2	3	4	7	20
TOTAL 0-19 YRS	1639	2.2	7	1	1	2	2	4	5	15
20-34	1232	2.2	6	1	1	2	2	3	4	14
35-49	1065	2.3	5	1	1	2	3	4	5	14
50-64	1009	2.7	16	1	1	2	3	4	6	19
65+	653	3.8	35	1	1	2	3	6	15	30
GRAND TOTAL	**5598**	**2.5**	**12**	**1**	**1**	**2**	**3**	**4**	**6**	**18**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	477	1.6	2	<1	<1	1	2	2	4	10
20-34	370	1.9	2	<1	1	1	2	3	4	9
35-49	429	2.2	2	<1	1	2	3	4	5	8
50-64	369	2.4	3	1	1	2	3	4	6	10
65+	130	2.7	4	1	1	2	3	5	7	11
2. MULTIPLE DX										
0-19 YRS	513	2.2	9	<1	<1	1	2	4	7	14
20-34	412	3.1	26	1	1	2	3	6	9	16
35-49	415	2.9	28	1	1	2	3	5	7	24
50-64	449	3.1	15	1	1	2	3	6	9	15
65+	259	5.0	46	1	1	3	5	13	18	38
TOT. SINGLE DX	1775	2.1	3	<1	<1	2	2	4	5	10
" MULTIPLE DX	2048	3.1	24	<1	1	2	3	6	10	21
TOTAL 0-19 YRS	990	1.9	6	<1	<1	1	2	3	5	12
20-34	782	2.5	15	<1	1	2	3	4	7	15
35-49	844	2.5	16	1	1	2	3	4	6	11
50-64	818	2.8	10	1	1	2	3	6	7	13
65+	389	4.2	33	1	1	2	4	9	15	30
GRAND TOTAL	**3823**	**2.6**	**14**	**<1**	**1**	**2**	**3**	**5**	**7**	**15**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	497	2.0		1	1	2	2	3	4	5
20-34	1114	1.9		1	1	2	3	3	4	5
35-49	559	1.8	2	<1	1	2	2	3	4	6
50-64	266	1.9	1	<1	1	2	2	3	4	6
65+	73	2.4	3	<1	1	2	3	4	7	10
2. MULTIPLE DX										
0-19 YRS	1448	1.9	1	1	1	2	2	3	4	6
20-34	3482	2.0	2	1	1	2	2	3	4	6
35-49	2347	2.1	3	1	1	2	3	3	4	8
50-64	1287	2.4	6	1	1	2	3	4	5	15
65+	369	2.9	9	1	1	2	3	5	9	16
TOT. SINGLE DX	2509	1.9	1	1	1	2	2	3	4	5
" MULTIPLE DX	8933	2.1	4	1	1	2	3	3	4	8
TOTAL 0-19 YRS	1945	1.9	1	1	1	2	2	3	4	5
20-34	4596	2.0	2	1	1	2	2	3	4	6
35-49	2906	2.1	3	1	1	2	3	3	4	7
50-64	1553	2.4	6	1	1	2	3	4	5	13
65+	442	2.9	9	1	1	2	3	5	8	16
GRAND TOTAL	**11442**	**2.1**	**3**	**1**	**1**	**2**	**3**	**3**	**4**	**8**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1634	1.7		<1	1	2	2	3	4	5
20-34	2909	1.7	2	<1	1	1	2	3	3	5
35-49	1530	1.6		<1	1	1	2	3	3	4
50-64	660	1.8		<1	1	1	2	3	3	5
65+	170	2.1	8	<1	1	1	2	3	5	14
2. MULTIPLE DX										
0-19 YRS	3091	1.9	3	1	1	2	2	3	4	8
20-34	6881	1.9	3	1	1	1	2	3	4	7
35-49	4463	2.0	4	1	1	2	2	3	4	10
50-64	2387	2.3	8	1	1	2	3	4	5	13
65+	999	3.2	15	1	1	2	3	7	10	18
TOT. SINGLE DX	6903	1.7	2	<1	1	1	2	3	3	5
" MULTIPLE DX	17821	2.1	5	1	1	2	2	3	5	10
TOTAL 0-19 YRS	4725	1.9	2	1	1	2	2	3	4	6
20-34	9790	1.8	3	<1	1	1	2	3	4	7
35-49	5993	1.9	4	1	1	1	2	3	4	8
50-64	3047	2.2	7	1	1	2	3	4	5	11
65+	1169	3.0	14	1	1	2	3	6	9	18
GRAND TOTAL	**24724**	**2.0**	**4**	**1**	**1**	**2**	**2**	**3**	**4**	**9**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	240	1.8	2	<1	<1	1	2	3	5	10
20-34	301	2.0	4	<1	<1	1	2	3	5	9
35-49	294	1.8	2	<1	<1	1	2	3	5	9
50-64	419	1.9	2	<1	<1	1	2	4	5	8
65+	397	2.1	3	<1	<1	2	2	4	6	11
2. MULTIPLE DX										
0-19 YRS	494	2.5	13	<1	1	1	3	4	7	16
20-34	882	2.2	5	<1	1	2	3	4	5	12
35-49	1004	2.4	6	<1	1	2	3	4	6	13
50-64	1177	3.2	16	1	1	2	3	6	9	21
65+	1284	4.8	40	1	1	3	5	11	15	33
TOT. SINGLE DX	1651	1.9	3	<1	<1	1	2	3	5	10
" MULTIPLE DX	4841	3.2	20	<1	1	2	3	6	10	24
TOTAL 0-19 YRS	734	2.2	10	<1	<1	1	2	4	6	13
20-34	1183	2.2	5	<1	1	2	2	4	5	11
35-49	1298	2.2	6	<1	1	2	3	4	5	12
50-64	1596	2.8	13	<1	1	2	3	5	8	19
65+	1681	4.1	33	<1	1	2	4	9	14	29
GRAND TOTAL	**6492**	**2.9**	**16**	**<1**	**1**	**2**	**3**	**5**	**9**	**21**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1093	1.5		<1	<1	1	2	3	3	6
20-34	907	1.9	2	<1	<1	1	2	4	5	8
35-49	438	2.9	4	<1	1	2	4	6	7	9
50-64	450	3.7	4	1	1	4	5	7	7	10
65+	354	3.9	6	1	1	3	5	7	8	13
2. MULTIPLE DX										
0-19 YRS	1020	2.6	14	<1	1	2	3	5	7	12
20-34	1559	3.1	11	1	1	2	4	7	8	17
35-49	868	4.3	31	1	1	3	5	8	11	28
50-64	974	5.1	17	1	1	4	6	10	13	21
65+	1692	5.7	35	1	2	4	7	11	15	30
TOT. SINGLE DX	3242	2.4	4	<1	<1	2	3	5	6	9
" MULTIPLE DX	6113	4.2	24	1	1	3	5	8	12	23
TOTAL 0-19 YRS	2113	2.0	8	<1	<1	1	2	4	5	10
20-34	2466	2.6	8	<1	1	2	3	5	7	14
35-49	1306	3.8	23	1	1	3	5	7	9	19
50-64	1424	4.7	14	1	1	4	6	8	11	19
65+	2046	5.4	31	1	1	4	6	10	14	29
GRAND TOTAL	**9355**	**3.6**	**18**	**<1**	**1**	**2**	**5**	**7**	**10**	**19**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	122	2.3	5	1	1	2	3	4	9	11
20-34	513	2.0	3	1	1	2	2	3	4	10
35-49	629	2.1	4	1	1	2	3	4	4	7
50-64	395	2.3	3	1	1	2	3	4	5	11
65+	221	2.4	2	1	1	2	3	4	4	11
2. MULTIPLE DX										
0-19 YRS	225	3.8	49	1	1	2	4	9	11	85
20-34	838	3.0	15	1	1	2	3	5	9	18
35-49	958	3.1	11	1	1	2	3	6	9	20
50-64	928	3.4	25	1	1	2	4	6	10	20
65+	579	4.3	33	1	1	3	4	9	13	35
TOT. SINGLE DX	1880	2.2	4	1	1	2	3	4	5	10
" MULTIPLE DX	3528	3.4	22	1	1	2	4	6	10	24
TOTAL 0-19 YRS	347	3.3	34	1	1	2	3	8	10	51
20-34	1351	2.6	11	1	1	2	3	5	7	16
35-49	1587	2.7	9	1	1	2	3	5	7	17
50-64	1323	3.1	19	1	1	2	3	5	8	17
65+	800	3.7	26	1	1	3	4	7	11	29
GRAND TOTAL	**5408**	**3.0**	**16**	**1**	**1**	**2**	**3**	**5**	**9**	**19**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	212	2.9	16	<1	<1	1	3	6	9	25
20-34	381	2.8	13	<1	1	2	3	5	7	12
35-49	384	2.7	7	<1	1	2	3	6	8	13
50-64	303	2.7	6	<1	1	2	3	5	7	15
65+	173	3.5	15	1	1	2	4	7	11	24
2. MULTIPLE DX										
0-19 YRS	486	4.8	36	<1	1	2	6	12	15	28
20-34	909	3.7	23	1	1	2	4	8	12	27
35-49	1029	3.9	34	1	1	2	4	8	13	27
50-64	915	4.4	35	1	1	2	5	10	14	31
65+	764	6.2	64	1	1	3	7	15	22	52
TOT. SINGLE DX	1453	2.9	11	<1	1	2	3	6	8	17
" MULTIPLE DX	4103	4.5	39	1	1	2	5	10	15	35
TOTAL 0-19 YRS	698	4.2	31	<1	<1	2	5	10	14	28
20-34	1290	3.4	21	1	1	2	4	7	10	24
35-49	1413	3.6	27	1	1	2	4	7	11	24
50-64	1218	4.0	29	1	1	2	4	9	12	29
65+	937	5.7	56	1	1	3	7	13	21	45
GRAND TOTAL	**5556**	**4.1**	**32**	**1**	**1**	**2**	**4**	**9**	**13**	**29**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1990	1.2		<1	<1	1	1	2	2	3
20-34	1468	1.4	2	<1	<1	1	2	2	2	7
35-49	366	1.8	2	<1	<1	1	2	3	4	11
50-64	235	1.8	3	<1	<1	1	2	2	3	13
65+	143	2.2	7	<1	<1	2	2	3	4	24
2. MULTIPLE DX										
0-19 YRS	1607	2.7	33	<1	<1	1	2	4	8	41
20-34	2138	4.3	51	<1	1	2	3	11	19	56
35-49	1452	4.9	58	1	1	2	4	13	22	63
50-64	1637	4.8	49	1	1	2	5	12	18	42
65+	1765	6.3	97	1	1	3	7	16	24	93
TOT. SINGLE DX	4202	1.4	2	<1	<1	1	2	2	2	6
" MULTIPLE DX	8599	4.6	59	<1	1	2	4	12	19	58
TOTAL 0-19 YRS	3597	1.9	15	<1	<1	1	2	2	4	19
20-34	3606	3.1	33	<1	<1	2	2	7	13	40
35-49	1818	4.3	49	<1	1	2	3	11	18	53
50-64	1872	4.4	44	<1	1	2	4	11	17	37
65+	1908	6.0	92	1	1	2	7	15	23	93
GRAND TOTAL	**12801**	**3.5**	**43**	**<1**	**<1**	**2**	**3**	**8**	**15**	**44**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	469	1.1		<1	<1	<1	1	1	2	3
20-34	41	1.7	1	<1	<1	1	2	3	4	6
35-49	21	2.0		<1	<1	2	2	3	4	4
50-64	14	2.0	1	<1	<1	2	2	3	5	5
65+	10	2.6	1	1	1	3	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	667	1.8	26	<1	<1	1	1	2	3	24
20-34	172	3.1	29	<1	<1	2	2	9	30	99+
35-49	70	4.9	122	<1	1	2	4	7	22	74
50-64	32	4.4	28	1	1	3	5	7	13	30
65+	19	8.0	129	<1	1	5	10	17	36	50
TOT. SINGLE DX	555	1.2	1	<1	<1	<1	1	2	2	4
" MULTIPLE DX	960	2.5	37	<1	<1	1	2	4	7	80
TOTAL 0-19 YRS	1136	1.5	16	<1	<1	1	1	2	2	11
20-34	213	2.8	24	<1	<1	2	2	7	22	99+
35-49	91	4.2	96	<1	<1	2	4	5	12	62
50-64	46	3.7	22	<1	1	2	4	7	9	30
65+	29	6.1	91	1	1	3	6	14	21	50
GRAND TOTAL	**1515**	**2.0**	**24**	**<1**	**<1**	**1**	**2**	**3**	**5**	**34**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	171	1.8	1	<1	<1	1	2	3	4	8
20-34	185	2.2	2	<1	<1	2	3	4	5	8
35-49	346	2.1	4	<1	<1	2	3	3	4	5
50-64	353	2.2	1	<1	<1	2	3	4	4	7
65+	115	2.8	4	1	1	2	3	5	7	12
2. MULTIPLE DX										
0-19 YRS	393	2.8	40	<1	<1	2	3	4	6	25
20-34	384	3.4	29	<1	1	2	3	6	11	33
35-49	407	3.7	31	1	1	2	3	7	11	41
50-64	550	3.7	25	1	1	2	4	6	12	24
65+	434	4.7	36	1	1	3	5	10	15	27
TOT. SINGLE DX	1170	2.2	3	<1	<1	2	3	4	4	8
" MULTIPLE DX	2168	3.7	32	<1	1	2	4	7	11	31
TOTAL 0-19 YRS	564	2.5	29	<1	<1	2	3	4	5	16
20-34	569	3.0	21	<1	<1	2	3	5	8	28
35-49	753	3.0	20	<1	<1	2	3	5	8	25
50-64	903	3.1	16	<1	1	2	3	5	8	20
65+	549	4.3	30	1	1	3	4	10	13	23
GRAND TOTAL	**3338**	**3.2**	**23**	**<1**	**1**	**2**	**3**	**5**	**9**	**23**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	338	2.2	2	<1	1	2	3	4	5	9
20-34	874	2.4	2	1	1	2	3	4	5	7
35-49	1178	2.7	2	1	1	2	3	4	5	8
50-64	1181	2.9	9	1	1	3	4	5	5	8
65+	931	3.1	5	1	1	3	4	5	7	12
2. MULTIPLE DX										
0-19 YRS	173	3.0	4	1	1	2	4	6	7	11
20-34	417	3.3	16	1	1	2	4	6	8	20
35-49	713	3.7	15	1	1	3	4	7	10	20
50-64	1081	4.0	16	1	1	3	5	7	11	19
65+	1549	5.0	25	1	2	4	5	10	14	29
TOT. SINGLE DX	4502	2.7	5	1	1	2	3	5	5	9
" MULTIPLE DX	3933	4.2	20	1	1	3	5	8	12	22
TOTAL 0-19 YRS	511	2.5	3	1	1	2	3	4	6	10
20-34	1291	2.7	7	1	1	2	3	5	6	10
35-49	1891	3.1	8	1	1	2	4	5	7	16
50-64	2262	3.4	13	1	1	3	4	6	8	15
65+	2480	4.3	19	1	1	3	5	8	12	23
GRAND TOTAL	**8435**	**3.4**	**12**	**1**	**1**	**3**	**4**	**6**	**8**	**18**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1012	3.3	2	1	1	3	4	6	7	8
20-34	36	2.9	2	1	1	3	4	5	6	6
35-49	38	2.9	3	1	1	3	4	6	6	10
50-64	36	4.1	46	1	1	2	4	6	12	41
65+	7	5.0	14	2	2	4	6	12	13	13
2. MULTIPLE DX										
0-19 YRS	1096	3.7	8	1	2	3	4	6	7	10
20-34	77	3.6	11	1	1	2	4	7	10	18
35-49	133	3.6	17	1	1	3	4	6	9	23
50-64	105	4.5	37	1	1	3	5	7	15	34
65+	39	4.2	16	1	1	3	5	10	13	20
TOT. SINGLE DX	1129	3.3	4	1	1	3	4	6	7	9
" MULTIPLE DX	1450	3.8	12	1	1	3	4	6	8	15
TOTAL 0-19 YRS	2108	3.5	6	1	2	3	4	6	7	9
20-34	113	3.4	9	1	1	2	4	6	9	17
35-49	171	3.4	15	1	1	3	4	6	8	20
50-64	141	4.4	40	1	1	3	5	7	13	36
65+	46	4.3	16	1	1	3	5	11	13	20
GRAND TOTAL	**2579**	**3.6**	**9**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1547	2.8	5	<1	<1	2	4	6	7	9
20-34	445	3.5	8	<1	1	3	5	7	9	16
35-49	470	3.5	14	<1	<1	2	4	7	9	16
50-64	699	3.6	14	<1	1	2	4	8	11	18
65+	619	3.9	24	<1	1	2	4	8	12	24
2. MULTIPLE DX										
0-19 YRS	1785	3.5	15	1	1	2	4	7	9	20
20-34	1132	4.6	43	1	1	3	5	9	14	31
35-49	973	5.7	50	1	1	3	7	12	19	37
50-64	1531	8.0	111	1	1	4	10	19	26	58
65+	2094	7.5	92	1	1	4	9	17	24	59
TOT. SINGLE DX	3780	3.3	12	<1	<1	2	4	7	9	17
" MULTIPLE DX	7515	6.0	69	1	1	3	7	13	20	47
TOTAL 0-19 YRS	3332	3.2	11	<1	1	2	4	6	8	14
20-34	1577	4.3	34	<1	1	3	5	8	12	28
35-49	1443	5.0	39	<1	1	3	6	10	16	33
50-64	2230	6.6	85	1	1	3	8	15	23	50
65+	2713	6.7	80	1	1	4	8	15	22	53
GRAND TOTAL	**11295**	**5.1**	**51**	**<1**	**1**	**3**	**6**	**11**	**17**	**39**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14565	1.4		<1	1	1	2	2	2	3
20-34	9289	1.5		1	1	1	2	2	3	4
35-49	1110	1.7	1	1	1	1	2	3	3	6
50-64	187	1.8	1	1	1	2	2	3	4	5
65+	53	2.7	9	1	1	2	3	5	8	20
2. MULTIPLE DX										
0-19 YRS	4302	1.6	4	1	1	1	2	2	3	7
20-34	2527	1.9	5	1	1	1	2	3	4	9
35-49	557	2.4	7	1	1	2	2	4	7	13
50-64	144	4.3	39	1	1	2	4	11	15	37
65+	75	4.6	32	1	1	2	5	11	18	31
TOT. SINGLE DX	25204	1.4	1	1	1	1	2	2	3	4
" MULTIPLE DX	7605	1.8	6	1	1	1	2	3	4	10
TOTAL 0-19 YRS	18867	1.4	2	<1	1	1	2	2	3	4
20-34	11816	1.6	2	1	1	1	2	2	3	5
35-49	1667	1.9	3	1	1	1	2	3	4	9
50-64	331	2.9	19	1	1	2	3	5	10	32
65+	128	3.8	24	1	1	2	4	8	13	24
GRAND TOTAL	**32809**	**1.5**	**2**	**1**	**1**	**1**	**2**	**2**	**3**	**5**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	22855	1.3		<1	1	1	2	2	2	3
20-34	736	1.5		1	1	1	2	2	3	4
35-49	59	1.8		1	1	2	2	3	3	3
50-64	13	1.2		<1	<1	1	1	2	3	3
65+	23	1.5		<1	1	1	2	2	3	3
2. MULTIPLE DX										
0-19 YRS	19613	1.4	2	<1	1	1	2	2	2	5
20-34	350	1.9	5	1	1	1	2	3	4	8
35-49	27	2.9	9	1	1	2	3	6	12	13
50-64	9	2.8	7	1	1	2	3	7	9	9
65+	27	1.8	1	<1	1	1	2	4	5	6
TOT. SINGLE DX	23686	1.3		<1	1	1	2	2	2	3
" MULTIPLE DX	20026	1.4	2	<1	1	1	2	2	2	5
TOTAL 0-19 YRS	42468	1.4	1	<1	1	1	2	2	2	4
20-34	1086	1.7	2	1	1	1	2	3	3	6
35-49	86	2.1	3	1	1	2	3	3	4	13
50-64	22	1.9	4	<1	1	1	2	4	7	9
65+	50	1.6	1	<1	1	1	2	3	4	6
GRAND TOTAL	**43712**	**1.4**	**1**	**<1**	**1**	**1**	**2**	**2**	**2**	**4**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1053	1.2		<1	<1	1	1	2	2	2
20-34	21	1.4		<1	<1	1	2	2	2	2
35-49	7	1.3		1	1	1	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	2901	1.3	3	<1	<1	1	1	2	2	7
20-34	23	1.3		<1	1	1	2	2	2	2
35-49	11	2.3	3	1	1	2	3	5	7	7
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	2	3.0	8	1	1	3	5	5	5	5
TOT. SINGLE DX	1084	1.2		<1	<1	1	1	2	2	2
" MULTIPLE DX	2939	1.4	4	<1	<1	1	1	2	2	7
TOTAL 0-19 YRS	3954	1.3	3	<1	<1	1	1	2	2	5
20-34	44	1.3		<1	1	1	2	2	2	2
35-49	18	1.9	2	1	1	1	2	4	6	7
50-64	3	1.0		<1	<1	1	1	1	1	1
65+	4	2.0	4	<1	<1	1	3	5	5	5
GRAND TOTAL	**4023**	**1.3**	**3**	**<1**	**<1**	**1**	**1**	**2**	**2**	**5**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1567	2.2	3	<1	1	2	3	4	5	9
20-34	1110	2.3	3	<1	1	2	3	4	5	8
35-49	450	2.7	10	<1	1	2	3	5	7	16
50-64	317	3.1	9	<1	1	2	3	7	10	15
65+	227	3.6	14	1	1	2	4	8	12	20
2. MULTIPLE DX										
0-19 YRS	668	3.5	20	1	1	2	4	6	10	25
20-34	538	3.8	19	1	1	3	4	7	10	22
35-49	371	5.4	64	1	1	3	6	12	20	54
50-64	656	6.8	77	1	1	4	9	16	22	51
65+	662	8.5	91	1	1	5	11	21	30	43
TOT. SINGLE DX	3671	2.4	6	<1	1	2	3	4	6	12
" MULTIPLE DX	2895	5.7	59	1	1	3	6	13	20	41
TOTAL 0-19 YRS	2235	2.6	9	<1	1	2	3	5	6	14
20-34	1648	2.8	9	<1	1	2	3	5	6	14
35-49	821	3.9	37	1	1	2	4	8	12	37
50-64	973	5.6	59	1	1	3	7	14	19	46
65+	889	7.2	77	1	1	4	10	18	25	41
GRAND TOTAL	**6566**	**3.9**	**32**	**<1**	**1**	**2**	**4**	**8**	**13**	**31**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	108	1.9	2	<1	<1	1	2	4	6	8
20-34	96	2.9	5	<1	1	3	4	5	6	14
35-49	85	3.1	4	<1	1	3	5	6	7	10
50-64	113	3.1	5	<1	1	2	4	6	8	12
65+	109	3.2	5	<1	1	3	4	6	7	12
2. MULTIPLE DX										
0-19 YRS	404	3.4	11	1	1	3	4	5	7	22
20-34	110	4.4	26	<1	1	3	5	9	11	31
35-49	160	4.7	17	1	1	4	6	9	11	27
50-64	349	5.1	43	1	1	4	6	9	12	22
65+	699	5.5	36	1	1	4	7	11	16	33
TOT. SINGLE DX	511	2.9	5	<1	<1	2	4	6	7	10
" MULTIPLE DX	1722	4.8	30	1	1	3	5	9	14	28
TOTAL 0-19 YRS	512	3.1	10	<1	1	3	4	5	6	18
20-34	206	3.7	17	<1	1	3	4	7	10	27
35-49	245	4.1	13	1	1	3	5	8	10	24
50-64	462	4.6	34	1	1	3	6	8	11	21
65+	808	5.2	33	1	1	4	6	10	15	31
GRAND TOTAL	**2233**	**4.4**	**25**	**1**	**1**	**3**	**5**	**8**	**11**	**25**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	399	1.6	1	<1	<1	1	2	2	3	8
20-34	417	1.4		<1	<1	1	2	2	2	3
35-49	758	1.6	6	<1	<1	1	2	2	3	8
50-64	1144	1.8	4	<1	<1	1	2	2	3	12
65+	651	1.8	2	<1	<1	1	2	2	4	11
2. MULTIPLE DX										
0-19 YRS	263	3.0	27	<1	<1	1	2	6	11	38
20-34	215	3.2	60	<1	1	2	2	6	10	30
35-49	573	3.7	31	<1	1	2	3	9	13	31
50-64	1219	3.8	32	<1	1	2	4	9	14	31
65+	1209	4.5	47	<1	1	2	4	11	17	45
TOT. SINGLE DX	3369	1.7	3	<1	<1	1	2	2	3	9
" MULTIPLE DX	3479	3.9	39	<1	1	2	4	10	15	34
TOTAL 0-19 YRS	662	2.2	12	<1	<1	1	2	3	6	18
20-34	632	2.0	22	<1	<1	1	2	2	4	15
35-49	1331	2.5	18	<1	<1	1	2	4	8	23
50-64	2363	2.8	20	<1	<1	2	2	6	10	22
65+	1860	3.6	34	<1	1	2	3	9	13	32
GRAND TOTAL	**6848**	**2.8**	**23**	**<1**	**<1**	**2**	**2**	**6**	**10**	**24**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	38	2.2	5	<1	<1	1	2	4	9	10
20-34	23	3.3	15	<1	<1	2	4	8	14	15
35-49	43	6.3	38	1	1	3	11	13	16	32
50-64	107	9.6	61	<1	1	9	14	18	25	34
65+	69	8.9	62	1	1	9	14	18	23	39
2. MULTIPLE DX										
0-19 YRS	82	5.4	96	<1	<1	2	5	11	19	60
20-34	36	8.2	211	1	1	4	8	61	99+	99+
35-49	64	10.5	142	1	2	7	13	22	27	73
50-64	220	12.9	130	1	2	10	16	27	37	57
65+	229	12.1	161	1	2	9	17	26	41	85
TOT. SINGLE DX	280	7.4	54	<1	1	5	12	17	21	31
" MULTIPLE DX	631	11.1	149	1	1	8	15	25	39	78
TOTAL 0-19 YRS	120	4.4	70	<1	<1	2	4	9	13	51
20-34	59	6.3	139	<1	<1	3	6	23	84	99+
35-49	107	8.8	105	1	1	6	11	19	24	60
50-64	327	11.8	110	1	2	10	16	25	32	51
65+	298	11.4	140	1	1	9	16	24	38	76
GRAND TOTAL	**911**	**10.0**	**123**	**1**	**1**	**7**	**14**	**23**	**32**	**68**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	15.0		15	15	15	15	15	15	15
35-49	36	13.7	30	4	9	13	16	20	25	32
50-64	138	13.9	32	7	8	13	16	21	24	34
65+	99	14.5	33	8	9	13	16	22	27	36
2. MULTIPLE DX										
0-19 YRS	4	26.3	287	11	11	22	39	49	49	49
20-34	3	31.0	171	16	16	37	39	40	40	40
35-49	98	21.2	172	9	10	18	24	37	51	73
50-64	511	19.9	148	8	10	16	24	36	45	86
65+	474	21.8	190	9	10	17	25	40	54	84
TOT. SINGLE DX	274	14.1	33	8	9	13	16	21	24	35
" MULTIPLE DX	1090	20.9	170	9	10	17	25	38	50	84
TOTAL 0-19 YRS	4	26.3	288	11	11	22	39	49	49	49
20-34	4	27.0	178	15	15	26	38	40	40	40
35-49	134	19.2	145	8	9	16	23	32	46	66
50-64	649	18.7	130	8	9	15	22	33	41	76
65+	573	20.5	171	9	10	16	24	38	50	84
GRAND TOTAL	**1364**	**19.5**	**150**	**8**	**10**	**16**	**23**	**36**	**45**	**83**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	9.0	57	2	2	8	15	17	17	17
20-34	2	17.0	288	5	5	17	29	29	29	29
35-49	4	4.5	3	2	2	5	6	6	6	6
50-64	19	8.8	86	1	2	4	13	22	30	36
65+	12	11.0	45	1	4	11	14	22	23	23
2. MULTIPLE DX										
0-19 YRS	43	24.4	564	2	4	19	47	99+	99+	99+
20-34	56	29.2	451	3	6	29	50	82	99+	99+
35-49	111	25.7	441	3	4	24	40	82	99+	99+
50-64	282	27.0	421	3	4	25	43	70	99+	99+
65+	407	33.5	539	6	8	32	52	88	99+	99+
TOT. SINGLE DX	40	9.5	70	1	2	6	14	22	26	36
" MULTIPLE DX	899	29.8	496	4	6	27	49	84	99+	99+
TOTAL 0-19 YRS	46	23.4	544	2	3	19	41	99+	99+	99+
20-34	58	28.8	445	3	5	29	50	79	99+	99+
35-49	115	24.9	441	3	4	22	39	82	99+	99+
50-64	301	25.9	420	3	4	23	42	69	99+	99+
65+	419	32.8	539	6	7	30	51	87	99+	99+
GRAND TOTAL	**939**	**28.9**	**494**	**3**	**5**	**26**	**47**	**82**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	147	5.3	56	<1	<1	2	6	13	23	44
20-34	79	3.8	14	<1	1	2	6	9	11	76
35-49	57	8.6	153	1	1	4	9	21	48	50
50-64	91	4.9	55	1	1	2	6	11	15	40
65+	89	6.3	144	1	1	2	5	15	34	92
2. MULTIPLE DX										
0-19 YRS	450	15.2	357	<1	1	9	24	62	99+	99+
20-34	289	22.9	499	1	2	15	40	67	91	99+
35-49	353	22.5	512	1	2	17	39	78	99+	99+
50-64	886	22.8	494	1	2	17	40	70	99+	99+
65+	1205	31.5	628	1	2	30	54	84	99+	99+
TOT. SINGLE DX	463	5.6	79	<1	1	2	6	12	25	50
" MULTIPLE DX	3183	25.0	560	1	2	20	44	77	99+	99+
TOTAL 0-19 YRS	597	12.8	301	<1	1	6	19	49	94	99+
20-34	368	18.8	457	1	1	10	32	60	85	99+
35-49	410	20.5	486	1	1	13	37	69	99+	99+
50-64	977	21.1	481	1	1	14	37	68	99+	99+
65+	1294	29.8	636	1	2	27	52	82	99+	99+
GRAND TOTAL	**3646**	**22.5**	**541**	**1**	**1**	**15**	**40**	**71**	**99+**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	53	4.9	22	<1	1	4	7	10	12	28
20-34	305	5.4	27	1	1	4	7	11	14	28
35-49	472	5.7	33	<1	1	4	8	12	16	29
50-64	1007	5.5	30	<1	1	4	7	12	16	26
65+	992	6.1	32	1	1	4	8	13	16	28
2. MULTIPLE DX										
0-19 YRS	130	8.8	38	1	2	8	12	18	22	44
20-34	1041	12.7	126	2	2	9	17	28	36	67
35-49	2231	11.5	119	2	2	8	15	24	33	58
50-64	6506	10.4	82	2	2	8	13	21	27	48
65+	11526	11.6	91	2	3	9	15	23	30	53
TOT. SINGLE DX	2829	5.7	31	<1	1	4	8	12	16	27
" MULTIPLE DX	21434	11.3	94	2	2	9	15	22	29	53
TOTAL 0-19 YRS	183	7.7	37	1	2	7	10	17	21	30
20-34	1346	11.0	114	1	2	8	15	25	33	60
35-49	2703	10.5	109	1	2	8	13	22	31	56
50-64	7513	9.7	78	1	2	8	13	20	26	46
65+	12518	11.2	89	2	2	9	15	22	29	51
GRAND TOTAL	**24263**	**10.6**	**90**	**1**	**2**	**8**	**14**	**22**	**28**	**50**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	5	7.6	29	2	2	7	11	16	16	16
35-49	2	8.0	98	1	1	8	15	15	15	15
50-64	1	10.0		10	10	10	10	10	10	10
65+	1	30.0		30	30	30	30	30	30	30
2. MULTIPLE DX										
0-19 YRS	3	15.0	117	3	3	18	22	24	24	24
20-34	6	8.7	7	5	5	8	10	13	13	13
35-49	4	6.0	2	4	4	6	7	8	8	8
50-64	18	11.8	113	2	2	10	16	26	35	41
65+	8	17.1	294	1	1	14	28	44	49	49
TOT. SINGLE DX	9	10.4	81	1	1	9	15	24	30	30
" MULTIPLE DX	39	12.1	124	1	2	9	16	26	37	49
TOTAL 0-19 YRS	3	15.0	117	3	3	18	22	24	24	24
20-34	11	8.2	16	2	3	8	10	14	16	16
35-49	6	6.7	22	1	1	6	8	14	15	15
50-64	19	11.7	108	2	2	10	16	26	35	41
65+	9	18.6	276	1	1	16	30	42	49	49
GRAND TOTAL	**48**	**11.8**	**115**	**1**	**2**	**9**	**16**	**26**	**33**	**49**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	83	9.0	22	3	4	8	11	14	16	30
20-34	270	8.2	26	1	3	7	11	15	18	25
35-49	433	8.0	33	1	3	7	9	13	19	34
50-64	854	8.1	30	1	2	7	10	14	19	26
65+	648	7.6	34	1	1	7	10	15	18	27
2. MULTIPLE DX										
0-19 YRS	262	14.1	173	4	5	10	16	32	44	97
20-34	659	13.0	109	3	5	10	16	26	33	56
35-49	1276	12.4	99	2	4	10	15	24	31	63
50-64	3681	12.4	104	2	3	10	16	24	32	56
65+	5047	12.5	104	1	2	10	16	24	32	53
TOT. SINGLE DX	2288	8.0	32	1	2	7	10	14	18	28
" MULTIPLE DX	10925	12.5	106	2	3	10	16	25	32	56
TOTAL 0-19 YRS	345	12.8	141	4	5	9	14	26	38	83
20-34	929	11.6	90	3	4	9	14	21	30	49
35-49	1709	11.3	86	2	4	9	14	21	29	52
50-64	4535	11.6	93	2	3	9	15	23	30	54
65+	5695	11.9	99	1	2	10	15	23	31	52
GRAND TOTAL	**13213**	**11.7**	**96**	**2**	**3**	**9**	**15**	**23**	**30**	**53**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	19	9.2	14	5	6	8	10	16	18	18
20-34	29	10.2	30	6	6	9	11	14	25	31
35-49	140	10.5	22	5	6	9	12	17	21	38
50-64	482	11.7	25	6	7	10	14	19	21	30
65+	359	11.9	33	6	7	10	14	18	22	39
2. MULTIPLE DX										
0-19 YRS	60	17.0	238	6	6	11	20	31	52	82
20-34	94	14.5	123	6	7	11	17	28	33	87
35-49	448	14.2	94	6	7	11	17	24	32	63
50-64	2121	14.9	94	7	7	12	18	25	32	53
65+	2411	16.1	93	7	8	13	19	27	34	63
TOT. SINGLE DX	1029	11.5	28	6	7	10	13	18	22	31
" MULTIPLE DX	5134	15.4	97	7	8	13	18	26	33	66
TOTAL 0-19 YRS	79	15.1	195	6	6	10	18	29	37	79
20-34	123	13.5	105	6	7	10	15	27	31	79
35-49	588	13.3	79	6	7	11	15	23	31	60
50-64	2603	14.3	83	6	7	12	17	24	30	51
65+	2770	15.6	88	7	8	13	18	26	32	60
GRAND TOTAL	**6163**	**14.8**	**87**	**7**	**7**	**12**	**17**	**25**	**32**	**59**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	716	2.7	10	<1	<1	1	3	7	9	18
20-34	329	5.5	36	<1	1	4	7	11	14	29
35-49	425	5.2	23	1	1	4	7	12	14	26
50-64	726	5.4	24	<1	1	4	8	12	15	25
65+	532	6.3	33	<1	1	4	9	14	18	26
2. MULTIPLE DX										
0-19 YRS	1031	8.8	129	1	1	5	12	20	30	88
20-34	1034	11.1	139	1	2	8	14	24	35	81
35-49	1973	10.4	90	1	2	8	14	22	29	47
50-64	4689	10.6	97	2	2	8	13	22	29	54
65+	7933	12.7	116	2	3	10	16	25	34	59
TOT. SINGLE DX	2728	4.9	26	<1	1	3	7	11	15	25
" MULTIPLE DX	16660	11.5	112	2	2	9	15	24	32	60
TOTAL 0-19 YRS	1747	6.3	90	<1	1	3	8	15	22	68
20-34	1363	9.7	121	1	1	7	12	20	29	74
35-49	2398	9.5	83	1	2	7	12	20	27	46
50-64	5415	9.9	91	1	2	8	13	21	28	52
65+	8465	12.3	113	2	3	10	16	24	33	59
GRAND TOTAL	**19388**	**10.6**	**105**	**1**	**2**	**8**	**14**	**22**	**30**	**57**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	55	5.9	44	1	1	4	7	12	14	43
20-34	177	5.2	14	2	2	4	6	9	13	19
35-49	75	6.1	15	2	2	5	8	11	13	21
50-64	52	6.7	20	1	1	6	10	13	14	18
65+	33	7.9	33	1	3	5	11	18	21	22
2. MULTIPLE DX										
0-19 YRS	95	11.4	171	2	3	7	13	20	35	69
20-34	179	9.6	89	3	4	7	11	18	25	69
35-49	169	11.8	103	2	3	8	17	23	37	52
50-64	279	13.0	140	2	3	10	17	26	35	68
65+	364	13.4	134	3	4	11	17	25	33	83
TOT. SINGLE DX	392	5.9	22	1	2	5	7	12	14	22
" MULTIPLE DX	1086	12.2	128	2	3	9	16	24	34	71
TOTAL 0-19 YRS	150	9.4	132	1	2	6	12	17	26	65
20-34	356	7.4	57	2	3	6	8	13	19	55
35-49	244	10.0	83	2	2	7	12	21	30	50
50-64	331	12.0	126	2	3	9	15	24	32	67
65+	397	13.0	129	2	4	10	17	25	32	80
GRAND TOTAL	**1478**	**10.6**	**108**	**2**	**3**	**7**	**13**	**22**	**29**	**67**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	556	5.5	19	1	2	4	7	10	13	23
20-34	2115	5.3	13	2	2	4	6	9	12	18
35-49	741	5.8	19	2	2	5	7	10	13	23
50-64	403	6.7	19	2	3	6	8	12	15	24
65+	286	7.7	31	2	2	6	10	16	19	31
2. MULTIPLE DX										
0-19 YRS	1091	13.4	246	2	3	8	15	32	57	99+
20-34	2267	9.2	80	2	3	7	11	18	24	49
35-49	1856	10.5	85	3	3	8	13	21	28	50
50-64	3072	12.0	103	3	4	9	15	24	32	55
65+	4542	13.4	126	3	4	10	17	27	34	63
TOT. SINGLE DX	4101	5.7	17	2	2	5	7	10	13	23
" MULTIPLE DX	12828	11.9	120	3	3	9	15	24	33	63
TOTAL 0-19 YRS	1647	10.8	183	2	3	6	12	23	43	92
20-34	4382	7.3	52	2	3	5	8	13	19	42
35-49	2597	9.1	71	2	3	7	11	18	24	44
50-64	3475	11.4	96	3	3	8	14	23	31	53
65+	4828	13.1	123	3	4	10	17	27	34	62
GRAND TOTAL	**16929**	**10.4**	**102**	**2**	**3**	**7**	**13**	**21**	**29**	**57**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	636	5.6	8	1	2	6	7	8	10	18
20-34	470	6.3	39	1	1	5	8	12	16	24
35-49	363	5.7	37	<1	1	4	8	12	15	37
50-64	437	5.9	29	1	1	4	8	13	16	29
65+	340	6.4	34	1	1	4	9	14	17	28
2. MULTIPLE DX										
0-19 YRS	329	9.7	70	2	3	7	12	19	25	39
20-34	776	10.6	100	1	2	8	13	22	30	50
35-49	962	11.7	119	1	2	9	15	24	31	72
50-64	2100	11.1	104	1	2	9	14	23	30	52
65+	3141	12.5	123	2	2	10	16	26	34	58
TOT. SINGLE DX	2246	5.9	28	1	1	5	8	12	15	26
" MULTIPLE DX	7308	11.6	113	1	2	9	15	24	32	56
TOTAL 0-19 YRS	965	7.0	33	1	2	6	7	12	17	29
20-34	1246	8.9	82	1	1	7	11	19	25	43
35-49	1325	10.1	104	1	1	8	13	21	28	54
50-64	2537	10.2	95	1	2	8	14	21	29	49
65+	3481	11.9	118	1	2	9	16	25	33	57
GRAND TOTAL	**9554**	**10.3**	**99**	**1**	**2**	**8**	**13**	**22**	**29**	**51**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	658	8.1	27	4	5	7	9	11	14	24
20-34	142	9.1	7	6	6	9	10	12	14	20
35-49	198	10.0	10	6	7	9	11	14	16	23
50-64	254	11.6	20	7	8	11	13	17	20	29
65+	167	13.4	27	8	9	12	16	19	24	33
2. MULTIPLE DX										
0-19 YRS	1885	12.6	104	5	6	9	14	22	34	84
20-34	417	16.2	169	7	7	11	19	31	43	77
35-49	925	15.6	140	7	8	12	17	28	42	78
50-64	2342	16.1	112	8	8	13	18	27	36	71
65+	2901	18.5	138	8	9	15	22	33	42	77
TOT. SINGLE DX	1419	9.7	25	5	6	9	11	14	18	26
" MULTIPLE DX	8470	16.1	130	7	8	13	19	29	40	77
TOTAL 0-19 YRS	2543	11.4	89	5	6	9	12	19	28	77
20-34	559	14.4	138	6	7	10	15	27	38	75
35-49	1123	14.6	122	7	8	11	16	25	39	74
50-64	2596	15.7	105	8	8	12	18	26	34	70
65+	3068	18.3	134	8	9	15	21	32	41	75
GRAND TOTAL	**9889**	**15.2**	**120**	**6**	**7**	**12**	**17**	**27**	**37**	**73**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	10.5	5	9	9	10	12	12	12	12
20-34	11	9.5	4	7	7	9	11	13	14	14
35-49	461	10.3	12	6	7	10	12	15	17	23
50-64	1370	10.9	14	7	7	10	12	15	18	23
65+	693	12.1	21	7	8	11	14	18	20	30
2. MULTIPLE DX										
0-19 YRS	16	16.8	201	7	9	11	15	47	52	53
20-34	120	11.4	56	6	7	9	12	19	23	46
35-49	3705	11.2	29	7	7	10	13	17	21	32
50-64	14715	12.6	45	7	8	11	14	20	24	40
65+	11924	15.1	80	8	8	13	17	24	31	55
TOT. SINGLE DX	2537	11.1	16	7	7	10	13	16	18	26
" MULTIPLE DX	30480	13.4	59	7	8	11	15	21	27	48
TOTAL 0-19 YRS	18	16.1	182	7	9	11	13	42	52	53
20-34	131	11.3	52	6	7	9	12	18	23	42
35-49	4166	11.1	27	7	7	10	12	16	20	32
50-64	16085	12.5	43	7	8	11	14	19	24	39
65+	12617	14.9	78	8	8	12	17	24	31	55
GRAND TOTAL	**33017**	**13.2**	**56**	**7**	**8**	**11**	**15**	**21**	**26**	**46**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1536	1.8	1	<1	1	2	2	2	4	9
20-34	721	2.8	7	1	1	2	3	6	8	13
35-49	5163	2.8	6	1	1	2	3	6	9	13
50-64	9100	2.7	6	1	1	2	2	6	9	13
65+	3440	2.8	7	1	1	2	2	6	9	14
2. MULTIPLE DX										
0-19 YRS	3396	2.7	16	1	1	2	2	5	9	20
20-34	1984	4.6	27	1	1	2	6	10	14	23
35-49	17384	4.2	17	1	1	2	6	10	12	19
50-64	44173	4.4	21	1	1	2	6	10	13	21
65+	28930	5.5	36	1	1	3	8	12	16	28
TOT. SINGLE DX	19960	2.7	7	1	1	2	2	6	9	13
" MULTIPLE DX	95867	4.6	26	1	1	2	6	11	14	23
TOTAL 0-19 YRS	4932	2.5	12	<1	1	2	2	4	7	17
20-34	2705	4.1	23	1	1	2	5	9	13	21
35-49	22547	3.9	16	1	1	2	5	9	12	18
50-64	53273	4.1	19	1	1	2	5	10	13	20
65+	32370	5.2	34	1	1	2	7	12	16	27
GRAND TOTAL	**115827**	**4.3**	**23**	**1**	**1**	**2**	**6**	**10**	**13**	**22**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	60	3.4	4	1	1	3	5	6	7	10
20-34	63	3.6	4	1	1	3	5	6	7	11
35-49	140	4.2	11	1	1	3	5	9	12	16
50-64	487	4.8	15	1	1	4	6	11	14	18
65+	2024	4.7	19	1	1	4	6	9	12	19
2. MULTIPLE DX										
0-19 YRS	195	7.0	55	1	2	5	8	12	19	45
20-34	187	6.7	47	1	2	5	9	13	16	39
35-49	654	9.0	48	2	2	7	12	17	22	33
50-64	3768	9.7	60	2	3	8	13	18	23	39
65+	22102	9.8	65	2	3	8	13	19	24	42
TOT. SINGLE DX	2774	4.6	18	1	1	4	6	9	12	19
" MULTIPLE DX	26906	9.8	65	2	3	8	13	19	24	42
TOTAL 0-19 YRS	255	6.1	46	1	2	4	7	11	17	42
20-34	250	5.9	38	1	1	4	7	12	15	36
35-49	794	8.2	45	1	2	6	11	16	20	30
50-64	4255	9.2	58	2	2	7	12	18	22	37
65+	24126	9.4	64	2	2	7	12	18	24	42
GRAND TOTAL	**29680**	**9.3**	**62**	**2**	**2**	**7**	**12**	**18**	**23**	**41**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	97	5.9	13	1	2	6	8	11	14	16
20-34	110	6.3	17	1	2	6	9	12	15	52
35-49	758	4.4	13	1	2	3	6	9	11	18
50-64	1572	4.1	9	1	2	3	5	8	10	15
65+	588	4.3	11	1	2	3	5	8	11	17
2. MULTIPLE DX										
0-19 YRS	246	10.1	120	2	2	8	12	22	29	88
20-34	425	9.8	79	2	2	8	12	21	26	40
35-49	3277	6.3	31	2	2	4	8	13	17	27
50-64	7944	6.4	33	2	2	4	8	12	16	29
65+	4953	7.9	54	2	2	6	10	16	21	37
TOT. SINGLE DX	3125	4.3	11	1	2	3	6	9	11	16
" MULTIPLE DX	16845	6.9	42	2	2	5	9	14	18	33
TOTAL 0-19 YRS	343	8.9	94	1	2	7	10	18	26	70
20-34	535	9.1	69	2	2	7	11	19	25	40
35-49	4035	5.9	29	2	2	4	8	12	16	26
50-64	9516	6.0	30	2	2	4	8	12	15	28
65+	5541	7.5	51	2	2	5	10	15	20	36
GRAND TOTAL	**19970**	**6.5**	**39**	**2**	**2**	**4**	**8**	**13**	**17**	**31**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1064	2.7	11	<1	<1	2	3	6	8	13
20-34	377	3.5	15	<1	<1	2	4	8	12	19
35-49	446	3.7	18	<1	<1	2	5	9	12	23
50-64	559	3.5	21	<1	<1	2	3	9	12	26
65+	498	4.9	34	<1	1	2	7	12	15	28
2. MULTIPLE DX										
0-19 YRS	2882	5.4	64	1	1	3	6	11	16	62
20-34	965	10.0	116	1	2	7	12	20	29	70
35-49	1698	8.6	77	1	1	6	11	18	24	47
50-64	4322	9.0	69	1	2	7	12	19	25	41
65+	11087	11.3	92	2	3	9	15	22	29	53
TOT. SINGLE DX	2944	3.5	19	<1	<1	2	4	8	11	22
" MULTIPLE DX	20954	9.7	88	1	2	7	13	20	27	50
TOTAL 0-19 YRS	3946	4.7	52	<1	1	3	5	9	14	47
20-34	1342	8.2	97	1	1	5	11	17	24	48
35-49	2144	7.6	69	1	1	5	10	17	22	44
50-64	4881	8.4	67	1	1	6	11	18	24	38
65+	11585	11.0	92	2	2	9	14	22	29	53
GRAND TOTAL	**23898**	**9.0**	**84**	**1**	**1**	**6**	**12**	**19**	**26**	**48**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	69	2.5	1	<1	1	2	3	4	5	8
20-34	1714	2.8	2	1	1	3	4	5	6	8
35-49	2649	3.2	4	1	1	3	4	5	6	11
50-64	1724	3.6	7	1	1	3	4	6	7	13
65+	445	3.8	7	1	1	3	4	6	8	18
2. MULTIPLE DX										
0-19 YRS	20	3.8	4	2	2	3	5	6	8	11
20-34	510	4.2	15	1	1	3	5	8	11	19
35-49	1213	4.6	21	1	1	3	5	8	12	22
50-64	1321	5.2	22	1	2	4	6	10	14	27
65+	736	7.7	87	1	2	5	8	17	25	47
TOT. SINGLE DX	6601	3.2	5	1	1	3	4	5	7	12
" MULTIPLE DX	3800	5.4	35	1	2	4	6	10	15	30
TOTAL 0-19 YRS	89	2.8	3	<1	1	2	4	5	5	10
20-34	2224	3.2	6	1	1	3	4	5	7	12
35-49	3862	3.6	10	1	1	3	4	6	8	17
50-64	3045	4.3	15	1	1	3	5	7	10	21
65+	1181	6.2	61	1	2	4	6	13	20	38
GRAND TOTAL	**10401**	**4.0**	**17**	**1**	**1**	**3**	**4**	**7**	**10**	**21**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	88	7.8	21	2	2	7	10	14	16	25
20-34	99	5.3	22	1	1	4	7	10	15	25
35-49	341	8.0	30	1	2	8	10	13	17	29
50-64	1073	8.7	23	2	3	8	11	14	16	28
65+	987	9.4	32	2	4	9	11	15	18	30
2. MULTIPLE DX										
0-19 YRS	431	12.2	106	3	4	9	14	25	37	71
20-34	750	10.9	132	1	2	8	14	22	33	63
35-49	2096	11.5	103	2	3	9	14	22	31	57
50-64	7693	13.3	119	3	5	10	15	25	34	66
65+	12073	15.6	137	4	6	12	19	30	39	70
TOT. SINGLE DX	2588	8.7	28	2	3	8	11	14	17	28
" MULTIPLE DX	23043	14.2	130	3	5	11	17	27	37	67
TOTAL 0-19 YRS	519	11.4	95	2	3	9	13	24	32	65
20-34	849	10.2	123	1	2	7	12	21	30	60
35-49	2437	11.0	95	2	3	9	13	21	29	54
50-64	8766	12.7	110	3	5	10	15	23	32	63
65+	13060	15.1	133	4	6	12	18	29	38	69
GRAND TOTAL	**25631**	**13.7**	**123**	**3**	**5**	**11**	**16**	**26**	**35**	**66**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	7.0	4	5	5	7	8	9	9	9
20-34										
35-49	1	10.0		10	10	10	10	10	10	10
50-64	3	8.0	27	2	2	11	11	11	11	11
65+	2	12.5	5	11	11	12	14	14	14	14
2. MULTIPLE DX										
0-19 YRS	9	18.4	366	5	6	12	18	49	68	68
20-34	1	10.0		10	10	10	10	10	10	10
35-49	1	11.0		11	11	11	11	11	11	11
50-64	15	12.9	36	4	5	12	16	18	26	29
65+	10	19.9	129	9	9	18	26	37	46	46
TOT. SINGLE DX	9	8.9	13	2	3	10	11	13	14	14
" MULTIPLE DX	36	16.1	143	5	7	12	18	28	41	68
TOTAL 0-19 YRS	12	15.6	294	5	5	11	15	34	63	68
20-34	1	10.0		10	10	10	10	10	10	10
35-49	2	10.5	1	10	10	10	11	11	11	11
50-64	18	12.1	37	3	4	11	15	17	25	29
65+	12	18.7	115	9	10	16	23	34	44	46
GRAND TOTAL	**45**	**14.6**	**125**	**4**	**5**	**11**	**16**	**26**	**33**	**68**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	3.1	10	<1	<1	2	4	9	10	10
20-34	35	4.1	26	<1	<1	3	5	9	19	23
35-49	38	4.1	15	<1	1	3	5	9	11	19
50-64	51	6.4	30	<1	1	5	8	15	19	23
65+	41	8.4	145	<1	1	5	9	17	37	58
2. MULTIPLE DX										
0-19 YRS	200	6.5	110	1	1	4	7	12	18	75
20-34	1756	5.2	30	<1	1	4	6	10	15	30
35-49	2265	6.2	48	1	1	4	7	12	18	38
50-64	4056	6.7	54	1	2	5	8	13	19	40
65+	4504	7.7	62	1	2	5	9	16	22	41
TOT. SINGLE DX	172	5.8	55	<1	1	4	7	12	19	47
" MULTIPLE DX	12781	6.8	55	1	1	5	8	14	19	39
TOTAL 0-19 YRS	207	6.4	107	1	1	4	7	11	18	75
20-34	1791	5.1	31	<1	1	4	6	10	15	29
35-49	2303	6.2	48	1	1	4	7	12	17	38
50-64	4107	6.7	55	1	2	5	8	13	19	39
65+	4545	7.7	63	1	2	5	9	16	22	42
GRAND TOTAL	**12953**	**6.7**	**55**	**1**	**1**	**5**	**8**	**14**	**19**	**39**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1050	6.3	36	1	1	5	8	11	15	32
20-34	784	5.3	37	<1	1	3	7	12	15	28
35-49	1104	6.8	49	1	1	5	9	15	19	31
50-64	3139	6.4	27	1	2	5	8	11	15	26
65+	4151	6.8	22	2	3	6	9	12	15	25
2. MULTIPLE DX										
0-19 YRS	8607	18.4	408	1	3	10	26	55	78	99+
20-34	3018	9.4	132	1	1	6	12	22	31	69
35-49	4899	9.9	116	1	2	7	12	22	31	61
50-64	17683	10.2	96	2	2	8	12	20	28	55
65+	34476	11.5	101	2	3	9	14	22	31	59
TOT. SINGLE DX	10228	6.5	30	1	2	5	8	12	15	27
" MULTIPLE DX	68683	11.8	148	2	3	8	14	25	37	80
TOTAL 0-19 YRS	9657	17.1	382	1	2	9	23	52	74	99+
20-34	3802	8.6	116	1	1	5	11	20	29	65
35-49	6003	9.3	105	1	1	6	12	21	29	58
50-64	20822	9.6	88	1	2	7	12	19	27	53
65+	38627	11.0	95	2	3	8	14	21	29	57
GRAND TOTAL	**78911**	**11.1**	**136**	**2**	**2**	**8**	**13**	**23**	**34**	**75**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1151	2.9	7	<1	<1	2	4	6	9	13
20-34	1163	3.2	10	<1	<1	2	4	8	10	16
35-49	924	3.4	11	<1	<1	2	4	7	10	16
50-64	938	4.3	20	<1	1	3	5	9	12	20
65+	736	4.7	18	<1	1	3	6	9	12	23
2. MULTIPLE DX										
0-19 YRS	702	5.8	56	<1	1	4	7	12	18	39
20-34	1187	7.6	67	1	1	5	10	17	23	45
35-49	1462	7.7	72	1	1	5	10	17	23	42
50-64	2648	8.4	74	1	2	6	11	18	24	46
65+	3696	9.7	88	1	2	7	12	20	27	50
TOT. SINGLE DX	4912	3.6	14	<1	<1	2	5	8	10	17
" MULTIPLE DX	9695	8.5	78	1	1	6	11	18	25	46
TOTAL 0-19 YRS	1853	4.0	28	<1	<1	2	5	9	12	25
20-34	2350	5.4	44	<1	1	3	7	12	17	33
35-49	2386	6.1	53	<1	1	4	8	14	19	36
50-64	3586	7.3	63	1	1	5	9	16	21	42
65+	4432	8.9	80	1	2	6	11	18	25	46
GRAND TOTAL	**14607**	**6.9**	**62**	**<1**	**1**	**4**	**9**	**15**	**21**	**41**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	49	3.7	10	<1	1	2	5	9	11	15
20-34	120	5.1	14	1	1	4	7	9	11	19
35-49	197	4.5	14	1	1	4	5	8	10	21
50-64	287	5.7	21	1	2	4	7	12	16	22
65+	269	6.4	17	2	2	5	8	12	15	22
2. MULTIPLE DX										
0-19 YRS	52	5.6	17	1	2	4	9	12	14	17
20-34	234	7.4	25	2	2	7	9	13	16	28
35-49	433	8.1	74	2	2	6	9	15	22	53
50-64	1007	10.6	113	2	3	7	12	22	32	60
65+	1276	10.0	82	2	3	7	11	19	27	48
TOT. SINGLE DX	922	5.5	18	1	2	5	7	10	14	21
" MULTIPLE DX	3002	9.6	87	2	3	7	11	19	27	49
TOTAL 0-19 YRS	101	4.7	15	1	1	3	7	10	13	16
20-34	354	6.6	23	1	2	6	8	12	15	26
35-49	630	7.0	58	1	2	5	8	14	19	44
50-64	1294	9.5	97	2	2	7	11	19	29	54
65+	1545	9.3	73	2	3	7	11	18	25	46
GRAND TOTAL	**3924**	**8.6**	**74**	**2**	**2**	**6**	**10**	**17**	**24**	**46**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	5.5	13	3	3	5	8	8	8	8
20-34	2	10.5	13	8	8	10	13	13	13	13
35-49	3	4.7	8	3	3	3	7	8	8	8
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	3	2.3	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	4	20.5	185	2	2	23	30	33	33	33
20-34	9	20.7	613	2	2	6	36	60	75	75
35-49	6	13.0	137	2	2	9	22	31	32	32
50-64	8	15.8	247	3	3	11	19	43	51	51
65+	9	15.7	165	3	3	9	26	36	39	39
TOT. SINGLE DX	12	4.8	13	1	2	3	8	10	13	13
" MULTIPLE DX	36	17.0	271	2	2	10	26	38	47	75
TOTAL 0-19 YRS	6	15.5	174	2	2	13	28	32	33	33
20-34	11	18.8	509	2	2	8	31	53	73	75
35-49	9	10.2	105	2	2	8	13	28	32	32
50-64	10	13.1	224	2	2	9	14	37	51	51
65+	12	12.3	157	1	2	9	18	34	38	39
GRAND TOTAL	**48**	**14.0**	**234**	**2**	**2**	**9**	**20**	**35**	**40**	**75**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	17.0	306	1	1	16	32	35	35	35
20-34	5	24.8	364	2	2	29	41	45	45	45
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	2.5	1	2	2	2	3	3	3	3
65+										
2. MULTIPLE DX										
0-19 YRS	35	54.3	419	27	30	57	71	98	99+	99+
20-34	42	40.9	197	15	25	42	49	60	65	68
35-49	29	37.9	206	5	25	39	47	54	57	72
50-64	8	34.1	516	1	3	36	47	64	70	70
65+	1	3.0		3	3	3	3	3	3	3
TOT. SINGLE DX	12	16.7	300	1	2	6	32	41	44	45
" MULTIPLE DX	115	43.4	346	7	25	42	54	71	82	99+
TOTAL 0-19 YRS	39	50.5	532	16	28	51	71	98	99+	99+
20-34	47	39.1	233	2	24	42	48	58	65	68
35-49	30	36.7	240	3	15	38	46	53	56	72
50-64	10	27.8	579	1	1	26	46	59	70	70
65+	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**127**	**40.9**	**401**	**3**	**8**	**42**	**52**	**69**	**79**	**99+**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1237	5.6	23	1	1	5	7	10	13	24
20-34	924	6.7	25	2	2	6	8	11	16	24
35-49	593	6.7	28	2	2	6	8	12	17	33
50-64	642	7.6	52	1	2	6	9	15	20	42
65+	796	7.2	44	1	2	6	9	14	18	39
2. MULTIPLE DX										
0-19 YRS	2076	9.6	100	2	2	7	11	20	30	56
20-34	2768	11.7	131	2	3	8	13	26	37	65
35-49	3025	11.5	120	2	3	8	14	25	34	64
50-64	5927	11.8	113	2	3	9	14	24	33	57
65+	15729	12.0	101	3	4	9	15	23	31	61
TOT. SINGLE DX	4192	6.6	33	1	2	5	8	12	17	32
" MULTIPLE DX	29525	11.7	109	2	3	9	14	24	32	60
TOTAL 0-19 YRS	3313	8.1	76	1	2	6	9	16	23	52
20-34	3692	10.4	109	2	3	7	11	22	32	58
35-49	3618	10.7	109	2	3	8	12	23	33	59
50-64	6569	11.4	109	2	3	8	14	23	32	56
65+	16525	11.7	100	3	4	9	14	23	31	59
GRAND TOTAL	**33717**	**11.1**	**103**	**2**	**3**	**8**	**13**	**22**	**31**	**57**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	345	8.2	101	1	1	5	10	19	29	48
20-34	260	10.1	122	1	1	6	13	24	37	58
35-49	252	8.0	80	1	1	5	10	20	27	44
50-64	289	8.6	96	1	1	5	10	23	31	45
65+	189	8.5	80	<1	1	5	12	18	28	45
2. MULTIPLE DX										
0-19 YRS	1399	16.1	303	1	2	10	22	45	67	99+
20-34	1671	14.2	186	1	2	10	19	32	43	67
35-49	2406	12.9	169	1	2	8	17	30	41	69
50-64	4208	12.7	170	1	2	8	16	30	41	67
65+	5182	14.5	170	2	3	11	19	32	42	68
TOT. SINGLE DX	1335	8.6	98	1	1	5	11	21	30	47
" MULTIPLE DX	14866	13.8	186	1	2	9	18	32	43	76
TOTAL 0-19 YRS	1744	14.5	274	1	2	9	19	40	62	99+
20-34	1931	13.6	180	1	2	9	18	31	42	66
35-49	2658	12.4	163	1	2	8	16	29	39	67
50-64	4497	12.4	167	1	2	8	16	29	40	66
65+	5371	14.3	169	2	3	10	19	31	42	67
GRAND TOTAL	**16201**	**13.4**	**181**	**1**	**2**	**9**	**18**	**31**	**42**	**74**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	304	3.1	20	<1	<1	2	3	7	10	24
20-34	219	4.1	12	<1	<1	3	6	9	11	16
35-49	337	4.2	18	<1	1	3	5	9	11	23
50-64	510	5.4	49	<1	1	3	7	12	16	34
65+	583	4.6	23	<1	<1	3	6	10	13	21
2. MULTIPLE DX										
0-19 YRS	570	8.0	139	<1	1	3	10	21	34	95
20-34	847	7.7	82	1	2	5	9	15	25	52
35-49	1853	8.0	70	1	2	6	10	16	22	49
50-64	3720	9.1	98	1	2	6	11	19	27	57
65+	6993	9.6	86	1	2	7	12	20	28	57
TOT. SINGLE DX	1953	4.5	28	<1	<1	3	6	10	13	26
" MULTIPLE DX	13983	9.1	90	1	2	7	11	19	27	57
TOTAL 0-19 YRS	874	6.3	103	<1	<1	2	7	16	27	68
20-34	1066	7.0	70	1	1	5	8	14	20	49
35-49	2190	7.4	64	1	1	5	9	15	21	46
50-64	4230	8.6	94	1	1	6	10	18	26	53
65+	7576	9.2	84	1	2	7	11	19	27	54
GRAND TOTAL	**15936**	**8.5**	**85**	**1**	**1**	**6**	**10**	**18**	**26**	**53**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2071	3.4	2	2	2	3	4	5	6	9
20-34	15	5.9	4	1	3	6	7	9	10	10
35-49	12	5.8	5	2	3	6	8	9	10	10
50-64	17	8.5	29	1	4	6	12	18	19	19
65+	14	10.6	15	6	7	9	12	17	19	19
2. MULTIPLE DX										
0-19 YRS	653	5.0	31	2	2	4	5	8	10	24
20-34	34	12.3	68	4	5	10	15	24	39	99+
35-49	49	17.0	195	5	5	12	20	41	45	65
50-64	82	16.1	143	4	6	12	19	35	40	93
65+	161	16.3	114	5	6	14	21	30	36	72
TOT. SINGLE DX	2129	3.5	3	2	2	3	4	5	7	11
" MULTIPLE DX	979	8.7	90	2	3	5	10	19	28	51
TOTAL 0-19 YRS	2724	3.8	10	2	2	3	4	6	7	12
20-34	49	10.3	57	3	4	8	13	22	28	99+
35-49	61	14.8	178	3	5	9	18	37	44	63
50-64	99	14.8	132	4	5	12	19	31	39	89
65+	175	15.9	109	5	7	14	21	29	35	69
GRAND TOTAL	**3108**	**5.1**	**36**	**2**	**2**	**4**	**5**	**9**	**15**	**34**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	30	11.2	123	1	1	7	16	27	28	50
20-34	11	9.3	37	1	2	9	13	46	92	99+
35-49	15	17.5	485	1	3	9	20	43	77	88
50-64	39	12.7	147	2	3	9	16	26	35	65
65+	87	13.1	161	3	3	9	18	29	69	99+
2. MULTIPLE DX										
0-19 YRS	317	18.8	357	3	4	13	24	55	84	99+
20-34	126	20.1	394	3	4	13	33	72	99+	99+
35-49	263	21.9	393	3	5	16	31	56	81	99+
50-64	760	19.8	323	3	5	14	26	47	77	99+
65+	4081	19.9	248	4	5	16	26	45	65	99+
TOT. SINGLE DX	182	12.8	170	2	3	9	16	28	44	99+
" MULTIPLE DX	5547	19.9	275	4	5	16	27	47	71	99+
TOTAL 0-19 YRS	347	18.1	341	2	4	13	23	49	80	99+
20-34	137	19.2	374	3	4	13	32	70	99+	99+
35-49	278	21.7	398	3	5	15	31	56	82	99+
50-64	799	19.5	318	3	5	14	26	47	75	99+
65+	4168	19.8	248	4	5	16	26	44	66	99+
GRAND TOTAL	**5729**	**19.7**	**274**	**3**	**5**	**15**	**26**	**46**	**70**	**99+**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	59	5.7	31	<1	<1	4	7	14	19	25
20-34	224	4.7	14	<1	<1	4	6	9	10	21
35-49	448	5.5	16	<1	1	5	7	9	11	21
50-64	490	5.1	11	<1	1	4	7	10	11	17
65+	557	5.8	32	<1	<1	5	7	11	15	26
2. MULTIPLE DX										
0-19 YRS	144	6.3	37	1	2	5	7	11	21	35
20-34	1254	6.8	48	2	2	5	8	12	16	32
35-49	2689	7.1	36	2	3	6	9	13	18	32
50-64	4953	8.1	46	2	3	6	10	15	20	34
65+	12305	9.7	62	2	3	8	12	18	24	42
TOT. SINGLE DX	1778	5.4	21	<1	1	4	7	10	13	22
" MULTIPLE DX	21345	8.8	55	2	3	7	11	16	22	39
TOTAL 0-19 YRS	203	6.1	36	1	2	4	7	11	21	31
20-34	1478	6.5	44	2	2	5	8	11	15	31
35-49	3137	6.9	34	2	2	5	8	12	17	31
50-64	5443	7.8	44	2	3	6	9	14	20	33
65+	12862	9.5	62	2	3	8	11	18	23	42
GRAND TOTAL	**23123**	**8.5**	**54**	**2**	**3**	**7**	**10**	**16**	**21**	**38**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	8.3	3	7	7	7	10	11	11	11
20-34	129	9.3	19	4	6	8	10	13	17	27
35-49	317	11.0	23	6	7	10	13	18	20	27
50-64	314	12.0	24	7	7	11	14	18	23	31
65+	247	12.7	33	7	8	11	15	19	23	33
2. MULTIPLE DX										
0-19 YRS	28	20.6	349	4	6	13	24	51	60	78
20-34	254	14.6	102	6	7	11	17	25	39	63
35-49	836	15.0	102	7	7	12	17	26	36	66
50-64	1465	16.9	135	7	8	13	19	31	41	75
65+	2751	20.3	170	8	9	17	24	36	47	86
TOT. SINGLE DX	1014	11.5	27	6	7	10	13	17	22	31
" MULTIPLE DX	5334	18.2	152	7	8	15	22	33	44	79
TOTAL 0-19 YRS	35	18.1	303	4	7	11	22	45	57	78
20-34	383	12.8	81	6	7	10	15	20	30	58
35-49	1153	13.9	84	6	7	11	16	24	31	58
50-64	1779	16.0	119	7	8	13	18	28	38	68
65+	2998	19.6	163	8	9	16	24	35	46	84
GRAND TOTAL	**6348**	**17.2**	**139**	**7**	**8**	**14**	**20**	**31**	**41**	**75**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	3	11.3	17	8	8	10	14	16	16	16
35-49	12	16.3	49	6	9	15	19	28	31	31
50-64	41	14.7	55	9	10	13	16	22	25	53
65+	45	18.5	89	9	10	14	24	33	38	47
2. MULTIPLE DX										
0-19 YRS	2	25.0	162	16	16	25	34	34	34	34
20-34	15	14.5	53	7	8	12	17	29	31	32
35-49	103	19.8	221	8	9	16	22	37	70	99+
50-64	355	20.9	184	10	11	16	24	37	52	85
65+	472	23.3	215	10	12	19	27	39	59	99
TOT. SINGLE DX	101	16.5	71	9	9	14	20	28	33	50
" MULTIPLE DX	947	21.9	204	10	11	18	26	38	56	97
TOTAL 0-19 YRS	2	25.0	162	16	16	25	34	34	34	34
20-34	18	13.9	47	7	8	12	16	26	31	32
35-49	115	19.4	204	8	9	16	22	36	66	99+
50-64	396	20.3	175	10	10	16	23	36	51	85
65+	517	22.9	207	10	11	19	27	39	56	98
GRAND TOTAL	**1048**	**21.4**	**194**	**9**	**10**	**17**	**25**	**37**	**53**	**95**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	8.3	5	4	4	9	10	10	10	10
20-34	142	8.2	9	5	5	8	10	12	14	19
35-49	222	9.4	13	5	6	8	11	15	16	27
50-64	163	10.2	16	6	6	9	12	15	19	24
65+	57	11.9	29	6	7	11	14	17	27	95
2. MULTIPLE DX										
0-19 YRS	13	19.9	592	7	8	11	22	43	87	97
20-34	190	11.0	36	5	6	9	13	18	22	37
35-49	457	12.3	71	5	6	10	14	20	26	53
50-64	564	14.4	93	6	7	12	17	25	32	58
65+	693	17.9	125	7	8	14	22	32	41	71
TOT. SINGLE DX	590	9.6	16	5	6	9	11	15	17	28
" MULTIPLE DX	1917	14.9	104	6	7	12	17	26	35	60
TOTAL 0-19 YRS	19	16.3	427	5	7	10	13	29	67	97
20-34	332	9.8	27	5	5	8	11	15	19	31
35-49	679	11.4	54	5	6	9	13	18	23	50
50-64	727	13.4	79	6	7	11	15	23	29	56
65+	750	17.4	121	7	8	14	22	32	41	73
GRAND TOTAL	**2507**	**13.6**	**88**	**6**	**6**	**11**	**16**	**24**	**31**	**57**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	230	6.4	16	2	2	6	8	10	12	25
20-34	962	6.9	6	4	4	7	8	9	11	16
35-49	915	7.4	9	4	5	7	8	10	12	20
50-64	423	9.2	37	4	5	8	10	14	17	31
65+	286	10.5	42	5	6	9	12	16	20	41
2. MULTIPLE DX										
0-19 YRS	835	17.7	299	3	5	11	23	48	73	99+
20-34	1913	9.1	55	4	5	7	9	14	21	51
35-49	3252	9.7	57	4	5	8	10	16	22	47
50-64	2312	13.3	125	5	6	10	15	25	36	69
65+	3324	17.6	153	6	7	14	21	33	45	81
TOT. SINGLE DX	2816	7.7	18	4	4	7	9	11	14	22
" MULTIPLE DX	11636	13.1	129	5	5	9	15	26	37	75
TOTAL 0-19 YRS	1065	15.3	260	3	4	9	19	40	61	99+
20-34	2875	8.4	40	4	5	7	9	12	17	44
35-49	4167	9.2	48	4	5	7	10	14	20	45
50-64	2735	12.7	114	5	6	9	14	23	33	63
65+	3610	17.0	148	6	7	14	20	32	43	77
GRAND TOTAL	**14452**	**12.1**	**112**	**4**	**5**	**9**	**13**	**23**	**33**	**69**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	441	5.0	18	1	1	4	6	9	13	20
20-34	887	5.6	17	<1	1	5	7	10	13	22
35-49	812	4.9	18	<1	<1	4	7	9	12	19
50-64	1174	3.9	16	<1	<1	2	6	9	11	18
65+	1238	4.1	18	<1	<1	2	6	9	12	22
2. MULTIPLE DX										
0-19 YRS	823	8.0	93	1	2	5	9	17	27	69
20-34	2246	7.1	44	1	2	6	8	13	17	34
35-49	3222	7.6	47	1	2	6	9	15	20	37
50-64	6757	7.6	48	1	2	6	10	15	20	36
65+	15264	9.0	68	1	2	7	11	18	24	45
TOT. SINGLE DX	4552	4.6	18	<1	<1	3	6	9	12	20
" MULTIPLE DX	28312	8.3	61	1	2	6	10	16	22	42
TOTAL 0-19 YRS	1264	7.0	69	1	1	5	8	14	20	49
20-34	3133	6.7	37	1	2	5	8	12	16	31
35-49	4034	7.0	43	1	2	6	9	14	18	33
50-64	7931	7.1	45	<1	1	6	9	14	19	34
65+	16502	8.6	67	1	2	7	11	17	23	44
GRAND TOTAL	**32864**	**7.8**	**56**	**1**	**1**	**6**	**10**	**16**	**21**	**39**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	87	10.3	91	4	5	8	10	18	23	66
20-34	144	9.6	24	5	6	8	11	15	18	27
35-49	134	11.3	42	5	6	10	13	19	22	39
50-64	146	10.9	23	6	6	10	13	16	19	30
65+	191	13.1	66	6	7	11	15	21	26	56
2. MULTIPLE DX										
0-19 YRS	322	17.9	359	5	6	11	21	65	99+	99+
20-34	657	15.2	161	6	7	11	17	30	43	83
35-49	791	16.3	153	6	7	12	19	31	44	87
50-64	1414	18.8	201	7	8	14	22	36	53	89
65+	3107	19.4	179	7	8	15	23	36	49	86
TOT. SINGLE DX	702	11.3	49	5	6	9	13	18	22	42
" MULTIPLE DX	6291	18.3	190	7	8	14	22	36	51	96
TOTAL 0-19 YRS	409	16.3	312	5	6	10	19	57	84	99+
20-34	801	14.2	142	6	6	10	15	26	40	80
35-49	925	15.6	140	6	7	12	18	29	43	78
50-64	1560	18.0	190	7	8	13	21	35	51	86
65+	3298	19.0	175	7	8	15	23	35	48	84
GRAND TOTAL	**6993**	**17.6**	**181**	**6**	**7**	**13**	**21**	**34**	**49**	**91**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	137	10.4	69	5	5	8	10	15	24	57
20-34	395	10.0	24	5	6	9	11	16	20	30
35-49	792	10.5	22	6	7	9	12	15	19	30
50-64	1997	10.3	14	6	7	9	11	14	17	25
65+	2416	11.2	23	7	7	10	12	16	19	31
2. MULTIPLE DX										
0-19 YRS	332	17.9	330	5	6	11	22	63	99+	99+
20-34	1206	14.6	110	6	7	11	17	26	36	62
35-49	2810	13.5	73	6	7	11	15	22	30	53
50-64	8980	14.1	78	7	8	11	16	23	30	54
65+	22775	16.5	107	8	9	13	19	28	36	67
TOT. SINGLE DX	5737	10.7	22	6	7	10	12	15	19	29
" MULTIPLE DX	36103	15.6	101	7	8	13	18	26	35	64
TOTAL 0-19 YRS	469	15.7	266	5	6	10	16	47	84	99+
20-34	1601	13.5	93	6	7	10	15	24	31	57
35-49	3602	12.8	64	6	7	11	14	21	27	49
50-64	10977	13.4	69	7	7	11	15	22	28	50
65+	25191	16.0	102	8	8	13	18	27	35	64
GRAND TOTAL	**41840**	**14.9**	**93**	**7**	**8**	**12**	**17**	**25**	**33**	**62**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	52	9.3	147	3	3	6	10	19	31	99+
20-34	34	7.7	21	1	2	8	10	12	16	22
35-49	53	9.6	34	3	4	9	11	14	23	34
50-64	78	9.7	25	4	5	9	11	15	18	34
65+	101	12.4	106	5	6	10	14	20	26	66
2. MULTIPLE DX										
0-19 YRS	100	15.7	277	4	5	10	18	38	67	99+
20-34	141	13.0	117	4	5	10	16	21	33	79
35-49	242	14.8	136	5	6	11	17	27	36	72
50-64	484	17.0	155	6	7	13	21	32	44	65
65+	1210	18.7	147	7	8	15	23	35	46	95
TOT. SINGLE DX	318	10.3	74	3	4	9	11	17	23	54
" MULTIPLE DX	2177	17.4	155	6	7	14	21	33	45	84
TOTAL 0-19 YRS	152	13.5	241	3	4	8	16	32	58	99+
20-34	175	12.0	103	3	4	10	15	21	28	77
35-49	295	13.8	122	4	6	11	16	26	34	65
50-64	562	16.0	144	6	7	12	19	30	42	63
65+	1311	18.2	147	7	8	15	22	34	44	93
GRAND TOTAL	**2495**	**16.5**	**150**	**5**	**7**	**13**	**20**	**32**	**43**	**83**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	519	6.1	16	2	2	6	8	9	12	22
20-34	448	8.0	12	4	5	7	9	12	13	20
35-49	446	8.4	10	4	5	8	10	12	14	21
50-64	581	8.7	20	3	5	8	10	12	15	22
65+	657	9.3	28	3	4	9	11	14	18	31
2. MULTIPLE DX										
0-19 YRS	885	10.9	123	3	4	8	11	20	33	88
20-34	1071	11.0	72	4	5	9	12	18	27	47
35-49	1313	12.3	97	5	6	10	13	22	32	59
50-64	2249	12.9	105	5	6	10	14	23	32	63
65+	4325	14.0	109	5	6	11	16	25	35	65
TOT. SINGLE DX	2651	8.2	20	3	4	8	10	12	15	24
" MULTIPLE DX	9843	12.9	106	4	6	10	15	23	33	64
TOTAL 0-19 YRS	1404	9.2	89	2	3	7	10	16	25	65
20-34	1519	10.1	56	4	5	8	11	16	23	44
35-49	1759	11.3	78	4	5	9	12	19	27	54
50-64	2830	12.1	91	4	6	10	13	21	29	61
65+	4982	13.4	102	5	6	11	15	23	33	63
GRAND TOTAL	**12494**	**11.9**	**91**	**4**	**5**	**9**	**13**	**21**	**29**	**60**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	42	9.5	36	4	5	8	11	16	18	39
20-34	34	11.9	42	4	6	11	15	17	21	39
35-49	57	15.4	298	4	6	10	14	33	65	99+
50-64	71	13.0	49	6	7	11	16	21	26	42
65+	106	13.8	53	6	8	12	16	25	30	37
2. MULTIPLE DX										
0-19 YRS	166	18.3	250	4	5	13	29	53	95	99+
20-34	168	17.5	209	5	6	13	20	34	51	84
35-49	354	18.2	196	5	7	14	22	37	51	99+
50-64	961	18.9	165	7	8	15	23	37	46	84
65+	2356	21.0	197	7	9	17	25	40	53	96
TOT. SINGLE DX	310	13.1	96	5	6	11	15	23	30	65
" MULTIPLE DX	4005	20.0	194	6	8	16	24	39	52	99+
TOTAL 0-19 YRS	208	16.5	219	4	5	11	24	44	70	99+
20-34	202	16.6	186	5	6	13	19	33	43	82
35-49	411	17.8	211	5	7	13	22	37	55	99+
50-64	1032	18.5	160	7	8	15	23	35	45	80
65+	2462	20.6	194	7	9	17	25	39	51	95
GRAND TOTAL	**4315**	**19.5**	**190**	**6**	**8**	**16**	**24**	**38**	**51**	**99+**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	22931	3.7	4	2	2	3	4	6	8	11
20-34	16407	3.7	3	2	2	3	4	6	7	11
35-49	5643	4.5	6	2	2	4	5	8	9	13
50-64	2364	5.5	9	2	3	5	7	9	11	17
65+	824	6.3	10	2	3	6	8	10	12	17
2. MULTIPLE DX										
0-19 YRS	7277	5.8	17	2	2	5	7	10	13	22
20-34	6282	5.8	16	2	3	5	7	10	13	22
35-49	3152	7.2	25	2	3	6	9	13	16	28
50-64	2491	9.0	34	3	4	8	11	16	19	31
65+	2198	10.9	55	4	4	9	13	19	24	39
TOT. SINGLE DX	48169	3.9	5	2	2	3	5	7	8	12
" MULTIPLE DX	21400	6.9	27	2	3	5	8	13	16	27
TOTAL 0-19 YRS	30208	4.2	8	2	2	3	5	7	9	15
20-34	22689	4.3	8	2	2	4	5	7	9	15
35-49	8795	5.5	15	2	2	4	7	10	12	20
50-64	4855	7.3	25	2	3	6	9	13	16	26
65+	3022	9.6	47	3	4	8	12	17	22	36
GRAND TOTAL	**69569**	**4.8**	**14**	**2**	**2**	**4**	**6**	**9**	**11**	**19**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	178	3.7	3	2	2	3	4	6	8	12
20-34	152	4.4	5	2	2	4	5	8	10	13
35-49	36	4.6	3	2	2	4	6	7	9	9
50-64	19	5.6	11	<1	1	5	8	11	12	13
65+	7	9.3	75	2	2	6	12	24	27	27
2. MULTIPLE DX										
0-19 YRS	87	5.7	12	2	3	5	7	10	14	19
20-34	129	6.0	14	2	3	5	7	10	14	24
35-49	39	7.2	19	3	4	6	8	14	19	20
50-64	31	11.4	70	4	5	9	14	20	30	44
65+	20	13.7	54	5	6	11	20	25	26	27
TOT. SINGLE DX	392	4.2	7	2	2	4	5	7	9	13
" MULTIPLE DX	306	7.1	28	2	3	6	8	14	18	26
TOTAL 0-19 YRS	265	4.4	8	2	2	3	5	8	9	16
20-34	281	5.1	11	2	2	4	6	9	11	18
35-49	75	5.9	13	2	2	5	7	9	15	20
50-64	50	9.2	55	2	3	7	11	16	22	44
65+	27	12.5	61	3	5	9	18	26	27	27
GRAND TOTAL	**698**	**5.5**	**18**	**2**	**2**	**4**	**6**	**10**	**14**	**24**

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	69	7.5	12	3	3	7	10	13	14	16
20-34	38	7.6	12	3	3	7	10	12	14	18
35-49	36	8.8	20	4	5	8	11	14	18	25
50-64	19	8.6	15	3	4	8	11	15	17	17
65+	9	9.1	14	4	5	8	12	15	15	15
2. MULTIPLE DX										
0-19 YRS	54	10.0	31	5	5	9	11	15	22	36
20-34	25	12.3	71	3	4	10	16	23	30	38
35-49	40	10.5	50	4	5	9	12	17	23	43
50-64	48	13.5	55	5	7	12	16	23	26	46
65+	54	17.6	216	6	7	14	19	34	45	91
TOT. SINGLE DX	171	8.0	15	3	4	7	10	13	15	19
" MULTIPLE DX	221	13.0	97	4	5	10	15	22	29	48
TOTAL 0-19 YRS	123	8.6	22	3	4	8	11	14	16	27
20-34	63	9.5	40	3	4	8	12	17	22	37
35-49	76	9.7	36	4	5	9	11	15	22	38
50-64	67	12.1	49	4	5	11	15	20	25	43
65+	63	16.4	196	5	7	13	18	28	44	88
GRAND TOTAL	**392**	**10.8**	**67**	**4**	**4**	**9**	**13**	**18**	**24**	**45**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	272	3.1	9	<1	<1	2	4	6	9	15
20-34	310	4.0	21	<1	1	3	5	8	10	25
35-49	255	3.4	8	<1	<1	3	4	8	10	14
50-64	525	3.3	8	<1	1	2	4	7	9	14
65+	786	3.9	16	1	1	3	5	8	10	22
2. MULTIPLE DX										
0-19 YRS	270	6.5	89	1	1	4	7	13	15	56
20-34	396	6.2	32	1	1	5	8	11	16	33
35-49	564	6.3	39	1	2	5	8	13	17	32
50-64	1263	6.8	41	1	1	5	9	13	19	31
65+	3498	8.5	71	1	2	6	11	18	24	46
TOT. SINGLE DX	2148	3.6	13	<1	1	3	4	7	10	18
" MULTIPLE DX	5991	7.7	61	1	2	5	10	16	22	42
TOTAL 0-19 YRS	542	4.8	52	<1	<1	3	5	10	14	40
20-34	706	5.2	29	1	1	4	6	10	14	29
35-49	819	5.4	32	1	1	4	7	11	15	27
50-64	1788	5.8	34	1	1	4	7	12	16	28
65+	4284	7.7	65	1	2	5	10	16	23	43
GRAND TOTAL	**8139**	**6.6**	**52**	**1**	**1**	**4**	**8**	**14**	**20**	**38**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	159	3.1	6	1	1	3	4	6	9	13
20-34	803	2.6	4	1	1	2	3	5	6	10
35-49	603	2.9	5	1	1	2	4	5	7	11
50-64	319	3.4	8	1	1	3	4	7	8	15
65+	94	4.1	9	1	1	3	5	9	10	15
2. MULTIPLE DX										
0-19 YRS	104	5.8	36	1	2	4	7	11	16	37
20-34	586	4.5	20	1	1	3	5	9	12	27
35-49	666	5.3	58	1	1	3	6	10	16	58
50-64	595	6.2	57	1	2	4	7	14	18	41
65+	438	8.5	68	2	2	6	10	19	25	50
TOT. SINGLE DX	1978	3.0	6	1	1	2	4	5	7	12
" MULTIPLE DX	2389	5.9	52	1	1	4	7	12	18	42
TOTAL 0-19 YRS	263	4.2	20	1	1	3	5	9	11	21
20-34	1389	3.4	12	1	1	3	4	7	9	18
35-49	1269	4.2	35	1	1	3	5	7	10	31
50-64	914	5.2	43	1	1	3	6	10	16	36
65+	532	7.7	61	1	2	5	9	18	23	47
GRAND TOTAL	**4367**	**4.6**	**33**	**1**	**1**	**3**	**5**	**9**	**14**	**31**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	104	10.1	62	2	4	9	12	15	17	51
20-34	67	13.6	63	6	7	12	16	25	29	49
35-49	150	11.9	34	5	7	11	14	18	23	33
50-64	565	11.8	20	7	8	11	14	17	19	26
65+	633	12.9	30	6	8	12	15	19	23	30
2. MULTIPLE DX										
0-19 YRS	197	11.8	48	5	6	10	13	23	28	40
20-34	172	14.7	95	5	7	11	17	27	37	52
35-49	508	14.8	92	7	8	12	17	24	34	54
50-64	2070	15.6	81	8	9	13	18	26	33	60
65+	4611	18.0	111	8	9	15	21	30	38	69
TOT. SINGLE DX	1519	12.2	31	6	7	11	14	18	22	30
" MULTIPLE DX	7558	16.9	102	8	9	14	20	29	36	63
TOTAL 0-19 YRS	301	11.2	53	4	6	10	12	18	26	40
20-34	239	14.4	87	5	7	11	17	27	36	52
35-49	658	14.1	80	6	7	12	16	22	31	50
50-64	2635	14.8	71	7	8	12	17	24	31	52
65+	5244	17.4	104	8	9	15	20	29	36	64
GRAND TOTAL	**9077**	**16.1**	**93**	**7**	**8**	**14**	**19**	**27**	**34**	**60**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	889	3.7	13	<1	1	3	4	7	10	16
20-34	2508	4.3	15	1	1	4	5	7	10	18
35-49	2547	4.4	10	<1	1	4	6	8	10	16
50-64	2326	4.4	18	<1	<1	4	6	8	10	17
65+	1910	5.0	26	<1	<1	4	6	9	11	21
2. MULTIPLE DX										
0-19 YRS	1718	5.5	40	1	2	4	7	10	14	35
20-34	8687	6.1	34	1	2	5	7	11	15	31
35-49	13164	6.6	36	2	2	5	8	12	17	32
50-64	18451	7.2	40	2	2	6	8	13	18	33
65+	35424	8.6	56	2	3	7	10	16	21	41
TOT. SINGLE DX	10180	4.4	17	<1	1	4	6	8	10	18
" MULTIPLE DX	77444	7.6	48	2	2	6	9	14	19	37
TOTAL 0-19 YRS	2607	4.9	32	1	1	4	6	9	12	29
20-34	11195	5.7	31	1	2	4	7	10	14	29
35-49	15711	6.2	33	1	2	5	7	11	16	31
50-64	20777	6.9	39	1	2	5	8	13	17	32
65+	37334	8.4	56	2	3	7	10	16	21	40
GRAND TOTAL	**87624**	**7.2**	**45**	**1**	**2**	**5**	**9**	**14**	**18**	**35**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	110	2.2	3	<1	<1	2	2	4	5	10
20-34	955	2.6	2	1	1	2	3	4	5	8
35-49	1192	2.6	3	1	1	2	3	4	5	8
50-64	593	2.6	2	1	1	2	3	4	6	9
65+	205	2.8	2	1	1	2	4	5	6	8
2. MULTIPLE DX										
0-19 YRS	70	4.1	35	1	1	3	4	7	10	42
20-34	798	3.6	12	1	1	3	4	6	8	19
35-49	1268	3.6	10	1	1	3	4	6	8	19
50-64	1003	3.6	9	1	1	3	4	6	8	17
65+	591	4.5	18	1	2	3	5	8	12	23
TOT. SINGLE DX	3055	2.6	3	1	1	2	3	4	5	8
" MULTIPLE DX	3730	3.7	12	1	1	3	4	6	9	19
TOTAL 0-19 YRS	180	2.9	16	<1	<1	2	3	6	8	12
20-34	1753	3.0	7	1	1	3	4	5	7	14
35-49	2460	3.1	7	1	1	3	4	5	7	12
50-64	1596	3.3	7	1	1	3	4	6	7	14
65+	796	4.0	15	1	1	3	5	7	10	20
GRAND TOTAL	**6785**	**3.2**	**8**	**1**	**1**	**3**	**4**	**5**	**7**	**15**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	117	1.9	1	<1	<1	2	3	3	4	6
20-34	812	2.3	2	<1	1	2	3	4	5	7
35-49	544	2.5	2	<1	1	2	3	4	5	8
50-64	298	2.7	3	<1	1	2	3	5	6	8
65+	119	3.3	6	1	1	3	4	6	7	15
2. MULTIPLE DX										
0-19 YRS	77	5.9	122	1	1	3	4	9	26	69
20-34	977	3.5	9	1	1	3	4	6	8	18
35-49	1266	3.6	7	1	1	3	4	6	8	13
50-64	1006	4.0	10	1	1	3	5	7	9	17
65+	743	5.5	40	1	1	4	6	10	15	45
TOT. SINGLE DX	1890	2.4	3	<1	1	2	3	4	5	8
" MULTIPLE DX	4069	4.0	17	1	1	3	5	7	9	21
TOTAL 0-19 YRS	194	3.5	53	<1	<1	2	3	5	8	40
20-34	1789	2.9	6	<1	1	2	4	5	6	12
35-49	1810	3.3	6	1	1	3	4	5	7	12
50-64	1304	3.7	9	1	1	3	4	6	8	15
65+	862	5.2	37	1	1	4	6	10	14	42
GRAND TOTAL	**5959**	**3.5**	**13**	**1**	**1**	**3**	**4**	**6**	**8**	**18**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	39	3.2	2	<1	1	3	4	5	6	8
20-34	1122	3.5	3	1	1	3	4	6	7	10
35-49	1469	3.7	3	1	2	3	5	6	7	10
50-64	920	3.7	3	1	2	3	5	6	7	10
65+	327	3.9	3	1	2	4	5	6	7	10
2. MULTIPLE DX										
0-19 YRS	130	3.8	2	1	2	4	5	6	7	9
20-34	4408	4.0	7	1	2	4	5	6	8	14
35-49	7956	4.3	7	1	2	4	5	7	8	14
50-64	6412	4.6	11	1	2	4	5	7	10	16
65+	3591	5.5	21	2	2	4	6	10	13	23
TOT. SINGLE DX	3877	3.7	4	1	2	3	5	6	7	10
" MULTIPLE DX	22497	4.5	11	1	2	4	5	7	9	16
TOTAL 0-19 YRS	169	3.6	3	1	1	4	4	6	7	9
20-34	5530	3.9	7	1	2	4	5	6	7	12
35-49	9425	4.2	7	1	2	4	5	7	8	13
50-64	7332	4.5	11	1	2	4	5	7	9	15
65+	3918	5.3	20	1	2	4	6	9	13	22
GRAND TOTAL	**26374**	**4.4**	**10**	**1**	**2**	**4**	**5**	**7**	**9**	**16**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	262	2.9	4	<1	1	2	4	6	7	10
20-34	974	2.7	3	1	1	2	3	5	6	9
35-49	821	2.9	4	1	1	3	4	5	6	10
50-64	477	3.2	5	1	1	3	4	6	8	12
65+	270	3.8	8	1	1	3	5	7	9	23
2. MULTIPLE DX										
0-19 YRS	265	5.5	22	1	1	4	7	11	15	24
20-34	906	4.2	19	1	1	3	5	8	10	22
35-49	1116	4.5	20	1	1	3	5	9	12	26
50-64	1003	5.3	37	1	1	4	6	10	16	31
65+	1033	6.9	57	1	2	5	8	13	20	39
TOT. SINGLE DX	2804	3.0	5	1	1	3	4	5	7	11
" MULTIPLE DX	4323	5.3	34	1	1	4	6	10	15	30
TOTAL 0-19 YRS	527	4.2	15	<1	1	3	5	9	12	20
20-34	1880	3.5	12	1	1	3	4	6	8	15
35-49	1937	3.8	14	1	1	3	5	7	10	19
50-64	1480	4.6	28	1	1	3	5	9	13	28
65+	1303	6.3	49	1	2	4	7	12	18	37
GRAND TOTAL	**7127**	**4.4**	**24**	**1**	**1**	**3**	**5**	**8**	**12**	**26**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	8.8	24	2	3	9	11	16	18	18
20-34	33	8.8	32	1	2	7	12	19	20	21
35-49	30	10.2	98	1	1	9	14	21	27	47
50-64	27	5.3	41	1	1	2	7	15	19	29
65+	17	9.0	118	1	1	6	12	26	36	40
2. MULTIPLE DX										
0-19 YRS	36	16.3	176	4	5	12	18	35	45	62
20-34	79	15.3	125	4	5	12	21	33	38	57
35-49	96	16.4	125	3	6	12	23	35	38	46
50-64	140	17.9	178	3	4	16	23	32	41	69
65+	215	18.7	163	2	4	17	25	37	43	59
TOT. SINGLE DX	117	8.4	64	1	1	6	12	18	24	42
" MULTIPLE DX	566	17.5	156	3	5	15	24	35	41	60
TOTAL 0-19 YRS	46	14.6	152	4	5	11	17	34	41	62
20-34	112	13.4	106	3	4	10	18	27	35	49
35-49	126	14.9	125	1	2	11	19	34	37	47
50-64	167	15.9	177	2	2	14	22	31	38	64
65+	232	18.0	166	2	3	16	25	37	43	58
GRAND TOTAL	**683**	**15.9**	**152**	**2**	**3**	**13**	**22**	**33**	**39**	**57**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	223	5.0	29	1	1	3	7	12	14	27
20-34	615	3.9	23	<1	1	2	5	9	13	25
35-49	686	3.1	21	<1	1	1	3	8	11	25
50-64	761	3.6	20	<1	1	2	4	9	13	21
65+	416	4.5	37	<1	1	2	6	11	15	26
2. MULTIPLE DX										
0-19 YRS	550	11.1	159	1	1	7	14	27	41	74
20-34	1295	9.6	126	1	1	7	11	20	30	65
35-49	2002	9.3	124	1	1	6	12	20	28	65
50-64	3409	9.4	92	1	1	7	13	20	28	49
65+	4182	10.9	94	1	2	9	14	22	29	51
TOT. SINGLE DX	2701	3.8	25	<1	1	2	5	9	13	25
" MULTIPLE DX	11438	10.0	107	1	1	8	13	21	29	56
TOTAL 0-19 YRS	773	9.4	130	1	1	6	11	23	33	67
20-34	1910	7.8	101	1	1	5	10	16	26	57
35-49	2688	7.7	105	1	1	4	10	18	25	58
50-64	4170	8.3	84	1	1	6	11	19	26	46
65+	4598	10.4	93	1	1	8	14	21	28	50
GRAND TOTAL	**14139**	**8.9**	**97**	**1**	**1**	**6**	**12**	**19**	**27**	**52**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1054	5.6	5	3	3	5	7	8	10	14
20-34	12545	5.5	4	3	3	5	6	8	9	13
35-49	11718	5.8	5	3	4	5	7	8	10	13
50-64	9577	6.3	6	3	4	6	7	9	11	15
65+	4781	7.6	12	4	4	7	9	11	13	20
2. MULTIPLE DX										
0-19 YRS	1012	7.8	36	3	4	6	9	13	15	32
20-34	11976	7.1	18	3	4	6	8	11	14	23
35-49	16120	7.7	23	4	4	6	9	12	15	26
50-64	21429	8.8	32	4	5	7	10	14	18	31
65+	27794	11.8	62	5	6	10	14	20	26	45
TOT. SINGLE DX	39675	6.0	7	3	4	6	7	9	11	15
" MULTIPLE DX	78331	9.4	43	4	4	8	11	16	20	36
TOTAL 0-19 YRS	2066	6.7	22	3	4	6	8	11	13	23
20-34	24521	6.3	12	3	4	6	7	10	12	19
35-49	27838	6.9	16	3	4	6	8	11	13	22
50-64	31006	8.0	26	4	4	7	9	13	16	28
65+	32575	11.2	58	5	5	9	13	19	24	43
GRAND TOTAL	**118006**	**8.2**	**33**	**4**	**4**	**7**	**9**	**14**	**18**	**31**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	41	12.7	59	3	4	11	18	25	27	34
20-34	160	6.1	30	1	1	5	8	12	15	23
35-49	184	6.9	27	1	2	6	9	15	17	24
50-64	267	8.0	49	1	1	7	11	15	17	27
65+	407	8.5	42	1	1	8	12	18	21	28
2. MULTIPLE DX										
0-19 YRS	85	16.4	197	3	5	12	20	34	51	89
20-34	257	11.4	107	2	3	9	13	22	28	81
35-49	569	12.5	104	2	3	10	16	25	32	51
50-64	1283	14.4	107	2	4	12	18	26	34	56
65+	3615	16.4	127	3	5	14	20	30	38	69
TOT. SINGLE DX	1059	7.9	42	1	1	7	11	16	19	27
" MULTIPLE DX	5809	15.3	123	3	4	13	19	28	37	68
TOTAL 0-19 YRS	126	15.2	154	3	5	11	19	29	43	77
20-34	417	9.4	84	1	2	8	11	18	23	66
35-49	753	11.1	92	2	2	9	14	22	29	48
50-64	1550	13.3	103	2	3	11	17	25	31	56
65+	4022	15.6	124	2	4	13	20	29	37	67
GRAND TOTAL	**6868**	**14.2**	**118**	**2**	**3**	**12**	**18**	**27**	**35**	**60**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	37	9.7	144	1	1	7	11	20	26	70
20-34	294	6.1	36	1	1	5	8	13	16	33
35-49	405	7.0	64	1	1	4	9	16	22	42
50-64	419	6.5	42	1	1	4	9	15	20	30
65+	340	6.6	65	1	1	4	9	15	21	42
2. MULTIPLE DX										
0-19 YRS	89	15.0	209	1	2	10	21	35	49	59
20-34	682	12.9	206	1	2	8	15	32	48	83
35-49	1363	13.9	225	1	2	9	17	35	48	84
50-64	1922	13.3	173	1	2	9	17	29	42	75
65+	2951	13.3	160	2	2	10	17	29	39	67
TOT. SINGLE DX	1495	6.7	55	1	1	4	9	15	21	38
" MULTIPLE DX	7007	13.4	182	1	2	9	17	30	43	75
TOTAL 0-19 YRS	126	13.4	195	1	1	9	18	31	48	63
20-34	976	10.9	165	1	1	7	13	24	39	72
35-49	1768	12.3	197	1	2	8	15	30	44	76
50-64	2341	12.1	157	1	2	8	16	27	38	67
65+	3291	12.6	155	1	2	9	16	28	38	66
GRAND TOTAL	**8502**	**12.2**	**166**	**1**	**2**	**8**	**15**	**28**	**39**	**72**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	742	4.0	12	<1	1	3	5	8	11	20
20-34	1657	4.5	13	1	1	4	5	8	11	17
35-49	1700	4.3	17	<1	1	3	5	8	10	17
50-64	1686	4.3	12	<1	1	3	6	8	10	18
65+	1731	4.7	18	<1	1	4	6	9	12	21
2. MULTIPLE DX										
0-19 YRS	972	5.6	36	1	1	4	7	10	15	30
20-34	3832	6.1	37	1	2	4	7	11	16	31
35-49	5912	6.5	34	2	2	5	8	12	16	33
50-64	10524	6.8	38	1	2	5	8	13	17	31
65+	26292	7.9	47	2	2	6	10	15	20	37
TOT. SINGLE DX	7516	4.4	16	<1	1	3	6	8	11	19
" MULTIPLE DX	47532	7.3	44	2	2	6	9	14	19	34
TOTAL 0-19 YRS	1714	4.9	27	1	1	4	6	9	13	26
20-34	5489	5.6	31	1	2	4	7	10	14	29
35-49	7612	6.0	32	1	2	5	7	11	15	30
50-64	12210	6.4	36	1	2	5	8	12	16	30
65+	28023	7.7	47	2	2	6	9	15	19	36
GRAND TOTAL	**55048**	**6.9**	**41**	**1**	**2**	**5**	**8**	**13**	**18**	**33**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6643	1.6		<1	<1	1	2	3	3	5
20-34	9559	2.3	2	1	1	2	3	4	4	6
35-49	8724	2.5	1	1	1	2	3	4	5	6
50-64	11627	2.8	2	1	1	3	4	4	5	7
65+	8302	3.2	4	1	1	3	4	5	6	9
2. MULTIPLE DX										
0-19 YRS	4028	2.2	18	<1	<1	1	2	4	5	14
20-34	3648	3.0	7	1	1	3	4	5	6	12
35-49	5358	3.3	6	1	1	3	4	6	7	13
50-64	11055	3.8	10	1	1	3	4	6	8	15
65+	17754	5.0	25	1	1	4	6	9	13	24
TOT. SINGLE DX	44855	2.5	3	<1	1	2	3	4	5	7
" MULTIPLE DX	41843	4.0	18	1	1	3	5	7	10	20
TOTAL 0-19 YRS	10671	1.8	8	<1	<1	1	2	3	4	8
20-34	13207	2.5	4	1	1	2	3	4	5	8
35-49	14082	2.8	4	1	1	3	4	5	6	9
50-64	22682	3.3	7	1	1	3	4	5	7	12
65+	26056	4.4	19	1	1	3	5	8	11	22
GRAND TOTAL	**86698**	**3.2**	**11**	**1**	**1**	**3**	**4**	**6**	**7**	**15**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2154	1.5	4	<1	<1	1	2	2	3	5
20-34	918	2.8	1	1	1	3	4	5	5	7
35-49	1251	3.1	4	1	1	3	4	5	6	8
50-64	1747	3.3	2	1	1	3	4	5	6	8
65+	1078	3.7	3	1	1	4	5	6	7	10
2. MULTIPLE DX										
0-19 YRS	1993	3.2	82	<1	<1	1	2	4	10	99+
20-34	445	3.4	4	1	1	3	4	5	7	13
35-49	941	3.7	6	1	1	3	5	6	7	12
50-64	1963	4.2	7	1	2	4	5	7	8	15
65+	2435	5.5	27	1	2	4	6	10	13	23
TOT. SINGLE DX	7148	2.7	4	<1	<1	2	4	5	6	8
" MULTIPLE DX	7777	4.2	34	<1	1	3	5	7	10	28
TOTAL 0-19 YRS	4147	2.3	43	<1	<1	1	2	3	5	56
20-34	1363	3.0	3	1	1	3	4	5	6	8
35-49	2192	3.3	6	1	1	3	4	5	6	11
50-64	3710	3.8	6	1	1	3	5	6	7	12
65+	3513	4.9	21	1	2	4	6	8	12	20
GRAND TOTAL	**14925**	**3.5**	**20**	**<1**	**1**	**3**	**4**	**6**	**8**	**18**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	40	2.2	8	<1	<1	1	2	3	6	18
20-34	227	2.4	1	1	1	2	3	4	5	6
35-49	393	2.9	2	1	1	3	4	5	6	10
50-64	453	3.1	3	1	1	3	4	5	7	10
65+	575	4.3	8	1	1	4	6	7	9	15
2. MULTIPLE DX										
0-19 YRS	27	3.3	8	<1	1	2	5	7	11	12
20-34	119	4.2	82	1	1	3	4	6	10	44
35-49	231	3.6	10	1	1	3	4	7	8	10
50-64	420	5.0	20	1	2	4	6	9	14	27
65+	1469	7.7	57	1	2	6	9	15	21	53
TOT. SINGLE DX	1688	3.4	6	1	1	3	4	6	7	12
" MULTIPLE DX	2266	6.5	49	1	2	5	8	13	18	42
TOTAL 0-19 YRS	67	2.6	9	<1	1	2	3	6	9	17
20-34	346	3.1	30	1	1	2	4	5	6	15
35-49	624	3.1	6	1	1	3	4	5	7	10
50-64	873	4.0	12	1	1	3	5	7	9	21
65+	2044	6.7	46	1	2	5	8	13	18	42
GRAND TOTAL	**3954**	**5.2**	**33**	**1**	**1**	**4**	**6**	**10**	**14**	**29**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1214	1.7	1	<1	<1	1	2	3	3	5
20-34	689	2.5	2	<1	1	2	3	4	5	7
35-49	1117	2.6	2	<1	1	2	3	5	5	7
50-64	866	2.9	3	1	1	3	4	5	6	9
65+	362	3.5	5	1	1	3	5	6	8	11
2. MULTIPLE DX										
0-19 YRS	366	3.8	41	<1	<1	2	3	7	17	37
20-34	405	3.9	10	1	1	3	5	8	9	16
35-49	1044	4.1	14	1	1	3	5	7	9	21
50-64	1294	5.1	27	1	1	4	6	10	13	26
65+	1227	7.0	45	1	2	5	9	14	18	35
TOT. SINGLE DX	4248	2.4	3	<1	<1	2	3	4	5	8
" MULTIPLE DX	4336	5.2	31	1	1	4	6	10	14	29
TOTAL 0-19 YRS	1580	2.2	12	<1	<1	2	2	3	5	19
20-34	1094	3.0	5	1	1	3	4	5	7	11
35-49	2161	3.3	9	1	1	3	4	6	8	14
50-64	2160	4.2	19	1	1	3	5	8	11	21
65+	1589	6.2	38	1	1	4	7	12	16	32
GRAND TOTAL	**8584**	**3.8**	**19**	**<1**	**1**	**3**	**5**	**7**	**10**	**21**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	280	2.0	2	<1	<1	1	2	4	5	8
20-34	1252	3.2	5	1	1	3	4	6	7	10
35-49	2122	3.9	5	1	1	4	5	7	8	11
50-64	2259	4.3	5	1	2	4	6	8	9	11
65+	1579	5.0	7	1	2	5	6	8	10	14
2. MULTIPLE DX										
0-19 YRS	156	4.2	39	<1	<1	3	5	8	11	27
20-34	914	5.0	18	1	2	4	6	9	11	19
35-49	2631	6.1	26	1	2	5	7	10	14	24
50-64	4067	6.7	25	2	2	6	8	11	15	26
65+	4913	8.1	46	2	3	7	10	15	19	38
TOT. SINGLE DX	7492	4.1	6	1	1	4	5	7	8	12
" MULTIPLE DX	12681	7.0	34	2	2	6	8	12	16	32
TOTAL 0-19 YRS	436	2.8	17	<1	<1	2	3	5	8	17
20-34	2166	4.0	11	1	1	3	5	7	9	15
35-49	4753	5.1	18	1	2	4	6	9	11	20
50-64	6326	5.9	20	1	2	5	7	10	13	24
65+	6492	7.4	39	2	2	6	9	13	17	33
GRAND TOTAL	**20173**	**5.9**	**26**	**1**	**2**	**5**	**7**	**10**	**14**	**25**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	51	4.6	10	<1	1	4	7	8	12	14
20-34	55	6.1	9	1	2	6	8	10	12	12
35-49	87	6.8	12	2	3	7	9	10	13	20
50-64	120	6.6	12	1	2	6	9	11	13	17
65+	83	8.9	21	2	3	9	11	14	16	27
2. MULTIPLE DX										
0-19 YRS	99	15.0	220	1	3	10	20	39	80	99+
20-34	188	9.6	89	3	4	7	10	15	25	64
35-49	340	9.1	23	4	5	8	10	15	19	29
50-64	574	10.6	55	4	5	9	12	18	24	40
65+	750	13.9	104	5	6	11	16	24	33	66
TOT. SINGLE DX	396	6.8	15	1	2	7	9	12	14	18
" MULTIPLE DX	1951	11.7	85	4	5	9	13	21	28	60
TOTAL 0-19 YRS	150	11.5	173	1	2	8	14	32	45	99+
20-34	243	8.8	74	2	3	7	9	13	22	47
35-49	427	8.6	22	4	5	8	10	14	18	27
50-64	694	9.9	50	3	5	8	11	16	22	35
65+	833	13.4	98	5	6	11	16	23	32	64
GRAND TOTAL	**2347**	**10.9**	**76**	**3**	**5**	**9**	**12**	**19**	**26**	**51**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	591	3.8	26	<1	<1	3	5	8	10	17
20-34	833	3.9	8	<1	1	3	5	8	9	15
35-49	671	5.1	18	1	1	4	7	10	13	21
50-64	609	6.1	32	1	1	4	8	13	16	28
65+	472	6.4	29	1	1	5	9	13	17	27
2. MULTIPLE DX										
0-19 YRS	663	7.4	92	1	1	5	9	15	23	75
20-34	1591	7.7	70	1	2	5	9	16	22	46
35-49	2366	9.8	82	1	2	7	12	20	27	48
50-64	4242	10.9	94	2	2	8	14	22	28	53
65+	5759	12.1	103	2	3	9	15	24	31	54
TOT. SINGLE DX	3176	4.9	23	<1	1	4	6	10	13	22
" MULTIPLE DX	14621	10.7	96	1	2	8	14	21	29	52
TOTAL 0-19 YRS	1254	5.7	65	<1	1	4	7	11	17	46
20-34	2424	6.4	53	1	1	5	7	13	18	37
35-49	3037	8.8	72	1	2	7	11	18	24	45
50-64	4851	10.3	89	1	2	8	13	21	27	51
65+	6231	11.7	100	2	3	9	15	23	30	52
GRAND TOTAL	**17797**	**9.6**	**87**	**1**	**2**	**7**	**12**	**20**	**27**	**49**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	775	5.2	13	2	2	4	6	9	11	17
20-34	1504	5.4	10	2	2	5	6	9	12	17
35-49	614	6.9	20	2	3	6	8	13	16	22
50-64	431	9.3	59	2	4	7	10	16	21	46
65+	290	11.0	70	4	5	9	13	19	24	56
2. MULTIPLE DX										
0-19 YRS	1087	8.9	76	2	3	7	10	17	23	54
20-34	3030	8.0	60	2	3	6	9	15	22	48
35-49	1837	11.4	118	3	4	8	13	21	32	65
50-64	1933	14.6	139	4	5	11	17	29	38	75
65+	2793	16.9	143	5	6	14	21	32	42	78
TOT. SINGLE DX	3614	6.5	27	2	3	5	8	12	15	24
" MULTIPLE DX	10680	12.2	121	3	4	9	15	25	34	67
TOTAL 0-19 YRS	1862	7.4	53	2	3	5	9	14	19	44
20-34	4534	7.1	45	2	3	5	8	13	18	40
35-49	2451	10.3	98	3	4	7	12	19	27	59
50-64	2364	13.7	129	4	5	10	16	27	36	72
65+	3083	16.3	140	5	6	13	20	31	41	73
GRAND TOTAL	**14294**	**10.8**	**103**	**3**	**3**	**8**	**13**	**22**	**30**	**59**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1064	3.1	4	<1	1	2	4	6	7	11
20-34	4241	2.5	4	<1	<1	2	3	5	7	10
35-49	726	2.4	5	<1	<1	2	3	5	7	11
50-64	124	2.8	9	<1	<1	2	3	6	8	16
65+	56	3.6	10	<1	1	2	5	9	10	16
2. MULTIPLE DX										
0-19 YRS	1199	3.9	16	<1	1	3	5	8	9	15
20-34	6467	3.2	9	<1	<1	2	4	7	9	15
35-49	1557	3.5	17	<1	<1	2	5	8	11	18
50-64	273	5.9	57	<1	1	3	8	13	17	32
65+	259	8.9	90	1	2	6	12	21	29	37
TOT. SINGLE DX	6211	2.6	5	<1	<1	2	3	5	7	11
" MULTIPLE DX	9755	3.6	16	<1	<1	2	5	7	10	19
TOTAL 0-19 YRS	2263	3.5	11	<1	1	3	5	7	8	13
20-34	10708	2.9	8	<1	<1	2	4	6	8	13
35-49	2283	3.2	14	<1	<1	2	4	7	9	17
50-64	397	5.0	45	<1	1	2	7	12	16	30
65+	315	8.0	80	1	1	5	10	19	27	36
GRAND TOTAL	**15966**	**3.2**	**12**	**<1**	**<1**	**2**	**4**	**7**	**9**	**16**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	383	6.4	18	1	2	6	8	11	14	22
20-34	1300	5.7	16	1	1	5	7	10	13	18
35-49	988	7.4	30	1	2	7	9	13	17	27
50-64	755	8.4	20	2	3	8	10	14	17	24
65+	622	9.7	27	2	4	9	12	16	19	27
2. MULTIPLE DX										
0-19 YRS	875	11.5	166	2	3	7	14	26	38	96
20-34	4251	6.5	33	1	2	5	8	12	16	31
35-49	3293	9.7	86	2	2	7	11	19	27	51
50-64	3350	12.6	108	3	4	10	16	24	31	58
65+	4870	15.5	122	4	6	13	19	28	38	68
TOT. SINGLE DX	4048	7.3	25	1	2	7	9	13	16	24
" MULTIPLE DX	16639	11.3	104	2	3	9	14	23	30	58
TOTAL 0-19 YRS	1258	10.0	127	2	2	7	11	22	32	78
20-34	5551	6.3	30	1	2	5	7	12	15	29
35-49	4281	9.1	74	1	2	7	11	17	24	45
50-64	4105	11.8	95	2	4	9	14	22	29	55
65+	5492	14.8	115	4	6	12	18	27	36	65
GRAND TOTAL	**20687**	**10.5**	**91**	**2**	**3**	**8**	**13**	**21**	**28**	**53**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	161	7.8	18	3	3	7	10	12	16	24
20-34	200	8.2	46	5	5	8	9	10	12	23
35-49	264	8.5	8	5	5	8	9	13	15	19
50-64	403	9.3	19	5	6	8	10	14	16	26
65+	330	10.3	26	5	7	9	12	15	17	25
2. MULTIPLE DX										
0-19 YRS	402	10.2	81	3	4	8	12	19	26	65
20-34	470	11.4	80	4	5	8	13	20	31	58
35-49	698	11.6	69	5	6	9	13	20	26	53
50-64	1664	13.1	72	6	7	10	16	22	28	50
65+	2422	15.0	81	6	7	12	18	26	32	54
TOT. SINGLE DX	1358	9.0	24	5	5	8	10	13	16	24
" MULTIPLE DX	5656	13.4	80	5	6	11	16	23	31	53
TOTAL 0-19 YRS	563	9.5	65	3	4	7	11	16	23	44
20-34	670	10.4	73	5	5	8	11	17	26	58
35-49	962	10.7	55	5	6	9	12	17	23	49
50-64	2067	12.4	64	6	6	10	14	20	27	46
65+	2752	14.4	77	6	7	12	17	25	31	50
GRAND TOTAL	**7014**	**12.5**	**72**	**5**	**6**	**10**	**15**	**22**	**28**	**50**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	814	5.5	19	1	2	4	7	11	13	23
20-34	1206	6.2	23	1	2	6	8	11	14	23
35-49	1283	6.1	14	1	2	6	8	11	13	19
50-64	1062	6.8	18	1	2	6	9	12	14	20
65+	542	6.6	23	1	2	6	9	12	15	20
2. MULTIPLE DX										
0-19 YRS	1170	9.7	91	1	2	7	12	21	30	50
20-34	2132	10.2	88	1	2	8	13	21	28	52
35-49	2326	10.6	86	1	2	8	14	21	27	51
50-64	2815	10.5	84	2	2	8	13	21	29	47
65+	3013	12.0	96	2	3	10	16	24	31	50
TOT. SINGLE DX	4907	6.2	20	1	2	6	8	11	14	21
" MULTIPLE DX	11456	10.8	90	2	2	8	14	22	29	50
TOTAL 0-19 YRS	1984	8.0	67	1	2	6	10	17	24	42
20-34	3338	8.8	69	1	2	7	11	18	24	45
35-49	3609	9.0	65	1	2	7	11	18	23	44
50-64	3877	9.5	69	1	2	8	12	18	25	43
65+	3555	11.2	89	2	2	9	14	23	30	49
GRAND TOTAL	**16363**	**9.4**	**73**	**1**	**2**	**7**	**12**	**19**	**25**	**45**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	62	5.2	10	1	2	5	7	9	11	16
20-34	603	5.9	12	1	2	6	8	10	12	17
35-49	896	6.6	13	1	2	6	8	11	13	17
50-64	727	7.0	13	2	2	7	9	12	14	19
65+	337	7.7	19	1	2	8	10	12	16	23
2. MULTIPLE DX										
0-19 YRS	97	7.2	40	1	1	6	9	15	23	30
20-34	547	7.7	41	1	2	6	10	13	16	26
35-49	962	8.4	32	2	3	7	11	15	18	29
50-64	1355	9.4	43	2	3	8	12	17	20	34
65+	1563	11.3	75	2	3	9	14	21	26	50
TOT. SINGLE DX	2625	6.7	14	1	2	6	9	11	13	19
" MULTIPLE DX	4524	9.6	54	2	3	8	12	17	22	37
TOTAL 0-19 YRS	159	6.4	30	1	1	5	8	13	17	28
20-34	1150	6.8	27	1	2	6	9	12	14	21
35-49	1858	7.5	24	2	2	7	10	13	16	24
50-64	2082	8.6	35	2	3	8	11	15	19	29
65+	1900	10.7	68	2	3	9	13	19	25	46
GRAND TOTAL	**7149**	**8.5**	**41**	**2**	**2**	**7**	**11**	**15**	**19**	**33**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	654	6.7	5	3	4	6	8	9	11	15
20-34	67	8.1	12	4	4	8	9	11	13	27
35-49	47	10.2	27	3	5	10	11	14	16	38
50-64	43	11.2	22	3	6	10	14	19	20	22
65+	42	10.4	81	2	3	8	14	18	22	53
2. MULTIPLE DX										
0-19 YRS	810	8.8	37	3	4	7	10	14	19	36
20-34	184	12.0	77	5	7	9	13	21	26	40
35-49	166	13.5	97	5	7	11	15	23	29	89
50-64	220	14.8	87	5	6	12	17	28	37	77
65+	386	16.6	89	5	8	14	20	28	37	47
TOT. SINGLE DX	853	7.4	14	3	4	7	9	11	14	19
" MULTIPLE DX	1766	12.0	75	4	5	9	14	22	29	46
TOTAL 0-19 YRS	1464	7.8	25	3	4	7	9	12	15	30
20-34	251	10.9	63	4	6	9	12	19	25	36
35-49	213	12.8	83	5	7	11	14	21	27	73
50-64	263	14.2	79	4	6	12	17	25	34	65
65+	428	15.9	92	4	6	14	20	27	36	48
GRAND TOTAL	**2619**	**10.5**	**60**	**3**	**4**	**8**	**12**	**19**	**25**	**42**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	269	4.1	9	1	1	3	5	8	11	15
20-34	2135	3.6	5	1	1	3	5	6	8	11
35-49	2959	3.7	5	1	1	3	5	7	8	12
50-64	1901	3.9	6	1	1	3	5	7	8	13
65+	690	4.1	8	1	1	3	5	8	10	14
2. MULTIPLE DX										
0-19 YRS	293	7.2	33	1	2	6	9	15	17	31
20-34	1257	5.1	22	1	2	4	6	9	12	18
35-49	1925	5.1	13	1	2	4	6	9	12	18
50-64	2140	5.7	24	1	2	5	7	10	13	23
65+	1917	7.6	43	1	2	6	10	16	20	34
TOT. SINGLE DX	7954	3.8	6	1	1	3	5	7	8	12
" MULTIPLE DX	7532	6.0	28	1	2	5	7	11	15	26
TOTAL 0-19 YRS	562	5.7	24	1	1	4	7	12	15	28
20-34	3392	4.1	12	1	1	3	5	7	9	15
35-49	4884	4.2	9	1	1	4	5	8	10	15
50-64	4041	4.8	17	1	1	4	6	9	11	20
65+	2607	6.7	37	1	2	5	8	14	18	32
GRAND TOTAL	**15486**	**4.8**	**18**	**1**	**1**	**4**	**6**	**9**	**12**	**21**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1100	2.3	4	<1	<1	1	3	5	7	10
20-34	2028	3.5	9	<1	<1	3	5	7	9	13
35-49	2328	3.6	9	<1	<1	3	5	7	9	14
50-64	2236	3.7	10	<1	<1	3	5	7	9	15
65+	1875	3.9	14	<1	<1	3	5	8	11	19
2. MULTIPLE DX										
0-19 YRS	1842	4.2	27	<1	<1	3	5	9	12	26
20-34	3731	5.8	35	1	1	4	7	11	15	30
35-49	5399	6.4	44	1	1	5	8	13	18	34
50-64	9105	6.8	56	1	1	5	8	14	19	37
65+	19002	9.1	83	1	2	7	11	19	26	52
TOT. SINGLE DX	9567	3.5	10	<1	<1	3	5	7	9	15
" MULTIPLE DX	39079	7.7	67	1	1	6	10	16	22	45
TOTAL 0-19 YRS	2942	3.5	20	<1	<1	2	4	8	10	21
20-34	5759	5.0	28	<1	1	4	6	10	13	25
35-49	7727	5.6	36	<1	1	4	7	11	15	30
50-64	11341	6.2	49	1	1	4	8	13	17	34
65+	20877	8.6	79	1	2	6	11	18	25	50
GRAND TOTAL	**48646**	**6.8**	**58**	**<1**	**1**	**5**	**9**	**14**	**20**	**41**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	35	2.5	3	<1	<1	2	3	5	7	8
20-34	171	2.7	5	<1	<1	2	3	5	6	15
35-49	546	2.4	3	<1	1	2	3	5	6	10
50-64	2220	3.0	5	1	1	2	4	5	7	12
65+	4068	3.3	6	1	1	3	4	6	8	12
2. MULTIPLE DX										
0-19 YRS	84	5.2	27	<1	1	3	7	11	18	26
20-34	387	4.6	26	1	1	3	6	9	13	28
35-49	993	5.1	46	1	1	3	6	10	15	35
50-64	4408	4.7	31	1	1	3	5	9	13	28
65+	15562	6.0	41	1	2	4	7	12	17	33
TOT. SINGLE DX	7040	3.1	6	1	1	3	4	6	7	12
" MULTIPLE DX	21434	5.7	40	1	1	4	7	12	16	32
TOTAL 0-19 YRS	119	4.4	22	<1	1	3	6	8	17	25
20-34	558	4.0	21	<1	1	3	5	9	12	19
35-49	1539	4.1	33	1	1	3	5	8	12	28
50-64	6628	4.1	23	1	1	3	5	8	11	24
65+	19630	5.5	36	1	1	4	6	11	15	30
GRAND TOTAL	**28474**	**5.1**	**33**	**1**	**1**	**3**	**6**	**10**	**14**	**29**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	249	4.5	11	1	1	4	6	9	11	19
20-34	291	4.7	14	1	1	4	7	9	11	17
35-49	444	5.1	18	1	1	4	7	10	13	20
50-64	716	5.8	23	1	1	4	9	13	15	20
65+	913	6.2	30	1	1	4	9	14	16	25
2. MULTIPLE DX										
0-19 YRS	753	9.0	79	1	2	6	11	19	25	57
20-34	739	9.7	141	1	2	6	11	22	32	82
35-49	1017	8.2	61	1	2	6	10	17	24	49
50-64	2200	9.6	95	1	2	7	12	19	28	53
65+	6209	10.5	104	1	2	8	14	21	29	57
TOT. SINGLE DX	2613	5.6	23	1	1	4	8	12	15	22
" MULTIPLE DX	10918	9.9	100	1	2	7	13	21	29	58
TOTAL 0-19 YRS	1002	7.9	67	1	2	5	10	17	24	51
20-34	1030	8.3	111	1	1	5	10	17	28	64
35-49	1461	7.2	50	1	1	5	9	15	20	42
50-64	2916	8.7	80	1	2	6	11	17	24	49
65+	7122	10.0	97	1	2	7	13	21	28	54
GRAND TOTAL	**13531**	**9.1**	**88**	**1**	**2**	**6**	**12**	**19**	**26**	**52**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	249	1.2		<1	<1	<1	1	2	2	4
20-34	26	2.1	5	<1	<1	1	2	4	8	11
35-49	15	2.5	7	<1	<1	1	3	5	9	11
50-64	24	2.4	5	<1	<1	1	3	5	9	9
65+	14	2.9	5	<1	<1	2	4	6	8	9
2. MULTIPLE DX										
0-19 YRS	175	2.3	12	<1	<1	1	2	5	6	18
20-34	44	3.8	13	<1	<1	2	5	9	10	17
35-49	46	3.8	13	<1	<1	3	5	10	13	16
50-64	83	4.4	19	<1	1	3	5	8	16	22
65+	119	7.3	59	1	1	5	9	16	22	38
TOT. SINGLE DX	328	1.5	2	<1	<1	<1	1	2	4	9
" MULTIPLE DX	467	4.2	29	<1	<1	2	5	9	15	28
TOTAL 0-19 YRS	424	1.6	5	<1	<1	<1	1	3	4	9
20-34	70	3.2	11	<1	<1	2	4	8	9	16
35-49	61	3.5	12	<1	<1	2	4	9	12	16
50-64	107	3.9	17	<1	<1	3	5	8	12	22
65+	133	6.8	56	1	1	5	8	15	21	35
GRAND TOTAL	**795**	**3.1**	**20**	**<1**	**<1**	**1**	**3**	**7**	**11**	**22**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1842	4.4	13	<1	1	3	7	9	11	16
20-34	393	3.2	9	<1	<1	2	4	7	9	14
35-49	293	3.6	6	<1	1	3	5	7	8	12
50-64	270	3.7	7	1	1	3	5	8	9	13
65+	255	3.7	16	1	1	3	5	7	9	15
2. MULTIPLE DX										
0-19 YRS	963	5.1	31	<1	1	3	7	11	14	25
20-34	375	5.3	39	<1	1	3	6	12	16	36
35-49	399	5.8	43	1	1	5	7	11	14	45
50-64	564	5.7	35	1	1	4	7	12	16	34
65+	902	6.2	51	1	1	4	7	13	19	37
TOT. SINGLE DX	3053	4.0	12	<1	1	3	6	8	11	15
" MULTIPLE DX	3203	5.6	40	1	1	4	7	12	16	36
TOTAL 0-19 YRS	2805	4.6	20	<1	1	3	7	10	12	19
20-34	768	4.2	25	<1	1	3	5	9	12	28
35-49	692	4.8	29	1	1	4	6	9	13	20
50-64	834	5.1	27	1	1	4	6	10	15	26
65+	1157	5.7	45	1	1	4	7	12	17	37
GRAND TOTAL	**6256**	**4.9**	**27**	**<1**	**1**	**3**	**6**	**10**	**13**	**25**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	257	1.6	1	<1	<1	1	2	3	4	8
20-34	209	3.3	7	<1	<1	2	4	7	8	14
35-49	194	3.2	7	<1	<1	2	4	7	10	14
50-64	149	2.6	4	<1	<1	2	3	6	7	9
65+	179	3.6	13	<1	<1	2	5	8	12	19
2. MULTIPLE DX										
0-19 YRS	549	3.0	25	<1	<1	1	3	6	9	20
20-34	810	5.6	40	<1	1	4	7	11	16	32
35-49	991	6.7	49	1	1	5	8	13	20	43
50-64	1371	6.5	47	1	1	5	8	13	19	34
65+	3525	8.9	75	1	2	7	11	18	24	48
TOT. SINGLE DX	988	2.8	7	<1	<1	2	3	6	8	14
" MULTIPLE DX	7246	7.3	62	1	1	5	9	15	21	42
TOTAL 0-19 YRS	806	2.5	18	<1	<1	1	3	5	7	14
20-34	1019	5.1	34	<1	1	4	6	10	15	31
35-49	1185	6.1	45	<1	1	4	8	12	17	42
50-64	1520	6.1	44	<1	1	4	8	13	18	31
65+	3704	8.7	74	1	2	7	11	18	24	45
GRAND TOTAL	**8234**	**6.8**	**58**	**<1**	**1**	**5**	**9**	**14**	**20**	**40**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	239	1.9	3	<1	<1	1	2	4	5	10
20-34	427	2.5	3	<1	1	2	3	5	6	10
35-49	321	2.8	5	<1	1	2	4	6	8	12
50-64	277	3.3	9	1	1	2	4	7	10	16
65+	375	3.3	6	1	1	3	4	6	9	14
2. MULTIPLE DX										
0-19 YRS	311	2.6	16	<1	<1	2	3	5	8	14
20-34	531	3.8	28	<1	1	2	4	8	11	28
35-49	503	4.2	23	1	1	3	5	8	12	26
50-64	789	4.8	23	1	1	3	6	11	15	24
65+	2044	6.3	41	1	1	4	8	13	17	30
TOT. SINGLE DX	1639	2.8	6	<1	1	2	3	6	8	13
" MULTIPLE DX	4178	5.2	34	1	1	3	6	11	16	29
TOTAL 0-19 YRS	550	2.3	11	<1	<1	1	3	4	7	13
20-34	958	3.2	18	<1	1	2	4	6	9	17
35-49	824	3.6	17	1	1	2	4	8	11	21
50-64	1066	4.4	21	1	1	3	5	10	13	22
65+	2419	5.8	37	1	1	4	7	12	17	30
GRAND TOTAL	**5817**	**4.5**	**27**	**1**	**1**	**3**	**5**	**10**	**14**	**25**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	3.3	5	2	2	2	5	6	6	6
20-34	206	5.7	3	2	3	6	7	8	9	11
35-49	807	6.2	4	3	4	6	7	9	10	14
50-64	704	6.6	5	3	4	6	8	9	10	14
65+	321	6.8	6	3	3	7	8	10	11	14
2. MULTIPLE DX										
0-19 YRS	6	4.5	4	2	2	5	6	7	7	7
20-34	330	6.2	4	3	4	6	7	9	9	12
35-49	1395	6.9	9	4	4	7	8	10	12	19
50-64	1455	7.5	14	4	4	7	8	11	14	20
65+	989	8.3	19	3	4	8	10	13	16	25
TOT. SINGLE DX	2041	6.4	5	3	4	6	8	9	10	14
" MULTIPLE DX	4175	7.4	14	4	4	7	8	11	13	21
TOTAL 0-19 YRS	9	4.1	4	2	2	5	6	7	7	7
20-34	536	6.0	4	3	4	6	7	8	9	12
35-49	2202	6.7	8	3	4	6	8	9	11	17
50-64	2159	7.2	12	3	4	7	8	10	13	19
65+	1310	8.0	17	3	4	7	9	12	15	24
GRAND TOTAL	**6216**	**7.1**	**11**	**3**	**4**	**7**	**8**	**10**	**12**	**19**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	2.8	3	<1	<1	2	4	5	5	5
20-34	102	5.1	2	2	3	5	6	7	8	10
35-49	440	5.3	5	3	3	5	6	8	9	12
50-64	470	5.6	4	3	3	5	7	8	9	12
65+	270	6.0	5	3	3	6	7	9	11	13
2. MULTIPLE DX										
0-19 YRS	15	6.1	9	2	3	6	7	10	13	14
20-34	131	5.8	5	3	3	5	7	8	9	17
35-49	665	6.2	18	3	3	6	7	9	11	19
50-64	810	6.6	15	3	3	6	8	10	13	20
65+	721	6.9	14	3	3	6	8	11	14	24
TOT. SINGLE DX	1286	5.5	5	3	3	5	7	8	9	12
" MULTIPLE DX	2342	6.6	15	3	3	6	8	10	12	20
TOTAL 0-19 YRS	19	5.4	10	1	2	5	7	10	12	14
20-34	233	5.5	5	3	3	5	6	8	9	13
35-49	1105	5.9	13	3	3	5	7	9	10	17
50-64	1280	6.2	12	3	3	6	8	9	11	17
65+	991	6.7	12	3	3	6	8	10	13	21
GRAND TOTAL	**3628**	**6.2**	**12**	**3**	**3**	**6**	**7**	**9**	**11**	**17**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	16	3.4	4	<1	<1	3	5	7	7	7
20-34	112	3.7	6	1	1	3	5	7	8	14
35-49	136	3.9	6	1	1	3	5	8	9	11
50-64	123	4.9	12	1	1	4	7	8	11	18
65+	53	4.2	6	1	1	3	6	7	10	12
2. MULTIPLE DX										
0-19 YRS	41	5.1	42	1	1	3	6	11	23	30
20-34	180	5.7	27	1	1	5	7	10	14	33
35-49	230	6.9	37	1	2	5	9	14	18	28
50-64	335	7.0	34	1	2	6	9	14	18	30
65+	421	9.4	89	1	2	7	12	19	27	47
TOT. SINGLE DX	440	4.1	8	1	1	4	6	8	9	14
" MULTIPLE DX	1207	7.6	55	1	2	6	10	16	21	39
TOTAL 0-19 YRS	57	4.6	32	<1	1	3	6	8	16	30
20-34	292	4.9	21	1	1	4	6	9	12	25
35-49	366	5.8	28	1	1	4	8	11	16	23
50-64	458	6.4	29	1	2	5	8	13	16	29
65+	474	8.8	83	1	2	6	11	18	25	47
GRAND TOTAL	**1647**	**6.6**	**45**	**1**	**1**	**5**	**8**	**13**	**18**	**37**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	26	4.3	15	1	1	3	6	11	15	15
20-34	231	3.6	9	1	1	3	5	7	9	16
35-49	429	3.3	7	1	1	3	4	6	8	12
50-64	379	3.3	10	1	1	2	4	6	8	16
65+	164	4.2	10	1	1	3	5	8	10	17
2. MULTIPLE DX										
0-19 YRS	26	7.9	46	1	1	7	10	23	38	99+
20-34	142	7.7	68	1	2	5	9	19	27	59
35-49	229	8.1	67	1	2	6	10	16	21	50
50-64	319	8.3	76	1	2	6	11	18	22	37
65+	359	10.1	125	1	2	7	13	24	36	63
TOT. SINGLE DX	1229	3.5	9	1	1	3	4	7	9	16
" MULTIPLE DX	1075	8.8	90	1	2	6	11	19	27	57
TOTAL 0-19 YRS	52	6.1	34	1	1	5	8	16	23	98
20-34	373	5.2	36	1	1	3	6	9	17	35
35-49	658	5.0	33	1	1	3	6	10	14	29
50-64	698	5.6	47	1	1	3	6	13	18	33
65+	523	8.3	96	1	1	5	9	19	30	59
GRAND TOTAL	**2304**	**6.0**	**54**	**1**	**1**	**4**	**7**	**13**	**19**	**38**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17	4.4	6	1	1	4	6	9	10	10
20-34	11	3.6	3	<1	1	4	4	6	8	8
35-49	178	4.6	4	2	2	4	5	7	9	13
50-64	4549	4.9	4	2	3	5	6	7	8	12
65+	9057	5.3	6	2	3	5	6	8	9	14
2. MULTIPLE DX										
0-19 YRS	55	7.1	36	2	3	5	8	17	19	36
20-34	53	9.0	185	2	3	6	8	11	26	81
35-49	516	6.9	50	2	3	5	7	12	16	39
50-64	13587	6.3	21	3	3	5	7	10	14	25
65+	51552	7.9	40	3	3	6	9	14	19	35
TOT. SINGLE DX	13812	5.2	6	2	3	5	6	8	9	13
" MULTIPLE DX	65763	7.6	37	3	3	6	9	13	18	33
TOTAL 0-19 YRS	72	6.5	30	1	2	5	7	11	18	33
20-34	64	8.1	158	1	2	5	7	11	24	79
35-49	694	6.3	40	2	3	5	7	11	15	31
50-64	18136	6.0	17	2	3	5	7	9	12	22
65+	60609	7.5	37	3	3	6	8	13	18	33
GRAND TOTAL	**79575**	**7.1**	**33**	**3**	**3**	**6**	**8**	**12**	**17**	**31**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	5.3	26	<1	1	3	6	14	17	17
20-34	5	6.0	25	<1	<1	6	10	12	12	12
35-49	20	8.5	25	2	3	8	10	15	19	23
50-64	510	9.7	15	5	6	9	11	14	17	24
65+	748	9.8	14	5	6	9	12	15	16	21
2. MULTIPLE DX										
0-19 YRS	13	6.6	29	1	1	4	10	14	18	19
20-34	7	6.0	28	1	1	4	10	14	15	15
35-49	36	10.5	52	<1	3	9	13	18	23	40
50-64	1144	11.2	31	5	6	10	14	18	22	31
65+	3884	12.2	42	5	7	11	14	19	23	36
TOT. SINGLE DX	1292	9.7	15	5	6	9	12	14	17	22
" MULTIPLE DX	5084	12.0	40	5	6	11	14	19	23	35
TOTAL 0-19 YRS	22	6.1	27	<1	1	4	10	14	18	19
20-34	12	6.0	25	<1	<1	5	10	13	15	15
35-49	56	9.8	43	1	3	8	12	16	22	39
50-64	1654	10.8	27	5	6	10	13	17	20	30
65+	4632	11.8	39	5	7	10	14	19	22	35
GRAND TOTAL	**6376**	**11.5**	**36**	**5**	**6**	**10**	**14**	**18**	**22**	**33**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	19	2.9	5	<1	1	2	4	7	9	9
35-49	111	2.0	2	<1	<1	2	2	3	5	10
50-64	951	2.1	4	<1	<1	2	2	4	5	10
65+	1425	2.2	4	<1	<1	2	3	4	5	10
2. MULTIPLE DX										
0-19 YRS	7	10.9	201	1	1	7	10	36	42	42
20-34	30	4.8	26	1	1	3	6	10	19	23
35-49	178	5.1	54	<1	1	3	5	12	17	51
50-64	1553	4.7	32	1	1	3	6	11	15	28
65+	4075	6.0	52	1	1	3	8	14	19	35
TOT. SINGLE DX	2510	2.2	4	<1	<1	2	2	4	5	10
" MULTIPLE DX	5843	5.6	47	1	1	3	7	13	18	34
TOTAL 0-19 YRS	11	7.5	143	1	1	2	8	23	40	42
20-34	49	4.1	19	1	1	2	5	9	11	23
35-49	289	3.9	37	<1	1	2	4	8	14	44
50-64	2504	3.8	23	<1	1	2	4	8	12	25
65+	5500	5.0	42	<1	1	3	6	12	16	32
GRAND TOTAL	**8353**	**4.6**	**37**	**<1**	**1**	**2**	**5**	**11**	**15**	**30**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	400	1.9	2	<1	<1	1	2	3	5	10
20-34	311	2.5	3	<1	1	2	3	4	6	11
35-49	267	2.3	2	<1	1	2	3	4	6	8
50-64	235	2.6	2	<1	1	2	3	4	5	10
65+	154	2.7	3	<1	1	2	3	5	7	10
2. MULTIPLE DX										
0-19 YRS	272	2.7	17	<1	<1	2	3	5	7	26
20-34	286	5.0	48	1	1	3	5	10	16	39
35-49	348	6.0	57	1	1	4	7	13	22	40
50-64	402	6.0	76	1	1	4	7	12	17	49
65+	476	7.0	81	1	1	4	8	15	25	43
TOT. SINGLE DX	1367	2.3	3	<1	1	2	3	4	5	10
" MULTIPLE DX	1784	5.6	62	1	1	3	6	12	18	40
TOTAL 0-19 YRS	672	2.2	9	<1	<1	1	2	4	6	13
20-34	597	3.7	27	<1	1	2	4	7	11	34
35-49	615	4.4	37	1	1	2	5	9	14	34
50-64	637	4.8	52	1	1	3	5	9	14	38
65+	630	6.0	66	1	1	3	7	13	20	41
GRAND TOTAL	**3151**	**4.2**	**39**	**<1**	**1**	**2**	**4**	**9**	**13**	**35**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	563	2.0	1	<1	<1	2	2	3	5	7
20-34	813	2.7	4	1	1	2	3	5	7	12
35-49	342	2.8	5	1	1	2	3	5	7	11
50-64	278	3.5	10	1	1	2	4	8	10	14
65+	676	3.2	9	1	1	2	4	6	9	17
2. MULTIPLE DX										
0-19 YRS	530	2.9	16	<1	1	2	3	5	7	12
20-34	526	4.5	45	1	1	3	5	9	12	33
35-49	311	4.9	35	1	1	3	6	10	13	32
50-64	763	6.8	78	1	1	4	8	15	19	45
65+	3461	7.4	65	1	1	4	10	17	22	42
TOT. SINGLE DX	2672	2.8	6	1	1	2	3	5	7	13
" MULTIPLE DX	5591	6.5	61	1	1	4	8	15	20	39
TOTAL 0-19 YRS	1093	2.4	9	<1	1	2	3	4	6	11
20-34	1339	3.4	21	1	1	2	4	7	10	19
35-49	653	3.8	21	1	1	3	4	8	11	22
50-64	1041	5.9	63	1	1	3	7	13	17	36
65+	4137	6.7	59	1	1	4	9	16	21	39
GRAND TOTAL	**8263**	**5.3**	**46**	**1**	**1**	**3**	**6**	**12**	**17**	**33**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2700	1.6		<1	<1	1	2	3	3	5
20-34	411	1.9	1	<1	1	1	2	3	5	7
35-49	45	1.8	1	<1	1	1	2	4	4	5
50-64	3	2.7		2	2	3	3	3	3	3
65+	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	1868	2.0	7	<1	<1	2	2	3	5	9
20-34	148	2.7	6	1	1	2	4	5	6	12
35-49	35	3.7	31	1	1	2	4	5	12	33
50-64	11	4.3	5	2	2	4	6	8	9	9
65+	6	4.8	24	1	1	3	7	13	14	14
TOT. SINGLE DX	3161	1.7	1	<1	<1	1	2	3	4	5
" MULTIPLE DX	2068	2.1	8	<1	<1	2	2	4	5	10
TOTAL 0-19 YRS	4568	1.8	4	<1	<1	1	2	3	4	6
20-34	559	2.1	3	<1	1	2	2	4	5	8
35-49	80	2.6	15	<1	1	2	3	4	5	27
50-64	14	3.9	5	2	2	3	5	7	9	9
65+	8	4.0	20	<1	<1	2	5	12	14	14
GRAND TOTAL	**5229**	**1.9**	**4**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	582	1.7	1	<1	<1	1	2	3	4	6
20-34	318	2.0	2	<1	<1	2	3	4	5	9
35-49	123	1.7	1	<1	<1	1	2	3	4	6
50-64	57	2.1	2	1	1	2	2	4	4	10
65+	21	2.6	2	<1	1	2	3	5	6	6
2. MULTIPLE DX										
0-19 YRS	249	2.0	2	<1	<1	1	2	4	5	7
20-34	204	3.1	12	<1	1	2	3	7	9	21
35-49	102	3.0	6	<1	1	2	4	6	8	15
50-64	66	4.9	46	1	1	3	4	11	16	41
65+	51	7.0	75	1	1	4	8	15	19	56
TOT. SINGLE DX	1101	1.8	2	<1	<1	1	2	3	4	7
" MULTIPLE DX	672	3.1	18	<1	1	2	3	6	9	19
TOTAL 0-19 YRS	831	1.8	2	<1	<1	1	2	3	4	7
20-34	522	2.4	7	<1	<1	2	3	4	7	13
35-49	225	2.3	4	<1	<1	2	3	5	6	10
50-64	123	3.6	28	1	1	2	3	6	11	35
65+	72	5.7	58	1	1	3	6	13	16	49
GRAND TOTAL	**1773**	**2.3**	**8**	**<1**	**1**	**2**	**3**	**4**	**6**	**14**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	1.5	1	<1	<1	1	2	3	4	4
20-34	141	1.1		<1	<1	<1	<1	1	1	3
35-49	146	1.1		<1	<1	<1	<1	1	2	3
50-64	12	1.7	1	<1	<1	<1	1	4	5	5
65+	3	4.0	7	2	2	3	6	7	7	7
2. MULTIPLE DX										
0-19 YRS	2	12.0	98	5	5	12	19	19	19	19
20-34	72	4.2	112	<1	<1	1	3	8	13	72
35-49	92	3.5	23	<1	<1	2	4	8	15	27
50-64	16	5.3	16	<1	1	4	9	10	12	13
65+	26	9.4	30	2	3	8	14	16	19	23
TOT. SINGLE DX	310	1.1		<1	<1	<1	<1	1	2	5
" MULTIPLE DX	208	4.7	58	<1	<1	2	6	13	16	28
TOTAL 0-19 YRS	10	3.6	31	<1	<1	1	4	12	19	19
20-34	213	2.1	40	<1	<1	<1	1	3	6	22
35-49	238	2.0	10	<1	<1	<1	2	4	7	18
50-64	28	3.7	13	<1	<1	2	6	10	11	13
65+	29	8.9	31	2	2	7	14	16	18	23
GRAND TOTAL	**518**	**2.6**	**27**	**<1**	**<1**	**<1**	**2**	**6**	**10**	**20**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1088	1.6		<1	<1	1	2	3	3	5
20-34	1371	1.8	1	<1	<1	2	2	3	4	6
35-49	1101	1.9	2	<1	<1	1	2	3	4	7
50-64	853	2.2	1	<1	1	2	3	4	4	7
65+	406	2.4	2	1	1	2	3	4	5	9
2. MULTIPLE DX										
0-19 YRS	731	2.0	4	<1	<1	1	2	3	4	8
20-34	985	2.2	4	<1	1	2	3	4	5	10
35-49	793	2.5	5	1	1	2	3	5	6	12
50-64	1021	3.3	10	1	1	3	4	6	8	17
65+	866	3.9	12	1	1	3	4	8	11	18
TOT. SINGLE DX	4819	1.9	2	<1	<1	2	2	3	4	7
" MULTIPLE DX	4396	2.8	8	<1	1	2	3	5	7	15
TOTAL 0-19 YRS	1819	1.7	2	<1	<1	1	2	3	4	6
20-34	2356	2.0	3	<1	1	2	2	3	4	8
35-49	1894	2.1	4	<1	1	2	3	4	5	9
50-64	1874	2.8	7	1	1	2	3	5	7	13
65+	1272	3.4	10	1	1	3	4	7	9	17
GRAND TOTAL	**9215**	**2.3**	**5**	**<1**	**1**	**2**	**3**	**4**	**6**	**11**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1857	1.5	3	<1	<1	1	1	2	2	12
20-34	416	1.5		<1	<1	1	2	2	3	4
35-49	265	1.4		<1	<1	1	2	2	3	3
50-64	192	1.7	2	<1	<1	1	2	2	3	8
65+	116	1.6	1	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
0-19 YRS	691	4.6	86	<1	<1	2	3	12	19	54
20-34	311	2.5	5	<1	<1	2	3	5	7	13
35-49	497	3.3	23	<1	<1	2	3	7	10	26
50-64	532	3.4	14	<1	1	2	4	8	11	22
65+	564	4.9	43	1	1	3	6	11	16	34
TOT. SINGLE DX	2846	1.5	2	<1	<1	1	2	2	3	6
" MULTIPLE DX	2595	3.9	41	<1	<1	2	4	9	14	31
TOTAL 0-19 YRS	2548	2.3	28	<1	<1	1	2	3	7	22
20-34	727	1.9	3	<1	<1	1	2	3	5	10
35-49	762	2.6	16	<1	<1	2	2	5	9	18
50-64	724	3.0	12	<1	<1	2	3	7	10	19
65+	680	4.3	38	<1	1	2	5	10	14	32
GRAND TOTAL	**5441**	**2.6**	**22**	**<1**	**<1**	**1**	**2**	**5**	**9**	**22**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	312	2.6	6	<1	<1	1	3	6	8	12
20-34	242	3.1	17	<1	<1	2	4	6	9	19
35-49	327	3.5	8	<1	1	3	4	6	9	15
50-64	819	3.4	5	1	1	3	4	6	7	11
65+	396	3.3	4	1	1	3	4	6	7	11
2. MULTIPLE DX										
0-19 YRS	238	3.3	8	<1	<1	2	4	6	9	13
20-34	377	6.3	59	1	1	4	7	13	20	45
35-49	860	4.5	22	1	2	4	5	7	9	19
50-64	1882	4.3	13	1	1	3	5	7	10	22
65+	1189	4.9	28	1	2	4	5	9	14	31
TOT. SINGLE DX	2096	3.2	7	<1	1	3	4	6	7	13
" MULTIPLE DX	4546	4.6	23	1	1	3	5	8	11	26
TOTAL 0-19 YRS	550	2.9	8	<1	<1	2	4	6	9	12
20-34	619	5.0	45	<1	1	3	5	10	16	41
35-49	1187	4.2	19	1	1	3	5	7	9	19
50-64	2701	4.0	11	1	1	3	5	7	9	18
65+	1585	4.5	23	1	1	3	5	8	11	26
GRAND TOTAL	**6642**	**4.2**	**19**	**1**	**1**	**3**	**5**	**7**	**10**	**23**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	845	4.4	2	2	3	4	5	6	7	10
20-34	2916	4.6	2	2	3	4	5	6	7	10
35-49	460	4.9	4	2	3	5	6	7	8	13
50-64	72	6.1	10	1	3	6	8	10	12	17
65+	49	7.1	8	3	4	7	9	11	12	16
2. MULTIPLE DX										
0-19 YRS	951	5.1	7	2	3	5	6	7	9	15
20-34	6386	5.2	7	2	3	5	6	7	9	14
35-49	1369	6.1	15	2	3	5	7	10	12	22
50-64	224	9.6	57	3	4	8	11	16	23	41
65+	263	13.9	100	5	6	10	18	24	33	53
TOT. SINGLE DX	4342	4.6	3	2	3	5	6	7	7	11
" MULTIPLE DX	9193	5.6	15	2	3	5	6	8	11	21
TOTAL 0-19 YRS	1796	4.8	5	2	3	5	6	7	8	13
20-34	9302	5.0	6	2	3	5	6	7	8	13
35-49	1829	5.8	13	2	3	5	7	9	11	19
50-64	296	8.8	48	2	3	7	10	16	20	37
65+	312	12.9	92	5	6	10	16	23	31	53
GRAND TOTAL	**13535**	**5.3**	**11**	**2**	**3**	**5**	**6**	**8**	**10**	**18**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	418	5.1	4	3	3	5	6	7	9	12
20-34	2597	4.9	2	3	3	5	6	7	8	10
35-49	1125	5.3	3	3	3	5	6	7	9	11
50-64	198	6.4	9	3	4	6	7	10	12	18
65+	99	6.8	6	4	4	6	8	11	13	15
2. MULTIPLE DX										
0-19 YRS	594	5.9	10	3	3	5	7	9	11	19
20-34	6459	5.7	6	3	3	5	6	8	10	16
35-49	3632	6.3	15	3	4	6	7	9	13	21
50-64	503	8.9	30	4	5	7	10	16	20	31
65+	508	11.5	49	5	5	9	14	21	25	37
TOT. SINGLE DX	4437	5.2	4	3	3	5	6	7	8	12
" MULTIPLE DX	11696	6.3	14	3	4	5	7	10	13	21
TOTAL 0-19 YRS	1012	5.6	8	3	3	5	6	8	10	16
20-34	9056	5.5	6	3	3	5	6	8	10	15
35-49	4757	6.1	12	3	3	5	7	9	11	18
50-64	701	8.2	26	4	4	7	9	15	19	28
65+	607	10.8	46	4	5	8	13	19	24	37
GRAND TOTAL	**16133**	**6.0**	**11**	**3**	**3**	**5**	**7**	**9**	**11**	**20**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	4.9	2	2	2	5	6	7	7	7
20-34	244	5.0	3	3	3	5	6	7	8	10
35-49	513	5.7	5	3	4	5	6	8	9	13
50-64	240	6.7	9	3	4	6	7	10	13	20
65+	135	7.4	7	4	5	7	8	11	12	17
2. MULTIPLE DX										
0-19 YRS	37	6.0	8	3	3	5	6	9	13	16
20-34	1540	5.8	10	3	4	5	6	8	10	18
35-49	3003	6.6	11	3	4	6	7	10	12	19
50-64	1143	9.0	37	4	4	7	10	16	20	36
65+	904	11.9	66	5	5	9	15	21	28	46
TOT. SINGLE DX	1142	6.0	6	3	4	6	7	8	10	16
" MULTIPLE DX	6627	7.5	27	3	4	6	8	13	17	29
TOTAL 0-19 YRS	47	5.7	7	3	3	5	6	9	13	16
20-34	1784	5.7	9	3	4	5	6	8	10	17
35-49	3516	6.4	11	3	4	6	7	9	12	18
50-64	1383	8.6	33	4	4	7	10	15	19	34
65+	1039	11.3	61	5	5	9	14	20	26	44
GRAND TOTAL	**7769**	**7.3**	**25**	**3**	**4**	**6**	**8**	**12**	**16**	**28**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	240	3.0	3	<1	1	3	4	5	6	9
20-34	736	3.0	4	<1	<1	2	4	6	7	10
35-49	162	2.7	6	<1	<1	1	4	6	7	12
50-64	18	4.1	12	<1	<1	3	6	8	12	14
65+	7	5.4	18	1	1	6	8	11	12	12
2. MULTIPLE DX										
0-19 YRS	276	4.4	8	1	1	4	5	8	10	13
20-34	2481	4.2	7	<1	1	4	5	7	8	14
35-49	616	4.3	13	<1	<1	4	6	7	10	18
50-64	37	6.9	76	<1	1	5	8	10	25	49
65+	23	12.6	311	1	2	7	12	25	54	84
TOT. SINGLE DX	1163	3.0	5	<1	<1	2	4	6	7	11
" MULTIPLE DX	3433	4.3	12	<1	1	4	6	7	9	15
TOTAL 0-19 YRS	516	3.7	7	<1	1	3	5	7	8	12
20-34	3217	3.9	7	<1	1	4	5	7	8	13
35-49	778	3.9	12	<1	<1	3	6	7	9	17
50-64	55	6.0	57	<1	<1	4	7	8	15	48
65+	30	10.9	249	1	1	7	11	21	38	84
GRAND TOTAL	**4596**	**3.9**	**10**	**<1**	**1**	**4**	**5**	**7**	**8**	**14**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	2.2	3	<1	<1	1	2	5	6	6
20-34	2554	1.3		<1	<1	<1	1	2	2	4
35-49	1254	1.3		<1	<1	<1	1	2	2	3
50-64	4	2.0	4	<1	<1	<1	3	5	5	5
65+										
2. MULTIPLE DX										
0-19 YRS	33	1.9	1	<1	<1	1	3	3	4	4
20-34	2732	1.9	4	<1	<1	1	2	3	4	8
35-49	1468	1.6	3	<1	<1	1	2	3	4	8
50-64	7	1.7		1	1	2	2	3	3	3
65+										
TOT. SINGLE DX	3822	1.3		<1	<1	<1	1	2	2	4
" MULTIPLE DX	4240	1.8	4	<1	<1	1	2	3	4	8
TOTAL 0-19 YRS	43	2.0	2	<1	<1	1	3	4	5	6
20-34	5286	1.6	3	<1	<1	1	2	3	4	6
35-49	2722	1.5	2	<1	<1	1	2	2	3	6
50-64	11	1.8	2	<1	<1	1	2	4	5	5
65+										
GRAND TOTAL	**8062**	**1.5**	**2**	**<1**	**<1**	**1**	**2**	**3**	**3**	**6**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	47	3.1	7	<1	<1	2	4	6	8	13
20-34	4215	2.1	1	<1	<1	2	3	4	4	6
35-49	1509	1.9	1	<1	<1	2	3	3	4	6
50-64	5	3.2	4	1	1	2	5	6	6	6
65+										
2. MULTIPLE DX										
0-19 YRS	131	3.3	3	1	1	3	4	6	7	28
20-34	11806	3.2	3	1	1	3	4	5	5	8
35-49	2982	3.2	3	1	1	3	4	5	6	10
50-64	20	6.7	31	1	2	6	7	11	20	28
65+										
TOT. SINGLE DX	5776	2.1	2	<1	<1	2	3	4	4	6
" MULTIPLE DX	14939	3.2	4	1	1	3	4	5	6	8
TOTAL 0-19 YRS	178	3.3	4	1	1	3	4	6	7	13
20-34	16021	2.9	3	1	1	3	4	4	5	7
35-49	4491	2.7	3	<1	1	3	4	5	6	9
50-64	25	6.0	28	1	2	5	6	9	17	28
65+										
GRAND TOTAL	**20715**	**2.9**	**3**	**<1**	**1**	**3**	**4**	**5**	**5**	**8**

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	464	4.1	2	2	3	4	5	6	7	8
20-34	6505	4.2	2	2	3	4	5	6	6	8
35-49	998	4.3	3	2	2	4	5	6	7	9
50-64	14	5.6	3	2	3	6	6	8	9	9
65+	5	6.4	6	4	4	5	8	10	10	10
2. MULTIPLE DX										
0-19 YRS	576	4.9	6	2	3	4	6	8	9	14
20-34	9046	4.6	4	2	3	4	5	6	7	11
35-49	1611	4.8	5	2	3	5	6	7	8	13
50-64	30	7.1	17	1	3	7	8	13	18	18
65+	22	9.8	74	2	3	6	12	25	31	33
TOT. SINGLE DX	7986	4.2	2	2	3	4	5	6	7	9
" MULTIPLE DX	11285	4.7	5	2	3	4	5	7	8	11
TOTAL 0-19 YRS	1040	4.6	4	2	3	4	5	7	8	12
20-34	15551	4.4	3	2	3	4	5	6	7	10
35-49	2609	4.6	4	2	2	4	6	7	8	12
50-64	44	6.6	13	2	3	6	8	10	16	18
65+	27	9.2	63	2	3	6	10	22	30	33
GRAND TOTAL	**19271**	**4.5**	**4**	**2**	**3**	**4**	**5**	**6**	**7**	**10**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	54	1.8		<1	<1	2	2	3	3	6
20-34	1653	1.7		<1	<1	1	2	3	3	5
35-49	740	1.8	1	<1	<1	1	2	3	4	6
50-64	225	1.9	2	<1	1	1	2	3	4	9
65+	95	2.2	1	<1	1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	48	1.8	1	<1	<1	1	2	3	4	5
20-34	1257	2.1	3	<1	1	2	2	4	5	9
35-49	748	2.4	7	<1	<1	2	3	4	7	11
50-64	337	2.7	11	<1	1	2	3	5	7	22
65+	205	3.6	15	1	1	2	4	8	12	17
TOT. SINGLE DX	2767	1.8	1	<1	<1	1	2	3	4	6
" MULTIPLE DX	2595	2.4	7	<1	1	2	3	4	6	13
TOTAL 0-19 YRS	102	1.8	1	<1	<1	2	2	3	4	5
20-34	2910	1.9	2	<1	<1	1	2	3	4	7
35-49	1488	2.1	5	<1	<1	2	2	4	5	10
50-64	562	2.4	8	<1	1	2	3	4	6	14
65+	300	3.1	12	1	1	2	3	6	10	16
GRAND TOTAL	**5362**	**2.1**	**4**	**<1**	**<1**	**2**	**2**	**3**	**5**	**10**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	58	1.7	3	<1	<1	1	2	3	5	12
20-34	651	1.6	1	<1	<1	1	2	3	4	7
35-49	659	1.8	14	<1	<1	1	2	3	4	7
50-64	360	2.3	5	<1	<1	2	2	4	6	11
65+	199	3.5	8	<1	1	2	5	8	9	14
2. MULTIPLE DX										
0-19 YRS	80	2.9	15	<1	<1	2	3	6	9	25
20-34	1068	2.6	13	<1	<1	2	3	5	8	21
35-49	1902	2.4	14	<1	<1	2	2	4	7	16
50-64	1095	3.7	25	<1	<1	2	4	8	12	24
65+	1074	6.3	69	1	1	4	7	13	19	44
TOT. SINGLE DX	1927	2.0	8	<1	<1	1	2	3	5	10
" MULTIPLE DX	5219	3.5	30	<1	<1	2	4	8	11	25
TOTAL 0-19 YRS	138	2.4	10	<1	<1	1	3	5	7	16
20-34	1719	2.2	9	<1	<1	1	2	4	6	14
35-49	2561	2.3	15	<1	<1	1	2	4	6	14
50-64	1455	3.3	21	<1	<1	2	3	7	11	23
65+	1273	5.9	61	1	1	4	7	12	17	38
GRAND TOTAL	**7146**	**3.1**	**25**	**<1**	**<1**	**2**	**3**	**7**	**10**	**23**

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	108	2.5	2	1	1	2	3	4	5	10
20-34	2628	2.3	2	1	1	2	3	4	5	8
35-49	320	2.2	1	<1	1	2	3	4	5	7
50-64	5	1.8	3	1	1	1	2	5	5	5
65+										
2. MULTIPLE DX										
0-19 YRS	32	3.3	7	1	1	3	3	6	11	14
20-34	890	3.6	18	1	1	3	4	6	9	27
35-49	142	4.0	65	1	1	2	4	7	12	25
50-64	7	3.9	9	1	1	3	5	9	10	10
65+	2	6.0	18	3	3	6	9	9	9	9
TOT. SINGLE DX	3061	2.3	3	1	1	2	3	4	5	8
" MULTIPLE DX	1073	3.6	24	1	1	3	4	6	9	26
TOTAL 0-19 YRS	140	2.7	4	1	1	2	3	4	6	12
20-34	3518	2.6	7	1	1	2	3	4	6	11
35-49	462	2.7	22	1	1	2	3	4	6	16
50-64	12	3.0	8	1	1	2	4	7	10	10
65+	2	6.0	18	3	3	6	9	9	9	9
GRAND TOTAL	**4134**	**2.6**	**9**	**1**	**1**	**2**	**3**	**4**	**6**	**12**

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	26	3.3	3	<1	1	3	5	5	6	6
20-34	893	4.8	4	1	2	5	6	7	8	10
35-49	377	4.6	6	1	1	5	6	7	8	11
50-64	48	2.4	2	<1	<1	2	3	5	6	7
65+	25	3.0	6	<1	<1	2	4	6	9	9
2. MULTIPLE DX										
0-19 YRS	56	5.6	36	1	1	5	6	8	12	40
20-34	2037	4.9	6	1	1	5	6	7	8	12
35-49	1026	5.3	16	1	1	5	6	8	10	24
50-64	225	5.4	40	<1	1	3	8	14	20	33
65+	223	6.7	56	1	1	4	9	15	20	38
TOT. SINGLE DX	1369	4.6	5	1	1	5	6	7	8	10
" MULTIPLE DX	3567	5.2	15	1	1	5	6	8	10	21
TOTAL 0-19 YRS	82	4.9	27	1	1	5	5	7	9	36
20-34	2930	4.9	6	1	1	5	6	7	8	11
35-49	1403	5.1	14	1	1	5	6	8	10	21
50-64	273	4.9	35	<1	1	2	6	13	18	30
65+	248	6.4	53	1	1	4	9	14	19	37
GRAND TOTAL	**4936**	**5.0**	**13**	**1**	**1**	**5**	**6**	**8**	**9**	**19**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	41	6.6	9	3	4	7	8	10	12	19
20-34	3165	5.8	2	4	4	6	6	8	8	12
35-49	6403	6.0	2	4	4	6	7	8	8	11
50-64	1937	6.5	4	4	5	6	7	8	10	14
65+	1015	7.3	6	4	5	7	8	10	12	17
2. MULTIPLE DX										
0-19 YRS	209	6.7	9	4	4	6	8	11	13	21
20-34	22716	6.2	5	4	4	6	7	8	10	15
35-49	57058	6.5	6	4	4	6	7	9	10	16
50-64	13997	7.4	16	4	5	7	8	10	13	23
65+	6732	9.5	34	5	5	8	10	15	20	33
TOT. SINGLE DX	12561	6.1	3	4	4	6	7	8	9	13
" MULTIPLE DX	100712	6.7	10	4	4	6	7	9	11	19
TOTAL 0-19 YRS	250	6.7	9	4	4	6	8	11	13	20
20-34	25881	6.1	5	4	4	6	7	8	10	15
35-49	63461	6.4	6	4	4	6	7	8	10	15
50-64	15934	7.3	15	4	5	7	8	10	13	23
65+	7747	9.2	31	5	5	8	10	15	19	32
GRAND TOTAL	**113273**	**6.7**	**9**	**4**	**4**	**6**	**7**	**9**	**11**	**19**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	4.6	3	1	2	4	6	7	8	8
20-34	1935	4.7	2	3	3	5	5	6	7	9
35-49	2161	5.1	2	3	3	5	6	7	8	10
50-64	1079	6.3	3	4	4	6	7	9	10	14
65+	998	6.9	3	4	5	7	8	9	10	14
2. MULTIPLE DX										
0-19 YRS	42	5.3	4	2	3	5	6	8	9	13
20-34	8454	5.3	4	3	3	5	6	7	8	12
35-49	15678	5.5	4	3	3	5	6	8	9	13
50-64	4808	6.6	5	4	4	6	8	9	11	15
65+	4285	7.7	13	4	5	7	8	11	13	21
TOT. SINGLE DX	6183	5.5	4	3	3	5	6	8	9	12
" MULTIPLE DX	33267	5.9	6	3	4	5	7	8	10	15
TOTAL 0-19 YRS	52	5.1	5	2	3	5	6	8	8	13
20-34	10389	5.2	4	3	3	5	6	7	8	12
35-49	17839	5.5	4	3	3	5	6	8	9	12
50-64	5887	6.6	5	4	4	6	8	9	11	15
65+	5283	7.5	12	4	5	7	8	10	13	19
GRAND TOTAL	**39450**	**5.8**	**6**	**3**	**4**	**5**	**7**	**8**	**10**	**14**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	76	10.6	8	7	8	10	12	15	16	20
35-49	98	10.3	9	6	7	10	12	15	17	20
50-64	43	11.2	22	6	7	10	13	18	22	26
65+	24	14.1	53	8	8	11	18	25	32	33
2. MULTIPLE DX										
0-19 YRS	4	11.8	21	7	7	11	15	18	18	18
20-34	113	11.7	57	5	6	10	13	17	20	73
35-49	219	12.7	51	6	7	10	14	22	28	46
50-64	175	14.9	98	6	8	12	17	28	36	59
65+	168	17.1	135	6	8	14	19	31	42	82
TOT. SINGLE DX	242	10.9	17	6	7	10	12	16	19	27
" MULTIPLE DX	679	14.2	89	6	7	11	16	25	33	60
TOTAL 0-19 YRS	5	11.2	17	7	7	11	13	18	18	18
20-34	189	11.2	38	6	7	10	13	16	18	54
35-49	317	11.9	40	6	7	10	13	19	25	43
50-64	218	14.2	86	6	7	11	16	25	32	57
65+	192	16.7	126	7	8	14	19	31	38	80
GRAND TOTAL	**921**	**13.3**	**72**	**6**	**7**	**11**	**15**	**22**	**31**	**56**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	468	1.1		<1	<1	<1	1	1	2	4
20-34	2139	1.2		<1	<1	<1	1	1	2	4
35-49	307	1.1		<1	<1	<1	1	1	2	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	97	4.1	45	<1	<1	2	4	8	21	75
20-34	685	3.1	16	<1	<1	2	4	6	9	20
35-49	213	2.3	6	<1	<1	1	2	5	6	16
50-64										
65+										
TOT. SINGLE DX	2914	1.1		<1	<1	<1	1	1	2	4
" MULTIPLE DX	995	3.0	17	<1	<1	2	3	6	9	22
TOTAL 0-19 YRS	565	1.6	9	<1	<1	<1	1	2	4	18
20-34	2824	1.6	5	<1	<1	<1	1	3	5	10
35-49	520	1.6	3	<1	<1	<1	1	3	4	9
50-64										
65+										
GRAND TOTAL	**3909**	**1.6**	**5**	**<1**	**<1**	**<1**	**1**	**3**	**5**	**10**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5250	1.5	1	<1	<1	1	2	3	3	6
20-34	32676	1.4	1	<1	<1	1	2	2	3	6
35-49	9652	1.4		<1	<1	1	2	2	3	6
50-64	2145	1.6	2	<1	<1	1	2	2	3	7
65+	889	2.0	3	<1	<1	2	2	3	5	8
2. MULTIPLE DX										
0-19 YRS	2041	2.7	9	<1	1	2	3	5	7	13
20-34	16383	2.6	9	<1	<1	2	3	5	7	13
35-49	13065	2.5	11	<1	<1	1	2	5	8	15
50-64	4690	3.0	20	<1	<1	2	3	7	10	21
65+	3416	4.3	33	<1	1	2	5	10	14	34
TOT. SINGLE DX	50612	1.4	1	<1	<1	1	2	2	3	6
" MULTIPLE DX	39595	2.8	14	<1	<1	2	3	6	8	17
TOTAL 0-19 YRS	7291	1.9	4	<1	<1	1	2	3	5	9
20-34	49059	1.8	4	<1	<1	1	2	3	5	9
35-49	22717	2.0	7	<1	<1	1	2	4	6	12
50-64	6835	2.6	15	<1	<1	2	2	5	9	19
65+	4305	3.8	28	<1	1	2	4	9	13	31
GRAND TOTAL	**90207**	**2.0**	**7**	**<1**	**<1**	**1**	**2**	**4**	**6**	**12**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	999	1.1		<1	<1	<1	<1	1	2	3
20-34	4231	1.1	1	<1	<1	<1	<1	1	2	3
35-49	647	1.1	1	<1	<1	<1	<1	1	1	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	846	1.7	15	<1	<1	<1	<1	2	5	19
20-34	2859	1.9	10	<1	<1	<1	1	3	6	16
35-49	582	1.9	5	<1	<1	1	2	4	5	13
50-64										
65+										
TOT. SINGLE DX	5877	1.1	1	<1	<1	<1	<1	1	2	3
" MULTIPLE DX	4287	1.9	11	<1	<1	<1	1	3	5	16
TOTAL 0-19 YRS	1845	1.4	7	<1	<1	<1	<1	1	2	8
20-34	7090	1.4	5	<1	<1	<1	<1	2	3	9
35-49	1229	1.5	4	<1	<1	<1	1	2	4	9
50-64										
65+										
GRAND TOTAL	**10164**	**1.4**	**5**	**<1**	**<1**	**<1**	**<1**	**2**	**3**	**9**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	845	1.3		<1	<1	1	1	2	3	5
20-34	5578	1.2		<1	<1	1	1	2	2	4
35-49	892	1.2		<1	<1	1	1	2	2	4
50-64	4	6.0	31	1	1	5	10	13	13	13
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	210	2.6	13	<1	1	2	3	5	7	24
20-34	1316	2.3	6	<1	<1	1	2	4	6	13
35-49	328	2.8	16	<1	<1	1	3	6	8	22
50-64	22	7.9	96	1	1	4	10	26	30	33
65+	24	10.0	174	1	1	6	13	20	34	65
TOT. SINGLE DX	7320	1.2	1	<1	<1	1	1	2	2	4
" MULTIPLE DX	1900	2.5	13	<1	<1	1	3	5	7	19
TOTAL 0-19 YRS	1055	1.6	4	<1	<1	1	2	3	4	8
20-34	6894	1.4	2	<1	<1	1	1	2	3	7
35-49	1220	1.6	5	<1	<1	1	1	2	4	9
50-64	26	7.6	86	1	1	4	10	25	29	33
65+	25	9.7	169	1	1	5	13	20	32	65
GRAND TOTAL	**9220**	**1.5**	**3**	**<1**	**<1**	**1**	**1**	**2**	**3**	**8**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	4.5	2	1	2	5	6	6	6	6
20-34	100	4.1	3	1	1	4	5	6	7	10
35-49	15	3.9	3	<1	2	4	5	5	7	8
50-64	11	5.2	5	1	3	5	6	8	10	10
65+	12	5.8	2	4	4	6	7	8	9	9
2. MULTIPLE DX										
0-19 YRS	21	4.9	4	2	2	5	6	8	9	10
20-34	556	4.9	3	2	3	5	6	7	8	11
35-49	69	5.3	4	3	3	5	6	8	9	13
50-64	22	6.4	6	2	3	6	8	9	11	14
65+	31	7.3	6	4	4	7	8	11	12	15
TOT. SINGLE DX	146	4.3	4	1	1	4	5	6	7	10
" MULTIPLE DX	699	5.1	4	2	3	5	6	7	8	13
TOTAL 0-19 YRS	29	4.8	4	1	2	5	6	7	9	10
20-34	656	4.7	4	2	3	5	6	7	8	11
35-49	84	5.1	4	2	3	5	6	8	9	12
50-64	33	6.0	6	2	3	6	7	9	10	14
65+	43	6.9	6	4	4	7	8	10	11	15
GRAND TOTAL	**845**	**4.9**	**4**	**2**	**3**	**5**	**6**	**7**	**8**	**12**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	88	2.6	5	<1	<1	2	4	5	7	14
20-34	468	2.7	4	<1	<1	2	4	5	6	8
35-49	176	2.5	2	<1	<1	2	4	5	6	7
50-64	80	3.6	4	<1	2	3	4	6	7	15
65+	47	4.1	6	1	2	4	5	7	10	14
2. MULTIPLE DX										
0-19 YRS	101	3.6	6	1	1	3	5	6	8	13
20-34	1010	3.6	12	<1	1	3	5	6	8	13
35-49	382	3.5	10	<1	<1	3	5	7	8	14
50-64	163	4.5	19	1	2	4	5	8	12	33
65+	254	4.8	31	1	2	4	5	8	12	36
TOT. SINGLE DX	859	2.8	4	<1	<1	2	4	5	6	10
" MULTIPLE DX	1910	3.8	15	<1	1	3	5	7	8	17
TOTAL 0-19 YRS	189	3.1	6	<1	<1	3	4	6	7	14
20-34	1478	3.3	10	<1	<1	3	5	6	7	11
35-49	558	3.2	8	<1	<1	3	4	6	7	12
50-64	243	4.2	15	1	2	3	4	7	10	18
65+	301	4.7	28	1	2	4	5	8	12	30
GRAND TOTAL	**2769**	**3.5**	**12**	**<1**	**<1**	**3**	**5**	**6**	**8**	**14**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	4.1	7	<1	1	3	6	8	9	9
20-34	209	4.5	5	1	2	5	6	7	8	11
35-49	705	5.2	4	2	3	5	7	8	9	12
50-64	1503	5.5	4	2	3	5	7	8	9	12
65+	1096	5.8	4	3	3	6	7	8	9	13
2. MULTIPLE DX										
0-19 YRS	8	5.6	13	<1	1	5	7	11	13	13
20-34	489	5.7	12	2	2	5	7	9	10	15
35-49	1939	6.5	10	3	3	6	8	10	12	17
50-64	2913	6.6	9	3	4	6	8	10	11	17
65+	2834	6.9	10	3	4	6	8	10	12	18
TOT. SINGLE DX	3521	5.5	5	2	3	5	7	8	9	12
" MULTIPLE DX	8183	6.6	10	3	4	6	8	10	12	17
TOTAL 0-19 YRS	16	4.9	10	<1	<1	4	7	9	12	13
20-34	698	5.4	11	2	2	5	7	8	10	14
35-49	2644	6.1	9	2	3	6	7	9	11	15
50-64	4416	6.2	8	3	3	6	7	9	11	16
65+	3930	6.6	9	3	4	6	8	10	12	17
GRAND TOTAL	**11704**	**6.3**	**9**	**3**	**3**	**6**	**7**	**9**	**11**	**16**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	161	3.0	11	<1	<1	1	4	9	11	16
20-34	503	3.3	5	<1	1	3	4	6	8	12
35-49	210	3.5	5	1	1	3	5	7	8	11
50-64	127	4.9	7	1	1	5	6	8	10	13
65+	84	5.9	12	1	1	6	7	10	12	19
2. MULTIPLE DX										
0-19 YRS	151	4.0	20	<1	1	3	4	9	14	23
20-34	365	4.1	16	1	1	3	5	7	9	24
35-49	263	5.3	20	1	1	4	7	10	13	22
50-64	310	7.1	47	2	3	6	8	11	14	30
65+	311	8.7	61	2	3	7	10	15	22	36
TOT. SINGLE DX	1085	3.7	8	<1	1	3	5	7	9	12
" MULTIPLE DX	1400	6.0	38	1	1	5	7	11	15	29
TOTAL 0-19 YRS	312	3.5	16	<1	<1	2	4	9	11	21
20-34	868	3.6	10	<1	1	3	5	7	8	16
35-49	473	4.5	15	1	1	4	6	9	11	18
50-64	437	6.5	37	1	2	6	8	10	12	26
65+	395	8.1	53	1	3	7	9	14	19	34
GRAND TOTAL	**2485**	**5.0**	**26**	**1**	**1**	**4**	**6**	**9**	**12**	**24**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	294	3.0	9	<1	<1	2	4	7	9	16
20-34	893	3.1	8	<1	<1	2	4	7	10	14
35-49	336	3.3	10	<1	<1	2	4	7	10	15
50-64	214	4.0	17	<1	1	3	5	8	9	22
65+	276	4.4	6	1	2	4	6	7	9	13
2. MULTIPLE DX										
0-19 YRS	331	4.3	32	<1	1	3	5	9	11	29
20-34	1170	4.3	23	1	1	3	5	8	11	23
35-49	569	6.0	30	1	1	5	8	12	17	27
50-64	730	6.3	38	1	2	5	7	12	16	32
65+	1238	6.9	50	1	2	5	8	12	17	41
TOT. SINGLE DX	2013	3.4	10	<1	<1	2	4	7	9	14
" MULTIPLE DX	4038	5.7	37	1	1	4	7	11	15	29
TOTAL 0-19 YRS	625	3.7	22	<1	<1	2	5	8	10	19
20-34	2063	3.8	18	<1	1	3	5	8	10	20
35-49	905	5.0	24	<1	1	3	7	11	14	24
50-64	944	5.8	35	1	1	5	7	11	14	30
65+	1514	6.5	43	1	2	5	8	11	16	35
GRAND TOTAL	**6051**	**4.9**	**29**	**<1**	**1**	**4**	**6**	**10**	**13**	**25**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	341	2.0	2	<1	<1	1	2	4	5	8
20-34	1482	1.8	1	<1	<1	1	2	3	4	7
35-49	750	1.9	2	<1	<1	1	2	3	4	9
50-64	288	2.4	6	<1	<1	2	3	4	5	13
65+	143	2.9	8	<1	<1	2	3	5	8	15
2. MULTIPLE DX										
0-19 YRS	218	3.7	24	1	1	3	4	6	8	18
20-34	833	3.5	18	<1	1	2	4	7	9	22
35-49	513	4.6	39	<1	1	3	5	10	15	41
50-64	407	6.0	49	<1	1	4	7	14	22	36
65+	552	8.2	121	1	1	5	10	17	28	66
TOT. SINGLE DX	3004	2.0	3	<1	<1	1	2	3	5	9
" MULTIPLE DX	2523	5.2	54	1	1	3	6	11	17	40
TOTAL 0-19 YRS	559	2.7	12	<1	<1	2	3	5	7	14
20-34	2315	2.4	8	<1	<1	2	3	4	6	13
35-49	1263	3.0	19	<1	<1	2	3	6	9	23
50-64	695	4.5	35	<1	1	2	5	10	17	34
65+	695	7.1	103	1	1	4	9	15	24	63
GRAND TOTAL	**5527**	**3.4**	**29**	**<1**	**<1**	**2**	**3**	**7**	**11**	**27**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	3.0	6	1	1	2	5	7	7	7
20-34	35	4.2	15	<1	<1	3	6	10	11	17
35-49	62	5.2	22	1	1	4	7	10	18	22
50-64	72	5.9	19	1	2	5	7	10	12	28
65+	105	8.2	40	2	2	7	10	18	21	30
2. MULTIPLE DX										
0-19 YRS	4	18.3	367	2	2	13	59	99+	99+	99+
20-34	40	5.9	35	<1	1	4	7	14	18	30
35-49	78	9.4	62	1	2	7	13	21	29	33
50-64	132	11.9	144	1	2	9	16	22	28	68
65+	314	14.8	159	3	3	11	20	29	38	69
TOT. SINGLE DX	279	6.4	29	1	1	5	8	13	19	25
" MULTIPLE DX	568	12.8	142	2	3	10	17	26	34	67
TOTAL 0-19 YRS	9	9.8	205	1	1	5	13	73	99+	99+
20-34	75	5.1	26	<1	<1	3	6	11	15	28
35-49	140	7.6	49	1	1	5	9	17	23	32
50-64	204	9.8	108	1	2	7	13	21	25	54
65+	419	13.2	137	2	3	10	17	26	36	67
GRAND TOTAL	**847**	**10.7**	**114**	**1**	**2**	**7**	**14**	**22**	**30**	**54**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	122	1.5	1	<1	<1	1	2	3	4	7
20-34	170	2.5	2	<1	1	2	3	4	6	8
35-49	47	2.9	8	<1	<1	2	4	6	7	16
50-64	19	3.5	42	<1	<1	2	3	4	19	30
65+	3	6.3	26	2	2	5	10	12	12	12
2. MULTIPLE DX										
0-19 YRS	96	2.4	12	<1	1	1	3	4	6	23
20-34	161	3.8	39	1	1	3	4	6	7	31
35-49	51	6.5	85	1	1	4	7	14	28	47
50-64	37	5.0	37	1	1	3	6	9	19	31
65+	31	5.8	26	1	1	4	7	14	18	21
TOT. SINGLE DX	361	2.3	5	<1	1	2	3	4	6	11
" MULTIPLE DX	376	4.1	39	1	1	3	4	7	12	33
TOTAL 0-19 YRS	218	1.9	6	<1	1	1	2	4	5	11
20-34	331	3.1	21	<1	1	2	4	5	7	12
35-49	98	4.8	51	<1	1	3	5	8	15	45
50-64	56	4.5	39	1	1	2	4	9	19	31
65+	34	5.9	26	1	1	4	7	14	17	21
GRAND TOTAL	**737**	**3.2**	**23**	**<1**	**1**	**2**	**4**	**6**	**8**	**29**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	2.2	5	<1	<1	<1	2	6	8	9
20-34	19	3.2	11	<1	<1	2	4	6	11	15
35-49	10	1.2		<1	<1	1	1	2	2	2
50-64	2	3.0	2	2	2	3	4	4	4	4
65+	5	2.0		1	1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	15	2.3	1	<1	<1	2	3	4	5	5
20-34	71	8.4	215	<1	<1	3	6	26	38	78
35-49	13	3.8	12	<1	<1	2	6	8	12	13
50-64	12	4.8	19	<1	1	4	6	10	16	17
65+	30	6.0	21	1	1	5	9	12	17	17
TOT. SINGLE DX	57	2.4	6	<1	<1	1	3	5	8	15
" MULTIPLE DX	141	6.5	120	<1	<1	3	7	16	26	67
TOTAL 0-19 YRS	36	2.2	4	<1	<1	1	3	5	7	9
20-34	90	7.3	176	<1	<1	3	6	21	36	75
35-49	23	2.7	9	<1	<1	1	4	7	9	13
50-64	14	4.5	17	<1	1	3	5	8	15	17
65+	35	5.4	20	1	1	3	8	11	16	17
GRAND TOTAL	**198**	**5.3**	**90**	**<1**	**<1**	**2**	**5**	**11**	**18**	**53**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5060	2.6	1	1	2	3	3	4	4	5
20-34	28196	2.8	1	1	2	3	3	4	4	5
35-49	1475	2.9		1	2	3	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	5164	3.0	2	1	2	3	3	4	5	8
20-34	31094	3.2	3	2	2	3	4	4	5	8
35-49	2471	3.4	3	2	2	3	4	5	5	10
50-64										
65+										
TOT. SINGLE DX	34731	2.8	1	1	2	3	3	4	4	5
" MULTIPLE DX	38729	3.2	3	1	2	3	4	4	5	8
TOTAL 0-19 YRS	10224	2.8	2	1	2	3	3	4	5	7
20-34	59290	3.0	2	1	2	3	3	4	5	7
35-49	3946	3.2	2	1	2	3	4	4	5	8
50-64										
65+										
GRAND TOTAL	**73460**	**3.0**	**2**	**1**	**2**	**3**	**3**	**4**	**5**	**7**

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	75	2.3		1	1	2	3	3	4	5
20-34	606	2.6	1	1	1	3	3	4	4	6
35-49	47	2.5		1	1	3	3	3	3	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	204	2.8	4	1	1	3	3	5	6	13
20-34	1395	3.1	11	1	1	3	4	5	6	13
35-49	164	3.1	3	1	1	3	4	5	6	10
50-64										
65+										
TOT. SINGLE DX	728	2.6	1	1	1	3	3	4	4	6
" MULTIPLE DX	1763	3.1	10	1	1	3	4	5	6	12
TOTAL 0-19 YRS	279	2.7	3	1	1	2	3	4	5	11
20-34	2001	3.0	8	1	1	3	3	4	5	12
35-49	211	3.0	3	1	1	3	3	5	5	10
50-64										
65+										
GRAND TOTAL	**2491**	**2.9**	**7**	**1**	**1**	**3**	**3**	**4**	**5**	**11**

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1332	2.6	1	1	1	2	3	4	4	6
20-34	8658	2.7	1	1	2	3	3	4	4	5
35-49	529	2.7	1	1	1	3	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2095	3.0	3	1	2	3	3	4	5	8
20-34	13825	3.1	3	1	2	3	4	4	5	8
35-49	1169	3.2	3	1	2	3	4	5	5	9
50-64										
65+										
TOT. SINGLE DX	10519	2.7	1	1	1	3	3	4	4	5
" MULTIPLE DX	17089	3.1	4	1	2	3	4	4	5	8
TOTAL 0-19 YRS	3427	2.8	3	1	1	3	3	4	5	8
20-34	22483	2.9	3	1	2	3	3	4	5	7
35-49	1698	3.0	3	1	2	3	4	4	5	8
50-64										
65+										
GRAND TOTAL	**27608**	**2.9**	**3**	**1**	**2**	**3**	**3**	**4**	**5**	**7**

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	41052	2.4	1	1	1	2	3	3	4	5
20-34	255517	2.5	1	1	1	2	3	4	4	5
35-49	15760	2.6	1	1	1	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	15324	3.0	5	1	1	3	3	4	5	10
20-34	105129	2.9	4	1	1	3	3	4	5	9
35-49	9937	3.1	4	1	2	3	4	5	5	10
50-64										
65+										
TOT. SINGLE DX	312329	2.5	1	1	1	2	3	4	4	5
" MULTIPLE DX	130390	3.0	4	1	1	3	3	4	5	9
TOTAL 0-19 YRS	56376	2.6	2	1	1	2	3	4	4	7
20-34	360646	2.6	2	1	1	3	3	4	4	6
35-49	25697	2.8	3	1	1	3	3	4	5	7
50-64										
65+										
GRAND TOTAL	**442719**	**2.6**	**2**	**1**	**1**	**3**	**3**	**4**	**4**	**6**

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4887	4.9	3	3	3	5	5	6	7	9
20-34	47938	4.9	2	3	3	5	6	6	7	8
35-49	3327	5.2	3	3	4	5	6	7	7	10
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	12783	5.7	8	3	4	5	6	8	10	16
20-34	115464	5.4	8	3	4	5	6	7	8	15
35-49	13086	5.8	14	3	4	5	6	8	9	21
50-64										
65+										
TOT. SINGLE DX	56152	4.9	3	3	3	5	6	6	7	9
" MULTIPLE DX	141333	5.5	9	3	4	5	6	7	9	16
TOTAL 0-19 YRS	17670	5.4	7	3	4	5	6	7	9	15
20-34	163402	5.3	7	3	4	5	6	7	8	14
35-49	16413	5.7	13	3	4	5	6	7	9	19
50-64										
65+										
GRAND TOTAL	**197485**	**5.3**	**8**	**3**	**4**	**5**	**6**	**7**	**8**	**14**

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	286	4.8	1	3	3	5	5	7	7	9
20-34	1836	4.9	6	3	3	5	5	6	7	9
35-49	107	5.1	2	3	4	5	6	7	7	11
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	497	5.7	5	3	4	5	6	8	10	16
20-34	4119	6.0	22	3	4	5	6	8	11	30
35-49	589	6.8	32	3	4	5	7	10	14	37
50-64										
65+										
TOT. SINGLE DX	2229	4.9	6	3	3	5	5	6	7	9
" MULTIPLE DX	5205	6.1	22	3	4	5	6	8	11	29
TOTAL 0-19 YRS	783	5.4	4	3	3	5	6	7	9	14
20-34	5955	5.7	18	3	4	5	6	7	10	24
35-49	696	6.5	28	3	4	5	7	9	13	36
50-64										
65+										
GRAND TOTAL	**7434**	**5.7**	**17**	**3**	**4**	**5**	**6**	**8**	**10**	**24**

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	34	4.5	4	2	2	4	5	6	8	14
20-34	366	4.1	2	2	2	4	5	6	7	9
35-49	29	4.4	3	2	3	4	5	7	9	9
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	35	4.6	5	2	3	4	5	8	8	15
20-34	431	4.9	5	2	3	4	6	7	9	14
35-49	33	4.8	3	2	3	5	6	7	8	8
50-64										
65+										
TOT. SINGLE DX	429	4.1	3	2	2	4	5	6	7	9
" MULTIPLE DX	499	4.9	5	2	3	4	6	7	9	14
TOTAL 0-19 YRS	69	4.6	5	2	2	4	5	7	8	15
20-34	797	4.5	4	2	3	4	5	7	8	13
35-49	62	4.6	3	2	3	5	6	7	8	9
50-64										
65+										
GRAND TOTAL	**928**	**4.5**	**4**	**2**	**3**	**4**	**5**	**7**	**8**	**13**

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1029	1.6		1	1	2	2	2	3	4
20-34	1433	1.7		1	1	2	2	3	3	4
35-49	133	1.6		<1	1	1	2	3	3	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	120	2.3	3	1	1	2	2	4	6	11
20-34	286	2.5	6	1	1	2	3	4	6	16
35-49	66	3.5	23	1	1	2	3	6	12	33
50-64										
65+										
TOT. SINGLE DX	2595	1.7	1	1	1	2	2	2	3	4
" MULTIPLE DX	472	2.5	8	1	1	2	3	4	7	15
TOTAL 0-19 YRS	1149	1.7	1	1	1	2	2	2	3	5
20-34	1719	1.8	2	1	1	2	2	3	3	6
35-49	199	2.2	9	<1	1	2	2	3	5	15
50-64										
65+										
GRAND TOTAL	**3067**	**1.8**	**2**	**1**	**1**	**2**	**2**	**3**	**3**	**6**

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	231	4.3	27	<1	1	3	4	9	13	28
20-34	886	4.1	20	<1	<1	3	5	9	13	23
35-49	93	4.1	20	<1	<1	2	5	10	15	20
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	211	5.6	43	1	1	4	6	12	18	38
20-34	1124	4.6	36	<1	<1	3	5	10	16	35
35-49	336	2.6	27	<1	<1	<1	1	5	9	23
50-64										
65+										
TOT. SINGLE DX	1210	4.2	22	<1	1	3	5	9	13	24
" MULTIPLE DX	1671	4.3	36	<1	<1	2	5	10	15	35
TOTAL 0-19 YRS	442	4.9	36	<1	1	3	5	10	16	36
20-34	2010	4.4	30	<1	<1	3	5	10	13	30
35-49	429	2.9	26	<1	<1	<1	2	7	11	21
50-64										
65+										
GRAND TOTAL	**2881**	**4.3**	**30**	**<1**	**<1**	**3**	**5**	**9**	**14**	**30**

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3506	2.2	1	<1	<1	2	3	3	4	6
20-34	19326	2.3	2	<1	<1	2	3	3	4	6
35-49	1211	2.3	1	<1	<1	2	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1452	2.7	4	<1	1	2	3	4	5	11
20-34	9021	2.8	5	<1	1	3	3	4	5	9
35-49	755	3.1	7	<1	1	3	3	4	5	15
50-64										
65+										
TOT. SINGLE DX	24043	2.3	2	<1	<1	2	3	3	4	6
" MULTIPLE DX	11228	2.8	5	<1	1	3	3	4	5	10
TOTAL 0-19 YRS	4958	2.3	2	<1	<1	2	3	4	4	7
20-34	28347	2.5	3	<1	1	2	3	4	4	7
35-49	1966	2.6	4	<1	1	2	3	4	5	11
50-64										
65+										
GRAND TOTAL	**35271**	**2.5**	**3**	**<1**	**<1**	**2**	**3**	**4**	**4**	**7**

69[illegible]. Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6350	2.4	1	1	1	2	3	3	4	5
20-34	41385	2.4		1	1	2	3	3	4	5
35-49	3013	2.4	1	1	1	2	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	6443	2.8	3	1	1	3	3	4	5	8
20-34	43605	2.7	3	1	1	3	3	4	5	7
35-49	4227	2.9	2	1	1	3	3	4	5	8
50-64										
65+										
TOT. SINGLE DX	50748	2.4	1	1	1	2	3	3	4	5
" MULTIPLE DX	54275	2.8	3	1	1	3	3	4	5	7
TOTAL 0-19 YRS	12793	2.6	2	1	1	2	3	4	4	6
20-34	84990	2.6	2	1	1	2	3	4	4	6
35-49	7240	2.7	2	1	1	3	3	4	4	7
50-64										
65+										
GRAND TOTAL	**105023**	**2.6**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	91	3.2	9	<1	1	2	4	6	9	18
20-34	154	3.6	8	1	1	3	5	7	10	15
35-49	85	3.1	5	<1	1	2	4	7	8	11
50-64	100	5.1	43	<1	1	3	5	14	19	34
65+	82	4.8	26	1	1	3	7	9	12	31
2. MULTIPLE DX										
0-19 YRS	90	4.6	17	1	1	4	5	8	12	25
20-34	146	5.3	33	1	1	4	5	11	17	33
35-49	155	7.5	92	1	1	4	8	25	33	99+
50-64	267	8.5	115	1	1	5	11	20	27	63
65+	293	10.2	145	1	2	7	14	22	35	86
TOT. SINGLE DX	512	4.0	18	<1	1	3	5	8	11	21
" MULTIPLE DX	951	8.0	103	1	1	4	10	18	28	65
TOTAL 0-19 YRS	181	3.9	14	<1	1	3	4	7	11	21
20-34	300	4.4	21	1	1	3	5	9	13	23
35-49	240	6.0	66	1	1	3	6	15	29	99+
50-64	367	7.6	98	1	1	4	9	18	26	54
65+	375	9.0	124	1	1	5	12	20	31	80
GRAND TOTAL	**1463**	**6.6**	**77**	**1**	**1**	**4**	**8**	**15**	**23**	**53**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1587	3.1	2	1	1	3	4	5	6	8
20-34	2863	2.9	2	1	1	3	4	4	5	7
35-49	1291	3.1	2	1	1	3	4	5	5	9
50-64	383	2.7	2	1	1	2	3	4	5	10
65+	82	3.3	8	1	1	3	4	5	8	18
2. MULTIPLE DX										
0-19 YRS	1484	3.8	7	2	2	3	4	6	7	12
20-34	2157	3.7	7	1	2	3	4	5	6	13
35-49	1109	3.4	2	1	2	3	4	5	6	10
50-64	436	4.3	29	1	1	3	4	6	12	32
65+	204	5.8	62	1	1	3	5	15	23	51
TOT. SINGLE DX	6206	3.0	2	1	1	3	4	5	5	8
" MULTIPLE DX	5390	3.8	11	1	2	3	4	5	7	16
TOTAL 0-19 YRS	3071	3.4	5	1	2	3	4	5	6	10
20-34	5020	3.2	5	1	1	3	4	5	6	9
35-49	2400	3.2	2	1	2	3	4	5	6	9
50-64	819	3.6	18	1	1	3	4	5	8	21
65+	286	5.1	48	1	1	3	5	11	20	42
GRAND TOTAL	**11596**	**3.4**	**6**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	466	2.2	2	1	1	2	3	4	5	9
20-34	707	2.5	6	1	1	2	3	4	5	10
35-49	156	2.9	5	1	1	2	4	6	7	10
50-64	57	3.1	8	<1	1	2	4	7	8	17
65+	12	3.0	2	1	1	3	4	5	6	6
2. MULTIPLE DX										
0-19 YRS	743	4.0	17	1	1	3	5	7	11	21
20-34	1069	4.5	28	1	1	3	5	8	12	30
35-49	345	5.3	33	1	1	4	6	11	16	30
50-64	120	6.5	44	1	2	4	8	13	20	36
65+	85	8.2	69	1	2	5	10	19	26	42
TOT. SINGLE DX	1398	2.5	5	1	1	2	3	4	6	10
" MULTIPLE DX	2362	4.7	29	1	1	3	5	9	13	30
TOTAL 0-19 YRS	1209	3.3	12	1	1	2	4	6	9	18
20-34	1776	3.7	21	1	1	3	4	7	10	22
35-49	501	4.6	26	1	1	3	5	9	13	29
50-64	177	5.4	35	1	1	3	7	10	18	32
65+	97	7.6	64	1	2	5	9	18	24	42
GRAND TOTAL	**3760**	**3.9**	**21**	**1**	**1**	**3**	**4**	**7**	**11**	**25**

701: Open reduction of maxillofacial fractures (76.72; 76.[illegible]76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	489	2.4	5	1	1	2	3	4	5	10
20-34	1365	2.8	6	1	1	2	4	5	7	11
35-49	445	2.9	11	<1	1	2	3	5	8	15
50-64	136	2.8	7	1	1	2	3	5	7	17
65+	49	2.5	2	<1	1	2	3	4	7	7
2. MULTIPLE DX										
0-19 YRS	925	5.4	40	1	1	4	6	11	15	30
20-34	2357	5.7	47	1	1	4	7	11	15	34
35-49	975	6.4	52	1	1	4	8	13	18	39
50-64	411	7.9	74	1	2	5	9	16	25	46
65+	267	10.1	109	1	2	7	13	22	30	59
TOT. SINGLE DX	2484	2.8	7	1	1	2	3	5	7	12
" MULTIPLE DX	4935	6.2	54	1	1	4	7	12	17	38
TOTAL 0-19 YRS	1414	4.4	31	1	1	3	5	9	12	26
20-34	3722	4.7	34	1	1	3	5	9	13	26
35-49	1420	5.3	42	1	1	3	6	11	15	30
50-64	547	6.6	63	1	1	4	8	14	23	44
65+	316	8.9	101	1	2	6	11	20	28	57
GRAND TOTAL	**7419**	**5.1**	**41**	**1**	**1**	**3**	**6**	**10**	**15**	**31**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	97	3.5	8	1	1	3	4	6	8	18
20-34	112	3.2	7	<1	1	3	4	7	8	16
35-49	110	2.9	7	1	1	2	3	5	6	18
50-64	133	2.7	3	1	1	2	3	4	6	9
65+	43	3.0	8	1	1	2	3	5	8	18
2. MULTIPLE DX										
0-19 YRS	125	4.7	23	1	2	3	5	9	17	27
20-34	147	6.0	42	1	1	4	7	11	18	35
35-49	156	5.2	40	1	1	3	6	11	16	29
50-64	166	4.6	35	1	1	3	5	9	16	28
65+	120	6.0	56	1	1	3	7	11	23	41
TOT. SINGLE DX	495	3.0	7	1	1	2	3	5	7	16
" MULTIPLE DX	714	5.3	40	1	1	3	6	10	17	33
TOTAL 0-19 YRS	222	4.2	17	1	1	3	5	8	10	24
20-34	259	4.8	29	1	1	3	6	9	14	31
35-49	266	4.2	28	1	1	3	4	7	14	27
50-64	299	3.7	22	1	1	2	4	7	10	26
65+	163	5.2	45	1	1	3	5	11	16	39
GRAND TOTAL	**1209**	**4.3**	**27**	**1**	**1**	**3**	**5**	**8**	**13**	**29**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1467	4.9	31	1	1	3	5	9	15	30
20-34	927	4.3	30	1	1	3	5	8	11	29
35-49	745	4.9	25	1	1	4	6	9	13	30
50-64	835	5.0	12	1	2	4	6	8	11	17
65+	285	6.4	30	1	2	5	8	12	16	33
2. MULTIPLE DX										
0-19 YRS	1656	6.6	56	1	2	5	7	13	20	42
20-34	1016	6.7	90	1	1	4	7	14	24	61
35-49	1064	6.6	76	1	1	4	7	14	23	50
50-64	1558	6.7	51	1	2	5	7	13	19	42
65+	820	10.2	117	2	2	7	12	22	34	58
TOT. SINGLE DX	4259	4.9	27	1	1	4	6	9	13	27
" MULTIPLE DX	6114	7.1	74	1	2	5	8	15	23	48
TOTAL 0-19 YRS	3123	5.8	45	1	1	4	6	11	17	38
20-34	1943	5.6	64	1	1	3	6	11	17	46
35-49	1809	5.9	56	1	1	4	6	12	19	45
50-64	2393	6.1	39	1	2	5	7	11	15	39
65+	1105	9.2	97	1	2	6	11	19	30	56
GRAND TOTAL	**10373**	**6.2**	**56**	**1**	**1**	**4**	**7**	**12**	**18**	**44**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	642	2.6	2	1	1	2	3	4	5	7
20-34	1265	2.7	2	1	1	2	3	5	5	7
35-49	1481	2.7	2	1	1	2	4	5	5	7
50-64	1481	3.0	2	1	1	3	4	5	6	8
65+	556	3.2	6	1	1	3	4	5	6	9
2. MULTIPLE DX										
0-19 YRS	950	2.8	2	1	1	3	3	5	5	8
20-34	2295	3.0	4	1	1	3	4	5	6	9
35-49	3479	3.3	7	1	1	3	4	5	6	11
50-64	5393	3.4	5	1	1	3	4	5	7	11
65+	3702	3.9	9	1	1	3	5	6	8	16
TOT. SINGLE DX	5425	2.8	3	1	1	3	4	5	6	8
" MULTIPLE DX	15819	3.4	7	1	1	3	4	5	7	12
TOTAL 0-19 YRS	1592	2.7	2	1	1	2	3	4	5	7
20-34	3560	2.9	4	1	1	3	4	5	6	8
35-49	4960	3.1	6	1	1	3	4	5	6	9
50-64	6874	3.3	5	1	1	3	4	5	7	11
65+	4258	3.8	9	1	1	3	5	6	8	15
GRAND TOTAL	**21244**	**3.2**	**6**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3855	3.2	17	<1	1	2	4	6	9	22
20-34	4453	3.4	15	<1	1	2	4	6	9	18
35-49	3423	3.5	18	<1	1	2	4	6	9	21
50-64	2335	3.9	19	<1	1	3	4	7	11	23
65+	1064	5.0	28	1	1	3	6	10	15	31
2. MULTIPLE DX										
0-19 YRS	2157	7.2	98	1	1	4	8	19	28	52
20-34	4435	7.1	116	1	1	3	7	17	29	62
35-49	4400	7.0	103	1	1	3	7	16	28	57
50-64	4675	8.3	110	1	1	4	9	20	30	56
65+	4366	11.9	178	1	2	7	15	28	40	77
TOT. SINGLE DX	15130	3.6	18	<1	1	2	4	7	9	22
" MULTIPLE DX	20033	8.4	127	1	1	4	10	21	32	63
TOTAL 0-19 YRS	6012	4.7	50	<1	1	2	5	10	18	39
20-34	8888	5.2	69	1	1	3	5	11	18	48
35-49	7823	5.4	69	1	1	3	5	11	20	48
50-64	7010	6.8	85	1	1	4	7	16	25	49
65+	5430	10.5	157	1	2	6	14	25	37	71
GRAND TOTAL	**35163**	**6.3**	**86**	**1**	**1**	**3**	**6**	**15**	**24**	**52**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1726	5.4	39	1	1	4	6	11	16	33
20-34	1155	4.2	16	1	1	3	5	8	10	18
35-49	599	4.9	20	1	1	4	6	9	11	27
50-64	460	6.3	31	1	2	5	8	12	15	30
65+	654	10.3	49	3	4	9	13	17	21	38
2. MULTIPLE DX										
0-19 YRS	1169	8.1	114	1	2	4	9	19	32	57
20-34	1020	8.7	117	1	1	5	11	18	27	58
35-49	705	9.8	144	1	2	6	11	21	35	83
50-64	855	10.9	126	2	2	8	13	23	31	68
65+	2604	14.4	115	4	5	12	17	26	36	69
TOT. SINGLE DX	4594	5.8	35	1	1	4	7	12	16	31
" MULTIPLE DX	6353	11.4	127	1	2	8	14	23	33	68
TOTAL 0-19 YRS	2895	6.5	71	1	1	4	7	13	23	49
20-34	2175	6.3	69	1	1	4	7	13	19	47
35-49	1304	7.5	93	1	1	5	8	16	25	55
50-64	1315	9.3	98	1	2	7	11	19	27	58
65+	3258	13.6	105	3	5	11	16	24	33	64
GRAND TOTAL	**10947**	**9.0**	**96**	**1**	**2**	**6**	**11**	**19**	**27**	**54**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2282	2.4	10	<1	<1	2	3	4	5	18
20-34	3367	2.4	5	<1	<1	2	3	4	6	11
35-49	1642	2.7	7	<1	<1	2	3	5	7	15
50-64	1318	3.0	12	<1	<1	2	3	5	8	16
65+	1003	4.6	35	<1	1	3	5	9	14	29
2. MULTIPLE DX										
0-19 YRS	1412	4.3	50	<1	1	2	4	8	14	42
20-34	1597	5.4	73	<1	1	3	5	11	18	51
35-49	1138	6.0	61	1	1	3	7	13	21	44
50-64	1229	6.6	70	1	1	4	8	15	22	44
65+	2031	10.1	146	1	2	6	12	23	36	78
TOT. SINGLE DX	9612	2.8	12	<1	<1	2	3	5	7	17
" MULTIPLE DX	7407	6.8	92	1	1	3	8	16	24	54
TOTAL 0-19 YRS	3694	3.1	26	<1	<1	2	3	5	8	29
20-34	4964	3.4	30	<1	<1	2	3	6	9	29
35-49	2780	4.0	32	<1	1	2	4	8	13	30
50-64	2547	4.7	44	<1	1	3	5	10	16	39
65+	3034	8.3	117	1	1	5	10	19	28	68
GRAND TOTAL	**17019**	**4.5**	**50**	**<1**	**1**	**2**	**4**	**10**	**16**	**41**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	392	14.3	156	1	2	10	22	32	38	48
20-34	158	11.8	162	3	4	9	12	18	27	89
35-49	82	9.5	54	3	4	8	11	16	21	46
50-64	216	9.1	26	4	5	8	11	13	18	39
65+	594	11.6	32	5	6	11	14	18	21	32
2. MULTIPLE DX										
0-19 YRS	365	18.1	185	4	6	14	23	33	48	75
20-34	372	17.3	191	5	6	13	20	38	50	99
35-49	179	16.5	150	5	6	13	21	36	46	90
50-64	428	16.4	185	5	7	12	18	34	47	78
65+	2958	15.6	121	6	7	13	18	27	39	81
TOT. SINGLE DX	1442	11.9	84	3	4	10	14	22	29	47
" MULTIPLE DX	4302	16.1	141	5	7	13	18	29	42	81
TOTAL 0-19 YRS	757	16.1	174	2	3	12	23	32	42	72
20-34	530	15.7	189	4	6	11	17	31	47	93
35-49	261	14.3	130	4	5	10	17	29	42	69
50-64	644	13.9	144	5	6	10	15	27	39	74
65+	3552	15.0	109	6	7	13	17	25	36	77
GRAND TOTAL	**5744**	**15.0**	**130**	**5**	**6**	**12**	**17**	**28**	**39**	**76**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	596	8.7	51	2	3	7	11	16	22	40
20-34	532	10.0	43	3	4	9	12	17	22	33
35-49	426	9.8	38	4	4	8	12	18	22	39
50-64	1010	10.3	29	4	5	9	12	16	19	28
65+	4455	13.0	50	6	7	12	15	19	24	42
2. MULTIPLE DX										
0-19 YRS	854	16.0	155	4	5	13	20	31	45	87
20-34	1444	17.0	181	5	6	13	20	32	47	84
35-49	956	16.7	166	5	6	13	20	32	47	89
50-64	2651	16.3	141	6	7	13	19	29	41	86
65+	23012	16.6	120	7	8	14	19	29	40	88
TOT. SINGLE DX	7019	11.8	49	4	5	11	14	19	23	39
" MULTIPLE DX	28917	16.6	128	6	8	14	19	29	41	88
TOTAL 0-19 YRS	1450	13.0	126	3	4	10	16	26	36	70
20-34	1976	15.1	154	4	5	12	18	28	41	81
35-49	1382	14.6	137	4	5	11	17	28	41	77
50-64	3661	14.7	118	5	6	12	17	26	35	75
65+	27467	16.1	111	6	8	14	18	27	38	81
GRAND TOTAL	**35936**	**15.7**	**116**	**6**	**7**	**13**	**18**	**27**	**38**	**80**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1035	10.2	141	1	1	5	15	26	33	53
20-34	73	15.0	295	1	2	9	18	45	53	76
35-49	36	13.9	299	1	1	7	14	42	56	71
50-64	51	9.9	150	1	2	7	11	18	45	65
65+	146	10.1	103	1	2	7	14	21	27	58
2. MULTIPLE DX										
0-19 YRS	548	14.4	202	1	2	9	22	34	43	59
20-34	195	22.1	407	3	5	15	35	54	71	95
35-49	92	18.2	259	2	3	14	25	45	73	99+
50-64	139	20.4	358	3	4	13	26	53	69	99+
65+	578	16.2	204	3	4	12	20	37	51	99+
TOT. SINGLE DX	1341	10.5	151	1	1	5	15	26	35	58
" MULTIPLE DX	1552	16.8	253	2	3	12	23	41	54	92
TOTAL 0-19 YRS	1583	11.7	166	1	1	6	18	29	37	56
20-34	268	20.2	386	2	3	12	28	50	67	90
35-49	128	17.0	272	2	2	12	24	45	60	99+
50-64	190	17.6	323	2	3	11	22	46	67	94
65+	724	15.0	190	2	3	11	19	34	49	99+
GRAND TOTAL	**2893**	**13.9**	**215**	**1**	**2**	**9**	**19**	**34**	**47**	**78**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1436	3.3	20	<1	1	2	3	8	15	22
20-34	949	3.2	10	<1	1	2	4	7	9	17
35-49	638	3.5	13	<1	1	2	4	7	9	17
50-64	658	3.4	15	1	1	2	4	6	9	23
65+	509	3.5	14	1	1	2	4	7	10	18
2. MULTIPLE DX										
0-19 YRS	465	7.4	106	1	1	4	9	19	24	56
20-34	668	7.1	79	1	1	4	8	17	24	48
35-49	491	6.7	66	1	1	5	8	14	20	43
50-64	520	7.7	81	1	1	4	10	19	26	40
65+	851	8.9	123	1	1	5	11	19	30	70
TOT. SINGLE DX	4190	3.4	16	<1	1	2	4	7	10	20
" MULTIPLE DX	2995	7.7	95	1	1	4	9	18	26	56
TOTAL 0-19 YRS	1901	4.3	44	1	1	2	4	11	17	29
20-34	1617	4.8	43	<1	1	3	5	10	16	34
35-49	1129	4.9	39	1	1	3	6	10	15	32
50-64	1178	5.3	49	1	1	3	6	12	19	34
65+	1360	6.9	90	1	1	4	8	15	24	62
GRAND TOTAL	**7185**	**5.2**	**53**	**1**	**1**	**3**	**6**	**12**	**18**	**36**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6758	2.8	4	1	1	2	3	5	7	11
20-34	8675	3.6	8	1	1	3	5	7	8	14
35-49	5693	4.2	12	1	1	4	5	8	10	16
50-64	4266	4.8	13	1	2	4	6	9	11	19
65+	2567	5.9	17	1	2	5	7	10	13	21
2. MULTIPLE DX										
0-19 YRS	3172	6.0	64	1	1	4	6	12	18	44
20-34	7028	7.0	69	1	2	4	8	14	22	47
35-49	4685	7.6	84	1	2	5	9	15	23	56
50-64	4738	8.3	77	2	2	6	10	16	24	51
65+	5696	10.2	91	2	3	8	12	20	27	58
TOT. SINGLE DX	27959	3.9	11	1	1	3	5	7	9	16
" MULTIPLE DX	25319	7.9	80	1	2	5	9	16	24	51
TOTAL 0-19 YRS	9930	3.8	26	1	1	3	4	7	10	24
20-34	15703	5.1	39	1	1	4	6	10	14	34
35-49	10378	5.8	47	1	1	4	6	11	15	38
50-64	9004	6.7	50	1	2	5	8	13	18	38
65+	8263	8.8	72	2	3	7	11	17	23	49
GRAND TOTAL	**53278**	**5.8**	**48**	**1**	**1**	**4**	**7**	**11**	**16**	**38**

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11266	2.1	6	<1	1	1	2	4	6	15
20-34	2656	3.3	12	1	1	2	4	7	9	16
35-49	2008	3.3	9	1	1	2	4	7	9	14
50-64	1886	3.2	8	1	1	2	4	7	9	14
65+	1839	3.7	20	1	1	2	4	8	10	19
2. MULTIPLE DX										
0-19 YRS	3256	4.7	54	1	1	2	5	10	16	39
20-34	2688	6.8	84	1	1	4	8	14	23	49
35-49	1915	7.0	89	1	1	4	8	14	22	52
50-64	2143	7.1	92	1	1	4	8	15	23	62
65+	4549	7.9	83	1	2	5	9	17	23	57
TOT. SINGLE DX	19655	2.6	10	<1	1	2	3	5	8	15
" MULTIPLE DX	14551	6.7	81	1	1	4	8	14	22	51
TOTAL 0-19 YRS	14522	2.7	19	<1	1	1	3	5	8	21
20-34	5344	5.1	51	1	1	3	6	10	16	39
35-49	3923	5.1	52	1	1	3	6	10	14	41
50-64	4029	5.3	57	1	1	3	6	11	16	42
65+	6388	6.7	69	1	1	4	8	14	21	48
GRAND TOTAL	**34206**	**4.4**	**44**	**1**	**1**	**2**	**5**	**9**	**14**	**35**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	776	4.0	30	<1	<1	2	4	10	15	25
20-34	671	2.5	12	<1	<1	1	3	5	8	21
35-49	344	2.6	11	<1	<1	1	3	6	8	16
50-64	398	3.7	24	<1	1	2	4	8	10	24
65+	567	4.6	31	<1	1	3	6	11	15	26
2. MULTIPLE DX										
0-19 YRS	414	6.7	92	1	1	3	8	17	22	54
20-34	630	7.5	112	1	1	4	9	17	27	53
35-49	348	6.3	62	1	1	4	8	14	21	44
50-64	474	6.9	86	1	1	4	8	15	24	51
65+	1258	8.5	108	1	1	5	11	20	29	60
TOT. SINGLE DX	2756	3.6	24	<1	<1	2	4	8	13	24
" MULTIPLE DX	3124	7.6	99	1	1	4	9	17	26	54
TOTAL 0-19 YRS	1190	4.9	54	<1	1	2	6	13	18	33
20-34	1301	5.0	67	<1	1	2	5	11	19	44
35-49	692	4.5	41	<1	1	2	5	10	15	31
50-64	872	5.4	61	<1	1	3	6	12	19	48
65+	1825	7.3	88	1	1	4	9	17	26	52
GRAND TOTAL	**5880**	**5.7**	**68**	**<1**	**1**	**3**	**7**	**14**	**21**	**46**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	528	3.4	18	1	1	2	4	5	10	24
20-34	937	2.5	2	1	1	2	3	4	5	8
35-49	357	3.2	15	1	1	3	4	5	7	13
50-64	171	4.3	13	1	1	4	5	8	11	19
65+	108	7.3	61	1	1	5	9	14	16	50
2. MULTIPLE DX										
0-19 YRS	247	6.2	56	1	1	4	7	14	20	35
20-34	423	5.5	42	1	1	3	6	11	17	36
35-49	205	6.0	67	1	1	4	7	12	18	56
50-64	184	6.8	85	1	2	4	7	14	20	73
65+	256	12.2	145	2	3	9	15	23	30	70
TOT. SINGLE DX	2101	3.2	14	1	1	2	4	5	8	18
" MULTIPLE DX	1315	7.2	81	1	1	4	8	16	22	49
TOTAL 0-19 YRS	775	4.3	32	1	1	3	5	9	15	28
20-34	1360	3.5	17	1	1	3	4	6	9	22
35-49	562	4.2	36	1	1	3	5	7	11	25
50-64	355	5.6	52	1	1	4	6	11	16	48
65+	364	10.7	126	1	2	8	13	21	28	56
GRAND TOTAL	**3416**	**4.8**	**43**	**1**	**1**	**3**	**5**	**10**	**15**	**33**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1884	3.4	18	<1	1	2	4	7	11	24
20-34	1772	2.9	8	<1	1	2	3	5	8	18
35-49	990	3.5	18	<1	1	2	4	7	10	23
50-64	494	4.7	28	<1	1	3	6	10	15	30
65+	301	8.4	72	1	1	6	11	20	25	43
2. MULTIPLE DX										
0-19 YRS	1592	5.9	63	1	1	3	6	15	22	40
20-34	1948	5.0	53	<1	1	3	5	10	17	41
35-49	1294	6.2	85	1	1	3	6	15	23	51
50-64	1128	9.7	163	1	1	5	12	23	40	77
65+	1371	16.5	254	2	2	12	22	40	51	88
TOT. SINGLE DX	5441	3.6	21	<1	1	2	4	8	12	25
" MULTIPLE DX	7333	8.3	133	1	1	4	10	21	33	59
TOTAL 0-19 YRS	3476	4.6	41	<1	1	2	5	11	18	32
20-34	3720	4.0	33	<1	1	2	4	8	13	31
35-49	2284	5.0	58	<1	1	3	5	10	17	44
50-64	1622	8.2	128	1	1	4	10	20	31	59
65+	1672	15.1	231	1	2	10	20	36	49	80
GRAND TOTAL	**12774**	**6.3**	**91**	**<1**	**1**	**3**	**6**	**16**	**25**	**51**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	473	6.2	16	2	3	5	7	11	15	25
20-34	10629	6.9	18	2	3	6	8	12	15	23
35-49	16171	7.2	18	3	3	6	9	12	15	23
50-64	6755	7.8	21	3	3	7	9	13	16	24
65+	1501	8.9	24	3	4	8	11	15	18	25
2. MULTIPLE DX										
0-19 YRS	174	10.6	60	3	4	8	14	24	31	99+
20-34	3746	9.3	45	3	4	8	11	16	21	36
35-49	8178	9.5	43	3	4	8	11	17	21	35
50-64	7202	10.6	53	3	4	9	13	19	24	38
65+	4179	13.0	82	4	5	11	16	24	30	50
TOT. SINGLE DX	35529	7.3	20	3	3	6	9	13	16	23
" MULTIPLE DX	23479	10.4	56	3	4	8	13	19	24	39
TOTAL 0-19 YRS	647	7.4	32	2	3	6	8	15	20	34
20-34	14375	7.5	27	2	3	6	9	13	17	27
35-49	24349	8.0	28	3	3	7	10	14	18	28
50-64	13957	9.2	40	3	4	8	11	16	21	33
65+	5680	11.9	71	4	5	10	14	21	27	46
GRAND TOTAL	**59008**	**8.5**	**36**	**3**	**3**	**7**	**10**	**15**	**19**	**31**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1208	1.9	1	<1	<1	1	2	4	4	6
20-34	3490	2.0	2	<1	<1	2	2	4	5	8
35-49	2273	2.1	2	<1	<1	2	3	4	5	8
50-64	1236	2.2	3	<1	<1	2	3	4	5	9
65+	409	2.4	5	<1	<1	2	3	5	6	12
2. MULTIPLE DX										
0-19 YRS	1420	2.5	6	<1	<1	2	3	5	6	10
20-34	4072	2.4	5	<1	<1	2	3	5	6	11
35-49	3102	2.4	5	<1	<1	2	3	5	6	11
50-64	3574	2.7	9	<1	1	2	3	5	7	14
65+	2014	3.1	12	<1	1	2	4	6	9	16
TOT. SINGLE DX	8616	2.1	3	<1	<1	2	2	4	5	8
" MULTIPLE DX	14182	2.6	7	<1	<1	2	3	5	7	13
TOTAL 0-19 YRS	2628	2.2	5	<1	<1	2	3	4	5	8
20-34	7562	2.2	4	<1	<1	2	3	4	5	9
35-49	5375	2.3	4	<1	<1	2	3	4	6	10
50-64	4810	2.6	8	<1	<1	2	3	5	7	13
65+	2423	3.0	12	<1	1	2	3	6	8	16
GRAND TOTAL	**22798**	**2.4**	**6**	**<1**	**<1**	**2**	**3**	**5**	**6**	**11**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2412	2.1	7	<1	<1	1	2	3	5	15
20-34	4099	2.1	5	<1	<1	1	2	4	5	11
35-49	2397	2.3	5	<1	<1	2	3	4	6	12
50-64	1410	2.9	11	<1	<1	2	3	5	8	17
65+	585	4.0	27	<1	1	2	4	8	13	28
2. MULTIPLE DX										
0-19 YRS	1686	3.3	33	<1	<1	2	3	7	10	30
20-34	3625	3.1	19	<1	<1	2	3	6	10	25
35-49	3040	3.7	34	<1	1	2	4	7	12	32
50-64	2720	5.0	59	1	1	3	5	11	19	40
65+	1841	8.3	124	1	1	4	10	22	32	53
TOT. SINGLE DX	10903	2.4	8	<1	<1	2	3	4	6	14
" MULTIPLE DX	12912	4.4	51	<1	1	2	4	9	17	40
TOTAL 0-19 YRS	4098	2.6	18	<1	<1	2	2	4	7	22
20-34	7724	2.6	12	<1	<1	2	3	5	7	18
35-49	5437	3.1	22	<1	<1	2	3	6	9	25
50-64	4130	4.3	44	<1	1	2	4	9	15	36
65+	2426	7.2	104	1	1	3	8	19	29	50
GRAND TOTAL	**23815**	**3.5**	**32**	**<1**	**<1**	**2**	**3**	**7**	**12**	**31**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1069	9.8	14	5	6	9	11	14	16	25
20-34	918	9.2	21	4	5	8	11	15	18	28
35-49	1200	8.2	21	3	4	7	10	13	17	24
50-64	561	8.7	33	3	4	8	10	14	19	30
65+	90	11.1	45	4	4	10	14	19	23	37
2. MULTIPLE DX										
0-19 YRS	1125	14.8	122	6	7	11	16	27	36	68
20-34	1118	13.8	135	4	5	10	16	27	36	86
35-49	1499	11.6	73	4	5	9	13	21	27	47
50-64	1041	13.3	107	4	5	10	15	26	36	64
65+	476	16.4	182	4	5	13	20	33	44	75
TOT. SINGLE DX	3838	9.0	23	4	4	8	11	14	18	27
" MULTIPLE DX	5259	13.5	116	4	5	10	15	26	35	71
TOTAL 0-19 YRS	2194	12.3	76	6	7	10	13	21	28	56
20-34	2036	11.7	89	4	5	9	13	21	30	68
35-49	2699	10.1	53	4	4	8	12	18	23	39
50-64	1602	11.7	86	4	4	9	13	22	30	56
65+	566	15.6	164	4	5	12	18	31	42	74
GRAND TOTAL	**9097**	**11.6**	**81**	**4**	**5**	**9**	**13**	**21**	**28**	**55**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	364	3.6	7	1	1	3	5	7	8	12
20-34	826	3.7	7	1	1	3	5	7	8	14
35-49	743	3.8	7	<1	1	3	5	8	9	13
50-64	820	3.7	9	<1	1	3	5	7	9	13
65+	387	4.2	17	<1	1	3	5	8	11	20
2. MULTIPLE DX										
0-19 YRS	484	5.3	26	1	2	4	6	9	14	34
20-34	858	4.8	19	1	1	4	6	8	11	23
35-49	907	5.1	18	1	1	4	6	9	12	25
50-64	1107	5.4	37	1	1	4	6	10	15	27
65+	865	6.6	75	1	1	4	7	13	20	56
TOT. SINGLE DX	3140	3.8	9	<1	1	3	5	7	9	14
" MULTIPLE DX	4221	5.5	37	1	1	4	6	10	14	29
TOTAL 0-19 YRS	848	4.5	19	1	1	4	5	8	10	24
20-34	1684	4.3	14	1	1	4	5	8	10	19
35-49	1650	4.5	14	1	1	4	6	8	10	20
50-64	1927	4.7	26	1	1	4	6	9	11	23
65+	1252	5.9	59	1	1	4	7	12	16	42
GRAND TOTAL	**7361**	**4.7**	**26**	**1**	**1**	**4**	**6**	**9**	**12**	**24**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17	11.9	36	3	4	11	15	19	25	27
20-34	249	10.9	21	6	7	10	12	15	18	30
35-49	654	10.7	18	6	7	10	12	15	17	27
50-64	2482	11.2	16	6	7	11	13	16	17	27
65+	4379	12.2	20	7	8	11	14	17	19	27
2. MULTIPLE DX										
0-19 YRS	32	13.3	65	5	7	11	18	31	88	99+
20-34	432	12.8	49	6	7	11	14	21	27	37
35-49	1104	12.8	59	6	7	11	14	19	26	50
50-64	4237	13.6	54	7	8	12	15	20	27	47
65+	12740	15.2	71	8	9	13	17	23	30	55
TOT. SINGLE DX	7781	11.7	19	7	8	11	14	16	19	27
" MULTIPLE DX	18545	14.6	67	7	8	13	16	23	29	52
TOTAL 0-19 YRS	49	12.8	55	4	6	11	16	28	39	99+
20-34	681	12.1	40	6	7	11	13	18	25	35
35-49	1758	12.0	45	6	7	10	13	18	23	43
50-64	6719	12.7	42	7	8	11	14	18	24	40
65+	17119	14.4	60	7	8	13	16	22	27	49
GRAND TOTAL	**26326**	**13.8**	**55**	**7**	**8**	**12**	**16**	**21**	**26**	**47**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	55	10.2	94	2	3	6	12	27	29	44
20-34	66	10.2	32	4	4	10	12	15	17	40
35-49	124	10.6	35	3	6	10	12	16	23	56
50-64	470	11.7	24	6	7	11	14	17	20	32
65+	2864	13.0	35	6	8	12	15	19	22	35
2. MULTIPLE DX										
0-19 YRS	64	9.6	52	2	3	8	12	18	25	40
20-34	107	14.1	109	3	6	12	15	25	40	81
35-49	259	14.1	88	5	6	12	17	24	32	62
50-64	1229	16.0	106	7	8	13	18	27	40	72
65+	13382	16.6	107	7	8	14	19	27	36	80
TOT. SINGLE DX	3579	12.6	35	6	7	12	15	19	22	35
" MULTIPLE DX	15041	16.4	107	7	8	14	19	27	36	78
TOTAL 0-19 YRS	119	9.9	71	2	3	7	12	23	27	43
20-34	173	12.6	83	3	6	11	14	20	31	65
35-49	383	13.0	74	5	6	11	15	22	31	61
50-64	1699	14.8	87	6	8	12	17	24	36	61
65+	16246	15.9	97	7	8	14	18	26	34	73
GRAND TOTAL	**18620**	**15.7**	**96**	**7**	**8**	**13**	**18**	**25**	**34**	**71**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1817	3.5	3	1	1	3	4	6	6	9
20-34	2871	3.8	5	1	1	3	5	6	8	12
35-49	1115	5.2	17	1	1	4	7	11	14	19
50-64	2221	10.2	26	2	4	10	13	16	18	26
65+	4267	11.8	18	6	7	11	14	17	19	25
2. MULTIPLE DX										
0-19 YRS	1869	4.1	7	1	2	4	5	7	8	14
20-34	3944	4.5	13	1	2	4	5	7	10	18
35-49	1893	5.8	26	1	1	4	7	12	15	25
50-64	3754	11.6	45	2	4	11	15	18	22	35
65+	10344	13.7	47	7	8	13	16	20	25	40
TOT. SINGLE DX	12291	7.8	28	1	2	7	11	15	17	23
" MULTIPLE DX	21804	10.2	53	2	3	10	14	18	22	35
TOTAL 0-19 YRS	3686	3.8	5	1	1	3	5	6	7	12
20-34	6815	4.2	10	1	1	4	5	7	9	15
35-49	3008	5.5	23	1	1	4	7	11	15	24
50-64	5975	11.1	39	2	4	11	14	17	21	32
65+	14611	13.2	40	6	8	12	15	19	23	37
GRAND TOTAL	**34095**	**9.3**	**45**	**1**	**2**	**9**	**13**	**17**	**20**	**31**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2130	2.5	1	1	1	2	3	4	5	6
20-34	4717	2.7	2	1	1	2	3	5	5	8
35-49	2264	2.8	3	1	1	3	4	5	6	10
50-64	1968	3.3	5	1	1	3	4	6	7	12
65+	910	4.4	10	1	1	3	6	9	11	15
2. MULTIPLE DX										
0-19 YRS	692	3.0	6	1	1	3	4	5	7	13
20-34	1891	3.3	12	1	1	3	4	6	7	17
35-49	1899	3.7	10	1	1	3	4	7	9	18
50-64	2739	4.3	17	1	1	3	5	7	11	22
65+	2104	5.7	27	1	2	4	7	11	15	28
TOT. SINGLE DX	11989	2.9	4	1	1	3	4	5	6	10
" MULTIPLE DX	9325	4.2	17	1	1	3	5	8	11	22
TOTAL 0-19 YRS	2822	2.7	3	1	1	2	3	4	5	8
20-34	6608	2.9	5	1	1	3	4	5	6	10
35-49	4163	3.2	7	1	1	3	4	6	7	13
50-64	4707	3.9	13	1	1	3	5	7	9	19
65+	3014	5.3	23	1	2	4	7	10	13	24
GRAND TOTAL	**21314**	**3.5**	**10**	**1**	**1**	**3**	**4**	**6**	**8**	**16**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1011	3.3	13	<1	<1	2	4	7	10	17
20-34	939	3.0	14	<1	<1	2	4	6	8	14
35-49	852	3.0	14	<1	<1	2	3	6	8	19
50-64	623	2.6	9	<1	<1	2	3	5	8	16
65+	225	3.3	22	<1	<1	2	4	7	9	24
2. MULTIPLE DX										
0-19 YRS	1466	5.4	44	1	1	4	6	11	16	38
20-34	1041	7.1	101	1	1	4	8	15	24	53
35-49	905	6.8	80	1	1	4	8	15	22	45
50-64	854	7.5	105	<1	1	4	9	18	28	49
65+	683	9.5	98	1	1	7	12	21	31	53
TOT. SINGLE DX	3650	3.0	14	<1	<1	2	4	6	9	17
" MULTIPLE DX	4949	6.9	83	1	1	4	8	15	23	48
TOTAL 0-19 YRS	2477	4.5	33	<1	1	3	5	9	14	30
20-34	1980	5.2	65	<1	1	3	6	10	16	37
35-49	1757	5.0	52	<1	<1	3	5	11	17	36
50-64	1477	5.4	71	<1	<1	3	6	13	20	43
65+	908	7.9	87	<1	<1	5	10	19	27	51
GRAND TOTAL	**8599**	**5.3**	**57**	**<1**	**1**	**3**	**6**	**11**	**17**	**39**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1174	2.0	4	<1	<1	1	2	3	5	11
20-34	1583	2.0	6	<1	<1	1	2	4	5	11
35-49	1316	2.1	6	<1	<1	1	2	4	6	10
50-64	985	2.5	10	<1	<1	2	3	5	6	13
65+	464	4.0	23	<1	<1	2	5	9	12	24
2. MULTIPLE DX										
0-19 YRS	390	5.7	92	<1	1	3	6	13	21	74
20-34	682	5.7	82	<1	<1	3	6	14	22	50
35-49	947	6.3	82	<1	1	3	7	15	21	51
50-64	1257	7.1	78	<1	1	4	9	17	24	49
65+	1304	9.3	107	1	1	6	12	21	29	55
TOT. SINGLE DX	5522	2.3	8	<1	<1	1	2	4	6	13
" MULTIPLE DX	4580	7.2	91	<1	1	4	9	17	25	52
TOTAL 0-19 YRS	1564	2.9	29	<1	<1	1	3	5	10	25
20-34	2265	3.1	32	<1	<1	2	3	6	11	29
35-49	2263	3.8	42	<1	<1	2	4	8	14	34
50-64	2242	5.1	54	<1	<1	3	5	12	18	42
65+	1768	7.9	91	<1	1	5	10	18	26	52
GRAND TOTAL	**10102**	**4.5**	**52**	**<1**	**<1**	**2**	**4**	**11**	**17**	**39**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	72	2.2	3	<1	<1	2	2	5	6	10
20-34	111	2.3	5	<1	<1	2	3	5	6	14
35-49	210	1.9	3	<1	<1	1	2	3	4	10
50-64	733	1.9	1	<1	<1	2	2	3	4	6
65+	507	1.8	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX										
0-19 YRS	63	3.3	12	<1	1	2	4	7	11	19
20-34	147	4.9	56	1	1	3	5	11	18	59
35-49	205	2.9	5	<1	1	2	3	6	8	12
50-64	547	3.1	24	<1	1	2	3	5	7	33
65+	560	3.0	19	1	1	2	3	5	8	23
TOT. SINGLE DX	1633	1.9	2	<1	<1	2	2	3	4	7
" MULTIPLE DX	1522	3.2	23	<1	1	2	3	6	9	30
TOTAL 0-19 YRS	135	2.7	8	<1	<1	2	3	6	8	18
20-34	258	3.8	36	<1	<1	2	4	7	13	50
35-49	415	2.4	5	<1	<1	2	3	4	6	12
50-64	1280	2.4	12	<1	1	2	3	4	5	16
65+	1067	2.4	11	<1	1	2	2	4	6	16
GRAND TOTAL	**3155**	**2.5**	**13**	**<1**	**1**	**2**	**3**	**4**	**6**	**18**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1124	1.8	2	<1	<1	1	2	3	4	7
20-34	1643	1.8	1	<1	<1	1	2	3	4	7
35-49	764	1.8	2	<1	<1	1	2	3	4	9
50-64	379	1.8	1	<1	<1	1	2	3	4	6
65+	110	2.0	2	<1	<1	2	2	4	5	9
2. MULTIPLE DX										
0-19 YRS	968	2.3	11	<1	1	2	2	4	6	12
20-34	1838	2.6	10	<1	1	2	3	5	6	16
35-49	837	2.6	7	<1	1	2	3	5	7	15
50-64	454	3.1	20	1	1	2	3	5	8	24
65+	263	3.6	37	1	1	2	4	6	11	37
TOT. SINGLE DX	4020	1.8	2	<1	<1	1	2	3	4	8
" MULTIPLE DX	4360	2.6	13	<1	1	2	3	5	7	16
TOTAL 0-19 YRS	2092	2.0	6	<1	1	1	2	3	5	10
20-34	3481	2.2	7	<1	1	2	2	4	6	12
35-49	1601	2.2	5	<1	1	2	2	4	6	13
50-64	833	2.5	13	<1	1	2	3	4	6	15
65+	373	3.1	28	<1	1	2	3	5	9	20
GRAND TOTAL	**8380**	**2.2**	**8**	**<1**	**1**	**2**	**2**	**4**	**6**	**12**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	690	2.2	3	<1	1	2	3	4	6	9
20-34	1577	2.6	4	<1	1	2	3	5	6	11
35-49	1502	2.8	4	<1	1	2	4	5	6	10
50-64	1758	3.5	11	1	1	3	4	6	7	12
65+	714	3.9	6	1	1	3	5	7	8	13
2. MULTIPLE DX										
0-19 YRS	504	3.8	45	1	1	2	4	6	12	40
20-34	1146	4.1	31	1	1	3	4	8	12	31
35-49	1218	4.3	20	1	1	3	5	8	10	19
50-64	1689	4.9	27	1	1	4	5	9	12	28
65+	1156	6.4	50	1	2	4	7	12	18	41
TOT. SINGLE DX	6241	3.0	7	1	1	2	4	5	7	11
" MULTIPLE DX	5713	4.8	34	1	1	3	5	9	13	31
TOTAL 0-19 YRS	1194	2.9	22	<1	1	2	3	5	7	21
20-34	2723	3.2	16	<1	1	2	4	6	8	21
35-49	2720	3.5	12	1	1	3	4	6	8	17
50-64	3447	4.2	20	1	1	3	5	7	10	23
65+	1870	5.4	35	1	2	4	6	10	14	34
GRAND TOTAL	**11954**	**3.9**	**21**	**1**	**1**	**3**	**4**	**7**	**10**	**22**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1621	3.0	6	1	1	3	4	5	7	12
20-34	1320	3.0	5	1	1	3	4	5	6	11
35-49	956	2.9	4	1	1	3	4	5	6	11
50-64	530	3.5	11	1	1	3	4	6	8	14
65+	230	4.5	7	1	2	4	6	8	10	14
2. MULTIPLE DX										
0-19 YRS	1974	3.7	18	1	1	3	4	6	8	21
20-34	889	6.3	109	1	1	4	6	12	22	84
35-49	574	5.1	52	1	1	3	5	9	16	71
50-64	491	6.9	105	1	1	4	7	14	28	74
65+	442	9.4	117	2	2	6	10	19	33	60
TOT. SINGLE DX	4657	3.1	6	1	1	3	4	5	7	12
" MULTIPLE DX	4370	5.3	64	1	1	3	5	10	17	50
TOTAL 0-19 YRS	3595	3.4	13	1	1	3	4	6	8	17
20-34	2209	4.3	50	1	1	3	5	7	11	38
35-49	1530	3.7	23	1	1	3	4	6	9	28
50-64	1021	5.1	59	1	1	3	5	9	15	41
65+	672	7.7	85	1	2	5	8	15	27	52
GRAND TOTAL	**9027**	**4.2**	**36**	**1**	**1**	**3**	**4**	**7**	**11**	**33**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	223	1.9	5	<1	1	1	2	3	4	10
20-34	466	2.1	3	<1	1	1	2	4	6	10
35-49	319	2.5	11	<1	<1	1	2	5	8	17
50-64	250	2.1	3	<1	<1	1	3	4	6	11
65+	137	2.6	8	<1	1	1	3	6	9	14
2. MULTIPLE DX										
0-19 YRS	155	3.4	29	<1	1	2	3	6	9	35
20-34	479	4.8	41	1	1	3	5	12	15	41
35-49	357	6.0	85	1	1	3	6	16	24	65
50-64	337	6.2	87	1	1	3	7	15	23	53
65+	370	7.7	125	1	1	3	9	18	29	88
TOT. SINGLE DX	1395	2.2	6	<1	1	1	2	4	6	12
" MULTIPLE DX	1698	5.8	78	1	1	3	7	14	21	57
TOTAL 0-19 YRS	378	2.5	16	<1	1	2	2	4	6	25
20-34	945	3.5	25	<1	1	2	4	8	12	23
35-49	676	4.3	54	<1	1	2	4	10	18	45
50-64	587	4.5	56	<1	1	2	4	10	17	42
65+	507	6.3	99	1	1	3	7	15	23	70
GRAND TOTAL	**3093**	**4.2**	**49**	**<1**	**1**	**2**	**4**	**9**	**15**	**43**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	16	3.3	6	1	1	3	5	6	9	10
20-34	33	5.1	20	<1	1	4	7	12	15	19
35-49	21	4.1	17	<1	<1	2	6	9	14	18
50-64	13	5.8	51	1	1	3	6	18	23	24
65+	12	5.6	16	1	1	5	10	11	12	12
2. MULTIPLE DX										
0-19 YRS	9	8.8	47	1	1	7	13	18	22	22
20-34	49	15.8	380	1	2	9	19	44	65	89
35-49	38	16.9	576	1	2	5	18	63	89	99+
50-64	45	11.4	106	1	2	8	14	30	34	39
65+	73	19.8	287	4	4	13	30	45	61	96
TOT. SINGLE DX	95	4.7	21	<1	1	3	6	11	14	22
" MULTIPLE DX	214	16.2	319	2	2	10	20	41	61	98
TOTAL 0-19 YRS	25	5.2	27	1	1	3	7	13	15	22
20-34	82	11.5	261	1	1	6	14	22	50	83
35-49	59	12.4	412	<1	1	4	12	45	75	99+
50-64	58	10.2	98	1	1	7	13	27	33	39
65+	85	17.8	274	2	4	12	24	37	57	94
GRAND TOTAL	**309**	**12.7**	**255**	**1**	**1**	**7**	**15**	**33**	**50**	**92**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	102	2.9	4	<1	<1	2	4	6	7	11
20-34	103	4.3	84	1	1	2	4	8	11	53
35-49	94	6.4	37	1	2	4	8	15	20	30
50-64	149	6.9	57	1	1	4	8	16	24	37
65+	154	7.5	52	1	1	6	10	16	23	33
2. MULTIPLE DX										
0-19 YRS	104	6.2	56	1	1	3	7	18	26	32
20-34	264	11.4	133	1	2	8	15	23	37	60
35-49	724	14.3	169	2	3	11	19	30	39	69
50-64	1824	16.4	197	3	4	13	21	34	46	79
65+	3017	15.9	174	2	4	12	21	34	44	84
TOT. SINGLE DX	602	5.8	51	1	1	4	7	13	19	32
" MULTIPLE DX	5933	15.5	180	2	3	12	20	33	43	79
TOTAL 0-19 YRS	206	4.6	34	<1	1	3	5	9	18	30
20-34	367	9.4	130	1	1	5	12	22	33	60
35-49	818	13.4	161	2	2	10	18	29	38	67
50-64	1973	15.7	193	2	3	12	21	33	45	76
65+	3171	15.5	172	2	3	12	20	34	43	83
GRAND TOTAL	**6535**	**14.6**	**176**	**2**	**3**	**11**	**19**	**32**	**42**	**76**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	10.4	63	3	4	8	12	22	31	32
20-34	32	10.3	37	4	5	8	11	19	21	33
35-49	21	9.6	28	4	4	8	12	19	22	23
50-64	52	13.2	68	4	5	11	17	25	29	45
65+	90	13.7	71	5	6	12	17	23	26	53
2. MULTIPLE DX										
0-19 YRS	31	20.9	329	3	4	21	26	38	59	88
20-34	152	20.9	310	5	5	15	27	45	57	98
35-49	368	23.1	302	5	7	18	31	54	70	99+
50-64	1292	23.6	271	6	8	19	30	50	67	99+
65+	3477	21.9	249	6	8	17	27	45	62	99+
TOT. SINGLE DX	207	12.4	62	4	5	11	16	21	26	40
" MULTIPLE DX	5320	22.3	261	6	8	18	28	46	63	99+
TOTAL 0-19 YRS	43	18.0	275	3	4	13	23	35	46	88
20-34	184	19.0	279	5	5	13	25	42	55	94
35-49	389	22.3	297	5	7	17	30	51	68	99+
50-64	1344	23.2	268	6	8	19	29	49	67	99+
65+	3567	21.7	246	6	8	17	27	44	60	99+
GRAND TOTAL	**5527**	**22.0**	**257**	**6**	**7**	**17**	**28**	**46**	**62**	**99+**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	29	8.8	12	5	5	8	11	14	17	17
20-34	15	12.5	93	5	5	9	15	23	37	42
35-49	12	12.8	112	1	4	9	13	33	36	37
50-64	32	12.7	52	4	6	12	16	20	23	42
65+	109	12.3	62	4	5	11	15	20	30	75
2. MULTIPLE DX										
0-19 YRS	36	16.3	236	4	5	12	20	28	75	99+
20-34	56	25.8	516	5	6	17	47	66	90	99+
35-49	114	24.7	391	6	8	18	34	69	88	99+
50-64	655	22.9	323	6	8	17	29	53	76	99+
65+	3941	18.9	232	5	6	14	24	39	58	99+
TOT. SINGLE DX	197	11.9	59	4	5	10	14	19	29	50
" MULTIPLE DX	4802	19.6	255	5	7	15	24	43	62	99+
TOTAL 0-19 YRS	65	12.9	148	4	5	10	17	24	34	97
20-34	71	23.0	454	5	6	15	32	63	87	99+
35-49	126	23.6	376	6	7	17	33	67	86	99+
50-64	687	22.4	315	6	8	17	29	52	75	99+
65+	4050	18.7	229	5	6	14	23	39	57	99+
GRAND TOTAL	**4999**	**19.3**	**250**	**5**	**7**	**14**	**24**	**42**	**61**	**99+**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	25	4.7	14	1	2	4	5	10	13	18
20-34	18	12.8	361	2	3	7	14	18	59	86
35-49	18	12.3	56	2	3	11	18	22	27	29
50-64	27	12.8	104	2	4	9	15	27	38	41
65+	30	14.7	179	3	3	10	16	31	43	59
2. MULTIPLE DX										
0-19 YRS	44	13.9	245	2	3	7	20	36	53	67
20-34	81	21.1	369	4	5	14	24	49	70	82
35-49	233	21.8	269	4	6	18	29	46	59	85
50-64	520	24.2	332	6	8	19	31	52	71	99+
65+	874	22.4	266	6	7	18	29	48	62	99+
TOT. SINGLE DX	118	11.5	145	1	3	8	15	25	31	68
" MULTIPLE DX	1752	22.6	293	5	7	18	29	49	63	99+
TOTAL 0-19 YRS	69	10.6	180	1	2	5	12	25	44	65
20-34	99	19.6	374	4	4	13	23	47	70	84
35-49	251	21.1	260	4	6	17	29	42	58	84
50-64	547	23.7	327	5	7	19	30	51	70	99+
65+	904	22.1	265	5	7	18	29	48	62	99+
GRAND TOTAL	**1870**	**21.9**	**291**	**4**	**6**	**17**	**29**	**47**	**62**	**99+**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	103	3.7	14	1	1	3	5	8	10	23
20-34	119	5.0	11	1	1	5	7	8	11	20
35-49	52	6.1	30	1	1	5	8	12	14	31
50-64	22	5.1	32	1	1	3	5	13	21	22
65+	4	3.5	4	1	1	3	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	50	6.1	28	1	1	5	8	12	15	30
20-34	94	8.7	84	1	3	6	9	18	26	53
35-49	49	7.1	44	1	2	5	9	16	23	32
50-64	30	4.9	12	1	1	4	6	11	12	13
65+	20	5.5	9	1	1	6	8	9	10	10
TOT. SINGLE DX	300	4.8	18	1	1	4	6	9	11	23
" MULTIPLE DX	243	7.1	52	1	1	5	8	13	21	42
TOTAL 0-19 YRS	153	4.5	20	1	1	3	6	10	12	24
20-34	213	6.7	47	1	1	5	7	11	18	44
35-49	101	6.6	37	1	1	5	8	13	22	31
50-64	52	5.0	21	1	1	4	6	11	13	22
65+	24	5.1	9	1	1	6	7	9	10	10
GRAND TOTAL	**543**	**5.8**	**34**	**1**	**1**	**5**	**7**	**11**	**16**	**30**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	66	2.7	7	<1	<1	2	3	6	10	15
20-34	159	3.5	15	<1	1	2	4	7	12	22
35-49	105	3.3	8	<1	<1	2	4	7	10	14
50-64	94	5.9	34	<1	1	5	7	12	19	29
65+	99	6.8	35	1	2	5	9	15	17	32
2. MULTIPLE DX										
0-19 YRS	53	4.7	45	<1	1	2	4	12	23	32
20-34	157	6.6	72	1	1	4	9	14	21	43
35-49	196	9.7	116	1	1	6	12	21	29	57
50-64	364	12.2	122	1	2	9	17	27	33	99
65+	626	13.2	158	2	3	10	17	29	39	99
TOT. SINGLE DX	523	4.4	22	<1	1	3	5	10	14	25
" MULTIPLE DX	1396	11.3	135	1	2	8	15	25	34	84
TOTAL 0-19 YRS	119	3.6	25	<1	1	2	3	9	13	30
20-34	316	5.0	46	1	1	3	5	12	17	31
35-49	301	7.4	88	1	1	4	9	18	24	53
50-64	458	10.9	111	1	2	8	15	25	31	94
65+	725	12.3	146	2	3	9	16	26	37	96
GRAND TOTAL	**1919**	**9.4**	**114**	**1**	**1**	**6**	**12**	**22**	**30**	**68**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	7.5	85	<1	<1	7	14	14	14	14
20-34	12	2.6	1	2	2	2	3	4	6	6
35-49	7	4.7	30	1	1	3	4	14	17	17
50-64	19	6.4	30	1	2	5	9	12	19	24
65+	10	10.1	86	1	2	6	15	25	31	31
2. MULTIPLE DX										
0-19 YRS	2	8.0	18	5	5	8	11	11	11	11
20-34	6	4.5	3	2	2	4	6	7	7	7
35-49	15	6.5	102	1	1	3	6	13	34	41
50-64	20	7.2	20	2	2	7	9	14	17	18
65+	36	11.8	120	3	4	8	14	22	25	65
TOT. SINGLE DX	50	6.0	39	1	2	4	8	14	20	31
" MULTIPLE DX	79	8.9	85	2	2	7	10	18	23	58
TOTAL 0-19 YRS	4	7.8	34	<1	<1	8	12	14	14	14
20-34	18	3.2	3	2	2	3	4	6	7	7
35-49	22	5.9	78	1	1	3	4	14	27	41
50-64	39	6.8	25	2	2	6	9	12	18	24
65+	46	11.4	111	3	4	8	14	22	27	65
GRAND TOTAL	**129**	**7.8**	**69**	**2**	**2**	**5**	**9**	**17**	**22**	**46**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	615	1.6	1	<1	<1	1	2	3	3	5
20-34	2233	1.8	1	<1	<1	1	2	3	4	7
35-49	5215	2.0	3	<1	<1	2	2	3	5	8
50-64	4119	2.3	3	<1	<1	2	3	4	6	9
65+	2354	2.7	5	<1	<1	2	3	5	7	12
2. MULTIPLE DX										
0-19 YRS	146	2.4	3	<1	<1	2	3	5	7	9
20-34	1273	3.4	21	<1	<1	2	4	7	10	23
35-49	4321	3.4	21	<1	<1	2	3	7	10	23
50-64	5038	4.4	31	<1	1	2	5	10	14	28
65+	5461	6.0	52	1	1	3	7	13	18	38
TOT. SINGLE DX	14536	2.1	3	<1	<1	2	2	4	5	9
" MULTIPLE DX	16239	4.5	36	<1	1	2	5	10	14	30
TOTAL 0-19 YRS	761	1.8	2	<1	<1	1	2	3	4	8
20-34	3506	2.4	10	<1	<1	2	2	4	6	16
35-49	9536	2.6	12	<1	<1	2	3	5	7	15
50-64	9157	3.4	20	<1	<1	2	4	7	10	21
65+	7815	5.0	41	<1	1	3	6	11	16	32
GRAND TOTAL	**30775**	**3.4**	**22**	**<1**	**<1**	**2**	**3**	**7**	**11**	**23**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	93	2.3	1	<1	1	2	3	4	5	6
20-34	117	2.8	2	<1	1	3	4	5	6	6
35-49	232	4.2	7	1	2	4	6	7	9	12
50-64	265	4.3	6	1	1	4	6	7	8	13
65+	426	5.2	10	1	2	5	7	9	11	17
2. MULTIPLE DX										
0-19 YRS	27	5.8	79	<1	1	3	6	15	24	44
20-34	81	4.5	15	1	1	3	6	9	10	24
35-49	426	5.4	13	2	2	5	6	9	12	20
50-64	592	5.8	21	1	2	5	7	11	15	27
65+	1351	7.7	57	2	3	6	9	14	20	46
TOT. SINGLE DX	1133	4.3	8	1	1	4	6	7	9	15
" MULTIPLE DX	2477	6.7	41	2	2	5	8	12	18	37
TOTAL 0-19 YRS	120	3.1	21	<1	1	2	3	5	6	27
20-34	198	3.5	9	<1	1	3	4	6	8	18
35-49	658	4.9	12	1	2	4	6	8	10	20
50-64	857	5.3	17	1	2	4	6	9	13	22
65+	1777	7.1	47	2	2	6	8	13	18	38
GRAND TOTAL	**3610**	**6.0**	**32**	**1**	**2**	**5**	**7**	**11**	**15**	**30**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	5.8	23	1	1	5	9	13	14	14
20-34	286	5.5	5	2	3	5	7	8	10	13
35-49	2011	5.5	5	2	3	5	7	8	10	13
50-64	3227	5.7	5	2	3	5	7	8	10	13
65+	3253	6.1	6	3	3	6	7	9	10	14
2. MULTIPLE DX										
0-19 YRS	17	7.2	12	2	3	7	8	13	15	15
20-34	377	6.2	10	2	3	6	7	10	12	19
35-49	2840	6.3	10	3	3	6	8	10	11	18
50-64	5863	6.9	16	3	3	6	8	11	14	22
65+	8603	7.8	24	3	4	7	9	12	15	26
TOT. SINGLE DX	8789	5.8	6	2	3	6	7	9	10	13
" MULTIPLE DX	17700	7.2	20	3	4	6	8	11	14	24
TOTAL 0-19 YRS	29	6.6	17	1	1	7	8	13	14	15
20-34	663	5.9	8	2	3	5	7	9	11	15
35-49	4851	5.9	9	2	3	6	7	9	11	15
50-64	9090	6.5	13	3	3	6	8	10	12	19
65+	11856	7.3	20	3	4	7	9	11	14	24
GRAND TOTAL	**26489**	**6.8**	**15**	**3**	**3**	**6**	**8**	**10**	**13**	**21**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1025	2.6	1	1	1	2	3	4	5	7
20-34	2373	2.8	2	<1	1	3	4	5	5	8
35-49	1826	3.1	3	1	1	3	4	5	6	9
50-64	927	3.2	4	1	1	3	4	5	6	9
65+	193	3.0	4	1	1	3	4	5	6	12
2. MULTIPLE DX										
0-19 YRS	425	3.0	3	1	1	3	4	5	7	10
20-34	1728	3.3	6	1	1	3	4	6	7	13
35-49	3321	3.6	6	1	1	3	4	6	7	13
50-64	2229	3.9	11	1	1	3	5	7	9	17
65+	626	4.2	12	1	1	3	5	7	10	18
TOT. SINGLE DX	6344	2.9	3	1	1	3	4	5	6	9
" MULTIPLE DX	8329	3.6	8	1	1	3	4	6	8	14
TOTAL 0-19 YRS	1450	2.7	2	1	1	3	3	4	5	9
20-34	4101	3.0	5	1	1	3	4	5	6	10
35-49	5147	3.4	5	1	1	3	4	6	7	11
50-64	3156	3.7	9	1	1	3	4	6	8	15
65+	819	3.9	11	1	1	3	5	7	10	18
GRAND TOTAL	**14673**	**3.3**	**6**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2267	2.8	3	1	1	2	4	5	6	9
20-34	4117	2.7	3	1	1	2	3	5	6	8
35-49	650	2.7	2	1	1	2	4	5	6	9
50-64	129	3.0	28	<1	1	2	3	5	5	23
65+	29	3.6	11	<1	<1	3	4	6	13	16
2. MULTIPLE DX										
0-19 YRS	349	4.0	22	1	1	3	5	7	9	37
20-34	769	4.3	34	1	1	3	4	7	10	29
35-49	279	4.2	15	1	1	3	5	8	10	16
50-64	133	5.2	52	1	1	3	6	10	13	32
65+	70	8.8	183	1	2	5	9	15	35	82
TOT. SINGLE DX	7192	2.7	4	1	1	2	3	5	6	9
" MULTIPLE DX	1600	4.5	37	1	1	3	5	8	11	31
TOTAL 0-19 YRS	2616	2.9	6	1	1	3	4	5	6	11
20-34	4886	3.0	9	1	1	3	4	5	6	10
35-49	929	3.2	7	1	1	3	4	5	7	13
50-64	262	4.1	42	<1	1	3	5	7	12	23
65+	99	7.3	138	1	1	4	7	14	20	72
GRAND TOTAL	**8792**	**3.1**	**10**	**1**	**1**	**3**	**4**	**5**	**7**	**12**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2424	2.3	10	<1	<1	1	2	4	7	16
20-34	2377	2.6	12	<1	<1	2	3	5	8	19
35-49	2244	2.6	9	<1	<1	2	3	5	8	18
50-64	1832	2.6	10	<1	<1	2	3	5	8	16
65+	1166	3.4	19	<1	<1	2	4	8	11	24
2. MULTIPLE DX										
0-19 YRS	1416	6.3	123	<1	1	3	6	15	30	95
20-34	2386	8.4	125	<1	1	4	10	21	31	67
35-49	3029	8.3	112	<1	1	5	10	20	28	60
50-64	4063	8.1	87	1	1	5	10	18	26	51
65+	6276	9.9	116	1	2	7	12	21	30	63
TOT. SINGLE DX	10043	2.6	12	<1	<1	2	3	5	8	18
" MULTIPLE DX	17170	8.7	112	1	1	5	11	20	29	62
TOTAL 0-19 YRS	3840	3.8	56	<1	<1	2	3	7	14	44
20-34	4763	5.5	77	<1	<1	2	6	14	23	46
35-49	5273	5.9	77	<1	<1	3	7	14	22	46
50-64	5895	6.4	70	<1	<1	3	8	15	22	43
65+	7442	8.9	106	<1	1	6	11	19	28	59
GRAND TOTAL	**27213**	**6.4**	**83**	**<1**	**<1**	**3**	**8**	**15**	**23**	**50**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4852	3.7	21	<1	1	2	4	8	11	23
20-34	5607	4.2	22	<1	1	3	5	9	12	23
35-49	3239	4.7	30	<1	1	3	6	10	14	26
50-64	2170	5.5	40	<1	1	3	7	11	18	33
65+	1823	6.5	62	<1	1	4	8	14	21	36
2. MULTIPLE DX										
0-19 YRS	9535	5.6	66	1	1	3	6	12	20	47
20-34	15197	6.7	85	1	1	4	8	15	24	53
35-49	10155	9.1	121	1	1	5	11	21	31	61
50-64	10943	11.4	143	1	2	8	15	26	36	69
65+	19312	13.6	186	1	2	10	18	31	44	97
TOT. SINGLE DX	17691	4.5	31	<1	1	3	5	10	14	28
" MULTIPLE DX	65142	9.7	138	1	1	6	12	23	34	70
TOTAL 0-19 YRS	14387	4.9	52	<1	1	3	5	11	17	42
20-34	20804	6.0	70	<1	1	3	7	13	21	48
35-49	13394	8.0	103	1	1	5	10	19	28	55
50-64	13113	10.4	131	1	1	7	13	24	34	65
65+	21135	13.0	179	1	2	9	17	30	43	93
GRAND TOTAL	**82833**	**8.6**	**119**	**1**	**1**	**5**	**11**	**21**	**31**	**64**

Appendix

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	703	5.7	39	<1	1	4	7	14	18	32
20-34	785	5.8	44	<1	1	3	8	13	18	36
35-49	495	6.6	59	<1	1	4	8	15	20	40
50-64	416	7.7	75	1	1	5	10	18	25	40
65+	426	10.1	92	1	2	7	14	23	29	48
2. MULTIPLE DX										
0-19 YRS	885	12.7	169	1	1	9	18	30	39	75
20-34	1203	14.5	229	1	2	10	19	33	49	81
35-49	1032	15.4	202	2	2	12	20	35	45	89
50-64	1294	16.1	214	2	3	12	22	36	48	79
65+	2518	19.5	240	2	4	16	26	41	54	92
TOT. SINGLE DX	2825	6.9	60	1	1	4	9	16	21	38
" MULTIPLE DX	6932	16.5	225	1	2	12	22	36	49	87
TOTAL 0-19 YRS	1588	9.6	124	1	1	6	13	24	32	58
20-34	1988	11.1	174	1	1	7	14	27	38	74
35-49	1527	12.6	173	1	2	9	17	30	40	72
50-64	1710	14.0	194	1	2	10	19	33	44	74
65+	2944	18.1	230	2	3	14	24	38	51	88
GRAND TOTAL	**9757**	**13.7**	**196**	**1**	**2**	**9**	**19**	**32**	**43**	**76**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	252	3.7	25	<1	<1	2	4	9	13	29
20-34	349	5.4	74	<1	1	2	6	12	20	43
35-49	187	3.8	24	<1	1	2	4	10	12	38
50-64	108	5.4	52	<1	1	3	5	15	22	34
65+	86	8.3	154	1	1	4	9	20	28	75
2. MULTIPLE DX										
0-19 YRS	235	8.3	150	<1	1	3	10	21	31	67
20-34	500	13.7	294	1	1	6	19	40	52	81
35-49	342	15.9	388	1	1	8	24	47	65	99+
50-64	356	15.2	304	1	1	9	20	40	58	96
65+	465	18.3	391	1	2	12	27	57	75	99+
TOT. SINGLE DX	982	4.9	59	<1	1	2	5	11	17	41
" MULTIPLE DX	1898	14.8	327	1	1	8	21	44	59	99+
TOTAL 0-19 YRS	487	5.9	91	<1	1	2	6	14	24	52
20-34	849	10.3	221	1	1	4	12	30	45	75
35-49	529	11.6	293	1	1	4	15	33	57	99+
50-64	464	12.9	262	1	1	7	17	35	53	91
65+	551	16.7	367	1	2	10	23	53	69	99+
GRAND TOTAL	**2880**	**11.4**	**258**	**1**	**1**	**5**	**14**	**33**	**52**	**95**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1015	2.2	9	<1	<1	2	2	4	5	11
20-34	708	2.5	4	<1	<1	2	3	5	6	11
35-49	719	2.6	6	<1	1	2	3	5	7	13
50-64	668	2.3	6	<1	1	2	3	4	5	12
65+	260	2.6	26	<1	1	2	3	4	6	30
2. MULTIPLE DX										
0-19 YRS	893	3.9	50	<1	1	2	4	7	11	68
20-34	994	5.0	57	<1	1	3	5	9	17	43
35-49	1312	4.9	39	1	1	3	6	9	15	33
50-64	1574	5.0	50	1	1	3	6	11	16	41
65+	1523	10.5	144	1	2	7	13	24	42	99+
TOT. SINGLE DX	3370	2.4	8	<1	<1	2	3	5	6	11
" MULTIPLE DX	6296	6.1	78	1	1	3	7	14	22	72
TOTAL 0-19 YRS	1908	3.0	29	<1	<1	2	3	5	9	31
20-34	1702	3.9	37	<1	1	2	4	7	11	31
35-49	2031	4.1	29	1	1	3	5	8	12	28
50-64	2242	4.2	39	1	1	2	4	9	14	37
65+	1783	9.3	135	1	1	6	12	22	37	99+
GRAND TOTAL	**9666**	**4.8**	**57**	**<1**	**1**	**2**	**5**	**11**	**17**	**51**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	63	3.5	14	<1	1	2	4	6	11	23
20-34	81	4.2	17	1	1	3	5	9	12	24
35-49	62	4.0	50	1	1	2	4	8	15	94
50-64	59	3.8	13	1	1	2	5	10	12	17
65+	54	4.6	44	1	1	3	5	9	13	46
2. MULTIPLE DX										
0-19 YRS	157	6.8	110	1	1	3	7	11	27	63
20-34	189	6.6	73	1	1	4	8	12	16	56
35-49	204	6.9	39	1	2	5	8	13	19	34
50-64	324	8.0	49	1	2	6	10	16	21	42
65+	709	10.1	95	2	3	7	12	20	28	57
TOT. SINGLE DX	319	4.0	27	1	1	3	4	9	12	32
" MULTIPLE DX	1583	8.5	80	1	2	6	10	17	25	48
TOTAL 0-19 YRS	220	5.8	85	1	1	3	6	10	17	57
20-34	270	5.9	58	1	1	4	7	11	15	48
35-49	266	6.3	44	1	1	4	7	13	18	39
50-64	383	7.4	46	1	1	5	10	15	19	40
65+	763	9.7	94	2	3	7	12	19	28	56
GRAND TOTAL	**1902**	**7.8**	**74**	**1**	**2**	**5**	**9**	**16**	**23**	**47**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	846	2.9	10	1	1	2	3	6	9	18
20-34	11200	3.3	13	1	1	2	4	8	11	17
35-49	15251	3.2	11	1	1	2	4	8	10	17
50-64	7655	3.1	11	1	1	2	3	7	10	16
65+	2176	3.3	18	1	1	2	4	7	10	18
2. MULTIPLE DX										
0-19 YRS	721	4.3	27	1	1	2	5	10	14	23
20-34	7237	5.1	28	1	1	3	7	11	15	25
35-49	11924	5.1	29	1	1	3	7	11	15	26
50-64	10162	5.5	36	1	1	3	7	12	17	29
65+	6958	7.1	58	1	1	4	10	16	21	38
TOT. SINGLE DX	37128	3.2	13	1	1	2	4	8	10	17
" MULTIPLE DX	37002	5.5	37	1	1	3	7	12	17	30
TOTAL 0-19 YRS	1567	3.6	19	1	1	2	4	8	11	20
20-34	18437	4.0	20	1	1	2	5	9	12	21
35-49	27175	4.0	20	1	1	2	5	9	12	21
50-64	17817	4.4	27	1	1	2	6	10	14	24
65+	9134	6.2	52	1	1	3	8	14	19	36
GRAND TOTAL	**74130**	**4.4**	**26**	**1**	**1**	**2**	**5**	**10**	**14**	**24**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	242	3.4	12	1	1	2	4	7	10	17
20-34	783	3.5	13	1	1	2	4	7	10	20
35-49	1146	3.8	19	1	1	2	4	8	11	21
50-64	2018	3.5	14	1	1	2	4	7	10	19
65+	2157	3.4	15	1	1	2	4	7	10	19
2. MULTIPLE DX										
0-19 YRS	334	6.1	71	1	1	4	7	13	18	40
20-34	1090	6.2	49	1	1	4	8	13	17	40
35-49	2537	6.7	57	1	1	4	8	14	20	38
50-64	7450	6.4	52	1	1	4	8	13	18	40
65+	13428	6.6	40	1	2	5	9	13	18	31
TOT. SINGLE DX	6346	3.5	16	1	1	2	4	7	10	19
" MULTIPLE DX	24839	6.5	47	1	1	5	8	13	18	34
TOTAL 0-19 YRS	576	4.9	48	1	1	3	6	11	16	32
20-34	1873	5.1	36	1	1	3	6	11	15	34
35-49	3683	5.8	48	1	1	4	7	12	17	35
50-64	9468	5.8	46	1	1	4	7	12	16	34
65+	15585	6.2	38	1	1	4	8	13	17	30
GRAND TOTAL	**31185**	**5.9**	**42**	**1**	**1**	**4**	**8**	**12**	**17**	**32**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	27	3.1	5	<1	1	2	5	7	8	10
35-49	200	3.0	9	1	1	2	4	7	10	15
50-64	368	2.8	7	1	1	2	3	7	9	13
65+	158	2.7	5	1	1	2	3	6	8	11
2. MULTIPLE DX										
0-19 YRS	10	1.8	3	<1	<1	1	2	5	7	7
20-34	71	4.2	8	1	1	3	6	8	11	12
35-49	708	4.1	14	1	1	2	6	9	11	17
50-64	1985	4.5	20	1	1	3	6	10	13	20
65+	1541	4.8	23	1	1	3	7	11	14	23
TOT. SINGLE DX	755	2.9	8	1	1	2	3	7	10	13
" MULTIPLE DX	4315	4.5	20	1	1	3	6	10	13	21
TOTAL 0-19 YRS	12	1.8	3	<1	<1	1	2	4	7	7
20-34	98	3.9	8	1	1	3	5	8	10	12
35-49	908	3.8	13	1	1	2	5	9	11	16
50-64	2353	4.2	19	1	1	2	6	10	12	19
65+	1699	4.6	22	1	1	3	6	10	14	22
GRAND TOTAL	**5070**	**4.3**	**19**	**1**	**1**	**2**	**6**	**10**	**13**	**20**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	443	4.1	16	1	1	3	6	9	12	18
20-34	2009	4.7	16	1	1	3	7	10	12	18
35-49	2416	4.8	18	1	1	3	7	10	12	18
50-64	2960	4.3	15	1	1	3	6	10	12	16
65+	2758	4.3	17	1	1	2	6	10	12	18
2. MULTIPLE DX										
0-19 YRS	593	6.1	73	1	1	4	8	13	18	50
20-34	2998	7.2	53	1	1	5	10	14	20	39
35-49	5452	6.9	40	1	1	5	9	14	17	32
50-64	12073	6.8	40	1	1	5	9	14	17	32
65+	20614	7.7	50	1	2	6	10	15	20	36
TOT. SINGLE DX	10586	4.5	17	1	1	3	7	10	12	17
" MULTIPLE DX	41730	7.3	47	1	1	6	10	14	19	34
TOTAL 0-19 YRS	1036	5.2	50	1	1	3	7	11	15	31
20-34	5007	6.2	40	1	1	4	9	13	17	31
35-49	7868	6.2	35	1	1	5	9	12	16	27
50-64	15033	6.3	36	1	1	5	9	13	16	29
65+	23372	7.3	48	1	1	6	10	15	19	34
GRAND TOTAL	52316	6.7	42	1	1	5	9	14	18	32

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	30103	3.4	19	1	1	2	4	6	8	20
20-34	45216	3.9	18	1	1	3	5	7	10	21
35-49	30809	4.4	20	1	1	3	5	9	11	22
50-64	22202	5.0	22	1	1	4	6	10	13	23
65+	17916	6.1	31	1	2	5	8	11	15	29
2. MULTIPLE DX										
0-19 YRS	49488	5.4	61	1	1	3	6	10	16	46
20-34	74573	5.5	38	1	1	4	6	10	15	33
35-49	83681	6.2	35	1	2	5	8	12	16	31
50-64	134112	7.2	40	2	2	6	9	13	18	33
65+	309100	8.6	55	2	3	7	10	16	21	41
TOT. SINGLE DX	146246	4.3	22	1	1	3	5	8	11	23
" MULTIPLE DX	650954	7.4	50	1	2	6	9	14	19	38
TOTAL 0-19 YRS	79591	4.7	47	1	1	3	5	8	13	39
20-34	119789	4.9	32	1	1	3	6	9	13	30
35-49	114490	5.7	32	1	1	4	7	11	15	29
50-64	156314	6.9	39	1	2	5	8	13	17	32
65+	327016	8.5	55	2	3	7	10	16	21	41
GRAND TOTAL	797200	6.8	46	1	2	5	8	13	18	35

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14397	5.9	86	1	1	3	5	14	25	49
20-34	7574	6.9	56	1	1	5	8	14	21	40
35-49	7301	6.7	38	1	2	5	8	13	18	31
50-64	5156	6.7	42	1	2	5	8	13	19	34
65+	4194	7.4	57	1	2	6	9	14	20	41
2. MULTIPLE DX										
0-19 YRS	20641	7.0	115	1	2	4	6	15	28	69
20-34	13631	8.1	83	1	2	5	9	17	25	52
35-49	16133	8.0	63	2	2	6	9	15	22	44
50-64	24496	8.2	61	2	2	6	10	15	22	44
65+	58572	9.5	74	2	3	7	11	18	25	50
TOT. SINGLE DX	38622	6.5	62	1	1	4	7	14	21	42
" MULTIPLE DX	133473	8.6	79	2	2	6	10	17	24	51
TOTAL 0-19 YRS	35038	6.6	104	1	1	3	6	15	26	61
20-34	21205	7.6	74	1	2	5	9	16	23	47
35-49	23434	7.6	56	1	2	6	9	15	21	39
50-64	29652	8.0	58	2	2	6	10	15	21	42
65+	62766	9.4	74	2	3	7	11	18	25	50
GRAND TOTAL	172095	8.1	76	1	2	6	10	16	24	49

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17572	3.5	25	<1	1	3	4	6	8	25
20-34	13836	3.6	28	<1	<1	2	4	7	10	28
35-49	9622	4.4	25	1	1	3	5	9	12	26
50-64	9088	5.1	25	1	1	4	7	10	13	25
65+	8483	5.8	29	1	2	4	7	11	14	29
2. MULTIPLE DX										
0-19 YRS	37050	5.7	71	1	1	3	6	10	19	55
20-34	25105	5.6	53	1	1	4	6	11	18	40
35-49	33704	5.9	37	1	1	4	7	11	16	31
50-64	67702	6.7	36	1	2	5	8	13	17	31
65+	163154	8.0	48	2	2	6	10	15	20	37
TOT. SINGLE DX	58601	4.3	27	<1	1	3	5	8	12	27
" MULTIPLE DX	326715	7.0	49	1	2	5	9	14	19	37
TOTAL 0-19 YRS	54622	5.0	57	1	1	3	5	9	15	48
20-34	38941	4.9	46	<1	1	3	5	10	16	36
35-49	43326	5.5	35	1	1	4	7	11	15	30
50-64	76790	6.5	36	1	2	5	8	12	16	30
65+	171637	7.9	48	2	2	6	10	15	20	37
GRAND TOTAL	**385316**	**6.6**	**47**	**1**	**2**	**5**	**8**	**13**	**18**	**36**

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

OPERATION INDEX (continued)

Group Number **Title**

- Augmentation
  - 745 Breast
  - 699 Chin

- Biopsy
  - 515 Adrenal gland
  - 611 Anus
  - 638 Bladder, except transurethral approach
    - 637 Transurethral approach
  - 705 Bone, except facial
    - 698 Facial
  - 586 Bone marrow
  - 501 Brain
  - 742 Breast
  - 563 Bronchus
  - 501 Cerebral meninges
  - 668 Cervix
  - 597 Colon
  - 597 Duodenum
  - 668 Endocervical
  - 588 Esophagus
  - 532 Eyeball
  - 517 Eyelid
  - 666 Fallopian tubes
  - 597 Intestine (large) (small)
  - 719 Joint structure
  - 632 Kidney
  - 597 Large intestine
  - 558 Larynx
  - 552 Lip
  - 615 Liver
  - 565 Lung
  - 582 Lymph nodes
  - 570 Mediastinum
  - Meninges
    - 501 Cerebral
    - 507 Spinal
  - 727 Muscle
  - 543 Nose
  - 532 Orbit
  - 660 Ovary, except by aspiration
    - 663 Aspiration

OPERATION INDEX (continued)

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

OPERATION INDEX (continued)

Group Number Title

- 763 Cancer chemotherapy
- Cardiac
  - 573 Catheterization
  - 764 Function tests
  - Massage
    - 763 Closed
    - 575 Open
  - 574 Pacemaker insertion or replacement
  - 575 Revascularization, except coronary bypass
    - 572 Coronary bypass
  - 764 Stress tests
- 509 Carpal tunnel decompression or release
- 760 Cast application
- 758 C.A.T. scan
- 526 Cataract extraction, except intracapsular
  - 525 Intracapsular
- Catheterization
  - 647 Bladder, except suprapubic approach
    - 638 Suprapubic approach
  - 581 Blood vessel
  - 573 Cardiac
  - 645 Ureteral
  - 647 Urethral, indwelling
  - 587 Vein, except umbilical
    - 581 Umbilical
- 669 Cerclage, cervix
- 692 Cesarean section, except low cervical
  - 691 Low cervical
- 763 Chemotherapy
- 758 Cholangiogram (intravenous) (percutaneous)
- 616 Cholecystectomy
- 758 Cholecystogram
- 617 Cholecystotomy
- 764 Circulatory monitoring
- 657 Circumcision, except newborn
- Closure
  - 617 Cholecystostomy
  - 601 Colostomy
  - Fistula — *see Fistulectomy*
  - 596 Gastric anastomosis
  - 601 Sigmoidostomy
  - 570 Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

OPERATION INDEX (continued)

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions – *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, except of hand
728	Hand

OPERATION INDEX (continued)

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage – *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

OPERATION INDEX (continued)

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision – *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

OPERATION INDEX (continued)

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

OPERATION INDEX (continued)

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

OPERATION INDEX (continued)

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

OPERATION INDEX (continued)

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus – *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) – *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) – *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

OPERATION INDEX (continued)

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

OPERATION INDEX (continued)

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

OPERATION INDEX (continued)

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

OPERATION INDEX (continued)

Group Number **Title**

- Reduction (continued)
  - Femur
    - 710 Closed, except with internal fixation
      - 708 With internal fixation
    - 710 Open, except with internal fixation
      - 709 With internal fixation
  - 701 Mandible, except closed reduction
    - 700 Closed reduction
  - 701 Maxillofacial, except closed reduction
    - 700 Closed reduction
  - 544 Nose
- 619 Hemorrhoids
- Hernia – *see also Herniorrhaphy*
  - 764 Manual
- 601 Intestinal torsion
- 601 Intussusception, intestine
- 745 Mammoplasty
- 601 Volvulus, intestine
- Release
  - Adhesions – *see Lysis, adhesions*
  - 728 Dupuytren's contracture
  - 749 Scar contracture, skin
  - 642 Urethral stricture
- Removal
  - Calculus
    - 617 Biliary tract
    - 638 Bladder
    - 632 Kidney, except transurethral approach
      - 635 Transurethral approach
    - 519 Lacrimal tract (by incision)
      - 533 Without incision
    - 633 Ureter, except transurethral approach
      - 635 Transurethral approach
  - 764 Catheter, nonoperatively
  - 764 Cholecystotomy tube
  - 693 Ectopic fetus
  - 707 Fixation device, internal
  - Foreign body
    - 762 Bronchus, except with incision
      - 563 With incision
    - 532 Eye, except as below
      - 524 Anterior chamber
      - 520 Conjunctiva

OPERATION INDEX (continued)

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula – *see Fistulectomy*
704	Hallux valgus
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
	Hernia – *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration – *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

OPERATION INDEX (continued)

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt – *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

OPERATION INDEX (continued)

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
644	Stress incontinence repair, except by urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture – *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown – *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction – *see Reduction, fracture*
	Transfer – *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

OPERATION INDEX (continued)

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray – *see Radiography*
751	Z-plasty, skin

R 3850-1.3 U
11/86

LENGTH OF STAY

CPHA PUBLICATIONS

Length of Stay by Diagnosis, North Central Region, 1985

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1986

LENGTH OF STAY

Copyright 1986 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1985
. . . by Diagnosis, United States, North Central Region, 1985
. . . by Diagnosis, United States, Northeastern Region, 1985
. . . by Diagnosis, United States, Southern Region, 1985
. . . by Diagnosis, United States, Western Region, 1985
. . . by Diagnosis, Canada, 1985

. . . by Operation, United States, 1985
. . . by Operation, United States, North Central Region, 1985
. . . by Operation, United States, Northeastern Region, 1985
. . . by Operation, United States, Southern Region, 1985
. . . by Operation, United States, Western Region, 1985
. . . by Operation, Canada, 1985

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1985
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1985

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1985 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1985 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1985 LENGTH OF STAY BOOKS

Peg Eby, Research Assistant, Research Services
Carol A. Prevost, Research Associate
Jeanine DeLay, Assistant Director
Edward J. Kobrinski, Director

CONTENTS

Preface iii
Discussion of the Data 1
    Source of the Data. 1
    Data Quality. 2
    Coverage 3
    Organization of Length of Stay Tables. 5
        Definition of Multiple Diagnosis Patients 5
        Definition of Operated Patients 5
    Explanation of Statistics. 6
    Defining the Extended Stay Case 7
Length of Stay Tables 17
    Summary of All Patients. 18
    Summary of All Patients Except Newborn 19
    Diagnosis Groups 1-398 20
Appendix: *ICD-9-CM* Codes for Selected Diagnosis Groups 219
Index to Length of Stay Tables 223

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.
January-December 1985

	Short-Term Nonfederal Hospitals			Short-Term Nonfederal Hospital Beds		
	U.S. Total[2]	Number in Books	Percent in Books	U.S. Total[2]	Number in Books	Percent in Books
Hospital Category						
Bedsize						
6-24	332	44	13.3	6,138	880	14.3
25-49	1,161	226	19.5	42,908	8,735	20.3
50-99	1,283	383	29.9	92,066	27,587	30.0
100-199	1,221	393	32.2	172,860	56,242	32.5
200-299	703	232	33.0	170,564	57,368	33.6
300-399	415	142	34.2	141,454	48,545	34.3
400-499	265	90	34.0	117,253	39,787	33.9
500+	307	73	23.8	212,299	47,783	22.5
Total	5,687	1,583	27.8	955,542	286,927	30.0
Region and Census Division						
Northeast	814	342	42.0	205,568	67,158	32.7
New England	241	131	54.4	48,426	20,234	41.8
Middle Atlantic	573	211	36.8	157,142	46,924	29.9
North Central	1,673	515	30.8	267,603	105,699	39.5
East North Central	880	418	47.5	182,843	90,510	49.5
West North Central	793	97	12.2	84,760	15,189	17.9
South	2,139	366	17.1	338,647	61,836	18.3
South Atlantic	810	186	23.0	158,360	34,351	21.7
East South Central	496	89	17.9	71,653	13,196	18.4
West South Central	833	91	10.9	108,634	14,289	13.2
West	1,061	360	33.9	143,724	52,234	36.3
Mountain	370	153	41.4	40,264	19,940	49.5
Pacific	691	207	30.0	103,460	32,294	31.2
Total	5,687	1,583	27.8	955,542	286,927	30.0

The Pediatric book was compiled from the data of 1,569 hospitals. The Geriatric book was compiled from the data of 1,559 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1984 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients

Operated patients are patients who had at least one UHDDS[3] Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

   a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

   b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. *Suspicion of life threatening disease, e.g.*			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. *Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)*			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	**2**		**215**
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	**Cholelithiasis**
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis **INDEX TO DISEASES**

- **Cholangitis** (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  - chronic nonsuppurative destructive 571.6
  - nonsuppurative destructive (chronic) 571.6
- **Cholecystdocholithiasis** — *see* Choledocholithiasis
- **Cholecystitis** (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.4
      - gallbladder 574.1
    - choledocholithiasis 574.4
    - cholelithiasis 574.1
  - acute 575.0
    - with
      - calculus, stones in
        - bile duct (common) (hepatic) 574.3
        - gallbladder 574.0
      - choledocholithiasis 574.3
      - cholelithiasis 574.0
  - emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
  - gangrenous *(see also* Cholecystitis, acute) 575.0
  - paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
  - suppurative *(see also* cholecystitis, acute) 575.0
  - typhoidal 002.0
- **Choledochitis** (suppurative) 576.1
- **Choledocholith** — *see* Choledocholithiasis
- **Choledocholithiasis** 574.5

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.4
    - acute 574.3
- **Cholelithiasis** (impacted) (multiple) 574.2

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.1
    - acute 574.0
- **Cholemia** *(see also* Jaundice) 782.4
  - familial 277.4
  - Gilbert's (familial nonhemolytic) 277.4
- **Cholemic gallstone** — *see* Cholelithiasis
- **Choleperitoneum, choleperitonitis** *(see also* Disease, gallbladder) 567.8
- **Cholera** (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  - antimonial 985.4
  - carrier (suspected) of V02.0
  - classical 001.0
  - contact V01.0
  - due to
    - Vibrio
      - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        - El Tor 001.1
  - El Tor 001.1
  - exposure to V01.0
  - vaccination, prophylactic (against) V03.0
- **Cholerine** *(see also* Cholera) 001.9
- **Cholestasis** *(see also* Disease, gallbladder) 575.8
- **Cholesteatoma** (ear) 385.30
  - attic (primary) 385.31
  - diffuse 385.35
  - external ear (canal) 380.21
  - marginal (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
    - secondary (with middle ear involvement) 385.33
  - mastoid cavity 385.30
  - middle ear 385.30
    - secondary 385.32
      - with involvement of mastoid cavity 385.33
  - postmastoidectomy cavity (recurrent) 383.32
  - primary 385.31
  - recurrent, postmastoidectomy cavity 383.32
  - secondary (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
- **Cholesteatosis** (middle ear) *(see also* Cholesteatoma) 385.30
  - diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	4.7	10	1	2	4	6	9	11	15
20-34	1472	4.4	10	1	1	4	6	8	10	16
35-49	1964	5.2	14	1	2	4	7	9	12	17
50-64	3826	5.8	15	2	2	5	7	10	13	19
65+	7503	7.6	32	2	3	6	10	14	17	28
B. *Operated*										
0-19 YRS	671	9.6	30	5	5	8	11	15	17	32
20-34	9073	9.2	24	5	5	8	11	14	17	27
35-49	11544	9.9	27	5	6	8	12	16	19	30
50-64	17699	11.4	41	5	6	10	13	18	23	35
65+	18538	15.1	82	6	7	13	18	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6693	4.1	9	1	1	3	5	8	9	14
B. *Operated*	50291	8.3	14	5	5	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	14921	6.5	24	2	2	5	8	12	15	25
B. *Operated*	57525	11.9	54	5	6	10	14	20	25	41
1. SINGLE DX	56984	7.8	15	3	4	7	9	12	14	21
2. MULTIPLE DX	72446	10.8	53	3	5	9	13	19	24	39
A. NOT OPERATED	21614	5.7	21	1	2	5	7	11	14	22
B. OPERATED	107816	10.2	38	5	6	8	12	17	21	34
TOTAL 0-19 YRS	2325	7.5	19	2	3	7	9	12	14	22
20-34	27293	7.6	16	3	4	7	9	12	14	21
35-49	28151	8.3	21	3	4	7	10	13	16	24
50-64	36761	9.4	31	3	5	8	11	16	19	30
65+	34900	12.1	68	3	5	10	15	21	27	44
GRAND TOTAL	**129430**	**9.5**	**38**	**3**	**4**	**8**	**11**	**16**	**20**	**33**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 5. The patient is 47-years-old and therefore falls in the age group 35-49.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay
Tables

515 Hospitals, North Central Region, January-December 1985

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	247484	3.3	17	1	1	3	4	5	6	19
20-34	165610	3.7	22	<1	1	3	4	6	10	27
35-49	56966	5.3	38	1	1	3	6	11	17	30
50-64	37041	5.6	37	1	1	4	7	11	16	31
65+	30163	6.2	41	1	1	4	8	12	17	34
B. *Operated*										
0-19 YRS	79958	2.9	10	<1	1	2	3	6	8	16
20-34	170359	3.4	8	1	1	3	4	6	7	13
35-49	74838	4.3	15	1	1	3	6	9	11	18
50-64	63613	4.9	20	1	1	4	7	10	13	21
65+	49728	5.9	28	1	1	4	8	13	15	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	257264	4.7	44	1	1	3	5	8	12	40
20-34	158958	6.0	53	1	1	4	6	13	22	35
35-49	148260	6.5	46	1	2	5	8	13	20	33
50-64	217590	6.6	37	1	2	5	8	13	17	31
65+	447757	7.5	36	2	2	6	9	14	18	30
B. *Operated*										
0-19 YRS	76805	5.7	83	1	1	3	6	12	20	59
20-34	215345	5.2	32	1	2	4	6	9	13	31
35-49	149389	6.9	51	1	2	5	8	13	19	39
50-64	190000	8.5	75	1	2	6	11	17	24	45
65+	285448	10.5	86	2	2	8	14	21	28	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	537264	3.9	24	1	1	3	4	7	10	28
B. *Operated*	438496	4.0	14	1	1	3	5	8	11	18
2. MULTIPLE DX										
A. *Not Operated*	1229829	6.5	42	1	2	5	8	13	18	33
B. *Operated*	916987	7.9	70	1	2	5	10	16	23	44
1. SINGLE DX	975760	3.9	20	1	1	3	4	7	11	23
2. MULTIPLE DX	2146816	7.1	54	1	2	5	9	14	20	38
A. NOT OPERATED	1767093	5.7	38	1	1	4	7	11	16	31
B. OPERATED	1355483	6.6	55	1	1	4	8	14	19	38
TOTAL 0-19 YRS	661511	4.1	35	1	1	3	4	7	10	34
20-34	710272	4.6	30	1	1	3	5	8	13	29
35-49	429453	6.1	42	1	1	4	7	12	18	33
50-64	508244	7.1	51	1	2	5	9	14	20	36
65+	813096	8.4	56	2	2	6	11	16	22	38
GRAND TOTAL	**3122576**	**6.1**	**46**	**1**	**1**	**4**	**7**	**13**	**18**	**34**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	110282	3.8	36	1	1	3	4	6	9	34
20-34	165610	3.7	22	<1	1	3	4	6	10	27
35-49	56966	5.3	38	1	1	3	6	11	17	30
50-64	37041	5.6	37	1	1	4	7	11	16	31
65+	30163	6.2	41	1	1	4	8	12	17	34
B. *Operated*										
0-19 YRS	79902	2.9	10	<1	1	2	3	6	8	16
20-34	170359	3.4	8	1	1	3	4	6	7	13
35-49	74838	4.3	15	1	1	3	6	9	11	18
50-64	63613	4.9	20	1	1	4	7	10	13	21
65+	49728	5.9	28	1	1	4	8	13	15	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156816	5.0	58	1	1	3	5	9	15	45
20-34	158958	6.0	53	1	1	4	6	13	22	35
35-49	148260	6.5	46	1	2	5	8	13	20	33
50-64	217590	6.6	37	1	2	5	8	13	17	31
65+	447757	7.5	36	2	2	6	9	14	18	30
B. *Operated*										
0-19 YRS	73511	5.0	53	1	1	3	5	10	16	41
20-34	215345	5.2	32	1	2	4	6	9	13	31
35-49	149389	6.9	51	1	2	5	8	13	19	39
50-64	190000	8.5	75	1	2	6	11	17	24	45
65+	285448	10.5	86	2	2	8	14	21	28	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	400062	4.3	32	1	1	3	4	8	13	30
B. *Operated*	438440	4.0	14	1	1	3	5	8	11	18
2. MULTIPLE DX										
A. *Not Operated*	1129381	6.6	44	1	2	5	8	13	18	33
B. *Operated*	913693	7.8	67	1	2	5	10	16	23	43
1. SINGLE DX	838502	4.1	23	1	1	3	5	8	11	25
2. MULTIPLE DX	2043074	7.2	55	1	2	5	9	15	21	38
A. NOT OPERATED	1529443	6.0	42	1	1	4	7	12	17	32
B. OPERATED	1352133	6.6	53	1	1	4	8	14	19	37
TOTAL 0-19 YRS	420511	4.3	43	1	1	3	4	8	12	39
20-34	710272	4.6	30	1	1	3	5	8	13	29
35-49	429453	6.1	42	1	1	4	7	12	18	33
50-64	508244	7.1	51	1	2	5	9	14	20	36
65+	813096	8.4	56	2	2	6	11	16	22	38
GRAND TOTAL	**2881576**	**6.3**	**47**	**1**	**1**	**4**	**8**	**13**	**18**	**35**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2662	3.2	4	1	1	3	4	6	7	9
20-34	935	3.2	4	1	1	3	4	6	7	11
35-49	413	3.6	5	1	1	3	5	6	8	12
50-64	195	3.8	9	1	1	3	5	7	9	16
65+	107	3.8	5	1	1	3	5	7	8	11
B. *Operated*										
0-19 YRS	38	4.9	11	2	2	4	6	8	9	20
20-34	77	5.2	8	2	3	5	6	8	13	15
35-49	32	6.3	14	3	3	5	8	11	13	19
50-64	13	4.5	4	1	2	5	6	7	7	7
65+	8	7.0	33	<1	1	5	10	16	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4916	3.6	6	1	1	3	4	6	8	12
20-34	1633	3.6	6	1	1	3	5	7	8	13
35-49	1000	4.2	8	1	2	4	5	8	10	16
50-64	947	4.9	13	1	2	4	6	9	12	20
65+	1554	5.6	18	2	2	5	7	10	13	21
B. *Operated*										
0-19 YRS	102	8.6	77	2	3	5	9	19	32	45
20-34	150	7.3	51	2	3	6	8	12	15	48
35-49	109	7.1	28	2	3	6	8	13	16	30
50-64	142	9.6	89	2	3	7	12	19	24	36
65+	149	11.6	81	3	4	10	14	21	29	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4312	3.3	4	1	1	3	4	6	7	11
B. *Operated*	168	5.3	11	2	2	5	6	9	13	19
2. MULTIPLE DX										
A. *Not Operated*	10050	4.1	9	1	2	3	5	7	9	16
B. *Operated*	652	9.0	69	2	3	7	11	17	22	42
1. SINGLE DX	4480	3.3	5	1	1	3	4	6	7	11
2. MULTIPLE DX	10702	4.4	14	1	2	3	5	8	10	19
A. NOT OPERATED	14362	3.9	8	1	1	3	5	7	9	15
B. OPERATED	820	8.2	59	2	3	6	10	16	21	40
TOTAL 0-19 YRS	7718	3.5	7	1	1	3	4	6	8	12
20-34	2795	3.7	9	1	1	3	5	7	8	14
35-49	1554	4.3	9	1	2	4	5	8	10	16
50-64	1297	5.3	23	1	2	4	6	10	13	23
65+	1818	6.0	25	2	2	5	7	11	15	26
GRAND TOTAL	**15182**	**4.1**	**12**	**1**	**1**	**3**	**5**	**7**	**9**	**17**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	7.4	35	2	2	5	11	18	20	20
20-34	35	9.7	63	1	2	8	14	20	26	37
35-49	25	10.6	135	1	2	7	13	21	34	57
50-64	15	9.2	44	1	1	9	13	16	23	26
65+	11	9.0	23	2	4	9	11	15	20	20
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	21	8.0	17	1	3	8	11	14	15	15
35-49	16	11.3	250	3	3	6	11	19	54	68
50-64	16	9.6	25	3	3	10	11	15	21	23
65+	9	10.4	32	4	4	9	13	20	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	7.8	24	2	2	9	11	15	16	16
20-34	55	11.9	134	1	2	9	15	29	37	57
35-49	75	13.5	97	3	4	11	17	25	32	57
50-64	72	12.5	152	2	4	10	15	21	32	99
65+	133	13.5	78	3	5	12	18	26	33	66
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	37	13.0	136	2	3	11	17	22	26	69
35-49	50	13.6	118	3	5	11	17	26	32	68
50-64	86	13.4	117	2	4	10	17	24	36	59
65+	140	19.0	178	6	7	16	22	32	39	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	106	9.3	67	1	2	7	12	19	22	46
B. *Operated*	63	9.6	78	3	3	8	11	15	21	62
2. MULTIPLE DX										
A. *Not Operated*	346	12.8	105	3	3	10	16	24	33	62
B. *Operated*	314	15.9	153	3	5	14	20	28	36	69
1. SINGLE DX	169	9.4	70	2	3	8	12	17	21	53
2. MULTIPLE DX	660	14.3	130	3	4	12	18	26	34	69
A. NOT OPERATED	452	12.0	98	2	3	10	15	23	30	59
B. OPERATED	377	14.8	145	3	4	12	18	27	35	69
TOTAL 0-19 YRS	33	7.6	29	2	2	7	10	16	19	20
20-34	148	11.1	102	2	3	9	14	22	29	58
35-49	166	12.9	122	3	4	10	16	25	32	67
50-64	189	12.4	117	2	4	10	15	23	33	83
65+	293	15.8	132	5	6	14	20	28	35	78
GRAND TOTAL	**829**	**13.3**	**121**	**3**	**4**	**11**	**17**	**25**	**33**	**68**

3: Nonrespiratory tuberculosis (013-018)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	7.0	7	4	4	8	9	9	9	9
20-34	2	7.0	2	6	6	7	8	8	8	8
35-49	2	20.5	481	5	5	20	36	36	36	36
50-64	4	8.8	32	5	5	7	12	17	17	17
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	7	8.9	80	2	2	5	12	24	27	27
35-49	6	9.0	72	1	1	6	18	21	21	21
50-64	1	18.0		18	18	18	18	18	18	18
65+	5	11.2	255	1	1	5	17	39	39	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	14.5	25	11	11	14	18	18	18	18
20-34	8	8.6	138	2	2	4	8	29	37	37
35-49	10	7.6	43	2	2	5	11	18	22	22
50-64	12	11.5	78	2	3	9	13	27	31	32
65+	19	10.5	122	1	2	6	14	27	38	43
B. *Operated*										
0-19 YRS	6	23.5	912	2	2	11	29	77	82	82
20-34	16	20.6	239	4	5	14	28	45	54	58
35-49	12	13.6	56	6	6	14	19	42	89	99+
50-64	26	17.7	234	3	4	15	22	39	48	72
65+	33	24.5	504	4	7	17	30	59	79	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	9.5	83	3	4	7	9	23	34	36
B. *Operated*	22	9.0	100	1	1	4	13	23	32	39
2. MULTIPLE DX										
A. *Not Operated*	51	10.0	92	2	2	7	13	23	33	43
B. *Operated*	93	20.5	349	3	5	15	28	46	73	98
1. SINGLE DX	34	9.1	91	1	1	5	10	22	34	39
2. MULTIPLE DX	144	16.8	282	2	3	12	22	34	56	95
A. NOT OPERATED	63	9.9	89	2	2	7	12	23	34	42
B. OPERATED	115	18.3	321	2	3	13	25	40	68	97
TOTAL 0-19 YRS	14	14.1	438	1	2	8	14	34	71	82
20-34	33	14.4	195	2	2	9	25	33	45	58
35-49	30	11.1	77	2	2	8	16	27	36	99+
50-64	43	15.2	174	3	4	12	18	32	41	72
65+	58	18.4	391	1	3	12	26	42	66	94
GRAND TOTAL	**178**	**15.3**	**254**	**2**	**3**	**10**	**19**	**33**	**47**	**91**

4: Streptococcal sore throat and scarlet fever (034)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	271	2.6	2	1	1	2	3	5	5	8
20-34	92	2.9	2	1	2	3	4	4	5	8
35-49	25	3.0	1	1	2	3	4	4	5	5
50-64	6	4.5	6	2	2	4	5	9	9	9
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	33	1.6	1	1	1	1	2	3	4	5
20-34	8	2.5	3	1	1	2	3	5	6	6
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	780	3.1	5	1	1	3	4	5	6	9
20-34	245	3.4	3	1	2	3	4	6	7	8
35-49	80	4.1	3	2	2	4	5	6	7	9
50-64	46	3.8	2	2	2	4	5	6	6	7
65+	31	6.3	16	3	3	5	7	10	19	20
B. *Operated*										
0-19 YRS	39	2.4	3	1	1	2	3	5	6	8
20-34	3	5.0	3	4	4	4	6	7	7	7
35-49	4	8.3	48	1	1	8	14	16	16	16
50-64	4	7.3	16	4	4	6	10	13	13	13
65+	3	20.3	320	10	10	10	33	41	41	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	395	2.7	2	1	1	2	3	5	5	9
B. *Operated*	42	1.8	1	1	1	1	2	3	5	6
2. MULTIPLE DX										
A. *Not Operated*	1182	3.3	5	1	2	3	4	6	7	9
B. *Operated*	53	4.4	38	1	1	2	5	10	13	40
1. SINGLE DX	437	2.6	2	1	1	2	3	5	5	8
2. MULTIPLE DX	1235	3.4	7	1	1	3	4	6	7	10
A. NOT OPERATED	1577	3.2	4	1	1	3	4	5	6	9
B. OPERATED	95	3.2	23	1	1	2	4	6	10	30
TOTAL 0-19 YRS	1123	2.9	5	1	1	3	4	5	6	9
20-34	348	3.3	2	1	2	3	4	5	7	8
35-49	110	3.9	5	2	2	4	5	6	7	14
50-64	56	4.1	4	2	2	4	5	6	7	13
65+	35	7.4	50	3	4	5	8	10	20	41
GRAND TOTAL	**1672**	**3.2**	**6**	**1**	**1**	**3**	**4**	**5**	**7**	**10**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	369	4.9	9	2	2	4	6	10	11	14
20-34	35	5.4	12	2	2	5	7	10	14	15
35-49	21	8.0	25	2	2	7	11	16	17	18
50-64	32	7.1	17	3	3	7	10	11	12	23
65+	73	8.1	25	2	4	7	11	14	18	28
B. *Operated*										
0-19 YRS	15	10.5	61	3	3	10	11	21	30	33
20-34	5	10.2	15	6	6	12	13	14	14	14
35-49	5	17.6	288	3	3	12	22	47	47	47
50-64	3	11.7	82	2	2	13	18	20	20	20
65+	8	19.3	112	8	9	16	27	35	37	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	998	6.1	22	2	2	5	8	11	13	23
20-34	378	9.2	54	2	3	7	12	18	24	43
35-49	437	9.7	42	3	4	8	12	17	22	30
50-64	1103	10.3	39	3	4	9	13	18	23	35
65+	4962	11.0	43	4	5	9	13	18	23	36
B. *Operated*										
0-19 YRS	88	14.4	193	4	4	10	17	32	49	99
20-34	155	17.3	151	3	4	15	22	32	46	57
35-49	213	18.1	213	4	6	14	24	36	52	99+
50-64	447	19.4	221	5	6	15	24	39	53	80
65+	1410	19.5	176	6	8	16	23	36	46	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	530	5.6	14	2	2	4	7	11	12	18
B. *Operated*	36	13.5	102	3	3	11	14	29	36	47
2. MULTIPLE DX										
A. *Not Operated*	7878	10.1	43	3	4	9	13	18	22	35
B. *Operated*	2313	19.0	188	5	7	15	23	36	47	79
1. SINGLE DX	566	6.1	23	2	2	5	8	11	14	25
2. MULTIPLE DX	10191	12.1	90	3	4	10	15	22	30	50
A. NOT OPERATED	8408	9.8	42	3	4	8	12	17	22	34
B. OPERATED	2349	18.9	187	5	7	15	23	36	47	79
TOTAL 0-19 YRS	1470	6.3	34	2	2	5	8	11	14	32
20-34	573	11.2	92	2	3	8	15	23	30	50
35-49	676	12.3	113	3	4	9	15	25	32	69
50-64	1585	12.8	107	4	5	10	15	24	31	62
65+	6453	12.8	85	4	5	10	15	23	30	49
GRAND TOTAL	**10757**	**11.8**	**88**	**3**	**4**	**9**	**14**	**22**	**29**	**50**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	239	6.2	16	2	2	5	9	12	14	18
20-34	51	4.9	10	1	2	4	7	10	12	14
35-49	29	5.6	18	2	2	4	6	14	15	15
50-64	23	7.7	48	2	2	5	10	19	25	25
65+	13	8.2	51	3	3	5	11	17	26	28
B. *Operated*										
0-19 YRS	9	6.4	17	1	2	5	10	12	12	12
20-34	13	6.2	12	2	2	5	9	11	12	12
35-49	4	8.5	54	2	2	6	13	19	19	19
50-64	4	14.5	118	3	3	13	22	29	29	29
65+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	304	7.2	40	2	2	5	10	13	16	40
20-34	95	6.4	25	2	2	5	8	11	16	28
35-49	76	7.0	28	3	3	5	8	14	17	32
50-64	120	7.3	44	2	2	6	9	13	17	43
65+	270	8.5	28	3	4	7	10	15	18	29
B. *Operated*										
0-19 YRS	26	15.2	146	3	4	15	22	52	99+	99+
20-34	24	16.4	241	2	3	9	28	39	47	55
35-49	39	18.4	337	3	4	10	26	50	65	70
50-64	63	17.2	176	4	6	16	22	31	68	99+
65+	105	18.2	202	5	6	15	23	36	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	355	6.2	19	2	2	5	8	12	14	19
B. *Operated*	31	7.8	35	2	2	7	11	13	19	29
2. MULTIPLE DX										
A. *Not Operated*	865	7.5	35	2	3	6	10	13	17	33
B. *Operated*	257	17.5	212	3	5	15	23	36	63	99+
1. SINGLE DX	386	6.3	20	2	2	5	9	12	14	23
2. MULTIPLE DX	1122	9.8	93	2	3	7	12	20	27	65
A. NOT OPERATED	1220	7.1	30	2	2	6	9	13	16	28
B. OPERATED	288	16.5	202	3	4	13	22	33	63	99+
TOTAL 0-19 YRS	578	7.1	37	2	2	5	10	13	16	42
20-34	183	7.3	60	2	2	5	8	13	24	42
35-49	148	9.8	133	2	3	6	10	21	30	66
50-64	210	10.5	105	2	3	7	14	22	29	89
65+	389	11.1	94	3	4	8	13	21	28	72
GRAND TOTAL	**1508**	**8.9**	**77**	**2**	**3**	**6**	**11**	**17**	**24**	**62**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	816	3.4	4	1	1	3	4	5	7	11
20-34	431	3.7	5	1	1	3	5	7	7	10
35-49	100	4.5	6	1	2	4	6	8	9	13
50-64	19	4.6	7	1	2	4	5	8	11	13
65+	5	6.0	5	3	3	6	7	9	9	9
B. *Operated*										
0-19 YRS	10	4.6	15	1	1	4	4	10	15	15
20-34	8	7.3	28	3	3	5	10	16	17	17
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+	2	4.0	8	2	2	4	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	502	4.2	9	1	2	3	5	7	10	15
20-34	258	5.0	12	1	2	4	7	9	11	19
35-49	108	6.0	16	2	3	5	7	12	15	21
50-64	25	8.0	26	2	3	7	10	15	17	21
65+	19	12.2	41	3	4	10	17	22	23	24
B. *Operated*										
0-19 YRS	13	9.8	139	1	2	5	12	20	41	46
20-34	15	10.9	56	2	4	11	12	14	30	35
35-49	4	15.3	86	9	9	11	20	29	29	29
50-64	2	14.5	25	11	11	14	18	18	18	18
65+	5	17.2	77	10	10	14	21	32	32	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1371	3.6	4	1	2	3	4	6	8	11
B. *Operated*	21	5.6	19	1	2	4	6	14	16	17
2. MULTIPLE DX										
A. *Not Operated*	912	4.9	13	2	2	4	6	9	12	20
B. *Operated*	39	11.9	87	1	3	11	13	25	34	46
1. SINGLE DX	1392	3.6	5	1	2	3	4	6	8	12
2. MULTIPLE DX	951	5.2	18	2	2	4	6	10	13	22
A. NOT OPERATED	2283	4.1	8	1	2	3	5	7	9	16
B. OPERATED	60	9.7	72	1	2	8	12	17	30	45
TOTAL 0-19 YRS	1341	3.8	7	1	2	3	4	6	9	13
20-34	712	4.4	10	1	2	4	6	8	10	15
35-49	213	5.5	15	2	2	4	7	10	13	21
50-64	46	6.9	23	2	2	5	9	15	16	21
65+	31	11.5	50	3	3	10	17	21	24	32
GRAND TOTAL	**2343**	**4.3**	**11**	**1**	**2**	**3**	**5**	**8**	**10**	**16**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	361	3.2	5	1	1	3	4	5	7	11
20-34	98	4.3	7	1	2	4	5	7	9	14
35-49	38	5.2	9	1	2	5	7	10	11	12
50-64	60	5.7	21	1	2	5	7	10	13	29
65+	112	6.4	15	2	2	6	8	11	13	20
B. *Operated*										
0-19 YRS	4	3.8	10	1	1	3	6	8	8	8
20-34	8	2.8	2	1	1	3	4	5	5	5
35-49	4	5.5	6	3	3	5	7	8	8	8
50-64	8	3.3	2	1	1	3	4	5	6	6
65+	3	4.3	12	1	1	4	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	884	3.9	10	1	2	3	5	7	8	14
20-34	197	6.4	58	2	2	5	7	11	13	25
35-49	142	7.2	26	2	3	6	8	13	17	30
50-64	339	6.9	13	2	3	6	8	12	14	21
65+	1013	7.6	25	2	3	7	9	14	17	26
B. *Operated*										
0-19 YRS	25	8.8	113	1	1	5	10	25	32	46
20-34	18	7.5	22	2	2	7	10	15	18	19
35-49	19	14.6	302	2	3	8	17	32	59	77
50-64	63	13.1	224	2	3	9	15	27	66	97
65+	118	12.3	93	2	3	10	16	28	36	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	669	4.2	10	1	1	3	5	8	10	16
B. *Operated*	27	3.6	5	1	1	3	4	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	2575	6.1	24	2	2	5	8	11	14	23
B. *Operated*	243	12.0	141	2	3	9	15	27	36	83
1. SINGLE DX	696	4.2	10	1	1	3	5	8	10	16
2. MULTIPLE DX	2818	6.6	36	2	2	5	8	12	16	29
A. NOT OPERATED	3244	5.7	21	1	2	5	7	11	14	22
B. OPERATED	270	11.1	134	1	2	8	14	25	36	81
TOTAL 0-19 YRS	1274	3.8	11	1	1	3	5	6	8	15
20-34	321	5.7	40	1	2	5	7	10	12	23
35-49	203	7.5	53	2	3	6	8	13	19	36
50-64	470	7.5	47	2	3	6	9	13	15	34
65+	1246	7.9	32	2	3	7	10	14	18	30
GRAND TOTAL	**3514**	**6.1**	**32**	**1**	**2**	**5**	**8**	**12**	**15**	**27**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	129	5.4	13	2	2	5	6	9	12	21
20-34	357	6.4	16	2	2	6	8	11	13	20
35-49	114	6.6	19	2	2	6	8	11	14	26
50-64	43	6.9	25	3	3	5	7	13	17	29
65+	13	6.9	23	2	3	6	7	16	18	19
B. *Operated*										
0-19 YRS										
20-34	27	6.5	46	1	1	4	9	16	22	28
35-49	8	6.4	46	1	1	4	8	18	21	21
50-64	8	8.3	89	1	1	6	9	24	30	30
65+	4	6.8	16	1	1	8	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	83	5.3	13	2	2	4	6	10	13	19
20-34	346	6.0	15	2	2	5	7	10	13	21
35-49	139	7.4	22	2	3	6	9	14	18	25
50-64	98	7.3	19	3	3	6	9	15	17	19
65+	106	9.3	41	3	3	7	11	18	25	30
B. *Operated*										
0-19 YRS	3	6.0	21	1	1	7	9	10	10	10
20-34	29	9.3	42	2	3	8	12	16	18	34
35-49	19	12.7	222	2	2	8	14	25	50	67
50-64	28	14.6	118	2	3	13	18	34	40	40
65+	29	12.8	55	3	6	12	15	24	28	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	656	6.3	16	2	2	6	8	11	14	22
B. *Operated*	47	6.8	48	1	1	4	9	16	22	30
2. MULTIPLE DX										
A. *Not Operated*	772	6.8	22	2	3	6	8	12	17	25
B. *Operated*	108	12.1	98	2	3	10	15	25	34	51
1. SINGLE DX	703	6.3	19	2	2	5	8	11	14	24
2. MULTIPLE DX	880	7.5	34	2	3	6	9	14	18	29
A. NOT OPERATED	1428	6.6	19	2	3	6	8	12	15	24
B. OPERATED	155	10.5	88	1	2	8	14	21	29	40
TOTAL 0-19 YRS	215	5.3	13	2	2	5	6	9	12	19
20-34	759	6.4	18	2	2	6	8	11	14	22
35-49	280	7.4	36	2	3	6	9	13	18	28
50-64	177	8.4	45	2	3	6	10	16	20	39
65+	152	9.7	44	3	3	8	12	19	25	32
GRAND TOTAL	**1583**	**7.0**	**27**	**2**	**2**	**6**	**8**	**13**	**17**	**28**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	518	3.8	5	1	2	3	5	7	8	12
20-34	138	4.2	5	1	2	4	6	8	9	21
35-49	42	4.9	11	1	2	4	7	10	12	14
50-64	5	4.2	1	3	3	4	5	5	5	5
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	7	6.7	26	2	2	4	11	14	15	15
20-34	4	6.8	5	5	5	6	8	10	10	10
35-49	3	11.3	12	8	8	11	14	15	15	15
50-64	1	16.0		16	16	16	16	16	16	16
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1143	4.1	5	2	2	4	5	7	8	11
20-34	321	4.6	7	2	2	4	6	8	10	15
35-49	49	5.5	8	2	3	5	7	9	10	16
50-64	24	6.3	8	2	3	6	8	10	12	14
65+	19	8.8	26	3	3	7	11	18	19	19
B. *Operated*										
0-19 YRS	27	9.0	29	2	3	7	13	18	19	21
20-34	22	7.5	24	3	4	6	7	16	20	22
35-49	3	9.0	12	5	5	11	11	11	11	11
50-64	1	8.0		8	8	8	8	8	8	8
65+	4	8.5	9	7	7	7	10	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	704	4.0	6	1	2	3	5	7	8	12
B. *Operated*	16	8.1	21	2	3	7	11	15	16	16
2. MULTIPLE DX										
A. *Not Operated*	1556	4.3	6	2	2	4	5	7	9	14
B. *Operated*	57	8.3	24	3	4	7	11	16	19	22
1. SINGLE DX	720	4.1	6	1	2	3	5	7	9	14
2. MULTIPLE DX	1613	4.5	8	2	2	4	5	8	9	15
A. NOT OPERATED	2260	4.2	6	1	2	4	5	7	9	13
B. OPERATED	73	8.3	23	2	4	7	11	15	19	22
TOTAL 0-19 YRS	1695	4.1	6	1	2	4	5	7	8	13
20-34	485	4.6	8	2	2	4	6	8	10	16
35-49	97	5.6	11	2	2	5	8	10	11	16
50-64	31	6.3	10	3	3	5	8	10	14	16
65+	25	8.6	21	3	3	7	10	17	18	19
GRAND TOTAL	**2333**	**4.3**	**7**	**1**	**2**	**4**	**5**	**7**	**9**	**15**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	92	1.7	1	<1	<1	1	2	3	4	6
20-34	263	1.7	1	<1	<1	1	2	3	3	6
35-49	62	3.0	16	<1	<1	2	3	6	10	22
50-64	24	1.8	2	<1	<1	1	2	4	5	5
65+	3	2.0	3	<1	<1	1	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3	5	3	3	3	6	7	7	7
20-34	4	3.3	20	<1	<1	1	5	10	10	10
35-49										
50-64	1	6.0		6	6	6	6	6	6	6
65+										
B. *Operated*										
0-19 YRS	28	2.5	7	<1	1	2	3	5	8	13
20-34	134	3.2	18	<1	1	2	3	6	11	25
35-49	53	3.0	4	<1	1	3	4	5	7	9
50-64	29	2.7	2	1	1	3	3	4	5	6
65+	11	4.9	7	2	2	5	7	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.0		1	1	1	1	1	1	1
B. *Operated*	444	1.9	3	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	8	4.0	11	<1	<1	3	6	9	10	10
B. *Operated*	255	3.1	12	<1	1	2	3	6	8	20
1. SINGLE DX	448	1.9	3	<1	<1	1	2	3	4	8
2. MULTIPLE DX	263	3.1	12	<1	1	2	4	6	8	19
A. NOT OPERATED	12	3.0	9	<1	<1	1	5	8	10	10
B. OPERATED	699	2.3	7	<1	<1	2	3	4	6	14
TOTAL 0-19 YRS	123	2.0	3	<1	<1	1	2	4	5	9
20-34	405	2.2	7	<1	<1	1	2	3	5	14
35-49	115	3.0	10	<1	1	2	3	5	8	22
50-64	54	2.3	2	<1	<1	2	3	4	5	6
65+	14	4.3	7	<1	1	4	7	8	8	8
GRAND TOTAL	**711**	**2.3**	**7**	**<1**	**<1**	**2**	**3**	**4**	**6**	**14**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1783	2.7	2	1	1	2	3	4	5	8
20-34	339	3.4	10	1	1	3	4	6	8	13
35-49	127	4.0	7	1	1	3	5	8	9	13
50-64	64	3.9	6	1	1	3	5	7	10	12
65+	21	4.4	18	1	1	3	5	7	14	21
B. *Operated*										
0-19 YRS	39	3.3	4	<1	1	3	4	7	7	8
20-34	15	6.2	54	<1	1	5	8	10	25	30
35-49	7	2.3	1	1	1	2	3	3	3	3
50-64	4	7.5	43	1	1	6	12	16	16	16
65+	4	11.8	141	2	2	8	19	29	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2675	3.1	5	1	1	3	4	5	7	11
20-34	786	3.7	6	1	1	3	5	6	8	13
35-49	519	4.4	9	1	2	4	6	8	9	14
50-64	454	4.7	14	1	2	4	6	8	11	22
65+	632	5.6	18	2	2	5	7	10	14	22
B. *Operated*										
0-19 YRS	84	6.0	71	1	1	4	6	9	16	57
20-34	70	7.9	75	2	2	5	9	16	20	93
35-49	52	10.1	110	2	3	8	11	22	28	99
50-64	55	11.6	179	3	3	8	14	21	32	90
65+	67	12.6	135	3	4	10	15	24	32	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2334	2.9	4	1	1	3	4	5	6	11
B. *Operated*	69	4.5	27	<1	1	3	6	9	10	30
2. MULTIPLE DX										
A. *Not Operated*	5066	3.8	9	1	1	3	5	7	9	15
B. *Operated*	328	9.3	114	2	2	6	11	19	27	82
1. SINGLE DX	2403	3.0	5	1	1	3	4	5	6	11
2. MULTIPLE DX	5394	4.1	17	1	1	3	5	7	10	19
A. NOT OPERATED	7400	3.5	7	1	1	3	4	6	8	14
B. OPERATED	397	8.5	103	1	2	5	10	18	26	74
TOTAL 0-19 YRS	4581	3.0	5	1	1	3	4	5	6	11
20-34	1210	3.9	13	1	1	3	5	7	9	17
35-49	705	4.7	18	1	2	4	6	9	11	22
50-64	577	5.3	33	1	2	4	6	10	14	26
65+	724	6.3	33	2	2	5	7	12	16	29
GRAND TOTAL	**7797**	**3.8**	**13**	**1**	**1**	**3**	**4**	**7**	**9**	**17**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	4.2	6	1	1	4	6	8	8	9
20-34	29	3.6	4	1	1	3	5	6	7	10
35-49	13	3.9	8	1	1	2	6	8	10	10
50-64	4	4.0	3	2	2	4	5	6	6	6
65+	5	5.8	4	3	3	6	7	8	8	8
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	5.5	13	3	3	5	8	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	5.0	8	2	2	5	6	10	11	11
20-34	17	3.9	6	1	1	3	5	8	9	10
35-49	16	4.5	9	1	1	4	7	9	10	10
50-64	8	5.0	14	3	3	4	5	12	14	14
65+	8	9.5	64	1	2	8	13	22	25	25
B. *Operated*										
0-19 YRS										
20-34	2	5.0	8	3	3	5	7	7	7	7
35-49	1	16.0		16	16	16	16	16	16	16
50-64	3	9.7	30	4	4	10	14	15	15	15
65+	2	9.5	5	8	8	9	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	4.0	6	1	1	3	6	7	8	10
B. *Operated*	2	5.5	13	3	3	5	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	76	5.1	16	1	2	4	6	10	11	23
B. *Operated*	8	9.3	22	3	3	9	13	16	16	16
1. SINGLE DX	82	4.1	6	1	1	3	6	7	8	10
2. MULTIPLE DX	84	5.5	17	1	2	4	7	11	14	22
A. NOT OPERATED	156	4.6	11	1	1	4	6	9	10	16
B. OPERATED	10	8.5	21	3	3	8	11	15	16	16
TOTAL 0-19 YRS	56	4.6	7	1	1	5	6	9	10	11
20-34	48	3.8	5	1	1	3	5	7	8	10
35-49	32	4.7	12	1	1	4	7	9	10	16
50-64	15	5.7	17	2	3	4	6	14	15	15
65+	15	8.3	37	1	3	7	11	16	23	25
GRAND TOTAL	**166**	**4.8**	**12**	**1**	**1**	**4**	**6**	**9**	**11**	**16**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	115	4.8	6	2	2	4	6	8	10	12
20-34	139	4.3	4	2	2	4	5	7	8	11
35-49	27	5.2	9	1	2	5	7	9	11	14
50-64	7	5.7	9	3	3	5	7	10	11	11
65+	4	4.8	30	2	2	2	8	13	13	13
B. *Operated*										
0-19 YRS	16	3.7	12	1	1	2	5	6	12	14
20-34	36	2.4	5	<1	<1	2	3	5	9	9
35-49	7	2.1	4	<1	<1	1	4	5	5	5
50-64	9	7.4	83	1	1	4	9	22	30	30
65+	6	5.7	22	2	2	4	8	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	113	4.7	6	2	2	4	6	7	10	13
20-34	188	4.9	8	2	2	4	6	9	10	13
35-49	29	5.4	11	1	2	5	7	11	11	14
50-64	27	7.9	28	2	3	7	10	17	20	23
65+	45	10.2	74	1	2	9	12	19	33	41
B. *Operated*										
0-19 YRS	21	6.4	31	1	1	5	8	13	19	25
20-34	57	4.9	25	1	1	3	7	11	13	30
35-49	23	8.1	48	1	1	5	13	19	23	25
50-64	17	12.0	226	<1	1	4	17	29	49	59
65+	14	14.1	131	3	4	13	17	31	42	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	292	4.6	6	2	2	4	6	8	10	12
B. *Operated*	74	3.6	19	<1	1	2	5	8	11	26
2. MULTIPLE DX										
A. *Not Operated*	402	5.7	19	2	2	5	7	10	12	23
B. *Operated*	132	7.6	75	1	1	5	10	17	25	48
1. SINGLE DX	366	4.4	8	1	2	4	5	8	10	14
2. MULTIPLE DX	534	6.2	34	1	2	5	7	11	16	31
A. NOT OPERATED	694	5.2	14	2	2	4	6	10	11	19
B. OPERATED	206	6.2	58	1	1	3	8	14	20	37
TOTAL 0-19 YRS	265	4.8	8	2	2	4	6	8	10	14
20-34	420	4.5	9	1	2	4	6	8	10	14
35-49	86	5.8	22	1	1	5	7	12	14	24
50-64	60	8.7	90	1	2	6	10	19	27	56
65+	69	10.2	83	2	2	9	14	19	33	44
GRAND TOTAL	**900**	**5.4**	**24**	**1**	**2**	**4**	**6**	**10**	**13**	**27**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	4.9	11	1	2	4	6	9	13	15
20-34	14	4.4	9	1	1	4	7	9	10	10
35-49	13	5.9	7	2	2	6	8	9	10	10
50-64	7	3.9	2	2	2	4	5	6	6	6
65+	4	6.3	3	4	4	6	7	8	8	8
B. *Operated*										
0-19 YRS	5	8.0	38	2	2	6	11	18	18	18
20-34	8	13.6	518	2	2	5	11	52	69	69
35-49	29	7.3	53	1	1	6	8	10	24	38
50-64	18	9.1	175	1	2	6	8	10	41	61
65+	5	4.6	9	1	1	5	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	97	4.3	8	1	2	4	5	8	10	15
20-34	54	7.1	36	1	2	5	8	13	20	33
35-49	48	9.5	48	2	3	8	12	20	24	32
50-64	88	8.2	52	2	3	7	10	15	18	46
65+	154	9.2	41	2	3	8	11	18	22	33
B. *Operated*										
0-19 YRS	19	16.1	185	2	2	13	25	44	73	99+
20-34	35	16.6	147	3	6	13	21	34	39	60
35-49	56	12.4	157	1	2	9	16	33	49	97
50-64	80	18.5	432	2	3	10	21	43	73	94
65+	101	16.4	194	4	4	12	22	32	44	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	4.9	9	1	2	4	7	9	10	15
B. *Operated*	65	8.4	134	1	2	6	8	10	27	68
2. MULTIPLE DX										
A. *Not Operated*	441	7.7	40	2	2	6	10	15	20	32
B. *Operated*	291	16.2	247	2	3	11	20	37	55	94
1. SINGLE DX	136	6.6	71	1	2	5	8	10	14	62
2. MULTIPLE DX	732	11.1	139	2	2	8	13	24	34	71
A. NOT OPERATED	512	7.3	36	2	2	6	9	14	19	31
B. OPERATED	356	14.8	235	2	2	9	18	35	49	90
TOTAL 0-19 YRS	154	6.0	45	1	2	4	6	12	18	47
20-34	111	10.2	120	1	2	7	12	22	33	64
35-49	146	9.9	91	1	2	8	11	23	32	57
50-64	193	12.4	244	2	3	8	13	24	43	86
65+	264	11.8	111	2	4	9	14	24	31	57
GRAND TOTAL	**868**	**10.4**	**131**	**2**	**2**	**7**	**12**	**22**	**33**	**69**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.1	2	1	1	3	4	5	6	6
20-34	5	3.4	5	1	1	3	5	7	7	7
35-49	3	6.7	5	4	4	8	8	8	8	8
50-64	2	4.0	2	3	3	4	5	5	5	5
65+	1	16.0		16	16	16	16	16	16	16
B. *Operated*										
0-19 YRS	10	3.7	1	2	2	4	4	5	5	5
20-34	2	16.0	242	5	5	16	27	27	27	27
35-49	2	6.0	32	2	2	6	10	10	10	10
50-64	1	8.0		8	8	8	8	8	8	8
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	4.4	9	<1	1	4	6	9	10	10
20-34	15	6.1	22	2	2	5	7	12	18	20
35-49	12	6.2	8	2	3	6	8	10	12	12
50-64	6	8.3	31	3	3	7	14	16	16	16
65+	5	5.6	23	2	2	4	7	14	14	14
B. *Operated*										
0-19 YRS	14	7.5	57	2	2	4	12	16	27	30
20-34	4	8.0	39	1	1	8	13	15	15	15
35-49	9	10.0	65	1	1	7	16	22	24	24
50-64	9	13.3	105	4	5	10	18	30	36	36
65+	6	22.2	241	11	11	17	24	49	52	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	4.5	12	1	1	4	5	8	12	16
B. *Operated*	16	5.8	36	2	2	4	5	10	22	27
2. MULTIPLE DX										
A. *Not Operated*	50	5.9	17	2	2	5	7	12	14	20
B. *Operated*	42	11.4	108	1	2	9	15	24	32	52
1. SINGLE DX	36	5.0	22	1	2	4	5	8	14	27
2. MULTIPLE DX	92	8.4	65	2	2	6	11	17	24	45
A. NOT OPERATED	70	5.5	15	1	2	4	7	11	14	19
B. OPERATED	58	9.9	94	2	2	5	13	23	29	51
TOTAL 0-19 YRS	45	5.0	23	1	2	4	5	10	13	30
20-34	26	6.7	37	1	2	5	7	15	21	27
35-49	26	7.5	29	2	2	6	9	16	19	24
50-64	18	10.3	70	3	3	8	14	20	30	36
65+	13	13.8	181	2	3	12	17	30	48	52
GRAND TOTAL	**128**	**7.5**	**55**	**2**	**2**	**5**	**9**	**16**	**22**	**40**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	4.2	15	1	1	4	4	9	15	16
20-34	29	4.0	6	<1	1	4	5	7	11	11
35-49	28	4.7	6	2	2	4	7	8	8	9
50-64	8	5.9	26	2	2	4	6	15	18	18
65+	4	6.0	1	5	5	6	7	7	7	7
B. *Operated*										
0-19 YRS	3	12.0	28	6	6	14	15	16	16	16
20-34	113	5.7	29	1	1	4	8	12	16	26
35-49	77	4.0	14	1	1	3	5	9	12	17
50-64	29	3.4	6	1	1	3	4	7	8	11
65+	7	4.4	16	1	1	3	5	11	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	5.1	12	1	2	4	6	9	12	20
20-34	111	6.6	26	2	2	5	8	11	15	31
35-49	118	6.8	24	2	2	6	8	14	18	99+
50-64	72	8.4	46	2	2	6	11	17	24	35
65+	79	9.3	40	3	3	7	12	17	23	31
B. *Operated*										
0-19 YRS	3	6.7	17	2	2	8	9	10	10	10
20-34	184	10.6	84	2	3	8	15	22	28	57
35-49	157	10.5	102	1	1	8	15	24	34	60
50-64	101	11.3	100	2	2	8	16	22	34	77
65+	26	9.2	53	2	2	7	12	20	25	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	4.5	9	1	2	4	6	8	10	17
B. *Operated*	229	4.9	22	1	1	3	7	11	14	23
2. MULTIPLE DX										
A. *Not Operated*	447	7.2	31	2	2	6	9	14	18	33
B. *Operated*	471	10.6	91	1	2	8	15	22	30	60
1. SINGLE DX	311	4.8	18	1	1	4	6	10	14	21
2. MULTIPLE DX	918	9.0	65	2	2	7	11	19	26	48
A. NOT OPERATED	529	6.8	28	2	2	5	8	13	17	32
B. OPERATED	700	8.7	76	1	1	6	12	20	27	49
TOTAL 0-19 YRS	86	5.3	15	1	2	4	7	10	14	19
20-34	437	7.9	55	1	2	6	10	17	23	41
35-49	380	7.6	60	1	1	6	10	16	24	58
50-64	210	9.0	73	1	2	6	12	20	27	50
65+	116	8.9	41	2	3	7	11	17	23	31
GRAND TOTAL	**1229**	**7.9**	**56**	**1**	**2**	**6**	**10**	**17**	**23**	**44**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	2	1.5	1	1	1	1	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	4	11.8	97	3	3	10	20	23	23	23
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	2	7.5	61	2	2	7	13	13	13	13
20-34										
35-49	3	9.0	127	2	2	3	17	22	22	22
50-64	5	12.4	52	3	3	13	16	23	23	23
65+	3	4.7	4	3	3	4	6	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	5	2.0	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	7	8.1	72	1	1	4	14	22	23	23
B. *Operated*	13	9.1	54	2	2	7	13	22	23	23
1. SINGLE DX	6	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX	20	8.8	57	1	2	5	13	22	23	23
A. NOT OPERATED	8	7.3	68	1	1	3	12	21	23	23
B. OPERATED	18	7.1	49	1	2	3	13	19	23	23
TOTAL 0-19 YRS	3	7.3	30	2	2	7	11	13	13	13
20-34	1	2.0		2	2	2	2	2	2	2
35-49	6	5.7	64	2	2	3	3	20	22	22
50-64	11	10.2	68	1	2	10	16	23	23	23
65+	5	3.2	6	1	1	3	5	7	7	7
GRAND TOTAL	**26**	**7.2**	**52**	**1**	**1**	**3**	**13**	**21**	**23**	**23**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	3	5.7	4	4	4	5	7	8	8	8
35-49	11	5.5	15	1	2	5	6	11	16	16
50-64	29	5.7	59	1	2	4	6	9	14	43
65+	23	5.0	8	1	1	5	7	9	10	11
B. *Operated*										
0-19 YRS	4	5.0	10	1	1	5	7	8	8	8
20-34	33	4.0	16	1	1	3	4	14	16	99+
35-49	92	5.0	32	1	1	4	6	9	15	34
50-64	257	5.9	40	1	1	3	8	14	18	29
65+	226	6.1	46	1	1	3	8	14	21	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	6.5	4	5	5	6	8	9	9	9
20-34	3	2.0	3	1	1	1	3	4	4	4
35-49	55	9.2	173	1	1	6	11	18	26	85
50-64	170	8.0	58	1	2	6	9	16	21	51
65+	171	8.0	50	2	2	6	9	16	20	38
B. *Operated*										
0-19 YRS	7	6.9	22	1	1	5	11	13	13	13
20-34	19	9.4	84	1	1	7	10	27	30	32
35-49	219	12.5	173	1	2	8	17	28	38	68
50-64	679	13.2	173	1	2	10	17	30	40	68
65+	683	10.8	135	1	2	7	13	25	36	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	5.3	30	1	1	4	6	9	11	38
B. *Operated*	612	5.7	40	1	1	3	7	13	20	32
2. MULTIPLE DX										
A. *Not Operated*	403	8.1	69	1	2	6	9	17	21	49
B. *Operated*	1607	12.0	156	1	2	8	15	28	37	67
1. SINGLE DX	681	5.7	39	1	1	3	7	13	17	32
2. MULTIPLE DX	2010	11.3	141	1	2	7	14	25	36	65
A. NOT OPERATED	472	7.7	64	1	2	6	9	16	20	48
B. OPERATED	2219	10.3	132	1	1	6	13	24	34	62
TOTAL 0-19 YRS	18	5.7	13	1	1	5	8	11	13	13
20-34	58	5.8	43	1	1	4	7	15	27	94
35-49	377	10.0	144	1	1	6	13	23	34	60
50-64	1135	10.6	133	1	2	7	13	25	34	64
65+	1103	9.3	105	1	2	6	11	21	29	54
GRAND TOTAL	**2691**	**9.8**	**121**	**1**	**2**	**6**	**13**	**22**	**32**	**60**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	6	6.3	8	2	2	6	9	10	10	10
50-64	9	7.2	6	3	4	8	9	10	10	10
65+	11	4.2	11	1	1	4	6	9	12	12
B. *Operated*										
0-19 YRS										
20-34	1	12.0		12	12	12	12	12	12	12
35-49	5	8.2	40	1	1	11	13	15	15	15
50-64	46	10.7	111	1	2	8	14	24	35	48
65+	31	10.4	108	1	1	8	14	24	39	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	14	6.3	8	2	3	6	8	9	11	12
50-64	112	7.9	71	1	2	6	9	15	21	54
65+	164	8.1	44	2	3	6	10	16	20	32
B. *Operated*										
0-19 YRS										
20-34	3	15.3	92	5	5	17	22	24	24	24
35-49	45	19.0	270	3	4	12	24	42	55	77
50-64	269	17.3	229	3	4	13	22	33	48	92
65+	375	15.5	191	3	4	12	20	32	44	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	5.7	10	1	1	6	8	10	11	12
B. *Operated*	83	10.5	103	1	1	8	14	23	35	47
2. MULTIPLE DX										
A. *Not Operated*	290	7.9	53	2	3	6	9	16	20	43
B. *Operated*	692	16.4	211	3	4	12	21	33	45	79
1. SINGLE DX	109	9.3	85	1	1	7	12	17	32	47
2. MULTIPLE DX	982	13.9	179	2	3	10	18	29	38	75
A. NOT OPERATED	316	7.7	49	2	2	6	9	15	20	39
B. OPERATED	775	15.8	203	2	3	12	20	32	44	78
TOTAL 0-19 YRS										
20-34	4	14.5	64	5	5	14	20	24	24	24
35-49	70	14.6	212	2	3	9	18	33	50	73
50-64	436	14.0	189	2	3	10	18	30	39	78
65+	581	12.9	154	2	3	9	16	27	36	67
GRAND TOTAL	**1091**	**13.5**	**171**	**2**	**3**	**10**	**17**	**28**	**37**	**74**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	2	4.5	25	1	1	4	8	8	8	8
50-64	12	5.1	19	<1	1	4	5	12	15	16
65+	10	8.0	95	2	2	4	9	23	34	34
B. *Operated*										
0-19 YRS										
20-34	6	8.5	11	6	6	7	8	14	15	15
35-49	12	14.3	37	3	8	14	17	21	27	28
50-64	42	11.7	34	3	5	11	14	20	23	26
65+	49	12.3	54	1	3	10	17	24	26	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	7.5	61	2	2	7	13	13	13	13
20-34	5	9.2	42	3	3	8	12	20	20	20
35-49	14	11.1	38	3	4	11	15	18	25	27
50-64	76	7.9	67	1	2	5	9	15	24	44
65+	214	7.7	31	2	2	6	10	15	20	26
B. *Operated*										
0-19 YRS	3	8.7	25	4	4	8	12	14	14	14
20-34	23	13.3	79	2	3	10	18	27	31	36
35-49	91	17.6	137	4	7	16	22	33	42	87
50-64	376	17.0	132	4	7	15	21	30	41	66
65+	886	17.4	122	4	6	15	22	31	38	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	6.2	48	1	2	5	6	13	20	34
B. *Operated*	109	12.1	42	2	4	11	16	21	26	29
2. MULTIPLE DX										
A. *Not Operated*	311	7.9	40	1	2	6	10	15	21	31
B. *Operated*	1379	17.2	125	4	6	15	22	31	39	64
1. SINGLE DX	134	11.0	48	2	3	10	15	20	26	31
2. MULTIPLE DX	1690	15.5	122	3	4	13	20	29	37	62
A. NOT OPERATED	336	7.8	41	1	2	6	10	15	21	34
B. OPERATED	1488	16.8	120	4	6	15	21	30	38	63
TOTAL 0-19 YRS	5	8.2	28	2	2	8	13	14	14	14
20-34	35	11.7	63	3	3	9	16	22	28	36
35-49	119	16.3	120	3	6	14	21	29	39	78
50-64	506	14.9	125	3	4	12	19	28	37	62
65+	1159	15.3	117	3	4	13	20	29	36	59
GRAND TOTAL	**1824**	**15.2**	**118**	**3**	**4**	**13**	**20**	**29**	**36**	**60**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64	4	14.5	74	3	3	16	21	22	22	22
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	17.0		17	17	17	17	17	17	17
35-49	1	3.0		3	3	3	3	3	3	3
50-64	10	6.0	20	1	2	4	11	13	13	13
65+	16	7.1	37	2	2	4	12	15	19	21
B. *Operated*										
0-19 YRS										
20-34	8	10.4	58	2	2	8	17	21	21	21
35-49	20	16.2	140	5	6	13	19	26	43	59
50-64	65	17.7	171	5	7	14	23	39	55	99+
65+	120	20.1	209	7	8	16	25	36	51	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	5.0		5	5	5	5	5	5	5
B. *Operated*	7	9.6	77	1	1	6	18	22	22	22
2. MULTIPLE DX										
A. *Not Operated*	28	6.9	32	2	2	4	12	15	17	21
B. *Operated*	213	18.6	188	6	7	14	23	36	51	86
1. SINGLE DX	8	9.0	69	1	1	5	16	21	22	22
2. MULTIPLE DX	241	17.3	184	3	5	14	22	34	48	80
A. NOT OPERATED	29	6.9	31	2	2	4	11	15	17	21
B. OPERATED	220	18.3	186	5	7	14	23	35	50	85
TOTAL 0-19 YRS										
20-34	10	10.1	59	1	1	8	17	21	21	21
35-49	23	14.5	140	3	5	12	17	25	39	59
50-64	79	16.1	161	3	4	13	21	37	49	99+
65+	137	18.5	205	3	7	14	23	34	48	76
GRAND TOTAL	**249**	**17.0**	**182**	**3**	**5**	**13**	**21**	**33**	**47**	**79**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.3		1	1	1	2	2	2	2
35-49	9	4.7	13	2	2	3	7	11	12	12
50-64	14	5.1	10	<1	1	5	9	9	10	10
65+	26	5.1	17	1	2	4	5	12	15	16
B. *Operated*										
0-19 YRS	2	10.0	32	6	6	10	14	14	14	14
20-34	17	8.5	15	1	3	9	11	14	15	16
35-49	72	10.0	14	6	7	9	12	13	16	26
50-64	355	10.2	15	6	7	10	12	14	16	27
65+	504	10.7	16	5	7	10	13	15	17	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	6.3	34	2	2	4	11	13	13	13
20-34	15	7.5	26	2	3	5	12	17	17	17
35-49	51	5.6	19	1	1	4	9	12	15	18
50-64	202	7.7	50	1	2	5	10	17	23	33
65+	525	7.7	38	2	2	6	9	15	19	31
B. *Operated*										
0-19 YRS	4	11.3	55	3	3	10	16	21	21	21
20-34	47	14.2	57	4	5	12	20	23	28	37
35-49	333	13.1	70	6	7	11	15	20	25	54
50-64	1803	13.3	55	6	7	11	16	22	27	44
65+	5252	15.6	74	7	8	14	18	25	31	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	4.8	14	1	1	4	6	10	12	16
B. *Operated*	950	10.4	16	6	7	10	12	15	17	23
2. MULTIPLE DX										
A. *Not Operated*	796	7.6	40	2	2	6	10	15	20	32
B. *Operated*	7439	14.9	70	7	8	13	18	24	30	46
1. SINGLE DX	1002	10.1	17	3	6	10	12	15	16	23
2. MULTIPLE DX	8235	14.2	72	4	6	12	17	24	30	45
A. NOT OPERATED	848	7.4	39	1	2	6	9	15	19	32
B. OPERATED	8389	14.4	66	6	8	12	17	24	29	45
TOTAL 0-19 YRS	9	9.3	39	2	2	10	13	18	21	21
20-34	82	11.3	53	2	3	10	15	21	24	35
35-49	465	11.6	61	3	5	10	14	19	23	42
50-64	2374	12.3	52	3	6	11	15	21	25	42
65+	6307	14.5	73	5	7	13	17	24	30	46
GRAND TOTAL	**9237**	**13.8**	**68**	**4**	**6**	**12**	**17**	**23**	**29**	**44**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.0		2	2	2	2	2	2	2
35-49	2	10.5	41	6	6	10	15	15	15	15
50-64	18	3.1	7	<1	1	2	4	4	10	13
65+	24	4.3	14	<1	1	4	5	7	11	19
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	7	7.9	41	1	1	8	13	17	17	17
35-49	59	8.5	29	1	2	9	11	16	19	22
50-64	272	10.5	24	2	3	11	13	16	17	23
65+	332	10.0	40	2	2	10	13	17	20	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	6.1	49	<1	2	3	5	18	24	25
35-49	29	5.7	22	1	1	5	7	11	14	23
50-64	110	7.4	36	2	2	6	9	15	21	30
65+	336	8.1	55	2	2	6	9	17	22	39
B. *Operated*										
0-19 YRS	3	21.7	292	2	2	30	32	33	33	33
20-34	25	13.4	94	2	5	10	18	24	35	44
35-49	170	14.6	100	3	6	13	18	24	31	80
50-64	897	14.2	78	4	6	12	17	24	30	47
65+	2200	15.9	103	3	5	14	20	26	33	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	4.0	13	<1	1	3	5	7	13	19
B. *Operated*	671	10.0	33	2	2	10	13	17	19	28
2. MULTIPLE DX										
A. *Not Operated*	486	7.7	49	1	2	6	9	17	22	38
B. *Operated*	3295	15.3	96	3	6	13	19	26	32	56
1. SINGLE DX	717	9.7	34	1	2	10	13	17	19	27
2. MULTIPLE DX	3781	14.4	97	3	4	13	18	25	32	54
A. NOT OPERATED	532	7.4	47	1	2	5	9	16	21	37
B. OPERATED	3966	14.4	89	3	4	13	18	24	31	52
TOTAL 0-19 YRS	4	19.0	223	2	2	20	31	33	33	33
20-34	45	10.3	82	1	2	8	15	22	27	44
35-49	260	12.2	86	2	3	11	15	21	27	61
50-64	1297	12.7	68	2	4	11	16	22	27	45
65+	2892	14.2	99	2	4	13	18	25	32	54
GRAND TOTAL	**4498**	**13.6**	**90**	**2**	**4**	**12**	**17**	**24**	**30**	**49**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.6	9	<1	<1	1	3	8	8	8
20-34	3	3.0	1	2	2	3	4	4	4	4
35-49	8	3.8	7	<1	<1	3	6	7	7	7
50-64	11	9.4	124	1	1	4	15	28	35	36
65+	18	11.1	138	1	2	6	12	28	39	45
B. *Operated*										
0-19 YRS	10	19.8	781	3	4	9	18	61	97	97
20-34	14	8.7	8	4	6	8	10	11	15	16
35-49	20	9.0	45	1	2	8	12	20	24	25
50-64	39	9.8	60	1	2	7	15	22	25	29
65+	41	13.0	79	2	3	12	18	26	31	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	5.7	20	<1	1	4	9	13	14	14
20-34	20	8.9	92	2	2	5	10	27	31	34
35-49	31	6.1	48	1	1	5	6	13	18	37
50-64	93	7.6	31	2	2	6	9	14	19	27
65+	157	8.6	43	2	2	7	12	18	22	32
B. *Operated*										
0-19 YRS	26	15.6	227	2	3	11	17	30	53	70
20-34	23	15.8	174	3	5	13	18	34	48	54
35-49	63	14.8	165	2	3	12	19	31	47	61
50-64	281	16.4	168	2	4	13	21	32	43	65
65+	576	17.0	143	4	6	14	21	30	38	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	7.9	96	1	1	5	7	23	31	45
B. *Operated*	124	11.4	119	2	2	8	16	23	28	53
2. MULTIPLE DX										
A. *Not Operated*	322	7.9	42	1	2	6	11	15	22	32
B. *Operated*	969	16.6	154	3	5	14	21	31	40	69
1. SINGLE DX	169	10.5	114	1	2	8	14	23	28	43
2. MULTIPLE DX	1291	14.4	140	2	3	12	19	28	36	63
A. NOT OPERATED	367	7.9	48	1	2	6	11	17	23	34
B. OPERATED	1093	16.0	153	3	5	13	20	30	39	69
TOTAL 0-19 YRS	62	11.9	252	1	1	8	14	23	38	94
20-34	60	11.2	111	2	2	8	14	27	32	53
35-49	122	10.9	122	1	2	8	13	23	32	58
50-64	424	13.7	141	2	3	11	18	28	36	60
65+	792	15.0	131	3	4	12	19	28	35	64
GRAND TOTAL	**1460**	**14.0**	**139**	**2**	**3**	**11**	**18**	**28**	**35**	**62**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49	4	18.3	1057	<1	<1	2	35	67	67	67
50-64	24	6.3	48	<1	1	4	8	17	22	29
65+	21	8.0	43	2	3	6	10	18	25	26
B. *Operated*										
0-19 YRS										
20-34	3	19.0	364	1	1	17	33	39	39	39
35-49	9	7.9	26	1	1	7	12	15	16	16
50-64	43	14.9	139	2	4	12	20	27	36	63
65+	38	12.0	83	2	3	11	15	19	31	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	13.0	225	3	3	7	22	35	35	35
20-34	2	6.0	18	3	3	6	9	9	9	9
35-49	37	10.4	249	2	2	5	13	20	26	95
50-64	159	7.9	45	1	2	6	10	15	20	36
65+	378	8.3	40	2	3	7	10	16	21	31
B. *Operated*										
0-19 YRS	1	24.0		24	24	24	24	24	24	24
20-34	6	15.3	59	7	7	14	21	26	27	27
35-49	88	18.8	134	3	6	16	26	36	41	52
50-64	422	17.3	146	4	5	15	22	33	40	73
65+	845	18.4	146	5	7	16	23	33	44	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	8.0	115	1	1	5	10	18	26	67
B. *Operated*	93	13.2	113	1	3	12	17	23	35	56
2. MULTIPLE DX										
A. *Not Operated*	580	8.4	55	2	2	7	10	16	21	36
B. *Operated*	1362	18.1	145	4	6	15	23	33	42	69
1. SINGLE DX	143	11.4	119	1	2	9	15	23	30	63
2. MULTIPLE DX	1942	15.2	138	2	4	13	20	29	38	62
A. NOT OPERATED	630	8.3	60	2	2	6	10	16	21	36
B. OPERATED	1455	17.8	144	4	6	15	22	33	42	67
TOTAL 0-19 YRS	5	15.2	193	3	3	10	27	35	35	35
20-34	12	14.2	116	1	2	12	19	31	38	39
35-49	138	15.8	193	2	3	13	22	32	40	70
50-64	648	14.5	135	2	3	12	19	28	37	63
65+	1282	15.1	133	3	4	13	20	29	38	61
GRAND TOTAL	**2085**	**14.9**	**138**	**2**	**3**	**12**	**19**	**29**	**38**	**62**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	7.5	61	2	2	7	13	13	13	13
35-49	42	4.3	19	1	1	3	5	7	13	23
50-64	137	4.8	47	1	1	3	5	9	11	51
65+	109	5.7	22	1	2	4	7	12	14	26
B. *Operated*										
0-19 YRS	5	6.8	19	2	2	10	10	10	10	10
20-34	14	12.6	172	1	3	9	15	33	46	50
35-49	147	8.1	40	1	2	7	10	15	20	46
50-64	581	9.1	38	1	2	8	12	18	21	29
65+	502	8.1	33	1	2	8	11	15	17	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	5.2	28	1	1	3	8	14	14	14
20-34	11	7.2	10	3	3	7	9	12	12	12
35-49	390	7.2	47	1	2	5	9	15	19	38
50-64	1804	7.9	59	1	2	6	10	16	20	37
65+	2038	8.6	54	2	2	7	10	17	21	36
B. *Operated*										
0-19 YRS	7	14.0	157	2	2	15	16	34	39	39
20-34	24	13.5	51	5	5	11	18	23	30	31
35-49	650	12.2	87	2	3	10	15	23	30	50
50-64	3488	12.4	90	2	3	10	16	23	30	50
65+	4561	12.6	83	2	3	10	16	23	30	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	290	5.1	33	1	1	4	6	10	14	28
B. *Operated*	1249	8.6	38	1	2	8	11	16	20	31
2. MULTIPLE DX										
A. *Not Operated*	4248	8.2	56	2	2	6	10	16	21	36
B. *Operated*	8730	12.5	86	2	3	10	16	23	30	46
1. SINGLE DX	1539	7.9	39	1	2	7	11	16	19	31
2. MULTIPLE DX	12978	11.1	80	2	3	9	14	22	28	44
A. NOT OPERATED	4538	8.0	55	2	2	6	10	16	21	36
B. OPERATED	9979	12.0	81	2	3	10	15	23	29	46
TOTAL 0-19 YRS	17	9.3	88	1	2	9	14	16	31	39
20-34	51	11.7	78	3	3	10	14	21	31	50
35-49	1229	9.9	73	2	2	8	13	20	26	45
50-64	6010	10.5	79	2	2	9	14	20	26	45
65+	7210	11.0	74	2	3	9	14	21	27	42
GRAND TOTAL	**14517**	**10.7**	**77**	**2**	**3**	**9**	**14**	**21**	**27**	**44**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34	6	3.8	4	1	1	4	5	7	7	7
35-49	2	9.0	98	2	2	9	16	16	16	16
50-64	21	3.2	11	<1	<1	2	4	9	12	12
65+	14	4.9	15	1	1	4	7	12	12	12
B. *Operated*										
0-19 YRS	13	6.0	13	1	2	6	8	12	12	12
20-34	13	6.1	21	<1	1	5	7	15	15	15
35-49	51	7.4	39	1	1	6	12	15	17	28
50-64	197	8.2	45	1	1	8	12	18	21	25
65+	143	7.2	47	1	1	4	12	16	20	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.4	10	1	1	6	7	7	7	7
20-34	6	7.5	76	1	1	4	12	22	23	23
35-49	22	9.3	79	2	3	7	10	19	31	41
50-64	73	8.6	49	1	2	7	11	17	25	32
65+	97	8.4	127	1	1	6	10	16	22	73
B. *Operated*										
0-19 YRS	12	9.8	64	2	2	7	15	22	25	25
20-34	17	13.2	286	2	2	6	14	35	57	68
35-49	93	11.9	101	1	2	11	17	23	28	53
50-64	429	13.3	120	1	2	11	18	27	35	51
65+	475	12.1	132	1	2	10	16	24	34	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	4.0	14	<1	1	3	5	12	12	16
B. *Operated*	417	7.6	43	1	1	6	12	16	20	25
2. MULTIPLE DX										
A. *Not Operated*	203	8.5	89	1	2	6	10	16	24	45
B. *Operated*	1026	12.6	126	1	2	10	17	25	34	60
1. SINGLE DX	462	7.3	41	1	1	5	12	16	20	24
2. MULTIPLE DX	1229	11.9	122	1	2	10	16	24	32	59
A. NOT OPERATED	248	7.6	78	1	1	5	9	16	22	41
B. OPERATED	1443	11.2	107	1	1	10	15	23	29	50
TOTAL 0-19 YRS	32	6.9	35	1	1	6	9	15	20	25
20-34	42	8.8	142	1	2	5	10	19	30	68
35-49	168	10.2	82	1	1	9	14	21	24	49
50-64	720	11.2	97	1	1	9	16	23	29	46
65+	729	10.5	117	1	1	8	14	22	29	60
GRAND TOTAL	**1691**	**10.6**	**104**	**1**	**1**	**9**	**15**	**22**	**29**	**50**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	2.8	2	<1	<1	3	4	5	5	5
20-34	10	2.9	3	<1	<1	3	4	5	5	5
35-49	9	13.1	428	2	2	4	12	45	67	67
50-64	14	5.1	13	1	1	5	7	9	14	15
65+	9	6.9	19	2	2	7	9	13	15	15
B. *Operated*										
0-19 YRS	93	6.3	16	1	2	5	8	12	15	17
20-34	61	8.1	66	1	2	6	10	15	22	49
35-49	65	7.7	57	1	1	6	10	17	20	45
50-64	73	6.1	33	1	1	4	9	12	13	34
65+	83	7.8	54	1	1	7	11	14	20	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	4.9	23	1	1	3	6	13	16	20
20-34	25	7.4	57	1	1	6	11	20	24	29
35-49	18	8.4	68	<1	1	5	11	22	27	29
50-64	51	7.8	50	1	1	6	11	21	24	26
65+	75	8.1	43	2	2	6	10	17	21	36
B. *Operated*										
0-19 YRS	39	12.3	174	1	2	9	15	25	43	67
20-34	41	11.6	112	2	3	9	13	25	32	58
35-49	69	11.4	128	1	2	8	15	25	31	94
50-64	142	13.2	154	2	2	9	17	29	39	62
65+	239	13.5	165	2	3	10	16	28	41	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	5.4	74	<1	1	3	5	10	14	60
B. *Operated*	375	7.1	43	1	1	5	10	13	18	35
2. MULTIPLE DX										
A. *Not Operated*	221	7.2	44	1	1	5	10	17	22	29
B. *Operated*	530	12.9	153	2	3	9	16	28	39	70
1. SINGLE DX	438	6.9	48	1	1	5	9	13	17	37
2. MULTIPLE DX	751	11.3	128	1	2	8	14	24	34	67
A. NOT OPERATED	284	6.8	51	1	1	5	9	15	21	29
B. OPERATED	905	10.5	116	1	2	8	13	21	31	60
TOTAL 0-19 YRS	205	6.7	54	1	1	5	9	14	16	42
20-34	137	8.6	78	1	1	6	11	19	27	52
35-49	161	9.7	110	1	2	7	12	20	29	71
50-64	280	10.0	107	1	2	7	12	23	30	53
65+	406	11.2	124	2	2	8	14	22	34	63
GRAND TOTAL	**1189**	**9.6**	**103**	**1**	**2**	**7**	**12**	**20**	**29**	**39**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	5	2.2	3	<1	<1	1	3	5	5	5
50-64	9	5.7	7	2	2	6	7	9	11	11
65+	4	1.8		1	1	2	2	2	2	2
B. *Operated*										
0-19 YRS	13	5.1	6	2	2	5	7	8	9	9
20-34	108	4.7	11	1	1	4	7	9	11	15
35-49	182	4.5	13	1	1	3	7	9	10	16
50-64	130	5.0	15	1	1	4	6	8	10	19
65+	114	5.0	15	1	1	4	7	9	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	16	4.9	23	1	1	3	5	14	17	18
35-49	16	7.2	39	1	1	5	10	14	22	25
50-64	25	9.6	75	2	2	7	12	25	30	35
65+	35	5.9	13	2	3	5	7	10	12	21
B. *Operated*										
0-19 YRS	3	9.7	2	8	8	10	11	11	11	11
20-34	43	6.7	32	1	2	5	8	13	17	31
35-49	100	7.3	81	1	2	6	8	11	17	62
50-64	141	7.5	58	1	2	5	9	16	23	39
65+	197	8.0	49	1	2	6	10	15	20	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	3.8	7	<1	1	3	6	7	9	11
B. *Operated*	547	4.8	13	1	1	4	7	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	92	7.0	38	1	2	5	8	14	21	32
B. *Operated*	484	7.6	56	1	2	6	9	15	21	40
1. SINGLE DX	567	4.7	13	1	1	4	7	9	11	15
2. MULTIPLE DX	576	7.5	53	1	2	6	9	15	21	39
A. NOT OPERATED	112	6.4	34	1	2	5	7	13	18	31
B. OPERATED	1031	6.1	35	1	1	5	8	11	15	33
TOTAL 0-19 YRS	16	5.9	8	2	2	6	8	10	11	11
20-34	169	5.2	18	1	1	4	7	10	12	20
35-49	303	5.6	38	1	1	4	7	10	12	27
50-64	305	6.5	42	1	2	5	8	12	18	36
65+	350	6.7	36	1	2	5	8	13	16	33
GRAND TOTAL	**1143**	**6.1**	**35**	**1**	**1**	**5**	**8**	**11**	**15**	**33**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	4.0	19	1	1	2	7	9	9	9
50-64	4	3.5	7	1	1	3	5	7	7	7
65+	3	2.7		2	2	3	3	3	3	3
B. *Operated*										
0-19 YRS	8	5.1	38	<1	<1	3	6	16	19	19
20-34	17	3.1	6	<1	1	3	4	6	9	11
35-49	48	3.5	7	1	1	2	5	8	9	11
50-64	131	3.0	9	<1	1	2	3	7	10	14
65+	244	3.2	12	<1	1	2	4	6	9	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	10	4.4	12	2	2	3	4	11	11	11
35-49	10	5.3	43	2	2	3	7	15	23	23
50-64	18	5.3	55	<1	<1	2	3	20	21	22
65+	31	6.3	27	2	2	4	10	13	17	22
B. *Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	11	4.4	9	1	1	3	6	9	10	10
35-49	38	5.1	15	1	1	4	7	12	13	15
50-64	183	4.6	43	1	1	3	5	10	16	50
65+	637	6.2	55	1	1	4	8	13	20	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.4	7	1	1	3	4	8	9	9
B. *Operated*	448	3.2	11	<1	1	2	4	7	10	17
2. MULTIPLE DX										
A. *Not Operated*	70	5.7	33	<1	1	3	7	14	20	23
B. *Operated*	871	5.8	51	1	1	3	7	12	19	43
1. SINGLE DX	458	3.2	11	<1	1	2	4	7	10	17
2. MULTIPLE DX	941	5.8	49	1	1	3	7	12	19	43
A. NOT OPERATED	80	5.4	30	<1	1	3	7	13	19	23
B. OPERATED	1319	4.9	38	1	1	3	6	11	15	34
TOTAL 0-19 YRS	11	4.7	31	<1	<1	2	8	13	19	19
20-34	38	3.8	9	1	1	3	4	10	11	11
35-49	99	4.3	14	1	1	3	6	9	12	19
50-64	336	4.0	30	<1	1	2	5	9	13	33
65+	915	5.4	44	1	1	3	7	11	18	39
GRAND TOTAL	**1399**	**4.9**	**38**	**1**	**1**	**3**	**6**	**11**	**15**	**33**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	4.8	14	1	1	4	7	10	10	10
35-49	22	3.6	10	<1	1	3	4	7	11	15
50-64	39	4.6	11	2	2	4	6	9	13	15
65+	26	4.9	12	1	2	4	6	10	13	15
B. *Operated*										
0-19 YRS	9	8.2	14	3	3	8	11	14	14	14
20-34	177	4.7	5	1	2	4	6	7	9	12
35-49	1013	5.2	7	1	2	5	7	8	10	13
50-64	1533	5.5	8	2	2	5	7	9	10	14
65+	1471	5.9	7	2	3	6	7	9	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	7.3	2	6	6	7	8	9	9	9
20-34	16	6.9	38	1	2	5	8	13	22	26
35-49	115	8.2	116	<1	1	5	8	18	34	58
50-64	259	8.5	82	1	1	5	11	18	29	43
65+	256	8.0	61	1	2	6	11	15	19	35
B. *Operated*										
0-19 YRS	6	6.7	15	3	3	5	8	13	14	14
20-34	175	6.9	22	2	3	6	8	12	15	26
35-49	1268	6.5	20	2	3	6	8	10	13	25
50-64	2621	7.3	25	2	3	6	9	12	15	26
65+	4005	7.7	23	3	3	7	9	12	15	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	4.5	11	1	1	4	5	9	13	15
B. *Operated*	4203	5.5	7	2	2	5	7	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	649	8.2	78	1	1	6	11	16	24	43
B. *Operated*	8075	7.4	23	2	3	7	9	12	15	26
1. SINGLE DX	4294	5.5	7	2	2	5	7	9	10	14
2. MULTIPLE DX	8724	7.4	28	2	3	6	9	12	15	28
A. NOT OPERATED	740	7.8	71	1	1	5	10	15	23	43
B. OPERATED	12278	6.7	19	2	3	6	8	11	14	23
TOTAL 0-19 YRS	18	7.6	12	3	3	7	9	14	14	14
20-34	372	5.8	16	1	2	5	7	10	13	21
35-49	2418	6.0	20	2	2	5	7	10	12	24
50-64	4452	6.7	23	2	3	6	8	11	14	26
65+	5758	7.3	21	2	3	6	9	12	15	24
GRAND TOTAL	**13018**	**6.8**	**22**	**2**	**3**	**6**	**8**	**11**	**14**	**25**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	35	2.9	2	<1	1	3	4	4	5	5
35-49	63	3.3	2	1	1	3	4	4	6	10
50-64	39	4.0	6	1	2	3	5	7	10	11
65+	44	3.9	2	2	3	4	4	5	6	10
B. *Operated*										
0-19 YRS	2	8.0	2	7	7	8	9	9	9	9
20-34	107	5.9	17	1	1	5	9	11	14	19
35-49	167	5.8	15	1	2	5	8	11	13	19
50-64	102	6.1	82	1	2	4	7	10	13	54
65+	61	6.2	29	1	2	5	8	11	18	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	45	6.3	23	1	1	4	9	14	15	18
35-49	91	5.7	22	1	2	4	7	13	17	22
50-64	129	6.6	51	1	2	5	7	12	18	40
65+	119	6.0	27	2	2	4	7	12	17	29
B. *Operated*										
0-19 YRS	2	10.5	113	3	3	10	18	18	18	18
20-34	130	7.9	67	1	2	6	9	12	16	57
35-49	289	9.4	61	1	2	8	11	17	23	46
50-64	242	9.9	66	2	3	8	12	19	26	44
65+	250	9.5	73	2	2	7	12	19	25	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	183	3.5	3	1	2	3	4	5	7	11
B. *Operated*	439	6.0	33	1	2	5	8	11	14	21
2. MULTIPLE DX										
A. *Not Operated*	384	6.1	33	1	2	4	7	12	17	35
B. *Operated*	913	9.3	67	2	2	8	11	17	23	44
1. SINGLE DX	622	5.3	25	1	2	4	7	10	12	20
2. MULTIPLE DX	1297	8.4	59	1	2	7	10	16	22	40
A. NOT OPERATED	567	5.3	25	1	2	4	6	11	15	28
B. OPERATED	1352	8.2	58	1	2	7	10	15	20	38
TOTAL 0-19 YRS	6	7.2	35	3	3	5	9	17	18	18
20-34	317	6.4	38	1	1	5	8	11	15	21
35-49	610	7.2	41	1	2	6	9	14	18	29
50-64	512	7.8	65	1	2	6	10	15	22	40
65+	474	7.6	53	2	2	5	9	16	21	36
GRAND TOTAL	**1919**	**7.4**	**50**	**1**	**2**	**5**	**9**	**14**	**19**	**36**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	14	3.4	1	1	2	4	4	5	5	5
50-64	41	3.4	3	2	2	3	4	4	6	12
65+	60	4.2	8	2	2	4	4	5	11	18
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	12	5.8	6	2	2	6	8	9	9	9
35-49	63	6.4	9	1	3	6	8	9	13	16
50-64	291	6.2	10	2	2	6	8	9	11	14
65+	294	6.4	9	2	2	6	8	10	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	10	6.5	41	1	1	4	6	18	21	21
50-64	78	6.1	48	1	1	4	6	14	21	36
65+	145	6.7	46	1	2	4	8	14	18	38
B. *Operated*										
0-19 YRS	4	5.8	7	2	2	6	7	8	8	8
20-34	32	7.1	5	4	5	7	9	10	11	14
35-49	232	7.0	14	2	3	6	8	11	13	21
50-64	909	8.2	27	2	4	7	9	13	17	30
65+	1308	8.9	39	2	3	8	11	15	20	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	3.9	6	2	2	3	4	5	8	16
B. *Operated*	661	6.3	9	2	2	6	8	10	11	16
2. MULTIPLE DX										
A. *Not Operated*	234	6.5	46	1	2	4	7	15	20	37
B. *Operated*	2485	8.5	32	2	3	7	10	14	18	32
1. SINGLE DX	777	5.9	10	2	2	6	8	9	11	16
2. MULTIPLE DX	2719	8.3	34	2	3	7	10	14	19	32
A. NOT OPERATED	350	5.6	34	1	2	4	6	12	17	33
B. OPERATED	3146	8.0	28	2	3	7	9	13	17	29
TOTAL 0-19 YRS	5	6.0	6	2	2	7	7	8	8	8
20-34	46	6.6	6	2	3	6	8	9	10	14
35-49	319	6.7	13	1	3	6	8	11	13	21
50-64	1319	7.5	25	2	3	7	8	12	16	29
65+	1807	8.2	35	2	3	7	10	14	18	31
GRAND TOTAL	**3496**	**7.8**	**29**	**2**	**3**	**7**	**9**	**13**	**17**	**29**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	1.7	1	1	1	1	3	3	3	3
35-49	16	2.4	3	1	1	2	3	6	6	6
50-64	40	2.7	7	1	1	2	3	5	7	17
65+	18	4.3	5	2	2	4	5	7	9	10
B. *Operated*										
0-19 YRS	9	7.1	6	2	3	7	9	10	10	10
20-34	30	6.2	3	3	4	6	7	8	9	9
35-49	60	7.5	37	2	3	7	9	12	14	44
50-64	85	8.2	18	2	4	7	11	13	15	25
65+	48	8.4	20	2	2	8	11	14	17	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	5.0	8	2	2	4	7	9	11	11
20-34	10	2.3	6	1	1	1	3	6	9	9
35-49	62	4.5	11	1	1	3	6	9	11	15
50-64	201	4.3	22	1	1	2	5	10	12	25
65+	205	6.9	42	1	1	5	9	15	20	30
B. *Operated*										
0-19 YRS	15	12.7	214	5	5	9	12	18	52	64
20-34	78	9.1	21	4	5	8	12	16	19	22
35-49	236	10.3	77	4	5	8	12	17	22	65
50-64	543	13.0	83	4	6	10	15	24	30	50
65+	601	15.6	87	6	7	13	19	27	33	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	2.9	6	1	1	2	4	6	7	15
B. *Operated*	232	7.8	21	2	3	7	9	12	14	22
2. MULTIPLE DX										
A. *Not Operated*	488	5.4	30	1	1	3	7	12	16	27
B. *Operated*	1473	13.4	86	5	6	11	16	24	30	53
1. SINGLE DX	312	6.5	22	1	2	6	8	12	14	20
2. MULTIPLE DX	1961	11.4	84	2	2	9	15	22	28	47
A. NOT OPERATED	568	5.0	27	1	1	3	6	11	15	26
B. OPERATED	1705	12.6	81	4	5	10	15	23	29	50
TOTAL 0-19 YRS	34	8.9	106	2	3	7	9	13	17	64
20-34	124	7.5	20	1	3	6	9	15	17	21
35-49	374	8.5	63	2	2	7	10	15	19	50
50-64	869	10.0	75	1	2	8	12	20	27	42
65+	872	12.9	87	2	3	11	17	24	30	47
GRAND TOTAL	**2273**	**10.7**	**78**	**2**	**2**	**9**	**14**	**21**	**27**	**45**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	4.8	6	3	3	4	6	8	8	8
35-49										
50-64	4	3.5	3	1	1	4	5	5	5	5
65+	10	5.8	14	2	3	5	6	12	15	15
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	4	4.3	2	3	3	4	5	6	6	6
35-49	14	8.6	33	1	3	7	9	18	20	21
50-64	25	6.1	10	2	3	5	7	11	13	15
65+	56	7.8	46	1	2	5	11	17	21	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	6.0	1	5	5	6	7	7	7	7
35-49	6	12.7	455	1	1	4	7	51	56	56
50-64	29	6.3	56	1	2	4	6	11	20	40
65+	43	9.0	77	2	3	6	11	21	29	43
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	8	11.6	25	6	6	11	14	19	21	21
35-49	33	9.6	75	1	2	6	13	23	31	32
50-64	76	11.2	71	2	3	9	15	21	28	44
65+	203	13.2	110	2	3	10	18	26	36	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	5.1	10	1	2	4	5	9	13	15
B. *Operated*	100	7.3	33	1	2	6	10	15	20	29
2. MULTIPLE DX										
A. *Not Operated*	81	8.2	92	2	2	5	8	17	29	52
B. *Operated*	321	12.3	96	2	3	10	16	24	32	48
1. SINGLE DX	118	7.0	30	1	2	5	9	15	19	28
2. MULTIPLE DX	402	11.5	97	2	3	9	15	23	32	48
A. NOT OPERATED	99	7.6	78	2	2	5	7	15	29	50
B. OPERATED	421	11.1	85	2	3	9	15	22	30	48
TOTAL 0-19 YRS	2	10.0	18	7	7	10	13	13	13	13
20-34	19	7.7	23	3	3	6	9	15	18	21
35-49	53	9.7	100	1	2	7	12	21	31	55
50-64	134	8.9	60	2	3	6	11	19	26	41
65+	312	11.4	97	2	3	9	15	23	33	48
GRAND TOTAL	**520**	**10.5**	**86**	**2**	**3**	**8**	**14**	**21**	**29**	**48**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	10	3.1	2	1	1	3	4	5	5	5
65+	18	3.1	5	<1	1	2	4	7	8	8
B. *Operated*										
0-19 YRS										
20-34										
35-49	8	5.9	26	<1	1	4	10	14	14	14
50-64	419	6.1	19	1	2	5	8	12	14	19
65+	1061	5.4	13	1	1	5	7	10	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.8	8	2	2	4	7	8	8	8
20-34										
35-49	7	7.1	78	1	1	3	11	23	25	25
50-64	163	7.7	52	1	2	5	9	18	24	35
65+	721	7.5	30	2	2	6	9	14	18	28
B. *Operated*										
0-19 YRS	8	13.5	216	4	4	7	15	39	48	48
20-34	1	11.0		11	11	11	11	11	11	11
35-49	25	8.1	28	2	2	7	10	14	19	24
50-64	1095	8.4	45	2	3	7	10	16	21	32
65+	5714	8.2	37	2	3	7	10	15	19	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	3.1	4	1	1	3	4	6	7	8
B. *Operated*	1488	5.6	15	1	1	5	7	10	13	18
2. MULTIPLE DX										
A. *Not Operated*	895	7.5	34	2	2	6	9	14	19	31
B. *Operated*	6843	8.3	39	2	3	7	10	15	19	31
1. SINGLE DX	1516	5.5	15	1	1	5	7	10	13	18
2. MULTIPLE DX	7738	8.2	38	2	3	7	10	15	19	31
A. NOT OPERATED	923	7.4	34	1	2	6	9	14	19	30
B. OPERATED	8331	7.8	35	1	2	6	10	15	18	30
TOTAL 0-19 YRS	12	10.6	158	2	3	6	10	27	45	48
20-34	1	11.0		11	11	11	11	11	11	11
35-49	40	7.5	35	1	2	6	11	14	21	25
50-64	1687	7.7	40	1	2	6	10	15	19	31
65+	7514	7.7	34	2	2	6	10	14	18	29
GRAND TOTAL	**9254**	**7.7**	**35**	**1**	**2**	**6**	**10**	**15**	**19**	**30**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	3.7	3	1	1	4	5	5	5	5
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	16	2.7	4	1	1	2	3	5	8	9
20-34	206	3.8	10	1	1	3	4	8	10	16
35-49	70	3.0	5	1	1	3	3	6	7	12
50-64	28	3.9	11	1	1	3	5	9	11	14
65+	19	4.1	8	<1	<1	3	6	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.3		5	5	5	6	6	6	6
20-34	27	6.2	51	<1	1	5	7	12	18	38
35-49	6	5.2	1	4	4	5	6	6	6	6
50-64	6	5.5	10	1	1	6	8	9	9	9
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	7	7.4	10	3	4	7	9	12	13	13
20-34	96	8.3	104	1	1	6	11	15	17	63
35-49	44	5.0	14	1	1	4	6	12	13	15
50-64	45	8.8	110	1	2	5	11	15	23	65
65+	54	6.9	28	1	2	6	9	12	21	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.2	2	1	1	3	5	5	5	5
B. *Operated*	339	3.6	9	1	1	3	4	7	10	14
2. MULTIPLE DX										
A. *Not Operated*	44	5.7	33	1	1	5	6	8	14	38
B. *Operated*	246	7.5	71	1	2	6	10	14	17	38
1. SINGLE DX	348	3.6	8	1	1	3	4	7	10	14
2. MULTIPLE DX	290	7.2	65	1	2	5	9	14	17	38
A. NOT OPERATED	53	5.3	28	1	1	5	6	8	12	37
B. OPERATED	585	5.2	38	1	1	3	7	11	14	26
TOTAL 0-19 YRS	26	4.3	9	1	1	3	6	9	10	13
20-34	335	5.3	44	1	1	4	7	11	14	34
35-49	122	3.8	9	1	1	3	5	7	11	14
50-64	80	6.7	71	1	1	4	9	14	18	54
65+	75	6.1	24	1	1	5	8	10	16	25
GRAND TOTAL	**638**	**5.2**	**38**	**1**	**1**	**4**	**6**	**11**	**14**	**27**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	5	3.6	3	2	2	3	5	6	6	6
50-64	12	3.6	9	<1	<1	2	6	8	8	8
65+	23	3.9	11	<1	1	3	6	9	11	12
B. *Operated*										
0-19 YRS	4	3.0	3	1	1	3	4	5	5	5
20-34	20	3.3	6	1	1	3	4	7	9	9
35-49	107	3.6	29	<1	1	2	3	7	13	34
50-64	558	4.2	17	1	1	3	5	10	13	18
65+	1099	4.2	15	1	1	3	5	9	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	9.0	13	6	6	8	12	13	13	13
20-34	1	2.0		2	2	2	2	2	2	2
35-49	7	4.3	3	2	2	4	6	6	6	6
50-64	68	6.6	76	1	1	4	8	14	26	45
65+	260	7.6	67	1	2	5	9	15	23	42
B. *Operated*										
0-19 YRS	15	10.9	138	<1	1	6	16	27	37	40
20-34	12	8.9	248	1	1	4	6	29	53	57
35-49	124	6.5	43	1	1	4	8	15	20	31
50-64	916	7.3	67	1	1	4	9	16	22	42
65+	3582	7.5	52	1	2	5	10	16	22	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	3.8	9	<1	1	3	6	9	10	12
B. *Operated*	1788	4.2	16	1	1	3	5	9	13	19
2. MULTIPLE DX										
A. *Not Operated*	339	7.3	67	1	1	5	9	15	23	43
B. *Operated*	4649	7.5	55	1	2	5	10	16	22	38
1. SINGLE DX	1828	4.1	16	1	1	3	5	9	13	19
2. MULTIPLE DX	4988	7.5	56	1	2	5	9	16	22	39
A. NOT OPERATED	379	7.0	62	1	1	5	8	14	21	42
B. OPERATED	6437	6.5	47	1	1	4	8	14	19	35
TOTAL 0-19 YRS	22	9.2	103	<1	1	6	13	25	32	40
20-34	33	5.3	96	1	1	3	5	9	16	57
35-49	243	5.1	37	1	1	3	6	13	17	29
50-64	1554	6.1	51	1	1	4	7	14	18	38
65+	4964	6.8	46	1	2	5	8	15	20	35
GRAND TOTAL	**6816**	**6.6**	**48**	**1**	**1**	**4**	**8**	**14**	**19**	**36**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.0		1	1	1	1	1	1	1
20-34										
35-49	6	3.0	4	1	1	2	5	6	6	6
50-64	8	4.1	14	1	1	3	4	11	13	13
65+	12	3.2	4	1	1	3	4	6	8	8
B. *Operated*										
0-19 YRS	33	9.6	26	4	6	9	11	13	14	34
20-34	19	7.5	9	1	3	8	10	10	12	13
35-49	57	8.1	21	1	2	8	10	15	17	20
50-64	156	9.1	29	2	4	8	11	13	17	32
65+	134	9.4	75	1	2	8	11	15	21	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	3.0	6	<1	<1	2	4	6	9	10
20-34	11	3.3	6	<1	<1	2	5	6	8	8
35-49	31	5.9	18	1	1	5	9	10	12	21
50-64	96	7.1	32	1	2	5	10	15	18	26
65+	194	7.6	31	2	2	6	10	15	21	27
B. *Operated*										
0-19 YRS	28	13.8	120	5	6	9	15	30	42	48
20-34	11	11.9	9	7	7	12	14	15	16	16
35-49	117	11.0	35	3	6	10	13	18	22	33
50-64	539	12.3	60	3	5	11	16	21	26	40
65+	814	13.2	67	3	4	12	17	23	28	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	2.8	6	1	1	2	4	5	7	13
B. *Operated*	399	9.1	42	2	3	8	11	14	17	37
2. MULTIPLE DX										
A. *Not Operated*	348	6.9	29	1	2	6	9	14	19	26
B. *Operated*	1509	12.7	63	3	5	11	16	22	28	41
1. SINGLE DX	435	8.5	42	1	2	8	10	13	17	35
2. MULTIPLE DX	1857	11.7	62	2	3	10	15	21	26	40
A. NOT OPERATED	384	6.5	29	1	1	5	9	13	17	26
B. OPERATED	1908	12.0	61	2	4	10	15	21	26	40
TOTAL 0-19 YRS	87	8.8	70	1	1	8	11	15	28	45
20-34	41	7.5	18	1	1	8	10	13	15	16
35-49	211	9.3	32	2	2	9	11	16	20	31
50-64	799	11.0	54	2	3	9	14	20	24	40
65+	1154	11.7	67	2	3	10	15	22	26	40
GRAND TOTAL	**2292**	**11.1**	**59**	**2**	**3**	**10**	**14**	**20**	**25**	**39**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	1	8.0		8	8	8	8	8	8	8
35-49										
50-64										
65+	3	3.7	4	2	2	3	5	6	6	6
B. *Operated*										
0-19 YRS	16	2.8	2	1	1	3	4	5	5	5
20-34	5	3.6	7	1	1	3	4	8	8	8
35-49	10	2.8	4	1	1	2	3	6	7	7
50-64	23	3.9	6	1	1	3	6	8	8	8
65+	23	3.2	5	1	1	3	4	6	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.8	4	1	1	2	4	6	6	6
20-34	1	7.0		7	7	7	7	7	7	7
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64	4	3.5	3	2	2	3	5	5	5	5
65+	9	5.1	19	1	1	4	6	13	14	14
B. *Operated*										
0-19 YRS	6	9.5	67	4	4	7	8	24	26	26
20-34	1	14.0		14	14	14	14	14	14	14
35-49	8	7.8	39	1	1	7	10	18	20	20
50-64	18	3.5	6	1	1	3	4	6	9	11
65+	37	3.3	4	1	1	3	4	6	7	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	3.5	8	1	1	2	6	8	8	8
B. *Operated*	77	3.3	5	1	1	3	4	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	22	4.3	10	1	1	4	5	8	12	14
B. *Operated*	70	4.6	18	1	1	3	6	8	12	25
1. SINGLE DX	83	3.3	5	1	1	3	5	7	8	9
2. MULTIPLE DX	92	4.5	16	1	1	4	6	8	12	23
A. NOT OPERATED	28	4.1	10	1	1	3	5	8	11	14
B. OPERATED	147	3.9	11	1	1	3	5	8	9	20
TOTAL 0-19 YRS	30	4.0	21	1	1	3	5	7	8	26
20-34	8	5.9	18	1	1	5	8	12	14	14
35-49	20	5.0	22	1	1	4	7	10	16	20
50-64	45	3.7	6	1	1	3	5	7	8	11
65+	72	3.5	6	1	1	3	4	6	9	13
GRAND TOTAL	**175**	**3.9**	**11**	**1**	**1**	**3**	**5**	**8**	**9**	**19**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	6.6	84	1	1	4	7	13	31	43
20-34	19	7.3	51	2	2	5	7	20	27	27
35-49	39	6.7	49	1	2	6	8	11	15	43
50-64	46	10.8	182	2	3	5	13	24	32	76
65+	31	6.6	21	1	2	6	9	13	16	20
B. *Operated*										
0-19 YRS	95	8.8	31	1	2	9	12	17	19	27
20-34	89	9.8	33	2	3	8	14	18	21	25
35-49	91	11.6	46	4	5	10	14	22	26	34
50-64	93	14.3	148	4	5	11	15	24	36	71
65+	63	13.8	66	4	5	12	16	24	29	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	6.4	108	1	1	4	7	11	16	71
20-34	62	7.1	33	1	2	6	9	15	18	26
35-49	126	7.4	48	1	2	5	10	15	20	36
50-64	184	9.2	61	2	3	7	12	17	22	42
65+	244	9.8	70	2	3	8	12	18	24	48
B. *Operated*										
0-19 YRS	123	16.5	205	3	4	11	22	36	45	66
20-34	113	15.3	148	3	4	12	20	28	42	58
35-49	116	16.7	245	3	4	13	18	30	56	81
50-64	225	17.6	180	3	5	15	21	37	52	99+
65+	228	20.7	184	7	9	17	24	37	47	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	174	7.8	89	1	2	5	9	16	25	48
B. *Operated*	431	11.5	69	2	4	10	14	21	25	42
2. MULTIPLE DX										
A. *Not Operated*	690	8.6	65	1	2	7	11	17	21	45
B. *Operated*	805	17.9	193	3	5	14	22	35	49	78
1. SINGLE DX	605	10.4	77	2	3	9	13	20	25	44
2. MULTIPLE DX	1495	13.6	155	2	3	10	17	27	39	71
A. NOT OPERATED	864	8.4	70	1	2	6	11	17	22	45
B. OPERATED	1236	15.6	159	3	5	13	19	29	42	74
TOTAL 0-19 YRS	331	10.9	138	1	2	8	13	24	35	62
20-34	283	11.2	92	2	3	8	15	23	27	49
35-49	372	11.2	125	2	3	9	14	21	28	72
50-64	548	13.6	147	2	3	11	17	25	43	74
65+	566	14.5	141	3	4	12	18	27	38	60
GRAND TOTAL	**2100**	**12.7**	**135**	**2**	**3**	**10**	**16**	**25**	**35**	**67**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	7.0		7	7	7	7	7	7	7
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64	1	9.0		9	9	9	9	9	9	9
65+	3	7.0	13	3	3	8	9	10	10	10
B. *Operated*										
0-19 YRS	13	9.0	66	1	2	6	15	21	26	27
20-34	7	12.7	68	3	3	12	16	26	28	28
35-49	5	9.0	34	1	1	8	12	17	17	17
50-64	9	14.9	48	7	8	13	17	26	31	31
65+	6	17.0	72	8	8	15	24	29	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	4.7	15	1	1	4	7	10	13	13
20-34	3	40.7	2332	7	7	19	77	96	96	96
35-49	3	8.7	50	1	1	10	14	15	15	15
50-64	9	7.7	14	3	3	7	10	13	14	14
65+	15	9.2	121	2	2	4	9	21	37	43
B. *Operated*										
0-19 YRS	18	15.2	302	1	1	8	22	58	83	99+
20-34	7	26.6	409	4	4	21	47	51	52	52
35-49	12	13.3	34	6	8	12	15	44	89	99+
50-64	18	15.4	86	6	7	13	17	29	38	43
65+	32	19.4	94	4	5	20	23	34	37	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	5.9	10	1	2	6	8	10	10	10
B. *Operated*	40	12.2	63	1	2	11	16	25	29	31
2. MULTIPLE DX										
A. *Not Operated*	42	9.8	243	1	2	5	10	19	30	96
B. *Operated*	87	17.4	156	2	5	15	22	39	52	99+
1. SINGLE DX	48	11.1	59	1	2	10	15	23	28	31
2. MULTIPLE DX	129	14.9	196	2	3	12	20	34	49	99+
A. NOT OPERATED	50	9.2	207	1	2	5	10	17	21	96
B. OPERATED	127	15.8	132	2	4	14	21	31	44	99+
TOTAL 0-19 YRS	44	10.2	163	1	1	5	15	27	54	99+
20-34	18	22.4	561	3	4	13	28	51	78	96
35-49	22	10.9	38	1	3	11	15	20	54	99+
50-64	37	13.2	66	4	6	12	15	24	31	43
65+	56	15.8	114	2	3	15	22	30	36	44
GRAND TOTAL	**177**	**13.9**	**161**	**1**	**2**	**11**	**18**	**30**	**43**	**99**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.8	1	1	1	3	4	4	4	4
20-34	19	2.5	1	1	1	2	3	4	4	4
35-49	22	2.3	2	1	1	2	3	5	5	5
50-64	9	2.8	6	1	1	3	3	7	9	9
65+	10	3.1	3	<1	1	3	5	6	6	6
B. *Operated*										
0-19 YRS	24	3.8	8	<1	1	3	4	7	12	12
20-34	133	3.7	5	1	2	3	4	6	8	12
35-49	119	4.1	9	1	2	4	4	5	10	20
50-64	80	4.1	4	1	2	4	5	6	7	12
65+	32	5.9	11	2	3	5	7	10	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	4.4	20	<1	1	2	4	12	15	17
20-34	36	3.5	8	1	1	3	4	7	10	13
35-49	40	3.9	6	1	1	3	5	7	8	13
50-64	38	4.8	14	1	2	4	6	11	13	18
65+	51	5.7	26	2	2	4	6	10	21	25
B. *Operated*										
0-19 YRS	39	7.4	25	1	2	6	10	15	17	20
20-34	156	5.1	11	2	2	4	6	10	12	16
35-49	127	6.0	16	2	3	5	7	11	15	21
50-64	158	8.7	77	2	3	5	10	19	24	55
65+	132	10.4	95	2	3	7	12	20	34	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	2.6	2	1	1	2	3	4	5	8
B. *Operated*	388	4.1	7	1	2	4	5	6	9	16
2. MULTIPLE DX										
A. *Not Operated*	207	4.5	16	1	1	3	5	9	13	23
B. *Operated*	612	7.5	52	2	3	5	9	15	20	39
1. SINGLE DX	459	3.8	7	1	2	3	4	6	8	16
2. MULTIPLE DX	819	6.8	44	2	2	5	8	14	18	36
A. NOT OPERATED	278	4.0	13	1	1	3	5	8	12	21
B. OPERATED	1000	6.2	37	2	2	4	7	12	17	34
TOTAL 0-19 YRS	116	5.1	20	1	1	4	6	13	15	18
20-34	344	4.3	8	1	2	4	5	8	10	16
35-49	308	4.7	12	1	2	4	5	9	13	20
50-64	285	6.7	51	1	2	4	7	13	19	35
65+	225	8.4	69	2	2	6	10	17	24	42
GRAND TOTAL	**1278**	**5.7**	**33**	**1**	**2**	**4**	**6**	**11**	**16**	**28**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.3	1	<1	<1	2	3	4	4	4
20-34	9	5.8	15	<1	1	6	10	11	11	11
35-49	17	5.2	14	<1	1	4	7	10	13	15
50-64	66	4.4	9	1	1	4	6	8	10	13
65+	73	5.3	20	1	2	4	6	10	16	25
B. *Operated*										
0-19 YRS	21	8.6	96	<1	1	6	12	15	29	46
20-34	18	4.8	13	1	1	3	8	10	11	12
35-49	53	5.6	18	1	1	5	9	11	15	16
50-64	122	7.2	41	1	2	5	9	14	20	32
65+	149	7.9	52	1	1	5	10	18	24	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	4.5	10	1	2	3	6	11	12	13
20-34	221	6.9	44	1	2	5	9	15	20	36
35-49	1146	8.0	58	1	2	6	10	17	23	40
50-64	3351	8.7	65	2	2	6	11	18	24	37
65+	5552	8.9	50	2	3	7	11	18	23	35
B. *Operated*										
0-19 YRS	70	10.8	105	2	4	8	12	21	32	62
20-34	315	9.3	78	1	2	7	11	21	28	48
35-49	1463	11.5	121	1	2	8	14	25	34	62
50-64	3889	12.3	116	2	3	9	16	25	33	57
65+	5476	12.9	107	2	3	10	17	26	33	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	171	4.9	14	1	1	4	6	9	11	19
B. *Operated*	363	7.2	44	1	1	5	10	15	19	31
2. MULTIPLE DX										
A. *Not Operated*	10324	8.7	56	2	2	7	11	18	23	36
B. *Operated*	11213	12.4	112	2	3	10	16	25	33	54
1. SINGLE DX	534	6.5	36	1	1	5	9	14	17	29
2. MULTIPLE DX	21537	10.6	88	2	2	8	14	22	29	48
A. NOT OPERATED	10495	8.6	55	2	2	7	11	18	23	36
B. OPERATED	11576	12.2	110	2	3	9	16	25	33	54
TOTAL 0-19 YRS	151	7.9	74	1	2	6	9	14	25	46
20-34	563	8.2	63	1	2	6	10	17	25	41
35-49	2679	9.9	95	1	2	7	12	21	29	50
50-64	7428	10.5	94	2	2	8	14	22	29	50
65+	11250	10.9	82	2	3	8	14	22	28	45
GRAND TOTAL	**22071**	**10.5**	**87**	**2**	**2**	**8**	**14**	**22**	**29**	**48**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.7	39	<1	<1	2	5	16	17	17
20-34	58	3.1	9	<1	1	2	4	5	10	15
35-49	6	3.8	8	1	1	4	6	7	7	7
50-64	8	5.0	23	1	1	4	7	13	15	15
65+	4	4.0	12	1	1	3	6	9	9	9
B. *Operated*										
0-19 YRS	72	4.8	12	1	1	5	6	9	11	17
20-34	213	6.2	20	1	2	6	8	10	16	22
35-49	83	5.4	15	1	1	5	8	11	13	16
50-64	40	7.4	49	1	1	5	9	16	25	28
65+	23	7.3	39	1	2	6	8	18	22	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	5.2	28	1	1	4	7	10	11	29
20-34	77	5.9	61	1	1	3	7	15	18	48
35-49	33	7.6	60	1	2	6	9	14	30	35
50-64	34	6.1	28	1	1	4	8	14	16	23
65+	39	9.2	51	1	2	7	12	18	26	32
B. *Operated*										
0-19 YRS	54	8.3	29	1	2	8	10	16	18	28
20-34	187	11.1	131	1	2	8	14	28	38	49
35-49	97	11.5	112	2	3	9	14	22	37	56
50-64	82	12.7	123	3	4	10	15	25	35	64
65+	56	14.9	122	4	5	12	19	27	41	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	3.5	12	<1	1	2	4	8	12	16
B. *Operated*	431	6.0	22	1	1	5	8	11	15	24
2. MULTIPLE DX										
A. *Not Operated*	213	6.7	50	1	1	5	8	15	20	33
B. *Operated*	476	11.6	115	1	2	9	14	24	37	54
1. SINGLE DX	513	5.6	21	1	1	5	8	11	15	23
2. MULTIPLE DX	689	10.1	100	1	2	8	12	21	30	51
A. NOT OPERATED	295	5.8	42	1	1	4	7	13	17	32
B. OPERATED	907	8.9	78	1	2	7	10	18	26	48
TOTAL 0-19 YRS	162	6.0	24	1	1	5	9	11	16	27
20-34	535	7.6	71	1	1	5	9	16	23	46
35-49	219	8.4	72	1	2	7	10	16	22	52
50-64	164	9.7	89	1	2	8	12	20	27	50
65+	122	11.3	91	1	3	8	15	22	31	47
GRAND TOTAL	**1202**	**8.2**	**71**	**1**	**1**	**6**	**10**	**17**	**23**	**46**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	4.3	19	<1	<1	3	5	10	14	21
20-34	5	6.4	89	1	1	2	9	23	23	23
35-49	4	1.5	1	1	1	1	2	3	3	3
50-64	11	4.4	21	1	1	2	7	12	15	15
65+	14	6.6	41	2	3	4	8	13	24	27
B. *Operated*										
0-19 YRS	82	7.3	41	<1	1	5	11	14	22	29
20-34	17	14.2	80	2	5	11	21	28	32	34
35-49	18	8.3	79	<1	1	5	12	20	28	33
50-64	12	7.7	56	<1	1	6	9	17	27	29
65+	28	6.1	23	1	1	5	8	11	19	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	154	5.4	24	1	1	4	7	9	14	27
20-34	17	8.4	65	1	1	7	12	23	27	28
35-49	20	7.7	46	1	1	5	11	20	21	22
50-64	101	7.0	31	1	2	5	9	16	18	22
65+	250	7.0	35	1	2	5	9	15	20	31
B. *Operated*										
0-19 YRS	124	15.7	167	2	3	12	21	34	38	60
20-34	48	25.0	248	3	5	24	34	44	60	65
35-49	36	18.8	352	2	3	13	33	51	71	99+
50-64	110	14.1	252	2	3	8	15	36	65	99+
65+	225	12.4	140	2	3	9	15	24	33	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	4.7	26	<1	1	3	6	11	15	25
B. *Operated*	157	7.9	51	<1	1	6	11	19	24	33
2. MULTIPLE DX										
A. *Not Operated*	542	6.6	33	1	2	5	8	14	19	27
B. *Operated*	543	15.0	203	2	3	10	20	34	46	72
1. SINGLE DX	246	6.8	44	<1	1	4	10	15	22	30
2. MULTIPLE DX	1085	10.8	136	1	2	7	14	24	35	68
A. NOT OPERATED	631	6.3	32	1	1	5	8	14	18	27
B. OPERATED	700	13.4	178	2	3	9	18	31	40	71
TOTAL 0-19 YRS	415	8.7	91	1	1	5	11	21	28	40
20-34	87	18.6	222	1	2	14	28	39	45	64
35-49	78	12.6	224	1	1	6	19	35	49	92
50-64	234	10.2	148	1	2	6	12	23	35	78
65+	517	9.3	87	1	2	7	12	20	24	52
GRAND TOTAL	**1331**	**10.1**	**121**	**1**	**2**	**7**	**13**	**23**	**32**	**66**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	3.9	13	<1	<1	3	5	8	11	16
20-34	14	6.1	63	1	1	4	7	11	27	32
35-49	23	4.7	14	<1	1	4	6	9	12	17
50-64	20	7.0	47	<1	1	6	8	13	22	31
65+	29	8.3	136	1	1	4	11	15	27	61
B. *Operated*										
0-19 YRS	22	11.5	199	1	1	7	10	31	45	59
20-34	26	15.5	305	1	2	8	26	45	52	59
35-49	22	8.5	79	2	2	6	9	19	34	36
50-64	38	14.4	224	2	2	6	28	37	45	53
65+	37	7.5	58	1	2	4	9	18	22	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	7.5	40	1	1	6	10	15	21	31
20-34	44	8.6	112	1	1	6	11	17	29	60
35-49	60	10.5	77	1	2	8	15	25	29	32
50-64	127	8.8	85	1	1	6	11	21	31	41
65+	302	7.8	78	1	1	5	10	16	24	41
B. *Operated*										
0-19 YRS	61	23.3	460	2	3	15	36	58	64	83
20-34	102	29.1	448	3	4	30	41	59	71	96
35-49	144	24.4	355	3	4	23	37	49	61	87
50-64	216	24.8	405	2	3	23	36	52	65	87
65+	382	17.6	279	3	4	11	27	41	56	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	114	6.0	58	<1	1	4	7	12	16	42
B. *Operated*	145	11.5	176	1	2	6	12	33	40	59
2. MULTIPLE DX										
A. *Not Operated*	590	8.3	78	1	1	6	11	17	26	40
B. *Operated*	905	22.1	368	3	4	15	33	49	63	89
1. SINGLE DX	259	9.1	131	1	1	5	9	26	36	58
2. MULTIPLE DX	1495	16.6	298	1	2	10	26	41	53	83
A. NOT OPERATED	704	8.0	76	1	1	5	10	17	25	40
B. OPERATED	1050	20.6	354	2	3	13	32	47	60	86
TOTAL 0-19 YRS	168	13.1	269	1	1	7	15	36	54	74
20-34	186	20.6	410	1	2	11	34	50	61	91
35-49	249	17.8	293	2	2	11	27	43	50	84
50-64	401	17.9	326	1	2	10	29	41	54	84
65+	750	12.8	205	1	2	8	15	32	45	75
GRAND TOTAL	**1754**	**15.5**	**281**	**1**	**2**	**9**	**24**	**39**	**51**	**82**

49: Lymphatic and hematopoietic neoplasm, except hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.6	2	1	1	2	4	4	6	6
20-34	27	2.8	3	<1	<1	3	4	5	6	8
35-49	33	3.7	5	1	1	4	5	7	8	9
50-64	111	4.4	20	1	1	3	5	11	14	22
65+	84	6.2	18	1	1	6	9	11	14	20
B. *Operated*										
0-19 YRS	35	6.6	30	1	2	4	9	15	20	23
20-34	63	6.4	25	1	2	4	9	14	17	22
35-49	135	5.5	19	<1	1	4	8	12	15	18
50-64	271	5.8	23	1	1	4	8	13	16	23
65+	297	7.3	37	1	1	6	10	14	19	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	3.9	7	1	1	3	5	8	9	12
20-34	55	7.1	50	1	2	5	9	15	21	37
35-49	144	7.3	90	1	1	4	8	14	31	52
50-64	519	8.0	59	1	2	6	10	16	25	39
65+	968	9.1	65	2	2	7	12	19	25	39
B. *Operated*										
0-19 YRS	37	12.2	90	3	4	10	13	24	37	40
20-34	101	14.0	144	2	3	11	17	31	41	60
35-49	243	12.8	135	2	3	9	18	30	41	57
50-64	742	13.8	172	2	3	10	17	29	38	77
65+	1467	14.1	136	2	3	11	18	29	37	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	269	4.6	16	1	1	4	6	10	13	18
B. *Operated*	801	6.4	29	1	1	5	9	13	16	23
2. MULTIPLE DX										
A. *Not Operated*	1728	8.4	64	1	2	6	11	18	25	39
B. *Operated*	2590	13.9	146	2	3	10	17	29	38	64
1. SINGLE DX	1070	6.0	26	1	1	4	8	13	16	23
2. MULTIPLE DX	4318	11.7	120	2	2	9	15	25	34	53
A. NOT OPERATED	1997	7.9	59	1	2	5	10	17	23	38
B. OPERATED	3391	12.1	128	2	2	9	15	25	35	56
TOTAL 0-19 YRS	128	6.9	49	1	1	4	9	13	22	38
20-34	246	9.3	94	1	2	6	12	20	29	44
35-49	555	9.1	99	1	1	6	11	20	32	51
50-64	1643	10.0	114	1	2	7	13	21	31	62
65+	2816	11.4	106	2	3	9	15	24	31	50
GRAND TOTAL	**5388**	**10.5**	**107**	**1**	**2**	**8**	**13**	**22**	**31**	**50**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	5.0		5	5	5	5	5	5	5
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	44	3.3	17	<1	1	2	4	7	11	24
20-34	144	2.5	3	1	1	2	3	4	5	8
35-49	201	2.9	3	1	1	3	4	5	5	10
50-64	231	2.7	2	1	1	2	3	4	5	7
65+	174	3.0	2	1	1	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	5.5	5	4	4	5	7	7	7	7
50-64	1	1.0		1	1	1	1	1	1	1
65+	4	2.0	4	1	1	1	3	3	5	5
B. *Operated*										
0-19 YRS	12	2.3	2	1	1	2	3	4	5	5
20-34	46	2.6	2	1	1	2	3	4	6	7
35-49	79	2.6	2	1	1	2	3	5	6	6
50-64	153	3.4	6	1	1	3	4	6	7	15
65+	214	4.0	8	1	1	3	5	7	10	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*	794	2.8	3	1	1	3	4	5	5	9
2. MULTIPLE DX										
A. *Not Operated*	7	2.9	6	1	1	1	5	7	7	7
B. *Operated*	504	3.4	6	1	1	3	4	6	7	15
1. SINGLE DX	796	2.8	3	1	1	3	4	5	5	9
2. MULTIPLE DX	511	3.4	6	1	1	3	4	6	7	15
A. NOT OPERATED	9	2.9	6	1	1	1	5	6	7	7
B. OPERATED	1298	3.0	4	1	1	3	4	5	6	12
TOTAL 0-19 YRS	56	3.1	13	<1	1	2	4	6	10	23
20-34	190	2.5	3	1	1	2	3	4	5	8
35-49	282	2.9	3	1	1	3	4	5	5	7
50-64	386	3.0	4	1	1	3	4	5	6	9
65+	393	3.5	6	1	1	3	4	6	7	14
GRAND TOTAL	**1307**	**3.0**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**12**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.0	5	<1	<1	3	5	7	7	7
20-34	7	3.0	1	2	2	3	4	4	4	4
35-49	5	5.4	13	<1	<1	8	8	8	8	8
50-64	20	2.1	2	<1	<1	2	2	3	6	8
65+	21	2.0	3	<1	<1	1	2	4	7	7
B. *Operated*										
0-19 YRS	41	4.1	11	<1	1	4	5	10	11	14
20-34	36	6.6	21	<1	1	5	10	14	15	18
35-49	100	5.1	12	1	1	5	8	10	11	14
50-64	196	4.7	18	<1	1	3	8	10	13	17
65+	257	4.5	20	<1	1	2	7	11	14	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.7	13	1	1	3	4	7	13	15
20-34	19	4.6	7	2	2	3	6	9	10	11
35-49	29	3.9	6	1	1	3	6	7	8	10
50-64	77	3.8	29	<1	1	3	4	8	9	36
65+	150	4.4	16	1	1	3	5	10	15	18
B. *Operated*										
0-19 YRS	39	6.2	24	1	1	5	9	14	17	19
20-34	76	7.3	49	1	1	6	10	15	19	40
35-49	235	6.9	37	1	1	6	9	14	18	30
50-64	692	6.3	31	1	1	5	9	12	17	27
65+	1353	7.4	53	1	1	6	10	15	20	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	2.5	4	<1	<1	2	3	7	8	8
B. *Operated*	630	4.8	18	<1	1	3	8	11	13	17
2. MULTIPLE DX										
A. *Not Operated*	289	4.2	17	1	1	3	5	9	11	18
B. *Operated*	2395	7.0	45	1	1	5	9	15	19	29
1. SINGLE DX	690	4.6	17	<1	1	3	7	10	13	17
2. MULTIPLE DX	2684	6.7	43	1	1	5	9	14	18	29
A. NOT OPERATED	349	3.9	15	1	1	3	5	8	10	18
B. OPERATED	3025	6.6	40	1	1	5	9	14	17	28
TOTAL 0-19 YRS	101	4.8	17	1	1	4	6	10	14	18
20-34	138	6.5	35	1	1	5	9	13	17	28
35-49	369	6.2	28	1	1	5	8	12	15	27
50-64	985	5.7	29	1	1	4	8	12	16	24
65+	1781	6.7	47	1	1	5	9	14	18	28
GRAND TOTAL	**3374**	**6.3**	**38**	**1**	**1**	**5**	**9**	**13**	**17**	**27**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	1.0		<1	<1	<1	1	1	1	1
20-34	4	1.5		1	1	1	2	2	2	2
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	81	1.9	6	<1	<1	1	2	4	6	16
20-34	40	3.0	9	<1	<1	2	3	7	10	13
35-49	73	3.1	9	<1	1	2	4	7	10	14
50-64	76	4.7	10	1	1	4	7	9	11	14
65+	46	4.0	18	1	1	3	6	8	10	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	1	6	6	6	7	7	7	7
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	5.0	32	1	1	5	9	9	9	9
50-64	6	6.3	37	<1	<1	4	14	14	14	14
65+	3	4.0	13	1	1	3	7	8	8	8
B. *Operated*										
0-19 YRS	26	3.3	16	<1	1	1	5	7	15	15
20-34	23	5.4	30	<1	1	3	8	14	18	21
35-49	62	6.1	29	1	1	5	8	14	17	26
50-64	73	8.0	70	1	1	6	10	18	24	42
65+	112	8.2	46	1	2	8	11	16	20	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	1.2		<1	<1	<1	1	2	3	3
B. *Operated*	316	3.3	11	<1	<1	2	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	14	5.4	21	<1	1	4	8	14	14	14
B. *Operated*	296	7.1	46	1	1	6	10	16	19	41
1. SINGLE DX	339	3.2	10	<1	<1	2	4	7	9	14
2. MULTIPLE DX	310	7.0	45	1	1	6	10	16	19	41
A. NOT OPERATED	37	2.8	12	<1	<1	1	3	8	12	14
B. OPERATED	612	5.1	31	<1	1	3	7	12	16	26
TOTAL 0-19 YRS	125	2.2	8	<1	<1	1	2	5	7	16
20-34	68	3.7	17	<1	1	2	5	8	13	20
35-49	139	4.4	20	1	1	3	6	10	14	21
50-64	155	6.3	41	1	1	5	8	13	18	39
65+	162	6.9	41	1	1	6	10	15	18	48
GRAND TOTAL	**649**	**5.0**	**31**	**<1**	**1**	**3**	**7**	**12**	**16**	**25**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.6	3	1	1	2	4	5	5	5
20-34	5	2.6		2	2	3	3	3	3	3
35-49	6	3.2	15	<1	<1	2	2	10	11	11
50-64	5	1.2		<1	<1	1	1	2	2	2
65+	5	4.0	10	1	1	3	6	9	9	9
B. *Operated*										
0-19 YRS	493	2.4	3	1	1	2	3	4	6	8
20-34	394	2.8	6	<1	1	2	3	5	7	14
35-49	437	2.6	5	<1	1	2	3	5	7	11
50-64	364	2.6	6	<1	1	2	3	5	7	13
65+	121	3.0	9	1	1	2	3	7	8	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	2.5	6	<1	<1	2	3	6	9	9
20-34	8	7.8	26	1	2	6	12	15	15	15
35-49	9	4.4	27	<1	<1	2	6	14	16	16
50-64	17	4.9	11	<1	1	4	7	10	11	12
65+	21	3.8	9	<1	1	3	5	7	11	14
B. *Operated*										
0-19 YRS	120	4.4	20	1	1	3	5	10	14	23
20-34	186	4.4	23	1	1	3	5	10	13	26
35-49	286	4.2	22	1	1	3	5	9	12	26
50-64	421	4.3	22	1	1	3	5	9	12	18
65+	316	5.2	29	1	1	3	7	10	15	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	2.7	6	<1	<1	2	3	5	9	11
B. *Operated*	1809	2.6	5	<1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	66	4.4	15	<1	1	3	6	10	14	16
B. *Operated*	1329	4.5	24	1	1	3	5	10	14	24
1. SINGLE DX	1837	2.6	5	<1	1	2	3	5	7	12
2. MULTIPLE DX	1395	4.5	23	1	1	3	5	10	14	24
A. NOT OPERATED	94	3.9	13	<1	1	3	5	9	12	16
B. OPERATED	3138	3.4	14	1	1	2	4	7	10	18
TOTAL 0-19 YRS	631	2.8	7	1	1	2	3	5	8	15
20-34	593	3.4	12	<1	1	2	4	6	10	19
35-49	738	3.2	12	<1	1	2	4	7	10	18
50-64	807	3.5	15	1	1	2	4	7	10	17
65+	463	4.5	24	1	1	3	6	10	14	25
GRAND TOTAL	**3232**	**3.4**	**14**	**1**	**1**	**2**	**4**	**7**	**10**	**18**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.2	4	<1	<1	1	3	5	7	9
20-34	2	2.0	2	<1	<1	1	3	3	3	3
35-49	5	3.6	4	1	1	4	5	6	6	6
50-64	4	5.8	26	<1	<1	4	9	13	13	13
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	453	2.6	16	<1	<1	2	3	5	7	17
20-34	158	2.7	7	<1	1	2	3	5	7	18
35-49	94	3.4	14	1	1	2	4	7	12	21
50-64	76	2.9	9	1	1	2	3	5	9	18
65+	32	4.1	41	1	1	2	4	5	21	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	3.2	15	<1	<1	2	3	10	12	17
20-34	10	4.1	12	1	1	2	6	9	12	12
35-49	13	3.8	5	1	1	3	5	7	8	8
50-64	16	4.9	16	<1	<1	4	6	10	15	17
65+	24	5.7	12	1	1	5	9	10	11	12
B. *Operated*										
0-19 YRS	161	4.9	72	<1	1	2	4	12	19	49
20-34	76	5.4	75	1	1	3	6	9	15	56
35-49	103	5.6	89	1	1	4	6	11	16	61
50-64	111	4.9	26	1	1	3	7	10	17	25
65+	129	8.3	141	1	1	4	10	21	37	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	2.8	7	<1	<1	2	4	6	9	13
B. *Operated*	813	2.8	14	<1	<1	2	3	5	8	20
2. MULTIPLE DX										
A. *Not Operated*	92	4.3	13	<1	1	3	6	10	11	17
B. *Operated*	580	5.8	83	1	1	3	6	12	20	50
1. SINGLE DX	844	2.8	14	<1	<1	2	3	5	8	20
2. MULTIPLE DX	672	5.6	74	1	1	3	6	12	19	46
A. NOT OPERATED	123	3.9	12	<1	<1	3	5	9	11	17
B. OPERATED	1393	4.1	45	<1	1	2	4	8	13	34
TOTAL 0-19 YRS	661	3.2	30	<1	<1	2	3	6	9	26
20-34	246	3.6	30	<1	1	2	4	7	9	29
35-49	215	4.5	50	1	1	3	5	8	13	28
50-64	207	4.2	19	1	1	3	5	9	14	23
65+	187	7.2	108	1	1	4	8	17	33	73
GRAND TOTAL	**1516**	**4.1**	**42**	**<1**	**<1**	**2**	**4**	**8**	**12**	**33**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	63	1.8	1	<1	<1	2	2	3	4	5
20-34	96	1.6	1	<1	<1	1	2	3	3	5
35-49	129	1.7	1	<1	<1	2	2	2	3	5
50-64	79	1.6	1	<1	<1	2	2	2	3	5
65+	35	2.0	1	<1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	4	3.8	12	1	1	3	6	8	8	8
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	16	2.5	2	<1	<1	2	3	4	6	7
20-34	59	2.8	8	<1	<1	2	3	6	7	18
35-49	163	2.9	14	<1	1	2	3	6	7	10
50-64	163	2.8	6	1	1	2	3	5	7	14
65+	131	2.8	8	1	1	2	3	5	7	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	402	1.7	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	7	2.9	7	1	1	2	4	7	8	8
B. *Operated*	532	2.8	9	<1	1	2	3	5	7	12
1. SINGLE DX	403	1.7	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX	539	2.8	9	<1	1	2	3	5	7	12
A. NOT OPERATED	8	2.6	7	1	1	2	4	7	8	8
B. OPERATED	934	2.3	6	<1	<1	2	3	4	6	10
TOTAL 0-19 YRS	79	1.9	1	<1	<1	2	2	3	4	6
20-34	156	2.1	4	<1	<1	2	2	3	5	8
35-49	293	2.3	8	<1	<1	2	2	4	6	10
50-64	246	2.5	5	<1	1	2	3	5	6	12
65+	168	2.7	6	<1	1	2	3	5	6	9
GRAND TOTAL	**942**	**2.3**	**6**	**<1**	**<1**	**2**	**3**	**4**	**6**	**10**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	16	3.9	5	1	2	3	5	6	9	10
35-49	28	2.7	9	1	1	2	3	5	7	16
50-64	5	3.2	5	2	2	2	4	7	7	7
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	4	4.3	6	1	1	5	6	6	6	6
20-34	458	5.4	4	2	3	5	6	8	8	11
35-49	1352	5.8	3	2	4	6	7	8	8	11
50-64	178	5.8	4	2	4	6	7	8	9	12
65+	19	5.7	7	1	2	6	7	10	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	69	2.7	5	<1	<1	2	4	6	8	10
35-49	194	3.7	11	<1	<1	3	5	8	9	15
50-64	32	3.3	8	1	1	2	4	8	10	12
65+	21	4.6	12	1	2	3	5	10	13	15
B. *Operated*										
0-19 YRS	16	6.9	31	2	2	6	7	13	21	25
20-34	1769	6.0	5	2	3	6	7	8	10	14
35-49	9407	6.4	6	3	4	6	7	9	10	16
50-64	1731	6.8	8	3	4	6	8	9	12	17
65+	202	8.9	27	4	5	8	10	14	17	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	3.1	7	1	1	2	4	6	7	16
B. *Operated*	2011	5.7	3	2	4	6	7	8	8	11
2. MULTIPLE DX										
A. *Not Operated*	317	3.5	9	<1	1	2	5	8	9	14
B. *Operated*	13125	6.4	7	3	4	6	7	9	10	16
1. SINGLE DX	2063	5.6	4	2	3	6	7	8	8	11
2. MULTIPLE DX	13442	6.3	7	3	4	6	7	9	10	16
A. NOT OPERATED	369	3.4	9	<1	1	2	5	7	9	15
B. OPERATED	15136	6.3	6	3	4	6	7	9	10	15
TOTAL 0-19 YRS	23	6.0	24	1	2	6	6	10	17	25
20-34	2312	5.7	5	2	3	6	7	8	9	13
35-49	10981	6.2	6	3	4	6	7	8	10	15
50-64	1946	6.6	8	3	4	6	7	9	11	17
65+	243	8.2	26	2	4	7	10	14	16	34
GRAND TOTAL	**15505**	**6.2**	**6**	**2**	**4**	**6**	**7**	**9**	**10**	**15**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	11	3.9	4	<1	1	5	5	6	7	7
35-49	19	4.9	4	1	2	5	6	7	8	9
50-64	4	5.0	9	<1	<1	5	7	8	8	8
65+	2	4.5	13	2	2	4	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	33	5.1	6	1	1	6	7	8	9	9
35-49	120	5.8	5	1	2	6	7	8	9	12
50-64	30	6.4	17	1	2	6	7	9	12	24
65+	16	7.7	30	2	2	6	11	17	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.0	2	<1	<1	1	3	3	3	3
B. *Operated*	38	4.5	5	<1	1	5	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	3	1.0		<1	<1	1	1	1	1	1
B. *Operated*	200	5.9	9	1	2	6	7	8	10	17
1. SINGLE DX	40	4.4	5	<1	1	5	6	7	8	9
2. MULTIPLE DX	203	5.9	9	1	2	6	7	8	10	17
A. NOT OPERATED	5	1.4	1	<1	<1	1	2	3	3	3
B. OPERATED	238	5.7	9	1	2	6	7	8	10	17
TOTAL 0-19 YRS	3	2.0	3	1	1	1	3	4	4	4
20-34	45	4.7	6	1	1	5	6	8	8	9
35-49	142	5.6	5	1	2	6	7	8	9	11
50-64	34	6.3	16	<1	1	6	7	9	11	24
65+	19	7.0	29	1	2	6	8	17	18	18
GRAND TOTAL	**243**	**5.6**	**9**	**1**	**2**	**6**	**7**	**8**	**9**	**17**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	121	4.8	2	3	3	5	5	7	7	8
20-34	517	4.9	2	3	3	5	6	7	7	10
35-49	189	5.4	3	3	4	5	6	8	9	11
50-64	115	6.1	4	4	4	6	7	8	9	15
65+	69	7.2	8	4	5	7	8	11	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	3.3	4	2	2	3	4	6	6	6
35-49	1	6.0		6	6	6	6	6	6	6
50-64	2	8.0	8	6	6	8	10	10	10	10
65+	4	6.8	68	2	2	3	11	19	19	19
B. *Operated*										
0-19 YRS	107	5.8	7	3	3	5	6	9	10	19
20-34	650	5.6	5	3	3	5	6	8	10	14
35-49	565	6.4	6	3	4	6	7	9	11	16
50-64	375	7.7	14	4	5	7	8	12	15	25
65+	348	10.0	33	5	5	8	12	17	21	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.2	5	<1	<1	1	3	6	6	6
B. *Operated*	1011	5.3	3	3	3	5	6	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	12	5.3	25	2	2	3	6	13	18	19
B. *Operated*	2045	6.9	14	3	4	6	8	11	14	22
1. SINGLE DX	1016	5.3	3	3	3	5	6	7	8	12
2. MULTIPLE DX	2057	6.9	14	3	4	6	8	11	14	22
A. NOT OPERATED	17	4.4	20	<1	1	2	6	9	16	19
B. OPERATED	3056	6.4	11	3	4	6	7	9	12	20
TOTAL 0-19 YRS	231	5.2	5	3	3	5	6	7	9	13
20-34	1172	5.3	4	3	3	5	6	7	9	13
35-49	756	6.1	5	3	4	6	7	9	10	14
50-64	492	7.3	12	4	5	6	8	11	14	22
65+	422	9.5	30	5	5	8	11	16	20	31
GRAND TOTAL	**3073**	**6.4**	**11**	**3**	**4**	**6**	**7**	**9**	**12**	**20**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	5.0	3	4	4	4	6	7	7	7
20-34	8	3.3	4	<1	<1	3	5	6	6	6
35-49	13	3.9	5	<1	1	4	5	7	9	9
50-64	4	4.3	5	1	1	5	6	6	6	6
65+	2	6.0	32	2	2	6	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	18	5.2	4	2	3	5	6	8	10	10
35-49	23	5.3	8	<1	1	6	7	9	11	12
50-64	18	4.9	23	<1	1	3	6	9	17	21
65+	9	4.9	18	1	1	4	6	11	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	30	4.0	5	<1	1	4	5	7	9	10
2. MULTIPLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	68	5.1	12	1	1	5	6	9	10	20
1. SINGLE DX	30	4.0	5	<1	1	4	5	7	9	10
2. MULTIPLE DX	69	5.1	12	1	1	5	6	9	10	20
A. NOT OPERATED	1	2.0		2	2	2	2	2	2	2
B. OPERATED	98	4.8	10	<1	1	4	6	9	10	18
TOTAL 0-19 YRS	3	5.0	3	4	4	4	6	7	7	7
20-34	27	4.5	5	<1	1	5	5	7	9	10
35-49	36	4.8	7	<1	1	5	6	9	10	12
50-64	22	4.8	20	<1	1	4	6	9	14	21
65+	11	5.1	18	1	1	4	6	12	15	15
GRAND TOTAL	**99**	**4.8**	**10**	**<1**	**1**	**4**	**6**	**8**	**10**	**18**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	11	2.4	5	<1	<1	1	3	6	8	8
35-49	16	1.9	2	1	1	1	2	4	5	6
50-64	9	2.4	2	1	1	2	3	5	6	6
65+	4	2.3	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	9	3.6	4	1	1	4	5	6	6	6
35-49	13	2.9	10	1	1	2	3	7	12	13
50-64	6	3.2	2	2	2	3	3	6	6	6
65+	13	6.8	25	<1	1	6	9	15	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	43	2.1	3	<1	1	2	2	4	6	8
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	41	4.3	15	1	1	3	6	10	14	17
1. SINGLE DX	43	2.1	3	<1	1	2	2	4	6	8
2. MULTIPLE DX	41	4.3	15	1	1	3	6	10	14	17
A. NOT OPERATED										
B. OPERATED	84	3.2	10	1	1	2	4	6	10	16
TOTAL 0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	20	2.9	5	<1	1	2	5	6	7	8
35-49	29	2.3	6	1	1	2	2	5	6	13
50-64	15	2.7	2	1	2	2	3	6	6	6
65+	17	5.7	23	<1	1	4	7	14	16	17
GRAND TOTAL	**84**	**3.2**	**10**	**1**	**1**	**2**	**4**	**6**	**10**	**16**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	6	5.5	22	1	1	4	7	13	14	14
20-34	7	3.7	7	<1	<1	4	6	7	7	7
35-49	8	5.0	11	1	1	5	7	10	11	11
50-64	19	6.2	39	<1	<1	4	7	17	22	22
65+	14	4.9	18	1	1	3	7	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	1	5.0		5	5	5	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	4	6.0	41	1	1	4	10	15	15	15
20-34	11	4.5	14	1	1	3	7	10	13	13
35-49	16	7.4	36	2	3	4	9	17	20	21
50-64	36	7.7	47	1	1	6	10	19	25	27
65+	66	6.4	51	1	1	4	9	16	18	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	54	5.3	23	<1	1	4	7	11	14	22
2. MULTIPLE DX										
A. *Not Operated*	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*	133	6.7	44	1	1	4	9	16	20	30
1. SINGLE DX	55	5.2	22	<1	1	4	7	11	14	22
2. MULTIPLE DX	135	6.7	44	1	1	4	9	16	20	30
A. NOT OPERATED	3	2.3	5	1	1	1	4	5	5	5
B. OPERATED	187	6.3	38	1	1	4	8	14	20	27
TOTAL 0-19 YRS	10	5.7	26	1	1	4	7	14	15	15
20-34	19	4.1	11	<1	<1	3	6	8	11	13
35-49	24	6.6	28	1	2	5	9	17	18	21
50-64	56	7.2	43	1	1	5	9	19	22	27
65+	81	6.1	45	1	1	4	8	14	17	38
GRAND TOTAL	**190**	**6.2**	**38**	**1**	**1**	**4**	**8**	**14**	**20**	**27**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	17	1.4	1	<1	<1	1	2	3	3	3
20-34	8	1.6	1	1	1	1	2	3	4	4
35-49	4	3.8	6	<1	<1	3	5	7	7	7
50-64										
65+	2	5.5	5	4	4	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	8	6.6	193	1	1	2	3	30	41	41
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	4.0		4	4	4	4	4	4	4
50-64	4	3.0	7	1	1	2	5	7	7	7
65+	2	6.0	32	2	2	6	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	31	2.0	3	<1	<1	1	3	4	7	7
2. MULTIPLE DX										
A. *Not Operated*	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*	16	5.2	97	1	1	2	3	10	32	41
1. SINGLE DX	31	2.0	3	<1	<1	1	3	4	7	7
2. MULTIPLE DX	18	4.8	87	<1	1	2	3	9	29	41
A. NOT OPERATED	2	1.5	1	<1	<1	1	2	2	2	2
B. OPERATED	47	3.1	36	<1	1	2	3	6	8	41
TOTAL 0-19 YRS	26	3.0	61	<1	<1	1	2	3	11	41
20-34	10	1.7	1	1	1	2	2	3	4	4
35-49	5	3.8	5	<1	<1	4	5	7	7	7
50-64	4	3.0	7	1	1	2	5	7	7	7
65+	4	5.8	12	2	2	5	8	10	10	10
GRAND TOTAL	**49**	**3.0**	**34**	**<1**	**<1**	**2**	**3**	**6**	**7**	**41**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	3.3	1	2	2	4	4	4	4	4
35-49	6	4.5	17	<1	<1	3	8	11	11	11
50-64	12	2.7	4	1	1	2	3	5	8	8
65+	9	4.1	7	2	2	3	5	9	9	9
B. *Operated*										
0-19 YRS	8	9.6	25	3	4	9	14	16	16	16
20-34	46	8.2	22	1	2	8	11	16	16	18
35-49	94	9.3	23	1	2	9	12	15	18	24
50-64	112	10.6	60	2	3	9	12	18	23	52
65+	59	11.2	48	2	3	10	15	19	24	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	10.0	128	2	2	10	18	18	18	18
20-34	10	3.7	20	<1	<1	2	3	11	15	15
35-49	15	4.0	5	<1	1	4	6	7	8	8
50-64	29	4.5	15	1	1	3	5	9	11	20
65+	110	7.4	37	2	2	6	9	13	17	36
B. *Operated*										
0-19 YRS	18	14.6	138	3	5	12	15	31	45	51
20-34	43	12.0	57	2	5	11	14	20	32	37
35-49	96	16.1	260	2	3	12	17	28	58	88
50-64	200	15.7	167	3	5	12	19	31	47	99+
65+	245	18.7	198	3	4	16	24	35	52	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	3.5	7	1	1	3	4	8	9	11
B. *Operated*	319	10.0	41	1	2	9	13	16	20	31
2. MULTIPLE DX										
A. *Not Operated*	166	6.4	32	1	2	5	8	12	17	26
B. *Operated*	602	16.7	188	2	4	13	21	33	49	92
1. SINGLE DX	350	9.4	42	1	2	9	12	16	19	28
2. MULTIPLE DX	768	14.5	172	2	3	11	18	30	43	84
A. NOT OPERATED	197	5.9	29	1	1	5	8	11	15	24
B. OPERATED	921	14.4	147	2	4	11	18	27	37	79
TOTAL 0-19 YRS	29	12.4	104	2	3	12	15	20	36	51
20-34	102	9.2	43	1	2	9	12	16	19	36
35-49	211	11.9	145	1	2	10	14	21	28	72
50-64	353	12.7	130	1	2	10	16	24	35	85
65+	423	14.4	158	2	3	11	19	28	41	69
GRAND TOTAL	**1118**	**12.9**	**137**	**2**	**2**	**10**	**16**	**25**	**35**	**72**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	45	2.8	3	1	1	3	3	4	5	11
20-34	237	3.0	1	1	1	3	4	4	5	6
35-49	365	3.0	2	1	2	3	4	5	5	6
50-64	190	3.2	3	1	1	3	4	5	5	9
65+	68	3.5	1	1	2	4	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	5.5	13	3	3	5	8	8	8	8
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	4	3.8	6	2	2	3	5	7	7	7
B. *Operated*										
0-19 YRS	9	3.6	3	1	1	3	5	6	6	6
20-34	117	3.6	5	1	2	3	4	5	7	14
35-49	179	3.8	3	2	2	4	5	6	7	10
50-64	187	4.6	21	2	2	4	5	6	10	24
65+	148	5.4	20	2	2	4	6	9	12	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.3		2	2	2	3	3	3	3
B. *Operated*	905	3.1	2	1	1	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	9	3.7	6	1	1	3	5	8	8	8
B. *Operated*	640	4.4	13	2	2	4	5	7	9	15
1. SINGLE DX	908	3.1	2	1	1	3	4	5	5	7
2. MULTIPLE DX	649	4.4	13	2	2	4	5	7	9	15
A. NOT OPERATED	12	3.3	4	1	1	3	4	7	8	8
B. OPERATED	1545	3.6	7	1	2	3	4	5	7	12
TOTAL 0-19 YRS	54	3.0	3	1	1	3	4	5	6	11
20-34	357	3.2	3	1	1	3	4	5	5	8
35-49	547	3.3	2	1	2	3	4	5	6	8
50-64	379	3.9	12	1	2	3	4	6	7	14
65+	220	4.8	15	2	2	4	5	8	10	16
GRAND TOTAL	**1557**	**3.6**	**7**	**1**	**2**	**3**	**4**	**5**	**7**	**12**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	5	<1	<1	5	5	5	5	5
20-34	8	4.9	5	<1	1	5	6	8	9	9
35-49	6	6.2	13	2	2	6	9	11	11	11
50-64	4	5.3	6	2	2	5	7	8	8	8
65+										
B. *Operated*										
0-19 YRS	12	6.3	10	2	2	7	8	11	12	12
20-34	33	7.1	14	2	3	7	9	12	15	18
35-49	40	5.8	9	2	3	5	8	10	11	14
50-64	56	6.9	16	2	3	6	9	14	15	18
65+	24	6.5	12	2	3	6	8	11	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.3	12	2	2	5	8	9	9	9
20-34	17	5.2	29	<1	1	3	7	13	18	20
35-49	18	4.5	6	1	2	4	6	8	9	9
50-64	24	4.5	7	2	2	4	6	8	10	13
65+	27	12.1	268	3	3	7	11	35	47	78
B. *Operated*										
0-19 YRS	9	12.8	202	1	1	9	12	35	49	49
20-34	62	8.9	33	2	3	8	10	18	22	29
35-49	81	8.0	45	2	3	6	9	14	22	39
50-64	151	9.3	78	3	3	7	11	18	30	35
65+	149	10.8	73	3	4	7	16	21	27	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	5.1	7	<1	1	5	7	9	10	11
B. *Operated*	165	6.6	13	2	3	6	8	12	14	18
2. MULTIPLE DX										
A. *Not Operated*	89	7.0	99	1	2	4	7	12	15	64
B. *Operated*	452	9.6	67	3	3	7	12	19	26	41
1. SINGLE DX	186	6.4	12	2	3	6	8	11	14	17
2. MULTIPLE DX	541	9.1	73	2	3	6	11	18	25	42
A. NOT OPERATED	110	6.6	82	1	2	5	7	11	14	56
B. OPERATED	617	8.8	54	2	3	7	10	18	22	36
TOTAL 0-19 YRS	27	8.0	80	1	2	7	9	12	18	49
20-34	120	7.6	27	2	2	7	9	14	19	25
35-49	145	6.9	30	2	3	6	8	11	15	35
50-64	235	8.2	58	2	3	6	10	15	20	33
65+	200	10.5	93	3	3	7	14	20	28	47
GRAND TOTAL	**727**	**8.4**	**59**	**2**	**3**	**6**	**10**	**16**	**22**	**40**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.0		1	1	1	1	1	1	1
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	2	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	8	1.9	1	1	1	2	2	4	4	4
20-34	608	3.9	5	1	1	4	6	7	7	9
35-49	260	4.4	6	1	1	5	6	7	8	11
50-64	68	4.9	8	1	1	5	7	8	9	13
65+	26	4.3	9	1	1	3	6	8	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	2.0	4	<1	<1	1	3	5	6	6
35-49	8	1.1		<1	<1	1	1	2	2	2
50-64	5	5.6	10	1	1	5	8	9	9	9
65+	2	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	5	2.8	5	1	1	2	4	6	6	6
20-34	586	4.7	6	1	1	5	6	7	8	12
35-49	523	5.8	7	2	3	6	7	8	11	15
50-64	146	7.1	20	1	2	7	9	11	15	23
65+	79	7.1	39	1	2	6	8	12	15	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.0	1	1	1	2	3	3	3	3
B. *Operated*	970	4.1	5	1	1	4	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	23	2.6	6	<1	<1	1	4	6	8	9
B. *Operated*	1339	5.6	11	1	2	5	7	8	10	17
1. SINGLE DX	976	4.1	5	1	1	4	6	7	8	10
2. MULTIPLE DX	1362	5.5	11	1	1	5	7	8	10	17
A. NOT OPERATED	29	2.4	5	<1	<1	1	3	6	8	9
B. OPERATED	2309	4.9	9	1	1	5	6	8	9	14
TOTAL 0-19 YRS	13	2.2	2	1	1	2	3	5	6	6
20-34	1204	4.3	6	1	1	5	6	7	8	10
35-49	793	5.3	7	1	2	5	6	8	10	13
50-64	221	6.3	17	1	2	6	8	10	13	22
65+	107	6.3	32	1	2	6	8	10	13	37
GRAND TOTAL	**2338**	**4.9**	**9**	**1**	**1**	**5**	**6**	**8**	**9**	**13**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	4.0		4	4	4	4	4	4	4
65+	3	3.7	14	1	1	2	6	8	8	8
B. *Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	24	4.2	10	1	1	3	6	8	11	13
35-49	80	4.4	8	1	1	4	6	8	10	14
50-64	128	4.5	13	1	1	4	6	9	12	19
65+	97	5.4	20	1	1	4	7	10	13	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	5	2.4	5	1	1	1	4	6	6	6
50-64	6	3.5	7	1	1	3	5	8	8	8
65+	16	5.3	32	1	1	3	6	14	19	21
B. *Operated*										
0-19 YRS										
20-34	32	5.0	8	<1	1	5	7	8	9	13
35-49	133	6.3	17	1	2	6	7	12	14	24
50-64	238	7.3	39	1	1	6	10	14	19	36
65+	381	8.0	44	1	2	6	11	16	22	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	3.2	7	1	1	2	4	8	8	8
B. *Operated*	331	4.7	13	1	1	4	6	9	12	20
2. MULTIPLE DX										
A. *Not Operated*	28	4.3	21	1	1	3	5	10	15	21
B. *Operated*	784	7.4	37	1	2	6	10	15	20	31
1. SINGLE DX	337	4.7	13	1	1	4	6	9	12	19
2. MULTIPLE DX	812	7.3	37	1	2	6	9	15	20	30
A. NOT OPERATED	34	4.1	18	1	1	3	5	9	13	21
B. OPERATED	1115	6.6	31	1	1	5	8	13	18	27
TOTAL 0-19 YRS	3	2.3	1	<1	<1	3	3	3	3	3
20-34	57	4.6	9	1	1	4	6	8	10	13
35-49	219	5.5	14	1	1	5	7	10	13	19
50-64	373	6.3	31	1	1	5	8	12	18	31
65+	497	7.4	40	1	2	6	10	16	21	29
GRAND TOTAL	**1149**	**6.5**	**31**	**1**	**1**	**5**	**8**	**13**	**17**	**27**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	2.9	5	<1	1	2	4	5	8	10
20-34	32	3.4	7	1	1	3	5	7	10	12
35-49	42	4.1	7	1	1	3	5	8	10	12
50-64	49	3.2	7	<1	1	2	4	7	8	14
65+	42	3.8	13	<1	1	2	4	9	11	19
B. *Operated*										
0-19 YRS	157	4.4	17	1	1	3	6	9	12	32
20-34	211	4.5	15	1	1	3	6	9	12	19
35-49	241	4.4	10	1	1	4	6	8	10	15
50-64	278	4.6	16	1	1	3	6	10	12	16
65+	261	4.6	18	1	1	3	7	10	13	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	3.4	8	<1	1	2	4	8	10	12
20-34	60	3.9	10	<1	1	3	5	9	10	16
35-49	90	4.8	22	<1	1	4	7	9	11	29
50-64	176	5.5	43	<1	1	4	7	11	13	38
65+	461	6.4	33	1	2	5	8	13	16	29
B. *Operated*										
0-19 YRS	122	8.2	104	1	1	5	10	17	22	52
20-34	193	7.8	92	1	2	5	8	14	22	58
35-49	305	6.8	33	1	1	6	8	14	18	32
50-64	494	8.0	56	1	2	6	10	16	23	38
65+	1114	8.6	54	1	2	7	12	17	22	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	205	3.5	8	1	1	3	4	7	10	13
B. *Operated*	1148	4.5	15	1	1	3	6	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	847	5.7	31	1	1	4	7	12	15	29
B. *Operated*	2228	8.2	58	1	2	6	10	16	22	37
1. SINGLE DX	1353	4.4	14	1	1	3	6	9	11	18
2. MULTIPLE DX	3075	7.5	52	1	2	6	10	15	20	36
A. NOT OPERATED	1052	5.2	28	1	1	4	7	11	14	25
B. OPERATED	3376	6.9	46	1	1	5	9	14	19	33
TOTAL 0-19 YRS	379	5.3	46	1	1	3	7	11	15	33
20-34	496	5.7	47	1	1	4	7	11	15	39
35-49	678	5.5	23	1	1	4	7	10	15	28
50-64	997	6.4	43	1	1	4	8	12	17	36
65+	1878	7.4	45	1	2	5	10	15	20	31
GRAND TOTAL	**4428**	**6.5**	**42**	**1**	**1**	**5**	**8**	**13**	**18**	**31**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	5	2.2	2	1	1	2	3	4	4	4
35-49	9	3.4	3	1	1	4	5	6	6	6
50-64	7	4.7	18	<1	1	3	5	12	14	14
65+	2	2.5	1	2	2	2	3	3	3	3
B. Operated										
0-19 YRS	26	2.7	1	1	1	3	3	4	5	5
20-34	209	3.3	3	1	2	3	4	5	5	9
35-49	283	3.4	3	1	2	3	4	5	6	9
50-64	238	3.7	3	2	2	3	4	5	7	11
65+	111	3.9	3	1	2	4	5	6	6	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	2.8	6	1	1	2	4	6	6	6
20-34	19	3.6	7	<1	<1	3	5	7	10	12
35-49	21	4.4	10	<1	<1	4	7	10	10	10
50-64	24	3.9	5	<1	1	4	6	7	8	9
65+	43	4.4	11	<1	1	4	6	7	11	18
B. Operated										
0-19 YRS	9	4.0	4	1	1	4	5	7	7	7
20-34	77	3.9	6	1	1	4	4	6	10	13
35-49	181	4.3	11	1	2	4	5	7	10	19
50-64	258	4.8	18	2	2	4	5	8	11	18
65+	231	6.7	31	2	3	5	8	13	17	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	3.5	7	<1	1	3	4	5	8	14
B. Operated	867	3.5	3	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	111	4.1	9	<1	1	3	6	7	10	15
B. Operated	756	5.2	20	1	2	4	5	9	14	24
1. SINGLE DX	891	3.5	3	1	2	3	4	5	6	10
2. MULTIPLE DX	867	5.1	19	1	2	4	5	9	13	24
A. NOT OPERATED	135	4.0	8	<1	1	3	5	7	10	15
B. OPERATED	1623	4.3	12	1	2	4	5	7	9	17
TOTAL 0-19 YRS	40	3.0	2	1	1	3	4	5	6	7
20-34	310	3.5	4	1	2	3	4	5	6	12
35-49	494	3.8	6	1	2	3	4	6	8	16
50-64	527	4.3	11	2	2	4	5	7	9	15
65+	387	5.6	23	1	2	4	6	10	14	25
GRAND TOTAL	**1758**	**4.3**	**11**	**1**	**2**	**4**	**5**	**7**	**10**	**17**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	4.8	7	2	2	4	6	8	11	11
20-34	97	4.4	6	1	2	4	6	7	8	15
35-49	77	4.7	6	2	2	4	6	7	10	13
50-64	45	5.9	13	2	3	5	8	10	12	21
65+	18	4.2	7	<1	1	3	6	9	10	10
B. Operated										
0-19 YRS	31	4.1	7	1	1	4	5	7	11	12
20-34	137	4.1	7	1	2	4	5	6	7	16
35-49	119	3.9	4	2	2	3	4	6	8	12
50-64	91	3.8	7	1	2	3	4	6	8	17
65+	36	4.6	6	1	2	4	5	8	9	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	52	3.9	8	1	1	3	5	6	8	18
20-34	171	5.8	22	1	2	4	7	10	13	27
35-49	231	6.0	19	2	2	5	7	11	15	21
50-64	260	6.5	17	2	2	6	8	12	15	21
65+	430	8.2	36	3	3	7	10	15	19	33
B. Operated										
0-19 YRS	11	6.5	26	2	2	4	10	14	18	18
20-34	102	5.8	17	2	2	5	7	10	13	25
35-49	114	5.2	17	1	2	4	6	10	13	22
50-64	178	6.9	66	1	2	5	7	13	17	54
65+	134	11.5	149	2	3	8	14	25	32	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	249	4.8	8	2	2	4	6	8	10	14
B. Operated	414	4.0	6	1	2	4	5	6	8	14
2. MULTIPLE DX										
A. Not Operated	1144	6.8	26	2	3	6	8	12	16	27
B. Operated	539	7.4	71	2	2	5	8	15	20	47
1. SINGLE DX	663	4.3	7	2	2	4	5	7	9	14
2. MULTIPLE DX	1683	7.0	41	2	2	5	8	13	17	32
A. NOT OPERATED	1393	6.3	24	2	2	5	8	12	16	26
B. OPERATED	953	6.0	46	2	2	4	6	11	17	36
TOTAL 0-19 YRS	106	4.3	9	1	1	4	5	8	11	18
20-34	507	5.1	14	2	2	4	6	8	11	23
35-49	541	5.2	14	2	2	4	6	9	12	17
50-64	574	6.2	31	2	2	5	7	11	15	24
65+	618	8.6	61	2	3	6	10	17	22	37
GRAND TOTAL	**2346**	**6.3**	**33**	**2**	**2**	**5**	**7**	**11**	**16**	**29**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	232	5.2	5	1	2	5	7	8	9	11
20-34	95	4.7	7	1	1	4	6	8	9	13
35-49	75	5.2	10	2	2	4	6	8	11	19
50-64	104	4.9	7	1	2	5	6	8	9	15
65+	37	7.9	32	1	3	7	9	16	22	25
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	3	9.0	39	2	2	11	13	14	14	14
50-64	7	5.6	16	2	2	3	9	11	11	11
65+	3	5.3	8	2	2	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	226	5.6	15	1	2	5	7	9	11	20
20-34	223	5.2	15	<1	1	5	7	9	11	23
35-49	375	5.9	13	2	3	5	7	10	12	20
50-64	637	6.3	12	2	3	6	8	11	13	18
65+	356	6.8	17	2	3	6	8	11	14	23
B. *Operated*										
0-19 YRS	3	4.0	13	1	1	3	7	8	8	8
20-34	23	9.0	116	2	2	6	9	21	32	52
35-49	50	9.6	46	1	2	8	14	18	22	33
50-64	87	8.2	36	2	2	7	11	14	16	37
65+	55	13.1	95	2	2	10	17	22	29	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	543	5.2	9	1	2	5	7	8	10	17
B. *Operated*	16	5.6	17	2	2	4	9	11	13	14
2. MULTIPLE DX										
A. *Not Operated*	1817	6.1	14	2	2	5	8	10	12	19
B. *Operated*	218	9.8	64	2	2	8	12	18	23	50
1. SINGLE DX	559	5.3	9	1	2	5	7	8	10	17
2. MULTIPLE DX	2035	6.5	21	2	2	6	8	11	14	23
A. NOT OPERATED	2360	5.9	13	1	2	5	7	10	12	18
B. OPERATED	234	9.5	62	2	2	8	12	17	22	50
TOTAL 0-19 YRS	462	5.4	10	1	2	5	7	8	10	15
20-34	343	5.3	20	1	1	5	7	9	11	23
35-49	503	6.1	17	2	3	5	7	11	14	22
50-64	835	6.3	14	2	3	6	8	11	13	18
65+	451	7.7	32	2	3	7	9	13	17	27
GRAND TOTAL	**2594**	**6.2**	**18**	**2**	**2**	**5**	**8**	**11**	**13**	**22**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	907	4.2	8	1	2	4	5	8	10	14
20-34	534	4.1	5	1	2	4	5	7	9	11
35-49	191	5.1	11	1	2	4	7	10	11	18
50-64	103	6.0	11	2	3	5	8	11	13	16
65+	73	6.2	15	2	3	5	7	11	14	20
B. *Operated*										
0-19 YRS	6	7.3	14	3	3	7	9	13	13	13
20-34	8	5.8	7	2	2	6	7	9	10	10
35-49	1	7.0		7	7	7	7	7	7	7
50-64	1	6.0		6	6	6	6	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1231	4.7	11	1	2	4	6	8	11	15
20-34	1387	5.4	14	1	2	4	7	9	12	17
35-49	871	6.8	23	2	2	6	8	12	16	27
50-64	746	8.4	34	2	3	7	10	14	18	32
65+	1027	9.4	39	3	4	8	12	16	21	31
B. *Operated*										
0-19 YRS	46	7.7	18	3	3	7	10	12	15	23
20-34	145	11.5	127	3	4	8	13	21	32	68
35-49	130	14.6	159	4	5	11	17	27	41	94
50-64	130	16.1	154	5	6	13	19	35	54	99+
65+	175	17.5	107	6	7	14	22	28	35	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1808	4.5	8	1	2	4	6	8	10	15
B. *Operated*	16	6.4	8	2	3	6	8	10	12	13
2. MULTIPLE DX										
A. *Not Operated*	5262	6.7	26	2	2	5	8	12	15	26
B. *Operated*	626	14.5	134	4	5	12	17	28	39	76
1. SINGLE DX	1824	4.5	8	1	2	4	6	8	10	15
2. MULTIPLE DX	5888	7.5	43	2	2	6	9	14	18	34
A. NOT OPERATED	7070	6.1	22	1	2	5	8	11	14	24
B. OPERATED	642	14.3	132	4	5	11	17	28	37	75
TOTAL 0-19 YRS	2190	4.6	10	1	2	4	6	8	10	15
20-34	2074	5.5	22	1	2	4	7	10	13	22
35-49	1193	7.4	42	2	2	6	9	13	18	34
50-64	980	9.2	55	2	3	7	11	16	23	46
65+	1275	10.4	55	3	4	8	13	19	24	37
GRAND TOTAL	**7712**	**6.8**	**36**	**2**	**2**	**5**	**8**	**13**	**17**	**31**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	532	5.5	8	1	2	5	7	9	11	14
20-34	534	4.9	8	1	2	4	6	8	11	13
35-49	666	5.5	12	2	2	5	7	9	11	16
50-64	848	5.8	10	2	3	5	7	9	12	16
65+	533	5.8	10	2	3	5	7	9	11	15
B. *Operated*										
0-19 YRS	5	4.6	7	2	2	5	6	8	8	8
20-34	24	5.1	24	1	2	4	6	9	14	26
35-49	40	4.8	15	1	1	3	6	10	14	17
50-64	63	4.4	15	1	1	4	5	8	14	20
65+	43	5.0	30	1	1	2	7	16	18	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	633	5.4	16	1	2	5	7	9	12	21
20-34	1864	5.8	15	1	2	5	7	10	13	19
35-49	3595	6.4	15	2	3	6	8	11	13	21
50-64	6539	7.0	17	2	3	6	8	12	14	21
65+	8127	7.4	20	3	3	6	9	12	15	23
B. *Operated*										
0-19 YRS	34	8.9	27	3	3	8	11	16	20	24
20-34	501	9.3	91	1	2	7	12	20	27	50
35-49	997	11.5	98	2	3	9	15	23	31	50
50-64	2163	13.4	146	2	3	10	17	27	38	67
65+	2580	14.4	127	3	4	12	19	28	36	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3113	5.5	10	2	2	5	7	9	11	15
B. *Operated*	175	4.7	19	1	1	3	6	12	16	24
2. MULTIPLE DX										
A. *Not Operated*	20758	6.9	18	2	3	6	8	12	14	22
B. *Operated*	6275	13.2	128	2	3	10	17	26	36	61
1. SINGLE DX	3288	5.5	11	2	2	5	7	9	11	16
2. MULTIPLE DX	27033	8.3	51	2	3	7	10	15	21	39
A. NOT OPERATED	23871	6.7	17	2	3	6	8	11	14	21
B. OPERATED	6450	12.9	127	2	3	10	17	26	35	61
TOTAL 0-19 YRS	1204	5.5	13	1	2	5	7	9	11	18
20-34	2923	6.2	29	1	2	5	7	11	15	27
35-49	5298	7.2	35	2	3	6	9	13	17	33
50-64	9613	8.3	53	2	3	6	10	15	20	42
65+	11283	8.9	53	2	3	7	11	16	22	39
GRAND TOTAL	**30321**	**8.0**	**47**	**2**	**3**	**6**	**9**	**15**	**19**	**38**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.0	1	1	1	2	2	3	3	3
20-34	16	2.1	1	1	1	2	3	4	4	4
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	12	4.0	6	1	1	4	5	8	9	9
20-34	76	3.4	4	1	1	3	5	6	7	8
35-49	4	5.0	13	1	1	5	8	9	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.1	3	1	1	3	4	6	7	7
20-34	40	4.0	5	<1	1	4	5	7	9	10
35-49	6	3.7	7	1	1	3	6	7	7	7
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	24	4.1	12	<1	1	4	5	7	11	17
20-34	256	4.4	6	1	1	4	6	8	8	10
35-49	57	5.8	10	1	2	6	7	9	11	19
50-64	3	5.0	4	3	3	5	6	7	7	7
65+	2	9.5	25	6	6	9	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	2.1	1	1	1	2	3	4	4	4
B. *Operated*	92	3.5	5	1	1	3	5	6	8	9
2. MULTIPLE DX										
A. *Not Operated*	57	3.8	5	<1	1	4	5	7	8	10
B. *Operated*	342	4.6	7	1	1	5	6	8	9	13
1. SINGLE DX	114	3.2	4	1	1	3	4	6	7	9
2. MULTIPLE DX	399	4.5	7	1	1	4	6	8	9	13
A. NOT OPERATED	79	3.3	4	1	1	3	5	6	8	10
B. OPERATED	434	4.4	7	1	1	4	6	8	9	13
TOTAL 0-19 YRS	51	3.7	8	1	1	3	5	7	9	17
20-34	388	4.0	5	1	1	4	5	7	8	10
35-49	68	5.5	10	1	2	6	7	9	10	18
50-64	4	4.8	3	3	3	4	6	7	7	7
65+	2	9.5	25	6	6	9	13	13	13	13
GRAND TOTAL	**513**	**4.2**	**7**	**1**	**1**	**4**	**6**	**7**	**8**	**13**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	178	2.3	4	<1	1	2	3	5	7	11
20-34	94	3.7	6	1	1	3	5	7	8	12
35-49	71	3.5	6	<1	1	3	5	7	9	12
50-64	71	4.3	11	1	1	3	6	9	12	15
65+	52	3.5	6	1	1	3	5	7	9	12
B. *Operated*										
0-19 YRS	21	4.8	9	<1	1	4	8	9	10	10
20-34	26	5.4	27	1	1	4	6	14	18	20
35-49	27	5.8	37	1	1	5	6	8	24	27
50-64	32	4.3	5	1	2	5	6	7	8	8
65+	11	7.5	73	2	2	5	8	18	31	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	432	2.9	7	1	1	2	4	6	9	14
20-34	507	4.6	20	1	1	4	6	9	12	27
35-49	565	4.9	17	1	1	4	6	10	12	18
50-64	954	5.6	20	1	2	4	7	10	13	27
65+	2467	6.3	24	1	2	5	8	12	15	25
B. *Operated*										
0-19 YRS	30	8.0	90	2	2	5	8	17	37	41
20-34	92	7.6	39	2	2	6	10	15	16	39
35-49	127	8.2	47	1	2	6	10	17	21	36
50-64	210	9.9	88	2	3	7	12	21	32	45
65+	323	11.6	83	3	3	9	15	23	30	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	466	3.2	7	1	1	2	4	7	9	12
B. *Operated*	117	5.3	24	1	1	4	6	9	14	29
2. MULTIPLE DX										
A. *Not Operated*	4925	5.5	22	1	1	4	7	11	14	24
B. *Operated*	782	10.0	76	2	3	7	13	21	29	43
1. SINGLE DX	583	3.6	11	1	1	3	5	7	9	15
2. MULTIPLE DX	5707	6.2	31	1	2	5	8	12	16	31
A. NOT OPERATED	5391	5.3	21	1	1	4	7	10	13	23
B. OPERATED	899	9.4	72	2	2	7	12	20	27	42
TOTAL 0-19 YRS	661	3.0	11	1	1	2	4	6	9	17
20-34	719	4.9	22	1	1	4	6	9	12	27
35-49	790	5.4	23	1	1	4	7	10	14	25
50-64	1267	6.2	33	1	2	5	7	12	16	32
65+	2853	6.9	34	1	2	5	9	13	18	31
GRAND TOTAL	**6290**	**5.9**	**30**	**1**	**1**	**4**	**7**	**12**	**16**	**30**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	3.4	5	1	1	3	4	7	8	9
20-34	3	3.3		3	3	3	4	4	4	4
35-49	4	9.0	66	2	2	9	16	17	17	17
50-64	5	6.8	16	2	2	9	10	10	10	10
65+	8	5.9	37	1	1	4	6	16	20	20
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	4.7	22	1	1	3	8	10	10	10
35-49	2	13.0	288	1	1	13	25	25	25	25
50-64	1	8.0		8	8	8	8	8	8	8
65+	5	7.8	18	3	3	8	10	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	8.5	136	1	2	5	8	20	29	63
20-34	37	11.7	178	1	2	7	13	31	47	58
35-49	69	9.1	34	2	3	8	12	17	23	28
50-64	131	10.9	126	2	3	8	13	21	27	65
65+	583	8.7	36	2	3	7	11	15	21	31
B. *Operated*										
0-19 YRS	16	20.1	522	2	4	13	40	94	99+	99+
20-34	17	11.5	95	3	4	7	16	27	33	36
35-49	36	13.8	107	2	4	11	18	30	33	48
50-64	87	16.9	169	3	5	14	20	34	50	63
65+	309	15.8	174	4	5	12	20	32	44	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	5.1	21	1	2	3	7	10	16	20
B. *Operated*	12	7.3	48	1	1	6	9	17	24	25
2. MULTIPLE DX										
A. *Not Operated*	888	9.2	63	2	3	7	11	17	22	42
B. *Operated*	465	15.8	177	4	4	12	20	33	45	86
1. SINGLE DX	47	5.7	28	1	1	4	8	13	17	25
2. MULTIPLE DX	1353	11.5	112	2	3	8	14	23	32	63
A. NOT OPERATED	923	9.0	62	2	3	7	11	17	22	42
B. OPERATED	477	15.6	175	3	4	12	20	32	45	86
TOTAL 0-19 YRS	100	9.5	197	1	2	5	9	24	63	99+
20-34	60	10.9	141	1	2	7	12	26	38	57
35-49	111	10.7	64	2	3	8	14	23	26	39
50-64	224	13.1	148	3	3	10	16	25	37	61
65+	905	11.1	94	3	3	8	14	22	28	56
GRAND TOTAL	**1400**	**11.3**	**110**	**2**	**3**	**8**	**14**	**23**	**32**	**63**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	96	8.5	20	2	2	9	11	14	15	21
20-34	35	10.8	27	3	4	11	13	16	19	29
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	5	8.8	101	2	2	5	13	26	26	26
20-34	5	14.8	182	3	3	14	20	37	37	37
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	328	11.1	37	2	4	11	14	17	19	31
20-34	112	11.6	39	3	4	10	15	21	27	31
35-49	9	13.8	42	3	6	14	16	23	27	27
50-64										
65+										
B. *Operated*										
0-19 YRS	28	18.9	296	1	5	15	25	44	88	99+
20-34	17	15.6	67	3	4	16	21	27	28	29
35-49	1	22.0		22	22	22	22	22	22	22
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	9.0	23	2	3	10	12	14	16	22
B. *Operated*	10	11.8	136	2	2	7	15	31	37	37
2. MULTIPLE DX										
A. *Not Operated*	449	11.2	38	3	4	11	14	17	21	30
B. *Operated*	46	17.8	204	2	5	16	24	31	55	99+
1. SINGLE DX	143	9.2	30	2	2	10	12	15	17	30
2. MULTIPLE DX	495	11.9	56	3	4	11	15	18	25	44
A. NOT OPERATED	582	10.7	35	2	4	10	14	17	20	29
B. OPERATED	56	16.7	194	2	3	15	23	31	45	99
TOTAL 0-19 YRS	457	11.0	54	2	3	10	14	17	21	44
20-34	169	11.9	44	3	4	11	15	21	27	32
35-49	12	12.8	55	2	3	13	16	23	26	27
50-64										
65+										
GRAND TOTAL	**638**	**11.3**	**52**	**2**	**3**	**10**	**14**	**17**	**23**	**38**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.6	3	1	1	2	4	5	7	7
20-34	9	4.2	23	1	1	3	5	13	13	13
35-49	9	2.2	2	1	1	1	3	5	5	5
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	15	6.3	3	3	3	7	8	8	8	8
20-34	199	7.1	5	4	5	7	8	10	11	16
35-49	150	7.5	12	4	5	7	9	10	11	14
50-64	13	6.8	4	2	4	7	8	9	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	5.7	47	1	1	4	5	15	26	27
20-34	36	3.3	7	<1	1	2	5	7	9	10
35-49	61	4.8	28	1	1	3	7	11	16	28
50-64	32	5.8	32	<1	1	4	6	14	19	25
65+	11	4.3	8	1	1	4	6	9	10	10
B. *Operated*										
0-19 YRS	24	7.8	8	4	5	7	9	10	13	17
20-34	401	8.0	12	5	5	7	9	10	12	24
35-49	614	9.0	33	5	6	8	9	12	16	35
50-64	177	9.0	28	5	6	8	10	12	15	29
65+	13	8.0	16	4	5	6	8	16	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	2.9	8	1	1	2	3	6	11	13
B. *Operated*	377	7.2	7	4	5	7	8	10	11	15
2. MULTIPLE DX										
A. *Not Operated*	163	4.8	26	1	1	3	6	10	15	27
B. *Operated*	1229	8.6	25	5	6	8	9	11	14	29
1. SINGLE DX	410	6.8	9	2	3	7	8	10	11	15
2. MULTIPLE DX	1392	8.2	27	2	5	7	9	11	14	29
A. NOT OPERATED	196	4.4	23	1	1	3	6	10	13	26
B. OPERATED	1606	8.3	21	5	5	7	9	11	13	27
TOTAL 0-19 YRS	76	5.9	20	1	1	5	8	9	12	26
20-34	645	7.4	11	3	5	7	9	10	11	17
35-49	834	8.3	30	3	5	8	9	11	15	30
50-64	223	8.4	28	2	4	8	9	12	15	28
65+	24	6.3	16	1	1	6	8	11	16	17
GRAND TOTAL	**1802**	**7.9**	**23**	**2**	**4**	**7**	**9**	**11**	**13**	**26**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	138	2.4	3	<1	<1	2	3	5	5	10
20-34	64	3.1	5	1	1	3	4	6	8	10
35-49	43	4.0	17	<1	<1	2	6	11	13	15
50-64	32	3.3	5	<1	1	3	4	6	7	11
65+	20	4.6	6	1	2	4	6	8	10	10
B. *Operated*										
0-19 YRS	47	4.9	58	1	1	2	5	12	15	49
20-34	98	3.6	14	1	1	2	4	9	12	19
35-49	81	3.5	12	1	1	2	4	8	12	17
50-64	33	3.2	4	1	1	3	4	6	7	8
65+	17	4.5	18	<1	1	3	7	10	14	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	262	5.2	71	<1	<1	3	5	10	18	40
20-34	288	4.5	29	<1	<1	2	6	11	15	28
35-49	483	4.3	27	<1	<1	2	6	10	14	25
50-64	502	4.9	28	<1	<1	3	7	11	15	26
65+	496	8.1	39	2	3	7	10	16	21	31
B. *Operated*										
0-19 YRS	78	8.4	85	1	1	5	10	22	27	47
20-34	182	9.3	79	1	2	6	12	21	32	50
35-49	228	10.2	91	2	3	8	12	22	29	64
50-64	223	9.0	81	1	1	6	11	19	27	45
65+	195	11.5	102	2	3	9	15	24	30	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	297	3.1	6	<1	<1	2	4	6	8	13
B. *Operated*	276	3.8	20	1	1	2	5	8	12	18
2. MULTIPLE DX										
A. *Not Operated*	2031	5.5	38	<1	<1	4	7	12	17	28
B. *Operated*	906	9.8	89	1	2	7	12	22	29	52
1. SINGLE DX	573	3.4	13	<1	1	2	4	7	11	16
2. MULTIPLE DX	2937	6.8	58	<1	<1	5	9	15	22	36
A. NOT OPERATED	2328	5.2	35	<1	<1	3	7	11	16	28
B. OPERATED	1182	8.4	79	1	1	6	11	18	27	46
TOTAL 0-19 YRS	525	4.9	57	<1	<1	3	5	10	16	37
20-34	632	5.6	44	<1	<1	3	7	13	20	33
35-49	835	5.8	50	<1	<1	4	8	13	19	32
50-64	790	5.9	45	<1	<1	4	8	14	18	34
65+	728	8.8	57	1	2	7	11	17	24	39
GRAND TOTAL	**3510**	**6.3**	**52**	**<1**	**<1**	**4**	**8**	**14**	**20**	**35**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	17	2.8	2	1	1	2	4	5	5	5
35-49	40	4.2	5	1	2	4	6	7	8	9
50-64	26	4.4	12	1	1	3	5	10	12	15
65+	39	4.2	4	2	2	4	6	7	9	10
B. *Operated*										
0-19 YRS										
20-34	3	6.0	19	<1	<1	8	9	9	9	9
35-49	3	6.7	41	2	2	4	11	14	14	14
50-64	11	4.4	14	1	1	3	8	10	10	10
65+	8	5.1	40	<1	<1	2	8	16	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34	24	4.0	6	1	2	3	5	7	10	11
35-49	84	5.4	16	2	2	5	7	9	10	26
50-64	159	5.8	11	2	2	5	8	10	12	16
65+	379	6.1	14	2	2	5	8	11	13	22
B. *Operated*										
0-19 YRS										
20-34	6	5.0	6	1	1	5	6	8	8	8
35-49	26	9.0	69	2	2	6	10	15	30	39
50-64	48	6.9	29	1	2	5	10	12	16	29
65+	84	8.9	66	2	3	7	10	15	30	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	122	4.0	6	1	2	4	5	7	9	12
B. *Operated*	25	5.1	23	<1	1	3	9	12	15	18
2. MULTIPLE DX										
A. *Not Operated*	648	5.9	14	2	2	5	8	10	12	18
B. *Operated*	164	8.2	54	2	2	6	10	15	26	38
1. SINGLE DX	147	4.2	9	1	1	3	6	8	10	15
2. MULTIPLE DX	812	6.4	23	2	2	5	8	11	13	28
A. NOT OPERATED	770	5.6	13	2	2	5	8	10	12	17
B. OPERATED	189	7.8	51	1	2	6	10	15	21	37
TOTAL 0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34	50	3.8	6	1	1	3	5	7	9	11
35-49	153	5.7	25	2	2	5	7	9	12	34
50-64	244	5.8	15	1	2	5	8	11	12	17
65+	510	6.4	24	2	2	5	8	11	14	28
GRAND TOTAL	**959**	**6.0**	**21**	**2**	**2**	**5**	**8**	**10**	**13**	**27**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	126	2.6	4	1	1	2	3	5	6	11
20-34	39	2.6	4	1	1	2	3	6	7	9
35-49	60	6.2	81	1	1	3	6	13	21	52
50-64	50	4.1	10	1	1	3	5	8	11	15
65+	149	6.0	52	1	2	5	6	10	15	47
B. *Operated*										
0-19 YRS	2	10.5	113	3	3	10	18	18	18	18
20-34	1	11.0		11	11	11	11	11	11	11
35-49										
50-64	4	7.8	38	4	4	5	11	17	17	17
65+	5	20.2	212	8	8	14	31	42	42	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4050	3.2	6	1	1	3	4	5	7	12
20-34	1485	3.6	9	1	1	3	4	7	9	14
35-49	1534	4.9	21	1	2	4	6	9	12	21
50-64	2852	6.0	23	2	2	5	8	11	15	24
65+	13072	7.2	25	2	3	6	9	13	17	26
B. *Operated*										
0-19 YRS	87	9.6	166	1	1	5	11	25	38	68
20-34	92	7.1	53	1	1	5	9	15	20	39
35-49	178	9.7	89	1	2	7	13	19	25	53
50-64	353	11.3	88	1	2	9	15	24	31	43
65+	1489	13.6	107	3	4	11	17	25	32	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	424	4.5	35	1	1	3	5	8	12	33
B. *Operated*	12	13.7	132	3	4	10	17	32	41	42
2. MULTIPLE DX										
A. *Not Operated*	22993	6.0	23	1	2	5	7	11	15	24
B. *Operated*	2199	12.5	106	2	3	10	16	24	31	53
1. SINGLE DX	436	4.8	40	1	1	3	5	9	14	39
2. MULTIPLE DX	25192	6.5	34	1	2	5	8	13	17	29
A. NOT OPERATED	23417	5.9	23	1	2	5	7	11	15	24
B. OPERATED	2211	12.5	106	2	3	10	16	24	31	53
TOTAL 0-19 YRS	4265	3.3	10	1	1	3	4	5	7	15
20-34	1617	3.8	12	1	1	3	4	7	9	16
35-49	1772	5.4	32	1	2	4	6	10	15	29
50-64	3259	6.6	32	1	2	5	8	13	17	29
65+	14715	7.8	38	2	3	6	10	15	19	31
GRAND TOTAL	**25628**	**6.5**	**34**	**1**	**2**	**5**	**8**	**13**	**17**	**29**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	3.4	5	1	1	3	5	7	7	8
20-34	31	3.4	4	1	1	3	4	6	7	8
35-49	40	3.7	6	1	1	4	5	6	9	11
50-64	27	4.3	4	2	2	4	6	7	8	10
65+	57	4.5	6	1	2	4	6	7	9	15
B. *Operated*										
0-19 YRS	6	2.0	1	1	1	2	2	4	4	4
20-34	9	6.0	11	3	3	5	7	11	13	13
35-49	9	4.1	11	1	1	4	5	10	12	12
50-64	11	6.5	7	2	2	8	8	9	9	9
65+	16	5.2	6	2	2	5	7	8	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	112	4.1	6	1	1	4	5	7	9	11
20-34	127	4.4	11	1	1	4	6	8	10	17
35-49	271	4.7	9	1	2	4	6	9	11	15
50-64	382	5.3	12	1	2	5	7	10	12	17
65+	1811	5.9	19	1	2	5	8	10	13	22
B. *Operated*										
0-19 YRS	14	8.5	261	1	1	4	7	14	53	64
20-34	61	6.0	16	1	2	5	7	10	11	25
35-49	173	6.6	15	2	2	6	9	12	14	20
50-64	223	8.3	34	2	3	7	10	15	19	33
65+	694	8.7	29	3	4	8	10	16	19	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	180	3.9	5	1	1	4	5	7	8	11
B. *Operated*	51	5.0	9	1	2	4	7	9	10	13
2. MULTIPLE DX										
A. *Not Operated*	2703	5.6	17	1	2	5	7	10	12	20
B. *Operated*	1165	8.2	30	2	3	7	10	15	19	30
1. SINGLE DX	231	4.2	6	1	1	4	6	8	9	12
2. MULTIPLE DX	3868	6.4	22	1	2	5	8	11	15	23
A. NOT OPERATED	2883	5.5	16	1	2	5	7	10	12	20
B. OPERATED	1216	8.1	30	2	3	7	10	15	19	29
TOTAL 0-19 YRS	157	4.3	28	1	1	3	5	7	9	13
20-34	228	4.7	12	1	1	4	6	9	10	17
35-49	493	5.3	12	1	2	4	7	10	12	19
50-64	643	6.3	21	1	2	5	8	12	15	23
65+	2578	6.7	23	2	2	6	8	12	15	24
GRAND TOTAL	**4099**	**6.2**	**22**	**1**	**2**	**5**	**8**	**11**	**14**	**23**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	766	4.2	10	1	2	4	5	8	9	13
20-34	999	5.8	17	1	2	5	7	11	13	22
35-49	181	5.8	19	2	2	5	7	9	13	22
50-64	8	5.1	17	<1	1	4	6	12	14	14
65+	2	5.0	18	2	2	5	8	8	8	8
B. *Operated*										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	27	10.7	62	3	3	9	14	22	27	36
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	804	5.1	16	1	2	4	6	9	12	20
20-34	1320	7.2	36	2	3	6	9	13	16	33
35-49	299	7.2	26	2	3	6	9	13	15	31
50-64	32	6.8	11	2	3	6	9	10	13	17
65+	4	3.8	10	1	1	3	6	8	8	8
B. *Operated*										
0-19 YRS	24	12.0	137	2	3	9	14	22	36	58
20-34	119	12.3	96	3	4	10	16	22	28	56
35-49	34	13.8	84	2	4	12	22	26	31	36
50-64	7	10.9	48	6	6	9	18	78	99+	99+
65+	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1956	5.2	15	1	2	4	6	9	12	18
B. *Operated*	30	9.9	61	2	3	8	12	20	26	36
2. MULTIPLE DX										
A. *Not Operated*	2459	6.5	29	2	2	5	8	12	15	28
B. *Operated*	185	12.5	96	3	4	10	16	24	29	69
1. SINGLE DX	1986	5.2	16	1	2	4	6	10	12	21
2. MULTIPLE DX	2644	6.9	36	2	2	5	9	13	17	31
A. NOT OPERATED	4415	5.9	23	1	2	5	7	11	14	25
B. OPERATED	215	12.1	91	2	4	10	15	24	28	64
TOTAL 0-19 YRS	1597	4.8	16	1	2	4	6	9	11	19
20-34	2465	6.9	34	2	2	5	9	13	16	31
35-49	514	7.1	31	2	3	6	8	13	17	32
50-64	47	7.1	19	2	3	6	9	12	18	99+
65+	7	5.0	13	1	1	4	8	10	10	10
GRAND TOTAL	**4630**	**6.2**	**28**	**1**	**2**	**5**	**8**	**12**	**15**	**27**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	152	2.2	5	<1	<1	1	3	5	7	12
20-34	65	2.6	5	<1	<1	2	3	7	8	10
35-49	36	3.7	7	1	1	3	5	6	8	14
50-64	76	3.4	12	1	1	2	5	7	8	21
65+	203	3.5	15	1	1	2	4	8	11	24
B. *Operated*										
0-19 YRS	58	4.6	10	1	2	4	5	7	10	19
20-34	17	5.4	8	1	1	5	7	9	10	11
35-49	31	4.9	5	2	2	5	6	8	9	11
50-64	33	7.4	22	1	2	7	10	15	17	18
65+	62	6.6	19	1	2	6	8	11	12	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	386	3.4	15	<1	1	2	4	7	11	18
20-34	263	4.1	12	1	1	3	5	8	10	15
35-49	408	4.7	19	1	1	3	7	10	13	22
50-64	944	5.0	28	1	1	4	7	11	14	23
65+	3196	5.5	22	1	1	4	7	11	14	22
B. *Operated*										
0-19 YRS	100	9.7	82	2	3	6	12	24	30	42
20-34	115	10.0	63	2	3	8	13	20	23	45
35-49	197	8.3	77	1	2	7	9	15	21	54
50-64	393	9.9	68	2	3	8	12	20	24	44
65+	1223	9.8	58	3	3	8	12	17	23	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	532	3.0	10	<1	1	2	4	6	8	14
B. *Operated*	201	5.8	15	1	2	5	7	10	13	19
2. MULTIPLE DX										
A. *Not Operated*	5197	5.1	23	1	1	4	7	11	14	22
B. *Operated*	2028	9.7	63	2	3	8	12	18	23	41
1. SINGLE DX	733	3.8	13	<1	1	3	5	8	11	18
2. MULTIPLE DX	7225	6.4	38	1	1	5	8	13	17	30
A. NOT OPERATED	5729	4.9	22	1	1	4	6	10	13	22
B. OPERATED	2229	9.3	60	2	3	7	11	17	23	38
TOTAL 0-19 YRS	696	4.1	28	<1	1	2	5	9	13	30
20-34	460	5.4	31	1	1	4	7	11	15	27
35-49	672	5.7	38	1	1	4	7	11	15	30
50-64	1446	6.3	43	1	1	5	8	13	17	31
65+	4684	6.5	35	1	1	5	8	13	17	28
GRAND TOTAL	**7958**	**6.1**	**36**	**1**	**1**	**5**	**8**	**13**	**17**	**29**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	3.8	18	<1	1	2	3	11	15	16
20-34	11	4.9	6	2	2	5	7	8	9	9
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64										
65+	2	7.0	2	6	6	7	8	8	8	8
B. *Operated*										
0-19 YRS	4	5.8	90	1	1	1	11	20	20	20
20-34	3	17.7	4	16	16	17	19	20	20	20
35-49										
50-64	2	6.0	32	2	2	6	10	10	10	10
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	4.2	11	1	1	3	6	9	10	17
20-34	28	4.2	11	1	2	3	5	7	13	15
35-49	15	6.6	18	2	2	6	8	13	16	17
50-64	3	5.0	4	3	3	5	6	7	7	7
65+	4	5.3	3	3	3	5	6	7	7	7
B. *Operated*										
0-19 YRS	9	11.4	74	1	2	9	21	23	24	24
20-34	10	20.6	894	3	3	7	26	69	99	99
35-49	4	5.8	14	3	3	5	8	11	11	11
50-64	2	10.0	8	8	8	10	12	12	12	12
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	4.3	13	1	1	3	6	9	13	16
B. *Operated*	9	9.8	74	1	1	10	18	20	20	20
2. MULTIPLE DX										
A. *Not Operated*	142	4.5	11	1	2	3	6	9	12	17
B. *Operated*	25	14.1	395	2	3	8	14	26	54	99
1. SINGLE DX	48	5.3	28	1	1	3	7	16	17	20
2. MULTIPLE DX	167	5.9	79	1	2	4	7	10	16	37
A. NOT OPERATED	181	4.5	12	1	2	3	6	9	12	17
B. OPERATED	34	12.9	309	1	1	8	17	24	36	99
TOTAL 0-19 YRS	129	4.7	21	1	1	3	6	9	16	22
20-34	52	8.3	211	2	2	4	7	16	25	98
35-49	21	6.1	16	2	2	5	8	12	15	17
50-64	7	6.7	13	2	2	7	9	12	12	12
65+	6	5.8	3	3	3	6	7	8	8	8
GRAND TOTAL	**215**	**5.8**	**67**	**1**	**2**	**4**	**7**	**11**	**17**	**31**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	272	3.0	5	1	1	3	4	5	7	12
20-34	39	3.7	8	1	1	3	4	7	11	14
35-49	80	2.4	9	1	1	1	3	6	8	18
50-64	34	4.9	42	1	1	3	6	8	12	38
65+	40	4.7	13	1	1	4	7	9	10	18
B. *Operated*										
0-19 YRS	187	4.9	9	1	2	5	6	8	10	17
20-34	114	6.4	17	2	3	5	7	11	17	21
35-49	48	6.6	12	2	3	5	8	12	14	18
50-64	50	7.4	38	2	3	6	8	13	16	42
65+	53	7.5	18	2	3	7	9	12	15	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	505	4.2	19	1	1	3	5	8	11	22
20-34	220	5.5	37	1	1	4	7	10	13	19
35-49	286	5.9	20	1	2	5	8	11	14	24
50-64	543	6.2	26	1	1	5	8	11	14	26
65+	1046	6.5	27	1	2	5	9	13	15	23
B. *Operated*										
0-19 YRS	127	8.3	142	<1	1	6	8	17	28	91
20-34	166	9.3	79	2	3	7	11	17	28	52
35-49	168	9.5	66	2	3	7	12	18	26	41
50-64	354	10.9	84	2	3	8	13	23	27	51
65+	668	12.1	86	3	4	9	15	23	31	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	465	3.3	10	1	1	3	4	6	8	14
B. *Operated*	452	6.0	17	1	2	5	7	10	14	19
2. MULTIPLE DX										
A. *Not Operated*	2600	5.8	26	1	1	5	8	11	14	24
B. *Operated*	1483	10.9	89	2	3	8	14	21	29	51
1. SINGLE DX	917	4.6	15	1	1	4	6	8	12	18
2. MULTIPLE DX	4083	7.7	55	1	2	6	9	15	21	40
A. NOT OPERATED	3065	5.5	25	1	1	4	7	11	14	23
B. OPERATED	1935	9.8	76	2	3	7	12	19	26	48
TOTAL 0-19 YRS	1091	4.5	30	1	1	3	5	8	11	24
20-34	539	6.7	47	1	2	5	8	13	17	38
35-49	582	6.5	36	1	1	5	8	14	18	31
50-64	981	7.9	53	1	2	6	10	15	23	41
65+	1807	8.5	56	1	2	7	11	17	22	39
GRAND TOTAL	**5000**	**7.1**	**49**	**1**	**2**	**5**	**9**	**14**	**19**	**37**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1017	1.9	1	1	1	2	2	3	4	6
20-34	213	2.0	2	1	1	2	2	3	4	8
35-49	42	2.1	1	1	1	2	3	3	5	6
50-64	5	1.8	1	1	1	1	3	3	3	3
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	424	3.5	2	2	2	3	4	5	6	9
20-34	148	3.8	3	2	2	4	4	6	7	11
35-49	19	4.3	3	2	2	4	5	7	8	9
50-64	5	5.4	7	2	2	7	7	8	8	8
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	609	2.5	2	1	1	2	3	4	6	7
20-34	121	2.8	2	1	1	3	4	4	5	8
35-49	37	3.2	4	1	1	3	5	6	7	10
50-64	8	4.4	8	2	2	4	5	9	11	11
65+	11	5.5	7	2	3	6	6	9	12	12
B. *Operated*										
0-19 YRS	236	4.4	5	2	2	4	5	7	9	12
20-34	110	4.9	8	2	2	4	6	8	11	16
35-49	26	5.3	6	2	3	5	7	8	11	12
50-64	2	5.5	1	5	5	5	6	6	6	6
65+	5	7.8	19	4	4	5	12	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1278	1.9	1	1	1	2	2	3	4	6
B. *Operated*	597	3.6	2	2	2	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	786	2.6	2	1	1	2	3	5	6	8
B. *Operated*	379	4.6	6	2	2	4	5	7	10	15
1. SINGLE DX	1875	2.5	2	1	1	2	3	4	5	8
2. MULTIPLE DX	1165	3.3	4	1	1	3	4	6	7	11
A. NOT OPERATED	2064	2.2	2	1	1	2	3	4	5	7
B. OPERATED	976	4.0	4	2	2	4	5	6	8	12
TOTAL 0-19 YRS	2286	2.6	3	1	1	2	3	5	5	8
20-34	592	3.2	5	1	1	3	4	6	7	11
35-49	124	3.4	5	1	1	3	5	6	8	11
50-64	20	4.1	7	1	1	4	6	8	9	11
65+	18	5.8	11	2	2	5	6	12	13	13
GRAND TOTAL	**3040**	**2.8**	**3**	**1**	**1**	**2**	**4**	**5**	**6**	**10**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	185	4.0	4	1	2	4	5	7	8	10
20-34	21	4.2	6	1	2	4	5	8	10	11
35-49	11	3.0	5	<1	<1	2	5	6	7	7
50-64	1	10.0		10	10	10	10	10	10	10
65+										
B. *Operated*										
0-19 YRS	75	3.1	9	<1	1	2	4	7	9	16
20-34	44	3.4	11	<1	1	2	4	8	10	18
35-49	24	2.3	3	<1	1	2	3	5	6	8
50-64	19	2.4	1	1	1	2	3	4	4	4
65+	6	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	225	4.5	7	2	2	4	5	8	10	14
20-34	26	4.2	8	1	2	4	5	7	11	13
35-49	12	5.9	21	2	2	4	7	15	15	15
50-64	9	4.7	2	3	3	5	5	7	7	7
65+	4	7.0	7	4	4	7	9	10	10	10
B. *Operated*										
0-19 YRS	64	6.1	18	1	1	5	8	12	14	19
20-34	34	5.1	17	1	2	4	7	11	13	20
35-49	27	4.0	11	1	1	3	6	10	11	12
50-64	32	6.2	28	1	1	4	8	14	18	23
65+	23	4.7	28	1	1	2	6	15	17	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	218	4.0	4	1	2	4	5	7	8	10
B. *Operated*	168	3.0	8	<1	1	2	4	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	276	4.6	8	2	2	4	6	8	11	15
B. *Operated*	180	5.4	20	1	1	4	8	12	15	20
1. SINGLE DX	386	3.5	6	1	1	3	5	7	8	11
2. MULTIPLE DX	456	4.9	13	1	2	4	6	10	12	18
A. NOT OPERATED	494	4.3	6	1	2	4	5	8	9	14
B. OPERATED	348	4.2	16	1	1	3	6	10	12	18
TOTAL 0-19 YRS	549	4.3	8	1	1	4	5	8	10	15
20-34	125	4.1	11	1	1	3	5	8	11	18
35-49	74	3.6	10	1	1	3	5	8	11	15
50-64	61	4.8	19	1	1	4	5	10	14	22
65+	33	4.5	22	1	1	3	6	11	17	18
GRAND TOTAL	**842**	**4.3**	**10**	**1**	**1**	**4**	**5**	**8**	**11**	**17**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	4.8	16	1	1	3	8	11	12	12
20-34	24	9.5	80	1	2	6	12	24	29	34
35-49	16	7.1	55	<1	1	4	10	21	22	23
50-64	18	9.5	118	1	1	4	16	27	31	33
65+	46	8.1	46	1	1	6	12	21	22	28
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	6.5	41	2	2	6	11	11	11	11
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	15.6	313	<1	1	7	27	53	76	99+
20-34	71	11.7	92	1	2	9	17	27	32	38
35-49	87	13.5	132	2	2	10	19	29	39	49
50-64	134	11.7	122	2	2	7	17	26	30	51
65+	482	9.5	73	2	2	7	12	22	28	39
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	3	15.3	165	6	6	10	25	30	30	30
35-49	6	25.2	581	4	4	14	46	62	64	64
50-64	13	17.7	249	3	4	13	25	43	50	52
65+	73	11.5	115	1	1	10	17	25	30	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	8.2	63	1	1	6	12	21	26	33
B. *Operated*	3	5.0	27	2	2	2	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	796	10.7	98	2	2	7	14	25	30	49
B. *Operated*	96	13.3	167	1	1	10	17	30	44	62
1. SINGLE DX	116	8.1	62	1	1	6	11	21	26	33
2. MULTIPLE DX	892	11.0	106	1	2	8	14	25	31	50
A. NOT OPERATED	909	10.4	94	1	2	7	14	24	30	49
B. OPERATED	99	13.0	165	1	1	10	17	30	44	62
TOTAL 0-19 YRS	32	12.3	242	1	1	6	17	45	61	99+
20-34	98	11.3	90	1	2	8	17	27	32	38
35-49	110	13.1	153	1	2	10	18	29	45	55
50-64	167	11.9	132	2	2	7	17	28	33	52
65+	601	9.6	77	1	2	7	12	22	28	41
GRAND TOTAL	**1008**	**10.6**	**102**	**1**	**2**	**7**	**14**	**25**	**30**	**49**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	201	2.7	33	<1	1	1	2	4	6	39
20-34	139	4.0	19	1	1	3	4	8	14	22
35-49	67	3.9	16	<1	1	3	5	7	13	22
50-64	75	7.8	62	1	1	4	11	19	22	37
65+	329	9.9	91	1	2	7	13	21	28	42
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	9.3	54	3	3	9	15	17	17	17
35-49	1	3.0		3	3	3	3	3	3	3
50-64	3	4.7	30	1	1	2	9	11	11	11
65+	5	12.0	54	3	3	11	17	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	254	5.1	78	1	1	3	5	10	19	79
20-34	479	7.2	76	1	2	4	8	15	22	49
35-49	294	8.5	88	1	2	5	10	18	27	46
50-64	372	11.1	109	2	2	7	14	24	31	49
65+	2731	10.0	69	2	3	8	13	21	25	41
B. *Operated*										
0-19 YRS	16	10.4	252	1	1	3	22	51	84	99+
20-34	23	10.7	346	1	1	6	12	15	42	93
35-49	25	18.9	249	1	3	11	30	44	49	54
50-64	48	15.3	113	3	4	12	21	31	33	51
65+	265	14.7	110	3	4	12	20	29	38	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	811	6.4	65	1	1	3	8	16	22	38
B. *Operated*	14	8.4	46	1	2	6	14	17	21	22
2. MULTIPLE DX										
A. *Not Operated*	4130	9.4	77	1	2	7	12	20	26	47
B. *Operated*	377	14.6	141	2	3	11	20	31	40	58
1. SINGLE DX	825	6.4	65	1	1	3	8	16	22	38
2. MULTIPLE DX	4507	9.8	85	1	2	7	13	21	28	48
A. NOT OPERATED	4941	8.9	77	1	2	6	11	19	25	44
B. OPERATED	391	14.4	138	2	3	11	20	31	39	58
TOTAL 0-19 YRS	472	4.2	67	1	1	2	4	8	17	58
20-34	645	6.6	75	1	1	4	7	15	21	49
35-49	387	8.4	96	1	1	5	9	20	28	48
50-64	498	10.9	105	1	2	7	14	24	31	49
65+	3330	10.4	76	2	3	8	13	21	27	43
GRAND TOTAL	**5332**	**9.3**	**83**	**1**	**2**	**6**	**12**	**20**	**27**	**47**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	20	12.8	78	4	4	9	17	27	30	33
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	9.0		9	9	9	9	9	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	13.3	74	4	4	15	19	21	21	21
50-64	36	12.3	94	2	3	8	20	25	32	37
65+	349	11.3	87	2	3	9	15	21	27	45
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	10	12.3	54	4	4	10	14	24	29	29
65+	49	17.5	171	5	6	17	21	33	53	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	12.2	79	3	4	8	17	27	30	33
B. *Operated*	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	388	11.4	88	2	3	9	15	22	27	44
B. *Operated*	59	16.6	154	4	5	12	20	31	49	60
1. SINGLE DX	22	12.1	76	3	4	9	16	27	30	33
2. MULTIPLE DX	447	12.1	99	2	3	10	16	23	29	53
A. NOT OPERATED	409	11.4	87	2	3	9	15	22	27	43
B. OPERATED	60	16.5	153	4	5	12	20	31	48	60
TOTAL 0-19 YRS										
20-34										
35-49	3	13.3	74	4	4	15	19	21	21	21
50-64	48	12.0	83	2	3	9	19	25	30	37
65+	418	12.1	100	3	3	9	16	23	29	53
GRAND TOTAL	**469**	**12.1**	**98**	**2**	**3**	**10**	**16**	**23**	**29**	**53**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	73	3.5	10	<1	1	3	4	8	10	19
35-49	80	4.5	20	1	1	3	5	10	13	27
50-64	51	7.0	46	1	2	5	9	16	22	34
65+	14	7.6	58	1	2	4	13	19	24	26
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	21.0	18	18	18	21	24	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	3.9	17	<1	1	4	4	5	14	20
20-34	774	5.3	33	1	2	4	5	10	18	29
35-49	1241	5.6	27	1	2	4	6	10	16	29
50-64	858	6.6	37	2	2	5	8	13	18	32
65+	349	8.5	52	2	3	6	11	18	22	40
B. *Operated*										
0-19 YRS										
20-34	20	8.0	95	1	1	5	9	16	32	44
35-49	60	11.6	93	2	2	9	16	23	29	53
50-64	74	15.5	139	2	4	11	22	32	42	49
65+	26	14.6	163	5	5	12	19	31	73	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	219	4.9	27	1	1	3	5	11	16	27
B. *Operated*	2	21.0	18	18	18	21	24	24	24	24
2. MULTIPLE DX										
A. *Not Operated*	3241	6.1	35	1	2	4	7	12	18	30
B. *Operated*	180	13.2	127	2	2	10	19	29	39	64
1. SINGLE DX	221	5.1	29	1	1	3	5	11	17	27
2. MULTIPLE DX	3421	6.5	42	1	2	4	7	13	20	33
A. NOT OPERATED	3460	6.1	34	1	2	4	7	12	18	30
B. OPERATED	182	13.3	126	2	2	10	19	29	38	64
TOTAL 0-19 YRS	20	3.9	16	<1	1	3	4	5	13	20
20-34	867	5.2	32	1	1	4	5	10	18	29
35-49	1381	5.8	31	1	2	4	7	11	18	30
50-64	983	7.3	50	2	2	5	8	14	23	37
65+	391	9.0	62	2	3	6	11	18	24	44
GRAND TOTAL	**3642**	**6.4**	**41**	**1**	**2**	**4**	**7**	**13**	**20**	**33**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	8.6	59	1	1	8	13	17	23	33
20-34	60	6.7	86	1	1	4	9	15	21	58
35-49	21	5.9	32	<1	1	4	8	14	19	23
50-64	6	11.3	159	1	1	6	23	30	31	31
65+	18	5.9	19	2	2	5	7	14	16	17
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	8.0		8	8	8	8	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	11.9	242	1	1	8	13	31	39	99+
20-34	502	6.2	41	2	2	5	6	11	17	36
35-49	214	6.8	27	2	3	5	8	14	18	27
50-64	113	8.1	56	2	3	6	10	16	22	42
65+	249	7.9	38	2	2	6	10	16	23	29
B. *Operated*										
0-19 YRS										
20-34	13	7.8	13	1	3	8	11	13	13	13
35-49	14	10.9	49	3	4	10	13	24	26	26
50-64	7	13.7	104	3	3	12	24	28	28	28
65+	32	10.8	155	1	2	7	13	17	21	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	7.0	66	1	1	4	10	16	22	39
B. *Operated*	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	1137	7.2	51	2	2	5	8	14	21	35
B. *Operated*	66	10.6	98	2	3	9	13	18	26	66
1. SINGLE DX	131	7.1	65	1	1	4	10	16	22	38
2. MULTIPLE DX	1203	7.3	54	2	2	5	9	15	21	35
A. NOT OPERATED	1267	7.1	53	1	2	5	8	15	21	35
B. OPERATED	67	10.5	97	2	3	9	13	18	26	65
TOTAL 0-19 YRS	84	10.9	188	1	1	8	13	30	32	99+
20-34	575	6.3	45	1	2	5	6	11	17	37
35-49	249	6.9	29	2	2	5	9	14	18	26
50-64	127	8.5	63	2	2	6	11	18	27	42
65+	299	8.1	50	2	2	6	10	16	22	30
GRAND TOTAL	**1334**	**7.3**	**55**	**1**	**2**	**5**	**9**	**15**	**21**	**35**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	107	19.2	266	2	4	14	25	39	63	78
20-34	1275	16.2	198	1	3	13	21	34	45	75
35-49	661	14.5	120	2	4	12	19	29	36	58
50-64	235	16.7	128	3	5	14	21	30	39	56
65+	69	18.4	221	2	4	15	23	36	56	76
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	20.0		20	20	20	20	20	20	20
50-64	1	21.0		21	21	21	21	21	21	21
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	27.4	372	2	7	22	44	63	94	99+
20-34	1003	18.2	199	3	4	15	24	37	48	78
35-49	675	17.4	167	3	5	14	22	33	43	67
50-64	373	18.4	149	3	6	16	24	34	44	56
65+	171	19.0	163	4	5	16	26	36	44	65
B. *Operated*										
0-19 YRS	2	8.5	5	7	7	8	10	10	10	10
20-34	39	23.2	173	6	8	21	31	45	57	99+
35-49	37	25.1	209	8	10	21	35	45	54	67
50-64	20	22.9	99	6	10	23	28	36	43	44
65+	10	21.7	100	10	11	19	24	38	44	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2347	16.0	174	2	3	13	21	32	42	70
B. *Operated*	2	20.5	1	20	20	20	21	21	21	21
2. MULTIPLE DX										
A. *Not Operated*	2278	18.3	185	3	5	15	24	36	46	71
B. *Operated*	108	23.4	163	7	9	21	30	43	51	80
1. SINGLE DX	2349	16.0	173	2	3	13	21	32	42	70
2. MULTIPLE DX	2386	18.5	185	3	5	16	24	37	46	71
A. NOT OPERATED	4625	17.1	180	2	4	14	22	34	44	71
B. OPERATED	110	23.3	160	7	9	21	30	43	51	80
TOTAL 0-19 YRS	165	21.8	314	2	5	17	29	50	65	99+
20-34	2317	17.2	199	2	4	14	22	35	46	77
35-49	1374	16.2	149	3	4	14	21	31	41	61
50-64	629	17.9	140	3	6	16	23	33	41	55
65+	250	19.0	176	3	5	16	26	36	44	68
GRAND TOTAL	**4735**	**17.3**	**181**	**2**	**4**	**14**	**22**	**34**	**44**	**71**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	24.5	331	3	6	27	41	82	99+	99+
20-34	80	16.6	185	3	4	13	21	34	51	91
35-49	18	14.9	108	1	2	16	23	25	32	36
50-64	8	16.9	286	1	2	11	26	44	50	50
65+	4	14.5	6	12	12	14	16	18	18	18
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	23.8	342	5	7	20	26	58	90	99+
20-34	65	19.1	352	2	3	13	23	50	64	81
35-49	21	21.3	106	7	8	21	27	36	41	42
50-64	17	18.0	322	2	3	10	20	52	60	63
65+	11	12.9	23	5	7	14	15	18	23	23
B. *Operated*										
0-19 YRS										
20-34	4	24.0	231	9	9	24	37	39	39	39
35-49	4	14.5	51	5	5	15	19	22	22	22
50-64										
65+	1	23.0		23	23	23	23	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	147	18.3	222	2	4	15	26	47	65	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	143	19.8	287	3	5	15	24	43	63	91
B. *Operated*	9	19.7	130	5	7	17	26	37	39	39
1. SINGLE DX	147	18.3	222	2	4	15	26	47	65	99+
2. MULTIPLE DX	152	19.8	276	3	5	15	24	42	63	90
A. NOT OPERATED	290	19.0	253	2	4	15	25	46	64	99+
B. OPERATED	9	19.7	130	5	7	17	26	37	39	39
TOTAL 0-19 YRS	66	24.2	331	4	6	20	37	69	99+	99+
20-34	149	17.9	258	3	4	13	23	41	63	82
35-49	43	18.0	108	2	4	19	24	32	37	42
50-64	25	17.6	298	2	2	10	22	50	57	63
65+	16	13.9	23	6	8	14	15	22	23	23
GRAND TOTAL	**299**	**19.1**	**249**	**3**	**4**	**15**	**24**	**43**	**63**	**99+**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	233	21.6	306	2	4	18	33	48	64	99+
20-34	2074	16.0	178	2	3	13	21	34	43	68
35-49	1073	14.4	114	2	3	12	19	29	35	53
50-64	480	15.9	128	2	4	14	21	30	37	52
65+	99	15.8	130	2	4	14	20	31	38	55
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	7	20.7	176	6	6	21	33	38	38	38
35-49	1	42.0		42	42	42	42	42	42	42
50-64	1	12.0		12	12	12	12	12	12	12
65+	2	16.5	13	14	14	16	19	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	204	25.2	354	5	6	20	37	58	76	99+
20-34	1943	17.3	193	2	4	14	22	36	46	77
35-49	1333	17.2	187	3	4	14	22	36	45	69
50-64	836	18.2	169	3	5	15	23	35	44	67
65+	353	16.0	128	3	4	13	21	31	41	55
B. *Operated*										
0-19 YRS	11	24.7	191	10	11	22	36	68	95	99+
20-34	87	21.2	244	4	8	18	27	41	61	98
35-49	92	20.4	173	6	8	18	24	41	47	94
50-64	60	29.4	402	9	11	25	33	60	91	99+
65+	24	33.2	453	13	15	27	34	60	90	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3959	15.9	163	2	3	13	21	33	42	66
B. *Operated*	12	19.6	175	3	5	16	31	39	42	42
2. MULTIPLE DX										
A. *Not Operated*	4669	17.7	192	3	4	14	22	36	46	74
B. *Operated*	274	23.9	287	6	9	20	29	47	62	99+
1. SINGLE DX	3971	15.9	163	2	3	13	21	33	42	66
2. MULTIPLE DX	4943	18.0	199	3	4	15	23	36	47	77
A. NOT OPERATED	8628	16.9	179	2	4	14	22	35	45	72
B. OPERATED	286	23.7	283	6	9	20	29	46	61	99+
TOTAL 0-19 YRS	449	23.3	327	3	5	19	35	53	70	99+
20-34	4111	16.7	187	2	3	14	21	35	45	74
35-49	2499	16.2	158	3	4	13	21	33	41	66
50-64	1377	17.9	172	3	5	15	23	34	43	68
65+	478	16.8	158	3	4	14	22	32	42	57
GRAND TOTAL	**8914**	**17.1**	**184**	**2**	**4**	**14**	**22**	**35**	**45**	**74**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	228	19.5	123	5	7	20	21	27	42	87
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	32.1	687	2	3	38	71	99+	99+	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	8.0	79	1	1	5	15	18	18	18
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	228	19.5	123	5	7	20	21	27	42	87
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	34	32.1	687	2	3	38	71	99+	99+	99+
B. *Operated*	3	8.0	79	1	1	5	15	18	18	18
1. SINGLE DX	228	19.5	123	5	7	20	21	27	42	87
2. MULTIPLE DX	37	30.1	678	2	3	33	67	99+	99+	99+
A. NOT OPERATED	262	21.2	212	4	7	21	21	44	73	99+
B. OPERATED	3	8.0	79	1	1	5	15	18	18	18
TOTAL 0-19 YRS	265	21.0	212	4	7	21	21	43	72	99+
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**265**	**21.0**	**212**	**4**	**7**	**21**	**21**	**43**	**72**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	501	24.5	476	2	3	19	35	62	81	99+
20-34	1445	13.4	141	1	2	10	18	28	35	62
35-49	1489	14.9	145	2	3	12	20	29	37	57
50-64	942	16.5	146	2	4	14	22	32	39	66
65+	787	20.6	186	3	6	18	28	39	47	74
B. *Operated*										
0-19 YRS	4	13.5	145	2	2	11	22	30	30	30
20-34	5	26.8	517	7	7	17	38	65	65	65
35-49	5	21.0	178	7	7	16	32	40	40	40
50-64	4	22.3	170	12	12	18	32	40	40	40
65+	6	19.5	46	13	13	16	27	29	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	864	27.2	516	2	4	21	43	73	95	99+
20-34	3162	16.0	189	2	3	12	22	34	44	81
35-49	3273	16.3	160	3	4	14	21	32	41	70
50-64	2543	17.7	171	3	4	15	23	34	43	70
65+	2992	20.2	206	4	5	18	28	39	48	75
B. *Operated*										
0-19 YRS	33	24.3	416	3	5	17	37	50	73	77
20-34	169	21.8	217	4	7	18	31	46	68	99+
35-49	260	23.2	215	5	8	20	32	45	51	79
50-64	211	23.4	177	7	9	21	30	41	51	87
65+	267	27.7	307	7	10	24	36	54	65	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5164	16.6	195	2	3	13	22	34	44	77
B. *Operated*	24	20.8	190	5	7	16	29	40	48	65
2. MULTIPLE DX										
A. *Not Operated*	12834	18.1	212	2	4	15	24	37	48	86
B. *Operated*	940	24.3	244	6	8	21	33	47	59	99+
1. SINGLE DX	5188	16.6	195	2	3	13	22	34	44	77
2. MULTIPLE DX	13774	18.5	217	3	4	15	25	38	49	88
A. NOT OPERATED	17998	17.7	208	2	4	14	24	36	47	84
B. OPERATED	964	24.2	243	6	8	21	32	47	59	99+
TOTAL 0-19 YRS	1402	26.1	500	2	3	20	40	69	90	99+
20-34	4781	15.4	179	2	3	12	21	32	43	76
35-49	5027	16.2	161	2	4	13	21	32	42	68
50-64	3700	17.7	167	3	4	15	24	34	43	71
65+	4052	20.8	212	4	5	18	28	40	50	77
GRAND TOTAL	**18962**	**18.0**	**211**	**2**	**4**	**15**	**24**	**37**	**48**	**85**

99: Other affective psychoses (296.0-2[illegible]1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	223	22.3	414	2	3	17	31	56	79	99+
20-34	1343	14.6	138	2	3	12	20	29	39	62
35-49	1141	15.1	131	2	4	12	20	29	37	63
50-64	548	17.8	143	3	4	16	23	33	40	53
65+	232	18.9	185	3	6	16	25	36	49	70
B. *Operated*										
0-19 YRS										
20-34	6	10.8	55	4	4	7	17	22	23	23
35-49	6	17.5	8	14	14	17	19	22	22	22
50-64	1	13.0		13	13	13	13	13	13	13
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	431	26.9	453	4	6	21	41	63	83	99+
20-34	1706	17.2	180	2	4	14	23	33	42	76
35-49	1561	17.5	172	3	4	15	23	33	43	74
50-64	1038	18.9	167	4	5	16	26	35	44	74
65+	751	20.7	204	4	6	18	27	40	49	77
B. *Operated*										
0-19 YRS	12	39.5	608	9	11	43	55	96	99	99+
20-34	70	20.7	245	2	5	17	27	40	55	74
35-49	92	25.2	243	5	8	22	38	46	64	99+
50-64	87	26.4	263	8	10	23	31	44	63	86
65+	62	25.8	285	6	9	21	33	52	60	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3487	16.1	162	2	4	13	21	32	42	72
B. *Operated*	14	13.4	41	4	5	14	18	22	23	23
2. MULTIPLE DX										
A. *Not Operated*	5487	18.8	207	3	5	16	25	37	48	83
B. *Operated*	323	25.2	279	6	8	21	33	48	63	96
1. SINGLE DX	3501	16.1	161	2	4	13	21	32	42	71
2. MULTIPLE DX	5810	19.2	213	3	5	16	25	38	49	84
A. NOT OPERATED	8974	17.8	191	3	4	15	23	35	46	79
B. OPERATED	337	24.7	274	5	8	21	32	46	62	95
TOTAL 0-19 YRS	666	25.6	450	3	5	20	40	61	82	99+
20-34	3125	16.1	165	2	3	14	21	32	42	66
35-49	2800	16.8	161	3	4	14	22	32	42	72
50-64	1674	18.9	167	3	5	17	25	35	44	69
65+	1046	20.6	207	4	6	18	26	40	50	77
GRAND TOTAL	**9311**	**18.0**	**196**	**3**	**4**	**15**	**24**	**36**	**46**	**79**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	113	17.9	308	1	1	13	24	42	58	92
20-34	447	11.4	114	1	1	8	16	26	34	50
35-49	281	10.7	89	1	2	8	14	22	28	52
50-64	161	14.1	128	1	2	11	19	28	35	55
65+	148	11.0	82	1	2	9	15	22	25	47
B. *Operated*										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	1	7.0		7	7	7	7	7	7	7
50-64	4	5.0	7	2	2	5	7	8	8	8
65+	3	7.0	21	3	3	6	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	149	17.2	367	1	3	11	21	45	75	99+
20-34	701	13.6	141	1	3	11	18	29	38	63
35-49	501	13.1	95	2	3	11	19	25	30	47
50-64	473	12.1	134	1	2	9	16	26	36	50
65+	1094	10.4	96	2	2	7	13	21	29	52
B. *Operated*										
0-19 YRS	5	24.8	702	1	1	13	38	69	69	69
20-34	26	17.0	119	6	8	14	22	38	57	99+
35-49	21	13.9	91	3	6	13	18	21	34	48
50-64	39	13.2	84	2	4	13	18	24	26	50
65+	102	15.5	142	2	4	13	19	34	40	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1150	12.2	129	1	2	9	17	26	35	55
B. *Operated*	13	4.6	9	2	2	3	6	9	11	12
2. MULTIPLE DX										
A. *Not Operated*	2918	12.2	130	2	2	9	16	25	34	57
B. *Operated*	193	15.3	135	2	4	13	19	31	44	63
1. SINGLE DX	1163	12.1	128	1	2	9	17	26	35	55
2. MULTIPLE DX	3111	12.4	131	2	3	9	16	26	35	57
A. NOT OPERATED	4068	12.2	129	1	2	9	16	26	35	57
B. OPERATED	206	14.7	134	2	3	13	18	31	41	62
TOTAL 0-19 YRS	270	17.5	344	1	2	11	22	44	70	99+
20-34	1176	12.8	132	1	2	10	17	28	37	57
35-49	804	12.3	94	1	3	10	17	24	29	48
50-64	677	12.6	130	1	2	9	17	26	35	53
65+	1347	10.8	100	2	3	8	14	22	31	51
GRAND TOTAL	**4274**	**12.3**	**130**	**1**	**2**	**9**	**16**	**26**	**35**	**57**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	6.4	80	<1	1	3	6	18	27	99+
20-34	244	5.9	53	<1	1	3	7	15	19	38
35-49	206	5.5	36	1	1	4	7	12	16	33
50-64	112	6.0	40	1	1	4	8	12	21	33
65+	63	5.3	28	1	1	3	7	13	16	27
B. *Operated*										
0-19 YRS										
20-34	3	14.7	310	4	4	5	27	35	35	35
35-49	5	5.4	14	2	2	3	9	10	10	10
50-64	4	4.8	12	3	3	3	7	10	10	10
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	124	8.4	103	1	1	4	11	20	33	48
20-34	612	8.1	76	1	1	5	11	19	26	39
35-49	633	6.9	61	1	1	4	8	16	22	38
50-64	552	7.0	63	1	1	4	8	17	23	40
65+	515	6.1	50	1	1	4	7	14	20	38
B. *Operated*										
0-19 YRS										
20-34	27	12.7	96	1	2	12	19	29	32	33
35-49	32	12.9	249	2	2	8	15	28	34	85
50-64	32	10.7	56	<1	2	8	17	21	23	28
65+	28	9.6	92	1	2	6	11	29	31	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	674	5.8	45	1	1	4	7	14	18	37
B. *Operated*	13	7.1	79	2	2	3	9	15	31	35
2. MULTIPLE DX										
A. *Not Operated*	2436	7.1	65	1	1	4	8	18	23	40
B. *Operated*	119	11.5	124	1	2	8	16	27	31	50
1. SINGLE DX	687	5.8	45	1	1	4	7	14	18	37
2. MULTIPLE DX	2555	7.3	69	1	1	4	9	18	23	40
A. NOT OPERATED	3110	6.8	61	1	1	4	8	17	22	39
B. OPERATED	132	11.0	121	1	2	7	16	26	31	44
TOTAL 0-19 YRS	173	7.8	97	1	1	4	10	20	32	53
20-34	886	7.7	72	1	1	4	10	19	25	38
35-49	876	6.8	63	1	1	4	8	16	22	40
50-64	700	7.0	59	1	1	4	8	17	23	39
65+	607	6.2	50	1	1	4	7	14	20	33
GRAND TOTAL	**3242**	**7.0**	**64**	**1**	**1**	**4**	**8**	**17**	**22**	**39**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	412	25.1	428	2	3	19	42	57	68	99
20-34	740	10.1	83	1	2	7	14	22	28	41
35-49	517	10.3	78	1	2	7	14	23	28	41
50-64	199	11.9	122	1	2	8	17	25	32	60
65+	130	10.5	82	1	2	8	15	22	28	44
B. *Operated*										
0-19 YRS	1	25.0		25	25	25	25	25	25	25
20-34	2	19.0	288	7	7	19	31	31	31	31
35-49	4	7.8	31	4	4	5	11	16	16	16
50-64	4	13.0	141	3	3	10	22	28	28	28
65+	2	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	811	23.6	421	2	3	19	37	59	78	99+
20-34	1637	11.7	117	1	2	8	17	25	31	53
35-49	1432	11.4	92	2	2	9	15	23	29	45
50-64	769	11.3	106	2	3	8	15	23	30	49
65+	719	10.8	90	2	3	8	14	22	31	46
B. *Operated*										
0-19 YRS	32	31.2	760	2	4	23	43	77	93	95
20-34	83	13.5	79	2	3	12	20	30	36	99+
35-49	80	15.2	94	4	5	14	19	30	32	46
50-64	55	15.1	112	3	4	12	23	29	38	40
65+	54	14.2	150	3	4	11	17	28	42	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1998	13.4	192	1	2	9	18	32	43	71
B. *Operated*	13	13.7	95	3	4	16	19	29	31	31
2. MULTIPLE DX										
A. *Not Operated*	5428	13.2	170	2	2	9	18	29	41	77
B. *Operated*	304	16.2	196	3	4	12	22	33	43	97
1. SINGLE DX	2011	13.4	191	1	2	9	18	31	43	71
2. MULTIPLE DX	5732	13.4	171	2	3	9	18	30	41	78
A. NOT OPERATED	7426	13.3	176	1	2	9	18	30	42	75
B. OPERATED	317	16.1	192	3	4	12	21	32	43	96
TOTAL 0-19 YRS	1256	24.3	432	2	3	19	39	58	76	99+
20-34	2522	11.3	107	1	2	8	16	24	31	51
35-49	2033	11.2	89	1	2	8	15	23	29	43
50-64	1027	11.6	110	2	3	8	16	24	31	50
65+	905	11.0	93	2	3	8	14	23	31	46
GRAND TOTAL	**7743**	**13.4**	**177**	**1**	**2**	**9**	**18**	**30**	**42**	**76**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	263	16.4	370	1	1	8	30	46	84	99+
20-34	459	8.6	107	1	1	5	11	20	29	71
35-49	203	8.6	80	1	1	6	11	21	26	34
50-64	55	8.9	115	1	1	5	12	22	28	55
65+	33	12.8	115	1	1	10	20	29	30	43
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	33	7.7	27	1	2	6	11	16	18	21
35-49	18	5.6	23	1	1	5	9	16	63	99+
50-64	18	3.2	1	1	1	3	4	5	5	5
65+	4	2.5	1	2	2	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	416	13.3	296	1	1	6	20	43	72	99+
20-34	1041	10.7	146	1	1	7	15	24	34	71
35-49	549	10.6	113	1	2	7	15	25	31	49
50-64	295	9.8	95	1	2	7	13	25	29	42
65+	213	8.7	63	1	2	6	12	20	25	34
B. *Operated*										
0-19 YRS	17	27.9	674	1	2	25	59	91	99+	99+
20-34	72	11.1	70	1	2	9	16	24	36	99+
35-49	60	11.2	107	2	2	8	15	22	31	52
50-64	56	9.6	80	1	3	6	12	24	29	41
65+	38	13.2	171	3	3	9	16	29	46	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1013	10.8	182	1	1	6	13	29	42	99+
B. *Operated*	74	5.8	22	1	1	4	7	14	17	80
2. MULTIPLE DX										
A. *Not Operated*	2514	10.8	152	1	1	7	15	26	35	88
B. *Operated*	243	12.3	155	1	3	8	16	30	44	99+
1. SINGLE DX	1087	10.4	172	1	1	6	13	28	42	99+
2. MULTIPLE DX	2757	11.0	152	1	2	7	15	26	36	89
A. NOT OPERATED	3527	10.8	160	1	1	6	14	27	38	89
B. OPERATED	317	10.8	132	1	2	7	14	24	37	99+
TOTAL 0-19 YRS	697	14.8	338	1	1	7	23	45	78	99+
20-34	1605	10.0	130	1	1	6	14	23	32	72
35-49	830	10.0	103	1	1	7	14	23	30	50
50-64	424	9.4	93	1	2	6	12	23	29	42
65+	288	9.7	86	1	2	7	13	23	28	51
GRAND TOTAL	**3844**	**10.8**	**158**	**1**	**1**	**6**	**14**	**27**	**38**	**90**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	175	8.1	126	<1	<1	2	9	28	31	53
20-34	1982	10.7	110	<1	1	5	21	28	29	32
35-49	2034	11.2	112	1	2	5	22	28	29	33
50-64	784	10.5	114	1	2	5	21	28	30	34
65+	154	9.0	94	1	1	5	10	27	30	38
B. *Operated*										
0-19 YRS										
20-34	4	11.5	156	2	2	7	20	29	29	29
35-49	5	23.4	36	14	14	26	28	28	28	28
50-64										
65+	2	8.0	32	4	4	8	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1375	24.5	220	1	3	27	36	42	45	55
20-34	7376	15.3	117	1	2	15	25	29	30	35
35-49	6848	13.8	111	2	2	10	24	28	30	35
50-64	3851	12.7	108	2	2	8	22	28	30	36
65+	1228	12.0	100	2	2	8	20	28	30	37
B. *Operated*										
0-19 YRS	26	29.5	297	<1	4	28	39	42	61	82
20-34	189	18.1	128	1	3	21	28	30	34	46
35-49	209	17.9	122	2	5	17	28	30	34	51
50-64	196	18.3	123	4	5	17	28	31	36	50
65+	96	14.2	128	2	3	10	21	28	30	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5129	10.7	112	1	1	5	21	28	29	33
B. *Operated*	11	16.3	113	2	3	14	27	29	29	29
2. MULTIPLE DX										
A. *Not Operated*	20678	14.7	127	2	2	12	25	29	32	42
B. *Operated*	716	18.0	137	2	4	19	27	30	36	51
1. SINGLE DX	5140	10.7	112	1	1	5	21	28	29	33
2. MULTIPLE DX	21394	14.8	128	2	2	12	25	29	32	42
A. NOT OPERATED	25807	13.9	126	1	2	10	24	29	31	42
B. OPERATED	727	18.0	137	2	4	19	27	30	36	51
TOTAL 0-19 YRS	1576	22.7	238	1	2	24	35	42	45	56
20-34	9551	14.4	119	1	2	13	25	29	30	35
35-49	9096	13.3	113	2	2	9	24	28	30	35
50-64	4831	12.6	112	2	2	7	22	28	30	36
65+	1480	11.8	102	1	2	7	20	28	30	38
GRAND TOTAL	**26534**	**14.0**	**127**	**1**	**2**	**10**	**24**	**29**	**31**	**42**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	29.6	322	8	8	28	39	57	57	57
20-34	208	10.4	83	1	2	6	17	28	28	29
35-49	80	8.8	69	1	2	6	10	23	28	32
50-64	7	14.1	47	5	5	13	20	22	22	22
65+	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	17.4	187	3	4	14	29	40	43	44
20-34	783	11.8	92	2	3	7	20	27	29	39
35-49	311	12.3	84	2	3	8	21	27	28	32
50-64	37	14.3	82	5	5	10	21	29	30	34
65+	20	15.3	93	2	4	14	22	29	32	34
B. *Operated*										
0-19 YRS										
20-34	40	17.1	78	4	6	16	25	29	30	32
35-49	24	16.3	63	6	7	17	22	27	29	31
50-64	4	7.0	6	4	4	7	9	10	10	10
65+	2	30.5	685	12	12	30	49	49	49	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	301	10.4	88	1	2	6	17	28	28	33
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	1175	12.2	92	2	3	8	20	28	29	39
B. *Operated*	70	16.6	86	5	6	15	24	28	31	46
1. SINGLE DX	302	10.4	88	1	2	6	17	28	28	33
2. MULTIPLE DX	1245	12.5	93	2	3	8	21	28	29	39
A. NOT OPERATED	1476	11.8	92	2	3	7	20	28	29	39
B. OPERATED	71	16.4	87	4	6	15	24	28	31	45
TOTAL 0-19 YRS	29	19.5	222	4	4	20	30	41	45	57
20-34	1031	11.8	91	2	3	7	20	28	29	36
35-49	416	11.9	83	2	3	8	21	27	28	32
50-64	48	13.6	73	5	5	10	20	27	30	34
65+	23	16.4	132	3	5	13	22	32	39	49
GRAND TOTAL	**1547**	**12.1**	**93**	**2**	**3**	**7**	**20**	**28**	**29**	**39**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	206	21.8	476	1	2	12	39	56	64	99
20-34	561	12.6	103	2	2	7	23	28	28	30
35-49	198	11.3	93	1	2	7	20	28	28	37
50-64	31	9.7	91	1	2	6	9	27	31	37
65+	5	14.4	170	2	2	8	28	29	29	29
B. *Operated*										
0-19 YRS	2	41.0	338	28	28	41	54	54	54	54
20-34	2	16.0	392	2	2	16	30	30	30	30
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	964	26.4	262	3	5	28	35	46	53	71
20-34	1810	16.6	119	2	3	18	27	29	31	40
35-49	489	15.0	102	2	3	14	24	28	29	36
50-64	100	15.2	120	3	4	12	23	29	34	48
65+	53	14.4	118	1	2	11	24	28	34	44
B. *Operated*										
0-19 YRS	14	35.3	340	15	18	29	42	57	77	83
20-34	51	20.8	88	3	7	23	28	30	31	37
35-49	20	20.6	66	4	6	21	26	28	33	37
50-64	5	14.6	85	10	10	10	17	31	31	31
65+	3	16.7	341	6	6	6	30	38	38	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1001	14.2	192	1	2	8	23	28	40	65
B. *Operated*	4	28.5	452	2	2	29	42	54	54	54
2. MULTIPLE DX										
A. *Not Operated*	3416	19.1	178	2	3	21	28	35	42	58
B. *Operated*	93	22.5	152	4	7	23	28	36	41	71
1. SINGLE DX	1005	14.2	194	1	2	8	24	29	41	65
2. MULTIPLE DX	3509	19.2	178	3	3	21	28	35	42	58
A. NOT OPERATED	4417	18.0	185	2	3	18	28	34	42	60
B. OPERATED	97	22.7	161	4	7	23	28	37	42	69
TOTAL 0-19 YRS	1186	25.7	304	2	3	28	35	48	56	83
20-34	2424	15.8	118	2	3	16	26	29	30	37
35-49	707	14.2	102	2	3	11	23	28	29	36
50-64	136	14.0	116	2	3	10	22	29	33	46
65+	61	14.5	125	1	2	10	24	28	36	43
GRAND TOTAL	**4514**	**18.1**	**185**	**2**	**3**	**18**	**28**	**34**	**42**	**60**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	330	1.6	6	<1	<1	1	1	2	3	13
20-34	206	1.9	8	<1	<1	1	2	3	5	17
35-49	113	2.4	7	<1	<1	2	3	5	8	15
50-64	40	2.4	6	<1	<1	1	3	5	7	13
65+	24	3.2	21	<1	<1	2	3	8	13	22
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	346	5.0	99	<1	<1	1	3	14	30	55
20-34	567	5.9	62	<1	<1	2	7	17	27	33
35-49	310	5.7	52	<1	1	3	6	15	21	33
50-64	212	5.8	46	1	1	3	7	16	20	32
65+	114	4.5	25	1	1	3	5	9	13	29
B. *Operated*										
0-19 YRS	12	12.1	569	<1	<1	1	7	56	71	74
20-34	26	8.6	106	<1	<1	4	15	24	32	37
35-49	17	5.2	38	<1	<1	2	7	11	20	25
50-64	13	12.2	100	1	1	9	19	27	32	33
65+	3	5.0	21	1	1	4	8	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	713	1.9	7	<1	<1	1	2	3	5	16
B. *Operated*	3	5.0	13	2	2	4	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	1549	5.6	63	<1	<1	2	6	16	25	36
B. *Operated*	71	8.9	162	<1	<1	4	11	24	33	69
1. SINGLE DX	716	1.9	7	<1	<1	1	2	3	6	16
2. MULTIPLE DX	1620	5.7	68	<1	<1	2	6	16	25	38
A. NOT OPERATED	2262	4.4	49	<1	<1	2	4	12	20	33
B. OPERATED	74	8.7	156	<1	<1	4	11	24	33	68
TOTAL 0-19 YRS	688	3.5	66	<1	<1	1	2	6	19	50
20-34	800	5.0	53	<1	<1	2	5	15	22	32
35-49	440	4.9	42	<1	<1	2	5	13	20	32
50-64	266	5.6	46	<1	1	3	7	16	21	32
65+	142	4.3	24	<1	1	3	5	9	13	27
GRAND TOTAL	**2336**	**4.5**	**52**	**<1**	**<1**	**2**	**4**	**13**	**20**	**34**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	10.0	144	<1	1	4	17	29	38	44
20-34	250	11.0	93	1	1	6	21	27	28	29
35-49	78	13.9	118	1	2	11	21	28	28	48
50-64	7	13.3	135	2	2	9	26	28	28	28
65+	6	5.2	14	1	1	4	8	11	11	11
B. *Operated*										
0-19 YRS										
20-34	1	19.0		19	19	19	19	19	19	19
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	277	22.4	380	1	2	19	39	48	58	99+
20-34	822	13.7	110	1	2	11	22	28	30	34
35-49	191	12.2	100	2	2	9	21	28	31	34
50-64	40	11.6	68	2	2	9	16	23	28	32
65+	36	7.2	46	1	2	5	7	15	27	30
B. *Operated*										
0-19 YRS	7	27.3	338	4	4	28	39	52	55	55
20-34	31	19.1	91	3	6	20	27	31	34	36
35-49	17	18.4	132	2	4	19	28	33	37	39
50-64	3	13.7	154	6	6	7	23	28	28	28
65+	2	7.5	13	5	5	7	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	399	11.4	106	1	1	6	21	28	28	38
B. *Operated*	2	12.0	98	5	5	12	19	19	19	19
2. MULTIPLE DX										
A. *Not Operated*	1366	15.0	175	1	2	11	24	30	42	58
B. *Operated*	60	19.2	136	3	4	20	28	33	37	54
1. SINGLE DX	401	11.4	106	1	1	6	21	28	28	37
2. MULTIPLE DX	1426	15.2	174	1	2	11	24	30	41	58
A. NOT OPERATED	1765	14.2	161	1	2	10	22	29	36	56
B. OPERATED	62	19.0	134	3	5	19	28	32	37	53
TOTAL 0-19 YRS	342	20.4	360	1	1	16	34	46	56	99
20-34	1104	13.3	107	1	2	10	21	28	29	34
35-49	287	13.0	108	1	2	10	21	28	30	37
50-64	50	11.9	77	2	2	9	19	28	28	32
65+	44	7.0	40	1	2	5	8	13	23	30
GRAND TOTAL	**1827**	**14.4**	**161**	**1**	**2**	**10**	**22**	**29**	**36**	**56**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	2.7	3	<1	1	3	3	4	6	8
20-34	50	3.8	20	1	1	3	4	8	9	30
35-49	39	2.8	4	1	1	2	4	6	7	9
50-64	23	3.1	5	1	1	2	5	6	8	8
65+	11	5.8	63	1	1	3	4	18	27	28
B. *Operated*										
0-19 YRS	6	2.3	1	1	1	2	3	4	4	4
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	3	3.7		3	3	4	4	4	4	4
50-64	2	1.5	1	1	1	1	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	4.6	50	1	1	3	5	8	15	82
20-34	175	4.7	34	1	1	3	5	9	13	40
35-49	161	4.5	23	1	1	3	5	8	11	27
50-64	163	4.9	29	1	2	4	6	8	11	27
65+	164	4.7	10	1	2	4	6	9	10	17
B. *Operated*										
0-19 YRS	6	6.8	33	1	1	5	11	15	16	16
20-34	20	9.5	99	1	2	7	11	16	33	47
35-49	21	8.8	83	1	2	6	11	16	30	43
50-64	9	6.1	11	2	2	6	9	11	11	11
65+	15	11.1	153	2	2	6	15	38	39	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	170	3.3	12	1	1	3	4	6	8	25
B. *Operated*	13	2.8	2	1	1	3	4	4	5	5
2. MULTIPLE DX										
A. *Not Operated*	757	4.7	27	1	1	4	5	8	11	30
B. *Operated*	71	9.0	87	1	2	6	11	17	37	46
1. SINGLE DX	183	3.3	11	1	1	3	4	6	8	23
2. MULTIPLE DX	828	5.0	34	1	1	4	6	9	13	40
A. NOT OPERATED	927	4.4	25	1	1	3	5	8	10	29
B. OPERATED	84	8.0	79	1	2	5	10	16	25	46
TOTAL 0-19 YRS	153	4.1	34	1	1	3	4	8	11	60
20-34	247	4.9	38	1	1	3	5	9	14	42
35-49	224	4.6	27	1	1	3	6	8	12	32
50-64	197	4.7	25	1	1	4	5	8	10	26
65+	190	5.2	26	1	2	4	6	9	12	34
GRAND TOTAL	**1011**	**4.7**	**30**	**1**	**1**	**3**	**5**	**9**	**12**	**37**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	972	14.7	240	1	2	8	21	38	49	68
20-34	859	6.8	62	<1	1	4	9	15	21	45
35-49	499	7.8	80	1	1	5	10	17	27	44
50-64	119	8.4	94	1	1	6	11	17	22	63
65+	56	9.4	75	<1	1	7	14	18	25	44
B. *Operated*										
0-19 YRS	1	4.0		4	4	52	99+	99+	99+	99+
20-34	2	23.0	72	17	17	23	29	29	29	29
35-49	1	18.0		18	18	18	18	18	18	18
50-64										
65+	2	11.5	61	6	6	11	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1319	15.7	279	1	2	10	22	42	55	98
20-34	1889	8.6	71	1	1	6	11	19	25	42
35-49	1187	8.9	69	1	1	6	12	20	28	36
50-64	441	9.9	74	1	2	7	13	22	28	38
65+	373	9.1	61	1	2	7	13	20	25	37
B. *Operated*										
0-19 YRS	38	17.6	475	<1	1	10	22	53	75	86
20-34	44	12.1	144	<1	1	10	14	26	31	69
35-49	42	17.3	187	4	6	14	22	28	44	75
50-64	21	11.4	79	1	2	10	16	24	29	35
65+	21	13.5	74	2	3	12	21	26	27	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2505	10.2	149	1	1	6	13	26	38	60
B. *Operated*	6	15.2	83	4	4	17	26	86	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	5209	10.6	131	1	2	7	14	25	33	62
B. *Operated*	166	14.8	216	1	2	11	19	28	36	83
1. SINGLE DX	2511	10.2	149	1	1	6	13	27	38	60
2. MULTIPLE DX	5375	10.7	134	1	2	7	14	25	33	63
A. NOT OPERATED	7714	10.5	137	1	1	7	14	25	35	61
B. OPERATED	172	14.8	211	1	2	12	19	29	38	86
TOTAL 0-19 YRS	2330	15.3	266	1	2	9	21	40	52	90
20-34	2794	8.1	70	1	1	5	11	18	25	43
35-49	1729	8.8	77	1	1	6	12	20	28	43
50-64	581	9.7	79	1	2	7	13	21	28	41
65+	452	9.3	64	1	2	7	13	20	25	37
GRAND TOTAL	**7886**	**10.6**	**139**	**1**	**1**	**7**	**14**	**25**	**35**	**62**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1140	22.4	489	1	2	16	37	60	76	99+
20-34	442	10.8	191	1	1	5	14	30	42	83
35-49	256	9.1	123	1	1	6	11	20	29	85
50-64	127	11.5	152	1	1	7	16	24	36	61
65+	59	12.5	270	1	1	7	11	31	55	77
B. *Operated*										
0-19 YRS	5	17.6	351	1	1	6	37	39	39	39
20-34	5	6.4	31	2	2	3	10	15	15	15
35-49	10	6.7	40	2	2	4	8	17	22	22
50-64										
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2061	24.9	512	2	3	19	41	70	89	99+
20-34	1277	11.6	179	1	2	6	15	31	43	99+
35-49	871	10.0	108	1	2	6	13	23	32	49
50-64	583	9.6	95	1	2	6	12	23	30	46
65+	613	9.1	75	2	2	6	11	20	26	50
B. *Operated*										
0-19 YRS	53	28.6	585	3	4	27	54	91	99+	99+
20-34	88	22.9	492	3	4	15	35	73	86	99+
35-49	78	13.0	132	3	4	9	17	33	45	99+
50-64	59	15.1	196	4	5	10	19	31	50	72
65+	69	13.4	168	2	3	9	15	31	44	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2024	17.2	385	1	2	9	25	46	67	99+
B. *Operated*	21	9.1	118	1	2	4	10	28	38	39
2. MULTIPLE DX										
A. *Not Operated*	5405	15.9	324	1	2	9	23	45	67	99+
B. *Operated*	347	18.3	342	3	4	12	25	52	78	99+
1. SINGLE DX	2045	17.2	383	1	2	9	25	46	66	99+
2. MULTIPLE DX	5752	16.1	326	1	2	9	23	45	67	99+
A. NOT OPERATED	7429	16.3	341	1	2	9	23	45	67	99+
B. OPERATED	368	17.8	333	3	3	11	25	45	76	99+
TOTAL 0-19 YRS	3259	24.1	506	2	2	18	40	66	87	99+
20-34	1812	12.0	203	1	2	7	16	34	44	99+
35-49	1215	10.0	113	1	2	6	13	23	32	58
50-64	769	10.4	114	1	2	6	14	24	32	53
65+	742	9.7	101	2	2	6	12	21	30	56
GRAND TOTAL	**7797**	**16.4**	**341**	**1**	**2**	**9**	**23**	**45**	**67**	**99+**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	5.8	63	1	1	2	7	20	24	24
20-34	7	15.1	144	4	4	11	23	35	37	37
35-49	1	7.0		7	7	7	7	7	7	7
50-64	1	11.0		11	11	11	11	11	11	11
65+										
B. *Operated*										
0-19 YRS	5	5.8	22	3	3	4	7	14	14	14
20-34	1	14.0		14	14	14	14	14	14	14
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	13.9	372	1	2	8	15	31	60	92
20-34	65	11.9	94	1	2	11	18	26	36	91
35-49	25	10.8	58	2	2	9	15	25	26	27
50-64	13	7.4	20	<1	2	6	10	14	16	16
65+	4	8.3	10	6	6	7	10	13	13	13
B. *Operated*										
0-19 YRS	9	5.6	40	<1	<1	4	7	15	21	21
20-34	6	5.2	37	1	1	3	6	16	17	17
35-49	2	5.5	1	5	5	5	6	6	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	10.0	103	1	1	7	12	25	33	37
B. *Operated*	6	7.2	29	3	3	4	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	152	11.8	163	1	2	9	16	25	33	92
B. *Operated*	17	5.4	32	<1	1	4	6	15	20	21
1. SINGLE DX	23	9.3	83	1	1	6	13	24	29	37
2. MULTIPLE DX	169	11.2	153	1	2	8	15	23	31	91
A. NOT OPERATED	169	11.7	157	1	2	9	16	25	33	91
B. OPERATED	23	5.9	30	<1	1	4	7	15	18	21
TOTAL 0-19 YRS	67	11.2	276	1	1	6	13	24	36	91
20-34	79	11.7	95	1	2	10	17	25	36	84
35-49	28	10.3	54	2	2	8	15	23	25	27
50-64	14	7.6	19	1	3	6	11	14	16	16
65+	4	8.3	10	6	6	7	10	13	13	13
GRAND TOTAL	**192**	**11.0**	**145**	**1**	**2**	**7**	**14**	**24**	**31**	**89**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	393	9.4	17	2	3	10	12	14	15	19
20-34	64	7.0	21	1	1	7	11	14	15	17
35-49	46	8.7	82	1	1	7	11	21	27	41
50-64	21	5.9	27	1	1	4	11	15	16	16
65+	6	17.0	130	10	10	13	15	37	40	40
B. *Operated*										
0-19 YRS	39	13.7	66	3	7	12	15	24	32	44
20-34	32	8.6	270	1	2	4	9	17	19	94
35-49	45	8.0	107	1	1	5	9	17	24	57
50-64	24	8.2	79	1	1	6	11	17	26	41
65+	8	7.6	61	1	1	6	9	21	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	527	11.1	27	2	4	11	13	16	20	28
20-34	90	8.2	38	2	2	7	11	17	17	33
35-49	94	9.5	50	1	2	8	14	17	25	33
50-64	90	12.5	119	1	1	10	16	29	40	45
65+	96	14.3	100	2	4	12	18	27	33	49
B. *Operated*										
0-19 YRS	114	17.9	128	8	10	15	19	37	45	59
20-34	66	18.2	282	1	2	14	28	41	50	71
35-49	122	14.3	221	1	2	11	17	36	46	99+
50-64	109	19.5	406	2	3	14	23	50	71	95
65+	83	22.0	200	3	5	19	31	40	44	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	530	9.0	26	1	2	10	11	14	16	23
B. *Operated*	148	9.6	127	1	1	7	12	18	27	58
2. MULTIPLE DX										
A. *Not Operated*	897	11.1	50	2	3	11	14	18	24	38
B. *Operated*	494	18.1	250	2	3	14	23	41	51	92
1. SINGLE DX	678	9.1	48	1	2	10	12	15	17	40
2. MULTIPLE DX	1391	13.6	132	2	3	11	16	26	37	70
A. NOT OPERATED	1427	10.3	42	1	3	10	13	17	21	35
B. OPERATED	642	16.1	234	1	2	12	20	37	47	91
TOTAL 0-19 YRS	1073	11.3	41	2	3	11	13	17	20	41
20-34	252	10.6	146	1	2	7	13	22	34	70
35-49	307	11.0	137	1	2	8	14	25	38	84
50-64	244	14.6	257	1	2	10	18	33	46	91
65+	193	17.4	159	2	4	15	24	35	41	60
GRAND TOTAL	**2069**	**12.1**	**109**	**1**	**2**	**11**	**14**	**22**	**31**	**61**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	5	7.0	32	2	2	4	11	16	16	16
35-49	6	10.3	13	6	6	10	10	16	17	17
50-64	39	8.1	27	1	2	7	11	17	19	22
65+	95	8.6	33	2	3	7	11	15	18	34
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	3	3.7	8	2	2	2	6	7	7	7
65+	4	14.3	78	4	4	15	21	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	3	21.3	460	7	7	11	37	46	46	46
35-49	18	8.1	23	2	3	7	9	16	20	21
50-64	164	8.8	35	2	3	7	11	17	22	26
65+	1105	9.0	39	3	3	8	11	16	22	33
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	20.3	809	1	1	7	41	53	53	53
50-64	26	15.7	132	3	5	12	21	26	43	54
65+	167	14.9	120	3	5	13	18	28	37	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	146	8.4	30	2	3	7	11	15	18	29
B. *Operated*	7	9.7	74	2	2	7	17	22	23	23
2. MULTIPLE DX										
A. *Not Operated*	1291	9.0	39	3	3	7	11	16	22	33
B. *Operated*	196	15.1	128	3	5	13	18	28	39	56
1. SINGLE DX	153	8.5	32	2	3	7	11	16	19	29
2. MULTIPLE DX	1487	9.8	55	3	3	8	12	18	24	39
A. NOT OPERATED	1437	8.9	38	3	3	7	11	16	21	33
B. OPERATED	203	14.9	127	3	4	13	18	28	38	55
TOTAL 0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	8	12.4	205	2	3	8	13	37	46	46
35-49	27	9.9	95	2	3	7	10	18	26	53
50-64	232	9.4	49	2	3	7	12	18	22	39
65+	1371	9.7	52	3	3	8	12	18	24	37
GRAND TOTAL	**1640**	**9.7**	**53**	**3**	**3**	**8**	**12**	**18**	**23**	**39**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	13.7	213	2	2	9	18	39	44	44
20-34	314	7.2	50	1	2	6	10	12	15	23
35-49	403	8.1	21	2	2	8	10	14	16	21
50-64	117	9.5	28	3	3	9	11	16	19	31
65+	13	10.9	72	1	3	9	17	24	25	25
B. *Operated*										
0-19 YRS										
20-34	46	6.2	31	1	1	4	8	16	19	24
35-49	66	5.9	44	1	1	3	8	14	18	36
50-64	17	9.5	82	1	1	7	14	16	30	38
65+	3	3.3	4	1	1	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	9.5	34	2	3	9	12	19	21	21
20-34	309	10.1	56	2	3	9	12	18	27	42
35-49	560	10.8	73	2	3	9	14	20	24	50
50-64	262	10.4	41	3	3	9	13	18	23	36
65+	51	10.3	34	2	3	9	14	20	21	24
B. *Operated*										
0-19 YRS	6	14.0	89	1	2	14	17	28	29	29
20-34	90	11.9	152	1	2	9	15	22	30	88
35-49	147	14.0	91	2	4	12	19	29	35	48
50-64	103	12.3	68	2	4	10	16	22	29	41
65+	15	18.9	253	4	5	10	29	43	54	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	854	8.1	36	2	2	8	10	14	17	25
B. *Operated*	132	6.4	44	1	1	4	8	16	19	38
2. MULTIPLE DX										
A. *Not Operated*	1195	10.5	60	2	3	9	13	19	24	42
B. *Operated*	361	13.2	107	2	3	10	18	27	33	70
1. SINGLE DX	986	7.8	37	1	2	7	10	14	17	26
2. MULTIPLE DX	1556	11.1	72	2	3	9	14	21	27	45
A. NOT OPERATED	2049	9.5	51	2	3	8	11	17	21	37
B. OPERATED	493	11.4	99	1	2	9	16	23	31	60
TOTAL 0-19 YRS	26	11.7	90	2	2	10	17	21	32	44
20-34	759	8.9	67	1	2	8	11	16	20	46
35-49	1176	10.0	60	2	3	9	13	19	24	42
50-64	499	10.5	46	3	3	9	13	19	24	37
65+	82	11.7	89	2	3	9	15	23	28	53
GRAND TOTAL	**2542**	**9.9**	**61**	**2**	**3**	**9**	**12**	**18**	**23**	**42**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	865	3.7	37	1	1	2	4	6	9	34
20-34	621	3.3	11	1	1	3	4	6	7	14
35-49	287	3.8	37	1	1	3	4	8	9	14
50-64	152	3.5	6	1	1	3	4	7	8	12
65+	103	3.5	6	1	1	3	4	6	9	14
B. *Operated*										
0-19 YRS	17	9.2	62	<1	1	8	16	19	23	25
20-34	31	10.1	41	2	3	8	15	19	23	24
35-49	9	8.0	132	1	1	3	10	27	37	37
50-64	4	4.0	10	1	1	3	6	8	8	8
65+	9	7.1	59	1	1	5	8	20	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1427	4.8	35	1	1	3	5	9	15	32
20-34	1142	4.9	27	1	1	4	6	9	13	23
35-49	1012	5.1	23	1	2	4	6	10	12	20
50-64	1002	5.9	26	1	2	5	7	11	15	25
65+	1441	6.9	31	2	2	5	8	13	18	29
B. *Operated*										
0-19 YRS	70	12.9	195	1	2	8	17	27	43	73
20-34	123	8.6	60	1	2	7	13	19	23	41
35-49	93	10.9	102	2	2	8	14	22	29	53
50-64	113	13.9	138	2	3	10	19	28	39	77
65+	151	12.5	89	3	3	11	15	22	36	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2028	3.6	25	1	1	3	4	6	9	25
B. *Operated*	70	8.9	57	1	1	7	13	19	24	35
2. MULTIPLE DX										
A. *Not Operated*	6024	5.6	30	1	1	4	7	11	15	27
B. *Operated*	550	11.7	111	2	3	9	15	23	36	59
1. SINGLE DX	2098	3.8	27	1	1	3	4	7	10	26
2. MULTIPLE DX	6574	6.1	39	1	2	4	7	12	17	33
A. NOT OPERATED	8052	5.1	29	1	1	4	6	10	14	27
B. OPERATED	620	11.4	106	1	2	9	15	23	33	58
TOTAL 0-19 YRS	2379	4.7	43	1	1	3	5	9	15	35
20-34	1917	4.7	26	1	1	3	6	9	13	23
35-49	1401	5.3	34	1	1	4	6	10	13	25
50-64	1271	6.3	40	1	2	5	8	13	17	34
65+	1704	7.2	38	2	2	5	9	14	18	34
GRAND TOTAL	**8672**	**5.5**	**37**	**1**	**1**	**4**	**7**	**11**	**16**	**31**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	256	3.3	7	<1	1	3	4	7	9	13
20-34	311	4.6	43	1	1	3	5	9	11	18
35-49	239	4.6	17	1	1	3	6	9	10	19
50-64	164	5.5	33	1	1	4	7	12	15	29
65+	182	6.4	55	1	2	5	7	11	15	35
B. *Operated*										
0-19 YRS	237	4.8	16	1	1	3	7	10	13	21
20-34	237	4.9	23	1	1	3	6	10	13	23
35-49	197	6.1	33	1	1	4	8	13	17	28
50-64	167	6.1	44	1	2	4	8	13	16	30
65+	113	7.7	37	1	2	7	10	14	19	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	697	6.3	121	1	1	3	6	12	24	85
20-34	687	7.2	85	1	1	4	8	16	26	59
35-49	642	8.7	108	2	2	5	10	18	26	54
50-64	947	10.1	117	2	2	7	12	21	33	55
65+	2946	9.6	84	2	3	7	11	19	27	53
B. *Operated*										
0-19 YRS	607	8.9	168	1	2	4	10	21	39	99
20-34	450	10.8	169	1	2	7	12	27	40	91
35-49	487	10.3	140	1	2	7	13	24	38	99+
50-64	699	12.6	173	1	2	8	17	28	40	89
65+	1253	13.9	163	2	3	10	18	29	40	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1152	4.7	31	1	1	3	6	9	12	21
B. *Operated*	951	5.7	29	1	1	4	8	11	16	25
2. MULTIPLE DX										
A. *Not Operated*	5919	8.9	98	1	2	6	10	18	27	55
B. *Operated*	3496	11.9	167	1	2	8	15	27	40	93
1. SINGLE DX	2103	5.1	30	1	1	4	7	10	14	23
2. MULTIPLE DX	9415	10.0	125	1	2	7	12	22	32	71
A. NOT OPERATED	7071	8.3	89	1	2	5	10	17	25	52
B. OPERATED	4447	10.5	144	1	2	7	13	24	35	84
TOTAL 0-19 YRS	1797	6.6	110	1	1	3	7	13	23	83
20-34	1685	7.4	96	1	1	4	8	16	26	65
35-49	1565	8.2	99	1	2	5	10	18	26	78
50-64	1977	10.3	129	1	2	7	13	22	33	65
65+	4494	10.7	108	2	3	8	13	22	30	57
GRAND TOTAL	**11518**	**9.1**	**112**	**1**	**2**	**6**	**11**	**20**	**29**	**65**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	317	2.5	4	<1	1	2	3	4	6	10
20-34	732	3.3	7	1	1	3	4	7	9	14
35-49	497	4.1	12	1	1	3	5	9	12	16
50-64	157	4.2	17	1	1	3	5	8	10	20
65+	21	4.2	9	<1	1	3	5	9	11	12
B. *Operated*										
0-19 YRS	8	3.1	3	1	1	3	4	6	6	6
20-34	62	3.9	11	1	1	3	5	7	9	19
35-49	71	3.2	7	1	1	2	4	7	9	14
50-64	16	3.4	4	1	1	3	4	6	8	9
65+	3	2.3		2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	314	3.8	12	1	1	3	5	8	10	18
20-34	1249	5.5	21	1	1	4	7	12	14	21
35-49	1240	6.2	22	1	2	5	9	12	15	21
50-64	582	6.1	19	1	2	5	8	12	14	20
65+	178	5.5	19	1	2	4	7	11	14	22
B. *Operated*										
0-19 YRS	20	4.8	35	2	2	3	4	10	21	27
20-34	103	7.5	43	1	2	6	10	15	17	36
35-49	122	8.4	57	2	2	7	10	17	22	41
50-64	87	6.9	27	2	2	5	10	14	15	27
65+	27	6.9	26	2	2	5	9	15	18	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1724	3.5	9	1	1	3	4	7	10	15
B. *Operated*	160	3.5	8	1	1	3	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	3563	5.7	20	1	2	4	8	12	14	21
B. *Operated*	359	7.5	43	1	2	6	10	15	19	34
1. SINGLE DX	1884	3.5	9	1	1	3	4	7	10	15
2. MULTIPLE DX	3922	5.8	23	1	2	4	8	12	15	22
A. NOT OPERATED	5287	5.0	18	1	1	4	7	11	13	19
B. OPERATED	519	6.2	35	1	2	4	8	14	16	31
TOTAL 0-19 YRS	659	3.2	9	1	1	2	4	6	9	15
20-34	2146	4.8	18	1	1	3	6	10	13	20
35-49	1930	5.7	22	1	1	4	8	12	15	21
50-64	842	5.8	20	1	2	4	8	11	14	20
65+	229	5.5	19	1	2	4	8	11	14	22
GRAND TOTAL	**5806**	**5.1**	**19**	**1**	**1**	**4**	**7**	**11**	**13**	**20**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	15	3.2	4	1	1	3	4	7	8	8
35-49	6	4.7	4	2	2	4	5	8	8	8
50-64	8	2.6	1	1	1	3	3	4	4	4
65+	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
0-19 YRS	7	1.3		<1	<1	1	2	2	2	2
20-34	232	1.8	2	<1	<1	2	2	3	5	7
35-49	415	1.9	2	<1	<1	2	2	3	4	9
50-64	354	1.8	1	<1	<1	2	2	3	4	7
65+	125	1.8	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	14	2.6	3	<1	<1	3	4	5	6	6
35-49	40	5.0	8	1	2	5	7	10	10	11
50-64	36	4.4	11	<1	<1	4	7	8	11	16
65+	25	3.5	4	1	1	3	5	6	8	10
B. *Operated*										
0-19 YRS	11	3.1	19	<1	<1	2	3	8	15	16
20-34	132	2.6	5	<1	1	2	3	5	8	11
35-49	377	3.5	13	1	1	2	4	8	10	19
50-64	430	3.2	10	1	1	2	3	7	9	17
65+	350	2.9	9	1	1	2	3	5	8	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	3.4	3	1	1	3	4	6	8	8
B. *Operated*	1133	1.8	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	116	4.2	8	<1	1	3	6	9	10	13
B. *Operated*	1300	3.1	10	1	1	2	3	7	9	18
1. SINGLE DX	1165	1.9	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX	1416	3.2	10	1	1	2	4	7	9	17
A. NOT OPERATED	148	4.0	7	<1	1	3	5	8	10	11
B. OPERATED	2433	2.5	7	<1	1	2	3	5	7	14
TOTAL 0-19 YRS	20	2.6	11	<1	<1	2	3	4	10	16
20-34	393	2.2	3	<1	1	2	2	4	6	10
35-49	838	2.8	8	<1	1	2	3	6	8	17
50-64	828	2.6	7	<1	1	2	3	5	8	14
65+	502	2.6	7	<1	1	2	3	5	7	14
GRAND TOTAL	**2581**	**2.6**	**7**	**<1**	**1**	**2**	**3**	**5**	**8**	**14**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	6.7	77	1	1	4	8	12	20	57
20-34	176	4.9	27	1	1	4	5	9	19	30
35-49	250	4.7	21	1	1	3	6	10	14	28
50-64	194	5.6	44	1	1	4	6	11	16	35
65+	110	6.3	67	1	1	4	7	13	17	51
B. *Operated*										
0-19 YRS	78	2.9	9	1	1	2	3	5	8	18
20-34	549	3.2	9	1	1	3	4	6	8	15
35-49	684	3.2	8	1	1	2	4	6	8	14
50-64	544	3.2	10	1	1	2	4	6	8	15
65+	254	3.7	11	1	1	2	5	9	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	86	8.5	160	1	1	4	9	26	38	92
20-34	284	5.9	52	1	1	4	7	11	16	45
35-49	483	6.2	35	1	2	5	8	12	16	35
50-64	756	6.7	41	1	2	5	8	13	17	29
65+	973	7.6	46	2	2	6	9	14	19	39
B. *Operated*										
0-19 YRS	95	6.3	125	1	1	3	5	10	27	69
20-34	462	5.9	91	1	1	3	6	11	21	70
35-49	700	5.1	42	1	1	3	6	11	14	39
50-64	779	6.0	52	1	1	4	8	14	19	49
65+	656	8.6	90	1	2	6	11	19	28	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	818	5.4	40	1	1	4	6	11	16	31
B. *Operated*	2109	3.3	9	1	1	2	4	6	9	15
2. MULTIPLE DX										
A. *Not Operated*	2582	6.9	47	1	2	5	8	13	18	39
B. *Operated*	2692	6.4	69	1	1	4	8	14	21	65
1. SINGLE DX	2927	3.9	19	1	1	3	5	8	11	22
2. MULTIPLE DX	5274	6.7	59	1	2	5	8	13	20	46
A. NOT OPERATED	3400	6.6	46	1	2	5	8	13	18	38
B. OPERATED	4801	5.0	45	1	1	3	6	11	15	39
TOTAL 0-19 YRS	347	6.2	98	1	1	3	6	11	22	64
20-34	1471	4.8	46	1	1	3	5	9	13	41
35-49	2117	4.7	28	1	1	3	5	10	13	25
50-64	2273	5.5	39	1	1	4	7	11	16	31
65+	1993	7.4	59	1	2	5	9	15	21	44
GRAND TOTAL	**8201**	**5.7**	**46**	**1**	**1**	**4**	**7**	**12**	**17**	**39**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	3.3	2	2	2	3	4	5	5	5
65+	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-19 YRS	86	3.6	11	1	1	3	4	6	7	22
20-34	173	2.9	4	1	1	3	3	5	6	14
35-49	211	2.9	2	1	1	3	3	5	5	8
50-64	500	2.9	3	1	1	3	4	5	6	8
65+	487	2.8	2	1	1	3	3	5	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	4	1	1	2	3	5	5	5
20-34	3	1.0		1	1	1	1	1	1	1
35-49	8	2.0	1	<1	<1	2	3	4	4	4
50-64	14	2.7	6	<1	1	2	4	6	8	9
65+	20	2.7	6	<1	<1	2	3	8	8	8
B. *Operated*										
0-19 YRS	82	3.8	6	1	1	3	5	6	9	16
20-34	167	3.9	8	1	1	3	5	7	10	20
35-49	242	3.3	4	1	2	3	4	6	7	14
50-64	647	3.5	5	1	1	3	4	6	7	13
65+	950	3.7	7	1	2	3	4	6	8	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	1.8	2	<1	<1	1	2	4	5	5
B. *Operated*	1457	2.9	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	49	2.4	5	<1	1	1	3	6	8	9
B. *Operated*	2088	3.6	6	1	1	3	4	6	8	14
1. SINGLE DX	1467	2.9	3	1	1	3	4	5	6	9
2. MULTIPLE DX	2137	3.6	6	1	1	3	4	6	8	14
A. NOT OPERATED	59	2.3	4	<1	<1	1	3	5	8	9
B. OPERATED	3545	3.3	5	1	1	3	4	5	7	13
TOTAL 0-19 YRS	175	3.6	9	1	1	3	4	6	8	20
20-34	344	3.4	6	1	1	3	4	6	8	15
35-49	462	3.1	3	1	1	3	4	5	7	9
50-64	1164	3.2	4	1	1	3	4	5	7	11
65+	1459	3.4	6	1	1	3	4	6	7	13
GRAND TOTAL	**3604**	**3.3**	**5**	**1**	**1**	**3**	**4**	**5**	**7**	**13**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	3	3.0	1	2	2	3	4	4	4	4
35-49	5	1.6	2	<1	<1	1	2	4	4	4
50-64	12	1.3		1	1	1	2	2	3	3
65+	29	2.0	2	1	1	2	2	4	5	6
B. *Operated*										
0-19 YRS	8	1.9	1	<1	<1	2	3	61	99+	99+
20-34	16	2.6	2	<1	<1	2	3	4	6	7
35-49	43	3.0	5	1	1	2	4	5	7	14
50-64	97	2.5	3	1	1	2	3	4	6	8
65+	168	2.7	4	1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	2.0	2	<1	<1	1	3	4	4	4
35-49	4	3.5	14	1	1	2	6	9	9	9
50-64	18	2.6	3	1	1	2	4	5	6	6
65+	62	3.7	6	1	1	3	5	7	9	11
B. *Operated*										
0-19 YRS	4	2.8	12	1	1	1	5	8	8	8
20-34	11	4.0	5	2	2	3	5	8	9	9
35-49	36	4.5	18	1	2	3	4	9	12	23
50-64	133	3.1	4	1	1	3	4	5	6	11
65+	448	3.8	20	1	1	3	4	7	9	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	1.8	1	1	1	1	2	4	4	6
B. *Operated*	332	2.7	4	1	1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	89	3.4	6	1	1	3	4	7	8	11
B. *Operated*	632	3.7	16	1	1	3	4	6	9	17
1. SINGLE DX	383	2.6	3	1	1	2	3	4	6	11
2. MULTIPLE DX	721	3.6	15	1	1	3	4	6	9	16
A. NOT OPERATED	140	2.8	5	1	1	2	4	6	7	11
B. OPERATED	964	3.3	12	1	1	3	4	6	8	16
TOTAL 0-19 YRS	15	2.2	3	<1	1	2	3	8	72	99+
20-34	34	3.0	3	<1	1	3	3	5	7	9
35-49	88	3.6	11	1	1	3	4	8	9	20
50-64	260	2.7	3	1	1	2	4	5	6	10
65+	707	3.5	14	1	1	3	4	6	8	16
GRAND TOTAL	**1104**	**3.3**	**11**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	1.0		1	1	1	1	1	1	1
65+	15	1.7	1	<1	<1	1	2	3	4	4
B. *Operated*										
0-19 YRS	7	2.6	4	1	1	2	3	6	7	7
20-34	24	3.4	10	1	1	2	4	7	10	15
35-49	14	2.6	1	1	1	3	3	4	4	4
50-64	39	2.1	1	1	1	2	3	4	4	4
65+	68	2.0	1	1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	1.8	1	1	1	2	2	3	3	3
20-34	4	6.0	22	3	3	4	9	13	13	13
35-49	3	5.7	21	3	3	3	9	11	11	11
50-64	9	3.8	13	<1	<1	3	4	9	13	13
65+	47	2.9	4	1	1	2	4	6	7	8
B. *Operated*										
0-19 YRS	9	2.3	2	1	1	2	3	4	5	5
20-34	31	3.5	7	1	1	3	5	8	9	10
35-49	33	3.4	6	1	1	3	4	8	9	9
50-64	76	3.3	5	1	1	3	4	6	8	11
65+	202	2.9	6	1	1	2	4	5	7	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	1.6	1	<1	<1	1	2	3	4	4
B. *Operated*	152	2.3	3	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	68	3.3	7	1	1	3	4	7	9	13
B. *Operated*	351	3.1	6	1	1	2	4	6	7	10
1. SINGLE DX	174	2.2	3	1	1	2	3	4	4	8
2. MULTIPLE DX	419	3.1	6	1	1	2	4	6	7	12
A. NOT OPERATED	90	2.9	6	1	1	2	3	5	8	13
B. OPERATED	503	2.8	5	1	1	2	4	5	7	10
TOTAL 0-19 YRS	22	2.3	2	1	1	2	3	4	6	7
20-34	62	3.5	9	1	1	3	4	7	10	15
35-49	51	3.2	6	1	1	3	4	8	9	11
50-64	126	2.9	4	1	1	2	4	5	7	12
65+	332	2.6	5	1	1	2	3	5	7	8
GRAND TOTAL	**593**	**2.8**	**5**	**1**	**1**	**2**	**3**	**5**	**7**	**11**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	7	1.3		<1	<1	1	2	2	2	2
65+	17	1.4		1	1	1	2	2	3	3
B. *Operated*										
0-19 YRS										
20-34										
35-49	191	1.7		1	1	2	2	2	3	4
50-64	1228	1.7	1	<1	1	2	2	2	3	4
65+	4781	1.8	1	<1	1	2	2	2	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	12	1.3		<1	<1	1	2	2	2	2
50-64	40	2.2	3	<1	<1	2	2	5	7	8
65+	170	2.3	6	<1	<1	1	3	5	7	12
B. *Operated*										
0-19 YRS										
20-34										
35-49	194	2.8	16	1	1	2	3	4	7	19
50-64	1560	2.2	2	1	1	2	2	3	4	9
65+	8048	2.2	3	1	1	2	2	3	4	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	1.4		<1	<1	1	2	2	3	3
B. *Operated*	6200	1.8	1	<1	1	2	2	2	3	3
2. MULTIPLE DX										
A. *Not Operated*	222	2.2	6	<1	<1	1	2	4	6	11
B. *Operated*	9802	2.2	3	1	1	2	2	3	4	8
1. SINGLE DX	6225	1.8	1	<1	1	2	2	2	3	3
2. MULTIPLE DX	10024	2.2	3	1	1	2	2	3	4	9
A. NOT OPERATED	247	2.2	5	<1	<1	1	2	4	6	11
B. OPERATED	16002	2.0	2	1	1	2	2	3	3	7
TOTAL 0-19 YRS										
20-34										
35-49	398	2.2	8	1	1	2	2	3	5	12
50-64	2835	2.0	2	1	1	2	2	3	4	7
65+	13016	2.0	2	1	1	2	2	3	3	7
GRAND TOTAL	**16249**	**2.0**	**2**	**1**	**1**	**2**	**2**	**3**	**3**	**7**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	49	2.0	1	<1	<1	2	2	3	3	5
20-34	19	1.5		1	1	1	2	2	3	3
35-49	42	1.6	1	1	1	2	2	2	3	6
50-64	85	1.6		1	1	2	2	2	2	3
65+	69	1.4	1	1	1	1	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49	3	1.7	1	<1	<1	1	2	3	3	3
50-64	5	2.2	3	1	1	1	3	5	5	5
65+	5	2.2	3	1	1	2	3	5	5	5
B. *Operated*										
0-19 YRS	31	2.4	1	1	1	2	3	3	4	6
20-34	34	2.5	2	1	1	2	3	4	6	8
35-49	68	2.1	2	<1	1	2	2	3	5	9
50-64	149	2.2	2	1	1	2	2	4	4	9
65+	209	1.9	1	1	1	2	2	3	4	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	264	1.6	1	1	1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	14	2.2	2	<1	1	2	3	5	5	5
B. *Operated*	491	2.1	2	1	1	2	2	3	4	8
1. SINGLE DX	264	1.6	1	1	1	1	2	2	3	5
2. MULTIPLE DX	505	2.1	2	1	1	2	2	3	4	8
A. NOT OPERATED	14	2.2	2	<1	1	2	3	5	5	5
B. OPERATED	755	1.9	2	1	1	2	2	3	4	7
TOTAL 0-19 YRS	81	2.2	1	<1	1	2	3	3	4	6
20-34	53	2.2	2	1	1	2	3	4	5	8
35-49	113	1.9	2	<1	1	2	2	3	4	9
50-64	239	2.0	2	1	1	2	2	3	4	8
65+	283	1.8	1	1	1	2	2	3	4	6
GRAND TOTAL	**769**	**1.9**	**2**	**1**	**1**	**2**	**2**	**3**	**4**	**7**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.8	2	<1	<1	1	2	4	5	5
20-34	6	2.7	1	1	1	3	4	4	4	4
35-49	7	2.6	3	<1	<1	3	3	5	6	6
50-64	7	3.1	3	1	1	3	5	6	6	6
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	659	1.3	1	<1	<1	1	2	2	2	2
20-34	107	1.4		<1	1	1	2	2	2	4
35-49	61	1.8	2	<1	1	2	2	3	3	9
50-64	40	1.7	1	1	1	1	2	3	4	6
65+	23	2.7	8	1	1	2	3	6	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	1.6	2	<1	<1	1	1	3	5	6
20-34	21	3.3	9	<1	1	2	4	8	11	12
35-49	24	4.9	17	<1	<1	4	8	10	14	15
50-64	40	4.4	10	<1	1	3	6	8	10	16
65+	60	5.7	25	1	2	4	6	9	15	30
B. *Operated*										
0-19 YRS	196	1.4		<1	<1	1	2	2	2	3
20-34	81	1.5	1	<1	1	1	2	3	3	4
35-49	56	2.3	4	1	1	2	3	4	8	10
50-64	54	4.8	49	1	1	2	5	10	22	38
65+	57	4.4	18	1	1	3	6	10	13	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	2.4	2	<1	<1	2	3	5	6	6
B. *Operated*	890	1.4	1	<1	<1	1	2	2	2	5
2. MULTIPLE DX										
A. *Not Operated*	171	4.3	17	<1	1	3	6	9	11	22
B. *Operated*	444	2.3	11	<1	<1	1	2	4	7	18
1. SINGLE DX	920	1.5	1	<1	<1	1	2	2	2	5
2. MULTIPLE DX	615	2.9	13	<1	1	2	3	7	9	19
A. NOT OPERATED	201	4.1	15	<1	1	3	5	8	10	20
B. OPERATED	1334	1.7	4	<1	<1	1	2	2	3	10
TOTAL 0-19 YRS	890	1.4	1	<1	<1	1	2	2	2	3
20-34	215	1.7	2	<1	1	1	2	3	4	8
35-49	148	2.5	6	<1	1	2	3	6	9	14
50-64	141	3.7	23	1	1	2	4	8	10	26
65+	141	4.6	20	1	1	3	6	9	13	24
GRAND TOTAL	**1535**	**2.0**	**6**	**<1**	**<1**	**1**	**2**	**3**	**6**	**13**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	125	2.8	6	<1	<1	2	4	5	8	15
20-34	36	4.0	12	1	1	3	5	9	10	19
35-49	21	4.8	9	<1	1	5	7	9	10	10
50-64	14	5.0	13	1	1	4	8	10	12	12
65+	36	5.7	21	1	2	5	7	9	11	27
B. *Operated*										
0-19 YRS	108	1.9	3	<1	<1	1	2	4	5	10
20-34	204	2.0	1	1	1	2	3	3	4	6
35-49	202	2.2	5	1	1	2	3	4	4	12
50-64	212	2.0	2	1	1	2	3	3	4	5
65+	389	2.4	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	206	3.5	5	1	1	3	5	7	8	12
20-34	69	4.2	19	1	1	3	5	8	12	25
35-49	42	5.5	17	1	1	5	8	11	13	19
50-64	64	5.2	19	1	1	4	7	8	11	25
65+	147	5.6	25	1	1	4	7	12	17	23
B. *Operated*										
0-19 YRS	89	2.6	6	<1	1	2	3	5	8	14
20-34	119	2.3	2	1	1	2	3	4	5	7
35-49	256	2.4	6	1	1	2	3	4	7	16
50-64	455	3.0	12	1	1	2	3	6	9	20
65+	1223	3.1	7	1	1	2	4	5	8	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	232	3.8	11	<1	<1	3	5	8	9	18
B. *Operated*	1115	2.2	3	1	1	2	3	4	4	8
2. MULTIPLE DX										
A. *Not Operated*	528	4.6	16	1	1	3	6	9	12	20
B. *Operated*	2142	2.9	8	1	1	2	3	5	8	15
1. SINGLE DX	1347	2.4	4	<1	1	2	3	4	6	10
2. MULTIPLE DX	2670	3.2	10	1	1	2	4	6	9	18
A. NOT OPERATED	760	4.3	14	<1	1	3	5	8	11	20
B. OPERATED	3257	2.6	6	1	1	2	3	4	6	14
TOTAL 0-19 YRS	528	2.9	6	<1	<1	2	4	6	8	12
20-34	428	2.6	6	1	1	2	3	4	6	13
35-49	521	2.7	8	1	1	2	3	5	8	16
50-64	745	2.9	10	1	1	2	3	6	8	17
65+	1795	3.2	8	1	1	2	4	6	9	16
GRAND TOTAL	**4017**	**3.0**	**8**	**1**	**1**	**2**	**3**	**5**	**8**	**16**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	368	3.3	3	1	1	3	4	5	6	9
20-34	79	3.9	5	1	2	4	5	6	8	12
35-49	45	5.2	12	1	2	4	8	9	12	16
50-64	47	3.7	6	1	1	3	6	7	9	9
65+	52	3.9	10	1	1	3	6	7	8	17
B. *Operated*										
0-19 YRS	60	3.6	8	1	1	3	5	8	10	12
20-34	64	3.1	8	1	1	2	4	6	10	14
35-49	74	2.6	4	1	1	2	3	5	7	11
50-64	181	2.2	2	1	1	2	2	4	5	8
65+	339	2.5	5	1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	498	4.2	6	2	2	4	5	7	9	12
20-34	124	4.5	14	1	1	3	6	9	14	18
35-49	114	5.2	17	1	1	4	6	10	14	21
50-64	144	4.9	14	1	1	4	7	10	10	20
65+	266	5.2	17	1	1	4	6	10	12	19
B. *Operated*										
0-19 YRS	68	4.6	13	1	1	4	7	10	11	18
20-34	209	4.2	14	1	1	3	5	8	11	22
35-49	200	4.1	13	1	1	3	5	8	10	23
50-64	498	3.8	11	1	1	3	5	8	10	16
65+	954	3.9	13	1	1	3	5	8	11	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	591	3.6	5	1	1	3	5	6	8	12
B. *Operated*	718	2.6	5	1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	1146	4.6	12	1	2	4	6	9	10	17
B. *Operated*	1929	4.0	13	1	1	3	5	8	11	19
1. SINGLE DX	1309	3.0	5	1	1	2	4	6	8	12
2. MULTIPLE DX	3075	4.2	12	1	1	3	5	8	11	18
A. NOT OPERATED	1737	4.3	9	1	1	3	5	8	10	16
B. OPERATED	2647	3.6	11	1	1	2	4	7	10	17
TOTAL 0-19 YRS	994	3.8	5	1	2	3	5	7	9	11
20-34	476	4.1	12	1	1	3	5	8	11	19
35-49	433	4.3	13	1	1	3	5	8	11	21
50-64	870	3.6	10	1	1	2	5	7	9	16
65+	1611	3.8	13	1	1	3	5	8	11	17
GRAND TOTAL	**4384**	**3.9**	**10**	**1**	**1**	**3**	**5**	**8**	**10**	**16**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.5	3	1	1	2	3	5	6	6
20-34	15	2.5	3	1	1	2	3	5	7	7
35-49	10	3.1	4	1	1	3	3	6	8	8
50-64	7	2.4	1	1	1	3	3	4	4	4
65+	9	3.1	3	1	1	3	5	6	6	6
B. *Operated*										
0-19 YRS	9	1.6		<1	<1	2	2	2	2	2
20-34	20	2.1	3	<1	1	2	2	3	6	9
35-49	16	1.8	1	1	1	2	2	3	4	4
50-64	13	2.9	5	1	1	2	3	7	8	8
65+	8	1.8	1	<1	<1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	2.9	6	1	1	2	3	5	10	11
20-34	31	3.4	6	<1	1	3	4	8	9	9
35-49	51	3.6	4	1	2	3	5	7	7	9
50-64	66	5.2	15	1	2	4	7	9	14	20
65+	83	4.2	10	1	1	3	6	8	10	15
B. *Operated*										
0-19 YRS	16	4.5	91	<1	<1	2	3	5	29	40
20-34	37	3.1	9	1	1	2	4	7	10	14
35-49	46	3.3	10	1	1	3	4	5	7	21
50-64	69	3.2	6	1	1	3	4	6	7	15
65+	79	4.7	26	1	1	3	7	9	11	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	2.7	3	1	1	2	3	5	6	8
B. *Operated*	66	2.1	2	<1	1	2	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	258	4.1	10	1	1	3	5	8	9	16
B. *Operated*	247	3.8	19	1	1	3	4	8	10	22
1. SINGLE DX	120	2.4	3	1	1	2	3	4	6	8
2. MULTIPLE DX	505	3.9	14	1	1	3	5	8	10	17
A. NOT OPERATED	312	3.9	9	1	1	3	5	8	9	16
B. OPERATED	313	3.4	16	1	1	2	4	7	9	18
TOTAL 0-19 YRS	65	3.0	25	<1	1	2	3	5	7	36
20-34	103	2.9	6	1	1	2	3	7	9	12
35-49	123	3.2	6	1	1	3	4	6	7	12
50-64	155	4.0	10	1	1	3	5	8	9	18
65+	179	4.3	17	1	1	3	6	8	10	17
GRAND TOTAL	**625**	**3.6**	**12**	**1**	**1**	**3**	**4**	**7**	**9**	**16**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	708	2.6	3	1	1	2	3	4	5	9
20-34	14	3.7	8	<1	1	3	4	7	11	12
35-49	7	3.7	4	1	1	4	5	6	6	6
50-64	7	3.7	10	<1	<1	3	6	8	9	9
65+	8	3.9	15	1	1	3	4	10	13	13
B. *Operated*										
0-19 YRS	1133	1.3	1	<1	<1	1	1	2	2	4
20-34	308	1.5		1	1	1	2	2	3	4
35-49	284	1.7	1	1	1	2	2	2	3	6
50-64	282	1.7	1	1	1	2	2	2	3	4
65+	108	1.7		1	1	2	2	2	2	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2903	3.1	3	1	1	3	4	5	6	9
20-34	77	4.2	8	1	1	4	6	9	10	13
35-49	79	4.0	10	<1	1	4	5	7	9	20
50-64	80	5.0	22	1	1	4	6	8	13	26
65+	46	6.8	41	2	2	5	8	11	16	41
B. *Operated*										
0-19 YRS	1748	1.6	3	<1	<1	1	2	2	4	9
20-34	399	1.8	2	1	1	2	2	3	4	6
35-49	327	2.1	3	1	1	2	2	3	4	10
50-64	413	2.1	2	1	1	2	2	3	4	9
65+	194	2.2	4	1	1	2	2	3	4	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	744	2.7	3	1	1	2	3	4	6	9
B. *Operated*	2115	1.5	1	<1	<1	1	2	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	3185	3.2	5	1	1	3	4	5	7	11
B. *Operated*	3081	1.8	3	<1	1	1	2	3	4	9
1. SINGLE DX	2859	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	6266	2.5	4	1	1	2	3	5	6	10
A. NOT OPERATED	3929	3.1	5	1	1	3	4	5	7	11
B. OPERATED	5196	1.7	2	<1	<1	1	2	2	3	8
TOTAL 0-19 YRS	6492	2.3	3	<1	<1	2	3	4	6	9
20-34	798	2.0	3	1	1	2	2	3	5	10
35-49	697	2.2	3	1	1	2	2	4	5	9
50-64	782	2.3	5	1	1	2	2	4	6	11
65+	356	2.7	11	1	1	2	2	5	8	15
GRAND TOTAL	**9125**	**2.3**	**4**	**<1**	**1**	**2**	**3**	**4**	**6**	**9**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	106	3.2	3	1	1	3	4	5	8	10
20-34	49	3.4	4	1	1	3	4	6	6	11
35-49	38	4.5	7	2	2	4	6	7	9	17
50-64	17	3.6	2	1	2	3	4	6	7	7
65+	8	12.4	342	1	1	5	13	45	56	56
B. *Operated*										
0-19 YRS	138	2.0	3	<1	<1	1	3	4	6	8
20-34	56	2.4	4	<1	1	2	3	6	8	10
35-49	33	3.0	16	1	1	2	3	6	15	19
50-64	46	2.1	3	<1	1	2	2	4	4	11
65+	17	4.3	24	1	1	2	6	12	16	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	331	3.7	7	1	1	3	5	7	8	14
20-34	138	4.7	10	1	2	4	6	8	11	16
35-49	110	5.4	10	2	3	5	7	10	12	16
50-64	66	6.4	31	2	2	5	7	11	20	34
65+	85	7.6	31	2	3	6	9	17	21	75
B. *Operated*										
0-19 YRS	270	2.8	14	<1	1	2	3	6	9	17
20-34	102	3.5	15	1	1	2	4	9	14	17
35-49	78	2.8	7	1	1	2	3	5	7	17
50-64	97	5.7	76	1	1	3	6	15	19	50
65+	93	8.1	85	1	1	4	12	19	22	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	218	3.9	18	1	2	3	4	6	8	18
B. *Operated*	290	2.4	6	<1	<1	1	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	730	4.8	14	1	2	4	6	9	12	21
B. *Operated*	640	4.1	36	1	1	2	4	10	16	31
1. SINGLE DX	508	3.0	12	<1	1	2	4	6	7	16
2. MULTIPLE DX	1370	4.5	25	1	1	3	5	9	14	22
A. NOT OPERATED	948	4.6	15	1	2	4	6	8	11	21
B. OPERATED	930	3.6	28	<1	1	2	4	8	13	23
TOTAL 0-19 YRS	845	3.1	8	<1	1	2	4	6	8	13
20-34	345	3.8	10	1	1	3	5	8	10	16
35-49	259	4.2	11	1	1	3	5	8	11	17
50-64	226	5.0	45	1	1	3	6	9	17	31
65+	203	7.8	68	1	1	5	10	18	21	51
GRAND TOTAL	**1878**	**4.1**	**22**	**1**	**1**	**3**	**5**	**8**	**12**	**21**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	2.6	4	1	1	2	3	4	5	12
20-34	174	3.2	4	1	1	3	4	6	7	11
35-49	239	2.8	4	1	1	2	3	5	6	10
50-64	336	2.9	3	1	1	3	4	5	6	10
65+	294	3.2	4	1	1	3	4	6	7	11
B. *Operated*										
0-19 YRS	12	2.0	2	1	1	1	3	4	4	4
20-34	56	2.9	5	1	1	2	3	6	8	11
35-49	97	3.2	7	1	1	2	4	6	9	13
50-64	116	3.3	6	1	1	3	4	7	8	13
65+	60	3.2	5	1	1	2	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	3.6	4	1	1	3	5	6	8	10
20-34	256	4.0	9	1	1	3	5	7	9	19
35-49	556	4.1	6	1	1	3	5	8	9	12
50-64	1131	4.1	7	1	2	3	5	7	9	13
65+	1976	4.4	8	1	2	4	6	8	9	14
B. *Operated*										
0-19 YRS	7	1.9	3	<1	<1	1	2	5	6	6
20-34	28	4.8	12	1	1	4	7	10	12	14
35-49	64	5.2	19	1	1	4	7	11	12	23
50-64	142	5.5	13	1	1	4	8	11	12	16
65+	221	7.0	32	2	3	6	8	13	16	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1078	3.0	4	1	1	3	4	5	7	10
B. *Operated*	341	3.2	6	1	1	2	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	3974	4.2	7	1	2	4	5	8	9	13
B. *Operated*	462	6.1	24	1	2	5	8	11	14	26
1. SINGLE DX	1419	3.0	4	1	1	3	4	6	7	11
2. MULTIPLE DX	4436	4.4	9	1	2	4	6	8	10	14
A. NOT OPERATED	5052	4.0	7	1	1	3	5	7	9	13
B. OPERATED	803	4.8	18	1	1	4	6	10	12	21
TOTAL 0-19 YRS	109	3.0	4	1	1	3	4	6	7	11
20-34	514	3.6	7	1	1	3	4	7	8	13
35-49	956	3.8	7	1	1	3	5	7	9	13
50-64	1725	3.9	7	1	1	3	5	7	9	13
65+	2551	4.4	10	1	2	4	6	8	10	15
GRAND TOTAL	**5855**	**4.1**	**8**	**1**	**1**	**3**	**5**	**7**	**9**	**14**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	3	1.0		<1	<1	<1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	38	1.8	1	1	1	2	2	3	3	4
20-34	215	1.8	1	1	1	2	2	3	3	4
35-49	382	1.9	1	1	1	2	2	3	3	4
50-64	319	2.0	1	1	1	2	3	3	3	4
65+	130	2.1	1	1	1	2	3	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	2.0	4	<1	<1	1	3	5	5	5
50-64	2	5.5	25	2	2	5	9	9	9	9
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	14	1.6		1	1	2	2	2	2	2
20-34	61	1.9	1	1	1	2	2	3	4	7
35-49	106	2.1	1	1	1	2	3	3	4	5
50-64	139	1.9	1	1	1	2	3	3	3	5
65+	108	2.4	4	1	1	2	3	3	4	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	1084	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	10	3.1	7	<1	<1	2	5	7	9	9
B. *Operated*	428	2.1	2	1	1	2	3	3	4	6
1. SINGLE DX	1089	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX	438	2.1	2	1	1	2	3	3	4	7
A. NOT OPERATED	15	2.4	6	<1	<1	1	4	5	8	9
B. OPERATED	1512	2.0	1	1	1	2	3	3	3	5
TOTAL 0-19 YRS	54	1.8	1	1	1	2	2	3	3	5
20-34	278	1.9	1	1	1	2	2	3	3	5
35-49	493	1.9	1	1	1	2	2	3	3	5
50-64	463	2.0	1	1	1	2	3	3	3	5
65+	239	2.2	2	1	1	2	3	3	4	7
GRAND TOTAL	**1527**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**5**

134: Miscellaneous diseases of ear
(380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.9	5	<1	<1	2	4	6	8	9
20-34	33	3.5	7	1	1	3	4	6	8	14
35-49	16	2.8	2	1	1	3	4	4	6	6
50-64	30	3.4	4	1	1	4	4	5	5	11
65+	17	3.4	2	1	1	4	4	5	6	7
B. *Operated*										
0-19 YRS	540	1.4	1	<1	1	1	2	2	3	4
20-34	366	1.6	1	1	1	1	2	2	3	7
35-49	281	1.8	3	1	1	1	2	3	4	11
50-64	235	1.6	1	1	1	1	2	2	3	4
65+	91	1.7	1	1	1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	2.8	5	<1	<1	2	4	7	7	8
20-34	39	3.5	10	<1	<1	3	4	8	10	16
35-49	37	3.5	7	<1	1	3	5	7	8	14
50-64	62	4.0	5	1	1	4	5	7	8	11
65+	63	4.4	9	<1	1	4	6	9	10	16
B. *Operated*										
0-19 YRS	512	1.5	1	1	1	1	2	2	3	5
20-34	408	1.8	3	1	1	1	2	3	4	9
35-49	378	2.0	4	1	1	2	2	3	5	8
50-64	340	2.2	7	1	1	2	2	3	4	12
65+	232	2.8	9	1	1	2	3	5	8	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	3.3	4	1	1	3	4	5	6	12
B. *Operated*	1513	1.6	1	1	1	1	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	230	3.8	8	<1	1	3	5	8	9	14
B. *Operated*	1870	2.0	4	1	1	1	2	3	4	11
1. SINGLE DX	1623	1.7	2	1	1	1	2	3	4	7
2. MULTIPLE DX	2100	2.2	5	1	1	2	2	4	6	11
A. NOT OPERATED	340	3.6	7	<1	1	3	5	7	9	14
B. OPERATED	3383	1.8	3	1	1	1	2	3	4	8
TOTAL 0-19 YRS	1095	1.5	1	<1	1	1	2	2	3	6
20-34	846	1.9	3	1	1	1	2	3	4	9
35-49	712	2.0	4	1	1	1	2	4	5	9
50-64	667	2.2	5	1	1	2	2	4	5	11
65+	403	2.8	8	1	1	2	3	5	8	17
GRAND TOTAL	**3723**	**1.9**	**4**	**1**	**1**	**1**	**2**	**3**	**5**	**9**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	5.8	14	1	2	5	8	11	14	15
20-34	17	5.5	18	2	2	5	6	9	16	20
35-49	8	4.5	6	2	2	4	6	8	9	9
50-64	4	3.0	4	2	2	2	4	6	6	6
65+										
B. *Operated*										
0-19 YRS										
20-34	2	10.5	5	9	9	10	12	12	12	12
35-49										
50-64	3	3.7	14	1	1	2	6	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	6.4	33	1	2	5	8	12	14	35
20-34	28	7.0	31	2	2	5	9	12	17	28
35-49	16	8.9	31	2	4	7	14	16	20	21
50-64	25	6.0	15	2	3	5	7	12	16	17
65+	29	7.2	25	2	3	6	9	13	15	26
B. *Operated*										
0-19 YRS	5	9.2	10	6	6	8	12	13	13	13
20-34	8	21.8	299	4	6	17	27	51	59	59
35-49	10	5.9	29	<1	<1	3	11	14	15	15
50-64	23	12.3	78	1	2	13	18	23	29	32
65+	16	20.3	309	2	2	19	31	48	52	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	5.5	14	1	2	5	7	10	14	18
B. *Operated*	5	6.4	22	1	1	8	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	138	6.9	27	2	2	5	8	13	16	29
B. *Operated*	62	14.3	175	1	2	12	20	31	43	58
1. SINGLE DX	89	5.5	14	1	2	5	8	10	14	18
2. MULTIPLE DX	200	9.2	84	2	2	6	12	20	28	51
A. NOT OPERATED	222	6.4	23	2	2	5	8	12	15	27
B. OPERATED	67	13.7	168	1	2	11	19	30	40	58
TOTAL 0-19 YRS	100	6.2	22	1	2	5	8	12	14	25
20-34	55	8.8	90	2	2	6	10	20	27	58
35-49	34	7.0	27	1	2	5	10	15	16	21
50-64	55	8.3	52	1	2	6	13	18	22	32
65+	45	11.8	161	2	2	6	13	28	41	54
GRAND TOTAL	**289**	**8.1**	**65**	**1**	**2**	**6**	**10**	**16**	**26**	**45**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	7.7	16	4	4	7	11	12	12	12
20-34	14	3.1	7	<1	1	2	4	7	9	10
35-49	12	5.0	23	<1	1	4	5	11	18	19
50-64	14	5.0	18	<1	<1	4	7	11	13	14
65+	7	6.7	6	2	3	8	8	9	9	9
B. *Operated*										
0-19 YRS										
20-34	23	5.9	13	1	1	7	8	10	11	12
35-49	77	4.7	16	1	1	2	9	10	12	16
50-64	87	5.6	34	1	1	2	9	12	15	31
65+	37	6.4	40	1	2	2	11	16	18	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	5.2	15	<1	1	4	8	11	12	12
20-34	35	4.4	8	1	1	4	7	8	9	11
35-49	89	4.6	17	<1	1	3	5	10	13	22
50-64	190	6.3	24	2	2	5	8	12	15	28
65+	324	7.8	39	2	3	6	10	14	18	30
B. *Operated*										
0-19 YRS	12	8.7	161	1	1	3	12	25	42	45
20-34	83	9.4	154	1	1	7	11	18	36	70
35-49	244	9.4	61	1	2	9	13	18	23	43
50-64	500	11.2	137	1	2	10	14	23	33	63
65+	429	11.9	131	2	2	10	16	24	33	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	4.9	15	<1	1	4	7	10	12	19
B. *Operated*	224	5.4	27	1	1	3	9	12	14	25
2. MULTIPLE DX										
A. *Not Operated*	647	6.7	31	1	2	5	8	13	16	28
B. *Operated*	1268	11.0	122	1	2	9	14	22	31	61
1. SINGLE DX	274	5.3	24	1	1	3	9	12	14	23
2. MULTIPLE DX	1915	9.5	95	1	2	7	12	19	27	49
A. NOT OPERATED	697	6.6	30	1	2	5	8	13	16	28
B. OPERATED	1492	10.1	112	1	2	9	13	21	29	51
TOTAL 0-19 YRS	24	7.3	86	<1	1	4	10	14	25	45
20-34	155	7.2	92	1	1	5	9	12	19	65
35-49	422	7.4	47	1	1	5	10	15	19	32
50-64	791	9.3	102	1	2	7	12	18	28	48
65+	797	10.0	93	2	2	8	13	21	27	51
GRAND TOTAL	**2189**	**9.0**	**88**	**1**	**2**	**7**	**12**	**18**	**25**	**48**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	2.8	3	1	1	3	4	4	6	9
20-34	163	3.7	5	1	1	3	4	6	8	11
35-49	385	3.8	7	1	1	3	5	6	8	12
50-64	446	3.8	8	1	1	3	5	7	9	14
65+	258	4.8	47	1	1	4	6	8	10	52
B. *Operated*										
0-19 YRS	6	3.3	2	2	2	3	4	6	6	6
20-34	40	3.6	14	<1	1	2	4	9	11	19
35-49	42	5.0	49	1	1	3	6	9	16	42
50-64	58	3.8	10	1	1	3	5	7	10	16
65+	30	5.7	23	1	1	4	7	14	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	101	4.3	8	1	1	4	5	8	10	14
20-34	492	4.2	8	1	2	4	5	8	9	13
35-49	1906	5.1	10	2	2	4	6	9	11	16
50-64	2812	5.3	12	1	2	5	7	9	12	18
65+	3177	5.5	15	2	2	5	7	10	12	20
B. *Operated*										
0-19 YRS	26	6.2	33	1	1	4	9	14	19	22
20-34	110	7.6	42	1	2	5	10	16	19	34
35-49	325	7.2	30	1	2	6	9	14	17	27
50-64	546	7.5	42	1	2	6	10	15	18	33
65+	484	7.8	48	1	1	6	10	16	21	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1296	3.9	15	1	1	3	5	7	9	15
B. *Operated*	176	4.4	22	1	1	3	5	9	13	21
2. MULTIPLE DX										
A. *Not Operated*	8488	5.2	13	2	2	4	7	9	12	18
B. *Operated*	1491	7.5	41	1	2	6	10	15	19	33
1. SINGLE DX	1472	4.0	16	1	1	3	5	7	9	16
2. MULTIPLE DX	9979	5.6	18	1	2	5	7	10	13	21
A. NOT OPERATED	9784	5.1	13	1	2	4	6	9	11	18
B. OPERATED	1667	7.2	40	1	2	5	10	15	18	32
TOTAL 0-19 YRS	177	4.2	11	1	1	3	5	8	11	17
20-34	805	4.5	14	1	1	4	5	8	11	18
35-49	2658	5.1	14	1	2	4	6	9	12	19
50-64	3862	5.4	17	1	2	4	7	10	13	20
65+	3949	5.7	22	1	2	5	7	10	14	24
GRAND TOTAL	**11451**	**5.4**	**18**	**1**	**2**	**4**	**7**	**10**	**13**	**21**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	5.4	8	2	2	5	7	9	11	11
35-49	48	4.6	7	2	2	4	5	9	10	14
50-64	66	5.8	14	2	2	5	7	12	15	86
65+	98	6.1	17	2	3	5	7	11	13	26
B. *Operated*										
0-19 YRS										
20-34										
35-49	7	3.6	7	2	2	2	4	8	9	9
50-64	24	3.2	6	1	2	2	3	9	9	9
65+	20	3.4	14	1	1	2	3	9	12	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	8.5	15	2	3	8	11	14	14	14
20-34	42	6.4	20	2	2	5	8	12	16	23
35-49	324	6.2	15	2	2	6	8	10	13	21
50-64	1064	7.0	20	2	3	6	9	13	16	22
65+	2587	7.9	29	3	3	7	10	14	18	28
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	10	5.4	4	2	2	5	6	8	9	9
35-49	97	6.5	23	2	2	6	9	14	16	22
50-64	217	8.3	62	1	2	7	11	17	20	36
65+	375	11.9	88	2	2	10	15	23	30	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	223	5.7	14	2	2	5	7	10	13	23
B. *Operated*	51	3.3	9	1	1	2	3	9	9	15
2. MULTIPLE DX										
A. *Not Operated*	4027	7.5	26	2	3	6	9	14	17	27
B. *Operated*	700	10.0	74	1	2	8	13	20	25	42
1. SINGLE DX	274	5.2	14	1	2	4	7	10	12	21
2. MULTIPLE DX	4727	7.9	34	2	3	6	10	14	18	30
A. NOT OPERATED	4250	7.4	25	2	3	6	9	13	17	27
B. OPERATED	751	9.5	73	1	2	8	13	20	24	38
TOTAL 0-19 YRS	11	8.5	14	2	4	8	11	14	14	14
20-34	63	6.1	15	2	2	5	7	10	15	22
35-49	476	6.0	16	2	2	5	8	10	14	19
50-64	1371	7.1	27	2	2	6	9	13	17	26
65+	3080	8.3	37	2	3	7	10	15	20	32
GRAND TOTAL	**5001**	**7.7**	**33**	**2**	**3**	**6**	**10**	**14**	**18**	**29**

515 Hospitals, North Central Region, January-December 1985

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.5	4	<1	1	3	3	7	8	8
20-34	8	4.3	3	<1	1	5	5	7	7	7
35-49	8	4.6	5	2	2	5	6	7	8	8
50-64	19	4.9	18	1	1	3	7	11	14	17
65+	14	6.4	35	1	2	4	8	13	22	24
B. *Operated*										
0-19 YRS	6	3.3	11	1	1	2	3	9	10	10
20-34	13	7.5	58	1	1	4	13	20	22	22
35-49	40	5.3	20	1	1	3	8	12	14	17
50-64	42	5.4	24	1	1	4	7	10	12	29
65+	21	4.4	22	1	1	3	4	10	16	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	4.7	12	1	1	5	7	7	10	18
20-34	52	4.7	9	1	1	4	7	10	10	12
35-49	87	6.7	21	1	2	6	9	13	15	26
50-64	168	8.3	42	2	3	7	11	15	18	34
65+	367	8.7	35	2	3	7	11	16	20	29
B. *Operated*										
0-19 YRS	25	9.2	109	1	2	5	10	27	36	40
20-34	82	8.3	52	1	2	6	13	19	22	31
35-49	145	9.7	61	1	2	8	14	20	25	36
50-64	302	10.1	109	1	2	8	13	19	26	69
65+	297	12.0	121	1	2	9	16	25	36	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	4.9	16	1	2	4	6	9	12	23
B. *Operated*	122	5.3	25	1	1	3	7	12	16	24
2. MULTIPLE DX										
A. *Not Operated*	700	7.9	34	2	2	7	10	15	18	30
B. *Operated*	851	10.5	101	1	2	8	14	21	29	56
1. SINGLE DX	181	5.2	22	1	1	3	7	11	14	23
2. MULTIPLE DX	1551	9.3	72	1	2	7	12	18	25	42
A. NOT OPERATED	759	7.7	33	2	2	7	10	14	18	30
B. OPERATED	973	9.8	94	1	2	7	13	20	28	53
TOTAL 0-19 YRS	67	6.1	52	1	1	4	7	12	20	39
20-34	155	6.8	38	1	1	4	10	16	20	28
35-49	280	8.0	44	1	2	6	11	17	21	34
50-64	531	9.0	80	1	2	7	12	17	25	49
65+	699	9.9	75	2	3	8	12	19	27	47
GRAND TOTAL	**1732**	**8.9**	**68**	**1**	**2**	**7**	**12**	**18**	**24**	**41**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	7.5	5	6	6	7	9	9	9	9
20-34	68	9.0	19	3	4	9	11	15	16	27
35-49	634	8.7	10	3	5	9	10	12	13	18
50-64	1193	9.2	10	3	5	9	11	13	14	18
65+	948	9.6	16	4	6	9	11	14	15	21
B. *Operated*										
0-19 YRS										
20-34	30	7.4	19	1	2	8	10	13	15	16
35-49	277	7.7	15	2	2	8	10	12	13	17
50-64	458	8.6	24	2	2	8	11	14	16	25
65+	116	9.8	34	2	3	9	12	15	19	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	8.8	23	3	4	7	11	16	20	21
20-34	139	8.3	11	2	3	9	10	12	14	17
35-49	1861	9.3	15	3	5	9	11	14	15	20
50-64	6418	10.1	18	4	6	10	12	15	17	26
65+	14037	11.1	28	5	6	10	13	17	20	30
B. *Operated*										
0-19 YRS	5	9.0	16	6	6	8	10	16	16	16
20-34	107	10.8	59	2	4	10	13	16	20	50
35-49	1404	10.4	48	2	3	10	13	17	21	35
50-64	3430	12.0	56	2	4	11	15	20	24	41
65+	3262	15.3	87	5	7	13	18	26	33	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2845	9.2	12	4	5	9	11	13	14	19
B. *Operated*	881	8.4	23	2	2	8	11	14	16	25
2. MULTIPLE DX										
A. *Not Operated*	22479	10.7	24	4	6	10	13	16	19	28
B. *Operated*	8208	13.0	71	2	5	11	16	22	28	48
1. SINGLE DX	3726	9.0	15	2	4	9	11	13	15	20
2. MULTIPLE DX	30687	11.3	38	4	6	10	13	18	22	34
A. NOT OPERATED	25324	10.5	23	4	6	10	12	16	19	27
B. OPERATED	9089	12.6	68	2	5	11	15	21	27	47
TOTAL 0-19 YRS	31	8.7	20	4	5	7	10	16	19	21
20-34	344	9.2	30	2	3	9	11	14	16	25
35-49	4176	9.5	26	2	4	9	11	14	17	26
50-64	11499	10.5	30	3	5	10	12	16	19	29
65+	18363	11.8	40	5	6	11	14	19	23	36
GRAND TOTAL	**34413**	**11.0**	**36**	**4**	**6**	**10**	**13**	**17**	**21**	**33**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.2	1	1	1	3	4	4	4	4
20-34	80	3.4	4	1	1	3	4	5	7	11
35-49	538	3.1	3	1	1	3	4	5	6	9
50-64	682	3.3	5	1	1	3	4	6	7	11
65+	516	3.3	4	1	1	3	4	6	7	11
B. *Operated*										
0-19 YRS										
20-34	13	2.2	1	1	1	2	2	3	5	5
35-49	204	2.7	3	1	1	2	2	6	8	9
50-64	392	2.5	4	1	1	2	3	5	7	11
65+	139	2.8	7	1	1	2	3	6	7	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	4.7	6	2	2	4	6	8	9	13
20-34	265	4.2	7	1	1	4	5	8	9	14
35-49	2558	4.0	6	1	1	3	5	7	9	12
50-64	6096	4.4	8	1	2	4	6	8	10	14
65+	10037	4.8	9	2	2	4	6	8	10	16
B. *Operated*										
0-19 YRS	6	5.2	19	2	2	4	7	12	13	13
20-34	76	5.0	20	1	1	3	7	12	14	21
35-49	1380	4.4	19	1	1	3	6	10	12	20
50-64	3981	4.7	21	1	1	3	6	10	14	22
65+	2548	6.2	37	1	1	4	9	14	18	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1822	3.2	4	1	1	3	4	6	7	11
B. *Operated*	748	2.6	4	1	1	2	2	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	18990	4.6	9	1	2	4	6	8	10	15
B. *Operated*	7991	5.1	26	1	1	3	7	11	15	24
1. SINGLE DX	2570	3.1	4	1	1	2	4	5	7	11
2. MULTIPLE DX	26981	4.7	14	1	2	4	6	9	11	19
A. NOT OPERATED	20812	4.5	8	1	2	4	6	8	10	15
B. OPERATED	8739	4.9	25	1	1	3	7	11	14	24
TOTAL 0-19 YRS	46	4.6	7	2	2	4	6	8	10	13
20-34	434	4.2	9	1	1	3	5	8	10	15
35-49	4680	4.0	10	1	1	3	5	8	10	15
50-64	11151	4.4	12	1	1	3	6	9	11	17
65+	13240	5.0	15	1	2	4	6	9	12	20
GRAND TOTAL	**29551**	**4.6**	**13**	**1**	**2**	**4**	**6**	**9**	**11**	**18**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	39	3.9	18	<1	1	3	4	7	11	26
35-49	429	3.6	5	1	2	3	5	6	8	10
50-64	784	4.0	5	1	2	4	5	7	8	13
65+	877	4.2	6	1	2	4	5	7	8	13
B. *Operated*										
0-19 YRS										
20-34	3	4.7	9	2	2	4	7	8	8	8
35-49	111	4.8	13	1	1	4	7	9	13	18
50-64	267	5.6	18	1	2	4	7	11	15	18
65+	113	6.6	29	1	2	5	9	15	17	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	6.4	14	2	3	5	9	12	14	15
20-34	170	4.4	7	1	2	4	5	7	10	17
35-49	2377	4.7	9	2	2	4	6	8	10	16
50-64	7388	5.1	10	2	2	4	6	9	11	17
65+	15106	5.7	13	2	2	5	7	10	12	18
B. *Operated*										
0-19 YRS	5	6.6	19	2	2	6	10	12	12	12
20-34	39	5.9	14	1	2	5	8	11	14	15
35-49	1158	6.9	35	2	2	6	9	13	16	29
50-64	3964	8.3	46	2	2	7	11	15	19	32
65+	3683	10.1	71	2	2	8	13	19	24	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2131	4.0	6	1	2	4	5	7	8	12
B. *Operated*	494	5.6	20	1	2	4	8	12	15	20
2. MULTIPLE DX										
A. *Not Operated*	25072	5.5	12	2	2	5	7	9	11	18
B. *Operated*	8849	8.8	56	2	2	7	11	17	21	37
1. SINGLE DX	2625	4.3	9	1	2	4	5	8	10	16
2. MULTIPLE DX	33921	6.3	25	2	2	5	8	12	15	25
A. NOT OPERATED	27203	5.3	11	2	2	5	7	9	11	18
B. OPERATED	9343	8.7	55	2	2	7	11	16	21	36
TOTAL 0-19 YRS	38	6.3	14	2	2	5	9	12	14	15
20-34	251	4.5	10	1	2	4	6	8	11	17
35-49	4075	5.2	17	1	2	4	7	10	12	20
50-64	12403	6.1	24	2	2	5	8	11	14	23
65+	19779	6.5	26	2	2	5	8	12	15	26
GRAND TOTAL	**36546**	**6.2**	**24**	**2**	**2**	**5**	**8**	**11**	**15**	**24**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	9	3.3	3	1	1	3	4	6	6	6
35-49	88	3.4	6	1	1	3	4	7	8	14
50-64	174	4.2	18	<1	1	3	5	9	11	27
65+	154	7.2	56	1	2	4	10	16	19	41
B. *Operated*										
0-19 YRS	4	3.3	15	1	1	2	5	9	9	9
20-34	43	3.7	9	1	1	2	5	8	10	14
35-49	1120	3.7	12	1	1	2	4	9	11	16
50-64	2808	4.1	15	1	1	2	5	10	12	17
65+	1149	4.8	23	1	1	2	7	12	15	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	3.4	8	<1	<1	3	5	8	9	9
20-34	50	4.0	9	1	1	3	5	9	10	16
35-49	657	4.3	9	1	1	4	6	8	10	14
50-64	2096	5.2	14	1	2	4	7	10	11	17
65+	3352	6.2	21	2	2	5	8	11	15	25
B. *Operated*										
0-19 YRS	14	4.7	48	<1	1	2	4	16	23	25
20-34	150	4.3	19	1	1	2	6	10	12	23
35-49	3321	5.1	23	1	1	3	8	11	14	21
50-64	10952	6.3	40	1	1	3	9	14	17	29
65+	7087	8.3	69	1	2	6	12	18	23	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	428	5.1	31	1	1	3	6	12	16	29
B. *Operated*	5124	4.1	16	1	1	2	5	10	13	18
2. MULTIPLE DX										
A. *Not Operated*	6164	5.6	18	1	2	5	7	10	13	21
B. *Operated*	21524	6.8	48	1	1	4	10	15	19	31
1. SINGLE DX	5552	4.2	18	1	1	2	5	10	13	19
2. MULTIPLE DX	27688	6.5	42	1	2	4	9	14	18	30
A. NOT OPERATED	6592	5.6	19	1	2	4	7	10	13	22
B. OPERATED	26648	6.3	43	1	1	3	9	14	18	29
TOTAL 0-19 YRS	30	3.9	26	<1	<1	2	4	9	15	25
20-34	252	4.1	15	1	1	3	5	9	12	20
35-49	5186	4.7	19	1	1	3	7	11	13	20
50-64	16030	5.8	33	1	1	3	9	13	16	26
65+	11742	7.3	52	1	2	5	10	16	20	33
GRAND TOTAL	**33240**	**6.1**	**38**	**1**	**1**	**4**	**9**	**13**	**17**	**29**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	7.0	10	<1	2	8	9	10	11	11
20-34	99	8.2	11	2	3	8	10	12	14	17
35-49	99	8.6	12	3	4	8	11	13	15	17
50-64	121	9.3	10	5	6	9	11	13	15	19
65+	111	9.3	12	4	5	9	12	14	15	18
B. *Operated*										
0-19 YRS	4	7.0	1	6	6	7	8	8	8	8
20-34	26	9.2	12	4	5	8	11	14	15	18
35-49	28	10.1	21	3	4	10	12	15	17	26
50-64	24	11.5	38	4	6	10	15	21	25	26
65+	16	10.0	20	2	6	9	12	15	19	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	8.8	29	2	2	8	10	18	20	20
20-34	192	9.2	19	3	5	9	11	14	15	25
35-49	401	9.7	20	3	5	9	12	15	18	25
50-64	722	10.7	23	5	6	10	13	16	19	26
65+	1704	11.5	31	5	6	10	14	18	21	32
B. *Operated*										
0-19 YRS	6	9.0	25	6	6	7	9	18	19	19
20-34	105	11.1	22	5	6	11	13	15	19	31
35-49	151	13.8	80	6	7	11	16	22	36	65
50-64	302	13.7	48	5	7	12	16	24	29	38
65+	499	15.4	75	7	8	13	19	28	32	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	440	8.9	11	3	5	9	11	13	15	17
B. *Operated*	98	10.1	22	3	5	9	12	16	20	26
2. MULTIPLE DX										
A. *Not Operated*	3036	10.9	27	5	6	10	13	17	20	30
B. *Operated*	1063	14.2	64	6	7	12	17	24	30	44
1. SINGLE DX	538	9.1	14	3	5	9	11	14	15	21
2. MULTIPLE DX	4099	11.8	39	5	6	10	14	19	23	36
A. NOT OPERATED	3476	10.7	26	4	6	10	13	16	20	28
B. OPERATED	1161	13.9	62	6	7	12	16	24	29	43
TOTAL 0-19 YRS	37	8.1	20	2	3	8	10	14	19	20
20-34	422	9.4	18	3	5	9	11	14	16	25
35-49	679	10.5	35	4	5	9	12	16	20	37
50-64	1169	11.4	31	5	6	10	14	18	22	32
65+	2330	12.3	42	5	7	11	14	20	24	36
GRAND TOTAL	**4637**	**11.5**	**37**	**5**	**6**	**10**	**14**	**18**	**22**	**35**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	27.7	276	10	10	30	40	43	43	43
20-34	10	11.1	126	1	2	7	13	31	32	32
35-49	2	11.5	25	8	8	11	15	15	15	15
50-64	3	17.3	196	6	6	13	28	33	33	33
65+	2	10.0	18	7	7	10	13	13	13	13
B. *Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	1	39.0		39	39	39	39	39	39	39
35-49	3	20.3	40	13	13	24	62	99+	99+	99+
50-64	2	13.0	32	9	9	13	17	17	17	17
65+	2	12.0	200	2	2	12	22	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	24.6	245	2	3	29	37	44	45	46
20-34	66	21.5	180	3	4	23	29	39	47	53
35-49	67	21.4	180	3	5	18	31	41	45	55
50-64	70	25.9	167	5	9	27	34	44	46	56
65+	117	23.6	208	4	7	20	32	42	53	69
B. *Operated*										
0-19 YRS	10	28.9	221	1	3	32	39	43	46	46
20-34	73	32.7	212	10	14	31	42	52	62	73
35-49	46	31.1	196	9	12	33	43	47	48	63
50-64	55	30.2	372	5	9	28	37	59	63	98
65+	71	30.7	246	9	11	29	43	50	56	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	14.5	150	2	3	9	22	32	38	43
B. *Operated*	10	15.6	143	2	2	17	24	63	97	99+
2. MULTIPLE DX										
A. *Not Operated*	346	23.3	192	3	5	23	31	42	46	57
B. *Operated*	255	31.2	250	8	11	30	42	50	61	75
1. SINGLE DX	30	14.8	143	2	3	13	24	35	43	99+
2. MULTIPLE DX	601	26.6	232	4	7	28	35	46	52	67
A. NOT OPERATED	366	22.8	193	3	5	21	31	42	46	57
B. OPERATED	265	30.6	255	6	11	30	42	50	61	86
TOTAL 0-19 YRS	41	24.8	245	2	2	29	38	44	45	46
20-34	150	26.4	235	3	5	28	35	46	52	65
35-49	118	25.0	204	4	6	25	36	45	47	74
50-64	130	27.3	259	5	9	26	34	46	57	90
65+	192	25.9	234	5	8	26	35	48	54	69
GRAND TOTAL	**631**	**26.1**	**233**	**4**	**6**	**27**	**35**	**46**	**52**	**68**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	2.3	3	<1	1	2	3	5	6	7
20-34	77	2.0	1	<1	1	2	3	4	4	6
35-49	105	2.1	1	1	1	2	3	4	5	6
50-64	124	2.4	2	1	1	2	3	4	5	10
65+	87	2.9	3	1	1	2	4	5	6	9
B. *Operated*										
0-19 YRS										
20-34	2	2.0	2	<1	<1	1	3	3	3	3
35-49	4	4.8	12	1	1	4	7	9	9	9
50-64	6	3.5	4	1	1	3	5	6	6	6
65+	5	6.8	29	1	1	4	12	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	2.7	3	1	1	2	4	5	6	9
20-34	100	3.5	9	1	1	3	4	7	10	16
35-49	228	3.3	5	1	1	3	4	6	8	12
50-64	558	4.0	9	1	1	3	5	8	9	14
65+	962	4.8	11	1	2	4	6	9	11	17
B. *Operated*										
0-19 YRS	7	7.4	58	2	2	4	15	19	19	19
20-34	6	4.3	7	2	2	4	5	9	9	9
35-49	21	4.6	13	1	1	3	6	8	12	16
50-64	57	7.2	26	2	3	6	9	14	19	25
65+	83	8.9	65	2	3	8	12	15	18	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	437	2.4	2	1	1	2	3	4	5	7
B. *Operated*	17	4.6	14	<1	1	4	6	11	13	13
2. MULTIPLE DX										
A. *Not Operated*	1900	4.3	10	1	1	4	5	8	10	15
B. *Operated*	174	7.6	45	2	2	6	10	15	18	25
1. SINGLE DX	454	2.4	3	1	1	2	3	5	6	9
2. MULTIPLE DX	2074	4.5	13	1	1	4	6	9	11	18
A. NOT OPERATED	2337	3.9	9	1	1	3	5	7	9	14
B. OPERATED	191	7.4	43	1	2	6	10	14	18	24
TOTAL 0-19 YRS	103	2.9	8	1	1	2	4	5	6	18
20-34	185	2.9	6	<1	1	2	3	5	8	15
35-49	358	3.0	5	1	1	2	4	6	7	11
50-64	745	4.0	11	1	1	3	5	8	9	15
65+	1137	5.0	15	1	2	4	6	9	12	18
GRAND TOTAL	**2528**	**4.2**	**12**	**1**	**1**	**3**	**5**	**8**	**10**	**16**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.3	21	<1	<1	1	3	11	14	14
20-34	135	2.0	2	1	1	2	2	3	5	7
35-49	214	2.4	3	<1	<1	2	3	5	6	9
50-64	417	2.8	4	<1	1	2	4	6	7	10
65+	396	3.0	5	1	1	2	4	6	7	11
B. *Operated*										
0-19 YRS										
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	7	4.4	5	1	1	5	6	7	7	7
50-64	16	3.5	7	1	1	2	5	8	9	10
65+	7	4.3	3	2	2	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	3.0	5	1	1	2	3	7	8	9
20-34	209	3.0	10	<1	1	2	4	6	8	13
35-49	652	3.5	7	1	1	3	5	7	9	14
50-64	2371	4.5	12	1	1	4	6	9	11	16
65+	6775	5.7	18	1	2	5	7	10	13	21
B. *Operated*										
0-19 YRS	3	2.3	2	<1	<1	3	52	99+	99+	99+
20-34	11	5.7	29	2	2	3	9	15	16	16
35-49	56	7.9	88	1	2	5	10	14	29	47
50-64	263	7.3	32	1	2	6	10	15	17	25
65+	743	9.8	51	2	3	8	13	18	23	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1170	2.7	4	<1	1	2	3	5	7	10
B. *Operated*	32	3.9	5	1	1	4	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	10036	5.2	16	1	2	4	7	10	12	20
B. *Operated*	1076	9.0	49	2	2	7	12	17	22	39
1. SINGLE DX	1202	2.7	4	<1	1	2	4	5	7	10
2. MULTIPLE DX	11112	5.5	21	1	2	4	7	11	14	23
A. NOT OPERATED	11206	4.9	16	1	1	4	6	9	12	19
B. OPERATED	1108	8.9	49	2	2	7	12	17	22	39
TOTAL 0-19 YRS	40	3.0	7	<1	1	2	4	8	11	99+
20-34	357	2.7	8	<1	1	2	3	5	7	14
35-49	929	3.5	12	<1	1	3	4	7	9	14
50-64	3067	4.5	14	1	1	3	6	9	11	17
65+	7921	5.9	22	1	2	5	7	11	15	23
GRAND TOTAL	**12314**	**5.3**	**20**	**1**	**1**	**4**	**7**	**10**	**13**	**22**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	93	2.5	5	<1	1	2	3	5	7	13
20-34	185	2.7	4	<1	1	2	4	5	7	10
35-49	346	3.0	5	1	1	3	4	5	7	10
50-64	432	3.3	5	1	1	3	4	6	8	11
65+	444	4.4	14	1	1	3	6	8	11	20
B. *Operated*										
0-19 YRS	23	3.8	6	1	1	3	5	8	9	10
20-34	30	3.5	5	1	1	3	6	7	7	9
35-49	75	3.9	11	1	1	2	5	8	9	18
50-64	126	4.5	13	1	1	4	6	8	10	20
65+	274	5.8	26	1	2	5	7	10	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	222	4.5	59	1	1	3	5	8	11	37
20-34	636	3.6	8	1	1	3	5	7	9	14
35-49	1514	4.3	12	1	1	4	5	8	10	17
50-64	3831	5.1	16	1	2	4	6	9	12	18
65+	9764	6.1	19	2	2	5	8	11	14	22
B. *Operated*										
0-19 YRS	84	7.2	100	1	1	4	7	19	40	84
20-34	112	5.5	27	1	1	4	7	11	14	28
35-49	310	7.3	83	1	2	5	9	13	19	50
50-64	1213	8.2	59	2	2	6	10	16	21	45
65+	5017	9.3	46	2	3	8	12	17	22	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1500	3.4	8	1	1	3	4	7	8	15
B. *Operated*	528	5.0	19	1	1	4	6	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	15967	5.6	18	1	2	5	7	10	13	21
B. *Operated*	6736	8.9	51	2	3	7	11	17	22	38
1. SINGLE DX	2028	3.8	12	1	1	3	5	7	9	17
2. MULTIPLE DX	22703	6.6	30	1	2	5	8	12	16	27
A. NOT OPERATED	17467	5.4	18	1	2	4	7	10	13	21
B. OPERATED	7264	8.6	49	2	2	7	11	16	21	37
TOTAL 0-19 YRS	422	4.6	54	1	1	3	5	8	12	44
20-34	963	3.7	10	1	1	3	4	7	9	16
35-49	2245	4.5	22	1	1	3	5	9	11	20
50-64	5602	5.6	26	1	2	4	7	10	14	26
65+	15499	7.1	30	2	2	6	9	13	17	28
GRAND TOTAL	**24731**	**6.4**	**29**	**1**	**2**	**5**	**8**	**12**	**16**	**27**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	5.1	10	1	2	4	8	9	9	9
20-34	9	7.1	55	1	1	3	13	19	22	22
35-49	54	5.5	10	2	2	4	8	10	11	15
50-64	220	5.7	18	1	2	5	7	10	14	24
65+	968	6.0	16	2	2	5	7	10	13	21
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49	3	2.7		2	2	3	3	3	3	3
50-64	19	8.1	102	<1	<1	2	11	22	32	38
65+	30	11.9	63	4	4	10	17	20	25	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	188	6.8	36	1	2	5	9	12	16	33
20-34	174	7.1	36	2	2	6	9	13	20	43
35-49	1333	7.2	24	2	3	6	9	13	16	27
50-64	7978	7.4	25	2	3	6	9	13	17	26
65+	38636	8.1	29	3	3	7	10	14	18	28
B. *Operated*										
0-19 YRS	35	16.0	362	2	2	8	20	45	67	68
20-34	63	8.5	58	1	2	7	11	15	24	43
35-49	227	10.1	73	1	2	8	13	20	28	53
50-64	1205	12.6	97	2	3	10	16	25	31	59
65+	4144	14.0	90	4	5	12	18	26	32	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1259	5.9	17	2	2	5	7	10	14	23
B. *Operated*	53	9.9	78	<1	1	7	14	20	25	40
2. MULTIPLE DX										
A. *Not Operated*	48309	7.9	28	2	3	7	10	14	18	28
B. *Operated*	5674	13.5	93	3	4	11	17	25	32	51
1. SINGLE DX	1312	6.1	20	2	2	5	7	11	14	24
2. MULTIPLE DX	53983	8.5	38	2	3	7	10	15	20	32
A. NOT OPERATED	49568	7.9	28	2	3	7	10	14	18	28
B. OPERATED	5727	13.5	93	3	4	11	17	25	32	50
TOTAL 0-19 YRS	232	8.1	94	1	2	6	9	15	25	64
20-34	246	7.4	42	1	2	6	9	14	21	45
35-49	1617	7.5	32	2	3	6	10	13	17	31
50-64	9422	8.1	37	2	3	7	10	15	19	31
65+	43778	8.6	37	3	3	7	11	16	20	32
GRAND TOTAL	**55295**	**8.5**	**38**	**2**	**3**	**7**	**10**	**15**	**20**	**32**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	4.4	115	1	1	3	4	6	8	73
20-34	274	3.5	6	1	2	3	4	6	7	13
35-49	288	3.6	4	1	1	3	5	6	7	11
50-64	206	4.5	9	1	2	4	6	8	10	14
65+	86	5.1	23	1	1	4	6	9	12	32
B. *Operated*										
0-19 YRS	78	3.3	10	1	1	2	3	8	9	18
20-34	90	5.1	20	1	1	3	8	11	15	19
35-49	232	4.0	14	1	1	2	6	10	11	14
50-64	344	4.2	15	1	1	2	6	10	12	16
65+	167	4.9	24	1	1	2	8	12	15	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	200	5.0	22	1	1	4	6	10	12	23
20-34	679	4.8	17	1	2	4	6	9	12	23
35-49	1141	5.7	21	1	2	4	7	11	14	24
50-64	2052	6.9	24	2	2	6	9	13	16	25
65+	3062	7.9	28	2	3	7	10	15	18	27
B. *Operated*										
0-19 YRS	143	7.7	85	1	1	5	10	18	24	53
20-34	285	7.9	57	1	2	6	11	19	24	39
35-49	764	7.8	82	1	1	5	10	16	23	50
50-64	1763	8.6	70	1	2	7	12	18	24	44
65+	1812	11.2	108	1	2	9	15	23	30	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	930	4.0	17	1	1	3	5	7	8	14
B. *Operated*	911	4.3	17	1	1	2	6	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	7134	6.9	26	2	2	6	9	13	16	26
B. *Operated*	4767	9.4	88	1	2	7	13	20	26	48
1. SINGLE DX	1841	4.1	17	1	1	3	5	9	11	16
2. MULTIPLE DX	11901	7.9	52	1	2	6	10	16	21	35
A. NOT OPERATED	8064	6.5	26	2	2	5	8	12	16	26
B. OPERATED	5678	8.6	80	1	2	6	12	19	25	44
TOTAL 0-19 YRS	497	5.4	55	1	1	3	7	11	16	36
20-34	1328	5.2	26	1	1	4	6	10	14	27
35-49	2425	5.9	39	1	1	4	7	12	16	29
50-64	4365	7.2	43	1	2	5	10	14	19	33
65+	5127	8.9	59	2	2	7	11	18	23	37
GRAND TOTAL	**13742**	**7.4**	**49**	**1**	**2**	**5**	**10**	**15**	**20**	**34**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	5	3.0	4	1	1	2	5	5	5	5
65+	3	20.0	543	1	1	13	38	46	46	46
B. *Operated*										
0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49	3	7.7	96	2	2	2	15	19	19	19
50-64	7	1.9		1	1	2	2	3	3	3
65+	2	11.0	32	7	7	11	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	8.5	5	7	7	8	10	10	10	10
35-49	22	5.3	13	2	3	4	7	10	14	16
50-64	103	5.7	11	1	2	5	8	10	13	16
65+	308	6.1	15	2	3	5	8	11	12	17
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34										
35-49	37	3.6	17	1	1	2	4	7	10	24
50-64	106	4.6	17	1	1	2	7	11	12	19
65+	122	7.6	47	1	2	6	10	16	20	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	9.4	235	1	1	3	9	36	46	46
B. *Operated*	13	5.3	35	1	1	2	8	16	18	19
2. MULTIPLE DX										
A. *Not Operated*	436	6.0	14	2	3	5	8	10	12	17
B. *Operated*	266	5.9	34	1	1	3	8	13	17	33
1. SINGLE DX	21	6.9	107	1	1	2	8	17	31	46
2. MULTIPLE DX	702	5.9	21	1	2	5	8	11	14	23
A. NOT OPERATED	444	6.0	18	2	3	5	8	10	12	18
B. OPERATED	279	5.8	34	1	1	3	8	13	17	32
TOTAL 0-19 YRS	2	7.0	32	3	3	7	11	11	11	11
20-34	3	9.3	4	7	7	10	11	11	11	11
35-49	62	4.4	19	1	1	3	5	9	14	23
50-64	221	5.0	14	1	1	4	7	10	12	17
65+	435	6.6	28	2	2	6	8	12	15	35
GRAND TOTAL	**723**	**6.0**	**24**	**1**	**2**	**5**	**8**	**11**	**14**	**24**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	3	2.0	3	<1	<1	1	3	4	4	4
35-49	7	6.3	48	1	1	3	7	18	21	21
50-64	7	6.1	32	<1	<1	5	12	14	14	14
65+	5	15.0	258	<1	<1	10	22	42	42	42
B. *Operated*										
0-19 YRS	3	8.0	9	5	5	8	10	11	11	11
20-34	43	12.7	63	2	2	13	15	26	30	33
35-49	48	17.0	159	3	6	15	19	28	41	66
50-64	47	13.7	111	2	2	11	17	23	33	60
65+	9	18.6	100	4	5	20	27	30	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	6.5	3	4	4	7	8	8	8	8
20-34	6	3.5	12	1	1	2	5	9	10	10
35-49	8	8.6	68	1	1	6	13	22	25	25
50-64	17	11.5	104	1	1	9	18	27	31	33
65+	69	13.7	104	3	4	13	18	26	31	59
B. *Operated*										
0-19 YRS	10	26.0	521	5	6	14	42	63	70	70
20-34	51	22.9	430	3	6	17	27	55	94	99+
35-49	99	21.4	242	3	5	19	26	39	61	93
50-64	155	26.6	353	5	9	22	33	60	73	99
65+	82	26.9	214	10	11	25	33	51	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	7.0	82	<1	<1	4	8	16	26	42
B. *Operated*	150	14.7	113	2	3	13	19	26	32	64
2. MULTIPLE DX										
A. *Not Operated*	104	12.1	98	1	2	10	17	25	30	52
B. *Operated*	397	24.9	313	5	8	21	31	54	71	99+
1. SINGLE DX	175	13.6	115	1	2	12	18	25	32	63
2. MULTIPLE DX	501	22.2	295	3	5	18	28	48	63	99+
A. NOT OPERATED	129	11.1	99	1	1	8	16	23	30	47
B. OPERATED	547	22.1	278	3	7	18	28	46	63	99+
TOTAL 0-19 YRS	20	15.9	358	2	3	8	14	49	63	70
20-34	103	16.9	280	1	2	13	20	31	55	99
35-49	162	18.8	216	2	4	17	24	34	61	85
50-64	226	22.1	317	2	4	18	28	49	64	94
65+	165	20.5	201	4	5	18	28	41	53	96
GRAND TOTAL	**676**	**20.0**	**262**	**2**	**4**	**16**	**26**	**42**	**61**	**97**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	58.0		58	58	58	58	58	58	58
50-64	4	35.0	399	14	14	32	48	62	62	62
65+	2	28.5	145	20	20	28	37	37	37	37
B. *Operated*										
0-19 YRS										
20-34	3	34.0	999	1	1	50	82	99+	99+	99+
35-49	10	30.1	288	12	13	26	29	60	64	64
50-64	16	32.1	484	6	10	28	43	68	79	83
65+	14	38.5	417	6	13	36	58	64	64	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	7	36.4	323	14	15	34	53	61	62	62
B. *Operated*	43	33.8	423	5	11	28	53	64	75	99+
1. SINGLE DX										
2. MULTIPLE DX	50	34.2	403	5	12	29	54	64	71	99+
A. NOT OPERATED	7	36.4	323	14	15	34	53	61	62	62
B. OPERATED	43	33.8	423	5	11	28	53	64	75	99+
TOTAL 0-19 YRS										
20-34	3	34.0	999	1	1	50	82	99+	99+	99+
35-49	11	32.6	330	12	14	26	50	60	64	64
50-64	20	32.7	446	7	10	29	43	66	77	83
65+	16	37.3	383	7	14	34	56	64	64	64
GRAND TOTAL	**50**	**34.2**	**403**	**5**	**12**	**29**	**54**	**64**	**71**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0	8	4	4	6	8	8	8	8
20-34	8	3.6	4	<1	<1	4	5	6	6	6
35-49	6	15.0	197	3	3	13	17	39	41	41
50-64	20	7.7	114	<1	<1	3	10	22	36	42
65+	83	9.8	62	1	2	8	14	20	28	34
B. *Operated*										
0-19 YRS	21	8.9	40	1	2	7	13	16	21	26
20-34	22	9.3	31	3	4	8	13	18	22	23
35-49	27	14.3	331	2	3	7	12	41	64	74
50-64	40	12.1	103	1	3	9	15	30	36	41
65+	85	12.4	106	3	5	9	13	28	31	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	8.9	62	1	1	7	13	22	24	24
20-34	11	6.6	30	1	1	4	9	16	18	18
35-49	36	14.6	158	2	2	10	18	35	43	49
50-64	173	12.8	126	1	3	10	16	28	35	70
65+	715	12.2	75	3	4	10	15	22	26	45
B. *Operated*										
0-19 YRS	37	14.4	120	3	4	12	17	32	41	42
20-34	34	17.8	395	3	4	12	20	37	69	96
35-49	88	20.4	305	5	6	17	26	49	78	99+
50-64	195	21.0	306	5	7	16	27	52	62	99+
65+	409	20.0	191	6	7	16	26	38	50	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	119	9.2	75	<1	1	7	12	20	30	41
B. *Operated*	195	11.9	121	2	4	8	13	26	34	60
2. MULTIPLE DX										
A. *Not Operated*	944	12.3	87	2	4	10	15	23	29	48
B. *Operated*	763	19.9	240	5	6	15	25	41	58	99+
1. SINGLE DX	314	10.9	105	1	2	8	13	25	31	55
2. MULTIPLE DX	1707	15.7	170	3	5	12	19	32	43	79
A. NOT OPERATED	1063	11.9	86	2	3	10	15	22	29	47
B. OPERATED	958	18.3	226	4	5	14	23	39	55	96
TOTAL 0-19 YRS	69	11.7	91	2	3	9	15	24	33	42
20-34	75	12.2	219	2	3	8	14	21	33	90
35-49	157	17.8	276	2	4	12	24	41	65	99+
50-64	428	16.2	225	1	3	12	21	37	54	99+
65+	1292	14.5	127	3	5	11	18	28	37	64
GRAND TOTAL	**2021**	**14.9**	**162**	**3**	**4**	**11**	**19**	**30**	**42**	**75**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	13.0		13	13	13	13	13	13	13
35-49	17	16.2	147	3	4	13	27	39	76	99+
50-64	60	21.0	258	5	7	16	24	49	61	70
65+	281	16.0	126	4	7	14	19	28	39	54
B. *Operated*										
0-19 YRS	1	2.0		2	2	51	99+	99+	99+	99+
20-34	2	55.5	265	44	44	55	67	67	67	67
35-49	22	30.3	404	6	9	28	37	67	76	77
50-64	42	29.7	494	6	8	21	42	62	66	97
65+	114	23.4	221	8	9	20	31	42	52	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	360	16.8	151	4	7	14	20	30	47	66
B. *Operated*	181	25.9	322	7	9	21	34	54	64	97
1. SINGLE DX										
2. MULTIPLE DX	541	19.8	227	5	7	15	25	41	53	78
A. NOT OPERATED	360	16.8	151	4	7	14	20	30	47	66
B. OPERATED	181	25.9	322	7	9	21	34	54	64	97
TOTAL 0-19 YRS	1	2.0		2	2	51	99+	99+	99+	99+
20-34	4	34.3	690	13	13	29	55	67	67	67
35-49	39	24.2	335	4	5	21	34	54	76	99+
50-64	102	24.6	371	6	8	18	30	59	64	83
65+	395	18.1	164	5	7	14	22	34	47	58
GRAND TOTAL	**541**	**19.8**	**227**	**5**	**7**	**15**	**25**	**41**	**53**	**78**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	5	6.2	30	1	1	4	11	13	13	13
50-64	38	3.4	7	<1	1	2	5	8	9	9
65+	57	4.4	17	1	1	2	6	10	11	19
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	8	5.8	8	2	2	6	8	9	9	9
35-49	90	4.7	9	1	1	4	6	8	12	15
50-64	765	4.8	9	1	2	4	6	8	10	15
65+	1255	4.8	9	1	1	4	6	8	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	26.0		26	26	26	26	26	26	26
20-34	3	27.0	1876	1	1	3	58	77	77	77
35-49	30	3.5	5	1	1	3	5	6	8	9
50-64	182	5.0	16	1	1	4	6	9	12	14
65+	858	5.9	19	1	2	5	7	11	14	22
B. *Operated*										
0-19 YRS	7	6.9	60	1	1	5	6	20	24	24
20-34	10	11.6	194	2	2	6	10	37	43	43
35-49	261	6.6	23	1	2	5	8	12	16	26
50-64	2604	7.0	29	2	2	6	9	13	16	28
65+	6170	7.5	33	2	2	6	9	14	18	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	4.1	14	<1	1	2	6	9	11	18
B. *Operated*	2119	4.8	9	1	1	4	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	1074	5.8	24	1	1	5	7	11	13	24
B. *Operated*	9052	7.3	32	2	2	6	9	13	17	30
1. SINGLE DX	2219	4.8	9	1	1	4	6	8	10	15
2. MULTIPLE DX	10126	7.2	32	2	2	6	9	13	17	30
A. NOT OPERATED	1174	5.6	23	1	1	5	7	11	13	22
B. OPERATED	11171	6.9	29	2	2	6	8	13	16	28
TOTAL 0-19 YRS	9	8.3	93	1	1	5	10	25	26	26
20-34	21	11.6	327	1	2	6	8	36	58	77
35-49	386	5.9	19	1	2	5	8	12	13	23
50-64	3589	6.4	25	1	2	5	8	12	15	27
65+	8340	6.9	29	1	2	6	9	13	17	28
GRAND TOTAL	**12345**	**6.7**	**28**	**1**	**2**	**5**	**8**	**12**	**16**	**27**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	7	13.9	166	2	3	8	23	35	37	37
50-64	18	13.2	155	3	4	9	15	37	43	44
65+	80	8.6	24	2	3	8	12	16	18	22
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	4	5.5	8	2	2	5	7	9	9	9
35-49	20	8.4	27	2	2	8	12	15	19	21
50-64	140	11.3	106	2	3	8	16	24	37	59
65+	310	12.0	115	2	3	9	15	26	36	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	105	9.8	58	2	3	8	13	17	23	42
B. *Operated*	475	11.6	108	2	3	8	14	25	35	60
1. SINGLE DX										
2. MULTIPLE DX	580	11.3	99	2	3	8	14	23	34	55
A. NOT OPERATED	105	9.8	58	2	3	8	13	17	23	42
B. OPERATED	475	11.6	108	2	3	8	14	25	35	60
TOTAL 0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	4	5.5	8	2	2	5	7	9	9	9
35-49	27	9.8	64	2	2	8	12	20	28	37
50-64	158	11.5	111	2	3	8	15	26	41	55
65+	390	11.3	98	2	3	8	14	22	34	59
GRAND TOTAL	**580**	**11.3**	**99**	**2**	**3**	**8**	**14**	**23**	**34**	**55**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	6	6.0	11	2	2	5	9	11	11	11
35-49	21	5.5	10	1	1	6	7	10	11	11
50-64	117	7.0	27	2	2	6	9	12	16	30
65+	421	7.7	25	2	3	6	10	14	17	25
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	9	6.8	48	2	2	5	8	18	24	24
35-49	27	9.4	184	2	2	6	9	14	34	72
50-64	71	6.1	31	1	2	5	8	12	17	31
65+	77	8.4	81	1	2	6	10	15	21	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	8.8	47	1	2	8	10	22	25	25
20-34	38	8.8	60	2	2	7	11	17	19	44
35-49	205	9.4	74	2	3	8	11	16	26	42
50-64	1339	9.7	61	3	3	8	12	19	24	40
65+	7320	10.0	45	3	4	8	12	18	22	35
B. *Operated*										
0-19 YRS	8	13.3	157	2	2	9	17	34	41	41
20-34	31	13.9	391	2	3	8	14	19	72	95
35-49	164	12.0	122	2	4	9	15	25	39	77
50-64	611	12.1	139	2	3	9	15	24	34	64
65+	1639	14.4	136	3	4	11	18	28	37	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	567	7.4	25	2	3	6	9	14	16	26
B. *Operated*	185	7.6	75	2	2	5	9	14	19	54
2. MULTIPLE DX										
A. *Not Operated*	8919	9.9	48	3	4	8	12	18	22	36
B. *Operated*	2453	13.7	140	3	4	10	17	27	37	64
1. SINGLE DX	752	7.5	37	2	2	6	9	14	17	31
2. MULTIPLE DX	11372	10.7	70	3	4	9	13	20	26	45
A. NOT OPERATED	9486	9.8	47	3	4	8	12	18	22	36
B. OPERATED	2638	13.2	138	3	4	10	16	26	36	64
TOTAL 0-19 YRS	28	9.8	75	2	2	8	11	22	27	41
20-34	84	10.3	182	2	2	7	12	17	22	88
35-49	417	10.2	99	2	3	8	12	19	29	60
50-64	2138	10.1	83	2	3	8	12	20	26	50
65+	9457	10.7	63	3	4	9	13	19	25	44
GRAND TOTAL	**12124**	**10.5**	**69**	**3**	**4**	**9**	**13**	**19**	**25**	**45**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	5.9	12	1	1	6	9	10	10	10
20-34	16	11.1	36	4	4	11	14	18	23	25
35-49	101	14.3	210	3	5	10	17	24	42	91
50-64	616	14.1	137	3	5	11	18	27	35	66
65+	3638	12.7	74	4	5	11	15	23	29	45
B. *Operated*										
0-19 YRS	3	8.7	34	2	2	11	12	13	13	13
20-34	11	11.5	108	2	3	10	12	24	40	41
35-49	59	17.8	257	4	5	11	23	51	59	97
50-64	219	19.9	310	5	5	15	25	44	61	83
65+	609	18.1	168	5	6	15	23	35	43	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	4378	12.9	86	4	5	11	16	23	30	52
B. *Operated*	901	18.4	208	5	6	14	23	37	48	77
1. SINGLE DX										
2. MULTIPLE DX	5279	13.9	111	4	5	11	17	26	33	58
A. NOT OPERATED	4378	12.9	86	4	5	11	16	23	30	52
B. OPERATED	901	18.4	208	5	6	14	23	37	48	77
TOTAL 0-19 YRS	10	6.7	17	1	1	6	10	12	13	13
20-34	27	11.3	62	3	4	11	13	18	27	41
35-49	160	15.6	229	4	5	10	18	32	52	92
50-64	835	15.6	188	4	5	12	19	30	44	74
65+	4247	13.5	91	4	5	11	16	24	31	51
GRAND TOTAL	**5279**	**13.9**	**111**	**4**	**5**	**11**	**17**	**26**	**33**	**58**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	38	2.9	2	1	1	2	4	5	6	6
35-49	95	3.5	5	1	1	3	5	7	8	12
50-64	281	3.5	5	1	1	3	5	6	8	12
65+	745	3.8	8	1	1	3	5	7	8	15
B. *Operated*										
0-19 YRS	2	15.0	128	7	7	15	23	23	23	23
20-34	10	4.9	5	2	2	5	7	8	8	8
35-49	65	4.1	11	1	1	3	5	8	9	18
50-64	213	4.1	11	1	1	3	5	7	10	17
65+	233	3.6	6	1	1	3	5	6	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	3.9	4	1	1	4	5	7	7	8
20-34	89	4.2	7	1	1	4	5	7	11	14
35-49	440	5.0	14	1	2	4	6	9	11	20
50-64	2162	5.0	12	1	2	4	6	9	11	17
65+	11227	5.6	14	2	2	5	7	10	12	20
B. *Operated*										
0-19 YRS	5	16.6	171	1	1	15	26	35	35	35
20-34	29	4.9	13	1	1	3	8	10	11	15
35-49	214	5.7	20	1	2	5	7	10	13	24
50-64	1093	6.5	26	2	2	5	8	12	16	27
65+	2684	7.7	34	2	2	6	10	15	19	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1160	3.7	7	1	1	3	5	7	8	13
B. *Operated*	523	4.0	9	1	1	3	5	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	13952	5.5	13	2	2	5	7	10	12	19
B. *Operated*	4025	7.3	32	2	2	6	9	14	18	29
1. SINGLE DX	1683	3.8	8	1	1	3	5	7	8	15
2. MULTIPLE DX	17977	5.9	18	2	2	5	7	10	13	22
A. NOT OPERATED	15112	5.3	13	2	2	5	7	9	12	19
B. OPERATED	4548	6.9	30	2	2	6	9	13	17	27
TOTAL 0-19 YRS	42	5.9	44	1	1	4	6	11	23	35
20-34	166	4.0	8	1	1	4	5	8	10	14
35-49	814	4.9	15	1	2	4	6	9	12	19
50-64	3749	5.3	16	1	2	4	7	10	12	21
65+	14889	5.9	18	2	2	5	7	10	13	22
GRAND TOTAL	**19660**	**5.7**	**18**	**2**	**2**	**5**	**7**	**10**	**13**	**22**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.8	4	<1	<1	2	5	5	5	5
20-34	14	4.2	7	1	1	4	5	8	9	9
35-49	31	6.0	28	<1	1	4	7	11	19	26
50-64	112	7.5	33	2	3	6	9	13	18	32
65+	363	8.4	59	2	2	7	10	14	20	39
B. *Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	5	3.8	3	2	2	3	5	6	6	6
35-49	21	6.9	19	1	2	5	9	13	16	18
50-64	39	7.2	29	1	2	6	10	15	17	25
65+	50	8.7	58	2	2	6	11	18	28	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	11.5	219	1	1	5	17	36	48	48
20-34	25	8.8	75	1	1	6	12	20	30	37
35-49	143	7.3	33	2	2	6	9	15	18	26
50-64	865	9.4	66	2	3	7	11	18	24	41
65+	4633	9.3	36	3	4	8	12	16	20	32
B. *Operated*										
0-19 YRS										
20-34	17	7.3	18	2	2	7	10	13	14	15
35-49	84	10.9	95	2	3	8	12	21	37	50
50-64	341	11.8	99	3	4	9	14	22	29	54
65+	835	13.2	99	3	4	10	16	26	32	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	526	7.9	50	2	2	7	9	14	19	36
B. *Operated*	117	7.6	39	1	2	6	10	15	18	32
2. MULTIPLE DX										
A. *Not Operated*	5676	9.2	41	3	3	8	12	17	21	34
B. *Operated*	1277	12.6	98	3	4	10	16	24	32	48
1. SINGLE DX	643	7.8	48	2	2	6	10	14	19	33
2. MULTIPLE DX	6953	9.8	53	3	3	8	12	18	23	38
A. NOT OPERATED	6202	9.1	42	2	3	8	11	16	21	34
B. OPERATED	1394	12.2	95	3	4	9	15	24	31	47
TOTAL 0-19 YRS	18	7.8	136	<1	<1	4	6	22	38	48
20-34	61	6.9	40	1	2	5	8	14	17	36
35-49	279	8.2	53	2	2	6	10	16	20	41
50-64	1357	9.8	72	2	3	8	12	19	25	46
65+	5881	9.8	49	3	4	8	12	18	22	36
GRAND TOTAL	**7596**	**9.7**	**53**	**2**	**3**	**8**	**12**	**18**	**23**	**38**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	10.7	52	6	6	7	16	19	19	19
20-34	8	9.4	38	<1	1	9	13	18	20	20
35-49	61	11.8	133	3	4	8	12	20	33	73
50-64	391	12.7	123	3	4	9	15	24	39	58
65+	1977	11.0	66	3	4	9	13	19	25	45
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	7.3	18	2	2	7	10	12	12	12
35-49	19	16.1	306	4	5	9	20	28	58	81
50-64	119	20.2	425	4	5	13	24	51	76	94
65+	318	16.6	125	4	6	13	22	32	41	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2440	11.3	77	3	4	9	14	20	26	50
B. *Operated*	461	17.4	212	4	6	13	22	35	49	86
1. SINGLE DX										
2. MULTIPLE DX	2901	12.2	103	3	4	10	15	23	30	58
A. NOT OPERATED	2440	11.3	77	3	4	9	14	20	26	50
B. OPERATED	461	17.4	212	4	6	13	22	35	49	86
TOTAL 0-19 YRS	4	8.5	54	2	2	6	13	19	19	19
20-34	12	8.7	30	<1	1	8	12	15	19	20
35-49	80	12.9	174	3	4	9	14	24	34	80
50-64	510	14.4	203	3	4	10	16	30	47	85
65+	2295	11.8	78	3	4	10	14	21	28	49
GRAND TOTAL	**2901**	**12.2**	**103**	**3**	**4**	**10**	**15**	**23**	**30**	**58**

515 Hospitals, North Central Region, January-December 1985

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	27	3.9	5	1	1	3	5	6	7	10
35-49	84	4.5	8	1	2	4	6	8	10	15
50-64	104	3.7	7	1	1	3	5	7	9	13
65+	154	4.7	14	1	1	4	6	10	11	19
B. *Operated*										
0-19 YRS	4	5.5	17	2	2	5	9	10	10	10
20-34	21	4.9	15	1	1	2	8	11	11	11
35-49	53	7.9	66	1	1	6	9	22	25	41
50-64	83	5.1	27	1	1	3	7	11	13	28
65+	81	3.8	16	1	1	2	4	9	13	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	5.2	12	1	1	5	7	11	12	12
20-34	86	5.0	11	1	2	4	6	9	12	18
35-49	329	5.5	20	1	2	4	7	10	12	25
50-64	818	6.3	22	2	2	5	8	11	14	24
65+	3030	7.1	31	2	2	6	9	13	17	29
B. *Operated*										
0-19 YRS	11	12.5	84	2	2	12	19	27	27	27
20-34	25	10.0	148	1	2	7	12	17	37	60
35-49	131	10.6	148	1	2	8	12	23	35	85
50-64	391	9.3	99	1	2	6	12	21	26	52
65+	678	10.0	102	2	2	7	13	20	27	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	371	4.3	10	1	1	3	6	9	10	18
B. *Operated*	242	5.3	32	1	1	3	7	11	14	28
2. MULTIPLE DX										
A. *Not Operated*	4282	6.8	28	2	2	5	8	12	17	28
B. *Operated*	1236	9.9	107	2	2	7	12	21	28	64
1. SINGLE DX	613	4.7	19	1	1	3	6	10	12	24
2. MULTIPLE DX	5518	7.5	48	2	2	6	9	14	19	35
A. NOT OPERATED	4653	6.6	27	2	2	5	8	12	16	27
B. OPERATED	1478	9.1	97	1	2	7	12	19	26	57
TOTAL 0-19 YRS	36	7.3	44	1	2	6	10	14	25	27
20-34	159	5.6	35	1	1	4	7	11	14	28
35-49	597	6.7	55	1	2	5	8	12	18	44
50-64	1396	6.9	45	1	2	5	8	13	19	34
65+	3943	7.4	44	2	2	6	9	14	19	34
GRAND TOTAL	**6131**	**7.2**	**45**	**2**	**2**	**5**	**9**	**14**	**19**	**35**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	23.0		23	23	23	23	23	23	23
35-49	3	15.0	588	<1	<1	1	32	43	43	43
50-64	16	3.3	5	1	1	3	4	7	8	8
65+	16	7.9	246	1	1	3	7	14	50	65
B. *Operated*										
0-19 YRS	2	6.0	18	3	3	6	9	9	9	9
20-34	5	3.2	8	1	1	2	4	8	8	8
35-49	53	4.4	12	1	1	3	7	9	11	13
50-64	168	5.1	18	1	1	3	9	11	12	17
65+	159	5.7	22	1	1	4	9	12	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	4.0		4	4	4	4	4	4	4
35-49	16	4.4	15	<1	1	3	5	10	14	16
50-64	83	5.3	19	1	1	4	8	11	14	20
65+	349	6.4	25	1	2	5	8	13	16	28
B. *Operated*										
0-19 YRS	7	6.3	68	2	2	2	7	21	24	24
20-34	27	7.9	42	1	1	9	13	16	19	22
35-49	192	7.1	32	1	1	6	10	15	18	33
50-64	1127	9.7	102	1	2	7	13	20	28	52
65+	2473	12.2	117	1	2	10	16	26	33	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	6.9	160	1	1	3	6	14	37	65
B. *Operated*	387	5.2	19	1	1	3	9	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	451	6.1	24	1	2	5	8	13	15	25
B. *Operated*	3826	11.2	110	1	2	9	15	23	31	55
1. SINGLE DX	423	5.4	31	1	1	3	9	11	13	21
2. MULTIPLE DX	4277	10.6	103	1	2	8	14	22	30	53
A. NOT OPERATED	487	6.2	34	1	1	5	8	13	16	29
B. OPERATED	4213	10.6	104	1	2	8	14	22	30	53
TOTAL 0-19 YRS	9	6.2	53	2	2	3	9	18	24	24
20-34	36	7.4	43	1	1	4	12	16	21	23
35-49	264	6.5	33	1	1	5	9	14	16	37
50-64	1394	8.8	89	1	1	7	11	18	25	46
65+	2997	11.2	107	1	2	9	15	23	31	54
GRAND TOTAL	**4700**	**10.2**	**99**	**1**	**2**	**8**	**13**	**21**	**29**	**52**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	12	2.0	1	<1	<1	2	2	3	4	4
65+	28	3.7	16	<1	1	2	5	7	11	20
B. Operated										
0-19 YRS	3	4.0	19	1	1	2	7	9	9	9
20-34	2	9.5	25	6	6	9	13	13	13	13
35-49	11	7.5	19	1	1	8	9	13	15	15
50-64	117	8.8	23	1	2	9	11	13	15	26
65+	207	9.5	27	1	2	10	12	15	18	33
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	5.3	56	<1	<1	1	11	14	14	14
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	4.5	8	2	2	4	7	7	7	7
50-64	68	4.4	12	1	1	3	6	9	12	15
65+	393	5.8	25	1	1	5	7	11	14	24
B. Operated										
0-19 YRS	5	19.2	201	6	6	20	41	94	99+	99+
20-34	9	9.3	29	2	2	13	14	14	14	14
35-49	41	14.1	89	2	5	11	17	34	39	99+
50-64	776	12.7	73	2	4	11	15	22	30	52
65+	2121	14.3	97	2	5	12	17	24	32	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	41	3.1	11	<1	<1	2	4	6	9	20
B. Operated	340	9.2	25	1	2	9	11	14	17	30
2. MULTIPLE DX										
A. Not Operated	469	5.6	23	1	1	4	7	11	14	23
B. Operated	2952	13.9	91	2	5	12	16	24	32	56
1. SINGLE DX	381	8.5	27	1	1	9	11	14	16	28
2. MULTIPLE DX	3421	12.8	90	2	3	11	16	23	31	54
A. NOT OPERATED	510	5.4	22	1	1	4	7	11	14	23
B. OPERATED	3292	13.4	87	2	4	11	16	23	31	55
TOTAL 0-19 YRS	11	11.3	153	<1	1	8	20	59	94	99+
20-34	12	8.7	29	1	2	10	13	14	14	14
35-49	57	11.9	81	1	2	10	15	23	39	95
50-64	973	11.5	69	2	2	10	14	21	28	49
65+	2749	12.7	91	2	3	11	15	23	30	54
GRAND TOTAL	**3802**	**12.3**	**85**	**2**	**3**	**11**	**15**	**22**	**30**	**53**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	11.7	70	2	2	16	17	17	17	17
50-64	4	1.3		1	1	1	2	2	2	2
65+	2	3.5	5	2	2	3	5	5	5	5
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	19	8.2	55	1	1	6	12	19	24	28
35-49	24	7.0	65	1	1	4	9	23	26	27
50-64	70	7.7	26	1	2	7	10	14	18	24
65+	55	6.8	13	1	2	6	9	12	14	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	10.0		10	10	10	10	10	10	10
35-49	5	2.0	1	1	1	2	2	3	3	3
50-64	7	2.9	3	<1	<1	3	4	6	6	6
65+	17	6.4	48	1	1	4	7	18	25	27
B. Operated										
0-19 YRS	6	7.8	22	4	4	6	8	16	17	17
20-34	18	13.5	148	2	4	9	19	36	42	44
35-49	58	9.8	66	1	2	9	13	18	21	46
50-64	213	11.3	107	2	3	8	13	26	36	58
65+	362	11.1	78	2	3	9	14	23	28	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	4.9	39	1	1	2	5	16	17	17
B. Operated	169	7.3	30	1	1	6	10	14	18	27
2. MULTIPLE DX										
A. Not Operated	30	5.0	32	1	1	3	6	9	20	27
B. Operated	657	11.1	88	2	3	9	14	23	30	48
1. SINGLE DX	179	7.2	31	1	1	6	10	15	18	26
2. MULTIPLE DX	687	10.8	87	2	2	9	13	23	29	48
A. NOT OPERATED	40	5.0	33	1	1	3	6	13	18	27
B. OPERATED	826	10.3	78	2	2	8	12	21	28	45
TOTAL 0-19 YRS	7	7.6	19	4	4	6	8	15	17	17
20-34	39	10.5	101	1	1	8	12	25	35	44
35-49	90	8.7	65	1	1	7	12	18	23	42
50-64	294	10.1	88	1	2	7	12	22	32	55
65+	436	10.3	71	2	3	8	13	21	28	38
GRAND TOTAL	**866**	**10.1**	**77**	**1**	**2**	**8**	**12**	**21**	**28**	**45**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	6.3	8	2	2	7	9	9	9	9
20-34	15	6.9	5	3	4	7	9	10	10	10
35-49	17	9.9	213	1	1	7	9	12	46	65
50-64	35	5.1	20	1	1	3	8	12	14	19
65+	29	5.7	47	1	1	3	8	11	18	35
B. *Operated*										
0-19 YRS	16	6.4	14	1	1	6	10	11	12	12
20-34	22	5.0	14	1	1	4	8	10	12	14
35-49	149	5.8	15	1	1	6	8	11	13	16
50-64	408	6.2	25	1	1	6	9	12	15	25
65+	364	6.3	23	1	1	6	9	12	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	9.7	92	<1	<1	8	17	20	20	20
20-34	18	9.2	85	1	2	8	11	13	31	43
35-49	47	6.1	28	1	1	5	8	11	13	30
50-64	129	7.0	30	1	1	6	9	13	17	28
65+	374	7.2	26	1	2	6	9	13	17	27
B. *Operated*										
0-19 YRS	14	9.3	33	2	2	11	14	15	19	20
20-34	70	12.2	141	1	3	10	12	24	30	72
35-49	420	9.5	80	1	2	8	12	17	22	44
50-64	2048	10.6	73	1	2	9	13	20	27	44
65+	3420	12.3	88	2	2	10	16	23	30	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	6.4	58	1	1	5	8	11	13	49
B. *Operated*	959	6.2	22	1	1	6	9	12	14	24
2. MULTIPLE DX										
A. *Not Operated*	571	7.1	29	1	2	6	9	13	17	29
B. *Operated*	5972	11.5	84	2	2	10	15	22	29	48
1. SINGLE DX	1061	6.2	26	1	1	6	9	12	14	25
2. MULTIPLE DX	6543	11.1	80	2	2	9	14	21	28	47
A. NOT OPERATED	673	7.0	33	1	1	6	9	13	17	30
B. OPERATED	6931	10.8	79	1	2	9	14	21	27	46
TOTAL 0-19 YRS	39	7.7	25	1	2	7	11	14	18	20
20-34	125	9.8	101	1	2	8	11	18	28	54
35-49	633	8.4	67	1	2	7	11	15	20	43
50-64	2620	9.7	66	1	2	8	12	19	25	43
65+	4187	11.3	81	1	2	9	15	22	28	47
GRAND TOTAL	**7604**	**10.4**	**76**	**1**	**2**	**9**	**13**	**20**	**27**	**45**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	172	6.5	18	2	2	5	9	12	14	20
20-34	24	5.3	16	1	1	5	7	11	15	16
35-49	33	5.0	24	<1	1	4	6	7	13	28
50-64	59	4.3	13	<1	1	3	6	9	11	20
65+	60	7.4	64	1	1	5	9	15	23	41
B. *Operated*										
0-19 YRS	18	5.3	26	1	1	4	8	12	18	21
20-34	59	5.3	22	1	1	4	8	12	15	21
35-49	121	4.6	15	1	1	3	6	10	13	18
50-64	340	4.6	24	1	1	3	7	10	12	29
65+	279	5.1	29	1	1	3	7	12	17	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	175	6.6	24	2	2	5	9	14	16	24
20-34	75	6.5	33	1	1	5	9	13	16	32
35-49	138	5.4	15	<1	1	4	7	10	13	20
50-64	314	5.8	31	1	1	4	7	11	14	33
65+	639	7.1	37	1	2	5	9	13	17	31
B. *Operated*										
0-19 YRS	54	8.5	61	1	1	7	11	24	25	97
20-34	98	8.3	89	1	2	5	10	17	26	54
35-49	354	9.1	105	1	2	6	12	20	28	51
50-64	1246	8.8	91	1	2	6	11	19	26	50
65+	1985	10.4	99	1	2	8	14	22	29	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	348	6.0	27	1	1	5	8	12	14	28
B. *Operated*	817	4.8	24	1	1	3	7	11	14	25
2. MULTIPLE DX										
A. *Not Operated*	1341	6.5	32	1	2	5	8	12	16	30
B. *Operated*	3737	9.7	96	1	2	7	13	21	28	50
1. SINGLE DX	1165	5.2	25	1	1	3	7	11	14	26
2. MULTIPLE DX	5078	8.8	81	1	2	6	11	18	25	45
A. NOT OPERATED	1689	6.4	31	1	2	5	8	12	15	29
B. OPERATED	4554	8.8	87	1	2	6	12	19	26	46
TOTAL 0-19 YRS	419	6.7	27	1	2	5	9	13	17	26
20-34	256	6.8	52	1	1	5	9	14	19	36
35-49	646	7.2	69	1	2	5	9	15	22	40
50-64	1959	7.5	71	1	1	5	10	16	23	43
65+	2963	9.1	82	1	2	7	12	19	26	43
GRAND TOTAL	**6243**	**8.1**	**73**	**1**	**2**	**6**	**11**	**17**	**24**	**42**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	6.9	19	1	2	7	9	12	15	21
20-34	416	6.5	11	2	2	6	8	11	12	16
35-49	488	7.0	12	2	3	6	9	11	14	18
50-64	498	7.1	10	2	3	7	9	11	13	17
65+	377	7.1	10	3	4	7	9	11	12	17
B. *Operated*										
0-19 YRS	27	7.0	13	1	2	7	10	12	13	13
20-34	192	6.2	14	1	2	6	9	11	14	17
35-49	265	6.6	22	1	2	6	9	11	14	17
50-64	252	7.1	17	2	2	7	10	13	14	22
65+	154	7.9	18	2	3	8	10	12	14	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	6.5	9	3	3	6	9	11	12	13
20-34	441	7.9	27	2	3	7	10	13	16	31
35-49	1005	8.0	17	3	4	7	10	13	15	22
50-64	1602	8.4	18	3	4	8	10	14	16	23
65+	2442	8.6	21	3	4	8	10	13	16	25
B. *Operated*										
0-19 YRS	25	9.2	26	2	3	9	14	16	17	18
20-34	318	9.3	37	2	3	8	12	17	22	30
35-49	569	8.9	47	2	3	8	11	15	21	32
50-64	879	9.4	45	2	3	8	11	16	21	33
65+	1326	10.3	52	3	4	9	12	17	23	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1811	6.9	11	2	3	7	9	11	13	17
B. *Operated*	890	6.9	18	1	2	7	9	12	14	20
2. MULTIPLE DX										
A. *Not Operated*	5529	8.4	20	3	4	8	10	13	16	24
B. *Operated*	3117	9.7	48	2	3	8	12	16	22	36
1. SINGLE DX	2701	6.9	13	2	2	7	9	11	13	18
2. MULTIPLE DX	8646	8.8	30	3	4	8	11	15	18	29
A. NOT OPERATED	7340	8.0	18	3	4	7	10	13	15	22
B. OPERATED	4007	9.1	43	2	3	8	11	16	20	33
TOTAL 0-19 YRS	123	7.2	17	2	2	7	10	13	15	19
20-34	1367	7.6	24	2	2	7	10	13	16	27
35-49	2327	7.9	24	2	3	7	10	13	16	26
50-64	3231	8.4	25	2	3	8	10	14	17	25
65+	4299	9.0	30	3	4	8	11	14	17	29
GRAND TOTAL	**11347**	**8.4**	**27**	**2**	**3**	**8**	**10**	**14**	**17**	**27**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	7.7	43	1	1	7	14	17	17	17
35-49	26	5.2	8	1	2	5	7	10	10	11
50-64	33	6.8	18	1	2	6	9	13	15	16
65+	33	6.6	19	1	2	6	8	12	14	22
B. *Operated*										
0-19 YRS	24	2.2	1	<1	1	2	3	4	4	4
20-34	561	3.1	8	1	1	3	4	5	7	11
35-49	883	3.2	6	1	1	3	4	5	7	14
50-64	619	4.2	19	1	1	3	5	7	11	25
65+	176	6.5	54	1	2	4	7	15	21	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	28	6.5	38	<1	<1	3	12	15	20	20
35-49	78	7.8	51	<1	1	6	9	15	19	44
50-64	200	8.8	41	2	3	7	11	16	20	33
65+	691	9.9	45	3	4	8	12	16	19	40
B. *Operated*										
0-19 YRS	12	5.3	12	2	2	4	8	11	11	11
20-34	199	5.3	32	1	1	4	6	11	17	29
35-49	460	5.1	24	1	2	4	6	10	15	24
50-64	586	7.7	82	2	2	4	9	17	25	46
65+	578	13.0	109	2	3	11	19	27	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	6.3	18	1	2	5	9	13	14	19
B. *Operated*	2263	3.7	15	1	1	3	4	6	9	21
2. MULTIPLE DX										
A. *Not Operated*	998	9.4	45	2	3	8	12	16	20	39
B. *Operated*	1835	8.5	81	1	2	5	11	21	27	42
1. SINGLE DX	2363	3.8	15	1	1	3	4	7	10	21
2. MULTIPLE DX	2833	8.8	68	1	2	6	11	19	24	42
A. NOT OPERATED	1098	9.1	43	2	3	8	12	16	19	39
B. OPERATED	4098	5.8	50	1	1	4	6	14	21	35
TOTAL 0-19 YRS	38	3.4	10	<1	1	3	4	9	11	14
20-34	795	3.8	17	1	1	3	4	7	10	20
35-49	1447	4.1	16	1	1	3	5	8	11	21
50-64	1438	6.4	51	1	2	4	7	13	20	37
65+	1478	10.6	75	2	3	8	14	22	27	43
GRAND TOTAL	**5196**	**6.5**	**50**	**1**	**1**	**4**	**8**	**15**	**21**	**36**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.0	10	2	2	3	4	9	10	10
20-34	54	2.8	3	<1	1	2	4	6	7	8
35-49	65	2.9	3	<1	1	3	4	6	7	8
50-64	44	3.1	6	1	1	3	4	6	7	12
65+	22	3.1	4	<1	1	2	4	7	8	8
B. *Operated*										
0-19 YRS	12	3.8	4	1	1	3	5	7	8	8
20-34	371	3.6	4	1	1	3	5	6	7	11
35-49	444	3.7	4	1	2	3	5	6	7	11
50-64	281	3.8	4	1	2	4	5	6	7	11
65+	81	3.9	3	1	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	3.2	3	<1	1	3	4	6	7	7
20-34	119	3.5	5	<1	1	3	4	7	8	12
35-49	176	3.8	6	1	1	3	5	7	8	12
50-64	227	4.0	7	1	1	3	5	7	9	17
65+	322	4.6	10	1	2	4	6	8	11	16
B. *Operated*										
0-19 YRS	52	4.0	4	1	2	4	5	7	8	9
20-34	1464	4.0	5	1	2	4	5	6	8	12
35-49	2716	4.3	5	1	2	4	5	7	8	13
50-64	2082	4.6	8	2	2	4	5	7	9	15
65+	1208	5.6	15	2	2	5	7	10	13	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	191	3.0	4	1	1	3	4	6	7	9
B. *Operated*	1189	3.7	4	1	2	3	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	860	4.1	8	1	1	4	5	7	9	15
B. *Operated*	7522	4.5	8	1	2	4	5	7	9	15
1. SINGLE DX	1380	3.6	4	1	1	3	5	6	7	11
2. MULTIPLE DX	8382	4.5	8	1	2	4	5	7	9	15
A. NOT OPERATED	1051	3.9	7	1	1	3	5	7	9	14
B. OPERATED	8711	4.4	7	1	2	4	5	7	9	14
TOTAL 0-19 YRS	86	3.8	4	1	1	4	4	6	8	10
20-34	2008	3.9	5	1	2	4	5	6	8	11
35-49	3401	4.1	5	1	2	4	5	7	8	12
50-64	2634	4.4	7	1	2	4	5	7	9	14
65+	1633	5.3	14	1	2	4	6	9	12	19
GRAND TOTAL	**9762**	**4.3**	**7**	**1**	**2**	**4**	**5**	**7**	**9**	**14**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	4.4	11	1	1	3	7	9	10	15
20-34	180	6.1	13	1	2	6	9	10	11	16
35-49	208	6.5	14	1	2	6	9	11	13	18
50-64	209	6.7	13	1	1	7	9	11	12	16
65+	212	6.7	13	1	2	7	9	11	13	16
B. *Operated*										
0-19 YRS	110	2.9	11	<1	1	1	3	9	10	15
20-34	330	4.6	18	<1	1	2	7	11	12	17
35-49	195	6.5	28	1	1	6	9	12	17	26
50-64	150	7.3	30	1	2	7	9	13	14	24
65+	141	7.1	21	1	1	7	10	13	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	105	4.4	23	1	1	3	5	9	11	27
20-34	383	6.5	22	1	1	5	9	13	15	21
35-49	635	6.6	21	1	2	6	9	12	15	22
50-64	1337	6.9	26	1	2	6	9	13	16	26
65+	3094	7.1	23	2	2	6	9	13	15	24
B. *Operated*										
0-19 YRS	83	5.2	32	1	1	3	7	12	18	28
20-34	559	6.6	47	1	1	5	9	14	19	36
35-49	607	8.4	45	1	2	7	11	16	22	33
50-64	912	9.8	58	2	3	8	12	17	23	42
65+	1616	11.1	70	2	3	9	14	21	27	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	855	6.4	13	1	2	6	9	11	13	16
B. *Operated*	926	5.6	24	1	1	4	8	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	5554	6.9	23	1	2	6	9	13	15	24
B. *Operated*	3777	9.6	62	1	2	8	12	18	25	40
1. SINGLE DX	1781	6.0	19	1	1	6	9	11	13	19
2. MULTIPLE DX	9331	8.0	41	1	2	7	10	15	19	33
A. NOT OPERATED	6409	6.9	22	1	2	6	9	12	15	23
B. OPERATED	4703	8.8	57	1	1	8	11	17	23	38
TOTAL 0-19 YRS	344	4.1	21	1	1	2	6	9	12	20
20-34	1452	6.1	30	1	1	5	9	12	16	26
35-49	1645	7.2	31	1	2	6	9	13	18	29
50-64	2608	7.9	38	1	2	7	10	14	18	31
65+	5063	8.4	41	2	2	7	11	15	20	34
GRAND TOTAL	**11112**	**7.7**	**38**	**1**	**2**	**7**	**10**	**14**	**18**	**31**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3902	2.5	3	1	1	2	3	4	5	7
20-34	418	3.0	4	1	1	3	4	5	6	7
35-49	148	3.5	8	1	1	3	4	6	8	11
50-64	78	3.2	3	1	1	3	4	6	7	10
65+	52	3.7	4	1	1	3	5	6	8	10
B. *Operated*										
0-19 YRS	387	1.8	3	1	1	1	2	3	4	11
20-34	160	2.1	3	1	1	2	2	4	6	8
35-49	35	3.2	6	<1	1	2	4	7	9	11
50-64	12	3.8	11	<1	<1	2	6	9	10	10
65+	3	3.3	5	2	2	2	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7309	3.2	6	1	1	3	4	5	7	10
20-34	1245	3.6	4	1	2	3	4	6	7	11
35-49	733	4.3	6	1	2	4	5	7	9	12
50-64	693	5.3	20	2	2	4	6	9	13	24
65+	876	5.8	14	2	2	5	7	10	12	20
B. *Operated*										
0-19 YRS	474	3.1	13	1	1	2	3	7	10	18
20-34	185	4.1	16	1	1	3	5	9	11	23
35-49	116	6.3	32	1	1	5	9	15	18	26
50-64	124	6.6	19	1	2	6	9	13	16	19
65+	74	9.4	71	1	2	7	11	17	33	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4598	2.6	3	1	1	2	3	4	5	8
B. *Operated*	597	2.0	3	1	1	1	2	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	10856	3.7	8	1	1	3	4	6	8	13
B. *Operated*	973	4.6	24	1	1	3	6	11	14	24
1. SINGLE DX	5195	2.5	3	1	1	2	3	4	5	8
2. MULTIPLE DX	11829	3.7	9	1	1	3	5	7	9	15
A. NOT OPERATED	15454	3.3	7	1	1	3	4	6	7	12
B. OPERATED	1570	3.6	18	1	1	2	4	8	12	20
TOTAL 0-19 YRS	12072	2.9	5	1	1	2	4	5	6	10
20-34	2008	3.4	5	1	1	3	4	6	7	12
35-49	1032	4.3	9	1	2	4	5	8	10	16
50-64	907	5.3	19	1	2	4	6	10	13	22
65+	1005	5.9	19	2	2	5	7	11	13	24
GRAND TOTAL	**17024**	**3.4**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5627	3.5	4	1	1	3	4	6	7	9
20-34	286	3.7	3	1	2	3	4	6	7	10
35-49	325	3.9	3	1	2	4	5	6	7	10
50-64	241	4.5	4	2	2	4	5	7	8	12
65+	251	4.8	7	2	2	4	6	8	9	13
B. *Operated*										
0-19 YRS	17	4.4	10	<1	1	4	6	8	11	13
20-34	6	4.3	10	1	1	4	6	9	9	9
35-49	8	3.1	2	2	2	3	4	5	5	5
50-64	6	5.5	20	2	2	4	7	13	14	14
65+	7	4.0	6	1	1	4	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7715	4.1	7	1	2	4	5	7	9	14
20-34	1110	5.1	12	2	2	4	6	9	13	18
35-49	1733	5.4	11	2	2	5	7	9	11	17
50-64	3859	6.2	16	2	3	5	8	10	13	21
65+	7490	6.9	18	2	3	6	8	12	15	22
B. *Operated*										
0-19 YRS	74	10.2	70	2	3	8	14	19	23	52
20-34	74	8.5	67	1	2	7	10	14	22	53
35-49	154	8.4	47	3	3	6	10	15	20	40
50-64	320	10.2	84	2	3	8	12	19	27	56
65+	558	11.4	68	3	4	10	14	21	28	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6730	3.6	4	1	2	3	4	6	7	10
B. *Operated*	44	4.2	9	1	1	3	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	21907	5.6	14	2	2	5	7	10	12	19
B. *Operated*	1180	10.4	71	3	3	8	13	19	26	45
1. SINGLE DX	6774	3.6	4	1	1	3	4	6	7	10
2. MULTIPLE DX	23087	5.8	18	2	2	5	7	10	13	22
A. NOT OPERATED	28637	5.1	13	2	2	4	6	9	11	18
B. OPERATED	1224	10.2	70	2	3	8	13	19	26	44
TOTAL 0-19 YRS	13433	3.9	6	1	2	3	5	7	8	13
20-34	1476	5.0	14	2	2	4	6	9	13	19
35-49	2220	5.3	14	2	2	5	6	9	11	19
50-64	4426	6.4	22	2	3	5	8	11	14	23
65+	8306	7.2	23	2	3	6	9	12	15	25
GRAND TOTAL	**29861**	**5.3**	**16**	**2**	**2**	**4**	**7**	**9**	**12**	**20**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	4	1.5		<1	<1	1	2	2	2	2
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	429	1.6	1	1	1	1	2	3	3	5
20-34	808	1.6	1	1	1	1	2	3	3	5
35-49	422	1.6	3	1	1	1	2	3	3	5
50-64	197	1.7	1	1	1	1	2	3	3	5
65+	52	2.0	2	1	1	2	2	4	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	1.0		<1	<1	1	1	1	1	1
20-34	19	1.3	1	<1	<1	1	1	2	4	5
35-49	18	1.2		<1	<1	1	1	2	2	2
50-64	9	2.8	8	1	1	1	4	7	9	9
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	1073	1.7	1	1	1	1	2	3	4	5
20-34	2545	1.8	1	1	1	1	2	3	4	6
35-49	1786	2.0	2	1	1	2	2	3	4	7
50-64	1062	2.1	7	1	1	2	2	4	4	7
65+	333	2.4	6	1	1	2	3	4	5	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	1.5		<1	<1	2	2	2	2	2
B. *Operated*	1908	1.6	1	1	1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	54	1.5	2	<1	<1	1	1	3	5	9
B. *Operated*	6799	1.9	3	1	1	2	2	3	4	6
1. SINGLE DX	1919	1.6	1	1	1	1	2	3	3	5
2. MULTIPLE DX	6853	1.9	3	1	1	2	2	3	4	6
A. NOT OPERATED	65	1.5	2	<1	<1	1	1	2	5	8
B. OPERATED	8707	1.8	2	1	1	1	2	3	4	6
TOTAL 0-19 YRS	1511	1.6	1	1	1	1	2	3	3	5
20-34	3374	1.8	1	1	1	1	2	3	4	5
35-49	2230	1.9	2	1	1	2	2	3	4	6
50-64	1270	2.0	6	1	1	2	2	3	4	7
65+	387	2.3	5	1	1	2	3	4	5	12
GRAND TOTAL	**8772**	**1.8**	**2**	**1**	**1**	**1**	**2**	**3**	**4**	**6**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.0		2	2	2	2	2	2	2
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	22	2.0	8	<1	<1	1	1	3	8	14
20-34	43	1.9	1	<1	1	2	3	3	4	5
35-49	54	1.6	1	<1	1	1	2	2	3	5
50-64	73	1.6	1	<1	<1	1	2	3	3	4
65+	29	1.7	5	1	1	1	2	2	3	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	1.0		1	1	1	1	1	1	1
50-64	4	7.0	65	<1	<1	4	[illegible]	18	18	18
65+	8	2.8	3	<1	<1	3	3	5	6	6
B. *Operated*										
0-19 YRS	53	2.5	5	<1	1	2	3	4	6	13
20-34	163	2.0	2	1	1	2	2	3	4	9
35-49	254	2.1	2	1	1	2	3	4	5	7
50-64	320	2.4	4	1	1	2	3	4	5	9
65+	196	2.7	7	1	1	2	3	4	6	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.5		<1	<1	1	2	2	2	2
B. *Operated*	221	1.7	2	<1	<1	1	2	3	3	7
2. MULTIPLE DX										
A. *Not Operated*	15	3.5	20	<1	<1	2	3	8	15	18
B. *Operated*	986	2.3	4	1	1	2	3	4	5	11
1. SINGLE DX	225	1.7	2	<1	<1	1	2	3	3	7
2. MULTIPLE DX	1001	2.3	4	1	1	2	3	4	5	12
A. NOT OPERATED	19	3.1	17	<1	<1	2	3	7	13	18
B. OPERATED	1207	2.2	4	1	1	2	3	4	5	11
TOTAL 0-19 YRS	75	2.3	6	<1	1	2	3	4	6	14
20-34	209	2.0	2	1	1	2	2	3	4	7
35-49	310	2.0	2	1	1	2	2	4	5	7
50-64	398	2.2	5	<1	1	2	3	4	5	10
65+	234	2.5	6	1	1	2	3	4	6	13
GRAND TOTAL	**1226**	**2.2**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**12**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	1.9	2	<1	<1	1	2	4	5	7
20-34	14	1.5	1	<1	<1	1	2	3	3	3
35-49	3	2.7	2	1	1	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	12571	1.3		<1	1	1	1	2	2	3
20-34	2808	1.4	1	1	1	1	2	2	3	4
35-49	313	1.6	1	1	1	1	2	3	4	5
50-64	63	1.7	1	1	1	1	2	3	4	4
65+	19	2.1	1	<1	1	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	239	1.6	2	<1	<1	1	2	3	4	7
20-34	28	2.4	3	<1	<1	2	3	5	5	6
35-49	6	1.3		<1	<1	1	2	2	2	2
50-64	3	3.0	3	1	1	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	8640	1.3		<1	1	1	1	2	2	4
20-34	796	1.7	2	1	1	1	2	3	4	8
35-49	163	2.0	3	1	1	1	2	4	5	11
50-64	35	2.4	4	1	1	2	3	5	7	11
65+	23	2.7	6	<1	1	2	4	7	8	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	1.9	2	<1	<1	1	2	4	5	7
B. *Operated*	15774	1.3		1	1	1	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	276	1.7	2	<1	<1	1	2	4	4	7
B. *Operated*	9657	1.3	1	<1	1	1	1	2	2	5
1. SINGLE DX	15847	1.3		1	1	1	2	2	2	4
2. MULTIPLE DX	9933	1.4	1	<1	1	1	1	2	3	5
A. NOT OPERATED	349	1.7	2	<1	<1	1	2	4	4	7
B. OPERATED	25431	1.3	1	<1	1	1	2	2	2	4
TOTAL 0-19 YRS	21506	1.3		<1	1	1	1	2	2	3
20-34	3646	1.5	1	1	1	1	2	2	3	5
35-49	485	1.8	2	1	1	1	2	3	4	7
50-64	101	2.0	2	1	1	2	2	4	4	9
65+	42	2.5	4	<1	1	2	3	5	7	9
GRAND TOTAL	**25780**	**1.3**	**1**	**<1**	**1**	**1**	**2**	**2**	**2**	**4**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	506	2.8	3	1	1	2	3	5	6	8
20-34	355	2.9	3	1	1	3	4	5	6	7
35-49	122	3.4	5	1	2	3	4	6	8	13
50-64	70	3.1	4	1	1	3	4	6	8	10
65+	27	3.7	5	1	1	4	5	7	8	9
B. *Operated*										
0-19 YRS	553	2.3	6	<1	1	2	3	4	5	11
20-34	770	2.1	2	1	1	2	3	4	5	8
35-49	572	1.9	2	1	1	2	2	3	4	8
50-64	455	1.9	3	1	1	1	2	3	5	9
65+	217	2.2	7	<1	1	2	2	3	5	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	628	3.6	16	1	1	3	4	6	8	13
20-34	345	3.6	6	1	1	3	4	6	8	11
35-49	274	4.4	13	1	1	4	5	8	10	20
50-64	273	4.5	12	1	1	4	6	8	11	17
65+	218	5.0	13	1	1	4	6	10	13	17
B. *Operated*										
0-19 YRS	703	3.2	15	1	1	2	4	7	10	23
20-34	1033	2.7	9	1	1	2	3	5	8	16
35-49	1079	2.7	7	1	1	2	3	6	8	14
50-64	1028	3.3	26	1	1	2	3	7	10	22
65+	676	4.2	28	1	1	3	5	9	14	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1080	3.0	3	1	1	3	4	5	6	9
B. *Operated*	2567	2.1	4	1	1	2	2	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	1738	4.1	13	1	1	3	5	7	9	15
B. *Operated*	4519	3.2	16	1	1	2	3	6	10	19
1. SINGLE DX	3647	2.3	4	1	1	2	3	4	5	9
2. MULTIPLE DX	6257	3.4	16	1	1	2	4	7	9	19
A. NOT OPERATED	2818	3.6	9	1	1	3	4	6	8	14
B. OPERATED	7086	2.8	12	1	1	2	3	5	8	18
TOTAL 0-19 YRS	2390	3.0	11	1	1	2	4	5	7	16
20-34	2503	2.7	6	1	1	2	3	5	6	12
35-49	2047	2.8	7	1	1	2	3	6	7	13
50-64	1826	3.2	18	1	1	2	4	7	9	18
65+	1138	4.0	21	1	1	3	5	8	12	21
GRAND TOTAL	**9904**	**3.0**	**11**	**1**	**1**	**2**	**4**	**6**	**8**	**16**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8319	4.0	5	1	2	4	5	7	8	11
20-34	1394	4.5	5	2	2	4	5	7	8	12
35-49	1113	5.1	6	2	2	5	6	8	9	13
50-64	1080	5.8	9	2	3	5	7	9	11	15
65+	1397	6.5	13	2	3	6	8	11	13	19
B. *Operated*										
0-19 YRS	32	7.5	43	<1	1	6	9	16	25	27
20-34	37	8.9	34	2	4	7	11	17	22	28
35-49	87	8.1	26	2	2	7	11	15	16	26
50-64	93	8.8	24	2	3	8	11	15	18	27
65+	77	8.9	35	2	2	8	11	15	22	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13827	4.7	10	2	2	4	6	8	10	16
20-34	2516	6.0	16	2	3	5	7	11	13	20
35-49	3341	6.6	19	2	3	6	8	11	14	21
50-64	7245	7.7	23	3	3	7	9	13	16	25
65+	25632	8.9	28	3	4	8	11	15	19	28
B. *Operated*										
0-19 YRS	340	11.6	89	2	3	9	16	23	28	59
20-34	310	13.4	143	3	5	11	16	23	32	77
35-49	532	13.1	102	4	5	11	16	25	34	61
50-64	1398	14.5	117	4	5	12	18	26	34	64
65+	3336	15.7	111	5	6	13	19	28	35	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13303	4.5	7	2	2	4	6	8	9	13
B. *Operated*	326	8.5	30	2	2	8	11	15	19	27
2. MULTIPLE DX										
A. *Not Operated*	52561	7.3	25	2	3	6	9	13	16	25
B. *Operated*	5916	14.8	113	4	5	12	18	26	34	61
1. SINGLE DX	13629	4.6	8	2	2	4	6	8	10	14
2. MULTIPLE DX	58477	8.1	39	2	3	7	10	15	19	32
A. NOT OPERATED	65864	6.8	22	2	3	6	8	12	15	24
B. OPERATED	6242	14.5	111	4	5	12	18	26	34	60
TOTAL 0-19 YRS	22518	4.5	10	2	2	4	5	8	10	16
20-34	4257	6.0	27	2	2	5	7	11	14	24
35-49	5073	7.0	30	2	3	6	8	12	16	30
50-64	9816	8.5	41	3	3	7	10	15	19	34
65+	30442	9.5	41	3	4	8	12	17	21	34
GRAND TOTAL	**72106**	**7.4**	**35**	**2**	**3**	**6**	**9**	**14**	**18**	**30**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	227	2.8	2	1	1	3	3	5	6	8
20-34	107	2.8	2	1	1	3	3	4	5	8
35-49	84	3.6	3	1	1	3	5	6	7	11
50-64	73	4.0	4	1	2	4	5	6	8	11
65+	72	4.7	6	1	2	5	6	8	9	11
B. *Operated*										
0-19 YRS										
20-34	3	3.3		3	3	3	4	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	495	3.2	4	1	1	3	4	6	7	11
20-34	344	3.4	4	1	1	3	4	6	7	10
35-49	328	4.3	11	2	2	4	5	7	8	16
50-64	467	5.0	9	2	2	4	6	9	11	17
65+	965	6.4	21	2	3	5	8	11	14	20
B. *Operated*										
0-19 YRS	10	6.0	21	<1	1	4	9	13	14	14
20-34	13	9.0	324	1	1	3	7	22	59	68
35-49	13	10.8	141	1	2	8	13	22	42	47
50-64	17	8.4	18	4	5	8	10	12	18	21
65+	56	13.4	96	5	5	11	15	25	36	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	563	3.3	3	1	1	3	4	6	7	9
B. *Operated*	5	3.0	1	2	2	3	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	2599	4.9	14	1	2	4	6	9	11	18
B. *Operated*	109	11.1	112	2	2	9	13	20	35	61
1. SINGLE DX	568	3.3	3	1	1	3	4	6	7	9
2. MULTIPLE DX	2708	5.1	19	1	2	4	6	9	12	19
A. NOT OPERATED	3162	4.6	12	1	2	4	6	8	11	17
B. OPERATED	114	10.8	110	2	2	8	13	20	33	61
TOTAL 0-19 YRS	732	3.1	4	1	1	3	4	6	7	11
20-34	467	3.4	13	1	1	3	4	6	7	10
35-49	426	4.4	14	1	2	4	5	7	9	17
50-64	558	5.0	9	2	2	4	6	9	11	17
65+	1093	6.6	26	2	3	5	8	12	15	24
GRAND TOTAL	**3276**	**4.8**	**17**	**1**	**2**	**4**	**6**	**9**	**11**	**19**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	961	3.1	5	1	1	3	4	5	7	10
20-34	58	3.8	5	1	2	3	5	7	8	12
35-49	83	4.0	4	1	2	4	5	6	8	10
50-64	177	5.2	12	1	2	4	6	9	11	21
65+	161	5.6	14	2	2	5	7	8	12	26
B. *Operated*										
0-19 YRS	9	5.0	24	1	1	2	9	12	14	14
20-34	9	5.6	14	<1	<1	5	9	11	12	12
35-49	13	5.2	33	1	1	3	6	17	18	18
50-64	23	5.0	19	<1	1	4	6	10	15	20
65+	16	5.8	22	<1	<1	5	8	11	17	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1536	3.8	6	1	2	3	5	7	8	13
20-34	325	4.5	9	1	2	4	6	9	10	15
35-49	483	5.5	13	2	2	5	7	10	13	21
50-64	1291	6.5	20	2	3	5	8	11	15	23
65+	2479	7.2	24	2	3	6	9	13	16	24
B. *Operated*										
0-19 YRS	31	6.3	26	1	1	5	9	16	17	18
20-34	52	6.3	120	1	2	5	8	9	11	80
35-49	96	7.8	36	2	3	7	9	15	21	33
50-64	210	8.6	40	2	2	7	11	17	22	29
65+	321	10.0	64	2	3	8	13	18	21	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1440	3.7	8	1	1	3	5	7	8	13
B. *Operated*	70	5.3	21	<1	1	4	7	11	17	20
2. MULTIPLE DX										
A. *Not Operated*	6114	6.0	19	2	2	5	7	11	14	22
B. *Operated*	710	8.8	57	2	2	7	11	17	21	37
1. SINGLE DX	1510	3.8	9	1	1	3	5	7	8	14
2. MULTIPLE DX	6824	5.2	23	2	2	5	8	12	15	23
A. NOT OPERATED	7554	5.5	18	1	2	4	7	10	13	21
B. OPERATED	780	8.5	54	1	2	7	11	17	20	37
TOTAL 0-19 YRS	2537	3.6	6	1	1	3	4	6	8	12
20-34	444	4.7	22	1	2	4	6	9	10	14
35-49	675	5.6	17	2	2	5	7	10	13	22
50-64	1701	6.6	22	2	2	5	8	12	15	24
65+	2977	7.4	28	2	3	6	9	13	17	27
GRAND TOTAL	**8334**	**5.8**	**22**	**1**	**2**	**5**	**7**	**11**	**14**	**23**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	4.3	1	3	3	5	5	5	5	5
35-49	14	4.9	3	2	2	5	6	7	7	7
50-64	133	6.6	14	2	2	6	8	12	14	18
65+	147	6.4	16	2	2	6	8	11	12	20
B. *Operated*										
0-19 YRS										
20-34	5	9.2	49	1	1	11	13	19	19	19
35-49	8	12.6	25	5	5	13	16	18	19	19
50-64	9	9.4	9	4	5	10	12	13	13	13
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	7	1	1	5	6	6	6	6
20-34	14	8.4	50	1	2	7	11	16	25	28
35-49	124	6.1	17	2	2	5	7	10	14	23
50-64	917	7.4	20	2	3	7	9	13	16	21
65+	1975	8.0	30	2	3	7	10	14	18	29
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	19	11.4	35	4	5	11	13	22	24	25
35-49	34	16.8	164	3	5	12	25	31	37	60
50-64	129	14.1	159	3	4	11	16	29	43	84
65+	229	14.2	103	4	5	11	19	29	37	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	297	6.4	15	2	2	6	8	11	13	19
B. *Operated*	22	10.5	24	3	4	11	13	18	19	19
2. MULTIPLE DX										
A. *Not Operated*	3033	7.8	27	2	3	7	10	14	18	27
B. *Operated*	412	14.3	122	3	5	11	19	29	37	73
1. SINGLE DX	319	6.7	16	2	2	6	9	12	14	19
2. MULTIPLE DX	3445	8.5	43	2	3	7	10	15	20	34
A. NOT OPERATED	3330	7.6	26	2	3	7	9	13	17	27
B. OPERATED	434	14.1	118	3	5	11	18	29	37	70
TOTAL 0-19 YRS	4	6.5	30	1	1	5	10	14	14	14
20-34	41	9.6	41	2	3	8	12	20	23	28
35-49	180	8.3	62	2	2	6	9	20	24	36
50-64	1188	8.1	38	2	3	7	10	14	18	32
65+	2351	8.5	40	2	3	7	10	15	21	34
GRAND TOTAL	**3764**	**8.4**	**41**	**2**	**3**	**7**	**10**	**15**	**20**	**34**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9501	3.2	3	1	1	3	4	5	6	8
20-34	2334	3.6	4	1	2	3	5	6	7	10
35-49	1771	4.3	6	1	2	4	5	7	9	13
50-64	1400	4.9	8	2	2	4	6	8	10	14
65+	686	5.1	7	2	2	5	6	8	9	14
B. *Operated*										
0-19 YRS	18	5.5	20	1	1	5	7	10	15	19
20-34	9	7.0	12	1	2	8	9	11	12	12
35-49	18	6.5	13	1	2	6	8	12	14	15
50-64	12	7.8	15	1	2	8	9	12	15	16
65+	9	10.6	40	5	5	8	15	20	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8855	3.7	5	1	2	3	5	6	7	11
20-34	2789	4.4	7	1	2	4	5	7	9	13
35-49	3402	5.3	10	2	2	5	7	9	11	16
50-64	4953	6.3	17	2	3	5	8	11	13	21
65+	5549	6.9	17	2	3	6	9	12	14	21
B. *Operated*										
0-19 YRS	122	8.7	76	2	3	7	9	17	23	48
20-34	102	8.6	54	1	2	6	10	19	22	40
35-49	194	10.1	56	3	4	8	13	18	22	30
50-64	319	11.1	71	3	4	9	14	21	27	51
65+	334	12.1	57	4	5	11	16	22	26	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15692	3.6	4	1	2	3	4	6	7	11
B. *Operated*	66	7.1	20	1	2	7	9	12	16	22
2. MULTIPLE DX										
A. *Not Operated*	25548	5.2	13	2	2	4	6	9	12	18
B. *Operated*	1071	10.7	64	3	4	9	14	20	25	42
1. SINGLE DX	15758	3.6	5	1	2	3	4	6	7	11
2. MULTIPLE DX	26619	5.4	16	2	2	4	7	10	12	20
A. NOT OPERATED	41240	4.6	10	1	2	4	6	8	10	16
B. OPERATED	1137	10.5	62	2	4	8	13	20	24	42
TOTAL 0-19 YRS	18496	3.5	5	1	2	3	4	6	7	10
20-34	5234	4.1	7	1	2	4	5	7	9	13
35-49	5385	5.1	12	2	2	4	6	9	11	17
50-64	6684	6.2	19	2	2	5	8	11	13	23
65+	6578	7.0	20	2	3	6	9	12	15	23
GRAND TOTAL	**42377**	**4.7**	**12**	**1**	**2**	**4**	**6**	**9**	**11**	**18**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	4.9	9	1	2	4	7	10	11	11
20-34	29	4.0	9	1	1	3	5	8	10	14
35-49	94	5.4	14	1	2	4	7	10	13	19
50-64	505	5.6	13	2	2	5	7	10	12	19
65+	596	5.9	11	2	2	5	8	10	12	16
B. *Operated*										
0-19 YRS										
20-34	8	5.5	43	1	1	2	8	16	20	20
35-49	17	6.6	18	1	1	7	9	13	14	14
50-64	26	6.5	42	1	2	4	9	13	20	30
65+	12	10.5	197	1	1	6	10	31	48	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	6.3	16	2	2	5	9	11	14	17
20-34	93	6.4	23	2	2	5	8	11	15	28
35-49	626	6.7	26	2	3	5	8	12	16	24
50-64	4236	7.3	25	2	3	6	9	13	16	27
65+	8102	7.8	29	2	3	7	10	14	17	28
B. *Operated*										
0-19 YRS	11	13.5	76	3	4	12	23	50	93	99+
20-34	18	7.0	15	3	4	6	8	13	16	17
35-49	99	9.9	106	2	3	8	12	18	22	61
50-64	471	12.1	114	3	4	9	14	23	31	69
65+	812	13.2	105	3	4	10	17	25	33	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1243	5.7	12	2	2	5	7	10	12	17
B. *Operated*	63	7.2	64	1	1	6	9	13	21	48
2. MULTIPLE DX										
A. *Not Operated*	13106	7.6	27	2	3	6	9	13	17	28
B. *Operated*	1411	12.5	108	3	4	10	16	24	32	64
1. SINGLE DX	1306	5.8	15	2	2	5	7	10	12	20
2. MULTIPLE DX	14517	8.1	37	2	3	7	10	14	19	32
A. NOT OPERATED	14349	7.4	26	2	3	6	9	13	16	27
B. OPERATED	1474	12.3	107	2	4	10	15	24	31	63
TOTAL 0-19 YRS	79	6.9	29	2	2	6	9	14	19	79
20-34	148	6.0	21	1	2	5	8	11	14	21
35-49	836	6.9	35	2	2	5	8	13	17	24
50-64	5238	7.6	34	2	3	6	9	14	17	31
65+	9522	8.2	37	2	3	7	10	15	19	32
GRAND TOTAL	**15823**	**7.9**	**36**	**2**	**3**	**6**	**10**	**14**	**18**	**31**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	2.3	2	1	1	2	3	5	5	8
20-34	192	3.0	6	1	1	2	4	5	8	13
35-49	46	3.8	5	1	1	3	5	7	9	10
50-64	17	3.4	2	1	1	3	4	5	6	6
65+	10	4.5	16	1	1	3	7	11	14	14
B. *Operated*										
0-19 YRS	150	6.2	17	2	2	5	8	12	15	19
20-34	631	5.9	16	2	3	5	7	10	13	22
35-49	183	5.4	12	2	2	5	7	9	11	20
50-64	65	6.8	17	2	3	6	8	12	14	22
65+	45	7.4	41	1	2	5	11	16	22	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	4.5	17	1	1	3	5	12	14	17
20-34	88	3.8	10	1	1	3	4	6	9	20
35-49	44	4.4	9	1	1	4	6	10	11	12
50-64	72	6.2	21	1	2	5	8	12	15	26
65+	118	7.1	18	1	2	6	10	13	15	21
B. *Operated*										
0-19 YRS	51	11.2	59	3	4	10	15	23	29	33
20-34	318	8.8	45	3	3	7	11	15	19	40
35-49	194	10.1	53	3	3	8	13	19	26	38
50-64	292	11.4	76	3	4	9	15	23	29	49
65+	429	12.7	105	3	4	10	16	25	35	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	338	3.0	5	1	1	2	4	6	8	12
B. *Operated*	1074	6.0	16	2	3	5	7	11	14	22
2. MULTIPLE DX										
A. *Not Operated*	357	5.5	18	1	1	4	8	11	14	19
B. *Operated*	1284	11.0	76	3	4	8	14	21	29	47
1. SINGLE DX	1412	5.3	15	1	2	4	7	10	13	21
2. MULTIPLE DX	1641	9.8	68	2	3	7	12	19	26	44
A. NOT OPERATED	695	4.3	13	1	1	3	5	9	12	17
B. OPERATED	2358	8.7	55	2	3	6	11	17	23	40
TOTAL 0-19 YRS	309	5.9	28	1	1	4	7	13	16	27
20-34	1229	6.1	25	1	2	5	8	12	15	25
35-49	467	7.1	35	2	2	5	9	14	19	31
50-64	446	9.6	62	2	3	7	13	20	26	40
65+	602	11.1	88	2	3	8	14	21	30	49
GRAND TOTAL	**3053**	**7.7**	**49**	**1**	**2**	**6**	**10**	**16**	**21**	**37**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	457	3.1	5	1	1	3	4	5	7	9
20-34	269	3.1	5	1	1	3	4	6	7	11
35-49	211	3.6	9	1	1	3	4	7	9	18
50-64	200	3.6	6	1	1	3	5	7	8	12
65+	184	5.3	25	1	1	4	6	10	15	27
B. *Operated*										
0-19 YRS	113	3.8	34	1	1	2	4	9	13	36
20-34	126	6.2	26	1	1	5	9	13	15	23
35-49	174	6.5	31	1	1	5	9	12	16	28
50-64	243	5.8	24	1	1	5	8	11	13	25
65+	158	6.4	24	1	1	6	9	13	15	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1206	4.9	31	1	1	4	6	9	13	28
20-34	619	4.8	16	1	1	4	6	10	13	21
35-49	957	5.6	21	1	2	4	7	11	14	24
50-64	2262	6.8	28	2	2	5	9	13	16	28
65+	6589	8.3	33	2	3	7	10	15	20	30
B. *Operated*										
0-19 YRS	289	9.2	128	1	1	5	13	22	38	99+
20-34	369	11.5	124	1	2	8	15	25	32	69
35-49	708	10.5	102	1	2	8	14	23	29	63
50-64	1453	11.0	103	1	2	8	14	23	31	60
65+	2498	13.3	122	2	3	10	17	26	34	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1321	3.6	9	1	1	3	4	7	8	17
B. *Operated*	814	5.9	28	1	1	5	8	11	15	27
2. MULTIPLE DX										
A. *Not Operated*	11633	7.2	32	2	2	6	9	14	18	29
B. *Operated*	5317	11.9	116	1	2	9	16	25	33	63
1. SINGLE DX	2135	4.5	17	1	1	3	6	9	11	20
2. MULTIPLE DX	16950	8.7	63	2	2	7	11	18	23	43
A. NOT OPERATED	12954	6.9	31	1	2	5	9	13	17	28
B. OPERATED	6131	11.1	109	1	2	8	15	23	31	60
TOTAL 0-19 YRS	2065	5.0	42	1	1	3	5	10	16	39
20-34	1383	6.4	54	1	1	4	8	14	19	39
35-49	2050	7.2	55	1	2	5	9	16	22	38
50-64	4158	8.0	58	1	2	6	10	16	22	42
65+	9429	9.5	62	2	3	8	12	18	24	42
GRAND TOTAL	**19085**	**8.2**	**60**	**1**	**2**	**6**	**10**	**17**	**23**	**41**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	3.2	6	1	1	2	4	6	9	13
20-34	37	3.1	3	1	1	3	4	5	6	7
35-49	19	2.6	2	1	1	2	3	5	6	6
50-64	9	4.9	15	1	1	3	8	11	12	12
65+	3	2.7	4	1	1	2	4	5	5	5
B. *Operated*										
0-19 YRS	1045	2.5	2	<1	1	2	3	4	5	6
20-34	1287	2.6	2	1	1	3	3	4	5	8
35-49	606	2.8	3	1	1	3	4	4	5	9
50-64	344	2.4	6	1	1	2	3	4	4	10
65+	98	2.3	2	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	148	3.1	6	<1	1	3	4	5	7	11
20-34	132	3.9	8	<1	1	3	5	7	9	14
35-49	80	3.9	12	1	1	3	5	9	12	17
50-64	73	4.7	17	<1	1	3	6	10	15	20
65+	54	6.0	50	<1	1	4	6	13	20	44
B. *Operated*										
0-19 YRS	1160	2.7	4	1	1	2	3	5	6	8
20-34	1267	3.1	6	1	1	3	4	5	6	14
35-49	904	3.1	9	1	1	2	4	5	7	15
50-64	814	3.3	15	1	1	2	3	6	10	22
65+	599	3.3	15	1	1	2	3	6	9	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	112	3.2	5	1	1	3	4	6	8	12
B. *Operated*	3380	2.6	3	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	487	4.0	15	<1	1	3	5	8	11	20
B. *Operated*	4744	3.0	9	1	1	2	4	5	7	15
1. SINGLE DX	3492	2.6	3	1	1	2	3	4	5	8
2. MULTIPLE DX	5231	3.1	9	1	1	2	4	5	7	15
A. NOT OPERATED	599	3.8	13	<1	1	3	5	7	10	19
B. OPERATED	8124	2.9	6	1	1	2	3	5	6	12
TOTAL 0-19 YRS	2397	2.6	3	<1	1	2	3	5	5	8
20-34	2723	2.9	5	1	1	3	4	5	6	11
35-49	1609	3.0	7	1	1	2	4	5	7	13
50-64	1240	3.2	13	1	1	2	3	5	9	18
65+	754	3.3	16	1	1	2	3	6	9	22
GRAND TOTAL	**8723**	**2.9**	**7**	**1**	**1**	**2**	**4**	**5**	**6**	**13**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	3.8	5	1	2	3	5	7	9	11
20-34	56	3.6	3	1	1	4	5	6	6	8
35-49	48	3.6	3	1	2	3	5	6	7	9
50-64	19	3.8	3	1	2	3	5	6	7	8
65+	25	4.4	6	1	1	4	6	7	9	12
B. *Operated*										
0-19 YRS	138	2.5	3	<1	1	2	3	4	6	10
20-34	160	2.6	5	1	1	2	3	5	6	11
35-49	188	2.6	3	1	1	2	3	5	6	8
50-64	181	3.2	49	1	1	2	3	5	6	11
65+	116	2.7	8	1	1	2	3	4	6	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	256	3.9	6	1	2	3	5	7	8	11
20-34	69	4.0	5	1	2	4	5	7	10	12
35-49	78	5.5	19	2	2	4	7	11	14	26
50-64	137	5.5	15	1	2	5	7	10	11	25
65+	207	6.9	21	2	2	6	8	12	18	25
B. *Operated*										
0-19 YRS	127	3.7	9	1	1	3	5	7	10	17
20-34	134	3.4	9	1	1	2	4	8	10	15
35-49	202	3.9	16	1	1	3	4	7	12	19
50-64	248	4.3	29	1	1	3	4	9	12	30
65+	306	4.5	31	1	1	3	5	10	13	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	247	3.8	4	1	2	3	5	6	8	11
B. *Operated*	783	2.7	15	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	747	5.2	14	1	2	4	7	9	12	22
B. *Operated*	1017	4.1	22	1	1	3	4	8	12	20
1. SINGLE DX	1030	3.0	12	1	1	2	4	5	7	10
2. MULTIPLE DX	1764	4.5	19	1	1	3	5	9	12	22
A. NOT OPERATED	994	4.8	12	1	2	4	6	9	11	21
B. OPERATED	1800	3.5	19	1	1	3	4	6	9	17
TOTAL 0-19 YRS	620	3.5	6	1	1	3	4	7	8	12
20-34	419	3.2	6	1	1	3	4	6	8	13
35-49	516	3.6	11	1	1	3	4	7	9	17
50-64	585	4.2	32	1	1	3	5	8	10	26
65+	654	4.9	25	1	1	3	6	10	14	25
GRAND TOTAL	**2794**	**4.0**	**17**	**1**	**1**	**3**	**5**	**7**	**10**	**19**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	310	3.0	5	1	1	2	4	5	7	12
20-34	146	3.1	5	1	1	3	4	6	7	12
35-49	246	3.2	4	1	1	3	4	6	7	9
50-64	177	3.3	12	1	1	3	4	6	7	15
65+	98	3.1	3	1	1	3	4	6	6	7
B. *Operated*										
0-19 YRS	80	4.6	36	<1	<1	3	6	8	11	40
20-34	74	5.6	11	1	1	6	8	10	11	14
35-49	116	6.0	19	1	2	5	8	11	14	23
50-64	142	5.5	21	1	1	5	7	10	14	22
65+	134	4.7	15	1	1	4	7	10	11	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	597	4.0	9	1	1	3	5	7	10	17
20-34	636	3.8	6	1	1	3	5	7	9	13
35-49	1178	4.2	8	1	2	4	5	8	10	15
50-64	1492	4.5	9	1	2	4	6	8	10	16
65+	2052	5.4	19	1	2	4	7	9	12	20
B. *Operated*										
0-19 YRS	204	12.3	166	1	2	8	14	26	36	70
20-34	287	7.5	54	2	2	6	9	14	19	38
35-49	598	7.8	63	1	2	6	9	14	19	52
50-64	981	8.3	83	2	2	6	10	15	20	62
65+	1616	8.8	69	2	2	7	11	17	23	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	977	3.1	6	1	1	3	4	5	7	11
B. *Operated*	546	5.3	20	1	1	4	7	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	5955	4.6	12	1	2	4	6	8	10	17
B. *Operated*	3686	8.6	77	2	2	6	10	16	22	52
1. SINGLE DX	1523	3.9	12	1	1	3	5	8	10	17
2. MULTIPLE DX	9641	6.1	41	1	2	5	7	11	16	32
A. NOT OPERATED	6932	4.4	12	1	2	4	5	8	10	17
B. OPERATED	4232	8.2	71	1	2	6	10	15	21	48
TOTAL 0-19 YRS	1191	5.2	47	1	1	3	6	10	15	36
20-34	1143	4.8	21	1	1	4	6	9	11	20
35-49	2138	5.2	26	1	2	4	6	9	13	24
50-64	2792	5.8	39	1	2	4	7	10	14	31
65+	3900	6.7	43	1	2	5	8	13	18	34
GRAND TOTAL	**11164**	**5.8**	**37**	**1**	**2**	**4**	**7**	**11**	**15**	**31**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	4.1	3	2	2	4	5	6	8	9
20-34	70	3.8	5	1	2	3	5	7	8	11
35-49	92	4.3	7	1	2	4	6	7	9	13
50-64	80	4.1	5	1	2	4	5	8	9	11
65+	54	4.1	5	1	2	4	5	7	9	9
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	26	6.7	32	2	3	6	8	9	17	31
35-49	81	6.8	14	2	3	6	8	12	14	19
50-64	79	6.3	15	1	2	6	8	12	13	20
65+	42	6.1	12	1	2	6	8	11	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	4.8	9	1	2	4	6	9	11	12
20-34	202	4.8	7	1	2	4	6	8	10	13
35-49	357	5.4	10	2	2	5	7	9	11	16
50-64	439	5.4	12	2	2	4	7	9	11	19
65+	657	6.0	14	2	3	5	7	10	13	20
B. *Operated*										
0-19 YRS	8	5.4	5	2	2	5	7	8	9	9
20-34	112	7.5	23	2	3	6	10	14	16	27
35-49	338	8.1	40	2	3	6	10	15	20	36
50-64	476	8.2	29	3	3	7	10	15	19	30
65+	715	8.4	32	3	3	7	10	14	18	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	312	4.1	5	1	2	4	5	7	9	11
B. *Operated*	229	6.5	16	2	2	6	8	12	13	21
2. MULTIPLE DX										
A. *Not Operated*	1683	5.5	12	2	2	5	7	9	12	18
B. *Operated*	1649	8.2	32	3	3	7	10	15	18	32
1. SINGLE DX	541	5.1	11	1	2	4	7	9	11	16
2. MULTIPLE DX	3332	6.9	24	2	3	6	8	12	15	26
A. NOT OPERATED	1995	5.3	11	2	2	5	7	9	11	17
B. OPERATED	1878	8.0	30	2	3	7	10	14	18	31
TOTAL 0-19 YRS	53	4.7	6	2	2	4	6	9	9	12
20-34	410	5.5	14	1	2	5	7	10	12	18
35-49	868	6.5	24	2	2	5	8	11	15	26
50-64	1074	6.6	21	2	2	5	8	12	15	23
65+	1468	7.1	24	2	3	6	9	12	15	28
GRAND TOTAL	**3873**	**6.6**	**22**	**2**	**2**	**5**	**8**	**12**	**15**	**25**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.8	4	1	1	3	5	7	7	7
20-34	35	3.9	3	2	2	4	5	6	7	8
35-49	84	4.0	4	2	2	4	5	6	8	12
50-64	102	4.7	7	2	2	4	5	9	10	15
65+	117	4.9	7	2	2	5	6	8	9	15
B. *Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	35	7.3	17	2	3	7	8	12	16	24
35-49	63	7.4	24	3	4	7	8	11	12	36
50-64	91	7.6	16	3	3	7	10	12	14	22
65+	94	8.1	34	2	3	7	10	13	18	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	4.4	5	1	2	4	5	8	9	9
20-34	115	4.7	9	1	2	4	6	8	10	17
35-49	264	5.2	13	2	2	4	6	9	11	25
50-64	513	5.8	19	2	3	5	7	9	12	22
65+	1442	7.0	24	3	3	6	8	12	15	25
B. *Operated*										
0-19 YRS	15	10.9	107	3	5	7	12	20	39	45
20-34	76	8.4	49	3	4	7	10	14	15	48
35-49	266	9.6	57	2	3	7	12	18	21	39
50-64	673	9.9	63	3	4	8	12	18	24	42
65+	1678	11.2	79	3	4	9	14	21	27	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	346	4.5	6	2	2	4	5	7	9	14
B. *Operated*	285	7.7	24	3	3	7	9	12	15	32
2. MULTIPLE DX										
A. *Not Operated*	2356	6.4	21	2	3	5	8	11	14	23
B. *Operated*	2708	10.7	72	3	4	8	13	20	26	46
1. SINGLE DX	631	5.9	16	2	2	5	7	10	13	20
2. MULTIPLE DX	5064	8.7	53	3	3	7	10	16	21	39
A. NOT OPERATED	2702	6.2	20	2	3	5	7	10	14	22
B. OPERATED	2993	10.4	69	3	4	8	12	19	25	45
TOTAL 0-19 YRS	47	6.3	45	1	3	5	7	9	15	45
20-34	261	6.0	24	1	2	5	7	10	14	21
35-49	677	7.0	35	2	2	5	8	13	18	35
50-64	1379	7.8	44	2	3	6	9	15	19	36
65+	3331	9.1	56	3	3	7	11	17	22	39
GRAND TOTAL	**5695**	**8.4**	**50**	**2**	**3**	**6**	**10**	**16**	**21**	**38**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	106	3.4	4	1	1	3	4	6	7	50
20-34	432	3.5	4	1	1	3	4	6	7	10
35-49	394	3.7	5	1	2	3	5	6	8	10
50-64	201	3.9	7	1	1	3	5	7	8	15
65+	97	3.8	4	1	1	4	5	6	8	9
B. *Operated*										
0-19 YRS	6	7.5	12	2	2	8	10	11	11	11
20-34	42	8.5	16	3	4	8	10	13	15	22
35-49	91	8.1	13	3	4	8	9	12	16	22
50-64	51	7.9	22	2	3	7	9	12	14	30
65+	13	9.9	60	2	4	7	12	20	30	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	120	3.9	5	1	2	3	5	6	8	14
20-34	723	4.5	11	1	2	4	6	8	10	15
35-49	1025	4.7	8	2	2	4	6	8	10	15
50-64	1042	5.1	10	2	2	4	6	9	10	16
65+	1252	5.9	13	2	3	5	7	10	12	18
B. *Operated*										
0-19 YRS	6	6.8	5	3	3	7	7	10	10	10
20-34	127	8.2	28	2	3	7	10	13	20	30
35-49	267	9.0	38	2	4	8	11	16	20	34
50-64	307	9.3	42	3	3	8	11	17	23	31
65+	323	9.9	59	3	4	8	12	17	24	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1230	3.6	5	1	1	3	5	6	7	10
B. *Operated*	203	8.2	19	3	4	8	10	13	16	26
2. MULTIPLE DX										
A. *Not Operated*	4162	5.1	11	2	2	4	6	9	11	16
B. *Operated*	1030	9.3	44	3	3	8	11	17	22	34
1. SINGLE DX	1433	4.3	9	1	2	4	5	8	10	16
2. MULTIPLE DX	5192	5.9	20	2	2	5	7	10	13	24
A. NOT OPERATED	5392	4.8	10	1	2	4	6	8	10	16
B. OPERATED	1233	9.1	40	3	3	8	11	16	21	32
TOTAL 0-19 YRS	238	3.8	5	1	1	3	5	7	8	13
20-34	1324	4.7	12	1	2	4	6	8	11	20
35-49	1777	5.3	15	2	2	4	7	9	12	20
50-64	1601	5.8	19	2	2	5	7	10	13	25
65+	1685	6.6	25	2	3	5	8	12	15	29
GRAND TOTAL	**6625**	**5.6**	**18**	**2**	**2**	**4**	**7**	**10**	**13**	**22**

193: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	3.7	3	2	2	3	5	6	7	9
20-34	198	3.7	4	1	2	3	5	6	7	11
35-49	245	4.3	5	1	2	4	5	7	8	11
50-64	209	4.3	4	2	2	4	5	7	8	10
65+	197	5.0	16	2	2	4	6	8	9	13
B. *Operated*										
0-19 YRS	19	5.7	8	1	2	6	8	9	10	11
20-34	76	7.4	10	3	4	7	9	11	13	18
35-49	97	8.6	18	3	4	8	10	13	16	28
50-64	90	9.0	35	3	4	8	11	14	18	38
65+	74	8.8	15	3	4	8	11	14	16	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	4.3	8	1	2	3	5	8	8	18
20-34	274	4.3	7	2	2	4	5	7	9	15
35-49	499	5.1	8	2	2	4	6	8	11	16
50-64	847	5.5	9	2	3	5	7	9	11	16
65+	2035	7.1	23	3	3	6	9	12	15	23
B. *Operated*										
0-19 YRS	12	9.5	25	5	5	9	10	15	23	24
20-34	109	9.8	50	3	4	8	12	18	25	69
35-49	236	10.7	60	3	4	9	12	20	26	42
50-64	493	12.6	109	4	5	10	15	23	31	65
65+	1159	13.7	110	4	5	11	17	24	30	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	883	4.3	7	2	2	4	5	7	8	11
B. *Operated*	356	8.3	20	3	4	8	10	13	16	24
2. MULTIPLE DX										
A. *Not Operated*	3700	6.2	17	2	3	5	8	11	13	21
B. *Operated*	2009	12.9	102	4	5	10	16	23	29	59
1. SINGLE DX	1239	5.5	14	2	2	5	7	10	12	17
2. MULTIPLE DX	5709	8.6	57	2	3	7	10	16	22	39
A. NOT OPERATED	4583	5.9	16	2	2	5	7	10	13	19
B. OPERATED	2365	12.2	92	4	5	10	15	22	28	58
TOTAL 0-19 YRS	110	4.9	11	2	2	4	6	9	10	20
20-34	657	5.4	18	2	2	4	6	10	12	24
35-49	1077	6.4	26	2	2	5	8	11	15	31
50-64	1639	7.7	51	2	3	6	9	14	19	37
65+	3465	9.3	62	3	3	7	11	17	23	39
GRAND TOTAL	**6948**	**8.0**	**51**	**2**	**3**	**6**	**9**	**15**	**20**	**36**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3	12	1	1	4	7	8	8	8
20-34	12	4.4	4	3	3	4	5	8	9	9
35-49	15	4.1	3	1	3	4	5	6	7	7
50-64	18	5.3	9	2	2	4	7	8	12	14
65+	11	5.7	7	1	2	5	7	9	11	11
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	15	9.6	25	3	5	8	12	18	19	19
35-49	25	11.6	18	6	7	12	15	17	37	99+
50-64	31	9.9	15	3	6	10	12	15	17	19
65+	17	11.3	22	2	5	13	15	17	18	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	16	5.8	22	1	2	4	7	11	17	20
35-49	56	5.3	9	1	2	5	7	9	10	18
50-64	73	6.5	21	3	3	5	7	11	16	27
65+	193	8.5	28	3	3	7	10	15	18	31
B. *Operated*										
0-19 YRS	5	20.0	146	9	9	18	29	37	37	37
20-34	33	15.2	223	4	6	12	17	20	39	88
35-49	89	13.7	67	6	6	12	18	22	25	49
50-64	174	15.2	132	4	6	12	18	25	47	61
65+	274	16.6	168	5	5	13	20	33	46	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	4.9	6	2	3	4	7	8	9	14
B. *Operated*	89	10.6	19	4	6	10	14	17	19	68
2. MULTIPLE DX										
A. *Not Operated*	340	7.4	24	2	3	6	9	13	17	27
B. *Operated*	575	15.7	145	5	6	13	19	27	42	70
1. SINGLE DX	148	8.3	22	2	3	8	11	15	17	22
2. MULTIPLE DX	915	12.6	116	3	4	10	16	23	34	61
A. NOT OPERATED	399	7.0	23	2	3	6	8	13	16	25
B. OPERATED	664	15.0	131	5	6	12	18	26	39	70
TOTAL 0-19 YRS	11	11.9	123	1	3	9	16	31	36	37
20-34	76	10.4	125	2	3	8	13	19	20	76
35-49	185	10.1	53	3	3	8	14	19	23	49
50-64	296	11.9	101	3	4	9	14	20	32	56
65+	495	13.0	121	3	4	10	16	25	35	69
GRAND TOTAL	**1063**	**12.0**	**105**	**3**	**4**	**9**	**15**	**22**	**31**	**60**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	732	2.5	2	1	1	2	3	4	5	7
20-34	1010	3.0	3	1	1	3	4	5	6	9
35-49	672	3.1	3	1	1	3	4	5	7	9
50-64	373	3.3	5	1	1	3	4	6	7	12
65+	192	3.3	8	1	1	3	4	6	7	13
B. *Operated*										
0-19 YRS	15	4.3	3	2	3	4	5	7	8	8
20-34	55	5.2	8	1	2	4	7	9	10	16
35-49	88	6.3	19	2	2	6	8	12	16	23
50-64	54	5.5	14	1	1	5	6	11	14	18
65+	29	6.0	24	<1	1	5	8	10	11	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1832	2.9	3	1	1	3	3	5	6	9
20-34	2941	4.1	9	1	2	3	5	7	9	15
35-49	3124	4.8	10	1	2	4	6	8	10	16
50-64	2805	4.9	11	1	2	4	6	9	11	17
65+	3554	5.5	13	2	2	5	7	10	12	17
B. *Operated*										
0-19 YRS	53	5.4	13	2	2	5	6	11	12	21
20-34	382	7.2	30	2	3	6	9	13	16	31
35-49	669	7.5	26	3	3	6	9	13	18	25
50-64	730	7.8	30	2	3	6	9	14	17	29
65+	1010	8.8	41	3	3	7	11	16	21	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2979	2.9	4	1	1	3	4	5	6	9
B. *Operated*	241	5.7	15	1	2	5	7	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	14256	4.6	10	1	2	4	6	8	10	16
B. *Operated*	2844	8.0	33	2	3	7	10	15	18	31
1. SINGLE DX	3220	3.1	5	1	1	3	4	6	7	11
2. MULTIPLE DX	17100	5.1	16	1	2	4	6	9	12	20
A. NOT OPERATED	17235	4.3	10	1	2	4	5	8	10	15
B. OPERATED	3085	7.8	32	2	3	6	9	14	18	30
TOTAL 0-19 YRS	2632	2.8	3	1	1	2	3	5	6	9
20-34	4388	4.1	10	1	1	3	5	7	9	15
35-49	4553	5.0	13	1	2	4	6	9	11	19
50-64	3962	5.3	15	1	2	4	6	9	12	20
65+	4785	6.1	21	2	2	5	7	11	14	24
GRAND TOTAL	**20320**	**4.8**	**15**	**1**	**2**	**4**	**6**	**9**	**11**	**19**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	117	2.4	2	1	1	2	3	4	5	8
20-34	107	3.5	14	<1	1	3	4	6	8	23
35-49	109	3.4	9	<1	1	3	4	6	7	19
50-64	61	4.1	8	<1	1	3	5	8	9	15
65+	46	4.2	7	1	1	3	6	7	8	12
B. *Operated*										
0-19 YRS	91	3.6	4	1	2	3	4	6	8	11
20-34	13	8.5	15	2	4	8	10	14	16	17
35-49	25	10.7	50	2	4	8	13	21	24	29
50-64	30	10.4	86	2	3	9	13	16	22	53
65+	16	10.8	39	4	5	9	12	20	26	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	273	3.6	16	1	1	3	4	6	7	18
20-34	369	4.4	11	1	2	4	5	8	12	17
35-49	413	4.8	17	1	2	4	6	9	11	19
50-64	431	5.3	20	1	2	4	6	10	12	22
65+	699	6.2	29	1	2	5	8	11	16	28
B. *Operated*										
0-19 YRS	45	6.5	26	2	2	5	8	15	18	24
20-34	81	10.1	72	1	2	8	14	21	25	44
35-49	207	12.6	138	2	3	9	16	24	36	64
50-64	273	13.8	105	3	4	11	17	29	36	51
65+	420	15.4	146	3	4	12	21	30	39	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	440	3.3	9	<1	1	3	4	6	8	14
B. *Operated*	175	6.8	39	1	2	5	8	13	18	29
2. MULTIPLE DX										
A. *Not Operated*	2185	5.1	21	1	2	4	6	10	12	23
B. *Operated*	1026	13.6	127	2	3	11	18	27	37	61
1. SINGLE DX	615	4.3	20	1	1	3	5	8	12	22
2. MULTIPLE DX	3211	7.8	70	1	2	5	9	17	24	45
A. NOT OPERATED	2625	4.8	19	1	1	4	6	9	12	21
B. OPERATED	1201	12.6	120	2	3	10	17	25	35	58
TOTAL 0-19 YRS	526	3.5	13	1	1	3	4	6	8	17
20-34	570	5.2	25	1	1	4	6	11	15	24
35-49	754	6.9	64	1	2	5	8	14	22	45
50-64	795	8.3	68	2	2	6	10	17	26	46
65+	1181	9.5	90	2	2	6	11	21	27	53
GRAND TOTAL	**3826**	**7.3**	**64**	**1**	**2**	**5**	**9**	**16**	**22**	**43**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	1.8	2	<1	1	1	2	4	4	8
20-34	39	2.6	3	<1	1	2	3	5	6	10
35-49	12	2.8	4	1	1	2	4	6	7	7
50-64	5	4.4	16	<1	<1	3	6	11	11	11
65+	2	5.5	13	3	3	5	8	8	8	8
B. *Operated*										
0-19 YRS	5399	3.3	2	2	2	3	4	5	6	8
20-34	4051	3.4	2	2	2	3	4	5	6	8
35-49	1222	3.9	3	2	2	4	5	6	7	9
50-64	452	4.4	4	2	2	4	5	7	9	11
65+	92	5.1	4	3	3	5	6	8	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	2 /	3	1	1	2	3	5	7	7
20-34	29	2.4	3	1	1	2	3	5	7	8
35-49	10	3.3	6	1	1	3	5	7	7	7
50-64	8	5.4	1	4	4	5	6	7	7	7
65+	11	4.6	6	2	2	3	7	8	8	8
B. *Operated*										
0-19 YRS	1093	4.4	7	2	2	4	5	7	9	14
20-34	1019	4.7	7	2	2	4	5	7	9	14
35-49	464	5.4	11	2	2	4	7	9	12	17
50-64	301	6.6	20	2	3	5	8	12	16	23
65+	203	8.2	51	3	4	7	9	14	16	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	2.5	4	<1	1	2	3	5	7	11
B. *Operated*	11216	3.5	2	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	90	3.2	4	1	1	3	4	7	7	8
B. *Operated*	3080	5.1	13	2	2	4	6	9	11	17
1. SINGLE DX	11309	3.5	2	2	2	3	4	5	6	9
2. MULTIPLE DX	3170	5.0	13	2	2	4	6	8	11	17
A. NOT OPERATED	183	2.8	4	1	1	2	4	6	7	9
B. OPERATED	14296	3.8	5	2	2	3	4	6	7	12
TOTAL 0-19 YRS	6559	3.5	3	2	2	3	4	5	6	10
20-34	5138	3.7	3	2	2	3	4	6	7	10
35-49	1708	4.3	5	2	2	4	5	7	8	13
50-64	766	5.3	11	2	3	4	6	9	11	19
65+	308	7.1	37	3	3	6	8	11	14	30
GRAND TOTAL	**14479**	**3.8**	**5**	**2**	**2**	**3**	**4**	**6**	**7**	**12**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	6.8	19	1	2	6	8	14	16	17
20-34	13	6.8	7	2	4	7	8	10	12	13
35-49	9	5.7	5	3	3	5	6	9	10	10
50-64	11	8.5	9	4	4	9	11	12	14	14
65+	2	7.5	1	7	7	7	8	8	8	8
B. *Operated*										
0-19 YRS	1083	6.5	10	3	3	6	8	10	12	18
20-34	623	6.3	8	3	3	6	8	10	11	14
35-49	452	7.0	12	3	3	6	8	11	13	19
50-64	279	7.7	8	4	5	7	9	11	13	17
65+	114	8.9	18	4	5	8	10	14	15	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	7.0	12	1	2	7	9	12	14	14
20-34	11	8.4	6	4	5	8	10	12	13	13
35-49	12	7.6	13	2	4	7	9	14	15	15
50-64	13	9.0	12	4	4	9	11	14	16	16
65+	16	8.4	27	2	4	7	10	18	19	19
B. *Operated*										
0-19 YRS	797	8.7	23	4	4	8	10	14	17	28
20-34	516	9.0	25	4	4	8	11	15	17	29
35-49	445	9.6	27	4	5	8	11	15	20	30
50-64	515	11.2	44	5	6	10	13	18	24	37
65+	530	12.9	61	6	6	11	15	22	28	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	7.0	11	2	3	7	8	12	14	17
B. *Operated*	2551	6.8	10	3	3	6	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	62	8.1	14	3	4	8	10	13	15	19
B. *Operated*	2803	10.2	37	4	5	9	12	17	22	34
1. SINGLE DX	2602	6.8	10	3	3	6	8	11	12	18
2. MULTIPLE DX	2865	10.1	37	4	5	9	12	17	22	34
A. NOT OPERATED	113	7.6	13	2	4	7	9	13	14	19
B. OPERATED	5354	8.6	27	3	4	7	10	14	17	29
TOTAL 0-19 YRS	1906	7.4	17	3	4	7	9	12	15	23
20-34	1163	7.5	17	3	4	7	9	12	14	23
35-49	918	8.3	21	3	4	7	10	13	16	27
50-64	818	10.0	33	4	5	9	12	16	20	31
65+	662	12.1	55	5	6	10	14	21	25	42
GRAND TOTAL	**5467**	**8.5**	**27**	**3**	**4**	**7**	**10**	**14**	**17**	**29**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	2.0	2	1	1	2	2	4	5	7
20-34	78	2.3	2	1	1	2	3	4	6	8
35-49	29	2.7	4	1	1	2	3	6	7	9
50-64	10	3.5	5	2	2	3	4	7	9	9
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	431	3.7	3	2	2	3	4	6	7	10
20-34	296	4.0	3	2	2	4	5	6	8	11
35-49	85	4.6	4	2	3	4	5	8	9	11
50-64	31	6.1	16	3	3	5	7	9	10	25
65+	6	6.8	5	4	4	6	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	2.4	2	1	1	2	3	4	5	6
20-34	61	2.5	2	1	1	2	3	5	6	8
35-49	32	2.6	2	1	1	2	4	4	6	6
50-64	19	3.3	4	<1	1	3	5	6	6	6
65+	17	4.2	5	2	2	4	5	7	10	11
B. *Operated*										
0-19 YRS	303	4.7	8	2	2	4	6	8	10	16
20-34	284	5.3	8	2	3	5	6	9	12	15
35-49	114	6.9	43	3	3	6	8	11	12	46
50-64	44	7.9	32	2	3	6	11	15	21	26
65+	30	8.8	26	3	4	7	11	17	18	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	200	2.3	3	1	1	2	3	4	6	8
B. *Operated*	849	4.0	4	2	2	4	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	193	2.7	3	1	1	2	4	5	6	8
B. *Operated*	775	5.6	16	2	3	5	7	10	12	19
1. SINGLE DX	1049	3.7	4	1	2	3	4	6	7	10
2. MULTIPLE DX	968	5.0	15	1	2	4	6	9	12	17
A. NOT OPERATED	393	2.5	3	1	1	2	3	5	6	8
B. OPERATED	1624	4.7	10	2	2	4	6	8	10	16
TOTAL 0-19 YRS	879	3.8	5	1	2	3	5	6	8	14
20-34	719	4.2	6	1	2	4	5	7	9	13
35-49	260	5.2	24	1	2	4	6	9	11	17
50-64	104	6.1	23	1	2	5	7	11	15	25
65+	55	6.9	21	2	3	6	9	14	17	23
GRAND TOTAL	**2017**	**4.3**	**10**	**1**	**2**	**4**	**5**	**7**	**9**	**15**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	1.3		<1	<1	1	1	2	2	4
20-34	21	2.0	2	<1	<1	1	3	4	4	4
35-49	12	3.1	2	1	1	3	4	5	5	5
50-64	14	1.9	1	<1	<1	2	3	4	4	4
65+	10	2.8	5	<1	<1	2	4	6	7	7
B. *Operated*										
0-19 YRS	2024	1.6	1	<1	<1	1	2	3	3	5
20-34	3482	2.4	4	1	1	2	3	4	5	6
35-49	3184	2.6	2	1	1	2	3	4	5	7
50-64	4189	2.9	3	1	1	3	4	5	6	8
65+	2592	3.1	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	114	1.8	4	<1	<1	1	2	4	4	13
20-34	27	2.8	8	<1	<1	1	3	6	9	14
35-49	31	1.5	1	<1	<1	1	2	3	4	6
50-64	71	2.2	3	<1	<1	1	3	5	6	10
65+	135	3.4	11	<1	<1	2	4	9	11	16
B. *Operated*										
0-19 YRS	1353	2.0	4	<1	<1	1	2	4	5	10
20-34	1396	3.0	5	1	1	3	4	5	7	11
35-49	2098	3.4	7	1	1	3	4	6	7	12
50-64	4293	3.8	6	1	1	3	5	6	8	13
65+	5471	4.5	11	1	2	4	5	8	10	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	2.0	2	<1	<1	1	3	4	4	7
B. *Operated*	15471	2.6	3	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	378	2.5	7	<1	<1	1	3	5	8	15
B. *Operated*	14611	3.7	8	1	1	3	5	7	8	14
1. SINGLE DX	15559	2.6	3	1	1	2	3	4	5	7
2. MULTIPLE DX	14989	3.7	8	1	1	3	5	7	8	14
A. NOT OPERATED	466	2.4	6	<1	<1	1	3	5	6	14
B. OPERATED	30082	3.1	6	1	1	3	4	5	7	12
TOTAL 0-19 YRS	3522	1.8	2	<1	<1	1	2	3	4	7
20-34	4926	2.5	4	1	1	2	3	4	5	8
35-49	5325	2.9	4	1	1	3	4	5	6	9
50-64	8567	3.3	4	1	1	3	4	6	7	11
65+	8208	4.0	9	1	1	3	5	7	9	15
GRAND TOTAL	**30548**	**3.1**	**6**	**1**	**1**	**3**	**4**	**5**	**7**	**12**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	1.3		<1	<1	1	1	3	3	3
20-34	6	2.3	2	1	1	2	3	5	5	5
35-49	5	1.4	1	<1	<1	1	2	3	3	3
50-64	6	2.0	6	<1	<1	1	1	6	7	7
65+	13	3.1	4	1	1	2	5	6	6	6
B. *Operated*										
0-19 YRS	363	1.7	1	<1	1	1	2	3	4	5
20-34	193	2.7	2	1	1	2	3	5	5	7
35-49	132	3.1	2	1	1	3	4	5	6	7
50-64	198	3.4	4	1	1	3	4	5	7	10
65+	280	4.7	9	1	2	4	6	7	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	1.9	2	<1	<1	1	3	4	5	5
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	13	2.1	1	<1	<1	2	3	4	4	4
65+	63	4.4	11	<1	1	4	6	8	10	17
B. *Operated*										
0-19 YRS	298	2.6	6	1	1	2	3	5	7	15
20-34	96	3.7	6	1	2	3	5	6	8	14
35-49	116	4.3	9	1	2	4	5	7	9	18
50-64	300	5.8	17	1	2	5	7	12	14	20
65+	1182	7.6	37	2	3	6	9	14	19	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	2.0	3	<1	<1	1	3	5	6	7
B. *Operated*	1166	3.0	5	1	1	3	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	94	3.6	9	<1	1	3	5	8	9	17
B. *Operated*	1992	6.2	29	1	2	5	8	12	16	26
1. SINGLE DX	1212	3.0	5	1	1	3	4	5	7	11
2. MULTIPLE DX	2086	6.1	29	1	2	5	8	12	16	26
A. NOT OPERATED	140	3.1	8	<1	<1	2	4	7	8	17
B. OPERATED	3158	5.0	23	1	1	4	6	10	14	24
TOTAL 0-19 YRS	692	2.1	3	1	1	2	3	4	5	10
20-34	297	3.0	4	1	1	3	4	5	6	10
35-49	254	3.6	6	1	1	3	5	6	7	16
50-64	517	4.8	13	1	2	4	6	9	13	18
65+	1538	6.9	32	2	2	5	8	13	18	27
GRAND TOTAL	**3298**	**4.9**	**22**	**1**	**1**	**4**	**6**	**10**	**14**	**23**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7	1	<1	<1	1	2	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	269	1.8	3	<1	<1	1	2	3	4	7
20-34	154	2.4	2	1	1	2	3	4	5	8
35-49	249	2.5	2	1	1	2	3	4	5	7
50-64	192	2.8	3	<1	1	3	4	5	6	9
65+	61	3.2	4	1	1	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	1.9	2	1	1	2	3	4	5	5
20-34	5	2.0	3	<1	<1	1	3	5	5	5
35-49	9	2.6	4	<1	<1	2	4	6	6	6
50-64	8	1.9	1	<1	<1	1	3	4	4	4
65+	12	5.8	25	1	1	4	8	15	15	15
B. *Operated*										
0-19 YRS	76	2.6	7	<1	<1	2	3	5	7	15
20-34	95	3.8	6	1	1	3	5	8	9	12
35-49	231	4.0	10	1	1	3	5	7	9	16
50-64	260	4.5	15	1	1	4	5	8	11	21
65+	184	4.8	12	1	2	4	6	8	11	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.0	2	<1	<1	1	3	4	4	4
B. *Operated*	925	2.4	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	50	3.0	10	<1	1	2	4	5	11	15
B. *Operated*	846	4.2	11	1	1	3	5	8	10	17
1. SINGLE DX	932	2.4	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX	896	4.1	11	1	1	3	5	8	10	17
A. NOT OPERATED	57	2.9	9	<1	<1	2	3	5	9	15
B. OPERATED	1771	3.2	8	<1	1	3	4	6	8	13
TOTAL 0-19 YRS	364	1.9	4	<1	<1	1	2	4	5	11
20-34	255	2.9	4	1	1	2	4	5	7	10
35-49	490	3.3	6	1	1	3	4	6	8	11
50-64	461	3.7	10	1	1	3	4	7	9	16
65+	258	4.5	11	1	1	4	6	8	11	20
GRAND TOTAL	**1828**	**3.2**	**8**	**<1**	**1**	**3**	**4**	**6**	**8**	**14**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	1	<1	<1	2	3	3	3	3
20-34	6	2.5	3	<1	<1	2	4	5	5	5
35-49	4	2.3	2	<1	<1	2	3	4	4	4
50-64	6	2.0	2	<1	<1	2	3	4	4	4
65+	8	3.6	14	1	1	2	6	10	11	11
B. *Operated*										
0-19 YRS	67	2.4	4	<1	<1	2	3	5	7	11
20-34	339	3.4	9	1	1	3	4	6	7	14
35-49	601	4.0	6	1	1	4	5	7	8	11
50-64	601	4.4	6	1	2	4	6	8	9	12
65+	340	4.8	6	1	2	4	6	9	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	6	1	1	4	5	6	6	6
20-34	15	1.9	1	<1	<1	1	3	4	4	4
35-49	39	3.0	11	<1	1	2	3	8	12	14
50-64	66	3.7	8	1	1	3	5	8	10	12
65+	90	4.5	10	<1	1	4	6	9	11	16
B. *Operated*										
0-19 YRS	38	4.8	112	<1	1	3	4	6	15	65
20-34	285	4.8	19	1	2	4	6	8	10	17
35-49	744	5.6	14	2	2	5	7	9	12	18
50-64	1127	6.3	17	2	2	5	8	11	13	22
65+	1106	6.9	19	2	3	6	8	12	14	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	2.6	5	<1	<1	2	4	6	7	11
B. *Operated*	1948	4.1	7	1	1	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	213	3.8	10	<1	1	3	5	8	11	14
B. *Operated*	3300	6.2	19	2	2	5	8	11	13	21
1. SINGLE DX	1976	4.1	7	1	1	4	5	7	8	11
2. MULTIPLE DX	3513	6.0	18	1	2	5	8	10	13	21
A. NOT OPERATED	241	3.7	9	<1	1	3	5	8	10	14
B. OPERATED	5248	5.4	15	1	2	5	7	9	12	19
TOTAL 0-19 YRS	112	3.2	41	<1	<1	2	3	5	7	38
20-34	645	4.0	14	1	1	3	5	7	9	16
35-49	1388	4.8	11	1	2	4	6	8	10	16
50-64	1800	5.5	14	1	2	5	7	10	12	19
65+	1544	6.2	17	2	2	6	8	11	13	19
GRAND TOTAL	**5489**	**5.3**	**15**	**1**	**2**	**5**	**7**	**9**	**12**	**18**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	19	3.1	1	1	2	3	4	5	5	5
35-49	52	2.9	2	<1	1	3	4	6	6	6
50-64	60	3.6	5	1	1	3	5	6	8	12
65+	40	3.8	7	1	1	3	4	8	9	13
B. *Operated*										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	6	7.7	13	2	2	7	11	12	12	12
35-49	21	7.1	14	2	3	7	8	9	15	21
50-64	35	7.1	8	2	3	8	9	10	12	14
65+	17	7.1	6	2	3	7	9	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	3.8	8	1	1	3	5	7	10	12
20-34	132	4.2	5	1	2	4	5	7	8	12
35-49	455	4.2	7	1	2	4	5	7	9	14
50-64	774	4.5	6	2	2	4	6	8	9	14
65+	1173	5.0	10	2	2	4	6	9	11	18
B. *Operated*										
0-19 YRS	13	9.4	55	<1	2	8	12	17	27	30
20-34	93	7.7	21	3	3	7	9	12	13	30
35-49	210	7.9	36	2	3	7	9	12	15	35
50-64	388	8.2	25	2	3	7	10	15	18	28
65+	391	9.8	45	3	4	8	11	16	21	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	172	3.4	4	1	1	3	4	6	8	12
B. *Operated*	82	7.0	9	2	3	7	8	10	11	19
2. MULTIPLE DX										
A. *Not Operated*	2553	4.7	8	1	2	4	6	8	10	15
B. *Operated*	1095	8.7	35	2	3	8	10	14	19	30
1. SINGLE DX	254	4.5	9	1	2	4	6	8	10	13
2. MULTIPLE DX	3648	5.9	20	2	2	5	7	10	13	23
A. NOT OPERATED	2725	4.6	8	1	2	4	6	8	10	14
B. OPERATED	1177	8.6	33	2	3	8	10	14	19	30
TOTAL 0-19 YRS	36	5.8	31	1	1	4	7	12	13	30
20-34	250	5.5	14	2	2	5	7	10	12	19
35-49	738	5.3	18	1	2	4	7	9	11	20
50-64	1257	5.6	15	2	2	5	7	10	13	20
65+	1621	6.2	23	2	2	5	8	11	13	23
GRAND TOTAL	**3902**	**5.8**	**19**	**2**	**2**	**5**	**7**	**10**	**13**	**22**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	6.0	2	5	5	6	7	7	7	7
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64	2	8.0	8	6	6	8	10	10	10	10
65+										
B. *Operated*										
0-19 YRS	9	2.0	1	1	1	2	3	4	4	4
20-34	62	3.1	3	1	1	3	4	5	6	7
35-49	93	2.8	2	1	1	3	4	4	6	9
50-64	106	3.2	4	1	1	3	4	6	7	11
65+	79	3.5	4	1	1	3	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	1	1	1	2	3	3	3	3
20-34	9	4.3	12	<1	<1	4	6	10	12	12
35-49	12	4.3	5	<1	1	4	6	7	7	7
50-64	10	4.4	12	1	1	4	5	10	13	13
65+	14	6.1	22	1	2	5	8	14	16	17
B. *Operated*										
0-19 YRS	8	4.3	15	1	1	3	6	11	12	12
20-34	32	5.1	22	1	1	3	6	12	16	19
35-49	67	5.1	32	1	1	4	6	9	11	37
50-64	109	5.2	30	1	1	4	6	10	12	30
65+	145	5.4	17	2	2	5	6	9	11	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	4.6	12	<1	<1	5	7	9	10	10
B. *Operated*	349	3.1	3	1	1	3	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	49	4.7	13	1	1	4	6	9	13	17
B. *Operated*	361	5.2	24	1	2	4	6	9	12	23
1. SINGLE DX	356	3.2	4	1	1	3	4	5	7	10
2. MULTIPLE DX	410	5.2	22	1	2	4	6	9	12	21
A. NOT OPERATED	56	4.7	12	<1	1	4	6	9	13	17
B. OPERATED	710	4.2	15	1	1	3	5	7	10	17
TOTAL 0-19 YRS	22	2.8	7	1	1	2	3	5	10	12
20-34	105	3.9	10	1	1	3	5	7	10	17
35-49	174	3.8	15	1	1	3	4	7	8	22
50-64	227	4.3	17	1	1	3	5	7	10	16
65+	238	4.9	14	1	2	4	6	9	11	18
GRAND TOTAL	**766**	**4.2**	**15**	**1**	**1**	**3**	**5**	**8**	**10**	**17**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.2		1	1	1	2	2	2	2
20-34	4	1.8	1	<1	<1	1	2	3	3	3
35-49	7	2.3	1	<1	<1	2	3	4	4	4
50-64	8	3.0	4	1	1	3	5	6	6	6
65+	12	3.4	15	<1	1	2	4	8	14	15
B. *Operated*										
0-19 YRS	39	3.2	10	<1	1	3	4	7	8	18
20-34	153	3.6	8	1	1	3	5	7	9	12
35-49	285	3.7	7	1	1	3	5	7	9	13
50-64	262	4.4	8	1	2	4	6	8	9	16
65+	311	5.9	16	1	2	5	7	10	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	6	1.5	1	1	1	1	2	3	3	3
35-49	16	3.9	5	1	2	3	5	8	8	8
50-64	42	4.7	11	1	1	4	6	10	12	12
65+	187	6.0	15	2	2	5	7	10	13	22
B. *Operated*										
0-19 YRS	30	5.6	109	1	1	3	5	11	15	58
20-34	110	5.8	32	1	2	5	7	10	12	34
35-49	346	7.0	51	1	2	5	8	13	17	37
50-64	662	8.5	53	2	2	7	10	16	23	48
65+	1371	10.2	59	2	3	8	13	19	23	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	2.6	6	<1	1	2	3	5	6	15
B. *Operated*	1050	4.5	11	1	1	4	6	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	253	5.5	14	1	2	5	7	10	12	18
B. *Operated*	2519	9.1	58	2	3	7	11	17	22	40
1. SINGLE DX	1086	4.4	11	1	1	4	6	8	10	17
2. MULTIPLE DX	2772	8.7	55	2	2	7	11	16	22	39
A. NOT OPERATED	289	5.2	14	1	1	4	7	10	12	18
B. OPERATED	3569	7.7	48	1	2	6	10	15	20	35
TOTAL 0-19 YRS	76	4.1	50	1	1	2	4	8	12	48
20-34	273	4.5	19	1	1	3	6	8	11	23
35-49	654	5.4	33	1	2	4	7	10	14	24
50-64	974	7.2	43	1	2	6	9	14	18	37
65+	1881	9.0	51	2	3	7	11	17	21	35
GRAND TOTAL	**3858**	**7.5**	**46**	**1**	**2**	**6**	**9**	**15**	**19**	**34**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	221	2.7	5	<1	1	2	4	6	7	11
20-34	278	4.0	6	1	1	3	5	7	9	13
35-49	442	4.5	8	1	2	4	6	8	10	14
50-64	442	4.5	8	1	2	4	6	8	10	13
65+	525	4.9	9	1	2	4	6	9	11	16
B. *Operated*										
0-19 YRS	161	6.0	9	2	3	6	7	9	11	17
20-34	147	9.0	22	3	4	8	11	15	17	26
35-49	229	10.1	27	4	5	9	12	17	20	29
50-64	228	10.5	32	5	6	9	12	16	21	30
65+	213	12.1	45	6	7	11	13	19	23	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	247	4.0	14	1	1	3	5	7	11	20
20-34	455	5.1	14	1	2	4	7	9	12	19
35-49	839	5.3	12	1	2	5	7	9	12	19
50-64	1510	6.1	19	2	2	5	8	11	14	23
65+	4466	7.1	25	2	3	6	9	13	16	25
B. *Operated*										
0-19 YRS	232	9.1	56	3	4	7	10	17	22	50
20-34	391	12.4	86	4	5	10	14	23	30	49
35-49	720	13.7	109	5	6	11	16	24	34	63
50-64	1152	15.6	121	5	6	13	18	28	37	73
65+	2672	16.7	103	6	8	14	20	29	36	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1908	4.3	8	1	1	4	6	8	10	14
B. *Operated*	978	9.8	32	3	4	9	12	16	20	29
2. MULTIPLE DX										
A. *Not Operated*	7517	6.5	22	2	2	5	8	12	15	24
B. *Operated*	5167	15.3	108	5	6	13	18	28	35	61
1. SINGLE DX	2886	6.2	23	1	2	5	8	12	14	24
2. MULTIPLE DX	12684	10.1	76	2	3	8	13	20	26	47
A. NOT OPERATED	9425	6.1	20	1	2	5	8	11	14	22
B. OPERATED	6145	14.5	100	5	6	12	17	26	33	56
TOTAL 0-19 YRS	861	5.4	28	1	1	4	7	10	15	27
20-34	1271	7.6	48	2	2	6	9	15	19	36
35-49	2230	8.3	60	2	2	6	10	16	21	43
50-64	3332	9.5	75	2	3	7	12	19	25	45
65+	7876	10.4	73	2	3	8	13	20	26	47
GRAND TOTAL	**15570**	**9.4**	**69**	**2**	**3**	**7**	**12**	**18**	**24**	**44**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4994	2.6	2	1	1	2	3	4	5	7
20-34	2067	2.5	3	1	1	2	3	4	5	8
35-49	925	3.0	3	1	1	3	4	5	7	9
50-64	494	3.0	4	1	1	3	4	6	7	10
65+	334	3.4	5	1	1	3	4	6	8	10
B. *Operated*										
0-19 YRS	99	4.2	6	1	2	4	5	8	10	13
20-34	140	4.8	9	1	2	4	6	8	10	14
35-49	84	5.5	16	1	2	4	7	11	14	20
50-64	48	5.4	21	<1	1	4	6	9	20	21
65+	19	6.3	11	1	2	7	8	11	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11795	3.3	5	1	1	3	4	5	7	10
20-34	3885	3.3	5	1	1	3	4	6	7	11
35-49	2560	4.2	7	1	2	4	5	7	9	14
50-64	2856	4.6	11	1	2	4	6	8	10	16
65+	5256	5.3	13	2	2	4	7	9	12	19
B. *Operated*										
0-19 YRS	185	8.3	108	2	2	5	9	17	34	89
20-34	301	7.1	29	2	3	6	8	12	16	32
35-49	372	8.3	34	3	3	7	10	16	22	29
50-64	415	8.6	36	3	3	7	10	15	21	33
65+	673	11.1	75	3	4	9	14	21	28	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8814	2.6	3	1	1	2	3	5	6	8
B. *Operated*	390	5.0	12	1	2	4	6	9	11	20
2. MULTIPLE DX										
A. *Not Operated*	26352	3.9	8	1	2	3	5	7	9	14
B. *Operated*	1946	9.1	57	2	3	7	11	18	24	42
1. SINGLE DX	9204	2.7	3	1	1	2	3	5	6	9
2. MULTIPLE DX	28298	4.3	13	1	2	3	5	8	10	18
A. NOT OPERATED	35166	3.6	7	1	1	3	4	6	8	13
B. OPERATED	2336	8.4	52	2	3	6	10	16	22	37
TOTAL 0-19 YRS	17073	3.1	6	1	1	3	4	5	6	10
20-34	6393	3.2	6	1	1	3	4	6	8	12
35-49	3941	4.3	11	1	1	3	5	8	10	17
50-64	3813	4.8	15	1	2	4	6	9	11	21
65+	6282	5.8	23	2	2	5	7	11	14	24
GRAND TOTAL	**37502**	**3.9**	**11**	**1**	**1**	**3**	**5**	**7**	**9**	**17**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	75	4.2	5	1	2	4	5	6	7	12
35-49	451	4.7	5	2	2	4	6	7	9	11
50-64	717	4.7	6	2	2	4	6	8	9	13
65+	662	5.0	7	2	2	5	6	8	10	12
B. *Operated*										
0-19 YRS	2	11.5	13	9	9	11	14	14	14	14
20-34	37	7.1	4	4	4	7	8	9	10	13
35-49	113	9.1	18	4	5	9	10	14	17	24
50-64	204	9.7	11	5	6	9	11	14	17	20
65+	155	11.5	29	4	6	10	14	18	22	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	5.4	5	2	2	6	7	8	10	10
20-34	61	4.3	9	1	1	4	5	7	8	20
35-49	584	5.3	8	2	2	5	7	9	11	14
50-64	1884	5.6	13	2	2	5	7	9	11	17
65+	5561	6.3	16	2	3	5	8	11	13	21
B. *Operated*										
0-19 YRS	8	9.6	37	2	3	8	12	20	22	22
20-34	87	10.0	35	4	5	8	11	18	21	35
35-49	447	11.4	40	5	6	10	14	18	21	40
50-64	1250	12.4	71	4	5	11	15	21	27	44
65+	2421	13.8	86	4	5	12	17	24	30	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1906	4.8	6	2	2	4	6	8	9	12
B. *Operated*	511	9.9	19	4	5	9	11	15	18	25
2. MULTIPLE DX										
A. *Not Operated*	8103	6.0	15	2	2	5	7	10	13	20
B. *Operated*	4213	13.0	76	4	5	11	16	22	28	50
1. SINGLE DX	2417	5.9	13	2	2	5	7	10	12	19
2. MULTIPLE DX	12316	8.4	47	2	3	7	10	16	21	35
A. NOT OPERATED	10009	5.8	13	2	2	5	7	10	12	19
B. OPERATED	4724	12.7	71	4	5	11	15	22	27	47
TOTAL 0-19 YRS	24	7.3	21	2	2	7	9	14	17	22
20-34	260	6.6	22	2	2	6	8	11	15	24
35-49	1595	7.1	25	2	3	6	9	13	16	24
50-64	4055	7.8	40	2	3	6	10	14	18	33
65+	8799	8.3	47	2	3	6	10	16	21	35
GRAND TOTAL	**14733**	**8.0**	**42**	**2**	**3**	**6**	**10**	**15**	**19**	**34**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	2.9	3	1	1	3	4	5	6	7
20-34	44	3.0	4	1	1	3	4	6	8	9
35-49	41	3.2	3	1	1	3	4	6	7	8
50-64	17	3.6	8	<1	<1	2	6	8	9	9
65+	7	7.4	25	2	2	8	11	14	15	15
B. *Operated*										
0-19 YRS	147	2.6	4	1	1	2	3	5	5	12
20-34	892	2.7	4	1	1	2	3	5	6	11
35-49	815	2.8	4	1	1	2	3	5	6	9
50-64	417	3.0	5	1	1	2	4	5	7	11
65+	149	3.4	6	1	1	3	4	6	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	3.6	9	1	1	3	5	7	8	19
20-34	79	3.8	7	1	1	3	5	8	9	13
35-49	93	5.2	30	1	2	4	6	9	11	36
50-64	82	4.4	11	1	1	4	6	9	9	19
65+	81	5.0	8	2	2	5	7	9	10	16
B. *Operated*										
0-19 YRS	86	4.1	17	1	1	3	5	7	10	26
20-34	912	3.7	14	1	1	3	4	7	9	19
35-49	1297	3.9	14	1	1	3	5	7	9	23
50-64	1027	4.5	20	1	1	3	5	8	13	22
65+	615	5.9	40	1	2	4	7	11	18	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	135	3.3	6	1	1	3	4	7	9	12
B. *Operated*	2420	2.8	4	1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	392	4.5	14	1	1	4	6	8	10	19
B. *Operated*	3937	4.3	20	1	1	3	5	8	11	23
1. SINGLE DX	2555	2.8	4	1	1	2	3	5	7	11
2. MULTIPLE DX	4329	4.3	20	1	1	3	5	8	11	23
A. NOT OPERATED	527	4.2	12	1	1	3	5	8	9	16
B. OPERATED	6357	3.7	15	1	1	3	4	7	9	20
TOTAL 0-19 YRS	316	3.2	8	1	1	2	4	6	7	14
20-34	1927	3.2	9	1	1	3	4	6	8	15
35-49	2246	3.5	11	1	1	3	4	6	8	15
50-64	1543	4.1	16	1	1	3	5	8	11	20
65+	852	5.4	32	1	2	4	6	10	16	27
GRAND TOTAL	**6884**	**3.8**	**14**	**1**	**1**	**3**	**4**	**7**	**9**	**20**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	707	3.4	10	1	1	2	4	7	9	17
20-34	907	4.2	9	1	1	3	5	7	9	15
35-49	617	4.4	12	1	2	4	5	8	10	18
50-64	357	4.5	12	1	1	4	6	9	11	19
65+	297	4.0	12	1	1	3	5	7	9	17
B. *Operated*										
0-19 YRS	226	6.1	34	1	2	4	8	11	15	35
20-34	591	7.2	31	1	2	6	9	13	18	29
35-49	390	7.1	27	1	2	6	9	13	16	27
50-64	334	6.9	27	1	2	6	9	13	16	24
65+	263	7.6	52	1	1	6	10	14	20	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	938	3.9	13	1	1	3	5	7	10	20
20-34	1762	5.1	16	1	2	4	6	9	12	22
35-49	1790	5.5	18	1	2	4	7	10	13	21
50-64	1960	5.6	18	1	2	4	7	10	14	21
65+	4678	6.1	25	1	2	5	7	11	15	25
B. *Operated*										
0-19 YRS	423	10.0	125	2	2	7	11	23	32	68
20-34	1583	10.1	74	2	3	8	12	20	28	47
35-49	1638	10.8	107	2	3	8	13	22	30	59
50-64	1891	11.6	116	2	3	9	14	24	33	62
65+	3195	12.9	123	2	3	10	16	25	35	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2885	4.1	11	1	1	3	5	8	10	17
B. *Operated*	1804	7.1	33	1	2	6	9	13	17	29
2. MULTIPLE DX										
A. *Not Operated*	11128	5.5	21	1	2	4	7	11	13	23
B. *Operated*	8730	11.6	111	2	3	9	14	23	32	58
1. SINGLE DX	4689	5.2	21	1	1	4	7	10	13	24
2. MULTIPLE DX	19858	8.2	69	1	2	6	10	17	23	45
A. NOT OPERATED	14013	5.2	19	1	2	4	7	10	13	22
B. OPERATED	10534	10.8	101	2	3	8	13	22	30	54
TOTAL 0-19 YRS	2294	5.1	41	1	1	3	6	10	15	32
20-34	4843	6.8	41	1	2	5	8	13	19	35
35-49	4435	7.4	58	1	2	5	9	15	20	41
50-64	4542	8.1	68	1	2	6	10	16	23	43
65+	8433	8.6	74	2	2	6	11	17	24	48
GRAND TOTAL	**24547**	**7.6**	**62**	**1**	**2**	**5**	**9**	**15**	**22**	**42**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	27	5.8	17	2	2	5	7	7	15	22
35-49	47	5.9	15	2	2	5	7	11	15	20
50-64	53	7.2	34	1	2	6	9	14	18	32
65+	12	5.6	20	1	1	4	8	13	14	14
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	11	6.0	21	1	1	5	8	13	16	16
35-49	32	4.8	49	1	1	3	5	11	15	38
50-64	23	5.3	30	1	1	2	8	13	16	20
65+	5	6.2	123	1	1	1	8	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	9.0	61	4	4	5	15	18	18	18
20-34	271	7.7	39	2	2	6	9	15	21	33
35-49	749	9.1	54	2	3	7	11	17	22	37
50-64	816	10.0	65	2	3	8	12	19	26	41
65+	400	9.8	37	3	4	8	12	18	22	32
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	67	13.1	174	2	3	9	15	28	48	64
35-49	230	12.5	124	2	3	9	17	26	34	70
50-64	320	12.7	128	1	2	9	16	28	34	55
65+	138	13.2	119	2	4	11	17	25	30	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	139	6.4	23	1	2	5	7	13	15	23
B. *Operated*	72	5.2	41	1	1	3	7	13	16	35
2. MULTIPLE DX										
A. *Not Operated*	2239	9.4	54	2	3	7	11	18	24	36
B. *Operated*	756	12.7	129	2	3	9	16	26	34	60
1. SINGLE DX	211	6.0	29	1	1	5	7	13	15	28
2. MULTIPLE DX	2995	10.2	75	2	3	8	13	20	27	42
A. NOT OPERATED	2378	9.2	52	2	3	7	11	17	23	36
B. OPERATED	828	12.1	126	1	2	9	16	26	33	58
TOTAL 0-19 YRS	5	5.8	50	1	1	4	8	18	18	18
20-34	376	8.5	66	2	2	6	10	17	24	45
35-49	1058	9.6	70	2	3	7	12	19	25	42
50-64	1212	10.5	82	2	3	8	13	21	29	45
65+	555	10.5	61	3	4	9	13	19	25	36
GRAND TOTAL	**3206**	**10.0**	**73**	**2**	**3**	**8**	**13**	**20**	**26**	**42**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.0	7	1	1	2	5	7	7	7
20-34	18	4.8	11	1	1	5	5	10	11	12
35-49	22	4.7	15	1	1	4	7	10	13	15
50-64	34	5.1	10	1	1	5	6	9	12	14
65+	12	4.9	14	1	1	4	7	11	13	13
B. *Operated*										
0-19 YRS	8	1.9	1	1	1	2	3	4	4	4
20-34	88	2.9	10	1	1	1	3	8	10	15
35-49	96	2.5	8	1	1	2	3	5	7	18
50-64	113	3.1	17	<1	1	2	3	6	12	22
65+	54	3.0	30	1	1	2	3	5	6	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	5.1	53	1	1	3	6	9	12	42
20-34	95	7.0	39	1	1	5	8	14	19	33
35-49	194	8.8	35	2	3	7	11	17	21	29
50-64	387	9.0	46	2	3	7	12	17	22	37
65+	432	9.3	32	2	4	8	12	16	19	30
B. *Operated*										
0-19 YRS	28	6.2	21	1	1	5	10	13	15	16
20-34	101	5.3	28	1	1	3	7	13	17	23
35-49	257	8.0	99	1	1	4	10	20	26	50
50-64	408	8.3	67	1	1	6	11	19	23	34
65+	416	10.3	98	1	1	8	14	23	29	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	90	4.8	11	1	1	4	6	10	12	15
B. *Operated*	359	2.8	14	1	1	2	3	6	9	19
2. MULTIPLE DX										
A. *Not Operated*	1140	8.8	39	2	3	7	11	16	20	34
B. *Operated*	1210	8.6	82	1	1	6	12	20	26	38
1. SINGLE DX	449	3.2	14	1	1	2	4	7	10	19
2. MULTIPLE DX	2350	8.7	61	1	1	7	12	18	23	36
A. NOT OPERATED	1230	8.5	38	2	2	7	11	16	20	33
B. OPERATED	1569	7.3	73	1	1	4	10	18	23	37
TOTAL 0-19 YRS	72	5.1	33	1	1	3	6	11	14	36
20-34	302	5.1	27	1	1	3	7	12	15	27
35-49	569	7.2	64	1	1	5	9	17	21	34
50-64	942	7.8	54	1	1	6	11	17	22	35
65+	914	9.3	65	1	2	8	12	18	24	37
GRAND TOTAL	**2799**	**7.8**	**58**	**1**	**1**	**6**	**11**	**17**	**22**	**35**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	3.6	5	1	1	3	5	7	8	10
20-34	153	5.0	13	2	2	4	6	9	12	16
35-49	85	6.4	31	1	2	5	7	11	13	34
50-64	56	5.6	20	1	1	5	7	10	12	29
65+	33	6.5	19	2	2	5	8	13	16	19
B. *Operated*										
0-19 YRS	8	3.0	3	1	1	2	4	6	6	6
20-34	31	5.7	28	1	1	4	9	14	18	19
35-49	56	6.1	49	1	1	3	8	17	22	30
50-64	42	4.7	22	<1	1	2	7	12	15	18
65+	24	6.6	81	<1	1	3	8	16	29	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	6.5	45	1	2	5	8	11	21	41
20-34	248	6.1	16	1	2	5	8	12	14	19
35-49	370	8.1	53	2	3	6	10	15	20	38
50-64	664	8.6	41	2	3	7	11	16	20	34
65+	678	9.0	40	3	3	8	11	17	21	33
B. *Operated*										
0-19 YRS	32	12.8	227	1	1	9	14	37	47	62
20-34	79	10.9	118	1	1	8	14	20	33	60
35-49	150	12.0	174	1	1	9	14	29	48	99
50-64	263	13.1	159	1	2	10	17	27	35	67
65+	272	14.3	122	2	2	12	19	30	35	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	367	5.4	18	1	2	4	7	10	13	27
B. *Operated*	161	5.6	40	1	1	3	7	14	18	30
2. MULTIPLE DX										
A. *Not Operated*	2038	8.3	41	2	3	7	10	16	19	32
B. *Operated*	796	13.1	148	1	2	10	17	29	37	63
1. SINGLE DX	528	5.5	25	1	1	4	7	11	14	28
2. MULTIPLE DX	2834	9.6	76	2	3	7	12	19	26	47
A. NOT OPERATED	2405	7.8	38	2	3	6	10	15	19	31
B. OPERATED	957	11.8	138	1	1	9	15	26	35	57
TOTAL 0-19 YRS	158	6.9	79	1	2	4	8	13	25	47
20-34	511	6.5	35	1	2	5	8	13	16	31
35-49	661	8.6	81	1	2	6	11	17	25	57
50-64	1025	9.4	75	2	2	7	12	19	25	45
65+	1007	10.3	69	2	3	8	13	20	27	41
GRAND TOTAL	**3362**	**9.0**	**70**	**1**	**2**	**7**	**11**	**18**	**25**	**46**

215: Gallbladder disease with calculus (574.0-574.2)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	2.6	3	1	1	2	3	5	6	9
20-34	459	2.6	3	1	1	2	3	5	6	9
35-49	422	2.8	4	1	1	2	4	5	6	11
50-64	365	3.0	4	1	1	2	4	6	7	11
65+	236	3.6	5	1	1	3	5	7	9	12
B. *Operated*										
0-19 YRS	366	5.6	4	3	3	5	7	8	10	13
20-34	4057	5.5	4	3	3	5	6	8	9	12
35-49	3692	5.8	5	3	4	5	7	8	10	13
50-64	2926	6.2	5	3	4	6	7	9	10	14
65+	1286	7.4	8	4	5	7	9	11	13	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	3.3	4	1	1	3	4	6	7	11
20-34	520	3.4	8	1	1	3	4	6	8	12
35-49	618	3.9	7	1	1	3	5	7	8	13
50-64	1181	4.6	10	1	1	4	6	9	11	15
65+	2528	5.9	15	2	2	5	7	11	14	19
B. *Operated*										
0-19 YRS	306	7.0	25	3	4	6	8	11	14	25
20-34	3681	6.9	13	3	4	6	8	11	13	21
35-49	5009	7.3	15	3	4	6	9	12	14	22
50-64	6566	8.5	23	4	5	7	10	14	16	27
65+	7614	10.8	41	5	5	9	13	18	22	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1531	2.9	4	1	1	2	4	5	7	10
B. *Operated*	12327	5.9	5	3	4	6	7	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	4908	5.0	13	1	2	4	6	9	12	18
B. *Operated*	23176	8.7	28	4	4	7	10	14	18	29
1. SINGLE DX	13858	5.6	6	2	3	5	7	9	10	13
2. MULTIPLE DX	28084	8.1	27	3	4	7	10	14	17	28
A. NOT OPERATED	6439	4.5	12	1	1	4	6	9	11	17
B. OPERATED	35503	7.8	22	3	4	7	9	13	16	25
TOTAL 0-19 YRS	782	5.8	14	2	3	5	7	9	11	16
20-34	8717	5.8	9	2	3	5	7	9	11	16
35-49	9741	6.3	12	2	3	6	7	10	12	19
50-64	11038	7.3	19	2	3	6	9	12	15	22
65+	11664	9.2	36	3	4	8	11	16	20	31
GRAND TOTAL	**41942**	**7.3**	**22**	**2**	**3**	**6**	**9**	**12**	**15**	**24**

216: Gallbladder disease without mention of calculus (575)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	3.5	4	2	2	3	5	6	8	10
20-34	289	3.0	3	1	1	3	4	5	6	8
35-49	228	3.2	4	1	1	3	4	6	7	10
50-64	170	3.4	4	1	1	3	4	6	7	10
65+	102	4.7	7	1	1	4	6	8	9	12
B. *Operated*										
0-19 YRS	28	5.8	4	3	4	5	7	9	10	11
20-34	319	6.4	9	3	4	6	7	9	12	18
35-49	296	6.2	6	3	4	6	7	9	12	14
50-64	189	7.0	8	4	4	7	8	11	12	18
65+	100	8.1	13	3	4	8	10	12	16	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	4.2	11	1	2	3	5	7	11	19
20-34	360	4.1	13	1	1	3	5	7	9	13
35-49	421	4.5	9	1	1	4	6	8	10	14
50-64	466	5.0	11	1	2	4	6	9	11	19
65+	755	6.4	14	2	2	6	8	11	13	20
B. *Operated*										
0-19 YRS	35	8.7	38	3	3	6	11	14	23	30
20-34	562	7.2	15	3	4	6	8	12	15	21
35-49	712	8.1	19	3	4	7	10	14	17	25
50-64	663	9.3	38	4	5	8	11	15	19	38
65+	812	12.4	63	5	6	10	15	21	26	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	832	3.4	4	1	1	3	4	6	7	10
B. *Operated*	932	6.6	9	3	4	6	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	2058	5.2	13	1	2	4	7	10	12	18
B. *Operated*	2784	9.5	40	4	4	8	11	16	20	34
1. SINGLE DX	1764	5.1	9	1	2	5	6	9	11	16
2. MULTIPLE DX	4842	7.7	33	2	3	6	9	14	17	28
A. NOT OPERATED	2890	4.7	11	1	2	4	6	9	11	16
B. OPERATED	3716	8.8	34	4	4	7	10	15	19	30
TOTAL 0-19 YRS	162	5.2	17	2	2	4	6	10	13	24
20-34	1530	5.5	14	1	2	5	7	10	12	18
35-49	1657	6.2	16	1	2	5	8	11	14	20
50-64	1488	7.0	27	2	2	6	9	12	15	26
65+	1769	9.1	45	2	3	8	11	16	21	35
GRAND TOTAL	**6606**	**7.0**	**28**	**2**	**2**	**6**	**9**	**13**	**16**	**26**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	35	2.7	3	1	1	2	4	5	5	9
35-49	25	3.3	3	<1	1	3	5	6	6	7
50-64	27	3.1	10	<1	1	2	4	8	11	12
65+	41	4.1	12	1	1	3	6	8	9	19
B. *Operated*										
0-19 YRS	16	7.3	12	2	4	6	10	12	13	14
20-34	127	6.8	12	2	3	6	9	11	13	19
35-49	105	7.0	10	2	3	7	9	11	12	16
50-64	114	7.2	19	1	2	7	9	14	15	19
65+	143	8.1	29	1	1	8	11	16	19	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	29	2.8	3	1	1	3	3	6	7	8
35-49	53	4.8	8	1	1	4	7	8	9	15
50-64	70	5.4	22	1	1	4	7	10	12	26
65+	299	6.3	19	2	2	5	8	11	15	23
B. *Operated*										
0-19 YRS	15	9.9	32	4	4	9	14	19	20	21
20-34	171	9.4	23	4	5	8	11	15	18	26
35-49	167	9.5	26	3	4	9	12	17	19	24
50-64	348	12.0	65	3	5	10	15	21	26	41
65+	1115	14.1	71	4	6	12	17	24	29	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	3.4	7	1	1	3	4	7	8	13
B. *Operated*	505	7.3	18	1	2	7	10	12	15	20
2. MULTIPLE DX										
A. *Not Operated*	452	5.8	18	1	2	5	7	10	13	22
B. *Operated*	1816	12.8	64	4	5	11	16	22	27	41
1. SINGLE DX	634	6.5	18	1	1	6	9	12	14	20
2. MULTIPLE DX	2268	11.4	62	2	3	10	15	21	25	39
A. NOT OPERATED	581	5.3	17	1	1	4	7	10	12	22
B. OPERATED	2321	11.6	59	3	4	10	15	20	25	39
TOTAL 0-19 YRS	33	8.4	22	3	4	7	11	15	19	21
20-34	362	7.3	22	1	2	7	9	13	16	22
35-49	350	7.6	21	2	3	7	10	13	17	21
50-64	559	9.8	56	1	2	9	13	18	23	36
65+	1598	11.8	68	2	3	10	15	21	27	40
GRAND TOTAL	**2902**	**10.3**	**57**	**2**	**3**	**9**	**13**	**19**	**24**	**38**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	6.5	20	2	2	6	10	12	12	12
20-34	22	4.2	8	<1	1	4	6	8	10	11
35-49	31	4.4	8	1	1	4	6	9	11	11
50-64	26	4.3	9	1	1	4	6	9	10	12
65+	48	5.7	23	1	2	5	7	10	13	31
B. *Operated*										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	20	10.3	126	<1	1	7	15	19	36	50
35-49	25	6.2	27	1	1	5	9	16	17	17
50-64	29	6.9	32	1	1	6	9	14	17	27
65+	37	7.8	37	1	1	6	11	18	20	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	7.6	26	1	2	7	10	16	17	17
20-34	63	5.8	16	1	2	5	8	10	12	24
35-49	111	6.4	27	1	2	5	7	13	20	25
50-64	160	6.7	18	1	2	6	9	12	14	21
65+	376	7.7	33	2	3	6	10	14	19	30
B. *Operated*										
0-19 YRS	13	21.0	203	2	7	18	27	47	49	49
20-34	76	10.1	75	2	2	9	14	18	20	54
35-49	125	12.8	99	2	3	11	17	23	32	54
50-64	193	13.0	120	2	3	10	17	26	38	57
65+	436	14.9	108	3	5	13	19	27	35	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	131	4.9	14	1	1	4	6	9	11	19
B. *Operated*	113	7.6	49	1	1	6	11	16	20	35
2. MULTIPLE DX										
A. *Not Operated*	737	7.2	28	2	2	6	9	13	18	27
B. *Operated*	843	13.8	110	2	4	11	18	26	35	54
1. SINGLE DX	244	6.1	32	1	1	5	8	12	16	27
2. MULTIPLE DX	1580	10.7	83	2	3	8	14	21	27	47
A. NOT OPERATED	868	6.8	26	1	2	6	9	12	17	26
B. OPERATED	956	13.1	107	2	3	11	17	25	33	52
TOTAL 0-19 YRS	46	11.2	110	1	2	8	15	25	33	49
20-34	181	7.9	57	1	2	6	10	16	19	43
35-49	292	8.9	67	1	2	7	12	19	23	44
50-64	408	9.6	77	1	2	7	12	19	26	48
65+	897	11.1	83	2	3	9	14	21	28	45
GRAND TOTAL	**1824**	**10.1**	**78**	**2**	**2**	**8**	**13**	**20**	**26**	**46**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	129	4.6	9	1	2	4	6	8	10	18
20-34	684	5.0	11	2	2	4	6	8	11	17
35-49	605	5.3	9	2	2	5	7	9	11	16
50-64	289	5.9	14	2	2	5	7	10	13	17
65+	215	5.6	9	2	3	5	7	9	11	17
B. *Operated*										
0-19 YRS	10	9.7	37	2	2	9	11	19	20	20
20-34	69	9.5	53	1	2	8	12	19	20	43
35-49	69	11.8	113	1	2	8	17	28	35	45
50-64	53	10.2	54	1	2	9	13	19	22	37
65+	29	8.0	23	2	2	7	11	15	16	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	144	5.9	20	2	2	5	7	11	15	24
20-34	1846	6.2	17	2	3	5	8	11	14	22
35-49	2552	6.8	20	2	3	6	8	12	15	22
50-64	1629	7.3	24	2	3	6	9	13	16	26
65+	1769	7.9	28	3	3	7	10	14	18	29
B. *Operated*										
0-19 YRS	36	14.6	247	3	3	9	13	43	54	68
20-34	347	16.6	204	4	5	11	21	39	56	99+
35-49	617	15.7	177	3	5	12	19	34	47	86
50-64	618	15.6	150	3	5	12	19	31	40	62
65+	656	15.6	152	4	6	12	19	30	39	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1922	5.3	10	2	2	5	7	9	11	17
B. *Operated*	230	10.2	67	1	2	8	13	20	26	44
2. MULTIPLE DX										
A. *Not Operated*	7940	7.0	22	2	3	6	8	12	15	25
B. *Operated*	2274	15.8	167	3	5	12	19	32	45	79
1. SINGLE DX	2152	5.8	19	2	2	5	7	10	13	21
2. MULTIPLE DX	10214	9.0	68	2	3	7	10	17	23	48
A. NOT OPERATED	9862	6.7	20	2	3	6	8	12	15	24
B. OPERATED	2504	15.2	161	3	5	12	19	31	43	76
TOTAL 0-19 YRS	319	6.5	51	2	2	5	7	12	17	46
20-34	2946	7.3	51	2	3	5	8	13	19	44
35-49	3843	8.1	57	2	3	6	9	15	21	45
50-64	2589	9.2	67	2	3	7	11	17	24	46
65+	2669	9.6	69	3	3	7	12	18	24	45
GRAND TOTAL	**12366**	**8.4**	**61**	**2**	**3**	**6**	**10**	**16**	**22**	**45**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	100	2.8	3	1	1	2	3	6	7	7
20-34	125	3.0	4	1	1	3	4	5	7	10
35-49	131	3.7	11	1	1	3	4	6	8	16
50-64	145	4.0	7	1	1	3	5	7	8	14
65+	214	4.2	6	1	1	4	5	7	9	13
B. *Operated*										
0-19 YRS	4	5.0	12	2	2	4	7	10	10	10
20-34	17	5.4	13	1	2	5	7	9	14	16
35-49	14	9.4	110	1	2	5	13	28	34	36
50-64	28	6.1	8	2	3	6	8	10	11	12
65+	35	10.0	172	1	2	6	10	18	47	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	232	3.8	9	1	1	3	4	7	10	18
20-34	603	4.3	9	1	1	3	5	8	10	16
35-49	875	5.4	20	1	2	4	6	9	13	21
50-64	1603	5.7	17	2	2	5	7	10	12	23
65+	5796	6.6	21	2	3	6	8	12	15	24
B. *Operated*										
0-19 YRS	31	6.9	41	1	1	5	9	15	22	29
20-34	123	7.0	47	2	2	6	9	13	15	76
35-49	268	8.7	85	2	3	6	11	17	22	86
50-64	671	9.2	66	2	3	7	11	18	23	38
65+	1781	10.3	70	3	4	8	13	19	26	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	715	3.7	7	1	1	3	5	7	8	12
B. *Operated*	98	7.8	84	1	2	5	8	15	23	55
2. MULTIPLE DX										
A. *Not Operated*	9109	6.1	20	2	2	5	7	11	14	23
B. *Operated*	2874	9.7	70	2	3	7	12	18	25	42
1. SINGLE DX	813	4.2	18	1	1	3	5	7	9	17
2. MULTIPLE DX	11983	7.0	34	2	2	6	8	13	17	30
A. NOT OPERATED	9824	5.9	19	2	2	5	7	11	14	23
B. OPERATED	2972	9.6	70	2	3	7	12	18	25	43
TOTAL 0-19 YRS	367	3.8	11	1	1	3	4	7	10	18
20-34	868	4.5	15	1	1	4	6	9	11	16
35-49	1288	5.9	36	1	2	4	7	11	15	29
50-64	2447	6.5	33	2	2	5	8	12	17	28
65+	7826	7.4	35	2	3	6	9	14	18	31
GRAND TOTAL	**12796**	**6.8**	**34**	**2**	**2**	**5**	**8**	**13**	**17**	**29**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	4.2	12	1	2	3	5	8	12	19
20-34	3	7.7		7	7	8	8	8	8	8
35-49	4	6.8	23	3	3	6	10	13	13	13
50-64	5	7.6	14	2	2	7	10	12	12	12
65+	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS	11	6.4	48	<1	<1	5	8	18	22	22
20-34	9	6.8	18	2	2	6	8	14	16	16
35-49	8	12.9	131	<1	1	10	16	32	38	38
50-64	4	10.3	11	7	7	10	13	14	14	14
65+	5	15.4	657	1	1	5	21	61	61	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	174	4.9	45	1	2	3	5	10	13	65
20-34	25	7.5	28	2	2	7	9	13	20	24
35-49	39	7.2	27	1	2	6	9	14	17	27
50-64	55	8.4	50	1	2	7	10	16	23	41
65+	77	8.5	27	2	3	8	11	15	18	28
B. *Operated*										
0-19 YRS	30	10.1	134	1	1	4	19	33	39	99+
20-34	24	12.5	133	2	3	9	15	27	38	54
35-49	60	13.0	118	3	4	9	16	28	37	54
50-64	62	14.3	89	3	5	13	17	27	33	51
65+	70	14.2	112	3	5	12	18	25	33	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	4.6	13	2	2	3	7	10	13	19
B. *Operated*	37	9.5	129	<1	1	7	12	17	32	61
2. MULTIPLE DX										
A. *Not Operated*	370	6.6	41	1	2	5	9	13	17	37
B. *Operated*	246	13.3	112	2	3	11	17	27	34	55
1. SINGLE DX	130	6.0	50	1	2	4	7	12	16	43
2. MULTIPLE DX	616	9.3	80	1	2	7	12	19	27	53
A. NOT OPERATED	463	6.2	36	1	2	4	8	12	16	30
B. OPERATED	283	12.8	116	1	3	10	17	26	34	59
TOTAL 0-19 YRS	294	5.3	47	1	2	3	5	11	18	58
20-34	61	9.4	71	2	3	8	10	17	25	51
35-49	111	10.7	90	1	3	8	14	22	32	48
50-64	126	11.3	75	2	3	9	14	20	29	45
65+	154	11.3	91	2	3	9	14	21	25	60
GRAND TOTAL	**746**	**8.7**	**76**	**1**	**2**	**6**	**11**	**18**	**25**	**52**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	125	4.6	11	1	2	3	6	9	12	16
20-34	16	3.6	4	<1	1	3	5	6	7	8
35-49	9	3.9	6	1	1	4	5	8	9	9
50-64	5	6.0	11	1	1	6	8	10	10	10
65+	5	6.6	5	4	4	7	8	10	10	10
B. *Operated*										
0-19 YRS	70	4.0	21	1	1	2	4	9	14	23
20-34	51	2.4	4	1	1	2	2	4	7	10
35-49	37	2.5	3	<1	1	2	3	4	6	9
50-64	32	4.4	16	1	1	3	5	11	14	16
65+	19	3.3	12	<1	1	2	3	7	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	195	5.6	29	1	2	4	6	12	17	33
20-34	54	6.0	19	1	2	5	8	11	15	21
35-49	55	5.7	18	1	2	5	7	9	15	22
50-64	71	8.5	79	2	3	7	10	16	19	61
65+	120	8.2	32	2	3	7	11	14	17	30
B. *Operated*										
0-19 YRS	85	8.0	91	1	1	4	11	20	37	99+
20-34	105	7.9	58	1	1	6	10	18	26	36
35-49	95	7.5	67	1	1	4	10	19	25	41
50-64	129	9.3	74	1	2	7	13	19	29	39
65+	130	10.2	69	1	2	8	14	22	30	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	160	4.5	10	1	1	4	6	9	11	15
B. *Operated*	209	3.3	13	1	1	2	3	7	11	19
2. MULTIPLE DX										
A. *Not Operated*	495	6.7	36	1	2	5	9	13	17	30
B. *Operated*	544	8.7	72	1	1	6	11	20	28	49
1. SINGLE DX	369	3.9	12	1	1	3	5	8	11	17
2. MULTIPLE DX	1039	7.8	56	1	2	5	10	17	22	36
A. NOT OPERATED	655	6.2	31	1	2	5	8	12	16	27
B. OPERATED	753	7.2	61	1	1	4	10	17	24	36
TOTAL 0-19 YRS	475	5.5	36	1	1	4	7	12	17	35
20-34	226	5.9	38	1	1	4	8	11	19	33
35-49	196	5.9	42	1	1	4	8	13	20	30
50-64	237	8.4	69	1	2	6	11	17	22	38
65+	274	8.8	51	1	2	7	11	17	25	35
GRAND TOTAL	**1408**	**6.7**	**47**	**1**	**1**	**4**	**9**	**15**	**20**	**34**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	3.8	5	1	1	3	5	7	8	10
20-34	8	4.6	7	2	2	4	6	9	9	9
35-49	2	5.0	8	3	3	5	7	7	7	7
50-64										
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	8	4.6	11	2	2	3	6	10	11	11
20-34	2	8.0		8	8	8	8	8	8	8
35-49	3	3.0	3	2	2	2	4	5	5	5
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	4.6	8	2	2	4	6	7	9	16
20-34	19	4.5	16	1	1	3	6	9	14	18
35-49	18	4.9	10	2	2	4	5	11	13	13
50-64	17	9.5	30	2	3	8	14	16	21	23
65+	50	8.6	35	3	4	7	10	18	21	30
B. *Operated*										
0-19 YRS	10	5.8	14	2	2	5	8	11	14	14
20-34	11	6.1	14	1	1	5	10	11	11	11
35-49	16	9.1	52	1	1	7	10	22	26	27
50-64	22	10.9	60	2	2	9	16	21	27	29
65+	36	14.7	127	1	2	12	18	30	40	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	4.0	5	1	2	3	5	7	8	10
B. *Operated*	15	4.4	9	1	2	3	7	8	10	11
2. MULTIPLE DX										
A. *Not Operated*	160	6.4	24	2	2	5	8	13	17	25
B. *Operated*	95	10.9	83	1	2	8	14	22	28	47
1. SINGLE DX	70	4.1	6	1	2	3	5	8	8	11
2. MULTIPLE DX	255	8.1	50	2	2	6	10	17	22	39
A. NOT OPERATED	215	5.8	20	1	2	5	7	10	16	24
B. OPERATED	110	10.0	78	1	2	8	13	20	27	45
TOTAL 0-19 YRS	118	4.4	7	1	2	4	6	8	9	15
20-34	40	5.1	13	1	1	4	8	10	11	18
35-49	39	6.5	31	1	2	5	8	13	19	27
50-64	40	10.1	46	2	2	8	15	20	24	29
65+	88	11.0	81	2	3	8	14	21	30	48
GRAND TOTAL	**325**	**7.2**	**43**	**1**	**2**	**5**	**8**	**15**	**20**	**33**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	1.6	1	<1	<1	1	2	4	4	4
20-34	14	2.7	6	<1	<1	2	3	7	9	9
35-49	8	6.6	116	<1	<1	1	9	26	30	30
50-64	11	6.0	43	<1	<1	2	13	16	16	16
65+	4	6.8	40	2	2	4	10	16	16	16
B. *Operated*										
0-19 YRS	32	6.2	27	2	2	4	8	13	15	24
20-34	49	9.3	80	1	1	8	13	21	30	40
35-49	54	8.0	46	1	1	7	12	17	19	32
50-64	50	7.6	50	1	1	5	11	17	20	33
65+	28	5.4	26	1	1	4	6	11	18	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	115	3.4	24	<1	1	1	3	9	14	27
20-34	87	3.7	7	<1	1	3	5	7	9	12
35-49	116	4.3	14	<1	1	3	5	8	11	19
50-64	191	6.6	39	1	1	5	8	13	17	38
65+	505	8.6	41	2	3	7	10	17	21	33
B. *Operated*										
0-19 YRS	111	14.3	115	2	3	12	21	31	36	44
20-34	443	12.0	139	1	2	9	16	26	38	62
35-49	494	10.7	91	1	2	8	15	24	31	51
50-64	593	10.8	96	1	2	8	15	23	31	44
65+	644	12.9	127	2	3	10	17	28	36	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	4.2	35	<1	<1	2	4	15	16	30
B. *Operated*	213	7.6	50	1	1	5	11	17	21	33
2. MULTIPLE DX										
A. *Not Operated*	1014	6.7	37	1	1	5	9	14	18	29
B. *Operated*	2285	11.8	114	1	2	9	16	25	34	54
1. SINGLE DX	261	7.0	49	<1	1	4	10	16	20	33
2. MULTIPLE DX	3299	10.2	96	1	2	7	14	23	30	49
A. NOT OPERATED	1062	6.6	37	1	1	5	9	14	18	29
B. OPERATED	2498	11.4	110	1	2	9	15	25	33	53
TOTAL 0-19 YRS	269	8.2	88	1	1	4	12	23	29	41
20-34	593	10.4	122	1	1	7	14	24	34	59
35-49	672	9.3	80	1	1	7	13	21	28	46
50-64	845	9.6	83	1	2	7	13	21	29	43
65+	1181	10.9	93	2	3	8	14	23	30	45
GRAND TOTAL	**3560**	**10.0**	**93**	**1**	**2**	**7**	**13**	**22**	**30**	**47**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.0	3	1	1	1	2	5	6	6
20-34	4	7.0	5	4	4	7	8	9	9	9
35-49										
50-64	6	13.5	336	<1	<1	6	13	46	50	50
65+	23	9.0	31	2	3	8	14	17	20	21
B. *Operated*										
0-19 YRS										
20-34	4	6.5	3	4	4	7	8	8	8	8
35-49	3	5.7	12	2	2	6	8	9	9	9
50-64	4	15.8	95	8	8	12	21	30	30	30
65+	9	10.2	46	2	3	9	14	21	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	6.8	45	1	1	4	9	16	19	28
20-34	31	7.6	24	1	2	7	10	15	19	20
35-49	62	8.1	29	2	3	7	9	17	19	25
50-64	194	8.9	36	2	3	7	12	17	21	29
65+	1230	10.3	45	3	4	9	13	18	23	33
B. *Operated*										
0-19 YRS	28	18.0	331	1	1	11	26	34	68	75
20-34	55	11.0	58	2	3	9	14	22	26	33
35-49	101	15.0	203	2	3	11	20	29	39	83
50-64	236	16.8	219	3	4	13	21	29	44	91
65+	602	17.9	146	5	6	15	23	34	41	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	8.3	73	1	1	7	10	16	20	50
B. *Operated*	20	9.9	49	2	3	8	12	20	27	30
2. MULTIPLE DX										
A. *Not Operated*	1544	9.9	44	2	3	8	13	18	22	32
B. *Operated*	1022	17.0	171	3	5	14	22	32	41	68
1. SINGLE DX	60	8.8	65	1	1	7	12	17	22	48
2. MULTIPLE DX	2566	12.7	106	3	4	10	16	25	31	55
A. NOT OPERATED	1584	9.9	44	2	3	8	13	18	22	32
B. OPERATED	1042	16.9	170	3	5	14	22	31	41	68
TOTAL 0-19 YRS	62	11.3	206	1	1	7	15	28	33	74
20-34	94	9.5	45	2	2	8	12	19	24	33
35-49	166	12.2	146	2	3	9	16	25	30	72
50-64	440	13.3	152	2	3	10	17	26	31	66
65+	1864	12.7	91	3	4	10	16	24	31	48
GRAND TOTAL	**2626**	**12.6**	**106**	**3**	**4**	**10**	**16**	**25**	**31**	**54**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	408	3.7	3	1	2	4	5	6	7	9
20-34	632	3.8	3	2	2	4	5	6	7	9
35-49	212	4.2	4	2	2	4	5	6	8	12
50-64	89	4.7	4	2	2	4	6	8	9	10
65+	68	4.8	5	2	2	5	6	7	7	15
B. *Operated*										
0-19 YRS	20	3.8	2	2	2	4	5	6	6	6
20-34	17	5.5	5	2	3	6	7	8	9	10
35-49	16	6.3	14	2	2	5	8	9	15	17
50-64	4	6.8	6	5	5	6	8	10	10	10
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	790	4.4	5	2	2	4	5	7	8	11
20-34	1452	4.7	5	2	2	4	6	7	9	13
35-49	694	5.6	12	2	3	5	7	9	11	19
50-64	708	6.4	14	3	3	6	8	11	13	19
65+	1400	7.1	18	3	4	6	8	12	15	23
B. *Operated*										
0-19 YRS	75	6.8	19	2	3	6	8	12	15	26
20-34	191	8.5	68	2	3	7	10	13	19	45
35-49	133	9.5	33	4	4	8	11	16	21	32
50-64	178	11.1	59	4	5	9	13	21	27	41
65+	272	12.2	55	4	5	10	15	21	28	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1409	3.9	3	2	2	4	5	6	7	10
B. *Operated*	58	5.2	7	2	2	5	7	9	10	16
2. MULTIPLE DX										
A. *Not Operated*	5044	5.7	12	2	3	5	7	9	12	19
B. *Operated*	849	10.2	55	3	4	8	12	18	25	40
1. SINGLE DX	1467	4.0	3	2	2	4	5	6	7	10
2. MULTIPLE DX	5893	6.3	21	2	3	5	7	11	14	25
A. NOT OPERATED	6453	5.3	11	2	2	5	6	9	11	17
B. OPERATED	907	9.9	54	3	4	8	12	17	24	40
TOTAL 0-19 YRS	1293	4.3	5	2	2	4	5	7	8	12
20-34	2292	4.8	11	2	2	4	6	7	9	14
35-49	1055	5.8	15	2	3	5	7	10	12	23
50-64	979	7.1	25	3	3	6	8	12	15	28
65+	1741	7.8	27	3	4	6	9	14	17	28
GRAND TOTAL	**7360**	**5.9**	**18**	**2**	**2**	**5**	**7**	**10**	**13**	**23**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	288	3.9	3	2	2	4	5	6	7	11
20-34	431	3.8	13	1	2	3	5	6	6	9
35-49	130	3.9	4	2	2	4	5	6	6	13
50-64	62	4.0	3	1	2	4	5	6	7	10
65+	34	5.1	5	2	3	5	6	9	9	11
B. *Operated*										
0-19 YRS	19	6.7	25	1	2	6	10	15	17	17
20-34	35	6.5	15	1	2	6	9	12	14	16
35-49	23	5.3	13	1	1	5	7	10	12	15
50-64	13	8.9	50	1	2	9	10	21	25	26
65+	6	9.3	24	2	2	10	13	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	504	4.7	7	2	2	4	6	8	10	14
20-34	826	4.7	7	2	2	4	6	7	9	15
35-49	403	5.4	14	2	2	5	7	9	12	20
50-64	447	6.3	17	2	3	5	8	10	12	25
65+	701	7.3	20	3	3	6	9	12	15	22
B. *Operated*										
0-19 YRS	98	7.6	58	2	3	6	8	13	17	48
20-34	161	8.7	41	3	3	7	10	16	21	27
35-49	172	10.3	70	2	4	8	13	19	25	40
50-64	189	10.8	53	4	5	9	13	20	25	40
65+	247	14.4	112	4	5	12	17	24	35	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	945	3.9	8	2	2	4	5	6	7	10
B. *Operated*	96	6.8	22	1	1	6	9	13	16	23
2. MULTIPLE DX										
A. *Not Operated*	2881	5.7	14	2	2	5	7	10	12	20
B. *Operated*	867	11.0	77	3	4	8	14	20	25	45
1. SINGLE DX	1041	4.2	10	1	2	4	5	6	8	14
2. MULTIPLE DX	3748	6.9	33	2	3	5	8	13	16	28
A. NOT OPERATED	3826	5.2	13	2	2	4	6	9	11	17
B. OPERATED	963	10.5	73	2	4	8	13	19	25	45
TOTAL 0-19 YRS	909	4.8	13	2	2	4	6	8	11	16
20-34	1453	4.9	15	2	2	4	6	8	11	19
35-49	728	6.3	30	2	2	5	7	12	16	28
50-64	711	7.4	31	2	3	6	9	13	19	29
65+	988	9.0	52	3	3	7	11	16	20	42
GRAND TOTAL	**4789**	**6.3**	**29**	**2**	**2**	**5**	**7**	**12**	**15**	**27**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	72	2.1	2	<1	1	2	3	3	4	9
20-34	549	2.0	2	<1	1	2	2	3	4	6
35-49	690	1.9	1	<1	1	2	2	3	4	6
50-64	401	2.0	2	1	1	2	2	3	5	7
65+	116	2.5	2	<1	1	2	3	5	6	7
B. *Operated*										
0-19 YRS	24	5.3	22	1	1	4	6	13	17	19
20-34	252	5.3	8	1	2	5	7	8	11	16
35-49	388	5.6	12	1	2	5	7	10	12	17
50-64	325	6.0	16	1	2	5	8	11	13	19
65+	135	6.0	12	1	2	6	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	3.0	9	1	1	2	3	7	10	15
20-34	471	2.8	5	1	1	2	3	6	7	10
35-49	592	2.8	4	1	1	2	3	5	7	11
50-64	596	3.0	5	1	1	2	4	6	7	12
65+	433	4.1	15	1	1	3	5	8	10	19
B. *Operated*										
0-19 YRS	32	7.0	28	1	2	6	9	14	15	26
20-34	305	7.0	32	1	2	6	9	12	16	27
35-49	509	7.3	25	2	2	6	9	14	18	26
50-64	643	8.1	43	2	3	7	10	15	18	30
65+	562	9.9	61	2	3	8	12	20	27	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1828	2.0	2	<1	1	2	3	4	5	7
B. *Operated*	1124	5.7	12	1	2	5	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	2150	3.2	7	1	1	2	4	6	8	13
B. *Operated*	2051	8.2	43	2	3	7	10	15	20	34
1. SINGLE DX	2952	3.4	9	1	1	2	5	7	9	14
2. MULTIPLE DX	4201	5.6	31	1	1	4	7	11	15	28
A. NOT OPERATED	3978	2.6	5	1	1	2	3	5	7	10
B. OPERATED	3175	7.3	34	1	2	6	9	13	17	31
TOTAL 0-19 YRS	186	3.6	14	1	1	2	4	9	13	18
20-34	1577	3.7	13	1	1	3	5	8	10	16
35-49	2179	4.1	14	1	1	3	5	9	11	19
50-64	1965	5.0	25	1	1	3	7	10	14	21
65+	1246	6.8	43	1	1	5	8	14	20	35
GRAND TOTAL	**7153**	**4.7**	**23**	**1**	**1**	**3**	**6**	**10**	**13**	**23**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	189	2.0	2	1	1	2	3	3	4	7
20-34	1733	1.8	1	<1	1	2	2	3	4	6
35-49	2311	1.8	1	<1	1	2	2	3	4	6
50-64	1263	2.0	1	1	1	2	3	3	4	6
65+	329	2.2	2	1	1	2	3	4	5	7
B. *Operated*										
0-19 YRS	107	4.1	6	1	1	3	5	8	9	11
20-34	1075	4.3	8	1	1	4	6	8	9	14
35-49	1514	4.4	8	1	1	4	6	8	10	14
50-64	1043	4.7	9	1	2	4	6	9	10	16
65+	323	5.2	13	1	2	4	7	11	13	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	95	2.9	4	1	1	2	3	5	7	11
20-34	824	2.3	3	1	1	2	3	4	5	8
35-49	1370	2.4	3	1	1	2	3	4	6	8
50-64	1200	2.6	3	1	1	2	3	5	6	9
65+	710	3.1	4	1	1	3	4	6	7	10
B. *Operated*										
0-19 YRS	77	5.7	21	1	2	5	8	10	13	28
20-34	712	5.8	18	1	2	5	7	10	12	17
35-49	1161	6.0	17	1	2	5	8	11	14	20
50-64	1488	6.6	21	1	2	5	8	13	15	23
65+	1190	8.3	39	2	3	7	10	16	20	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5825	1.9	1	<1	1	2	2	3	4	6
B. *Operated*	4062	4.5	9	1	1	4	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	4199	2.6	3	1	1	2	3	5	6	9
B. *Operated*	4628	6.7	25	2	2	6	9	13	16	25
1. SINGLE DX	9887	3.0	6	1	1	2	4	6	8	12
2. MULTIPLE DX	8827	4.7	19	1	1	3	6	10	13	21
A. NOT OPERATED	10024	2.2	2	1	1	2	3	4	5	8
B. OPERATED	8690	5.7	19	1	2	5	7	11	13	22
TOTAL 0-19 YRS	468	3.3	8	1	1	2	4	7	9	13
20-34	4344	3.2	8	1	1	2	4	7	9	13
35-49	6356	3.3	9	1	1	2	4	7	9	14
50-64	4994	4.1	13	1	1	3	5	8	11	18
65+	2552	5.7	28	1	1	4	7	12	16	26
GRAND TOTAL	**18714**	**3.8**	**13**	**1**	**1**	**3**	**5**	**8**	**10**	**17**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	2.6	3	<1	1	2	3	6	6	9
20-34	41	2.7	3	1	1	2	3	5	6	7
35-49	52	3.2	9	<1	1	2	4	7	11	14
50-64	26	2.3	5	<1	<1	2	3	4	9	11
65+	12	4.4	7	<1	1	4	6	8	9	9
B. *Operated*										
0-19 YRS	344	6.0	9	1	2	6	8	10	11	15
20-34	166	6.2	15	1	1	6	9	11	13	19
35-49	166	5.1	13	1	1	4	7	10	13	15
50-64	121	5.0	20	1	1	4	7	11	14	20
65+	90	4.9	17	1	1	3	8	11	15	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	115	3.4	6	1	1	3	4	7	8	14
20-34	119	3.6	6	1	1	3	5	7	9	12
35-49	126	4.4	10	1	1	4	6	9	11	16
50-64	171	5.7	34	1	1	4	7	10	14	26
65+	355	6.7	27	2	2	6	8	12	16	25
B. *Operated*										
0-19 YRS	561	6.7	15	1	2	6	9	12	14	19
20-34	406	7.5	28	1	2	7	10	13	16	25
35-49	454	8.3	45	1	2	7	11	16	21	37
50-64	697	8.7	49	1	2	7	12	17	22	35
65+	852	9.9	80	1	2	8	13	19	24	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	180	2.9	6	<1	1	2	4	6	8	12
B. *Operated*	887	5.6	13	1	1	5	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	886	5.3	22	1	1	4	7	10	13	21
B. *Operated*	2970	8.4	49	1	2	7	11	16	21	35
1. SINGLE DX	1067	5.2	13	1	1	5	7	10	12	16
2. MULTIPLE DX	3856	7.7	45	1	2	6	10	15	19	34
A. NOT OPERATED	1066	4.9	20	1	1	4	6	9	12	20
B. OPERATED	3857	7.8	42	1	2	7	10	15	19	34
TOTAL 0-19 YRS	1069	5.9	13	1	1	6	8	10	13	17
20-34	732	6.3	23	1	1	5	9	11	15	24
35-49	798	6.7	34	1	1	5	9	13	16	31
50-64	1015	7.6	45	1	1	6	10	15	19	34
65+	1309	8.7	64	1	2	7	11	17	22	41
GRAND TOTAL	**4923**	**7.2**	**39**	**1**	**1**	**6**	**9**	**14**	**18**	**32**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.5	7	1	1	2	2	5	9	11
20-34	89	2.0	2	1	1	2	2	4	5	8
35-49	118	1.8	1	1	1	1	2	3	5	6
50-64	71	2.2	2	1	1	2	3	4	6	7
65+	15	2.1	1	1	1	2	3	3	4	4
B. *Operated*										
0-19 YRS	5	5.4	35	<1	<1	3	9	15	15	15
20-34	41	3.8	10	1	1	3	5	9	11	15
35-49	67	4.4	15	1	1	3	5	9	12	22
50-64	39	4.1	8	1	1	3	7	8	9	11
65+	44	4.6	11	1	1	4	6	10	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	3.2	7	1	1	3	4	7	9	10
20-34	64	2.9	6	1	1	2	4	6	8	13
35-49	85	2.9	6	1	1	2	3	6	8	15
50-64	78	2.9	4	<1	1	2	4	6	7	10
65+	60	3.8	9	1	1	3	4	8	11	15
B. *Operated*										
0-19 YRS	9	5.0	19	1	1	4	6	13	15	15
20-34	83	5.5	26	1	2	4	7	11	13	31
35-49	78	6.2	24	1	2	5	8	13	16	26
50-64	175	5.6	21	1	2	4	7	11	13	36
65+	378	7.0	34	1	2	6	9	14	20	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	308	2.0	2	1	1	2	2	4	5	7
B. *Operated*	196	4.3	12	1	1	3	5	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	300	3.1	6	1	1	2	4	6	8	13
B. *Operated*	723	6.4	29	1	2	5	9	12	16	30
1. SINGLE DX	504	2.9	7	1	1	2	3	6	8	13
2. MULTIPLE DX	1023	5.4	25	1	1	4	7	11	14	24
A. NOT OPERATED	608	2.5	4	1	1	2	3	5	6	11
B. OPERATED	919	5.9	26	1	1	4	8	12	15	24
TOTAL 0-19 YRS	42	3.6	13	1	1	2	4	9	12	15
20-34	277	3.5	13	1	1	2	4	7	10	15
35-49	348	3.6	13	1	1	2	4	8	11	17
50-64	363	4.2	14	1	1	3	5	8	11	17
65+	497	6.3	30	1	2	5	9	13	17	25
GRAND TOTAL	**1527**	**4.6**	**20**	**1**	**1**	**3**	**6**	**10**	**13**	**21**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	2.9	3	1	1	3	4	5	6	9
20-34	64	3.1	4	<1	1	3	4	5	6	12
35-49	23	3.6	4	1	1	4	5	6	7	9
50-64	14	3.7	6	1	1	3	5	8	9	9
65+	24	3.5	5	<1	1	3	5	7	8	9
B. *Operated*										
0-19 YRS	51	3.0	4	<1	1	3	4	6	8	9
20-34	67	2.9	4	<1	1	2	4	6	7	10
35-49	86	2.9	6	<1	1	2	4	5	9	11
50-64	95	3.1	7	<1	1	2	4	5	8	16
65+	115	2.8	4	1	1	2	3	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	165	3.3	3	1	2	3	4	5	7	9
20-34	239	4.1	12	1	1	3	5	7	9	13
35-49	181	4.3	5	1	2	4	6	7	9	11
50-64	205	5.6	10	2	2	5	7	10	12	17
65+	607	6.3	24	2	2	5	8	11	14	23
B. *Operated*										
0-19 YRS	114	4.0	6	1	1	4	5	7	9	12
20-34	311	4.8	11	1	1	4	7	9	11	19
35-49	423	5.3	25	1	1	4	6	10	14	24
50-64	584	5.3	21	1	1	4	7	11	12	23
65+	1273	6.9	38	1	2	5	9	13	17	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	204	3.2	4	1	1	3	4	5	7	9
B. *Operated*	414	2.9	5	<1	1	2	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	1397	5.2	16	1	2	4	7	9	12	18
B. *Operated*	2705	6.0	29	1	2	5	8	11	15	25
1. SINGLE DX	618	3.0	5	<1	1	2	4	6	7	10
2. MULTIPLE DX	4102	5.7	25	1	2	5	7	11	13	23
A. NOT OPERATED	1601	5.0	15	1	2	4	6	9	11	17
B. OPERATED	3119	5.5	27	1	1	4	7	11	14	24
TOTAL 0-19 YRS	409	3.4	4	1	1	3	4	6	7	11
20-34	681	4.2	10	1	1	4	5	8	9	15
35-49	713	4.7	18	1	1	4	6	9	11	20
50-64	898	5.1	17	1	1	4	7	10	12	20
65+	2019	6.5	32	1	2	5	8	12	15	26
GRAND TOTAL	**4720**	**5.3**	**23**	**1**	**1**	**4**	**7**	**10**	**13**	**22**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	8	1	1	1	5	6	6	6
20-34	4	2.0	1	<1	<1	2	3	3	3	3
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	5	2.4	2	<1	<1	2	4	4	4	4
B. *Operated*										
0-19 YRS	170	2.0	3	<1	<1	1	2	4	5	7
20-34	208	2.4	3	<1	1	2	3	5	6	9
35-49	151	2.3	3	<1	<1	2	3	5	6	9
50-64	135	2.7	5	<1	1	2	4	5	7	13
65+	166	3.2	9	1	1	3	4	6	9	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	2.0	2	<1	<1	1	3	4	6	6
20-34	14	2.9	8	<1	<1	1	5	7	9	10
35-49	7	2.6	3	1	1	2	3	5	6	6
50-64	15	4.3	33	<1	1	3	5	7	20	24
65+	66	4.2	11	1	1	3	5	9	11	16
B. *Operated*										
0-19 YRS	247	2.5	5	<1	<1	2	3	5	7	15
20-34	371	3.3	9	<1	<1	2	4	7	9	15
35-49	336	3.9	18	<1	1	3	5	7	10	15
50-64	498	3.9	10	<1	1	3	5	8	10	16
65+	1009	5.2	26	1	1	4	7	10	13	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	2.3	2	<1	<1	2	3	4	5	6
B. *Operated*	830	2.5	5	<1	<1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	113	3.7	12	<1	1	3	5	9	10	19
B. *Operated*	2461	4.2	18	<1	1	3	5	8	11	19
1. SINGLE DX	847	2.5	5	<1	<1	2	3	5	6	12
2. MULTIPLE DX	2574	4.2	18	<1	1	3	5	8	11	19
A. NOT OPERATED	130	3.5	11	<1	<1	3	4	7	10	18
B. OPERATED	3291	3.8	15	<1	1	3	5	8	10	18
TOTAL 0-19 YRS	431	2.3	4	<1	<1	2	3	5	6	14
20-34	597	2.9	7	<1	<1	2	4	6	8	13
35-49	497	3.4	14	<1	1	3	5	7	8	14
50-64	650	3.6	10	<1	1	3	5	8	9	15
65+	1246	4.9	23	1	1	4	6	9	13	21
GRAND TOTAL	**3421**	**3.8**	**15**	**<1**	**1**	**3**	**5**	**8**	**10**	**18**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	564	2.9	4	1	1	3	4	5	6	9
20-34	248	2.9	3	1	1	3	4	5	6	7
35-49	116	2.9	3	<1	1	3	4	5	7	10
50-64	100	3.8	11	<1	1	3	5	6	9	21
65+	220	5.1	21	1	1	4	6	10	11	24
B. *Operated*										
0-19 YRS	175	2.7	5	<1	<1	2	3	6	6	13
20-34	229	3.0	5	<1	<1	2	4	6	8	10
35-49	197	3.2	8	<1	1	2	4	7	9	15
50-64	268	2.9	3	<1	1	3	4	5	6	8
65+	335	4.3	27	1	1	3	5	8	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1744	3.8	6	1	1	3	5	7	9	12
20-34	1263	4.6	13	1	1	4	6	8	11	18
35-49	970	5.5	16	1	2	4	7	10	13	18
50-64	1767	6.4	22	2	2	5	8	11	14	23
65+	8046	7.5	23	2	3	7	9	13	16	25
B. *Operated*										
0-19 YRS	458	4.6	16	<1	1	4	6	9	11	19
20-34	666	6.2	55	1	1	4	7	12	17	37
35-49	871	6.4	40	1	1	5	8	13	18	33
50-64	1680	7.1	47	1	2	5	9	15	20	37
65+	5128	8.4	52	2	2	6	10	16	21	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1248	3.4	8	1	1	3	4	6	7	13
B. *Operated*	1204	3.3	12	<1	1	3	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	13790	6.5	21	2	2	5	8	12	15	23
B. *Operated*	8803	7.6	49	1	2	6	9	15	20	36
1. SINGLE DX	2452	3.3	10	<1	1	3	4	6	8	14
2. MULTIPLE DX	22593	6.9	32	1	2	6	9	13	17	29
A. NOT OPERATED	15038	6.2	21	1	2	5	8	11	14	23
B. OPERATED	10007	7.1	47	1	2	5	9	14	19	33
TOTAL 0-19 YRS	2941	3.7	7	1	1	3	5	7	9	14
20-34	2406	4.7	24	1	1	4	6	9	12	22
35-49	2154	5.5	25	1	1	4	7	11	15	29
50-64	3815	6.4	33	1	2	5	8	12	16	28
65+	13729	7.7	34	2	3	6	10	14	18	29
GRAND TOTAL	**25045**	**6.5**	**31**	**1**	**2**	**5**	**8**	**13**	**16**	**28**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	14	3.0	4	<1	<1	2	5	6	7	7
65+	28	4.5	11	1	1	4	5	9	13	15
B. *Operated*										
0-19 YRS	3	5.3	10	3	3	4	8	9	9	9
20-34	7	3.7	2	2	2	4	4	6	6	6
35-49	78	3.6	5	<1	1	3	5	7	8	9
50-64	1587	4.6	5	1	2	5	6	7	8	12
65+	2442	5.1	7	2	2	5	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	10.5	25	7	7	10	14	14	14	14
20-34	1	3.0		3	3	3	3	3	3	3
35-49	11	3.6	4	<1	1	3	5	7	7	7
50-64	141	3.7	6	<1	1	3	5	7	8	10
65+	501	4.5	17	<1	1	3	6	9	12	19
B. *Operated*										
0-19 YRS	16	5.4	14	1	1	4	7	12	13	13
20-34	16	3.9	7	<1	1	3	5	6	10	12
35-49	180	5.7	59	1	1	5	6	10	13	17
50-64	4257	5.9	12	2	3	5	7	10	12	19
65+	12377	7.1	20	3	3	6	8	12	15	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	4.0	9	<1	1	3	5	7	11	15
B. *Operated*	4117	4.9	6	1	2	5	6	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	656	4.3	14	<1	1	3	6	9	12	18
B. *Operated*	16846	6.8	19	2	3	6	8	11	14	22
1. SINGLE DX	4160	4.9	6	1	2	5	6	7	9	13
2. MULTIPLE DX	17502	6.7	19	2	3	6	8	11	14	22
A. NOT OPERATED	699	4.3	14	<1	1	3	5	9	12	18
B. OPERATED	20963	6.4	17	2	3	5	7	11	14	21
TOTAL 0-19 YRS	21	5.9	15	1	2	5	9	12	13	14
20-34	24	3.8	5	1	2	3	5	6	8	12
35-49	270	5.0	42	<1	1	4	6	9	12	16
50-64	5999	5.5	10	2	2	5	6	9	11	17
65+	15348	6.7	19	2	3	6	8	11	14	22
GRAND TOTAL	**21662**	**6.3**	**17**	**2**	**3**	**5**	**7**	**11**	**14**	**21**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.8	6	1	1	4	5	7	7	7
20-34	38	3.3	5	<1	1	3	5	6	7	12
35-49	61	3.7	4	1	2	3	4	6	8	13
50-64	43	4.1	4	1	2	4	5	7	9	10
65+	15	4.1	1	3	3	4	5	5	7	7
B. *Operated*										
0-19 YRS	3	3.7	4	2	2	3	5	6	6	6
20-34	25	2.5	2	<1	<1	2	4	4	5	5
35-49	41	3.0	5	<1	<1	2	4	7	8	9
50-64	47	3.5	6	<1	<1	3	5	7	9	10
65+	36	3.4	5	1	1	3	4	5	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.3	1	2	2	3	4	5	5	5
20-34	77	3.9	6	1	2	3	4	7	10	12
35-49	127	4.6	7	2	2	4	6	9	10	13
50-64	227	4.8	7	2	2	4	6	7	9	15
65+	196	5.4	12	2	2	5	7	9	12	18
B. *Operated*										
0-19 YRS	9	6.1	28	<1	<1	4	8	14	18	18
20-34	98	3.8	10	<1	1	3	5	7	10	17
35-49	173	4.6	10	1	1	4	7	9	10	16
50-64	300	5.4	15	1	1	5	7	10	12	21
65+	362	6.4	20	1	2	6	8	12	14	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	162	3.7	4	1	2	3	5	6	8	12
B. *Operated*	152	3.2	5	<1	<1	3	4	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	637	4.8	8	2	2	4	6	8	10	14
B. *Operated*	942	5.5	16	1	1	5	7	10	13	18
1. SINGLE DX	314	3.5	5	<1	1	3	4	6	8	10
2. MULTIPLE DX	1579	5.2	13	1	2	4	7	9	12	17
A. NOT OPERATED	799	4.6	8	2	2	4	6	8	10	14
B. OPERATED	1094	5.1	15	1	1	4	7	10	12	18
TOTAL 0-19 YRS	27	4.4	12	1	1	4	5	8	10	18
20-34	238	3.6	7	<1	1	3	5	6	9	13
35-49	402	4.3	8	1	1	4	6	9	10	13
50-64	617	4.9	11	1	2	4	6	9	11	16
65+	609	5.8	17	1	2	5	7	10	13	18
GRAND TOTAL	**1893**	**4.9**	**12**	**1**	**1**	**4**	**6**	**9**	**11**	**17**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.4		1	1	1	2	2	2	2
20-34	3	2.0	3	<1	<1	1	3	4	4	4
35-49										
50-64	1	13.0		13	13	13	13	13	13	13
65+										
B. *Operated*										
0-19 YRS	170	1.6	1	<1	<1	1	2	3	4	5
20-34	106	2.2	2	<1	1	2	3	4	5	7
35-49	128	1.9	2	<1	1	1	3	3	4	7
50-64	186	2.1	2	1	1	2	3	4	4	8
65+	114	2.2	1	<1	1	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	1.6	8	<1	<1	1	1	1	8	13
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	6	2.7	13	<1	<1	1	2	9	10	10
65+	5	5.0	6	2	2	6	7	8	8	8
B. *Operated*										
0-19 YRS	180	1.9	7	<1	<1	1	2	3	4	8
20-34	69	2.7	4	1	1	2	4	5	6	10
35-49	125	2.9	10	1	1	2	3	5	7	18
50-64	281	3.1	5	1	1	3	4	6	8	12
65+	279	3.9	10	1	1	3	5	8	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	2.6	13	<1	<1	1	2	8	13	13
B. *Operated*	704	2.0	2	<1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	33	2.4	9	<1	<1	1	2	7	10	13
B. *Operated*	934	3.1	8	1	1	2	4	6	8	14
1. SINGLE DX	715	2.0	2	<1	1	2	3	4	4	7
2. MULTIPLE DX	967	3.0	8	1	1	2	4	6	8	14
A. NOT OPERATED	44	2.4	9	<1	<1	1	2	6	11	13
B. OPERATED	1638	2.6	6	<1	1	2	3	5	6	12
TOTAL 0-19 YRS	376	1.7	4	<1	<1	1	2	3	4	6
20-34	180	2.4	3	<1	1	2	3	4	5	9
35-49	254	2.4	6	1	1	2	3	4	5	14
50-64	474	2.7	5	1	1	2	3	5	7	12
65+	398	3.4	8	1	1	3	4	7	9	15
GRAND TOTAL	**1682**	**2.6**	**6**	**<1**	**1**	**2**	**3**	**5**	**6**	**12**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	136	3.5	4	1	1	3	5	7	8	9
20-34	270	3.7	5	1	1	3	5	7	8	10
35-49	163	4.5	6	1	2	4	6	8	9	13
50-64	90	5.0	7	2	2	5	7	8	9	16
65+	46	5.0	7	2	3	4	6	7	9	17
B. *Operated*										
0-19 YRS	56	2.9	5	1	1	2	3	6	8	11
20-34	63	3.3	7	1	1	2	3	7	9	11
35-49	63	3.2	8	1	1	2	4	7	10	13
50-64	51	4.1	15	1	1	2	6	11	12	14
65+	37	4.0	9	1	1	3	5	9	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	3.4	2	1	1	3	5	5	6	7
20-34	170	4.9	8	1	2	4	6	9	10	15
35-49	150	5.8	11	2	2	5	8	10	13	17
50-64	229	5.8	8	2	3	5	7	9	10	15
65+	281	6.3	11	2	3	6	8	10	13	18
B. *Operated*										
0-19 YRS	36	4.0	9	1	1	4	5	9	10	12
20-34	84	5.0	20	1	1	4	6	10	13	25
35-49	90	5.1	22	1	1	4	6	9	12	29
50-64	158	6.5	25	1	2	5	8	12	15	29
65+	201	7.2	23	2	2	6	10	13	17	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	705	4.1	6	1	1	4	5	7	8	11
B. *Operated*	270	3.4	9	1	1	2	4	8	10	13
2. MULTIPLE DX										
A. *Not Operated*	884	5.6	10	2	2	5	7	9	11	17
B. *Operated*	569	6.2	23	1	2	5	8	12	15	24
1. SINGLE DX	975	3.9	6	1	1	3	5	7	9	12
2. MULTIPLE DX	1453	5.8	15	1	2	5	7	10	13	20
A. NOT OPERATED	1589	5.0	8	1	2	4	6	8	10	15
B. OPERATED	839	5.3	20	1	1	4	7	11	13	23
TOTAL 0-19 YRS	282	3.4	5	1	1	3	5	6	8	11
20-34	587	4.2	8	1	1	4	5	7	9	14
35-49	466	4.9	11	1	1	4	6	9	10	17
50-64	528	5.7	14	1	2	5	7	10	12	17
65+	565	6.4	15	2	3	5	8	11	14	20
GRAND TOTAL	**2428**	**5.1**	**12**	**1**	**1**	**4**	**7**	**9**	**11**	**17**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.8	6	1	1	1	5	6	6	6
20-34	4	1.0		<1	<1	<1	1	1	1	1
35-49	4	1.8	1	<1	<1	1	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	334	1.4		<1	<1	1	2	2	3	4
20-34	88	1.6	1	<1	<1	1	2	3	3	5
35-49	41	1.4		<1	1	1	2	2	3	3
50-64	35	1.7	1	1	1	2	2	2	3	4
65+	21	2.2	7	1	1	1	2	4	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	1.6	2	<1	<1	1	2	3	4	7
20-34	3	4.0	13	1	1	3	7	8	8	8
35-49	4	3.8	1	3	3	4	4	5	5	5
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	18	4.8	11	1	2	4	7	10	12	12
B. *Operated*										
0-19 YRS	117	1.8	1	<1	<1	1	2	3	4	6
20-34	53	2.1	2	<1	<1	2	3	4	6	7
35-49	75	2.5	4	<1	<1	2	3	6	7	10
50-64	94	2.5	7	<1	1	2	2	5	8	15
65+	104	4.1	19	1	1	2	5	9	14	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	1.9	3	<1	<1	1	2	5	6	6
B. *Operated*	519	1.5	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	55	3.0	7	<1	<1	2	4	7	9	12
B. *Operated*	443	2.6	8	<1	1	2	3	6	8	17
1. SINGLE DX	532	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX	498	2.7	8	<1	1	2	3	6	8	16
A. NOT OPERATED	68	2.8	6	<1	<1	2	3	7	8	12
B. OPERATED	962	2.0	4	<1	<1	1	2	3	6	12
TOTAL 0-19 YRS	484	1.5	1	<1	<1	1	2	2	3	6
20-34	148	1.9	2	<1	<1	1	2	3	4	7
35-49	124	2.1	3	<1	1	2	2	4	6	10
50-64	131	2.2	5	<1	1	2	2	4	6	13
65+	143	4.0	17	1	1	2	5	9	13	19
GRAND TOTAL	**1030**	**2.1**	**5**	**<1**	**<1**	**1**	**2**	**4**	**6**	**12**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	1.6	1	<1	<1	1	2	3	4	5
20-34	43	2.5	2	1	1	2	3	5	6	7
35-49	29	2.4	3	1	1	2	4	5	6	6
50-64	26	2.3	2	<1	1	2	2	5	6	6
65+	16	2.9	8	1	1	2	3	9	10	10
B. *Operated*										
0-19 YRS	754	1.6	1	<1	1	1	2	3	4	6
20-34	390	2.2	3	<1	1	2	3	4	5	8
35-49	254	2.3	3	<1	1	2	3	4	5	7
50-64	371	2.9	3	1	1	3	4	5	6	9
65+	114	3.2	4	1	1	3	4	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	2.9	4	<1	1	3	4	5	7	10
20-34	52	3.7	11	<1	1	3	5	8	10	17
35-49	50	3.8	8	1	1	3	6	8	9	11
50-64	66	3.8	7	1	1	3	5	8	8	12
65+	71	6.0	19	<1	1	5	9	12	16	18
B. *Operated*										
0-19 YRS	303	2.4	4	<1	1	2	3	5	6	11
20-34	313	3.7	20	1	1	2	4	7	11	24
35-49	429	4.2	19	1	1	3	5	7	11	23
50-64	810	4.4	31	1	1	3	5	7	10	25
65+	430	5.7	44	1	1	4	6	12	21	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	168	2.2	3	<1	1	2	3	5	5	9
B. *Operated*	1883	2.2	3	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	304	4.1	11	<1	1	3	6	9	10	17
B. *Operated*	2285	4.2	27	1	1	3	5	8	11	27
1. SINGLE DX	2051	2.2	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	2589	4.2	25	1	1	3	5	8	11	25
A. NOT OPERATED	472	3.4	9	<1	1	2	5	7	10	16
B. OPERATED	4168	3.3	17	1	1	2	4	6	8	21
TOTAL 0-19 YRS	1176	1.9	2	<1	1	1	2	4	5	8
20-34	798	2.9	11	1	1	2	3	6	8	17
35-49	762	3.5	13	1	1	2	4	6	9	19
50-64	1273	3.9	22	1	1	3	5	7	9	19
65+	631	5.2	34	1	1	3	6	10	17	29
GRAND TOTAL	**4640**	**3.3**	**16**	**1**	**1**	**2**	**4**	**6**	**9**	**20**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	2.6	2	1	1	2	3	5	5	5
35-49	6	1.5	2	<1	<1	1	1	4	4	4
50-64	8	1.0		<1	<1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	26	1.8	1	<1	<1	1	2	3	4	6
20-34	237	2.5	3	<1	<1	2	3	5	6	9
35-49	808	2.2	3	<1	<1	2	3	4	5	9
50-64	508	2.1	2	<1	<1	2	2	3	5	9
65+	149	2.0	3	<1	1	2	2	3	3	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	4.1	7	<1	<1	4	6	8	8	8
35-49	20	4.2	44	<1	<1	2	4	7	19	31
50-64	13	2.8	3	1	1	3	4	5	6	6
65+	9	5.6	17	<1	<1	6	8	12	13	13
B. *Operated*										
0-19 YRS	12	3.1	3	1	1	3	4	6	7	7
20-34	191	3.0	5	<1	1	2	4	6	7	12
35-49	786	3.3	6	<1	1	3	4	6	8	13
50-64	668	3.1	6	1	1	2	4	6	7	13
65+	422	2.8	5	1	1	2	3	5	7	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	1.6	1	<1	<1	1	2	4	5	5
B. *Operated*	1728	2.2	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	50	4.1	22	<1	1	3	6	8	10	31
B. *Operated*	2079	3.1	6	1	1	2	4	6	7	12
1. SINGLE DX	1747	2.2	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX	2129	3.1	6	1	1	2	4	6	7	13
A. NOT OPERATED	69	3.4	18	<1	1	2	4	7	8	28
B. OPERATED	3807	2.7	4	<1	1	2	3	5	6	11
TOTAL 0-19 YRS	38	2.2	2	<1	<1	2	3	5	6	7
20-34	441	2.8	4	<1	1	2	4	5	6	10
35-49	1620	2.8	5	<1	1	2	3	5	7	11
50-64	1197	2.6	4	<1	1	2	3	5	6	11
65+	580	2.6	4	1	1	2	3	5	7	10
GRAND TOTAL	**3876**	**2.7**	**5**	**<1**	**1**	**2**	**3**	**5**	**7**	**11**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	3.5	3	1	1	3	5	6	7	7
20-34	59	3.4	6	<1	1	3	4	6	7	16
35-49	18	3.8	3	<1	1	4	4	6	8	8
50-64	14	4.4	9	<1	<1	4	6	9	10	10
65+	3	7.0	4	5	5	7	8	9	9	9
B. *Operated*										
0-19 YRS	381	2.4	2	<1	1	2	3	4	5	7
20-34	594	3.0	3	1	1	3	4	5	6	7
35-49	368	2.8	3	<1	1	2	4	5	6	10
50-64	249	2.8	2	<1	1	3	4	5	6	7
65+	89	2.4	3	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	4.1	10	<1	1	3	5	9	11	12
20-34	59	3.2	6	<1	<1	3	4	7	9	11
35-49	52	4.4	13	<1	<1	4	6	9	10	18
50-64	50	3.2	7	<1	<1	2	4	7	9	12
65+	32	5.0	25	<1	1	4	6	11	16	24
B. *Operated*										
0-19 YRS	93	3.3	6	1	1	3	4	5	7	15
20-34	324	3.5	7	1	1	3	4	6	8	13
35-49	474	3.7	7	1	1	3	4	7	9	15
50-64	384	4.0	12	1	1	3	5	7	10	21
65+	224	3.9	13	1	1	3	5	7	9	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	114	3.7	6	<1	1	3	4	7	8	13
B. *Operated*	1681	2.8	3	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	213	3.9	11	<1	<1	3	5	9	10	17
B. *Operated*	1499	3.8	9	1	1	3	4	7	9	17
1. SINGLE DX	1795	2.8	3	1	1	3	4	5	6	8
2. MULTIPLE DX	1712	3.8	10	1	1	3	5	7	9	16
A. NOT OPERATED	327	3.8	9	<1	1	3	5	8	9	16
B. OPERATED	3180	3.2	6	1	1	3	4	6	7	13
TOTAL 0-19 YRS	514	2.7	3	<1	1	2	4	4	5	11
20-34	1036	3.2	4	1	1	3	4	5	7	11
35-49	912	3.4	6	1	1	3	4	6	8	13
50-64	697	3.5	9	1	1	3	4	6	9	17
65+	348	3.6	12	1	1	3	4	7	9	16
GRAND TOTAL	**3507**	**3.3**	**6**	**1**	**1**	**3**	**4**	**6**	**7**	**13**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	455	2.3	2	1	1	2	3	4	5	8
20-34	740	2.1	2	1	1	2	3	4	5	7
35-49	168	2.3	2	1	1	2	3	4	5	9
50-64	15	2.8	2	<1	2	2	4	5	5	5
65+										
B. *Operated*										
0-19 YRS	472	3.8	4	1	1	4	5	6	7	11
20-34	1377	4.1	5	1	1	4	5	7	8	11
35-49	400	5.1	6	1	2	5	6	8	9	13
50-64	68	6.0	5	3	3	6	7	9	10	15
65+	29	6.6	8	3	4	6	8	10	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	337	2.7	6	1	1	2	3	4	5	8
20-34	610	2.8	4	1	1	2	4	5	6	9
35-49	197	3.4	6	1	1	3	4	6	7	15
50-64	14	5.7	16	<1	2	5	8	13	14	14
65+	7	6.0	18	2	2	4	9	12	13	13
B. *Operated*										
0-19 YRS	527	4.6	7	1	2	4	6	7	9	14
20-34	3318	5.2	8	1	2	5	6	8	10	14
35-49	1750	6.2	14	2	3	6	7	9	12	17
50-64	255	7.0	10	4	4	6	8	10	13	18
65+	157	9.3	41	3	5	8	10	16	20	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1378	2.2	2	1	1	2	3	4	5	7
B. *Operated*	2346	4.3	5	1	1	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	1165	2.9	5	1	1	2	4	5	6	11
B. *Operated*	6007	5.6	11	1	2	5	7	9	11	17
1. SINGLE DX	3724	3.5	5	1	1	3	5	6	7	11
2. MULTIPLE DX	7172	5.2	11	1	2	5	6	8	11	16
A. NOT OPERATED	2543	2.5	3	1	1	2	3	5	6	8
B. OPERATED	8353	5.3	10	1	2	5	6	8	10	16
TOTAL 0-19 YRS	1791	3.4	6	1	1	3	5	6	7	11
20-34	6045	4.3	7	1	1	4	6	7	9	13
35-49	2515	5.6	12	1	2	5	7	9	11	16
50-64	352	6.6	9	2	4	6	7	10	12	18
65+	193	8.7	36	3	4	7	10	16	18	32
GRAND TOTAL	**10896**	**4.6**	**10**	**1**	**1**	**4**	**6**	**8**	**10**	**15**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1147	3.9	3	1	2	4	5	6	7	10
20-34	2717	4.1	5	1	2	4	5	7	8	11
35-49	319	4.4	4	2	2	4	5	7	8	10
50-64	23	4.0	3	2	2	4	5	6	7	7
65+	4	5.8	6	3	3	5	7	9	9	9
B. *Operated*										
0-19 YRS	212	4.9	6	1	2	5	6	8	9	12
20-34	1027	4.9	8	1	2	5	6	8	11	14
35-49	274	5.4	10	1	2	5	7	9	12	16
50-64	39	5.3	20	1	1	5	6	9	12	26
65+	13	4.2	10	<1	1	5	6	8	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	973	4.3	5	2	2	4	5	7	8	11
20-34	2611	4.7	8	2	2	4	6	8	9	13
35-49	518	5.4	8	2	2	5	7	9	11	15
50-64	53	5.6	12	2	2	5	7	12	14	16
65+	38	7.6	28	2	2	7	10	12	18	29
B. *Operated*										
0-19 YRS	489	6.1	11	2	3	6	8	10	12	17
20-34	4206	5.8	13	2	2	5	7	10	12	18
35-49	1617	7.0	19	2	3	6	8	12	15	23
50-64	164	9.2	53	3	4	7	10	18	21	36
65+	88	11.9	119	1	2	9	15	23	27	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4210	4.1	5	1	2	4	5	7	8	10
B. *Operated*	1565	5.0	8	1	2	5	6	8	11	14
2. MULTIPLE DX										
A. *Not Operated*	4193	4.7	7	2	2	4	6	8	9	13
B. *Operated*	6564	6.3	17	2	2	6	7	10	13	21
1. SINGLE DX	5775	4.3	6	1	2	4	5	7	8	12
2. MULTIPLE DX	10757	5.7	14	2	2	5	7	9	12	19
A. NOT OPERATED	8403	4.4	6	2	2	4	5	7	8	12
B. OPERATED	8129	6.0	16	1	2	5	7	10	13	20
TOTAL 0-19 YRS	2821	4.5	6	2	2	4	6	7	9	13
20-34	10561	5.0	10	1	2	5	6	8	10	15
35-49	2728	6.2	15	2	2	6	7	10	13	21
50-64	279	7.5	40	2	2	6	9	14	20	31
65+	143	9.9	89	1	2	7	13	21	24	75
GRAND TOTAL	**16532**	**5.2**	**12**	**2**	**2**	**5**	**6**	**9**	**11**	**17**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.3	3	1	1	2	3	5	6	6
20-34	44	2.5	4	1	1	2	3	4	5	12
35-49	16	3.1	3	<1	2	3	4	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	40	3.7	5	<1	1	4	5	7	8	8
20-34	794	4.4	5	1	1	5	6	7	7	10
35-49	574	5.2	3	2	3	5	6	7	8	9
50-64	26	6.1	3	4	4	6	7	8	9	12
65+	4	5.3	6	2	2	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	3.1	2	1	1	3	4	6	6	6
20-34	102	3.6	7	1	1	3	5	7	9	13
35-49	48	3.1	5	<1	1	3	4	7	8	9
50-64	4	3.5	4	2	2	3	5	6	6	6
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	79	4.2	9	1	1	4	5	9	10	14
20-34	3856	5.4	5	1	3	5	6	8	9	13
35-49	4633	6.1	5	4	4	6	7	8	9	14
50-64	456	6.5	5	4	4	6	7	9	10	15
65+	39	7.8	14	5	5	7	8	12	16	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	2.6	3	1	1	2	3	5	6	11
B. *Operated*	1438	4.7	4	1	2	5	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	170	3.4	6	1	1	3	4	7	8	12
B. *Operated*	9063	5.8	5	2	4	6	7	8	9	13
1. SINGLE DX	1506	4.6	4	1	1	5	6	7	8	10
2. MULTIPLE DX	9233	5.8	5	2	3	6	7	8	9	13
A. NOT OPERATED	238	3.2	5	1	1	3	4	6	8	12
B. OPERATED	10501	5.7	5	2	3	6	7	8	9	13
TOTAL 0-19 YRS	142	3.8	7	1	1	3	5	8	9	12
20-34	4796	5.1	5	1	2	5	6	7	9	12
35-49	5271	6.0	5	3	4	6	7	8	9	13
50-64	486	6.5	5	4	4	6	7	9	10	15
65+	44	7.4	14	2	5	7	8	11	16	24
GRAND TOTAL	**10739**	**5.6**	**5**	**2**	**3**	**6**	**7**	**8**	**9**	**13**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	6	3.2	8	<1	<1	2	5	8	8	8
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	47	2.7	3	<1	<1	2	4	5	6	8
35-49	26	3.2	5	<1	<1	2	5	6	8	10
50-64	13	2.2	3	<1	<1	2	3	5	6	6
65+	4	3.0	11	1	1	2	5	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.8	1	2	2	3	4	4	4	4
20-34	23	3.8	4	1	1	3	5	7	8	9
35-49	7	11.3	230	1	1	5	12	38	44	44
50-64	2	3.5	5	2	2	3	5	5	5	5
65+	2	7.0	18	4	4	7	10	10	10	10
B. *Operated*										
0-19 YRS	7	3.4	3	<1	<1	3	5	6	6	6
20-34	369	4.6	8	<1	1	5	6	8	9	13
35-49	393	5.5	7	1	2	6	7	8	9	14
50-64	93	4.6	11	<1	<1	5	7	8	9	16
65+	36	5.6	14	1	1	5	8	11	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	3.5	7	<1	<1	3	5	7	8	8
B. *Operated*	93	2.7	4	<1	<1	2	4	5	7	9
2. MULTIPLE DX										
A. *Not Operated*	40	5.1	47	1	1	4	5	9	12	44
B. *Operated*	898	5.0	8	<1	1	5	7	8	9	14
1. SINGLE DX	101	2.8	4	<1	<1	2	4	6	7	9
2. MULTIPLE DX	938	5.0	10	<1	1	5	7	8	9	14
A. NOT OPERATED	48	4.8	41	1	1	3	5	9	11	44
B. OPERATED	991	4.8	8	<1	1	5	7	8	9	14
TOTAL 0-19 YRS	17	2.8	2	<1	<1	3	4	5	6	6
20-34	445	4.4	8	<1	1	4	6	8	9	12
35-49	427	5.4	11	1	1	6	7	8	9	14
50-64	108	4.3	10	<1	<1	4	7	8	9	15
65+	42	5.5	14	1	1	5	8	10	14	14
GRAND TOTAL	**1039**	**4.8**	**10**	**<1**	**1**	**5**	**7**	**8**	**9**	**14**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	3.4	2	1	1	3	4	5	6	7
20-34	151	3.5	3	1	1	3	5	6	7	8
35-49	26	4.2	4	1	2	4	6	7	8	9
50-64	3	4.0	13	1	1	3	7	8	8	8
65+	2	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	40	2.6	2	1	1	2	3	5	6	7
20-34	295	2.2	3	<1	1	2	3	4	6	9
35-49	139	2.1	2	<1	1	2	3	4	5	8
50-64	36	2.2	2	<1	1	2	3	4	6	7
65+	19	3.2	5	<1	1	2	4	7	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	4.1	5	2	2	3	6	7	8	11
20-34	235	4.3	6	1	2	4	5	7	9	13
35-49	73	4.5	6	1	2	4	6	7	9	13
50-64	32	5.9	25	1	2	5	8	9	10	29
65+	50	7.1	20	2	3	6	8	14	17	21
B. *Operated*										
0-19 YRS	47	4.5	14	1	1	3	6	9	11	20
20-34	335	4.6	12	1	1	4	6	9	11	18
35-49	183	4.9	18	<1	1	4	6	10	12	18
50-64	66	5.9	41	1	1	4	6	15	21	32
65+	78	6.6	33	1	1	4	9	15	19	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	229	3.6	3	1	1	3	5	6	7	8
B. *Operated*	529	2.2	3	<1	1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	459	4.7	9	1	2	4	6	8	10	15
B. *Operated*	709	5.0	19	1	1	4	6	10	13	22
1. SINGLE DX	758	2.6	3	<1	1	2	3	5	6	8
2. MULTIPLE DX	1168	4.9	15	1	1	4	6	9	12	21
A. NOT OPERATED	688	4.3	8	1	2	4	5	8	9	14
B. OPERATED	1238	3.8	14	<1	1	3	5	7	10	19
TOTAL 0-19 YRS	203	3.7	6	1	1	3	5	7	8	13
20-34	1016	3.7	8	1	1	3	5	7	9	13
35-49	421	3.9	11	<1	1	3	5	7	10	15
50-64	137	4.9	29	1	1	3	6	9	16	30
65+	149	6.3	26	1	1	5	8	14	17	23
GRAND TOTAL	**1926**	**4.0**	**12**	**1**	**1**	**3**	**5**	**8**	**10**	**17**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	2.8	3	<1	<1	3	4	5	5	5
35-49	4	3.8	14	<1	<1	2	6	9	9	9
50-64	3	2.3	2	1	1	2	3	4	4	4
65+										
B. *Operated*										
0-19 YRS	5	4.0	7	1	1	4	6	7	7	7
20-34	245	5.4	3	2	3	5	6	7	8	10
35-49	564	5.9	5	3	3	6	7	9	10	13
50-64	949	6.0	5	3	4	6	7	9	10	14
65+	758	6.4	5	3	4	6	8	9	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	21	2.5	4	<1	<1	1	5	6	6	6
35-49	33	3.1	6	<1	<1	2	5	7	8	9
50-64	39	3.3	9	<1	<1	2	5	7	8	14
65+	88	4.9	21	1	1	4	6	10	15	24
B. *Operated*										
0-19 YRS	4	9.8	6	7	7	9	11	13	13	13
20-34	1307	6.0	5	3	4	6	7	8	9	13
35-49	2882	6.5	6	3	4	6	8	9	11	16
50-64	2779	7.0	8	4	4	7	8	10	11	16
65+	2926	7.5	10	4	4	7	9	11	13	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.8	6	<1	<1	2	4	6	8	9
B. *Operated*	2521	6.0	5	3	4	6	7	9	10	13
2. MULTIPLE DX										
A. *Not Operated*	181	4.0	14	<1	<1	3	6	8	11	17
B. *Operated*	9898	6.9	8	4	4	6	8	10	12	16
1. SINGLE DX	2534	6.0	5	3	4	6	7	9	10	13
2. MULTIPLE DX	10079	6.8	8	3	4	6	8	10	12	16
A. NOT OPERATED	194	3.9	14	<1	<1	3	6	8	10	17
B. OPERATED	12419	6.7	7	3	4	6	8	10	11	16
TOTAL 0-19 YRS	10	6.0	16	1	1	6	9	11	13	13
20-34	1578	5.9	5	3	4	6	7	8	9	13
35-49	3483	6.4	6	3	4	6	7	9	11	15
50-64	3770	6.7	8	3	4	6	8	10	11	15
65+	3772	7.2	9	3	4	7	8	10	12	18
GRAND TOTAL	**12613**	**6.7**	**8**	**3**	**4**	**6**	**8**	**10**	**11**	**16**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	1.2		<1	<1	1	1	2	2	2
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	4	2.0	2	<1	<1	1	3	4	4	4
20-34	54	2.1	3	<1	1	2	2	4	5	10
35-49	51	2.6	3	<1	<1	2	4	6	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	1.8	1	<1	<1	1	2	4	4	4
20-34	14	2.9	4	<1	1	2	4	6	6	6
35-49	10	2.6	5	1	1	2	3	6	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	118	4.8	13	1	1	5	6	8	9	22
35-49	198	4.3	9	1	1	4	6	8	10	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	1.4	1	<1	<1	1	2	3	3	3
B. *Operated*	109	2.3	3	<1	1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	30	2.6	4	<1	1	2	3	6	6	8
B. *Operated*	319	4.5	10	1	1	4	6	8	10	14
1. SINGLE DX	117	2.3	3	<1	1	2	3	5	6	8
2. MULTIPLE DX	349	4.3	10	1	1	4	6	8	10	14
A. NOT OPERATED	38	2.3	3	<1	1	2	3	5	6	8
B. OPERATED	428	3.9	9	1	1	3	6	7	9	13
TOTAL 0-19 YRS	14	1.8	1	<1	<1	1	2	4	4	4
20-34	192	3.8	11	1	1	3	6	7	8	16
35-49	260	3.9	8	<1	1	3	6	8	9	13
50-64										
65+										
GRAND TOTAL	**466**	**3.8**	**9**	**<1**	**1**	**3**	**6**	**7**	**9**	**13**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	104	2.0	2	<1	1	2	2	4	4	7
20-34	237	1.8	2	<1	<1	1	2	3	4	5
35-49	84	1.6	1	<1	1	1	2	3	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	139	1.8	1	<1	1	2	2	3	4	6
20-34	1128	2.4	3	<1	1	2	3	5	6	8
35-49	992	2.7	4	<1	<1	2	4	6	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	151	2.6	2	1	1	2	3	5	5	8
20-34	335	2.5	3	<1	1	2	3	5	5	10
35-49	211	2.3	3	<1	<1	2	3	5	6	8
50-64										
65+										
B. *Operated*										
0-19 YRS	187	3.0	5	1	1	2	4	6	8	11
20-34	3350	4.4	9	1	1	4	6	7	8	12
35-49	5382	5.1	8	1	1	5	7	8	9	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	425	1.8	2	<1	<1	1	2	3	4	6
B. *Operated*	2259	2.5	3	<1	<1	2	3	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	697	2.5	3	<1	1	2	3	5	6	8
B. *Operated*	8919	4.8	9	1	1	5	6	8	9	13
1. SINGLE DX	2684	2.4	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX	9616	4.6	9	1	1	5	6	8	9	12
A. NOT OPERATED	1122	2.2	3	<1	1	2	3	4	5	8
B. OPERATED	11178	4.3	8	<1	1	4	6	7	8	12
TOTAL 0-19 YRS	581	2.4	3	<1	1	2	3	5	6	9
20-34	5050	3.7	8	<1	1	3	5	7	8	12
35-49	6669	4.6	8	<1	1	5	6	8	9	12
50-64										
65+										
GRAND TOTAL	**12300**	**4.1**	**8**	**<1**	**1**	**4**	**6**	**7**	**8**	**12**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	2.3	2	1	1	2	3	4	4	4
50-64	2	1.0		1	1	1	1	1	1	1
65+	7	2.3	4	<1	<1	1	4	5	5	5
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	6	4.0	3	2	2	4	5	6	6	6
35-49	79	2.0	2	<1	<1	2	2	4	5	7
50-64	263	1.9	3	<1	<1	1	2	3	5	8
65+	82	2.0	2	<1	<1	2	2	3	4	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	5.5	25	2	2	5	9	9	9	9
35-49	20	3.5	4	1	1	3	5	7	8	8
50-64	41	2.6	4	<1	<1	2	4	6	7	9
65+	40	4.3	11	1	1	3	6	8	10	17
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	25	5.6	5	2	2	6	6	8	9	12
35-49	206	4.4	8	1	1	5	6	8	9	12
50-64	777	3.9	10	1	1	2	6	8	10	15
65+	528	3.9	12	1	1	2	5	8	11	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.1	2	<1	<1	1	3	5	5	5
B. *Operated*	431	2.0	2	<1	<1	2	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*	103	3.5	8	<1	<1	2	5	7	9	14
B. *Operated*	1537	4.0	11	1	1	3	6	8	10	16
1. SINGLE DX	444	2.0	2	<1	<1	2	2	3	5	8
2. MULTIPLE DX	1640	3.9	11	1	1	3	6	8	10	16
A. NOT OPERATED	116	3.3	7	<1	<1	2	5	7	9	13
B. OPERATED	1968	3.5	10	<1	1	2	5	7	9	15
TOTAL 0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	34	5.2	6	2	2	6	6	8	9	12
35-49	308	3.7	7	<1	1	3	6	7	8	12
50-64	1083	3.3	9	<1	1	2	5	7	9	14
65+	657	3.6	11	1	1	2	5	8	10	17
GRAND TOTAL	**2084**	**3.5**	**9**	**<1**	**1**	**2**	**5**	**7**	**9**	**15**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	1.8	1	<1	1	1	2	4	4	5
20-34	93	2.3	3	<1	1	2	3	4	6	7
35-49	35	3.0	6	<1	1	2	4	7	8	9
50-64	7	1.7	1	<1	<1	1	2	4	4	4
65+	5	2.4	3	<1	<1	2	3	5	5	5
B. *Operated*										
0-19 YRS	97	2.8	4	<1	<1	2	4	6	6	11
20-34	937	3.0	6	<1	1	2	4	6	7	12
35-49	604	3.4	7	<1	1	3	5	7	8	12
50-64	288	3.7	11	<1	1	3	6	7	8	12
65+	83	4.3	17	<1	1	3	6	10	13	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	2.6	3	<1	1	2	4	4	5	10
20-34	186	3.1	8	<1	1	2	4	6	8	12
35-49	81	2.9	4	<1	<1	2	4	6	7	9
50-64	41	5.4	23	1	1	4	6	10	18	22
65+	98	6.2	29	1	2	5	7	13	17	28
B. *Operated*										
0-19 YRS	162	4.0	9	<1	1	4	5	8	9	13
20-34	1830	4.5	10	1	1	5	6	8	9	13
35-49	2585	5.3	11	<1	1	5	7	8	10	17
50-64	1367	5.9	22	1	1	6	7	9	12	25
65+	709	7.4	59	1	1	6	9	15	20	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	187	2.3	3	<1	1	2	3	5	6	8
B. *Operated*	2009	3.3	7	<1	1	2	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	460	3.9	14	<1	1	3	5	8	10	23
B. *Operated*	6653	5.4	19	1	1	5	7	9	11	21
1. SINGLE DX	2196	3.2	7	<1	1	2	5	6	8	12
2. MULTIPLE DX	7113	5.3	19	1	1	5	7	9	11	21
A. NOT OPERATED	647	3.4	12	<1	1	2	4	7	9	21
B. OPERATED	8662	4.9	17	<1	1	5	6	8	11	19
TOTAL 0-19 YRS	360	3.2	6	<1	1	3	4	6	8	11
20-34	3046	3.9	9	<1	1	4	6	7	8	12
35-49	3305	4.9	11	<1	1	5	6	8	10	15
50-64	1703	5.5	21	1	1	5	7	9	11	22
65+	895	6.9	52	1	1	5	9	15	19	38
GRAND TOTAL	**9309**	**4.8**	**17**	**<1**	**1**	**4**	**6**	**8**	**10**	**19**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	219	1.8	1	<1	1	1	2	4	4	5
20-34	242	2.1	2	<1	1	2	3	4	5	7
35-49	43	1.9	2	<1	1	2	2	4	5	6
50-64	6	2.7	2	1	1	2	3	5	5	5
65+	3	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	77	2.5	3	<1	<1	2	3	5	6	8
20-34	656	3.6	5	<1	1	4	5	7	7	9
35-49	667	5.5	6	1	2	5	7	8	9	12
50-64	448	6.3	5	3	4	6	8	9	10	13
65+	233	6.6	6	3	4	6	8	10	11	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	176	2.2	2	<1	1	2	3	4	5	7
20-34	453	2.6	5	<1	1	2	3	5	6	10
35-49	150	3.1	6	<1	1	2	4	6	7	13
50-64	45	3.0	6	<1	<1	2	4	7	9	11
65+	34	5.2	17	<1	1	4	7	10	14	19
B. *Operated*										
0-19 YRS	103	3.4	5	1	1	3	5	6	8	12
20-34	2564	4.9	6	1	2	5	6	8	9	12
35-49	2022	6.2	7	2	4	6	7	9	10	14
50-64	933	7.0	11	3	4	7	8	10	13	20
65+	543	7.9	12	3	4	7	9	12	14	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	513	2.0	2	<1	1	2	3	4	5	6
B. *Operated*	2081	5.1	7	1	1	5	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	858	2.7	5	<1	1	2	4	5	7	12
B. *Operated*	6165	5.9	9	1	2	6	7	9	11	15
1. SINGLE DX	2594	4.5	7	1	1	4	6	8	9	12
2. MULTIPLE DX	7023	5.5	9	1	2	5	7	9	10	15
A. NOT OPERATED	1371	2.5	4	<1	1	2	3	5	6	10
B. OPERATED	8246	5.7	8	1	2	6	7	9	10	14
TOTAL 0-19 YRS	575	2.3	3	<1	1	2	3	5	5	9
20-34	3915	4.2	6	1	1	4	6	7	8	11
35-49	2882	5.8	7	1	2	6	7	9	10	14
50-64	1432	6.6	9	2	3	6	8	10	12	18
65+	813	7.4	11	3	4	7	9	11	13	19
GRAND TOTAL	**9617**	**5.2**	**9**	**1**	**1**	**5**	**7**	**9**	**10**	**14**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.0	1	<1	1	2	2	4	4	4
20-34	67	1.8	2	<1	<1	1	2	3	6	7
35-49	9	2.2	3	<1	<1	1	3	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	168	4.3	2	2	3	4	5	6	7	8
20-34	2233	4.5	2	2	3	4	5	6	7	10
35-49	245	4.7	3	3	3	5	5	6	8	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	2.2	2	<1	<1	2	3	5	5	5
20-34	41	2.6	4	<1	<1	2	3	5	7	9
35-49	2	5.5	1	5	5	5	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	157	4.6	3	3	3	4	5	6	8	12
20-34	2434	4.8	3	3	3	5	5	7	8	10
35-49	345	5.3	4	3	3	5	6	8	9	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	1.9	2	<1	<1	1	2	4	6	7
B. *Operated*	2646	4.5	2	2	3	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	52	2.7	4	<1	<1	2	3	5	7	9
B. *Operated*	2936	4.9	3	3	3	5	6	7	8	11
1. SINGLE DX	2737	4.4	3	2	3	4	5	6	7	10
2. MULTIPLE DX	2988	4.8	3	3	3	5	5	7	8	11
A. NOT OPERATED	143	2.2	3	<1	<1	2	2	4	6	8
B. OPERATED	5582	4.7	3	3	3	5	5	6	7	10
TOTAL 0-19 YRS	349	4.3	3	1	3	4	5	6	7	11
20-34	4775	4.6	3	2	3	4	5	6	7	10
35-49	601	5.0	4	3	3	5	6	7	8	13
50-64										
65+										
GRAND TOTAL	**5725**	**4.6**	**3**	**2**	**3**	**4**	**5**	**6**	**7**	**10**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	1.5	1	<1	1	1	2	3	4	7
20-34	47	1.3		<1	1	1	1	2	3	3
35-49	11	1.1		<1	<1	1	1	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	262	1.4	1	<1	<1	1	2	2	3	5
20-34	575	1.4	1	<1	<1	1	1	2	3	6
35-49	107	1.2		<1	<1	<1	1	2	2	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	1.9	2	<1	<1	1	3	4	5	5
20-34	73	2.1	3	<1	1	2	3	4	5	10
35-49	22	1.8	1	<1	1	2	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	81	2.2	4	<1	1	1	2	5	6	9
20-34	368	3.1	13	<1	1	2	4	6	9	15
35-49	112	3.3	20	<1	<1	2	3	7	10	25
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	1.4	1	<1	1	1	1	2	3	6
B. *Operated*	944	1.4	1	<1	<1	1	1	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	116	2.0	2	<1	<1	2	3	4	4	9
B. *Operated*	561	3.0	13	<1	1	2	3	6	9	18
1. SINGLE DX	1036	1.4	1	<1	<1	1	1	2	3	6
2. MULTIPLE DX	677	2.8	11	<1	1	2	3	6	8	16
A. NOT OPERATED	208	1.7	2	<1	1	1	2	3	4	7
B. OPERATED	1505	2.0	6	<1	<1	1	2	4	6	13
TOTAL 0-19 YRS	398	1.6	2	<1	<1	1	2	3	4	7
20-34	1063	2.0	6	<1	<1	1	2	4	6	11
35-49	252	2.2	10	<1	<1	1	2	4	6	19
50-64										
65+										
GRAND TOTAL	**1713**	**1.9**	**6**	**<1**	**<1**	**1**	**2**	**4**	**5**	**11**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. NOT OPERATED	1	1.0		1	1	1	1	1	1	1
B. OPERATED	1	3.0		3	3	3	3	3	3	3
TOTAL 0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
GRAND TOTAL	**2**	**2.0**	**2**	**1**	**1**	**2**	**3**	**3**	**3**	**3**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	267	1.4	1	<1	<1	1	2	2	3	6
20-34	991	1.4	1	<1	<1	1	2	2	3	5
35-49	96	1.4	1	<1	<1	1	2	3	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1887	1.5	1	<1	<1	1	2	2	3	5
20-34	9887	1.4	1	<1	<1	1	1	2	3	5
35-49	1292	1.3		<1	<1	1	1	2	2	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	2.1	2	<1	1	2	3	4	5	6
20-34	252	2.3	3	<1	1	2	3	4	6	9
35-49	36	2.2	4	<1	1	2	2	4	5	11
50-64										
65+										
B. *Operated*										
0-19 YRS	334	2.1	2	<1	1	2	2	4	5	9
20-34	1871	2.1	5	<1	1	1	2	4	6	10
35-49	332	2.1	3	<1	1	1	2	4	6	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1354	1.4	1	<1	<1	1	2	2	3	5
B. *Operated*	13066	1.4	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	357	2.3	3	<1	1	2	3	4	6	9
B. *Operated*	2537	2.1	4	<1	1	1	2	4	5	10
1. SINGLE DX	14420	1.4	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX	2894	2.1	4	<1	1	1	2	4	5	10
A. NOT OPERATED	1711	1.6	1	<1	<1	1	2	3	4	6
B. OPERATED	15603	1.5	2	<1	<1	1	2	2	3	6
TOTAL 0-19 YRS	2557	1.5	1	<1	<1	1	2	3	4	6
20-34	13001	1.5	2	<1	<1	1	2	3	3	6
35-49	1756	1.5	1	<1	<1	1	2	2	3	6
50-64										
65+										
GRAND TOTAL	**17314**	**1.5**	**2**	**<1**	**<1**	**1**	**2**	**3**	**3**	**6**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	2.7	2	<1	1	2	3	5	6	8
20-34	330	2.1	3	<1	<1	2	3	4	6	8
35-49	40	2.1	2	<1	<1	2	3	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	202	1.8	1	<1	<1	1	2	3	4	7
20-34	1655	1.5	1	<1	<1	1	2	3	3	6
35-49	215	1.6	2	<1	<1	1	2	3	4	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	2.9	3	1	1	3	4	6	6	7
20-34	145	2.9	6	<1	1	2	4	6	6	12
35-49	18	2.5	4	<1	1	2	3	5	7	9
50-64										
65+										
B. *Operated*										
0-19 YRS	90	2.7	4	<1	1	2	4	6	7	9
20-34	601	2.7	8	<1	1	2	3	6	7	13
35-49	113	2.9	7	1	1	2	4	6	9	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	456	2.2	3	<1	<1	2	3	4	6	8
B. *Operated*	2072	1.6	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	203	2.8	5	<1	1	2	4	5	7	11
B. *Operated*	804	2.7	8	<1	1	2	3	6	7	13
1. SINGLE DX	2528	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	1007	2.8	7	<1	1	2	3	6	7	13
A. NOT OPERATED	659	2.4	3	<1	1	2	3	5	6	8
B. OPERATED	2876	1.9	3	<1	<1	1	2	4	5	9
TOTAL 0-19 YRS	418	2.3	3	<1	1	2	3	4	6	8
20-34	2731	1.9	3	<1	<1	1	2	4	5	9
35-49	386	2.1	4	<1	<1	1	2	4	6	9
50-64										
65+										
GRAND TOTAL	**3535**	**2.0**	**3**	**<1**	**<1**	**1**	**2**	**4**	**5**	**9**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	362	2.0	2	<1	1	2	3	4	5	6
20-34	1876	2.1	2	<1	1	2	3	4	5	7
35-49	141	2.0	1	<1	1	2	3	4	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	8	2.1	2	<1	<1	2	3	4	5	5
20-34	36	1.9	2	<1	1	1	3	4	6	7
35-49	5	1.4		<1	<1	1	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	2.7	6	<1	1	2	3	4	6	16
20-34	563	2.7	3	1	1	2	4	5	6	9
35-49	37	3.4	7	<1	1	2	5	7	9	11
50-64										
65+										
B. *Operated*										
0-19 YRS	8	3.6	3	1	1	4	5	5	5	5
20-34	47	3.9	15	<1	1	3	5	8	9	23
35-49	3	2.0		2	2	2	2	2	2	2
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2379	2.1	2	<1	1	2	3	4	5	7
B. *Operated*	49	1.9	2	<1	1	1	2	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	692	2.8	4	<1	1	2	4	5	6	10
B. *Operated*	58	3.8	12	1	1	3	5	7	9	22
1. SINGLE DX	2428	2.1	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	750	2.8	5	1	1	2	4	5	6	10
A. NOT OPERATED	3071	2.2	2	<1	1	2	3	4	5	7
B. OPERATED	107	2.9	9	<1	1	2	4	6	7	16
TOTAL 0-19 YRS	470	2.2	3	<1	1	2	3	4	5	7
20-34	2522	2.3	2	<1	1	2	3	4	5	8
35-49	186	2.3	3	<1	1	2	3	4	6	9
50-64										
65+										
GRAND TOTAL	**3178**	**2.3**	**2**	**<1**	**1**	**2**	**3**	**4**	**5**	**8**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	1.9	1	<1	1	2	2	3	4	5
20-34	115	2.1	3	<1	1	2	2	4	4	11
35-49	3	1.3		1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	6	2.7	3	<1	<1	2	4	5	5	5
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	1.8	1	1	1	2	2	3	4	4
20-34	39	2.7	2	1	1	3	4	5	5	6
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	152	2.0	3	<1	1	2	2	3	4	9
B. *Operated*	7	2.6	2	<1	<1	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	54	2.4	2	1	1	2	3	4	5	6
B. *Operated*	3	1.3		1	1	1	2	2	2	2
1. SINGLE DX	159	2.0	3	<1	1	2	2	4	4	9
2. MULTIPLE DX	57	2.4	2	1	1	2	3	4	5	6
A. NOT OPERATED	206	2.1	2	<1	1	2	3	4	5	8
B. OPERATED	10	2.2	2	<1	<1	2	3	4	5	5
TOTAL 0-19 YRS	48	1.9	1	<1	1	2	2	3	4	5
20-34	162	2.2	3	<1	1	2	3	4	5	9
35-49	6	1.7	1	1	1	2	2	3	3	3
50-64										
65+										
GRAND TOTAL	**216**	**2.1**	**2**	**<1**	**1**	**2**	**3**	**4**	**5**	**8**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	352	3.1	6	1	1	3	4	5	7	11
20-34	1797	2.9	4	1	1	3	3	5	6	10
35-49	151	3.1	4	1	1	3	4	5	8	10
50-64										
65+										
B. *Operated*										
0-19 YRS	34	3.1	4	<1	1	3	4	5	7	11
20-34	153	3.4	5	<1	1	3	4	6	8	12
35-49	19	2.9	4	<1	1	2	4	7	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	109	3.4	11	1	1	3	4	5	8	23
20-34	616	3.4	8	<1	1	3	4	6	8	15
35-49	88	3.9	10	1	1	3	5	7	10	16
50-64										
65+										
B. *Operated*										
0-19 YRS	36	3.1	6	<1	<1	2	5	6	8	11
20-34	161	3.4	12	<1	<1	2	4	7	10	20
35-49	21	5.5	24	<1	<1	4	7	15	16	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2300	3.0	4	1	1	3	3	5	7	10
B. *Operated*	206	3.3	5	<1	1	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	813	3.4	8	<1	1	3	4	6	8	16
B. *Operated*	218	3.5	13	<1	<1	2	4	7	11	18
1. SINGLE DX	2506	3.0	4	1	1	3	4	5	7	11
2. MULTIPLE DX	1031	3.5	9	<1	1	3	4	6	9	16
A. NOT OPERATED	3113	3.1	5	1	1	3	4	5	7	12
B. OPERATED	424	3.4	9	<1	<1	3	4	7	9	15
TOTAL 0-19 YRS	531	3.2	7	<1	1	3	4	5	7	12
20-34	2727	3.1	5	1	1	3	4	5	7	12
35-49	279	3.5	8	1	1	3	4	6	8	16
50-64										
65+										
GRAND TOTAL	**3537**	**3.1**	**6**	**1**	**1**	**3**	**4**	**5**	**7**	**13**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	529	3.4	6	1	1	3	4	6	7	14
20-34	2845	3.8	6	1	2	3	5	6	8	13
35-49	126	4.5	9	2	2	4	5	8	10	17
50-64										
65+										
B. *Operated*										
0-19 YRS	7	3.7	11	<1	<1	2	6	9	9	9
20-34	15	6.8	66	<1	<1	3	11	23	24	25
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	301	3.4	4	1	1	3	4	6	7	11
20-34	1318	4.0	8	1	2	3	5	7	9	15
35-49	77	4.7	10	1	2	4	6	9	11	17
50-64										
65+										
B. *Operated*										
0-19 YRS	7	4.0	3	<1	<1	5	5	6	6	6
20-34	37	9.5	70	2	2	6	16	23	27	30
35-49	2	21.5	761	2	2	21	41	41	41	41
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3500	3.7	6	1	2	3	4	6	8	13
B. *Operated*	23	5.8	47	<1	<1	3	8	15	24	25
2. MULTIPLE DX										
A. *Not Operated*	1696	3.9	8	1	2	3	5	7	9	14
B. *Operated*	46	9.2	84	1	2	5	14	23	28	41
1. SINGLE DX	3523	3.8	6	1	2	3	4	6	8	13
2. MULTIPLE DX	1742	4.1	10	1	2	3	5	7	9	17
A. NOT OPERATED	5196	3.8	6	1	2	3	5	7	8	13
B. OPERATED	69	8.0	73	<1	1	5	11	22	26	39
TOTAL 0-19 YRS	844	3.4	5	1	1	3	4	6	7	13
20-34	4215	3.9	7	1	2	3	5	7	9	14
35-49	206	4.7	15	2	2	4	6	8	11	18
50-64										
65+										
GRAND TOTAL	**5265**	**3.9**	**7**	**1**	**2**	**3**	**5**	**7**	**9**	**14**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1858	1.1	1	<1	<1	<1	1	1	2	4
20-34	7414	1.1	1	<1	<1	<1	1	1	2	4
35-49	358	1.1		<1	<1	<1	1	1	2	4
50-64										
65+										
B. *Operated*										
0-19 YRS	288	1.2	1	<1	<1	<1	1	2	2	5
20-34	1061	1.2	1	<1	<1	<1	1	1	2	5
35-49	60	1.1		<1	<1	<1	1	1	1	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	203	1.5	3	<1	<1	1	1	2	3	6
20-34	823	1.5	3	<1	<1	1	1	3	4	8
35-49	43	1.8	3	<1	<1	1	2	5	6	10
50-64										
65+										
B. *Operated*										
0-19 YRS	41	1.5	2	<1	<1	<1	1	3	3	10
20-34	175	2.0	10	<1	<1	1	2	4	5	15
35-49	8	2.4	2	<1	<1	2	3	5	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9630	1.1	1	<1	<1	<1	1	1	2	4
B. *Operated*	1409	1.2	1	<1	<1	<1	1	1	2	5
2. MULTIPLE DX										
A. *Not Operated*	1069	1.5	3	<1	<1	1	1	3	4	8
B. *Operated*	224	1.9	8	<1	<1	1	2	3	5	12
1. SINGLE DX	11039	1.1	1	<1	<1	<1	1	1	2	4
2. MULTIPLE DX	1293	1.6	4	<1	<1	1	1	3	4	9
A. NOT OPERATED	10699	1.2	1	<1	<1	<1	1	1	2	4
B. OPERATED	1633	1.3	2	<1	<1	<1	1	2	3	6
TOTAL 0-19 YRS	2390	1.2	1	<1	<1	<1	1	1	2	4
20-34	9473	1.2	1	<1	<1	<1	1	1	2	5
35-49	469	1.2	1	<1	<1	1	1	2	2	5
50-64										
65+										
GRAND TOTAL	**12332**	**1.2**	**1**	**<1**	**<1**	**<1**	**1**	**1**	**2**	**5**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	72	2.8	5	<1	<1	2	4	5	7	12
20-34	692	3.1	13	<1	1	2	3	5	8	16
35-49	75	3.7	18	1	1	3	4	6	8	27
50-64										
65+										
B. *Operated*										
0-19 YRS	7	2.0	1	1	1	2	3	4	4	4
20-34	78	4.8	42	<1	1	3	5	11	14	36
35-49	8	5.8	44	1	1	3	7	17	21	21
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	3.1	5	<1	1	2	4	7	7	7
20-34	253	4.0	30	<1	1	3	4	7	11	27
35-49	22	3.8	12	<1	<1	3	5	9	12	14
50-64										
65+										
B. *Operated*										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	30	4.8	24	1	1	4	6	8	13	27
35-49	3	9.0	67	2	2	7	15	18	18	18
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	839	3.1	13	<1	1	2	4	5	8	16
B. *Operated*	93	4.7	40	1	1	3	4	11	15	36
2. MULTIPLE DX										
A. *Not Operated*	295	3.9	27	<1	1	3	4	7	10	25
B. *Operated*	36	5.0	25	1	2	4	6	8	16	27
1. SINGLE DX	932	3.3	16	<1	1	2	4	6	9	21
2. MULTIPLE DX	331	4.0	27	<1	1	3	4	7	11	27
A. NOT OPERATED	1134	3.3	17	<1	1	2	4	6	9	18
B. OPERATED	129	4.8	35	1	1	3	5	10	15	36
TOTAL 0-19 YRS	102	2.8	4	<1	1	2	4	5	7	11
20-34	1053	3.5	20	<1	1	2	4	6	10	22
35-49	108	4.0	20	<1	1	3	4	7	11	26
50-64										
65+										
GRAND TOTAL	**1263**	**3.5**	**[illegible]9**	**<1**	**1**	**2**	**4**	**6**	**10**	**22**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	197	1.6	2	<1	<1	1	2	3	4	7
20-34	853	1.9	2	<1	<1	1	2	4	5	9
35-49	78	2.0	3	<1	<1	1	2	4	6	9
50-64										
65+										
B. *Operated*										
0-19 YRS	28	1.3		<1	<1	1	1	3	3	3
20-34	104	2.1	11	<1	<1	1	2	3	5	20
35-49	9	1.1		<1	<1	1	1	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	2.2	8	<1	<1	1	2	4	5	19
20-34	341	2.5	5	<1	<1	2	3	5	6	11
35-49	29	2.2	4	<1	<1	2	3	4	6	11
50-64										
65+										
B. *Operated*										
0-19 YRS	7	3.0	3	<1	<1	3	4	6	6	6
20-34	44	4.3	24	<1	<1	3	4	10	16	23
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1128	1.9	2	<1	<1	1	2	3	5	9
B. *Operated*	141	1.9	8	<1	<1	1	2	3	4	11
2. MULTIPLE DX										
A. *Not Operated*	449	2.4	5	<1	<1	2	3	4	6	11
B. *Operated*	53	4.1	21	<1	<1	3	4	10	13	23
1. SINGLE DX	1269	1.9	3	<1	<1	1	2	3	5	9
2. MULTIPLE DX	502	2.6	7	<1	<1	2	3	5	7	13
A. NOT OPERATED	1577	2.0	3	<1	<1	1	2	4	5	10
B. OPERATED	194	2.5	12	<1	<1	1	3	4	7	23
TOTAL 0-19 YRS	311	1.8	3	<1	<1	1	2	3	4	8
20-34	1342	2.2	5	<1	<1	1	3	4	6	11
35-49	118	2.0	3	<1	<1	1	2	4	6	10
50-64										
65+										
GRAND TOTAL	**1771**	**2.1**	**4**	**<1**	**<1**	**1**	**2**	**4**	**5**	**10**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	440	2.8	3	<1	1	3	4	5	6	8
20-34	991	2.9	3	<1	1	3	4	5	6	8
35-49	22	2.9	1	<1	1	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	27	2.6	4	<1	<1	2	3	6	7	8
20-34	68	3.4	10	<1	<1	3	4	6	8	20
35-49	6	3.7	2	2	2	3	4	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	602	3.5	4	<1	1	3	5	6	7	10
20-34	1228	3.4	4	<1	1	3	4	6	7	10
35-49	34	2.9	4	1	1	2	4	6	7	10
50-64										
65+										
B. *Operated*										
0-19 YRS	29	3.9	13	<1	1	3	5	9	14	14
20-34	106	3.7	11	<1	1	3	5	8	10	17
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1453	2.9	3	<1	1	3	4	5	6	8
B. *Operated*	101	3.2	8	<1	<1	3	4	6	7	16
2. MULTIPLE DX										
A. *Not Operated*	1864	3.4	4	<1	1	3	4	6	7	10
B. *Operated*	137	3.7	11	<1	1	3	5	8	11	15
1. SINGLE DX	1554	2.9	3	<1	1	3	4	5	6	8
2. MULTIPLE DX	2001	3.5	5	<1	1	3	4	6	7	11
A. NOT OPERATED	3317	3.2	4	<1	1	3	4	6	7	9
B. OPERATED	238	3.5	10	<1	<1	3	4	7	10	15
TOTAL 0-19 YRS	1098	3.2	4	<1	1	3	4	6	7	10
20-34	2393	3.2	4	<1	1	3	4	6	7	10
35-49	64	2.9	3	<1	1	3	4	5	6	10
50-64										
65+										
GRAND TOTAL	**3555**	**3.2**	**4**	**<1**	**1**	**3**	**4**	**6**	**7**	**10**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	117	3.1	6	<1	<1	3	4	6	7	13
20-34	790	3.6	8	1	1	3	5	7	8	15
35-49	118	3.9	6	1	1	4	5	7	8	14
50-64										
65+										
B. *Operated*										
0-19 YRS	8	5.0	40	1	1	3	5	16	20	20
20-34	48	3.3	7	<1	<1	3	5	6	7	15
35-49	5	3.0	6	1	1	2	4	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	607	3.6	26	<1	<1	2	4	7	10	24
20-34	3125	3.8	14	<1	1	3	4	7	10	20
35-49	286	4.0	10	1	1	3	5	7	8	12
50-64										
65+										
B. *Operated*										
0-19 YRS	66	4.0	8	1	1	3	6	8	10	12
20-34	389	5.7	34	<1	1	4	7	12	20	33
35-49	37	5.9	13	<1	1	6	9	11	12	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1025	3.6	7	<1	1	3	5	7	8	15
B. *Operated*	61	3.5	11	<1	<1	3	4	6	8	19
2. MULTIPLE DX										
A. *Not Operated*	4018	3.8	15	<1	1	3	5	7	10	20
B. *Operated*	492	5.5	29	<1	1	4	7	11	17	32
1. SINGLE DX	1086	3.6	7	<1	1	3	5	7	8	15
2. MULTIPLE DX	4510	3.9	17	<1	1	3	5	8	10	21
A. NOT OPERATED	5043	3.7	14	<1	1	3	5	7	9	19
B. OPERATED	553	5.2	28	<1	1	4	7	11	16	31
TOTAL 0-19 YRS	798	3.6	21	<1	<1	3	4	7	10	19
20-34	4352	3.9	15	<1	1	3	5	8	10	20
35-49	446	4.1	10	1	1	3	5	8	9	13
50-64										
65+										
GRAND TOTAL	**5596**	**3.9**	**15**	**<1**	**1**	**3**	**5**	**7**	**10**	**20**

268: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1236	2.0	3	<1	<1	1	2	4	5	9
20-34	5806	2.2	6	<1	<1	1	3	4	6	12
35-49	337	2.2	5	<1	<1	1	3	4	7	12
50-64										
65+										
B. *Operated*										
0-19 YRS	354	2.4	13	<1	<1	1	3	4	8	19
20-34	2375	2.3	7	<1	<1	1	3	4	6	13
35-49	181	2.2	4	<1	<1	1	3	4	6	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	741	2.7	10	<1	<1	2	3	5	7	12
20-34	3205	3.0	15	<1	<1	2	4	6	8	20
35-49	221	3.7	16	<1	<1	2	5	8	11	22
50-64										
65+										
B. *Operated*										
0-19 YRS	248	3.5	21	<1	<1	2	4	7	11	29
20-34	1402	3.1	20	<1	<1	2	4	6	9	21
35-49	115	3.2	21	<1	<1	2	3	6	10	26
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7379	2.1	6	<1	<1	1	3	4	6	12
B. *Operated*	2910	2.3	8	<1	<1	1	3	4	6	13
2. MULTIPLE DX										
A. *Not Operated*	4167	3.0	14	<1	<1	2	4	6	8	19
B. *Operated*	1765	3.2	20	<1	<1	2	4	6	9	21
1. SINGLE DX	10289	2.2	6	<1	<1	1	3	4	6	12
2. MULTIPLE DX	5932	3.1	16	<1	<1	2	4	6	8	20
A. NOT OPERATED	11546	2.5	9	<1	<1	1	3	5	7	14
B. OPERATED	4675	2.6	13	<1	<1	1	3	5	7	18
TOTAL 0-19 YRS	2579	2.4	9	<1	<1	1	3	4	6	15
20-34	12788	2.5	10	<1	<1	1	3	5	7	15
35-49	854	2.7	10	<1	<1	2	3	6	8	18
50-64										
65+										
GRAND TOTAL	**16221**	**2.5**	**10**	**<1**	**<1**	**1**	**3**	**5**	**7**	**15**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	111	2.8	1	2	2	3	3	4	4	7
20-34	623	3.0	2	1	2	3	3	4	5	8
35-49	67	3.2	3	1	2	3	4	5	6	10
50-64										
65+										
B. *Operated*										
0-19 YRS	41	3.0	1	1	2	3	4	5	5	6
20-34	402	3.7	5	2	2	3	4	6	6	12
35-49	33	3.5	2	2	2	3	4	6	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	225	3.0	3	1	2	3	3	4	5	8
20-34	1181	3.1	6	1	2	3	3	4	5	10
35-49	101	3.2	2	2	2	3	4	5	6	8
50-64										
65+										
B. *Operated*										
0-19 YRS	287	4.3	13	2	2	3	5	7	11	24
20-34	2486	4.9	20	2	2	4	5	7	10	25
35-49	273	5.5	33	2	2	4	6	8	12	39
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	801	3.0	2	1	2	3	3	4	5	9
B. *Operated*	476	3.7	4	2	2	3	4	6	6	10
2. MULTIPLE DX										
A. *Not Operated*	1507	3.1	5	1	2	3	3	4	5	9
B. *Operated*	3046	4.9	20	2	2	4	5	7	11	26
1. SINGLE DX	1277	3.2	3	2	2	3	4	5	6	9
2. MULTIPLE DX	4553	4.3	16	2	2	3	5	6	9	22
A. NOT OPERATED	2308	3.0	4	1	2	3	3	4	5	9
B. OPERATED	3522	4.7	18	2	2	4	5	7	10	25
TOTAL 0-19 YRS	664	3.5	7	2	2	3	4	5	7	19
20-34	4692	4.1	13	2	2	3	4	6	8	20
35-49	474	4.5	21	2	2	3	5	7	9	31
50-64										
65+										
GRAND TOTAL	**5830**	**4.0**	**13**	**2**	**2**	**3**	**4**	**6**	**8**	**20**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7837	2.6	1	1	2	3	3	3	4	5
20-34	50165	2.6	1	1	2	3	3	4	4	5
35-49	2657	2.7	1	1	2	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	2385	2.6	1	2	2	3	3	4	4	5
20-34	14514	2.7	1	1	2	3	3	4	4	5
35-49	714	2.8	1	2	2	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	325	2.7	1	1	2	3	3	4	4	6
20-34	1635	2.9	2	1	2	3	3	4	4	6
35-49	127	2.9	1	1	2	3	4	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	163	3.0	2	2	2	3	3	4	5	6
20-34	6581	3.3	1	2	2	3	4	4	5	6
35-49	737	3.4	1	2	2	3	4	5	5	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60659	2.6	1	1	2	3	3	4	4	5
B. *Operated*	17613	2.7	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	2087	2.9	2	1	2	3	3	4	4	6
B. *Operated*	7481	3.3	1	2	2	3	4	4	5	6
1. SINGLE DX	78272	2.7	1	1	2	3	3	4	4	5
2. MULTIPLE DX	9568	3.2	1	2	2	3	4	4	5	6
A. NOT OPERATED	62746	2.6	1	1	2	3	3	4	4	5
B. OPERATED	25094	2.9	1	2	2	3	3	4	4	5
TOTAL 0-19 YRS	10710	2.6	1	1	2	3	3	4	4	5
20-34	72895	2.7	1	1	2	3	3	4	4	5
35-49	4235	2.9	1	1	2	3	3	4	4	5
50-64										
65+										
GRAND TOTAL	**87840**	**2.7**	**1**	**1**	**2**	**3**	**3**	**4**	**4**	**5**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.2	1	<1	<1	2	3	3	3	3
20-34	29	2.6	1	1	1	3	3	4	4	4
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	15	6.4	33	3	3	5	7	10	22	26
20-34	199	7.9	82	3	4	5	6	14	34	46
35-49	18	6.3	21	3	3	5	6	7	17	24
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.8	2	3	3	3	5	6	6	6
20-34	38	5.2	40	1	2	3	[illegible]	10	17	36
35-49	6	5.8	23	2	2	5	6	14	15	15
50-64										
65+										
B. *Operated*										
0-19 YRS	24	8.1	152	2	2	5	7	11	38	61
20-34	558	7.8	70	3	3	5	7	13	24	53
35-49	115	10.0	132	3	4	6	8	23	33	64
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	2.4	1	1	1	3	3	3	4	4
B. *Operated*	232	7.7	74	3	3	5	6	13	26	46
2. MULTIPLE DX										
A. *Not Operated*	48	5.2	34	2	2	3	6	10	15	36
B. *Operated*	697	8.1	83	3	3	5	7	15	26	55
1. SINGLE DX	269	7.0	67	2	3	5	6	11	25	45
2. MULTIPLE DX	745	7.9	80	2	3	5	7	14	26	54
A. NOT OPERATED	85	4.0	21	1	2	3	4	6	11	30
B. OPERATED	929	8.0	81	3	3	5	7	14	26	54
TOTAL 0-19 YRS	48	6.6	89	2	2	4	6	9	26	61
20-34	824	7.5	70	2	3	5	7	13	25	46
35-49	142	9.2	113	3	3	6	8	22	31	62
50-64										
65+										
GRAND TOTAL	**1014**	**7.7**	**77**	**2**	**3**	**5**	**7**	**14**	**26**	**49**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	2.5	1	<1	1	3	3	4	4	4
20-34	262	2.7	3	1	1	3	3	4	5	10
35-49	24	2.5	1	<1	1	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	39	3.7	2	1	2	4	5	6	6	7
20-34	300	4.2	6	2	2	4	5	6	7	12
35-49	16	4.5	5	<1	1	5	6	6	9	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	2.9	2	1	1	3	4	5	6	7
20-34	254	3.0	4	1	1	3	3	4	6	14
35-49	33	3.4	8	1	2	3	4	5	7	18
50-64										
65+										
B. *Operated*										
0-19 YRS	155	4.3	6	1	2	4	6	7	8	13
20-34	1101	4.8	12	2	2	4	5	7	10	19
35-49	92	5.4	25	2	3	5	6	7	11	34
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	307	2.7	2	1	1	3	3	4	4	8
B. *Operated*	355	4.2	5	1	2	4	5	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	348	3.0	4	1	1	3	3	4	6	14
B. *Operated*	1348	4.8	13	2	2	4	5	7	9	19
1. SINGLE DX	662	3.5	4	1	1	3	4	6	6	11
2. MULTIPLE DX	1696	4.4	11	1	2	4	5	7	8	18
A. NOT OPERATED	655	2.9	3	1	1	3	3	4	5	12
B. OPERATED	1703	4.7	11	2	2	4	5	7	8	18
TOTAL 0-19 YRS	276	3.8	5	1	2	3	5	6	7	12
20-34	1917	4.2	10	1	2	4	5	6	8	17
35-49	165	4.5	17	1	2	4	5	7	8	18
50-64										
65+										
GRAND TOTAL	**2358**	**4.2**	**10**	**1**	**2**	**4**	**5**	**6**	**8**	**17**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	2	1	1	2	3	4	4	4
20-34	52	2.7	1	1	1	3	3	4	4	6
35-49	5	2.8	1	2	2	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	87	2.6	1	1	1	3	3	4	4	4
20-34	725	2.8	1	1	1	3	3	4	4	5
35-49	49	3.0	3	1	1	3	3	4	5	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	2	1	1	2	3	4	4	4
20-34	25	3.0	1	1	2	3	4	4	5	5
35-49	3	2.7		2	2	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	59	2.7	1	1	1	3	3	4	5	6
20-34	643	3.2	2	1	2	3	4	5	5	7
35-49	45	3.7	32	1	1	3	4	4	5	40
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	2.7	1	1	1	3	3	4	4	6
B. *Operated*	861	2.8	1	1	1	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	32	2.9	1	1	2	3	4	4	4	5
B. *Operated*	747	3.2	3	1	2	3	4	5	5	7
1. SINGLE DX	922	2.8	1	1	1	3	3	4	4	6
2. MULTIPLE DX	779	3.2	3	1	2	3	4	5	5	7
A. NOT OPERATED	93	2.7	1	1	1	3	3	4	4	6
B. OPERATED	1608	3.0	2	1	2	3	3	4	5	6
TOTAL 0-19 YRS	154	2.6	1	1	1	3	3	4	4	5
20-34	1445	3.0	2	1	2	3	3	4	5	6
35-49	102	3.3	15	1	1	3	4	4	5	25
50-64										
65+										
GRAND TOTAL	**1701**	**3.0**	**2**	**1**	**2**	**3**	**3**	**4**	**5**	**6**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	2.8	1	1	2	3	3	4	4	5
20-34	228	2.8	1	1	2	3	3	4	4	5
35-49	8	2.3	1	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	29	2.6	1	1	1	3	3	4	5	5
20-34	165	2.9	1	2	2	3	3	4	4	6
35-49	8	3.5	1	3	3	3	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	3.0	1	1	2	3	3	4	5	5
20-34	160	3.4	6	1	2	3	4	5	5	13
35-49	10	2.5		2	2	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	49	3.1	2	1	2	3	4	4	5	8
20-34	318	3.3	2	2	2	3	4	5	6	8
35-49	20	4.0	2	2	2	4	4	6	7	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	271	2.8	1	1	2	3	3	4	4	5
B. *Operated*	202	2.9	1	1	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	203	3.3	5	1	2	3	4	5	5	11
B. *Operated*	387	3.3	2	2	2	3	4	5	6	8
1. SINGLE DX	473	2.8	1	1	2	3	3	4	4	5
2. MULTIPLE DX	590	3.3	3	2	2	3	4	5	5	8
A. NOT OPERATED	474	3.0	3	1	2	3	3	4	5	7
B. OPERATED	589	3.2	1	2	2	3	4	5	5	7
TOTAL 0-19 YRS	146	2.9	1	1	2	3	3	4	5	6
20-34	871	3.1	2	2	2	3	4	4	5	7
35-49	46	3.3	2	1	2	3	4	4	6	8
50-64										
65+										
GRAND TOTAL	**1063**	**3.1**	**2**	**1**	**2**	**3**	**4**	**4**	**5**	**7**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.0	1	2	2	3	3	4	4	4
20-34	117	3.6	4	2	2	3	4	5	6	14
35-49	10	3.1		3	3	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	111	4.3	2	2	3	4	5	7	7	9
35-49	7	4.9	4	2	2	5	7	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	4.4	11	1	2	3	5	11	12	13
20-34	190	3.9	6	1	2	4	4	6	7	18
35-49	13	3.5		3	3	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	68	5.0	4	2	3	5	6	7	9	11
20-34	1035	5.6	22	2	3	5	6	8	10	28
35-49	77	5.6	6	2	3	5	7	9	10	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	3.5	4	2	2	3	4	5	5	12
B. *Operated*	119	4.3	3	2	3	4	5	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	219	3.9	6	1	2	3	4	6	7	17
B. *Operated*	1180	5.5	20	2	3	5	6	8	10	25
1. SINGLE DX	255	3.9	3	2	2	4	5	6	7	9
2. MULTIPLE DX	1399	5.3	18	2	3	5	6	7	9	24
A. NOT OPERATED	355	3.8	5	2	2	3	4	5	7	17
B. OPERATED	1299	5.4	18	2	3	5	6	8	9	25
TOTAL 0-19 YRS	94	4.7	5	2	2	4	6	7	9	12
20-34	1453	5.1	18	2	3	4	6	7	9	23
35-49	107	5.1	5	2	3	5	6	8	9	13
50-64										
65+										
GRAND TOTAL	**1654**	**5.1**	**16**	**2**	**3**	**4**	**6**	**7**	**9**	**23**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.4	1	1	2	2	3	3	4	5
20-34	218	2.7	1	1	2	3	3	4	4	5
35-49	24	2.6	1	1	1	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	277	4.6	2	2	3	4	5	6	7	10
20-34	2245	4.6	1	3	3	5	5	6	6	8
35-49	99	4.7	2	2	3	5	6	6	7	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	2.8	3	1	1	2	3	4	7	8
20-34	152	2.8	1	1	2	3	3	4	5	7
35-49	9	2.3		2	2	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	380	5.1	4	3	3	5	6	7	8	13
20-34	2984	5.0	6	3	3	5	6	7	8	13
35-49	303	5.3	5	3	3	5	6	7	8	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	267	2.7	1	1	2	3	3	4	4	5
B. *Operated*	2621	4.6	2	3	3	5	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	178	2.8	1	1	2	3	3	4	5	8
B. *Operated*	3667	5.0	6	3	3	5	6	7	8	13
1. SINGLE DX	2888	4.4	2	2	3	4	5	6	6	8
2. MULTIPLE DX	3845	4.9	6	2	3	5	6	7	8	13
A. NOT OPERATED	445	2.7	1	1	2	3	3	4	4	6
B. OPERATED	6288	4.8	4	3	3	5	5	6	7	10
TOTAL 0-19 YRS	699	4.8	3	2	3	5	5	7	8	12
20-34	5599	4.7	4	2	3	5	5	6	7	10
35-49	435	5.0	4	2	3	5	6	7	8	13
50-64										
65+										
GRAND TOTAL	**6733**	**4.7**	**4**	**2**	**3**	**5**	**5**	**6**	**7**	**10**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	2.9	9	1	2	3	3	4	4	20
20-34	786	2.8	1	2	2	3	3	4	4	5
35-49	62	2.9	1	1	2	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	133	3.5	2	2	2	3	4	6	6	8
20-34	1269	3.7	2	2	2	3	5	6	6	7
35-49	83	4.0	2	2	2	4	5	6	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	2.7	1	1	2	3	3	4	4	6
20-34	490	2.9	1	1	2	3	3	4	4	6
35-49	40	3.3	8	1	2	3	4	4	5	20
50-64										
65+										
B. *Operated*										
0-19 YRS	654	4.5	12	2	2	4	5	7	9	14
20-34	5127	4.3	3	2	2	4	5	6	7	10
35-49	480	5.1	8	2	3	5	6	7	8	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	938	2.8	2	1	2	3	3	4	4	5
B. *Operated*	1485	3.7	2	2	2	3	5	6	6	7
2. MULTIPLE DX										
A. *Not Operated*	597	2.9	2	1	2	3	3	4	4	6
B. *Operated*	6261	4.4	5	2	2	4	5	6	7	11
1. SINGLE DX	2423	3.3	2	2	2	3	4	5	6	7
2. MULTIPLE DX	6858	4.3	5	2	2	4	5	6	7	10
A. NOT OPERATED	1535	2.8	2	1	2	3	3	4	4	6
B. OPERATED	7746	4.3	4	2	2	4	5	6	7	10
TOTAL 0-19 YRS	944	4.1	10	2	2	4	5	6	8	13
20-34	7672	4.0	3	2	2	4	5	6	7	9
35-49	665	4.6	7	2	2	4	6	7	8	11
50-64										
65+										
GRAND TOTAL	**9281**	**4.0**	**4**	**2**	**2**	**4**	**5**	**6**	**7**	**10**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.8	2	1	1	3	4	5	5	5
20-34	48	3.2	1	2	2	3	3	5	6	6
35-49	3	3.7	2	2	2	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	366	5.2	2	3	4	5	6	7	7	9
20-34	1791	5.1	2	3	4	5	6	6	7	8
35-49	77	5.5	4	3	4	5	6	7	8	17
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.9	3	2	2	3	5	7	7	7
20-34	48	3.3	2	1	1	3	4	5	6	7
35-49	3	2.7		2	2	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	1207	5.6	5	4	4	5	6	8	9	13
20-34	6731	5.4	3	4	4	5	6	7	8	11
35-49	474	5.8	3	4	4	5	6	8	8	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	3.2	1	2	2	3	4	5	6	6
B. *Operated*	2234	5.1	2	3	4	5	6	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	61	3.3	2	1	2	3	4	6	7	7
B. *Operated*	8412	5.4	3	4	4	5	6	7	8	11
1. SINGLE DX	2291	5.1	2	3	4	5	6	6	7	9
2. MULTIPLE DX	8473	5.4	3	4	4	5	6	7	8	11
A. NOT OPERATED	118	3.3	2	1	2	3	4	5	6	7
B. OPERATED	10646	5.4	3	4	4	5	6	7	8	11
TOTAL 0-19 YRS	1589	5.5	4	3	4	5	6	7	9	13
20-34	8618	5.3	3	3	4	5	6	7	7	10
35-49	557	5.7	3	4	4	5	6	7	8	12
50-64										
65+										
GRAND TOTAL	**10764**	**5.3**	**3**	**3**	**4**	**5**	**6**	**7**	**8**	**11**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	124	2.8	1	1	2	3	3	4	4	5
20-34	925	3.0	1	1	2	3	4	4	5	6
35-49	38	3.0	2	1	1	3	4	5	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	214	3.9	2	2	2	4	5	6	6	8
20-34	1648	3.9	2	2	2	4	5	6	6	7
35-49	93	3.9	2	2	2	4	5	6	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	115	3.1	1	2	2	3	4	4	4	5
20-34	678	3.1	1	2	2	3	4	4	5	7
35-49	34	3.2	2	2	2	3	4	4	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	739	4.5	6	2	2	4	5	7	8	12
20-34	4806	4.3	3	2	2	4	5	6	7	10
35-49	368	4.6	4	2	3	4	6	6	7	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1087	3.0	1	1	2	3	4	4	5	6
B. *Operated*	1955	3.9	2	2	2	4	5	6	6	7
2. MULTIPLE DX										
A. *Not Operated*	827	3.1	1	2	2	3	4	4	5	7
B. *Operated*	5913	4.4	4	2	2	4	5	6	7	10
1. SINGLE DX	3042	3.5	2	2	2	3	4	5	6	7
2. MULTIPLE DX	6740	4.2	4	2	2	4	5	6	7	10
A. NOT OPERATED	1914	3.0	1	2	2	3	4	4	5	6
B. OPERATED	7868	4.3	3	2	2	4	5	6	7	10
TOTAL 0-19 YRS	1192	4.1	4	2	2	4	5	6	7	11
20-34	8057	4.0	3	2	2	4	5	6	7	9
35-49	533	4.3	4	2	2	4	5	6	7	10
50-64										
65+										
GRAND TOTAL	**9782**	**4.0**	**3**	**2**	**2**	**4**	**5**	**6**	**7**	**9**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.0	1	2	2	3	4	4	4	4
20-34	161	3.0	3	2	2	3	3	4	5	8
35-49	11	2.6	1	1	1	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	58	3.7	2	1	2	4	5	6	7	7
20-34	448	4.0	4	2	2	4	5	6	7	8
35-49	42	4.0	4	1	1	4	5	7	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	2.7	2	1	1	2	3	5	6	7
20-34	136	3.1	4	1	2	3	3	4	5	11
35-49	21	3.0	1	1	2	3	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	170	5.1	7	2	3	5	6	7	8	12
20-34	1506	4.9	9	2	3	5	6	7	8	11
35-49	184	5.7	45	2	3	5	6	7	9	22
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	184	3.0	3	2	2	3	3	4	5	8
B. *Operated*	548	4.0	4	1	2	4	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	175	3.1	3	1	2	3	3	4	5	9
B. *Operated*	1860	5.0	12	2	3	5	6	7	8	11
1. SINGLE DX	732	3.7	4	1	2	3	5	6	6	8
2. MULTIPLE DX	2035	4.9	12	2	3	5	6	7	8	11
A. NOT OPERATED	359	3.0	3	1	2	3	3	4	5	8
B. OPERATED	2408	4.8	10	2	2	5	6	7	8	11
TOTAL 0-19 YRS	258	4.5	6	2	2	4	5	7	8	11
20-34	2251	4.5	8	2	2	4	6	6	7	11
35-49	258	5.1	34	2	2	5	6	7	8	11
50-64										
65+										
GRAND TOTAL	**2767**	**4.6**	**10**	**2**	**2**	**4**	**6**	**7**	**7**	**11**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.4	2	1	1	2	3	5	6	6
20-34	202	2.8	1	1	2	3	3	4	5	7
35-49	17	2.8	1	1	2	3	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	517	4.9	1	3	4	5	6	6	6	7
20-34	9195	4.9	1	3	4	5	6	6	7	8
35-49	548	5.3	1	3	4	5	6	7	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.5	5	2	2	3	3	8	8	8
20-34	109	3.2	4	1	2	3	4	5	7	13
35-49	9	4.4	3	1	2	5	5	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	394	5.4	8	3	4	5	6	7	9	13
20-34	12001	5.2	3	3	4	5	6	7	7	10
35-49	1313	5.6	4	4	4	5	6	7	8	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	231	2.8	1	1	2	3	3	4	5	7
B. *Operated*	10260	5.0	1	3	4	5	6	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	124	3.3	4	1	2	3	4	5	7	13
B. *Operated*	13708	5.3	3	3	4	5	6	7	7	10
1. SINGLE DX	10491	4.9	1	3	4	5	6	6	7	8
2. MULTIPLE DX	13832	5.3	3	3	4	5	6	7	7	10
A. NOT OPERATED	355	3.0	2	1	2	3	3	5	5	8
B. OPERATED	23968	5.1	2	3	4	5	6	7	7	9
TOTAL 0-19 YRS	929	5.0	4	3	4	5	6	6	7	11
20-34	21507	5.1	2	3	4	5	6	6	7	9
35-49	1887	5.5	3	4	4	5	6	7	8	11
50-64										
65+										
GRAND TOTAL	**24323**	**5.1**	**2**	**3**	**4**	**5**	**6**	**7**	**7**	**9**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	210	2.9	1	1	2	3	3	4	5	7
20-34	1525	3.0	1	2	2	3	4	4	5	6
35-49	95	3.0	1	1	2	3	4	4	5	8
50-64										
65+										
B. *Operated*										
0-19 YRS	186	3.1	4	2	2	3	3	4	5	20
20-34	1380	3.3	2	2	2	3	4	5	5	7
35-49	103	3.4	2	2	2	3	4	5	6	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	259	3.2	2	1	2	3	4	5	6	10
20-34	1332	3.6	6	2	2	3	4	5	7	12
35-49	91	3.8	7	2	2	3	4	5	10	17
50-64										
65+										
B. *Operated*										
0-19 YRS	744	4.1	4	2	2	4	5	6	8	12
20-34	5046	4.3	8	2	2	4	5	6	7	14
35-49	436	4.8	9	2	3	4	6	7	9	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1830	3.0	1	2	2	3	4	4	5	7
B. *Operated*	1669	3.3	2	2	2	3	4	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	1682	3.5	6	2	2	3	4	5	7	11
B. *Operated*	6226	4.3	7	2	2	4	5	6	8	14
1. SINGLE DX	3499	3.1	2	2	2	3	4	4	5	7
2. MULTIPLE DX	7908	4.1	7	2	2	4	5	6	7	13
A. NOT OPERATED	3512	3.3	3	2	2	3	4	5	5	9
B. OPERATED	7895	4.1	6	2	2	4	5	6	7	12
TOTAL 0-19 YRS	1399	3.6	4	2	2	3	4	6	7	11
20-34	9283	3.8	6	2	2	3	4	6	7	11
35-49	725	4.2	7	2	2	4	5	7	8	15
50-64										
65+										
GRAND TOTAL	**11407**	**3.8**	**6**	**2**	**2**	**3**	**4**	**6**	**7**	**11**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	929	2.6	1	1	2	3	3	3	4	5
20-34	7793	2.7	1	1	2	3	3	4	4	5
35-49	435	2.8	1	1	2	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	502	2.6	1	1	2	3	3	4	4	5
20-34	3865	2.8	1	2	2	3	3	4	4	5
35-49	212	3.0	1	2	2	3	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	296	2.7	1	1	2	3	3	4	5	7
20-34	1917	2.8	1	1	2	3	3	4	4	6
35-49	145	2.8	1	1	2	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	568	3.1	4	2	2	3	3	5	5	8
20-34	5334	3.2	2	2	2	3	4	5	5	7
35-49	467	3.5	2	2	2	3	4	5	6	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9157	2.7	1	1	2	3	3	4	4	5
B. *Operated*	4579	2.8	1	2	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	2358	2.8	1	1	2	3	3	4	4	6
B. *Operated*	6369	3.2	2	2	2	3	4	5	5	7
1. SINGLE DX	13736	2.7	1	1	2	3	3	4	4	5
2. MULTIPLE DX	8727	3.1	2	2	2	3	4	4	5	7
A. NOT OPERATED	11515	2.7	1	1	2	3	3	4	4	5
B. OPERATED	10948	3.0	1	2	2	3	4	4	5	7
TOTAL 0-19 YRS	2295	2.7	2	1	2	3	3	4	4	6
20-34	18909	2.9	1	1	2	3	3	4	5	6
35-49	1259	3.1	1	2	2	3	4	4	5	6
50-64										
65+										
GRAND TOTAL	**22463**	**2.9**	**1**	**1**	**2**	**3**	**3**	**4**	**5**	**6**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	152	2.3	1	1	1	2	3	3	4	5
20-34	1025	2.4	1	1	1	2	3	3	4	4
35-49	71	2.5	1	1	1	2	3	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1436	2.5	1	1	2	2	3	3	4	4
20-34	11447	2.5	1	1	2	3	3	3	4	5
35-49	876	2.6	1	1	2	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	2.7	1	1	2	3	3	4	5	6
20-34	432	2.7	1	1	2	3	3	4	4	6
35-49	27	2.7	1	1	2	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	837	2.7	1	1	2	3	3	4	4	7
20-34	7656	2.9	3	1	2	3	3	4	4	6
35-49	839	3.1	2	2	2	3	4	4	5	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1248	2.4	1	1	1	2	3	3	4	4
B. *Operated*	13759	2.5	1	1	2	3	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	540	2.7	1	1	2	3	3	4	4	5
B. *Operated*	9332	2.9	2	1	2	3	3	4	4	6
1. SINGLE DX	15007	2.5	1	1	1	3	3	3	4	5
2. MULTIPLE DX	9872	2.9	2	1	2	3	3	4	4	6
A. NOT OPERATED	1788	2.5	1	1	1	2	3	3	4	5
B. OPERATED	23091	2.7	2	1	2	3	3	4	4	5
TOTAL 0-19 YRS	2506	2.5	1	1	2	2	3	3	4	6
20-34	20560	2.6	2	1	2	3	3	4	4	5
35-49	1813	2.8	1	1	2	3	3	4	4	6
50-64										
65+										
GRAND TOTAL	**24879**	**2.7**	**1**	**1**	**2**	**3**	**3**	**4**	**4**	**5**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	2.9	1	1	2	3	3	4	5	8
20-34	349	3.1	25	1	2	3	3	4	4	6
35-49	12	3.1	1	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1355	2.8	1	2	2	3	3	4	4	5
20-34	5946	2.9	1	2	2	3	3	4	4	5
35-49	217	2.9	1	1	2	3	3	4	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	2.9	2	1	2	3	3	4	5	10
20-34	176	3.0	1	2	2	3	4	4	4	7
35-49	9	3.2	3	1	1	3	4	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	1147	3.2	3	2	2	3	4	4	5	8
20-34	4928	3.2	1	2	2	3	4	4	5	7
35-49	249	3.2	1	2	2	3	4	4	5	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	425	3.1	21	1	2	3	3	4	4	6
B. *Operated*	7518	2.9	1	2	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	230	3.0	1	2	2	3	3	4	4	7
B. *Operated*	6324	3.2	2	2	2	3	4	4	5	7
1. SINGLE DX	7943	2.9	2	2	2	3	3	4	4	5
2. MULTIPLE DX	6554	3.2	2	2	2	3	4	4	5	7
A. NOT OPERATED	655	3.1	14	1	2	3	3	4	4	7
B. OPERATED	13842	3.0	1	2	2	3	3	4	4	6
TOTAL 0-19 YRS	2611	2.9	2	2	2	3	3	4	4	7
20-34	11399	3.0	2	2	2	3	3	4	4	6
35-49	487	3.1	1	1	2	3	4	4	5	7
50-64										
65+										
GRAND TOTAL	**14497**	**3.0**	**2**	**2**	**2**	**3**	**3**	**4**	**4**	**6**

286: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	105	2.4	1	1	2	2	3	3	4	5
20-34	539	2.5	1	1	1	2	3	4	4	5
35-49	25	2.5	1	1	2	2	3	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	661	2.6	1	1	2	3	3	3	4	5
20-34	2890	2.7	1	1	2	3	3	4	4	5
35-49	127	2.9	1	1	2	3	3	4	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	2.9	2	1	2	3	3	4	4	12
20-34	237	2.7	1	1	2	3	3	4	4	7
35-49	9	5.0	18	2	2	3	5	12	16	15
50-64										
65+										
B. *Operated*										
0-19 YRS	620	2.8	1	2	2	3	3	4	5	6
20-34	2979	3.0	2	2	2	3	4	4	5	7
35-49	194	3.4	2	2	2	3	4	5	7	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	669	2.5	1	1	2	2	3	3	4	5
B. *Operated*	3678	2.7	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	307	2.8	2	1	2	3	3	4	4	9
B. *Operated*	3793	3.0	2	2	2	3	3	4	5	7
1. SINGLE DX	4347	2.6	1	1	2	3	3	4	4	5
2. MULTIPLE DX	4100	3.0	2	2	2	3	3	4	5	7
A. NOT OPERATED	976	2.6	1	1	2	2	3	4	4	6
B. OPERATED	7471	2.8	1	1	2	3	3	4	4	6
TOTAL 0-19 YRS	1447	2.7	1	1	2	3	3	4	4	6
20-34	6645	2.8	1	1	2	3	3	4	4	6
35-49	355	3.2	2	1	2	3	4	5	6	8
50-64										
65+										
GRAND TOTAL	**8447**	**2.8**	**1**	**1**	**2**	**3**	**3**	**4**	**4**	**6**

287: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1522	2.7	2	1	1	3	3	4	5	7
20-34	7936	2.8	2	1	2	3	3	4	4	7
35-49	510	2.9	2	1	2	3	3	4	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	2749	3.2	3	2	2	3	4	5	6	9
20-34	14870	3.2	2	2	2	3	4	5	5	8
35-49	808	3.4	4	2	2	3	4	5	6	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1264	3.2	6	1	2	3	4	5	6	12
20-34	5899	3.0	6	1	2	3	3	4	5	10
35-49	481	3.0	2	1	2	3	4	4	5	8
50-64										
65+										
B. *Operated*										
0-19 YRS	5156	4.2	11	2	2	3	5	7	8	15
20-34	29813	4.1	10	2	2	3	5	6	8	15
35-49	2699	4.7	19	2	2	4	5	7	9	23
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9968	2.8	2	1	2	3	3	4	5	7
B. *Operated*	18427	3.2	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	7644	3.1	6	1	2	3	3	4	5	10
B. *Operated*	37668	4.2	10	2	2	4	5	6	8	15
1. SINGLE DX	28395	3.1	2	1	2	3	4	5	5	8
2. MULTIPLE DX	45312	4.0	10	2	2	3	5	6	8	15
A. NOT OPERATED	17612	2.9	4	1	2	3	3	4	5	8
B. OPERATED	56095	3.9	8	2	2	3	4	6	7	13
TOTAL 0-19 YRS	10691	3.6	7	1	2	3	4	6	7	13
20-34	58518	3.6	7	2	2	3	4	6	7	12
35-49	4498	4.1	13	2	2	3	5	6	8	16
50-64										
65+										
GRAND TOTAL	**73707**	**3.6**	**7**	**2**	**2**	**3**	**4**	**6**	**7**	**12**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	75	3.5	3	1	2	3	4	6	7	8
20-34	247	3.5	3	2	2	3	4	5	7	10
35-49	9	3.1	2	1	1	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	5	7.2	13	4	4	6	11	11	11	11
20-34	22	4.6	10	1	1	4	6	8	11	14
35-49	2	5.5	25	2	2	5	9	9	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	4.1	4	1	2	3	6	7	8	9
20-34	148	3.9	3	2	2	4	5	6	7	10
35-49	9	3.9	5	2	2	3	4	7	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	4	5.5	3	4	4	5	7	8	8	8
20-34	42	5.5	9	2	2	5	7	9	12	15
35-49	2	25.0	800	5	5	25	45	45	45	45
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	331	3.5	3	2	2	3	4	5	7	9
B. *Operated*	29	5.1	11	1	1	4	7	10	11	14
2. MULTIPLE DX										
A. *Not Operated*	200	4.0	4	2	2	4	5	6	7	10
B. *Operated*	48	6.3	41	2	2	5	7	9	14	45
1. SINGLE DX	360	3.6	4	1	2	3	4	6	7	11
2. MULTIPLE DX	248	4.4	12	2	2	4	5	7	9	14
A. NOT OPERATED	531	3.7	3	2	2	3	4	6	7	10
B. OPERATED	77	5.9	30	2	2	5	7	9	13	37
TOTAL 0-19 YRS	127	3.9	4	2	2	3	5	7	8	11
20-34	459	3.9	4	2	2	3	4	6	8	13
35-49	22	5.6	81	1	2	3	5	9	24	45
50-64										
65+										
GRAND TOTAL	**608**	**3.9**	**7**	**2**	**2**	**3**	**5**	**7**	**8**	**12**

289: Puerperal hemorrhage (after 24 h [illegible]6.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	1.7	1	1	1	2	2	3	3	3
20-34	109	1.6	1	<1	<1	1	2	2	3	7
35-49	7	1.3		1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	45	1.8	1	<1	<1	2	2	3	4	4
20-34	318	1.6	2	<1	<1	1	2	3	3	6
35-49	21	2.3	5	<1	<1	1	2	7	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	2.7	5	1	1	2	3	6	8	8
20-34	50	2.1	2	<1	1	2	3	4	6	7
35-49	11	2.0	2	1	1	2	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	47	2.6	3	1	1	2	3	4	5	11
20-34	241	2.6	4	1	1	2	3	5	7	12
35-49	19	4.2	19	<1	1	3	4	10	15	18
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	1.6	1	<1	<1	1	2	2	3	6
B. *Operated*	384	1.6	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	70	2.1	2	1	1	2	3	4	6	8
B. *Operated*	307	2.7	5	1	1	2	3	5	7	12
1. SINGLE DX	513	1.6	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	377	2.6	5	1	1	2	3	5	7	12
A. NOT OPERATED	199	1.8	2	<1	1	1	2	3	4	8
B. OPERATED	691	2.1	4	<1	1	1	2	4	5	11
TOTAL 0-19 YRS	114	2.2	2	<1	1	2	3	4	4	9
20-34	718	1.9	3	<1	1	1	2	4	5	9
35-49	58	2.7	9	<1	1	2	3	7	9	17
50-64										
65+										
GRAND TOTAL	**890**	**2.0**	**3**	**<1**	**1**	**1**	**2**	**4**	**5**	**10**

290: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.7	3	<1	1	2	4	5	6	7
20-34	171	3.8	12	1	1	3	4	7	9	18
35-49	14	5.4	10	1	2	5	8	9	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS	48	3.0	4	1	1	2	3	7	8	9
20-34	222	3.2	5	1	1	3	4	7	8	12
35-49	13	3.3	36	<1	<1	2	2	7	20	23
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	3.8	7	<1	1	3	5	8	9	9
20-34	123	4.3	17	1	1	3	5	8	10	21
35-49	12	6.6	31	<1	1	5	8	15	20	21
50-64										
65+										
B. *Operated*										
0-19 YRS	35	3.8	16	1	2	3	4	5	9	24
20-34	204	4.4	17	1	1	3	5	9	12	22
35-49	26	9.2	103	2	2	5	10	32	35	36
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	210	3.7	11	1	1	3	4	7	9	17
B. *Operated*	283	3.2	6	1	1	3	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	151	4.4	17	1	1	3	5	8	10	21
B. *Operated*	265	4.8	27	1	2	3	5	10	13	33
1. SINGLE DX	493	3.4	8	1	1	3	4	7	8	14
2. MULTIPLE DX	416	4.7	24	1	1	3	5	9	11	31
A. NOT OPERATED	361	4.0	14	1	1	3	5	8	10	19
B. OPERATED	548	4.0	17	1	1	3	4	8	10	23
TOTAL 0-19 YRS	124	3.3	7	1	1	3	4	6	8	14
20-34	720	3.9	12	1	1	3	4	8	10	19
35-49	65	6.7	60	1	1	4	8	12	26	36
50-64										
65+										
GRAND TOTAL	**909**	**4.0**	**16**	**1**	**1**	**3**	**4**	**8**	**10**	**22**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	880	3.7	4	1	2	3	4	6	8	11
20-34	729	4.1	6	1	2	4	5	7	8	12
35-49	516	4.5	6	2	2	4	6	7	9	14
50-64	398	4.9	8	2	2	4	6	8	11	15
65+	270	5.9	12	2	2	6	7	10	12	18
B. *Operated*										
0-19 YRS	337	4.8	12	1	1	4	6	9	13	17
20-34	411	5.0	17	1	1	4	6	10	13	21
35-49	249	5.2	22	1	1	4	7	11	13	20
50-64	160	6.1	26	1	2	5	7	12	19	26
65+	88	7.5	88	1	2	5	8	13	21	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1194	4.4	8	2	2	4	5	7	9	16
20-34	1524	5.4	17	2	2	4	7	10	12	21
35-49	1705	6.4	18	2	2	5	8	11	14	22
50-64	2109	6.9	19	2	3	6	8	12	15	24
65+	3641	8.0	24	3	3	7	10	14	17	26
B. *Operated*										
0-19 YRS	449	6.8	54	2	2	5	8	12	16	29
20-34	974	8.3	61	2	2	6	10	16	22	43
35-49	1003	10.1	82	2	3	7	13	20	27	46
50-64	1142	11.4	93	2	3	8	14	23	32	51
65+	1498	12.7	96	3	4	10	16	25	33	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2793	4.3	7	2	2	4	5	7	9	14
B. *Operated*	1245	5.3	23	1	1	4	7	10	13	24
2. MULTIPLE DX										
A. *Not Operated*	10173	6.7	20	2	3	6	8	12	15	24
B. *Operated*	5066	10.5	86	2	3	8	13	21	28	48
1. SINGLE DX	4038	4.6	12	1	2	4	6	8	11	16
2. MULTIPLE DX	15239	8.0	45	2	3	6	10	15	20	36
A. NOT OPERATED	12966	6.2	18	2	2	5	8	11	14	23
B. OPERATED	6311	9.5	78	2	2	7	12	19	26	46
TOTAL 0-19 YRS	2860	4.6	15	1	2	4	5	8	10	18
20-34	3638	5.9	29	1	2	4	7	11	15	28
35-49	3473	7.1	39	2	2	5	8	13	18	33
50-64	3809	8.0	45	2	3	6	9	15	21	36
65+	5497	9.2	49	3	3	7	11	17	22	37
GRAND TOTAL	**19277**	**7.3**	**40**	**2**	**2**	**6**	**9**	**14**	**19**	**34**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	285	3.9	5	1	2	3	5	7	8	11
20-34	145	3.6	5	1	1	3	5	7	8	11
35-49	78	4.9	46	1	1	4	6	8	10	47
50-64	36	5.9	14	2	2	5	7	10	12	22
65+	25	4.3	10	<1	2	3	6	8	10	15
B. *Operated*										
0-19 YRS	151	4.3	15	<1	1	3	6	9	12	19
20-34	110	3.7	9	1	1	3	5	7	10	15
35-49	89	4.3	28	1	1	3	5	9	10	33
50-64	49	5.5	34	<1	1	4	7	11	14	38
65+	26	9.0	266	<1	1	4	8	16	34	84
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	470	4.1	6	1	2	3	5	7	9	13
20-34	238	4.5	9	1	2	4	5	8	11	16
35-49	228	5.5	17	1	2	4	6	11	12	21
50-64	264	7.3	24	2	3	6	9	13	17	26
65+	366	7.4	23	3	3	6	9	13	15	25
B. *Operated*										
0-19 YRS	169	5.3	27	1	1	4	6	10	14	27
20-34	209	7.3	63	1	2	5	9	14	19	36
35-49	208	8.8	62	2	2	6	11	20	26	35
50-64	274	10.5	66	2	2	8	14	23	28	46
65+	267	10.2	62	2	3	8	13	20	24	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	569	4.1	12	1	2	3	5	7	9	13
B. *Operated*	425	4.6	34	<1	1	3	5	10	12	21
2. MULTIPLE DX										
A. *Not Operated*	1566	5.7	17	2	2	5	7	10	13	22
B. *Operated*	1127	8.7	61	1	2	6	11	19	24	38
1. SINGLE DX	994	4.3	22	1	1	3	5	8	10	19
2. MULTIPLE DX	2693	7.0	38	2	2	5	9	14	19	32
A. NOT OPERATED	2135	5.3	16	2	2	4	6	10	12	20
B. OPERATED	1552	7.6	57	1	2	5	10	16	22	37
TOTAL 0-19 YRS	1075	4.3	11	1	1	3	5	8	10	17
20-34	702	5.0	26	1	2	4	6	10	12	22
35-49	603	6.4	41	1	2	5	7	12	18	34
50-64	623	8.4	46	2	2	6	11	17	23	37
65+	684	8.4	49	2	3	7	10	15	21	33
GRAND TOTAL	**3687**	**6.2**	**35**	**1**	**2**	**5**	**8**	**12**	**17**	**30**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.8	4	<1	<1	2	4	6	7	7
20-34	18	2.5	3	1	1	2	3	5	6	7
35-49	6	4.2	24	1	1	2	4	13	14	14
50-64										
65+										
B. *Operated*										
0-19 YRS	690	2.8	5	1	1	2	3	5	6	10
20-34	1202	2.8	4	1	1	2	4	5	6	10
35-49	210	2.6	3	1	1	2	3	5	5	11
50-64	39	2.4	1	1	1	2	3	4	5	5
65+	9	5.6	28	<1	1	4	7	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.1	2	<1	<1	2	3	4	4	4
20-34	14	2.7	8	<1	<1	1	4	8	9	9
35-49	3	6.3	1	5	5	7	7	7	7	7
50-64	1	6.0		6	6	6	6	6	6	6
65+	4	6.8	4	4	4	7	8	8	8	8
B. *Operated*										
0-19 YRS	121	3.2	3	1	1	3	4	6	7	9
20-34	248	3.6	6	1	1	3	4	6	8	11
35-49	96	3.8	8	1	1	3	5	8	9	15
50-64	53	4.9	17	1	2	4	6	9	12	21
65+	21	4.9	12	2	2	4	5	10	13	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	2.9	7	1	1	2	4	5	7	14
B. *Operated*	2150	2.8	4	1	1	2	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	30	3.6	8	<1	<1	3	6	8	8	9
B. *Operated*	539	3.7	7	1	1	3	4	7	8	15
1. SINGLE DX	2185	2.8	4	1	1	2	4	5	6	10
2. MULTIPLE DX	569	3.7	7	1	1	3	5	7	8	15
A. NOT OPERATED	65	3.2	7	<1	<1	2	4	7	8	13
B. OPERATED	2689	3.0	5	1	1	3	4	5	7	11
TOTAL 0-19 YRS	830	2.9	5	1	1	2	4	5	6	9
20-34	1482	2.9	4	1	1	3	4	5	6	10
35-49	315	3.1	6	1	1	2	4	5	8	14
50-64	93	3.9	12	1	1	3	5	7	11	20
65+	34	5.3	15	1	2	4	6	11	15	16
GRAND TOTAL	**2754**	**3.0**	**5**	**1**	**1**	**3**	**4**	**5**	**7**	**11**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	1.0		1	1	1	1	1	1	1
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	6.0		6	6	6	6	6	6	6
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	68	1.4	1	<1	<1	1	1	2	3	5
20-34	78	1.8	2	<1	<1	1	2	3	4	8
35-49	75	1.9	2	<1	<1	2	2	3	4	9
50-64	40	2.1	3	<1	<1	1	3	4	6	10
65+	17	2.1	2	<1	<1	1	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.7	2	1	1	2	3	5	5	5
20-34	3	3.3	6	1	1	3	5	6	6	6
35-49	5	2.0	1	<1	<1	2	3	3	3	3
50-64	6	5.2	11	1	1	5	8	9	9	9
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	28	2.4	2	<1	<1	2	3	5	6	6
20-34	50	3.4	11	<1	1	2	3	8	10	19
35-49	67	3.1	5	1	1	2	4	6	8	10
50-64	72	3.7	10	<1	1	3	5	8	9	18
65+	63	3.7	9	1	1	3	5	8	10	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.0	4	<1	<1	1	2	6	6	6
B. *Operated*	278	1.8	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	21	3.3	6	<1	1	3	4	7	8	9
B. *Operated*	280	3.4	8	<1	1	2	4	7	9	13
1. SINGLE DX	287	1.8	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX	301	3.4	8	<1	1	3	4	7	9	13
A. NOT OPERATED	30	2.9	5	<1	1	2	3	7	8	9
B. OPERATED	558	2.6	6	<1	<1	2	3	5	8	12
TOTAL 0-19 YRS	103	1.7	1	<1	<1	1	2	3	5	6
20-34	136	2.4	6	<1	<1	2	3	4	8	11
35-49	148	2.5	4	<1	<1	2	3	5	7	10
50-64	119	3.2	8	<1	1	2	4	7	9	14
65+	82	3.3	8	<1	1	2	4	8	9	13
GRAND TOTAL	**588**	**2.6**	**6**	**<1**	**<1**	**2**	**3**	**5**	**8**	**11**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	459	4.1	32	1	1	3	4	7	12	30
20-34	324	7.3	67	1	1	4	9	18	25	41
35-49	215	8.7	98	1	2	5	10	23	30	45
50-64	152	8.4	112	1	2	5	9	20	31	56
65+	133	8.3	52	1	2	6	12	19	24	33
B. *Operated*										
0-19 YRS	371	2.9	15	<1	<1	2	3	5	9	23
20-34	553	4.8	49	1	1	3	5	10	18	34
35-49	388	4.9	39	1	1	3	5	11	16	29
50-64	337	4.8	44	1	1	3	5	11	17	32
65+	256	7.8	101	1	1	4	10	17	26	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	702	4.2	19	1	1	3	5	7	11	25
20-34	615	8.1	94	1	1	5	9	19	30	47
35-49	646	8.8	85	1	2	6	11	19	27	45
50-64	950	9.4	79	1	2	7	11	19	27	44
65+	2104	9.7	53	2	3	8	12	18	24	37
B. *Operated*										
0-19 YRS	436	6.1	79	1	1	3	7	14	22	63
20-34	986	14.1	284	1	2	7	19	38	54	92
35-49	1118	12.3	219	1	2	7	16	31	45	79
50-64	1399	11.2	173	1	1	6	16	28	39	70
65+	2552	16.9	223	2	3	13	22	37	48	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1283	6.6	67	1	1	4	7	16	25	44
B. *Operated*	1905	4.8	48	<1	1	2	5	11	17	34
2. MULTIPLE DX										
A. *Not Operated*	5017	8.5	65	1	2	6	11	18	25	40
B. *Operated*	6491	13.7	220	1	2	9	19	34	46	83
1. SINGLE DX	3188	5.6	57	1	1	3	6	13	20	38
2. MULTIPLE DX	11508	11.5	159	1	2	7	15	27	38	70
A. NOT OPERATED	6300	8.2	66	1	2	6	10	17	25	41
B. OPERATED	8396	11.7	195	1	1	7	16	30	42	78
TOTAL 0-19 YRS	1968	4.4	36	<1	1	3	5	8	14	32
20-34	2478	9.6	170	1	1	4	11	25	38	74
35-49	2367	9.8	149	1	1	5	12	24	36	64
50-64	2838	9.7	127	1	1	6	12	24	33	59
65+	5045	13.2	155	2	3	9	17	28	39	69
GRAND TOTAL	**14696**	**10.2**	**143**	**1**	**1**	**6**	**13**	**24**	**35**	**64**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	3.9	8	<1	1	3	6	8	10	11
20-34	52	5.5	15	1	2	5	7	11	13	21
35-49	52	6.1	17	1	2	5	8	12	15	22
50-64	28	7.6	54	2	3	6	9	11	16	42
65+	13	5.4	13	2	2	5	6	10	14	15
B. *Operated*										
0-19 YRS	25	5.1	22	1	1	3	7	11	16	18
20-34	38	5.3	40	1	1	4	6	10	12	38
35-49	23	6.0	25	1	2	5	8	13	18	18
50-64	20	7.0	89	1	1	4	8	14	30	43
65+	6	10.0	78	1	1	8	14	24	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	84	7.3	94	1	2	5	8	16	26	91
20-34	278	6.6	34	1	2	5	8	14	20	29
35-49	250	7.5	44	1	2	6	9	14	23	33
50-64	222	7.7	28	2	3	6	10	14	17	30
65+	204	8.6	34	3	3	7	10	15	20	30
B. *Operated*										
0-19 YRS	41	8.8	46	2	2	8	11	19	24	29
20-34	163	14.4	206	2	2	10	18	32	54	76
35-49	151	11.1	111	2	2	9	13	22	37	99
50-64	178	13.9	153	2	2	10	19	33	42	50
65+	125	15.1	149	4	5	11	18	32	44	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	186	5.6	21	1	1	5	7	11	13	22
B. *Operated*	112	6.0	43	1	1	4	8	12	18	40
2. MULTIPLE DX										
A. *Not Operated*	1038	7.5	40	2	2	6	9	15	20	31
B. *Operated*	658	13.3	152	2	2	10	17	29	42	70
1. SINGLE DX	298	5.7	29	1	1	4	7	11	14	32
2. MULTIPLE DX	1696	9.8	91	2	2	7	12	21	29	56
A. NOT OPERATED	1224	7.2	37	1	2	6	9	13	19	31
B. OPERATED	770	12.2	142	2	2	9	15	27	39	70
TOTAL 0-19 YRS	191	6.6	58	1	1	5	8	15	19	57
20-34	531	8.8	99	1	2	6	11	20	26	64
35-49	476	8.5	65	2	2	6	10	17	24	50
50-64	448	10.1	91	2	2	7	12	21	31	46
65+	348	10.8	85	3	4	8	13	21	29	51
GRAND TOTAL	**1994**	**9.2**	**84**	**2**	**2**	**7**	**11**	**19**	**27**	**52**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	124	5.2	15	1	1	4	6	11	14	18
20-34	63	6.7	19	1	2	6	9	11	13	25
35-49	108	5.6	10	2	2	5	7	10	12	15
50-64	152	6.8	17	2	2	6	9	12	14	16
65+	91	6.6	13	2	3	6	8	11	13	20
B. *Operated*										
0-19 YRS	21	6.4	28	1	2	4	9	15	16	18
20-34	77	6.8	21	1	2	6	10	13	13	22
35-49	192	6.6	20	1	2	5	10	12	13	21
50-64	424	7.3	24	1	2	6	10	13	16	24
65+	242	8.2	30	1	2	7	12	15	18	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	97	7.2	34	1	2	5	10	13	17	31
20-34	97	6.2	12	2	2	6	8	11	13	18
35-49	248	7.5	35	2	3	6	9	13	17	32
50-64	540	7.6	22	2	3	7	10	13	16	24
65+	876	8.0	26	2	3	7	10	14	17	29
B. *Operated*										
0-19 YRS	27	8.3	107	1	2	5	11	14	21	55
20-34	87	8.2	34	1	2	7	12	17	19	24
35-49	285	7.5	42	2	2	6	10	14	21	35
50-64	720	9.2	64	2	2	7	12	18	23	44
65+	745	11.1	65	2	3	10	14	20	26	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	538	6.1	15	1	2	5	8	11	13	17
B. *Operated*	956	7.3	25	1	2	6	10	13	16	23
2. MULTIPLE DX										
A. *Not Operated*	1858	7.7	26	2	3	7	10	13	16	26
B. *Operated*	1864	9.6	62	2	2	8	13	18	24	42
1. SINGLE DX	1494	6.9	22	1	2	6	10	13	15	21
2. MULTIPLE DX	3722	8.7	45	2	3	7	11	16	20	36
A. NOT OPERATED	2396	7.3	24	2	3	6	9	13	16	25
B. OPERATED	2820	8.9	51	2	2	7	12	17	21	39
TOTAL 0-19 YRS	269	6.3	33	1	2	5	8	13	15	27
20-34	324	7.0	22	1	2	6	10	13	16	23
35-49	833	7.0	31	2	2	6	9	13	16	28
50-64	1836	8.1	39	2	2	7	11	15	19	28
65+	1954	9.2	43	2	3	8	12	16	21	36
GRAND TOTAL	**5216**	**8.2**	**39**	**2**	**2**	**7**	**11**	**15**	**19**	**32**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	9.0	127	2	2	3	17	22	22	22
20-34	5	1.2		<1	<1	1	1	2	2	2
35-49	20	3.6	6	1	1	3	5	7	8	9
50-64	60	4.1	10	1	1	3	5	8	11	15
65+	82	4.8	11	1	1	4	7	9	11	15
B. *Operated*										
0-19 YRS	15	5.0	20	1	1	2	9	11	13	13
20-34	199	4.4	24	1	1	3	5	10	12	23
35-49	511	5.7	19	1	1	5	9	11	13	17
50-64	2033	8.5	21	1	2	9	12	14	16	20
65+	2862	11.2	17	3	6	11	14	16	17	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.8	18	2	2	3	7	11	11	11
20-34	19	3.5	8	<1	<1	3	4	9	10	11
35-49	108	5.6	17	1	2	4	8	11	15	20
50-64	395	5.3	14	1	1	5	7	11	12	18
65+	1466	6.1	23	1	2	5	8	12	14	24
B. *Operated*										
0-19 YRS	16	6.5	32	<1	1	5	13	15	70	99+
20-34	222	4.9	23	1	1	3	6	12	14	26
35-49	666	6.5	31	1	1	5	9	13	16	22
50-64	2930	10.1	43	2	2	10	13	17	20	30
65+	6621	13.0	42	4	7	12	15	19	23	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	170	4.4	11	1	1	4	6	8	11	16
B. *Operated*	5620	9.4	23	1	2	10	12	15	17	21
2. MULTIPLE DX										
A. *Not Operated*	1992	5.9	21	1	1	5	8	11	14	22
B. *Operated*	10455	11.6	46	2	3	11	15	18	22	35
1. SINGLE DX	5790	9.3	23	1	2	10	12	15	16	21
2. MULTIPLE DX	12447	10.7	46	2	2	10	14	18	21	33
A. NOT OPERATED	2162	5.8	20	1	1	5	8	11	14	22
B. OPERATED	16075	10.8	39	2	3	11	14	17	20	31
TOTAL 0-19 YRS	38	5.9	30	1	1	3	11	14	19	99+
20-34	445	4.6	23	1	1	3	5	11	13	26
35-49	1305	6.0	25	1	1	5	9	12	15	20
50-64	5418	9.1	34	1	2	9	12	15	18	26
65+	11031	11.6	38	2	4	11	14	18	21	33
GRAND TOTAL	**18237**	**10.2**	**39**	**1**	**2**	**10**	**13**	**17**	**20**	**30**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	132	6.2	33	1	2	4	8	12	17	33
20-34	97	5.4	13	1	2	4	7	10	12	19
35-49	84	5.3	10	2	2	5	7	10	12	14
50-64	49	5.0	17	<1	1	3	7	10	16	18
65+	45	5.5	13	1	2	5	6	12	13	17
B. *Operated*										
0-19 YRS	80	10.5	63	2	2	9	16	20	24	40
20-34	184	4.4	15	1	1	3	5	9	13	19
35-49	215	5.6	31	1	1	4	7	13	16	29
50-64	242	5.8	25	1	1	4	8	12	15	22
65+	129	9.6	33	2	2	10	12	16	21	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	144	7.2	38	1	2	5	10	14	20	31
20-34	160	6.7	26	2	2	5	9	14	17	25
35-49	167	6.6	32	1	2	5	8	12	18	30
50-64	246	7.7	54	1	2	6	10	14	21	38
65+	494	8.2	45	2	3	6	10	16	21	37
B. *Operated*										
0-19 YRS	122	15.8	132	2	4	14	20	27	36	63
20-34	221	10.0	123	1	2	6	12	24	35	56
35-49	285	8.5	76	1	2	6	10	19	29	43
50-64	394	10.0	101	2	2	7	12	21	31	53
65+	461	14.1	111	2	3	12	17	27	36	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	407	5.6	19	1	2	4	7	11	13	21
B. *Operated*	850	6.5	33	1	1	5	9	14	17	27
2. MULTIPLE DX										
A. *Not Operated*	1211	7.6	42	2	2	6	9	15	20	31
B. *Operated*	1483	11.5	111	2	2	9	15	24	34	53
1. SINGLE DX	1257	6.2	29	1	1	5	8	13	16	25
2. MULTIPLE DX	2694	9.7	84	2	2	7	12	20	28	46
A. NOT OPERATED	1618	7.1	37	1	2	5	9	14	19	30
B. OPERATED	2333	9.6	88	1	2	7	13	20	29	47
TOTAL 0-19 YRS	478	9.7	80	1	2	7	14	20	24	44
20-34	662	7.0	59	1	1	5	8	15	19	42
35-49	751	6.9	48	1	2	5	8	14	20	35
50-64	931	8.1	68	1	2	6	10	16	22	44
65+	1129	10.7	78	2	3	9	14	21	28	44
GRAND TOTAL	**3951**	**8.6**	**69**	**1**	**2**	**6**	**11**	**18**	**24**	**43**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.6	5	<1	<1	2	3	7	8	8
20-34	18	1.8	2	<1	<1	1	2	5	5	5
35-49	6	1.5		1	1	1	2	2	2	2
50-64	5	2.8	3	<1	<1	3	4	5	5	5
65+	2	2.5	5	<1	<1	2	4	4	4	4
B. *Operated*										
0-19 YRS	322	2.1	2	<1	<1	2	3	4	5	8
20-34	794	2.4	3	<1	<1	2	3	5	6	8
35-49	454	2.3	5	<1	<1	2	3	4	6	10
50-64	210	2.3	4	<1	<1	2	3	5	6	11
65+	74	3.4	26	<1	<1	2	3	9	11	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	1.7	2	<1	<1	1	2	4	5	5
20-34	36	2.5	6	<1	<1	1	3	6	8	12
35-49	23	4.4	29	<1	<1	3	5	10	17	24
50-64	22	4.8	17	<1	1	4	7	12	14	15
65+	26	3.3	6	<1	1	3	5	8	8	9
B. *Operated*										
0-19 YRS	424	2.5	3	<1	1	2	4	5	6	9
20-34	1064	2.9	6	<1	1	2	4	6	7	11
35-49	785	2.6	5	<1	1	2	3	5	7	11
50-64	756	3.0	10	<1	1	2	3	6	8	19
65+	336	4.2	41	1	1	3	4	9	14	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	2.1	3	<1	<1	1	3	5	6	8
B. *Operated*	1854	2.4	4	<1	<1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	122	3.4	12	<1	<1	2	4	8	10	18
B. *Operated*	3365	2.9	10	<1	1	2	4	6	7	15
1. SINGLE DX	1898	2.4	4	<1	<1	2	3	5	6	9
2. MULTIPLE DX	3487	3.0	10	<1	1	2	4	6	8	15
A. NOT OPERATED	166	3.0	10	<1	<1	2	4	7	9	15
B. OPERATED	5219	2.7	8	<1	1	2	3	5	7	12
TOTAL 0-19 YRS	774	2.4	3	<1	1	2	3	5	6	9
20-34	1912	2.7	5	<1	1	2	4	5	7	10
35-49	1268	2.6	5	<1	1	2	3	5	6	11
50-64	993	2.9	9	<1	1	2	3	6	7	17
65+	438	4.0	36	<1	1	2	4	9	12	22
GRAND TOTAL	**5385**	**2.7**	**8**	**<1**	**1**	**2**	**3**	**5**	**7**	**12**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	175	3.1	5	1	1	3	4	6	7	11
20-34	95	3.6	8	<1	1	3	5	8	8	16
35-49	60	4.3	24	<1	1	3	5	9	10	33
50-64	50	3.6	13	<1	1	3	4	7	10	23
65+	59	4.4	17	1	1	3	5	9	11	22
B. *Operated*										
0-19 YRS	1036	2.8	4	1	1	3	3	5	6	12
20-34	1652	3.0	5	1	1	3	4	5	6	9
35-49	528	3.1	7	1	1	3	4	5	7	13
50-64	228	4.3	13	1	1	3	5	10	13	16
65+	101	7.4	132	1	1	4	9	15	23	70
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	192	3.8	15	<1	1	3	5	7	11	22
20-34	193	4.4	26	<1	1	3	6	9	12	19
35-49	206	4.3	27	1	1	3	5	8	14	23
50-64	250	5.5	26	1	1	4	7	11	15	24
65+	524	7.4	49	1	2	5	9	15	22	35
B. *Operated*										
0-19 YRS	657	3.9	18	1	1	3	5	7	10	23
20-34	979	4.1	24	1	1	3	5	8	11	21
35-49	568	4.2	17	1	1	3	5	9	12	23
50-64	466	5.7	50	1	1	3	6	12	17	34
65+	370	8.9	63	1	2	6	12	19	26	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	439	3.6	11	1	1	3	4	7	9	17
B. *Operated*	3545	3.2	10	1	1	3	4	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	1365	5.7	36	1	1	4	7	12	16	31
B. *Operated*	3040	4.9	33	1	1	3	5	10	15	28
1. SINGLE DX	3984	3.2	10	1	1	3	4	6	7	14
2. MULTIPLE DX	4405	5.1	34	1	1	3	6	11	15	29
A. NOT OPERATED	1804	5.2	30	1	1	4	6	10	15	30
B. OPERATED	6585	4.0	21	1	1	3	4	7	11	23
TOTAL 0-19 YRS	2060	3.3	10	1	1	3	4	6	7	15
20-34	2919	3.5	13	1	1	3	4	6	8	16
35-49	1362	3.8	15	1	1	3	4	7	10	20
50-64	994	5.2	34	1	1	3	6	11	15	24
65+	1054	7.8	61	1	2	5	10	17	24	36
GRAND TOTAL	**8389**	**4.2**	**23**	**1**	**1**	**3**	**5**	**8**	**12**	**24**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	8.0	27	2	2	11	11	11	11	11
20-34	10	6.0	10	<1	1	6	8	11	13	13
35-49	9	6.2	20	2	2	6	7	13	17	17
50-64										
65+	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS										
20-34	2	15.0	50	10	10	15	20	20	20	20
35-49	7	5.1	24	1	1	4	9	13	13	13
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	2	1	1	3	4	4	4	4
20-34	6	4.0	7	1	1	3	4	9	9	9
35-49	22	6.1	11	1	2	6	7	11	14	14
50-64	19	6.3	12	2	2	6	7	12	14	15
65+	31	9.0	45	3	3	8	10	15	19	38
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	5	14.2	63	4	4	15	20	24	24	24
35-49	9	13.6	81	1	3	11	20	27	30	30
50-64	14	12.3	28	4	7	12	15	20	22	23
65+	7	13.4	78	2	3	11	20	26	27	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	6.1	15	1	2	5	8	11	14	17
B. *Operated*	10	6.7	42	<1	<1	4	11	16	20	20
2. MULTIPLE DX										
A. *Not Operated*	82	6.9	26	2	2	6	9	12	15	32
B. *Operated*	36	12.9	51	2	4	11	19	23	26	30
1. SINGLE DX	34	6.3	22	<1	1	5	8	13	16	20
2. MULTIPLE DX	118	8.8	41	2	3	7	11	19	22	33
A. NOT OPERATED	106	6.7	24	2	2	6	8	12	14	27
B. OPERATED	46	11.6	55	1	2	11	19	22	25	30
TOTAL 0-19 YRS	8	5.3	16	1	1	4	9	11	11	11
20-34	23	8.0	39	1	2	6	10	19	21	24
35-49	47	7.4	35	1	2	6	10	14	20	30
50-64	33	8.8	28	2	3	7	12	16	19	23
65+	41	9.3	52	1	2	8	11	19	23	38
GRAND TOTAL	**152**	**8.2**	**38**	**1**	**2**	**7**	**11**	**16**	**20**	**30**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	7.5	47	2	2	5	12	17	17	17
20-34	38	5.5	13	1	2	5	7	10	12	20
35-49	145	5.8	29	1	2	4	7	10	14	35
50-64	156	5.4	10	1	2	5	7	9	12	17
65+	137	5.9	14	1	2	5	8	10	14	18
B. *Operated*										
0-19 YRS	7	5.4	8	1	1	6	8	9	9	9
20-34	87	5.4	21	1	1	4	8	11	13	24
35-49	481	5.0	15	1	1	4	7	10	12	19
50-64	575	5.4	19	1	1	4	8	12	14	20
65+	243	6.2	27	1	1	5	9	13	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	5.7	29	<1	1	4	8	13	18	19
20-34	79	6.4	14	2	2	6	8	11	13	21
35-49	423	6.5	18	2	2	6	8	12	14	19
50-64	1016	6.8	21	2	2	6	9	12	16	24
65+	1834	6.9	19	2	3	6	9	12	14	23
B. *Operated*										
0-19 YRS	7	7.4	16	3	3	7	10	13	14	14
20-34	125	5.8	20	1	1	5	8	13	15	20
35-49	611	7.3	41	1	1	6	10	15	20	33
50-64	1127	7.5	42	1	2	6	10	15	20	30
65+	1009	10.0	66	2	2	8	13	20	26	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	480	5.7	17	1	2	5	7	10	13	21
B. *Operated*	1393	5.4	19	1	1	4	8	11	14	21
2. MULTIPLE DX										
A. *Not Operated*	3365	6.8	19	2	3	6	9	12	15	23
B. *Operated*	2879	8.2	51	1	2	7	11	17	22	35
1. SINGLE DX	1873	5.5	19	1	1	4	8	11	14	21
2. MULTIPLE DX	6244	7.5	34	1	2	6	9	14	18	29
A. NOT OPERATED	3845	6.7	19	2	2	6	8	12	14	22
B. OPERATED	4272	7.3	42	1	1	6	10	15	20	31
TOTAL 0-19 YRS	31	6.3	22	1	1	6	9	13	17	19
20-34	329	5.8	18	1	1	5	8	11	14	21
35-49	1660	6.3	27	1	2	5	8	12	16	27
50-64	2874	6.7	29	1	2	5	9	13	17	27
65+	3223	7.8	37	2	2	6	10	14	19	31
GRAND TOTAL	**8117**	**7.0**	**32**	**1**	**2**	**6**	**9**	**13**	**17**	**28**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	6.2	12	1	2	5	9	12	12	15
20-34	1150	6.1	17	1	2	5	8	11	13	18
35-49	1651	6.4	16	1	2	6	8	11	13	19
50-64	778	6.8	16	1	2	6	9	12	14	19
65+	202	7.1	16	2	2	7	9	13	14	19
B. *Operated*										
0-19 YRS	211	5.5	18	1	1	4	7	11	15	20
20-34	5120	5.9	21	1	1	5	8	12	14	21
35-49	7219	6.1	21	1	1	5	8	12	15	21
50-64	2954	6.8	27	1	1	6	9	13	17	24
65+	586	7.3	27	1	2	6	10	14	18	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	7.8	34	1	1	7	10	16	20	24
20-34	790	6.9	20	1	2	6	9	12	16	23
35-49	1639	7.6	23	2	3	7	10	13	16	22
50-64	1623	7.7	22	2	3	7	10	13	16	22
65+	1407	8.0	21	3	3	7	10	14	16	23
B. *Operated*										
0-19 YRS	56	7.9	29	1	2	7	12	15	18	24
20-34	1781	8.2	39	1	2	7	11	16	19	31
35-49	3634	8.5	38	1	2	7	11	16	20	30
50-64	2937	9.6	51	2	2	8	12	18	22	36
65+	1572	11.3	67	2	3	10	15	21	25	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3836	6.4	16	1	2	6	8	11	14	19
B. *Operated*	16090	6.2	23	1	1	5	8	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	5494	7.6	22	2	3	7	10	13	16	23
B. *Operated*	9980	9.2	48	1	2	8	12	18	22	34
1. SINGLE DX	19926	6.3	21	1	1	5	8	12	15	22
2. MULTIPLE DX	15474	8.6	39	2	2	7	11	16	20	31
A. NOT OPERATED	9330	7.1	20	2	2	6	9	12	15	22
B. OPERATED	26070	7.4	34	1	2	6	10	14	18	28
TOTAL 0-19 YRS	357	6.2	21	1	1	5	8	13	16	22
20-34	8841	6.5	25	1	2	5	8	13	16	23
35-49	14143	6.9	26	1	2	6	9	13	16	24
50-64	8292	7.9	35	1	2	7	10	15	19	29
65+	3767	9.2	44	2	3	8	12	17	21	32
GRAND TOTAL	**35400**	**7.3**	**30**	**1**	**2**	**6**	**10**	**14**	**17**	**26**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	4.3	8	<1	1	3	6	9	9	9
20-34	125	5.5	11	1	2	5	7	10	12	16
35-49	228	5.8	23	1	2	5	7	10	12	22
50-64	127	5.9	14	1	2	5	8	11	14	17
65+	25	5.0	9	1	2	4	7	8	10	14
B. *Operated*										
0-19 YRS	14	4.0	5	1	1	4	5	7	8	8
20-34	436	5.4	16	1	1	4	7	10	14	19
35-49	1152	5.6	21	1	1	5	7	10	13	23
50-64	533	5.6	19	1	1	5	8	11	14	20
65+	48	6.5	21	1	1	6	9	12	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	8.4	25	4	4	7	9	17	19	19
20-34	117	7.0	27	1	2	5	9	13	16	30
35-49	301	6.9	19	2	3	6	9	12	14	22
50-64	326	7.5	40	2	2	6	10	13	16	35
65+	248	6.7	14	2	3	6	8	11	13	21
B. *Operated*										
0-19 YRS	7	5.9	10	1	1	8	8	9	9	9
20-34	226	6.6	27	1	2	5	8	14	16	24
35-49	865	6.9	31	1	2	6	9	13	17	24
50-64	708	7.7	56	1	2	6	10	14	17	30
65+	218	8.8	58	1	2	7	12	18	21	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	514	5.7	17	1	2	5	8	10	12	20
B. *Operated*	2183	5.6	19	1	1	5	7	10	14	20
2. MULTIPLE DX										
A. *Not Operated*	999	7.1	25	2	3	6	9	12	15	26
B. *Operated*	2024	7.3	43	1	2	6	10	14	18	29
1. SINGLE DX	2697	5.6	19	1	1	5	7	10	14	20
2. MULTIPLE DX	3023	7.3	37	1	2	6	9	13	17	28
A. NOT OPERATED	1513	6.6	23	1	2	6	8	12	14	23
B. OPERATED	4207	6.4	31	1	1	5	8	12	16	25
TOTAL 0-19 YRS	37	5.3	12	1	1	5	7	9	10	19
20-34	904	5.9	20	1	1	5	8	11	15	22
35-49	2546	6.2	25	1	1	5	8	12	15	23
50-64	1694	6.9	39	1	1	6	9	13	16	28
65+	539	7.5	34	1	2	6	9	14	18	30
GRAND TOTAL	**5720**	**6.5**	**29**	**1**	**1**	**5**	**8**	**12**	**15**	**24**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.4	1	2	2	3	4	5	5	5
20-34	118	4.9	18	1	1	4	7	9	13	20
35-49	132	5.9	16	1	1	5	8	11	14	20
50-64	63	6.1	16	1	1	5	9	11	13	17
65+	17	5.4	16	1	1	5	9	10	12	13
B. *Operated*										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	94	4.1	15	1	1	2	6	9	14	17
35-49	139	4.9	26	1	1	3	7	10	12	18
50-64	52	5.7	33	1	1	3	10	14	18	26
65+	2	8.5	13	6	6	8	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	8.8	18	4	4	10	12	14	14	14
20-34	177	7.3	15	2	3	7	9	11	14	21
35-49	302	7.5	15	3	3	7	9	12	14	21
50-64	188	8.3	29	2	3	7	11	16	19	29
65+	99	7.4	18	2	3	6	9	13	15	24
B. *Operated*										
0-19 YRS	5	3.2	7	1	1	2	5	7	7	7
20-34	113	6.9	23	1	1	8	9	12	16	21
35-49	164	8.1	36	1	2	7	11	17	19	29
50-64	79	8.2	44	1	2	7	11	15	22	36
65+	30	10.3	64	1	2	10	14	21	29	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	337	5.5	16	1	1	5	8	11	13	19
B. *Operated*	291	4.7	24	1	1	3	7	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	771	7.6	19	2	3	7	10	13	16	23
B. *Operated*	391	7.9	36	1	2	7	11	16	19	29
1. SINGLE DX	628	5.2	20	1	1	4	7	11	13	19
2. MULTIPLE DX	1162	7.7	25	2	2	7	10	13	17	27
A. NOT OPERATED	1108	7.0	19	1	2	6	9	12	15	22
B. OPERATED	682	6.5	33	1	1	5	9	13	17	28
TOTAL 0-19 YRS	21	4.3	13	1	1	3	5	10	12	14
20-34	502	6.0	19	1	1	5	9	11	14	20
35-49	737	6.8	23	1	2	6	9	12	15	24
50-64	382	7.6	32	1	2	6	10	14	18	28
65+	148	7.8	28	1	2	7	10	14	17	29
GRAND TOTAL	**1790**	**6.8**	**24**	**1**	**1**	**6**	**9**	**12**	**16**	**24**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	5.3	7	3	3	4	7	9	9	9
20-34	110	5.8	17	1	1	5	8	11	16	20
35-49	163	6.2	16	1	1	5	9	11	13	19
50-64	117	6.0	14	1	2	5	8	11	12	21
65+	34	6.3	14	1	2	6	8	11	13	18
B. *Operated*										
0-19 YRS	3	2.7	4	1	1	2	4	5	5	5
20-34	93	3.8	16	1	1	2	5	10	12	19
35-49	140	3.7	15	1	1	2	5	9	12	19
50-64	83	4.6	29	1	1	3	5	12	16	28
65+	17	3.3	10	1	1	2	4	8	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	5.2	1	4	4	5	6	7	7	7
20-34	123	7.5	30	1	3	6	9	12	15	36
35-49	245	7.1	22	2	2	6	8	13	16	27
50-64	277	7.6	17	2	3	7	10	13	15	21
65+	373	7.7	19	3	3	7	9	14	15	23
B. *Operated*										
0-19 YRS	5	6.6	10	4	4	6	8	12	12	12
20-34	58	6.4	27	1	1	5	10	13	18	24
35-49	115	7.4	35	1	2	7	10	15	19	28
50-64	83	8.8	46	1	2	8	10	19	25	30
65+	68	11.1	68	2	2	10	15	20	27	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	428	6.1	15	1	1	5	8	11	13	19
B. *Operated*	336	3.9	18	1	1	2	5	9	13	21
2. MULTIPLE DX										
A. *Not Operated*	1024	7.5	21	2	3	7	9	13	15	24
B. *Operated*	329	8.3	45	1	2	7	11	17	22	33
1. SINGLE DX	764	5.1	18	1	1	4	7	10	13	20
2. MULTIPLE DX	1353	7.7	27	2	2	7	10	14	17	27
A. NOT OPERATED	1452	7.1	19	1	3	6	9	12	15	22
B. OPERATED	665	6.1	36	1	1	4	9	13	18	28
TOTAL 0-19 YRS	18	5.2	6	1	2	5	6	8	11	12
20-34	384	6.0	24	1	1	5	8	11	15	23
35-49	663	6.2	23	1	1	5	8	12	15	25
50-64	560	7.0	24	1	2	6	9	13	16	26
65+	492	7.9	27	2	3	7	10	14	17	26
GRAND TOTAL	**2117**	**6.8**	**25**	**1**	**1**	**6**	**9**	**13**	**16**	**25**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	140	3.9	9	1	1	3	6	8	10	15
20-34	1171	5.3	17	1	1	4	7	10	12	18
35-49	1520	5.3	15	1	1	5	7	10	12	19
50-64	807	5.8	20	1	1	5	8	12	14	20
65+	280	5.6	19	1	1	5	8	11	14	20
B. *Operated*										
0-19 YRS	85	3.0	6	1	1	2	4	7	8	11
20-34	1141	3.8	15	1	1	2	5	8	11	18
35-49	1753	4.3	17	1	1	3	6	10	12	18
50-64	1116	4.8	17	1	1	3	7	10	13	18
65+	528	6.5	27	1	1	6	9	13	16	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	177	4.0	9	1	1	3	5	8	10	15
20-34	1661	6.6	24	1	2	6	8	13	16	24
35-49	2588	6.9	24	1	2	6	9	13	16	26
50-64	2187	7.1	23	1	2	6	9	13	16	25
65+	2155	7.1	22	2	2	6	9	13	15	23
B. *Operated*										
0-19 YRS	71	6.4	78	1	1	4	8	13	16	54
20-34	1035	6.3	33	1	1	4	9	14	17	28
35-49	2029	6.9	39	1	1	5	9	14	18	30
50-64	1981	7.9	46	1	2	7	10	15	21	32
65+	1902	10.8	67	2	2	9	14	21	26	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3918	5.4	17	1	1	5	7	10	13	19
B. *Operated*	4623	4.5	18	1	1	3	6	10	13	18
2. MULTIPLE DX										
A. *Not Operated*	8768	6.9	23	1	2	6	9	13	16	25
B. *Operated*	7018	8.1	51	1	2	7	11	17	22	34
1. SINGLE DX	8541	4.9	18	1	1	4	7	10	13	18
2. MULTIPLE DX	15786	7.4	36	1	2	6	10	14	18	30
A. NOT OPERATED	12686	6.4	22	1	2	5	8	12	15	23
B. OPERATED	11641	6.7	41	1	1	5	9	14	18	30
TOTAL 0-19 YRS	473	4.2	20	1	1	3	6	9	11	17
20-34	5008	5.6	23	1	1	4	7	11	14	23
35-49	7890	6.0	26	1	1	5	8	12	15	25
50-64	6091	6.7	30	1	1	6	9	13	16	27
65+	4865	8.4	44	1	2	7	11	16	20	33
GRAND TOTAL	**24327**	**6.6**	**31**	**1**	**1**	**5**	**9**	**13**	**17**	**27**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	234	3.1	4	1	1	3	4	6	7	9
20-34	120	4.1	17	1	1	3	5	6	9	22
35-49	117	4.1	9	1	1	3	5	8	11	14
50-64	90	4.5	13	1	1	3	5	9	11	18
65+	41	4.0	6	1	2	3	5	7	7	14
B. *Operated*										
0-19 YRS	223	2.5	8	<1	1	2	3	5	6	10
20-34	676	2.6	4	1	1	2	3	5	6	11
35-49	1014	2.6	3	1	1	2	3	5	6	9
50-64	836	3.0	6	1	1	2	4	5	7	13
65+	176	3.4	7	1	1	3	4	6	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	127	4.0	6	1	2	3	5	7	9	13
20-34	180	4.7	9	1	1	4	6	9	11	13
35-49	238	5.1	16	1	1	4	7	10	14	19
50-64	297	5.5	25	1	2	4	7	10	12	19
65+	404	5.7	12	2	2	5	8	10	13	17
B. *Operated*										
0-19 YRS	130	4.0	31	1	1	2	4	8	10	30
20-34	493	3.6	14	1	1	2	4	7	12	20
35-49	968	3.8	26	1	1	3	4	7	9	24
50-64	1023	4.2	21	1	1	3	5	8	11	20
65+	487	5.5	32	1	1	4	7	11	14	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	602	3.8	9	1	1	3	5	7	9	15
B. *Operated*	2925	2.8	5	1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	1246	5.2	15	1	2	4	7	10	12	17
B. *Operated*	3101	4.2	24	1	1	3	5	8	11	24
1. SINGLE DX	3527	2.9	6	1	1	2	4	5	7	12
2. MULTIPLE DX	4347	4.5	22	1	1	3	5	9	12	22
A. NOT OPERATED	1848	4.7	14	1	1	4	6	9	11	17
B. OPERATED	6026	3.5	15	1	1	3	4	6	9	18
TOTAL 0-19 YRS	714	3.3	11	1	1	2	4	6	8	13
20-34	1469	3.3	10	1	1	3	4	6	9	15
35-49	2337	3.4	15	1	1	3	4	6	9	17
50-64	2246	3.9	16	1	1	3	5	8	10	17
65+	1108	5.2	20	1	1	4	6	10	13	24
GRAND TOTAL	**7874**	**3.8**	**15**	**1**	**1**	**3**	**4**	**7**	**10**	**18**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	5	2.2	3	<1	<1	1	4	4	4	4
65+	5	2.8	1	<1	<1	3	3	4	4	4
B. *Operated*										
0-19 YRS	312	2.5	2	1	1	2	3	4	5	7
20-34	617	2.6	2	1	1	2	3	4	5	7
35-49	696	2.7	2	1	1	3	3	4	5	6
50-64	782	2.8	2	1	1	3	4	5	6	8
65+	304	2.8	2	1	1	3	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.3		<1	<1	1	1	2	2	2
20-34	15	1.9	2	<1	<1	1	3	3	5	5
35-49	16	1.6	1	<1	<1	1	2	4	4	4
50-64	30	2.5	5	<1	<1	2	4	5	7	10
65+	18	1.9	4	<1	<1	1	2	5	7	7
B. *Operated*										
0-19 YRS	371	2.7	2	1	1	2	3	4	5	6
20-34	1017	2.9	3	1	1	3	4	5	5	8
35-49	1620	3.1	3	1	1	3	4	5	6	8
50-64	2639	3.3	3	1	1	3	4	5	6	10
65+	1736	3.7	5	1	2	3	4	6	8	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	2.3	2	<1	<1	2	4	4	4	4
B. *Operated*	2711	2.7	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	83	2.0	3	<1	<1	1	2	4	6	9
B. *Operated*	7383	3.3	4	1	1	3	4	5	6	10
1. SINGLE DX	2726	2.7	2	1	1	2	3	4	5	7
2. MULTIPLE DX	7466	3.2	4	1	1	3	4	5	6	10
A. NOT OPERATED	98	2.1	3	<1	<1	1	3	4	6	9
B. OPERATED	10094	3.1	3	1	1	3	4	5	6	9
TOTAL 0-19 YRS	688	2.6	2	1	1	2	3	4	5	7
20-34	1651	2.8	2	1	1	3	3	4	5	7
35-49	2334	2.9	3	1	1	3	4	5	6	8
50-64	3456	3.2	3	1	1	3	4	5	6	10
65+	2063	3.6	5	1	1	3	4	6	8	12
GRAND TOTAL	**10192**	**3.1**	**3**	**1**	**1**	**3**	**4**	**5**	**6**	**9**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	1.4	1	<1	<1	1	2	3	3	3
35-49	3	1.7	1	<1	<1	1	2	3	3	3
50-64	4	3.5	4	<1	<1	3	5	6	6	6
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	177	1.6	1	<1	<1	1	2	3	3	6
20-34	236	1.8	1	<1	<1	2	2	3	4	6
35-49	224	2.1	2	<1	<1	2	3	4	5	9
50-64	137	2.5	3	<1	1	2	3	5	6	8
65+	57	3.3	11	<1	1	2	4	5	8	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34	10	2.5	3	1	1	2	4	5	5	5
35-49	9	2.6	2	1	1	2	3	5	5	5
50-64	22	3.7	7	<1	<1	3	5	7	9	12
65+	19	5.2	20	<1	1	4	8	11	16	18
B. *Operated*										
0-19 YRS	29	2.0	1	<1	1	2	3	3	4	5
20-34	90	3.0	8	1	1	2	3	6	9	15
35-49	121	3.6	18	1	1	3	4	7	9	26
50-64	174	3.4	7	1	1	3	4	6	9	14
65+	114	4.3	11	1	1	4	5	7	12	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.3	3	<1	<1	1	3	5	6	6
B. *Operated*	831	2.1	3	<1	<1	2	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	63	3.7	10	<1	1	3	5	7	10	17
B. *Operated*	528	3.5	10	1	1	3	4	7	9	16
1. SINGLE DX	844	2.1	3	<1	<1	2	2	4	5	8
2. MULTIPLE DX	591	3.5	10	1	1	3	4	7	9	16
A. NOT OPERATED	76	3.4	9	<1	<1	3	4	7	9	17
B. OPERATED	1359	2.6	6	<1	<1	2	3	5	7	13
TOTAL 0-19 YRS	209	1.7	1	<1	<1	1	2	3	3	5
20-34	341	2.2	3	<1	<1	2	2	4	5	9
35-49	357	2.6	8	<1	<1	2	3	5	7	14
50-64	337	3.0	5	<1	1	2	4	6	7	13
65+	191	4.1	12	1	1	3	5	8	12	19
GRAND TOTAL	**1435**	**2.7**	**6**	**<1**	**<1**	**2**	**3**	**5**	**7**	**13**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	11.0	52	2	4	9	14	21	27	37
20-34	46	10.9	85	2	3	7	17	26	30	37
35-49	28	9.8	91	1	2	7	11	25	33	40
50-64	24	9.7	77	2	3	7	11	18	27	44
65+	27	8.7	69	<1	1	9	10	12	20	46
B. *Operated*										
0-19 YRS	89	13.2	102	2	2	11	20	27	33	48
20-34	111	11.2	119	2	2	7	13	26	31	56
35-49	104	10.7	95	2	2	8	12	25	33	46
50-64	89	12.2	112	2	2	9	15	26	37	48
65+	53	10.8	69	2	2	9	14	24	30	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	118	13.1	77	2	3	10	20	26	28	40
20-34	91	13.0	123	1	2	9	19	31	35	48
35-49	117	12.9	127	2	2	9	16	29	41	49
50-64	194	12.4	83	2	4	10	16	25	30	42
65+	268	13.3	94	3	4	11	16	29	32	46
B. *Operated*										
0-19 YRS	160	16.9	173	2	4	14	23	33	42	63
20-34	298	17.5	249	2	3	12	24	43	47	75
35-49	395	18.0	220	2	4	14	24	40	48	76
50-64	561	18.6	206	3	5	14	25	38	47	77
65+	636	18.6	221	4	5	15	23	41	49	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	213	10.4	68	2	3	8	13	21	27	43
B. *Operated*	446	11.6	103	2	2	9	14	27	32	47
2. MULTIPLE DX										
A. *Not Operated*	788	12.9	97	2	3	10	17	28	33	46
B. *Operated*	2050	18.2	217	3	4	14	24	40	47	75
1. SINGLE DX	659	11.2	92	2	2	8	14	25	31	46
2. MULTIPLE DX	2838	16.8	189	3	4	13	22	35	45	66
A. NOT OPERATED	1001	12.4	92	2	3	10	16	26	32	45
B. OPERATED	2496	17.1	203	2	4	13	23	38	46	69
TOTAL 0-19 YRS	455	14.0	115	2	3	11	20	28	33	50
20-34	546	14.9	195	2	3	10	20	36	45	62
35-49	644	15.5	187	2	3	11	21	36	44	66
50-64	868	16.3	175	3	4	13	22	33	44	62
65+	984	16.5	183	3	5	12	21	34	45	67
GRAND TOTAL	**3497**	**15.7**	**175**	**2**	**4**	**12**	**21**	**33**	**44**	**63**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	182	5.2	27	1	1	4	7	12	17	27
20-34	134	3.1	5	1	1	3	4	6	8	11
35-49	172	3.8	13	1	1	3	4	7	10	21
50-64	143	3.9	11	1	1	3	5	8	11	15
65+	198	6.0	15	1	2	5	8	11	13	21
B. *Operated*										
0-19 YRS	1030	4.3	21	1	1	3	5	9	12	22
20-34	970	3.8	11	1	1	3	5	8	10	17
35-49	580	5.1	25	1	1	4	6	10	13	23
50-64	443	5.7	24	1	1	4	8	11	14	29
65+	261	8.6	45	1	2	8	12	16	18	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	145	6.1	47	1	1	3	7	13	22	34
20-34	347	4.1	11	1	1	3	5	8	10	18
35-49	629	4.4	18	1	1	3	5	8	10	24
50-64	949	5.9	26	1	2	4	7	11	15	28
65+	3898	8.1	28	2	3	7	10	14	17	28
B. *Operated*										
0-19 YRS	454	5.2	38	1	1	3	7	11	15	28
20-34	748	5.6	27	1	1	4	8	11	14	26
35-49	794	8.1	87	1	2	5	10	17	25	50
50-64	1066	10.2	85	1	2	8	13	21	28	45
65+	1814	13.6	89	3	4	12	17	24	31	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	829	4.6	16	1	1	3	6	9	12	21
B. *Operated*	3284	4.8	23	1	1	3	6	10	13	23
2. MULTIPLE DX										
A. *Not Operated*	5968	7.1	29	1	2	6	9	13	16	28
B. *Operated*	4876	10.0	84	1	2	8	13	20	27	45
1. SINGLE DX	4113	4.7	21	1	1	3	6	10	13	22
2. MULTIPLE DX	10844	8.4	56	1	2	7	11	17	22	37
A. NOT OPERATED	6797	6.8	28	1	2	6	9	13	16	27
B. OPERATED	8160	7.9	66	1	1	5	11	17	23	41
TOTAL 0-19 YRS	1811	4.8	28	1	1	3	6	10	14	27
20-34	2199	4.4	17	1	1	3	5	9	12	19
35-49	2175	5.9	48	1	1	4	7	12	17	37
50-64	2601	7.5	54	1	2	5	10	16	21	37
65+	6171	9.7	53	2	3	8	12	18	22	37
GRAND TOTAL	**14957**	**7.4**	**49**	**1**	**2**	**5**	**10**	**15**	**20**	**35**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	285	4.1	20	1	1	3	5	6	9	22
20-34	109	3.8	9	1	1	3	5	8	9	15
35-49	64	3.9	9	<1	1	3	5	8	9	16
50-64	50	4.5	13	1	1	4	6	8	11	20
65+	34	5.4	17	<1	2	4	7	11	16	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	3.1	11	<1	<1	1	4	9	11	12
20-34	14	5.1	31	<1	1	3	6	12	19	21
35-49	5	16.6	209	<1	<1	10	32	32	32	32
50-64	17	16.8	232	2	3	8	25	36	50	57
65+	51	18.2	211	2	4	16	24	41	43	68
B. *Operated*										
0-19 YRS	401	4.3	22	1	1	3	5	8	10	29
20-34	197	4.9	49	1	1	3	5	8	11	31
35-49	182	4.9	10	1	2	4	6	9	11	17
50-64	195	5.3	24	1	2	4	6	9	12	35
65+	134	8.3	76	2	3	6	10	16	20	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.0	2	<1	<1	1	3	4	4	4
B. *Operated*	542	4.1	16	1	1	3	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	109	13.2	189	<1	1	8	19	34	42	61
B. *Operated*	1109	5.2	33	1	2	4	6	9	12	32
1. SINGLE DX	549	4.1	15	1	1	3	5	8	10	17
2. MULTIPLE DX	1218	5.9	52	1	1	4	6	11	17	39
A. NOT OPERATED	116	12.5	185	<1	1	8	18	33	41	61
B. OPERATED	1651	4.8	28	1	1	4	6	9	11	30
TOTAL 0-19 YRS	711	4.2	21	1	1	3	5	7	9	26
20-34	322	4.5	34	1	1	3	5	8	11	27
35-49	252	4.8	16	1	1	4	6	9	11	19
50-64	263	5.9	43	1	1	4	7	10	16	37
65+	219	10.2	118	2	2	6	12	20	34	58
GRAND TOTAL	**1767**	**5.3**	**41**	**1**	**1**	**4**	**6**	**10**	**14**	**36**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.7	3	2	2	3	4	7	7	7
20-34	32	6.1	15	1	2	6	8	12	12	16
35-49	34	4.9	13	1	1	5	7	9	10	16
50-64	28	6.0	27	1	1	4	9	15	18	18
65+	6	5.2	11	2	2	4	8	10	10	10
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	29	3.6	20	1	1	3	4	6	8	25
35-49	56	3.6	15	1	1	2	4	8	11	20
50-64	19	3.2	12	1	1	2	4	9	11	12
65+	4	3.5	7	1	1	3	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	34	8.6	70	1	2	7	12	13	19	48
35-49	71	6.4	22	1	1	5	8	12	17	22
50-64	100	6.7	26	1	2	6	8	11	14	32
65+	115	6.4	16	2	2	5	9	11	14	21
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	25	6.2	14	1	1	6	9	11	12	14
35-49	55	6.2	18	1	2	5	8	11	15	24
50-64	28	8.0	30	1	2	6	11	16	19	21
65+	27	9.0	69	2	2	7	11	17	31	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	106	5.5	17	1	1	5	8	11	14	18
B. *Operated*	109	3.5	15	1	1	2	4	8	10	22
2. MULTIPLE DX										
A. *Not Operated*	322	6.7	27	1	2	6	9	12	15	26
B. *Operated*	136	7.1	31	1	2	6	9	14	16	31
1. SINGLE DX	215	4.5	17	1	1	3	7	10	12	19
2. MULTIPLE DX	458	6.8	28	1	2	6	9	13	15	29
A. NOT OPERATED	428	6.4	24	1	2	5	8	12	15	22
B. OPERATED	245	5.5	27	1	1	4	7	11	15	25
TOTAL 0-19 YRS	10	2.9	3	1	1	3	3	5	7	7
20-34	120	6.2	34	1	1	5	8	12	14	32
35-49	216	5.4	19	1	1	4	8	11	15	21
50-64	175	6.4	26	1	1	5	9	12	16	28
65+	152	6.7	26	2	2	5	9	12	15	30
GRAND TOTAL	**673**	**6.1**	**25**	**1**	**1**	**5**	**8**	**12**	**15**	**24**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	167	2.8	5	<1	1	2	4	6	7	11
20-34	362	4.5	17	1	1	3	6	8	11	27
35-49	380	4.5	18	1	1	3	6	9	12	26
50-64	236	4.9	21	1	1	4	6	9	11	28
65+	109	5.3	23	1	1	4	6	11	17	24
B. *Operated*										
0-19 YRS	643	5.6	24	1	1	3	9	12	14	21
20-34	694	4.0	18	1	1	2	5	9	11	24
35-49	583	3.9	17	1	1	2	5	9	12	20
50-64	585	3.4	14	1	1	2	4	7	10	21
65+	280	3.4	10	1	1	2	4	7	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	244	3.7	13	<1	1	2	5	7	10	21
20-34	789	5.1	19	1	1	4	6	10	12	25
35-49	1042	5.7	25	1	2	4	7	11	14	25
50-64	1004	5.6	22	1	2	4	7	10	13	28
65+	1012	6.2	21	1	2	5	8	12	15	24
B. *Operated*										
0-19 YRS	908	5.4	44	1	1	3	7	13	18	36
20-34	1159	4.8	48	1	1	2	6	11	15	33
35-49	1128	5.5	40	1	1	3	7	12	16	32
50-64	1053	5.8	43	1	1	4	8	12	17	31
65+	832	7.3	63	1	1	5	9	16	21	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1254	4.4	17	1	1	3	6	8	11	25
B. *Operated*	2785	4.2	18	1	1	2	5	10	12	21
2. MULTIPLE DX										
A. *Not Operated*	4091	5.5	21	1	2	4	7	11	14	24
B. *Operated*	5080	5.7	47	1	1	3	7	12	17	35
1. SINGLE DX	4039	4.2	18	1	1	3	5	9	12	21
2. MULTIPLE DX	9171	5.6	36	1	1	4	7	12	16	31
A. NOT OPERATED	5345	5.3	21	1	1	4	7	10	13	25
B. OPERATED	7865	5.1	38	1	1	3	7	11	16	30
TOTAL 0-19 YRS	1962	5.0	31	1	1	3	7	11	15	27
20-34	3004	4.7	30	1	1	3	6	10	13	28
35-49	3133	5.2	28	1	1	3	6	11	14	27
50-64	2878	5.2	28	1	1	4	6	10	14	28
65+	2233	6.2	37	1	1	4	8	12	17	30
GRAND TOTAL	**13210**	**5.2**	**31**	**1**	**1**	**3**	**7**	**11**	**15**	**28**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	13	4.5	4	2	2	5	6	7	8	8
35-49	17	5.4	6	3	3	5	6	10	11	11
50-64	7	4.3	6	2	2	4	5	8	9	9
65+	2	5.0	2	4	4	5	6	6	6	6
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	9	2.9	2	1	1	3	4	5	5	5
35-49	11	6.3	44	1	1	4	8	17	22	23
50-64	5	2.6	2	1	1	2	3	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	4.3	3	2	2	4	6	7	7	7
20-34	90	5.0	9	2	2	4	6	10	12	14
35-49	126	5.1	10	2	2	4	7	10	11	14
50-64	72	6.5	21	1	2	6	8	13	17	24
65+	22	5.6	10	2	3	5	6	12	13	14
B. *Operated*										
0-19 YRS										
20-34	16	7.9	60	2	2	6	9	13	28	34
35-49	38	5.1	14	1	1	4	7	9	14	18
50-64	15	9.8	206	2	2	6	9	20	49	59
65+	6	14.0	196	3	4	10	11	39	42	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	4.8	5	2	2	4	6	8	10	11
B. *Operated*	26	4.2	22	1	1	3	5	9	15	23
2. MULTIPLE DX										
A. *Not Operated*	317	5.4	12	2	2	4	7	10	12	19
B. *Operated*	75	7.4	79	1	2	5	9	12	19	55
1. SINGLE DX	66	4.6	12	1	2	4	5	9	10	21
2. MULTIPLE DX	392	5.8	25	2	2	4	7	10	13	23
A. NOT OPERATED	357	5.3	11	2	2	4	7	10	12	18
B. OPERATED	101	6.6	66	1	2	4	8	12	19	50
TOTAL 0-19 YRS	9	3.7	4	1	1	3	5	7	7	7
20-34	128	5.2	15	2	2	4	6	10	12	19
35-49	192	5.2	12	1	2	4	7	10	11	20
50-64	99	6.7	48	1	2	5	8	12	18	42
65+	30	7.2	53	3	3	5	9	12	14	42
GRAND TOTAL	**458**	**5.6**	**24**	**1**	**2**	**4**	**7**	**10**	**12**	**23**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	2.2	3	<1	<1	2	3	4	5	9
20-34	4	2.3		2	2	2	3	3	3	3
35-49										
50-64	4	6.0	12	3	3	6	9	9	9	9
65+	3	4.3	5	3	3	3	6	7	7	7
B. *Operated*										
0-19 YRS	102	5.5	18	1	2	5	6	9	13	26
20-34	10	9.3	31	3	3	9	14	16	17	17
35-49	9	11.9	457	1	1	5	10	46	68	68
50-64	5	13.0	63	5	5	12	20	23	23	23
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	177	4.9	63	<1	1	3	5	10	16	36
20-34	14	5.1	9	1	2	4	8	9	10	10
35-49	10	7.9	81	1	1	4	11	23	28	28
50-64	7	6.9	17	3	3	6	10	13	14	14
65+	8	6.1	21	1	1	5	7	14	16	16
B. *Operated*										
0-19 YRS	286	9.9	114	2	2	7	12	22	35	59
20-34	27	13.5	257	2	3	9	16	44	77	99+
35-49	22	11.8	59	2	3	11	14	25	30	31
50-64	19	10.8	252	1	2	7	12	18	49	73
65+	22	12.4	117	3	4	9	15	22	35	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	2.5	4	<1	<1	2	3	4	7	9
B. *Operated*	127	6.5	53	1	2	5	7	13	16	42
2. MULTIPLE DX										
A. *Not Operated*	216	5.2	57	<1	1	3	6	10	16	36
B. *Operated*	376	10.5	128	2	2	7	12	23	37	70
1. SINGLE DX	204	5.0	38	<1	1	4	6	9	13	28
2. MULTIPLE DX	592	8.6	108	1	1	5	10	19	30	61
A. NOT OPERATED	293	4.5	44	<1	1	3	5	9	14	33
B. OPERATED	503	9.5	112	2	2	6	11	20	31	64
TOTAL 0-19 YRS	631	7.0	80	1	1	4	8	15	26	54
20-34	55	9.8	148	2	2	6	12	19	44	98
35-49	41	10.9	143	1	1	9	13	25	30	68
50-64	35	9.8	150	1	3	6	12	19	22	73
65+	34	10.1	90	2	3	7	13	18	22	54
GRAND TOTAL	**796**	**7.6**	**93**	**1**	**1**	**5**	**9**	**17**	**26**	**58**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	1.7	1	<1	<1	<1	2	4	5	5
20-34	4	2.0	4	1	1	1	3	5	5	5
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	476	1.9	2	<1	1	1	2	3	4	8
20-34	118	2.2	2	<1	1	2	3	4	5	7
35-49	69	2.1	2	1	1	2	2	4	4	10
50-64	50	2.1	2	1	1	2	2	3	4	8
65+	32	2.0	1	1	1	2	3	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	1.8	2	<1	<1	1	2	3	5	8
20-34	5	2.2	5	1	1	1	3	6	6	6
35-49	4	4.3	6	1	1	5	6	6	6	6
50-64	4	3.0	3	<1	<1	3	4	5	5	5
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	225	2.3	5	<1	1	2	3	4	7	13
20-34	63	2.3	3	1	1	2	3	5	6	8
35-49	38	2.6	3	1	1	2	3	5	6	10
50-64	50	2.4	4	1	1	2	2	3	7	14
65+	68	2.4	3	1	1	2	2	4	7	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	1.8	2	<1	<1	1	2	4	5	5
B. *Operated*	745	2.0	2	<1	1	2	2	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	47	2.2	3	<1	<1	1	3	5	6	8
B. *Operated*	444	2.3	4	1	1	2	2	4	7	11
1. SINGLE DX	787	1.9	2	<1	1	2	2	4	4	7
2. MULTIPLE DX	491	2.3	4	<1	1	2	2	4	7	11
A. NOT OPERATED	89	2.0	2	<1	<1	1	2	5	5	7
B. OPERATED	1189	2.1	3	<1	1	2	2	4	5	10
TOTAL 0-19 YRS	771	2.0	3	<1	<1	1	2	4	5	10
20-34	190	2.2	2	1	1	2	3	4	6	7
35-49	112	2.4	3	1	1	2	3	5	6	10
50-64	104	2.2	3	1	1	2	2	3	5	11
65+	101	2.2	2	1	1	2	2	4	6	9
GRAND TOTAL	**1278**	**2.1**	**3**	**<1**	**1**	**2**	**2**	**4**	**5**	**10**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	2.5	3	1	1	2	3	5	7	8
20-34	23	3.8	11	1	1	3	4	10	11	12
35-49	8	2.8	5	<1	<1	2	4	6	6	6
50-64	4	2.5		2	2	2	3	3	3	3
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	791	4.0	10	1	1	2	6	8	10	15
20-34	131	5.0	17	1	1	3	8	10	13	18
35-49	82	5.4	26	1	1	3	9	12	16	23
50-64	44	4.9	21	1	1	2	10	12	14	17
65+	10	3.3	12	1	1	2	3	9	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	300	3.9	22	<1	1	3	5	8	11	18
20-34	64	4.0	7	1	1	3	6	8	9	12
35-49	37	4.5	20	1	1	4	5	6	17	22
50-64	27	5.7	18	1	2	4	8	12	14	17
65+	62	5.7	21	1	2	5	8	10	13	28
B. *Operated*										
0-19 YRS	1837	7.2	69	1	1	6	9	15	20	48
20-34	185	7.4	65	1	1	5	10	17	27	37
35-49	129	8.4	100	1	1	5	10	18	27	52
50-64	124	8.4	83	1	2	6	12	18	22	52
65+	101	9.1	94	1	2	6	11	20	30	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	2.9	6	1	1	2	3	6	8	12
B. *Operated*	1058	4.3	13	1	1	2	6	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	490	4.3	20	<1	1	3	6	9	11	21
B. *Operated*	2376	7.4	72	1	1	6	10	16	22	47
1. SINGLE DX	1137	4.2	12	1	1	2	6	9	11	17
2. MULTIPLE DX	2866	6.9	65	1	1	5	9	14	20	44
A. NOT OPERATED	569	4.1	18	1	1	3	5	8	11	19
B. OPERATED	3434	6.4	56	1	1	4	9	13	19	39
TOTAL 0-19 YRS	2971	5.9	50	1	1	4	8	12	17	38
20-34	403	5.9	39	1	1	3	8	12	17	32
35-49	256	6.7	65	1	1	4	9	14	22	38
50-64	199	7.2	62	1	2	3	11	16	19	40
65+	174	7.5	66	1	2	5	10	17	24	42
GRAND TOTAL	**4003**	**6.1**	**51**	**1**	**1**	**4**	**8**	**12**	**18**	**37**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.3	1	<1	<1	1	1	3	3	3
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	601	3.4	4	1	2	3	4	6	7	9
20-34	11	2.6	2	1	1	3	4	5	5	5
35-49	3	2.7	2	1	1	3	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	2.2	5	<1	1	1	2	6	8	10
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	620	3.6	6	1	2	3	4	7	8	10
20-34	32	3.5	4	1	1	3	4	6	7	9
35-49	8	4.3	6	2	2	3	6	8	8	8
50-64	3	2.0		2	2	2	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	1.3	1	<1	<1	1	1	3	3	3
B. *Operated*	615	3.4	4	1	2	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	39	2.2	5	<1	<1	1	2	6	8	10
B. *Operated*	664	3.6	5	1	2	3	4	7	8	10
1. SINGLE DX	623	3.3	4	1	1	3	4	6	7	9
2. MULTIPLE DX	703	3.5	6	1	2	3	4	7	8	10
A. NOT OPERATED	47	2.0	4	<1	<1	1	2	5	7	10
B. OPERATED	1279	3.5	5	1	2	3	4	7	7	9
TOTAL 0-19 YRS	1266	3.5	5	1	2	3	4	6	7	9
20-34	45	3.2	3	1	1	3	4	5	7	9
35-49	11	3.8	5	1	2	3	4	8	8	8
50-64	3	2.0		2	2	2	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**1326**	**3.4**	**5**	**1**	**2**	**3**	**4**	**6**	**7**	**9**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	2.6	3	<1	1	2	4	5	7	7
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	631	3.4	3	1	2	3	4	5	6	9
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	3.5	7	1	1	3	4	7	10	12
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	245	4.2	4	2	2	4	5	6	9	10
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	2.6	3	<1	1	2	4	5	7	7
B. *Operated*	631	3.4	3	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	31	3.5	7	1	1	3	4	7	10	12
B. *Operated*	245	4.2	4	2	2	4	5	6	9	10
1. SINGLE DX	663	3.3	3	1	2	3	4	5	6	9
2. MULTIPLE DX	276	4.1	4	2	2	4	5	6	9	11
A. NOT OPERATED	63	3.0	5	<1	1	3	4	5	8	12
B. OPERATED	876	3.6	3	2	2	3	4	6	7	10
TOTAL 0-19 YRS	939	3.6	4	1	2	3	4	6	7	10
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**939**	**3.6**	**4**	**1**	**2**	**3**	**4**	**6**	**7**	**10**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	80	2.5	5	<1	1	2	3	5	6	14
20-34	6	3.3	7	1	1	2	6	7	7	7
35-49	3	3.7	6	1	1	4	5	6	6	6
50-64	6	4.7	5	2	2	5	7	7	7	7
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	300	5.1	24	<1	1	3	7	11	14	26
20-34	56	4.6	19	1	1	3	7	10	12	22
35-49	24	5.7	22	1	2	4	9	11	15	20
50-64	15	3.7	9	<1	<1	3	6	9	10	10
65+	11	5.5	29	1	1	2	10	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	170	5.7	57	<1	1	3	7	12	20	47
20-34	12	4.1	7	1	1	4	5	7	10	11
35-49	12	4.5	22	1	1	3	4	13	16	17
50-64	15	5.3	11	<1	2	5	7	12	12	12
65+	36	4.4	14	1	1	4	6	9	10	21
B. *Operated*										
0-19 YRS	500	8.3	115	1	2	6	10	16	24	95
20-34	77	8.0	68	1	2	7	9	12	23	53
35-49	62	7.3	47	1	2	5	10	17	21	32
50-64	65	7.7	30	1	2	7	9	15	17	31
65+	61	12.5	139	1	2	8	18	25	43	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	2.7	5	<1	1	2	3	6	7	14
B. *Operated*	406	5.0	22	<1	1	3	7	11	14	24
2. MULTIPLE DX										
A. *Not Operated*	245	5.3	44	1	1	3	6	11	16	41
B. *Operated*	765	8.5	101	1	2	6	10	18	24	83
1. SINGLE DX	502	4.6	20	<1	1	3	7	10	13	22
2. MULTIPLE DX	1010	7.7	89	1	1	5	9	16	22	55
A. NOT OPERATED	341	4.6	34	1	1	3	5	10	13	30
B. OPERATED	1171	7.3	76	1	1	5	9	15	21	51
TOTAL 0-19 YRS	1050	6.5	75	1	1	4	8	13	20	51
20-34	151	6.2	46	1	1	5	8	11	12	36
35-49	101	6.5	38	1	1	4	9	14	19	32
50-64	101	6.6	25	1	1	5	9	12	16	26
65+	109	9.0	100	1	1	5	12	21	28	50
GRAND TOTAL	**1512**	**6.7**	**68**	**1**	**1**	**5**	**8**	**14**	**20**	**48**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.2		<1	<1	1	1	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	562	1.8	1	<1	<1	1	2	3	4	6
20-34	50	2.0	1	1	1	2	2	3	4	6
35-49	20	1.7	1	<1	<1	2	2	3	3	3
50-64	3	1.3		<1	<1	1	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	1.3	1	<1	<1	1	1	2	4	5
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	549	1.9	2	<1	1	2	2	3	5	7
20-34	71	2.7	4	1	1	2	3	5	7	11
35-49	21	2.4	5	1	1	2	3	5	8	9
50-64	10	3.3	4	1	1	3	4	6	8	8
65+	4	2.0	1	1	1	2	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.1		<1	<1	1	1	2	2	2
B. *Operated*	636	1.8	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	25	1.3	1	<1	<1	1	1	2	3	5
B. *Operated*	655	2.1	2	<1	1	2	2	4	5	8
1. SINGLE DX	643	1.8	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	680	2.0	2	<1	1	2	2	4	5	8
A. NOT OPERATED	32	1.3	1	<1	<1	1	1	2	3	5
B. OPERATED	1291	1.9	2	<1	1	2	2	3	4	7
TOTAL 0-19 YRS	1141	1.8	1	<1	<1	1	2	3	4	6
20-34	123	2.4	3	1	1	2	3	4	6	9
35-49	41	2.0	3	<1	1	2	2	4	6	9
50-64	13	2.8	4	<1	1	2	4	6	8	8
65+	5	2.0	1	1	1	2	2	3	3	3
GRAND TOTAL	**1323**	**1.9**	**2**	**<1**	**1**	**2**	**2**	**3**	**4**	**7**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	2.6	5	<1	1	2	3	4	7	11
20-34	9	1.8	2	<1	<1	1	2	4	5	5
35-49	4	2.8	2	1	1	3	4	4	4	4
50-64	3	4.7	21	2	2	2	8	10	10	10
65+	2	5.0	8	3	3	5	7	7	7	7
B. *Operated*										
0-19 YRS	733	3.9	9	1	1	3	6	8	10	12
20-34	154	4.1	8	1	1	4	6	8	9	13
35-49	53	4.6	14	1	1	4	6	9	11	22
50-64	22	6.4	18	<1	1	7	10	12	13	14
65+	9	5.8	26	1	1	5	8	14	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	3.1	16	<1	<1	2	4	6	7	28
20-34	27	3.7	6	1	1	3	5	7	9	11
35-49	39	4.3	11	1	1	3	5	9	11	15
50-64	23	5.0	7	2	2	5	6	9	10	11
65+	22	5.1	14	1	1	5	6	9	14	18
B. *Operated*										
0-19 YRS	570	5.1	20	1	1	4	7	10	14	23
20-34	255	5.3	16	1	2	5	6	8	13	22
35-49	151	6.2	33	1	2	5	8	11	14	26
50-64	100	7.8	36	1	2	7	11	15	18	31
65+	47	7.9	32	2	2	6	12	15	18	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	2.7	5	<1	<1	2	3	5	8	11
B. *Operated*	971	4.1	10	1	1	3	6	8	10	13
2. MULTIPLE DX										
A. *Not Operated*	171	4.0	12	1	1	3	5	8	9	17
B. *Operated*	1123	5.7	23	1	1	5	7	11	15	24
1. SINGLE DX	1013	4.0	10	1	1	3	6	8	10	13
2. MULTIPLE DX	1294	5.5	22	1	1	4	7	11	14	23
A. NOT OPERATED	213	3.7	11	<1	1	3	5	7	9	16
B. OPERATED	2094	4.9	18	1	1	4	7	10	12	21
TOTAL 0-19 YRS	1387	4.4	14	1	1	3	6	9	11	18
20-34	445	4.8	13	1	1	4	6	8	10	18
35-49	247	5.5	26	1	1	5	7	10	12	22
50-64	148	7.1	29	1	1	6	10	14	16	23
65+	80	6.8	27	1	2	5	9	14	17	26
GRAND TOTAL	**2307**	**4.8**	**17**	**1**	**1**	**4**	**6**	**9**	**12**	**20**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.8	1	<1	<1	1	2	3	4	4
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	548	3.2	4	1	1	3	4	5	7	12
20-34	21	4.1	7	1	1	3	6	8	9	10
35-49	7	4.3	5	2	2	4	6	7	7	7
50-64	8	3.9	3	2	2	3	4	7	8	8
65+	9	3.0	3	1	1	3	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	1.3		<1	<1	1	1	2	3	4
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	378	3.7	10	1	1	3	4	6	8	15
20-34	88	3.9	9	1	2	3	5	7	9	19
35-49	59	3.4	3	1	2	3	4	6	7	9
50-64	72	3.6	3	1	1	3	4	6	7	9
65+	44	4.1	5	1	1	4	6	7	8	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	1.8	1	<1	<1	1	2	3	4	4
B. *Operated*	593	3.2	5	1	1	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	31	1.3		<1	<1	1	1	2	3	4
B. *Operated*	641	3.7	8	1	1	3	4	6	8	14
1. SINGLE DX	603	3.2	5	1	1	3	4	6	7	12
2. MULTIPLE DX	672	3.6	8	1	1	3	4	6	7	14
A. NOT OPERATED	41	1.4	1	<1	<1	1	1	3	3	4
B. OPERATED	1234	3.5	6	1	1	3	4	6	7	12
TOTAL 0-19 YRS	965	3.3	7	1	1	3	4	6	7	13
20-34	109	3.9	8	1	1	3	5	7	9	16
35-49	67	3.4	3	1	2	3	4	6	7	9
50-64	80	3.6	3	1	1	3	4	6	7	9
65+	54	3.9	5	1	1	4	5	7	8	11
GRAND TOTAL	**1275**	**3.4**	**6**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	158	3.6	25	<1	<1	1	4	7	21	21
20-34	37	4.9	30	1	1	3	5	14	20	21
35-49	28	6.4	27	1	2	6	8	11	13	28
50-64	14	5.1	7	1	3	5	5	8	12	13
65+	11	3.6	10	<1	<1	4	4	8	12	12
B. *Operated*										
0-19 YRS	1475	4.0	15	1	1	3	5	8	11	20
20-34	383	4.1	13	1	1	3	6	9	11	17
35-49	202	4.2	17	1	1	2	5	10	12	16
50-64	117	4.8	17	1	1	3	7	10	12	19
65+	34	6.1	99	1	1	3	6	11	18	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	324	4.6	31	<1	<1	3	5	10	14	33
20-34	86	5.7	37	1	1	4	8	10	13	38
35-49	81	7.3	51	1	2	6	9	11	23	39
50-64	89	6.4	18	1	2	5	8	12	14	21
65+	70	7.4	32	1	2	6	11	14	19	27
B. *Operated*										
0-19 YRS	1011	5.9	52	1	1	4	7	12	17	35
20-34	301	6.4	42	1	1	4	9	13	19	32
35-49	278	7.0	55	1	1	5	9	13	19	45
50-64	232	7.9	73	1	2	5	10	16	23	49
65+	121	9.1	53	2	2	8	12	20	27	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	248	4.2	25	<1	<1	2	5	8	20	21
B. *Operated*	2211	4.1	16	1	1	3	5	9	11	19
2. MULTIPLE DX										
A. *Not Operated*	650	5.6	34	<1	1	4	7	11	14	33
B. *Operated*	1943	6.6	54	1	1	4	8	14	19	39
1. SINGLE DX	2459	4.1	17	1	1	3	5	9	12	21
2. MULTIPLE DX	2593	6.4	49	1	1	4	8	13	18	38
A. NOT OPERATED	898	5.2	32	<1	1	4	7	11	16	28
B. OPERATED	4154	5.3	35	1	1	3	7	11	15	31
TOTAL 0-19 YRS	2968	4.7	31	1	1	3	6	9	14	28
20-34	807	5.2	28	1	1	3	7	11	14	26
35-49	589	6.1	42	1	1	4	8	11	15	39
50-64	452	6.7	47	1	1	5	9	14	19	33
65+	236	7.9	53	1	2	6	11	16	21	39
GRAND TOTAL	**5052**	**5.3**	**35**	**1**	**1**	**3**	**7**	**11**	**15**	**30**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2448	3.1	13	1	1	2	3	5	8	19
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	45	3.7	13	<1	1	3	5	8	11	18
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2070	8.4	135	1	2	4	9	21	33	76
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	363	22.1	505	3	4	14	30	70	90	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2448	3.1	13	1	1	2	3	5	8	19
B. *Operated*	45	3.7	13	<1	1	3	5	8	11	18
2. MULTIPLE DX										
A. *Not Operated*	2070	8.4	135	1	2	4	9	21	33	76
B. *Operated*	363	22.1	505	3	4	14	30	70	90	99+
1. SINGLE DX	2493	3.1	13	1	1	2	3	5	8	19
2. MULTIPLE DX	2433	10.5	214	1	2	5	11	28	43	98
A. NOT OPERATED	4518	5.6	76	1	1	3	5	12	21	47
B. OPERATED	408	20.1	484	2	3	12	26	67	88	99+
TOTAL 0-19 YRS	4926	6.8	126	1	1	3	6	16	28	78
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**4926**	**6.8**	**126**	**1**	**1**	**3**	**6**	**16**	**28**	**78**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2086	2.5	4	1	1	2	3	5	6	10
20-34	887	3.1	6	1	1	3	4	6	7	12
35-49	446	3.1	5	1	1	3	4	6	8	11
50-64	247	3.7	7	1	1	3	5	7	8	12
65+	171	3.6	5	1	1	3	5	6	8	11
B. *Operated*										
0-19 YRS	20	3.3	7	1	1	3	4	6	9	12
20-34	31	4.7	26	1	1	3	4	12	20	21
35-49	14	4.9	7	1	2	4	5	9	10	10
50-64	16	4.1	7	1	1	4	5	7	10	11
65+	12	4.3	6	2	2	4	6	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4277	3.1	6	1	1	2	4	5	7	13
20-34	1434	4.6	19	1	1	3	5	9	11	24
35-49	1419	5.0	19	1	1	4	6	9	12	23
50-64	1521	5.5	20	1	2	4	7	10	13	22
65+	2321	6.4	25	2	2	5	8	12	15	25
B. *Operated*										
0-19 YRS	109	8.2	138	1	2	4	8	15	42	80
20-34	127	8.9	71	1	2	6	11	20	29	39
35-49	154	9.2	93	1	2	7	11	17	26	55
50-64	171	9.8	87	2	2	8	12	20	26	38
65+	249	10.4	74	2	3	8	13	20	24	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3837	2.9	5	1	1	2	3	5	7	11
B. *Operated*	93	4.3	13	1	1	4	5	9	11	21
2. MULTIPLE DX										
A. *Not Operated*	10972	4.6	17	1	1	3	6	9	12	21
B. *Operated*	810	9.5	89	2	2	7	12	20	26	58
1. SINGLE DX	3930	2.9	5	1	1	2	4	5	7	11
2. MULTIPLE DX	11782	4.9	24	1	1	4	6	10	13	24
A. NOT OPERATED	14809	4.1	14	1	1	3	5	8	11	19
B. OPERATED	903	9.0	83	1	2	6	11	18	25	57
TOTAL 0-19 YRS	6492	3.0	8	1	1	2	4	5	7	13
20-34	2479	4.3	18	1	1	3	5	8	11	24
35-49	2033	4.9	24	1	1	4	6	9	12	24
50-64	1955	5.7	26	1	2	4	7	11	14	26
65+	2753	6.6	30	2	2	5	8	12	16	26
GRAND TOTAL	**15712**	**4.4**	**20**	**1**	**1**	**3**	**5**	**9**	**12**	**22**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	652	2.9	3	1	1	3	4	5	6	8
20-34	86	4.2	9	1	2	3	5	8	13	15
35-49	60	3.9	7	1	2	3	5	6	9	15
50-64	56	4.3	6	1	2	4	6	8	9	11
65+	41	5.1	11	2	2	4	6	9	12	17
B. *Operated*										
0-19 YRS	12	4.5	6	2	2	4	6	8	11	11
20-34	17	7.5	17	2	3	7	10	14	15	16
35-49	8	8.3	24	3	3	8	11	15	17	17
50-64	11	7.3	25	1	2	7	11	15	17	17
65+	4	19.3	65	8	8	21	25	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1976	3.3	5	1	1	3	4	6	7	12
20-34	387	4.5	9	1	2	4	6	9	10	14
35-49	355	5.5	21	2	2	4	7	9	14	29
50-64	563	5.9	17	2	2	5	7	10	13	18
65+	1018	6.7	23	2	2	6	8	12	16	26
B. *Operated*										
0-19 YRS	63	8.9	204	1	2	5	9	15	33	83
20-34	83	10.8	71	2	2	9	13	23	28	40
35-49	78	10.7	90	3	3	9	12	19	29	55
50-64	149	12.5	73	3	4	11	16	25	28	44
65+	203	14.0	99	4	4	11	19	26	31	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	895	3.3	5	1	1	3	4	6	7	12
B. *Operated*	52	7.8	32	2	2	6	10	16	19	26
2. MULTIPLE DX										
A. *Not Operated*	4299	4.8	15	1	2	4	6	9	12	20
B. *Operated*	576	12.1	101	2	3	9	15	25	29	55
1. SINGLE DX	947	3.5	7	1	1	3	4	6	8	14
2. MULTIPLE DX	4875	5.6	31	1	2	4	7	11	15	28
A. NOT OPERATED	5194	4.5	13	1	2	4	5	8	11	18
B. OPERATED	628	11.8	96	2	3	9	15	24	28	54
TOTAL 0-19 YRS	2703	3.4	10	1	1	3	4	6	7	12
20-34	573	5.5	23	1	2	4	6	11	14	27
35-49	501	6.2	34	2	2	5	7	11	16	35
50-64	779	7.1	34	2	3	5	9	13	17	29
65+	1266	7.9	43	2	3	6	9	15	22	33
GRAND TOTAL	**5822**	**5.3**	**27**	**1**	**2**	**4**	**6**	**10**	**14**	**26**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	204	2.5	2	1	1	2	3	4	5	6
20-34	451	3.0	4	1	1	2	4	6	7	11
35-49	254	3.4	11	1	1	3	4	6	8	17
50-64	93	3.9	10	1	2	3	4	7	10	20
65+	23	3.6	5	1	1	3	5	7	8	8
B. *Operated*										
0-19 YRS	11	2.9	5	1	1	2	4	6	8	8
20-34	61	3.2	3	1	1	3	4	5	7	9
35-49	55	3.7	10	1	1	2	4	8	11	15
50-64	35	2.9	4	1	1	2	3	6	8	10
65+	13	3.7	18	<1	<1	2	4	11	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	369	3.1	4	1	1	3	4	5	7	10
20-34	955	4.3	10	1	1	4	6	8	10	17
35-49	770	4.9	13	1	2	4	6	9	12	17
50-64	450	4.8	12	1	2	4	6	9	11	18
65+	366	4.8	14	1	2	4	6	8	12	21
B. *Operated*										
0-19 YRS	13	4.9	8	1	2	5	6	8	11	12
20-34	129	6.0	37	1	1	4	8	12	18	32
35-49	138	6.0	22	1	2	5	8	12	16	21
50-64	95	6.8	37	1	1	5	9	14	16	35
65+	79	7.2	21	1	2	6	10	14	16	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1025	3.1	6	1	1	3	4	5	7	12
B. *Operated*	175	3.3	7	1	1	2	4	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	2910	4.5	11	1	1	4	6	8	10	17
B. *Operated*	454	6.4	29	1	1	5	8	13	16	26
1. SINGLE DX	1200	3.1	6	1	1	3	4	5	7	13
2. MULTIPLE DX	3364	4.7	14	1	1	4	6	9	12	19
A. NOT OPERATED	3935	4.1	10	1	1	3	5	8	10	17
B. OPERATED	629	5.5	25	1	1	4	7	11	15	23
TOTAL 0-19 YRS	597	2.9	4	1	1	2	4	5	6	10
20-34	1596	4.0	11	1	1	3	5	8	9	17
35-49	1217	4.7	14	1	1	4	6	9	12	18
50-64	673	4.9	16	1	2	4	6	9	13	21
65+	481	5.1	16	1	1	4	6	10	14	21
GRAND TOTAL	**4564**	**4.3**	**12**	**1**	**1**	**3**	**5**	**8**	**11**	**18**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	2.5	4	<1	1	2	4	5	6	9
20-34	58	2.9	4	<1	1	2	4	6	7	11
35-49	64	3.0	2	1	1	3	4	5	5	7
50-64	96	3.4	6	1	1	3	4	7	9	11
65+	125	3.0	4	1	1	2	4	6	7	10
B. *Operated*										
0-19 YRS	25	2.9	5	1	1	2	4	6	7	8
20-34	53	3.5	3	1	2	3	4	6	7	9
35-49	76	4.1	5	1	1	4	5	7	8	12
50-64	122	4.1	5	1	1	4	6	7	8	9
65+	113	3.5	4	1	1	3	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	2.8	11	<1	1	2	3	5	7	18
20-34	61	3.3	4	<1	1	3	4	6	8	10
35-49	173	3.7	6	1	1	3	5	6	8	13
50-64	346	4.6	40	1	1	4	5	8	10	19
65+	674	3.8	7	1	1	3	5	7	8	16
B. *Operated*										
0-19 YRS	22	4.2	13	1	1	3	6	11	12	12
20-34	63	4.5	6	1	2	4	6	8	9	11
35-49	111	5.2	12	1	1	4	7	10	12	16
50-64	312	5.5	13	1	2	5	7	10	12	19
65+	514	5.8	26	1	2	4	7	11	14	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	371	3.0	4	1	1	3	4	6	7	11
B. *Operated*	389	3.8	5	1	1	4	5	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	1311	3.9	16	1	1	3	5	7	9	16
B. *Operated*	1022	5.5	19	1	2	5	7	10	13	21
1. SINGLE DX	760	3.4	5	1	1	3	5	6	7	10
2. MULTIPLE DX	2333	4.6	18	1	1	4	6	9	11	19
A. NOT OPERATED	1682	3.7	13	1	1	3	5	6	8	15
B. OPERATED	1411	5.0	16	1	1	4	6	9	12	19
TOTAL 0-19 YRS	132	3.0	9	1	1	2	4	6	9	18
20-34	235	3.6	5	1	1	3	5	7	8	10
35-49	424	4.1	7	1	1	3	5	7	9	14
50-64	876	4.7	22	1	1	4	6	8	11	18
65+	1426	4.4	14	1	1	4	5	8	11	19
GRAND TOTAL	**3093**	**4.3**	**15**	**1**	**1**	**4**	**5**	**8**	**10**	**18**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	2.8	4	1	1	2	3	6	8	9
20-34	39	2.5	3	<1	<1	2	4	5	6	7
35-49	24	2.7	6	<1	1	2	4	6	9	10
50-64	20	3.8	23	1	1	2	5	7	15	22
65+	23	2.8	4	<1	1	2	4	5	7	9
B. *Operated*										
0-19 YRS	108	2.2	4	<1	<1	1	2	5	7	11
20-34	119	2.4	4	<1	1	2	3	5	7	10
35-49	70	2.5	3	1	1	2	3	5	6	9
50-64	52	2.2	6	1	1	1	2	4	6	15
65+	26	5.8	163	1	1	2	3	13	28	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	86	3.8	10	1	1	3	5	8	10	18
20-34	99	3.6	8	1	1	3	5	7	10	16
35-49	135	4.3	16	1	1	4	5	7	10	26
50-64	198	5.7	37	1	1	4	7	12	17	35
65+	521	7.5	42	1	2	6	9	15	20	29
B. *Operated*										
0-19 YRS	72	5.1	39	1	1	3	6	12	19	32
20-34	126	5.1	18	1	1	4	7	10	13	21
35-49	107	6.9	104	1	1	3	7	19	23	63
50-64	164	8.5	92	1	1	5	11	23	30	38
65+	239	10.4	96	2	2	8	14	22	30	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	147	2.8	7	<1	1	2	4	6	7	10
B. *Operated*	375	2.6	15	<1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	1039	6.1	34	1	1	4	8	13	17	28
B. *Operated*	708	7.9	81	1	1	5	11	19	26	53
1. SINGLE DX	522	2.6	13	<1	1	2	3	5	7	13
2. MULTIPLE DX	1747	6.8	54	1	1	4	9	15	21	36
A. NOT OPERATED	1186	5.7	32	1	1	4	7	12	16	27
B. OPERATED	1083	6.1	65	1	1	3	8	15	22	41
TOTAL 0-19 YRS	307	3.4	15	<1	1	2	4	8	10	21
20-34	383	3.6	11	1	1	2	5	8	10	18
35-49	336	4.6	43	1	1	3	5	8	14	30
50-64	434	6.3	57	1	1	4	7	15	23	37
65+	809	8.1	63	1	2	6	11	17	22	48
GRAND TOTAL	**2269**	**5.9**	**47**	**1**	**1**	**3**	**7**	**13**	**19**	**34**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	2	9.5	145	1	1	9	18	18	18	18
35-49	2	6.5	41	2	2	6	11	11	11	11
50-64	7	5.6	25	1	1	5	6	14	16	16
65+	8	6.8	25	<1	1	6	10	14	15	15
B. *Operated*										
0-19 YRS	16	4.6	12	<1	<1	4	6	8	12	14
20-34	36	7.1	53	1	1	5	8	19	24	30
35-49	34	8.9	88	1	1	5	13	22	25	42
50-64	45	11.0	112	1	1	8	15	27	34	45
65+	85	12.8	106	2	3	11	16	24	32	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.3	14	1	1	7	8	8	8	8
20-34	14	5.4	7	1	3	5	7	9	10	11
35-49	27	8.7	98	2	3	7	8	11	21	56
50-64	50	9.4	46	3	4	7	10	19	21	33
65+	268	8.8	45	2	3	7	10	16	23	36
B. *Operated*										
0-19 YRS	19	9.9	73	1	1	8	19	23	24	24
20-34	89	11.1	111	1	2	9	15	22	33	58
35-49	180	15.8	146	2	4	13	21	31	38	66
50-64	554	18.3	201	3	5	15	23	36	51	68
65+	1744	17.6	149	4	6	15	22	34	42	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	6.9	30	<1	1	5	11	15	17	18
B. *Operated*	216	10.3	94	1	1	7	14	23	30	44
2. MULTIPLE DX										
A. *Not Operated*	362	8.7	47	2	3	7	10	16	21	36
B. *Operated*	2586	17.4	160	3	5	14	22	34	43	66
1. SINGLE DX	236	10.0	89	1	1	7	14	22	30	43
2. MULTIPLE DX	2948	16.3	154	3	5	13	21	33	41	64
A. NOT OPERATED	382	8.6	47	2	3	7	10	16	21	36
B. OPERATED	2802	16.8	159	3	5	14	21	33	42	65
TOTAL 0-19 YRS	39	7.5	48	<1	1	5	10	21	23	24
20-34	141	9.5	89	1	1	7	13	20	25	58
35-49	243	13.9	140	1	3	10	20	29	37	57
50-64	656	17.0	191	3	4	13	22	34	46	67
65+	2105	16.3	143	3	5	13	21	32	40	63
GRAND TOTAL	**3184**	**15.8**	**152**	**3**	**4**	**13**	**20**	**32**	**40**	**63**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	106	2.5	3	<1	1	2	3	4	6	9
20-34	964	2.4	3	1	1	2	3	4	5	8
35-49	2461	2.6	3	1	1	2	3	5	6	9
50-64	1658	2.7	3	1	1	2	3	5	6	8
65+	514	3.0	4	1	1	2	4	5	7	10
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	113	2.7	12	1	1	2	3	5	6	19
35-49	735	2.3	3	1	1	2	2	4	6	10
50-64	827	2.4	4	1	1	2	2	5	6	10
65+	198	2.3	2	1	1	2	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	223	3.1	4	1	1	3	4	6	7	9
20-34	1953	3.3	5	1	1	3	4	6	7	10
35-49	6457	3.4	5	1	1	3	4	6	8	11
50-64	7448	3.6	6	1	1	3	5	6	8	12
65+	5595	4.1	9	1	2	3	5	7	9	15
B. *Operated*										
0-19 YRS	10	4.3	5	1	1	5	6	7	7	7
20-34	218	4.5	16	1	1	3	6	9	12	23
35-49	1528	3.9	11	1	1	3	5	8	10	16
50-64	2432	3.9	12	1	1	2	5	8	10	17
65+	1045	5.1	20	1	1	4	7	10	14	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5703	2.6	3	1	1	2	3	5	6	8
B. *Operated*	1874	2.4	4	1	1	2	2	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	21676	3.7	7	1	1	3	5	6	8	13
B. *Operated*	5233	4.2	14	1	1	3	6	8	11	18
1. SINGLE DX	7577	2.6	3	1	1	2	3	5	6	9
2. MULTIPLE DX	26909	3.8	8	1	1	3	5	7	9	14
A. NOT OPERATED	27379	3.4	6	1	1	3	4	6	8	12
B. OPERATED	7107	3.7	12	1	1	2	5	8	10	17
TOTAL 0-19 YRS	340	2.9	3	1	1	2	4	6	7	9
20-34	3248	3.1	6	1	1	2	4	6	7	11
35-49	11181	3.2	6	1	1	3	4	6	7	12
50-64	12365	3.5	7	1	1	3	4	6	8	13
65+	7352	4.1	11	1	2	3	5	8	10	16
GRAND TOTAL	**34486**	**3.5**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	603	2.8	4	1	1	2	4	5	6	8
20-34	53	2.8	43	<1	1	2	3	4	4	48
35-49	71	2.5	6	<1	1	2	3	5	6	16
50-64	62	3.5	11	1	1	2	5	8	11	16
65+	65	4.5	16	1	1	3	5	8	14	20
B. *Operated*										
0-19 YRS	35	3.0	11	<1	<1	2	4	7	9	17
20-34	32	4.2	11	1	1	3	6	8	11	16
35-49	61	4.4	12	1	1	3	6	9	12	16
50-64	76	3.3	8	1	1	2	4	6	8	16
65+	34	3.5	8	1	1	2	5	8	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1271	4.0	13	1	1	3	5	8	11	19
20-34	238	4.1	16	1	1	3	5	8	10	16
35-49	372	4.6	13	1	1	4	6	8	11	19
50-64	965	5.9	22	1	2	5	7	11	15	24
65+	1658	6.2	21	1	2	5	8	11	14	23
B. *Operated*										
0-19 YRS	103	6.0	31	1	1	5	9	14	18	62
20-34	81	7.0	83	1	1	4	7	17	28	89
35-49	211	5.6	24	1	1	4	7	11	15	26
50-64	499	6.8	59	1	2	5	8	13	19	34
65+	520	7.2	35	1	2	6	9	15	19	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	854	2.9	8	1	1	2	4	5	7	14
B. *Operated*	238	3.7	10	1	1	3	5	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	4504	5.3	19	1	1	4	7	10	13	22
B. *Operated*	1414	6.7	45	1	2	5	8	14	19	32
1. SINGLE DX	1092	3.1	8	1	1	2	4	6	8	14
2. MULTIPLE DX	5918	5.6	26	1	1	4	7	11	14	26
A. NOT OPERATED	5358	4.9	18	1	1	4	6	10	13	21
B. OPERATED	1652	6.3	41	1	1	5	8	13	18	30
TOTAL 0-19 YRS	2012	3.7	12	1	1	3	5	7	10	18
20-34	404	4.5	34	1	1	3	5	9	12	35
35-49	715	4.7	16	1	1	4	6	9	12	21
50-64	1602	6.0	33	1	1	5	8	12	15	28
65+	2277	6.3	25	1	2	5	8	12	16	27
GRAND TOTAL	**7010**	**5.2**	**24**	**1**	**1**	**4**	**7**	**10**	**14**	**25**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	83	2.3	3	1	1	2	3	4	5	9
20-34	281	1.8	1	<1	<1	1	2	3	4	6
35-49	356	1.9	2	<1	1	1	2	3	4	7
50-64	178	2.0	2	1	1	2	2	4	5	8
65+	90	3.0	4	1	1	2	4	6	7	11
B. *Operated*										
0-19 YRS	44	2.5	4	<1	<1	2	3	4	8	10
20-34	62	3.8	5	1	1	3	5	7	8	11
35-49	75	4.2	6	1	1	4	6	8	9	11
50-64	60	5.1	24	1	1	5	7	9	10	34
65+	61	5.2	13	1	2	4	6	10	11	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	123	3.0	7	1	1	2	4	5	7	14
20-34	348	2.7	4	1	1	2	3	5	7	11
35-49	412	2.9	6	1	1	2	3	5	7	11
50-64	446	3.4	8	1	1	3	4	7	9	13
65+	961	5.1	24	1	2	4	6	10	13	20
B. *Operated*										
0-19 YRS	104	3.6	10	<1	1	3	5	8	10	16
20-34	163	4.9	12	1	1	4	6	9	12	17
35-49	255	5.2	10	1	2	5	7	9	12	16
50-64	395	6.2	16	1	2	5	8	11	14	21
65+	1002	8.4	36	2	3	7	11	16	20	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	988	2.0	2	<1	1	2	2	4	5	7
B. *Operated*	302	4.3	11	1	1	4	6	8	10	12
2. MULTIPLE DX										
A. *Not Operated*	2290	3.9	15	1	1	3	5	8	10	17
B. *Operated*	1919	7.0	28	1	2	6	9	14	17	27
1. SINGLE DX	1290	2.5	5	<1	1	2	3	5	7	11
2. MULTIPLE DX	4209	5.3	23	1	1	4	7	11	14	23
A. NOT OPERATED	3278	3.3	12	1	1	2	4	7	9	15
B. OPERATED	2221	6.6	26	1	2	5	8	13	16	26
TOTAL 0-19 YRS	354	3.0	7	<1	1	2	4	6	8	12
20-34	854	2.9	6	<1	1	2	4	6	8	12
35-49	1098	3.2	7	1	1	2	4	6	8	14
50-64	1079	4.3	14	1	1	3	6	9	11	19
65+	2114	6.6	32	1	2	5	8	13	17	27
GRAND TOTAL	**5499**	**4.7**	**20**	**1**	**1**	**3**	**6**	**10**	**13**	**21**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2082	2.0	2	<1	1	2	3	4	5	7
20-34	2076	2.4	3	<1	1	2	3	5	6	9
35-49	968	2.9	4	1	1	2	4	6	7	10
50-64	515	2.9	4	1	1	2	4	5	7	9
65+	267	3.3	7	1	1	3	4	6	9	13
B. *Operated*										
0-19 YRS	208	3.5	3	1	2	3	4	5	7	11
20-34	317	4.2	9	1	1	4	5	7	10	13
35-49	98	4.9	13	1	1	4	6	9	12	18
50-64	57	5.5	21	1	1	5	7	11	14	24
65+	26	4.8	7	1	2	4	6	8	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2049	2.5	5	1	1	2	3	5	6	9
20-34	2842	3.1	6	1	1	2	4	6	8	12
35-49	1959	4.1	10	1	1	3	5	8	9	16
50-64	1854	4.4	11	1	1	4	6	8	10	16
65+	2548	4.9	14	1	2	4	6	9	11	17
B. *Operated*										
0-19 YRS	260	4.7	9	1	2	4	6	8	10	15
20-34	662	5.5	18	1	1	4	7	11	14	21
35-49	496	6.9	29	1	2	6	8	14	17	28
50-64	396	7.6	26	2	3	6	10	15	17	24
65+	468	8.4	40	2	2	7	11	16	21	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5908	2.4	3	<1	1	2	3	5	6	9
B. *Operated*	706	4.2	9	1	1	3	5	7	10	14
2. MULTIPLE DX										
A. *Not Operated*	11252	3.8	10	1	1	3	5	7	9	15
B. *Operated*	2282	6.7	27	1	2	5	8	13	17	26
1. SINGLE DX	6614	2.6	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	13534	4.3	14	1	1	3	5	8	11	19
A. NOT OPERATED	17160	3.3	8	1	1	3	4	6	8	13
B. OPERATED	2988	6.1	24	1	2	5	8	12	16	24
TOTAL 0-19 YRS	4599	2.5	4	<1	1	2	3	5	6	9
20-34	5897	3.2	7	1	1	2	4	6	8	14
35-49	3521	4.2	13	1	1	3	5	8	10	19
50-64	2822	4.6	14	1	1	4	6	9	11	19
65+	3309	5.3	19	1	2	4	7	10	13	22
GRAND TOTAL	**20148**	**3.7**	**11**	**1**	**1**	**3**	**5**	**7**	**9**	**16**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	230	2.5	4	1	1	2	3	5	6	9
20-34	83	2.1	2	<1	1	1	3	4	6	7
35-49	57	3.3	6	1	1	3	4	6	9	12
50-64	56	2.6	2	<1	1	2	3	5	6	7
65+	53	3.9	9	<1	1	4	5	9	10	11
B. *Operated*										
0-19 YRS	24	3.7	8	<1	1	5	6	7	9	11
20-34	36	3.3	3	<1	1	3	5	6	6	6
35-49	36	4.5	20	1	1	4	6	7	7	28
50-64	34	3.6	6	1	1	3	5	6	7	11
65+	27	4.3	9	1	1	4	6	9	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	880	2.9	6	1	1	2	3	5	7	12
20-34	384	3.7	14	1	1	3	5	8	11	17
35-49	444	5.0	17	1	1	4	6	10	14	20
50-64	697	5.5	24	1	1	4	7	11	14	25
65+	1344	5.8	19	1	2	5	8	12	14	22
B. *Operated*										
0-19 YRS	142	3.5	17	1	1	1	5	10	13	19
20-34	257	4.7	24	1	1	4	6	10	15	25
35-49	219	5.9	42	1	1	5	7	13	18	29
50-64	312	8.1	62	1	1	6	10	17	23	38
65+	481	9.5	70	1	1	8	13	19	27	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	479	2.7	5	1	1	2	4	5	7	11
B. *Operated*	157	3.9	9	1	1	3	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	3749	4.8	18	1	1	4	6	10	13	20
B. *Operated*	1411	7.1	55	1	1	5	10	16	22	36
1. SINGLE DX	636	3.0	6	1	1	2	4	6	7	11
2. MULTIPLE DX	5160	5.4	29	1	1	4	7	11	15	27
A. NOT OPERATED	4228	4.5	17	1	1	3	6	9	12	20
B. OPERATED	1568	6.8	51	1	1	5	9	15	21	35
TOTAL 0-19 YRS	1276	2.9	7	1	1	2	4	5	7	14
20-34	760	3.9	16	1	1	3	5	8	11	18
35-49	756	5.1	24	1	1	4	7	11	15	26
50-64	1099	6.0	35	1	1	4	8	12	16	28
65+	1905	6.7	34	1	1	5	9	14	17	30
GRAND TOTAL	**5796**	**5.1**	**27**	**1**	**1**	**4**	**6**	**11**	**15**	**26**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2093	4.2	40	1	1	3	4	7	12	41
20-34	1880	5.1	42	<1	1	3	6	10	15	32
35-49	1467	5.6	43	1	1	4	6	12	18	33
50-64	1573	6.4	48	1	1	4	8	13	20	35
65+	2198	8.2	67	1	2	6	10	18	25	42
B. *Operated*										
0-19 YRS	188	5.2	107	<1	<1	2	4	10	22	79
20-34	381	4.7	45	<1	1	3	5	10	15	34
35-49	376	6.6	100	1	1	3	7	13	30	58
50-64	510	7.5	98	1	1	4	9	18	26	55
65+	583	10.1	120	1	1	7	14	22	31	62
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3323	4.5	25	1	1	3	5	9	12	25
20-34	2030	3.9	13	1	1	3	5	7	9	16
35-49	2808	4.5	16	1	1	4	6	8	11	19
50-64	5802	5.9	28	1	2	4	7	12	16	28
65+	13836	6.5	28	2	2	5	8	12	16	26
B. *Operated*										
0-19 YRS	278	9.1	183	1	1	4	10	21	49	99+
20-34	419	5.3	39	1	1	3	6	12	17	33
35-49	657	7.1	101	1	1	4	8	15	23	70
50-64	1399	9.7	142	1	1	6	11	23	35	77
65+	2497	11.1	133	1	2	8	14	24	34	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9211	5.9	51	1	1	4	7	13	19	36
B. *Operated*	2038	7.4	99	1	1	4	9	17	27	57
2. MULTIPLE DX										
A. *Not Operated*	27799	5.7	26	1	2	4	7	11	15	25
B. *Operated*	5250	9.6	130	1	1	6	12	21	32	71
1. SINGLE DX	11249	6.2	60	1	1	4	7	13	21	40
2. MULTIPLE DX	33049	6.4	45	1	2	5	8	13	17	35
A. NOT OPERATED	37010	5.8	33	1	1	4	7	11	16	30
B. OPERATED	7288	9.0	122	1	1	5	11	21	31	64
TOTAL 0-19 YRS	5882	4.7	42	1	1	3	5	9	14	39
20-34	4710	4.6	30	1	1	3	5	9	13	31
35-49	5308	5.3	41	1	1	4	6	10	15	33
50-64	9284	6.7	54	1	1	5	8	14	20	39
65+	19114	7.4	52	1	2	5	9	15	20	37
GRAND TOTAL	**44298**	**6.3**	**49**	**1**	**1**	**4**	**8**	**13**	**18**	**36**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	523	1.8	2	1	1	1	2	3	4	7
20-34	48	4.4	18	1	1	3	6	10	14	19
35-49	17	3.2	7	<1	<1	2	4	8	9	9
50-64	11	6.3	46	1	1	3	8	18	23	23
65+	9	2.0	1	1	1	2	2	3	3	3
B. *Operated*										
0-19 YRS	88	4.8	11	1	2	4	6	8	11	19
20-34	41	5.5	11	2	3	4	8	11	15	99+
35-49	11	7.3	72	1	1	5	7	21	29	30
50-64	6	12.0	127	1	1	8	24	28	28	28
65+	2	21.5	61	16	16	21	27	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	446	3.3	17	1	1	2	4	7	10	20
20-34	120	6.5	82	1	1	4	7	14	27	74
35-49	66	5.1	29	1	1	3	7	13	18	88
50-64	42	7.8	69	1	2	5	8	18	28	40
65+	54	7.4	41	1	1	6	11	13	17	36
B. *Operated*										
0-19 YRS	152	9.6	177	1	1	5	10	25	44	99
20-34	167	12.0	255	1	2	8	14	32	86	99+
35-49	62	13.0	214	1	2	9	14	28	56	97
50-64	46	15.6	188	1	2	12	24	39	47	99+
65+	42	16.3	287	1	2	12	21	42	59	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	608	2.2	5	1	1	1	2	4	6	13
B. *Operated*	148	5.7	25	1	2	4	7	11	16	31
2. MULTIPLE DX										
A. *Not Operated*	728	4.6	36	1	1	3	5	10	15	35
B. *Operated*	469	12.1	224	1	2	8	14	35	57	99+
1. SINGLE DX	756	2.9	11	1	1	2	3	6	8	19
2. MULTIPLE DX	1197	7.5	123	1	1	4	9	17	32	99
A. NOT OPERATED	1336	3.5	24	1	1	2	4	7	11	28
B. OPERATED	617	10.6	184	1	2	6	13	26	45	99+
TOTAL 0-19 YRS	1209	3.6	36	1	1	2	4	7	11	39
20-34	376	8.6	152	1	1	5	10	19	43	99+
35-49	156	8.2	118	1	1	5	10	18	29	98
50-64	105	11.3	135	1	2	7	16	29	39	78
65+	107	10.7	159	1	1	7	13	24	37	63
GRAND TOTAL	**1953**	**5.7**	**85**	**1**	**1**	**3**	**6**	**13**	**22**	**75**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	234	2.6	6	1	1	2	3	5	8	13
20-34	59	4.1	41	1	1	2	4	7	12	43
35-49	24	3.2	9	<1	<1	2	4	8	11	12
50-64	8	3.4	5	1	1	3	4	7	8	8
65+	13	5.0	16	2	2	4	5	12	15	16
B. *Operated*										
0-19 YRS	20	6.1	20	<1	1	5	8	14	15	16
20-34	20	5.6	11	2	2	6	8	9	11	12
35-49	6	8.3	56	<1	<1	7	17	17	17	17
50-64	2	10.0	32	6	6	10	14	14	14	14
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	257	4.3	18	1	1	3	5	9	11	25
20-34	199	5.3	28	1	1	4	7	11	13	30
35-49	65	5.9	19	1	1	5	8	11	13	22
50-64	62	9.0	88	1	2	6	12	18	23	59
65+	76	8.0	47	1	1	6	11	15	19	40
B. *Operated*										
0-19 YRS	102	13.2	288	1	2	8	15	40	56	99+
20-34	164	15.3	344	1	2	8	20	41	61	96
35-49	74	13.2	240	1	2	8	15	37	44	76
50-64	40	20.2	373	2	3	15	26	46	64	91
65+	35	18.3	188	4	5	13	31	40	48	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	338	3.0	13	1	1	2	3	6	9	15
B. *Operated*	49	6.2	20	1	1	6	8	13	16	17
2. MULTIPLE DX										
A. *Not Operated*	659	5.6	33	1	1	4	7	12	15	26
B. *Operated*	415	15.1	304	1	2	9	20	39	58	97
1. SINGLE DX	387	3.4	15	1	1	2	4	8	10	17
2. MULTIPLE DX	1074	9.3	159	1	1	5	11	22	36	79
A. NOT OPERATED	997	4.7	28	1	1	3	6	11	13	26
B. OPERATED	464	14.2	281	1	2	8	18	38	53	96
TOTAL 0-19 YRS	613	5.2	72	1	1	3	5	11	17	49
20-34	442	8.9	170	1	1	5	9	21	34	80
35-49	169	8.8	131	1	1	5	11	18	31	68
50-64	112	12.6	214	2	2	8	16	26	39	77
65+	125	10.5	106	1	2	7	13	28	37	61
GRAND TOTAL	**1461**	**7.7**	**128**	**1**	**1**	**4**	**9**	**17**	**28**	**70**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	1.9	4	<1	<1	1	2	4	5	13
20-34	63	1.5	1	<1	<1	1	2	3	3	4
35-49	22	2.1	2	<1	<1	2	2	5	6	6
50-64	11	2.3	6	<1	<1	1	3	6	9	9
65+	6	1.8	1	1	1	2	2	3	3	3
B. *Operated*										
0-19 YRS	584	2.0	2	<1	<1	1	2	4	5	7
20-34	919	2.4	3	1	1	2	3	5	6	9
35-49	234	2.6	4	1	1	2	3	5	7	11
50-64	83	2.9	7	1	1	2	3	6	8	16
65+	28	3.0	6	1	1	2	4	7	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	157	2.4	12	<1	<1	2	2	4	5	15
20-34	253	2.8	17	<1	<1	2	3	5	7	14
35-49	118	2.9	5	<1	1	2	4	5	7	11
50-64	62	4.3	14	1	1	3	6	11	12	15
65+	160	4.6	14	1	1	3	6	11	13	16
B. *Operated*										
0-19 YRS	926	3.3	11	1	1	2	4	7	8	18
20-34	1737	4.0	16	1	1	3	5	8	11	20
35-49	683	4.9	30	1	1	3	6	10	13	25
50-64	272	6.2	36	1	1	4	8	13	18	30
65+	219	7.1	60	1	1	5	9	15	20	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	152	1.8	2	<1	<1	1	2	3	4	9
B. *Operated*	1848	2.3	3	<1	1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	750	3.2	14	<1	1	2	4	6	10	15
B. *Operated*	3837	4.3	22	1	1	3	5	9	12	23
1. SINGLE DX	2000	2.3	3	<1	1	2	3	4	6	9
2. MULTIPLE DX	4587	4.2	21	1	1	3	5	8	11	22
A. NOT OPERATED	902	3.0	12	<1	<1	2	4	6	9	15
B. OPERATED	5685	3.7	17	1	1	2	4	7	10	20
TOTAL 0-19 YRS	1717	2.7	8	<1	1	2	3	5	7	14
20-34	2972	3.4	13	1	1	2	4	7	9	17
35-49	1057	4.1	22	1	1	3	5	9	11	21
50-64	428	5.2	29	1	1	3	7	11	15	25
65+	413	5.8	39	1	1	4	7	12	16	29
GRAND TOTAL	**6587**	**3.6**	**16**	**1**	**1**	**2**	**4**	**7**	**10**	**20**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	252	3.8	7	1	1	3	5	7	9	12
20-34	427	4.3	10	1	1	4	6	8	10	15
35-49	258	4.8	14	1	2	4	6	9	10	13
50-64	234	5.6	13	1	2	5	7	11	13	16
65+	286	6.9	19	2	2	6	9	12	15	20
B. *Operated*										
0-19 YRS	39	9.9	48	2	3	8	12	22	24	31
20-34	93	9.7	38	2	2	9	13	18	22	30
35-49	47	9.6	36	2	2	8	13	19	21	24
50-64	26	9.9	62	2	2	7	13	23	25	30
65+	16	10.6	45	3	4	8	14	17	25	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	222	4.4	8	1	1	4	6	8	10	14
20-34	555	5.7	36	1	2	4	7	11	13	32
35-49	420	6.1	23	1	2	5	8	11	14	24
50-64	622	7.8	31	2	3	7	10	14	17	27
65+	3000	8.5	25	3	3	7	11	15	18	26
B. *Operated*										
0-19 YRS	104	11.6	113	2	3	9	14	24	33	59
20-34	255	12.0	120	2	3	8	15	27	35	70
35-49	133	12.5	85	2	3	11	18	23	30	51
50-64	169	15.0	123	3	5	12	20	29	38	55
65+	332	15.4	155	4	5	12	17	28	40	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1457	5.0	14	1	1	4	7	9	11	17
B. *Operated*	221	9.8	42	2	2	8	13	19	23	30
2. MULTIPLE DX										
A. *Not Operated*	4819	7.7	28	2	3	7	10	14	17	26
B. *Operated*	993	13.7	129	3	4	11	17	27	36	65
1. SINGLE DX	1678	5.7	20	1	2	5	7	11	14	22
2. MULTIPLE DX	5812	8.7	50	2	3	7	11	16	21	37
A. NOT OPERATED	6276	7.1	26	2	2	6	9	13	16	24
B. OPERATED	1214	13.0	115	2	4	10	16	25	33	62
TOTAL 0-19 YRS	617	5.7	37	1	1	4	7	12	15	32
20-34	1330	6.7	52	1	2	5	8	13	19	38
35-49	858	6.9	37	1	2	5	8	13	18	30
50-64	1051	8.5	51	2	2	7	10	16	22	38
65+	3634	9.0	41	3	3	8	11	16	19	32
GRAND TOTAL	**7490**	**8.0**	**45**	**2**	**2**	**7**	**10**	**15**	**19**	**34**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	5.9	18	1	1	7	9	11	11	11
20-34	10	11.3	148	1	2	6	12	32	41	41
35-49	8	6.1	19	1	1	5	9	12	13	13
50-64	1	1.0		1	1	1	1	1	1	1
65+	3	19.3	385	8	8	8	34	42	42	42
B. *Operated*										
0-19 YRS	11	19.5	209	7	8	15	23	40	57	59
20-34	23	15.7	64	4	4	16	21	26	31	32
35-49	8	14.6	47	3	5	14	21	22	22	22
50-64	3	14.3	17	11	11	13	17	19	19	19
65+	3	17.3	6	15	15	17	19	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	11.2	287	1	1	3	17	41	41	41
20-34	21	18.6	652	1	1	10	23	55	86	96
35-49	12	13.3	177	1	2	7	30	48	90	99+
50-64	16	12.7	297	1	1	5	17	32	57	67
65+	29	13.1	91	4	5	9	18	28	34	42
B. *Operated*										
0-19 YRS	33	31.4	389	8	10	28	52	71	93	99+
20-34	73	28.5	329	6	9	27	37	70	99+	99+
35-49	39	29.2	338	8	10	25	39	55	68	80
50-64	15	31.7	427	5	10	31	38	49	80	90
65+	22	26.3	445	3	7	21	38	55	74	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	8.9	101	1	1	7	11	18	41	42
B. *Operated*	48	16.4	86	4	5	15	20	25	30	59
2. MULTIPLE DX										
A. *Not Operated*	83	14.3	289	1	1	8	20	34	49	99
B. *Operated*	182	29.2	358	7	9	26	39	65	83	99+
1. SINGLE DX	78	13.5	104	1	3	12	17	25	31	54
2. MULTIPLE DX	265	24.5	383	2	4	21	36	55	80	99+
A. NOT OPERATED	113	12.9	244	1	1	8	16	33	42	97
B. OPERATED	230	26.5	327	5	9	23	36	56	78	99+
TOTAL 0-19 YRS	57	23.8	380	1	4	18	35	60	73	99+
20-34	127	23.2	355	2	4	20	34	51	94	99+
35-49	67	21.9	313	3	3	17	34	46	61	96
50-64	35	20.7	407	1	2	16	32	45	62	90
65+	57	18.7	266	4	6	13	24	41	48	82
GRAND TOTAL	**343**	**22.0**	**340**	**2**	**4**	**17**	**33**	**51**	**72**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.1	2	1	1	2	2	4	6	7
20-34	74	2.1	1	1	1	2	3	4	5	6
35-49	96	2.6	3	<1	<1	2	4	5	6	9
50-64	94	4.0	41	1	1	3	5	6	8	40
65+	83	4.1	8	1	1	3	6	7	10	14
B. *Operated*										
0-19 YRS										
20-34	6	3.5	3	2	2	3	5	6	6	6
35-49	6	6.7	23	2	2	5	9	14	15	15
50-64	2	15.0	242	4	4	15	26	26	26	26
65+	3	14.7	120	2	2	21	21	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	106	3.6	9	1	1	3	5	7	10	16
20-34	400	3.6	9	1	1	3	5	7	9	15
35-49	516	4.7	14	1	1	4	6	9	11	20
50-64	710	5.5	17	1	2	4	7	10	12	21
65+	1653	6.8	23	2	2	6	9	12	15	25
B. *Operated*										
0-19 YRS	32	6.6	20	1	2	5	8	14	15	20
20-34	147	7.3	38	1	2	5	9	15	20	27
35-49	135	10.8	101	2	2	9	13	20	26	52
50-64	170	10.4	104	2	2	8	13	22	25	63
65+	213	13.0	156	2	3	9	16	28	36	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	380	3.1	14	1	1	2	4	6	7	13
B. *Operated*	17	7.9	61	2	2	5	10	21	24	26
2. MULTIPLE DX										
A. *Not Operated*	3385	5.7	20	1	2	5	7	11	13	23
B. *Operated*	697	10.4	106	2	2	8	13	21	28	64
1. SINGLE DX	397	3.3	17	1	1	2	4	6	8	18
2. MULTIPLE DX	4082	6.5	38	1	2	5	8	12	17	31
A. NOT OPERATED	3765	5.5	20	1	1	4	7	10	13	23
B. OPERATED	714	10.4	105	2	2	7	13	21	28	63
TOTAL 0-19 YRS	171	3.9	12	1	1	3	5	8	10	18
20-34	627	4.3	18	1	1	3	5	8	13	22
35-49	753	5.6	35	1	1	4	6	11	15	28
50-64	976	6.2	39	1	2	5	8	12	16	28
65+	1952	7.4	41	2	2	6	9	13	18	33
GRAND TOTAL	**4479**	**6.2**	**37**	**1**	**2**	**5**	**8**	**12**	**16**	**30**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	113	5.0	24	1	2	4	6	9	11	31
20-34	103	6.8	45	1	2	5	8	13	20	39
35-49	44	7.9	54	1	2	6	9	17	29	33
50-64	77	7.2	35	2	2	6	9	12	17	36
65+	301	8.4	62	2	3	7	10	14	17	41
B. *Operated*										
0-19 YRS	5	7.0	14	3	3	7	10	12	12	12
20-34	17	14.0	69	5	5	13	17	28	33	34
35-49	6	21.3	191	7	7	17	35	40	41	41
50-64	6	20.3	150	10	10	16	26	40	42	42
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	197	8.0	72	2	2	6	9	14	22	55
20-34	277	9.6	77	2	3	7	12	18	27	45
35-49	152	10.1	66	2	3	8	12	19	24	45
50-64	252	11.5	84	3	4	9	15	22	32	44
65+	1924	10.3	39	3	4	9	13	17	22	34
B. *Operated*										
0-19 YRS	106	14.9	202	3	4	10	17	30	45	76
20-34	202	20.0	283	4	6	15	24	43	54	80
35-49	111	24.4	299	6	7	16	38	51	55	67
50-64	84	27.4	407	4	5	25	38	57	63	86
65+	253	20.1	230	5	7	16	24	43	51	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	638	7.3	50	2	2	6	9	13	17	34
B. *Operated*	34	15.4	109	4	5	12	20	34	40	42
2. MULTIPLE DX										
A. *Not Operated*	2802	10.2	51	3	4	9	13	18	23	39
B. *Operated*	756	20.8	281	4	6	15	27	47	56	78
1. SINGLE DX	672	7.8	56	2	2	6	10	14	19	39
2. MULTIPLE DX	3558	12.4	118	3	4	9	15	24	35	57
A. NOT OPERATED	3440	9.7	52	2	3	8	12	17	22	38
B. OPERATED	790	20.6	274	4	6	15	27	47	55	78
TOTAL 0-19 YRS	421	8.9	104	2	2	6	10	18	28	57
20-34	599	12.7	168	2	3	8	15	28	43	70
35-49	313	15.1	199	2	3	10	18	39	50	59
50-64	419	14.0	188	2	3	9	17	33	44	63
65+	2478	11.1	71	3	4	9	13	19	25	48
GRAND TOTAL	**4230**	**11.7**	**111**	**3**	**3**	**9**	**14**	**22**	**33**	**57**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	209	2.7	18	<1	1	1	2	4	12	22
20-34	34	2.9	10	<1	1	2	3	4	8	18
35-49	39	2.4	3	<1	1	2	3	5	6	8
50-64	73	3.3	12	1	1	2	4	5	8	22
65+	249	3.8	8	1	1	3	5	7	10	15
B. *Operated*										
0-19 YRS	1447	3.6	22	1	1	2	3	8	15	24
20-34	177	3.7	14	1	1	3	5	6	10	22
35-49	128	3.9	20	1	1	3	4	7	10	28
50-64	200	4.2	13	1	1	4	5	7	10	21
65+	268	5.1	11	1	1	4	7	10	12	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	3.8	20	1	1	2	4	8	13	24
20-34	71	4.2	18	1	1	3	6	8	9	26
35-49	75	4.7	15	1	1	3	6	10	13	19
50-64	175	5.4	36	1	1	4	6	13	17	31
65+	1120	6.3	39	1	2	5	8	12	15	22
B. *Operated*										
0-19 YRS	409	6.0	53	1	1	3	7	17	21	31
20-34	237	8.3	92	1	2	5	9	21	31	47
35-49	167	7.4	75	1	2	5	8	14	23	52
50-64	311	8.3	67	1	2	6	11	18	23	49
65+	922	8.7	53	2	2	7	11	17	23	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	604	3.2	12	<1	1	2	4	6	10	19
B. *Operated*	2220	3.9	20	1	1	2	4	8	14	23
2. MULTIPLE DX										
A. *Not Operated*	1535	5.9	36	1	1	5	7	11	15	24
B. *Operated*	2046	7.9	62	1	2	5	10	17	23	42
1. SINGLE DX	2824	3.7	18	1	1	2	4	8	13	23
2. MULTIPLE DX	3581	7.0	52	1	2	5	9	14	20	35
A. NOT OPERATED	2139	5.1	30	1	1	4	7	11	14	22
B. OPERATED	4266	5.8	44	1	1	4	7	13	19	33
TOTAL 0-19 YRS	2159	4.0	28	1	1	2	4	10	16	25
20-34	519	5.8	55	1	1	4	6	12	21	39
35-49	409	5.3	43	1	1	3	6	10	14	38
50 54	759	6.1	44	1	1	4	7	13	18	35
65+	2559	6.8	40	1	2	5	8	13	17	30
GRAND TOTAL	**6405**	**5.6**	**40**	**1**	**1**	**4**	**7**	**12**	**17**	**31**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	118	1.6	4	<1	1	1	2	3	4	11
20-34	37	1.8	1	<1	1	1	2	3	4	5
35-49	18	2.2	2	<1	<1	2	3	4	5	5
50-64	21	2.6	4	<1	1	2	4	5	7	8
65+	32	2.5	5	<1	1	2	3	5	9	10
B. *Operated*										
0-19 YRS	2924	1.5	1	<1	1	1	2	3	4	6
20-34	693	2.6	5	1	1	2	3	5	6	10
35-49	498	2.4	3	1	1	2	3	4	5	10
50-64	657	2.4	3	1	1	2	3	4	6	9
65+	611	2.5	3	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	2.1	3	1	1	2	2	4	6	9
20-34	84	3.4	48	<1	<1	2	4	6	6	45
35-49	67	4.0	19	<1	1	3	5	8	10	22
50-64	82	4.5	17	<1	1	3	6	10	13	20
65+	243	5.4	29	1	1	4	7	11	14	28
B. *Operated*										
0-19 YRS	608	3.2	12	1	1	2	4	7	10	18
20-34	581	5.7	39	1	1	4	7	12	16	34
35-49	430	6.1	67	1	1	4	6	12	22	38
50-64	560	5.1	33	1	1	4	6	10	13	32
65+	1161	5.7	31	1	1	4	7	12	16	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	226	1.9	4	<1	1	1	2	4	5	9
B. *Operated*	5383	2.0	3	<1	1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	570	4.3	26	1	1	3	5	9	11	26
B. *Operated*	3340	5.2	35	1	1	4	6	10	15	31
1. SINGLE DX	5609	2.0	3	<1	1	1	2	4	5	8
2. MULTIPLE DX	3910	5.0	34	1	1	3	6	10	15	29
A. NOT OPERATED	796	3.6	21	<1	1	2	4	8	10	22
B. OPERATED	8723	3.2	17	1	1	2	4	7	10	21
TOTAL 0-19 YRS	3744	1.8	3	<1	1	1	2	3	5	10
20-34	1395	3.9	24	1	1	3	4	8	11	26
35-49	1013	4.1	34	1	1	2	4	8	11	28
50-64	1320	3.7	18	1	1	3	4	7	10	20
65+	2047	4.6	24	1	1	3	6	10	13	26
GRAND TOTAL	**9519**	**3.2**	**18**	**1**	**1**	**2**	**4**	**7**	**10**	**21**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.0	1	<1	1	2	2	4	4	5
20-34	27	2.3	2	<1	<1	2	3	5	5	6
35-49	10	1.9	2	1	1	2	2	4	6	6
50-64	8	3.4	23	<1	<1	2	3	11	15	15
65+	7	3.6	4	1	1	4	4	6	7	7
B. *Operated*										
0-19 YRS	429	1.5	1	<1	<1	1	2	3	3	6
20-34	527	1.9	2	<1	<1	1	2	4	5	8
35-49	237	1.9	3	<1	1	1	2	4	5	8
50-64	133	1.7	1	<1	1	1	2	3	4	5
65+	47	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	2.8	9	<1	1	2	3	5	6	20
20-34	68	2.7	3	1	1	2	4	5	5	9
35-49	36	3.3	10	1	1	2	4	5	12	15
50-64	35	4.6	16	1	1	3	6	9	12	20
65+	64	6.7	97	1	2	5	7	11	15	69
B. *Operated*										
0-19 YRS	275	3.2	16	1	1	2	4	6	9	24
20-34	568	3.3	17	1	1	2	4	7	8	17
35-49	317	3.3	17	1	1	2	4	7	10	19
50-64	215	3.3	10	1	1	2	4	7	8	19
65+	184	4.5	15	1	1	3	6	9	13	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	2.4	4	<1	1	2	3	4	6	13
B. *Operated*	1373	1.8	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	251	4.1	33	1	1	3	5	7	12	20
B. *Operated*	1559	3.4	16	1	1	2	4	7	9	20
1. SINGLE DX	1450	1.8	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX	1810	3.5	18	1	1	2	4	7	9	20
A. NOT OPERATED	328	3.7	27	1	1	3	4	7	11	20
B. OPERATED	2932	2.7	10	<1	1	2	3	5	8	15
TOTAL 0-19 YRS	777	2.2	7	<1	<1	1	2	4	6	14
20-34	1190	2.6	10	<1	1	2	3	5	7	14
35-49	600	2.7	11	<1	1	2	3	5	8	16
50-64	391	2.9	8	1	1	2	3	6	8	17
65+	302	4.6	32	1	1	3	6	9	12	20
GRAND TOTAL	**3260**	**2.8**	**12**	**<1**	**1**	**2**	**3**	**5**	**8**	**15**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	11.9	160	1	1	7	19	26	41	56
20-34	9	12.0	292	<1	1	4	15	42	43	43
35-49	11	6.7	97	1	2	3	6	19	35	36
50-64	21	8.1	82	1	2	6	8	17	30	42
65+	163	6.7	27	1	2	6	9	13	15	28
B. *Operated*										
0-19 YRS	146	9.7	57	2	2	7	12	21	27	32
20-34	66	9.6	38	4	4	8	11	16	26	90
35-49	106	9.2	28	3	4	8	11	15	19	33
50-64	442	10.5	21	5	6	10	12	15	18	26
65+	2517	12.2	21	6	7	12	14	17	19	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	19.2	213	1	2	21	30	37	40	57
20-34	16	7.8	65	1	2	5	9	16	29	34
35-49	26	13.5	370	1	2	5	17	39	59	83
50-64	97	11.3	163	1	2	7	13	27	39	68
65+	979	9.6	58	2	3	8	12	18	23	39
B. *Operated*										
0-19 YRS	109	15.2	189	4	5	10	19	29	54	67
20-34	188	16.6	200	5	6	12	18	35	47	73
35-49	257	16.2	180	5	7	12	19	28	39	89
50-64	1131	14.7	80	6	7	12	17	24	30	57
65+	13255	14.7	50	7	8	13	17	22	27	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	257	8.1	74	1	1	6	10	17	25	43
B. *Operated*	3277	11.7	24	5	6	11	14	17	19	29
2. MULTIPLE DX										
A. *Not Operated*	1148	10.1	80	1	2	8	13	20	26	50
B. *Operated*	14940	14.7	57	7	8	13	17	23	28	46
1. SINGLE DX	3534	11.4	28	4	6	11	14	17	20	31
2. MULTIPLE DX	16088	14.4	60	6	7	13	17	22	28	46
A. NOT OPERATED	1405	9.7	79	1	2	7	12	20	26	45
B. OPERATED	18217	14.2	53	6	8	13	16	22	27	43
TOTAL 0-19 YRS	338	12.7	138	2	2	9	17	27	35	59
20-34	279	14.3	167	3	4	11	16	34	44	74
35-49	400	13.9	159	3	5	10	17	25	35	82
50-64	1691	13.3	73	5	6	11	15	22	28	53
65+	16914	13.9	48	6	7	13	16	21	26	39
GRAND TOTAL	**19622**	**13.9**	**56**	**5**	**7**	**13**	**16**	**22**	**27**	**43**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	499	16.5	137	1	1	18	24	30	37	50
20-34	20	15.6	301	1	1	8	30	44	47	49
35-49	13	9.7	66	<1	1	7	13	20	28	30
50-64	21	10.6	116	2	2	7	13	20	34	50
65+	47	8.3	72	1	2	6	10	17	19	54
B. *Operated*										
0-19 YRS	617	13.2	144	1	2	9	22	30	35	51
20-34	184	11.4	130	1	3	9	12	20	27	72
35-49	64	10.4	99	1	2	8	13	22	30	49
50-64	60	12.9	79	2	3	12	16	19	28	49
65+	160	14.4	112	5	6	12	17	24	31	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	243	16.9	152	1	2	18	25	34	38	48
20-34	34	15.2	334	1	2	8	15	47	54	60
35-49	32	15.5	330	1	1	8	17	45	53	81
50-64	55	21.1	523	2	3	11	27	64	70	90
65+	364	14.6	245	2	3	9	16	38	51	74
B. *Operated*										
0-19 YRS	571	18.3	190	2	4	15	25	36	46	65
20-34	488	18.7	243	3	6	14	22	42	59	82
35-49	200	21.2	273	4	6	16	27	47	61	93
50-64	229	20.5	250	4	7	16	26	44	62	99+
65+	874	18.7	169	6	7	15	22	34	45	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	600	15.5	141	1	1	16	23	30	37	50
B. *Operated*	1085	12.9	131	1	2	10	18	27	34	53
2. MULTIPLE DX										
A. *Not Operated*	728	15.9	244	2	2	11	22	38	48	73
B. *Operated*	2362	19.0	206	4	6	15	24	39	51	81
1. SINGLE DX	1685	13.8	136	1	2	11	20	28	35	51
2. MULTIPLE DX	3090	18.3	217	3	4	14	23	38	50	78
A. NOT OPERATED	1328	15.7	197	1	2	12	23	33	44	67
B. OPERATED	3447	17.1	191	2	4	14	22	34	46	75
TOTAL 0-19 YRS	1930	16.0	161	1	2	14	24	32	39	55
20-34	726	16.6	230	2	4	12	20	37	54	81
35-49	309	17.9	254	2	4	14	22	43	55	83
50-64	365	18.8	266	3	5	14	23	44	60	99
65+	1445	16.8	185	3	5	13	20	34	45	75
GRAND TOTAL	**4775**	**16.7**	**193**	**2**	**3**	**13**	**22**	**34**	**45**	**74**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated-*										
0-19 YRS	375	2.1	2	1	1	2	3	4	5	7
20-34	130	3.0	4	<1	1	3	4	6	8	28
35-49	113	3.6	9	1	1	3	5	6	9	16
50-64	102	5.3	47	1	2	4	6	8	15	43
65+	100	6.1	46	1	2	5	7	9	10	46
B. *Operated*										
0-19 YRS	982	3.5	10	1	1	3	4	7	9	16
20-34	690	5.5	18	1	2	4	7	10	14	20
35-49	474	5.5	19	1	2	5	7	10	13	19
50-64	329	6.8	25	1	2	6	9	12	16	26
65+	196	7.5	26	2	3	6	9	14	20	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	131	4.0	24	1	1	3	5	7	12	29
20-34	134	4.0	14	1	1	3	5	7	10	20
35-49	112	5.1	21	1	1	4	6	11	14	24
50-64	172	6.1	25	1	2	5	8	12	15	26
65+	401	7.9	39	2	3	6	10	15	20	30
B. *Operated*										
0-19 YRS	543	8.2	104	1	2	5	9	17	27	56
20-34	763	10.3	99	2	2	7	13	21	32	53
35-49	506	11.0	123	2	3	8	13	21	32	72
50-64	483	12.2	123	2	4	9	14	25	35	62
65+	489	12.4	98	3	4	10	15	24	32	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	820	3.4	16	1	1	2	4	6	8	16
B. *Operated*	2671	5.1	18	1	1	4	6	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	950	6.2	31	1	1	5	8	13	16	29
B. *Operated*	2784	10.7	110	2	3	8	13	22	32	58
1. SINGLE DX	3491	4.7	18	1	1	4	6	9	12	21
2. MULTIPLE DX	3734	9.5	94	1	2	7	12	19	29	53
A. NOT OPERATED	1770	4.9	26	1	1	4	6	10	14	27
B. OPERATED	5455	7.9	73	1	2	5	10	16	23	46
TOTAL 0-19 YRS	2031	4.6	40	1	1	3	5	9	13	31
20-34	1717	7.3	60	1	2	5	9	15	21	45
35-49	1205	7.6	70	1	2	5	9	15	20	47
50-64	1086	8.9	79	2	2	6	11	17	26	44
65+	1186	9.5	68	2	3	7	12	19	24	47
GRAND TOTAL	**7225**	**7.2**	**63**	**1**	**1**	**5**	**9**	**15**	**21**	**43**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	207	2.3	3	<1	1	2	3	5	6	8
20-34	177	2.7	4	<1	1	2	4	5	7	9
35-49	146	3.3	8	<1	1	3	4	6	7	19
50-64	140	3.4	6	1	1	3	4	6	7	14
65+	122	3.9	7	1	1	3	6	8	9	12
B. *Operated*										
0-19 YRS	1233	2.9	4	1	1	3	4	5	6	10
20-34	1891	4.0	9	1	1	3	5	7	8	13
35-49	1442	4.4	8	1	2	4	5	7	9	14
50-64	1225	4.9	9	1	2	4	6	8	10	14
65+	619	6.1	10	2	3	6	8	10	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	122	3.7	32	<1	<1	2	4	7	8	40
20-34	208	3.9	19	<1	1	3	5	7	11	21
35-49	171	4.6	14	1	1	4	5	9	12	20
50-64	261	4.9	13	1	1	4	6	10	12	17
65+	578	6.3	27	2	2	5	8	11	14	29
B. *Operated*										
0-19 YRS	607	5.5	45	1	1	4	6	10	15	35
20-34	1424	6.1	47	1	2	4	7	11	16	33
35-49	1128	6.6	46	2	2	5	8	12	17	35
50-64	1237	7.2	36	2	3	6	8	13	17	30
65+	1338	8.8	37	3	3	7	11	15	20	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	792	3.0	5	1	1	2	4	6	7	11
B. *Operated*	6410	4.2	9	1	1	4	5	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	1340	5.2	23	1	1	4	7	10	13	24
B. *Operated*	5734	7.0	43	2	2	5	8	13	17	33
1. SINGLE DX	7202	4.1	8	1	1	4	5	7	9	14
2. MULTIPLE DX	7074	6.6	40	1	2	5	8	12	17	32
A. NOT OPERATED	2132	4.4	18	1	1	3	5	9	11	21
B. OPERATED	12144	5.5	27	1	2	4	7	10	13	25
TOTAL 0-19 YRS	2169	3.6	18	1	1	3	4	6	9	20
20-34	3700	4.7	25	1	1	4	5	8	11	23
35-49	2887	5.2	25	1	2	4	6	9	12	25
50-64	2863	5.8	22	1	2	5	7	10	13	24
65+	2657	7.4	29	2	3	6	9	13	17	29
GRAND TOTAL	**14276**	**5.4**	**26**	**1**	**2**	**4**	**6**	**10**	**13**	**24**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	1.8	2	<1	<1	1	2	3	6	8
20-34	33	2.2	2	<1	1	2	3	4	4	7
35-49	18	2.3	6	<1	1	1	3	5	9	11
50-64	8	2.9	6	1	1	2	4	7	8	8
65+	8	3.5	10	<1	<1	2	5	9	10	10
B. *Operated*										
0-19 YRS	92	1.9	2	1	1	2	2	3	5	9
20-34	55	2.3	2	1	1	2	3	4	6	8
35-49	22	2.5	2	1	1	2	3	5	6	6
50-64	7	2.1	2	1	1	2	3	4	4	4
65+	3	4.0	4	2	2	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	132	2.5	7	1	1	2	3	5	6	12
20-34	173	3.1	6	1	1	2	4	6	8	13
35-49	102	3.7	7	1	1	3	5	8	9	13
50-64	85	4.6	16	1	1	3	6	9	12	22
65+	161	6.3	46	1	2	5	8	12	15	19
B. *Operated*										
0-19 YRS	53	3.8	23	1	1	2	5	7	11	31
20-34	103	5.0	21	1	1	4	6	10	14	26
35-49	49	7.7	86	1	1	5	10	15	26	49
50-64	34	7.1	17	2	3	6	10	13	15	19
65+	41	9.8	103	1	2	7	12	18	29	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	2.2	4	<1	<1	1	3	4	7	10
B. *Operated*	179	2.2	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	653	4.1	20	1	1	3	5	8	11	17
B. *Operated*	280	6.2	47	1	1	4	7	13	16	40
1. SINGLE DX	283	2.2	3	<1	1	2	3	4	6	9
2. MULTIPLE DX	933	4.7	29	1	1	3	6	10	13	25
A. NOT OPERATED	757	3.8	18	1	1	3	5	8	10	17
B. OPERATED	459	4.6	34	1	1	3	6	10	14	32
TOTAL 0-19 YRS	314	2.5	8	1	1	2	3	5	6	12
20-34	364	3.4	10	1	1	2	4	7	9	15
35-49	191	4.5	30	1	1	3	6	9	12	34
50-64	134	5.0	17	1	1	4	6	10	13	20
65+	213	6.8	57	1	2	5	9	13	16	44
GRAND TOTAL	**1216**	**4.1**	**24**	**1**	**1**	**3**	**5**	**9**	**12**	**21**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.7	11	1	1	2	6	9	10	10
20-34	4	6.8	91	1	1	2	12	21	21	21
35-49	4	5.3	8	2	2	5	7	9	9	9
50-64	2	5.5	25	2	2	5	9	9	9	9
65+	4	5.5	7	3	3	5	7	9	9	9
B. *Operated*										
0-19 YRS	7	6.7	41	1	1	5	8	18	20	20
20-34	12	8.6	52	1	2	6	14	20	22	22
35-49	4	16.8	320	3	3	10	27	43	43	43
50-64	4	11.3	14	7	7	11	14	16	16	16
65+	5	9.6	51	2	2	7	16	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	5.8	33	1	1	4	7	16	19	20
20-34	10	5.7	13	2	2	4	10	11	12	12
35-49	8	8.6	28	<1	1	9	13	15	16	16
50-64	7	11.3	124	1	2	8	12	31	35	35
65+	12	7.5	10	3	3	8	10	12	12	12
B. *Operated*										
0-19 YRS	11	14.3	189	1	1	8	19	36	46	47
20-34	17	27.6	490	4	7	25	45	54	74	85
35-49	15	28.3	495	4	8	25	39	81	95	99+
50-64	7	31.3	762	2	4	19	52	74	78	78
65+	7	21.0	87	9	9	23	28	31	32	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	5.0	21	1	1	3	7	9	14	21
B. *Operated*	32	9.7	75	1	2	7	14	19	22	43
2. MULTIPLE DX										
A. *Not Operated*	50	7.4	36	1	2	6	10	13	16	35
B. *Operated*	57	24.9	423	2	5	18	32	56	80	99
1. SINGLE DX	55	7.7	57	1	1	6	10	19	21	42
2. MULTIPLE DX	107	16.7	316	1	2	10	22	45	58	91
A. NOT OPERATED	73	6.6	32	1	1	5	9	12	16	32
B. OPERATED	89	19.4	349	2	3	14	28	46	69	94
TOTAL 0-19 YRS	40	7.8	84	1	1	5	9	19	24	47
20-34	43	15.3	313	1	2	9	20	45	52	85
35-49	31	18.7	368	2	3	12	29	52	81	99+
50-64	20	17.7	391	1	2	10	18	47	67	78
65+	28	11.0	68	3	3	9	14	26	29	32
GRAND TOTAL	**162**	**13.6**	**246**	**1**	**2**	**9**	**17**	**32**	**48**	**85**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	1.1		<1	<1	1	1	2	2	2
20-34	9	1.7	1	<1	<1	1	2	3	3	3
35-49	3	1.0		1	1	1	1	1	1	1
50-64	3	2.0	3	<1	<1	1	3	4	4	4
65+	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS	130	2.1	1	1	1	2	3	3	4	7
20-34	522	2.3	2	1	1	2	3	4	5	7
35-49	165	2.5	2	1	1	2	3	4	5	7
50-64	56	2.2	2	<1	1	2	3	5	5	7
65+	49	1.8	2	<1	<1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	3.3	7	<1	<1	2	5	8	8	8
20-34	31	2.3	3	<1	1	2	4	5	6	6
35-49	17	3.7	10	<1	1	3	5	9	10	10
50-64	17	5.9	36	<1	<1	4	7	18	20	20
65+	39	4.4	13	1	1	4	6	8	13	17
B. *Operated*										
0-19 YRS	32	4.3	19	1	1	3	5	7	18	19
20-34	130	3.9	11	1	1	3	5	8	10	19
35-49	56	4.1	10	1	1	3	6	8	11	14
50-64	64	3.9	23	<1	1	2	4	10	14	24
65+	139	4.4	19	1	1	3	6	10	14	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	1.5	1	<1	<1	1	2	3	4	5
B. *Operated*	922	2.3	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	117	3.8	14	<1	1	3	5	8	12	19
B. *Operated*	421	4.1	16	1	1	3	5	9	12	21
1. SINGLE DX	950	2.2	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	538	4.1	15	1	1	3	5	9	12	20
A. NOT OPERATED	145	3.4	12	<1	<1	2	4	7	9	19
B. OPERATED	1343	2.8	7	1	1	2	3	5	7	14
TOTAL 0-19 YRS	186	2.5	5	<1	1	2	3	4	6	15
20-34	692	2.6	4	1	1	2	3	4	6	10
35-49	241	3.0	5	1	1	2	4	6	7	12
50-64	140	3.4	17	<1	1	2	4	7	12	21
65+	229	3.8	15	<1	1	2	5	8	13	19
GRAND TOTAL	**1488**	**2.9**	**7**	**<1**	**1**	**2**	**3**	**6**	**8**	**15**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	1.6	1	<1	<1	1	2	2	4	5
20-34	18	2.9	4	<1	<1	2	4	6	7	7
35-49	11	3.1	10	<1	<1	2	3	9	11	11
50-64	9	3.4	7	<1	<1	3	4	8	9	9
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	462	2.3	3	<1	1	2	3	4	5	9
20-34	792	2.4	4	<1	1	2	3	5	6	10
35-49	408	2.4	3	<1	1	2	3	4	6	8
50-64	192	2.6	4	<1	1	2	3	5	7	10
65+	48	3.6	9	1	1	3	4	9	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	2.1	2	<1	<1	2	3	4	6	6
20-34	25	2.7	6	<1	<1	2	3	6	8	10
35-49	18	2.4	3	<1	<1	2	4	5	5	5
50-64	22	4.8	18	<1	1	4	6	12	15	16
65+	22	5.6	19	<1	1	5	10	12	14	15
B. *Operated*										
0-19 YRS	389	2.8	6	<1	1	2	3	5	8	14
20-34	746	3.5	34	<1	1	2	4	6	9	25
35-49	573	3.1	9	<1	1	2	4	6	9	17
50-64	523	3.2	11	1	1	2	4	6	8	17
65+	233	4.0	15	1	1	3	5	8	11	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	2.6	5	<1	<1	2	3	6	7	11
B. *Operated*	1902	2.4	4	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	100	3.7	12	<1	<1	2	5	9	11	15
B. *Operated*	2464	3.3	17	<1	1	2	4	6	9	16
1. SINGLE DX	1959	2.4	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	2564	3.3	17	<1	1	2	4	6	9	16
A. NOT OPERATED	157	3.3	10	<1	<1	2	4	7	11	15
B. OPERATED	4366	2.9	11	<1	1	2	4	6	8	14
TOTAL 0-19 YRS	882	2.5	5	<1	1	2	3	5	6	10
20-34	1581	2.9	18	<1	1	2	4	5	7	13
35-49	1010	2.8	7	<1	1	2	4	5	7	13
50-64	746	3.1	9	1	1	2	4	6	8	14
65+	304	4.0	14	1	1	3	5	9	11	16
GRAND TOTAL	**4523**	**2.9**	**11**	**<1**	**1**	**2**	**4**	**6**	**8**	**14**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	4.4	48	<1	1	2	4	8	15	41
20-34	46	3.4	7	<1	1	3	5	8	9	12
35-49	25	5.5	21	1	1	4	7	11	16	19
50-64	5	5.6	13	1	1	5	7	11	11	11
65+	8	4.9	11	1	1	4	6	10	12	12
B. *Operated*										
0-19 YRS	219	2.5	8	<1	1	1	3	5	9	15
20-34	266	3.8	17	<1	1	2	5	9	13	19
35-49	132	3.5	12	<1	1	2	4	8	10	17
50-64	78	3.9	18	1	1	3	5	8	13	22
65+	43	4.3	14	1	1	3	7	11	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	3.3	8	<1	1	3	5	7	10	11
20-34	50	5.3	23	1	1	4	8	11	14	26
35-49	33	5.7	24	1	1	4	8	13	18	19
50-64	38	7.8	63	1	1	4	10	21	25	38
65+	66	5.7	17	1	2	5	7	11	13	21
B. *Operated*										
0-19 YRS	149	6.2	72	1	1	3	8	15	18	42
20-34	280	7.6	76	1	1	5	9	16	25	44
35-49	168	8.5	75	1	1	6	12	18	25	41
50-64	166	8.0	80	1	1	4	11	20	28	91
65+	130	9.0	105	1	1	5	11	21	28	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	125	4.3	24	1	1	3	5	9	11	26
B. *Operated*	738	3.4	14	<1	1	2	4	8	12	18
2. MULTIPLE DX										
A. *Not Operated*	210	5.7	28	1	1	4	8	11	14	25
B. *Operated*	893	7.8	80	1	1	5	10	18	25	47
1. SINGLE DX	863	3.5	15	<1	1	2	4	8	12	19
2. MULTIPLE DX	1103	7.4	71	1	1	5	9	17	24	43
A. NOT OPERATED	335	5.2	27	1	1	4	7	11	14	25
B. OPERATED	1631	5.8	55	1	1	3	7	14	19	41
TOTAL 0-19 YRS	432	4.0	36	<1	1	2	4	9	14	25
20-34	642	5.5	46	1	1	3	7	12	17	38
35-49	358	6.2	48	1	1	3	8	16	19	37
50-64	287	6.8	63	1	1	4	9	18	24	47
65+	247	7.2	66	1	1	5	9	17	21	42
GRAND TOTAL	**1966**	**5.7**	**50**	**1**	**1**	**3**	**7**	**13**	**19**	**39**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	2.1	2	<1	<1	2	3	4	5	6
20-34	45	2.3	2	<1	1	2	3	5	6	7
35-49	37	3.0	3	1	1	3	4	5	7	8
50-64	22	3.4	6	<1	1	3	4	6	9	11
65+	17	3.2	2	1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS	322	2.8	3	<1	1	3	4	5	6	8
20-34	419	3.2	3	1	1	3	4	6	6	8
35-49	160	3.3	5	1	1	3	4	6	7	11
50-64	42	3.6	4	1	2	3	4	6	8	12
65+	25	5.1	15	1	1	4	6	12	13	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	2.7	5	<1	<1	2	3	6	8	9
20-34	62	3.6	10	<1	<1	3	5	7	9	17
35-49	56	4.1	12	1	1	3	5	7	10	22
50-64	80	4.3	10	1	1	3	6	8	11	14
65+	170	5.4	14	1	2	5	7	10	14	18
B. *Operated*										
0-19 YRS	460	3.7	5	1	1	3	5	6	8	11
20-34	747	4.0	7	1	1	4	5	7	9	13
35-49	272	4.4	10	1	1	4	6	8	10	18
50-64	114	5.4	14	1	2	5	6	10	14	20
65+	92	8.5	28	3	3	8	10	13	19	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	160	2.7	3	<1	1	2	4	5	6	8
B. *Operated*	968	3.2	4	1	1	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	402	4.5	12	1	1	4	6	8	12	17
B. *Operated*	1685	4.3	10	1	1	4	5	8	10	16
1. SINGLE DX	1128	3.1	4	1	1	3	4	5	6	10
2. MULTIPLE DX	2087	4.3	10	1	1	4	5	8	10	16
A. NOT OPERATED	562	4.0	10	<1	1	3	5	8	10	15
B. OPERATED	2653	3.9	8	1	1	3	5	7	9	14
TOTAL 0-19 YRS	855	3.2	4	1	1	3	4	6	7	10
20-34	1273	3.6	6	1	1	3	5	6	8	12
35-49	525	4.0	8	1	1	3	5	7	9	15
50-64	258	4.6	11	1	1	4	6	8	12	15
65+	304	6.2	20	1	2	5	8	12	14	24
GRAND TOTAL	**3215**	**3.9**	**8**	**1**	**1**	**3**	**5**	**7**	**9**	**14**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	83	4.2	8	1	2	3	5	7	9	16
20-34	1125	5.2	9	1	2	5	7	9	11	15
35-49	1086	5.5	10	2	2	5	7	9	11	15
50-64	408	5.9	15	2	2	5	7	10	12	16
65+	87	5.4	10	2	2	5	6	9	12	17
B. *Operated*										
0-19 YRS	6	8.7	42	1	1	9	13	17	18	18
20-34	168	5.4	26	1	1	3	9	13	17	21
35-49	127	5.3	18	1	1	5	8	11	13	19
50-64	44	5.6	23	1	1	4	7	14	16	18
65+	2	10.5	181	1	1	10	20	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	111	4.6	9	1	1	4	6	8	11	16
20-34	1315	6.2	15	2	2	5	8	11	14	19
35-49	1767	6.9	18	2	3	6	8	12	15	23
50-64	1209	7.0	21	2	3	6	8	12	15	24
65+	954	6.8	16	2	3	6	8	12	14	21
B. *Operated*										
0-19 YRS	8	11.8	51	3	4	11	15	22	25	25
20-34	195	9.5	53	1	3	9	12	16	21	38
35-49	293	9.1	31	2	2	8	12	16	19	29
50-64	136	9.5	61	2	3	8	12	16	18	44
65+	66	10.3	37	4	4	8	14	20	23	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2789	5.4	10	2	2	5	7	9	11	16
B. *Operated*	347	5.5	23	1	1	4	8	13	16	20
2. MULTIPLE DX										
A. *Not Operated*	5356	6.7	18	2	3	6	8	12	15	22
B. *Operated*	698	9.4	44	2	3	9	12	16	20	31
1. SINGLE DX	3136	5.4	12	1	2	5	7	10	11	17
2. MULTIPLE DX	6054	7.0	22	2	3	6	9	12	15	23
A. NOT OPERATED	8145	6.2	16	2	2	5	8	11	13	20
B. OPERATED	1045	8.1	40	1	1	7	11	15	19	27
TOTAL 0-19 YRS	208	4.8	13	1	1	4	6	9	13	18
20-34	2803	6.0	17	1	2	5	8	11	14	19
35-49	3273	6.6	18	2	2	6	8	11	14	22
50-64	1797	6.9	23	2	3	6	9	12	15	24
65+	1109	6.9	18	2	3	6	9	12	15	22
GRAND TOTAL	**9190**	**6.4**	**19**	**2**	**2**	**6**	**8**	**11**	**14**	**21**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	223	2.7	6	<1	1	2	3	6	8	15
20-34	810	4.4	9	1	1	4	6	8	10	14
35-49	592	4.9	11	1	2	4	6	9	11	16
50-64	196	4.7	9	1	1	4	6	9	11	14
65+	59	4.4	8	1	1	4	6	9	11	13
B. *Operated*										
0-19 YRS	9	3.3	15	1	1	1	6	10	11	11
20-34	172	4.0	11	1	1	3	5	9	11	15
35-49	162	5.0	20	1	1	4	7	10	14	22
50-64	26	4.2	19	1	1	3	5	7	12	22
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	357	3.4	9	1	1	3	4	7	8	15
20-34	2185	5.5	13	1	2	5	7	10	12	18
35-49	1967	6.0	14	1	2	5	8	11	13	19
50-64	1030	6.1	15	2	2	5	8	11	13	19
65+	718	6.3	18	2	2	5	8	11	14	19
B. *Operated*										
0-19 YRS	28	4.0	12	<1	<1	3	5	10	12	14
20-34	347	6.6	28	1	2	5	9	12	18	24
35-49	333	8.3	48	1	2	7	11	17	21	38
50-64	136	7.9	39	1	2	7	10	15	16	40
65+	55	9.7	51	2	2	8	13	20	25	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1880	4.4	9	1	1	4	6	8	10	15
B. *Operated*	370	4.4	15	1	1	3	6	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	6257	5.7	14	1	2	5	7	10	13	18
B. *Operated*	899	7.5	39	1	2	6	10	15	19	32
1. SINGLE DX	2250	4.4	10	1	1	4	6	9	11	15
2. MULTIPLE DX	7156	6.0	18	1	2	5	8	11	14	21
A. NOT OPERATED	8137	5.4	13	1	2	5	7	10	12	18
B. OPERATED	1269	6.6	34	1	1	5	9	13	17	29
TOTAL 0-19 YRS	617	3.2	8	1	1	2	4	6	8	15
20-34	3514	5.3	14	1	2	5	7	10	12	18
35-49	3054	6.0	18	1	2	5	8	11	14	21
50-64	1388	6.0	17	1	2	5	8	11	13	20
65+	833	6.4	20	2	2	5	8	12	14	21
GRAND TOTAL	**9405**	**5.6**	**16**	**1**	**2**	**5**	**7**	**10**	**13**	**20**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	85	2.2	3	1	1	2	3	4	5	9
20-34	125	2.8	10	1	1	2	3	5	7	15
35-49	76	3.0	7	<1	1	2	3	7	9	13
50-64	52	3.3	6	1	1	3	4	7	7	12
65+	32	3.9	7	<1	1	3	5	7	10	13
B. *Operated*										
0-19 YRS	142	1.9	2	<1	1	2	2	4	5	6
20-34	481	2.3	2	1	1	2	3	4	5	6
35-49	550	2.7	2	1	1	2	3	5	5	7
50-64	606	3.5	3	1	1	3	4	6	7	9
65+	189	4.4	5	2	2	4	6	7	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	2.6	7	<1	1	2	3	5	7	16
20-34	175	3.7	10	1	1	3	5	7	9	16
35-49	194	3.9	10	1	1	3	5	7	10	17
50-64	204	4.6	14	1	1	4	6	9	12	18
65+	333	5.1	10	1	2	5	7	9	11	16
B. *Operated*										
0-19 YRS	96	3.1	16	1	1	2	3	6	8	27
20-34	178	3.1	4	1	1	3	4	6	8	9
35-49	302	4.0	12	1	1	3	5	7	9	17
50-64	512	4.7	11	1	2	4	5	8	10	20
65+	313	5.6	14	2	2	5	7	9	12	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	370	2.9	7	1	1	2	4	6	7	12
B. *Operated*	1968	3.0	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	998	4.3	11	1	1	3	5	8	11	17
B. *Operated*	1401	4.4	12	1	1	4	5	8	10	19
1. SINGLE DX	2338	3.0	4	1	1	3	4	5	6	9
2. MULTIPLE DX	2399	4.4	12	1	1	4	5	8	10	18
A. NOT OPERATED	1368	3.9	10	1	1	3	5	8	10	16
B. OPERATED	3369	3.6	7	1	1	3	4	6	8	13
TOTAL 0-19 YRS	415	2.4	6	<1	1	2	3	4	6	11
20-34	959	2.8	5	1	1	2	3	5	6	10
35-49	1122	3.3	7	1	1	3	4	6	8	13
50-64	1374	4.1	8	1	2	4	5	7	9	17
65+	867	5.1	10	2	2	4	6	9	11	16
GRAND TOTAL	**4737**	**3.7**	**8**	**1**	**1**	**3**	**5**	**7**	**9**	**14**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2468	1.4	1	<1	1	1	2	2	3	5
20-34	618	2.0	2	<1	<1	1	2	4	5	8
35-49	235	2.3	3	<1	1	2	3	5	6	8
50-64	108	2.3	2	1	1	2	3	5	5	7
65+	58	2.4	3	1	1	2	3	5	6	9
B. *Operated*										
0-19 YRS	10	1.5	1	<1	<1	1	2	3	4	4
20-34	7	1.7	1	<1	<1	1	2	4	4	4
35-49	4	2.0	2	1	1	2	3	4	4	4
50-64	2	4.5	25	<1	<1	4	8	8	8	8
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3393	2.0	3	1	1	1	2	4	5	9
20-34	2675	3.0	6	<1	1	2	4	6	8	13
35-49	1224	3.8	13	1	1	3	5	8	10	17
50-64	727	3.9	10	1	1	3	5	8	10	15
65+	980	4.7	16	1	1	4	6	9	13	20
B. *Operated*										
0-19 YRS	660	3.0	15	1	1	2	3	6	9	20
20-34	791	3.9	32	<1	1	2	4	8	12	32
35-49	314	4.1	22	1	1	2	5	9	11	18
50-64	218	5.5	69	1	1	3	6	12	18	36
65+	311	5.7	42	1	1	4	7	12	16	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3487	1.6	1	<1	1	1	2	3	4	7
B. *Operated*	24	1.9	3	<1	<1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	8999	3.0	8	1	1	2	4	6	8	14
B. *Operated*	2294	4.0	31	1	1	2	5	9	13	29
1. SINGLE DX	3511	1.6	1	<1	1	1	2	3	4	7
2. MULTIPLE DX	11293	3.2	13	1	1	2	4	7	9	16
A. NOT OPERATED	12486	2.6	7	<1	1	2	3	6	7	13
B. OPERATED	2318	4.0	31	1	1	2	5	9	13	29
TOTAL 0-19 YRS	6531	1.9	4	<1	1	1	2	3	5	10
20-34	4091	3.0	11	<1	1	2	4	6	8	15
35-49	1777	3.7	13	1	1	3	5	8	9	16
50-64	1055	4.1	22	1	1	3	5	8	11	19
65+	1350	4.8	22	1	1	4	6	10	13	21
GRAND TOTAL	**14804**	**2.8**	**11**	**1**	**1**	**2**	**3**	**6**	**8**	**15**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1224	1.7	7	<1	<1	1	2	3	4	8
20-34	290	2.7	9	<1	<1	2	3	6	8	19
35-49	94	2.8	8	<1	1	2	3	6	9	16
50-64	54	3.3	15	1	1	2	3	7	10	23
65+	45	5.9	156	<1	1	2	4	9	29	73
B. *Operated*										
0-19 YRS	42	6.9	51	1	1	6	7	13	22	37
20-34	38	8.4	45	1	1	7	11	25	64	99+
35-49	27	11.3	110	2	3	9	13	25	35	49
50-64	27	8.7	41	2	4	7	10	16	22	33
65+	44	14.3	148	4	6	11	15	31	43	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1920	2.8	25	<1	1	1	3	5	8	25
20-34	1170	4.2	44	<1	1	2	5	8	13	47
35-49	579	4.7	40	<1	1	3	5	9	14	31
50-64	376	5.7	47	1	1	4	7	12	18	31
65+	790	6.7	45	1	2	5	8	14	18	34
B. *Operated*										
0-19 YRS	472	10.3	253	1	1	4	12	32	55	99
20-34	653	12.1	296	<1	1	5	16	38	66	99+
35-49	258	13.7	310	<1	1	6	17	41	56	97
50-64	223	14.4	269	1	1	8	19	41	54	73
65+	476	14.3	223	1	2	10	19	33	44	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1707	2.1	12	<1	1	1	2	4	6	14
B. *Operated*	178	10.0	87	1	2	7	12	20	33	88
2. MULTIPLE DX										
A. *Not Operated*	4835	4.2	38	<1	1	2	5	9	14	32
B. *Operated*	2082	12.6	270	1	1	6	16	36	55	99+
1. SINGLE DX	1885	2.8	24	<1	1	1	2	6	10	27
2. MULTIPLE DX	6917	6.8	123	1	1	3	7	17	29	72
A. NOT OPERATED	6542	3.7	32	<1	1	2	4	8	12	28
B. OPERATED	2260	12.4	256	1	1	6	16	36	54	99+
TOTAL 0-19 YRS	3658	3.4	56	<1	1	1	3	6	12	46
20-34	2151	6.5	130	<1	1	3	6	16	32	99+
35-49	958	7.1	129	<1	1	3	7	16	31	67
50-64	680	8.5	135	1	1	5	9	21	33	63
65+	1355	9.6	128	1	2	6	11	22	32	67
GRAND TOTAL	**8802**	**5.9**	**105**	**<1**	**1**	**2**	**6**	**14**	**26**	**67**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	2.2	3	1	1	2	2	4	7	9
20-34	72	2.8	5	1	1	2	3	6	8	11
35-49	20	3.9	8	<1	1	3	4	8	11	11
50-64	7	2.4	3	1	1	2	4	5	5	5
65+	9	3.6	1	2	2	4	4	5	5	5
B. *Operated*										
0-19 YRS	47	4.7	7	1	2	4	6	8	10	13
20-34	119	5.5	8	2	2	5	7	9	11	15
35-49	24	6.7	11	2	3	7	9	11	13	14
50-64	9	5.6	9	3	3	5	6	10	13	13
65+	7	7.0	34	2	2	5	9	17	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	124	4.5	25	1	1	3	5	9	13	28
20-34	227	4.3	9	1	1	3	6	9	10	15
35-49	145	4.8	11	1	1	4	6	8	11	15
50-64	149	5.6	19	1	1	4	8	12	14	22
65+	172	7.2	29	1	2	6	9	14	17	29
B. *Operated*										
0-19 YRS	145	9.3	66	2	3	7	10	18	26	69
20-34	471	8.6	68	2	3	7	10	16	21	41
35-49	253	10.5	102	2	3	8	12	22	32	47
50-64	144	10.5	92	2	3	7	13	22	26	45
65+	164	13.0	163	3	3	10	15	22	36	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	137	2.9	5	1	1	2	4	6	8	11
B. *Operated*	206	5.5	9	2	2	5	7	10	11	15
2. MULTIPLE DX										
A. *Not Operated*	817	5.3	19	1	1	4	7	11	14	24
B. *Operated*	1177	10.0	93	2	3	7	12	19	27	59
1. SINGLE DX	343	4.4	9	1	1	4	6	9	10	14
2. MULTIPLE DX	1994	8.0	68	1	2	6	10	16	22	42
A. NOT OPERATED	954	4.9	18	1	1	4	6	10	13	23
B. OPERATED	1383	9.3	83	2	3	7	11	18	24	51
TOTAL 0-19 YRS	345	6.4	44	1	2	4	8	13	20	32
20-34	889	6.6	45	1	2	5	8	12	16	35
35-49	442	8.1	70	1	2	6	9	17	23	45
50-64	309	7.8	59	1	2	5	10	17	22	36
65+	352	9.8	100	2	2	7	12	19	25	59
GRAND TOTAL	**2337**	**7.5**	**61**	**1**	**2**	**5**	**9**	**14**	**20**	**40**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	285	3.2	8	1	1	2	4	7	9	13
20-34	161	2.9	5	1	1	2	4	6	8	11
35-49	34	2.8	3	1	1	3	3	5	7	8
50-64	18	3.2	8	<1	1	2	4	9	10	10
65+	8	4.1	17	1	1	3	4	11	14	14
B. *Operated*										
0-19 YRS	125	7.0	20	2	4	6	8	11	14	26
20-34	133	5.8	6	1	3	6	7	9	9	14
35-49	40	6.9	6	3	4	7	8	10	11	14
50-64	12	4.4	8	<1	1	5	6	8	9	9
65+	9	7.1	6	3	3	7	9	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	436	3.8	16	1	1	3	5	8	12	20
20-34	406	3.9	11	1	1	3	5	8	10	15
35-49	145	3.8	10	1	1	3	5	7	10	16
50-64	82	4.4	9	1	1	4	6	9	11	13
65+	115	5.5	14	1	2	5	7	10	12	18
B. *Operated*										
0-19 YRS	471	11.0	94	3	4	8	12	23	32	49
20-34	888	11.8	125	3	4	8	13	24	34	69
35-49	348	12.5	132	3	5	9	14	22	36	75
50-64	174	14.4	153	3	5	10	17	30	38	67
65+	134	14.9	109	3	3	12	19	32	36	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	506	3.1	7	1	1	2	4	7	9	12
B. *Operated*	319	6.4	12	1	3	6	7	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	1184	4.0	13	1	1	3	5	8	11	16
B. *Operated*	2015	12.2	121	3	4	9	14	25	35	62
1. SINGLE DX	825	4.4	11	1	1	4	6	8	10	14
2. MULTIPLE DX	3199	9.2	97	1	2	7	11	19	29	54
A. NOT OPERATED	1690	3.8	11	1	1	3	5	8	10	16
B. OPERATED	2334	11.4	110	3	4	8	12	22	32	59
TOTAL 0-19 YRS	1317	6.6	55	1	1	5	8	13	20	40
20-34	1588	8.4	89	1	1	6	10	16	27	56
35-49	567	9.3	101	1	2	7	11	18	25	54
50-64	286	10.4	121	1	2	7	12	24	32	60
65+	266	10.3	84	1	2	8	14	21	32	42
GRAND TOTAL	**4024**	**8.2**	**83**	**1**	**1**	**6**	**10**	**17**	**25**	**50**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	1.8	2	<1	<1	2	2	3	5	6
20-34	16	1.6	1	<1	<1	1	2	3	3	3
35-49	6	3.7	1	2	2	4	4	5	5	5
50-64	2	3.0	2	2	2	3	4	4	4	4
65+	2	2.5	5	<1	<1	2	4	4	4	4
B. *Operated*										
0-19 YRS	239	2.4	4	1	1	2	3	5	6	8
20-34	125	2.6	3	<1	1	2	4	5	6	9
35-49	70	2.8	5	<1	1	2	3	6	8	11
50-64	30	3.1	4	1	1	3	4	5	6	10
65+	13	3.0	5	1	1	2	4	6	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	3.4	7	<1	1	3	5	8	8	8
20-34	27	3.1	3	<1	1	3	5	6	6	7
35-49	8	4.0	11	<1	<1	3	6	9	10	10
50-64	6	2.3	3	1	1	2	4	5	5	5
65+	9	4.7	8	1	1	5	6	9	10	10
B. *Operated*										
0-19 YRS	276	3.2	5	1	1	3	5	6	7	11
20-34	326	3.4	7	<1	1	3	4	7	9	13
35-49	151	3.8	11	1	1	3	5	7	10	16
50-64	69	4.4	20	1	1	3	6	7	10	28
65+	73	4.7	20	1	1	4	6	10	13	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	2.1	2	<1	<1	2	3	4	5	6
B. *Operated*	477	2.6	4	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	78	3.4	6	<1	1	3	5	7	8	10
B. *Operated*	895	3.6	9	1	1	3	5	7	9	15
1. SINGLE DX	516	2.5	4	<1	1	2	3	5	6	9
2. MULTIPLE DX	973	3.6	9	1	1	3	5	7	9	15
A. NOT OPERATED	117	3.0	5	<1	1	2	4	6	8	10
B. OPERATED	1372	3.2	8	1	1	2	4	6	8	13
TOTAL 0-19 YRS	556	2.8	5	1	1	2	4	6	7	10
20-34	494	3.1	6	<1	1	2	4	6	8	12
35-49	235	3.5	9	<1	1	3	5	7	9	15
50-64	107	3.9	15	1	1	3	5	7	9	24
65+	97	4.4	17	1	1	3	5	9	12	24
GRAND TOTAL	**1489**	**3.2**	**7**	**<1**	**1**	**2**	**4**	**6**	**8**	**13**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	106	2.0	2	<1	1	1	3	4	5	8
20-34	95	2.1	3	<1	1	1	3	4	5	9
35-49	18	2.1	2	<1	<1	2	3	4	5	5
50-64	10	2.1	3	<1	<1	1	3	5	6	6
65+	7	2.3	3	1	1	2	4	5	5	5
B. *Operated*										
0-19 YRS	432	1.7	2	<1	1	1	2	3	4	8
20-34	230	2.3	5	<1	<1	2	2	4	7	12
35-49	83	1.9	2	<1	<1	1	2	4	5	7
50-64	22	2.0	1	<1	<1	2	3	4	4	5
65+	18	2.2	3	<1	<1	1	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	240	2.3	3	<1	1	2	3	4	5	11
20-34	352	2.8	9	<1	1	2	3	6	7	17
35-49	148	3.1	6	<1	1	2	4	6	7	12
50-64	82	4.1	27	<1	1	2	5	10	17	29
65+	202	4.1	10	1	1	3	6	9	10	15
B. *Operated*										
0-19 YRS	852	2.6	9	<1	1	2	3	5	7	13
20-34	1016	3.6	26	<1	1	2	4	7	11	25
35-49	427	4.2	46	1	1	2	4	7	13	32
50-64	266	3.9	28	<1	1	2	5	8	10	26
65+	387	4.4	16	1	1	3	6	9	11	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	236	2.0	2	<1	1	1	3	4	5	7
B. *Operated*	785	1.9	3	<1	1	1	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	1024	3.1	9	<1	1	2	4	6	9	17
B. *Operated*	2948	3.5	23	<1	1	2	4	7	10	22
1. SINGLE DX	1021	1.9	3	<1	1	1	2	4	5	9
2. MULTIPLE DX	3972	3.4	20	<1	1	2	4	7	10	20
A. NOT OPERATED	1260	2.9	8	<1	1	2	4	6	8	13
B. OPERATED	3733	3.2	19	<1	1	2	4	6	9	19
TOTAL 0-19 YRS	1630	2.3	6	<1	1	1	3	4	6	11
20-34	1693	3.2	19	<1	1	2	3	6	9	19
35-49	676	3.6	31	<1	1	2	4	7	10	26
50-64	380	3.8	26	<1	1	2	5	8	11	25
65+	614	4.2	13	1	1	3	5	9	10	20
GRAND TOTAL	**4993**	**3.1**	**17**	**<1**	**1**	**2**	**4**	**6**	**9**	**18**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	145	1.8	2	<1	<1	1	2	3	4	9
20-34	321	2.1	3	<1	<1	1	2	4	5	10
35-49	66	1.8	1	<1	1	1	2	3	4	7
50-64	17	2.5	5	<1	<1	2	3	7	8	8
65+	8	1.9	1	<1	<1	2	3	4	4	4
B. *Operated*										
0-19 YRS	193	2.3	3	<1	<1	1	3	5	7	8
20-34	237	3.4	12	<1	1	2	5	6	8	12
35-49	68	3.8	14	<1	1	3	5	8	10	22
50-64	16	2.4	3	<1	<1	2	3	5	6	6
65+	6	2.2	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	105	2.8	13	<1	1	2	3	5	6	26
20-34	281	2.9	7	<1	1	2	3	7	8	13
35-49	110	3.6	11	<1	1	2	5	8	10	17
50-64	51	4.3	43	1	1	2	4	9	14	40
65+	33	4.3	16	<1	1	3	5	12	15	16
B. *Operated*										
0-19 YRS	253	5.5	44	1	1	4	7	11	17	24
20-34	585	6.3	54	1	1	5	8	12	16	42
35-49	164	6.5	44	1	1	5	8	12	20	33
50-64	59	10.8	262	1	1	5	10	28	49	84
65+	45	7.3	65	1	1	5	8	21	23	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	557	2.0	3	<1	<1	1	2	3	5	9
B. *Operated*	520	3.0	9	<1	1	2	4	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	580	3.2	13	<1	1	2	4	6	9	16
B. *Operated*	1106	6.5	63	1	1	5	8	12	18	46
1. SINGLE DX	1077	2.5	6	<1	1	2	3	5	7	11
2. MULTIPLE DX	1686	5.3	48	1	1	4	7	11	15	35
A. NOT OPERATED	1137	2.6	8	<1	1	2	3	5	8	14
B. OPERATED	1626	5.4	48	<1	1	4	7	10	15	36
TOTAL 0-19 YRS	696	3.5	22	<1	1	2	4	7	11	21
20-34	1424	4.2	30	<1	1	3	5	9	11	23
35-49	408	4.5	26	<1	1	3	6	9	13	25
50-64	143	6.5	136	1	1	3	7	12	28	68
65+	92	5.4	41	1	1	3	6	13	20	35
GRAND TOTAL	**2763**	**4.2**	**33**	**<1**	**1**	**2**	**5**	**9**	**12**	**25**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	127	2.5	2	1	1	2	3	4	5	7
20-34	219	2.4	3	<1	<1	2	3	4	5	9
35-49	71	2.9	4	<1	<1	3	4	6	7	9
50-64	26	2.6	4	<1	<1	2	3	5	8	10
65+	8	2.8	5	1	1	2	4	6	7	7
B. *Operated*										
0-19 YRS	862	2.1	5	<1	1	1	2	4	6	12
20-34	1381	2.1	3	<1	1	1	2	4	6	9
35-49	626	2.2	6	<1	1	1	2	5	6	12
50-64	315	2.2	6	<1	1	1	2	4	6	13
65+	110	2.1	4	1	1	1	2	4	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	160	4.2	24	1	1	3	5	8	12	31
20-34	278	3.3	8	1	1	3	4	7	8	13
35-49	90	3.8	14	<1	1	3	4	8	10	22
50-64	67	3.9	14	1	1	3	4	6	9	24
65+	65	4.7	15	1	1	3	6	11	13	19
B. *Operated*										
0-19 YRS	828	3.0	15	<1	1	2	3	6	9	21
20-34	1575	3.2	17	<1	1	2	4	6	10	21
35-49	663	3.3	17	1	1	2	4	7	10	21
50-64	410	3.8	23	1	1	2	4	8	13	27
65+	257	3.7	15	1	1	2	4	8	11	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	451	2.5	3	<1	1	2	3	4	6	9
B. *Operated*	3294	2.1	5	<1	1	1	2	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	660	3.8	14	1	1	3	4	7	10	22
B. *Operated*	3733	3.3	17	1	1	2	4	7	10	22
1. SINGLE DX	3745	2.2	4	<1	1	1	2	4	6	10
2. MULTIPLE DX	4393	3.4	17	1	1	2	4	7	10	22
A. NOT OPERATED	1111	3.3	10	<1	1	2	4	6	8	17
B. OPERATED	7027	2.7	12	<1	1	2	3	5	8	17
TOTAL 0-19 YRS	1977	2.6	11	<1	1	2	3	5	8	17
20-34	3453	2.7	10	<1	1	2	3	5	8	16
35-49	1450	2.8	12	<1	1	2	3	6	8	18
50-64	818	3.2	16	1	1	2	3	6	9	23
65+	440	3.4	13	1	1	2	4	8	11	19
GRAND TOTAL	**8138**	**2.8**	**11**	**<1**	**1**	**2**	**3**	**6**	**8**	**17**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	185	2.6	3	<1	1	2	4	5	6	9
20-34	195	2.8	5	<1	1	2	4	5	7	13
35-49	50	3.0	3	1	1	3	4	6	6	9
50-64	29	3.7	8	<1	1	3	6	8	10	10
65+	13	8.2	163	1	2	4	6	22	44	49
B. *Operated*										
0-19 YRS	624	3.5	13	<1	1	2	4	8	10	18
20-34	485	3.9	20	<1	1	2	4	9	11	25
35-49	188	3.8	11	1	1	3	5	8	10	18
50-64	109	4.9	22	1	1	3	6	11	15	24
65+	33	6.0	42	1	1	3	8	15	23	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	141	4.0	8	1	1	3	5	8	10	14
20-34	157	4.2	11	1	1	3	5	8	9	15
35-49	76	3.5	5	1	1	3	5	6	7	12
50-64	67	6.0	34	1	1	4	7	11	19	30
65+	67	7.7	28	1	2	7	11	14	18	26
B. *Operated*										
0-19 YRS	389	5.4	38	1	1	4	6	12	17	34
20-34	488	6.8	78	1	1	4	7	15	23	56
35-49	217	7.6	95	1	1	5	9	17	21	64
50-64	124	8.5	119	1	1	6	9	21	28	60
65+	129	9.7	142	1	2	6	11	24	38	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	472	2.9	9	<1	1	2	4	5	7	12
B. *Operated*	1439	3.8	16	1	1	3	5	8	11	21
2. MULTIPLE DX										
A. *Not Operated*	508	4.7	16	1	1	4	6	9	12	23
B. *Operated*	1347	7.0	81	1	1	4	8	15	22	54
1. SINGLE DX	1911	3.6	15	<1	1	2	4	8	10	21
2. MULTIPLE DX	1855	6.3	64	1	1	4	7	13	20	47
A. NOT OPERATED	980	3.9	14	1	1	3	5	8	10	18
B. OPERATED	2786	5.3	50	1	1	3	6	11	17	38
TOTAL 0-19 YRS	1339	4.0	19	1	1	3	5	8	11	21
20-34	1325	4.8	41	1	1	3	5	10	15	36
35-49	531	5.2	48	1	1	3	6	10	15	32
50-64	329	6.3	62	1	1	4	7	14	21	37
65+	242	8.5	99	1	1	6	10	18	26	62
GRAND TOTAL	**3766**	**5.0**	**41**	**1**	**1**	**3**	**6**	**10**	**15**	**34**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	4	2.0	4	1	1	1	3	5	5	5
35-49	3	4.7	1	4	4	4	6	6	6	6
50-64										
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	19	3.3	9	1	1	2	6	8	9	9
20-34	38	4.4	17	<1	1	3	6	11	13	18
35-49	13	3.0	6	<1	<1	1	5	7	7	7
50-64	8	5.6	33	1	1	3	10	15	16	16
65+	5	3.8	10	1	1	3	5	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.2	9	2	2	3	6	9	9	9
20-34	16	2.4	3	<1	1	2	3	6	6	6
35-49	6	6.5	45	<1	<1	5	7	18	19	19
50-64	6	3.7	12	1	1	2	5	9	10	10
65+	6	10.0	52	2	2	8	16	20	21	21
B. *Operated*										
0-19 YRS	73	5.9	57	1	1	3	8	12	19	42
20-34	184	8.5	127	1	1	5	10	22	35	62
35-49	60	8.0	108	1	1	4	8	21	32	50
50-64	35	8.3	78	1	1	4	13	19	31	35
65+	27	10.9	152	1	2	6	14	33	38	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.1	5	1	1	3	5	6	6	6
B. *Operated*	83	4.0	14	1	1	2	6	9	12	17
2. MULTIPLE DX										
A. *Not Operated*	39	4.6	24	<1	1	3	6	10	18	21
B. *Operated*	379	8.1	108	1	1	4	10	20	34	52
1. SINGLE DX	93	3.9	13	1	1	2	6	8	12	17
2. MULTIPLE DX	418	7.7	101	1	1	4	9	19	33	51
A. NOT OPERATED	49	4.3	20	1	1	3	6	9	16	21
B. OPERATED	462	7.3	94	1	1	4	9	17	30	51
TOTAL 0-19 YRS	99	5.3	45	1	1	3	7	11	16	42
20-34	242	7.3	104	1	1	4	8	17	32	57
35-49	82	7.0	86	1	1	4	7	19	25	49
50-64	49	7.3	64	1	1	4	11	16	24	35
65+	39	9.7	118	1	2	6	12	23	36	49
GRAND TOTAL	**511**	**7.0**	**87**	**1**	**1**	**4**	**8**	**16**	**26**	**50**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	5.3	43	1	1	2	9	15	15	15
20-34	12	6.8	39	1	2	5	8	17	22	23
35-49	6	5.2	4	4	4	5	5	9	9	9
50-64	6	5.7	26	2	2	3	10	14	14	14
65+	4	3.3	1	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	89	4.1	27	1	1	2	5	9	12	33
20-34	144	3.3	7	1	1	2	4	7	10	11
35-49	80	4.2	12	1	1	3	6	8	11	19
50-64	45	5.0	27	1	2	3	6	9	12	31
65+	6	3.2	4	1	1	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	4.4	15	<1	1	3	7	10	11	16
20-34	53	9.1	98	1	2	5	12	20	34	45
35-49	34	5.0	13	1	2	4	7	10	11	16
50-64	26	6.8	42	1	1	5	9	16	21	29
65+	27	9.2	70	2	3	5	11	24	29	32
B. *Operated*										
0-19 YRS	66	3.1	6	<1	1	2	4	7	9	11
20-34	161	5.1	35	1	1	4	6	10	12	45
35-49	109	4.9	27	1	1	3	5	10	16	28
50-64	71	6.5	54	1	1	4	6	16	23	39
65+	40	8.9	108	1	1	4	11	22	27	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	5.6	24	1	2	4	6	14	15	23
B. *Operated*	364	3.9	16	1	1	3	5	8	10	21
2. MULTIPLE DX										
A. *Not Operated*	166	7.2	57	1	1	4	9	16	25	38
B. *Operated*	447	5.3	40	1	1	3	6	11	17	40
1. SINGLE DX	396	4.0	16	1	1	3	5	9	10	22
2. MULTIPLE DX	613	5.8	45	1	1	4	7	12	19	39
A. NOT OPERATED	198	6.9	52	1	1	4	9	15	23	37
B. OPERATED	811	4.7	30	1	1	3	5	10	12	32
TOTAL 0-19 YRS	185	3.8	18	1	1	2	4	9	10	22
20-34	370	5.0	36	1	1	3	6	10	14	40
35-49	229	4.7	19	1	1	3	6	10	12	21
50-64	148	6.1	42	1	1	4	7	13	20	33
65+	77	8.2	84	1	2	4	10	22	28	48
GRAND TOTAL	**1009**	**5.1**	**35**	**1**	**1**	**3**	**6**	**11**	**15**	**34**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	308	3.6	4	1	1	3	5	6	7	11
20-34	132	3.2	3	1	1	3	5	5	6	8
35-49	26	3.5	7	<1	1	3	4	7	9	11
50-64	11	3.5	3	1	1	4	5	6	6	6
65+	3	4.3	17	<1	<1	3	7	9	9	9
B. *Operated*										
0-19 YRS	9	5.6	20	1	1	5	9	12	13	13
20-34	6	5.3	13	1	1	5	6	11	12	12
35-49	4	3.5	2	2	2	3	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	195	3.4	5	1	1	3	5	6	7	11
20-34	154	3.0	4	<1	1	2	4	6	7	10
35-49	67	4.3	14	<1	1	4	5	7	11	22
50-64	28	3.7	5	<1	1	3	5	7	8	10
65+	32	4.9	12	1	1	4	6	10	12	16
B. *Operated*										
0-19 YRS	42	3.8	9	1	1	3	5	9	11	13
20-34	44	3.8	10	1	1	3	5	7	10	17
35-49	16	3.6	6	<1	1	3	5	8	9	9
50-64	5	2.6	4	<1	<1	2	4	6	6	6
65+	15	6.5	60	1	1	3	9	19	26	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	480	3.5	4	1	1	3	5	6	6	11
B. *Operated*	19	5.1	13	1	1	4	7	11	13	13
2. MULTIPLE DX										
A. *Not Operated*	476	3.5	7	<1	1	3	5	6	8	13
B. *Operated*	122	4.1	15	1	1	3	5	9	10	22
1. SINGLE DX	499	3.6	4	1	1	3	5	6	7	11
2. MULTIPLE DX	598	3.7	9	1	1	3	5	7	9	15
A. NOT OPERATED	956	3.5	5	1	1	3	5	6	7	11
B. OPERATED	141	4.2	15	1	1	3	5	9	11	20
TOTAL 0-19 YRS	554	3.6	5	1	1	3	5	6	8	11
20-34	336	3.2	5	<1	1	3	5	6	7	11
35-49	113	4.0	11	<1	1	4	5	7	10	19
50-64	44	3.5	4	<1	1	3	5	6	7	10
65+	50	5.4	26	1	1	4	7	10	16	28
GRAND TOTAL	**1097**	**3.6**	**7**	**1**	**1**	**3**	**5**	**6**	**8**	**12**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	742	1.8	2	<1	1	1	2	3	4	6
20-34	557	2.4	3	<1	1	2	3	5	6	9
35-49	280	2.5	5	1	1	2	3	5	6	12
50-64	146	2.9	7	<1	1	2	4	6	9	14
65+	151	3.6	9	1	1	3	5	7	10	15
B. *Operated*										
0-19 YRS	123	2.6	8	<1	<1	2	3	5	7	16
20-34	88	3.2	8	<1	<1	2	4	7	8	17
35-49	55	2.9	5	<1	1	2	4	6	7	14
50-64	40	4.5	11	<1	1	3	5	10	11	14
65+	26	5.3	12	1	2	4	8	10	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1490	2.2	3	<1	1	2	3	4	5	8
20-34	1764	2.9	10	<1	1	2	4	6	8	13
35-49	980	3.8	11	1	1	3	5	8	10	17
50-64	894	4.5	15	1	1	3	6	9	12	18
65+	2271	5.5	17	1	2	4	7	10	14	21
B. *Operated*										
0-19 YRS	198	3.8	26	1	1	2	4	7	10	31
20-34	332	4.0	17	<1	1	2	5	9	11	19
35-49	170	5.7	27	1	1	4	7	12	16	24
50-64	162	6.7	35	1	2	5	9	16	19	27
65+	309	9.7	69	2	2	7	13	21	24	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1876	2.3	4	<1	1	2	3	5	6	10
B. *Operated*	332	3.2	9	<1	<1	2	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	7399	3.9	13	1	1	3	5	8	10	17
B. *Operated*	1171	6.1	42	1	1	4	8	14	19	32
1. SINGLE DX	2208	2.4	5	<1	1	2	3	5	6	11
2. MULTIPLE DX	8570	4.2	18	1	1	3	5	9	12	21
A. NOT OPERATED	9275	3.5	12	1	1	2	5	8	10	17
B. OPERATED	1503	5.4	36	<1	1	3	7	12	17	30
TOTAL 0-19 YRS	2553	2.2	5	<1	1	2	3	4	5	9
20-34	2741	2.9	10	<1	1	2	4	6	8	13
35-49	1485	3.7	12	1	1	3	5	8	10	18
50-64	1242	4.6	18	1	1	3	6	9	13	21
65+	2757	5.9	25	1	2	5	8	11	15	25
GRAND TOTAL	**10778**	**3.8**	**16**	**<1**	**1**	**3**	**5**	**8**	**11**	**19**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	74	1.9	1	1	1	2	2	3	4	7
20-34	76	2.3	3	<1	1	2	3	4	6	9
35-49	17	2.7	5	<1	1	2	4	4	8	10
50-64	13	1.7	1	1	1	1	2	3	5	5
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	26	3.9	40	<1	1	2	4	5	12	34
20-34	82	5.1	59	<1	1	2	5	11	21	43
35-49	47	5.6	83	<1	1	2	4	10	34	42
50-64	27	3.6	20	<1	<1	2	5	9	13	21
65+	5	1.6	1	1	1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	3.1	8	1	1	2	4	6	9	16
20-34	69	2.9	4	<1	1	2	4	6	6	9
35-49	31	3.7	15	<1	<1	2	4	9	14	17
50-64	15	4.7	9	1	1	4	7	9	10	10
65+	11	4.8	14	1	1	4	6	10	14	14
B. *Operated*										
0-19 YRS	66	6.2	53	1	1	4	7	12	25	37
20-34	206	6.7	102	1	1	3	8	15	25	56
35-49	114	7.9	99	1	1	4	9	21	29	51
50-64	87	8.2	132	1	1	3	10	18	30	61
65+	24	8.2	76	<1	2	6	9	18	26	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	181	2.1	2	1	1	2	3	4	5	9
B. *Operated*	187	4.8	55	<1	1	2	5	9	19	40
2. MULTIPLE DX										
A. *Not Operated*	183	3.3	8	<1	1	2	4	7	9	15
B. *Operated*	497	7.3	99	1	1	4	8	18	26	54
1. SINGLE DX	368	3.5	31	<1	1	2	3	7	10	34
2. MULTIPLE DX	680	6.2	77	1	1	3	7	14	24	50
A. NOT OPERATED	364	2.7	6	1	1	2	3	6	7	13
B. OPERATED	684	6.6	88	1	1	3	7	16	26	50
TOTAL 0-19 YRS	223	3.7	26	1	1	2	4	7	10	30
20-34	433	5.1	64	1	1	2	5	10	18	48
35-49	209	6.3	79	<1	1	3	7	17	26	45
50-64	142	6.4	91	1	1	3	7	14	25	60
65+	41	6.3	53	<1	1	4	8	15	18	41
GRAND TOTAL	**1048**	**5.2**	**63**	**1**	**1**	**3**	**5**	**11**	**19**	**42**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	3	1.3		1	1	1	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	6	2.0	1	1	1	2	2	4	4	4
35-49	4	1.8	2	1	1	1	3	4	4	4
50-64	2	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0		2	2	2	2	2	2	2
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	5	3.8	7	1	1	3	6	7	7	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	5.0		5	5	5	5	5	5	5
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.2		1	1	1	2	2	2	2
B. *Operated*	15	1.6	1	<1	<1	1	2	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	6	2.2	2	<1	<1	2	2	5	5	5
B. *Operated*	9	3.0	6	1	1	2	5	7	7	7
1. SINGLE DX	20	1.5	1	<1	<1	1	2	3	4	4
2. MULTIPLE DX	15	2.7	4	<1	1	2	4	6	7	7
A. NOT OPERATED	11	1.7	1	<1	<1	1	2	3	5	5
B. OPERATED	24	2.1	3	<1	<1	1	3	5	6	7
TOTAL 0-19 YRS	10	1.3		<1	<1	1	2	2	2	2
20-34	16	2.6	4	1	1	2	3	6	7	7
35-49	6	1.5	2	<1	<1	1	1	4	4	4
50-64	3	2.3	5	1	1	1	4	5	5	5
65+										
GRAND TOTAL	**35**	**2.0**	**3**	**<1**	**<1**	**1**	**2**	**5**	**6**	**7**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	657	1.3	1	<1	<1	1	1	2	3	5
20-34	106	1.6	2	<1	<1	1	2	3	4	8
35-49	91	1.4	1	<1	<1	1	1	2	3	9
50-64	81	1.4	1	<1	<1	1	1	2	3	7
65+	80	1.5	1	<1	1	1	2	3	3	5
B. *Operated*										
0-19 YRS	208	1.7	2	<1	<1	1	2	3	5	7
20-34	24	3.1	11	<1	1	2	4	9	11	11
35-49	20	3.1	5	<1	1	3	4	6	8	9
50-64	25	2.6	6	<1	<1	2	3	7	8	10
65+	16	2.8	8	<1	1	2	3	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	258	2.2	4	<1	<1	2	3	4	6	10
20-34	74	2.4	3	<1	<1	2	3	5	6	9
35-49	97	2.9	9	<1	1	2	3	7	10	14
50-64	133	3.0	7	<1	1	2	4	7	8	13
65+	322	3.5	10	1	1	2	4	7	10	16
B. *Operated*										
0-19 YRS	80	4.1	24	1	1	2	5	8	12	28
20-34	47	7.6	193	<1	1	4	10	14	19	93
35-49	54	6.9	70	1	1	4	7	23	30	33
50-64	98	6.1	74	1	1	3	7	13	22	50
65+	203	6.2	47	1	1	4	8	16	19	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1015	1.4	1	<1	<1	1	1	2	3	6
B. *Operated*	293	2.0	3	<1	<1	1	2	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	884	2.9	7	<1	1	2	4	6	8	13
B. *Operated*	482	6.0	66	1	1	3	7	14	20	36
1. SINGLE DX	1308	1.5	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX	1366	4.0	30	<1	1	2	4	8	13	28
A. NOT OPERATED	1899	2.1	4	<1	<1	1	2	4	6	11
B. OPERATED	775	4.5	46	<1	1	2	5	10	16	32
TOTAL 0-19 YRS	1203	1.8	4	<1	<1	1	2	3	5	9
20-34	251	3.1	43	<1	<1	1	3	7	10	18
35-49	262	3.2	22	<1	1	1	3	7	12	30
50-64	337	3.5	28	<1	1	2	4	8	10	26
65+	621	4.1	23	1	1	2	5	9	14	26
GRAND TOTAL	**2674**	**2.8**	**18**	**<1**	**<1**	**1**	**3**	**6**	**9**	**20**

380: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	6.6	44	1	1	5	9	14	21	34
20-34	19	3.5	10	1	1	3	4	9	12	12
35-49	15	5.1	39	<1	1	2	7	16	20	21
50-64	5	4.4	24	1	1	2	6	13	13	13
65+	2	13.5	41	9	9	13	18	18	18	18
B. *Operated*										
0-19 YRS	86	7.7	99	1	1	5	9	17	20	63
20-34	78	7.4	99	1	1	5	9	13	17	66
35-49	46	9.0	65	1	1	6	13	19	28	36
50-64	28	10.9	106	1	1	7	17	28	34	39
65+	7	11.4	82	2	3	9	15	27	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	103	6.3	44	1	1	5	8	13	16	41
20-34	75	6.3	23	1	1	5	10	13	15	22
35-49	53	8.7	62	1	2	7	11	16	24	40
50-64	30	9.1	44	2	2	9	14	18	24	25
65+	37	11.0	59	2	2	10	17	23	25	26
B. *Operated*										
0-19 YRS	213	17.5	200	2	3	14	25	34	45	69
20-34	213	14.7	195	2	3	10	21	34	48	88
35-49	127	16.5	221	2	4	12	19	36	51	72
50-64	140	17.0	192	2	3	13	23	38	48	99+
65+	133	21.8	283	3	7	18	27	44	58	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	5.7	36	1	1	4	8	13	18	29
B. *Operated*	245	8.3	93	1	1	6	10	17	22	41
2. MULTIPLE DX										
A. *Not Operated*	298	7.6	46	1	2	6	10	16	21	35
B. *Operated*	826	17.2	218	2	3	13	23	36	49	78
1. SINGLE DX	333	7.6	79	1	1	5	10	17	21	37
2. MULTIPLE DX	1124	14.7	191	2	2	11	20	33	45	72
A. NOT OPERATED	386	7.2	44	1	1	5	10	15	20	34
B. OPERATED	1071	15.2	203	1	2	11	20	33	46	76
TOTAL 0-19 YRS	449	11.9	156	1	1	8	16	28	35	63
20-34	385	11.1	150	1	2	8	13	26	36	75
35-49	241	12.6	161	1	2	9	16	30	38	69
50-64	203	14.7	166	2	2	11	21	33	45	82
65+	179	19.1	247	2	4	15	24	37	51	84
GRAND TOTAL	**1457**	**13.1**	**174**	**1**	**2**	**9**	**17**	**30**	**39**	**71**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	362	3.6	13	1	1	2	4	8	11	19
20-34	200	3.6	13	<1	1	2	5	8	11	18
35-49	105	4.1	18	1	1	3	5	10	13	21
50-64	37	4.4	12	1	1	4	6	10	11	14
65+	10	10.6	206	1	1	5	14	35	46	46
B. *Operated*										
0-19 YRS	63	8.3	72	1	2	5	12	24	26	35
20-34	60	7.8	76	<1	1	6	10	14	24	45
35-49	30	7.7	43	1	1	6	12	17	19	27
50-64	15	9.7	92	1	2	5	14	22	32	35
65+	4	11.5	86	3	3	10	19	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	894	4.9	20	1	1	4	7	10	14	22
20-34	550	4.5	19	<1	1	3	6	10	13	22
35-49	337	5.1	25	1	1	3	7	11	15	25
50-64	184	6.2	36	1	1	4	9	15	18	25
65+	148	7.2	32	1	1	6	9	15	18	27
B. *Operated*										
0-19 YRS	267	8.5	53	1	2	6	11	20	24	34
20-34	175	8.3	61	1	2	6	11	17	22	41
35-49	100	14.4	213	1	2	9	20	33	41	71
50-64	70	13.8	169	1	1	11	18	37	42	91
65+	59	15.6	167	3	4	12	21	33	43	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	714	3.8	16	1	1	2	5	9	12	19
B. *Operated*	172	8.2	69	1	1	6	11	19	26	41
2. MULTIPLE DX										
A. *Not Operated*	2113	5.1	23	1	1	4	7	11	15	23
B. *Operated*	671	10.5	109	1	2	8	13	24	31	56
1. SINGLE DX	886	4.7	30	1	1	3	6	11	14	27
2. MULTIPLE DX	2784	6.4	49	1	1	4	8	14	19	36
A. NOT OPERATED	2827	4.8	22	1	1	3	7	11	14	22
B. OPERATED	843	10.0	102	1	2	7	13	23	30	50
TOTAL 0-19 YRS	1586	5.4	28	1	1	4	7	11	16	27
20-34	985	5.2	31	<1	1	3	7	12	15	28
35-49	572	6.7	70	1	1	4	8	14	24	39
50-64	306	7.9	77	1	1	5	10	18	25	48
65+	221	9.7	89	1	1	7	13	20	28	48
GRAND TOTAL	**3670**	**6.0**	**45**	**1**	**1**	**4**	**8**	**13**	**18**	**34**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	3.5	19	<1	1	2	4	9	16	19
20-34	48	5.9	134	<1	1	3	5	11	20	78
35-49	20	3.4	9	<1	<1	2	4	8	10	11
50-64	14	3.9	10	1	1	3	5	8	12	13
65+	2	4.0	18	1	1	4	7	7	7	7
B. *Operated*										
0-19 YRS	42	3.0	6	<1	<1	2	4	7	8	10
20-34	113	2.4	6	<1	1	2	3	5	6	13
35-49	39	4.0	43	<1	1	2	3	8	21	32
50-64	16	3.3	9	<1	<1	2	5	9	9	9
65+	8	3.8	11	1	1	2	6	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	4.7	26	<1	1	3	6	9	17	28
20-34	107	6.0	61	1	1	3	6	14	21	41
35-49	49	6.7	52	<1	1	5	9	12	20	40
50-64	42	8.7	153	1	2	5	9	15	25	78
65+	51	8.3	68	1	2	7	9	14	26	48
B. *Operated*										
0-19 YRS	125	4.2	79	<1	1	2	3	6	18	52
20-34	263	5.3	97	<1	1	2	5	13	23	61
35-49	82	6.1	100	1	1	2	6	15	34	86
50-64	48	13.6	297	1	1	5	20	34	49	72
65+	29	10.2	155	1	1	4	19	43	97	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	134	4.4	58	<1	1	2	5	9	15	30
B. *Operated*	218	2.9	13	<1	1	2	3	6	9	22
2. MULTIPLE DX										
A. *Not Operated*	309	6.6	67	1	1	4	8	14	21	43
B. *Operated*	547	6.1	120	<1	1	2	5	18	33	71
1. SINGLE DX	352	3.5	30	<1	1	2	4	7	10	21
2. MULTIPLE DX	856	6.3	101	1	1	3	6	16	28	68
A. NOT OPERATED	443	5.9	65	<1	1	4	7	13	19	41
B. OPERATED	765	5.2	92	<1	1	2	4	12	27	67
TOTAL 0-19 YRS	277	4.0	46	<1	1	2	4	8	15	36
20-34	531	4.9	75	<1	1	2	5	11	20	48
35-49	190	5.5	67	<1	1	3	6	11	28	52
50-64	120	9.4	188	1	1	4	9	25	34	74
65+	90	8.4	91	1	1	6	10	25	38	99+
GRAND TOTAL	**1208**	**5.5**	**82**	**<1**	**1**	**2**	**5**	**13**	**22**	**56**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	348	2.1	4	<1	1	1	2	4	5	9
20-34	337	2.8	5	<1	1	2	4	6	7	10
35-49	152	3.3	6	<1	1	2	5	7	8	14
50-64	64	3.5	14	<1	1	2	5	7	8	22
65+	39	4.4	63	<1	1	3	5	7	9	51
B. *Operated*										
0-19 YRS	77	4.3	37	1	1	3	6	8	10	41
20-34	88	4.7	22	1	1	3	5	12	16	20
35-49	55	5.2	23	1	1	4	6	13	16	19
50-64	31	6.2	46	1	1	4	7	16	20	31
65+	6	7.8	89	2	2	3	13	24	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	500	2.9	8	<1	1	2	3	6	8	15
20-34	689	3.6	17	1	1	3	4	7	9	15
35-49	410	4.7	18	1	1	4	6	9	11	19
50-64	261	5.0	19	1	1	4	7	10	13	24
65+	436	6.0	19	1	2	5	8	12	14	23
B. *Operated*										
0-19 YRS	155	7.2	85	1	1	4	9	16	25	44
20-34	272	7.4	85	1	1	5	9	15	23	46
35-49	164	9.0	157	1	1	5	11	22	35	98
50-64	108	8.5	94	1	2	5	10	19	25	56
65+	119	14.2	205	2	3	10	17	32	42	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	940	2.7	8	<1	1	2	3	6	7	13
B. *Operated*	257	4.9	31	1	1	3	6	12	16	25
2. MULTIPLE DX										
A. *Not Operated*	2296	4.3	17	1	1	3	5	9	11	18
B. *Operated*	818	8.8	123	1	1	5	10	19	30	66
1. SINGLE DX	1197	3.2	14	<1	1	2	4	7	9	18
2. MULTIPLE DX	3114	5.5	49	1	1	4	6	11	15	37
A. NOT OPERATED	3236	3.8	15	1	1	3	5	8	10	18
B. OPERATED	1075	7.9	104	1	1	5	10	17	26	61
TOTAL 0-19 YRS	1080	3.4	23	1	1	2	4	7	10	25
20-34	1386	4.2	31	1	1	3	5	9	12	25
35-49	781	5.4	49	1	1	4	6	11	15	42
50-64	464	5.7	40	1	1	4	7	12	18	31
65+	600	7.5	70	1	2	5	9	15	20	45
GRAND TOTAL	**4311**	**4.8**	**40**	**1**	**1**	**3**	**6**	**10**	**14**	**33**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2328	1.6	2	<1	<1	1	2	3	4	6
20-34	902	1.8	3	<1	<1	1	2	3	4	8
35-49	338	2.0	2	<1	<1	1	3	4	4	9
50-64	96	2.4	5	<1	1	2	3	4	8	11
65+	58	2.6	4	<1	1	2	3	6	7	9
B. *Operated*										
0-19 YRS	5	3.8	1	2	2	4	4	5	5	5
20-34	3	8.7	65	4	4	4	15	18	18	18
35-49	3	7.0	37	3	3	4	11	14	14	14
50-64	1	12.0		12	12	12	12	12	12	12
65+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3392	3.4	35	<1	1	2	3	6	10	31
20-34	4189	3.5	26	<1	1	2	4	7	11	25
35-49	2250	4.2	30	<1	1	2	5	9	14	30
50-64	1060	5.2	36	1	1	3	6	11	16	32
65+	1423	6.1	30	1	2	5	8	12	16	26
B. *Operated*										
0-19 YRS	26	6.8	53	1	1	4	10	14	19	35
20-34	124	9.7	145	1	1	6	11	25	43	77
35-49	87	9.6	60	2	3	8	13	18	23	84
50-64	93	12.3	141	1	3	8	15	29	38	85
65+	142	11.9	90	2	3	10	16	22	27	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3722	1.7	2	<1	<1	1	2	3	4	8
B. *Operated*	14	5.8	26	1	2	4	5	14	17	18
2. MULTIPLE DX										
A. *Not Operated*	12314	4.0	31	<1	1	2	4	9	13	28
B. *Operated*	472	10.7	108	1	2	8	14	24	33	68
1. SINGLE DX	3736	1.8	3	<1	<1	1	2	3	4	8
2. MULTIPLE DX	12786	4.3	36	<1	1	2	5	9	14	30
A. NOT OPERATED	16036	3.5	25	<1	1	2	4	7	11	25
B. OPERATED	486	10.5	107	1	2	7	14	23	33	68
TOTAL 0-19 YRS	5751	2.7	23	<1	1	2	3	5	7	25
20-34	5218	3.3	26	<1	1	2	4	6	11	25
35-49	2678	4.1	29	<1	1	2	4	9	14	29
50-64	1250	5.5	45	1	1	3	6	12	19	36
65+	1625	6.5	37	1	2	5	8	13	17	29
GRAND TOTAL	**16522**	**3.7**	**29**	**<1**	**1**	**2**	**4**	**8**	**12**	**27**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1029	1.7	2	<1	<1	1	2	3	5	7
20-34	395	1.6	2	<1	1	1	2	3	4	6
35-49	228	1.7	2	<1	<1	1	2	3	4	8
50-64	119	1.7	2	<1	1	1	2	3	4	9
65+	53	1.7	1	<1	<1	1	2	4	4	6
B. *Operated*										
0-19 YRS	9	2.7	6	<1	<1	2	3	7	8	8
20-34	6	2.7	4	1	1	2	4	6	6	6
35-49	2	4.5	25	1	1	4	8	8	8	8
50-64	2	5.0	18	2	2	5	8	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	658	2.8	11	<1	1	2	3	6	8	14
20-34	586	3.0	34	<1	1	2	3	5	8	21
35-49	410	3.4	21	<1	1	2	4	7	11	27
50-64	299	3.3	12	1	1	2	4	6	10	20
65+	271	4.0	21	1	1	2	5	9	13	25
B. *Operated*										
0-19 YRS	24	9.5	174	<1	1	6	9	19	45	58
20-34	49	8.3	174	1	1	4	9	17	34	68
35-49	24	10.3	119	1	2	7	12	25	39	45
50-64	22	10.7	119	1	2	7	15	20	33	51
65+	20	14.9	299	2	2	9	20	36	55	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1824	1.7	2	<1	<1	1	2	3	5	7
B. *Operated*	19	3.1	7	<1	1	2	5	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	2224	3.2	20	<1	1	2	4	6	9	21
B. *Operated*	139	10.2	173	1	1	6	11	22	39	69
1. SINGLE DX	1843	1.7	2	<1	<1	1	2	3	5	7
2. MULTIPLE DX	2363	3.6	32	<1	1	2	4	7	11	25
A. NOT OPERATED	4048	2.5	13	<1	1	1	3	5	7	18
B. OPERATED	158	9.3	158	1	1	5	10	20	37	67
TOTAL 0-19 YRS	1720	2.2	9	<1	1	1	2	5	6	12
20-34	1036	2.7	30	<1	1	1	3	5	7	21
35-49	664	3.0	20	<1	1	2	3	6	10	26
50-64	442	3.2	18	1	1	2	4	6	10	21
65+	344	4.3	41	1	1	2	5	9	16	29
GRAND TOTAL	**4206**	**2.7**	**20**	**<1**	**1**	**1**	**3**	**5**	**8**	**21**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	483	2.1	3	<1	1	1	2	4	5	10
20-34	310	2.2	4	<1	1	2	3	4	6	12
35-49	221	2.5	6	1	1	2	3	5	6	15
50-64	146	2.6	9	<1	1	2	3	5	7	15
65+	105	2.8	5	1	1	2	3	6	8	11
B. *Operated*										
0-19 YRS	14	3.1	10	<1	<1	2	2	8	11	12
20-34	12	5.8	46	1	1	3	7	17	22	23
35-49	21	6.9	35	1	1	5	9	16	20	23
50-64	10	7.9	122	1	1	4	7	25	38	38
65+	5	5.4	19	1	1	6	8	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	692	3.4	15	1	1	2	4	7	9	22
20-34	626	3.3	8	1	1	2	4	7	9	14
35-49	622	3.7	21	1	1	3	5	7	9	17
50-64	803	4.7	21	1	1	3	6	9	12	25
65+	1672	5.7	20	1	2	5	7	11	14	23
B. *Operated*										
0-19 YRS	45	7.3	162	1	1	2	8	32	73	99+
20-34	102	5.9	85	1	1	2	8	16	22	48
35-49	101	9.5	195	1	1	5	11	24	44	69
50-64	123	10.6	147	1	1	6	13	27	35	59
65+	219	10.6	132	1	1	7	14	24	32	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1265	2.3	5	<1	1	2	3	4	6	12
B. *Operated*	62	5.9	44	1	1	4	7	14	19	36
2. MULTIPLE DX										
A. *Not Operated*	4415	4.5	19	1	1	3	6	9	12	22
B. *Operated*	590	9.3	142	1	1	5	12	23	35	72
1. SINGLE DX	1327	2.5	7	<1	1	2	3	5	7	14
2. MULTIPLE DX	5005	5.1	36	1	1	3	6	10	15	30
A. NOT OPERATED	5680	4.0	17	1	1	3	5	8	11	20
B. OPERATED	652	9.0	134	1	1	5	12	23	35	68
TOTAL 0-19 YRS	1234	3.0	16	1	1	2	3	6	8	23
20-34	1050	3.3	16	<1	1	2	4	7	9	19
35-49	965	4.1	40	1	1	2	5	8	11	29
50-64	1082	5.1	39	1	1	3	6	10	16	33
65+	2001	6.1	34	1	1	5	7	12	16	28
GRAND TOTAL	**6332**	**4.6**	**31**	**1**	**1**	**3**	**6**	**9**	**13**	**27**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	2.7	6	<1	1	2	3	5	8	13
20-34	52	3.5	7	1	1	3	5	7	9	13
35-49	47	4.1	8	1	1	4	6	7	10	15
50-64	71	5.5	65	1	1	4	6	10	13	55
65+	103	5.3	26	1	1	3	7	12	15	25
B. *Operated*										
0-19 YRS	344	4.0	11	1	1	3	5	8	11	17
20-34	465	4.5	23	1	1	3	6	10	13	20
35-49	465	5.9	30	1	1	4	9	13	16	25
50-64	715	7.7	51	1	1	6	11	16	20	33
65+	1116	7.1	38	1	1	5	11	15	18	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	249	5.0	28	1	1	3	7	11	14	27
20-34	265	6.1	41	1	1	4	8	12	14	42
35-49	261	5.7	25	<1	1	4	8	12	17	23
50-64	347	6.2	32	1	1	5	8	13	17	27
65+	824	6.8	42	1	1	5	9	13	18	29
B. *Operated*										
0-19 YRS	1076	7.6	75	1	2	5	9	19	26	47
20-34	1090	8.2	96	1	2	5	10	18	28	51
35-49	1546	8.2	77	1	2	5	11	18	24	51
50-64	2897	9.7	108	1	2	7	12	20	29	55
65+	5138	10.4	104	1	2	8	14	21	29	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	334	4.4	26	1	1	3	5	9	13	24
B. *Operated*	3105	6.3	36	1	1	4	9	14	17	28
2. MULTIPLE DX										
A. *Not Operated*	1946	6.2	36	1	1	5	8	13	17	28
B. *Operated*	11747	9.5	99	1	2	7	12	20	28	53
1. SINGLE DX	3439	6.2	35	1	1	4	9	13	17	27
2. MULTIPLE DX	13693	9.0	91	1	2	6	12	19	27	51
A. NOT OPERATED	2280	6.0	35	1	1	4	8	12	16	28
B. OPERATED	14852	8.8	87	1	2	6	12	19	26	50
TOTAL 0-19 YRS	1730	6.3	56	1	1	4	7	14	21	41
20-34	1872	6.9	70	1	1	4	9	14	22	46
35-49	2319	7.4	62	1	1	5	10	16	21	45
50-64	4030	8.9	92	1	2	6	11	18	25	52
65+	7181	9.4	88	1	2	7	12	19	26	49
GRAND TOTAL	**17132**	**8.4**	**81**	**1**	**1**	**6**	**11**	**18**	**25**	**48**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	236	1.4	1	<1	<1	1	2	2	3	4
20-34	253	2.0	2	<1	1	2	3	4	5	6
35-49	159	2.6	3	1	1	2	4	4	5	10
50-64	144	3.0	6	1	1	2	4	6	7	25
65+	225	3.2	4	1	1	3	4	5	6	14
B. *Operated*										
0-19 YRS	250	1.7	2	<1	1	1	2	3	4	7
20-34	265	2.2	3	<1	1	2	3	4	5	10
35-49	164	2.9	8	1	1	2	4	6	9	14
50-64	116	3.4	7	1	1	3	5	6	9	16
65+	107	4.0	8	1	1	3	6	8	11	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	2.1	3	1	1	2	3	4	6	10
20-34	161	2.9	5	1	1	2	4	6	7	12
35-49	135	3.6	9	1	1	3	4	6	11	15
50-64	229	3.8	8	1	1	3	5	7	9	14
65+	572	4.2	10	1	1	3	5	8	10	16
B. *Operated*										
0-19 YRS	128	1.7	2	1	1	1	2	3	4	8
20-34	289	3.2	19	1	1	2	4	6	10	27
35-49	263	4.0	21	1	1	2	5	9	14	24
50-64	324	5.5	57	1	1	3	7	11	16	41
65+	599	4.5	32	1	1	3	6	10	14	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1017	2.4	3	<1	1	2	3	5	5	9
B. *Operated*	902	2.6	6	<1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	1168	3.7	9	1	1	3	5	7	10	15
B. *Operated*	1603	4.2	31	1	1	2	5	9	14	27
1. SINGLE DX	1919	2.5	4	<1	1	2	3	5	6	11
2. MULTIPLE DX	2771	4.0	22	1	1	3	5	8	12	22
A. NOT OPERATED	2185	3.1	7	1	1	2	4	6	8	13
B. OPERATED	2505	3.6	23	1	1	2	4	8	11	22
TOTAL 0-19 YRS	685	1.6	2	<1	1	1	2	3	4	7
20-34	968	2.6	8	<1	1	2	3	5	7	14
35-49	721	3.4	12	1	1	2	4	7	11	18
50-64	813	4.3	28	1	1	3	5	8	12	24
65+	1503	4.2	18	1	1	3	5	8	11	20
GRAND TOTAL	**4690**	**3.4**	**15**	**1**	**1**	**2**	**4**	**7**	**10**	**19**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	80	4.9	11	1	2	4	6	10	11	17
20-34	210	5.1	19	2	2	4	6	9	11	25
35-49	167	5.6	14	2	2	5	7	10	12	22
50-64	133	6.7	64	2	2	5	8	10	15	34
65+	87	6.5	17	2	2	5	9	13	15	21
B. *Operated*										
0-19 YRS	68	7.6	49	2	2	6	9	15	20	43
20-34	127	6.1	22	1	1	5	8	11	16	23
35-49	118	6.5	21	1	2	6	9	13	14	24
50-64	96	9.3	66	2	2	7	11	20	26	43
65+	88	9.2	41	2	2	8	13	18	22	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	119	5.4	12	2	2	4	6	11	13	18
20-34	259	6.2	17	2	2	5	8	12	15	22
35-49	284	7.0	28	2	3	6	8	12	15	34
50-64	353	7.9	27	2	3	7	10	15	18	22
65+	491	9.1	50	3	3	7	11	16	22	35
B. *Operated*										
0-19 YRS	116	10.0	65	2	3	8	13	20	22	42
20-34	272	11.0	92	2	3	8	14	26	33	88
35-49	289	12.6	114	3	3	9	17	27	35	52
50-64	473	15.3	199	2	3	11	19	33	47	74
65+	499	15.9	182	3	4	12	21	33	48	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	677	5.7	25	2	2	4	7	10	13	22
B. *Operated*	497	7.6	39	1	2	6	10	15	19	30
2. MULTIPLE DX										
A. *Not Operated*	1506	7.6	33	2	3	6	10	14	18	29
B. *Operated*	1649	13.9	156	2	3	10	18	29	40	68
1. SINGLE DX	1174	6.5	32	2	2	5	8	13	16	26
2. MULTIPLE DX	3155	10.9	107	2	3	8	13	22	31	59
A. NOT OPERATED	2183	7.0	32	2	2	6	9	13	17	27
B. OPERATED	2146	12.5	136	2	3	9	16	26	36	65
TOTAL 0-19 YRS	383	7.1	39	2	2	5	9	14	19	31
20-34	868	7.4	48	2	2	5	9	15	22	43
35-49	858	8.5	62	2	3	6	10	18	24	43
50-64	1055	11.2	126	2	3	8	13	22	33	64
65+	1165	11.8	116	2	3	9	14	24	32	65
GRAND TOTAL	**4329**	**9.7**	**91**	**2**	**3**	**7**	**12**	**20**	**27**	**54**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	2.6	8	1	1	1	3	6	8	16
20-34	184	3.2	8	1	1	2	4	7	9	15
35-49	150	4.5	17	1	1	3	6	9	13	19
50-64	120	4.4	13	1	1	3	6	9	12	16
65+	102	5.3	23	1	1	4	7	10	14	25
B. *Operated*										
0-19 YRS	98	3.9	21	1	1	2	5	9	12	27
20-34	190	4.9	17	1	1	4	6	11	13	19
35-49	190	5.4	23	1	1	4	7	10	12	27
50-64	177	6.2	37	1	1	4	8	14	19	29
65+	167	5.8	22	1	1	5	8	12	16	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	207	2.8	10	1	1	2	3	6	8	17
20-34	419	3.7	14	1	1	2	5	8	11	18
35-49	408	4.9	20	1	1	4	7	11	13	23
50-64	519	5.9	31	1	1	4	8	12	15	27
65+	835	5.9	38	1	1	4	8	11	15	33
B. *Operated*										
0-19 YRS	335	3.7	39	1	1	1	4	8	14	31
20-34	745	4.8	51	1	1	2	6	11	16	36
35-49	906	7.2	93	1	1	4	9	16	24	46
50-64	1023	8.6	106	1	1	5	11	20	31	59
65+	1691	8.8	108	1	1	6	12	20	29	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	637	4.0	14	1	1	3	5	9	11	18
B. *Operated*	822	5.4	25	1	1	4	7	11	15	26
2. MULTIPLE DX										
A. *Not Operated*	2388	5.1	28	1	1	4	7	11	14	27
B. *Operated*	4700	7.4	94	1	1	4	10	18	26	49
1. SINGLE DX	1459	4.8	20	1	1	3	6	10	13	23
2. MULTIPLE DX	7088	6.7	73	1	1	4	9	15	22	44
A. NOT OPERATED	3025	4.9	25	1	1	3	6	10	13	25
B. OPERATED	5522	7.1	84	1	1	4	9	17	24	46
TOTAL 0-19 YRS	721	3.3	25	1	1	1	4	7	11	26
20-34	1538	4.3	32	1	1	2	5	10	14	29
35-49	1654	6.2	61	1	1	4	8	13	20	37
50-64	1839	7.3	74	1	1	5	9	16	24	47
65+	2795	7.7	81	1	1	5	10	17	24	46
GRAND TOTAL	**8547**	**6.3**	**64**	**1**	**1**	**4**	**8**	**14**	**21**	**41**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	2.3	9	<1	1	2	3	4	5	20
20-34	18	3.6	6	1	1	2	5	8	9	9
35-49	10	3.8	3	1	1	4	5	6	6	6
50-64	5	3.2	9	1	1	1	6	7	7	7
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	6.0		6	6	6	6	6	6	6
50-64	1	28.0		28	28	28	28	28	28	28
65+	2	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	2.7	6	<1	1	2	3	5	7	15
20-34	38	4.6	22	1	1	3	6	9	12	26
35-49	35	4.3	8	1	2	4	6	8	10	12
50-64	56	3.8	7	1	1	3	5	7	9	12
65+	100	4.1	15	1	1	3	6	9	10	21
B. *Operated*										
0-19 YRS	3	13.0	163	2	2	10	23	27	27	27
20-34	14	7.0	26	2	2	6	10	14	19	20
35-49	15	10.1	134	1	1	4	20	25	34	37
50-64	22	9.2	121	1	1	6	12	20	35	50
65+	33	7.1	29	1	2	5	9	16	19	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	2.8	7	1	1	2	3	6	7	17
B. *Operated*	6	8.3	96	3	3	5	7	26	28	28
2. MULTIPLE DX										
A. *Not Operated*	296	3.8	12	1	1	3	5	8	10	15
B. *Operated*	87	8.3	73	1	2	5	11	20	25	45
1. SINGLE DX	84	3.2	15	1	1	2	4	6	8	25
2. MULTIPLE DX	383	4.8	29	1	1	3	6	10	13	27
A. NOT OPERATED	374	3.6	11	1	1	3	5	7	9	16
B. OPERATED	93	8.3	73	1	2	5	10	20	25	44
TOTAL 0-19 YRS	115	2.9	13	1	1	2	3	5	8	22
20-34	71	4.8	19	1	1	3	7	10	12	25
35-49	61	5.7	43	1	1	4	6	10	24	36
50-64	84	5.4	48	1	1	4	6	12	15	42
65+	136	4.8	20	1	1	3	7	10	13	22
GRAND TOTAL	**467**	**4.6**	**27**	**1**	**1**	**3**	**6**	**9**	**12**	**27**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	1.3	1	<1	<1	1	1	3	3	3
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	8	1.9		1	1	2	2	3	3	3
20-34	1054	1.6	1	<1	<1	1	2	3	4	5
35-49	432	1.5	1	<1	<1	1	2	3	3	4
50-64										
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	29	1.0		<1	<1	1	1	1	1	1
35-49	10	1.1		<1	<1	1	1	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	9	2.7	3	1	1	2	4	5	5	5
20-34	1224	2.1	2	<1	1	2	3	4	5	7
35-49	554	2.1	2	<1	1	2	3	4	5	7
50-64	5	2.2	1	1	1	2	3	4	4	4
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.7	2	<1	<1	1	3	4	4	4
B. *Operated*	1495	1.6	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	39	1.0		<1	<1	1	1	1	1	2
B. *Operated*	1792	2.1	2	<1	1	2	3	4	5	7
1. SINGLE DX	1502	1.6	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX	1831	2.1	2	<1	<1	2	3	4	5	7
A. NOT OPERATED	46	1.1		<1	<1	1	1	1	2	4
B. OPERATED	3287	1.9	2	<1	<1	1	2	4	4	7
TOTAL 0-19 YRS	17	2.3	2	1	1	2	3	5	5	5
20-34	2313	1.9	2	<1	<1	1	2	4	4	7
35-49	997	1.8	2	<1	<1	1	2	4	5	7
50-64	5	2.2	1	1	1	2	3	4	4	4
65+	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**3333**	**1.9**	**2**	**<1**	**<1**	**1**	**2**	**4**	**4**	**7**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	1726	3.0	2	1	2	3	4	5	6	8
2500+	133640	2.8	1	1	2	3	3	4	5	6
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	1	5.0		5	5	5	5	5	5	5
2500+	51	3.6	8	2	2	3	4	5	7	21
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	46	66.1	314	33	49	71	89	99+	99+	99+
1000-1499	336	40.9	245	19	22	39	51	64	71	96
1500-1749	462	25.0	86	12	15	24	30	37	41	52
1750-2499	7156	7.2	38	2	2	5	9	16	20	29
2500+	89400	3.6	4	2	2	3	4	5	6	10
B. *Operated*										
1-999 G	109	76.8	199	58	62	88	99+	99+	99+	99+
1000-1499	342	54.2	319	24	34	54	68	82	91	99+
1500-1749	174	33.5	163	16	21	32	39	53	62	99+
1750-2499	582	19.0	212	3	5	16	24	34	48	87
2500+	1758	7.6	68	2	2	5	9	15	20	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	135366	2.8	1	1	2	3	3	4	5	6
B. *Operated*	52	3.6	8	2	2	3	4	5	7	21
2. MULTIPLE DX										
A. *Not Operated*	97400	4.1	17	2	2	3	5	6	8	22
B. *Operated*	2965	19.3	490	2	3	10	28	62	82	99+
1. SINGLE DX	135418	2.8	1	1	2	3	3	4	5	6
2. MULTIPLE DX	100365	4.6	38	2	2	3	5	6	10	35
A. NOT OPERATED	232766	3.4	8	1	2	3	4	5	6	13
B. OPERATED	3017	19.0	486	2	3	9	27	62	82	99+
TOTAL 1-999 G	155	73.6	255	51	58	84	99+	99+	99+	99+
1000-1499	678	47.6	326	20	26	46	59	74	85	99+
1500-1749	636	27.3	121	13	15	26	33	41	49	76
1750-2499	9465	7.2	54	2	2	5	9	16	21	34
2500+	224849	3.2	3	1	2	3	4	5	6	9
GRAND TOTAL	**235783**	**3.6**	**18**	**1**	**2**	**3**	**4**	**5**	**6**	**18**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749	2	12.5	41	8	8	12	17	17	17	17
1750-2499	265	4.6	4	2	3	4	5	7	7	12
2500+	1222	4.3	2	2	3	4	5	6	7	8
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	1	10.0		10	10	10	10	10	10	10
2500+	2	43.0	3042	4	4	43	82	82	82	82
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	11	64.8	304	28	41	68	79	84	87	87
1000-1499	88	37.6	161	21	25	37	47	56	65	90
1500-1749	132	27.0	140	12	15	25	33	42	48	70
1750-2499	1244	9.7	50	3	4	7	13	20	24	35
2500+	1278	5.2	8	3	3	5	6	7	9	16
B. *Operated*										
1-999 G	31	69.6	379	33	44	84	99+	99+	99+	99+
1000-1499	75	54.4	226	30	34	57	65	82	99+	99+
1500-1749	48	35.0	132	25	26	31	39	51	62	75
1750-2499	110	21.0	158	5	7	18	27	34	53	60
2500+	39	10.2	88	1	2	8	13	19	40	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1489	4.3	2	2	3	4	5	6	7	8
B. *Operated*	3	32.0	1884	4	4	10	64	82	82	82
2. MULTIPLE DX										
A. *Not Operated*	2753	9.5	100	3	3	6	10	21	30	50
B. *Operated*	303	35.1	549	5	8	31	57	82	99+	99+
1. SINGLE DX	1492	4.4	7	2	3	4	5	6	7	8
2. MULTIPLE DX	3056	12.1	202	3	3	6	14	30	47	85
A. NOT OPERATED	4242	7.7	72	2	3	5	7	16	24	47
B. OPERATED	306	35.0	556	5	8	31	57	82	99+	99+
TOTAL 1-999 G	42	68.4	356	31	46	81	90	99+	99+	99+
1000-1499	163	45.3	260	24	26	47	58	68	82	99+
1500-1749	182	29.0	151	13	16	27	35	43	51	72
1750-2499	1620	9.6	62	3	3	6	13	21	25	40
2500+	2541	4.9	9	2	3	5	6	7	8	14
GRAND TOTAL	**4548**	**9.6**	**151**	**3**	**3**	**5**	**8**	**23**	**36**	**75**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	23	2.9	1	1	2	3	3	4	5	6
2500+	324	2.3	1	1	1	2	3	3	4	7
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	5	30.0	233	7	7	37	41	43	43	43
1500-1749	7	23.9	60	14	15	22	31	33	34	34
1750-2499	62	8.1	37	2	2	7	12	16	20	26
2500+	221	3.7	7	1	2	3	4	6	8	15
B. *Operated*										
1-999 G	3	94.7	10	91	91	97	99+	99+	99+	99+
1000-1499	4	67.0	1028	22	22	74	86	98	98	98
1500-1749	2	27.5	421	13	13	27	42	42	42	42
1750-2499	2	26.5	13	24	24	26	29	29	29	29
2500+	15	7.2	35	2	2	5	11	18	19	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	347	2.4	1	1	1	2	3	3	4	7
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	295	5.5	39	1	2	3	6	13	18	36
B. *Operated*	26	29.5	1195	2	2	16	74	98	99+	99+
1. SINGLE DX	348	2.4	1	1	1	2	3	3	4	7
2. MULTIPLE DX	321	7.5	173	2	2	3	7	16	28	97
A. NOT OPERATED	642	3.8	21	1	1	3	3	7	12	27
B. OPERATED	27	28.5	1177	2	2	13	74	98	99+	99+
TOTAL 1-999 G	3	94.7	10	91	91	97	99+	99+	99+	99+
1000-1499	9	46.4	882	7	13	41	74	88	98	98
1500-1749	9	24.7	100	13	13	22	32	39	42	42
1750-2499	87	7.2	41	2	2	4	11	16	21	28
2500+	561	3.0	5	1	1	3	3	5	7	13
GRAND TOTAL	**669**	**4.8**	**90**	**1**	**1**	**3**	**4**	**9**	**16**	**74**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	3.2	22	<1	<1	1	2	10	16	18
20-34	5	1.8	1	1	1	1	3	3	3	3
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	5	2.6	1	1	1	3	3	4	4	4
65+	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*										
0-19 YRS	610	2.1	2	<1	<1	2	3	4	5	7
20-34	743	2.1	3	<1	1	2	3	4	5	9
35-49	345	2.4	3	<1	1	2	3	4	5	9
50-64	268	2.5	4	1	1	2	3	5	6	11
65+	150	3.5	18	1	1	3	4	6	8	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	8.4	628	<1	<1	1	1	28	79	88
20-34	9	1.4		<1	<1	1	2	2	2	2
35-49	6	1.7	1	<1	<1	1	3	3	3	3
50-64	10	2.2	4	<1	<1	1	3	5	7	7
65+	14	5.4	45	<1	1	3	4	19	20	20
B. *Operated*										
0-19 YRS	289	3.3	23	<1	1	2	3	6	9	18
20-34	218	3.4	12	1	1	2	4	7	11	18
35-49	163	4.0	22	1	1	3	5	7	10	29
50-64	175	4.1	15	1	1	3	5	8	11	24
65+	174	4.7	16	1	2	3	5	9	14	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	2.8	12	<1	1	2	3	5	10	18
B. *Operated*	2116	2.3	4	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	51	4.4	158	<1	<1	1	3	5	19	87
B. *Operated*	1019	3.8	18	1	1	3	4	7	11	23
1. SINGLE DX	2145	2.3	4	<1	1	2	3	4	5	10
2. MULTIPLE DX	1070	3.8	24	1	1	3	4	7	11	24
A. NOT OPERATED	80	3.8	105	<1	<1	1	3	5	15	68
B. OPERATED	3135	2.8	9	<1	1	2	3	5	7	14
TOTAL 0-19 YRS	926	2.6	17	<1	1	2	3	4	6	13
20-34	975	2.4	5	<1	1	2	3	4	5	12
35-49	516	2.9	10	<1	1	2	3	5	7	17
50-64	458	3.1	8	1	1	2	4	6	8	13
65+	340	4.2	18	1	1	3	5	8	12	21
GRAND TOTAL	**3215**	**2.8**	**11**	**<1**	**1**	**2**	**3**	**5**	**7**	**14**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	5.0	18	2	2	5	8	8	8	8
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	1.2		<1	1	1	1	2	2	3
20-34	33	2.4	2	1	1	2	3	5	6	8
35-49	87	2.4	7	1	1	2	2	3	5	18
50-64	211	1.6	1	1	1	1	2	2	3	6
65+	186	1.6	1	1	1	1	2	2	2	7
B. *Operated*										
0-19 YRS	4	5.0	14	1	1	4	7	10	10	10
20-34	67	2.7	8	<1	<1	1	3	6	8	14
35-49	81	3.0	8	<1	<1	2	4	6	10	13
50-64	66	4.7	21	<1	1	4	5	8	17	24
65+	78	3.4	14	<1	<1	3	4	7	10	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	1.0		1	1	1	1	1	1	1
B. *Operated*	4	3.3	10	<1	<1	2	5	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	542	1.8	2	1	1	2	2	2	3	7
B. *Operated*	296	3.5	13	<1	<1	2	4	7	10	21
1. SINGLE DX	23	1.4	2	<1	1	1	1	2	4	8
2. MULTIPLE DX	838	2.4	7	<1	1	2	2	5	7	14
A. NOT OPERATED	561	1.7	2	1	1	1	2	2	3	7
B. OPERATED	300	3.5	13	<1	<1	2	4	7	10	20
TOTAL 0-19 YRS	42	1.5	3	1	1	1	1	3	4	10
20-34	102	2.5	6	<1	<1	2	3	5	7	14
35-49	174	2.7	7	<1	<1	2	3	5	7	13
50-64	279	2.3	7	1	1	2	2	4	6	19
65+	264	2.1	6	<1	1	1	2	4	6	14
GRAND TOTAL	**861**	**2.3**	**6**	**<1**	**1**	**2**	**2**	**5**	**6**	**14**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	864	2.2	17	<1	<1	1	2	4	5	16
20-34	1274	2.2	21	<1	<1	1	2	4	6	17
35-49	466	2.1	16	<1	1	1	2	4	6	16
50-64	385	2.1	8	<1	1	1	2	4	5	15
65+	354	6.1	76	<1	1	2	8	18	27	99+
B. *Operated*										
0-19 YRS	342	3.1	10	<1	<1	2	4	7	9	13
20-34	1052	3.3	18	<1	<1	2	4	7	9	14
35-49	626	3.7	10	1	1	2	5	9	10	14
50-64	398	4.5	24	1	1	3	7	10	12	26
65+	265	6.0	24	1	1	5	9	12	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3403	3.9	48	1	1	2	4	7	10	40
20-34	2899	4.4	55	1	1	2	4	7	16	44
35-49	4943	3.9	39	1	1	2	5	6	10	33
50-64	13279	3.9	36	1	1	2	4	6	10	35
65+	14231	6.2	80	1	1	3	6	16	25	45
B. *Operated*										
0-19 YRS	1414	3.4	42	<1	1	1	3	8	12	33
20-34	1664	4.7	59	<1	1	3	5	9	14	45
35-49	1959	5.5	46	1	1	4	6	11	15	40
50-64	3091	6.2	61	1	1	4	8	12	19	45
65+	3391	8.2	109	1	1	5	10	18	30	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3343	2.6	25	<1	<1	1	2	5	8	29
B. *Operated*	2683	3.8	17	<1	<1	2	5	9	10	16
2. MULTIPLE DX										
A. *Not Operated*	38755	4.8	56	1	1	3	5	9	19	42
B. *Operated*	11519	6.1	72	1	1	3	7	13	20	50
1. SINGLE DX	6026	3.1	22	<1	<1	2	3	7	10	21
2. MULTIPLE DX	50274	5.1	60	1	1	3	5	10	19	44
A. NOT OPERATED	42098	4.6	54	1	1	2	5	8	18	42
B. OPERATED	14202	5.7	63	1	1	3	7	12	18	46
TOTAL 0-19 YRS	6023	3.5	40	<1	1	2	4	6	10	36
20-34	6889	3.9	45	<1	<1	2	4	7	11	35
35-49	7994	4.2	38	1	1	2	5	8	12	35
50-64	17153	4.3	40	1	1	2	5	8	12	36
65+	18241	6.6	85	1	1	3	6	17	26	48
GRAND TOTAL	**56300**	**4.9**	**56**	**1**	**1**	**3**	**5**	**10**	**18**	**43**

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – ***see Appendicitis, acute***
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – ***see Dependence***
	Adenocarcinoma – ***see Neoplasm, malignant***
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs – *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer – *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer — *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve — *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes — *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease – *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease – *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma — *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
13	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

R 3850-1.4U
11/86

LOS

LENGTH OF STAY

CPHA PUBLICATIONS

Length of Stay by Operation, North Central Region, 1985

A Companion Volume To Length of Stay by Diagnosis, North Central Region, 1985

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1986

LENGTH OF STAY

Copyright 1986 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1985
. . . by Diagnosis, United States, North Central Region, 1985
. . . by Diagnosis, United States, Northeastern Region, 1985
. . . by Diagnosis, United States, Southern Region, 1985
. . . by Diagnosis, United States, Western Region, 1985
. . . by Diagnosis, Canada, 1985

. . . by Operation, United States, 1985
. . . by Operation, United States, North Central Region, 1985
. . . by Operation, United States, Northeastern Region, 1985
. . . by Operation, United States, Southern Region, 1985
. . . by Operation, United States, Western Region, 1985
. . . by Operation, Canada, 1985

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1985
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1985

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1985 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1985 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1985 LENGTH OF STAY BOOKS

Peg Eby, Research Assistant, Research Services
Carol A. Prevost, Research Associate
Jeanine DeLay, Assistant Director
Edward J. Kobrinski, Director

CONTENTS

Preface iii

Discussion of the Data 1

- Source of the Data. 1
- Data Quality. 2
- Coverage 3
- Organization of Length of Stay Tables. 5
  - Definition of Multiple Diagnosis Patients 5
  - Definition of Operated Patients 6
- Explanation of Statistics. 6
- Defining the Extended Stay Case 7

Length of Stay Tables 15

- Summary of All Patients. 16
- Operation Groups 501-764 17

Appendix: ***ICD-9-CM*** **Codes for Selected Operation Groups** 83

Index to Length of Stay Tables 87

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.


Northeast
North Central
West
Pacific **
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.

January-December 1985

	Short-Term Nonfederal Hospitals			Short-Term Nonfederal Hospital Beds		
	U.S. Total[2]	Number in Books	Percent in Books	U.S. Total[2]	Number in Books	Percent in Books
Hospital Category						
Bedsize						
6-24	332	44	13.3	6,138	880	14.3
25-49	1,161	226	19.5	42,908	8,735	20.3
50-99	1,283	383	29.9	92,066	27,587	30.0
100-199	1,221	393	32.2	172,860	56,242	32.5
200-299	703	232	33.0	170,564	57,368	33.6
300-399	415	142	34.2	141,454	48,545	34.3
400-499	265	90	34.0	117,253	39,787	33.9
500+	307	73	23.8	212,299	47,783	22.5
Total	5,687	1,583	27.8	955,542	286,927	30.0
Region and Census Division						
Northeast	814	342	42.0	205,568	67,158	32.7
New England	241	131	54.4	48,426	20,234	41.8
Middle Atlantic	573	211	36.8	157,142	46,924	29.9
North Central	1,673	515	30.8	267,603	105,699	39.5
East North Central	880	418	47.5	182,843	90,510	49.5
West North Central	793	97	12.2	84,760	15,189	17.9
South	2,139	366	17.1	338,647	61,836	18.3
South Atlantic	810	186	23.0	158,360	34,351	21.7
East South Central	496	89	17.9	71,653	13,196	18.4
West South Central	833	91	10.9	108,634	14,289	13.2
West	1,061	360	33.9	143,724	52,234	36.3
Mountain	370	153	41.4	40,264	19,940	49.5
Pacific	691	207	30.0	103,460	32,294	31.2
Total	5,687	1,583	27.8	955,542	286,927	30.0

The Pediatric book was compiled from the data of 1,569 hospitals. The Geriatric book was compiled from the data of 1,559 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1984 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Procedure information for all patient data included in this book was coded using *ICD-9-CM.*

In *List B* there are 250 groups that contain at least one UHDDS Class 1 procedure. Fourteen of the 264 *List B* groups consist solely of Class 2, 3, or 4 procedures. This book displays data only for those 250 groups with Class 1 procedures.

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are patients with an *ICD-9-CM* procedure code that fell into a UHDDS category containing at least one Class 1 procedure. Class 1 procedures are defined as those procedures that carry an operative or anesthetic risk, require highly trained personnel, or require special facilities or equipment. The following *ICD-9-CM List B* codes contain a mixture of Class 1 and 2-4 procedures: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. All the other *ICD-9-CM List B* groups contain only Class 1 procedures or they contain only Class 2-4 procedures and are excluded from this book.

Explanation of Statistics

The *List B* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in the *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the correct day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, whether the patient had single or multiple diagnoses, and the patient's age.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and different lengths of stay) could be appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy); primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung); and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the contemplated operation in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. Procedures can also be found in the Alphabetic Index at the back of the length of stay books.

c. If an operation is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 3 of *ICD-9-CM.*[3] That code can then be located in *List B* or in the heading of the length of stay table.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 57-year-old patient is admitted to a hospital for elective surgery, a transurethral resection. The admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 3, Procedures: Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening.* Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	3		261
Criteria for admission			
1. Diastolic BP > 110			
2. Not controlled by outpatient Rx			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	2		235
for: Cystoscopy			636
TUR			648
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. Sepsis or fever > 102°, chills			
2. Abscess formation			

b. The Alphabetic Index at the back of the operation length of stay book also shows that TUR is included in operation group 648.

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	**Transurethral approach**
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.



Procedure **INDEX TO PROCEDURES**

- **Procedure** — *continued*
  - diagnostic NEC — *continued*
    - pleura 34.28
    - posterior chamber, eye 14.19
    - prostate 60.18
    - pulmonary 33.29
    - rectum 48.29
    - renal 55.29
    - respiratory 33.29
    - retina 14.19
    - retroperitoneum 59.29
    - salivary gland or duct 26.19
    - sclera 12.29
    - scrotum 61.19
    - seminal vesicle 60.19
    - sigmoid 45.28
    - sinus, nasal 22.19
    - skin 86.19
    - skull 01.19
    - soft tissue 83.29
    - spermatic cord 63.09
    - sphincter of Oddi 51.19
    - spine, spinal (canal) (cord) (meninges) (structure) 03.39
    - spleen 41.39
    - stomach 44.19
    - subcutaneous tissue 86.19
    - sympathetic nerve 05.19
    - tarsus 09.19
    - tendon NEC 83.29
      - extraocular 15.09
    - testicle 62.19
    - thalamus 01.18
    - thoracic duct 40.19
    - thorax 34.28
    - thymus 07.19
    - thyroid gland 06.19
    - tongue 25.09
    - tonsils 28.19
    - tooth 24.19
    - trachea 31.49
    - tunica vaginalis 61.19
    - ureter 56.39
    - urethra 58.29
    - uterus and supporting structures 68.19
    - uvula 27.29
    - vagina 70.29
    - vas deferens 63.09
    - vesical 57.39
    - vessel (blood) (any site) 38.29
    - vitreous 14.19
    - vulva 71.19
  - fistulizing, sclera NEC 12.69
  - miscellaneous (nonoperative) NEC 99.99
  - respiratory (nonoperative) NEC 93.99
  - surgical — *see* Operation
- **Proctectasis** 96.22
- **Proctectomy** (partial) *(see also* Resection, rectum) 48.69
  - abdominoperineal 48.5
- **Proctectomy** (partial) — *continued*
  - complete (Miles) (Rankin) 48.5
  - pull-through 48.49
- **Proctoclysis** 96.37
- **Proctolysis** 48.99
- **Proctopexy** (Delorme) 48.76
  - abdominal (Ripstein) 48.75
- **Proctoplasty** 48.79
- **Proctorrhaphy** 48.71
- **Proctoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctosigmoidectomy** *(see also* Resection, rectum) 48.69
- **Proctosigmoidopexy** 48.76
- **Proctosigmoidoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctostomy** 48.1
- **Proctotomy** (decompression) (linear) 48.0
- **Production** — *see also* Formation
  - atrial septal defect 35.42
  - subcutaneous tunnel for esophageal anastomosis 42.86
    - with anastomosis — *see* Anastomosis, esophagus, antesternal
- **Prognathic recession** 76.64
- **Prophylaxis, dental** (scaling) (polishing) 96.54
- **Prostatectomy (complete) (partial) NEC** 60.69
  - loop 60.2
  - perineal 60.62
  - radical (any approach) 60.5
  - retropubic (punch) (transcapsular) 60.4
  - suprapubic (punch) (transvesical) 60.3
  - transcapsular NEC 60.69
    - retropubic 60.4
  - **transurethral** 60.2
  - transvesical punch (suprapubic) 60.3
- **Prostatocystotomy** 60.0
- **Prostatolithotomy** 60.0
- **Prostatotomy** (perineal) 60.0
- **Prostatovesiculectomy** 60.5
- **Protection** (of)
  - individual from his surroundings 99.84
  - surroundings from individual 99.84
- **Psychoanalysis** 94.31
- **Psychodrama** 94.43
- **Psychotherapy** NEC 94.39
  - biofeedback 94.39
  - exploratory verbal 94.37
  - group 94.44
    - for psychosexual dysfunctions 94.41
  - play 94.36
  - psychosexual dysfunctions 94.34
  - supportive verbal 94.38
- **Ptyalectasis** 26.91
- **Ptyalithotomy** 26.0
- **Ptyalolithotomy** 26.0

Step 2. Find the table for group 648 in the length of stay book.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top five lines of the table (1. Single Dx).

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

The patient was admitted on 3 November; therefore the sixth day will fall on 9 November. Prior to or on 9 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	115306	3.2	19	<1	1	2	4	6	8	21
20-34	261841	3.3	8	1	1	3	4	6	7	14
35-49	96525	4.4	17	1	1	3	6	9	11	20
50-64	77063	5.0	22	1	1	4	7	10	13	22
65+	60234	5.9	29	1	1	4	8	12	15	24
2. MULTIPLE DX										
0-19 YRS	125182	5.6	74	1	1	3	6	11	19	54
20-34	278347	5.2	33	1	2	4	6	9	13	31
35-49	208448	6.8	46	1	2	5	8	13	18	36
50-64	280895	8.1	62	1	2	6	10	16	22	41
65+	486647	9.5	67	2	2	7	12	18	24	42
TOT. SINGLE DX	610969	3.9	16	1	1	3	5	8	11	19
" MULTIPLE DX	1379519	7.6	60	1	2	5	9	15	21	40
TOTAL 0-19 YRS	240488	4.4	49	1	1	3	5	8	13	41
20-34	540188	4.3	22	1	1	3	5	7	10	24
35-49	304973	6.0	38	1	1	5	7	12	16	32
50-64	357958	7.4	55	1	2	5	9	15	20	38
65+	546881	9.1	64	2	2	7	12	18	23	41
GRAND TOTAL	**1990488**	**6.5**	**49**	**1**	**1**	**4**	**8**	**13**	**19**	**36**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	161	8.2	27	2	2	7	11	16	19	27
20-34	172	10.8	75	3	4	9	14	19	23	29
35-49	185	11.7	69	4	5	10	14	22	26	51
50-64	216	12.8	85	4	5	10	15	23	31	54
65+	184	13.7	92	5	6	10	16	28	31	54
2. MULTIPLE DX										
0-19 YRS	280	15.9	250	2	3	11	20	37	52	95
20-34	260	20.7	342	4	6	15	26	55	77	99+
35-49	325	19.9	304	4	6	14	24	44	76	99+
50-64	692	18.7	200	5	7	15	23	41	55	99+
65+	914	20.5	188	6	7	17	25	38	51	72
TOT. SINGLE DX	918	11.6	75	3	4	10	14	21	27	47
" MULTIPLE DX	2471	19.4	232	4	6	15	24	42	57	99+
TOTAL 0-19 YRS	441	13.1	183	2	2	9	15	28	44	93
20-34	432	16.7	259	3	5	12	20	40	62	99+
35-49	510	16.9	235	4	5	13	19	38	59	99+
50-64	908	17.3	179	5	6	13	22	37	51	99+
65+	1098	19.3	179	5	7	16	25	36	47	69
GRAND TOTAL	**3389**	**17.3**	**201**	**4**	**5**	**13**	**22**	**36**	**51**	**99**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	88	6.9	28	2	3	6	8	14	17	31
20-34	48	8.7	25	3	4	8	10	16	21	99+
35-49	51	12.2	70	3	5	10	16	21	33	42
50-64	64	12.2	164	4	5	8	13	20	38	73
65+	55	14.3	107	4	5	12	18	25	31	54
2. MULTIPLE DX										
0-19 YRS	151	16.9	292	3	4	11	21	42	62	99+
20-34	135	18.4	284	4	5	13	26	54	99+	99+
35-49	107	21.2	309	5	6	17	26	47	64	98
50-64	171	21.5	237	5	7	17	29	42	57	90
65+	249	21.8	210	7	9	18	28	42	53	85
TOT. SINGLE DX	306	10.5	85	3	3	8	13	20	27	59
" MULTIPLE DX	813	20.2	259	4	6	16	27	44	62	99+
TOTAL 0-19 YRS	239	13.2	218	3	3	8	14	32	47	90
20-34	183	15.9	234	3	5	11	21	44	95	99+
35-49	158	18.3	249	4	5	13	23	37	58	95
50-64	235	18.9	234	4	5	14	24	41	55	81
65+	304	20.5	200	6	8	16	27	40	51	82
GRAND TOTAL	**1119**	**17.5**	**230**	**4**	**5**	**13**	**23**	**40**	**57**	**99+**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	221	4.7	5	2	2	4	6	8	9	12
20-34	61	5.0	7	1	2	4	7	9	12	99+
35-49	22	7.6	55	1	2	5	8	19	28	30
50-64	15	7.2	21	3	4	6	8	8	19	23
65+	6	8.3	44	2	2	6	9	20	21	21
2. MULTIPLE DX										
0-19 YRS	173	9.0	142	2	3	6	9	16	42	98
20-34	121	11.1	164	3	3	8	13	22	36	89
35-49	63	9.1	39	2	3	8	12	17	22	32
50-64	34	9.9	71	3	3	8	12	23	32	37
65+	25	15.3	174	3	6	10	21	32	43	60
TOT. SINGLE DX	325	5.1	11	2	2	4	6	8	10	27
" MULTIPLE DX	416	10.1	131	2	3	7	11	21	34	88
TOTAL 0-19 YRS	394	6.6	70	2	2	5	7	10	15	65
20-34	182	9.0	120	2	3	6	10	19	28	99+
35-49	85	8.8	44	2	3	7	11	17	24	32
50-64	49	9.1	57	3	3	8	10	20	24	37
65+	31	14.0	155	2	5	9	20	29	38	60
GRAND TOTAL	**741**	**7.9**	**84**	**2**	**3**	**5**	**9**	**14**	**24**	**81**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	115	6.0	12	2	2	5	7	9	13	21
20-34	24	8.8	21	4	4	7	11	17	17	18
35-49	14	6.1	8	3	4	5	8	9	13	14
50-64	18	9.3	41	3	4	8	12	13	24	32
65+	44	11.9	47	5	6	10	13	23	28	35
2. MULTIPLE DX										
0-19 YRS	264	15.9	335	3	3	9	19	46	74	99+
20-34	79	18.3	297	3	4	13	28	53	95	99+
35-49	41	19.6	319	4	6	14	26	70	84	99+
50-64	102	19.6	290	4	5	14	26	45	70	99+
65+	227	21.5	171	6	7	18	29	39	49	68
TOT. SINGLE DX	215	7.8	28	2	3	6	9	14	18	32
" MULTIPLE DX	713	18.7	276	3	4	14	26	45	68	99+
TOTAL 0-19 YRS	379	[illegible]	258	2	3	7	14	34	58	99+
20-34	103	16.1	248	3	4	11	23	37	73	99+
35-49	55	16.2	274	4	4	10	22	44	74	99+
50-64	120	18.1	266	4	5	13	24	43	64	99+
65+	271	19.9	164	6	7	17	28	36	47	64
GRAND TOTAL	**928**	**16.2**	**239**	**3**	**4**	**10**	**22**	**38**	**56**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	214	5.0	15	1	2	4	6	9	12	24
20-34	56	8.0	50	1	2	6	10	16	25	30
35-49	32	8.2	28	1	2	8	11	15	17	25
50-64	21	7.0	22	2	2	6	11	15	16	16
65+	22	10.6	29	2	3	11	15	18	19	19
2. MULTIPLE DX										
0-19 YRS	812	8.5	111	1	2	5	9	20	29	56
20-34	167	15.5	236	2	3	9	18	40	50	81
35-49	108	16.7	195	2	4	12	23	38	44	88
50-64	146	17.5	211	3	4	14	23	37	50	65
65+	149	19.9	312	2	4	15	26	41	62	96
TOT. SINGLE DX	345	6.3	27	1	2	5	8	14	16	27
" MULTIPLE DX	1382	12.2	185	2	2	7	15	30	42	76
TOTAL 0-19 YRS	1026	7.8	94	1	2	5	8	17	26	54
20-34	223	13.6	200	2	2	8	16	34	45	79
35-49	140	14.8	170	2	3	11	19	35	43	81
50-64	167	16.2	200	2	3	12	21	35	49	64
65+	171	18.7	285	2	4	14	25	40	59	95
GRAND TOTAL	**1727**	**11.0**	**159**	**2**	**2**	**6**	**13**	**27**	**38**	**71**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	18	10.0	37	3	4	8	15	21	23	23
20-34	196	8.5	23	3	4	8	10	14	18	28
35-49	494	8.1	27	3	4	7	10	14	17	26
50-64	492	8.7	27	3	4	8	10	15	17	29
65+	303	10.0	26	4	5	9	12	16	19	32
2. MULTIPLE DX										
0-19 YRS	67	15.3	202	5	6	10	19	28	51	70
20-34	249	13.9	123	4	5	10	17	31	40	61
35-49	630	11.6	89	4	4	9	13	21	29	57
50-64	1071	13.3	124	4	5	10	15	24	32	68
65+	1235	15.3	96	5	7	12	19	27	35	54
TOT. SINGLE DX	1503	8.7	27	3	4	8	10	14	18	28
" MULTIPLE DX	3252	13.8	110	4	5	11	17	26	34	60
TOTAL 0-19 YRS	85	14.2	171	5	6	9	17	25	49	70
20-34	445	11.6	87	3	4	9	13	24	33	46
35-49	1124	10.1	65	3	4	8	12	17	24	49
50-64	1563	11.8	99	4	5	9	14	21	28	60
65+	1538	14.2	87	5	6	11	17	26	32	53
GRAND TOTAL	**4755**	**12.2**	**90**	**4**	**5**	**9**	**14**	**23**	**30**	**54**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	54	8.6	91	1	2	5	11	16	26	58
20-34	177	6.6	37	1	1	5	10	14	17	26
35-49	167	6.6	32	1	1	5	9	15	19	27
50-64	91	6.7	22	1	1	6	10	13	17	66
65+	43	8.4	97	1	1	5	10	17	32	49
2. MULTIPLE DX										
0-19 YRS	108	14.4	165	2	4	10	18	29	44	88
20-34	227	10.7	115	1	2	8	13	25	33	58
35-49	327	11.5	133	2	2	9	13	25	36	66
50-64	253	13.8	151	2	3	10	17	29	37	70
65+	197	16.0	114	3	4	13	22	30	37	61
TOT. SINGLE DX	532	7.0	44	1	1	5	10	15	18	35
" MULTIPLE DX	1112	12.9	137	2	3	10	16	28	37	67
TOTAL 0-19 YRS	162	12.5	148	2	3	9	16	25	36	77
20-34	404	8.9	85	1	2	6	12	18	29	50
35-49	494	9.9	105	1	2	7	12	20	29	64
50-64	344	11.9	127	1	3	9	15	24	34	70
65+	240	14.7	120	1	3	12	20	30	37	56
GRAND TOTAL	**1644**	**11.0**	**115**	**1**	**2**	**8**	**14**	**24**	**32**	**62**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	33	2.8	5	1	1	2	3	6	7	11
20-34	132	3.1	7	<1	1	2	3	7	9	14
35-49	229	3.6	9	1	1	2	5	8	10	14
50-64	231	3.2	15	1	1	2	3	7	10	17
65+	120	2.8	4	1	1	2	3	6	8	12
2. MULTIPLE DX										
0-19 YRS	37	4.3	15	1	1	3	6	13	15	99+
20-34	127	5.5	50	1	1	3	6	13	17	38
35-49	182	6.0	102	1	1	3	5	13	17	62
50-64	251	5.5	37	1	1	3	7	13	18	28
65+	204	7.1	105	1	1	4	8	15	25	58
TOT. SINGLE DX	745	3.2	10	1	1	2	4	7	9	14
" MULTIPLE DX	801	6.0	71	1	1	3	7	13	19	47
TOTAL 0-19 YRS	70	3.6	11	1	1	2	4	8	13	82
20-34	259	4.3	30	1	1	2	5	10	13	33
35-49	411	4.6	52	1	1	3	5	10	13	45
50-64	482	4.4	28	1	1	3	5	10	15	25
65+	324	5.5	72	1	1	3	6	11	18	39
GRAND TOTAL	**1546**	**4.7**	**44**	**1**	**1**	**3**	**5**	**10**	**14**	**34**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	102	2.7	9	<1	1	2	3	5	8	19
20-34	559	2.1	2	<1	1	2	2	4	5	9
35-49	729	2.2	3	<1	1	2	2	4	5	10
50-64	609	2.2	2	<1	1	2	3	4	5	9
65+	217	2.7	5	<1	1	2	3	6	9	11
2. MULTIPLE DX										
0-19 YRS	204	2.4	9	<1	1	2	3	4	6	25
20-34	595	3.3	30	<1	1	2	3	6	10	28
35-49	808	4.0	21	1	1	2	5	9	13	24
50-64	792	4.3	38	1	1	2	5	9	13	27
65+	607	4.3	30	1	1	2	5	10	14	27
TOT. SINGLE DX	2216	2.3	4	<1	1	2	3	4	6	10
" MULTIPLE DX	3006	3.9	29	1	1	2	4	8	12	27
TOTAL 0-19 YRS	306	2.5	10	<1	1	2	3	5	7	19
20-34	1154	2.7	18	<1	1	2	3	5	7	21
35-49	1537	3.2	14	<1	1	2	3.	7	10	20
50-64	1401	3.4	24	<1	1	2	3	7	10	20
65+	824	3.9	25	1	1	2	4	9	12	24
GRAND TOTAL	**5222**	**3.2**	**19**	**<1**	**1**	**2**	**3**	**7**	**10**	**21**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	3.6	6	1	1	5	5	6	6	6
20-34	40	5.6	24	1	2	5	6	10	16	27
35-49	28	6.7	23	2	3	5	8	16	18	20
50-64	22	6.1	10	2	3	6	8	10	13	15
65+	13	8.9	16	2	4	8	11	15	16	16
2. MULTIPLE DX										
0-19 YRS	5	4.2	3	2	2	4	6	6	6	6
20-34	55	6.7	14	2	3	6	8	11	13	23
35-49	49	9.7	20	4	5	8	12	16	19	23
50-64	82	12.6	69	3	4	10	16	26	31	36
65+	164	11.6	40	4	5	10	15	20	23	38
TOT. SINGLE DX	108	6.3	20	1	2	5	8	12	16	23
" MULTIPLE DX	355	10.7	44	3	4	9	13	20	23	37
TOTAL 0-19 YRS	10	3.9	4	1	1	4	6	6	6	6
20-34	95	6.2	19	2	2	5	8	11	14	25
35-49	77	8.6	24	3	4	7	12	16	19	22
50-64	104	11.2	64	3	3	9	14	23	30	35
65+	177	11.4	40	4	5	10	15	19	22	38
GRAND TOTAL	**463**	**9.7**	**42**	**2**	**4**	**8**	**12**	**18**	**22**	**32**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	44	5.2	22	1	1	4	7	11	16	22
35-49	56	5.0	15	1	1	4	6	11	15	19
50-64	27	5.1	17	<1	1	4	8	11	14	17
65+	8	5.9	14	2	2	5	9	11	11	11
2. MULTIPLE DX										
0-19 YRS	3	4.3	2	3	3	4	5	6	6	6
20-34	55	7.4	59	1	2	4	9	17	24	39
35-49	120	8.1	55	1	1	6	10	19	23	38
50-64	110	8.1	62	1	2	7	10	13	19	46
65+	104	9.6	65	1	2	7	14	19	26	38
TOT. SINGLE DX	138	5.1	18	1	1	4	7	11	14	19
" MULTIPLE DX	392	8.4	60	1	2	6	10	18	23	42
TOTAL 0-19 YRS	6	3.0	4	1	1	3	4	6	6	6
20-34	99	6.4	44	1	1	4	8	15	21	34
35-49	176	7.1	44	1	1	5	9	16	22	35
50-64	137	7.5	55	1	2	6	10	13	18	45
65+	112	9.4	63	1	2	7	13	19	25	37
GRAND TOTAL	**530**	**7.5**	**51**	**1**	**1**	**5**	**10**	**16**	**21**	**39**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	119	3.2	3	1	1	3	4	5	7	12
20-34	702	3.4	2	1	2	3	4	5	6	10
35-49	862	3.4	3	1	2	3	4	5	6	9
50-64	572	3.6	3	1	2	3	4	5	6	11
65+	229	4.2	7	2	2	4	5	6	7	15
2. MULTIPLE DX										
0-19 YRS	49	4.4	6	1	1	4	5	7	8	14
20-34	409	4.3	8	2	2	4	5	7	9	14
35-49	543	4.4	9	2	2	4	5	7	9	19
50-64	683	5.3	31	2	2	4	6	9	14	24
65+	548	7.7	67	2	3	5	8	14	23	44
TOT. SINGLE DX	2484	3.5	4	1	2	3	4	5	6	11
" MULTIPLE DX	2232	5.5	32	2	2	4	6	9	14	35
TOTAL 0-19 YRS	168	3.5	5	1	1	3	4	6	8	12
20-34	1111	3.7	5	1	2	3	4	6	7	13
35-49	1405	3.8	6	1	2	3	4	6	7	15
50-64	1255	4.6	19	2	2	4	5	7	10	20
65+	777	6.7	52	2	2	5	7	12	18	43
GRAND TOTAL	**4716**	**4.4**	**18**	**1**	**2**	**4**	**5**	**7**	**10**	**22**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	217	2.0	1	<1	1	2	3	3	4	6
20-34	144	2.4	2	1	1	2	3	4	5	9
35-49	118	3.1	4	1	1	3	4	6	8	12
50-64	106	3.8	4	1	2	3	5	7	8	11
65+	41	4.6	22	1	2	3	5	7	9	32
2. MULTIPLE DX										
0-19 YRS	42	3.8	16	1	1	2	5	9	11	21
20-34	116	6.6	43	2	2	5	7	13	20	67
35-49	164	6.4	32	1	2	5	8	12	18	32
50-64	267	7.9	56	2	3	6	9	15	20	42
65+	263	8.7	65	2	3	6	11	19	24	55
TOT. SINGLE DX	626	2.8	5	1	1	2	3	5	6	10
" MULTIPLE DX	852	7.5	52	2	2	5	9	15	21	37
TOTAL 0-19 YRS	259	2.3	4	<1	1	2	3	4	6	11
20-34	260	4.3	25	1	1	3	5	9	12	32
35-49	282	5.0	23	1	1	4	6	10	13	27
50-64	373	6.7	45	2	2	5	8	13	18	35
65+	304	8.2	62	2	3	6	9	18	23	46
GRAND TOTAL	**1478**	**5.5**	**38**	**1**	**1**	**4**	**6**	**11**	**17**	**32**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	23	7.0	12	1	2	7	9	11	14	15
20-34	47	9.3	17	4	5	8	11	17	18	19
35-49	39	8.1	9	4	5	8	9	13	15	18
50-64	37	8.9	10	5	6	8	10	14	15	17
65+	20	8.6	11	5	6	8	9	14	16	17
2. MULTIPLE DX										
0-19 YRS	23	11.0	16	6	7	10	14	16	18	21
20-34	76	11.5	98	4	5	9	12	21	28	65
35-49	81	11.6	64	4	5	9	14	21	32	39
50-64	140	14.1	154	3	4	11	18	26	33	77
65+	102	15.1	105	4	6	13	18	28	38	54
TOT. SINGLE DX	166	8.5	13	4	5	8	10	14	16	19
" MULTIPLE DX	422	13.2	109	4	5	10	16	23	33	60
TOTAL 0-19 YRS	46	9.0	18	2	4	8	11	15	16	21
20-34	123	10.7	68	4	5	8	12	19	22	48
35-49	120	10.5	49	4	5	8	12	20	23	37
50-64	177	13.0	129	3	5	10	15	24	31	72
65+	122	14.1	95	4	6	12	17	26	35	53
GRAND TOTAL	**588**	**11.9**	**87**	**4**	**5**	**9**	**14**	**21**	**29**	**54**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	60	1.3		<1	<1	1	1	2	2	6
20-34	14	2.2	3	<1	<1	2	3	4	7	8
35-49	12	1.9		1	1	2	2	3	4	4
50-64	19	1.5		<1	1	1	2	3	3	3
65+	31	1.9		1	1	2	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	18	5.6	202	<1	<1	2	4	8	41	62
20-34	16	6.8	124	1	1	2	6	15	36	45
35-49	34	5.9	56	1	1	4	7	15	17	40
50-64	53	7.3	90	1	1	3	8	22	31	45
65+	111	6.0	44	1	1	3	8	16	20	33
TOT. SINGLE DX	136	1.6	1	<1	<1	1	2	3	3	6
" MULTIPLE DX	232	6.3	73	1	1	3	7	16	23	45
TOTAL 0-19 YRS	78	2.3	48	<1	<1	1	2	2	4	47
20-34	30	4.6	71	<1	1	2	3	11	15	45
35-49	46	4.8	44	1	1	3	5	11	17	40
50-64	72	5.8	73	1	1	2	6	17	24	42
65+	142	5.1	38	1	1	2	6	12	18	31
GRAND TOTAL	**368**	**4.6**	**52**	**<1**	**1**	**2**	**4**	**11**	**17**	**39**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	204	1.6	1	<1	<1	1	2	3	4	6
20-34	66	1.5		<1	<1	1	2	2	3	5
35-49	64	1.7	1	1	1	1	2	3	4	8
50-64	96	1.7	1	1	1	1	2	3	3	8
65+	66	2.0	3	<1	1	1	2	4	5	13
2. MULTIPLE DX										
0-19 YRS	364	2.6	7	<1	1	2	3	5	7	14
20-34	431	3.1	21	<1	1	2	4	6	8	18
35-49	365	3.5	22	1	1	2	4	8	10	27
50-64	340	3.3	42	1	1	2	3	6	8	28
65+	520	5.0	54	1	1	2	5	12	17	39
TOT. SINGLE DX	496	1.7	2	<1	1	1	2	3	4	7
" MULTIPLE DX	2020	3.6	32	1	1	2	4	7	11	26
TOTAL 0-19 YRS	568	2.2	5	<1	1	2	3	4	6	11
20-34	497	2.9	19	<1	1	2	3	5	7	18
35-49	429	3.2	20	1	1	2	4	7	9	21
50-64	436	2.9	34	1	1	2	3	5	7	24
65+	586	4.6	50	1	1	2	5	11	16	34
GRAND TOTAL	**2516**	**3.2**	**27**	**1**	**1**	**2**	**3**	**6**	**10**	**23**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	33	1.7	1	<1	1	1	2	3	6	7
20-34	41	1.6		1	1	1	2	2	3	4
35-49	38	1.9	2	1	1	1	2	4	5	8
50-64	45	1.8		1	1	2	2	3	4	5
65+	71	1.8		1	1	2	2	3	3	6
2. MULTIPLE DX										
0-19 YRS	41	2.0	2	1	1	1	2	4	6	9
20-34	33	2.1	2	<1	1	2	2	3	6	8
35-49	40	2.3	3	1	1	2	3	4	6	9
50-64	69	2.3	3	1	1	2	2	3	5	14
65+	147	2.7	7	1	1	2	2	4	10	14
TOT. SINGLE DX	228	1.8	1	1	1	2	2	3	4	6
" MULTIPLE DX	330	2.4	5	1	1	2	2	4	7	13
TOTAL 0-19 YRS	74	1.9	2	1	1	1	2	3	6	9
20-34	74	1.8	1	1	1	2	2	3	4	8
35-49	78	2.1	3	1	1	2	2	4	5	9
50-64	114	2.1	3	1	1	2	2	3	4	11
65+	218	2.4	6	1	1	2	2	4	7	13
GRAND TOTAL	**558**	**2.1**	**4**	**1**	**1**	**2**	**2**	**3**	**5**	**12**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	1.2		<1	<1	1	1	2	2	2
20-34	9	2.1	1	1	1	2	3	4	5	5
35-49	5	3.0	12	<1	<1	1	4	9	9	9
50-64	5	3.2	2	1	1	3	4	5	5	5
65+	9	2.9	4	1	1	2	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	18	5.1	61	<1	1	3	6	8	24	35
20-34	12	3.6	24	<1	<1	2	3	11	17	18
35-49	12	2.8	6	1	1	2	3	6	9	10
50-64	16	4.9	28	<1	1	2	7	11	17	20
65+	20	3.4	9	1	1	2	5	8	10	11
TOT. SINGLE DX	41	2.2	3	<1	<1	1	3	5	6	9
" MULTIPLE DX	78	4.0	27	1	1	2	5	9	11	31
TOTAL 0-19 YRS	31	3.4	39	<1	<1	1	4	7	8	35
20-34	21	3.0	15	<1	1	2	3	6	12	18
35-49	17	2.8	7	<1	1	2	3	8	10	10
50-64	21	4.5	22	<1	1	3	5	11	15	20
65+	29	3.2	8	1	1	2	5	7	10	11
GRAND TOTAL	**119**	**3.4**	**19**	**<1**	**1**	**2**	**4**	**8**	**10**	**25**

521: Corneal transplant (11.6)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	20	2.4	1	1	1	2	4	4	4	4
20-34	119	2.3	1	1	1	2	3	4	4	5
35-49	89	2.5	1	1	1	2	3	4	4	8
50-64	84	2.3	1	1	1	2	3	4	5	6
65+	289	2.7	2	1	1	3	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	17	3.1	8	1	1	3	3	7	11	12
20-34	48	3.0	2	1	1	3	4	5	6	9
35-49	53	2.8	2	1	1	3	4	4	6	8
50-64	184	3.5	6	1	2	3	4	6	8	15
65+	892	3.2	4	1	1	3	4	5	7	11
TOT. SINGLE DX	601	2.5	2	1	1	2	3	4	5	7
" MULTIPLE DX	1194	3.2	5	1	1	3	4	5	7	12
TOTAL 0-19 YRS	37	2.7	4	1	1	2	3	4	7	12
20-34	167	2.5	2	1	1	2	3	4	5	8
35-49	142	2.6	2	1	1	2	3	4	5	8
50-64	268	3.1	5	1	1	3	4	5	7	14
65+	1181	3.1	4	1	1	3	4	5	6	11
GRAND TOTAL	**1795**	**3.0**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	82	2.7	3	1	1	2	3	5	6	9
20-34	107	2.3	2	1	1	2	3	5	6	7
35-49	68	3.0	15	1	1	2	3	7	9	24
50-64	37	2.7	5	1	1	2	4	5	5	14
65+	35	2.3	5	<1	1	1	3	5	8	11
2. MULTIPLE DX										
0-19 YRS	79	4.1	6	1	1	3	6	7	9	13
20-34	99	4.2	7	1	1	4	5	7	9	16
35-49	58	4.3	12	1	1	3	6	8	10	21
50-64	47	4.8	18	1	1	3	6	11	14	20
65+	104	3.8	15	1	1	2	4	9	12	20
TOT. SINGLE DX	329	2.6	6	1	1	2	3	5	6	12
" MULTIPLE DX	387	4.2	11	1	1	3	6	8	11	17
TOTAL 0-19 YRS	161	3.4	5	1	1	3	4	6	8	12
20-34	206	3.2	6	1	1	3	4	6	7	12
35-49	126	3.6	14	1	1	2	4	8	9	23
50-64	84	3.9	14	1	1	3	5	9	14	18
65+	139	3.4	13	1	1	2	4	8	11	16
GRAND TOTAL	**716**	**3.4**	**9**	**1**	**1**	**2**	**4**	**7**	**9**	**14**

523: Operations for regulation of intraocular pressure (12.5-12.7)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	47	2.3	4	1	1	2	3	5	7	99+
20-34	39	3.1	6	<1	1	2	4	6	8	15
35-49	56	3.0	4	1	1	2	4	5	6	14
50-64	109	2.5	2	1	1	2	3	4	5	8
65+	190	2.5	3	1	1	2	3	4	6	10
2. MULTIPLE DX										
0-19 YRS	22	2.2	3	1	1	2	3	4	6	8
20-34	43	3.5	7	1	1	3	5	7	9	14
35-49	67	4.1	12	1	1	3	5	9	10	21
50-64	182	3.4	5	1	1	3	4	6	9	12
65+	533	3.6	15	1	1	3	4	6	8	19
TOT. SINGLE DX	441	2.6	4	1	1	2	3	4	6	12
" MULTIPLE DX	847	3.6	13	1	1	3	4	7	9	16
TOTAL 0-19 YRS	69	2.3	4	1	1	2	3	5	7	82
20-34	82	3.3	7	1	1	3	4	6	8	15
35-49	123	3.6	9	1	1	3	4	7	9	16
50-64	291	3.1	5	1	1	2	4	5	7	12
65+	723	3.4	13	1	1	2	4	6	8	17
GRAND TOTAL	**1288**	**3.3**	**10**	**1**	**1**	**2**	**4**	**6**	**8**	**15**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	40	3.7	8	<1	1	2	5	8	10	13
20-34	35	3.4	9	1	1	2	5	6	11	14
35-49	26	3.2	7	<1	1	2	5	8	9	11
50-64	44	2.0	1	1	1	2	2	3	4	5
65+	103	2.5	4	1	1	2	3	5	6	12
2. MULTIPLE DX										
0-19 YRS	45	4.7	12	1	1	4	6	10	11	16
20-34	68	5.0	17	1	1	4	6	9	12	22
35-49	41	3.8	7	1	1	3	4	8	11	99+
50-64	82	3.8	24	1	1	2	4	7	9	29
65+	333	4.4	28	1	1	3	5	9	12	24
TOT. SINGLE DX	248	2.8	6	1	1	2	3	6	7	13
" MULTIPLE DX	569	4.3	24	1	1	3	5	9	12	25
TOTAL 0-19 YRS	85	4.2	11	1	1	3	6	9	11	15
20-34	103	4.4	15	1	1	3	6	9	12	21
35-49	67	3.6	7	1	1	3	5	8	9	85
50-64	126	3.2	17	1	1	2	4	6	7	27
65+	436	3.9	24	1	1	2	4	8	12	20
GRAND TOTAL	**817**	**3.9**	**19**	**1**	**1**	**3**	**5**	**8**	**11**	**22**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	26	2.0	1	<1	1	2	2	4	4	4
20-34	9	3.2	20	1	1	2	3	11	15	15
35-49	48	1.9	1	1	1	2	2	3	4	6
50-64	261	1.8		1	1	2	2	3	3	5
65+	843	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
0-19 YRS	17	3.4	4	1	1	3	4	6	9	10
20-34	25	4.0	6	1	2	3	5	8	9	10
35-49	55	2.9	7	<1	1	2	4	6	7	17
50-64	386	2.7	5	1	1	2	3	5	7	15
65+	1824	2.6	9	1	1	2	2	4	6	14
TOT. SINGLE DX	1187	1.9	1	1	1	2	2	3	3	4
" MULTIPLE DX	2307	2.6	9	1	1	2	3	4	6	14
TOTAL 0-19 YRS	43	2.5	3	<1	1	2	3	4	5	10
20-34	34	3.8	10	1	1	2	5	8	10	15
35-49	103	2.4	5	1	1	2	3	5	6	12
50-64	647	2.4	4	1	1	2	2	4	5	13
65+	2667	2.3	7	1	1	2	2	3	5	13
GRAND TOTAL	**3494**	**2.4**	**7**	**1**	**1**	**2**	**2**	**3**	**5**	**13**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	51	1.7		<1	<1	2	2	3	3	3
20-34	20	1.8		1	1	2	2	3	4	5
35-49	202	1.7		1	1	2	2	2	3	5
50-64	1063	1.7		<1	1	2	2	2	2	3
65+	3899	1.8		<1	1	2	2	2	3	4
2. MULTIPLE DX										
0-19 YRS	46	2.4	3	<1	1	2	3	4	7	10
20-34	46	2.4	2	1	1	2	3	4	6	10
35-49	236	2.8	22	1	1	2	3	5	7	16
50-64	1470	2.5	11	1	1	2	2	4	5	15
65+	6921	2.3	6	1	1	2	2	3	4	13
TOT. SINGLE DX	5235	1.7	1	<1	1	2	2	2	3	4
" MULTIPLE DX	8719	2.3	8	1	1	2	2	3	5	13
TOTAL 0-19 YRS	97	2.1	2	<1	1	2	2	3	4	10
20-34	66	2.2	2	1	1	2	2	4	6	9
35-49	438	2.3	12	1	1	2	2	3	5	11
50-64	2533	2.2	7	1	1	2	2	3	4	12
65+	10820	2.1	4	1	1	2	2	3	4	10
GRAND TOTAL	**13954**	**2.1**	**5**	**1**	**1**	**2**	**2**	**3**	**4**	**10**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	2.0	1	<1	<1	2	3	3	3	3
20-34	7	2.3	3	1	1	2	2	5	6	6
35-49	34	1.8		<1	1	2	2	2	3	5
50-64	106	1.8		1	1	2	2	2	3	5
65+	279	1.8		1	1	2	2	2	3	4
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	3.7	4	1	1	3	5	7	7	7
35-49	25	2.4	2	<1	1	2	2	4	6	8
50-64	128	2.1	3	1	1	2	2	3	4	14
65+	365	2.5	4	1	1	2	2	5	7	13
TOT. SINGLE DX	430	1.8	1	1	1	2	2	2	3	5
" MULTIPLE DX	526	2.4	4	1	1	2	2	4	6	13
TOTAL 0-19 YRS	5	2.0	1	<1	<1	2	3	3	3	3
20-34	14	3.0	4	1	1	2	5	6	7	7
35-49	59	2.0	2	<1	1	2	2	3	5	8
50-64	234	2.0	2	1	1	2	2	3	3	7
65+	644	2.2	3	1	1	2	2	3	5	10
GRAND TOTAL	**956**	**2.2**	**3**	**1**	**1**	**2**	**2**	**3**	**5**	**9**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	83	3.5	11	1	1	3	4	6	7	22
20-34	170	2.8	2	1	1	3	3	5	6	12
35-49	205	2.8	2	1	1	3	3	5	5	8
50-64	486	2.9	3	1	1	3	4	5	6	9
65+	481	2.8	2	1	1	3	3	5	5	8
2. MULTIPLE DX										
0-19 YRS	91	4.6	95	1	1	3	5	6	7	62
20-34	222	3.9	8	1	1	3	5	8	9	15
35-49	284	3.6	8	1	2	3	4	6	8	16
50-64	673	3.5	8	1	1	3	4	6	7	13
65+	980	3.6	5	1	1	3	4	6	8	13
TOT. SINGLE DX	1425	2.9	3	1	1	3	4	5	6	9
" MULTIPLE DX	2250	3.7	11	1	1	3	4	6	8	13
TOTAL 0-19 YRS	174	4.1	55	1	1	3	4	6	7	22
20-34	392	3.4	6	1	1	3	4	6	8	14
35-49	489	3.3	6	1	1	3	4	5	7	14
50-64	1159	3.3	6	1	1	3	4	5	7	11
65+	1461	3.4	4	1	1	3	4	6	7	12
GRAND TOTAL	**3675**	**3.4**	**8**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	35	3.1	3	1	1	3	4	6	7	7
20-34	30	3.8	7	1	1	3	4	6	10	14
35-49	37	2.9	5	1	1	2	3	6	7	13
50-64	71	3.1	6	1	2	2	3	5	8	17
65+	131	2.8	3	1	1	2	3	5	6	10
2. MULTIPLE DX										
0-19 YRS	41	3.8	5	1	1	3	5	8	9	10
20-34	185	3.8	8	1	2	3	4	7	9	17
35-49	156	4.6	55	1	1	3	5	7	10	75
50-64	318	3.9	26	1	2	3	4	6	8	24
65+	581	3.8	13	1	1	3	4	8	12	18
TOT. SINGLE DX	304	3.0	4	1	1	2	4	5	7	12
" MULTIPLE DX	1281	3.9	21	1	1	3	4	7	10	22
TOTAL 0-19 YRS	76	3.5	5	1	1	3	4	7	8	10
20-34	215	3.8	8	1	1	3	4	7	9	17
35-49	193	4.3	46	1	1	3	5	7	10	64
50-64	389	3.8	23	1	2	3	4	6	8	22
65+	712	3.6	12	1	1	3	4	7	11	17
GRAND TOTAL	**1585**	**3.8**	**18**	**1**	**1**	**3**	**4**	**7**	**9**	**19**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	666	1.4		<1	<1	1	2	2	2	3
20-34	105	1.4		<1	1	1	2	2	2	3
35-49	61	1.5		<1	1	1	2	2	3	3
50-64	38	1.5		1	1	1	2	2	2	2
65+	17	1.7		1	1	2	2	2	3	3
2. MULTIPLE DX										
0-19 YRS	227	1.5	3	<1	<1	1	2	2	2	7
20-34	87	1.6	1	<1	1	1	2	2	3	9
35-49	55	1.6		1	1	1	2	3	3	5
50-64	39	2.7	36	1	1	1	2	4	6	39
65+	41	2.1	1	1	1	2	2	3	4	9
TOT. SINGLE DX	887	1.4	1	<1	<1	1	2	2	2	3
" MULTIPLE DX	449	1.7	5	<1	<1	1	2	2	3	7
TOTAL 0-19 YRS	893	1.4	1	<1	<1	1	2	2	2	3
20-34	192	1.5	1	<1	1	1	2	2	3	4
35-49	116	1.6	1	1	1	1	2	2	3	4
50-64	77	2.1	19	1	1	1	2	2	4	30
65+	58	2.0	1	1	1	2	2	3	4	9
GRAND TOTAL	**1336**	**1.5**	**2**	**<1**	**<1**	**1**	**2**	**2**	**2**	**4**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	1.3		<1	<1	1	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	3	4.7	40	1	1	1	9	12	12	12
65+	3	4.3	16	2	2	2	7	9	9	9
2. MULTIPLE DX										
0-19 YRS	5	1.8		<1	<1	2	2	3	3	3
20-34	5	1.0		<1	<1	1	1	1	1	1
35-49	4	1.5		1	1	1	2	2	2	2
50-64	5	3.0	8	1	1	2	4	8	8	8
65+	2	3.5	1	3	3	3	4	4	4	4
TOT. SINGLE DX	11	3.0	14	<1	<1	1	2	10	12	12
" MULTIPLE DX	21	2.0	3	<1	<1	2	2	4	6	8
TOTAL 0-19 YRS	9	1.6	1	<1	<1	1	2	3	3	3
20-34	6	1.0		<1	<1	1	1	1	1	1
35-49	4	1.5		1	1	1	2	2	2	2
50-64	8	3.6	17	1	1	2	5	11	12	12
65+	5	4.0	9	2	2	3	5	9	9	9
GRAND TOTAL	**32**	**2.3**	**7**	**<1**	**<1**	**2**	**2**	**5**	**9**	**12**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	122	2.9	6	<1	1	2	4	6	7	14
20-34	75	2.9	6	1	1	2	4	6	9	13
35-49	71	3.0	3	1	1	3	4	5	7	9
50-64	67	2.8	4	1	1	2	3	7	7	8
65+	63	3.5	9	1	1	2	4	7	10	17
2. MULTIPLE DX										
0-19 YRS	99	5.4	47	1	1	3	6	10	18	40
20-34	172	4.3	15	1	1	3	5	8	14	19
35-49	143	5.1	29	1	1	3	6	11	16	26
50-64	141	4.5	19	1	1	3	5	10	13	25
65+	264	4.9	30	1	1	3	5	11	16	25
TOT. SINGLE DX	398	3.0	6	1	1	2	4	6	8	13
" MULTIPLE DX	819	4.8	27	1	1	3	5	11	14	26
TOTAL 0-19 YRS	221	4.0	26	<1	1	2	5	8	11	32
20-34	247	3.9	13	1	1	3	5	7	12	19
35-49	214	4.4	22	1	1	3	5	9	13	24
50-64	208	4.0	15	1	1	3	4	8	12	22
65+	327	4.6	27	1	1	3	5	10	14	23
GRAND TOTAL	**1217**	**4.2**	**21**	**1**	**1**	**3**	**5**	**9**	**13**	**23**

533: Misc. diagnostic and therapeutic proce[illegible]n eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.[illegible]; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	288	1.8	1	<1	<1	1	2	3	4	7
20-34	74	2.6	5	1	1	2	3	7	8	10
35-49	49	2.3	8	<1	1	1	2	4	7	19
50-64	37	2.8	6	<1	<1	2	3	6	9	12
65+	55	2.8	9	<1	1	2	4	6	9	17
2. MULTIPLE DX										
0-19 YRS	281	3.2	14	1	1	2	4	6	8	26
20-34	160	5.7	63	<1	1	3	6	15	23	64
35-49	94	5.2	48	1	1	3	5	13	17	40
50-64	87	4.9	39	<1	1	3	6	14	20	99+
65+	192	7.4	65	1	1	5	9	15	19	44
TOT. SINGLE DX	503	2.2	4	<1	<1	1	2	4	6	10
" MULTIPLE DX	814	5.1	45	1	1	3	6	11	18	43
TOTAL 0-19 YRS	569	2.5	8	<1	1	2	3	5	7	15
20-34	234	4.7	47	<1	1	2	5	11	19	37
35-49	143	4.2	37	<1	1	2	4	9	16	39
50-64	124	4.3	31	<1	1	2	6	10	17	99+
65+	247	6.4	57	1	1	4	8	14	18	43
GRAND TOTAL	**1317**	**4.0**	**32**	**<1**	**1**	**2**	**4**	**9**	**14**	**39**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	64	1.6		1	1	1	2	3	3	4
20-34	237	1.9		1	1	2	2	3	3	5
35-49	403	1.9		1	1	2	2	3	3	4
50-64	342	2.0	1	1	1	2	3	3	3	5
65+	136	2.0		1	1	2	3	3	3	5
2. MULTIPLE DX										
0-19 YRS	48	1.4		1	1	1	2	2	2	2
20-34	106	1.8		1	1	2	2	3	3	6
35-49	157	2.0		1	1	2	3	3	4	5
50-64	163	1.9	1	1	1	2	3	3	3	6
65+	122	2.3	2	1	1	2	3	3	4	12
TOT. SINGLE DX	1182	1.9	1	1	1	2	2	3	3	4
" MULTIPLE DX	596	1.9	1	1	1	2	2	3	4	6
TOTAL 0-19 YRS	112	1.5		1	1	1	2	2	3	4
20-34	343	1.9	1	1	1	2	2	3	3	5
35-49	560	1.9	1	1	1	2	2	3	3	4
50-64	505	2.0	1	1	1	2	3	3	3	6
65+	258	2.2	2	1	1	2	3	3	4	6
GRAND TOTAL	**1778**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	609	1.4		1	1	1	2	2	2	3
20-34	407	1.5		1	1	1	2	2	3	4
35-49	333	1.6	1	1	1	1	2	2	3	7
50-64	326	1.6		1	1	2	2	2	3	4
65+	121	1.6		1	1	2	2	2	2	5
2. MULTIPLE DX										
0-19 YRS	600	1.5	1	1	1	1	2	2	2	5
20-34	397	1.5		1	1	1	2	2	3	5
35-49	348	1.8	1	1	1	2	2	3	3	8
50-64	370	1.9	3	1	1	2	2	3	4	10
65+	191	2.0	3	1	1	2	2	3	4	12
TOT. SINGLE DX	1796	1.5	1	1	1	1	2	2	2	4
" MULTIPLE DX	1906	1.7	2	1	1	1	2	3	3	6
TOTAL 0-19 YRS	1209	1.4	1	1	1	1	2	2	2	4
20-34	804	1.5	1	1	1	1	2	2	3	4
35-49	681	1.7	1	1	1	1	2	2	3	8
50-64	696	1.8	2	1	1	2	2	3	3	6
65+	312	1.9	2	1	1	2	2	3	3	9
GRAND TOTAL	**3702**	**1.6**	**1**	**1**	**1**	**1**	**2**	**2**	**3**	**5**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	781	1.2		<1	<1	<1	1	1	2	5
20-34	41	1.8	3	<1	<1	1	2	3	6	10
35-49	15	1.6	1	<1	<1	1	2	2	5	6
50-64	25	1.5		<1	<1	1	2	2	3	4
65+	10	1.2		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
0-19 YRS	1659	2.2	10	<1	<1	1	2	5	8	16
20-34	71	4.7	62	1	1	2	3	12	30	34
35-49	72	5.0	33	1	1	2	9	13	17	23
50-64	85	5.6	43	1	1	3	8	13	16	35
65+	75	7.7	52	1	1	6	11	20	21	30
TOT. SINGLE DX	872	1.2	1	<1	<1	<1	1	1	2	6
" MULTIPLE DX	1962	2.8	18	<1	<1	1	2	7	10	21
TOTAL 0-19 YRS	2440	1.9	8	<1	<1	1	1	4	6	14
20-34	112	3.6	42	<1	1	2	3	7	16	33
35-49	87	4.4	30	<1	1	2	8	12	16	23
50-64	110	4.7	36	<1	1	2	6	11	14	34
65+	85	6.9	50	<1	1	4	11	19	21	29
GRAND TOTAL	**2834**	**2.3**	**13**	**<1**	**<1**	**1**	**2**	**5**	**9**	**19**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	231	1.7	1	1	1	1	2	3	4	6
20-34	170	1.7	1	1	1	1	2	3	4	7
35-49	130	2.1	2	1	1	2	2	3	4	9
50-64	104	1.9		1	1	2	2	3	3	4
65+	61	2.0	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
0-19 YRS	403	2.1	9	1	1	1	2	3	5	14
20-34	310	2.0	4	1	1	2	2	3	4	12
35-49	259	2.4	5	1	1	2	3	4	6	12
50-64	285	3.2	33	1	1	2	3	4	8	28
65+	190	3.6	19	1	1	2	3	6	15	21
TOT. SINGLE DX	696	1.8	1	1	1	2	2	3	4	6
" MULTIPLE DX	1447	2.5	14	1	1	2	3	4	6	19
TOTAL 0-19 YRS	634	1.9	7	1	1	1	2	3	4	9
20-34	480	1.9	3	1	1	2	2	3	4	9
35-49	389	2.3	5	1	1	2	3	4	5	12
50-64	389	2.8	25	1	1	2	3	4	7	22
65+	251	3.2	15	1	1	2	3	5	9	20
GRAND TOTAL	**2143**	**2.3**	**10**	**1**	**1**	**2**	**2**	**3**	**5**	**16**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	129	1.6	1	<1	1	1	2	2	4	5
20-34	141	2.0	2	<1	1	2	2	3	5	9
35-49	176	2.3	2	1	1	2	3	4	6	10
50-64	159	2.5	4	1	1	2	3	5	6	11
65+	55	2.9	5	1	1	2	4	6	9	10
2. MULTIPLE DX										
0-19 YRS	164	2.2	7	<1	1	1	2	4	7	14
20-34	140	2.5	8	1	1	2	2	5	9	15
35-49	123	2.5	10	1	1	2	3	4	7	16
50-64	159	3.3	28	1	1	2	3	6	9	19
65+	96	5.0	41	1	1	2	5	14	18	35
TOT. SINGLE DX	660	2.2	3	1	1	2	2	4	6	10
" MULTIPLE DX	682	3.0	18	1	1	2	3	6	10	19
TOTAL 0-19 YRS	293	2.0	5	<1	1	1	2	3	5	12
20-34	281	2.2	5	1	1	2	2	4	7	14
35-49	299	2.4	6	1	1	2	3	4	6	11
50-64	318	2.9	16	1	1	2	3	6	7	16
65+	151	4.2	29	1	1	2	4	10	15	30
GRAND TOTAL	**1342**	**2.6**	**11**	**1**	**1**	**2**	**3**	**5**	**8**	**15**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	125	1.7		1	1	1	2	3	4	5
20-34	284	1.7		1	1	1	2	3	3	5
35-49	141	1.8	6	1	1	1	2	2	3	9
50-64	92	1.9	1	1	1	2	2	3	4	6
65+	24	2.5	4	<1	1	2	3	4	8	10
2. MULTIPLE DX										
0-19 YRS	569	1.8	1	1	1	2	2	3	4	6
20-34	1235	2.1	3	1	1	2	2	4	5	10
35-49	856	2.4	7	1	1	2	3	4	5	10
50-64	526	2.5	8	1	1	2	3	4	6	17
65+	165	3.1	11	1	1	2	3	5	9	19
TOT. SINGLE DX	666	1.8	2	1	1	1	2	3	3	6
" MULTIPLE DX	3351	2.3	5	1	1	2	3	4	5	11
TOTAL 0-19 YRS	694	1.8	1	1	1	1	2	3	4	6
20-34	1519	2.0	3	1	1	2	2	3	4	9
35-49	997	2.4	7	1	1	2	3	4	5	10
50-64	618	2.4	7	1	1	2	3	4	5	16
65+	189	3.1	11	1	1	2	3	5	9	18
GRAND TOTAL	**4017**	**2.2**	**5**	**1**	**1**	**2**	**3**	**4**	**5**	**10**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	542	1.7		1	1	1	2	3	3	5
20-34	886	1.6	1	1	1	1	2	3	3	5
35-49	447	1.6		1	1	1	2	3	3	5
50-64	194	1.7		1	1	1	2	3	3	4
65+	50	2.5	19	1	1	2	2	4	6	32
2. MULTIPLE DX										
0-19 YRS	1052	1.9	3	1	1	1	2	3	4	8
20-34	2224	1.9	2	1	1	1	2	3	4	7
35-49	1497	2.0	5	1	1	1	2	3	5	12
50-64	893	2.4	12	1	1	2	2	4	6	17
65+	348	3.2	11	1	1	2	4	7	10	19
TOT. SINGLE DX	2119	1.7	1	1	1	1	2	3	3	5
" MULTIPLE DX	6014	2.1	6	1	1	1	2	4	5	11
TOTAL 0-19 YRS	1594	1.8	3	1	1	1	2	3	4	8
20-34	3110	1.8	2	1	1	1	2	3	4	7
35-49	1944	1.9	4	1	1	1	2	3	4	10
50-64	1087	2.2	10	1	1	2	2	4	5	14
65+	398	3.1	13	1	1	2	3	6	10	20
GRAND TOTAL	**8133**	**2.0**	**4**	**1**	**1**	**1**	**2**	**3**	**4**	**10**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	67	1.9	2	<1	<1	1	2	3	5	10
20-34	95	2.1	2	<1	1	2	3	3	5	8
35-49	82	2.1	4	<1	1	1	2	5	6	11
50-64	120	1.8	1	<1	<1	1	2	3	4	6
65+	85	2.7	8	1	1	2	3	7	8	17
2. MULTIPLE DX										
0-19 YRS	195	2.7	24	1	1	2	3	4	9	23
20-34	310	2.5	9	1	1	2	3	5	7	17
35-49	347	2.3	3	1	1	2	3	4	6	9
50-64	433	3.2	15	1	1	2	3	7	11	21
65+	431	5.5	44	1	1	3	7	13	17	31
TOT. SINGLE DX	449	2.1	4	<1	1	1	2	4	6	10
" MULTIPLE DX	1716	3.4	22	1	1	2	4	7	11	24
TOTAL 0-19 YRS	262	2.5	19	<1	1	1	2	4	7	21
20-34	405	2.4	8	1	1	2	3	4	7	15
35-49	429	2.2	4	1	1	2	3	4	6	10
50-64	553	2.9	13	1	1	2	3	6	9	20
65+	516	5.0	40	1	1	3	6	12	16	30
GRAND TOTAL	**2165**	**3.1**	**18**	**1**	**1**	**2**	**3**	**7**	**10**	**22**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	248	1.5	1	<1	<1	1	2	3	4	6
20-34	225	2.1	2	<1	1	2	2	4	6	8
35-49	134	2.9	5	1	1	2	4	6	7	12
50-64	135	3.8	4	1	1	4	5	7	7	8
65+	109	3.8	7	1	1	3	5	7	8	14
2. MULTIPLE DX										
0-19 YRS	401	2.4	3	1	1	2	3	4	6	11
20-34	665	3.0	7	1	1	2	4	6	8	11
35-49	339	4.4	26	1	1	3	5	9	12	28
50-64	382	5.4	17	1	2	4	7	10	13	21
65+	612	5.7	23	1	1	5	7	11	14	28
TOT. SINGLE DX	851	2.5	4	<1	1	2	4	6	7	9
" MULTIPLE DX	2399	4.2	17	1	1	3	5	8	11	20
TOTAL 0-19 YRS	649	2.0	3	<1	1	1	2	4	6	10
20-34	890	2.8	7	1	1	2	4	6	7	11
35-49	473	4.0	21	1	1	3	5	8	11	19
50-64	517	5.0	14	1	1	4	6	9	12	18
65+	721	5.4	21	1	1	4	7	10	14	25
GRAND TOTAL	**3250**	**3.7**	**14**	**1**	**1**	**3**	**5**	**8**	**10**	**19**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	38	2.0	2	<1	1	2	2	3	6	9
20-34	142	2.1	3	1	1	2	2	4	5	11
35-49	172	2.1	1	1	1	2	3	4	4	9
50-64	124	2.3	3	1	1	2	3	4	5	12
65+	54	2.5	4	1	1	2	3	4	6	15
2. MULTIPLE DX										
0-19 YRS	66	4.3	108	1	1	2	3	9	13	72
20-34	238	3.5	27	1	1	2	3	8	11	34
35-49	305	3.2	10	1	1	2	4	6	10	17
50-64	286	3.6	31	1	1	2	4	6	11	23
65+	179	4.6	44	1	1	3	4	10	15	39
TOT. SINGLE DX	530	2.2	3	1	1	2	3	4	5	10
" MULTIPLE DX	1074	3.7	32	1	1	2	4	7	11	30
TOTAL 0-19 YRS	104	3.5	71	1	1	2	3	7	10	50
20-34	380	3.0	19	1	1	2	3	6	9	25
35-49	477	2.8	8	1	1	2	3	5	8	14
50-64	410	3.2	23	1	1	2	3	5	10	19
65+	233	4.1	36	1	1	3	4	8	14	37
GRAND TOTAL	**1604**	**3.2**	**23**	**1**	**1**	**2**	**3**	**6**	**10**	**22**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	71	3.1	25	<1	<1	1	3	7	9	32
20-34	128	2.6	4	1	1	2	3	5	7	10
35-49	114	2.9	8	1	1	2	3	6	8	18
50-64	85	2.6	9	1	1	2	3	5	10	17
65+	55	2.8	6	1	1	2	3	6	9	14
2. MULTIPLE DX										
0-19 YRS	142	4.4	25	<1	1	2	5	12	15	26
20-34	287	3.7	24	1	1	2	4	8	11	30
35-49	344	4.1	32	1	1	2	4	9	13	22
50-64	287	3.8	21	1	1	2	4	8	11	17
65+	281	5.9	45	1	1	3	8	13	20	37
TOT. SINGLE DX	453	2.8	10	1	1	2	3	6	8	18
" MULTIPLE DX	1341	4.4	31	1	1	3	5	10	14	27
TOTAL 0-19 YRS	213	3.9	26	<1	1	2	5	10	14	27
20-34	415	3.4	18	1	1	2	4	7	9	23
35-49	458	3.8	27	1	1	2	4	9	12	21
50-64	372	3.5	19	1	1	2	4	8	10	17
65+	336	5.4	41	1	1	3	7	12	18	36
GRAND TOTAL	**1794**	**4.0**	**26**	**1**	**1**	**2**	**4**	**9**	**12**	**25**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	218	1.3		<1	<1	1	1	2	2	3
20-34	149	1.9	8	<1	1	1	2	2	5	16
35-49	74	2.2	7	<1	<1	2	2	4	7	80
50-64	62	1.9	3	<1	1	2	2	2	4	13
65+	26	3.2	20	<1	1	2	3	5	17	19
2. MULTIPLE DX										
0-19 YRS	431	3.4	63	<1	1	2	2	5	10	46
20-34	652	5.4	53	1	1	2	6	15	21	36
35-49	525	5.6	59	1	1	2	6	14	22	41
50-64	580	4.9	35	1	1	2	6	12	17	31
65+	550	6.3	73	1	1	3	8	16	22	39
TOT. SINGLE DX	529	1.7	5	<1	<1	1	2	2	4	16
" MULTIPLE DX	2738	5.2	57	1	1	2	5	14	20	38
TOTAL 0-19 YRS	649	2.7	43	<1	<1	1	2	4	7	41
20-34	801	4.8	47	1	1	2	5	14	19	34
35-49	599	5.2	54	1	1	2	5	13	21	41
50-64	642	4.6	34	1	1	2	5	11	16	30
65+	576	6.2	72	1	1	3	8	16	22	39
GRAND TOTAL	**3267**	**4.6**	**51**	**1**	**1**	**2**	**4**	**12**	**19**	**36**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	81	1.1		<1	<1	1	1	2	2	3
20-34	10	1.5		<1	<1	1	2	3	3	3
35-49	5	2.4		2	2	2	3	3	3	3
50-64	5	2.0		1	1	2	2	3	3	3
65+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	164	1.8	5	<1	<1	1	2	2	4	12
20-34	46	5.0	68	1	1	2	6	30	99+	99+
35-49	24	3.8	22	<1	1	2	5	8	15	22
50-64	9	7.0	89	1	1	3	7	24	30	30
65+	8	3.8	14	<1	<1	2	5	10	12	12
TOT. SINGLE DX	103	1.3		<1	<1	1	1	2	3	3
" MULTIPLE DX	251	2.8	23	<1	1	1	2	6	12	97
TOTAL 0-19 YRS	245	1.5	4	<1	<1	1	2	2	3	8
20-34	56	4.4	58	<1	1	1	5	25	71	99+
35-49	29	3.6	19	1	1	2	4	7	12	22
50-64	14	5.2	61	1	1	3	3	16	27	30
65+	10	3.5	12	<1	<1	2	5	9	12	12
GRAND TOTAL	**354**	**2.4**	**17**	**<1**	**<1**	**1**	**2**	**4**	**8**	**37**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	42	1.8		<1	<1	2	2	3	3	4
20-34	57	2.4	4	<1	1	2	3	4	6	13
35-49	79	2.1	2	1	1	2	3	3	4	10
50-64	102	2.4	1	1	1	2	3	4	4	7
65+	41	2.3	1	1	1	2	3	3	5	7
2. MULTIPLE DX										
0-19 YRS	131	2.4	3	1	1	2	3	4	6	10
20-34	127	3.6	25	1	1	2	3	8	12	28
35-49	161	3.7	28	1	1	2	3	8	11	36
50-64	207	4.0	23	1	1	3	4	8	12	22
65+	161	4.6	21	1	1	3	5	11	15	20
TOT. SINGLE DX	321	2.2	2	1	1	2	3	3	4	8
" MULTIPLE DX	787	3.7	22	1	1	2	4	8	12	21
TOTAL 0-19 YRS	173	2.3	3	1	1	2	3	4	5	8
20-34	184	3.2	19	<1	1	2	3	6	10	21
35-49	240	3.2	21	1	1	2	3	6	9	22
50-64	309	3.5	17	1	1	3	3	7	10	19
65+	202	4.1	19	1	1	3	4	10	14	20
GRAND TOTAL	**1108**	**3.3**	**17**	**1**	**1**	**2**	**3**	**6**	**10**	**20**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	115	2.3	3	1	1	2	3	4	4	11
20-34	287	2.3	1	1	1	2	3	4	5	7
35-49	415	2.8	2	1	1	3	4	4	5	8
50-64	416	3.0	22	1	1	3	4	4	5	9
65+	310	3.2	4	1	1	3	4	5	7	13
2. MULTIPLE DX										
0-19 YRS	65	3.4	6	1	1	3	4	7	8	14
20-34	155	3.2	7	1	1	2	4	7	8	15
35-49	275	3.6	13	1	1	3	4	7	10	19
50-64	390	4.2	19	1	1	3	5	8	11	21
65+	572	5.1	24	1	2	4	6	11	15	28
TOT. SINGLE DX	1543	2.8	8	1	1	2	3	4	5	9
" MULTIPLE DX	1457	4.3	19	1	1	3	5	8	12	23
TOTAL 0-19 YRS	180	2.7	4	1	1	2	3	5	7	12
20-34	442	2.6	4	1	1	2	3	4	6	10
35-49	690	3.1	7	1	1	3	4	5	7	16
50-64	806	3.6	21	1	1	3	4	6	8	17
65+	882	4.4	18	1	1	3	5	8	13	23
GRAND TOTAL	**3000**	**3.5**	**14**	**1**	**1**	**3**	**4**	**6**	**9**	**18**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	338	3.2	3	1	1	3	4	6	7	8
20-34	13	3.2	3	1	1	3	4	6	6	6
35-49	12	2.5	2	<1	<1	2	3	5	6	6
50-64	11	4.3	13	1	1	3	5	11	13	13
65+	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
0-19 YRS	387	3.7	3	2	2	3	4	6	7	10
20-34	36	3.8	13	1	1	3	4	7	14	18
35-49	52	3.6	25	1	1	3	4	5	6	37
50-64	37	3.7	21	1	1	2	4	7	8	29
65+	16	5.1	28	1	1	3	5	14	18	20
TOT. SINGLE DX	375	3.3	4	1	1	3	4	6	7	9
" MULTIPLE DX	528	3.7	8	1	2	3	4	6	8	14
TOTAL 0-19 YRS	725	3.5	3	1	2	3	4	6	7	9
20-34	49	3.7	11	1	1	3	4	6	9	18
35-49	64	3.4	21	1	1	3	4	5	6	34
50-64	48	3.8	20	1	1	3	4	7	9	29
65+	17	5.6	31	1	1	3	7	14	18	20
GRAND TOTAL	**903**	**3.5**	**6**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	506	2.9	4	<1	<1	2	4	6	7	9
20-34	161	3.7	7	<1	1	3	5	8	9	16
35-49	146	3.8	9	<1	1	3	5	8	10	16
50-64	205	3.8	12	1	1	3	5	8	12	17
65+	186	4.5	33	1	1	3	5	10	12	27
2. MULTIPLE DX										
0-19 YRS	685	3.4	15	1	1	2	4	7	8	17
20-34	400	4.5	37	<1	1	3	5	9	13	30
35-49	327	6.0	47	1	1	3	7	14	20	33
50-64	558	9.1	129	1	1	5	12	21	29	65
65+	672	6.9	61	1	1	5	9	15	21	50
TOT. SINGLE DX	1204	3.5	12	<1	1	2	4	7	9	17
" MULTIPLE DX	2642	6.0	63	1	1	3	7	13	20	41
TOTAL 0-19 YRS	1191	3.2	11	<1	1	2	4	6	8	14
20-34	561	4.2	29	<1	1	3	5	8	11	30
35-49	473	5.3	37	1	1	3	6	12	17	32
50-64	763	7.7	103	1	1	4	9	17	25	59
65+	858	6.4	57	1	1	4	8	14	20	43
GRAND TOTAL	**3846**	**5.2**	**48**	**1**	**1**	**3**	**6**	**11**	**17**	**35**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4778	1.4		1	1	1	2	2	2	4
20-34	2843	1.5		1	1	1	2	2	3	4
35-49	319	1.7	1	1	1	1	2	3	4	6
50-64	66	1.8		1	1	2	2	3	4	4
65+	20	3.1	17	1	1	2	3	5	12	20
2. MULTIPLE DX										
0-19 YRS	1697	1.6	5	1	1	1	2	2	3	9
20-34	886	2.0	9	1	1	1	2	3	5	9
35-49	189	2.2	4	1	1	1	2	4	7	13
50-64	53	5.7	67	1	1	2	6	13	29	37
65+	29	4.2	18	1	1	2	5	9	12	21
TOT. SINGLE DX	8026	1.4	1	1	1	1	2	2	3	4
" MULTIPLE DX	2854	1.9	8	1	1	1	2	3	5	10
TOTAL 0-19 YRS	6475	1.4	2	1	1	1	2	2	3	5
20-34	3729	1.6	3	1	1	1	2	3	3	6
35-49	508	1.9	3	1	1	1	2	3	4	9
50-64	119	3.5	34	1	1	2	3	7	13	37
65+	49	3.8	18	1	1	2	4	8	12	21
GRAND TOTAL	**10880**	**1.5**	**3**	**1**	**1**	**1**	**2**	**2**	**3**	**6**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8112	1.3		<1	1	1	1	2	2	3
20-34	165	1.4		1	1	1	2	2	3	4
35-49	14	1.7		1	1	2	2	3	3	3
50-64	3	1.7	1	1	1	1	3	3	3	3
65+	4	1.5		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	7395	1.3	1	<1	1	1	1	2	2	5
20-34	105	1.9	3	1	1	1	2	4	5	11
35-49	8	2.1	1	1	1	2	3	4	4	4
50-64	4	2.0	4	1	1	1	3	5	5	5
65+	8	1.8	3	<1	<1	1	2	5	6	6
TOT. SINGLE DX	8298	1.3		<1	1	1	1	2	2	3
" MULTIPLE DX	7520	1.3	2	<1	1	1	1	2	2	5
TOTAL 0-19 YRS	15507	1.3	1	<1	1	1	1	2	2	3
20-34	270	1.6	2	1	1	1	2	3	4	7
35-49	22	1.9	1	1	1	2	3	3	4	4
50-64	7	1.9	2	1	1	1	3	5	5	5
65+	12	1.7	2	<1	<1	1	2	3	6	6
GRAND TOTAL	**15818**	**1.3**	**1**	**<1**	**1**	**1**	**1**	**2**	**2**	**3**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	270	1.2		<1	<1	1	1	2	2	2
20-34	6	1.2		<1	<1	1	1	2	2	2
35-49	6	1.3		1	1	1	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
0-19 YRS	624	1.5	10	<1	<1	1	1	2	2	8
20-34	6	1.3		1	1	1	2	2	2	2
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	3.0	8	1	1	3	5	5	5	5
TOT. SINGLE DX	283	1.2		<1	<1	1	1	2	2	2
" MULTIPLE DX	634	1.5	11	<1	<1	1	1	2	2	8
TOTAL 0-19 YRS	894	1.4	8	<1	<1	1	1	2	2	6
20-34	12	1.3		<1	<1	1	2	2	2	2
35-49	7	1.6	1	1	1	1	2	3	3	3
50-64	2	1.0		1	1	1	1	1	1	1
65+	2	3.0	8	1	1	3	5	5	5	5
GRAND TOTAL	**917**	**1.4**	**7**	**<1**	**<1**	**1**	**1**	**2**	**2**	**6**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	512	2.1	3	<1	1	2	3	4	5	9
20-34	369	2.3	2	<1	1	2	3	4	5	8
35-49	140	2.8	12	1	1	2	3	5	7	18
50-64	105	3.3	12	1	1	2	4	8	10	19
65+	84	4.4	23	1	1	3	5	11	13	27
2. MULTIPLE DX										
0-19 YRS	248	3.3	20	1	1	2	4	6	8	14
20-34	186	4.1	29	1	1	3	4	7	10	28
35-49	138	5.8	45	1	1	3	7	14	22	35
50-64	253	7.4	81	1	1	4	10	18	25	51
65+	221	10.1	121	1	1	6	13	26	35	49
TOT. SINGLE DX	1210	2.5	7	1	1	2	3	4	6	14
" MULTIPLE DX	1046	6.2	68	1	1	3	7	15	23	42
TOTAL 0-19 YRS	760	2.5	9	1	1	2	3	5	6	11
20-34	555	2.9	12	1	1	2	3	5	6	16
35-49	278	4.3	31	1	1	2	4	9	15	32
50-64	358	6.2	65	1	1	3	8	15	22	49
65+	305	8.6	101	1	1	4	11	22	33	46
GRAND TOTAL	**2256**	**4.2**	**38**	**1**	**1**	**2**	**4**	**9**	**15**	**34**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	23	2.3	4	<1	<1	1	3	5	7	9
20-34	34	3.5	10	<1	1	3	4	6	10	17
35-49	29	2.8	1	1	1	3	4	5	5	6
50-64	28	3.1	6	<1	1	2	4	7	9	11
65+	41	3.4	6	<1	1	3	5	6	7	14
2. MULTIPLE DX										
0-19 YRS	225	3.3	6	1	2	3	4	5	6	15
20-34	36	5.2	42	<1	1	3	5	11	23	29
35-49	65	4.8	17	1	1	4	7	9	10	26
50-64	136	5.6	78	1	1	4	6	8	12	34
65+	256	5.5	29	1	2	4	6	11	15	29
TOT. SINGLE DX	155	3.1	6	<1	1	3	4	6	7	14
" MULTIPLE DX	718	4.7	32	1	2	3	5	8	12	28
TOTAL 0-19 YRS	248	3.2	6	1	1	3	4	5	6	14
20-34	70	4.4	27	<1	1	3	5	9	17	28
35-49	94	4.2	13	1	1	3	5	9	9	21
50-64	164	5.2	67	1	1	4	6	8	11	23
65+	297	5.2	27	1	2	4	6	10	14	29
GRAND TOTAL	**873**	**4.5**	**28**	**1**	**1**	**3**	**5**	**8**	**11**	**25**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	70	1.5	1	<1	<1	1	2	2	3	8
20-34	88	1.3		<1	1	1	2	2	2	3
35-49	169	1.6	1	<1	<1	1	2	2	3	9
50-64	266	2.2	6	<1	1	1	2	3	7	14
65+	148	2.1	5	<1	1	1	2	3	6	13
2. MULTIPLE DX										
0-19 YRS	48	2.7	12	1	1	1	3	7	10	18
20-34	72	4.5	143	<1	1	1	3	9	14	82
35-49	216	4.3	44	<1	1	2	4	11	15	41
50-64	418	4.6	39	1	1	2	6	11	16	27
65+	356	5.5	56	1	1	2	7	14	19	38
TOT. SINGLE DX	741	1.9	4	<1	1	1	2	3	5	12
" MULTIPLE DX	1110	4.7	52	1	1	2	5	12	17	36
TOTAL 0-19 YRS	118	2.0	6	<1	<1	1	2	4	7	16
20-34	160	2.7	67	<1	1	1	2	4	8	25
35-49	385	3.1	27	<1	1	2	2	7	11	29
50-64	684	3.6	28	1	1	2	3	9	13	24
65+	504	4.5	43	1	1	2	4	11	17	36
GRAND TOTAL	**1851**	**3.6**	**35**	**<1**	**1**	**2**	**3**	**9**	**13**	**30**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	1.8		1	1	2	2	2	2	2
20-34	8	4.3	21	1	1	3	5	12	15	15
35-49	18	7.3	55	1	1	5	11	13	24	32
50-64	43	8.7	34	1	1	9	12	17	18	23
65+	21	8.8	83	1	1	8	12	16	27	41
2. MULTIPLE DX										
0-19 YRS	17	6.8	243	<1	1	3	4	7	46	67
20-34	16	7.8	109	1	1	5	9	38	80	99+
35-49	23	8.9	53	<1	1	6	15	20	23	23
50-64	88	13.3	131	1	2	10	17	27	37	55
65+	75	10.5	97	1	1	8	14	21	32	46
TOT. SINGLE DX	94	7.8	49	1	1	7	12	16	18	37
" MULTIPLE DX	219	10.9	121	1	1	8	15	24	36	61
TOTAL 0-19 YRS	21	5.9	199	<1	1	2	4	6	34	67
20-34	24	6.6	81	1	1	4	8	16	58	99+
35-49	41	8.2	54	1	1	5	12	19	23	32
50-64	131	11.8	104	1	2	10	16	25	31	51
65+	96	10.1	94	1	1	8	13	21	32	45
GRAND TOTAL	**313**	**10.0**	**101**	**1**	**1**	**8**	**14**	**22**	**31**	**53**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	10	13.7	27	3	6	14	16	20	23	23
50-64	60	14.5	28	8	9	13	19	22	23	31
65+	37	14.0	16	9	10	13	16	21	22	23
2. MULTIPLE DX										
0-19 YRS	2	22.5	85	16	16	22	29	29	29	29
20-34	1	37.0		37	37	37	37	37	37	37
35-49	36	21.7	207	10	11	19	22	36	53	83
50-64	184	20.0	148	8	10	17	24	37	45	82
65+	161	21.5	171	9	10	17	25	39	47	68
TOT. SINGLE DX	107	14.3	24	8	9	13	17	21	23	28
" MULTIPLE DX	384	20.8	163	9	10	17	24	37	46	78
TOTAL 0-19 YRS	2	22.5	85	16	16	22	29	29	29	29
20-34	1	37.0		37	37	37	37	37	37	37
35-49	46	19.9	178	9	11	17	21	29	52	83
50-64	244	18.6	125	8	9	16	22	33	40	73
65+	198	20.1	151	9	10	16	23	36	44	68
GRAND TOTAL	**491**	**19.4**	**140**	**8**	**10**	**16**	**23**	**34**	**44**	**70**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	9.5	113	2	2	9	17	17	17	17
20-34	2	17.0	288	5	5	17	29	29	29	29
35-49	1	2.0		2	2	2	2	2	2	2
50-64	7	8.9	150	2	2	4	9	31	36	36
65+	5	13.2	39	6	6	13	16	23	23	23
2. MULTIPLE DX										
0-19 YRS	18	27.2	588	2	4	19	53	73	90	99+
20-34	19	28.7	361	2	5	30	52	79	99+	99+
35-49	59	24.1	385	4	5	20	34	73	99+	99+
50-64	136	29.7	489	3	4	28	45	79	99+	99+
65+	194	34.0	494	7	10	32	50	77	98	99+
TOT. SINGLE DX	17	10.8	105	2	2	6	15	28	34	36
" MULTIPLE DX	426	30.7	484	4	6	28	48	77	99+	99+
TOTAL 0-19 YRS	20	25.4	562	2	3	17	42	70	87	99+
20-34	21	27.6	352	2	4	29	48	72	99+	99+
35-49	60	23.7	387	3	5	20	33	72	99+	99+
50-64	143	28.7	492	3	4	27	44	77	99+	99+
65+	199	33.5	494	7	9	32	49	77	97	99+
GRAND TOTAL	**443**	**29.9**	**484**	**4**	**5**	**27**	**47**	**76**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	35	5.7	80	<1	<1	2	7	12	26	44
20-34	24	4.5	13	1	1	4	6	7	13	17
35-49	24	6.9	104	1	1	4	8	13	29	49
50-64	35	6.3	99	1	1	2	8	15	34	43
65+	40	6.5	118	1	1	2	7	15	31	51
2. MULTIPLE DX										
0-19 YRS	123	15.9	322	1	1	11	26	63	99+	99+
20-34	76	20.6	352	2	3	15	32	50	90	99+
35-49	128	24.0	590	1	2	18	38	90	99+	99+
50-64	319	21.4	483	1	2	14	37	63	92	99+
65+	416	29.1	544	1	2	28	45	72	97	99+
TOT. SINGLE DX	158	6.0	86	<1	1	2	7	14	26	49
" MULTIPLE DX	1062	24.0	511	1	2	20	39	71	97	99+
TOTAL 0-19 YRS	158	13.7	286	<1	1	7	23	52	86	99+
20-34	100	16.8	318	1	2	11	26	42	76	99+
35-49	152	21.3	551	1	1	14	37	77	99+	99+
50-64	354	19.9	466	1	1	11	35	61	89	99+
65+	456	27.1	548	1	2	25	43	71	94	99+
GRAND TOTAL	**1220**	**21.7**	**493**	**1**	**1**	**15**	**37**	**66**	**93**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	3.6	11	<1	1	2	6	9	11	11
20-34	106	6.0	21	1	1	5	8	12	14	24
35-49	144	5.8	25	1	1	5	9	12	14	20
50-64	354	6.3	38	1	1	5	8	12	16	29
65+	299	6.6	28	1	1	5	9	14	17	27
2. MULTIPLE DX										
0-19 YRS	45	9.2	35	2	2	8	14	18	23	99+
20-34	324	10.8	89	2	2	8	14	21	29	51
35-49	736	10.4	91	2	2	8	13	21	29	52
50-64	2476	10.8	73	2	3	9	14	20	26	43
65+	4057	11.8	74	2	3	10	15	22	29	42
TOT. SINGLE DX	916	6.3	31	1	1	5	9	12	16	26
" MULTIPLE DX	7638	11.3	76	2	3	9	14	22	28	43
TOTAL 0-19 YRS	58	8.0	36	1	1	7	12	17	22	93
20-34	430	9.6	77	1	2	8	12	19	28	45
35-49	880	9.6	83	1	2	7	12	20	27	50
50-64	2830	10.2	72	2	2	8	13	19	25	43
65+	4356	11.4	73	2	3	9	15	22	28	41
GRAND TOTAL	**8554**	**10.7**	**74**	**2**	**3**	**9**	**14**	**21**	**27**	**43**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	2	6.5	13	4	4	6	9	9	9	9
35-49	2	8.0	98	1	1	8	15	15	15	15
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	8.0	7	5	5	9	10	10	10	10
35-49	1	6.0		6	6	6	6	6	6	6
50-64	8	6.6	34	2	2	3	13	14	15	15
65+	2	25.0	1152	1	1	25	49	49	49	49
TOT. SINGLE DX	4	7.3	38	1	1	6	12	15	15	15
" MULTIPLE DX	15	9.1	144	1	2	5	12	15	40	49
TOTAL 0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	5	7.4	7	4	4	9	9	10	10	10
35-49	3	7.3	50	1	1	6	13	15	15	15
50-64	8	6.6	35	2	2	3	13	14	15	15
65+	2	25.0	1152	1	1	25	49	49	49	49
GRAND TOTAL	**19**	**8.7**	**119**	**1**	**1**	**5**	**12**	**15**	**34**	**49**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	26	9.1	18	2	4	9	11	16	17	18
20-34	103	9.0	36	1	3	8	11	17	20	32
35-49	161	7.8	36	2	3	7	9	12	18	39
50-64	313	8.5	36	1	2	8	10	15	21	32
65+	227	7.5	33	1	1	8	10	14	16	22
2. MULTIPLE DX										
0-19 YRS	85	14.1	153	4	5	10	17	26	37	74
20-34	237	13.2	110	3	4	10	15	27	34	59
35-49	478	12.2	89	3	4	10	15	23	29	59
50-64	1397	13.0	114	2	3	10	17	25	33	58
65+	1874	12.6	100	1	2	10	17	24	31	54
TOT. SINGLE DX	830	8.2	35	1	2	7	10	15	19	31
" MULTIPLE DX	4071	12.8	106	2	3	10	16	24	32	56
TOTAL 0-19 YRS	111	13.0	126	4	5	10	16	23	36	67
20-34	340	11.9	91	3	4	9	15	23	31	48
35-49	639	11.1	80	2	4	9	14	21	28	46
50-64	1710	12.2	103	2	3	9	15	24	32	55
65+	2101	12.1	96	1	2	10	16	23	30	53
GRAND TOTAL	**4901**	**12.0**	**97**	**2**	**3**	**9**	**15**	**23**	**31**	**55**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	7.3	2	5	5	7	8	10	10	10
20-34	7	10.9	80	6	6	8	9	27	31	31
35-49	46	11.2	28	6	7	10	13	19	27	99+
50-64	168	12.2	30	6	7	11	15	20	22	32
65+	117	11.9	35	7	8	10	14	18	22	44
2. MULTIPLE DX										
0-19 YRS	23	17.4	389	6	6	10	17	43	73	83
20-34	34	17.9	237	6	7	12	22	30	63	71
35-49	168	14.0	82	6	7	11	16	24	33	52
50-64	746	15.5	92	7	8	13	19	26	33	63
65+	783	16.8	90	8	9	14	20	28	35	64
TOT. SINGLE DX	345	11.8	33	6	7	10	14	19	23	33
" MULTIPLE DX	1754	16.0	98	7	8	13	19	27	34	68
TOTAL 0-19 YRS	30	15.0	315	6	6	9	16	28	68	83
20-34	41	16.7	215	6	7	11	21	30	52	71
35-49	214	13.4	72	6	7	11	16	23	32	58
50-64	914	14.9	83	7	8	12	18	25	31	52
65+	900	16.1	86	7	8	13	20	27	33	56
GRAND TOTAL	**2099**	**15.3**	**89**	**7**	**8**	**12**	**18**	**26**	**32**	**65**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	244	3.1	13	<1	<1	2	3	7	10	19
20-34	104	7.1	40	1	2	5	9	13	18	38
35-49	153	6.5	28	1	1	5	9	14	17	23
50-64	201	6.3	26	1	1	5	9	13	16	26
65+	115	7.0	29	1	1	6	10	15	17	24
2. MULTIPLE DX										
0-19 YRS	397	8.5	94	1	1	6	12	18	24	80
20-34	370	11.3	172	2	2	7	14	21	36	81
35-49	696	10.7	80	2	3	8	14	22	28	47
50-64	1660	10.9	91	2	3	9	14	22	28	55
65+	2546	12.9	100	2	4	11	16	24	33	50
TOT. SINGLE DX	817	5.6	28	1	1	4	8	13	16	24
" MULTIPLE DX	5669	11.6	101	2	3	9	15	23	30	56
TOTAL 0-19 YRS	641	6.4	71	<1	1	4	9	16	20	68
20-34	474	10.4	146	1	2	7	12	19	33	79
35-49	849	10.0	74	2	2	8	13	20	26	45
50-64	1861	10.4	86	2	2	8	13	21	27	54
65+	2661	12.6	99	2	3	10	16	24	32	50
GRAND TOTAL	**6486**	**10.9**	**96**	**1**	**2**	**8**	**14**	**22**	**29**	**53**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17	4.9	11	1	1	4	6	10	13	14
20-34	48	5.2	9	2	2	4	6	9	14	16
35-49	20	5.5	9	2	2	5	8	10	11	12
50-64	15	8.1	12	3	3	8	11	13	14	14
65+	9	8.6	41	2	2	7	12	18	22	22
2. MULTIPLE DX										
0-19 YRS	33	12.8	195	3	3	9	16	20	54	65
20-34	64	10.1	76	3	4	7	11	20	27	53
35-49	53	12.0	120	2	2	8	14	25	42	45
50-64	93	11.6	82	2	3	10	15	23	28	48
65+	118	12.7	63	3	4	11	18	24	28	35
TOT. SINGLE DX	109	5.9	14	2	2	5	8	11	14	18
" MULTIPLE DX	361	11.9	91	2	3	9	16	23	29	55
TOTAL 0-19 YRS	50	10.1	146	2	2	7	13	18	21	65
20-34	112	8.0	53	2	3	6	9	15	23	41
35-49	73	10.2	98	2	2	7	12	21	39	45
50-64	108	11.1	74	2	3	9	14	21	28	45
65+	127	12.4	63	3	4	11	18	24	27	35
GRAND TOTAL	**470**	**10.5**	**79**	**2**	**3**	**8**	**13**	**21**	**28**	**45**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	187	5.6	22	1	2	4	7	10	13	24
20-34	646	5.6	15	2	2	5	7	10	12	18
35-49	212	5.9	21	2	2	5	7	10	12	26
50-64	109	7.9	30	3	3	6	9	16	20	27
65+	86	8.2	46	2	2	6	10	18	25	33
2. MULTIPLE DX										
0-19 YRS	342	13.7	216	3	4	9	15	34	53	93
20-34	748	9.1	74	3	3	7	10	18	23	44
35-49	620	10.2	72	3	3	8	13	19	23	44
50-64	951	12.6	103	3	4	10	16	25	32	58
65+	1460	13.3	97	3	4	11	17	25	32	52
TOT. SINGLE DX	1240	6.0	22	2	2	5	7	11	14	25
" MULTIPLE DX	4121	11.9	104	3	4	9	15	23	30	59
TOTAL 0-19 YRS	529	10.8	163	2	3	7	12	23	39	76
20-34	1394	7.5	50	2	3	6	9	14	18	36
35-49	832	9.1	63	2	3	7	11	18	23	41
50-64	1060	12.1	98	3	4	9	16	24	31	56
65+	1546	13.0	96	3	4	10	17	25	32	51
GRAND TOTAL	**5361**	**10.6**	**91**	**3**	**3**	**8**	**13**	**21**	**27**	**52**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	205	5.1	11	1	1	5	6	8	11	19
20-34	159	6.1	23	1	1	5	8	13	15	22
35-49	114	5.6	30	1	1	4	9	12	16	28
50-64	126	6.6	34	1	1	5	9	15	17	30
65+	99	7.2	38	1	2	5	10	15	20	28
2. MULTIPLE DX										
0-19 YRS	120	10.0	57	2	3	7	14	21	27	33
20-34	262	11.5	118	1	2	8	15	26	32	48
35-49	347	12.0	110	1	2	9	16	24	32	61
50-64	723	11.6	107	2	3	9	15	23	31	53
65+	1040	12.3	104	2	3	10	16	24	32	48
TOT. SINGLE DX	703	6.0	25	1	1	5	8	12	16	28
" MULTIPLE DX	2492	11.8	105	2	3	9	15	24	32	52
TOTAL 0-19 YRS	325	6.9	34	1	2	5	8	15	19	31
20-34	421	9.4	89	1	2	7	12	21	28	43
35-49	461	10.4	98	1	1	8	14	22	29	52
50-64	849	10.8	99	1	2	8	14	22	30	53
65+	1139	11.9	101	2	3	9	16	23	32	48
GRAND TOTAL	**3195**	**10.6**	**94**	**1**	**2**	**8**	**14**	**22**	**29**	**48**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	200	8.2	57	4	5	7	8	11	14	41
20-34	62	9.4	7	6	7	9	10	12	14	20
35-49	90	9.7	9	6	7	9	11	13	14	23
50-64	101	11.2	15	7	8	10	12	15	18	30
65+	58	12.6	16	8	8	12	14	18	22	24
2. MULTIPLE DX										
0-19 YRS	655	12.2	92	5	6	9	13	22	31	80
20-34	157	16.5	158	7	8	12	19	28	45	72
35-49	330	16.0	116	7	8	13	18	29	43	74
50-64	812	16.7	118	8	9	13	19	28	38	62
65+	969	19.5	150	9	10	16	23	33	42	79
TOT. SINGLE DX	511	9.7	32	5	6	9	11	14	17	25
" MULTIPLE DX	2923	16.5	132	7	8	13	19	30	40	77
TOTAL 0-19 YRS	855	11.2	87	5	6	9	12	19	26	79
20-34	219	14.5	126	6	7	11	15	25	38	68
35-49	420	14.6	100	7	8	12	15	25	40	66
50-64	913	16.1	110	8	9	13	18	27	35	58
65+	1027	19.1	145	9	10	16	22	33	42	78
GRAND TOTAL	**3434**	**15.5**	**123**	**6**	**7**	**12**	**18**	**28**	**38**	**74**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	5	10.2	7	8	8	9	12	14	14	14
35-49	208	10.2	10	7	7	9	12	14	17	23
50-64	608	10.9	11	7	8	10	12	15	17	23
65+	309	12.4	21	7	8	11	15	18	20	28
2. MULTIPLE DX										
0-19 YRS	2	19.0	72	13	13	19	25	25	25	25
20-34	46	12.9	100	6	7	10	13	22	26	69
35-49	1402	11.6	31	7	7	10	13	17	21	31
50-64	5456	13.1	48	7	8	11	15	20	25	42
65+	4270	15.8	85	8	9	13	18	26	33	60
TOT. SINGLE DX	1131	11.2	15	7	8	10	13	16	19	25
" MULTIPLE DX	11176	14.0	63	7	8	12	16	22	28	51
TOTAL 0-19 YRS	3	15.7	69	9	9	13	22	25	25	25
20-34	51	12.7	92	6	7	10	13	21	24	69
35-49	1610	11.4	29	7	7	10	13	17	21	30
50-64	6064	12.9	45	7	8	11	14	19	24	41
65+	4579	15.6	82	8	9	13	18	25	32	59
GRAND TOTAL	**12307**	**13.7**	**59**	**7**	**8**	**12**	**15**	**22**	**27**	**49**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	527	2.0	1	1	1	2	2	3	4	9
20-34	298	3.0	9	1	1	2	3	7	8	15
35-49	2199	2.8	6	1	1	2	3	6	9	12
50-64	3784	2.8	7	1	1	2	2	6	9	14
65+	1295	2.8	7	1	1	2	2	6	9	15
2. MULTIPLE DX										
0-19 YRS	1152	3.0	20	1	1	2	2	6	9	20
20-34	768	4.7	23	1	1	2	6	11	14	23
35-49	6923	4.3	19	1	1	2	6	10	12	20
50-64	17734	4.6	21	1	1	2	6	11	13	21
65+	10741	5.7	34	1	1	3	8	13	16	27
TOT. SINGLE DX	8103	2.8	7	1	1	2	2	6	9	13
" MULTIPLE DX	37318	4.8	25	1	1	2	7	11	14	23
TOTAL 0-19 YRS	1679	2.7	15	1	1	2	2	4	8	18
20-34	1066	4.2	20	1	1	2	5	10	13	21
35-49	9122	4.0	16	1	1	2	5	9	12	18
50-64	21518	4.3	19	1	1	2	6	10	13	21
65+	12036	5.4	32	1	1	3	7	12	16	26
GRAND TOTAL	**45421**	**4.4**	**22**	**1**	**1**	**2**	**6**	**10**	**13**	**22**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	26	3.3	4	1	1	3	4	6	8	10
20-34	23	3.6	5	<1	1	3	6	7	8	8
35-49	42	4.1	10	1	1	3	6	9	10	13
50-64	151	4.9	15	1	1	4	7	11	13	18
65+	594	4.8	25	1	1	4	6	9	12	19
2. MULTIPLE DX										
0-19 YRS	60	7.1	57	1	2	5	8	14	31	94
20-34	66	6.4	32	1	2	5	8	12	14	37
35-49	224	9.6	63	1	2	8	13	19	23	43
50-64	1168	10.0	64	2	3	8	13	18	23	38
65+	7247	10.1	54	2	3	8	13	19	24	38
TOT. SINGLE DX	836	4.7	21	1	1	4	6	9	12	18
" MULTIPLE DX	8765	10.0	56	2	3	8	13	19	23	38
TOTAL 0-19 YRS	86	6.0	44	1	2	4	7	11	19	78
20-34	89	5.7	27	1	2	4	7	11	13	31
35-49	266	8.7	59	1	2	7	12	18	22	41
50-64	1319	9.4	61	2	2	8	13	18	22	35
65+	7841	9.7	55	2	3	8	13	18	23	38
GRAND TOTAL	**9601**	**9.5**	**56**	**2**	**3**	**8**	**13**	**18**	**23**	**38**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	30	5.2	7	1	2	6	7	8	9	11
20-34	42	6.3	15	1	2	6	9	11	14	16
35-49	384	4.5	10	2	2	3	6	9	11	18
50-64	770	4.3	10	2	2	3	5	8	10	16
65+	274	4.1	9	2	2	3	5	8	10	16
2. MULTIPLE DX										
0-19 YRS	81	8.6	60	2	2	8	10	16	27	99+
20-34	154	9.8	75	2	2	7	12	22	28	45
35-49	1267	6.5	34	2	2	4	8	13	17	28
50-64	3077	6.5	33	2	2	4	8	13	17	28
65+	1790	8.3	53	2	2	6	11	17	23	37
TOT. SINGLE DX	1500	4.4	10	2	2	3	6	8	10	16
" MULTIPLE DX	6369	7.1	41	2	2	5	9	14	19	32
TOTAL 0-19 YRS	111	7.7	48	2	2	7	9	12	19	99+
20-34	196	9.1	65	2	2	7	11	20	25	41
35-49	1651	6.0	30	2	2	4	8	12	16	26
50-64	3847	6.1	29	2	2	4	8	12	16	27
65+	2064	7.8	49	2	2	5	10	16	21	35
GRAND TOTAL	**7869**	**6.6**	**37**	**2**	**2**	**4**	**8**	**13**	**18**	**30**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	376	2.5	6	<1	<1	2	3	5	8	12
20-34	130	3.9	22	<1	1	2	5	10	14	27
35-49	144	4.1	20	<1	1	2	5	10	13	23
50-64	187	4.3	29	<1	1	2	5	11	13	30
65+	162	6.6	51	1	1	4	9	14	20	30
2. MULTIPLE DX										
0-19 YRS	1531	5.3	64	1	2	3	5	10	15	56
20-34	335	9.7	102	1	2	7	12	19	24	45
35-49	619	8.7	55	1	2	6	11	19	24	34
50-64	1553	9.5	69	1	2	7	12	19	25	45
65+	3839	11.4	81	2	3	9	15	22	28	47
TOT. SINGLE DX	999	3.9	24	<1	<1	2	4	10	13	26
" MULTIPLE DX	7877	9.5	80	1	2	7	12	20	26	46
TOTAL 0-19 YRS	1907	4.7	54	1	1	3	5	9	13	46
20-34	465	8.1	87	1	1	6	11	16	21	38
35-49	763	7.8	52	1	1	6	10	17	22	33
50-64	1740	8.9	68	1	2	7	12	19	25	42
65+	4001	11.2	81	2	3	9	15	22	28	47
GRAND TOTAL	**8876**	**8.9**	**77**	**1**	**2**	**6**	**12**	**19**	**25**	**44**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	27	2.3	2	<1	1	2	3	4	5	8
20-34	560	3.0	3	1	1	3	4	5	6	9
35-49	877	3.1	5	1	1	3	4	5	7	11
50-64	594	3.6	6	1	1	3	4	6	7	14
65+	134	4.0	7	1	1	4	5	7	10	14
2. MULTIPLE DX										
0-19 YRS	7	4.6	10	2	2	3	6	10	11	11
20-34	207	4.5	14	1	1	4	5	8	12	19
35-49	456	4.5	15	1	2	3	5	8	12	20
50-64	511	5.3	21	1	2	4	6	10	13	28
65+	228	6.9	55	2	2	4	7	14	24	43
TOT. SINGLE DX	2192	3.3	5	1	1	3	4	5	7	12
″ MULTIPLE DX	1409	5.2	24	1	2	4	6	10	14	29
TOTAL 0-19 YRS	34	2.8	5	<1	1	2	3	5	8	11
20-34	767	3.4	7	1	1	3	4	6	7	15
35-49	1333	3.6	9	1	1	3	4	6	8	17
50-64	1105	4.4	14	1	1	4	5	8	10	22
65+	362	5.8	39	1	2	4	6	11	18	32
GRAND TOTAL	**3601**	**4.0**	**14**	**1**	**1**	**3**	**5**	**7**	**10**	**21**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	6.1	8	1	2	7	8	10	11	12
20-34	28	5.9	31	1	1	4	9	10	18	26
35-49	127	8.4	18	2	4	8	10	13	16	25
50-64	361	9.5	30	3	5	9	11	15	18	30
65+	311	9.7	22	4	5	9	12	16	18	30
2. MULTIPLE DX										
0-19 YRS	161	12.0	91	3	5	9	13	27	36	94
20-34	263	10.7	88	1	2	8	14	22	28	51
35-49	671	11.5	78	2	3	9	14	21	28	47
50-64	2636	13.6	104	4	5	11	16	24	33	59
65+	3939	15.9	116	5	6	13	20	29	36	59
TOT. SINGLE DX	848	9.2	26	3	4	8	11	15	18	29
″ MULTIPLE DX	7670	14.4	110	4	5	12	18	27	35	58
TOTAL 0-19 YRS	182	11.4	86	2	4	9	12	25	34	86
20-34	291	10.2	85	1	2	8	13	21	28	48
35-49	798	11.0	71	2	3	9	13	20	27	45
50-64	2997	13.1	97	4	5	10	15	23	32	56
65+	4250	15.4	112	5	6	13	19	28	35	59
GRAND TOTAL	**8518**	**13.9**	**104**	**4**	**5**	**11**	**17**	**26**	**34**	**57**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	2	40.0	1568	12	12	40	68	68	68	68
20-34	1	10.0		10	10	10	10	10	10	10
35-49	1	11.0		11	11	11	11	11	11	11
50-64	3	9.3	25	4	4	10	13	14	14	14
65+	2	19.5	181	10	10	19	29	29	29	29
TOT. SINGLE DX	2	3.5	5	2	2	3	5	5	5	5
″ MULTIPLE DX	9	18.7	388	4	6	11	18	52	68	68
TOTAL 0-19 YRS	3	28.3	1192	5	5	12	54	68	68	68
20-34	1	10.0		10	10	10	10	10	10	10
35-49	1	11.0		11	11	11	11	11	11	11
50-64	4	7.5	30	2	2	7	12	14	14	14
65+	2	19.5	181	10	10	19	29	29	29	29
GRAND TOTAL	**11**	**15.9**	**349**	**2**	**3**	**10**	**13**	**45**	**66**	**68**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	15	4.5	32	<1	<1	3	5	12	19	22
35-49	14	5.1	23	1	1	4	7	11	17	19
50-64	17	5.5	23	<1	<1	5	7	9	17	21
65+	14	11.7	225	<1	1	8	11	27	51	58
2. MULTIPLE DX										
0-19 YRS	50	8.1	135	1	1	5	9	14	28	77
20-34	595	5.1	23	<1	1	4	7	11	15	24
35-49	662	5.9	37	<1	1	4	7	12	16	33
50-64	1190	6.6	42	1	2	5	8	13	18	34
65+	1300	7.3	46	1	2	5	9	15	21	35
TOT. SINGLE DX	61	6.5	76	<1	<1	4	8	15	22	54
″ MULTIPLE DX	3797	6.5	42	1	1	5	8	13	18	34
TOTAL 0-19 YRS	51	8.0	134	1	1	5	9	14	27	76
20-34	610	5.1	24	<1	1	4	6	11	15	24
35-49	676	5.8	37	1	1	4	7	12	16	32
50-64	1207	6.6	42	1	2	5	8	13	18	34
65+	1314	7.4	49	1	2	5	9	15	21	36
GRAND TOTAL	**3858**	**6.5**	**42**	**1**	**1**	**5**	**8**	**13**	**19**	**34**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	290	6.5	56	1	1	5	8	11	16	49
20-34	232	6.4	51	1	1	4	8	14	18	31
35-49	378	7.4	72	1	1	5	9	15	22	45
50-64	1193	6.6	26	1	2	5	8	12	15	25
65+	1458	6.8	18	2	3	6	9	12	14	23
2. MULTIPLE DX										
0-19 YRS	2525	20.4	470	2	3	11	29	59	80	99+
20-34	959	10.2	147	1	1	6	12	23	34	66
35-49	1667	10.3	111	1	2	7	13	23	31	56
50-64	6463	10.7	97	2	3	8	13	21	29	54
65+	12099	11.6	86	3	4	9	15	22	30	51
TOT. SINGLE DX	3551	6.7	32	1	2	5	8	12	15	28
" MULTIPLE DX	23713	12.1	143	2	3	9	15	25	36	73
TOTAL 0-19 YRS	2815	19.0	446	1	3	10	26	57	77	99+
20-34	1191	9.4	131	1	1	6	12	21	30	65
35-49	2045	9.8	106	1	2	7	12	22	29	55
50-64	7656	10.0	88	2	3	8	12	19	27	52
65+	13557	11.1	81	3	4	9	14	21	28	49
GRAND TOTAL	**27264**	**11.4**	**132**	**2**	**3**	**8**	**14**	**23**	**33**	**70**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	354	3.3	9	<1	1	2	5	8	10	13
20-34	326	4.0	14	1	1	3	5	9	10	20
35-49	265	4.1	11	1	1	3	6	9	11	16
50-64	294	4.7	19	1	1	3	6	10	14	20
65+	222	5.6	17	1	1	5	8	10	13	20
2. MULTIPLE DX										
0-19 YRS	259	5.9	35	1	1	4	8	13	18	28
20-34	429	7.7	56	1	2	6	10	15	23	37
35-49	513	7.8	59	1	1	5	10	17	24	37
50-64	1020	8.9	71	1	2	7	11	18	24	45
65+	1340	10.3	84	2	2	8	13	21	28	47
TOT. SINGLE DX	1461	4.2	14	1	1	3	6	9	11	18
" MULTIPLE DX	3561	8.9	72	1	2	7	11	18	25	45
TOTAL 0-19 YRS	613	4.4	22	<1	1	3	6	10	13	24
20-34	755	6.1	42	1	1	4	8	12	17	33
35-49	778	6.5	46	1	1	4	8	14	19	34
50-64	1314	8.0	63	1	2	6	10	16	22	41
65+	1562	9.6	78	1	2	8	12	19	25	46
GRAND TOTAL	**5022**	**7.5**	**60**	**1**	**1**	**5**	**10**	**16**	**22**	**40**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	4.3	13	1	1	3	6	9	13	15
20-34	48	6.8	16	2	2	7	8	11	13	22
35-49	60	4.8	7	<1	1	5	6	8	10	15
50-64	92	6.8	30	2	2	5	9	15	19	25
65+	81	7.2	23	2	3	6	9	14	18	25
2. MULTIPLE DX										
0-19 YRS	13	5.9	26	2	2	4	7	16	17	17
20-34	65	8.0	30	1	2	7	9	14	17	32
35-49	142	9.6	88	2	3	7	12	18	26	58
50-64	362	12.2	140	2	3	8	15	26	35	66
65+	416	10.9	92	3	4	8	12	21	31	49
TOT. SINGLE DX	302	6.4	21	1	2	5	8	12	16	23
" MULTIPLE DX	998	10.9	106	2	3	8	13	22	32	59
TOTAL 0-19 YRS	34	4.9	18	1	2	3	6	11	16	17
20-34	113	7.5	24	1	2	7	9	13	15	27
35-49	202	8.2	69	1	2	6	9	15	20	53
50-64	454	11.1	122	2	3	8	14	24	33	61
65+	497	10.3	83	3	4	8	12	20	27	46
GRAND TOTAL	**1300**	**9.9**	**90**	**2**	**3**	**7**	**11**	**19**	**28**	**50**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	5.5	13	3	3	5	8	8	8	8
20-34	1	13.0		13	13	13	13	13	13	13
35-49	3	4.7	8	3	3	3	7	8	8	8
50-64										
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	8.0	63	2	2	5	14	17	17	17
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	12.0		12	12	12	12	12	12	12
65+	3	5.3	10	3	3	4	8	9	9	9
TOT. SINGLE DX	7	5.7	17	2	2	3	8	12	13	13
" MULTIPLE DX	9	6.2	28	2	2	4	10	15	17	17
TOTAL 0-19 YRS	3	4.3	10	2	2	3	7	8	8	8
20-34	4	9.3	48	2	2	9	15	17	17	17
35-49	4	4.0	7	2	2	3	6	8	8	8
50-64	1	12.0		12	12	12	12	12	12	12
65+	4	4.5	10	2	2	3	6	9	9	9
GRAND TOTAL	**16**	**6.0**	**22**	**2**	**2**	**4**	**9**	**13**	**16**	**17**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	29.0		29	29	29	29	29	29	29
20-34	2	23.5	925	2	2	23	45	45	45	45
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	2.5	1	2	2	2	3	3	3	3
65+										
2. MULTIPLE DX										
0-19 YRS	8	44.5	425	25	26	35	57	79	84	84
20-34	28	42.8	198	22	26	42	49	64	66	68
35-49	18	39.2	229	12	26	38	50	55	66	72
50-64	8	34.1	516	1	3	36	47	64	70	70
65+	1	3.0		3	3	3	3	3	3	3
TOT. SINGLE DX	6	14.0	343	2	2	3	29	43	45	45
" MULTIPLE DX	63	40.2	288	3	25	41	50	65	69	82
TOTAL 0-19 YRS	9	42.8	399	25	26	34	53	77	84	84
20-34	30	41.5	241	2	25	42	49	64	65	68
35-49	19	37.3	285	3	12	37	50	54	65	72
50-64	10	27.8	579	1	1	26	46	59	70	70
65+	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**69**	**38.0**	**344**	**2**	**3**	**39**	**49**	**64**	**68**	**82**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	417	5.2	14	1	2	5	6	9	12	18
20-34	338	6.7	23	2	2	6	8	11	17	23
35-49	213	6.8	32	2	2	5	8	12	18	70
50-64	243	7.4	50	1	2	5	8	14	18	39
65+	263	7.3	46	1	2	6	9	13	18	37
2. MULTIPLE DX										
0-19 YRS	688	9.3	83	2	2	7	11	20	27	56
20-34	960	11.7	129	2	3	8	13	26	36	59
35-49	1129	11.4	110	2	3	8	14	25	34	52
50-64	2275	11.6	105	3	3	9	14	23	32	55
65+	5527	11.2	68	3	4	9	14	21	27	43
TOT. SINGLE DX	1474	6.5	31	1	2	5	8	12	16	34
" MULTIPLE DX	10579	11.2	88	3	3	9	14	22	29	50
TOTAL 0-19 YRS	1105	7.7	61	1	2	6	9	16	22	45
20-34	1298	10.4	106	2	3	7	11	22	31	54
35-49	1342	10.6	101	2	3	8	13	22	32	52
50-64	2518	11.2	102	2	3	8	13	23	31	54
65+	5790	11.0	69	3	4	9	14	20	26	43
GRAND TOTAL	**12053**	**10.6**	**83**	**2**	**3**	**8**	**13**	**21**	**28**	**49**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	88	7.4	84	1	1	5	9	14	24	54
20-34	118	10.3	113	1	2	7	13	23	36	52
35-49	96	8.2	87	<1	1	5	10	21	31	43
50-64	116	9.7	90	1	2	7	12	24	30	45
65+	75	8.3	59	1	1	5	12	18	26	37
2. MULTIPLE DX										
0-19 YRS	461	16.7	313	2	3	11	25	44	69	99+
20-34	676	13.8	165	1	2	10	18	31	40	68
35-49	1011	13.1	157	1	2	9	17	30	38	58
50-64	1727	13.0	171	2	2	9	17	29	39	67
65+	2054	14.8	157	2	3	11	20	32	40	60
TOT. SINGLE DX	493	8.9	90	1	1	6	11	20	29	47
" MULTIPLE DX	5929	14.0	176	2	3	10	19	31	42	70
TOTAL 0-19 YRS	549	15.2	288	1	2	9	21	42	66	99+
20-34	794	13.3	159	1	2	9	18	30	40	62
35-49	1107	12.7	153	1	2	8	17	29	38	56
50-64	1843	12.8	167	2	2	8	16	29	38	66
65+	2129	14.6	156	2	3	11	19	31	40	60
GRAND TOTAL	**6422**	**13.6**	**171**	**2**	**2**	**9**	**18**	**31**	**41**	**69**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	72	4.1	42	<1	<1	2	5	8	15	38
20-34	66	4.5	12	<1	1	4	7	9	11	13
35-49	113	5.3	24	1	1	4	7	11	17	24
50-64	169	6.0	41	1	1	4	8	13	17	33
65+	163	5.1	35	1	1	3	6	11	15	38
2. MULTIPLE DX										
0-19 YRS	144	11.6	208	1	1	7	15	31	60	99+
20-34	292	8.3	116	1	2	5	9	15	28	61
35-49	652	7.9	56	1	2	6	10	16	21	37
50-64	1326	9.7	107	1	2	7	11	20	28	59
65+	2413	9.5	74	1	2	7	12	19	25	44
TOT. SINGLE DX	583	5.2	33	1	1	3	7	11	15	33
" MULTIPLE DX	4827	9.3	88	1	2	7	11	19	26	55
TOTAL 0-19 YRS	216	9.1	165	<1	1	4	11	24	39	99+
20-34	358	7.6	99	1	1	5	8	13	22	57
35-49	765	7.5	53	1	2	6	9	15	21	37
50-64	1495	9.3	102	1	2	7	11	19	27	57
65+	2576	9.3	74	1	2	7	11	18	24	43
GRAND TOTAL	**5410**	**8.9**	**84**	**1**	**2**	**7**	**11**	**18**	**25**	**52**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	712	3.4	3	1	2	3	4	5	6	10
20-34	7	6.3	9	1	2	7	9	10	10	10
35-49	3	6.7	9	4	4	6	9	10	10	10
50-64	6	9.7	28	4	4	8	12	18	19	19
65+	2	12.0	50	7	7	12	17	17	17	17
2. MULTIPLE DX										
0-19 YRS	264	4.9	51	2	2	4	5	7	9	17
20-34	12	12.8	44	6	7	12	19	42	89	99+
35-49	18	16.0	99	5	5	13	20	32	37	39
50-64	28	17.7	80	8	9	17	23	33	43	99+
65+	61	16.1	72	5	6	15	21	28	32	44
TOT. SINGLE DX	730	3.5	4	1	2	3	4	6	7	11
" MULTIPLE DX	383	8.4	86	2	2	5	10	20	27	55
TOTAL 0-19 YRS	976	3.8	16	2	2	3	4	6	7	11
20-34	19	10.4	41	2	5	9	14	24	64	99+
35-49	21	14.7	97	4	5	11	20	30	37	39
50-64	34	16.3	79	5	8	16	21	30	39	99+
65+	63	16.0	72	6	7	15	21	27	32	44
GRAND TOTAL	**1113**	**5.2**	**37**	**2**	**2**	**4**	**5**	**10**	**17**	**32**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	7.9	53	1	1	5	11	18	24	26
20-34	6	9.7	10	5	5	9	12	14	14	14
35-49	5	8.8	61	1	1	9	13	21	21	21
50-64	13	10.3	42	1	3	11	12	22	24	24
65+	29	15.4	231	3	3	11	19	28	39	79
2. MULTIPLE DX										
0-19 YRS	99	19.0	308	3	4	14	23	39	63	99
20-34	56	18.8	319	4	5	13	27	49	82	99+
35-49	103	22.5	373	3	5	18	33	55	86	99+
50-64	352	20.8	295	4	6	16	28	44	58	98
65+	1657	18.4	151	4	6	16	23	34	43	63
TOT. SINGLE DX	66	11.9	133	1	3	10	15	25	27	72
" MULTIPLE DX	2267	19.0	196	4	6	16	24	37	47	88
TOTAL 0-19 YRS	112	17.7	291	2	4	13	22	37	60	99
20-34	62	17.9	296	4	5	12	22	48	77	99+
35-49	108	21.8	367	3	4	18	31	53	85	99+
50-64	365	20.4	290	4	5	16	27	43	58	98
65+	1686	18.4	153	4	6	16	23	34	43	63
GRAND TOTAL	**2333**	**18.8**	**195**	**4**	**6**	**16**	**24**	**37**	**47**	**88**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	23	6.7	39	2	2	4	7	17	23	25
20-34	79	6.0	24	1	2	4	8	10	16	30
35-49	170	6.3	21	2	2	5	7	11	13	28
50-64	162	5.6	13	1	2	5	8	10	13	18
65+	154	7.0	29	2	2	6	8	14	18	30
2. MULTIPLE DX										
0-19 YRS	55	7.9	66	2	2	5	9	18	27	42
20-34	530	7.7	53	2	3	6	9	14	17	37
35-49	1106	7.8	42	2	3	6	9	14	19	33
50-64	1989	8.5	40	3	3	7	10	16	20	31
65+	4366	9.4	46	3	4	8	12	17	22	34
TOT. SINGLE DX	588	6.3	23	2	2	5	8	11	15	26
" MULTIPLE DX	8046	8.9	46	3	3	7	11	16	21	34
TOTAL 0-19 YRS	78	7.6	58	2	2	5	8	17	26	40
20-34	609	7.4	50	2	3	6	9	13	17	35
35-49	1276	7.6	40	2	3	6	9	14	19	33
50-64	2151	8.3	39	2	3	7	10	15	20	31
65+	4520	9.4	46	3	4	8	11	17	22	34
GRAND TOTAL	**8634**	**8.7**	**45**	**2**	**3**	**7**	**10**	**16**	**21**	**33**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	9.0	8	7	7	9	11	11	11	11
20-34	43	9.6	17	4	6	8	12	16	17	24
35-49	84	11.1	29	6	7	9	13	17	22	35
50-64	96	11.9	23	7	7	11	14	18	23	29
65+	61	13.2	30	7	8	12	17	20	24	30
2. MULTIPLE DX										
0-19 YRS	11	25.8	285	7	8	24	39	50	57	58
20-34	88	15.2	84	7	8	13	17	25	40	84
35-49	269	16.6	130	7	7	13	19	30	40	64
50-64	477	17.1	117	8	9	14	20	30	39	59
65+	845	20.7	158	8	10	17	25	36	45	71
TOT. SINGLE DX	286	11.6	27	6	7	10	13	18	22	30
" MULTIPLE DX	1690	18.8	143	8	9	15	22	34	43	70
TOTAL 0-19 YRS	13	23.2	278	7	7	15	38	48	56	58
20-34	131	13.4	69	6	7	11	16	21	32	66
35-49	353	15.3	111	6	7	12	18	28	38	59
50-64	573	16.2	106	7	8	13	19	27	37	57
65+	906	20.2	153	8	9	17	24	36	44	71
GRAND TOTAL	**1976**	**17.7**	**133**	**7**	**8**	**14**	**21**	**31**	**41**	**65**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	1	15.0		15	15	15	15	15	15	15
50-64	14	17.1	117	9	10	14	16	23	46	53
65+	8	18.6	142	7	8	13	28	37	40	40
2. MULTIPLE DX										
0-19 YRS										
20-34	4	12.5	9	10	10	11	14	17	17	17
35-49	42	23.9	382	9	10	18	25	69	82	99+
50-64	112	22.7	187	10	11	18	28	46	57	80
65+	151	22.4	177	11	12	19	26	36	46	95
TOT. SINGLE DX	23	17.5	115	8	9	14	19	32	45	53
" MULTIPLE DX	309	22.6	207	10	11	18	26	39	57	97
TOTAL 0-19 YRS										
20-34	4	12.5	10	10	10	11	14	17	17	17
35-49	43	23.7	375	9	10	18	24	69	81	99+
50-64	126	22.0	182	10	11	17	26	46	56	76
65+	159	22.2	175	10	12	19	26	36	44	95
GRAND TOTAL	**332**	**22.2**	**202**	**10**	**11**	**18**	**26**	**39**	**55**	**96**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	10.0		10	10	10	10	10	10	10
20-34	45	9.0	13	5	6	8	10	14	17	22
35-49	77	9.8	16	6	6	9	12	16	17	79
50-64	48	10.1	15	5	6	9	12	16	18	22
65+	14	12.5	51	6	7	11	15	35	84	99+
2. MULTIPLE DX										
0-19 YRS	7	13.0	57	7	7	9	18	26	27	27
20-34	65	12.3	45	5	6	10	15	20	24	43
35-49	158	13.6	84	6	7	11	16	24	31	53
50-64	207	15.3	95	6	7	13	18	26	34	58
65+	236	18.0	98	8	9	15	22	32	42	61
TOT. SINGLE DX	186	9.9	18	6	6	9	12	16	18	75
" MULTIPLE DX	673	15.5	92	6	8	13	19	27	38	55
TOTAL 0-19 YRS	9	12.3	45	7	7	10	13	24	27	27
20-34	110	10.9	35	5	6	9	12	18	22	37
35-49	235	12.4	65	6	6	10	14	22	28	53
50-64	255	14.3	84	6	7	11	17	23	31	56
65+	250	17.7	97	8	9	15	22	32	42	98
GRAND TOTAL	**859**	**14.3**	**82**	**6**	**7**	**12**	**17**	**25**	**33**	**55**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	75	6.0	14	2	2	6	8	9	10	26
20-34	294	7.3	8	4	5	7	8	10	11	16
35-49	269	8.1	13	5	5	8	9	11	14	24
50-64	106	10.8	82	5	5	8	12	17	25	61
65+	76	10.3	49	5	6	9	11	15	17	52
2. MULTIPLE DX										
0-19 YRS	239	15.5	211	4	5	10	19	42	63	99+
20-34	641	9.4	39	5	6	8	10	13	20	41
35-49	1114	10.4	58	5	6	8	10	18	23	48
50-64	800	14.2	138	6	6	10	16	28	39	75
65+	1128	17.8	150	6	8	15	21	32	43	76
TOT. SINGLE DX	820	8.2	26	4	5	7	9	11	14	30
" MULTIPLE DX	3922	13.4	118	5	6	10	16	25	36	70
TOTAL 0-19 YRS	314	13.2	180	3	4	8	16	34	53	99+
20-34	935	8.7	31	5	5	8	9	12	16	39
35-49	1383	10.0	50	5	6	8	10	16	22	46
50-64	906	13.8	133	5	6	10	15	27	37	75
65+	1204	17.3	147	6	7	14	21	31	42	75
GRAND TOTAL	**4742**	**12.5**	**106**	**5**	**6**	**9**	**14**	**23**	**33**	**65**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	161	5.1	15	1	1	5	6	9	11	20
20-34	317	6.0	14	1	2	5	8	11	13	21
35-49	268	5.4	14	1	1	5	7	10	12	19
50-64	286	5.0	20	<1	1	4	7	10	12	22
65+	309	4.5	18	<1	1	3	7	10	13	19
2. MULTIPLE DX										
0-19 YRS	274	7.9	100	1	2	5	8	15	25	64
20-34	809	7.3	47	2	3	6	9	13	18	33
35-49	1179	7.9	44	2	2	6	9	15	20	37
50-64	2484	7.9	45	1	2	6	10	15	19	36
65+	5138	8.9	48	1	2	7	11	17	21	36
TOT. SINGLE DX	1341	5.2	17	1	1	4	7	10	13	20
" MULTIPLE DX	9884	8.4	49	1	2	7	10	16	21	36
TOTAL 0-19 YRS	435	6.9	71	1	2	5	8	12	19	46
20-34	1126	7.0	39	2	2	6	8	13	16	29
35-49	1447	7.4	40	1	2	6	9	14	19	32
50-64	2770	7.6	44	1	2	6	10	14	18	34
65+	5447	8.6	48	1	2	7	11	17	21	35
GRAND TOTAL	**11225**	**8.0**	**46**	**1**	**2**	**6**	**10**	**15**	**20**	**34**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	26	9.2	27	4	5	7	10	20	23	23
20-34	41	10.4	23	5	6	9	13	18	20	25
35-49	47	12.4	62	6	7	10	14	19	23	55
50-64	42	10.3	14	5	6	10	12	15	19	22
65+	59	13.5	85	5	6	11	16	22	27	64
2. MULTIPLE DX										
0-19 YRS	111	19.5	489	5	6	10	21	66	83	99+
20-34	238	15.1	146	6	7	11	17	31	41	85
35-49	304	16.7	173	7	7	12	19	33	49	94
50-64	524	19.6	217	7	8	15	24	39	55	99+
65+	1056	19.5	169	8	9	16	23	35	48	78
TOT. SINGLE DX	215	11.5	49	5	6	10	14	18	22	38
" MULTIPLE DX	2233	18.7	197	7	8	14	22	36	51	91
TOTAL 0-19 YRS	137	17.6	418	5	6	9	18	56	83	99+
20-34	279	14.4	131	6	7	11	16	27	39	82
35-49	351	16.1	160	7	7	12	19	30	47	89
50-64	566	18.9	208	7	8	14	23	38	53	99
65+	1115	19.2	167	7	8	16	23	34	47	77
GRAND TOTAL	**2448**	**18.1**	**188**	**7**	**8**	**14**	**22**	**35**	**49**	**89**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	48	8.7	7	5	6	8	10	13	14	16
20-34	147	9.8	18	5	6	9	11	16	20	25
35-49	230	10.9	21	7	7	10	12	17	21	29
50-64	659	10.6	15	7	7	10	12	14	17	27
65+	740	11.6	26	7	8	10	13	16	20	37
2. MULTIPLE DX										
0-19 YRS	134	17.5	316	5	6	11	21	53	90	99+
20-34	421	14.7	108	6	7	11	18	27	35	67
35-49	947	13.5	70	7	7	11	15	22	29	56
50-64	3047	14.2	69	7	8	12	16	23	29	47
65+	7534	16.4	82	8	9	14	19	27	33	53
TOT. SINGLE DX	1824	10.9	21	7	7	10	12	16	19	28
" MULTIPLE DX	12083	15.5	83	7	8	13	18	26	32	54
TOTAL 0-19 YRS	182	15.2	249	5	6	10	15	37	68	99+
20-34	568	13.4	90	6	7	10	15	24	30	55
35-49	1177	13.0	62	7	7	11	15	20	27	46
50-64	3706	13.5	62	7	8	11	15	22	27	46
65+	8274	15.9	80	8	9	13	19	26	32	52
GRAND TOTAL	**13907**	**14.9**	**78**	**7**	**8**	**12**	**17**	**25**	**31**	**52**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	15	6.9	30	2	3	6	8	24	77	99+
20-34	11	9.4	29	3	4	8	11	18	22	22
35-49	25	9.4	24	4	5	9	10	12	20	29
50-64	23	9.0	11	4	5	9	11	14	16	17
65+	34	10.6	24	5	6	9	12	18	21	27
2. MULTIPLE DX										
0-19 YRS	34	14.2	302	3	4	9	15	20	69	79
20-34	49	11.6	113	5	5	9	14	18	21	76
35-49	92	15.4	124	5	6	13	18	31	35	61
50-64	199	17.5	175	6	7	14	22	32	44	71
65+	454	18.7	129	7	9	15	23	32	41	75
TOT. SINGLE DX	108	9.3	23	4	5	8	11	16	21	58
" MULTIPLE DX	828	17.4	149	6	7	14	21	31	41	77
TOTAL 0-19 YRS	49	12.0	229	3	4	8	12	22	78	99+
20-34	60	11.2	98	4	5	9	13	18	21	71
35-49	117	14.1	109	5	6	11	16	29	34	56
50-64	222	16.7	165	6	7	13	21	30	43	68
65+	488	18.1	126	7	8	15	22	32	41	71
GRAND TOTAL	**936**	**16.5**	**141**	**5**	**7**	**13**	**20**	**30**	**40**	**76**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	152	6.0	16	2	2	5	7	9	12	28
20-34	132	8.0	14	4	5	7	9	12	15	24
35-49	116	8.6	13	4	5	8	10	12	15	25
50-64	154	8.6	17	3	4	8	10	14	17	25
65+	201	9.9	31	3	5	9	12	16	21	35
2. MULTIPLE DX										
0-19 YRS	280	10.2	82	3	4	7	11	18	31	63
20-34	388	11.1	73	5	5	9	12	18	27	47
35-49	472	12.0	67	5	6	10	13	21	28	52
50-64	799	13.1	98	5	6	10	15	24	33	62
65+	1501	14.4	106	5	6	12	16	25	35	60
TOT. SINGLE DX	755	8.3	22	3	4	8	10	13	17	28
" MULTIPLE DX	3440	13.1	95	5	6	10	15	23	33	60
TOTAL 0-19 YRS	432	8.7	63	2	3	7	10	15	24	58
20-34	520	10.4	60	4	5	8	11	16	24	46
35-49	588	11.3	59	5	6	9	12	20	27	47
50-64	953	12.4	88	5	6	10	14	22	31	59
65+	1702	13.9	99	5	6	11	16	24	33	58
GRAND TOTAL	**4195**	**12.2**	**85**	**4**	**5**	**10**	**14**	**22**	**30**	**55**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	10.9	90	3	4	9	11	23	37	39
20-34	10	12.5	28	6	6	12	15	20	22	22
35-49	19	16.8	446	5	6	10	14	33	70	98
50-64	26	10.4	11	6	7	10	13	14	17	20
65+	43	12.7	40	6	8	11	14	21	28	36
2. MULTIPLE DX										
0-19 YRS	50	17.3	245	4	5	13	28	65	99+	99+
20-34	68	18.2	215	7	7	14	21	34	72	96
35-49	130	18.6	231	6	8	14	22	39	50	99+
50-64	326	19.2	157	7	8	16	24	37	45	94
65+	924	20.8	150	8	10	17	25	37	45	73
TOT. SINGLE DX	110	12.7	108	5	6	10	14	19	29	63
" MULTIPLE DX	1498	20.0	166	7	9	17	24	37	46	97
TOTAL 0-19 YRS	62	16.1	220	4	5	11	24	43	99+	99+
20-34	78	17.5	194	6	7	14	20	33	58	94
35-49	149	18.4	256	6	7	14	22	38	50	99+
50-64	352	18.6	152	7	8	15	23	37	44	92
65+	967	20.5	148	8	10	17	24	36	44	73
GRAND TOTAL	**1608**	**19.5**	**165**	**7**	**8**	**16**	**24**	**37**	**45**	**96**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7445	3.8	4	2	2	3	4	6	8	11
20-34	5280	3.8	3	2	2	3	4	6	7	11
35-49	1818	4.7	6	2	2	4	6	8	9	14
50-64	768	5.7	9	2	3	5	7	10	11	15
65+	212	7.0	11	3	3	6	9	11	14	19
2. MULTIPLE DX										
0-19 YRS	2590	5.8	16	2	2	5	7	10	13	21
20-34	2188	5.9	16	2	3	5	7	10	13	21
35-49	1073	7.1	23	2	3	6	9	12	15	26
50-64	830	9.0	35	3	4	8	11	16	19	32
65+	737	11.0	56	4	5	9	13	18	24	38
TOT. SINGLE DX	15523	4.0	5	2	2	3	5	7	8	12
" MULTIPLE DX	7418	6.9	27	2	3	5	8	12	16	27
TOTAL 0-19 YRS	10035	4.3	8	2	2	4	5	7	9	15
20-34	7468	4.4	8	2	2	4	5	7	9	15
35-49	2891	5.6	14	2	2	5	7	10	12	19
50-64	1598	7.4	26	3	3	6	9	13	16	26
65+	949	10.1	49	3	4	8	12	17	22	34
GRAND TOTAL	**22941**	**5.0**	**14**	**2**	**2**	**4**	**6**	**9**	**11**	**19**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	50	3.9	3	2	2	4	5	7	8	9
20-34	37	4.0	3	2	2	3	5	7	8	9
35-49	6	4.3	5	2	2	4	7	7	7	7
50-64	3	4.3	9	1	1	5	6	7	7	7
65+	2	20.0	98	13	13	20	27	27	27	27
2. MULTIPLE DX										
0-19 YRS	32	4.9	3	2	2	5	6	7	8	10
20-34	34	6.1	19	1	3	5	7	11	14	24
35-49	13	5.9	6	2	3	5	8	10	10	10
50-64	10	11.5	31	5	5	12	16	19	22	22
65+	9	10.0	45	5	5	8	10	21	27	27
TOT. SINGLE DX	98	4.3	10	2	2	4	5	7	9	20
" MULTIPLE DX	98	6.6	20	2	3	5	8	12	15	26
TOTAL 0-19 YRS	82	4.3	4	2	2	4	6	7	8	10
20-34	71	5.0	12	2	2	4	6	9	11	22
35-49	19	5.4	7	2	2	5	7	9	10	10
50-64	13	9.8	35	2	4	8	14	17	21	22
65+	11	11.8	62	5	5	8	13	27	27	27
GRAND TOTAL	**196**	**5.5**	**16**	**2**	**2**	**4**	**6**	**9**	**13**	**25**

605 Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	18	8.4	13	2	4	8	11	13	15	16
20-34	11	8.9	6	5	6	9	11	12	12	12
35-49	8	7.6	15	2	3	7	11	12	13	13
50-64	6	8.8	5	6	6	8	11	12	12	12
65+	3	12.7	16	8	8	15	15	15	15	15
2. MULTIPLE DX										
0-19 YRS	14	8.3	14	3	4	8	10	14	16	17
20-34	6	6.7	15	2	2	7	8	12	13	13
35-49	10	12.0	37	3	5	11	15	21	24	24
50-64	17	12.9	40	5	7	11	16	20	27	30
65+	13	17.4	191	7	7	13	16	43	52	54
TOT. SINGLE DX	46	8.7	12	3	5	8	11	13	15	16
" MULTIPLE DX	60	12.0	73	3	5	10	14	19	27	53
TOTAL 0-19 YRS	32	8.3	14	3	4	8	11	14	16	17
20-34	17	8.1	10	2	3	8	11	12	13	13
35-49	18	10.1	31	2	3	10	13	18	22	24
50-64	23	11.9	34	5	7	10	14	20	24	30
65+	16	16.5	159	7	7	13	16	38	50	54
GRAND TOTAL	**106**	**10.6**	**49**	**3**	**5**	**9**	**12**	**16**	**20**	**46**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	73	3.8	6	1	1	3	5	6	9	14
20-34	106	4.0	15	1	1	3	5	7	10	24
35-49	66	3.8	7	1	1	3	5	8	9	14
50-64	138	3.7	9	1	1	3	5	8	10	15
65+	214	3.5	6	1	1	3	4	7	9	11
2. MULTIPLE DX										
0-19 YRS	101	7.4	133	1	1	4	8	14	22	75
20-34	131	5.8	17	1	1	5	8	11	14	23
35-49	213	6.5	26	1	2	5	8	13	18	27
50-64	458	7.3	41	1	2	5	9	14	20	31
65+	1155	8.3	56	1	2	6	11	17	23	37
TOT. SINGLE DX	597	3.7	9	1	1	3	5	7	9	15
" MULTIPLE DX	2058	7.7	52	1	2	6	9	16	21	37
TOTAL 0-19 YRS	174	5.9	83	1	1	4	6	11	15	53
20-34	237	5.0	17	1	1	4	7	9	12	24
35-49	279	5.9	23	1	2	5	8	11	16	25
50-64	596	6.4	36	1	1	5	8	13	18	29
65+	1369	7.6	52	1	2	5	9	16	21	37
GRAND TOTAL	**2655**	**6.8**	**45**	**1**	**2**	**5**	**9**	**14**	**19**	**34**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	60	2.7	4	1	1	2	3	5	6	13
20-34	266	2.6	3	1	1	2	3	5	6	9
35-49	198	3.1	4	1	1	2	4	5	7	12
50-64	100	3.1	6	1	1	2	4	6	8	13
65+	30	4.4	12	1	2	3	7	9	10	16
2. MULTIPLE DX										
0-19 YRS	30	4.4	9	1	1	4	6	8	10	15
20-34	210	3.9	13	1	1	3	5	7	9	17
35-49	261	5.6	71	1	1	3	6	9	17	58
50-64	207	6.5	51	1	2	4	7	14	19	40
65+	156	8.8	81	2	2	6	10	22	29	60
TOT. SINGLE DX	654	2.9	5	1	1	2	3	5	7	12
" MULTIPLE DX	864	5.9	55	1	1	4	7	12	19	38
TOTAL 0-19 YRS	90	3.3	7	1	1	3	4	6	9	14
20-34	476	3.2	8	1	1	2	4	6	7	14
35-49	459	4.5	44	1	1	3	5	8	11	29
50-64	307	5.4	39	1	1	4	7	12	17	31
65+	186	8.1	73	2	2	5	9	19	25	57
GRAND TOTAL	**1518**	**4.6**	**36**	**1**	**1**	**3**	**5**	**9**	**14**	**31**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	44	8.9	12	2	4	9	11	13	15	17
20-34	21	15.1	121	7	7	11	16	31	43	52
35-49	44	10.8	27	3	5	10	13	18	22	24
50-64	187	12.0	15	7	8	12	14	16	18	25
65+	195	12.9	26	6	8	12	16	18	24	30
2. MULTIPLE DX										
0-19 YRS	71	11.9	48	5	6	10	13	23	30	38
20-34	62	15.1	92	6	8	12	17	29	38	47
35-49	190	15.4	94	6	8	13	17	25	32	57
50-64	675	15.5	69	8	9	13	18	25	33	47
65+	1542	18.1	102	8	10	16	21	30	37	63
TOT. SINGLE DX	491	12.1	26	5	7	11	14	17	21	30
" MULTIPLE DX	2540	17.0	93	8	9	15	20	28	35	57
TOTAL 0-19 YRS	115	10.8	36	5	6	10	12	16	23	35
20-34	83	15.1	98	6	8	12	17	29	38	50
35-49	234	14.6	85	5	7	12	17	23	31	56
50-64	862	14.7	60	8	8	13	17	23	29	47
65+	1737	17.5	96	8	9	15	20	29	36	62
GRAND TOTAL	**3031**	**16.2**	**86**	**7**	**8**	**14**	**19**	**26**	**33**	**55**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	252	4.2	20	1	1	3	5	8	10	21
20-34	774	4.8	26	1	2	4	6	8	10	21
35-49	801	4.8	8	1	2	4	6	9	10	15
50-64	671	5.3	38	1	1	4	6	9	12	25
65+	495	5.9	28	1	2	5	7	10	12	28
2. MULTIPLE DX										
0-19 YRS	592	5.4	23	1	2	4	6	9	13	26
20-34	3365	6.5	35	2	2	5	8	12	16	33
35-49	4912	7.2	39	2	3	6	8	13	18	34
50-64	6739	7.6	39	2	3	6	9	14	18	34
65+	12325	8.8	47	2	3	7	11	16	21	36
TOT. SINGLE DX	2993	5.0	24	1	1	4	6	9	11	20
" MULTIPLE DX	27933	7.9	43	2	3	6	9	15	20	35
TOTAL 0-19 YRS	844	5.1	23	1	1	4	6	9	12	25
20-34	4139	6.2	34	2	2	5	7	11	15	31
35-49	5713	6.9	36	2	2	5	8	12	17	32
50-64	7410	7.4	40	2	3	6	9	14	18	34
65+	12820	8.7	47	2	3	7	11	16	21	36
GRAND TOTAL	**30926**	**7.6**	**42**	**2**	**3**	**6**	**9**	**14**	**19**	**34**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	30	2.7	6	<1	1	2	4	5	6	12
20-34	269	2.5	2	1	1	2	3	4	6	9
35-49	303	2.6	6	1	1	2	3	4	5	8
50-64	142	2.9	3	1	1	2	4	6	7	10
65+	58	2.7	2	1	1	2	4	5	5	9
2. MULTIPLE DX										
0-19 YRS	12	9.2	166	1	2	6	8	23	45	49
20-34	240	3.6	11	1	1	3	4	6	8	21
35-49	357	3.8	11	1	1	3	4	6	8	20
50-64	298	3.9	15	1	1	3	4	7	9	21
65+	174	4.4	15	1	2	3	5	8	12	20
TOT. SINGLE DX	802	2.6	4	1	1	2	3	4	6	9
" MULTIPLE DX	1081	3.9	15	1	1	3	4	7	9	21
TOTAL 0-19 YRS	42	4.5	58	<1	1	2	6	8	12	49
20-34	509	3.0	7	1	1	2	4	5	7	13
35-49	660	3.2	9	1	1	3	4	5	7	12
50-64	440	3.6	12	1	1	3	4	6	8	18
65+	232	4.0	12	1	1	3	5	7	10	20
GRAND TOTAL	**1883**	**3.4**	**11**	**1**	**1**	**3**	**4**	**6**	**8**	**18**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	39	1.9		<1	<1	2	3	3	4	4
20-34	185	2.3	2	<1	1	2	3	4	5	10
35-49	137	2.5	2	1	1	2	3	4	6	9
50-64	77	2.5	1	<1	1	2	3	4	5	7
65+	31	3.0	5	1	1	2	4	5	6	13
2. MULTIPLE DX										
0-19 YRS	17	4.1	43	1	1	2	4	6	21	29
20-34	279	3.4	12	1	1	3	4	6	8	22
35-49	349	3.4	4	1	1	3	4	6	8	12
50-64	320	4.0	11	1	1	3	5	8	11	16
65+	237	5.7	53	1	1	4	7	10	15	45
TOT. SINGLE DX	469	2.4	3	<1	1	2	3	4	5	8
" MULTIPLE DX	1202	4.0	19	1	1	3	5	8	10	19
TOTAL 0-19 YRS	56	2.5	14	<1	1	2	3	4	5	28
20-34	464	2.9	9	1	1	2	3	5	8	16
35-49	486	3.2	5	1	1	3	4	5	7	11
50-64	397	3.7	10	1	1	3	4	7	10	15
65+	268	5.4	48	1	1	4	6	10	14	39
GRAND TOTAL	**1671**	**3.6**	**15**	**1**	**1**	**3**	**4**	**7**	**9**	**18**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	3.8	3	2	2	3	5	7	8	8
20-34	356	3.6	3	1	1	3	5	6	7	10
35-49	430	3.7	3	1	2	3	5	6	7	10
50-64	265	3.8	3	1	2	4	5	6	7	11
65+	82	3.8	3	1	2	4	5	6	7	9
2. MULTIPLE DX										
0-19 YRS	51	4.1	3	1	2	4	5	7	8	9
20-34	1473	4.2	8	1	2	4	5	6	8	14
35-49	2747	4.4	7	1	2	4	5	7	9	14
50-64	2107	4.9	16	2	2	4	6	8	11	19
65+	1210	5.8	19	2	2	5	7	11	14	22
TOT. SINGLE DX	1143	3.7	4	1	2	3	5	6	7	10
" MULTIPLE DX	7588	4.7	12	1	2	4	5	8	10	18
TOTAL 0-19 YRS	61	4.1	3	1	2	4	5	7	8	9
20-34	1829	4.0	8	1	2	4	5	6	8	13
35-49	3177	4.3	7	1	2	4	5	7	9	14
50-64	2372	4.8	15	2	2	4	5	8	10	19
65+	1292	5.7	18	2	2	5	7	10	13	22
GRAND TOTAL	**8731**	**4.6**	**11**	**1**	**2**	**4**	**5**	**7**	**10**	**17**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	74	2.6	2	1	1	2	3	5	6	9
20-34	295	2.9	4	1	1	2	4	5	7	11
35-49	226	3.0	6	1	1	3	4	6	6	9
50-64	150	3.3	5	1	1	3	4	6	7	12
65+	78	4.0	11	1	1	3	5	7	10	22
2. MULTIPLE DX										
0-19 YRS	78	5.0	16	1	1	4	6	11	14	21
20-34	325	4.3	16	1	1	3	5	9	11	21
35-49	390	4.5	21	1	1	3	6	9	11	25
50-64	342	5.4	32	1	1	4	6	11	18	31
65+	362	7.4	57	1	2	5	9	16	22	37
TOT. SINGLE DX	823	3.1	6	1	1	3	4	6	7	12
" MULTIPLE DX	1497	5.4	33	1	1	4	6	11	16	31
TOTAL 0-19 YRS	152	3.8	11	1	1	3	5	8	11	15
20-34	620	3.7	11	1	1	3	4	7	9	18
35-49	616	4.0	16	1	1	3	5	8	10	21
50-64	492	4.7	25	1	1	3	5	10	15	30
65+	440	6.8	51	1	2	4	8	14	22	34
GRAND TOTAL	**2320**	**4.6**	**24**	**1**	**1**	**3**	**5**	**9**	**13**	**28**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	7.0	12	5	5	5	10	11	11	11
20-34	6	6.8	45	1	1	5	9	18	19	19
35-49	8	6.4	25	1	1	7	10	13	14	14
50-64	9	4.3	20	1	1	3	4	12	16	16
65+	8	10.9	163	1	1	7	13	33	40	40
2. MULTIPLE DX										
0-19 YRS	12	18.9	336	4	5	11	24	51	60	62
20-34	27	18.3	202	3	5	14	26	38	44	63
35-49	28	14.5	78	5	6	11	20	28	32	34
50-64	40	16.9	120	4	5	15	22	31	39	52
65+	67	18.3	122	4	5	16	24	33	42	48
TOT. SINGLE DX	34	7.0	58	1	1	5	9	16	18	40
" MULTIPLE DX	174	17.4	140	4	5	14	24	33	42	60
TOTAL 0-19 YRS	15	16.5	291	4	5	10	17	47	58	62
20-34	33	16.2	192	1	3	13	21	37	41	63
35-49	36	12.7	77	1	3	10	18	27	31	34
50-64	49	14.6	125	2	3	13	20	29	35	52
65+	75	17.5	130	3	4	16	24	33	41	48
GRAND TOTAL	**208**	**15.7**	**141**	**2**	**4**	**13**	**22**	**32**	**40**	**56**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	60	5.8	32	1	1	3	9	14	16	25
20-34	236	4.9	39	1	1	2	6	12	18	31
35-49	206	3.8	32	1	1	2	4	9	15	31
50-64	233	3.9	23	<1	1	2	5	9	14	25
65+	108	4.8	28	1	1	2	6	12	16	25
2. MULTIPLE DX										
0-19 YRS	170	11.1	165	1	1	8	13	25	36	73
20-34	463	10.0	123	1	1	7	12	20	30	60
35-49	720	9.4	107	1	1	7	12	20	26	57
50-64	1235	9.8	88	1	1	8	13	20	29	48
65+	1366	11.6	89	1	2	10	15	22	29	48
TOT. SINGLE DX	843	4.4	32	1	1	2	5	11	16	27
" MULTIPLE DX	3954	10.4	101	1	1	8	14	21	29	53
TOTAL 0-19 YRS	230	9.7	136	1	1	6	13	20	31	69
20-34	699	8.3	101	1	1	6	10	18	27	55
35-49	926	8.1	96	1	1	5	11	19	24	54
50-64	1468	8.8	83	1	1	6	12	20	27	45
65+	1474	11.1	89	1	2	9	15	22	29	48
GRAND TOTAL	**4797**	**9.4**	**94**	**1**	**1**	**7**	**13**	**20**	**27**	**50**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	408	5.8	5	3	3	5	7	8	10	14
20-34	4445	5.6	4	3	3	5	6	8	9	13
35-49	4025	5.9	5	3	4	5	7	9	10	13
50-64	3148	6.3	5	3	4	6	7	9	11	15
65+	1427	7.6	10	4	5	7	9	11	13	19
2. MULTIPLE DX										
0-19 YRS	366	7.7	31	3	4	6	9	13	15	29
20-34	4481	7.2	16	3	4	6	8	11	14	22
35-49	5948	7.8	21	3	4	7	9	12	16	26
50-64	7585	9.0	31	4	5	8	11	15	18	30
65+	9248	11.7	53	5	6	10	14	20	25	41
TOT. SINGLE DX	13453	6.1	6	3	4	6	7	9	10	14
" MULTIPLE DX	27628	9.4	37	4	5	8	11	16	20	34
TOTAL 0-19 YRS	774	6.7	19	3	4	6	7	10	13	24
20-34	8926	6.4	11	3	4	6	7	10	12	18
35-49	9973	7.0	16	3	4	6	8	11	14	22
50-64	10733	8.2	26	4	4	7	9	13	17	28
65+	10675	11.2	50	5	5	9	13	19	23	39
GRAND TOTAL	**41081**	**8.3**	**30**	**4**	**4**	**7**	**10**	**14**	**18**	**30**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	17.6	85	7	7	16	26	30	34	34
20-34	48	7.6	57	1	2	6	9	15	17	50
35-49	49	6.6	19	1	2	6	9	13	14	17
50-64	100	8.7	61	1	2	8	12	16	19	45
65+	137	9.0	40	1	1	9	12	18	20	28
2. MULTIPLE DX										
0-19 YRS	24	17.8	240	6	6	11	26	35	55	69
20-34	89	12.5	78	3	4	10	17	23	28	86
35-49	204	12.7	89	2	3	11	16	24	35	52
50-64	441	15.0	106	3	4	13	19	27	36	56
65+	1230	17.0	119	4	6	15	21	30	38	59
TOT. SINGLE DX	344	8.6	50	1	2	8	12	16	20	33
" MULTIPLE DX	1988	15.9	115	3	5	14	20	29	37	58
TOTAL 0-19 YRS	34	17.7	191	6	7	11	26	34	46	69
20-34	137	10.8	76	2	3	9	14	21	25	68
35-49	253	11.5	81	2	3	10	14	23	30	50
50-64	541	13.9	104	2	3	12	17	25	34	56
65+	1367	16.2	118	3	5	14	20	29	37	58
GRAND TOTAL	**2332**	**14.8**	**112**	**2**	**4**	**13**	**19**	**27**	**35**	**56**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	9.0	44	1	2	7	13	20	21	21
20-34	97	6.8	42	1	1	5	9	14	17	37
35-49	99	7.6	71	1	1	5	9	16	25	45
50-64	114	9.0	73	1	1	6	12	22	28	40
65+	86	6.6	30	1	1	5	9	14	20	25
2. MULTIPLE DX										
0-19 YRS	27	15.3	198	2	3	11	19	38	50	56
20-34	243	13.8	211	1	2	9	17	36	52	99+
35-49	435	14.0	199	2	2	10	18	36	49	99+
50-64	652	13.6	163	1	2	10	18	31	40	61
65+	896	13.6	152	2	3	10	17	27	35	67
TOT. SINGLE DX	408	7.6	56	1	1	5	9	18	22	40
" MULTIPLE DX	2253	13.7	171	2	2	10	18	30	41	75
TOTAL 0-19 YRS	39	13.4	158	2	3	10	18	26	45	56
20-34	340	11.8	173	1	2	8	15	30	46	88
35-49	534	12.8	182	1	2	8	16	33	46	87
50-64	766	12.9	152	1	2	9	18	29	38	61
65+	982	13.0	145	2	3	10	16	25	34	65
GRAND TOTAL	**2661**	**12.8**	**158**	**1**	**2**	**9**	**16**	**28**	**39**	**71**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	238	4.5	14	1	1	3	6	8	12	20
20-34	586	4.8	15	1	2	4	6	9	12	22
35-49	587	4.9	16	1	2	4	6	9	11	20
50-64	575	4.8	11	1	2	4	6	9	11	19
65+	533	5.1	16	1	2	4	6	9	12	24
2. MULTIPLE DX										
0-19 YRS	362	5.5	22	1	2	4	7	10	14	27
20-34	1638	6.3	34	2	2	5	8	12	17	31
35-49	2372	6.9	39	2	2	5	8	12	17	35
50-64	4081	7.3	37	2	2	6	9	13	18	32
65+	9918	7.9	37	2	3	6	10	14	19	32
TOT. SINGLE DX	2519	4.9	15	1	2	4	6	9	11	20
" MULTIPLE DX	18371	7.5	37	2	2	6	9	14	18	32
TOTAL 0-19 YRS	600	5.1	19	1	2	4	6	9	13	24
20-34	2224	5.9	30	1	2	4	7	11	15	30
35-49	2959	6.5	35	2	2	5	8	12	16	32
50-64	4656	7.0	35	2	2	5	9	13	17	31
65+	10451	7.8	37	2	3	6	10	14	19	31
GRAND TOTAL	**20890**	**7.1**	**36**	**2**	**2**	**6**	**9**	**13**	**18**	**31**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1996	1.7		<1	<1	1	2	3	3	5
20-34	3348	2.3	4	1	1	2	3	4	5	6
35-49	2898	2.5	1	1	1	2	3	4	5	7
50-64	3766	2.8	2	1	1	3	4	5	5	8
65+	2516	3.2	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
0-19 YRS	1330	2.7	40	<1	<1	2	3	4	6	46
20-34	1373	3.1	7	1	1	3	4	5	7	13
35-49	1945	3.3	5	1	1	3	4	6	7	12
50-64	3935	3.9	10	1	1	3	5	7	9	15
65+	6011	5.0	20	1	2	4	6	9	12	22
TOT. SINGLE DX	14524	2.5	3	1	1	2	3	4	5	7
" MULTIPLE DX	14594	4.1	17	1	1	3	5	7	10	19
TOTAL 0-19 YRS	3326	2.1	17	<1	<1	1	2	3	4	11
20-34	4721	2.6	5	1	1	2	3	4	5	9
35-49	4843	2.8	4	1	1	3	4	5	6	9
50-64	7701	3.4	7	1	1	3	4	6	7	13
65+	8527	4.5	16	1	1	4	5	8	11	20
GRAND TOTAL	**29118**	**3.3**	**11**	**1**	**1**	**3**	**4**	**6**	**8**	**15**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	389	1.5		<1	<1	1	2	3	4	5
20-34	336	2.9	2	1	1	3	4	5	5	7
35-49	421	3.1	2	1	1	3	4	5	6	8
50-64	625	3.4	3	1	1	3	4	6	6	10
65+	365	3.9	4	1	1	4	5	6	7	12
2. MULTIPLE DX										
0-19 YRS	501	3.6	84	<1	1	1	2	6	13	92
20-34	160	3.9	7	1	1	3	5	7	8	16
35-49	326	3.9	8	1	2	3	5	6	8	12
50-64	717	4.5	9	1	2	4	5	7	9	16
65+	843	6.1	24	2	2	5	7	12	15	26
TOT. SINGLE DX	2136	3.0	3	<1	1	3	4	5	6	9
" MULTIPLE DX	2547	4.8	30	1	1	4	6	8	12	25
TOTAL 0-19 YRS	890	2.7	49	<1	<1	1	2	4	6	61
20-34	496	3.2	4	1	1	3	4	5	6	10
35-49	747	3.4	6	1	1	3	4	6	7	11
50-64	1342	4.0	7	1	2	4	5	6	8	14
65+	1208	5.4	20	1	2	4	6	9	13	23
GRAND TOTAL	**4683**	**3.9**	**19**	**1**	**1**	**3**	**5**	**7**	**9**	**19**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	3.5	24	1	1	2	3	10	17	18
20-34	69	2.6	1	1	1	3	3	4	5	7
35-49	134	2.8	2	1	1	3	3	4	6	9
50-64	148	3.2	2	1	2	3	4	5	7	7
65+	194	4.6	13	1	1	4	6	8	10	20
2. MULTIPLE DX										
0-19 YRS	8	3.1	13	1	1	2	3	10	12	12
20-34	46	5.8	201	1	1	3	4	8	17	97
35-49	75	4.0	21	1	1	3	4	6	8	32
50-64	133	4.8	15	1	1	4	6	8	13	22
65+	466	7.3	32	2	3	6	9	14	18	27
TOT. SINGLE DX	556	3.5	7	1	1	3	4	6	8	12
" MULTIPLE DX	728	6.4	40	1	2	5	8	12	16	27
TOTAL 0-19 YRS	19	3.3	19	1	1	2	3	9	15	18
20-34	115	3.9	83	1	1	3	4	5	7	47
35-49	209	3.2	10	1	1	3	4	6	7	9
50-64	281	4.0	9	1	1	3	5	7	8	18
65+	660	6.5	28	2	2	5	8	12	16	27
GRAND TOTAL	**1284**	**5.1**	**28**	**1**	**1**	**4**	**6**	**10**	**13**	**23**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	290	1.8	2	<1	<1	1	2	3	4	7
20-34	198	2.6	2	1	1	2	3	4	6	8
35-49	368	2.7	2	1	1	2	3	5	6	8
50-64	286	3.0	3	1	1	3	4	5	7	9
65+	113	3.7	7	1	1	3	5	7	8	14
2. MULTIPLE DX										
0-19 YRS	98	4.0	51	<1	1	2	4	7	21	74
20-34	140	3.9	6	1	1	3	5	8	9	12
35-49	357	4.9	28	1	1	4	6	9	13	26
50-64	474	5.3	23	1	2	4	6	10	13	28
65+	473	6.9	30	2	2	5	9	14	18	28
TOT. SINGLE DX	1255	2.6	3	<1	1	2	3	5	6	8
" MULTIPLE DX	1542	5.5	26	1	1	4	7	11	15	29
TOTAL 0-19 YRS	388	2.3	16	<1	<1	1	2	4	5	29
20-34	338	3.2	5	1	1	3	4	6	8	11
35-49	725	3.8	17	1	1	3	5	7	9	22
50-64	760	4.4	17	1	1	3	5	8	11	22
65+	586	6.3	28	1	2	5	8	13	17	27
GRAND TOTAL	**2797**	**4.2**	**19**	**1**	**1**	**3**	**5**	**8**	**11**	**23**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	72	2.3	4	<1	<1	2	3	5	7	11
20-34	412	3.4	8	1	1	3	4	6	7	11
35-49	700	4.0	5	1	1	4	5	7	8	11
50-64	697	4.4	6	1	2	4	6	8	9	12
65+	443	5.0	7	2	2	4	6	9	10	13
2. MULTIPLE DX										
0-19 YRS	51	5.0	88	<1	1	3	5	9	17	65
20-34	348	5.2	20	1	2	4	6	10	12	20
35-49	947	6.1	23	2	2	5	7	10	14	21
50-64	1451	6.9	27	2	3	6	8	12	15	30
65+	1667	8.3	37	2	3	7	10	15	19	31
TOT. SINGLE DX	2324	4.2	7	1	1	4	5	7	9	12
" MULTIPLE DX	4464	7.1	32	2	2	6	9	13	16	28
TOTAL 0-19 YRS	123	3.4	41	<1	<1	2	4	6	9	33
20-34	760	4.2	15	1	1	3	5	8	10	17
35-49	1647	5.2	17	1	2	4	6	9	11	19
50-64	2148	6.1	22	1	2	5	8	10	14	25
65+	2110	7.6	33	2	3	6	9	14	18	28
GRAND TOTAL	**6788**	**6.1**	**25**	**1**	**2**	**5**	**7**	**11**	**14**	**24**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	3.9	6	1	1	3	7	7	8	8
20-34	25	6.4	8	2	2	6	8	10	11	12
35-49	33	7.5	16	2	3	7	9	11	17	21
50-64	50	7.5	12	2	3	8	9	12	15	17
65+	19	8.5	14	3	3	8	11	14	15	16
2. MULTIPLE DX										
0-19 YRS	35	15.6	183	3	4	11	27	49	99+	99+
20-34	57	9.1	29	4	5	7	10	16	22	30
35-49	115	9.2	16	5	6	8	10	15	18	25
50-64	200	11.2	57	4	5	9	13	20	27	43
65+	253	14.4	112	6	7	11	16	24	32	66
TOT. SINGLE DX	141	7.1	14	2	3	7	9	11	14	18
" MULTIPLE DX	660	12.1	80	5	6	9	14	22	30	64
TOTAL 0-19 YRS	49	12.2	160	1	2	8	17	45	95	99+
20-34	82	8.3	24	2	4	7	10	12	19	29
35-49	148	8.8	17	4	5	8	10	14	18	23
50-64	250	10.5	51	4	5	9	12	18	23	35
65+	272	14.0	108	5	7	11	16	24	30	66
GRAND TOTAL	**801**	**11.2**	**72**	**4**	**5**	**9**	**13**	**20**	**27**	**60**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	202	4.2	59	<1	1	3	5	7	11	30
20-34	245	4.2	9	1	1	3	5	8	10	17
35-49	222	4.9	14	1	1	4	7	9	13	19
50-64	192	5.8	33	1	1	4	8	11	13	31
65+	143	6.4	33	1	1	5	8	12	15	29
2. MULTIPLE DX										
0-19 YRS	214	6.6	43	1	1	5	9	14	19	66
20-34	558	8.2	73	1	2	6	10	16	23	46
35-49	782	9.6	70	1	2	7	13	20	24	44
50-64	1465	11.3	87	2	3	9	14	22	29	50
65+	1911	12.1	89	2	3	10	16	23	29	48
TOT. SINGLE DX	1004	5.0	29	1	1	4	6	10	13	21
" MULTIPLE DX	4930	10.8	85	2	2	8	14	21	28	48
TOTAL 0-19 YRS	416	5.4	52	1	1	4	6	11	16	41
20-34	803	6.9	58	1	1	5	8	14	20	40
35-49	1004	8.6	62	1	2	7	11	18	23	42
50-64	1657	10.7	85	2	2	8	14	21	29	49
65+	2054	11.7	88	2	3	10	15	23	29	48
GRAND TOTAL	**5934**	**9.8**	**80**	**1**	**2**	**7**	**13**	**20**	**27**	**46**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	252	5.2	15	2	2	4	6	9	11	17
20-34	496	6.0	12	2	3	5	7	10	14	19
35-49	193	6.8	16	2	3	6	8	12	15	22
50-64	145	11.3	117	3	4	9	13	21	26	60
65+	99	11.4	88	4	5	10	13	17	21	68
2. MULTIPLE DX										
0-19 YRS	366	8.6	59	2	3	6	10	18	24	50
20-34	986	8.5	57	3	3	6	9	16	23	47
35-49	634	12.2	132	4	5	9	14	23	36	71
50-64	676	15.6	168	4	5	12	19	29	40	75
65+	973	17.9	143	6	7	14	23	33	42	73
TOT. SINGLE DX	1185	7.0	38	2	3	6	8	13	16	25
" MULTIPLE DX	3635	13.0	130	3	4	9	16	27	35	67
TOTAL 0-19 YRS	618	7.2	44	2	3	5	8	13	20	45
20-34	1482	7.6	44	2	3	6	9	14	19	39
35-49	827	11.0	111	3	4	8	13	21	30	68
50-64	821	14.9	162	4	5	11	18	28	39	74
65+	1072	17.3	142	6	7	14	22	32	41	72
GRAND TOTAL	**4820**	**11.5**	**114**	**3**	**4**	**8**	**14**	**23**	**32**	**59**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	343	3.3	5	<1	1	3	5	6	7	11
20-34	1280	3.0	6	<1	1	2	4	6	8	12
35-49	205	2.9	8	<1	<1	2	4	6	9	17
50-64	33	2.7	6	<1	1	2	3	5	9	13
65+	18	4.4	17	<1	<1	2	6	10	14	16
2. MULTIPLE DX										
0-19 YRS	433	4.6	29	1	1	4	6	8	10	19
20-34	2163	3.9	13	1	1	3	5	8	10	19
35-49	506	4.3	16	<1	1	3	6	9	12	20
50-64	86	8.0	115	1	1	5	10	17	21	67
65+	101	9.2	66	1	1	7	13	21	27	33
TOT. SINGLE DX	1879	3.0	6	<1	1	2	4	6	8	12
" MULTIPLE DX	3289	4.3	22	1	1	3	6	9	12	21
TOTAL 0-19 YRS	776	4.0	19	1	1	3	5	8	9	15
20-34	3443	3.6	11	<1	1	2	5	7	9	16
35-49	711	3.9	15	<1	1	2	5	9	12	19
50-64	119	6.5	91	<1	1	3	9	15	18	50
65+	119	8.4	62	1	1	5	12	19	26	33
GRAND TOTAL	**5168**	**3.9**	**16**	**<1**	**1**	**3**	**5**	**8**	**10**	**19**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	140	6.5	22	1	2	6	8	12	14	24
20-34	415	5.7	13	1	2	5	7	11	12	18
35-49	319	8.1	34	1	2	7	9	15	19	29
50-64	237	9.0	25	2	3	8	11	14	20	25
65+	188	10.1	38	2	4	9	12	17	21	36
2. MULTIPLE DX										
0-19 YRS	284	12.2	233	2	3	7	13	28	44	99
20-34	1496	7.0	34	1	2	6	8	13	16	32
35-49	1237	10.3	92	2	3	8	12	20	29	55
50-64	1228	13.2	108	3	4	11	17	25	32	56
65+	1619	15.5	108	4	6	13	19	28	36	57
TOT. SINGLE DX	1299	7.6	28	1	2	7	10	13	17	26
" MULTIPLE DX	5864	11.6	103	2	3	9	14	23	31	55
TOTAL 0-19 YRS	424	10.3	171	2	2	7	11	23	33	97
20-34	1911	6.7	31	1	2	5	8	12	16	30
35-49	1556	9.8	82	2	3	7	12	19	26	52
50-64	1465	12.5	97	3	4	10	16	24	30	53
65+	1807	14.9	104	4	5	12	18	28	36	55
GRAND TOTAL	**7163**	**10.9**	**92**	**2**	**3**	**8**	**13**	**22**	**29**	**52**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	55	7.9	10	3	4	8	10	12	14	17
20-34	80	8.8	104	5	5	8	9	10	13	73
35-49	92	8.7	10	5	6	8	10	13	16	20
50-64	160	9.5	20	5	6	9	11	14	17	27
65+	101	10.4	51	6	7	9	11	14	16	49
2. MULTIPLE DX										
0-19 YRS	141	9.7	74	3	4	8	12	16	21	63
20-34	181	11.3	68	5	5	8	14	23	28	53
35-49	238	11.9	65	5	6	9	13	20	26	54
50-64	595	13.8	75	6	7	11	17	23	30	44
65+	799	15.5	74	7	8	13	19	26	32	46
TOT. SINGLE DX	488	9.2	38	5	6	8	10	13	16	24
" MULTIPLE DX	1954	13.7	76	5	6	11	17	23	30	48
TOTAL 0-19 YRS	196	9.2	57	3	4	8	11	16	19	48
20-34	261	10.5	81	5	5	8	11	18	27	54
35-49	330	11.0	52	5	6	9	12	17	22	50
50-64	755	12.9	67	6	7	10	16	21	26	42
65+	900	14.9	75	7	8	13	18	25	31	46
GRAND TOTAL	**2442**	**12.8**	**72**	**5**	**6**	**10**	**15**	**22**	**28**	**46**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	244	5.7	17	1	2	5	8	11	14	19
20-34	368	6.5	24	1	2	6	8	11	15	24
35-49	394	6.2	16	1	2	5	8	11	14	18
50-64	309	7.2	21	2	2	6	9	12	16	25
65+	170	6.8	39	1	1	6	9	13	15	21
2. MULTIPLE DX										
0-19 YRS	385	9.4	73	2	2	7	12	20	27	42
20-34	771	11.5	115	1	2	9	14	24	33	58
35-49	831	11.5	86	1	2	9	15	22	29	50
50-64	984	10.9	67	2	2	9	14	21	27	41
65+	972	12.3	93	2	3	10	16	25	32	44
TOT. SINGLE DX	1485	6.5	22	1	2	6	9	12	15	22
" MULTIPLE DX	3943	11.4	88	2	2	9	15	23	30	49
TOTAL 0-19 YRS	629	8.0	55	1	2	6	10	16	23	36
20-34	1139	9.9	91	1	2	8	12	20	27	52
35-49	1225	9.8	70	1	2	8	13	20	26	44
50-64	1293	10.0	59	2	2	8	13	19	26	39
65+	1142	11.5	89	2	2	9	15	24	31	43
GRAND TOTAL	**5428**	**10.0**	**75**	**1**	**2**	**8**	**13**	**20**	**27**	**43**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	24	5.8	15	1	2	5	8	11	15	16
20-34	167	6.0	11	1	2	6	8	10	12	17
35-49	257	6.8	13	1	2	7	9	11	12	17
50-64	206	6.9	13	2	2	7	9	12	13	19
65+	76	8.3	23	1	2	8	11	15	16	24
2. MULTIPLE DX										
0-19 YRS	35	7.1	46	1	2	5	8	14	24	32
20-34	181	8.2	49	2	2	7	10	14	17	45
35-49	343	8.8	38	2	3	8	11	16	20	25
50-64	485	9.9	41	2	3	9	13	18	21	34
65+	557	12.0	72	2	3	10	15	22	27	44
TOT. SINGLE DX	730	6.7	15	1	2	6	9	11	13	18
" MULTIPLE DX	1601	10.1	55	2	3	9	13	18	23	36
TOTAL 0-19 YRS	59	6.5	34	1	2	5	8	13	19	31
20-34	348	7.1	32	1	2	6	9	12	15	23
35-49	600	7.9	29	2	2	7	10	14	17	25
50-64	691	9.0	35	2	3	8	12	17	20	30
65+	633	11.5	68	2	3	10	15	21	26	41
GRAND TOTAL	**2331**	**9.1**	**45**	**2**	**2**	**8**	**12**	**17**	**21**	**33**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	212	6.5	6	3	3	7	8	10	11	14
20-34	28	7.5	8	3	3	8	9	11	13	15
35-49	21	9.8	9	3	6	10	11	13	14	14
50-64	13	12.2	24	6	7	11	17	19	20	20
65+	16	10.4	45	1	2	11	16	18	20	21
2. MULTIPLE DX										
0-19 YRS	280	7.9	18	3	4	7	9	12	15	26
20-34	76	12.8	125	6	7	10	13	24	28	76
35-49	63	15.1	181	6	7	12	15	22	34	91
50-64	81	16.3	103	4	6	14	20	33	45	99+
65+	137	17.5	83	4	8	16	22	29	37	45
TOT. SINGLE DX	290	7.3	12	3	3	7	9	11	14	19
" MULTIPLE DX	637	12.3	89	4	5	9	15	24	31	48
TOTAL 0-19 YRS	492	7.3	13	3	4	7	9	11	13	20
20-34	104	11.4	99	4	6	9	12	22	25	61
35-49	84	13.8	143	5	7	11	14	21	32	83
50-64	94	15.7	94	5	6	14	20	31	42	99+
65+	153	16.7	84	3	5	15	21	28	37	45
GRAND TOTAL	**927**	**10.7**	**70**	**3**	**4**	**8**	**13**	**20**	**27**	**44**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	79	3.8	7	1	1	3	5	8	10	13
20-34	634	3.9	5	1	1	4	5	7	8	12
35-49	904	3.9	5	1	1	4	5	7	8	12
50-64	617	4.2	7	1	1	4	5	8	9	14
65+	199	4.5	11	1	1	4	6	8	11	15
2. MULTIPLE DX										
0-19 YRS	113	7.2	26	1	2	6	10	14	17	26
20-34	474	5.6	33	1	2	4	7	10	12	26
35-49	718	5.3	13	1	2	4	6	9	12	20
50-64	848	5.8	28	1	2	5	7	10	13	25
65+	723	7.9	45	2	2	6	10	16	20	35
TOT. SINGLE DX	2433	4.0	7	1	1	4	5	7	9	13
" MULTIPLE DX	2876	6.2	31	1	2	5	8	12	15	26
TOTAL 0-19 YRS	192	5.8	22	1	1	4	8	12	14	22
20-34	1108	4.6	18	1	1	4	6	8	10	17
35-49	1622	4.5	10	1	2	4	6	8	10	15
50-64	1465	5.1	20	1	2	4	6	9	12	22
65+	922	7.2	40	1	2	6	9	14	18	33
GRAND TOTAL	**5309**	**5.2**	**21**	**1**	**2**	**4**	**6**	**9**	**12**	**23**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	279	2.8	4	<1	<1	2	4	6	7	11
20-34	651	3.9	13	<1	1	3	5	7	9	15
35-49	742	3.9	9	<1	1	3	5	8	9	14
50-64	675	3.9	10	<1	1	3	5	8	10	15
65+	535	4.2	17	<1	1	3	5	8	11	21
2. MULTIPLE DX										
0-19 YRS	645	4.9	18	<1	1	4	7	10	14	24
20-34	1543	6.3	38	1	1	5	8	12	16	31
35-49	2262	6.9	44	1	2	5	8	14	19	33
50-64	3577	7.2	57	1	1	5	9	14	20	37
65+	7056	9.0	62	1	2	7	11	18	23	42
TOT. SINGLE DX	2882	3.8	12	<1	1	3	5	7	9	16
" MULTIPLE DX	15083	7.8	56	1	2	6	10	16	21	39
TOTAL 0-19 YRS	924	4.3	15	<1	1	3	6	9	12	21
20-34	2194	5.6	32	1	1	4	7	11	14	29
35-49	3004	6.2	38	1	1	5	8	12	17	30
50-64	4252	6.7	51	1	1	5	8	13	18	36
65+	7591	8.7	61	1	2	7	11	17	23	41
GRAND TOTAL	**17965**	**7.2**	**51**	**1**	**1**	**5**	**9**	**15**	**20**	**36**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	2.9	4	<1	<1	2	5	6	7	7
20-34	40	3.1	4	1	1	3	4	6	8	9
35-49	152	2.4	3	<1	1	2	3	4	5	9
50-64	610	3.2	6	1	1	3	4	6	7	14
65+	1151	3.5	9	1	1	3	4	6	8	13
2. MULTIPLE DX										
0-19 YRS	44	5.7	33	<1	1	4	7	11	20	27
20-34	145	5.4	37	1	1	4	7	11	15	31
35-49	392	5.3	42	1	1	4	6	10	17	29
50-64	1419	5.2	36	1	1	4	6	11	14	29
65+	4815	6.3	38	1	2	5	8	13	17	31
TOT. SINGLE DX	1963	3.3	8	1	1	3	4	6	7	13
" MULTIPLE DX	6815	6.0	38	1	1	4	7	12	16	30
TOTAL 0-19 YRS	54	5.2	29	<1	1	4	7	9	18	27
20-34	185	4.9	31	1	1	3	6	9	13	26
35-49	544	4.5	33	1	1	3	5	9	14	28
50-64	2029	4.6	28	1	1	3	5	9	13	27
65+	5966	5.8	34	1	1	4	7	12	15	30
GRAND TOTAL	**8778**	**5.4**	**33**	**1**	**1**	**4**	**7**	**11**	**15**	**28**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	82	4.7	10	1	1	4	6	10	12	14
20-34	95	4.6	10	1	1	4	7	9	10	17
35-49	175	5.7	25	1	1	5	7	11	15	27
50-64	233	6.1	22	1	1	5	9	13	15	20
65+	296	6.8	34	1	1	5	10	14	17	25
2. MULTIPLE DX										
0-19 YRS	293	7.9	51	2	2	6	10	15	19	38
20-34	299	10.1	164	1	2	6	11	22	31	78
35-49	392	8.2	53	1	2	6	11	17	21	44
50-64	819	9.7	90	1	2	7	12	19	27	51
65+	2246	10.3	81	2	2	8	14	21	28	46
TOT. SINGLE DX	881	6.0	25	1	1	4	8	13	15	23
" MULTIPLE DX	4049	9.8	85	1	2	7	13	20	26	49
TOTAL 0-19 YRS	375	7.2	44	1	2	5	9	13	18	33
20-34	394	8.8	133	1	1	6	10	17	28	71
35-49	567	7.4	46	1	2	6	10	15	20	42
50-64	1052	8.9	78	1	2	6	12	18	24	49
65+	2542	9.9	77	1	2	8	13	20	26	44
GRAND TOTAL	**4930**	**9.1**	**77**	**1**	**2**	**7**	**12**	**19**	**24**	**47**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	35	1.3		<1	<1	1	1	3	3	4
20-34	8	2.9	11	<1	<1	1	3	9	11	11
35-49	4	1.3		1	1	1	2	2	2	2
50-64	4	3.5	13	1	1	2	6	9	9	9
65+	3	3.0	7	1	1	2	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	57	3.5	30	<1	1	2	3	7	12	36
20-34	14	3.4	18	<1	<1	2	4	8	15	17
35-49	15	4.4	19	<1	<1	3	5	11	15	16
50-64	28	6.0	32	<1	<1	4	8	17	19	21
65+	44	6.1	24	1	1	5	8	13	17	22
TOT. SINGLE DX	54	1.8	4	<1	<1	1	2	3	6	11
" MULTIPLE DX	158	4.8	28	<1	1	3	6	11	17	22
TOTAL 0-19 YRS	92	2.7	20	<1	<1	1	3	5	8	29
20-34	22	3.2	16	<1	<1	2	4	8	13	17
35-49	19	3.7	17	<1	<1	2	5	10	14	16
50-64	32	5.7	31	<1	1	4	8	16	18	21
65+	47	5.9	24	1	1	4	8	13	16	22
GRAND TOTAL	**212**	**4.0**	**24**	**<1**	**<1**	**2**	**5**	**9**	**15**	**21**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	551	3.9	9	1	1	3	6	8	9	13
20-34	104	3.2	5	<1	1	3	4	7	8	11
35-49	98	4.3	7	1	1	4	6	8	9	15
50-64	79	4.1	10	1	1	3	6	9	9	17
65+	67	4.4	44	1	1	3	5	8	10	47
2. MULTIPLE DX										
0-19 YRS	337	4.7	37	1	1	3	6	10	13	31
20-34	149	5.1	39	<1	1	3	6	11	15	38
35-49	167	6.0	33	1	1	5	8	11	14	20
50-64	215	5.8	24	1	1	4	8	13	16	24
65+	320	6.7	57	1	1	4	8	14	20	38
TOT. SINGLE DX	899	3.9	12	1	1	3	6	8	9	13
" MULTIPLE DX	1188	5.7	41	1	1	4	7	12	16	32
TOTAL 0-19 YRS	888	4.2	20	1	1	3	6	9	11	17
20-34	253	4.3	27	<1	1	3	5	8	12	30
35-49	265	5.4	24	1	1	5	7	10	13	19
50-64	294	5.4	21	1	1	4	7	11	16	23
65+	387	6.3	56	1	1	4	7	13	19	38
GRAND TOTAL	**2087**	**4.9**	**29**	**1**	**1**	**3**	**7**	**9**	**13**	**24**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	53	2.0	3	<1	<1	1	2	5	7	8
20-34	92	3.4	8	<1	<1	3	5	7	8	18
35-49	60	3.4	9	<1	<1	3	4	7	10	15
50-64	53	3.1	5	<1	<1	2	5	6	7	12
65+	60	4.4	23	<1	1	3	5	13	16	22
2. MULTIPLE DX										
0-19 YRS	197	4.3	51	<1	<1	2	5	8	11	46
20-34	410	6.1	41	<1	1	4	8	12	18	33
35-49	479	7.3	60	1	1	5	9	15	23	49
50-64	619	6.8	38	1	1	5	8	13	19	29
65+	1547	8.8	61	1	2	7	11	16	23	38
TOT. SINGLE DX	318	3.3	11	<1	<1	2	4	7	9	18
" MULTIPLE DX	3252	7.6	56	1	1	6	10	15	21	38
TOTAL 0-19 YRS	250	3.8	42	<1	<1	2	4	7	10	45
20-34	502	5.6	36	<1	1	4	7	11	16	32
35-49	539	6.9	57	<1	1	5	8	14	21	48
50-64	672	6.5	37	<1	1	5	8	13	18	29
65+	1607	8.7	61	1	2	7	11	16	22	38
GRAND TOTAL	**3570**	**7.2**	**53**	**1**	**1**	**5**	**9**	**15**	**20**	**37**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	67	2.4	3	<1	1	2	3	5	6	10
20-34	124	2.5	3	1	1	2	3	5	7	9
35-49	85	2.9	7	1	1	2	4	8	9	13
50-64	78	3.3	9	1	1	2	4	7	11	15
65+	125	3.3	6	1	1	3	4	7	10	35
2. MULTIPLE DX										
0-19 YRS	117	3.1	33	<1	1	2	3	5	8	31
20-34	199	3.7	16	<1	1	3	4	7	9	29
35-49	172	4.7	23	1	1	3	6	9	12	26
50-64	275	4.7	23	1	1	3	6	10	15	21
65+	733	6.6	44	1	1	4	8	14	19	33
TOT. SINGLE DX	479	2.9	6	1	1	2	3	6	8	14
" MULTIPLE DX	1496	5.4	35	1	1	3	7	12	16	29
TOTAL 0-19 YRS	184	2.8	23	<1	1	2	3	5	7	16
20-34	323	3.2	12	1	1	2	4	6	8	20
35-49	257	4.1	19	1	1	3	5	8	11	25
50-64	353	4.4	20	1	1	3	5	10	14	18
65+	858	6.1	40	1	1	4	8	14	18	33
GRAND TOTAL	**1975**	**4.8**	**29**	**1**	**1**	**3**	**6**	**10**	**15**	**26**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	67	5.7	3	2	3	6	7	8	9	11
35-49	295	6.4	4	3	4	6	8	9	10	14
50-64	221	7.0	5	4	4	7	8	10	12	16
65+	120	6.9	6	3	4	7	8	10	11	15
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	156	6.6	5	3	4	6	8	9	11	14
35-49	502	7.4	12	4	5	7	8	10	13	23
50-64	494	7.8	15	4	5	7	9	11	14	20
65+	324	8.6	15	4	5	8	10	13	15	21
TOT. SINGLE DX	703	6.6	6	3	4	6	8	9	11	14
" MULTIPLE DX	1477	7.7	14	4	5	7	9	11	14	20
TOTAL 0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	223	6.4	5	3	4	6	8	9	11	13
35-49	797	7.0	10	4	4	7	8	10	12	19
50-64	715	7.5	13	4	5	7	8	10	13	18
65+	444	8.2	14	4	5	8	9	12	14	20
GRAND TOTAL	**2180**	**7.4**	**11**	**4**	**4**	**7**	**8**	**11**	**13**	**19**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	40	5.5	2	3	4	6	6	7	8	10
35-49	163	5.5	4	3	3	5	7	8	9	11
50-64	174	5.8	3	3	4	6	7	8	9	11
65+	92	6.5	5	3	4	6	8	10	12	13
2. MULTIPLE DX										
0-19 YRS	4	5.5	9	2	2	5	8	9	9	9
20-34	54	6.6	9	3	4	6	8	9	12	20
35-49	232	6.6	27	3	4	6	8	9	11	19
50-64	292	6.9	16	3	4	6	8	10	13	20
65+	211	7.7	18	3	4	7	9	12	14	31
TOT. SINGLE DX	470	5.8	4	3	3	6	7	8	9	12
" MULTIPLE DX	793	7.0	20	3	4	6	8	10	12	23
TOTAL 0-19 YRS	5	4.6	11	<1	<1	4	7	9	9	9
20-34	94	6.1	7	3	4	6	7	9	10	18
35-49	395	6.1	18	3	3	5	7	9	10	16
50-64	466	6.5	12	3	4	6	8	9	12	16
65+	303	7.3	15	3	4	7	9	11	13	28
GRAND TOTAL	**1263**	**6.5**	**14**	**3**	**4**	**6**	**8**	**9**	**11**	**18**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	4.0	4	2	2	4	5	6	6	6
20-34	36	3.9	11	1	1	3	5	7	11	17
35-49	40	4.4	7	1	1	4	6	8	9	14
50-64	29	5.2	8	1	2	4	7	8	9	15
65+	12	4.6	10	1	1	4	6	10	12	12
2. MULTIPLE DX										
0-19 YRS	8	5.9	89	<1	<1	2	5	22	29	29
20-34	50	5.8	31	1	1	4	8	11	14	36
35-49	85	6.7	26	1	2	5	9	14	18	24
50-64	111	6.9	23	1	1	6	9	14	16	23
65+	140	9.6	67	2	2	8	12	18	26	41
TOT. SINGLE DX	120	4.4	9	1	1	4	6	8	9	16
" MULTIPLE DX	394	7.7	44	1	2	6	10	15	19	37
TOTAL 0-19 YRS	11	5.4	64	<1	1	3	5	15	28	29
20-34	86	5.0	24	1	1	4	6	10	13	29
35-49	125	6.0	22	1	1	5	8	12	16	23
50-64	140	6.6	21	1	1	6	9	13	16	22
65+	152	9.2	65	2	2	7	11	18	25	40
GRAND TOTAL	**514**	**6.9**	**38**	**1**	**1**	**6**	**9**	**14**	**18**	**36**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	2.8	4	1	1	3	4	6	6	6
20-34	94	3.4	12	1	1	3	4	6	10	20
35-49	146	3.0	5	1	1	2	4	6	8	12
50-64	136	2.6	4	1	1	2	3	5	7	10
65+	44	4.6	11	1	1	4	6	8	12	18
2. MULTIPLE DX										
0-19 YRS	6	6.3	47	<1	<1	4	9	18	19	19
20-34	50	8.3	64	1	2	6	10	27	28	99
35-49	90	7.3	43	1	2	6	9	14	16	41
50-64	126	7.8	115	1	1	5	9	16	22	61
65+	125	10.6	130	1	2	6	13	32	37	51
TOT. SINGLE DX	429	3.1	8	1	1	3	4	6	8	14
" MULTIPLE DX	397	8.6	98	1	2	5	10	19	29	51
TOTAL 0-19 YRS	15	4.2	23	<1	1	3	6	9	16	19
20-34	144	5.1	36	1	1	3	6	11	24	32
35-49	236	4.6	25	1	1	3	6	10	13	20
50-64	262	5.1	64	1	1	3	5	11	16	37
65+	169	9.0	107	1	1	5	11	23	36	49
GRAND TOTAL	**826**	**5.8**	**58**	**1**	**1**	**3**	**6**	**12**	**18**	**38**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	3.6	11	1	1	3	5	9	9	9
20-34	2	6.0	8	4	4	6	8	8	8	8
35-49	51	4.7	4	2	2	4	6	8	9	9
50-64	1494	5.0	4	3	3	5	6	7	8	12
65+	2738	5.4	8	3	3	5	6	8	9	14
2. MULTIPLE DX										
0-19 YRS	19	8.3	67	2	3	5	9	18	28	37
20-34	21	7.5	25	2	3	6	9	11	18	26
35-49	177	7.3	72	3	3	5	8	13	17	38
50-64	4832	6.6	17	3	3	6	8	11	14	23
65+	17786	8.1	32	3	4	6	9	14	19	31
TOT. SINGLE DX	4290	5.3	7	3	3	5	6	8	9	14
" MULTIPLE DX	22835	7.8	30	3	4	6	9	14	18	29
TOTAL 0-19 YRS	24	7.3	58	1	2	5	8	17	24	37
20-34	23	7.3	23	2	3	6	9	11	17	26
35-49	228	6.7	58	2	3	5	7	12	15	32
50-64	6326	6.2	15	3	3	5	7	10	13	22
65+	20524	7.7	30	3	4	6	9	13	18	29
GRAND TOTAL	**27125**	**7.4**	**27**	**3**	**4**	**6**	**8**	**13**	**17**	**28**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	6.0		6	6	6	6	6	6	6
35-49	3	7.7	25	3	3	7	11	13	13	13
50-64	129	9.6	11	5	6	9	12	14	16	19
65+	175	10.1	13	5	6	9	13	15	18	21
2. MULTIPLE DX										
0-19 YRS	7	6.0	21	1	1	4	10	12	13	13
20-34	1	3.0		3	3	3	3	3	3	3
35-49	8	9.5	36	1	2	9	13	18	20	20
50-64	320	12.8	38	6	7	11	15	20	25	35
65+	952	12.8	33	6	7	12	16	20	23	35
TOT. SINGLE DX	309	9.9	13	5	6	9	12	15	17	20
" MULTIPLE DX	1288	12.7	35	6	7	12	15	20	24	34
TOTAL 0-19 YRS	8	5.9	18	1	1	4	9	12	13	13
20-34	2	4.5	5	3	3	4	6	6	6	6
35-49	11	9.0	31	1	2	8	13	16	20	20
50-64	449	11.9	33	6	7	11	14	19	23	33
65+	1127	12.4	31	6	7	11	15	19	22	33
GRAND TOTAL	**1597**	**12.2**	**32**	**6**	**7**	**11**	**15**	**19**	**22**	**33**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	3	5.3	5	4	4	4	7	8	8	8
35-49	29	2.7	7	<1	<1	2	3	6	8	14
50-64	272	2.5	8	<1	1	2	3	4	6	13
65+	358	2.5	9	<1	1	2	3	4	7	14
2. MULTIPLE DX										
0-19 YRS	2	5.0	32	1	1	5	9	9	9	9
20-34	8	5.9	11	1	2	5	8	11	11	11
35-49	65	5.6	58	<1	1	4	7	11	21	92
50-64	574	5.6	40	1	1	3	7	13	21	29
65+	1380	6.3	41	1	1	4	9	14	19	32
TOT. SINGLE DX	662	2.5	9	<1	1	2	3	4	7	14
" MULTIPLE DX	2029	6.1	41	1	1	4	8	14	19	32
TOTAL 0-19 YRS	2	5.0	32	1	1	5	9	9	9	9
20-34	11	5.7	9	1	2	5	8	10	11	11
35-49	94	4.7	44	<1	1	3	6	10	15	77
50-64	846	4.6	33	1	1	3	5	11	16	28
65+	1738	5.5	37	1	1	3	7	13	17	31
GRAND TOTAL	**2691**	**5.2**	**36**	**1**	**1**	**3**	**7**	**12**	**17**	**31**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	138	1.8	1	<1	1	1	2	4	5	7
20-34	115	2.9	5	1	1	2	4	6	8	12
35-49	89	2.2	1	1	1	2	3	4	5	6
50-64	78	2.6	3	1	1	2	3	5	6	10
65+	37	2.7	3	1	1	2	3	5	6	10
2. MULTIPLE DX										
0-19 YRS	85	3.2	34	<1	1	2	3	7	8	39
20-34	106	4.7	30	1	1	3	6	11	13	34
35-49	127	5.8	47	1	1	4	7	13	19	42
50-64	141	5.9	67	1	1	4	6	12	17	41
65+	172	6.5	46	1	1	4	8	15	22	29
TOT. SINGLE DX	457	2.4	3	1	1	2	3	4	6	10
" MULTIPLE DX	631	5.5	48	1	1	3	6	12	18	37
TOTAL 0-19 YRS	223	2.4	14	<1	1	1	3	4	6	18
20-34	221	3.8	18	1	1	3	4	7	11	23
35-49	216	4.3	32	1	1	3	5	9	14	31
50-64	219	4.7	47	1	1	3	5	10	14	35
65+	209	5.8	41	1	1	3	7	13	20	29
GRAND TOTAL	**1088**	**4.2**	**32**	**1**	**1**	**3**	**4**	**9**	**13**	**29**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	184	2.1	2	<1	1	2	2	4	5	9
20-34	283	2.9	5	1	1	2	4	5	7	13
35-49	123	2.7	4	1	1	2	3	4	7	12
50-64	94	4.0	10	1	1	3	5	9	11	14
65+	206	3.2	11	1	1	2	4	6	9	19
2. MULTIPLE DX										
0-19 YRS	180	3.4	40	1	1	2	3	6	9	24
20-34	183	4.6	55	1	1	3	5	10	12	32
35-49	103	4.7	29	1	1	3	6	10	13	33
50-64	305	6.6	59	1	1	4	9	14	17	35
65+	1159	7.6	53	1	1	5	11	17	21	38
TOT. SINGLE DX	890	2.9	7	1	1	2	3	5	8	13
" MULTIPLE DX	1930	6.6	54	1	1	4	9	15	19	36
TOTAL 0-19 YRS	364	2.7	22	<1	1	2	3	5	8	12
20-34	466	3.6	26	1	1	3	4	7	10	17
35-49	226	3.6	16	1	1	2	4	8	11	18
50-64	399	6.0	49	1	1	4	8	13	16	34
65+	1365	6.9	50	1	1	4	10	16	20	36
GRAND TOTAL	**2820**	**5.4**	**42**	**1**	**1**	**3**	**7**	**13**	**17**	**30**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	860	1.6		<1	1	1	2	3	4	5
20-34	135	1.9	1	1	1	2	2	3	5	7
35-49	17	2.1	1	<1	1	2	3	4	5	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	557	2.2	15	<1	1	1	2	4	5	9
20-34	57	3.1	6	1	1	2	4	6	8	12
35-49	10	6.3	89	1	1	4	5	19	33	33
50-64	5	5.0	3	2	2	5	6	7	7	7
65+	2	1.5	1	1	1	1	2	2	2	2
TOT. SINGLE DX	1012	1.7	1	<1	1	1	2	3	4	6
" MULTIPLE DX	631	2.3	16	<1	1	2	2	4	5	10
TOTAL 0-19 YRS	1417	1.8	7	<1	1	1	2	3	4	7
20-34	192	2.2	3	1	1	2	3	5	6	9
35-49	27	3.6	36	<1	1	2	4	5	9	33
50-64	5	5.0	4	2	2	5	6	7	7	7
65+	2	1.5	1	1	1	1	2	2	2	2
GRAND TOTAL	**1643**	**1.9**	**7**	**<1**	**1**	**1**	**2**	**3**	**4**	**8**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	205	1.9	2	<1	1	1	2	4	5	8
20-34	91	2.1	2	<1	<1	2	2	4	5	10
35-49	36	1.7	1	<1	<1	1	2	3	4	5
50-64	10	2.5	2	1	1	2	3	5	6	6
65+	4	3.3		3	3	3	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	85	2.2	4	<1	1	1	3	4	6	12
20-34	81	3.3	15	1	1	2	3	7	9	24
35-49	37	3.0	9	1	1	2	4	6	8	17
50-64	26	3.8	15	1	1	3	4	6	16	17
65+	26	8.9	133	1	1	4	14	19	30	56
TOT. SINGLE DX	346	1.9	2	<1	1	1	2	4	5	8
" MULTIPLE DX	255	3.5	26	1	1	2	4	7	14	24
TOTAL 0-19 YRS	290	2.0	3	<1	1	1	2	4	5	8
20-34	172	2.6	9	<1	1	2	3	5	8	15
35-49	73	2.4	6	<1	1	2	3	5	6	15
50-64	36	3.5	12	1	1	3	4	6	13	17
65+	30	8.2	119	1	1	4	9	18	24	56
GRAND TOTAL	**601**	**2.6**	**13**	**<1**	**1**	**2**	**3**	**5**	**7**	**17**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	13	1.7	3	<1	<1	1	2	3	7	8
35-49	13	1.1		<1	<1	1	1	2	2	2
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	15	3.9	46	<1	<1	1	3	10	23	27
35-49	32	4.3	45	<1	<1	2	4	10	23	30
50-64	6	6.3	22	1	1	6	10	13	13	13
65+	12	9.7	41	2	3	8	14	18	22	23
TOT. SINGLE DX	27	1.4	2	<1	<1	1	1	2	3	8
" MULTIPLE DX	66	5.4	45	<1	1	2	6	15	23	30
TOTAL 0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	28	2.9	27	<1	<1	1	2	7	12	27
35-49	45	3.4	34	<1	<1	1	3	6	19	30
50-64	6	6.3	23	1	1	6	10	13	13	13
65+	12	9.7	41	2	3	8	14	18	22	23
GRAND TOTAL	**93**	**4.2**	**36**	**<1**	**<1**	**1**	**5**	**12**	**17**	**29**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	293	1.6		<1	<1	1	2	3	3	5
20-34	402	1.8	1	<1	1	1	2	3	4	7
35-49	331	1.9	3	<1	1	1	2	3	4	8
50-64	287	2.1	2	1	1	2	3	4	4	8
65+	133	2.3	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	223	2.1	7	<1	<1	1	2	4	5	12
20-34	348	2.3	6	<1	1	2	3	5	6	12
35-49	286	2.8	8	1	1	2	3	5	8	15
50-64	389	3.4	8	1	1	3	4	6	8	15
65+	301	3.9	11	1	1	3	5	8	11	17
TOT. SINGLE DX	1446	1.9	2	<1	1	1	2	3	4	7
" MULTIPLE DX	1547	2.9	9	1	1	2	3	6	8	15
TOTAL 0-19 YRS	516	1.8	4	<1	<1	1	2	3	4	7
20-34	750	2.0	4	<1	1	1	2	4	5	9
35-49	617	2.3	6	1	1	2	3	4	6	12
50-64	676	2.8	6	1	1	2	3	5	7	13
65+	434	3.4	9	1	1	3	4	7	9	15
GRAND TOTAL	**2993**	**2.4**	**6**	**<1**	**1**	**2**	**3**	**4**	**6**	**12**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	338	1.5	1	<1	<1	1	2	2	3	4
20-34	99	1.7		<1	<1	1	2	3	3	5
35-49	51	1.4		<1	1	1	2	2	3	3
50-64	43	2.0	9	<1	1	2	2	3	4	21
65+	25	2.2	6	1	1	1	2	4	6	13
2. MULTIPLE DX										
0-19 YRS	181	5.3	123	<1	<1	2	4	12	21	65
20-34	84	3.3	9	<1	1	2	4	7	9	17
35-49	141	4.3	28	<1	<1	2	6	10	14	31
50-64	175	3.6	14	1	1	2	5	9	11	21
65+	170	5.7	62	1	1	3	7	12	17	33
TOT. SINGLE DX	556	1.6	2	<1	<1	1	2	2	3	5
" MULTIPLE DX	751	4.6	54	<1	1	2	5	10	15	33
TOTAL 0-19 YRS	519	2.8	47	<1	<1	1	2	4	8	46
20-34	183	2.4	5	<1	<1	2	3	5	6	15
35-49	192	3.5	22	<1	1	2	4	8	13	29
50-64	218	3.3	14	1	1	2	4	8	11	21
65+	195	5.3	57	1	1	3	6	12	17	32
GRAND TOTAL	**1307**	**3.3**	**34**	**<1**	**<1**	**2**	**3**	**7**	**11**	**27**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	73	2.4	4	<1	<1	2	3	6	8	11
20-34	72	4.6	41	<1	1	3	5	9	16	41
35-49	107	4.0	14	1	1	3	5	8	11	23
50-64	275	3.3	3	1	1	3	4	5	6	10
65+	96	3.4	4	1	1	3	4	6	7	12
2. MULTIPLE DX										
0-19 YRS	75	3.3	9	1	1	3	4	6	7	20
20-34	147	7.0	64	1	1	4	7	17	26	41
35-49	319	4.8	33	1	1	4	6	8	10	21
50-64	717	4.4	13	1	1	4	5	7	11	22
65+	325	5.4	34	1	2	4	6	9	14	27
TOT. SINGLE DX	623	3.5	10	<1	1	3	4	6	8	15
" MULTIPLE DX	1583	4.9	27	1	1	4	5	8	12	26
TOTAL 0-19 YRS	148	2.8	7	<1	<1	2	3	6	7	11
20-34	219	6.2	58	1	1	4	6	14	20	43
35-49	426	4.6	29	1	1	4	5	8	10	22
50-64	992	4.1	11	1	1	3	5	7	9	19
65+	421	4.9	28	1	1	4	5	9	13	26
GRAND TOTAL	**2206**	**4.5**	**23**	**1**	**1**	**3**	**5**	**8**	**11**	**24**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	283	4.5	2	2	3	4	5	6	7	10
20-34	970	4.7	3	2	3	5	6	7	8	11
35-49	155	5.2	3	3	3	5	6	7	8	13
50-64	24	6.9	9	3	4	7	8	11	13	16
65+	18	8.1	10	4	5	7	9	13	15	16
2. MULTIPLE DX										
0-19 YRS	343	5.4	7	2	3	5	6	8	10	18
20-34	2338	5.4	10	2	3	5	6	8	10	15
35-49	482	6.6	18	2	3	6	7	11	13	25
50-64	91	11.0	89	4	4	8	12	21	28	58
65+	103	13.8	76	5	6	11	18	25	31	48
TOT. SINGLE DX	1450	4.8	4	2	3	5	6	7	8	12
" MULTIPLE DX	3357	6.0	18	2	3	5	7	9	12	23
TOTAL 0-19 YRS	626	5.0	5	2	3	5	6	7	9	14
20-34	3308	5.2	8	2	3	5	6	8	9	14
35-49	637	6.2	15	2	3	6	7	10	12	23
50-64	115	10.1	75	4	4	8	11	19	24	51
65+	121	13.0	70	5	6	10	17	23	30	47
GRAND TOTAL	**4807**	**5.6**	**14**	**2**	**3**	**5**	**6**	**9**	**11**	**20**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	145	5.2	3	3	3	5	6	8	8	12
20-34	891	5.1	3	3	3	5	6	7	8	11
35-49	368	5.3	3	3	3	5	6	8	9	12
50-64	79	6.7	11	4	4	6	7	11	12	24
65+	36	6.7	6	4	4	6	8	11	12	14
2. MULTIPLE DX										
0-19 YRS	200	5.9	5	3	3	5	7	9	11	13
20-34	2351	6.0	7	3	4	5	7	9	11	16
35-49	1293	6.4	12	3	4	6	7	10	13	19
50-64	166	8.6	23	4	5	7	10	15	18	29
65+	171	11.4	43	5	5	9	14	21	24	34
TOT. SINGLE DX	1519	5.3	4	3	3	5	6	8	9	12
" MULTIPLE DX	4181	6.4	13	3	4	6	7	10	13	21
TOTAL 0-19 YRS	345	5.6	5	3	3	5	6	8	10	13
20-34	3242	5.7	7	3	4	5	6	8	10	15
35-49	1661	6.2	11	3	3	5	7	9	12	18
50-64	245	8.0	21	4	4	7	9	13	17	28
65+	207	10.6	40	4	5	8	12	20	23	33
GRAND TOTAL	**5700**	**6.1**	**11**	**3**	**4**	**5**	**7**	**9**	**12**	**19**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	4.2	1	2	2	5	5	5	5	5
20-34	77	5.3	4	2	3	5	6	7	8	14
35-49	143	6.4	10	4	4	6	7	9	11	17
50-64	69	7.0	8	4	5	6	8	9	14	20
65+	40	8.2	14	4	5	7	10	14	16	21
2. MULTIPLE DX										
0-19 YRS	17	7.1	14	3	4	6	8	13	15	16
20-34	450	6.4	16	3	4	6	7	9	12	23
35-49	961	6.9	11	4	4	6	8	11	13	19
50-64	346	9.3	34	4	5	7	11	17	21	32
65+	301	12.8	68	5	6	10	15	21	29	49
TOT. SINGLE DX	334	6.5	9	3	4	6	7	9	11	18
" MULTIPLE DX	2075	8.1	30	4	4	6	9	14	18	29
TOTAL 0-19 YRS	22	6.4	13	2	3	5	7	13	14	16
20-34	527	6.3	15	3	4	6	7	9	11	20
35-49	1104	6.8	12	4	4	6	8	10	13	19
50-64	415	8.9	31	4	5	7	10	16	21	30
65+	341	12.3	64	5	6	10	15	21	28	45
GRAND TOTAL	**2409**	**7.8**	**27**	**4**	**4**	**6**	**9**	**13**	**17**	**28**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	80	2.8	2	<1	1	3	4	5	6	8
20-34	181	3.4	4	<1	1	3	5	6	7	9
35-49	33	4.4	11	<1	1	4	5	6	11	18
50-64	7	2.3	2	<1	<1	2	3	5	5	5
65+	6	5.0	20	1	1	4	8	12	12	12
2. MULTIPLE DX										
0-19 YRS	100	4.6	7	1	1	4	5	8	11	13
20-34	718	4.5	6	1	1	4	6	7	8	13
35-49	161	5.2	19	1	1	5	6	9	11	23
50-64	6	11.2	103	2	2	7	15	28	30	30
65+	6	10.3	44	2	2	9	14	20	21	21
TOT. SINGLE DX	307	3.4	5	<1	1	3	5	6	7	11
" MULTIPLE DX	991	4.7	10	1	1	4	6	8	9	15
TOTAL 0-19 YRS	180	3.8	6	1	1	3	5	7	9	12
20-34	899	4.3	6	1	1	4	5	7	8	13
35-49	194	5.1	18	1	1	5	6	8	11	22
50-64	13	6.4	65	<1	<1	3	7	18	28	30
65+	12	7.7	37	1	1	7	11	16	20	21
GRAND TOTAL	**1298**	**4.4**	**9**	**1**	**1**	**4**	**6**	**7**	**9**	**14**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	257	1.5	1	<1	<1	1	2	2	3	6
35-49	153	1.2		<1	<1	<1	1	2	2	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	7	1.4		1	1	1	2	3	3	3
20-34	651	2.2	5	<1	<1	1	3	4	5	12
35-49	272	1.9	5	<1	<1	1	2	3	5	11
50-64	2	1.5	1	1	1	1	2	2	2	2
65+										
TOT. SINGLE DX	411	1.4	1	<1	<1	1	1	2	3	6
" MULTIPLE DX	932	2.1	6	<1	<1	1	3	4	5	11
TOTAL 0-19 YRS	8	1.4	1	<1	<1	1	2	3	3	3
20-34	908	2.0	5	<1	<1	1	2	4	5	11
35-49	425	1.7	4	<1	<1	1	2	3	4	9
50-64	2	1.5	1	1	1	1	2	2	2	2
65+										
GRAND TOTAL	**1343**	**1.9**	**4**	**<1**	**<1**	**1**	**2**	**3**	**5**	**10**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	4.2	9	1	1	4	6	8	12	13
20-34	1095	2.2	2	1	1	2	3	4	5	7
35-49	312	2.0	1	<1	1	2	3	3	4	6
50-64	1	5.0		5	5	5	5	5	5	5
65+										
2. MULTIPLE DX										
0-19 YRS	29	3.9	4	1	2	3	5	7	7	11
20-34	4092	3.2	3	1	1	3	4	5	5	8
35-49	887	3.2	4	1	1	3	4	5	6	10
50-64	7	6.0	14	2	2	5	8	12	13	13
65+										
TOT. SINGLE DX	1421	2.1	2	1	1	2	3	4	5	7
" MULTIPLE DX	5015	3.2	4	1	1	3	4	5	6	9
TOTAL 0-19 YRS	42	4.0	6	1	2	3	5	7	9	13
20-34	5187	3.0	3	1	1	3	4	5	5	8
35-49	1199	2.9	4	1	1	3	4	5	6	9
50-64	8	5.9	13	2	2	5	7	12	13	13
65+										
GRAND TOTAL	**6436**	**3.0**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**8**

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	154	4.3	1	2	3	4	5	6	7	7
20-34	2093	4.4	2	2	3	4	5	6	7	9
35-49	294	4.6	4	2	3	4	6	6	7	12
50-64	6	4.5	3	2	2	4	6	7	7	7
65+	2	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	205	4.9	4	2	3	4	6	8	9	14
20-34	2964	4.8	3	2	3	5	5	7	8	11
35-49	461	5.4	7	2	3	5	6	8	11	16
50-64	11	4.8	4	<1	2	5	7	8	8	8
65+	10	10.0	70	2	2	7	15	23	29	29
TOT. SINGLE DX	2549	4.4	2	2	3	4	5	6	7	9
" MULTIPLE DX	3651	4.9	5	2	3	5	6	7	8	13
TOTAL 0-19 YRS	359	4.6	4	2	3	4	5	7	8	13
20-34	5057	4.6	3	2	3	5	5	6	7	10
35-49	755	5.1	7	2	3	5	6	7	9	15
50-64	17	4.7	4	1	2	5	6	7	8	8
65+	12	9.2	61	2	3	6	12	21	28	29
GRAND TOTAL	**6200**	**4.7**	**4**	**2**	**3**	**5**	**5**	**7**	**8**	**11**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	18	1.7		<1	1	2	2	3	4	4
20-34	426	1.6		<1	1	1	2	3	3	5
35-49	194	1.8	1	1	1	1	2	3	4	7
50-64	65	2.0	2	<1	1	1	2	3	6	10
65+	25	2.4	2	1	1	2	3	5	5	6
2. MULTIPLE DX										
0-19 YRS	14	1.7	1	1	1	1	2	3	5	5
20-34	369	2.1	4	<1	1	1	2	4	5	9
35-49	229	2.9	17	<1	1	2	3	7	10	20
50-64	97	3.5	28	1	1	2	3	7	11	32
65+	56	3.9	17	1	1	2	4	11	16	18
TOT. SINGLE DX	728	1.7	1	<1	1	1	2	3	3	7
" MULTIPLE DX	765	2.7	13	<1	1	2	3	5	9	18
TOTAL 0-19 YRS	32	1.7	1	1	1	1	2	3	4	5
20-34	795	1.8	3	<1	1	1	2	3	4	8
35-49	423	2.4	11	<1	1	2	3	4	7	12
50-64	162	2.9	19	1	1	2	3	6	8	23
65+	81	3.5	13	1	1	2	4	7	13	17
GRAND TOTAL	**1493**	**2.2**	**7**	**<1**	**1**	**1**	**2**	**4**	**6**	**12**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	1.6	2	<1	<1	1	1	4	5	5
20-34	159	1.8	2	<1	<1	1	2	4	4	9
35-49	105	2.2	5	<1	<1	1	2	5	6	16
50-64	72	3.1	13	<1	1	2	4	6	7	24
65+	47	4.4	13	<1	1	3	6	9	11	19
2. MULTIPLE DX										
0-19 YRS	31	3.1	4	<1	1	2	4	6	7	9
20-34	349	3.0	10	<1	<1	2	3	7	9	16
35-49	385	3.3	33	<1	<1	2	3	8	10	45
50-64	280	4.9	29	<1	1	3	6	10	18	27
65+	351	6.6	33	1	2	5	8	14	18	32
TOT. SINGLE DX	394	2.5	7	<1	<1	2	3	5	7	15
" MULTIPLE DX	1396	4.4	28	<1	<1	2	6	9	14	27
TOTAL 0-19 YRS	42	2.7	4	<1	<1	2	4	6	7	9
20-34	508	2.6	8	<1	<1	2	3	6	8	13
35-49	490	3.1	27	<1	<1	2	3	7	9	31
50-64	352	4.5	27	<1	1	3	6	9	14	28
65+	398	6.4	32	1	1	5	8	13	18	29
GRAND TOTAL	**1790**	**4.0**	**24**	**<1**	**<1**	**2**	**5**	**9**	**12**	**25**

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	32	2.8	4	1	1	2	3	4	9	11
20-34	1040	2.2	1	1	1	2	3	4	4	7
35-49	113	2.1	1	1	1	2	3	3	4	8
50-64	2	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
0-19 YRS	12	2.8		2	2	3	3	4	5	5
20-34	340	3.6	17	1	1	3	4	6	9	27
35-49	47	4.4	167	<1	1	2	3	5	7	90
50-64	1	1.0		1	1	1	1	1	1	1
65+										
TOT. SINGLE DX	1187	2.2	2	1	1	2	3	4	4	8
" MULTIPLE DX	400	3.6	35	1	1	3	4	6	9	29
TOTAL 0-19 YRS	44	2.8	4	1	1	2	3	4	6	11
20-34	1380	2.5	6	1	1	2	3	4	5	10
35-49	160	2.8	51	1	1	2	3	4	5	13
50-64	3	1.0		1	1	1	1	1	1	1
65+										
GRAND TOTAL	**1587**	**2.5**	**11**	**1**	**1**	**2**	**3**	**4**	**5**	**11**

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	2.6	4	1	1	2	4	6	6	6
20-34	302	4.9	3	1	2	5	6	7	8	9
35-49	108	4.4	4	1	1	4	6	7	8	9
50-64	5	3.6	7	<1	<1	4	5	7	7	7
65+	3	4.0	19	1	1	2	7	9	9	9
2. MULTIPLE DX										
0-19 YRS	19	7.5	92	1	1	5	7	19	34	41
20-34	707	5.0	8	1	1	5	6	7	9	12
35-49	300	5.3	17	<1	1	5	6	9	12	24
50-64	67	6.0	32	<1	1	4	8	14	17	26
65+	82	6.8	35	1	2	4	10	16	19	25
TOT. SINGLE DX	425	4.7	4	1	2	5	6	7	8	9
" MULTIPLE DX	1175	5.3	16	1	1	5	6	9	11	23
TOTAL 0-19 YRS	26	6.2	73	1	1	5	6	9	28	41
20-34	1009	5.0	7	1	2	5	6	7	8	11
35-49	408	5.1	14	1	1	5	6	8	10	22
50-64	72	5.8	31	<1	1	4	8	13	17	26
65+	85	6.7	35	1	2	4	10	15	19	25
GRAND TOTAL	**1600**	**5.2**	**13**	**1**	**1**	**5**	**6**	**8**	**10**	**19**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	5.7	6	3	3	4	7	10	11	11
20-34	1096	5.9	2	4	4	6	7	8	8	13
35-49	2206	6.1	2	4	4	6	7	8	8	11
50-64	693	6.6	4	4	5	6	7	9	10	13
65+	344	7.5	6	4	5	7	8	11	12	17
2. MULTIPLE DX										
0-19 YRS	59	7.3	13	4	4	6	9	13	15	22
20-34	7498	6.4	6	4	4	6	7	9	10	15
35-49	19192	6.6	6	4	5	6	7	9	10	16
50-64	4783	7.7	15	5	5	7	8	11	[illegible]	24
65+	2190	10.2	40	5	6	8	11	17	22	35
TOT. SINGLE DX	4352	6.2	3	4	4	6	7	8	9	13
" MULTIPLE DX	33722	7.0	11	4	5	6	8	10	12	20
TOTAL 0-19 YRS	72	7.0	13	4	4	6	8	12	14	22
20-34	8594	6.3	6	4	4	6	7	8	10	15
35-49	21398	6.6	6	4	5	6	7	9	10	16
50-64	5476	7.6	14	4	5	7	8	11	14	24
65+	2534	9.8	37	5	6	8	11	16	21	33
GRAND TOTAL	**38074**	**6.9**	**10**	**4**	**5**	**6**	**7**	**9**	**12**	**19**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	570	4.9	1	3	3	5	6	7	7	9
35-49	662	5.4	2	3	4	5	6	8	9	10
50-64	377	6.5	3	4	5	6	7	9	10	14
65+	335	7.1	4	4	5	7	8	9	10	14
2. MULTIPLE DX										
0-19 YRS	10	5.0	6	2	2	4	6	9	10	10
20-34	2373	5.7	4	3	4	5	6	8	9	13
35-49	4911	5.9	4	3	4	6	7	8	10	13
50-64	1636	7.0	5	4	5	7	8	10	11	15
65+	1472	7.9	9	5	5	7	9	11	13	20
TOT. SINGLE DX	1945	5.8	4	3	4	6	7	8	9	12
" MULTIPLE DX	10402	6.3	6	4	4	6	7	9	10	15
TOTAL 0-19 YRS	11	4.6	7	1	2	4	6	9	10	10
20-34	2943	5.6	4	3	4	5	6	8	9	12
35-49	5573	5.9	4	3	4	6	7	8	10	13
50-64	2013	6.9	5	4	5	7	8	10	11	15
65+	1807	7.8	9	5	5	7	9	11	13	19
GRAND TOTAL	**12347**	**6.2**	**6**	**3**	**4**	**6**	**7**	**9**	**10**	**15**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	29	10.8	10	8	8	10	11	16	19	20
35-49	45	10.4	12	6	6	9	12	15	17	20
50-64	26	11.6	32	5	6	10	14	19	26	26
65+	13	13.6	54	8	8	10	18	25	30	31
2. MULTIPLE DX										
0-19 YRS	2	12.5	61	7	7	12	18	18	18	18
20-34	43	10.4	65	4	5	9	11	14	17	58
35-49	90	12.9	34	7	8	11	15	20	25	38
50-64	68	13.4	51	7	8	11	14	20	28	47
65+	59	16.1	89	8	9	12	18	30	40	45
TOT. SINGLE DX	114	11.1	21	6	7	10	12	17	20	28
" MULTIPLE DX	262	13.3	59	6	7	11	15	21	28	45
TOTAL 0-19 YRS	3	11.3	34	7	7	9	16	18	18	18
20-34	72	10.5	43	5	6	10	11	15	18	50
35-49	135	12.1	28	6	7	11	15	19	22	30
50-64	94	12.9	46	6	8	11	14	19	27	43
65+	72	15.6	83	8	8	12	18	29	38	44
GRAND TOTAL	**376**	**12.7**	**48**	**6**	**7**	**11**	**14**	**19**	**26**	**44**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	39	1.7	1	<1	<1	1	2	3	4	5
20-34	193	1.7	1	<1	<1	1	2	3	4	7
35-49	21	1.3		<1	<1	1	2	2	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	26	6.4	111	1	1	3	5	12	36	48
20-34	144	3.3	11	1	1	2	4	7	11	19
35-49	35	2.7	17	<1	1	1	2	6	15	19
50-64										
65+										
TOT. SINGLE DX	253	1.7	1	<1	<1	1	2	3	4	6
" MULTIPLE DX	205	3.6	26	1	1	2	4	7	12	26
TOTAL 0-19 YRS	65	3.6	50	<1	1	2	3	5	8	46
20-34	337	2.4	6	<1	<1	1	3	5	7	15
35-49	56	2.2	11	<1	1	1	2	4	6	19
50-64										
65+										
GRAND TOTAL	**458**	**2.5**	**13**	**<1**	**<1**	**1**	**3**	**5**	**7**	**19**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2090	1.6	1	<1	<1	1	2	3	4	6
20-34	11850	1.5	1	<1	<1	1	2	3	4	6
35-49	2425	1.5	1	<1	<1	1	2	2	3	7
50-64	396	2.0	7	<1	<1	1	2	3	5	12
65+	171	2.2	2	<1	1	2	3	4	6	9
2. MULTIPLE DX										
0-19 YRS	812	2.9	5	1	1	2	4	6	8	11
20-34	6117	3.1	11	<1	1	2	4	6	8	15
35-49	3717	3.3	16	<1	<1	2	4	7	10	20
50-64	1294	4.2	27	<1	1	2	5	10	13	26
65+	1076	5.0	32	1	1	3	6	11	15	30
TOT. SINGLE DX	16932	1.6	2	<1	<1	1	2	3	4	6
" MULTIPLE DX	13016	3.4	16	<1	1	2	4	7	10	20
TOTAL 0-19 YRS	2902	1.9	3	<1	<1	1	2	4	5	9
20-34	17967	2.1	5	<1	<1	1	2	4	6	11
35-49	6142	2.6	11	<1	<1	2	3	6	8	15
50-64	1690	3.7	24	<1	1	2	4	9	12	25
65+	1247	4.6	30	1	1	2	6	11	14	28
GRAND TOTAL	**29948**	**2.4**	**9**	**<1**	**<1**	**1**	**2**	**5**	**7**	**14**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	140	1.2		<1	<1	1	1	2	3	3
20-34	438	1.4	1	<1	<1	<1	1	2	3	7
35-49	91	1.1		<1	<1	<1	1	2	2	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	38	7.0	183	<1	<1	2	5	15	49	57
20-34	215	4.4	34	<1	<1	2	5	10	14	33
35-49	63	3.2	22	<1	<1	2	3	7	16	23
50-64										
65+										
TOT. SINGLE DX	669	1.3	1	<1	<1	<1	1	2	3	6
" MULTIPLE DX	316	4.5	50	<1	<1	2	5	10	15	39
TOTAL 0-19 YRS	178	2.5	44	<1	<1	1	2	3	5	51
20-34	653	2.4	15	<1	<1	1	2	5	8	16
35-49	154	2.0	10	<1	<1	1	2	3	6	23
50-64										
65+										
GRAND TOTAL	**985**	**2.3**	**19**	**<1**	**<1**	**1**	**2**	**5**	**7**	**21**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	259	1.3		<1	<1	1	1	2	3	5
20-34	1592	1.3		<1	<1	1	1	2	3	5
35-49	202	1.2		<1	<1	1	1	2	2	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	72	2.7	14	<1	1	2	3	5	7	26
20-34	426	2.6	7	<1	1	2	3	5	7	15
35-49	96	4.2	38	<1	1	2	5	9	11	36
50-64	7	13.3	137	1	1	10	24	27	28	28
65+	9	13.2	411	1	2	5	14	47	65	65
TOT. SINGLE DX	2053	1.3	1	<1	<1	1	1	2	3	5
" MULTIPLE DX	610	3.1	23	<1	1	2	3	6	9	26
TOTAL 0-19 YRS	331	1.6	4	<1	<1	1	2	3	3	7
20-34	2018	1.6	2	<1	<1	1	2	3	4	8
35-49	298	2.2	15	<1	<1	1	2	4	7	25
50-64	7	13.3	137	1	1	10	24	27	28	28
65+	9	13.2	411	1	2	5	14	47	65	65
GRAND TOTAL	**2663**	**1.7**	**6**	**<1**	**<1**	**1**	**2**	**3**	**4**	**10**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	5.3		5	5	5	6	6	6	6
20-34	43	4.7	2	2	3	5	5	7	7	8
35-49	7	3.9	1	2	2	4	5	5	5	5
50-64	2	3.5	13	1	1	3	6	6	6	6
65+	2	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	9	5.2	4	2	2	5	6	8	9	9
20-34	250	5.0	3	2	3	5	6	7	8	12
35-49	36	5.3	3	2	3	5	6	8	8	11
50-64	3	5.7	4	4	4	5	7	8	8	8
65+	4	7.5	11	4	4	7	10	12	12	12
TOT. SINGLE DX	57	4.7	2	2	3	5	5	6	7	8
" MULTIPLE DX	302	5.1	4	2	3	5	6	7	8	12
TOTAL 0-19 YRS	12	5.3	3	2	3	5	6	8	9	9
20-34	293	5.0	4	2	3	5	6	7	8	12
35-49	43	5.0	3	2	3	5	6	8	8	11
50-64	5	4.8	7	1	1	5	6	8	8	8
65+	6	7.0	8	4	4	6	8	12	12	12
GRAND TOTAL	**359**	**5.0**	**4**	**2**	**3**	**5**	**6**	**7**	**8**	**12**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	29	2.0	1	<1	<1	1	2	4	5	6
20-34	122	2.8	6	<1	<1	2	4	6	6	12
35-49	57	2.8	3	<1	1	3	4	5	6	7
50-64	34	3.3	1	1	2	3	4	5	6	6
65+	19	4.7	9	1	2	3	6	9	12	14
2. MULTIPLE DX										
0-19 YRS	40	3.4	4	1	1	3	5	6	8	10
20-34	360	4.0	23	1	1	3	5	7	8	20
35-49	101	4.3	20	1	1	3	5	8	10	27
50-64	64	4.3	21	1	2	3	4	6	11	32
65+	92	4.8	24	2	2	3	5	8	13	31
TOT. SINGLE DX	261	2.9	5	<1	<1	2	4	6	6	10
" MULTIPLE DX	657	4.1	22	1	1	3	5	7	9	23
TOTAL 0-19 YRS	69	2.8	4	<1	1	2	4	5	7	10
20-34	482	3.7	19	<1	1	3	5	6	8	19
35-49	158	3.7	15	<1	1	3	4	7	9	14
50-64	98	3.9	15	1	2	3	4	6	9	25
65+	111	4.7	22	2	2	3	5	8	14	29
GRAND TOTAL	**918**	**3.8**	**17**	**<1**	**1**	**3**	**5**	**6**	**8**	**21**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	3.0	7	<1	<1	2	5	7	7	7
20-34	59	5.1	3	2	3	5	6	8	8	10
35-49	245	5.4	5	2	3	5	7	8	10	13
50-64	483	5.5	4	2	3	5	7	8	9	12
65+	315	5.8	4	3	3	6	7	8	9	12
2. MULTIPLE DX										
0-19 YRS	3	7.7	25	3	3	7	11	13	13	13
20-34	180	6.3	17	2	3	6	8	9	11	16
35-49	652	6.6	9	3	3	6	8	10	12	19
50-64	955	6.7	12	3	4	6	8	10	12	17
65+	944	7.1	10	3	4	7	8	11	13	18
TOT. SINGLE DX	1106	5.5	5	2	3	5	7	8	9	12
" MULTIPLE DX	2734	6.8	12	3	4	6	8	10	12	18
TOTAL 0-19 YRS	7	5.0	18	<1	<1	3	7	12	13	13
20-34	239	6.0	14	2	3	6	7	9	10	13
35-49	897	6.3	9	3	3	6	7	10	12	18
50-64	1438	6.3	10	3	3	6	7	9	11	16
65+	1259	6.8	9	3	4	6	8	10	12	16
GRAND TOTAL	**3840**	**6.4**	**10**	**3**	**3**	**6**	**8**	**10**	**11**	**16**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	51	3.3	11	<1	<1	2	5	9	11	11
20-34	179	3.5	5	<1	1	3	4	6	8	12
35-49	68	3.4	6	1	1	3	5	7	8	11
50-64	42	5.6	8	1	1	6	7	9	10	14
65+	29	5.3	6	1	1	6	7	9	10	11
2. MULTIPLE DX										
0-19 YRS	53	4.0	21	<1	1	2	4	9	15	23
20-34	116	4.6	21	1	1	4	6	8	8	27
35-49	90	5.8	24	1	1	5	8	11	15	28
50-64	106	7.6	49	1	3	6	8	12	15	43
65+	107	8.4	30	1	3	7	10	14	18	31
TOT. SINGLE DX	369	3.8	8	<1	1	3	5	7	10	12
" MULTIPLE DX	472	6.3	33	1	1	5	8	11	15	29
TOTAL 0-19 YRS	104	3.7	16	<1	<1	2	4	9	11	22
20-34	295	3.9	12	1	1	3	5	7	8	17
35-49	158	4.8	18	1	1	4	6	9	12	20
50-64	148	7.0	38	1	3	6	8	11	14	26
65+	136	7.7	27	1	3	7	9	13	16	30
GRAND TOTAL	**841**	**5.2**	**23**	**1**	**1**	**4**	**7**	**10**	**12**	**23**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	86	3.5	8	<1	<1	2	5	9	10	11
20-34	269	3.5	11	<1	1	2	4	8	11	14
35-49	93	4.3	14	<1	1	3	6	10	14	15
50-64	64	5.3	37	1	1	4	6	9	15	38
65+	80	5.3	7	2	2	5	7	9	11	15
2. MULTIPLE DX										
0-19 YRS	124	5.3	56	1	1	3	7	10	12	55
20-34	402	4.5	16	1	1	4	5	8	11	22
35-49	200	5.9	29	1	1	4	7	11	17	26
50-64	232	6.4	28	1	2	5	8	11	17	30
65+	445	7.2	41	2	2	6	8	13	17	26
TOT. SINGLE DX	592	4.1	14	<1	1	3	5	9	11	15
" MULTIPLE DX	1403	5.9	33	1	1	5	7	11	15	26
TOTAL 0-19 YRS	210	4.6	37	<1	1	3	6	9	11	37
20-34	671	4.1	14	1	1	3	5	8	11	21
35-49	293	5.4	25	1	1	4	7	11	15	23
50-64	296	6.2	31	1	2	5	7	11	17	31
65+	525	6.9	37	2	2	6	8	12	16	25
GRAND TOTAL	**1995**	**5.4**	**28**	**1**	**1**	**4**	**7**	**10**	**14**	**25**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	79	2.4	4	<1	1	2	3	5	6	12
20-34	362	2.1	1	<1	<1	2	3	4	5	7
35-49	181	2.3	5	<1	1	2	3	4	6	11
50-64	71	2.5	3	1	1	2	3	5	6	11
65+	40	3.5	8	<1	1	3	5	7	10	13
2. MULTIPLE DX										
0-19 YRS	74	3.7	10	1	1	3	5	6	12	17
20-34	287	3.9	17	1	1	3	4	7	12	25
35-49	171	5.6	41	1	1	3	6	13	19	37
50-64	142	6.8	50	1	1	4	8	19	23	40
65+	187	7.4	46	1	2	5	10	15	20	33
TOT. SINGLE DX	733	2.3	4	<1	1	2	3	4	6	10
" MULTIPLE DX	861	5.5	35	1	1	3	6	13	18	32
TOTAL 0-19 YRS	153	3.0	8	<1	1	2	4	6	7	16
20-34	649	2.9	10	<1	1	2	3	5	7	15
35-49	352	3.9	25	<1	1	2	4	8	13	25
50-64	213	5.4	39	1	1	3	6	13	22	35
65+	227	6.7	42	1	1	4	9	15	18	32
GRAND TOTAL	**1594**	**4.0**	**23**	**<1**	**1**	**2**	**4**	**9**	**13**	**26**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	13	3.2	8	<1	<1	2	4	8	10	10
35-49	27	5.4	25	1	1	4	7	9	20	21
50-64	21	5.4	9	1	2	5	7	10	11	12
65+	35	9.6	34	2	3	9	13	20	21	25
2. MULTIPLE DX										
0-19 YRS	3	9.0	37	2	2	12	13	13	13	13
20-34	11	5.4	33	<1	<1	4	7	13	20	21
35-49	28	9.7	61	1	3	6	14	21	27	32
50-64	44	11.4	53	2	3	10	18	21	23	28
65+	112	14.9	113	3	5	12	20	28	37	51
TOT. SINGLE DX	98	6.5	28	1	1	5	9	13	20	23
" MULTIPLE DX	198	12.8	93	2	3	11	18	26	32	49
TOTAL 0-19 YRS	5	6.4	32	1	1	4	12	13	13	13
20-34	24	4.2	20	<1	<1	3	5	8	13	21
35-49	55	7.6	48	1	1	5	9	19	22	32
50-64	65	9.5	47	2	2	7	14	20	21	28
65+	147	13.6	99	3	4	11	18	26	34	49
GRAND TOTAL	**296**	**10.7**	**80**	**1**	**2**	**8**	**15**	**22**	**27**	**46**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	41	1.3		<1	<1	1	2	2	3	3
20-34	58	2.6	2	1	1	2	3	4	6	8
35-49	9	2.6	3	<1	<1	2	4	6	6	6
50-64	9	2.4	1	1	1	2	3	4	5	5
65+	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	39	3.0	23	1	1	2	3	5	7	31
20-34	58	3.2	4	1	1	3	4	6	7	10
35-49	12	7.8	141	1	1	3	8	23	40	43
50-64	17	5.6	51	1	1	3	8	9	23	31
65+	11	4.6	20	1	1	3	7	12	15	15
TOT. SINGLE DX	119	2.2	2	<1	1	2	3	4	5	7
" MULTIPLE DX	137	3.9	30	1	1	3	4	8	10	33
TOTAL 0-19 YRS	80	2.1	12	<1	1	1	2	4	5	24
20-34	116	2.9	3	1	1	2	4	6	7	9
35-49	21	5.6	86	<1	<1	3	5	13	28	43
50-64	26	4.5	36	1	1	2	5	9	14	31
65+	13	4.5	17	1	1	3	6	11	14	15
GRAND TOTAL	**256**	**3.1**	**18**	**1**	**1**	**2**	**3**	**6**	**8**	**30**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	4.0	10	<1	<1	3	6	8	8	8
20-34	6	3.2	2	<1	<1	3	4	5	5	5
35-49	3	1.3		1	1	1	2	2	2	2
50-64										
65+	3	2.3		2	2	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	6	3.3	1	2	2	3	4	5	5	5
20-34	25	10.1	153	1	1	5	15	36	38	40
35-49	3	4.7	6	2	2	5	6	7	7	7
50-64	7	6.1	25	2	2	5	7	15	17	17
65+	7	5.6	10	2	2	5	8	10	11	11
TOT. SINGLE DX	16	2.9	4	<1	<1	2	4	5	7	8
" MULTIPLE DX	48	7.7	90	1	1	4	7	22	36	40
TOTAL 0-19 YRS	10	3.6	4	<1	1	3	5	7	8	8
20-34	31	8.7	131	1	1	4	7	28	38	40
35-49	6	3.0	6	1	1	2	5	7	7	7
50-64	7	6.1	25	2	2	5	7	15	17	17
65+	10	4.6	10	2	2	3	7	9	11	11
GRAND TOTAL	**64**	**6.5**	**73**	**1**	**1**	**4**	**6**	**17**	**27**	**40**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1541	2.8	1	2	2	3	3	4	4	5
20-34	8841	3.0		2	2	3	3	4	4	5
35-49	410	3.0		2	2	3	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1952	3.2	1	2	2	3	4	4	5	8
20-34	11080	3.4	2	2	2	3	4	5	5	8
35-49	710	3.7	4	2	2	3	4	5	6	14
50-64										
65+										
TOT. SINGLE DX	10792	3.0	1	2	2	3	3	4	4	5
" MULTIPLE DX	13742	3.4	2	2	2	3	4	5	5	8
TOTAL 0-19 YRS	3493	3.0	2	2	2	3	3	4	5	8
20-34	19921	3.2	2	2	2	3	4	4	5	7
35-49	1120	3.4	4	2	2	3	4	5	5	8
50-64										
65+										
GRAND TOTAL	**24534**	**3.2**	**2**	**2**	**2**	**3**	**4**	**4**	**5**	**7**

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	2.5		1	2	2	3	4	4	5
20-34	207	2.9	1	1	2	3	3	4	5	6
35-49	16	2.7		1	2	3	3	3	4	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	58	2.6	1	1	1	2	3	4	5	7
20-34	469	3.3	12	1	1	3	4	5	6	14
35-49	35	3.1	4	1	1	3	4	5	6	13
50-64										
65+										
TOT. SINGLE DX	244	2.8	1	1	2	3	3	4	4	6
" MULTIPLE DX	562	3.2	11	1	1	3	4	5	5	13
TOTAL 0-19 YRS	79	2.6	1	1	1	2	3	4	5	7
20-34	676	3.2	9	1	1	3	4	4	5	10
35-49	51	3.0	3	1	1	3	4	5	5	13
50-64										
65+										
GRAND TOTAL	**806**	**3.1**	**8**	**1**	**1**	**3**	**4**	**4**	**5**	**10**

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	331	2.8	1	1	2	3	3	4	4	6
20-34	2514	3.0		2	2	3	4	4	4	5
35-49	131	3.0		2	2	3	4	4	5	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	615	3.2	3	2	2	3	4	4	5	8
20-34	4306	3.4	4	2	2	3	4	5	5	8
35-49	323	3.5	2	2	2	3	4	5	6	9
50-64										
65+										
TOT. SINGLE DX	2976	3.0	1	2	2	3	3	4	4	6
" MULTIPLE DX	5244	3.4	4	2	2	3	4	5	5	8
TOTAL 0-19 YRS	946	3.1	3	1	2	3	4	4	5	7
20-34	6820	3.3	3	2	2	3	4	4	5	7
35-49	454	3.4	2	2	2	3	4	5	5	7
50-64										
65+										
GRAND TOTAL	**8220**	**3.3**	**3**	**2**	**2**	**3**	**4**	**4**	**5**	**7**

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14232	2.6	1	1	2	3	3	4	4	5
20-34	91485	2.7	1	1	2	3	3	4	4	5
35-49	5040	2.8	1	1	2	3	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	5610	3.1	5	1	2	3	3	4	5	9
20-34	37950	3.2	4	1	2	3	4	4	5	9
35-49	3225	3.4	3	2	2	3	4	5	6	9
50-64										
65+										
TOT. SINGLE DX	110757	2.7	1	1	2	3	3	4	4	5
" MULTIPLE DX	46785	3.2	4	1	2	3	4	4	5	9
TOTAL 0-19 YRS	19842	2.8	2	1	2	3	3	4	4	7
20-34	129435	2.9	2	1	2	3	3	4	4	6
35-49	8265	3.0	2	1	2	3	4	4	5	7
50-64										
65+										
GRAND TOTAL	**157542**	**2.8**	**2**	**1**	**2**	**3**	**3**	**4**	**4**	**6**

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1654	5.1	2	3	4	5	6	7	7	9
20-34	15791	5.1	2	3	4	5	6	6	7	8
35-49	943	5.4	3	4	4	5	6	7	8	10
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	4608	5.9	10	4	4	5	6	8	10	16
20-34	38584	5.6	7	4	4	5	6	7	8	15
35-49	3867	6.1	15	4	4	5	6	8	10	23
50-64										
65+										
TOT. SINGLE DX	18388	5.1	2	3	4	5	6	6	7	9
" MULTIPLE DX	47059	5.7	9	4	4	5	6	7	9	16
TOTAL 0-19 YRS	6262	5.7	9	4	4	5	6	8	9	15
20-34	54375	5.5	6	4	4	5	6	7	8	14
35-49	4810	6.0	14	4	4	5	6	8	9	21
50-64										
65+										
GRAND TOTAL	**65447**	**5.5**	**7**	**4**	**4**	**5**	**6**	**7**	**8**	**14**

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	102	5.0	1	3	4	5	5	6	7	11
20-34	675	5.1	8	3	4	5	6	6	7	10
35-49	34	5.2	2	3	4	5	6	7	7	12
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	173	5.8	4	4	4	5	7	8	10	14
20-34	1575	6.2	17	4	4	5	6	8	11	24
35-49	215	7.4	41	4	4	6	7	12	15	41
50-64										
65+										
TOT. SINGLE DX	811	5.1	7	3	4	5	6	6	7	10
" MULTIPLE DX	1963	6.3	19	4	4	5	6	8	12	25
TOTAL 0-19 YRS	275	5.5	3	3	4	5	6	7	9	12
20-34	2250	5.8	15	3	4	5	6	8	10	22
35-49	249	7.1	37	4	4	6	7	11	14	37
50-64										
65+										
GRAND TOTAL	**2774**	**5.9**	**16**	**3**	**4**	**5**	**6**	**8**	**10**	**22**

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	5.0	1	3	3	5	5	7	8	8
20-34	134	4.4	3	2	3	4	5	7	8	10
35-49	11	5.1	4	3	3	5	5	9	9	9
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	8	4.8		4	4	5	5	6	6	6
20-34	157	5.3	6	2	3	5	6	8	10	14
35-49	12	5.1	2	3	3	5	6	7	7	7
50-64										
65+										
TOT. SINGLE DX	155	4.5	3	2	3	4	5	7	8	10
" MULTIPLE DX	177	5.3	6	3	3	5	6	8	10	14
TOTAL 0-19 YRS	18	4.9	1	3	4	5	5	6	7	8
20-34	291	4.9	5	2	3	4	6	8	9	14
35-49	23	5.1	3	3	3	5	6	8	9	9
50-64										
65+										
GRAND TOTAL	**332**	**4.9**	**5**	**2**	**3**	**5**	**6**	**7**	**9**	**14**

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	99	1.4		1	1	1	2	2	2	3
20-34	111	1.5		1	1	1	2	2	3	5
35-49	15	1.3		1	1	1	2	2	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	38	1.8	4	1	1	1	2	2	5	13
20-34	65	1.6	3	1	1	1	2	2	3	13
35-49	12	2.3	2	1	1	2	2	5	6	6
50-64										
65+										
TOT. SINGLE DX	225	1.5		1	1	1	2	2	3	4
" MULTIPLE DX	115	1.7	3	1	1	1	2	2	4	14
TOTAL 0-19 YRS	137	1.5	1	1	1	1	2	2	2	7
20-34	176	1.5	2	1	1	1	2	2	3	5
35-49	27	1.7	1	1	1	1	2	3	4	6
50-64										
65+										
GRAND TOTAL	**340**	**1.6**	**1**	**1**	**1**	**1**	**2**	**2**	**3**	**6**

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	96	4.8	41	<1	1	3	5	10	19	36
20-34	376	3.9	17	<1	<1	3	5	8	11	22
35-49	41	3.8	19	<1	<1	2	5	8	15	21
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	86	6.2	43	1	2	4	7	13	17	37
20-34	384	5.2	39	<1	1	3	6	10	16	36
35-49	35	6.5	45	1	2	5	6	11	17	39
50-64										
65+										
TOT. SINGLE DX	513	4.1	22	<1	<1	3	5	9	12	27
" MULTIPLE DX	505	5.4	40	<1	1	4	6	10	16	37
TOTAL 0-19 YRS	182	5.5	43	<1	1	3	6	11	18	37
20-34	760	4.5	29	<1	1	3	5	10	13	32
35-49	76	5.0	33	<1	1	3	6	9	16	34
50-64										
65+										
GRAND TOTAL	**1018**	**4.7**	**31**	**<1**	**1**	**3**	**6**	**10**	**14**	**35**

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1656	2.2	1	<1	<1	2	3	3	4	5
20-34	7735	2.3	1	<1	<1	2	3	4	4	6
35-49	396	2.3	1	<1	<1	2	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	701	2.8	4	<1	1	3	3	4	5	11
20-34	3665	2.9	5	<1	1	3	3	4	5	9
35-49	252	3.2	7	1	2	3	3	4	5	15
50-64										
65+										
TOT. SINGLE DX	9787	2.3	2	<1	<1	2	3	4	4	6
" MULTIPLE DX	4618	2.9	5	<1	1	3	3	4	5	10
TOTAL 0-19 YRS	2357	2.4	2	<1	<1	2	3	4	4	8
20-34	11400	2.5	3	<1	<1	2	3	4	4	7
35-49	648	2.7	4	<1	1	2	3	4	5	9
50-64										
65+										
GRAND TOTAL	**14405**	**2.5**	**3**	**<1**	**<1**	**2**	**3**	**4**	**4**	**7**

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2252	2.5		1	2	2	3	3	4	5
20-34	13838	2.6		1	2	3	3	4	4	5
35-49	906	2.6		1	1	3	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2611	2.9	2	1	2	3	3	4	5	8
20-34	15657	2.9	2	1	2	3	3	4	5	7
35-49	1438	3.1	2	1	2	3	4	4	5	7
50-64										
65+										
TOT. SINGLE DX	16996	2.6	1	1	2	3	3	4	4	5
" MULTIPLE DX	19706	2.9	3	1	2	3	3	4	5	7
TOTAL 0-19 YRS	4863	2.7	2	1	2	3	3	4	4	6
20-34	29495	2.8	2	1	2	3	3	4	4	6
35-49	2344	2.9	2	1	2	3	3	4	5	7
50-64										
65+										
GRAND TOTAL	**36702**	**2.8**	**2**	**1**	**2**	**3**	**3**	**4**	**4**	**6**

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	30	3.3	8	1	1	2	4	6	8	15
20-34	52	3.9	8	1	1	3	5	9	10	14
35-49	20	4.2	8	1	1	3	6	9	10	10
50-64	39	5.1	65	1	1	3	6	16	24	39
65+	29	6.7	52	1	1	5	8	13	22	36
2. MULTIPLE DX										
0-19 YRS	18	5.0	16	1	2	4	7	11	15	17
20-34	43	5.0	13	1	1	4	7	9	12	18
35-49	51	7.0	79	1	1	3	8	25	44	99+
50-64	106	8.8	107	1	1	6	13	18	24	64
65+	105	9.8	94	1	2	7	15	22	32	43
TOT. SINGLE DX	170	4.8	30	1	1	3	5	10	14	35
" MULTIPLE DX	323	8.1	84	1	1	5	10	19	26	60
TOTAL 0-19 YRS	48	3.9	12	1	1	3	5	8	12	17
20-34	95	4.4	11	1	1	3	6	9	11	16
35-49	71	6.2	61	1	1	3	8	19	28	99+
50-64	145	8.1	97	1	1	4	12	18	24	57
65+	134	9.1	86	1	2	6	12	21	30	42
GRAND TOTAL	**493**	**7.0**	**68**	**1**	**1**	**4**	**9**	**16**	**24**	**46**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	711	3.1	2	1	1	3	4	5	6	8
20-34	1082	2.8	2	1	1	3	4	4	5	7
35-49	432	3.0	1	1	1	3	4	5	5	7
50-64	162	2.4	2	1	1	2	3	4	5	7
65+	37	3.4	13	1	1	3	3	6	9	22
2. MULTIPLE DX										
0-19 YRS	576	3.8	8	1	2	3	4	5	7	11
20-34	704	3.5	4	1	2	3	4	5	6	12
35-49	348	3.5	3	1	2	3	4	5	6	12
50-64	168	3.7	14	1	1	3	4	6	8	27
65+	90	5.7	78	1	1	3	5	15	21	53
TOT. SINGLE DX	2424	2.9	2	1	1	3	4	5	5	8
" MULTIPLE DX	1886	3.7	10	1	2	3	4	5	7	16
TOTAL 0-19 YRS	1287	3.4	5	1	1	3	4	5	6	10
20-34	1786	3.1	3	1	1	3	4	5	5	8
35-49	780	3.2	2	1	1	3	4	5	6	9
50-64	330	3.1	9	1	1	3	3	5	6	16
65+	127	5.0	60	1	1	3	4	11	20	47
GRAND TOTAL	**4310**	**3.3**	**6**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	179	2.2	2	1	1	2	3	4	5	8
20-34	238	2.3	2	1	1	2	3	4	5	8
35-49	49	3.2	8	1	1	2	4	6	7	19
50-64	21	3.5	15	<1	1	2	4	7	12	18
65+	3	2.7	8	1	1	1	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	270	4.3	26	1	1	3	5	8	13	31
20-34	369	4.4	23	1	1	3	5	8	12	28
35-49	116	5.4	38	1	2	3	6	10	18	33
50-64	48	6.3	36	2	2	4	8	13	20	31
65+	27	7.7	70	1	2	5	9	17	24	42
TOT. SINGLE DX	490	2.4	3	1	1	2	3	4	6	9
" MULTIPLE DX	830	4.7	29	1	1	3	5	9	13	30
TOTAL 0-19 YRS	449	3.4	18	1	1	2	4	6	10	21
20-34	607	3.6	16	1	1	3	4	7	9	20
35-49	165	4.7	31	1	1	3	5	9	13	30
50-64	69	5.5	31	1	1	3	6	12	18	29
65+	30	7.2	66	1	1	5	9	15	21	42
GRAND TOTAL	**1320**	**3.9**	**21**	**1**	**1**	**3**	**4**	**7**	**10**	**26**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	157	2.5	2	1	1	2	3	5	6	8
20-34	444	2.7	4	1	1	2	3	5	6	10
35-49	114	3.2	19	1	1	2	3	5	9	23
50-64	41	3.0	5	<1	1	2	3	6	8	13
65+	14	3.0	5	1	1	2	4	7	7	7
2. MULTIPLE DX										
0-19 YRS	314	5.2	25	1	1	4	6	9	15	27
20-34	784	5.7	52	1	1	4	7	10	15	38
35-49	361	6.3	33	1	2	4	8	13	18	29
50-64	148	8.3	70	1	2	6	10	18	25	45
65+	92	11.0	99	2	2	8	14	24	29	55
TOT. SINGLE DX	770	2.8	6	1	1	2	3	5	7	10
" MULTIPLE DX	1699	6.2	49	1	2	4	7	12	18	37
TOTAL 0-19 YRS	471	4.3	19	1	1	3	5	8	11	24
20-34	1228	4.6	37	1	1	3	5	9	12	26
35-49	475	5.6	32	1	1	4	7	12	16	29
50-64	189	7.2	61	1	2	5	9	16	24	43
65+	106	10.0	95	2	2	7	13	23	29	53
GRAND TOTAL	**2469**	**5.2**	**38**	**1**	**1**	**3**	**6**	**10**	**15**	**30**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	36	3.5	5	1	1	3	5	7	7	11
20-34	38	3.8	11	<1	1	3	5	8	12	17
35-49	43	2.8	2	1	1	2	3	4	6	8
50-64	60	2.4	3	1	1	2	3	3	4	13
65+	13	2.4	1	1	1	2	3	4	5	5
2. MULTIPLE DX										
0-19 YRS	46	2.9	2	1	1	3	3	5	6	8
20-34	54	7.0	47	1	2	5	8	15	23	35
35-49	68	4.6	20	2	2	3	5	9	15	23
50-64	70	4.8	33	1	1	3	4	11	22	27
65+	53	7.0	78	1	2	4	8	12	31	44
TOT. SINGLE DX	190	3.0	5	1	1	2	4	5	7	14
" MULTIPLE DX	291	5.2	38	1	1	3	6	11	20	34
TOTAL 0-19 YRS	82	3.2	4	1	1	3	4	6	7	10
20-34	92	5.7	35	1	1	4	7	12	17	33
35-49	111	3.9	14	1	2	3	4	7	11	22
50-64	130	3.7	21	1	1	2	3	7	13	26
65+	66	6.1	67	1	1	3	7	11	23	43
GRAND TOTAL	**481**	**4.4**	**26**	**1**	**1**	**3**	**5**	**8**	**13**	**30**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	526	5.0	30	1	1	3	5	10	16	32
20-34	291	4.1	15	1	1	3	5	8	11	23
35-49	263	4.8	29	1	1	3	6	8	12	30
50-64	323	4.9	11	1	2	4	6	8	10	14
65+	96	5.5	24	1	1	5	7	10	13	30
2. MULTIPLE DX										
0-19 YRS	562	6.0	49	1	2	4	6	11	16	44
20-34	368	6.4	81	1	1	4	6	14	25	48
35-49	420	6.0	51	1	2	4	7	13	19	42
50-64	635	6.4	41	1	2	5	7	13	19	38
65+	285	10.0	98	2	3	7	13	19	27	57
TOT. SINGLE DX	1499	4.8	23	1	1	4	6	9	12	26
" MULTIPLE DX	2270	6.7	61	1	2	4	7	14	20	46
TOTAL 0-19 YRS	1088	5.5	40	1	1	4	6	11	16	36
20-34	659	5.4	54	1	1	3	6	10	18	43
35-49	683	5.6	43	1	1	4	6	11	18	41
50-64	958	5.9	32	1	2	4	7	10	15	35
65+	381	8.8	83	1	2	6	11	17	23	55
GRAND TOTAL	**3769**	**5.9**	**46**	**1**	**1**	**4**	**6**	**12**	**17**	**40**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	264	2.7	2	1	1	2	3	4	5	7
20-34	504	2.6	1	1	1	2	3	4	5	7
35-49	529	2.7	2	1	1	3	4	5	5	7
50-64	567	2.9	2	1	1	3	4	5	6	8
65+	204	2.9	2	1	1	3	4	5	6	8
2. MULTIPLE DX										
0-19 YRS	368	2.8	3	1	1	3	3	4	5	9
20-34	911	3.0	3	1	1	3	4	5	6	9
35-49	1435	3.3	6	1	1	3	4	5	6	10
50-64	2187	3.4	5	1	1	3	4	5	7	12
65+	1403	3.9	7	1	2	3	5	6	8	14
TOT. SINGLE DX	2068	2.8	2	1	1	3	3	5	5	7
" MULTIPLE DX	6304	3.4	6	1	1	3	4	5	7	12
TOTAL 0-19 YRS	632	2.7	3	1	1	2	3	4	5	8
20-34	1415	2.9	3	1	1	3	4	5	5	8
35-49	1964	3.1	5	1	1	3	4	5	6	10
50-64	2754	3.3	5	1	1	3	4	5	7	11
65+	1607	3.7	7	1	1	3	4	6	8	13
GRAND TOTAL	**8372**	**3.2**	**5**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1224	3.2	12	1	1	2	4	6	8	20
20-34	1407	3.4	11	1	1	3	4	6	9	17
35-49	1093	3.5	15	1	1	3	4	6	9	20
50-64	772	3.9	20	1	1	3	4	7	12	22
65+	316	4.8	18	1	1	3	6	9	12	23
2. MULTIPLE DX										
0-19 YRS	684	6.6	87	1	1	3	7	18	27	47
20-34	1346	7.5	124	1	1	4	7	18	33	57
35-49	1573	6.9	108	1	1	3	7	16	27	57
50-64	1683	8.5	118	1	1	4	10	21	32	55
65+	1480	12.3	173	1	2	8	16	27	39	67
TOT. SINGLE DX	4812	3.5	14	1	1	3	4	7	9	20
" MULTIPLE DX	6766	8.6	131	1	1	4	10	21	32	58
TOTAL 0-19 YRS	1908	4.4	42	1	1	2	4	9	15	32
20-34	2753	5.4	71	1	1	3	5	11	19	47
35-49	2666	5.5	73	1	1	3	5	11	19	47
50-64	2455	7.0	92	1	1	4	8	16	27	50
65+	1796	11.0	154	1	2	7	14	24	35	65
GRAND TOTAL	**11578**	**6.5**	**88**	**1**	**1**	**3**	**7**	**15**	**24**	**50**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	661	5.5	36	1	1	4	6	11	17	33
20-34	350	4.0	9	1	1	3	5	8	10	18
35-49	190	5.0	16	1	1	4	6	9	11	23
50-64	158	6.9	27	2	2	6	8	14	17	31
65+	240	10.7	32	3	5	10	13	16	19	36
2. MULTIPLE DX										
0-19 YRS	356	8.2	115	1	2	4	8	20	35	56
20-34	307	8.5	119	1	2	5	10	18	32	68
35-49	247	10.6	187	1	2	6	12	25	44	93
50-64	322	11.4	118	2	3	8	13	23	35	62
65+	1051	14.8	99	4	6	13	17	25	33	53
TOT. SINGLE DX	1599	6.0	31	1	1	4	8	12	16	28
" MULTIPLE DX	2283	12.0	124	2	2	9	15	24	35	57
TOTAL 0-19 YRS	1017	6.4	66	1	1	4	7	13	23	47
20-34	657	6.1	65	1	1	4	6	13	18	44
35-49	437	8.1	121	1	1	5	9	17	30	56
50-64	480	9.9	93	2	2	7	11	20	30	59
65+	1291	14.1	89	4	6	12	16	24	31	51
GRAND TOTAL	**3882**	**9.5**	**95**	**1**	**2**	**7**	**12**	**20**	**27**	**52**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	729	2.8	15	<1	1	2	3	5	7	28
20-34	955	2.5	8	1	1	2	3	5	6	14
35-49	478	3.0	9	<1	1	2	3	6	8	16
50-64	382	3.2	14	1	1	2	3	6	9	17
65+	301	4.6	20	1	1	3	6	9	13	21
2. MULTIPLE DX										
0-19 YRS	458	4.3	43	1	1	3	4	9	13	40
20-34	468	5.9	72	1	1	3	6	12	22	46
35-49	362	6.4	67	1	1	4	7	14	21	44
50-64	421	6.4	59	1	2	4	8	14	18	36
65+	684	9.8	108	1	2	7	13	21	28	53
TOT. SINGLE DX	2845	3.0	13	<1	1	2	3	5	8	20
" MULTIPLE DX	2393	6.9	78	1	1	4	8	16	23	46
TOTAL 0-19 YRS	1187	3.4	27	<1	1	2	3	6	10	32
20-34	1423	3.6	32	1	1	2	4	7	10	36
35-49	840	4.4	37	1	1	3	5	9	14	29
50-64	803	4.9	41	1	1	3	5	11	15	32
65+	985	8.2	87	1	2	5	10	18	24	48
GRAND TOTAL	**5238**	**4.8**	**46**	**1**	**1**	**3**	**5**	**11**	**16**	**37**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	141	14.2	117	2	2	10	23	30	34	41
20-34	43	14.3	291	4	5	10	11	29	56	92
35-49	22	8.8	23	2	3	8	11	16	20	21
50-64	70	10.4	38	5	5	9	12	15	23	88
65+	210	11.1	15	6	6	11	13	16	17	21
2. MULTIPLE DX										
0-19 YRS	113	20.1	181	4	6	18	27	34	48	69
20-34	98	18.8	242	5	6	14	22	42	56	76
35-49	58	18.2	172	6	7	14	23	37	46	68
50-64	164	16.6	205	6	7	11	18	31	49	77
65+	1116	14.1	53	6	7	13	17	22	28	43
TOT. SINGLE DX	486	12.1	75	3	4	10	14	23	29	42
" MULTIPLE DX	1549	15.3	99	6	7	13	17	26	34	58
TOTAL 0-19 YRS	254	16.8	154	2	3	14	24	32	39	57
20-34	141	17.4	260	4	5	11	19	41	56	79
35-49	80	15.6	149	4	5	11	20	29	44	64
50-64	234	14.7	163	5	6	11	16	28	44	82
65+	1326	13.6	49	6	7	12	16	21	27	42
GRAND TOTAL	**2035**	**14.5**	**95**	**5**	**6**	**12**	**17**	**25**	**32**	**56**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	208	9.0	64	2	3	7	11	18	23	39
20-34	172	10.0	36	3	4	9	12	17	22	34
35-49	116	10.1	43	3	4	9	12	19	24	60
50-64	303	10.9	31	5	6	10	13	17	20	29
65+	1337	12.4	30	6	7	12	15	18	20	31
2. MULTIPLE DX										
0-19 YRS	291	14.6	120	4	5	12	18	25	38	72
20-34	449	16.4	175	5	6	13	19	29	47	81
35-49	334	16.3	108	6	7	14	21	29	38	66
50-64	871	15.7	105	6	7	13	18	26	34	68
65+	7511	15.0	56	7	8	14	17	23	29	44
TOT. SINGLE DX	2136	11.5	36	4	6	11	14	18	21	34
" MULTIPLE DX	9456	15.1	71	6	8	13	18	24	30	52
TOTAL 0-19 YRS	499	12.2	105	3	4	10	15	23	29	66
20-34	621	14.7	145	4	6	11	17	26	35	78
35-49	450	14.7	99	4	6	12	19	27	35	64
50-64	1174	14.5	91	6	7	12	17	24	30	61
65+	8848	14.6	53	7	8	13	17	22	28	43
GRAND TOTAL	**11592**	**14.5**	**66**	**6**	**7**	**13**	**17**	**23**	**29**	**49**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	348	10.9	128	1	1	5	19	28	32	51
20-34	22	13.5	268	1	1	9	19	25	49	77
35-49	12	15.7	238	1	2	10	24	40	47	48
50-64	13	9.4	143	2	2	5	11	21	41	46
65+	47	10.2	105	1	2	7	14	22	27	58
2. MULTIPLE DX										
0-19 YRS	186	15.5	226	2	2	10	23	36	51	61
20-34	55	21.5	381	4	5	13	32	47	65	77
35-49	26	16.7	342	2	2	11	20	49	83	99+
50-64	52	21.0	274	3	4	15	32	48	63	99
65+	195	14.9	218	2	4	11	17	33	49	79
TOT. SINGLE DX	442	11.0	136	1	1	6	19	27	33	51
" MULTIPLE DX	514	16.5	255	2	3	11	22	42	53	79
TOTAL 0-19 YRS	534	12.5	167	1	1	7	21	30	36	57
20-34	77	19.2	358	2	3	12	23	46	65	77
35-49	38	16.4	303	2	2	11	20	47	66	99+
50-64	65	18.7	268	2	3	13	29	46	59	95
65+	242	14.0	200	2	3	10	16	28	47	78
GRAND TOTAL	**956**	**14.0**	**207**	**1**	**2**	**9**	**20**	**33**	**46**	**74**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	460	3.7	27	<1	1	2	3	9	16	25
20-34	276	3.6	13	<1	1	3	5	7	9	19
35-49	204	3.8	12	1	1	3	5	7	9	21
50-64	236	3.3	13	1	1	2	4	6	9	15
65+	194	3.6	12	1	1	2	5	9	11	17
2. MULTIPLE DX										
0-19 YRS	141	7.2	80	1	1	4	8	19	23	50
20-34	214	6.6	56	1	1	4	9	16	23	37
35-49	174	6.6	53	1	1	5	8	14	24	38
50-64	197	7.1	49	1	1	5	9	17	24	31
65+	296	8.4	95	1	2	6	10	17	25	51
TOT. SINGLE DX	1370	3.6	18	1	1	2	4	7	11	23
" MULTIPLE DX	1022	7.3	70	1	1	5	9	16	24	42
TOTAL 0-19 YRS	601	4.5	42	1	1	2	4	12	19	28
20-34	490	4.9	34	<1	1	3	6	11	17	30
35-49	378	5.1	33	1	1	3	6	10	16	32
50-64	433	5.0	33	1	1	3	6	11	17	29
65+	490	6.5	68	1	1	4	8	13	19	48
GRAND TOTAL	**2392**	**5.2**	**43**	**1**	**1**	**3**	**6**	**12**	**17**	**32**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2080	2.9	4	1	1	2	4	5	7	12
20-34	2740	3.8	9	1	1	3	5	7	8	14
35-49	1777	4.4	12	1	1	4	5	8	9	16
50-64	1479	4.9	10	1	2	4	6	9	11	18
65+	831	6.1	14	2	2	5	8	11	13	19
2. MULTIPLE DX										
0-19 YRS	1016	6.2	69	1	1	4	7	12	19	44
20-34	2231	6.9	61	1	2	5	8	14	22	42
35-49	1622	7.8	86	1	2	5	9	15	23	53
50-64	1722	8.2	61	2	3	6	10	16	22	42
65+	2007	9.6	57	3	3	8	12	18	23	42
TOT. SINGLE DX	8907	4.1	11	1	1	3	5	8	9	16
" MULTIPLE DX	8598	7.9	67	1	2	6	9	15	22	45
TOTAL 0-19 YRS	3096	4.0	28	1	1	3	4	7	10	26
20-34	4971	5.2	35	1	1	4	6	10	14	34
35-49	3399	6.0	51	1	2	4	7	11	16	39
50-64	3201	6.7	41	1	2	5	8	12	17	35
65+	2838	8.6	47	2	3	7	11	16	21	34
GRAND TOTAL	**17505**	**6.0**	**42**	**1**	**1**	**4**	**7**	**12**	**16**	**34**

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4429	2.1	7	<1	1	1	2	4	5	15
20-34	893	3.4	14	1	1	2	4	7	9	17
35-49	705	3.1	8	1	1	2	4	6	8	13
50-64	669	3.2	9	1	1	2	4	7	9	14
65+	640	3.5	9	1	1	2	4	8	10	15
2. MULTIPLE DX										
0-19 YRS	1182	4.5	46	1	1	2	5	9	16	39
20-34	937	6.3	61	1	1	4	7	13	20	45
35-49	673	7.2	98	1	1	4	8	14	25	54
50-64	818	6.7	70	1	1	4	8	14	21	45
65+	1735	6.9	45	1	2	5	8	14	20	34
TOT. SINGLE DX	7336	2.6	9	<1	1	2	3	5	7	15
" MULTIPLE DX	5345	6.3	60	1	1	4	7	13	20	42
TOTAL 0-19 YRS	5611	2.6	16	<1	1	1	3	5	8	21
20-34	1830	4.9	41	1	1	3	5	10	15	33
35-49	1378	5.1	56	1	1	3	6	10	15	46
50-64	1487	5.1	46	1	1	3	6	10	15	34
65+	2375	6.0	38	1	1	4	8	13	17	32
GRAND TOTAL	**12681**	**4.1**	**34**	**1**	**1**	**2**	**5**	**9**	**13**	**30**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	247	3.9	25	<1	1	1	4	11	15	22
20-34	231	3.0	19	<1	<1	1	3	6	12	28
35-49	102	3.0	13	<1	1	2	3	6	10	21
50-64	134	3.5	13	<1	1	2	4	8	9	18
65+	161	4.6	24	<1	1	3	6	11	13	28
2. MULTIPLE DX										
0-19 YRS	152	5.8	54	1	1	3	7	16	22	37
20-34	203	7.8	122	1	1	4	9	17	27	57
35-49	124	5.2	25	1	1	3	7	13	16	24
50-64	192	6.5	120	1	1	3	8	16	25	81
65+	440	7.3	59	1	1	5	10	16	21	39
TOT. SINGLE DX	875	3.6	21	<1	1	2	4	9	13	25
" MULTIPLE DX	1111	6.9	77	1	1	4	9	16	22	48
TOTAL 0-19 YRS	399	4.6	37	<1	1	2	6	12	18	26
20-34	434	5.2	73	<1	1	2	6	12	18	41
35-49	226	4.2	22	1	1	2	5	10	15	24
50-64	326	5.5	79	<1	1	3	6	13	19	54
65+	601	6.6	51	1	1	4	9	15	19	37
GRAND TOTAL	**1986**	**5.4**	**55**	**<1**	**1**	**3**	**7**	**13**	**18**	**37**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	176	3.9	20	1	1	3	4	7	16	24
20-34	319	2.5	3	1	1	2	3	4	5	9
35-49	113	3.1	4	1	1	3	4	5	6	12
50-64	60	4.4	10	1	1	4	6	9	11	15
65+	35	5.9	14	1	2	5	8	11	15	16
2. MULTIPLE DX										
0-19 YRS	78	7.4	92	1	1	5	8	17	25	59
20-34	141	6.6	70	1	1	4	7	13	24	50
35-49	66	6.7	65	1	1	4	7	17	24	46
50-64	56	7.8	89	2	2	4	8	18	26	49
65+	92	12.1	77	2	3	11	15	23	28	48
TOT. SINGLE DX	703	3.3	10	1	1	3	4	6	8	18
" MULTIPLE DX	433	8.1	81	1	1	5	10	18	26	49
TOTAL 0-19 YRS	254	5.0	45	1	1	3	5	11	18	28
20-34	460	3.7	27	1	1	3	4	6	10	28
35-49	179	4.4	30	1	1	3	5	8	15	28
50-64	116	6.0	51	1	1	4	6	11	18	47
65+	127	10.4	67	2	3	8	13	20	26	41
GRAND TOTAL	**1136**	**5.1**	**42**	**1**	**1**	**3**	**5**	**11**	**17**	**29**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	556	3.3	17	1	1	2	3	6	11	25
20-34	463	2.8	8	<1	1	2	3	5	8	18
35-49	301	3.8	30	1	1	2	4	8	13	36
50-64	154	5.6	38	1	1	3	7	13	21	30
65+	104	9.2	91	1	2	6	13	20	26	54
2. MULTIPLE DX										
0-19 YRS	487	5.6	53	1	1	3	6	15	21	38
20-34	585	5.8	77	1	1	3	6	13	22	51
35-49	393	6.6	82	1	1	3	7	16	27	48
50-64	398	9.8	149	1	2	5	12	23	37	63
65+	442	15.9	225	2	3	11	21	37	48	88
TOT. SINGLE DX	1578	3.9	27	1	1	2	4	8	14	27
" MULTIPLE DX	2305	8.5	129	1	1	4	10	21	33	57
TOTAL 0-19 YRS	1043	4.4	35	1	1	2	4	10	17	29
20-34	1048	4.5	50	1	1	3	4	9	16	38
35-49	694	5.4	62	1	1	3	5	12	19	45
50-64	552	8.6	122	1	1	4	10	21	30	57
65+	546	14.6	206	1	2	10	19	34	46	76
GRAND TOTAL	**3883**	**6.6**	**92**	**1**	**1**	**3**	**7**	**17**	**25**	**50**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	169	6.5	20	2	3	5	8	13	16	25
20-34	3728	6.9	18	2	3	6	9	13	15	22
35-49	5571	7.2	20	2	3	6	9	13	16	23
50-64	2341	8.0	23	3	3	7	10	14	18	25
65+	501	8.9	24	3	4	8	11	15	19	24
2. MULTIPLE DX										
0-19 YRS	55	10.9	48	2	4	9	15	22	24	34
20-34	1236	9.6	42	3	4	8	12	17	21	33
35-49	2862	9.8	43	3	4	8	12	17	22	35
50-64	2560	11.1	57	4	4	9	14	20	24	40
65+	1429	13.5	81	4	5	11	17	24	29	49
TOT. SINGLE DX	12310	7.4	21	2	3	6	9	13	16	23
" MULTIPLE DX	8142	10.8	56	3	4	9	13	19	24	39
TOTAL 0-19 YRS	224	7.6	31	2	3	6	9	15	18	29
20-34	4964	7.6	26	2	3	6	9	14	17	26
35-49	8433	8.1	29	3	3	7	10	15	18	28
50-64	4901	9.6	44	3	4	8	12	17	22	34
65+	1930	12.3	71	4	5	10	15	22	28	44
GRAND TOTAL	**20452**	**8.7**	**38**	**3**	**3**	**7**	**11**	**16**	**20**	**31**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	292	2.0	2	<1	<1	1	3	4	5	7
20-34	745	2.2	3	<1	<1	2	3	4	5	9
35-49	496	2.3	3	<1	1	2	3	4	6	8
50-64	295	2.5	4	<1	1	2	3	5	7	12
65+	89	2.7	5	<1	<1	2	3	6	9	11
2. MULTIPLE DX										
0-19 YRS	409	2.6	3	<1	1	2	3	5	6	9
20-34	974	2.6	7	<1	1	2	3	5	7	13
35-49	862	2.8	7	<1	1	2	3	5	7	16
50-64	1065	3.0	10	1	1	2	4	6	8	16
65+	537	3.7	17	1	1	3	4	8	11	18
TOT. SINGLE DX	1917	2.3	3	<1	<1	2	3	4	6	10
" MULTIPLE DX	3847	2.9	9	<1	1	2	3	6	8	16
TOTAL 0-19 YRS	701	2.3	3	<1	<1	2	3	5	6	9
20-34	1719	2.4	6	<1	1	2	3	5	6	11
35-49	1358	2.6	6	<1	1	2	3	5	7	13
50-64	1360	2.9	9	<1	1	2	3	6	8	15
65+	626	3.5	16	1	1	2	4	7	10	18
GRAND TOTAL	**5764**	**2.7**	**8**	**<1**	**1**	**2**	**3**	**5**	**7**	**13**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	567	2.3	10	<1	<1	1	2	4	6	15
20-34	996	2.4	8	<1	<1	2	3	5	6	14
35-49	646	2.5	6	<1	1	2	3	4	6	12
50-64	419	3.3	12	1	1	2	4	6	9	19
65+	187	3.8	15	1	1	2	4	9	13	21
2. MULTIPLE DX										
0-19 YRS	521	3.8	47	<1	1	2	4	7	14	41
20-34	1044	3.3	18	<1	1	2	4	7	12	28
35-49	880	4.4	47	1	1	2	4	10	16	36
50-64	920	5.7	70	1	1	3	6	13	22	45
65+	600	8.8	115	1	1	5	11	22	31	52
TOT. SINGLE DX	2815	2.6	10	<1	1	2	3	5	7	15
" MULTIPLE DX	3965	5.0	59	1	1	2	5	12	19	42
TOTAL 0-19 YRS	1088	3.0	29	<1	<1	2	3	6	9	27
20-34	2040	2.9	14	<1	1	2	3	6	9	20
35-49	1526	3.6	31	<1	1	2	3	7	12	31
50-64	1339	4.9	54	1	1	3	5	10	18	39
65+	787	7.6	96	1	1	4	9	19	27	50
GRAND TOTAL	**6780**	**4.0**	**40**	**<1**	**1**	**2**	**4**	**9**	**14**	**34**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	386	10.2	16	6	6	9	12	15	18	25
20-34	315	9.5	24	4	5	9	11	15	19	31
35-49	417	8.5	24	4	4	7	10	15	18	24
50-64	219	9.7	32	3	4	8	11	18	22	31
65+	35	11.7	59	3	4	10	14	18	26	43
2. MULTIPLE DX										
0-19 YRS	385	15.1	110	6	7	11	17	29	40	55
20-34	360	14.2	126	5	6	10	16	27	36	70
35-49	552	12.1	68	4	5	9	15	23	31	46
50-64	397	14.3	125	4	5	11	18	28	35	57
65+	175	17.3	196	5	6	13	20	34	50	71
TOT. SINGLE DX	1372	9.5	25	4	5	8	11	15	19	29
" MULTIPLE DX	1869	14.1	114	5	6	11	17	26	36	58
TOTAL 0-19 YRS	771	12.7	69	6	7	10	14	22	29	52
20-34	675	12.0	84	4	5	9	14	21	30	50
35-49	969	10.6	53	4	5	9	12	20	25	40
50-64	616	12.7	97	4	5	10	15	23	31	51
65+	210	16.4	177	4	6	13	19	32	45	70
GRAND TOTAL	**3241**	**12.2**	**82**	**4**	**5**	**9**	**14**	**22**	**30**	**51**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	132	3.5	5	1	1	3	4	6	8	12
20-34	271	3.6	5	1	1	3	5	7	8	11
35-49	252	3.9	7	1	1	3	5	8	9	15
50-64	298	3.9	7	1	1	3	5	7	9	15
65+	126	4.8	23	1	1	3	6	11	12	26
2. MULTIPLE DX										
0-19 YRS	181	4.9	17	1	2	4	5	8	13	22
20-34	251	4.7	13	1	2	4	6	8	11	19
35-49	307	5.4	17	1	2	4	7	10	12	23
50-64	405	5.1	30	1	2	4	6	10	13	25
65+	298	6.5	53	1	2	4	7	13	17	39
TOT. SINGLE DX	1079	3.9	9	1	1	3	5	7	9	14
" MULTIPLE DX	1442	5.4	28	1	2	4	6	10	13	27
TOTAL 0-19 YRS	313	4.3	13	1	1	4	5	8	10	17
20-34	522	4.2	10	1	1	4	5	7	9	17
35-49	559	4.7	13	1	1	4	6	9	11	20
50-64	703	4.6	21	1	1	4	5	9	11	19
65+	424	6.0	45	1	1	4	7	12	17	38
GRAND TOTAL	**2521**	**4.7**	**20**	**1**	**1**	**4**	**6**	**9**	**12**	**21**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	10.5	12	5	5	11	13	15	15	15
20-34	108	11.2	22	6	7	11	12	15	18	32
35-49	254	10.8	13	6	7	10	12	15	17	23
50-64	924	11.4	13	7	8	11	13	15	17	27
65+	1490	12.2	20	7	8	12	14	16	18	26
2. MULTIPLE DX										
0-19 YRS	12	12.5	45	4	6	11	17	42	89	99+
20-34	159	12.6	56	6	7	11	14	19	27	37
35-49	398	13.2	73	7	8	11	14	19	26	53
50-64	1530	13.6	57	7	8	12	15	20	27	52
65+	4300	15.0	54	8	9	13	17	22	28	46
TOT. SINGLE DX	2782	11.8	18	7	8	11	13	16	18	26
" MULTIPLE DX	6399	14.5	57	8	9	13	16	22	28	49
TOTAL 0-19 YRS	18	11.8	34	4	5	11	15	25	67	99+
20-34	267	12.0	43	6	7	11	13	18	23	36
35-49	652	12.2	51	6	7	11	13	17	23	4[illegible]
50-64	2454	12.8	42	7	8	11	14	18	24	44
65+	5790	14.3	47	8	9	13	16	21	26	43
GRAND TOTAL	**9181**	**13.7**	**47**	**7**	**8**	**12**	**15**	**20**	**25**	**44**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	27	11.7	92	2	3	7	17	27	30	38
20-34	24	9.3	11	4	5	10	11	13	16	17
35-49	48	11.4	38	6	7	10	12	15	23	41
50-64	159	11.9	19	6	7	11	14	17	19	33
65+	940	12.6	21	7	8	12	15	17	20	29
2. MULTIPLE DX										
0-19 YRS	24	9.8	35	3	3	9	13	17	21	26
20-34	45	13.4	63	5	7	13	15	21	41	99+
35-49	94	13.1	65	6	6	12	15	21	23	53
50-64	440	16.3	95	7	8	14	18	27	38	57
65+	4698	15.4	55	8	9	14	18	23	29	45
TOT. SINGLE DX	1198	12.4	23	6	7	12	15	17	20	32
" MULTIPLE DX	5301	15.4	59	7	9	14	18	23	29	47
TOTAL 0-19 YRS	51	10.8	65	3	3	8	14	24	27	38
20-34	69	12.0	49	4	6	11	14	18	25	89
35-49	142	12.5	57	6	7	11	14	20	23	43
50-64	599	15.2	79	7	8	13	17	24	34	54
65+	5638	14.9	51	7	9	14	17	22	28	43
GRAND TOTAL	**6499**	**14.8**	**54**	**7**	**8**	**13**	**17**	**22**	**28**	**44**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	577	3.4	3	1	1	3	4	6	6	10
20-34	699	4.1	6	1	1	4	5	7	9	13
35-49	298	5.9	19	1	1	4	9	12	14	18
50-64	925	10.3	16	3	6	10	13	15	17	22
65+	1682	12.0	13	7	8	12	14	16	18	23
2. MULTIPLE DX										
0-19 YRS	591	4.1	7	1	2	4	5	7	9	15
20-34	1108	4.6	12	1	2	4	5	8	10	20
35-49	528	6.4	32	1	1	5	9	13	16	25
50-64	1501	11.9	41	2	4	11	15	18	23	33
65+	3923	13.7	42	7	8	13	16	20	24	38
TOT. SINGLE DX	4181	8.7	25	2	2	9	12	15	17	21
" MULTIPLE DX	7651	10.8	50	2	3	11	14	18	22	34
TOTAL 0-19 YRS	1168	3.8	6	1	1	3	5	6	8	13
20-34	1807	4.4	10	1	2	4	5	8	10	17
35-49	826	6.2	28	1	1	4	9	13	16	24
50-64	2426	11.3	32	2	5	11	14	17	20	29
65+	5605	13.2	35	7	8	12	15	19	22	35
GRAND TOTAL	**11832**	**10.1**	**42**	**2**	**3**	**10**	**13**	**17**	**20**	**30**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	678	2.6	1	1	1	2	3	4	5	6
20-34	1410	2.8	2	1	1	3	4	5	6	8
35-49	754	3.0	3	1	1	3	4	5	6	9
50-64	735	3.6	6	1	1	3	4	6	8	12
65+	322	4.7	8	1	2	4	6	9	11	14
2. MULTIPLE DX										
0-19 YRS	232	3.4	11	1	1	3	4	6	8	15
20-34	587	3.6	10	1	1	3	4	7	8	17
35-49	644	3.8	11	1	1	3	5	7	8	21
50-64	1060	4.6	18	1	2	4	5	8	11	20
65+	748	5.8	26	2	2	4	7	11	14	25
TOT. SINGLE DX	3899	3.1	4	1	1	3	4	5	7	10
" MULTIPLE DX	3271	4.5	18	1	1	3	5	8	11	21
TOTAL 0-19 YRS	910	2.8	4	1	1	2	3	4	6	9
20-34	1997	3.0	5	1	1	3	4	5	6	10
35-49	1398	3.4	8	1	1	3	4	6	8	13
50-64	1795	4.2	14	1	1	3	5	7	9	19
65+	1070	5.5	21	1	2	4	7	10	13	23
GRAND TOTAL	**7170**	**3.7**	**11**	**1**	**1**	**3**	**4**	**7**	**9**	**16**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	334	3.8	21	<1	1	3	4	8	13	23
20-34	247	3.6	37	1	1	2	4	6	10	26
35-49	211	3.4	13	<1	1	2	4	7	10	19
50-64	120	4.1	20	<1	1	2	5	10	12	25
65+	39	3.7	6	<1	1	3	5	7	8	14
2. MULTIPLE DX										
0-19 YRS	550	4.8	28	1	1	3	5	10	14	30
20-34	322	7.2	75	1	1	5	9	15	24	41
35-49	312	7.2	105	1	1	4	8	15	24	65
50-64	260	8.6	107	1	1	5	11	21	28	47
65+	226	10.2	129	1	2	6	12	25	39	56
TOT. SINGLE DX	951	3.7	23	<1	1	3	4	7	11	23
" MULTIPLE DX	1670	7.0	81	1	1	4	8	15	24	51
TOTAL 0-19 YRS	884	4.4	26	1	1	3	5	9	14	29
20-34	569	5.6	62	1	1	3	6	12	19	36
35-49	523	5.6	72	1	1	3	6	11	20	44
50-64	380	7.2	84	1	1	4	9	18	24	40
65+	265	9.2	116	1	2	6	11	22	32	55
GRAND TOTAL	**2621**	**5.8**	**62**	**1**	**1**	**3**	**6**	**12**	**20**	**41**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	317	2.3	6	<1	<1	2	2	4	7	16
20-34	367	2.8	14	<1	<1	2	3	5	9	23
35-49	334	2.6	11	<1	<1	2	3	5	7	17
50-64	269	2.8	6	1	1	2	3	5	7	11
65+	133	4.8	33	1	1	3	5	11	13	28
2. MULTIPLE DX										
0-19 YRS	114	7.6	171	1	1	3	7	16	26	82
20-34	217	7.2	78	1	1	3	9	19	29	51
35-49	317	7.2	63	1	1	4	10	17	22	52
50-64	454	8.0	78	1	1	4	10	19	25	45
65+	460	9.3	71	1	2	7	12	19	28	42
TOT. SINGLE DX	1420	2.8	13	<1	<1	2	3	5	8	19
" MULTIPLE DX	1562	8.1	81	1	1	5	11	18	26	46
TOTAL 0-19 YRS	431	3.7	55	<1	<1	2	3	7	12	39
20-34	584	4.4	43	<1	<1	2	4	11	18	32
35-49	651	4.8	42	<1	1	2	5	12	17	38
50-64	723	6.1	58	1	1	3	7	15	21	42
65+	593	8.3	66	1	1	5	11	17	25	41
GRAND TOTAL	**2982**	**5.6**	**55**	**<1**	**1**	**3**	**6**	**14**	**20**	**39**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	24	2.3	2	<1	<1	2	3	4	6	7
20-34	26	2.8	7	<1	1	2	3	5	10	13
35-49	84	2.0	5	<1	<1	2	2	3	4	16
50-64	198	2.0	1	<1	1	2	2	3	5	6
65+	128	1.9	2	1	1	2	2	3	4	10
2. MULTIPLE DX										
0-19 YRS	19	2.8	6	1	1	2	3	6	9	11
20-34	35	7.0	128	1	1	3	6	18	32	58
35-49	74	2.8	4	1	1	2	3	6	7	11
50-64	173	3.2	20	1	1	2	3	6	8	28
65+	167	2.9	5	1	1	2	3	6	8	13
TOT. SINGLE DX	460	2.0	3	<1	1	2	2	3	4	9
" MULTIPLE DX	468	3.3	21	1	1	2	3	6	8	23
TOTAL 0-19 YRS	43	2.5	4	<1	<1	2	3	6	7	11
20-34	61	5.2	80	1	1	2	5	11	20	55
35-49	158	2.3	5	<1	1	2	3	4	6	11
50-64	371	2.6	11	1	1	2	3	4	6	21
65+	295	2.5	4	1	1	2	3	4	6	12
GRAND TOTAL	**928**	**2.7**	**12**	**1**	**1**	**2**	**3**	**5**	**7**	**17**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	336	1.8	1	<1	1	1	2	3	4	7
20-34	577	1.8	1	<1	1	1	2	3	4	8
35-49	256	1.9	2	<1	1	2	2	3	5	9
50-64	127	2.1	3	<1	1	2	2	4	5	11
65+	31	2.3	3	<1	<1	2	3	5	7	9
2. MULTIPLE DX										
0-19 YRS	296	2.4	27	<1	1	1	2	4	6	12
20-34	553	2.8	16	<1	1	2	3	5	7	21
35-49	277	2.6	7	<1	1	2	3	5	7	16
50-64	184	3.3	32	<1	1	2	3	5	8	29
65+	78	3.7	11	1	1	3	4	8	11	18
TOT. SINGLE DX	1327	1.9	2	<1	1	1	2	3	4	8
" MULTIPLE DX	1388	2.8	19	<1	1	2	3	5	7	19
TOTAL 0-19 YRS	632	2.1	14	<1	1	1	2	3	5	10
20-34	1130	2.3	9	<1	1	2	2	4	6	14
35-49	533	2.3	5	<1	1	2	3	4	6	13
50-64	311	2.8	21	1	1	2	3	5	7	19
65+	109	3.3	10	1	1	2	4	7	9	17
GRAND TOTAL	**2715**	**2.3**	**11**	**<1**	**1**	**2**	**2**	**4**	**6**	**13**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	236	2.2	3	<1	1	2	3	4	5	9
20-34	499	2.6	4	<1	1	2	3	4	6	11
35-49	468	2.8	4	1	1	2	4	5	7	11
50-64	607	3.6	5	1	1	3	4	6	7	11
65+	211	4.4	8	1	1	4	5	8	10	15
2. MULTIPLE DX										
0-19 YRS	156	3.1	14	<1	1	2	4	5	6	16
20-34	392	4.3	34	1	1	3	4	8	14	33
35-49	398	4.2	13	1	1	3	5	8	10	18
50-64	554	5.0	23	1	2	4	6	9	13	27
65+	371	5.9	26	1	2	5	7	11	15	25
TOT. SINGLE DX	2021	3.1	5	1	1	3	4	6	7	12
" MULTIPLE DX	1871	4.7	24	1	1	3	5	9	12	27
TOTAL 0-19 YRS	392	2.5	8	<1	1	2	3	5	6	13
20-34	891	3.4	18	1	1	2	4	6	9	23
35-49	866	3.5	9	1	1	3	4	7	9	17
50-64	1161	4.2	14	1	1	3	5	7	10	22
65+	582	5.4	20	1	2	4	6	10	13	23
GRAND TOTAL	**3892**	**3.9**	**15**	**1**	**1**	**3**	**5**	**7**	**10**	**21**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	588	3.0	6	1	1	3	4	5	7	13
20-34	420	2.9	3	1	1	2	4	5	7	9
35-49	299	2.9	3	1	1	3	4	5	6	10
50-64	172	3.3	4	1	1	3	4	6	7	10
65+	60	4.4	6	1	2	4	6	7	10	13
2. MULTIPLE DX										
0-19 YRS	705	3.4	17	1	1	3	4	5	7	16
20-34	292	5.7	59	1	1	4	6	10	18	42
35-49	185	5.1	75	1	1	3	5	9	16	91
50-64	168	6.2	69	1	1	4	6	11	17	41
65+	153	8.8	84	1	2	6	10	17	28	47
TOT. SINGLE DX	1539	3.1	5	1	1	3	4	5	7	11
" MULTIPLE DX	1503	4.9	48	1	1	3	5	9	14	37
TOTAL 0-19 YRS	1293	3.2	13	1	1	3	4	5	7	14
20-34	712	4.1	28	1	1	3	5	7	10	26
35-49	484	3.8	32	1	1	3	4	6	9	32
50-64	340	4.8	38	1	1	3	5	8	11	38
65+	213	7.6	66	1	2	5	9	15	24	46
GRAND TOTAL	**3042**	**4.0**	**27**	**1**	**1**	**3**	**4**	**7**	**10**	**28**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	77	1.8	9	<1	<1	1	2	3	3	22
20-34	174	2.3	5	<1	1	2	2	5	7	13
35-49	126	2.8	17	<1	1	1	3	7	8	22
50-64	101	2.1	4	<1	1	1	2	4	7	11
65+	47	2.9	15	<1	1	1	3	7	11	22
2. MULTIPLE DX										
0-19 YRS	53	3.4	37	1	1	2	3	5	8	43
20-34	160	5.4	65	1	1	3	6	14	16	54
35-49	125	7.5	146	1	1	2	8	22	27	67
50-64	139	7.0	126	1	1	3	7	17	29	66
65+	140	7.4	101	1	1	3	9	18	26	50
TOT. SINGLE DX	525	2.4	10	<1	1	1	2	5	7	17
" MULTIPLE DX	617	6.5	102	1	1	3	7	15	23	57
TOTAL 0-19 YRS	130	2.5	21	<1	1	1	2	4	6	30
20-34	334	3.8	36	1	1	2	4	8	14	28
35-49	251	5.1	87	1	1	2	5	12	22	57
50-64	240	5.0	81	1	1	2	4	11	19	58
65+	187	6.3	84	1	1	2	8	15	22	48
GRAND TOTAL	**1142**	**4.6**	**64**	**1**	**1**	**2**	**4**	**11**	**17**	**47**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	3.3	3	2	2	3	4	6	6	6
20-34	12	4.2	12	<1	1	3	5	9	12	13
35-49	9	4.8	30	<1	<1	2	6	14	18	18
50-64	7	7.9	79	1	1	4	14	23	24	24
65+	3	4.7	30	1	1	2	9	11	11	11
2. MULTIPLE DX										
0-19 YRS	3	9.0	37	2	2	12	13	13	13	13
20-34	14	13.2	122	1	2	10	14	29	41	44
35-49	13	16.8	452	2	3	7	23	50	67	71
50-64	18	12.7	120	1	1	9	18	30	36	39
65+	27	15.6	144	3	4	12	22	34	38	52
TOT. SINGLE DX	35	5.0	30	<1	1	3	6	13	18	24
" MULTIPLE DX	75	14.4	178	1	2	10	18	34	43	66
TOTAL 0-19 YRS	7	5.7	24	2	2	3	10	13	13	13
20-34	26	9.0	90	1	1	7	13	19	30	44
35-49	22	11.9	307	<1	1	5	12	39	55	71
50-64	25	11.3	110	1	1	8	17	27	34	39
65+	30	14.5	143	1	3	11	17	34	36	52
GRAND TOTAL	**110**	**11.4**	**150**	**1**	**1**	**7**	**14**	**27**	**37**	**60**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	30	3.3	8	1	1	3	4	7	11	12
20-34	30	3.4	13	<1	1	2	5	7	9	19
35-49	42	6.5	28	1	2	5	8	14	19	25
50-64	57	6.8	64	1	1	4	7	13	26	42
65+	40	10.1	85	1	2	7	13	25	31	33
2. MULTIPLE DX										
0-19 YRS	26	5.5	47	1	1	3	5	14	24	29
20-34	94	11.5	136	2	2	8	15	23	35	64
35-49	240	13.5	117	2	3	11	19	26	38	50
50-64	627	16.3	176	2	4	13	22	33	43	71
65+	985	14.4	127	2	3	12	19	30	37	67
TOT. SINGLE DX	199	6.3	50	1	1	4	8	13	23	35
" MULTIPLE DX	1972	14.7	144	2	3	12	19	30	39	66
TOTAL 0-19 YRS	56	4.3	27	1	1	3	4	10	14	29
20-34	124	9.5	118	1	1	6	12	22	30	53
35-49	282	12.5	110	2	3	9	18	25	35	49
50-64	684	15.5	174	2	3	12	21	33	42	67
65+	1025	14.3	127	2	3	12	18	30	37	66
GRAND TOTAL	**2171**	**13.9**	**141**	**2**	**3**	**11**	**19**	**29**	**37**	**64**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	6.3	2	5	5	6	7	8	8	8
20-34	11	11.6	60	6	6	9	12	23	32	33
35-49	8	8.4	20	4	4	7	10	16	18	18
50-64	21	11.4	91	3	4	8	15	20	34	45
65+	31	13.5	114	4	6	11	16	19	23	65
2. MULTIPLE DX										
0-19 YRS	11	20.5	253	5	7	15	23	46	59	60
20-34	49	17.3	170	5	5	11	25	39	45	49
35-49	127	21.3	203	6	7	17	29	42	55	81
50-64	457	23.1	202	7	10	19	29	42	54	77
65+	1196	20.7	158	7	9	17	26	38	46	70
TOT. SINGLE DX	74	11.8	86	4	5	9	14	18	25	60
" MULTIPLE DX	1840	21.2	174	7	9	17	27	39	49	70
TOTAL 0-19 YRS	14	17.5	232	5	5	12	22	39	55	60
20-34	60	16.3	154	5	5	10	21	37	43	49
35-49	135	20.5	201	5	6	16	28	42	54	79
50-64	478	22.6	203	7	9	19	29	42	53	76
65+	1227	20.5	159	7	9	17	25	38	46	69
GRAND TOTAL	**1914**	**20.9**	**174**	**6**	**8**	**17**	**26**	**39**	**49**	**70**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	7.8	5	4	4	8	9	11	11	11
20-34	4	11.3	25	6	6	10	14	18	18	18
35-49	4	14.8	119	8	8	10	21	31	31	31
50-64	7	15.6	149	8	8	9	17	37	42	42
65+	41	11.9	43	4	5	11	14	18	30	31
2. MULTIPLE DX										
0-19 YRS	15	14.1	54	5	5	13	23	28	78	99+
20-34	18	13.7	118	5	5	10	18	41	77	99+
35-49	40	26.5	507	6	8	19	35	74	87	99+
50-64	214	22.3	257	7	9	18	26	45	70	99+
65+	1353	18.2	160	6	7	15	22	33	44	76
TOT. SINGLE DX	65	11.8	53	4	5	10	14	18	30	40
" MULTIPLE DX	1640	18.8	184	6	7	15	23	36	49	89
TOTAL 0-19 YRS	24	11.8	45	4	5	10	15	24	46	99+
20-34	22	13.3	101	5	5	10	18	32	67	99+
35-49	44	25.4	480	6	8	17	34	74	87	99+
50-64	221	22.1	255	7	9	18	26	45	69	99+
65+	1394	18.0	159	6	7	15	22	33	43	75
GRAND TOTAL	**1705**	**18.6**	**181**	**6**	**7**	**15**	**23**	**35**	**49**	**88**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	6.6	27	3	3	5	7	16	18	18
20-34	3	10.7	58	4	4	9	16	19	19	19
35-49	6	9.0	64	1	1	7	12	22	23	23
50-64	13	14.2	98	4	6	10	18	29	36	38
65+	12	12.9	174	1	2	7	19	35	42	43
2. MULTIPLE DX										
0-19 YRS	14	15.5	320	2	3	8	22	38	61	67
20-34	24	20.1	309	5	6	14	23	46	59	81
35-49	67	21.7	259	5	7	17	30	38	56	82
50-64	157	24.1	328	6	8	19	29	53	68	95
65+	242	21.8	195	7	9	18	28	39	55	98
TOT. SINGLE DX	41	11.5	101	2	3	8	15	26	35	43
" MULTIPLE DX	504	22.3	255	6	7	18	29	43	60	92
TOTAL 0-19 YRS	21	12.5	235	2	3	6	18	29	49	67
20-34	27	19.0	288	5	5	14	23	43	55	81
35-49	73	20.6	255	3	5	15	29	37	54	81
50-64	170	23.4	318	6	8	18	29	52	65	94
65+	254	21.4	197	6	8	18	28	39	53	97
GRAND TOTAL	**545**	**21.5**	**251**	**5**	**7**	**18**	**28**	**42**	**58**	**90**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	41	3.8	18	1	1	2	4	10	12	22
20-34	47	4.7	5	1	1	4	7	7	9	11
35-49	22	6.5	39	1	1	5	8	10	21	31
50-64	9	5.0	38	1	1	2	5	15	21	21
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	19	4.7	18	1	1	4	6	10	15	18
20-34	26	7.9	82	1	2	5	7	22	29	42
35-49	19	5.4	19	1	1	4	6	13	16	17
50-64	10	5.4	12	1	2	4	8	11	13	13
65+	7	5.3	11	1	1	7	7	9	10	10
TOT. SINGLE DX	120	4.8	19	1	1	4	6	9	11	25
" MULTIPLE DX	81	6.0	38	1	1	4	7	11	17	37
TOTAL 0-19 YRS	60	4.1	18	1	1	3	5	10	12	22
20-34	73	5.8	35	1	1	5	7	9	11	38
35-49	41	6.0	30	1	1	5	7	11	16	31
50-64	19	5.2	24	1	1	4	6	11	17	21
65+	8	5.4	9	1	1	6	7	9	10	10
GRAND TOTAL	**201**	**5.3**	**27**	**1**	**1**	**4**	**7**	**9**	**14**	**28**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	22	3.0	11	<1	<1	2	3	6	11	16
20-34	42	4.1	23	1	1	3	4	12	15	24
35-49	43	3.7	8	<1	1	3	5	9	10	11
50-64	40	5.7	33	1	1	4	7	12	19	26
65+	39	6.7	24	1	1	5	10	15	17	17
2. MULTIPLE DX										
0-19 YRS	18	5.6	75	1	1	2	5	20	29	32
20-34	60	8.0	131	1	1	4	11	15	29	67
35-49	64	8.9	60	1	1	7	12	19	26	37
50-64	155	12.1	96	2	2	9	17	25	31	46
65+	235	13.6	140	3	4	10	17	26	35	59
TOT. SINGLE DX	186	4.8	22	1	1	3	6	11	15	25
" MULTIPLE DX	532	11.7	120	1	2	9	16	25	32	53
TOTAL 0-19 YRS	40	4.1	41	<1	1	2	4	9	20	32
20-34	102	6.4	90	1	1	3	9	14	20	56
35-49	107	6.8	46	1	1	5	10	15	20	33
50-64	195	10.8	90	1	2	8	15	24	29	44
65+	274	12.6	130	2	3	10	16	25	32	57
GRAND TOTAL	**718**	**9.9**	**104**	**1**	**1**	**7**	**13**	**22**	**29**	**48**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	5	3.0	3	2	2	2	4	6	6	6
35-49	1	17.0		17	17	17	17	17	17	17
50-64	9	7.3	45	2	2	5	9	18	24	24
65+	5	6.6	31	1	1	5	10	15	15	15
2. MULTIPLE DX										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	2	4.5	5	3	3	4	6	6	6	6
35-49	5	12.0	286	1	1	3	20	41	41	41
50-64	10	7.4	35	2	2	5	10	17	18	18
65+	13	9.3	23	3	4	10	14	16	18	18
TOT. SINGLE DX	20	6.6	35	1	2	4	9	16	20	24
" MULTIPLE DX	31	8.9	62	2	2	6	13	17	18	41
TOTAL 0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	7	3.4	3	2	2	3	5	6	6	6
35-49	6	12.8	233	1	1	8	17	39	41	41
50-64	19	7.4	37	2	2	5	9	18	21	24
65+	18	8.6	26	2	3	8	14	15	17	18
GRAND TOTAL	**51**	**8.0**	**52**	**2**	**2**	**6**	**11**	**17**	**18**	**41**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	134	1.8	2	<1	<1	1	2	3	4	9
20-34	421	2.2	2	<1	<1	2	3	4	6	7
35-49	1222	2.2	3	<1	<1	2	3	4	6	10
50-64	1007	2.6	5	<1	<1	2	3	5	7	11
65+	528	3.1	7	<1	1	2	4	6	8	16
2. MULTIPLE DX										
0-19 YRS	43	3.0	5	<1	1	2	4	5	8	13
20-34	372	4.4	27	<1	1	3	5	9	14	25
35-49	1312	4.1	27	<1	1	2	5	9	13	28
50-64	1637	5.2	42	1	1	3	6	11	15	35
65+	1761	6.1	37	1	1	4	8	13	17	31
TOT. SINGLE DX	3312	2.5	5	<1	<1	2	3	5	6	11
" MULTIPLE DX	5125	5.1	36	1	1	3	6	11	15	31
TOTAL 0-19 YRS	177	2.1	3	<1	<1	2	2	4	5	11
20-34	793	3.2	15	<1	<1	2	4	6	9	22
35-49	2534	3.2	17	<1	1	2	3	7	10	20
50-64	2644	4.2	30	<1	1	2	5	9	12	27
65+	2289	5.4	32	1	1	3	7	12	16	28
GRAND TOTAL	**8437**	**4.1**	**25**	**<1**	**1**	**2**	**5**	**9**	**13**	**25**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	28	2.5	1	1	1	2	3	5	5	6
20-34	32	2.9	3	1	1	3	4	6	6	6
35-49	74	3.9	5	1	2	3	5	7	9	12
50-64	98	4.6	9	1	2	4	5	7	9	20
65+	153	5.3	10	1	2	5	6	9	11	17
2. MULTIPLE DX										
0-19 YRS	7	13.9	225	2	2	6	19	39	44	44
20-34	32	5.1	15	1	2	4	6	9	14	20
35-49	167	5.6	10	2	2	5	7	9	13	18
50-64	198	6.8	30	2	2	5	8	13	18	30
65+	463	7.9	37	2	3	6	9	14	18	35
TOT. SINGLE DX	385	4.4	9	1	1	4	6	8	9	17
" MULTIPLE DX	867	7.1	32	2	3	6	8	13	17	31
TOTAL 0-19 YRS	35	4.8	63	1	1	3	4	6	19	44
20-34	64	4.0	11	1	1	3	5	6	9	19
35-49	241	5.1	9	2	2	4	7	8	11	17
50-64	296	6.1	25	2	2	5	7	11	17	27
65+	616	7.2	32	2	2	6	8	13	17	32
GRAND TOTAL	**1252**	**6.3**	**27**	**1**	**2**	**5**	**7**	**11**	**15**	**29**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	7.9	27	1	1	8	12	14	14	14
20-34	99	5.6	5	3	3	5	7	9	11	13
35-49	678	5.8	5	3	3	5	7	9	10	14
50-64	1092	6.0	5	3	3	6	7	9	10	13
65+	1062	6.4	5	3	4	6	8	9	11	13
2. MULTIPLE DX										
0-19 YRS	3	9.0	21	5	5	8	12	14	14	14
20-34	126	6.9	11	3	3	6	8	11	13	20
35-49	973	6.5	10	3	4	6	8	10	12	20
50-64	1997	7.3	15	3	4	7	9	11	14	24
65+	2948	8.1	19	4	4	7	9	12	15	25
TOT. SINGLE DX	2938	6.1	6	3	3	6	7	9	10	13
" MULTIPLE DX	6047	7.5	17	3	4	7	9	12	14	24
TOTAL 0-19 YRS	10	8.2	23	1	1	8	13	14	14	14
20-34	225	6.3	9	3	3	6	8	11	12	17
35-49	1651	6.2	8	3	3	6	7	9	11	17
50-64	3089	6.9	12	3	4	6	8	10	13	20
65+	4010	7.6	16	3	4	7	9	12	14	23
GRAND TOTAL	**8985**	**7.1**	**14**	**3**	**4**	**6**	**8**	**11**	**13**	**21**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	338	2.5	1	1	1	2	3	4	5	7
20-34	686	3.1	2	1	1	3	4	5	6	9
35-49	525	3.3	3	1	1	3	4	6	6	9
50-64	263	3.6	7	1	1	3	4	6	7	12
65+	37	2.9	1	1	1	3	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	115	3.2	4	1	1	3	4	5	8	11
20-34	482	3.5	9	1	1	3	4	6	7	17
35-49	987	3.9	6	1	1	3	5	7	8	13
50-64	646	4.2	14	1	1	3	5	7	9	19
65+	171	4.5	12	1	1	4	5	8	10	23
TOT. SINGLE DX	1849	3.1	3	1	1	3	4	5	6	9
" MULTIPLE DX	2401	3.9	10	1	1	3	5	7	9	16
TOTAL 0-19 YRS	453	2.7	2	1	1	3	3	4	5	9
20-34	1168	3.3	6	1	1	3	4	5	7	11
35-49	1512	3.7	5	1	1	3	5	6	8	12
50-64	909	4.0	13	1	1	3	5	7	9	19
65+	208	4.2	11	1	1	3	5	7	10	19
GRAND TOTAL	**4250**	**3.6**	**7**	**1**	**1**	**3**	**4**	**6**	**7**	**13**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	651	2.8	5	1	1	2	3	5	6	10
20-34	1135	2.8	3	1	1	2	4	5	6	10
35-49	197	2.6	2	1	1	2	3	5	5	9
50-64	34	2.3	1	1	1	2	3	4	5	5
65+	8	6.0	29	<1	1	4	9	15	16	16
2. MULTIPLE DX										
0-19 YRS	126	3.3	3	1	1	3	4	6	8	30
20-34	254	4.4	43	1	1	3	4	7	10	36
35-49	99	4.2	26	1	1	3	5	8	11	31
50-64	50	6.6	112	1	2	4	7	11	19	74
65+	27	6.9	47	2	2	4	10	13	19	35
TOT. SINGLE DX	2025	2.8	4	1	1	2	4	5	6	10
" MULTIPLE DX	556	4.5	38	1	1	3	5	8	11	36
TOTAL 0-19 YRS	777	2.9	5	1	1	2	4	5	7	10
20-34	1389	3.1	12	1	1	3	4	5	7	12
35-49	296	3.2	11	1	1	2	4	5	8	15
50-64	84	4.9	71	1	1	3	5	8	12	56
65+	35	6.7	43	1	2	4	10	13	16	35
GRAND TOTAL	**2581**	**3.2**	**12**	**1**	**1**	**3**	**4**	**5**	**7**	**13**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	672	2.8	17	<1	<1	2	3	6	8	21
20-34	679	3.4	16	<1	1	2	4	7	10	22
35-49	568	3.4	16	<1	1	2	4	8	11	23
50-64	468	3.5	20	<1	1	2	4	8	10	21
65+	253	4.2	23	<1	1	2	5	10	13	23
2. MULTIPLE DX										
0-19 YRS	517	7.5	194	1	1	3	6	16	35	86
20-34	909	9.8	147	1	1	5	12	25	34	73
35-49	1161	8.9	97	1	2	6	11	20	28	57
50-64	1549	8.6	76	1	2	6	11	19	27	41
65+	2158	9.8	89	1	2	7	12	20	26	51
TOT. SINGLE DX	2640	3.3	18	<1	<1	2	4	7	10	22
" MULTIPLE DX	6294	9.1	105	1	2	6	11	21	28	57
TOTAL 0-19 YRS	1189	4.8	99	<1	<1	2	4	8	18	56
20-34	1588	7.1	102	1	1	3	8	18	28	62
35-49	1729	7.1	78	1	1	4	9	16	25	45
50-64	2017	7.4	68	1	1	5	9	16	25	40
65+	2411	9.2	86	1	2	7	11	19	26	49
GRAND TOTAL	**8934**	**7.4**	**87**	**1**	**1**	**4**	**9**	**17**	**25**	**49**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1585	3.7	21	<1	1	2	5	8	11	23
20-34	1895	4.2	23	<1	1	3	5	9	13	24
35-49	1040	4.8	25	1	1	3	6	10	14	25
50-64	691	6.3	53	1	1	4	8	14	21	37
65+	536	7.6	99	1	1	5	9	17	23	47
2. MULTIPLE DX										
0-19 YRS	3460	5.5	58	1	1	3	6	12	19	44
20-34	5338	6.8	86	1	1	4	8	16	25	53
35-49	3564	9.5	126	1	1	6	12	22	32	57
50-64	4077	11.5	136	1	2	8	15	26	36	63
65+	6972	13.3	154	2	2	10	17	29	39	72
TOT. SINGLE DX	5747	4.7	36	1	1	3	6	10	15	30
" MULTIPLE DX	23411	9.8	127	1	1	6	13	23	33	62
TOTAL 0-19 YRS	5045	4.9	48	1	1	3	6	11	16	37
20-34	7233	6.1	71	1	1	3	7	14	21	48
35-49	4604	8.4	108	1	1	5	10	19	29	54
50-64	4768	10.7	128	1	2	7	14	25	34	60
65+	7508	12.9	153	1	2	9	17	28	38	72
GRAND TOTAL	**29158**	**8.8**	**113**	**1**	**1**	**5**	**11**	**21**	**30**	**57**

Appendix

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	245	5.6	34	1	1	4	7	12	17	30
20-34	261	6.3	54	1	1	4	8	13	18	42
35-49	195	7.1	66	1	1	4	9	15	23	45
50-64	156	7.9	75	1	1	5	10	16	25	36
65+	124	9.2	74	1	1	7	12	21	27	41
2. MULTIPLE DX										
0-19 YRS	300	12.5	160	1	1	9	17	30	35	66
20-34	439	14.1	206	1	2	10	19	31	42	80
35-49	365	14.6	144	2	3	12	20	31	40	74
50-64	454	15.6	187	2	3	11	22	36	45	63
65+	833	19.7	241	3	4	16	26	41	53	84
TOT. SINGLE DX	981	6.9	59	1	1	4	9	15	22	37
" MULTIPLE DX	2391	16.2	207	2	3	12	22	35	46	75
TOTAL 0-19 YRS	545	9.4	116	1	1	6	12	23	31	54
20-34	700	11.2	164	1	1	7	14	27	36	68
35-49	560	12.0	130	1	1	9	17	26	35	68
50-64	610	13.7	170	1	2	9	19	33	41	62
65+	957	18.4	233	2	3	14	24	39	50	81
GRAND TOTAL	**3372**	**13.5**	**182**	**1**	**2**	**9**	**19**	**31**	**41**	**70**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	83	3.2	23	1	1	2	3	7	12	29
20-34	111	6.1	115	1	1	2	6	11	25	63
35-49	66	4.1	44	<1	1	2	4	9	15	42
50-64	41	5.9	45	1	1	3	7	21	22	22
65+	23	8.5	54	1	2	6	12	21	24	27
2. MULTIPLE DX										
0-19 YRS	85	7.9	156	1	1	3	9	21	35	68
20-34	160	15.5	350	1	1	7	22	45	54	80
35-49	112	16.8	491	1	1	7	24	58	81	99+
50-64	133	15.0	319	1	2	8	19	38	62	97
65+	161	19.5	474	1	1	12	28	57	76	99
TOT. SINGLE DX	324	5.1	66	1	1	2	5	11	21	45
" MULTIPLE DX	651	15.6	383	1	1	7	21	47	62	94
TOTAL 0-19 YRS	168	5.6	96	1	1	2	5	12	24	53
20-34	271	11.7	275	1	1	4	13	36	52	78
35-49	178	12.1	362	1	1	4	14	34	65	98
50-64	174	12.8	269	1	1	7	17	32	55	95
65+	184	18.1	435	1	2	10	24	53	74	97
GRAND TOTAL	**975**	**12.1**	**302**	**1**	**1**	**5**	**15**	**34**	**56**	**91**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	339	2.2	7	<1	<1	2	2	4	6	12
20-34	206	2.4	2	<1	1	2	3	5	6	7
35-49	224	2.7	5	1	1	2	3	5	8	11
50-64	211	2.6	7	1	1	2	3	5	6	14
65+	75	2.6	14	1	1	2	3	4	6	26
2. MULTIPLE DX										
0-19 YRS	311	3.6	20	1	1	2	4	7	10	29
20-34	337	5.4	51	1	1	3	6	11	20	39
35-49	454	5.2	40	1	1	4	6	9	16	38
50-64	628	4.8	44	1	1	3	6	10	15	31
65+	478	8.1	78	1	1	6	10	17	22	44
TOT. SINGLE DX	1055	2.5	6	<1	1	2	3	5	6	11
" MULTIPLE DX	2208	5.5	51	1	1	3	7	12	17	34
TOTAL 0-19 YRS	650	2.9	14	<1	1	2	3	6	8	24
20-34	543	4.2	35	1	1	3	5	7	12	32
35-49	678	4.4	30	1	1	3	5	8	12	32
50-64	839	4.3	36	1	1	2	5	9	13	30
65+	553	7.4	73	1	1	5	9	16	21	42
GRAND TOTAL	**3263**	**4.5**	**38**	**1**	**1**	**3**	**5**	**9**	**14**	**31**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	47	3.1	4	1	1	2	4	5	7	12
20-34	43	4.2	7	1	1	4	6	7	10	13
35-49	29	3.9	15	1	1	3	5	10	14	16
50-64	30	3.9	21	1	1	2	4	12	13	17
65+	19	3.4	9	1	1	2	4	9	10	10
2. MULTIPLE DX										
0-19 YRS	92	7.5	130	1	1	4	8	11	34	70
20-34	114	5.8	16	1	2	5	8	11	15	19
35-49	125	7.4	44	2	2	5	9	14	22	38
50-64	198	8.0	36	2	3	6	10	16	19	29
65+	339	9.5	60	2	3	7	11	19	23	39
TOT. SINGLE DX	168	3.7	11	1	1	3	5	9	11	16
" MULTIPLE DX	868	8.2	56	2	2	6	10	16	21	37
TOTAL 0-19 YRS	139	6.0	92	1	1	3	6	10	16	65
20-34	157	5.4	14	1	2	4	7	11	13	18
35-49	154	6.7	41	1	1	5	8	14	18	37
50-64	228	7.5	37	1	2	6	10	15	18	28
65+	358	9.2	59	2	3	7	11	18	22	37
GRAND TOTAL	**1036**	**7.4**	**51**	**1**	**2**	**5**	**10**	**15**	**20**	**36**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	256	3.0	13	1	1	2	3	7	9	18
20-34	3489	3.5	14	1	1	2	4	8	11	17
35-49	4942	3.4	13	1	1	2	4	8	11	17
50-64	2560	3.3	12	1	1	2	4	8	10	17
65+	696	3.5	13	1	1	2	4	8	11	16
2. MULTIPLE DX										
0-19 YRS	220	4.5	32	1	1	3	6	10	14	32
20-34	2431	5.5	29	1	1	4	8	12	16	25
35-49	4263	5.5	27	1	1	4	8	12	15	25
50-64	3728	5.9	41	1	1	4	8	13	17	29
65+	2457	7.5	52	1	1	5	10	16	21	37
TOT. SINGLE DX	11943	3.4	14	1	1	2	4	8	11	17
" MULTIPLE DX	13099	6.0	37	1	1	4	8	13	17	29
TOTAL 0-19 YRS	476	3.7	23	1	1	2	4	8	12	25
20-34	5920	4.3	22	1	1	2	6	10	13	21
35-49	9205	4.4	21	1	1	3	6	10	13	21
50-64	6288	4.9	31	1	1	3	6	11	15	25
65+	3153	6.6	47	1	1	4	9	15	19	34
GRAND TOTAL	**25042**	**4.7**	**28**	**1**	**1**	**3**	**6**	**11**	**14**	**24**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	92	3.4	12	1	1	2	4	7	13	17
20-34	322	3.7	15	1	1	2	4	7	10	22
35-49	459	4.3	27	1	1	3	5	9	12	23
50-64	796	3.4	10	1	1	2	4	7	9	17
65+	806	3.4	14	1	1	2	4	7	10	18
2. MULTIPLE DX										
0-19 YRS	127	7.3	132	1	1	4	7	17	21	73
20-34	440	6.6	49	1	1	5	8	13	19	42
35-49	1134	7.0	49	1	2	5	9	15	20	36
50-64	3248	6.7	50	1	2	5	9	13	18	37
65+	5736	6.9	35	1	2	5	9	14	17	28
TOT. SINGLE DX	2475	3.6	16	1	1	2	4	8	11	20
" MULTIPLE DX	10685	6.8	43	1	2	5	9	14	18	32
TOTAL 0-19 YRS	219	5.7	86	1	1	3	6	14	17	49
20-34	762	5.4	37	1	1	3	7	11	16	38
35-49	1593	6.2	45	1	1	4	8	13	18	33
50-64	4044	6.1	44	1	1	4	8	12	16	33
65+	6542	6.5	34	1	2	5	8	13	17	28
GRAND TOTAL	**13160**	**6.2**	**40**	**1**	**2**	**4**	**8**	**13**	**17**	**31**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	7	2.0	2	1	1	2	2	4	5	5
35-49	70	3.1	8	1	1	2	4	7	10	15
50-64	127	3.7	11	1	1	2	5	10	11	16
65+	58	3.1	6	1	1	2	4	6	9	12
2. MULTIPLE DX										
0-19 YRS	3	3.0	12	<1	<1	1	5	7	7	7
20-34	23	3.0	3	1	1	2	4	6	7	8
35-49	186	4.6	12	1	1	4	6	10	12	15
50-64	551	6.0	26	1	2	4	9	13	16	26
65+	415	6.8	29	1	2	5	9	14	17	26
TOT. SINGLE DX	262	3.4	10	1	1	2	4	8	11	15
" MULTIPLE DX	1178	6.0	26	1	2	4	8	13	16	25
TOTAL 0-19 YRS	3	3.0	12	<1	<1	1	5	7	7	7
20-34	30	2.7	3	1	1	2	3	5	7	8
35-49	256	4.2	12	1	1	3	6	9	12	15
50-64	678	5.6	25	1	1	4	8	12	16	24
65+	473	6.3	28	1	2	5	9	13	16	26
GRAND TOTAL	**1440**	**5.5**	**24**	**1**	**1**	**4**	**8**	**12**	**15**	**24**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	165	4.2	11	1	1	3	6	9	11	13
20-34	760	5.0	15	1	1	4	8	11	12	17
35-49	924	4.9	17	1	1	3	7	10	13	19
50-64	1151	4.3	14	1	1	3	6	10	12	16
65+	970	4.3	17	1	1	2	6	10	12	18
2. MULTIPLE DX										
0-19 YRS	209	6.1	38	1	1	4	8	14	18	30
20-34	1240	7.5	54	1	1	6	10	15	20	35
35-49	2190	7.1	43	1	2	6	10	14	18	31
50-64	4776	6.8	37	1	1	5	9	13	17	32
65+	7624	7.5	38	1	2	6	10	15	19	30
TOT. SINGLE DX	3970	4.6	16	1	1	3	7	10	12	17
" MULTIPLE DX	16039	7.2	40	1	2	6	10	14	18	31
TOTAL 0-19 YRS	374	5.3	27	1	1	3	7	11	15	22
20-34	2000	6.5	41	1	1	5	9	13	17	30
35-49	3114	6.5	37	1	1	5	9	13	16	27
50-64	5927	6.3	34	1	1	5	9	13	16	29
65+	8594	7.2	37	1	2	6	10	14	18	29
GRAND TOTAL	**20009**	**6.7**	**37**	**1**	**1**	**5**	**9**	**14**	**17**	**29**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12681	3.5	20	1	1	3	4	6	8	21
20-34	17872	3.9	16	1	1	3	5	7	10	22
35-49	11379	4.6	20	1	1	3	6	9	12	25
50-64	8052	5.2	24	1	1	4	6	10	13	26
65+	5953	6.0	27	1	2	5	8	11	15	27
2. MULTIPLE DX										
0-19 YRS	21882	5.3	57	1	1	3	5	9	16	45
20-34	31084	5.6	35	1	1	4	7	11	15	31
35-49	34305	6.3	30	1	2	5	8	12	16	29
50-64	52063	7.1	34	2	2	6	9	13	17	30
65+	111149	8.1	35	2	3	7	10	15	19	31
TOT. SINGLE DX	55937	4.3	21	1	1	3	5	8	11	24
" MULTIPLE DX	250483	7.1	37	2	2	6	9	13	18	31
TOTAL 0-19 YRS	34563	4.7	45	1	1	3	5	8	12	39
20-34	48956	5.0	30	1	1	4	6	9	14	29
35-49	45684	5.8	28	1	2	4	7	11	15	28
50-64	60115	6.8	33	2	2	5	8	13	17	29
65+	117102	8.0	35	2	3	7	10	15	19	30
GRAND TOTAL	**306420**	**6.6**	**36**	**1**	**2**	**5**	**8**	**13**	**17**	**30**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6024	7.1	132	1	1	3	5	19	33	60
20-34	3336	8.1	76	1	2	5	10	18	25	44
35-49	3029	7.6	50	1	2	5	9	15	23	35
50-64	2051	7.5	50	1	2	5	9	16	23	35
65+	1514	7.9	72	1	2	6	10	15	21	46
2. MULTIPLE DX										
0-19 YRS	8848	7.8	141	1	2	4	7	18	33	74
20-34	6076	8.7	88	1	2	6	10	20	27	48
35-49	7257	8.5	69	2	2	6	10	17	24	46
50-64	10053	8.5	58	2	3	7	10	16	22	42
65+	22604	9.4	58	2	3	7	11	18	23	42
TOT. SINGLE DX	15954	7.5	89	1	1	4	8	17	26	48
" MULTIPLE DX	54838	8.8	77	2	2	6	10	17	25	47
TOTAL 0-19 YRS	14872	7.5	138	1	1	4	6	18	33	69
20-34	9412	8.5	85	1	2	5	10	19	27	46
35-49	10286	8.2	64	2	2	6	10	17	23	42
50-64	12104	8.3	57	2	2	6	10	16	22	41
65+	24118	9.4	59	2	3	7	11	17	23	42
GRAND TOTAL	**70792**	**8.5**	**80**	**2**	**2**	**6**	**10**	**17**	**25**	**47**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6456	3.8	30	1	1	3	4	6	8	29
20-34	4548	3.9	31	<1	1	2	4	7	11	30
35-49	3368	4.6	26	1	1	3	5	9	13	28
50-64	3011	5.4	26	1	1	4	7	10	13	25
65+	2521	6.1	31	1	2	5	8	11	15	33
2. MULTIPLE DX										
0-19 YRS	14779	5.6	64	1	2	4	5	10	18	49
20-34	9544	5.9	54	1	1	4	6	12	20	39
35-49	12657	6.2	36	1	2	4	7	12	17	31
50-64	22925	6.9	34	2	2	5	9	13	17	30
65+	52781	7.9	37	2	3	6	10	15	19	31
TOT. SINGLE DX	19904	4.5	30	1	1	3	5	9	12	29
" MULTIPLE DX	112686	7.0	42	1	2	5	9	14	18	33
TOTAL 0-19 YRS	21235	5.1	54	1	1	3	5	8	15	44
20-34	14092	5.3	48	<1	1	3	6	10	17	36
35-49	16025	5.8	35	1	1	4	7	11	16	30
50-64	25936	6.7	34	1	2	5	8	13	17	30
65+	55302	7.9	37	2	3	6	10	14	19	31
GRAND TOTAL	**132590**	**6.7**	**41**	**1**	**2**	**5**	**8**	**13**	**18**	**33**

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	**Title**
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number **Title**

- 603 Appendectomy, except incidental
  - 604 Incidental
- Arteriography
  - 757 Aorta
  - 755 Cerebral
  - 756 Coronary
  - 757 Femoral
  - 755 Head
  - 756 Heart
  - 757 Renal
- 741 Arthrocentesis
- 721 Arthrodesis, except spinal
  - 720 Spinal
- 725 Arthroplasty, except hip, knee, and temporomandibular
  - 723 Hip, except total replacement
    - 722 Total replacement
  - 724 Knee
  - 699 Temporomandibular
- 719 Arthroscopy
- 716 Arthrotomy
- Artificial
  - 686 Insemination
  - 690 Rupture of membranes for delivery
- Aspiration
  - 752 Breast, except for biopsy
    - 742 Biopsy
  - 741 Bursa
  - 682 Cul-de-sac
  - 677 Curettage, uterus, except for termination of pregnancy
    - 674 Termination of pregnancy
  - 651 Hydrocele, except of spermatic cord
    - 656 Spermatic cord
  - 632 Kidney
  - 614 Liver, percutaneous, except for biopsy
    - 615 Biopsy
  - 537 Middle ear
  - 546 Nasal sinus
  - 663 Ovary
  - 752 Skin
  - 656 Spermatocele
  - 529 Vitreous

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

OPERATION INDEX (continued)

Group Number	Title
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy
	Fistula – *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

OPERATION INDEX (continued)

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions — *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, exept of hand
728	Hand

OPERATION INDEX (continued)

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage – *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

OPERATION INDEX (continued)

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision – *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

OPERATION INDEX (continued)

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

OPERATION INDEX (continued)

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

OPERATION INDEX (continued)

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

OPERATION INDEX (continued)

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus — *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) – *see Sinusctomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) – *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

OPERATION INDEX (continued)

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

OPERATION INDEX (continued)

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

OPERATION INDEX (continued)

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

OPERATION INDEX (continued)

Group Number **Title**

- Reduction (continued)
    - Femur
        - 710 Closed, except with internal fixation
            - 708 With internal fixation
        - 710 Open, except with internal fixation
            - 709 With internal fixation
    - 701 Mandible, except closed reduction
        - 700 Closed reduction
    - 701 Maxillofacial, except closed reduction
        - 700 Closed reduction
    - 544 Nose
  - 619 Hemorrhoids
  - Hernia – *see also Herniorrhaphy*
    - 764 Manual
  - 601 Intestinal torsion
  - 601 Intussusception, intestine
  - 745 Mammoplasty
  - 601 Volvulus, intestine
- Release
  - Adhesions – *see Lysis, adhesions*
  - 728 Dupuytren's contracture
  - 749 Scar contracture, skin
  - 642 Urethral stricture
- Removal
  - Calculus
    - 617 Biliary tract
    - 638 Bladder
    - 632 Kidney, except transurethral approach
      - 635 Transurethral approach
    - 519 Lacrimal tract (by incision)
      - 533 Without incision
    - 633 Ureter, except transurethral approach
      - 635 Transurethral approach
  - 764 Catheter, nonoperatively
  - 764 Cholecystotomy tube
  - 693 Ectopic fetus
  - 707 Fixation device, internal
  - Foreign body
    - 762 Bronchus, except with incision
      - 563 With incision
    - 532 Eye, except as below
      - 524 Anterior chamber
      - 520 Conjunctiva

OPERATION INDEX (continued)

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula — *see Fistulectomy*
704	Hallux valgus
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
	Hernia – *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration – *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

OPERATION INDEX (continued)

Group Number **Title**

- Repair (continued)
  - 654 Testis
  - 562 Trachea
  - 635 Ureter
  - 640 Urethra
  - 679 Uterus, except obstetric laceration and supporting structures
    - 697 Obstetric laceration
    - 678 Supporting structures
  - 681 Vagina, except for cystocele and rectocele, and obstetric laceration
    - 680 Cystocele and rectocele
    - 697 Obstetric laceration
  - 552 Vestibular arch (mouth)
  - 685 Vulva, except obstetric laceration
    - 697 Obstetric laceration
- Replacement
  - 574 Cardiac pacemaker
  - 571 Heart valve
  - 725 Joint, except hip and knee
    - 723 Hip, except total replacement
      - 722 Total replacement
    - 724 Knee
  - 647 Urinary catheter
- Resection
  - 638 Bladder
  - 581 Blood vessel
  - 564 Bronchus
  - 599 Large intestine
  - 730 Muscle, except of hand
    - 728 Hand
  - 541 Nasal septum, submucous
  - 530 Ocular muscle
  - 660 Ovary
  - 608 Rectum (abdominoperineal) (pull-through)
  - 549 Root of tooth
  - 598 Small intestine
  - 730 Tendon, except of hand
    - 728 Hand
- 548 Restoration, tooth
- 758 Retrograde pyelogram
- Revision
  - 739 Amputation stump
  - 581 Arteriovenous shunt for dialysis
  - 596 Gastric anastomosis

OPERATION INDEX (continued)

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt – *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

OPERATION INDEX (continued)

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
644	Stress incontinence repair, except by urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture – *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown – *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction — *see Reduction, fracture*
	Transfer — *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

OPERATION INDEX (continued)

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray – *see Radiography*
751	Z-plasty, skin

R3850-1.5 U
11/86

LENGTH OF STAY

CPHA PUBLICATIONS

Length of Stay by Diagnosis, Northeastern Region, 1985

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1986

LENGTH OF STAY

Copyright 1986 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1985
. . . by Diagnosis, United States, North Central Region, 1985
. . . by Diagnosis, United States, Northeastern Region, 1985
. . . by Diagnosis, United States, Southern Region, 1985
. . . by Diagnosis, United States, Western Region, 1985
. . . by Diagnosis, Canada, 1985

. . . by Operation, United States, 1985
. . . by Operation, United States, North Central Region, 1985
. . . by Operation, United States, Northeastern Region, 1985
. . . by Operation, United States, Southern Region, 1985
. . . by Operation, United States, Western Region, 1985
. . . by Operation, Canada, 1985

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1985
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1985

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1985 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1985 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1985 LENGTH OF STAY BOOKS

Peg Eby, Research Assistant, Research Services
Carol A. Prevost, Research Associate
Jeanine DeLay, Assistant Director
Edward J. Kobrinski, Director

CONTENTS

Preface iii

Discussion of the Data 1

  Source of the Data. 1

  Data Quality. 2

  Coverage 3

  Organization of Length of Stay Tables. 5

    Definition of Multiple Diagnosis Patients 5

    Definition of Operated Patients 5

  Explanation of Statistics. 6

  Defining the Extended Stay Case 7

Length of Stay Tables 17

  Summary of All Patients. 18

  Summary of All Patients Except Newborn 19

  Diagnosis Groups 1-398 20

Appendix: ***ICD-9-CM*** **Codes for Selected Diagnosis Groups** 219

Index to Length of Stay Tables 223

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.


Northeast
North Central
West
Pacific **
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.
January-December 1985

	Short-Term Nonfederal Hospitals			Short-Term Nonfederal Hospital Beds		
	U.S. Total[2]	Number in Books	Percent in Books	U.S. Total[2]	Number in Books	Percent in Books
Hospital Category						
Bedsize						
6-24	332	44	13.3	6,138	880	14.3
25-49	1,161	226	19.5	42,908	8,735	20.3
50-99	1,283	383	29.9	92,066	27,587	30.0
100-199	1,221	393	32.2	172,860	56,242	32.5
200-299	703	232	33.0	170,564	57,368	33.6
300-399	415	142	34.2	141,454	48,545	34.3
400-499	265	90	34.0	117,253	39,787	33.9
500+	307	73	23.8	212,299	47,783	22.5
Total	5,687	1,583	27.8	955,542	286,927	30.0
Region and Census Division						
Northeast	814	342	42.0	205,568	67,158	32.7
New England	241	131	54.4	48,426	20,234	41.8
Middle Atlantic	573	211	36.8	157,142	46,924	29.9
North Central	1,673	515	30.8	267,603	105,699	39.5
East North Central	880	418	47.5	182,843	90,510	49.5
West North Central	793	97	12.2	84,760	15,189	17.9
South	2,139	366	17.1	338,647	61,836	18.3
South Atlantic	810	186	23.0	158,360	34,351	21.7
East South Central	496	89	17.9	71,653	13,196	18.4
West South Central	833	91	10.9	108,634	14,289	13.2
West	1,061	360	33.9	143,724	52,234	36.3
Mountain	370	153	41.4	40,264	19,940	49.5
Pacific	691	207	30.0	103,460	32,294	31.2
Total	5,687	1,583	27.8	955,542	286,927	30.0

The Pediatric book was compiled from the data of 1,569 hospitals. The Geriatric book was compiled from the data of 1,559 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1984 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients

Operated patients are patients who had at least one UHDDS[3] Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

   a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

   b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g.			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	2		215
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	**Cholelithiasis**
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis **INDEX TO DISEASES**

- **Cholangitis** (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  - chronic nonsuppurative destructive 571.6
  - nonsuppurative destructive (chronic) 571.6
- **Cholecystdocholithiasis** — *see* Choledocholithiasis
- **Cholecystitis** (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.4
      - gallbladder 574.1
    - choledocholithiasis 574.4
    - cholelithiasis 574.1
  - acute 575.0
    - with
      - calculus, stones in
        - bile duct (common) (hepatic) 574.3
        - gallbladder 574.0
      - choledocholithiasis 574.3
      - cholelithiasis 574.0
  - emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
  - gangrenous *(see also* Cholecystitis, acute) 575.0
  - paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
  - suppurative *(see also* cholecystitis, acute) 575.0
  - typhoidal 002.0
- **Choledochitis** (suppurative) 576.1
- **Choledocholith** — *see* Choledocholithiasis
- **Choledocholithiasis** 574.5

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.4
    - acute 574.3
- **Cholelithiasis** (impacted) (multiple) 574.2

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.1
    - acute 574.0
- **Cholemia** *(see also* Jaundice) 782.4
  - familial 277.4
  - Gilbert's (familial nonhemolytic) 277.4
- **Cholemic gallstone** — *see* Cholelithiasis
- **Choleperitoneum, choleperitonitis** *(see also* Disease, gallbladder) 567.8
- **Cholera** (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  - antimonial 985.4
  - carrier (suspected) of V02.0
  - classical 001.0
  - contact V01.0
  - due to
    - Vibrio
      - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        - El Tor 001.1
  - El Tor 001.1
  - exposure to V01.0
  - vaccination, prophylactic (against) V03.0
- **Cholerine** *(see also* Cholera) 001.9
- **Cholestasis** *(see also* Disease, gallbladder) 575.8
- **Cholesteatoma** (ear) 385.30
  - attic (primary) 385.31
  - diffuse 385.35
  - external ear (canal) 380.21
  - marginal (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
    - secondary (with middle ear involvement) 385.33
  - mastoid cavity 385.30
  - middle ear 385.30
    - secondary 385.32
      - with involvement of mastoid cavity 385.33
  - postmastoidectomy cavity (recurrent) 383.32
  - primary 385.31
  - recurrent, postmastoidectomy cavity 383.32
  - secondary (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
- **Cholesteatosis** (middle ear) *(see also* Cholesteatoma) 385.30
  - diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	4.7	10	1	2	4	6	9	11	15
20-34	1472	4.4	10	1	1	4	6	8	10	16
35-49	1964	5.2	14	1	2	4	7	9	12	17
50-64	3826	5.8	15	2	2	5	7	10	13	19
65+	7503	7.6	32	2	3	6	10	14	17	28
B. *Operated*										
0-19 YRS	671	9.6	30	5	5	8	11	15	17	32
20-34	9073	9.2	24	5	5	8	11	14	17	27
35-49	11544	9.9	27	5	6	8	12	16	19	30
50-64	17699	11.4	41	5	6	10	13	18	23	35
65+	18538	15.1	82	6	7	13	18	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6693	4.1	9	1	1	3	5	8	9	14
B. *Operated*	50291	8.3	14	5	5	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	14921	6.5	24	2	2	5	8	12	15	25
B. *Operated*	57525	11.9	54	5	6	10	14	20	25	41
1. SINGLE DX	56984	7.8	15	3	4	7	9	12	14	21
2. MULTIPLE DX	72446	10.8	53	3	5	9	13	19	24	39
A. NOT OPERATED	21614	5.7	21	1	2	5	7	11	14	22
B. OPERATED	107816	10.2	38	5	6	8	12	17	21	34
TOTAL 0-19 YRS	2325	7.5	19	2	3	7	9	12	14	22
20-34	27293	7.6	16	3	4	7	9	12	14	21
35-49	28151	8.3	21	3	4	7	10	13	16	24
50-64	36761	9.4	31	3	5	8	11	16	19	30
65+	34900	12.1	68	3	5	10	15	21	27	44
GRAND TOTAL	**129430**	**9.5**	**38**	**3**	**4**	**8**	**11**	**16**	**20**	**33**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 5. The patient is 47-years-old and therefore falls in the age group 35-49.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

342 Hospitals, Northeastern Region, January-December 1985

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	129178	3.3	12	1	1	3	4	5	6	15
20-34	104787	3.7	22	<1	1	3	4	6	9	25
35-49	36720	5.1	36	1	1	3	6	10	15	30
50-64	25785	5.7	39	1	1	4	7	11	16	32
65+	23583	6.4	46	1	1	5	8	13	17	37
B. *Operated*										
0-19 YRS	61470	2.7	11	<1	<1	2	3	5	8	16
20-34	124762	3.2	8	<1	<1	3	4	6	7	13
35-49	58311	3.9	15	<1	<1	3	5	8	10	19
50-64	46411	4.6	20	<1	1	3	6	10	13	21
65+	41353	5.7	39	<1	1	3	8	13	17	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	116531	4.6	39	1	1	3	5	8	12	37
20-34	83580	5.9	55	1	1	4	7	13	20	38
35-49	81629	6.6	49	1	1	5	8	13	19	36
50-64	140269	7.3	51	1	2	5	9	14	19	38
65+	322129	9.4	85	2	3	7	11	18	25	61
B. *Operated*										
0-19 YRS	46552	5.5	80	<1	1	3	6	12	20	56
20-34	127978	5.3	42	<1	1	4	6	9	14	36
35-49	94718	6.8	65	1	1	5	8	14	20	45
50-64	122206	9.1	101	1	2	6	11	19	28	58
65+	209086	12.6	164	2	2	9	16	28	40	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	320053	4.0	24	1	1	3	4	7	11	25
B. *Operated*	332307	3.8	16	<1	<1	3	5	8	11	19
2. MULTIPLE DX										
A. *Not Operated*	744138	7.5	67	1	2	5	9	15	22	48
B. *Operated*	600540	8.9	112	1	1	6	11	20	29	66
1. SINGLE DX	652360	3.9	20	<1	1	3	4	7	11	22
2. MULTIPLE DX	1344678	8.1	88	1	2	5	10	17	25	57
A. NOT OPERATED	1064191	6.5	57	1	1	4	8	13	19	42
B. OPERATED	932847	7.0	84	<1	1	4	8	16	23	54
TOTAL 0-19 YRS	353731	3.9	30	<1	1	3	4	7	10	29
20-34	441107	4.5	31	<1	1	3	5	8	12	29
35-49	271378	5.9	47	<1	1	4	7	12	17	36
50-64	334671	7.5	67	1	1	5	9	15	21	45
65+	596151	10.1	112	1	2	7	13	21	30	71
GRAND TOTAL	**1997038**	**6.7**	**69**	**1**	**1**	**4**	**8**	**14**	**21**	**48**

342 Hospitals, Northeastern Region, January-December 1985

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65881	3.4	21	<1	1	2	4	6	8	23
20-34	104787	3.7	22	<1	1	3	4	6	9	25
35-49	36720	5.1	36	1	1	3	6	10	15	30
50-64	25785	5.7	39	1	1	4	7	11	16	32
65+	23583	6.4	46	1	1	5	8	13	17	37
B. *Operated*										
0-19 YRS	61455	2.7	11	<1	<1	2	3	5	8	16
20-34	124762	3.2	8	<1	<1	3	4	6	7	13
35-49	58311	3.9	15	<1	<1	3	5	8	10	19
50-64	46411	4.6	20	<1	1	3	6	10	13	21
65+	41353	5.7	39	<1	1	3	8	13	17	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71725	4.7	51	1	1	3	5	9	14	49
20-34	83580	5.9	55	1	1	4	7	13	20	38
35-49	81629	6.6	49	1	1	5	8	13	19	36
50-64	140269	7.3	51	1	2	5	9	14	19	38
65+	322129	9.4	85	2	3	7	11	18	25	61
B. *Operated*										
0-19 YRS	45262	5.1	61	<1	1	3	6	11	18	46
20-34	127978	5.3	42	<1	1	4	6	9	14	36
35-49	94718	6.8	65	1	1	5	8	14	20	45
50-64	122206	9.1	101	1	2	6	11	19	28	58
65+	209086	12.6	164	2	2	9	16	28	40	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	256756	4.3	29	1	1	3	4	8	12	28
B. *Operated*	332292	3.8	16	<1	<1	3	5	8	11	19
2. MULTIPLE DX										
A. *Not Operated*	699332	7.7	70	1	2	5	9	15	22	49
B. *Operated*	599250	8.8	111	1	1	6	11	20	29	66
1. SINGLE DX	589048	4.0	22	<1	1	3	5	8	11	23
2. MULTIPLE DX	1298582	8.2	89	1	2	6	10	17	25	58
A. NOT OPERATED	956088	6.8	61	1	1	4	8	14	20	44
B. OPERATED	931542	7.0	83	<1	1	4	8	16	23	53
TOTAL 0-19 YRS	244323	3.9	36	<1	1	2	4	7	11	32
20-34	441107	4.5	31	<1	1	3	5	8	12	29
35-49	271378	5.9	47	<1	1	4	7	12	17	36
50-64	334671	7.5	67	1	1	5	9	15	21	45
65+	596151	10.1	112	1	2	7	13	21	30	71
GRAND TOTAL	**1887630**	**6.9**	**72**	**1**	**1**	**4**	**8**	**15**	**22**	**49**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1429	3.0	4	1	1	2	4	5	7	11
20-34	628	2.9	3	1	1	3	4	5	7	8
35-49	242	3.2	3	1	1	3	4	6	7	8
50-64	147	3.8	5	1	1	3	5	6	7	10
65+	106	4.3	15	1	1	3	5	8	12	24
B. *Operated*										
0-19 YRS	29	4.9	8	2	3	4	5	9	11	15
20-34	52	4.8	4	2	3	4	6	8	9	9
35-49	21	6.5	9	2	3	6	8	11	12	12
50-64	9	5.9	8	3	3	6	8	10	11	11
65+	6	7.7	17	3	3	7	11	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2146	3.5	7	1	1	3	4	6	8	15
20-34	834	3.4	6	1	1	3	4	6	8	14
35-49	580	4.3	12	1	1	3	5	8	10	20
50-64	675	4.6	19	1	2	4	6	8	10	17
65+	1305	6.3	29	2	2	5	8	11	15	30
B. *Operated*										
0-19 YRS	41	6.4	42	2	2	5	6	11	23	32
20-34	107	7.4	41	2	3	6	8	15	18	38
35-49	66	10.4	108	2	3	7	12	23	30	62
50-64	76	10.4	79	3	4	8	13	18	20	55
65+	133	13.9	124	4	4	11	17	32	43	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2552	3.1	5	1	1	3	4	5	7	11
B. *Operated*	117	5.4	7	2	3	5	7	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	5540	4.3	16	1	1	3	5	8	11	20
B. *Operated*	423	10.3	91	3	3	7	12	20	32	61
1. SINGLE DX	2669	3.2	5	1	1	3	4	6	7	11
2. MULTIPLE DX	5963	4.8	23	1	1	3	6	9	12	26
A. NOT OPERATED	8092	3.9	12	1	1	3	5	7	10	18
B. OPERATED	540	9.3	77	3	3	7	11	18	29	46
TOTAL 0-19 YRS	3645	3.3	7	1	1	3	4	6	8	14
20-34	1621	3.5	8	1	1	3	4	7	8	15
35-49	909	4.5	19	1	1	3	5	8	11	25
50-64	907	5.0	24	1	2	4	6	8	12	19
65+	1550	6.8	41	2	2	5	8	13	18	40
GRAND TOTAL	**8632**	**4.3**	**18**	**1**	**1**	**3**	**5**	**8**	**11**	**21**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	5.8	25	2	3	4	7	14	17	24
20-34	40	12.7	82	4	5	11	15	23	33	48
35-49	34	12.1	39	3	4	12	15	18	25	31
50-64	25	18.0	494	3	3	11	17	57	77	91
65+	6	24.5	508	2	2	21	39	58	60	60
B. *Operated*										
0-19 YRS	3	8.3		8	8	8	9	9	9	9
20-34	20	10.2	121	1	3	7	11	17	35	53
35-49	19	12.3	92	1	2	8	17	29	30	30
50-64	19	10.3	44	1	2	9	14	20	24	26
65+	13	10.8	112	<1	1	7	14	32	34	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	6.8	13	3	3	7	11	11	12	12
20-34	60	14.0	114	4	5	12	16	29	42	49
35-49	66	18.0	245	4	4	13	27	39	44	88
50-64	61	17.4	239	5	6	15	20	28	75	98
65+	67	18.0	301	5	6	12	19	39	59	88
B. *Operated*										
0-19 YRS	2	25.5	545	9	9	25	42	42	42	42
20-34	42	17.5	104	4	6	15	24	33	37	38
35-49	60	23.8	310	2	5	19	39	53	70	99+
50-64	61	19.1	243	4	6	15	21	45	57	77
65+	87	17.2	177	3	4	13	22	39	50	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	139	12.3	165	3	3	9	15	23	34	74
B. *Operated*	74	10.8	84	1	2	8	14	25	30	48
2. MULTIPLE DX										
A. *Not Operated*	267	16.4	222	4	5	12	19	32	46	90
B. *Operated*	252	19.4	218	3	5	15	25	43	55	99
1. SINGLE DX	213	11.8	137	2	3	9	14	23	31	64
2. MULTIPLE DX	519	17.8	222	4	5	14	22	39	52	92
A. NOT OPERATED	406	15.0	206	3	4	11	17	29	44	86
B. OPERATED	326	17.4	200	2	4	13	22	39	52	83
TOTAL 0-19 YRS	52	6.9	44	3	3	4	9	13	18	42
20-34	162	14.1	108	4	5	12	17	30	37	49
35-49	179	18.2	230	3	4	14	26	41	51	98
50-64	166	17.3	259	3	5	14	20	30	58	90
65+	173	17.3	232	3	5	12	20	39	54	87
GRAND TOTAL	**732**	**16.1**	**205**	**3**	**4**	**12**	**20**	**34**	**49**	**84**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	27.9	1243	<1	1	9	62	80	81	81
20-34	5	8.4	40	2	2	7	13	18	18	18
35-49	3	14.3	21	9	9	17	17	17	17	17
50-64	1	15.0		15	15	15	15	15	15	15
65+	2	19.5	685	1	1	19	38	38	38	38
B. *Operated*										
0-19 YRS	8	5.4	52	<1	<1	2	9	17	18	18
20-34	5	6.8	22	1	1	8	10	12	12	12
35-49	9	8.3	58	3	4	5	8	20	28	28
50-64	2	6.5	13	4	4	6	9	9	9	9
65+	2	5.0	32	1	1	5	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	15.0	50	10	10	15	20	20	20	20
20-34	8	12.6	68	3	3	15	19	22	23	23
35-49	6	12.3	20	7	7	13	16	17	17	17
50-64	11	8.5	34	2	2	8	11	18	20	20
65+	8	26.3	880	4	5	18	50	98	99+	99+
B. *Operated*										
0-19 YRS	6	9.0	221	1	1	3	7	36	39	39
20-34	14	30.2	651	2	6	22	40	78	85	87
35-49	20	21.0	229	3	4	19	30	41	54	59
50-64	15	27.7	446	6	8	20	43	62	64	65
65+	29	26.5	684	3	3	22	27	77	92	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	18.6	561	<1	1	10	17	65	79	81
B. *Operated*	26	6.7	40	<1	1	5	9	16	20	28
2. MULTIPLE DX										
A. *Not Operated*	35	14.5	256	2	3	11	18	23	78	99+
B. *Operated*	84	24.8	503	2	3	19	33	59	79	95
1. SINGLE DX	44	11.6	280	<1	1	7	13	19	50	81
2. MULTIPLE DX	119	21.7	449	2	3	17	27	52	80	97
A. NOT OPERATED	53	15.9	354	2	3	11	18	35	80	99+
B. OPERATED	110	20.5	451	1	2	14	27	48	69	94
TOTAL 0-19 YRS	23	14.0	503	<1	<1	5	16	47	78	81
20-34	32	18.8	406	1	2	14	22	42	74	87
35-49	38	16.1	164	3	5	13	22	32	43	59
50-64	29	18.5	331	2	3	10	22	52	62	65
65+	41	25.1	674	1	3	18	28	86	96	99+
GRAND TOTAL	**163**	**19.0**	**422**	**1**	**2**	**12**	**24**	**45**	**77**	**96**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	168	2.4	1	1	1	2	3	4	4	6
20-34	65	2.5	1	1	1	2	3	4	5	6
35-49	20	3.5	2	2	2	3	4	6	6	7
50-64	8	3.1	5	1	1	2	4	7	7	7
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	38	1.6	1	1	1	1	2	3	4	7
20-34	8	1.3		1	1	1	2	2	2	2
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	410	2.9	3	1	1	3	4	5	6	9
20-34	129	3.5	4	1	2	3	4	6	7	11
35-49	48	4.0	4	2	2	4	5	6	8	11
50-64	28	5.3	51	1	2	3	6	8	13	40
65+	28	6.4	18	2	2	5	8	12	16	21
B. *Operated*										
0-19 YRS	24	2.6	14	1	1	1	3	5	9	19
20-34	7	4.7	39	1	1	2	6	16	18	18
35-49	3	13.7	80	8	8	9	20	24	24	24
50-64	2	9.0	8	7	7	9	11	11	11	11
65+	1	32.0		32	32	32	32	32	32	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	262	2.5	2	1	1	2	3	4	5	6
B. *Operated*	46	1.5	1	1	1	1	2	2	3	7
2. MULTIPLE DX										
A. *Not Operated*	643	3.4	6	1	1	3	4	6	7	11
B. *Operated*	37	5.1	51	1	1	2	6	17	22	32
1. SINGLE DX	308	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX	680	3.5	9	1	1	3	4	6	7	15
A. NOT OPERATED	905	3.1	5	1	1	3	4	5	7	10
B. OPERATED	83	3.1	26	1	1	1	2	7	13	29
TOTAL 0-19 YRS	640	2.7	3	1	1	2	3	5	6	8
20-34	209	3.2	5	1	1	3	4	6	7	12
35-49	71	4.2	9	2	2	3	5	7	9	21
50-64	38	5.0	40	1	2	3	6	8	11	40
65+	30	7.2	39	2	2	6	8	13	21	32
GRAND TOTAL	**988**	**3.1**	**7**	**1**	**1**	**3**	**4**	**5**	**7**	**11**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	360	4.9	10	1	2	4	6	9	11	16
20-34	24	6.1	9	1	2	6	9	10	11	11
35-49	19	6.3	16	1	1	7	8	12	14	15
50-64	16	6.6	14	1	2	6	9	13	14	14
65+	53	9.3	40	2	3	8	12	16	22	36
B. *Operated*										
0-19 YRS	9	7.7	41	3	3	5	9	19	21	21
20-34	1	7.0		7	7	7	7	7	7	7
35-49										
50-64	2	7.5	1	7	7	7	8	8	8	8
65+	3	13.0	16	9	9	13	16	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	541	6.3	23	2	2	5	8	12	14	25
20-34	184	10.4	73	3	4	8	12	20	30	45
35-49	240	10.6	101	3	3	8	12	21	30	46
50-64	577	11.7	64	4	5	10	14	20	26	47
65+	2756	13.1	91	4	6	11	16	23	30	61
B. *Operated*										
0-19 YRS	46	14.1	62	3	6	12	21	28	32	99+
20-34	49	16.8	163	3	4	13	23	32	47	54
35-49	97	19.7	224	4	6	15	28	41	59	89
50-64	215	19.5	193	5	7	16	27	43	61	99+
65+	767	22.4	250	7	8	18	29	44	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	472	5.5	15	1	2	4	7	11	13	20
B. *Operated*	15	8.7	31	3	4	7	12	17	20	21
2. MULTIPLE DX										
A. *Not Operated*	4298	11.8	83	3	4	10	14	21	28	55
B. *Operated*	1174	21.1	230	6	8	17	28	43	60	99+
1. SINGLE DX	487	5.6	16	1	2	5	7	11	13	21
2. MULTIPLE DX	5472	13.8	129	3	4	11	17	27	36	72
A. NOT OPERATED	4770	11.2	80	3	3	9	14	20	27	52
B. OPERATED	1189	20.9	230	6	7	16	28	43	59	99+
TOTAL 0-19 YRS	956	6.2	24	2	2	5	8	12	15	28
20-34	258	11.2	92	2	4	8	13	24	32	51
35-49	356	12.8	148	3	4	9	15	28	36	77
50-64	810	13.7	109	4	5	11	16	27	37	71
65+	3579	15.1	139	5	6	12	18	29	39	75
GRAND TOTAL	**5959**	**13.1**	**125**	**3**	**4**	**10**	**16**	**26**	**35**	**70**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	223	7.5	19	2	3	7	11	12	14	17
20-34	34	6.3	13	1	3	6	10	12	12	13
35-49	23	5.1	7	2	2	5	6	9	11	12
50-64	30	5.4	7	3	3	5	7	8	12	13
65+	17	7.5	18	2	4	8	9	13	17	19
B. *Operated*										
0-19 YRS	8	4.3	10	<1	<1	4	7	8	8	8
20-34	4	6.5	70	2	2	3	11	19	19	19
35-49	9	12.3	147	<1	1	11	14	32	40	40
50-64	2	24.5	841	4	4	24	45	45	45	45
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	184	7.5	27	2	2	6	10	13	15	29
20-34	79	9.0	102	2	2	7	11	14	18	68
35-49	65	8.9	119	2	3	7	10	15	18	77
50-64	114	9.2	76	3	3	7	11	16	24	54
65+	211	10.8	104	3	4	8	13	19	28	58
B. *Operated*										
0-19 YRS	12	13.8	98	3	3	13	17	26	38	40
20-34	28	20.6	423	3	4	11	29	53	68	84
35-49	29	20.7	286	4	5	16	32	54	63	99+
50-64	50	21.7	261	4	6	18	24	43	51	91
65+	70	21.9	273	4	7	16	32	47	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	327	7.0	17	2	3	6	10	12	13	17
B. *Operated*	23	9.6	140	<1	1	6	12	25	42	45
2. MULTIPLE DX										
A. *Not Operated*	653	9.2	80	2	3	7	11	16	22	51
B. *Operated*	189	20.9	281	4	6	16	29	45	63	99+
1. SINGLE DX	350	7.2	25	2	3	6	10	12	13	21
2. MULTIPLE DX	842	11.8	149	2	3	8	14	24	37	78
A. NOT OPERATED	980	8.5	60	2	3	7	11	14	18	38
B. OPERATED	212	19.7	278	3	4	15	28	44	61	99+
TOTAL 0-19 YRS	427	7.6	26	2	2	7	11	13	15	27
20-34	145	10.6	165	2	3	7	12	19	32	74
35-49	126	11.2	166	2	3	7	12	25	40	90
50-64	196	12.0	152	3	4	7	15	24	38	58
65+	298	13.2	162	3	4	9	16	28	39	89
GRAND TOTAL	**1192**	**10.5**	**117**	**2**	**3**	**8**	**12**	**20**	**32**	**65**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	759	3.6	6	1	2	3	4	6	8	13
20-34	478	3.8	6	1	1	3	5	7	8	12
35-49	109	4.3	6	2	2	4	5	7	11	13
50-64	17	4.6	4	2	2	4	6	8	8	8
65+	6	6.3	33	1	1	4	10	15	16	16
B. *Operated*										
0-19 YRS	12	6.3	18	2	3	5	9	13	14	14
20-34	3	5.7	16	2	2	5	9	10	10	10
35-49	1	16.0		16	16	16	16	16	16	16
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	339	4.7	12	1	2	4	5	9	12	18
20-34	213	5.0	11	2	2	4	6	10	11	17
35-49	69	5.0	7	2	2	4	6	9	11	13
50-64	27	5.9	14	2	2	5	7	13	14	14
65+	21	9.5	32	3	4	8	13	19	21	22
B. *Operated*										
0-19 YRS	12	7.3	19	2	3	6	10	13	16	17
20-34	8	10.0	11	6	6	10	12	15	16	16
35-49	10	10.8	33	4	5	10	14	19	24	24
50-64	3	16.0	79	9	9	13	23	26	26	26
65+	5	16.8	123	7	7	15	22	35	35	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1369	3.8	6	1	2	3	5	6	8	13
B. *Operated*	16	6.8	21	2	2	5	11	14	15	16
2. MULTIPLE DX										
A. *Not Operated*	669	5.0	12	2	2	4	6	10	12	18
B. *Operated*	38	10.7	44	3	4	10	13	18	25	35
1. SINGLE DX	1385	3.8	7	1	2	3	5	6	9	13
2. MULTIPLE DX	707	5.3	16	2	2	4	6	10	13	20
A. NOT OPERATED	2038	4.2	9	1	2	3	5	8	10	14
B. OPERATED	54	9.6	40	2	3	8	12	16	23	35
TOTAL 0-19 YRS	1122	4.0	9	1	2	3	5	7	10	15
20-34	702	4.3	8	1	2	4	5	8	10	13
35-49	189	5.0	10	2	2	4	6	9	11	16
50-64	47	6.1	20	2	2	5	7	13	14	26
65+	32	10.0	52	2	3	8	14	19	22	35
GRAND TOTAL	**2092**	**4.3**	**10**	**1**	**2**	**3**	**5**	**8**	**11**	**16**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	222	3.3	5	1	1	3	4	5	7	11
20-34	52	5.8	141	1	1	4	6	8	10	86
35-49	34	6.9	33	1	1	6	9	15	18	25
50-64	36	4.7	12	<1	1	4	6	9	13	17
65+	77	6.4	28	1	2	5	7	14	17	28
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	2	7.0	32	3	3	7	11	11	11	11
35-49	7	6.1	34	<1	<1	4	8	16	18	18
50-64	1	1.0		1	1	1	1	1	1	1
65+	3	1.7	1	1	1	1	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	436	4.1	7	1	2	3	5	7	9	13
20-34	110	6.2	19	2	2	5	7	11	14	26
35-49	84	6.6	20	2	2	5	8	12	15	26
50-64	172	7.4	26	2	3	6	9	14	17	28
65+	603	9.7	70	2	3	7	11	20	25	41
B. *Operated*										
0-19 YRS	10	15.4	621	<1	1	8	12	51	85	85
20-34	15	18.2	495	3	4	9	16	51	77	86
35-49	15	12.7	55	3	4	17	18	19	25	27
50-64	28	16.5	169	2	5	13	24	44	51	99+
65+	72	20.7	300	4	5	14	30	49	53	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	421	4.6	30	1	1	3	5	8	13	21
B. *Operated*	14	5.1	25	<1	1	3	9	12	17	18
2. MULTIPLE DX										
A. *Not Operated*	1405	7.2	44	2	2	5	9	14	20	33
B. *Operated*	140	18.4	290	3	4	13	25	47	52	87
1. SINGLE DX	435	4.6	30	1	1	3	5	8	13	21
2. MULTIPLE DX	1545	8.2	76	2	2	6	9	16	24	50
A. NOT OPERATED	1826	6.6	42	1	2	5	8	13	18	31
B. OPERATED	154	17.2	280	2	3	11	23	45	51	86
TOTAL 0-19 YRS	669	4.0	16	1	1	3	5	7	9	14
20-34	179	7.1	102	1	2	5	7	11	16	76
35-49	140	7.3	30	1	2	6	9	16	18	27
50-64	237	8.0	51	2	2	6	10	16	23	48
65+	755	10.3	100	2	3	7	12	22	29	54
GRAND TOTAL	**1980**	**7.4**	**68**	**1**	**2**	**5**	**8**	**15**	**22**	**47**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	4.5	9	1	2	3	6	9	11	13
20-34	196	5.5	9	2	2	5	7	9	11	15
35-49	59	7.6	30	2	3	6	10	15	19	29
50-64	28	8.2	72	3	3	5	8	18	25	44
65+	9	7.9	31	3	3	6	9	18	20	20
B. *Operated*										
0-19 YRS										
20-34	8	4.0	15	1	1	2	7	10	11	11
35-49	9	10.6	99	1	1	7	18	26	28	28
50-64	3	16.7	9	14	14	16	19	20	20	20
65+	3	11.0	21	6	6	12	14	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	9.1	249	2	2	5	9	15	22	88
20-34	222	7.9	54	2	3	6	9	15	17	28
35-49	96	8.4	56	2	3	7	9	14	22	46
50-64	82	10.3	43	3	4	9	13	19	22	36
65+	78	10.5	55	3	4	9	13	19	25	43
B. *Operated*										
0-19 YRS	3	12.3	6	10	10	12	14	15	15	15
20-34	22	7.7	19	2	3	7	9	14	18	19
35-49	19	14.6	340	2	2	9	14	33	62	81
50-64	14	14.0	60	3	3	13	18	25	27	28
65+	17	13.1	37	6	7	12	15	18	28	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	331	6.0	20	2	2	5	7	10	13	22
B. *Operated*	23	9.1	62	1	1	7	15	21	25	28
2. MULTIPLE DX										
A. *Not Operated*	507	8.9	64	2	3	7	10	16	22	42
B. *Operated*	75	12.0	115	2	3	9	15	23	27	70
1. SINGLE DX	354	6.2	23	1	2	5	7	11	15	23
2. MULTIPLE DX	582	9.3	72	2	3	7	11	17	23	43
A. NOT OPERATED	838	7.7	48	2	3	6	9	14	19	30
B. OPERATED	98	11.4	103	1	2	9	15	22	27	61
TOTAL 0-19 YRS	71	6.7	111	1	2	4	7	12	15	73
20-34	448	6.8	33	2	2	6	8	12	16	27
35-49	183	8.9	81	2	3	7	10	16	24	47
50-64	127	10.4	53	3	3	8	13	20	24	42
65+	107	10.7	50	3	4	9	13	18	24	40
GRAND TOTAL	**936**	**8.1**	**55**	**2**	**3**	**6**	**10**	**15**	**20**	**34**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	344	3.7	4	1	2	3	5	6	7	11
20-34	121	4.1	6	1	2	3	6	8	9	12
35-49	19	5.1	19	2	2	4	6	7	15	22
50-64	2	8.0	18	5	5	8	11	11	11	11
65+	4	8.5	26	4	4	7	12	15	15	15
B. *Operated*										
0-19 YRS	3	6.3	4	4	4	7	8	8	8	8
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	3	8.3	17	5	5	7	11	13	13	13
50-64	1	19.0		19	19	19	19	19	19	19
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	658	4.2	6	2	2	4	5	7	9	13
20-34	212	4.9	9	2	2	4	6	8	10	18
35-49	44	5.5	11	1	2	4	8	11	12	14
50-64	9	6.6	36	2	2	5	6	16	22	22
65+	5	9.8	35	4	4	8	14	19	19	19
B. *Operated*										
0-19 YRS	19	12.8	226	2	2	7	14	28	51	66
20-34	12	6.7	11	2	2	6	7	12	14	14
35-49	7	8.0	7	5	5	8	9	12	13	13
50-64	2	12.0		12	12	12	12	12	12	12
65+	1	20.0		20	20	20	20	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	490	3.9	6	1	2	3	5	7	8	12
B. *Operated*	9	7.9	27	2	3	7	9	17	19	19
2. MULTIPLE DX										
A. *Not Operated*	928	4.4	8	2	2	4	5	8	10	14
B. *Operated*	41	10.3	116	2	2	7	12	18	26	66
1. SINGLE DX	499	4.0	6	1	2	3	5	7	8	13
2. MULTIPLE DX	969	4.7	14	2	2	4	6	8	11	18
A. NOT OPERATED	1418	4.3	7	2	2	4	5	7	9	13
B. OPERATED	50	9.9	100	2	2	7	12	18	21	66
TOTAL 0-19 YRS	1024	4.2	11	2	2	3	5	7	9	14
20-34	347	4.7	8	2	2	4	6	8	9	14
35-49	73	5.7	14	2	2	5	8	11	13	20
50-64	14	8.4	37	2	3	6	12	19	21	22
65+	10	10.3	36	4	4	9	15	19	20	20
GRAND TOTAL	**1468**	**4.4**	**11**	**2**	**2**	**4**	**5**	**8**	**10**	**17**

342 Hospitals, Northeastern Region, January-December 1985

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.7	41	<1	<1	3	10	13	13	13
20-34	3	1.3		<1	<1	<1	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	136	1.5	1	<1	<1	1	2	3	3	7
20-34	508	1.7	1	<1	<1	1	2	3	4	7
35-49	117	1.8	2	<1	<1	1	2	3	4	10
50-64	34	2.0	2	<1	<1	1	3	4	6	6
65+	6	1.7	1	<1	<1	1	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	4	<1	<1	3	4	5	5	5
20-34	8	1.0		<1	<1	<1	1	1	1	1
35-49	2	2.5	5	<1	<1	2	4	4	4	4
50-64	2	3.5	13	1	1	3	6	6	6	6
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	28	4.4	63	1	1	3	4	6	12	44
20-34	172	2.2	3	<1	<1	2	2	4	5	9
35-49	83	3.2	17	<1	<1	2	3	5	8	27
50-64	28	3.0	4	<1	<1	3	4	5	6	11
65+	12	4.4	18	<1	<1	3	6	10	14	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	3.5	22	<1	<1	1	3	12	13	13
B. *Operated*	801	1.7	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	16	1.9	3	<1	<1	1	2	5	6	6
B. *Operated*	323	2.8	13	<1	<1	2	3	5	7	18
1. SINGLE DX	807	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	339	2.7	12	<1	<1	2	3	5	7	16
A. NOT OPERATED	22	2.3	8	<1	<1	1	3	5	9	13
B. OPERATED	1124	2.0	5	<1	<1	1	2	4	5	9
TOTAL 0-19 YRS	170	2.1	13	<1	<1	1	2	3	5	12
20-34	691	1.8	2	<1	<1	1	2	3	5	8
35-49	202	2.4	9	<1	<1	2	3	4	6	18
50-64	64	2.5	3	<1	<1	2	3	5	6	10
65+	19	3.4	13	<1	<1	2	5	8	12	15
GRAND TOTAL	**1146**	**2.0**	**5**	**<1**	**<1**	**1**	**2**	**4**	**5**	**9**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1650	2.8	3	1	1	3	4	5	6	9
20-34	238	3.2	8	<1	1	3	4	6	7	15
35-49	108	3.8	8	1	1	3	5	7	9	15
50-64	58	4.0	6	2	2	4	5	7	10	13
65+	39	4.1	6	1	2	4	6	7	8	13
B. *Operated*										
0-19 YRS	47	3.6	15	<1	<1	3	4	6	7	26
20-34	21	4.3	16	<1	<1	3	6	10	13	15
35-49	6	2.5	2	1	1	2	4	4	4	4
50-64	7	9.3	60	<1	1	8	19	77	99+	99+
65+	2	12.5	13	10	10	12	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1823	3.1	7	1	1	3	4	5	6	10
20-34	543	4.0	12	1	1	3	5	7	9	18
35-49	363	4.6	12	1	2	4	6	8	11	18
50-64	415	5.1	38	2	2	4	6	8	11	17
65+	679	5.9	20	2	2	5	7	11	13	26
B. *Operated*										
0-19 YRS	63	4.5	18	1	1	4	5	8	14	21
20-34	45	11.3	192	1	2	7	11	26	41	75
35-49	39	13.4	191	1	2	9	17	34	46	61
50-64	43	11.4	71	2	2	9	17	23	34	99+
65+	50	15.5	302	4	5	11	15	29	41	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2093	3.0	4	1	1	3	4	5	6	10
B. *Operated*	83	4.4	21	<1	1	3	5	10	16	75
2. MULTIPLE DX										
A. *Not Operated*	3823	4.1	15	1	1	3	5	7	10	16
B. *Operated*	240	10.7	161	1	2	7	13	22	35	87
1. SINGLE DX	2176	3.0	5	1	1	3	4	5	6	11
2. MULTIPLE DX	4063	4.5	26	1	1	3	5	8	11	25
A. NOT OPERATED	5916	3.7	11	1	1	3	4	7	9	14
B. OPERATED	323	9.1	133	1	1	5	11	21	32	88
TOTAL 0-19 YRS	3583	3.0	5	1	1	3	4	5	6	10
20-34	847	4.2	23	1	1	3	5	8	10	27
35-49	516	5.1	30	1	2	4	6	9	13	28
50-64	523	5.6	40	2	2	4	6	11	14	34
65+	770	6.4	43	2	2	5	8	12	14	32
GRAND TOTAL	**6239**	**4.0**	**19**	**1**	**1**	**3**	**5**	**7**	**10**	**20**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	4.4	7	1	2	3	6	9	10	10
20-34	34	4.4	9	1	2	4	6	8	10	15
35-49	14	5.9	11	3	3	4	8	12	12	12
50-64	7	3.7	2	2	2	4	5	6	6	6
65+	5	6.0	16	3	3	4	9	12	12	12
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	7.9	13	2	3	8	10	13	15	16
20-34	22	5.1	7	1	2	5	7	9	10	11
35-49	16	6.4	13	2	3	5	8	11	14	16
50-64	10	8.7	24	3	3	8	12	16	17	17
65+	12	6.8	11	3	4	6	9	11	14	14
B. *Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34										
35-49	2	6.5	25	3	3	6	10	10	10	10
50-64	3	12.3	20	8	8	12	16	17	17	17
65+	2	23.0	162	14	14	23	32	32	32	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	90	4.7	9	1	2	4	6	9	10	14
B. *Operated*	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	78	6.8	13	2	3	6	9	11	15	17
B. *Operated*	9	11.4	85	2	2	10	15	26	32	32
1. SINGLE DX	91	4.7	9	1	2	4	6	9	10	14
2. MULTIPLE DX	87	7.2	22	2	3	6	10	13	16	27
A. NOT OPERATED	168	5.6	12	2	2	5	7	10	12	16
B. OPERATED	10	11.1	76	2	2	9	14	24	32	32
TOTAL 0-19 YRS	50	5.6	12	2	2	5	9	10	10	16
20-34	56	4.7	8	1	2	4	6	9	10	15
35-49	33	6.2	12	3	3	5	8	11	12	16
50-64	20	7.5	24	2	2	6	11	16	17	17
65+	19	8.3	46	3	3	6	10	14	24	32
GRAND TOTAL	**178**	**5.9**	**17**	**2**	**2**	**5**	**8**	**10**	**14**	**17**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	80	5.7	12	1	2	5	7	10	11	18
20-34	103	4.9	12	2	2	5	6	7	10	23
35-49	19	5.2	31	<1	<1	3	6	12	18	23
50-64	7	2.9	11	1	1	1	3	9	10	10
65+	4	4.5	19	1	1	4	8	10	10	10
B. *Operated*										
0-19 YRS	10	2.0	2	<1	<1	1	2	4	5	5
20-34	47	2.0	3	<1	<1	1	2	4	4	12
35-49	13	2.5	10	<1	<1	2	2	5	12	13
50-64	5	1.8	1	1	1	2	2	3	3	3
65+	4	7.8	95	1	1	4	14	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	6.5	14	2	3	6	8	12	13	19
20-34	86	6.3	11	2	2	6	8	11	13	17
35-49	35	8.1	29	<1	2	7	11	15	20	22
50-64	13	9.2	117	1	1	6	12	24	36	39
65+	25	9.8	81	1	2	7	13	20	26	41
B. *Operated*										
0-19 YRS	8	4.8	6	1	1	6	6	8	8	8
20-34	38	5.1	18	<1	1	3	6	10	16	17
35-49	17	8.2	187	<1	1	3	8	19	43	56
50-64	12	20.0	750	2	3	9	21	67	88	92
65+	9	5.8	40	<1	1	3	6	17	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	213	5.1	14	1	2	5	6	10	11	20
B. *Operated*	79	2.4	9	<1	<1	1	2	4	6	19
2. MULTIPLE DX										
A. *Not Operated*	233	7.2	29	1	2	6	9	13	17	25
B. *Operated*	84	7.9	174	1	1	4	7	17	22	80
1. SINGLE DX	292	4.4	14	<1	1	4	6	8	11	20
2. MULTIPLE DX	317	7.4	67	1	2	5	9	14	18	46
A. NOT OPERATED	446	6.2	23	1	2	5	8	11	15	22
B. OPERATED	163	5.2	101	<1	<1	2	5	11	18	57
TOTAL 0-19 YRS	172	5.8	13	1	2	5	7	11	13	18
20-34	274	4.9	13	<1	1	4	6	9	12	17
35-49	84	6.6	61	<1	<1	4	9	15	21	45
50-64	37	10.5	323	1	1	4	10	24	51	92
65+	42	8.2	68	<1	1	5	11	20	22	41
GRAND TOTAL	**609**	**5.9**	**44**	**<1**	**1**	**5**	**7**	**11**	**16**	**27**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	3.5	7	<1	<1	3	5	8	8	8
20-34	7	3.4	11	1	1	1	7	8	8	8
35-49	3	18.7	786	1	1	4	39	51	51	51
50-64	1	7.0		7	7	7	7	7	7	7
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	8	16.6	348	4	4	7	23	48	58	58
35-49	4	5.5	23	<1	<1	5	9	11	11	11
50-64	7	6.3	51	1	1	2	10	18	20	20
65+	4	4.8	31	<1	<1	2	8	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	5.4	132	<1	<1	3	5	8	12	81
20-34	42	9.0	157	1	1	6	8	16	45	58
35-49	55	6.1	108	1	1	3	6	11	16	66
50-64	34	12.5	317	1	2	7	14	27	44	98
65+	77	12.8	162	2	3	9	15	25	38	74
B. *Operated*										
0-19 YRS	5	12.8	87	2	2	9	20	26	26	26
20-34	27	27.4	411	7	9	23	41	72	99+	99+
35-49	38	23.3	591	1	3	13	44	77	98	99+
50-64	27	16.6	358	2	2	10	27	69	99+	99+
65+	35	17.8	384	2	4	13	18	42	63	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	5.3	91	<1	1	3	6	8	15	51
B. *Operated*	26	8.5	149	<1	<1	4	11	22	32	58
2. MULTIPLE DX										
A. *Not Operated*	259	9.3	172	1	1	5	10	18	31	77
B. *Operated*	132	20.9	441	2	3	14	31	67	96	99+
1. SINGLE DX	53	6.9	119	<1	1	3	8	14	25	58
2. MULTIPLE DX	391	13.2	292	1	2	7	15	39	65	99+
A. NOT OPERATED	286	8.9	165	1	1	5	9	18	30	74
B. OPERATED	158	18.9	413	1	2	12	27	61	87	99+
TOTAL 0-19 YRS	74	5.4	102	<1	<1	3	5	9	17	69
20-34	84	15.2	316	1	1	8	19	54	67	99+
35-49	100	13.0	367	1	1	6	14	47	69	99+
50-64	69	13.4	305	1	2	7	17	37	71	99+
65+	117	14.0	229	2	3	10	16	28	45	84
GRAND TOTAL	**444**	**12.4**	**275**	**1**	**1**	**7**	**14**	**37**	**60**	**99+**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	6.3	126	<1	<1	3	4	23	36	36
20-34	1	3.0		3	3	3	3	3	3	3
35-49	4	8.8	25	2	2	10	12	13	13	13
50-64	2	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	4	3.5	3	2	2	3	5	6	6	6
20-34	4	3.3	3	1	1	3	4	5	5	5
35-49	3	6.0	61	<1	<1	2	12	15	15	15
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	5.7	16	2	2	5	8	12	12	12
20-34	5	3.8	7	1	1	4	5	8	8	8
35-49	4	9.8	71	2	2	9	17	18	18	18
50-64	2	9.0	2	8	8	9	10	10	10	10
65+	6	9.2	39	1	1	9	15	16	16	16
B. *Operated*										
0-19 YRS	6	6.0	38	1	1	4	8	16	17	17
20-34	6	5.2	9	2	2	5	8	9	9	9
35-49	6	7.2	52	<1	<1	5	14	17	17	17
50-64	1	27.0		27	27	27	27	27	27	27
65+	5	7.0	12	3	3	8	9	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	6.4	75	<1	1	4	6	13	29	36
B. *Operated*	13	4.6	17	<1	1	3	5	12	14	15
2. MULTIPLE DX										
A. *Not Operated*	23	7.2	30	1	2	5	11	16	17	18
B. *Operated*	24	7.2	42	<1	1	6	9	17	20	27
1. SINGLE DX	29	5.6	48	<1	1	4	5	13	16	36
2. MULTIPLE DX	47	7.2	35	1	1	6	10	16	17	27
A. NOT OPERATED	39	6.9	47	1	1	4	10	15	17	36
B. OPERATED	37	6.3	34	<1	1	4	9	15	17	27
TOTAL 0-19 YRS	25	5.6	55	<1	1	3	7	12	22	36
20-34	16	4.1	6	1	1	4	5	8	9	9
35-49	17	7.9	44	<1	<1	8	14	17	18	18
50-64	6	9.5	80	4	4	6	10	25	27	27
65+	12	8.4	24	1	2	8	12	15	16	16
GRAND TOTAL	**76**	**6.6**	**40**	**1**	**1**	**4**	**9**	**15**	**17**	**34**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	4.8	12	<1	1	4	6	11	13	13
20-34	16	8.9	92	1	2	5	7	27	31	33
35-49	18	6.4	31	1	1	6	7	13	20	24
50-64	10	6.7	16	2	2	6	8	13	15	15
65+	3	16.3	574	2	2	3	34	44	44	44
B. *Operated*										
0-19 YRS	6	10.8	141	<1	<1	8	12	31	33	33
20-34	108	4.2	15	1	1	2	5	9	13	18
35-49	81	4.6	35	<1	1	2	5	11	22	25
50-64	28	4.6	20	1	1	3	6	12	14	19
65+	8	7.5	99	1	1	3	8	25	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	5.2	8	2	2	4	7	9	11	14
20-34	71	10.9	73	2	3	9	15	24	30	37
35-49	94	10.1	53	1	2	9	14	21	24	28
50-64	43	11.2	105	2	3	9	15	17	25	61
65+	42	8.8	83	2	3	7	9	13	37	43
B. *Operated*										
0-19 YRS	4	18.0	135	<1	<1	22	25	26	26	26
20-34	219	17.9	234	2	2	16	23	36	45	84
35-49	215	17.3	164	2	3	15	23	36	46	58
50-64	87	14.2	187	1	2	10	21	31	46	67
65+	34	19.8	318	3	5	14	27	42	48	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	7.3	63	1	1	5	7	15	25	43
B. *Operated*	231	4.7	29	1	1	2	5	11	17	26
2. MULTIPLE DX										
A. *Not Operated*	281	9.7	68	1	2	7	13	20	26	39
B. *Operated*	559	17.2	204	1	2	15	23	36	45	77
1. SINGLE DX	291	5.2	37	1	1	3	6	12	19	32
2. MULTIPLE DX	840	14.7	171	1	2	12	20	31	40	61
A. NOT OPERATED	341	9.3	68	1	2	7	12	20	26	40
B. OPERATED	790	13.5	185	1	2	10	20	31	39	62
TOTAL 0-19 YRS	54	6.6	42	<1	2	5	7	13	24	33
20-34	414	12.8	177	1	2	8	19	28	37	67
35-49	408	12.6	134	1	1	10	18	27	37	55
50-64	168	11.4	140	1	2	8	16	23	35	63
65+	87	13.2	213	2	3	8	14	32	43	76
GRAND TOTAL	**1131**	**12.2**	**154**	**1**	**2**	**8**	**17**	**27**	**36**	**60**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34										
35-49	3	6.3	26	2	2	5	10	12	12	12
50-64	1	5.0		5	5	5	5	5	5	5
65+	3	4.7	14	2	2	3	7	9	9	9
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	4	4.3	4	2	2	4	6	7	7	7
35-49										
50-64	1	10.0		10	10	10	10	10	10	10
65+	2	7.0	72	1	1	7	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	9	4.8	13	1	1	4	6	11	12	12
B. *Operated*	8	6.9	25	1	1	6	11	14	14	14
1. SINGLE DX	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX	17	5.8	18	1	1	4	9	13	14	14
A. NOT OPERATED	10	4.6	12	1	1	4	5	10	12	12
B. OPERATED	8	6.9	25	1	1	6	11	14	14	14
TOTAL 0-19 YRS	4	5.5	34	1	1	3	9	14	14	14
20-34	4	4.3	4	2	2	4	6	7	7	7
35-49	3	6.3	26	2	2	5	10	12	12	12
50-64	2	7.5	13	5	5	7	10	10	10	10
65+	5	5.6	27	1	1	3	10	13	13	13
GRAND TOTAL	**18**	**5.6**	**18**	**1**	**1**	**4**	**9**	**13**	**14**	**14**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	5	7.0	126	<1	<1	2	9	27	27	27
50-64	21	9.1	218	1	2	7	8	11	39	72
65+	10	5.0	14	<1	<1	4	8	10	12	12
B. *Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	13	3.5	5	<1	1	3	5	7	8	8
35-49	67	6.3	66	1	1	3	8	12	24	48
50-64	164	5.2	33	<1	1	3	6	12	16	31
65+	173	5.3	36	1	1	3	5	13	19	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	4.3	6	1	1	4	6	7	7	7
35-49	28	9.3	82	1	2	7	10	23	33	38
50-64	123	10.0	149	1	2	7	10	19	33	71
65+	133	12.6	217	1	3	8	14	28	51	87
B. *Operated*										
0-19 YRS										
20-34	19	10.5	152	<1	1	5	14	33	40	42
35-49	95	14.9	189	1	2	11	21	30	41	63
50-64	453	13.2	198	1	2	9	18	33	44	96
65+	519	12.0	192	1	2	7	15	30	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	7.6	142	<1	1	5	8	12	22	72
B. *Operated*	419	5.3	39	<1	1	3	6	12	18	31
2. MULTIPLE DX										
A. *Not Operated*	289	11.0	173	1	2	7	11	23	37	80
B. *Operated*	1086	12.7	194	1	2	8	17	31	44	95
1. SINGLE DX	456	5.5	47	<1	1	3	7	12	18	32
2. MULTIPLE DX	1375	12.4	190	1	2	8	16	30	43	87
A. NOT OPERATED	326	10.6	170	1	2	7	11	23	36	79
B. OPERATED	1505	10.7	162	1	1	6	14	27	38	77
TOTAL 0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	37	7.2	90	<1	1	4	7	19	34	42
35-49	195	10.9	144	1	2	7	15	26	36	62
50-64	761	10.9	165	1	1	6	14	27	37	80
65+	835	10.6	169	1	2	6	13	25	39	85
GRAND TOTAL	**1831**	**10.7**	**163**	**1**	**2**	**6**	**14**	**26**	**38**	**78**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	9.3	36	3	3	10	14	15	15	15
50-64	6	19.2	681	<1	<1	10	22	65	70	70
65+	7	11.4	123	2	2	8	15	31	34	34
B. *Operated*										
0-19 YRS										
20-34										
35-49	11	13.2	139	1	2	10	18	32	39	40
50-64	34	13.2	319	<1	1	7	17	31	48	90
65+	39	7.5	39	<1	1	5	11	17	20	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	18	12.0	95	3	4	11	13	19	37	47
50-64	79	8.4	46	1	2	6	11	15	22	34
65+	93	11.4	149	2	3	7	14	25	42	89
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34										
35-49	53	18.6	191	4	4	16	26	37	51	65
50-64	166	19.2	231	2	4	16	26	39	52	99+
65+	272	19.0	279	3	4	14	25	41	57	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	13.9	299	<1	1	9	16	33	59	70
B. *Operated*	84	10.5	170	1	1	7	15	22	32	77
2. MULTIPLE DX										
A. *Not Operated*	190	10.2	103	2	2	8	13	20	34	67
B. *Operated*	492	19.0	252	3	4	15	26	40	56	93
1. SINGLE DX	100	11.1	189	<1	1	7	15	23	36	80
2. MULTIPLE DX	682	16.6	226	2	3	12	22	37	50	88
A. NOT OPERATED	206	10.5	118	2	2	8	13	21	34	72
B. OPERATED	576	17.8	249	2	3	14	24	39	53	89
TOTAL 0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34										
35-49	85	16.2	165	3	4	13	24	29	42	61
50-64	285	15.5	219	1	2	12	22	34	46	96
65+	411	16.1	242	2	3	11	21	37	53	81
GRAND TOTAL	**782**	**15.9**	**224**	**2**	**3**	**12**	**22**	**35**	**49**	**88**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	7	7.0	78	<1	<1	4	10	22	25	25
65+	14	8.9	53	<1	<1	7	16	21	21	21
B. *Operated*										
0-19 YRS										
20-34	1	10.0		10	10	10	10	10	10	10
35-49	10	10.1	89	<1	1	7	14	25	31	31
50-64	44	11.1	46	1	1	11	14	23	24	29
65+	60	13.2	99	1	3	11	16	24	33	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	13.0	147	5	5	8	20	31	31	31
35-49	12	8.1	28	2	2	8	11	15	18	19
50-64	82	9.7	96	1	2	7	12	20	26	59
65+	241	10.1	100	1	2	7	12	22	29	57
B. *Operated*										
0-19 YRS	3	20.7	134	13	13	15	29	34	34	34
20-34	17	16.5	112	2	4	15	19	35	40	41
35-49	56	14.0	94	2	3	12	19	25	31	54
50-64	304	17.5	155	4	6	15	21	29	39	78
65+	771	19.7	196	5	7	17	24	36	47	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	7.8	56	<1	<1	5	12	21	23	25
B. *Operated*	115	12.1	77	1	2	10	15	23	30	48
2. MULTIPLE DX										
A. *Not Operated*	339	9.9	96	1	2	7	12	21	29	57
B. *Operated*	1151	18.8	181	4	6	16	23	34	45	84
1. SINGLE DX	138	11.4	75	<1	1	10	15	22	28	47
2. MULTIPLE DX	1490	16.8	175	3	4	14	22	32	43	75
A. NOT OPERATED	362	9.8	94	1	2	7	12	21	29	56
B. OPERATED	1266	18.2	175	3	6	15	23	33	45	81
TOTAL 0-19 YRS	4	16.5	159	4	4	14	24	34	34	34
20-34	22	15.6	110	3	4	13	18	33	39	41
35-49	79	12.5	87	2	2	10	17	24	31	48
50-64	437	15.2	143	2	4	13	18	27	36	71
65+	1086	17.1	185	3	4	14	22	33	45	76
GRAND TOTAL	**1628**	**16.3**	**169**	**2**	**4**	**13**	**21**	**31**	**42**	**73**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	11.0		11	11	11	11	11	11	11
50-64	1	12.0		12	12	12	12	12	12	12
65+	6	18.5	117	7	7	14	31	33	33	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	6	2.8	9	1	1	2	2	8	9	9
50-64	17	7.9	85	1	2	4	11	17	31	38
65+	12	12.1	141	3	3	8	15	27	43	46
B. *Operated*										
0-19 YRS										
20-34	4	14.0	45	7	7	13	18	23	23	23
35-49	15	19.7	306	8	8	12	24	34	65	76
50-64	60	20.9	213	6	8	15	27	43	53	66
65+	101	22.2	237	7	8	18	28	46	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	8	16.8	94	7	8	13	23	32	33	33
2. MULTIPLE DX										
A. *Not Operated*	35	8.5	98	1	2	5	10	17	33	46
B. *Operated*	180	21.4	229	7	8	17	28	45	59	94
1. SINGLE DX	9	15.1	106	2	4	12	19	32	33	33
2. MULTIPLE DX	215	19.3	230	2	6	15	25	41	56	87
A. NOT OPERATED	36	8.3	96	1	2	4	10	17	32	46
B. OPERATED	188	21.2	224	7	8	16	28	44	57	92
TOTAL 0-19 YRS										
20-34	4	14.0	45	7	7	13	18	23	23	23
35-49	22	14.7	265	1	2	11	17	30	51	76
50-64	79	17.8	211	2	3	12	25	38	50	65
65+	119	21.0	229	6	8	16	28	45	59	99+
GRAND TOTAL	**224**	**19.1**	**225**	**2**	**6**	**14**	**25**	**40**	**55**	**85**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	3	4.0	13	1	1	3	7	8	8	8
50-64	14	7.1	38	<1	1	4	12	18	18	18
65+	21	4.4	20	<1	<1	3	6	10	16	19
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	5	7.8	16	2	2	8	11	12	12	12
35-49	55	9.9	11	6	7	10	12	14	15	20
50-64	264	10.3	22	2	6	10	12	16	19	27
65+	482	11.7	33	2	7	11	13	18	22	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	6.3	47	<1	<1	4	11	16	16	16
35-49	28	5.8	16	1	1	4	9	12	13	16
50-64	160	6.9	29	1	1	5	9	14	19	23
65+	508	10.2	120	1	2	7	12	22	31	58
B. *Operated*										
0-19 YPS	5	8.4	29	<1	<1	9	11	16	16	16
20-34	26	19.6	240	<1	5	15	26	39	51	67
35-49	222	14.6	72	7	8	12	18	24	30	48
50-64	1439	14.2	82	6	8	12	16	23	30	56
65+	4673	17.8	137	7	9	15	21	32	43	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	5.4	26	<1	1	3	8	14	18	19
B. *Operated*	807	11.1	28	2	7	10	13	17	21	30
2. MULTIPLE DX										
A. *Not Operated*	700	9.2	97	1	2	6	11	19	27	49
B. *Operated*	6365	16.9	125	7	8	14	20	30	40	74
1. SINGLE DX	846	10.8	30	2	5	10	13	17	20	30
2. MULTIPLE DX	7065	16.1	127	4	7	13	19	29	39	74
A. NOT OPERATED	739	9.0	94	1	2	6	11	19	27	48
B. OPERATED	7172	16.2	117	6	8	13	19	28	38	73
TOTAL 0-19 YRS	6	7.7	26	<1	<1	8	9	15	16	16
20-34	36	16.1	211	<1	2	11	20	37	45	67
35-49	308	12.9	65	3	6	11	16	22	26	44
50-64	1877	12.9	74	3	6	11	15	22	28	52
65+	5684	16.5	133	4	7	13	20	30	40	76
GRAND TOTAL	**7911**	**15.5**	**120**	**4**	**7**	**13**	**19**	**28**	**37**	**70**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	20.0		20	20	20	20	20	20	20
35-49	5	4.8	11	<1	<1	5	7	9	9	9
50-64	11	3.5	7	1	1	3	5	7	9	9
65+	19	4.8	17	<1	1	4	7	9	14	18
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	4	9.8	31	2	2	11	13	15	15	15
35-49	44	9.4	31	1	2	9	13	17	19	20
50-64	215	10.7	30	2	3	11	13	17	19	26
65+	335	11.7	58	1	2	12	15	21	26	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	7.7	69	1	1	5	14	17	17	17
35-49	25	6.1	21	1	2	5	8	13	16	20
50-64	133	9.0	73	1	2	6	12	20	25	50
65+	319	10.4	115	1	2	7	13	21	31	51
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	20	13.6	126	3	3	11	16	23	39	54
35-49	141	14.0	87	3	5	12	16	27	38	53
50-64	876	15.3	83	4	7	13	18	26	33	53
65+	2210	17.4	146	3	5	15	22	33	42	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	4.7	19	<1	1	3	6	9	15	20
B. *Operated*	599	11.2	46	1	2	11	14	19	22	32
2. MULTIPLE DX										
A. *Not Operated*	481	9.7	99	1	2	6	12	20	29	50
B. *Operated*	3248	16.7	127	3	5	14	20	31	40	73
1. SINGLE DX	636	10.8	47	1	2	11	14	18	22	31
2. MULTIPLE DX	3729	15.8	129	3	4	13	20	30	39	69
A. NOT OPERATED	518	9.4	95	1	2	6	12	20	28	50
B. OPERATED	3847	15.8	119	3	5	13	19	29	38	69
TOTAL 0-19 YRS	4	5.5	28	<1	<1	4	9	13	13	13
20-34	28	12.6	104	2	3	11	16	21	28	54
35-49	215	12.0	75	2	3	11	15	20	31	49
50-64	1235	13.7	79	3	4	12	17	23	31	50
65+	2883	15.9	139	2	4	14	20	30	40	72
GRAND TOTAL	**4365**	**15.1**	**120**	**2**	**4**	**13**	**19**	**28**	**38**	**65**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49	2	7.5	1	7	7	7	8	8	8	8
50-64	7	5.0	4	3	3	5	7	8	8	8
65+	17	4.9	27	<1	1	3	7	11	17	21
B. *Operated*										
0-19 YRS	4	9.8	18	7	7	8	12	16	16	16
20-34	2	5.0	18	2	2	5	8	8	8	8
35-49	16	5.7	18	1	1	5	7	10	16	18
50-64	33	12.1	90	2	2	11	14	28	32	41
65+	51	9.4	82	1	1	8	14	23	28	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	5.0	11	1	1	5	6	10	10	10
20-34	3	3.0	3	1	1	4	4	4	4	4
35-49	20	8.7	21	2	2	9	11	15	16	17
50-64	53	8.4	53	1	1	6	12	17	21	33
65+	144	10.6	113	2	3	8	13	21	28	70
B. *Operated*										
0-19 YRS	4	12.0	63	4	4	10	17	23	23	23
20-34	6	14.2	83	2	3	13	22	26	26	26
35-49	50	16.6	171	3	4	13	23	35	45	55
50-64	175	16.6	166	4	5	14	20	29	39	73
65+	467	18.6	150	4	6	16	23	34	41	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	5.1	18	1	1	3	7	9	12	21
B. *Operated*	106	9.6	74	1	1	8	13	22	28	39
2. MULTIPLE DX										
A. *Not Operated*	225	9.7	89	1	2	7	12	20	25	45
B. *Operated*	702	17.9	155	4	5	15	22	33	40	71
1. SINGLE DX	133	8.7	66	1	1	6	11	19	27	38
2. MULTIPLE DX	927	15.9	151	2	4	13	20	31	37	68
A. NOT OPERATED	252	9.2	83	1	2	7	12	19	24	37
B. OPERATED	808	16.8	152	2	4	15	22	32	38	66
TOTAL 0-19 YRS	14	8.2	33	1	3	7	10	17	22	23
20-34	11	9.5	73	1	1	8	15	24	26	26
35-49	88	12.6	126	2	3	9	17	30	36	53
50-64	268	14.1	143	2	3	11	18	27	34	65
65+	679	15.8	151	2	3	14	21	31	37	69
GRAND TOTAL	**1060**	**15.0**	**146**	**2**	**3**	**12**	**20**	**30**	**36**	**66**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	4.5	2	3	3	4	5	6	6	6
50-64	10	7.3	20	1	1	8	9	13	15	15
65+	20	7.3	39	1	2	6	9	13	22	28
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34										
35-49	1	9.0		9	9	9	9	9	9	9
50-64	31	9.1	38	1	2	8	13	16	21	27
65+	38	12.2	156	1	1	9	16	25	32	68
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	28	9.9	113	1	2	6	14	21	25	53
50-64	139	9.8	83	2	2	7	12	22	27	58
65+	292	9.9	74	2	3	8	12	20	26	44
B. *Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	1	27.0		27	27	27	27	27	27	27
35-49	47	16.8	226	2	4	12	19	39	51	71
50-64	295	18.5	187	3	6	16	23	33	46	93
65+	722	20.1	192	4	7	17	26	38	48	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	6.9	29	1	2	6	9	12	16	28
B. *Operated*	71	10.7	101	1	2	9	15	21	27	61
2. MULTIPLE DX										
A. *Not Operated*	462	9.9	78	2	3	7	12	20	26	53
B. *Operated*	1067	19.5	192	4	6	16	25	37	47	82
1. SINGLE DX	105	9.5	80	1	2	8	13	18	26	49
2. MULTIPLE DX	1529	16.6	177	3	4	13	22	34	44	78
A. NOT OPERATED	496	9.7	76	2	3	7	12	20	26	52
B. OPERATED	1138	18.9	191	3	6	16	24	36	47	81
TOTAL 0-19 YRS	4	4.5	20	1	1	3	7	11	11	11
20-34	3	12.0	169	4	4	5	21	27	27	27
35-49	80	13.7	186	2	3	10	16	32	49	66
50-64	475	15.1	162	2	3	12	20	29	41	88
65+	1072	16.8	178	2	4	13	22	34	43	77
GRAND TOTAL	**1634**	**16.1**	**174**	**2**	**4**	**13**	**21**	**33**	**43**	**77**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	3.7	1	3	3	3	5	5	5	5
35-49	13	3.2	5	<1	1	2	5	7	7	7
50-64	98	6.2	92	1	1	4	6	13	18	58
65+	84	7.7	141	1	1	5	9	18	23	76
B. *Operated*										
0-19 YRS										
20-34	8	7.4	14	<1	1	8	9	12	14	14
35-49	78	8.5	60	1	1	7	11	18	23	42
50-64	387	8.6	45	1	2	8	12	18	22	30
65+	400	8.1	48	1	1	7	11	17	20	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	9.7	42	3	3	10	14	16	16	16
20-34	13	11.8	144	1	2	5	19	30	35	36
35-49	240	7.5	81	1	1	5	9	17	24	49
50-64	1142	9.2	96	1	2	6	11	20	27	55
65+	1713	10.6	106	2	2	8	14	22	31	62
B. *Operated*										
0-19 YRS	3	12.3	86	2	2	15	19	20	20	20
20-34	29	12.3	213	2	2	9	11	28	44	71
35-49	412	13.3	106	2	3	11	18	25	33	52
50-64	2444	13.1	111	2	3	11	16	25	32	55
65+	3474	14.5	135	2	3	12	18	28	37	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	198	6.6	107	1	1	4	7	14	21	58
B. *Operated*	873	8.3	47	1	1	7	11	17	21	32
2. MULTIPLE DX										
A. *Not Operated*	3111	9.9	101	1	2	7	13	21	29	59
B. *Operated*	6362	13.8	125	2	3	11	18	27	35	60
1. SINGLE DX	1071	8.0	59	1	1	6	11	17	21	35
2. MULTIPLE DX	9473	12.5	120	2	3	10	16	25	34	59
A. NOT OPERATED	3309	9.7	102	1	2	7	12	21	29	59
B. OPERATED	7235	13.2	118	2	3	11	17	26	34	57
TOTAL 0-19 YRS	6	11.0	54	2	2	12	16	20	20	20
20-34	53	11.0	156	1	2	8	12	27	35	70
35-49	743	10.7	99	1	2	8	14	22	31	48
50-64	4071	11.4	104	1	2	9	15	23	30	54
65+	5671	12.7	125	2	3	10	17	26	34	61
GRAND TOTAL	**10544**	**12.1**	**116**	**2**	**2**	**9**	**16**	**24**	**32**	**58**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	7.3		7	7	7	8	8	8	8
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64	12	4.3	10	<1	1	3	7	9	10	10
65+	22	5.3	46	<1	1	2	7	14	23	27
B. *Operated*										
0-19 YRS	3	4.7	2	3	3	5	6	6	6	6
20-34	13	6.8	22	1	2	5	10	14	15	15
35-49	42	7.0	70	<1	1	4	9	16	19	47
50-64	164	7.4	68	<1	<1	2	13	19	24	39
65+	157	6.1	51	<1	1	2	10	16	21	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	8.8	108	<1	<1	5	15	24	24	24
20-34	7	3.9	2	2	2	4	5	5	5	5
35-49	19	6.3	16	1	1	7	8	13	14	14
50-64	74	8.7	100	1	1	5	11	21	30	49
65+	92	11.3	155	2	3	7	14	22	32	74
B. *Operated*										
0-19 YRS	6	6.2	16	3	3	4	9	13	13	13
20-34	7	15.1	373	1	1	8	19	49	56	56
35-49	63	14.0	110	1	2	12	20	30	35	40
50-64	318	14.0	136	1	2	12	19	28	36	56
65+	419	14.2	227	1	2	10	20	31	45	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	5.1	28	<1	1	3	7	10	16	27
B. *Operated*	379	6.8	59	<1	1	2	11	17	21	36
2. MULTIPLE DX										
A. *Not Operated*	196	9.5	117	1	1	6	12	22	30	47
B. *Operated*	813	14.1	182	1	2	11	19	30	39	75
1. SINGLE DX	419	6.6	56	<1	1	3	10	16	21	34
2. MULTIPLE DX	1009	13.2	172	1	2	10	18	29	38	70
A. NOT OPERATED	236	8.7	105	1	1	6	10	21	27	45
B. OPERATED	1192	11.8	154	1	1	9	17	26	36	63
TOTAL 0-19 YRS	14	6.4	35	1	2	4	6	14	22	24
20-34	30	8.1	104	1	2	5	9	15	20	56
35-49	126	10.4	93	1	1	8	14	24	31	42
50-64	568	11.2	119	1	1	9	16	26	32	51
65+	690	11.7	183	1	1	8	16	27	37	89
GRAND TOTAL	**1428**	**11.3**	**147**	**1**	**1**	**8**	**16**	**26**	**33**	**60**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	1.8	1	<1	<1	1	3	4	4	4
20-34	6	3.3	9	<1	<1	2	6	8	8	8
35-49	6	5.8	8	1	1	6	8	9	9	9
50-64	5	3.2	5	2	2	2	4	7	7	7
65+	6	9.0	117	1	1	6	9	28	30	30
B. *Operated*										
0-19 YRS	41	6.0	25	<1	1	5	9	14	16	19
20-34	32	5.1	20	1	1	3	7	13	15	16
35-49	52	5.0	15	<1	1	4	8	9	10	22
50-64	52	8.4	110	1	2	6	9	22	33	99
65+	84	6.7	49	<1	1	5	7	14	19	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	5.4	47	<1	<1	3	5	12	26	29
20-34	13	6.2	39	<1	<1	4	9	18	20	20
35-49	15	7.1	53	1	1	4	8	17	25	28
50-64	28	6.9	20	1	2	6	9	14	15	16
65+	56	11.2	117	1	3	8	15	29	37	97
B. *Operated*										
0-19 YRS	34	12.8	158	2	2	10	16	20	40	65
20-34	15	20.5	639	1	2	7	26	64	73	76
35-49	35	10.6	120	1	1	8	13	30	37	43
50-64	83	14.2	169	2	3	10	17	27	44	62
65+	168	16.5	257	2	2	11	22	44	58	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	4.0	26	<1	1	2	6	8	9	30
B. *Operated*	261	6.4	48	1	1	4	8	13	19	40
2. MULTIPLE DX										
A. *Not Operated*	142	8.2	74	1	1	6	11	18	28	61
B. *Operated*	335	15.1	229	1	2	10	19	38	53	71
1. SINGLE DX	299	6.1	46	1	1	4	8	13	18	38
2. MULTIPLE DX	477	13.1	193	1	2	8	17	33	47	70
A. NOT OPERATED	180	7.3	66	<1	1	5	9	17	28	52
B. OPERATED	596	11.3	168	1	2	7	14	27	43	68
TOTAL 0-19 YRS	120	7.3	77	<1	1	4	10	17	20	50
20-34	66	8.7	197	1	1	4	9	17	34	74
35-49	108	7.2	59	1	1	5	9	15	23	40
50-64	168	10.9	132	1	2	7	13	24	34	64
65+	314	12.8	190	1	2	7	16	36	48	80
GRAND TOTAL	**776**	**10.4**	**147**	**1**	**1**	**6**	**13**	**24**	**39**	**66**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	9	4.7	12	1	1	3	8	9	10	10
65+										
B. *Operated*										
0-19 YRS	3	7.3	10	5	5	6	10	11	11	11
20-34	49	4.0	6	<1	1	3	6	7	8	11
35-49	120	4.8	16	<1	1	4	7	9	12	21
50-64	126	4.5	12	<1	1	3	6	9	10	18
65+	96	5.1	28	<1	1	3	6	11	13	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	11.0	166	<1	<1	7	16	33	33	33
35-49	14	7.6	71	1	1	4	10	18	30	33
50-64	17	11.9	100	2	2	9	21	28	31	32
65+	17	5.5	21	1	2	4	8	14	16	16
B. *Operated*										
0-19 YRS	3	13.3	120	1	1	17	21	22	22	22
20-34	21	5.5	15	<1	1	6	9	11	11	12
35-49	66	6.1	49	1	1	4	7	11	18	44
50-64	110	6.9	48	1	1	6	9	14	17	37
65+	176	8.5	78	2	2	6	11	17	23	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	4.0	9	1	1	3	6	9	10	10
B. *Operated*	394	4.7	16	<1	1	3	6	9	11	22
2. MULTIPLE DX										
A. *Not Operated*	54	8.6	75	1	2	5	11	22	31	33
B. *Operated*	376	7.5	62	1	1	6	9	16	21	42
1. SINGLE DX	407	4.7	16	<1	1	3	6	9	11	21
2. MULTIPLE DX	430	7.6	63	1	1	6	10	16	21	38
A. NOT OPERATED	67	7.7	65	1	1	4	10	20	29	33
B. OPERATED	770	6.1	40	1	1	4	8	12	17	29
TOTAL 0-19 YRS	7	9.0	65	1	1	6	15	21	22	22
20-34	77	4.8	20	<1	1	4	7	10	11	27
35-49	202	5.4	31	<1	1	4	7	10	16	29
50-64	262	6.0	36	1	1	4	8	11	16	29
65+	289	7.2	60	1	2	5	9	15	20	38
GRAND TOTAL	**837**	**6.2**	**42**	**1**	**1**	**4**	**8**	**12**	**17**	**32**

31: Other malignant neoplasm of skin, excluding genital organs (173)

				PERCENTILES						
TYPE OF PATIENT (1)	**TOTAL PATIENTS (2)**	**AVG. STAY (3)**	**VARIANCE (4)**	**5TH (5)**	**10TH (6)**	**50TH (7)**	**75TH (8)**	**90TH (9)**	**95TH (10)**	**99TH (11)**
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+	8	8.9	198	<1	<1	4	7	33	43	43
B. *Operated*										
0-19 YRS	8	2.0	6	<1	<1	1	2	6	8	8
20-34	30	2.1	3	<1	<1	1	2	5	6	6
35-49	100	2.3	5	<1	<1	2	3	4	8	11
50-64	210	3.0	23	<1	<1	1	3	6	9	31
65+	408	2.7	9	<1	<1	2	3	6	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	15.0	557	2	2	6	8	57	63	63
35-49	11	11.3	117	1	3	8	13	27	39	40
50-64	12	7.2	48	<1	1	5	7	21	22	22
65+	45	9.3	78	<1	1	6	14	21	30	33
B. *Operated*										
0-19 YRS	5	7.8	78	2	2	4	12	23	23	23
20-34	24	11.1	146	1	1	4	17	32	36	38
35-49	60	5.3	49	<1	<1	2	6	15	21	36
50-64	216	5.0	65	<1	<1	2	6	10	18	43
65+	768	6.1	80	<1	1	3	7	14	21	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	8.2	177	<1	<1	4	7	29	43	43
B. *Operated*	756	2.7	12	<1	<1	2	3	6	9	15
2. MULTIPLE DX										
A. *Not Operated*	74	9.7	112	<1	1	6	13	21	31	57
B. *Operated*	1073	6.0	77	<1	1	3	7	14	22	48
1. SINGLE DX	765	2.8	14	<1	<1	2	3	6	9	15
2. MULTIPLE DX	1147	6.2	80	<1	1	3	7	15	23	48
A. NOT OPERATED	83	9.5	117	<1	1	6	13	21	32	56
B. OPERATED	1829	4.6	53	<1	<1	2	5	10	17	39
TOTAL 0-19 YRS	13	4.2	38	<1	<1	2	5	11	21	23
20-34	60	7.0	131	<1	<1	2	6	21	33	60
35-49	171	4.0	32	<1	<1	2	4	10	14	34
50-64	439	4.1	45	<1	<1	2	4	9	14	36
65+	1229	5.1	60	<1	<1	2	6	11	18	43
GRAND TOTAL	**1912**	**4.8**	**57**	**<1**	**<1**	**2**	**5**	**11**	**18**	**41**

32: Malignant neoplasm of breast (female) (male) (174-175)

				PERCENTILES						
TYPE OF PATIENT (1)	**TOTAL PATIENTS (2)**	**AVG. STAY (3)**	**VARIANCE (4)**	**5TH (5)**	**10TH (6)**	**50TH (7)**	**75TH (8)**	**90TH (9)**	**95TH (10)**	**99TH (11)**
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0	8	<1	<1	2	5	5	5	5
35-49	9	4.1	5	2	2	3	6	7	8	8
50-64	12	5.4	8	<1	1	6	7	9	11	11
65+	15	3.5	5	<1	1	3	5	7	8	8
B. *Operated*										
0-19 YRS	4	3.0	5	1	1	3	5	5	5	5
20-34	101	4.7	7	<1	1	5	7	8	9	12
35-49	672	4.9	7	<1	1	5	7	8	9	11
50-64	1038	5.5	8	1	2	6	7	9	10	14
65+	1170	5.9	9	1	2	6	7	9	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	5.4	13	1	1	4	9	10	10	10
35-49	75	8.7	81	1	1	7	10	22	29	42
50-64	201	10.7	118	1	2	7	14	21	32	56
65+	289	10.3	105	1	2	8	13	22	30	72
B. *Operated*										
0-19 YRS	5	8.8	13	6	6	8	10	15	15	15
20-34	114	6.1	18	1	2	6	7	9	11	27
35-49	902	6.8	27	2	2	6	8	10	13	27
50-64	2066	7.4	28	2	3	7	9	12	16	32
65+	3352	8.7	57	2	3	7	10	14	19	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	4.2	6	<1	1	4	6	8	8	11
B. *Operated*	2985	5.5	8	1	2	6	7	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	572	10.2	105	1	2	7	13	22	30	59
B. *Operated*	6439	8.0	44	2	3	7	9	13	17	38
1. SINGLE DX	3023	5.5	8	1	2	5	7	9	10	14
2. MULTIPLE DX	7011	8.2	49	2	3	7	9	13	19	42
A. NOT OPERATED	610	9.8	101	1	2	7	12	21	30	58
B. OPERATED	9424	7.2	34	2	2	6	8	11	15	32
TOTAL 0-19 YRS	9	6.2	18	1	1	6	8	12	15	15
20-34	224	5.4	13	1	1	5	7	9	10	22
35-49	1658	6.1	22	1	2	6	8	10	12	26
50-64	3317	7.0	29	1	2	6	8	11	15	31
65+	4826	8.1	50	2	3	7	9	13	18	42
GRAND TOTAL	**10034**	**7.4**	**38**	**2**	**2**	**6**	**9**	**12**	**16**	**35**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	3.5	3	1	1	3	5	6	6	6
35-49	8	3.6	1	3	3	4	4	5	5	5
50-64	24	3.5	2	1	2	3	4	5	6	6
65+	12	5.8	65	<1	1	4	5	13	28	31
B. *Operated*										
0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34	72	4.6	18	<1	1	3	6	13	15	15
35-49	83	5.0	14	1	2	4	7	9	12	21
50-64	74	4.3	10	1	1	3	5	9	11	14
65+	39	3.9	11	<1	<1	3	4	9	12	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.6	3	2	2	4	5	6	6	6
20-34	13	10.2	107	<1	1	6	13	30	33	34
35-49	29	6.7	81	1	1	4	7	15	19	48
50-64	64	7.5	52	1	1	5	9	17	23	39
65+	66	8.7	105	1	2	5	11	21	38	92
B. *Operated*										
0-19 YRS	3	8.3	16	4	4	9	11	12	12	12
20-34	73	9.9	124	1	2	7	12	17	41	59
35-49	159	9.1	71	1	2	7	12	21	28	44
50-64	181	8.3	78	1	2	6	10	17	26	61
65+	161	11.1	185	1	2	7	13	23	40	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	4.0	17	1	2	3	4	5	6	31
B. *Operated*	270	4.5	14	1	1	3	6	10	13	15
2. MULTIPLE DX										
A. *Not Operated*	177	7.9	79	1	2	5	9	18	29	53
B. *Operated*	577	9.5	112	1	2	7	11	21	30	63
1. SINGLE DX	320	4.4	14	1	1	3	5	9	12	16
2. MULTIPLE DX	754	9.1	105	1	2	6	11	20	30	62
A. NOT OPERATED	227	7.0	68	1	2	4	7	17	26	50
B. OPERATED	847	7.9	86	1	1	5	10	16	23	55
TOTAL 0-19 YRS	10	4.8	12	<1	1	4	6	10	12	12
20-34	164	7.3	78	1	1	4	10	14	21	47
35-49	279	7.5	56	1	2	5	9	16	23	43
50-64	343	6.9	57	1	1	4	9	15	22	47
65+	278	9.3	142	1	2	5	11	21	35	77
GRAND TOTAL	**1074**	**7.7**	**82**	**1**	**2**	**5**	**9**	**16**	**24**	**53**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	5	3.4	1	2	2	4	4	4	4	4
50-64	19	4.3	38	1	1	3	4	5	18	29
65+	21	4.1	12	1	1	3	5	8	12	16
B. *Operated*										
0-19 YRS	3	10.7	58	4	4	9	16	19	19	19
20-34	13	4.9	8	<1	<1	6	7	8	9	9
35-49	59	5.5	12	<1	<1	6	7	9	11	17
50-64	183	5.9	10	<1	1	6	8	9	10	15
65+	220	5.8	13	<1	1	6	8	9	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49	6	7.7	83	<1	<1	5	9	23	25	25
50-64	39	5.9	38	1	1	4	8	14	18	30
65+	90	9.0	100	1	1	5	11	29	35	99+
B. *Operated*										
0-19 YRS	4	6.0	17	<1	<1	6	9	11	11	11
20-34	25	6.8	7	2	2	7	8	10	11	12
35-49	158	7.3	22	1	2	7	9	12	17	26
50-64	659	8.0	50	1	2	7	9	13	19	37
65+	992	8.7	45	1	2	8	10	16	20	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	4.0	20	1	1	3	4	7	9	29
B. *Operated*	478	5.8	12	<1	1	6	8	9	10	17
2. MULTIPLE DX										
A. *Not Operated*	136	8.0	82	1	1	5	10	24	32	99+
B. *Operated*	1838	8.3	44	1	2	7	10	14	19	35
1. SINGLE DX	525	5.6	13	<1	1	6	8	9	10	17
2. MULTIPLE DX	1974	8.3	47	1	2	7	10	15	20	38
A. NOT OPERATED	183	7.0	69	1	1	4	8	19	30	82
B. OPERATED	2316	7.8	39	1	2	7	9	13	18	33
TOTAL 0-19 YRS	8	7.4	33	<1	1	6	10	17	19	19
20-34	40	6.0	9	<1	1	6	8	9	10	12
35-49	228	6.8	21	1	1	7	8	11	15	25
50-64	900	7.4	42	1	1	7	9	12	17	34
65+	1323	8.2	44	1	2	7	10	15	20	38
GRAND TOTAL	**2499**	**7.7**	**41**	**1**	**2**	**7**	**9**	**14**	**18**	**35**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	14	2.0	1	<1	1	2	3	3	4	4
50-64	38	2.1	2	1	1	2	2	3	5	7
65+	16	6.6	87	1	1	3	8	12	31	39
B. *Operated*										
0-19 YRS	5	7.0	8	4	4	7	9	11	11	11
20-34	19	7.0	10	3	4	6	8	11	15	16
35-49	32	8.3	25	4	5	7	9	14	15	30
50-64	49	7.1	13	1	2	7	8	11	14	21
65+	35	10.3	31	5	5	8	12	18	20	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	2.5	2	1	1	2	3	4	4	4
35-49	41	4.0	13	<1	1	2	5	9	12	15
50-64	137	5.7	60	<1	1	3	6	13	19	52
65+	199	7.9	71	1	1	5	10	21	27	48
B. *Operated*										
0-19 YRS	4	6.3	9	3	3	6	8	10	10	10
20-34	47	8.2	19	4	5	6	8	14	18	23
35-49	182	11.9	76	5	6	10	14	19	26	72
50-64	418	13.7	95	5	6	11	16	25	31	58
65+	425	17.4	162	7	7	14	20	31	44	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	3.1	24	1	1	2	3	5	10	34
B. *Operated*	140	8.2	21	2	4	7	9	14	17	30
2. MULTIPLE DX										
A. *Not Operated*	382	6.6	61	1	1	4	8	16	25	47
B. *Operated*	1076	14.6	121	5	6	11	18	26	34	70
1. SINGLE DX	210	6.5	27	1	1	6	8	12	15	30
2. MULTIPLE DX	1458	12.5	118	2	2	10	16	24	31	66
A. NOT OPERATED	452	6.1	57	1	1	3	7	14	23	39
B. OPERATED	1216	13.8	114	5	6	11	17	25	33	68
TOTAL 0-19 YRS	10	6.3	8	3	3	6	8	10	11	11
20-34	72	7.4	17	2	4	6	8	14	18	22
35-49	269	9.7	68	1	2	8	12	16	20	53
50-64	642	10.8	92	1	2	9	14	21	28	52
65+	675	14.0	146	2	3	11	18	28	36	71
GRAND TOTAL	**1668**	**11.7**	**110**	**2**	**2**	**9**	**15**	**23**	**31**	**62**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	7.0	50	2	2	7	12	12	12	12
50-64										
65+	7	5.9	22	2	2	6	8	14	15	15
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	2.3		2	2	2	3	3	3	3
35-49	6	6.0	30	<1	<1	4	8	15	16	16
50-64	15	8.4	28	1	3	8	11	17	17	17
65+	34	7.2	48	1	2	4	10	18	23	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	7.8	11	4	4	8	10	11	11	11
35-49	2	8.5	13	6	6	8	11	11	11	11
50-64	6	13.3	212	2	2	8	21	37	39	39
65+	29	12.7	263	1	2	5	18	41	53	59
B. *Operated*										
0-19 YRS										
20-34	9	7.0	57	<1	1	4	8	19	26	26
35-49	22	16.9	259	3	4	15	19	29	51	79
50-64	42	12.2	110	2	3	10	16	23	36	51
65+	164	15.5	241	2	3	11	20	38	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	5.7	22	2	2	4	8	13	15	15
B. *Operated*	59	7.1	39	1	2	4	10	17	19	25
2. MULTIPLE DX										
A. *Not Operated*	41	12.1	215	1	2	6	13	34	51	59
B. *Operated*	237	14.7	215	2	3	10	19	35	46	99+
1. SINGLE DX	69	6.9	36	1	2	4	10	17	18	25
2. MULTIPLE DX	278	14.3	215	2	3	10	18	35	49	98
A. NOT OPERATED	51	10.8	182	2	2	6	12	29	48	59
B. OPERATED	296	13.2	189	2	2	9	17	28	43	96
TOTAL 0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	17	6.1	35	1	2	4	8	11	21	26
35-49	32	13.7	206	2	2	10	17	27	32	79
50-64	63	11.4	99	2	3	10	16	22	34	50
65+	234	13.7	218	2	2	9	17	35	49	99+
GRAND TOTAL	**347**	**12.9**	**188**	**2**	**2**	**9**	**17**	**29**	**43**	**93**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	4	3.3	10	1	1	2	5	8	8	8
65+	23	4.9	14	1	1	4	7	11	13	14
B. *Operated*										
0-19 YRS	3	8.3	56	4	4	4	14	17	17	17
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	5	2.2	1	1	1	2	3	4	4	4
50-64	265	5.8	26	<1	1	4	7	12	16	25
65+	829	5.5	17	1	1	5	7	10	14	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	12.0	161	1	1	8	20	30	30	30
20-34										
35-49	3	8.3	44	4	4	5	13	16	16	16
50-64	124	7.8	41	1	2	6	10	16	19	36
65+	676	10.0	104	2	2	7	13	20	28	71
B. *Operated*										
0-19 YRS	6	4.3	4	2	2	4	6	7	7	7
20-34										
35-49	8	12.6	260	3	3	8	10	39	52	52
50-64	700	9.2	77	1	2	7	11	17	22	46
65+	4208	9.8	73	2	3	8	12	19	24	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	4.5	13	1	1	3	7	10	12	14
B. *Operated*	1104	5.6	19	1	1	5	7	11	14	23
2. MULTIPLE DX										
A. *Not Operated*	807	9.7	95	1	2	7	12	20	27	66
B. *Operated*	4922	9.7	74	2	3	7	12	18	24	50
1. SINGLE DX	1132	5.6	19	1	1	5	7	11	14	22
2. MULTIPLE DX	5729	9.7	77	2	3	7	12	19	24	52
A. NOT OPERATED	835	9.5	93	1	2	7	12	19	26	64
B. OPERATED	6026	8.9	67	2	2	7	11	17	23	43
TOTAL 0-19 YRS	13	7.6	63	1	2	5	8	20	28	30
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	17	8.1	144	1	1	4	9	15	39	52
50-64	1093	8.2	63	1	2	6	10	16	20	37
65+	5736	9.2	71	2	2	7	11	18	24	49
GRAND TOTAL	**6861**	**9.0**	**70**	**2**	**2**	**7**	**11**	**18**	**23**	**48**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	3	2.3	2	<1	<1	2	3	4	4	4
35-49	4	4.0	16	2	2	2	6	10	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	11	3.4	4	<1	1	3	4	6	7	7
20-34	139	3.7	6	1	1	3	5	7	9	14
35-49	35	3.0	2	<1	1	3	4	5	5	6
50-64	21	5.0	17	<1	1	4	5	10	14	19
65+	9	5.4	10	2	2	4	8	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	8.3	128	1	1	3	15	25	25	25
20-34	16	7.6	17	4	4	7	9	14	17	18
35-49	7	9.6	36	2	3	7	15	17	17	17
50-64	1	17.0		17	17	17	17	17	17	17
65+	4	8.8	22	4	4	8	12	15	15	15
B. *Operated*										
0-19 YRS	8	9.9	72	3	3	8	12	24	29	29
20-34	62	9.0	64	2	2	7	11	18	29	39
35-49	36	6.6	24	1	2	5	9	15	17	21
50-64	33	7.4	51	1	2	5	10	15	25	32
65+	48	10.7	109	1	2	6	17	24	29	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.4	8	<1	1	2	4	8	10	10
B. *Operated*	215	3.8	7	1	1	3	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	32	8.6	33	2	3	7	13	17	18	25
B. *Operated*	187	8.7	67	2	2	6	11	19	27	40
1. SINGLE DX	224	3.8	7	1	1	3	5	7	9	14
2. MULTIPLE DX	219	8.7	62	2	2	6	11	18	26	39
A. NOT OPERATED	41	7.4	31	1	2	6	9	16	18	25
B. OPERATED	402	6.1	41	1	1	4	7	13	19	33
TOTAL 0-19 YRS	25	6.3	48	1	1	4	6	13	26	29
20-34	220	5.5	29	1	1	4	7	10	14	33
35-49	82	5.2	19	1	1	4	6	13	16	20
50-64	55	6.7	40	1	2	4	9	15	18	32
65+	61	9.8	91	1	2	6	12	22	28	48
GRAND TOTAL	**443**	**6.2**	**40**	**1**	**2**	**4**	**7**	**13**	**18**	**33**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	—									
50-64	2	3.0	8	1	1	3	5	5	5	5
65+	15	5.5	24	1	1	3	9	14	14	14
B. *Operated*										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	16	4.2	19	1	1	3	5	11	15	17
35-49	113	3.1	8	<1	1	2	4	6	8	16
50-64	630	4.0	14	1	1	3	5	8	12	18
65+	1127	4.3	16	1	1	3	5	8	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	4	2.8	1	2	2	3	3	4	4	4
50-64	34	6.3	49	1	1	4	9	12	17	38
65+	221	9.4	100	1	2	7	12	20	28	68
B. *Operated*										
0-19 YRS	3	4.3	33	1	1	1	9	11	11	11
20-34	15	6.1	146	1	2	2	3	10	39	49
35-49	110	6.6	58	1	1	4	8	17	19	39
50-64	978	6.5	51	1	2	4	8	15	20	38
65+	3853	8.0	74	1	2	5	10	18	24	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	5.2	22	1	1	3	8	13	14	14
B. *Operated*	1889	4.1	15	1	1	3	5	8	12	19
2. MULTIPLE DX										
A. *Not Operated*	260	8.9	93	1	2	6	11	19	27	62
B. *Operated*	4959	7.6	69	1	2	5	9	17	23	45
1. SINGLE DX	1906	4.1	15	1	1	3	5	8	12	19
2. MULTIPLE DX	5219	7.7	70	1	2	5	9	17	23	45
A. NOT OPERATED	277	8.7	89	1	2	6	11	19	27	60
B. OPERATED	6848	6.7	57	1	2	4	8	15	20	39
TOTAL 0-19 YRS	6	3.5	14	1	1	2	3	10	11	11
20-34	32	5.1	76	1	1	3	4	10	16	49
35-49	227	4.8	35	<1	1	3	5	11	17	25
50-64	1644	5.5	38	1	1	3	6	12	17	35
65+	5216	7.2	65	1	2	5	9	16	22	44
GRAND TOTAL	**7125**	**6.7**	**58**	**1**	**2**	**4**	**8**	**15**	**21**	**39**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	4	1	1	4	5	5	5	5
20-34	2	9.0	72	3	3	9	15	15	15	15
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	5	5.6	36	<1	<1	4	8	16	16	16
65+	8	4.3	7	<1	<1	5	6	8	8	8
B. *Operated*										
0-19 YRS	17	10.1	29	2	4	9	14	18	20	21
20-34	13	9.1	21	2	4	10	11	14	19	20
35-49	35	8.7	13	1	4	8	10	14	16	16
50-64	94	8.4	28	1	1	8	11	14	17	29
65+	121	10.6	29	2	4	10	13	17	22	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	6.8	14	2	2	7	9	12	13	13
20-34	1	2.0		2	2	2	2	2	2	2
35-49	12	7.8	42	2	2	6	10	15	24	26
50-64	86	9.1	85	1	2	7	11	21	30	87
65+	147	10.5	66	1	2	8	14	23	28	99+
B. *Operated*										
0-19 YRS	15	13.3	112	3	5	10	15	25	40	45
20-34	9	13.6	12	6	8	15	16	17	17	17
35-49	77	11.4	36	2	6	10	13	18	23	36
50-64	366	12.4	78	2	4	10	15	21	27	47
65+	662	14.7	96	3	5	12	18	27	33	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	4.8	18	<1	<1	4	5	11	15	16
B. *Operated*	280	9.5	27	1	2	9	12	16	19	27
2. MULTIPLE DX										
A. *Not Operated*	254	9.8	70	1	2	8	13	21	28	97
B. *Operated*	1129	13.7	87	2	5	11	17	24	32	56
1. SINGLE DX	300	9.2	28	1	2	9	12	15	18	27
2. MULTIPLE DX	1383	13.0	86	2	4	11	16	24	31	58
A. NOT OPERATED	274	9.4	68	1	2	7	13	21	27	90
B. OPERATED	1409	12.9	78	2	4	11	16	23	29	48
TOTAL 0-19 YRS	43	10.1	60	2	3	9	12	19	23	45
20-34	25	10.4	25	2	3	11	15	16	18	20
35-49	126	10.2	32	2	4	9	12	16	21	31
50-64	551	11.1	73	2	3	10	14	19	25	47
65+	938	13.4	86	2	4	11	17	25	32	57
GRAND TOTAL	**1683**	**12.3**	**78**	**2**	**3**	**10**	**16**	**22**	**29**	**52**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	8	1.5	1	1	1	1	2	3	3	3
20-34										
35-49	6	2.8	2	<1	<1	3	4	5	5	5
50-64	14	5.1	6	1	2	6	7	8	8	8
65+	21	3.9	3	2	2	3	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	37.0		37	37	37	37	37	37	37
35-49										
50-64	3	10.0	19	7	7	8	13	15	15	15
65+	8	4.5	14	<1	<1	4	9	64	99+	99+
B. *Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	8	8.6	125	<1	1	4	11	28	34	34
65+	25	8.0	288	1	2	4	6	11	32	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	49	3.7	5	1	1	3	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*	12	8.6	98	<1	1	7	11	50	90	99+
B. *Operated*	36	7.6	226	<1	2	3	6	14	28	88
1. SINGLE DX	50	3.7	5	1	1	3	5	7	8	8
2. MULTIPLE DX	48	7.8	191	<1	1	4	8	15	39	99+
A. NOT OPERATED	13	8.1	93	<1	1	7	10	43	87	99+
B. OPERATED	85	5.3	101	1	1	3	6	8	12	69
TOTAL 0-19 YRS	11	1.5		<1	<1	1	2	3	3	3
20-34	1	37.0		37	37	37	37	37	37	37
35-49	7	2.7	2	<1	<1	2	4	5	5	5
50-64	25	6.8	46	1	2	6	7	15	20	34
65+	54	5.9	137	1	2	3	6	9	13	99
GRAND TOTAL	**98**	**5.7**	**99**	**1**	**1**	**3**	**7**	**9**	**15**	**94**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	3.9	11	<1	1	3	5	8	12	13
20-34	6	6.2	25	1	1	4	12	13	13	13
35-49	21	6.4	34	1	1	5	9	12	18	26
50-64	22	8.0	28	2	3	7	11	16	19	23
65+	27	11.0	57	3	4	9	13	21	24	39
B. *Operated*										
0-19 YRS	39	13.4	108	3	5	12	16	19	24	67
20-34	33	9.4	21	3	4	9	12	15	17	24
35-49	69	11.9	92	3	5	10	14	19	20	67
50-64	79	12.6	39	4	5	12	16	22	23	31
65+	40	18.3	230	2	4	14	20	43	56	64
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	4.2	22	<1	<1	2	5	12	13	20
20-34	21	5.0	15	<1	1	4	7	12	50	99+
35-49	43	12.3	254	2	2	7	11	39	65	99+
50-64	123	14.5	213	2	3	11	17	34	50	99+
65+	151	15.3	237	2	3	10	21	38	45	92
B. *Operated*										
0-19 YRS	77	20.2	332	2	3	13	26	50	57	84
20-34	38	22.2	587	2	4	13	25	66	94	99+
35-49	64	22.1	357	5	8	15	25	57	71	98
50-64	132	21.7	244	6	8	17	27	45	59	99+
65+	152	24.3	322	6	8	19	32	56	71	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	7.4	39	1	1	6	10	14	20	32
B. *Operated*	260	13.0	95	3	5	11	16	21	26	63
2. MULTIPLE DX										
A. *Not Operated*	371	13.1	212	1	2	8	15	34	49	99+
B. *Operated*	463	22.4	327	4	6	16	28	53	69	99+
1. SINGLE DX	360	11.5	86	2	3	10	15	20	23	58
2. MULTIPLE DX	834	18.3	297	2	3	13	24	45	62	99+
A. NOT OPERATED	471	11.9	180	1	2	8	14	30	44	98
B. OPERATED	723	19.0	264	3	6	14	23	43	59	98
TOTAL 0-19 YRS	173	13.3	226	1	1	10	16	30	50	75
20-34	98	13.2	289	1	2	9	14	26	66	99+
35-49	197	14.7	234	2	3	11	17	31	60	92
50-64	356	16.4	193	3	4	13	21	33	49	99
65+	370	19.0	278	3	4	14	25	44	58	99
GRAND TOTAL	**1194**	**16.2**	**243**	**2**	**3**	**12**	**20**	**38**	**57**	**99**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.8	2	<1	<1	2	4	90	99+	99+
20-34	1	8.0		8	8	8	8	8	8	8
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	10	8.6	48	1	1	8	14	18	19	19
20-34	5	14.0	39	10	10	11	16	25	25	25
35-49	1	10.0		10	10	10	10	10	10	10
50-64	1	7.0		7	7	7	7	7	7	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	5.5	12	1	1	5	7	11	11	11
20-34	1	10.0		10	10	10	10	10	10	10
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	4.0		4	4	4	4	4	4	4
65+	12	14.0	185	<1	1	10	19	35	46	48
B. *Operated*										
0-19 YRS	15	20.1	365	1	1	14	31	50	62	66
20-34	10	18.7	100	4	7	17	25	33	36	36
35-49	1	4.0		4	4	52	99+	99+	99+	99+
50-64	10	22.8	292	3	7	20	27	49	65	65
65+	24	24.6	353	9	10	17	25	65	71	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.7	7	<1	<1	2	6	72	99+	99+
B. *Operated*	17	10.2	44	1	1	11	13	19	23	25
2. MULTIPLE DX										
A. *Not Operated*	21	10.4	124	1	2	7	11	25	38	48
B. *Operated*	60	21.9	295	3	5	17	27	56	68	97
1. SINGLE DX	24	8.0	44	<1	1	8	12	19	44	99+
2. MULTIPLE DX	81	18.9	274	2	3	14	24	42	65	91
A. NOT OPERATED	28	8.5	105	<1	1	6	10	26	51	99+
B. OPERATED	77	19.3	262	2	4	14	24	39	66	92
TOTAL 0-19 YRS	36	11.9	214	1	1	7	17	35	60	99+
20-34	17	16.2	78	5	8	13	23	30	34	36
35-49	3	5.7	14	3	3	7	55	99+	99+	99+
50-64	13	18.5	286	2	3	13	23	39	60	65
65+	36	21.1	316	3	6	16	23	47	69	71
GRAND TOTAL	**105**	**16.4**	**242**	**1**	**2**	**12**	**22**	**37**	**65**	**99+**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	3.7	14	<1	<1	2	4	10	13	14
20-34	10	2.4	3	1	1	2	2	5	7	7
35-49	8	2.6	2	1	1	2	3	5	5	5
50-64	2	4.0	8	2	2	4	6	6	6	6
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	19	9.4	354	1	2	4	9	11	52	86
20-34	55	4.3	5	2	2	4	5	8	9	13
35-49	64	4.4	4	2	3	4	5	7	8	11
50-64	43	3.6	3	1	2	3	5	5	7	9
65+	32	7.3	80	2	3	4	6	18	20	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	5.7	68	<1	<1	3	7	15	24	37
20-34	6	6.5	44	1	1	3	11	17	18	18
35-49	10	6.3	34	<1	1	3	13	50	96	99+
50-64	15	15.3	159	2	3	14	25	36	37	38
65+	31	9.5	190	2	2	5	9	18	51	64
B. *Operated*										
0-19 YRS	43	15.8	403	2	3	9	17	35	63	99
20-34	69	7.3	84	2	3	4	7	11	22	55
35-49	81	7.4	117	2	2	4	7	13	24	71
50-64	83	7.1	37	3	3	5	8	15	20	37
65+	123	12.4	196	2	3	7	15	26	41	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	3.1	7	<1	1	2	4	6	9	14
B. *Operated*	213	5.1	48	2	2	4	5	8	10	30
2. MULTIPLE DX										
A. *Not Operated*	84	9.0	130	<1	1	5	11	23	37	87
B. *Operated*	399	9.8	158	2	3	6	10	21	31	81
1. SINGLE DX	249	4.8	42	1	2	4	5	8	10	20
2. MULTIPLE DX	483	9.6	153	2	2	6	10	21	34	81
A. NOT OPERATED	120	7.2	100	<1	1	4	8	16	35	74
B. OPERATED	612	8.1	124	2	3	5	8	16	25	78
TOTAL 0-19 YRS	99	10.5	279	<1	1	5	10	20	46	93
20-34	140	5.7	47	2	2	4	6	10	14	51
35-49	163	6.0	64	1	2	4	6	10	16	78
50-64	143	6.9	49	2	3	5	7	15	21	38
65+	187	11.0	177	2	3	6	13	24	40	81
GRAND TOTAL	**732**	**8.0**	**120**	**1**	**2**	**4**	**8**	**16**	**26**	**77**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	11	3.0	11	1	1	1	4	9	11	11
35-49	22	6.6	28	1	2	5	9	16	19	20
50-64	51	5.7	25	2	2	4	7	11	13	32
65+	72	7.4	62	1	1	5	10	16	18	48
B. *Operated*										
0-19 YRS	11	7.2	20	1	1	7	11	13	13	13
20-34	6	4.8	17	<1	<1	4	8	11	11	11
35-49	39	8.3	87	<1	<1	6	11	19	31	43
50-64	110	6.9	49	<1	1	5	9	15	19	38
65+	122	5.3	32	<1	1	3	7	11	15	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	3.9	17	<1	<1	2	5	9	14	18
20-34	147	7.0	48	1	2	5	8	15	19	38
35-49	678	8.9	76	1	1	6	12	20	25	42
50-64	2371	9.6	87	2	2	7	12	21	27	48
65+	4090	11.1	108	2	3	8	14	23	31	60
B. *Operated*										
0-19 YRS	44	14.3	317	1	2	8	16	32	44	97
20-34	194	11.2	111	2	3	9	13	21	33	53
35-49	775	12.3	138	1	2	9	16	26	40	69
50-64	2550	13.2	149	2	2	10	17	28	37	64
65+	4065	14.3	167	2	3	11	19	30	40	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	158	6.4	42	1	1	4	8	14	17	32
B. *Operated*	288	6.4	46	<1	1	4	9	13	17	38
2. MULTIPLE DX										
A. *Not Operated*	7330	10.3	98	2	2	7	13	22	29	53
B. *Operated*	7628	13.7	158	2	2	10	18	29	39	67
1. SINGLE DX	446	6.4	44	<1	1	4	8	13	17	38
2. MULTIPLE DX	14958	12.0	131	2	2	9	16	26	35	62
A. NOT OPERATED	7488	10.2	97	2	2	7	13	21	29	53
B. OPERATED	7916	13.4	156	1	2	10	18	29	38	66
TOTAL 0-19 YRS	101	8.8	170	<1	<1	5	11	19	31	79
20-34	358	9.1	85	1	2	7	11	19	24	49
35-49	1514	10.6	110	1	2	7	14	23	32	59
50-64	5082	11.3	121	2	2	8	15	25	33	55
65+	8349	12.5	139	2	2	9	16	27	36	65
GRAND TOTAL	**15404**	**11.8**	**130**	**1**	**2**	**9**	**15**	**25**	**35**	**62**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.2	3	<1	<1	1	4	4	5	6
20-34	22	3.4	9	<1	1	2	5	8	11	11
35-49	7	2.4	2	1	1	2	4	4	4	4
50-64	12	2.9	3	<1	<1	3	4	5	6	6
65+	8	5.5	26	1	1	3	10	13	14	14
B. *Operated*										
0-19 YRS	68	4.6	10	1	1	4	7	8	11	13
20-34	178	5.9	25	<1	1	5	8	11	14	26
35-49	78	5.7	27	<1	1	4	8	13	16	26
50-64	37	5.9	22	<1	1	4	8	13	16	20
65+	24	6.7	62	<1	1	4	7	20	28	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	3.8	14	<1	<1	2	5	10	12	13
20-34	56	6.5	35	1	1	4	9	14	17	28
35-49	21	5.3	12	1	2	5	6	10	14	15
50-64	39	7.2	39	1	1	6	10	15	20	28
65+	37	9.5	162	1	2	5	11	21	28	74
B. *Operated*										
0-19 YRS	41	9.3	44	1	2	8	13	18	24	28
20-34	110	9.0	54	1	2	7	11	20	25	35
35-49	68	14.3	131	1	3	10	22	28	40	52
50-64	62	14.7	131	2	2	12	20	28	40	52
65+	66	15.5	159	2	3	12	19	29	38	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	3.2	8	<1	<1	2	4	6	11	14
B. *Operated*	385	5.7	25	<1	1	5	8	11	14	28
2. MULTIPLE DX										
A. *Not Operated*	171	6.9	60	1	1	5	8	14	19	30
B. *Operated*	347	12.3	109	1	2	9	18	25	30	49
1. SINGLE DX	451	5.3	23	<1	1	4	7	11	14	27
2. MULTIPLE DX	518	10.5	99	1	2	8	14	24	28	48
A. NOT OPERATED	237	5.8	48	<1	1	4	8	13	16	29
B. OPERATED	732	8.8	76	1	1	7	11	19	26	41
TOTAL 0-19 YRS	144	5.5	25	<1	1	5	7	13	15	25
20-34	366	6.8	37	1	1	6	9	13	19	30
35-49	174	8.8	84	1	1	5	12	23	27	44
50-64	150	9.6	89	1	1	7	14	21	28	49
65+	135	11.7	148	1	2	8	16	27	31	75
GRAND TOTAL	**969**	**8.1**	**71**	**1**	**1**	**6**	**10**	**18**	**24**	**40**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	4.0	43	<1	<1	1	3	15	19	28
20-34	2	2.0		2	2	2	2	2	2	2
35-49	8	4.9	62	1	1	2	4	18	24	24
50-64	7	5.4	25	<1	<1	3	11	11	11	11
65+	8	4.8	8	1	1	5	7	8	8	8
B. *Operated*										
0-19 YRS	64	5.6	56	<1	<1	2	7	12	26	35
20-34	9	12.1	110	1	2	8	27	64	99+	99+
35-49	4	10.8	241	2	2	3	19	34	34	34
50-64	19	8.7	87	2	2	6	9	23	33	38
65+	15	8.3	87	1	1	6	10	11	33	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	6.2	133	<1	<1	3	7	13	15	72
20-34	15	6.7	52	<1	<1	5	9	18	24	26
35-49	19	8.1	34	1	2	8	11	15	20	25
50-64	64	7.9	78	1	1	5	9	19	28	42
65+	180	10.4	124	1	2	7	13	21	33	57
B. *Operated*										
0-19 YRS	52	24.3	461	1	4	20	33	68	75	99+
20-34	17	22.8	260	4	6	21	37	57	85	99+
35-49	18	22.5	214	2	2	25	32	41	47	50
50-64	50	12.6	134	2	3	10	16	31	44	99+
65+	126	15.3	195	3	4	10	19	33	47	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	4.3	37	<1	<1	1	4	11	17	28
B. *Operated*	111	7.2	76	<1	<1	5	9	23	29	63
2. MULTIPLE DX										
A. *Not Operated*	372	8.7	113	<1	1	5	11	18	30	42
B. *Operated*	263	17.5	257	2	4	12	24	43	60	99+
1. SINGLE DX	183	6.1	63	<1	<1	3	8	16	28	39
2. MULTIPLE DX	635	12.3	191	<1	1	8	15	31	42	83
A. NOT OPERATED	444	7.9	103	<1	<1	5	10	17	27	42
B. OPERATED	374	14.5	225	1	2	9	20	36	51	99+
TOTAL 0-19 YRS	257	9.3	219	<1	<1	4	10	28	41	82
20-34	43	14.0	195	<1	1	9	25	43	71	99+
35-49	49	13.1	167	1	1	8	24	33	36	50
50-64	140	9.6	101	1	2	6	12	21	35	61
65+	329	12.0	153	1	2	8	15	28	36	68
GRAND TOTAL	**818**	**10.9**	**169**	**<1**	**1**	**7**	**14**	**29**	**39**	**80**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	1.4	1	<1	<1	<1	1	4	6	99+
20-34	16	6.1	51	<1	1	4	6	21	24	25
35-49	13	15.5	493	<1	<1	6	21	48	72	77
50-64	23	5.3	22	<1	1	4	7	11	18	19
65+	29	4.3	20	<1	1	3	5	11	16	19
B. *Operated*										
0-19 YRS	13	11.0	133	<1	1	6	18	33	35	35
20-34	19	17.7	332	1	3	8	26	46	62	66
35-49	19	15.8	253	2	3	10	27	43	48	52
50-64	18	15.2	208	3	3	8	24	39	44	47
65+	20	14.1	220	1	2	8	21	40	45	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	4.2	21	<1	<1	2	5	12	15	16
20-34	31	4.4	19	<1	<1	3	6	9	15	20
35-49	27	9.7	104	2	2	8	13	19	26	52
50-64	85	7.5	82	1	1	5	10	17	26	47
65+	259	7.4	76	1	1	5	10	15	19	43
B. *Operated*										
0-19 YRS	34	28.0	379	3	5	27	47	60	65	99+
20-34	69	25.4	331	2	5	25	37	49	56	81
35-49	70	24.0	366	2	4	27	37	46	49	92
50-64	128	25.3	371	2	3	26	37	56	68	99+
65+	259	22.5	400	3	5	15	33	52	64	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	112	5.3	87	<1	<1	2	5	14	22	85
B. *Operated*	89	15.0	230	1	2	8	25	40	47	62
2. MULTIPLE DX										
A. *Not Operated*	435	7.1	72	<1	1	5	9	15	20	44
B. *Operated*	560	24.0	379	3	4	22	35	52	63	97
1. SINGLE DX	201	9.6	173	<1	<1	5	9	28	41	71
2. MULTIPLE DX	995	16.6	315	1	2	9	27	42	54	91
A. NOT OPERATED	547	6.7	75	<1	<1	4	8	15	20	47
B. OPERATED	649	22.8	368	2	4	17	34	50	61	96
TOTAL 0-19 YRS	111	11.5	264	<1	<1	3	15	42	54	99+
20-34	135	17.2	310	<1	1	8	28	43	52	76
35-49	129	18.9	335	1	2	11	30	43	49	88
50-64	254	16.8	307	1	2	9	28	43	56	85
65+	567	14.4	283	1	2	8	18	38	52	92
GRAND TOTAL	**1196**	**15.4**	**298**	**1**	**1**	**8**	**25**	**41**	**53**	**90**

49: Lymphatic and hematopoietic neoplasm, except hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.3	1	<1	<1	2	3	3	3	3
20-34	18	3.9	12	<1	<1	3	5	10	11	11
35-49	21	4.1	7	1	1	4	5	9	10	10
50-64	61	5.1	21	<1	1	4	7	10	14	25
65+	75	7.0	62	1	1	5	8	14	19	50
B. *Operated*										
0-19 YRS	17	7.7	90	1	2	4	7	20	31	37
20-34	61	7.1	79	<1	1	4	10	17	35	94
35-49	132	6.4	38	<1	1	5	9	13	16	30
50-64	195	6.4	45	1	1	4	9	13	18	36
65+	233	7.2	57	<1	1	5	9	15	23	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	9.8	197	<1	<1	6	9	37	47	49
20-34	48	7.4	56	2	2	5	8	13	28	35
35-49	106	9.0	81	2	2	6	11	22	32	43
50-64	378	9.3	82	1	2	6	12	22	26	43
65+	837	10.7	114	1	2	8	13	23	32	60
B. *Operated*										
0-19 YRS	22	25.0	830	<1	2	14	31	75	91	95
20-34	62	14.9	166	2	3	11	20	33	47	96
35-49	173	15.1	232	1	3	10	19	34	48	93
50-64	513	15.2	161	2	3	12	20	32	43	68
65+	1102	16.4	196	2	4	12	21	36	47	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	183	5.5	36	<1	1	4	7	11	15	27
B. *Operated*	638	6.8	52	<1	1	4	9	15	20	40
2. MULTIPLE DX										
A. *Not Operated*	1386	10.0	102	1	2	7	12	22	30	53
B. *Operated*	1872	16.0	197	2	3	12	20	35	47	78
1. SINGLE DX	821	6.5	49	<1	1	4	9	14	19	39
2. MULTIPLE DX	3258	13.5	165	2	2	10	17	30	42	68
A. NOT OPERATED	1569	9.5	96	1	2	7	12	21	29	52
B. OPERATED	2510	13.6	176	1	2	10	18	31	43	72
TOTAL 0-19 YRS	64	13.5	425	<1	1	5	14	41	67	94
20-34	189	9.4	110	1	1	6	11	22	35	86
35-49	432	10.4	140	1	2	7	12	24	35	63
50-64	1147	11.2	122	1	2	8	15	25	33	61
65+	2247	13.0	159	2	2	9	17	29	41	65
GRAND TOTAL	**4079**	**12.1**	**149**	**1**	**2**	**9**	**15**	**27**	**38**	**64**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	35	2.9	11	<1	<1	2	3	7	10	17
20-34	119	3.1	3	<1	1	3	4	5	6	9
35-49	161	3.1	3	<1	1	3	4	5	6	8
50-64	167	3.3	4	1	1	3	4	6	7	9
65+	129	3.3	3	1	1	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	2	43.0	2592	7	7	43	79	79	79	79
B. *Operated*										
0-19 YRS	7	1.9		1	1	2	2	3	3	3
20-34	32	4.6	45	1	1	3	5	7	8	40
35-49	45	4.2	27	1	1	3	5	6	7	36
50-64	107	3.5	4	1	1	3	5	6	7	10
65+	170	4.7	12	1	2	4	5	8	12	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.0	2	1	1	2	3	4	4	4
B. *Operated*	611	3.2	4	<1	1	3	4	6	6	9
2. MULTIPLE DX										
A. *Not Operated*	6	15.2	983	<1	<1	1	7	72	79	79
B. *Operated*	361	4.2	14	1	1	4	5	7	9	17
1. SINGLE DX	615	3.2	4	<1	1	3	4	6	6	9
2. MULTIPLE DX	367	4.4	29	1	1	4	5	7	9	25
A. NOT OPERATED	10	9.9	593	<1	<1	2	4	43	79	79
B. OPERATED	972	3.6	8	1	1	3	4	6	7	14
TOTAL 0-19 YRS	43	2.7	9	<1	<1	2	3	6	9	17
20-34	152	3.4	12	1	1	3	4	5	6	12
35-49	208	3.4	8	1	1	3	4	6	6	9
50-64	278	3.4	4	1	1	3	4	6	7	9
65+	301	4.4	27	1	2	4	5	7	9	16
GRAND TOTAL	**982**	**3.6**	**14**	**1**	**1**	**3**	**4**	**6**	**7**	**15**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	3	1.3		<1	<1	<1	2	2	2	2
35-49	11	2.7	6	<1	<1	2	4	7	8	8
50-64	23	1.3		<1	<1	<1	1	2	3	4
65+	44	1.5	2	<1	<1	<1	1	2	5	9
B. *Operated*										
0-19 YRS	20	5.8	41	<1	<1	2	10	14	19	24
20-34	34	6.1	26	<1	<1	6	10	13	16	16
35-49	100	3.8	22	<1	<1	1	6	9	11	24
50-64	341	2.5	8	<1	<1	1	2	8	10	13
65+	359	3.2	17	<1	<1	1	3	9	11	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.4	30	<1	<1	2	6	14	14	14
20-34	12	3.8	4	1	2	3	5	7	8	8
35-49	16	2.2	1	<1	<1	2	3	4	4	4
50-64	76	3.5	8	<1	1	2	5	8	9	11
65+	194	5.5	52	<1	1	4	8	11	14	47
B. *Operated*										
0-19 YRS	17	4.4	15	1	1	3	7	11	12	12
20-34	53	10.4	178	<1	1	6	12	33	37	68
35-49	123	6.4	37	<1	<1	5	9	12	20	31
50-64	623	5.6	38	<1	<1	3	8	12	16	28
65+	1589	7.2	60	<1	1	5	10	16	22	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83	1.6	2	<1	<1	<1	1	3	5	9
B. *Operated*	854	3.2	15	<1	<1	1	3	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	303	4.8	37	<1	1	3	7	9	12	21
B. *Operated*	2405	6.8	57	<1	1	4	9	15	21	37
1. SINGLE DX	937	3.0	14	<1	<1	1	3	9	11	17
2. MULTIPLE DX	2708	6.6	55	<1	1	4	9	14	20	37
A. NOT OPERATED	386	4.1	31	<1	<1	2	6	9	11	16
B. OPERATED	3259	5.9	48	<1	<1	3	8	13	18	33
TOTAL 0-19 YRS	44	5.0	27	<1	1	2	8	12	14	24
20-34	102	7.9	108	<1	<1	5	10	16	33	57
35-49	250	4.9	29	<1	<1	3	7	11	13	29
50-64	1063	4.4	28	<1	<1	2	7	10	13	25
65+	2186	6.3	54	<1	<1	3	9	14	20	37
GRAND TOTAL	**3645**	**5.7**	**47**	**<1**	**<1**	**3**	**8**	**13**	**18**	**32**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	80	2.2	4	<1	1	2	2	2	6	11
20-34	41	3.3	10	<1	<1	2	4	8	10	13
35-49	40	3.8	13	<1	<1	2	6	9	11	15
50-64	62	3.8	14	<1	<1	2	6	9	12	17
65+	37	3.8	13	<1	<1	2	5	10	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	1	6.0		6	6	6	6	6	6	6
50-64	7	5.1	57	<1	<1	3	5	19	22	22
65+	2	10.5	25	7	7	10	14	14	14	14
B. *Operated*										
0-19 YRS	29	4.8	32	2	2	2	4	12	19	25
20-34	25	5.8	78	1	1	2	7	12	25	42
35-49	46	4.9	27	<1	1	4	7	9	9	33
50-64	69	9.7	125	1	1	8	12	21	42	92
65+	106	9.2	101	1	1	7	13	21	27	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.0		<1	<1	1	1	1	1	1
B. *Operated*	260	3.2	10	<1	<1	2	4	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	14	5.4	36	<1	1	3	7	15	20	22
B. *Operated*	275	7.8	89	1	1	5	10	17	26	57
1. SINGLE DX	267	3.2	10	<1	<1	2	4	8	10	15
2. MULTIPLE DX	289	7.7	86	1	1	5	9	17	26	56
A. NOT OPERATED	21	4.0	28	<1	<1	1	5	10	18	22
B. OPERATED	535	5.6	56	<1	1	2	8	12	17	43
TOTAL 0-19 YRS	114	2.9	12	1	1	2	2	5	10	21
20-34	70	4.1	34	<1	<1	2	6	9	12	38
35-49	88	4.4	20	<1	<1	3	7	9	10	26
50-64	139	6.7	79	<1	<1	4	9	14	22	62
65+	145	7.8	82	1	1	5	10	17	26	51
GRAND TOTAL	**556**	**5.5**	**55**	**<1**	**1**	**2**	**8**	**12**	**17**	**42**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	4.8	111	<1	<1	2	4	7	32	45
20-34	5	3.0	2	<1	<1	4	4	4	4	4
35-49	6	3.2	3	1	1	3	4	6	6	6
50-64	7	1.7	1	1	1	2	2	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	437	2.6	5	<1	<1	2	3	5	6	11
20-34	522	2.3	5	<1	<1	2	3	4	6	11
35-49	652	2.1	5	<1	<1	1	2	4	5	11
50-64	526	2.2	3	<1	<1	2	3	4	6	10
65+	209	2.3	3	<1	<1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	1.8	5	<1	<1	1	1	3	8	10
20-34	12	2.1	3	<1	<1	1	3	5	7	7
35-49	10	2.5	4	<1	<1	1	4	5	6	6
50-64	15	2.5	5	<1	<1	1	3	7	7	7
65+	19	5.8	25	1	1	3	11	14	15	16
B. *Operated*										
0-19 YRS	81	3.0	6	<1	1	2	4	6	8	12
20-34	162	3.2	11	<1	<1	2	4	7	10	16
35-49	284	3.2	12	<1	<1	2	4	7	10	19
50-64	383	3.8	20	<1	<1	2	4	8	12	23
65+	334	5.1	29	<1	1	3	6	11	17	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	3.6	53	<1	<1	2	4	5	7	45
B. *Operated*	2346	2.3	5	<1	<1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	72	3.2	12	<1	<1	2	3	7	13	16
B. *Operated*	1244	3.9	19	<1	<1	2	4	9	12	23
1. SINGLE DX	2382	2.3	5	<1	<1	2	3	4	6	11
2. MULTIPLE DX	1316	3.9	19	<1	<1	2	4	9	12	22
A. NOT OPERATED	108	3.3	25	<1	<1	2	4	7	12	28
B. OPERATED	3590	2.8	10	<1	<1	2	3	6	8	18
TOTAL 0-19 YRS	551	2.7	8	<1	<1	2	3	5	7	12
20-34	701	2.6	7	<1	<1	2	3	5	7	12
35-49	952	2.5	8	<1	<1	2	3	5	6	15
50-64	931	2.9	11	<1	<1	2	3	6	8	17
65+	563	4.1	21	<1	<1	2	5	10	13	25
GRAND TOTAL	**3698**	**2.9**	**11**	**<1**	**<1**	**2**	**3**	**6**	**8**	**18**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	4.5	29	<1	<1	2	5	15	18	19
20-34	3	1.0		1	1	1	1	1	1	1
35-49	1	4.0		4	4	4	4	4	4	4
50-64	5	2.4	3	<1	<1	2	3	5	5	5
65+	3	1.7		1	1	2	2	2	2	2
B. *Operated*										
0-19 YRS	453	2.3	16	<1	<1	1	2	4	7	14
20-34	149	2.5	7	<1	<1	2	3	5	7	16
35-49	139	2.3	5	<1	<1	1	3	5	6	11
50-64	107	2.8	11	<1	<1	2	3	6	10	19
65+	50	2.4	7	<1	<1	2	2	3	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	2.7	8	<1	<1	1	4	8	9	10
20-34	7	3.9	12	<1	<1	3	5	10	11	11
35-49	7	2.9	3	<1	<1	3	4	6	6	6
50-64	13	4.8	31	<1	1	2	5	15	18	19
65+	19	8.8	62	1	2	6	12	22	28	28
B. *Operated*										
0-19 YRS	116	5.3	84	<1	<1	2	4	13	22	55
20-34	74	3.0	12	<1	<1	2	3	7	10	19
35-49	131	3.9	43	<1	<1	2	4	10	12	29
50-64	130	4.4	43	<1	<1	2	4	10	20	32
65+	127	5.1	35	<1	1	2	7	12	20	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	3.5	20	<1	<1	2	4	9	17	19
B. *Operated*	898	2.4	12	<1	<1	1	2	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	70	4.9	32	<1	<1	3	6	12	15	28
B. *Operated*	578	4.5	46	<1	<1	2	5	10	17	31
1. SINGLE DX	929	2.4	12	<1	<1	1	2	5	7	15
2. MULTIPLE DX	648	4.5	44	<1	<1	2	5	10	17	30
A. NOT OPERATED	101	4.5	28	<1	<1	2	5	11	16	27
B. OPERATED	1476	3.2	26	<1	<1	2	3	7	11	23
TOTAL 0-19 YRS	612	3.0	31	<1	<1	1	3	5	10	26
20-34	233	2.7	9	<1	<1	2	3	6	9	17
35-49	278	3.1	23	<1	<1	2	3	6	10	17
50-64	255	3.7	28	<1	<1	2	3	8	16	27
65+	199	4.7	33	<1	<1	2	6	12	18	28
GRAND TOTAL	**1577**	**3.3**	**26**	**<1**	**<1**	**2**	**3**	**7**	**11**	**25**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	176	1.7	1	<1	<1	2	2	2	3	4
20-34	407	1.5	1	<1	<1	1	2	2	2	4
35-49	306	1.8	4	<1	<1	2	2	3	3	4
50-64	184	1.8	1	<1	<1	2	2	3	3	5
65+	73	2.1	1	<1	<1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	1.0		1	1	1	1	1	1	1
35-49	2	2.0		2	2	2	2	2	2	2
50-64	2	3.0	8	1	1	3	5	5	5	5
65+	3	2.0	3	<1	<1	1	3	4	4	4
B. *Operated*										
0-19 YRS	28	1.6	1	<1	<1	1	2	2	4	4
20-34	93	1.8	2	<1	<1	2	2	3	4	10
35-49	241	2.4	13	<1	<1	2	2	4	6	18
50-64	186	2.3	5	<1	<1	2	2	5	6	14
65+	135	3.0	6	1	1	2	3	6	8	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1146	1.7	2	<1	<1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	10	1.9	2	<1	<1	1	2	4	5	5
B. *Operated*	683	2.4	8	<1	<1	2	2	4	6	13
1. SINGLE DX	1146	1.7	2	<1	<1	2	2	2	3	4
2. MULTIPLE DX	693	2.4	7	<1	<1	2	2	4	6	13
A. NOT OPERATED	10	1.9	2	<1	<1	1	2	4	5	5
B. OPERATED	1829	2.0	4	<1	<1	2	2	3	4	8
TOTAL 0-19 YRS	205	1.7	1	<1	<1	2	2	2	3	4
20-34	502	1.6	1	<1	<1	1	2	2	3	5
35-49	549	2.1	8	<1	<1	2	2	3	4	10
50-64	372	2.1	3	<1	<1	2	2	3	5	8
65+	211	2.7	5	<1	1	2	3	5	7	11
GRAND TOTAL	**1839**	**2.0**	**4**	**<1**	**<1**	**2**	**2**	**3**	**4**	**8**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	20	3.1	4	<1	1	3	4	6	7	8
35-49	36	2.6	3	<1	<1	2	4	5	6	8
50-64	2	1.0		1	1	1	1	1	1	1
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	5	3.6	4	<1	<1	4	5	6	6	6
20-34	312	5.1	8	<1	1	5	7	8	9	13
35-49	1232	5.5	6	<1	1	6	7	8	8	11
50-64	208	4.8	7	<1	<1	6	7	8	8	10
65+	14	6.5	20	1	2	6	8	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	41	2.4	6	<1	<1	2	3	4	6	15
35-49	183	2.3	5	<1	<1	1	3	5	7	11
50-64	33	3.3	12	<1	<1	2	4	9	12	13
65+	13	6.2	15	2	2	5	8	11	14	15
B. *Operated*										
0-19 YRS	13	6.7	2	4	5	6	7	9	10	10
20-34	1048	5.5	10	<1	1	6	7	8	10	16
35-49	7630	6.2	9	1	2	6	7	9	10	16
50-64	1620	6.2	13	1	1	6	8	9	10	19
65+	210	8.3	28	1	2	7	9	14	16	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	2.7	3	<1	<1	2	4	5	7	8
B. *Operated*	1771	5.4	7	<1	1	6	7	8	8	11
2. MULTIPLE DX										
A. *Not Operated*	270	2.6	7	<1	<1	2	3	6	8	13
B. *Operated*	10521	6.2	10	1	1	6	7	9	10	17
1. SINGLE DX	1831	5.3	7	<1	1	6	7	8	8	11
2. MULTIPLE DX	10791	6.1	11	1	1	6	7	9	10	17
A. NOT OPERATED	330	2.6	6	<1	<1	2	3	6	8	12
B. OPERATED	12292	6.0	10	1	1	6	7	9	10	16
TOTAL 0-19 YRS	18	5.8	5	1	3	6	7	9	10	10
20-34	1421	5.3	9	<1	1	6	7	8	9	15
35-49	9081	6.0	9	1	1	6	7	9	10	15
50-64	1863	6.0	12	<1	1	6	7	9	10	18
65+	239	8.0	27	1	2	7	9	14	16	31
GRAND TOTAL	**12622**	**6.0**	**10**	**1**	**1**	**6**	**7**	**9**	**10**	**16**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	15	3.4	4	<1	1	4	5	5	7	8
35-49	18	3.6	7	<1	1	2	6	8	9	9
50-64	3	5.7	6	3	3	6	7	8	8	8
65+	4	4.5	22	<1	<1	3	8	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	27	4.3	7	<1	<1	5	6	7	8	9
35-49	99	5.5	8	<1	1	6	7	8	9	17
50-64	29	4.4	7	1	1	6	7	7	8	8
65+	9	7.0	10	2	3	7	9	11	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	42	3.8	7	<1	1	4	5	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	3	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	164	5.2	8	<1	1	6	7	8	9	14
1. SINGLE DX	42	3.8	7	<1	1	4	5	8	9	11
2. MULTIPLE DX	167	5.1	8	<1	1	6	7	8	9	14
A. NOT OPERATED	3	1.0		<1	<1	<1	1	1	1	1
B. OPERATED	206	4.9	8	<1	1	5	7	8	9	13
TOTAL 0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	44	3.9	6	<1	<1	4	6	7	8	9
35-49	118	5.2	9	<1	1	6	7	8	9	16
50-64	32	4.5	7	1	1	6	7	7	8	8
65+	13	6.2	14	<1	1	6	9	11	13	13
GRAND TOTAL	**209**	**4.9**	**8**	**<1**	**1**	**5**	**7**	**8**	**9**	**13**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	72	5.6	2	4	4	6	7	7	8	10
20-34	370	5.2	2	3	4	5	6	7	7	9
35-49	127	5.5	2	4	4	5	6	7	7	10
50-64	68	6.9	5	4	5	7	8	9	11	15
65+	46	7.8	7	5	5	8	8	11	12	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	1	7.0		7	7	7	7	7	7	7
65+	5	7.4	35	2	2	7	10	17	17	17
B. *Operated*										
0-19 YRS	71	5.8	4	3	4	5	7	8	8	16
20-34	393	5.7	4	3	4	6	6	7	9	12
35-49	377	6.6	7	4	4	6	7	9	12	19
50-64	283	8.6	23	5	5	7	9	15	18	30
65+	220	11.0	68	6	6	8	12	18	23	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	683	5.6	3	3	4	5	6	8	8	12
2. MULTIPLE DX										
A. *Not Operated*	12	5.3	20	1	1	5	7	11	16	17
B. *Operated*	1344	7.5	23	4	4	6	8	11	15	25
1. SINGLE DX	684	5.6	3	3	4	5	6	8	8	12
2. MULTIPLE DX	1356	7.4	23	4	4	6	8	11	15	25
A. NOT OPERATED	13	5.2	19	1	1	3	7	10	16	17
B. OPERATED	2027	6.8	17	4	4	6	7	10	13	22
TOTAL 0-19 YRS	145	5.7	3	3	4	6	7	7	8	11
20-34	766	5.5	3	3	4	5	6	7	8	11
35-49	506	6.3	6	4	4	6	7	8	10	17
50-64	352	8.3	20	5	5	7	9	13	17	25
65+	271	10.4	58	5	6	8	11	17	22	50
GRAND TOTAL	**2040**	**6.8**	**17**	**4**	**4**	**6**	**7**	**10**	**13**	**22**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	5	3.6	8	1	1	2	6	8	8	8
20-34	11	2.4	3	<1	<1	2	4	5	5	5
35-49	16	2.7	4	<1	<1	2	5	5	6	6
50-64	12	2.1	4	<1	<1	1	2	5	8	8
65+	6	2.0		<1	<1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	6.0	3	5	5	5	7	8	8	8
20-34	13	4.8	6	<1	1	5	6	7	9	9
35-49	28	6.3	31	<1	1	5	7	11	21	26
50-64	13	2.7	6	<1	<1	1	4	7	8	8
65+	9	6.0	19	2	2	5	9	12	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	4.0		4	4	4	4	4	4	4
B. *Operated*	50	2.5	4	<1	<1	2	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	66	5.2	19	<1	1	5	7	9	12	25
1. SINGLE DX	52	2.5	4	<1	<1	2	4	5	6	8
2. MULTIPLE DX	66	5.2	19	<1	1	5	7	9	12	25
A. NOT OPERATED	2	4.0		4	4	4	4	4	4	4
B. OPERATED	116	4.0	14	<1	<1	3	5	8	9	23
TOTAL 0-19 YRS	8	4.5	7	1	1	5	7	8	8	8
20-34	26	3.7	5	<1	<1	4	5	6	7	9
35-49	44	5.0	24	<1	<1	4	6	8	15	26
50-64	25	2.4	5	<1	<1	1	3	7	8	8
65+	15	4.4	15	<1	2	2	6	10	13	14
GRAND TOTAL	**118**	**4.0**	**14**	**<1**	**<1**	**3**	**5**	**8**	**9**	**23**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	9	1.2		<1	<1	<1	1	2	2	2
20-34	17	2.5	3	<1	<1	2	4	5	6	6
35-49	11	1.5		<1	<1	1	2	3	3	3
50-64	7	2.3	5	<1	<1	2	2	6	7	7
65+	3	2.0	1	<1	<1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	5	2.8	2	<1	<1	3	4	5	5	5
20-34	6	6.0	117	<1	<1	2	3	25	28	28
35-49	8	3.6	19	<1	<1	2	4	11	14	14
50-64	9	3.2	4	1	1	3	4	6	7	7
65+	12	6.0	65	<1	1	4	6	14	29	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	47	2.0	2	<1	<1	1	2	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	40	4.5	40	<1	<1	3	5	7	21	31
1. SINGLE DX	47	2.0	2	<1	<1	1	2	4	5	7
2. MULTIPLE DX	41	4.4	39	<1	<1	3	5	7	20	31
A. NOT OPERATED	1	2.0		2	2	2	2	2	2	2
B. OPERATED	87	3.1	21	<1	<1	2	3	6	7	30
TOTAL 0-19 YRS	14	1.8	1	<1	<1	1	2	3	5	5
20-34	23	3.4	31	<1	<1	2	4	5	14	28
35-49	19	2.4	9	<1	<1	2	2	4	10	14
50-64	17	2.8	4	<1	1	2	3	6	7	7
65+	15	5.2	54	<1	<1	3	5	6	25	31
GRAND TOTAL	**88**	**3.1**	**21**	**<1**	**<1**	**2**	**3**	**6**	**7**	**30**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	7	3.7	14	<1	<1	2	5	10	11	11
35-49	16	3.2	8	<1	<1	2	4	8	9	10
50-64	28	2.8	6	<1	<1	2	3	7	9	11
65+	28	2.5	6	<1	<1	2	3	4	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+	5	5.8	20	1	1	4	10	11	11	11
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	6.9	53	1	1	4	10	19	21	21
35-49	16	4.5	13	1	1	3	8	10	11	11
50-64	51	4.1	23	1	1	2	4	8	13	26
65+	98	5.5	34	1	2	3	7	11	21	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	79	2.8	7	<1	<1	2	3	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	7	5.7	14	1	1	4	9	11	11	11
B. *Operated*	173	5.0	29	1	2	3	6	11	19	35
1. SINGLE DX	80	2.9	7	<1	<1	2	3	7	9	12
2. MULTIPLE DX	180	5.1	29	1	1	3	6	11	18	34
A. NOT OPERATED	8	5.4	13	1	2	4	8	11	11	11
B. OPERATED	252	4.3	23	<1	1	3	5	10	13	26
TOTAL 0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	15	5.2	31	<1	1	4	6	12	19	21
35-49	33	3.9	10	<1	<1	3	6	10	10	11
50-64	79	3.6	18	<1	1	2	3	8	12	25
65+	131	4.9	29	<1	1	3	6	10	16	49
GRAND TOTAL	**260**	**4.4**	**23**	**<1**	**1**	**3**	**6**	**10**	**13**	**26**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	7	1.0		<1	<1	<1	<1	1	1	1
20-34	4	3.0	8	1	1	2	5	7	7	7
35-49										
50-64	3	1.3		<1	<1	1	2	2	2	2
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	8	1.8	1	<1	<1	1	2	4	4	4
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+	2	6.0	32	2	2	6	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	15	1.6	3	<1	<1	<1	1	3	6	7
2. MULTIPLE DX										
A. *Not Operated*	2	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	13	2.3	6	<1	<1	1	2	5	9	10
1. SINGLE DX	15	1.6	3	<1	<1	<1	1	3	6	7
2. MULTIPLE DX	15	2.1	6	<1	<1	<1	2	4	8	10
A. NOT OPERATED	2	1.0		<1	<1	<1	<1	<1	<1	<1
B. OPERATED	28	1.9	4	<1	<1	1	2	4	7	10
TOTAL 0-19 YRS	17	1.4	1	<1	<1	<1	1	3	4	4
20-34	4	3.0	8	1	1	2	5	7	7	7
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	5	1.4		<1	<1	1	2	2	2	2
65+	3	4.3	24	<1	<1	2	8	10	10	10
GRAND TOTAL	**30**	**1.9**	**4**	**<1**	**<1**	**<1**	**2**	**4**	**7**	**10**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	3	2.7	2	1	1	3	4	4	4	4
35-49	5	3.2	6	1	1	3	5	7	7	7
50-64	7	2.7	3	1	1	2	4	6	6	6
65+	3	25.3	356	9	9	21	40	46	46	46
B. *Operated*										
0-19 YRS	4	8.3	11	4	4	8	10	12	12	12
20-34	31	11.5	41	1	4	10	14	22	23	28
35-49	51	10.1	54	2	2	9	13	17	25	39
50-64	62	9.5	31	2	3	9	13	16	24	91
65+	45	14.7	171	2	2	13	19	25	30	81
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	8	5.6	50	1	1	3	7	18	22	22
35-49	10	4.5	18	1	1	2	9	11	12	12
50-64	25	8.0	72	<1	1	7	9	14	26	41
65+	115	10.0	111	1	2	7	12	17	28	60
B. *Operated*										
0-19 YRS	15	16.1	216	7	7	13	16	25	56	66
20-34	35	18.4	172	5	7	16	19	31	47	71
35-49	53	14.8	89	3	4	11	20	30	33	38
50-64	135	20.1	192	3	6	17	27	41	49	99+
65+	155	23.2	274	4	7	19	30	51	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	6.1	109	<1	1	3	5	15	33	46
B. *Operated*	193	11.2	74	2	2	10	14	22	25	62
2. MULTIPLE DX										
A. *Not Operated*	159	9.0	98	1	2	7	11	17	27	59
B. *Operated*	393	20.3	216	4	7	17	27	43	58	99+
1. SINGLE DX	213	10.7	79	1	2	9	14	21	25	59
2. MULTIPLE DX	552	17.1	208	2	3	13	24	38	49	99
A. NOT OPERATED	179	8.7	99	1	1	6	10	17	27	57
B. OPERATED	586	17.3	188	2	4	14	23	36	47	99+
TOTAL 0-19 YRS	22	12.7	176	1	2	9	15	21	41	66
20-34	77	13.7	122	1	2	12	16	24	30	64
35-49	119	11.4	76	1	2	10	15	26	31	38
50-64	229	15.4	162	2	3	12	22	35	44	99+
65+	318	17.2	237	2	3	13	23	41	55	91
GRAND TOTAL	**765**	**15.3**	**180**	**2**	**3**	**12**	**20**	**32**	**45**	**87**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	27	3.1	1	1	2	3	4	4	5	5
20-34	178	3.4	1	2	2	3	4	5	5	6
35-49	263	3.5	1	2	2	3	4	5	5	8
50-64	173	3.6	2	2	2	3	4	5	6	7
65+	61	4.4	3	2	3	4	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	61	4.1	10	2	2	4	4	5	7	23
35-49	118	4.4	18	2	3	4	5	6	7	25
50-64	151	4.6	9	2	3	4	5	7	9	22
65+	93	5.6	31	3	3	4	6	8	9	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.8		2	2	3	3	3	3	3
B. *Operated*	702	3.6	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	6	2.7	3	<1	<1	2	3	6	6	6
B. *Operated*	425	4.7	16	2	3	4	5	7	8	23
1. SINGLE DX	707	3.6	2	2	2	3	4	5	6	8
2. MULTIPLE DX	431	4.7	16	2	3	4	5	7	8	23
A. NOT OPERATED	11	2.7	2	<1	1	3	3	4	6	6
B. OPERATED	1127	4.0	7	2	2	4	4	5	7	13
TOTAL 0-19 YRS	29	3.1	1	1	2	3	4	4	5	5
20-34	243	3.6	3	2	2	3	4	5	6	7
35-49	384	3.8	7	2	2	3	4	5	6	9
50-64	326	4.1	5	2	2	4	5	6	7	16
65+	156	5.1	20	3	3	4	5	7	9	35
GRAND TOTAL	**1138**	**4.0**	**7**	**2**	**2**	**4**	**4**	**5**	**7**	**13**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	4.7	14	2	2	3	7	9	9	9
35-49	4	5.3	9	2	2	5	7	9	9	9
50-64	1	12.0		12	12	12	12	12	12	12
65+										
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	17	7.7	11	4	5	7	8	13	16	17
35-49	29	6.9	12	1	3	7	8	12	13	14
50-64	38	7.5	18	3	3	7	10	13	14	23
65+	12	8.4	26	2	2	10	11	14	17	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	3	1	1	2	4	5	5	5
20-34	11	5.0	41	1	1	4	4	15	22	23
35-49	16	5.6	12	1	2	5	8	12	13	13
50-64	15	7.7	27	1	2	7	12	13	18	20
65+	23	8.7	33	2	3	7	12	19	20	21
B. *Operated*										
0-19 YRS	6	15.0	86	6	6	12	21	29	30	30
20-34	27	8.0	102	2	3	6	8	12	19	56
35-49	65	8.5	38	3	3	6	12	21	23	88
50-64	108	9.3	118	3	3	6	10	17	26	66
65+	112	12.3	171	3	4	9	13	21	39	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	5.9	14	2	2	5	9	11	12	12
B. *Operated*	97	7.5	15	2	3	7	10	13	14	21
2. MULTIPLE DX										
A. *Not Operated*	69	6.9	28	1	1	5	9	13	20	23
B. *Operated*	318	10.2	120	3	3	7	12	20	27	74
1. SINGLE DX	105	7.4	15	2	3	7	10	12	14	20
2. MULTIPLE DX	387	9.6	105	2	3	7	11	19	24	71
A. NOT OPERATED	77	6.8	27	1	2	5	9	13	19	22
B. OPERATED	415	9.6	97	3	3	7	11	18	24	70
TOTAL 0-19 YRS	11	10.3	80	1	2	8	15	25	30	30
20-34	58	7.2	59	1	2	6	8	12	16	53
35-49	114	7.6	28	2	3	6	10	16	21	51
50-64	162	8.8	85	3	3	7	10	16	21	46
65+	147	11.4	140	3	3	8	13	20	29	72
GRAND TOTAL	**492**	**9.1**	**87**	**2**	**3**	**7**	**11**	**17**	**22**	**63**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	9	3.2	5	1	1	3	4	7	7	7
20-34	503	2.9	4	<1	<1	2	4	6	7	8
35-49	254	3.7	6	<1	1	3	6	7	8	10
50-64	62	3.6	5	<1	1	3	6	7	8	8
65+	25	4.0	6	<1	1	3	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	12	3.3	21	<1	<1	1	3	9	16	17
35-49	10	1.7	1	<1	<1	1	3	3	3	3
50-64	1	8.0		8	8	8	8	8	8	8
65+	2	3.0	8	<1	<1	2	5	5	5	5
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	366	4.0	8	<1	1	4	6	7	8	13
35-49	371	5.5	13	1	1	6	7	9	11	17
50-64	118	5.3	9	1	1	6	7	9	10	13
65+	68	7.0	26	2	2	7	8	12	16	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.3	1	1	1	3	3	3	3	3
B. *Operated*	853	3.2	5	<1	1	2	5	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	25	2.8	12	<1	<1	1	3	6	10	17
B. *Operated*	925	5.0	12	1	1	5	7	8	10	16
1. SINGLE DX	856	3.2	5	<1	1	2	5	7	7	9
2. MULTIPLE DX	950	4.9	12	1	1	5	7	8	10	16
A. NOT OPERATED	28	2.8	11	<1	<1	1	3	6	9	17
B. OPERATED	1778	4.2	9	<1	1	3	6	7	9	14
TOTAL 0-19 YRS	11	3.0	4	1	1	2	3	7	7	7
20-34	882	3.4	6	<1	1	3	5	7	7	11
35-49	637	4.7	10	1	1	5	6	8	9	15
50-64	181	4.7	8	1	1	5	7	8	10	13
65+	95	6.1	22	1	2	6	8	10	14	29
GRAND TOTAL	**1806**	**4.1**	**9**	**<1**	**1**	**3**	**6**	**7**	**9**	**14**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	14.0		14	14	14	14	14	14	14
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	22	4.1	14	<1	1	3	5	8	12	17
35-49	59	3.6	9	<1	<1	3	5	7	8	17
50-64	96	3.9	13	<1	<1	3	4	8	12	19
65+	105	3.7	9	<1	<1	3	5	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	4.0		4	4	4	4	4	4	4
50-64	4	2.5	6	1	1	2	4	6	6	6
65+	3	9.3	72	1	1	9	16	18	18	18
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	28	5.9	12	2	2	5	8	11	13	15
35-49	88	5.5	19	1	1	5	7	11	13	22
50-64	186	6.4	31	1	1	5	8	12	16	28
65+	347	8.5	81	1	2	6	11	19	28	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	8.5	61	3	3	8	14	14	14	14
B. *Operated*	283	3.8	11	<1	<1	3	5	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	9	4.9	32	1	1	2	7	14	18	18
B. *Operated*	650	7.4	57	1	1	6	10	15	20	44
1. SINGLE DX	285	3.8	11	<1	<1	3	5	8	11	16
2. MULTIPLE DX	659	7.4	56	1	1	5	10	15	20	44
A. NOT OPERATED	11	5.5	33	1	1	3	8	16	18	18
B. OPERATED	933	6.3	46	<1	1	4	8	13	18	38
TOTAL 0-19 YRS	2	9.0	50	4	4	9	14	14	14	14
20-34	51	5.1	13	1	1	4	7	9	13	17
35-49	148	4.7	15	<1	1	4	6	10	12	20
50-64	287	5.5	26	<1	1	4	8	12	15	26
65+	456	7.4	69	1	1	5	10	17	23	51
GRAND TOTAL	**944**	**6.3**	**45**	**<1**	**1**	**4**	**8**	**13**	**18**	**37**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	2.6	6	<1	<1	2	3	5	9	12
20-34	19	3.7	14	1	1	2	5	8	12	16
35-49	32	3.8	46	<1	1	2	4	8	8	39
50-64	51	4.1	17	1	1	3	5	9	14	19
65+	36	3.7	31	<1	1	2	4	7	15	30
B. *Operated*										
0-19 YRS	112	4.0	17	<1	1	3	5	9	10	25
20-34	158	4.1	12	<1	1	3	6	9	11	15
35-49	159	4.0	18	<1	<1	2	6	8	11	22
50-64	262	4.2	16	<1	1	3	5	9	12	22
65+	297	4.3	19	<1	1	3	5	10	13	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	4.1	68	<1	<1	2	4	5	13	50
20-34	43	3.5	15	<1	1	2	3	9	13	18
35-49	70	5.1	55	<1	<1	3	6	10	16	49
50-64	163	6.5	83	1	1	4	8	13	18	42
65+	441	8.0	88	1	1	5	10	17	23	57
B. *Operated*										
0-19 YRS	76	7.9	75	1	2	5	9	19	23	47
20-34	153	7.9	118	1	2	5	8	14	28	83
35-49	204	8.4	128	1	2	6	8	14	27	86
50-64	444	7.8	71	1	2	6	10	15	20	50
65+	917	9.4	84	1	2	7	12	19	26	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	174	3.6	22	<1	1	2	4	8	11	27
B. *Operated*	988	4.1	17	<1	1	3	5	9	11	22
2. MULTIPLE DX										
A. *Not Operated*	754	6.9	81	1	1	4	9	15	21	50
B. *Operated*	1794	8.7	88	1	2	6	11	18	25	60
1. SINGLE DX	1162	4.1	18	<1	1	3	5	9	11	22
2. MULTIPLE DX	2548	8.2	87	1	1	6	10	17	24	56
A. NOT OPERATED	928	6.3	71	<1	1	4	8	14	19	46
B. OPERATED	2782	7.1	68	1	1	5	9	15	21	47
TOTAL 0-19 YRS	261	5.0	43	<1	1	3	5	10	15	44
20-34	373	5.6	60	<1	1	4	7	10	15	49
35-49	465	6.1	77	<1	1	4	7	11	16	56
50-64	920	6.3	57	1	1	4	8	13	18	32
65+	1691	8.0	76	1	1	5	11	18	24	49
GRAND TOTAL	**3710**	**6.9**	**69**	**1**	**1**	**4**	**9**	**15**	**20**	**46**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	2	3.0		3	3	3	3	3	3	3
65+	4	4.3	2	3	3	4	5	6	6	6
B. *Operated*										
0-19 YRS	5	3.6	1	2	2	4	4	5	5	5
20-34	88	3.7	2	2	2	4	4	5	5	8
35-49	176	3.6	2	1	2	4	4	5	5	7
50-64	163	3.9	2	2	2	4	5	6	6	9
65+	60	4.2	4	2	3	4	5	6	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	3	2.7	1	2	2	2	4	4	4	4
35-49	8	3.1	5	<1	<1	3	4	6	7	7
50-64	10	3.4	5	<1	<1	3	5	7	7	7
65+	31	7.6	28	1	1	7	11	15	20	21
B. *Operated*										
0-19 YRS	5	2.6		2	2	3	3	3	3	3
20-34	33	4.6	5	2	2	4	5	8	10	11
35-49	103	4.9	14	2	3	4	5	7	10	25
50-64	184	4.8	8	2	3	4	5	7	9	20
65+	134	6.9	30	3	3	5	8	15	24	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.7	5	<1	<1	3	5	7	8	8
B. *Operated*	492	3.8	2	2	2	4	5	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	53	5.8	23	<1	1	5	7	12	16	21
B. *Operated*	459	5.4	16	2	3	4	6	9	13	29
1. SINGLE DX	501	3.8	2	2	2	4	5	5	6	9
2. MULTIPLE DX	512	5.4	17	2	3	4	6	9	13	28
A. NOT OPERATED	62	5.5	21	<1	1	4	7	11	15	21
B. OPERATED	951	4.6	10	2	2	4	5	7	9	23
TOTAL 0-19 YRS	11	3.3	1	2	2	3	4	5	5	5
20-34	125	3.9	3	2	2	4	4	5	7	11
35-49	289	4.0	6	1	2	4	5	5	7	14
50-64	359	4.4	6	2	2	4	5	6	8	12
65+	229	6.3	24	2	3	5	7	12	18	44
GRAND TOTAL	**1013**	**4.6**	**10**	**2**	**2**	**4**	**5**	**7**	**10**	**22**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	4.4	6	<1	1	4	5	8	9	10
20-34	38	4.6	9	<1	1	4	6	8	10	14
35-49	21	5.1	15	1	1	4	6	13	14	14
50-64	17	6.2	12	2	2	6	9	11	12	12
65+	24	4.8	9	1	1	4	7	9	11	12
B. *Operated*										
0-19 YRS	23	3.7	2	1	2	4	5	5	6	7
20-34	79	4.7	20	2	3	4	5	6	10	32
35-49	86	4.2	4	2	3	4	5	6	7	13
50-64	57	3.7	2	1	2	3	5	6	7	7
65+	20	6.0	36	1	2	4	7	10	20	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	5.6	9	<1	2	5	7	9	11	14
20-34	59	5.1	9	1	2	5	7	9	10	13
35-49	96	6.4	12	2	2	6	9	11	13	16
50-64	118	8.1	61	2	2	6	10	14	20	46
65+	306	10.9	103	3	3	8	13	19	27	64
B. *Operated*										
0-19 YRS	9	6.0	47	1	2	4	5	17	24	24
20-34	62	5.2	5	3	3	5	6	8	9	15
35-49	58	5.4	18	2	3	4	7	8	12	28
50-64	76	7.7	58	2	2	5	9	15	28	36
65+	76	11.4	97	1	3	8	16	24	31	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	4.9	10	1	1	4	7	9	12	14
B. *Operated*	265	4.3	11	2	2	4	5	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	599	8.9	72	2	3	7	10	16	22	58
B. *Operated*	281	7.6	54	2	3	5	8	17	24	36
1. SINGLE DX	386	4.5	10	1	2	4	5	7	10	14
2. MULTIPLE DX	880	8.5	67	2	3	6	10	16	23	45
A. NOT OPERATED	720	8.2	64	2	2	6	10	15	20	49
B. OPERATED	546	6.0	36	2	3	4	6	11	18	33
TOTAL 0-19 YRS	73	4.7	11	1	1	4	5	8	9	22
20-34	238	4.9	11	2	2	4	6	8	10	14
35-49	261	5.3	11	2	2	4	7	9	12	17
50-64	268	6.9	47	2	2	5	8	13	19	35
65+	426	10.4	96	2	3	8	13	20	27	63
GRAND TOTAL	**1266**	**7.3**	**53**	**2**	**2**	**5**	**9**	**14**	**19**	**37**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	5.5	7	2	3	5	7	9	11	14
20-34	18	4.9	10	<1	1	5	6	10	13	13
35-49	13	5.8	35	1	1	4	7	11	22	24
50-64	12	6.5	52	<1	1	4	7	15	26	28
65+	7	7.9	6	4	5	7	9	12	12	12
B. *Operated*										
0-19 YRS	3	6.0	61	1	1	2	12	15	15	15
20-34	2	5.5	25	2	2	5	9	9	9	9
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	8.7	160	1	2	6	8	15	22	78
20-34	35	3.4	6	1	1	3	5	6	6	14
35-49	56	6.3	17	2	3	5	8	10	14	25
50-64	132	6.8	41	1	2	5	8	13	16	30
65+	112	7.2	44	2	3	5	9	13	22	66
B. *Operated*										
0-19 YRS	3	9.7	74	2	2	8	16	19	19	19
20-34	3	8.0	39	3	3	6	13	15	15	15
35-49	8	14.1	138	6	6	9	17	35	40	40
50-64	18	13.3	220	1	2	8	13	41	52	54
65+	20	10.6	46	1	2	12	15	24	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	147	5.6	13	1	2	5	7	9	12	24
B. *Operated*	8	4.9	24	1	1	2	7	13	15	15
2. MULTIPLE DX										
A. *Not Operated*	386	6.8	52	1	2	5	8	13	16	50
B. *Operated*	52	11.9	117	2	2	9	15	24	47	99
1. SINGLE DX	155	5.6	14	1	2	5	7	9	12	24
2. MULTIPLE DX	438	7.4	62	1	2	5	9	14	21	54
A. NOT OPERATED	533	6.5	42	1	2	5	7	12	15	35
B. OPERATED	60	11.0	110	1	2	9	14	23	44	95
TOTAL 0-19 YRS	154	6.6	61	1	2	5	7	11	15	52
20-34	58	4.2	10	1	1	4	5	6	13	15
35-49	78	6.9	36	2	2	6	8	11	20	36
50-64	163	7.5	64	1	2	6	9	14	21	53
65+	140	7.7	43	2	3	6	10	15	24	99+
GRAND TOTAL	**593**	**6.9**	**50**	**1**	**2**	**5**	**8**	**13**	**17**	**51**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	503	4.0	8	1	1	3	5	8	9	14
20-34	350	4.6	9	1	2	4	6	9	11	15
35-49	127	5.5	10	2	2	5	8	9	11	18
50-64	80	6.4	12	2	2	6	9	11	12	16
65+	67	7.4	16	2	2	7	10	14	15	18
B. *Operated*										
0-19 YRS	3	5.7	6	3	3	6	7	8	8	8
20-34	4	8.8	11	4	4	10	11	11	11	11
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	11.5	5	10	10	11	13	13	13	13
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	526	4.9	25	1	2	4	6	9	11	26
20-34	701	5.8	33	1	2	5	7	10	13	35
35-49	522	7.0	27	2	2	6	9	13	16	27
50-64	488	8.9	43	3	3	8	11	17	19	38
65+	822	11.5	83	3	4	9	14	21	28	63
B. *Operated*										
0-19 YRS	22	10.0	113	3	3	7	11	17	34	53
20-34	55	15.4	251	3	4	10	16	43	61	99
35-49	74	17.1	266	4	5	11	20	49	57	67
50-64	84	21.5	302	4	6	17	26	46	59	90
65+	127	23.9	290	6	8	18	36	53	73	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1127	4.7	10	1	2	4	6	9	11	15
B. *Operated*	10	7.9	12	3	3	8	11	12	13	13
2. MULTIPLE DX										
A. *Not Operated*	3059	7.9	52	2	2	6	10	15	20	43
B. *Operated*	362	19.8	285	4	5	14	25	48	61	99+
1. SINGLE DX	1137	4.7	10	1	2	4	6	9	11	15
2. MULTIPLE DX	3421	9.2	90	2	2	7	11	18	26	61
A. NOT OPERATED	4186	7.0	43	1	2	5	9	13	18	36
B. OPERATED	372	19.5	282	4	5	14	24	47	61	99+
TOTAL 0-19 YRS	1054	4.6	19	1	1	3	6	8	10	19
20-34	1110	5.9	41	1	2	4	7	11	14	40
35-49	724	7.8	59	2	2	6	9	14	20	51
50-64	654	10.2	91	2	3	8	12	19	26	60
65+	1016	12.8	122	3	4	10	15	25	37	87
GRAND TOTAL	**4558**	**8.1**	**74**	**2**	**2**	**6**	**10**	**16**	**22**	**55**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	342	5.0	8	1	2	5	7	9	10	16
20-34	295	5.0	9	1	2	4	6	8	11	16
35-49	358	5.2	9	1	2	5	7	9	11	16
50-64	475	5.8	11	2	2	5	7	10	12	19
65+	346	6.3	12	2	3	6	8	11	13	19
B. *Operated*										
0-19 YRS	4	2.8	2	2	2	2	4	5	5	5
20-34	27	3.3	7	1	1	3	4	5	10	13
35-49	40	4.8	39	1	1	2	4	14	18	31
50-64	98	4.5	27	1	1	2	4	13	17	25
65+	114	3.6	29	1	1	2	3	7	15	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	293	6.9	80	1	2	5	8	13	22	88
20-34	870	6.2	31	2	2	5	8	12	14	28
35-49	1778	6.9	23	2	3	6	8	12	15	25
50-64	3867	8.0	35	2	3	7	10	14	18	33
65+	5667	9.7	74	3	3	8	11	17	24	56
B. *Operated*										
0-19 YRS	22	14.8	510	1	2	5	12	46	67	95
20-34	201	11.0	167	2	2	7	14	26	37	91
35-49	646	15.9	236	2	3	11	20	38	49	93
50-64	1762	18.1	281	2	4	13	24	41	58	98
65+	2633	20.4	311	2	4	16	28	50	73	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1816	5.5	10	2	2	5	7	10	11	17
B. *Operated*	283	4.1	27	1	1	2	3	10	16	26
2. MULTIPLE DX										
A. *Not Operated*	12475	8.5	53	2	3	7	10	15	20	43
B. *Operated*	5264	18.7	292	2	3	14	25	45	65	99+
1. SINGLE DX	2099	5.3	13	1	2	5	7	10	12	18
2. MULTIPLE DX	17739	11.5	146	2	3	8	13	25	37	85
A. NOT OPERATED	14291	8.1	49	2	3	7	10	14	19	40
B. OPERATED	5547	18.0	289	2	3	13	24	43	63	99+
TOTAL 0-19 YRS	661	6.2	59	1	2	5	7	11	14	75
20-34	1393	6.6	49	2	2	5	8	12	17	37
35-49	2822	8.7	86	2	2	6	10	16	24	53
50-64	6202	10.7	125	2	3	7	12	22	32	70
65+	8760	12.7	169	2	3	9	15	28	43	99+
GRAND TOTAL	**19838**	**10.9**	**136**	**2**	**3**	**7**	**12**	**23**	**35**	**81**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	11	2.5	3	<1	<1	2	4	5	6	6
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	13	3.8	8	1	1	3	5	7	10	11
20-34	69	3.7	6	<1	<1	3	5	6	8	12
35-49	9	3.6	5	<1	1	2	5	7	8	8
50-64										
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	12	4.2	12	1	1	3	7	10	10	10
35-49	2	6.0	18	3	3	6	9	9	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	17	2.8	4	<1	<1	2	5	6	7	7
20-34	170	3.8	8	<1	1	3	5	7	7	16
35-49	31	4.1	6	1	1	4	6	7	8	9
50-64	2	7.5	5	6	6	7	9	9	9	9
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.4	3	<1	<1	2	3	5	6	6
B. *Operated*	92	3.7	6	<1	1	3	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	15	4.3	11	1	1	3	7	10	10	10
B. *Operated*	220	3.8	8	<1	1	3	6	7	8	14
1. SINGLE DX	105	3.6	6	<1	1	3	5	6	8	12
2. MULTIPLE DX	235	3.9	8	<1	1	3	6	7	9	13
A. NOT OPERATED	28	3.4	8	1	1	2	5	9	10	10
B. OPERATED	312	3.8	7	<1	1	3	5	7	8	13
TOTAL 0-19 YRS	33	3.1	5	<1	1	2	5	6	7	11
20-34	262	3.8	7	<1	1	3	5	7	8	13
35-49	42	4.0	6	<1	1	4	6	8	8	9
50-64	2	7.5	5	6	6	7	9	9	9	9
65+	1	6.0		6	6	6	6	6	6	6
GRAND TOTAL	**340**	**3.8**	**7**	**<1**	**1**	**3**	**5**	**7**	**8**	**12**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	149	2.1	4	<1	1	1	2	5	7	9
20-34	41	3.2	3	<1	1	3	5	5	6	6
35-49	49	3.1	4	<1	1	3	5	5	6	11
50-64	41	4.0	9	1	1	4	5	7	9	16
65+	40	4.1	8	1	1	3	5	8	9	14
B. *Operated*										
0-19 YRS	9	8.0	36	<1	1	10	12	16	18	18
20-34	12	4.2	5	2	2	4	5	8	8	8
35-49	19	5.9	13	2	3	4	9	11	13	15
50-64	20	3.9	2	2	2	4	5	6	7	8
65+	11	5.7	3	3	3	5	7	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	183	2.8	7	<1	1	2	3	5	8	15
20-34	247	4.3	18	1	1	3	5	9	13	20
35-49	334	6.2	54	1	2	5	8	12	15	49
50-64	560	6.4	39	1	1	5	8	12	17	36
65+	1423	7.9	65	2	2	6	10	15	20	45
B. *Operated*										
0-19 YRS	14	12.1	458	1	1	6	12	26	71	84
20-34	38	8.2	40	2	3	7	11	17	23	29
35-49	88	11.7	107	2	3	9	14	26	36	51
50-64	135	12.8	219	3	3	8	15	32	50	99+
65+	184	16.5	253	3	4	11	21	41	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	320	2.9	6	<1	1	2	4	6	7	13
B. *Operated*	71	5.3	11	2	2	4	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	2747	6.7	52	1	1	5	8	14	19	36
B. *Operated*	459	13.6	208	2	3	9	17	31	51	99+
1. SINGLE DX	391	3.3	7	<1	1	3	5	7	8	14
2. MULTIPLE DX	3206	7.7	81	1	2	5	9	16	22	55
A. NOT OPERATED	3067	6.3	49	1	1	4	8	13	18	35
B. OPERATED	530	12.5	190	2	3	8	15	29	43	99+
TOTAL 0-19 YRS	355	3.0	27	<1	1	2	3	6	10	16
20-34	338	4.6	20	1	1	3	5	10	13	25
35-49	490	6.9	63	1	1	5	8	14	21	43
50-64	756	7.3	75	1	2	5	8	15	21	51
65+	1658	8.7	92	2	2	6	10	18	26	65
GRAND TOTAL	**3597**	**7.2**	**74**	**1**	**1**	**5**	**8**	**15**	**21**	**52**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	11.6	37	5	5	11	16	20	20	20
20-34	1	5.0		5	5	5	5	5	5	5
35-49	3	20.0	592	4	4	8	38	48	48	48
50-64	3	12.3	20	8	8	12	16	17	17	17
65+	2	5.5	13	3	3	5	8	8	8	8
B. *Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	3	4.3	4	2	2	5	6	6	6	6
50-64	1	3.0		3	3	3	3	3	3	3
65+	3	6.0	7	3	3	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	19.4	393	3	3	11	34	68	99+	99+
20-34	12	13.3	367	3	3	6	13	35	67	72
35-49	24	8.5	31	3	3	7	11	19	44	99+
50-64	57	14.2	175	2	3	11	18	25	45	73
65+	296	11.8	108	2	3	9	14	26	36	99+
B. *Operated*										
0-19 YRS	5	12.0	63	5	5	8	18	24	24	24
20-34	13	17.5	293	<1	1	13	24	48	54	55
35-49	12	19.1	149	4	5	18	26	38	41	42
50-64	40	16.2	192	2	3	11	23	30	45	67
65+	181	14.3	125	3	4	11	19	31	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	12.2	132	3	4	8	15	23	42	48
B. *Operated*	8	5.0	5	2	2	5	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	415	12.4	141	2	3	9	14	28	41	99+
B. *Operated*	251	14.9	144	2	3	11	20	32	46	99+
1. SINGLE DX	22	9.6	96	2	3	7	11	18	31	48
2. MULTIPLE DX	666	13.4	143	2	3	10	18	29	45	99+
A. NOT OPERATED	429	12.4	140	3	3	9	15	27	41	99+
B. OPERATED	259	14.6	142	2	3	11	20	31	46	99+
TOTAL 0-19 YRS	36	17.3	304	3	4	11	27	58	89	99+
20-34	27	14.7	302	1	3	7	20	42	58	72
35-49	42	12.1	117	3	4	8	16	29	44	99+
50-64	101	14.9	176	2	3	11	19	27	43	71
65+	482	12.7	115	3	3	10	17	27	40	99+
GRAND TOTAL	**688**	**13.3**	**142**	**2**	**3**	**10**	**18**	**29**	**45**	**99+**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	147	12.2	33	2	6	11	15	18	22	30
20-34	78	11.6	28	3	5	11	14	19	23	25
35-49	3	15.7	22	12	12	14	19	21	21	21
50-64										
65+										
B. *Operated*										
0-19 YRS	3	18.3	136	8	8	16	27	31	31	31
20-34	2	12.5	13	10	10	12	15	15	15	15
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	213	12.2	86	2	3	11	14	20	28	61
20-34	189	14.1	82	5	6	13	17	22	25	56
35-49	11	16.0	60	6	7	16	22	27	30	30
50-64										
65+										
B. *Operated*										
0-19 YRS	31	22.1	356	3	4	16	29	43	75	81
20-34	23	18.2	146	5	8	15	25	40	45	46
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	228	12.0	31	2	6	11	14	19	22	29
B. *Operated*	6	13.7	98	2	3	12	16	29	31	31
2. MULTIPLE DX										
A. *Not Operated*	413	13.2	84	3	4	12	16	21	26	61
B. *Operated*	54	20.4	266	3	6	15	27	40	52	81
1. SINGLE DX	234	12.1	33	2	6	11	15	19	22	30
2. MULTIPLE DX	467	14.0	110	3	4	12	16	23	31	63
A. NOT OPERATED	641	12.8	66	3	5	12	15	21	24	43
B. OPERATED	60	19.7	251	3	5	15	27	37	50	80
TOTAL 0-19 YRS	334	13.0	94	2	4	11	15	21	29	62
20-34	292	13.7	74	4	6	13	16	22	26	46
35-49	15	15.0	59	3	6	15	20	25	29	30
50-64										
65+										
GRAND TOTAL	**701**	**13.4**	**85**	**3**	**5**	**12**	**16**	**22**	**28**	**57**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	7.5	106	2	2	3	8	26	28	28
20-34	3	12.0	91	6	6	7	19	23	23	23
35-49	4	3.5	11	<1	<1	2	6	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	5	6.2	1	5	5	6	7	8	8	8
20-34	145	6.9	5	5	5	6	8	10	11	15
35-49	119	6.7	4	5	5	6	8	10	11	12
50-64	20	7.8	4	5	5	7	9	11	12	13
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	27.9	1205	<1	1	8	47	93	98	99
20-34	19	5.9	67	<1	<1	1	7	19	26	30
35-49	36	4.3	34	<1	<1	2	5	10	15	30
50-64	19	9.0	70	1	1	7	14	17	27	36
65+	4	12.5	48	3	3	14	17	19	19	19
B. *Operated*										
0-19 YRS	13	15.0	253	5	5	8	15	41	56	60
20-34	244	8.0	13	5	5	7	8	12	16	24
35-49	407	9.0	55	5	5	7	9	13	18	42
50-64	98	9.2	28	5	6	8	9	13	18	38
65+	1	15.0		15	15	15	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	7.3	73	<1	1	4	8	24	27	28
B. *Operated*	289	6.9	4	5	5	6	8	10	11	14
2. MULTIPLE DX										
A. *Not Operated*	99	10.8	368	<1	<1	4	11	27	54	99
B. *Operated*	763	8.8	42	5	5	7	9	13	17	38
1. SINGLE DX	302	6.9	7	4	5	6	8	10	11	17
2. MULTIPLE DX	862	9.0	79	3	5	7	9	14	19	50
A. NOT OPERATED	112	10.4	334	<1	<1	4	10	24	41	98
B. OPERATED	1052	8.3	32	5	5	7	9	12	15	27
TOTAL 0-19 YRS	45	19.0	708	1	2	7	15	63	92	99
20-34	411	7.5	13	5	5	7	8	11	15	23
35-49	566	8.2	44	3	5	7	9	12	16	37
50-64	137	8.9	30	5	5	8	9	13	17	37
65+	5	13.0	38	3	3	15	17	19	19	19
GRAND TOTAL	**1164**	**8.5**	**62**	**4**	**5**	**7**	**9**	**12**	**17**	**40**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	287	2.2	39	<1	<1	<1	2	4	5	19
20-34	93	4.5	39	<1	<1	1	5	13	19	33
35-49	39	5.5	30	<1	<1	3	8	15	18	21
50-64	36	3.9	23	<1	<1	1	5	8	15	23
65+	34	3.3	8	<1	<1	2	4	7	9	14
B. *Operated*										
0-19 YRS	36	5.3	37	1	1	3	6	8	19	32
20-34	115	3.7	42	<1	1	2	4	7	9	40
35-49	108	3.0	14	<1	1	2	3	6	10	21
50-64	42	3.2	17	<1	<1	2	3	6	15	20
65+	11	5.2	10	<1	1	6	7	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	204	3.7	38	<1	<1	2	4	8	11	36
20-34	236	9.4	98	1	1	6	13	22	33	62
35-49	238	9.7	116	1	1	6	12	22	33	62
50-64	183	7.9	38	1	2	7	10	16	19	37
65+	324	9.5	99	1	2	7	12	19	28	60
B. *Operated*										
0-19 YRS	41	14.2	303	1	2	11	19	72	99+	99+
20-34	233	18.0	323	1	1	14	27	42	61	99+
35-49	239	16.9	332	1	2	10	25	46	66	99+
50-64	155	10.2	108	1	2	7	13	25	30	60
65+	127	14.0	154	1	2	11	18	30	43	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	489	3.1	36	<1	<1	1	3	6	12	22
B. *Operated*	312	3.6	27	<1	1	2	4	7	10	28
2. MULTIPLE DX										
A. *Not Operated*	1185	8.3	87	<1	1	6	10	18	26	55
B. *Operated*	795	15.3	263	1	2	10	22	39	55	99+
1. SINGLE DX	801	3.3	33	<1	<1	1	3	7	11	23
2. MULTIPLE DX	1980	11.1	169	<1	1	7	14	27	41	81
A. NOT OPERATED	1674	6.8	77	<1	<1	4	8	16	22	48
B. OPERATED	1107	12.0	224	1	1	6	16	31	47	98
TOTAL 0-19 YRS	568	3.8	66	<1	<1	1	3	8	16	67
20-34	677	10.7	190	<1	1	5	14	29	41	88
35-49	624	11.1	202	1	1	6	13	28	43	78
50-64	416	8.0	66	<1	1	6	11	18	25	47
65+	496	10.1	112	1	2	7	13	22	30	61
GRAND TOTAL	**2781**	**8.9**	**142**	**<1**	**<1**	**5**	**11**	**22**	**33**	**76**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	2.9	4	1	1	2	4	6	6	6
35-49	22	3.4	4	<1	1	3	4	6	8	9
50-64	20	4.6	10	<1	1	4	6	10	11	12
65+	28	6.3	19	2	2	5	10	14	15	15
B. *Operated*										
0-19 YRS										
20-34	3	1.3		<1	<1	<1	2	2	2	2
35-49	3	3.0	7	1	1	2	5	6	6	6
50-64	5	3.0	1	2	2	3	4	4	4	4
65+	11	4.2	12	<1	<1	3	6	9	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	13	3.9	5	2	2	3	4	8	10	10
35-49	42	6.2	22	1	2	5	9	12	15	24
50-64	114	6.7	76	2	2	5	8	12	16	44
65+	261	7.5	46	2	2	6	9	14	18	42
B. *Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49	11	3.8	7	1	1	4	4	7	11	11
50-64	26	11.8	119	2	2	8	15	31	36	43
65+	61	12.1	114	2	3	9	18	29	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	4.7	13	1	1	4	6	10	12	15
B. *Operated*	22	3.4	8	<1	<1	3	4	6	9	13
2. MULTIPLE DX										
A. *Not Operated*	430	7.0	51	2	2	5	8	13	17	39
B. *Operated*	99	11.1	108	2	2	8	15	27	35	99+
1. SINGLE DX	99	4.4	12	<1	1	3	5	10	12	15
2. MULTIPLE DX	529	7.8	64	2	2	6	9	15	21	65
A. NOT OPERATED	507	6.7	46	2	2	5	8	13	16	35
B. OPERATED	121	9.7	98	1	2	7	13	23	33	99+
TOTAL 0-19 YRS										
20-34	24	3.5	6	<1	1	3	5	7	9	10
35-49	78	4.9	16	1	1	4	6	11	13	22
50-64	165	7.1	77	2	2	5	8	15	18	42
65+	361	8.1	58	2	2	6	10	16	24	66
GRAND TOTAL	**628**	**7.3**	**57**	**2**	**2**	**5**	**9**	**14**	**19**	**47**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	2.5	2	<1	1	2	3	4	5	7
20-34	26	3.1	6	<1	1	2	4	7	8	10
35-49	22	2.6	3	<1	1	2	4	5	6	7
50-64	30	5.4	29	1	1	3	9	11	18	24
65+	92	6.3	38	<1	1	5	8	12	18	36
B. *Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1226	3.3	11	1	1	2	4	5	7	16
20-34	518	3.8	10	1	1	3	5	7	9	18
35-49	578	5.3	36	1	1	4	7	10	15	27
50-64	1250	6.4	30	2	2	5	8	12	16	31
65+	6185	9.5	102	2	3	7	11	18	29	73
B. *Operated*										
0-19 YRS	23	18.4	498	1	2	10	19	61	70	82
20-34	34	7.3	64	1	2	4	7	16	28	37
35-49	68	8.6	70	1	1	7	10	16	22	51
50-64	149	13.8	210	2	3	10	16	32	52	84
65+	696	19.0	291	4	6	14	24	47	85	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	233	4.4	23	<1	1	3	5	9	12	24
B. *Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. *Not Operated*	9757	7.8	78	1	2	5	9	15	23	59
B. *Operated*	970	17.1	272	2	4	13	21	43	72	99+
1. SINGLE DX	234	4.4	23	<1	1	3	5	9	12	24
2. MULTIPLE DX	10727	8.6	103	2	2	6	10	18	28	75
A. NOT OPERATED	9990	7.7	77	1	2	5	9	15	22	58
B. OPERATED	971	17.0	272	2	4	13	21	43	72	99+
TOTAL 0-19 YRS	1312	3.5	23	1	1	3	4	6	8	19
20-34	579	4.0	13	1	1	3	5	7	10	18
35-49	668	5.6	39	1	1	4	7	10	16	30
50-64	1429	7.1	54	2	2	5	8	14	20	45
65+	6973	10.4	128	2	3	7	12	21	35	93
GRAND TOTAL	**10961**	**8.5**	**101**	**1**	**2**	**6**	**10**	**18**	**28**	**75**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	3.4	5	<1	1	3	5	6	8	10
20-34	14	3.1	3	<1	1	3	4	6	6	6
35-49	24	3.3	4	<1	<1	3	5	6	7	8
50-64	25	4.1	11	<1	1	3	5	8	12	14
65+	50	3.3	5	<1	<1	3	5	6	6	11
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	6	4.7	5	2	2	5	7	7	7	7
35-49	12	4.5	7	1	2	4	7	8	9	9
50-64	7	5.4	14	2	2	4	7	12	13	13
65+	22	6.3	17	2	2	5	9	12	15	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	5.5	53	<1	1	4	6	9	12	48
20-34	58	4.2	5	1	2	4	5	7	9	10
35-49	143	5.0	17	1	1	4	7	10	12	21
50-64	238	5.2	18	1	1	4	7	10	13	21
65+	1530	7.1	49	1	2	6	9	13	18	56
B. *Operated*										
0-19 YRS	10	7.4	27	3	3	5	8	16	18	18
20-34	26	6.3	14	2	3	5	9	11	13	19
35-49	79	7.5	26	2	2	6	10	14	16	28
50-64	126	9.8	63	3	3	8	11	15	23	48
65+	583	10.9	77	3	4	9	13	19	26	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	140	3.4	6	<1	1	3	5	6	8	12
B. *Operated*	48	5.5	12	2	2	4	7	11	13	17
2. MULTIPLE DX										
A. *Not Operated*	2011	6.6	43	1	2	5	8	12	16	44
B. *Operated*	824	10.2	69	2	3	8	13	18	25	56
1. SINGLE DX	188	4.0	8	<1	1	3	5	8	10	14
2. MULTIPLE DX	2835	7.7	53	1	2	6	9	14	19	49
A. NOT OPERATED	2151	6.4	41	1	2	5	8	12	16	41
B. OPERATED	872	10.0	67	2	3	8	12	17	24	54
TOTAL 0-19 YRS	80	5.0	34	<1	1	4	6	8	12	39
20-34	104	4.6	8	1	2	4	6	8	10	15
35-49	258	5.6	20	1	1	5	7	11	14	21
50-64	396	6.6	37	1	2	5	8	12	16	31
65+	2185	8.0	58	1	2	6	10	15	21	57
GRAND TOTAL	**3023**	**7.4**	**51**	**1**	**2**	**6**	**9**	**14**	**19**	**48**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	427	4.2	6	1	1	4	6	8	9	12
20-34	415	5.2	13	1	2	4	7	9	12	19
35-49	87	6.6	16	2	3	6	8	13	14	21
50-64	11	6.0	10	4	4	5	6	11	15	15
65+										
B. *Operated*										
0-19 YRS										
20-34	3	6.3	17	3	3	5	9	11	11	11
35-49										
50-64										
65+	1	20.0		20	20	20	20	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	293	5.9	30	1	2	5	8	11	14	28
20-34	441	7.4	23	2	3	6	9	13	16	25
35-49	193	9.2	50	2	3	7	11	17	20	42
50-64	46	11.3	75	2	3	9	15	21	28	42
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	8	17.5	67	8	9	16	21	30	34	34
20-34	31	21.0	415	3	5	15	21	45	73	94
35-49	22	15.9	238	3	5	11	16	47	52	57
50-64	4	8.3	34	2	2	7	12	16	16	16
65+	2	57.0	3528	15	15	57	99	99	99	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	940	4.9	11	1	2	4	6	9	11	17
B. *Operated*	4	9.8	58	3	3	8	15	20	20	20
2. MULTIPLE DX										
A. *Not Operated*	975	7.5	35	2	2	6	9	14	18	30
B. *Operated*	67	19.2	382	3	5	13	21	45	60	98
1. SINGLE DX	944	4.9	11	1	2	4	6	9	11	17
2. MULTIPLE DX	1042	8.3	65	2	2	6	10	15	20	45
A. NOT OPERATED	1915	6.2	25	1	2	5	8	11	15	24
B. OPERATED	71	18.7	368	3	4	13	21	44	57	98
TOTAL 0-19 YRS	728	5.1	19	1	2	4	6	9	11	20
20-34	890	6.9	40	1	2	5	8	12	16	27
35-49	302	9.0	58	2	3	7	11	16	21	48
50-64	61	10.1	64	2	3	7	13	19	25	42
65+	5	27.6	1657	1	1	15	40	99	99	99+
GRAND TOTAL	**1986**	**6.7**	**42**	**1**	**2**	**5**	**8**	**12**	**16**	**30**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	256	1.6	2	<1	<1	1	1	3	5	7
20-34	47	2.3	4	<1	<1	1	3	6	6	8
35-49	30	4.1	13	1	1	2	5	9	12	16
50-64	50	3.9	11	<1	<1	3	6	9	10	13
65+	252	2.9	8	<1	1	2	3	6	8	14
B. *Operated*										
0-19 YRS	22	4.9	16	<1	1	4	7	9	14	18
20-34	13	7.1	35	2	2	5	9	18	20	20
35-49	19	6.1	19	<1	1	5	9	12	15	17
50-64	27	7.3	17	1	2	7	10	13	16	17
65+	60	6.7	34	2	2	5	8	14	16	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	239	3.0	13	<1	<1	1	4	8	11	17
20-34	135	4.1	22	<1	<1	2	5	10	14	24
35-49	280	4.5	22	1	1	3	6	11	14	25
50-64	677	5.1	30	1	1	3	7	11	15	27
65+	2769	6.3	54	1	1	4	8	14	19	42
B. *Operated*										
0-19 YRS	56	9.3	112	<1	2	6	11	16	29	64
20-34	46	9.8	52	2	4	8	12	15	18	49
35-49	117	9.7	75	2	2	8	12	18	32	44
50-64	254	12.0	133	2	3	9	14	25	33	78
65+	999	12.6	125	3	4	10	15	25	35	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	635	2.5	6	<1	<1	1	3	5	8	12
B. *Operated*	141	6.5	26	1	2	5	8	13	17	22
2. MULTIPLE DX										
A. *Not Operated*	4100	5.7	45	1	1	4	7	13	17	38
B. *Operated*	1472	12.0	120	2	3	9	14	24	33	77
1. SINGLE DX	776	3.2	12	<1	<1	2	4	7	10	17
2. MULTIPLE DX	5572	7.4	73	1	1	5	9	16	23	54
A. NOT OPERATED	4735	5.3	41	<1	1	3	7	12	16	36
B. OPERATED	1613	11.6	115	2	3	9	14	23	31	74
TOTAL 0-19 YRS	573	3.0	23	<1	<1	1	3	7	11	22
20-34	241	5.0	31	<1	<1	3	7	12	15	23
35-49	446	5.9	40	1	1	4	8	12	17	36
50-64	1008	6.8	63	1	1	5	9	14	21	45
65+	4080	7.6	77	1	1	5	10	16	23	60
GRAND TOTAL	**6348**	**6.9**	**67**	**<1**	**1**	**4**	**9**	**15**	**21**	**48**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	3.3	6	<1	<1	3	4	7	8	11
20-34	5	2.4	1	1	1	3	3	3	3	3
35-49	9	4.1	87	<1	<1	<1	1	18	29	29
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	4.1	11	1	1	3	6	9	14	99
20-34	17	4.5	6	1	1	4	7	8	9	9
35-49	3	5.7	41	1	1	3	10	13	13	13
50-64	2	10.0	8	8	8	10	12	12	12	12
65+	4	9.0	8	7	7	8	11	13	13	13
B. *Operated*										
0-19 YRS	4	6.8	13	4	4	5	9	12	12	12
20-34	5	11.4	15	7	7	10	15	16	16	16
35-49	2	9.5	61	4	4	9	15	15	15	15
50-64	1	16.0		16	16	16	16	16	16	16
65+	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	3.3	23	<1	<1	2	3	7	9	29
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	76	4.7	12	1	1	3	7	10	13	77
B. *Operated*	13	9.7	21	4	4	9	15	16	16	16
1. SINGLE DX	38	3.3	23	<1	<1	2	3	7	9	29
2. MULTIPLE DX	89	5.4	17	1	1	4	7	13	15	66
A. NOT OPERATED	114	4.2	16	<1	1	3	6	9	13	54
B. OPERATED	13	9.7	21	4	4	9	15	16	16	16
TOTAL 0-19 YRS	78	4.0	10	<1	1	3	5	9	12	76
20-34	27	5.4	15	1	1	4	7	10	15	16
35-49	14	5.2	68	<1	<1	1	4	16	26	29
50-64	3	12.0	16	8	8	12	15	16	16	16
65+	5	8.6	7	7	7	7	10	13	13	13
GRAND TOTAL	**127**	**4.8**	**19**	**<1**	**1**	**3**	**7**	**11**	**15**	**45**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	318	2.5	6	<1	<1	1	3	5	7	11
20-34	35	4.1	9	<1	<1	3	6	7	8	15
35-49	31	3.8	9	1	1	3	5	9	10	12
50-64	25	3.6	8	<1	1	3	5	7	10	12
65+	43	3.7	16	<1	1	2	4	10	14	15
B. *Operated*										
0-19 YRS	97	5.9	23	<1	1	5	7	12	16	24
20-34	80	7.6	39	3	3	7	8	10	17	43
35-49	48	6.2	13	1	2	6	8	10	13	19
50-64	32	7.3	17	<1	2	7	10	12	15	19
65+	39	7.9	60	2	2	6	10	13	18	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	263	4.6	15	<1	1	4	6	9	12	20
20-34	160	6.2	40	1	2	5	7	12	15	40
35-49	179	6.4	34	1	2	5	8	12	15	36
50-64	321	6.7	27	1	2	6	9	13	15	25
65+	789	7.4	58	1	2	5	9	15	22	38
B. *Operated*										
0-19 YRS	85	8.6	108	1	2	5	9	17	29	61
20-34	137	9.7	67	2	3	7	12	19	27	40
35-49	150	11.5	129	2	4	8	14	23	33	72
50-64	206	12.5	91	3	4	10	16	24	32	52
65+	470	14.3	159	3	5	11	17	27	38	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	452	2.9	8	<1	<1	2	4	7	9	14
B. *Operated*	296	6.8	30	1	2	6	8	12	15	24
2. MULTIPLE DX										
A. *Not Operated*	1712	6.6	42	1	1	5	8	13	17	36
B. *Operated*	1048	12.5	128	2	3	9	15	24	33	71
1. SINGLE DX	748	4.5	20	<1	<1	3	6	9	12	21
2. MULTIPLE DX	2760	8.8	83	1	2	6	11	18	26	54
A. NOT OPERATED	2164	5.9	37	<1	1	4	7	12	15	33
B. OPERATED	1344	11.2	112	2	3	8	14	22	31	64
TOTAL 0-19 YRS	763	4.3	26	<1	<1	3	6	9	12	24
20-34	412	7.5	49	1	2	6	8	14	18	40
35-49	408	8.1	72	1	2	6	9	15	20	61
50-64	584	8.6	57	1	2	7	11	17	22	40
65+	1341	9.7	103	1	2	7	12	20	28	59
GRAND TOTAL	**3508**	**7.9**	**73**	**1**	**1**	**6**	**10**	**16**	**23**	**49**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	572	1.8	1	1	1	2	2	3	4	5
20-34	135	2.1	2	1	1	2	2	4	4	8
35-49	39	2.8	4	1	1	2	4	5	8	9
50-64	9	1.9	1	1	1	2	3	3	3	3
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	213	3.8	2	2	2	4	4	6	7	10
20-34	98	4.3	3	2	3	4	5	7	7	10
35-49	8	3.5	4	1	1	3	5	6	7	7
50-64	1	9.0		9	9	9	9	9	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	303	2.4	2	1	1	2	3	4	5	10
20-34	108	2.5	2	1	1	2	3	5	5	7
35-49	19	3.6	5	<1	1	3	6	7	8	8
50-64	11	4.8	7	1	2	5	7	9	9	9
65+	2	9.0	50	4	4	9	14	14	14	14
B. *Operated*										
0-19 YRS	107	4.9	7	2	3	4	6	8	9	18
20-34	59	6.1	10	3	4	5	6	11	13	17
35-49	8	6.0	6	4	4	5	7	10	11	11
50-64	4	8.8	3	7	7	8	10	11	11	11
65+	1	11.0		11	11	11	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	756	1.9	1	1	1	2	2	3	4	6
B. *Operated*	320	4.0	3	2	2	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	443	2.6	3	1	1	2	3	5	6	10
B. *Operated*	179	5.4	9	2	3	5	6	9	11	17
1. SINGLE DX	1076	2.5	3	1	1	2	3	4	5	9
2. MULTIPLE DX	622	3.4	6	1	1	3	4	6	8	13
A. NOT OPERATED	1199	2.2	2	1	1	2	3	4	5	8
B. OPERATED	499	4.5	5	2	3	4	5	7	9	13
TOTAL 0-19 YRS	1195	2.6	3	1	1	2	3	5	6	9
20-34	400	3.4	5	1	1	3	4	6	7	11
35-49	74	3.4	5	1	1	3	5	7	8	11
50-64	25	4.6	10	1	1	3	8	9	10	11
65+	4	8.0	29	3	3	7	12	14	14	14
GRAND TOTAL	**1698**	**2.8**	**4**	**1**	**1**	**2**	**4**	**5**	**7**	**11**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	119	4.8	8	1	2	4	6	8	10	15
20-34	9	4.3	30	1	1	2	5	14	18	18
35-49	6	4.2	4	1	1	4	5	7	7	7
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	66	3.4	20	<1	<1	2	4	9	12	23
20-34	68	1.8	2	<1	<1	2	2	3	3	8
35-49	46	2.4	4	<1	<1	2	3	5	7	11
50-64	17	3.2	27	<1	<1	2	3	4	16	23
65+	10	2.1	2	<1	<1	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	4.8	8	1	1	4	6	9	11	13
20-34	12	8.8	231	1	1	4	8	24	51	56
35-49	4	2.0	2	<1	<1	1	3	4	4	4
50-64	5	2.0	1	<1	<1	2	3	3	3	3
65+	6	9.2	52	2	2	7	12	21	22	22
B. *Operated*										
0-19 YRS	38	3.9	11	<1	1	3	6	9	11	13
20-34	38	4.1	23	<1	<1	2	5	10	16	21
35-49	24	7.5	60	1	2	5	10	19	28	29
50-64	30	5.3	35	1	2	3	6	11	14	31
65+	25	8.2	108	<1	1	4	9	17	32	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	135	4.7	9	1	2	4	6	8	10	18
B. *Operated*	207	2.6	10	<1	<1	2	3	5	8	21
2. MULTIPLE DX										
A. *Not Operated*	106	5.3	36	1	1	4	6	10	11	37
B. *Operated*	155	5.5	43	<1	1	3	7	12	18	31
1. SINGLE DX	342	3.4	11	<1	<1	2	4	7	9	18
2. MULTIPLE DX	261	5.4	40	<1	1	4	7	11	14	31
A. NOT OPERATED	241	4.9	21	1	1	4	6	9	11	19
B. OPERATED	362	3.8	26	<1	<1	2	4	9	13	27
TOTAL 0-19 YRS	302	4.4	11	<1	1	4	6	9	11	18
20-34	127	3.3	34	<1	<1	2	3	7	10	29
35-49	80	4.1	26	<1	<1	2	5	8	14	28
50-64	53	4.2	29	<1	<1	2	4	8	14	31
65+	41	6.8	79	<1	1	4	8	15	24	49
GRAND TOTAL	**603**	**4.3**	**25**	**<1**	**<1**	**3**	**5**	**9**	**12**	**25**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	11.4	315	1	1	5	32	85	99+	99+
20-34	28	13.8	107	1	1	12	23	27	30	32
35-49	14	15.2	289	1	2	12	16	27	60	70
50-64	18	15.3	155	1	2	19	28	35	71	99+
65+	27	13.9	139	2	2	11	23	38	49	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	11.4	135	1	1	7	19	29	34	36
20-34	74	20.3	319	1	3	16	26	43	61	86
35-49	39	16.6	338	1	2	14	23	47	72	99+
50-64	85	14.1	276	2	2	9	18	28	35	93
65+	302	12.8	192	2	2	8	16	31	44	76
B. *Operated*										
0-19 YRS										
20-34	5	15.8	489	1	1	7	20	55	55	55
35-49	3	19.7	430	1	1	16	35	42	42	42
50-64	6	11.3	43	5	5	9	17	21	21	21
65+	36	19.4	418	1	2	13	31	71	89	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	14.1	160	1	2	12	23	33	48	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	516	14.4	238	2	2	9	19	33	46	87
B. *Operated*	50	18.1	368	1	1	10	27	59	74	99+
1. SINGLE DX	94	14.1	160	1	2	12	23	33	48	99+
2. MULTIPLE DX	566	14.7	250	1	2	9	20	35	53	87
A. NOT OPERATED	610	14.3	226	1	2	9	20	33	46	90
B. OPERATED	50	18.1	368	1	1	10	27	59	74	99+
TOTAL 0-19 YRS	23	11.4	178	1	1	6	19	37	65	99+
20-34	107	18.4	274	1	2	14	26	36	55	84
35-49	56	16.4	318	1	2	14	21	42	66	99
50-64	109	14.2	242	2	2	10	19	30	35	98
65+	365	13.6	212	2	2	8	18	34	48	96
GRAND TOTAL	**660**	**14.6**	**237**	**1**	**2**	**9**	**20**	**35**	**52**	**99**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	138	2.1	3	1	1	2	2	4	5	9
20-34	89	4.3	38	1	1	3	4	9	18	34
35-49	42	7.5	139	<1	1	4	7	17	31	63
50-64	38	14.2	176	1	2	9	20	33	45	51
65+	216	15.8	325	1	2	10	21	40	67	99+
B. *Operated*										
0-19 YRS	1	46.0		46	46	46	46	46	46	46
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+	4	20.8	1081	2	2	5	38	70	70	70
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	139	7.6	187	1	1	4	7	28	90	99+
20-34	322	7.5	61	1	2	6	8	13	23	45
35-49	257	8.8	90	2	2	6	9	19	29	48
50-64	240	12.6	175	2	3	9	17	29	53	99+
65+	1775	17.0	315	2	3	11	23	53	89	99+
B. *Operated*										
0-19 YRS	7	10.4	148	1	1	28	99+	99+	99+	99+
20-34	18	13.6	507	<1	1	6	77	99+	99+	99+
35-49	10	5.7	30	1	1	4	7	14	20	20
50-64	27	19.4	601	2	2	11	30	84	99+	99+
65+	218	25.8	451	4	6	23	48	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	523	9.4	202	1	1	4	11	26	40	95
B. *Operated*	6	21.7	853	1	1	5	46	68	70	70
2. MULTIPLE DX										
A. *Not Operated*	2733	14.3	261	2	3	9	19	42	70	99+
B. *Operated*	280	23.3	469	2	4	19	45	99+	99+	99+
1. SINGLE DX	529	9.6	210	1	1	4	11	26	43	95
2. MULTIPLE DX	3013	15.1	287	2	3	9	20	48	87	99+
A. NOT OPERATED	3256	13.5	254	1	2	8	18	39	66	99+
B. OPERATED	286	23.2	474	2	3	19	45	99+	99+	99+
TOTAL 0-19 YRS	285	5.1	109	1	1	2	5	16	69	99+
20-34	430	7.1	77	1	1	5	8	14	26	99+
35-49	309	8.5	95	1	2	6	9	17	28	52
50-64	305	13.4	214	2	2	9	18	32	54	99+
65+	2213	17.8	337	2	3	12	25	56	98	99+
GRAND TOTAL	**3542**	**14.3**	**279**	**1**	**2**	**8**	**19**	**45**	**79**	**99+**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	15	11.7	160	3	3	6	12	32	44	48
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	18.5	85	12	12	18	25	25	25	25
50-64	14	17.7	403	1	2	9	19	49	64	68
65+	215	16.6	302	2	3	12	23	58	99+	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	20	22.4	475	4	5	16	31	92	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	11.1	155	2	3	6	12	31	43	48
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	231	16.7	305	2	3	12	23	57	99+	99+
B. *Operated*	20	22.4	475	4	5	16	31	92	99+	99+
1. SINGLE DX	16	11.1	155	2	3	6	12	31	43	48
2. MULTIPLE DX	251	17.2	319	2	4	12	24	58	99+	99+
A. NOT OPERATED	247	16.3	296	2	3	11	22	55	98	99+
B. OPERATED	20	22.4	475	4	5	16	31	92	99+	99+
TOTAL 0-19 YRS										
20-34										
35-49	2	18.5	85	12	12	18	25	25	25	25
50-64	15	16.7	390	1	2	8	19	47	63	68
65+	250	16.8	309	3	3	12	23	57	99+	99+
GRAND TOTAL	**267**	**16.8**	**310**	**2**	**3**	**12**	**23**	**57**	**99+**	**99+**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.2	8	<1	<1	2	4	8	8	8
20-34	74	4.1	15	1	1	3	5	7	7	27
35-49	85	5.6	72	1	1	4	6	9	10	59
50-64	44	5.6	21	1	2	4	6	12	15	24
65+	18	10.2	154	2	3	5	9	29	42	50
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	6.1	16	1	2	6	8	13	14	16
20-34	701	5.6	16	2	2	5	5	9	11	23
35-49	1025	6.0	27	2	2	5	6	10	13	30
50-64	730	7.5	65	2	2	5	8	14	20	59
65+	270	11.5	159	2	3	8	14	25	35	82
B. *Operated*										
0-19 YRS										
20-34	8	4.6	7	1	1	4	6	9	9	9
35-49	35	14.9	295	2	3	8	15	34	61	76
50-64	30	12.6	175	1	3	8	18	46	95	99+
65+	32	24.4	450	5	6	18	31	70	85	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	226	5.4	50	1	2	4	6	9	12	39
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2749	6.8	50	2	2	5	7	12	18	42
B. *Operated*	105	16.4	315	2	4	10	20	47	76	99+
1. SINGLE DX	226	5.4	50	1	2	4	6	9	12	39
2. MULTIPLE DX	2854	7.2	63	2	2	5	7	13	19	55
A. NOT OPERATED	2975	6.7	50	2	2	5	7	12	17	42
B. OPERATED	105	16.4	315	2	4	10	20	47	76	99+
TOTAL 0-19 YRS	28	5.6	16	1	1	5	8	12	14	16
20-34	783	5.4	16	1	2	5	5	9	11	25
35-49	1145	6.2	40	2	2	5	6	10	15	35
50-64	804	7.6	67	2	2	5	8	15	22	70
65+	320	12.7	202	2	3	8	15	27	51	90
GRAND TOTAL	**3080**	**7.0**	**62**	**2**	**2**	**5**	**7**	**13**	**19**	**52**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	8.5	178	<1	<1	2	7	35	38	39
20-34	29	6.2	41	1	1	4	7	14	24	26
35-49	10	3.6	10	<1	<1	3	4	8	12	12
50-64	4	9.8	168	2	2	4	17	29	29	29
65+	9	7.3	44	1	1	4	13	17	19	19
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	12.0	312	<1	1	5	14	36	65	99+
20-34	319	9.1	64	2	3	8	12	16	20	37
35-49	118	9.1	76	1	2	7	11	17	20	55
50-64	66	8.4	50	1	2	7	11	15	25	35
65+	170	9.4	62	2	2	7	12	20	25	55
B. *Operated*										
0-19 YRS										
20-34	6	20.7	123	9	10	16	27	39	40	40
35-49										
50-64	6	6.5	10	3	3	6	9	11	11	11
65+	12	27.6	535	<1	2	16	44	66	69	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	6.6	67	1	1	4	7	17	27	38
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	720	9.3	80	1	2	7	12	18	23	54
B. *Operated*	24	20.6	362	2	3	15	30	46	66	69
1. SINGLE DX	64	6.6	67	1	1	4	7	17	27	38
2. MULTIPLE DX	744	9.7	93	1	2	7	12	18	25	62
A. NOT OPERATED	784	9.1	79	1	2	7	12	18	23	49
B. OPERATED	24	20.6	362	2	3	15	30	46	66	69
TOTAL 0-19 YRS	59	11.3	283	<1	1	5	13	36	53	99+
20-34	354	9.1	65	1	2	7	11	17	21	37
35-49	128	8.6	73	1	2	7	11	17	20	54
50-64	76	8.3	51	1	2	7	10	15	25	34
65+	191	10.5	108	2	2	8	13	20	32	67
GRAND TOTAL	**808**	**9.4**	**91**	**1**	**2**	**7**	**12**	**18**	**25**	**61**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	25.1	313	5	7	22	31	48	63	87
20-34	924	19.0	234	2	4	16	25	41	52	82
35-49	446	19.3	231	2	3	16	26	38	50	70
50-64	154	18.8	156	2	4	17	25	36	49	98
65+	54	20.5	184	2	4	19	28	38	55	98
B. *Operated*										
0-19 YRS										
20-34	1	10.0		10	10	10	10	10	10	10
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	23.3	329	3	4	18	30	53	66	99+
20-34	555	19.7	264	2	4	17	25	42	56	92
35-49	374	20.4	252	4	5	17	28	39	55	82
50-64	210	22.5	243	4	7	19	29	45	62	93
65+	112	24.1	282	6	7	21	29	53	73	99+
B. *Operated*										
0-19 YRS	1	25.0		25	25	25	25	25	25	25
20-34	21	22.2	437	5	6	17	26	47	74	95
35-49	14	28.2	498	4	7	23	30	53	83	92
50-64	12	29.2	330	7	10	27	30	57	73	76
65+	13	24.1	140	11	12	24	59	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1651	19.4	229	2	4	16	26	40	51	81
B. *Operated*	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	1298	20.9	262	3	5	18	28	43	59	92
B. *Operated*	61	25.4	351	6	7	23	31	76	99+	99+
1. SINGLE DX	1652	19.4	229	2	4	16	26	40	51	81
2. MULTIPLE DX	1359	21.1	267	3	5	18	28	43	61	99+
A. NOT OPERATED	2949	20.0	244	2	4	17	27	41	54	85
B. OPERATED	62	25.2	349	6	7	23	31	74	99+	99+
TOTAL 0-19 YRS	121	24.4	315	3	7	21	31	50	63	92
20-34	1501	19.3	247	2	4	16	25	41	54	87
35-49	834	19.9	245	2	4	17	26	39	51	79
50-64	376	21.2	214	3	6	19	28	41	51	96
65+	179	23.0	243	4	7	21	30	53	81	99+
GRAND TOTAL	**3011**	**20.1**	**247**	**2**	**4**	**17**	**27**	**42**	**55**	**90**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	23.6	365	4	5	19	34	51	66	76
20-34	84	14.1	102	2	3	12	19	25	29	55
35-49	17	9.4	57	2	2	7	10	24	27	28
50-64	7	13.7	33	5	6	14	17	21	22	22
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	25.3	386	6	7	19	32	54	57	94
20-34	48	21.3	220	3	4	19	29	44	52	61
35-49	24	17.3	157	1	2	17	25	32	41	52
50-64	11	19.6	449	6	7	13	18	49	78	81
65+	5	18.4	145	9	9	15	23	39	39	39
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	3	43.7	529	21	21	43	61	67	67	67
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	147	16.0	184	2	4	12	21	32	46	67
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	118	21.2	266	3	6	18	28	43	54	85
B. *Operated*	4	34.8	671	8	8	32	55	67	67	67
1. SINGLE DX	147	16.0	184	2	4	12	21	32	46	67
2. MULTIPLE DX	122	21.7	280	3	6	18	28	45	55	85
A. NOT OPERATED	265	18.3	226	2	4	14	23	38	52	75
B. OPERATED	4	34.8	671	8	8	32	55	67	67	67
TOTAL 0-19 YRS	70	24.1	368	5	6	19	33	53	64	90
20-34	135	17.3	176	2	3	14	22	35	49	62
35-49	41	14.0	129	1	2	9	22	28	34	52
50-64	18	17.3	285	5	6	14	18	25	59	81
65+	5	18.4	145	9	9	15	23	39	39	39
GRAND TOTAL	**269**	**18.6**	**234**	**2**	**4**	**14**	**23**	**38**	**53**	**74**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	133	23.4	371	1	3	18	32	54	64	99+
20-34	1296	18.4	241	1	3	15	25	38	51	80
35-49	732	17.9	206	2	3	15	24	35	44	72
50-64	313	19.6	194	2	3	17	27	36	48	64
65+	117	21.0	269	2	4	16	27	44	52	77
B. *Operated*										
0-19 YRS	2	23.5	365	10	10	23	37	37	37	37
20-34										
35-49	1	30.0		30	30	30	30	30	30	30
50-64	1	31.0		31	31	31	31	31	31	31
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	98	22.6	396	1	3	18	37	53	79	99+
20-34	1111	20.7	302	2	4	17	28	46	63	98
35-49	709	19.6	208	3	5	16	27	40	50	99+
50-64	491	21.9	251	3	6	19	28	46	56	90
65+	225	24.0	390	3	6	19	34	57	81	99+
B. *Operated*										
0-19 YRS	3	44.3	1182	23	23	55	92	99+	99+	99+
20-34	36	27.6	313	8	10	23	37	60	73	99+
35-49	19	38.8	520	11	13	36	61	82	92	99+
50-64	31	31.5	365	11	14	29	42	75	99	99+
65+	15	41.1	300	15	22	41	54	74	92	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2591	18.8	235	2	3	15	25	38	50	78
B. *Operated*	4	27.0	138	10	10	31	53	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	2634	21.0	279	3	5	17	28	46	60	99+
B. *Operated*	104	33.3	398	11	12	30	49	75	99+	99+
1. SINGLE DX	2595	18.8	235	2	3	15	25	38	50	79
2. MULTIPLE DX	2738	21.5	289	3	5	18	29	46	62	99+
A. NOT OPERATED	5225	19.9	258	2	4	16	27	42	55	92
B. OPERATED	108	33.0	388	10	12	31	48	77	99+	99+
TOTAL 0-19 YRS	234	23.3	391	2	3	19	35	55	76	99+
20-34	2445	19.6	272	2	3	16	26	42	56	91
35-49	1460	19.0	217	2	4	16	26	38	49	92
50-64	836	21.4	238	3	5	18	28	43	56	90
65+	358	23.7	359	3	6	19	33	53	76	99+
GRAND TOTAL	**5333**	**20.2**	**264**	**2**	**4**	**17**	**27**	**42**	**56**	**95**

193: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	3.9	7	1	1	3	5	7	10	12
20-34	135	4.3	5	1	2	4	5	7	9	11
35-49	163	4.5	4	2	2	4	6	7	9	11
50-64	210	4.6	4	2	2	4	6	7	8	13
65+	166	5.8	20	2	3	5	7	9	11	32
B. *Operated*										
0-19 YRS	3	3.3	4	1	1	4	5	5	5	5
20-34	46	7.8	9	3	4	7	8	12	13	16
35-49	66	9.0	19	3	5	9	10	14	18	26
50-64	89	9.4	28	3	4	9	11	15	19	32
65+	75	10.0	38	3	5	8	12	17	21	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	4.4	4	1	2	4	6	7	8	8
20-34	171	4.9	8	2	2	4	6	8	11	16
35-49	348	5.3	9	2	3	4	6	9	11	17
50-64	648	6.6	20	2	3	6	8	11	14	26
65+	1674	8.3	44	3	3	7	10	14	18	39
B. *Operated*										
0-19 YRS	2	10.5	13	8	8	10	13	13	13	13
20-34	66	9.9	43	3	3	8	12	19	22	36
35-49	142	11.1	66	3	4	9	14	20	29	55
50-64	326	13.8	164	4	5	11	16	24	37	89
65+	875	16.3	173	5	6	13	20	33	45	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	693	4.8	9	2	2	4	6	8	9	14
B. *Operated*	279	9.2	26	3	4	8	11	15	18	28
2. MULTIPLE DX										
A. *Not Operated*	2858	7.3	34	2	3	6	9	13	16	32
B. *Operated*	1411	14.9	157	4	5	11	18	29	40	91
1. SINGLE DX	972	6.0	17	2	2	5	7	10	13	21
2. MULTIPLE DX	4269	9.8	87	3	3	7	11	19	26	61
A. NOT OPERATED	3551	6.8	30	2	3	6	8	12	15	30
B. OPERATED	1690	14.0	140	4	5	10	17	26	37	80
TOTAL 0-19 YRS	41	4.4	7	1	1	4	6	8	10	13
20-34	418	5.8	17	2	2	5	7	10	13	21
35-49	719	6.6	26	2	3	5	8	12	15	28
50-64	1273	8.3	66	2	3	6	10	15	20	47
65+	2790	10.7	97	3	4	8	13	20	30	65
GRAND TOTAL	**5241**	**9.1**	**76**	**2**	**3**	**7**	**11**	**17**	**23**	**55**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	8	3.4	2	2	2	3	4	5	5	5
35-49	11	5.5	12	<1	<1	5	7	10	13	13
50-64	10	5.3	5	3	3	5	6	9	9	9
65+	14	6.6	10	2	3	6	8	11	13	14
B. *Operated*										
0-19 YRS										
20-34	6	9.8	36	1	2	9	13	18	19	19
35-49	17	10.4	40	2	2	10	15	20	21	22
50-64	26	12.5	36	5	6	12	16	22	23	25
65+	29	12.2	64	2	3	10	16	20	31	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	3.6	4	1	1	4	5	6	7	7
35-49	27	6.6	14	2	2	6	9	11	14	17
50-64	49	7.0	14	2	4	6	9	12	14	19
65+	132	8.4	67	2	3	7	9	14	17	35
B. *Operated*										
0-19 YRS										
20-34	12	15.5	386	2	3	9	14	40	70	75
35-49	54	16.7	142	5	6	14	20	35	47	50
50-64	90	15.1	106	4	5	12	19	32	40	79
65+	226	20.2	275	4	6	16	26	44	66	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	5.4	8	1	2	5	7	9	11	14
B. *Operated*	78	11.7	47	2	3	10	16	20	23	35
2. MULTIPLE DX										
A. *Not Operated*	217	7.7	47	2	3	7	9	13	17	24
B. *Operated*	382	18.4	223	4	6	14	24	38	51	99+
1. SINGLE DX	123	9.4	42	2	2	8	13	18	21	33
2. MULTIPLE DX	599	14.5	186	3	4	10	18	31	46	98
A. NOT OPERATED	262	7.3	41	2	3	6	9	13	16	24
B. OPERATED	460	17.2	199	3	6	14	22	35	49	99+
TOTAL 0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	35	8.7	162	1	2	5	10	14	23	75
35-49	109	12.1	103	2	3	10	15	23	35	49
50-64	175	11.9	78	4	4	10	15	23	32	50
65+	401	15.3	214	3	4	11	19	32	49	99+
GRAND TOTAL	**722**	**13.6**	**165**	**2**	**4**	**10**	**17**	**28**	**40**	**94**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	287	2.4	3	1	1	2	3	4	5	8
20-34	462	2.8	3	<1	1	2	4	5	6	9
35-49	349	3.2	5	<1	1	3	4	6	8	10
50-64	223	3.4	5	<1	1	3	4	6	8	11
65+	135	3.7	10	<1	1	3	4	6	10	17
B. *Operated*										
0-19 YRS	5	5.6	11	3	3	5	7	11	11	11
20-34	35	5.0	13	<1	<1	4	6	10	12	16
35-49	49	5.2	31	<1	<1	4	7	12	16	29
50-64	55	4.7	19	<1	<1	3	7	10	14	21
65+	46	5.8	143	<1	<1	3	7	9	11	82
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	639	2.8	3	1	1	2	3	5	6	10
20-34	1109	4.1	12	1	1	3	5	7	9	18
35-49	1280	4.9	17	1	2	4	6	8	11	23
50-64	1487	5.2	14	1	2	4	6	9	11	20
65+	2657	6.7	31	2	2	5	8	12	15	30
B. *Operated*										
0-19 YRS	26	4.3	6	<1	1	4	6	8	9	10
20-34	160	7.6	58	1	2	6	9	13	19	46
35-49	277	8.1	39	2	2	6	9	17	20	34
50-64	429	9.2	99	2	3	6	11	16	29	78
65+	890	10.9	93	2	3	8	13	21	29	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1456	3.0	5	<1	1	2	4	6	7	11
B. *Operated*	190	5.2	50	<1	<1	4	7	10	13	26
2. MULTIPLE DX										
A. *Not Operated*	7172	5.3	21	1	2	4	7	10	13	23
B. *Operated*	1782	9.6	83	2	3	7	11	19	27	51
1. SINGLE DX	1646	3.2	10	<1	1	3	4	6	8	13
2. MULTIPLE DX	8954	6.2	36	1	2	5	7	11	16	32
A. NOT OPERATED	8628	4.9	19	1	1	4	6	9	12	22
B. OPERATED	1972	9.2	82	1	2	7	11	18	26	50
TOTAL 0-19 YRS	957	2.7	3	1	1	2	3	5	6	10
20-34	1766	4.1	15	1	1	3	5	8	10	19
35-49	1955	5.1	20	1	1	4	6	9	13	24
50-64	2194	5.8	33	1	2	4	7	10	14	29
65+	3728	7.6	50	2	2	6	9	14	19	39
GRAND TOTAL	**10600**	**5.7**	**33**	**1**	**2**	**4**	**7**	**11**	**15**	**30**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	2.5	3	1	1	2	3	5	6	7
20-34	51	3.3	7	<1	<1	3	4	6	8	14
35-49	41	3.2	9	<1	<1	2	4	6	8	18
50-64	44	3.9	10	<1	1	3	5	7	10	15
65+	30	4.2	24	<1	<1	2	4	12	18	18
B. *Operated*										
0-19 YRS	32	4.1	5	1	2	4	5	6	9	13
20-34	12	9.3	133	<1	<1	6	10	28	38	40
35-49	11	9.0	34	<1	<1	10	11	18	19	19
50-64	11	11.6	81	2	2	10	13	27	31	31
65+	13	8.2	40	<1	<1	10	12	17	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	105	3.9	11	1	2	3	5	7	9	20
20-34	141	4.5	12	1	1	3	6	9	13	16
35-49	158	4.7	18	1	1	4	6	9	11	14
50-64	221	5.0	17	1	2	4	6	9	11	24
65+	418	7.6	62	1	2	5	9	15	20	58
B. *Operated*										
0-19 YRS	24	8.0	45	1	2	6	11	16	21	29
20-34	45	13.3	114	3	4	10	16	29	43	47
35-49	68	14.5	104	3	5	12	19	31	37	48
50-64	133	13.3	111	2	3	11	17	27	34	55
65+	223	17.6	234	3	4	14	21	40	50	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	198	3.4	10	<1	<1	3	4	7	9	18
B. *Operated*	79	7.3	50	<1	<1	5	10	16	21	37
2. MULTIPLE DX										
A. *Not Operated*	1043	5.8	36	1	2	4	7	11	15	33
B. *Operated*	493	15.1	168	2	4	12	19	32	43	74
1. SINGLE DX	277	4.5	24	<1	<1	3	5	10	15	24
2. MULTIPLE DX	1536	8.8	97	1	2	6	11	19	28	58
A. NOT OPERATED	1241	5.4	32	1	1	4	7	11	14	29
B. OPERATED	572	14.1	159	2	3	11	18	31	42	72
TOTAL 0-19 YRS	193	4.2	15	1	1	3	5	8	11	23
20-34	249	6.1	47	1	1	4	7	14	17	43
35-49	278	7.1	57	1	1	4	9	16	21	41
50-64	409	7.7	64	1	2	5	10	17	23	38
65+	684	10.7	139	1	2	7	13	23	35	74
GRAND TOTAL	**1813**	**8.1**	**88**	**1**	**2**	**5**	**10**	**18**	**26**	**50**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	2.6	3	1	1	2	4	5	6	9
20-34	42	2.5	2	<1	1	2	4	4	5	6
35-49	16	2.4	1	1	1	2	3	4	5	6
50-64	8	4.4	7	2	2	4	5	9	10	10
65+	2	7.0	8	5	5	7	9	9	9	9
B. *Operated*										
0-19 YRS	3675	3.6	2	2	2	3	4	5	6	9
20-34	2580	3.9	2	2	2	4	5	6	7	9
35-49	767	4.5	5	2	3	4	5	7	8	12
50-64	284	5.3	5	3	3	5	6	8	10	12
65+	94	6.0	6	3	4	5	7	9	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	2.2	4	<1	1	1	3	4	6	12
20-34	36	3.7	11	<1	1	3	4	8	10	18
35-49	9	4.1	7	1	1	3	6	8	9	9
50-64	10	5.1	8	1	1	5	7	9	10	10
65+	7	6.0	14	3	3	5	8	12	13	13
B. *Operated*										
0-19 YRS	655	5.0	7	2	3	4	6	8	10	15
20-34	646	5.4	8	3	3	5	6	9	11	17
35-49	283	6.2	11	3	3	5	7	10	13	18
50-64	208	7.1	14	3	3	6	9	11	14	21
65+	131	9.4	42	4	4	8	12	15	22	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	137	2.7	3	1	1	2	4	5	6	9
B. *Operated*	7400	3.9	3	2	2	4	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	108	3.4	9	1	1	3	4	7	9	15
B. *Operated*	1923	5.8	13	3	3	5	7	10	12	19
1. SINGLE DX	7537	3.9	3	2	2	4	4	6	7	10
2. MULTIPLE DX	2031	5.7	13	2	3	5	7	10	12	19
A. NOT OPERATED	245	3.0	6	1	1	2	4	6	8	12
B. OPERATED	9323	4.3	6	2	2	4	5	7	8	13
TOTAL 0-19 YRS	4445	3.8	3	2	2	3	4	6	7	11
20-34	3304	4.2	4	2	2	4	5	6	8	12
35-49	1075	4.9	7	2	3	4	6	8	10	15
50-64	510	6.0	10	3	3	5	7	10	11	19
65+	234	7.9	29	3	4	7	9	13	16	27
GRAND TOTAL	**9568**	**4.3**	**6**	**2**	**2**	**4**	**5**	**7**	**8**	**13**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	8.2	18	2	3	8	11	13	16	20
20-34	11	6.6	29	1	1	6	8	16	18	18
35-49	9	7.2	5	5	5	7	9	10	11	11
50-64	9	9.1	22	2	3	9	13	15	16	16
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	795	7.0	10	3	3	7	9	11	13	16
20-34	471	6.6	8	3	3	6	8	10	11	16
35-49	301	7.6	10	3	4	7	9	11	13	18
50-64	201	8.7	13	4	5	8	10	13	16	21
65+	82	8.9	9	5	6	8	10	13	15	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	9.4	57	1	2	8	10	22	25	25
20-34	4	6.8	6	4	4	6	8	10	10	10
35-49	9	9.7	19	1	3	9	13	15	16	16
50-64	11	8.6	17	2	3	9	11	14	15	15
65+	16	10.8	32	3	3	11	15	17	21	23
B. *Operated*										
0-19 YRS	530	9.7	30	4	5	9	11	16	20	26
20-34	351	10.1	36	4	5	8	12	17	24	34
35-49	313	11.1	59	4	5	9	13	18	22	37
50-64	389	12.4	47	6	6	10	15	20	25	34
65+	375	14.7	80	6	7	12	18	26	33	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	7.9	18	2	2	7	11	14	16	20
B. *Operated*	1850	7.2	10	3	4	7	9	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	47	9.5	27	2	3	9	13	16	18	25
B. *Operated*	1958	11.5	52	4	5	10	14	20	25	38
1. SINGLE DX	1904	7.3	11	3	4	7	9	11	13	18
2. MULTIPLE DX	2005	11.4	51	4	5	10	14	20	25	38
A. NOT OPERATED	101	8.6	23	2	3	8	11	15	17	24
B. OPERATED	3808	9.4	36	3	4	8	11	16	20	33
TOTAL 0-19 YRS	1356	8.1	20	3	4	7	10	13	15	24
20-34	837	8.1	23	3	4	7	9	13	17	28
35-49	632	9.3	37	4	4	8	11	15	18	31
50-64	610	11.1	38	5	6	9	13	18	22	32
65+	474	13.6	71	6	6	11	16	24	30	58
GRAND TOTAL	**3909**	**9.4**	**36**	**3**	**4**	**8**	**11**	**16**	**20**	**32**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	1.9	1	<1	1	1	3	4	4	5
20-34	36	2.3	3	1	1	2	3	4	6	8
35-49	14	4.2	8	1	1	4	6	8	10	10
50-64	2	2.5	5	<1	<1	2	4	4	4	4
65+	2	5.0	8	3	3	5	7	7	7	7
B. *Operated*										
0-19 YRS	172	3.8	3	2	2	3	4	6	7	10
20-34	114	4.5	6	1	2	4	5	8	8	14
35-49	31	5.4	6	3	3	5	6	8	10	14
50-64	16	6.3	11	2	3	5	7	13	14	14
65+	3	5.7	21	3	3	3	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	3.3	7	1	1	3	4	7	10	11
20-34	25	2.8	3	<1	1	2	4	5	6	8
35-49	9	2.4	2	1	1	3	3	4	4	4
50-64	12	9.1	74	1	2	6	13	21	30	31
65+	8	4.9	12	1	1	4	6	10	12	12
B. *Operated*										
0-19 YRS	81	4.5	3	2	3	4	5	7	9	10
20-34	81	5.9	11	3	3	5	7	10	14	17
35-49	40	7.4	27	3	4	6	9	11	20	28
50-64	23	8.6	34	2	3	7	11	18	21	27
65+	11	9.5	38	4	4	7	13	19	24	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	2.4	4	1	1	2	3	5	7	9
B. *Operated*	336	4.3	5	2	2	4	5	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	77	4.1	20	1	1	3	5	8	12	27
B. *Operated*	236	6.1	16	2	3	5	7	10	14	25
1. SINGLE DX	433	3.9	5	1	1	3	5	7	8	13
2. MULTIPLE DX	313	5.6	18	1	2	5	7	10	14	26
A. NOT OPERATED	174	3.2	12	1	1	2	4	6	8	17
B. OPERATED	572	5.0	10	2	2	4	6	8	10	18
TOTAL 0-19 YRS	319	3.7	4	1	1	3	4	6	8	10
20-34	256	4.5	8	1	1	4	6	8	10	16
35-49	94	5.8	17	1	2	5	7	10	12	26
50-64	53	7.8	36	2	2	6	10	16	18	31
65+	24	7.1	27	2	3	6	8	14	17	25
GRAND TOTAL	**746**	**4.6**	**11**	**1**	**2**	**4**	**5**	**8**	**10**	**18**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	1.4		<1	<1	1	2	2	2	2
20-34	11	1.8	1	<1	<1	1	3	4	4	4
35-49	16	2.1	2	1	1	2	3	4	5	5
50-64	16	1.8	2	<1	1	1	2	3	5	6
65+	22	1.7	1	<1	<1	1	3	4	4	5
B. *Operated*										
0-19 YRS	2422	1.6	1	<1	<1	1	2	3	3	5
20-34	2671	2.5	1	1	1	2	3	4	5	6
35-49	2548	2.9	2	1	1	3	4	4	5	7
50-64	3575	3.1	3	1	1	3	4	5	6	8
65+	2468	3.3	4	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	139	1.5	7	<1	<1	<1	1	2	3	19
20-34	52	1.3	1	<1	<1	1	1	2	3	5
35-49	41	2.8	8	<1	<1	1	4	7	8	12
50-64	81	2.5	15	<1	<1	1	2	5	7	26
65+	133	3.9	17	<1	1	2	5	9	14	37
B. *Operated*										
0-19 YRS	1415	1.7	1	<1	<1	1	2	3	4	7
20-34	1042	3.1	5	1	1	3	4	5	6	11
35-49	1629	3.4	4	1	1	3	4	5	7	12
50-64	3644	3.8	8	1	2	3	4	6	8	13
65+	4880	4.9	20	1	2	4	6	8	11	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	1.7	1	<1	<1	1	2	3	4	6
B. *Operated*	13684	2.7	3	<1	1	3	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	446	2.5	12	<1	<1	1	2	6	8	19
B. *Operated*	12610	3.9	12	1	1	3	5	7	9	16
1. SINGLE DX	13765	2.7	3	<1	1	3	3	4	5	7
2. MULTIPLE DX	13056	3.8	12	1	1	3	5	7	9	16
A. NOT OPERATED	527	2.4	10	<1	<1	1	2	5	8	19
B. OPERATED	26294	3.3	8	<1	1	3	4	5	7	13
TOTAL 0-19 YRS	3992	1.6	1	<1	<1	1	2	3	3	6
20-34	3776	2.7	3	1	1	3	3	4	5	8
35-49	4234	3.0	3	1	1	3	4	5	6	9
50-64	7316	3.4	6	1	1	3	4	5	7	11
65+	7503	4.4	15	1	2	4	5	7	10	18
GRAND TOTAL	**26821**	**3.3**	**8**	**<1**	**1**	**3**	**4**	**5**	**7**	**13**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.3	1	<1	<1	1	1	3	4	4
20-34	4	2.3	4	1	1	2	3	5	5	5
35-49	3	3.0	12	<1	<1	<1	5	7	7	7
50-64	2	5.0	8	3	3	5	7	7	7	7
65+	8	2.6	5	1	1	2	4	6	6	6
B. *Operated*										
0-19 YRS	268	1.7	1	<1	1	1	2	3	4	6
20-34	145	3.0	2	1	1	3	4	5	5	9
35-49	125	3.3	2	1	2	3	4	5	6	8
50-64	179	4.0	6	1	2	4	5	6	7	13
65+	250	4.8	8	1	2	4	6	8	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	3.9	33	<1	1	2	3	10	19	22
20-34	3	6.0	31	1	1	5	10	12	12	12
35-49	1	2.0		2	2	2	2	2	2	2
50-64	[illegible]	4.8	9	1	2	4	6	9	11	11
65+	59	6.1	78	1	1	4	7	12	17	61
B. *Operated*										
0-19 YRS	211	2.5	5	<1	1	2	3	5	7	13
20-34	55	4.2	18	2	2	3	4	7	9	31
35-49	100	4.7	12	1	2	4	6	9	11	19
50-64	289	6.3	34	2	2	5	7	11	16	30
65+	1040	8.4	67	2	3	6	10	17	22	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	2.3	4	<1	<1	1	3	6	7	7
B. *Operated*	967	3.3	6	1	1	3	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	89	5.5	59	1	1	3	7	11	16	48
B. *Operated*	1695	7.0	53	1	2	5	8	14	20	37
1. SINGLE DX	994	3.3	6	1	1	3	4	6	7	13
2. MULTIPLE DX	1784	6.9	53	1	2	5	8	14	19	37
A. NOT OPERATED	116	4.8	48	<1	1	3	6	9	13	37
B. OPERATED	2662	5.7	39	1	1	4	7	11	16	32
TOTAL 0-19 YRS	504	2.1	4	<1	1	2	2	4	5	11
20-34	207	3.3	7	1	1	3	4	5	6	11
35-49	229	3.9	7	1	2	3	5	7	9	13
50-64	481	5.4	24	2	2	4	6	9	13	24
65+	1357	7.6	58	2	3	5	9	15	20	42
GRAND TOTAL	**2778**	**5.6**	**39**	**1**	**1**	**4**	**7**	**11**	**16**	**32**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	5.0		5	5	5	5	5	5	5
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	304	1.6	1	<1	<1	2	2	3	3	5
20-34	144	2.6	2	1	1	2	3	4	5	7
35-49	221	2.6	2	<1	1	2	3	4	5	6
50-64	175	2.9	2	1	1	3	4	5	6	7
65+	62	3.2	3	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	1.3	1	<1	<1	1	1	2	3	4
20-34	7	2.4	5	1	1	1	4	6	6	6
35-49	13	3.0	8	<1	<1	2	4	8	9	9
50-64	7	1.7	2	1	1	1	3	4	4	4
65+	10	6.0	46	<1	<1	4	6	16	24	24
B. *Operated*										
0-19 YRS	67	4.1	148	<1	<1	2	3	5	14	85
20-34	78	4.1	13	1	1	3	5	8	9	23
35-49	205	3.6	4	1	1	3	5	6	8	11
50-64	210	4.8	11	1	2	4	6	10	12	19
65+	141	5.1	14	1	2	4	6	9	12	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.1	2	1	1	2	3	5	5	5
B. *Operated*	906	2.4	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	58	2.7	13	<1	<1	1	3	6	8	23
B. *Operated*	701	4.3	23	1	1	3	5	8	11	17
1. SINGLE DX	913	2.4	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX	759	4.2	23	1	1	3	5	8	10	18
A. NOT OPERATED	65	2.6	11	<1	<1	1	3	6	8	22
B. OPERATED	1607	3.2	12	<1	1	3	4	6	8	14
TOTAL 0-19 YRS	394	2.0	26	<1	<1	2	2	3	3	10
20-34	230	3.1	6	1	1	3	4	6	7	13
35-49	440	3.0	3	<1	1	3	4	5	7	9
50-64	394	3.9	8	1	1	3	5	7	10	16
65+	214	4.5	13	1	1	4	5	8	11	19
GRAND TOTAL	**1672**	**3.2**	**12**	**<1**	**1**	**3**	**4**	**6**	**8**	**14**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	3	4.7	4	3	3	4	6	7	7	7
35-49	10	2.6	2	<1	<1	2	4	5	5	5
50-64	6	2.7	3	<1	<1	2	4	5	5	5
65+	6	4.3	14	1	1	3	6	10	11	11
B. *Operated*										
0-19 YRS	80	1.8	1	<1	<1	1	2	3	4	6
20-34	298	3.4	3	1	1	3	4	6	7	10
35-49	453	4.2	4	1	2	4	5	7	8	11
50-64	453	4.7	5	2	2	4	6	8	9	11
65+	324	5.4	8	2	2	5	7	9	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	12	2.4	3	<1	<1	2	4	5	6	6
35-49	40	2.2	5	<1	<1	1	3	5	6	12
50-64	35	4.2	12	1	1	3	5	8	13	15
65+	70	5.9	74	1	2	4	7	10	19	93
B. *Operated*										
0-19 YRS	32	3.1	8	<1	<1	2	4	8	10	11
20-34	173	4.7	17	1	2	4	6	8	9	15
35-49	526	6.4	41	2	2	5	7	9	14	41
50-64	770	6.6	20	2	3	6	8	11	14	25
65+	895	8.0	41	2	3	7	9	14	18	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	3.1	5	<1	1	2	4	6	7	11
B. *Operated*	1608	4.3	6	1	2	4	6	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	159	4.3	39	<1	1	3	5	8	12	64
B. *Operated*	2396	6.9	33	2	3	6	8	11	15	30
1. SINGLE DX	1636	4.3	6	1	2	4	6	7	8	11
2. MULTIPLE DX	2555	6.7	34	2	2	6	8	11	15	30
A. NOT OPERATED	187	4.1	34	<1	1	3	5	8	12	51
B. OPERATED	4004	5.8	24	1	2	5	7	10	13	23
TOTAL 0-19 YRS	117	2.2	3	<1	<1	2	2	4	6	10
20-34	486	3.9	9	1	1	3	5	7	7	12
35-49	1029	5.2	25	1	2	5	6	8	10	20
50-64	1264	5.8	15	2	2	5	7	9	12	21
65+	1295	7.2	35	2	3	6	9	13	16	29
GRAND TOTAL	**4191**	**5.8**	**24**	**1**	**2**	**5**	**7**	**10**	**13**	**23**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	2.4	2	1	1	2	4	4	4	4
35-49	44	2.8	3	<1	<1	3	4	5	6	8
50-64	48	3.0	3	<1	<1	3	4	5	6	7
65+	36	3.9	11	<1	<1	3	5	7	11	16
B. *Operated*										
0-19 YRS	2	7.5	1	7	7	7	8	8	8	8
20-34	4	6.3	4	4	4	6	8	9	9	9
35-49	10	5.8	14	<1	1	5	9	11	12	12
50-64	17	6.4	14	<1	1	7	9	10	13	15
65+	17	8.5	20	<1	1	10	11	12	16	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	3.7	7	<1	<1	3	5	7	9	10
20-34	61	3.7	7	<1	<1	3	5	7	9	14
35-49	210	4.0	7	1	1	4	5	7	8	14
50-64	455	4.6	11	1	2	4	6	8	10	19
65+	818	6.0	33	2	2	5	7	10	13	32
B. *Operated*										
0-19 YRS	7	10.9	145	<1	<1	5	18	31	33	33
20-34	42	8.3	21	3	4	7	10	13	17	27
35-49	102	7.9	15	2	3	8	10	13	15	19
50-64	180	9.0	44	<1	2	8	11	15	23	36
65+	249	12.7	142	2	3	10	15	21	37	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	3.1	5	<1	<1	3	4	6	7	13
B. *Operated*	50	7.0	15	<1	1	7	9	12	12	18
2. MULTIPLE DX										
A. *Not Operated*	1557	5.2	23	1	2	4	6	9	11	20
B. *Operated*	580	10.4	84	1	3	9	12	18	27	50
1. SINGLE DX	186	4.2	11	<1	<1	3	6	9	11	16
2. MULTIPLE DX	2137	6.6	45	1	2	5	8	12	16	37
A. NOT OPERATED	1693	5.1	22	1	2	4	6	9	11	20
B. OPERATED	630	10.1	79	1	2	8	12	18	25	49
TOTAL 0-19 YRS	23	6.1	55	<1	<1	4	7	13	25	33
20-34	114	5.4	17	<1	1	5	7	10	13	23
35-49	366	5.0	12	1	2	4	7	9	12	17
50-64	700	5.7	23	1	1	4	7	11	14	27
65+	1120	7.5	64	1	2	5	9	14	18	44
GRAND TOTAL	**2323**	**6.4**	**42**	**1**	**2**	**5**	**8**	**12**	**16**	**35**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	3	2.3	2	1	1	2	3	4	4	4
65+										
B. *Operated*										
0-19 YRS	10	1.9	1	<1	<1	2	2	3	3	3
20-34	60	2.6	2	<1	1	2	3	4	4	9
35-49	89	3.0	2	1	1	3	4	5	5	10
50-64	83	3.3	4	1	1	3	4	6	7	11
65+	57	3.7	4	2	2	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	7	2	2	3	6	7	7	7
20-34	6	4.7	33	<1	<1	1	8	14	15	15
35-49	1	1.0		1	1	1	1	1	1	1
50-64	5	3.8	1	3	3	4	4	5	5	5
65+	11	5.0	8	1	1	5	7	9	10	10
B. *Operated*										
0-19 YRS	8	4.6	12	1	1	4	6	10	12	12
20-34	27	4.1	7	1	1	3	5	9	10	11
35-49	54	3.5	7	1	1	3	4	6	9	16
50-64	91	5.3	23	2	2	4	6	10	15	28
65+	156	6.3	34	1	2	5	7	13	16	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.2	2	1	1	2	3	4	4	4
B. *Operated*	299	3.1	3	1	1	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	26	4.4	11	<1	1	4	6	8	11	15
B. *Operated*	336	5.4	25	1	2	4	6	10	14	27
1. SINGLE DX	304	3.1	3	1	1	3	4	5	6	10
2. MULTIPLE DX	362	5.3	24	1	2	4	6	10	14	26
A. NOT OPERATED	31	4.1	10	<1	1	3	6	8	10	15
B. OPERATED	635	4.3	16	1	1	3	5	8	11	22
TOTAL 0-19 YRS	21	3.2	7	<1	1	2	4	6	9	12
20-34	94	3.2	6	<1	1	3	4	5	9	13
35-49	145	3.2	4	1	1	3	4	5	6	11
50-64	182	4.3	14	1	1	3	5	8	11	23
65+	224	5.6	26	1	2	4	6	10	14	28
GRAND TOTAL	**666**	**4.3**	**16**	**1**	**1**	**3**	**5**	**8**	**11**	**22**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	2	1.0		1	1	1	1	1	1	1
35-49	11	2.7	4	<1	<1	2	4	6	7	7
50-64	11	2.4	2	1	1	2	3	4	5	5
65+	23	4.0	6	1	1	4	5	6	9	12
B. *Operated*										
0-19 YRS	32	2.8	10	<1	<1	2	3	6	11	14
20-34	120	3.3	6	1	1	3	4	6	8	14
35-49	244	3.7	4	1	2	3	5	6	8	10
50-64	249	4.5	7	1	1	4	6	8	10	12
65+	253	6.5	18	2	2	6	8	12	14	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	4	1.8	2	1	1	1	3	4	4	4
35-49	21	4.4	7	<1	<1	4	6	8	9	11
50-64	42	6.6	78	1	2	4	7	13	17	56
65+	152	6.1	24	1	2	5	8	12	15	35
B. *Operated*										
0-19 YRS	14	6.1	19	<1	1	6	8	13	15	16
20-34	76	7.0	61	1	2	5	9	13	16	51
35-49	255	7.2	45	2	2	6	8	13	19	43
50-64	494	8.6	43	2	3	7	11	17	22	32
65+	1116	11.5	91	3	4	9	14	22	29	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	3.1	5	1	1	2	5	6	7	12
B. *Operated*	898	4.6	11	1	1	4	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	221	5.9	32	1	2	5	7	12	15	41
B. *Operated*	1955	10.0	74	2	3	8	12	19	25	53
1. SINGLE DX	947	4.6	11	1	1	4	6	9	11	15
2. MULTIPLE DX	2176	9.6	72	2	3	7	12	19	24	52
A. NOT OPERATED	270	5.4	28	1	1	4	7	11	14	33
B. OPERATED	2853	8.3	61	2	2	6	10	17	22	47
TOTAL 0-19 YRS	50	3.6	14	<1	<1	2	5	9	13	16
20-34	202	4.7	30	1	1	3	6	10	13	19
35-49	531	5.4	27	1	2	4	6	9	13	27
50-64	796	7.1	37	2	2	6	9	13	18	30
65+	1544	10.0	77	2	3	8	12	19	26	66
GRAND TOTAL	**3123**	**8.1**	**59**	**1**	**2**	**6**	**10**	**16**	**22**	**45**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	137	2.6	3	1	1	2	3	5	6	9
20-34	174	4.2	7	1	2	4	6	8	9	15
35-49	292	4.5	8	1	2	4	6	8	10	13
50-64	356	4.5	8	1	1	4	6	8	10	13
65+	384	5.4	11	1	2	5	7	10	12	17
B. *Operated*										
0-19 YRS	111	6.7	59	3	3	5	8	11	12	42
20-34	110	8.8	16	4	5	8	11	15	16	21
35-49	112	10.1	22	5	6	9	12	16	19	28
50-64	139	10.1	27	4	5	9	11	15	20	31
65+	152	12.2	42	6	7	10	15	18	21	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	104	4.7	53	1	1	3	6	8	10	41
20-34	226	5.4	21	1	2	4	7	10	14	23
35-49	468	5.9	24	1	2	5	7	11	14	29
50-64	997	6.7	28	2	2	6	8	12	15	27
65+	2890	8.2	49	2	3	7	10	15	20	39
B. *Operated*										
0-19 YRS	112	9.4	37	4	5	8	11	17	20	37
20-34	203	13.2	123	5	6	9	15	25	36	60
35-49	308	14.2	103	5	6	11	17	27	34	73
50-64	637	16.2	138	6	7	13	19	28	39	79
65+	1778	19.2	178	7	8	16	23	35	47	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1343	4.5	9	1	1	4	6	8	10	15
B. *Operated*	624	9.8	37	3	4	9	12	16	19	30
2. MULTIPLE DX										
A. *Not Operated*	4685	7.5	42	2	2	6	9	14	18	33
B. *Operated*	3038	17.3	160	6	7	14	21	32	43	82
1. SINGLE DX	1967	6.2	24	1	2	5	8	12	15	21
2. MULTIPLE DX	7723	11.3	111	2	3	8	14	23	31	60
A. NOT OPERATED	6028	6.8	36	1	2	5	8	13	17	30
B. OPERATED	3662	16.0	147	5	6	13	19	30	40	76
TOTAL 0-19 YRS	464	5.7	42	1	1	4	7	11	13	27
20-34	713	7.8	60	1	2	6	9	15	19	40
35-49	1180	8.1	56	1	2	6	10	16	22	40
50-64	2129	9.4	79	2	2	7	12	18	25	47
65+	5204	11.9	119	2	3	9	15	23	32	65
GRAND TOTAL	**9690**	**10.3**	**98**	**2**	**3**	**8**	**13**	**21**	**28**	**55**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2823	2.5	3	1	1	2	3	4	5	8
20-34	1319	2.5	3	1	1	2	3	4	6	9
35-49	536	2.8	3	1	1	2	4	5	7	9
50-64	345	3.1	5	1	1	3	4	6	7	10
65+	244	3.6	8	1	1	3	4	7	9	13
B. *Operated*										
0-19 YRS	60	4.6	16	<1	1	4	5	8	14	22
20-34	108	4.7	7	1	2	4	6	8	9	14
35-49	56	5.3	13	<1	<1	5	7	11	12	17
50-64	30	5.8	14	<1	<1	5	8	11	12	15
65+	26	7.0	35	<1	<1	7	10	14	20	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5165	3.2	5	1	1	3	4	5	7	12
20-34	1730	3.2	10	1	1	3	4	6	7	12
35-49	1255	4.1	15	1	1	3	5	7	10	16
50-64	1539	5.0	20	1	2	4	6	9	12	21
65+	3447	6.6	44	2	2	5	8	12	17	43
B. *Operated*										
0-19 YRS	112	13.3	309	1	2	6	14	38	55	85
20-34	200	6.4	26	2	2	5	7	11	15	30
35-49	188	8.7	51	2	3	7	11	16	20	43
50-64	276	9.5	74	2	3	7	11	20	25	63
65+	503	13.2	127	3	4	10	17	29	41	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5267	2.6	3	1	1	2	3	5	6	9
B. *Operated*	280	5.1	14	<1	1	4	7	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	13136	4.4	21	1	1	3	5	8	11	21
B. *Operated*	1279	10.7	111	2	3	7	13	22	33	72
1. SINGLE DX	5547	2.7	4	1	1	2	3	5	6	11
2. MULTIPLE DX	14415	4.9	32	1	2	3	6	9	13	29
A. NOT OPERATED	18403	3.9	16	1	1	3	5	7	10	19
B. OPERATED	1559	9.7	98	1	2	7	11	20	28	63
TOTAL 0-19 YRS	8160	3.1	10	1	1	3	4	5	7	13
20-34	3357	3.2	9	1	1	2	4	6	7	12
35-49	2035	4.2	18	1	1	3	5	8	11	18
50-64	2190	5.3	28	1	1	4	6	10	14	25
65+	4220	7.2	57	2	2	5	8	14	20	52
GRAND TOTAL	**19962**	**4.3**	**25**	**1**	**1**	**3**	**5**	**8**	**12**	**25**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	73	5.1	7	1	2	5	6	9	10	12
35-49	369	5.4	9	1	2	5	7	9	10	14
50-64	676	5.3	9	<1	2	5	7	9	10	16
65+	713	5.3	15	<1	1	5	7	9	11	16
B. *Operated*										
0-19 YRS										
20-34	27	8.2	11	4	5	8	10	12	16	17
35-49	109	10.0	17	5	6	9	12	15	18	24
50-64	132	10.3	22	3	5	10	12	16	19	27
65+	147	11.2	44	1	4	10	15	20	24	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	6.2	4	3	3	7	7	8	8	8
20-34	50	5.2	6	2	2	5	7	9	9	11
35-49	385	6.1	15	2	2	5	8	11	12	21
50-64	1404	6.3	15	2	2	6	8	11	13	20
65+	4852	7.6	39	2	3	6	9	13	17	33
B. *Operated*										
0-19 YRS	6	6.7	25	3	3	5	8	15	16	16
20-34	50	10.7	30	4	5	9	12	17	23	30
35-49	337	13.1	61	4	6	11	16	22	27	42
50-64	990	14.1	86	5	6	12	17	24	31	59
65+	2076	16.2	154	4	6	13	20	31	44	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1831	5.3	11	<1	2	5	7	9	11	15
B. *Operated*	415	10.4	28	3	5	10	12	17	20	29
2. MULTIPLE DX										
A. *Not Operated*	6696	7.2	33	2	3	6	9	13	16	30
B. *Operated*	3459	15.2	125	4	6	12	18	28	37	78
1. SINGLE DX	2246	6.3	18	1	2	5	8	11	13	21
2. MULTIPLE DX	10155	9.9	78	2	3	8	12	19	26	52
A. NOT OPERATED	8527	6.8	29	2	2	6	8	12	15	27
B. OPERATED	3874	14.7	117	4	6	12	18	27	36	75
TOTAL 0-19 YRS	11	6.5	14	3	3	6	8	11	16	16
20-34	200	7.0	19	2	3	6	9	12	15	25
35-49	1200	8.2	37	2	3	7	10	15	20	31
50-64	3202	8.7	50	2	3	7	11	16	21	36
65+	7788	9.8	83	2	3	7	12	19	26	55
GRAND TOTAL	**12401**	**9.3**	**69**	**2**	**3**	**7**	**11**	**18**	**24**	**47**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	3.2	6	<1	<1	3	4	6	8	10
20-34	25	2.6	3	<1	1	2	3	5	6	8
35-49	29	2.3	2	<1	1	2	3	4	4	5
50-64	10	3.4	6	1	1	2	5	7	9	9
65+	6	3.8	5	<1	<1	3	6	7	7	7
B. *Operated*										
0-19 YRS	101	2.6	3	<1	1	2	3	5	7	9
20-34	755	2.9	4	1	1	3	4	5	6	9
35-49	796	3.1	6	1	1	3	4	5	6	12
50-64	414	3.2	5	1	1	3	4	5	6	11
65+	138	3.9	10	1	1	3	5	7	10	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	4.1	14	1	1	3	5	8	12	18
20-34	57	3.8	10	<1	1	3	5	6	12	16
35-49	54	3.6	5	<1	1	3	5	7	8	10
50-64	53	5.5	18	1	1	4	7	11	16	18
65+	65	7.6	61	1	2	6	8	15	24	45
B. *Operated*										
0-19 YRS	75	4.5	16	1	1	3	6	11	14	18
20-34	659	3.8	16	1	1	3	4	7	9	19
35-49	945	4.0	13	1	1	3	5	7	9	19
50-64	799	4.9	46	1	1	3	5	8	12	45
65+	489	6.9	62	1	2	4	8	14	20	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	2.8	4	<1	1	2	4	5	6	10
B. *Operated*	2204	3.1	5	1	1	3	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	257	5.1	26	1	1	4	6	10	14	29
B. *Operated*	2967	4.7	32	1	1	3	5	8	12	32
1. SINGLE DX	2292	3.1	5	1	1	3	4	5	7	11
2. MULTIPLE DX	3224	4.7	31	1	1	3	5	9	12	30
A. NOT OPERATED	345	4.5	22	<1	1	3	6	9	12	23
B. OPERATED	5171	4.0	21	1	1	3	4	7	10	23
TOTAL 0-19 YRS	222	3.5	10	<1	1	3	4	7	10	17
20-34	1496	3.4	10	1	1	3	4	6	7	13
35-49	1824	3.6	9	1	1	3	4	6	8	16
50-64	1276	4.4	32	1	1	3	5	7	11	34
65+	698	6.3	53	1	2	4	7	13	19	42
GRAND TOTAL	**5516**	**4.0**	**21**	**1**	**1**	**3**	**5**	**7**	**10**	**23**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	412	3.7	20	<1	1	2	4	7	11	21
20-34	634	5.0	15	1	1	4	6	10	12	18
35-49	416	4.8	15	<1	1	4	6	10	12	18
50-64	293	4.6	16	<1	<1	4	6	10	12	19
65+	298	4.6	21	<1	1	4	6	9	12	18
B. *Operated*										
0-19 YRS	151	8.2	109	<1	<1	5	10	17	24	69
20-34	422	7.7	41	<1	1	6	10	15	19	34
35-49	272	8.3	70	<1	<1	6	11	16	24	43
50-64	269	7.2	41	<1	<1	6	10	16	20	30
65+	256	8.3	87	<1	1	5	11	17	24	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	478	4.6	25	1	1	3	5	9	15	27
20-34	908	6.2	29	1	2	5	8	13	16	28
35-49	958	6.2	29	1	2	5	8	12	15	26
50-64	1211	6.2	26	1	2	5	8	12	15	30
65+	3528	7.8	66	2	2	6	9	15	20	48
B. *Operated*										
0-19 YRS	295	10.7	116	1	2	7	14	23	38	83
20-34	878	11.6	112	1	3	8	15	25	33	54
35-49	1023	11.9	118	1	2	9	15	26	34	59
50-64	1252	13.0	159	2	2	10	16	29	39	76
65+	2520	15.1	196	2	3	11	19	33	45	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2053	4.6	17	<1	1	4	6	9	12	18
B. *Operated*	1370	7.9	63	<1	<1	6	11	16	22	37
2. MULTIPLE DX										
A. *Not Operated*	7083	6.9	48	1	2	5	8	14	18	37
B. *Operated*	5968	13.4	161	2	3	10	17	29	40	78
1. SINGLE DX	3423	5.9	38	<1	1	4	8	12	16	30
2. MULTIPLE DX	13051	9.8	110	1	2	7	12	21	31	62
A. NOT OPERATED	9136	6.4	42	1	1	5	8	13	16	34
B. OPERATED	7338	12.3	147	1	2	9	15	27	38	75
TOTAL 0-19 YRS	1336	6.1	60	1	1	3	7	14	21	43
20-34	2842	7.8	61	1	2	6	10	16	22	40
35-49	2669	8.4	74	1	2	6	10	18	25	46
50-64	3025	8.9	94	1	2	6	11	18	28	59
65+	6602	10.5	128	1	2	7	13	22	33	72
GRAND TOTAL	**16474**	**9.0**	**97**	**1**	**2**	**6**	**11**	**19**	**28**	**57**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	23	4.9	6	1	2	5	7	8	9	10
35-49	40	7.1	33	1	2	6	9	14	20	27
50-64	46	7.6	26	1	2	6	11	14	19	21
65+	13	10.5	146	2	4	7	10	22	44	49
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	14	7.0	183	<1	<1	2	4	19	45	52
35-49	27	3.1	7	1	1	2	4	8	9	10
50-64	27	4.0	26	<1	<1	2	4	10	18	21
65+	13	7.0	54	<1	1	2	10	20	23	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	11.0	39	6	6	9	16	18	18	18
20-34	510	7.4	29	3	4	6	7	12	16	29
35-49	1204	8.5	49	3	4	6	8	16	22	36
50-64	820	10.0	70	3	4	7	12	19	26	46
65+	439	12.2	97	3	4	9	15	25	35	54
B. *Operated*										
0-19 YRS										
20-34	51	19.5	324	1	3	14	28	40	64	80
35-49	244	14.3	162	2	2	11	19	30	44	67
50-64	307	14.7	244	1	2	10	19	33	50	91
65+	179	17.2	268	2	3	12	21	36	57	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	122	7.3	38	1	2	6	9	14	18	33
B. *Operated*	82	4.7	51	<1	1	2	5	10	18	43
2. MULTIPLE DX										
A. *Not Operated*	2976	9.2	61	3	4	6	10	18	25	42
B. *Operated*	781	15.5	231	1	2	11	20	34	49	83
1. SINGLE DX	204	6.2	45	1	1	4	8	13	18	37
2. MULTIPLE DX	3757	10.5	102	2	4	7	12	21	30	58
A. NOT OPERATED	3098	9.2	60	3	4	6	10	17	24	42
B. OPERATED	863	14.4	223	1	2	10	19	33	47	82
TOTAL 0-19 YRS	4	9.0	42	3	3	7	13	18	18	18
20-34	598	8.3	68	2	4	6	8	15	22	49
35-49	1515	9.3	71	2	4	6	10	18	25	47
50-64	1200	10.9	118	2	3	8	13	22	32	65
65+	644	13.5	150	3	4	10	16	28	38	70
GRAND TOTAL	**3961**	**10.3**	**100**	**2**	**3**	**7**	**12**	**21**	**29**	**57**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.8	2	1	1	3	4	5	5	5
20-34	8	4.8	27	1	1	3	5	13	17	17
35-49	23	3.7	12	<1	1	2	6	9	11	12
50-64	24	4.3	11	<1	<1	3	7	10	10	11
65+	16	7.1	88	1	1	5	8	11	31	40
B. *Operated*										
0-19 YRS	11	2.8	1	1	1	3	4	5	5	5
20-34	81	2.6	10	<1	<1	1	2	7	11	15
35-49	98	2.4	16	<1	<1	1	2	5	7	26
50-64	117	2.4	8	<1	1	1	2	7	9	15
65+	74	3.5	30	<1	1	2	3	9	13	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	6.6	157	1	1	3	5	10	34	60
20-34	50	7.3	45	2	2	5	10	14	16	35
35-49	113	10.2	60	2	3	8	12	19	24	42
50-64	252	10.1	87	1	2	7	13	20	25	45
65+	402	12.3	126	3	4	9	14	23	33	69
B. *Operated*										
0-19 YRS	27	7.9	165	1	1	3	8	17	26	67
20-34	79	7.3	76	<1	1	2	12	21	28	31
35-49	172	7.0	81	1	1	2	10	18	26	42
50-64	312	9.2	112	1	1	6	12	25	31	55
65+	336	12.4	173	1	1	9	17	29	38	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	4.6	28	<1	1	3	6	10	11	33
B. *Operated*	381	2.7	15	<1	<1	1	2	6	10	18
2. MULTIPLE DX										
A. *Not Operated*	838	10.9	103	2	3	8	14	21	29	59
B. *Operated*	926	9.7	131	1	1	6	14	24	32	58
1. SINGLE DX	461	3.0	17	<1	<1	1	3	8	10	18
2. MULTIPLE DX	1764	10.3	118	1	1	7	14	23	31	59
A. NOT OPERATED	918	10.4	100	1	2	8	13	20	28	58
B. OPERATED	1307	7.7	107	<1	1	3	10	20	29	54
TOTAL 0-19 YRS	68	6.0	116	1	1	3	5	11	17	66
20-34	218	5.5	47	<1	<1	2	6	15	21	31
35-49	406	6.6	63	1	1	3	9	16	23	39
50-64	705	8.2	90	1	1	5	11	19	27	47
65+	828	11.5	142	1	1	8	15	24	33	68
GRAND TOTAL	**2225**	**8.8**	**106**	**1**	**1**	**6**	**12**	**20**	**28**	**56**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	5.0	12	1	2	4	6	10	13	16
20-34	74	4.5	6	1	2	4	6	8	9	12
35-49	58	4.6	10	1	1	4	6	8	9	19
50-64	42	5.4	11	1	2	5	7	10	13	16
65+	26	7.2	18	2	2	6	10	14	16	17
B. *Operated*										
0-19 YRS	9	11.3	73	1	2	10	15	25	29	29
20-34	18	5.4	24	<1	1	3	10	12	15	16
35-49	31	7.7	111	<1	1	2	12	23	27	47
50-64	33	4.1	17	1	1	2	7	9	11	19
65+	15	5.1	42	<1	<1	2	8	9	21	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	6.5	43	1	1	5	7	14	23	30
20-34	129	6.1	28	1	2	5	7	10	14	36
35-49	189	10.0	172	2	3	6	11	19	27	86
50-64	423	9.4	69	2	3	7	12	19	25	49
65+	577	10.4	84	2	3	8	13	20	24	48
B. *Operated*										
0-19 YRS	27	5.9	35	1	1	3	9	15	16	23
20-34	52	10.2	116	1	1	7	14	21	29	53
35-49	99	15.1	255	1	2	9	20	41	51	90
50-64	168	13.5	171	1	1	11	18	31	38	72
65+	205	14.7	137	2	2	13	23	34	43	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	227	5.1	11	1	2	4	6	9	11	16
B. *Operated*	106	6.2	56	<1	1	2	9	14	22	37
2. MULTIPLE DX										
A. *Not Operated*	1357	9.5	87	2	3	7	12	18	24	51
B. *Operated*	551	13.5	165	1	2	10	19	32	43	98
1. SINGLE DX	333	5.4	25	1	1	4	7	11	14	26
2. MULTIPLE DX	1908	10.7	113	2	2	7	14	22	31	65
A. NOT OPERATED	1584	8.9	78	2	3	6	11	17	22	48
B. OPERATED	657	12.3	155	1	1	9	17	30	40	80
TOTAL 0-19 YRS	102	6.4	37	1	1	5	7	14	18	29
20-34	273	6.4	42	1	2	5	8	11	17	40
35-49	377	10.3	174	1	2	6	12	24	36	83
50-64	666	9.9	95	1	2	7	13	21	29	52
65+	823	11.2	99	2	3	8	14	23	31	64
GRAND TOTAL	**2241**	**9.9**	**103**	**1**	**2**	**7**	**12**	**21**	**30**	**57**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	3.1	7	1	1	2	4	8	9	10
20-34	267	2.6	3	<1	1	2	3	5	6	9
35-49	245	2.8	3	<1	1	2	4	5	6	8
50-64	235	3.2	5	1	1	3	4	6	8	10
65+	178	4.5	8	1	1	4	6	8	9	16
B. *Operated*										
0-19 YRS	166	6.4	7	3	4	6	7	10	12	16
20-34	2331	6.0	4	4	4	6	7	8	10	13
35-49	2368	6.4	5	4	4	6	7	9	10	14
50-64	1942	6.9	7	4	4	6	8	10	12	15
65+	993	8.2	16	5	5	7	9	12	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	3.8	6	<1	1	3	5	6	7	13
20-34	284	3.5	9	1	1	3	4	7	8	16
35-49	349	4.2	12	<1	1	3	5	8	10	21
50-64	730	5.0	14	1	1	4	6	9	11	21
65+	1751	7.2	48	2	2	6	9	13	17	36
B. *Operated*										
0-19 YRS	162	8.6	33	4	4	7	10	13	16	27
20-34	1998	7.7	18	4	4	7	9	12	15	22
35-49	2796	8.0	19	4	5	7	9	12	15	24
50-64	4377	9.2	30	5	5	8	11	14	17	30
65+	5517	12.8	81	5	6	10	15	22	28	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	959	3.2	5	1	1	3	4	6	8	11
B. *Operated*	7800	6.6	7	4	4	6	8	10	11	15
2. MULTIPLE DX										
A. *Not Operated*	3147	6.0	34	1	2	5	7	11	15	27
B. *Operated*	14850	10.1	50	4	5	8	12	17	21	39
1. SINGLE DX	8759	6.2	8	2	3	6	7	9	11	15
2. MULTIPLE DX	17997	9.4	49	3	4	8	11	16	20	39
A. NOT OPERATED	4106	5.3	29	1	1	4	7	10	13	24
B. OPERATED	22650	8.9	38	4	5	7	10	15	19	34
TOTAL 0-19 YRS	395	6.8	21	2	3	6	8	11	13	24
20-34	4880	6.4	12	2	3	6	7	10	12	18
35-49	5758	6.9	14	3	4	6	8	11	13	20
50-64	7284	8.0	24	3	4	7	9	13	16	25
65+	8439	10.9	72	3	4	9	13	19	25	50
GRAND TOTAL	**26756**	**8.3**	**38**	**3**	**4**	**7**	**10**	**14**	**18**	**33**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	3.0	2	<1	1	3	4	5	5	5
20-34	175	3.2	4	<1	1	3	4	6	7	11
35-49	166	3.4	4	1	1	3	5	6	7	11
50-64	125	3.7	6	1	1	3	5	7	8	11
65+	86	4.5	8	1	1	4	6	10	10	12
B. *Operated*										
0-19 YRS	14	7.0	8	4	5	6	9	12	13	13
20-34	166	6.8	9	3	4	6	8	11	12	20
35-49	182	6.9	13	3	4	6	8	12	15	20
50-64	108	8.0	11	4	4	8	10	12	14	19
65+	76	10.5	30	5	6	9	11	15	23	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	4.3	4	2	2	4	6	7	8	9
20-34	202	4.0	15	1	1	3	5	7	10	19
35-49	196	4.7	9	1	2	4	6	8	10	16
50-64	298	5.5	17	2	2	4	7	10	12	27
65+	650	8.0	43	2	3	6	10	15	18	38
B. *Operated*										
0-19 YRS	18	7.7	15	3	4	6	11	13	14	14
20-34	255	8.0	21	4	4	7	9	14	20	25
35-49	355	8.6	27	4	4	7	10	14	17	33
50-64	403	10.6	64	5	5	9	12	18	22	40
65+	625	14.1	100	6	6	11	16	25	33	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	574	3.5	5	1	1	3	5	7	8	11
B. *Operated*	546	7.6	15	3	4	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	1368	6.3	30	1	2	5	8	12	16	29
B. *Operated*	1656	11.1	69	4	5	9	13	19	25	46
1. SINGLE DX	1120	5.5	14	1	2	5	7	10	12	19
2. MULTIPLE DX	3024	8.9	57	2	3	7	11	16	22	40
A. NOT OPERATED	1942	5.5	25	1	2	4	7	10	13	25
B. OPERATED	2202	10.2	58	4	5	8	12	18	23	43
TOTAL 0-19 YRS	76	5.2	10	2	2	5	6	11	12	14
20-34	798	5.7	17	1	1	5	7	10	13	22
35-49	899	6.5	20	1	2	6	8	11	14	22
50-64	934	7.7	42	2	3	6	9	13	18	29
65+	1437	10.6	76	2	3	8	13	19	26	55
GRAND TOTAL	**4144**	**8.0**	**48**	**2**	**2**	**6**	**10**	**15**	**20**	**37**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	4.1	13	1	1	2	6	10	11	11
35-49	29	3.6	4	1	1	3	5	6	7	10
50-64	22	2.7	2	1	1	3	4	4	5	7
65+	31	5.0	23	1	1	3	7	11	15	23
B. *Operated*										
0-19 YRS	9	9.2	22	3	4	9	11	17	19	19
20-34	65	7.9	15	2	4	7	9	13	16	19
35-49	85	7.1	18	2	2	7	9	11	13	24
50-64	104	8.1	48	1	1	7	11	15	17	38
65+	129	9.2	48	1	2	9	13	18	20	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	6	1	1	4	5	6	6	6
20-34	28	4.6	13	1	1	4	6	8	13	17
35-49	37	4.8	8	1	1	5	7	9	10	10
50-64	82	5.8	11	1	2	5	7	10	13	16
65+	223	7.4	21	2	3	6	9	14	16	22
B. *Operated*										
0-19 YRS	11	9.2	18	4	4	8	13	15	16	16
20-34	88	10.1	41	4	5	9	12	17	21	42
35-49	110	9.9	38	2	2	9	12	16	20	35
50-64	280	12.3	46	3	5	11	15	21	26	39
65+	848	15.7	111	3	6	13	20	27	37	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	3.9	11	1	1	3	5	7	10	20
B. *Operated*	392	8.2	36	1	2	8	11	15	18	24
2. MULTIPLE DX										
A. *Not Operated*	373	6.5	18	1	2	6	8	13	15	20
B. *Operated*	1337	14.1	91	3	5	12	17	25	32	57
1. SINGLE DX	483	7.4	34	1	1	7	10	15	17	23
2. MULTIPLE DX	1710	12.4	85	2	3	11	15	22	29	49
A. NOT OPERATED	464	6.0	18	1	2	5	8	12	14	20
B. OPERATED	1729	12.8	84	2	3	11	16	23	29	51
TOTAL 0-19 YRS	23	8.5	21	2	4	8	11	15	17	19
20-34	190	8.3	31	1	3	7	10	14	18	30
35-49	261	7.6	29	1	2	7	10	14	15	27
50-64	488	9.8	48	1	2	9	13	17	22	37
65+	1231	13.3	100	2	3	12	17	25	31	57
GRAND TOTAL	**2193**	**11.3**	**78**	**2**	**3**	**10**	**15**	**21**	**27**	**46**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	6	2.8	5	1	1	2	4	7	7	7
35-49	17	4.6	13	<1	1	4	6	10	13	14
50-64	26	5.4	8	1	2	5	7	9	10	12
65+	35	5.5	16	1	1	5	8	11	14	17
B. *Operated*										
0-19 YRS	4	7.0	18	1	1	8	10	10	10	10
20-34	24	5.7	16	<1	1	5	9	11	13	13
35-49	16	6.4	15	<1	2	6	10	12	13	13
50-64	30	5.3	26	1	1	3	8	13	15	21
65+	31	5.9	51	<1	1	3	8	16	19	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	12.7	134	2	3	9	13	32	41	43
20-34	25	5.8	11	1	2	6	7	11	12	15
35-49	49	5.9	17	1	2	4	8	13	14	16
50-64	108	6.8	19	2	2	6	9	13	16	20
65+	333	8.6	50	2	2	7	10	17	20	35
B. *Operated*										
0-19 YRS	7	13.0	112	2	2	12	16	31	34	34
20-34	34	10.9	80	1	1	9	13	22	30	41
35-49	72	11.5	63	2	2	9	16	24	26	33
50-64	119	13.1	106	2	3	11	16	24	31	80
65+	324	16.0	139	2	3	14	21	34	44	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	5.0	12	1	1	4	7	10	12	16
B. *Operated*	105	5.8	28	<1	1	4	9	13	15	26
2. MULTIPLE DX										
A. *Not Operated*	527	7.9	42	2	2	7	10	15	19	33
B. *Operated*	556	14.4	121	2	3	12	20	30	39	96
1. SINGLE DX	191	5.4	21	1	1	4	8	11	13	20
2. MULTIPLE DX	1083	11.3	93	2	2	9	15	23	32	56
A. NOT OPERATED	613	7.5	39	1	2	6	9	14	18	32
B. OPERATED	661	13.1	116	1	2	11	18	27	36	71
TOTAL 0-19 YRS	25	11.0	104	1	2	9	12	27	36	43
20-34	89	7.5	45	1	1	6	10	14	21	37
35-49	154	8.4	46	1	2	7	11	17	23	32
50-64	283	9.1	66	1	2	8	12	18	23	51
65+	723	11.6	104	2	2	9	16	25	34	58
GRAND TOTAL	**1274**	**10.4**	**86**	**1**	**2**	**8**	**14**	**22**	**30**	**55**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	75	4.9	6	2	2	4	6	8	9	11
20-34	349	5.4	13	1	2	5	7	10	12	15
35-49	398	5.6	11	2	2	5	7	10	12	17
50-64	222	6.1	20	2	2	5	7	11	14	25
65+	138	6.2	12	2	3	5	8	10	12	17
B. *Operated*										
0-19 YRS	8	5.6	14	1	1	6	8	10	11	11
20-34	35	8.2	37	<1	1	7	12	16	20	26
35-49	60	11.4	125	1	1	8	19	25	36	51
50-64	46	6.5	27	<1	1	5	11	13	17	19
65+	33	8.3	56	1	2	5	13	16	20	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	4.9	7	1	2	4	7	8	9	13
20-34	821	7.2	29	2	3	6	9	13	17	30
35-49	1313	7.6	28	2	3	6	9	14	17	28
50-64	913	7.8	30	2	3	7	10	14	18	30
65+	1097	8.7	62	2	3	7	10	15	20	42
B. *Operated*										
0-19 YRS	22	17.5	274	2	4	15	21	42	59	67
20-34	198	16.4	200	3	4	12	20	35	52	88
35-49	382	19.5	314	2	5	14	25	44	59	90
50-64	362	17.7	237	2	5	13	21	39	56	85
65+	481	18.1	213	4	6	14	23	35	51	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1182	5.7	13	1	2	5	7	10	12	18
B. *Operated*	182	8.7	69	1	1	7	12	19	23	40
2. MULTIPLE DX										
A. *Not Operated*	4215	7.8	38	2	3	6	9	14	18	33
B. *Operated*	1445	18.2	245	3	5	13	22	38	56	91
1. SINGLE DX	1364	6.1	22	1	2	5	8	11	14	23
2. MULTIPLE DX	5660	10.4	111	2	3	7	12	20	30	65
A. NOT OPERATED	5397	7.3	33	2	3	6	9	13	17	29
B. OPERATED	1627	17.1	234	2	4	13	21	37	52	90
TOTAL 0-19 YRS	176	6.5	56	1	2	5	7	11	17	49
20-34	1403	8.1	61	2	2	6	9	15	21	43
35-49	2153	9.5	101	2	3	7	10	18	27	55
50-64	1543	9.8	96	2	3	7	11	18	26	62
65+	1749	11.1	119	2	3	8	13	22	31	72
GRAND TOTAL	**7024**	**9.6**	**97**	**2**	**3**	**7**	**11**	**18**	**27**	**59**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	2.7	2	1	1	3	4	5	5	7
20-34	84	2.7	2	1	1	2	4	5	6	7
35-49	84	3.5	4	<1	1	3	4	6	7	10
50-64	79	4.0	11	<1	1	3	5	8	11	17
65+	192	4.5	10	1	1	4	6	8	11	16
B. *Operated*										
0-19 YRS	7	4.0	7	<1	<1	5	6	8	8	8
20-34	10	7.2	25	2	2	6	12	14	16	16
35-49	12	5.3	10	<1	1	5	8	10	11	11
50-64	8	5.5	21	<1	1	4	7	13	15	15
65+	19	6.4	31	1	1	5	8	17	18	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	121	3.7	9	1	1	3	5	7	9	18
20-34	296	4.4	24	1	1	3	5	7	10	26
35-49	412	5.3	22	1	2	4	6	10	13	23
50-64	878	6.1	20	2	2	5	7	11	14	25
65+	3589	7.5	40	2	3	6	9	14	18	37
B. *Operated*										
0-19 YRS	14	7.1	67	2	2	5	7	13	29	34
20-34	49	7.1	27	2	2	5	10	15	16	23
35-49	120	8.0	42	2	3	6	10	16	18	36
50-64	271	10.3	73	3	4	8	12	19	25	46
65+	1110	12.2	131	3	4	9	15	24	35	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	497	3.7	7	1	1	3	5	7	9	14
B. *Operated*	56	5.9	21	<1	1	5	8	13	16	19
2. MULTIPLE DX										
A. *Not Operated*	5296	6.8	35	2	2	5	8	13	16	32
B. *Operated*	1564	11.4	112	3	4	9	14	21	31	79
1. SINGLE DX	553	4.0	9	1	1	3	5	7	10	16
2. MULTIPLE DX	6860	7.9	56	2	2	6	9	15	20	44
A. NOT OPERATED	5793	6.6	33	1	2	5	8	12	16	31
B. OPERATED	1620	11.2	110	2	4	8	14	21	31	77
TOTAL 0-19 YRS	200	3.7	12	1	1	3	4	6	8	19
20-34	439	4.4	22	1	1	3	5	8	12	23
35-49	628	5.6	25	1	2	4	7	10	14	24
50-64	1236	6.9	34	2	2	5	8	12	17	30
65+	4910	8.5	64	2	3	6	10	16	21	50
GRAND TOTAL	**7413**	**7.6**	**54**	**2**	**2**	**6**	**9**	**14**	**19**	**41**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	4.0	16	<1	1	3	5	8	9	26
20-34	2	5.0	2	4	4	5	6	6	6	6
35-49	11	4.6	11	1	1	3	8	10	10	10
50-64	5	6.2	17	2	2	5	10	11	11	11
65+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-19 YRS	4	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	7	7.9	38	<1	1	6	10	18	20	20
35-49	10	11.9	440	<1	<1	2	9	47	67	67
50-64	11	8.1	31	3	3	6	11	16	21	22
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	7.1	115	1	1	4	7	12	30	65
20-34	16	5.4	29	<1	1	4	6	13	19	21
35-49	28	9.0	54	3	3	6	10	21	27	30
50-64	30	9.5	35	2	3	8	15	18	21	21
65+	64	10.5	85	3	4	8	12	18	26	60
B. *Operated*										
0-19 YRS	12	16.8	282	<1	2	11	33	58	92	99+
20-34	11	10.8	43	5	5	8	17	21	22	22
35-49	32	15.7	154	2	5	11	20	34	40	58
50-64	47	17.7	173	5	6	13	22	38	48	59
65+	66	18.2	97	6	8	16	23	33	38	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	4.3	15	1	1	3	5	9	10	24
B. *Operated*	32	8.3	156	<1	<1	5	9	21	26	67
2. MULTIPLE DX										
A. *Not Operated*	195	8.7	78	1	2	6	11	17	23	52
B. *Operated*	168	17.0	139	4	5	13	22	34	44	59
1. SINGLE DX	96	5.6	64	<1	<1	3	7	10	18	49
2. MULTIPLE DX	363	12.5	123	2	3	9	17	26	37	59
A. NOT OPERATED	259	7.6	66	1	2	5	9	15	21	38
B. OPERATED	200	15.6	151	1	3	12	21	32	42	63
TOTAL 0-19 YRS	117	6.7	103	<1	1	3	7	14	32	78
20-34	36	7.5	37	<1	1	5	9	20	21	22
35-49	81	11.4	145	1	2	8	13	26	35	64
50-64	93	13.3	122	3	3	11	17	24	39	59
65+	132	14.2	106	3	5	11	19	28	37	48
GRAND TOTAL	**459**	**11.1**	**119**	**1**	**2**	**8**	**14**	**24**	**34**	**59**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	6.7	37	1	2	5	9	14	16	36
20-34	18	5.0	22	1	1	4	6	8	16	22
35-49	4	2.8	1	2	2	3	3	4	4	4
50-64	6	3.8	13	2	2	3	3	10	11	11
65+	3	6.7	10	3	3	8	9	9	9	9
B. *Operated*										
0-19 YRS	32	2.8	3	1	2	2	3	4	6	10
20-34	39	4.7	25	1	1	3	6	10	15	25
35-49	23	4.3	31	1	1	2	4	9	20	25
50-64	20	3.8	9	2	2	2	5	9	11	11
65+	12	3.9	9	1	1	3	4	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	111	6.1	55	1	1	4	7	12	18	45
20-34	32	5.1	8	1	2	5	7	9	9	12
35-49	30	6.9	49	1	2	4	8	20	25	26
50-64	51	6.8	32	1	2	6	8	13	17	32
65+	80	9.4	72	2	3	7	10	17	31	44
B. *Operated*										
0-19 YRS	35	7.1	78	1	2	3	8	16	31	38
20-34	68	8.0	103	2	2	4	9	19	29	54
35-49	64	9.2	164	1	2	4	10	20	42	61
50-64	100	9.4	108	2	2	5	12	23	35	47
65+	95	13.8	198	2	2	9	17	30	46	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	6.0	30	1	2	4	9	12	16	31
B. *Operated*	126	3.9	17	1	2	2	4	9	11	25
2. MULTIPLE DX										
A. *Not Operated*	304	7.0	52	1	2	5	8	14	20	37
B. *Operated*	362	10.1	142	2	2	5	12	24	38	56
1. SINGLE DX	213	4.7	23	1	2	3	6	10	14	25
2. MULTIPLE DX	666	8.7	103	1	2	5	10	19	30	52
A. NOT OPERATED	391	6.8	47	1	2	5	8	13	19	37
B. OPERATED	488	8.5	117	1	2	4	10	21	31	54
TOTAL 0-19 YRS	234	5.9	48	1	1	4	8	12	16	37
20-34	157	6.3	57	1	2	3	7	14	21	42
35-49	121	7.5	108	1	2	3	8	18	26	58
50-64	177	7.8	76	2	2	4	10	17	28	43
65+	190	11.2	138	2	2	8	14	26	38	54
GRAND TOTAL	**879**	**7.7**	**86**	**1**	**2**	**4**	**9**	**17**	**26**	**50**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	5.7	10	2	2	5	9	11	12	12
20-34	6	3.5	6	2	2	3	4	8	8	8
35-49	2	5.5	5	4	4	5	7	7	7	7
50-64	3	5.0	19	2	2	3	8	10	10	10
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	3	6.7	16	2	2	9	9	9	9	9
35-49	5	3.6	7	1	1	2	6	7	7	7
50-64	1	19.0		19	19	19	19	19	19	19
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	7.6	22	2	3	8	9	13	17	24
20-34	7	4.3	3	<1	1	5	6	6	6	6
35-49	7	7.6	68	3	3	5	7	22	26	26
50-64	10	8.3	35	2	3	6	12	17	22	22
65+	35	9.3	39	2	3	8	12	19	20	30
B. *Operated*										
0-19 YRS	5	3.8	5	2	2	3	5	7	7	7
20-34	13	8.8	57	2	3	7	9	22	27	28
35-49	13	7.7	39	1	2	5	12	17	20	21
50-64	14	10.6	63	2	2	7	18	22	24	25
65+	33	17.6	194	2	3	16	24	30	47	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	5.3	10	2	2	5	7	10	11	12
B. *Operated*	11	5.6	29	1	1	4	8	13	19	19
2. MULTIPLE DX										
A. *Not Operated*	94	8.1	32	2	3	7	10	15	20	28
B. *Operated*	78	12.4	130	2	2	8	19	25	28	61
1. SINGLE DX	52	5.3	13	1	2	4	8	10	12	19
2. MULTIPLE DX	172	10.0	80	2	2	7	13	21	26	46
A. NOT OPERATED	135	7.2	27	2	2	6	9	13	19	27
B. OPERATED	89	11.5	122	2	2	7	18	25	28	59
TOTAL 0-19 YRS	71	6.4	17	2	2	5	9	11	13	23
20-34	29	6.4	33	2	2	5	8	10	21	28
35-49	27	6.7	38	1	2	5	7	16	22	26
50-64	28	9.5	50	2	2	7	14	21	23	25
65+	69	13.2	129	2	3	11	19	26	30	63
GRAND TOTAL	**224**	**8.9**	**69**	**2**	**2**	**6**	**11**	**20**	**24**	**42**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.0	15	<1	<1	3	7	9	9	9
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	3.3	1	2	2	4	4	4	4	4
50-64	11	2.5	1	2	2	2	3	4	5	5
65+	7	5.6	23	2	2	2	11	12	12	12
B. *Operated*										
0-19 YRS	13	6.3	40	1	1	3	9	16	21	22
20-34	22	5.5	35	<1	1	3	6	14	20	24
35-49	24	4.1	14	1	2	3	5	10	13	17
50-64	44	5.0	29	1	1	3	6	10	19	25
65+	55	6.3	87	1	2	3	7	14	27	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	6.3	94	<1	<1	2	6	18	27	45
20-34	50	6.2	135	1	1	3	5	10	20	79
35-49	66	6.0	43	1	1	4	8	14	18	38
50-64	178	6.3	43	1	2	4	8	15	19	33
65+	423	10.7	131	2	2	8	13	24	34	93
B. *Operated*										
0-19 YRS	74	15.1	258	1	2	9	22	37	46	79
20-34	174	11.9	195	1	2	8	15	26	35	80
35-49	270	11.0	163	1	2	6	14	26	36	62
50-64	441	11.2	156	2	2	7	14	25	37	70
65+	575	15.4	224	2	3	11	21	35	52	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	3.7	9	1	2	2	4	9	12	12
B. *Operated*	158	5.5	48	1	1	3	6	13	19	33
2. MULTIPLE DX										
A. *Not Operated*	752	8.7	106	1	2	6	11	20	29	67
B. *Operated*	1534	13.0	196	2	2	8	17	29	41	82
1. SINGLE DX	184	5.3	43	1	2	3	6	12	18	32
2. MULTIPLE DX	2286	11.6	170	1	2	7	15	27	38	82
A. NOT OPERATED	778	8.6	103	1	2	5	11	19	28	66
B. OPERATED	1692	12.3	187	2	2	8	16	28	40	82
TOTAL 0-19 YRS	126	11.4	200	1	1	5	16	28	40	72
20-34	247	10.1	174	1	2	5	13	23	34	79
35-49	363	9.6	136	1	2	5	13	22	33	59
50-64	674	9.4	122	1	2	6	12	21	30	63
65+	1060	13.0	186	2	2	9	17	29	43	91
GRAND TOTAL	**2470**	**11.1**	**163**	**1**	**2**	**7**	**14**	**26**	**37**	**77**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49										
50-64	3	4.7	1	4	4	4	6	6	6	6
65+	9	10.7	127	1	1	7	15	29	37	37
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	3.7	21	<1	<1	1	7	9	9	9
35-49	5	2.0	1	1	1	2	3	3	3	3
50-64	5	2.6	3	<1	<1	3	4	5	5	5
65+	10	6.5	99	<1	<1	2	7	22	33	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.1	22	<1	<1	2	5	11	16	17
20-34	29	5.4	14	1	2	5	7	10	13	17
35-49	32	8.1	84	2	2	6	10	13	16	53
50-64	138	10.1	74	1	2	8	12	20	30	41
65+	604	12.3	97	3	4	10	15	24	30	65
B. *Operated*										
0-19 YRS	12	10.0	30	<1	1	11	14	35	88	99+
20-34	32	13.9	162	3	3	12	18	25	51	56
35-49	41	14.2	62	3	4	12	20	26	29	31
50-64	129	16.8	242	2	3	12	22	39	49	99+
65+	349	22.2	274	4	6	19	29	46	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	7.9	79	1	2	5	9	16	31	37
B. *Operated*	24	4.2	46	<1	<1	2	4	9	18	33
2. MULTIPLE DX										
A. *Not Operated*	814	11.4	91	2	3	9	14	22	30	57
B. *Operated*	563	19.6	251	3	4	16	26	43	59	99+
1. SINGLE DX	40	5.7	61	<1	<1	3	6	13	24	37
2. MULTIPLE DX	1377	14.8	173	2	4	11	19	30	43	96
A. NOT OPERATED	830	11.4	91	2	3	9	14	22	30	56
B. OPERATED	587	19.0	252	2	4	15	25	41	57	99+
TOTAL 0-19 YRS	26	6.8	32	<1	1	6	12	17	31	99+
20-34	66	9.4	104	1	2	6	13	19	24	56
35-49	78	10.9	80	2	2	9	14	22	29	47
50-64	275	13.0	164	2	3	9	17	28	41	95
65+	972	15.8	183	3	4	12	20	33	46	99
GRAND TOTAL	**1417**	**14.5**	**172**	**2**	**3**	**11**	**19**	**30**	**43**	**95**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	205	4.1	3	2	2	4	5	6	7	9
20-34	354	4.3	5	2	2	4	5	7	8	11
35-49	90	5.1	6	2	2	5	6	9	11	12
50-64	42	5.1	5	2	3	5	7	8	9	10
65+	26	5.0	6	2	2	4	6	10	10	11
B. *Operated*										
0-19 YRS	6	5.8	23	1	1	5	5	14	15	15
20-34	21	6.3	6	3	4	6	7	9	12	14
35-49	6	5.5	6	2	2	5	7	9	9	9
50-64	1	10.0		10	10	10	10	10	10	10
65+	3	4.7	30	1	1	2	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	356	4.8	6	2	2	4	6	8	10	13
20-34	701	5.2	8	2	2	5	6	8	10	15
35-49	314	6.3	10	2	3	6	8	10	12	16
50-64	382	7.3	27	3	3	6	8	12	16	32
65+	726	9.2	59	3	4	8	11	15	21	54
B. *Operated*										
0-19 YRS	32	7.5	7	4	5	7	9	12	13	14
20-34	70	8.9	31	4	4	8	11	15	16	37
35-49	55	12.6	99	3	5	8	15	31	36	43
50-64	92	12.0	67	4	5	9	15	20	28	47
65+	191	16.0	188	5	6	13	18	29	48	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	717	4.4	5	2	2	4	5	7	9	11
B. *Operated*	37	6.1	9	1	2	6	7	10	13	15
2. MULTIPLE DX										
A. *Not Operated*	2479	6.8	29	2	3	6	8	11	14	27
B. *Operated*	440	13.0	122	4	5	10	15	25	35	95
1. SINGLE DX	754	4.5	5	2	2	4	6	7	9	11
2. MULTIPLE DX	2919	7.7	48	2	3	6	9	14	17	40
A. NOT OPERATED	3196	6.3	24	2	3	5	8	11	13	24
B. OPERATED	477	12.5	117	4	5	9	15	23	32	93
TOTAL 0-19 YRS	599	4.7	6	2	2	4	6	8	9	13
20-34	1146	5.2	9	2	2	5	6	8	11	15
35-49	465	6.8	24	2	3	6	8	11	14	31
50-64	517	7.9	36	3	3	6	9	14	18	37
65+	946	10.5	92	3	4	8	12	18	25	90
GRAND TOTAL	**3673**	**7.1**	**41**	**2**	**3**	**6**	**8**	**12**	**16**	**36**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	151	4.0	4	1	2	4	5	7	8	11
20-34	211	4.6	6	1	2	4	6	8	9	12
35-49	64	4.4	6	2	2	4	5	7	9	14
50-64	36	4.6	6	2	2	4	6	8	10	10
65+	25	7.3	26	2	2	6	9	14	20	21
B. *Operated*										
0-19 YRS	11	5.7	9	3	3	5	6	11	13	13
20-34	21	8.0	47	1	3	6	9	14	25	33
35-49	17	4.8	5	1	1	5	6	8	8	8
50-64	14	7.6	34	<1	1	7	8	17	20	21
65+	5	8.4	24	3	3	10	11	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	196	4.9	7	2	2	4	6	8	10	16
20-34	390	5.6	9	2	2	5	7	10	12	16
35-49	176	6.6	18	2	2	5	8	11	15	25
50-64	184	6.6	13	2	3	6	8	11	16	18
65+	336	8.8	29	3	4	8	11	15	21	35
B. *Operated*										
0-19 YRS	34	8.7	55	<1	<1	7	10	17	21	38
20-34	68	10.1	58	3	4	8	12	19	29	40
35-49	67	12.3	80	4	5	10	14	27	31	48
50-64	99	14.5	151	3	4	12	17	28	38	71
65+	149	15.5	102	3	5	14	20	27	35	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	487	4.5	7	2	2	4	6	8	9	14
B. *Operated*	68	6.8	27	1	2	6	8	12	17	31
2. MULTIPLE DX										
A. *Not Operated*	1282	6.6	18	2	3	6	8	12	15	24
B. *Operated*	417	13.3	104	3	4	11	17	26	31	51
1. SINGLE DX	555	4.8	10	1	2	4	6	8	10	17
2. MULTIPLE DX	1699	8.3	47	2	3	6	10	16	21	37
A. NOT OPERATED	1769	6.0	16	2	2	5	7	11	14	22
B. OPERATED	485	12.4	98	2	4	10	16	25	31	51
TOTAL 0-19 YRS	392	4.9	12	1	2	4	6	8	10	18
20-34	690	5.8	17	2	2	5	7	10	12	21
35-49	324	7.2	35	2	2	6	9	13	18	31
50-64	333	8.8	68	2	3	7	10	16	22	41
65+	515	10.7	59	3	4	9	14	21	26	44
GRAND TOTAL	**2254**	**7.4**	**40**	**2**	**2**	**6**	**9**	**14**	**19**	**34**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	2.3	1	1	1	2	3	4	5	5
20-34	371	2.2	3	<1	1	2	3	4	6	9
35-49	448	2.0	3	<1	1	2	2	4	4	7
50-64	256	2.2	2	<1	1	2	3	4	6	8
65+	86	2.6	4	<1	1	2	3	5	7	11
B. *Operated*										
0-19 YRS	16	5.0	7	1	3	5	6	8	11	12
20-34	172	6.8	19	1	3	6	9	11	14	23
35-49	243	6.7	17	1	2	6	9	12	14	19
50-64	228	7.1	18	2	2	7	9	13	14	22
65+	115	7.0	16	2	2	6	9	13	15	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	2.8	6	1	1	2	3	6	8	12
20-34	326	2.9	4	1	1	2	4	5	7	10
35-49	471	2.9	5	1	1	2	4	6	7	11
50-64	533	3.5	10	1	1	3	4	7	8	13
65+	412	5.0	28	1	2	4	6	9	13	24
B. *Operated*										
0-19 YRS	18	7.8	20	2	2	7	10	13	17	20
20-34	179	8.3	52	1	2	6	10	14	21	40
35-49	338	9.1	47	2	3	8	11	18	21	41
50-64	448	9.2	52	2	2	8	11	16	21	40
65+	489	11.8	75	2	3	10	15	21	28	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1202	2.2	3	<1	1	2	3	4	5	8
B. *Operated*	774	6.9	17	1	2	6	9	12	14	20
2. MULTIPLE DX										
A. *Not Operated*	1789	3.6	12	1	1	3	4	7	9	15
B. *Operated*	1472	9.9	60	2	3	8	12	18	24	41
1. SINGLE DX	1976	4.0	14	1	1	3	6	9	11	17
2. MULTIPLE DX	3261	6.4	44	1	1	4	8	13	18	35
A. NOT OPERATED	2991	3.0	9	1	1	2	4	6	8	13
B. OPERATED	2246	8.8	47	2	2	7	11	16	20	37
TOTAL 0-19 YRS	122	3.7	10	1	1	3	5	8	11	15
20-34	1048	4.2	20	1	1	3	6	9	11	22
35-49	1500	4.7	24	1	1	3	6	10	13	21
50-64	1465	5.6	31	1	1	4	8	12	15	28
65+	1102	8.0	58	1	2	6	10	17	21	38
GRAND TOTAL	**5237**	**5.5**	**34**	**1**	**1**	**4**	**7**	**12**	**16**	**28**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	120	2.2	2	1	1	2	3	4	5	8
20-34	1161	2.0	2	<1	1	2	2	4	4	7
35-49	1530	2.0	2	<1	1	2	2	3	4	6
50-64	903	2.2	2	1	1	2	3	4	5	7
65+	261	2.4	3	1	1	2	3	4	5	9
B. *Operated*										
0-19 YRS	62	4.1	5	1	2	4	5	7	8	11
20-34	536	4.9	13	1	2	4	6	9	12	16
35-49	782	5.0	12	1	2	4	7	9	11	17
50-64	653	5.5	12	1	2	5	7	10	12	16
65+	236	5.8	16	1	2	5	8	11	12	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	2.5	2	1	1	2	3	5	6	7
20-34	562	2.5	4	1	1	2	3	4	6	9
35-49	916	2.6	3	1	1	2	3	5	6	9
50-64	879	2.9	4	1	1	2	4	5	7	10
65+	495	3.6	11	1	1	3	4	6	8	12
B. *Operated*										
0-19 YRS	38	6.8	26	1	2	6	8	14	18	25
20-34	382	6.5	16	2	2	6	9	12	15	20
35-49	584	6.8	20	2	2	6	9	13	16	21
50-64	817	7.8	30	2	3	7	10	15	19	27
65+	638	9.1	42	2	3	7	12	17	22	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3975	2.1	2	1	1	2	3	4	5	7
B. *Operated*	2269	5.2	12	1	2	4	7	9	12	17
2. MULTIPLE DX										
A. *Not Operated*	2903	2.8	5	1	1	2	4	5	7	10
B. *Operated*	2459	7.7	30	2	2	6	10	15	18	27
1. SINGLE DX	6244	3.2	8	1	1	2	4	7	9	13
2. MULTIPLE DX	5362	5.1	22	1	1	4	7	11	14	22
A. NOT OPERATED	6878	2.4	3	1	1	2	3	4	6	9
B. OPERATED	4728	6.5	23	1	2	5	8	12	15	23
TOTAL 0-19 YRS	271	3.4	9	1	1	3	4	6	8	16
20-34	2641	3.3	9	1	1	2	4	7	9	15
35-49	3812	3.5	11	1	1	2	4	7	10	16
50-64	3252	4.5	17	1	1	3	6	9	12	20
65+	1630	5.9	30	1	1	4	8	12	16	27
GRAND TOTAL	**11606**	**4.1**	**15**	**1**	**1**	**3**	**5**	**9**	**12**	**19**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.7	6	<1	1	2	3	6	9	11
20-34	27	3.3	6	1	1	2	4	7	8	11
35-49	28	2.1	1	<1	<1	2	3	4	4	4
50-64	27	2.5	2	<1	1	2	4	5	5	6
65+	18	3.2	12	<1	1	2	3	6	11	15
B. *Operated*										
0-19 YRS	249	6.7	11	<1	1	6	8	11	12	16
20-34	114	6.3	20	<1	1	6	9	12	14	19
35-49	102	5.3	28	<1	1	3	8	11	13	28
50-64	127	5.8	27	<1	1	4	9	12	14	24
65+	87	4.7	21	<1	1	3	7	12	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	3.8	15	<1	1	2	5	8	11	22
20-34	80	4.5	19	1	1	3	5	9	15	21
35-49	77	4.2	15	1	1	3	6	7	9	24
50-64	159	6.8	75	1	2	5	7	13	18	63
65+	319	8.4	66	2	2	6	10	16	23	54
B. *Operated*										
0-19 YRS	292	8.2	45	<1	<1	7	10	17	22	33
20-34	187	8.1	47	1	2	7	10	16	19	28
35-49	255	8.5	52	1	2	7	10	17	24	34
50-64	487	9.4	90	1	2	7	12	20	26	50
65+	634	11.1	113	1	2	8	14	24	32	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	123	2.7	5	<1	1	2	4	5	7	12
B. *Operated*	679	6.0	20	<1	1	6	8	11	13	20
2. MULTIPLE DX										
A. *Not Operated*	706	6.7	55	1	1	5	8	13	19	39
B. *Operated*	1855	9.5	83	1	2	8	12	20	27	50
1. SINGLE DX	802	5.5	19	<1	1	5	8	11	13	19
2. MULTIPLE DX	2561	8.7	77	1	2	7	11	18	25	49
A. NOT OPERATED	829	6.1	49	1	1	4	7	12	17	36
B. OPERATED	2534	8.6	68	1	1	7	11	17	24	43
TOTAL 0-19 YRS	635	6.9	29	<1	1	6	9	12	17	31
20-34	408	6.6	33	1	1	6	9	13	17	25
35-49	462	6.7	42	1	1	5	9	13	20	32
50-64	800	8.0	77	1	1	6	10	16	23	46
65+	1058	9.6	94	1	2	7	12	20	29	58
GRAND TOTAL	**3363**	**8.0**	**65**	**1**	**1**	**6**	**10**	**16**	**23**	**43**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.3	1	1	1	2	3	4	4	4
20-34	52	2.3	2	1	1	2	3	5	5	7
35-49	65	2.4	4	<1	1	2	3	5	5	14
50-64	62	1.9	1	1	1	2	2	3	4	6
65+	13	3.1	4	<1	1	3	4	6	7	7
B. *Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	27	3.6	6	<1	<1	3	5	7	9	9
35-49	36	4.5	11	1	1	3	6	10	12	13
50-64	59	3.7	7	<1	1	3	4	7	8	16
65+	67	4.0	15	1	1	3	4	7	10	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.4	2	2	2	4	4	5	5	5
20-34	53	2.2	2	1	1	2	3	4	5	7
35-49	47	2.8	4	1	1	2	4	5	6	10
50-64	73	3.3	6	1	1	3	4	6	7	15
65+	61	4.7	16	1	1	4	6	11	14	19
B. *Operated*										
0-19 YRS	9	3.3	10	<1	<1	2	5	8	10	10
20-34	32	5.5	24	1	1	4	8	13	15	21
35-49	63	5.5	20	1	2	5	8	10	12	25
50-64	182	6.4	31	1	2	5	8	15	17	25
65+	442	7.7	45	1	2	6	10	15	19	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	199	2.2	3	1	1	2	3	4	5	8
B. *Operated*	192	3.9	10	1	1	3	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	239	3.3	8	1	1	2	4	6	8	16
B. *Operated*	728	7.0	39	1	2	5	9	15	18	27
1. SINGLE DX	391	3.1	7	1	1	2	4	6	8	13
2. MULTIPLE DX	967	6.1	34	1	1	4	8	13	17	24
A. NOT OPERATED	438	2.8	6	1	1	2	3	5	7	15
B. OPERATED	920	6.4	35	1	2	5	9	13	17	26
TOTAL 0-19 YRS	24	2.8	4	<1	1	2	4	5	7	10
20-34	164	3.1	8	1	1	2	4	6	9	15
35-49	211	3.8	12	1	1	2	5	8	10	16
50-64	376	4.6	21	1	1	3	6	9	15	22
65+	583	6.9	40	1	2	5	9	14	18	29
GRAND TOTAL	**1358**	**5.2**	**28**	**1**	**1**	**4**	**7**	**12**	**15**	**23**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.8	3	<1	1	2	4	5	7	8
20-34	36	2.4	2	<1	1	2	3	4	6	7
35-49	18	2.9	2	1	2	3	4	5	5	5
50-64	12	2.9	3	1	1	3	3	6	7	7
65+	16	2.8	2	1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS	36	1.8	2	<1	<1	1	2	4	4	6
20-34	70	2.4	12	<1	<1	2	3	4	4	25
35-49	72	2.3	3	<1	<1	2	3	4	5	10
50-64	100	3.0	24	<1	<1	2	3	5	9	34
65+	133	3.2	8	<1	<1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	4.2	15	1	1	3	5	7	10	22
20-34	78	4.3	10	1	1	4	6	7	10	17
35-49	70	4.6	8	1	1	4	6	8	12	14
50-64	91	5.7	41	1	2	4	7	10	12	42
65+	320	7.5	52	2	2	6	9	13	17	35
B. *Operated*										
0-19 YRS	63	2.7	9	<1	<1	1	4	6	9	17
20-34	150	4.0	21	<1	1	2	4	9	13	24
35-49	183	4.1	14	<1	<1	3	6	10	12	18
50-64	444	4.8	23	1	1	3	6	11	14	24
65+	1077	6.8	52	1	2	5	8	14	20	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	105	2.7	2	1	1	2	3	5	6	8
B. *Operated*	411	2.7	11	<1	<1	2	3	5	7	16
2. MULTIPLE DX										
A. *Not Operated*	621	6.2	39	1	2	5	7	11	14	28
B. *Operated*	1917	5.7	39	1	1	4	7	12	17	33
1. SINGLE DX	516	2.7	9	<1	<1	2	3	5	6	12
2. MULTIPLE DX	2538	5.8	39	1	1	4	7	12	16	32
A. NOT OPERATED	726	5.7	35	1	2	4	7	11	14	28
B. OPERATED	2328	5.2	35	<1	1	3	6	11	16	31
TOTAL 0-19 YRS	184	3.0	10	<1	<1	2	4	6	7	20
20-34	334	3.6	15	<1	1	2	4	7	10	23
35-49	343	3.7	10	<1	<1	3	5	8	11	15
50-64	647	4.7	26	<1	1	3	6	10	13	25
65+	1546	6.6	49	1	2	5	8	13	18	39
GRAND TOTAL	**3054**	**5.3**	**35**	**<1**	**1**	**3**	**7**	**11**	**15**	**31**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	3	1.7		1	1	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65+	7	2.6	5	<1	<1	2	3	6	7	7
B. *Operated*										
0-19 YRS	255	1.6	5	<1	<1	<1	1	3	4	15
20-34	174	3.0	8	<1	<1	2	4	6	8	13
35-49	123	2.7	3	<1	<1	2	4	5	6	8
50-64	123	3.0	8	<1	<1	2	4	6	9	16
65+	165	3.3	7	<1	1	2	4	7	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	1.4	1	<1	<1	<1	1	3	4	4
20-34	5	3.0	7	<1	<1	2	5	7	7	7
35-49	10	2.1	2	<1	<1	1	3	4	5	5
50-64	14	4.0	7	<1	1	3	6	8	9	9
65+	59	5.3	17	1	1	4	7	11	14	21
B. *Operated*										
0-19 YRS	150	2.1	13	<1	<1	1	2	4	6	23
20-34	166	4.2	38	<1	<1	2	4	10	15	29
35-49	195	3.3	10	<1	1	2	4	7	9	18
50-64	318	4.3	44	<1	1	3	5	8	11	25
65+	749	5.6	28	1	2	4	7	11	15	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.1	3	<1	1	2	3	4	6	7
B. *Operated*	840	2.6	6	<1	<1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	101	4.2	14	<1	<1	3	6	9	11	19
B. *Operated*	1578	4.6	30	<1	<1	3	6	10	13	23
1. SINGLE DX	854	2.6	6	<1	<1	2	3	5	7	12
2. MULTIPLE DX	1679	4.5	29	<1	<1	3	6	9	13	23
A. NOT OPERATED	115	3.9	13	<1	<1	3	5	8	11	18
B. OPERATED	2418	3.9	23	<1	<1	2	5	8	11	21
TOTAL 0-19 YRS	420	1.8	8	<1	<1	<1	1	3	4	15
20-34	348	3.5	23	<1	<1	2	4	7	10	23
35-49	329	3.0	7	<1	<1	2	4	6	8	16
50-64	456	4.0	33	<1	<1	3	5	8	11	22
65+	980	5.1	24	1	1	4	7	10	14	23
GRAND TOTAL	**2533**	**3.9**	**22**	**<1**	**<1**	**2**	**5**	**8**	**11**	**21**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	287	3.3	4	1	1	3	4	6	7	10
20-34	167	3.3	6	<1	1	3	4	6	8	12
35-49	89	3.3	4	1	1	3	4	6	8	10
50-64	94	3.9	6	<1	1	3	5	7	9	12
65+	164	5.1	20	1	1	4	6	10	12	26
B. *Operated*										
0-19 YRS	166	2.2	7	<1	<1	1	2	5	7	14
20-34	170	2.4	5	<1	<1	2	3	6	7	10
35-49	181	3.0	15	<1	<1	2	3	6	8	16
50-64	233	3.0	9	<1	<1	2	4	7	9	17
65+	312	3.5	10	<1	<1	3	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	862	4.4	10	1	1	4	5	8	11	17
20-34	618	4.7	12	1	1	4	6	9	11	17
35-49	513	6.3	35	2	2	5	8	11	14	32
50-64	1100	6.9	32	2	2	6	9	13	15	28
65+	5646	9.9	77	2	3	8	12	18	24	67
B. *Operated*										
0-19 YRS	267	4.4	19	<1	<1	3	7	10	12	24
20-34	322	6.3	73	<1	1	4	8	13	17	60
35-49	452	6.5	69	<1	1	4	8	13	21	52
50-64	924	7.3	77	1	1	5	9	15	21	44
65+	2853	10.8	132	1	2	7	14	23	35	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	801	3.7	9	1	1	3	5	7	9	12
B. *Operated*	1062	2.9	9	<1	<1	2	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	8739	8.4	62	2	2	7	10	15	21	52
B. *Operated*	4818	9.0	110	1	1	6	11	20	29	70
1. SINGLE DX	1863	3.3	9	<1	<1	2	4	7	8	14
2. MULTIPLE DX	13557	8.6	79	1	2	6	11	17	24	62
A. NOT OPERATED	9540	8.0	59	2	2	6	10	15	20	49
B. OPERATED	5880	7.9	97	<1	1	5	10	17	26	66
TOTAL 0-19 YRS	1582	4.0	11	<1	1	3	5	8	10	17
20-34	1277	4.6	27	<1	1	3	6	10	12	21
35-49	1235	5.7	44	<1	1	4	7	11	15	40
50-64	2351	6.5	48	1	1	5	8	13	17	35
65+	8975	9.8	93	2	2	7	12	19	27	70
GRAND TOTAL	**15420**	**8.0**	**74**	**1**	**2**	**6**	**10**	**16**	**22**	**57**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	4.0		4	4	4	4	4	4	4
50-64	8	4.3	32	<1	<1	3	4	14	18	18
65+	26	5.4	154	<1	<1	2	6	8	20	65
B. *Operated*										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	5	4.2	20	<1	<1	2	6	12	12	12
35-49	79	3.4	8	<1	<1	3	5	6	8	15
50-64	1285	5.2	7	<1	2	5	6	8	10	13
65+	2280	5.9	9	1	2	6	7	10	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	8	2.9	3	<1	<1	3	4	5	5	5
50-64	140	3.8	24	<1	<1	3	5	7	10	55
65+	482	5.7	45	<1	1	4	7	12	17	38
B. *Operated*										
0-19 YRS	3	6.0	25	1	1	6	10	11	11	11
20-34	15	3.6	6	<1	<1	3	6	8	8	8
35-49	138	5.5	15	<1	1	5	7	10	13	21
50-64	3278	6.8	22	2	3	6	8	11	14	26
65+	10012	8.6	39	3	4	7	10	15	20	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	5.1	117	<1	<1	2	4	8	15	65
B. *Operated*	3651	5.6	9	1	2	5	7	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	631	5.2	40	<1	1	3	6	11	15	39
B. *Operated*	13446	8.1	35	2	4	7	9	14	18	32
1. SINGLE DX	3687	5.6	10	1	2	5	7	9	11	15
2. MULTIPLE DX	14077	8.0	36	2	3	7	9	14	18	32
A. NOT OPERATED	667	5.2	44	<1	1	3	6	11	15	40
B. OPERATED	17097	7.6	31	2	3	6	9	13	17	29
TOTAL 0-19 YRS	5	5.8	13	1	1	6	7	11	11	11
20-34	21	3.8	8	<1	<1	3	5	8	10	12
35-49	227	4.6	13	<1	<1	4	6	9	11	18
50-64	4711	6.3	18	1	2	6	8	10	13	22
65+	12800	8.0	35	2	3	7	9	14	18	32
GRAND TOTAL	**17764**	**7.5**	**31**	**2**	**3**	**6**	**9**	**13**	**17**	**30**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	29	3.2	2	1	1	3	4	5	6	6
35-49	31	4.0	4	<1	1	4	6	7	8	8
50-64	34	4.4	2	2	2	4	5	7	8	8
65+	13	4.8	1	3	3	5	6	6	7	7
B. *Operated*										
0-19 YRS	9	1.3		<1	<1	1	2	2	2	2
20-34	57	1.6	1	<1	<1	1	2	3	3	7
35-49	67	1.6	2	<1	<1	1	2	3	4	8
50-64	44	2.8	10	<1	<1	2	3	5	7	20
65+	24	2.9	5	<1	<1	2	4	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	46	4.3	5	1	2	4	5	8	8	10
35-49	81	4.6	6	1	2	4	6	8	9	13
50-64	152	5.5	8	2	3	5	7	9	11	14
65+	153	5.8	12	2	2	5	7	10	13	21
B. *Operated*										
0-19 YRS	6	3.5	8	<1	<1	2	6	8	8	8
20-34	70	3.7	24	<1	<1	2	4	9	13	28
35-49	125	3.9	19	<1	<1	2	5	8	14	44
50-64	202	4.9	24	<1	1	3	6	10	13	27
65+	257	6.9	48	1	2	5	9	14	18	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	109	4.0	3	1	2	4	5	6	7	8
B. *Operated*	201	2.0	4	<1	<1	1	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	433	5.3	9	2	2	5	7	9	11	15
B. *Operated*	660	5.4	34	<1	1	4	7	12	16	31
1. SINGLE DX	310	2.7	4	<1	<1	2	4	5	7	8
2. MULTIPLE DX	1093	5.3	24	<1	1	4	7	11	14	27
A. NOT OPERATED	542	5.0	8	2	2	5	6	8	10	14
B. OPERATED	861	4.6	29	<1	<1	2	6	11	14	29
TOTAL 0-19 YRS	18	2.2	4	<1	<1	1	3	5	7	8
20-34	202	3.1	11	<1	<1	2	4	6	8	18
35-49	304	3.6	11	<1	<1	3	5	7	9	21
50-64	432	4.9	16	<1	1	4	6	9	11	19
65+	447	6.3	33	1	2	5	8	12	15	29
GRAND TOTAL	**1403**	**4.8**	**21**	**<1**	**1**	**4**	**6**	**9**	**13**	**24**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	1	5.0		5	5	5	5	5	5	5
35-49	3	1.7		1	1	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	191	1.7	1	<1	<1	1	2	3	4	5
20-34	93	2.4	1	<1	1	2	3	4	4	8
35-49	114	2.4	2	<1	1	2	3	4	5	8
50-64	203	2.6	2	1	1	3	3	4	5	7
65+	117	2.7	2	1	1	3	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	1.2		<1	<1	<1	1	2	2	3
20-34	4	2.5	4	<1	<1	2	4	5	5	5
35-49	1	11.0		11	11	11	11	11	11	11
50-64	5	3.2	19	<1	<1	1	4	11	11	11
65+	9	4.2	30	<1	<1	3	4	13	18	18
B. *Operated*										
0-19 YRS	183	1.7	1	<1	<1	1	2	3	4	7
20-34	69	2.9	3	1	1	3	4	5	5	9
35-49	83	2.8	2	1	1	3	4	5	6	7
50-64	241	3.5	10	1	1	3	4	6	8	23
65+	208	3.7	6	1	1	3	4	7	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.1	2	1	1	2	3	5	5	5
B. *Operated*	718	2.3	2	<1	<1	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	39	2.5	12	<1	<1	1	3	6	11	18
B. *Operated*	784	3.0	6	<1	1	3	4	5	7	12
1. SINGLE DX	725	2.3	2	<1	<1	2	3	4	4	7
2. MULTIPLE DX	823	3.0	6	<1	<1	2	4	5	7	13
A. NOT OPERATED	46	2.5	11	<1	<1	1	3	5	11	18
B. OPERATED	1502	2.7	4	<1	1	2	3	5	6	10
TOTAL 0-19 YRS	397	1.7	1	<1	<1	1	2	3	4	6
20-34	167	2.6	2	<1	1	2	3	4	5	9
35-49	201	2.6	3	1	1	2	3	5	6	8
50-64	449	3.1	6	1	1	3	4	5	6	12
65+	334	3.3	5	1	1	3	4	6	8	13
GRAND TOTAL	**1548**	**2.7**	**4**	**<1**	**<1**	**2**	**3**	**5**	**6**	**11**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	3.5	4	1	1	3	5	6	8	10
20-34	182	4.1	8	1	2	4	5	7	9	15
35-49	97	4.9	6	2	2	5	6	7	9	16
50-64	76	5.5	9	2	2	5	7	10	11	15
65+	56	6.1	9	2	3	6	8	10	11	16
B. *Operated*										
0-19 YRS	34	2.2	3	1	1	2	3	4	4	10
20-34	44	3.0	7	<1	1	2	4	5	9	14
35-49	32	3.7	8	1	1	3	4	8	11	12
50-64	20	4.0	17	1	2	3	4	5	13	21
65+	21	5.1	10	1	2	4	7	9	12	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	4.1	8	1	1	3	5	7	11	13
20-34	81	5.2	7	1	2	5	7	8	9	14
35-49	80	5.5	8	2	2	5	7	9	11	74
50-64	142	6.3	11	2	3	6	8	10	11	18
65+	210	7.4	16	3	3	7	9	12	14	22
B. *Operated*										
0-19 YRS	19	4.2	7	<1	1	4	5	8	11	11
20-34	38	5.1	13	1	1	4	6	9	12	19
35-49	46	5.5	15	1	2	5	7	9	15	18
50-64	66	7.9	55	1	1	6	10	16	18	46
65+	113	10.3	101	2	2	8	13	20	28	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	482	4.6	8	1	2	4	6	8	10	15
B. *Operated*	151	3.4	8	1	1	3	4	7	10	14
2. MULTIPLE DX										
A. *Not Operated*	546	6.3	13	2	3	6	8	10	12	21
B. *Operated*	282	7.9	63	1	2	6	10	15	20	38
1. SINGLE DX	633	4.3	8	1	1	4	6	8	10	14
2. MULTIPLE DX	828	6.8	30	2	2	6	8	12	15	29
A. NOT OPERATED	1028	5.5	11	1	2	5	7	9	11	17
B. OPERATED	433	6.3	48	1	1	4	8	13	17	33
TOTAL 0-19 YRS	157	3.4	5	1	1	3	4	6	8	12
20-34	345	4.4	8	1	1	4	6	7	9	14
35-49	255	5.0	9	1	2	4	7	8	11	18
50-64	304	6.3	21	2	2	5	8	10	14	22
65+	400	7.9	41	2	3	7	10	13	17	33
GRAND TOTAL	**1461**	**5.8**	**22**	**1**	**2**	**5**	**7**	**10**	**13**	**22**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	1.3		<1	<1	1	1	2	3	3
20-34	4	1.5		1	1	1	2	2	2	2
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	3	1.3		<1	<1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	635	1.2		<1	<1	1	1	2	2	3
20-34	134	1.4		<1	<1	1	2	2	3	3
35-49	87	1.4		<1	<1	1	2	2	3	3
50-64	80	1.6		<1	<1	2	2	2	3	4
65+	40	1.8	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	1.1		<1	<1	<1	1	2	2	3
20-34	7	1.7	4	<1	<1	<1	1	5	6	6
35-49	10	1.2		<1	<1	1	1	2	2	2
50-64	6	1.8	4	<1	<1	1	1	6	6	6
65+	14	3.1	22	<1	1	2	3	5	16	19
B. *Operated*										
0-19 YRS	136	1.5	1	<1	<1	1	2	3	3	5
20-34	73	1.9	1	<1	<1	2	2	3	4	7
35-49	124	2.0	3	<1	<1	2	2	3	4	10
50-64	144	2.5	19	<1	<1	2	3	4	5	18
65+	146	2.9	11	<1	1	2	3	6	7	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	1.3		<1	<1	1	2	2	3	3
B. *Operated*	976	1.3		<1	<1	1	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	80	1.6	5	<1	<1	1	1	3	3	15
B. *Operated*	623	2.2	8	<1	<1	2	2	4	5	13
1. SINGLE DX	995	1.3		<1	<1	1	2	2	2	3
2. MULTIPLE DX	703	2.2	8	<1	<1	2	2	3	5	13
A. NOT OPERATED	99	1.5	4	<1	<1	1	1	3	3	13
B. OPERATED	1599	1.7	4	<1	<1	1	2	2	3	7
TOTAL 0-19 YRS	825	1.3		<1	<1	1	1	2	2	3
20-34	218	1.6	1	<1	<1	1	2	2	3	5
35-49	222	1.8	2	<1	<1	2	2	2	3	8
50-64	233	2.2	12	<1	<1	2	2	3	4	9
65+	200	2.7	10	<1	1	2	3	5	7	18
GRAND TOTAL	**1698**	**1.7**	**4**	**<1**	**<1**	**1**	**2**	**2**	**3**	**7**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	2.1	2	<1	<1	2	3	4	5	6
20-34	34	2.6	5	<1	<1	2	4	5	7	10
35-49	19	3.5	8	<1	1	3	5	8	10	10
50-64	9	4.8	9	2	2	3	7	9	11	11
65+	5	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	563	1.8	1	<1	<1	1	2	3	4	6
20-34	335	2.1	2	<1	<1	2	3	4	5	9
35-49	216	2.3	3	<1	<1	2	3	4	6	9
50-64	198	2.8	3	<1	1	3	4	5	6	11
65+	105	2.9	4	<1	1	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	2.8	4	<1	<1	2	3	6	6	11
20-34	36	4.4	14	1	1	3	6	11	12	14
35-49	27	4.7	17	<1	<1	3	7	12	13	14
50-64	36	4.1	23	<1	<1	3	5	8	11	27
65+	30	6.2	27	<1	1	5	10	16	19	99+
B. *Operated*										
0-19 YRS	211	2.3	3	<1	<1	2	3	5	6	9
20-34	213	3.0	7	<1	1	2	4	6	8	14
35-49	271	3.9	29	<1	1	3	5	7	8	31
50-64	388	5.1	48	1	2	3	5	8	12	51
65+	293	5.8	51	1	2	4	6	10	18	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	123	2.7	4	<1	<1	2	3	5	7	10
B. *Operated*	1417	2.2	2	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	165	4.3	17	<1	1	3	6	11	13	26
B. *Operated*	1376	4.3	33	1	1	3	5	8	10	33
1. SINGLE DX	1540	2.2	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX	1541	4.3	31	<1	1	3	5	8	11	33
A. NOT OPERATED	288	3.6	12	<1	1	2	5	8	11	19
B. OPERATED	2793	3.2	19	<1	1	2	4	6	8	20
TOTAL 0-19 YRS	866	2.0	2	<1	<1	2	2	3	5	7
20-34	618	2.6	5	<1	<1	2	3	5	7	12
35-49	533	3.3	18	<1	1	2	4	6	8	17
50-64	631	4.3	33	1	1	3	5	7	10	34
65+	433	5.1	39	1	1	3	6	9	15	41
GRAND TOTAL	**3081**	**3.3**	**18**	**<1**	**1**	**2**	**4**	**6**	**8**	**20**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	5.0	18	2	2	5	8	8	8	8
35-49	8	1.4	1	<1	<1	1	2	3	3	3
50-64	8	1.9	3	1	1	1	2	5	6	6
65+	2	4.5	25	1	1	4	8	8	8	8
B. *Operated*										
0-19 YRS	43	1.8	1	<1	<1	2	2	3	4	5
20-34	399	1.7	1	<1	<1	2	2	3	3	5
35-49	1133	1.8	1	<1	<1	2	2	3	3	6
50-64	729	1.9	1	<1	<1	2	2	3	3	6
65+	291	2.0	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	1.0		<1	<1	<1	1	1	1	1
35-49	18	3.3	13	<1	<1	2	3	7	12	15
50-64	17	1.8	3	<1	<1	1	2	4	7	8
65+	3	3.0	1	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	10	2.2		<1	1	2	3	3	3	3
20-34	232	2.2	2	<1	<1	2	2	4	5	8
35-49	734	2.5	5	<1	<1	2	3	4	6	11
50-64	617	2.6	9	<1	<1	2	3	4	6	14
65+	418	2.9	7	1	1	2	3	5	7	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	2.3	5	<1	<1	1	2	7	8	8
B. *Operated*	2595	1.8	1	<1	<1	2	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	42	2.5	7	<1	<1	1	3	6	8	15
B. *Operated*	2011	2.6	7	<1	<1	2	3	4	6	12
1. SINGLE DX	2615	1.8	1	<1	<1	2	2	3	3	6
2. MULTIPLE DX	2053	2.6	7	<1	<1	2	3	4	6	12
A. NOT OPERATED	62	2.4	7	<1	<1	1	3	6	8	14
B. OPERATED	4606	2.2	4	<1	<1	2	2	3	5	9
TOTAL 0-19 YRS	53	1.9	1	<1	<1	2	2	3	4	5
20-34	637	1.9	1	<1	<1	2	2	3	4	6
35-49	1893	2.1	3	<1	<1	2	2	3	5	9
50-64	1371	2.2	5	<1	<1	2	2	3	5	11
65+	714	2.5	5	<1	<1	2	3	4	5	11
GRAND TOTAL	**4668**	**2.2**	**4**	**<1**	**<1**	**2**	**2**	**3**	**5**	**9**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	4.2	4	1	2	4	5	8	8	8
20-34	30	3.6	3	1	2	4	5	6	7	7
35-49	26	3.7	5	<1	1	4	5	6	8	10
50-64	9	2.8	3	1	1	3	4	5	6	6
65+	5	5.4	13	1	1	7	8	9	9	9
B. *Operated*										
0-19 YRS	319	2.7	2	<1	1	3	3	4	5	11
20-34	609	2.8	4	<1	1	3	3	5	5	8
35-49	348	2.6	12	<1	<1	2	3	4	5	9
50-64	247	2.4	2	<1	1	2	3	4	5	9
65+	109	2.4	6	<1	<1	2	3	4	5	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	3.3	7	<1	1	3	5	8	8	8
20-34	33	2.9	5	<1	<1	2	4	6	7	10
35-49	33	3.5	13	<1	1	2	5	9	11	15
50-64	42	3.3	8	<1	<1	2	5	7	9	12
65+	44	5.6	128	<1	<1	2	5	9	28	64
B. *Operated*										
0-19 YRS	91	3.1	2	1	1	3	4	5	6	8
20-34	289	3.5	12	1	1	3	4	6	7	11
35-49	356	3.7	20	1	1	3	4	6	8	29
50-64	298	3.6	14	1	1	3	4	7	9	22
65+	181	3.8	21	<1	1	3	4	8	11	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	3.8	4	1	1	4	5	7	8	10
B. *Operated*	1632	2.7	5	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	170	3.9	40	<1	<1	2	5	8	11	37
B. *Operated*	1215	3.6	15	1	1	3	4	6	8	22
1. SINGLE DX	1720	2.7	5	<1	1	2	3	4	5	9
2. MULTIPLE DX	1385	3.6	18	<1	1	3	4	6	8	22
A. NOT OPERATED	258	3.8	28	<1	1	3	5	7	8	22
B. OPERATED	2847	3.1	10	<1	1	3	4	5	7	13
TOTAL 0-19 YRS	446	2.9	3	<1	1	3	3	5	6	8
20-34	961	3.0	6	<1	1	3	4	5	6	10
35-49	763	3.2	16	<1	1	3	4	5	7	15
50-64	596	3.1	9	<1	1	2	4	6	7	13
65+	339	3.6	31	<1	<1	2	4	7	10	32
GRAND TOTAL	**3105**	**3.1**	**11**	**<1**	**1**	**3**	**4**	**5**	**7**	**13**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	364	2.2	2	1	1	2	3	4	5	7
20-34	675	2.2	2	1	1	2	3	4	5	7
35-49	138	2.5	3	1	1	2	3	5	6	9
50-64	6	3.7	11	1	1	3	4	9	10	10
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	321	3.8	4	<1	1	4	5	6	7	10
20-34	1136	3.9	5	1	1	4	5	6	7	9
35-49	301	5.0	5	1	1	5	6	7	8	11
50-64	45	5.7	6	<1	2	6	7	8	9	13
65+	39	6.5	8	1	2	7	8	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	195	2.9	5	1	1	2	4	5	6	13
20-34	430	3.1	5	1	1	2	4	6	7	12
35-49	128	3.7	7	1	1	3	5	8	8	14
50-64	9	5.1	10	<1	<1	5	8	9	10	10
65+	12	7.3	24	1	2	9	11	34	87	99+
B. *Operated*										
0-19 YRS	344	4.6	5	1	1	5	6	7	8	13
20-34	2070	4.9	9	<1	1	5	6	8	9	14
35-49	1132	6.0	12	1	2	6	7	9	11	18
50-64	172	7.1	11	2	5	7	8	10	13	17
65+	126	9.5	21	5	6	8	11	16	20	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1184	2.3	2	1	1	2	3	4	5	7
B. *Operated*	1842	4.1	5	1	1	4	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	774	3.2	6	1	1	3	4	6	8	14
B. *Operated*	3844	5.4	11	1	1	5	7	8	10	17
1. SINGLE DX	3026	3.4	5	1	1	3	5	6	7	9
2. MULTIPLE DX	4618	5.1	11	1	1	5	7	8	10	16
A. NOT OPERATED	1958	2.7	4	1	1	2	3	5	6	11
B. OPERATED	5686	5.0	9	1	1	5	6	8	9	15
TOTAL 0-19 YRS	1224	3.4	5	1	1	3	5	6	7	10
20-34	4311	4.0	7	1	1	4	6	7	8	12
35-49	1699	5.3	11	1	1	5	7	8	10	16
50-64	232	6.6	11	1	3	6	8	9	13	17
65+	178	8.6	20	2	4	8	10	15	18	25
GRAND TOTAL	**7644**	**4.4**	**9**	**1**	**1**	**4**	**6**	**8**	**9**	**14**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	644	4.5	6	2	2	4	6	8	9	12
20-34	1548	4.4	6	2	2	4	5	7	9	13
35-49	243	5.0	8	2	2	4	6	9	11	14
50-64	9	5.8	5	3	3	5	7	9	9	9
65+	3	3.0	1	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	145	5.3	12	1	1	5	7	9	11	18
20-34	684	4.0	9	<1	<1	3	6	8	9	15
35-49	231	4.5	12	<1	<1	4	6	9	11	17
50-64	26	6.8	20	1	2	6	8	14	16	20
65+	4	3.3	7	1	1	2	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	354	4.8	8	1	2	4	6	8	10	15
20-34	1070	5.0	8	1	2	4	6	9	10	15
35-49	270	6.5	17	2	3	5	8	12	14	19
50-64	24	8.2	35	3	4	6	10	15	23	27
65+	19	9.6	45	3	4	7	12	19	26	30
B. *Operated*										
0-19 YRS	253	5.6	21	<1	1	5	7	10	13	24
20-34	2432	5.0	14	<1	1	5	6	9	11	18
35-49	1012	6.6	27	<1	1	6	8	12	16	25
50-64	107	9.4	76	1	2	8	10	17	26	50
65+	40	10.8	47	2	4	10	15	22	28	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2447	4.5	6	2	2	4	5	8	9	13
B. *Operated*	1090	4.3	11	<1	<1	4	6	8	11	15
2. MULTIPLE DX										
A. *Not Operated*	1737	5.3	11	2	2	5	6	9	11	17
B. *Operated*	3844	5.7	21	<1	1	5	7	10	13	23
1. SINGLE DX	3537	4.5	8	1	1	4	6	8	10	14
2. MULTIPLE DX	5581	5.5	18	<1	1	5	7	10	13	21
A. NOT OPERATED	4184	4.8	8	2	2	4	6	8	10	15
B. OPERATED	4934	5.4	19	<1	1	5	7	10	13	21
TOTAL 0-19 YRS	1396	4.9	10	1	2	4	6	8	10	16
20-34	5734	4.7	10	<1	1	4	6	8	10	16
35-49	1756	6.1	21	1	1	5	7	11	14	23
50-64	166	8.7	58	1	2	7	10	16	23	41
65+	66	9.6	46	2	3	7	13	21	24	89
GRAND TOTAL	**9118**	**5.1**	**14**	**<1**	**1**	**5**	**6**	**9**	**11**	**18**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.5	4	<1	<1	2	3	6	6	6
20-34	43	2.9	4	1	1	3	4	5	8	8
35-49	13	2.7	6	1	1	2	3	5	9	10
50-64										
65+										
B. *Operated*										
0-19 YRS	36	2.3	3	<1	<1	2	3	5	7	7
20-34	551	3.4	6	<1	<1	2	6	6	7	10
35-49	317	5.0	6	<1	1	6	6	7	8	12
50-64	17	5.3	10	<1	1	6	7	8	11	13
65+	2	7.0	2	6	6	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	68	2.6	4	<1	<1	2	3	6	7	10
35-49	32	2.9	10	<1	<1	1	3	8	10	13
50-64										
65+										
B. *Operated*										
0-19 YRS	47	3.4	5	<1	<1	3	5	6	7	7
20-34	1998	4.9	7	<1	1	5	6	7	8	12
35-49	2599	6.1	7	1	2	6	7	8	10	15
50-64	285	6.7	5	4	5	7	7	9	10	16
65+	28	9.8	63	5	5	8	11	13	17	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	2.8	4	<1	1	2	3	5	8	10
B. *Operated*	923	4.0	7	<1	<1	4	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	103	2.7	6	<1	<1	2	3	6	8	12
B. *Operated*	4957	5.7	8	<1	1	6	7	8	9	14
1. SINGLE DX	985	3.9	6	<1	<1	4	6	7	8	11
2. MULTIPLE DX	5060	5.6	8	<1	1	6	7	8	9	14
A. NOT OPERATED	165	2.7	5	<1	<1	2	3	6	8	10
B. OPERATED	5880	5.4	8	<1	1	6	7	8	9	14
TOTAL 0-19 YRS	92	2.8	4	<1	<1	2	5	6	7	7
20-34	2660	4.5	7	<1	1	5	6	7	8	12
35-49	2961	6.0	7	1	2	6	7	8	10	15
50-64	302	6.6	5	2	5	7	7	9	10	15
65+	30	9.6	59	5	5	8	11	12	13	48
GRAND TOTAL	**6045**	**5.3**	**8**	**<1**	**1**	**6**	**7**	**8**	**9**	**14**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	3.3	3	1	1	3	4	5	5	5
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	64	1.8	2	<1	<1	1	2	4	5	6
35-49	63	2.2	3	<1	<1	2	2	5	6	7
50-64	38	1.7	1	<1	<1	2	2	2	3	7
65+	10	2.9	11	<1	<1	2	3	8	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	5	<1	<1	5	5	5	5	5
20-34	7	5.1	8	<1	1	4	7	9	10	10
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+	3	10.0	67	<1	<1	12	16	17	17	17
B. *Operated*										
0-19 YRS	8	2.1	4	<1	<1	1	3	5	6	6
20-34	200	2.7	5	<1	<1	2	4	6	7	10
35-49	362	3.2	10	<1	<1	2	5	7	8	13
50-64	157	2.4	8	<1	<1	2	2	6	7	18
65+	48	3.6	11	<1	<1	2	4	9	11	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.2	2	1	1	3	4	5	5	5
B. *Operated*	177	2.0	2	<1	<1	2	2	4	6	7
2. MULTIPLE DX										
A. *Not Operated*	17	4.9	20	<1	<1	4	6	12	15	17
B. *Operated*	775	2.9	8	<1	<1	2	4	7	8	13
1. SINGLE DX	182	2.0	2	<1	<1	2	2	4	6	7
2. MULTIPLE DX	792	2.9	9	<1	<1	2	4	7	8	14
A. NOT OPERATED	22	4.5	16	<1	<1	4	5	11	14	17
B. OPERATED	952	2.7	7	<1	<1	2	3	6	7	12
TOTAL 0-19 YRS	13	2.4	4	<1	<1	1	4	5	6	6
20-34	275	2.6	5	<1	<1	2	3	6	7	10
35-49	428	3.0	9	<1	<1	2	5	7	8	11
50-64	197	2.3	7	<1	<1	2	2	4	7	17
65+	61	3.8	15	<1	<1	2	4	11	12	17
GRAND TOTAL	**974**	**2.8**	**8**	**<1**	**<1**	**2**	**3**	**6**	**7**	**12**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	3.2	7	<1	<1	2	4	6	9	12
20-34	84	3.1	3	1	1	3	4	6	7	9
35-49	18	3.7	8	1	1	3	6	8	9	9
50-64	4	3.3	2	<1	<1	4	4	4	4	4
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	83	1.8	3	<1	<1	1	2	3	5	9
20-34	532	1.6	1	<1	<1	1	2	3	3	5
35-49	280	1.7	2	<1	<1	1	2	3	3	6
50-64	71	1.8	1	<1	<1	1	2	3	4	7
65+	18	2.2	4	<1	<1	2	2	4	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	4.7	7	<1	2	4	6	9	9	13
20-34	131	4.2	8	1	2	4	5	7	10	17
35-49	35	5.5	13	2	2	5	7	10	15	16
50-64	18	7.8	85	1	1	5	10	12	30	42
65+	34	11.0	47	3	4	9	16	22	25	28
B. *Operated*										
0-19 YRS	23	3.3	9	<1	1	2	4	8	10	11
20-34	227	3.1	6	<1	<1	2	5	7	8	11
35-49	227	3.1	13	<1	<1	2	3	7	9	21
50-64	92	4.3	27	<1	<1	2	5	12	15	25
65+	73	5.5	30	<1	1	4	8	14	17	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	147	3.2	5	<1	1	3	4	6	7	11
B. *Operated*	984	1.7	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	274	5.6	23	1	2	4	7	10	15	25
B. *Operated*	642	3.6	15	<1	<1	2	5	8	11	23
1. SINGLE DX	1131	1.9	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX	916	4.2	18	<1	<1	3	5	9	12	23
A. NOT OPERATED	421	4.7	18	1	1	4	6	9	12	22
B. OPERATED	1626	2.4	8	<1	<1	2	2	5	7	14
TOTAL 0-19 YRS	202	3.0	6	<1	<1	2	4	6	9	12
20-34	974	2.4	4	<1	<1	2	3	5	6	10
35-49	560	2.6	8	<1	<1	2	3	6	8	16
50-64	185	3.7	25	<1	<1	2	4	8	13	25
65+	126	6.5	39	<1	1	5	9	16	22	99+
GRAND TOTAL	**2047**	**2.9**	**11**	**<1**	**<1**	**2**	**3**	**6**	**9**	**17**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	4	3.0	11	<1	<1	1	5	8	8	8
65+	10	4.3	6	1	1	4	6	8	9	9
B. *Operated*										
0-19 YRS	2	6.5	13	4	4	6	9	9	9	9
20-34	123	4.8	5	1	2	5	6	8	8	11
35-49	340	6.0	4	2	3	6	7	8	9	12
50-64	667	6.4	4	3	4	6	7	9	10	13
65+	642	6.7	5	4	5	7	8	9	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	1.0		<1	<1	<1	1	1	1	1
35-49	28	1.3	1	<1	<1	1	1	2	3	4
50-64	42	2.1	5	<1	<1	1	2	5	8	11
65+	64	4.0	23	<1	<1	2	6	10	14	23
B. *Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	517	6.0	11	2	4	6	7	8	10	14
35-49	1659	6.6	7	3	4	6	8	9	11	16
50-64	1835	7.1	6	4	5	7	8	10	12	16
65+	1932	7.8	14	4	5	7	9	11	14	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	3.8	7	<1	1	3	6	8	9	9
B. *Operated*	1774	6.3	5	3	4	6	7	9	10	13
2. MULTIPLE DX										
A. *Not Operated*	145	2.7	13	<1	<1	1	2	7	10	20
B. *Operated*	5945	7.1	10	4	4	7	8	10	12	18
1. SINGLE DX	1789	6.3	5	3	4	6	7	9	10	13
2. MULTIPLE DX	6090	7.0	10	3	4	7	8	10	12	18
A. NOT OPERATED	160	2.8	13	<1	<1	1	3	7	10	19
B. OPERATED	7719	6.9	9	3	4	7	8	10	12	18
TOTAL 0-19 YRS	4	5.8	6	4	4	5	7	9	9	9
20-34	651	5.7	10	1	3	5	7	8	9	14
35-49	2028	6.4	7	2	4	6	7	9	10	15
50-64	2548	6.9	6	3	4	7	8	10	11	15
65+	2648	7.5	13	4	4	7	8	11	13	21
GRAND TOTAL	**7879**	**6.9**	**9**	**3**	**4**	**7**	**8**	**10**	**12**	**18**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	1.6		<1	<1	2	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	7	1.6		1	1	2	2	2	2	2
20-34	56	1.4	1	<1	<1	1	2	2	3	5
35-49	98	1.4	1	<1	<1	1	2	2	3	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	4.4	21	<1	<1	2	9	11	11	11
35-49	6	2.7	2	1	1	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	83	2.7	9	<1	<1	1	3	6	8	16
35-49	164	2.5	6	<1	<1	2	2	6	8	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	1.6		<1	<1	2	2	2	2	2
B. *Operated*	161	1.4	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	14	3.4	12	<1	1	2	4	11	11	11
B. *Operated*	249	2.6	7	<1	<1	1	3	6	8	12
1. SINGLE DX	169	1.4	1	<1	<1	1	2	2	2	6
2. MULTIPLE DX	263	2.6	7	<1	<1	1	3	6	8	12
A. NOT OPERATED	22	2.8	8	<1	<1	2	3	6	11	11
B. OPERATED	410	2.1	5	<1	<1	1	2	5	7	11
TOTAL 0-19 YRS	10	1.4		<1	<1	1	2	2	2	2
20-34	153	2.2	6	<1	<1	1	2	5	7	14
35-49	269	2.1	4	<1	<1	1	2	5	7	10
50-64										
65+										
GRAND TOTAL	**432**	**2.2**	**5**	**<1**	**<1**	**1**	**2**	**5**	**7**	**11**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	2.1	2	<1	<1	2	3	4	5	7
20-34	130	1.6	1	<1	<1	1	2	3	4	5
35-49	55	1.5	1	<1	<1	1	2	3	3	5
50-64										
65+										
B. *Operated*										
0-19 YRS	82	1.5	1	<1	<1	1	2	2	3	7
20-34	1278	1.5	1	<1	<1	1	2	2	4	7
35-49	2108	1.6	2	<1	<1	1	2	2	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	2.4	2	1	1	2	3	4	5	6
20-34	160	2.3	3	<1	<1	2	3	4	6	8
35-49	148	2.0	3	<1	<1	1	2	4	6	10
50-64										
65+										
B. *Operated*										
0-19 YRS	97	2.2	3	<1	<1	2	3	4	6	10
20-34	1595	2.7	7	<1	<1	2	4	6	7	10
35-49	3810	3.1	7	<1	<1	2	5	7	8	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	243	1.7	1	<1	<1	1	2	3	4	5
B. *Operated*	3468	1.5	1	<1	<1	1	2	2	4	7
2. MULTIPLE DX										
A. *Not Operated*	381	2.2	3	<1	<1	2	3	4	5	8
B. *Operated*	5502	2.9	7	<1	<1	2	5	7	8	11
1. SINGLE DX	3711	1.5	1	<1	<1	1	2	2	4	7
2. MULTIPLE DX	5883	2.9	7	<1	<1	2	5	7	8	11
A. NOT OPERATED	624	2.0	2	<1	<1	1	3	4	5	7
B. OPERATED	8970	2.4	5	<1	<1	1	2	6	7	10
TOTAL 0-19 YRS	310	2.0	2	<1	<1	2	3	4	5	7
20-34	3163	2.2	5	<1	<1	1	2	5	6	9
35-49	6121	2.5	6	<1	<1	1	3	6	7	10
50-64										
65+										
GRAND TOTAL	**9594**	**2.4**	**5**	**<1**	**<1**	**1**	**2**	**6**	**7**	**10**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	5	3.0	16	<1	<1	1	4	10	10	10
65+	7	1.6		<1	<1	2	2	2	2	2
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	1.5		<1	<1	1	2	2	2	2
35-49	208	1.4	1	<1	<1	1	2	2	2	4
50-64	740	1.4		<1	<1	1	2	2	2	4
65+	209	1.8	2	<1	<1	2	2	2	4	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	20	3.1	7	<1	<1	2	4	8	9	9
50-64	35	2.5	5	<1	<1	1	4	6	7	8
65+	47	3.4	12	<1	1	2	4	8	10	18
B. *Operated*										
0-19 YRS										
20-34	2	3.0	8	<1	<1	2	5	5	5	5
35-49	238	2.1	3	<1	<1	1	2	5	6	8
50-64	977	2.2	5	<1	<1	2	2	4	7	12
65+	588	3.2	24	<1	1	2	3	7	9	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	1.9	5	<1	<1	1	2	2	8	10
B. *Operated*	1162	1.5	1	<1	<1	1	2	2	2	5
2. MULTIPLE DX										
A. *Not Operated*	103	3.0	8	<1	<1	2	4	7	8	15
B. *Operated*	1805	2.5	11	<1	<1	2	2	6	8	14
1. SINGLE DX	1177	1.5	1	<1	<1	1	2	2	2	5
2. MULTIPLE DX	1908	2.5	11	<1	<1	2	2	6	8	14
A. NOT OPERATED	118	2.9	8	<1	<1	2	3	7	9	14
B. OPERATED	2967	2.1	7	<1	<1	2	2	3	6	12
TOTAL 0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	8	1.9	2	<1	<1	1	2	4	5	5
35-49	468	1.8	2	<1	<1	1	2	3	5	8
50-64	1757	1.9	3	<1	<1	1	2	2	5	9
65+	851	2.8	18	<1	<1	2	2	6	8	17
GRAND TOTAL	**3085**	**2.1**	**7**	**<1**	**<1**	**2**	**2**	**4**	**7**	**12**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	3.0	7	<1	1	2	4	6	8	13
20-34	66	2.0	3	<1	<1	2	2	3	5	11
35-49	25	2.4	3	<1	1	2	3	4	6	8
50-64	6	4.7	27	1	1	3	4	14	15	15
65+	4	4.0	29	<1	<1	1	7	12	12	12
B. *Operated*										
0-19 YRS	74	3.3	8	<1	<1	3	5	6	7	16
20-34	850	2.2	3	<1	<1	2	3	5	6	8
35-49	723	2.3	4	<1	<1	2	2	6	6	9
50-64	420	2.3	5	<1	<1	1	2	6	7	11
65+	127	2.4	5	<1	<1	2	2	6	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	3.4	14	<1	1	2	4	6	9	23
20-34	102	2.9	5	<1	<1	2	4	6	7	10
35-49	57	2.6	6	<1	<1	2	3	5	8	13
50-64	39	3.7	9	<1	1	3	5	9	10	12
65+	70	6.0	34	1	2	4	7	11	15	33
B. *Operated*										
0-19 YRS	95	4.1	13	<1	<1	3	6	7	10	22
20-34	1235	3.3	7	<1	<1	2	5	7	7	11
35-49	2295	3.8	17	<1	<1	2	6	7	9	16
50-64	1366	4.0	25	<1	<1	2	6	8	10	18
65+	626	6.2	55	<1	1	3	8	16	21	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	132	2.5	6	<1	<1	2	3	5	7	13
B. *Operated*	2194	2.3	4	<1	<1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	308	3.7	15	<1	1	3	5	8	10	21
B. *Operated*	5617	4.0	22	<1	<1	2	6	8	10	21
1. SINGLE DX	2326	2.3	4	<1	<1	2	3	5	6	10
2. MULTIPLE DX	5925	4.0	21	<1	<1	2	6	8	10	21
A. NOT OPERATED	440	3.3	12	<1	1	2	4	7	9	16
B. OPERATED	7811	3.5	17	<1	<1	2	5	7	9	18
TOTAL 0-19 YRS	240	3.6	11	<1	<1	3	5	7	9	21
20-34	2253	2.8	6	<1	<1	2	4	6	7	10
35-49	3100	3.4	14	<1	<1	2	6	7	8	14
50-64	1831	3.6	20	<1	<1	2	6	8	9	17
65+	827	5.6	48	<1	1	3	7	13	19	44
GRAND TOTAL	**8251**	**3.5**	**17**	**<1**	**<1**	**2**	**5**	**7**	**9**	**18**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	168	1.7	1	<1	1	1	2	3	3	5
20-34	199	1.9	2	<1	1	1	2	4	5	7
35-49	37	1.9	2	<1	<1	1	3	4	5	6
50-64	4	2.8	1	2	2	3	3	4	4	4
65+										
B. *Operated*										
0-19 YRS	76	2.4	4	<1	<1	2	3	6	7	10
20-34	799	2.5	4	<1	<1	2	4	6	7	9
35-49	402	4.6	8	<1	1	5	6	8	9	13
50-64	181	6.5	6	1	3	7	8	9	10	13
65+	78	6.6	8	2	3	7	8	10	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	115	2.2	3	<1	<1	2	3	4	5	11
20-34	221	2.2	3	<1	<1	2	3	4	6	10
35-49	57	3.2	13	<1	<1	2	4	5	9	22
50-64	20	3.3	8	1	1	2	4	7	10	12
65+	18	4.2	6	<1	1	4	7	7	7	7
B. *Operated*										
0-19 YRS	59	2.8	7	<1	<1	2	4	7	9	11
20-34	1632	3.5	6	<1	<1	3	5	7	7	10
35-49	890	5.2	9	<1	1	5	7	9	10	14
50-64	312	7.7	16	2	4	7	9	12	16	23
65+	198	8.2	17	2	3	8	10	13	16	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	408	1.9	2	<1	1	1	2	3	4	7
B. *Operated*	1536	3.7	8	<1	<1	3	6	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	431	2.5	5	<1	<1	2	3	5	7	12
B. *Operated*	3091	4.7	11	<1	<1	5	6	8	10	16
1. SINGLE DX	1944	3.3	7	<1	<1	2	5	7	8	10
2. MULTIPLE DX	3522	4.4	11	<1	<1	4	6	8	10	16
A. NOT OPERATED	839	2.2	4	<1	<1	2	3	4	6	9
B. OPERATED	4627	4.4	10	<1	<1	4	6	8	10	15
TOTAL 0-19 YRS	418	2.1	3	<1	<1	2	2	4	6	10
20-34	2851	3.0	5	<1	<1	2	5	6	7	9
35-49	1386	4.8	9	<1	1	5	7	8	10	14
50-64	517	7.1	13	2	3	7	8	10	14	21
65+	294	7.5	15	2	3	7	9	12	14	21
GRAND TOTAL	**5466**	**4.0**	**10**	**<1**	**<1**	**3**	**6**	**8**	**9**	**14**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34	32	1.8	2	<1	<1	1	2	4	4	7
35-49	5	2.2	2	<1	<1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	80	4.9	2	2	3	5	6	6	7	10
20-34	1438	4.7	2	2	3	5	6	6	7	9
35-49	204	4.9	3	2	3	5	6	7	7	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.8	2	<1	<1	1	3	4	4	4
20-34	25	2.0	2	<1	1	2	2	4	5	5
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	81	5.8	13	3	3	5	6	8	10	25
20-34	1468	5.2	4	3	3	5	6	7	8	12
35-49	315	5.6	7	3	3	5	6	8	9	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	1.8	2	<1	<1	1	2	4	4	7
B. *Operated*	1722	4.8	2	2	3	5	6	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	29	1.9	2	<1	1	1	2	4	5	5
B. *Operated*	1864	5.3	5	3	3	5	6	7	8	12
1. SINGLE DX	1762	4.7	3	2	3	5	6	7	7	9
2. MULTIPLE DX	1893	5.3	5	3	3	5	6	7	8	12
A. NOT OPERATED	69	1.8	2	<1	<1	1	2	4	4	7
B. OPERATED	3586	5.0	4	3	3	5	6	7	8	10
TOTAL 0-19 YRS	168	5.2	8	1	3	5	6	7	8	22
20-34	2963	4.9	3	2	3	5	6	7	8	10
35-49	524	5.3	5	3	3	5	6	7	8	11
50-64										
65+										
GRAND TOTAL	**3655**	**5.0**	**4**	**2**	**3**	**5**	**6**	**7**	**8**	**10**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	1.6	1	<1	1	1	2	2	3	5
20-34	66	1.4		<1	<1	1	2	2	3	4
35-49	15	1.3		1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	1851	1.3		<1	<1	<1	2	2	2	3
20-34	5771	1.2		<1	<1	<1	1	2	2	3
35-49	730	1.2	1	<1	<1	<1	<1	2	2	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	1.1		<1	<1	<1	<1	1	2	3
20-34	117	1.5	3	<1	<1	<1	1	2	3	12
35-49	33	1.4	1	<1	<1	1	1	2	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	793	1.2	2	<1	<1	<1	<1	1	2	5
20-34	2543	1.4	2	<1	<1	<1	<1	2	4	8
35-49	562	1.8	2	<1	<1	1	2	3	5	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	1.4		<1	1	1	2	2	2	4
B. *Operated*	8352	1.2		<1	<1	<1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	198	1.4	2	<1	<1	<1	1	2	3	10
B. *Operated*	3898	1.4	2	<1	<1	<1	1	2	4	7
1. SINGLE DX	8462	1.2		<1	<1	<1	1	2	2	3
2. MULTIPLE DX	4096	1.4	2	<1	<1	<1	1	2	4	7
A. NOT OPERATED	308	1.4	1	<1	<1	1	2	2	2	6
B. OPERATED	12250	1.3	1	<1	<1	<1	1	2	2	5
TOTAL 0-19 YRS	2721	1.3	1	<1	<1	<1	1	2	2	4
20-34	8497	1.3	1	<1	<1	<1	1	2	2	5
35-49	1340	1.4	2	<1	<1	<1	1	2	3	6
50-64										
65+										
GRAND TOTAL	**12558**	**1.3**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**2**	**5**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	3	3.3	4	1	1	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX	3	3.3	4	1	1	4	5	5	5	5
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED	3	3.3	4	1	1	4	5	5	5	5
TOTAL 0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
GRAND TOTAL	**3**	**3.3**	**4**	**1**	**1**	**4**	**5**	**5**	**5**	**5**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	129	1.6	1	<1	<1	1	2	2	3	8
20-34	642	1.5	1	<1	<1	1	2	3	4	6
35-49	71	1.7	4	<1	<1	1	2	3	6	13
50-64										
65+										
B. *Operated*										
0-19 YRS	1201	1.3	1	<1	<1	1	1	2	2	4
20-34	8489	1.2		<1	<1	1	1	2	2	4
35-49	1662	1.2		<1	<1	1	1	2	2	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	2.1	3	<1	<1	2	3	3	6	8
20-34	132	2.2	3	<1	<1	2	3	4	6	10
35-49	10	2.5	4	<1	<1	2	4	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	153	2.0	2	<1	1	1	2	4	5	8
20-34	1259	1.9	3	<1	<1	1	2	4	5	9
35-49	403	2.0	6	<1	<1	1	2	3	6	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	842	1.5	2	<1	<1	1	2	3	4	6
B. *Operated*	11352	1.2		<1	<1	1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	177	2.2	3	<1	<1	2	3	4	6	10
B. *Operated*	1815	1.9	4	<1	<1	1	2	4	5	10
1. SINGLE DX	12194	1.2		<1	<1	1	1	2	2	4
2. MULTIPLE DX	1992	1.9	4	<1	<1	1	2	4	5	10
A. NOT OPERATED	1019	1.6	2	<1	<1	1	2	3	4	7
B. OPERATED	13167	1.3	1	<1	<1	1	1	2	3	5
TOTAL 0-19 YRS	1518	1.4	1	<1	<1	1	1	2	3	5
20-34	10522	1.3	1	<1	<1	1	1	2	3	5
35-49	2146	1.3	2	<1	<1	1	1	2	3	6
50-64										
65+										
GRAND TOTAL	**14186**	**1.3**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**	**5**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	3.3	5	1	1	3	4	6	7	12
20-34	249	2.4	3	<1	1	2	3	5	6	9
35-49	36	1.8	3	<1	1	1	2	4	5	10
50-64										
65+										
B. *Operated*										
0-19 YRS	133	1.9	4	<1	<1	1	2	4	5	12
20-34	1706	1.3	1	<1	<1	1	1	2	3	5
35-49	296	1.4	1	<1	<1	1	1	2	3	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	3.2	3	1	1	3	4	6	7	9
20-34	95	3.0	6	<1	1	2	4	7	8	10
35-49	14	2.6	8	1	1	1	3	7	9	10
50-64										
65+										
B. *Operated*										
0-19 YRS	48	3.6	19	1	1	2	4	7	12	25
20-34	405	2.5	6	<1	1	2	3	6	8	12
35-49	121	2.7	6	<1	1	2	3	7	9	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	351	2.5	4	<1	1	2	3	5	6	10
B. *Operated*	2135	1.4	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	134	3.0	5	1	1	2	4	7	8	10
B. *Operated*	574	2.6	7	<1	1	2	3	6	8	13
1. SINGLE DX	2486	1.5	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	708	2.7	7	<1	1	2	3	6	8	11
A. NOT OPERATED	485	2.6	4	<1	1	2	4	5	7	10
B. OPERATED	2709	1.6	3	<1	<1	1	2	3	4	9
TOTAL 0-19 YRS	272	2.7	7	<1	1	2	3	5	7	15
20-34	2455	1.7	2	<1	<1	1	2	3	5	8
35-49	467	1.8	3	<1	<1	1	2	3	5	10
50-64										
65+										
GRAND TOTAL	**3194**	**1.8**	**3**	**<1**	**<1**	**1**	**2**	**3**	**5**	**9**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	124	1.6	1	<1	1	1	2	3	3	5
20-34	949	1.9	1	<1	1	2	2	3	4	7
35-49	93	2.1	2	1	1	2	3	4	4	9
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	13	2.2	2	<1	<1	1	4	4	5	5
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	2.3	2	<1	<1	2	3	4	4	8
20-34	211	2.9	6	1	1	2	4	5	8	12
35-49	32	2.8	5	1	1	2	4	6	11	99+
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	28	3.8	82	1	1	1	3	5	14	49
35-49	4	4.3	6	1	1	4	6	7	7	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1166	1.9	1	<1	1	2	2	3	4	7
B. *Operated*	15	2.1	2	<1	1	1	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*	274	2.8	5	1	1	2	4	5	8	13
B. *Operated*	33	3.7	70	1	1	1	3	6	10	49
1. SINGLE DX	1181	1.9	1	<1	1	2	2	3	4	7
2. MULTIPLE DX	307	2.9	12	1	1	2	4	5	8	15
A. NOT OPERATED	1440	2.1	2	<1	1	2	3	4	5	9
B. OPERATED	48	3.2	49	1	1	1	3	5	7	49
TOTAL 0-19 YRS	157	1.8	1	<1	1	1	2	3	4	6
20-34	1201	2.1	4	<1	1	2	3	4	5	9
35-49	130	2.3	3	1	1	2	3	4	6	28
50-64										
65+										
GRAND TOTAL	**1488**	**2.1**	**4**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.6	1	<1	<1	1	2	3	4	4
20-34	56	2.0	2	<1	1	2	3	4	5	6
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	4	1.5		<1	<1	1	2	2	2	2
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	1.6	1	1	1	1	2	3	3	3
20-34	25	4.2	35	<1	1	2	4	6	21	26
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	2.0	2	<1	1	2	2	4	5	6
B. *Operated*	5	1.4		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	32	3.6	28	1	1	2	3	5	19	26
B. *Operated*	2	4.0	8	2	2	4	6	6	6	6
1. SINGLE DX	72	1.9	2	<1	<1	2	2	4	4	6
2. MULTIPLE DX	34	3.6	27	1	1	2	3	6	17	26
A. NOT OPERATED	99	2.5	11	<1	1	2	3	4	6	23
B. OPERATED	7	2.1	3	<1	<1	2	2	5	6	6
TOTAL 0-19 YRS	14	1.6	1	<1	<1	1	2	3	4	4
20-34	87	2.7	12	<1	1	2	3	5	6	24
35-49	5	1.8	2	<1	<1	1	2	4	4	4
50-64										
65+										
GRAND TOTAL	**106**	**2.5**	**10**	**<1**	**1**	**2**	**3**	**4**	**6**	**23**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	199	3.2	8	<1	1	2	4	6	7	16
20-34	1027	2.9	4	1	1	2	4	5	7	11
35-49	111	3.9	9	1	1	3	5	8	9	14
50-64										
65+										
B. *Operated*										
0-19 YRS	26	3.4	3	1	2	3	5	6	7	8
20-34	116	3.8	8	<1	1	3	4	7	10	15
35-49	17	3.9	8	1	1	3	4	8	11	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	3.7	12	<1	<1	3	4	8	9	21
20-34	344	3.7	12	<1	1	3	5	7	9	18
35-49	53	3.8	7	1	1	3	6	7	9	11
50-64										
65+										
B. *Operated*										
0-19 YRS	7	3.0	11	<1	<1	1	4	9	10	10
20-34	101	3.5	12	<1	<1	2	5	7	10	19
35-49	10	1.4		<1	<1	1	2	3	3	3
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1337	3.1	5	1	1	2	4	5	7	13
B. *Operated*	159	3.7	7	1	2	3	4	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	451	3.8	11	<1	1	3	5	7	9	18
B. *Operated*	118	3.3	12	<1	<1	2	4	7	10	19
1. SINGLE DX	1496	3.1	5	1	1	3	4	6	7	13
2. MULTIPLE DX	569	3.7	11	<1	1	3	5	7	9	19
A. NOT OPERATED	1788	3.2	7	1	1	3	4	6	8	14
B. OPERATED	277	3.5	9	<1	<1	3	4	7	10	18
TOTAL 0-19 YRS	286	3.3	9	<1	1	3	4	6	8	17
20-34	1588	3.2	7	<1	1	3	4	6	7	14
35-49	191	3.7	8	1	1	3	5	8	9	14
50-64										
65+										
GRAND TOTAL	**2065**	**3.3**	**7**	**<1**	**1**	**3**	**4**	**6**	**8**	**14**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	257	2.9	3	1	1	3	3	5	6	10
20-34	1555	3.9	9	1	2	3	5	7	9	14
35-49	72	4.6	9	1	2	4	5	9	10	17
50-64										
65+										
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	5	6.4	34	<1	<1	7	10	15	15	15
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	88	3.5	6	1	1	3	4	7	9	13
20-34	602	4.1	11	1	1	3	5	7	10	17
35-49	45	4.5	11	1	2	4	6	8	10	18
50-64										
65+										
B. *Operated*										
0-19 YRS	7	4.0	3	2	2	4	5	7	7	7
20-34	31	7.3	207	1	1	4	7	11	22	81
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1884	3.8	8	1	2	3	4	7	9	14
B. *Operated*	6	6.3	27	<1	<1	6	8	14	15	15
2. MULTIPLE DX										
A. *Not Operated*	735	4.1	11	1	1	3	5	7	10	17
B. *Operated*	38	6.7	170	1	1	4	7	9	19	81
1. SINGLE DX	1890	3.8	8	1	2	3	5	7	9	14
2. MULTIPLE DX	773	4.2	19	1	1	3	5	8	10	18
A. NOT OPERATED	2619	3.9	9	1	2	3	5	7	9	15
B. OPERATED	44	6.6	149	<1	1	4	7	9	17	81
TOTAL 0-19 YRS	353	3.1	4	1	1	3	4	5	7	11
20-34	2193	4.0	12	1	2	3	5	7	9	16
35-49	117	4.6	10	1	2	4	6	9	10	17
50-64										
65+										
GRAND TOTAL	**2663**	**3.9**	**11**	**1**	**1**	**3**	**5**	**7**	**9**	**15**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	957	1.1		<1	<1	<1	1	1	2	3
20-34	4150	1.1	1	<1	<1	<1	1	1	2	3
35-49	295	1.1		<1	<1	<1	1	1	1	3
50-64										
65+										
B. *Operated*										
0-19 YRS	81	1.2	1	<1	<1	<1	1	1	2	7
20-34	298	1.1		<1	<1	<1	1	1	2	4
35-49	29	1.0		<1	<1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	1.6	3	<1	<1	1	1	3	5	10
20-34	455	1.6	3	<1	<1	1	1	3	4	9
35-49	37	1.6	2	<1	<1	1	2	3	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	7	2.6	9	<1	<1	1	3	8	9	9
20-34	45	2.2	28	<1	<1	1	1	4	5	36
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5402	1.1	1	<1	<1	<1	1	1	2	3
B. *Operated*	408	1.1		<1	<1	<1	1	1	2	4
2. MULTIPLE DX										
A. *Not Operated*	586	1.6	3	<1	<1	1	1	3	5	9
B. *Operated*	54	2.3	24	<1	<1	1	2	4	5	35
1. SINGLE DX	5810	1.1	1	<1	<1	<1	1	1	2	3
2. MULTIPLE DX	640	1.6	4	<1	<1	1	1	3	5	9
A. NOT OPERATED	5988	1.1	1	<1	<1	<1	1	1	2	4
B. OPERATED	462	1.3	3	<1	<1	<1	1	1	2	5
TOTAL 0-19 YRS	1139	1.2	1	<1	<1	<1	1	1	2	4
20-34	4948	1.2	1	<1	<1	<1	1	1	2	4
35-49	363	1.1		<1	<1	1	1	1	2	5
50-64										
65+										
GRAND TOTAL	**6450**	**1.2**	**1**	**<1**	**<1**	**<1**	**1**	**1**	**2**	**4**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.1	2	<1	<1	1	3	4	5	6
20-34	423	3.1	8	1	1	2	4	6	8	16
35-49	52	4.6	38	<1	1	2	5	13	16	31
50-64										
65+										
B. *Operated*										
0-19 YRS	4	2.0		2	2	2	2	2	2	2
20-34	22	4.4	14	<1	1	3	6	11	13	14
35-49	5	3.0	4	1	1	2	4	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	3.1	4	1	1	3	4	6	7	8
20-34	128	4.5	23	<1	1	3	5	10	16	25
35-49	18	5.9	36	1	1	4	10	14	20	23
50-64										
65+										
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	9	2.4	4	<1	<1	1	3	6	7	7
35-49	4	6.8	40	2	2	4	10	16	16	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	500	3.2	11	<1	1	2	4	6	9	17
B. *Operated*	31	3.8	11	<1	1	3	5	9	12	14
2. MULTIPLE DX										
A. *Not Operated*	161	4.6	23	<1	1	3	5	10	15	25
B. *Operated*	14	3.8	16	<1	1	3	4	8	14	16
1. SINGLE DX	531	3.3	11	<1	1	2	4	6	9	17
2. MULTIPLE DX	175	4.5	22	<1	1	3	5	10	16	25
A. NOT OPERATED	661	3.6	14	<1	1	2	4	7	11	20
B. OPERATED	45	3.8	12	<1	1	3	5	8	12	16
TOTAL 0-19 YRS	45	2.5	3	<1	1	2	3	5	6	8
20-34	582	3.5	12	<1	1	2	4	7	10	18
35-49	79	4.9	35	<1	1	2	5	13	16	30
50-64										
65+										
GRAND TOTAL	**706**	**3.6**	**14**	**<1**	**1**	**2**	**4**	**7**	**11**	**20**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	114	1.7	2	<1	<1	1	2	3	4	8
20-34	525	2.0	3	<1	<1	1	2	4	5	9
35-49	62	2.6	8	<1	<1	2	3	5	8	16
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	37	1.7	2	<1	<1	1	2	4	5	7
35-49	4	2.0	2	1	1	2	3	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	2.9	14	<1	<1	1	2	7	13	17
20-34	188	3.0	10	<1	<1	2	4	6	9	15
35-49	25	4.6	50	1	1	3	4	11	19	35
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	21	3.6	22	<1	<1	2	4	7	14	22
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	701	2.0	3	<1	<1	1	2	4	5	9
B. *Operated*	43	1.7	2	<1	<1	1	2	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	251	3.1	15	<1	1	2	4	6	9	17
B. *Operated*	25	3.4	18	<1	1	2	4	7	11	22
1. SINGLE DX	744	2.0	3	<1	<1	1	2	4	5	9
2. MULTIPLE DX	276	3.1	15	<1	1	2	4	6	9	21
A. NOT OPERATED	952	2.3	6	<1	<1	1	3	4	6	12
B. OPERATED	68	2.4	9	<1	<1	1	3	5	7	19
TOTAL 0-19 YRS	156	2.0	5	<1	<1	1	2	4	6	14
20-34	771	2.3	5	<1	<1	1	3	5	6	11
35-49	93	3.1	19	<1	1	2	3	6	10	27
50-64										
65+										
GRAND TOTAL	**1020**	**2.3**	**7**	**<1**	**<1**	**1**	**3**	**4**	**6**	**13**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	215	2.8	6	<1	<1	2	4	5	6	11
20-34	497	2.9	4	<1	<1	2	4	5	7	11
35-49	21	4.1	5	1	1	4	5	8	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	6	3.2	6	1	1	2	3	8	8	8
20-34	31	2.9	4	<1	1	3	4	6	7	8
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	267	3.1	4	<1	<1	3	4	6	7	9
20-34	588	3.3	6	<1	<1	3	5	6	8	11
35-49	35	4.1	14	<1	1	3	5	8	11	19
50-64										
65+										
B. *Operated*										
0-19 YRS	12	5.4	11	1	2	4	6	10	13	14
20-34	40	4.5	12	<1	1	4	6	8	9	20
35-49	3	6.3	6	4	4	6	8	9	9	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	733	2.9	5	<1	<1	2	4	5	7	10
B. *Operated*	38	2.9	4	<1	1	2	4	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	890	3.3	5	<1	<1	3	4	6	7	11
B. *Operated*	55	4.8	11	1	1	4	6	9	9	20
1. SINGLE DX	771	2.9	5	<1	<1	2	4	5	7	10
2. MULTIPLE DX	945	3.4	6	<1	<1	3	5	7	8	11
A. NOT OPERATED	1623	3.1	5	<1	<1	3	4	6	7	11
B. OPERATED	93	4.0	9	1	1	3	5	8	9	17
TOTAL 0-19 YRS	500	3.1	5	<1	<1	3	4	6	7	9
20-34	1156	3.2	5	<1	<1	3	4	6	7	11
35-49	60	4.2	10	<1	1	4	5	8	10	18
50-64										
65+										
GRAND TOTAL	**1716**	**3.2**	**5**	**<1**	**<1**	**3**	**4**	**6**	**7**	**11**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	98	3.2	7	<1	1	2	4	7	8	14
20-34	655	3.5	8	<1	1	3	4	7	8	15
35-49	128	4.1	7	1	1	3	5	9	10	12
50-64										
65+										
B. *Operated*										
0-19 YRS	3	7.0	37	3	3	4	11	14	14	14
20-34	47	4.1	11	<1	<1	4	5	8	9	18
35-49	12	5.7	13	2	2	5	8	11	11	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	289	2.7	5	<1	<1	2	3	6	7	11
20-34	1615	3.4	17	<1	1	2	4	7	9	19
35-49	200	4.7	20	1	1	3	6	9	12	25
50-64										
65+										
B. *Operated*										
0-19 YRS	39	3.4	8	<1	<1	3	4	8	9	9
20-34	187	4.9	48	<1	1	3	6	10	14	23
35-49	24	6.3	22	<1	1	5	9	13	14	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	881	3.5	8	1	1	3	4	7	9	14
B. *Operated*	62	4.5	12	<1	1	4	6	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	2104	3.4	16	<1	<1	2	4	7	9	19
B. *Operated*	250	4.8	39	<1	1	3	6	10	13	22
1. SINGLE DX	943	3.6	8	<1	1	3	4	7	9	14
2. MULTIPLE DX	2354	3.6	19	<1	<1	2	4	7	10	21
A. NOT OPERATED	2985	3.5	14	<1	1	3	4	7	9	17
B. OPERATED	312	4.8	34	<1	1	3	6	10	13	21
TOTAL 0-19 YRS	429	2.9	6	<1	<1	2	4	6	8	12
20-34	2504	3.6	17	<1	1	3	4	7	9	18
35-49	364	4.6	16	1	1	3	6	9	12	22
50-64										
65+										
GRAND TOTAL	**3297**	**3.6**	**16**	**<1**	**1**	**3**	**4**	**7**	**9**	**17**

268: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	681	2.1	5	<1	<1	1	2	4	6	11
20-34	3032	2.3	10	<1	<1	1	3	4	7	13
35-49	255	2.5	9	<1	<1	1	3	6	9	16
50-64										
65+										
B. *Operated*										
0-19 YRS	108	2.0	3	<1	<1	1	3	4	5	10
20-34	1014	2.5	9	<1	<1	2	3	4	6	13
35-49	111	2.2	4	<1	<1	2	3	4	5	13
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	306	2.6	6	<1	<1	2	3	5	7	14
20-34	1730	3.2	22	<1	<1	2	4	6	9	22
35-49	169	4.2	29	<1	<1	3	5	9	11	28
50-64										
65+										
B. *Operated*										
0-19 YRS	81	2.9	10	<1	<1	2	3	6	9	17
20-34	597	3.6	25	<1	<1	2	4	7	10	25
35-49	67	4.2	22	<1	<1	3	5	9	17	21
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3968	2.2	9	<1	<1	1	3	4	7	13
B. *Operated*	1233	2.4	8	<1	<1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	2205	3.2	20	<1	<1	2	4	6	9	22
B. *Operated*	745	3.6	23	<1	<1	2	4	7	10	23
1. SINGLE DX	5201	2.3	9	<1	<1	1	3	4	6	13
2. MULTIPLE DX	2950	3.3	21	<1	<1	2	4	6	10	22
A. NOT OPERATED	6173	2.6	13	<1	<1	1	3	5	7	17
B. OPERATED	1978	2.9	14	<1	<1	2	3	5	8	17
TOTAL 0-19 YRS	1176	2.3	6	<1	<1	1	3	5	6	12
20-34	6373	2.7	15	<1	<1	2	3	5	7	17
35-49	602	3.1	16	<1	<1	2	3	7	10	19
50-64										
65+										
GRAND TOTAL	**8151**	**2.7**	**13**	**<1**	**<1**	**2**	**3**	**5**	**7**	**17**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	94	3.2	2	1	2	3	4	4	5	9
20-34	735	3.1	1	2	2	3	3	4	4	5
35-49	71	3.1	1	2	2	3	3	4	4	7
50-64										
65+										
B. Operated										
0-19 YRS	51	3.5	2	2	2	3	4	6	6	7
20-34	359	4.2	11	2	2	3	5	6	7	20
35-49	40	3.8	2	2	2	4	5	6	6	7
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	100	3.4	4	2	2	3	4	5	6	59
20-34	859	3.2	2	2	2	3	4	4	5	9
35-49	94	3.7	22	2	2	3	4	5	6	30
50-64										
65+										
B. Operated										
0-19 YRS	136	5.5	29	2	2	4	6	9	13	30
20-34	1397	5.3	37	2	3	4	6	8	10	31
35-49	240	6.0	25	2	3	5	7	10	15	25
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	900	3.1	1	2	2	3	3	4	4	6
B. Operated	450	4.1	9	2	2	3	5	6	7	19
2. MULTIPLE DX										
A. Not Operated	1053	3.3	4	2	2	3	4	4	5	9
B. Operated	1773	5.4	35	2	3	4	6	8	11	29
1. SINGLE DX	1350	3.4	4	2	2	3	4	5	6	8
2. MULTIPLE DX	2826	4.6	24	2	2	4	5	7	9	25
A. NOT OPERATED	1953	3.2	3	2	2	3	3	4	5	7
B. OPERATED	2223	5.2	30	2	3	4	6	8	10	27
TOTAL 0-19 YRS	381	4.1	13	2	2	3	4	6	8	28
20-34	3350	4.2	19	2	2	3	4	6	8	20
35-49	445	4.9	20	2	2	4	5	8	11	21
50-64										
65+										
GRAND TOTAL	**4176**	**4.2**	**18**	**2**	**2**	**3**	**5**	**6**	**8**	**21**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4897	2.9	1	2	2	3	3	4	4	5
20-34	36224	2.8	1	2	2	3	3	4	4	5
35-49	2561	2.9	1	2	2	3	3	4	4	5
50-64										
65+										
B. Operated										
0-19 YRS	980	2.8	1	2	2	3	3	4	4	5
20-34	6910	2.9	1	2	2	3	3	4	4	5
35-49	501	3.0	1	2	2	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	118	2.9	1	1	2	3	3	4	5	7
20-34	911	3.1	3	2	2	3	3	4	5	6
35-49	74	3.0	1	2	2	3	3	4	5	6
50-64										
65+										
B. Operated										
0-19 YRS	58	3.2	2	2	2	3	4	4	6	10
20-34	3273	3.5	1	2	3	3	4	5	5	6
35-49	581	3.7	1	2	3	4	4	5	5	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	43682	2.8	1	2	2	3	3	4	4	5
B. Operated	8391	2.9	1	2	2	3	3	4	4	5
2. MULTIPLE DX										
A. Not Operated	1103	3.1	3	2	2	3	3	4	5	6
B. Operated	3912	3.5	1	2	3	3	4	5	5	6
1. SINGLE DX	52073	2.8	1	2	2	3	3	4	4	5
2. MULTIPLE DX	5015	3.4	1	2	2	3	4	5	5	6
A. NOT OPERATED	44785	2.8	1	2	2	3	3	4	4	5
B. OPERATED	12303	3.1	1	2	2	3	3	4	4	5
TOTAL 0-19 YRS	6053	2.9	1	2	2	3	3	4	4	5
20-34	47318	2.9	1	2	2	3	3	4	4	5
35-49	3717	3.0	1	2	2	3	3	4	4	5
50-64										
65+										
GRAND TOTAL	**57088**	**2.9**	**1**	**2**	**2**	**3**	**3**	**4**	**4**	**5**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	4	2	2	3	5	6	6	6
20-34	27	4.1	11	2	3	3	4	5	11	19
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	4	4.0	1	3	3	4	5	5	5	5
20-34	153	8.1	73	3	4	6	7	14	26	56
35-49	20	6.3	7	3	4	6	7	10	13	14
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	21	3.7	9	2	2	3	4	5	10	16
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	14	4.7	4	2	2	5	6	7	8	8
20-34	371	9.2	108	3	4	6	8	18	30	62
35-49	97	9.7	72	3	4	6	11	22	28	43
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	4.0	10	2	2	3	4	6	10	19
B. *Operated*	177	7.8	64	3	4	6	7	13	24	52
2. MULTIPLE DX										
A. *Not Operated*	23	3.6	9	1	2	3	4	5	9	16
B. *Operated*	482	9.2	99	3	4	6	8	19	29	56
1. SINGLE DX	208	7.2	58	3	3	5	7	10	21	48
2. MULTIPLE DX	505	8.9	96	3	3	6	8	19	28	53
A. NOT OPERATED	54	3.8	9	2	2	3	4	5	9	19
B. OPERATED	659	8.8	90	3	4	6	8	17	28	55
TOTAL 0-19 YRS	21	4.4	3	2	2	4	6	7	8	8
20-34	572	8.5	93	3	3	6	7	16	28	59
35-49	120	8.9	62	3	4	6	9	21	26	40
50-64										
65+										
GRAND TOTAL	**713**	**8.4**	**85**	**3**	**3**	**6**	**7**	**16**	**27**	**51**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.5	3	<1	<1	2	3	4	6	8
20-34	183	2.5	1	1	1	3	3	3	4	6
35-49	17	3.2	3	1	1	3	4	6	7	8
50-64										
65+										
B. *Operated*										
0-19 YRS	18	4.2	3	2	2	4	6	6	7	7
20-34	159	4.7	4	2	3	5	6	7	7	10
35-49	13	3.8	3	2	2	3	5	6	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	3.3	3	<1	1	3	4	6	7	7
20-34	129	3.3	4	1	2	3	4	6	7	12
35-49	19	3.0	2	1	2	3	4	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	68	5.5	17	2	2	5	6	8	14	23
20-34	597	5.2	16	2	3	5	6	8	10	20
35-49	75	5.2	6	2	3	5	6	7	8	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	223	2.6	1	1	1	3	3	4	4	8
B. *Operated*	190	4.6	4	2	2	5	6	7	7	10
2. MULTIPLE DX										
A. *Not Operated*	168	3.3	4	1	2	3	4	5	7	12
B. *Operated*	740	5.2	15	2	2	5	6	8	10	20
1. SINGLE DX	413	3.5	4	1	1	3	5	6	7	9
2. MULTIPLE DX	908	4.9	13	2	2	4	6	7	10	18
A. NOT OPERATED	391	2.9	2	1	1	3	3	4	6	9
B. OPERATED	930	5.1	13	2	2	5	6	7	9	19
TOTAL 0-19 YRS	129	4.4	12	1	2	4	5	7	8	23
20-34	1068	4.5	11	1	2	4	5	7	8	17
35-49	124	4.4	5	2	2	4	5	7	8	15
50-64										
65+										
GRAND TOTAL	**1321**	**4.4**	**11**	**1**	**2**	**4**	**5**	**7**	**8**	**17**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	34	2.7	1	1	1	3	3	4	4	4
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	41	2.9	1	1	2	3	3	4	4	8
20-34	348	2.8	1	1	2	3	3	4	4	5
35-49	23	2.7	1	1	2	3	3	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	14	2.6	1	1	1	3	3	4	4	4
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	26	3.0	1	1	2	3	4	4	5	5
20-34	268	3.4	3	1	2	3	4	5	6	10
35-49	31	4.5	29	2	3	3	4	5	7	33
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	2.6	1	<1	1	3	3	4	4	4
B. *Operated*	412	2.8	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	17	2.6	1	1	1	3	3	4	4	4
B. *Operated*	325	3.4	5	1	2	3	4	5	6	10
1. SINGLE DX	450	2.8	1	1	2	3	3	4	4	5
2. MULTIPLE DX	342	3.4	5	1	2	3	4	5	6	10
A. NOT OPERATED	55	2.6	1	1	1	3	3	4	4	4
B. OPERATED	737	3.1	3	1	2	3	3	4	5	8
TOTAL 0-19 YRS	70	2.9	1	1	2	3	3	4	4	7
20-34	664	3.0	2	1	2	3	3	4	5	8
35-49	58	3.6	17	1	2	3	4	5	5	31
50-64										
65+										
GRAND TOTAL	**792**	**3.1**	**3**	**1**	**2**	**3**	**3**	**4**	**5**	**8**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	3.1	1	2	2	3	4	4	4	5
20-34	209	2.9	1	1	2	3	3	4	4	5
35-49	12	3.6	3	1	2	3	4	7	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	13	3.5	2	2	2	3	4	5	7	7
20-34	88	3.3	1	1	2	3	4	4	5	8
35-49	8	2.5	1	<1	1	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	3.1	2	1	2	3	4	5	6	7
20-34	106	3.2	1	2	2	3	4	5	5	7
35-49	7	3.3	3	1	1	3	4	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	15	3.7	2	2	2	4	4	5	7	8
20-34	142	3.8	8	2	2	3	4	5	7	15
35-49	15	4.1	5	1	2	4	5	5	10	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	250	3.0	1	1	2	3	3	4	4	6
B. *Operated*	109	3.2	1	1	2	3	4	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	135	3.2	1	1	2	3	4	5	5	7
B. *Operated*	172	3.8	7	2	2	3	4	5	7	13
1. SINGLE DX	359	3.0	1	1	2	3	3	4	5	7
2. MULTIPLE DX	307	3.6	5	2	2	3	4	5	6	11
A. NOT OPERATED	385	3.1	1	1	2	3	3	4	5	7
B. OPERATED	281	3.6	5	2	2	3	4	5	6	11
TOTAL 0-19 YRS	79	3.3	1	2	2	3	4	4	5	8
20-34	545	3.3	3	2	2	3	4	4	5	8
35-49	42	3.5	4	1	1	3	4	6	7	11
50-64										
65+										
GRAND TOTAL	**666**	**3.3**	**3**	**2**	**2**	**3**	**4**	**4**	**5**	**8**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.0	1	2	2	3	3	4	4	4
20-34	82	3.3	1	2	2	3	4	4	5	6
35-49	6	3.5		3	3	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	5	4.2	1	3	3	4	5	5	5	5
20-34	88	4.4	3	2	3	4	6	7	7	8
35-49	8	4.6	4	2	2	4	6	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.2	2	2	2	4	5	6	7	7
20-34	94	3.9	2	2	3	4	4	5	7	11
35-49	8	3.6	2	1	2	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	22	5.8	13	2	3	5	7	10	14	18
20-34	564	5.8	23	3	3	5	6	8	9	28
35-49	61	5.4	3	3	3	6	6	8	8	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	3.3	1	2	2	3	4	4	4	6
B. *Operated*	101	4.4	3	2	3	4	5	7	7	8
2. MULTIPLE DX										
A. *Not Operated*	113	3.9	2	2	3	4	4	5	7	10
B. *Operated*	647	5.8	21	3	3	5	6	8	9	28
1. SINGLE DX	194	3.9	2	2	3	4	5	6	7	8
2. MULTIPLE DX	760	5.5	19	2	3	5	6	8	9	26
A. NOT OPERATED	206	3.6	2	2	2	3	4	5	6	8
B. OPERATED	748	5.6	19	3	3	5	6	8	9	27
TOTAL 0-19 YRS	43	4.9	8	2	3	4	6	8	10	18
20-34	828	5.2	17	2	3	5	6	7	8	23
35-49	83	5.0	3	3	3	5	6	7	8	10
50-64										
65+										
GRAND TOTAL	**954**	**5.1**	**16**	**2**	**3**	**5**	**6**	**7**	**8**	**21**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.2	2	2	2	3	4	5	5	5
20-34	106	3.0	1	1	2	3	3	4	5	7
35-49	10	2.7		<1	1	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	139	4.8	2	3	3	5	5	6	7	9
20-34	1403	4.9	2	3	3	5	6	6	7	8
35-49	105	5.2	2	3	3	5	6	7	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.5	1	1	1	2	3	4	5	5
20-34	46	3.0	2	1	1	3	4	5	6	8
35-49	10	2.5	1	1	1	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	173	5.4	4	3	3	5	6	8	9	12
20-34	1846	5.3	5	3	3	5	6	7	8	12
35-49	275	5.7	7	3	3	5	6	8	10	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	3.0	1	1	2	3	3	4	5	7
B. *Operated*	1647	4.9	2	3	3	5	6	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	68	2.9	2	1	1	3	3	4	6	8
B. *Operated*	2294	5.4	5	3	3	5	6	7	8	12
1. SINGLE DX	1768	4.7	2	2	3	5	6	6	7	8
2. MULTIPLE DX	2362	5.3	5	3	3	5	6	7	8	12
A. NOT OPERATED	189	2.9	1	1	2	3	3	4	5	7
B. OPERATED	3941	5.2	4	3	3	5	6	7	8	11
TOTAL 0-19 YRS	329	5.0	3	2	3	5	6	7	8	11
20-34	3401	5.0	4	3	3	5	6	7	7	10
35-49	400	5.4	6	2	3	5	6	7	8	13
50-64										
65+										
GRAND TOTAL	**4130**	**5.1**	**4**	**3**	**3**	**5**	**6**	**7**	**7**	**11**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	3.1	1	2	2	3	3	4	5	5
20-34	299	2.9	1	1	2	3	3	4	4	5
35-49	19	3.0		2	2	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	74	4.4	3	2	3	4	5	6	8	9
20-34	702	4.3	2	2	3	4	5	6	7	8
35-49	60	4.9	3	3	3	5	6	7	8	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	2.8	1	2	2	3	3	4	5	5
20-34	206	3.1	1	1	2	3	4	4	5	7
35-49	19	3.1		2	3	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	261	4.7	4	2	3	5	6	7	7	11
20-34	2798	5.0	6	3	3	5	6	7	8	11
35-49	329	5.8	9	3	3	6	7	8	9	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	351	2.9	1	2	2	3	3	4	4	5
B. *Operated*	836	4.4	2	2	3	4	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	247	3.0	1	1	2	3	3	4	5	7
B. *Operated*	3388	5.1	6	3	3	5	6	7	8	12
1. SINGLE DX	1187	3.9	2	2	2	3	5	6	7	8
2. MULTIPLE DX	3635	4.9	6	2	3	5	6	7	8	12
A. NOT OPERATED	598	3.0	1	2	2	3	3	4	4	6
B. OPERATED	4224	4.9	6	2	3	5	6	7	7	11
TOTAL 0-19 YRS	390	4.4	4	2	3	4	5	6	7	10
20-34	4005	4.6	5	2	3	5	6	7	7	10
35-49	427	5.5	8	3	3	5	6	7	8	16
50-64										
65+										
GRAND TOTAL	**4822**	**4.7**	**6**	**2**	**3**	**5**	**6**	**7**	**7**	**11**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	41	3.2	1	2	2	3	4	5	6	6
35-49	5	3.0	1	2	2	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	228	5.5	2	4	4	5	6	7	8	10
20-34	1793	5.4	1	4	4	5	6	7	7	8
35-49	115	5.5	2	3	4	6	6	7	7	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	31	3.4	2	2	2	3	4	5	6	7
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	647	5.9	4	4	4	6	6	8	9	13
20-34	4667	5.7	3	4	4	5	6	7	8	12
35-49	383	5.8	1	4	5	6	7	7	8	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	3.2	1	2	2	3	4	4	6	6
B. *Operated*	2136	5.4	1	4	4	5	6	7	7	8
2. MULTIPLE DX										
A. *Not Operated*	34	3.3	2	2	2	3	4	5	6	7
B. *Operated*	5697	5.7	3	4	4	6	6	7	8	12
1. SINGLE DX	2184	5.4	1	4	4	5	6	7	7	8
2. MULTIPLE DX	5731	5.7	3	4	4	6	6	7	8	12
A. NOT OPERATED	82	3.2	1	2	2	3	4	5	6	7
B. OPERATED	7833	5.7	3	4	4	5	6	7	8	11
TOTAL 0-19 YRS	878	5.8	4	4	4	5	6	8	9	13
20-34	6532	5.6	3	4	4	5	6	7	8	11
35-49	505	5.7	2	4	4	6	6	7	8	9
50-64										
65+										
GRAND TOTAL	**7915**	**5.6**	**3**	**4**	**4**	**5**	**6**	**7**	**8**	**11**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	3.0	1	2	2	3	3	4	4	6
20-34	778	3.1	1	2	2	3	4	4	4	5
35-49	44	2.9	1	2	2	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	134	4.1	3	2	2	4	5	6	7	9
20-34	1264	4.3	3	2	3	4	5	6	7	8
35-49	85	4.0	2	2	2	4	5	6	6	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	3.3	1	2	2	3	4	4	5	7
20-34	509	3.2	1	1	2	3	4	4	5	7
35-49	40	2.9	1	1	2	3	4	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	305	4.6	4	2	2	4	6	7	8	11
20-34	2827	4.6	4	2	3	4	6	7	7	11
35-49	277	5.2	7	2	3	5	6	7	9	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	919	3.0	1	2	2	3	4	4	4	5
B. *Operated*	1483	4.3	3	2	3	4	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	628	3.2	1	2	2	3	4	4	5	7
B. *Operated*	3409	4.7	4	2	3	4	6	7	8	11
1. SINGLE DX	2402	3.8	2	2	2	3	5	6	6	8
2. MULTIPLE DX	4037	4.4	4	2	3	4	6	7	7	11
A. NOT OPERATED	1547	3.1	1	2	2	3	4	4	4	6
B. OPERATED	4892	4.5	4	2	3	4	6	7	7	11
TOTAL 0-19 YRS	615	4.1	3	2	2	4	5	6	7	10
20-34	5378	4.2	3	2	2	4	5	6	7	9
35-49	446	4.5	5	2	2	4	6	7	8	12
50-64										
65+										
GRAND TOTAL	**6439**	**4.2**	**3**	**2**	**2**	**4**	**5**	**6**	**7**	**10**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.0		2	2	3	3	4	4	4
20-34	124	3.2	2	1	2	3	4	4	5	8
35-49	16	3.1	1	1	1	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	34	5.3	2	3	3	5	6	7	8	9
20-34	354	4.6	2	2	3	5	6	7	7	8
35-49	41	4.6	4	2	2	4	6	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.1	1	1	1	3	4	5	5	5
20-34	80	3.8	15	2	2	3	4	4	5	29
35-49	17	3.2	1	1	2	3	4	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	66	5.6	5	3	3	5	7	9	9	13
20-34	846	5.4	26	2	3	5	6	7	8	20
35-49	136	5.8	12	2	3	5	6	9	11	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	152	3.1	1	1	2	3	4	4	5	7
B. *Operated*	429	4.6	2	2	3	5	6	7	7	8
2. MULTIPLE DX										
A. *Not Operated*	107	3.6	12	2	2	3	4	4	5	24
B. *Operated*	1048	5.4	23	2	3	5	6	7	9	15
1. SINGLE DX	581	4.3	3	2	2	4	5	6	7	8
2. MULTIPLE DX	1155	5.3	22	2	3	5	6	7	9	17
A. NOT OPERATED	259	3.3	6	1	2	3	4	4	5	10
B. OPERATED	1477	5.2	17	2	3	5	6	7	8	14
TOTAL 0-19 YRS	122	5.0	4	2	3	5	6	8	9	11
20-34	1404	4.9	18	2	3	5	6	7	7	14
35-49	210	5.1	10	2	3	5	6	8	9	14
50-64										
65+										
GRAND TOTAL	**1736**	**4.9**	**16**	**2**	**3**	**5**	**6**	**7**	**8**	**13**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	161	3.1	2	1	2	3	4	5	6	8
35-49	22	3.0	1	1	2	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	208	5.4	2	4	4	5	6	7	8	9
20-34	5887	5.5	1	4	4	5	6	7	7	8
35-49	535	5.9	3	4	4	6	7	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	78	3.3	2	1	2	3	4	5	6	9
35-49	8	3.3	3	1	1	3	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	173	5.6	3	4	4	5	6	7	8	10
20-34	7423	5.6	3	4	4	6	6	7	8	10
35-49	1155	6.0	3	4	4	6	7	7	8	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	185	3.1	2	1	2	3	4	5	6	8
B. *Operated*	6630	5.5	1	4	4	5	6	7	7	8
2. MULTIPLE DX										
A. *Not Operated*	86	3.3	2	1	2	3	4	5	6	8
B. *Operated*	8751	5.7	3	4	4	6	6	7	8	10
1. SINGLE DX	6815	5.4	2	3	4	5	6	7	7	8
2. MULTIPLE DX	8837	5.6	3	4	4	6	6	7	8	10
A. NOT OPERATED	271	3.1	2	1	2	3	4	5	6	8
B. OPERATED	15381	5.6	2	4	4	6	6	7	8	9
TOTAL 0-19 YRS	383	5.5	2	4	4	5	6	7	8	10
20-34	13549	5.5	2	3	4	5	6	7	7	9
35-49	1720	5.9	3	4	4	6	7	7	8	10
50-64										
65+										
GRAND TOTAL	**15652**	**5.5**	**2**	**3**	**4**	**6**	**6**	**7**	**8**	**9**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	196	3.3	1	2	2	3	4	4	5	7
20-34	1431	3.2	1	2	2	3	4	4	5	7
35-49	127	3.4	1	2	2	3	4	4	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	114	3.4	2	2	2	3	4	4	6	9
20-34	928	3.5	2	2	2	3	4	5	6	8
35-49	72	3.7	2	2	2	3	4	6	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	119	4.1	5	2	2	3	4	6	9	14
20-34	1113	3.7	8	2	2	3	4	5	7	13
35-49	104	3.6	4	2	2	3	4	5	7	13
50-64										
65+										
B. *Operated*										
0-19 YRS	350	4.8	7	2	3	4	6	7	10	19
20-34	3552	4.7	11	2	3	4	6	7	8	15
35-49	439	4.8	7	2	3	4	6	7	8	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1754	3.3	1	2	2	3	4	4	5	7
B. *Operated*	1114	3.5	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	1336	3.8	8	2	2	3	4	5	7	14
B. *Operated*	4341	4.7	10	2	3	4	6	7	8	15
1. SINGLE DX	2868	3.4	1	2	2	3	4	5	5	7
2. MULTIPLE DX	5677	4.5	10	2	2	4	5	7	8	15
A. NOT OPERATED	3090	3.5	4	2	2	3	4	5	5	9
B. OPERATED	5455	4.5	9	2	3	4	5	7	8	14
TOTAL 0-19 YRS	779	4.1	5	2	2	4	5	6	8	14
20-34	7024	4.1	8	2	2	4	5	6	7	12
35-49	742	4.3	5	2	2	4	5	7	8	14
50-64										
65+										
GRAND TOTAL	**8545**	**4.1**	**7**	**2**	**2**	**4**	**5**	**6**	**7**	**12**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	398	2.8	1	2	2	3	3	4	4	5
20-34	3844	2.8	1	2	2	3	3	4	4	5
35-49	302	2.9	1	2	2	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	142	3.0	1	2	2	3	3	4	4	5
20-34	1480	3.0	1	2	2	3	3	4	4	6
35-49	116	3.1	1	2	2	3	3	4	5	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	149	2.9	1	1	2	3	3	4	5	7
20-34	1136	2.9	1	1	2	3	3	4	4	6
35-49	87	3.0	1	1	2	3	4	4	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	207	3.2	2	2	2	3	4	5	5	9
20-34	2107	3.4	2	2	2	3	4	5	6	7
35-49	246	3.6	2	2	2	3	4	5	6	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4544	2.8	1	2	2	3	3	4	4	5
B. *Operated*	1738	3.0	1	2	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	1372	2.9	1	1	2	3	3	4	4	6
B. *Operated*	2560	3.4	2	2	2	3	4	5	6	7
1. SINGLE DX	6282	2.9	1	2	2	3	3	4	4	5
2. MULTIPLE DX	3932	3.2	2	2	2	3	4	5	5	7
A. NOT OPERATED	5916	2.9	1	2	2	3	3	4	4	5
B. OPERATED	4298	3.2	1	2	2	3	4	4	5	7
TOTAL 0-19 YRS	896	2.9	1	2	2	3	3	4	5	7
20-34	8567	3.0	1	2	2	3	3	4	4	6
35-49	751	3.2	1	2	2	3	4	4	5	7
50-64										
65+										
GRAND TOTAL	**10214**	**3.0**	**1**	**2**	**2**	**3**	**3**	**4**	**5**	**6**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	2.7	1	1	2	3	3	4	4	5
20-34	491	2.6	1	1	1	3	3	4	4	5
35-49	49	2.5	1	1	1	3	3	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	789	2.7	1	1	2	3	3	4	4	5
20-34	8024	2.7	1	1	2	3	3	4	4	5
35-49	794	2.7	1	1	2	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	2.8	1	2	2	3	3	4	5	6
20-34	256	2.8	1	1	2	3	3	4	4	5
35-49	22	2.8	1	1	1	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	367	3.1	3	1	2	3	3	4	5	8
20-34	4713	3.0	1	2	2	3	3	4	5	6
35-49	612	3.2	1	2	2	3	4	4	5	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	608	2.6	1	1	1	3	3	4	4	5
B. *Operated*	9607	2.7	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	311	2.8	1	1	2	3	3	4	4	6
B. *Operated*	5692	3.0	1	2	2	3	4	4	5	6
1. SINGLE DX	10215	2.7	1	1	2	3	3	4	4	5
2. MULTIPLE DX	6003	3.0	1	2	2	3	3	4	5	6
A. NOT OPERATED	919	2.6	1	1	1	3	3	4	4	5
B. OPERATED	15299	2.8	1	1	2	3	3	4	4	5
TOTAL 0-19 YRS	1257	2.8	1	1	2	3	3	4	4	5
20-34	13484	2.8	1	1	2	3	3	4	4	5
35-49	1477	2.9	1	1	2	3	3	4	4	6
50-64										
65+										
GRAND TOTAL	**16218**	**2.8**	**1**	**1**	**2**	**3**	**3**	**4**	**4**	**5**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	2.8	1	2	2	3	3	4	5	5
20-34	249	2.6	1	1	1	3	3	4	4	5
35-49	9	2.8		2	2	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	527	2.9	1	2	2	3	3	4	4	6
20-34	3179	3.0	1	2	2	3	3	4	4	5
35-49	140	3.0		2	2	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	2.6	1	1	1	3	3	4	5	5
20-34	61	3.2	2	1	2	3	4	5	6	8
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	365	3.2	1	2	2	3	4	4	5	6
20-34	2277	3.3	1	2	2	3	4	4	5	7
35-49	165	3.3	1	2	2	3	4	4	5	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	288	2.6	1	1	2	3	3	4	4	5
B. *Operated*	3846	3.0	1	2	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	87	3.1	2	1	2	3	4	4	5	8
B. *Operated*	2807	3.3	1	2	2	3	4	4	5	7
1. SINGLE DX	4134	3.0	1	2	2	3	3	4	4	5
2. MULTIPLE DX	2894	3.3	1	2	2	3	4	4	5	7
A. NOT OPERATED	375	2.7	1	1	2	3	3	4	4	6
B. OPERATED	6653	3.1	1	2	2	3	4	4	5	6
TOTAL 0-19 YRS	947	3.0	1	2	2	3	3	4	5	6
20-34	5766	3.1	1	2	2	3	4	4	5	6
35-49	315	3.2	1	2	2	3	4	4	5	6
50-64										
65+										
GRAND TOTAL	**7028**	**3.1**	**1**	**2**	**2**	**3**	**4**	**4**	**5**	**6**

286: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	2.7	2	1	1	3	3	4	6	7
20-34	200	2.8	1	1	2	3	3	4	4	7
35-49	12	3.3	2	2	2	3	4	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	211	2.8	1	2	2	3	3	4	4	5
20-34	1102	2.8	1	1	2	3	3	4	4	5
35-49	64	2.9	1	1	2	3	3	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	2.9	1	1	2	3	3	5	5	6
20-34	101	2.6	1	1	2	2	3	4	4	8
35-49	4	3.0	3	1	1	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	108	3.0	1	2	2	3	3	4	4	6
20-34	937	3.2	2	2	2	3	4	4	5	7
35-49	70	4.0	9	2	2	3	4	6	9	22
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	244	2.8	1	1	2	3	3	4	4	7
B. *Operated*	1377	2.8	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	130	2.7	1	1	2	3	3	4	5	7
B. *Operated*	1115	3.3	2	2	2	3	4	4	5	8
1. SINGLE DX	1621	2.8	1	1	2	3	3	4	4	6
2. MULTIPLE DX	1245	3.2	2	2	2	3	4	4	5	8
A. NOT OPERATED	374	2.7	1	1	2	3	3	4	5	7
B. OPERATED	2492	3.0	1	2	2	3	3	4	5	6
TOTAL 0-19 YRS	376	2.8	1	1	2	3	3	4	4	6
20-34	2340	3.0	1	1	2	3	3	4	5	6
35-49	150	3.4	5	2	2	3	4	5	6	12
50-64										
65+										
GRAND TOTAL	**2866**	**3.0**	**1**	**1**	**2**	**3**	**3**	**4**	**5**	**7**

287: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	804	3.1	3	1	2	3	3	4	5	9
20-34	5236	2.9	2	1	2	3	3	4	5	7
35-49	498	3.2	3	1	2	3	3	4	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	1018	3.7	5	2	2	3	4	6	7	11
20-34	7221	3.6	3	2	2	3	4	6	6	9
35-49	549	3.8	4	2	2	3	4	6	7	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	563	3.4	8	1	2	3	4	5	6	11
20-34	3433	3.2	5	1	2	3	4	5	6	10
35-49	349	3.4	4	1	2	3	4	5	7	12
50-64										
65+										
B. *Operated*										
0-19 YRS	1915	4.7	10	2	2	4	6	8	9	17
20-34	14376	4.6	10	2	2	4	5	7	9	16
35-49	1764	5.1	15	2	2	4	6	8	10	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6538	3.0	2	1	2	3	3	4	5	7
B. *Operated*	8788	3.6	3	2	2	3	4	6	6	10
2. MULTIPLE DX										
A. *Not Operated*	4345	3.3	5	1	2	3	4	5	6	11
B. *Operated*	18055	4.6	11	2	2	4	6	7	9	17
1. SINGLE DX	15326	3.3	3	2	2	3	4	5	6	9
2. MULTIPLE DX	22400	4.4	10	2	2	4	5	7	8	16
A. NOT OPERATED	10883	3.1	3	1	2	3	3	4	5	9
B. OPERATED	26843	4.3	9	2	2	4	5	7	8	15
TOTAL 0-19 YRS	4300	4.0	8	2	2	3	5	6	8	14
20-34	30266	3.9	7	2	2	3	5	6	7	13
35-49	3160	4.4	11	2	2	4	5	7	9	17
50-64										
65+										
GRAND TOTAL	**37726**	**4.0**	**7**	**2**	**2**	**3**	**5**	**6**	**7**	**14**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	3.1	2	1	1	3	4	5	6	6
20-34	138	3.8	4	1	2	3	5	6	7	9
35-49	5	4.6	3	3	3	5	6	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	11	5.8	18	<1	1	5	9	12	14	14
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	4.0	7	1	2	3	5	7	10	14
20-34	53	5.4	78	1	2	4	5	7	11	64
35-49	9	4.3	2	3	3	4	5	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	2	5.0		5	5	5	5	5	5	5
20-34	19	8.1	68	1	1	5	11	23	28	29
35-49	3	5.0	7	2	2	6	7	7	7	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	172	3.7	3	1	2	3	5	6	7	8
B. *Operated*	12	5.6	17	<1	1	4	8	12	14	14
2. MULTIPLE DX										
A. *Not Operated*	83	4.9	52	1	2	3	5	7	10	49
B. *Operated*	24	7.4	55	1	1	5	7	19	27	29
1. SINGLE DX	184	3.8	4	1	2	3	5	6	8	11
2. MULTIPLE DX	107	5.5	53	1	2	4	5	7	14	45
A. NOT OPERATED	255	4.1	19	1	2	3	5	6	7	13
B. OPERATED	36	6.8	43	1	1	5	8	14	24	29
TOTAL 0-19 YRS	53	3.5	4	1	2	3	4	6	6	14
20-34	221	4.6	29	1	2	4	5	7	10	27
35-49	17	4.5	3	2	3	5	6	7	7	7
50-64										
65+										
GRAND TOTAL	**291**	**4.4**	**23**	**1**	**2**	**4**	**5**	**7**	**8**	**23**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.2		<1	<1	1	1	2	2	2
20-34	56	1.8	1	<1	<1	2	2	3	4	5
35-49	8	1.5	1	<1	<1	1	2	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	24	1.4	1	<1	<1	1	2	2	3	4
20-34	224	1.4	1	<1	<1	1	2	2	3	6
35-49	15	1.5	1	<1	<1	1	2	3	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	42	2.2	5	<1	1	2	2	4	5	14
35-49	4	2.0	1	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	16	3.6	17	1	1	2	5	7	14	17
20-34	140	2.5	5	<1	<1	2	3	5	7	12
35-49	16	4.0	15	1	1	3	5	9	13	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	1.7	1	<1	<1	1	2	3	4	5
B. *Operated*	263	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	48	2.2	4	1	1	2	2	4	4	14
B. *Operated*	172	2.7	7	<1	1	2	3	6	8	16
1. SINGLE DX	336	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX	220	2.6	7	<1	1	2	3	5	7	15
A. NOT OPERATED	121	1.9	2	<1	<1	2	2	3	4	8
B. OPERATED	435	1.9	4	<1	<1	1	2	3	5	11
TOTAL 0-19 YRS	51	2.1	6	<1	<1	1	2	4	6	17
20-34	462	1.9	3	<1	<1	1	2	3	4	10
35-49	43	2.5	7	<1	<1	1	3	5	8	15
50-64										
65+										
GRAND TOTAL	**556**	**1.9**	**4**	**<1**	**<1**	**1**	**2**	**3**	**5**	**11**

290: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.8	2	1	1	3	3	5	5	5
20-34	83	4.3	11	1	1	3	6	9	11	16
35-49	6	3.8	10	1	1	3	4	9	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	37	2.7	3	1	1	2	3	4	5	11
20-34	174	2.8	4	<1	1	3	3	4	7	12
35-49	22	3.4	3	1	1	3	4	6	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	3.9	5	<1	1	4	5	7	7	7
20-34	57	5.1	15	1	2	4	7	11	14	15
35-49	6	4.8	11	1	1	5	8	9	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	15	3.3	4	1	2	3	3	4	8	10
20-34	111	4.0	35	1	1	3	4	7	11	33
35-49	14	5.9	33	1	1	3	7	17	19	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	4.1	10	1	1	3	5	9	11	15
B. *Operated*	233	2.9	4	1	1	3	3	4	7	11
2. MULTIPLE DX										
A. *Not Operated*	72	4.9	13	1	1	4	7	10	14	15
B. *Operated*	140	4.1	31	1	1	3	4	8	11	23
1. SINGLE DX	336	3.2	6	1	1	3	3	6	9	13
2. MULTIPLE DX	212	4.4	25	1	1	3	5	9	12	18
A. NOT OPERATED	175	4.4	11	1	1	3	6	10	11	15
B. OPERATED	373	3.3	14	1	1	3	3	6	8	16
TOTAL 0-19 YRS	75	3.0	3	1	1	3	3	5	7	11
20-34	425	3.7	15	1	1	3	4	8	10	15
35-49	48	4.4	14	1	1	3	5	9	12	19
50-64										
65+										
GRAND TOTAL	**548**	**3.7**	**14**	**1**	**1**	**3**	**4**	**7**	**10**	**15**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	675	3.9	5	1	2	3	5	7	8	12
20-34	629	4.3	7	1	2	4	5	7	9	14
35-49	495	4.8	8	2	2	4	6	9	10	15
50-64	377	5.5	11	2	2	5	7	10	12	16
65+	300	6.6	17	2	3	6	8	11	14	22
B. *Operated*										
0-19 YRS	253	4.4	11	1	1	4	6	9	10	17
20-34	373	5.4	34	1	1	4	7	10	12	19
35-49	252	5.4	20	1	1	4	7	11	15	27
50-64	143	5.7	20	1	1	5	8	11	15	22
65+	100	7.9	43	1	2	6	9	14	24	35
2. MULTIFLE DX										
A. *Not Operated*										
0-19 YRS	721	4.7	11	2	2	4	6	8	10	16
20-34	946	5.6	15	2	2	5	7	10	13	21
35-49	1189	6.7	23	2	3	5	8	12	15	26
50-64	1769	7.9	35	3	3	7	10	14	18	32
65+	3371	10.2	71	3	4	8	12	18	24	60
B. *Operated*										
0-19 YRS	291	6.4	46	1	2	5	7	13	17	40
20-34	646	8.5	72	2	2	6	10	17	26	43
35-49	691	11.0	121	2	3	8	13	22	32	70
50-64	872	14.0	165	3	4	10	17	30	41	73
65+	1377	16.6	193	4	5	13	21	36	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2476	4.8	9	2	2	4	6	8	10	15
B. *Operated*	1121	5.5	25	1	1	4	7	10	13	25
2. MULTIPLE DX										
A. *Not Operated*	7996	8.2	48	2	3	7	10	15	19	37
B. *Operated*	3877	12.9	155	2	3	9	16	28	40	81
1. SINGLE DX	3597	5.0	14	1	2	4	6	9	11	18
2. MULTIPLE DX	11873	9.7	88	2	3	7	11	19	27	58
A. NOT OPERATED	10472	7.4	41	2	3	6	9	13	17	33
B. OPERATED	4998	11.2	135	2	2	8	14	24	36	73
TOTAL 0-19 YRS	1940	4.7	15	1	2	4	6	8	11	17
20-34	2594	6.0	32	2	2	5	7	11	14	29
35-49	2627	7.4	51	2	2	6	9	13	19	38
50-64	3161	9.2	76	2	3	7	11	17	23	48
65+	5148	11.7	110	3	4	9	14	22	32	73
GRAND TOTAL	**15470**	**8.6**	**75**	**2**	**3**	**6**	**10**	**17**	**23**	**52**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	272	4.3	5	1	2	4	5	7	8	11
20-34	130	3.7	5	1	2	3	4	6	7	14
35-49	60	4.8	14	1	2	4	6	10	11	20
50-64	35	5.3	7	2	2	5	7	10	11	12
65+	25	7.8	40	2	2	7	8	18	25	27
B. *Operated*										
0-19 YRS	148	3.9	11	<1	<1	3	5	9	11	15
20-34	130	3.7	9	<1	<1	3	5	7	11	15
35-49	105	4.9	28	<1	<1	3	6	11	15	27
50-64	48	3.6	12	<1	<1	3	5	8	11	16
65+	31	5.0	15	1	1	4	7	10	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	302	4.6	7	1	2	4	6	8	10	13
20-34	176	5.3	19	1	2	4	6	10	13	26
35-49	150	7.1	37	2	2	5	8	14	20	32
50-64	213	7.6	55	2	3	6	10	14	19	28
65+	306	9.7	65	3	3	8	11	18	24	42
B. *Operated*										
0-19 YRS	125	5.2	15	1	1	4	7	10	14	19
20-34	135	6.9	47	1	2	5	8	17	23	34
35-49	164	8.9	81	1	2	7	10	19	25	50
50-64	241	10.2	98	1	2	7	13	21	33	51
65+	266	12.5	125	2	3	9	16	28	37	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	522	4.4	8	2	2	4	5	8	9	16
B. *Operated*	462	4.1	15	<1	<1	3	5	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	1147	7.0	41	2	2	5	9	13	17	30
B. *Operated*	931	9.5	90	1	2	7	12	21	29	53
1. SINGLE DX	984	4.3	11	<1	1	3	5	8	11	17
2. MULTIPLE DX	2078	8.1	64	2	2	6	10	16	23	43
A. NOT OPERATED	1669	6.2	32	2	2	5	7	11	15	28
B. OPERATED	1393	7.7	72	<1	1	5	10	17	23	47
TOTAL 0-19 YRS	847	4.4	8	1	1	4	6	8	10	14
20-34	571	4.9	22	1	1	4	6	9	13	26
35-49	479	6.9	50	1	1	5	9	14	21	34
50-64	537	8.3	71	1	2	6	10	16	23	41
65+	628	10.6	90	2	3	8	13	21	29	61
GRAND TOTAL	**3062**	**6.9**	**51**	**1**	**2**	**5**	**8**	**14**	**20**	**37**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	4.1	5	1	1	5	6	63	99+	99+
20-34	10	2.2	1	<1	<1	2	3	4	4	4
35-49										
50-64										
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS	932	2.9	3	1	1	3	4	5	6	9
20-34	1732	2.9	3	1	1	3	4	5	5	8
35-49	239	3.1	3	1	1	3	4	5	7	9
50-64	46	4.3	75	<1	1	3	4	5	7	60
65+	10	3.1	6	<1	<1	2	4	7	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	2.0	3	<1	1	1	2	5	6	6
20-34	19	1.6	2	<1	<1	<1	1	5	5	5
35-49	3	3.3	10	1	1	2	6	7	7	7
50-64										
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	98	3.7	5	1	2	3	5	6	8	12
20-34	266	4.3	33	1	1	3	5	7	9	23
35-49	83	4.2	9	1	2	3	5	8	11	15
50-64	34	4.4	17	1	1	3	5	8	12	23
65+	14	13.1	496	2	3	7	10	23	74	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	3.4	5	<1	1	3	5	8	54	99+
B. *Operated*	2959	2.9	4	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	38	1.9	3	<1	<1	1	2	5	6	7
B. *Operated*	495	4.4	36	1	1	3	5	7	10	22
1. SINGLE DX	2978	2.9	4	1	1	3	4	5	6	9
2. MULTIPLE DX	533	4.2	34	1	1	3	5	7	10	21
A. NOT OPERATED	57	2.4	4	<1	<1	2	3	6	7	93
B. OPERATED	3454	3.1	9	1	1	3	4	5	6	10
TOTAL 0-19 YRS	1052	3.0	3	1	1	3	4	5	6	10
20-34	2027	3.1	7	1	1	3	4	5	6	9
35-49	325	3.4	5	1	1	3	4	6	7	13
50-64	80	4.3	50	<1	1	3	5	6	11	49
65+	27	8.5	276	1	1	4	8	15	27	89
GRAND TOTAL	**3511**	**3.1**	**9**	**1**	**1**	**3**	**4**	**5**	**6**	**10**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	2.0		2	2	2	2	2	2	2
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	119	1.4	1	<1	<1	<1	1	2	3	6
20-34	251	1.3	1	<1	<1	<1	1	2	3	4
35-49	196	1.4	1	<1	<1	<1	1	2	4	6
50-64	140	1.4	2	<1	<1	<1	1	2	3	8
65+	70	1.3	1	<1	<1	<1	1	2	3	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.3	19	<1	<1	1	4	11	12	12
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	3	3.0	7	<1	<1	2	5	6	6	6
50-64	2	1.0		1	1	1	1	1	1	1
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	23	3.7	61	<1	<1	1	3	6	20	38
20-34	58	1.8	1	<1	<1	1	2	3	4	7
35-49	64	2.7	9	<1	<1	2	3	8	10	14
50-64	82	2.8	11	<1	<1	2	3	7	10	18
65+	67	5.1	102	<1	<1	2	5	9	13	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.0	1	1	1	2	3	3	3	3
B. *Operated*	776	1.4	1	<1	<1	<1	1	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	14	3.0	10	<1	<1	2	4	7	11	12
B. *Operated*	294	3.2	34	<1	<1	2	3	7	9	31
1. SINGLE DX	780	1.4	1	<1	<1	<1	1	2	3	6
2. MULTIPLE DX	308	3.2	33	<1	<1	2	3	7	9	28
A. NOT OPERATED	18	2.8	8	<1	<1	2	4	6	10	12
B. OPERATED	1070	1.9	11	<1	<1	<1	2	3	5	12
TOTAL 0-19 YRS	148	1.8	11	<1	<1	<1	2	3	5	12
20-34	311	1.4	1	<1	<1	<1	1	2	3	6
35-49	264	1.8	3	<1	<1	<1	2	3	4	12
50-64	226	1.9	5	<1	<1	<1	2	4	6	12
65+	139	3.1	53	<1	<1	1	3	6	9	57
GRAND TOTAL	**1088**	**1.9**	**11**	**<1**	**<1**	**<1**	**2**	**3**	**5**	**12**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	238	4.0	16	1	1	3	5	8	14	21
20-34	186	6.3	34	1	1	4	8	15	19	26
35-49	137	5.7	38	1	1	3	7	14	18	29
50-64	131	6.7	58	2	2	4	7	15	27	36
65+	82	7.7	33	1	2	6	10	16	20	25
B. *Operated*										
0-19 YRS	371	2.1	9	<1	<1	1	2	3	6	20
20-34	523	3.5	31	<1	<1	2	3	7	13	32
35-49	409	3.5	21	<1	<1	2	4	7	11	26
50-64	361	3.1	21	<1	<1	2	3	6	9	27
65+	260	7.0	97	<1	<1	3	9	17	26	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	375	5.9	58	1	1	4	7	12	20	42
20-34	273	7.4	68	1	1	5	10	14	20	61
35-49	361	8.2	74	1	2	6	10	16	22	53
50-64	597	10.1	112	2	3	7	13	20	28	62
65+	1435	12.5	153	2	3	9	15	25	39	97
B. *Operated*										
0-19 YRS	298	6.9	111	<1	1	3	8	19	24	51
20-34	643	11.4	260	<1	1	4	15	34	49	99+
35-49	684	11.8	247	1	1	5	15	33	50	98
50-64	966	13.0	249	1	1	8	18	34	49	99+
65+	1857	19.1	328	2	3	14	27	54	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	774	5.7	35	1	1	4	6	14	19	28
B. *Operated*	1924	3.6	34	<1	<1	2	3	8	14	29
2. MULTIPLE DX										
A. *Not Operated*	3041	10.2	122	1	2	7	13	20	31	76
B. *Operated*	4448	14.7	289	1	1	9	21	40	65	99+
1. SINGLE DX	2698	4.2	35	<1	<1	2	4	10	16	29
2. MULTIPLE DX	7489	12.9	226	1	2	8	17	33	52	99+
A. NOT OPERATED	3815	9.3	108	1	2	6	12	19	27	67
B. OPERATED	6372	11.4	238	<1	1	5	16	32	50	99+
TOTAL 0-19 YRS	1282	4.7	52	<1	<1	2	5	10	18	41
20-34	1625	7.6	140	<1	<1	3	9	20	32	73
35-49	1591	8.3	143	<1	1	4	9	21	33	79
50-64	2055	10.0	170	1	1	5	13	25	37	89
65+	3634	15.4	252	1	2	11	20	39	64	99+
GRAND TOTAL	**10187**	**10.6**	**190**	**<1**	**1**	**6**	**14**	**27**	**42**	**99+**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	5.1	14	<1	<1	4	6	12	13	13
20-34	31	4.7	8	2	2	4	6	9	11	14
35-49	27	6.0	17	1	2	5	9	10	15	19
50-64	16	5.9	7	2	3	5	8	10	10	10
65+	8	5.8	12	3	3	4	7	11	13	13
B. *Operated*										
0-19 YRS	12	6.5	40	<1	1	3	10	16	20	21
20-34	15	5.3	15	<1	1	4	8	10	13	14
35-49	14	4.9	22	1	1	4	7	12	16	17
50-64	9	6.7	37	<1	<1	4	13	15	16	16
65+	7	9.1	17	2	3	9	12	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	6.8	43	1	1	5	8	16	22	30
20-34	123	7.5	56	2	3	5	9	14	20	39
35-49	127	9.8	87	2	3	7	11	17	36	49
50-64	121	9.1	100	2	3	7	11	15	19	54
65+	137	12.0	145	2	4	9	14	22	34	69
B. *Operated*										
0-19 YRS	18	12.7	258	<1	1	9	14	27	53	69
20-34	72	13.2	226	2	3	9	17	26	65	94
35-49	61	13.5	159	2	3	10	20	38	53	99+
50-64	74	15.7	220	2	3	11	19	36	57	64
65+	112	17.5	188	3	6	14	22	36	49	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	5.4	12	1	2	5	7	10	13	17
B. *Operated*	57	6.2	25	<1	1	5	9	14	16	21
2. MULTIPLE DX										
A. *Not Operated*	558	9.4	96	2	3	7	11	17	24	51
B. *Operated*	337	15.2	203	2	3	11	19	35	56	99+
1. SINGLE DX	153	5.7	17	1	1	5	8	11	14	19
2. MULTIPLE DX	895	11.6	144	2	3	8	14	23	36	69
A. NOT OPERATED	654	8.8	85	2	2	7	11	16	22	48
B. OPERATED	394	13.9	187	2	2	10	18	30	48	94
TOTAL 0-19 YRS	94	7.6	83	<1	1	5	10	17	23	52
20-34	241	8.7	107	2	2	6	10	17	24	69
35-49	229	10.0	100	2	2	7	12	23	37	68
50-64	220	11.0	142	2	3	8	14	20	31	64
65+	264	14.0	165	3	4	10	17	29	38	85
GRAND TOTAL	**1048**	**10.7**	**129**	**2**	**2**	**8**	**13**	**22**	**34**	**68**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	5.1	19	1	1	4	6	11	13	25
20-34	42	5.6	16	1	1	5	8	12	14	15
35-49	32	5.8	14	2	2	5	7	12	13	16
50-64	59	5.2	14	1	2	4	7	10	13	20
65+	44	4.6	7	1	1	4	7	8	9	10
B. *Operated*										
0-19 YRS	11	3.3	13	<1	<1	2	3	9	13	13
20-34	33	8.1	54	1	2	6	10	19	21	36
35-49	83	6.0	24	1	2	4	8	14	16	23
50-64	179	7.6	43	2	2	6	11	15	16	22
65+	120	10.7	75	1	2	11	16	19	25	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	8.6	66	2	2	7	10	19	23	43
20-34	42	7.5	52	1	2	5	8	17	25	32
35-49	77	7.1	37	1	2	5	8	14	22	29
50-64	214	9.6	127	2	3	6	10	20	27	76
65+	455	10.8	97	2	3	8	13	22	30	98
B. *Operated*										
0-19 YRS	4	8.0	65	3	3	4	12	20	20	20
20-34	48	10.2	217	2	2	5	10	27	42	69
35-49	122	8.0	71	1	2	5	10	19	24	45
50-64	381	10.5	83	2	2	8	15	22	28	52
65+	483	14.3	166	2	3	12	17	30	45	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	258	5.2	15	1	1	4	7	11	13	17
B. *Operated*	426	8.1	52	1	2	6	12	16	18	34
2. MULTIPLE DX										
A. *Not Operated*	843	9.8	96	2	3	7	12	21	28	74
B. *Operated*	1038	11.9	131	2	2	10	16	24	34	99+
1. SINGLE DX	684	7.0	40	1	2	5	10	15	17	27
2. MULTIPLE DX	1881	11.0	117	2	3	8	14	23	32	87
A. NOT OPERATED	1101	8.8	81	2	2	6	10	18	25	64
B. OPERATED	1464	10.8	111	2	2	9	15	21	31	85
TOTAL 0-19 YRS	151	6.4	40	1	1	4	8	13	19	32
20-34	165	7.9	93	1	2	5	8	15	24	64
35-49	314	7.0	45	1	2	5	9	14	21	35
50-64	833	9.3	83	2	2	7	12	19	24	57
65+	1102	12.1	126	2	3	10	15	24	34	99+
GRAND TOTAL	**2565**	**9.9**	**99**	**2**	**2**	**7**	**13**	**20**	**28**	**73**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34										
35-49	11	3.9	6	<1	1	4	5	7	9	9
50-64	23	4.6	14	1	1	3	7	10	13	14
65+	77	6.1	30	1	1	5	8	13	16	31
B. *Operated*										
0-19 YRS	11	5.2	49	<1	<1	2	4	18	22	22
20-34	131	3.6	18	<1	1	2	4	7	11	29
35-49	324	4.6	20	<1	1	3	7	10	12	21
50-64	992	9.0	40	1	2	9	13	16	18	29
65+	1298	12.8	36	2	5	13	16	19	22	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	14	3.5	13	<1	<1	2	5	8	13	14
35-49	31	5.2	22	<1	<1	3	8	13	16	17
50-64	171	5.1	33	<1	1	4	6	10	15	37
65+	850	8.6	95	1	1	6	11	18	26	97
B. *Operated*										
0-19 YRS	11	11.8	145	<1	1	12	14	30	42	43
20-34	107	4.9	30	1	1	3	6	11	16	30
35-49	324	6.9	40	<1	1	5	10	16	18	34
50-64	1608	10.9	65	1	2	11	15	19	23	38
65+	3674	15.6	84	3	7	15	18	24	32	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	5.5	24	1	1	4	8	11	15	24
B. *Operated*	2756	10.0	44	1	2	10	14	17	20	30
2. MULTIPLE DX										
A. *Not Operated*	1067	7.9	84	1	1	5	10	17	23	72
B. *Operated*	5724	13.6	84	2	3	13	17	23	29	52
1. SINGLE DX	2869	9.8	44	1	2	10	14	17	20	30
2. MULTIPLE DX	6791	12.7	88	1	2	12	16	22	28	53
A. NOT OPERATED	1180	7.7	79	1	1	5	10	17	22	69
B. OPERATED	8480	12.4	73	1	2	12	16	21	26	45
TOTAL 0-19 YRS	25	8.4	99	<1	1	3	13	21	27	43
20-34	252	4.1	23	<1	1	2	5	9	13	29
35-49	690	5.7	31	<1	1	4	8	13	17	27
50-64	2794	9.8	56	1	2	10	14	17	22	34
65+	5899	13.8	81	2	4	13	17	23	29	53
GRAND TOTAL	**9660**	**11.8**	**76**	**1**	**2**	**11**	**16**	**20**	**26**	**46**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	9.8	64	1	2	8	14	21	24	38
20-34	48	5.5	12	2	2	4	8	11	12	13
35-49	39	6.7	37	1	2	4	8	17	21	26
50-64	24	5.0	14	1	1	4	7	9	13	16
65+	25	6.2	53	1	2	4	7	14	27	31
B. *Operated*										
0-19 YRS	55	11.6	87	1	2	9	17	24	29	41
20-34	136	5.9	40	<1	1	3	7	13	19	30
35-49	131	5.0	29	<1	1	3	6	11	13	26
50-64	147	6.2	35	1	2	4	8	13	17	31
65+	72	10.8	93	<1	1	11	15	18	21	62
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	91	9.8	61	2	3	8	14	20	24	40
20-34	85	6.6	16	2	3	5	9	13	15	19
35-49	81	6.8	54	<1	1	4	9	14	16	43
50-64	111	9.2	72	1	2	7	12	23	29	37
65+	266	10.7	174	1	2	7	12	23	33	93
B. *Operated*										
0-19 YRS	68	16.1	131	<1	3	15	23	31	37	51
20-34	135	8.6	108	1	1	4	12	22	33	46
35-49	157	10.3	163	1	2	6	11	25	37	75
50-64	190	13.5	205	1	2	8	20	35	45	94
65+	268	19.1	257	2	3	14	28	44	57	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	226	7.4	45	1	2	5	10	17	22	29
B. *Operated*	541	7.0	53	<1	1	4	10	15	21	31
2. MULTIPLE DX										
A. *Not Operated*	634	9.2	105	1	2	6	11	20	27	73
B. *Operated*	818	14.1	208	1	2	10	20	35	45	76
1. SINGLE DX	767	7.1	50	1	1	4	10	16	22	31
2. MULTIPLE DX	1452	12.0	169	1	2	8	15	29	39	75
A. NOT OPERATED	860	8.8	90	1	2	6	11	19	25	48
B. OPERATED	1359	11.3	158	1	2	7	15	28	38	69
TOTAL 0-19 YRS	304	11.5	88	1	2	9	16	24	28	46
20-34	404	6.9	56	1	1	4	9	15	22	37
35-49	408	7.5	91	1	1	4	9	16	25	43
50-64	472	9.8	121	1	2	6	12	26	34	56
65+	631	14.1	214	1	2	10	18	33	48	93
GRAND TOTAL	**2219**	**10.3**	**133**	**1**	**2**	**6**	**13**	**24**	**33**	**65**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.5	1	<1	<1	1	2	3	3	3
20-34	12	1.8	1	<1	<1	1	3	3	3	3
35-49	7	4.1	10	1	1	2	7	9	9	9
50-64	5	2.4	3	<1	<1	2	3	5	5	5
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	545	2.2	2	<1	<1	2	3	5	6	7
20-34	1140	2.4	3	<1	<1	2	3	5	6	9
35-49	586	2.4	4	<1	<1	2	3	5	6	8
50-64	256	2.3	2	<1	<1	2	3	4	5	8
65+	54	2.6	4	<1	<1	2	3	5	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	2.3	5	<1	<1	1	3	6	7	8
20-34	36	1.4	1	<1	<1	1	2	3	4	4
35-49	30	2.7	20	<1	<1	1	3	5	6	25
50-64	36	2.5	4	<1	<1	1	3	5	7	9
65+	15	7.3	71	<1	2	5	9	10	29	36
B. *Operated*										
0-19 YRS	372	2.7	3	<1	1	2	4	5	7	7
20-34	1047	2.7	5	<1	<1	2	3	5	7	12
35-49	765	2.4	3	<1	<1	2	3	4	6	10
50-64	633	2.7	7	<1	1	2	3	5	7	13
65+	250	3.4	9	<1	1	2	4	7	9	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	2.3	4	<1	<1	2	3	5	8	9
B. *Operated*	2581	2.4	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	132	2.8	17	<1	<1	1	3	6	8	27
B. *Operated*	3067	2.7	5	<1	1	2	3	5	7	12
1. SINGLE DX	2614	2.4	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX	3199	2.7	6	<1	<1	2	3	5	7	12
A. NOT OPERATED	165	2.7	14	<1	<1	1	3	5	8	23
B. OPERATED	5648	2.5	4	<1	<1	2	3	5	6	10
TOTAL 0-19 YRS	940	2.4	3	<1	<1	2	3	5	6	7
20-34	2235	2.5	4	<1	<1	2	3	5	6	10
35-49	1388	2.4	4	<1	<1	2	3	4	6	10
50-64	930	2.6	5	<1	<1	2	3	4	6	11
65+	320	3.5	12	<1	1	2	4	8	9	18
GRAND TOTAL	**5813**	**2.5**	**4**	**<1**	**<1**	**2**	**3**	**5**	**6**	**10**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	92	2.9	9	1	1	2	3	5	7	20
20-34	49	3.7	18	<1	<1	2	5	8	11	25
35-49	29	4.0	6	1	1	4	5	8	9	9
50-64	22	4.0	10	<1	<1	3	6	9	10	11
65+	30	4.7	9	1	1	4	7	9	10	12
B. Operated										
0-19 YRS	742	3.0	4	<1	1	3	4	5	6	9
20-34	1230	3.1	4	<1	1	3	4	5	6	10
35-49	374	2.9	5	<1	<1	2	4	5	6	10
50-64	163	3.7	14	<1	1	3	5	7	12	21
65+	74	5.1	34	<1	1	3	6	11	15	35
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	84	5.1	29	1	1	3	6	12	17	29
20-34	91	3.9	16	<1	<1	2	6	9	13	20
35-49	82	4.7	23	<1	1	3	6	10	14	23
50-64	116	5.0	18	1	1	4	7	9	11	26
65+	275	8.6	127	1	2	5	10	18	24	81
B. Operated										
0-19 YRS	459	4.9	32	<1	1	3	5	10	17	30
20-34	657	3.9	18	<1	1	3	5	7	9	23
35-49	327	4.2	23	<1	1	3	5	9	13	24
50-64	289	5.5	31	1	1	3	7	13	16	29
65+	255	10.3	114	1	2	7	16	21	35	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	222	3.6	11	<1	1	3	5	7	9	19
B. Operated	2583	3.1	6	<1	1	3	4	5	7	12
2. MULTIPLE DX										
A. Not Operated	648	6.3	70	1	1	4	7	13	19	44
B. Operated	1987	5.2	40	1	1	3	6	12	17	36
1. SINGLE DX	2805	3.2	6	<1	1	3	4	5	7	12
2. MULTIPLE DX	2635	5.5	48	1	1	3	6	12	18	36
A. NOT OPERATED	870	5.6	56	1	1	4	7	11	18	36
B. OPERATED	4570	4.0	22	<1	1	3	4	7	12	26
TOTAL 0-19 YRS	1377	3.8	16	<1	1	3	4	7	10	23
20-34	2027	3.4	10	<1	1	3	4	6	8	14
35-49	812	3.6	14	<1	1	3	4	7	9	21
50-64	590	4.8	24	1	1	3	6	10	15	27
65+	634	8.7	108	1	1	5	11	19	26	81
GRAND TOTAL	**5440**	**4.3**	**28**	**<1**	**1**	**3**	**5**	**8**	**13**	**27**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	4.3		4	4	4	5	5	5	5
20-34	4	5.3	1	4	4	5	6	6	6	6
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+	2	2.5	1	2	2	2	3	3	3	3
B. Operated										
0-19 YRS										
20-34	2	9.5	113	2	2	9	17	17	17	17
35-49	1	34.0		34	34	34	34	34	34	34
50-64	1	10.0		10	10	10	10	10	10	10
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	4	6.5	14	4	4	5	9	12	12	12
35-49	9	6.1	30	2	2	4	7	16	17	17
50-64	8	10.4	39	5	5	9	13	20	23	23
65+	14	12.4	114	3	4	10	12	21	41	47
B. Operated										
0-19 YRS										
20-34	3	14.0	76	8	8	10	20	24	24	24
35-49	6	9.7	10	6	6	9	13	14	14	14
50-64	5	9.0	28	1	1	9	13	15	15	15
65+	9	22.1	274	3	5	18	45	74	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	4.2	2	2	2	4	5	6	6	6
B. Operated	4	15.8	186	2	2	13	25	34	34	34
2. MULTIPLE DX										
A. Not Operated	37	9.4	66	2	3	7	12	16	21	47
B. Operated	23	15.0	151	2	6	11	18	45	64	99+
1. SINGLE DX	14	7.5	73	2	2	5	6	19	31	34
2. MULTIPLE DX	60	11.5	104	2	3	9	14	23	46	94
A. NOT OPERATED	47	8.3	56	2	3	5	11	14	19	47
B. OPERATED	27	15.1	149	2	4	11	18	42	53	99+
TOTAL 0-19 YRS	5	4.4	3	2	2	4	5	7	7	7
20-34	13	8.3	38	2	3	6	10	18	23	24
35-49	17	8.8	64	2	2	6	13	16	28	34
50-64	14	9.9	30	2	4	9	13	16	21	23
65+	25	15.1	189	3	3	11	18	47	58	99+
GRAND TOTAL	**74**	**10.8**	**100**	**2**	**3**	**9**	**14**	**23**	**42**	**87**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	18	<1	<1	3	7	7	7	7
20-34	21	4.8	9	<1	1	4	7	9	9	10
35-49	51	5.2	17	1	1	4	7	10	11	22
50-64	80	5.8	16	1	1	5	8	11	13	21
65+	82	6.4	14	1	2	6	9	12	12	17
B. *Operated*										
0-19 YRS	5	8.4	72	1	1	6	11	23	23	23
20-34	52	6.0	26	1	1	4	9	13	18	21
35-49	199	4.8	17	1	1	3	7	11	13	19
50-64	223	5.6	23	1	1	4	8	12	16	22
65+	99	7.7	46	1	2	6	10	17	23	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.8	11	<1	<1	4	7	9	9	9
20-34	34	5.0	34	<1	1	4	6	10	10	34
35-49	132	7.2	38	1	2	6	10	14	17	31
50-64	392	7.0	24	2	2	6	9	14	16	25
65+	1127	9.1	58	2	3	7	11	18	23	43
B. *Operated*										
0-19 YRS	4	4.5	14	1	1	4	7	9	9	9
20-34	61	8.3	73	1	1	6	10	20	29	37
35-49	219	7.2	44	1	1	6	9	14	20	38
50-64	454	7.7	48	1	2	6	10	15	20	31
65+	497	13.2	150	2	2	10	17	28	39	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	236	5.8	15	1	1	5	8	10	12	18
B. *Operated*	578	5.7	26	1	1	4	8	13	16	23
2. MULTIPLE DX										
A. *Not Operated*	1689	8.4	49	2	2	7	10	16	21	38
B. *Operated*	1235	9.9	97	1	2	7	12	21	29	63
1. SINGLE DX	814	5.7	23	1	1	4	8	12	15	23
2. MULTIPLE DX	2924	9.0	70	2	2	7	11	18	24	48
A. NOT OPERATED	1925	8.1	46	2	2	7	10	15	20	37
B. OPERATED	1813	8.6	78	1	2	6	11	18	25	50
TOTAL 0-19 YRS	15	5.8	31	<1	<1	5	7	9	20	23
20-34	168	6.5	44	1	1	5	8	14	20	36
35-49	601	6.2	33	1	1	5	8	12	16	31
50-64	1149	6.9	33	1	2	6	9	14	18	28
65+	1805	10.0	85	2	2	8	13	20	28	62
GRAND TOTAL	**3738**	**8.3**	**62**	**1**	**2**	**6**	**10**	**17**	**23**	**43**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	6.8	13	1	2	7	10	11	12	14
20-34	761	7.2	24	1	1	7	10	13	15	24
35-49	1126	7.5	22	1	2	7	10	14	16	22
50-64	541	8.2	23	2	3	8	10	14	18	23
65+	174	8.7	28	2	3	8	11	15	18	28
B. *Operated*										
0-19 YRS	140	4.9	13	1	1	4	6	9	11	20
20-34	2713	6.1	23	1	1	5	8	12	15	24
35-49	3697	6.5	27	1	1	5	8	13	16	26
50-64	1430	6.9	30	1	1	6	9	14	17	27
65+	232	8.2	46	1	1	7	11	15	21	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	7.0	16	<1	1	9	10	12	12	12
20-34	426	7.7	27	1	2	7	10	14	18	25
35-49	897	9.0	36	1	3	8	11	16	21	31
50-64	985	9.3	35	2	3	8	12	16	20	31
65+	953	10.5	77	2	4	9	13	18	25	52
B. *Operated*										
0-19 YRS	41	8.0	36	2	2	6	10	15	22	29
20-34	948	9.2	64	1	2	7	11	18	23	38
35-49	1786	9.4	56	1	2	8	12	18	24	35
50-64	1478	10.3	69	1	2	8	13	20	25	39
65+	897	13.6	113	2	3	11	17	26	34	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2629	7.6	24	1	2	7	10	14	16	23
B. *Operated*	8212	6.4	27	1	1	5	8	13	16	25
2. MULTIPLE DX										
A. *Not Operated*	3272	9.3	47	2	3	8	12	16	21	33
B. *Operated*	5150	10.3	73	1	2	8	13	21	26	42
1. SINGLE DX	10841	6.7	26	1	1	6	9	13	16	25
2. MULTIPLE DX	8422	9.9	63	2	2	8	13	19	24	39
A. NOT OPERATED	5901	8.6	37	1	2	8	11	15	19	31
B. OPERATED	13362	7.9	48	1	2	6	10	16	21	33
TOTAL 0-19 YRS	219	5.9	19	1	1	5	8	11	14	24
20-34	4848	7.0	33	1	1	6	9	14	17	27
35-49	7506	7.6	36	1	2	6	10	15	19	30
50-64	4434	8.7	45	1	2	7	11	16	21	32
65+	2256	11.4	88	2	3	9	14	22	28	51
GRAND TOTAL	**19263**	**8.1**	**45**	**1**	**2**	**7**	**10**	**16**	**20**	**33**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	5.0	21	<1	<1	3	10	11	12	12
20-34	98	7.2	22	1	2	7	10	13	15	23
35-49	158	6.8	20	1	1	6	9	13	15	21
50-64	76	6.9	22	1	2	6	9	12	18	22
65+	23	6.7	14	2	2	7	10	12	13	14
B. *Operated*										
0-19 YRS	9	4.9	4	2	2	5	7	8	8	8
20-34	216	5.5	33	1	1	4	7	10	15	23
35-49	591	6.0	28	1	1	5	8	11	15	30
50-64	241	5.6	19	1	1	5	8	11	13	21
65+	29	6.7	24	1	1	6	9	15	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	8.5	25	5	5	8	12	12	12	12
20-34	72	8.0	31	1	2	7	11	14	21	25
35-49	180	7.8	42	1	1	6	11	15	21	32
50-64	176	7.4	23	1	2	6	10	14	17	22
65+	149	9.2	77	2	3	7	11	17	23	99+
B. *Operated*										
0-19 YRS	4	9.5	66	1	1	8	15	20	20	20
20-34	129	7.3	37	1	1	6	10	14	17	30
35-49	410	8.1	64	1	2	6	9	17	22	48
50-64	311	9.1	81	1	2	7	11	20	27	42
65+	112	12.4	114	2	3	9	18	25	30	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	367	6.9	21	1	1	6	9	13	15	21
B. *Operated*	1086	5.8	27	1	1	5	8	11	15	23
2. MULTIPLE DX										
A. *Not Operated*	579	8.1	44	1	2	7	10	15	20	37
B. *Operated*	966	8.8	74	1	2	7	11	19	25	43
1. SINGLE DX	1453	6.1	25	1	1	5	8	12	15	22
2. MULTIPLE DX	1545	8.5	62	1	2	7	11	17	23	42
A. NOT OPERATED	946	7.6	35	1	2	7	10	14	18	29
B. OPERATED	2052	7.2	51	1	1	6	9	15	21	35
TOTAL 0-19 YRS	27	5.9	22	<1	1	5	9	12	13	20
20-34	515	6.6	32	1	1	5	9	13	16	26
35-49	1339	7.0	41	1	1	6	9	14	18	32
50-64	804	7.5	46	1	2	6	9	14	20	32
65+	313	9.9	84	2	3	8	13	20	26	86
GRAND TOTAL	**2998**	**7.3**	**46**	**1**	**2**	**6**	**9**	**14**	**20**	**34**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	14.0	28	8	8	16	17	18	18	18
20-34	31	5.8	20	1	1	4	8	13	15	17
35-49	48	6.7	17	1	1	6	9	12	15	18
50-64	17	6.4	12	2	3	6	8	12	14	15
65+	2	10.0	98	3	3	10	17	17	17	17
B. *Operated*										
0-19 YRS										
20-34	46	3.5	13	1	1	2	3	9	13	15
35-49	40	6.1	37	1	1	3	9	13	18	27
50-64	15	6.6	26	<1	1	5	12	13	15	15
65+	6	6.8	36	1	1	6	12	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	12.5	72	4	4	11	18	24	24	24
20-34	40	7.0	28	1	2	6	9	12	15	30
35-49	72	7.2	29	1	2	6	9	13	15	29
50-64	50	8.0	26	1	3	7	11	15	17	24
65+	40	7.8	23	3	3	7	10	15	17	23
B. *Operated*										
0-19 YRS	2	9.0	50	4	4	9	14	14	14	14
20-34	42	5.1	30	1	1	3	7	11	15	30
35-49	52	7.9	41	1	2	7	11	15	19	35
50-64	22	11.7	140	1	2	7	18	31	40	42
65+	3	8.7	134	1	1	3	17	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	101	6.7	19	1	2	6	9	13	16	18
B. *Operated*	107	5.1	26	1	1	2	8	13	15	25
2. MULTIPLE DX										
A. *Not Operated*	206	7.6	28	1	2	6	9	14	17	28
B. *Operated*	121	7.6	60	1	1	6	10	17	23	39
1. SINGLE DX	208	5.9	23	1	1	4	9	13	15	20
2. MULTIPLE DX	327	7.6	40	1	2	6	10	14	19	31
A. NOT OPERATED	307	7.3	25	1	2	6	9	13	16	26
B. OPERATED	228	6.5	46	1	1	4	9	14	18	36
TOTAL 0-19 YRS	9	12.2	44	4	4	13	16	22	24	24
20-34	159	5.3	24	1	1	3	7	12	14	29
35-49	212	7.0	31	1	2	6	9	14	16	28
50-64	104	8.3	50	1	2	7	11	16	23	40
65+	51	7.8	29	1	3	7	11	16	17	23
GRAND TOTAL	**535**	**6.9**	**34**	**1**	**1**	**6**	**9**	**14**	**17**	**29**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	5.2	12	1	1	4	7	11	11	11
20-34	78	6.3	13	1	2	6	8	11	14	16
35-49	116	7.0	24	1	2	7	9	12	14	27
50-64	76	7.3	27	2	3	6	10	13	19	25
65+	58	6.8	27	1	2	6	9	12	16	29
B. *Operated*										
0-19 YRS	3	5.7	52	1	1	2	11	14	14	14
20-34	62	4.2	16	1	1	2	5	11	13	15
35-49	97	4.1	27	1	1	2	4	11	13	28
50-64	41	3.5	11	1	1	2	4	8	10	17
65+	7	3.9	22	1	1	2	4	12	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	6.5	11	1	1	8	8	10	11	11
20-34	120	8.0	17	2	3	8	9	13	15	25
35-49	179	7.8	19	2	3	7	9	12	15	25
50-64	180	7.8	28	1	3	7	10	14	17	20
65+	276	9.6	36	3	4	8	12	17	19	30
B. *Operated*										
0-19 YRS	4	13.3	59	5	5	13	19	22	22	22
20-34	33	6.5	35	1	1	4	10	16	19	21
35-49	53	8.8	84	1	1	7	12	17	32	47
50-64	51	10.0	45	1	2	11	14	19	23	29
65+	52	11.9	60	2	2	11	16	21	29	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	334	6.8	22	1	2	6	9	12	14	24
B. *Operated*	210	4.0	20	1	1	2	5	11	13	21
2. MULTIPLE DX										
A. *Not Operated*	766	8.5	28	2	3	8	10	15	18	28
B. *Operated*	193	9.7	61	1	2	8	13	19	23	36
1. SINGLE DX	544	5.8	23	1	1	5	8	12	14	24
2. MULTIPLE DX	959	8.7	34	2	2	8	11	16	19	30
A. NOT OPERATED	1100	8.0	27	2	3	7	10	14	17	26
B. OPERATED	403	6.7	47	1	1	4	11	15	20	33
TOTAL 0-19 YRS	24	7.2	28	1	1	7	9	14	18	22
20-34	293	6.5	20	1	2	6	9	12	15	21
35-49	445	6.9	32	1	1	6	9	12	15	32
50-64	348	7.5	31	1	2	6	11	14	18	24
65+	393	9.4	40	2	3	8	12	17	21	31
GRAND TOTAL	**1503**	**7.6**	**32**	**1**	**2**	**7**	**10**	**14**	**18**	**29**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	4.1	11	1	1	3	6	8	11	16
20-34	649	5.9	22	1	1	5	8	11	13	20
35-49	819	6.2	25	1	1	5	8	12	15	23
50-64	444	6.2	34	1	1	5	8	12	16	23
65+	200	7.2	29	1	1	6	10	15	18	25
B. *Operated*										
0-19 YRS	54	5.1	138	1	1	2	3	9	16	82
20-34	687	3.7	19	1	1	2	4	9	12	17
35-49	838	3.9	16	1	1	2	5	9	12	19
50-64	569	5.4	36	1	1	3	8	11	15	25
65+	252	6.9	55	1	1	6	10	14	17	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	76	5.1	14	1	1	4	8	11	11	17
20-34	628	6.8	32	1	1	6	9	13	17	30
35-49	1123	7.3	28	1	2	6	10	14	17	25
50-64	1059	7.7	31	1	2	7	10	15	17	27
65+	1204	8.9	54	2	3	7	11	16	22	44
B. *Operated*										
0-19 YRS	40	5.0	19	1	1	3	7	11	15	17
20-34	487	6.0	45	1	1	4	8	13	18	33
35-49	840	7.2	50	1	1	5	10	16	20	36
50-64	890	8.6	68	1	1	7	11	18	25	43
65+	950	12.4	125	1	2	10	15	27	38	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2188	6.1	26	1	1	5	8	12	15	22
B. *Operated*	2400	4.5	29	1	1	2	6	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	4090	7.8	37	1	2	7	10	15	18	30
B. *Operated*	3207	8.9	82	1	1	7	12	19	27	48
1. SINGLE DX	4588	5.3	28	1	1	4	7	11	14	22
2. MULTIPLE DX	7297	8.3	57	1	2	7	11	16	22	41
A. NOT OPERATED	6278	7.2	34	1	2	6	9	14	17	28
B. OPERATED	5607	7.0	64	1	1	4	9	16	21	42
TOTAL 0-19 YRS	246	4.8	41	1	1	3	6	10	12	18
20-34	2451	5.5	29	1	1	4	8	11	15	25
35-49	3620	6.2	31	1	1	5	9	13	17	28
50-64	2962	7.3	45	1	1	6	10	15	19	33
65+	2606	9.9	82	1	2	8	12	19	28	52
GRAND TOTAL	**11885**	**7.1**	**48**	**1**	**1**	**5**	**9**	**14**	**19**	**36**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	162	3.5	6	1	1	3	5	7	8	11
20-34	66	4.8	11	1	2	4	6	9	11	19
35-49	97	4.1	7	1	1	3	5	7	10	14
50-64	63	3.5	5	<1	1	3	5	7	8	10
65+	28	4.7	11	1	1	4	6	9	13	15
B. *Operated*										
0-19 YRS	194	2.4	6	<1	<1	2	3	4	6	11
20-34	573	2.3	4	<1	<1	2	3	4	6	11
35-49	787	2.4	3	<1	<1	2	3	4	5	9
50-64	671	2.4	5	<1	<1	2	3	5	6	13
65+	184	2.8	18	<1	<1	2	3	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	83	5.6	99	1	1	4	6	9	12	66
20-34	101	4.8	22	1	1	3	6	9	15	26
35-49	131	5.1	17	1	1	4	7	10	11	23
50-64	187	5.4	19	1	1	4	7	11	14	23
65+	266	6.6	27	1	2	5	8	13	16	26
B. *Operated*										
0-19 YRS	98	3.7	35	<1	<1	2	4	7	10	38
20-34	370	3.7	22	<1	1	2	4	7	10	26
35-49	603	3.7	15	<1	1	3	4	7	10	21
50-64	683	3.8	18	<1	1	3	4	7	12	22
65+	344	6.8	79	<1	1	4	7	15	24	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	416	3.9	7	1	1	3	5	7	9	13
B. *Operated*	2409	2.4	5	<1	<1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	768	5.7	31	1	1	4	7	11	14	25
B. *Operated*	2098	4.3	30	<1	1	3	4	8	13	31
1. SINGLE DX	2825	2.6	6	<1	<1	2	3	5	7	11
2. MULTIPLE DX	2866	4.6	31	<1	1	3	5	9	13	29
A. NOT OPERATED	1184	5.1	23	1	1	4	6	10	13	20
B. OPERATED	4507	3.3	18	<1	<1	2	4	6	9	21
TOTAL 0-19 YRS	537	3.5	27	<1	<1	2	4	6	9	15
20-34	1110	3.1	13	<1	<1	2	3	6	9	21
35-49	1618	3.2	10	<1	<1	2	4	6	9	15
50-64	1604	3.4	13	<1	<1	2	4	7	10	17
65+	822	5.8	49	<1	1	4	7	12	17	41
GRAND TOTAL	**5691**	**3.7**	**19**	**<1**	**<1**	**3**	**4**	**7**	**10**	**21**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	3.0	4	1	1	3	4	6	6	6
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	7	2.7	8	<1	<1	1	4	7	8	8
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	219	2.5	2	<1	<1	2	3	5	6	7
20-34	481	2.7	2	<1	1	2	4	5	5	8
35-49	530	2.8	3	<1	1	3	4	5	6	8
50-64	520	3.0	3	<1	1	3	4	5	6	8
65+	226	3.1	4	<1	<1	3	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	1.0		<1	<1	<1	1	1	1	1
20-34	17	1.3	1	<1	<1	1	1	2	4	5
35-49	21	1.9	11	<1	<1	1	1	3	9	16
50-64	39	1.6	3	<1	<1	<1	1	3	5	11
65+	22	3.9	35	<1	<1	1	3	14	20	22
B. *Operated*										
0-19 YRS	253	3.0	2	1	1	3	4	5	5	8
20-34	789	3.0	3	1	1	3	4	5	6	8
35-49	1005	3.2	5	1	1	3	4	5	6	11
50-64	1667	3.5	5	1	1	3	4	6	7	10
65+	1081	4.0	10	1	1	3	5	7	8	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	2.9	5	<1	<1	2	4	6	7	8
B. *Operated*	1976	2.8	3	<1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	107	2.0	11	<1	<1	1	1	4	6	20
B. *Operated*	4795	3.5	6	1	1	3	4	6	7	12
1. SINGLE DX	1992	2.8	3	<1	1	3	4	5	6	8
2. MULTIPLE DX	4902	3.4	6	1	1	3	4	6	7	12
A. NOT OPERATED	123	2.1	10	<1	<1	1	2	4	7	20
B. OPERATED	6771	3.3	5	1	1	3	4	5	7	11
TOTAL 0-19 YRS	481	2.7	2	<1	1	2	4	5	5	7
20-34	1292	2.9	3	<1	1	3	4	5	5	8
35-49	1558	3.1	4	<1	1	3	4	5	6	10
50-64	2233	3.3	5	1	1	3	4	6	7	10
65+	1330	3.9	9	1	1	3	5	7	8	15
GRAND TOTAL	**6894**	**3.3**	**5**	**<1**	**1**	**3**	**4**	**5**	**7**	**11**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	3.0	12	<1	<1	<1	5	7	7	7
35-49	4	1.8		<1	<1	2	2	2	2	2
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	5	4.6	3	3	3	5	6	7	7	7
B. *Operated*										
0-19 YRS	245	1.4		<1	<1	1	2	2	3	4
20-34	518	1.5	1	<1	<1	1	2	2	3	6
35-49	360	1.6	1	<1	<1	1	2	3	4	7
50-64	169	1.8	2	<1	<1	1	2	3	4	7
65+	71	2.4	3	<1	<1	2	3	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	1.0		<1	<1	<1	1	1	1	1
20-34	10	3.3	24	<1	<1	1	1	12	14	14
35-49	5	1.0		<1	<1	1	1	1	1	1
50-64	11	3.1	7	1	1	3	4	7	10	10
65+	18	4.5	9	<1	1	4	7	9	11	11
B. *Operated*										
0-19 YRS	34	1.9	3	<1	<1	1	2	3	4	10
20-34	118	2.3	4	<1	<1	2	3	4	5	12
35-49	99	2.4	4	<1	<1	2	3	5	7	10
50-64	154	2.9	9	<1	<1	2	3	5	6	22
65+	99	4.5	17	<1	<1	3	6	9	13	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	3.0	4	<1	<1	2	4	7	7	7
B. *Operated*	1363	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	49	3.2	11	<1	<1	2	4	9	11	14
B. *Operated*	504	2.9	9	<1	<1	2	3	6	9	16
1. SINGLE DX	1378	1.6	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX	553	2.9	9	<1	<1	2	3	6	9	15
A. NOT OPERATED	64	3.2	9	<1	<1	2	4	8	10	14
B. OPERATED	1867	1.9	4	<1	<1	1	2	4	5	10
TOTAL 0-19 YRS	285	1.4	1	<1	<1	1	2	2	3	4
20-34	649	1.7	2	<1	<1	1	2	3	4	9
35-49	468	1.8	2	<1	<1	1	2	3	4	9
50-64	336	2.4	6	<1	<1	2	3	4	6	11
65+	193	3.7	12	<1	<1	3	5	7	10	18
GRAND TOTAL	**1931**	**2.0**	**4**	**<1**	**<1**	**1**	**2**	**4**	**5**	**10**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	14.6	116	1	2	13	18	29	39	46
20-34	28	8.0	43	2	2	7	12	21	26	99+
35-49	28	12.2	185	2	2	8	15	26	33	70
50-64	21	14.6	146	3	4	12	18	28	40	54
65+	26	13.9	116	4	5	10	14	31	37	45
B. *Operated*										
0-19 YRS	63	17.4	180	1	2	16	23	37	42	64
20-34	67	16.6	253	2	2	11	24	38	45	82
35-49	47	13.2	132	2	2	9	18	30	41	48
50-64	60	13.0	136	2	3	9	20	29	36	55
65+	51	14.5	154	2	2	12	19	33	38	64
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	18.7	107	4	5	17	25	36	43	99+
20-34	69	13.2	105	2	3	11	16	27	42	43
35-49	57	13.1	139	1	3	9	16	32	40	47
50-64	118	19.5	260	4	6	14	25	45	49	76
65+	246	18.2	190	4	5	14	26	39	50	99+
B. *Operated*										
0-19 YRS	112	20.3	180	3	6	18	29	41	45	57
20-34	150	19.9	309	2	4	15	28	44	56	97
35-49	196	20.2	215	2	3	17	29	42	51	85
50-64	397	21.8	240	4	6	18	31	46	52	99+
65+	562	24.7	341	4	7	20	33	54	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	158	12.9	122	2	2	10	16	28	35	69
B. *Operated*	288	15.1	176	2	2	11	22	34	41	63
2. MULTIPLE DX										
A. *Not Operated*	539	17.3	186	3	4	14	24	37	46	95
B. *Operated*	1417	22.4	282	3	5	18	31	47	59	99+
1. SINGLE DX	446	14.3	158	2	2	11	21	31	41	64
2. MULTIPLE DX	1956	21.0	261	3	5	16	29	45	57	99+
A. NOT OPERATED	697	16.3	175	3	4	13	22	36	45	91
B. OPERATED	1705	21.2	272	3	5	17	30	45	57	99+
TOTAL 0-19 YRS	279	18.3	158	2	4	16	26	37	43	60
20-34	314	16.7	241	2	3	12	22	42	48	90
35-49	328	17.3	199	2	3	13	25	39	48	69
50-64	596	20.2	238	3	5	16	28	43	51	96
65+	885	22.0	294	4	6	17	30	49	62	99+
GRAND TOTAL	**2402**	**19.8**	**248**	**3**	**4**	**15**	**28**	**43**	**53**	**99+**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	106	5.6	72	<1	<1	2	7	14	19	50
20-34	67	2.7	4	<1	1	2	4	6	7	10
35-49	114	2.8	5	1	1	2	3	5	7	13
50-64	74	5.4	33	1	2	4	7	11	17	35
65+	148	7.8	30	1	2	6	11	15	18	26
B. *Operated*										
0-19 YRS	735	4.5	19	<1	1	3	6	9	12	20
20-34	644	3.7	10	<1	1	3	5	7	9	15
35-49	361	4.9	28	<1	1	3	6	11	14	31
50-64	220	6.7	36	1	1	5	10	13	16	31
65+	130	9.4	55	1	2	8	13	18	25	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	6.4	150	<1	<1	2	6	21	61	99+
20-34	130	3.9	13	1	1	3	5	7	9	18
35-49	300	4.4	19	1	1	3	5	8	10	22
50-64	545	6.6	31	1	2	5	9	14	18	26
65+	2478	11.1	93	2	3	9	14	21	29	58
B. *Operated*										
0-19 YRS	313	5.8	36	1	1	4	7	11	16	29
20-34	471	6.8	94	1	1	4	8	13	21	50
35-49	382	7.5	58	1	2	5	10	17	24	37
50-64	527	12.4	155	2	2	10	16	26	35	80
65+	1054	18.2	208	4	5	15	22	37	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	509	5.2	34	1	1	3	7	12	16	26
B. *Operated*	2090	4.9	24	1	1	3	6	10	14	25
2. MULTIPLE DX										
A. *Not Operated*	3530	9.5	82	2	2	7	12	19	26	55
B. *Operated*	2747	12.2	164	1	2	9	16	27	38	88
1. SINGLE DX	2599	4.9	26	1	1	3	6	11	14	25
2. MULTIPLE DX	6277	10.7	120	1	2	8	14	22	32	74
A. NOT OPERATED	4039	8.9	78	1	2	7	11	18	25	53
B. OPERATED	4837	9.0	117	1	1	5	12	21	30	69
TOTAL 0-19 YRS	1231	5.0	37	<1	1	3	6	10	15	39
20-34	1312	4.8	43	1	1	3	5	9	13	32
35-49	1157	5.4	36	1	1	3	7	11	16	31
50-64	1366	8.8	88	1	2	6	12	18	25	51
65+	3810	12.9	132	2	3	10	16	26	36	85
GRAND TOTAL	**8876**	**9.0**	**99**	**1**	**2**	**6**	**12**	**19**	**27**	**61**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	3	4.7	14	2	2	3	7	9	9	9
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64	1	7.0		7	7	7	7	7	7	7
65+										
B. *Operated*										
0-19 YRS	129	3.2	3	<1	1	3	4	6	7	9
20-34	84	3.3	12	<1	1	2	4	6	8	23
35-49	54	3.3	11	<1	<1	2	4	7	10	19
50-64	33	3.3	12	<1	<1	2	4	9	11	16
65+	6	9.0	163	2	2	4	5	32	35	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	8.0	307	<1	<1	1	10	17	32	89
20-34	6	3.3	8	1	1	2	7	7	7	7
35-49	7	12.1	274	1	1	6	13	41	48	48
50-64	15	17.5	312	<1	1	14	19	57	58	58
65+	50	18.4	224	1	2	16	26	37	43	72
B. *Operated*										
0-19 YRS	359	5.4	27	<1	1	4	6	10	12	27
20-34	143	4.6	21	1	1	3	6	8	11	24
35-49	107	5.0	42	<1	1	3	6	8	12	41
50-64	103	5.0	33	1	1	4	5	8	12	39
65+	71	7.8	106	1	2	4	9	18	27	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	4.3	7	1	1	4	6	8	9	9
B. *Operated*	306	3.4	11	<1	1	2	4	6	8	17
2. MULTIPLE DX										
A. *Not Operated*	104	14.4	267	<1	1	10	19	37	49	80
B. *Operated*	783	5.4	36	<1	1	4	6	10	13	39
1. SINGLE DX	314	3.4	11	<1	1	3	4	6	8	17
2. MULTIPLE DX	887	6.4	71	<1	1	4	7	13	20	50
A. NOT OPERATED	112	13.7	255	<1	1	9	18	36	48	78
B. OPERATED	1089	4.8	30	<1	1	4	6	9	12	32
TOTAL 0-19 YRS	516	5.0	36	<1	1	4	6	9	11	27
20-34	236	4.1	18	1	1	3	5	8	10	24
35-49	170	4.7	43	<1	1	3	6	8	12	45
50-64	152	5.9	70	<1	1	4	6	12	18	57
65+	127	12.1	179	1	2	7	17	33	43	78
GRAND TOTAL	**1201**	**5.7**	**57**	**<1**	**1**	**4**	**6**	**11**	**17**	**45**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	11	4.5	14	<1	1	3	8	10	12	12
35-49	18	5.8	18	1	1	5	9	11	15	17
50-64	7	7.1	59	<1	<1	5	9	20	23	23
65+	4	6.0	9	3	3	6	8	9	9	9
B. *Operated*										
0-19 YRS										
20-34	10	4.9	17	1	1	4	8	11	14	14
35-49	21	3.3	6	<1	1	3	4	6	9	11
50-64	9	2.1	1	<1	<1	2	3	4	4	4
65+	3	3.0	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3	4	2	2	3	4	6	6	6
20-34	12	5.3	13	<1	1	4	8	10	11	11
35-49	19	7.4	64	1	2	6	7	15	29	36
50-64	31	9.4	107	2	3	6	10	17	38	50
65+	50	7.7	37	2	2	6	11	16	19	31
B. *Operated*										
0-19 YRS										
20-34	6	3.8	10	1	1	3	5	9	9	9
35-49	15	5.0	21	1	1	3	8	11	15	17
50-64	9	9.2	70	2	2	6	12	23	29	29
65+	12	11.4	169	1	2	6	13	36	39	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	5.5	22	<1	1	4	9	10	14	23
B. *Operated*	43	3.4	8	<1	1	3	4	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	116	7.7	57	2	2	6	9	15	20	43
B. *Operated*	42	7.6	77	1	1	5	9	17	31	40
1. SINGLE DX	85	4.5	16	<1	1	3	6	9	11	21
2. MULTIPLE DX	158	7.7	62	1	2	5	9	15	21	40
A. NOT OPERATED	158	7.1	48	1	2	5	9	13	20	39
B. OPERATED	85	5.5	46	1	1	3	6	11	17	38
TOTAL 0-19 YRS	6	3.0	2	2	2	3	3	6	6	6
20-34	39	4.7	13	<1	1	3	8	10	12	14
35-49	73	5.3	29	1	1	4	7	10	16	32
50-64	56	7.9	82	1	2	5	10	15	27	49
65+	69	8.0	58	2	2	5	10	18	22	39
GRAND TOTAL	**243**	**6.5**	**48**	**1**	**1**	**5**	**8**	**12**	**19**	**39**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	179	1.8	3	<1	<1	1	2	4	5	10
20-34	127	3.9	12	1	1	3	5	9	11	17
35-49	133	3.4	8	<1	1	3	4	6	10	15
50-64	92	4.7	17	1	1	3	6	10	14	19
65+	49	4.3	13	1	1	3	6	10	13	15
B. *Operated*										
0-19 YRS	414	4.6	21	<1	<1	2	8	10	13	22
20-34	572	3.5	16	<1	<1	2	4	8	11	21
35-49	394	3.2	11	<1	1	2	4	7	9	18
50-64	442	2.5	4	<1	1	2	3	5	7	11
65+	238	2.9	27	<1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	135	3.7	60	<1	<1	1	3	7	17	35
20-34	208	4.6	19	<1	1	3	6	9	12	22
35-49	296	4.6	44	1	1	3	5	9	11	27
50-64	392	4.9	18	1	2	4	6	10	12	20
65+	502	7.1	38	1	2	5	9	14	19	35
B. *Operated*										
0-19 YRS	564	6.8	82	1	1	4	10	15	22	48
20-34	731	4.3	39	<1	1	2	4	9	15	36
35-49	615	4.6	31	1	1	3	5	10	14	29
50-64	567	5.5	38	1	1	3	7	12	18	30
65+	538	8.2	127	1	1	4	10	18	27	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	580	3.3	10	<1	<1	2	4	7	10	16
B. *Operated*	2060	3.4	15	<1	1	2	4	8	10	18
2. MULTIPLE DX										
A. *Not Operated*	1533	5.4	35	1	1	4	7	11	15	28
B. *Operated*	3015	5.8	63	1	1	3	7	13	19	47
1. SINGLE DX	2640	3.4	14	<1	<1	2	4	8	10	17
2. MULTIPLE DX	4548	5.6	53	1	1	3	7	12	18	40
A. NOT OPERATED	2113	4.8	29	<1	1	3	6	10	14	23
B. OPERATED	5075	4.8	45	<1	1	3	5	11	15	32
TOTAL 0-19 YRS	1292	5.1	52	<1	<1	2	7	12	17	30
20-34	1638	4.0	27	<1	1	2	4	9	12	26
35-49	1438	4.1	27	<1	1	3	5	9	11	24
50-64	1493	4.4	23	1	1	3	5	10	13	22
65+	1327	6.7	75	1	1	4	8	15	20	51
GRAND TOTAL	**7188**	**4.8**	**40**	**<1**	**1**	**3**	**5**	**11**	**15**	**30**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	5.4	14	1	1	4	8	11	11	11
35-49	3	3.3	6	1	1	3	5	6	6	6
50-64	3	2.3	1	1	1	3	3	3	3	3
65+	1	14.0		14	14	14	14	14	14	14
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	7.0		7	7	7	7	7	7	7
35-49										
50-64	1	21.0		21	21	21	21	21	21	21
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.6	6	2	2	3	4	8	8	8
20-34	29	5.4	11	1	2	4	7	11	12	13
35-49	36	5.4	12	2	2	5	7	9	11	20
50-64	21	3.8	4	1	2	4	4	6	8	9
65+	15	5.6	11	2	3	4	8	9	13	14
B. *Operated*										
0-19 YRS										
20-34	5	15.0	282	1	1	6	31	37	37	37
35-49	4	2.8	2	1	1	3	4	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	4.8	17	1	1	4	6	12	14	14
B. *Operated*	3	10.0	97	2	2	7	17	21	21	21
2. MULTIPLE DX										
A. *Not Operated*	106	5.0	10	2	2	4	6	9	11	17
B. *Operated*	10	8.9	167	1	1	3	6	33	37	37
1. SINGLE DX	15	5.9	32	1	1	4	7	14	19	21
2. MULTIPLE DX	116	5.3	23	1	2	4	6	9	12	32
A. NOT OPERATED	118	5.0	11	1	2	4	6	9	12	16
B. OPERATED	13	9.2	142	1	1	3	10	31	36	37
TOTAL 0-19 YRS	6	3.3	5	2	2	3	3	8	8	8
20-34	40	6.6	49	1	1	5	8	12	21	37
35-49	43	5.0	11	1	2	4	6	8	11	20
50-64	26	4.2	15	1	2	3	4	8	11	21
65+	16	6.1	14	2	3	5	8	13	14	14
GRAND TOTAL	**131**	**5.4**	**24**	**1**	**2**	**4**	**7**	**10**	**13**	**31**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	2.6	23	<1	<1	1	2	4	9	30
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	2	5.5	25	2	2	5	9	9	9	9
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	48	6.0	17	1	2	5	8	12	16	17
20-34	14	7.5	51	1	1	4	10	21	21	21
35-49	4	11.0	7	8	8	11	13	14	14	14
50-64	2	5.5	5	4	4	5	7	7	7	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	104	7.5	255	<1	<1	2	7	43	88	99+
20-34	8	7.6	83	1	1	4	10	23	28	28
35-49	4	7.3	8	4	4	7	9	10	10	10
50-64	3	13.0	111	3	3	12	21	24	24	24
65+	15	4.3	13	1	1	4	6	10	12	13
B. *Operated*										
0-19 YRS	137	11.2	119	2	2	8	16	24	35	65
20-34	19	9.9	91	1	1	8	11	20	32	41
35-49	9	6.8	23	1	1	7	8	14	17	17
50-64	7	23.6	389	1	3	12	44	45	45	45
65+	6	19.0	112	9	9	16	31	32	32	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	2.7	21	<1	<1	1	2	5	9	30
B. *Operated*	68	6.6	24	1	2	5	10	14	17	21
2. MULTIPLE DX										
A. *Not Operated*	134	7.2	207	<1	1	3	7	23	79	99+
B. *Operated*	178	11.6	128	2	2	8	16	26	39	58
1. SINGLE DX	121	4.9	27	<1	<1	3	7	11	16	24
2. MULTIPLE DX	312	9.7	166	1	1	6	12	24	44	99+
A. NOT OPERATED	187	5.9	158	<1	<1	2	6	14	44	99+
B. OPERATED	246	10.2	104	2	2	7	13	22	33	54
TOTAL 0-19 YRS	337	8.1	141	<1	<1	4	10	21	39	99+
20-34	43	8.3	72	1	1	6	10	21	24	41
35-49	19	7.6	18	1	2	8	10	13	16	17
50-64	12	17.9	288	1	2	11	33	45	45	45
65+	22	8.2	82	1	1	5	10	24	31	32
GRAND TOTAL	**433**	**8.4**	**131**	**<1**	**1**	**4**	**10**	**21**	**37**	**99+**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	67	1.3	1	<1	<1	<1	1	1	3	8
20-34	4	5.3	30	<1	<1	3	9	13	13	13
35-49										
50-64	1	6.0		5	6	6	6	6	6	6
65+										
B. *Operated*										
0-19 YRS	401	1.9	3	<1	<1	2	2	3	4	9
20-34	92	2.6	12	<1	<1	2	3	4	5	22
35-49	49	1.8	1	<1	<1	2	2	3	4	4
50-64	34	2.0	2	<1	<1	2	2	3	3	9
65+	39	1.6	1	<1	<1	1	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	1.3	1	<1	<1	<1	1	2	4	6
20-34	5	2.2	5	<1	<1	<1	3	6	6	6
35-49	4	4.5	32	1	1	2	8	13	13	13
50-64	1	3.0		3	3	3	3	3	3	3
65+	3	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-19 YRS	159	2.7	8	<1	<1	2	3	6	9	15
20-34	44	2.9	7	<1	1	2	3	7	9	13
35-49	25	1.7		<1	1	2	2	3	3	3
50-64	38	2.2	2	<1	1	2	2	4	5	9
65+	79	2.8	10	1	2	2	3	4	7	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	1.5	4	<1	<1	<1	1	2	5	12
B. *Operated*	615	2.0	4	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	44	1.7	4	<1	<1	<1	1	3	6	13
B. *Operated*	345	2.6	7	<1	1	2	3	5	8	13
1. SINGLE DX	687	1.9	4	<1	<1	1	2	3	4	9
2. MULTIPLE DX	389	2.5	7	<1	<1	2	3	5	8	13
A. NOT OPERATED	116	1.6	4	<1	<1	<1	1	3	6	13
B. OPERATED	960	2.2	5	<1	<1	2	2	4	5	10
TOTAL 0-19 YRS	658	2.0	4	<1	<1	1	2	3	5	10
20-34	145	2.7	10	<1	<1	2	3	5	7	14
35-49	78	1.9	2	<1	<1	2	2	3	4	11
50-64	74	2.2	2	<1	<1	2	2	3	5	9
65+	121	2.4	7	<1	<1	2	2	4	5	14
GRAND TOTAL	**1076**	**2.2**	**5**	**<1**	**<1**	**2**	**2**	**4**	**5**	**10**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	2.2	3	<1	<1	2	3	4	5	10
20-34	5	1.0		<1	<1	1	1	1	1	1
35-49	5	3.2	2	2	2	3	4	5	5	5
50-64	5	2.8	4	1	1	2	4	6	6	6
65+	2	3.0	8	<1	<1	2	5	5	5	5
B. *Operated*										
0-19 YRS	463	4.4	19	1	1	2	6	9	13	23
20-34	78	4.3	14	1	1	3	6	9	11	21
35-49	56	6.4	109	1	1	3	8	14	22	68
50-64	32	5.5	21	2	2	3	8	13	16	18
65+	6	11.2	139	2	2	6	26	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	175	4.1	16	<1	1	3	5	10	12	20
20-34	45	4.2	19	<1	1	3	6	9	11	24
35-49	25	5.9	40	<1	1	3	8	13	16	29
50-64	33	6.2	20	2	2	5	8	13	13	23
65+	65	8.2	32	2	3	7	11	17	22	24
B. *Operated*										
0-19 YRS	1102	7.6	87	1	1	5	10	16	24	61
20-34	122	6.2	29	1	2	3	9	13	17	23
35-49	96	7.4	58	1	1	6	9	18	29	99+
50-64	96	7.8	41	1	2	6	11	18	21	68
65+	88	13.0	193	2	2	10	16	26	34	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	2.3	3	<1	<1	2	3	5	6	10
B. *Operated*	635	4.6	28	1	1	2	6	10	13	25
2. MULTIPLE DX										
A. *Not Operated*	343	5.2	24	1	1	4	7	11	15	24
B. *Operated*	1504	7.8	85	1	1	6	10	17	24	62
1. SINGLE DX	692	4.5	26	1	1	2	6	9	13	25
2. MULTIPLE DX	1847	7.3	75	1	1	5	10	16	22	52
A. NOT OPERATED	400	4.8	22	<1	1	3	7	10	14	23
B. OPERATED	2139	6.9	70	1	1	4	9	15	21	48
TOTAL 0-19 YRS	1780	6.3	63	1	1	3	9	14	19	42
20-34	250	5.2	23	1	1	3	8	11	14	24
35-49	182	6.8	70	1	1	3	9	16	24	90
50-64	166	6.9	33	1	2	5	10	15	19	30
65+	161	10.9	128	2	2	8	13	23	27	60
GRAND TOTAL	**2539**	**6.5**	**63**	**1**	**1**	**4**	**9**	**14**	**20**	**43**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	1	1	1	2	3	3	3	3
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	328	4.2	4	2	2	4	6	7	8	9
20-34	12	2.9	3	<1	1	2	4	5	6	6
35-49	4	2.3		2	2	2	3	3	3	3
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	1.9	5	<1	<1	1	2	4	7	11
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	279	4.5	10	2	2	4	5	7	9	19
20-34	14	3.4	5	1	1	3	5	7	8	8
35-49	2	4.5	5	3	3	4	6	6	6	6
50-64	2	2.0		2	2	2	2	2	2	2
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.2	1	1	1	2	3	3	3	3
B. *Operated*	347	4.1	4	1	2	4	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	44	1.9	5	<1	<1	1	2	4	7	11
B. *Operated*	297	4.4	10	2	2	4	5	7	8	18
1. SINGLE DX	352	4.1	4	1	2	4	6	7	8	9
2. MULTIPLE DX	341	4.1	10	1	1	4	5	7	8	16
A. NOT OPERATED	49	1.9	4	<1	<1	1	2	4	7	11
B. OPERATED	644	4.3	6	2	2	4	6	7	8	12
TOTAL 0-19 YRS	654	4.2	7	1	2	4	5	7	8	12
20-34	28	3.1	4	1	1	3	4	6	7	8
35-49	6	3.0	2	2	2	3	3	6	6	6
50-64	4	1.8		1	1	2	2	2	2	2
65+	1	6.0		6	6	6	6	6	6	6
GRAND TOTAL	**693**	**4.1**	**7**	**1**	**2**	**4**	**5**	**7**	**8**	**12**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.0	1	1	1	2	2	4	4	4
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	387	3.8	3	2	2	4	4	6	7	9
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	2.8	3	<1	1	2	4	5	6	6
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	109	5.3	12	2	3	5	6	8	10	22
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	2.0	1	1	1	2	2	4	4	4
B. *Operated*	387	3.8	3	2	2	4	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	26	2.8	3	<1	1	2	4	5	6	6
B. *Operated*	109	5.3	12	2	3	5	6	8	10	22
1. SINGLE DX	410	3.7	3	2	2	4	4	6	7	9
2. MULTIPLE DX	135	4.8	11	2	2	4	6	8	10	18
A. NOT OPERATED	49	2.4	2	1	1	2	4	5	5	6
B. OPERATED	496	4.1	5	2	2	4	5	6	7	10
TOTAL 0-19 YRS	545	4.0	5	2	2	4	5	6	7	10
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**545**	**4.0**	**5**	**2**	**2**	**4**	**5**	**6**	**7**	**10**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	83	2.8	10	<1	<1	2	3	6	11	14
20-34	3	5.0	9	2	2	5	7	8	8	8
35-49	5	2.6	4	1	1	2	3	6	6	6
50-64	5	2.0	1	<1	<1	2	3	3	3	3
65+	6	1.7	3	<1	<1	1	1	5	5	5
B. *Operated*										
0-19 YRS	240	4.8	25	<1	1	3	6	11	15	22
20-34	51	3.9	15	1	1	2	5	9	12	20
35-49	12	3.5	8	1	1	2	5	8	10	10
50-64	22	5.0	24	<1	<1	3	9	13	15	17
65+	11	3.0	8	<1	1	2	3	6	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	90	5.4	33	<1	1	4	7	11	15	33
20-34	13	3.9	6	<1	<1	4	6	7	8	8
35-49	11	4.4	14	1	1	4	6	10	13	13
50-64	15	4.8	7	<1	2	4	7	9	10	10
65+	40	6.9	20	1	2	6	9	14	16	17
B. *Operated*										
0-19 YRS	301	9.5	153	1	2	6	11	23	40	91
20-34	63	8.2	61	1	1	7	10	16	18	49
35-49	45	7.5	28	1	1	7	11	15	16	23
50-64	49	8.0	35	1	1	7	11	17	19	25
65+	60	12.7	184	1	2	9	14	40	51	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	2.8	9	<1	<1	2	3	6	10	14
B. *Operated*	336	4.6	22	<1	1	3	6	11	14	20
2. MULTIPLE DX										
A. *Not Operated*	169	5.5	25	<1	1	4	7	11	15	21
B. *Operated*	518	9.4	125	1	1	6	11	20	35	83
1. SINGLE DX	438	4.2	19	<1	<1	2	5	10	13	20
2. MULTIPLE DX	687	8.4	103	1	1	6	10	17	28	70
A. NOT OPERATED	271	4.5	20	<1	<1	3	6	10	13	17
B. OPERATED	854	7.5	90	1	1	5	9	16	24	57
TOTAL 0-19 YRS	714	6.6	84	<1	1	4	8	15	22	61
20-34	130	6.0	40	1	1	4	8	13	16	30
35-49	73	6.0	24	1	1	6	9	13	15	22
50-64	91	6.4	29	<1	1	5	9	14	17	24
65+	117	9.2	116	<1	1	6	11	19	42	67
GRAND TOTAL	**1125**	**6.8**	**75**	**<1**	**1**	**4**	**8**	**15**	**20**	**51**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.3		1	1	1	2	2	2	2
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	563	1.9	1	<1	<1	2	2	3	4	5
20-34	41	2.4	3	<1	1	2	3	3	6	10
35-49	9	1.9	1	<1	<1	2	3	3	3	3
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	3	2.0	1	<1	<1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	1.0		<1	<1	<1	1	1	1	2
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	599	2.0	2	<1	<1	2	2	3	4	7
20-34	38	2.8	6	1	1	2	3	4	7	15
35-49	13	4.1	23	<1	1	3	4	9	17	19
50-64	6	2.8	1	1	1	3	3	4	4	4
65+	3	3.7	4	2	2	3	5	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.3		1	1	1	2	2	2	2
B. *Operated*	618	1.9	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	53	1.0		<1	<1	<1	1	1	1	2
B. *Operated*	659	2.1	3	<1	<1	2	2	4	4	7
1. SINGLE DX	622	1.9	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX	712	2.0	3	<1	<1	2	2	3	4	7
A. NOT OPERATED	57	1.1		<1	<1	1	1	1	2	2
B. OPERATED	1277	2.0	2	<1	<1	2	2	3	4	7
TOTAL 0-19 YRS	1219	1.9	1	<1	<1	2	2	3	4	6
20-34	79	2.6	5	1	1	2	3	4	6	14
35-49	22	3.2	14	<1	<1	2	3	5	11	19
50-64	8	2.8	1	1	1	3	4	4	4	4
65+	6	2.8	3	<1	<1	2	3	6	6	6
GRAND TOTAL	**1334**	**2.0**	**2**	**<1**	**<1**	**2**	**2**	**3**	**4**	**7**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.2	4	<1	<1	1	3	6	7	7
20-34	4	4.5	7	1	1	5	6	7	7	7
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	620	5.2	21	<1	<1	4	8	11	13	19
20-34	155	4.2	12	<1	<1	3	5	8	12	16
35-49	47	4.1	12	<1	<1	2	7	8	11	15
50-64	17	4.6	45	<1	<1	2	7	9	21	28
65+	8	6.6	23	1	1	7	9	13	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	3.7	94	<1	<1	1	3	6	10	69
20-34	26	5.8	36	<1	1	4	7	12	19	27
35-49	16	5.0	11	1	1	4	7	11	12	12
50-64	17	4.7	13	<1	1	5	6	11	13	14
65+	24	7.6	100	1	2	4	8	15	36	42
B. *Operated*										
0-19 YRS	391	6.4	34	<1	<1	5	9	13	16	30
20-34	205	4.9	14	<1	1	4	6	10	12	17
35-49	101	5.4	26	<1	1	5	7	10	12	31
50-64	64	6.8	19	1	2	6	8	13	15	21
65+	43	9.8	75	2	2	7	14	21	23	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	2.7	5	<1	<1	2	4	7	7	7
B. *Operated*	847	5.0	19	<1	<1	3	8	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	141	5.0	66	<1	<1	3	6	11	13	45
B. *Operated*	804	6.1	30	<1	1	5	8	13	15	24
1. SINGLE DX	865	4.9	19	<1	<1	3	7	11	13	18
2. MULTIPLE DX	945	5.9	36	<1	1	5	8	12	15	27
A. NOT OPERATED	159	4.8	60	<1	<1	3	6	10	12	41
B. OPERATED	1651	5.5	25	<1	<1	4	8	12	14	22
TOTAL 0-19 YRS	1081	5.5	30	<1	<1	4	8	12	14	22
20-34	390	4.7	15	<1	1	4	6	10	12	18
35-49	166	5.0	20	<1	1	4	7	10	11	18
50-64	98	6.0	23	<1	1	5	8	13	14	25
65+	75	8.8	77	1	2	7	11	19	24	46
GRAND TOTAL	**1810**	**5.4**	**28**	**<1**	**<1**	**4**	**8**	**12**	**14**	**23**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.4	1	<1	<1	<1	1	3	3	3
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	261	3.6	4	1	1	3	4	6	8	12
20-34	17	4.2	7	<1	<1	3	6	8	9	9
35-49	4	3.3	3	1	1	3	4	5	5	5
50-64	8	3.1	3	<1	<1	3	4	5	6	6
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	1.4	3	<1	<1	1	1	2	4	99+
20-34	2	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	207	4.6	15	1	2	4	6	8	9	16
20-34	61	3.9	10	1	1	3	5	6	9	22
35-49	37	3.6	3	1	2	3	5	6	6	7
50-64	34	3.4	3	1	1	3	5	6	6	8
65+	13	4.2	2	1	2	4	5	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	1.4	1	<1	<1	<1	1	3	3	3
B. *Operated*	291	3.6	5	1	1	3	4	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	49	1.4	3	<1	<1	1	1	2	3	99+
B. *Operated*	352	4.2	11	1	2	4	5	7	8	16
1. SINGLE DX	299	3.5	5	<1	1	3	4	6	8	11
2. MULTIPLE DX	401	3.9	11	<1	1	3	5	7	8	16
A. NOT OPERATED	57	1.4	2	<1	<1	1	1	2	3	93
B. OPERATED	643	4.0	8	1	1	3	5	7	8	13
TOTAL 0-19 YRS	523	3.8	9	<1	1	3	5	7	8	15
20-34	80	3.9	10	<1	1	3	5	7	9	19
35-49	41	3.5	3	1	1	3	5	6	6	7
50-64	42	3.3	3	<1	1	3	4	6	6	8
65+	14	4.0	2	1	2	4	5	5	6	6
GRAND TOTAL	**700**	**3.7**	**8**	**<1**	**1**	**3**	**5**	**7**	**8**	**14**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	142	3.5	44	<1	<1	2	3	8	13	62
20-34	23	5.3	10	1	1	5	8	9	10	12
35-49	9	5.3	13	<1	<1	6	9	10	10	10
50-64	10	6.4	34	1	1	5	8	15	21	21
65+	9	5.6	29	1	1	3	9	14	17	17
B. *Operated*										
0-19 YRS	1074	4.2	22	<1	1	3	6	8	11	23
20-34	354	3.1	12	<1	<1	2	3	7	9	16
35-49	163	3.6	14	<1	1	2	4	8	11	21
50-64	74	5.9	40	1	1	4	7	11	16	40
65+	14	5.7	10	2	3	5	7	10	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	216	5.7	143	<1	<1	2	5	16	42	99+
20-34	48	5.8	32	<1	<1	4	9	13	19	99+
35-49	43	5.2	15	<1	1	4	8	10	11	20
50-64	35	6.5	25	<1	1	6	8	10	12	29
65+	56	8.9	39	2	3	8	11	19	21	33
B. *Operated*										
0-19 YRS	638	6.0	50	1	1	4	7	12	18	40
20-34	236	5.6	66	<1	1	3	7	14	19	41
35-49	175	5.2	27	1	1	3	8	12	17	24
50-64	118	6.3	60	1	1	4	8	14	22	75
65+	60	8.6	116	<1	1	6	12	17	20	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	193	4.1	37	<1	<1	2	5	9	13	52
B. *Operated*	1679	4.0	20	<1	1	3	5	8	10	23
2. MULTIPLE DX										
A. *Not Operated*	398	6.2	92	<1	<1	3	8	13	23	99+
B. *Operated*	1227	6.0	54	1	1	4	7	13	18	40
1. SINGLE DX	1872	4.0	22	<1	<1	2	5	8	11	23
2. MULTIPLE DX	1625	6.0	63	<1	1	4	8	13	20	56
A. NOT OPERATED	591	5.5	75	<1	<1	3	7	12	20	99+
B. OPERATED	2906	4.8	35	<1	1	3	6	10	15	29
TOTAL 0-19 YRS	2070	4.9	46	<1	1	3	6	10	15	42
20-34	661	4.3	34	<1	1	2	5	10	14	32
35-49	390	4.5	20	<1	1	3	6	10	13	23
50-64	237	6.2	47	1	1	4	8	13	20	47
65+	139	8.2	69	1	2	7	11	17	20	39
GRAND TOTAL	**3497**	**4.9**	**42**	**<1**	**1**	**3**	**6**	**10**	**15**	**36**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1555	3.7	16	1	1	2	4	7	11	21
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	73	8.0	74	1	1	4	13	18	22	48
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1348	8.6	101	1	2	5	10	20	28	55
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	220	14.7	271	1	2	10	18	45	84	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1555	3.7	16	1	1	2	4	7	11	21
B. *Operated*	73	8.0	74	1	1	4	13	18	22	48
2. MULTIPLE DX										
A. *Not Operated*	1348	8.6	101	1	2	5	10	20	28	55
B. *Operated*	220	14.7	271	1	2	10	18	45	84	99+
1. SINGLE DX	1628	3.9	19	1	1	2	4	8	13	22
2. MULTIPLE DX	1568	9.4	129	1	2	6	11	22	34	81
A. NOT OPERATED	2903	5.9	61	1	1	3	7	14	21	43
B. OPERATED	293	13.0	229	1	2	9	17	36	77	99+
TOTAL 0-19 YRS	3196	6.6	81	1	1	3	7	16	24	56
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**3196**	**6.6**	**81**	**1**	**1**	**3**	**7**	**16**	**24**	**56**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1459	2.5	4	<1	1	2	3	4	6	9
20-34	459	3.0	8	1	1	2	4	6	7	12
35-49	280	3.0	3	1	1	3	4	5	6	9
50-64	159	3.5	6	1	1	3	5	7	9	13
65+	161	3.8	6	1	1	3	5	7	8	11
B. *Operated*										
0-19 YRS	5	7.6	111	1	1	2	12	26	26	26
20-34	9	3.3	14	1	1	2	3	9	13	13
35-49	3	3.3	2	2	2	3	4	5	5	5
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	2	6.5	1	6	6	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1984	3.0	7	1	1	2	4	5	7	14
20-34	694	4.5	22	1	1	3	5	9	12	23
35-49	731	5.3	32	1	1	4	6	10	14	22
50-64	850	6.2	47	1	2	4	7	12	16	52
65+	1537	8.1	76	2	2	6	9	15	23	58
B. *Operated*										
0-19 YRS	29	4.9	9	2	2	3	8	9	10	11
20-34	44	9.8	126	1	2	5	11	25	33	49
35-49	46	9.3	42	1	2	9	12	16	23	29
50-64	82	11.4	177	2	2	9	14	21	34	82
65+	131	17.6	342	3	4	11	22	52	89	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2518	2.8	5	1	1	2	3	5	7	11
B. *Operated*	22	4.4	31	1	1	2	5	9	18	26
2. MULTIPLE DX										
A. *Not Operated*	5796	5.3	40	1	1	4	6	10	15	35
B. *Operated*	332	12.8	219	2	3	8	15	29	49	99+
1. SINGLE DX	2540	2.8	5	1	1	2	3	5	7	11
2. MULTIPLE DX	6128	5.7	53	1	1	4	7	11	16	44
A. NOT OPERATED	8314	4.5	31	1	1	3	5	9	13	27
B. OPERATED	354	12.3	211	2	2	8	15	28	48	99+
TOTAL 0-19 YRS	3477	2.8	6	1	1	2	3	5	7	13
20-34	1206	4.1	22	1	1	3	5	8	11	24
35-49	1060	4.8	26	1	1	3	6	9	13	22
50-64	1094	6.2	54	1	2	4	7	12	16	48
65+	1831	8.4	97	2	2	6	10	16	26	79
GRAND TOTAL	**8668**	**4.8**	**41**	**1**	**1**	**3**	**5**	**10**	**14**	**35**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	410	2.9	3	1	1	3	4	5	6	9
20-34	56	4.0	9	1	1	4	5	7	8	19
35-49	41	4.8	38	1	1	3	5	9	10	40
50-64	34	4.5	5	1	2	5	6	7	9	10
65+	53	5.6	11	2	3	5	7	10	13	15
B. *Operated*										
0-19 YRS	6	5.3	50	<1	<1	2	7	18	19	19
20-34	4	16.3	110	7	7	13	23	31	31	31
35-49	5	6.6	13	2	2	7	9	11	11	11
50-64	5	13.0	54	6	6	13	18	23	23	23
65+	5	8.0	9	4	4	8	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	589	3.4	6	1	1	3	4	6	7	15
20-34	221	5.1	15	1	2	4	6	9	11	22
35-49	161	5.4	13	2	2	4	7	10	12	17
50-64	354	6.3	24	2	2	5	8	12	15	25
65+	836	7.5	52	2	2	6	9	13	18	40
B. *Operated*										
0-19 YRS	33	11.5	190	1	2	7	12	24	37	72
20-34	47	10.9	46	3	4	9	15	21	26	28
35-49	45	11.4	70	1	3	10	15	22	26	44
50-64	91	12.2	106	3	4	10	13	24	33	58
65+	142	14.5	126	3	5	12	18	28	46	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	594	3.5	7	1	1	3	4	6	8	12
B. *Operated*	25	9.4	54	1	1	7	12	19	25	31
2. MULTIPLE DX										
A. *Not Operated*	2161	5.8	31	1	2	4	7	11	14	26
B. *Operated*	358	12.8	110	3	4	10	16	25	34	56
1. SINGLE DX	619	3.7	10	1	1	3	4	6	9	16
2. MULTIPLE DX	2519	6.8	48	1	2	5	8	13	18	39
A. NOT OPERATED	2755	5.3	27	1	2	4	6	10	13	23
B. OPERATED	383	12.5	107	3	4	10	16	24	33	56
TOTAL 0-19 YRS	1038	3.5	13	1	1	3	4	6	7	17
20-34	328	5.9	25	1	2	4	7	11	16	26
35-49	252	6.4	32	2	2	5	8	12	17	31
50-64	484	7.3	44	2	2	5	9	13	18	39
65+	1036	8.4	66	2	3	6	10	16	21	53
GRAND TOTAL	**3138**	**6.2**	**42**	**1**	**2**	**4**	**7**	**12**	**17**	**34**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	87	2.6	3	<1	1	2	4	4	5	11
20-34	161	2.8	3	1	1	2	4	5	6	10
35-49	99	2.9	3	1	1	3	4	5	6	10
50-64	46	3.2	5	1	1	2	4	7	9	10
65+	14	2.7	2	1	1	2	3	5	6	6
B. *Operated*										
0-19 YRS	4	2.5	2	<1	<1	2	3	4	4	4
20-34	16	2.4	1	1	1	2	3	4	4	4
35-49	8	3.3	4	2	2	3	4	7	8	8
50-64	13	2.8	3	<1	1	3	4	5	7	7
65+	7	2.3	3	<1	<1	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	2.7	7	<1	1	2	3	6	7	16
20-34	219	3.7	8	1	1	3	5	8	9	16
35-49	197	4.0	10	1	1	3	5	7	11	14
50-64	146	3.8	10	1	1	3	5	7	8	19
65+	158	5.2	11	2	2	4	7	9	11	17
B. *Operated*										
0-19 YRS	9	1.9	1	<1	<1	2	2	4	4	4
20-34	19	4.2	12	1	1	3	6	9	12	13
35-49	24	6.5	27	1	1	5	10	14	16	18
50-64	30	4.8	13	1	1	3	7	11	12	13
65+	31	9.3	27	2	4	8	12	17	21	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	407	2.8	4	1	1	2	4	5	6	10
B. *Operated*	48	2.6	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	799	4.0	10	1	1	3	5	8	10	16
B. *Operated*	113	6.0	24	1	1	5	9	13	15	21
1. SINGLE DX	455	2.8	3	1	1	2	4	5	6	10
2. MULTIPLE DX	912	4.3	12	1	1	3	6	8	11	17
A. NOT OPERATED	1206	3.6	8	1	1	3	5	7	9	14
B. OPERATED	161	5.0	20	1	1	3	7	12	14	21
TOTAL 0-19 YRS	179	2.6	5	<1	1	2	3	4	6	11
20-34	415	3.3	6	1	1	3	4	7	8	13
35-49	328	3.8	9	1	1	3	5	7	11	14
50-64	235	3.8	9	1	1	3	5	7	9	15
65+	210	5.6	15	1	2	5	7	11	13	20
GRAND TOTAL	**1367**	**3.8**	**9**	**1**	**1**	**3**	**5**	**7**	**10**	**16**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.3	1	<1	1	2	3	4	4	4
20-34	36	3.1	2	1	2	3	4	5	6	6
35-49	39	4.1	5	<1	1	4	5	7	9	11
50-64	72	3.4	3	1	1	3	4	6	7	8
65+	91	3.5	6	1	1	3	4	7	9	11
B. *Operated*										
0-19 YRS	32	2.0	3	<1	<1	1	2	5	7	7
20-34	27	4.4	4	1	2	5	6	7	8	9
35-49	55	4.2	3	1	2	4	5	6	7	9
50-64	91	4.7	4	2	2	5	6	7	8	10
65+	68	4.9	8	2	2	4	6	8	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	2.4	2	<1	<1	2	4	4	5	5
20-34	32	3.8	6	1	1	3	5	6	8	12
35-49	77	4.2	7	1	1	4	5	8	10	12
50-64	179	4.2	12	1	1	3	5	8	10	16
65+	363	4.7	29	1	1	4	5	8	12	21
B. *Operated*										
0-19 YRS	17	2.8	5	<1	<1	2	4	7	8	8
20-34	29	5.1	8	1	1	5	7	9	11	12
35-49	72	5.1	9	1	2	4	6	9	11	17
50-64	189	6.3	41	1	2	5	7	11	14	32
65+	350	6.3	38	1	2	5	7	12	16	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	253	3.4	4	1	1	3	4	6	8	11
B. *Operated*	273	4.3	5	1	1	4	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	671	4.4	20	1	1	4	5	8	11	17
B. *Operated*	657	6.0	34	1	2	5	7	11	15	33
1. SINGLE DX	526	3.9	5	1	1	4	5	7	8	11
2. MULTIPLE DX	1328	5.2	28	1	1	4	6	9	12	27
A. NOT OPERATED	924	4.1	16	1	1	3	5	7	10	16
B. OPERATED	930	5.5	26	1	2	5	6	9	12	27
TOTAL 0-19 YRS	84	2.3	3	<1	<1	2	3	5	6	8
20-34	124	4.0	5	1	1	4	5	7	8	12
35-49	243	4.4	6	1	2	4	6	7	10	13
50-64	531	4.9	21	1	2	4	6	8	11	22
65+	872	5.2	30	1	2	4	6	9	13	31
GRAND TOTAL	**1854**	**4.8**	**22**	**1**	**1**	**4**	**6**	**8**	**11**	**21**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	3.0	3	1	1	3	4	5	5	7
20-34	17	2.4	3	<1	1	2	3	6	7	7
35-49	10	1.9	2	<1	<1	1	3	4	5	5
50-64	9	1.8	2	<1	<1	1	2	4	5	5
65+	12	4.2	10	<1	1	3	6	10	10	10
B. *Operated*										
0-19 YRS	101	1.7	3	<1	<1	1	2	3	5	11
20-34	180	2.2	4	<1	<1	2	3	4	8	12
35-49	111	2.3	3	<1	<1	2	2	4	7	11
50-64	68	2.3	3	<1	<1	2	3	4	5	10
65+	32	2.3	7	<1	<1	1	2	6	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	5.2	48	<1	1	4	4	8	15	39
20-34	52	3.7	10	<1	<1	3	5	8	8	16
35-49	55	4.0	17	1	1	3	4	9	12	21
50-64	94	5.7	32	1	1	4	6	15	20	24
65+	192	8.2	83	1	2	6	11	17	21	58
B. *Operated*										
0-19 YRS	41	6.0	116	<1	<1	2	5	15	30	56
20-34	81	4.5	24	<1	<1	3	6	10	16	23
35-49	91	6.7	63	1	1	3	9	15	20	41
50-64	78	7.6	224	<1	<1	3	8	19	65	99+
65+	88	10.1	125	1	2	6	15	27	37	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	2.8	4	<1	1	2	4	5	7	10
B. *Operated*	492	2.1	4	<1	<1	2	2	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	423	6.3	55	1	1	4	8	14	19	33
B. *Operated*	379	7.1	111	<1	1	3	8	18	28	88
1. SINGLE DX	571	2.2	4	<1	<1	2	3	4	6	11
2. MULTIPLE DX	802	6.7	81	<1	1	4	8	16	21	57
A. NOT OPERATED	502	5.8	49	1	1	4	7	13	18	29
B. OPERATED	871	4.3	56	<1	<1	2	4	10	17	49
TOTAL 0-19 YRS	203	3.3	35	<1	<1	2	3	5	8	39
20-34	330	3.0	11	<1	<1	2	3	7	9	18
35-49	267	4.1	30	<1	1	2	4	10	14	31
50-64	249	5.2	87	<1	<1	2	5	12	20	94
65+	324	8.0	89	1	1	5	10	18	23	58
GRAND TOTAL	**1373**	**4.9**	**54**	**<1**	**<1**	**2**	**5**	**12**	**17**	**40**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	6.5	5	5	5	6	8	8	8	8
35-49	1	7.0		7	7	7	7	7	7	7
50-64	1	13.0		13	13	13	13	13	13	13
65+	2	8.0	32	4	4	8	12	12	12	12
B. *Operated*										
0-19 YRS	10	5.9	12	2	2	5	7	11	14	14
20-34	9	2.8	12	<1	<1	2	2	8	12	12
35-49	9	4.1	22	<1	<1	2	4	12	16	16
50-64	18	5.5	46	1	1	3	7	13	22	28
65+	33	10.7	53	1	2	10	15	20	23	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.3	6	3	3	5	7	8	8	8
20-34	1	7.0		7	7	7	7	7	7	7
35-49	9	6.6	31	1	1	5	11	15	15	15
50-64	26	7.6	39	1	2	6	9	15	21	29
65+	136	11.5	99	2	3	9	14	22	32	73
B. *Operated*										
0-19 YRS	13	10.5	70	1	3	6	17	24	26	26
20-34	30	11.8	82	1	2	12	15	25	31	35
35-49	87	18.2	269	2	2	13	25	39	57	97
50-64	280	22.4	331	4	6	18	29	45	74	99+
65+	905	21.3	287	4	6	17	28	46	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	8.2	13	4	4	7	12	13	13	13
B. *Operated*	79	7.3	46	<1	1	5	12	16	21	32
2. MULTIPLE DX										
A. *Not Operated*	175	10.5	88	2	2	8	13	21	27	65
B. *Operated*	1315	21.0	291	4	6	16	27	45	69	99+
1. SINGLE DX	85	7.3	44	1	1	5	12	15	20	31
2. MULTIPLE DX	1490	19.8	279	3	5	15	26	43	66	99+
A. NOT OPERATED	181	10.4	85	2	3	8	13	20	27	64
B. OPERATED	1394	20.2	288	3	5	16	26	44	68	99+
TOTAL 0-19 YRS	26	8.2	44	2	3	5	9	20	24	26
20-34	42	9.5	75	1	1	7	14	23	29	35
35-49	106	15.9	249	1	2	11	24	33	48	96
50-64	325	20.2	319	2	4	15	27	43	73	99+
65+	1076	19.7	268	4	5	15	25	44	64	99+
GRAND TOTAL	**1575**	**19.1**	**274**	**2**	**4**	**15**	**25**	**42**	**64**	**99+**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	1.9	1	<1	1	2	2	3	4	4
20-34	444	2.4	2	1	1	2	3	4	5	6
35-49	1540	2.6	2	1	1	2	3	4	5	8
50-64	1296	2.8	3	1	1	2	3	5	5	8
65+	430	3.1	4	1	1	3	4	5	7	11
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	33	2.6	5	1	1	2	2	6	7	11
35-49	262	2.5	4	1	1	2	2	4	7	12
50-64	302	2.4	3	1	1	2	2	4	6	10
65+	69	2.3	2	1	2	2	2	3	4	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	2.6	2	<1	1	2	3	5	6	8
20-34	674	3.1	5	1	1	3	4	5	7	10
35-49	3079	3.3	5	1	1	3	4	6	7	11
50-64	4254	3.6	6	1	1	3	4	6	8	12
65+	3384	4.3	12	1	2	3	5	8	10	16
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	59	3.6	13	1	1	2	5	7	8	24
35-49	459	3.9	22	1	1	2	5	7	10	20
50-64	810	4.1	18	1	2	2	5	9	12	18
65+	350	6.0	31	1	2	4	8	12	18	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3747	2.7	3	1	1	2	3	5	5	8
B. *Operated*	667	2.5	3	1	1	2	2	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	11458	3.7	8	1	1	3	5	7	8	13
B. *Operated*	1679	4.4	22	1	2	2	6	9	12	23
1. SINGLE DX	4414	2.7	3	1	1	2	3	5	6	8
2. MULTIPLE DX	13137	3.8	10	1	1	3	5	7	9	15
A. NOT OPERATED	15205	3.5	7	1	1	3	4	6	8	12
B. OPERATED	2346	3.9	18	1	1	2	5	8	11	20
TOTAL 0-19 YRS	106	2.3	2	<1	1	2	3	4	5	7
20-34	1210	2.9	4	1	1	2	4	5	6	10
35-49	5340	3.1	6	1	1	3	4	6	7	12
50-64	6662	3.5	7	1	1	3	4	6	8	13
65+	4233	4.3	13	1	2	3	5	8	10	18
GRAND TOTAL	**17551**	**3.5**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	394	2.7	6	1	1	2	4	5	6	12
20-34	29	2.3	2	<1	<1	2	3	4	5	7
35-49	25	3.5	11	<1	1	3	4	7	12	14
50-64	37	3.6	28	<1	1	2	4	7	10	32
65+	25	4.0	15	<1	<1	3	5	8	14	16
B. *Operated*										
0-19 YRS	12	4.1	43	<1	<1	2	3	13	22	24
20-34	19	3.2	4	<1	1	3	4	6	8	8
35-49	37	2.8	6	<1	1	2	4	5	8	12
50-64	77	2.5	4	<1	<1	2	3	5	7	11
65+	47	3.8	21	<1	<1	2	5	9	16	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	434	4.3	18	1	1	3	5	9	12	21
20-34	82	4.5	59	<1	1	3	4	8	10	51
35-49	135	5.7	112	1	1	3	6	9	17	97
50-64	421	5.7	26	1	2	4	7	11	13	25
65+	872	7.9	54	2	2	6	10	16	20	46
B. *Operated*										
0-19 YRS	27	10.5	261	2	2	6	11	22	33	86
20-34	39	5.1	14	1	1	4	7	11	12	14
35-49	77	4.6	21	1	1	3	6	9	13	27
50-64	227	5.5	28	<1	1	4	7	11	16	33
65+	349	8.4	88	1	1	5	11	18	26	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	510	2.8	8	1	1	2	4	5	7	14
B. *Operated*	192	3.1	11	<1	<1	2	4	6	9	20
2. MULTIPLE DX										
A. *Not Operated*	1944	6.3	46	1	1	4	8	13	17	43
B. *Operated*	719	7.0	67	1	1	5	9	15	21	59
1. SINGLE DX	702	2.9	9	<1	1	2	4	5	7	15
2. MULTIPLE DX	2663	6.5	52	1	1	4	8	13	18	44
A. NOT OPERATED	2454	5.6	40	1	1	4	7	12	16	34
B. OPERATED	911	6.2	58	<1	1	4	8	14	19	44
TOTAL 0-19 YRS	867	3.7	22	1	1	2	4	7	11	22
20-34	169	4.1	33	<1	1	3	5	8	11	27
35-49	274	4.8	63	1	1	3	5	9	13	55
50-64	762	5.2	26	1	1	4	7	11	14	32
65+	1293	7.8	62	1	2	6	10	16	21	57
GRAND TOTAL	**3365**	**5.7**	**45**	**1**	**1**	**4**	**7**	**12**	**17**	**36**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	2.6	7	1	1	2	3	4	6	18
20-34	380	1.9	2	<1	1	1	2	3	4	6
35-49	461	1.9	2	<1	1	2	2	3	4	7
50-64	315	1.9	1	<1	1	2	2	3	4	6
65+	120	2.8	17	1	1	2	3	5	6	21
B. *Operated*										
0-19 YRS	33	2.6	22	<1	<1	1	2	5	10	26
20-34	55	3.8	7	<1	1	3	5	6	10	11
35-49	62	4.2	13	1	1	4	5	7	8	25
50-64	52	4.8	11	1	1	4	6	9	12	16
65+	41	5.4	15	<1	1	5	8	10	13	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	2.6	5	<1	<1	2	3	5	8	11
20-34	249	2.8	8	<1	1	2	3	5	6	14
35-49	305	2.9	6	1	1	2	4	5	7	14
50-64	369	3.8	12	1	1	3	4	7	11	14
65+	583	5.8	44	1	1	4	7	11	15	32
B. *Operated*										
0-19 YRS	47	6.8	60	<1	<1	4	8	18	26	30
20-34	56	5.2	17	1	1	4	7	10	12	23
35-49	107	5.8	21	1	1	4	8	12	14	23
50-64	176	7.4	44	1	2	7	9	14	17	21
65+	468	10.4	130	2	3	7	12	20	27	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1345	2.0	3	<1	1	2	2	3	4	7
B. *Operated*	243	4.2	13	<1	<1	3	6	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	1560	4.2	24	1	1	3	5	8	12	22
B. *Operated*	854	8.7	91	1	2	7	10	17	21	48
1. SINGLE DX	1588	2.4	5	<1	1	2	3	4	6	10
2. MULTIPLE DX	2414	5.8	52	1	1	4	7	12	16	33
A. NOT OPERATED	2905	3.2	15	1	1	2	4	6	8	17
B. OPERATED	1097	7.7	77	1	1	6	9	15	20	45
TOTAL 0-19 YRS	203	3.6	24	<1	<1	2	4	7	13	27
20-34	740	2.6	6	<1	1	2	3	5	7	12
35-49	935	2.9	8	<1	1	2	3	6	7	14
50-64	912	3.9	18	1	1	3	5	8	11	18
65+	1212	7.2	81	1	1	5	9	15	20	47
GRAND TOTAL	**4002**	**4.4**	**36**	**1**	**1**	**3**	**5**	**9**	**13**	**27**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1518	2.0	2	<1	1	2	2	4	5	7
20-34	1454	2.4	8	<1	1	2	3	4	6	8
35-49	709	2.8	4	<1	1	2	4	5	6	11
50-64	379	3.2	6	<1	1	3	4	6	8	12
65+	241	3.6	8	<1	1	3	5	7	9	12
B. *Operated*										
0-19 YRS	144	3.7	5	1	2	3	4	6	7	14
20-34	201	3.7	8	<1	1	3	4	6	9	17
35-49	98	4.2	17	<1	<1	3	5	10	13	21
50-64	45	3.6	6	<1	<1	3	6	7	8	10
65+	21	4.4	17	1	1	2	6	12	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	784	2.6	4	1	1	2	3	5	6	11
20-34	1130	3.3	9	<1	1	2	4	7	9	15
35-49	832	3.8	8	1	1	3	5	7	9	15
50-64	931	4.6	11	1	1	4	6	8	11	17
65+	1548	5.4	22	1	2	4	7	9	12	21
B. *Operated*										
0-19 YRS	85	4.5	11	<1	1	4	6	9	12	18
20-34	265	6.6	33	1	1	5	8	14	16	29
35-49	176	6.8	35	1	2	6	8	13	17	30
50-64	181	8.3	54	1	2	6	10	17	22	40
65+	249	10.3	117	2	2	8	13	18	27	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4301	2.5	5	<1	1	2	3	5	6	10
B. *Operated*	509	3.8	9	<1	1	3	5	7	10	17
2. MULTIPLE DX										
A. *Not Operated*	5225	4.1	13	1	1	3	5	8	10	17
B. *Operated*	956	7.7	60	1	2	6	10	15	20	40
1. SINGLE DX	4810	2.6	6	<1	1	2	3	5	6	11
2. MULTIPLE DX	6181	4.7	22	1	1	3	6	9	12	21
A. NOT OPERATED	9526	3.4	10	1	1	2	4	7	9	15
B. OPERATED	1465	6.4	46	1	1	5	8	13	17	32
TOTAL 0-19 YRS	2531	2.4	3	<1	1	2	3	4	6	9
20-34	3050	3.2	12	<1	1	2	4	6	8	15
35-49	1815	3.7	11	1	1	3	5	7	10	17
50-64	1536	4.7	17	1	1	4	6	9	12	20
65+	2059	5.7	35	1	2	4	7	10	14	27
GRAND TOTAL	**10991**	**3.8**	**16**	**1**	**1**	**3**	**5**	**7**	**10**	**18**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	127	2.5	3	<1	1	2	3	5	6	9
20-34	55	1.8	1	<1	<1	1	2	3	4	5
35-49	58	2.2	5	<1	1	1	2	6	7	13
50-64	35	2.4	5	<1	<1	1	3	5	7	10
65+	29	2.6	4	<1	<1	2	3	6	8	9
B. *Operated*										
0-19 YRS	17	5.4	137	<1	<1	1	5	7	35	50
20-34	12	2.8	5	<1	<1	2	4	7	8	8
35-49	20	3.0	6	1	1	2	4	7	8	8
50-64	24	2.7	7	<1	<1	2	3	6	9	11
65+	18	5.3	21	<1	<1	5	7	12	16	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	300	3.0	12	1	1	2	4	6	7	14
20-34	176	3.6	10	<1	1	3	5	8	10	15
35-49	220	4.8	28	1	1	3	6	10	14	21
50-64	374	6.1	36	1	1	4	8	13	17	30
65+	815	6.5	32	1	2	5	8	13	17	32
B. *Operated*										
0-19 YRS	46	4.4	28	1	1	2	7	12	17	23
20-34	80	6.3	86	<1	1	3	7	16	25	85
35-49	104	6.6	90	1	1	3	8	18	35	76
50-64	159	9.4	102	1	1	6	13	23	34	43
65+	289	9.3	112	1	1	7	13	20	26	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	304	2.3	3	<1	1	2	3	5	6	9
B. *Operated*	91	3.8	34	<1	<1	2	5	8	9	37
2. MULTIPLE DX										
A. *Not Operated*	1885	5.4	29	1	1	4	7	11	15	28
B. *Operated*	678	8.2	100	1	1	5	11	19	27	58
1. SINGLE DX	395	2.6	11	<1	1	2	3	6	7	12
2. MULTIPLE DX	2563	6.1	49	1	1	4	8	13	18	38
A. NOT OPERATED	2189	5.0	27	1	1	3	6	11	14	25
B. OPERATED	769	7.7	94	1	1	5	10	18	26	55
TOTAL 0-19 YRS	490	3.1	15	1	1	2	4	6	8	18
20-34	323	3.9	29	<1	1	2	5	9	12	33
35-49	402	4.8	41	1	1	3	6	10	15	37
50-64	592	6.6	54	1	1	4	8	15	20	37
65+	1151	7.1	53	1	1	5	9	14	18	38
GRAND TOTAL	**2958**	**5.7**	**45**	**1**	**1**	**4**	**7**	**13**	**17**	**37**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	719	3.4	13	<1	1	2	4	7	9	19
20-34	266	2.9	25	1	1	2	4	5	6	8
35-49	326	2.8	4	1	1	2	4	5	6	11
50-64	397	3.2	5	1	1	3	4	6	8	10
65+	536	3.5	11	1	1	3	4	7	8	14
B. *Operated*										
0-19 YRS	68	3.0	14	<1	<1	2	3	5	8	24
20-34	124	2.1	4	<1	<1	2	2	4	6	11
35-49	118	2.4	4	<1	<1	2	3	4	7	12
50-64	110	2.4	5	<1	1	2	2	4	7	13
65+	71	3.6	10	<1	1	2	5	8	11	82
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1035	5.2	33	1	1	3	6	11	16	30
20-34	764	4.3	33	1	1	3	5	8	11	35
35-49	1110	4.7	33	1	1	3	6	9	13	23
50-64	2758	5.7	28	1	2	4	7	12	15	28
65+	8266	7.3	56	1	2	5	9	14	20	40
B. *Operated*										
0-19 YRS	103	12.9	374	<1	1	5	13	40	62	84
20-34	157	5.9	78	1	1	3	7	14	28	96
35-49	262	6.3	73	1	1	3	8	14	20	37
50-64	526	9.7	154	1	2	6	12	26	37	99+
65+	1238	13.6	223	1	2	9	16	33	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2244	3.2	11	1	1	2	4	6	8	14
B. *Operated*	491	2.6	7	<1	<1	2	3	5	7	16
2. MULTIPLE DX										
A. *Not Operated*	13933	6.4	47	1	2	5	8	13	18	35
B. *Operated*	2286	11.3	195	1	2	7	14	28	45	99+
1. SINGLE DX	2735	3.1	11	<1	1	2	4	6	8	14
2. MULTIPLE DX	16219	7.1	71	1	2	5	8	14	21	52
A. NOT OPERATED	16177	6.0	43	1	1	4	7	12	17	33
B. OPERATED	2777	9.7	172	1	1	5	12	24	40	99+
TOTAL 0-19 YRS	1925	4.9	47	1	1	3	5	10	15	34
20-34	1311	4.0	35	<1	1	2	4	7	11	38
35-49	1816	4.5	33	1	1	3	5	9	12	23
50-64	3791	5.9	46	1	1	4	7	12	18	37
65+	10111	7.8	79	1	2	5	9	16	23	59
GRAND TOTAL	**18954**	**6.5**	**64**	**1**	**1**	**4**	**8**	**13**	**20**	**48**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	274	2.1	3	1	1	1	2	4	6	9
20-34	27	3.2	4	<1	1	3	4	6	7	9
35-49	4	8.3	57	1	1	7	14	17	17	17
50-64	3	8.0	91	2	2	3	15	19	19	19
65+	6	3.8	4	2	2	3	5	7	7	7
B. *Operated*										
0-19 YRS	69	5.3	7	2	2	5	7	9	10	13
20-34	20	8.0	19	1	3	7	10	15	16	17
35-49	6	9.3	8	4	4	11	11	11	11	11
50-64	2	6.0	32	2	2	6	10	10	10	10
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	215	3.6	24	1	1	2	4	7	10	37
20-34	59	5.9	18	1	2	5	9	13	15	17
35-49	39	7.1	33	1	2	6	9	13	23	25
50-64	24	8.1	31	2	3	5	13	17	17	17
65+	34	11.6	145	1	2	7	14	23	46	51
B. *Operated*										
0-19 YRS	95	15.8	347	1	2	9	23	54	75	99+
20-34	86	14.7	304	2	2	8	19	39	70	94
35-49	56	16.4	338	1	2	11	18	50	67	99
50-64	17	28.2	909	4	4	17	74	96	99+	99+
65+	27	20.3	378	2	3	17	21	57	64	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	314	2.3	5	1	1	2	3	5	6	13
B. *Operated*	97	6.1	12	2	2	6	8	11	12	17
2. MULTIPLE DX										
A. *Not Operated*	371	5.3	42	1	1	3	6	12	17	45
B. *Operated*	281	16.8	373	1	2	10	21	54	76	99+
1. SINGLE DX	411	3.2	9	1	1	2	4	7	10	15
2. MULTIPLE DX	652	10.3	216	1	1	5	12	27	51	99+
A. NOT OPERATED	685	4.0	27	1	1	2	4	9	14	25
B. OPERATED	378	14.1	302	2	2	8	16	40	71	99+
TOTAL 0-19 YRS	653	4.9	82	1	1	2	5	10	17	74
20-34	192	9.7	165	1	2	5	11	21	36	81
35-49	105	12.2	213	1	2	8	13	27	52	92
50-64	46	15.4	441	2	3	7	17	73	92	99+
65+	67	14.4	250	2	2	9	19	28	52	74
GRAND TOTAL	**1063**	**7.5**	**148**	**1**	**1**	**4**	**8**	**17**	**33**	**83**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	164	2.8	7	1	1	2	3	6	8	15
20-34	56	4.9	34	1	1	4	6	9	11	37
35-49	23	5.2	12	1	2	4	7	10	12	16
50-64	14	7.5	28	2	2	6	11	16	18	19
65+	14	9.4	256	<1	1	3	6	42	50	52
B. *Operated*										
0-19 YRS	27	7.2	60	2	2	5	8	11	22	41
20-34	10	6.7	14	1	1	7	10	11	12	12
35-49	3	6.7	4	5	5	6	8	9	9	9
50-64	5	6.2	18	2	2	5	8	13	13	13
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	187	5.5	39	1	1	3	7	12	18	41
20-34	128	4.9	22	1	1	3	6	8	14	25
35-49	57	7.3	94	<1	1	5	8	13	24	63
50-64	38	7.8	43	1	2	5	11	17	24	26
65+	49	8.7	113	1	2	6	11	16	21	71
B. *Operated*										
0-19 YRS	90	16.9	467	1	2	9	20	59	91	99+
20-34	110	15.2	299	2	3	11	22	68	99+	99+
35-49	46	16.7	364	1	2	11	18	61	88	99+
50-64	29	18.6	270	3	3	14	25	50	70	99+
65+	35	24.6	410	3	5	20	34	68	92	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	271	4.0	29	1	1	2	5	8	11	35
B. *Operated*	45	7.0	40	1	2	6	9	11	14	41
2. MULTIPLE DX										
A. *Not Operated*	459	6.1	50	1	1	4	7	13	18	36
B. *Operated*	310	17.3	370	2	3	12	25	64	99+	99+
1. SINGLE DX	316	4.4	31	1	1	3	6	9	11	39
2. MULTIPLE DX	769	10.6	209	1	2	6	13	27	59	99+
A. NOT OPERATED	730	5.3	43	1	1	3	6	12	16	36
B. OPERATED	355	16.0	340	2	2	10	20	58	95	99+
TOTAL 0-19 YRS	468	6.9	136	1	1	3	7	16	28	97
20-34	304	8.7	147	1	2	5	10	23	52	99+
35-49	129	10.3	195	1	1	6	11	22	58	99+
50-64	86	11.3	140	2	2	8	14	26	43	89
65+	98	14.5	291	1	2	9	19	45	67	99+
GRAND TOTAL	**1085**	**8.8**	**165**	**1**	**1**	**5**	**10**	**21**	**42**	**99+**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	1.9	2	<1	<1	2	3	3	4	7
20-34	48	2.1	2	<1	<1	2	3	4	5	8
35-49	20	1.9	1	<1	<1	1	3	4	4	5
50-64	6	3.0	3	<1	<1	3	5	5	5	5
65+	3	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	662	1.8	2	<1	<1	1	2	3	4	8
20-34	823	2.4	4	<1	<1	2	3	4	6	10
35-49	207	2.7	8	<1	<1	2	3	6	7	14
50-64	79	2.9	11	<1	1	2	3	6	8	21
65+	19	2.3	2	<1	1	2	3	3	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	2.6	6	<1	1	2	3	5	7	13
20-34	140	3.2	10	<1	<1	2	4	7	9	20
35-49	66	4.8	111	<1	1	2	5	8	13	74
50-64	46	5.3	23	1	1	4	7	11	15	25
65+	115	6.1	37	1	2	4	8	14	19	99+
B. *Operated*										
0-19 YRS	550	3.6	19	1	1	3	4	7	10	19
20-34	998	4.8	33	1	1	3	6	10	14	22
35-49	375	5.5	58	1	1	3	6	11	15	33
50-64	186	5.6	49	1	1	3	7	11	15	42
65+	140	7.5	59	1	1	5	9	19	22	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	2.0	2	<1	<1	2	3	4	5	8
B. *Operated*	1790	2.2	4	<1	<1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	447	4.3	34	<1	1	3	5	10	14	35
B. *Operated*	2249	4.9	37	1	1	3	6	10	14	27
1. SINGLE DX	1900	2.2	4	<1	<1	2	3	4	6	10
2. MULTIPLE DX	2696	4.8	37	1	1	3	6	10	14	27
A. NOT OPERATED	557	3.9	29	<1	1	2	4	8	12	25
B. OPERATED	4039	3.7	24	<1	1	2	4	8	11	21
TOTAL 0-19 YRS	1325	2.6	10	<1	<1	2	3	5	7	14
20-34	2009	3.6	20	<1	1	2	4	8	11	18
35-49	668	4.5	48	<1	1	3	5	9	13	28
50-64	317	4.9	36	1	1	3	6	10	15	33
65+	277	6.5	47	1	1	4	8	15	22	51
GRAND TOTAL	**4596**	**3.7**	**25**	**<1**	**1**	**2**	**4**	**8**	**11**	**22**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	178	4.5	27	1	1	3	5	8	10	25
20-34	328	5.0	13	1	1	4	7	9	11	19
35-49	184	6.1	61	1	2	5	7	11	14	27
50-64	181	7.3	35	2	2	6	9	14	17	33
65+	230	7.7	19	2	2	7	10	13	15	22
B. *Operated*										
0-19 YRS	17	9.6	45	1	2	9	12	18	25	28
20-34	53	10.6	65	2	3	8	14	19	24	40
35-49	18	10.8	108	1	2	7	15	26	33	38
50-64	10	10.6	97	3	3	7	10	28	34	34
65+	4	12.5	47	4	4	13	18	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	160	6.3	53	1	1	4	8	13	18	60
20-34	390	6.4	30	1	1	5	8	12	15	31
35-49	255	7.4	33	1	2	6	9	13	18	31
50-64	415	9.4	65	2	3	7	12	19	25	40
65+	2006	12.3	107	3	4	10	15	24	32	64
B. *Operated*										
0-19 YRS	75	12.4	142	2	3	8	17	27	43	91
20-34	208	14.6	214	3	4	10	18	28	36	78
35-49	91	14.8	182	3	4	11	19	27	46	73
50-64	70	14.6	118	3	4	11	20	30	40	51
65+	243	21.5	297	5	7	17	28	44	73	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1101	6.0	30	1	1	5	8	11	14	24
B. *Operated*	102	10.5	69	2	2	8	14	20	27	39
2. MULTIPLE DX										
A. *Not Operated*	3226	10.6	89	2	3	8	13	21	29	58
B. *Operated*	687	16.8	233	3	4	12	22	34	50	98
1. SINGLE DX	1203	6.4	35	1	2	5	8	12	15	28
2. MULTIPLE DX	3913	11.7	120	2	3	9	14	24	32	68
A. NOT OPERATED	4327	9.4	78	1	2	7	12	18	26	54
B. OPERATED	789	16.0	216	3	4	12	21	33	46	97
TOTAL 0-19 YRS	430	6.7	65	1	1	4	8	14	21	57
20-34	979	7.9	79	1	2	6	9	16	22	44
35-49	548	8.3	78	1	2	6	10	16	23	47
50-64	676	9.4	67	2	3	7	11	19	26	42
65+	2483	12.8	127	3	4	10	15	25	35	76
GRAND TOTAL	**5116**	**10.4**	**105**	**2**	**2**	**8**	**13**	**21**	**29**	**62**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	6.8	41	1	1	6	7	18	19	19
20-34	11	9.1	185	1	1	5	8	29	46	48
35-49	8	5.6	7	2	2	6	7	9	10	10
50-64	9	8.7	18	2	3	9	11	15	15	15
65+	6	8.5	49	2	2	6	13	19	20	20
B. *Operated*										
0-19 YRS	5	21.0	132	3	3	28	29	30	30	30
20-34	11	12.9	156	2	3	10	13	33	45	46
35-49	5	20.6	638	4	4	9	29	65	65	65
50-64	2	12.0	8	10	10	12	14	14	14	14
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	13.8	630	1	1	7	9	53	80	80
20-34	16	10.0	91	2	2	7	10	29	34	35
35-49	8	12.0	78	3	3	9	18	26	27	27
50-64	6	19.8	1226	<1	1	8	71	98	99+	99+
65+	34	12.0	47	3	4	11	16	21	23	32
B. *Operated*										
0-19 YRS	19	24.2	225	9	12	30	99+	99+	99+	99+
20-34	53	33.4	562	9	11	30	56	99+	99+	99+
35-49	20	28.4	317	4	6	30	49	76	99+	99+
50-64	13	23.5	235	6	11	22	41	99+	99+	99+
65+	18	33.5	439	9	9	31	47	62	71	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	7.9	66	1	1	6	9	15	19	48
B. *Operated*	23	16.3	228	2	3	12	22	33	53	65
2. MULTIPLE DX										
A. *Not Operated*	73	12.4	210	1	3	9	15	24	34	98
B. *Operated*	123	30.1	423	8	11	30	55	99+	99+	99+
1. SINGLE DX	63	10.9	139	1	2	7	13	25	36	63
2. MULTIPLE DX	196	23.6	416	3	5	18	40	96	99+	99+
A. NOT OPERATED	113	10.8	163	1	2	8	13	21	32	94
B. OPERATED	146	28.0	417	5	9	27	50	99+	99+	99+
TOTAL 0-19 YRS	39	18.7	302	1	2	19	34	99+	99+	99+
20-34	91	23.9	507	2	3	16	45	91	99+	99+
35-49	41	19.8	318	3	4	14	32	57	78	99+
50-64	30	17.6	357	2	4	13	26	93	99+	99+
65+	58	18.3	269	3	4	12	23	42	59	75
GRAND TOTAL	**259**	**20.5**	**377**	**2**	**3**	**15**	**33**	**67**	**99+**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	2.0	2	<1	<1	2	2	4	5	6
20-34	58	2.8	5	1	1	2	4	5	7	13
35-49	77	2.8	3	1	1	2	3	5	7	8
50-64	102	3.0	3	1	1	3	4	5	6	9
65+	79	4.3	11	1	1	3	5	9	10	19
B. *Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	1	5.0		5	5	5	5	5	5	5
35-49	4	5.0	29	1	1	3	8	13	13	13
50-64	2	5.0		5	5	5	5	5	5	5
65+	1	1.0		1	1	50	99+	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	2.9	5	1	1	2	4	5	8	11
20-34	275	3.9	8	1	1	3	5	7	9	15
35-49	369	5.0	19	1	1	4	6	9	11	16
50-64	492	6.1	41	1	2	5	8	12	17	26
65+	1151	8.8	80	2	2	7	10	17	24	58
B. *Operated*										
0-19 YRS	25	6.3	9	2	2	6	9	10	11	13
20-34	116	8.3	83	1	2	6	10	16	25	52
35-49	96	10.2	128	2	3	6	11	23	33	60
50-64	108	10.6	94	2	3	7	12	26	36	71
65+	214	15.5	228	2	3	10	19	37	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	337	3.2	6	1	1	3	4	6	7	11
B. *Operated*	9	5.8	27	1	1	5	13	58	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	2352	6.9	56	1	2	5	8	13	19	43
B. *Operated*	559	11.7	154	2	3	8	14	27	39	78
1. SINGLE DX	346	3.2	6	1	1	3	4	6	8	13
2. MULTIPLE DX	2911	7.8	78	1	2	5	9	16	24	53
A. NOT OPERATED	2689	6.4	51	1	2	5	8	12	18	38
B. OPERATED	568	11.7	153	2	3	8	14	27	40	86
TOTAL 0-19 YRS	112	3.6	9	1	1	2	5	9	10	14
20-34	450	4.9	31	1	1	3	6	9	14	30
35-49	546	5.6	41	1	1	4	7	10	14	33
50-64	704	6.3	48	1	2	5	8	12	18	36
65+	1445	9.6	105	2	2	7	11	20	29	74
GRAND TOTAL	**3257**	**7.3**	**72**	**1**	**2**	**5**	**9**	**15**	**22**	**51**

347: Fracture of pelvis (808)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	4.9	13	1	1	4	7	11	13	16
20-34	83	7.4	72	1	2	5	9	13	17	48
35-49	48	7.8	33	1	2	6	10	17	19	27
50-64	76	10.2	82	2	3	8	13	19	26	49
65+	260	10.1	45	2	3	9	13	18	22	38
B. *Operated*										
0-19 YRS	6	8.7	132	2	2	4	6	29	32	32
20-34	7	23.3	342	9	10	16	25	55	63	63
35-49	3	34.0	1029	14	14	17	57	71	71	71
50-64	4	15.5	28	10	10	15	20	21	21	21
65+	3	12.3	17	9	9	11	15	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	123	8.4	52	2	3	6	10	15	24	37
20-34	216	11.6	145	2	3	8	14	20	34	66
35-49	92	13.0	150	2	3	10	15	22	46	64
50-64	162	13.2	117	4	5	10	16	24	31	63
65+	1546	15.7	157	4	5	13	20	31	43	94
B. *Operated*										
0-19 YRS	58	21.3	305	3	4	18	31	43	51	95
20-34	149	24.1	403	4	6	18	31	54	71	96
35-49	62	25.4	440	3	5	18	42	73	99+	99+
50-64	62	31.4	435	5	11	26	43	67	78	99
65+	223	27.5	428	6	8	22	39	62	83	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	559	8.7	51	1	2	7	11	16	20	43
B. *Operated*	23	18.1	295	3	4	13	20	38	66	71
2. MULTIPLE DX										
A. *Not Operated*	2139	14.5	150	3	4	11	18	28	41	82
B. *Operated*	554	26.1	415	4	7	20	37	59	79	99+
1. SINGLE DX	582	9.0	64	1	2	7	12	17	21	45
2. MULTIPLE DX	2693	16.9	227	3	5	13	21	37	52	97
A. NOT OPERATED	2698	13.3	135	2	4	10	16	26	37	75
B. OPERATED	577	25.8	412	4	6	19	37	59	78	99+
TOTAL 0-19 YRS	279	9.9	128	1	2	6	12	23	33	52
20-34	455	15.1	261	2	3	10	18	37	54	88
35-49	205	15.9	267	2	3	11	18	43	63	99+
50-64	304	16.2	231	3	4	12	19	35	51	78
65+	2032	16.3	191	4	5	12	20	33	48	94
GRAND TOTAL	**3275**	**15.5**	**207**	**3**	**4**	**11**	**19**	**33**	**49**	**93**

348: Fracture of humerus (812)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	127	3.0	27	<1	1	1	3	5	13	29
20-34	24	2.4	4	1	1	2	3	4	7	10
35-49	18	3.3	10	<1	<1	2	4	6	11	14
50-64	41	3.0	12	<1	1	2	3	5	8	22
65+	134	4.6	44	1	1	2	5	10	16	58
B. *Operated*										
0-19 YRS	863	3.6	20	1	1	2	4	8	15	23
20-34	103	3.9	18	1	1	3	5	7	10	28
35-49	92	3.9	10	1	1	3	5	7	9	20
50-64	165	4.5	17	1	1	4	5	7	10	26
65+	215	5.7	38	1	1	4	7	10	14	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	3.1	10	<1	1	2	4	7	9	19
20-34	30	6.7	53	<1	1	3	11	17	25	26
35-49	29	4.4	15	1	1	3	5	12	14	14
50-64	123	7.5	88	1	1	5	9	14	18	59
65+	698	10.9	148	1	2	7	14	24	35	88
B. *Operated*										
0-19 YRS	251	7.4	86	1	1	4	9	19	26	43
20-34	184	8.2	117	1	1	5	9	17	35	58
35-49	124	9.7	154	1	1	5	12	23	36	83
50-64	252	9.5	107	1	2	6	11	26	33	49
65+	755	12.7	186	2	2	9	16	29	43	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	344	3.6	30	<1	1	2	4	7	13	37
B. *Operated*	1438	4.1	22	1	1	3	5	9	14	24
2. MULTIPLE DX										
A. *Not Operated*	936	9.7	130	1	2	6	12	22	31	79
B. *Operated*	1566	10.6	151	1	2	7	13	26	35	78
1. SINGLE DX	1782	4.0	24	1	1	2	4	8	14	26
2. MULTIPLE DX	2502	10.2	143	1	2	6	13	24	35	78
A. NOT OPERATED	1280	8.0	110	1	1	4	10	19	28	69
B. OPERATED	3004	7.5	100	1	1	4	9	18	27	60
TOTAL 0-19 YRS	1297	4.3	35	1	1	2	4	11	17	27
20-34	341	6.4	78	1	1	4	7	13	20	53
35-49	263	6.7	87	1	1	4	7	15	23	69
50-64	581	7.2	76	1	1	4	8	15	27	45
65+	1802	10.6	150	1	2	7	13	25	35	94
GRAND TOTAL	**4284**	**7.6**	**103**	**1**	**1**	**4**	**9**	**19**	**27**	**63**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	2.5	42	<1	1	1	2	4	5	40
20-34	19	1.9	1	<1	<1	1	3	4	4	4
35-49	15	2.6	6	1	1	2	3	4	9	11
50-64	14	3.1	20	<1	1	2	3	6	15	18
65+	32	2.5	2	1	1	2	4	5	5	6
B. *Operated*										
0-19 YRS	1538	1.7	2	<1	1	1	2	3	4	7
20-34	481	3.0	5	1	1	3	4	6	7	10
35-49	312	2.5	3	1	1	2	3	5	6	9
50-64	479	2.6	4	1	1	2	3	5	6	10
65+	437	3.0	6	1	1	2	4	6	7	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	2.6	5	1	1	2	3	5	6	13
20-34	56	3.9	13	<1	1	3	5	8	11	17
35-49	23	2.6	4	1	1	2	3	6	7	7
50-64	48	5.6	25	1	1	4	7	11	15	28
65+	145	9.7	157	1	1	5	12	22	35	91
B. *Operated*										
0-19 YRS	381	4.4	52	1	1	2	4	9	15	43
20-34	397	6.1	56	1	1	4	7	12	20	44
35-49	268	6.3	51	1	1	4	7	14	18	42
50-64	362	5.9	78	1	1	3	6	12	20	61
65+	764	8.0	116	1	1	5	9	18	26	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	172	2.5	25	<1	1	2	3	4	5	16
B. *Operated*	3247	2.3	3	<1	1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	323	6.4	87	1	1	4	7	15	21	61
B. *Operated*	2172	6.4	81	1	1	4	7	14	22	56
1. SINGLE DX	3419	2.3	5	<1	1	2	3	4	6	9
2. MULTIPLE DX	2495	6.4	82	1	1	4	7	14	22	56
A. NOT OPERATED	495	5.1	69	1	1	3	5	12	18	54
B. OPERATED	5419	3.9	39	1	1	2	4	8	12	36
TOTAL 0-19 YRS	2062	2.3	14	<1	1	1	2	4	5	14
20-34	953	4.3	29	1	1	3	5	8	12	31
35-49	618	4.2	27	1	1	3	4	8	13	31
50-64	903	4.1	38	1	1	3	4	8	12	28
65+	1378	6.4	89	1	1	4	7	14	22	65
GRAND TOTAL	**5914**	**4.0**	**41**	**1**	**1**	**2**	**4**	**8**	**13**	**37**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.8	3	<1	<1	3	4	5	6	6
20-34	28	3.1	7	<1	<1	2	4	7	9	10
35-49	8	4.1	18	<1	<1	3	4	11	14	14
50-64	7	1.9		1	1	2	2	3	3	3
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	467	1.7	2	<1	<1	1	2	3	4	7
20-34	568	1.9	3	<1	<1	1	2	4	5	9
35-49	218	1.9	2	<1	<1	2	2	3	4	8
50-64	109	2.5	19	<1	<1	2	3	4	5	26
65+	47	2.9	9	1	1	2	3	5	7	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	3.0	7	1	1	2	4	8	9	11
20-34	38	2.9	4	<1	1	2	4	6	7	7
35-49	19	4.4	15	<1	<1	3	5	9	13	17
50-64	20	9.0	235	1	1	4	9	16	44	71
65+	38	7.7	64	1	1	5	9	17	18	43
B. *Operated*										
0-19 YRS	181	2.7	6	<1	1	2	3	6	8	13
20-34	383	3.7	27	1	1	2	4	7	10	32
35-49	198	3.7	24	1	1	2	4	7	10	24
50-64	150	3.6	19	1	1	2	4	7	8	18
65+	101	5.9	84	1	1	3	6	15	18	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	3.0	7	<1	<1	2	4	6	8	14
B. *Operated*	1409	1.9	4	<1	<1	1	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	147	5.2	57	1	1	3	6	11	17	44
B. *Operated*	1013	3.7	28	1	1	2	4	7	11	26
1. SINGLE DX	1466	2.0	4	<1	<1	1	2	3	5	9
2. MULTIPLE DX	1160	3.9	32	1	1	2	4	8	12	26
A. NOT OPERATED	204	4.6	44	<1	1	3	5	9	16	30
B. OPERATED	2422	2.7	15	<1	<1	2	3	5	7	18
TOTAL 0-19 YRS	693	2.0	3	<1	<1	1	2	4	5	10
20-34	1017	2.7	13	<1	<1	2	3	5	7	17
35-49	443	2.8	13	<1	1	2	3	6	8	19
50-64	286	3.5	35	<1	1	2	4	6	9	34
65+	187	5.5	63	1	1	3	6	16	17	38
GRAND TOTAL	**2626**	**2.8**	**17**	**<1**	**1**	**2**	**3**	**5**	**8**	**18**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	10.0	160	1	1	4	13	30	45	48
20-34	11	7.1	35	1	2	5	11	16	20	20
35-49	10	5.1	16	1	1	4	9	11	11	11
50-64	19	7.7	125	<1	<1	5	9	14	35	51
65+	116	8.2	39	1	1	7	10	20	23	99+
B. *Operated*										
0-19 YRS	96	9.3	59	2	3	7	10	23	26	34
20-34	45	9.2	34	2	3	8	12	16	22	29
35-49	76	9.7	32	4	5	9	12	15	17	38
50-64	342	11.6	30	5	6	11	13	18	22	38
65+	1860	16.3	84	7	8	14	19	26	32	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	24.8	710	1	1	14	39	63	89	97
20-34	10	7.1	52	<1	<1	4	15	53	96	99+
35-49	11	11.5	66	2	3	11	20	49	93	99+
50-64	76	12.3	112	1	2	10	15	25	37	54
65+	734	16.6	244	2	4	12	21	39	55	99+
B. *Operated*										
0-19 YRS	92	18.2	171	4	5	14	26	33	47	64
20-34	128	17.1	181	6	7	13	19	42	51	99+
35-49	153	18.3	181	6	7	14	22	36	45	69
50-64	891	18.3	171	7	8	15	21	34	49	99+
65+	9912	22.1	223	8	10	18	27	45	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	202	8.3	73	1	1	6	10	20	25	73
B. *Operated*	2419	15.0	78	6	7	13	18	24	30	58
2. MULTIPLE DX										
A. *Not Operated*	861	16.3	248	2	3	12	21	39	55	99+
B. *Operated*	11176	21.6	219	8	9	17	26	44	63	99+
1. SINGLE DX	2621	14.5	81	4	6	13	18	24	30	58
2. MULTIPLE DX	12037	21.2	223	7	9	17	26	43	62	99+
A. NOT OPERATED	1063	14.8	225	1	3	10	19	37	51	99+
B. OPERATED	13595	20.4	200	7	9	17	24	40	58	99+
TOTAL 0-19 YRS	264	14.3	216	2	2	9	20	33	45	74
20-34	194	14.2	148	3	4	11	17	28	47	99+
35-49	250	14.9	143	4	5	11	16	30	42	69
50-64	1328	16.0	140	5	7	13	19	29	41	92
65+	12622	20.8	209	7	9	17	25	41	59	99+
GRAND TOTAL	**14658**	**20.0**	**204**	**6**	**8**	**16**	**24**	**40**	**57**	**99+**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	290	18.1	204	1	2	18	26	37	44	62
20-34	23	19.2	547	1	1	7	37	48	70	88
35-49	6	10.5	326	<1	<1	3	8	43	47	47
50-64	8	23.3	656	<1	1	13	38	65	74	74
65+	42	17.0	414	1	1	8	21	57	70	99+
B. *Operated*										
0-19 YRS	381	14.9	212	1	2	10	22	35	44	69
20-34	109	13.7	194	2	3	10	16	26	36	80
35-49	45	12.8	121	1	2	11	16	24	32	60
50-64	27	16.5	177	5	6	12	20	33	45	65
65+	86	19.9	189	3	6	17	27	35	52	67
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	176	22.3	320	1	2	20	32	48	58	88
20-34	37	21.0	543	1	2	8	48	65	87	99+
35-49	17	16.4	280	2	3	10	22	45	56	60
50-64	37	21.8	291	3	5	23	41	73	99+	99+
65+	251	21.4	490	2	3	14	27	64	84	99+
B. *Operated*										
0-19 YRS	428	20.8	263	2	4	17	28	44	57	93
20-34	369	23.4	370	3	7	18	30	54	74	99+
35-49	112	21.8	408	1	2	16	32	52	65	95
50-64	148	25.0	440	3	6	19	36	70	96	99+
65+	518	25.5	364	5	8	20	37	65	92	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	369	18.1	258	1	1	16	26	40	47	75
B. *Operated*	648	15.3	201	1	2	11	21	33	43	71
2. MULTIPLE DX										
A. *Not Operated*	518	21.5	413	2	3	16	32	58	77	99+
B. *Operated*	1575	23.4	351	3	5	18	32	56	76	99+
1. SINGLE DX	1017	16.3	223	1	2	13	23	36	45	72
2. MULTIPLE DX	2093	23.0	367	2	4	18	32	56	76	99+
A. NOT OPERATED	887	20.1	351	1	2	16	30	48	65	99+
B. OPERATED	2223	21.1	321	2	4	16	28	48	69	99+
TOTAL 0-19 YRS	1275	18.6	249	1	2	16	26	41	49	77
20-34	538	21.1	366	2	4	16	27	51	70	99+
35-49	180	18.7	335	1	2	13	24	46	59	91
50-64	220	23.4	393	3	5	17	35	68	98	99+
65+	897	23.4	390	3	5	18	32	62	84	99+
GRAND TOTAL	**3110**	**20.8**	**329**	**2**	**3**	**16**	**28**	**48**	**68**	**99+**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	251	2.6	7	1	1	2	3	5	6	11
20-34	133	3.1	6	<1	1	2	4	7	9	11
35-49	74	4.4	21	1	1	3	5	9	13	28
50-64	62	8.1	135	1	1	4	10	16	31	70
65+	99	8.0	49	1	2	6	11	14	20	37
B. *Operated*										
0-19 YRS	793	4.0	14	1	1	3	5	8	10	18
20-34	533	5.6	19	1	2	4	7	11	13	21
35-49	378	6.7	39	1	2	5	8	12	16	40
50-64	210	7.9	62	2	2	6	10	16	21	46
65+	142	9.7	70	1	2	8	13	17	20	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	84	4.9	82	1	1	3	5	9	14	60
20-34	88	5.1	18	1	1	4	6	9	16	23
35-49	72	7.0	76	1	2	5	10	12	18	93
50-64	117	8.6	64	1	2	6	10	20	26	37
65+	295	13.1	181	2	3	8	16	32	46	99+
B. *Operated*										
0-19 YRS	387	9.4	113	1	2	6	11	20	32	64
20-34	550	13.4	210	2	3	8	16	33	48	81
35-49	361	13.1	227	2	3	8	16	28	54	99+
50-64	313	15.0	259	3	4	11	17	29	55	99
65+	426	18.8	271	3	4	14	26	43	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	619	4.3	33	1	1	3	5	10	13	33
B. *Operated*	2056	5.7	31	1	1	4	7	11	15	26
2. MULTIPLE DX										
A. *Not Operated*	656	9.5	126	1	2	6	11	22	35	77
B. *Operated*	2037	14.0	224	2	3	9	17	31	50	96
1. SINGLE DX	2675	5.4	32	1	1	4	7	11	14	27
2. MULTIPLE DX	2693	12.9	203	1	2	8	16	30	46	95
A. NOT OPERATED	1275	7.0	87	1	1	4	8	16	26	62
B. OPERATED	4093	9.8	144	1	2	6	11	21	34	73
TOTAL 0-19 YRS	1515	5.2	48	1	1	3	6	11	16	36
20-34	1304	8.6	115	1	2	5	10	17	29	57
35-49	885	9.1	128	1	2	6	11	19	28	86
50-64	702	11.2	168	2	2	7	13	23	35	83
65+	962	14.6	207	2	3	10	19	33	49	99+
GRAND TOTAL	**5368**	**9.1**	**132**	**1**	**1**	**5**	**11**	**20**	**31**	**70**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	113	2.1	2	<1	1	2	3	4	6	8
20-34	117	2.9	8	<1	1	2	4	6	9	15
35-49	104	3.7	13	1	1	3	5	6	7	23
50-64	77	4.1	15	<1	1	3	5	9	10	22
65+	98	5.6	66	1	1	4	6	9	14	54
B. *Operated*										
0-19 YRS	854	3.4	10	1	1	3	4	6	8	12
20-34	1198	4.2	8	1	1	4	5	8	9	14
35-49	910	5.1	17	1	2	4	6	9	11	18
50-64	767	5.7	14	1	2	5	7	10	12	19
65+	459	7.5	43	2	3	6	9	13	17	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	3.5	9	<1	1	3	5	7	10	14
20-34	119	4.1	12	1	1	3	6	8	11	18
35-49	104	7.4	121	1	1	5	8	13	19	68
50-64	173	6.9	38	1	1	5	9	16	20	33
65+	365	9.3	120	2	2	6	11	20	26	74
B. *Operated*										
0-19 YRS	393	5.9	41	1	2	4	7	11	15	40
20-34	875	6.6	40	1	2	5	8	13	17	35
35-49	604	8.0	81	2	2	6	9	14	20	56
50-64	778	9.1	86	2	3	6	11	16	24	63
65+	900	12.5	138	3	4	9	15	24	37	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	509	3.6	21	<1	1	2	4	7	9	19
B. *Operated*	4188	4.9	17	1	1	4	6	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	827	7.4	82	1	1	5	9	15	21	48
B. *Operated*	3550	8.8	88	2	2	6	10	17	25	56
1. SINGLE DX	4697	4.7	17	1	1	4	6	9	11	18
2. MULTIPLE DX	4377	8.5	87	1	2	6	10	17	24	56
A. NOT OPERATED	1336	5.9	62	1	1	4	7	13	17	38
B. OPERATED	7738	6.7	53	1	2	5	8	13	18	42
TOTAL 0-19 YRS	1426	4.0	20	1	1	3	5	7	10	20
20-34	2309	5.0	22	1	1	4	6	9	13	25
35-49	1722	6.2	47	1	2	5	7	11	14	37
50-64	1795	7.2	50	1	2	5	8	13	18	41
65+	1822	10.3	112	2	3	7	12	20	29	69
GRAND TOTAL	**9074**	**6.6**	**55**	**1**	**2**	**5**	**8**	**13**	**18**	**41**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	1.7	2	<1	1	1	2	4	5	5
20-34	20	1.9	1	<1	<1	2	2	4	4	5
35-49	8	2.4	4	<1	<1	1	4	6	6	6
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	3	3.3	5	2	2	2	5	6	6	6
B. *Operated*										
0-19 YRS	34	2.5	1	1	1	2	3	4	5	5
20-34	33	2.5	3	<1	1	2	3	5	6	6
35-49	9	2.3	2	1	1	2	3	4	5	5
50-64	2	5.0	8	3	3	5	7	7	7	7
65+	2	3.0	8	1	1	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	2.9	9	1	1	2	3	7	9	17
20-34	126	3.3	6	1	1	3	4	6	9	12
35-49	58	3.7	3	<1	1	3	5	7	9	15
50-64	47	5.0	16	1	1	4	7	11	13	15
65+	129	7.7	32	1	3	6	10	16	20	25
B. *Operated*										
0-19 YRS	36	4.9	30	1	1	3	6	8	20	26
20-34	65	6.9	86	1	1	4	8	21	29	44
35-49	25	6.8	65	1	1	4	9	17	29	31
50-64	20	5.9	20	1	1	5	8	13	16	17
65+	43	15.6	238	1	2	9	23	39	50	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	2.0	2	<1	<1	1	2	4	5	6
B. *Operated*	80	2.6	2	1	1	2	3	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	439	4.8	19	1	1	3	6	10	14	22
B. *Operated*	189	8.4	114	1	1	4	8	24	36	52
1. SINGLE DX	131	2.3	2	<1	1	2	3	5	5	6
2. MULTIPLE DX	628	5.8	51	1	1	4	7	12	20	39
A. NOT OPERATED	490	4.5	18	1	1	3	6	10	13	22
B. OPERATED	269	6.6	88	1	1	3	6	17	27	47
TOTAL 0-19 YRS	167	3.1	12	1	1	2	4	6	8	24
20-34	244	4.0	29	1	1	3	4	8	10	37
35-49	100	4.3	24	<1	1	3	5	8	12	29
50-64	71	5.2	16	1	1	4	7	11	15	17
65+	177	9.5	93	1	2	6	11	22	28	52
GRAND TOTAL	**759**	**5.2**	**44**	**1**	**1**	**3**	**6**	**11**	**17**	**38**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.7		1	1	2	2	2	2	2
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	2	6.0	8	4	4	6	8	8	8	8
B. *Operated*										
0-19 YRS	6	10.2	117	4	4	7	7	30	32	32
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	21.0		21	21	21	21	21	21	21
65+	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	3.2	4	<1	1	3	6	99+	99+	99+
20-34	6	6.7	13	1	1	7	8	12	12	12
35-49	2	4.5	13	2	2	4	7	7	7	7
50-64	1	8.0		8	8	8	8	8	8	8
65+	7	7.7	51	2	2	5	8	20	23	23
B. *Operated*										
0-19 YRS	15	15.8	276	1	2	10	27	54	86	99+
20-34	18	18.4	385	1	3	13	26	67	91	99+
35-49	9	15.8	79	3	5	14	22	28	31	31
50-64	7	16.0	255	3	3	14	36	83	99+	99+
65+	13	37.5	733	4	15	26	51	82	89	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	2.7	5	1	1	2	4	6	8	8
B. *Operated*	9	11.1	99	2	3	7	17	28	32	32
2. MULTIPLE DX										
A. *Not Operated*	25	5.6	21	1	1	6	8	21	99+	99+
B. *Operated*	62	21.1	424	2	3	16	29	71	93	99+
1. SINGLE DX	20	6.5	62	1	1	4	7	18	26	32
2. MULTIPLE DX	87	16.7	356	1	2	10	25	60	99	99+
A. NOT OPERATED	36	4.7	18	1	1	4	7	11	69	99+
B. OPERATED	71	19.8	392	2	3	16	28	57	89	99+
TOTAL 0-19 YRS	37	9.2	163	1	1	5	13	51	99+	99+
20-34	25	15.0	306	1	2	10	16	44	85	99+
35-49	13	11.8	92	1	2	11	20	25	30	31
50-64	9	15.7	203	3	3	14	27	72	99+	99+
65+	23	24.7	637	2	3	19	27	73	84	91
GRAND TOTAL	**107**	**14.8**	**316**	**1**	**2**	**8**	**22**	**46**	**90**	**99+**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	12	1.8	1	1	1	2	2	4	4	4
35-49	3	1.3		<1	<1	1	2	2	2	2
50-64	3	1.0		<1	<1	1	1	1	1	1
65+	3	2.7		2	2	3	3	3	3	3
B. *Operated*										
0-19 YRS	87	3.0	29	1	1	2	3	4	5	35
20-34	288	2.5	2	<1	1	3	3	4	4	6
35-49	94	2.7	4	<1	1	2	3	4	5	12
50-64	44	2.0	1	<1	<1	2	3	4	4	5
65+	34	1.4	1	<1	<1	1	1	2	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.2	3	<1	<1	2	3	5	5	5
20-34	19	3.6	10	<1	<1	2	5	9	12	12
35-49	12	4.0	35	1	1	2	3	11	20	22
50-64	9	2.7	8	1	1	2	3	7	10	10
65+	30	8.6	117	<1	1	5	8	15	38	53
B. *Operated*										
0-19 YRS	18	3.9	10	<1	<1	3	4	10	11	11
20-34	80	4.4	31	1	1	3	5	9	11	36
35-49	38	5.2	58	<1	1	3	5	12	15	45
50-64	33	6.1	48	<1	1	4	7	16	21	32
65+	96	8.8	133	1	1	4	11	28	41	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	2.2	5	<1	<1	2	2	4	7	11
B. *Operated*	547	2.5	6	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	75	5.5	62	<1	1	4	6	11	17	49
B. *Operated*	265	6.3	76	1	1	3	7	14	26	49
1. SINGLE DX	569	2.5	6	<1	1	2	3	4	5	8
2. MULTIPLE DX	340	6.1	72	1	1	3	6	13	22	49
A. NOT OPERATED	97	4.7	50	<1	1	2	5	11	12	46
B. OPERATED	812	3.7	32	<1	1	3	4	6	11	38
TOTAL 0-19 YRS	111	3.2	25	<1	1	2	3	5	8	27
20-34	399	2.9	8	1	1	3	3	5	6	12
35-49	147	3.4	21	<1	1	2	4	5	9	23
50-64	89	3.5	23	<1	1	2	4	7	15	28
65+	163	7.1	108	<1	1	4	7	17	32	60
GRAND TOTAL	**909**	**3.8**	**34**	**<1**	**1**	**3**	**4**	**6**	**11**	**40**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.7	1	1	1	1	2	3	4	4
20-34	10	2.3	1	1	1	2	3	4	5	5
35-49	5	3.4	11	1	1	3	5	9	9	9
50-64	5	6.0	33	<1	<1	4	10	15	15	15
65+	3	6.0	4	4	4	6	7	8	8	8
B. *Operated*										
0-19 YRS	505	2.3	5	<1	<1	2	3	4	5	9
20-34	1142	2.2	3	<1	<1	2	2	4	5	9
35-49	619	2.2	3	<1	<1	2	3	4	5	10
50-64	275	2.2	2	<1	<1	2	3	4	5	8
65+	64	3.0	4	<1	1	2	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	2.9	18	<1	<1	1	2	9	14	16
20-34	27	2.9	13	<1	<1	1	4	8	12	14
35-49	21	3.1	28	<1	<1	1	2	7	17	24
50-64	10	3.2	6	<1	<1	2	5	7	8	8
65+	17	5.4	19	<1	<1	4	7	11	15	17
B. *Operated*										
0-19 YRS	343	2.7	5	<1	1	2	3	5	6	10
20-34	924	2.6	7	<1	<1	2	3	5	7	13
35-49	574	2.6	5	<1	<1	2	3	5	7	12
50-64	531	2.7	8	<1	<1	2	3	5	7	14
65+	226	3.9	25	<1	1	2	4	7	13	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	3.2	9	1	1	2	4	8	9	15
B. *Operated*	2605	2.2	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	91	3.5	18	<1	<1	1	5	9	12	21
B. *Operated*	2598	2.7	8	<1	<1	2	3	5	7	15
1. SINGLE DX	2638	2.2	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX	2689	2.8	8	<1	<1	2	3	5	7	16
A. NOT OPERATED	124	3.4	15	<1	<1	2	4	8	12	19
B. OPERATED	5203	2.5	6	<1	<1	2	3	4	6	12
TOTAL 0-19 YRS	874	2.4	5	<1	<1	2	3	5	6	10
20-34	2103	2.4	5	<1	<1	2	3	4	6	11
35-49	1219	2.4	4	<1	<1	2	3	4	6	11
50-64	821	2.6	6	<1	<1	2	3	5	7	13
65+	310	3.8	20	<1	1	2	4	7	11	26
GRAND TOTAL	**5327**	**2.5**	**6**	**<1**	**<1**	**2**	**3**	**5**	**6**	**12**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	3.5	18	<1	1	2	4	8	14	20
20-34	57	5.3	15	<1	1	5	6	11	15	17
35-49	38	6.6	14	1	2	6	8	11	15	16
50-64	15	4.7	11	1	1	5	7	12	74	99+
65+	10	5.7	12	1	1	5	8	11	12	12
B. *Operated*										
0-19 YRS	159	3.5	25	<1	1	2	4	8	11	22
20-34	182	3.0	12	<1	1	2	3	6	10	19
35-49	80	2.9	9	<1	<1	2	3	7	9	15
50-64	55	4.0	17	<1	1	3	4	9	11	24
65+	38	4.3	16	1	1	3	6	12	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	5.9	16	1	1	5	7	10	14	22
20-34	385	6.9	12	2	3	7	8	11	13	16
35-49	294	7.7	16	3	4	7	9	12	15	20
50-64	119	8.2	14	3	3	8	11	14	15	17
65+	68	8.9	93	1	2	7	10	16	19	67
B. *Operated*										
0-19 YRS	91	7.3	80	<1	1	4	11	19	21	50
20-34	206	8.2	92	1	1	5	10	20	26	50
35-49	98	7.0	50	1	1	4	9	17	23	33
50-64	80	8.6	98	1	1	5	11	22	35	84
65+	94	11.1	179	1	1	5	14	27	37	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	155	5.2	16	1	1	5	7	11	15	20
B. *Operated*	514	3.3	16	<1	1	2	4	8	11	21
2. MULTIPLE DX										
A. *Not Operated*	933	7.4	20	2	3	7	9	12	14	20
B. *Operated*	569	8.4	99	1	1	5	11	20	27	55
1. SINGLE DX	669	3.8	17	<1	1	2	5	8	12	20
2. MULTIPLE DX	1502	7.8	50	1	2	6	9	14	19	37
A. NOT OPERATED	1088	7.1	20	1	2	7	9	12	14	20
B. OPERATED	1083	6.0	66	<1	1	3	7	15	21	43
TOTAL 0-19 YRS	352	4.9	39	<1	1	3	6	11	17	25
20-34	830	6.2	35	1	1	5	8	12	15	32
35-49	510	6.7	24	1	1	6	9	12	16	26
50-64	269	7.2	42	1	1	6	10	14	17	48
65+	210	8.9	120	1	1	5	11	18	27	66
GRAND TOTAL	**2171**	**6.5**	**43**	**1**	**1**	**5**	**8**	**13**	**17**	**34**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	2.3	5	<1	<1	1	3	5	8	10
20-34	25	2.6	4	<1	<1	2	3	5	7	9
35-49	14	1.6	1	<1	<1	1	2	3	5	5
50-64	14	2.9	2	1	1	3	4	5	5	5
65+	11	4.6	12	<1	<1	4	6	10	12	12
B. *Operated*										
0-19 YRS	269	3.0	5	<1	<1	2	4	6	7	11
20-34	424	3.4	5	<1	1	3	5	6	8	10
35-49	119	3.6	8	<1	1	3	4	7	9	17
50-64	37	5.6	61	<1	1	4	6	10	21	43
65+	10	5.9	8	<1	2	5	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	2.8	2	<1	<1	3	4	5	5	6
20-34	38	3.1	10	<1	<1	2	4	8	9	14
35-49	24	5.0	18	<1	1	4	7	11	15	16
50-64	24	5.1	15	1	1	4	7	9	13	18
65+	95	9.2	125	2	3	6	9	16	26	66
B. *Operated*										
0-19 YRS	294	3.7	5	<1	1	4	5	6	7	13
20-34	509	4.4	10	<1	1	4	6	8	10	16
35-49	170	4.7	16	<1	1	4	6	8	12	23
50-64	73	6.2	37	1	1	4	8	14	19	30
65+	71	10.5	105	2	2	7	13	21	30	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	2.6	5	<1	<1	2	3	5	8	11
B. *Operated*	859	3.4	8	<1	1	3	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	212	6.2	69	1	1	4	7	12	16	59
B. *Operated*	1117	4.8	20	<1	1	4	6	8	13	24
1. SINGLE DX	952	3.4	8	<1	1	3	5	6	8	12
2. MULTIPLE DX	1329	5.0	28	<1	1	4	6	9	13	25
A. NOT OPERATED	305	5.1	52	<1	1	3	6	9	15	43
B. OPERATED	1976	4.2	15	<1	1	4	5	8	10	19
TOTAL 0-19 YRS	623	3.3	5	<1	1	3	5	6	7	11
20-34	996	3.9	8	<1	1	4	5	7	9	14
35-49	327	4.2	13	<1	1	3	5	8	10	20
50-64	148	5.6	36	1	1	4	6	11	17	31
65+	187	9.2	106	2	2	6	10	16	27	63
GRAND TOTAL	**2281**	**4.3**	**20**	**<1**	**1**	**4**	**5**	**8**	**10**	**21**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	5.0	11	1	1	5	7	9	11	15
20-34	481	5.3	11	1	2	5	7	10	11	16
35-49	460	6.0	13	2	2	5	8	11	13	19
50-64	189	6.6	14	2	2	6	9	12	14	17
65+	34	6.1	11	2	3	5	8	11	12	17
B. *Operated*										
0-19 YRS	5	11.6	89	1	1	8	21	23	23	23
20-34	74	5.8	51	1	1	3	8	13	17	40
35-49	51	6.3	29	1	1	4	10	13	18	23
50-64	13	5.4	25	1	1	3	8	14	16	16
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	6.0	17	1	2	5	8	12	15	18
20-34	591	6.8	17	2	3	6	8	12	14	21
35-49	729	7.2	20	2	3	7	9	12	16	24
50-64	545	7.5	32	2	3	6	9	13	16	30
65+	498	8.9	68	2	3	7	11	16	21	71
B. *Operated*										
0-19 YRS	4	5.3	14	2	2	5	8	9	9	9
20-34	91	8.4	46	1	2	7	11	17	21	33
35-49	103	8.8	48	1	2	8	13	18	22	33
50-64	66	10.7	69	1	1	9	17	24	25	34
65+	43	17.0	220	4	6	14	26	39	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1205	5.8	13	1	2	5	8	11	12	17
B. *Operated*	143	6.1	42	1	1	4	9	14	18	38
2. MULTIPLE DX										
A. *Not Operated*	2437	7.5	32	2	3	6	9	13	16	29
B. *Operated*	307	10.2	83	1	2	8	14	22	27	94
1. SINGLE DX	1348	5.8	16	1	2	5	8	11	13	18
2. MULTIPLE DX	2744	7.8	39	2	3	7	10	14	18	34
A. NOT OPERATED	3642	6.9	26	2	2	6	9	12	15	24
B. OPERATED	450	8.9	74	1	1	7	12	19	25	42
TOTAL 0-19 YRS	124	5.9	18	1	1	5	8	11	15	21
20-34	1237	6.2	20	1	2	5	8	11	14	22
35-49	1343	6.9	21	2	2	6	9	12	15	23
50-64	813	7.5	31	2	3	6	9	13	17	29
65+	575	9.3	81	2	3	7	11	18	24	97
GRAND TOTAL	**4092**	**7.1**	**32**	**2**	**2**	**6**	**9**	**13**	**16**	**29**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	122	2.9	8	<1	1	2	3	7	9	14
20-34	365	4.9	14	<1	1	4	7	11	12	16
35-49	276	5.5	15	1	1	5	7	10	14	18
50-64	101	4.8	10	1	1	4	7	9	10	13
65+	42	4.6	19	1	1	3	6	9	11	25
B. *Operated*										
0-19 YRS	7	2.3	4	1	1	1	3	6	6	6
20-34	97	4.5	19	1	1	2	7	10	14	22
35-49	89	3.7	12	1	1	2	5	8	12	18
50-64	20	3.0	6	1	1	2	4	7	8	9
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	235	4.9	13	1	1	4	7	8	11	15
20-34	1366	6.2	13	1	2	6	8	10	13	19
35-49	1050	7.0	19	2	3	7	9	11	14	21
50-64	606	6.8	18	2	2	6	9	12	14	21
65+	318	7.4	41	2	2	6	9	13	17	47
B. *Operated*										
0-19 YRS	11	3.1	5	1	1	3	5	6	6	6
20-34	114	5.2	19	1	1	3	8	12	14	19
35-49	139	7.3	64	1	1	5	9	15	21	50
50-64	54	6.7	25	1	2	5	10	14	17	21
65+	29	15.1	117	3	3	12	20	33	39	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	906	4.8	14	1	1	4	7	10	12	16
B. *Operated*	214	3.9	15	1	1	2	5	9	12	20
2. MULTIPLE DX										
A. *Not Operated*	3575	6.6	18	1	2	6	8	11	14	21
B. *Operated*	347	7.0	53	1	1	5	9	15	20	39
1. SINGLE DX	1120	4.6	14	1	1	3	7	10	12	17
2. MULTIPLE DX	3922	6.6	21	1	2	6	8	11	14	22
A. NOT OPERATED	4481	6.2	18	1	2	6	8	11	14	20
B. OPERATED	561	5.8	40	1	1	3	8	13	17	30
TOTAL 0-19 YRS	375	4.1	12	1	1	3	6	8	10	15
20-34	1942	5.8	14	1	2	5	7	10	13	19
35-49	1554	6.6	23	1	2	6	8	11	15	22
50-64	781	6.4	18	1	2	6	9	12	14	20
65+	390	7.7	49	1	2	6	10	15	20	45
GRAND TOTAL	**5042**	**6.2**	**20**	**1**	**2**	**5**	**8**	**11**	**14**	**21**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	2.6	5	<1	1	2	3	6	8	10
20-34	77	2.8	7	1	1	2	3	5	7	16
35-49	44	2.5	2	<1	1	2	3	4	6	7
50-64	27	3.0	5	1	1	2	4	7	8	9
65+	33	3.9	7	<1	<1	3	6	8	8	11
B. *Operated*										
0-19 YRS	102	2.1	1	<1	1	2	3	4	4	6
20-34	393	2.9	3	1	1	3	4	5	6	8
35-49	398	2.8	3	1	1	3	4	5	6	8
50-64	335	3.8	5	1	1	3	5	6	8	12
65+	107	4.7	19	2	2	4	5	8	9	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	2.8	4	<1	<1	2	4	6	8	9
20-34	81	3.5	6	<1	1	3	4	7	9	13
35-49	77	3.4	7	<1	1	3	4	7	9	14
50-64	115	4.1	9	1	1	3	6	8	9	15
65+	205	7.8	54	1	2	6	10	17	25	99+
B. *Operated*										
0-19 YRS	41	2.9	4	<1	1	2	3	5	7	12
20-34	136	3.2	11	<1	1	3	4	5	7	23
35-49	146	4.0	8	1	1	3	5	7	9	16
50-64	270	5.3	27	2	2	4	6	9	14	28
65+	165	8.8	92	2	3	6	9	15	35	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	233	2.9	5	<1	1	2	4	6	8	11
B. *Operated*	1335	3.2	5	1	1	3	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	529	5.2	30	1	1	4	6	11	15	34
B. *Operated*	758	5.3	37	1	1	4	6	9	14	41
1. SINGLE DX	1568	3.1	5	1	1	3	4	5	7	10
2. MULTIPLE DX	1287	5.3	34	1	1	4	6	10	14	39
A. NOT OPERATED	762	4.5	23	1	1	3	5	9	14	29
B. OPERATED	2093	3.9	18	1	1	3	5	7	9	22
TOTAL 0-19 YRS	246	2.5	3	<1	1	2	3	5	6	9
20-34	687	3.0	5	<1	1	3	4	5	6	11
35-49	665	3.1	4	1	1	3	4	5	7	11
50-64	747	4.4	14	1	1	4	5	8	10	18
65+	510	7.3	59	1	2	5	8	14	24	57
GRAND TOTAL	**2855**	**4.1**	**19**	**1**	**1**	**3**	**5**	**8**	**10**	**25**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1899	1.4	1	<1	1	1	2	2	3	4
20-34	598	1.9	2	<1	1	1	2	3	5	7
35-49	159	2.0	2	<1	<1	2	3	4	5	7
50-64	80	1.9	2	<1	1	1	2	4	5	6
65+	62	2.5	4	1	1	2	3	6	7	10
B. *Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	5	9.0	38	3	3	8	13	18	18	18
35-49	5	12.0	391	1	1	3	18	47	47	47
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2265	2.1	4	1	1	1	2	4	5	11
20-34	1950	3.4	12	<1	1	2	4	7	9	15
35-49	918	4.0	11	1	1	3	5	8	10	16
50-64	568	4.6	22	1	1	3	6	10	12	24
65+	774	6.5	54	1	1	5	8	14	21	51
B. *Operated*										
0-19 YRS	608	3.0	23	<1	1	2	3	6	9	24
20-34	773	4.2	43	1	1	3	5	8	11	30
35-49	316	4.4	26	1	1	3	5	9	14	30
50-64	165	5.5	75	1	1	3	7	10	14	54
65+	280	8.8	135	1	1	5	10	21	31	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2798	1.5	1	<1	1	1	2	3	3	6
B. *Operated*	13	8.4	161	<1	1	3	9	24	43	47
2. MULTIPLE DX										
A. *Not Operated*	6475	3.5	17	1	1	2	4	7	10	20
B. *Operated*	2142	4.6	52	1	1	3	5	9	14	41
1. SINGLE DX	2811	1.6	2	<1	1	1	2	3	4	6
2. MULTIPLE DX	8617	3.8	26	1	1	2	4	8	11	26
A. NOT OPERATED	9273	2.9	13	1	1	2	3	6	9	17
B. OPERATED	2155	4.6	53	1	1	3	5	9	14	41
TOTAL 0-19 YRS	4775	1.9	5	<1	1	1	2	3	5	10
20-34	3326	3.3	18	<1	1	2	4	6	9	18
35-49	1398	3.9	15	1	1	3	5	8	10	18
50-64	813	4.5	32	1	1	3	6	9	12	26
65+	1116	6.9	74	1	1	4	8	15	24	58
GRAND TOTAL	**11428**	**3.2**	**21**	**1**	**1**	**2**	**4**	**7**	**10**	**22**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	650	1.9	6	<1	1	1	2	3	5	16
20-34	177	3.1	9	<1	1	2	4	7	10	20
35-49	63	2.7	7	<1	1	2	4	6	7	15
50-64	30	6.4	300	1	1	2	5	9	11	97
65+	25	5.6	62	<1	1	3	6	8	30	31
B. *Operated*										
0-19 YRS	29	7.1	31	1	2	6	8	14	21	26
20-34	17	9.0	109	1	1	8	12	79	99+	99+
35-49	14	12.8	86	1	4	9	16	31	33	33
50-64	19	9.8	71	2	3	8	9	19	32	39
65+	29	15.9	328	2	4	10	20	30	35	99
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	695	3.6	54	1	1	2	3	7	13	55
20-34	483	4.6	37	<1	1	3	6	10	16	28
35-49	229	6.0	140	<1	1	3	6	11	18	87
50-64	185	7.3	107	1	1	4	8	14	25	51
65+	497	10.3	139	1	1	7	14	28	38	99+
B. *Operated*										
0-19 YRS	250	11.4	288	1	1	5	14	38	65	99+
20-34	270	15.8	389	1	1	9	25	59	94	99+
35-49	103	19.8	464	1	1	13	36	74	99+	99+
50-64	98	17.7	356	1	1	13	28	56	99+	99+
65+	290	21.2	402	2	3	16	33	61	96	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	945	2.4	18	<1	1	1	2	5	7	18
B. *Operated*	108	11.0	145	2	2	8	12	27	33	99+
2. MULTIPLE DX										
A. *Not Operated*	2089	6.0	91	1	1	3	7	15	23	75
B. *Operated*	1011	16.9	385	1	1	10	26	58	90	99+
1. SINGLE DX	1053	3.3	38	<1	1	1	3	7	11	31
2. MULTIPLE DX	3100	9.6	213	1	1	4	11	28	52	99+
A. NOT OPERATED	3034	4.9	71	<1	1	2	5	11	19	60
B. OPERATED	1119	16.3	365	1	1	10	24	55	88	99+
TOTAL 0-19 YRS	1624	4.2	81	<1	1	1	3	9	18	66
20-34	947	7.6	160	<1	1	3	8	22	44	99+
35-49	409	9.2	239	<1	1	4	9	28	51	99+
50-64	332	10.4	216	1	1	5	12	29	49	99+
65+	841	14.1	262	1	2	8	19	38	63	99+
GRAND TOTAL	**4153**	**8.0**	**176**	**1**	**1**	**3**	**8**	**23**	**42**	**99+**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	2.5	6	<1	<1	2	3	4	5	14
20-34	45	2.7	5	<1	<1	2	3	6	7	12
35-49	19	4.1	5	1	2	3	6	8	8	8
50-64	10	2.9	3	<1	<1	3	5	5	5	5
65+	9	4.7	6	2	2	4	7	8	9	9
B. *Operated*										
0-19 YRS	37	6.4	12	2	3	5	8	11	13	18
20-34	67	6.5	32	2	2	5	7	11	17	36
35-49	25	5.1	8	1	2	4	7	9	10	11
50-64	8	4.0	5	1	1	4	5	7	8	8
65+	4	6.3	14	3	3	6	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	4.1	16	1	1	3	5	8	10	25
20-34	125	4.9	68	1	1	3	6	8	10	53
35-49	70	5.0	13	1	2	4	6	9	10	21
50-64	65	6.5	24	2	2	5	8	13	16	26
65+	114	8.1	43	1	2	6	10	18	22	31
B. *Operated*										
0-19 YRS	117	9.8	70	2	3	7	12	20	27	44
20-34	287	10.3	128	2	3	7	11	19	34	82
35-49	130	11.2	91	3	4	8	13	22	30	55
50-64	87	8.4	53	2	2	7	10	14	23	40
65+	96	15.8	142	4	5	13	22	32	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	114	3.1	6	<1	1	2	4	6	8	13
B. *Operated*	141	6.1	21	2	2	5	7	10	13	24
2. MULTIPLE DX										
A. *Not Operated*	437	5.9	41	1	1	4	7	11	16	27
B. *Operated*	717	10.9	109	2	3	8	13	22	33	73
1. SINGLE DX	255	4.7	16	1	1	4	6	9	11	20
2. MULTIPLE DX	1154	9.0	89	1	2	6	11	18	27	63
A. NOT OPERATED	551	5.3	35	1	1	4	6	10	15	27
B. OPERATED	858	10.1	97	2	3	7	12	20	31	69
TOTAL 0-19 YRS	248	7.0	48	1	1	5	9	13	21	36
20-34	524	7.9	99	1	2	5	9	15	23	72
35-49	244	8.3	63	2	2	6	9	16	22	39
50-64	170	7.1	39	1	2	5	9	13	19	36
65+	223	11.2	99	2	3	8	15	27	31	99+
GRAND TOTAL	**1409**	**8.2**	**78**	**1**	**2**	**6**	**10**	**17**	**26**	**56**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	249	4.5	16	1	1	3	7	10	11	20
20-34	126	3.3	10	<1	1	2	4	8	10	16
35-49	33	3.1	7	1	1	2	4	7	10	11
50-64	10	3.7	26	1	1	2	3	11	18	18
65+	6	2.7		2	2	3	3	3	3	3
B. *Operated*										
0-19 YRS	90	7.1	16	1	3	7	8	10	12	26
20-34	96	7.4	20	2	3	6	9	12	17	27
35-49	40	6.7	15	1	2	7	9	11	12	21
50-64	11	7.1	20	2	2	7	7	12	18	19
65+	2	5.0	8	3	3	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	345	4.0	10	1	1	3	5	9	11	14
20-34	300	4.3	15	1	1	3	6	9	12	19
35-49	105	4.1	10	1	1	3	5	8	10	16
50-64	73	6.2	61	1	2	4	8	12	16	52
65+	69	7.1	25	2	2	6	10	14	19	23
B. *Operated*										
0-19 YRS	314	12.1	140	2	4	8	13	22	37	67
20-34	487	12.5	124	3	4	9	14	25	38	62
35-49	193	14.3	174	3	5	10	17	28	38	73
50-64	109	17.6	214	4	6	12	23	41	55	99+
65+	92	17.5	324	3	4	11	21	43	60	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	424	4.0	14	1	1	3	5	9	11	19
B. *Operated*	239	7.1	17	1	2	7	8	11	14	24
2. MULTIPLE DX										
A. *Not Operated*	892	4.5	18	1	1	3	6	10	12	19
B. *Operated*	1195	13.6	163	3	5	9	16	28	42	75
1. SINGLE DX	663	5.1	17	1	1	4	7	10	12	20
2. MULTIPLE DX	2087	9.7	121	1	2	7	11	20	32	65
A. NOT OPERATED	1316	4.4	17	1	1	3	6	9	12	19
B. OPERATED	1434	12.5	144	2	4	9	14	25	38	72
TOTAL 0-19 YRS	998	6.9	66	1	1	5	8	13	19	44
20-34	1009	8.5	84	1	2	6	10	18	25	54
35-49	371	9.6	120	1	2	7	11	19	30	69
50-64	203	12.3	173	2	2	8	15	33	44	83
65+	169	12.6	216	2	3	9	14	28	49	88
GRAND TOTAL	**2750**	**8.6**	**100**	**1**	**1**	**6**	**10**	**18**	**26**	**60**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.5	2	<1	<1	2	3	5	6	6
20-34	5	4.8	1	4	4	4	6	6	6	6
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	140	2.4	4	<1	1	2	3	6	6	8
20-34	102	3.0	5	1	1	2	4	6	8	10
35-49	35	2.9	3	1	1	3	4	6	6	7
50-64	14	2.0	2	<1	1	2	3	4	5	5
65+	13	3.6	10	<1	1	2	5	8	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	4.2	6	<1	1	4	5	7	9	10
20-34	13	3.2	1	1	2	3	4	4	5	5
35-49	8	6.8	28	1	2	5	8	16	18	18
50-64	4	5.5	15	1	1	7	32	99+	99+	99+
65+	4	3.8	2	3	3	3	5	6	6	6
B. *Operated*										
0-19 YRS	142	3.6	7	1	1	3	5	7	9	12
20-34	123	4.4	20	1	1	4	6	8	10	31
35-49	76	4.3	16	1	1	4	5	8	11	24
50-64	48	3.5	10	1	1	3	5	7	9	19
65+	66	5.8	53	1	1	4	6	15	20	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	3.1	3	<1	<1	3	4	6	6	6
B. *Operated*	304	2.7	4	<1	1	2	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	43	4.4	10	1	1	4	6	10	13	99+
B. *Operated*	455	4.2	19	1	1	3	5	8	11	26
1. SINGLE DX	322	2.7	4	<1	1	2	4	6	7	10
2. MULTIPLE DX	498	4.3	18	1	1	3	5	8	11	28
A. NOT OPERATED	61	4.0	8	<1	1	4	5	7	10	90
B. OPERATED	759	3.6	14	1	1	3	5	7	9	19
TOTAL 0-19 YRS	308	3.0	5	<1	1	2	4	6	8	11
20-34	243	3.7	12	1	1	3	5	7	9	18
35-49	120	4.1	13	1	1	3	5	7	11	20
50-64	66	3.3	9	<1	1	2	5	7	10	86
65+	83	5.3	44	1	1	3	6	12	19	38
GRAND TOTAL	**820**	**3.6**	**13**	**1**	**1**	**3**	**5**	**7**	**9**	**19**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	2.3	2	<1	1	2	3	5	5	7
20-34	50	2.2	4	<1	<1	2	3	4	5	14
35-49	19	2.1	2	<1	<1	2	3	5	5	5
50-64	9	2.0	1	1	1	2	3	3	3	3
65+	7	1.6	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-19 YRS	244	1.9	4	<1	<1	1	2	4	5	11
20-34	131	2.6	15	<1	<1	2	3	5	7	17
35-49	54	2.2	9	<1	<1	1	2	3	5	19
50-64	17	2.6	5	1	1	2	4	4	8	10
65+	16	2.4	5	<1	1	2	3	5	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	119	2.7	6	<1	1	2	3	6	7	14
20-34	184	3.8	40	<1	1	2	4	7	10	18
35-49	74	3.8	35	<1	<1	2	4	7	9	39
50-64	56	4.1	38	<1	1	3	5	7	8	44
65+	127	6.4	92	1	1	4	8	13	19	55
B. *Operated*										
0-19 YRS	451	2.6	9	<1	1	2	3	5	7	20
20-34	537	3.8	22	<1	1	2	4	8	10	23
35-49	225	4.5	51	1	1	2	4	10	15	36
50-64	145	4.5	37	1	1	3	5	9	11	31
65+	273	7.2	92	1	1	4	8	14	24	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	177	2.2	3	<1	<1	2	3	4	5	8
B. *Operated*	462	2.2	8	<1	<1	1	2	4	6	13
2. MULTIPLE DX										
A. *Not Operated*	560	4.2	45	<1	1	3	5	8	12	30
B. *Operated*	1631	4.2	38	<1	1	2	5	8	13	32
1. SINGLE DX	639	2.2	6	<1	<1	1	2	4	5	12
2. MULTIPLE DX	2191	4.2	40	<1	1	2	5	8	13	32
A. NOT OPERATED	737	3.7	36	<1	1	2	4	7	10	22
B. OPERATED	2093	3.7	32	<1	1	2	4	8	11	29
TOTAL 0-19 YRS	906	2.4	7	<1	1	2	3	5	6	14
20-34	902	3.5	24	<1	1	2	4	7	10	19
35-49	372	3.9	40	<1	1	2	4	8	13	32
50-64	227	4.2	34	1	1	3	5	8	10	33
65+	423	6.7	88	1	1	4	8	14	22	62
GRAND TOTAL	**2830**	**3.7**	**33**	**<1**	**1**	**2**	**4**	**8**	**11**	**28**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	117	1.8	1	<1	1	2	2	3	4	6
20-34	196	2.0	2	<1	<1	2	2	4	4	9
35-49	53	2.3	4	<1	<1	2	3	4	7	11
50-64	12	2.1	2	<1	<1	2	3	4	5	5
65+	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	144	2.3	4	<1	1	1	3	6	6	8
20-34	154	3.3	7	<1	1	2	5	7	9	12
35-49	44	3.5	7	<1	1	3	5	7	8	13
50-64	14	4.7	11	1	1	4	8	9	11	11
65+	2	5.5	5	4	4	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	3.5	15	<1	1	2	4	7	13	19
20-34	167	2.8	4	<1	1	2	4	5	7	10
35-49	54	2.8	4	1	1	2	4	5	6	11
50-64	20	5.0	19	1	1	4	7	12	15	15
65+	14	8.4	95	1	2	5	8	27	32	33
B. *Operated*										
0-19 YRS	112	4.7	26	<1	1	3	6	10	16	25
20-34	272	7.0	69	1	1	5	8	13	16	53
35-49	102	6.7	58	1	1	4	8	18	22	44
50-64	35	6.[illegible]	18	1	1	5	9	12	14	18
65+	24	8.6	71	<1	1	6	9	27	29	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	380	2.0	2	<1	<1	2	2	3	4	9
B. *Operated*	358	3.0	6	<1	1	2	4	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	318	3.3	12	1	1	2	4	6	9	17
B. *Operated*	545	6.5	56	1	1	5	8	13	18	42
1. SINGLE DX	738	2.5	4	<1	1	2	3	5	7	10
2. MULTIPLE DX	863	5.3	42	1	1	3	7	11	15	36
A. NOT OPERATED	698	2.6	7	<1	1	2	3	5	7	15
B. OPERATED	903	5.1	39	<1	1	3	6	10	14	34
TOTAL 0-19 YRS	436	3.0	11	<1	1	2	3	6	8	20
20-34	789	4.1	31	<1	1	2	5	9	12	22
35-49	253	4.4	30	1	1	3	5	8	14	25
50-64	81	5.0	16	1	1	4	7	11	13	17
65+	42	8.1	72	1	1	5	9	26	29	33
GRAND TOTAL	**1601**	**4.0**	**27**	**<1**	**1**	**2**	**5**	**8**	**12**	**24**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	158	3.1	5	<1	1	3	4	6	7	13
20-34	204	3.0	4	<1	1	2	4	5	7	11
35-49	86	3.0	4	<1	1	3	4	5	7	11
50-64	24	3.9	6	<1	1	3	6	8	8	8
65+	9	2.6	1	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	715	2.0	3	<1	<1	1	2	4	5	9
20-34	1065	2.2	3	<1	<1	2	3	4	6	10
35-49	478	2.3	21	<1	1	2	2	4	6	12
50-64	223	2.1	4	<1	<1	1	2	4	6	11
65+	80	2.4	5	<1	<1	1	3	5	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	108	3.7	8	<1	1	3	4	7	9	16
20-34	205	3.5	8	<1	1	3	4	7	10	15
35-49	87	4.3	6	1	1	4	6	8	9	11
50-64	46	5.1	14	1	2	4	6	8	11	23
65+	48	7.5	39	2	2	6	8	18	23	26
B. *Operated*										
0-19 YRS	533	3.0	10	<1	1	2	3	6	9	18
20-34	1034	3.6	34	<1	1	2	4	7	11	31
35-49	451	4.3	45	1	1	2	5	10	15	27
50-64	242	3.7	22	<1	1	2	4	9	12	25
65+	172	6.1	102	1	1	3	7	12	20	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	481	3.1	4	<1	1	3	4	6	7	12
B. *Operated*	2561	2.2	7	<1	<1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	494	4.2	13	<1	1	3	5	8	10	22
B. *Operated*	2432	3.8	35	<1	1	2	4	8	11	28
1. SINGLE DX	3042	2.3	6	<1	<1	2	3	4	6	10
2. MULTIPLE DX	2926	3.9	31	<1	1	2	4	8	11	25
A. NOT OPERATED	975	3.6	9	<1	1	3	5	7	9	15
B. OPERATED	4993	3.0	21	<1	1	2	3	6	8	20
TOTAL 0-19 YRS	1514	2.6	6	<1	1	2	3	5	7	13
20-34	2508	3.0	17	<1	1	2	3	6	8	16
35-49	1102	3.4	29	<1	1	2	4	7	10	22
50-64	535	3.2	14	<1	1	2	4	7	10	20
65+	309	5.3	67	1	1	3	6	11	19	38
GRAND TOTAL	**5968**	**3.1**	**19**	**<1**	**1**	**2**	**3**	**6**	**8**	**19**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	129	3.4	7	1	1	3	4	6	10	13
20-34	138	3.1	5	<1	1	2	4	6	8	10
35-49	43	3.5	6	1	1	3	6	7	8	9
50-64	15	3.6	9	<1	<1	2	5	8	10	11
65+	7	4.3	15	1	1	2	7	10	11	11
B. *Operated*										
0-19 YRS	440	3.5	17	<1	1	2	4	7	11	26
20-34	342	4.0	21	1	1	3	5	8	12	26
35-49	134	3.5	10	1	1	2	4	7	9	19
50-64	52	4.2	12	1	1	3	5	7	10	19
65+	37	6.7	60	<1	1	3	8	17	26	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	87	4.1	19	1	1	3	5	7	10	73
20-34	103	4.4	15	1	1	3	5	9	12	21
35-49	45	6.4	84	1	2	4	7	10	11	63
50-64	38	8.4	39	1	3	7	11	16	24	29
65+	59	10.4	99	2	3	7	14	17	33	60
B. *Operated*										
0-19 YRS	266	6.5	59	1	1	4	7	16	22	41
20-34	281	7.8	98	1	1	5	8	18	25	55
35-49	138	10.2	228	1	2	6	10	21	45	97
50-64	75	12.6	181	2	2	8	18	40	52	99+
65+	119	15.1	216	2	3	11	18	33	53	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	332	3.3	6	1	1	3	4	7	9	12
B. *Operated*	1005	3.8	19	<1	1	3	4	8	12	25
2. MULTIPLE DX										
A. *Not Operated*	332	6.1	48	1	1	4	7	12	15	40
B. *Operated*	879	9.2	137	1	2	5	11	22	35	67
1. SINGLE DX	1337	3.7	16	1	1	3	4	7	10	22
2. MULTIPLE DX	1211	8.3	115	1	2	5	9	19	29	63
A. NOT OPERATED	664	4.7	29	1	1	3	6	10	13	29
B. OPERATED	1884	6.3	81	1	1	3	7	15	22	53
TOTAL 0-19 YRS	922	4.4	30	1	1	3	5	9	15	31
20-34	864	5.1	46	1	1	3	6	10	16	33
35-49	360	6.4	112	1	1	4	7	11	19	63
50-64	180	8.5	102	1	2	5	10	22	36	85
65+	222	12.1	164	1	2	8	15	28	36	72
GRAND TOTAL	**2548**	**5.9**	**68**	**1**	**1**	**3**	**6**	**13**	**20**	**49**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.7	4	4	4	5	7	8	8	8
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	15	3.0	6	<1	<1	3	3	8	9	9
20-34	27	3.8	8	1	1	4	5	6	9	14
35-49	6	3.3	15	1	1	2	3	10	11	11
50-64	5	2.6	7	1	1	1	4	7	7	7
65+	3	3.7	2	2	2	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	4.8	14	2	2	4	7	10	10	10
35-49	6	10.5	88	2	2	7	15	26	27	27
50-64	1	3.0		3	3	3	3	3	3	3
65+	7	6.1	16	3	3	5	6	13	15	15
B. *Operated*										
0-19 YRS	50	10.3	218	1	1	4	11	34	38	66
20-34	96	9.3	181	<1	1	5	12	23	39	93
35-49	39	6.7	71	1	1	4	7	16	22	45
50-64	15	13.7	165	<1	1	8	28	34	35	35
65+	18	6.2	15	2	3	5	8	12	15	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	4.0	8	<1	<1	4	6	8	8	8
B. *Operated*	56	3.4	7	<1	1	3	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	18	7.1	41	2	2	5	10	15	22	27
B. *Operated*	218	9.1	156	1	1	5	11	23	36	72
1. SINGLE DX	61	3.5	7	<1	1	3	5	7	9	14
2. MULTIPLE DX	236	9.0	147	1	1	5	10	23	36	68
A. NOT OPERATED	23	6.4	35	1	2	5	7	15	19	27
B. OPERATED	274	8.0	131	1	1	4	9	21	35	65
TOTAL 0-19 YRS	68	8.5	170	<1	1	3	9	23	37	65
20-34	128	8.0	143	<1	1	4	9	21	35	88
35-49	52	6.7	66	1	1	4	8	15	24	45
50-64	21	10.6	143	<1	1	6	13	33	34	35
65+	28	5.9	14	2	3	5	6	12	15	16
GRAND TOTAL	**297**	**7.8**	**124**	**1**	**1**	**4**	**9**	**19**	**33**	**64**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	6.0	75	1	1	1	12	16	16	16
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	2	10.0	8	8	8	10	12	12	12	12
50-64	3	3.3	1	2	2	4	4	4	4	4
65+	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS	34	2.0	4	<1	<1	1	2	4	5	11
20-34	58	3.9	38	<1	1	2	3	8	11	41
35-49	30	2.9	7	<1	<1	2	3	6	8	13
50-64	18	2.9	9	<1	<1	2	3	9	11	11
65+	4	7.8	58	1	1	6	13	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	8.4	355	<1	<1	2	3	39	55	55
20-34	10	6.2	28	1	1	5	12	50	96	99+
35-49	7	8.9	70	1	2	6	11	23	26	26
50-64	4	10.3	11	7	7	10	13	14	14	14
65+	9	7.1	23	1	2	6	10	15	16	16
B. *Operated*										
0-19 YRS	22	4.2	10	1	1	3	6	9	11	12
20-34	43	4.3	28	1	1	2	4	13	17	26
35-49	26	4.4	25	1	1	3	5	8	13	26
50-64	15	11.3	277	1	1	3	10	40	51	55
65+	20	13.3	142	1	2	9	20	29	39	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	5.0	22	1	1	4	7	13	16	16
B. *Operated*	144	3.2	21	<1	<1	2	3	7	11	22
2. MULTIPLE DX										
A. *Not Operated*	38	7.8	93	<1	1	5	11	17	42	99+
B. *Operated*	126	6.6	82	1	1	3	7	16	27	50
1. SINGLE DX	156	3.4	21	<1	<1	2	3	8	11	21
2. MULTIPLE DX	164	6.8	84	1	1	3	8	16	27	55
A. NOT OPERATED	50	7.1	77	1	1	5	9	16	26	99+
B. OPERATED	270	4.8	52	<1	1	2	5	10	18	42
TOTAL 0-19 YRS	67	3.7	50	<1	<1	2	3	8	11	48
20-34	113	4.3	33	1	1	2	5	10	17	63
35-49	65	4.3	24	<1	1	3	5	9	12	26
50-64	40	6.8	122	<1	<1	3	7	13	35	55
65+	35	10.5	102	1	1	7	13	22	30	48
GRAND TOTAL	**320**	**5.2**	**57**	**<1**	**1**	**3**	**6**	**12**	**19**	**50**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	184	3.6	5	1	1	3	5	6	7	10
20-34	55	3.4	5	<1	1	3	5	6	7	12
35-49	33	3.4	3	1	2	3	4	5	5	11
50-64	6	3.2	1	2	2	3	4	5	5	5
65+	4	3.0	3	<1	<1	3	4	5	5	5
B. *Operated*										
0-19 YRS	8	6.0	10	2	2	5	8	10	11	11
20-34	2	6.5	5	5	5	6	8	8	8	8
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	93	4.1	20	1	1	4	5	6	9	29
20-34	54	3.5	9	1	1	3	4	6	8	20
35-49	24	4.3	6	1	2	4	6	7	10	11
50-64	18	4.3	10	1	1	4	5	10	12	13
65+	31	8.5	122	2	2	5	9	28	53	99+
B. *Operated*										
0-19 YRS	16	4.4	13	1	1	3	6	11	12	12
20-34	25	3.6	6	1	1	3	5	7	8	11
35-49	6	4.2	5	1	1	5	6	6	6	6
50-64	5	5.6	15	2	2	5	7	12	12	12
65+	5	5.6	61	1	1	1	9	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	282	3.5	5	1	1	3	5	6	7	11
B. *Operated*	12	5.5	9	2	2	5	8	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	220	4.6	32	1	1	3	5	8	12	45
B. *Operated*	57	4.2	13	1	1	3	6	9	12	19
1. SINGLE DX	294	3.6	5	1	1	3	5	6	7	11
2. MULTIPLE DX	277	4.5	28	1	1	3	5	8	12	38
A. NOT OPERATED	502	4.0	17	1	1	3	5	6	9	24
B. OPERATED	69	4.4	12	1	1	4	6	9	11	18
TOTAL 0-19 YRS	301	3.9	10	1	1	4	5	6	8	13
20-34	136	3.5	7	1	1	3	5	6	8	13
35-49	64	3.8	4	1	2	3	5	6	7	11
50-64	29	4.3	9	1	1	3	5	9	12	13
65+	41	7.5	102	1	1	4	8	21	40	99+
GRAND TOTAL	**571**	**4.0**	**16**	**1**	**1**	**3**	**5**	**6**	**9**	**22**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	452	2.0	6	<1	1	1	2	4	5	8
20-34	369	2.4	5	<1	<1	2	3	5	6	11
35-49	153	2.6	5	<1	1	2	3	5	7	12
50-64	89	3.7	7	1	1	3	5	8	8	13
65+	112	4.4	15	1	1	3	6	10	12	20
B. *Operated*										
0-19 YRS	89	2.3	2	<1	<1	2	3	4	5	7
20-34	84	2.7	4	<1	<1	2	4	5	7	10
35-49	39	3.9	19	<1	<1	2	6	7	9	26
50-64	31	4.6	28	<1	<1	3	5	8	11	30
65+	22	5.0	21	<1	1	3	7	11	16	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	702	2.4	4	<1	1	2	3	5	6	11
20-34	750	3.0	7	<1	1	2	4	7	8	14
35-49	412	4.1	20	1	1	3	5	8	11	17
50-64	444	4.8	24	1	1	4	6	9	12	22
65+	1530	8.1	77	1	2	6	10	16	24	58
B. *Operated*										
0-19 YRS	106	4.4	35	1	1	2	5	9	17	34
20-34	138	4.7	27	1	1	3	6	10	17	25
35-49	84	7.3	58	1	1	5	8	18	27	34
50-64	104	7.5	71	1	2	5	10	16	21	47
65+	208	12.1	111	2	2	9	18	28	44	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1175	2.6	7	<1	1	2	3	5	7	12
B. *Operated*	265	3.2	11	<1	<1	2	4	6	8	18
2. MULTIPLE DX										
A. *Not Operated*	3838	5.3	44	1	1	3	6	11	15	41
B. *Operated*	640	7.9	77	1	1	5	10	19	28	54
1. SINGLE DX	1440	2.7	8	<1	1	2	3	5	7	12
2. MULTIPLE DX	4478	5.6	49	1	1	3	7	12	18	45
A. NOT OPERATED	5013	4.6	36	1	1	3	6	10	14	33
B. OPERATED	905	6.5	62	<1	1	4	8	17	24	47
TOTAL 0-19 YRS	1349	2.4	7	<1	1	2	3	5	6	13
20-34	1341	3.0	9	<1	1	2	4	6	8	16
35-49	688	4.1	23	<1	1	3	5	9	12	26
50-64	668	5.0	31	1	1	4	6	10	13	29
65+	1872	8.3	79	1	2	6	10	18	25	60
GRAND TOTAL	**5918**	**4.9**	**41**	**1**	**1**	**3**	**6**	**11**	**15**	**37**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	2.6	7	<1	1	2	3	5	7	16
20-34	31	2.3	2	1	1	2	3	4	5	8
35-49	17	3.1	6	1	1	2	5	7	8	8
50-64	6	3.0	5	1	1	2	4	7	7	7
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	23	4.4	25	<1	1	2	5	15	17	17
20-34	48	3.6	10	<1	1	2	5	8	12	14
35-49	19	4.2	22	<1	1	2	6	9	15	20
50-64	17	5.5	116	<1	<1	2	3	26	35	36
65+	3	5.3	44	1	1	2	10	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	2.6	4	1	1	2	4	5	7	9
20-34	34	3.8	9	1	1	3	5	9	12	12
35-49	22	3.1	3	1	1	3	4	6	7	7
50-64	16	3.4	4	1	1	3	4	7	8	8
65+	8	8.1	33	3	3	7	15	68	99+	99+
B. *Operated*										
0-19 YRS	38	7.1	74	1	1	4	9	16	33	34
20-34	110	7.8	141	1	1	3	7	17	31	64
35-49	50	5.9	27	1	1	4	9	14	20	99
50-64	32	9.7	259	1	1	3	8	29	59	68
65+	15	10.7	54	1	2	12	15	17	26	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	2.6	5	1	1	2	3	5	7	13
B. *Operated*	110	4.2	31	<1	1	2	4	10	15	34
2. MULTIPLE DX										
A. *Not Operated*	100	3.7	10	1	1	3	5	7	11	59
B. *Operated*	245	7.7	117	1	1	4	9	17	30	68
1. SINGLE DX	202	3.5	20	<1	1	2	4	7	12	26
2. MULTIPLE DX	345	6.5	89	1	1	3	7	14	25	68
A. NOT OPERATED	192	3.2	8	1	1	2	4	6	8	18
B. OPERATED	355	6.6	93	1	1	3	7	15	26	62
TOTAL 0-19 YRS	118	4.4	35	1	1	2	5	10	16	33
20-34	223	5.5	78	1	1	3	5	12	17	58
35-49	108	4.6	19	1	1	3	6	11	14	55
50-64	71	6.7	151	1	1	3	5	14	32	67
65+	27	9.0	47	1	1	8	14	19	36	99+
GRAND TOTAL	**547**	**5.4**	**66**	**1**	**1**	**3**	**6**	**12**	**17**	**60**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.0	5	<1	<1	<1	1	6	8	8
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	8	1.6	2	<1	<1	1	2	4	5	5
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	5	1.8	1	<1	<1	1	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	5	1.0		1	1	1	1	1	1	1
35-49	2	7.5	25	4	4	7	11	11	11	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	2.0	5	<1	<1	<1	1	6	8	8
B. *Operated*	16	1.6	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	2	1.0		1	1	1	1	1	1	1
B. *Operated*	9	2.6	11	1	1	1	2	8	11	11
1. SINGLE DX	27	1.7	3	<1	<1	1	1	4	6	8
2. MULTIPLE DX	11	2.3	9	1	1	1	2	7	11	11
A. NOT OPERATED	13	1.8	5	<1	<1	<1	1	6	8	8
B. OPERATED	25	1.9	5	<1	<1	1	2	4	6	11
TOTAL 0-19 YRS	21	1.8	3	<1	<1	1	2	5	6	8
20-34	8	1.0		<1	<1	1	1	1	1	1
35-49	8	3.1	12	<1	<1	2	4	9	11	11
50-64	1	1.0		1	1	1	1	1	1	1
65+										
GRAND TOTAL	**38**	**1.9**	**5**	**<1**	**<1**	**1**	**1**	**5**	**7**	**11**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	480	1.3	1	<1	<1	1	1	2	3	6
20-34	116	1.5	2	<1	<1	1	1	3	4	8
35-49	102	1.5	2	<1	<1	1	2	3	3	9
50-64	126	1.4	1	<1	<1	1	2	2	3	6
65+	101	1.4	1	<1	<1	1	1	2	4	5
B. *Operated*										
0-19 YRS	89	1.6	2	<1	<1	1	2	3	5	8
20-34	20	2.9	5	<1	<1	2	4	6	7	8
35-49	21	3.0	11	<1	<1	1	3	9	11	12
50-64	19	2.4	6	1	1	2	2	6	9	10
65+	22	2.1	5	<1	1	1	2	6	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	136	2.4	10	<1	1	2	3	4	5	16
20-34	51	2.7	6	<1	<1	2	3	6	8	12
35-49	73	2.5	5	<1	1	2	3	5	8	12
50-64	141	2.8	22	<1	<1	1	3	6	8	29
65+	258	3.2	12	1	1	2	4	7	12	17
B. *Operated*										
0-19 YRS	49	4.2	41	<1	1	2	4	11	14	37
20-34	43	9.0	123	<1	1	5	10	25	32	52
35-49	35	5.0	22	<1	1	3	8	10	15	19
50-64	82	6.3	59	1	1	2	9	17	23	37
65+	143	6.6	73	1	1	3	9	16	25	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	925	1.4	1	<1	<1	1	1	2	3	6
B. *Operated*	171	2.1	4	<1	<1	1	2	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	659	2.8	13	<1	1	2	3	6	9	15
B. *Operated*	352	6.3	67	1	1	3	9	16	24	41
1. SINGLE DX	1096	1.5	2	<1	<1	1	1	2	3	8
2. MULTIPLE DX	1011	4.1	34	<1	1	2	4	9	14	32
A. NOT OPERATED	1584	2.0	6	<1	<1	1	2	4	6	13
B. OPERATED	523	4.9	51	<1	1	2	6	12	20	36
TOTAL 0-19 YRS	754	1.7	6	<1	<1	1	2	3	4	10
20-34	230	3.3	33	<1	<1	1	3	6	11	32
35-49	231	2.5	8	<1	<1	1	3	7	9	14
50-64	368	3.1	25	<1	1	1	2	8	11	26
65+	524	3.8	30	<1	1	2	4	9	13	30
GRAND TOTAL	**2107**	**2.7**	**19**	**<1**	**<1**	**1**	**2**	**6**	**10**	**24**

380: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	4.9	17	1	1	4	7	10	14	16
20-34	13	5.5	24	<1	1	3	10	14	14	14
35-49	6	6.0	14	2	2	5	8	12	12	12
50-64	2	3.0	8	1	1	3	5	5	5	5
65+	4	15.5	48	9	9	14	20	25	25	25
B. *Operated*										
0-19 YRS	41	8.2	37	<1	1	7	12	16	18	31
20-34	45	7.4	47	<1	1	6	10	17	20	35
35-49	21	8.5	27	2	3	8	14	16	17	18
50-64	20	15.0	98	1	2	11	23	26	33	38
65+	9	12.4	181	1	1	8	18	34	44	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	8.7	53	1	1	6	13	20	25	26
20-34	42	7.0	77	1	1	3	10	17	24	47
35-49	26	7.1	48	1	2	5	11	16	20	32
50-64	22	11.7	158	1	2	6	14	36	42	43
65+	36	12.9	135	2	2	8	19	30	42	42
B. *Operated*										
0-19 YRS	145	19.1	267	2	3	15	25	44	52	78
20-34	183	20.1	302	3	4	15	28	51	60	92
35-49	108	18.4	255	2	3	15	24	37	56	99
50-64	93	16.8	193	2	4	13	22	48	62	99+
65+	108	22.5	286	4	6	20	33	68	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	6.2	28	1	1	4	9	14	16	25
B. *Operated*	136	9.2	62	1	2	7	13	18	24	39
2. MULTIPLE DX										
A. *Not Operated*	170	9.3	92	1	1	6	13	21	31	43
B. *Operated*	637	19.5	269	2	4	16	27	48	63	99+
1. SINGLE DX	179	8.5	55	1	1	7	12	18	24	37
2. MULTIPLE DX	807	17.4	249	2	3	13	24	43	58	99+
A. NOT OPERATED	213	8.7	81	1	1	5	11	20	26	43
B. OPERATED	773	17.7	248	2	3	13	24	44	58	99+
TOTAL 0-19 YRS	248	14.4	204	1	2	10	19	31	46	72
20-34	283	15.4	254	1	2	10	20	38	53	76
35-49	161	14.8	209	2	2	11	19	33	42	96
50-64	137	15.5	175	2	3	12	21	40	52	99+
65+	157	19.5	256	2	4	17	28	51	83	99+
GRAND TOTAL	**986**	**15.7**	**225**	**1**	**2**	**11**	**21**	**38**	**53**	**99+**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	254	4.9	24	1	1	3	6	11	14	27
20-34	101	4.1	18	<1	1	2	5	9	11	23
35-49	50	5.5	65	1	1	3	6	12	18	51
50-64	22	6.4	44	<1	1	5	8	13	22	30
65+	12	8.7	25	2	3	8	13	15	18	18
B. *Operated*										
0-19 YRS	66	8.0	90	1	1	6	9	15	18	64
20-34	32	8.8	106	1	1	5	11	29	35	39
35-49	22	6.7	40	1	1	5	8	17	23	25
50-64	10	6.3	15	2	2	5	9	12	15	15
65+	6	14.5	171	1	1	10	22	35	37	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	512	5.3	28	1	1	4	7	11	14	27
20-34	288	4.9	24	1	1	3	6	11	14	26
35-49	129	5.3	30	1	1	4	7	12	14	27
50-64	98	6.5	42	1	1	4	9	14	20	33
65+	104	7.9	46	1	1	6	10	18	22	66
B. *Operated*										
0-19 YRS	163	9.6	79	1	2	7	13	23	27	39
20-34	141	9.3	131	1	1	6	11	19	25	71
35-49	88	14.9	220	2	3	10	19	36	47	96
50-64	56	17.1	325	1	3	11	22	41	65	99+
65+	54	20.0	292	2	3	16	27	40	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	439	5.0	29	1	1	3	7	11	14	27
B. *Operated*	136	8.1	84	1	1	5	10	16	27	43
2. MULTIPLE DX										
A. *Not Operated*	1131	5.5	31	1	1	4	7	12	17	28
B. *Operated*	502	12.4	182	1	2	8	16	28	39	89
1. SINGLE DX	575	5.7	43	1	1	4	7	12	16	35
2. MULTIPLE DX	1633	7.6	87	1	1	5	9	17	25	54
A. NOT OPERATED	1570	5.4	30	1	1	4	7	12	15	28
B. OPERATED	638	11.5	164	1	2	7	14	27	37	77
TOTAL 0-19 YRS	995	6.1	42	1	1	4	8	13	17	32
20-34	562	6.1	59	1	1	4	8	13	18	39
35-49	289	8.3	112	1	1	5	10	20	31	59
50-64	186	9.7	148	1	1	6	12	22	34	87
65+	176	11.9	153	1	2	8	16	27	38	97
GRAND TOTAL	**2208**	**7.1**	**76**	**1**	**1**	**5**	**9**	**16**	**23**	**46**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.3	2	<1	1	2	3	4	5	7
20-34	25	3.0	4	<1	<1	3	4	6	7	7
35-49	15	4.5	73	<1	<1	2	4	5	28	35
50-64	9	4.1	19	1	1	2	6	11	14	14
65+	6	3.8	6	2	2	3	5	8	8	8
B. *Operated*										
0-19 YRS	65	2.3	12	<1	<1	2	2	3	9	23
20-34	127	2.2	6	<1	<1	1	2	5	7	15
35-49	53	2.3	3	<1	<1	2	3	5	6	8
50-64	21	2.5	7	<1	<1	1	3	6	9	11
65+	6	3.7	5	1	1	3	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	4.3	29	<1	1	3	5	9	15	27
20-34	42	6.5	93	1	1	4	6	14	21	58
35-49	37	5.5	28	<1	1	4	7	13	17	25
50-64	27	8.4	85	1	1	6	10	14	25	48
65+	31	8.9	41	2	2	8	14	24	89	99+
B. *Operated*										
0-19 YRS	95	2.3	11	<1	1	2	2	3	6	22
20-34	181	5.0	81	<1	1	2	4	14	22	63
35-49	71	3.8	27	<1	1	2	4	8	15	29
50-64	41	3.0	8	<1	1	2	3	7	8	16
65+	22	10.2	207	<1	1	3	18	42	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	3.3	18	<1	<1	2	4	6	7	29
B. *Operated*	272	2.3	7	<1	<1	2	2	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	163	6.7	58	1	1	5	8	15	22	93
B. *Operated*	410	4.2	57	<1	1	2	4	9	19	53
1. SINGLE DX	350	2.5	9	<1	<1	2	3	5	7	15
2. MULTIPLE DX	573	4.9	59	<1	1	2	5	12	21	58
A. NOT OPERATED	241	5.6	48	<1	1	3	7	14	20	61
B. OPERATED	682	3.5	38	<1	<1	2	3	7	13	37
TOTAL 0-19 YRS	209	2.6	13	<1	1	2	2	4	8	26
20-34	375	4.1	54	<1	<1	2	4	8	16	50
35-49	176	3.8	25	<1	<1	2	4	7	13	29
50-64	98	4.5	35	<1	1	2	6	10	14	35
65+	65	8.4	93	1	1	6	11	25	61	99+
GRAND TOTAL	**923**	**4.0**	**41**	**<1**	**1**	**2**	**4**	**8**	**15**	**47**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	203	2.2	4	<1	1	2	3	4	6	11
20-34	186	2.4	3	<1	1	2	3	4	6	8
35-49	69	2.9	5	1	1	2	4	6	8	11
50-64	35	3.1	6	1	1	2	4	7	8	10
65+	19	3.4	6	1	1	3	5	8	9	9
B. *Operated*										
0-19 YRS	49	3.9	15	<1	<1	2	5	8	11	20
20-34	59	4.7	28	<1	1	3	6	11	14	31
35-49	27	9.7	223	<1	<1	4	11	23	51	64
50-64	27	4.9	32	<1	<1	2	6	15	18	22
65+	6	8.8	105	1	1	6	10	26	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	237	3.1	14	<1	1	2	4	7	8	19
20-34	304	3.4	8	<1	1	3	4	7	8	16
35-49	154	5.5	36	1	1	4	7	11	15	37
50-64	134	5.8	24	1	1	5	7	11	15	28
65+	254	9.0	131	1	2	6	11	16	29	81
B. *Operated*										
0-19 YRS	90	9.9	134	1	2	6	11	24	37	55
20-34	139	9.7	135	1	1	5	12	26	42	57
35-49	70	8.9	113	1	1	5	11	21	25	63
50-64	46	12.8	219	1	2	7	14	35	45	71
65+	62	15.2	244	1	2	10	23	44	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	512	2.5	4	<1	1	2	3	5	7	9
B. *Operated*	168	5.4	61	<1	1	3	6	11	18	46
2. MULTIPLE DX										
A. *Not Operated*	1083	5.3	49	1	1	3	6	11	15	39
B. *Operated*	407	10.8	160	1	1	6	14	29	43	71
1. SINGLE DX	680	3.2	20	<1	1	2	4	6	9	20
2. MULTIPLE DX	1490	6.8	86	1	1	4	7	15	24	53
A. NOT OPERATED	1595	4.4	36	1	1	3	5	9	13	30
B. OPERATED	575	9.2	137	<1	1	5	11	24	38	68
TOTAL 0-19 YRS	579	3.9	36	<1	1	2	4	8	12	36
20-34	688	4.5	41	<1	1	3	5	9	16	42
35-49	320	6.0	66	1	1	4	7	12	21	43
50-64	242	6.6	68	1	1	4	8	13	19	45
65+	341	9.8	151	1	2	6	12	22	40	94
GRAND TOTAL	**2170**	**5.6**	**68**	**1**	**1**	**3**	**6**	**12**	**20**	**47**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1377	1.8	3	<1	1	1	2	3	4	8
20-34	547	1.9	5	<1	<1	1	2	3	4	9
35-49	203	2.0	4	<1	<1	1	2	4	6	11
50-64	61	2.3	2	<1	1	2	3	4	5	7
65+	36	6.6	169	1	1	2	5	10	43	59
B. *Operated*										
0-19 YRS	4	1.5	1	1	1	1	2	3	3	3
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	1	6.0		6	6	6	6	6	6	6
50-64	1	15.0		15	15	15	15	15	15	15
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1956	4.0	55	<1	1	2	4	8	14	37
20-34	2594	4.4	48	<1	1	2	4	9	18	41
35-49	1360	4.8	44	<1	1	3	5	11	18	35
50-64	741	7.1	95	1	1	4	8	17	27	48
65+	1062	8.4	94	1	2	6	10	17	23	58
B. *Operated*										
0-19 YRS	18	20.6	347	2	2	17	34	51	58	61
20-34	77	9.6	158	1	1	5	11	27	41	90
35-49	50	15.0	250	1	2	9	19	40	54	65
50-64	60	13.9	180	2	2	9	21	38	57	99+
65+	82	15.7	302	2	4	10	21	30	56	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2224	1.9	6	<1	<1	1	2	3	5	9
B. *Operated*	8	3.6	24	<1	<1	1	4	12	15	15
2. MULTIPLE DX										
A. *Not Operated*	7713	5.2	62	<1	1	3	5	11	19	44
B. *Operated*	287	13.9	237	1	2	8	20	33	54	99+
1. SINGLE DX	2232	1.9	6	<1	<1	1	2	3	5	10
2. MULTIPLE DX	8000	5.5	71	<1	1	3	6	13	21	48
A. NOT OPERATED	9937	4.4	52	<1	1	2	4	10	16	39
B. OPERATED	295	13.6	234	1	2	8	19	33	54	99+
TOTAL 0-19 YRS	3355	3.2	38	<1	1	2	3	6	10	29
20-34	3220	4.1	45	<1	1	2	4	8	16	39
35-49	1614	4.8	49	<1	1	2	5	11	18	39
50-64	863	7.2	99	1	1	4	8	19	28	57
65+	1180	8.8	114	1	2	6	10	18	25	70
GRAND TOTAL	**10232**	**4.7**	**59**	**<1**	**1**	**2**	**5**	**10**	**18**	**43**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	805	2.5	7	<1	<1	1	3	6	7	12
20-34	212	1.7	3	<1	<1	1	2	2	4	9
35-49	137	1.5	1	<1	1	1	2	3	4	6
50-64	87	1.6	1	1	1	1	2	3	4	6
65+	28	1.5	1	1	1	1	2	3	4	4
B. *Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	2	1.0		1	1	1	1	1	1	1
35-49	3	3.7	14	1	1	2	6	8	8	8
50-64										
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	377	3.6	32	<1	1	2	5	7	10	23
20-34	289	3.6	35	<1	1	2	3	7	12	34
35-49	204	3.5	28	1	1	2	4	7	10	21
50-64	180	3.4	13	1	1	2	4	8	12	16
65+	174	5.6	67	1	1	3	6	12	18	46
B. *Operated*										
0-19 YRS	12	6.3	23	1	1	6	11	33	87	99+
20-34	19	12.9	294	1	1	5	17	44	56	59
35-49	11	13.3	271	2	2	3	17	44	49	49
50-64	10	13.4	178	1	1	7	20	34	42	42
65+	14	14.0	160	1	3	10	21	34	43	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1269	2.2	6	<1	1	1	2	5	6	11
B. *Operated*	9	2.1	5	<1	<1	1	2	6	8	8
2. MULTIPLE DX										
A. *Not Operated*	1224	3.8	35	<1	1	2	4	8	12	30
B. *Operated*	66	12.1	191	1	1	6	17	39	49	93
1. SINGLE DX	1278	2.2	6	<1	1	1	2	5	6	11
2. MULTIPLE DX	1290	4.3	46	<1	1	2	4	9	15	40
A. NOT OPERATED	2493	3.0	21	<1	1	2	3	6	9	22
B. OPERATED	75	10.9	179	1	1	5	13	33	48	89
TOTAL 0-19 YRS	1197	2.9	16	<1	1	1	4	6	8	19
20-34	522	3.1	36	<1	1	1	2	6	10	33
35-49	355	3.0	28	<1	1	2	3	5	9	22
50-64	277	3.2	19	1	1	2	3	7	12	21
65+	217	5.6	70	1	1	3	6	12	22	46
GRAND TOTAL	**2568**	**3.2**	**27**	**<1**	**1**	**2**	**3**	**6**	**10**	**28**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	300	3.2	34	<1	1	2	4	6	8	17
20-34	156	2.1	4	<1	1	1	3	4	6	11
35-49	127	2.3	13	<1	<1	1	2	4	6	26
50-64	80	2.7	4	1	1	2	4	6	7	10
65+	60	3.0	6	1	1	2	4	7	8	12
B. *Operated*										
0-19 YRS	4	7.0	100	2	2	2	12	22	22	22
20-34	3	1.7		1	1	2	2	2	2	2
35-49	5	10.2	124	1	1	8	15	29	29	29
50-64	3	4.3	16	2	2	2	7	9	9	9
65+	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	345	4.3	47	1	1	3	5	8	12	66
20-34	247	3.5	19	1	1	2	4	7	10	24
35-49	255	4.9	68	1	1	3	5	9	13	59
50-64	416	4.8	23	1	1	4	6	9	13	23
65+	953	7.5	57	1	2	5	9	15	21	42
B. *Operated*										
0-19 YRS	19	13.0	489	1	1	2	17	70	89	99+
20-34	43	12.2	395	<1	1	4	13	38	77	99+
35-49	28	13.1	379	1	1	4	21	68	99+	99+
50-64	53	12.7	260	1	1	8	13	34	45	80
65+	141	13.6	185	1	2	9	17	37	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	723	2.7	18	<1	1	2	3	6	7	14
B. *Operated*	17	5.9	64	1	1	2	8	20	27	29
2. MULTIPLE DX										
A. *Not Operated*	2216	5.7	48	1	1	4	7	12	17	38
B. *Operated*	284	13.1	265	1	1	8	17	38	61	99+
1. SINGLE DX	740	2.8	20	<1	1	2	3	6	8	16
2. MULTIPLE DX	2500	6.6	78	1	1	4	8	14	21	63
A. NOT OPERATED	2939	5.0	43	1	1	3	6	11	15	34
B. OPERATED	301	12.7	256	1	1	8	16	37	58	99+
TOTAL 0-19 YRS	668	4.1	56	<1	1	2	4	8	11	65
20-34	449	3.8	56	<1	1	2	4	7	12	41
35-49	415	4.7	79	<1	1	2	5	10	17	72
50-64	552	5.3	49	1	1	3	6	10	15	40
65+	1156	8.0	75	1	2	6	10	16	24	50
GRAND TOTAL	**3240**	**5.7**	**68**	**1**	**1**	**3**	**7**	**12**	**19**	**53**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	5.3	21	1	1	3	9	13	13	17
20-34	52	3.9	13	<1	<1	3	5	9	11	17
35-49	44	6.7	69	1	1	4	8	18	21	45
50-64	41	5.1	43	<1	<1	2	5	17	22	23
65+	61	7.4	75	<1	1	4	8	20	29	40
B. *Operated*										
0-19 YRS	140	4.8	36	<1	1	3	5	9	13	36
20-34	337	3.8	25	<1	<1	2	4	9	13	27
35-49	250	5.2	44	<1	1	3	6	11	23	36
50-64	382	6.1	46	<1	1	4	8	14	17	39
65+	711	6.9	57	1	1	4	9	16	22	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	115	5.9	47	1	1	3	8	12	17	36
20-34	122	6.4	76	<1	1	4	8	11	14	55
35-49	111	6.2	37	<1	1	4	8	14	17	32
50-64	231	7.3	65	1	1	5	9	15	23	42
65+	491	8.2	68	1	1	6	11	18	24	49
B. *Operated*										
0-19 YRS	648	7.8	65	1	2	5	10	18	22	37
20-34	632	8.4	136	<1	1	4	9	21	31	67
35-49	917	8.1	104	1	1	5	10	19	29	51
50-64	1999	9.9	125	1	2	7	13	22	31	61
65+	3485	11.9	182	1	2	8	16	28	42	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	232	5.8	47	<1	1	3	7	14	21	35
B. *Operated*	1820	5.8	46	<1	1	3	7	14	19	34
2. MULTIPLE DX										
A. *Not Operated*	1070	7.4	63	1	1	5	9	15	22	47
B. *Operated*	7681	10.3	147	1	2	6	13	24	35	73
1. SINGLE DX	2052	5.8	46	<1	1	3	7	14	19	34
2. MULTIPLE DX	8751	10.0	137	1	2	6	13	23	33	70
A. NOT OPERATED	1302	7.1	61	1	1	5	9	15	21	44
B. OPERATED	9501	9.4	131	1	1	5	12	22	32	66
TOTAL 0-19 YRS	937	7.0	58	1	1	4	9	16	21	35
20-34	1143	6.6	95	<1	1	3	8	15	25	60
35-49	1322	7.4	87	1	1	4	9	17	27	47
50-64	2653	9.1	109	1	1	6	12	20	29	55
65+	4748	10.7	154	1	2	7	14	25	37	80
GRAND TOTAL	**10803**	**9.2**	**123**	**1**	**1**	**5**	**12**	**22**	**31**	**64**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	158	1.5	1	<1	<1	1	2	3	3	6
20-34	141	2.3	5	<1	1	2	3	4	6	12
35-49	89	3.3	13	1	1	3	4	6	7	24
50-64	114	3.4	7	1	1	3	4	6	9	16
65+	180	3.4	5	1	1	3	4	6	7	13
B. *Operated*										
0-19 YRS	160	1.7	2	<1	1	1	2	3	4	8
20-34	183	2.6	7	<1	1	2	3	5	9	15
35-49	90	3.2	10	1	1	2	4	8	10	15
50-64	73	3.1	9	1	1	2	4	7	9	17
65+	59	4.3	10	1	1	3	6	9	11	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	2.3	3	1	1	2	3	4	6	9
20-34	76	3.4	15	1	1	2	4	7	9	24
35-49	84	4.1	11	1	1	3	5	8	12	15
50-64	164	4.1	8	1	1	3	5	8	9	14
65+	353	5.2	53	1	1	4	6	8	12	36
B. *Operated*										
0-19 YRS	52	2.9	8	1	1	2	4	6	7	18
20-34	108	3.7	20	1	1	2	5	8	10	26
35-49	98	4.2	30	1	1	2	5	8	12	33
50-64	123	5.4	40	1	1	3	7	12	16	61
65+	296	7.2	93	1	1	4	9	14	24	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	682	2.7	6	1	1	2	3	5	7	12
B. *Operated*	565	2.7	7	<1	1	2	3	6	9	13
2. MULTIPLE DX										
A. *Not Operated*	721	4.4	31	1	1	3	5	8	11	24
B. *Operated*	677	5.5	59	1	1	3	7	11	18	45
1. SINGLE DX	1247	2.7	7	<1	1	2	3	6	7	13
2. MULTIPLE DX	1398	5.0	45	1	1	3	6	10	14	38
A. NOT OPERATED	1403	3.6	20	1	1	3	4	7	9	19
B. OPERATED	1242	4.3	37	1	1	2	5	9	13	31
TOTAL 0-19 YRS	414	1.9	2	<1	1	1	2	3	5	8
20-34	508	2.9	11	1	1	2	3	6	8	18
35-49	361	3.7	16	1	1	2	5	7	11	20
50-64	474	4.1	17	1	1	3	5	8	11	21
65+	888	5.4	56	1	1	4	6	10	14	40
GRAND TOTAL	**2645**	**3.9**	**28**	**1**	**1**	**3**	**5**	**8**	**11**	**25**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	75	6.2	27	1	2	5	8	11	15	30
20-34	116	5.5	25	1	2	4	7	11	13	26
35-49	110	5.4	10	1	2	5	7	10	12	14
50-64	88	6.3	13	2	2	5	8	11	13	18
65+	44	9.3	84	2	2	8	11	17	27	48
B. *Operated*										
0-19 YRS	59	8.2	26	1	2	8	11	14	15	30
20-34	92	7.8	74	1	2	5	10	14	19	52
35-49	82	8.6	61	1	2	6	10	19	28	36
50-64	72	8.4	48	1	2	6	12	18	22	32
65+	61	10.6	103	2	3	7	11	26	31	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	6.5	28	2	2	5	8	12	17	31
20-34	126	6.7	27	2	2	5	8	13	16	28
35-49	178	7.7	27	2	3	6	10	14	18	25
50-64	208	8.5	34	2	3	8	11	15	18	40
65+	300	10.2	66	2	4	8	13	20	26	99+
B. *Operated*										
0-19 YRS	70	9.8	58	1	3	8	13	18	26	39
20-34	153	11.5	122	2	2	8	14	28	38	59
35-49	177	12.4	114	2	3	9	16	28	35	52
50-64	287	15.2	173	3	4	11	20	33	42	64
65+	347	19.3	253	4	5	15	26	42	49	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	433	6.2	26	1	2	5	8	11	14	29
B. *Operated*	366	8.6	63	1	2	7	11	17	25	37
2. MULTIPLE DX										
A. *Not Operated*	876	8.5	44	2	3	7	11	17	21	40
B. *Operated*	1034	15.2	185	2	3	11	19	34	45	69
1. SINGLE DX	799	7.3	44	1	2	5	9	14	18	34
2. MULTIPLE DX	1910	12.1	131	2	3	9	15	26	36	64
A. NOT OPERATED	1309	7.7	39	2	2	6	10	15	19	35
B. OPERATED	1400	13.5	161	2	3	10	17	30	40	64
TOTAL 0-19 YRS	268	7.6	37	2	2	6	10	14	17	31
20-34	487	8.1	71	1	2	6	10	16	25	47
35-49	547	8.9	63	2	2	7	11	18	26	40
50-64	655	11.1	107	2	3	8	14	21	32	53
65+	752	14.4	177	3	4	10	18	33	45	96
GRAND TOTAL	**2709**	**10.7**	**110**	**2**	**3**	**8**	**13**	**22**	**32**	**56**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	1.9	3	1	1	1	2	4	7	7
20-34	93	3.4	9	<1	1	2	4	7	10	16
35-49	65	4.0	13	1	1	3	5	10	11	16
50-64	66	4.2	15	<1	1	3	6	10	13	16
65+	57	4.3	12	1	1	4	5	8	9	18
B. *Operated*										
0-19 YRS	50	3.8	38	<1	<1	2	4	8	9	42
20-34	127	4.4	33	<1	<1	2	5	9	16	33
35-49	105	6.2	38	<1	1	4	9	12	23	28
50-64	116	6.6	71	<1	1	4	9	13	19	46
65+	108	6.5	42	1	1	4	9	15	23	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	3.1	12	1	1	2	4	7	9	21
20-34	172	4.1	17	1	1	3	5	9	10	22
35-49	186	5.6	41	1	1	4	7	11	13	39
50-64	276	6.5	38	1	1	5	9	13	17	37
65+	470	7.3	91	1	1	5	9	15	20	68
B. *Operated*										
0-19 YRS	177	5.5	66	1	1	2	7	16	23	36
20-34	311	5.6	56	1	1	2	7	16	22	39
35-49	352	8.0	90	1	1	5	11	18	30	56
50-64	591	10.7	158	1	1	7	14	27	38	84
65+	965	10.7	177	1	1	7	14	27	39	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	312	3.7	11	1	1	3	5	8	11	17
B. *Operated*	506	5.7	46	<1	1	3	7	13	19	32
2. MULTIPLE DX										
A. *Not Operated*	1186	6.1	56	1	1	4	8	12	17	45
B. *Operated*	2396	9.3	140	1	1	5	13	23	34	83
1. SINGLE DX	818	4.9	34	<1	1	3	6	11	15	29
2. MULTIPLE DX	3582	8.2	114	1	1	5	10	19	30	72
A. NOT OPERATED	1498	5.6	48	1	1	4	7	11	16	39
B. OPERATED	2902	8.6	125	1	1	5	11	22	32	73
TOTAL 0-19 YRS	340	4.3	45	1	1	2	4	11	18	35
20-34	703	4.7	37	1	1	2	6	11	17	34
35-49	708	6.8	64	1	1	4	9	15	21	48
50-64	1049	8.8	113	1	1	6	11	20	31	71
65+	1600	9.2	140	1	1	6	12	22	32	87
GRAND TOTAL	**4400**	**7.6**	**101**	**1**	**1**	**4**	**10**	**18**	**27**	**63**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	2.1	2	<1	<1	2	3	4	6	7
20-34	11	3.8	13	1	1	3	4	9	14	14
35-49	11	3.1	9	<1	<1	1	5	8	9	9
50-64	6	3.7	4	1	1	4	5	6	6	6
65+	2	6.5	25	3	3	6	10	10	10	10
B. *Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	3	3.7	4	2	2	3	5	6	6	6
50-64	2	5.5	5	4	4	5	7	7	7	7
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	3.6	9	1	1	3	4	7	10	17
20-34	19	4.5	14	<1	1	3	6	11	14	14
35-49	17	6.5	26	1	2	5	8	15	18	20
50-64	41	5.7	49	1	1	3	6	14	25	30
65+	46	3.9	10	1	1	3	6	8	10	13
B. *Operated*										
0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34	7	14.1	255	2	3	7	14	42	49	49
35-49	15	10.1	71	1	2	10	13	15	30	35
50-64	8	10.9	52	2	3	9	18	20	21	21
65+	19	10.5	69	1	2	11	15	20	28	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	2.9	6	<1	1	2	4	6	8	13
B. *Operated*	9	3.0	5	<1	<1	2	4	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	173	4.6	22	1	1	3	6	9	13	27
B. *Operated*	52	10.4	88	1	2	9	14	20	32	49
1. SINGLE DX	73	2.9	6	<1	<1	2	4	6	7	13
2. MULTIPLE DX	225	5.9	43	1	1	4	7	13	19	33
A. NOT OPERATED	237	4.1	18	1	1	3	5	9	13	22
B. OPERATED	61	9.3	83	<1	1	7	13	19	27	47
TOTAL 0-19 YRS	89	2.9	7	<1	<1	2	3	6	7	15
20-34	38	6.0	68	<1	1	4	6	14	15	49
35-49	46	6.7	41	1	1	5	9	15	16	35
50-64	57	6.2	46	1	1	4	7	18	21	30
65+	68	5.8	35	1	1	3	8	13	18	31
GRAND TOTAL	**298**	**5.2**	**35**	**1**	**1**	**3**	**6**	**12**	**16**	**32**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	1.2		<1	<1	<1	1	2	2	2
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	10	2.4	2	<1	<1	2	4	4	4	4
20-34	2622	1.7	1	<1	<1	1	2	3	4	5
35-49	1265	1.7	1	<1	<1	1	2	3	3	5
50-64	7	1.0		<1	<1	<1	<1	1	1	1
65+	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	82	1.0		<1	<1	1	1	1	1	3
35-49	49	1.3	1	<1	<1	1	1	2	2	8
50-64										
65+										
B. *Operated*										
0-19 YRS	11	2.1	3	<1	<1	1	3	5	7	7
20-34	1910	2.0	2	<1	<1	1	3	4	4	6
35-49	1241	2.1	2	<1	<1	2	3	4	5	7
50-64	6	3.2	6	<1	<1	2	5	7	7	7
65+	3	2.7	1	2	2	2	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.3		<1	<1	1	2	2	2	2
B. *Operated*	3906	1.7	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	132	1.1		<1	<1	1	1	1	2	4
B. *Operated*	3171	2.0	2	<1	<1	1	3	4	5	7
1. SINGLE DX	3913	1.7	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX	3303	2.0	2	<1	<1	1	3	4	5	7
A. NOT OPERATED	139	1.1		<1	<1	1	1	1	2	4
B. OPERATED	7077	1.8	1	<1	<1	1	2	3	4	6
TOTAL 0-19 YRS	22	2.2	2	<1	<1	2	3	4	5	7
20-34	4619	1.8	1	<1	<1	1	2	3	4	6
35-49	2557	1.9	1	<1	<1	1	2	3	4	6
50-64	13	2.0	4	<1	<1	<1	2	5	7	7
65+	5	2.0	2	1	1	2	3	4	4	4
GRAND TOTAL	**7216**	**1.8**	**1**	**<1**	**<1**	**1**	**2**	**3**	**4**	**6**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	708	3.3	3	2	2	3	4	5	6	9
2500+	61745	3.1	2	1	2	3	3	5	5	7
B. *Operated*										
1-999 G	1	88.0		88	88	88	88	88	88	88
1000-1499										
1500-1749										
1750-2499	1	8.0		8	8	8	8	8	8	8
2500+	12	5.3	10	2	2	4	6	10	13	13
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	19	74.6	398	40	51	88	99+	99+	99+	99+
1000-1499	126	41.9	249	22	24	41	53	62	69	88
1500-1749	148	26.4	105	13	16	25	32	40	46	55
1750-2499	2795	7.5	49	2	2	5	9	16	20	34
2500+	40531	3.9	4	2	2	3	5	6	7	10
B. *Operated*										
1-999 G	37	74.1	192	55	62	90	99+	99+	99+	99+
1000-1499	118	54.1	259	29	36	53	66	84	99+	99+
1500-1749	62	40.4	229	20	24	39	48	65	82	99+
1750-2499	254	19.4	139	5	6	18	26	34	46	99+
2500+	708	8.3	70	2	3	6	9	15	23	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62453	3.1	2	1	2	3	3	5	5	7
B. *Operated*	14	11.4	495	2	3	5	8	20	73	88
2. MULTIPLE DX										
A. *Not Operated*	43619	4.3	17	2	2	3	5	6	8	20
B. *Operated*	1179	19.0	427	3	3	10	29	61	83	99+
1. SINGLE DX	62467	3.1	2	1	2	3	3	5	5	7
2. MULTIPLE DX	44798	4.7	33	2	2	3	5	6	9	34
A. NOT OPERATED	106072	3.6	8	2	2	3	4	5	6	12
B. OPERATED	1193	18.9	428	3	3	10	28	61	84	99+
TOTAL 1-999 G	57	74.5	255	51	60	90	99+	99+	99+	99+
1000-1499	244	47.8	290	23	27	46	60	73	86	99+
1500-1749	210	30.6	182	15	16	28	38	49	58	94
1750-2499	3758	7.5	59	2	2	5	9	17	23	40
2500+	102996	3.4	3	2	2	3	4	5	6	9
GRAND TOTAL	**107265**	**3.8**	**16**	**2**	**2**	**3**	**4**	**6**	**6**	**16**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	1	9.0		9	9	9	9	9	9	9
1500-1749										
1750-2499	122	4.9	5	2	3	5	6	7	9	13
2500+	547	4.4	3	2	3	4	5	6	7	9
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	9	75.6	299	56	56	79	95	99	99+	99+
1000-1499	20	42.8	310	21	26	41	59	73	86	99+
1500-1749	41	26.8	116	14	16	23	33	45	47	54
1750-2499	511	9.5	50	3	4	7	13	18	23	35
2500+	502	5.3	5	3	3	5	6	7	8	15
B. *Operated*										
1-999 G	7	85.3	41	76	78	86	95	99+	99+	99+
1000-1499	36	56.2	340	37	38	52	71	95	99+	99+
1500-1749	16	34.7	41	23	25	35	39	43	44	45
1750-2499	40	25.4	253	7	9	23	29	45	67	71
2500+	7	6.6	5	5	5	5	8	10	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	670	4.5	3	2	3	4	6	6	7	10
B. *Operated*	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	1083	9.4	114	3	3	6	10	18	28	68
B. *Operated*	106	40.0	603	6	10	38	58	83	97	99+
1. SINGLE DX	671	4.5	3	2	3	4	6	6	7	10
2. MULTIPLE DX	1189	12.1	233	3	3	6	13	29	47	92
A. NOT OPERATED	1753	7.5	77	3	3	5	7	15	21	54
B. OPERATED	107	39.6	609	5	9	38	58	83	97	99+
TOTAL 1-999 G	16	79.8	200	56	58	86	95	99+	99+	99+
1000-1499	57	50.7	390	25	28	48	68	86	99	99+
1500-1749	57	29.0	107	15	17	28	37	44	46	54
1750-2499	673	9.6	72	3	3	6	13	20	24	39
2500+	1057	4.8	4	2	3	5	6	7	8	10
GRAND TOTAL	**1860**	**9.4**	**163**	**3**	**3**	**5**	**8**	**20**	**37**	**82**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	5	4.8	33	1	1	3	6	15	15	15
2500+	169	2.5	1	1	1	2	3	4	4	8
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	1	69.0		69	69	69	69	69	69	69
1500-1749	1	15.0		15	15	15	15	15	15	15
1750-2499	15	11.9	181	1	3	6	17	23	46	53
2500+	87	3.6	7	1	1	3	4	6	7	18
B. *Operated*										
1-999 G										
1000-1499	1	69.0		69	69	84	99+	99+	99+	99+
1500-1749										
1750-2499	2	39.5	2245	6	6	39	73	73	73	73
2500+	2	39.5	2521	4	4	39	75	75	75	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	174	2.5	2	1	1	2	3	4	4	9
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	104	5.5	80	1	2	3	5	8	19	60
B. *Operated*	5	45.4	1365	4	4	71	75	97	99+	99+
1. SINGLE DX	174	2.5	2	1	1	2	3	4	4	9
2. MULTIPLE DX	109	7.3	197	1	2	3	6	14	53	85
A. NOT OPERATED	278	3.6	33	1	1	3	3	6	8	23
B. OPERATED	5	45.4	1365	4	4	71	75	97	99+	99+
TOTAL 1-999 G										
1000-1499	2	69.0		69	69	69	92	99+	99+	99+
1500-1749	1	15.0		15	15	15	15	15	15	15
1750-2499	22	12.8	318	1	2	6	15	32	61	73
2500+	258	3.1	24	1	1	3	3	4	6	9
GRAND TOTAL	**283**	**4.4**	**82**	**1**	**1**	**3**	**3**	**6**	**10**	**72**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.3	5	<1	<1	1	2	7	7	7
20-34	9	1.7	1	<1	<1	1	2	3	3	3
35-49	5	1.8	1	<1	<1	2	2	3	3	3
50-64	3	1.7		1	1	2	2	2	2	2
65+	4	2.3	2	<1	<1	2	3	4	4	4
B. *Operated*										
0-19 YRS	533	2.1	3	<1	<1	2	3	4	5	7
20-34	768	2.3	2	<1	<1	2	3	4	5	8
35-49	366	2.4	4	<1	<1	2	3	5	6	11
50-64	314	2.4	3	<1	<1	2	3	4	5	9
65+	184	3.6	9	<1	1	3	4	7	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	1.8	1	<1	<1	1	3	4	4	4
20-34	15	1.2		<1	<1	1	1	2	3	3
35-49	4	1.0		<1	<1	<1	1	1	1	1
50-64	6	3.5	18	<1	<1	2	3	11	12	12
65+	13	5.5	25	<1	1	3	9	12	16	17
B. *Operated*										
0-19 YRS	317	2.9	5	<1	<1	2	3	5	7	10
20-34	273	4.1	38	<1	1	3	4	7	10	41
35-49	157	3.8	12	<1	1	3	5	8	11	18
50-64	173	4.2	29	<1	1	3	4	8	13	37
65+	188	6.3	73	1	2	4	7	13	20	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	1.9	2	<1	<1	2	2	3	4	7
B. *Operated*	2165	2.4	4	<1	<1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	54	2.6	11	<1	<1	1	3	8	11	17
B. *Operated*	1108	4.1	30	<1	1	3	4	7	11	27
1. SINGLE DX	2192	2.4	4	<1	<1	2	3	4	6	10
2. MULTIPLE DX	1162	4.0	30	<1	1	3	4	7	11	26
A. NOT OPERATED	81	2.4	8	<1	<1	1	3	5	9	15
B. OPERATED	3273	3.0	13	<1	<1	2	3	5	7	16
TOTAL 0-19 YRS	872	2.4	4	<1	<1	2	3	4	6	8
20-34	1065	2.7	12	<1	<1	2	3	5	6	13
35-49	532	2.8	7	<1	<1	2	3	5	8	16
50-64	496	3.1	13	<1	<1	2	4	5	8	17
65+	389	4.9	42	<1	1	3	6	10	14	26
GRAND TOTAL	**3354**	**3.0**	**13**	**<1**	**<1**	**2**	**3**	**5**	**7**	**16**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	4	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	1.0		<1	<1	<1	1	1	1	1
50-64										
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	1.1		<1	<1	<1	<1	1	2	3
20-34	15	3.7	9	1	1	3	4	10	11	11
35-49	30	2.1	1	1	1	2	2	3	4	4
50-64	23	2.6	3	1	1	2	3	4	6	9
65+	53	2.4	2	1	1	2	3	4	5	7
B. *Operated*										
0-19 YRS	7	5.1	14	<1	<1	5	7	11	12	12
20-34	5	6.6	45	<1	<1	5	11	17	17	17
35-49	20	5.7	54	<1	<1	3	6	12	23	33
50-64	17	8.3	199	<1	1	3	6	19	45	59
65+	17	7.2	27	2	2	5	10	16	17	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.3	1	2	2	2	2	4	4	4
B. *Operated*	5	1.2		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	203	1.9	2	<1	<1	2	2	3	4	9
B. *Operated*	66	6.7	77	<1	<1	4	8	16	18	55
1. SINGLE DX	12	1.8	1	<1	<1	2	2	3	4	4
2. MULTIPLE DX	269	3.1	24	<1	<1	2	3	6	10	19
A. NOT OPERATED	210	2.0	2	<1	<1	2	2	3	4	9
B. OPERATED	71	6.4	74	<1	<1	3	7	15	18	54
TOTAL 0-19 YRS	90	1.4	2	<1	<1	<1	<1	2	4	10
20-34	21	4.3	17	<1	1	3	4	10	14	17
35-49	54	3.4	23	<1	<1	2	3	6	11	32
50-64	41	5.0	89	1	1	3	4	8	18	59
65+	75	3.4	11	1	1	2	4	7	11	17
GRAND TOTAL	**281**	**3.1**	**24**	**<1**	**<1**	**2**	**3**	**6**	**10**	**19**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	715	2.3	16	<1	<1	1	3	4	6	13
20-34	727	1.9	3	<1	<1	1	2	3	5	8
35-49	402	2.1	5	<1	<1	1	2	4	6	12
50-64	485	1.8	4	<1	<1	1	2	4	5	10
65+	444	2.3	17	<1	<1	1	2	4	6	18
B. *Operated*										
0-19 YRS	232	2.5	6	<1	<1	2	3	6	8	11
20-34	616	3.3	10	<1	<1	2	5	7	9	13
35-49	470	3.4	9	<1	<1	2	5	8	10	13
50-64	367	4.7	15	<1	<1	3	8	10	11	13
65+	268	6.4	77	<1	<1	5	9	12	14	67
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1911	4.0	61	<1	<1	2	4	7	18	44
20-34	2014	5.3	79	<1	<1	2	5	15	28	38
35-49	3305	3.9	34	<1	1	2	4	6	12	29
50-64	8716	3.5	26	<1	1	2	4	6	9	28
65+	8399	4.9	62	1	1	2	5	10	20	45
B. *Operated*										
0-19 YRS	463	4.8	66	<1	<1	2	5	10	17	48
20-34	1091	4.4	52	<1	<1	2	5	9	15	46
35-49	1439	4.5	41	<1	<1	2	6	10	13	42
50-64	2170	5.8	51	1	1	3	8	12	17	43
65+	2788	7.0	94	1	1	3	9	15	22	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2773	2.1	9	<1	<1	1	2	4	6	12
B. *Operated*	1953	3.9	21	<1	<1	2	6	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	24345	4.2	47	<1	1	2	4	7	16	35
B. *Operated*	7951	5.7	66	<1	1	3	7	12	18	49
1. SINGLE DX	4726	2.8	15	<1	<1	2	3	7	9	14
2. MULTIPLE DX	32296	4.6	52	<1	1	2	5	9	17	38
A. NOT OPERATED	27118	4.0	44	<1	1	2	4	7	15	34
B. OPERATED	9904	5.4	58	<1	<1	3	7	11	16	44
TOTAL 0-19 YRS	3321	3.6	49	<1	<1	2	3	7	13	34
20-34	4448	4.2	52	<1	<1	2	4	8	19	34
35-49	5616	3.9	32	<1	<1	2	4	7	11	29
50-64	11738	3.9	31	<1	1	2	5	8	12	30
65+	11899	5.4	69	<1	1	3	5	12	20	48
GRAND TOTAL	**37022**	**4.4**	**48**	**<1**	**1**	**2**	**5**	**9**	**15**	**36**

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs – *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer – *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer – *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve — *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
123	Iridocyclitis
123	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes — *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease – *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease – *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer – *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease – *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma – *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

R 3850-1.6 U
11/86

LOS

LENGTH OF STAY

CPHA PUBLICATIONS

Length of Stay by Operation, Northeastern Region, 1985

A Companion Volume To Length of Stay by Diagnosis, Northeastern Region, 1985

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1986

LENGTH OF STAY

Copyright 1986 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1985
. . . by Diagnosis, United States, North Central Region, 1985
. . . by Diagnosis, United States, Northeastern Region, 1985
. . . by Diagnosis, United States, Southern Region, 1985
. . . by Diagnosis, United States, Western Region, 1985
. . . by Diagnosis, Canada, 1985

. . . by Operation, United States, 1985
. . . by Operation, United States, North Central Region, 1985
. . . by Operation, United States, Northeastern Region, 1985
. . . by Operation, United States, Southern Region, 1985
. . . by Operation, United States, Western Region, 1985
. . . by Operation, Canada, 1985

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1985
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1985

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1985 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1985 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1985 LENGTH OF STAY BOOKS

Peg Eby, Research Assistant, Research Services
Carol A. Prevost, Research Associate
Jeanine DeLay, Assistant Director
Edward J. Kobrinski, Director

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data. 1
  Data Quality. 2
  Coverage 3
  Organization of Length of Stay Tables. 5
    Definition of Multiple Diagnosis Patients 5
    Definition of Operated Patients 6
  Explanation of Statistics. 6
  Defining the Extended Stay Case 7
Length of Stay Tables 15
  Summary of All Patients. 16
  Operation Groups 501-764 17
Appendix: *ICD-9-CM* Codes for Selected Operation Groups 83
Index to Length of Stay Tables 87

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.

January-December 1985

	Short-Term Nonfederal Hospitals			Short-Term Nonfederal Hospital Beds		
	U.S. Total[2]	Number in Books	Percent in Books	U.S. Total[2]	Number in Books	Percent in Books
Hospital Category						
Bedsize						
6-24	332	44	13.3	6,138	880	14.3
25-49	1,161	226	19.5	42,908	8,735	20.3
50-99	1,283	383	29.9	92,066	27,587	30.0
100-199	1,221	393	32.2	172,860	56,242	32.5
200-299	703	232	33.0	170,564	57,368	33.6
300-399	415	142	34.2	141,454	48,545	34.3
400-499	265	90	34.0	117,253	39,787	33.9
500+	307	73	23.8	212,299	47,783	22.5
Total	5,687	1,583	27.8	955,542	286,927	30.0
Region and Census Division						
Northeast	814	342	42.0	205,568	67,158	32.7
New England	241	131	54.4	48,426	20,234	41.8
Middle Atlantic	573	211	36.8	157,142	46,924	29.9
North Central	1,673	515	30.8	267,603	105,699	39.5
East North Central	880	418	47.5	182,843	90,510	49.5
West North Central	793	97	12.2	84,760	15,189	17.9
South	2,139	366	17.1	338,647	61,836	18.3
South Atlantic	810	186	23.0	158,360	34,351	21.7
East South Central	496	89	17.9	71,653	13,196	18.4
West South Central	833	91	10.9	108,634	14,289	13.2
West	1,061	360	33.9	143,724	52,234	36.3
Mountain	370	153	41.4	40,264	19,940	49.5
Pacific	691	207	30.0	103,460	32,294	31.2
Total	5,687	1,583	27.8	955,542	286,927	30.0

The Pediatric book was compiled from the data of 1,569 hospitals. The Geriatric book was compiled from the data of 1,559 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1984 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Procedure information for all patient data included in this book was coded using *ICD-9-CM.*

In *List B* there are 250 groups that contain at least one UHDDS Class 1 procedure. Fourteen of the 264 *List B* groups consist solely of Class 2, 3, or 4 procedures. This book displays data only for those 250 groups with Class 1 procedures.

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are patients with an *ICD-9-CM* procedure code that fell into a UHDDS category containing at least one Class 1 procedure. Class 1 procedures are defined as those procedures that carry an operative or anesthetic risk, require highly trained personnel, or require special facilities or equipment. The following *ICD-9-CM List B* codes contain a mixture of Class 1 and 2-4 procedures: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. All the other *ICD-9-CM List B* groups contain only Class 1 procedures or they contain only Class 2-4 procedures and are excluded from this book.

Explanation of Statistics

The *List B* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in the *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the correct day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, whether the patient had single or multiple diagnoses, and the patient's age.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and different lengths of stay) could be appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy); primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung); and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the contemplated operation in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. Procedures can also be found in the Alphabetic Index at the back of the length of stay books.

c. If an operation is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 3 of *ICD-9-CM.*[3] That code can then be located in *List B* or in the heading of the length of stay table.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 57-year-old patient is admitted to a hospital for elective surgery, a transurethral resection. The admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 3, Procedures: Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening.* Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	3		261
Criteria for admission			
1. Diastolic BP > 110			
2. Not controlled by outpatient Rx			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	2		235
for: Cystoscopy			636
TUR			648
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. Sepsis or fever > 102°, chills			
2. Abscess formation			

b. The Alphabetic Index at the back of the operation length of stay book also shows that TUR is included in operation group 648.

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	**Transurethral approach**
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.



Procedure **INDEX TO PROCEDURES**

- **Procedure** -- *continued*
  - diagnostic NEC — *continued*
    - pleura 34.28
    - posterior chamber, eye 14.19
    - prostate 60.18
    - pulmonary 33.29
    - rectum 48.29
    - renal 55.29
    - respiratory 33.29
    - retina 14.19
    - retroperitoneum 59.29
    - salivary gland or duct 26.19
    - sclera 12.29
    - scrotum 61.19
    - seminal vesicle 60.19
    - sigmoid 45.28
    - sinus, nasal 22.19
    - skin 86.19
    - skull 01.19
    - soft tissue 83.29
    - spermatic cord 63.09
    - sphincter of Oddi 51.19
    - spine, spinal (canal) (cord) (meninges) (structure) 03.39
    - spleen 41.39
    - stomach 44.19
    - subcutaneous tissue 86.19
    - sympathetic nerve 05.19
    - tarsus 09.19
    - tendon NEC 83.29
      - extraocular 15.09
    - testicle 62.19
    - thalamus 01.18
    - thoracic duct 40.19
    - thorax 34.28
    - thymus 07.19
    - thyroid gland 06.19
    - tongue 25.09
    - tonsils 28.19
    - tooth 24.19
    - trachea 31.49
    - tunica vaginalis 61.19
    - ureter 56.39
    - urethra 58.29
    - uterus and supporting structures 68.19
    - uvula 27.29
    - vagina 70.29
    - vas deferens 63.09
    - vesical 57.39
    - vessel (blood) (any site) 38.29
    - vitreous 14.19
    - vulva 71.19
  - fistulizing, sclera NEC 12.69
  - miscellaneous (nonoperative) NEC 99.99
  - respiratory (nonoperative) NEC 93.99
  - surgical — *see* Operation
- **Proctectasis** 96.22
- **Proctectomy** (partial) *(see also* Resection, rectum) 48.69
  - abdominoperineal 48.5
- **Proctectomy** (partial) — *continued*
  - complete (Miles) (Rankin) 48.5
  - pull-through 48.49
- **Proctoclysis** 96.37
- **Proctolysis** 48.99
- **Proctopexy** (Delorme) 48.76
  - abdominal (Ripstein) 48.75
- **Proctoplasty** 48.79
- **Proctorrhaphy** 48.71
- **Proctoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctosigmoidectomy** *(see also* Resection, rectum) 48.69
- **Proctosigmoidopexy** 48.76
- **Proctosigmoidoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctostomy** 48.1
- **Proctotomy** (decompression) (linear) 48.0
- **Production** — *see also* Formation
  - atrial septal defect 35.42
  - subcutaneous tunnel for esophageal anastomosis 42.86
    - with anastomosis — *see* Anastomosis, esophagus, antesternal
- **Prognathic recession** 76.64
- **Prophylaxis, dental** (scaling) (polishing) 96.54
- **Prostatectomy** (complete) (partial) NEC 60.69
  - loop 60.2
  - perineal 60.62
  - radical (any approach) 60.5
  - retropubic (punch) (transcapsular) 60.4
  - suprapubic (punch) (transvesical) 60.3
  - transcapsular NEC 60.69
    - retropubic 60.4
  - **transurethral 60.2**
  - transvesical punch (suprapubic) 60.3
- **Prostatocystotomy** 60.0
- **Prostatolithotomy** 60.0
- **Prostatotomy** (perineal) 60.0
- **Prostatovesiculectomy** 60.5
- **Protection** (of)
  - individual from his surroundings 99.84
  - surroundings from individual 99.84
- **Psychoanalysis** 94.31
- **Psychodrama** 94.43
- **Psychotherapy** NEC 94.39
  - biofeedback 94.39
  - exploratory verbal 94.37
  - group 94.44
    - for psychosexual dysfunctions 94.41
  - play 94.36
  - psychosexual dysfunctions 94.34
  - supportive verbal 94.38
- **Ptyalectasis** 26.91
- **Ptyalithotomy** 26.0
- **Ptyalolithotomy** 26.0

Step 2. Find the table for group 648 in the length of stay book.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top five lines of the table (1. Single Dx).

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

The patient was admitted on 3 November; therefore the sixth day will fall on 9 November. Prior to or on 9 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	80962	2.9	13	<1	<1	2	3	5	8	17
20-34	185621	3.2	8	<1	1	3	4	6	7	13
35-49	72924	4.0	16	<1	1	3	5	8	11	19
50-64	55627	4.8	22	<1	1	3	6	10	13	22
65+	49743	5.9	39	<1	1	4	8	13	17	30
2. MULTIPLE DX										
0-19 YRS	66007	5.5	72	<1	1	3	6	11	19	54
20-34	160920	5.4	42	1	1	4	6	9	14	36
35-49	125060	6.9	60	1	1	5	8	14	20	43
50-64	179136	8.8	87	1	2	6	11	18	25	54
65+	354102	11.7	136	2	2	9	15	24	36	83
TOT. SINGLE DX	444877	3.8	16	<1	1	3	4	8	10	19
" MULTIPLE DX	885225	8.8	101	1	2	6	11	19	28	63
TOTAL 0-19 YRS	146969	4.1	41	<1	<1	2	4	8	12	36
20-34	346541	4.2	25	<1	1	3	5	7	10	25
35-49	197984	5.8	46	<1	1	4	7	11	16	36
50-64	234763	7.9	75	1	2	6	10	16	23	48
65+	403845	11.0	128	2	2	8	14	23	33	77
GRAND TOTAL	**1330102**	**7.1**	**78**	**1**	**1**	**4**	**9**	**16**	**23**	**52**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	89	9.9	105	2	2	8	13	18	21	64
20-34	80	9.8	30	2	3	9	12	17	23	78
35-49	121	11.8	70	3	5	10	14	19	22	45
50-64	137	11.5	34	3	5	11	15	21	24	99+
65+	88	18.1	217	5	7	14	21	30	41	92
2. MULTIPLE DX										
0-19 YRS	193	16.7	334	1	2	11	20	46	60	99+
20-34	127	22.1	338	3	6	17	33	68	99+	99+
35-49	191	22.7	339	4	7	18	32	68	99+	99+
50-64	380	22.9	276	6	8	18	31	51	79	99+
65+	529	25.4	331	7	9	21	37	64	99+	99+
TOT. SINGLE DX	515	12.1	93	2	4	10	15	22	27	83
" MULTIPLE DX	1420	22.9	325	4	7	18	32	58	92	99+
TOTAL 0-19 YRS	282	14.6	272	1	2	10	17	32	57	99+
20-34	207	17.3	255	3	4	13	24	52	98	99+
35-49	312	18.5	263	4	6	14	24	48	74	99+
50-64	517	19.9	238	5	7	15	26	45	69	99+
65+	617	24.4	321	7	8	20	33	61	92	99+
GRAND TOTAL	**1935**	**20.0**	**286**	**3**	**6**	**15**	**26**	**51**	**77**	**99+**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	61	8.9	146	2	3	6	7	15	26	70
20-34	36	12.2	76	3	4	10	14	21	33	45
35-49	31	10.2	36	2	4	10	13	17	25	28
50-64	32	11.1	39	3	4	9	13	21	23	29
65+	24	15.9	161	5	6	13	18	27	48	63
2. MULTIPLE DX										
0-19 YRS	81	19.6	312	4	5	13	28	48	70	99+
20-34	86	22.3	328	4	5	16	37	68	98	99+
35-49	82	23.4	424	4	7	16	33	63	92	99+
50-64	108	22.5	241	7	8	18	32	49	78	99+
65+	196	26.0	352	7	9	20	35	59	72	99+
TOT. SINGLE DX	184	11.1	101	3	4	8	13	21	27	66
" MULTIPLE DX	553	23.4	334	5	7	18	33	56	78	99+
TOTAL 0-19 YRS	142	15.0	268	3	4	8	18	40	65	99+
20-34	122	19.3	274	4	5	13	30	50	72	99+
35-49	113	19.7	351	3	6	13	26	53	81	99+
50-64	140	19.9	218	6	7	16	28	45	61	99+
65+	220	24.9	341	7	9	19	33	56	70	99+
GRAND TOTAL	**737**	**20.3**	**304**	**4**	**5**	**15**	**27**	**50**	**70**	**99+**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	130	5.4	7	2	2	5	7	9	9	15
20-34	24	6.5	15	1	2	6	9	12	14	16
35-49	10	6.0	6	2	2	6	7	9	11	11
50-64	6	10.0	14	6	6	10	13	15	15	15
65+	5	4.8	4	3	3	4	6	8	8	8
2. MULTIPLE DX										
0-19 YRS	89	11.6	130	3	4	8	13	39	58	99+
20-34	82	13.3	231	2	3	9	16	29	65	99+
35-49	40	15.0	234	3	4	11	14	31	55	73
50-64	26	17.3	310	4	5	12	21	51	84	99+
65+	21	19.3	431	5	6	12	21	44	74	91
TOT. SINGLE DX	175	5.7	9	2	2	5	7	9	12	16
" MULTIPLE DX	258	13.9	223	3	4	9	16	37	63	99+
TOTAL 0-19 YRS	219	7.9	66	2	3	6	8	15	35	99+
20-34	106	11.8	190	2	3	8	15	24	56	99+
35-49	50	13.2	201	3	4	9	13	30	45	73
50-64	32	16.0	262	5	6	12	18	48	77	99+
65+	26	16.5	380	3	4	9	19	32	66	91
GRAND TOTAL	**433**	**10.6**	**152**	**2**	**3**	**7**	**12**	**22**	**44**	**99+**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	50	8.5	50	3	4	6	10	14	17	46
20-34	7	7.6	19	2	2	7	11	13	14	14
35-49	5	10.6	107	3	3	6	16	28	28	28
50-64	12	10.6	13	5	6	10	13	15	18	18
65+	21	14.2	44	4	6	14	18	23	27	31
2. MULTIPLE DX										
0-19 YRS	123	17.3	295	4	4	12	21	55	90	99+
20-34	26	19.1	292	4	5	14	27	55	66	99+
35-49	37	20.2	372	5	7	14	25	75	93	99+
50-64	53	17.8	185	4	6	14	25	44	90	99+
65+	157	27.4	505	7	8	19	39	78	99	99+
TOT. SINGLE DX	95	10.1	49	3	4	9	12	18	23	39
" MULTIPLE DX	396	21.8	389	4	6	16	30	67	98	99+
TOTAL 0-19 YRS	173	14.8	240	3	4	9	18	47	70	99+
20-34	33	16.7	255	2	4	12	22	53	59	99+
35-49	42	19.0	347	4	5	14	25	74	89	99+
50-64	65	16.5	161	4	6	13	23	40	69	99+
65+	178	25.9	469	7	8	18	36	75	97	99+
GRAND TOTAL	**491**	**19.5**	**345**	**4**	**5**	**14**	**26**	**57**	**86**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	68	6.0	42	1	2	4	7	11	20	38
20-34	32	8.8	58	1	2	7	12	17	26	36
35-49	16	10.0	111	1	1	5	15	23	36	41
50-64	13	10.8	62	1	3	8	19	34	85	99+
65+	4	13.8	51	5	5	14	19	22	22	22
2. MULTIPLE DX										
0-19 YRS	378	9.8	170	2	2	5	11	26	39	99+
20-34	111	16.2	369	2	3	10	22	38	94	99+
35-49	63	14.5	209	2	3	10	19	47	78	99+
50-64	57	21.6	420	2	3	16	34	73	99+	99+
65+	66	19.2	387	3	4	16	28	97	99+	99+
TOT. SINGLE DX	133	7.9	59	1	2	5	10	19	26	51
" MULTIPLE DX	675	13.2	265	2	2	8	18	36	74	99+
TOTAL 0-19 YRS	446	9.2	153	2	2	5	10	24	36	99+
20-34	143	14.6	309	2	3	9	18	36	87	99+
35-49	79	13.6	191	2	3	9	18	43	63	99+
50-64	70	19.6	370	2	3	15	31	66	99+	99+
65+	70	18.9	369	3	4	15	27	94	99+	99+
GRAND TOTAL	**808**	**12.3**	**235**	**2**	**2**	**7**	**16**	**33**	**64**	**99+**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	10.1	57	2	4	8	10	23	29	30
20-34	130	8.1	32	4	4	6	10	14	18	35
35-49	215	8.6	38	4	4	7	10	14	20	39
50-64	241	9.4	27	4	4	8	11	16	19	31
65+	145	11.3	70	5	5	9	13	18	23	34
2. MULTIPLE DX										
0-19 YRS	34	11.7	60	3	5	9	13	22	31	34
20-34	131	11.6	91	4	5	9	12	21	34	70
35-49	274	12.7	106	4	5	9	14	25	35	63
50-64	497	14.3	135	5	6	10	17	28	41	78
65+	658	18.5	205	6	7	13	24	39	50	83
TOT. SINGLE DX	743	9.3	41	4	4	8	11	16	20	35
" MULTIPLE DX	1594	15.5	161	5	6	11	18	33	44	79
TOTAL 0-19 YRS	46	11.3	59	3	5	9	13	22	31	34
20-34	261	9.9	65	4	4	8	11	17	25	56
35-49	489	10.9	80	4	4	8	12	20	32	51
50-64	738	12.7	105	4	5	9	15	24	33	68
65+	803	17.2	189	6	7	12	21	36	46	81
GRAND TOTAL	**2337**	**13.5**	**131**	**4**	**5**	**10**	**16**	**28**	**38**	**72**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	31	9.6	47	2	2	8	15	19	24	26
20-34	80	6.3	23	1	2	4	9	13	17	22
35-49	83	7.0	33	1	2	5	10	15	18	27
50-64	52	7.3	27	2	2	7	10	14	15	25
65+	20	16.9	112	3	4	16	22	34	38	39
2. MULTIPLE DX										
0-19 YRS	74	18.6	231	3	5	14	24	38	56	65
20-34	103	15.7	151	3	4	12	23	38	47	99+
35-49	119	13.9	247	1	2	10	17	27	54	98
50-64	132	16.8	209	2	3	13	23	39	55	99+
65+	165	21.5	306	2	4	16	30	50	62	99+
TOT. SINGLE DX	266	7.9	44	1	2	6	11	17	22	31
" MULTIPLE DX	593	17.6	243	2	4	13	24	40	57	99+
TOTAL 0-19 YRS	105	16.0	193	2	3	12	20	34	51	63
20-34	183	11.6	117	2	2	8	16	27	39	86
35-49	202	11.0	171	1	2	7	14	23	30	89
50-64	184	14.1	176	2	2	10	18	31	50	88
65+	185	21.0	287	2	4	16	29	47	61	99+
GRAND TOTAL	**859**	**14.6**	**201**	**2**	**2**	**10**	**19**	**33**	**50**	**94**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	28	3.1	11	1	1	2	3	5	12	17
20-34	103	2.7	9	<1	<1	2	3	4	9	19
35-49	140	3.1	11	<1	<1	2	4	7	10	17
50-64	125	2.6	4	<1	<1	2	3	6	8	11
65+	50	3.3	15	<1	<1	2	4	7	10	24
2. MULTIPLE DX										
0-19 YRS	21	3.7	8	<1	1	2	5	9	10	11
20-34	105	5.1	85	<1	1	2	4	11	17	56
35-49	104	5.3	49	<1	1	3	6	10	20	41
50-64	141	6.9	82	<1	1	3	8	17	26	41
65+	113	9.5	166	1	2	3	12	25	36	86
TOT. SINGLE DX	446	2.9	10	<1	<1	2	3	6	9	16
" MULTIPLE DX	484	6.6	95	<1	1	3	7	17	26	56
TOTAL 0-19 YRS	49	3.4	10	1	1	2	3	7	11	17
20-34	208	3.9	49	<1	<1	2	4	8	16	41
35-49	244	4.0	29	<1	<1	2	4	8	12	30
50-64	266	4.9	50	<1	1	2	5	11	17	38
65+	163	7.6	128	<1	1	3	10	23	30	77
GRAND TOTAL	**930**	**4.8**	**58**	**<1**	**<1**	**2**	**4**	**11**	**18**	**39**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	109	2.3	8	<1	<1	2	2	3	8	17
20-34	605	1.8	1	<1	<1	1	2	3	4	6
35-49	784	1.8	1	<1	<1	1	2	3	4	6
50-64	702	1.8	2	<1	<1	1	2	3	3	6
65+	371	1.9	2	<1	<1	1	2	3	4	11
2. MULTIPLE DX										
0-19 YRS	173	2.1	2	<1	<1	2	3	4	5	8
20-34	449	3.0	21	<1	<1	2	3	5	8	22
35-49	513	3.4	24	<1	1	2	3	6	11	28
50-64	729	3.0	16	<1	<1	2	3	6	9	16
65+	577	4.0	40	<1	1	2	4	9	16	39
TOT. SINGLE DX	2571	1.8	2	<1	<1	1	2	3	4	8
" MULTIPLE DX	2441	3.3	24	<1	<1	2	3	6	10	24
TOTAL 0-19 YRS	282	2.2	5	<1	<1	2	2	4	6	11
20-34	1054	2.3	10	<1	<1	2	3	4	5	14
35-49	1297	2.4	11	<1	<1	2	2	4	6	19
50-64	1431	2.4	10	<1	<1	2	2	4	6	13
65+	948	3.2	27	<1	<1	2	3	6	10	25
GRAND TOTAL	**5012**	**2.5**	**13**	**<1**	**<1**	**2**	**3**	**4**	**7**	**18**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	14	6.1	13	1	1	6	9	10	13	14
35-49	10	6.7	23	4	4	5	6	14	20	20
50-64	10	10.3	147	2	3	7	8	27	44	44
65+	15	13.7	362	1	2	8	16	26	64	77
2. MULTIPLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	21	9.0	151	3	4	5	7	14	36	61
35-49	27	11.0	67	3	4	10	13	20	29	41
50-64	62	14.6	158	4	5	11	19	29	46	97
65+	175	16.8	187	5	6	13	20	35	46	86
TOT. SINGLE DX	51	9.2	147	1	2	6	9	19	26	77
" MULTIPLE DX	286	15.2	172	4	5	11	19	32	44	85
TOTAL 0-19 YRS	3	3.3	4	1	1	4	5	5	5	5
20-34	35	7.9	96	2	3	6	8	12	15	61
35-49	37	9.8	58	3	4	7	12	19	25	41
50-64	72	14.0	157	4	5	10	18	29	45	95
65+	190	16.6	200	4	5	12	20	34	47	85
GRAND TOTAL	**337**	**14.3**	**172**	**3**	**4**	**10**	**17**	**29**	**43**	**79**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	18	2.2	2	<1	<1	2	3	4	5	6
35-49	26	4.1	14	<1	<1	2	6	9	11	16
50-64	24	2.5	3	<1	<1	2	3	5	7	8
65+	8	2.0	2	<1	<1	1	3	5	5	5
2. MULTIPLE DX										
0-19 YRS	6	3.3	5	1	1	3	5	7	7	7
20-34	16	5.4	53	<1	<1	3	5	14	24	29
35-49	23	11.9	222	1	2	6	15	28	42	67
50-64	51	6.8	76	1	1	4	8	14	22	54
65+	79	8.8	138	1	2	6	10	17	21	77
TOT. SINGLE DX	78	2.9	7	<1	<1	2	4	7	8	14
" MULTIPLE DX	175	8.1	121	1	1	5	10	17	25	64
TOTAL 0-19 YRS	8	3.0	5	1	1	3	4	6	7	7
20-34	34	3.7	28	<1	<1	2	4	7	13	29
35-49	49	7.8	125	<1	1	4	9	20	28	67
50-64	75	5.4	57	<1	1	3	6	12	18	47
65+	87	8.2	130	1	1	5	10	17	19	74
GRAND TOTAL	**253**	**6.5**	**92**	**<1**	**1**	**3**	**8**	**15**	**21**	**54**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	63	3.7	1	2	2	4	4	5	6	9
20-34	401	3.8	5	2	2	4	4	5	6	10
35-49	589	3.8	2	2	2	4	4	5	6	10
50-64	431	3.8	1	2	2	4	5	6	6	8
65+	158	4.3	3	2	3	4	5	7	8	10
2. MULTIPLE DX										
0-19 YRS	26	5.6	20	2	2	4	5	11	14	24
20-34	210	5.1	22	2	3	4	5	8	11	23
35-49	326	4.7	9	2	3	4	5	7	9	19
50-64	455	5.4	17	2	3	4	6	9	14	25
65+	356	9.0	94	3	3	5	10	21	27	78
TOT. SINGLE DX	1642	3.8	3	2	2	4	4	5	6	10
" MULTIPLE DX	1373	6.1	39	2	3	4	6	11	18	34
TOTAL 0-19 YRS	89	4.3	8	2	2	4	5	6	9	19
20-34	611	4.3	11	2	2	4	5	6	8	15
35-49	915	4.1	5	2	2	4	5	6	7	14
50-64	886	4.6	10	2	3	4	5	7	9	18
65+	514	7.6	71	3	3	5	7	17	24	51
GRAND TOTAL	**3015**	**4.9**	**21**	**2**	**3**	**4**	**5**	**7**	**10**	**25**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	159	2.4	5	<1	1	2	3	4	5	18
20-34	83	2.5	1	1	1	2	3	4	5	6
35-49	79	3.5	5	1	1	3	4	6	8	12
50-64	76	4.3	16	1	2	4	5	6	8	29
65+	25	4.6	5	1	2	4	6	8	9	10
2. MULTIPLE DX										
0-19 YRS	33	4.9	33	<1	1	3	5	11	22	25
20-34	51	7.7	66	2	2	5	10	15	24	45
35-49	109	7.6	60	2	3	4	8	16	26	41
50-64	188	7.5	85	2	3	4	7	14	23	56
65+	181	10.9	180	2	3	6	12	24	38	83
TOT. SINGLE DX	422	3.1	7	1	1	3	4	5	7	14
" MULTIPLE DX	562	8.4	109	2	3	5	9	19	29	68
TOTAL 0-19 YRS	192	2.8	11	<1	1	2	3	5	8	23
20-34	134	4.5	32	1	1	3	4	9	11	34
35-49	188	5.9	41	1	2	4	6	12	18	35
50-64	264	6.6	68	2	3	4	6	12	22	44
65+	206	10.1	163	2	3	6	11	22	34	81
GRAND TOTAL	**984**	**6.2**	**72**	**1**	**1**	**4**	**6**	**12**	**22**	**46**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	6.3	15	1	2	6	10	12	12	12
20-34	22	7.7	7	4	5	8	8	10	14	17
35-49	25	8.8	9	4	6	8	11	13	14	16
50-64	20	10.2	15	6	7	9	12	14	19	23
65+	18	10.8	22	3	6	10	13	18	19	20
2. MULTIPLE DX										
0-19 YRS	26	18.4	225	5	6	16	23	50	71	99+
20-34	31	9.7	101	3	3	7	9	18	26	56
35-49	54	15.1	77	6	7	12	19	32	37	97
50-64	83	15.6	214	2	5	10	17	32	40	84
65+	86	15.8	141	3	6	12	19	29	42	64
TOT. SINGLE DX	96	8.9	15	3	5	8	11	13	17	22
" MULTIPLE DX	280	15.2	156	4	6	11	18	31	41	84
TOTAL 0-19 YRS	37	14.8	193	2	3	10	21	33	61	99+
20-34	53	8.8	63	3	4	8	8	12	24	55
35-49	79	13.1	64	6	6	10	16	26	34	82
50-64	103	14.5	180	3	5	10	16	27	36	83
65+	104	14.9	124	3	6	11	18	27	41	61
GRAND TOTAL	**376**	**13.6**	**128**	**3**	**5**	**10**	**16**	**27**	**37**	**80**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	109	1.2		<1	<1	<1	1	2	2	4
20-34	19	1.3		<1	<1	1	1	2	3	4
35-49	37	1.5		<1	<1	1	2	3	3	3
50-64	56	1.6		<1	<1	1	2	3	3	5
65+	71	2.2	3	<1	<1	2	2	4	7	11
2. MULTIPLE DX										
0-19 YRS	18	1.2		<1	<1	1	1	2	2	2
20-34	19	2.4	16	<1	<1	1	2	3	12	19
35-49	53	1.9	4	<1	<1	1	2	3	4	15
50-64	90	3.2	24	<1	<1	2	3	6	11	31
65+	154	5.9	163	<1	1	2	5	11	19	87
TOT. SINGLE DX	292	1.5	1	<1	<1	1	2	3	3	8
" MULTIPLE DX	334	4.1	86	<1	<1	2	3	8	14	52
TOTAL 0-19 YRS	127	1.2		<1	<1	<1	1	2	2	3
20-34	38	1.8	9	<1	<1	1	2	3	4	19
35-49	90	1.7	3	<1	<1	1	2	3	4	11
50-64	146	2.6	16	<1	<1	1	2	4	7	30
65+	225	4.7	116	<1	<1	2	3	9	14	71
GRAND TOTAL	**626**	**2.9**	**48**	**<1**	**<1**	**1**	**2**	**5**	**8**	**32**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	173	1.5		<1	<1	1	2	2	3	6
20-34	58	2.2	13	<1	<1	1	2	4	5	27
35-49	132	1.7		<1	<1	1	2	3	4	5
50-64	174	1.6		<1	<1	1	2	2	3	4
65+	160	1.6		<1	<1	2	2	2	3	4
2. MULTIPLE DX										
0-19 YRS	233	3.1	15	<1	1	2	4	6	9	28
20-34	288	3.6	25	1	1	2	4	6	9	25
35-49	266	2.9	11	<1	1	2	3	6	8	22
50-64	376	3.2	28	<1	1	2	3	5	10	25
65+	505	5.8	88	1	1	2	6	14	25	65
TOT. SINGLE DX	697	1.7	2	<1	<1	1	2	2	3	5
" MULTIPLE DX	1668	4.0	43	<1	1	2	4	8	13	42
TOTAL 0-19 YRS	406	2.4	10	<1	<1	2	2	5	7	14
20-34	346	3.3	24	<1	1	2	4	6	9	28
35-49	398	2.5	8	<1	<1	2	3	4	7	17
50-64	550	2.7	20	<1	1	2	2	4	8	18
65+	665	4.8	71	<1	1	2	4	11	19	59
GRAND TOTAL	**2365**	**3.3**	**32**	**<1**	**1**	**2**	**3**	**6**	**10**	**34**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	24	1.8	1	<1	<1	1	2	3	4	7
20-34	18	1.5		<1	1	1	2	2	3	3
35-49	20	2.1	2	<1	1	2	2	3	6	8
50-64	27	2.3	2	<1	<1	2	3	4	5	8
65+	52	1.8		1	1	2	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	20	3.0	19	<1	<1	2	3	6	14	20
20-34	12	2.1	1	<1	<1	2	3	4	4	4
35-49	18	3.5	22	<1	1	2	3	9	16	20
50-64	39	2.2		1	1	2	3	3	3	4
65+	109	2.6	4	1	1	2	3	4	7	14
TOT. SINGLE DX	141	1.9	1	<1	1	2	2	3	4	8
" MULTIPLE DX	198	2.6	7	1	1	2	3	4	6	17
TOTAL 0-19 YRS	44	2.3	10	<1	<1	1	2	3	8	20
20-34	30	1.7	1	<1	1	2	2	3	3	4
35-49	38	2.8	12	<1	1	2	3	3	10	20
50-64	66	2.2	1	<1	1	2	3	3	4	7
65+	161	2.3	3	1	1	2	3	4	5	13
GRAND TOTAL	**339**	**2.3**	**5**	**<1**	**1**	**2**	**3**	**3**	**4**	**13**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	1.0		<1	<1	<1	1	1	1	1
20-34	10	2.6	6	<1	<1	1	4	7	7	7
35-49	5	1.4		<1	<1	<1	2	2	2	2
50-64	5	1.4		<1	<1	1	2	2	2	2
65+	10	3.3	5	<1	<1	3	4	7	8	8
2. MULTIPLE DX										
0-19 YRS	10	2.9	5	<1	<1	2	4	6	7	7
20-34	5	5.8	11	2	2	6	8	10	10	10
35-49	5	18.0	1172	<1	<1	1	26	79	79	79
50-64	9	4.3	14	<1	<1	3	8	10	10	10
65+	21	6.5	82	<1	1	2	5	25	29	30
TOT. SINGLE DX	39	2.1	4	<1	<1	1	2	5	7	8
" MULTIPLE DX	50	6.5	150	<1	<1	3	6	12	28	79
TOTAL 0-19 YRS	19	2.0	3	<1	<1	1	2	5	7	7
20-34	15	3.7	10	<1	<1	2	7	8	9	10
35-49	10	9.7	598	<1	<1	1	2	43	79	79
50-64	14	3.3	11	<1	<1	2	5	9	10	10
65+	31	5.5	59	<1	1	2	5	17	28	30
GRAND TOTAL	**89**	**4.6**	**90**	**<1**	**<1**	**2**	**4**	**8**	**13**	**60**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	3.8	8	2	2	3	5	9	9	9
20-34	25	2.3	1	1	1	2	3	3	5	5
35-49	17	2.7	3	<1	<1	2	4	6	7	7
50-64	23	2.4	2	<1	1	2	3	4	6	7
65+	80	2.7	1	1	1	2	3	5	5	6
2. MULTIPLE DX										
0-19 YRS	5	4.4	7	2	2	4	5	9	9	9
20-34	9	3.0		2	2	3	3	4	5	5
35-49	20	3.2	9	1	1	2	3	8	11	12
50-64	34	4.0	17	1	1	3	4	8	16	19
65+	236	4.0	16	1	1	3	5	7	10	20
TOT. SINGLE DX	150	2.6	2	1	1	2	3	5	5	7
" MULTIPLE DX	304	4.0	16	1	1	3	4	7	10	18
TOTAL 0-19 YRS	10	4.1	7	2	2	3	4	9	9	9
20-34	34	2.5	1	1	1	3	3	4	5	5
35-49	37	3.0	7	<1	1	2	4	7	9	12
50-64	57	3.4	12	1	1	2	3	6	11	19
65+	316	3.7	13	1	1	3	4	7	8	17
GRAND TOTAL	**454**	**3.5**	**11**	**1**	**1**	**3**	**4**	**6**	**8**	**17**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	58	2.7	3	<1	<1	2	4	6	6	10
20-34	64	2.3	2	<1	<1	2	3	4	6	8
35-49	41	2.0	1	<1	<1	2	2	3	5	6
50-64	35	1.9	3	<1	<1	1	2	3	6	11
65+	35	1.9	1	<1	1	1	2	4	6	6
2. MULTIPLE DX										
0-19 YRS	39	3.8	6	<1	<1	4	5	7	9	12
20-34	34	5.4	46	1	1	4	6	9	20	36
35-49	29	4.4	21	1	1	4	5	8	10	26
50-64	34	3.7	56	<1	<1	2	3	6	7	45
65+	86	4.0	20	<1	1	2	5	8	11	26
TOT. SINGLE DX	233	2.2	3	<1	<1	2	3	5	6	8
" MULTIPLE DX	222	4.2	27	<1	1	3	5	8	10	32
TOTAL 0-19 YRS	97	3.2	5	<1	<1	3	4	6	7	11
20-34	98	3.4	20	<1	1	2	4	6	8	29
35-49	70	3.0	11	<1	<1	2	4	6	7	23
50-64	69	2.8	30	<1	<1	2	2	5	6	39
65+	121	3.4	16	<1	1	2	4	7	9	22
GRAND TOTAL	**455**	**3.2**	**16**	**<1**	**<1**	**2**	**4**	**6**	**8**	**22**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	1.6	1	<1	<1	1	2	3	4	5
20-34	9	4.7	36	1	1	2	5	14	20	20
35-49	26	2.3	1	<1	1	2	3	5	5	5
50-64	123	2.7	2	<1	1	2	3	5	6	9
65+	131	2.4	3	<1	1	2	3	4	4	12
2. MULTIPLE DX										
0-19 YRS	13	3.6	36	<1	<1	2	3	9	20	23
20-34	13	5.9	92	<1	1	3	5	15	33	37
35-49	32	3.6	9	1	1	2	4	7	12	15
50-64	111	3.4	9	<1	1	2	4	7	8	16
65+	297	3.8	16	1	1	3	4	8	12	28
TOT. SINGLE DX	310	2.5	4	<1	<1	2	3	4	6	11
" MULTIPLE DX	466	3.7	17	1	1	2	4	7	11	26
TOTAL 0-19 YRS	34	2.4	15	<1	<1	1	2	3	6	23
20-34	22	5.4	67	<1	1	3	5	12	27	37
35-49	58	3.0	7	1	1	2	3	5	7	15
50-64	234	3.0	6	<1	1	2	4	6	7	9
65+	428	3.4	12	<1	1	2	4	6	11	21
GRAND TOTAL	**776**	**3.2**	**12**	**<1**	**1**	**2**	**4**	**6**	**9**	**20**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	4.5	7	<1	1	5	6	8	10	11
20-34	25	3.3	4	<1	1	3	4	7	8	8
35-49	15	2.1	1	<1	<1	2	3	4	4	4
50-64	43	2.2	2	<1	1	2	3	5	6	8
65+	58	2.4	3	<1	1	2	3	4	7	10
2. MULTIPLE DX										
0-19 YRS	27	4.4	10	<1	1	4	7	10	11	12
20-34	26	5.5	33	1	1	5	7	9	14	31
35-49	23	3.9	5	<1	1	3	6	7	8	8
50-64	57	5.1	46	<1	1	3	6	10	18	41
65+	192	4.7	62	<1	1	3	5	9	14	51
TOT. SINGLE DX	162	2.8	4	<1	1	2	3	5	7	10
" MULTIPLE DX	325	4.8	49	<1	1	3	5	9	12	44
TOTAL 0-19 YRS	48	4.5	9	<1	1	4	6	9	11	12
20-34	51	4.4	20	1	1	3	6	8	9	31
35-49	38	3.2	5	<1	1	3	4	7	8	8
50-64	100	3.9	30	<1	1	2	4	8	11	33
65+	250	4.2	49	<1	1	2	4	7	12	50
GRAND TOTAL	**487**	**4.1**	**35**	**<1**	**1**	**3**	**5**	**8**	**10**	**35**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	32	1.8	1	<1	<1	1	2	3	5	6
20-34	12	2.4	1	1	1	2	3	5	6	6
35-49	61	1.8		<1	<1	2	2	2	3	4
50-64	521	2.0		<1	1	2	2	3	3	4
65+	2340	2.0		<1	1	2	2	3	3	4
2. MULTIPLE DX										
0-19 YRS	26	3.0	15	<1	<1	1	4	6	15	15
20-34	10	2.1	1	1	1	2	2	4	5	5
35-49	70	2.5	5	1	1	2	2	4	4	15
50-64	723	2.3	2	1	1	2	2	3	4	9
65+	3957	2.8	19	1	1	2	2	4	6	20
TOT. SINGLE DX	2966	2.0		<1	1	2	2	3	3	4
" MULTIPLE DX	4786	2.7	16	1	1	2	2	3	5	18
TOTAL 0-19 YRS	58	2.3	8	<1	<1	1	2	5	6	15
20-34	22	2.3	2	1	1	2	2	4	5	6
35-49	131	2.2	3	<1	1	2	2	3	4	13
50-64	1244	2.1	2	<1	1	2	2	3	3	8
65+	6297	2.5	12	1	1	2	2	3	4	15
GRAND TOTAL	**7752**	**2.4**	**10**	**1**	**1**	**2**	**2**	**3**	**4**	**14**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	25	1.6		<1	<1	1	2	2	3	5
50-64	115	1.7		<1	<1	2	2	2	2	5
65+	377	1.8		<1	<1	2	2	2	3	4
2. MULTIPLE DX										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	8	3.1	5	<1	<1	2	4	7	8	8
35-49	15	1.5		<1	<1	1	2	2	3	3
50-64	150	2.0	2	<1	1	2	2	3	4	6
65+	643	2.4	8	1	1	2	2	3	4	17
TOT. SINGLE DX	521	1.8	1	<1	<1	2	2	2	3	5
" MULTIPLE DX	819	2.3	7	<1	1	2	2	3	4	16
TOTAL 0-19 YRS	5	2.0	2	<1	<1	2	3	4	4	4
20-34	10	2.8	5	<1	<1	2	4	6	8	8
35-49	40	1.6	1	<1	<1	1	2	2	3	5
50-64	265	1.9	2	<1	<1	2	2	3	3	6
65+	1020	2.2	6	<1	<1	2	2	3	4	14
GRAND TOTAL	**1340**	**2.1**	**5**	**<1**	**<1**	**2**	**2**	**3**	**4**	**10**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	50	1.5		<1	<1	1	2	2	2	7
20-34	29	2.0	1	<1	<1	2	2	3	3	8
35-49	168	1.7		<1	<1	2	2	2	3	4
50-64	1008	1.8		<1	<1	2	2	2	3	4
65+	3923	1.8		<1	<1	2	2	2	3	4
2. MULTIPLE DX										
0-19 YRS	44	2.6	6	<1	1	2	3	4	7	16
20-34	32	2.0		<1	<1	2	3	3	4	4
35-49	186	2.6	12	1	1	2	2	4	7	22
50-64	1333	2.3	8	<1	1	2	2	3	4	13
65+	7220	2.4	14	<1	1	2	2	3	4	16
TOT. SINGLE DX	5178	1.8	1	<1	<1	2	2	2	3	4
" MULTIPLE DX	8815	2.4	13	<1	1	2	2	3	4	15
TOTAL 0-19 YRS	94	2.0	4	<1	<1	2	2	3	5	12
20-34	61	2.0	1	<1	<1	2	2	3	4	8
35-49	354	2.2	7	<1	1	2	2	3	4	13
50-64	2341	2.0	5	<1	<1	2	2	3	3	11
65+	11143	2.2	10	<1	1	2	2	3	4	11
GRAND TOTAL	**13993**	**2.2**	**9**	**<1**	**1**	**2**	**2**	**3**	**4**	**11**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	35	3.7	3	1	2	3	4	5	8	10
20-34	100	3.5	3	1	2	3	4	5	7	10
35-49	108	3.6	3	1	2	3	4	6	8	9
50-64	351	3.7	3	2	2	4	5	6	7	11
65+	258	4.0	4	1	2	4	5	6	8	10
2. MULTIPLE DX										
0-19 YRS	28	7.8	284	1	2	4	6	10	31	91
20-34	89	4.3	9	1	2	4	5	7	8	21
35-49	119	4.1	7	1	2	3	5	6	9	16
50-64	446	4.4	20	2	2	4	5	7	9	15
65+	581	4.6	8	2	2	4	5	8	11	17
TOT. SINGLE DX	852	3.8	3	1	2	3	5	6	7	10
" MULTIPLE DX	1263	4.5	19	2	2	4	5	7	9	17
TOTAL 0-19 YRS	63	5.6	130	1	2	3	5	7	10	82
20-34	189	3.9	6	1	2	3	5	7	8	12
35-49	227	3.8	5	1	2	3	5	6	8	12
50-64	797	4.1	11	2	2	4	5	6	8	13
65+	839	4.4	7	2	2	4	5	7	9	17
GRAND TOTAL	**2115**	**4.2**	**13**	**2**	**2**	**4**	**5**	**7**	**8**	**15**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	3.8	10	1	1	2	6	9	10	10
20-34	14	3.5	6	<1	1	3	4	7	9	10
35-49	16	2.6	3	<1	<1	2	3	5	7	8
50-64	73	3.3	5	<1	<1	2	4	7	8	12
65+	128	2.9	4	<1	<1	2	3	7	8	10
2. MULTIPLE DX										
0-19 YRS	17	2.9	2	<1	<1	3	3	5	7	8
20-34	58	5.6	59	1	2	4	5	9	19	51
35-49	56	5.3	26	1	2	4	6	12	19	25
50-64	152	4.3	14	1	1	3	5	8	10	20
65+	371	4.1	26	1	1	3	4	8	11	20
TOT. SINGLE DX	242	3.1	5	<1	<1	2	4	7	8	11
" MULTIPLE DX	654	4.3	26	1	1	3	5	8	11	23
TOTAL 0-19 YRS	28	3.3	6	<1	1	3	4	8	8	10
20-34	72	5.2	50	1	2	3	5	9	16	47
35-49	72	4.7	23	1	1	3	5	10	17	24
50-64	225	4.0	12	<1	1	3	5	8	10	19
65+	499	3.8	21	<1	1	3	4	7	10	18
GRAND TOTAL	**896**	**4.0**	**21**	**<1**	**1**	**3**	**4**	**8**	**10**	**21**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1025	1.3		<1	<1	1	2	2	2	3
20-34	122	1.6		<1	<1	2	2	2	2	4
35-49	65	1.7	1	<1	<1	2	2	2	3	9
50-64	20	1.7		<1	<1	2	2	3	3	3
65+	9	1.6		<1	<1	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	299	1.3		<1	<1	1	1	2	2	5
20-34	59	1.4		<1	<1	1	2	2	2	3
35-49	48	1.8	3	<1	<1	1	2	2	3	14
50-64	29	1.8		<1	1	2	2	2	3	6
65+	29	1.8		<1	1	2	2	2	3	3
TOT. SINGLE DX	1241	1.3		<1	<1	1	2	2	2	3
" MULTIPLE DX	464	1.4	1	<1	<1	1	2	2	2	5
TOTAL 0-19 YRS	1324	1.3		<1	<1	1	2	2	2	3
20-34	181	1.5		<1	<1	1	2	2	2	3
35-49	113	1.8	2	<1	<1	2	2	2	3	11
50-64	49	1.8	1	<1	1	2	2	2	3	6
65+	38	1.7		<1	<1	2	2	2	3	3
GRAND TOTAL	**1705**	**1.4**		**<1**	**<1**	**1**	**2**	**2**	**2**	**3**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	2	2.0		2	2	2	2	2	2	2
35-49	2	4.5	25	1	1	4	8	8	8	8
50-64										
65+	2	3.0	8	1	1	3	5	5	5	5
TOT. SINGLE DX	3	1.0		1	1	1	1	1	1	1
" MULTIPLE DX	7	3.9	10	1	1	2	7	8	8	8
TOTAL 0-19 YRS	4	2.8	12	1	1	1	5	8	8	8
20-34	2	2.0		2	2	2	2	2	2	2
35-49	2	4.5	25	1	1	4	8	8	8	8
50-64										
65+	2	3.0	8	1	1	3	5	5	5	5
GRAND TOTAL	**10**	**3.0**	**8**	**1**	**1**	**2**	**5**	**8**	**8**	**8**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	42	3.5	13	<1	<1	2	4	8	12	16
20-34	45	2.6	4	<1	1	2	3	5	7	10
35-49	41	3.0	4	1	1	2	4	6	7	11
50-64	25	2.6	4	<1	1	2	3	4	6	12
65+	50	2.8	3	1	1	2	3	5	7	12
2. MULTIPLE DX										
0-19 YRS	46	4.6	16	1	1	3	6	11	14	16
20-34	61	4.7	21	1	1	3	5	10	11	29
35-49	65	5.1	32	1	1	3	6	11	13	33
50-64	68	4.9	25	1	1	3	6	13	15	25
65+	169	6.3	66	1	1	3	7	15	20	48
TOT. SINGLE DX	203	2.9	6	<1	1	2	3	6	8	14
" MULTIPLE DX	409	5.4	42	1	1	3	6	12	16	33
TOTAL 0-19 YRS	88	4.0	15	<1	1	2	5	9	14	16
20-34	106	3.8	15	1	1	3	4	9	10	23
35-49	106	4.3	22	1	1	3	5	9	11	30
50-64	93	4.3	21	1	1	3	5	12	14	23
65+	219	5.5	54	1	1	3	6	12	18	44
GRAND TOTAL	**612**	**4.6**	**32**	**1**	**1**	**3**	**5**	**10**	**15**	**31**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	249	1.9	1	<1	<1	2	2	3	5	7
20-34	79	1.8	2	<1	<1	1	2	3	5	10
35-49	59	1.7	1	<1	<1	1	2	3	4	6
50-64	49	1.8	2	<1	<1	1	2	3	5	8
65+	53	2.0	2	<1	<1	2	2	3	5	9
2. MULTIPLE DX										
0-19 YRS	191	3.2	13	<1	<1	2	4	6	9	22
20-34	100	3.8	12	<1	1	2	5	9	11	17
35-49	66	6.2	112	<1	1	3	6	14	26	96
50-64	78	5.7	75	<1	1	2	6	15	28	45
65+	173	9.2	159	<1	1	5	11	22	36	81
TOT. SINGLE DX	489	1.9	2	<1	<1	1	2	3	5	8
" MULTIPLE DX	608	5.6	79	<1	1	3	6	12	21	61
TOTAL 0-19 YRS	440	2.4	7	<1	<1	2	3	5	6	12
20-34	179	2.9	9	<1	<1	2	3	7	10	13
35-49	125	4.1	65	<1	<1	2	4	9	14	81
50-64	127	4.2	51	<1	<1	2	3	8	18	44
65+	226	7.5	132	<1	<1	3	9	19	28	76
GRAND TOTAL	**1097**	**4.0**	**48**	**<1**	**<1**	**2**	**4**	**8**	**13**	**39**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	26	1.9		1	1	2	2	3	3	3
20-34	155	2.2		1	1	2	3	3	4	5
35-49	156	2.2		1	1	2	3	3	4	5
50-64	180	2.1		1	1	2	3	3	3	6
65+	74	2.3	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
0-19 YRS	23	2.0		1	1	2	3	3	4	4
20-34	47	2.2	6	<1	1	2	2	3	4	18
35-49	69	2.4	2	1	1	2	3	4	6	9
50-64	95	2.3	1	1	1	2	3	4	4	8
65+	41	2.2	1	1	1	2	3	3	4	5
TOT. SINGLE DX	591	2.2	1	1	1	2	3	3	4	5
" MULTIPLE DX	275	2.3	2	1	1	2	3	3	4	9
TOTAL 0-19 YRS	49	2.0	1	1	1	2	2	3	3	4
20-34	202	2.2	2	1	1	2	3	3	4	5
35-49	225	2.3	1	1	1	2	3	3	4	6
50-64	275	2.2	1	1	1	2	3	3	4	6
65+	115	2.3	1	1	1	2	3	4	4	5
GRAND TOTAL	**866**	**2.2**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	266	1.6		<1	1	2	2	2	3	4
20-34	152	1.7		<1	1	1	2	3	3	4
35-49	121	2.0	6	<1	1	2	2	3	3	12
50-64	119	1.8		1	1	2	2	3	3	5
65+	34	1.8		1	1	2	2	3	3	4
2. MULTIPLE DX										
0-19 YRS	254	1.6		<1	1	2	2	2	3	4
20-34	189	2.0	2	1	1	2	2	3	3	10
35-49	150	2.0	1	1	1	2	2	3	3	4
50-64	158	2.3	2	1	1	2	3	3	4	6
65+	73	2.3		1	1	2	3	3	4	5
TOT. SINGLE DX	692	1.7	2	<1	1	2	2	3	3	4
" MULTIPLE DX	824	2.0	2	1	1	2	2	3	3	5
TOTAL 0-19 YRS	520	1.6		<1	1	2	2	2	3	4
20-34	341	1.8	2	<1	1	2	2	3	3	5
35-49	271	2.0	4	1	1	2	2	3	3	5
50-64	277	2.1	2	1	1	2	3	3	3	5
65+	107	2.1	1	1	1	2	3	3	4	5
GRAND TOTAL	**1516**	**1.9**	**2**	**<1**	**1**	**2**	**2**	**3**	**3**	**5**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2433	1.0		<1	<1	<1	<1	1	1	2
20-34	56	1.2		<1	<1	1	1	2	2	3
35-49	56	1.5	2	<1	<1	1	2	2	2	12
50-64	50	1.3		<1	<1	1	1	2	3	4
65+	34	2.7	47	<1	<1	1	2	3	8	41
2. MULTIPLE DX										
0-19 YRS	1725	1.4	3	<1	<1	1	1	2	2	8
20-34	61	3.0	71	<1	<1	1	2	4	8	60
35-49	49	2.3	10	<1	<1	1	2	4	13	15
50-64	53	5.0	41	<1	<1	2	6	15	20	26
65+	49	8.5	109	<1	<1	6	12	21	25	99+
TOT. SINGLE DX	2629	1.1	1	<1	<1	<1	<1	1	1	2
" MULTIPLE DX	1937	1.7	11	<1	<1	1	1	2	4	16
TOTAL 0-19 YRS	4158	1.2	2	<1	<1	<1	1	1	2	5
20-34	117	2.1	38	<1	<1	1	2	3	4	30
35-49	105	1.9	7	<1	<1	1	2	2	5	14
50-64	103	3.2	25	<1	<1	1	2	8	15	25
65+	83	6.1	91	<1	<1	2	9	16	25	87
GRAND TOTAL	**4566**	**1.4**	**5**	**<1**	**<1**	**<1**	**1**	**2**	**2**	**11**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	77	2.1	1	1	1	2	2	3	4	7
20-34	91	2.5	2	1	1	2	3	4	5	9
35-49	78	2.5	2	1	1	2	3	4	5	11
50-64	61	3.2	9	1	1	3	3	4	12	17
65+	19	2.7	2	<1	1	3	3	4	6	8
2. MULTIPLE DX										
0-19 YRS	204	2.6	4	1	1	2	3	5	6	12
20-34	138	3.0	12	1	1	2	3	5	7	21
35-49	136	3.0	9	1	1	2	3	5	7	21
50-64	140	3.0	5	1	1	3	3	5	7	14
65+	104	5.7	59	1	2	3	5	15	20	42
TOT. SINGLE DX	326	2.6	3	1	1	2	3	4	5	12
" MULTIPLE DX	722	3.3	16	1	1	2	3	5	8	20
TOTAL 0-19 YRS	281	2.5	3	1	1	2	3	4	5	9
20-34	229	2.8	9	1	1	2	3	4	6	17
35-49	214	2.8	7	1	1	2	3	4	6	16
50-64	201	3.1	7	1	1	3	3	5	7	15
65+	123	5.2	52	1	1	3	4	13	19	37
GRAND TOTAL	**1048**	**3.1**	**12**	**1**	**1**	**2**	**3**	**5**	**7**	**19**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	137	1.5	1	<1	<1	<1	2	3	3	7
20-34	66	2.2	1	<1	1	2	3	4	5	6
35-49	78	2.4	2	<1	1	2	3	4	5	8
50-64	70	2.8	2	1	1	3	4	5	6	9
65+	26	3.3	5	1	1	3	3	5	9	13
2. MULTIPLE DX										
0-19 YRS	120	1.9	2	<1	<1	1	2	3	4	12
20-34	76	3.8	24	1	1	2	3	9	14	31
35-49	91	2.4	1	1	1	2	3	4	5	7
50-64	95	3.6	10	<1	1	3	4	9	12	17
65+	57	7.1	101	1	2	3	6	16	30	55
TOT. SINGLE DX	377	2.2	2	<1	<1	2	3	4	5	8
" MULTIPLE DX	439	3.3	23	<1	1	2	3	6	11	29
TOTAL 0-19 YRS	257	1.7	2	<1	<1	1	2	3	3	11
20-34	142	3.0	14	<1	1	2	3	5	9	17
35-49	169	2.4	2	1	1	2	3	4	5	7
50-64	165	3.2	7	<1	1	3	4	6	9	15
65+	83	5.9	74	1	2	3	5	14	24	50
GRAND TOTAL	**816**	**2.8**	**14**	**<1**	**<1**	**2**	**3**	**5**	**7**	**16**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	271	2.3		1	1	2	3	4	4	5
20-34	620	2.1	1	1	1	2	3	3	4	5
35-49	289	2.0		<1	1	2	2	3	4	5
50-64	114	2.0		<1	1	2	2	3	4	5
65+	34	2.3	3	<1	1	2	3	4	7	10
2. MULTIPLE DX										
0-19 YRS	499	2.1	1	1	1	2	3	3	4	5
20-34	1206	2.1	1	1	1	2	3	3	4	5
35-49	688	2.2	1	1	1	2	3	3	4	6
50-64	344	2.8	7	1	1	2	3	4	6	14
65+	88	2.8	8	1	1	2	3	4	6	21
TOT. SINGLE DX	1328	2.1	1	1	1	2	3	3	4	5
" MULTIPLE DX	2825	2.2	3	1	1	2	3	3	4	7
TOTAL 0-19 YRS	770	2.2	1	1	1	2	3	3	4	5
20-34	1826	2.1	1	1	1	2	3	3	4	5
35-49	977	2.1	2	1	1	2	3	3	4	6
50-64	458	2.6	6	1	1	2	3	4	5	13
65+	122	2.6	8	1	1	2	3	4	6	15
GRAND TOTAL	**4153**	**2.2**	**2**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	551	2.0		1	1	2	2	3	4	5
20-34	1030	1.9	4	<1	1	2	2	3	4	5
35-49	476	1.8		<1	1	2	2	3	4	5
50-64	182	2.0	1	1	1	2	2	3	4	6
65+	37	2.5	7	<1	1	2	2	4	8	15
2. MULTIPLE DX										
0-19 YRS	874	2.0	1	<1	1	2	3	3	4	6
20-34	1873	2.0	1	<1	1	2	2	3	4	7
35-49	1002	2.1	2	1	1	2	2	3	4	7
50-64	500	2.5	7	1	1	2	3	4	6	18
65+	185	4.0	37	1	1	2	4	8	12	21
TOT. SINGLE DX	2276	1.9	3	<1	1	2	2	3	4	5
" MULTIPLE DX	4434	2.2	4	1	1	2	3	3	4	9
TOTAL 0-19 YRS	1425	2.0	1	1	1	2	2	3	4	6
20-34	2903	2.0	3	<1	1	2	2	3	4	6
35-49	1478	2.0	2	1	1	2	2	3	4	6
50-64	682	2.4	6	1	1	2	3	4	5	11
65+	222	3.8	33	1	1	2	4	8	11	21
GRAND TOTAL	**6710**	**2.1**	**4**	**<1**	**1**	**2**	**2**	**3**	**4**	**8**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	72	1.7	2	<1	<1	1	2	3	5	10
20-34	102	2.1	8	<1	<1	1	2	3	5	20
35-49	108	1.7	1	<1	<1	1	2	3	4	7
50-64	155	2.0	2	<1	<1	1	2	4	6	9
65+	133	1.8	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
0-19 YRS	112	2.8	9	<1	1	2	3	5	8	17
20-34	216	2.1	1	<1	1	2	3	4	4	6
35-49	260	2.4	3	<1	1	2	3	4	6	13
50-64	351	3.4	18	<1	1	2	3	7	11	17
65+	405	4.8	47	1	1	2	5	11	16	48
TOT. SINGLE DX	570	1.9	3	<1	<1	1	2	3	4	9
" MULTIPLE DX	1344	3.4	22	<1	1	2	3	7	11	26
TOTAL 0-19 YRS	184	2.4	7	<1	<1	2	3	4	6	11
20-34	318	2.1	4	<1	<1	2	3	4	4	8
35-49	368	2.2	3	<1	<1	2	3	4	5	10
50-64	506	2.9	14	<1	<1	2	3	6	9	16
65+	538	4.1	38	<1	<1	2	4	9	14	43
GRAND TOTAL	**1914**	**2.9**	**17**	**<1**	**<1**	**2**	**3**	**6**	**9**	**23**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	466	1.5	1	<1	<1	1	2	3	4	5
20-34	316	1.9	2	<1	<1	1	2	4	5	8
35-49	115	2.8	3	<1	<1	2	4	6	6	8
50-64	120	3.7	4	<1	1	4	5	7	7	10
65+	73	4.7	9	1	2	4	5	8	11	17
2. MULTIPLE DX										
0-19 YRS	247	3.0	23	<1	1	2	3	5	8	11
20-34	343	3.7	19	1	1	2	4	7	12	25
35-49	210	4.2	14	1	1	3	5	8	10	19
50-64	249	5.4	24	1	2	4	6	9	13	25
65+	467	6.9	71	1	2	5	8	13	17	49
TOT. SINGLE DX	1090	2.2	4	<1	<1	1	3	5	6	9
" MULTIPLE DX	1516	4.9	39	1	1	3	6	9	13	31
TOTAL 0-19 YRS	713	2.0	9	<1	<1	1	2	4	5	9
20-34	659	2.8	12	<1	<1	2	3	6	7	18
35-49	325	3.7	11	<1	1	3	5	7	9	16
50-64	369	4.9	19	1	1	4	6	8	11	21
65+	540	6.6	64	1	2	5	7	12	17	43
GRAND TOTAL	**2606**	**3.8**	**26**	**<1**	**<1**	**2**	**5**	**7**	**10**	**24**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	18	1.9	2	<1	1	1	2	3	6	7
20-34	127	2.6	5	1	1	2	3	4	6	13
35-49	118	2.8	16	1	1	2	3	4	5	31
50-64	74	2.4	3	<1	1	2	3	4	5	12
65+	46	2.5	3	<1	1	2	3	4	6	10
2. MULTIPLE DX										
0-19 YRS	31	4.9	82	1	1	3	4	10	12	51
20-34	144	3.0	7	1	1	2	3	5	10	14
35-49	161	3.3	13	1	1	2	3	5	9	20
50-64	153	3.5	48	1	1	2	4	4	6	36
65+	99	4.6	30	1	1	3	4	10	15	32
TOT. SINGLE DX	383	2.6	8	1	1	2	3	4	5	12
" MULTIPLE DX	588	3.6	28	1	1	2	4	5	11	25
TOTAL 0-19 YRS	49	3.8	54	1	1	2	3	8	11	51
20-34	271	2.8	6	1	1	2	3	5	9	14
35-49	279	3.1	15	1	1	2	3	5	7	26
50-64	227	3.1	34	1	1	2	3	4	5	22
65+	145	3.9	23	1	1	3	4	9	11	27
GRAND TOTAL	**971**	**3.2**	**20**	**1**	**1**	**2**	**3**	**5**	**9**	**20**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	38	3.2	28	<1	<1	1	3	5	16	28
20-34	35	3.4	47	<1	<1	2	3	5	9	45
35-49	88	3.0	6	<1	<1	2	4	7	[illegible]	13
50-64	70	2.5	2	<1	<1	2	3	5	6	9
65+	46	4.3	30	<1	1	3	4	10	18	28
2. MULTIPLE DX										
0-19 YRS	100	5.5	63	<1	1	3	6	13	14	49
20-34	144	4.2	42	<1	1	2	4	8	14	40
35-49	183	4.8	55	<1	1	3	4	11	15	46
50-64	199	5.9	78	1	1	3	5	14	21	58
65+	147	7.9	115	1	1	4	9	20	30	99+
TOT. SINGLE DX	327	3.2	22	<1	<1	2	3	5	9	25
" MULTIPLE DX	773	5.6	73	1	1	3	5	13	20	57
TOTAL 0-19 YRS	138	4.9	54	<1	<1	3	5	12	14	42
20-34	229	3.9	44	<1	1	2	4	7	11	41
35-49	271	4.2	40	<1	1	2	4	9	14	37
50-64	269	5.0	61	<1	1	3	5	10	19	56
65+	193	7.0	97	1	1	4	8	17	26	86
GRAND TOTAL	**1100**	**4.9**	**59**	**<1**	**1**	**3**	**5**	**11**	**17**	**54**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1491	1.2		<1	<1	1	1	2	2	2
20-34	1138	1.3	1	<1	<1	1	1	2	2	3
35-49	200	1.4		<1	<1	1	2	2	2	5
50-64	115	1.4		<1	<1	1	2	2	2	2
65+	73	1.9	2	<1	<1	2	2	3	4	79
2. MULTIPLE DX										
0-19 YRS	768	1.9	9	<1	<1	1	2	2	4	21
20-34	1007	3.1	34	<1	<1	2	2	6	11	34
35-49	505	3.6	44	<1	<1	2	2	8	15	44
50-64	628	4.3	55	<1	1	2	3	11	20	43
65+	666	6.4	111	1	1	2	7	17	31	99+
TOT. SINGLE DX	3017	1.3	1	<1	<1	1	1	2	2	3
" MULTIPLE DX	3574	3.7	51	<1	<1	2	2	9	16	50
TOTAL 0-19 YRS	2259	1.4	3	<1	<1	1	1	2	2	6
20-34	2145	2.1	18	<1	<1	1	2	2	5	25
35-49	705	2.9	33	<1	<1	2	2	5	11	36
50-64	743	3.9	48	<1	<1	2	3	9	16	40
65+	739	6.0	103	1	1	2	7	16	29	99+
GRAND TOTAL	**6591**	**2.6**	**29**	**<1**	**<1**	**1**	**2**	**4**	**9**	**34**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	123	1.1		<1	<1	<1	1	1	2	2
20-34	15	1.5		<1	<1	1	2	2	3	3
35-49	5	2.8	1	<1	<1	3	4	4	4	4
50-64	5	2.4	3	<1	<1	2	3	5	5	5
65+	5	3.0	1	1	1	3	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	181	1.7	20	<1	<1	1	1	2	3	46
20-34	71	2.9	20	<1	1	2	2	4	10	30
35-49	20	3.3	37	<1	1	2	2	3	16	29
50-64	5	3.0	3	1	1	3	4	6	6	6
65+	7	9.4	34	3	3	7	14	18	19	19
TOT. SINGLE DX	153	1.3	1	<1	<1	<1	1	2	3	4
" MULTIPLE DX	284	2.3	23	<1	<1	1	2	3	6	31
TOTAL 0-19 YRS	304	1.5	12	<1	<1	<1	1	2	2	13
20-34	86	2.7	17	<1	<1	2	2	3	8	28
35-49	25	3.2	30	<1	1	2	3	4	10	29
50-64	10	2.7	3	<1	<1	2	3	5	6	6
65+	12	6.8	30	1	2	5	9	16	19	19
GRAND TOTAL	**437**	**2.0**	**15**	**<1**	**<1**	**1**	**2**	**2**	**5**	**23**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	37	1.9	2	<1	<1	1	2	3	5	9
20-34	74	1.8	2	<1	<1	1	2	4	5	8
35-49	115	1.9	11	<1	<1	1	2	3	4	16
50-64	89	1.8	1	<1	<1	1	2	3	4	5
65+	33	3.3	7	<1	1	2	4	6	11	13
2. MULTIPLE DX										
0-19 YRS	117	2.4	24	<1	<1	1	2	4	6	26
20-34	117	2.7	13	<1	1	2	2	5	9	52
35-49	97	3.2	31	<1	1	2	3	5	10	35
50-64	122	4.2	59	<1	1	2	3	8	16	41
65+	107	5.8	76	1	1	3	8	12	17	53
TOT. SINGLE DX	348	2.0	6	<1	<1	1	2	4	5	9
" MULTIPLE DX	560	3.6	42	<1	1	2	3	8	12	37
TOTAL 0-19 YRS	154	2.3	19	<1	<1	1	2	4	6	13
20-34	191	2.4	9	<1	<1	2	2	4	7	25
35-49	212	2.5	21	<1	<1	1	2	4	5	26
50-64	211	3.2	36	<1	<1	2	3	4	8	33
65+	140	5.3	62	1	1	3	6	11	17	41
GRAND TOTAL	**908**	**3.0**	**29**	**<1**	**<1**	**2**	**3**	**5**	**10**	**32**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	55	2.5	1	<1	1	2	3	5	5	6
20-34	210	3.1	2	1	1	3	4	5	6	8
35-49	260	3.2	2	1	1	3	4	5	6	9
50-64	262	3.3	3	1	2	3	4	5	7	10
65+	228	3.8	10	1	2	3	4	7	8	17
2. MULTIPLE DX										
0-19 YRS	29	2.7	1	1	1	3	3	5	5	7
20-34	100	4.3	49	1	1	3	4	6	10	49
35-49	155	4.7	29	1	1	3	5	10	15	35
50-64	267	4.7	20	1	2	4	5	9	12	18
65+	390	6.1	44	2	2	4	7	12	19	58
TOT. SINGLE DX	1015	3.3	5	1	1	3	4	5	7	11
" MULTIPLE DX	941	5.2	35	1	2	4	5	10	15	39
TOTAL 0-19 YRS	84	2.6	2	<1	1	2	3	5	5	7
20-34	310	3.5	18	1	1	3	4	6	7	17
35-49	415	3.7	14	1	1	3	4	6	9	20
50-64	529	4.0	13	1	2	3	5	7	9	16
65+	618	5.3	33	1	2	4	6	10	14	44
GRAND TOTAL	**1956**	**4.2**	**20**	**1**	**1**	**3**	**5**	**7**	**10**	**25**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	165	3.8	3	1	1	3	5	6	7	9
20-34	5	3.2	1	2	2	3	4	5	5	5
35-49	7	2.3	1	1	1	2	3	4	4	4
50-64	7	8.3	212	<1	<1	2	6	34	41	41
65+	2	4.5	5	3	3	4	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	172	4.1	3	2	2	4	5	6	8	12
20-34	3	3.7	4	2	2	3	5	6	6	6
35-49	9	7.4	38	1	1	6	10	18	20	20
50-64	5	4.0	6	1	1	3	6	7	7	7
65+	2	6.5	41	2	2	6	11	11	11	11
TOT. SINGLE DX	186	3.9	11	1	1	3	5	6	7	10
" MULTIPLE DX	191	4.3	6	2	2	4	5	7	8	15
TOTAL 0-19 YRS	337	4.0	4	1	2	4	5	6	8	10
20-34	8	3.4	2	2	2	3	4	6	6	6
35-49	16	5.2	28	1	1	3	7	13	18	20
50-64	12	6.5	123	<1	1	3	6	17	38	41
65+	4	5.5	16	2	2	4	8	11	11	11
GRAND TOTAL	**377**	**4.1**	**9**	**1**	**2**	**4**	**5**	**7**	**8**	**13**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	348	3.1	9	<1	<1	2	5	6	7	9
20-34	122	3.4	11	<1	<1	2	4	7	9	20
35-49	119	3.8	34	<1	<1	2	4	9	12	33
50-64	197	3.9	22	<1	<1	2	4	9	14	30
65+	163	3.9	19	<1	<1	2	4	9	14	24
2. MULTIPLE DX										
0-19 YRS	401	4.0	25	1	1	3	5	7	11	23
20-34	251	5.2	80	1	1	3	5	10	14	42
35-49	232	6.2	69	<1	1	3	7	14	23	44
50-64	390	9.4	167	<1	1	4	12	23	36	79
65+	524	9.6	168	1	1	5	12	23	38	90
TOT. SINGLE DX	949	3.5	17	<1	<1	2	4	7	9	21
" MULTIPLE DX	1798	7.2	117	1	1	3	8	17	27	67
TOTAL 0-19 YRS	749	3.6	18	<1	<1	2	5	7	8	23
20-34	373	4.6	59	<1	1	3	5	8	13	34
35-49	351	5.4	58	<1	<1	3	6	12	19	43
50-64	587	7.5	126	<1	1	3	9	18	28	65
65+	687	8.2	139	1	1	4	10	20	32	78
GRAND TOTAL	**2747**	**5.9**	**85**	**<1**	**1**	**3**	**6**	**14**	**22**	**52**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3997	1.4		1	1	1	2	2	2	3
20-34	2574	1.6		1	1	1	2	2	3	3
35-49	264	1.7		1	1	2	2	3	3	4
50-64	43	1.7		1	1	1	2	3	4	4
65+	12	2.9	7	1	1	2	3	8	9	9
2. MULTIPLE DX										
0-19 YRS	860	1.7	2	1	1	1	2	2	3	7
20-34	470	2.0	1	1	1	2	2	3	4	7
35-49	84	2.6	8	1	1	2	3	4	7	19
50-64	16	6.9	64	<1	1	4	7	15	28	33
65+	15	5.6	71	1	1	2	5	12	28	34
TOT. SINGLE DX	6890	1.5		1	1	1	2	2	3	3
" MULTIPLE DX	1445	1.9	4	1	1	2	2	3	4	9
TOTAL 0-19 YRS	4857	1.5	1	1	1	1	2	2	2	4
20-34	3044	1.6	1	1	1	2	2	2	3	4
35-49	348	1.9	3	1	1	2	2	3	4	7
50-64	59	3.1	23	1	1	2	3	6	10	31
65+	27	4.4	43	1	1	2	4	9	15	34
GRAND TOTAL	**8335**	**1.6**	**1**	**1**	**1**	**1**	**2**	**2**	**3**	**4**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5519	1.3		<1	1	1	2	2	2	3
20-34	192	1.3		1	1	1	2	2	2	3
35-49	11	1.4		1	1	1	2	2	2	2
50-64	6	1.0		<1	<1	1	1	1	1	1
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	4140	1.4	1	<1	1	1	2	2	2	5
20-34	58	2.3	21	1	1	2	2	3	4	34
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64										
65+	1	1.0		1	1	1	1	1	1	1
TOT. SINGLE DX	5729	1.3		<1	1	1	2	2	2	3
" MULTIPLE DX	4201	1.4	2	<1	1	1	2	2	2	5
TOTAL 0-19 YRS	9659	1.3	1	<1	1	1	2	2	2	3
20-34	250	1.6	5	1	1	1	2	2	3	5
35-49	13	1.5		1	1	1	2	2	3	3
50-64	6	1.0		<1	<1	1	1	1	1	1
65+	2	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**9930**	**1.3**	**1**	**<1**	**1**	**1**	**2**	**2**	**2**	**3**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	466	1.2		<1	<1	1	1	2	2	2
20-34	7	1.4		<1	<1	1	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
0-19 YRS	1152	1.2		<1	<1	1	1	2	2	3
20-34	9	1.2		<1	<1	1	1	2	2	2
35-49	4	2.5	9	1	1	1	4	7	7	7
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
TOT. SINGLE DX	475	1.2		<1	<1	1	1	2	2	2
" MULTIPLE DX	1166	1.2	1	<1	<1	1	1	2	2	3
TOTAL 0-19 YRS	1618	1.2		<1	<1	1	1	2	2	3
20-34	16	1.3		<1	<1	1	2	2	2	2
35-49	5	2.2	7	1	1	1	3	7	7	7
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
GRAND TOTAL	**1641**	**1.2**		**<1**	**<1**	**1**	**1**	**2**	**2**	**3**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	400	2.3	3	<1	1	2	3	4	5	10
20-34	288	2.5	5	<1	1	2	3	4	5	11
35-49	105	3.3	20	<1	1	2	3	6	9	29
50-64	82	3.4	11	<1	1	2	4	8	10	19
65+	67	2.9	8	<1	1	2	3	4	9	18
2. MULTIPLE DX										
0-19 YRS	129	3.8	20	1	1	3	4	7	14	50
20-34	102	4.4	28	1	1	3	4	8	11	37
35-49	80	7.9	152	1	1	4	8	16	37	68
50-64	149	8.2	135	1	1	4	9	18	36	59
65+	172	9.0	94	1	1	5	12	21	29	39
TOT. SINGLE DX	942	2.6	7	<1	1	2	3	4	6	12
" MULTIPLE DX	632	6.9	90	1	1	3	8	16	24	58
TOTAL 0-19 YRS	529	2.7	8	<1	1	2	3	5	6	17
20-34	390	3.0	12	1	1	2	4	5	7	13
35-49	185	5.3	82	1	1	3	5	10	18	54
50-64	231	6.5	96	1	1	3	7	15	22	58
65+	239	7.3	78	1	1	3	10	20	24	36
GRAND TOTAL	**1574**	**4.3**	**45**	**<1**	**1**	**2**	**4**	**9**	**16**	**38**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pha[illegible] (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	31	1.5	1	<1	<1	1	2	3	4	6
20-34	29	2.6	2	<1	<1	2	4	5	5	5
35-49	22	3.8	6	<1	1	3	5	8	9	10
50-64	32	3.1	6	<1	1	2	4	6	8	13
65+	34	3.2	5	1	1	3	5	7	8	8
2. MULTIPLE DX										
0-19 YRS	47	4.4	25	1	1	3	4	7	11	28
20-34	29	5.2	37	1	1	4	6	10	12	33
35-49	37	5.2	23	1	1	4	6	10	11	28
50-64	83	4.8	14	1	1	4	6	10	12	20
65+	200	6.2	57	1	1	4	7	14	19	60
TOT. SINGLE DX	148	2.8	5	<1	<1	2	4	6	7	10
" MULTIPLE DX	396	5.5	40	1	1	4	7	11	16	35
TOTAL 0-19 YRS	78	3.2	18	<1	<1	2	4	6	7	27
20-34	58	3.9	21	<1	1	3	4	7	10	31
35-49	59	4.7	18	1	1	4	6	10	11	26
50-64	115	4.3	13	1	1	4	5	9	12	18
65+	234	5.7	51	1	1	4	7	12	16	52
GRAND TOTAL	**544**	**4.8**	**32**	**1**	**1**	**3**	**6**	**10**	**14**	**28**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	115	1.9	2	<1	<1	2	2	2	3	10
20-34	187	1.5		<1	<1	1	2	2	2	6
35-49	317	1.6	2	<1	<1	1	2	2	2	8
50-64	476	1.8	4	<1	<1	2	2	2	2	9
65+	251	1.7	1	<1	<1	2	2	2	3	6
2. MULTIPLE DX										
0-19 YRS	67	3.9	37	<1	1	2	3	9	12	37
20-34	71	2.2	8	<1	<1	2	2	3	6	20
35-49	168	3.3	26	<1	<1	2	2	8	13	30
50-64	389	3.7	32	<1	1	2	3	9	15	31
65+	399	4.6	54	<1	1	2	5	12	17	71
TOT. SINGLE DX	1346	1.7	3	<1	<1	1	2	2	3	9
" MULTIPLE DX	1094	3.9	39	<1	1	2	3	10	15	34
TOTAL 0-19 YRS	182	2.6	16	<1	<1	2	2	4	9	25
20-34	258	1.7	3	<1	<1	1	2	2	3	9
35-49	485	2.2	11	<1	<1	2	2	2	7	20
50-64	865	2.6	18	<1	<1	2	2	4	9	20
65+	650	3.5	36	<1	1	2	2	9	13	33
GRAND TOTAL	**2440**	**2.7**	**20**	**<1**	**<1**	**2**	**2**	**4**	**9**	**22**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	2.0	1	<1	<1	2	3	3	3	3
20-34	2	7.5	85	<1	<1	7	14	14	14	14
35-49	10	3.9	19	<1	<1	2	6	11	15	15
50-64	29	11.9	105	1	1	11	18	26	28	40
65+	21	10.0	58	1	1	11	16	20	22	24
2. MULTIPLE DX										
0-19 YRS	11	6.7	112	1	1	3	8	21	36	37
20-34	8	11.8	617	1	1	2	24	89	99+	99+
35-49	13	12.7	404	1	2	7	11	33	69	77
50-64	48	12.1	117	1	2	10	15	24	37	48
65+	57	13.8	187	1	2	11	20	26	46	99
TOT. SINGLE DX	66	9.3	79	<1	1	7	15	21	25	38
" MULTIPLE DX	137	12.4	197	1	2	10	17	26	47	99+
TOTAL 0-19 YRS	15	5.5	85	<1	1	3	4	11	30	37
20-34	10	10.9	493	<1	1	2	12	84	99	99+
35-49	23	8.9	248	<1	1	5	9	16	41	77
50-64	77	12.0	112	1	1	11	17	25	35	47
65+	78	12.8	155	1	2	11	18	25	27	95
GRAND TOTAL	**203**	**11.4**	**160**	**1**	**1**	**9**	**16**	**24**	**36**	**90**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	15.0		15	15	15	15	15	15	15
35-49	8	16.5	21	12	12	15	18	24	26	26
50-64	26	15.8	44	7	10	15	18	25	32	33
65+	23	17.2	58	11	12	14	21	29	36	37
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49	25	24.3	190	6	11	24	30	40	56	63
50-64	143	22.0	152	10	11	19	26	39	50	89
65+	121	24.0	228	10	11	20	31	46	70	99+
TOT. SINGLE DX	58	16.4	45	9	12	14	19	26	33	37
" MULTIPLE DX	289	23.0	188	10	11	19	28	43	55	99+
TOTAL 0-19 YRS										
20-34	1	15.0		15	15	15	15	15	15	15
35-49	33	22.4	159	8	12	18	27	38	52	63
50-64	169	21.0	141	10	11	17	25	36	44	85
65+	144	22.9	207	10	11	19	29	43	69	99+
GRAND TOTAL	**347**	**21.9**	**170**	**10**	**11**	**18**	**26**	**39**	**51**	**99+**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64	3	3.0	7	1	1	2	5	6	6	6
65+	3	16.3	17	13	13	15	19	21	21	21
2. MULTIPLE DX										
0-19 YRS	5	19.2	58	7	8	21	28	93	99+	99+
20-34	12	28.6	649	4	4	29	49	91	98	99+
35-49	12	42.9	629	4	9	61	99+	99+	99+	99+
50-64	48	25.6	337	4	4	25	52	99+	99+	99+
65+	76	38.4	641	6	8	40	72	99+	99+	99+
TOT. SINGLE DX	7	9.0	56	1	1	6	14	20	21	21
" MULTIPLE DX	153	33.3	562	4	7	34	65	99+	99+	99+
TOTAL 0-19 YRS	5	19.2	59	7	8	21	28	93	99+	99+
20-34	12	28.6	649	4	4	29	49	91	98	99+
35-49	13	40.0	688	4	5	59	99+	99+	99+	99+
50-64	51	24.3	346	2	4	23	51	99+	99+	99+
65+	79	37.5	635	6	8	38	71	99+	99+	99+
GRAND TOTAL	**160**	**32.3**	**564**	**4**	**6**	**33**	**63**	**99+**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	28	6.2	66	1	1	3	7	17	27	35
20-34	17	5.2	26	1	1	4	8	18	68	99+
35-49	12	12.8	187	1	2	9	17	34	45	47
50-64	19	4.2	18	<1	1	2	6	12	14	15
65+	18	10.5	368	<1	1	3	12	61	91	99+
2. MULTIPLE DX										
0-19 YRS	88	19.3	646	1	1	8	38	89	99+	99+
20-34	61	26.7	702	1	1	18	60	90	99+	99+
35-49	86	26.8	558	2	3	24	47	83	99+	99+
50-64	250	26.3	553	1	2	23	55	99+	99+	99+
65+	370	37.0	735	2	4	42	67	99+	99+	99+
TOT. SINGLE DX	94	7.3	126	1	1	3	9	21	35	99+
" MULTIPLE DX	855	30.3	688	1	2	29	59	99+	99+	99+
TOTAL 0-19 YRS	116	16.1	537	1	1	7	23	76	99+	99+
20-34	78	22.0	633	1	1	14	44	86	99+	99+
35-49	98	25.1	532	2	2	19	44	78	99+	99+
50-64	269	24.8	547	1	2	20	52	99+	99+	99+
65+	388	35.8	748	2	3	39	66	99+	99+	99+
GRAND TOTAL	**949**	**28.0**	**680**	**1**	**2**	**23**	**57**	**98**	**99+**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	4.9	14	<1	1	3	8	10	12	12
20-34	93	5.4	24	<1	1	3	7	10	17	25
35-49	159	5.8	49	<1	1	3	7	14	21	32
50-64	280	5.5	35	<1	<1	3	8	13	18	26
65+	298	5.8	36	<1	1	3	9	14	16	29
2. MULTIPLE DX										
0-19 YRS	28	9.0	27	2	2	8	14	17	18	18
20-34	345	16.9	180	2	2	15	23	35	43	99+
35-49	641	15.4	199	1	2	11	20	34	46	71
50-64	1697	11.7	120	1	2	9	15	25	32	61
65+	3069	13.5	137	2	2	11	17	28	36	88
TOT. SINGLE DX	841	5.6	37	<1	1	3	8	13	17	28
" MULTIPLE DX	5780	13.3	143	2	2	11	17	28	37	75
TOTAL 0-19 YRS	39	7.8	26	1	2	7	11	16	17	18
20-34	438	14.4	170	1	2	11	21	32	40	89
35-49	800	13.5	185	1	2	10	18	31	42	69
50-64	1977	10.8	113	1	2	8	14	23	31	57
65+	3367	12.8	133	1	2	10	17	27	35	84
GRAND TOTAL	**6621**	**12.4**	**136**	**1**	**2**	**10**	**16**	**27**	**35**	**71**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	30.0		30	30	30	30	30	30	30
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64	3	21.0	349	4	4	18	35	41	41	41
65+	4	15.3	165	1	1	14	24	32	32	32
TOT. SINGLE DX	1	30.0		30	30	30	30	30	30	30
" MULTIPLE DX	7	17.7	208	1	2	16	28	39	41	41
TOTAL 0-19 YRS										
20-34										
35-49										
50-64	3	21.0	349	4	4	18	35	41	41	41
65+	5	18.2	167	1	1	16	30	32	32	32
GRAND TOTAL	**8**	**19.3**	**197**	**1**	**2**	**17**	**31**	**38**	**41**	**41**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	11.3	64	4	4	9	13	22	32	33
20-34	60	8.7	20	3	4	8	11	15	18	21
35-49	95	9.1	42	1	2	8	11	15	21	40
50-64	170	8.8	36	1	2	8	11	16	19	27
65+	141	8.3	53	<1	1	7	12	18	21	36
2. MULTIPLE DX										
0-19 YRS	58	15.9	134	5	6	12	21	31	50	96
20-34	158	15.5	166	3	5	11	20	30	39	75
35-49	292	14.8	133	3	5	11	20	30	41	73
50-64	790	14.3	139	2	4	11	18	29	37	80
65+	1162	15.1	144	2	3	12	19	30	42	63
TOT. SINGLE DX	477	8.7	41	1	1	8	11	17	20	33
" MULTIPLE DX	2460	14.9	143	2	4	12	19	30	40	73
TOTAL 0-19 YRS	69	15.2	125	5	6	12	19	31	46	92
20-34	218	13.6	135	3	4	10	16	28	36	64
35-49	387	13.4	117	2	5	10	17	28	37	67
50-64	960	13.3	126	2	3	10	16	26	35	75
65+	1303	14.4	139	1	2	12	18	28	40	59
GRAND TOTAL	**2937**	**13.9**	**131**	**2**	**3**	**11**	**18**	**28**	**37**	**64**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	6	12.7	44	7	7	11	14	24	25	25
35-49	25	10.3	14	6	7	9	12	15	19	23
50-64	103	12.6	22	7	8	11	16	20	22	26
65+	75	12.9	28	8	8	11	16	20	24	33
2. MULTIPLE DX										
0-19 YRS	11	16.4	64	5	7	16	21	28	30	30
20-34	12	13.3	80	6	6	10	15	30	33	34
35-49	85	16.0	82	8	9	13	18	28	34	56
50-64	513	16.1	98	7	8	13	20	27	35	51
65+	544	18.4	142	8	9	15	21	31	44	85
TOT. SINGLE DX	210	12.4	25	7	8	11	15	20	23	26
" MULTIPLE DX	1165	17.2	118	8	9	14	20	30	38	78
TOTAL 0-19 YRS	12	15.8	63	5	7	15	21	27	30	30
20-34	18	13.1	65	6	6	10	14	27	32	34
35-49	110	14.7	73	8	8	12	17	23	32	52
50-64	616	15.5	87	7	8	13	18	26	33	49
65+	619	17.8	132	8	9	15	20	30	42	83
GRAND TOTAL	**1375**	**16.5**	**107**	**8**	**8**	**13**	**19**	**28**	**36**	**73**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	93	2.7	8	<1	<1	2	2	7	10	13
20-34	65	6.2	72	1	1	4	7	13	17	56
35-49	91	4.9	28	<1	1	3	6	9	13	30
50-64	201	4.7	28	<1	1	2	6	12	16	26
65+	156	5.8	37	<1	1	3	9	14	18	30
2. MULTIPLE DX										
0-19 YRS	144	10.6	204	1	2	6	12	27	52	99+
20-34	200	13.1	167	1	1	10	18	29	53	99+
35-49	396	12.1	134	1	2	9	16	28	37	49
50-64	1042	11.6	132	1	2	8	15	26	35	68
65+	1970	14.4	173	2	3	11	18	30	42	95
TOT. SINGLE DX	606	4.9	33	<1	1	2	6	12	15	28
" MULTIPLE DX	3752	13.2	161	1	2	10	17	28	40	92
TOTAL 0-19 YRS	237	7.5	142	<1	1	3	10	18	30	99+
20-34	265	11.4	153	1	1	8	16	26	48	99+
35-49	487	10.7	122	1	1	7	14	25	31	48
50-64	1243	10.5	122	1	1	7	14	24	33	62
65+	2126	13.8	169	2	2	11	18	29	40	94
GRAND TOTAL	**4358**	**12.0**	**151**	**1**	**2**	**9**	**16**	**27**	**37**	**86**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	16	4.8	9	1	2	4	6	10	11	12
20-34	49	6.1	29	2	2	5	7	13	17	33
35-49	19	7.5	21	1	2	7	10	15	17	17
50-64	12	7.7	30	1	2	6	12	14	17	18
65+	4	12.3	61	5	5	11	18	22	22	22
2. MULTIPLE DX										
0-19 YRS	17	16.2	244	4	4	12	22	35	55	64
20-34	33	11.9	189	3	3	7	12	32	66	99+
35-49	35	13.9	102	2	3	12	20	35	38	99+
50-64	70	16.9	255	3	4	10	25	35	55	76
65+	95	16.1	293	3	4	12	18	33	73	99+
TOT. SINGLE DX	100	6.6	27	2	2	5	8	13	17	27
" MULTIPLE DX	250	15.5	238	3	4	11	20	34	63	99+
TOTAL 0-19 YRS	33	10.7	160	2	2	6	12	26	36	64
20-34	82	8.5	100	2	3	5	9	17	32	90
35-49	54	11.6	82	2	3	8	18	23	37	97
50-64	82	15.5	232	2	3	10	22	34	49	75
65+	99	16.0	284	3	4	12	18	32	72	99+
GRAND TOTAL	**350**	**12.9**	**194**	**2**	**3**	**8**	**17**	**29**	**42**	**99+**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	112	6.0	15	2	2	5	8	10	14	20
20-34	526	5.6	16	2	3	5	7	10	11	20
35-49	182	6.6	29	2	3	5	8	13	17	30
50-64	79	6.4	15	2	2	6	8	11	14	21
65+	49	8.9	35	2	3	8	12	17	24	99+
2. MULTIPLE DX										
0-19 YRS	229	14.8	281	3	3	9	16	37	62	99+
20-34	506	10.9	115	3	4	8	13	21	29	60
35-49	380	13.2	130	3	4	9	18	29	36	65
50-64	787	14.2	151	3	4	10	18	30	40	71
65+	1200	16.8	214	4	5	13	21	34	45	92
TOT. SINGLE DX	948	6.1	20	2	3	5	7	10	14	23
" MULTIPLE DX	3102	14.6	181	3	4	10	18	31	42	84
TOTAL 0-19 YRS	341	11.9	211	2	3	7	13	25	52	91
20-34	1032	8.2	72	2	3	6	9	15	22	49
35-49	562	11.0	107	2	3	7	14	24	33	62
50-64	866	13.5	144	3	4	10	17	29	38	66
65+	1249	16.5	210	3	5	12	21	33	45	93
GRAND TOTAL	**4050**	**12.6**	**156**	**3**	**3**	**9**	**15**	**27**	**37**	**80**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	158	6.4	8	1	3	7	7	9	11	18
20-34	131	7.5	83	<1	1	5	10	16	19	44
35-49	101	5.7	47	<1	<1	3	8	13	16	40
50-64	120	6.7	36	1	1	5	9	15	18	31
65+	97	5.9	43	<1	1	3	8	13	16	38
2. MULTIPLE DX										
0-19 YRS	89	10.3	125	2	2	7	11	18	25	71
20-34	176	11.5	117	1	2	9	15	23	32	59
35-49	228	13.2	157	1	2	10	17	26	40	77
50-64	622	12.6	117	1	2	11	17	25	32	56
65+	916	15.0	181	2	3	12	20	31	41	76
TOT. SINGLE DX	607	6.5	43	<1	1	5	8	13	17	31
" MULTIPLE DX	2031	13.6	153	2	2	11	18	27	37	74
TOTAL 0-19 YRS	247	7.8	54	1	3	7	8	13	18	39
20-34	307	9.8	107	1	2	7	12	20	25	55
35-49	329	10.9	135	<1	1	8	14	23	33	73
50-64	742	11.7	109	1	2	9	15	24	31	53
65+	1013	14.1	175	2	2	11	19	29	39	75
GRAND TOTAL	**2638**	**11.9**	**136**	**1**	**2**	**9**	**16**	**25**	**34**	**70**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	111	9.0	26	4	4	8	10	15	23	27
20-34	21	10.0	10	6	7	10	11	13	17	21
35-49	32	11.6	9	8	8	11	13	17	17	19
50-64	75	12.6	16	8	8	12	14	19	21	27
65+	36	15.0	55	5	10	14	16	25	32	42
2. MULTIPLE DX										
0-19 YRS	438	13.5	121	6	7	10	15	24	32	86
20-34	82	18.4	303	7	8	12	18	36	68	83
35-49	170	15.4	96	7	8	13	19	28	40	92
50-64	504	18.0	161	8	9	14	21	31	43	79
65+	620	20.8	149	9	10	17	25	37	48	85
TOT. SINGLE DX	275	11.2	29	4	6	10	13	17	22	30
" MULTIPLE DX	1814	17.6	156	7	8	14	21	32	44	82
TOTAL 0-19 YRS	549	12.6	106	5	6	10	14	22	30	77
20-34	103	16.7	254	7	7	11	15	32	59	82
35-49	202	14.8	85	7	8	12	18	25	35	81
50-64	579	17.3	146	8	9	14	20	29	40	77
65+	656	20.5	146	9	10	17	25	36	47	81
GRAND TOTAL	**2089**	**16.8**	**144**	**7**	**8**	**13**	**20**	**30**	**41**	**79**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	1	11.0		11	11	11	11	11	11	11
35-49	79	11.7	17	8	8	11	13	16	18	32
50-64	255	12.1	12	8	9	11	13	16	20	27
65+	98	12.6	15	8	9	11	14	18	23	65
2. MULTIPLE DX										
0-19 YRS	6	24.5	440	9	9	12	50	53	53	53
20-34	14	14.0	51	7	8	10	20	24	29	30
35-49	600	12.6	43	7	8	11	14	20	26	43
50-64	2779	14.0	56	8	8	12	16	22	27	45
65+	1905	17.7	115	8	9	14	21	30	40	66
TOT. SINGLE DX	434	12.1	14	8	9	11	13	17	20	28
" MULTIPLE DX	5304	15.2	81	8	8	12	17	25	32	55
TOTAL 0-19 YRS	7	22.7	389	9	9	12	41	52	53	53
20-34	15	13.8	48	7	8	11	19	23	28	30
35-49	679	12.5	41	7	8	11	14	19	25	41
50-64	3034	13.8	53	8	8	12	15	22	27	43
65+	2003	17.4	112	8	9	14	20	30	39	66
GRAND TOTAL	**5738**	**14.9**	**76**	**8**	**8**	**12**	**17**	**24**	**31**	**54**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	277	1.8	1	<1	1	2	2	2	4	7
20-34	151	2.8	6	1	1	2	2	5	10	14
35-49	956	3.0	8	1	1	2	2	6	10	16
50-64	1864	2.7	6	1	2	2	2	5	9	14
65+	766	2.8	8	1	2	2	2	5	9	16
2. MULTIPLE DX										
0-19 YRS	699	2.6	12	1	1	2	2	4	7	17
20-34	337	4.7	51	1	2	2	5	10	14	29
35-49	3106	4.2	19	1	2	2	5	10	13	20
50-64	8427	4.6	28	1	2	2	6	11	15	24
65+	5035	6.4	61	1	2	3	9	15	21	38
TOT. SINGLE DX	4014	2.8	7	1	1	2	2	5	9	15
" MULTIPLE DX	17604	5.0	37	1	2	2	6	12	16	29
TOTAL 0-19 YRS	976	2.4	10	1	1	2	2	4	7	15
20-34	488	4.1	38	1	1	2	4	10	13	23
35-49	4062	3.9	18	1	1	2	4	10	13	19
50-64	10291	4.3	25	1	2	2	5	11	14	23
65+	5801	6.0	56	1	2	2	8	15	20	36
GRAND TOTAL	**21618**	**4.6**	**32**	**1**	**1**	**2**	**5**	**11**	**15**	**27**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	4.8	4	2	2	4	6	8	9	9
20-34	17	4.7	4	2	3	4	5	7	10	11
35-49	35	5.0	19	1	2	3	5	13	16	19
50-64	127	5.1	18	1	2	4	6	12	14	19
65+	589	5.1	18	1	2	4	6	10	13	21
2. MULTIPLE DX										
0-19 YRS	32	7.3	47	2	3	5	8	11	19	39
20-34	24	9.0	63	2	2	6	12	19	25	36
35-49	166	10.1	57	2	2	9	14	17	24	45
50-64	1028	11.6	77	2	3	10	15	20	25	49
65+	5893	12.0	104	2	3	9	15	23	31	62
TOT. SINGLE DX	776	5.1	18	1	2	4	6	10	14	20
" MULTIPLE DX	7143	11.8	99	2	3	10	15	22	30	59
TOTAL 0-19 YRS	40	6.8	39	2	2	5	8	10	16	39
20-34	41	7.2	43	2	2	5	9	16	19	36
35-49	201	9.2	55	2	2	8	13	17	20	40
50-64	1155	10.9	75	2	3	9	14	20	24	48
65+	6482	11.3	100	2	3	9	14	22	30	59
GRAND TOTAL	**7919**	**11.2**	**95**	**2**	**3**	**9**	**14**	**22**	**29**	**54**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	20	4.8	16	1	1	3	7	10	13	15
20-34	23	6.6	22	1	2	5	10	12	15	20
35-49	132	5.1	35	2	2	3	6	10	13	31
50-64	288	4.1	8	2	2	3	5	8	10	15
65+	92	4.6	11	2	2	4	5	9	12	18
2. MULTIPLE DX										
0-19 YRS	44	12.9	210	1	2	8	18	26	46	69
20-34	79	10.1	68	2	2	8	12	24	28	36
35-49	490	7.2	32	2	3	5	9	15	18	26
50-64	1213	7.9	56	2	3	6	10	15	20	35
65+	692	10.7	99	3	3	8	14	21	26	63
TOT. SINGLE DX	555	4.6	16	2	2	3	5	9	12	17
" MULTIPLE DX	2518	8.7	69	2	3	6	11	17	22	44
TOTAL 0-19 YRS	64	10.3	162	1	2	7	12	24	31	68
20-34	102	9.3	60	2	2	7	11	20	26	36
35-49	622	6.7	34	2	2	5	9	14	18	26
50-64	1501	7.2	50	2	2	5	9	14	18	32
65+	784	10.0	93	2	3	7	13	19	24	59
GRAND TOTAL	**3073**	**7.9**	**62**	**2**	**2**	**5**	**10**	**16**	**21**	**38**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	236	3.0	5	<1	<1	2	4	6	7	13
20-34	119	3.5	13	<1	<1	2	4	9	13	17
35-49	122	3.2	16	<1	<1	2	4	7	11	22
50-64	131	3.3	18	<1	<1	2	3	8	12	23
65+	132	3.8	19	<1	1	2	4	9	12	22
2. MULTIPLE DX										
0-19 YRS	459	5.5	55	1	2	4	6	10	15	47
20-34	215	11.4	149	1	1	8	13	27	39	60
35-49	333	9.4	114	1	1	7	11	19	27	61
50-64	1022	10.1	94	1	2	8	14	23	28	49
65+	2817	13.4	145	2	3	10	17	27	38	72
TOT. SINGLE DX	740	3.3	13	<1	<1	2	4	7	10	20
" MULTIPLE DX	4846	11.6	130	1	2	9	15	24	33	66
TOTAL 0-19 YRS	695	4.7	40	1	1	3	5	9	13	27
20-34	334	8.6	115	<1	1	5	11	20	30	46
35-49	455	7.7	96	<1	1	5	10	17	25	49
50-64	1153	9.3	90	1	1	7	13	21	27	45
65+	2949	13.0	144	1	2	10	17	26	37	72
GRAND TOTAL	**5586**	**10.5**	**123**	**1**	**1**	**7**	**14**	**23**	**31**	**63**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	19	2.9	1	<1	1	3	4	5	5	5
20-34	526	3.1	2	1	1	3	4	5	6	10
35-49	796	3.6	5	1	2	3	4	6	7	13
50-64	509	4.0	12	1	2	3	4	6	8	15
65+	115	4.7	15	1	2	4	5	8	12	23
2. MULTIPLE DX										
0-19 YRS	4	3.8	1	2	2	4	5	5	5	5
20-34	139	4.6	21	1	1	3	5	8	10	33
35-49	379	5.2	34	1	2	4	5	10	14	27
50-64	414	5.8	30	2	2	4	6	12	16	30
65+	249	10.0	133	2	2	6	12	21	30	68
TOT. SINGLE DX	1965	3.6	7	1	2	3	4	5	7	14
" MULTIPLE DX	1185	6.3	56	1	2	4	6	13	19	40
TOTAL 0-19 YRS	23	3.0	2	<1	1	3	4	5	5	5
20-34	665	3.4	7	1	1	3	4	5	7	12
35-49	1175	4.1	16	1	2	3	5	6	9	18
50-64	923	4.8	21	1	2	4	5	8	13	24
65+	364	8.3	102	2	2	5	9	19	25	56
GRAND TOTAL	**3150**	**4.6**	**27**	**1**	**2**	**3**	**5**	**8**	**12**	**26**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17	9.6	56	2	2	8	15	20	26	28
20-34	30	5.5	27	1	1	3	8	13	15	24
35-49	83	8.7	48	1	2	8	10	13	23	41
50-64	259	9.6	22	3	4	9	11	15	19	28
65+	255	10.5	43	2	3	9	13	17	21	33
2. MULTIPLE DX										
0-19 YRS	67	12.9	142	2	3	10	15	24	41	94
20-34	148	13.4	272	2	2	8	15	31	54	87
35-49	504	13.4	146	2	3	10	15	29	38	66
50-64	1913	15.7	171	4	6	12	18	30	41	78
65+	3190	19.0	208	5	7	15	24	39	52	97
TOT. SINGLE DX	644	9.6	36	2	3	9	12	16	20	30
" MULTIPLE DX	5822	17.2	196	4	6	13	21	35	49	88
TOTAL 0-19 YRS	84	12.2	126	2	2	10	15	21	37	88
20-34	178	12.1	240	2	2	7	14	26	48	85
35-49	587	12.8	135	2	3	10	15	27	37	64
50-64	2172	15.0	158	3	5	11	17	28	40	76
65+	3445	18.3	201	5	7	14	23	37	51	95
GRAND TOTAL	**6466**	**16.4**	**185**	**3**	**5**	**12**	**20**	**33**	**46**	**85**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	1	10.0		10	10	10	10	10	10	10
50-64	2	11.0		11	11	11	11	11	11	11
65+	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
0-19 YRS	3	14.0	9	11	11	14	16	17	17	17
20-34										
35-49										
50-64	10	14.4	36	7	9	13	16	23	29	29
65+	5	14.0	22	9	9	12	19	19	19	19
TOT. SINGLE DX	4	11.5	3	10	10	11	13	14	14	14
" MULTIPLE DX	18	14.2	25	8	9	13	17	19	25	29
TOTAL 0-19 YRS	3	14.0	9	11	11	14	16	17	17	17
20-34										
35-49	1	10.0		10	10	10	10	10	10	10
50-64	12	13.8	31	7	10	12	15	21	28	29
65+	6	14.0	18	9	9	13	19	19	19	19
GRAND TOTAL	**22**	**13.7**	**22**	**8**	**10**	**12**	**16**	**19**	**23**	**29**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	5.0	19	2	2	3	8	10	10	10
20-34	10	3.5	6	<1	<1	3	5	7	9	9
35-49	12	4.4	14	<1	<1	3	6	11	12	12
50-64	23	7.0	35	1	2	5	9	18	20	23
65+	19	5.4	16	<1	1	5	8	11	14	15
2. MULTIPLE DX										
0-19 YRS	49	4.1	7	1	1	4	5	8	10	13
20-34	286	6.7	48	1	2	5	8	14	19	35
35-49	538	7.8	73	1	2	6	9	15	23	54
50-64	929	8.7	109	2	2	6	10	18	25	66
65+	1217	10.1	101	2	2	7	12	21	31	58
TOT. SINGLE DX	67	5.5	22	<1	1	4	7	12	15	22
" MULTIPLE DX	3019	8.8	94	2	2	6	10	19	27	57
TOTAL 0-19 YRS	52	4.2	8	1	1	4	5	8	10	13
20-34	296	6.6	47	1	2	5	8	13	19	35
35-49	550	7.8	72	1	2	5	9	15	22	54
50-64	952	8.7	108	2	2	6	10	18	25	65
65+	1236	10.0	100	2	2	7	12	21	31	58
GRAND TOTAL	**3086**	**8.8**	**93**	**1**	**2**	**6**	**10**	**18**	**26**	**57**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	178	5.1	12	1	1	5	6	9	12	17
20-34	166	5.5	48	1	1	4	6	12	14	47
35-49	221	6.9	33	1	1	5	9	15	17	27
50-64	556	7.3	35	1	2	6	9	13	17	35
65+	755	8.1	34	1	2	7	10	15	18	29
2. MULTIPLE DX										
0-19 YRS	942	17.2	348	1	3	10	24	51	74	99+
20-34	604	10.2	127	1	1	7	13	25	34	80
35-49	1078	11.8	178	1	2	8	14	28	42	88
50-64	3861	11.9	131	2	3	9	14	24	35	74
65+	7674	14.2	156	3	4	11	18	29	41	94
TOT. SINGLE DX	1876	7.2	35	1	2	6	9	14	17	28
" MULTIPLE DX	14159	13.4	165	2	3	10	17	29	42	94
TOTAL 0-19 YRS	1120	15.3	315	1	2	8	20	45	70	99+
20-34	770	9.2	114	1	1	6	12	21	31	75
35-49	1299	11.0	157	1	2	7	14	26	38	77
50-64	4417	11.3	122	2	3	8	14	23	34	69
65+	8429	13.7	148	2	4	11	17	28	39	90
GRAND TOTAL	**16035**	**12.7**	**154**	**2**	**3**	**9**	**16**	**27**	**39**	**88**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	299	2.9	11	<1	<1	2	3	7	10	19
20-34	439	3.0	8	<1	<1	2	3	7	10	16
35-49	308	3.2	11	<1	<1	2	4	7	9	17
50-64	277	4.3	19	<1	<1	3	5	10	12	22
65+	203	4.3	27	<1	<1	2	5	9	12	33
2. MULTIPLE DX										
0-19 YRS	151	5.3	41	<1	1	3	6	12	18	38
20-34	351	9.3	97	<1	1	6	12	22	27	49
35-49	403	9.4	109	1	1	6	13	20	28	51
50-64	695	9.2	95	1	2	6	12	20	28	50
65+	984	11.2	132	1	2	8	15	25	33	61
TOT. SINGLE DX	1526	3.4	15	<1	<1	2	4	8	11	19
" MULTIPLE DX	2584	9.8	111	1	2	7	12	22	30	53
TOTAL 0-19 YRS	450	3.7	23	<1	<1	2	4	9	12	24
20-34	790	5.8	58	<1	<1	3	7	15	21	40
35-49	711	6.7	76	<1	1	4	8	16	21	46
50-64	972	7.8	78	<1	1	5	10	18	25	48
65+	1187	10.1	121	1	2	7	13	22	31	57
GRAND TOTAL	**4110**	**7.4**	**84**	**<1**	**1**	**4**	**10**	**17**	**24**	**48**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	3.9	12	<1	<1	3	6	10	11	11
20-34	23	3.3	8	<1	1	2	4	8	10	11
35-49	41	5.3	21	1	1	4	7	11	13	25
50-64	45	6.3	23	1	2	5	8	12	18	23
65+	47	6.8	21	2	3	6	8	13	17	25
2. MULTIPLE DX										
0-19 YRS	18	5.8	19	1	1	4	9	13	13	13
20-34	50	7.6	18	2	3	7	9	12	14	26
35-49	90	8.0	66	2	2	5	10	16	22	48
50-64	252	11.0	107	2	3	8	12	25	32	48
65+	262	10.1	63	3	4	8	12	19	25	46
TOT. SINGLE DX	168	5.6	20	1	1	5	7	11	14	24
" MULTIPLE DX	672	9.9	77	2	3	8	11	19	29	47
TOTAL 0-19 YRS	30	5.0	17	<1	1	3	8	12	13	13
20-34	73	6.2	19	1	1	6	9	11	14	23
35-49	131	7.2	53	1	2	5	9	14	20	44
50-64	297	10.3	98	2	3	7	11	22	30	48
65+	309	9.6	58	3	4	8	12	18	24	46
GRAND TOTAL	**840**	**9.0**	**69**	**2**	**2**	**7**	**10**	**18**	**25**	**46**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	1	28.0		28	28	28	28	28	28	28
20-34	1	75.0		75	75	75	75	75	75	75
35-49										
50-64	3	26.0	579	3	3	24	44	51	51	51
65+	2	16.5	113	9	9	16	24	24	24	24
TOT. SINGLE DX	1	1.0		1	1	1	1	1	1	1
" MULTIPLE DX	7	30.6	618	3	4	24	45	70	75	75
TOTAL 0-19 YRS	1	28.0		28	28	28	28	28	28	28
20-34	1	75.0		75	75	75	75	75	75	75
35-49										
50-64	3	26.0	579	3	3	24	44	51	51	51
65+	3	11.3	136	1	1	9	20	24	24	24
GRAND TOTAL	**8**	**26.9**	**639**	**1**	**2**	**24**	**39**	**68**	**75**	**75**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	3	25.7	264	8	8	29	37	40	40	40
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	11	72.2	[illegible]	56	58	71	97	99+	99+	99+
20-34	5	38.4	57	30	30	35	44	49	49	49
35-49	8	33.9	182	5	12	39	43	45	46	46
50-64										
65+										
TOT. SINGLE DX	5	16.2	301	1	1	8	32	40	40	40
" MULTIPLE DX	24	52.4	500	23	29	52	71	99	99+	99+
TOTAL 0-19 YRS	13	61.4	858	1	3	69	92	99+	99+	99+
20-34	8	33.6	151	8	14	35	41	47	49	49
35-49	8	33.9	182	5	12	39	43	45	46	46
50-64										
65+										
GRAND TOTAL	**29**	**46.1**	**647**	**3**	**7**	**44**	**69**	**98**	**99+**	**99+**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	264	6.5	53	<1	1	6	7	12	20	32
20-34	223	7.7	40	2	2	7	9	13	18	41
35-49	153	7.0	29	2	2	6	9	13	19	34
50-64	150	8.9	64	1	2	7	10	18	24	47
65+	228	7.9	55	2	2	6	9	14	20	46
2. MULTIPLE DX										
0-19 YRS	422	11.6	154	1	2	8	12	24	39	67
20-34	652	12.9	146	3	4	9	15	29	41	77
35-49	765	13.8	155	2	3	10	17	30	42	72
50-64	1598	13.7	139	2	4	10	16	28	37	64
65+	4805	14.9	165	3	5	11	18	30	43	93
TOT. SINGLE DX	1018	7.5	50	1	2	6	9	13	20	39
" MULTIPLE DX	8242	14.2	158	3	4	10	17	29	41	78
TOTAL 0-19 YRS	686	9.6	121	<1	2	7	10	21	31	60
20-34	875	11.6	125	2	3	8	13	25	38	66
35-49	918	12.7	141	2	3	9	16	28	39	70
50-64	1748	13.3	135	2	4	10	16	28	36	64
65+	5033	14.6	163	3	4	11	18	30	43	91
GRAND TOTAL	**9260**	**13.5**	**151**	**2**	**4**	**10**	**17**	**28**	**40**	**74**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	62	10.5	138	1	2	6	14	25	30	68
20-34	56	11.1	186	<1	1	5	15	33	48	98
35-49	52	8.9	123	<1	1	5	11	25	33	52
50-64	51	9.1	120	1	1	3	11	28	38	40
65+	35	9.6	131	<1	1	5	12	20	40	50
2. MULTIPLE DX										
0-19 YRS	282	18.0	390	2	2	11	25	58	70	99+
20-34	334	16.0	239	1	2	11	23	40	47	74
35-49	402	15.6	265	2	2	10	21	37	48	92
50-64	743	14.3	221	1	2	9	19	37	52	95
65+	926	16.8	251	2	3	12	24	40	54	99+
TOT. SINGLE DX	256	9.9	140	1	1	5	12	27	37	65
" MULTIPLE DX	2687	16.0	260	2	2	10	22	40	55	99+
TOTAL 0-19 YRS	344	16.7	353	2	2	10	23	52	67	99+
20-34	390	15.3	234	1	2	10	22	39	47	75
35-49	454	14.8	254	1	2	9	20	37	47	91
50-64	794	13.9	217	1	2	9	19	36	50	90
65+	961	16.5	249	2	2	12	24	40	53	99+
GRAND TOTAL	**2943**	**15.4**	**252**	**1**	**2**	**10**	**22**	**39**	**53**	**99+**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	86	2.6	16	<1	<1	2	2	3	10	24
20-34	76	3.8	16	<1	<1	2	5	10	12	19
35-49	98	3.5	21	<1	<1	2	4	8	9	27
50-64	157	4.6	74	<1	<1	2	5	9	13	37
65+	188	4.2	15	<1	<1	2	6	10	12	19
2. MULTIPLE DX										
0-19 YRS	127	7.6	151	1	1	3	8	18	34	87
20-34	199	8.5	88	<1	1	5	10	17	32	48
35-49	460	8.9	104	1	1	6	11	18	27	65
50-64	1002	9.5	116	1	1	7	12	22	31	56
65+	1929	10.8	115	1	2	8	14	23	36	74
TOT. SINGLE DX	605	3.9	33	<1	<1	2	5	9	11	22
" MULTIPLE DX	3717	10.0	115	1	2	7	12	22	32	69
TOTAL 0-19 YRS	213	5.6	103	<1	1	2	5	13	22	74
20-34	275	7.2	73	<1	1	5	9	15	22	42
35-49	558	7.9	94	<1	1	5	10	16	25	58
50-64	1159	8.8	114	<1	1	6	11	20	29	51
65+	2117	10.2	110	1	2	7	13	23	33	71
GRAND TOTAL	**4322**	**9.1**	**108**	**<1**	**1**	**6**	**11**	**20**	**31**	**68**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	402	3.8	2	2	2	4	4	6	7	9
20-34	1	6.0		6	6	6	6	6	6	6
35-49	2	5.0	18	2	2	5	8	8	8	8
50-64	3	12.0	91	<1	<1	17	18	18	18	18
65+	2	6.5	1	6	6	6	7	7	7	7
2. MULTIPLE DX										
0-19 YRS	126	5.9	16	2	3	5	6	10	13	26
20-34	10	15.5	148	5	5	9	23	33	43	43
35-49	6	22.5	510	7	7	13	30	61	65	65
50-64	18	18.2	361	3	4	13	18	44	66	79
65+	28	21.0	243	7	8	16	22	45	56	74
TOT. SINGLE DX	410	3.9	4	2	2	4	5	6	7	11
" MULTIPLE DX	188	10.4	142	3	3	6	11	21	32	71
TOTAL 0-19 YRS	528	4.3	7	2	2	4	5	7	8	15
20-34	11	14.6	142	5	5	9	22	32	42	43
35-49	8	18.1	433	2	3	8	23	54	65	65
50-64	21	17.3	321	2	3	14	18	42	61	79
65+	30	20.0	240	7	7	15	22	42	54	74
GRAND TOTAL	**598**	**5.9**	**56**	**2**	**2**	**4**	**6**	**10**	**17**	**45**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	17.6	349	5	5	9	25	50	50	50
20-34	2	14.0	162	5	5	14	23	23	23	23
35-49	4	18.0	298	6	6	11	29	43	43	43
50-64	13	16.2	283	3	3	10	21	35	59	65
65+	26	12.4	102	3	3	8	28	73	99+	99+
2. MULTIPLE DX										
0-19 YRS	56	21.8	429	4	5	14	28	65	75	99
20-34	24	22.5	667	3	4	16	63	99+	99+	99+
35-49	64	25.4	462	5	7	18	35	54	77	98
50-64	193	21.1	437	3	5	14	30	78	97	99+
65+	1193	24.4	424	4	6	19	40	82	99+	99+
TOT. SINGLE DX	50	14.4	177	3	3	9	24	44	94	99+
" MULTIPLE DX	1530	23.9	432	4	6	19	37	80	99+	99+
TOTAL 0-19 YRS	61	21.5	418	4	5	13	28	61	74	98
20-34	26	21.8	626	3	4	16	57	99+	99+	99+
35-49	68	25.0	451	5	7	17	35	53	76	98
50-64	206	20.8	428	3	5	14	29	75	95	99+
65+	1219	24.2	420	4	6	19	39	82	99+	99+
GRAND TOTAL	**1580**	**23.6**	**426**	**4**	**5**	**18**	**37**	**80**	**99+**	**99+**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	16	6.4	47	<1	<1	4	10	15	22	25
20-34	65	4.4	11	<1	<1	4	6	9	11	16
35-49	123	4.7	18	<1	<1	4	7	9	11	24
50-64	146	4.9	11	<1	<1	4	7	9	11	14
65+	171	5.7	56	<1	<1	4	8	11	16	25
2. MULTIPLE DX										
0-19 YRS	37	5.3	22	1	2	4	7	8	17	24
20-34	229	7.2	65	2	2	6	8	12	15	36
35-49	526	7.8	39	1	2	6	9	15	20	32
50-64	1165	8.7	50	2	3	7	10	16	22	39
65+	3514	11.6	95	3	4	9	14	22	30	59
TOT. SINGLE DX	521	5.1	29	<1	<1	4	7	10	12	21
" MULTIPLE DX	5471	10.4	81	2	3	8	12	20	28	51
TOTAL 0-19 YRS	53	5.6	30	<1	<1	4	7	12	20	25
20-34	294	6.6	55	<1	2	5	8	11	15	33
35-49	649	7.2	37	<1	1	6	9	14	19	31
50-64	1311	8.3	48	1	2	7	10	16	21	38
65+	3685	11.3	95	2	4	9	14	22	30	59
GRAND TOTAL	**5992**	**9.9**	**79**	**1**	**3**	**8**	**12**	**19**	**26**	**50**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	23	11.5	47	5	7	9	13	14	26	40
35-49	61	13.4	32	7	8	11	17	21	24	29
50-64	79	14.0	35	8	9	13	16	23	27	34
65+	60	13.8	44	8	8	12	15	19	26	47
2. MULTIPLE DX										
0-19 YRS	7	26.0	808	3	4	13	44	73	78	78
20-34	46	16.5	187	7	9	11	17	37	48	75
35-49	159	16.0	119	8	8	13	18	26	46	97
50-64	356	19.6	184	8	9	15	23	38	50	80
65+	760	23.2	219	9	10	19	28	44	60	99+
TOT. SINGLE DX	224	13.5	38	7	8	12	15	20	26	36
" MULTIPLE DX	1328	21.1	206	8	9	17	25	41	56	94
TOTAL 0-19 YRS	8	24.0	725	3	5	12	34	71	78	78
20-34	69	14.9	145	6	8	11	15	27	41	71
35-49	220	15.2	96	8	8	12	18	25	37	81
50-64	435	18.6	162	8	9	15	22	33	45	79
65+	820	22.5	213	9	10	19	27	43	58	99+
GRAND TOTAL	**1552**	**20.0**	**189**	**8**	**9**	**16**	**24**	**38**	**52**	**90**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	4	22.3	71	12	12	23	29	31	31	31
50-64	9	14.1	18	11	11	13	14	21	25	25
65+	16	20.8	108	9	10	17	24	37	44	47
2. MULTIPLE DX										
0-19 YRS	1	34.0		34	34	34	34	34	34	34
20-34	4	14.8	9	11	11	15	17	18	18	18
35-49	17	19.7	103	5	9	18	27	36	38	39
50-64	101	20.7	138	11	12	16	24	35	41	91
65+	126	27.5	308	12	13	23	34	55	74	99+
TOT. SINGLE DX	29	18.9	82	10	11	16	24	32	37	47
" MULTIPLE DX	249	24.0	232	11	12	19	29	41	67	99+
TOTAL 0-19 YRS	1	34.0		34	34	34	34	34	34	34
20-34	4	14.8	9	11	11	15	17	18	18	18
35-49	21	20.2	95	6	10	19	28	34	38	39
50-64	110	20.1	132	11	11	16	23	34	40	89
65+	142	26.8	290	11	13	21	33	51	70	99+
GRAND TOTAL	**278**	**23.5**	**218**	**11**	**12**	**18**	**28**	**40**	**63**	**99**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	14	8.7	2	6	7	9	10	11	11	11
35-49	32	9.7	9	6	7	9	10	15	16	19
50-64	29	10.6	12	6	7	10	12	15	16	23
65+	14	13.1	41	6	7	11	16	19	28	31
2. MULTIPLE DX										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	19	12.6	25	6	7	13	15	20	23	25
35-49	50	15.8	131	7	7	12	20	24	34	73
50-64	74	16.4	113	7	8	12	21	29	40	93
65+	101	21.5	186	8	8	19	25	37	55	68
TOT. SINGLE DX	90	10.3	16	6	7	9	11	15	17	28
" MULTIPLE DX	245	18.1	148	7	8	14	22	33	43	73
TOTAL 0-19 YRS	2	8.5	41	4	4	8	13	13	13	13
20-34	33	10.9	19	6	7	9	13	16	21	25
35-49	82	13.4	92	7	7	10	15	21	27	65
50-64	103	14.8	92	7	8	12	17	28	34	85
65+	115	20.5	176	8	8	17	25	36	50	68
GRAND TOTAL	**335**	**16.0**	**124**	**7**	**8**	**12**	**20**	**29**	**37**	**70**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	43	6.7	10	2	3	6	9	11	13	14
20-34	200	7.2	5	5	5	7	8	10	11	16
35-49	189	7.4	8	5	5	7	9	11	14	18
50-64	87	9.4	17	6	6	8	10	15	16	29
65+	63	11.3	44	6	7	9	13	18	21	42
2. MULTIPLE DX										
0-19 YRS	132	19.4	354	3	5	12	28	47	79	99+
20-34	356	9.5	48	5	5	7	10	16	24	53
35-49	622	10.6	85	5	5	8	10	17	28	52
50-64	433	14.1	119	5	6	10	16	26	37	59
65+	778	21.0	210	7	8	17	26	43	56	99+
TOT. SINGLE DX	582	8.0	14	4	5	7	9	12	15	22
" MULTIPLE DX	2321	15.1	166	5	6	10	18	32	45	91
TOTAL 0-19 YRS	175	16.3	299	3	4	10	19	38	61	99+
20-34	556	8.7	34	5	5	7	9	14	19	44
35-49	811	9.8	69	5	5	8	10	16	22	50
50-64	520	13.3	105	5	6	10	15	25	34	59
65+	841	20.3	205	7	8	16	25	42	55	99+
GRAND TOTAL	**2903**	**13.7**	**144**	**5**	**6**	**9**	**16**	**29**	**40**	**78**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	98	6.1	26	<1	1	5	8	12	15	29
20-34	265	6.0	24	<1	1	5	8	11	15	27
35-49	239	5.1	32	<1	<1	4	7	11	14	23
50-64	463	3.2	12	<1	<1	1	4	8	11	16
65+	468	3.9	23	<1	<1	2	5	10	12	26
2. MULTIPLE DX										
0-19 YRS	215	10.0	143	<1	2	6	13	21	36	93
20-34	572	8.3	63	1	2	6	10	16	19	47
35-49	806	8.7	58	1	2	7	11	17	23	39
50-64	1848	8.5	64	<1	1	7	11	18	23	42
65+	4888	10.5	105	1	2	8	14	22	30	70
TOT. SINGLE DX	1533	4.4	23	<1	<1	3	6	10	13	22
" MULTIPLE DX	8329	9.7	91	1	2	7	12	20	28	59
TOTAL 0-19 YRS	313	8.8	110	<1	1	6	11	18	29	81
20-34	837	7.6	52	<1	2	6	9	14	18	40
35-49	1045	7.9	55	<1	1	6	10	16	21	38
50-64	2311	7.4	59	<1	<1	6	10	16	22	37
65+	5356	10.0	102	1	1	8	13	21	29	66
GRAND TOTAL	**9862**	**8.9**	**84**	**<1**	**1**	**7**	**11**	**19**	**26**	**52**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	13.2	250	6	6	10	11	19	49	80
20-34	30	10.5	50	5	6	9	11	15	18	44
35-49	26	10.7	20	5	6	10	13	19	19	20
50-64	40	11.8	29	6	7	10	13	18	25	30
65+	55	14.4	74	7	8	11	17	26	28	57
2. MULTIPLE DX										
0-19 YRS	62	15.2	201	6	6	11	18	35	77	99+
20-34	145	17.0	194	7	7	12	18	33	46	78
35-49	158	17.6	125	7	8	14	22	33	42	97
50-64	322	20.1	211	8	8	16	24	37	53	90
65+	731	22.2	239	8	9	18	27	45	69	99+
TOT. SINGLE DX	172	12.4	73	6	7	10	14	19	26	55
" MULTIPLE DX	1418	20.4	219	7	8	16	25	40	61	99+
TOTAL 0-19 YRS	83	14.7	212	6	6	10	15	30	77	99+
20-34	175	15.9	176	6	7	11	18	31	45	75
35-49	184	16.7	116	6	7	14	20	31	41	91
50-64	362	19.2	198	7	8	15	23	34	51	89
65+	786	21.6	232	8	9	17	26	43	66	99+
GRAND TOTAL	**1590**	**19.5**	**209**	**7**	**8**	**15**	**24**	**38**	**56**	**99+**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	34	14.9	198	5	5	10	15	32	51	69
20-34	85	10.8	23	6	7	10	12	16	21	31
35-49	193	11.7	39	6	7	10	13	17	23	43
50-64	434	10.9	15	7	8	10	12	15	18	28
65+	617	12.3	27	7	8	11	14	18	21	34
2. MULTIPLE DX										
0-19 YRS	68	19.7	311	7	8	12	22	53	64	83
20-34	271	17.5	148	6	7	14	21	33	48	64
35-49	668	15.2	85	7	8	12	18	27	34	52
50-64	2457	15.3	99	8	8	12	17	25	35	66
65+	6465	19.1	164	8	9	15	22	35	47	95
TOT. SINGLE DX	1363	11.8	30	7	8	10	13	17	21	34
" MULTIPLE DX	9929	17.9	147	8	9	14	21	32	43	86
TOTAL 0-19 YRS	102	18.1	277	6	7	11	18	41	62	80
20-34	356	15.9	127	6	7	12	19	29	41	63
35-49	861	14.5	77	7	8	12	16	26	33	51
50-64	2891	14.7	90	7	8	12	16	24	32	62
65+	7082	18.5	157	8	9	15	21	34	46	93
GRAND TOTAL	**11292**	**17.1**	**137**	**8**	**9**	**13**	**20**	**30**	**42**	**84**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	20.7	794	4	4	13	14	70	84	84
20-34	5	5.6	14	1	1	4	9	10	10	10
35-49	10	14.4	75	4	5	13	14	29	34	34
50-64	20	11.6	55	5	6	10	12	19	31	38
65+	23	18.4	318	7	8	14	19	31	57	93
2. MULTIPLE DX										
0-19 YRS	14	15.7	70	7	8	14	19	23	36	40
20-34	31	14.4	74	6	6	12	18	28	35	40
35-49	53	15.7	157	5	6	13	19	27	36	82
50-64	112	18.0	119	6	8	16	22	35	42	55
65+	318	22.8	237	8	9	18	31	50	65	99+
TOT. SINGLE DX	65	15.0	230	4	5	11	15	24	37	92
" MULTIPLE DX	528	20.4	199	7	8	16	26	41	55	99+
TOTAL 0-19 YRS	21	17.4	290	5	7	13	18	29	60	84
20-34	36	13.2	75	4	5	11	15	25	34	40
35-49	63	15.5	143	4	6	13	19	27	35	77
50-64	132	17.1	115	6	8	13	21	34	40	51
65+	341	22.5	243	8	9	18	30	49	65	99+
GRAND TOTAL	**593**	**19.8**	**205**	**6**	**8**	**15**	**24**	**40**	**55**	**99+**

601: intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	97	6.0	11	2	3	5	8	9	12	19
20-34	92	8.4	10	4	5	8	10	12	13	22
35-49	91	8.4	8	4	5	8	10	12	13	18
50-64	172	9.0	14	4	6	9	10	12	13	27
65+	178	9.6	35	3	5	9	11	14	16	27
2. MULTIPLE DX										
0-19 YRS	146	11.8	159	4	5	8	13	21	31	83
20-34	195	13.1	103	4	6	10	15	23	31	62
35-49	284	13.1	112	5	6	10	14	25	33	63
50-64	593	13.8	121	5	6	11	15	24	34	65
65+	1275	14.9	135	5	7	11	17	28	39	92
TOT. SINGLE DX	630	8.5	20	3	4	8	10	12	14	24
" MULTIPLE DX	2493	14.1	129	5	6	11	16	26	37	78
TOTAL 0-19 YRS	243	9.5	108	3	3	7	10	16	23	66
20-34	287	11.6	78	4	5	9	13	20	26	56
35-49	375	12.0	91	5	6	10	12	21	31	58
50-64	765	12.7	102	5	6	10	13	22	31	62
65+	1453	14.2	126	5	6	11	16	26	38	87
GRAND TOTAL	**3123**	**13.0**	**112**	**4**	**6**	**10**	**14**	**23**	**34**	**67**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	10.0	29	6	6	8	13	18	18	18
20-34	10	14.2	103	<1	2	14	16	28	39	39
35-49	16	14.2	242	<1	2	10	19	59	88	99+
50-64	16	12.9	42	3	7	11	17	22	26	28
65+	27	17.4	80	8	9	14	25	31	37	37
2. MULTIPLE DX										
0-19 YRS	23	17.3	112	5	7	16	29	42	99+	99+
20-34	37	19.2	173	5	6	16	28	36	43	63
35-49	76	20.2	168	6	9	17	26	44	65	99+
50-64	289	21.3	186	8	9	17	26	41	55	99+
65+	670	24.9	290	8	10	20	31	55	72	99+
TOT. SINGLE DX	73	14.9	107	2	7	12	18	28	37	92
" MULTIPLE DX	1095	23.3	251	8	9	19	29	49	69	99+
TOTAL 0-19 YRS	27	16.2	106	6	7	15	24	40	99+	99+
20-34	47	18.1	160	4	6	15	24	36	40	63
35-49	92	19.2	185	5	7	16	25	45	68	99+
50-64	305	20.8	182	8	9	17	25	40	53	99+
65+	697	24.6	284	8	10	20	31	54	72	99+
GRAND TOTAL	**1168**	**22.8**	**246**	**8**	**9**	**18**	**29**	**48**	**68**	**99+**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4929	4.1	4	2	2	4	5	7	8	12
20-34	3357	4.3	4	2	2	4	5	7	8	11
35-49	1115	5.3	7	2	3	5	7	9	10	14
50-64	497	6.5	10	3	3	6	8	10	13	18
65+	180	7.4	10	3	4	7	9	12	14	17
2. MULTIPLE DX										
0-19 YRS	1438	6.7	21	3	3	5	8	12	15	23
20-34	1251	6.7	20	3	3	5	8	12	15	26
35-49	661	8.4	29	3	3	7	10	14	18	32
50-64	602	10.0	32	4	4	9	12	18	21	31
65+	492	12.7	63	4	5	11	16	22	28	49
TOT. SINGLE DX	10078	4.5	6	2	2	4	5	8	9	13
" MULTIPLE DX	4444	8.1	33	3	3	7	10	15	19	30
TOTAL 0-19 YRS	6367	4.7	10	2	2	4	5	8	10	16
20-34	4608	4.9	10	2	3	4	6	8	10	17
35-49	1776	6.4	18	3	3	5	8	11	14	23
50-64	1099	8.4	26	3	4	7	10	15	19	27
65+	672	11.3	55	4	5	9	14	21	25	47
GRAND TOTAL	**14522**	**5.6**	**17**	**2**	**3**	**4**	**7**	**10**	**13**	**22**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	47	4.0	4	2	2	3	5	7	8	14
20-34	37	5.9	7	2	3	5	7	10	11	13
35-49	8	5.4	3	3	3	5	6	8	9	9
50-64	6	5.2	9	3	3	4	6	10	11	11
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	18	7.5	15	2	3	6	9	14	16	17
20-34	28	7.0	8	4	4	6	8	11	14	16
35-49	9	7.2	4	4	4	7	8	10	11	11
50-64	8	13.9	170	4	4	10	16	36	44	44
65+	2	22.5	1	22	22	22	23	23	23	23
TOT. SINGLE DX	99	4.9	6	2	2	4	6	8	10	14
" MULTIPLE DX	65	8.5	38	4	4	7	9	14	19	41
TOTAL 0-19 YRS	65	5.0	10	2	2	4	6	9	13	17
20-34	65	6.4	8	3	4	6	8	10	12	16
35-49	17	6.4	5	3	4	6	8	9	10	11
50-64	14	10.1	116	3	3	6	11	21	39	44
65+	3	16.7	102	5	5	22	23	23	23	23
GRAND TOTAL	**164**	**6.3**	**22**	**2**	**3**	**5**	**8**	**11**	**14**	**23**

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	7.6	13	4	4	8	10	13	14	14
20-34	9	8.7	14	3	3	8	11	14	15	15
35-49	9	11.8	43	6	6	10	15	23	25	25
50-64	6	11.8	20	6	6	12	16	17	17	17
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	15	12.1	24	7	7	11	14	21	23	24
20-34	11	12.1	43	4	6	11	15	21	27	28
35-49	4	9.8	13	7	7	8	12	15	15	15
50-64	12	15.8	112	8	8	13	17	31	44	46
65+	11	25.4	608	8	8	19	23	64	91	93
TOT. SINGLE DX	34	9.7	24	4	4	8	12	16	19	25
" MULTIPLE DX	53	15.5	185	7	7	12	16	24	42	92
TOTAL 0-19 YRS	24	10.4	24	4	4	10	13	16	22	24
20-34	20	10.6	32	3	4	10	13	16	22	28
35-49	13	11.2	33	6	6	9	14	20	24	25
50-64	18	14.4	82	7	8	12	16	22	37	46
65+	12	23.9	578	8	8	17	23	59	88	93
GRAND TOTAL	**87**	**13.2**	**129**	**4**	**6**	**11**	**15**	**22**	**25**	**76**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	62	3.2	12	<1	<1	2	4	7	9	20
20-34	96	4.8	37	<1	1	3	6	9	14	39
35-49	81	3.4	11	<1	<1	2	4	9	11	15
50-64	172	3.4	11	<1	<1	3	4	7	10	20
65+	255	5.0	32	<1	1	3	6	12	16	30
2. MULTIPLE DX										
0-19 YRS	70	5.8	59	<1	1	4	6	11	15	46
20-34	121	7.1	52	1	2	5	9	13	21	41
35-49	149	7.5	58	1	2	5	9	16	19	42
50-64	393	7.0	35	1	1	5	10	14	20	28
65+	1220	9.9	106	1	2	7	13	22	31	63
TOT. SINGLE DX	666	4.2	24	<1	<1	3	5	9	12	26
" MULTIPLE DX	1953	8.8	85	1	2	6	11	19	27	53
TOTAL 0-19 YRS	132	4.6	39	<1	<1	3	5	8	14	43
20-34	217	6.1	47	1	1	4	7	12	18	41
35-49	230	6.0	45	<1	1	4	7	13	17	34
50-64	565	5.9	31	<1	1	4	8	12	17	27
65+	1475	9.0	97	1	2	6	11	20	28	61
GRAND TOTAL	**2619**	**7.6**	**74**	**<1**	**1**	**5**	**10**	**17**	**24**	**47**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	27	3.5	4	1	1	3	5	6	8	9
20-34	142	3.2	9	1	1	2	4	6	8	19
35-49	112	3.2	11	1	1	2	4	6	7	20
50-64	63	4.0	12	1	1	3	5	7	9	22
65+	17	5.0	13	1	2	3	7	11	12	13
2. MULTIPLE DX										
0-19 YRS	29	7.9	74	1	2	5	10	15	23	44
20-34	104	4.8	14	1	1	4	7	10	12	19
35-49	108	5.1	46	1	1	4	5	10	13	44
50-64	106	7.3	112	1	1	4	8	15	29	60
65+	85	9.9	54	2	2	8	14	21	27	77
TOT. SINGLE DX	361	3.5	11	1	1	3	4	6	8	19
" MULTIPLE DX	432	6.7	62	1	1	4	8	14	20	46
TOTAL 0-19 YRS	56	5.8	45	1	1	4	7	11	16	43
20-34	246	3.9	12	1	1	3	5	8	11	19
35-49	220	4.1	30	1	1	3	4	7	11	31
50-64	169	6.1	78	1	1	4	7	11	18	48
65+	102	9.1	51	2	2	7	13	20	25	66
GRAND TOTAL	**793**	**5.2**	**41**	**1**	**1**	**3**	**6**	**11**	**16**	**36**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	13.3	32	7	7	13	14	20	28	29
20-34	21	13.5	27	6	8	13	16	22	24	25
35-49	34	13.7	39	6	7	13	17	20	25	33
50-64	156	12.8	25	7	9	12	14	19	21	27
65+	191	14.8	42	8	9	13	17	22	26	41
2. MULTIPLE DX										
0-19 YRS	25	15.0	73	7	8	11	19	27	35	40
20-34	30	17.1	112	7	9	14	20	31	40	54
35-49	130	16.4	126	8	8	13	17	30	42	59
50-64	653	17.3	90	9	10	14	20	30	38	72
65+	1482	20.4	142	9	11	17	24	35	44	86
TOT. SINGLE DX	414	13.8	35	7	8	13	16	21	24	32
" MULTIPLE DX	2320	19.2	128	9	10	16	23	34	43	81
TOTAL 0-19 YRS	37	14.4	59	7	8	12	16	26	32	40
20-34	51	15.6	80	7	9	13	17	25	36	54
35-49	164	15.9	110	7	8	13	17	28	37	52
50-64	809	16.4	81	9	9	14	19	27	35	63
65+	1673	19.8	134	9	10	16	23	34	43	81
GRAND TOTAL	**2734**	**18.4**	**118**	**9**	**10**	**15**	**21**	**32**	**42**	**73**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	147	3.2	7	<1	<1	2	4	7	8	12
20-34	490	4.3	10	<1	<1	4	5	8	10	17
35-49	520	4.3	14	<1	<1	4	6	9	11	19
50-64	582	3.7	10	<1	<1	3	5	8	10	15
65+	576	4.7	37	<1	<1	3	6	10	13	20
2. MULTIPLE DX										
0-19 YRS	264	6.3	75	1	1	4	7	11	14	43
20-34	1269	6.6	44	2	2	5	8	12	17	35
35-49	2075	7.2	48	1	2	5	8	14	19	38
50-64	3320	8.0	55	1	2	6	10	15	21	43
65+	7878	10.1	91	2	3	9	12	19	27	65
TOT. SINGLE DX	2315	4.2	18	<1	<1	3	6	8	11	18
" MULTIPLE DX	14806	8.9	75	2	2	7	11	17	24	54
TOTAL 0-19 YRS	411	5.2	53	<1	1	4	6	9	12	37
20-34	1759	6.0	36	1	2	5	7	11	15	32
35-49	2595	6.7	43	<1	1	5	8	13	18	35
50-64	3902	7.4	52	<1	1	6	9	14	19	40
65+	8454	9.8	89	1	3	7	12	19	26	63
GRAND TOTAL	17121	8.2	70	<1	2	6	10	16	22	50

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	27	2.1	1	<1	<1	2	2	3	4	8
20-34	244	3.0	2	1	1	3	4	5	6	7
35-49	310	3.0	2	1	1	3	4	5	6	9
50-64	158	2.8	1	1	1	3	4	4	5	6
65+	55	3.2	2	1	1	3	4	5	6	8
2. MULTIPLE DX										
0-19 YRS	19	3.3	5	1	1	3	4	7	9	10
20-34	199	3.8	11	1	1	3	4	7	9	17
35-49	333	3.8	11	1	1	3	4	7	9	22
50-64	275	3.8	6	1	1	3	5	7	9	16
65+	153	5.1	33	1	2	4	5	10	15	39
TOT. SINGLE DX	794	2.9	2	1	1	3	4	5	6	8
" MULTIPLE DX	979	4.0	14	1	1	3	5	7	10	20
TOTAL 0-19 YRS	46	2.6	3	<1	1	2	3	4	8	10
20-34	443	3.3	7	1	1	3	4	5	7	12
35-49	643	3.4	7	1	1	3	4	6	7	16
50-64	433	3.4	5	1	1	3	4	6	8	13
65+	208	4.6	26	1	2	3	5	8	12	31
GRAND TOTAL	1773	3.5	9	1	1	3	4	6	8	17

611: Local excision or destruction of lesion or tissue of anus (49.2[illegible]; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	30	1.8		<1	<1	2	2	3	3	4
20-34	250	2.3	2	<1	<1	2	3	4	5	7
35-49	143	2.6	4	<1	<1	2	3	4	6	12
50-64	76	3.0	2	<1	1	3	4	5	6	8
65+	31	3.8	11	<1	1	3	5	6	6	20
2. MULTIPLE DX										
0-19 YRS	13	5.1	63	1	1	3	3	13	28	31
20-34	265	3.5	9	1	1	3	4	6	8	15
35-49	316	3.9	9	1	1	3	5	6	8	18
50-64	265	3.8	7	1	1	3	5	6	8	16
65+	199	6.6	61	1	2	4	8	14	19	77
TOT. SINGLE DX	530	2.5	4	<1	<1	2	3	4	6	10
" MULTIPLE DX	1058	4.3	20	1	1	3	5	8	11	25
TOTAL 0-19 YRS	43	2.8	21	<1	<1	2	3	3	5	31
20-34	515	2.9	6	<1	1	2	4	5	7	11
35-49	459	3.5	8	1	1	3	4	6	8	14
50-64	341	3.6	6	1	1	3	4	6	7	14
65+	230	6.2	55	1	1	4	7	13	18	63
GRAND TOTAL	1588	3.7	15	<1	1	3	4	6	9	21

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	3.6	1	2	2	4	5	5	5	5
20-34	260	3.5	3	1	1	3	4	5	7	12
35-49	351	3.7	3	1	2	4	5	6	7	12
50-64	211	3.7	2	2	2	4	5	6	7	9
65+	113	4.1	3	1	2	4	5	7	7	11
2. MULTIPLE DX										
0-19 YRS	17	3.1	1	1	1	3	4	5	5	5
20-34	1030	3.7	5	1	1	3	5	6	7	12
35-49	1670	4.1	7	1	2	4	5	7	8	15
50-64	1537	4.5	12	1	2	4	5	8	10	16
65+	877	5.9	37	1	2	4	6	11	15	30
TOT. SINGLE DX	945	3.7	4	1	2	4	5	6	7	11
" MULTIPLE DX	5131	4.4	14	1	2	4	5	7	10	19
TOTAL 0-19 YRS	27	3.3	2	1	1	3	4	5	5	5
20-34	1290	3.7	5	1	1	3	5	6	7	12
35-49	2021	4.0	6	1	2	4	5	6	8	14
50-64	1748	4.4	12	1	2	4	5	7	10	16
65+	990	5.7	34	1	2	4	6	11	15	29
GRAND TOTAL	6076	4.3	13	1	2	4	5	7	9	17

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	62	3.7	9	1	1	3	5	7	9	19
20-34	298	2.8	3	<1	1	2	4	5	7	9
35-49	274	3.0	4	1	1	3	4	5	7	11
50-64	134	3.4	6	1	1	3	4	6	8	15
65+	80	4.3	11	1	1	3	6	8	10	77
2. MULTIPLE DX										
0-19 YRS	62	6.4	27	1	1	4	9	13	17	24
20-34	203	4.1	10	1	1	3	5	8	11	17
35-49	284	5.0	21	1	2	4	6	10	14	29
50-64	272	6.2	67	1	2	4	7	11	17	50
65+	261	7.8	77	1	2	6	9	14	22	42
TOT. SINGLE DX	848	3.2	6	1	1	3	4	6	8	11
" MULTIPLE DX	1082	5.9	46	1	1	4	7	11	16	39
TOTAL 0-19 YRS	124	5.0	20	1	1	3	7	11	14	21
20-34	501	3.3	7	1	1	3	4	6	9	14
35-49	558	4.0	14	1	1	3	5	8	11	21
50-64	406	5.3	49	1	1	3	6	9	14	43
65+	341	7.0	64	1	2	5	8	13	21	43
GRAND TOTAL	**1930**	**4.7**	**30**	**1**	**1**	**3**	**5**	**9**	**12**	**28**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	10.0	59	2	2	10	16	18	18	18
20-34	5	6.8	16	2	2	6	9	13	13	13
35-49	9	17.8	183	2	4	13	26	39	47	47
50-64	8	3.5	14	1	1	2	5	10	11	11
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	5	17.0	165	6	6	15	21	39	39	39
20-34	15	15.1	76	4	7	12	21	26	33	35
35-49	20	20.7	162	4	7	18	29	39	44	49
50-64	32	22.4	250	2	2	23	31	44	54	66
65+	44	21.8	206	2	3	18	32	43	46	60
TOT. SINGLE DX	27	9.7	109	1	1	8	13	24	30	47
" MULTIPLE DX	116	20.7	193	2	3	18	30	39	46	62
TOTAL 0-19 YRS	9	13.9	119	2	3	15	16	31	39	39
20-34	20	13.0	73	2	4	10	18	25	30	35
35-49	29	19.8	165	2	7	15	26	39	47	49
50-64	40	18.7	260	1	2	15	29	39	50	66
65	45	21.3	211	2	2	18	32	43	46	60
GRAND TOTAL	**143**	**18.6**	**195**	**2**	**2**	**16**	**26**	**38**	**45**	**60**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	40	4.2	23	1	1	3	5	8	11	29
20-34	155	3.5	18	<1	<1	2	5	10	11	17
35-49	213	2.9	18	<1	1	1	2	7	10	26
50-64	226	3.3	17	<1	1	2	3	9	12	18
65+	135	3.9	29	<1	1	2	3	12	15	27
2. MULTIPLE DX										
0-19 YRS	107	10.7	123	1	1	8	15	27	39	99+
20-34	259	10.3	166	1	1	7	12	24	35	69
35-49	489	11.0	187	1	1	7	14	26	42	74
50-64	880	10.6	111	1	1	8	15	24	31	53
65+	1139	12.5	129	1	2	10	17	25	35	64
TOT. SINGLE DX	769	3.4	20	<1	1	2	3	9	12	24
" MULTIPLE DX	2874	11.4	137	1	1	8	16	25	34	64
TOTAL 0-19 YRS	147	8.9	105	1	1	5	12	23	34	99+
20-34	414	7.8	122	<1	1	4	9	17	29	64
35-49	702	8.5	150	1	1	3	10	23	32	68
50-64	1106	9.1	101	1	1	6	13	22	28	48
65+	1274	11.6	126	1	1	9	16	24	33	64
GRAND TOTAL	**3643**	**9.7**	**123**	**1**	**1**	**7**	**14**	**23**	**31**	**61**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	188	6.6	7	4	4	6	7	10	12	18
20-34	2535	6.1	4	4	4	6	7	9	10	14
35-49	2565	6.5	5	4	4	6	7	9	11	15
50-64	2088	7.1	8	4	4	6	8	10	12	16
65+	1094	8.5	17	5	5	8	10	13	15	21
2. MULTIPLE DX										
0-19 YRS	197	8.9	35	4	4	7	11	14	17	33
20-34	2377	8.1	25	4	5	7	9	13	16	27
35-49	3261	8.5	27	4	5	7	10	13	16	32
50-64	5069	9.9	45	5	5	8	11	16	20	39
65+	6760	13.9	96	5	6	11	16	24	32	64
TOT. SINGLE DX	8470	6.8	8	4	4	6	8	10	12	16
" MULTIPLE DX	17664	10.9	65	5	5	9	13	19	25	48
TOTAL 0-19 YRS	385	7.8	23	4	4	6	9	12	15	25
20-34	4912	7.1	16	4	4	6	8	11	13	21
35-49	5826	7.6	19	4	4	7	8	11	14	23
50-64	7157	9.0	36	4	5	8	10	14	18	34
65+	7854	13.1	89	5	6	11	15	23	30	60
GRAND TOTAL	**26134**	**9.6**	**50**	**4**	**5**	**8**	**11**	**16**	**21**	**41**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	11.6	6	8	8	11	13	15	16	16
20-34	35	6.0	17	1	1	7	9	10	12	17
35-49	46	7.6	27	1	2	7	11	16	17	20
50-64	58	7.9	74	1	1	6	10	15	19	55
65+	106	9.3	51	1	2	8	14	18	21	34
2. MULTIPLE DX										
0-19 YRS	19	18.7	263	3	5	12	24	39	57	70
20-34	47	11.5	83	3	4	9	14	22	43	99+
35-49	121	14.0	159	2	2	10	18	29	35	65
50-64	315	15.4	103	2	4	14	20	28	35	54
65+	989	18.7	177	3	5	16	24	36	46	93
TOT. SINGLE DX	255	8.3	47	1	2	8	12	16	19	33
" MULTIPLE DX	1491	17.4	162	2	4	15	22	34	44	84
TOTAL 0-19 YRS	29	16.2	183	4	8	12	16	32	43	70
20-34	82	9.1	62	1	2	8	10	20	24	82
35-49	167	12.2	131	2	2	10	16	26	32	54
50-64	373	14.2	106	2	3	13	18	27	34	56
65+	1095	17.8	173	2	4	15	23	35	45	85
GRAND TOTAL	**1746**	**16.1**	**155**	**2**	**3**	**14**	**21**	**32**	**42**	**78**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	5.8	15	1	1	6	9	11	11	11
20-34	73	5.5	23	<1	<1	4	8	12	15	22
35-49	108	6.3	70	<1	1	3	8	18	21	45
50-64	133	5.6	29	<1	1	4	8	13	17	24
65+	119	7.5	110	1	1	3	10	17	31	55
2. MULTIPLE DX										
0-19 YRS	22	8.7	143	<1	1	4	12	21	34	53
20-34	165	12.9	179	1	1	9	18	27	43	74
35-49	347	16.2	292	1	2	11	19	40	57	86
50-64	500	14.7	216	1	2	11	19	32	47	95
65+	891	15.2	184	2	2	11	20	33	43	76
TOT. SINGLE DX	443	6.2	60	<1	1	3	8	15	21	40
" MULTIPLE DX	1925	15.0	212	1	2	11	20	33	47	86
TOTAL 0-19 YRS	32	7.8	103	<1	1	4	10	21	21	53
20-34	238	10.7	143	<1	1	7	13	22	36	71
35-49	455	13.8	257	1	1	9	17	34	51	85
50-64	633	12.8	191	1	1	9	16	28	42	94
65+	1010	14.3	182	1	2	10	19	32	43	74
GRAND TOTAL	**2368**	**13.4**	**195**	**1**	**2**	**9**	**17**	**31**	**43**	**76**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	162	4.1	12	<1	<1	3	5	9	11	17
20-34	388	4.7	14	<1	1	4	6	9	12	16
35-49	338	4.0	11	<1	<1	3	5	8	10	14
50-64	373	4.1	13	<1	<1	3	6	9	11	17
65+	516	4.8	19	<1	<1	4	7	10	13	22
2. MULTIPLE DX										
0-19 YRS	174	6.3	71	1	1	4	7	12	15	74
20-34	635	6.3	40	1	2	5	7	12	15	30
35-49	918	7.4	43	1	2	6	9	14	20	38
50-64	2067	7.7	63	1	2	6	9	15	20	44
65+	6531	9.5	83	1	2	7	12	18	26	68
TOT. SINGLE DX	1777	4.4	15	<1	<1	4	6	9	11	17
" MULTIPLE DX	10325	8.7	74	1	2	7	11	17	23	56
TOTAL 0-19 YRS	336	5.2	44	<1	1	4	6	10	15	41
20-34	1023	5.7	31	1	1	4	7	11	14	27
35-49	1256	6.5	37	<1	1	5	8	13	17	33
50-64	2440	7.2	58	<1	1	5	9	14	19	40
65+	7047	9.2	80	1	2	7	11	18	25	65
GRAND TOTAL	**12102**	**8.1**	**68**	**1**	**2**	**6**	**10**	**16**	**22**	**52**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2021	1.6		<1	<1	1	2	3	3	5
20-34	2599	2.5	1	1	1	2	3	4	5	6
35-49	2416	2.8	2	1	1	3	3	4	5	7
50-64	3387	3.0	3	1	1	3	4	5	5	8
65+	2471	3.4	4	1	1	3	4	5	6	10
2. MULTIPLE DX										
0-19 YRS	1104	2.1	12	<1	<1	1	2	3	5	9
20-34	1015	3.2	5	1	1	3	4	5	6	11
35-49	1550	3.5	7	1	1	3	4	6	7	14
50-64	3452	4.0	13	1	2	3	5	7	9	17
65+	5506	5.8	40	2	2	4	6	11	15	34
TOT. SINGLE DX	12894	2.7	3	<1	1	3	3	4	5	7
" MULTIPLE DX	12627	4.5	25	1	1	3	5	8	12	24
TOTAL 0-19 YRS	3125	1.8	5	<1	<1	1	2	3	4	6
20-34	3614	2.7	3	1	1	3	3	4	5	8
35-49	3966	3.1	4	1	1	3	4	5	6	10
50-64	6839	3.5	9	1	1	3	4	6	7	13
65+	7977	5.1	30	1	2	4	5	9	13	29
GRAND TOTAL	**25521**	**3.6**	**15**	**1**	**1**	**3**	**4**	**6**	**8**	**17**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	677	1.6	11	<1	<1	1	2	2	3	5
20-34	215	3.1	1	1	1	3	4	5	5	7
35-49	257	3.2	2	1	1	3	4	5	6	7
50-64	348	3.6	2	1	2	4	4	6	6	9
65+	234	3.9	3	2	2	4	5	6	7	9
2. MULTIPLE DX										
0-19 YRS	570	2.4	43	<1	<1	1	2	3	5	73
20-34	102	3.5	2	1	1	3	4	5	6	9
35-49	196	4.0	5	1	2	4	5	6	9	13
50-64	501	4.5	7	2	2	4	5	7	8	15
65+	580	6.4	56	2	3	5	7	11	16	36
TOT. SINGLE DX	1731	2.8	7	<1	<1	2	4	5	6	8
" MULTIPLE DX	1949	4.4	35	<1	1	4	5	7	10	23
TOTAL 0-19 YRS	1247	2.0	26	<1	<1	1	2	3	3	11
20-34	317	3.2	2	1	1	3	4	5	5	8
35-49	453	3.6	4	1	1	3	4	5	6	12
50-64	849	4.2	6	2	2	4	5	6	7	10
65+	814	5.7	43	2	3	4	6	9	13	26
GRAND TOTAL	**3680**	**3.6**	**22**	**<1**	**<1**	**3**	**4**	**6**	**8**	**17**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	2.3	5	<1	<1	2	3	5	8	9
20-34	74	2.6	1	<1	1	2	3	4	5	8
35-49	128	3.0	2	1	1	3	4	5	5	11
50-64	132	3.5	4	1	1	3	5	6	7	12
65+	158	4.6	6	2	2	4	6	8	10	13
2. MULTIPLE DX										
0-19 YRS	8	3.8	5	1	1	4	6	7	7	7
20-34	31	3.8	6	1	1	3	5	8	10	10
35-49	73	3.7	5	1	1	3	4	7	9	11
50-64	125	5.1	15	2	2	4	6	8	13	48
65+	494	8.9	66	2	3	7	10	19	26	99+
TOT. SINGLE DX	504	3.6	5	1	1	3	4	6	8	12
" MULTIPLE DX	731	7.4	53	2	2	5	9	15	23	99+
TOTAL 0-19 YRS	20	2.9	5	<1	<1	2	4	6	8	9
20-34	105	3.0	3	1	1	3	4	5	6	10
35-49	201	3.3	3	1	1	3	4	5	7	11
50-64	257	4.3	11	1	1	4	6	7	10	20
65+	652	7.8	55	2	2	6	9	16	24	97
GRAND TOTAL	**1235**	**5.8**	**37**	**1**	**2**	**4**	**7**	**11**	**17**	**47**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	319	1.7		<1	<1	2	2	3	3	5
20-34	193	2.7	2	1	1	2	3	4	5	8
35-49	343	2.8	2	<1	1	3	4	5	5	7
50-64	272	3.1	3	1	1	3	4	5	6	9
65+	101	3.7	4	1	1	3	5	7	8	11
2. MULTIPLE DX										
0-19 YRS	73	3.2	14	<1	<1	2	3	7	12	19
20-34	108	4.3	16	1	1	3	5	8	10	27
35-49	298	4.2	8	1	1	4	5	7	9	17
50-64	371	5.8	39	1	2	4	7	11	15	29
65+	368	8.3	73	2	3	6	10	16	22	58
TOT. SINGLE DX	1228	2.6	3	<1	1	2	3	5	6	8
" MULTIPLE DX	1218	5.9	42	1	2	4	7	11	16	30
TOTAL 0-19 YRS	392	2.0	4	<1	<1	2	2	3	4	11
20-34	301	3.3	8	1	1	3	4	6	8	13
35-49	641	3.4	6	1	1	3	4	6	7	12
50-64	643	4.7	26	1	1	4	5	9	12	26
65+	469	7.3	62	1	2	5	8	15	20	48
GRAND TOTAL	**2446**	**4.3**	**25**	**<1**	**1**	**3**	**5**	**8**	**11**	**25**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	90	1.8	1	<1	<1	1	2	3	4	6
20-34	347	3.4	3	1	1	3	4	6	7	11
35-49	518	4.2	4	1	2	4	6	7	8	10
50-64	535	4.8	5	2	2	4	6	8	9	11
65+	411	5.7	9	2	2	5	7	9	12	16
2. MULTIPLE DX										
0-19 YRS	39	3.9	22	<1	<1	2	4	10	11	27
20-34	199	4.9	18	1	2	4	6	8	11	19
35-49	655	6.8	44	2	2	5	8	11	17	41
50-64	1028	7.4	30	2	3	6	9	13	16	32
65+	1286	9.6	74	3	3	8	11	18	25	56
TOT. SINGLE DX	1901	4.4	6	1	2	4	6	8	9	13
" MULTIPLE DX	3207	8.0	52	2	3	6	9	14	20	43
TOTAL 0-19 YRS	129	2.4	9	<1	<1	2	3	4	8	14
20-34	546	4.0	10	1	1	3	5	7	8	15
35-49	1173	5.6	29	1	2	5	7	9	12	32
50-64	1563	6.5	23	2	3	5	8	11	14	25
65+	1697	8.7	62	2	3	7	10	16	22	50
GRAND TOTAL	**5108**	**6.6**	**38**	**1**	**2**	**5**	**8**	**12**	**16**	**36**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	7.4	19	2	2	7	9	14	14	14
20-34	10	5.6	10	<1	1	5	7	10	12	12
35-49	12	8.0	10	3	4	9	9	11	14	15
50-64	23	7.4	11	2	3	8	10	12	13	15
65+	28	11.1	30	3	4	11	13	17	20	31
2. MULTIPLE DX										
0-19 YRS	20	19.4	391	2	5	14	22	34	63	93
20-34	36	13.6	185	5	5	9	14	27	40	76
35-49	52	9.7	30	5	6	8	11	17	23	32
50-64	112	11.9	44	5	6	10	13	23	27	35
65+	190	16.6	122	6	8	14	19	32	41	91
TOT. SINGLE DX	78	8.6	22	2	3	9	11	14	15	28
" MULTIPLE DX	410	14.3	115	5	6	11	17	27	36	78
TOTAL 0-19 YRS	25	17.0	336	2	4	12	19	33	49	93
20-34	46	11.8	157	3	4	8	12	25	31	76
35-49	64	9.4	27	4	5	8	10	15	20	31
50-64	135	11.1	42	3	6	9	12	19	26	32
65+	218	15.9	114	6	7	13	19	30	39	86
GRAND TOTAL	**488**	**13.4**	**104**	**4**	**6**	**11**	**16**	**24**	**33**	**76**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	119	3.7	11	<1	1	2	5	9	11	16
20-34	201	3.8	9	<1	1	3	5	8	10	15
35-49	165	5.4	23	<1	1	4	7	10	13	26
50-64	162	6.3	26	<1	1	5	9	14	16	25
65+	128	6.8	26	1	2	5	9	13	18	26
2. MULTIPLE DX										
0-19 YRS	127	9.7	209	1	1	5	12	20	29	99
20-34	333	8.9	97	1	1	6	11	18	26	52
35-49	566	11.1	96	1	2	8	15	23	30	49
50-64	1110	11.9	131	1	2	9	15	24	31	64
65+	1626	13.9	149	2	3	11	18	28	37	69
TOT. SINGLE DX	775	5.1	21	<1	1	4	7	11	14	21
" MULTIPLE DX	3762	12.3	136	1	2	9	16	25	33	66
TOTAL 0-19 YRS	246	6.8	122	<1	1	4	8	15	20	95
20-34	534	7.0	70	1	1	5	8	15	21	46
35-49	731	9.8	86	1	2	7	13	21	29	47
50-64	1272	11.2	121	1	2	8	14	23	30	58
65+	1754	13.4	144	2	3	10	17	27	36	67
GRAND TOTAL	**4537**	**11.1**	**124**	**1**	**2**	**8**	**14**	**23**	**31**	**61**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	130	6.0	15	1	2	5	8	11	14	18
20-34	238	5.5	10	2	3	5	7	9	11	19
35-49	102	8.0	30	2	2	7	10	15	17	31
50-64	60	8.4	19	3	4	7	9	13	20	23
65+	42	12.0	63	3	4	11	14	23	27	43
2. MULTIPLE DX										
0-19 YRS	162	9.3	76	2	3	7	12	17	21	41
20-34	397	9.3	90	2	3	6	11	19	28	71
35-49	253	13.6	178	3	4	9	16	28	47	74
50-64	350	16.6	162	4	6	13	20	36	45	99
65+	506	19.3	189	5	7	16	25	38	54	99+
TOT. SINGLE DX	572	6.9	23	2	3	6	8	13	16	26
" MULTIPLE DX	1668	14.5	165	3	4	11	19	31	42	97
TOTAL 0-19 YRS	292	7.8	52	2	3	6	10	14	19	26
20-34	635	7.9	64	2	3	6	8	15	22	46
35-49	355	12.0	143	2	4	8	14	24	39	67
50-64	410	15.4	150	4	5	12	19	33	41	89
65+	548	18.7	184	5	7	16	24	36	49	99+
GRAND TOTAL	**2240**	**12.6**	**140**	**2**	**3**	**9**	**16**	**27**	**38**	**88**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	289	2.9	4	<1	1	2	4	6	8	11
20-34	1186	2.1	3	<1	<1	2	2	4	6	10
35-49	248	2.0	2	<1	<1	1	2	4	6	9
50-64	26	2.5	7	<1	<1	1	2	7	10	11
65+	15	2.4	5	1	1	2	2	5	9	10
2. MULTIPLE DX										
0-19 YRS	249	3.3	9	<1	1	2	5	7	9	13
20-34	1639	2.6	7	<1	<1	2	3	6	7	14
35-49	465	2.8	23	<1	<1	2	2	6	8	20
50-64	70	4.7	24	<1	1	3	6	11	16	25
65+	52	11.1	196	1	1	7	15	25	32	87
TOT. SINGLE DX	1764	2.2	4	<1	<1	2	2	5	6	10
" MULTIPLE DX	2475	3.0	17	<1	<1	2	3	6	8	18
TOTAL 0-19 YRS	538	3.1	7	<1	1	2	4	7	8	11
20-34	2825	2.4	6	<1	<1	2	2	5	7	12
35-49	713	2.6	17	<1	<1	2	2	5	7	15
50-64	96	4.1	21	<1	<1	2	5	10	14	23
65+	67	9.2	167	1	1	5	11	21	29	79
GRAND TOTAL	**4239**	**2.7**	**11**	**<1**	**<1**	**2**	**3**	**6**	**8**	**14**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	64	7.4	15	2	4	7	9	13	15	20
20-34	268	5.8	19	<1	1	5	7	12	15	22
35-49	184	6.7	20	1	1	6	9	12	15	23
50-64	141	8.1	21	2	3	7	10	13	18	24
65+	116	10.3	21	3	5	10	12	17	20	24
2. MULTIPLE DX										
0-19 YRS	148	10.6	86	2	3	7	13	23	28	58
20-34	772	6.8	43	<1	1	5	8	13	19	34
35-49	615	9.8	92	1	2	7	12	19	28	43
50-64	688	14.0	147	3	4	11	17	27	37	81
65+	1142	18.4	178	5	7	15	22	36	50	98
TOT. SINGLE DX	773	7.2	22	<1	2	7	9	13	16	24
" MULTIPLE DX	3365	12.9	142	1	3	10	17	26	37	72
TOTAL 0-19 YRS	212	9.6	67	2	3	7	12	20	25	53
20-34	1040	6.5	38	<1	1	5	8	13	18	31
35-49	799	9.1	78	1	2	7	11	18	24	38
50-64	829	13.0	131	3	4	10	15	24	34	74
65+	1258	17.6	170	4	7	14	21	35	47	93
GRAND TOTAL	**4138**	**11.9**	**125**	**1**	**2**	**9**	**15**	**24**	**34**	**67**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	30	9.1	42	2	3	7	11	17	21	32
20-34	32	8.7	13	5	5	8	10	12	12	25
35-49	47	9.4	10	5	6	8	11	15	16	19
50-64	79	9.5	12	6	6	9	11	14	17	24
65+	93	11.3	17	7	8	10	13	16	21	26
2. MULTIPLE DX										
0-19 YRS	66	11.0	74	5	5	8	12	25	32	44
20-34	69	12.2	86	6	6	9	14	19	30	56
35-49	135	13.6	127	6	7	10	14	23	37	61
50-64	398	14.8	102	7	7	11	17	27	36	62
65+	625	16.8	99	8	8	14	20	30	37	64
TOT. SINGLE DX	281	10.0	18	5	6	9	11	15	18	25
" MULTIPLE DX	1293	15.3	104	6	7	12	18	28	36	62
TOTAL 0-19 YRS	96	10.4	65	4	4	8	12	21	30	41
20-34	101	11.1	66	5	6	9	12	18	23	52
35-49	182	12.5	100	6	7	10	13	20	32	55
50-64	477	13.9	91	6	7	11	16	25	34	57
65+	718	16.1	92	8	8	13	19	28	34	63
GRAND TOTAL	**1574**	**14.4**	**93**	**6**	**7**	**11**	**17**	**26**	**33**	**59**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	158	7.1	27	2	2	6	10	13	15	24
20-34	236	7.8	32	1	2	7	10	13	18	33
35-49	246	7.0	17	2	2	7	9	12	14	20
50-64	228	7.8	21	1	2	8	10	13	16	24
65+	114	7.3	19	1	2	7	10	13	15	21
2. MULTIPLE DX										
0-19 YRS	210	12.5	130	2	2	10	14	26	35	60
20-34	347	11.3	104	2	2	9	14	23	33	53
35-49	403	11.4	86	2	2	9	15	22	30	48
50-64	636	11.8	106	2	2	9	15	23	32	55
65+	751	14.6	129	2	3	12	19	29	39	61
TOT. SINGLE DX	982	7.4	24	1	2	7	10	13	16	24
" MULTIPLE DX	2347	12.6	114	2	2	10	16	26	35	56
TOTAL 0-19 YRS	368	10.2	93	2	2	8	12	21	29	46
20-34	583	9.9	78	2	2	8	12	19	28	50
35-49	649	9.7	65	2	2	8	12	19	26	43
50-64	864	10.8	87	2	2	9	13	21	30	50
65+	865	13.7	121	2	3	11	18	28	37	59
GRAND TOTAL	**3329**	**11.1**	**93**	**2**	**2**	**9**	**14**	**22**	**31**	**51**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	5.9	4	2	3	6	7	8	8	8
20-34	97	7.4	21	1	2	7	9	13	15	26
35-49	150	8.1	21	2	3	8	10	14	15	24
50-64	145	7.7	13	2	3	8	10	12	14	17
65+	57	9.7	25	3	4	8	12	16	22	27
2. MULTIPLE DX										
0-19 YRS	21	9.5	64	1	2	8	15	23	27	28
20-34	108	9.7	77	2	3	8	12	15	18	64
35-49	178	9.6	25	2	3	9	12	16	18	27
50-64	274	10.9	51	2	4	10	14	19	23	40
65+	302	14.0	128	2	5	11	17	24	32	68
TOT. SINGLE DX	457	8.0	19	2	3	8	10	13	15	23
" MULTIPLE DX	883	11.5	79	2	3	10	14	20	24	53
TOTAL 0-19 YRS	29	8.5	50	1	2	7	10	19	26	28
20-34	205	8.6	52	2	2	7	11	15	17	45
35-49	328	8.9	24	2	3	8	11	15	17	25
50-64	419	9.8	40	2	3	9	12	17	20	36
65+	359	13.3	114	2	4	11	16	23	30	63
GRAND TOTAL	**1340**	**10.3**	**61**	**2**	**3**	**9**	**13**	**18**	**22**	**43**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	165	7.4	5	5	5	7	8	10	11	18
20-34	14	10.7	30	7	7	9	11	15	26	29
35-49	10	12.5	94	4	5	10	11	28	38	38
50-64	13	11.5	24	4	7	10	15	17	21	22
65+	11	13.0	219	1	3	8	14	36	52	53
2. MULTIPLE DX										
0-19 YRS	151	11.8	75	5	5	9	14	20	30	43
20-34	31	14.0	49	7	7	12	18	23	30	36
35-49	31	14.9	57	8	8	14	20	25	40	99+
50-64	59	16.0	114	5	7	13	17	29	38	66
65+	96	17.7	96	6	9	16	22	27	38	56
TOT. SINGLE DX	213	8.4	26	4	5	7	9	12	16	32
" MULTIPLE DX	368	14.5	89	5	6	12	18	26	32	60
TOTAL 0-19 YRS	316	9.5	44	5	5	8	10	16	20	37
20-34	45	13.0	45	7	7	11	15	20	29	36
35-49	41	14.3	65	6	7	11	18	25	39	99+
50-64	72	15.2	100	4	7	12	17	27	36	62
65+	107	17.2	109	4	7	14	21	27	41	57
GRAND TOTAL	**581**	**12.2**	**74**	**5**	**6**	**9**	**15**	**23**	**28**	**49**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	53	5.0	17	<1	1	3	7	12	14	15
20-34	298	4.1	7	1	1	4	6	7	9	15
35-49	413	4.2	6	1	1	4	6	8	9	12
50-64	296	4.6	8	1	2	4	6	8	9	17
65+	110	4.9	9	1	2	4	7	9	11	14
2. MULTIPLE DX										
0-19 YRS	58	8.6	51	<1	1	6	13	17	20	33
20-34	186	6.3	31	1	2	5	8	11	13	22
35-49	292	6.0	16	2	2	5	8	11	14	21
50-64	367	6.8	26	2	2	6	8	12	18	24
65+	359	9.9	65	2	3	8	12	20	26	43
TOT. SINGLE DX	1170	4.4	8	1	1	4	6	8	9	15
" MULTIPLE DX	1262	7.5	40	2	2	6	9	15	19	33
TOTAL 0-19 YRS	111	6.9	38	<1	1	5	10	15	17	33
20-34	484	5.0	18	1	2	4	6	9	12	16
35-49	705	4.9	11	1	2	4	6	9	11	18
50-64	663	5.8	20	1	2	5	7	10	14	23
65+	469	8.8	57	2	2	7	11	18	22	40
GRAND TOTAL	**2432**	**6.0**	**27**	**1**	**2**	**5**	**7**	**11**	**15**	**26**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	285	2.0	4	<1	<1	1	2	5	6	12
20-34	505	3.1	6	<1	<1	2	4	7	8	13
35-49	625	3.4	8	<1	<1	2	5	7	8	16
50-64	711	3.6	12	<1	<1	3	5	7	10	17
65+	661	3.8	12	<1	<1	2	5	8	11	18
2. MULTIPLE DX										
0-19 YRS	354	3.5	28	<1	<1	2	4	7	10	25
20-34	819	5.8	38	<1	1	4	7	12	17	30
35-49	1251	6.2	50	<1	1	4	8	13	20	34
50-64	2605	6.8	69	<1	1	5	8	15	21	43
65+	5988	10.5	135	1	2	7	13	24	35	90
TOT. SINGLE DX	2787	3.4	10	<1	<1	2	5	7	9	15
" MULTIPLE DX	11017	8.6	104	<1	1	6	11	19	28	68
TOTAL 0-19 YRS	639	2.9	18	<1	<1	1	3	7	9	16
20-34	1324	4.8	28	<1	<1	3	6	10	14	27
35-49	1876	5.3	38	<1	<1	3	7	11	16	30
50-64	3316	6.1	59	<1	1	4	8	13	19	38
65+	6649	9.8	127	1	1	7	12	22	33	85
GRAND TOTAL	**13804**	**7.5**	**90**	**<1**	**1**	**5**	**9**	**17**	**25**	**61**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	1.8	1	<1	<1	2	3	3	3	3
20-34	40	2.6	7	<1	<1	2	3	5	6	17
35-49	152	2.6	2	<1	<1	2	3	5	6	7
50-64	711	3.2	6	1	1	3	4	6	8	13
65+	1245	3.6	7	1	1	3	5	7	8	14
2. MULTIPLE DX										
0-19 YRS	11	6.5	41	<1	<1	4	10	18	19	19
20-34	60	5.4	29	1	1	4	7	11	16	32
35-49	237	5.3	58	1	1	3	7	11	14	55
50-64	1525	5.0	40	1	1	3	6	10	14	30
65+	5127	6.9	62	1	2	5	8	14	20	42
TOT. SINGLE DX	2154	3.4	7	1	1	3	4	6	8	13
" MULTIPLE DX	6960	6.4	58	1	2	4	8	13	19	41
TOTAL 0-19 YRS	17	4.8	32	<1	<1	3	5	16	18	19
20-34	100	4.3	22	<1	1	3	5	8	15	26
35-49	389	4.3	38	<1	1	3	5	9	12	32
50-64	2236	4.4	30	1	1	3	5	9	13	27
65+	6372	6.3	54	1	2	4	7	13	18	38
GRAND TOTAL	**9114**	**5.7**	**48**	**1**	**1**	**4**	**7**	**12**	**17**	**36**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	66	4.4	13	1	1	3	5	8	10	23
20-34	68	5.3	27	1	1	4	6	11	12	34
35-49	74	4.9	14	1	1	4	6	10	13	19
50-64	178	6.2	28	1	1	4	9	12	17	27
65+	202	6.6	36	1	1	4	9	15	17	32
2. MULTIPLE DX										
0-19 YRS	147	11.1	96	1	2	8	16	24	30	47
20-34	131	9.6	107	1	1	7	13	22	32	70
35-49	226	8.9	65	1	2	7	11	19	26	99+
50-64	570	10.8	132	1	2	8	14	22	33	89
65+	1718	13.0	171	2	2	9	17	27	39	90
TOT. SINGLE DX	588	5.8	28	1	1	4	8	12	15	30
" MULTIPLE DX	2792	12.0	150	2	2	9	16	25	37	89
TOTAL 0-19 YRS	213	9.0	80	1	2	6	12	21	27	41
20-34	199	8.2	84	1	1	5	10	18	29	56
35-49	300	7.9	56	1	2	6	10	18	22	76
50-64	748	9.7	111	1	2	7	12	20	29	68
65+	1920	12.3	161	1	2	9	16	26	37	86
GRAND TOTAL	**3380**	**10.9**	**134**	**1**	**2**	**8**	**14**	**23**	**33**	**81**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	116	1.1		<1	<1	<1	1	1	2	3
20-34	8	1.6		<1	<1	1	2	3	3	3
35-49	6	2.8	2	1	1	3	4	5	5	5
50-64	12	1.6	1	<1	<1	1	2	3	4	4
65+	4	3.3	15	<1	<1	1	5	9	9	9
2. MULTIPLE DX										
0-19 YRS	50	1.2		<1	<1	<1	1	1	2	6
20-34	13	3.0	7	<1	1	2	3	9	9	9
35-49	14	2.5	2	<1	1	2	3	5	6	6
50-64	22	3.0	4	<1	1	3	3	6	8	10
65+	35	7.9	57	1	1	5	13	19	25	30
TOT. SINGLE DX	146	1.3	1	<1	<1	<1	1	2	3	5
" MULTIPLE DX	134	3.6	24	<1	<1	2	4	9	15	27
TOTAL 0-19 YRS	166	1.1		<1	<1	<1	1	1	2	4
20-34	21	2.5	5	<1	<1	2	3	6	9	9
35-49	20	2.6	2	<1	1	2	3	5	6	6
50-64	34	2.5	4	<1	<1	2	3	4	6	10
65+	39	7.4	54	<1	1	5	11	18	24	30
GRAND TOTAL	**280**	**2.4**	**13**	**<1**	**<1**	**1**	**2**	**5**	**9**	**21**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	394	5.5	20	<1	1	4	9	11	14	19
20-34	123	3.5	16	<1	<1	2	4	9	12	20
35-49	75	3.5	7	<1	1	3	5	7	9	14
50-64	68	3.4	7	1	1	3	4	8	9	15
65+	70	3.9	8	1	1	3	5	8	9	14
2. MULTIPLE DX										
0-19 YRS	183	6.4	37	<1	1	4	9	14	17	29
20-34	81	6.1	41	<1	1	3	8	15	19	30
35-49	84	5.3	31	<1	<1	4	7	10	14	34
50-64	123	6.2	39	1	1	4	8	14	20	37
65+	247	7.0	57	1	1	4	9	15	22	38
TOT. SINGLE DX	730	4.6	17	<1	<1	3	7	10	12	17
" MULTIPLE DX	718	6.4	45	<1	1	4	8	14	19	37
TOTAL 0-19 YRS	577	5.8	26	<1	1	4	9	12	14	24
20-34	204	4.5	28	<1	<1	2	5	12	15	28
35-49	159	4.4	21	<1	<1	3	6	9	12	19
50-64	191	5.2	30	1	1	4	7	10	16	31
65+	317	6.3	48	1	1	4	8	14	19	38
GRAND TOTAL	**1448**	**5.5**	**31**	**<1**	**1**	**3**	**8**	**12**	**15**	**29**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	87	1.3	1	<1	<1	<1	1	2	3	8
20-34	50	3.3	9	<1	<1	2	5	7	9	16
35-49	46	2.5	5	<1	<1	2	3	5	8	12
50-64	40	2.2	3	<1	<1	1	3	4	6	9
65+	74	3.0	5	<1	<1	2	3	8	8	9
2. MULTIPLE DX										
0-19 YRS	101	1.8	5	<1	<1	<1	1	3	6	13
20-34	131	4.4	29	<1	<1	2	5	10	15	27
35-49	163	6.1	44	<1	1	4	9	14	17	31
50-64	306	6.8	68	<1	1	4	9	15	22	52
65+	848	10.5	132	1	2	7	14	23	34	74
TOT. SINGLE DX	297	2.4	5	<1	<1	1	3	6	8	10
" MULTIPLE DX	1549	8.2	101	<1	1	5	10	19	27	60
TOTAL 0-19 YRS	188	1.6	3	<1	<1	<1	1	2	4	11
20-34	181	4.1	24	<1	<1	2	5	9	13	23
35-49	209	5.3	38	<1	1	3	7	12	16	30
50-64	346	6.2	63	<1	1	3	8	14	20	51
65+	922	9.9	126	1	1	7	13	22	32	72
GRAND TOTAL	**1846**	**7.3**	**90**	**<1**	**<1**	**4**	**9**	**17**	**24**	**54**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	60	2.1	4	<1	<1	1	3	4	5	14
20-34	120	2.9	4	<1	<1	2	4	6	7	10
35-49	81	3.2	5	<1	1	3	4	6	7	13
50-64	75	3.9	13	<1	1	3	5	10	12	17
65+	106	3.8	7	1	1	3	5	7	10	12
2. MULTIPLE DX										
0-19 YRS	39	2.5	8	<1	<1	1	3	5	9	15
20-34	97	4.7	43	<1	<1	3	6	11	14	40
35-49	110	4.7	35	1	1	3	5	10	15	37
50-64	196	5.7	37	1	1	4	7	13	18	35
65+	487	7.0	55	1	2	5	9	14	19	36
TOT. SINGLE DX	442	3.2	7	<1	<1	3	4	6	9	13
" MULTIPLE DX	929	6.0	47	1	1	4	7	13	18	34
TOTAL 0-19 YRS	99	2.3	6	<1	<1	1	3	4	6	15
20-34	217	3.7	23	<1	<1	3	4	7	11	18
35-49	191	4.1	23	<1	1	3	4	8	12	26
50-64	271	5.2	32	<1	1	3	6	12	17	32
65+	593	6.4	48	1	2	4	8	13	18	32
GRAND TOTAL	**1371**	**5.1**	**36**	**<1**	**1**	**3**	**6**	**11**	**15**	**29**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	40	5.9	5	2	3	6	7	9	10	13
35-49	155	6.8	5	4	5	6	8	10	11	16
50-64	120	7.4	4	4	5	8	8	10	10	14
65+	44	7.5	4	4	5	8	9	10	11	13
2. MULTIPLE DX										
0-19 YRS										
20-34	46	6.2	2	3	4	6	8	8	8	8
35-49	220	7.4	8	4	5	7	8	10	13	18
50-64	252	8.6	18	5	5	8	9	13	16	26
65+	163	9.4	35	3	5	8	10	14	20	33
TOT. SINGLE DX	361	6.9	5	3	4	7	8	10	10	14
" MULTIPLE DX	681	8.2	19	4	5	7	9	12	16	26
TOTAL 0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	86	6.1	4	3	3	6	8	8	9	12
35-49	375	7.2	7	4	5	7	8	10	12	17
50-64	372	8.2	14	5	5	8	9	11	14	23
65+	207	9.0	29	3	5	8	10	13	17	32
GRAND TOTAL	**1042**	**7.8**	**14**	**4**	**5**	**7**	**9**	**11**	**14**	**23**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	13	5.0	3	3	3	4	6	8	9	9
35-49	48	6.2	13	3	4	5	7	9	11	27
50-64	42	5.9	3	3	4	6	7	8	9	11
65+	25	6.6	8	3	4	6	8	10	12	17
2. MULTIPLE DX										
0-19 YRS	5	8.0	17	3	3	7	11	14	14	14
20-34	19	5.6	2	3	3	6	7	8	9	9
35-49	72	6.6	8	3	3	6	7	11	11	18
50-64	75	8.1	21	3	4	7	9	12	18	29
65+	74	8.4	20	4	4	8	10	14	18	26
TOT. SINGLE DX	128	6.0	8	3	3	6	7	9	10	19
" MULTIPLE DX	245	7.6	16	3	4	7	9	12	14	26
TOTAL 0-19 YRS	5	8.0	18	3	3	7	11	14	14	14
20-34	32	5.4	3	3	3	5	7	8	9	9
35-49	120	6.4	10	3	3	6	7	10	11	21
50-64	117	7.3	16	3	4	6	8	10	13	27
65+	99	8.0	18	3	4	7	9	13	17	25
GRAND TOTAL	**373**	**7.0**	**14**	**3**	**4**	**6**	**8**	**11**	**13**	**25**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34	17	3.9	4	1	1	4	6	7	7	7
35-49	38	3.9	7	<1	1	3	6	8	9	10
50-64	35	5.5	17	2	2	5	7	8	10	26
65+	11	3.6	4	1	1	3	6	7	7	7
2. MULTIPLE DX										
0-19 YRS	9	3.7	6	1	1	4	6	7	7	7
20-34	41	6.0	48	1	1	5	7	9	19	40
35-49	56	8.8	81	1	2	6	11	20	23	48
50-64	85	8.2	51	2	2	6	11	18	23	81
65+	108	10.6	106	1	2	7	14	21	34	51
TOT. SINGLE DX	103	4.4	10	1	1	4	6	7	9	18
" MULTIPLE DX	299	8.8	78	1	2	6	11	19	26	48
TOTAL 0-19 YRS	11	3.5	5	<1	<1	4	6	7	7	7
20-34	58	5.4	36	1	1	4	6	8	11	39
35-49	94	6.9	57	1	1	4	8	16	21	45
50-64	120	7.5	43	2	2	6	9	16	22	63
65+	119	10.0	101	1	2	6	14	20	34	50
GRAND TOTAL	**402**	**7.6**	**64**	**1**	**2**	**5**	**9**	**17**	**23**	**47**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	8.0	98	1	1	8	15	15	15	15
20-34	11	5.6	13	2	2	4	8	11	14	14
35-49	10	3.9	9	<1	<1	3	6	9	11	11
50-64	13	8.8	112	1	2	6	7	30	35	36
65+	8	4.4	8	2	2	3	6	9	10	10
2. MULTIPLE DX										
0-19 YRS	3	9.0	3	7	7	10	55	99+	99+	99+
20-34	16	12.3	163	3	4	9	12	22	46	56
35-49	28	14.2	191	2	3	11	14	28	53	63
50-64	41	15.0	62	5	6	14	20	25	29	38
65+	77	14.4	204	1	2	10	22	34	60	99+
TOT. SINGLE DX	44	6.1	45	1	1	4	7	11	19	36
" MULTIPLE DX	165	14.2	158	2	3	11	20	30	52	99+
TOTAL 0-19 YRS	5	8.6	26	1	2	10	15	91	99+	99+
20-34	27	9.6	111	2	2	8	9	17	28	56
35-49	38	11.5	163	<1	1	9	13	23	43	63
50-64	54	13.5	80	3	4	12	20	26	32	38
65+	85	13.5	195	1	2	9	22	32	58	99+
GRAND TOTAL	**209**	**12.5**	**145**	**1**	**2**	**9**	**16**	**28**	**41**	**99+**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	6.0	8	4	4	5	8	10	10	10
20-34	3	2.3	1	1	1	3	3	3	3	3
35-49	36	5.2	6	2	3	5	6	7	9	17
50-64	1036	5.8	5	3	4	6	7	8	10	15
65+	2168	6.2	6	3	4	6	7	9	11	15
2. MULTIPLE DX										
0-19 YRS	6	10.7	53	5	5	7	19	21	21	21
20-34	10	4.5	4	1	1	5	6	7	8	8
35-49	104	7.9	29	3	4	6	9	14	18	31
50-64	3029	7.8	34	4	4	6	8	12	16	31
65+	11911	10.2	76	4	4	7	11	19	26	55
TOT. SINGLE DX	3247	6.1	6	3	4	6	7	9	10	15
" MULTIPLE DX	15060	9.7	69	4	4	7	11	18	25	51
TOTAL 0-19 YRS	10	8.8	38	4	4	6	10	20	21	21
20-34	13	4.0	4	1	1	4	5	7	8	8
35-49	140	7.2	25	3	4	6	8	13	16	26
50-64	4065	7.3	28	3	4	6	8	11	15	29
65+	14079	9.6	68	4	4	7	10	18	24	50
GRAND TOTAL	**18307**	**9.0**	**60**	**4**	**4**	**7**	**10**	**16**	**23**	**47**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	5.6	43	<1	<1	3	8	17	17	17
20-34	2	6.5	61	<1	<1	6	12	12	12	12
35-49	2	7.0	32	3	3	7	11	11	11	11
50-64	113	11.1	19	6	7	10	13	17	21	26
65+	206	11.1	16	6	7	11	13	16	17	23
2. MULTIPLE DX										
0-19 YRS	2	15.0	32	11	11	15	19	19	19	19
20-34	2	4.0	18	1	1	4	7	7	7	7
35-49	4	8.0	23	<1	<1	9	11	12	12	12
50-64	322	12.7	30	7	8	11	15	20	23	30
65+	1198	14.0	55	8	8	12	16	22	26	50
TOT. SINGLE DX	330	10.9	18	5	7	10	13	16	19	24
" MULTIPLE DX	1528	13.7	51	7	8	12	16	21	25	43
TOTAL 0-19 YRS	7	8.3	55	<1	<1	5	15	19	19	19
20-34	4	5.3	28	<1	<1	4	9	12	12	12
35-49	6	7.7	21	<1	<1	9	11	12	12	12
50-64	437	12.3	28	7	8	11	14	19	22	29
65+	1404	13.6	51	7	8	12	16	21	25	44
GRAND TOTAL	**1858**	**13.2**	**46**	**7**	**8**	**12**	**15**	**20**	**24**	**41**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	12	2.3	4	<1	<1	2	2	4	8	9
35-49	34	1.6		<1	<1	1	2	3	3	4
50-64	264	2.0	2	<1	<1	2	2	3	5	11
65+	439	2.2	3	<1	<1	2	3	4	5	10
2. MULTIPLE DX										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	13	3.9	34	<1	1	2	3	9	20	23
35-49	47	5.6	78	1	1	3	5	13	24	52
50-64	398	4.9	40	<1	1	3	6	11	15	33
65+	1164	7.2	87	1	1	4	9	17	22	48
TOT. SINGLE DX	751	2.1	3	<1	<1	2	2	4	5	10
" MULTIPLE DX	1624	6.5	76	<1	1	3	8	15	21	45
TOTAL 0-19 YRS	4	2.5	1	2	2	2	3	4	4	4
20-34	25	3.1	20	<1	1	2	2	6	12	23
35-49	81	3.9	50	<1	<1	2	3	7	16	44
50-64	662	3.8	28	<1	<1	2	4	9	12	25
65+	1603	5.8	69	<1	1	3	6	14	20	43
GRAND TOTAL	**2375**	**5.2**	**57**	**<1**	**1**	**2**	**5**	**12**	**18**	**38**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	102	2.0	3	<1	<1	1	2	4	5	10
20-34	68	2.6	3	<1	1	2	3	5	6	10
35-49	58	2.9	6	<1	<1	2	4	6	8	13
50-64	72	2.5	1	<1	1	2	3	4	4	8
65+	51	3.3	5	<1	1	3	4	6	8	12
2. MULTIPLE DX										
0-19 YRS	66	2.1	2	<1	<1	2	3	5	5	9
20-34	68	4.0	31	1	1	3	4	6	10	36
35-49	73	7.9	124	<1	1	4	8	26	32	58
50-64	116	6.4	77	1	2	4	7	12	18	57
65+	120	8.8	132	1	1	5	10	21	35	62
TOT. SINGLE DX	351	2.6	4	<1	<1	2	3	4	6	10
" MULTIPLE DX	443	6.3	87	1	1	3	6	13	27	54
TOTAL 0-19 YRS	168	2.1	3	<1	<1	1	3	4	5	10
20-34	136	3.3	18	<1	1	2	4	5	8	31
35-49	131	5.7	78	<1	1	3	6	13	28	44
50-64	188	4.9	52	1	1	3	5	10	12	49
65+	171	7.2	100	1	1	4	8	14	27	51
GRAND TOTAL	**794**	**4.6**	**53**	**<1**	**1**	**3**	**4**	**9**	**14**	**40**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	135	2.2	2	<1	1	2	3	4	5	8
20-34	202	3.2	4	1	1	3	4	6	7	12
35-49	64	2.9	3	<1	1	3	4	5	6	11
50-64	69	3.8	9	1	1	3	4	7	10	18
65+	183	3.6	10	1	1	2	4	7	10	17
2. MULTIPLE DX										
0-19 YRS	114	3.0	3	<1	1	2	4	6	6	10
20-34	117	6.8	84	1	2	4	8	12	20	52
35-49	77	6.2	64	1	1	4	7	13	17	53
50-64	201	8.6	133	1	2	4	10	18	26	72
65+	923	8.5	86	1	2	5	12	19	26	55
TOT. SINGLE DX	653	3.1	7	1	1	2	4	6	8	14
" MULTIPLE DX	1432	7.8	87	1	2	4	10	17	25	55
TOTAL 0-19 YRS	249	2.6	3	<1	1	2	3	5	6	9
20-34	319	4.5	37	1	1	3	5	9	11	33
35-49	141	4.7	39	1	1	3	5	9	14	30
50-64	270	7.3	106	1	2	4	8	16	22	67
65+	1106	7.7	77	1	2	4	10	17	24	53
GRAND TOTAL	**2085**	**6.3**	**67**	**1**	**1**	**3**	**7**	**15**	**20**	**44**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	782	1.8	1	<1	<1	2	2	3	4	5
20-34	103	2.3	3	<1	1	2	3	4	6	12
35-49	9	2.3	2	<1	<1	2	4	4	4	4
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
0-19 YRS	626	2.0	1	<1	<1	2	2	3	4	7
20-34	46	3.1	12	1	1	2	4	5	6	24
35-49	12	2.3	1	1	1	2	3	4	4	4
50-64	2	5.5	25	2	2	5	9	9	9	9
65+	2	8.5	61	3	3	8	14	14	14	14
TOT. SINGLE DX	895	1.9	1	<1	<1	2	2	3	4	6
" MULTIPLE DX	688	2.1	3	<1	<1	2	3	4	5	7
TOTAL 0-19 YRS	1408	1.9	1	<1	<1	2	2	3	4	6
20-34	149	2.5	6	1	1	2	3	5	6	14
35-49	21	2.3	2	<1	1	2	4	4	4	4
50-64	2	5.5	25	2	2	5	9	9	9	9
65+	3	6.0	49	<1	<1	3	11	14	14	14
GRAND TOTAL	**1583**	**2.0**	**2**	**<1**	**<1**	**2**	**2**	**3**	**4**	**7**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	151	1.6		<1	1	1	2	3	3	5
20-34	100	2.2	2	<1	<1	2	3	4	5	9
35-49	40	1.8	1	<1	<1	2	2	3	4	6
50-64	15	2.5	5	1	1	2	3	4	8	10
65+	7	3.4	4	1	1	3	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	62	2.1	1	<1	1	2	3	4	5	6
20-34	57	2.9	7	<1	<1	2	3	5	8	17
35-49	29	3.1	5	1	1	2	4	7	8	9
50-64	13	5.2	70	<1	1	3	4	14	29	32
65+	10	6.1	11	2	2	5	8	11	12	12
TOT. SINGLE DX	313	1.9	2	<1	<1	2	2	3	4	7
" MULTIPLE DX	171	3.0	11	<1	1	2	3	6	8	17
TOTAL 0-19 YRS	213	1.7	1	<1	1	1	2	3	4	6
20-34	157	2.4	4	<1	<1	2	3	4	6	10
35-49	69	2.4	3	<1	<1	2	3	5	6	9
50-64	28	3.8	36	1	1	2	3	8	12	32
65+	17	5.0	10	1	2	4	7	10	12	12
GRAND TOTAL	**484**	**2.3**	**5**	**<1**	**<1**	**2**	**3**	**4**	**6**	**10**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	2.0	2	<1	<1	1	3	4	4	4
20-34	81	1.0		<1	<1	<1	<1	1	1	2
35-49	92	1.0		<1	<1	<1	<1	1	1	3
50-64	7	1.6	2	<1	<1	<1	<1	4	5	5
65+	3	4.0	7	2	2	3	6	7	7	7
2. MULTIPLE DX										
0-19 YRS										
20-34	26	2.6	16	<1	<1	1	2	6	13	19
35-49	32	2.3	7	<1	<1	1	2	4	8	15
50-64	5	1.6	1	<1	<1	1	2	3	3	3
65+	8	10.1	23	5	5	9	14	17	18	18
TOT. SINGLE DX	187	1.1		<1	<1	<1	<1	1	1	5
" MULTIPLE DX	71	3.2	18	<1	<1	1	3	9	14	19
TOTAL 0-19 YRS	4	2.0	2	<1	<1	1	3	4	4	4
20-34	107	1.4	4	<1	<1	<1	1	1	3	15
35-49	124	1.3	2	<1	<1	<1	<1	2	3	10
50-64	12	1.6	2	<1	<1	<1	2	4	5	5
65+	11	8.5	26	2	3	7	13	16	18	18
GRAND TOTAL	**258**	**1.7**	**6**	**<1**	**<1**	**<1**	**1**	**3**	**6**	**15**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	356	1.8	1	<1	<1	1	2	3	4	5
20-34	494	2.0	1	<1	1	2	3	3	4	5
35-49	338	2.1	2	<1	1	2	3	4	4	8
50-64	246	2.5	1	1	1	2	3	4	5	6
65+	119	2.5	1	1	1	2	3	4	4	7
2. MULTIPLE DX										
0-19 YRS	247	1.7	1	<1	<1	1	2	3	4	7
20-34	328	2.4	3	<1	1	2	3	4	5	8
35-49	240	2.6	2	1	1	2	3	5	6	9
50-64	305	3.4	9	1	1	3	4	6	8	19
65+	218	4.5	16	1	1	3	5	9	13	24
TOT. SINGLE DX	1553	2.1	2	<1	1	2	3	3	4	6
" MULTIPLE DX	1338	2.9	7	<1	1	2	3	5	7	15
TOTAL 0-19 YRS	603	1.7	1	<1	<1	1	2	3	4	6
20-34	822	2.2	2	<1	1	2	3	3	4	7
35-49	578	2.3	3	<1	1	2	3	4	5	9
50-64	551	3.0	6	1	1	3	3	5	6	14
65+	337	3.8	12	1	1	3	4	7	10	19
GRAND TOTAL	**2891**	**2.5**	**4**	**<1**	**1**	**2**	**3**	**4**	**5**	**11**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	689	1.7	7	<1	<1	1	1	2	3	18
20-34	158	1.4		<1	<1	1	2	2	2	3
35-49	111	1.4		<1	<1	1	2	2	2	4
50-64	96	1.6		<1	<1	1	2	2	3	4
65+	48	1.6		<1	<1	1	2	2	3	5
2. MULTIPLE DX										
0-19 YRS	230	6.5	121	<1	<1	2	8	17	22	62
20-34	80	2.0	2	<1	<1	2	2	3	5	10
35-49	135	2.6	14	<1	<1	2	2	4	9	22
50-64	188	3.2	11	<1	1	2	3	8	11	17
65+	198	4.7	48	<1	1	2	5	12	16	52
TOT. SINGLE DX	1102	1.6	5	<1	<1	1	2	2	3	15
" MULTIPLE DX	831	4.3	53	<1	<1	2	4	11	16	37
TOTAL 0-19 YRS	919	2.9	40	<1	<1	1	2	6	14	25
20-34	238	1.6	1	<1	<1	1	2	2	3	6
35-49	246	2.1	9	<1	<1	2	2	3	4	11
50-64	284	2.7	8	<1	<1	2	3	6	9	16
65+	246	4.1	41	<1	1	2	4	10	14	43
GRAND TOTAL	**1933**	**2.8**	**27**	**<1**	**<1**	**1**	**2**	**5**	**11**	**23**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	87	2.7	9	<1	<1	1	3	7	9	15
20-34	83	2.0	2	<1	<1	1	2	4	5	9
35-49	62	3.5	7	<1	<1	3	4	7	9	13
50-64	121	3.9	5	1	1	4	5	6	7	13
65+	59	3.9	6	1	1	4	5	7	10	[illegible]
2. MULTIPLE DX										
0-19 YRS	63	2.7	6	<1	<1	2	3	6	9	12
20-34	75	5.3	24	1	1	3	7	12	14	28
35-49	174	4.2	9	1	2	4	5	7	8	12
50-64	332	4.9	15	2	2	4	6	8	11	24
65+	207	6.8	59	2	2	4	7	16	24	71
TOT. SINGLE DX	412	3.2	7	<1	<1	3	4	6	8	12
" MULTIPLE DX	851	5.1	26	1	2	4	6	9	13	33
TOTAL 0-19 YRS	150	2.7	8	<1	<1	1	3	7	9	12
20-34	158	3.5	16	<1	<1	2	4	8	11	15
35-49	236	4.0	9	<1	1	3	5	7	8	13
50-64	453	4.7	13	1	2	4	5	8	10	23
65+	266	6.2	49	1	2	4	6	12	21	51
GRAND TOTAL	**1263**	**4.5**	**21**	**<1**	**1**	**3**	**5**	**8**	**11**	**27**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	177	5.1	2	3	3	5	6	7	8	10
20-34	771	5.0	2	2	3	5	6	7	7	10
35-49	118	5.4	3	2	4	5	6	7	8	11
50-64	17	5.4	9	<1	<1	6	7	9	10	11
65+	13	7.4	7	3	4	7	9	11	12	12
2. MULTIPLE DX										
0-19 YRS	236	5.5	3	3	3	5	6	8	9	13
20-34	1623	5.5	5	2	3	5	6	7	9	14
35-49	425	6.2	15	2	3	6	7	10	11	21
50-64	61	10.0	53	2	4	8	13	17	27	41
65+	76	16.8	171	5	6	13	21	33	46	74
TOT. SINGLE DX	1096	5.1	3	2	3	5	6	7	8	10
" MULTIPLE DX	2421	6.1	18	2	3	6	7	9	11	23
TOTAL 0-19 YRS	413	5.3	3	3	3	5	6	7	8	12
20-34	2394	5.4	5	2	3	5	6	7	8	13
35-49	543	6.0	13	2	3	6	7	9	11	18
50-64	78	9.0	47	1	3	7	10	16	22	39
65+	89	15.4	158	5	6	11	20	29	37	70
GRAND TOTAL	**3517**	**5.8**	**13**	**2**	**3**	**5**	**6**	**8**	**10**	**20**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	96	5.8	8	3	4	5	6	8	10	21
20-34	538	5.3	3	3	3	5	6	7	8	11
35-49	287	5.8	3	4	4	6	6	8	9	13
50-64	44	6.3	5	3	4	6	7	9	12	15
65+	22	7.7	5	4	5	7	8	12	13	13
2. MULTIPLE DX										
0-19 YRS	122	6.1	7	3	4	6	7	8	11	19
20-34	1160	6.2	7	3	4	6	7	9	11	17
35-49	879	6.8	16	4	4	6	7	9	13	25
50-64	131	9.6	34	5	5	8	11	18	23	33
65+	150	13.0	60	6	6	11	17	24	28	55
TOT. SINGLE DX	987	5.6	4	3	4	5	6	8	9	13
" MULTIPLE DX	2442	7.0	18	4	4	6	7	10	15	26
TOTAL 0-19 YRS	218	6.0	8	3	4	5	7	8	10	19
20-34	1698	5.9	6	3	4	6	7	8	10	16
35-49	1166	6.6	13	4	4	6	7	9	12	22
50-64	175	8.8	29	4	5	7	10	16	20	30
65+	172	12.4	57	5	6	10	16	23	28	51
GRAND TOTAL	**3429**	**6.6**	**15**	**3**	**4**	**6**	**7**	**9**	**13**	**24**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	6.0		6	6	6	6	6	6	6
20-34	27	5.0	3	2	3	5	6	8	8	9
35-49	60	6.1	4	4	4	6	7	8	10	12
50-64	28	7.6	5	5	5	7	8	12	13	13
65+	31	7.5	3	5	5	7	8	11	11	12
2. MULTIPLE DX										
0-19 YRS	4	5.3	3	3	3	5	6	7	7	7
20-34	128	6.1	8	4	4	5	7	9	11	19
35-49	384	7.6	19	4	5	7	8	12	16	26
50-64	194	11.5	73	5	5	9	13	19	28	51
65+	178	15.0	125	6	7	11	19	28	37	63
TOT. SINGLE DX	149	6.5	5	4	4	6	8	9	11	13
" MULTIPLE DX	888	9.7	61	4	5	7	10	17	24	50
TOTAL 0-19 YRS	7	5.6	2	3	3	6	6	7	7	7
20-34	155	5.9	8	3	4	5	7	8	11	18
35-49	444	7.4	17	4	4	6	8	11	15	26
50-64	222	11.1	67	5	5	9	12	18	25	50
65+	209	13.9	115	6	6	10	17	27	33	60
GRAND TOTAL	**1037**	**9.2**	**54**	**4**	**5**	**7**	**10**	**16**	**22**	**45**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	57	3.3	5	<1	<1	3	4	6	9	11
20-34	197	3.0	6	<1	<1	2	5	7	8	11
35-49	36	2.9	4	<1	<1	2	4	6	7	7
50-64	4	2.8	12	<1	<1	<1	4	8	8	8
65+										
2. MULTIPLE DX										
0-19 YRS	64	4.3	11	<1	1	4	5	7	8	23
20-34	719	4.3	9	<1	<1	5	6	7	8	14
35-49	186	4.5	13	<1	<1	4	6	8	12	18
50-64	11	4.6	12	<1	<1	4	8	9	11	11
65+	7	23.7	863	3	3	7	34	75	84	84
TOT. SINGLE DX	294	3.1	6	<1	<1	2	5	7	8	11
" MULTIPLE DX	987	4.5	18	<1	<1	5	6	7	9	17
TOTAL 0-19 YRS	121	3.8	9	<1	1	3	5	7	8	15
20-34	916	4.0	9	<1	<1	4	6	7	8	13
35-49	222	4.2	12	<1	<1	4	6	7	11	17
50-64	15	4.1	12	<1	<1	3	8	8	10	11
65+	7	23.7	863	3	3	7	34	75	84	84
GRAND TOTAL	**1281**	**4.1**	**16**	**<1**	**<1**	**4**	**6**	**7**	**8**	**16**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	1170	1.3		<1	<1	1	2	2	2	3
35-49	567	1.4		<1	<1	1	2	2	3	4
50-64	1	5.0		5	5	5	5	5	5	5
65+										
2. MULTIPLE DX										
0-19 YRS	7	2.0	1	<1	<1	1	3	4	4	4
20-34	1161	1.6	3	<1	<1	1	2	3	4	5
35-49	705	1.6	2	<1	<1	1	2	2	3	7
50-64	2	2.5	1	2	2	2	3	3	3	3
65+										
TOT. SINGLE DX	1739	1.3		<1	<1	1	2	2	2	4
" MULTIPLE DX	1875	1.6	3	<1	<1	1	2	3	4	6
TOTAL 0-19 YRS	8	2.5	3	<1	<1	2	4	5	6	6
20-34	2331	1.4	2	<1	<1	1	2	2	3	5
35-49	1272	1.5	2	<1	<1	1	2	2	3	6
50-64	3	3.3	2	2	2	3	4	5	5	5
65+										
GRAND TOTAL	**3614**	**1.5**	**2**	**<1**	**<1**	**1**	**2**	**2**	**3**	**5**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	2.7	2	<1	<1	3	4	4	4	4
20-34	1382	2.1	1	<1	<1	2	3	4	4	5
35-49	626	2.1	1	<1	<1	2	3	4	4	5
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	15	3.7	2	1	2	4	5	6	7	7
20-34	3445	3.4	2	1	2	3	4	5	5	7
35-49	1132	3.4	3	1	1	3	4	5	6	9
50-64	5	6.0	3	3	3	7	7	7	7	7
65+										
TOT. SINGLE DX	2015	2.1	1	<1	<1	2	3	4	4	5
" MULTIPLE DX	4597	3.4	3	1	2	3	4	5	6	8
TOTAL 0-19 YRS	21	3.4	3	<1	1	4	4	6	7	7
20-34	4827	3.0	3	<1	1	3	4	5	5	7
35-49	1758	2.9	3	<1	1	3	4	5	5	8
50-64	6	5.3	5	2	2	6	7	7	7	7
65+										
GRAND TOTAL	**6612**	**3.0**	**3**	**<1**	**1**	**3**	**4**	**5**	**5**	**7**

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	86	4.7	3	1	2	5	5	6	7	12
20-34	1520	4.6	2	2	3	5	5	6	7	9
35-49	266	4.7	2	2	2	5	6	7	7	9
50-64	2	6.5	5	5	5	6	8	8	8	8
65+	2	7.0	18	4	4	7	10	10	10	10
2. MULTIPLE DX										
0-19 YRS	109	5.7	11	3	3	5	6	8	10	25
20-34	2068	5.1	7	2	3	5	6	7	8	12
35-49	451	5.1	4	1	3	5	6	7	9	10
50-64	6	7.3	3	5	5	7	8	10	10	10
65+	4	12.0	196	4	4	5	19	33	33	33
TOT. SINGLE DX	1876	4.6	3	2	3	5	6	6	7	9
" MULTIPLE DX	2638	5.1	7	2	3	5	6	7	8	12
TOTAL 0-19 YRS	195	5.3	8	2	3	5	6	7	9	20
20-34	3588	4.9	6	2	3	5	6	7	8	11
35-49	717	4.9	4	1	2	5	6	7	8	10
50-64	8	7.1	3	5	5	7	8	9	10	10
65+	6	10.3	128	4	4	5	10	31	33	33
GRAND TOTAL	**4514**	**4.9**	**6**	**2**	**3**	**5**	**6**	**7**	**8**	**11**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	2.3	2	<1	<1	2	3	4	6	6
20-34	541	1.8		<1	<1	2	2	3	3	4
35-49	271	1.9		<1	<1	2	2	3	3	5
50-64	80	1.8		<1	<1	2	2	3	4	4
65+	31	2.4	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	11	1.5		<1	<1	1	2	3	4	4
20-34	379	2.0	2	<1	<1	2	2	3	4	8
35-49	281	2.0	1	<1	<1	2	2	3	4	7
50-64	111	2.2	1	1	1	2	2	4	5	9
65+	56	3.9	26	1	1	2	4	9	13	33
TOT. SINGLE DX	935	1.8	1	<1	<1	2	2	3	3	5
" MULTIPLE DX	838	2.1	4	<1	<1	2	2	3	4	12
TOTAL 0-19 YRS	23	2.0	2	<1	<1	2	3	3	5	6
20-34	920	1.8	1	<1	<1	2	2	3	3	5
35-49	552	1.9	1	<1	<1	2	2	3	4	6
50-64	191	2.1	2	<1	1	2	2	3	4	8
65+	87	3.4	18	1	1	2	4	6	12	26
GRAND TOTAL	**1773**	**2.0**	**2**	**<1**	**<1**	**2**	**2**	**3**	**4**	**7**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	27	1.3		<1	<1	<1	1	2	3	3
20-34	337	1.5		<1	<1	1	2	2	3	5
35-49	456	1.5		<1	<1	1	2	2	3	4
50-64	221	1.7	1	<1	<1	2	2	2	3	8
65+	84	3.2	8	<1	<1	2	4	7	10	13
2. MULTIPLE DX										
0-19 YRS	24	2.2	3	<1	<1	2	3	4	6	9
20-34	492	2.3	13	<1	<1	1	2	4	6	21
35-49	1295	2.0	9	<1	<1	1	2	3	5	13
50-64	636	2.9	20	<1	<1	2	2	5	10	21
65+	402	6.1	90	1	1	2	7	14	21	53
TOT. SINGLE DX	1125	1.7	2	<1	<1	1	2	3	3	8
" MULTIPLE DX	2849	2.8	26	<1	<1	2	2	5	9	23
TOTAL 0-19 YRS	51	1.7	2	<1	<1	1	2	3	3	9
20-34	829	2.0	8	<1	<1	1	2	3	5	18
35-49	1751	1.9	7	<1	<1	1	2	3	4	12
50-64	857	2.6	16	<1	<1	2	2	4	9	21
65+	486	5.6	77	<1	1	2	6	12	19	51
GRAND TOTAL	**3974**	**2.5**	**19**	**<1**	**<1**	**2**	**2**	**4**	**7**	**21**

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	23	2.2		1	1	2	3	3	4	4
20-34	649	2.6	4	1	1	2	3	4	5	8
35-49	88	2.5	2	1	1	2	3	4	5	9
50-64	2	3.0	8	1	1	3	5	5	5	5
65+										
2. MULTIPLE DX										
0-19 YRS	5	1.8		1	1	2	2	3	3	3
20-34	224	4.3	32	1	1	3	4	8	11	42
35-49	40	5.4	24	<1	1	4	6	14	18	19
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	3.0		3	3	3	3	3	3	3
TOT. SINGLE DX	762	2.5	4	1	1	2	3	4	5	8
" MULTIPLE DX	271	4.4	31	1	1	3	4	8	12	36
TOTAL 0-19 YRS	28	2.1	1	1	1	2	3	3	4	4
20-34	873	3.0	12	1	1	2	3	5	7	14
35-49	128	3.4	11	1	1	3	4	6	10	19
50-64	3	3.0	4	1	1	3	4	5	5	5
65+	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**1033**	**3.0**	**12**	**1**	**1**	**2**	**3**	**5**	**7**	**15**

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	3.3	3	1	1	3	5	6	6	6
20-34	220	5.1	5	<1	1	5	6	8	9	10
35-49	127	4.9	6	1	1	5	7	8	8	11
50-64	29	2.3	1	<1	<1	2	3	4	6	6
65+	10	2.4	3	<1	<1	2	4	5	6	6
2. MULTIPLE DX										
0-19 YRS	12	5.3	9	1	1	5	6	9	12	13
20-34	532	5.2	6	<1	1	5	7	8	9	12
35-49	359	5.3	16	<1	1	5	7	8	10	23
50-64	100	4.3	43	<1	<1	2	3	10	20	35
65+	72	7.2	96	1	1	3	9	16	21	60
TOT. SINGLE DX	394	4.7	6	<1	1	5	6	7	8	11
" MULTIPLE DX	1075	5.3	20	<1	1	5	7	8	10	22
TOTAL 0-19 YRS	20	4.5	8	1	1	4	6	7	10	13
20-34	752	5.1	6	<1	1	5	7	8	9	12
35-49	486	5.2	14	<1	1	5	7	8	9	19
50-64	129	3.8	35	<1	<1	2	3	8	17	32
65+	82	6.6	87	<1	1	3	8	16	21	58
GRAND TOTAL	**1469**	**5.1**	**16**	**<1**	**1**	**5**	**7**	**8**	**9**	**20**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	8.6	23	4	4	8	10	17	19	19
20-34	445	6.2	3	4	5	6	7	8	9	14
35-49	1441	6.6	2	4	5	6	7	8	9	13
50-64	435	7.0	4	5	5	7	8	9	10	15
65+	225	7.8	5	5	6	7	9	11	12	18
2. MULTIPLE DX										
0-19 YRS	20	7.9	9	5	5	6	9	13	15	16
20-34	2484	6.7	7	4	5	6	7	9	10	17
35-49	11122	7.2	8	5	5	7	8	9	12	19
50-64	3182	8.2	23	5	5	7	8	12	16	28
65+	1495	10.7	46	6	6	8	12	17	23	44
TOT. SINGLE DX	2554	6.7	4	4	5	6	7	8	10	14
" MULTIPLE DX	18303	7.6	15	5	5	7	8	10	13	24
TOTAL 0-19 YRS	28	8.1	13	4	5	7	10	13	16	19
20-34	2929	6.6	7	4	5	6	7	9	10	16
35-49	12563	7.2	8	5	5	7	8	9	11	18
50-64	3617	8.1	21	5	5	7	8	11	15	27
65+	1720	10.3	42	6	6	8	11	17	22	42
GRAND TOTAL	**20857**	**7.5**	**14**	**5**	**5**	**7**	**8**	**10**	**13**	**23**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	185	4.9	2	3	3	5	6	7	8	10
35-49	290	5.7	3	3	4	6	7	8	9	12
50-64	292	6.7	3	4	5	6	7	9	10	14
65+	275	7.1	3	5	5	7	8	9	11	16
2. MULTIPLE DX										
0-19 YRS										
20-34	674	5.9	9	4	4	5	6	8	9	16
35-49	1776	6.3	5	4	4	6	7	9	10	15
50-64	960	7.3	5	5	5	7	8	10	11	15
65+	988	8.5	24	5	5	7	9	12	16	27
TOT. SINGLE DX	1043	6.2	4	4	4	6	7	8	9	13
" MULTIPLE DX	4398	6.9	11	4	4	6	8	10	12	18
TOTAL 0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	859	5.7	8	3	4	5	6	8	9	15
35-49	2066	6.2	5	4	4	6	7	8	10	15
50-64	1252	7.2	5	4	5	7	8	10	11	15
65+	1263	8.2	21	5	5	7	9	11	15	26
GRAND TOTAL	**5441**	**6.8**	**10**	**4**	**4**	**6**	**8**	**9**	**11**	**18**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	12	13.0	4	9	10	14	15	15	15	15
35-49	9	11.2	7	8	8	11	12	15	17	17
50-64	4	10.3	3	9	9	10	11	13	13	13
65+	6	13.7	36	7	7	12	20	22	22	22
2. MULTIPLE DX										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	18	16.5	149	7	7	13	16	41	48	48
35-49	40	12.8	47	6	7	11	16	26	31	99+
50-64	42	19.7	212	7	8	14	24	39	57	64
65+	40	20.5	212	8	10	17	21	39	70	99+
TOT. SINGLE DX	31	12.3	12	8	9	12	14	16	20	22
" MULTIPLE DX	141	17.5	163	7	8	14	20	32	52	99+
TOTAL 0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	30	15.1	93	7	8	13	15	23	47	48
35-49	49	12.5	40	6	7	11	15	24	31	99+
50-64	46	18.8	201	8	8	13	23	39	56	64
65+	46	19.6	193	7	9	16	21	32	63	99+
GRAND TOTAL	**172**	**16.5**	**140**	**7**	**8**	**13**	**18**	**31**	**48**	**96**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	343	1.0		<1	<1	<1	<1	<1	1	1
20-34	1607	1.0		<1	<1	<1	<1	1	1	3
35-49	224	1.1		<1	<1	<1	<1	1	1	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	28	2.1	2	<1	<1	1	3	5	6	8
20-34	230	3.0	23	<1	<1	1	3	6	8	32
35-49	96	2.0	2	<1	<1	1	2	4	6	8
50-64										
65+										
TOT. SINGLE DX	2174	1.0		<1	<1	<1	<1	1	1	2
" MULTIPLE DX	354	2.6	17	<1	<1	1	3	6	7	28
TOTAL 0-19 YRS	371	1.1		<1	<1	<1	<1	1	1	5
20-34	1837	1.3	3	<1	<1	<1	<1	1	2	7
35-49	320	1.3	1	<1	<1	<1	1	2	3	6
50-64										
65+										
GRAND TOTAL	**2528**	**1.3**	**3**	**<1**	**<1**	**<1**	**<1**	**1**	**2**	**6**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1273	1.4	1	<1	<1	1	2	2	3	6
20-34	10495	1.3		<1	<1	1	1	2	3	5
35-49	4343	1.3		<1	<1	1	1	2	2	5
50-64	998	1.5		<1	<1	1	2	2	2	6
65+	322	2.1	7	<1	<1	2	2	3	5	12
2. MULTIPLE DX										
0-19 YRS	395	2.6	6	<1	<1	2	3	5	7	15
20-34	4657	2.1	7	<1	<1	1	2	4	6	11
35-49	5695	1.9	6	<1	<1	1	2	3	6	13
50-64	1955	2.4	15	<1	<1	1	2	4	8	17
65+	1081	4.3	41	<1	1	2	4	11	16	53
TOT. SINGLE DX	17431	1.4	1	<1	<1	1	1	2	3	5
" MULTIPLE DX	13783	2.3	11	<1	<1	1	2	4	7	16
TOTAL 0-19 YRS	1668	1.7	3	<1	<1	1	2	3	5	7
20-34	15152	1.6	3	<1	<1	1	2	3	4	8
35-49	10038	1.7	4	<1	<1	1	2	2	4	9
50-64	2953	2.1	11	<1	<1	1	2	3	6	14
65+	1403	3.8	34	<1	<1	2	3	9	14	40
GRAND TOTAL	**31214**	**1.8**	**6**	**<1**	**<1**	**1**	**2**	**3**	**5**	**11**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	760	1.0		<1	<1	<1	<1	1	1	2
20-34	3278	1.1		<1	<1	<1	<1	1	1	2
35-49	452	1.1	2	<1	<1	<1	<1	1	1	2
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	747	1.3	3	<1	<1	<1	<1	<1	2	7
20-34	2272	1.5	5	<1	<1	<1	<1	2	3	10
35-49	443	1.8	3	<1	<1	1	2	3	5	8
50-64										
65+										
TOT. SINGLE DX	4490	1.1		<1	<1	<1	<1	1	1	2
" MULTIPLE DX	3462	1.5	5	<1	<1	<1	<1	2	4	10
TOTAL 0-19 YRS	1507	1.2	2	<1	<1	<1	<1	1	1	5
20-34	5550	1.2	3	<1	<1	<1	<1	1	2	7
35-49	895	1.4	3	<1	<1	<1	1	2	3	7
50-64										
65+										
GRAND TOTAL	**7952**	**1.2**	**2**	**<1**	**<1**	**<1**	**<1**	**1**	**2**	**6**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	262	1.4	1	<1	<1	1	1	2	3	6
20-34	2057	1.2		<1	<1	1	1	2	2	4
35-49	393	1.2		<1	<1	1	1	2	2	4
50-64	3	7.3	36	1	1	8	12	13	13	13
65+										
2. MULTIPLE DX										
0-19 YRS	48	3.3	22	1	1	2	4	6	8	33
20-34	372	2.3	8	<1	<1	1	2	5	7	13
35-49	115	2.2	4	<1	<1	1	2	5	7	11
50-64	3	4.3	24	1	1	2	8	10	10	10
65+	3	12.0	103	1	1	14	19	21	21	21
TOT. SINGLE DX	2715	1.2	1	<1	<1	1	1	2	2	4
" MULTIPLE DX	541	2.4	10	<1	<1	1	2	5	7	15
TOTAL 0-19 YRS	310	1.7	5	<1	<1	1	2	3	4	9
20-34	2429	1.4	2	<1	<1	1	1	2	3	6
35-49	508	1.4	2	<1	<1	1	1	2	3	8
50-64	6	5.8	27	1	1	5	10	13	13	13
65+	3	12.0	103	1	1	14	19	21	21	21
GRAND TOTAL	**3256**	**1.4**	**2**	**<1**	**<1**	**1**	**1**	**2**	**3**	**7**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	19	3.1	2	<1	<1	3	5	5	6	6
35-49	4	3.0	3	<1	<1	3	4	5	5	5
50-64	2	7.5	13	5	5	7	10	10	10	10
65+	4	6.0	3	4	4	6	7	8	8	9
2. MULTIPLE DX										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	52	5.1	5	1	2	5	6	7	7	18
35-49	8	6.3	2	4	4	6	7	8	9	9
50-64	9	6.6	4	2	3	7	8	9	9	9
65+	13	7.8	7	5	5	7	8	12	14	15
TOT. SINGLE DX	29	3.8	5	<1	<1	4	5	7	8	10
" MULTIPLE DX	84	5.8	6	2	3	6	7	8	9	17
TOTAL 0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	71	4.5	6	1	1	5	6	6	7	16
35-49	12	5.2	5	<1	1	5	7	8	9	9
50-64	11	6.7	5	2	4	7	8	9	10	10
65+	17	7.4	7	4	5	7	8	11	14	15
GRAND TOTAL	**113**	**5.3**	**7**	**1**	**2**	**5**	**6**	**8**	**9**	**16**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17	4.4	15	<1	<1	4	5	10	14	16
20-34	122	2.7	3	<1	<1	2	4	6	7	9
35-49	55	2.7	3	<1	<1	2	4	6	7	9
50-64	21	4.4	12	<1	<1	4	5	8	13	17
65+	10	3.4	9	<1	<1	3	4	8	11	11
2. MULTIPLE DX										
0-19 YRS	17	5.3	14	<1	1	5	6	9	14	17
20-34	260	3.7	7	<1	<1	3	5	7	8	12
35-49	141	3.3	8	<1	<1	2	5	7	8	15
50-64	59	5.0	25	1	2	4	5	9	14	34
65+	69	5.4	72	1	1	3	6	8	13	57
TOT. SINGLE DX	225	3.0	6	<1	<1	2	4	6	7	12
" MULTIPLE DX	546	4.0	19	<1	<1	3	5	7	8	22
TOTAL 0-19 YRS	34	4.8	15	<1	1	4	6	9	15	17
20-34	382	3.4	7	<1	<1	3	5	7	7	11
35-49	196	3.1	7	<1	<1	2	4	7	7	13
50-64	80	4.8	22	<1	1	4	5	8	13	30
65+	79	5.2	65	<1	1	3	5	8	12	54
GRAND TOTAL	**771**	**3.7**	**15**	**<1**	**<1**	**3**	**5**	**7**	**8**	**17**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	6.5	13	4	4	6	9	9	9	9
20-34	40	5.0	6	2	2	5	6	8	9	14
35-49	135	5.8	4	2	3	6	7	9	9	11
50-64	338	6.1	4	3	4	6	7	9	10	14
65+	285	6.5	4	3	4	6	8	9	10	14
2. MULTIPLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	119	6.1	6	3	3	6	7	9	11	14
35-49	468	6.8	7	3	4	6	8	10	12	14
50-64	708	7.2	7	4	4	7	8	10	12	17
65+	657	7.7	13	4	5	7	9	11	13	23
TOT. SINGLE DX	800	6.1	5	3	3	6	7	9	10	13
" MULTIPLE DX	1953	7.2	9	4	4	7	8	10	13	18
TOTAL 0-19 YRS	3	6.3	6	4	4	6	8	9	9	9
20-34	159	5.8	6	2	3	6	7	9	10	14
35-49	603	6.6	7	3	4	6	8	10	11	14
50-64	1046	6.8	7	3	4	7	8	10	12	16
65+	942	7.3	11	4	4	7	8	10	12	21
GRAND TOTAL	**2753**	**6.9**	**8**	**3**	**4**	**7**	**8**	**10**	**12**	**17**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	41	4.0	20	<1	<1	2	5	11	14	18
20-34	96	3.2	6	<1	<1	3	4	6	8	13
35-49	41	4.0	7	<1	1	4	6	8	9	10
50-64	23	5.0	12	1	1	5	8	10	12	12
65+	13	7.5	12	4	4	7	8	11	17	18
2. MULTIPLE DX										
0-19 YRS	33	4.2	21	1	1	3	5	9	16	22
20-34	63	4.5	17	<1	1	3	6	8	12	24
35-49	53	5.1	18	1	1	4	7	10	12	22
50-64	61	8.4	121	1	2	7	9	12	20	78
65+	62	10.2	83	1	2	8	12	23	27	50
TOT. SINGLE DX	214	4.0	11	<1	1	3	6	8	10	17
" MULTIPLE DX	272	6.8	62	1	1	5	8	12	20	37
TOTAL 0-19 YRS	74	4.1	20	<1	1	2	5	10	16	21
20-34	159	3.7	11	<1	<1	3	5	7	10	16
35-49	94	4.6	14	<1	1	4	7	9	10	20
50-64	84	7.5	94	1	1	6	8	11	16	66
65+	75	9.7	72	1	2	7	11	20	25	48
GRAND TOTAL	**486**	**5.5**	**41**	**<1**	**1**	**4**	**7**	**10**	**15**	**28**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	85	3.3	14	<1	<1	2	4	9	11	21
20-34	269	2.8	8	<1	<1	2	3	7	8	15
35-49	92	2.8	9	<1	<1	2	3	5	6	19
50-64	60	3.6	9	<1	<1	2	6	8	9	15
65+	73	4.0	5	1	1	4	6	7	9	12
2. MULTIPLE DX										
0-19 YRS	87	4.3	32	<1	<1	2	5	10	12	35
20-34	242	4.1	32	<1	1	3	5	8	11	30
35-49	133	6.1	39	1	1	4	8	13	19	29
50-64	168	6.8	83	<1	1	5	7	13	18	77
65+	313	7.4	68	1	2	6	8	14	19	53
TOT. SINGLE DX	579	3.1	9	<1	<1	2	4	7	9	15
" MULTIPLE DX	943	6.0	56	<1	1	4	7	12	17	43
TOTAL 0-19 YRS	172	3.8	24	<1	<1	2	4	9	12	21
20-34	511	3.4	20	<1	<1	2	4	8	10	17
35-49	225	4.8	30	<1	1	3	6	11	16	27
50-64	228	6.0	66	<1	1	4	7	12	16	67
65+	386	6.8	58	1	2	5	8	12	17	49
GRAND TOTAL	**1522**	**4.9**	**40**	**<1**	**<1**	**3**	**6**	**10**	**14**	**31**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	132	2.0	2	<1	<1	1	2	4	6	9
20-34	683	1.7	1	<1	<1	1	2	3	4	6
35-49	320	1.8	2	<1	<1	1	2	3	4	6
50-64	100	2.1	3	<1	<1	2	2	4	5	12
65+	51	2.2	5	<1	<1	1	2	4	8	15
2. MULTIPLE DX										
0-19 YRS	53	3.6	7	1	1	3	4	8	10	14
20-34	259	2.8	13	<1	<1	2	3	5	7	12
35-49	164	3.9	44	<1	1	2	3	8	12	45
50-64	117	5.0	35	<1	<1	3	6	13	20	28
65+	186	10.6	235	1	1	5	12	28	49	87
TOT. SINGLE DX	1286	1.8	2	<1	<1	1	2	3	4	8
" MULTIPLE DX	779	5.3	85	<1	1	3	5	11	17	54
TOTAL 0-19 YRS	185	2.5	5	<1	<1	2	3	5	7	11
20-34	942	2.0	5	<1	<1	1	2	3	4	8
35-49	484	2.5	17	<1	<1	2	2	4	7	18
50-64	217	3.6	23	<1	<1	2	3	8	14	25
65+	237	8.8	198	<1	1	3	10	22	38	80
GRAND TOTAL	**2065**	**3.1**	**36**	**<1**	**<1**	**2**	**3**	**5**	**9**	**33**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	3.3	10	1	1	2	6	7	7	7
20-34	4	5.0	64	<1	<1	1	9	17	17	17
35-49	13	4.2	15	1	1	3	5	8	14	16
50-64	12	5.3	6	2	2	6	7	8	9	9
65+	29	8.2	34	2	2	7	9	18	20	25
2. MULTIPLE DX										
0-19 YRS										
20-34	12	6.8	18	2	2	5	10	14	15	15
35-49	20	9.9	67	2	2	8	13	21	30	33
50-64	25	11.9	69	<1	2	11	18	23	25	31
65+	95	17.8	244	3	4	13	23	37	43	79
TOT. SINGLE DX	61	6.3	27	1	1	5	8	14	18	24
" MULTIPLE DX	152	14.9	189	2	3	11	18	33	38	72
TOTAL 0-19 YRS	3	3.3	10	1	1	2	6	7	7	7
20-34	16	6.3	27	<1	<1	4	10	15	16	17
35-49	33	7.6	54	1	2	5	10	15	25	33
50-64	37	9.7	58	1	2	8	15	21	23	31
65+	124	15.6	211	3	3	11	19	35	42	75
GRAND TOTAL	**213**	**12.5**	**157**	**2**	**2**	**9**	**16**	**26**	**36**	**69**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	37	1.4	1	<1	<1	1	1	3	4	6
20-34	28	2.5	3	<1	<1	2	3	5	7	8
35-49	10	4.2	20	<1	<1	3	5	11	16	16
50-64	5	1.4		<1	<1	1	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	15	1.9	4	<1	<1	1	2	4	8	9
20-34	31	4.9	156	1	1	3	3	5	7	72
35-49	20	5.2	39	1	2	3	6	10	21	29
50-64	7	2.9	3	1	1	3	4	6	6	6
65+	9	6.1	36	1	1	4	7	16	21	21
TOT. SINGLE DX	80	2.2	5	<1	<1	1	3	4	6	14
" MULTIPLE DX	82	4.4	74	<1	1	3	4	7	11	58
TOTAL 0-19 YRS	52	1.6	2	<1	<1	1	1	3	4	9
20-34	59	3.8	84	<1	<1	2	3	5	7	66
35-49	30	4.8	32	<1	1	3	5	10	16	29
50-64	12	2.3	2	<1	<1	2	3	5	6	6
65+	9	6.1	36	1	1	4	7	16	21	21
GRAND TOTAL	**162**	**3.3**	**41**	**<1**	**<1**	**2**	**3**	**6**	**8**	**28**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	1.5	1	<1	<1	<1	1	3	4	4
20-34	5	1.4		<1	<1	1	2	2	2	2
35-49	4	1.3		<1	<1	1	1	2	2	2
50-64										
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2
20-34	19	9.7	277	<1	<1	3	7	32	52	66
35-49	2	2.5	5	<1	<1	2	4	4	4	4
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	7	6.6	41	1	1	3	11	16	17	17
TOT. SINGLE DX	18	1.4	1	<1	<1	1	2	2	3	4
" MULTIPLE DX	35	6.9	166	<1	<1	2	6	17	33	66
TOTAL 0-19 YRS	13	1.4	1	<1	<1	<1	1	3	4	4
20-34	24	8.0	229	<1	<1	2	5	29	44	66
35-49	6	1.7	1	<1	<1	1	2	4	4	4
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	8	6.0	38	1	1	3	11	15	17	17
GRAND TOTAL	**53**	**5.1**	**116**	**<1**	**<1**	**1**	**3**	**13**	**27**	**65**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	525	3.1		2	2	3	3	4	4	5
20-34	4075	3.2		2	2	3	4	4	4	5
35-49	300	3.2		2	2	3	4	4	4	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	607	3.4	1	2	2	3	4	5	5	8
20-34	4371	3.6	6	2	2	3	4	5	5	10
35-49	444	3.8	3	2	3	3	4	5	6	13
50-64										
65+										
TOT. SINGLE DX	4900	3.1	1	2	2	3	4	4	4	5
" MULTIPLE DX	5422	3.6	6	2	2	3	4	5	5	10
TOTAL 0-19 YRS	1132	3.2	3	2	2	3	4	4	5	7
20-34	8446	3.4	4	2	2	3	4	4	5	7
35-49	744	3.5	2	2	3	3	4	4	5	8
50-64										
65+										
GRAND TOTAL	**10322**	**3.4**	**3**	**2**	**2**	**3**	**4**	**4**	**5**	**7**

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	19	2.6		1	1	3	3	4	4	4
20-34	188	2.8		1	2	3	3	4	4	4
35-49	13	2.7		1	2	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	45	3.1	4	1	1	3	3	5	6	14
20-34	369	3.2	3	1	1	3	4	5	6	12
35-49	62	3.1	2	1	1	3	4	5	6	9
50-64										
65+										
TOT. SINGLE DX	220	2.8	1	1	2	3	3	4	4	4
" MULTIPLE DX	476	3.2	3	1	1	3	4	5	6	12
TOTAL 0-19 YRS	64	3.0	3	1	1	3	3	4	5	13
20-34	557	3.1	3	1	1	3	3	4	5	11
35-49	75	3.0	2	1	1	3	3	4	6	9
50-64										
65+										
GRAND TOTAL	**696**	**3.1**	**3**	**1**	**1**	**3**	**3**	**4**	**5**	**11**

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	206	3.0	1	2	2	3	3	4	4	7
20-34	1241	3.1		2	2	3	3	4	4	5
35-49	92	3.1		2	2	3	4	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	256	3.5	2	2	2	3	4	5	6	9
20-34	1939	3.5	2	2	2	3	4	5	5	9
35-49	176	3.4	1	2	2	3	4	5	5	7
50-64										
65+										
TOT. SINGLE DX	1539	3.1	1	2	2	3	3	4	4	5
" MULTIPLE DX	2371	3.5	2	2	2	3	4	5	5	9
TOTAL 0-19 YRS	462	3.2	2	2	2	3	4	4	6	8
20-34	3180	3.3	2	2	2	3	4	4	5	8
35-49	268	3.3	1	2	2	3	4	4	5	7
50-64										
65+										
GRAND TOTAL	**3910**	**3.3**	**2**	**2**	**2**	**3**	**4**	**4**	**5**	**8**

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7073	2.9	1	2	2	3	3	4	4	6
20-34	53751	2.9		2	2	3	3	4	4	5
35-49	4003	2.9		1	2	3	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2025	3.4	5	1	2	3	4	5	6	11
20-34	17012	3.3	5	1	2	3	4	5	5	9
35-49	1818	3.5	3	2	2	3	4	5	6	11
50-64										
65+										
TOT. SINGLE DX	64827	2.9	1	2	2	3	3	4	4	5
" MULTIPLE DX	20855	3.3	5	1	2	3	4	5	5	10
TOTAL 0-19 YRS	9098	3.0	3	2	2	3	3	4	5	7
20-34	70763	3.0	2	1	2	3	3	4	4	6
35-49	5821	3.1	2	1	2	3	3	4	5	7
50-64										
65+										
GRAND TOTAL	**85682**	**3.0**	**2**	**1**	**2**	**3**	**3**	**4**	**4**	**6**

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	862	5.5	2	4	4	5	6	7	8	10
20-34	11514	5.5	2	4	4	5	6	7	7	9
35-49	962	5.9	3	4	4	6	6	7	8	12
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2164	6.2	6	4	4	6	7	8	10	18
20-34	24966	6.0	9	4	4	6	6	8	9	16
35-49	3355	6.4	10	4	5	6	7	8	10	20
50-64										
65+										
TOT. SINGLE DX	13338	5.5	2	4	4	5	6	7	7	9
" MULTIPLE DX	30485	6.1	9	4	4	6	6	8	9	17
TOTAL 0-19 YRS	3026	6.0	6	4	4	6	6	8	9	16
20-34	36480	5.9	7	4	4	6	6	7	8	14
35-49	4317	6.3	9	4	5	6	7	8	9	18
50-64										
65+										
GRAND TOTAL	**43823**	**5.9**	**7**	**4**	**4**	**6**	**6**	**7**	**8**	**15**

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	6.2	2	4	4	6	7	8	8	8
20-34	236	5.7	14	4	4	5	6	7	7	9
35-49	25	5.7	1	4	4	6	6	7	8	9
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	61	6.2	3	4	4	6	7	9	10	14
20-34	609	6.7	23	4	4	6	7	8	11	37
35-49	110	7.5	24	4	4	6	7	12	21	28
50-64										
65+										
TOT. SINGLE DX	274	5.7	13	4	4	5	6	7	7	9
" MULTIPLE DX	780	6.8	22	4	4	6	7	9	11	36
TOTAL 0-19 YRS	74	6.2	4	4	4	6	7	8	9	14
20-34	845	6.4	21	4	4	6	7	8	10	36
35-49	135	7.2	21	4	4	6	7	10	16	28
50-64										
65+										
GRAND TOTAL	**1054**	**6.5**	**20**	**4**	**4**	**6**	**7**	**8**	**10**	**32**

693: Other abdominal operation to remcve embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	4.7	2	2	3	5	6	7	7	7
20-34	74	4.4	1	2	3	4	5	6	6	8
35-49	6	4.2	1	3	3	4	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	4	6.5	3	4	4	7	8	8	8	8
20-34	85	5.5	4	3	3	5	6	8	9	14
35-49	6	5.0	1	4	4	5	5	7	7	7
50-64										
65+										
TOT. SINGLE DX	90	4.4	2	2	3	4	5	6	6	8
" MULTIPLE DX	95	5.5	4	3	3	5	6	8	9	14
TOTAL 0-19 YRS	14	5.2	3	2	3	5	6	8	8	8
20-34	159	5.0	3	3	3	5	6	7	8	13
35-49	12	4.6	1	3	3	5	5	6	7	7
50-64										
65+										
GRAND TOTAL	**185**	**5.0**	**3**	**3**	**3**	**5**	**6**	**7**	**8**	**13**

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	728	1.7		1	1	2	2	2	3	4
20-34	1049	1.8		1	1	2	2	2	3	4
35-49	94	1.8		<1	1	2	2	3	3	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	43	2.5	2	1	1	2	3	4	5	9
20-34	110	3.0	8	1	1	2	3	5	8	18
35-49	32	4.6	43	1	1	2	5	10	15	36
50-64										
65+										
TOT. SINGLE DX	1871	1.7	1	1	1	2	2	2	3	4
" MULTIPLE DX	185	3.2	13	1	1	2	3	5	8	19
TOTAL 0-19 YRS	771	1.7	1	1	1	2	2	2	3	4
20-34	1159	1.9	2	1	1	2	2	3	3	6
35-49	126	2.5	13	1	1	2	2	3	5	20
50-64										
65+										
GRAND TOTAL	**2056**	**1.9**	**2**	**1**	**1**	**2**	**2**	**3**	**3**	**6**

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17	4.1	12	<1	1	3	4	10	13	14
20-34	91	5.3	26	<1	1	4	7	12	17	26
35-49	16	4.0	24	<1	<1	2	5	12	16	18
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	19	6.1	43	1	1	4	8	13	22	29
20-34	281	2.9	28	<1	<1	<1	2	7	12	25
35-49	252	1.4	15	<1	<1	<1	<1	<1	<1	9
50-64										
65+										
TOT. SINGLE DX	124	5.0	25	<1	1	3	7	12	16	23
" MULTIPLE DX	552	2.3	24	<1	<1	<1	<1	4	9	24
TOTAL 0-19 YRS	36	5.1	29	1	1	3	6	12	14	29
20-34	372	3.5	29	<1	<1	<1	4	9	13	25
35-49	268	1.5	16	<1	<1	<1	<1	<1	2	12
50-64										
65+										
GRAND TOTAL	**676**	**2.8**	**25**	**<1**	**<1**	**<1**	**2**	**7**	**11**	**24**

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	786	2.7	1	<1	1	3	3	4	4	7
20-34	5062	2.8	1	<1	1	3	3	4	4	6
35-49	389	2.7	1	<1	1	3	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	281	3.4	3	1	2	3	4	5	7	11
20-34	2015	3.4	4	1	2	3	4	5	6	11
35-49	215	3.8	10	1	2	3	4	5	7	21
50-64										
65+										
TOT. SINGLE DX	6237	2.8	2	<1	1	3	3	4	4	6
" MULTIPLE DX	2511	3.4	5	1	2	3	4	5	6	12
TOTAL 0-19 YRS	1067	2.9	3	<1	1	3	3	4	5	9
20-34	7077	3.0	3	1	1	3	3	4	5	8
35-49	604	3.1	5	1	1	3	4	4	5	12
50-64										
65+										
GRAND TOTAL	**8748**	**3.0**	**3**	**<1**	**1**	**3**	**3**	**4**	**5**	**8**

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1330	2.8		2	2	3	3	4	4	5
20-34	10785	2.8		1	2	3	3	4	4	5
35-49	910	2.8		1	2	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1064	3.3	6	2	2	3	4	4	5	10
20-34	9646	3.1	2	2	2	3	4	4	5	7
35-49	1055	3.3	3	2	2	3	4	4	5	9
50-64										
65+										
TOT. SINGLE DX	13025	2.8	1	1	2	3	3	4	4	5
" MULTIPLE DX	11765	3.2	3	2	2	3	4	4	5	8
TOTAL 0-19 YRS	2394	3.0	3	2	2	3	3	4	4	7
20-34	20431	2.9	2	1	2	3	3	4	4	6
35-49	1965	3.0	2	1	2	3	3	4	5	7
50-64										
65+										
GRAND TOTAL	**24790**	**3.0**	**2**	**1**	**2**	**3**	**3**	**4**	**4**	**6**

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	2.9	2	<1	<1	3	4	5	6	6
20-34	36	3.3	7	<1	<1	3	4	5	9	15
35-49	14	2.8	3	<1	<1	2	4	6	6	6
50-64	23	4.9	44	<1	1	3	5	15	21	29
65+	22	3.0	4	<1	<1	2	4	7	7	7
2. MULTIPLE DX										
0-19 YRS	29	3.9	2	1	2	4	4	5	8	9
20-34	47	4.1	12	<1	1	4	5	7	12	19
35-49	37	8.1	100	1	1	4	10	25	30	44
50-64	50	10.5	164	1	1	4	16	27	35	64
65+	56	11.1	255	1	1	5	15	28	61	99
TOT. SINGLE DX	116	3.4	13	<1	<1	2	4	6	8	21
" MULTIPLE DX	219	8.0	131	1	1	4	9	20	30	71
TOTAL 0-19 YRS	50	3.5	3	<1	1	4	4	5	6	9
20-34	83	3.7	10	<1	1	3	4	6	10	18
35-49	51	6.6	79	1	1	3	6	19	30	44
50-64	73	8.7	133	1	1	4	14	23	32	59
65+	78	8.8	197	<1	1	4	10	21	45	96
GRAND TOTAL	**335**	**6.4**	**94**	**<1**	**1**	**4**	**5**	**16**	**24**	**64**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	210	3.4	2	1	2	3	4	5	6	9
20-34	412	3.1	2	1	1	3	4	5	5	9
35-49	155	3.1	3	1	1	3	4	5	6	11
50-64	73	2.5	1	1	1	2	3	4	4	6
65+	14	3.0	4	1	1	3	3	5	8	9
2. MULTIPLE DX										
0-19 YRS	242	4.5	8	2	2	4	5	7	9	25
20-34	389	4.2	14	2	2	4	4	6	7	29
35-49	162	3.5	4	1	1	3	4	5	7	11
50-64	77	4.8	56	1	1	3	4	8	16	50
65+	43	6.0	42	1	1	3	6	17	22	29
TOT. SINGLE DX	864	3.1	3	1	1	3	4	5	6	9
" MULTIPLE DX	913	4.3	16	1	2	4	5	6	8	26
TOTAL 0-19 YRS	452	4.0	6	2	2	4	5	6	7	15
20-34	801	3.6	9	1	2	3	4	5	6	12
35-49	317	3.3	4	1	1	3	4	5	6	11
50-64	150	3.7	31	1	1	3	4	5	8	27
65+	57	5.2	35	1	1	3	5	15	20	29
GRAND TOTAL	**1777**	**3.7**	**10**	**1**	**2**	**3**	**4**	**6**	**7**	**17**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	114	2.5	2	1	1	2	3	4	5	10
20-34	201	2.9	3	1	1	3	3	5	6	11
35-49	43	3.3	4	<1	1	3	5	6	7	10
50-64	13	3.3	4	1	1	3	4	7	8	8
65+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	180	4.0	12	1	1	3	5	8	12	18
20-34	270	5.4	46	1	1	4	6	11	14	63
35-49	74	6.1	44	1	2	4	7	13	18	42
50-64	29	6.9	61	1	1	4	8	12	20	42
65+	20	9.3	61	1	2	6	12	23	26	27
TOT. SINGLE DX	373	2.8	4	1	1	2	3	5	6	10
" MULTIPLE DX	573	5.2	38	1	1	4	6	11	14	44
TOTAL 0-19 YRS	294	3.4	9	1	1	3	4	7	9	16
20-34	471	4.3	30	1	1	3	5	8	12	44
35-49	117	5.1	31	1	1	4	6	10	14	29
50-64	42	5.8	47	1	1	4	7	10	15	42
65+	22	8.6	60	1	2	6	12	22	26	27
GRAND TOTAL	**946**	**4.3**	**26**	**1**	**1**	**3**	**5**	**8**	**12**	**27**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	101	2.7	11	<1	1	2	3	5	6	21
20-34	301	3.0	5	1	1	2	4	6	8	12
35-49	89	3.2	13	1	1	2	3	6	8	23
50-64	28	4.0	23	1	1	3	4	7	17	23
65+	11	2.5	2	1	1	2	3	5	7	7
2. MULTIPLE DX										
0-19 YRS	152	6.8	78	1	2	5	8	13	20	43
20-34	449	7.1	71	1	2	5	9	14	18	49
35-49	183	8.2	88	1	2	6	10	16	23	52
50-64	85	8.2	88	1	2	6	9	15	29	52
65+	42	10.6	121	1	2	7	14	27	30	55
TOT. SINGLE DX	530	3.0	9	1	1	2	3	6	8	16
" MULTIPLE DX	911	7.6	80	1	2	5	9	14	21	51
TOTAL 0-19 YRS	253	5.2	55	1	1	3	6	10	14	32
20-34	750	5.5	49	1	1	4	7	11	15	31
35-49	272	6.6	70	1	1	4	8	13	20	45
50-64	113	7.2	75	1	1	4	9	14	27	48
65+	53	8.9	107	1	2	5	11	25	30	54
GRAND TOTAL	**1441**	**5.9**	**59**	**1**	**1**	**4**	**7**	**12**	**17**	**38**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	20	5.6	22	2	3	4	7	8	16	24
20-34	20	3.9	13	<1	1	3	5	8	12	16
35-49	22	3.5	11	1	1	2	3	7	12	16
50-64	21	2.3	1	1	1	2	3	4	5	7
65+	7	1.7	1	1	1	1	2	4	4	4
2. MULTIPLE DX										
0-19 YRS	28	8.1	36	2	2	7	9	18	20	25
20-34	20	5.2	12	1	1	4	8	10	11	11
35-49	26	5.4	23	1	1	3	8	13	15	19
50-64	31	4.5	63	1	1	3	4	7	8	46
65+	21	4.1	13	1	1	3	5	10	13	15
TOT. SINGLE DX	90	3.6	12	1	1	3	4	7	9	21
" MULTIPLE DX	126	5.5	34	1	1	3	8	11	17	30
TOTAL 0-19 YRS	48	7.0	31	2	3	5	8	17	19	25
20-34	40	4.5	13	1	1	3	7	10	11	16
35-49	48	4.5	18	1	1	3	5	12	14	19
50-64	52	3.7	39	1	1	2	3	7	8	45
65+	28	3.5	12	1	1	2	4	9	11	15
GRAND TOTAL	**216**	**4.7**	**26**	**1**	**1**	**3**	**6**	**10**	**15**	**24**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	327	5.6	59	<1	1	4	6	10	16	46
20-34	255	5.0	74	<1	1	3	5	9	15	45
35-49	179	4.9	18	<1	1	4	7	9	12	26
50-64	194	5.3	13	1	1	5	7	10	12	18
65+	60	9.2	59	1	2	7	11	18	23	41
2. MULTIPLE DX										
0-19 YRS	387	7.3	47	1	2	5	8	16	23	37
20-34	252	6.6	93	1	2	4	6	12	27	64
35-49	222	6.8	90	1	1	3	6	17	26	53
50-64	329	7.4	65	1	2	5	8	13	25	47
65+	194	14.0	221	2	2	8	17	39	48	74
TOT. SINGLE DX	1015	5.5	48	<1	1	4	6	10	15	42
" MULTIPLE DX	1384	8.1	97	1	2	5	9	18	29	53
TOTAL 0-19 YRS	714	6.5	53	1	2	5	7	13	20	42
20-34	507	5.8	84	1	1	3	5	11	20	58
35-49	401	6.0	59	1	1	4	6	12	22	47
50-64	523	6.6	47	1	2	5	8	12	16	41
65+	254	12.9	187	2	2	8	15	35	46	69
GRAND TOTAL	**2399**	**7.0**	**78**	**1**	**1**	**4**	**7**	**14**	**24**	**49**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	180	2.8	2	<1	1	2	4	5	6	7
20-34	372	2.8	2	<1	1	3	4	5	5	8
35-49	412	2.9	2	<1	1	3	4	5	6	7
50-64	354	3.3	2	1	1	3	4	5	6	8
65+	131	3.4	10	<1	1	3	4	6	7	17
2. MULTIPLE DX										
0-19 YRS	259	3.1	2	1	1	3	4	5	6	7
20-34	698	3.1	3	1	1	3	4	5	6	8
35-49	886	3.3	5	1	1	3	4	5	6	11
50-64	1395	3.6	7	1	1	3	4	6	7	11
65+	881	4.2	15	1	1	4	5	7	9	23
TOT. SINGLE DX	1449	3.0	3	<1	1	3	4	5	6	8
" MULTIPLE DX	4119	3.5	8	1	1	3	4	6	7	13
TOTAL 0-19 YRS	439	3.0	2	1	1	3	4	5	6	7
20-34	1070	3.0	3	1	1	3	4	5	6	8
35-49	1298	3.2	4	1	1	3	4	5	6	10
50-64	1749	3.5	6	1	1	3	4	6	7	11
65+	1012	4.1	15	1	1	3	5	7	8	23
GRAND TOTAL	**5568**	**3.4**	**7**	**1**	**1**	**3**	**4**	**6**	**7**	**11**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	943	3.4	22	<1	1	2	4	6	9	25
20-34	1100	3.4	17	<1	<1	2	4	6	9	23
35-49	784	3.5	22	<1	<1	3	4	6	9	25
50-64	544	4.2	26	<1	1	3	5	8	11	25
65+	241	5.7	46	<1	1	4	7	14	18	41
2. MULTIPLE DX										
0-19 YRS	473	8.6	131	1	1	4	10	24	33	71
20-34	925	7.1	134	<1	1	3	7	17	30	68
35-49	915	7.7	122	1	1	4	8	21	36	59
50-64	1047	9.4	147	1	1	4	11	25	40	71
65+	1067	15.3	264	1	2	10	21	38	57	99+
TOT. SINGLE DX	3612	3.7	24	<1	1	3	4	7	10	27
" MULTIPLE DX	4427	9.9	176	1	1	4	12	28	41	82
TOTAL 0-19 YRS	1416	5.2	65	<1	1	3	5	11	21	43
20-34	2025	5.1	74	<1	1	3	5	10	18	53
35-49	1699	5.8	81	<1	1	3	5	12	24	51
50-64	1591	7.6	112	<1	1	4	8	19	31	62
65+	1308	13.5	238	1	2	8	19	36	50	99+
GRAND TOTAL	**8039**	**7.1**	**117**	**<1**	**1**	**3**	**7**	**18**	**30**	**65**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	345	6.1	51	1	2	4	7	11	16	33
20-34	231	4.6	25	1	1	3	5	8	10	19
35-49	106	5.6	45	1	1	4	7	10	18	38
50-64	89	6.0	24	1	2	5	8	12	14	28
65+	103	13.5	110	3	5	11	16	24	33	58
2. MULTIPLE DX										
0-19 YRS	239	8.1	69	1	2	6	10	16	24	44
20-34	185	9.7	169	1	2	5	11	20	41	76
35-49	99	9.9	170	1	2	6	11	26	33	99+
50-64	142	13.0	171	2	2	9	17	26	34	81
65+	515	18.9	205	5	7	15	23	39	57	99+
TOT. SINGLE DX	874	6.5	55	1	2	4	8	13	18	41
" MULTIPLE DX	1180	13.8	187	2	3	10	18	30	44	99+
TOTAL 0-19 YRS	584	6.9	60	1	2	5	8	13	20	42
20-34	416	6.9	95	1	2	4	7	13	20	58
35-49	205	7.7	110	1	1	5	8	18	31	96
50-64	231	10.3	126	1	2	7	13	21	31	79
65+	618	18.0	194	4	6	15	22	37	53	99+
GRAND TOTAL	**2054**	**10.7**	**144**	**1**	**2**	**7**	**14**	**24**	**35**	**80**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	588	2.4	10	<1	<1	2	3	4	5	13
20-34	895	2.5	4	<1	<1	2	3	4	6	10
35-49	421	2.8	9	<1	<1	2	3	5	7	21
50-64	383	2.8	7	<1	<1	2	3	5	7	16
65+	273	5.8	75	<1	1	3	6	11	15	61
2. MULTIPLE DX										
0-19 YRS	385	4.3	63	<1	<1	2	4	7	12	55
20-34	408	5.4	80	<1	1	3	5	11	19	62
35-49	261	5.4	42	1	1	3	6	11	20	40
50-64	293	6.9	84	1	1	3	7	16	28	46
65+	500	12.9	237	2	2	7	17	35	56	99+
TOT. SINGLE DX	2560	2.9	16	<1	<1	2	3	5	7	19
" MULTIPLE DX	1847	7.4	126	<1	1	3	7	19	30	73
TOTAL 0-19 YRS	973	3.2	32	<1	<1	2	3	5	7	30
20-34	1303	3.4	30	<1	<1	2	3	6	9	28
35-49	682	3.8	24	<1	<1	2	4	8	13	30
50-64	676	4.6	45	<1	<1	3	4	9	16	41
65+	773	10.4	192	1	2	5	12	27	45	99+
GRAND TOTAL	**4407**	**4.8**	**67**	**<1**	**<1**	**2**	**4**	**10**	**18**	**51**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	79	17.1	257	2	3	12	24	36	45	80
20-34	28	13.5	269	4	5	10	12	19	41	91
35-49	11	10.2	57	3	3	6	14	21	27	28
50-64	36	9.5	40	3	4	8	12	14	21	37
65+	133	14.7	60	6	6	13	18	24	31	65
2. MULTIPLE DX										
0-19 YRS	88	20.9	251	4	8	16	26	47	61	91
20-34	86	19.1	242	6	7	15	22	43	61	99+
35-49	32	17.9	197	5	7	14	23	41	65	99+
50-64	92	19.2	252	7	8	14	21	40	68	96
65+	682	21.8	262	8	9	17	27	46	66	99+
TOT. SINGLE DX	287	14.4	136	3	4	12	18	28	36	80
" MULTIPLE DX	980	21.1	257	7	8	16	26	44	65	99+
TOTAL 0-19 YRS	167	19.1	256	3	4	15	26	42	49	80
20-34	114	17.7	253	5	6	14	19	36	56	99+
35-49	43	15.9	171	4	5	13	21	38	50	99+
50-64	128	16.5	211	5	6	12	19	36	42	93
65+	815	20.6	237	7	8	16	25	42	60	99+
GRAND TOTAL	**1267**	**19.6**	**238**	**6**	**7**	**15**	**23**	**41**	**58**	**99+**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	147	10.3	69	3	4	8	12	19	24	46
20-34	92	11.5	81	3	4	10	14	19	26	54
35-49	99	11.1	38	4	5	10	13	19	24	69
50-64	243	11.4	24	5	6	11	13	17	22	28
65+	1046	17.0	105	7	9	15	19	28	34	72
2. MULTIPLE DX										
0-19 YRS	207	20.0	194	5	7	16	27	38	52	99+
20-34	336	21.9	296	7	8	17	26	46	70	99+
35-49	183	20.0	243	6	7	15	24	44	57	97
50-64	734	19.8	217	6	8	15	23	40	59	99+
65+	6015	22.9	239	8	10	19	29	48	71	99+
TOT. SINGLE DX	1627	14.9	92	5	6	13	17	25	32	61
" MULTIPLE DX	7475	22.4	240	8	9	18	28	47	69	99+
TOTAL 0-19 YRS	354	16.0	165	4	5	12	21	33	46	78
20-34	428	19.7	269	5	7	15	24	41	59	98
35-49	282	16.8	190	5	6	12	19	39	51	97
50-64	977	17.7	182	6	7	14	21	34	50	99+
65+	7061	22.0	224	8	10	18	27	46	66	99+
GRAND TOTAL	**9102**	**21.0**	**222**	**7**	**9**	**17**	**26**	**44**	**62**	**99+**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	235	13.3	197	1	1	7	21	33	42	61
20-34	16	19.5	416	2	3	10	29	53	67	72
35-49	9	24.8	697	1	1	14	47	67	71	71
50-64	11	16.3	309	2	3	11	20	41	63	65
65+	41	13.0	161	1	2	9	21	28	38	59
2. MULTIPLE DX										
0-19 YRS	124	17.6	289	1	2	14	26	41	50	79
20-34	57	26.6	559	4	5	19	44	75	89	99+
35-49	27	20.0	295	3	4	16	30	44	83	99+
50-64	31	23.3	491	4	5	17	26	68	77	99+
65+	175	19.3	234	3	5	15	28	47	77	99+
TOT. SINGLE DX	312	14.0	223	1	2	8	21	33	45	67
" MULTIPLE DX	414	20.1	324	2	3	16	29	50	74	99+
TOTAL 0-19 YRS	359	14.8	233	1	2	8	23	35	45	65
20-34	73	25.0	530	3	5	16	41	72	87	99+
35-49	36	21.2	384	2	3	16	31	57	77	99+
50-64	42	21.5	445	3	4	16	22	68	72	99+
65+	216	18.1	226	2	3	15	26	46	68	99+
GRAND TOTAL	**726**	**17.5**	**289**	**1**	**2**	**13**	**25**	**43**	**60**	**99+**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	319	3.7	23	<1	1	2	4	9	15	22
20-34	250	3.0	10	<1	<1	2	4	6	10	17
35-49	156	3.2	8	<1	1	2	4	7	9	15
50-64	201	4.1	28	<1	1	3	4	7	14	29
65+	134	3.8	23	1	1	2	4	7	10	33
2. MULTIPLE DX										
0-19 YRS	79	9.0	103	1	1	5	14	22	28	51
20-34	168	9.7	154	1	1	5	12	24	34	64
35-49	118	7.8	96	1	1	4	9	18	27	83
50-64	146	8.7	118	1	2	4	12	21	28	63
65+	213	11.6	187	1	2	7	15	29	46	99+
TOT. SINGLE DX	1060	3.6	19	<1	1	2	4	7	12	23
" MULTIPLE DX	724	9.7	143	1	1	5	12	24	34	72
TOTAL 0-19 YRS	398	4.8	44	<1	1	2	5	14	19	32
20-34	418	5.7	79	<1	1	3	5	14	22	50
35-49	274	5.2	51	1	1	3	6	11	18	43
50-64	347	6.1	71	1	1	3	6	15	23	41
65+	347	8.6	138	1	1	4	10	24	34	83
GRAND TOTAL	**1784**	**6.0**	**78**	**1**	**1**	**3**	**6**	**15**	**23**	**54**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1396	3.3	5	1	1	3	4	6	8	13
20-34	1751	4.0	8	1	1	3	5	8	10	14
35-49	1113	5.1	17	1	2	4	6	9	12	19
50-64	882	5.8	22	1	2	5	7	10	13	25
65+	559	7.1	27	2	3	6	9	13	16	30
2. MULTIPLE DX										
0-19 YRS	635	7.3	103	1	1	4	8	15	22	57
20-34	1369	8.3	104	1	2	5	9	18	28	63
35-49	874	9.9	144	2	2	6	11	20	33	74
50-64	1029	10.1	130	2	3	7	12	21	31	70
65+	1290	14.1	193	3	4	10	17	31	47	97
TOT. SINGLE DX	5701	4.6	15	1	1	4	6	9	11	19
" MULTIPLE DX	5197	10.3	144	1	2	6	12	23	34	77
TOTAL 0-19 YRS	2031	4.5	40	1	1	3	5	8	12	30
20-34	3120	5.9	55	1	1	4	7	11	17	44
35-49	1987	7.2	79	1	2	5	8	13	19	61
50-64	1911	8.1	85	2	2	6	9	15	24	53
65+	1849	12.0	153	2	3	8	14	27	37	85
GRAND TOTAL	**10898**	**7.3**	**84**	**1**	**2**	**5**	**8**	**15**	**23**	**56**

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for ICD-9-CM codes, see Appendix)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2707	2.4	8	<1	1	1	3	5	7	17
20-34	729	3.5	11	<1	1	2	4	7	9	19
35-49	520	3.8	13	1	1	3	5	8	11	17
50-64	517	3.3	8	1	1	2	4	7	9	14
65+	508	4.9	53	1	1	3	6	11	15	29
2. MULTIPLE DX										
0-19 YRS	805	5.4	56	1	1	3	6	11	19	42
20-34	702	7.9	125	1	1	4	9	16	28	57
35-49	508	8.1	116	1	1	5	9	17	29	58
50-64	584	8.8	155	1	1	5	10	19	34	85
65+	1361	10.7	159	1	2	7	13	24	37	88
TOT. SINGLE DX	4981	3.1	15	<1	1	2	3	6	9	19
" MULTIPLE DX	3960	8.5	130	1	1	5	10	19	30	68
TOTAL 0-19 YRS	3512	3.1	21	<1	1	2	3	6	10	25
20-34	1431	5.6	72	1	1	3	6	11	18	47
35-49	1028	6.0	69	1	1	4	7	12	18	45
50-64	1101	6.3	94	1	1	4	7	13	21	68
65+	1869	9.1	138	1	1	5	11	21	31	72
GRAND TOTAL	**8941**	**5.5**	**73**	**1**	**1**	**3**	**6**	**12**	**19**	**50**

714: Closed reduction of dislocation (79.7)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	178	3.6	23	<1	<1	2	4	8	13	23
20-34	176	2.3	10	<1	<1	1	2	4	7	23
35-49	94	3.1	21	<1	<1	2	3	7	8	30
50-64	85	3.7	23	<1	<1	2	4	8	12	28
65+	116	5.1	37	<1	1	3	6	14	19	26
2. MULTIPLE DX										
0-19 YRS	90	8.9	163	<1	1	4	12	20	37	66
20-34	147	9.2	139	1	1	5	11	22	37	57
35-49	73	6.8	77	1	1	4	8	16	28	45
50-64	97	7.9	72	1	1	5	9	23	28	75
65+	288	13.3	251	1	1	7	19	37	54	99+
TOT. SINGLE DX	649	3.5	23	<1	<1	2	4	8	13	25
" MULTIPLE DX	695	10.4	179	1	1	5	13	29	44	98
TOTAL 0-19 YRS	268	5.4	76	<1	<1	2	6	14	20	54
20-34	323	5.4	81	<1	<1	2	6	12	23	49
35-49	167	4.7	49	<1	1	2	5	10	18	43
50-64	182	6.0	54	<1	1	4	7	14	26	44
65+	404	11.0	203	1	1	5	15	30	49	99+
GRAND TOTAL	**1344**	**7.1**	**116**	**<1**	**1**	**3**	**8**	**19**	**30**	**63**

715: Open reduction of dislocation (79.8)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	110	3.3	19	1	1	2	3	5	10	29
20-34	193	2.8	2	1	1	3	3	4	5	7
35-49	75	4.7	57	1	1	3	5	8	11	52
50-64	41	4.7	25	1	1	4	5	8	16	28
65+	33	8.1	88	1	1	5	10	16	32	45
2. MULTIPLE DX										
0-19 YRS	43	6.5	36	1	1	5	9	15	20	27
20-34	89	5.9	30	1	1	4	8	12	16	31
35-49	40	5.1	17	1	1	4	6	10	14	22
50-64	44	7.1	61	1	1	5	8	14	28	99+
65+	51	17.6	425	2	2	10	20	46	70	91
TOT. SINGLE DX	452	3.8	26	1	1	3	4	6	10	28
" MULTIPLE DX	267	8.3	129	1	1	5	10	17	27	87
TOTAL 0-19 YRS	153	4.2	26	1	1	3	4	10	14	27
20-34	282	3.7	13	1	1	3	4	7	11	18
35-49	115	4.8	43	1	1	3	5	8	12	37
50-64	85	6.0	45	1	1	4	6	13	20	81
65+	84	13.9	312	1	2	9	14	36	48	91
GRAND TOTAL	**719**	**5.5**	**69**	**1**	**1**	**3**	**5**	**12**	**17**	**47**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	487	3.6	22	<1	<1	2	4	6	11	26
20-34	454	3.0	11	<1	1	2	3	5	8	19
35-49	254	3.6	23	<1	1	2	4	6	10	31
50-64	99	4.6	25	1	1	3	5	10	14	31
65+	50	7.9	56	1	1	5	10	22	25	28
2. MULTIPLE DX										
0-19 YRS	319	5.8	83	1	1	3	5	15	21	51
20-34	396	5.5	66	<1	1	3	5	12	22	43
35-49	249	7.2	108	1	1	3	7	19	31	59
50-64	226	12.3	324	1	1	5	13	36	51	95
65+	303	20.0	351	1	2	14	30	50	63	96
TOT. SINGLE DX	1344	3.6	21	<1	1	2	4	7	11	28
" MULTIPLE DX	1493	9.8	205	1	1	4	11	29	43	76
TOTAL 0-19 YRS	806	4.4	48	<1	1	2	4	8	16	38
20-34	850	4.2	38	<1	1	2	4	8	14	37
35-49	503	5.4	69	<1	1	3	5	12	22	46
50-64	325	10.0	246	1	1	4	10	30	45	93
65+	353	18.3	327	1	2	12	27	47	60	94
GRAND TOTAL	**2837**	**6.9**	**127**	**<1**	**1**	**3**	**6**	**17**	**31**	**62**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	96	5.9	10	3	3	5	6	9	13	21
20-34	1853	7.5	23	3	4	6	9	13	17	25
35-49	2702	7.9	25	3	4	7	9	14	17	28
50-64	1053	8.5	26	3	4	7	10	14	19	28
65+	183	10.7	33	4	5	9	13	18	22	29
2. MULTIPLE DX										
0-19 YRS	45	11.3	84	3	3	8	16	30	49	99+
20-34	677	10.6	68	4	4	8	12	19	25	40
35-49	1422	10.7	62	4	5	8	13	19	26	43
50-64	1287	11.8	69	4	5	9	14	22	28	45
65+	814	16.1	150	5	6	12	20	31	40	77
TOT. SINGLE DX	5887	7.9	25	3	4	7	9	14	18	27
" MULTIPLE DX	4245	12.0	87	4	5	9	14	23	30	55
TOTAL 0-19 YRS	141	7.6	40	3	3	6	8	15	26	99+
20-34	2530	8.3	37	3	4	7	9	15	19	30
35-49	4124	8.8	40	3	4	7	10	16	21	34
50-64	2340	10.3	53	4	4	8	12	19	24	37
65+	997	15.1	133	5	6	12	18	29	37	75
GRAND TOTAL	**10132**	**9.6**	**55**	**3**	**4**	**8**	**11**	**18**	**23**	**40**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	411	2.0	1	<1	<1	2	2	4	4	6
20-34	1228	2.1	2	<1	<1	2	2	4	4	8
35-49	767	2.2	3	<1	<1	2	3	4	5	9
50-64	377	2.2	2	<1	<1	2	3	4	5	8
65+	85	2.5	3	<1	<1	2	3	4	6	10
2. MULTIPLE DX										
0-19 YRS	357	2.5	4	<1	1	2	3	5	6	10
20-34	1139	2.3	3	<1	<1	2	3	4	6	10
35-49	809	2.3	3	<1	<1	2	3	4	6	10
50-64	976	2.7	9	<1	1	2	3	4	6	14
65+	417	3.3	18	<1	1	2	3	6	8	24
TOT. SINGLE DX	2868	2.2	3	<1	<1	2	3	4	5	8
" MULTIPLE DX	3698	2.5	7	<1	1	2	3	4	6	12
TOTAL 0-19 YRS	768	2.2	3	<1	1	2	3	4	5	8
20-34	2367	2.2	3	<1	<1	2	3	4	5	9
35-49	1576	2.3	4	<1	<1	2	3	4	6	10
50-64	1353	2.5	8	<1	1	2	3	4	6	13
65+	502	3.1	16	<1	1	2	3	5	8	20
GRAND TOTAL	**6566**	**2.4**	**5**	**<1**	**<1**	**2**	**3**	**4**	**5**	**11**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	817	2.0	4	<1	<1	2	2	3	5	13
20-34	1276	2.0	3	<1	<1	2	2	3	5	10
35-49	711	2.1	2	<1	<1	2	2	4	4	10
50-64	378	2.8	10	<1	<1	2	3	5	7	18
65+	157	4.4	43	<1	<1	2	4	10	18	32
2. MULTIPLE DX										
0-19 YRS	443	3.1	29	<1	<1	2	3	6	10	28
20-34	976	2.7	15	<1	<1	2	3	5	8	17
35-49	759	3.6	35	<1	<1	2	3	6	11	28
50-64	659	5.1	74	<1	1	2	4	10	22	42
65+	453	9.3	188	1	1	4	9	29	42	59
TOT. SINGLE DX	3339	2.2	6	<1	<1	2	2	4	5	13
" MULTIPLE DX	3290	4.3	62	<1	<1	2	4	8	16	43
TOTAL 0-19 YRS	1260	2.4	13	<1	<1	2	2	4	6	19
20-34	2252	2.3	9	<1	<1	2	2	4	6	14
35-49	1470	2.8	20	<1	<1	2	3	5	8	23
50-64	1037	4.2	53	<1	1	2	3	8	16	39
65+	610	8.1	156	<1	1	3	8	26	35	57
GRAND TOTAL	**6629**	**3.3**	**35**	**<1**	**<1**	**2**	**3**	**5**	**10**	**32**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	174	10.6	26	6	7	10	12	15	21	30
20-34	127	10.8	29	5	6	10	12	17	21	34
35-49	113	9.5	24	4	5	8	11	15	19	30
50-64	35	11.8	136	5	6	9	11	15	20	76
65+	4	12.8	5	10	10	13	14	15	15	15
2. MULTIPLE DX										
0-19 YRS	250	15.5	159	5	7	12	18	28	37	87
20-34	181	17.5	243	6	6	12	21	38	69	99+
35-49	174	13.4	100	5	6	10	16	25	33	53
50-64	97	15.5	139	5	5	11	21	34	45	99+
65+	49	25.7	291	9	10	20	35	49	76	99+
TOT. SINGLE DX	453	10.5	35	5	6	9	12	15	20	33
" MULTIPLE DX	751	16.2	179	5	6	12	20	32	47	99+
TOTAL 0-19 YRS	424	13.5	110	6	7	11	14	24	30	72
20-34	308	14.7	166	6	6	11	16	31	47	99+
35-49	287	11.9	74	4	5	9	13	21	27	49
50-64	132	14.5	140	5	5	10	18	28	43	99+
65+	53	24.7	281	9	10	20	33	45	73	99+
GRAND TOTAL	**1204**	**14.0**	**133**	**5**	**6**	**11**	**16**	**27**	**36**	**88**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	67	3.6	5	<1	1	3	5	7	8	10
20-34	180	3.8	8	<1	1	3	5	7	8	15
35-49	150	3.6	6	<1	<1	3	5	8	9	11
50-64	181	3.6	7	<1	1	3	5	8	9	13
65+	84	4.5	33	<1	<1	3	5	10	13	37
2. MULTIPLE DX										
0-19 YRS	102	6.5	54	1	2	5	7	12	16	45
20-34	160	5.3	34	1	2	4	6	10	15	37
35-49	201	5.3	25	1	1	4	7	9	11	31
50-64	244	6.3	41	1	2	4	7	15	20	32
65+	172	8.5	212	1	1	4	7	16	31	87
TOT. SINGLE DX	662	3.8	10	<1	1	3	5	7	9	14
" MULTIPLE DX	879	6.4	72	1	2	4	7	12	19	46
TOTAL 0-19 YRS	169	5.4	37	<1	1	4	6	9	14	42
20-34	340	4.5	21	1	1	3	5	8	11	23
35-49	351	4.6	18	<1	1	4	6	8	10	24
50-64	425	5.2	28	1	1	4	6	10	16	26
65+	256	7.2	157	<1	1	4	7	13	24	83
GRAND TOTAL	**1541**	**5.2**	**47**	**<1**	**1**	**4**	**6**	**9**	**14**	**39**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	39	12.9	43	6	7	11	15	20	29	36
35-49	79	13.0	52	7	8	12	15	17	27	50
50-64	413	13.2	25	8	9	12	16	17	20	39
65+	769	14.4	31	8	9	13	16	20	24	36
2. MULTIPLE DX										
0-19 YRS	4	16.8	224	7	7	10	25	39	39	39
20-34	67	15.0	68	8	9	12	16	27	32	50
35-49	162	15.2	95	7	8	12	17	25	40	74
50-64	897	15.2	57	8	9	13	17	23	29	57
65+	2779	18.9	134	9	10	16	21	31	44	90
TOT. SINGLE DX	1301	13.9	31	8	9	13	16	19	23	36
" MULTIPLE DX	3909	17.8	117	9	10	15	20	30	40	86
TOTAL 0-19 YRS	5	16.6	168	7	7	12	22	39	39	39
20-34	106	14.2	60	7	8	11	15	26	31	45
35-49	241	14.5	82	7	8	12	16	24	33	58
50-64	1310	14.5	48	8	9	13	16	22	26	51
65+	3548	17.9	116	9	10	15	20	29	39	85
GRAND TOTAL	**5210**	**16.8**	**99**	**8**	**9**	**15**	**19**	**27**	**36**	**78**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	11.2	101	2	2	7	22	27	27	27
20-34	11	9.4	14	3	4	9	11	15	15	15
35-49	17	11.1	60	2	3	9	12	22	29	33
50-64	107	13.4	39	7	8	12	15	20	25	41
65+	605	16.0	66	7	9	15	19	24	29	51
2. MULTIPLE DX										
0-19 YRS	12	12.5	109	2	4	10	15	25	39	42
20-34	16	16.9	182	3	4	12	22	31	49	57
35-49	47	18.7	170	6	8	14	26	41	53	99+
50-64	302	19.9	173	8	10	15	24	43	53	99+
65+	3159	22.2	224	9	10	18	27	46	69	99+
TOT. SINGLE DX	750	15.4	64	7	8	14	18	24	29	50
" MULTIPLE DX	3536	21.9	219	8	10	17	26	45	66	99+
TOTAL 0-19 YRS	22	11.9	101	2	3	8	17	27	33	42
20-34	27	13.9	125	3	3	10	15	26	36	57
35-49	64	16.7	151	4	7	12	22	37	45	94
50-64	409	18.2	146	8	9	14	21	36	47	91
65+	3764	21.2	204	8	10	17	25	42	63	99+
GRAND TOTAL	**4286**	**20.8**	**198**	**8**	**10**	**17**	**25**	**41**	**61**	**99+**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	341	4.2	3	2	2	4	5	6	7	9
20-34	546	4.5	5	1	1	4	6	7	8	11
35-49	170	6.1	24	1	1	4	8	13	16	23
50-64	356	11.5	53	2	3	11	15	17	24	50
65+	625	14.2	32	6	8	14	16	20	23	35
2. MULTIPLE DX										
0-19 YRS	339	4.9	9	1	2	5	6	7	10	19
20-34	621	5.6	28	1	2	5	6	9	12	28
35-49	280	6.7	41	1	2	5	8	14	16	33
50-64	653	13.8	68	2	4	13	16	21	27	49
65+	1878	16.4	77	8	10	15	18	25	33	71
TOT. SINGLE DX	2038	8.8	43	1	2	7	13	17	19	30
" MULTIPLE DX	3771	12.4	83	2	3	12	16	21	28	49
TOTAL 0-19 YRS	680	4.6	6	1	2	4	6	7	9	13
20-34	1167	5.1	18	1	2	5	6	8	10	19
35-49	450	6.5	35	1	2	5	8	14	16	26
50-64	1009	13.0	65	2	4	12	15	20	26	49
65+	2503	15.9	67	7	9	15	18	23	31	58
GRAND TOTAL	**5809**	**11.2**	**72**	**2**	**3**	**10**	**15**	**20**	**25**	**44**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	462	2.8	1	1	1	3	3	4	5	7
20-34	1002	3.0	2	1	1	3	4	5	6	8
35-49	468	2.9	3	<1	1	3	4	5	6	11
50-64	421	3.6	5	1	1	3	4	6	9	13
65+	161	4.7	17	1	1	4	6	9	12	16
2. MULTIPLE DX										
0-19 YRS	160	3.2	4	1	1	3	4	5	7	11
20-34	411	3.4	9	1	1	3	4	5	7	20
35-49	348	3.8	9	1	1	3	5	7	8	15
50-64	558	4.4	19	1	1	3	5	7	11	26
65+	379	6.7	37	1	2	5	8	14	21	42
TOT. SINGLE DX	2514	3.2	4	1	1	3	4	5	6	11
" MULTIPLE DX	1856	4.4	19	1	1	3	5	8	12	26
TOTAL 0-19 YRS	622	2.9	2	1	1	3	4	5	5	8
20-34	1413	3.1	5	1	1	3	4	5	6	9
35-49	816	3.3	6	1	1	3	4	5	7	12
50-64	979	4.0	14	1	1	3	5	7	10	20
65+	540	6.1	32	1	2	4	7	13	17	37
GRAND TOTAL	**4370**	**3.7**	**11**	**1**	**1**	**3**	**4**	**6**	**9**	**19**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	225	3.2	11	<1	<1	2	4	7	9	16
20-34	244	2.8	7	<1	<1	2	3	6	8	13
35-49	235	3.0	21	<1	<1	2	3	6	8	27
50-64	252	2.2	7	<1	<1	1	2	5	7	15
65+	71	3.7	52	<1	<1	1	4	8	10	48
2. MULTIPLE DX										
0-19 YRS	279	7.1	60	1	2	5	9	16	20	46
20-34	207	7.7	151	1	1	4	8	17	28	70
35-49	196	7.4	86	<1	1	4	10	18	23	45
50-64	228	7.0	129	<1	<1	3	8	16	26	87
65+	156	10.5	134	<1	1	7	12	26	35	54
TOT. SINGLE DX	1027	2.8	15	<1	<1	2	3	6	8	17
" MULTIPLE DX	1066	7.8	109	<1	1	4	9	18	26	56
TOTAL 0-19 YRS	504	5.4	42	<1	1	3	6	12	17	39
20-34	451	5.1	79	<1	<1	3	5	10	17	52
35-49	431	5.0	56	<1	<1	2	5	12	18	38
50-64	480	4.5	71	<1	<1	2	4	10	16	49
65+	227	8.4	119	<1	<1	5	10	23	32	53
GRAND TOTAL	**2093**	**5.3**	**69**	**<1**	**<1**	**3**	**6**	**12**	**19**	**46**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	355	1.7	2	<1	<1	1	2	3	4	8
20-34	612	1.7	3	<1	<1	1	2	3	4	9
35-49	470	1.8	2	<1	<1	1	2	3	5	8
50-64	305	2.5	18	<1	<1	2	3	4	6	16
65+	136	4.0	28	<1	<1	2	4	9	13	22
2. MULTIPLE DX										
0-19 YRS	92	4.3	31	<1	1	2	4	11	18	27
20-34	194	4.1	68	<1	<1	2	4	9	14	36
35-49	213	5.8	82	<1	<1	2	7	15	21	62
50-64	328	7.0	99	<1	<1	3	8	18	27	54
65+	305	11.5	175	1	1	7	15	27	41	71
TOT. SINGLE DX	1878	2.0	8	<1	<1	1	2	3	5	11
" MULTIPLE DX	1132	7.3	113	<1	<1	3	9	19	27	64
TOTAL 0-19 YRS	447	2.2	9	<1	<1	1	2	4	6	20
20-34	806	2.3	21	<1	<1	1	2	4	7	16
35-49	683	3.0	31	<1	<1	1	3	6	10	32
50-64	633	4.8	65	<1	<1	2	4	12	21	48
65+	441	9.2	142	<1	1	4	12	21	32	66
GRAND TOTAL	**3010**	**4.0**	**54**	**<1**	**<1**	**2**	**3**	**9**	**16**	**42**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	24	2.6	6	<1	<1	1	3	6	9	10
20-34	33	2.0	2	<1	<1	2	2	4	4	8
35-49	62	1.9	1	<1	<1	2	2	3	4	9
50-64	266	2.0	2	<1	<1	2	2	3	4	6
65+	167	1.8		<1	<1	2	2	3	4	5
2. MULTIPLE DX										
0-19 YRS	20	2.1	1	<1	<1	2	3	4	5	5
20-34	48	3.3	7	<1	1	2	4	7	8	14
35-49	57	3.1	5	<1	<1	2	4	6	8	11
50-64	164	2.8	11	1	1	2	3	4	6	22
65+	171	3.3	23	<1	1	2	3	6	15	37
TOT. SINGLE DX	552	2.0	2	<1	<1	2	2	3	4	8
" MULTIPLE DX	460	3.0	14	<1	1	2	3	5	8	23
TOTAL 0-19 YRS	44	2.4	4	<1	<1	2	3	5	7	10
20-34	81	2.8	6	<1	<1	2	3	6	8	14
35-49	119	2.4	4	<1	<1	2	3	5	6	11
50-64	430	2.3	6	<1	<1	2	3	4	5	13
65+	338	2.6	13	<1	1	2	2	4	6	23
GRAND TOTAL	**1012**	**2.5**	**8**	**<1**	**<1**	**2**	**3**	**4**	**6**	**17**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	349	1.9	1	<1	<1	2	2	3	4	7
20-34	444	2.0	2	<1	<1	2	2	3	5	8
35-49	222	1.8	1	<1	<1	2	2	3	4	6
50-64	112	1.8	1	<1	<1	1	2	4	5	6
65+	32	2.2	2	<1	<1	2	3	4	4	8
2. MULTIPLE DX										
0-19 YRS	256	2.6	5	<1	1	2	3	5	8	12
20-34	454	2.7	10	<1	1	2	3	5	7	16
35-49	206	2.7	6	<1	1	2	3	5	7	16
50-64	115	3.1	16	<1	1	2	3	5	6	29
65+	69	4.6	114	1	1	2	3	7	13	67
TOT. SINGLE DX	1159	1.9	2	<1	<1	2	2	3	4	7
" MULTIPLE DX	1100	2.8	16	<1	1	2	3	5	8	16
TOTAL 0-19 YRS	605	2.2	4	<1	<1	2	2	4	6	11
20-34	898	2.4	6	<1	1	2	3	4	6	12
35-49	428	2.3	4	<1	1	2	3	4	5	13
50-64	227	2.4	9	<1	<1	2	3	4	5	15
65+	101	3.9	80	<1	1	2	3	5	9	57
GRAND TOTAL	**2259**	**2.4**	**9**	**<1**	**1**	**2**	**3**	**4**	**6**	**12**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	139	2.3	2	<1	1	2	3	4	6	9
20-34	360	2.8	4	<1	1	2	4	5	6	11
35-49	332	3.0	4	<1	<1	3	4	5	7	11
50-64	330	3.8	31	<1	1	3	4	6	8	17
65+	122	3.7	5	1	1	3	5	7	9	11
2. MULTIPLE DX										
0-19 YRS	122	4.2	55	1	1	3	4	7	13	43
20-34	259	4.6	44	1	1	3	5	8	13	39
35-49	238	5.4	56	1	2	4	5	9	16	27
50-64	360	5.8	42	1	1	4	6	12	16	39
65+	232	9.0	112	1	2	6	10	20	31	63
TOT. SINGLE DX	1283	3.1	12	<1	1	3	4	6	7	11
" MULTIPLE DX	1211	5.9	63	1	1	4	6	12	18	41
TOTAL 0-19 YRS	261	3.2	28	1	1	2	3	6	7	15
20-34	619	3.5	22	<1	1	2	4	7	9	20
35-49	570	4.0	27	<1	1	3	4	7	9	21
50-64	690	4.9	38	1	1	3	5	9	13	32
65+	354	7.2	82	1	2	5	8	14	24	48
GRAND TOTAL	**2494**	**4.5**	**38**	**1**	**1**	**3**	**5**	**8**	**12**	**32**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	309	3.5	8	1	1	3	4	6	8	14
20-34	324	3.4	6	<1	1	3	4	6	8	12
35-49	229	3.1	3	1	1	3	4	5	7	9
50-64	139	4.0	19	1	1	3	5	7	10	24
65+	61	5.0	11	1	2	4	6	9	10	19
2. MULTIPLE DX										
0-19 YRS	392	4.8	17	1	2	4	5	8	15	26
20-34	215	6.6	142	1	1	4	6	12	31	98
35-49	133	5.3	31	1	1	4	6	9	15	32
50-64	120	9.6	185	1	2	4	10	24	34	76
65+	120	11.8	190	2	3	7	12	32	40	69
TOT. SINGLE DX	1062	3.6	9	1	1	3	4	6	8	13
" MULTIPLE DX	980	6.7	94	1	2	4	7	13	23	74
TOTAL 0-19 YRS	701	4.3	14	1	1	3	5	8	11	23
20-34	539	4.7	63	1	1	3	5	8	11	55
35-49	362	3.9	15	1	1	3	5	7	9	18
50-64	259	6.6	104	1	1	4	6	13	25	71
65+	181	9.5	140	2	2	5	9	21	35	59
GRAND TOTAL	**2042**	**5.1**	**52**	**1**	**1**	**4**	**5**	**8**	**14**	**42**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	64	1.8	1	<1	1	1	2	4	5	8
20-34	93	2.0	2	<1	<1	1	2	4	5	10
35-49	81	2.1	3	<1	<1	1	2	4	6	11
50-64	56	2.0	3	<1	<1	1	3	4	5	11
65+	40	2.6	6	<1	1	1	3	7	8	12
2. MULTIPLE DX										
0-19 YRS	31	4.1	42	<1	1	2	3	7	20	33
20-34	113	4.4	35	1	1	3	5	11	13	71
35-49	80	6.0	59	1	1	3	7	21	30	99+
50-64	64	4.9	33	1	1	2	7	9	16	33
65+	98	10.2	239	1	1	5	12	28	47	95
TOT. SINGLE DX	334	2.0	3	<1	<1	1	2	4	6	11
" MULTIPLE DX	386	6.3	97	1	1	3	7	15	29	95
TOTAL 0-19 YRS	95	2.5	16	<1	1	2	3	4	6	28
20-34	206	3.3	22	<1	1	2	4	7	12	32
35-49	161	4.0	35	<1	1	2	4	10	21	91
50-64	120	3.6	21	<1	1	2	4	8	10	27
65+	138	8.0	184	1	1	3	9	17	42	90
GRAND TOTAL	**720**	**4.3**	**58**	**<1**	**1**	**2**	**4**	**10**	**15**	**50**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	8	2.1	3	<1	<1	1	3	5	6	6
35-49	8	3.3	10	<1	<1	2	4	9	10	10
50-64	3	1.7	1	1	1	1	3	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	3	5.0	12	1	1	7	7	7	7	7
20-34	10	15.7	703	1	1	7	15	55	89	89
35-49	10	18.5	986	1	1	3	15	73	97	97
50-64	5	6.8	28	1	1	8	10	14	14	14
65+	18	31.2	537	7	11	31	49	80	92	99+
TOT. SINGLE DX	24	2.3	5	<1	<1	2	3	6	7	10
" MULTIPLE DX	46	20.7	633	1	1	11	32	74	90	99+
TOTAL 0-19 YRS	7	3.1	7	1	1	2	6	7	7	7
20-34	18	9.7	422	<1	<1	3	9	19	62	89
35-49	18	11.7	587	<1	<1	2	10	39	78	97
50-64	8	4.9	24	1	1	2	8	12	14	14
65+	19	29.6	556	2	7	26	47	80	91	99+
GRAND TOTAL	**70**	**14.4**	**492**	**<1**	**1**	**5**	**15**	**50**	**82**	**99**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	15	2.4	3	<1	<1	2	3	6	7	7
20-34	17	8.2	465	1	1	2	4	13	64	91
35-49	19	7.8	82	1	1	4	13	24	30	31
50-64	30	8.4	76	<1	2	5	9	25	30	32
65+	27	6.7	30	2	2	5	8	16	19	22
2. MULTIPLE DX										
0-19 YRS	30	6.5	36	1	2	4	8	18	19	20
20-34	46	14.0	227	1	2	9	18	42	58	99+
35-49	173	18.4	313	2	4	12	24	39	53	93
50-64	511	20.5	280	4	5	15	27	46	58	87
65+	924	21.0	257	3	5	17	29	44	60	99+
TOT. SINGLE DX	108	7.0	116	<1	1	3	7	16	27	57
" MULTIPLE DX	1684	20.1	270	3	4	16	28	44	58	99+
TOTAL 0-19 YRS	45	5.1	29	<1	1	3	6	15	18	20
20-34	63	12.5	292	1	1	6	15	38	58	99
35-49	192	17.3	301	2	3	11	23	38	52	92
50-64	541	19.8	277	3	5	15	26	45	58	87
65+	951	20.6	256	3	5	17	28	43	59	99+
GRAND TOTAL	**1792**	**19.3**	**270**	**2**	**4**	**15**	**27**	**43**	**58**	**99+**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	5	11.6	41	4	4	11	16	21	21	21
35-49	1	12.0		12	12	12	12	12	12	12
50-64	4	22.3	41	16	16	21	27	30	30	30
65+	12	18.2	97	3	6	16	24	34	36	36
2. MULTIPLE DX										
0-19 YRS	3	27.0	277	8	8	34	38	39	39	39
20-34	22	32.2	561	6	8	28	40	77	84	86
35-49	71	33.3	471	7	9	29	51	79	99+	99+
50-64	298	31.7	371	10	13	28	47	74	99+	99+
65+	800	31.1	435	9	11	25	46	74	99	99+
TOT. SINGLE DX	23	17.2	75	3	7	16	22	31	34	36
" MULTIPLE DX	1194	31.4	423	9	11	26	46	74	99+	99+
TOTAL 0-19 YRS	4	24.8	205	8	8	26	36	39	39	39
20-34	27	28.4	526	4	7	21	38	69	83	86
35-49	72	33.0	471	7	9	28	50	79	99+	99+
50-64	302	31.6	369	10	13	27	46	74	99+	99+
65+	812	30.9	433	9	11	25	46	74	99	99+
GRAND TOTAL	**1217**	**31.1**	**420**	**8**	**11**	**26**	**46**	**74**	**99+**	**99+**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	4	20.8	255	5	5	18	32	42	42	42
35-49										
50-64	3	14.3	37	9	9	13	19	21	21	21
65+	16	13.0	41	4	5	13	16	23	26	27
2. MULTIPLE DX										
0-19 YRS	4	14.5	60	3	3	17	19	20	20	20
20-34	7	48.0	694	13	14	53	76	97	99+	99+
35-49	15	26.2	249	9	14	22	52	99+	99+	99+
50-64	145	31.0	476	7	10	26	50	78	99+	99+
65+	959	25.2	426	5	7	19	36	69	95	99+
TOT. SINGLE DX	24	14.6	72	4	5	14	18	24	31	42
" MULTIPLE DX	1130	26.1	437	6	7	20	38	73	99	99+
TOTAL 0-19 YRS	5	15.0	47	3	3	17	18	20	20	20
20-34	11	38.1	682	6	10	44	59	93	99	99+
35-49	15	26.2	250	9	14	22	52	99+	99+	99+
50-64	148	30.7	473	7	9	23	48	77	99+	99+
65+	975	25.0	423	5	7	19	36	68	95	99+
GRAND TOTAL	**1154**	**25.8**	**432**	**6**	**7**	**20**	**37**	**71**	**97**	**99+**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	3.5	2	2	2	3	5	6	6	6
20-34	3	9.0	49	4	4	6	14	17	17	17
35-49	1	7.0		7	7	7	7	7	7	7
50-64	3	19.3	352	8	8	9	33	41	41	41
65+	3	11.3	52	3	3	15	16	16	16	16
2. MULTIPLE DX										
0-19 YRS	14	15.1	269	1	3	8	21	45	54	56
20-34	18	29.2	662	4	6	15	48	72	78	80
35-49	63	28.3	257	7	12	25	36	56	65	96
50-64	179	28.9	451	7	10	23	36	70	87	99+
65+	307	27.2	341	7	9	23	38	61	92	99+
TOT. SINGLE DX	16	9.2	96	2	2	6	12	17	34	41
" MULTIPLE DX	581	27.6	376	6	8	23	37	62	85	99+
TOTAL 0-19 YRS	20	11.7	215	1	[illegible]	5	15	33	50	56
20-34	21	26.3	621	4	5	13	43	69	77	80
35-49	64	28.0	261	7	11	25	36	56	65	96
50-64	182	28.7	449	7	9	23	36	68	87	99+
65+	310	27.0	341	7	8	23	38	61	91	99+
GRAND TOTAL	**597**	**27.1**	**377**	**6**	**7**	**22**	**36**	**61**	**85**	**99+**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	15	4.9	30	1	1	4	5	6	19	24
20-34	24	4.3	6	1	1	4	6	8	9	10
35-49	9	8.0	39	2	2	6	11	18	22	22
50-64	6	4.3	9	1	1	3	7	9	9	9
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	8	8.9	86	1	1	7	10	24	30	30
20-34	15	9.6	189	1	1	5	11	16	47	57
35-49	7	7.7	50	2	2	6	10	20	22	22
50-64	2	8.0	18	5	5	8	11	11	11	11
65+	3	4.7	10	1	1	6	7	7	7	7
TOT. SINGLE DX	55	5.0	19	1	1	4	6	9	11	24
" MULTIPLE DX	35	8.5	108	1	1	6	10	16	28	57
TOTAL 0-19 YRS	23	6.3	51	1	1	4	6	14	26	30
20-34	39	6.3	81	1	1	5	7	11	14	57
35-49	16	7.9	41	2	2	6	10	21	22	22
50-64	8	5.3	12	1	1	4	8	10	11	11
65+	4	4.3	8	1	1	4	6	7	7	7
GRAND TOTAL	**90**	**6.4**	**56**	**1**	**1**	**5**	**7**	**11**	**22**	**46**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	3.4	10	<1	1	2	4	10	10	10
20-34	32	2.5	4	<1	1	2	3	4	5	13
35-49	22	2.3	1	<1	<1	2	3	4	5	5
50-64	14	6.9	62	<1	<1	5	7	20	27	29
65+	19	9.2	41	2	2	8	13	18	22	25
2. MULTIPLE DX										
0-19 YRS	10	4.0	19	<1	1	3	4	10	16	16
20-34	25	6.5	53	1	1	4	9	21	23	27
35-49	35	11.7	169	1	2	7	18	23	43	56
50-64	78	14.4	155	<1	3	11	21	30	38	93
65+	130	15.9	256	2	3	12	21	40	71	99+
TOT. SINGLE DX	99	4.4	26	<1	1	2	5	11	16	27
" MULTIPLE DX	278	13.7	200	1	2	10	19	31	45	99+
TOTAL 0-19 YRS	22	3.7	14	<1	1	2	4	10	13	16
20-34	57	4.2	30	<1	1	2	4	9	20	27
35-49	57	8.1	125	1	1	3	11	19	33	55
50-64	92	13.3	148	<1	1	9	20	29	35	90
65+	149	15.0	234	2	3	11	19	36	56	99+
GRAND TOTAL	**377**	**11.3**	**170**	**1**	**1**	**7**	**16**	**28**	**40**	**99+**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	5	2.2		2	2	2	3	3	3	3
35-49	1	4.0		4	4	4	4	4	4	4
50-64	4	5.5	12	2	2	5	8	9	9	9
65+	2	18.0	338	5	5	18	31	31	31	31
2. MULTIPLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	4.0		4	4	4	4	4	4	4
35-49	3	3.3		3	3	3	4	4	4	4
50-64	4	6.5	16	3	3	6	10	10	10	10
65+	5	14.8	61	7	7	13	22	24	24	24
TOT. SINGLE DX	13	5.7	64	<1	1	3	6	13	28	31
" MULTIPLE DX	14	8.5	48	3	3	6	10	22	24	24
TOTAL 0-19 YRS	2	3.0	8	<1	<1	2	5	5	5	5
20-34	6	2.5	1	2	2	2	3	4	4	4
35-49	4	3.5		3	3	3	4	4	4	4
50-64	8	6.0	13	2	2	6	9	10	10	10
65+	7	15.7	100	5	5	13	23	30	31	31
GRAND TOTAL	**27**	**7.1**	**55**	**1**	**2**	**4**	**9**	**20**	**25**	**31**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	259	1.6		<1	<1	2	2	2	3	4
20-34	976	1.7	1	<1	<1	1	2	3	3	5
35-49	1863	2.0	4	<1	<1	2	2	3	4	8
50-64	1409	2.2	2	<1	<1	2	2	4	5	8
65+	826	2.8	5	<1	<1	2	3	6	7	12
2. MULTIPLE DX										
0-19 YRS	47	1.9	1	<1	<1	2	2	3	5	7
20-34	441	3.1	26	<1	<1	2	3	6	8	25
35-49	1348	3.2	27	<1	<1	2	3	6	9	26
50-64	1586	4.2	30	<1	1	2	5	9	14	28
65+	1818	7.1	89	1	1	4	9	16	23	57
TOT. SINGLE DX	5333	2.1	3	<1	<1	2	2	4	5	8
" MULTIPLE DX	5240	4.9	52	<1	1	2	5	11	17	42
TOTAL 0-19 YRS	306	1.7	1	<1	<1	2	2	2	3	5
20-34	1417	2.1	10	<1	<1	2	2	3	5	13
35-49	3211	2.5	14	<1	<1	2	2	4	7	15
50-64	2995	3.3	18	<1	<1	2	3	7	10	22
65+	2644	5.8	67	<1	1	3	7	13	19	49
GRAND TOTAL	**10573**	**3.5**	**29**	**<1**	**<1**	**2**	**3**	**7**	**11**	**27**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	26	2.7	1	<1	<1	3	3	5	5	6
20-34	37	2.7	1	<1	<1	3	3	4	5	6
35-49	46	4.2	4	1	2	4	5	6	8	10
50-64	51	4.4	4	1	2	4	6	7	8	9
65+	87	6.2	17	2	2	6	7	10	12	26
2. MULTIPLE DX										
0-19 YRS	8	3.3	6	1	1	2	5	7	8	8
20-34	9	4.9	9	<1	1	4	7	10	10	10
35-49	54	5.3	16	2	3	4	6	8	11	29
50-64	109	6.5	22	2	2	6	7	17	20	99+
65+	342	10.0	117	2	3	7	11	20	31	95
TOT. SINGLE DX	247	4.6	10	1	2	4	6	8	9	17
" MULTIPLE DX	522	8.6	88	2	3	6	9	19	25	96
TOTAL 0-19 YRS	34	2.9	3	<1	1	3	3	5	6	8
20-34	46	3.1	4	<1	<1	3	4	6	7	10
35-49	100	4.8	11	2	2	4	6	8	9	21
50-64	160	5.9	18	1	2	5	7	10	19	90
65+	429	9.3	100	2	3	7	10	19	28	94
GRAND TOTAL	**769**	**7.3**	**66**	**1**	**2**	**6**	**8**	**15**	**21**	**64**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	57	6.1	5	2	3	6	8	8	10	13
35-49	382	6.2	5	3	4	6	7	9	10	13
50-64	652	6.6	5	3	4	6	8	9	11	15
65+	737	6.8	5	4	4	6	8	10	11	15
2. MULTIPLE DX										
0-19 YRS	3	9.7	22	6	6	8	13	15	15	15
20-34	80	6.8	15	3	4	6	7	9	12	29
35-49	671	7.3	16	3	4	7	8	10	12	25
50-64	1488	7.8	19	4	5	7	9	12	14	23
65+	2225	9.1	39	4	5	8	10	14	19	36
TOT. SINGLE DX	1828	6.6	6	3	4	6	8	9	11	15
" MULTIPLE DX	4467	8.3	30	4	5	7	9	12	16	31
TOTAL 0-19 YRS	3	9.7	22	6	6	8	13	15	15	15
20-34	137	6.5	12	3	4	6	7	9	10	23
35-49	1053	6.9	13	3	4	6	8	10	12	19
50-64	2140	7.4	16	4	4	7	8	11	13	20
65+	2962	8.5	32	4	5	7	9	13	16	32
GRAND TOTAL	**6295**	**7.8**	**23**	**4**	**4**	**7**	**9**	**11**	**14**	**27**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	295	2.8	2	1	1	3	3	4	5	11
20-34	661	2.7	3	<1	1	3	3	5	5	8
35-49	349	2.8	3	<1	1	2	4	5	6	11
50-64	165	3.0	2	1	1	3	4	5	6	9
65+	38	3.4	9	1	1	3	4	6	9	18
2. MULTIPLE DX										
0-19 YRS	109	2.9	2	1	1	3	3	5	6	8
20-34	400	3.1	6	<1	1	3	4	5	7	12
35-49	628	3.6	9	1	1	3	4	6	8	16
50-64	432	4.1	14	1	2	3	5	7	9	18
65+	141	4.5	22	1	1	3	5	9	13	27
TOT. SINGLE DX	1508	2.8	3	<1	1	3	3	5	6	10
" MULTIPLE DX	1710	3.6	11	1	1	3	4	6	8	17
TOTAL 0-19 YRS	404	2.8	2	1	1	3	3	4	5	10
20-34	1061	2.8	5	<1	1	3	3	5	6	11
35-49	977	3.3	7	1	1	3	4	5	7	15
50-64	597	3.8	~~11~~	1	1	3	4	6	9	17
65+	179	4.3	20	1	1	3	4	8	13	24
GRAND TOTAL	**3218**	**3.2**	**7**	**1**	**1**	**3**	**4**	**5**	**7**	**14**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	915	2.9	3	1	1	3	4	5	6	9
20-34	1704	2.9	3	1	1	3	4	5	5	8
35-49	229	3.1	3	1	1	3	4	5	7	9
50-64	55	3.9	63	<1	<1	2	4	5	7	58
65+	12	2.7	3	<1	<1	2	4	6	7	7
2. MULTIPLE DX										
0-19 YRS	99	4.4	17	1	2	3	5	8	11	26
20-34	271	4.5	36	1	1	3	5	7	10	28
35-49	91	4.4	12	1	1	3	5	9	13	17
50-64	40	4.8	19	<1	1	3	5	11	12	23
65+	20	13.5	437	1	2	7	12	36	69	89
TOT. SINGLE DX	2915	2.9	4	1	1	3	4	5	6	8
" MULTIPLE DX	521	4.8	45	1	1	3	5	9	12	30
TOTAL 0-19 YRS	1014	3.1	5	1	1	3	4	5	6	11
20-34	1975	3.1	8	1	1	3	4	5	6	10
35-49	320	3.5	6	1	1	3	4	6	8	14
50-64	95	4.3	45	<1	<1	3	5	8	12	43
65+	32	9.4	298	<1	1	4	8	18	47	89
GRAND TOTAL	**3436**	**3.2**	**11**	**1**	**1**	**3**	**4**	**5**	**6**	**12**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	765	1.9	4	<1	<1	1	2	3	5	13
20-34	902	2.0	7	<1	<1	1	2	4	6	11
35-49	917	2.1	5	<1	<1	1	2	4	6	12
50-64	706	2.2	6	<1	<1	1	2	4	6	13
65+	454	3.1	19	<1	<1	2	3	7	10	27
2. MULTIPLE DX										
0-19 YRS	297	5.4	72	<1	<1	3	5	19	30	99+
20-34	588	7.1	128	<1	<1	3	8	19	28	66
35-49	714	7.9	151	<1	<1	3	9	19	34	79
50-64	1099	8.0	109	<1	1	5	10	18	28	66
65+	1874	11.5	174	<1	1	8	14	27	41	93
TOT. SINGLE DX	3744	2.2	8	<1	<1	1	2	4	6	14
" MULTIPLE DX	4572	9.2	147	<1	1	5	11	22	35	82
TOTAL 0-19 YRS	1062	2.9	26	<1	<1	1	3	5	10	38
20-34	1490	4.0	61	<1	<1	2	3	9	16	43
35-49	1631	4.7	78	<1	<1	2	4	10	18	49
50-64	1805	5.7	77	<1	<1	2	7	14	20	50
65+	2328	9.9	155	<1	<1	6	13	24	37	86
GRAND TOTAL	**8316**	**6.0**	**96**	**<1**	**<1**	**2**	**7**	**15**	**24**	**60**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1201	3.6	15	<1	<1	2	5	8	10	22
20-34	1342	4.4	23	<1	1	3	5	10	13	26
35-49	861	4.9	37	<1	1	3	6	10	14	27
50-64	547	5.6	44	<1	1	3	7	11	19	34
65+	490	6.5	57	<1	1	4	9	14	21	34
2. MULTIPLE DX										
0-19 YRS	2107	5.7	67	1	1	3	6	13	20	47
20-34	3286	7.3	108	1	1	4	8	17	28	59
35-49	2260	9.8	143	1	1	6	12	23	35	69
50-64	2748	12.9	177	1	2	9	17	30	41	90
65+	5066	16.3	259	2	3	12	21	42	65	99+
TOT. SINGLE DX	4441	4.7	31	<1	1	3	6	10	14	29
" MULTIPLE DX	15467	11.4	186	1	1	7	15	29	43	99+
TOTAL 0-19 YRS	3308	4.9	50	<1	1	3	6	11	17	41
20-34	4628	6.5	85	1	1	4	7	14	23	53
35-49	3121	8.5	119	1	1	5	10	20	29	64
50-64	3295	11.7	163	1	2	8	15	28	39	84
65+	5556	15.4	249	1	2	11	20	39	62	99+
GRAND TOTAL	**19908**	**9.9**	**159**	**1**	**1**	**6**	**12**	**25**	**38**	**92**

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	7.2	94	<1	<1	2	14	23	24	24
20-34	15	4.9	33	<1	1	3	8	12	19	21
35-49	11	6.9	245	1	1	2	4	68	95	99+
50-64	12	3.5	5	1	1	3	4	7	10	10
65+	9	5.3	28	1	1	3	7	15	15	15
2. MULTIPLE DX										
0-19 YRS	18	6.5	153	<1	1	3	6	13	39	54
20-34	21	6.5	50	1	1	4	8	13	22	32
35-49	27	6.6	35	2	2	5	7	12	17	31
50-64	36	9.3	81	1	2	7	13	15	32	43
65+	113	15.6	259	3	4	9	18	40	57	92
TOT. SINGLE DX	53	5.3	73	1	1	3	4	14	23	98
" MULTIPLE DX	215	11.7	187	1	2	7	13	28	41	81
TOTAL 0-19 YRS	24	6.7	134	<1	1	3	6	17	33	54
20-34	36	5.9	43	1	1	3	9	13	19	32
35-49	38	6.7	92	1	1	4	7	14	44	99+
50-64	48	7.8	68	1	1	5	11	15	21	43
65+	122	14.8	249	3	4	9	17	38	55	91
GRAND TOTAL	**268**	**10.5**	**171**	**1**	**1**	**6**	**12**	**25**	**40**	**86**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	184	3.4	15	1	1	2	3	8	10	22
20-34	2112	3.5	19	1	1	2	3	9	12	20
35-49	2764	3.4	15	1	1	2	3	8	12	20
50-64	1344	3.4	15	1	1	2	3	8	11	21
65+	351	4.1	42	1	1	2	4	9	13	32
2. MULTIPLE DX										
0-19 YRS	145	4.8	37	1	1	2	5	11	16	35
20-34	1254	5.6	38	1	1	3	8	12	18	30
35-49	1987	5.7	40	1	1	3	8	13	18	33
50-64	1834	6.5	53	1	1	3	9	16	21	37
65+	1362	9.5	101	1	1	6	13	21	30	59
TOT. SINGLE DX	6755	3.5	18	1	1	2	3	9	12	20
" MULTIPLE DX	6582	6.7	59	1	1	4	9	16	21	39
TOTAL 0-19 YRS	329	4.0	26	1	1	2	4	9	12	24
20-34	3366	4.3	28	1	1	2	5	10	14	25
35-49	4751	4.4	27	1	1	2	5	11	15	25
50-64	3178	5.2	40	1	1	3	6	13	18	31
65+	1713	8.4	95	1	1	5	12	20	28	53
GRAND TOTAL	**13337**	**5.1**	**41**	**1**	**1**	**2**	**6**	**12**	**17**	**32**

75. Cerebral arteriography (88.41)

PATI (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	54	3.3	7	1	2	2	3	6	9	17
20-34	134	3.9	17	1	1	2	4	9	12	28
35-49	216	4.0	15	1	1	3	5	9	13	18
50-64	343	3.9	16	1	1	2	4	9	11	19
65+	338	4.2	32	1	1	2	5	9	13	27
2. MULTIPLE DX										
0-19 YRS	56	4.4	12	1	1	3	6	9	12	16
20-34	159	7.1	55	1	2	4	10	16	20	39
35-49	375	8.0	108	1	2	5	9	18	27	70
50-64	1327	7.6	77	1	2	5	9	15	23	53
65+	2188	8.4	81	2	2	6	10	16	23	54
TOT. SINGLE DX	1085	4.0	21	1	1	2	4	9	12	20
" MULTIPLE DX	4105	8.0	81	1	2	6	10	16	23	53
TOTAL 0-19 YRS	110	3.9	10	1	1	3	5	8	11	17
20-34	293	5.6	41	1	1	3	7	12	17	37
35-49	591	6.5	78	1	1	4	8	14	21	53
50-64	1670	6.8	67	1	2	4	9	14	20	48
65+	2526	7.8	77	1	2	5	10	16	21	51
GRAND TOTAL	**5190**	**7.1**	**71**	**1**	**2**	**5**	**9**	**15**	**20**	**46**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	9	5.6	31	1	1	2	8	15	18	18
50-64	8	2.9	1	2	2	3	3	5	6	6
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	9	4.9	15	2	2	2	9	11	11	11
35-49	117	4.6	22	2	2	2	6	11	13	23
50-64	273	5.3	32	2	2	3	7	11	15	27
65+	138	6.3	46	2	2	3	8	15	18	37
TOT. SINGLE DX	19	4.3	17	1	2	2	6	9	14	18
" MULTIPLE DX	538	5.4	34	2	2	3	7	12	15	30
TOTAL 0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	10	5.1	15	2	2	3	8	11	11	11
35-49	126	4.6	23	2	2	2	6	11	14	22
50-64	281	5.2	32	2	2	3	7	11	15	27
65+	139	6.3	46	2	2	3	8	15	18	37
GRAND TOTAL	**557**	**5.4**	**33**	**2**	**2**	**3**	**7**	**12**	**15**	**29**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	94	4.4	29	1	1	2	5	10	14	33
20-34	444	5.6	27	1	1	4	8	12	16	24
35-49	540	5.2	27	1	1	3	8	12	14	22
50-64	698	4.7	19	1	1	2	7	11	14	18
65+	643	4.8	22	1	1	2	7	11	14	20
2. MULTIPLE DX										
0-19 YRS	110	5.8	36	1	1	3	8	13	20	28
20-34	618	8.5	79	1	2	6	11	17	23	56
35-49	1206	7.8	48	1	2	6	11	16	22	34
50-64	3011	8.0	52	1	2	6	11	16	21	40
65+	5347	9.7	83	1	2	8	13	19	26	51
TOT. SINGLE DX	2419	5.0	24	1	1	3	7	11	14	21
" MULTIPLE DX	10292	8.8	70	1	2	7	12	18	24	46
TOTAL 0-19 YRS	204	5.2	34	1	1	3	7	12	17	29
20-34	1062	7.3	59	1	1	5	10	15	20	43
35-49	1746	7.0	43	1	1	5	10	15	18	32
50-64	3709	7.4	48	1	2	6	10	15	19	35
65+	5990	9.1	79	1	2	7	12	18	25	49
GRAND TOTAL	**12711**	**8.1**	**64**	**1**	**2**	**6**	**11**	**17**	**22**	**43**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6409	3.5	17	1	1	3	4	7	9	19
20-34	10490	4.1	21	1	1	3	5	8	11	21
35-49	7028	4.9	24	1	1	3	6	10	13	23
50-64	5381	5.6	29	1	1	4	7	11	14	25
65+	4449	7.2	50	1	2	5	9	13	18	38
2. MULTIPLE DX										
0-19 YRS	8447	5.7	63	1	1	4	6	11	16	46
20-34	15129	6.2	49	1	2	4	7	12	18	37
35-49	17240	7.3	49	1	2	5	9	14	19	38
50-64	32122	8.6	61	2	3	7	11	16	21	44
65+	81324	11.0	101	3	3	8	13	21	30	70
TOT. SINGLE DX	33757	4.8	28	1	1	3	6	10	13	25
" MULTIPLE DX	154262	9.3	84	2	2	7	11	18	25	57
TOTAL 0-19 YRS	14856	4.8	45	1	1	3	5	9	13	36
20-34	25619	5.4	39	1	1	4	6	10	15	33
35-49	24268	6.6	43	1	2	5	8	13	17	34
50-64	37503	8.2	58	2	2	6	10	15	20	42
65+	85773	10.8	100	2	3	8	13	21	29	68
GRAND TOTAL	**188019**	**8.5**	**77**	**1**	**2**	**6**	**10**	**17**	**23**	**53**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3077	5.1	47	1	1	3	5	11	20	37
20-34	1675	6.2	36	1	2	5	8	12	15	33
35-49	1557	6.6	24	1	2	6	9	12	15	25
50-64	1131	7.2	53	1	2	5	9	13	18	42
65+	1019	8.0	58	1	2	6	10	15	21	49
2. MULTIPLE DX										
0-19 YRS	3242	7.2	98	1	2	4	7	16	27	64
20-34	3245	7.6	65	1	2	6	9	14	19	54
35-49	3385	8.0	49	2	3	7	10	14	20	38
50-64	4949	9.2	73	2	3	7	11	17	24	50
65+	12056	12.1	134	3	4	9	14	24	36	95
TOT. SINGLE DX	8459	6.2	44	1	1	4	8	12	18	37
" MULTIPLE DX	26877	9.9	104	2	3	7	12	20	29	73
TOTAL 0-19 YRS	6319	6.2	75	1	1	4	6	14	23	49
20-34	4920	7.2	56	1	2	5	8	13	18	46
35-49	4942	7.6	42	2	2	6	9	14	18	34
50-64	6080	8.8	71	2	3	7	10	16	23	49
65+	13075	11.8	130	2	3	9	14	23	35	92
GRAND TOTAL	**35336**	**9.0**	**92**	**1**	**2**	**6**	**11**	**18**	**26**	**64**

Appendix

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	136	5.9	35	1	1	3	8	15	18	30
20-34	165	5.8	45	<1	<1	3	8	14	19	35
35-49	88	6.9	54	1	1	3	9	18	20	34
50-64	78	8.4	101	<1	1	4	11	24	32	43
65+	107	13.6	135	1	2	11	19	29	37	52
2. MULTIPLE DX										
0-19 YRS	174	15.4	199	1	2	12	21	32	46	61
20-34	286	18.0	320	1	2	12	24	50	63	99+
35-49	253	16.8	250	2	3	13	23	37	52	99+
50-64	306	19.1	312	2	4	13	25	47	70	99+
65+	699	23.5	272	4	6	20	32	48	66	99+
TOT. SINGLE DX	574	7.8	77	<1	1	4	11	19	28	40
" MULTIPLE DX	1718	20.0	286	2	3	16	28	46	63	99+
TOTAL 0-19 YRS	310	11.2	150	1	1	8	16	26	34	55
20-34	451	13.6	255	1	1	8	18	35	53	98
35-49	341	14.3	218	1	2	10	19	33	45	99+
50-64	384	16.9	288	1	2	12	23	42	65	99+
65+	806	22.2	265	3	5	19	30	46	62	99+
GRAND TOTAL	**2292**	**16.9**	**261**	**1**	**2**	**13**	**24**	**39**	**55**	**99+**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	75	4.9	37	<1	1	2	6	13	17	29
20-34	89	5.8	83	<1	<1	2	6	14	33	42
35-49	41	2.7	12	<1	1	2	3	8	15	99+
50-64	23	3.5	23	<1	<1	2	5	7	15	23
65+	29	6.9	101	<1	1	3	8	20	27	47
2. MULTIPLE DX										
0-19 YRS	56	7.6	85	<1	<1	3	11	21	26	47
20-34	94	11.7	278	<1	1	4	12	44	51	65
35-49	61	10.6	227	1	1	4	12	31	67	99+
50-64	74	16.8	337	1	1	9	26	42	52	83
65+	113	21.7	483	2	2	17	37	64	98	99+
TOT. SINGLE DX	257	4.9	56	<1	<1	2	5	12	23	43
" MULTIPLE DX	398	14.7	337	1	1	7	21	48	61	99+
TOTAL 0-19 YRS	131	6.0	60	<1	<1	3	8	16	24	33
20-34	183	8.8	192	<1	1	3	8	32	44	59
35-49	102	7.4	155	1	1	3	9	25	49	99+
50-64	97	13.6	294	<1	1	5	20	38	48	82
65+	142	18.6	440	1	1	11	28	59	86	99+
GRAND TOTAL	**655**	**10.9**	**249**	**<1**	**1**	**4**	**14**	**35**	**55**	**99+**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	275	2.3	19	<1	<1	2	2	3	5	15
20-34	266	2.5	6	<1	<1	2	3	5	7	11
35-49	225	2.6	7	<1	1	2	3	5	7	14
50-64	188	2.1	6	<1	1	1	3	4	5	8
65+	73	2.3	3	<1	1	2	3	4	6	9
2. MULTIPLE DX										
0-19 YRS	204	3.8	30	<1	1	2	4	7	11	21
20-34	271	5.2	83	<1	1	3	5	11	20	72
35-49	331	5.5	67	1	1	3	6	12	19	43
50-64	389	6.4	84	1	1	3	7	15	26	63
65+	549	15.1	226	1	2	11	21	46	99+	99+
TOT. SINGLE DX	1027	2.4	10	<1	<1	2	3	4	6	13
" MULTIPLE DX	1744	8.5	140	1	1	4	11	22	39	99+
TOTAL 0-19 YRS	479	2.9	25	<1	<1	2	3	5	7	21
20-34	537	3.9	47	<1	<1	2	4	7	12	32
35-49	556	4.3	45	<1	1	2	5	8	14	31
50-64	577	5.0	63	1	1	2	5	12	20	47
65+	622	13.6	217	1	2	10	19	41	92	99+
GRAND TOTAL	**2771**	**6.2**	**100**	**<1**	**1**	**3**	**7**	**16**	**27**	**99+**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3951	3.5	20	<1	1	3	4	6	8	19
20-34	3569	3.8	35	<1	<1	2	4	7	11	32
35-49	2311	4.9	27	1	1	3	6	10	13	29
50-64	2229	5.8	31	1	1	4	8	12	15	27
65+	2153	6.6	31	1	2	5	9	13	16	28
2. MULTIPLE DX										
0-19 YRS	6840	6.0	78	1	1	4	6	11	21	70
20-34	5059	6.3	66	1	1	4	7	14	21	46
35-49	7037	6.6	46	1	2	5	8	13	18	36
50-64	16014	7.7	49	2	2	6	10	15	19	37
65+	39983	9.7	80	2	3	7	12	18	25	56
TOT. SINGLE DX	14213	4.6	30	<1	1	3	6	9	13	27
" MULTIPLE DX	74933	8.4	72	2	2	6	10	16	23	51
TOTAL 0-19 YRS	10791	5.1	59	1	1	3	5	9	16	56
20-34	8628	5.3	55	<1	1	3	6	11	18	42
35-49	9348	6.2	43	1	1	4	8	12	17	34
50-64	18243	7.5	48	1	2	6	9	14	19	36
65+	42136	9.5	79	2	3	7	12	18	25	55
GRAND TOTAL	**89146**	**7.8**	**67**	**1**	**2**	**6**	**10**	**16**	**22**	**48**

Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

OPERATION INDEX (continued)

Group Number	Title
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy
	Fistula – *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

OPERATION INDEX (continued)

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions – *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, exept of hand
728	Hand

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage – *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

OPERATION INDEX (continued)

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision — *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

OPERATION INDEX (continued)

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

OPERATION INDEX (continued)

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

OPERATION INDEX (continued)

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

OPERATION INDEX (continued)

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus – *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) – *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) – *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

OPERATION INDEX (continued)

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

OPERATION INDEX (continued)

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

OPERATION INDEX (continued)

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

OPERATION INDEX (continued)

Group Number	Title
	Reduction (continued)
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia – *see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions – *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	Without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	With incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva

OPERATION INDEX (continued)

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula – *see Fistulectomy*
704	Hallux valgus
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
	Hernia – *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration – *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

OPERATION INDEX (continued)

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt – *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

OPERATION INDEX (continued)

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
	Stress incontinence repair, except by
644	urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture – *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown – *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction – *see Reduction, fracture*
	Transfer – *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

OPERATION INDEX (continued)

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray — *see Radiography*
751	Z-plasty, skin

R3850-1.7 U
11/86

LENGTH OF STAY

CPHA PUBLICATIONS

Length of Stay by Diagnosis, Southern Region, 1985

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1986

LENGTH OF S[illegible]

Copyright 1986 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1985
. . . by Diagnosis, United States, North Central Region, 1985
. . . by Diagnosis, United States, Northeastern Region, 1985
. . . by Diagnosis, United States, Southern Region, 1985
. . . by Diagnosis, United States, Western Region, 1985
. . . by Diagnosis, Canada, 1985

. . . by Operation, United States, 1985
. . . by Operation, United States, North Central Region, 1985
. . . by Operation, United States, Northeastern Region, 1985
. . . by Operation, United States, Southern Region, 1985
. . . by Operation, United States, Western Region, 1985
. . . by Operation, Canada, 1985

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1985
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1985

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1985 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1985 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1985 LENGTH OF STAY BOOKS

Peg Eby, Research Assistant, Research Services
Carol A. Prevost, Research Associate
Jeanine DeLay, Assistant Director
Edward J. Kobrinski, Director

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data. 1
  Data Quality. 2
  Coverage 3
  Organization of Length of Stay Tables. 5
    Definition of Multiple Diagnosis Patients 5
    Definition of Operated Patients 5
  Explanation of Statistics. 6
  Defining the Extended Stay Case 7
Length of Stay Tables 17
  Summary of All Patients. 18
  Summary of All Patients Except Newborn 19
  Diagnosis Groups 1-398 20
Appendix: ***ICD-9-CM*** **Codes for Selected Diagnosis Groups** 219
Index to Length of Stay Tables 223

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.

January-December 1985

	Short-Term Nonfederal Hospitals			Short-Term Nonfederal Hospital Beds		
	U.S. Total[2]	Number in Books	Percent in Books	U.S. Total[2]	Number in Books	Percent in Books
Hospital Category						
Bedsize						
6-24	332	44	13.3	6,138	880	14.3
25-49	1,161	226	19.5	42,908	8,735	20.3
50-99	1,283	383	29.9	92,066	27,587	30.0
100-199	1,221	393	32.2	172,860	56,242	32.5
200-299	703	232	33.0	170,564	57,368	33.6
300-399	415	142	34.2	141,454	48,545	34.3
400-499	265	90	34.0	117,253	39,787	33.9
500+	307	73	23.8	212,299	47,783	22.5
Total	5,687	1,583	27.8	955,542	286,927	30.0
Region and Census Division						
Northeast	814	342	42.0	205,568	67,158	32.7
New England	241	131	54.4	48,426	20,234	41.8
Middle Atlantic	573	211	36.8	157,142	46,924	29.9
North Central	1,673	515	30.8	267,603	105,699	39.5
East North Central	880	418	47.5	182,843	90,510	49.5
West North Central	793	97	12.2	84,760	15,189	17.9
South	2,139	366	17.1	338,647	61,836	18.3
South Atlantic	810	186	23.0	158,360	34,351	21.7
East South Central	496	89	17.9	71,653	13,196	18.4
West South Central	833	91	10.9	108,634	14,289	13.2
West	1,061	360	33.9	143,724	52,234	36.3
Mountain	370	153	41.4	40,264	19,940	49.5
Pacific	691	207	30.0	103,460	32,294	31.2
Total	5,687	1,583	27.8	955,542	286,927	30.0

The Pediatric book was compiled from the data of 1,569 hospitals. The Geriatric book was compiled from the data of 1,559 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1984 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients

Operated patients are patients who had at least one UHDDS[3] Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

   a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

   b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g. *a. acute myocardial infarction* *b. dissecting aortic aneurysm* *c. acute pericarditis*			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	2		215
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	**Cholelithiasis**
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis **INDEX TO DISEASES**

- **Cholangitis** (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  - chronic nonsuppurative destructive 571.6
  - nonsuppurative destructive (chronic) 571.6
- **Cholecystdocholithiasis** — *see* Choledocholithiasis
- **Cholecystitis** (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

- with
  - calculus, stones in
    - bile duct (common) (hepatic) 574.4
    - gallbladder 574.1
  - choledocholithiasis 574.4
  - cholelithiasis 574.1
- acute 575.0
  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.3
      - gallbladder 574.0
    - choledocholithiasis 574.3
    - cholelithiasis 574.0
- emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
- gangrenous *(see also* Cholecystitis, acute) 575.0
- paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
- suppurative *(see also* cholecystitis, acute) 575.0
- typhoidal 002.0
- **Choledochitis** (suppurative) 576.1
- **Choledocholith** — *see* Choledocholithiasis
- **Choledocholithiasis** 574.5

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

- with cholecystitis (chronic) 574.4
  - acute 574.3
- **Cholelithiasis** (impacted) (multiple) 574.2

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

- with cholecystitis (chronic) 574.1
  - acute 574.0
- **Cholemia** *(see also* Jaundice) 782.4
  - familial 277.4
  - Gilbert's (familial nonhemolytic) 277.4
- **Cholemic gallstone** — *see* Cholelithiasis
- **Choleperitoneum, choleperitonitis** *(see also* Disease, gallbladder) 567.8
- **Cholera** (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  - antimonial 985.4
  - carrier (suspected) of V02.0
  - classical 001.0
  - contact V01.0
  - due to
    - Vibrio
      - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        - El Tor 001.1
  - El Tor 001.1
  - exposure to V01.0
  - vaccination, prophylactic (against) V03.0
- **Cholerine** *(see also* Cholera) 001.9
- **Cholestasis** *(see also* Disease, gallbladder) 575.8
- **Cholesteatoma** (ear) 385.30
  - attic (primary) 385.31
  - diffuse 385.35
  - external ear (canal) 380.21
  - marginal (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
    - secondary (with middle ear involvement) 385.33
  - mastoid cavity 385.30
  - middle ear 385.30
    - secondary 385.32
      - with involvement of mastoid cavity 385.33
  - postmastoidectomy cavity (recurrent) 383.32
  - primary 385.31
  - recurrent, postmastoidectomy cavity 383.32
  - secondary (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
- **Cholesteatosis** (middle ear) *(see also* Cholesteatoma) 385.30
  - diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	4.7	10	1	2	4	6	9	11	15
20-34	1472	4.4	10	1	1	4	6	8	10	16
35-49	1964	5.2	14	1	2	4	7	9	12	17
50-64	3826	5.8	15	2	2	5	7	10	13	19
65+	7503	7.6	32	2	3	6	10	14	17	28
B. *Operated*										
0-19 YRS	671	9.6	30	5	5	8	11	15	17	32
20-34	9073	9.2	24	5	5	8	11	14	17	27
35-49	11544	9.9	27	5	6	8	12	16	19	30
50-64	17699	11.4	41	5	6	10	13	18	23	35
65+	18538	15.1	82	6	7	13	18	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6693	4.1	9	1	1	3	5	8	9	14
B. *Operated*	50291	8.3	14	5	5	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	14921	6.5	24	2	2	5	8	12	15	25
B. *Operated*	57525	11.9	54	5	6	10	14	20	25	41
1. SINGLE DX	56984	7.8	15	3	4	7	9	12	14	21
2. MULTIPLE DX	72446	10.8	53	3	5	9	13	19	24	39
A. NOT OPERATED	21614	5.7	21	1	2	5	7	11	14	22
B. OPERATED	107816	10.2	38	5	6	8	12	17	21	34
TOTAL 0-19 YRS	2325	7.5	19	2	3	7	9	12	14	22
20-34	27293	7.6	16	3	4	7	9	12	14	21
35-49	28151	8.3	21	3	4	7	10	13	16	24
50-64	36761	9.4	31	3	5	8	11	16	19	30
65+	34900	12.1	68	3	5	10	15	21	27	44
GRAND TOTAL	**129430**	**9.5**	**38**	**3**	**4**	**8**	**11**	**16**	**20**	**33**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 5. The patient is 47-years-old and therefore falls in the age group 35-49.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

366 Hospitals, Southern Region, January-December 1985

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	179091	3.1	11	1	1	3	3	5	6	13
20-34	87178	3.4	18	1	1	3	4	6	9	22
35-49	37582	4.7	28	1	1	3	5	9	14	28
50-64	26724	5.1	29	1	1	4	6	10	14	28
65+	24327	5.8	30	1	2	4	7	11	15	29
B. *Operated*										
0-19 YRS	58017	3.0	11	<1	1	2	3	6	8	16
20-34	101319	3.5	8	1	1	3	4	6	8	14
35-49	51987	4.5	15	1	1	3	6	9	11	18
50-64	41974	5.1	19	1	1	4	7	10	13	20
65+	35189	6.0	28	1	1	5	8	13	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	143998	4.6	40	1	1	3	5	7	12	38
20-34	79822	5.1	39	1	1	3	6	10	15	33
35-49	85683	5.7	35	1	2	4	7	11	15	31
50-64	130972	6.2	32	1	2	5	8	12	15	29
65+	277074	7.3	38	2	2	6	9	13	18	32
B. *Operated*										
0-19 YRS	51794	6.1	92	1	1	3	6	13	23	67
20-34	125880	5.2	30	1	2	4	6	9	12	30
35-49	92117	6.7	44	1	2	5	8	12	17	36
50-64	102566	8.1	64	1	2	6	10	16	22	43
65+	155381	10.1	80	2	2	8	13	20	26	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	354902	3.7	18	1	1	3	4	6	9	22
B. *Operated*	288486	4.1	15	1	1	3	5	8	11	18
2. MULTIPLE DX										
A. *Not Operated*	717549	6.1	38	1	2	4	7	12	16	32
B. *Operated*	527738	7.5	64	1	2	5	9	15	21	43
1. SINGLE DX	643388	3.9	16	1	1	3	4	7	10	20
2. MULTIPLE DX	1245287	6.7	50	1	2	5	8	13	18	37
A. NOT OPERATED	1072451	5.3	33	1	1	4	6	10	14	30
B. OPERATED	816224	6.3	49	1	1	4	8	13	18	37
TOTAL 0-19 YRS	432900	3.9	31	1	1	3	4	6	10	31
20-34	394199	4.3	24	1	1	3	5	8	11	27
35-49	267369	5.7	34	1	1	4	7	11	15	30
50-64	302236	6.6	42	1	2	5	8	13	17	33
65+	491971	8.0	53	2	2	6	10	15	21	38
GRAND TOTAL	**1888675**	**5.7**	**40**	**1**	**1**	**4**	**7**	**12**	**16**	**33**

366 Hospitals, Southern Region, January-December 1985

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69472	3.5	24	1	1	2	4	6	8	26
20-34	87178	3.4	18	1	1	3	4	6	9	22
35-49	37582	4.7	28	1	1	3	5	9	14	28
50-64	26724	5.1	29	1	1	4	6	10	14	28
65+	24327	5.8	30	1	2	4	7	11	15	29
B. *Operated*										
0-19 YRS	57922	3.0	10	<1	1	2	3	6	8	15
20-34	101319	3.5	8	1	1	3	4	6	8	14
35-49	51987	4.5	15	1	1	3	6	9	11	18
50-64	41974	5.1	19	1	1	4	7	10	13	20
65+	35189	6.0	28	1	1	5	8	13	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	87623	4.8	52	1	1	3	5	8	13	45
20-34	79822	5.1	39	1	1	3	6	10	15	33
35-49	85683	5.7	35	1	2	4	7	11	15	31
50-64	130972	6.2	32	1	2	5	8	12	15	29
65+	277074	7.3	38	2	2	6	9	13	18	32
B. *Operated*										
0-19 YRS	49281	5.4	63	1	1	3	6	11	18	48
20-34	125880	5.2	30	1	2	4	6	9	12	30
35-49	92117	6.7	44	1	2	5	8	12	17	36
50-64	102566	8.1	64	1	2	6	10	16	22	43
65+	155381	10.1	80	2	2	8	13	20	26	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	245283	4.1	24	1	1	3	4	8	11	26
B. *Operated*	288391	4.1	15	1	1	3	5	8	11	18
2. MULTIPLE DX										
A. *Not Operated*	661174	6.3	40	1	2	5	8	12	16	32
B. *Operated*	525225	7.5	61	1	2	5	9	15	21	42
1. SINGLE DX	533674	4.1	19	1	1	3	5	8	11	21
2. MULTIPLE DX	1186399	6.8	49	1	2	5	8	14	19	37
A. NOT OPERATED	906457	5.7	36	1	1	4	7	11	15	31
B. OPERATED	813616	6.3	47	1	1	4	8	13	18	36
TOTAL 0-19 YRS	264298	4.2	39	1	1	3	4	8	11	35
20-34	394199	4.3	24	1	1	3	5	8	11	27
35-49	267369	5.7	34	1	1	4	7	11	15	30
50-64	302236	6.6	42	1	2	5	8	13	17	33
65+	491971	8.0	53	2	2	6	10	15	21	38
GRAND TOTAL	**1720073**	**6.0**	**42**	**1**	**1**	**4**	**7**	**12**	**17**	**33**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1814	3.0	4	1	1	3	4	5	7	10
20-34	675	2.9	4	1	1	2	4	5	6	10
35-49	320	3.1	4	1	1	3	4	6	7	9
50-64	182	3.3	4	1	1	3	4	6	7	10
65+	116	4.2	13	1	1	3	5	7	10	20
B. Operated										
0-19 YRS	32	6.7	104	1	2	4	6	15	17	58
20-34	38	4.8	11	1	2	4	6	7	9	21
35-49	11	5.4	7	2	2	5	7	9	11	11
50-64	9	7.4	30	2	2	6	11	16	18	18
65+	7	7.4	28	3	3	6	7	17	19	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3210	3.5	7	1	1	3	4	6	8	13
20-34	1037	3.2	4	1	1	3	4	6	7	11
35-49	676	3.9	7	1	1	3	5	7	9	13
50-64	677	4.1	7	1	2	4	5	8	9	13
65+	1079	5.4	17	2	2	4	7	10	12	23
B. Operated										
0-19 YRS	84	11.2	239	2	3	6	10	27	64	93
20-34	93	6.6	62	2	2	5	7	13	14	49
35-49	75	7.0	22	2	3	6	8	12	16	29
50-64	58	9.1	60	2	3	7	11	21	25	42
65+	119	9.5	41	2	4	8	12	18	26	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3107	3.0	4	1	1	3	4	5	7	10
B. Operated	97	5.9	44	1	2	4	6	11	16	41
2. MULTIPLE DX										
A. Not Operated	6679	3.9	9	1	1	3	5	7	9	14
B. Operated	429	8.7	86	2	3	6	10	16	25	68
1. SINGLE DX	3204	3.1	6	1	1	3	4	5	7	11
2. MULTIPLE DX	7108	4.1	15	1	1	3	5	7	10	17
A. NOT OPERATED	9786	3.6	8	1	1	3	4	6	8	13
B. OPERATED	526	8.2	79	2	2	6	10	16	23	65
TOTAL 0-19 YRS	5140	3.5	12	1	1	3	4	6	8	14
20-34	1843	3.3	8	1	1	3	4	6	7	12
35-49	1082	3.9	8	1	1	3	5	7	9	14
50-64	926	4.3	11	1	2	4	5	8	10	17
65+	1321	5.6	21	2	2	4	7	10	13	26
GRAND TOTAL	**10312**	**3.8**	**12**	**1**	**1**	**3**	**5**	**7**	**9**	**16**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	5.1	13	1	2	3	7	10	13	13
20-34	23	8.9	32	3	4	8	11	14	23	28
35-49	18	5.7	6	1	3	6	7	9	11	11
50-64	15	16.2	199	1	2	11	26	41	45	46
65+	21	10.0	32	3	3	9	13	18	22	25
B. Operated										
0-19 YRS	4	7.8	51	2	2	5	12	18	18	18
20-34	17	8.7	82	3	3	6	9	14	32	41
35-49	14	7.7	18	3	3	7	10	14	16	16
50-64	21	10.5	61	2	3	8	14	18	27	36
65+	18	11.6	38	3	4	11	14	22	26	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	6.0	9	2	3	6	8	10	11	12
20-34	36	11.1	135	3	4	8	12	19	30	69
35-49	63	11.7	56	4	5	9	16	24	28	91
50-64	80	12.2	128	3	4	10	13	24	39	65
65+	146	13.5	123	3	4	10	17	27	31	66
B. Operated										
0-19 YRS	4	5.8	33	1	1	4	9	14	14	14
20-34	26	11.6	66	1	3	11	15	27	29	32
35-49	55	15.5	226	3	4	12	20	37	79	99+
50-64	86	15.0	209	2	3	11	18	28	49	76
65+	145	15.0	131	4	5	12	19	25	33	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	89	9.2	63	2	3	7	11	18	27	44
B. Operated	74	9.7	51	3	3	7	13	16	23	40
2. MULTIPLE DX										
A. Not Operated	340	12.3	110	3	4	10	15	24	31	69
B. Operated	316	14.7	162	3	4	12	19	27	38	87
1. SINGLE DX	163	9.4	57	2	3	7	12	17	26	41
2. MULTIPLE DX	656	13.5	136	3	4	10	17	26	35	75
A. NOT OPERATED	429	11.7	101	3	4	9	14	23	30	67
B. OPERATED	390	13.7	145	3	4	11	17	26	37	81
TOTAL 0-19 YRS	35	5.9	16	1	2	5	8	12	14	18
20-34	102	10.3	85	3	4	8	13	18	28	54
35-49	150	12.0	119	3	4	8	16	25	37	99+
50-64	202	13.5	162	2	3	10	16	27	41	72
65+	330	13.9	117	3	5	11	18	25	31	63
GRAND TOTAL	**819**	**12.7**	**123**	**3**	**4**	**10**	**16**	**24**	**32**	**70**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.8	18	1	1	2	6	11	11	11
20-34	6	5.0	15	1	1	4	9	10	10	10
35-49	1	11.0		11	11	11	11	11	11	11
50-64	1	10.0		10	10	10	10	10	10	10
65+										
B. *Operated*										
0-19 YRS	2	9.5	113	2	2	9	17	17	17	17
20-34	4	9.8	18	4	4	10	12	14	14	14
35-49	2	19.5	85	13	13	19	26	26	26	26
50-64	4	9.8	22	3	3	11	13	14	14	14
65+	5	10.0	27	2	2	10	14	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	15.8	110	4	4	15	24	28	28	28
20-34	3	21.3	1064	2	2	3	45	59	59	59
35-49	4	10.8	98	<1	<1	9	18	24	24	24
50-64	14	9.3	53	2	3	7	12	18	27	29
65+	9	9.6	32	3	4	7	14	18	21	21
B. *Operated*										
0-19 YRS	6	22.2	275	2	2	24	36	42	43	43
20-34	7	12.9	162	1	2	8	18	34	38	38
35-49	15	15.9	82	2	4	14	22	30	32	33
50-64	17	15.3	197	2	2	15	23	83	99+	99+
65+	25	21.6	369	4	6	14	25	51	69	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	5.4	18	1	1	4	10	11	11	11
B. *Operated*	17	10.9	37	2	2	11	14	17	23	26
2. MULTIPLE DX										
A. *Not Operated*	34	11.4	126	2	3	8	14	24	29	59
B. *Operated*	70	18.0	236	2	3	14	25	43	66	99+
1. SINGLE DX	30	8.5	36	1	1	10	11	15	17	26
2. MULTIPLE DX	104	15.8	209	2	3	13	22	36	58	99+
A. NOT OPERATED	47	9.7	102	1	2	7	12	21	28	59
B. OPERATED	87	16.6	205	2	3	14	22	37	58	99+
TOTAL 0-19 YRS	17	13.8	179	1	1	11	23	34	41	43
20-34	20	11.2	200	1	1	7	12	29	48	59
35-49	22	15.0	79	1	3	14	23	27	31	33
50-64	36	12.2	120	2	2	11	17	30	83	99+
65+	39	17.4	276	2	5	13	21	39	60	77
GRAND TOTAL	**134**	**14.2**	**179**	**2**	**2**	**12**	**20**	**31**	**49**	**99+**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	193	2.5	2	1	1	2	3	5	5	6
20-34	76	2.9	1	1	2	3	3	4	5	6
35-49	25	3.1	1	1	2	3	4	4	5	6
50-64	15	3.3	1	2	2	3	4	5	5	5
65+										
B. *Operated*										
0-19 YRS	22	1.8	3	1	1	1	2	4	6	8
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	497	3.0	4	1	1	3	4	5	6	8
20-34	179	3.2	2	1	2	3	4	5	6	8
35-49	95	3.7	6	2	2	3	4	5	8	16
50-64	55	4.8	14	2	2	4	6	7	9	26
65+	27	4.5	4	2	3	4	5	8	9	10
B. *Operated*										
0-19 YRS	21	2.5	7	<1	1	2	3	4	9	13
20-34	7	4.3	4	1	1	4	6	6	6	6
35-49	2	7.5	1	7	7	7	8	8	8	8
50-64										
65+	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	309	2.7	2	1	1	3	3	5	5	6
B. *Operated*	23	1.7	3	1	1	1	2	3	6	8
2. MULTIPLE DX										
A. *Not Operated*	853	3.3	5	1	1	3	4	5	6	10
B. *Operated*	31	3.5	9	1	1	2	5	7	10	13
1. SINGLE DX	332	2.6	2	1	1	2	3	4	5	6
2. MULTIPLE DX	884	3.3	5	1	1	3	4	5	7	11
A. NOT OPERATED	1162	3.1	4	1	1	3	4	5	6	9
B. OPERATED	54	2.7	7	1	1	2	3	6	8	13
TOTAL 0-19 YRS	733	2.8	3	1	1	2	3	5	6	8
20-34	263	3.1	2	1	2	3	4	5	6	7
35-49	122	3.7	5	2	2	3	4	5	7	16
50-64	70	4.5	12	2	2	4	5	7	8	25
65+	28	4.7	5	2	3	4	6	8	10	10
GRAND TOTAL	**1216**	**3.1**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**9**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	433	4.8	9	2	2	4	6	10	11	14
20-34	20	6.9	51	1	2	5	7	15	24	32
35-49	13	5.3	9	2	2	5	7	9	11	11
50-64	27	8.9	38	3	3	8	11	14	19	33
65+	69	9.0	43	3	4	8	10	14	21	37
B. *Operated*										
0-19 YRS	13	7.9	7	3	4	9	10	11	11	11
20-34	2	12.0	50	7	7	12	17	17	17	17
35-49	7	15.0	133	6	6	14	17	35	39	39
50-64	4	12.3	82	2	2	11	18	24	24	24
65+	8	16.0	29	8	10	15	17	24	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	751	6.0	20	2	2	5	8	12	15	22
20-34	185	8.3	29	3	3	7	11	14	17	34
35-49	230	9.2	36	3	3	8	12	15	22	38
50-64	609	10.0	46	3	4	8	12	17	21	39
65+	3032	10.8	55	4	5	9	13	18	24	41
B. *Operated*										
0-19 YRS	78	14.0	112	2	3	12	18	28	39	49
20-34	55	16.2	157	4	5	13	21	30	47	66
35-49	102	17.3	226	5	6	12	20	38	59	99+
50-64	217	16.1	137	4	6	13	20	30	42	84
65+	732	18.3	177	6	7	14	22	36	47	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	562	5.6	18	2	2	4	7	10	12	28
B. *Operated*	34	12.0	54	3	5	10	15	19	26	39
2. MULTIPLE DX										
A. *Not Operated*	4807	9.8	49	3	4	8	12	17	22	38
B. *Operated*	1184	17.4	170	5	6	14	21	35	45	87
1. SINGLE DX	596	5.9	22	2	2	5	8	11	14	31
2. MULTIPLE DX	5991	11.3	82	3	4	9	13	20	28	52
A. NOT OPERATED	5369	9.3	47	2	3	8	11	16	21	37
B. OPERATED	1218	17.3	167	5	6	14	21	35	45	86
TOTAL 0-19 YRS	1275	6.1	26	2	2	4	8	12	15	27
20-34	262	9.9	68	3	3	8	12	17	24	47
35-49	352	11.5	106	3	4	9	14	22	35	86
50-64	857	11.5	76	3	4	9	14	21	27	51
65+	3841	12.2	86	4	5	10	14	22	30	53
GRAND TOTAL	**6587**	**10.8**	**79**	**3**	**3**	**9**	**13**	**20**	**27**	**49**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	197	6.6	25	1	2	5	10	12	15	25
20-34	37	5.6	10	2	3	4	7	12	12	13
35-49	23	5.0	8	1	2	4	7	10	11	12
50-64	16	5.0	14	1	2	4	5	9	15	17
65+	16	4.9	12	1	2	4	6	10	13	15
B. *Operated*										
0-19 YRS	10	10.1	26	1	1	11	13	15	16	16
20-34	4	4.5	10	2	2	3	6	9	9	9
35-49	9	8.4	15	4	4	8	10	14	16	16
50-64	8	6.3	7	3	3	6	8	10	10	10
65+	7	11.3	48	4	4	10	13	23	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	209	7.3	33	2	3	6	10	13	15	38
20-34	60	5.5	12	2	2	4	7	12	13	14
35-49	57	7.4	25	3	3	6	9	15	18	26
50-64	91	8.3	97	2	3	6	9	14	19	63
65+	158	8.7	48	3	3	7	10	15	20	40
B. *Operated*										
0-19 YRS	32	20.8	436	2	3	13	27	49	68	88
20-34	21	10.8	91	3	3	9	13	23	36	40
35-49	39	23.9	471	3	4	16	31	56	72	86
50-64	54	16.8	117	3	4	14	26	34	38	97
65+	85	18.8	271	5	6	12	21	48	56	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	289	6.2	21	1	2	5	9	12	14	23
B. *Operated*	38	8.5	24	2	3	8	12	14	16	25
2. MULTIPLE DX										
A. *Not Operated*	575	7.7	45	2	3	6	10	14	16	38
B. *Operated*	231	18.7	282	3	4	13	26	45	55	86
1. SINGLE DX	327	6.5	21	1	2	5	9	12	14	24
2. MULTIPLE DX	806	10.8	137	2	3	7	12	22	35	65
A. NOT OPERATED	864	7.2	37	2	2	6	9	13	15	33
B. OPERATED	269	17.3	258	3	4	12	22	40	53	86
TOTAL 0-19 YRS	448	8.0	70	2	2	6	10	14	21	44
20-34	122	6.4	28	2	2	5	8	12	14	35
35-49	128	12.1	216	3	3	7	13	27	48	84
50-64	169	10.6	109	2	3	7	13	27	33	76
65+	266	11.8	140	3	4	8	13	23	38	64
GRAND TOTAL	**1133**	**9.6**	**108**	**2**	**3**	**7**	**11**	**17**	**29**	**58**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	873	3.5	3	1	2	3	4	6	7	11
20-34	366	3.5	4	1	1	3	4	6	7	10
35-49	72	4.1	5	1	2	4	5	8	9	10
50-64	11	3.8	5	1	1	3	6	7	8	8
65+	11	7.3	58	<1	1	5	7	21	26	26
B. *Operated*										
0-19 YRS	9	4.9	2	3	3	5	5	7	8	8
20-34	6	4.3	7	2	2	3	6	9	9	9
35-49	1	19.0		19	19	19	19	19	19	19
50-64	1	7.0		7	7	7	7	7	7	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	491	4.1	7	1	2	3	5	7	9	14
20-34	191	4.8	17	2	2	4	6	9	11	26
35-49	66	5.8	32	2	2	4	7	11	13	38
50-64	34	6.8	20	3	3	5	7	14	17	22
65+	27	7.1	12	2	3	6	10	11	13	16
B. *Operated*										
0-19 YRS	19	6.2	42	1	2	5	6	10	22	31
20-34	18	8.8	36	2	3	8	12	16	22	26
35-49	5	7.6	29	4	4	4	11	16	16	16
50-64	7	11.3	45	4	4	7	18	20	20	20
65+	1	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1333	3.6	4	1	2	3	4	6	7	11
B. *Operated*	17	5.6	16	2	2	5	6	9	15	19
2. MULTIPLE DX										
A. *Not Operated*	809	4.6	12	2	2	4	5	8	11	18
B. *Operated*	50	8.0	39	2	3	6	9	17	20	31
1. SINGLE DX	1350	3.6	4	1	2	3	4	6	7	11
2. MULTIPLE DX	859	4.8	15	2	2	4	6	9	11	20
A. NOT OPERATED	2142	4.0	8	1	2	3	5	7	9	14
B. OPERATED	67	7.4	34	2	3	6	9	16	19	30
TOTAL 0-19 YRS	1392	3.7	5	1	2	3	4	6	8	12
20-34	581	4.1	10	1	2	3	5	7	9	16
35-49	144	5.1	20	1	2	4	6	9	11	23
50-64	53	6.8	24	2	3	5	7	15	18	22
65+	39	7.1	23	2	2	6	9	12	17	26
GRAND TOTAL	**2209**	**4.1**	**9**	**1**	**2**	**3**	**5**	**7**	**9**	**15**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	217	3.2	4	1	1	3	4	6	8	10
20-34	57	4.9	15	1	2	4	6	7	10	26
35-49	26	4.7	5	1	2	4	6	8	9	10
50-64	65	5.8	9	2	3	5	7	8	11	17
65+	85	6.3	17	2	3	5	7	9	12	26
B. *Operated*										
0-19 YRS	3	10.0	7	8	8	9	12	13	13	13
20-34	4	5.0	9	2	2	4	7	9	9	9
35-49	1	21.0		21	21	21	21	21	21	21
50-64	5	6.8	11	2	2	7	9	11	11	11
65+	9	6.8	14	2	2	7	9	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	488	3.9	8	1	2	3	5	7	9	15
20-34	100	6.1	23	2	2	5	8	12	14	29
35-49	61	5.8	14	1	2	5	7	10	11	20
50-64	211	6.5	17	2	3	6	8	10	14	27
65+	654	8.0	38	2	3	7	10	14	19	34
B. *Operated*										
0-19 YRS	15	11.0	93	2	3	9	16	32	80	99+
20-34	12	9.1	79	2	3	7	9	19	34	36
35-49	12	9.3	55	2	2	8	13	20	25	26
50-64	26	9.0	27	2	2	9	12	13	18	26
65+	76	14.2	133	3	3	11	18	31	41	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	450	4.5	10	1	2	4	6	8	9	17
B. *Operated*	22	7.5	20	2	2	7	9	13	16	21
2. MULTIPLE DX										
A. *Not Operated*	1514	6.3	26	2	2	5	8	11	15	30
B. *Operated*	141	12.0	101	2	3	10	15	26	35	65
1. SINGLE DX	472	4.6	11	1	2	4	6	8	10	19
2. MULTIPLE DX	1655	6.8	35	2	2	5	8	12	17	33
A. NOT OPERATED	1964	5.9	23	1	2	5	7	11	14	25
B. OPERATED	163	11.4	93	2	3	9	13	25	34	59
TOTAL 0-19 YRS	723	3.9	10	1	1	3	5	7	9	16
20-34	173	5.9	24	2	2	5	7	10	14	34
35-49	100	6.1	20	1	2	5	8	10	17	23
50-64	307	6.5	17	2	3	6	8	11	13	24
65+	824	8.4	48	2	3	7	10	15	21	39
GRAND TOTAL	**2127**	**6.3**	**31**	**2**	**2**	**5**	**8**	**12**	**15**	**32**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	4.8	9	2	2	4	6	9	10	15
20-34	221	6.0	15	2	2	5	8	10	13	24
35-49	75	6.3	19	2	3	5	8	11	13	28
50-64	27	6.4	29	2	2	5	8	15	19	23
65+	10	5.0	5	2	2	4	7	8	8	8
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	8	5.3	24	1	1	4	6	13	16	16
35-49	3	9.7	64	2	2	9	16	18	18	18
50-64	6	12.2	181	2	2	6	18	35	37	37
65+	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	5.8	20	1	2	4	7	11	16	23
20-34	243	6.1	21	2	2	5	7	11	14	30
35-49	85	8.3	63	2	3	7	10	15	17	52
50-64	67	7.8	27	3	3	7	10	14	19	29
65+	72	8.1	27	3	4	7	10	13	20	31
B. *Operated*										
0-19 YRS	7	5.6	34	1	1	3	8	16	17	17
20-34	34	8.5	25	3	3	8	11	16	19	20
35-49	9	4.7	7	2	2	4	6	9	10	10
50-64	23	10.3	80	1	2	8	12	22	34	35
65+	18	10.7	33	5	5	9	14	20	23	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	412	5.8	15	2	2	5	7	10	13	23
B. *Operated*	19	8.7	77	1	1	6	12	18	29	37
2. MULTIPLE DX										
A. *Not Operated*	523	6.9	30	2	3	6	9	12	17	30
B. *Operated*	91	8.8	42	2	3	7	11	17	20	34
1. SINGLE DX	431	5.9	18	2	2	5	8	10	14	24
2. MULTIPLE DX	614	7.2	32	2	3	6	9	13	18	31
A. NOT OPERATED	935	6.4	24	2	2	5	8	11	15	24
B. OPERATED	110	8.8	47	2	2	7	11	18	20	36
TOTAL 0-19 YRS	143	5.2	14	1	2	4	7	10	12	20
20-34	506	6.2	19	2	2	5	8	11	14	24
35-49	172	7.2	41	2	3	6	9	13	16	31
50-64	123	8.2	45	2	3	6	10	17	22	36
65+	101	8.3	28	3	3	7	10	15	20	29
GRAND TOTAL	**1045**	**6.7**	**27**	**2**	**2**	**5**	**8**	**12**	**16**	**29**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	293	3.8	4	1	2	3	5	6	7	11
20-34	78	4.5	5	2	2	4	6	8	9	10
35-49	9	4.7	4	1	2	5	6	7	7	7
50-64	5	3.8	6	2	2	3	4	8	8	8
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	3	6.7		6	6	7	7	7	7	7
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	492	3.9	5	1	2	3	5	7	8	11
20-34	134	4.3	8	1	1	4	5	8	10	14
35-49	33	4.5	13	1	1	4	6	8	14	15
50-64	15	3.3	8	1	1	2	5	9	9	9
65+	13	4.1	14	1	1	4	5	8	14	15
B. *Operated*										
0-19 YRS	16	7.0	34	1	2	6	9	18	20	21
20-34	9	10.2	57	3	3	8	12	22	28	28
35-49	2	6.0	2	5	5	6	7	7	7	7
50-64	3	9.3	34	5	5	7	14	16	16	16
65+	1	13.0		13	13	13	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	387	4.0	5	1	2	3	5	7	8	10
B. *Operated*	5	6.4	2	4	4	7	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	687	4.0	6	1	2	4	5	7	8	14
B. *Operated*	31	8.3	38	2	2	6	11	17	21	28
1. SINGLE DX	392	4.0	5	1	2	4	5	7	8	10
2. MULTIPLE DX	718	4.2	8	1	2	4	5	7	9	15
A. NOT OPERATED	1074	4.0	6	1	2	3	5	7	8	13
B. OPERATED	36	8.0	33	2	3	7	10	16	20	28
TOTAL 0-19 YRS	802	4.0	6	1	2	3	5	7	8	12
20-34	224	4.7	10	1	2	4	6	8	10	15
35-49	44	4.6	11	1	1	4	6	7	11	15
50-64	24	4.2	13	1	1	3	6	9	11	16
65+	16	4.4	17	1	1	3	5	12	14	15
GRAND TOTAL	**1110**	**4.1**	**7**	**1**	**2**	**4**	**5**	**7**	**9**	**14**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.2		<1	<1	1	1	2	2	2
20-34	4	2.0	4	<1	<1	1	3	5	5	5
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	87	1.7	2	<1	<1	1	2	3	4	10
20-34	203	2.1	2	<1	<1	1	3	4	5	7
35-49	67	2.4	2	<1	<1	2	3	4	6	7
50-64	17	2.5	1	<1	1	2	4	4	4	4
65+	9	1.9	1	1	1	2	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	6	3.2	9	<1	<1	1	7	7	7	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	26	3.1	3	<1	1	3	4	5	6	8
20-34	95	3.0	7	<1	1	2	4	6	9	15
35-49	52	3.8	9	<1	1	3	5	8	10	17
50-64	21	3.4	5	1	1	3	4	8	9	9
65+	11	2.5	2	1	1	2	3	5	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	1.5	1	<1	<1	1	2	3	5	5
B. *Operated*	383	2.1	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	10	3.1	9	<1	<1	2	7	8	8	8
B. *Operated*	205	3.2	7	<1	1	3	4	6	8	14
1. SINGLE DX	394	2.1	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX	215	3.2	7	<1	1	3	4	7	8	14
A. NOT OPERATED	21	2.3	5	<1	<1	1	2	7	8	8
B. OPERATED	588	2.5	4	<1	<1	2	3	5	6	11
TOTAL 0-19 YRS	121	2.0	3	<1	<1	1	2	4	5	9
20-34	308	2.4	4	<1	<1	2	3	5	6	10
35-49	121	3.0	6	<1	<1	2	4	6	8	13
50-64	39	3.0	4	<1	1	3	4	4	8	9
65+	20	2.2	2	1	1	2	3	4	5	6
GRAND TOTAL	**609**	**2.5**	**4**	**<1**	**<1**	**2**	**3**	**5**	**6**	**10**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1484	2.8	2	1	1	3	3	4	5	8
20-34	249	3.1	5	1	1	3	4	5	8	13
35-49	123	3.7	5	1	2	3	5	6	9	11
50-64	74	3.7	4	2	2	3	5	6	8	12
65+	45	3.8	5	1	2	3	4	6	7	14
B. *Operated*										
0-19 YRS	32	2.7	3	<1	<1	2	4	5	6	7
20-34	16	3.6	5	<1	1	3	5	8	8	8
35-49	4	2.3	1	1	1	2	3	3	3	3
50-64	2	3.0	8	1	1	3	5	5	5	5
65+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1734	3.2	4	1	1	3	4	5	7	12
20-34	544	3.7	8	1	1	3	5	6	9	13
35-49	366	4.1	10	1	2	3	5	7	8	16
50-64	373	4.9	12	2	2	4	6	9	12	19
65+	497	5.2	11	2	2	4	6	9	12	19
B. *Operated*										
0-19 YRS	52	7.8	57	1	1	5	10	21	27	29
20-34	44	5.9	22	2	2	5	7	12	15	27
35-49	42	9.3	66	3	3	6	12	20	28	39
50-64	39	10.1	43	2	3	9	15	19	23	30
65+	39	10.6	24	4	5	9	14	17	21	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1975	2.9	3	1	1	3	4	5	6	10
B. *Operated*	55	3.1	4	<1	<1	3	4	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	3514	3.8	8	1	1	3	5	7	9	15
B. *Operated*	216	8.6	45	2	2	7	11	17	23	30
1. SINGLE DX	2030	2.9	3	1	1	3	4	5	6	10
2. MULTIPLE DX	3730	4.1	11	1	1	3	5	7	10	18
A. NOT OPERATED	5489	3.5	6	1	1	3	4	6	8	14
B. OPERATED	271	7.5	42	1	2	5	10	16	22	30
TOTAL 0-19 YRS	3302	3.1	5	1	1	3	4	5	6	11
20-34	853	3.6	8	1	1	3	4	6	9	14
35-49	535	4.4	15	1	2	3	5	8	10	20
50-64	488	5.1	16	2	2	4	6	9	14	21
65+	582	5.5	14	2	2	4	7	10	13	20
GRAND TOTAL	**5760**	**3.7**	**9**	**1**	**1**	**3**	**4**	**6**	**9**	**16**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	96	3.8	4	1	2	4	5	6	7	11
20-34	52	4.2	4	1	2	4	6	7	7	12
35-49	32	4.2	3	1	2	4	5	7	8	9
50-64	28	4.5	4	2	3	4	5	8	9	9
65+	7	6.7	2	4	4	7	8	8	8	8
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	1	18.0		18	18	18	18	18	18	18
35-49										
50-64	1	5.0		5	5	5	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	4.1	5	1	2	3	5	7	8	12
20-34	43	3.7	6	1	1	3	4	7	9	13
35-49	25	4.4	4	1	2	4	6	7	8	9
50-64	25	6.7	29	1	2	5	9	13	18	24
65+	18	7.1	14	3	4	6	9	13	15	15
B. *Operated*										
0-19 YRS	2	9.5	13	7	7	9	12	12	12	12
20-34	3	12.3	57	7	7	9	18	21	21	21
35-49	5	8.6	14	4	4	8	11	14	14	14
50-64	5	17.4	88	8	8	15	25	30	30	30
65+	2	9.5	1	9	9	9	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	215	4.1	4	1	2	4	5	7	8	11
B. *Operated*	3	10.0	49	5	5	7	15	18	18	18
2. MULTIPLE DX										
A. *Not Operated*	164	4.8	11	1	2	4	6	9	12	16
B. *Operated*	17	12.1	48	5	7	10	14	23	28	30
1. SINGLE DX	218	4.2	5	1	2	4	5	7	8	12
2. MULTIPLE DX	181	5.5	19	1	2	4	7	10	14	24
A. NOT OPERATED	379	4.4	7	1	2	4	5	8	9	14
B. OPERATED	20	11.8	46	4	6	9	14	22	27	30
TOTAL 0-19 YRS	152	4.0	5	1	2	4	5	7	7	12
20-34	99	4.4	10	1	2	4	6	7	9	20
35-49	62	4.6	6	1	2	4	6	8	9	14
50-64	59	6.5	32	1	2	5	8	13	20	29
65+	27	7.2	10	3	4	7	9	10	15	15
GRAND TOTAL	**399**	**4.8**	**12**	**1**	**2**	**4**	**6**	**8**	**11**	**20**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	101	5.0	6	2	2	4	6	8	10	13
20-34	129	4.3	4	2	2	4	5	7	7	11
35-49	17	4.2	4	2	3	4	4	7	9	10
50-64	2	2.0	2	<1	<1	1	3	3	3	3
65+	5	1.8	3	<1	<1	1	2	5	5	5
B. *Operated*										
0-19 YRS	11	2.2	5	<1	<1	1	2	6	8	8
20-34	42	3.5	8	<1	1	3	5	6	8	16
35-49	6	4.5	13	<1	<1	4	7	10	10	10
50-64	3	7.3	60	1	1	5	13	16	16	16
65+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	6.4	21	2	2	5	8	12	16	24
20-34	145	5.3	12	2	2	4	6	9	12	18
35-49	28	7.1	37	2	2	5	8	11	25	27
50-64	21	8.6	89	1	1	6	10	20	33	39
65+	19	6.0	17	1	1	6	9	12	14	15
B. *Operated*										
0-19 YRS	14	6.2	7	3	3	6	9	10	10	10
20-34	45	5.0	17	<1	1	4	7	10	15	17
35-49	20	7.4	59	<1	1	5	11	13	24	35
50-64	10	7.7	28	1	1	7	11	15	16	16
65+	13	8.4	30	2	2	6	14	15	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	254	4.5	5	1	2	4	5	7	9	11
B. *Operated*	64	3.5	10	<1	1	3	5	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	305	6.0	23	2	2	5	7	11	15	27
B. *Operated*	102	6.3	27	1	1	5	9	13	15	26
1. SINGLE DX	318	4.3	6	1	1	4	5	7	9	13
2. MULTIPLE DX	407	6.1	24	1	2	5	8	11	15	27
A. NOT OPERATED	559	5.3	15	1	2	4	7	10	11	25
B. OPERATED	166	5.3	22	<1	1	4	7	11	15	17
TOTAL 0-19 YRS	218	5.5	13	1	2	5	7	10	11	20
20-34	361	4.7	10	1	2	4	6	8	10	16
35-49	71	6.3	34	1	2	4	8	11	13	33
50-64	36	7.9	64	1	1	6	11	16	25	39
65+	39	6.1	23	1	1	5	10	14	15	17
GRAND TOTAL	**725**	**5.3**	**17**	**1**	**2**	**4**	**7**	**10**	**12**	**22**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	4.0	5	1	1	4	6	7	7	7
20-34	4	8.5	30	4	4	8	13	15	15	15
35-49	8	3.9	4	1	1	4	5	6	6	6
50-64	7	6.4	20	2	2	7	9	13	14	14
65+	9	9.2	37	2	3	7	13	19	21	21
B. *Operated*										
0-19 YRS	3	8.0	49	<1	<1	8	13	15	15	15
20-34	7	9.0	43	3	3	7	12	20	22	22
35-49	9	5.8	12	1	1	7	9	10	10	10
50-64	8	4.1	34	1	1	2	4	14	18	18
65+	7	4.3	18	1	1	2	7	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	5.5	35	1	1	4	6	15	21	29
20-34	33	9.0	205	2	2	5	9	14	39	77
35-49	37	11.9	205	1	2	6	13	38	46	62
50-64	45	10.7	117	2	3	8	11	15	39	55
65+	120	8.7	30	2	2	8	11	16	20	25
B. *Operated*										
0-19 YRS	10	15.6	218	1	2	12	22	38	52	52
20-34	28	15.5	151	4	5	12	18	34	46	53
35-49	43	20.8	406	4	5	15	27	50	63	99
50-64	49	25.2	460	2	4	19	40	55	65	94
65+	74	17.4	179	2	5	13	25	35	47	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	6.0	20	1	2	5	7	13	15	21
B. *Operated*	34	5.9	28	1	1	4	8	13	17	22
2. MULTIPLE DX										
A. *Not Operated*	281	9.0	90	1	2	6	11	17	21	54
B. *Operated*	204	19.6	300	2	5	14	26	47	54	85
1. SINGLE DX	74	6.0	23	1	1	5	8	13	15	22
2. MULTIPLE DX	485	13.5	206	2	3	9	16	30	47	68
A. NOT OPERATED	321	8.6	82	1	2	6	11	16	21	52
B. OPERATED	238	17.7	284	1	3	12	24	43	53	79
TOTAL 0-19 YRS	71	6.8	66	1	1	4	7	16	23	47
20-34	72	11.5	165	2	3	8	13	24	42	72
35-49	97	14.6	293	1	2	8	17	37	51	89
50-64	109	16.5	321	1	2	9	20	48	55	80
65+	210	11.7	100	2	3	9	14	24	32	54
GRAND TOTAL	**559**	**12.5**	**188**	**1**	**2**	**8**	**15**	**28**	**45**	**65**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.8	5	1	1	3	5	7	8	8
20-34	3	4.0	9	1	1	4	6	7	7	7
35-49	3	3.0		3	3	3	3	3	3	3
50-64										
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	6	3.7	3	2	2	3	4	7	7	7
20-34	2	8.0	8	6	6	8	10	10	10	10
35-49	3	5.3		5	5	5	6	6	6	6
50-64	1	8.0		8	8	8	8	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	4.3	6	1	2	3	6	8	8	8
20-34	10	7.4	21	1	2	7	10	14	17	17
35-49	7	5.3	4	2	2	6	7	8	8	8
50-64	4	6.3	22	2	2	5	10	12	12	12
65+	5	10.6	79	4	4	9	13	26	26	26
B. *Operated*										
0-19 YRS	12	3.2	3	1	1	3	4	5	8	8
20-34	4	8.8	8	6	6	8	11	12	12	12
35-49	2	9.5	1	9	9	9	10	10	10	10
50-64	3	5.3	2	4	4	5	6	7	7	7
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	3.7	4	1	1	3	4	7	8	8
B. *Operated*	12	5.2	6	2	2	5	7	9	10	10
2. MULTIPLE DX										
A. *Not Operated*	43	6.1	21	1	2	6	8	10	14	26
B. *Operated*	21	5.1	10	1	2	4	7	10	11	12
1. SINGLE DX	30	4.3	5	1	2	4	6	8	8	10
2. MULTIPLE DX	64	5.8	17	1	2	5	8	10	12	25
A. NOT OPERATED	61	5.4	17	1	2	4	7	9	11	25
B. OPERATED	33	5.2	8	2	2	4	7	10	10	12
TOTAL 0-19 YRS	46	3.8	4	1	2	3	5	7	8	8
20-34	19	7.2	16	1	2	7	10	12	15	17
35-49	15	5.4	6	2	3	5	7	9	10	10
50-64	8	6.1	11	2	2	6	8	11	12	12
65+	6	9.5	71	4	4	7	9	24	26	26
GRAND TOTAL	**94**	**5.3**	**14**	**1**	**2**	**4**	**7**	**9**	**11**	**22**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	3.6	10	<1	1	3	5	7	12	13
20-34	23	6.2	27	1	2	4	8	17	18	18
35-49	12	4.8	8	3	3	4	5	8	12	13
50-64	5	4.6	10	2	2	3	7	9	9	9
65+	3	4.7	12	1	1	5	7	8	8	8
B. *Operated*										
0-19 YRS	14	3.4	21	<1	<1	1	4	8	16	18
20-34	113	3.8	9	1	1	3	5	8	10	14
35-49	44	5.2	31	1	1	3	8	10	14	31
50-64	17	5.6	21	1	1	4	10	12	14	15
65+	5	5.6	14	2	2	5	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	5.1	11	2	2	5	6	10	13	16
20-34	78	6.2	20	2	2	5	8	10	15	24
35-49	63	6.2	19	2	2	5	8	10	14	27
50-64	41	6.9	27	1	2	5	9	15	17	24
65+	33	7.5	15	3	4	7	9	13	16	20
B. *Operated*										
0-19 YRS	11	9.7	37	3	4	8	10	20	24	24
20-34	146	9.9	85	2	2	7	13	21	29	48
35-49	93	13.0	143	2	3	10	18	26	32	70
50-64	41	11.2	64	2	4	9	15	24	27	37
65+	24	14.0	160	2	3	9	19	33	42	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	5.1	17	1	1	4	6	11	16	18
B. *Operated*	193	4.3	16	1	1	3	6	10	11	18
2. MULTIPLE DX										
A. *Not Operated*	246	6.3	19	2	2	5	8	11	16	24
B. *Operated*	315	11.3	105	2	2	8	15	24	31	49
1. SINGLE DX	249	4.5	16	1	1	3	6	10	13	18
2. MULTIPLE DX	561	9.1	73	2	2	6	11	20	25	41
A. NOT OPERATED	302	6.1	19	2	2	5	8	11	16	23
B. OPERATED	508	8.6	83	1	2	6	11	20	26	44
TOTAL 0-19 YRS	69	5.2	21	<1	1	4	6	12	16	23
20-34	360	6.9	50	1	2	5	9	15	21	40
35-49	212	8.9	88	2	2	6	11	20	26	48
50-64	104	8.3	45	1	2	6	11	16	24	32
65+	65	9.6	78	2	3	7	10	19	30	47
GRAND TOTAL	**810**	**7.7**	**60**	**1**	**2**	**5**	**9**	**17**	**23**	**38**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	8.5	85	2	2	8	15	15	15	15
20-34										
35-49	2	19.0	32	15	15	19	23	23	23	23
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	25	3	3	6	10	10	10	10
20-34										
35-49										
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	2	8.0	8	6	6	8	10	10	10	10
B. *Operated*										
0-19 YRS	2	8.0	8	6	6	8	10	10	10	10
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	3.0		3	3	3	3	3	3	3
65+	4	14.3	254	5	5	7	23	38	38	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	6	9.8	83	1	1	9	15	22	23	23
2. MULTIPLE DX										
A. *Not Operated*	6	5.5	15	1	1	5	10	10	10	10
B. *Operated*	8	10.1	132	3	3	6	9	30	38	38
1. SINGLE DX	7	8.9	75	1	1	3	15	21	23	23
2. MULTIPLE DX	14	8.1	82	1	2	6	10	13	32	38
A. NOT OPERATED	7	5.1	13	1	1	3	9	10	10	10
B. OPERATED	14	10.0	103	1	2	6	15	24	35	38
TOTAL 0-19 YRS	6	7.7	24	2	2	8	10	15	15	15
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	14.3	81	5	5	15	21	23	23	23
50-64	4	2.0	1	1	1	2	3	3	3	3
65+	7	10.9	149	3	3	6	10	32	38	38
GRAND TOTAL	**21**	**8.4**	**76**	**1**	**2**	**5**	**10**	**18**	**30**	**38**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.0	2	1	1	3	4	4	4	4
20-34	3	1.7		1	1	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	16	3.5	5	1	1	3	5	8	8	8
65+	16	4.6	10	<1	1	4	6	10	11	11
B. *Operated*										
0-19 YRS	8	3.4	3	2	2	3	5	6	6	6
20-34	16	4.4	16	1	1	4	5	9	15	17
35-49	61	5.1	17	1	1	4	7	10	13	21
50-64	144	5.1	26	1	1	3	7	13	17	21
65+	161	4.9	26	1	1	3	6	11	14	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.0	5	2	2	3	5	7	7	7
20-34	5	5.4	2	4	4	5	7	7	7	7
35-49	26	7.0	30	1	2	6	10	13	18	25
50-64	72	6.1	42	1	1	4	8	12	14	41
65+	67	7.1	95	1	2	4	7	14	19	59
B. *Operated*										
0-19 YRS	8	11.6	138	2	2	7	20	30	31	31
20-34	12	10.3	97	1	2	7	13	26	34	35
35-49	99	11.2	120	1	2	8	15	30	41	99+
50-64	307	11.1	157	1	2	8	14	23	34	73
65+	414	10.5	177	1	2	6	12	25	41	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	3.7	7	1	1	3	5	8	9	11
B. *Operated*	390	5.0	24	1	1	3	6	11	15	21
2. MULTIPLE DX										
A. *Not Operated*	174	6.5	59	1	2	5	7	12	16	49
B. *Operated*	840	10.8	161	1	2	7	14	25	38	76
1. SINGLE DX	431	4.8	22	1	1	3	6	11	15	20
2. MULTIPLE DX	1014	10.1	146	1	2	6	12	23	35	70
A. NOT OPERATED	215	6.0	50	1	1	4	7	12	14	46
B. OPERATED	1230	8.9	125	1	1	5	11	20	32	69
TOTAL 0-19 YRS	25	6.0	57	1	2	4	6	11	29	31
20-34	36	6.3	47	1	1	4	7	16	21	35
35-49	187	8.6	81	1	2	6	10	20	32	82
50-64	539	8.6	110	1	1	5	11	18	26	65
65+	658	8.6	134	1	1	5	10	19	33	66
GRAND TOTAL	**1445**	**8.5**	**115**	**1**	**1**	**5**	**10**	**19**	**29**	**65**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64	2	6.5	25	3	3	6	10	10	10	10
65+	11	5.1	13	1	2	4	6	10	14	14
B. *Operated*										
0-19 YRS										
20-34										
35-49	9	6.9	43	2	2	4	11	18	21	21
50-64	36	12.6	91	2	3	10	14	30	34	38
65+	29	7.8	45	1	1	7	11	13	20	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	12.5	5	11	11	12	14	14	14	14
20-34	1	1.0		1	1	1	1	1	1	1
35-49	14	9.1	42	1	3	8	10	22	23	23
50-64	62	6.3	22	1	2	5	8	11	14	28
65+	62	8.1	42	1	2	6	10	19	22	31
B. *Operated*										
0-19 YRS										
20-34	2	11.5	41	7	7	11	16	16	16	16
35-49	41	15.0	153	3	4	12	17	29	58	99+
50-64	148	15.1	152	3	4	13	18	30	42	85
65+	190	14.0	151	2	3	11	20	28	36	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	5.3	12	1	2	4	6	10	13	14
B. *Operated*	74	10.0	72	1	2	9	12	22	31	37
2. MULTIPLE DX										
A. *Not Operated*	141	7.4	34	1	2	6	9	14	21	29
B. *Operated*	381	14.5	150	2	3	12	19	29	41	69
1. SINGLE DX	88	9.3	65	1	2	8	12	20	30	37
2. MULTIPLE DX	522	12.6	129	2	3	10	16	25	33	65
A. NOT OPERATED	155	7.2	32	1	2	6	9	14	21	29
B. OPERATED	455	13.8	140	2	3	11	17	28	38	67
TOTAL 0-19 YRS	2	12.5	5	11	11	12	14	14	14	14
20-34	3	8.0	57	1	1	7	14	16	16	16
35-49	65	12.4	121	2	3	10	17	23	35	95
50-64	248	12.5	123	2	3	10	16	26	37	61
65+	292	11.8	121	1	2	8	16	24	32	61
GRAND TOTAL	**610**	**12.1**	**121**	**2**	**3**	**9**	**16**	**25**	**32**	**63**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64	3	7.3	30	1	1	10	11	11	11	11
65+	13	5.7	42	2	2	3	6	12	23	26
B. *Operated*										
0-19 YRS										
20-34	2	12.0	32	8	8	12	16	16	16	16
35-49	16	9.9	12	4	5	10	11	14	17	18
50-64	36	13.1	247	3	4	10	14	23	29	97
65+	53	12.1	48	3	4	11	14	21	25	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	7.0	25	3	3	5	10	14	14	14
35-49	17	7.0	51	<1	1	4	9	21	23	24
50-64	40	7.5	33	1	2	6	11	16	20	21
65+	93	8.6	41	1	2	7	12	17	20	32
B. *Operated*										
0-19 YRS	2	21.5	25	18	18	21	25	25	25	25
20-34	10	9.5	20	2	2	10	12	15	17	17
35-49	61	14.0	92	3	5	12	17	25	31	58
50-64	182	15.4	121	3	5	13	19	28	33	64
65+	470	16.1	91	4	6	14	20	28	36	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	5.3	33	1	1	3	7	10	18	26
B. *Operated*	107	12.1	108	3	4	10	14	21	25	63
2. MULTIPLE DX										
A. *Not Operated*	154	8.1	39	1	2	6	12	17	21	27
B. *Operated*	725	15.7	98	4	6	14	20	27	35	52
1. SINGLE DX	127	11.0	102	2	3	10	13	20	25	52
2. MULTIPLE DX	879	14.4	96	3	4	13	19	26	33	49
A. NOT OPERATED	174	7.8	39	1	2	6	11	16	21	27
B. OPERATED	832	15.2	101	3	6	13	19	27	34	52
TOTAL 0-19 YRS	3	15.3	126	3	3	18	23	25	25	25
20-34	16	9.2	22	2	3	9	12	16	17	17
35-49	97	11.7	79	2	3	10	14	22	26	50
50-64	261	13.8	131	2	4	11	17	25	31	66
65+	629	14.5	88	3	4	13	19	26	33	44
GRAND TOTAL	**1006**	**13.9**	**98**	**3**	**4**	**12**	**18**	**26**	**32**	**48**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	15.0		15	15	15	15	15	15	15
35-49	2	8.5	1	8	8	8	9	9	9	9
50-64	1	13.0		13	13	13	13	13	13	13
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	8.0		8	8	8	8	8	8	8
50-64	1	9.0		9	9	9	9	9	9	9
65+	11	8.0	34	2	2	6	11	17	20	20
B. *Operated*										
0-19 YRS										
20-34										
35-49	20	14.0	37	7	8	14	17	19	26	33
50-64	39	17.4	176	7	8	13	18	35	64	99+
65+	58	17.8	80	5	8	17	23	32	34	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	5	10.8	9	8	8	9	13	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	13	8.1	28	2	2	8	10	16	19	20
B. *Operated*	117	17.0	105	7	8	15	20	30	37	80
1. SINGLE DX	6	9.3	20	2	3	9	13	15	15	15
2. MULTIPLE DX	130	16.1	104	4	7	14	19	29	34	76
A. NOT OPERATED	14	7.6	29	2	2	7	10	15	19	20
B. OPERATED	122	16.8	103	7	8	15	19	30	36	79
TOTAL 0-19 YRS										
20-34	1	15.0		15	15	15	15	15	15	15
35-49	24	12.8	40	5	8	10	17	18	24	33
50-64	41	17.1	169	7	8	13	18	32	63	99+
65+	70	16.1	85	2	5	15	21	30	33	40
GRAND TOTAL	**136**	**15.8**	**102**	**4**	**7**	**14**	**18**	**29**	**34**	**75**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	7	3.4	3	1	1	4	5	5	5	5
50-64	13	2.7	4	<1	1	2	3	6	8	8
65+	26	5.8	42	1	2	4	6	11	16	34
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	7	8.3	3	6	6	9	10	10	10	10
35-49	71	9.5	14	2	5	9	12	14	15	18
50-64	256	10.4	23	3	6	9	12	16	20	26
65+	367	11.1	37	3	7	10	12	16	19	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	7.0	25	<1	1	6	11	14	15	15
35-49	26	11.0	291	<1	2	5	13	20	65	67
50-64	108	6.6	28	1	2	5	8	13	17	26
65+	284	7.7	49	1	2	5	9	17	24	35
B. *Operated*										
0-19 YRS	7	8.1	7	4	4	8	10	12	12	12
20-34	25	13.5	26	8	9	13	14	17	25	32
35-49	201	12.7	52	6	7	11	15	21	25	57
50-64	867	13.3	67	5	7	11	15	22	29	49
65+	2832	15.0	73	7	8	13	17	24	31	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	4.6	27	1	1	3	5	9	11	34
B. *Operated*	702	10.6	29	3	6	10	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*	426	7.6	58	1	2	5	9	16	21	36
B. *Operated*	3932	14.5	71	6	8	12	17	24	30	49
1. SINGLE DX	748	10.3	31	2	4	10	12	15	19	29
2. MULTIPLE DX	4358	13.8	74	3	6	12	16	23	30	47
A. NOT OPERATED	472	7.3	56	1	2	5	9	15	21	35
B. OPERATED	4634	13.9	67	6	7	12	16	23	29	47
TOTAL 0-19 YRS	8	8.8	9	4	5	9	11	13	13	13
20-34	40	11.3	30	2	6	11	14	16	20	32
35-49	305	11.6	65	2	4	11	14	18	24	66
50-64	1244	12.0	59	3	5	10	14	20	25	46
65+	3509	13.9	73	4	6	12	17	23	30	47
GRAND TOTAL	**5106**	**13.3**	**69**	**3**	**6**	**11**	**16**	**22**	**29**	**47**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.0		1	1	1	1	1	1	1
35-49	4	3.0	5	1	1	2	4	6	6	6
50-64	9	2.9	3	<1	<1	3	4	6	6	6
65+	16	3.4	3	1	2	3	4	5	8	9
B. *Operated*										
0-19 YRS	2	7.5	61	2	2	7	13	13	13	13
20-34	2	18.0	128	10	10	18	26	26	26	26
35-49	56	9.0	26	1	2	9	12	15	17	21
50-64	187	10.6	33	2	2	10	14	18	20	26
65+	254	10.2	36	2	2	10	13	17	20	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	7.1	10	4	4	6	9	12	12	12
35-49	18	6.1	28	1	1	4	8	13	18	21
50-64	57	6.2	42	1	2	4	7	13	17	36
65+	145	8.7	102	1	2	6	9	20	30	46
B. *Operated*										
0-19 YRS	2	8.5	1	8	8	8	9	9	9	9
20-34	20	14.1	42	2	6	13	16	25	25	25
35-49	114	13.2	83	3	6	11	16	20	22	59
50-64	461	14.4	109	3	5	12	17	22	29	64
65+	1062	14.8	73	3	6	13	18	24	31	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	3.1	3	1	1	3	4	5	6	9
B. *Operated*	501	10.2	34	2	2	10	13	17	20	26
2. MULTIPLE DX										
A. *Not Operated*	228	7.8	79	1	2	5	8	16	25	44
B. *Operated*	1659	14.5	83	3	6	13	18	23	30	52
1. SINGLE DX	532	9.8	35	1	2	10	13	17	20	26
2. MULTIPLE DX	1887	13.7	87	3	4	12	17	23	30	51
A. NOT OPERATED	259	7.3	72	1	2	5	8	15	24	44
B. OPERATED	2160	13.5	75	3	4	12	17	22	28	50
TOTAL 0-19 YRS	4	8.0	21	2	2	8	11	13	13	13
20-34	32	11.8	51	1	2	12	15	25	25	26
35-49	192	11.1	67	2	3	10	14	19	21	49
50-64	714	12.6	90	2	3	11	15	20	26	62
65+	1477	13.3	75	2	3	12	17	23	29	45
GRAND TOTAL	**2419**	**12.9**	**79**	**2**	**3**	**12**	**16**	**21**	**28**	**49**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	6.5	33	2	2	5	11	14	14	14
20-34	4	3.0	3	1	1	3	4	5	5	5
35-49	7	2.7	5	1	1	2	4	6	7	7
50-64	8	3.9	5	1	1	4	5	7	8	8
65+	8	5.4	14	1	1	4	8	11	12	12
B. *Operated*										
0-19 YRS	13	9.0	34	1	2	9	11	15	22	24
20-34	12	6.5	24	<1	1	4	11	14	15	15
35-49	12	9.9	67	1	2	8	12	24	27	28
50-64	28	9.5	40	1	2	9	13	17	24	26
65+	35	11.1	70	1	2	10	16	19	23	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	7.6	99	1	1	4	5	30	30	30
20-34	13	7.8	170	1	1	4	7	19	44	50
35-49	13	5.2	25	1	1	3	7	11	18	19
50-64	56	7.5	35	1	1	6	11	18	21	22
65+	82	9.3	88	2	3	7	10	17	23	58
B. *Operated*										
0-19 YRS	13	12.2	101	5	5	7	14	32	35	36
20-34	12	9.3	43	1	2	8	14	20	21	21
35-49	31	16.4	222	4	5	11	21	36	48	71
50-64	144	16.5	147	5	6	14	19	33	47	70
65+	298	15.8	137	4	5	13	20	30	34	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	4.2	11	1	1	4	5	9	12	14
B. *Operated*	100	9.7	51	1	2	9	13	18	23	35
2. MULTIPLE DX										
A. *Not Operated*	178	8.2	73	1	2	6	10	17	21	54
B. *Operated*	498	15.8	143	4	5	13	19	30	36	70
1. SINGLE DX	131	8.4	47	1	1	7	12	16	23	31
2. MULTIPLE DX	676	13.8	135	2	3	11	17	28	34	61
A. NOT OPERATED	209	7.6	66	1	2	5	9	16	20	52
B. OPERATED	598	14.8	132	3	4	12	19	28	34	65
TOTAL 0-19 YRS	44	9.3	74	1	2	7	11	25	30	36
20-34	41	7.4	73	1	1	5	9	16	20	50
35-49	63	11.3	154	1	1	8	13	26	35	68
50-64	236	13.1	122	2	3	11	16	27	34	62
65+	423	14.0	128	3	4	11	18	27	33	59
GRAND TOTAL	**807**	**12.9**	**125**	**2**	**3**	**10**	**17**	**26**	**33**	**60**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	8.0		8	8	8	8	8	8	8
50-64	11	5.3	6	2	2	5	7	9	10	10
65+	14	9.4	83	1	2	6	10	26	29	30
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	1	18.0		18	18	18	18	18	18	18
35-49	6	16.2	51	7	7	17	22	25	25	25
50-64	24	13.8	200	1	4	11	15	27	44	71
65+	48	12.6	72	3	3	12	16	24	30	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	13	4	4	6	9	9	9	9
20-34	2	2.0		2	2	2	2	2	2	2
35-49	15	5.1	7	<1	2	5	7	8	10	11
50-64	103	7.6	45	2	3	5	9	16	22	37
65+	182	8.1	40	2	2	6	10	16	21	33
B. *Operated*										
0-19 YRS	2	16.0	8	14	14	16	18	18	18	18
20-34	2	15.5	41	11	11	15	20	20	20	20
35-49	51	12.8	63	2	4	12	16	25	26	38
50-64	231	17.0	156	3	5	14	22	30	47	62
65+	477	16.4	128	2	5	14	21	29	37	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	7.6	50	2	2	5	9	17	27	30
B. *Operated*	80	13.2	106	2	3	11	16	24	30	61
2. MULTIPLE DX										
A. *Not Operated*	304	7.7	40	2	2	6	9	15	21	33
B. *Operated*	763	16.4	132	3	5	14	21	29	38	62
1. SINGLE DX	106	11.8	97	2	3	10	15	24	29	53
2. MULTIPLE DX	1067	13.9	121	2	3	11	18	26	35	60
A. NOT OPERATED	330	7.7	41	2	2	6	9	15	21	32
B. OPERATED	843	16.1	131	3	5	14	20	29	37	62
TOTAL 0-19 YRS	5	10.6	30	4	4	9	15	18	18	18
20-34	5	10.6	73	2	2	11	18	20	20	20
35-49	73	11.5	60	2	3	10	15	23	26	38
50-64	369	13.8	142	2	3	10	17	27	36	62
65+	721	13.9	115	2	3	12	18	26	34	53
GRAND TOTAL	**1173**	**13.7**	**119**	**2**	**3**	**11**	**18**	**26**	**34**	**60**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	18	3.8	17	1	1	2	5	8	14	17
50-64	88	4.9	27	1	1	3	6	10	13	33
65+	79	6.4	25	<1	1	6	9	13	17	23
B. *Operated*										
0-19 YRS	4	7.8	61	1	1	5	12	19	19	19
20-34	6	11.0	20	8	8	9	11	19	20	20
35-49	90	8.5	36	1	2	8	11	16	20	33
50-64	441	8.1	38	1	2	7	11	16	18	24
65+	401	8.1	38	1	2	8	11	15	19	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	36.0		36	36	36	36	36	36	36
20-34	10	5.0	14	2	2	3	8	11	13	13
35-49	148	6.1	36	1	1	5	8	12	17	28
50-64	796	7.2	47	1	2	5	9	15	19	34
65+	1043	8.1	42	2	2	6	10	16	21	30
B. *Operated*										
0-19 YRS	2	26.0	50	21	21	26	31	31	31	31
20-34	23	11.7	50	3	4	9	15	25	26	27
35-49	340	10.3	61	2	3	8	14	20	25	43
50-64	1929	10.9	62	2	3	9	14	20	25	38
65+	2786	11.2	66	2	3	9	15	21	26	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	187	5.4	26	1	1	4	7	11	14	27
B. *Operated*	942	8.2	38	1	2	7	11	16	19	26
2. MULTIPLE DX										
A. *Not Operated*	1998	7.6	44	1	2	6	9	15	20	32
B. *Operated*	5080	11.1	64	2	3	9	14	21	26	39
1. SINGLE DX	1129	7.7	37	1	2	6	10	15	18	26
2. MULTIPLE DX	7078	10.1	61	2	3	8	13	19	25	37
A. NOT OPERATED	2185	7.4	43	1	2	6	9	15	20	32
B. OPERATED	6022	10.6	61	2	3	9	14	20	25	38
TOTAL 0-19 YRS	8	15.0	189	<1	<1	12	26	34	36	36
20-34	40	9.7	44	2	2	8	13	18	25	27
35-49	596	8.8	54	1	2	7	11	18	22	35
50-64	3254	9.5	57	2	2	8	13	18	23	36
65+	4309	10.1	59	2	3	8	13	19	25	37
GRAND TOTAL	**8207**	**9.7**	**58**	**2**	**2**	**8**	**13**	**19**	**24**	**36**

[illegible] Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34										
35-49	8	1.9	3	<1	<1	1	2	5	6	6
50-64	18	2.7	4	1	1	2	3	5	8	9
65+	17	3.4	10	<1	1	2	5	8	11	12
B. *Operated*										
0-19 YRS	7	6.3	5	3	3	6	8	9	9	9
20-34	6	5.3	36	<1	<1	3	6	16	17	17
35-49	43	7.5	38	1	1	8	11	14	16	32
50-64	118	6.3	39	<1	1	4	10	14	18	28
65+	119	6.2	45	1	1	3	10	16	18	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.8	2	1	1	3	4	4	4	4
20-34	4	5.3	5	2	2	6	7	7	7	7
35-49	14	5.9	12	1	2	6	8	12	12	12
50-64	33	6.1	33	<1	1	4	7	14	20	26
65+	62	7.0	60	1	2	4	8	14	19	49
B. *Operated*										
0-19 YRS	13	12.8	148	4	5	8	15	28	45	49
20-34	14	13.8	131	1	2	13	16	37	38	38
35-49	56	15.9	260	1	2	12	19	32	49	94
50-64	239	10.9	89	1	1	10	15	21	24	54
65+	265	11.3	146	1	2	9	16	23	36	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	2.7	6	<1	1	2	3	7	8	12
B. *Operated*	293	6.4	40	1	1	4	10	14	18	31
2. MULTIPLE DX										
A. *Not Operated*	118	6.4	43	1	2	4	8	13	17	35
B. *Operated*	587	11.7	134	1	2	10	16	23	34	59
1. SINGLE DX	339	5.9	37	1	1	3	9	14	17	29
2. MULTIPLE DX	705	10.8	123	1	2	8	15	21	29	57
A. NOT OPERATED	164	5.3	35	1	1	3	7	12	15	26
B. OPERATED	880	9.9	109	1	1	8	14	21	26	56
TOTAL 0-19 YRS	28	8.2	88	1	2	6	9	16	26	49
20-34	24	10.3	101	1	1	7	15	20	37	38
35-49	121	10.9	158	1	1	8	14	21	32	64
50-64	408	8.8	73	1	1	7	13	19	22	40
65+	463	9.1	110	1	1	5	13	21	26	58
GRAND TOTAL	**1044**	**9.2**	**100**	**1**	**1**	**6**	**13**	**20**	**24**	**56**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	72	2.5	2	1	1	2	3	4	5	6
20-34	7	3.4	3	1	1	3	5	6	6	6
35-49	5	5.0	53	1	1	2	6	18	18	18
50-64	7	5.6	17	1	1	5	9	11	11	11
65+	2	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	104	6.4	17	1	2	5	9	11	14	20
20-34	49	8.1	17	2	3	8	11	12	15	25
35-49	43	8.0	76	<1	1	5	12	17	20	50
50-64	56	7.5	25	1	2	7	11	14	15	23
65+	80	8.0	42	1	2	6	11	17	21	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	115	4.3	16	1	1	3	5	9	10	25
20-34	22	3.6	6	1	1	3	4	6	9	13
35-49	14	5.6	11	1	1	5	8	11	11	11
50-64	23	6.0	45	1	2	4	6	15	25	27
65+	39	6.8	38	1	2	5	9	14	21	30
B. *Operated*										
0-19 YRS	70	12.2	278	1	2	7	14	27	37	91
20-34	27	11.1	108	2	2	10	14	20	28	53
35-49	42	11.8	142	1	2	8	16	33	44	99+
50-64	64	12.8	168	2	3	8	14	29	43	61
65+	145	10.9	107	1	2	8	14	22	34	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	2.9	6	1	1	2	3	5	6	15
B. *Operated*	332	7.4	32	1	2	6	10	14	17	26
2. MULTIPLE DX										
A. *Not Operated*	213	4.9	22	1	1	4	6	10	13	27
B. *Operated*	348	11.7	156	1	2	8	14	24	41	84
1. SINGLE DX	425	6.4	30	1	2	5	9	13	16	24
2. MULTIPLE DX	561	9.1	116	1	2	6	11	21	29	62
A. NOT OPERATED	306	4.3	18	1	1	3	5	9	11	25
B. OPERATED	680	9.6	100	1	2	7	12	19	27	54
TOTAL 0-19 YRS	361	6.1	74	1	1	4	7	11	17	37
20-34	105	7.6	44	2	2	6	11	13	18	38
35-49	104	9.1	97	1	1	6	11	21	33	73
50-64	150	9.4	97	1	2	7	11	21	27	52
65+	266	9.4	79	1	2	7	13	20	25	51
GRAND TOTAL	**986**	**8.0**	**80**	**1**	**2**	**5**	**10**	**17**	**24**	**51**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	3.0	1	2	2	3	4	4	4	4
50-64	7	4.7	39	<1	<1	1	6	16	18	18
65+	2	10.0	50	5	5	10	15	15	15	15
B. *Operated*										
0-19 YRS	6	3.5	5	1	1	3	6	6	6	6
20-34	47	4.0	8	1	1	3	6	8	10	11
35-49	88	3.9	8	1	1	3	5	8	9	12
50-64	100	4.7	15	1	1	4	7	8	10	22
65+	90	4.4	12	1	1	3	6	9	10	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	6.7	47	2	2	5	8	19	21	21
35-49	9	7.8	73	2	2	4	8	22	29	29
50-64	16	5.4	36	1	1	3	6	15	20	22
65+	14	5.5	15	1	2	5	6	9	15	17
B. *Operated*										
0-19 YRS	4	4.3	10	2	2	3	6	9	9	9
20-34	30	5.2	36	1	2	3	6	9	20	30
35-49	58	5.0	14	1	1	4	7	10	13	16
50-64	73	5.9	29	2	2	4	7	11	19	28
65+	123	8.6	90	1	2	6	10	17	22	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	5.0	30	<1	1	4	5	16	18	18
B. *Operated*	331	4.3	11	1	1	3	6	8	10	13
2. MULTIPLE DX										
A. *Not Operated*	46	6.1	36	1	2	4	7	16	21	29
B. *Operated*	288	6.8	54	1	2	5	8	14	20	46
1. SINGLE DX	344	4.3	12	1	1	3	6	8	10	15
2. MULTIPLE DX	334	6.7	52	1	2	5	8	14	20	37
A. NOT OPERATED	59	5.8	35	1	1	4	7	16	20	28
B. OPERATED	619	5.4	33	1	1	4	7	10	14	29
TOTAL 0-19 YRS	10	3.8	6	1	1	3	6	8	9	9
20-34	84	4.7	21	1	1	3	6	9	11	27
35-49	159	4.5	14	1	1	3	6	9	11	16
50-64	196	5.2	23	1	2	4	7	10	13	28
65+	229	6.8	58	1	2	5	8	13	18	54
GRAND TOTAL	**678**	**5.5**	**33**	**1**	**1**	**4**	**7**	**10**	**15**	**29**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+	6	2.7	1	1	1	3	4	4	4	4
B. *Operated*										
0-19 YRS	7	4.9	14	<1	<1	4	9	10	10	10
20-34	17	3.1	7	<1	<1	2	3	8	9	10
35-49	52	3.2	24	<1	<1	2	3	6	14	29
50-64	141	2.6	6	<1	1	2	3	5	7	17
65+	276	3.0	7	<1	<1	2	3	6	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64	4	8.3	30	1	1	9	12	13	13	13
65+	16	6.9	58	<1	1	3	11	15	25	29
B. *Operated*										
0-19 YRS	2	10.0	162	1	1	10	19	19	19	19
20-34	13	4.9	18	1	1	4	7	12	14	14
35-49	65	4.2	32	<1	1	3	5	9	11	38
50-64	175	3.8	11	1	1	3	5	8	11	16
65+	634	4.9	32	1	1	3	6	11	15	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.6	1	1	1	3	3	4	4	4
B. *Operated*	493	2.9	9	<1	<1	2	3	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	23	6.7	46	<1	1	3	11	14	20	29
B. *Operated*	889	4.6	28	1	1	3	5	10	14	27
1. SINGLE DX	501	2.9	8	<1	<1	2	3	6	8	16
2. MULTIPLE DX	912	4.7	28	1	1	3	5	10	14	28
A. NOT OPERATED	31	5.6	37	1	1	3	8	13	15	29
B. OPERATED	1382	4.0	22	<1	1	2	5	9	13	25
TOTAL 0-19 YRS	11	5.7	30	<1	1	4	9	14	19	19
20-34	32	3.8	12	<1	1	2	5	10	11	14
35-49	118	3.8	28	<1	<1	2	4	8	11	33
50-64	320	3.3	9	<1	1	2	4	7	10	16
65+	932	4.3	25	<1	1	3	5	9	13	27
GRAND TOTAL	**1413**	**4.1**	**22**	**<1**	**1**	**2**	**5**	**9**	**13**	**25**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	2.8	2	1	1	3	4	4	4	4
35-49	10	3.2	3	1	1	3	4	6	7	7
50-64	28	3.7	11	<1	1	3	5	7	10	15
65+	14	4.6	12	<1	1	4	6	9	13	14
B. *Operated*										
0-19 YRS	3	2.7	8	<1	<1	1	5	6	6	6
20-34	114	5.3	5	2	2	5	6	9	10	11
35-49	667	5.3	7	1	2	5	7	8	10	12
50-64	950	5.5	6	2	2	5	7	8	10	13
65+	1026	5.9	8	2	2	6	7	9	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	12	8.5	115	1	1	4	11	29	32	33
35-49	64	5.6	18	1	1	4	7	11	15	19
50-64	154	6.5	33	1	1	5	9	15	17	34
65+	148	7.1	70	1	1	5	8	14	17	39
B. *Operated*										
0-19 YRS	4	9.5	4	8	8	9	11	12	12	12
20-34	100	6.5	30	2	3	6	8	10	11	34
35-49	684	6.4	14	2	3	6	8	10	12	19
50-64	1385	7.4	27	2	3	7	9	12	15	27
65+	2046	7.7	21	3	4	7	9	12	15	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	3.8	9	1	1	3	5	7	9	15
B. *Operated*	2760	5.6	7	1	2	5	7	9	10	13
2. MULTIPLE DX										
A. *Not Operated*	378	6.7	48	1	1	5	8	14	17	35
B. *Operated*	4219	7.4	22	2	3	7	9	12	15	27
1. SINGLE DX	2817	5.5	7	1	2	5	7	9	10	13
2. MULTIPLE DX	4597	7.3	25	2	3	7	9	12	15	27
A. NOT OPERATED	435	6.3	43	1	1	5	8	13	17	34
B. OPERATED	6979	6.7	17	2	3	6	8	10	13	22
TOTAL 0-19 YRS	8	6.1	17	<1	<1	7	9	11	12	12
20-34	230	5.9	22	1	2	5	7	10	10	28
35-49	1425	5.8	11	1	2	5	7	9	11	17
50-64	2517	6.6	20	2	3	6	8	11	13	24
65+	3234	7.1	20	2	3	6	9	11	14	24
GRAND TOTAL	**7414**	**6.7**	**19**	**2**	**3**	**6**	**8**	**11**	**13**	**23**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	17	3.5	1	2	2	4	4	4	5	5
35-49	38	3.3	2	1	2	3	3	5	7	9
50-64	65	3.3	3	2	2	3	3	4	5	13
65+	33	3.7	3	2	2	3	4	6	8	10
B. *Operated*										
0-19 YRS										
20-34	92	5.4	26	1	1	5	7	10	12	30
35-49	112	6.2	83	1	2	4	8	11	13	47
50-64	57	5.1	12	1	2	4	7	10	11	18
65+	60	4.0	8	1	1	3	5	7	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	34	4.4	13	1	1	4	5	10	14	16
35-49	84	5.3	24	1	1	4	6	12	16	26
50-64	85	5.5	27	1	1	4	7	12	15	29
65+	78	6.1	29	2	2	4	7	12	18	29
B. *Operated*										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	128	8.1	68	1	2	6	9	14	18	51
35-49	184	8.0	35	2	3	7	10	15	19	34
50-64	165	8.2	80	2	2	6	9	17	26	72
65+	183	8.7	96	2	2	6	10	17	24	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	153	3.4	3	2	2	3	4	4	6	10
B. *Operated*	321	5.4	40	1	1	4	7	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	281	5.5	25	1	1	4	6	12	16	29
B. *Operated*	662	8.3	69	2	2	6	10	16	22	48
1. SINGLE DX	474	4.7	29	1	2	3	6	9	11	16
2. MULTIPLE DX	943	7.5	58	1	2	5	9	15	20	42
A. NOT OPERATED	434	4.8	18	1	2	3	5	9	14	28
B. OPERATED	983	7.3	62	1	2	6	9	13	19	43
TOTAL 0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	271	6.5	45	1	1	5	8	12	16	41
35-49	418	6.6	45	1	2	5	8	12	17	29
50-54	372	6.3	47	1	2	4	7	12	18	31
65+	354	6.9	62	2	2	4	8	14	20	43
GRAND TOTAL	**1417**	**6.5**	**50**	**1**	**2**	**5**	**8**	**12**	**17**	**38**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	4.0	2	3	3	4	5	6	6	6
50-64	22	3.0	1	1	2	3	3	4	5	5
65+	52	3.1	3	1	2	3	3	4	4	13
B. *Operated*										
0-19 YRS										
20-34	10	5.7	9	2	2	5	6	10	13	13
35-49	38	5.5	5	1	2	6	7	8	9	9
50-64	140	6.0	10	1	2	6	7	10	12	16
65+	164	6.3	10	1	2	7	8	10	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	5.6	13	1	2	4	7	11	12	12
35-49	11	7.1	43	<1	2	6	8	16	24	25
50-64	47	5.9	31	1	2	4	6	17	19	23
65+	91	6.1	34	1	2	4	7	11	20	30
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	12	6.8	17	1	1	7	9	13	14	14
35-49	93	7.6	17	2	4	7	9	11	13	28
50-64	427	7.9	31	2	2	7	9	12	15	29
65+	695	8.2	27	2	2	7	10	13	17	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	3.1	2	1	2	3	3	4	5	11
B. *Operated*	352	6.1	9	1	2	6	8	9	12	15
2. MULTIPLE DX										
A. *Not Operated*	156	6.1	32	1	2	4	7	12	20	30
B. *Operated*	1228	8.0	28	2	2	7	10	13	16	27
1. SINGLE DX	430	5.5	9	1	2	6	7	9	11	15
2. MULTIPLE DX	1384	7.8	29	2	2	7	9	13	16	27
A. NOT OPERATED	234	5.1	24	1	2	4	5	10	17	27
B. OPERATED	1580	7.6	24	2	2	7	9	12	15	25
TOTAL 0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	29	6.1	13	1	2	6	8	12	13	14
35-49	146	6.9	16	2	3	7	8	10	12	26
50-64	636	7.1	27	1	2	7	8	12	15	22
65+	1002	7.4	25	2	2	7	9	13	16	26
GRAND TOTAL	**1814**	**7.3**	**25**	**2**	**2**	**7**	**9**	**12**	**15**	**25**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7		3	3	4	4	4	4	4
20-34										
35-49	12	2.3	1	<1	<1	2	3	4	4	4
50-64	26	2.1	3	<1	<1	2	2	3	6	9
65+	16	3.2	7	<1	1	2	5	9	68	99+
B. *Operated*										
0-19 YRS	10	7.8	5	4	5	8	9	11	12	12
20-34	16	6.1	5	1	5	6	7	9	10	11
35-49	34	7.7	10	3	5	7	9	12	13	17
50-64	53	8.1	15	2	4	8	10	13	16	21
65+	40	9.0	9	4	6	9	11	12	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.8	2	2	2	4	5	5	5	5
20-34	3	1.0		1	1	1	1	1	1	1
35-49	31	3.3	8	1	1	2	5	7	9	12
50-64	84	5.3	49	1	1	3	6	12	16	39
65+	95	8.1	63	1	2	6	10	21	27	38
B. *Operated*										
0-19 YRS	7	7.6	10	4	4	6	10	12	13	13
20-34	35	8.2	14	4	5	8	10	12	15	23
35-49	119	9.5	26	5	6	8	11	14	19	32
50-64	321	12.0	48	5	6	10	14	21	24	39
65+	327	14.4	87	5	6	12	17	23	31	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	2.5	4	<1	1	2	3	5	8	93
B. *Operated*	153	8.0	11	3	5	8	10	12	14	17
2. MULTIPLE DX										
A. *Not Operated*	217	6.1	51	1	1	4	7	14	22	38
B. *Operated*	809	12.4	62	5	6	10	15	21	25	42
1. SINGLE DX	210	6.5	15	1	1	7	9	12	13	19
2. MULTIPLE DX	1026	11.1	66	2	3	9	14	21	25	41
A. NOT OPERATED	274	5.4	43	1	1	3	7	12	20	39
B. OPERATED	962	11.7	57	4	6	10	14	20	24	40
TOTAL 0-19 YRS	24	6.5	8	3	3	6	8	10	12	13
20-34	54	7.2	14	1	4	6	8	11	14	23
35-49	196	7.8	25	1	2	7	10	13	16	28
50-64	484	9.9	52	1	2	9	12	19	23	38
65+	478	12.3	83	2	3	10	15	22	28	51
GRAND TOTAL	**1236**	**10.3**	**61**	**1**	**2**	**9**	**13**	**19**	**24**	**40**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.0	2	<1	<1	3	4	4	4	4
20-34	2	4.0	18	1	1	4	7	7	7	7
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64	5	3.4	5	1	1	3	4	7	7	7
65+	9	5.8	18	1	2	4	8	13	15	15
B. *Operated*										
0-19 YRS										
20-34	4	3.0	5	<1	<1	2	4	6	6	6
35-49	12	7.3	51	1	1	5	11	20	22	22
50-64	14	6.4	61	1	2	4	6	14	27	31
65+	45	6.6	50	1	2	4	7	19	22	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	4.7	9	2	2	4	7	8	8	8
35-49	3	5.0	7	3	3	4	7	8	8	8
50-64	11	3.9	6	1	1	3	6	8	8	8
65+	29	5.0	7	2	2	4	6	8	11	13
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	12	13.3	382	1	3	7	8	42	67	71
35-49	16	13.3	93	3	4	10	23	29	31	31
50-64	51	14.6	283	2	3	10	17	24	48	99
65+	110	11.6	122	2	3	9	14	23	30	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	4.4	10	<1	1	3	6	8	11	15
B. *Operated*	75	6.5	49	1	1	4	7	19	22	35
2. MULTIPLE DX										
A. *Not Operated*	47	4.7	6	1	2	4	6	8	9	13
B. *Operated*	190	12.7	177	2	3	9	15	24	31	79
1. SINGLE DX	98	6.0	41	1	1	4	7	14	21	34
2. MULTIPLE DX	237	11.1	153	2	3	7	13	23	30	73
A. NOT OPERATED	70	4.6	7	1	2	4	7	8	9	15
B. OPERATED	265	10.9	148	2	2	7	13	23	30	69
TOTAL 0-19 YRS	7	4.0	8	<1	1	3	4	9	10	10
20-34	21	9.2	237	<1	1	6	8	17	48	71
35-49	33	9.8	74	1	2	6	13	23	29	31
50-64	81	11.1	210	1	2	7	13	23	37	87
65+	193	9.2	91	2	2	6	12	20	24	46
GRAND TOTAL	**335**	**9.6**	**125**	**1**	**2**	**6**	**12**	**22**	**28**	**62**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	7	4.9	14	1	1	3	7	11	12	12
65+	31	6.5	24	1	1	5	8	14	16	21
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	10.0		10	10	10	10	10	10	10
35-49	11	9.1	41	1	2	9	12	19	23	23
50-64	328	6.4	21	1	1	6	9	12	15	21
65+	983	5.7	14	1	2	5	7	10	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49	4	5.5	6	3	3	5	7	8	8	8
50-64	71	7.7	48	1	2	6	9	17	24	35
65+	439	7.0	34	1	2	5	9	14	18	29
B. *Operated*										
0-19 YRS	5	6.6	9	4	4	6	9	11	11	11
20-34	1	19.0		19	19	19	19	19	19	19
35-49	23	8.9	60	2	3	8	10	14	24	40
50-64	532	7.3	29	2	2	6	9	14	17	30
65+	3384	7.7	34	2	3	6	9	14	18	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	6.2	22	1	1	5	7	13	16	21
B. *Operated*	1324	5.9	16	1	2	5	8	11	14	19
2. MULTIPLE DX										
A. *Not Operated*	516	7.1	35	1	2	5	9	14	18	30
B. *Operated*	3945	7.7	33	2	3	6	9	14	18	30
1. SINGLE DX	1362	5.9	16	1	2	5	8	11	14	19
2. MULTIPLE DX	4461	7.6	33	2	3	6	9	14	18	30
A. NOT OPERATED	554	7.0	34	1	2	5	9	14	18	29
B. OPERATED	5269	7.2	29	2	2	6	9	13	17	27
TOTAL 0-19 YRS	7	5.7	8	3	3	4	7	10	11	11
20-34	3	10.3	72	2	2	10	17	19	19	19
35-49	38	8.6	48	2	3	8	10	15	20	40
50-64	938	7.0	28	1	2	6	9	13	16	27
65+	4837	7.2	30	2	2	6	9	13	17	27
GRAND TOTAL	**5823**	**7.2**	**30**	**2**	**2**	**6**	**9**	**13**	**17**	**27**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	5.0	2	2	3	5	6	6	6	6
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64	3	10.3	72	4	4	7	17	20	20	20
65+										
B. *Operated*										
0-19 YRS	13	3.8	4	2	2	3	4	7	9	9
20-34	80	4.2	42	1	1	3	4	8	9	43
35-49	38	3.6	7	1	1	3	4	8	10	12
50-64	16	6.4	106	<1	1	3	7	13	34	43
65+	16	4.3	6	2	2	4	6	8	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.3	3	2	2	4	5	6	6	6
20-34	8	4.1	4	1	1	4	6	7	7	7
35-49	3	6.0	12	4	4	4	9	10	10	10
50-64	6	7.7	2	6	6	7	8	10	10	10
65+	4	3.8	24	1	1	2	6	11	11	11
B. *Operated*										
0-19 YRS	5	6.2	25	2	2	3	11	13	13	13
20-34	45	8.3	142	1	1	4	8	21	32	68
35-49	23	7.8	94	1	2	5	8	15	30	47
50-64	17	6.2	29	2	2	4	7	16	19	20
65+	30	6.9	22	2	2	7	8	11	15	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	5.8	21	1	2	5	6	10	18	20
B. *Operated*	163	4.3	33	1	1	3	5	8	9	39
2. MULTIPLE DX										
A. *Not Operated*	25	5.2	8	1	1	5	7	10	10	11
B. *Operated*	120	7.5	81	1	2	5	8	15	22	53
1. SINGLE DX	176	4.4	32	1	1	3	5	8	10	37
2. MULTIPLE DX	145	7.1	69	1	2	5	8	13	21	48
A. NOT OPERATED	38	5.4	12	1	1	5	7	9	11	20
B. OPERATED	283	5.6	56	1	1	3	7	10	15	46
TOTAL 0-19 YRS	23	4.3	9	1	2	3	5	9	11	13
20-34	140	5.6	73	1	1	3	6	9	18	58
35-49	66	5.2	40	1	1	3	6	10	13	43
50-64	42	6.8	55	1	1	5	8	14	20	43
65+	50	5.8	18	1	2	5	8	10	12	25
GRAND TOTAL	**321**	**5.6**	**50**	**1**	**1**	**4**	**7**	**10**	**14**	**44**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	3	3.3	2	2	2	3	4	5	5	5
65+	16	6.3	21	1	2	5	9	15	16	16
B. *Operated*										
0-19 YRS	3	4.7	8	3	3	3	7	8	8	8
20-34	16	3.8	15	1	1	3	4	9	14	16
35-49	64	3.5	11	1	1	2	4	7	10	20
50-64	407	4.2	13	1	1	3	5	9	13	18
65+	772	4.3	14	1	1	3	5	9	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	8.0	45	2	2	6	13	17	17	17
50-64	24	6.3	52	<1	1	3	10	14	22	31
65+	98	5.8	23	1	1	5	7	12	17	24
B. *Operated*										
0-19 YRS	3	11.7	97	5	5	7	19	23	23	23
20-34	13	3.8	8	1	2	3	4	7	11	12
35-49	53	7.3	65	2	2	4	8	15	25	43
50-64	495	6.6	41	1	2	4	8	15	19	34
65+	1827	6.8	38	2	2	5	8	14	18	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	5.8	19	1	2	4	7	13	16	16
B. *Operated*	1262	4.2	14	1	1	3	5	9	13	19
2. MULTIPLE DX										
A. *Not Operated*	126	5.9	29	1	1	4	8	13	18	28
B. *Operated*	2391	6.8	39	1	2	5	8	14	19	32
1. SINGLE DX	1281	4.2	14	1	1	3	5	9	13	19
2. MULTIPLE DX	2517	6.7	39	1	2	5	8	14	18	32
A. NOT OPERATED	145	5.9	27	1	1	4	8	13	17	27
B. OPERATED	3653	5.9	32	1	2	4	7	13	17	29
TOTAL 0-19 YRS	6	8.2	57	3	3	6	8	21	23	23
20-34	29	3.8	11	1	1	3	4	8	12	16
35-49	121	5.3	39	1	1	3	6	12	16	37
50-64	929	5.5	30	1	1	4	6	13	17	30
65+	2713	6.0	32	1	2	4	7	13	16	28
GRAND TOTAL	**3798**	**5.9**	**32**	**1**	**2**	**4**	**7**	**13**	**17**	**28**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	6.3	72	1	1	4	4	18	30	30
20-34	4	3.0	1	2	2	3	4	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	9	3.7	5	1	1	3	4	7	9	9
65+	7	3.7	4	2	2	3	5	7	7	7
B. *Operated*										
0-19 YRS	25	8.4	8	2	5	9	11	12	12	12
20-34	5	7.0	2	6	6	7	8	9	9	9
35-49	36	9.3	11	4	6	9	11	14	16	17
50-64	86	8.6	12	2	3	9	10	14	15	17
65+	102	9.0	15	2	4	9	11	14	16	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	3.9	19	1	1	3	4	5	16	19
20-34	2	7.0	18	4	4	7	10	10	10	10
35-49	13	6.2	14	2	2	5	9	11	14	15
50-64	70	6.4	37	1	2	4	8	15	23	28
65+	89	8.1	59	1	2	5	11	19	26	76
B. *Operated*										
0-19 YRS	28	12.3	83	3	4	9	18	26	33	39
20-34	10	10.2	31	2	4	10	10	19	21	21
35-49	66	10.5	41	2	4	9	14	18	23	35
50-64	256	11.4	55	3	4	10	14	20	23	33
65+	415	13.0	71	3	5	11	15	24	31	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	4.4	26	1	2	3	4	7	9	30
B. *Operated*	254	8.8	12	2	4	9	11	14	15	17
2. MULTIPLE DX										
A. *Not Operated*	189	7.0	45	1	2	5	9	16	23	38
B. *Operated*	775	12.2	64	3	4	10	15	22	27	44
1. SINGLE DX	285	8.3	16	2	3	8	11	13	15	18
2. MULTIPLE DX	964	11.2	64	2	3	10	14	21	26	43
A. NOT OPERATED	220	6.6	43	1	2	4	8	15	22	35
B. OPERATED	1029	11.4	53	3	4	10	14	19	25	41
TOTAL 0-19 YRS	78	8.7	53	2	2	7	10	19	25	37
20-34	21	7.8	23	2	3	7	10	13	19	21
35-49	116	9.5	30	2	4	8	12	16	19	30
50-64	421	9.8	47	2	3	9	12	17	22	30
65+	613	11.5	64	2	3	10	14	21	27	45
GRAND TOTAL	**1249**	**10.5**	**54**	**2**	**3**	**9**	**13**	**19**	**24**	**41**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	1.1		<1	<1	<1	1	2	2	2
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	27	2.5	5	<1	<1	2	3	5	6	11
20-34	5	4.4	10	1	1	3	7	9	9	9
35-49	4	2.5	1	2	2	2	3	4	4	4
50-64	11	3.5	8	<1	1	2	4	9	9	9
65+	7	2.4	1	2	2	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	2.0	3	<1	<1	1	3	4	6	7
20-34										
35-49										
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	2	7.5	25	4	4	7	11	11	11	11
B. *Operated*										
0-19 YRS	13	6.6	40	<1	1	5	10	18	19	19
20-34	3	10.0	28	6	6	8	14	16	16	16
35-49	4	2.8	1	2	2	3	3	4	4	4
50-64	6	9.2	101	2	2	7	8	27	29	29
65+	21	4.6	9	1	2	4	6	9	12	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	1.2		<1	<1	<1	1	2	2	2
B. *Operated*	54	2.9	5	<1	<1	2	4	5	9	11
2. MULTIPLE DX										
A. *Not Operated*	19	2.6	7	<1	<1	1	3	6	9	11
B. *Operated*	47	5.9	31	1	2	4	7	13	18	29
1. SINGLE DX	74	2.4	4	<1	<1	2	3	4	8	11
2. MULTIPLE DX	66	5.0	26	<1	1	3	7	11	16	27
A. NOT OPERATED	39	1.8	4	<1	<1	1	2	4	6	11
B. OPERATED	101	4.3	19	<1	1	3	5	9	12	24
TOTAL 0-19 YRS	73	2.8	12	<1	<1	1	3	6	11	19
20-34	8	6.5	22	1	2	6	8	14	16	16
35-49	8	2.6	1	2	2	2	3	4	4	4
50-64	21	4.8	38	<1	1	2	7	9	18	29
65+	30	4.3	9	2	2	3	5	9	11	13
GRAND TOTAL	**140**	**3.6**	**16**	**<1**	**<1**	**2**	**4**	**8**	**11**	**20**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	4.5	15	1	1	4	5	10	13	18
20-34	10	3.8	9	1	1	3	4	9	11	11
35-49	21	6.5	39	1	1	5	7	17	22	26
50-64	32	5.8	52	2	2	4	6	11	14	41
65+	31	6.2	25	1	1	5	10	14	16	18
B. *Operated*										
0-19 YRS	57	9.3	37	1	2	10	12	17	20	29
20-34	33	8.3	24	2	2	8	12	15	18	19
35-49	45	11.9	93	2	3	10	14	20	25	62
50-64	62	10.8	37	2	3	10	14	20	23	25
65+	52	12.1	104	2	4	11	15	17	21	74
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	7.2	164	<1	1	3	7	19	57	99+
20-34	27	5.3	21	<1	2	4	6	12	14	22
35-49	51	7.6	134	<1	1	5	9	17	37	99+
50-64	114	7.8	103	1	1	5	9	18	23	58
65+	104	8.6	41	1	2	7	11	16	23	31
B. *Operated*										
0-19 YRS	108	17.2	285	2	3	12	20	35	69	99
20-34	43	12.8	216	3	4	8	15	33	54	99+
35-49	59	14.2	214	2	2	9	17	31	50	70
50-64	92	16.0	193	2	4	12	19	30	42	84
65+	110	16.7	260	3	5	12	19	31	47	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	122	5.6	31	1	1	4	7	12	15	30
B. *Operated*	249	10.6	60	2	2	10	13	18	21	29
2. MULTIPLE DX										
A. *Not Operated*	338	7.7	89	1	1	5	9	16	24	70
B. *Operated*	412	15.9	240	2	3	12	19	31	49	96
1. SINGLE DX	371	8.9	56	1	2	8	12	17	20	29
2. MULTIPLE DX	750	12.2	188	1	2	9	15	26	37	91
A. NOT OPERATED	460	7.2	74	1	1	5	9	15	22	65
B. OPERATED	661	13.9	179	2	3	11	16	26	35	89
TOTAL 0-19 YRS	235	12.0	194	1	2	9	15	26	42	98
20-34	113	8.9	105	2	2	7	11	18	22	94
35-49	176	10.8	146	1	2	8	13	22	34	74
50-64	300	10.7	125	1	2	8	13	22	29	59
65+	297	12.0	146	2	3	9	14	22	29	78
GRAND TOTAL	**1121**	**11.1**	**147**	**1**	**2**	**8**	**13**	**22**	**31**	**75**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.7	12	1	1	3	6	9	10	10
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	9	13.6	432	2	2	9	11	45	68	68
20-34	3	26.7	526	11	11	16	44	53	53	53
35-49	3	12.3	165	3	3	7	22	27	27	27
50-64	2	13.0	50	8	8	13	18	18	18	18
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	3.7	3	1	1	3	5	6	6	6
20-34	2	10.0	18	7	7	10	13	13	13	13
35-49	3	8.7	21	6	6	6	12	14	14	14
50-64	2	18.0	72	12	12	18	24	24	24	24
65+	7	6.7	28	1	1	7	8	15	17	17
B. *Operated*										
0-19 YRS	5	19.8	362	7	7	11	29	52	52	52
20-34	6	24.7	401	8	9	19	23	60	64	64
35-49	3	11.7	4	10	10	12	57	99+	99+	99+
50-64	14	17.1	65	6	9	16	25	36	84	99+
65+	13	26.3	229	9	11	19	35	51	55	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.7	12	1	1	3	6	9	10	10
B. *Operated*	18	14.9	321	2	2	9	16	45	62	68
2. MULTIPLE DX										
A. *Not Operated*	21	7.4	33	1	2	6	9	15	20	24
B. *Operated*	41	21.0	200	7	9	17	27	53	76	99+
1. SINGLE DX	25	11.8	257	1	1	7	11	27	57	68
2. MULTIPLE DX	62	16.4	184	2	4	13	22	41	58	99+
A. NOT OPERATED	28	6.5	30	1	1	5	8	14	18	24
B. OPERATED	59	19.2	240	3	6	15	26	52	66	99+
TOTAL 0-19 YRS	28	9.8	227	1	1	6	10	19	54	68
20-34	11	22.5	347	7	8	16	23	57	63	64
35-49	9	10.9	51	3	4	10	14	63	99+	99+
50-64	18	16.7	59	6	8	16	23	32	71	99+
65+	21	18.7	245	2	3	15	28	44	53	56
GRAND TOTAL	**87**	**15.1**	**207**	**1**	**2**	**11**	**18**	**38**	**56**	**99+**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	2.2	2	<1	1	2	3	4	6	7
20-34	16	3.8	49	1	1	2	3	3	22	30
35-49	9	2.0	1	1	1	2	2	3	3	3
50-64	5	3.0	1	2	2	3	4	4	4	4
65+	5	2.8	1	2	2	3	3	4	4	4
B. *Operated*										
0-19 YRS	31	5.4	20	1	1	4	7	12	15	20
20-34	63	3.7	2	2	2	3	4	5	6	9
35-49	60	3.9	3	2	2	4	4	5	8	10
50-64	37	6.5	17	2	3	5	9	13	15	19
65+	19	5.4	8	2	2	4	7	10	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	4.1	6	1	2	3	6	8	10	11
20-34	12	3.9	7	<1	1	3	5	8	9	9
35-49	4	2.8	4	1	1	3	4	5	5	5
50-64	15	5.1	18	2	2	3	7	14	15	15
65+	18	5.8	15	1	2	4	10	12	12	12
B. *Operated*										
0-19 YRS	31	13.2	179	4	4	9	16	26	39	70
20-34	54	6.0	14	3	3	5	8	10	15	20
35-49	66	5.2	10	2	3	4	7	9	11	18
50-64	62	6.3	15	2	3	5	8	12	15	19
65+	64	9.2	48	3	4	6	12	20	30	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	2.8	15	1	1	2	3	4	4	29
B. *Operated*	210	4.6	9	2	2	4	5	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	87	4.6	10	1	2	3	6	10	11	15
B. *Operated*	277	7.4	45	3	3	5	9	14	19	39
1. SINGLE DX	264	4.3	11	1	2	3	5	7	10	18
2. MULTIPLE DX	364	6.7	38	2	3	5	8	13	17	35
A. NOT OPERATED	141	3.9	13	1	1	3	4	8	11	16
B. OPERATED	487	6.2	32	2	3	5	7	12	15	31
TOTAL 0-19 YRS	119	6.5	70	1	1	4	8	13	20	49
20-34	145	4.6	13	1	2	4	5	8	10	20
35-49	139	4.4	7	1	2	4	5	7	10	15
50-64	119	6.1	16	2	2	5	8	12	15	19
65+	106	7.6	37	2	3	6	10	14	21	63
GRAND TOTAL	**628**	**5.7**	**28**	**2**	**2**	**4**	**7**	**11**	**15**	**30**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	4.6	98	<1	<1	3	3	8	16	53
20-34	6	5.7	20	1	1	4	9	13	13	13
35-49	39	6.5	22	2	2	5	8	14	16	21
50-64	83	5.8	37	1	1	3	7	13	17	33
65+	80	7.0	49	1	1	5	9	17	19	37
B. *Operated*										
0-19 YRS	22	5.6	19	1	2	4	8	11	16	18
20-34	23	5.7	22	<1	2	3	8	15	16	18
35-49	70	6.5	28	1	1	5	8	15	17	25
50-64	156	8.1	49	1	2	6	11	16	19	39
65+	176	7.3	49	1	1	5	10	16	22	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	4.7	39	1	2	3	5	8	10	44
20-34	126	5.9	21	1	2	4	8	12	15	22
35-49	514	6.7	35	1	2	5	9	14	18	28
50-64	1458	7.7	53	1	2	6	10	16	22	39
65+	2496	8.5	52	2	2	7	11	17	22	35
B. *Operated*										
0-19 YRS	65	11.9	199	2	2	8	11	27	42	83
20-34	178	9.1	65	2	2	7	10	18	25	43
35-49	675	10.1	82	2	2	8	13	21	26	53
50-64	1775	10.9	92	2	2	9	14	22	28	48
65+	2740	11.7	106	2	3	9	15	23	30	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	235	6.2	45	1	1	4	8	14	18	35
B. *Operated*	447	7.3	43	1	2	5	9	16	18	31
2. MULTIPLE DX										
A. *Not Operated*	4658	7.9	50	1	2	6	10	16	21	35
B. *Operated*	5433	11.1	99	2	3	9	14	22	29	52
1. SINGLE DX	682	6.9	44	1	1	5	9	15	18	33
2. MULTIPLE DX	10091	9.7	79	2	2	7	12	20	26	45
A. NOT OPERATED	4893	7.8	50	1	2	6	10	16	21	35
B. OPERATED	5880	10.8	96	2	2	8	14	22	29	51
TOTAL 0-19 YRS	178	7.4	114	1	1	4	8	14	26	54
20-34	333	7.6	47	1	2	5	10	15	20	36
35-49	1298	8.4	62	1	2	6	11	18	22	39
50-64	3472	9.3	75	1	2	7	12	19	25	45
65+	5492	10.0	82	2	2	7	13	20	27	44
GRAND TOTAL	**10773**	**9.5**	**77**	**2**	**2**	**7**	**12**	**19**	**26**	**44**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.0	2	1	1	1	4	4	4	4
20-34	11	4.3	6	<1	1	4	6	8	9	9
35-49	5	1.2		1	1	1	2	2	2	2
50-64	9	2.9	4	1	1	2	4	6	7	7
65+	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	60	4.6	7	1	1	5	6	8	9	10
20-34	96	6.3	15	1	1	6	9	11	14	17
35-49	43	5.7	28	1	1	4	7	11	17	27
50-64	19	7.0	33	1	2	5	10	16	20	21
65+	16	5.3	30	1	1	4	6	9	19	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	3.5	6	<1	1	3	5	8	8	8
20-34	30	4.2	17	<1	1	3	6	8	11	21
35-49	13	6.3	40	1	1	5	8	12	23	25
50-64	21	6.1	12	1	1	6	9	11	12	12
65+	20	7.3	33	1	1	5	11	15	19	22
B. *Operated*										
0-19 YRS	34	8.3	36	2	2	6	13	17	20	21
20-34	67	8.8	45	1	2	7	12	18	24	30
35-49	34	8.7	53	2	2	7	9	18	24	37
50-64	43	11.5	63	2	3	9	17	23	26	34
65+	45	12.7	106	2	2	10	19	29	34	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	2.8	4	1	1	2	4	6	7	9
B. *Operated*	234	5.8	18	1	1	5	8	11	14	21
2. MULTIPLE DX										
A. *Not Operated*	101	5.4	21	1	1	5	8	11	14	23
B. *Operated*	223	10.0	63	2	2	8	14	21	25	38
1. SINGLE DX	275	5.3	17	1	1	4	7	10	12	21
2. MULTIPLE DX	324	8.6	54	1	2	6	11	19	24	35
A. NOT OPERATED	142	4.6	18	1	1	3	6	9	12	22
B. OPERATED	457	7.8	44	1	2	6	10	16	22	31
TOTAL 0-19 YRS	125	5.2	18	1	1	5	7	10	15	21
20-34	204	6.7	27	1	1	6	9	13	16	26
35-49	95	6.6	40	1	1	5	9	12	22	32
50-64	92	8.5	48	1	2	7	11	19	23	32
65+	83	9.7	81	1	2	6	14	23	29	43
GRAND TOTAL	**599**	**7.1**	**40**	**1**	**1**	**5**	**9**	**15**	**21**	**30**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	155	4.2	20	<1	1	3	5	9	13	23
20-34	2	6.0		6	6	6	6	6	6	6
35-49	3	8.0	61	3	3	4	14	17	17	17
50-64	7	8.9	78	1	1	7	11	24	27	27
65+	16	5.2	11	1	1	4	8	10	11	11
B. *Operated*										
0-19 YRS	103	5.8	28	<1	1	4	9	12	15	25
20-34	13	10.5	108	1	1	5	21	25	27	27
35-49	6	4.8	14	1	1	3	9	10	10	10
50-64	8	5.0	23	1	1	3	6	13	16	16
65+	13	5.5	12	1	2	5	7	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	193	5.8	47	1	1	4	7	12	16	25
20-34	22	5.6	45	<1	1	5	6	13	21	31
35-49	11	4.1	11	1	1	3	6	9	11	11
50-64	47	6.5	29	1	1	5	8	14	18	28
65+	107	6.4	29	1	2	5	8	13	16	30
B. *Operated*										
0-19 YRS	131	13.7	202	2	3	10	17	31	45	99+
20-34	37	22.4	198	3	4	23	32	38	43	61
35-49	12	25.7	291	2	3	25	36	50	55	56
50-64	40	12.8	175	2	3	8	16	34	44	60
65+	96	10.8	94	2	2	8	12	22	30	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	183	4.5	22	<1	1	3	6	10	13	26
B. *Operated*	143	6.1	34	1	1	4	9	13	20	27
2. MULTIPLE DX										
A. *Not Operated*	380	6.0	38	1	1	5	7	12	16	28
B. *Operated*	316	14.2	183	2	3	9	19	32	42	83
1. SINGLE DX	326	5.2	28	<1	1	4	7	11	16	27
2. MULTIPLE DX	696	9.7	120	1	2	6	12	23	32	61
A. NOT OPERATED	563	5.5	33	1	1	4	7	12	15	28
B. OPERATED	459	11.6	150	1	2	8	15	28	37	64
TOTAL 0-19 YRS	582	7.2	84	1	1	5	9	15	23	62
20-34	74	14.9	188	1	1	9	26	35	38	57
35-49	32	12.7	218	1	2	6	18	36	47	56
50-64	102	9.0	97	1	2	6	11	18	30	53
65+	232	8.1	59	2	2	6	10	16	22	40
GRAND TOTAL	**1022**	**8.3**	**95**	**1**	**1**	**5**	**10**	**19**	**28**	**53**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	3.4	3	<1	1	4	5	5	6	8
20-34	11	4.8	18	1	2	4	5	10	16	17
35-49	14	5.4	37	<1	1	3	6	15	20	22
50-64	18	5.8	23	1	1	5	8	10	16	20
65+	24	5.0	30	<1	1	3	6	14	17	21
B. *Operated*										
0-19 YRS	24	9.8	94	1	2	8	11	22	34	39
20-34	20	10.3	137	1	2	6	18	36	69	99+
35-49	15	16.1	183	2	2	10	30	33	38	40
50-64	29	13.7	199	2	2	9	17	38	47	54
65+	22	9.6	104	<1	1	6	11	25	35	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	88	5.1	32	1	1	4	6	9	18	33
20-34	29	7.8	57	1	1	5	11	18	24	34
35-49	42	5.5	97	1	1	3	6	8	12	65
50-64	56	6.8	36	1	1	5	9	16	21	24
65+	195	6.7	45	1	1	5	9	15	21	31
B. *Operated*										
0-19 YRS	53	22.1	287	3	5	15	34	48	54	68
20-34	51	28.4	390	2	3	30	39	57	61	77
35-49	51	24.2	260	2	3	27	36	45	53	99
50-64	85	17.9	217	2	3	12	30	35	43	65
65+	180	16.7	219	2	4	11	27	38	46	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	4.5	18	1	1	4	5	9	14	21
B. *Operated*	110	11.7	144	1	2	8	16	32	40	72
2. MULTIPLE DX										
A. *Not Operated*	410	6.3	48	1	1	4	8	14	20	32
B. *Operated*	420	20.0	267	2	3	14	32	42	53	72
1. SINGLE DX	221	8.1	93	1	1	5	9	21	32	49
2. MULTIPLE DX	830	13.2	205	1	2	7	20	34	43	65
A. NOT OPERATED	521	5.9	42	1	1	4	7	13	20	31
B. OPERATED	530	18.3	252	2	3	12	30	40	51	71
TOTAL 0-19 YRS	209	9.6	153	1	1	5	10	28	39	57
20-34	111	17.4	322	1	2	9	32	47	58	86
35-49	122	14.6	243	1	1	7	28	38	46	74
50-64	188	12.8	167	1	2	8	17	33	38	59
65+	421	11.0	146	1	1	6	14	29	37	58
GRAND TOTAL	**1051**	**12.2**	**186**	**1**	**1**	**6**	**16**	**33**	**41**	**63**

49: Lymphatic and hematopoietic neoplasm, except hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	3.5	4	1	1	3	5	6	7	8
20-34	13	5.9	21	2	2	4	7	11	17	19
35-49	27	4.9	38	1	1	3	5	15	22	24
50-64	54	5.4	30	1	1	3	7	14	18	22
65+	66	5.8	47	1	1	4	7	12	23	34
B. *Operated*										
0-19 YRS	21	6.9	27	1	1	7	9	13	17	22
20-34	29	5.7	20	1	2	4	8	11	17	18
35-49	61	6.3	23	1	1	5	9	12	18	21
50-64	161	6.3	28	1	2	4	9	13	16	27
65+	176	6.5	37	1	2	5	9	14	16	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	6.3	72	1	2	3	7	14	26	43
20-34	19	4.6	7	<1	1	5	6	8	10	11
35-49	89	6.5	48	1	1	4	8	14	18	40
50-64	249	7.4	64	1	1	5	9	17	23	32
65+	494	7.9	46	1	2	6	10	15	20	33
B. *Operated*										
0-19 YRS	35	16.0	164	4	5	11	24	40	50	99+
20-34	37	12.3	76	2	3	11	16	28	34	99+
35-49	136	10.9	95	2	2	9	14	20	29	56
50-64	421	11.6	115	2	3	9	14	25	34	64
65+	756	11.9	87	2	3	9	15	25	29	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	175	5.4	35	1	1	3	6	12	19	31
B. *Operated*	448	6.4	30	1	2	5	9	13	17	26
2. MULTIPLE DX										
A. *Not Operated*	889	7.5	51	1	2	5	10	15	20	33
B. *Operated*	1385	11.8	98	2	3	9	15	25	32	55
1. SINGLE DX	623	6.1	31	1	1	4	8	13	17	29
2. MULTIPLE DX	2274	10.1	84	2	2	8	13	21	28	48
A. NOT OPERATED	1064	7.2	49	1	1	5	9	15	20	32
B. OPERATED	1833	10.5	87	2	2	8	13	22	29	49
TOTAL 0-19 YRS	109	9.1	105	1	2	6	11	24	36	72
20-34	98	8.0	49	1	2	6	10	18	24	69
35-49	313	8.2	68	1	1	6	10	17	21	48
50-64	885	9.1	85	1	2	6	12	20	25	47
65+	1492	9.7	71	2	2	7	13	20	26	41
GRAND TOTAL	**2897**	**9.3**	**76**	**1**	**2**	**7**	**12**	**19**	**26**	**44**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	24	2.5	2	<1	1	2	3	5	5	6
20-34	68	2.4	1	1	1	2	3	4	4	6
35-49	103	2.9	3	1	1	3	4	4	5	10
50-64	122	2.8	2	1	1	3	4	5	5	7
65+	92	3.0	2	1	1	3	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	6	2.8	5	1	1	2	3	7	7	7
20-34	18	2.9	3	1	1	3	4	4	7	9
35-49	38	3.9	7	1	2	3	4	7	10	13
50-64	74	3.9	15	1	2	3	4	7	10	26
65+	102	4.4	12	1	2	4	5	7	9	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.7	2	<1	<1	3	4	4	4	4
B. *Operated*	409	2.8	2	1	1	3	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*	5	1.8	3	<1	<1	1	2	5	5	5
B. *Operated*	238	4.0	12	1	2	3	5	7	9	16
1. SINGLE DX	412	2.8	2	1	1	3	4	5	5	6
2. MULTIPLE DX	243	3.9	11	1	1	3	5	7	9	15
A. NOT OPERATED	8	2.1	3	<1	<1	1	3	5	5	5
B. OPERATED	647	3.2	6	1	1	3	4	5	6	12
TOTAL 0-19 YRS	34	2.4	2	<1	1	2	3	5	6	7
20-34	86	2.5	2	1	1	2	3	4	5	8
35-49	143	3.2	4	1	1	3	4	5	7	11
50-64	196	3.2	7	1	1	3	4	5	6	12
65+	196	3.7	8	1	2	3	5	6	8	14
GRAND TOTAL	**655**	**3.2**	**6**	**1**	**1**	**3**	**4**	**5**	**6**	**12**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.9	1	<1	<1	2	3	4	4	4
20-34	6	2.0	1	<1	<1	2	3	3	3	3
35-49	8	2.1	4	<1	<1	1	2	6	7	7
50-64	28	2.2	3	<1	<1	2	2	5	7	7
65+	21	1.8	1	<1	<1	1	2	3	4	4
B. *Operated*										
0-19 YRS	49	5.0	105	<1	<1	2	5	10	13	70
20-34	28	4.4	12	1	1	3	7	10	11	12
35-49	98	3.9	12	<1	1	2	6	9	11	15
50-64	214	3.7	14	<1	1	2	5	10	11	17
65+	250	4.3	20	1	1	2	7	11	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	2.4	2	1	1	2	3	4	5	5
20-34	10	3.4	6	1	1	3	3	8	9	9
35-49	25	4.3	11	2	2	3	5	10	11	15
50-64	65	3.1	5	1	1	3	4	5	8	13
65+	111	4.4	9	1	1	4	6	9	10	13
B. *Operated*										
0-19 YRS	42	5.1	32	1	1	3	7	11	13	32
20-34	49	6.3	50	1	1	5	7	14	15	45
35-49	168	5.4	21	1	1	4	8	12	15	19
50-64	547	5.8	44	1	1	4	8	12	15	37
65+	1080	6.0	40	1	1	4	9	13	16	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	2.0	2	<1	<1	2	2	4	6	7
B. *Operated*	639	4.1	23	<1	1	2	6	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	220	3.9	8	1	1	3	5	8	10	13
B. *Operated*	1886	5.9	39	1	1	4	8	12	16	32
1. SINGLE DX	710	3.9	21	<1	1	2	5	10	12	17
2. MULTIPLE DX	2106	5.7	36	1	1	4	8	12	15	31
A. NOT OPERATED	291	3.4	7	1	1	2	4	7	9	13
B. OPERATED	2525	5.4	36	1	1	3	8	12	15	30
TOTAL 0-19 YRS	108	4.6	61	<1	1	2	5	10	12	48
20-34	93	5.2	32	1	1	3	7	11	14	33
35-49	299	4.7	17	1	1	3	7	11	13	18
50-64	854	4.9	34	1	1	3	7	11	13	31
65+	1462	5.5	34	1	1	3	8	12	15	24
GRAND TOTAL	**2816**	**5.2**	**33**	**1**	**1**	**3**	**7**	**11**	**14**	**25**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	1.4		1	1	1	2	2	2	2
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	5.0		5	5	5	5	5	5	5
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	118	1.8	2	<1	1	2	2	2	4	8
20-34	34	2.7	7	<1	<1	2	3	8	9	9
35-49	37	3.9	17	<1	<1	2	6	11	13	14
50-64	40	3.8	8	<1	1	3	6	8	9	10
65+	30	4.7	26	<1	1	2	7	11	17	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.9	2	1	1	3	4	5	5	5
20-34										
35-49	3	8.0	63	2	2	5	14	17	17	17
50-64										
65+	5	3.8	4	1	1	4	5	6	6	6
B. *Operated*										
0-19 YRS	62	3.2	15	1	1	2	3	7	14	19
20-34	13	4.8	8	2	2	5	6	9	11	11
35-49	21	5.6	10	1	1	6	8	10	10	11
50-64	39	6.2	30	1	1	5	9	14	19	22
65+	62	7.6	40	1	1	6	11	16	21	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	1.6	1	1	1	1	2	2	4	5
B. *Operated*	259	2.9	9	<1	<1	2	3	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	20	3.9	12	1	1	3	5	6	11	17
B. *Operated*	197	5.5	28	1	1	3	8	13	17	24
1. SINGLE DX	279	2.8	9	<1	1	2	2	7	9	14
2. MULTIPLE DX	217	5.4	26	1	1	3	8	13	17	24
A. NOT OPERATED	40	2.8	8	1	1	2	4	5	6	17
B. OPERATED	456	4.0	19	<1	1	2	5	10	13	22
TOTAL 0-19 YRS	209	2.2	6	1	1	2	2	3	5	16
20-34	47	3.3	8	<1	<1	2	5	8	9	11
35-49	62	4.6	17	<1	<1	3	8	10	13	17
50-64	80	5.0	20	1	1	3	7	10	13	22
65+	98	6.5	35	1	1	5	9	15	20	25
GRAND TOTAL	**496**	**3.9**	**18**	**<1**	**1**	**2**	**5**	**9**	**13**	**21**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.3	2	1	1	2	3	4	5	5
20-34	4	4.0	1	3	3	4	5	5	5	5
35-49	8	2.3	2	<1	<1	2	3	4	4	4
50-64	8	4.8	51	<1	<1	2	4	17	22	22
65+	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	354	2.7	8	<1	1	2	3	5	7	12
20-34	312	2.7	3	<1	<1	2	4	5	6	9
35-49	357	2.7	6	<1	<1	2	3	5	8	15
50-64	313	2.7	8	<1	<1	2	3	5	7	13
65+	142	3.0	7	<1	<1	2	3	7	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	2.5	6	<1	<1	2	3	5	9	10
20-34	6	1.8	1	1	1	2	2	3	3	3
35-49	11	3.7	8	<1	<1	3	4	9	10	10
50-64	10	4.7	80	<1	<1	2	3	17	30	30
65+	16	3.6	7	<1	<1	3	5	7	9	10
B. *Operated*										
0-19 YRS	77	4.5	17	<1	1	3	5	10	14	21
20-34	98	4.2	17	<1	1	3	5	9	13	22
35-49	201	3.8	11	1	1	3	5	8	10	18
50-64	254	4.1	14	1	1	3	5	9	13	18
65+	196	4.6	35	1	1	3	5	9	12	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	3.1	14	<1	<1	2	4	5	5	22
B. *Operated*	1478	2.7	6	<1	<1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	57	3.4	18	<1	<1	2	3	7	10	29
B. *Operated*	826	4.2	19	1	1	3	5	9	12	20
1. SINGLE DX	1510	2.7	6	<1	<1	2	3	5	7	12
2. MULTIPLE DX	883	4.1	19	1	1	3	5	9	12	20
A. NOT OPERATED	89	3.2	16	<1	<1	2	3	5	10	27
B. OPERATED	2304	3.2	11	<1	1	2	4	6	9	16
TOTAL 0-19 YRS	455	3.0	9	<1	1	2	3	6	8	14
20-34	420	3.0	7	<1	1	2	4	6	8	13
35-49	577	3.1	8	<1	<1	2	4	6	9	16
50-64	585	3.4	12	<1	1	2	4	7	10	19
65+	356	3.9	23	<1	1	3	4	8	11	16
GRAND TOTAL	**2393**	**3.2**	**12**	**<1**	**1**	**2**	**4**	**6**	**9**	**16**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	4.2	25	<1	1	3	4	14	17	18
20-34	3	3.7	14	1	1	2	6	8	8	8
35-49	8	2.3	2	<1	<1	2	3	5	5	5
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	5	3.2	8	<1	<1	3	4	8	8	8
B. *Operated*										
0-19 YRS	398	2.4	4	<1	<1	2	3	5	6	10
20-34	83	2.8	5	<1	1	2	3	6	8	10
35-49	79	3.6	13	<1	<1	2	4	8	11	22
50-64	64	3.1	9	<1	<1	2	4	6	8	16
65+	27	3.9	11	1	1	3	5	7	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	4.9	55	<1	<1	3	5	11	14	41
20-34	2	7.0	2	6	6	7	8	8	8	8
35-49	8	4.4	14	<1	<1	3	7	10	11	11
50-64	5	3.8	5	1	1	5	5	6	6	6
65+	11	8.7	33	1	2	8	11	16	22	23
B. *Operated*										
0-19 YRS	107	6.0	89	<1	1	3	7	13	22	55
20-34	42	4.2	21	<1	<1	2	6	14	16	17
35-49	95	4.4	19	<1	1	3	5	9	11	24
50-64	80	4.3	16	<1	<1	3	5	11	12	18
65+	70	6.4	60	<1	1	4	8	14	22	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	3.4	15	<1	<1	2	4	8	14	18
B. *Operated*	651	2.7	6	<1	<1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	59	5.5	41	<1	<1	4	7	11	13	39
B. *Operated*	394	5.2	45	<1	1	3	6	11	17	38
1. SINGLE DX	686	2.7	7	<1	<1	2	3	5	7	15
2. MULTIPLE DX	453	5.2	45	<1	1	3	6	11	16	40
A. NOT OPERATED	94	4.7	32	<1	<1	3	6	11	14	33
B. OPERATED	1045	3.6	22	<1	<1	2	4	8	11	22
TOTAL 0-19 YRS	555	3.3	26	<1	<1	2	3	6	10	22
20-34	130	3.4	10	<1	1	2	4	8	10	16
35-49	190	4.0	16	<1	1	3	5	9	11	24
50-64	151	3.8	13	<1	<1	3	4	9	12	16
65+	113	5.9	45	<1	1	3	8	12	19	41
GRAND TOTAL	**1139**	**3.7**	**23**	**<1**	**<1**	**2**	**4**	**8**	**11**	**22**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	96	1.5	1	<1	<1	1	2	2	3	4
20-34	162	1.7	1	<1	<1	2	2	3	3	6
35-49	189	1.7	1	<1	<1	2	2	3	3	4
50-64	88	2.0	1	<1	<1	2	2	3	3	8
65+	46	2.1	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	4.0	18	<1	<1	3	7	7	7	7
35-49										
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	3	2.7	1	2	2	2	4	4	4	4
B. *Operated*										
0-19 YRS	14	2.1	2	<1	<1	2	2	3	5	6
20-34	70	2.7	8	<1	1	2	3	5	6	20
35-49	138	2.4	2	<1	1	2	3	5	5	7
50-64	136	2.8	12	1	1	2	3	4	6	14
65+	110	3.2	7	1	1	2	3	7	8	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	581	1.8	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	7	2.7	5	<1	<1	2	4	6	7	7
B. *Operated*	468	2.7	7	<1	1	2	3	5	6	13
1. SINGLE DX	581	1.8	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX	475	2.7	7	<1	1	2	3	5	6	13
A. NOT OPERATED	7	2.7	5	<1	<1	2	4	6	7	7
B. OPERATED	1049	2.2	4	<1	<1	2	2	3	5	9
TOTAL 0-19 YRS	110	1.6	1	<1	<1	1	2	2	3	5
20-34	234	2.0	3	<1	<1	2	2	3	4	9
35-49	327	2.0	1	<1	<1	2	2	3	4	6
50-64	226	2.5	8	<1	1	2	3	3	5	10
65+	159	2.9	6	1	1	2	3	5	7	15
GRAND TOTAL	**1056**	**2.2**	**4**	**<1**	**<1**	**2**	**2**	**3**	**5**	**9**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	2.3	2	1	1	2	2	5	6	6
35-49	14	3.1	4	1	1	2	4	6	8	8
50-64	1	6.0		6	6	6	6	6	6	6
65+	3	8.7	65	4	4	4	15	18	18	18
B. *Operated*										
0-19 YRS	9	6.2	1	5	5	6	7	8	8	8
20-34	394	5.5	3	2	4	5	6	7	8	11
35-49	907	5.8	3	3	4	6	7	7	8	11
50-64	117	5.8	3	2	3	6	7	8	8	9
65+	20	6.0	16	<1	<1	6	8	10	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	59	2.9	5	<1	1	2	4	5	7	13
35-49	121	3.3	6	<1	<1	2	5	7	8	10
50-64	13	2.8	4	<1	<1	2	4	6	6	6
65+	13	6.8	126	2	2	4	5	14	38	44
B. *Operated*										
0-19 YRS	20	6.5	6	2	3	6	7	9	12	14
20-34	1524	5.9	4	2	4	6	7	8	10	13
35-49	6346	6.4	5	4	5	6	7	8	10	14
50-64	1094	6.6	7	3	5	6	7	9	10	16
65+	203	8.6	29	2	5	7	9	14	17	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	3.5	12	1	1	2	4	6	9	18
B. *Operated*	1447	5.7	3	2	4	6	7	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	207	3.4	13	<1	1	2	4	6	8	12
B. *Operated*	9187	6.4	6	4	4	6	7	9	10	14
1. SINGLE DX	1475	5.7	3	2	4	6	7	7	8	11
2. MULTIPLE DX	9394	6.3	6	3	4	6	7	8	10	14
A. NOT OPERATED	235	3.4	13	<1	1	2	4	6	8	14
B. OPERATED	10634	6.3	5	3	4	6	7	8	10	14
TOTAL 0-19 YRS	30	6.3	4	3	4	6	7	8	10	14
20-34	1987	5.7	4	2	4	6	7	8	9	13
35-49	7388	6.2	5	3	4	6	7	8	10	14
50-64	1225	6.5	7	3	5	6	7	9	10	16
65+	239	8.3	34	2	3	7	9	14	18	39
GRAND TOTAL	**10869**	**6.2**	**6**	**3**	**4**	**6**	**7**	**8**	**10**	**14**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	19	3.9	4	1	1	4	5	7	8	8
35-49	16	4.1	5	<1	<1	5	6	7	7	7
50-64	5	3.8	7	<1	<1	3	6	7	7	7
65+	2	4.5	13	2	2	4	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	2.5	2	<1	<1	2	3	4	4	4
50-64	1	7.0		7	7	7	7	7	7	7
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS										
20-34	43	4.7	4	1	2	5	6	7	9	10
35-49	78	5.5	3	1	3	6	6	7	8	11
50-64	21	5.9	7	1	2	6	7	9	10	11
65+	8	5.1	6	2	2	6	7	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	43	4.1	5	<1	1	4	6	7	7	8
2. MULTIPLE DX										
A. *Not Operated*	6	4.3	9	<1	<1	3	7	9	9	9
B. *Operated*	150	5.3	4	1	2	5	6	7	8	11
1. SINGLE DX	44	4.1	5	<1	1	4	6	7	7	8
2. MULTIPLE DX	156	5.3	4	1	2	5	6	7	9	11
A. NOT OPERATED	7	4.3	8	<1	<1	4	6	9	9	9
B. OPERATED	193	5.0	5	1	2	5	6	7	8	11
TOTAL 0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	62	4.5	4	1	2	5	6	7	8	10
35-49	99	5.1	4	<1	1	5	6	7	7	11
50-64	27	5.5	7	<1	2	6	7	9	10	11
65+	11	5.4	7	2	2	6	7	8	9	9
GRAND TOTAL	**200**	**5.0**	**5**	**1**	**2**	**5**	**6**	**7**	**8**	**11**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.3		1	1	1	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	81	4.9	2	3	3	5	5	6	7	9
20-34	257	4.8	2	3	4	5	5	6	7	8
35-49	107	5.6	3	3	4	5	6	8	9	11
50-64	75	6.7	8	4	5	6	7	8	15	18
65+	49	7.4	6	5	5	7	8	10	13	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	4	3.5	3	1	1	4	5	5	5	5
35-49	1	6.0		6	6	6	6	6	6	6
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
0-19 YRS	53	6.2	7	4	4	6	7	9	11	20
20-34	375	5.6	3	3	4	5	6	8	9	11
35-49	299	6.7	7	4	5	6	8	9	11	15
50-64	207	7.9	12	5	5	7	9	13	15	22
65+	202	9.0	18	5	5	8	10	14	17	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.3		1	1	1	2	2	2	2
B. *Operated*	569	5.5	4	3	4	5	6	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	9	3.8	2	1	1	4	5	6	6	6
B. *Operated*	1136	6.9	10	4	4	6	8	10	13	20
1. SINGLE DX	572	5.4	4	3	4	5	6	7	8	14
2. MULTIPLE DX	1145	6.9	10	4	4	6	8	10	13	20
A. NOT OPERATED	12	3.2	3	1	1	3	5	5	6	6
B. OPERATED	1705	6.5	8	4	4	6	7	9	11	18
TOTAL 0-19 YRS	135	5.4	4	3	4	5	6	7	9	13
20-34	639	5.3	3	3	4	5	6	7	8	11
35-49	407	6.4	6	4	5	6	7	9	10	14
50-64	283	7.6	11	4	5	7	8	11	15	21
65+	253	8.6	16	5	5	8	9	13	16	25
GRAND TOTAL	**1717**	**6.4**	**8**	**4**	**4**	**6**	**7**	**9**	**11**	**18**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	11	4.4	5	1	1	5	6	7	7	7
35-49	12	3.3	7	1	1	2	5	7	8	8
50-64	5	5.2	4	2	2	6	6	7	7	7
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	4.0	3	3	3	3	5	6	6	6
20-34	16	6.1	8	2	2	6	7	10	12	13
35-49	18	4.8	3	2	3	5	6	7	8	8
50-64	9	4.4	10	<1	<1	4	7	9	10	10
65+	8	6.0	8	2	2	6	8	9	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	30	3.9	6	1	1	4	6	7	7	8
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	54	5.3	6	1	2	5	7	8	10	13
1. SINGLE DX	31	3.9	5	1	1	3	6	7	7	8
2. MULTIPLE DX	55	5.2	7	1	2	5	7	8	10	13
A. NOT OPERATED	2	2.0	2	1	1	2	3	3	3	3
B. OPERATED	84	4.8	6	1	2	5	7	8	9	12
TOTAL 0-19 YRS	5	3.4	2	2	2	3	4	6	6	6
20-34	28	5.2	8	1	1	5	7	8	10	13
35-49	30	4.2	5	1	1	4	6	7	8	8
50-64	14	4.7	7	<1	1	5	7	8	9	10
65+	9	5.6	9	2	2	6	8	9	10	10
GRAND TOTAL	**86**	**4.7**	**6**	**1**	**1**	**5**	**7**	**8**	**9**	**12**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	7	1.9	1	<1	<1	1	3	4	4	4
20-34	8	2.3	1	1	1	2	3	4	4	4
35-49	11	2.6	3	1	1	2	3	5	7	7
50-64	7	2.6	1	1	1	2	4	4	4	4
65+	4	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	5	3.2	2	<1	<1	3	4	5	5	5
35-49	3	5.7	41	1	1	3	10	13	13	13
50-64	9	3.4	4	2	2	3	4	7	8	8
65+	8	7.3	68	1	1	3	9	21	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	37	2.2	2	<1	1	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	28	4.5	26	1	1	3	4	10	14	26
1. SINGLE DX	37	2.2	2	<1	1	2	3	4	4	7
2. MULTIPLE DX	28	4.5	26	1	1	3	4	10	14	26
A. NOT OPERATED										
B. OPERATED	65	3.2	13	<1	1	2	3	5	9	24
TOTAL 0-19 YRS	10	1.7	1	<1	<1	1	2	3	4	4
20-34	13	2.6	2	<1	1	2	4	4	5	5
35-49	14	3.3	10	1	1	2	3	8	12	13
50-64	16	3.1	3	1	2	3	4	5	7	8
65+	12	5.2	53	<1	<1	3	6	15	24	26
GRAND TOTAL	**65**	**3.2**	**13**	**<1**	**1**	**2**	**3**	**5**	**9**	**24**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	4	2.5	2	<1	<1	2	3	4	4	4
35-49	4	4.5	8	1	1	4	6	8	8	8
50-64	16	3.6	9	1	1	2	5	8	11	12
65+	20	4.1	25	<1	1	2	4	11	17	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	6	12.5	116	2	2	11	12	31	33	33
35-49	14	10.3	44	1	2	9	15	18	23	25
50-64	25	3.4	5	1	1	3	4	7	8	11
65+	48	5.6	14	2	2	5	8	11	12	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	45	4.0	16	<1	1	2	4	9	12	21
2. MULTIPLE DX										
A. *Not Operated*	3	1.3		1	1	1	2	2	2	2
B. *Operated*	94	6.2	28	1	2	4	9	12	15	29
1. SINGLE DX	47	3.9	16	1	1	2	4	9	12	21
2. MULTIPLE DX	97	6.0	28	1	2	4	9	12	15	29
A. NOT OPERATED	5	1.4		1	1	1	2	2	2	2
B. OPERATED	139	5.5	25	1	1	4	8	12	15	26
TOTAL 0-19 YRS	2	10.5	5	9	9	10	12	12	12	12
20-34	10	8.5	92	<1	1	5	12	23	33	33
35-49	20	8.3	42	<1	1	8	13	16	21	25
50-64	42	3.5	6	1	1	3	4	7	9	12
65+	70	5.0	17	1	1	3	7	11	12	20
GRAND TOTAL	**144**	**5.3**	**25**	**1**	**1**	**3**	**8**	**12**	**15**	**25**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	22	1.5	1	<1	<1	<1	2	3	4	5
20-34	4	2.5	2	<1	<1	2	3	4	4	4
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	30	1.7	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX	30	1.7	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED	30	1.7	1	<1	<1	1	2	3	4	5
TOTAL 0-19 YRS	22	1.5	1	<1	<1	<1	2	3	4	5
20-34	4	2.5	2	<1	<1	2	3	4	4	4
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	1.3		<1	<1	1	2	2	2	2
GRAND TOTAL	**30**	**1.7**	**1**	**<1**	**<1**	**1**	**2**	**3**	**4**	**5**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	8.0	75	3	3	3	14	18	18	18
50-64	4	3.8	6	<1	<1	3	5	7	7	7
65+	4	1.5	1	1	1	1	2	3	3	3
B. *Operated*										
0-19 YRS	11	10.4	27	3	5	10	14	17	21	21
20-34	24	8.7	13	3	4	8	11	15	15	16
35-49	50	11.3	31	2	5	10	15	19	21	27
50-64	79	10.5	66	2	3	10	12	17	20	54
65+	42	10.2	37	1	3	9	12	17	25	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34										
35-49	7	5.3	35	1	1	3	6	16	18	18
50-64	14	4.6	25	1	1	3	5	10	18	20
65+	51	7.9	64	3	3	6	9	11	15	52
B. *Operated*										
0-19 YRS	11	20.8	158	7	8	18	26	42	46	46
20-34	24	18.0	170	5	8	13	24	34	49	53
35-49	55	15.3	119	4	6	12	17	31	40	52
50-64	75	14.9	132	3	5	12	19	26	36	68
65+	113	17.7	199	3	5	15	21	39	58	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	3.7	21	<1	<1	3	4	9	16	18
B. *Operated*	206	10.4	43	2	3	10	13	17	21	29
2. MULTIPLE DX										
A. *Not Operated*	74	6.9	54	1	2	5	8	11	17	48
B. *Operated*	278	16.6	161	3	5	13	20	34	44	99
1. SINGLE DX	219	10.0	44	1	2	9	12	17	21	29
2. MULTIPLE DX	352	14.6	154	3	3	11	19	31	42	97
A. NOT OPERATED	87	6.4	50	1	1	4	8	11	18	46
B. OPERATED	484	14.0	120	3	4	11	17	27	37	69
TOTAL 0-19 YRS	25	14.0	123	2	3	12	18	27	41	46
20-34	49	13.1	113	2	4	9	15	29	33	53
35-49	115	12.7	81	2	3	11	16	26	31	47
50-64	172	11.8	100	2	3	10	14	21	27	62
65+	210	13.5	152	2	3	10	17	29	41	99+
GRAND TOTAL	**571**	**12.8**	**117**	**2**	**3**	**10**	**16**	**26**	**36**	**64**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	13	2.6	1	1	1	3	3	4	4	4
20-34	161	3.1	2	1	2	3	4	4	5	9
35-49	200	3.2	2	1	2	3	4	4	5	7
50-64	140	3.5	1	1	2	3	4	5	5	6
65+	63	4.2	6	2	2	4	5	6	8	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65+	5	8.8	16	2	2	10	11	12	12	12
B. *Operated*										
0-19 YRS	7	3.7	6	2	2	3	3	8	9	9
20-34	48	3.7	2	2	2	4	4	5	5	11
35-49	106	4.1	5	2	2	4	4	6	7	14
50-64	97	4.0	2	2	3	4	5	6	7	10
65+	112	5.3	12	2	3	4	6	9	13	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*	577	3.3	2	1	2	3	4	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	8	6.5	20	1	1	7	10	12	12	12
B. *Operated*	370	4.4	6	2	2	4	5	7	9	16
1. SINGLE DX	579	3.3	2	1	2	3	4	5	5	8
2. MULTIPLE DX	378	4.4	7	2	2	4	5	7	10	16
A. NOT OPERATED	10	5.8	18	1	1	4	10	11	12	12
B. OPERATED	947	3.7	4	2	2	3	4	5	7	13
TOTAL 0-19 YRS	21	3.1	3	1	1	3	4	5	7	9
20-34	209	3.2	2	1	2	3	4	4	5	10
35-49	307	3.5	3	1	2	3	4	5	6	12
50-64	239	3.7	2	2	2	4	4	5	6	8
65+	181	5.0	10	2	2	4	6	8	11	19
GRAND TOTAL	**957**	**3.8**	**4**	**2**	**2**	**3**	**4**	**5**	**7**	**13**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	7	2.0	1	1	1	2	3	4	4	4
35-49	7	5.9	32	1	1	3	11	15	15	15
50-64	2	3.0		3	3	3	3	3	3	3
65+										
B. Operated										
0-19 YRS	8	6.6	2	5	5	6	8	9	9	9
20-34	24	7.6	9	3	3	8	9	10	12	16
35-49	31	6.3	9	2	2	7	8	9	10	14
50-64	47	6.3	14	2	2	5	9	11	13	18
65+	22	7.5	36	3	3	5	10	13	21	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	4.0	3	2	2	4	5	6	6	6
20-34	8	4.1	14	1	1	3	4	11	13	13
35-49	9	5.2	8	2	2	4	7	10	10	10
50-64	11	5.6	12	2	2	5	6	12	14	14
65+	20	9.5	57	2	3	7	13	22	25	28
B. Operated										
0-19 YRS	9	12.3	129	4	4	8	14	32	40	40
20-34	33	10.1	24	3	5	9	12	18	20	21
35-49	72	8.7	48	2	3	7	11	17	22	36
50-64	100	8.8	49	3	3	7	11	17	27	34
65+	107	9.6	55	3	3	7	13	20	26	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	3.6	14	1	1	3	3	9	14	15
B. Operated	132	6.7	15	2	3	6	9	10	12	20
2. MULTIPLE DX										
A. Not Operated	52	6.7	32	2	2	5	8	14	21	28
B. Operated	321	9.3	50	3	3	7	12	18	25	36
1. SINGLE DX	151	6.3	16	2	2	6	9	11	13	18
2. MULTIPLE DX	373	8.9	48	2	3	7	11	18	23	36
A. NOT OPERATED	71	5.9	29	1	2	4	7	13	17	27
B. OPERATED	453	8.5	41	3	3	7	10	16	21	34
TOTAL 0-19 YRS	24	7.8	61	2	2	6	8	14	25	40
20-34	72	7.8	23	1	2	8	10	15	18	21
35-49	119	7.6	35	2	3	6	9	15	19	34
50-64	160	7.7	37	2	3	6	10	14	19	33
65+	149	9.3	53	3	3	6	12	20	26	34
GRAND TOTAL	**524**	**8.2**	**40**	**2**	**3**	**6**	**10**	**16**	**21**	**33**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	4	2.5	4	1	1	2	4	5	5	5
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. Operated										
0-19 YRS	4	2.8	5	1	1	2	4	6	6	6
20-34	415	3.8	4	1	1	4	5	6	7	9
35-49	162	4.6	5	1	1	5	6	7	8	10
50-64	30	3.9	6	<1	1	3	6	7	8	8
65+	21	4.7	10	1	1	4	7	9	10	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	4	1.8	2	<1	<1	1	2	4	4	4
35-49	2	4.5	13	2	2	4	7	7	7	7
50-64	3	2.3	5	1	1	1	4	5	5	5
65+	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	9	3.7	6	1	1	3	5	7	8	8
20-34	429	5.2	6	1	2	5	6	8	9	12
35-49	298	5.8	8	1	2	6	7	8	10	15
50-64	96	6.3	16	1	2	6	7	9	15	24
65+	66	5.6	9	2	2	6	7	9	10	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	2.8	3	1	1	3	4	5	5	5
B. Operated	632	4.0	5	1	1	4	5	7	7	9
2. MULTIPLE DX										
A. Not Operated	10	2.6	4	<1	<1	2	4	6	7	7
B. Operated	898	5.5	8	1	2	5	7	8	10	17
1. SINGLE DX	638	4.0	5	1	1	4	5	7	7	9
2. MULTIPLE DX	908	5.5	8	1	2	5	7	8	9	16
A. NOT OPERATED	16	2.7	4	<1	<1	2	4	5	6	7
B. OPERATED	1530	4.9	7	1	1	5	6	8	9	13
TOTAL 0-19 YRS	13	3.4	5	1	1	3	5	7	8	8
20-34	852	4.5	6	1	1	5	6	7	8	12
35-49	463	5.3	7	1	2	5	7	8	9	13
50-64	130	5.6	15	1	1	5	7	8	10	23
65+	88	5.4	9	2	2	5	7	9	10	16
GRAND TOTAL	**1546**	**4.9**	**7**	**1**	**1**	**5**	**6**	**8**	**9**	**12**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	1.0		1	1	1	1	1	1	1
65+	3	5.0	13	2	2	4	8	9	9	9
B. *Operated*										
0-19 YRS										
20-34	24	3.6	6	<1	1	3	5	6	8	11
35-49	46	4.0	9	<1	1	3	7	8	11	11
50-64	104	4.2	12	<1	1	3	6	8	10	18
65+	94	4.3	15	<1	1	3	5	10	12	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	7	4.0	10	1	1	4	6	9	9	9
65+	9	4.6	12	<1	1	4	6	10	12	12
B. *Operated*										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	24	5.5	17	1	1	5	7	9	15	20
35-49	78	5.3	16	1	2	5	6	10	11	24
50-64	168	6.3	27	1	2	5	8	13	17	28
65+	265	7.1	38	1	2	5	9	15	20	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.9	8	<1	<1	2	4	8	9	9
B. *Operated*	268	4.2	12	<1	1	3	6	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	17	4.1	11	<1	1	4	6	9	11	12
B. *Operated*	537	6.5	31	1	2	5	8	14	18	27
1. SINGLE DX	275	4.1	12	<1	1	3	6	9	11	17
2. MULTIPLE DX	554	6.4	30	1	2	5	8	14	18	27
A. NOT OPERATED	24	3.8	10	<1	1	2	6	9	10	12
B. OPERATED	805	5.7	26	1	1	4	7	12	16	24
TOTAL 0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	50	4.4	12	<1	1	4	6	8	11	20
35-49	125	4.8	13	1	1	4	6	9	11	22
50-64	281	5.4	22	1	1	4	7	11	15	21
65+	371	6.3	33	1	1	4	9	14	18	26
GRAND TOTAL	**829**	**5.7**	**25**	**1**	**1**	**4**	**7**	**12**	**16**	**24**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	3.0	5	<1	1	2	4	5	9	10
20-34	13	3.1	6	<1	1	2	3	8	8	8
35-49	30	2.4	2	<1	<1	2	3	5	5	6
50-64	32	3.6	11	<1	1	3	5	8	13	13
65+	38	3.8	8	1	1	3	5	7	9	14
B. *Operated*										
0-19 YRS	105	5.2	18	1	1	4	7	10	14	22
20-34	140	4.6	11	<1	1	4	6	9	10	16
35-49	159	4.5	26	1	1	3	6	9	11	32
50-64	183	5.3	23	1	1	4	7	11	13	27
65+	187	5.2	19	1	1	4	8	11	13	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	4.8	35	1	1	3	4	11	23	25
20-34	27	7.0	83	<1	1	3	8	16	21	46
35-49	50	3.9	9	<1	1	3	5	8	10	99
50-64	110	4.7	10	1	1	4	6	9	12	14
65+	278	5.6	31	1	1	4	8	11	15	33
B. *Operated*										
0-19 YRS	78	9.4	105	1	2	6	11	24	30	56
20-34	120	8.2	129	1	1	5	9	17	35	99+
35-49	156	8.0	74	2	2	6	9	15	19	54
50-64	244	7.5	56	1	2	6	10	15	19	36
65+	564	8.8	52	2	2	8	12	17	22	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	145	3.2	6	<1	1	3	4	6	9	13
B. *Operated*	774	5.0	20	1	1	4	7	10	12	26
2. MULTIPLE DX										
A. *Not Operated*	518	5.2	27	1	1	4	7	10	14	32
B. *Operated*	1162	8.4	67	1	2	6	10	17	22	44
1. SINGLE DX	919	4.7	18	1	1	3	6	10	12	24
2. MULTIPLE DX	1680	7.4	57	1	2	5	9	15	19	38
A. NOT OPERATED	663	4.8	23	1	1	3	6	10	13	25
B. OPERATED	1936	7.0	51	1	2	5	9	14	19	36
TOTAL 0-19 YRS	268	6.1	50	1	1	4	7	13	21	33
20-34	300	6.2	67	<1	1	5	7	11	17	71
35-49	395	5.6	45	1	1	4	7	10	17	36
50-64	569	6.1	35	1	1	5	8	12	16	28
65+	1067	7.1	42	1	1	5	10	14	18	33
GRAND TOTAL	**2599**	**6.5**	**45**	**1**	**1**	**5**	**8**	**13**	**18**	**34**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	8	2.8	2	<1	<1	2	3	5	6	6
35-49	6	2.0	1	1	1	2	2	4	4	4
50-64	5	3.2	3	2	2	3	4	6	6	6
65+	5	1.8	1	<1	<1	1	3	3	3	3
B. Operated										
0-19 YRS	26	3.2	1	1	2	3	4	5	5	5
20-34	166	3.3	1	1	2	3	4	5	5	6
35-49	257	3.5	2	2	2	3	4	5	6	10
50-64	207	3.8	2	2	2	4	4	5	6	9
65+	99	3.8	2	2	2	4	5	5	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	2	5.0	32	1	1	5	9	9	9	9
35-49	23	3.5	4	1	1	3	4	6	8	8
50-64	25	4.4	5	1	2	4	5	7	9	12
65+	33	4.3	5	1	1	4	6	8	8	9
B. Operated										
0-19 YRS	6	4.2	2	2	2	4	5	6	6	6
20-34	58	4.3	6	1	2	4	5	7	10	15
35-49	140	4.4	7	2	2	4	5	8	10	15
50-64	170	4.5	7	2	3	4	5	7	8	16
65+	146	5.2	7	2	3	4	6	8	10	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	2.3	2	<1	1	2	3	4	6	6
B. Operated	755	3.6	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	86	4.0	5	1	1	4	5	8	8	11
B. Operated	520	4.6	7	2	2	4	5	8	10	15
1. SINGLE DX	781	3.5	2	2	2	3	4	5	6	8
2. MULTIPLE DX	606	4.6	7	2	2	4	5	8	9	15
A. NOT OPERATED	112	3.6	5	1	1	3	5	7	8	10
B. OPERATED	1275	4.0	4	2	2	4	4	6	8	11
TOTAL 0-19 YRS	37	3.1	2	1	1	3	4	5	5	6
20-34	234	3.5	3	1	2	3	4	5	6	11
35-49	426	3.8	4	2	2	3	4	6	7	11
50-64	407	4.1	5	2	2	4	5	6	8	11
65+	283	4.6	5	2	2	4	5	7	9	13
GRAND TOTAL	**1387**	**4.0**	**4**	**2**	**2**	**4**	**5**	**6**	**8**	**11**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	23	3.7	12	1	1	2	5	11	12	12
20-34	47	4.0	8	1	2	3	5	8	9	16
35-49	43	4.9	23	1	2	4	5	7	11	30
50-64	39	4.4	6	1	2	4	6	9	10	10
65+	11	5.0	12	2	2	4	6	10	14	14
B. Operated										
0-19 YRS	40	4.1	4	2	2	4	5	6	8	12
20-34	145	4.8	12	2	2	4	5	8	11	20
35-49	118	3.8	2	2	2	4	4	5	6	11
50-64	67	3.7	3	2	2	4	4	5	6	11
65+	17	4.0	1	3	3	4	5	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	32	4.9	30	1	1	3	6	10	19	25
20-34	96	4.8	17	1	2	4	6	9	11	25
35-49	160	5.7	15	2	2	5	7	11	14	23
50-64	170	5.9	16	2	2	5	7	11	14	21
65+	272	7.8	30	2	3	7	10	13	16	26
B. Operated										
0-19 YRS	12	8.7	89	3	3	5	8	23	34	36
20-34	61	6.0	20	2	3	4	7	11	14	28
35-49	70	5.6	12	2	2	4	8	10	14	15
50-64	80	6.5	47	2	2	5	7	12	18	42
65+	75	8.3	45	2	3	6	11	18	21	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	163	4.3	12	1	2	3	5	8	10	18
B. Operated	387	4.2	6	2	2	4	5	6	8	13
2. MULTIPLE DX										
A. Not Operated	730	6.4	23	2	2	5	8	12	15	24
B. Operated	298	6.7	35	2	3	5	8	14	18	39
1. SINGLE DX	550	4.3	8	2	2	4	5	7	9	15
2. MULTIPLE DX	1028	6.5	27	2	2	5	8	12	15	26
A. NOT OPERATED	893	6.0	22	1	2	5	7	11	14	24
B. OPERATED	685	5.3	20	2	2	4	5	9	14	23
TOTAL 0-19 YRS	107	4.8	24	1	1	4	5	9	12	30
20-34	349	4.9	14	2	2	4	5	9	11	21
35-49	391	5.0	12	2	2	4	6	9	12	17
50-64	356	5.5	21	2	2	4	6	9	13	22
65+	375	7.6	32	2	3	6	10	14	18	26
GRAND TOTAL	**1578**	**5.7**	**21**	**2**	**2**	**4**	**7**	**11**	**14**	**24**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	233	5.8	7	1	3	6	7	9	10	16
20-34	66	4.8	7	1	2	4	6	9	10	14
35-49	63	5.5	15	2	3	5	7	8	9	26
50-64	94	4.9	6	2	2	4	6	9	10	12
65+	28	5.9	18	2	3	5	7	9	13	24
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64	5	6.2	8	2	2	7	8	9	9	9
65+	3	3.7	4	2	2	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	196	5.1	16	1	1	5	7	10	12	71
20-34	122	4.5	7	1	2	4	6	7	9	16
35-49	313	5.5	16	2	2	5	7	9	11	22
50-64	451	6.1	14	2	2	5	7	11	12	21
65+	290	6.9	19	2	3	6	8	12	16	24
B. *Operated*										
0-19 YRS	7	9.7	86	2	2	3	19	22	22	22
20-34	16	6.4	16	2	2	6	8	12	15	17
35-49	42	6.7	18	2	3	6	8	12	15	22
50-64	62	9.5	33	3	3	8	13	16	23	29
65+	32	11.3	81	2	2	9	15	22	27	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	484	5.4	9	2	3	5	7	9	10	16
B. *Operated*	13	3.9	8	1	1	3	6	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	1372	5.8	16	2	2	5	7	10	12	22
B. *Operated*	159	8.8	41	2	3	7	12	16	22	29
1. SINGLE DX	497	5.4	9	2	2	5	7	9	10	16
2. MULTIPLE DX	1531	6.2	19	2	2	5	8	11	14	23
A. NOT OPERATED	1856	5.7	14	2	2	5	7	10	12	21
B. OPERATED	172	8.5	40	2	2	7	11	16	22	29
TOTAL 0-19 YRS	437	5.5	13	1	1	5	7	9	11	21
20-34	205	4.7	8	1	2	4	6	8	10	16
35-49	421	5.6	16	2	2	5	7	9	11	22
50-64	612	6.3	16	2	2	5	8	11	13	23
65+	353	7.2	26	2	3	6	8	13	17	26
GRAND TOTAL	**2028**	**6.0**	**17**	**2**	**2**	**5**	**7**	**10**	**13**	**22**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	635	4.2	20	1	1	3	5	7	9	19
20-34	369	3.8	5	1	2	3	5	7	8	14
35-49	162	4.9	9	2	2	4	6	9	11	14
50-64	95	5.1	8	2	2	5	7	8	10	15
65+	57	6.5	11	2	3	6	8	11	13	16
B. *Operated*										
0-19 YRS	4	6.3	3	4	4	6	7	8	8	8
20-34	3	5.3	2	4	4	5	6	7	7	7
35-49	4	6.3	2	4	4	7	7	7	7	7
50-64	4	6.5	12	3	3	6	9	10	10	10
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	636	4.5	23	1	2	4	6	8	9	16
20-34	809	4.8	11	1	2	4	6	8	10	16
35-49	587	6.1	15	2	3	5	8	10	13	22
50-64	520	7.4	26	3	3	6	9	12	16	24
65+	674	8.3	30	2	3	7	10	15	19	26
B. *Operated*										
0-19 YRS	33	9.6	28	3	3	9	12	16	21	24
20-34	85	9.8	51	3	4	7	11	19	24	38
35-49	78	10.1	54	3	4	8	12	19	22	87
50-64	84	13.1	123	3	5	10	15	27	32	91
65+	96	18.3	245	6	7	14	21	33	47	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1318	4.3	14	1	2	4	6	8	10	15
B. *Operated*	15	6.1	4	3	4	7	7	9	10	10
2. MULTIPLE DX										
A. *Not Operated*	3226	6.1	23	2	2	5	8	11	14	23
B. *Operated*	376	12.7	127	3	5	10	15	24	33	84
1. SINGLE DX	1333	4.4	14	1	2	4	6	8	10	15
2. MULTIPLE DX	3602	6.8	38	2	2	5	8	12	17	30
A. NOT OPERATED	4544	5.6	21	1	2	5	7	10	13	22
B. OPERATED	391	12.5	124	3	4	9	15	23	32	82
TOTAL 0-19 YRS	1308	4.5	22	1	1	4	6	8	10	19
20-34	1266	4.8	14	1	2	4	6	9	11	19
35-49	831	6.2	19	2	2	5	8	11	14	23
50-64	703	7.8	40	2	3	6	9	14	18	32
65+	827	9.4	64	3	3	7	11	17	22	40
GRAND TOTAL	**4935**	**6.2**	**32**	**1**	**2**	**5**	**7**	**11**	**15**	**27**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	257	5.0	8	1	2	4	6	8	10	17
20-34	236	4.9	6	1	2	4	6	8	10	13
35-49	356	5.2	7	2	2	5	6	9	10	14
50-64	446	5.5	9	2	2	5	7	9	11	17
65+	368	5.9	11	2	3	5	8	10	12	17
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	12	6.3	47	1	1	3	9	19	21	21
35-49	21	7.5	30	2	2	6	10	17	19	21
50-64	37	6.6	35	<1	1	4	9	16	18	24
65+	38	7.7	67	1	2	4	11	18	23	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	265	5.3	24	1	2	4	7	9	13	28
20-34	707	5.1	11	2	2	4	6	9	11	17
35-49	1612	6.0	16	2	3	5	7	10	13	19
50-64	3074	6.4	16	2	3	6	8	11	14	21
65+	4164	7.0	22	2	3	6	8	12	14	24
B. *Operated*										
0-19 YRS	18	13.3	236	2	3	6	22	32	49	59
20-34	186	9.3	76	2	3	6	11	20	28	49
35-49	454	11.3	109	2	3	8	14	24	31	71
50-64	1023	12.7	132	2	3	10	15	27	38	71
65+	1362	13.5	117	3	4	11	17	26	35	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1663	5.4	8	2	2	5	7	9	11	16
B. *Operated*	109	7.1	45	1	2	4	10	17	21	31
2. MULTIPLE DX										
A. *Not Operated*	9822	6.5	18	2	3	6	8	11	14	22
B. *Operated*	3043	12.6	120	3	4	10	16	26	35	65
1. SINGLE DX	1772	5.5	11	2	2	5	7	9	11	18
2. MULTIPLE DX	12865	7.9	49	2	3	6	9	14	20	41
A. NOT OPERATED	11485	6.3	17	2	3	5	8	11	13	21
B. OPERATED	3152	12.5	119	2	3	9	15	25	34	65
TOTAL 0-19 YRS	541	5.4	25	1	2	5	7	9	12	28
20-34	1141	5.8	23	2	2	5	7	10	13	27
35-49	2443	6.9	36	2	3	5	8	12	16	33
50-64	4580	7.7	48	2	3	6	9	14	19	40
65+	5932	8.5	51	2	3	7	10	15	21	41
GRAND TOTAL	**14637**	**7.6**	**45**	**2**	**3**	**6**	**9**	**14**	**19**	**38**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.4		1	1	1	2	2	2	2
20-34	5	4.2	6	2	2	3	6	8	8	8
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	8	3.6	4	<1	<1	4	5	6	6	6
20-34	50	4.2	4	<1	1	5	5	7	7	8
35-49	8	4.5	6	2	2	4	6	8	9	9
50-64	1	10.0		10	10	10	10	10	10	10
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	7.0	32	3	3	7	11	11	11	11
20-34	9	3.2	1	1	2	3	4	4	4	4
35-49	3	5.7	25	<1	<1	5	9	11	11	11
50-64	2	2.5	1	2	2	2	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	17	3.8	5	<1	1	4	5	6	9	10
20-34	132	5.1	6	1	1	5	6	7	8	13
35-49	37	5.7	5	2	2	6	6	8	9	13
50-64	2	8.5	5	7	7	8	10	10	10	10
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	2.8	5	1	1	2	3	6	8	8
B. *Operated*	67	4.3	4	<1	1	4	6	7	7	10
2. MULTIPLE DX										
A. *Not Operated*	16	4.1	8	<1	1	3	4	10	11	11
B. *Operated*	188	5.1	6	1	2	5	6	8	9	13
1. SINGLE DX	77	4.1	5	<1	1	4	5	7	8	10
2. MULTIPLE DX	204	5.0	6	1	2	5	6	8	9	13
A. NOT OPERATED	26	3.6	7	<1	1	3	4	8	11	11
B. OPERATED	255	4.9	5	1	1	5	6	7	9	13
TOTAL 0-19 YRS	32	3.6	6	<1	1	3	5	6	10	11
20-34	196	4.7	5	1	1	5	6	7	8	13
35-49	48	5.5	6	2	2	6	6	9	10	13
50-64	5	6.4	14	2	2	7	10	10	10	10
65+										
GRAND TOTAL	**281**	**4.8**	**6**	**1**	**1**	**5**	**6**	**7**	**9**	**13**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	128	2.9	10	1	1	2	3	6	7	17
20-34	65	3.4	3	1	1	3	5	5	7	7
35-49	72	3.9	8	1	1	3	5	7	8	17
50-64	60	3.4	3	<1	1	3	4	6	7	8
65+	69	4.2	18	1	1	3	5	8	9	25
B. *Operated*										
0-19 YRS	23	5.1	11	1	2	4	7	9	12	14
20-34	8	6.9	7	4	4	7	9	10	10	10
35-49	18	8.9	176	3	3	5	7	18	44	59
50-64	29	5.0	8	2	2	4	6	9	10	14
65+	21	6.3	18	1	2	6	8	10	15	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	248	3.6	9	1	1	3	4	7	10	17
20-34	220	4.3	9	1	1	4	6	8	9	17
35-49	378	4.7	14	1	1	4	6	8	13	23
50-64	599	5.3	18	1	1	4	6	10	13	21
65+	1515	5.8	23	1	2	5	7	10	14	27
B. *Operated*										
0-19 YRS	28	9.5	172	1	2	5	7	27	34	63
20-34	38	6.4	38	1	1	5	8	14	18	33
35-49	80	8.6	127	2	3	7	10	14	19	99+
50-64	124	8.3	43	2	3	6	11	16	22	34
65+	184	11.4	86	3	4	9	15	22	28	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	394	3.4	9	1	1	3	4	6	8	17
B. *Operated*	99	6.1	42	1	2	5	8	10	13	41
2. MULTIPLE DX										
A. *Not Operated*	2960	5.3	19	1	2	4	7	10	13	23
B. *Operated*	454	9.5	85	2	3	7	12	19	26	47
1. SINGLE DX	493	4.0	17	1	1	3	5	8	9	21
2. MULTIPLE DX	3414	5.8	30	1	2	4	7	11	15	29
A. NOT OPERATED	3354	5.0	18	1	1	4	6	9	13	23
B. OPERATED	553	8.9	79	2	3	6	11	17	23	47
TOTAL 0-19 YRS	427	3.8	22	1	1	3	4	7	10	22
20-34	331	4.5	12	1	1	4	6	8	9	19
35-49	548	5.3	37	1	2	4	6	10	14	26
50-64	812	5.6	22	1	2	4	7	11	14	22
65+	1789	6.3	32	1	2	5	8	12	16	30
GRAND TOTAL	**3907**	**5.6**	**29**	**1**	**2**	**4**	**7**	**11**	**14**	**27**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	5.8	9	3	3	6	8	10	10	10
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	13.5	13	11	11	13	16	16	16	16
65+	7	6.9	17	1	1	8	10	12	13	13
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	8.0	2	7	7	8	9	9	9	9
50-64	2	11.0	50	6	6	11	16	16	16	16
65+	3	12.7	74	5	5	11	19	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	9.8	163	1	1	5	10	23	41	65
20-34	16	6.8	24	1	2	5	10	14	17	18
35-49	35	7.7	35	2	3	6	9	18	20	27
50-64	69	8.9	49	3	3	7	11	20	27	32
65+	307	10.4	76	2	3	8	12	19	30	45
B. *Operated*										
0-19 YRS	16	10.7	276	1	1	6	12	60	89	99+
20-34	5	12.8	200	5	5	7	15	38	38	38
35-49	14	16.3	92	6	6	13	24	31	35	36
50-64	37	17.2	260	3	4	13	19	34	57	80
65+	98	14.8	170	2	4	10	17	32	47	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	6.9	18	1	3	6	10	13	15	16
B. *Operated*	8	9.8	42	2	3	8	13	20	22	22
2. MULTIPLE DX										
A. *Not Operated*	477	9.8	77	2	3	7	12	19	27	47
B. *Operated*	170	15.0	193	3	4	10	17	32	48	78
1. SINGLE DX	24	7.9	26	2	3	7	10	16	18	22
2. MULTIPLE DX	647	11.1	112	2	3	8	14	22	31	64
A. NOT OPERATED	493	9.7	75	2	3	7	12	19	27	46
B. OPERATED	178	14.7	187	3	4	10	17	32	48	77
TOTAL 0-19 YRS	71	9.7	175	1	1	5	10	23	48	93
20-34	23	7.7	61	1	2	5	8	15	25	38
35-49	52	9.9	62	3	3	7	13	21	28	36
50-64	110	11.8	132	3	3	9	15	22	30	67
65+	415	11.3	101	2	3	9	14	22	31	57
GRAND TOTAL	**671**	**11.0**	**110**	**2**	**3**	**8**	**14**	**22**	**31**	**64**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	184	9.5	25	2	3	9	13	15	17	26
20-34	38	9.9	23	1	2	10	14	15	16	22
35-49	3	7.3	22	2	2	9	10	11	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS	17	12.3	46	1	2	13	15	19	25	29
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	240	10.0	37	2	3	9	14	18	21	27
20-34	60	9.8	29	2	3	9	13	16	19	25
35-49	3	10.0	13	6	6	11	12	13	13	13
50-64										
65+										
B. *Operated*										
0-19 YRS	39	16.2	175	2	3	14	21	30	36	73
20-34	12	16.3	154	3	4	12	20	38	43	44
35-49	5	5.6	7	3	3	4	8	9	9	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	225	9.5	25	2	3	10	13	15	17	25
B. *Operated*	18	11.7	49	1	2	12	15	19	25	29
2. MULTIPLE DX										
A. *Not Operated*	303	10.0	35	2	3	9	14	18	20	26
B. *Operated*	56	15.3	162	2	3	13	21	31	39	71
1. SINGLE DX	243	9.7	27	2	3	10	13	15	18	27
2. MULTIPLE DX	359	10.8	58	2	3	10	14	20	23	39
A. NOT OPERATED	528	9.8	30	2	3	9	13	16	20	26
B. OPERATED	74	14.4	136	2	3	13	19	28	35	66
TOTAL 0-19 YRS	480	10.4	47	2	3	10	14	18	22	31
20-34	110	10.6	43	2	3	10	14	17	22	39
35-49	12	6.8	15	2	2	7	10	12	13	13
50-64										
65+										
GRAND TOTAL	**602**	**10.4**	**46**	**2**	**3**	**10**	**14**	**18**	**22**	**32**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.5	1	1	1	2	3	4	4	4
20-34	7	35.6	1505	1	2	6	77	77	77	77
35-49	6	15.3	919	1	1	2	8	70	77	77
50-64	2	4.5	5	3	3	4	6	6	6	6
65+										
B. *Operated*										
0-19 YRS	14	6.0	2	4	4	6	7	8	8	8
20-34	188	6.5	3	4	5	6	7	9	10	12
35-49	141	7.1	7	4	5	7	8	10	11	16
50-64	18	6.9	4	3	4	7	9	9	9	9
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	7.4	117	1	1	4	6	14	36	52
20-34	20	4.6	13	1	1	4	6	9	12	14
35-49	39	7.0	184	<1	<1	4	6	10	31	77
50-64	19	6.9	43	1	1	6	9	18	21	23
65+	4	5.8	6	4	4	5	7	9	9	9
B. *Operated*										
0-19 YRS	23	6.1	4	3	4	6	7	9	10	11
20-34	330	7.5	34	4	5	6	8	10	13	35
35-49	453	7.7	40	4	5	7	9	10	12	22
50-64	116	9.5	48	5	5	8	10	13	28	43
65+	8	14.0	57	5	6	12	20	25	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	12.9	657	1	1	3	6	77	77	77
B. *Operated*	362	6.7	5	4	5	6	8	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	112	6.6	104	1	1	4	7	13	18	61
B. *Operated*	930	7.9	39	4	5	7	8	11	14	31
1. SINGLE DX	392	7.2	56	3	4	6	8	9	10	56
2. MULTIPLE DX	1042	7.7	46	3	4	6	8	11	14	40
A. NOT OPERATED	142	8.0	223	1	1	4	6	13	40	77
B. OPERATED	1292	7.6	29	4	5	7	8	10	12	28
TOTAL 0-19 YRS	82	5.9	47	1	2	5	6	9	12	47
20-34	545	7.4	49	4	5	5	8	10	12	46
35-49	639	7.6	49	3	4	7	8	10	12	28
50-64	155	8.8	43	2	4	7	10	13	22	39
65+	13	10.8	53	4	4	9	14	23	25	26
GRAND TOTAL	**1434**	**7.6**	**48**	**3**	**4**	**6**	**8**	**10**	**13**	**40**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	89	4.9	65	1	1	3	5	8	14	55
20-34	37	5.3	10	1	2	5	7	9	12	14
35-49	21	3.9	16	1	1	3	4	7	13	19
50-64	15	5.0	23	1	1	4	5	14	17	18
65+	10	4.2	9	1	1	3	8	9	9	9
B. *Operated*										
0-19 YRS	38	4.9	28	<1	1	3	5	10	18	27
20-34	50	3.8	35	<1	<1	2	5	7	8	41
35-49	55	3.2	12	<1	<1	2	4	8	9	18
50-64	34	2.9	7	1	1	2	4	5	10	12
65+	11	6.2	32	1	1	5	9	15	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	202	5.7	52	1	1	4	7	12	18	42
20-34	118	6.8	34	1	2	5	9	14	19	29
35-49	157	6.3	25	1	2	5	8	14	17	21
50-64	180	7.3	35	1	2	6	9	16	20	28
65+	272	7.5	38	1	2	6	10	15	19	35
B. *Operated*										
0-19 YRS	72	14.4	367	1	2	7	18	50	79	99+
20-34	108	8.2	50	1	2	7	10	18	22	66
35-49	136	9.6	80	1	2	6	13	24	30	99+
50-64	109	8.9	69	1	1	7	11	19	24	43
65+	109	10.3	85	2	3	7	13	22	27	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	172	4.8	40	1	1	3	6	8	14	39
B. *Operated*	188	3.8	22	<1	1	2	5	8	12	24
2. MULTIPLE DX										
A. *Not Operated*	929	6.8	38	1	2	5	9	14	19	31
B. *Operated*	534	10.0	114	1	2	7	12	23	32	85
1. SINGLE DX	360	4.3	31	1	1	3	5	8	13	26
2. MULTIPLE DX	1463	8.0	68	1	2	6	10	18	23	48
A. NOT OPERATED	1101	6.5	39	1	1	5	8	14	18	32
B. OPERATED	722	8.4	97	1	1	5	10	19	28	70
TOTAL 0-19 YRS	401	7.0	120	1	1	4	7	15	28	74
20-34	313	6.6	39	1	1	5	8	14	19	35
35-49	369	6.9	48	1	1	5	9	17	22	41
50-64	338	7.3	45	1	1	5	9	16	21	32
65+	402	8.2	52	1	2	6	10	17	21	37
GRAND TOTAL	**1823**	**7.2**	**63**	**1**	**1**	**5**	**9**	**16**	**22**	**45**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	2.7	1	1	1	3	3	4	4	4
35-49	18	2.7	2	1	1	3	3	5	6	7
50-64	20	6.8	62	1	2	4	9	14	26	36
65+	30	4.4	7	1	1	4	6	8	9	13
B. *Operated*										
0-19 YRS										
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	4	5.0	3	3	3	5	6	7	7	7
50-64	5	1.4		<1	<1	1	2	2	2	2
65+	8	3.3	4	<1	<1	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	12	4.5	14	1	1	4	5	9	14	15
35-49	55	4.6	8	2	2	4	6	9	10	16
50-64	109	5.3	14	2	2	4	7	9	11	23
65+	261	6.1	21	2	2	5	7	11	13	24
B. *Operated*										
0-19 YRS										
20-34	3	4.3	2	3	3	4	5	6	6	6
35-49	12	6.8	11	2	2	7	9	11	12	12
50-64	20	7.3	39	1	2	5	10	16	21	24
65+	56	8.4	39	1	2	7	11	18	20	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	4.4	21	1	1	3	5	8	10	30
B. *Operated*	19	3.2	4	<1	<1	3	5	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	439	5.7	18	2	2	5	7	10	12	21
B. *Operated*	91	7.8	34	1	2	7	10	16	20	28
1. SINGLE DX	98	4.2	18	1	1	3	5	7	10	27
2. MULTIPLE DX	530	6.0	21	2	2	5	8	11	15	24
A. NOT OPERATED	518	5.5	18	2	2	4	7	10	12	22
B. OPERATED	110	7.0	32	1	2	5	9	15	19	26
TOTAL 0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	28	3.7	7	1	1	3	4	6	8	15
35-49	89	4.6	8	1	2	4	6	8	11	14
50-64	154	5.6	24	1	2	4	7	10	14	25
65+	355	6.3	24	2	2	5	8	11	15	24
GRAND TOTAL	**628**	**5.7**	**21**	**1**	**2**	**5**	**7**	**11**	**14**	**24**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	152	2.9	7	1	1	2	4	5	6	9
20-34	41	2.8	6	<1	1	2	3	5	9	12
35-49	57	3.4	4	1	1	3	5	6	8	10
50-64	52	3.8	4	1	2	4	5	6	7	8
65+	143	5.0	18	1	2	4	6	9	13	26
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34										
35-49	2	6.5	13	4	4	6	9	9	9	9
50-64	2	7.5	41	3	3	7	12	12	12	12
65+	10	8.6	58	2	2	6	13	20	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2015	3.4	8	1	1	3	4	6	8	16
20-34	785	3.5	8	1	1	3	4	6	8	13
35-49	980	4.6	15	1	2	4	5	8	11	20
50-64	1885	5.5	20	1	2	4	7	10	13	23
65+	8779	7.3	38	2	3	6	9	13	17	33
B. *Operated*										
0-19 YRS	54	9.1	104	1	2	5	13	19	27	55
20-34	64	8.4	122	1	2	5	10	16	30	71
35-49	103	8.8	91	1	2	6	11	21	29	49
50-64	228	10.3	112	2	2	8	12	19	28	94
65+	767	13.8	147	3	5	10	17	26	37	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	445	3.7	10	1	1	3	4	7	8	18
B. *Operated*	15	8.5	44	2	3	6	13	14	24	27
2. MULTIPLE DX										
A. *Not Operated*	14444	6.1	30	2	2	5	7	11	15	28
B. *Operated*	1216	12.2	137	2	3	9	15	24	35	76
1. SINGLE DX	460	3.9	12	1	1	3	5	7	9	18
2. MULTIPLE DX	15660	6.6	41	2	2	5	8	13	17	34
A. NOT OPERATED	14889	6.1	30	1	2	5	7	11	15	28
B. OPERATED	1231	12.2	136	2	3	9	14	24	35	76
TOTAL 0-19 YRS	2222	3.5	11	1	1	3	4	6	8	18
20-34	890	3.8	17	1	1	3	4	7	9	21
35-49	1142	4.9	23	1	2	4	6	9	13	25
50-64	2167	6.0	31	1	2	5	7	11	15	29
65+	9699	7.8	49	2	3	6	9	14	19	39
GRAND TOTAL	**16120**	**6.5**	**41**	**1**	**2**	**5**	**8**	**12**	**17**	**33**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	3.5	6	1	1	3	4	6	9	10
20-34	19	2.7	4	1	1	2	3	6	7	8
35-49	32	3.2	2	1	1	3	4	5	6	6
50-64	8	4.0	4	1	2	4	5	7	8	8
65+	63	3.8	7	1	1	3	5	7	9	15
B. *Operated*										
0-19 YRS	7	5.0	16	1	1	4	8	11	12	12
20-34	4	4.3	2	3	3	4	5	6	6	6
35-49	10	4.0	6	2	2	3	5	8	10	10
50-64	5	5.0	9	3	3	4	6	10	10	10
65+	15	5.5	7	2	3	5	7	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	3.9	5	<1	1	4	5	7	8	10
20-34	91	3.9	4	1	1	4	5	6	8	11
35-49	177	3.9	5	1	1	4	5	7	8	11
50-64	258	4.9	11	1	2	4	6	9	11	14
65+	1148	5.3	15	1	2	5	[illegible]	9	12	19
B. *Operated*										
0-19 YRS	20	5.8	32	1	2	5	6	14	19	27
20-34	33	5.5	78	1	2	4	5	7	12	53
35-49	97	6.5	26	1	2	5	8	13	18	26
50-64	123	7.8	42	2	3	6	10	14	17	34
65+	445	8.0	32	3	3	7	10	14	18	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	3.5	5	1	1	3	4	6	8	11
B. *Operated*	41	4.9	8	2	2	4	6	10	11	12
2. MULTIPLE DX										
A. *Not Operated*	1729	5.0	13	1	2	4	6	9	11	17
B. *Operated*	718	7.6	35	2	3	6	9	13	18	30
1. SINGLE DX	177	3.8	6	1	1	3	5	7	9	12
2. MULTIPLE DX	2447	5.8	21	1	2	5	7	10	13	24
A. NOT OPERATED	1865	4.9	12	1	2	4	6	8	11	17
B. OPERATED	759	7.4	34	2	3	6	9	13	18	29
TOTAL 0-19 YRS	96	4.3	12	1	1	4	5	8	10	20
20-34	147	4.1	21	1	1	3	5	6	8	14
35-49	316	4.7	13	1	2	4	6	8	11	20
50-64	394	5.8	22	2	2	5	7	11	13	21
65+	1671	6.0	21	1	2	5	7	11	13	25
GRAND TOTAL	**2624**	**5.6**	**20**	**1**	**2**	**5**	**7**	**10**	**13**	**23**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	600	3.8	6	1	1	3	5	7	8	12
20-34	581	5.1	10	1	2	4	6	9	11	16
35-49	109	5.6	10	2	2	5	7	10	12	16
50-64	14	4.3	9	1	1	4	7	9	9	9
65+	10	4.6	5	2	2	4	7	8	9	9
B. *Operated*										
0-19 YRS	5	6.8	17	4	4	5	8	14	14	14
20-34	7	9.9	66	5	5	7	9	24	28	28
35-49	5	6.2	2	4	4	6	7	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	648	4.8	13	1	2	4	6	9	12	19
20-34	767	6.2	18	2	2	5	8	11	13	18
35-49	234	6.1	11	2	2	6	7	10	13	18
50-64	57	5.4	16	1	1	4	8	10	12	21
65+	21	6.6	37	2	2	5	7	10	20	31
B. *Operated*										
0-19 YRS	34	13.0	313	2	2	8	15	24	39	99
20-34	56	10.0	68	2	2	8	13	20	24	49
35-49	22	9.8	90	2	2	7	13	16	29	47
50-64	2	11.5	5	10	10	11	13	13	13	13
65+	2	20.0	242	9	9	20	31	31	31	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1314	4.5	8	1	1	4	6	8	10	15
B. *Operated*	17	7.9	32	4	4	6	8	13	23	28
2. MULTIPLE DX										
A. *Not Operated*	1727	5.6	16	1	2	5	7	10	12	18
B. *Operated*	116	11.0	145	2	2	8	14	22	27	67
1. SINGLE DX	1331	4.6	9	1	1	4	6	8	10	15
2. MULTIPLE DX	1843	6.0	26	1	2	5	7	11	14	23
A. NOT OPERATED	3041	5.2	13	1	2	4	7	10	11	17
B. OPERATED	133	10.6	131	2	2	8	13	21	27	59
TOTAL 0-19 YRS	1287	4.6	20	1	1	4	6	9	11	19
20-34	1411	5.9	18	2	2	5	7	10	13	20
35-49	370	6.2	16	2	2	6	7	10	13	18
50-64	73	5.4	15	1	1	4	8	10	12	20
65+	33	6.8	45	2	3	5	7	10	28	31
GRAND TOTAL	**3174**	**5.4**	**19**	**1**	**2**	**4**	**7**	**10**	**12**	**19**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	200	2.5	6	<1	<1	1	3	6	8	12
20-34	29	3.1	5	1	1	2	4	7	8	8
35-49	37	3.1	7	1	1	2	4	7	9	10
50-64	51	3.2	9	<1	1	3	4	6	9	17
65+	211	2.6	5	<1	1	2	3	6	7	11
B. *Operated*										
0-19 YRS	49	4.1	13	1	1	3	5	7	9	19
20-34	18	5.1	5	1	2	6	7	7	9	10
35-49	15	5.7	8	2	3	5	9	9	9	9
50-64	25	5.2	17	1	2	3	7	12	14	15
65+	50	5.2	13	1	2	4	6	10	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	310	4.2	34	<1	1	2	5	9	14	30
20-34	146	4.2	10	1	1	3	6	9	11	15
35-49	270	4.5	21	1	1	3	6	9	11	17
50-64	619	4.3	18	1	1	3	6	9	11	22
65+	2189	4.9	18	1	1	4	7	9	13	21
B. *Operated*										
0-19 YRS	96	9.7	151	1	1	6	10	19	37	65
20-34	77	6.8	59	<1	1	5	7	12	22	43
35-49	117	7.1	29	<1	1	6	9	14	18	27
50-64	231	9.0	74	1	2	7	11	18	25	45
65+	650	8.9	53	2	3	7	11	17	21	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	528	2.7	6	<1	<1	2	3	6	8	12
B. *Operated*	157	4.9	12	1	2	4	6	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	3534	4.7	20	1	1	3	6	9	12	21
B. *Operated*	1171	8.7	64	1	2	7	10	17	22	43
1. SINGLE DX	685	3.2	8	<1	1	2	4	7	9	15
2. MULTIPLE DX	4705	5.7	34	1	1	4	7	11	15	28
A. NOT OPERATED	4062	4.4	18	1	1	3	6	9	12	21
B. OPERATED	1328	8.2	59	1	2	6	10	16	21	40
TOTAL 0-19 YRS	655	4.5	46	<1	1	2	5	9	14	36
20-34	270	4.9	25	1	1	4	6	9	11	28
35-49	439	5.1	23	1	1	4	7	10	13	23
50-64	926	5.4	36	1	1	4	7	11	15	27
65+	3100	5.6	28	1	1	4	7	11	15	25
GRAND TOTAL	**5390**	**5.3**	**31**	**1**	**1**	**4**	**7**	**11**	**14**	**27**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	3.4	4	<1	1	3	4	5	8	10
20-34	13	3.9	7	1	1	3	4	9	10	10
35-49	8	3.3	1	1	1	3	4	5	5	5
50-64	2	5.5	13	3	3	5	8	8	8	8
65+										
B. *Operated*										
0-19 YRS	5	9.8	79	3	3	5	17	23	23	23
20-34	1	12.0		12	12	12	12	12	12	12
35-49	2	9.5	13	7	7	9	12	12	12	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	4.0	18	1	1	2	4	9	12	21
20-34	34	4.0	10	1	1	3	5	7	11	16
35-49	11	6.1	18	1	2	6	8	13	14	14
50-64	8	8.5	50	3	3	6	9	21	25	25
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	11	14.1	282	2	2	10	15	40	57	59
20-34	3	6.0	37	2	2	3	10	13	13	13
35-49	2	14.5	5	13	13	14	16	16	16	16
50-64	2	21.5	145	13	13	21	30	30	30	30
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	3.6	5	1	1	3	4	6	9	10
B. *Operated*	8	10.0	48	3	3	9	14	21	23	23
2. MULTIPLE DX										
A. *Not Operated*	124	4.4	18	1	1	3	6	10	13	23
B. *Operated*	18	13.6	197	2	2	12	15	29	47	59
1. SINGLE DX	53	4.6	16	1	1	3	5	10	12	23
2. MULTIPLE DX	142	5.6	49	1	1	3	7	13	16	32
A. NOT OPERATED	169	4.2	15	1	1	3	5	9	11	21
B. OPERATED	26	12.5	150	2	2	11	15	27	36	59
TOTAL 0-19 YRS	107	5.2	53	1	1	3	5	11	16	41
20-34	51	4.3	11	1	1	3	5	10	12	16
35-49	23	6.1	20	1	2	4	8	13	15	16
50-64	12	10.2	76	3	3	7	12	26	29	30
65+	2	2.5	1	2	2	2	3	3	3	3
GRAND TOTAL	**195**	**5.3**	**40**	**1**	**1**	**3**	**6**	**12**	**16**	**29**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	171	3.0	4	1	1	2	4	6	7	10
20-34	22	3.4	6	<1	1	3	5	7	8	10
35-49	21	4.1	9	<1	1	3	5	8	11	13
50-64	31	5.2	24	1	1	4	7	12	15	22
65+	13	6.3	29	1	2	5	7	16	19	20
B. *Operated*										
0-19 YRS	119	4.7	11	1	2	4	6	9	10	18
20-34	29	6.8	31	2	3	6	7	10	20	30
35-49	32	7.1	16	3	3	6	10	13	14	16
50-64	39	6.9	17	2	2	6	9	12	15	21
65+	27	7.9	36	1	2	7	11	15	20	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	320	4.6	12	1	1	4	6	9	11	19
20-34	119	4.9	12	1	1	4	6	10	11	17
35-49	154	5.3	11	1	2	5	7	9	12	16
50-64	360	5.8	19	1	1	5	8	11	14	20
65+	618	6.6	30	1	1	5	8	12	17	29
B. *Operated*										
0-19 YRS	118	9.6	145	1	2	6	11	17	35	66
20-34	84	7.1	28	2	3	6	9	13	15	32
35-49	100	11.0	180	1	2	7	11	22	32	82
50-64	162	10.2	81	3	3	7	13	19	26	52
65+	352	11.0	69	3	4	9	13	22	28	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	258	3.5	9	1	1	3	5	7	9	15
B. *Operated*	246	6.0	19	1	2	5	8	11	14	23
2. MULTIPLE DX										
A. *Not Operated*	1571	5.7	21	1	1	5	7	11	14	23
B. *Operated*	816	10.2	93	2	3	8	12	21	28	54
1. SINGLE DX	504	4.7	15	1	1	4	6	9	13	20
2. MULTIPLE DX	2387	7.3	50	1	2	5	9	14	19	36
A. NOT OPERATED	1829	5.4	20	1	1	4	7	10	14	22
B. OPERATED	1062	9.2	79	2	3	7	11	18	26	47
TOTAL 0-19 YRS	728	5.1	36	1	1	4	6	9	13	32
20-34	254	5.7	20	1	2	5	7	10	14	27
35-49	307	7.2	73	1	2	5	9	13	18	42
50-64	592	7.1	39	1	2	6	9	14	18	30
65+	1010	8.1	48	1	2	6	10	16	22	35
GRAND TOTAL	**2891**	**6.8**	**45**	**1**	**2**	**5**	**8**	**13**	**18**	**34**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	390	1.8	1	1	1	2	2	3	4	6
20-34	90	2.3	1	1	1	2	3	4	4	7
35-49	21	2.4	1	1	1	2	3	4	5	5
50-64	5	2.8	1	2	2	2	4	4	4	4
65+	2	4.0	8	2	2	4	6	6	6	6
B. *Operated*										
0-19 YRS	294	3.4	2	2	2	3	4	5	6	8
20-34	107	3.4	2	2	2	3	4	5	6	9
35-49	22	4.0	4	1	2	4	5	7	8	9
50-64	3	5.7	1	5	5	5	7	7	7	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	197	2.2	1	1	1	2	3	4	5	6
20-34	64	2.5	3	1	1	2	3	5	7	9
35-49	13	3.2	1	2	2	3	4	4	4	4
50-64	15	4.0	2	2	2	4	5	6	6	6
65+	8	3.3	2	2	2	3	4	5	6	6
B. *Operated*										
0-19 YRS	120	4.2	5	2	2	4	5	7	9	13
20-34	73	4.9	7	2	3	4	6	8	10	14
35-49	11	5.5	16	2	2	4	7	12	15	15
50-64	7	7.7	26	2	2	6	11	15	16	16
65+	3	14.0	31	9	9	13	18	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	508	2.0	1	1	1	2	2	3	4	6
B. *Operated*	426	3.4	2	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	297	2.4	2	1	1	2	3	4	5	7
B. *Operated*	214	4.8	9	2	2	4	6	8	11	16
1. SINGLE DX	934	2.6	2	1	1	2	3	4	5	7
2. MULTIPLE DX	511	3.4	6	1	1	3	4	6	8	14
A. NOT OPERATED	805	2.1	2	1	1	2	3	4	5	6
B. OPERATED	640	3.9	5	2	2	3	4	6	8	13
TOTAL 0-19 YRS	1001	2.6	3	1	1	2	3	5	6	8
20-34	334	3.2	4	1	1	3	4	6	7	11
35-49	67	3.6	5	1	2	3	4	6	8	14
50-64	30	4.8	10	2	2	4	6	9	11	16
65+	13	5.8	29	2	2	4	7	14	19	20
GRAND TOTAL	**1445**	**2.9**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**10**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	112	3.5	3	1	2	3	4	6	7	9
20-34	8	3.5	4	1	1	4	5	6	6	6
35-49	7	3.1	1	2	2	3	4	4	4	4
50-64	2	5.0	8	3	3	5	7	7	7	7
65+										
B. *Operated*										
0-19 YRS	71	3.2	5	<1	1	2	4	7	8	11
20-34	29	1.9	1	<1	<1	2	3	3	4	5
35-49	25	2.1	1	<1	<1	2	3	3	4	6
50-64	13	3.3	19	1	1	2	3	10	15	16
65+	8	3.6	6	2	2	3	4	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	4.3	5	1	2	4	5	8	9	11
20-34	15	3.4	3	<1	1	3	5	6	7	7
35-49	9	5.4	31	1	1	4	6	15	19	19
50-64	1	6.0		6	6	6	6	6	6	6
65+	6	6.2	9	3	3	6	8	10	10	10
B. *Operated*										
0-19 YRS	50	5.3	15	1	1	4	7	10	13	19
20-34	22	3.4	7	1	1	3	4	8	9	10
35-49	17	4.4	14	1	1	4	5	8	14	17
50-64	15	5.5	50	1	1	4	4	11	24	29
65+	12	3.7	6	1	1	3	5	8	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	3.5	3	1	1	3	4	6	7	8
B. *Operated*	146	2.8	5	<1	1	2	3	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	123	4.3	7	1	2	4	5	8	9	13
B. *Operated*	116	4.7	17	1	1	3	6	9	11	22
1. SINGLE DX	275	3.1	4	<1	1	3	4	6	7	9
2. MULTIPLE DX	239	4.5	12	1	1	4	6	9	10	19
A. NOT OPERATED	252	3.9	5	1	2	4	5	7	8	10
B. OPERATED	262	3.6	11	<1	1	3	4	8	9	17
TOTAL 0-19 YRS	325	3.9	6	1	1	3	5	7	9	12
20-34	74	2.8	4	<1	1	2	3	5	7	10
35-49	58	3.4	11	<1	1	3	4	6	8	19
50-64	31	4.6	32	1	1	3	4	10	16	29
65+	26	4.2	7	1	2	3	6	9	9	10
GRAND TOTAL	**514**	**3.8**	**8**	**1**	**1**	**3**	**5**	**7**	**9**	**15**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	5.5	65	<1	<1	2	6	16	27	29
20-34	17	8.2	98	<1	<1	4	10	25	31	34
35-49	10	11.7	112	2	2	9	16	29	36	36
50-64	18	11.6	184	<1	1	7	16	37	40	42
65+	38	8.3	117	1	1	5	8	23	37	47
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	10.0	8	8	8	10	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	10.6	120	<1	1	4	21	27	29	29
20-34	41	9.0	100	<1	1	5	10	25	32	42
35-49	47	8.9	54	1	2	7	12	16	23	34
50-64	83	8.6	65	2	2	6	10	20	26	43
65+	391	9.0	65	2	2	7	11	18	26	44
B. *Operated*										
0-19 YRS										
20-34	5	8.6	109	3	3	3	12	27	27	27
35-49	1	6.0		6	6	6	6	6	6	6
50-64	13	10.5	64	2	2	8	16	23	25	25
65+	40	10.2	78	1	2	7	12	20	31	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	95	8.9	118	1	1	5	10	26	36	46
B. *Operated*	2	10.0	8	8	8	10	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	576	9.0	67	2	2	6	11	20	27	42
B. *Operated*	59	10.1	74	1	2	7	13	22	28	39
1. SINGLE DX	97	8.9	116	1	1	5	10	25	36	46
2. MULTIPLE DX	635	9.1	68	2	2	7	11	20	27	41
A. NOT OPERATED	671	9.0	74	1	2	6	11	21	28	44
B. OPERATED	61	10.1	71	1	2	7	13	21	28	39
TOTAL 0-19 YRS	26	8.2	97	<1	1	3	11	27	29	29
20-34	63	8.8	97	<1	1	4	10	26	31	41
35-49	58	9.3	62	1	2	7	12	20	28	36
50-64	114	9.3	83	1	2	7	11	23	29	43
65+	471	9.1	70	2	2	7	11	18	27	46
GRAND TOTAL	**732**	**9.1**	**74**	**1**	**2**	**6**	**11**	**21**	**28**	**43**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	2.5	16	<1	1	1	2	5	7	24
20-34	60	4.9	30	1	1	3	5	12	18	27
35-49	34	4.4	21	<1	1	3	5	11	13	22
50-64	42	8.5	127	1	1	4	10	21	29	61
65+	290	10.1	85	2	2	7	13	21	33	42
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	3	5.3	34	<1	<1	3	10	12	12	12
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	2	7.5	5	6	6	7	9	9	9	9
65+	11	4.5	7	2	2	4	6	9	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	111	5.9	93	1	1	2	5	16	29	49
20-34	153	7.8	102	1	1	3	9	22	32	46
35-49	129	7.8	64	1	2	6	10	16	31	56
50-64	259	11.3	128	2	2	8	14	26	35	56
65+	2059	10.4	102	2	3	7	12	21	30	59
B. *Operated*										
0-19 YRS	4	1.0		<1	<1	1	1	1	1	1
20-34	15	6.8	67	<1	1	2	10	18	27	30
35-49	13	19.3	448	2	2	13	26	51	67	71
50-64	35	19.4	335	2	3	15	25	46	56	80
65+	195	14.9	157	3	5	11	19	30	39	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	510	7.7	75	1	1	5	9	17	28	40
B. *Operated*	19	4.7	10	1	2	4	6	10	12	12
2. MULTIPLE DX										
A. *Not Operated*	2711	10.0	104	2	2	7	12	22	30	57
B. *Operated*	262	15.1	195	2	3	11	20	31	46	79
1. SINGLE DX	529	7.6	73	1	1	5	9	17	27	40
2. MULTIPLE DX	2973	10.5	114	2	2	7	13	22	31	60
A. NOT OPERATED	3221	9.6	100	1	2	7	12	21	30	55
B. OPERATED	281	14.4	189	2	3	10	18	30	45	77
TOTAL 0-19 YRS	200	4.4	61	<1	1	2	3	11	24	35
20-34	231	7.0	81	1	1	3	8	17	27	44
35-49	178	8.0	93	1	1	5	9	16	32	64
50-64	338	11.7	155	2	2	8	15	28	39	63
65+	2555	10.7	106	2	3	8	13	22	31	59
GRAND TOTAL	**3502**	**10.0**	**109**	**1**	**2**	**7**	**12**	**22**	**31**	**58**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	9.0		9	9	9	9	9	9	9
65+	13	7.8	19	3	3	7	10	15	16	16
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	12.5	5	11	11	12	14	14	14	14
50-64	18	8.8	40	2	3	8	12	16	22	26
65+	182	10.4	74	3	3	8	13	22	30	83
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	30.0		30	30	30	30	30	30	30
50-64	1	22.0		22	22	22	22	22	22	22
65+	18	14.1	222	3	4	10	17	53	81	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	7.9	17	3	3	7	10	15	16	16
B. *Operated*	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	202	10.2	70	3	3	8	13	22	29	73
B. *Operated*	20	15.3	213	3	4	12	22	51	76	99+
1. SINGLE DX	15	7.7	16	3	3	7	10	15	16	16
2. MULTIPLE DX	222	10.7	84	3	3	8	14	23	33	99+
A. NOT OPERATED	216	10.1	67	3	3	8	13	21	29	67
B. OPERATED	21	14.8	207	3	4	11	22	50	74	99+
TOTAL 0-19 YRS										
20-34										
35-49	3	18.3	104	11	11	14	26	30	30	30
50-64	20	9.5	44	2	3	9	13	19	24	26
65+	214	10.5	83	3	3	8	13	22	36	99+
GRAND TOTAL	**237**	**10.5**	**81**	**3**	**3**	**8**	**13**	**22**	**31**	**99+**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	7.5	1	7	7	7	8	8	8	8
20-34	52	4.0	9	1	1	3	5	7	12	14
35-49	97	3.9	8	1	2	3	5	7	9	16
50-64	52	4.6	14	1	1	4	6	9	14	20
65+	23	5.0	11	2	2	5	6	9	13	15
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	8.5	5	7	7	8	10	10	10	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	8.3	138	1	1	4	7	29	32	32
20-34	281	5.2	19	1	1	4	6	10	13	23
35-49	735	5.5	29	1	2	4	7	10	13	26
50-64	519	6.7	51	1	2	5	8	12	19	36
65+	273	8.2	55	2	2	6	10	18	24	41
B. *Operated*										
0-19 YRS										
20-34	11	13.3	173	2	3	6	20	35	42	43
35-49	22	9.2	48	2	2	7	13	21	23	26
50-64	23	16.0	340	2	3	9	19	45	58	79
65+	22	16.3	78	4	5	15	23	30	31	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	226	4.2	10	1	1	3	5	8	12	15
B. *Operated*	2	8.5	5	7	7	8	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	1814	6.2	39	1	2	4	7	11	18	31
B. *Operated*	78	13.8	163	2	3	10	19	29	38	70
1. SINGLE DX	228	4.3	10	1	1	3	5	8	12	15
2. MULTIPLE DX	1892	6.5	46	1	2	5	8	12	19	32
A. NOT OPERATED	2040	6.0	36	1	2	4	7	11	17	31
B. OPERATED	80	13.6	160	2	3	10	19	29	37	69
TOTAL 0-19 YRS	8	8.1	99	1	2	5	8	25	32	32
20-34	344	5.3	24	1	1	4	6	11	14	24
35-49	856	5.4	28	1	2	4	7	10	13	26
50-64	594	6.9	62	1	2	5	8	13	20	44
65+	318	8.6	58	2	2	6	11	19	25	40
GRAND TOTAL	**2120**	**6.3**	**43**	**1**	**2**	**4**	**7**	**12**	**18**	**32**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	5.3	30	1	1	3	7	15	17	18
20-34	38	5.4	36	1	1	3	6	12	18	30
35-49	12	4.0	11	<1	1	3	5	9	12	13
50-64	8	6.8	19	2	2	5	10	13	14	14
65+	8	7.0	30	2	2	5	9	16	19	19
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	11.0		11	11	11	11	11	11	11
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	5.3	66	1	1	3	6	10	13	53
20-34	114	5.8	27	1	1	4	7	12	14	30
35-49	81	6.0	23	1	2	4	8	12	15	24
50-64	81	8.1	71	1	2	5	8	21	26	44
65+	242	7.2	31	2	2	6	9	14	17	27
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	4	7.5	4	5	5	7	9	10	10	10
35-49	5	12.6	71	4	4	9	18	26	26	26
50-64	9	12.7	38	5	6	11	17	22	23	23
65+	13	8.8	28	1	2	8	11	17	19	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	5.5	28	1	1	4	7	13	17	27
B. *Operated*	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	561	6.7	38	1	2	5	8	13	17	30
B. *Operated*	32	10.3	35	2	4	9	12	20	23	26
1. SINGLE DX	81	5.5	28	1	1	4	7	13	17	27
2. MULTIPLE DX	593	6.9	38	1	2	5	9	14	19	30
A. NOT OPERATED	641	6.6	37	1	2	5	8	13	17	30
B. OPERATED	33	10.3	34	2	5	9	12	20	23	26
TOTAL 0-19 YRS	58	5.3	56	1	1	3	6	11	16	50
20-34	156	5.7	29	1	1	4	7	12	15	30
35-49	98	6.1	26	1	2	4	9	13	16	26
50-64	99	8.5	64	2	2	6	11	21	25	41
65+	263	7.3	31	2	2	6	9	15	18	26
GRAND TOTAL	**674**	**6.7**	**37**	**1**	**2**	**5**	**9**	**14**	**18**	**30**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	16.8	179	1	3	13	25	38	49	97
20-34	685	11.8	119	1	2	9	15	26	31	47
35-49	430	12.3	126	1	2	9	15	27	35	53
50-64	191	12.2	89	1	2	10	17	24	31	40
65+	36	13.8	140	1	2	10	20	29	34	57
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	25.9	754	1	3	11	54	61	77	97
20-34	277	13.6	168	1	3	10	17	28	41	64
35-49	263	13.8	143	2	3	10	19	29	36	74
50-64	160	14.6	130	2	4	11	19	31	34	62
65+	82	17.5	205	3	4	14	25	37	44	73
B. *Operated*										
0-19 YRS										
20-34	16	21.2	279	1	4	16	28	40	59	67
35-49	7	32.3	498	4	5	40	45	63	67	67
50-64	13	17.2	70	5	7	15	24	30	32	32
65+	7	33.7	238	13	16	31	39	58	63	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1397	12.2	121	1	2	9	16	27	33	54
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	807	14.6	178	2	3	11	19	31	40	71
B. *Operated*	43	23.8	269	4	7	19	33	48	67	99+
1. SINGLE DX	1397	12.2	121	1	2	9	16	27	33	54
2. MULTIPLE DX	850	15.1	186	2	3	11	19	32	42	71
A. NOT OPERATED	2204	13.1	143	1	2	10	17	28	36	62
B. OPERATED	43	23.8	269	4	7	19	33	48	67	99+
TOTAL 0-19 YRS	80	19.7	370	1	3	13	27	56	65	99+
20-34	978	12.4	137	1	2	9	16	27	34	61
35-49	700	13.1	140	1	2	10	17	29	36	69
50-64	364	13.5	108	2	3	11	18	28	33	51
65+	125	17.3	204	2	3	14	25	36	43	68
GRAND TOTAL	**2247**	**13.3**	**147**	**1**	**2**	**10**	**17**	**29**	**37**	**64**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	20.5	364	1	2	15	33	52	55	56
20-34	47	10.7	85	1	2	8	14	21	26	48
35-49	12	7.0	18	<1	1	7	10	13	15	15
50-64	8	7.9	35	1	1	7	10	17	20	20
65+	1	26.0		26	26	26	26	26	26	26
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	23.2	205	10	10	22	43	89	99+	99+
20-34	28	18.1	436	1	2	12	22	48	77	84
35-49	9	13.4	66	1	3	11	20	24	25	25
50-64	4	12.3	51	4	4	12	17	21	21	21
65+	4	8.8	23	3	3	9	12	14	14	14
B. *Operated*										
0-19 YRS										
20-34	5	16.6	185	4	4	12	28	36	36	36
35-49	1	45.0		45	45	45	45	45	45	45
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	11.5	126	1	2	8	15	24	37	54
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	51	16.7	285	1	3	12	22	39	74	99+
B. *Operated*	6	21.3	282	4	4	18	36	44	45	45
1. SINGLE DX	80	11.5	126	1	2	8	15	24	37	54
2. MULTIPLE DX	57	17.2	282	2	3	12	23	42	68	99
A. NOT OPERATED	131	13.5	193	1	2	10	19	26	48	87
B. OPERATED	6	21.3	282	4	4	18	36	44	45	45
TOTAL 0-19 YRS	18	21.4	297	2	3	19	39	54	80	99+
20-34	80	13.6	221	1	2	9	18	25	42	82
35-49	22	11.4	101	<1	1	8	15	24	33	45
50-64	12	9.3	41	1	2	8	12	20	21	21
65+	5	12.2	77	3	3	11	17	26	26	26
GRAND TOTAL	**137**	**13.9**	**197**	**1**	**2**	**10**	**19**	**31**	**47**	**86**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	125	16.8	231	2	3	11	24	42	55	99+
20-34	1084	12.2	128	1	2	9	16	26	33	57
35-49	698	12.2	101	2	2	10	16	25	32	50
50-64	313	13.0	110	2	2	11	16	26	32	50
65+	77	12.3	88	2	3	9	17	29	32	39
B. *Operated*										
0-19 YRS										
20-34	2	18.0	8	16	16	18	20	20	20	20
35-49	1	15.0		15	15	15	15	15	15	15
50-64	1	11.0		11	11	11	11	11	11	11
65+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	76	21.8	405	3	4	15	36	70	99+	99+
20-34	635	14.3	176	2	3	10	19	30	41	70
35-49	557	13.5	151	2	3	10	17	29	38	78
50-64	379	14.8	134	2	4	11	19	32	41	54
65+	215	16.1	196	2	4	13	22	35	41	86
B. *Operated*										
0-19 YRS	1	53.0		53	53	76	99+	99+	99+	99+
20-34	22	21.0	314	6	6	13	30	52	58	65
35-49	31	16.8	137	3	5	15	21	27	44	57
50-64	23	23.4	250	9	10	19	30	55	75	99+
65+	19	21.1	146	6	7	20	29	38	45	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2297	12.6	123	1	2	10	16	27	34	56
B. *Operated*	5	14.6	14	11	11	15	17	20	20	20
2. MULTIPLE DX										
A. *Not Operated*	1862	14.7	174	2	3	11	19	31	43	80
B. *Operated*	96	20.6	216	5	7	16	26	50	56	99+
1. SINGLE DX	2302	12.6	122	1	2	10	16	27	34	56
2. MULTIPLE DX	1958	15.0	178	2	3	11	20	32	44	82
A. NOT OPERATED	4159	13.5	147	2	3	10	18	29	37	64
B. OPERATED	101	20.3	208	6	7	16	26	49	55	99+
TOTAL 0-19 YRS	202	18.9	305	2	4	13	28	51	89	99+
20-34	1743	13.1	149	2	2	10	17	28	36	61
35-49	1287	12.8	124	2	2	10	16	27	35	56
50-64	716	14.3	130	2	3	11	18	30	40	54
65+	312	15.4	170	2	4	12	21	33	38	72
GRAND TOTAL	**4260**	**13.7**	**149**	**2**	**3**	**10**	**18**	**29**	**38**	**65**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	25.9	860	1	1	16	52	82	97	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	28.1	833	2	3	29	99	99+	99+	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	31.0	968	9	9	53	88	99+	99+	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	25.9	860	1	1	16	52	82	97	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	41	28.1	833	2	3	29	99	99+	99+	99+
B. *Operated*	2	31.0	968	9	9	53	88	99+	99+	99+
1. SINGLE DX	20	25.9	860	1	1	16	52	82	97	99+
2. MULTIPLE DX	43	28.2	817	2	3	29	99	99+	99+	99+
A. NOT OPERATED	61	27.3	829	2	2	25	78	99+	99+	99+
B. OPERATED	2	31.0	968	9	9	53	88	99+	99+	99+
TOTAL 0-19 YRS	63	27.5	818	2	2	26	79	99+	99+	99+
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**63**	**27.5**	**818**	**2**	**2**	**26**	**79**	**99+**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	212	23.6	427	2	3	18	36	56	76	99+
20-34	780	12.7	161	1	2	9	16	28	37	70
35-49	854	12.8	107	1	2	10	17	27	32	49
50-64	643	15.3	161	2	3	12	21	29	38	63
65+	474	19.1	179	4	5	16	25	36	44	72
B. *Operated*										
0-19 YRS										
20-34	2	8.0	8	6	6	8	10	10	10	10
35-49	3	14.3	30	9	9	14	18	20	20	20
50-64										
65+	3	32.7	190	17	17	38	42	43	43	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	266	24.5	531	2	3	19	42	78	99+	99+
20-34	1313	14.0	176	2	3	10	19	30	41	75
35-49	1616	14.8	162	2	3	11	20	31	41	67
50-64	1324	16.5	170	3	4	13	22	33	43	63
65+	1433	18.2	227	3	4	13	25	39	49	74
B. *Operated*										
0-19 YRS	14	39.7	728	3	7	47	70	99	99+	99+
20-34	99	22.1	297	2	6	17	31	50	57	96
35-49	116	20.5	190	3	6	18	30	42	51	99+
50-64	109	23.2	250	5	8	21	31	44	52	80
65+	138	22.9	209	6	8	19	31	44	50	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2963	15.1	178	2	3	12	21	31	41	71
B. *Operated*	8	19.6	188	6	7	15	29	41	43	43
2. MULTIPLE DX										
A. *Not Operated*	5952	16.3	204	2	3	12	22	35	46	84
B. *Operated*	476	22.7	254	4	7	19	31	46	55	99+
1. SINGLE DX	2971	15.1	178	2	3	12	21	31	41	71
2. MULTIPLE DX	6428	16.7	211	2	3	12	23	36	47	86
A. NOT OPERATED	8915	15.9	196	2	3	12	21	34	44	77
B. OPERATED	484	22.7	253	5	7	19	31	46	54	99+
TOTAL 0-19 YRS	492	24.6	496	2	3	19	40	70	99	99+
20-34	2194	13.9	179	1	2	10	18	30	42	75
35-49	2589	14.4	147	2	3	11	20	30	39	62
50-64	2076	16.5	174	3	4	13	22	33	42	64
65+	2048	18.8	216	3	5	15	25	39	49	73
GRAND TOTAL	**9399**	**16.2**	**201**	**2**	**3**	**12**	**22**	**35**	**45**	**79**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	22.0	470	2	3	16	27	59	75	98
20-34	562	12.8	124	1	2	10	17	26	34	60
35-49	549	13.3	130	2	2	10	18	26	34	54
50-64	314	14.0	121	2	3	12	19	26	37	56
65+	115	16.2	112	2	4	14	21	30	39	48
B. *Operated*										
0-19 YRS										
20-34	1	10.0		10	10	10	10	10	10	10
35-49	1	31.0		31	31	31	31	31	31	31
50-64	2	14.5	181	5	5	14	24	24	24	24
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	105	23.1	422	2	3	15	39	61	76	99+
20-34	500	15.6	218	2	3	11	20	34	45	82
35-49	570	15.3	178	2	3	12	19	31	41	72
50-64	468	16.9	173	3	4	13	23	34	42	76
65+	366	19.4	213	3	5	15	26	40	48	75
B. *Operated*										
0-19 YRS	1	26.0		26	26	63	99+	99+	99+	99+
20-34	22	24.6	405	5	6	19	30	67	80	99+
35-49	38	23.2	343	6	8	17	32	55	82	99+
50-64	46	27.5	337	9	10	23	33	47	75	85
65+	35	24.4	238	3	8	22	33	46	54	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1628	14.0	147	2	2	11	18	27	37	63
B. *Operated*	4	17.5	146	5	5	17	27	31	31	31
2. MULTIPLE DX										
A. *Not Operated*	2009	16.9	210	2	4	13	22	36	47	78
B. *Operated*	142	25.1	318	6	9	20	33	56	75	99+
1. SINGLE DX	1632	14.0	147	2	2	11	18	27	37	63
2. MULTIPLE DX	2151	17.4	221	2	4	13	23	37	48	86
A. NOT OPERATED	3637	15.6	184	2	3	12	20	32	43	75
B. OPERATED	146	24.9	314	5	8	20	32	54	74	99+
TOTAL 0-19 YRS	194	22.6	440	2	3	16	35	59	78	99+
20-34	1085	14.3	177	2	2	11	18	30	42	75
35-49	1158	14.6	164	2	3	11	19	30	39	73
50-64	830	16.4	171	2	4	13	22	33	41	68
65+	516	19.0	195	3	5	15	26	39	46	69
GRAND TOTAL	**3783**	**15.9**	**192**	**2**	**3**	**12**	**21**	**33**	**45**	**77**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	78	16.3	435	<1	1	9	21	44	70	99
20-34	234	8.3	75	<1	1	6	11	18	23	41
35-49	162	8.3	108	1	1	6	11	15	21	64
50-64	108	10.4	68	1	2	8	14	23	28	36
65+	139	10.6	111	1	1	7	14	25	36	47
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	6.0		6	6	6	6	6	6	6
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+	3	5.0	1	4	4	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	91	12.9	221	1	2	9	15	29	52	94
20-34	293	10.3	120	1	2	8	13	21	28	57
35-49	255	10.5	99	1	2	8	13	23	33	44
50-64	348	9.8	91	1	2	7	12	20	27	52
65+	851	9.5	83	2	2	7	12	20	26	50
B. *Operated*										
0-19 YRS	6	16.8	158	4	4	15	24	36	37	37
20-34	11	12.5	49	1	2	13	17	21	24	24
35-49	15	14.9	105	4	5	13	20	32	35	36
50-64	29	14.3	193	3	4	9	16	30	43	69
65+	91	15.5	201	4	5	11	18	31	48	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	721	9.9	132	1	1	7	13	21	31	68
B. *Operated*	6	4.7	2	2	2	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	1838	10.0	100	2	2	7	12	21	28	53
B. *Operated*	152	15.1	175	4	4	11	19	30	37	69
1. SINGLE DX	727	9.9	131	1	1	7	13	21	31	67
2. MULTIPLE DX	1990	10.4	107	2	2	7	13	22	30	55
A. NOT OPERATED	2559	10.0	109	1	2	7	12	21	29	55
B. OPERATED	158	14.7	172	3	4	11	19	30	37	69
TOTAL 0-19 YRS	176	14.4	313	1	1	9	19	40	62	99
20-34	539	9.5	100	1	2	7	12	19	26	49
35-49	433	9.8	104	1	1	7	12	21	30	45
50-64	485	10.2	93	1	2	8	13	20	28	50
65+	1084	10.1	99	2	2	7	13	22	29	54
GRAND TOTAL	**2717**	**10.2**	**114**	**1**	**2**	**7**	**13**	**21**	**30**	**56**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	5.7	53	1	1	3	5	14	27	31
20-34	161	5.0	32	1	1	3	6	10	18	27
35-49	143	5.0	39	<1	1	3	6	12	16	26
50-64	84	5.8	48	1	1	3	6	15	25	30
65+	45	5.8	46	<1	1	3	6	11	25	32
B. *Operated*										
0-19 YRS										
20-34										
35-49	6	5.8	14	1	1	6	8	11	11	11
50-64	4	3.3	7	1	1	2	5	7	7	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	9.5	285	1	1	3	11	56	99+	99+
20-34	357	6.5	51	1	1	4	8	14	21	35
35-49	389	6.8	58	1	2	4	8	13	22	38
50-64	322	6.9	48	1	2	5	8	14	21	36
65+	313	5.6	33	1	2	4	7	11	15	33
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	18	9.3	55	2	2	9	11	21	26	28
35-49	33	13.3	121	2	3	11	19	27	38	47
50-64	17	8.0	44	1	2	5	12	17	22	25
65+	14	13.3	383	2	2	6	14	27	67	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	478	5.3	40	1	1	3	6	12	20	30
B. *Operated*	10	4.8	12	1	1	4	7	9	11	11
2. MULTIPLE DX										
A. *Not Operated*	1439	6.6	58	1	2	4	8	14	21	41
B. *Operated*	83	11.2	134	2	2	8	15	24	29	68
1. SINGLE DX	488	5.3	39	1	1	3	6	12	20	30
2. MULTIPLE DX	1522	6.8	63	1	2	4	8	14	22	43
A. NOT OPERATED	1917	6.3	54	1	1	4	7	14	21	40
B. OPERATED	93	10.5	125	2	2	7	14	22	28	65
TOTAL 0-19 YRS	104	7.8	184	1	1	3	8	29	62	99+
20-34	536	6.1	46	1	1	4	8	13	21	34
35-49	571	6.7	60	1	1	4	8	14	22	39
50-64	427	6.7	48	1	2	4	8	15	22	35
65+	372	5.9	49	1	2	4	7	12	16	34
GRAND TOTAL	**2010**	**6.5**	**58**	**1**	**1**	**4**	**8**	**14**	**21**	**41**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	130	14.1	273	1	1	7	17	39	48	84
20-34	421	7.5	70	1	1	5	9	16	24	39
35-49	368	8.2	65	1	1	6	11	17	22	40
50-64	191	9.4	72	<1	1	7	13	22	27	36
65+	101	10.9	58	2	3	9	14	21	27	36
B. *Operated*										
0-19 YRS										
20-34	4	5.8	18	3	3	4	8	12	12	12
35-49	3	16.0	36	10	10	16	20	22	22	22
50-64	4	20.5	182	6	6	19	31	37	37	37
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	269	25.9	646	2	3	19	45	89	99+	99+
20-34	751	10.1	94	1	2	7	13	24	30	46
35-49	762	9.9	86	2	2	7	12	22	28	46
50-64	521	9.8	77	2	3	7	12	20	26	40
65+	498	9.7	82	2	3	7	12	19	26	46
B. *Operated*										
0-19 YRS	6	52.2	1005	11	16	70	95	99+	99+	99+
20-34	44	15.6	86	5	6	12	22	32	33	39
35-49	68	18.0	199	2	4	15	22	37	48	65
50-64	42	14.5	95	4	5	11	18	30	33	43
65+	39	13.7	194	3	3	10	17	29	45	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1211	9.0	93	1	1	6	12	20	28	48
B. *Operated*	12	13.3	106	3	4	11	19	29	36	37
2. MULTIPLE DX										
A. *Not Operated*	2801	11.4	162	2	2	7	14	26	37	91
B. *Operated*	199	16.9	210	3	4	12	21	33	50	95
1. SINGLE DX	1223	9.1	94	1	1	6	12	21	28	48
2. MULTIPLE DX	3000	11.8	167	2	2	8	14	27	38	91
A. NOT OPERATED	4012	10.7	142	1	2	7	13	24	34	80
B. OPERATED	211	16.7	204	3	4	12	21	33	47	94
TOTAL 0-19 YRS	405	22.5	571	1	2	14	38	81	99+	99+
20-34	1220	9.4	88	1	2	6	12	22	29	44
35-49	1201	9.8	91	1	2	7	12	21	28	50
50-64	758	10.0	78	2	2	7	13	21	28	38
65+	639	10.1	86	2	3	8	12	20	27	48
GRAND TOTAL	**4223**	**11.0**	**147**	**1**	**2**	**7**	**14**	**25**	**35**	**83**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	137	9.4	216	1	1	3	10	28	56	99+
20-34	281	7.1	100	<1	1	4	9	16	24	64
35-49	141	6.8	77	<1	1	4	8	15	26	47
50-64	46	4.3	22	<1	1	2	5	11	13	25
65+	23	5.4	36	<1	1	3	6	15	19	24
B. *Operated*										
0-19 YRS	6	7.8	55	1	1	5	12	20	21	21
20-34	7	6.1	35	1	1	4	6	16	19	19
35-49	13	3.6	3	2	2	3	4	6	7	7
50-64	24	3.5	3	1	2	3	4	5	7	9
65+	5	3.4	8	1	1	2	5	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	230	13.9	360	1	1	5	21	47	72	99+
20-34	571	8.6	108	1	1	5	11	21	28	49
35-49	350	9.3	102	1	1	6	12	24	33	48
50-64	181	9.1	82	1	2	5	12	24	29	39
65+	147	7.1	65	2	2	5	8	12	17	37
B. *Operated*										
0-19 YRS	10	6.3	37	1	1	5	12	52	96	99+
20-34	38	11.1	223	<1	1	7	14	37	90	99+
35-49	18	6.6	27	1	2	6	9	13	19	22
50-64	33	5.0	21	<1	2	3	5	10	15	23
65+	24	10.5	176	1	2	5	12	28	47	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	628	7.3	113	<1	1	4	8	17	26	71
B. *Operated*	55	4.3	14	1	2	4	5	7	11	21
2. MULTIPLE DX										
A. *Not Operated*	1479	9.5	142	1	1	5	12	24	35	74
B. *Operated*	123	8.3	120	1	1	5	10	22	41	99+
1. SINGLE DX	683	7.0	106	<1	1	4	8	16	25	70
2. MULTIPLE DX	1602	9.4	140	1	1	5	12	24	35	79
A. NOT OPERATED	2107	8.8	134	1	1	5	11	23	33	72
B. OPERATED	178	7.1	90	1	1	4	8	16	29	99+
TOTAL 0-19 YRS	383	12.0	300	1	1	4	16	38	61	99+
20-34	897	8.2	110	1	1	4	10	20	27	54
35-49	522	8.4	92	1	1	5	10	20	30	47
50-64	284	7.4	64	1	1	4	10	19	26	38
65+	199	7.3	74	1	2	5	8	13	23	49
GRAND TOTAL	**2285**	**8.7**	**131**	**1**	**1**	**5**	**10**	**22**	**33**	**74**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	14.0	291	<1	1	3	27	42	47	56
20-34	351	11.9	150	1	1	6	21	29	38	42
35-49	538	10.7	127	1	1	5	18	28	31	42
50-64	302	11.1	138	1	1	5	20	28	35	42
65+	71	9.4	91	1	2	5	12	28	28	42
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	15.0		15	15	15	15	15	15	15
50-64	1	8.0		8	8	8	8	8	8	8
65+	1	27.0		27	27	27	27	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	176	24.0	368	1	1	23	42	48	53	71
20-34	1273	15.7	159	1	2	11	28	30	37	43
35-49	1889	12.6	129	1	2	7	23	29	31	42
50-64	1396	11.5	115	2	2	6	20	28	30	37
65+	671	11.9	108	2	3	7	19	28	32	41
B. *Operated*										
0-19 YRS	4	23.0	270	5	5	23	36	41	41	41
20-34	50	18.7	128	3	4	20	28	35	37	40
35-49	69	19.6	94	3	4	20	28	29	30	42
50-64	77	19.0	148	3	4	18	27	36	42	52
65+	46	17.8	253	3	4	12	27	37	45	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1303	11.2	139	1	1	5	20	28	35	42
B. *Operated*	3	16.7	92	8	8	15	24	27	27	27
2. MULTIPLE DX										
A. *Not Operated*	5405	13.3	144	1	2	7	25	30	35	44
B. *Operated*	246	19.0	148	3	4	18	28	32	39	55
1. SINGLE DX	1306	11.2	139	1	1	5	20	28	35	42
2. MULTIPLE DX	5651	13.6	145	1	2	8	26	30	35	44
A. NOT OPERATED	6708	12.9	144	1	2	7	24	29	35	44
B. OPERATED	249	18.9	147	3	4	18	28	32	39	55
TOTAL 0-19 YRS	221	22.2	364	1	1	18	41	47	52	67
20-34	1674	15.0	159	1	2	10	28	30	37	43
35-49	2497	12.4	129	1	2	7	22	28	31	42
50-64	1776	11.8	123	1	2	6	21	28	31	42
65+	789	12.0	117	2	3	7	19	28	33	42
GRAND TOTAL	**6957**	**13.1**	**145**	**1**	**2**	**7**	**25**	**30**	**35**	**44**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	48	7.9	82	1	1	5	9	17	30	42
35-49	13	19.6	288	2	2	17	42	42	42	42
50-64	2	22.0	800	2	2	22	42	42	42	42
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	13.8	65	3	3	16	19	24	24	24
20-34	232	12.4	127	2	3	7	17	30	36	45
35-49	88	12.4	86	2	3	9	19	25	31	43
50-64	10	8.7	109	1	1	4	11	27	31	31
65+	12	13.8	132	1	3	9	21	29	40	42
B. *Operated*										
0-19 YRS										
20-34	3	32.3	416	10	10	37	47	50	50	50
35-49	3	24.7	134	14	14	23	33	37	37	37
50-64	1	31.0		31	31	31	31	31	31	31
65+	1	11.0		11	11	11	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	10.4	153	1	2	5	12	40	42	42
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	347	12.4	115	2	3	8	17	29	35	44
B. *Operated*	8	26.6	211	10	10	27	37	46	50	50
1. SINGLE DX	66	10.4	153	1	2	5	12	40	42	42
2. MULTIPLE DX	355	12.7	121	2	3	8	19	30	36	44
A. NOT OPERATED	413	12.1	121	2	2	7	17	29	37	43
B. OPERATED	8	26.6	211	10	10	27	37	46	50	50
TOTAL 0-19 YRS	7	10.4	77	1	1	9	17	23	24	24
20-34	283	11.9	128	2	2	7	15	30	37	47
35-49	104	13.7	118	2	3	10	20	29	41	43
50-64	13	12.5	204	1	1	4	26	33	40	42
65+	14	13.0	117	2	4	9	21	25	38	42
GRAND TOTAL	**421**	**12.4**	**126**	**2**	**2**	**7**	**17**	**30**	**39**	**44**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	32.7	330	2	3	41	44	56	57	58
20-34	97	18.3	270	1	2	11	39	42	42	50
35-49	29	22.7	292	1	2	24	42	42	42	42
50-64	9	22.9	400	<1	2	13	42	50	56	56
65+	3	21.3	369	4	4	18	36	42	42	42
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	5.0		5	5	5	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	138	29.9	309	4	6	29	44	54	57	63
20-34	316	19.8	182	2	4	19	29	41	42	47
35-49	96	17.3	151	2	4	17	27	30	37	58
50-64	31	15.7	154	1	3	11	27	35	41	42
65+	33	16.2	184	2	3	11	22	41	42	43
B. *Operated*										
0-19 YRS	3	40.3	352	29	29	30	54	62	62	62
20-34	9	23.6	81	10	11	25	30	35	37	37
35-49	5	27.2	173	8	8	26	39	40	40	40
50-64	1	30.0		30	30	30	30	30	30	30
65+	2	9.0		9	9	9	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	180	22.7	322	1	2	19	42	42	50	57
B. *Operated*	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	614	21.3	227	2	4	20	30	42	48	59
B. *Operated*	20	25.9	174	8	9	27	31	39	51	62
1. SINGLE DX	181	22.6	322	1	2	18	42	42	50	57
2. MULTIPLE DX	634	21.4	225	3	4	20	30	42	48	59
A. NOT OPERATED	794	21.6	248	2	3	20	33	42	48	58
B. OPERATED	21	24.9	186	7	8	26	31	39	50	62
TOTAL 0-19 YRS	183	30.7	314	3	5	30	44	55	57	62
20-34	422	19.5	200	2	3	18	29	42	42	47
35-49	130	18.9	188	2	4	18	28	40	42	50
50-64	42	17.3	207	1	4	12	30	41	42	56
65+	38	16.3	184	2	3	11	21	41	42	43
GRAND TOTAL	**815**	**21.7**	**247**	**2**	**4**	**20**	**32**	**42**	**48**	**58**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	87	1.6	10	<1	<1	1	1	2	3	21
20-34	78	4.4	44	<1	<1	2	4	10	26	30
35-49	85	4.4	36	1	1	2	4	7	23	29
50-64	39	4.6	43	<1	<1	3	4	8	25	29
65+	10	11.9	454	1	1	2	9	48	67	67
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	100	6.4	150	<1	<1	1	4	27	40	55
20-34	213	8.3	106	<1	<1	3	11	28	31	36
35-49	265	7.4	86	1	1	3	8	26	30	36
50-64	147	7.0	80	1	1	3	7	27	30	35
65+	65	8.3	97	1	1	5	9	29	33	38
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	12	4.6	44	<1	<1	3	4	12	23	25
35-49	11	12.4	145	<1	1	5	19	32	36	36
50-64	5	9.8	78	4	4	5	14	25	25	25
65+	6	8.2	43	3	3	6	8	20	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	299	3.9	47	<1	<1	2	3	7	22	30
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	790	7.5	99	<1	1	3	8	27	30	39
B. *Operated*	35	8.3	85	<1	1	4	9	25	29	36
1. SINGLE DX	299	3.9	47	<1	<1	2	3	7	22	30
2. MULTIPLE DX	825	7.6	98	<1	1	3	8	27	30	38
A. NOT OPERATED	1089	6.5	88	<1	1	3	6	24	29	38
B. OPERATED	35	8.3	85	<1	1	4	9	25	29	36
TOTAL 0-19 YRS	188	4.2	90	<1	<1	1	2	8	28	51
20-34	303	7.1	91	<1	<1	3	7	27	30	34
35-49	361	6.9	78	1	1	3	7	24	29	36
50-64	191	6.6	73	<1	1	3	6	24	30	34
65+	81	8.7	132	1	1	4	9	29	33	58
GRAND TOTAL	**1124**	**6.6**	**87**	**<1**	**1**	**3**	**6**	**24**	**29**	**37**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	22.8	521	1	2	15	39	59	63	89
20-34	137	9.0	104	1	1	5	12	27	28	42
35-49	30	9.6	89	<1	1	6	11	27	28	30
50-64	10	11.3	118	3	3	7	16	30	31	31
65+	4	11.5	130	3	3	7	19	28	28	28
B. *Operated*										
0-19 YRS										
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	223	25.4	287	1	3	24	41	47	53	64
20-34	393	16.1	189	1	2	11	28	36	42	48
35-49	111	14.5	140	1	2	11	27	30	35	45
50-64	44	13.2	121	1	2	9	20	30	32	45
65+	44	14.7	139	3	3	9	24	33	36	43
B. *Operated*										
0-19 YRS	5	29.4	505	2	2	24	46	61	61	61
20-34	19	28.4	167	3	9	28	39	44	45	45
35-49	9	17.9	50	8	9	18	21	28	32	32
50-64	3	27.0	919	9	9	10	49	62	62	62
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	226	12.0	212	1	1	5	18	29	41	63
B. *Operated*	3	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	815	18.2	222	1	2	14	29	41	44	57
B. *Operated*	36	25.8	229	3	8	23	37	44	56	62
1. SINGLE DX	229	11.8	211	1	1	5	18	29	41	62
2. MULTIPLE DX	851	18.5	225	1	2	15	29	41	44	60
A. NOT OPERATED	1041	16.9	226	1	2	11	28	40	44	60
B. OPERATED	39	24.0	253	1	3	22	35	44	54	62
TOTAL 0-19 YRS	273	25.1	327	1	2	23	41	48	57	67
20-34	552	14.7	182	1	1	9	27	33	42	47
35-49	150	13.7	128	1	2	10	23	29	33	42
50-64	57	13.6	155	1	3	9	20	30	33	61
65+	48	14.4	136	3	3	9	24	33	35	43
GRAND TOTAL	**1080**	**17.1**	**229**	**1**	**2**	**12**	**28**	**40**	**44**	**61**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	2.4	1	1	1	2	3	4	5	6
20-34	43	3.8	6	1	1	3	5	7	9	11
35-49	32	3.6	9	1	1	3	4	7	8	16
50-64	15	3.5	8	1	1	2	5	6	11	12
65+	12	2.9	4	1	1	3	4	6	7	7
B. *Operated*										
0-19 YRS	4	3.3	5	<1	<1	3	5	6	6	6
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	3	3.3	2	2	2	3	4	5	5	5
50-64										
65+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	4.1	30	1	1	3	4	7	11	38
20-34	86	5.3	34	1	1	4	6	11	14	36
35-49	91	5.3	18	1	1	4	7	11	16	21
50-64	87	5.0	16	1	2	4	6	8	14	23
65+	109	4.6	13	1	2	3	5	9	12	18
B. *Operated*										
0-19 YRS	6	24.0	1106	2	2	5	45	79	83	83
20-34	7	6.7	15	2	2	6	9	12	13	13
35-49	12	8.5	50	1	2	7	10	17	26	28
50-64	11	6.6	22	2	2	4	11	14	14	14
65+	11	9.0	160	2	2	4	9	25	44	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	3.3	6	1	1	3	4	7	8	13
B. *Operated*	11	3.2	2	<1	1	3	4	5	6	6
2. MULTIPLE DX										
A. *Not Operated*	421	4.9	21	1	1	4	6	9	13	23
B. *Operated*	47	9.9	204	2	2	6	10	14	45	83
1. SINGLE DX	144	3.3	6	1	1	3	4	7	8	12
2. MULTIPLE DX	468	5.4	41	1	2	4	6	11	14	37
A. NOT OPERATED	554	4.5	18	1	1	3	5	8	12	19
B. OPERATED	58	8.6	172	2	2	5	9	14	38	80
TOTAL 0-19 YRS	89	4.8	107	1	1	3	4	6	11	68
20-34	138	4.9	24	1	1	4	6	10	13	31
35-49	138	5.1	20	1	1	4	7	10	15	23
50-64	113	4.9	16	1	2	4	6	9	14	20
65+	134	4.8	25	1	2	3	5	9	12	22
GRAND TOTAL	**612**	**4.9**	**34**	**1**	**1**	**3**	**6**	**9**	**13**	**29**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	550	13.6	262	1	1	7	18	39	61	99+
20-34	553	5.5	36	1	1	4	7	12	16	32
35-49	370	6.0	45	<1	1	4	7	13	17	33
50-64	85	5.5	29	<1	1	3	7	14	16	25
65+	35	8.8	59	1	1	7	12	18	27	30
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	835	18.4	376	1	2	11	29	49	69	99+
20-34	1113	7.0	65	1	1	4	8	15	23	44
35-49	689	7.4	66	1	2	5	9	15	22	41
50-64	319	7.4	48	1	1	5	9	16	21	36
65+	246	7.8	50	1	2	6	10	17	21	45
B. *Operated*										
0-19 YRS	25	29.6	607	2	3	29	49	92	99+	99+
20-34	23	10.0	87	1	1	6	14	24	30	31
35-49	32	9.3	51	1	2	7	12	18	26	31
50-64	9	11.6	121	2	2	9	14	30	38	38
65+	17	11.1	75	3	3	8	15	27	29	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1593	8.5	131	1	1	5	10	21	33	70
B. *Operated*	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	3202	10.2	167	1	1	6	12	27	40	81
B. *Operated*	106	14.7	263	1	2	9	22	35	59	99+
1. SINGLE DX	1594	8.5	130	1	1	4	10	21	33	70
2. MULTIPLE DX	3308	10.3	171	1	1	6	12	27	40	84
A. NOT OPERATED	4795	9.6	156	1	1	5	11	25	37	77
B. OPERATED	107	14.6	262	1	2	9	22	35	59	99+
TOTAL 0-19 YRS	1411	16.7	344	1	2	10	27	47	66	99+
20-34	1689	6.6	56	1	1	4	8	15	22	38
35-49	1091	7.0	59	1	1	5	9	15	21	35
50-64	413	7.1	47	1	1	5	9	15	20	35
65+	298	8.1	53	1	2	6	10	18	22	38
GRAND TOTAL	**4902**	**9.7**	**159**	**1**	**1**	**5**	**11**	**26**	**38**	**79**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	614	16.1	366	1	1	9	24	48	70	99+
20-34	412	8.0	132	1	1	4	8	20	32	61
35-49	302	7.2	73	1	2	4	8	15	20	49
50-64	135	10.8	172	1	2	7	13	22	41	71
65+	92	9.2	84	1	2	7	12	24	28	44
B. *Operated*										
0-19 YRS	8	15.9	183	<1	1	13	29	33	34	34
20-34	8	3.3	2	2	2	3	4	5	5	5
35-49	8	3.4	4	1	1	3	4	6	7	7
50-64	4	9.0	54	3	3	7	14	19	19	19
65+	1	30.0		30	30	30	30	30	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1173	23.5	613	1	2	14	44	88	99+	99+
20-34	893	9.2	120	1	2	5	11	24	32	60
35-49	773	8.2	79	1	2	5	10	18	28	42
50-64	542	9.1	93	2	2	5	11	20	29	50
65+	487	9.2	77	2	2	6	11	20	27	43
B. *Operated*										
0-19 YRS	38	26.4	736	3	4	23	71	99+	99+	99+
20-34	47	10.0	75	2	2	7	12	25	28	38
35-49	62	13.8	164	3	3	8	20	35	45	52
50-64	53	13.1	120	3	4	10	20	30	33	49
65+	46	17.0	306	3	4	10	19	35	68	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1555	11.3	230	1	1	5	13	33	48	90
B. *Operated*	29	8.5	100	1	2	4	8	29	30	34
2. MULTIPLE DX										
A. *Not Operated*	3868	13.3	297	1	2	7	16	41	69	99+
B. *Operated*	246	15.5	274	3	3	9	22	42	71	99+
1. SINGLE DX	1584	11.3	227	1	1	5	13	32	48	90
2. MULTIPLE DX	4114	13.5	296	1	2	7	17	41	69	99+
A. NOT OPERATED	5423	12.8	279	1	2	6	15	38	63	99+
B. OPERATED	275	14.7	260	2	3	9	20	40	70	99+
TOTAL 0-19 YRS	1833	21.1	543	1	2	12	38	78	99+	99+
20-34	1360	8.8	122	1	1	5	10	22	32	60
35-49	1145	8.2	84	1	2	5	9	18	28	46
50-64	734	9.7	110	1	2	6	12	22	31	53
65+	626	9.8	99	2	2	7	12	23	30	51
GRAND TOTAL	**5698**	**12.9**	**278**	**1**	**2**	**7**	**15**	**39**	**63**	**99+**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	9.0	52	1	1	7	14	20	22	22
20-34	4	4.0	5	2	2	3	5	7	7	7
35-49	2	13.0	128	5	5	13	21	21	21	21
50-64										
65+										
B. *Operated*										
0-19 YRS	3	5.0	3	4	4	4	6	7	7	7
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	11.8	257	1	2	8	15	35	85	99+
20-34	43	13.8	269	2	3	9	16	31	41	93
35-49	23	10.4	83	2	3	7	13	20	32	42
50-64	7	15.3	85	3	4	15	24	25	25	25
65+	3	11.0	12	9	9	9	14	15	15	15
B. *Operated*										
0-19 YRS	9	5.1	8	2	2	5	5	10	12	12
20-34	4	4.8	7	2	2	5	7	7	7	7
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	7.0		7	7	7	7	7	7	7
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	8.1	48	1	2	6	14	21	22	22
B. *Operated*	3	5.0	3	4	4	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	137	12.3	215	2	2	9	15	29	55	99+
B. *Operated*	15	4.9	7	2	2	5	6	7	11	12
1. SINGLE DX	17	7.6	41	1	2	5	9	20	22	22
2. MULTIPLE DX	152	11.6	200	2	2	7	14	28	43	99+
A. NOT OPERATED	151	11.9	201	2	2	8	15	28	43	99+
B. OPERATED	18	4.9	6	2	2	5	7	7	10	12
TOTAL 0-19 YRS	81	10.5	204	1	2	7	13	24	78	99+
20-34	51	12.3	238	2	2	7	14	29	40	92
35-49	26	10.3	82	2	3	7	14	21	29	42
50-64	8	14.3	81	3	4	12	24	25	25	25
65+	3	11.0	12	9	9	9	14	15	15	15
GRAND TOTAL	**169**	**11.2**	**185**	**2**	**2**	**7**	**14**	**26**	**42**	**99+**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	388	10.3	18	2	4	10	12	15	17	22
20-34	50	6.5	24	1	1	6	9	13	15	24
35-49	38	7.8	38	1	2	6	11	15	21	29
50-64	21	7.7	38	1	1	7	12	15	20	24
65+	9	7.1	13	3	3	7	10	12	13	13
B. *Operated*										
0-19 YRS	31	13.6	91	2	3	12	14	30	34	43
20-34	24	6.8	21	1	2	6	9	14	15	16
35-49	28	6.5	51	1	1	4	8	15	23	32
50-64	28	8.1	116	1	1	4	8	25	38	42
65+	3	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	501	10.9	49	2	3	11	13	16	21	32
20-34	64	8.4	40	2	2	7	11	15	20	91
35-49	59	6.9	23	1	2	5	9	14	15	26
50-64	65	12.2	98	1	2	11	15	27	31	56
65+	57	14.2	137	2	4	12	17	27	31	75
B. *Operated*										
0-19 YRS	129	21.3	200	7	10	16	28	44	63	99+
20-34	34	19.0	339	1	2	13	26	47	58	62
35-49	53	19.0	300	2	3	14	27	44	58	80
50-64	63	19.5	262	2	3	15	29	47	55	95
65+	35	20.1	290	2	3	15	31	44	66	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	506	9.5	23	1	3	10	12	15	17	24
B. *Operated*	114	8.8	78	1	2	6	12	16	31	42
2. MULTIPLE DX										
A. *Not Operated*	746	10.7	59	2	3	10	13	17	22	40
B. *Operated*	314	20.2	252	2	3	16	29	45	58	99+
1. SINGLE DX	620	9.4	33	1	2	10	12	15	18	32
2. MULTIPLE DX	1060	13.5	135	2	3	11	15	27	40	72
A. NOT OPERATED	1252	10.2	45	2	3	10	12	16	20	32
B. OPERATED	428	17.1	231	2	2	12	24	42	53	99+
TOTAL 0-19 YRS	1049	12.0	70	2	4	11	14	19	27	55
20-34	172	9.7	112	1	2	7	12	17	41	61
35-49	178	10.6	142	1	2	6	12	26	33	60
50-64	177	13.6	172	1	2	10	16	33	45	63
65+	104	15.2	190	2	3	12	20	32	43	88
GRAND TOTAL	**1680**	**12.0**	**101**	**2**	**3**	**10**	**14**	**22**	**32**	**62**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	2	5.0	18	2	2	5	8	8	8	8
35-49	4	9.5	34	2	2	10	14	15	15	15
50-64	18	7.2	22	3	3	6	10	10	18	23
65+	57	8.5	59	2	3	7	11	15	18	47
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	4	5.0	17	2	2	3	7	11	11	11
65+	3	11.7	1	11	11	11	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3	2	3	3	4	5	6	6	6
20-34	1	5.0		5	5	5	5	5	5	5
35-49	7	7.1	21	3	3	4	10	14	15	15
50-64	76	8.1	22	3	3	7	11	15	18	22
65+	551	9.5	65	2	3	7	11	18	22	48
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	10.0		10	10	10	10	10	10	10
50-64	12	13.1	131	3	4	11	14	26	44	47
65+	85	13.7	124	3	4	11	17	27	31	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	8.2	48	2	3	7	10	14	17	44
B. *Operated*	7	7.9	21	2	2	11	11	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	638	9.3	59	2	3	7	11	17	21	43
B. *Operated*	98	13.6	123	3	4	11	16	27	32	66
1. SINGLE DX	89	8.2	46	2	3	7	11	14	16	43
2. MULTIPLE DX	736	9.8	70	3	3	8	12	18	23	47
A. NOT OPERATED	720	9.1	58	2	3	7	11	17	21	44
B. OPERATED	105	13.2	118	3	4	11	16	27	31	63
TOTAL 0-19 YRS	4	6.0	13	3	3	5	8	11	11	11
20-34	3	5.0	9	2	2	5	7	8	8	8
35-49	12	8.2	22	2	3	9	12	15	15	15
50-64	110	8.4	35	3	3	7	11	15	18	33
65+	696	9.9	73	2	3	8	12	18	24	48
GRAND TOTAL	**825**	**9.7**	**67**	**2**	**3**	**8**	**12**	**18**	**23**	**47**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	7.7	56	2	2	4	8	21	25	25
20-34	83	6.7	37	1	2	5	9	12	17	36
35-49	98	6.9	31	1	2	5	10	14	17	26
50-64	31	10.2	75	1	2	7	15	21	31	35
65+	4	6.8	18	1	1	7	9	11	11	11
B. *Operated*										
0-19 YRS										
20-34	10	5.7	18	2	2	5	8	12	15	15
35-49	10	3.4	2	2	2	3	5	6	6	6
50-64	5	4.4	11	2	2	4	6	10	10	10
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	7.8	48	4	4	5	7	19	26	26
20-34	90	10.9	138	2	3	8	11	22	28	73
35-49	133	10.6	112	2	3	8	12	17	27	62
50-64	74	9.4	61	1	3	8	12	14	19	52
65+	20	9.4	58	1	2	8	14	20	24	28
B. *Operated*										
0-19 YRS	3	10.7	81	2	2	10	17	20	20	20
20-34	12	14.7	517	4	4	7	9	47	78	83
35-49	28	12.7	78	3	3	11	17	24	34	35
50-64	16	10.6	52	2	3	8	17	22	24	25
65+	3	9.3	25	4	4	10	13	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	227	7.3	41	1	2	5	10	15	20	33
B. *Operated*	25	4.5	11	2	2	4	6	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	327	10.2	102	2	3	8	12	18	26	58
B. *Operated*	62	12.3	146	2	4	9	15	24	32	77
1. SINGLE DX	252	7.0	38	1	2	5	10	14	19	32
2. MULTIPLE DX	389	10.5	109	2	3	8	12	20	26	59
A. NOT OPERATED	554	9.0	79	1	2	7	11	17	23	43
B. OPERATED	87	10.0	119	2	2	7	12	21	26	65
TOTAL 0-19 YRS	24	8.1	51	2	3	5	9	20	25	26
20-34	195	9.1	115	1	2	7	10	17	25	65
35-49	269	9.2	80	2	2	7	12	16	24	44
50-64	126	9.5	61	1	3	8	12	18	22	41
65+	27	9.0	47	1	2	8	13	19	22	28
GRAND TOTAL	**641**	**9.2**	**84**	**1**	**2**	**7**	**11**	**17**	**24**	**43**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	579	3.4	12	1	1	2	4	7	9	20
20-34	257	2.8	4	1	1	2	3	5	6	12
35-49	136	3.1	6	1	1	2	4	7	8	14
50-64	74	2.9	4	1	1	2	3	5	6	11
65+	74	3.8	5	1	1	3	5	7	8	10
B. *Operated*										
0-19 YRS	11	8.8	61	1	2	8	13	20	27	28
20-34	12	4.4	12	<1	1	4	5	9	13	14
35-49	7	6.1	42	1	1	3	7	18	20	20
50-64	3	6.7	6	4	4	7	8	9	9	9
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	858	4.7	41	1	1	3	5	9	14	31
20-34	407	5.2	34	1	1	3	6	10	13	36
35-49	399	4.8	37	1	1	3	6	9	12	26
50-64	560	5.8	40	1	2	4	7	11	15	29
65+	903	6.3	31	1	2	5	7	12	16	30
B. *Operated*										
0-19 YRS	52	13.1	236	2	3	8	15	32	38	99+
20-34	31	8.2	37	2	2	6	11	16	22	27
35-49	51	7.6	39	2	2	6	10	13	24	30
50-64	56	12.9	189	3	3	7	15	28	42	69
65+	86	14.2	197	3	3	10	17	34	42	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1120	3.2	8	1	1	2	4	6	8	16
B. *Operated*	34	6.4	34	1	2	5	8	14	19	28
2. MULTIPLE DX										
A. *Not Operated*	3127	5.4	37	1	1	4	6	10	15	30
B. *Operated*	276	11.8	161	2	3	8	14	26	38	85
1. SINGLE DX	1154	3.3	9	1	1	2	4	6	8	16
2. MULTIPLE DX	3403	6.0	50	1	2	4	7	12	17	36
A. NOT OPERATED	4247	4.8	30	1	1	3	6	9	14	25
B. OPERATED	310	11.2	149	2	3	8	13	25	35	78
TOTAL 0-19 YRS	1500	4.5	40	1	1	3	5	9	14	31
20-34	707	4.4	25	1	1	3	5	9	13	26
35-49	593	4.7	31	1	1	3	6	9	12	25
50-64	693	6.1	53	1	2	4	7	12	17	43
65+	1064	6.8	48	1	2	5	8	13	17	37
GRAND TOTAL	**4557**	**5.3**	**41**	**1**	**1**	**3**	**6**	**10**	**15**	**32**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	249	3.3	15	<1	1	2	4	5	9	20
20-34	185	3.6	9	1	1	3	4	7	9	15
35-49	152	3.8	14	1	1	3	5	7	8	24
50-64	92	4.7	17	1	1	4	6	9	12	24
65+	142	6.2	37	1	1	5	8	13	16	53
B. *Operated*										
0-19 YRS	273	4.7	13	1	1	4	6	9	13	18
20-34	161	5.3	28	1	1	4	6	12	16	45
35-49	111	4.8	12	1	1	3	7	10	12	14
50-64	99	6.2	24	1	1	5	9	11	15	27
65+	67	7.9	96	1	2	5	9	16	20	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	631	5.6	61	1	1	4	5	11	18	55
20-34	330	7.4	121	1	1	4	7	17	36	99+
35-49	341	7.5	109	1	2	4	8	16	25	63
50-64	582	10.7	172	2	2	6	12	29	40	79
65+	1813	10.8	107	2	3	7	14	23	32	56
B. *Operated*										
0-19 YRS	585	9.1	180	1	2	5	9	21	39	99+
20-34	232	11.0	186	1	2	7	13	27	49	99+
35-49	248	9.7	155	2	2	7	11	20	36	99+
50-64	312	11.2	146	1	2	7	14	26	38	75
65+	604	12.8	115	2	3	10	18	27	35	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	820	4.1	19	1	1	3	5	8	12	24
B. *Operated*	711	5.3	26	1	1	4	7	11	14	21
2. MULTIPLE DX										
A. *Not Operated*	3697	9.3	115	1	2	6	11	21	32	61
B. *Operated*	1981	10.8	154	2	2	7	13	25	38	99+
1. SINGLE DX	1531	4.7	23	1	1	3	6	10	13	22
2. MULTIPLE DX	5678	9.8	129	1	2	6	12	23	34	75
A. NOT OPERATED	4517	8.3	101	1	2	5	10	19	29	59
B. OPERATED	2692	9.4	127	1	2	6	11	21	32	90
TOTAL 0-19 YRS	1738	6.3	91	1	1	4	6	12	21	82
20-34	908	7.2	105	1	1	4	8	16	29	89
35-49	852	7.1	97	1	2	4	8	14	23	69
50-64	1085	9.9	142	1	2	6	11	24	37	74
65+	2626	10.9	107	2	3	8	14	24	32	58
GRAND TOTAL	**7209**	**8.7**	**111**	**1**	**2**	**5**	**10**	**20**	**30**	**65**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	190	2.2	2	<1	1	2	3	4	5	7
20-34	395	3.1	5	1	1	3	4	6	7	13
35-49	330	3.5	7	1	1	3	5	6	8	14
50-64	104	3.3	6	1	1	3	4	5	8	13
65+	17	3.6	7	1	1	3	5	8	9	9
B. *Operated*										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	30	3.3	4	1	1	3	4	6	8	9
35-49	28	4.4	9	1	2	3	7	9	9	11
50-64	13	2.7	5	1	1	2	3	5	9	10
65+	3	3.0	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	129	3.2	6	1	1	2	4	6	9	13
20-34	522	3.9	7	1	1	3	5	7	10	14
35-49	558	4.4	13	1	1	3	6	8	10	19
50-64	252	4.1	9	1	1	3	5	7	9	17
65+	84	4.2	11	1	2	3	5	8	10	19
B. *Operated*										
0-19 YRS	8	3.5	3	2	2	3	4	6	7	7
20-34	50	5.6	9	2	2	6	7	9	12	14
35-49	53	6.3	19	2	2	5	9	11	17	19
50-64	50	6.6	19	2	2	6	9	12	17	18
65+	19	6.2	9	2	3	6	8	9	12	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1036	3.1	5	1	1	2	4	6	7	12
B. *Operated*	77	3.5	6	1	1	3	4	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	1545	4.1	10	1	1	3	5	8	10	15
B. *Operated*	180	6.1	15	2	2	6	8	11	14	18
1. SINGLE DX	1113	3.1	6	1	1	2	4	6	7	12
2. MULTIPLE DX	1725	4.3	11	1	1	3	5	8	10	17
A. NOT OPERATED	2581	3.7	8	1	1	3	5	7	9	14
B. OPERATED	257	5.3	14	1	2	4	7	10	12	18
TOTAL 0-19 YRS	330	2.6	4	1	1	2	3	5	7	10
20-34	997	3.6	7	1	1	3	4	7	9	14
35-49	969	4.2	12	1	1	3	5	8	10	18
50-64	419	4.2	10	1	1	3	5	8	10	17
65+	123	4.4	10	1	2	3	6	8	10	17
GRAND TOTAL	**2838**	**3.8**	**9**	**1**	**1**	**3**	**5**	**7**	**9**	**15**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	2.0	1	<1	<1	2	3	3	3	3
35-49	7	4.1	2	2	2	4	6	6	6	6
50-64	4	2.8	2	1	1	3	4	4	4	4
65+	4	2.3	2	<1	<1	2	3	4	4	4
B. *Operated*										
0-19 YRS	6	1.5	1	<1	<1	1	2	3	3	3
20-34	167	1.8	2	<1	<1	1	2	3	4	8
35-49	327	2.0	2	<1	<1	2	2	3	5	8
50-64	247	1.9	1	<1	<1	2	2	3	4	7
65+	115	1.6	1	<1	<1	1	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	4.8	6	3	3	4	5	9	9	9
35-49	27	3.4	5	<1	1	3	5	7	7	8
50-64	16	4.3	7	<1	1	4	6	8	9	10
65+	12	4.5	10	<1	1	4	5	9	12	13
B. *Operated*										
0-19 YRS	6	2.3	3	1	1	2	4	5	5	5
20-34	75	2.6	3	1	1	2	3	5	6	8
35-49	200	3.2	9	<1	1	2	4	6	9	13
50-64	250	3.3	11	1	1	2	3	7	11	18
65+	172	2.9	6	<1	1	2	3	6	8	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	2.9	3	<1	<1	3	4	5	6	6
B. *Operated*	862	1.9	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	60	4.0	6	<1	1	4	5	7	9	13
B. *Operated*	703	3.1	8	<1	1	2	3	6	8	14
1. SINGLE DX	883	1.9	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX	763	3.2	8	<1	1	2	4	6	8	14
A. NOT OPERATED	81	3.7	6	<1	1	3	5	7	8	12
B. OPERATED	1565	2.4	5	<1	<1	2	3	4	6	11
TOTAL 0-19 YRS	13	1.8	2	<1	<1	1	2	4	5	5
20-34	252	2.1	2	<1	<1	2	3	4	5	8
35-49	561	2.5	5	<1	<1	2	3	5	7	11
50-64	517	2.7	7	<1	<1	2	3	5	8	13
65+	303	2.5	5	<1	<1	2	3	4	7	12
GRAND TOTAL	**1646**	**2.5**	**5**	**<1**	**<1**	**2**	**3**	**5**	**7**	**11**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	6.6	58	1	1	4	8	17	22	35
20-34	100	4.9	27	1	1	3	6	11	15	28
35-49	139	4.3	15	1	1	3	5	8	11	20
50-64	107	4.8	23	1	1	3	6	9	13	29
65+	63	4.9	17	1	2	4	6	11	13	22
B. *Operated*										
0-19 YRS	86	3.0	3	1	1	3	4	5	7	9
20-34	299	3.8	16	1	1	3	5	8	9	36
35-49	409	3.5	8	<1	1	3	4	8	9	13
50-64	350	3.6	10	1	1	3	4	8	9	20
65+	241	3.4	12	<1	1	2	3	8	10	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	8.0	86	1	1	5	10	20	31	42
20-34	113	6.0	34	1	2	4	7	14	18	29
35-49	264	5.6	31	1	2	4	7	10	15	26
50-64	355	5.8	26	1	2	4	7	12	15	27
65+	491	7.0	51	2	2	5	8	13	18	36
B. *Operated*										
0-19 YRS	65	6.9	88	1	1	4	7	11	36	45
20-34	240	6.5	81	1	2	4	7	13	18	66
35-49	387	5.6	47	1	1	4	6	11	15	31
50-64	413	5.4	23	1	2	4	7	11	14	32
65+	371	8.7	114	2	2	5	10	17	32	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	486	5.0	26	1	1	3	6	10	16	28
B. *Operated*	1385	3.6	11	<1	1	3	4	8	9	18
2. MULTIPLE DX										
A. *Not Operated*	1291	6.4	41	1	2	5	8	12	17	33
B. *Operated*	1476	6.5	66	1	2	4	8	13	18	53
1. SINGLE DX	1871	3.9	15	1	1	3	5	8	11	21
2. MULTIPLE DX	2767	6.5	54	1	2	4	8	13	17	43
A. NOT OPERATED	1777	6.0	37	1	2	4	7	12	17	32
B. OPERATED	2861	5.1	42	1	1	3	6	10	14	41
TOTAL 0-19 YRS	296	6.0	58	1	1	4	6	13	21	43
20-34	752	5.1	42	1	1	3	6	11	16	54
35-49	1199	4.7	27	1	1	3	6	9	13	21
50-64	1225	5.0	21	1	1	3	6	10	14	24
65+	1166	6.7	65	1	2	4	8	13	20	45
GRAND TOTAL	**4638**	**5.4**	**40**	**1**	**1**	**4**	**6**	**11**	**15**	**34**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34										
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	22	4.2	3	1	2	4	5	7	8	9
20-34	66	4.2	7	1	2	4	5	7	8	15
35-49	69	4.2	5	2	2	4	6	7	9	11
50-64	170	3.5	3	1	2	3	4	6	7	8
65+	178	3.8	4	1	2	3	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.8	2	1	1	1	3	4	4	4
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	3	2.3	5	<1	<1	1	4	5	5	5
50-64	8	2.3	4	<1	<1	1	3	6	7	7
65+	7	3.1	5	1	1	2	4	7	8	8
B. *Operated*										
0-19 YRS	48	4.1	16	2	2	3	4	6	10	27
20-34	70	4.6	5	2	2	4	6	7	9	11
35-49	93	4.7	5	2	2	4	6	8	9	12
50-64	266	4.3	5	2	2	4	6	7	8	11
65+	377	4.3	5	2	2	4	5	7	8	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.6		1	1	2	2	2	2	2
B. *Operated*	505	3.8	4	1	2	3	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	24	2.5	4	<1	<1	2	3	5	7	8
B. *Operated*	854	4.3	6	2	2	4	5	7	8	12
1. SINGLE DX	510	3.8	4	1	2	3	5	6	7	10
2. MULTIPLE DX	878	4.3	6	2	2	4	5	7	8	12
A. NOT OPERATED	29	2.3	3	<1	<1	2	3	5	7	8
B. OPERATED	1359	4.1	5	2	2	4	5	7	8	11
TOTAL 0-19 YRS	76	4.0	11	1	2	3	4	6	9	23
20-34	138	4.4	6	1	2	4	6	7	9	12
35-49	167	4.4	5	2	2	4	6	7	9	12
50-64	444	3.9	4	1	2	3	5	7	8	10
65+	563	4.1	5	2	2	4	5	7	8	12
GRAND TOTAL	**1388**	**4.1**	**5**	**2**	**2**	**4**	**5**	**7**	**8**	**11**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.0		1	1	1	1	1	1	1
20-34										
35-49	5	3.0	6	<1	<1	2	5	6	6	6
50-64	6	1.3		1	1	1	2	2	2	2
65+	18	1.9	2	<1	<1	1	2	5	5	5
B. *Operated*										
0-19 YRS	9	2.9	2	2	2	2	4	5	6	6
20-34	5	2.8	2	2	2	2	3	5	5	5
35-49	18	3.1	4	<1	1	3	4	6	7	8
50-64	56	2.2	1	1	1	2	3	4	5	5
65+	76	2.7	3	1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	1.3		<1	<1	1	2	2	2	2
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	4	4.8	13	2	2	3	7	10	10	10
50-64	6	4.8	2	3	3	5	6	7	7	7
65+	35	3.2	5	1	1	3	4	5	6	13
B. *Operated*										
0-19 YRS	8	4.0	12	<1	<1	2	6	10	11	11
20-34	6	4.5	4	2	2	4	6	7	7	7
35-49	10	4.8	23	2	2	3	4	12	18	18
50-64	50	3.4	4	1	1	3	4	6	7	11
65+	163	4.7	42	1	2	3	5	9	11	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	1.8	2	<1	<1	1	2	5	5	6
B. *Operated*	164	2.6	3	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	54	3.3	5	1	1	3	4	6	7	13
B. *Operated*	237	4.4	32	1	2	3	5	8	10	28
1. SINGLE DX	197	2.5	3	1	1	2	3	5	6	9
2. MULTIPLE DX	291	4.2	27	1	1	3	5	8	10	22
A. NOT OPERATED	87	2.7	4	<1	1	2	4	5	6	12
B. OPERATED	401	3.7	21	1	1	2	4	7	9	19
TOTAL 0-19 YRS	28	2.5	5	<1	1	2	2	6	7	11
20-34	13	3.7	3	2	2	3	5	6	7	7
35-49	37	3.7	10	<1	1	3	4	6	9	18
50-64	118	2.8	3	1	1	2	4	5	6	10
65+	292	3.8	26	1	1	3	4	7	10	22
GRAND TOTAL	**488**	**3.5**	**18**	**1**	**1**	**2**	**4**	**6**	**9**	**17**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	3	1.3		1	1	1	2	2	2	2
65+	6	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	11	1.7	1	1	1	2	2	3	4	4
20-34	8	3.6	6	1	1	3	5	7	8	8
35-49	17	3.2	4	<1	1	2	5	7	7	7
50-64	24	3.5	8	<1	1	3	4	7	9	13
65+	29	2.4	2	<1	<1	2	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	1.0		<1	<1	1	1	1	1	1
20-34	4	3.3	8	<1	<1	2	5	7	7	7
35-49	1	4.0		4	4	4	4	4	4	4
50-64	6	3.2	13	1	1	2	4	9	10	10
65+	25	3.6	6	1	2	3	4	6	9	13
B. *Operated*										
0-19 YRS	5	2.6	2	1	1	2	3	5	5	5
20-34	10	3.7	8	1	1	3	4	8	11	11
35-49	9	2.9	1	1	1	3	4	4	4	4
50-64	50	4.0	10	1	1	3	5	8	12	14
65+	104	3.7	9	1	1	3	5	8	9	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	2.1	2	1	1	2	3	4	5	5
B. *Operated*	89	2.9	4	<1	<1	2	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	42	3.1	7	<1	1	3	4	6	9	13
B. *Operated*	178	3.7	9	1	1	3	4	7	10	15
1. SINGLE DX	101	2.8	4	<1	<1	2	4	6	7	10
2. MULTIPLE DX	220	3.6	8	1	1	3	4	7	10	15
A. NOT OPERATED	54	2.9	6	<1	1	2	4	5	8	13
B. OPERATED	267	3.4	7	<1	1	3	4	7	8	14
TOTAL 0-19 YRS	22	1.7	1	<1	<1	1	2	3	4	5
20-34	23	3.5	7	<1	1	3	5	7	9	11
35-49	29	3.2	3	1	1	3	4	6	7	7
50-64	83	3.7	9	1	1	3	4	7	11	14
65+	164	3.4	8	<1	1	3	4	7	8	16
GRAND TOTAL	**321**	**3.4**	**7**	**<1**	**1**	**3**	**4**	**7**	**8**	**14**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	1.0		1	1	1	1	1	1	1
65+	10	1.6		<1	<1	1	2	3	3	3
B. *Operated*										
0-19 YRS										
20-34										
35-49	132	1.6	2	<1	<1	1	2	2	3	9
50-64	693	1.7	2	<1	<1	2	2	2	3	4
65+	2591	1.7	1	<1	<1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	21	2.6	8	<1	<1	1	3	6	9	12
65+	82	2.8	19	<1	<1	2	2	5	9	29
B. *Operated*										
0-19 YRS										
20-34										
35-49	63	2.3	2	1	1	2	2	4	5	7
50-64	589	2.2	2	1	1	2	2	3	4	7
65+	2655	2.3	3	<1	1	2	2	3	4	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	1.5		<1	<1	1	2	3	3	3
B. *Operated*	3416	1.7	1	<1	<1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	105	2.7	16	<1	<1	2	2	5	8	24
B. *Operated*	3307	2.2	3	<1	1	2	2	3	4	11
1. SINGLE DX	3428	1.7	1	<1	<1	2	2	2	3	4
2. MULTIPLE DX	3412	2.3	3	<1	1	2	2	3	4	11
A. NOT OPERATED	117	2.6	15	<1	<1	2	2	5	8	22
B. OPERATED	6723	2.0	2	<1	<1	2	2	3	3	7
TOTAL 0-19 YRS										
20-34										
35-49	198	1.8	2	<1	<1	2	2	3	4	7
50-64	1304	1.9	2	<1	<1	2	2	3	4	6
65+	5338	2.0	2	<1	<1	2	2	3	3	8
GRAND TOTAL	**6840**	**2.0**	**2**	**<1**	**<1**	**2**	**2**	**3**	**3**	**8**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	39	1.8	1	<1	1	2	2	3	4	5
20-34	12	2.0	2	1	1	2	2	4	6	6
35-49	23	2.0	1	<1	1	2	2	3	4	4
50-64	42	1.7		<1	1	2	2	2	3	4
65+	55	1.5		<1	1	1	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3	20	<1	<1	1	6	10	10	10
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	42	2.5	2	1	1	2	3	4	5	8
20-34	22	3.5	8	1	1	3	4	7	10	14
35-49	24	2.7	1	1	2	2	4	4	5	5
50-64	54	2.2	1	1	1	2	3	4	4	6
65+	139	2.2	2	1	1	2	2	4	5	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	171	1.7	1	<1	1	2	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	8	2.4	10	<1	<1	1	2	8	10	10
B. *Operated*	281	2.4	2	1	1	2	3	4	5	9
1. SINGLE DX	172	1.7	1	<1	1	2	2	2	3	5
2. MULTIPLE DX	289	2.4	3	1	1	2	3	4	5	10
A. NOT OPERATED	9	2.2	9	<1	<1	1	2	7	10	10
B. OPERATED	452	2.2	2	1	1	2	2	4	4	8
TOTAL 0-19 YRS	85	2.2	2	<1	1	2	3	4	5	9
20-34	35	2.9	6	1	1	2	4	6	8	14
35-49	47	2.3	1	1	1	2	3	4	4	5
50-64	99	2.0	1	<1	1	2	2	3	4	6
65+	195	2.0	2	1	1	2	2	3	4	8
GRAND TOTAL	**461**	**2.2**	**2**	**1**	**1**	**2**	**2**	**4**	**4**	**8**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.3	2	<1	<1	2	4	4	4	4
20-34	5	4.8	27	2	2	2	6	14	14	14
35-49	8	3.0	2	1	1	3	4	5	5	5
50-64	7	3.3	3	1	1	4	5	5	5	5
65+	4	3.8	5	2	2	3	5	7	7	7
B. *Operated*										
0-19 YRS	769	1.3	1	<1	<1	1	2	2	2	2
20-34	59	1.7	1	<1	1	2	2	2	3	5
35-49	29	1.5		<1	<1	1	2	2	2	3
50-64	14	2.9	6	<1	1	2	2	7	9	10
65+	10	2.8	2	<1	<1	3	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	1.8	4	<1	<1	1	2	3	4	12
20-34	7	2.6	2	<1	<1	3	4	4	4	4
35-49	14	4.8	51	<1	1	3	4	8	24	29
50-64	23	3.4	9	1	1	3	4	5	9	16
65+	43	6.7	192	1	2	4	7	10	13	93
B. *Operated*										
0-19 YRS	227	1.5	1	<1	<1	1	2	2	2	4
20-34	29	2.0	1	1	1	2	2	3	3	5
35-49	27	3.0	7	1	1	2	3	7	10	11
50-64	34	3.4	4	1	2	3	4	7	8	8
65+	35	5.0	14	1	1	4	6	10	12	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	3.3	6	1	1	3	4	5	7	14
B. *Operated*	881	1.4	1	<1	<1	1	2	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	123	4.2	79	<1	1	2	4	7	11	46
B. *Operated*	352	2.2	4	<1	<1	2	2	4	6	11
1. SINGLE DX	911	1.5	2	<1	<1	1	2	2	2	5
2. MULTIPLE DX	475	2.7	24	<1	<1	2	3	5	7	14
A. NOT OPERATED	153	4.0	64	<1	1	3	4	7	10	29
B. OPERATED	1233	1.6	2	<1	<1	1	2	2	3	9
TOTAL 0-19 YRS	1038	1.4	1	<1	<1	1	2	2	2	4
20-34	100	2.0	2	<1	1	2	2	3	4	10
35-49	78	2.8	12	<1	1	2	3	5	7	24
50-64	78	3.3	6	1	1	3	4	7	8	14
65+	92	5.5	96	1	1	4	6	9	12	61
GRAND TOTAL	**1386**	**1.9**	**10**	**<1**	**<1**	**1**	**2**	**3**	**4**	**11**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	226	1.9	13	<1	<1	<1	2	4	5	11
20-34	29	3.7	6	1	1	3	4	6	7	13
35-49	24	3.7	8	<1	1	3	5	8	9	11
50-64	21	6.5	27	1	1	4	8	14	19	20
65+	16	3.5	4	<1	<1	3	5	6	7	7
B. *Operated*										
0-19 YRS	142	1.4	1	<1	<1	1	2	2	3	5
20-34	95	2.2	2	<1	1	2	3	4	5	6
35-49	127	2.0	4	<1	<1	1	2	4	5	11
50-64	137	1.8	1	<1	<1	2	2	3	4	5
65+	229	2.4	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	134	3.2	5	<1	<1	3	4	6	8	10
20-34	28	3.4	4	1	1	3	4	6	7	10
35-49	29	6.5	30	1	1	5	8	15	17	25
50-64	40	5.4	19	<1	1	4	7	12	14	20
65+	93	5.8	15	1	1	5	8	12	13	19
B. *Operated*										
0-19 YRS	72	2.3	2	<1	<1	2	3	4	5	7
20-34	60	3.0	4	<1	1	2	4	6	6	10
35-49	86	2.5	3	<1	1	2	3	5	6	10
50-64	189	3.0	8	1	1	2	3	6	7	12
65+	437	3.3	9	1	1	3	4	6	7	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	316	2.6	14	<1	<1	1	3	5	8	16
B. *Operated*	730	2.0	2	<1	<1	2	2	4	4	8
2. MULTIPLE DX										
A. *Not Operated*	324	4.5	13	<1	1	4	6	9	12	18
B. *Operated*	844	3.0	7	1	1	2	4	5	7	14
1. SINGLE DX	1046	2.2	6	<1	<1	1	3	4	5	11
2. MULTIPLE DX	1168	3.4	9	<1	1	3	4	6	9	16
A. NOT OPERATED	640	3.6	14	<1	<1	3	5	8	10	18
B. OPERATED	1574	2.5	5	<1	<1	2	3	5	6	11
TOTAL 0-19 YRS	574	2.2	7	<1	<1	1	3	4	5	10
20-34	212	2.8	3	<1	1	2	4	5	6	10
35-49	266	2.8	8	<1	<1	2	3	6	8	16
50-64	387	3.0	9	<1	1	2	3	6	8	17
65+	775	3.3	9	<1	1	3	4	6	8	18
GRAND TOTAL	**2214**	**2.8**	**8**	**<1**	**<1**	**2**	**3**	**6**	**7**	**14**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	306	3.6	5	1	1	3	4	6	8	13
20-34	63	4.0	6	1	1	4	5	7	9	13
35-49	32	3.3	3	1	1	3	4	6	6	8
50-64	22	4.5	6	2	2	4	5	8	10	12
65+	33	4.1	10	1	1	3	5	7	12	14
B. *Operated*										
0-19 YRS	51	3.3	6	<1	1	3	4	7	9	10
20-34	40	3.2	5	1	1	3	4	7	9	10
35-49	27	2.5	5	<1	<1	2	3	4	8	12
50-64	93	2.5	4	<1	1	2	3	5	7	10
65+	163	2.9	11	<1	<1	2	3	7	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	327	4.3	7	1	2	4	5	7	10	13
20-34	69	5.0	42	1	1	4	5	9	12	45
35-49	49	4.6	15	1	2	4	5	8	10	26
50-64	83	4.4	7	1	2	4	6	8	9	14
65+	134	5.1	12	1	2	4	7	9	13	17
B. *Operated*										
0-19 YRS	62	5.3	40	1	1	3	7	9	24	29
20-34	88	5.2	16	2	2	4	6	9	14	22
35-49	102	4.7	24	1	1	3	5	9	16	27
50-64	167	3.7	8	1	1	3	5	7	10	15
65+	414	4.3	23	1	1	3	5	8	13	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	456	3.7	6	1	1	3	4	7	8	13
B. *Operated*	374	2.8	7	<1	<1	2	3	6	9	12
2. MULTIPLE DX										
A. *Not Operated*	662	4.6	12	1	2	4	6	8	10	16
B. *Operated*	833	4.4	21	1	1	3	5	8	12	26
1. SINGLE DX	830	3.3	7	<1	1	3	4	6	8	13
2. MULTIPLE DX	1495	4.5	17	1	1	3	5	8	11	22
A. NOT OPERATED	1118	4.2	10	1	2	4	5	7	10	14
B. OPERATED	1207	3.9	17	<1	1	3	4	8	11	23
TOTAL 0-19 YRS	746	4.0	9	1	1	3	5	7	9	14
20-34	260	4.6	19	1	1	3	6	9	11	19
35-49	210	4.2	17	1	1	3	5	7	11	26
50-64	365	3.6	7	1	1	3	5	7	9	13
65+	744	4.2	18	<1	1	3	5	8	12	20
GRAND TOTAL	**2325**	**4.1**	**14**	**1**	**1**	**3**	**5**	**8**	**10**	**18**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.8	1	<1	<1	2	2	3	3	3
20-34	7	2.3	3	1	1	2	3	5	6	6
35-49	7	3.3	2	1	1	4	4	5	5	5
50-64	5	3.2	2	1	1	4	4	4	4	4
65+	6	3.8	7	2	2	3	4	8	9	9
B. *Operated*										
0-19 YRS	20	1.4		<1	<1	1	2	2	2	2
20-34	26	2.0	1	<1	1	2	2	4	4	5
35-49	14	1.6	2	<1	<1	1	2	3	5	6
50-64	6	2.0	1	<1	<1	2	3	3	3	3
65+	13	2.2	2	<1	<1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	2.6	3	<1	1	2	3	5	7	7
20-34	12	3.4	9	<1	<1	2	4	9	10	10
35-49	39	3.3	3	1	1	3	4	5	6	11
50-64	44	4.9	36	1	1	3	5	10	17	35
65+	49	4.6	7	1	1	4	6	8	9	11
B. *Operated*										
0-19 YRS	15	2.6	9	<1	1	2	2	6	10	12
20-34	15	3.1	7	<1	1	2	3	6	10	11
35-49	19	3.3	9	<1	<1	2	4	9	10	10
50-64	31	3.5	5	1	2	3	4	7	9	10
65+	40	4.2	16	1	1	3	4	8	12	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	2.7	3	1	1	2	4	4	6	9
B. *Operated*	79	1.8	1	<1	<1	1	2	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	176	3.9	13	1	1	3	5	7	10	19
B. *Operated*	120	3.5	10	1	1	3	4	8	10	17
1. SINGLE DX	116	2.1	2	<1	<1	2	3	4	4	7
2. MULTIPLE DX	296	3.8	12	1	1	3	4	7	10	18
A. NOT OPERATED	213	3.7	12	1	1	3	4	7	9	17
B. OPERATED	199	2.8	7	<1	<1	2	3	5	8	14
TOTAL 0-19 YRS	79	2.2	3	<1	<1	2	2	4	6	11
20-34	60	2.6	4	<1	1	2	3	5	7	11
35-49	79	3.0	5	<1	1	2	4	5	8	11
50-64	86	4.1	21	1	1	3	4	8	10	30
65+	108	4.1	10	1	1	3	5	8	9	18
GRAND TOTAL	**412**	**3.3**	**10**	**<1**	**1**	**2**	**4**	**6**	**9**	**15**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	424	2.7	2	1	1	3	3	4	5	8
20-34	8	3.8	10	<1	1	3	4	9	11	11
35-49	10	5.2	15	2	2	4	7	11	14	14
50-64	1	4.0		4	4	4	4	4	4	4
65+	2	6.0	32	2	2	6	10	10	10	10
B. *Operated*										
0-19 YRS	1289	1.2	1	<1	<1	<1	1	2	2	5
20-34	107	1.6		<1	1	1	2	2	3	4
35-49	86	1.8	1	1	1	2	2	3	3	8
50-64	62	1.9	1	1	1	2	2	3	3	4
65+	26	1.9	1	<1	1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1809	3.2	4	1	1	3	4	5	7	10
20-34	66	4.1	6	1	2	3	5	7	9	14
35-49	46	4.9	19	<1	<1	4	6	12	14	19
50-64	30	4.5	6	1	1	4	5	8	8	11
65+	31	6.7	26	2	2	5	8	14	18	23
B. *Operated*										
0-19 YRS	1575	1.8	3	<1	<1	1	2	3	4	9
20-34	179	2.0	1	1	1	2	2	3	4	7
35-49	164	2.4	8	<1	1	2	2	4	5	12
50-64	173	2.5	5	1	1	2	3	4	7	14
65+	78	2.9	7	<1	1	2	3	6	8	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	445	2.8	3	1	1	3	3	4	6	10
B. *Operated*	1570	1.3	1	<1	<1	<1	1	2	2	5
2. MULTIPLE DX										
A. *Not Operated*	1982	3.4	5	1	1	3	4	6	7	12
B. *Operated*	2169	1.9	3	<1	<1	2	2	3	4	10
1. SINGLE DX	2015	1.6	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX	4151	2.6	5	<1	1	2	3	5	6	11
A. NOT OPERATED	2427	3.3	5	1	1	3	4	5	7	11
B. OPERATED	3739	1.7	2	<1	<1	1	2	3	4	8
TOTAL 0-19 YRS	5097	2.2	3	<1	<1	2	3	4	5	9
20-34	360	2.3	3	1	1	2	3	4	6	10
35-49	306	2.7	9	<1	1	2	3	5	8	15
50-64	266	2.6	4	1	1	2	3	5	7	11
65+	137	3.6	13	<1	1	2	4	7	11	20
GRAND TOTAL	**6166**	**2.3**	**4**	**<1**	**<1**	**2**	**3**	**4**	**6**	**10**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	3.7	6	1	1	3	5	6	9	14
20-34	19	3.6	2	1	2	3	5	6	6	6
35-49	28	4.6	25	2	2	4	5	6	9	29
50-64	20	3.7	3	1	2	3	5	6	7	8
65+	8	8.6	23	3	4	8	11	16	18	18
B. *Operated*										
0-19 YRS	180	1.7	2	<1	<1	1	2	4	5	9
20-34	40	2.2	2	<1	1	2	3	4	5	7
35-49	28	2.5	2	1	1	2	3	4	6	7
50-64	20	3.5	8	1	1	3	4	9	10	11
65+	15	9.6	162	1	2	4	10	28	41	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	222	4.2	9	1	2	3	5	8	10	15
20-34	71	3.9	4	1	2	4	5	6	8	11
35-49	53	5.1	15	1	2	4	6	9	11	25
50-64	48	5.8	16	2	2	5	7	9	10	27
65+	59	11.3	153	2	2	7	11	31	42	56
B. *Operated*										
0-19 YRS	207	3.2	19	<1	<1	2	3	8	10	25
20-34	65	3.9	13	1	1	3	5	10	11	19
35-49	66	3.3	10	1	1	2	4	6	10	18
50-64	71	3.8	21	1	1	2	4	7	17	26
65+	70	6.2	56	1	2	3	7	14	25	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	140	4.1	11	1	2	3	5	7	9	19
B. *Operated*	283	2.4	14	<1	<1	1	3	4	7	20
2. MULTIPLE DX										
A. *Not Operated*	453	5.4	34	1	2	4	6	9	12	32
B. *Operated*	479	3.9	23	<1	1	2	4	9	13	27
1. SINGLE DX	423	3.0	13	<1	<1	2	4	5	8	20
2. MULTIPLE DX	932	4.6	29	1	1	3	5	9	13	30
A. NOT OPERATED	593	5.1	29	1	2	4	6	9	11	31
B. OPERATED	762	3.3	20	<1	<1	2	3	7	10	26
TOTAL 0-19 YRS	674	3.2	11	<1	<1	2	4	7	9	16
20-34	195	3.5	7	1	1	3	4	7	9	13
35-49	175	3.9	13	1	1	3	5	7	9	23
50-64	159	4.4	16	1	1	3	5	8	10	26
65+	152	8.6	106	1	2	5	10	21	32	55
GRAND TOTAL	**1355**	**4.1**	**25**	**<1**	**1**	**3**	**5**	**8**	**11**	**28**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.4	1	2	2	3	4	5	5	5
20-34	89	3.2	5	1	1	3	4	6	8	11
35-49	154	2.8	4	1	1	2	3	5	6	11
50-64	222	3.1	7	1	1	3	4	5	7	12
65+	196	3.4	4	1	1	3	4	6	8	11
B. *Operated*										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	18	3.4	11	1	1	2	3	8	12	14
35-49	36	2.6	2	1	1	2	3	5	5	6
50-64	39	3.2	11	1	1	2	3	6	7	21
65+	14	4.1	9	1	1	3	6	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	3.5	4	1	1	3	5	6	8	9
20-34	140	3.6	4	1	2	3	5	7	7	10
35-49	272	3.8	6	1	2	3	5	7	9	12
50-64	649	3.9	6	1	2	3	5	7	8	11
65+	1066	4.3	8	1	2	4	5	8	10	14
B. *Operated*										
0-19 YRS	3	3.3	2	2	2	3	4	5	5	5
20-34	10	3.4	7	1	1	2	5	8	9	9
35-49	25	4.7	9	1	2	3	5	9	11	13
50-64	59	5.9	20	1	1	5	7	12	14	24
65+	77	6.0	19	2	2	5	7	11	15	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	672	3.1	5	1	1	3	4	6	7	11
B. *Operated*	109	3.2	8	1	1	2	4	6	9	17
2. MULTIPLE DX										
A. *Not Operated*	2146	4.1	7	1	2	3	5	7	9	14
B. *Operated*	174	5.6	17	1	2	5	7	11	14	24
1. SINGLE DX	781	3.1	5	1	1	3	4	6	7	11
2. MULTIPLE DX	2320	4.2	8	1	2	4	5	7	10	14
A. NOT OPERATED	2818	3.9	7	1	2	3	5	7	9	13
B. OPERATED	283	4.7	15	1	1	3	6	10	12	20
TOTAL 0-19 YRS	35	3.5	4	1	2	3	5	6	8	9
20-34	257	3.4	5	1	1	3	4	7	8	11
35-49	487	3.4	5	1	1	3	4	6	8	12
50-64	969	3.8	7	1	1	3	5	7	8	14
65+	1353	4.3	9	1	2	4	5	8	10	15
GRAND TOTAL	**3101**	**3.9**	**7**	**1**	**2**	**3**	**5**	**7**	**9**	**14**

133: Otosclerosis (387)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
B. *Operated*										
0-19 YRS	11	1.8	1	1	1	2	2	3	4	4
20-34	84	2.0	1	1	1	2	2	3	4	6
35-49	146	2.0	1	1	1	2	2	3	4	6
50-64	109	2.0	1	1	1	2	2	3	3	5
65+	26	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	3	1.7		<1	<1	2	2	2	2	2
35-49	1	5.0		5	5	5	5	5	5	5
50-64	4	4.3	42	1	1	1	8	14	14	14
65+										
B. *Operated*										
0-19 YRS	9	1.8		1	1	2	2	2	2	2
20-34	35	2.0	1	1	1	2	2	3	3	5
35-49	56	2.1	1	1	1	2	3	3	4	5
50-64	75	2.4	2	1	1	2	3	4	5	7
65+	40	2.4	1	1	1	2	3	4	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	376	2.0	1	1	1	2	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	9	3.1	18	<1	<1	1	3	10	14	14
B. *Operated*	215	2.2	1	1	1	2	3	3	4	6
1. SINGLE DX	377	2.0	1	1	1	2	2	3	3	6
2. MULTIPLE DX	224	2.3	2	1	1	2	3	3	5	7
A. NOT OPERATED	10	2.9	17	<1	<1	1	2	9	14	14
B. OPERATED	591	2.1	1	1	1	2	2	3	4	6
TOTAL 0-19 YRS	21	1.8	1	<1	1	2	2	3	3	4
20-34	122	2.0	1	1	1	2	2	3	4	6
35-49	204	2.0	1	1	1	2	2	3	4	6
50-64	188	2.2	2	1	1	2	2	3	4	7
65+	66	2.2	1	1	1	2	3	3	4	5
GRAND TOTAL	**601**	**2.1**	**1**	**1**	**1**	**2**	**2**	**3**	**4**	**6**

134: Miscellaneous diseases of ear
(380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.9	1	<1	<1	2	3	4	4	4
20-34	13	3.5	6	<1	<1	3	5	7	9	9
35-49	24	3.5	2	1	2	3	4	5	6	6
50-64	12	3.6	9	<1	1	3	4	9	11	11
65+	6	3.3	6	<1	<1	3	5	7	7	7
B. *Operated*										
0-19 YRS	467	1.6	1	<1	<1	1	2	2	3	4
20-34	235	1.8	4	<1	1	1	2	3	3	6
35-49	187	1.9	1	1	1	2	2	3	3	4
50-64	157	1.9	1	1	1	2	2	3	4	5
65+	49	2.3	2	1	1	2	3	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	3.8	13	<1	1	3	4	9	13	15
20-34	23	2.7	4	<1	1	2	3	6	8	9
35-49	15	3.1	5	<1	1	3	4	6	8	9
50-64	41	4.2	13	1	1	3	5	10	13	16
65+	44	4.0	7	1	1	3	5	8	9	14
B. *Operated*										
0-19 YRS	371	1.8	1	<1	1	2	2	3	3	6
20-34	246	2.1	2	1	1	2	2	3	4	8
35-49	238	2.1	2	1	1	2	3	4	5	9
50-64	203	2.2	2	1	1	2	3	3	5	10
65+	142	2.6	4	1	1	2	3	4	5	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	3.2	4	<1	<1	3	4	6	7	11
B. *Operated*	1095	1.8	2	<1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	140	3.7	9	1	1	3	5	8	10	15
B. *Operated*	1200	2.1	2	1	1	2	2	3	4	9
1. SINGLE DX	1160	1.8	2	<1	1	2	2	3	4	7
2. MULTIPLE DX	1340	2.3	3	1	1	2	3	4	5	10
A. NOT OPERATED	205	3.6	8	<1	1	3	4	7	9	15
B. OPERATED	2295	1.9	2	<1	1	2	2	3	4	8
TOTAL 0-19 YRS	865	1.7	1	<1	<1	2	2	3	3	5
20-34	517	2.0	3	1	1	2	2	3	4	8
35-49	464	2.1	2	1	1	2	3	4	4	8
50-64	413	2.3	3	1	1	2	3	4	5	11
65+	241	2.8	5	1	1	2	3	5	8	14
GRAND TOTAL	**2500**	**2.1**	**3**	**<1**	**1**	**2**	**2**	**3**	**4**	**9**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	5.3	15	1	2	5	7	10	12	21
20-34	11	5.2	14	2	2	3	7	12	12	12
35-49	9	5.6	32	2	2	3	6	15	20	20
50-64	2	6.0	8	4	4	6	8	8	8	8
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	8.2	119	2	2	5	7	18	34	51
20-34	17	8.3	115	1	2	5	9	21	37	44
35-49	13	5.8	14	2	2	4	9	11	12	12
50-64	18	5.8	31	<1	1	4	7	14	19	22
65+	14	6.1	8	2	3	5	9	10	11	11
B. *Operated*										
0-19 YRS	7	10.6	62	2	2	8	18	20	20	20
20-34	2	21.5	265	10	10	21	33	33	33	33
35-49	6	5.3	12	2	2	5	8	10	10	10
50-64	7	11.4	32	2	3	13	14	18	19	19
65+	8	12.6	86	4	5	9	18	28	31	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	5.3	16	1	2	4	7	11	12	21
B. *Operated*	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	83	7.0	62	2	2	5	8	13	21	49
B. *Operated*	30	11.0	66	2	2	9	16	20	31	33
1. SINGLE DX	74	5.4	16	1	2	4	7	11	12	21
2. MULTIPLE DX	113	8.0	66	2	2	6	10	18	22	47
A. NOT OPERATED	156	6.2	41	2	2	4	7	12	15	43
B. OPERATED	31	10.9	64	2	2	8	16	20	30	33
TOTAL 0-19 YRS	79	6.5	48	1	2	5	8	14	19	42
20-34	30	8.0	93	2	2	5	10	18	33	44
35-49	29	5.7	17	2	2	4	8	11	12	20
50-64	27	7.3	34	1	2	4	13	14	19	22
65+	22	8.5	44	2	3	6	10	17	24	31
GRAND TOTAL	**187**	**7.0**	**48**	**2**	**2**	**5**	**9**	**14**	**20**	**40**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	8	1	1	1	5	6	6	6
20-34	10	3.0	4	1	1	3	4	6	7	7
35-49	5	4.2	17	<1	<1	4	6	11	11	11
50-64	6	4.0	6	1	1	3	7	7	7	7
65+	7	4.4	6	<1	1	4	6	8	9	9
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	17	8.0	23	1	2	9	11	14	17	18
35-49	23	5.9	26	1	2	2	11	14	15	16
50-64	31	7.3	37	1	1	4	11	18	20	20
65+	11	11.5	79	1	2	11	15	25	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.6	1	<1	<1	2	4	4	4	4
20-34	28	3.8	3	2	2	4	5	7	7	8
35-49	56	5.4	13	1	1	5	7	10	12	20
50-64	84	7.0	31	2	3	5	8	14	21	26
65+	119	7.9	35	2	3	7	10	13	20	34
B. *Operated*										
0-19 YRS	11	8.9	195	<1	<1	3	12	29	46	48
20-34	29	8.3	89	1	2	3	11	26	28	33
35-49	106	9.9	90	2	2	8	13	21	25	57
50-64	204	10.1	67	2	2	9	14	19	26	37
65+	129	11.6	121	2	2	11	16	24	28	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	3.7	7	<1	1	4	5	7	9	11
B. *Operated*	84	7.5	38	1	2	6	11	16	19	27
2. MULTIPLE DX										
A. *Not Operated*	294	6.7	28	2	2	5	8	12	17	27
B. *Operated*	479	10.3	91	2	2	9	14	22	28	50
1. SINGLE DX	115	6.5	32	1	1	4	10	14	18	25
2. MULTIPLE DX	773	8.9	70	2	2	7	12	18	25	40
A. NOT OPERATED	325	6.4	27	1	2	5	8	12	15	26
B. OPERATED	563	9.9	84	2	2	9	14	21	27	49
TOTAL 0-19 YRS	23	5.5	101	<1	1	2	4	14	27	48
20-34	84	6.1	41	1	2	4	8	12	21	31
35-49	190	8.0	62	1	2	6	11	16	21	43
50-64	325	8.9	56	2	2	7	12	18	24	35
65+	266	9.7	81	2	2	7	13	21	27	49
GRAND TOTAL	**888**	**8.6**	**66**	**2**	**2**	**6**	**12**	**18**	**24**	**39**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	3.4	5	1	1	3	5	5	7	13
20-34	125	2.9	3	1	1	3	3	5	6	9
35-49	350	3.3	4	1	1	3	4	6	7	10
50-64	287	3.7	6	1	1	3	5	7	8	12
65+	168	4.0	8	1	1	3	5	7	8	15
B. *Operated*										
0-19 YRS	12	7.1	55	1	1	4	8	21	24	24
20-34	26	3.2	3	1	2	3	4	6	6	7
35-49	51	4.4	11	1	2	4	5	8	11	19
50-64	35	4.0	7	1	2	3	5	8	9	13
65+	25	5.9	13	2	2	6	9	11	12	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	4.0	6	1	2	3	5	7	9	12
20-34	381	3.9	5	1	2	3	5	7	9	11
35-49	1260	4.5	7	2	2	4	5	8	9	14
50-64	1772	5.0	13	1	2	4	6	9	11	17
65+	1838	5.2	16	2	2	4	6	9	12	17
B. *Operated*										
0-19 YRS	25	6.1	40	1	2	3	8	13	24	25
20-34	83	5.7	21	1	2	5	8	10	18	20
35-49	236	6.3	26	1	2	5	9	13	16	28
50-64	258	6.5	23	1	2	5	9	13	15	26
65+	250	7.5	41	1	2	6	10	16	22	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	969	3.5	5	1	1	3	4	6	7	12
B. *Operated*	149	4.5	13	1	2	3	6	9	11	20
2. MULTIPLE DX										
A. *Not Operated*	5331	4.8	12	2	2	4	6	9	11	16
B. *Operated*	852	6.7	29	1	2	5	9	14	17	28
1. SINGLE DX	1118	3.6	6	1	1	3	5	6	8	13
2. MULTIPLE DX	6183	5.1	15	1	2	4	6	9	12	20
A. NOT OPERATED	6300	4.6	11	1	2	4	6	8	10	16
B. OPERATED	1001	6.3	27	1	2	5	8	13	17	27
TOTAL 0-19 YRS	156	4.4	16	1	2	3	5	8	11	24
20-34	615	3.9	7	1	1	3	5	7	9	15
35-49	1897	4.5	10	1	2	4	5	8	10	17
50-64	2352	5.0	14	1	2	4	6	9	11	17
65+	2281	5.4	19	2	2	4	7	10	13	22
GRAND TOTAL	**7301**	**4.9**	**14**	**1**	**2**	**4**	**6**	**9**	**11**	**19**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	3	2	2	5	5	5	5	5
20-34	10	3.5	1	2	2	3	4	5	5	5
35-49	30	4.1	5	1	1	4	5	7	8	11
50-64	51	4.0	5	1	2	4	5	7	8	12
65+	83	5.2	9	1	2	4	7	9	10	16
B. *Operated*										
0-19 YRS										
20-34	2	2.0		2	2	2	2	2	2	2
35-49	6	3.3	6	2	2	2	4	8	8	8
50-64	17	4.5	28	<1	1	2	5	15	17	17
65+	13	3.2	4	<1	1	2	4	6	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	8.3	2	7	7	8	9	10	10	10
20-34	34	3.9	9	1	1	3	5	6	7	18
35-49	196	5.2	10	2	2	4	6	9	12	17
50-64	627	6.2	17	2	2	5	8	11	14	20
65+	1673	7.5	36	2	3	6	9	14	18	32
B. *Operated*										
0-19 YRS										
20-34	6	5.2	16	1	1	4	7	11	12	12
35-49	55	4.7	18	1	1	3	6	9	11	26
50-64	175	6.3	35	1	2	4	8	13	17	31
65+	215	10.9	73	2	2	9	14	21	27	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	177	4.6	7	1	2	4	5	8	9	15
B. *Operated*	38	3.7	15	<1	1	2	4	9	14	17
2. MULTIPLE DX										
A. *Not Operated*	2533	7.0	29	2	3	6	8	13	16	28
B. *Operated*	451	8.3	57	1	2	6	11	17	25	34
1. SINGLE DX	215	4.4	9	1	2	4	5	8	10	16
2. MULTIPLE DX	2984	7.2	34	2	2	6	9	13	17	30
A. NOT OPERATED	2710	6.8	28	2	3	6	8	12	16	28
B. OPERATED	489	7.9	56	1	2	6	10	17	23	34
TOTAL 0-19 YRS	6	6.2	8	2	2	6	8	10	10	10
20-34	52	3.9	8	1	1	3	5	6	7	18
35-49	287	4.9	11	1	2	4	6	9	11	17
50-64	870	6.0	21	2	2	5	8	11	15	24
65+	1984	7.8	40	2	3	6	9	14	19	33
GRAND TOTAL	**3199**	**7.0**	**33**	**2**	**2**	**6**	**8**	**13**	**17**	**29**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	7.6	47	1	1	5	12	19	20	20
20-34	7	3.0	5	1	1	2	4	6	7	7
35-49	16	5.1	4	2	3	5	6	8	9	10
50-64	20	4.9	17	2	2	3	6	9	14	19
65+	16	4.4	11	<1	1	3	6	10	11	12
B. *Operated*										
0-19 YRS	6	3.3	5	2	2	3	3	8	8	8
20-34	18	5.3	24	<1	1	4	7	13	17	19
35-49	30	6.1	34	1	1	3	9	13	21	23
50-64	32	4.3	13	1	1	3	5	11	12	14
65+	18	5.8	30	1	1	4	9	13	19	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	7.0	32	2	2	5	10	17	19	21
20-34	34	4.0	6	<1	1	3	6	7	9	10
35-49	58	5.8	34	1	2	4	7	10	16	32
50-64	108	6.3	20	2	2	5	8	12	15	58
65+	210	7.6	39	2	2	6	10	15	18	29
B. *Operated*										
0-19 YRS	27	9.3	71	2	2	7	12	24	28	36
20-34	67	9.1	66	1	2	6	12	21	24	39
35-49	132	9.8	126	2	2	7	12	22	29	83
50-64	212	9.9	100	2	3	8	12	19	26	53
65+	193	11.9	94	2	3	9	16	23	34	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	5.0	16	1	2	4	6	10	12	20
B. *Operated*	104	5.2	23	1	1	3	7	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	439	6.7	31	2	2	5	9	14	17	30
B. *Operated*	631	10.4	99	2	2	8	13	21	30	55
1. SINGLE DX	172	5.1	20	1	1	4	7	11	14	22
2. MULTIPLE DX	1070	8.9	75	2	2	7	11	18	24	52
A. NOT OPERATED	507	6.5	30	2	2	5	8	14	17	29
B. OPERATED	735	9.7	92	2	2	7	13	20	26	53
TOTAL 0-19 YRS	71	7.6	48	2	2	6	10	17	21	34
20-34	126	6.9	46	1	1	5	8	16	21	38
35-49	236	8.1	87	1	2	5	9	17	23	70
50-64	372	8.1	69	2	2	6	10	15	21	53
65+	437	9.3	67	2	2	7	12	19	24	46
GRAND TOTAL	**1242**	**8.4**	**69**	**2**	**2**	**6**	**10**	**17**	**22**	**49**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	11.7		11	11	12	12	12	12	12
20-34	27	7.9	9	2	3	9	10	11	12	12
35-49	448	8.2	11	1	3	8	10	12	13	16
50-64	924	8.6	12	3	4	9	10	12	14	19
65+	893	9.0	10	4	5	9	11	13	14	18
B. *Operated*										
0-19 YRS										
20-34	17	8.8	9	2	3	10	11	12	12	12
35-49	135	9.3	13	2	5	9	11	13	15	23
50-64	206	10.2	24	4	6	10	12	15	17	30
65+	73	12.5	68	3	6	11	14	18	26	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	8.8	6	6	6	8	10	13	13	13
20-34	89	8.4	43	2	4	8	10	13	14	43
35-49	1191	8.9	13	3	4	9	11	13	15	20
50-64	4010	9.8	18	4	5	9	12	14	16	24
65+	9200	10.7	30	4	6	10	13	16	20	31
B. *Operated*										
0-19 YRS	5	12.0	7	9	9	12	14	15	15	15
20-34	56	9.4	22	1	2	9	12	16	17	21
35-49	775	10.0	27	2	4	9	13	16	19	28
50-64	1755	11.9	55	2	5	11	14	19	23	41
65+	1570	14.4	75	5	7	13	17	24	29	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2295	8.7	11	3	4	9	10	12	14	18
B. *Operated*	431	10.3	29	3	5	10	12	15	17	31
2. MULTIPLE DX										
A. *Not Operated*	14504	10.3	25	4	6	10	12	15	19	28
B. *Operated*	4161	12.4	60	3	5	11	15	20	25	41
1. SINGLE DX	2726	8.9	14	3	5	9	11	13	14	20
2. MULTIPLE DX	18665	10.8	34	4	6	10	13	17	20	32
A. NOT OPERATED	16799	10.1	24	4	5	9	12	15	18	28
B. OPERATED	4592	12.2	57	3	5	11	15	20	25	40
TOTAL 0-19 YRS	22	9.9	7	6	7	10	12	13	14	15
20-34	189	8.7	29	2	3	9	11	13	15	21
35-49	2549	9.1	18	2	4	9	11	14	16	22
50-64	6895	10.1	28	3	5	10	12	15	18	28
65+	11736	11.1	36	4	6	10	13	17	21	35
GRAND TOTAL	**21391**	**10.5**	**32**	**4**	**5**	**10**	**12**	**16**	**20**	**32**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	26	3.3	3	<1	1	3	4	6	6	7
35-49	254	3.1	3	1	1	3	4	5	6	9
50-64	429	3.3	4	1	1	3	4	6	7	9
65+	460	3.5	4	1	1	3	4	6	7	11
B. *Operated*										
0-19 YRS										
20-34	9	2.3	1	1	1	2	3	4	4	4
35-49	89	3.4	10	1	2	2	4	7	9	19
50-64	149	3.9	13	1	2	2	5	9	11	21
65+	56	5.5	39	1	2	3	7	14	17	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	4.0	12	1	1	3	5	9	13	15
20-34	107	3.6	5	1	1	3	5	6	8	12
35-49	1183	3.8	5	1	2	3	5	7	8	12
50-64	3602	4.2	6	1	2	4	5	7	9	13
65+	6585	4.8	9	2	2	4	6	8	10	15
B. *Operated*										
0-19 YRS	5	8.0	69	<1	<1	6	11	22	22	22
20-34	35	4.7	9	2	2	3	7	9	11	13
35-49	614	4.3	15	1	2	3	6	9	11	17
50-64	1713	4.8	25	1	2	3	7	10	13	24
65+	1177	5.8	30	1	2	4	8	12	16	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1170	3.3	4	1	1	3	4	6	7	10
B. *Operated*	303	4.0	17	1	2	2	4	9	12	21
2. MULTIPLE DX										
A. *Not Operated*	11495	4.5	8	1	2	4	5	8	9	14
B. *Operated*	3544	5.1	25	1	2	3	7	11	14	25
1. SINGLE DX	1473	3.5	6	1	1	3	4	6	8	13
2. MULTIPLE DX	15039	4.6	12	1	2	4	6	8	11	17
A. NOT OPERATED	12665	4.4	8	1	2	4	5	8	9	14
B. OPERATED	3847	5.0	25	1	2	3	7	10	13	25
TOTAL 0-19 YRS	24	4.9	24	1	1	3	6	10	17	22
20-34	177	3.7	6	1	1	3	5	7	8	12
35-49	2140	3.8	8	1	2	3	5	7	9	13
50-64	5893	4.3	12	1	2	3	5	8	10	16
65+	8278	4.9	12	2	2	4	6	9	11	18
GRAND TOTAL	**16512**	**4.5**	**12**	**1**	**2**	**4**	**6**	**8**	**10**	**17**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	15	3.1	4	1	1	3	5	6	7	7
35-49	215	3.6	4	1	2	3	4	6	8	10
50-64	541	3.8	5	1	2	3	5	6	8	12
65+	828	4.4	6	1	2	4	5	7	9	13
B. *Operated*										
0-19 YRS										
20-34	4	6.8	13	4	4	5	9	12	12	12
35-49	65	5.7	17	1	2	5	7	13	14	19
50-64	144	6.6	22	1	2	5	9	14	17	20
65+	94	7.6	41	1	2	5	10	16	20	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	4.2	8	1	1	3	6	8	9	10
20-34	64	4.3	6	1	1	4	5	7	9	13
35-49	1129	4.4	8	1	2	4	5	7	9	14
50-64	4599	4.8	8	2	2	4	6	8	10	15
65+	10232	5.4	13	2	2	5	6	9	11	18
B. *Operated*										
0-19 YRS	2	9.0	2	8	8	9	10	10	10	10
20-34	24	8.7	46	2	3	7	10	13	22	36
35-49	590	6.8	22	2	2	6	9	13	15	23
50-64	1992	7.5	29	2	2	7	10	14	17	25
65+	2001	9.7	60	2	2	8	12	18	23	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1601	4.0	5	1	2	4	5	7	8	12
B. *Operated*	307	6.7	27	1	2	5	9	14	17	26
2. MULTIPLE DX										
A. *Not Operated*	16041	5.2	11	2	2	4	6	9	11	17
B. *Operated*	4609	8.4	43	2	2	7	11	15	20	32
1. SINGLE DX	1908	4.5	10	1	2	4	5	8	10	17
2. MULTIPLE DX	20650	5.9	20	2	2	5	7	11	14	22
A. NOT OPERATED	17642	5.1	11	2	2	4	6	9	11	17
B. OPERATED	4916	8.3	42	2	2	7	11	15	19	31
TOTAL 0-19 YRS	21	4.5	9	<1	1	3	7	9	10	10
20-34	107	5.2	19	1	1	4	6	10	12	25
35-49	1999	5.0	13	1	2	4	6	9	12	18
50-64	7276	5.5	16	2	2	4	7	10	13	20
65+	13155	6.0	22	2	2	5	7	11	14	24
GRAND TOTAL	**22558**	**5.8**	**20**	**2**	**2**	**5**	**7**	**10**	**13**	**22**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	7	2.6	3	<1	<1	2	3	5	6	6
35-49	41	3.6	5	<1	1	3	5	7	8	9
50-64	87	3.8	5	1	1	3	5	8	9	11
65+	75	3.9	10	1	2	3	4	7	9	20
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	20	4.1	9	1	2	3	7	9	9	9
35-49	431	4.4	14	1	1	2	7	10	12	17
50-64	1042	4.7	19	1	1	2	8	11	13	18
65+	345	5.7	25	1	2	3	9	13	16	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	35	4.1	9	1	1	3	5	7	11	14
35-49	379	4.6	12	1	2	4	6	8	11	18
50-64	1207	4.9	12	1	2	4	6	9	11	20
65+	1857	5.8	19	2	2	5	7	10	13	21
B. *Operated*										
0-19 YRS	10	6.6	31	<1	<1	6	11	14	16	16
20-34	78	4.9	12	2	2	3	8	11	11	15
35-49	1661	5.6	24	1	2	3	8	11	14	22
50-64	4726	6.6	36	1	2	4	10	14	17	27
65+	3009	8.3	55	2	2	7	12	17	20	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	211	3.7	7	1	1	3	5	7	8	11
B. *Operated*	1840	4.8	19	1	1	2	8	11	14	19
2. MULTIPLE DX										
A. *Not Operated*	3481	5.4	16	1	2	4	7	9	12	21
B. *Operated*	9484	7.0	41	1	2	5	10	14	18	29
1. SINGLE DX	2051	4.7	18	1	1	2	7	11	13	19
2. MULTIPLE DX	12965	6.5	35	1	2	5	9	13	17	27
A. NOT OPERATED	3692	5.3	15	1	2	4	7	9	12	20
B. OPERATED	11324	6.6	38	1	2	4	10	14	17	28
TOTAL 0-19 YRS	16	4.9	25	<1	<1	2	9	12	15	16
20-34	140	4.5	11	1	2	3	7	9	11	14
35-49	2512	5.2	21	1	2	3	8	11	13	20
50-64	7062	6.0	30	1	2	4	9	13	16	25
65+	5286	7.2	41	2	2	5	10	15	18	30
GRAND TOTAL	**15016**	**6.3**	**33**	**1**	**2**	**4**	**9**	**13**	**16**	**26**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	9.6	29	5	5	8	10	19	21	21
20-34	60	7.5	11	2	4	7	9	12	14	17
35-49	91	8.1	10	2	4	8	10	12	14	17
50-64	98	8.8	8	5	5	9	11	13	14	16
65+	126	10.2	12	5	6	10	12	15	16	21
B. *Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	19	9.3	15	2	4	9	12	15	16	16
35-49	17	9.2	9	4	5	9	11	13	14	14
50-64	19	10.2	17	3	5	10	13	16	17	17
65+	16	11.6	51	5	6	9	14	17	30	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	9.6	44	<1	2	8	14	19	24	24
20-34	102	9.0	15	4	4	9	10	14	16	23
35-49	242	9.3	14	4	5	9	11	13	15	22
50-64	435	10.7	31	5	6	10	12	17	20	32
65+	1121	11.5	35	5	6	10	13	18	22	31
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	47	11.9	56	2	4	10	15	20	23	45
35-49	77	11.8	32	6	6	11	14	18	23	36
50-64	150	13.8	62	6	7	12	16	24	34	48
65+	262	15.6	79	7	8	13	19	27	35	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	382	8.9	12	4	5	9	11	13	15	18
B. *Operated*	72	10.1	22	4	5	9	13	15	16	31
2. MULTIPLE DX										
A. *Not Operated*	1911	10.9	31	4	6	10	13	17	21	30
B. *Operated*	537	14.2	67	6	7	12	17	24	31	48
1. SINGLE DX	454	9.1	13	4	5	9	11	14	15	18
2. MULTIPLE DX	2448	11.6	41	5	6	10	14	18	23	38
A. NOT OPERATED	2293	10.5	28	4	6	10	12	16	20	29
B. OPERATED	609	13.7	64	6	7	12	16	22	30	48
TOTAL 0-19 YRS	20	9.8	35	1	4	8	13	19	22	24
20-34	228	9.2	24	3	4	9	11	15	18	26
35-49	427	9.5	18	4	5	9	11	14	16	24
50-64	702	11.1	36	5	6	10	13	17	22	38
65+	1525	12.1	43	5	6	11	14	19	24	37
GRAND TOTAL	**2902**	**11.2**	**37**	**4**	**6**	**10**	**13**	**18**	**22**	**35**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	4	12.5	442	1	1	2	23	44	44	44
35-49	3	19.3	104	12	12	15	27	31	31	31
50-64	5	20.2	131	9	9	14	32	34	34	34
65+	5	10.2	141	3	3	4	14	31	31	31
B. *Operated*										
0-19 YRS										
20-34	1	26.0		26	26	26	26	26	26	26
35-49										
50-64										
65+	1	45.0		45	45	45	45	45	45	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	22.5	267	1	3	22	35	46	49	53
20-34	48	20.5	136	3	5	19	29	36	43	45
35-49	30	23.7	229	3	3	26	33	41	46	63
50-64	42	19.7	226	2	4	16	30	44	48	60
65+	71	24.5	305	4	7	21	35	43	53	93
B. *Operated*										
0-19 YRS	3	16.7	210	2	2	17	27	31	31	31
20-34	34	29.7	283	2	5	29	36	49	60	73
35-49	20	30.0	333	10	12	24	42	50	69	84
50-64	25	30.8	357	6	9	31	44	48	94	99+
65+	46	33.5	222	11	16	33	44	53	60	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	15.0	175	1	2	11	31	33	40	44
B. *Operated*	2	35.5	181	26	26	35	45	45	45	45
2. MULTIPLE DX										
A. *Not Operated*	213	22.3	237	3	5	20	32	43	46	71
B. *Operated*	128	31.0	280	6	10	31	43	49	62	94
1. SINGLE DX	20	17.1	206	1	2	12	31	39	44	45
2. MULTIPLE DX	341	25.6	270	3	6	24	36	46	53	85
A. NOT OPERATED	231	21.8	235	3	4	19	31	43	46	67
B. OPERATED	130	31.1	278	6	10	31	44	49	62	94
TOTAL 0-19 YRS	26	21.4	250	1	2	19	32	45	48	53
20-34	87	23.8	224	3	4	26	32	44	48	69
35-49	53	25.8	265	3	5	25	34	44	53	83
50-64	72	23.6	287	3	6	19	34	46	51	98
65+	123	27.4	295	4	7	24	39	48	55	87
GRAND TOTAL	**361**	**25.1**	**270**	**3**	**5**	**23**	**35**	**45**	**52**	**84**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	2.5	5	<1	1	2	3	6	9	9
20-34	29	2.3	2	1	1	2	3	4	5	6
35-49	59	2.1	2	<1	1	2	3	4	5	8
50-64	90	2.5	2	1	1	2	3	4	5	8
65+	63	3.2	9	1	1	2	4	5	7	20
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	2.9	3	1	1	3	4	5	7	9
20-34	47	3.2	3	1	1	3	4	6	7	8
35-49	162	3.2	7	1	1	3	4	6	7	13
50-64	304	3.8	8	1	1	3	5	7	9	14
65+	604	4.9	14	1	2	4	6	9	11	15
B. *Operated*										
0-19 YRS	3	5.3	8	2	2	7	7	7	7	7
20-34	3	6.7	1	6	6	6	8	8	8	8
35-49	12	3.5	5	2	2	2	5	6	9	9
50-64	37	6.3	19	2	2	5	8	12	16	20
65+	36	10.6	75	2	2	9	13	23	27	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	270	2.5	4	1	1	2	3	5	6	9
B. *Operated*	5	2.8	2	2	2	2	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	1155	4.2	11	1	1	3	5	8	10	14
B. *Operated*	91	7.6	44	2	2	6	10	15	23	36
1. SINGLE DX	275	2.5	4	1	1	2	3	5	6	9
2. MULTIPLE DX	1246	4.5	14	1	1	3	6	9	11	19
A. NOT OPERATED	1425	3.9	10	1	1	3	5	7	9	14
B. OPERATED	96	7.4	43	2	2	6	9	14	22	36
TOTAL 0-19 YRS	70	2.9	4	1	1	2	4	6	7	9
20-34	79	3.0	3	1	1	2	4	6	7	8
35-49	235	3.0	6	1	1	2	4	5	6	10
50-64	432	3.8	8	1	1	3	5	7	9	15
65+	705	5.0	18	1	2	4	6	9	12	23
GRAND TOTAL	**1521**	**4.1**	**13**	**1**	**1**	**3**	**5**	**8**	**10**	**17**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.2	4	1	1	3	4	6	6	6
20-34	61	2.0	2	<1	<1	1	3	3	4	10
35-49	120	2.4	3	<1	1	2	3	4	5	9
50-64	252	2.7	3	<1	1	2	3	5	6	8
65+	337	3.3	5	1	1	3	4	6	8	11
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	5	1.8	1	1	1	2	2	3	3	3
65+	19	6.2	31	1	1	5	8	15	19	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	4.0	4	1	2	4	5	7	8	8
20-34	132	2.8	6	1	1	2	3	5	7	11
35-49	374	3.6	6	1	1	3	5	7	9	11
50-64	1497	4.4	12	1	1	4	6	8	10	19
65+	4620	5.4	16	1	2	4	7	10	13	21
B. *Operated*										
0-19 YRS										
20-34	10	5.5	15	1	1	4	8	11	12	12
35-49	22	4.4	9	1	1	4	8	9	10	10
50-64	161	7.5	34	2	2	6	9	14	20	32
65+	452	9.8	49	2	3	8	13	18	22	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	776	2.8	4	<1	1	2	4	5	7	10
B. *Operated*	25	5.2	27	1	1	3	7	14	17	22
2. MULTIPLE DX										
A. *Not Operated*	6648	5.0	15	1	2	4	6	9	12	20
B. *Operated*	645	8.9	45	2	3	7	11	18	21	34
1. SINGLE DX	801	2.9	5	<1	1	2	4	5	7	11
2. MULTIPLE DX	7293	5.3	19	1	2	4	7	10	13	22
A. NOT OPERATED	7424	4.8	14	1	1	4	6	9	11	19
B. OPERATED	670	8.8	45	2	2	7	11	17	21	34
TOTAL 0-19 YRS	31	3.8	4	1	1	4	5	7	8	8
20-34	203	2.7	6	1	1	2	3	5	7	12
35-49	517	3.4	6	1	1	3	4	7	8	11
50-64	1915	4.4	14	1	1	3	6	8	11	20
65+	5428	5.6	20	1	2	4	7	10	14	23
GRAND TOTAL	**8094**	**5.1**	**18**	**1**	**2**	**4**	**6**	**10**	**13**	**22**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	3.2	8	1	1	2	4	7	9	17
20-34	107	2.5	2	1	1	2	3	5	5	8
35-49	195	2.7	3	<1	1	2	4	5	6	8
50-64	223	3.3	6	1	1	3	4	6	8	15
65+	328	4.3	20	1	1	4	5	7	9	15
B. *Operated*										
0-19 YRS	11	4.7	19	2	2	3	6	11	16	17
20-34	8	3.8	9	1	1	2	5	9	10	10
35-49	33	4.8	11	1	2	4	7	8	9	16
50-64	68	5.1	13	1	2	5	7	9	11	21
65+	230	6.1	20	2	3	5	7	10	12	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	129	3.9	8	1	1	3	5	8	11	14
20-34	314	3.4	6	1	1	3	4	6	7	13
35-49	815	4.0	7	1	1	3	5	7	9	14
50-64	2069	5.0	18	1	2	4	6	9	12	22
65+	5965	5.9	17	2	2	5	7	10	13	21
B. *Operated*										
0-19 YRS	33	10.5	187	1	2	6	11	42	92	99+
20-34	44	6.1	12	1	2	5	8	11	13	14
35-49	145	6.8	44	1	2	5	9	15	18	51
50-64	601	7.6	45	2	2	6	9	13	17	41
65+	2971	8.7	38	2	3	7	11	15	19	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	909	3.4	11	1	1	3	4	6	8	13
B. *Operated*	350	5.7	18	2	2	5	7	9	12	23
2. MULTIPLE DX										
A. *Not Operated*	9292	5.4	17	1	2	4	7	10	13	21
B. *Operated*	3794	8.4	40	2	3	7	10	15	19	37
1. SINGLE DX	1259	4.1	14	1	1	3	5	7	9	17
2. MULTIPLE DX	13086	6.3	25	2	2	5	8	12	15	26
A. NOT OPERATED	10201	5.2	16	1	2	4	6	9	12	21
B. OPERATED	4144	8.2	39	2	3	7	10	15	18	36
TOTAL 0-19 YRS	229	4.7	40	1	1	3	5	9	12	73
20-34	473	3.4	7	1	1	3	4	6	8	14
35-49	1188	4.1	12	1	1	3	5	8	10	17
50-64	2961	5.4	24	1	2	4	7	10	13	27
65+	9494	6.7	26	2	2	5	8	12	15	26
GRAND TOTAL	**14345**	**6.1**	**25**	**1**	**2**	**5**	**8**	**11**	**15**	**26**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	4.9	7	2	2	4	7	8	10	11
20-34	6	5.5	14	2	2	5	8	11	11	11
35-49	49	4.4	6	1	1	4	6	8	8	11
50-64	190	5.3	12	2	2	5	7	9	11	17
65+	804	5.8	17	2	2	5	7	11	14	21
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	1	2.0		2	2	2	2	2	2	2
35-49	5	6.8	10	2	2	7	8	11	11	11
50-64	16	8.6	46	1	2	6	12	19	23	24
65+	29	9.8	69	2	2	8	12	21	26	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	158	6.6	56	1	2	4	8	13	22	42
20-34	124	5.9	14	1	2	5	8	11	13	18
35-49	756	6.4	18	2	3	5	8	12	15	23
50-64	4546	6.9	23	2	3	6	8	12	15	26
65+	20782	7.7	31	2	3	6	9	14	18	29
B. *Operated*										
0-19 YRS	42	14.2	141	2	3	13	20	34	44	99+
20-34	46	7.4	35	<1	1	6	10	14	17	31
35-49	157	10.2	120	1	2	8	13	19	26	61
50-64	629	11.3	83	2	3	9	14	22	29	53
65+	1821	13.3	108	3	4	11	16	25	32	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1064	5.7	16	2	2	5	7	10	13	20
B. *Operated*	52	9.0	54	2	2	7	11	18	24	40
2. MULTIPLE DX										
A. *Not Operated*	26366	7.5	30	2	3	6	9	14	17	28
B. *Operated*	2695	12.5	104	2	4	10	16	24	31	57
1. SINGLE DX	11[illegible]6	5.8	18	2	2	5	7	11	14	22
2. MULTIPLE DX	29061	8.0	39	2	3	6	10	15	19	32
A. NOT OPERATED	27430	7.4	29	2	3	6	9	13	17	28
B. OPERATED	2747	12.5	103	2	4	10	16	24	31	56
TOTAL 0-19 YRS	216	8.0	78	1	2	5	10	19	27	56
20-34	177	6.2	19	1	2	5	8	11	14	24
35-49	967	6.9	36	2	2	5	8	13	16	29
50-64	5381	7.4	32	2	3	6	9	14	17	30
65+	23436	8.1	39	2	3	7	10	15	19	32
GRAND TOTAL	**30177**	**7.9**	**38**	**2**	**3**	**6**	**10**	**14**	**19**	**32**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	4.4	17	1	1	3	5	10	12	22
20-34	138	3.2	3	1	1	3	4	6	6	9
35-49	164	3.7	4	1	1	3	5	6	7	10
50-64	127	4.3	6	1	1	4	6	8	8	13
65+	77	5.0	20	1	2	4	6	9	11	28
B. *Operated*										
0-19 YRS	95	3.4	14	1	1	2	4	9	12	17
20-34	40	4.2	24	1	1	2	6	10	12	27
35-49	99	3.9	12	1	2	2	5	10	11	16
50-64	146	3.9	13	1	1	2	5	10	12	15
65+	79	8.8	56	1	2	7	13	17	24	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	111	5.3	26	1	1	4	6	10	16	28
20-34	361	4.7	20	1	2	4	5	9	11	22
35-49	682	5.3	16	1	2	4	7	10	13	21
50-64	1167	6.6	28	2	2	5	8	12	16	26
65+	1717	7.7	30	2	3	6	9	14	18	30
B. *Operated*										
0-19 YRS	99	7.4	88	1	1	4	9	19	26	49
20-34	154	7.6	67	1	2	5	10	15	21	38
35-49	402	7.3	72	1	2	5	9	15	22	56
50-64	811	8.7	83	2	2	6	11	18	24	46
65+	914	10.7	89	2	2	9	14	22	27	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	555	4.0	8	1	1	3	5	7	9	13
B. *Operated*	459	4.7	24	1	1	2	7	12	15	25
2. MULTIPLE DX										
A. *Not Operated*	4038	6.6	27	2	2	5	8	12	16	27
B. *Operated*	2380	9.1	84	2	2	7	12	19	25	48
1. SINGLE DX	1014	4.3	15	1	1	3	5	9	12	21
2. MULTIPLE DX	6418	7.5	50	2	2	6	9	15	20	35
A. NOT OPERATED	4593	6.3	26	2	2	5	8	12	16	26
B. OPERATED	2839	8.4	77	1	2	6	11	18	24	44
TOTAL 0-19 YRS	354	5.3	41	1	1	3	7	11	17	29
20-34	693	5.0	29	1	2	3	6	10	14	24
35-49	1347	5.6	32	1	2	4	7	11	15	31
50-64	2251	7.0	48	2	2	5	9	14	18	37
65+	2787	8.6	52	2	2	7	11	17	22	35
GRAND TOTAL	**7432**	**7.1**	**46**	**2**	**2**	**5**	**9**	**14**	**19**	**33**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	12	4.8	6	2	2	5	6	8	9	9
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	6	4.5	20	1	1	3	5	12	13	13
65+	3	3.3	5	2	2	2	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.3	3	2	2	4	5	6	6	6
20-34	2	8.0	8	6	6	8	10	10	10	10
35-49	23	5.3	13	2	2	4	7	11	14	16
50-64	107	4.5	6	2	2	4	5	8	9	14
65+	315	6.0	22	2	2	5	7	11	15	28
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	41	3.7	8	1	2	2	5	8	10	11
50-64	100	4.8	19	1	2	3	7	10	12	25
65+	80	9.5	143	1	2	6	12	19	26	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	4.0	6	1	1	3	6	8	9	9
B. *Operated*	10	4.0	12	1	1	3	5	9	13	13
2. MULTIPLE DX										
A. *Not Operated*	451	5.6	18	2	2	4	7	10	13	27
B. *Operated*	222	6.3	67	1	2	4	8	13	18	36
1. SINGLE DX	27	4.0	8	1	1	3	6	8	10	13
2. MULTIPLE DX	673	5.8	34	2	2	4	7	11	15	29
A. NOT OPERATED	468	5.6	17	2	2	4	7	10	13	27
B. OPERATED	232	6.2	65	1	2	4	8	13	18	35
TOTAL 0-19 YRS	4	4.3	3	2	2	4	5	6	6	6
20-34	3	6.0	16	2	2	6	9	10	10	10
35-49	67	4.2	10	1	2	3	6	9	11	15
50-64	216	4.6	13	1	2	4	6	9	11	17
65+	410	6.6	47	2	2	5	8	13	17	29
GRAND TOTAL	**700**	**5.8**	**33**	**2**	**2**	**4**	**7**	**11**	**15**	**28**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	7.8	16	2	2	9	10	11	11	11
35-49	5	1.8	2	1	1	1	2	4	4	4
50-64	5	4.6	19	<1	<1	3	8	11	11	11
65+	6	6.5	17	2	2	5	11	12	12	12
B. *Operated*										
0-19 YRS	2	8.0	18	5	5	8	11	11	11	11
20-34	23	11.8	25	4	6	11	16	18	20	20
35-49	36	14.3	159	2	2	11	21	26	45	54
50-64	30	17.5	172	2	3	15	24	31	52	57
65+	10	13.5	100	1	1	12	18	28	36	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	13.5	283	2	2	7	24	38	38	38
35-49	6	6.2	38	1	1	3	10	16	17	17
50-64	15	16.3	248	<1	1	13	22	47	52	54
65+	35	12.5	97	<1	1	11	14	22	29	53
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	22	22.0	319	3	4	17	27	50	61	68
35-49	64	22.6	234	5	9	18	30	49	62	99+
50-64	76	24.2	269	5	8	20	34	48	67	99+
65+	57	23.9	280	3	6	23	30	50	96	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	5.1	16	<1	<1	4	9	11	12	12
B. *Operated*	101	14.5	126	2	2	12	19	27	37	55
2. MULTIPLE DX										
A. *Not Operated*	60	12.9	140	<1	1	11	16	24	42	54
B. *Operated*	220	23.3	264	3	7	20	31	48	70	99+
1. SINGLE DX	121	12.9	120	1	2	11	17	25	34	55
2. MULTIPLE DX	280	21.1	255	2	5	17	28	47	63	99+
A. NOT OPERATED	80	10.9	120	<1	1	9	14	22	34	54
B. OPERATED	321	20.6	237	2	5	17	27	47	57	99+
TOTAL 0-19 YRS	3	7.0	12	5	5	5	10	11	11	11
20-34	53	15.9	186	2	3	11	18	36	46	68
35-49	111	18.1	223	1	2	14	25	43	54	99+
50-64	126	20.9	252	2	3	17	28	47	58	99+
65+	108	18.3	224	1	3	15	25	38	53	99+
GRAND TOTAL	**401**	**18.6**	**228**	**2**	**3**	**15**	**25**	**41**	**54**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	57.5	685	39	39	57	76	76	76	76
50-64	3	52.7	422	29	29	63	65	66	66	66
65+	5	27.6	336	5	5	24	44	50	50	50
B. *Operated*										
0-19 YRS										
20-34	3	49.3	1430	27	27	28	77	93	93	93
35-49	7	36.4	366	23	23	26	44	69	75	75
50-64	4	40.5	1486	16	16	24	62	98	98	98
65+	5	27.4	433	13	13	15	39	62	62	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	10	41.1	525	5	11	40	63	71	76	76
B. *Operated*	19	36.9	679	14	15	26	44	86	96	98
1. SINGLE DX										
2. MULTIPLE DX	29	38.4	609	13	15	28	53	76	93	98
A. NOT OPERATED	10	41.1	525	5	11	40	63	71	76	76
B. OPERATED	19	36.9	679	14	15	26	44	86	96	98
TOTAL 0-19 YRS										
20-34	3	49.3	1430	27	27	28	77	93	93	93
35-49	9	41.1	447	23	23	36	54	76	76	76
50-64	7	45.7	926	16	17	29	65	92	98	98
65+	10	27.5	342	5	9	20	42	56	62	62
GRAND TOTAL	**29**	**38.4**	**609**	**13**	**15**	**28**	**53**	**76**	**93**	**98**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	4.0	18	<1	<1	1	8	10	10	10
20-34	2	6.5	13	4	4	6	9	9	9	9
35-49	6	6.2	57	<1	<1	4	6	19	21	21
50-64	17	9.4	60	1	2	6	12	24	25	25
65+	47	10.9	89	1	1	8	14	19	30	47
B. *Operated*										
0-19 YRS	18	6.3	13	1	1	7	9	11	12	12
20-34	9	9.7	75	2	3	6	10	25	30	30
35-49	23	13.3	375	3	4	8	12	22	64	91
50-64	31	12.0	55	4	4	11	16	25	29	30
65+	52	9.7	50	2	4	8	12	21	26	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	2.2	1	1	1	2	3	4	4	4
20-34	9	15.0	589	2	3	7	11	53	79	79
35-49	32	8.9	33	1	2	8	12	18	20	22
50-64	117	11.0	116	1	2	8	13	22	35	60
65+	415	12.8	116	3	4	10	16	24	33	69
B. *Operated*										
0-19 YRS	24	15.7	219	1	3	12	21	48	74	99+
20-34	20	20.0	403	3	5	11	21	58	66	71
35-49	47	16.1	142	4	6	13	19	36	55	99+
50-64	105	18.1	217	5	7	13	22	40	61	87
65+	232	17.2	155	4	6	14	23	33	42	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	9.6	76	1	1	8	13	21	27	45
B. *Operated*	133	10.4	105	2	4	8	11	19	28	57
2. MULTIPLE DX										
A. *Not Operated*	584	12.0	119	2	3	9	15	23	33	64
B. *Operated*	428	17.3	182	4	6	13	22	37	50	77
1. SINGLE DX	210	10.1	94	1	2	8	12	20	28	48
2. MULTIPLE DX	1012	14.3	152	2	4	11	18	29	40	75
A. NOT OPERATED	661	11.7	114	2	2	9	15	22	32	61
B. OPERATED	561	15.7	173	4	5	11	19	32	45	76
TOTAL 0-19 YRS	58	9.2	126	1	1	7	11	22	38	97
20-34	40	15.9	355	3	4	9	15	46	66	79
35-49	108	12.8	162	2	3	10	16	22	42	95
50-64	270	13.8	156	2	3	10	17	28	40	68
65+	746	13.8	127	3	4	11	17	28	36	61
GRAND TOTAL	**1222**	**13.6**	**145**	**2**	**3**	**10**	**17**	**27**	**38**	**72**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	76.0		76	76	76	76	76	76	76
20-34	2	43.5	13	41	41	43	46	46	46	46
35-49	18	18.3	310	3	4	14	21	43	64	73
50-64	42	18.6	292	2	4	14	24	56	80	99+
65+	180	15.7	155	4	5	12	20	31	40	89
B. *Operated*										
0-19 YRS	1	4.0		4	4	52	99+	99+	99+	99+
20-34	2	29.0	450	14	14	29	44	44	44	44
35-49	11	34.7	996	6	7	23	72	93	99	99+
50-64	25	27.2	506	9	11	20	27	55	90	95
65+	47	26.4	261	7	8	24	36	52	62	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	243	16.9	208	3	5	13	20	38	51	99+
B. *Operated*	86	27.5	420	7	8	23	39	67	90	99+
1. SINGLE DX										
2. MULTIPLE DX	329	19.7	285	4	6	14	25	44	68	99+
A. NOT OPERATED	243	16.9	208	3	5	13	20	38	51	99+
B. OPERATED	86	27.5	420	7	8	23	39	67	90	99+
TOTAL 0-19 YRS	2	40.0	2592	4	4	76	94	99+	99+	99+
20-34	4	36.3	224	14	14	42	45	46	46	46
35-49	29	24.5	610	3	6	16	26	73	90	99+
50-64	67	21.8	383	4	6	16	26	56	88	99+
65+	227	17.9	195	4	6	14	25	38	44	93
GRAND TOTAL	**329**	**19.7**	**285**	**4**	**6**	**14**	**25**	**44**	**68**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	5.5	13	3	3	5	8	8	8	8
35-49	6	5.7	35	1	1	3	7	16	17	17
50-64	17	2.4	2	<1	1	2	3	5	5	5
65+	36	4.3	19	1	1	3	5	10	16	18
B. *Operated*										
0-19 YRS										
20-34	3	1.7		1	1	2	2	2	2	2
35-49	39	5.3	12	1	2	4	7	10	13	14
50-64	389	5.4	12	1	2	5	7	10	11	16
65+	639	5.8	18	2	2	5	7	10	12	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	10.0	128	2	2	10	18	18	18	18
20-34	1	25.0		25	25	25	25	25	25	25
35-49	13	4.5	16	1	1	4	6	8	15	16
50-64	87	4.9	14	1	1	4	6	11	12	20
65+	363	5.8	31	1	2	5	7	11	14	24
B. *Operated*										
0-19 YRS	6	5.5	1	5	5	5	6	7	7	7
20-34	2	7.0	32	3	3	7	11	11	11	11
35-49	105	6.8	34	2	2	6	8	12	17	34
50-64	1169	6.9	27	2	2	6	9	12	16	27
65+	2899	7.6	33	2	2	6	9	14	18	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	3.9	16	1	1	3	5	8	15	18
B. *Operated*	1070	5.6	16	1	2	5	7	10	11	19
2. MULTIPLE DX										
A. *Not Operated*	466	5.6	29	1	2	4	7	11	14	24
B. *Operated*	4181	7.4	31	2	2	6	9	13	17	30
1. SINGLE DX	1131	5.5	16	1	2	5	7	10	11	18
2. MULTIPLE DX	4647	7.2	31	2	2	6	9	13	17	29
A. NOT OPERATED	527	5.4	28	1	1	4	6	11	14	23
B. OPERATED	5251	7.0	28	2	2	6	9	13	16	28
TOTAL 0-19 YRS	8	6.6	23	2	3	5	6	15	18	18
20-34	8	6.9	66	1	1	3	9	21	25	25
35-49	163	6.2	27	1	2	5	7	11	15	20
50-64	1662	6.4	23	2	2	5	8	12	14	25
65+	3937	7.1	31	2	2	6	9	13	16	29
GRAND TOTAL	**5778**	**6.9**	**29**	**2**	**2**	**5**	**8**	**12**	**16**	**28**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	43.0		43	43	43	43	43	43	43
20-34	1	5.0		5	5	5	5	5	5	5
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	16	17.7	517	5	6	10	13	46	80	93
65+	36	9.9	38	3	4	8	14	20	23	25
B. *Operated*										
0-19 YRS	2	13.5	113	6	6	13	21	21	21	21
20-34	2	15.0	72	9	9	15	21	21	21	21
35-49	12	12.8	221	1	2	8	12	38	51	53
50-64	68	13.5	201	2	4	9	14	28	57	96
65+	166	11.9	79	2	3	9	17	24	28	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	56	12.4	198	3	4	8	14	23	38	90
B. *Operated*	250	12.4	117	2	3	9	16	25	31	66
1. SINGLE DX										
2. MULTIPLE DX	306	12.4	132	2	4	9	15	24	31	71
A. NOT OPERATED	56	12.4	198	3	4	8	14	23	38	90
B. OPERATED	250	12.4	117	2	3	9	16	25	31	66
TOTAL 0-19 YRS	3	23.3	346	6	6	21	37	43	43	43
20-34	3	11.7	69	5	5	9	18	21	21	21
35-49	14	11.4	200	1	2	7	12	33	49	53
50-64	84	14.3	258	2	4	9	14	28	59	98
65+	202	11.5	72	2	3	9	15	23	27	37
GRAND TOTAL	**306**	**12.4**	**132**	**2**	**4**	**9**	**15**	**24**	**31**	**71**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.8	3	<1	<1	2	4	5	5	5
20-34	3	1.7		1	1	2	2	2	2	2
35-49	18	5.4	8	<1	1	5	8	9	10	10
50-64	106	7.2	35	2	2	6	9	13	16	36
65+	326	7.8	29	2	3	6	10	14	17	28
B. *Operated*										
0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	9	6.7	23	2	2	6	9	14	15	15
35-49	18	7.1	41	2	2	5	7	19	23	25
50-64	40	7.8	70	2	2	6	9	13	28	41
65+	41	7.7	68	2	2	5	8	16	22	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	9.1	74	2	2	6	10	25	27	27
20-34	24	6.8	36	1	2	4	9	16	19	27
35-49	147	8.4	40	2	3	7	10	17	23	29
50-64	780	8.9	61	2	3	7	11	16	22	40
65+	4220	9.9	55	3	3	8	12	18	24	38
B. *Operated*										
0-19 YRS	9	15.6	91	5	6	13	20	31	33	33
20-34	22	8.9	89	2	2	7	10	16	30	46
35-49	88	9.5	62	2	3	7	10	18	29	40
50-64	262	11.8	122	3	3	9	14	25	33	67
65+	706	13.0	121	3	4	10	15	25	34	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	458	7.4	30	2	2	6	10	14	17	30
B. *Operated*	110	7.5	59	2	2	5	8	15	21	43
2. MULTIPLE DX										
A. *Not Operated*	5182	9.7	56	3	3	8	12	18	24	38
B. *Operated*	1087	12.3	117	3	4	9	14	25	33	61
1. SINGLE DX	568	7.5	35	2	2	6	9	14	17	38
2. MULTIPLE DX	6269	10.1	67	3	3	8	12	19	25	43
A. NOT OPERATED	5640	9.5	54	2	3	8	12	18	23	38
B. OPERATED	1197	11.9	113	2	3	9	14	24	33	60
TOTAL 0-19 YRS	27	9.7	81	1	2	7	13	26	29	33
20-34	58	7.3	53	2	2	5	9	15	18	44
35-49	271	8.5	46	2	3	7	10	17	25	36
50-64	1188	9.4	74	2	3	7	11	17	26	49
65+	5293	10.1	64	3	3	8	13	19	25	42
GRAND TOTAL	**6837**	**9.9**	**65**	**2**	**3**	**8**	**12**	**19**	**25**	**42**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	12.4	125	3	3	8	17	32	35	35
20-34	8	14.1	117	5	5	9	22	31	32	32
35-49	71	13.0	88	3	4	11	17	27	37	88
50-64	360	13.5	128	3	4	10	16	28	37	76
65+	1822	12.7	96	4	5	10	15	23	32	59
B. *Operated*										
0-19 YRS	3	11.0	4	9	9	11	12	13	13	13
20-34	7	13.7	162	2	2	13	17	35	39	39
35-49	19	12.1	72	3	4	10	16	31	68	99+
50-64	92	15.1	194	3	4	10	20	31	50	90
65+	298	16.9	180	4	5	13	21	35	49	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2269	12.8	101	3	4	10	15	24	33	61
B. *Operated*	419	16.1	177	4	5	12	21	35	49	86
1. SINGLE DX										
2. MULTIPLE DX	2688	13.3	114	4	5	10	16	26	36	65
A. NOT OPERATED	2269	12.8	101	3	4	10	15	24	33	61
B. OPERATED	419	16.1	177	4	5	12	21	35	49	86
TOTAL 0-19 YRS	11	12.0	89	3	4	9	12	28	34	35
20-34	15	13.9	128	2	3	11	17	32	37	39
35-49	90	12.8	84	3	4	11	17	28	38	99+
50-64	452	13.8	141	3	4	10	17	29	39	78
65+	2120	13.2	110	4	5	10	16	25	35	63
GRAND TOTAL	**2688**	**13.3**	**114**	**4**	**5**	**10**	**16**	**26**	**36**	**65**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	20	3.1	6	<1	1	2	4	7	8	9
35-49	53	3.1	4	1	1	3	4	6	7	11
50-64	196	3.3	4	1	1	3	4	5	7	11
65+	583	3.9	22	1	1	3	5	6	9	13
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	6	2.8	1	1	1	3	4	4	4	4
35-49	36	4.1	5	1	1	4	6	7	8	10
50-64	118	4.1	13	1	1	3	5	8	11	21
65+	142	3.9	7	1	2	3	5	7	8	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	4.2	13	1	1	4	4	10	13	13
20-34	35	4.0	5	1	2	4	5	8	9	10
35-49	217	4.5	16	1	2	3	6	8	10	19
50-64	1132	4.5	10	1	2	4	6	8	10	15
65+	6445	5.1	13	2	2	4	6	9	11	18
B. *Operated*										
0-19 YRS	4	7.5	34	3	3	5	11	16	16	16
20-34	18	5.3	41	1	1	4	5	9	21	29
35-49	116	5.5	13	2	2	5	7	10	13	19
50-64	541	5.5	12	2	2	5	7	10	12	17
65+	1304	7.1	39	2	2	6	9	13	17	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	855	3.7	16	1	1	3	4	6	8	13
B. *Operated*	303	4.0	9	1	1	3	5	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	7841	5.0	12	2	2	4	6	9	11	18
B. *Operated*	1983	6.5	31	2	2	5	8	12	15	29
1. SINGLE DX	1158	3.7	14	1	1	3	5	7	8	13
2. MULTIPLE DX	9824	5.3	16	2	2	4	7	10	12	20
A. NOT OPERATED	8696	4.9	13	1	2	4	6	9	11	17
B. OPERATED	2286	6.2	29	2	2	5	8	11	15	29
TOTAL 0-19 YRS	20	4.5	15	1	1	3	5	11	14	16
20-34	79	4.0	13	1	1	3	5	8	9	24
35-49	422	4.6	13	1	2	4	6	8	10	17
50-64	1987	4.6	10	1	2	4	6	8	11	15
65+	8474	5.3	18	2	2	4	7	10	12	21
GRAND TOTAL	**10982**	**5.2**	**17**	**1**	**2**	**4**	**6**	**9**	**12**	**20**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	2	2	2	3	4	5	5	5
20-34	6	5.0	2	3	3	5	6	6	6	6
35-49	35	6.0	22	<1	1	5	9	12	14	21
50-64	142	6.0	25	1	2	5	7	12	15	29
65+	471	8.9	52	2	3	7	11	17	22	35
B. *Operated*										
0-19 YRS	2	5.5	13	3	3	5	8	8	8	8
20-34	1	4.0		4	4	4	4	4	4	4
35-49	7	5.6	8	2	2	5	7	10	10	10
50-64	27	6.0	17	2	2	5	7	11	13	20
65+	45	10.3	125	2	2	8	12	20	44	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	7.0	21	1	2	8	10	13	14	15
20-34	22	6.4	10	2	2	7	9	10	11	11
35-49	131	9.3	113	2	3	6	11	17	25	62
50-64	877	8.2	49	2	3	7	10	15	20	56
65+	4170	10.0	69	3	3	8	12	18	25	47
B. *Operated*										
0-19 YRS	3	5.3		5	5	5	6	6	6	6
20-34	5	6.2	12	3	3	6	9	11	11	11
35-49	44	11.2	205	2	3	7	12	19	37	84
50-64	182	12.5	135	3	3	9	15	31	41	89
65+	486	14.1	132	3	4	11	17	30	40	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	657	8.0	45	2	2	6	10	16	21	33
B. *Operated*	82	8.3	79	2	2	6	10	15	21	90
2. MULTIPLE DX										
A. *Not Operated*	5215	9.7	67	2	3	8	12	18	24	48
B. *Operated*	720	13.4	137	3	4	10	16	30	40	75
1. SINGLE DX	739	8.1	49	2	2	6	10	16	21	35
2. MULTIPLE DX	5935	10.2	77	3	3	8	12	19	26	52
A. NOT OPERATED	5872	9.5	65	2	3	8	11	17	23	47
B. OPERATED	802	12.9	133	3	3	10	16	29	39	76
TOTAL 0-19 YRS	23	6.2	16	1	2	5	9	12	14	15
20-34	34	6.0	8	2	3	6	8	10	11	11
35-49	217	9.1	115	1	2	6	10	16	23	65
50-64	1228	8.6	61	2	3	7	10	16	22	57
65+	5172	10.3	75	3	3	8	12	19	26	50
GRAND TOTAL	**6674**	**9.9**	**74**	**2**	**3**	**8**	**12**	**19**	**25**	**51**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	6.5	6	3	3	7	8	9	9	9
20-34	7	13.9	235	3	3	6	18	41	46	46
35-49	57	10.9	152	1	1	8	13	20	25	83
50-64	375	11.1	97	2	4	9	13	21	26	57
65+	1577	12.5	122	3	4	9	15	24	31	69
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49	16	11.0	62	3	4	11	13	32	78	99+
50-64	67	15.8	255	3	4	10	18	39	48	87
65+	197	15.7	153	4	5	12	22	34	40	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2022	12.2	119	3	4	9	15	23	31	67
B. *Operated*	281	15.4	173	3	4	11	19	34	45	67
1. SINGLE DX										
2. MULTIPLE DX	2303	12.6	126	3	4	9	15	24	33	67
A. NOT OPERATED	2022	12.2	119	3	4	9	15	23	31	67
B. OPERATED	281	15.4	173	3	4	11	19	34	45	67
TOTAL 0-19 YRS	7	6.1	6	3	3	7	8	9	9	9
20-34	7	13.9	235	3	3	6	18	41	46	46
35-49	73	10.9	131	1	3	8	13	20	31	97
50-64	442	11.8	123	2	4	9	14	21	33	60
65+	1774	12.8	127	3	4	10	15	25	34	67
GRAND TOTAL	**2303**	**12.6**	**126**	**3**	**4**	**9**	**15**	**24**	**33**	**67**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.2	5	<1	<1	3	5	6	6	6
20-34	17	3.4	9	1	1	3	4	6	11	13
35-49	64	3.8	5	1	1	3	5	7	9	10
50-64	71	3.9	6	1	1	3	5	7	8	12
65+	108	4.7	14	1	2	4	5	10	13	18
B. *Operated*										
0-19 YRS	2	11.0	32	7	7	11	15	15	15	15
20-34	6	9.3	16	4	4	9	11	15	16	16
35-49	23	6.7	39	1	1	5	10	15	21	24
50-64	44	6.2	42	1	1	4	8	14	20	32
65+	42	4.8	16	1	2	3	6	9	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	4.0	10	1	1	3	6	9	10	10
20-34	57	4.8	11	1	2	4	7	10	12	15
35-49	219	5.2	14	1	2	4	7	9	13	22
50-64	534	5.9	23	1	2	5	7	11	14	26
65+	1619	6.9	48	2	2	5	8	12	17	36
B. *Operated*										
0-19 YRS	7	9.9	122	2	2	4	16	29	31	31
20-34	21	10.2	73	2	2	10	14	18	28	39
35-49	69	11.9	234	1	2	8	12	38	57	95
50-64	212	9.4	114	2	2	7	11	20	29	67
65+	374	9.3	86	2	2	7	12	19	25	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	266	4.1	9	1	1	3	5	8	11	16
B. *Operated*	117	6.0	32	1	1	4	8	14	18	27
2. MULTIPLE DX										
A. *Not Operated*	2437	6.5	39	2	2	5	8	12	16	32
B. *Operated*	683	9.7	110	2	2	7	12	20	31	56
1. SINGLE DX	383	4.7	17	1	1	3	6	9	13	20
2. MULTIPLE DX	3120	7.2	56	2	2	5	8	13	19	44
A. NOT OPERATED	2703	6.3	37	2	2	5	7	11	15	31
B. OPERATED	800	9.1	100	2	2	6	11	19	27	55
TOTAL 0-19 YRS	23	6.2	50	<1	1	4	7	16	23	31
20-34	101	6.0	29	1	2	4	9	13	15	29
35-49	375	6.3	61	1	2	4	7	11	17	65
50-64	861	6.6	48	1	2	5	8	12	17	39
65+	2143	7.2	54	2	2	5	8	14	19	40
GRAND TOTAL	**3503**	**6.9**	**52**	**2**	**2**	**5**	**8**	**13**	**18**	**41**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	8	1.6		<1	<1	2	2	2	2	2
65+	6	2.5	4	1	1	2	4	6	6	6
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	29	5.2	15	1	1	5	8	10	13	15
50-64	91	6.2	29	1	1	5	9	12	15	30
65+	120	7.0	44	1	1	6	10	14	16	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	9	3.9	14	<1	<1	2	6	10	11	11
50-64	48	4.9	15	<1	1	4	7	9	11	22
65+	193	6.6	67	1	1	5	7	12	18	46
B. *Operated*										
0-19 YRS	6	16.2	273	1	2	11	18	45	48	48
20-34	11	5.3	10	1	2	4	8	10	10	10
35-49	108	8.2	40	1	2	7	12	16	20	31
50-64	621	9.8	97	1	2	8	12	20	26	63
65+	1318	12.1	107	2	2	10	15	25	34	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.0	2	<1	1	2	2	4	6	6
B. *Operated*	241	6.4	35	1	1	5	9	13	15	22
2. MULTIPLE DX										
A. *Not Operated*	251	6.2	55	1	1	4	7	12	16	45
B. *Operated*	2064	11.2	102	2	2	9	14	23	33	54
1. SINGLE DX	255	6.2	34	1	1	5	9	13	15	21
2. MULTIPLE DX	2315	10.6	99	2	2	8	13	22	31	52
A. NOT OPERATED	265	6.0	53	1	1	4	7	11	15	43
B. OPERATED	2305	10.7	97	2	2	9	14	22	31	52
TOTAL 0-19 YRS	8	12.5	241	1	1	9	15	39	48	48
20-34	11	5.3	10	1	2	4	8	10	10	10
35-49	146	7.3	35	1	1	6	10	15	17	30
50-64	768	9.0	86	1	2	7	11	18	24	54
65+	1637	11.0	101	2	2	9	14	23	33	50
GRAND TOTAL	**2570**	**10.2**	**95**	**1**	**2**	**8**	**13**	**21**	**30**	**50**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64	8	2.0	1	<1	<1	2	3	4	4	4
65+	31	3.5	10	<1	<1	2	5	9	11	11
B. *Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	4	3.3	15	1	1	2	5	9	9	9
50-64	71	9.5	23	1	2	10	12	15	17	22
65+	137	9.8	25	1	2	10	13	15	18	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	4	5.5	18	1	1	5	9	10	10	10
50-64	34	4.6	13	1	1	4	7	9	12	15
65+	239	5.6	23	1	1	4	7	12	15	26
B. *Operated*										
0-19 YRS	3	11.0	73	2	2	12	17	19	19	19
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	18	13.2	90	2	4	11	15	28	36	39
50-64	363	11.3	61	2	5	10	13	17	24	43
65+	1114	14.0	94	2	5	12	16	24	31	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	3.0	8	<1	<1	2	4	8	10	11
B. *Operated*	213	9.5	25	1	2	10	12	15	18	23
2. MULTIPLE DX										
A. *Not Operated*	279	5.5	22	1	1	4	7	11	14	25
B. *Operated*	1500	13.3	87	2	5	11	15	23	30	54
1. SINGLE DX	255	8.5	28	1	1	9	12	14	17	23
2. MULTIPLE DX	1779	12.1	85	2	3	10	15	21	28	51
A. NOT OPERATED	321	5.2	21	1	1	4	7	11	14	23
B. OPERATED	1713	12.9	81	2	4	11	15	22	28	52
TOTAL 0-19 YRS	3	11.0	73	2	2	12	17	19	19	19
20-34	5	1.6	1	<1	<1	1	2	3	3	3
35-49	29	9.6	82	1	1	9	12	20	31	39
50-64	476	10.4	55	2	2	9	12	16	22	39
65+	1521	12.1	86	2	2	11	15	22	28	53
GRAND TOTAL	**2034**	**11.7**	**79**	**2**	**2**	**10**	**14**	**21**	**26**	**47**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.0	1	<1	<1	2	3	3	3	3
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	3	2.7	4	1	1	2	4	5	5	5
B. *Operated*										
0-19 YRS	7	5.0	16	<1	<1	6	8	10	11	11
20-34	13	5.8	39	1	1	3	6	16	22	23
35-49	22	6.9	30	1	1	5	11	12	17	24
50-64	27	6.6	16	2	2	7	9	12	14	16
65+	38	8.8	50	1	2	8	11	16	22	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34										
35-49										
50-64	8	7.4	42	1	1	6	11	18	20	20
65+	17	4.9	36	1	1	3	5	12	21	25
B. *Operated*										
0-19 YRS	8	5.9	25	1	1	5	9	13	14	14
20-34	10	10.2	65	1	2	9	13	23	24	24
35-49	33	10.0	53	1	2	9	12	18	25	35
50-64	102	10.8	61	2	3	9	14	19	25	45
65+	179	11.5	58	2	3	10	14	20	27	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.1	2	<1	<1	2	3	5	5	5
B. *Operated*	107	7.2	34	1	1	6	10	13	17	30
2. MULTIPLE DX										
A. *Not Operated*	26	5.7	36	1	1	3	7	13	21	25
B. *Operated*	332	10.9	58	2	3	9	14	20	26	41
1. SINGLE DX	114	6.9	34	1	1	5	10	12	16	29
2. MULTIPLE DX	358	10.6	58	1	2	9	14	20	25	41
A. NOT OPERATED	33	5.0	31	1	1	3	6	12	19	25
B. OPERATED	439	10.0	55	1	2	9	13	19	24	40
TOTAL 0-19 YRS	16	5.5	18	<1	1	6	9	11	13	14
20-34	26	7.0	50	1	1	4	10	22	23	24
35-49	55	8.7	46	1	1	7	12	17	23	35
50-64	138	9.7	53	2	2	8	13	18	23	42
65+	237	10.5	59	1	2	9	14	20	25	40
GRAND TOTAL	**472**	**9.7**	**55**	**1**	**2**	**8**	**13**	**18**	**24**	**40**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	8.0	2	7	7	8	9	9	9	9
20-34	8	5.3	10	<1	1	5	8	10	10	10
35-49	17	6.1	10	1	2	6	8	10	12	13
50-64	21	4.4	21	1	1	2	5	10	15	21
65+	16	4.6	10	1	1	4	7	9	10	10
B. *Operated*										
0-19 YRS	3	8.0	7	5	5	9	10	10	10	10
20-34	12	6.5	14	2	2	6	9	12	14	14
35-49	67	5.9	13	1	1	6	9	10	11	15
50-64	211	7.0	21	1	2	7	10	12	14	25
65+	177	7.1	19	1	1	7	10	12	15	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	11	7.4	19	2	2	8	9	13	18	18
35-49	24	8.0	83	1	2	6	9	11	23	48
50-64	56	7.5	64	1	1	5	10	13	22	48
65+	190	6.7	19	1	2	6	9	12	15	21
B. *Operated*										
0-19 YRS	2	12.0	200	2	2	12	22	22	22	22
20-34	32	10.8	69	2	3	8	13	21	30	38
35-49	208	9.6	45	2	2	9	12	16	23	43
50-64	948	10.5	80	2	2	9	13	20	26	48
65+	1790	11.7	88	2	3	10	14	21	28	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	5.1	14	1	1	4	8	9	11	20
B. *Operated*	470	6.9	19	1	2	7	10	12	14	19
2. MULTIPLE DX										
A. *Not Operated*	283	6.9	33	1	2	6	9	12	16	30
B. *Operated*	2980	11.2	83	2	2	9	14	20	27	48
1. SINGLE DX	534	6.7	19	1	2	6	10	12	14	20
2. MULTIPLE DX	3263	10.8	80	2	2	9	13	20	26	48
A. NOT OPERATED	347	6.6	30	1	2	6	9	11	15	27
B. OPERATED	3450	10.6	76	2	2	9	13	19	26	47
TOTAL 0-19 YRS	9	8.2	33	2	3	7	9	17	22	22
20-34	63	8.7	46	2	2	7	11	18	21	37
35-49	316	8.5	42	1	2	8	10	15	19	40
50-64	1236	9.6	71	1	2	8	12	18	24	46
65+	2173	10.9	79	2	2	9	13	20	26	47
GRAND TOTAL	**3797**	**10.2**	**73**	**2**	**2**	**9**	**12**	**19**	**25**	**46**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	108	5.3	12	1	2	5	7	9	10	18
20-34	12	4.3	8	1	1	4	6	9	10	10
35-49	25	3.8	5	1	2	3	5	8	8	9
50-64	18	3.8	5	<1	1	4	6	7	8	8
65+	46	4.5	11	<1	1	4	6	9	11	15
B. *Operated*										
0-19 YRS	14	8.0	106	1	1	3	9	29	31	31
20-34	34	4.4	9	1	2	3	6	10	10	11
35-49	82	5.8	22	1	1	4	8	12	16	23
50-64	187	4.8	16	1	1	3	7	10	13	18
65+	159	6.0	55	1	1	4	8	12	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	85	7.1	30	2	2	6	8	14	17	29
20-34	47	4.7	12	1	2	4	5	8	10	20
35-49	87	5.8	12	1	2	5	9	10	11	68
50-64	190	5.3	19	1	1	4	7	11	16	23
65+	427	5.9	22	1	2	5	8	11	16	22
B. *Operated*										
0-19 YRS	28	14.0	227	1	2	8	19	42	62	99+
20-34	46	8.9	73	2	2	7	10	19	25	48
35-49	207	9.1	114	1	2	6	11	19	26	59
50-64	645	8.9	95	1	2	6	11	18	24	52
65+	1123	10.1	89	1	2	8	13	20	28	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	209	4.8	10	1	1	4	6	9	10	17
B. *Operated*	476	5.4	32	1	1	4	8	11	14	21
2. MULTIPLE DX										
A. *Not Operated*	836	5.8	21	1	2	5	8	11	15	23
B. *Operated*	2049	9.6	95	1	2	7	12	20	27	52
1. SINGLE DX	685	5.2	26	1	1	4	7	10	13	19
2. MULTIPLE DX	2885	8.5	77	1	2	6	11	17	24	48
A. NOT OPERATED	1045	5.6	19	1	2	5	7	11	14	22
B. OPERATED	2525	8.8	86	1	2	7	11	18	25	50
TOTAL 0-19 YRS	235	7.1	56	1	2	5	9	14	21	45
20-34	139	6.0	35	1	2	4	8	11	17	31
35-49	401	7.4	69	1	2	5	9	14	20	44
50-64	1040	7.4	69	1	2	5	9	16	21	44
65+	1755	8.5	72	1	2	6	11	17	24	45
GRAND TOTAL	**3570**	**7.9**	**69**	**1**	**2**	**6**	**10**	**16**	**22**	**44**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	6.5	8	3	3	6	8	10	13	14
20-34	252	6.7	12	2	3	6	9	11	14	18
35-49	366	7.3	13	2	3	7	9	12	14	18
50-64	311	6.7	10	2	3	6	8	11	12	17
65+	308	7.3	13	2	3	7	9	11	13	16
B. *Operated*										
0-19 YRS	14	6.1	21	1	1	5	10	13	14	14
20-34	106	5.7	12	1	2	5	8	11	12	15
35-49	131	6.8	15	1	2	6	9	12	13	17
50-64	137	6.5	15	1	2	6	9	12	14	17
65+	104	7.4	18	1	2	7	10	13	14	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	7.4	15	2	3	7	10	13	15	16
20-34	269	7.5	20	2	3	7	9	14	16	22
35-49	550	7.8	20	2	3	7	10	13	16	25
50-64	855	8.3	25	3	4	8	10	13	17	26
65+	1651	8.8	27	3	4	8	10	14	17	27
B. *Operated*										
0-19 YRS	7	7.3	11	2	3	7	8	12	13	13
20-34	122	8.9	59	2	2	8	11	15	20	52
35-49	234	8.7	53	2	3	7	10	16	19	37
50-64	373	8.9	47	2	3	8	11	16	19	32
65+	643	9.9	48	2	4	9	12	17	21	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1261	7.0	12	2	3	7	9	11	13	17
B. *Operated*	492	6.6	15	1	2	6	9	12	13	17
2. MULTIPLE DX										
A. *Not Operated*	3354	8.4	25	3	4	8	10	13	16	26
B. *Operated*	1379	9.3	50	2	3	8	11	16	20	34
1. SINGLE DX	1753	6.9	13	2	2	7	9	11	13	17
2. MULTIPLE DX	4733	8.7	32	2	3	8	10	14	18	29
A. NOT OPERATED	4615	8.0	22	3	3	7	10	13	15	23
B. OPERATED	1871	8.6	42	2	2	8	11	15	19	32
TOTAL 0-19 YRS	74	6.9	13	2	3	6	9	13	14	16
20-34	749	7.2	23	2	2	6	9	12	15	23
35-49	1281	7.7	24	2	3	7	10	13	15	27
50-64	1676	8.0	27	2	3	7	10	13	17	27
65+	2706	8.8	30	3	4	8	11	14	17	29
GRAND TOTAL	**6486**	**8.2**	**28**	**2**	**3**	**7**	**10**	**13**	**17**	**27**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	14.5	145	6	6	14	23	23	23	23
35-49	14	7.1	43	1	1	4	10	17	20	21
50-64	22	6.8	22	1	2	6	8	12	18	22
65+	35	8.9	65	2	3	7	10	15	30	37
B. *Operated*										
0-19 YRS	10	2.4	1	1	1	2	3	4	4	4
20-34	241	3.3	5	1	1	3	4	5	7	12
35-49	437	3.7	5	1	2	3	4	6	8	13
50-64	341	4.5	13	1	2	3	5	8	12	21
65+	146	6.7	45	1	2	4	7	16	24	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	14	4.6	10	<1	<1	4	7	8	11	12
35-49	56	6.0	13	1	1	5	8	11	13	17
50-64	93	7.9	37	1	3	6	10	14	19	35
65+	326	10.1	55	3	4	8	12	18	24	43
B. *Operated*										
0-19 YRS	4	2.5	2	1	1	2	3	4	4	4
20-34	78	5.0	18	1	2	4	5	11	14	22
35-49	198	6.7	55	2	2	4	7	14	21	36
50-64	262	7.7	50	2	2	5	9	16	20	38
65+	375	13.1	124	2	3	10	17	28	33	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	8.1	49	1	2	7	9	16	23	35
B. *Operated*	1175	4.2	13	1	2	3	5	7	10	21
2. MULTIPLE DX										
A. *Not Operated*	491	9.1	48	2	3	7	11	16	22	40
B. *Operated*	917	9.5	88	2	2	6	13	20	28	43
1. SINGLE DX	1248	4.5	16	1	2	3	5	8	12	23
2. MULTIPLE DX	1408	9.3	74	2	3	7	12	19	26	42
A. NOT OPERATED	564	8.9	48	2	3	7	11	16	22	39
B. OPERATED	2092	6.5	53	1	2	4	7	15	21	36
TOTAL 0-19 YRS	16	2.4	1	1	1	2	3	4	4	4
20-34	335	3.9	10	1	1	3	4	7	10	19
35-49	705	4.8	22	1	2	4	5	9	12	23
50-64	718	6.2	32	1	2	4	7	13	17	31
65+	882	10.8	88	2	3	8	14	22	30	45
GRAND TOTAL	**2656**	**7.0**	**53**	**1**	**2**	**4**	**8**	**15**	**21**	**37**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.3	4	<1	<1	1	4	5	5	5
20-34	61	2.3	1	<1	1	2	3	4	4	5
35-49	52	2.6	2	<1	1	2	4	5	6	7
50-64	41	2.6	3	1	1	2	4	5	6	7
65+	21	3.1	4	<1	1	3	4	6	7	8
B. *Operated*										
0-19 YRS	16	2.6	3	<1	<1	2	4	5	6	6
20-34	398	3.8	3	1	2	4	5	6	7	9
35-49	470	4.0	4	1	2	4	5	6	7	10
50-64	278	4.1	4	1	2	4	5	7	8	11
65+	92	4.1	5	1	2	4	5	6	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.2	5	<1	<1	3	4	7	7	7
20-34	84	3.2	3	<1	1	3	4	5	7	10
35-49	190	3.2	4	1	1	3	4	6	7	11
50-64	198	3.4	6	1	1	3	4	6	7	15
65+	228	3.7	5	1	1	3	5	7	8	11
B. *Operated*										
0-19 YRS	46	3.7	3	1	1	4	4	6	7	7
20-34	1208	4.4	5	2	2	4	5	7	8	11
35-49	2145	4.6	5	2	2	4	6	7	8	12
50-64	1604	4.9	7	2	3	4	6	8	9	14
65+	897	5.5	16	2	3	5	6	9	12	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	182	2.6	2	<1	1	2	3	5	5	7
B. *Operated*	1254	4.0	4	1	2	4	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	710	3.4	5	1	1	3	4	6	7	11
B. *Operated*	5900	4.8	7	2	2	4	6	7	9	14
1. SINGLE DX	1436	3.8	4	1	1	4	5	6	7	10
2. MULTIPLE DX	6610	4.6	7	2	2	4	5	7	9	14
A. NOT OPERATED	892	3.2	5	1	1	3	4	6	7	11
B. OPERATED	7154	4.6	7	2	2	4	5	7	9	14
TOTAL 0-19 YRS	79	3.3	3	<1	1	3	4	6	7	7
20-34	1751	4.1	5	1	2	4	5	6	8	10
35-49	2857	4.4	5	2	2	4	5	7	8	12
50-64	2121	4.6	7	2	2	4	5	7	9	13
65+	1238	5.0	14	1	2	4	6	8	11	17
GRAND TOTAL	**8046**	**4.5**	**7**	**1**	**2**	**4**	**5**	**7**	**9**	**13**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	3.7	9	1	1	3	5	8	10	14
20-34	85	7.2	92	1	2	6	8	10	13	64
35-49	120	6.5	17	1	2	6	8	12	14	21
50-64	139	6.3	13	1	2	6	8	11	14	16
65+	144	6.5	15	1	2	6	9	11	13	20
B. *Operated*										
0-19 YRS	96	3.1	13	<1	1	2	3	8	11	20
20-34	179	3.4	14	<1	1	2	3	8	12	19
35-49	141	5.7	24	<1	<1	5	8	12	15	26
50-64	100	6.9	25	1	1	6	10	14	16	23
65+	106	7.0	18	1	2	6	10	13	15	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	4.1	10	1	1	3	6	9	11	13
20-34	184	6.0	20	1	1	5	8	14	15	18
35-49	361	6.5	28	1	2	5	8	12	15	31
50-64	776	6.5	30	1	2	5	9	12	14	26
65+	1927	6.9	21	2	2	6	9	12	15	23
B. *Operated*										
0-19 YRS	63	6.3	61	1	1	2	9	17	22	40
20-34	236	6.2	38	1	1	4	8	14	18	29
35-49	283	8.1	54	1	2	7	10	15	19	54
50-64	392	9.5	57	2	2	8	12	17	22	39
65+	822	10.8	76	2	3	9	13	19	27	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	521	6.4	27	1	2	6	8	11	13	20
B. *Operated*	622	5.1	21	<1	1	3	8	12	14	20
2. MULTIPLE DX										
A. *Not Operated*	3297	6.7	24	1	2	6	9	12	14	24
B. *Operated*	1796	9.3	65	1	2	8	12	17	23	40
1. SINGLE DX	1143	5.7	24	1	1	5	8	11	14	20
2. MULTIPLE DX	5093	7.6	40	1	2	6	10	14	18	32
A. NOT OPERATED	3818	6.6	24	1	2	6	9	12	14	23
B. OPERATED	2418	8.2	57	1	1	7	11	16	21	36
TOTAL 0-19 YRS	241	4.2	26	1	1	2	5	10	15	23
20-34	684	5.5	35	1	1	4	8	12	15	25
35-49	905	6.9	35	1	2	6	9	13	16	31
50-64	1407	7.3	37	1	2	6	9	14	16	30
65+	2999	8.0	39	2	2	7	10	14	18	31
GRAND TOTAL	**6236**	**7.3**	**38**	**1**	**2**	**6**	**9**	**14**	**17**	**30**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2089	2.5	2	1	1	2	3	4	5	8
20-34	297	3.1	2	1	2	3	4	5	6	9
35-49	145	3.6	4	1	2	3	4	6	8	10
50-64	74	4.0	5	1	2	3	5	7	9	11
65+	36	4.4	3	2	3	4	5	8	9	99+
B. *Operated*										
0-19 YRS	349	1.6	1	1	1	1	2	3	3	5
20-34	138	1.8	1	1	1	1	2	3	5	6
35-49	35	2.8	5	1	1	2	3	6	8	10
50-64	20	3.9	11	<1	1	2	6	8	11	13
65+	5	2.6	4	1	1	2	3	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4044	3.3	5	1	1	3	4	5	7	11
20-34	807	3.5	5	1	2	3	4	6	7	12
35-49	584	4.4	8	1	2	4	5	8	9	14
50-64	519	5.1	11	1	2	4	6	9	11	17
65+	670	6.3	20	2	2	5	7	11	14	24
B. *Operated*										
0-19 YRS	537	2.9	19	1	1	2	3	6	9	15
20-34	174	4.1	20	1	1	3	5	8	12	29
35-49	88	5.0	19	1	1	3	7	11	13	22
50-64	91	5.8	29	1	2	4	7	11	15	32
65+	74	10.0	96	2	3	6	13	20	37	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2641	2.7	3	1	1	2	3	5	6	9
B. *Operated*	547	1.9	2	1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	6624	3.8	8	1	1	3	5	7	9	14
B. *Operated*	964	4.1	29	1	1	2	5	9	13	29
1. SINGLE DX	3188	2.6	3	1	1	2	3	4	6	9
2. MULTIPLE DX	7588	3.9	11	1	1	3	5	7	9	16
A. NOT OPERATED	9265	3.5	7	1	1	3	4	6	8	13
B. OPERATED	1511	3.3	21	1	1	2	3	7	11	21
TOTAL 0-19 YRS	7019	2.9	5	1	1	2	4	5	6	11
20-34	1416	3.3	7	1	1	3	4	6	7	13
35-49	852	4.3	9	1	2	3	5	8	10	14
50-64	704	5.0	13	1	2	4	6	9	11	19
65+	785	6.5	28	2	2	5	8	12	16	32
GRAND TOTAL	**10776**	**3.5**	**9**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2551	3.3	3	1	1	3	4	5	6	9
20-34	178	3.7	4	2	2	3	5	6	7	12
35-49	256	4.5	4	2	2	4	5	7	9	12
50-64	281	4.8	5	2	2	4	6	8	10	12
65+	263	5.3	15	2	2	5	6	8	10	19
B. *Operated*										
0-19 YRS	6	9.5	109	1	1	4	19	25	26	26
20-34	9	3.7	5	1	1	4	5	7	7	7
35-49	13	5.1	6	2	2	4	7	8	10	10
50-64	9	7.4	16	1	2	7	10	13	14	14
65+	5	6.4	43	1	1	6	9	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3360	3.9	6	1	2	3	5	7	8	13
20-34	609	4.7	9	2	2	4	6	8	10	15
35-49	1201	5.3	10	2	2	4	6	9	11	19
50-64	2980	6.2	13	2	3	5	8	10	13	19
65+	6175	6.9	18	2	3	6	8	12	14	23
B. *Operated*										
0-19 YRS	50	7.8	27	2	3	7	10	15	18	26
20-34	45	6.6	32	2	3	5	7	13	19	31
35-49	130	8.3	35	2	3	7	10	14	20	36
50-64	240	10.2	120	2	3	7	12	19	25	90
65+	429	10.4	70	2	3	8	12	19	24	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3529	3.7	5	1	2	3	5	6	7	10
B. *Operated*	42	6.1	27	1	1	5	7	13	18	26
2. MULTIPLE DX										
A. *Not Operated*	14325	5.8	15	2	2	5	7	10	13	20
B. *Operated*	894	9.7	75	2	3	8	11	18	24	50
1. SINGLE DX	3571	3.7	5	1	2	3	5	6	7	11
2. MULTIPLE DX	15219	6.0	19	2	2	5	7	11	13	22
A. NOT OPERATED	17854	5.4	13	2	2	5	7	10	12	19
B. OPERATED	936	9.5	74	2	3	7	11	18	24	49
TOTAL 0-19 YRS	5967	3.7	5	1	2	3	5	6	8	12
20-34	841	4.6	9	2	2	4	5	8	10	15
35-49	1600	5.4	12	2	2	5	7	9	11	19
50-64	3510	6.3	21	2	3	5	8	11	13	21
65+	6872	7.0	22	2	3	6	8	12	15	25
GRAND TOTAL	**18790**	**5.6**	**17**	**2**	**2**	**5**	**7**	**10**	**13**	**21**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	172	1.6	1	<1	1	1	2	3	3	4
20-34	421	1.6	1	<1	1	1	2	3	3	4
35-49	244	1.7	1	<1	1	1	2	3	3	4
50-64	116	1.8	1	1	1	2	2	3	3	5
65+	29	2.0	2	1	1	1	3	3	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7	1	<1	<1	<1	2	3	3	3
20-34	11	1.6	1	1	1	1	2	3	3	3
35-49	8	1.1		<1	<1	1	1	2	2	2
50-64	7	1.1		<1	<1	1	1	2	2	2
65+	5	1.8	2	<1	<1	1	2	4	4	4
B. *Operated*										
0-19 YRS	514	1.8	1	<1	1	1	2	3	3	6
20-34	1445	1.9	1	1	1	2	2	3	4	6
35-49	1142	2.0	2	1	1	2	3	3	4	6
50-64	531	2.1	2	1	1	2	3	4	4	6
65+	170	2.3	2	1	1	2	3	4	4	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	982	1.7	1	<1	1	1	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	34	1.4	1	<1	<1	1	2	3	3	4
B. *Operated*	3802	2.0	1	1	1	2	3	3	4	6
1. SINGLE DX	983	1.7	1	<1	1	1	2	3	3	4
2. MULTIPLE DX	3836	2.0	1	1	1	2	3	3	4	6
A. NOT OPERATED	35	1.5	1	<1	<1	1	2	3	3	4
B. OPERATED	4784	1.9	1	1	1	2	2	3	4	6
TOTAL 0-19 YRS	689	1.7	1	<1	1	1	2	3	3	5
20-34	1877	1.9	1	1	1	2	2	3	4	5
35-49	1395	2.0	1	1	1	2	3	3	4	5
50-64	654	2.1	2	1	1	2	3	4	4	6
65+	204	2.2	2	1	1	2	3	4	4	7
GRAND TOTAL	**4819**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**4**	**6**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	17	2.2	1	1	1	2	3	4	4	4
20-34	21	1.7	1	<1	<1	1	2	4	4	4
35-49	30	2.1	2	1	1	2	3	4	5	7
50-64	40	2.1	1	<1	<1	2	3	4	5	5
65+	26	2.2	2	<1	1	2	3	4	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7	1	<1	<1	1	2	3	3	3
20-34	8	8.6	448	<1	<1	1	2	43	61	61
35-49	5	3.4	4	<1	<1	4	5	6	6	6
50-64	2	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	44	2.3	5	1	1	2	3	3	4	15
20-34	73	2.3	3	1	1	2	3	4	4	12
35-49	125	2.4	2	1	1	2	3	4	4	7
50-64	128	2.5	3	1	1	2	3	4	5	9
65+	82	2.7	3	1	1	2	3	4	6	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	134	2.1	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	18	5.3	195	<1	<1	1	3	5	39	61
B. *Operated*	452	2.5	3	1	1	2	3	4	5	9
1. SINGLE DX	135	2.1	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	470	2.6	10	1	1	2	3	4	5	10
A. NOT OPERATED	19	5.2	185	<1	<1	2	3	5	36	61
B. OPERATED	586	2.4	2	1	1	2	3	4	5	8
TOTAL 0-19 YRS	65	2.3	4	1	1	2	3	3	4	13
20-34	102	2.7	36	<1	1	2	3	4	4	37
35-49	160	2.4	2	1	1	2	3	4	5	7
50-64	170	2.4	2	<1	1	2	3	4	5	8
65+	108	2.6	3	1	1	2	3	4	5	10
GRAND TOTAL	**605**	**2.5**	**8**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	1.9	1	<1	1	1	3	3	4	6
20-34	5	1.6	2	<1	<1	1	2	4	4	4
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	7742	1.5		<1	1	1	2	2	2	3
20-34	2052	1.6	1	1	1	1	2	2	3	4
35-49	286	1.8	1	1	1	2	2	3	3	8
50-64	38	1.8	1	1	1	2	2	3	4	5
65+	20	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	146	1.5	1	<1	<1	1	1	3	3	8
20-34	18	1.6	1	<1	<1	1	2	3	4	4
35-49	5	2.2	1	<1	<1	2	3	4	4	4
50-64										
65+	2	5.5	25	2	2	5	9	9	9	9
B. *Operated*										
0-19 YRS	5344	1.6	1	<1	1	1	2	2	3	4
20-34	495	1.9	2	1	1	2	2	3	4	6
35-49	120	2.3	2	1	1	2	3	4	5	9
50-64	30	2.0	1	1	1	2	2	3	4	6
65+	24	3.3	15	<1	1	2	4	7	11	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	1.9	1	<1	1	1	3	3	4	6
B. *Operated*	10138	1.6	1	<1	1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	171	1.6	2	<1	<1	1	2	3	4	8
B. *Operated*	6013	1.7	1	<1	1	1	2	2	3	5
1. SINGLE DX	10193	1.6	1	<1	1	1	2	2	3	4
2. MULTIPLE DX	6184	1.7	1	<1	1	1	2	2	3	5
A. NOT OPERATED	226	1.7	2	<1	<1	1	2	3	4	8
B. OPERATED	16151	1.6	1	<1	1	1	2	2	3	4
TOTAL 0-19 YRS	13279	1.6	1	<1	1	1	2	2	3	4
20-34	2570	1.7	1	1	1	1	2	3	3	5
35-49	413	2.0	2	1	1	2	2	3	4	8
50-64	68	1.9	1	1	1	2	2	3	4	6
65+	47	2.7	9	1	1	2	3	6	8	19
GRAND TOTAL	**16377**	**1.6**	**1**	**<1**	**1**	**1**	**2**	**2**	**3**	**4**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	358	2.8	4	1	1	2	3	5	6	8
20-34	208	3.0	4	1	1	3	4	5	6	9
35-49	103	3.1	4	1	1	3	4	5	6	12
50-64	48	3.8	5	1	1	4	5	7	7	10
65+	25	3.3	6	<1	1	2	4	8	8	9
B. *Operated*										
0-19 YRS	489	2.4	5	<1	1	2	3	4	6	10
20-34	535	2.3	2	<1	1	2	3	4	5	7
35-49	480	2.2	3	<1	1	2	3	4	5	7
50-64	384	2.2	3	<1	1	2	3	3	5	11
65+	182	2.7	47	<1	1	2	3	4	4	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	492	3.7	9	1	1	3	5	7	8	16
20-34	252	3.7	4	1	2	3	5	6	7	10
35-49	290	4.3	11	1	1	4	5	7	9	21
50-64	202	4.5	9	1	2	4	6	8	10	15
65+	137	4.6	8	1	1	4	6	8	10	12
B. *Operated*										
0-19 YRS	519	3.7	31	1	1	2	4	7	10	28
20-34	749	2.7	5	1	1	2	3	5	6	13
35-49	807	3.1	10	1	1	2	4	6	8	17
50-64	723	3.6	21	1	1	2	2	7	10	17
65+	452	4.1	24	1	1	3	4	8	12	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	742	2.9	4	1	1	3	4	5	6	9
B. *Operated*	2070	2.3	7	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	1373	4.0	9	1	1	3	5	7	9	15
B. *Operated*	3250	3.3	17	1	1	2	4	6	9	19
1. SINGLE DX	2812	2.5	6	<1	1	2	3	4	5	9
2. MULTIPLE DX	4623	3.6	15	1	1	3	4	7	9	18
A. NOT OPERATED	2115	3.7	7	1	1	3	5	7	8	13
B. OPERATED	5320	2.9	13	1	1	2	3	5	7	16
TOTAL 0-19 YRS	1858	3.2	13	1	1	2	4	6	7	18
20-34	1744	2.8	4	1	1	2	3	5	6	10
35-49	1680	3.0	8	1	1	2	4	5	7	15
50-64	1357	3.3	14	1	1	2	4	6	9	15
65+	796	3.9	26	1	1	3	4	8	10	22
GRAND TOTAL	**7435**	**3.1**	**12**	**1**	**1**	**2**	**4**	**6**	**8**	**15**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5233	3.8	4	1	2	3	5	6	8	11
20-34	851	4.5	5	2	2	4	6	8	9	12
35-49	820	5.2	9	2	2	5	6	8	10	15
50-64	908	5.7	8	2	3	5	7	9	11	15
65+	1330	6.6	11	3	3	6	8	11	12	18
B. *Operated*										
0-19 YRS	47	8.3	51	2	2	6	10	16	25	34
20-34	38	6.1	14	1	2	6	8	11	13	16
35-49	45	7.6	18	2	3	7	10	14	15	22
50-64	79	8.3	40	2	2	8	11	14	17	40
65+	73	10.5	38	2	3	10	13	18	23	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7861	4.5	9	2	2	4	5	8	10	15
20-34	1408	6.2	21	2	3	5	7	11	14	22
35-49	2299	6.4	18	2	3	5	8	11	13	22
50-64	4825	7.6	26	3	3	7	9	13	16	27
65+	16939	9.0	35	3	4	8	11	15	19	32
B. *Operated*										
0-19 YRS	244	12.6	137	2	3	9	17	29	40	99+
20-34	195	11.9	76	3	4	9	15	24	30	41
35-49	374	12.5	84	3	4	10	16	23	33	52
50-64	840	13.0	78	3	5	11	16	24	32	50
65+	1984	14.8	106	4	6	12	18	27	35	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9142	4.6	7	2	2	4	6	8	9	14
B. *Operated*	282	8.5	36	2	2	7	11	15	18	30
2. MULTIPLE DX										
A. *Not Operated*	33332	7.4	29	2	3	6	9	13	17	28
B. *Operated*	3637	13.8	99	3	5	11	17	26	33	55
1. SINGLE DX	9424	4.7	9	2	2	4	6	8	10	15
2. MULTIPLE DX	36969	8.1	40	2	3	7	10	15	19	33
A. NOT OPERATED	42474	6.8	26	2	3	6	8	12	15	26
B. OPERATED	3919	13.5	96	3	5	11	17	25	33	53
TOTAL 0-19 YRS	13385	4.4	11	2	2	4	5	7	10	16
20-34	2492	6.1	23	2	2	5	7	11	14	27
35-49	3538	6.8	27	2	3	6	8	12	15	28
50-64	6652	8.0	34	3	3	7	10	14	18	32
65+	20326	9.4	44	3	4	8	11	16	21	36
GRAND TOTAL	**46393**	**7.4**	**35**	**2**	**3**	**6**	**9**	**14**	**18**	**31**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	249	3.2	3	1	1	3	4	5	7	8
20-34	139	3.5	3	1	2	3	4	6	7	8
35-49	152	4.1	6	2	2	4	5	6	8	13
50-64	126	4.8	7	2	2	4	6	8	9	15
65+	124	5.0	9	2	2	4	6	8	11	17
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	6.0		6	6	6	6	6	6	6
35-49										
50-64	2	8.0		8	8	8	8	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	533	3.4	3	1	2	3	4	5	7	9
20-34	291	3.8	6	1	2	3	5	7	9	12
35-49	380	4.7	8	2	2	4	6	8	10	15
50-64	583	5.3	9	2	2	4	6	9	11	15
65+	1193	6.7	23	2	3	6	8	12	15	25
B. *Operated*										
0-19 YRS	10	8.9	129	1	2	5	9	26	40	40
20-34	9	5.0	6	2	2	4	7	9	9	9
35-49	18	7.9	23	2	3	7	11	15	18	20
50-64	25	7.6	16	3	4	6	9	14	15	19
65+	42	11.7	86	4	6	10	12	17	27	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	790	3.9	5	1	2	4	5	7	8	13
B. *Operated*	4	6.3	6	3	3	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	2980	5.3	15	2	2	4	6	9	12	21
B. *Operated*	104	9.2	59	3	3	8	11	14	20	48
1. SINGLE DX	794	4.0	5	1	2	4	5	7	8	13
2. MULTIPLE DX	3084	5.4	17	2	2	4	7	10	13	22
A. NOT OPERATED	3770	5.0	13	2	2	4	6	9	11	20
B. OPERATED	108	9.1	57	3	3	8	11	14	20	48
TOTAL 0-19 YRS	793	3.4	5	1	2	3	4	5	7	9
20-34	440	3.7	5	1	2	3	5	6	8	11
35-49	550	4.6	9	2	2	4	6	8	10	15
50-64	736	5.3	9	2	2	5	6	9	11	15
65+	1359	6.7	25	2	3	6	8	12	15	25
GRAND TOTAL	**3878**	**5.1**	**15**	**2**	**2**	**4**	**6**	**9**	**12**	**21**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	529	3.1	3	1	1	3	4	5	6	9
20-34	62	4.0	4	1	2	4	5	7	8	10
35-49	124	4.8	7	2	2	4	6	8	9	15
50-64	154	4.9	9	1	2	4	6	8	11	14
65+	147	5.1	8	1	2	5	7	9	11	13
B. *Operated*										
0-19 YRS	9	4.1	6	<1	1	4	6	8	8	8
20-34	6	3.5	3	<1	<1	4	5	5	5	5
35-49	20	3.9	8	<1	1	3	5	9	9	9
50-64	36	4.0	9	<1	1	3	5	9	10	13
65+	19	5.6	12	1	2	5	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	757	3.9	6	1	2	3	5	7	8	14
20-34	199	4.5	7	2	2	4	5	8	10	14
35-49	418	5.0	8	2	2	4	6	8	10	17
50-64	978	6.2	16	2	3	5	8	11	14	22
65+	1700	7.0	22	2	3	6	9	12	15	23
B. *Operated*										
0-19 YRS	24	8.3	83	1	2	6	9	14	29	45
20-34	44	6.5	20	2	2	6	8	13	17	20
35-49	100	5.3	12	1	2	4	8	10	12	16
50-64	185	8.8	140	1	2	6	10	14	26	80
65+	237	9.1	49	1	2	8	12	18	23	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1016	3.9	6	1	2	3	5	7	9	13
B. *Operated*	90	4.3	9	<1	1	4	6	9	10	12
2. MULTIPLE DX										
A. *Not Operated*	4052	5.9	17	2	2	5	7	11	13	22
B. *Operated*	590	8.2	72	1	2	6	10	16	21	40
1. SINGLE DX	1106	4.0	6	1	2	3	5	7	9	13
2. MULTIPLE DX	4642	6.2	24	2	2	5	8	11	14	24
A. NOT OPERATED	5068	5.5	15	2	2	5	7	10	12	21
B. OPERATED	680	7.7	65	1	2	6	9	15	20	35
TOTAL 0-19 YRS	1319	3.7	7	1	2	3	4	6	8	13
20-34	311	4.7	9	2	2	4	6	8	10	17
35-49	662	5.0	9	2	2	4	6	8	10	16
50-64	1353	6.4	33	2	2	5	8	11	14	27
65+	2103	7.1	25	2	3	6	9	12	16	26
GRAND TOTAL	**5748**	**5.8**	**22**	**2**	**2**	**5**	**7**	**11**	**13**	**23**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	11	4.5	5	2	2	4	6	8	9	9
50-64	45	7.0	21	1	2	6	9	11	18	20
65+	63	5.5	13	2	2	5	7	8	11	24
B. *Operated*										
0-19 YRS	2	9.0	18	6	6	9	12	12	12	12
20-34	1	12.0		12	12	12	12	12	12	12
35-49	1	6.0		6	6	6	6	6	6	6
50-64	3	12.3	52	4	4	16	17	17	17	17
65+	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	7.3	42	4	4	4	11	17	17	17
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	52	6.5	17	2	3	5	9	13	15	16
50-64	300	7.2	22	2	3	6	9	13	16	24
65+	624	7.6	30	2	3	6	9	14	18	26
B. *Operated*										
0-19 YRS	1	20.0		20	20	20	20	20	20	20
20-34	16	8.1	26	1	3	7	10	13	20	23
35-49	19	11.8	38	3	4	11	16	21	23	24
50-64	44	11.9	117	3	4	9	14	23	27	66
65+	78	13.7	113	2	3	11	16	28	37	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	119	6.0	16	2	2	5	7	10	13	22
B. *Operated*	8	11.1	27	4	5	12	16	17	17	17
2. MULTIPLE DX										
A. *Not Operated*	982	7.4	27	2	3	6	9	13	17	25
B. *Operated*	158	12.4	97	3	4	10	15	24	32	50
1. SINGLE DX	127	6.3	18	2	2	5	8	11	16	21
2. MULTIPLE DX	1140	8.1	40	2	3	6	10	15	20	32
A. NOT OPERATED	1101	7.3	26	2	3	6	9	13	17	25
B. OPERATED	166	12.3	94	3	4	10	15	23	31	49
TOTAL 0-19 YRS	7	9.6	46	4	4	6	16	19	20	20
20-34	19	7.8	25	1	2	7	10	13	18	23
35-49	83	7.5	25	2	3	6	11	15	17	23
50-64	392	7.8	35	2	3	6	10	15	18	28
65+	766	8.1	41	2	3	6	10	15	21	36
GRAND TOTAL	**1267**	**7.9**	**38**	**2**	**3**	**6**	**10**	**15**	**19**	**31**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4679	3.0	3	1	1	3	4	5	6	8
20-34	1014	3.6	4	1	2	3	5	6	7	10
35-49	953	4.3	9	1	2	4	5	7	9	14
50-64	799	4.9	8	1	2	4	6	8	10	15
65+	582	5.2	10	2	2	5	6	9	11	16
B. *Operated*										
0-19 YRS	16	5.0	8	2	2	4	6	9	11	12
20-34	12	3.5	3	<1	<1	3	5	6	6	6
35-49	12	7.3	12	3	3	7	9	13	14	14
50-64	8	13.8	159	4	5	10	13	35	44	44
65+	5	7.0	43	2	2	3	13	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3738	3.6	5	1	2	3	4	6	7	11
20-34	1183	4.6	10	1	2	4	6	8	10	15
35-49	1826	5.3	12	2	2	4	6	9	11	19
50-64	2915	6.2	17	2	3	5	8	11	13	20
65+	3741	6.9	20	2	3	6	8	12	14	23
B. *Operated*										
0-19 YRS	54	9.2	69	2	2	7	10	19	33	36
20-34	45	7.0	24	2	3	6	8	9	21	25
35-49	98	10.2	51	3	4	8	13	20	23	39
50-64	195	10.8	61	3	4	8	13	19	28	42
65+	195	11.3	60	4	5	9	14	19	24	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8027	3.6	5	1	2	3	4	6	8	11
B. *Operated*	53	6.7	41	2	2	5	8	12	15	43
2. MULTIPLE DX										
A. *Not Operated*	13403	5.4	15	2	2	4	7	10	12	19
B. *Operated*	587	10.4	58	3	4	8	13	19	24	39
1. SINGLE DX	8080	3.6	5	1	2	3	4	6	8	12
2. MULTIPLE DX	13990	5.6	18	2	2	5	7	10	13	21
A. NOT OPERATED	21430	4.7	12	1	2	4	6	9	11	17
B. OPERATED	640	10.1	58	3	3	8	13	19	24	39
TOTAL 0-19 YRS	8487	3.3	5	1	2	3	4	5	6	10
20-34	2254	4.2	8	1	2	4	5	7	9	14
35-49	2889	5.1	14	2	2	4	6	9	11	19
50-64	3917	6.2	19	2	2	5	8	11	13	21
65+	4523	6.8	22	2	3	6	8	12	15	24
GRAND TOTAL	**22070**	**4.9**	**14**	**1**	**2**	**4**	**6**	**9**	**11**	**19**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.9	5	1	1	3	5	7	8	8
20-34	21	5.7	12	2	2	5	7	9	13	18
35-49	96	5.4	12	2	2	4	7	9	13	62
50-64	433	5.9	22	2	2	5	7	10	12	24
65+	539	6.2	20	2	2	5	8	11	13	19
B. *Operated*										
0-19 YRS	13	5.7	28	1	1	3	9	14	17	18
20-34	5	3.4	2	2	2	3	5	5	5	5
35-49	13	6.1	18	1	2	6	8	13	14	14
50-64	22	8.9	46	2	2	8	12	16	23	32
65+	37	7.6	27	1	2	7	11	16	16	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	8.7	36	2	2	8	12	17	20	29
20-34	52	6.4	21	1	2	6	9	12	16	24
35-49	361	6.3	37	2	2	5	7	10	13	31
50-64	2487	7.0	24	2	3	6	9	12	16	26
65+	4480	7.5	32	2	3	6	9	13	17	28
B. *Operated*										
0-19 YRS	18	12.3	137	1	3	9	15	22	40	52
20-34	13	10.9	87	2	2	8	19	23	30	32
35-49	75	10.3	159	2	3	6	13	18	24	80
50-64	281	10.2	64	2	3	8	12	19	25	47
65+	484	11.6	76	3	4	9	14	22	28	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1099	6.0	20	2	2	5	7	10	13	21
B. *Operated*	90	7.2	30	1	2	6	9	15	16	28
2. MULTIPLE DX										
A. *Not Operated*	7436	7.3	29	2	3	6	9	13	16	28
B. *Operated*	871	11.0	81	2	3	9	13	21	28	54
1. SINGLE DX	1189	6.1	21	2	2	5	7	11	14	22
2. MULTIPLE DX	8307	7.7	36	2	3	6	9	14	18	31
A. NOT OPERATED	8535	7.1	28	2	3	6	9	12	16	27
B. OPERATED	961	10.6	77	2	3	8	13	21	27	52
TOTAL 0-19 YRS	97	8.5	55	1	2	7	12	17	21	41
20-34	91	6.7	30	1	2	5	8	12	20	29
35-49	545	6.7	51	2	2	5	8	12	16	33
50-64	3223	7.1	28	2	3	6	9	13	16	28
65+	5540	7.7	36	2	3	6	9	14	18	31
GRAND TOTAL	**9496**	**7.5**	**34**	**2**	**3**	**6**	**9**	**13**	**17**	**30**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	3.7	7	1	1	3	4	8	10	10
20-34	111	2.8	5	1	1	2	3	5	7	13
35-49	31	3.2	5	1	1	2	4	7	8	9
50-64	13	4.1	3	1	1	4	5	6	7	7
65+	12	6.6	34	1	1	5	8	15	21	22
B. *Operated*										
0-19 YRS	111	6.6	26	2	3	5	8	12	17	27
20-34	444	5.7	11	2	3	5	7	10	12	18
35-49	141	6.6	18	2	3	6	8	13	15	21
50-64	70	7.2	22	2	2	6	9	14	18	20
65+	51	7.7	36	2	3	6	9	16	24	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.3	20	1	1	3	4	12	16	16
20-34	34	3.2	5	1	1	2	6	6	7	8
35-49	28	5.9	37	1	1	3	8	15	17	26
50-64	43	7.2	31	3	3	6	9	13	18	33
65+	63	6.4	19	1	2	6	8	12	15	22
B. *Operated*										
0-19 YRS	27	7.6	18	3	3	7	10	14	16	21
20-34	163	9.3	44	3	4	7	12	17	22	32
35-49	132	10.4	48	3	4	9	13	19	22	37
50-64	185	10.5	60	3	4	8	14	22	26	39
65+	294	12.2	113	3	4	8	16	27	33	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	200	3.3	7	1	1	2	4	7	8	13
B. *Operated*	817	6.2	17	2	3	5	8	11	14	21
2. MULTIPLE DX										
A. *Not Operated*	179	5.8	24	1	1	5	7	12	15	25
B. *Operated*	801	10.8	74	3	4	8	14	22	28	46
1. SINGLE DX	1017	5.7	16	1	2	5	7	11	14	21
2. MULTIPLE DX	980	9.9	69	2	3	7	12	20	27	44
A. NOT OPERATED	379	4.5	17	1	1	3	6	9	12	22
B. OPERATED	1618	8.5	50	2	3	6	10	17	22	36
TOTAL 0-19 YRS	182	6.1	22	1	2	5	8	12	15	25
20-34	752	6.0	21	1	2	5	7	11	15	23
35-49	332	7.7	36	2	2	6	10	16	20	29
50-64	311	9.0	49	3	3	6	11	19	24	36
65+	420	10.7	93	2	3	7	13	22	30	53
GRAND TOTAL	**1997**	**7.7**	**47**	**2**	**2**	**6**	**9**	**16**	**21**	**34**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	517	3.1	4	1	1	3	4	6	7	10
20-34	162	3.6	15	1	1	3	4	6	8	17
35-49	147	4.1	10	1	1	4	5	7	9	19
50-64	181	4.2	12	1	1	3	5	8	10	17
65+	198	5.7	15	1	2	5	8	10	12	21
B. *Operated*										
0-19 YRS	107	6.0	82	1	1	3	8	12	17	57
20-34	75	6.5	20	1	2	6	9	11	15	21
35-49	130	6.6	36	1	1	5	8	13	17	34
50-64	195	6.6	27	1	1	5	9	12	17	27
65+	142	6.6	39	1	1	5	8	15	19	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	909	4.5	18	1	1	3	5	9	12	22
20-34	361	5.1	20	1	1	4	6	11	15	22
35-49	690	5.7	29	1	2	4	7	11	14	31
50-64	1632	6.6	28	2	2	5	8	12	16	28
65+	4492	8.0	38	2	3	6	10	15	19	32
B. *Operated*										
0-19 YRS	242	9.1	140	1	1	5	11	20	30	74
20-34	177	10.4	97	1	2	8	14	23	31	48
35-49	460	10.7	127	1	2	8	14	22	30	68
50-64	895	10.7	102	2	2	8	14	22	30	54
65+	1534	12.0	117	2	3	9	15	24	32	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1205	3.9	10	1	1	3	5	7	9	17
B. *Operated*	649	6.5	39	1	1	5	8	13	17	28
2. MULTIPLE DX										
A. *Not Operated*	8084	7.0	34	2	2	6	9	13	17	30
B. *Operated*	3308	11.2	116	1	2	8	14	23	31	57
1. SINGLE DX	1854	4.8	22	1	1	3	6	9	12	21
2. MULTIPLE DX	11392	8.2	61	2	2	6	10	16	22	41
A. NOT OPERATED	9289	6.6	32	1	2	5	8	13	16	29
B. OPERATED	3957	10.4	106	1	2	8	13	22	29	54
TOTAL 0-19 YRS	1775	4.8	38	1	1	3	5	9	14	30
20-34	775	6.1	42	1	1	4	8	13	17	39
35-49	1427	7.2	65	1	2	5	9	15	21	39
50-64	2903	7.7	54	1	2	6	9	15	21	40
65+	6366	8.8	60	2	3	7	11	17	22	41
GRAND TOTAL	**13246**	**7.7**	**57**	**1**	**2**	**6**	**9**	**15**	**21**	**40**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	2.8	2	<1	<1	3	4	4	5	6
20-34	27	4.0	27	1	1	2	4	7	11	28
35-49	16	2.8	2	<1	<1	3	4	5	5	5
50-64	4	3.0	2	1	1	3	4	4	4	4
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS	698	2.2	2	<1	<1	2	3	4	5	7
20-34	719	3.0	2	1	1	3	4	4	5	8
35-49	508	3.1	2	1	1	3	4	5	6	9
50-64	235	2.9	4	1	1	3	4	4	5	9
65+	69	3.2	8	<1	1	3	4	5	6	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	113	3.1	4	<1	1	3	4	6	7	10
20-34	96	3.6	7	<1	1	3	5	6	10	13
35-49	69	3.9	13	1	1	3	4	6	9	24
50-64	42	3.7	9	1	1	3	4	9	11	12
65+	48	5.5	24	1	2	5	6	9	14	31
B. *Operated*										
0-19 YRS	839	2.5	2	<1	<1	2	3	4	5	8
20-34	766	3.3	6	1	1	3	4	5	6	16
35-49	561	3.2	6	1	1	3	4	5	7	12
50-64	437	3.2	6	1	2	2	4	6	8	14
65+	367	3.5	19	1	2	3	4	6	9	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	3.3	11	<1	1	3	4	5	7	22
B. *Operated*	2229	2.8	3	<1	1	3	4	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	368	3.7	10	<1	1	3	5	7	9	14
B. *Operated*	2970	3.1	7	1	1	3	4	5	6	13
1. SINGLE DX	2309	2.8	3	<1	1	3	4	4	5	8
2. MULTIPLE DX	3338	3.1	7	1	1	3	4	5	7	14
A. NOT OPERATED	448	3.7	10	<1	1	3	4	6	9	14
B. OPERATED	5199	2.9	5	<1	1	3	4	5	6	11
TOTAL 0-19 YRS	1682	2.4	2	<1	<1	2	3	4	5	8
20-34	1608	3.2	5	1	1	3	4	5	6	12
35-49	1154	3.2	5	1	1	3	4	5	6	12
50-64	718	3.2	6	1	1	3	4	5	8	14
65+	485	3.7	18	1	2	3	4	6	9	25
GRAND TOTAL	**5647**	**3.0**	**5**	**<1**	**1**	**3**	**4**	**5**	**6**	**12**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	3.1	2	1	1	3	4	5	6	7
20-34	23	3.9	3	<1	1	4	5	6	7	8
35-49	17	4.2	5	<1	1	4	6	7	8	9
50-64	13	4.7	8	1	2	4	7	9	10	10
65+	20	5.1	2	2	3	5	6	7	8	8
B. *Operated*										
0-19 YRS	90	2.7	5	<1	<1	2	4	5	6	14
20-34	104	2.3	1	1	1	2	3	4	4	6
35-49	101	3.0	10	1	1	2	3	5	7	19
50-64	101	2.9	3	1	1	3	4	5	6	8
65+	95	3.1	11	1	1	3	3	4	5	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	155	3.8	5	2	2	3	5	6	8	13
20-34	54	4.0	4	1	2	4	5	7	8	10
35-49	55	4.6	10	1	1	4	6	8	11	15
50-64	77	5.2	14	1	1	5	7	10	12	18
65+	113	7.0	21	2	3	6	8	12	16	27
B. *Operated*										
0-19 YRS	76	3.7	7	1	1	3	5	7	9	13
20-34	91	4.2	11	1	1	3	5	8	11	19
35-49	99	3.5	7	1	1	3	4	6	9	16
50-64	165	4.0	13	1	1	3	4	7	11	16
65+	185	5.2	30	1	1	3	6	10	13	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	137	3.8	4	1	2	4	5	6	7	9
B. *Operated*	491	2.8	6	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	454	4.9	12	1	2	4	6	9	11	19
B. *Operated*	616	4.3	17	1	1	3	5	8	11	22
1. SINGLE DX	628	3.0	6	1	1	3	4	5	6	9
2. MULTIPLE DX	1070	4.6	15	1	2	4	5	9	11	19
A. NOT OPERATED	591	4.7	11	1	2	4	6	8	10	17
B. OPERATED	1107	3.6	12	1	1	3	4	6	9	18
TOTAL 0-19 YRS	385	3.4	5	<1	1	3	4	6	7	13
20-34	272	3.4	6	1	1	3	4	6	8	14
35-49	272	3.6	9	1	1	3	4	7	9	15
50-64	356	4.0	11	1	1	3	5	8	10	16
65+	413	5.2	24	1	2	4	6	10	13	31
GRAND TOTAL	**1698**	**4.0**	**12**	**1**	**1**	**3**	**5**	**7**	**10**	**18**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	349	2.9	7	1	1	2	3	6	8	12
20-34	133	2.9	4	1	1	2	4	5	6	11
35-49	211	3.1	3	1	1	3	4	6	7	8
50-64	168	2.9	3	1	1	2	4	5	6	9
65+	89	3.5	5	1	1	3	5	7	8	10
B. *Operated*										
0-19 YRS	162	4.5	25	<1	<1	2	7	10	14	27
20-34	64	4.6	10	1	1	4	6	9	11	15
35-49	91	4.5	6	1	1	4	6	8	9	11
50-64	104	5.4	17	<1	1	5	7	11	14	20
65+	99	5.6	23	<1	1	4	8	12	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	485	4.0	13	1	1	3	5	8	10	19
20-34	517	3.6	6	1	1	3	4	6	8	14
35-49	958	3.9	7	1	2	3	5	7	9	13
50-64	1121	4.3	9	1	2	4	5	7	10	15
65+	1500	5.0	16	1	2	4	6	9	11	20
B. *Operated*										
0-19 YRS	323	11.0	125	1	1	8	15	26	34	57
20-34	241	6.6	36	1	2	5	8	13	17	37
35-49	514	6.4	27	1	2	5	8	12	15	28
50-64	741	7.4	78	1	2	6	8	13	19	60
65+	1075	8.3	76	1	2	6	10	17	23	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	950	3.0	5	1	1	2	4	6	7	10
B. *Operated*	520	4.9	18	<1	1	4	7	10	12	22
2. MULTIPLE DX										
A. *Not Operated*	4581	4.3	11	1	2	4	5	8	10	17
B. *Operated*	2894	7.9	72	1	2	6	9	15	22	45
1. SINGLE DX	1470	3.7	10	1	1	3	5	7	9	16
2. MULTIPLE DX	7475	5.7	37	1	2	4	7	11	15	30
A. NOT OPERATED	5531	4.1	10	1	1	3	5	7	10	16
B. OPERATED	3414	7.4	65	1	2	5	9	15	21	43
TOTAL 0-19 YRS	1319	5.5	50	1	1	3	6	12	19	35
20-34	955	4.3	15	1	1	3	5	8	11	20
35-49	1774	4.6	14	1	2	4	6	9	11	19
50-64	2134	5.3	35	1	2	4	6	10	13	26
65+	2763	6.3	42	1	2	5	7	12	16	32
GRAND TOTAL	**8945**	**5.4**	**34**	**1**	**1**	**4**	**6**	**10**	**14**	**28**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	3.5	4	<1	1	3	5	7	8	8
20-34	57	3.5	4	1	1	3	4	6	8	9
35-49	94	4.1	9	1	1	3	5	8	10	15
50-64	85	3.7	6	1	2	3	4	6	7	17
65+	43	4.2	6	1	2	4	5	7	9	12
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	35	5.8	10	1	2	5	8	10	11	15
35-49	61	6.5	15	2	2	5	9	12	15	17
50-64	58	6.1	14	<1	1	6	8	10	14	16
65+	35	6.7	16	2	2	7	10	12	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	3.1	2	1	2	3	4	5	6	6
20-34	168	4.7	9	2	2	4	6	8	10	17
35-49	295	5.3	13	2	2	4	7	10	12	19
50-64	366	5.2	12	2	2	4	7	9	11	17
65+	424	5.6	10	2	2	5	7	10	12	15
B. *Operated*										
0-19 YRS	8	5.4	19	1	1	4	8	12	13	13
20-34	87	5.5	9	2	2	5	7	9	11	15
35-49	250	7.5	57	2	3	6	9	13	18	44
50-64	326	7.0	27	2	3	5	9	13	16	31
65+	462	7.8	32	2	3	6	10	14	19	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	296	3.8	6	1	1	3	5	7	9	13
B. *Operated*	190	6.2	14	1	2	6	8	11	14	16
2. MULTIPLE DX										
A. *Not Operated*	1269	5.2	11	2	2	4	7	9	11	17
B. *Operated*	1133	7.3	35	2	3	6	9	13	16	31
1. SINGLE DX	486	4.8	11	1	2	4	6	9	11	16
2. MULTIPLE DX	2402	6.2	23	2	2	5	8	11	14	26
A. NOT OPERATED	1565	5.0	10	2	2	4	6	9	11	16
B. OPERATED	1323	7.2	32	2	3	6	9	13	16	31
TOTAL 0-19 YRS	42	3.7	6	1	1	3	4	6	9	13
20-34	347	4.8	9	1	2	4	6	9	10	15
35-49	700	6.0	30	2	2	5	7	11	14	27
50-64	835	5.8	18	2	2	5	7	10	14	22
65+	964	6.6	22	2	2	5	8	12	15	26
GRAND TOTAL	**2888**	**6.0**	**21**	**2**	**2**	**5**	**7**	**11**	**14**	**24**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.7	6	1	1	2	3	7	8	8
20-34	43	3.5	5	1	2	3	4	6	8	12
35-49	72	4.4	6	2	2	4	5	7	8	16
50-64	79	4.3	5	1	2	4	5	7	8	13
65+	95	5.0	7	2	2	5	6	8	10	15
B. *Operated*										
0-19 YRS	4	5.0	5	2	2	5	6	7	7	7
20-34	27	6.6	19	2	2	7	8	10	14	24
35-49	48	7.4	16	3	3	7	9	13	15	19
50-64	79	7.2	14	2	3	6	10	11	14	21
65+	85	8.0	21	3	3	7	10	15	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.3	1	2	2	3	4	4	4	4
20-34	71	3.9	4	1	2	3	5	7	9	10
35-49	168	5.5	16	2	2	5	6	10	12	22
50-64	304	5.7	11	2	3	5	7	9	12	19
65+	842	6.9	27	2	3	6	8	12	16	28
B. *Operated*										
0-19 YRS	11	8.4	13	1	4	8	10	13	15	15
20-34	41	6.9	28	1	2	5	8	14	19	25
35-49	133	7.6	27	3	3	6	9	14	17	52
50-64	369	9.6	65	3	3	8	12	16	22	49
65+	860	10.4	76	3	4	8	13	19	27	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	296	4.4	6	1	2	4	5	7	8	13
B. *Operated*	243	7.4	17	2	3	7	10	13	15	22
2. MULTIPLE DX										
A. *Not Operated*	1391	6.3	21	2	3	5	7	11	14	22
B. *Operated*	1414	9.8	67	3	4	7	12	18	24	50
1. SINGLE DX	539	5.8	13	2	2	5	7	11	13	17
2. MULTIPLE DX	2805	8.1	48	2	3	6	9	15	19	40
A. NOT OPERATED	1687	6.0	19	2	3	5	7	10	13	21
B. OPERATED	1657	9.5	61	3	4	7	11	17	23	48
TOTAL 0-19 YRS	28	5.4	13	1	1	5	8	10	12	15
20-34	182	4.9	14	1	2	4	6	8	11	23
35-49	421	6.2	19	2	3	5	8	12	14	24
50-64	831	7.4	39	2	3	6	9	13	17	34
65+	1882	8.4	51	3	3	6	10	16	21	41
GRAND TOTAL	**3344**	**7.7**	**43**	**2**	**3**	**6**	**9**	**14**	**18**	**35**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	100	3.3	4	1	1	3	4	6	7	11
20-34	406	3.4	4	1	1	3	4	6	7	11
35-49	375	3.4	4	1	2	3	4	6	7	9
50-64	233	3.7	3	1	2	3	5	6	7	10
65+	103	4.6	6	2	2	4	6	8	10	13
B. *Operated*										
0-19 YRS	7	5.4	11	1	1	5	8	10	10	10
20-34	57	6.9	7	2	3	7	8	10	12	14
35-49	72	8.6	10	4	5	8	10	12	14	21
50-64	39	9.1	44	2	2	8	12	17	25	29
65+	12	8.2	27	2	3	8	9	14	21	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	89	4.1	9	1	1	3	5	8	11	15
20-34	569	4.0	6	1	2	3	5	7	9	14
35-49	805	4.6	10	2	2	4	6	8	10	17
50-64	818	4.8	9	2	2	4	6	8	10	15
65+	940	5.5	12	2	2	5	7	9	12	19
B. *Operated*										
0-19 YRS	6	4.5	4	3	3	4	5	8	8	8
20-34	118	8.4	35	2	3	7	10	15	21	30
35-49	239	7.9	22	2	3	7	10	13	18	24
50-64	246	7.9	24	2	3	7	10	14	19	21
65+	210	9.9	82	3	3	7	11	18	28	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1217	3.5	4	1	2	3	4	6	7	10
B. *Operated*	187	8.0	18	2	3	8	9	13	15	25
2. MULTIPLE DX										
A. *Not Operated*	3221	4.8	10	2	2	4	6	8	10	16
B. *Operated*	819	8.4	40	2	3	7	10	15	20	31
1. SINGLE DX	1404	4.1	8	1	2	3	5	8	9	15
2. MULTIPLE DX	4040	5.5	18	2	2	4	7	10	13	21
A. NOT OPERATED	4438	4.4	9	1	2	4	5	8	10	15
B. OPERATED	1006	8.4	36	2	3	7	10	15	19	30
TOTAL 0-19 YRS	202	3.7	7	1	1	3	5	7	9	13
20-34	1150	4.4	11	1	2	4	5	8	10	16
35-49	1491	5.0	13	2	2	4	6	9	12	20
50-64	1336	5.3	14	2	2	4	6	10	12	19
65+	1265	6.1	26	2	2	5	7	11	14	26
GRAND TOTAL	**5444**	**5.2**	**16**	**2**	**2**	**4**	**6**	**9**	**12**	**21**

193: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	3.8	4	1	1	3	5	7	8	9
20-34	179	3.5	3	1	2	3	4	6	7	8
35-49	207	4.1	3	1	2	4	5	6	7	10
50-64	190	4.2	3	2	2	4	5	6	8	11
65+	163	4.9	4	2	3	4	6	8	9	10
B. *Operated*										
0-19 YRS	7	6.3	1	5	5	6	7	8	8	8
20-34	84	7.6	7	4	5	7	9	11	12	18
35-49	93	7.7	13	3	4	7	9	11	15	22
50-64	84	8.2	16	3	4	8	10	13	15	22
65+	76	9.9	34	4	5	8	11	16	19	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	3.8	8	1	2	3	5	6	10	15
20-34	209	4.5	9	1	2	4	5	8	9	17
35-49	357	5.0	17	2	2	4	6	8	10	17
50-64	530	5.5	10	2	3	5	7	9	11	17
65+	1227	6.8	20	3	3	6	8	11	14	25
B. *Operated*										
0-19 YRS	10	13.3	204	5	5	9	10	36	52	52
20-34	78	9.9	90	3	4	8	11	15	27	58
35-49	147	10.3	59	3	4	9	12	17	25	45
50-64	271	12.1	134	3	5	9	13	21	30	93
65+	630	13.8	118	4	5	11	17	25	34	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	762	4.1	4	2	2	4	5	7	8	10
B. *Operated*	344	8.3	17	3	4	8	10	13	16	24
2. MULTIPLE DX										
A. *Not Operated*	2346	6.0	17	2	3	5	7	10	13	21
B. *Operated*	1136	12.7	114	4	5	10	14	23	31	63
1. SINGLE DX	1106	5.4	12	2	2	5	7	9	11	17
2. MULTIPLE DX	3482	8.2	59	2	3	6	10	15	20	41
A. NOT OPERATED	3108	5.5	14	2	2	5	7	9	12	19
B. OPERATED	1480	11.6	95	4	5	9	13	21	29	53
TOTAL 0-19 YRS	63	5.6	46	1	2	5	6	9	12	48
20-34	550	5.4	23	1	2	4	7	9	12	24
35-49	804	6.1	26	2	2	5	7	11	13	27
50-64	1075	7.1	49	2	3	5	8	13	16	33
65+	2096	8.9	60	3	3	7	10	16	22	41
GRAND TOTAL	**4588**	**7.5**	**49**	**2**	**3**	**6**	**9**	**13**	**18**	**36**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	3.8	8	1	1	3	4	9	9	9
35-49	6	4.8	3	3	3	4	6	8	8	8
50-64	22	5.1	4	2	3	5	6	7	9	10
65+	16	4.9	3	2	3	5	6	7	8	8
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	11	8.8	16	3	4	8	12	15	15	15
35-49	36	10.6	19	3	5	10	13	16	20	23
50-64	23	10.6	20	4	6	10	14	16	19	21
65+	18	11.2	14	5	7	11	14	16	18	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	7.0	50	2	2	7	12	12	12	12
20-34	13	6.1	17	2	3	5	9	11	16	17
35-49	38	6.1	11	2	3	5	8	10	14	16
50-64	52	7.2	13	3	3	7	9	12	12	20
65+	111	7.6	24	3	3	6	9	13	16	28
B. *Operated*										
0-19 YRS	3	8.0	4	6	6	8	9	10	10	10
20-34	10	10.0	48	2	3	8	14	21	22	22
35-49	83	11.4	36	4	5	10	14	20	23	32
50-64	112	14.6	110	5	6	12	17	25	36	60
65+	179	15.6	139	5	6	12	19	28	36	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	4.9	4	2	2	5	6	7	9	10
B. *Operated*	89	10.5	18	4	5	10	13	15	19	22
2. MULTIPLE DX										
A. *Not Operated*	216	7.1	19	2	3	6	9	12	15	23
B. *Operated*	387	14.2	108	4	6	12	17	25	32	69
1. SINGLE DX	139	8.5	20	2	3	8	11	14	17	21
2. MULTIPLE DX	603	11.6	87	3	4	9	14	21	28	52
A. NOT OPERATED	266	6.7	17	2	3	6	8	12	14	23
B. OPERATED	476	13.5	93	4	6	11	16	23	30	57
TOTAL 0-19 YRS	6	7.3	12	2	2	7	10	12	12	12
20-34	40	7.5	26	2	2	7	9	15	19	22
35-49	163	9.7	30	3	4	9	13	17	20	28
50-64	209	11.3	78	3	4	9	13	20	26	49
65+	324	12.1	102	3	4	9	15	23	29	64
GRAND TOTAL	**742**	**11.1**	**76**	**3**	**4**	**9**	**13**	**20**	**26**	**48**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	376	2.5	3	1	1	2	3	4	5	9
20-34	616	2.9	4	1	1	2	3	5	6	9
35-49	480	3.3	5	1	1	3	4	6	7	10
50-64	266	3.1	3	1	1	3	4	5	6	9
65+	134	3.6	4	1	1	3	5	6	8	10
B. *Operated*										
0-19 YRS	31	3.8	7	<1	1	3	4	7	9	14
20-34	42	4.7	8	1	2	4	6	8	10	14
35-49	76	5.8	12	2	2	5	7	9	12	19
50-64	41	4.5	8	1	2	4	6	8	10	15
65+	30	5.6	26	1	1	4	7	10	14	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	900	2.9	6	1	1	2	3	5	6	10
20-34	1594	3.7	7	1	1	3	5	7	8	13
35-49	1925	4.1	8	1	2	3	5	7	9	14
50-64	1853	4.5	9	1	2	4	5	8	10	16
65+	2181	5.1	12	2	2	4	6	9	12	18
B. *Operated*										
0-19 YRS	57	5.5	148	1	2	3	5	7	9	88
20-34	310	6.2	29	2	2	5	8	11	14	31
35-49	466	6.3	26	2	2	5	8	11	14	29
50-64	520	6.4	24	2	2	5	8	12	16	27
65+	685	7.8	38	2	3	6	9	15	19	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1872	3.0	4	1	1	3	4	5	6	10
B. *Operated*	220	5.0	12	1	2	4	7	9	12	17
2. MULTIPLE DX										
A. *Not Operated*	8453	4.2	9	1	2	4	5	7	9	15
B. *Operated*	2038	6.8	34	2	2	5	8	12	16	31
1. SINGLE DX	2092	3.2	5	1	1	3	4	6	7	10
2. MULTIPLE DX	10491	4.7	15	1	2	4	6	9	11	19
A. NOT OPERATED	10325	4.0	8	1	2	3	5	7	9	15
B. OPERATED	2258	6.6	32	2	2	5	8	12	16	31
TOTAL 0-19 YRS	1364	2.9	11	1	1	2	3	5	6	10
20-34	2562	3.8	10	1	1	3	5	7	9	15
35-49	2947	4.4	11	1	2	4	5	8	10	16
50-64	2680	4.7	12	1	2	4	6	8	11	18
65+	3030	5.7	19	2	2	5	7	10	14	23
GRAND TOTAL	**12583**	**4.5**	**14**	**1**	**2**	**4**	**5**	**8**	**10**	**18**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	95	2.5	2	1	1	2	3	5	6	8
20-34	112	3.4	11	1	1	3	4	6	7	19
35-49	104	3.5	4	1	1	3	4	7	8	10
50-64	65	4.0	8	1	1	3	5	7	9	15
65+	18	3.8	2	2	2	4	5	5	6	6
B. *Operated*										
0-19 YRS	92	3.4	4	2	2	3	4	5	6	14
20-34	19	8.1	50	2	2	6	9	18	25	30
35-49	25	8.9	45	1	2	8	10	18	27	28
50-64	23	10.3	25	3	4	11	13	16	19	22
65+	12	11.1	92	<1	1	9	15	27	32	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	145	3.4	9	1	1	3	4	6	8	18
20-34	315	3.8	7	1	1	3	5	7	8	15
35-49	406	4.3	7	1	2	4	6	8	9	14
50-64	412	4.9	14	1	2	4	6	9	12	21
65+	471	6.1	25	2	2	5	7	11	14	30
B. *Operated*										
0-19 YRS	33	8.6	243	1	2	4	6	19	39	84
20-34	80	8.0	27	2	3	7	10	15	19	27
35-49	149	11.3	138	2	2	8	13	22	37	60
50-64	191	11.7	67	2	3	10	16	22	29	46
65+	272	14.6	126	2	3	12	19	30	40	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	394	3.3	6	1	1	3	4	6	7	12
B. *Operated*	171	6.2	33	2	2	4	8	13	17	30
2. MULTIPLE DX										
A. *Not Operated*	1749	4.7	15	1	2	4	6	8	11	22
B. *Operated*	725	12.2	111	2	3	9	16	24	33	53
1. SINGLE DX	565	4.2	16	1	1	3	5	8	11	24
2. MULTIPLE DX	2474	6.9	54	1	2	5	8	15	21	39
A. NOT OPERATED	2143	4.5	13	1	2	4	5	8	10	20
B. OPERATED	896	11.0	102	2	2	8	14	23	31	50
TOTAL 0-19 YRS	365	3.6	29	1	1	3	4	6	8	19
20-34	526	4.5	15	1	2	3	5	8	11	21
35-49	684	5.9	45	1	2	4	7	11	16	38
50-64	691	6.9	39	1	2	5	8	14	19	32
65+	773	9.1	78	2	2	6	12	20	27	46
GRAND TOTAL	**3039**	**6.4**	**48**	**1**	**2**	**4**	**8**	**13**	**19**	**37**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	2.1	1	<1	1	2	3	3	4	4
20-34	19	1.9	1	<1	<1	2	3	4	5	5
35-49	4	2.3	2	1	1	2	3	4	4	4
50-64										
65+	3	3.0	7	1	1	2	5	6	6	6
B. *Operated*										
0-19 YRS	3287	3.1	2	2	2	3	4	5	5	8
20-34	2319	3.3	2	2	2	3	4	5	6	8
35-49	730	3.7	2	2	2	3	4	5	6	9
50-64	298	4.2	4	2	2	4	5	7	8	12
65+	82	4.9	5	2	3	4	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	1.3		1	1	1	2	2	2	2
20-34	10	4.2	10	1	1	3	5	9	11	11
35-49	7	2.7	3	<1	<1	2	4	5	5	5
50-64	6	4.0	6	1	1	3	7	7	7	7
65+	7	7.0	25	4	4	5	7	16	18	18
B. *Operated*										
0-19 YRS	498	4.2	6	2	2	4	5	7	9	14
20-34	427	4.8	14	2	2	4	6	8	10	15
35-49	236	5.8	14	2	3	5	7	10	14	21
50-64	142	6.4	19	2	2	5	8	12	15	22
65+	113	6.9	15	3	3	6	8	11	17	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	2.1	1	<1	1	2	3	4	4	6
B. *Operated*	6716	3.3	2	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	39	3.7	11	1	1	2	5	7	10	18
B. *Operated*	1416	5.1	13	2	2	4	6	9	11	19
1. SINGLE DX	6769	3.3	2	2	2	3	4	5	6	9
2. MULTIPLE DX	1455	5.1	13	2	2	4	6	8	11	19
A. NOT OPERATED	92	2.8	6	<1	1	2	4	5	7	15
B. OPERATED	8132	3.6	5	2	2	3	4	6	7	11
TOTAL 0-19 YRS	3821	3.3	3	2	2	3	4	5	6	9
20-34	2775	3.5	4	2	2	3	4	5	7	10
35-49	977	4.2	6	2	2	4	5	7	8	15
50-64	446	4.9	10	2	2	4	6	8	11	16
65+	205	6.0	12	2	3	5	7	9	12	20
GRAND TOTAL	**8224**	**3.6**	**5**	**2**	**2**	**3**	**4**	**6**	**7**	**11**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	5.3	10	1	2	4	7	10	13	13
20-34	8	6.3	14	1	1	6	9	11	12	12
35-49	2	6.0	8	4	4	6	8	8	8	8
50-64	8	7.5	11	4	4	7	9	13	14	14
65+	2	4.0	18	<1	<1	3	7	7	7	7
B. *Operated*										
0-19 YRS	726	6.8	12	2	3	6	8	11	13	19
20-34	352	6.4	10	3	3	6	8	10	11	18
35-49	239	7.0	10	3	4	6	9	11	13	16
50-64	168	8.1	15	4	4	7	9	12	16	23
65+	104	7.5	7	4	5	7	9	10	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.0	7	1	1	2	5	7	7	7
20-34	5	8.8	31	2	2	7	14	15	15	15
35-49	4	7.5	7	5	5	7	9	11	11	11
50-64	7	8.4	8	6	6	7	10	13	14	14
65+	8	9.6	17	2	4	10	11	15	17	17
B. *Operated*										
0-19 YRS	376	9.3	29	4	5	8	11	15	19	30
20-34	215	9.0	33	3	4	8	11	14	19	33
35-49	221	10.3	39	4	5	9	12	16	22	39
50-64	267	11.6	54	4	6	10	13	18	22	33
65+	296	12.5	53	5	7	11	15	18	23	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	6.1	11	1	2	6	8	11	13	14
B. *Operated*	1589	6.9	11	3	3	6	8	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	28	7.9	17	2	2	8	10	14	15	17
B. *Operated*	1375	10.6	43	4	5	9	12	17	21	36
1. SINGLE DX	1620	6.9	11	3	3	6	8	11	13	19
2. MULTIPLE DX	1403	10.5	43	4	5	9	12	17	21	35
A. NOT OPERATED	59	6.9	15	1	2	7	9	13	14	17
B. OPERATED	2964	8.6	29	3	4	8	10	14	17	29
TOTAL 0-19 YRS	1117	7.6	19	3	3	7	9	12	15	25
20-34	580	7.4	20	3	3	7	9	12	14	25
35-49	466	8.5	26	3	4	8	10	14	16	29
50-64	450	10.2	41	4	5	9	12	17	20	30
65+	410	11.1	46	5	5	10	13	17	21	40
GRAND TOTAL	**3023**	**8.6**	**29**	**3**	**4**	**8**	**10**	**14**	**17**	**28**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	2.0	1	<1	1	2	2	4	4	6
20-34	39	1.9	2	<1	<1	1	3	4	5	7
35-49	10	1.8	1	1	1	2	2	3	4	4
50-64	2	3.5	5	2	2	3	5	5	5	5
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	302	3.2	3	1	2	3	4	5	6	10
20-34	191	3.8	5	2	2	3	4	6	9	12
35-49	55	4.1	3	2	2	4	5	6	8	11
50-64	21	5.0	5	2	2	5	7	8	9	10
65+	11	5.3	6	2	3	5	7	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	2.4	2	<1	1	2	3	4	5	5
20-34	22	3.1	3	1	1	3	4	5	6	7
35-49	8	4.6	13	2	2	3	6	11	12	12
50-64	6	5.3	15	1	1	6	7	11	11	11
65+	8	4.0	7	1	1	3	5	8	10	10
B. *Operated*										
0-19 YRS	147	4.5	8	2	2	4	5	8	9	16
20-34	165	5.1	7	2	3	5	6	8	10	14
35-49	40	6.0	14	2	3	5	8	11	15	18
50-64	29	9.2	29	4	4	8	10	14	24	27
65+	18	9.8	42	4	4	8	12	18	25	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	122	2.0	2	<1	1	2	2	4	5	6
B. *Operated*	580	3.6	4	2	2	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	80	3.2	5	1	1	3	4	6	8	12
B. *Operated*	399	5.5	13	2	2	4	7	9	13	19
1. SINGLE DX	702	3.3	4	1	1	3	4	5	7	11
2. MULTIPLE DX	479	5.1	12	2	2	4	6	9	12	19
A. NOT OPERATED	202	2.5	3	<1	1	2	3	5	6	10
B. OPERATED	979	4.4	8	2	2	4	5	8	9	16
TOTAL 0-19 YRS	554	3.3	4	1	1	3	4	5	7	12
20-34	417	4.1	6	1	2	4	5	7	9	12
35-49	113	4.6	9	1	2	4	5	8	11	16
50-64	58	7.1	22	2	2	6	8	12	14	27
65+	39	7.0	29	2	2	5	9	13	18	29
GRAND TOTAL	**1181**	**4.0**	**8**	**1**	**2**	**3**	**5**	**7**	**9**	**15**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	1.5	2	<1	<1	1	1	2	5	8
20-34	10	1.5	1	<1	<1	1	2	3	3	3
35-49	9	2.6	4	1	1	2	4	6	6	6
50-64	10	2.3	2	<1	<1	2	3	4	4	4
65+	4	4.3	5	1	1	5	6	6	6	6
B. *Operated*										
0-19 YRS	2112	1.6	1	<1	<1	1	2	3	3	5
20-34	2111	2.6	2	1	1	2	3	4	5	7
35-49	2223	2.9	3	1	1	3	4	5	5	7
50-64	2872	3.1	2	1	1	3	4	5	6	8
65+	2037	3.5	3	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	1.5	2	<1	<1	1	1	3	4	9
20-34	16	1.8	2	<1	<1	1	2	4	5	5
35-49	26	3.5	8	<1	<1	3	5	9	10	11
50-64	52	2.5	4	<1	<1	2	3	5	6	9
65+	87	3.8	26	<1	1	3	5	8	10	31
B. *Operated*										
0-19 YRS	1261	2.1	10	<1	<1	2	2	3	4	9
20-34	708	3.3	6	1	1	3	4	5	6	11
35-49	1204	3.6	5	1	2	3	4	6	7	12
50-64	2200	4.0	8	1	2	3	5	7	8	13
65+	3111	4.6	10	2	2	4	5	8	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	2.0	3	<1	<1	1	2	5	6	8
B. *Operated*	11355	2.8	3	<1	1	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	262	2.7	12	<1	<1	1	3	6	8	11
B. *Operated*	8484	3.8	9	1	1	3	5	7	8	14
1. SINGLE DX	11410	2.8	3	<1	1	3	4	5	5	7
2. MULTIPLE DX	8746	3.8	9	1	1	3	5	7	8	14
A. NOT OPERATED	317	2.6	10	<1	<1	1	3	6	8	11
B. OPERATED	19839	3.2	6	1	1	3	4	5	7	11
TOTAL 0-19 YRS	3476	1.8	4	<1	<1	1	2	3	4	6
20-34	2845	2.8	3	1	1	3	4	4	5	8
35-49	3462	3.2	4	1	1	3	4	5	6	9
50-64	5134	3.5	5	1	1	3	4	6	7	10
65+	5239	4.1	7	1	2	4	5	7	9	15
GRAND TOTAL	**20156**	**3.2**	**6**	**1**	**1**	**3**	**4**	**5**	**7**	**11**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.3		<1	<1	1	2	2	2	2
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	9	2.3	4	1	1	1	3	6	7	7
B. *Operated*										
0-19 YRS	224	1.9	1	<1	1	2	2	3	4	6
20-34	107	3.0	2	1	2	3	4	5	5	7
35-49	81	3.4	4	1	1	3	4	6	7	12
50-64	111	3.3	2	1	1	3	4	5	6	8
65+	227	5.0	24	2	2	4	6	7	10	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	1.5	1	<1	<1	1	2	3	3	3
20-34	3	2.7	4	1	1	2	4	5	5	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64	9	3.6	12	1	1	2	5	9	12	12
65+	35	6.1	118	<1	1	3	6	11	14	65
B. *Operated*										
0-19 YRS	195	3.2	24	1	1	2	4	6	8	21
20-34	53	4.3	8	2	2	4	5	6	12	15
35-49	42	5.0	9	2	2	4	6	8	13	14
50-64	156	5.9	17	2	3	4	7	11	16	20
65+	548	7.1	32	2	3	5	8	13	17	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	1.9	2	<1	<1	1	2	3	5	7
B. *Operated*	750	3.4	10	1	1	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	58	4.7	76	<1	1	2	5	10	12	61
B. *Operated*	994	5.9	28	1	2	5	7	11	15	30
1. SINGLE DX	773	3.3	10	1	1	3	4	6	7	10
2. MULTIPLE DX	1052	5.9	31	1	2	4	7	11	15	31
A. NOT OPERATED	81	3.9	56	<1	1	2	4	8	11	49
B. OPERATED	1744	4.8	22	1	1	4	6	9	12	25
TOTAL 0-19 YRS	437	2.5	12	1	1	2	3	4	6	11
20-34	166	3.4	4	1	2	3	4	5	6	14
35-49	125	3.9	6	1	1	3	5	6	8	13
50-64	278	4.7	12	1	2	4	5	9	12	19
65+	819	6.4	34	2	2	5	7	11	15	33
GRAND TOTAL	**1825**	**4.8**	**24**	**1**	**1**	**4**	**6**	**9**	**12**	**25**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.0	1	<1	<1	2	3	3	3	3
20-34	2	1.0		1	1	1	1	1	1	1
35-49	3	1.3		<1	<1	1	2	2	2	2
50-64										
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	433	1.7	1	<1	<1	2	2	3	3	4
20-34	131	2.6	2	1	1	2	3	4	5	6
35-49	151	2.7	2	<1	1	2	3	5	6	7
50-64	99	3.2	4	1	1	3	4	6	7	12
65+	41	3.4	5	1	1	3	4	6	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	1.5	3	<1	<1	1	1	3	6	8
20-34	5	1.6	1	<1	<1	1	2	3	3	3
35-49	7	2.6	2	<1	<1	3	4	4	4	4
50-64	6	2.0	6	<1	<1	1	1	6	7	7
65+	9	2.9	3	<1	<1	2	4	6	6	6
B. *Operated*										
0-19 YRS	112	2.4	3	<1	1	2	3	5	6	9
20-34	59	4.4	6	1	2	4	5	8	9	12
35-49	142	4.1	9	1	1	3	5	7	10	15
50-64	147	4.1	7	1	2	4	5	7	9	13
65+	89	5.0	11	2	2	4	6	9	10	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	1.8	1	<1	<1	1	3	3	3	3
B. *Operated*	855	2.3	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	49	2.0	3	<1	<1	1	2	4	6	8
B. *Operated*	549	3.9	8	1	1	3	5	7	9	14
1. SINGLE DX	867	2.3	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX	598	3.8	8	1	1	3	5	7	9	13
A. NOT OPERATED	61	2.0	2	<1	<1	1	3	4	5	8
B. OPERATED	1404	2.9	5	<1	1	2	4	5	7	12
TOTAL 0-19 YRS	573	1.9	1	<1	<1	2	2	3	4	7
20-34	197	3.1	4	1	1	3	4	5	7	10
35-49	303	3.3	6	1	1	3	4	6	7	14
50-64	252	3.7	6	1	1	3	5	6	9	12
65+	140	4.4	9	1	2	4	6	8	10	14
GRAND TOTAL	**1465**	**2.9**	**5**	**<1**	**1**	**2**	**4**	**5**	**7**	**12**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.0		1	1	1	1	1	1	1
35-49	5	1.6		<1	<1	2	2	2	2	2
50-64	6	3.2	7	1	1	2	4	8	8	8
65+	5	3.0	5	<1	<1	3	4	6	6	6
B. *Operated*										
0-19 YRS	63	2.2	2	<1	<1	2	2	4	6	7
20-34	247	3.4	4	1	1	3	4	6	7	11
35-49	427	4.2	6	1	2	4	5	7	8	11
50-64	482	4.7	6	2	2	5	6	8	9	11
65+	310	5.2	6	2	2	5	7	8	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	16	<1	<1	1	6	8	8	8
20-34	17	2.4	2	<1	<1	2	3	5	5	5
35-49	28	4.8	91	<1	1	2	4	7	16	52
50-64	32	4.4	39	<1	<1	3	5	8	15	34
65+	47	4.1	8	1	1	3	5	9	10	12
B. *Operated*										
0-19 YRS	31	3.7	4	<1	1	4	5	7	8	9
20-34	169	5.5	19	2	2	5	7	9	11	32
35-49	465	5.9	19	2	3	5	7	9	11	18
50-64	631	6.4	14	2	3	6	8	11	12	22
65+	649	7.6	27	3	3	7	9	12	16	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	2.4	4	<1	<1	2	3	5	7	8
B. *Operated*	1529	4.4	6	1	2	4	6	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	127	4.1	33	<1	1	3	5	8	10	38
B. *Operated*	1945	6.5	21	2	3	6	8	11	13	23
1. SINGLE DX	1547	4.4	6	1	2	4	6	8	9	11
2. MULTIPLE DX	2072	6.4	22	2	2	6	8	11	13	23
A. NOT OPERATED	145	3.9	30	<1	1	3	5	8	10	35
B. OPERATED	3474	5.6	15	1	2	5	7	9	11	18
TOTAL 0-19 YRS	97	2.7	4	<1	<1	2	4	5	7	9
20-34	435	4.2	11	1	1	4	5	7	9	14
35-49	925	5.1	16	1	2	4	6	8	10	16
50-64	1151	5.6	12	2	2	5	7	9	11	19
65+	1011	6.6	21	2	3	6	8	11	14	23
GRAND TOTAL	**3619**	**5.5**	**16**	**1**	**2**	**5**	**7**	**9**	**11**	**18**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.0	3	1	1	3	4	5	5	5
20-34	37	3.0	2	1	2	3	4	5	5	7
35-49	75	3.3	3	1	2	3	4	5	7	10
50-64	86	3.4	4	1	2	3	4	5	6	14
65+	56	3.8	4	1	2	3	5	7	9	11
B. *Operated*										
0-19 YRS	7	6.3	5	3	3	6	8	10	10	10
20-34	8	7.0	3	3	4	8	8	8	8	8
35-49	13	7.0	8	1	2	8	8	10	11	11
50-64	18	5.9	8	2	2	6	8	10	11	11
65+	5	7.6	1	6	6	8	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.6	2	1	2	4	5	5	5	5
20-34	157	3.4	3	1	2	3	4	6	6	9
35-49	569	3.9	5	1	2	3	5	6	8	11
50-64	844	4.1	6	1	2	4	5	7	9	14
65+	894	4.5	7	2	2	4	5	7	9	14
B. *Operated*										
0-19 YRS	19	7.8	22	2	3	7	10	15	18	20
20-34	87	7.0	15	2	3	7	9	10	11	26
35-49	233	7.1	22	2	2	6	9	12	16	24
50-64	307	7.5	21	2	2	7	10	13	15	24
65+	240	8.5	28	2	3	8	11	16	18	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	259	3.4	4	1	2	3	4	5	7	10
B. *Operated*	51	6.6	6	2	3	7	8	9	10	11
2. MULTIPLE DX										
A. *Not Operated*	2474	4.1	6	1	2	4	5	7	9	14
B. *Operated*	886	7.7	23	2	2	7	10	13	17	25
1. SINGLE DX	310	3.9	5	1	2	3	5	8	9	11
2. MULTIPLE DX	3360	5.1	13	2	2	4	6	9	12	18
A. NOT OPERATED	2733	4.1	6	1	2	4	5	7	8	14
B. OPERATED	937	7.6	22	2	2	7	9	13	17	24
TOTAL 0-19 YRS	41	6.0	16	1	2	5	8	10	14	20
20-34	289	4.5	9	1	2	4	6	8	9	12
35-49	890	4.7	11	1	2	4	6	9	11	17
50-64	1255	4.9	12	2	2	4	6	9	12	17
65+	1195	5.3	14	2	2	4	7	10	13	19
GRAND TOTAL	**3670**	**5.0**	**12**	**2**	**2**	**4**	**6**	**9**	**12**	**18**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	2	9.0	2	8	8	9	10	10	10	10
65+										
B. *Operated*										
0-19 YRS	15	1.3		<1	<1	<1	1	2	3	3
20-34	35	3.5	6	<1	1	3	4	6	10	12
35-49	68	3.7	6	1	1	3	4	6	9	13
50-64	74	3.4	3	1	1	3	4	6	7	9
65+	55	4.0	4	1	2	4	5	6	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	2.6	4	<1	<1	2	4	6	6	6
35-49	5	6.2	27	2	2	5	8	15	15	15
50-64	6	4.0	4	2	2	4	5	7	7	7
65+	10	4.1	4	1	1	4	6	7	7	7
B. *Operated*										
0-19 YRS	14	3.1	6	<1	<1	2	6	7	77	99+
20-34	31	4.8	12	1	2	4	5	10	14	15
35-49	46	5.0	12	1	2	4	7	10	13	14
50-64	65	5.3	16	1	2	4	6	9	13	24
65+	90	5.6	15	2	2	5	7	11	14	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	6.5	10	3	3	6	9	10	10	10
B. *Operated*	247	3.5	5	1	1	3	5	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	26	4.2	8	1	1	4	6	7	9	15
B. *Operated*	246	5.2	14	1	2	4	6	10	14	21
1. SINGLE DX	251	3.5	5	1	1	3	5	6	7	12
2. MULTIPLE DX	272	5.1	13	1	2	4	6	10	14	20
A. NOT OPERATED	30	4.5	9	1	1	4	6	8	10	15
B. OPERATED	493	4.3	10	1	1	4	5	8	11	15
TOTAL 0-19 YRS	29	2.2	4	<1	<1	1	3	6	7	99+
20-34	71	4.0	9	1	1	4	5	7	11	15
35-49	121	4.3	9	1	1	4	5	8	12	14
50-64	147	4.4	10	1	2	4	5	8	9	16
65+	155	4.9	11	1	2	4	6	9	12	16
GRAND TOTAL	**523**	**4.4**	**10**	**1**	**1**	**4**	**5**	**8**	**11**	**15**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	3	2.3	2	1	1	2	3	4	4	4
50-64	10	4.1	8	1	1	4	5	8	10	10
65+	16	3.8	2	2	2	3	4	6	7	8
B. *Operated*										
0-19 YRS	58	2.6	7	1	1	2	2	4	9	15
20-34	98	3.6	5	1	1	3	4	7	9	13
35-49	162	3.9	6	1	1	3	5	7	9	12
50-64	153	4.8	8	1	2	4	6	9	11	13
65+	209	5.7	13	1	2	5	7	10	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	2	2.5	5	<1	<1	2	4	4	4	4
35-49	18	3.4	6	1	1	2	5	7	8	9
50-64	26	3.8	3	1	2	4	5	6	7	9
65+	98	5.2	14	2	2	4	6	9	12	23
B. *Operated*										
0-19 YRS	16	5.4	70	1	1	2	4	13	28	34
20-34	67	6.0	30	2	2	5	8	10	12	38
35-49	167	6.6	26	1	2	5	8	12	16	21
50-64	305	8.3	74	2	3	6	9	14	21	47
65+	632	10.1	50	3	3	8	13	18	24	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	3.5	4	1	1	3	4	6	8	10
B. *Operated*	680	4.5	9	1	1	4	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	147	4.6	11	1	2	4	6	8	9	17
B. *Operated*	1187	8.8	54	2	3	7	11	16	22	37
1. SINGLE DX	713	4.4	9	1	1	4	6	8	10	15
2. MULTIPLE DX	1334	8.4	51	2	3	7	10	16	21	36
A. NOT OPERATED	180	4.4	10	1	2	4	5	8	9	16
B. OPERATED	1867	7.3	42	1	2	6	9	14	18	35
TOTAL 0-19 YRS	79	3.1	20	1	1	2	3	5	12	28
20-34	169	4.6	17	1	1	4	5	9	10	18
35-49	350	5.1	17	1	2	4	7	9	12	19
50-64	494	6.9	52	1	2	5	8	13	16	36
65+	955	8.5	42	2	3	7	11	16	21	35
GRAND TOTAL	**2047**	**7.0**	**40**	**1**	**2**	**5**	**9**	**13**	**17**	**34**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	125	2.5	3	1	1	2	3	5	6	8
20-34	149	3.8	5	1	1	3	5	7	8	11
35-49	293	4.4	8	1	2	4	6	8	10	15
50-64	311	4.8	8	1	2	4	6	8	10	14
65+	426	5.0	14	1	2	4	6	9	11	18
B. *Operated*										
0-19 YRS	122	6.3	17	2	2	5	8	10	14	24
20-34	150	8.1	12	4	4	8	9	12	16	18
35-49	217	9.9	26	4	5	9	11	17	22	26
50-64	188	10.5	32	5	6	9	12	17	19	30
65+	224	11.2	32	5	6	10	13	18	22	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	129	4.7	21	1	1	3	5	10	16	23
20-34	181	4.7	12	1	1	4	6	8	12	18
35-49	406	6.1	26	1	2	5	7	11	16	24
50-64	819	6.1	18	2	2	5	7	11	14	21
65+	2366	6.9	26	2	3	6	9	12	16	26
B. *Operated*										
0-19 YRS	172	11.4	127	4	4	8	13	19	23	75
20-34	229	11.1	63	4	5	9	13	19	28	51
35-49	372	12.9	88	4	6	11	14	22	30	56
50-64	639	15.1	128	6	7	12	17	26	36	69
65+	1519	15.6	109	6	7	13	18	26	35	60
SUBTOTALS										
1. SINGLE DX										
A. *Not Operated*	1304	4.4	9	1	2	4	6	8	10	15
B. *Operated*	901	9.6	28	3	5	9	11	16	20	27
2. MULTIPLE DX										
A. *Not Operated*	3901	6.5	24	2	2	5	8	12	15	25
B. *Operated*	2931	14.5	110	5	6	12	17	25	34	61
1. SINGLE DX	2205	6.5	23	1	2	5	9	12	15	23
2. MULTIPLE DX	6832	9.9	77	2	3	8	12	19	25	47
A. NOT OPERATED	5205	6.0	21	1	2	5	7	11	14	23
B. OPERATED	3832	13.4	95	4	6	11	16	23	31	58
TOTAL 0-19 YRS	548	6.6	61	1	1	5	8	14	18	34
20-34	709	7.3	36	1	2	6	9	13	17	30
35-49	1288	8.3	51	2	2	7	10	16	21	40
50-64	1957	9.3	72	2	3	7	11	17	22	50
65+	4535	9.9	71	2	3	8	12	19	24	43
GRAND TOTAL	**9037**	**9.1**	**66**	**2**	**3**	**7**	**11**	**17**	**22**	**43**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2965	2.6	3	1	1	2	3	4	5	8
20-34	1359	2.4	2	1	1	2	3	4	5	7
35-49	692	2.9	3	1	1	3	4	5	6	9
50-64	410	3.2	3	1	1	3	4	6	7	9
65+	306	3.5	7	1	1	3	4	6	9	16
B. *Operated*										
0-19 YRS	101	3.6	4	1	1	3	4	6	8	10
20-34	107	4.1	6	1	2	4	5	7	9	15
35-49	66	4.7	7	2	2	4	6	8	10	14
50-64	42	5.2	6	2	3	5	6	8	10	15
65+	21	6.0	8	2	2	7	8	9	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6132	3.2	5	1	1	3	4	5	6	11
20-34	2186	3.1	4	1	1	3	4	5	7	10
35-49	1695	3.9	7	1	2	3	5	7	9	13
50-64	1913	4.4	11	1	2	4	5	8	10	18
65+	3253	5.2	15	2	2	4	6	9	12	19
B. *Operated*										
0-19 YRS	164	8.2	113	2	2	5	9	19	25	67
20-34	200	6.9	74	2	2	5	7	12	15	56
35-49	262	7.3	37	2	3	6	9	13	18	28
50-64	273	8.1	42	2	3	6	10	14	18	38
65+	408	9.7	75	2	3	7	11	18	25	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5732	2.7	3	1	1	2	3	5	6	8
B. *Operated*	337	4.3	6	1	2	4	6	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	15179	3.8	9	1	2	3	5	7	9	15
B. *Operated*	1307	8.3	66	2	3	6	10	15	21	47
1. SINGLE DX	6069	2.8	3	1	1	2	3	5	6	9
2. MULTIPLE DX	16486	4.2	15	1	2	3	5	8	10	18
A. NOT OPERATED	20911	3.5	7	1	1	3	4	6	8	14
B. OPERATED	1644	7.5	56	2	2	5	9	14	19	38
TOTAL 0-19 YRS	9362	3.1	7	1	1	3	4	5	6	11
20-34	3852	3.1	8	1	1	2	4	5	7	12
35-49	2715	4.0	10	1	1	3	5	7	9	16
50-64	2638	4.6	15	1	2	4	5	8	11	19
65+	3988	5.6	23	2	2	4	7	10	13	24
GRAND TOTAL	**22555**	**3.8**	**12**	**1**	**1**	**3**	**4**	**7**	**9**	**17**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	4.8	10	1	1	4	7	9	9	9
20-34	41	4.4	4	1	2	4	5	7	8	9
35-49	350	4.5	4	2	2	4	6	7	9	11
50-64	598	4.5	6	1	2	4	6	8	9	11
65+	589	4.7	7	1	2	4	6	8	9	13
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	23	8.0	20	3	4	7	9	14	17	22
35-49	77	9.3	13	3	4	9	12	14	16	18
50-64	191	9.5	17	2	4	9	12	14	18	21
65+	99	9.9	18	3	3	10	12	15	18	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	4.6	5	2	2	4	5	8	9	9
20-34	37	4.5	6	2	2	4	6	9	10	10
35-49	412	5.0	11	2	2	4	7	8	10	13
50-64	1379	5.1	10	2	2	5	6	9	10	16
65+	3809	5.9	18	2	2	5	7	10	13	22
B. *Operated*										
0-19 YRS	5	9.2	13	6	6	8	11	15	15	15
20-34	44	9.2	16	4	5	8	11	17	18	20
35-49	270	10.2	46	3	4	9	12	15	19	43
50-64	739	11.9	56	3	5	10	14	19	25	44
65+	1345	12.8	78	3	4	11	16	23	30	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1583	4.6	6	1	2	4	6	8	9	12
B. *Operated*	391	9.5	17	3	4	9	12	14	17	21
2. MULTIPLE DX										
A. *Not Operated*	5651	5.6	15	2	2	5	7	9	12	20
B. *Operated*	2403	12.2	67	3	4	10	15	21	27	46
1. SINGLE DX	1974	5.6	12	1	2	5	7	10	12	17
2. MULTIPLE DX	8054	7.6	40	2	2	6	9	14	18	33
A. NOT OPERATED	7234	5.4	13	2	2	5	7	9	11	18
B. OPERATED	2794	11.8	61	3	4	10	14	20	25	45
TOTAL 0-19 YRS	25	5.6	10	2	2	5	7	9	11	15
20-34	145	6.5	16	2	2	6	8	11	14	20
35-49	1109	6.4	23	2	2	5	8	12	14	20
50-64	2907	7.0	31	2	2	6	9	13	17	26
65+	5842	7.5	39	2	2	6	9	14	18	33
GRAND TOTAL	**10028**	**7.2**	**35**	**2**	**2**	**6**	**9**	**13**	**17**	**30**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	2.2	1	<1	1	2	3	4	4	5
20-34	35	3.5	14	1	1	3	4	7	9	22
35-49	32	3.2	5	1	1	3	4	7	7	11
50-64	7	1.9		<1	<1	2	2	2	2	2
65+	8	3.6	5	2	2	3	4	8	9	9
B. *Operated*										
0-19 YRS	123	2.9	5	<1	1	2	4	5	8	12
20-34	818	2.8	3	1	1	2	3	4	5	8
35-49	817	2.9	3	1	1	3	4	5	6	9
50-64	387	3.2	6	1	1	3	4	5	7	12
65+	123	3.4	3	1	2	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	3.4	6	1	1	3	5	7	8	9
20-34	47	3.2	5	<1	1	3	4	6	8	10
35-49	63	3.7	6	<1	1	3	5	7	9	11
50-64	51	3.9	13	1	1	3	4	8	11	22
65+	53	6.5	41	1	2	5	8	13	18	39
B. *Operated*										
0-19 YRS	88	4.3	32	1	1	3	4	8	11	38
20-34	729	4.0	14	1	1	3	4	6	8	17
35-49	1052	4.2	16	1	2	3	5	7	10	20
50-64	763	4.6	14	1	2	4	5	8	11	18
65+	444	5.3	21	1	2	4	6	9	14	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	3.0	7	1	1	2	3	6	7	16
B. *Operated*	2268	2.9	3	1	1	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	242	4.2	16	1	1	3	5	8	10	22
B. *Operated*	3076	4.4	17	1	2	3	5	8	10	21
1. SINGLE DX	2371	2.9	4	1	1	3	4	5	6	10
2. MULTIPLE DX	3318	4.4	17	1	2	3	5	8	10	21
A. NOT OPERATED	345	3.9	14	1	1	3	5	7	9	22
B. OPERATED	5344	3.8	12	1	1	3	4	6	8	17
TOTAL 0-19 YRS	260	3.4	15	1	1	3	4	6	9	15
20-34	1629	3.3	9	1	1	3	4	5	7	14
35-49	1964	3.6	10	1	1	3	4	6	8	15
50-64	1208	4.1	12	1	2	3	5	7	10	18
65+	628	5.0	20	1	2	4	6	9	13	24
GRAND TOTAL	**5689**	**3.8**	**12**	**1**	**1**	**3**	**4**	**6**	**9**	**17**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	454	3.0	6	1	1	2	4	6	8	12
20-34	677	4.0	9	1	1	3	5	7	9	15
35-49	542	3.9	8	1	1	3	5	7	9	14
50-64	379	4.1	12	1	1	3	5	8	9	20
65+	288	3.9	13	1	1	3	5	8	10	18
B. *Operated*										
0-19 YRS	242	5.3	34	<1	1	4	7	11	15	26
20-34	389	6.4	27	1	2	5	8	12	15	31
35-49	341	6.4	43	1	2	5	8	12	17	25
50-64	261	7.2	40	1	1	6	9	15	18	34
65+	216	6.6	30	1	2	5	9	13	18	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	568	4.1	11	1	1	3	5	8	11	17
20-34	1198	4.6	16	1	2	4	6	8	11	23
35-49	1358	4.8	15	1	2	4	6	9	11	20
50-64	1436	5.1	16	1	2	4	6	9	12	21
65+	2773	5.6	21	1	2	4	7	11	14	23
B. *Operated*										
0-19 YRS	360	9.5	120	1	2	6	10	22	35	72
20-34	1006	8.7	63	2	2	6	10	18	24	42
35-49	1135	8.7	78	2	2	6	11	17	24	48
50-64	1230	10.0	99	2	3	7	12	20	28	55
65+	1867	11.9	109	2	3	9	15	24	33	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2340	3.8	9	1	1	3	5	7	9	15
B. *Operated*	1449	6.4	35	1	2	5	8	13	17	28
2. MULTIPLE DX										
A. *Not Operated*	7333	5.1	18	1	2	4	6	9	12	22
B. *Operated*	5598	10.1	95	2	3	7	12	21	28	54
1. SINGLE DX	3789	4.8	21	1	1	3	6	9	13	22
2. MULTIPLE DX	12931	7.2	57	1	2	5	9	15	21	40
A. NOT OPERATED	9673	4.8	16	1	2	4	6	9	11	20
B. OPERATED	7047	9.3	85	2	2	7	12	19	26	50
TOTAL 0-19 YRS	1624	5.1	43	1	1	3	6	10	15	38
20-34	3270	5.9	34	1	2	4	7	11	16	32
35-49	3376	6.1	42	1	2	4	7	12	17	34
50-64	3306	7.0	54	1	2	5	8	14	19	39
65+	5144	7.8	62	1	2	5	10	16	22	41
GRAND TOTAL	**16720**	**6.7**	**50**	**1**	**2**	**5**	**8**	**14**	**19**	**38**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	14	5.9	9	3	3	5	8	9	13	14
35-49	28	6.3	30	2	2	5	8	12	15	28
50-64	27	7.0	45	1	2	5	6	18	24	28
65+	5	8.4	24	3	3	7	11	16	16	16
B. *Operated*										
0-19 YRS										
20-34	4	5.3	14	1	1	5	8	10	10	10
35-49	18	8.3	96	1	1	6	8	25	34	37
50-64	19	5.3	11	1	1	5	8	10	11	11
65+	7	4.0	10	1	1	3	5	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	106	7.4	30	2	3	6	9	15	19	27
35-49	381	8.9	56	2	3	6	11	17	21	42
50-64	396	10.3	72	2	3	8	12	20	29	44
65+	204	9.9	58	2	3	8	12	20	24	44
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	24	10.8	39	3	3	9	14	20	25	26
35-49	131	12.2	136	2	3	8	15	26	34	57
50-64	178	11.3	85	2	3	9	15	25	30	45
65+	83	13.0	109	1	2	11	17	27	32	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	6.6	30	2	2	5	8	14	18	28
B. *Operated*	48	6.3	44	1	1	5	8	10	14	37
2. MULTIPLE DX										
A. *Not Operated*	1088	9.4	60	2	3	7	12	18	23	44
B. *Operated*	417	11.8	103	2	3	9	15	25	31	50
1. SINGLE DX	122	6.5	36	1	2	5	8	12	17	32
2. MULTIPLE DX	1505	10.1	73	2	3	8	13	20	27	45
A. NOT OPERATED	1162	9.3	59	2	3	7	11	18	23	43
B. OPERATED	465	11.3	100	1	2	8	14	25	30	49
TOTAL 0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	148	7.8	30	3	3	6	9	16	19	26
35-49	558	9.5	77	2	3	7	12	19	26	49
50-64	620	10.3	74	2	3	8	12	21	28	44
65+	299	10.6	73	2	3	8	14	21	27	45
GRAND TOTAL	**1627**	**9.8**	**71**	**2**	**3**	**7**	**12**	**20**	**26**	**44**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.8	6	2	2	4	6	8	8	8
20-34	11	3.1	4	1	1	3	5	6	6	6
35-49	20	5.5	28	1	1	4	7	8	17	26
50-64	26	6.0	22	1	2	5	7	14	18	18
65+	17	5.1	4	3	3	5	6	8	9	9
B. *Operated*										
0-19 YRS	26	2.3	3	1	1	2	2	6	7	7
20-34	53	2.2	8	1	1	2	2	3	4	21
35-49	62	3.0	16	1	1	2	3	7	11	24
50-64	60	3.6	19	<1	1	2	4	9	12	21
65+	35	3.3	13	1	1	1	3	11	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	3.4	6	1	1	2	5	7	8	9
20-34	33	5.8	16	1	2	5	6	10	14	21
35-49	107	7.3	61	2	3	5	8	14	19	44
50-64	197	8.8	50	2	3	7	11	17	22	38
65+	253	8.8	52	2	3	7	11	16	22	50
B. *Operated*										
0-19 YRS	38	5.6	38	1	1	4	7	14	17	32
20-34	64	6.6	79	1	1	3	8	21	24	45
35-49	152	6.9	75	1	1	5	8	14	20	58
50-64	245	7.7	78	1	1	5	10	16	24	46
65+	261	9.0	68	1	2	7	12	19	26	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	5.2	17	1	2	5	7	8	13	24
B. *Operated*	236	2.9	13	1	1	2	3	7	11	21
2. MULTIPLE DX										
A. *Not Operated*	610	8.2	51	2	3	6	10	16	20	41
B. *Operated*	760	7.8	73	1	1	5	10	17	24	45
1. SINGLE DX	314	3.5	15	1	1	2	4	8	11	21
2. MULTIPLE DX	1370	8.0	63	1	2	6	10	16	23	42
A. NOT OPERATED	688	7.9	48	2	2	6	9	15	19	40
B. OPERATED	996	6.6	63	1	1	4	9	15	22	39
TOTAL 0-19 YRS	88	4.0	20	1	1	2	5	8	13	27
20-34	161	4.7	41	1	1	2	5	9	21	38
35-49	341	6.2	59	1	1	4	7	13	19	34
50-64	528	7.6	60	1	1	6	10	16	22	39
65+	566	8.4	58	1	2	6	11	17	23	42
GRAND TOTAL	**1684**	**7.1**	**57**	**1**	**1**	**5**	**9**	**15**	**21**	**40**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	4.6	5	2	2	4	6	8	9	11
20-34	106	5.1	17	2	2	4	6	7	10	27
35-49	70	5.3	13	1	1	5	7	9	11	23
50-64	58	5.5	12	1	2	5	7	9	12	19
65+	32	7.1	25	1	2	6	10	14	19	21
B. *Operated*										
0-19 YRS	10	5.8	12	2	2	5	8	11	12	12
20-34	26	4.2	15	1	1	3	5	10	14	15
35-49	35	5.7	31	<1	1	3	8	12	20	22
50-64	31	6.5	89	1	1	2	9	13	28	46
65+	17	12.4	326	1	1	5	13	36	59	70
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	5.6	48	1	1	4	7	10	12	45
20-34	161	6.1	16	2	2	5	8	11	15	21
35-49	225	7.8	50	2	3	6	9	15	20	43
50-64	339	7.2	30	2	2	6	9	13	18	31
65+	502	8.4	48	2	3	7	10	15	22	35
B. *Operated*										
0-19 YRS	39	7.7	75	1	1	3	14	23	25	30
20-34	41	7.4	43	1	1	6	10	17	22	28
35-49	129	10.2	105	1	2	8	13	22	34	54
50-64	170	12.2	178	1	2	8	17	27	34	71
65+	172	14.2	180	2	2	10	20	30	38	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	304	5.4	15	1	2	4	7	9	11	24
B. *Operated*	119	6.5	86	1	1	3	8	13	22	53
2. MULTIPLE DX										
A. *Not Operated*	1270	7.6	40	2	3	6	9	14	19	33
B. *Operated*	551	11.7	149	1	2	8	16	27	34	64
1. SINGLE DX	423	5.7	35	1	2	4	7	10	13	29
2. MULTIPLE DX	1821	8.8	76	2	2	6	11	18	26	44
A. NOT OPERATED	1574	7.2	36	2	2	6	8	13	18	32
B. OPERATED	670	10.8	141	1	1	7	14	25	32	63
TOTAL 0-19 YRS	130	6.0	42	1	1	4	7	12	19	33
20-34	334	5.8	20	1	2	5	7	11	15	24
35-49	459	8.0	61	1	2	6	10	16	22	42
50-64	598	8.4	79	1	2	6	10	18	26	44
65+	723	9.9	91	2	3	7	11	21	28	50
GRAND TOTAL	**2244**	**8.3**	**70**	**1**	**2**	**6**	**10**	**17**	**24**	**43**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	2.9	2	1	1	2	4	5	6	7
20-34	230	2.4	3	<1	1	2	3	4	6	6
35-49	218	2.8	3	1	1	2	4	5	6	9
50-64	209	3.1	4	1	1	3	4	6	7	9
65+	211	4.0	9	1	1	3	5	8	9	15
B. *Operated*										
0-19 YRS	235	5.4	4	3	3	5	6	8	9	13
20-34	2659	5.5	4	3	3	5	6	8	9	12
35-49	2374	5.9	5	3	4	6	7	8	10	12
50-64	2105	6.5	7	4	4	6	8	9	11	14
65+	1102	7.5	10	4	5	7	9	11	13	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	4.0	11	<1	1	3	5	8	12	15
20-34	246	3.0	3	1	1	3	4	5	6	9
35-49	328	3.7	7	1	1	3	5	7	8	13
50-64	631	4.0	8	1	1	3	5	7	9	14
65+	1498	5.9	19	2	2	5	7	10	13	21
B. *Operated*										
0-19 YRS	204	7.2	10	3	4	6	9	12	14	16
20-34	1983	6.9	13	3	4	6	8	11	13	18
35-49	2774	7.4	15	4	4	7	9	11	14	22
50-64	3617	8.4	20	4	5	7	10	13	16	24
65+	4881	10.8	41	5	6	9	13	17	21	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	894	3.1	5	1	1	3	4	6	7	10
B. *Operated*	8475	6.1	6	3	4	6	7	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	2749	4.9	15	1	2	4	6	9	11	19
B. *Operated*	13459	8.8	28	4	5	8	10	14	18	28
1. SINGLE DX	9369	5.8	7	2	3	5	7	9	10	14
2. MULTIPLE DX	16208	8.1	28	3	4	7	10	14	17	27
A. NOT OPERATED	3643	4.4	13	1	1	4	6	8	10	17
B. OPERATED	21934	7.8	21	4	4	7	9	12	15	25
TOTAL 0-19 YRS	511	5.8	8	2	3	5	7	9	12	15
20-34	5118	5.8	9	2	3	5	7	9	10	15
35-49	5694	6.4	11	2	3	6	8	10	12	18
50-64	6562	7.2	16	2	3	6	9	11	14	21
65+	7692	9.2	36	3	4	8	11	15	19	32
GRAND TOTAL	**25577**	**7.3**	**21**	**2**	**3**	**6**	**9**	**12**	**15**	**24**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	3.4	6	1	1	3	4	6	9	12
20-34	125	3.3	4	1	1	3	4	6	7	9
35-49	139	3.3	3	1	1	3	4	6	7	9
50-64	89	3.6	4	1	1	3	5	6	8	10
65+	84	4.2	5	1	2	4	5	7	9	11
B. *Operated*										
0-19 YRS	16	5.3	15	1	2	4	6	9	15	18
20-34	238	6.5	9	3	4	6	8	11	12	16
35-49	274	6.2	6	3	4	6	7	9	12	15
50-64	179	6.9	9	3	4	6	8	10	12	18
65+	85	8.4	11	4	5	8	10	12	15	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	3.5	18	1	1	2	3	6	15	20
20-34	132	3.8	5	1	1	3	5	7	8	11
35-49	185	4.4	25	1	2	3	5	7	9	16
50-64	245	5.1	12	1	2	4	6	9	12	19
65+	508	6.4	27	2	2	5	8	11	13	22
B. *Operated*										
0-19 YRS	28	7.6	14	3	4	7	10	12	13	18
20-34	360	7.7	19	3	4	6	9	13	15	25
35-49	540	8.4	23	4	4	7	10	14	17	28
50-64	474	9.6	46	4	5	8	11	15	20	30
65+	573	12.2	50	5	6	10	14	21	27	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	457	3.5	4	1	1	3	5	6	7	10
B. *Operated*	792	6.7	9	3	4	6	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	1089	5.4	21	1	2	4	7	9	12	20
B. *Operated*	1975	9.7	38	4	5	8	12	16	21	34
1. SINGLE DX	1249	5.5	9	1	2	5	7	9	11	16
2. MULTIPLE DX	3064	8.1	37	2	3	7	10	14	18	31
A. NOT OPERATED	1546	4.8	17	1	2	4	6	9	11	18
B. OPERATED	2767	8.8	32	4	4	7	10	15	18	31
TOTAL 0-19 YRS	83	5.2	16	1	2	4	7	11	13	19
20-34	855	6.1	15	2	2	5	8	11	13	20
35-49	1138	6.6	20	2	2	6	8	11	14	24
50-64	987	7.5	32	2	3	6	9	13	16	26
65+	1250	9.0	44	2	3	8	11	16	21	35
GRAND TOTAL	**4313**	**7.4**	**30**	**2**	**3**	**6**	**9**	**13**	**16**	**29**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	11	2.6	2	<1	<1	3	4	4	4	4
35-49	11	2.6	3	1	1	2	3	5	7	7
50-64	17	4.5	9	<1	1	3	8	9	9	9
65+	17	4.9	4	2	3	5	6	8	9	10
B. *Operated*										
0-19 YRS	10	6.9	15	2	3	6	8	13	16	16
20-34	80	6.9	16	1	2	7	8	11	13	25
35-49	67	6.8	14	2	2	6	8	11	13	21
50-64	64	7.1	12	1	2	7	9	12	14	15
65+	127	9.0	29	2	2	8	12	16	19	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.2	1	2	2	4	4	4	4	4
20-34	18	2.7	3	1	1	2	4	5	6	7
35-49	20	5.3	9	2	2	4	7	9	11	14
50-64	46	4.9	8	1	1	5	7	9	10	12
65+	141	6.6	30	2	2	5	7	11	16	36
B. *Operated*										
0-19 YRS	15	8.1	4	6	6	8	10	11	11	11
20-34	80	8.5	20	3	4	8	10	12	18	26
35-49	103	10.0	22	4	5	9	12	17	20	24
50-64	189	10.6	29	4	5	10	13	17	22	31
65+	642	12.6	56	3	5	11	15	21	25	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	3.9	6	<1	1	3	5	8	9	10
B. *Operated*	348	7.7	20	2	2	7	10	14	16	22
2. MULTIPLE DX										
A. *Not Operated*	230	5.8	22	1	2	5	7	10	14	29
B. *Operated*	1029	11.6	46	4	5	10	14	20	23	35
1. SINGLE DX	405	7.2	20	1	2	7	9	13	15	22
2. MULTIPLE DX	1259	10.5	46	2	4	9	13	18	23	34
A. NOT OPERATED	287	5.4	20	1	2	5	7	9	12	27
B. OPERATED	1377	10.6	42	2	4	9	13	18	22	34
TOTAL 0-19 YRS	31	6.8	10	2	3	6	8	11	11	16
20-34	189	6.9	19	1	2	7	8	11	13	26
35-49	201	8.0	21	2	3	7	10	14	18	23
50-64	316	8.7	27	2	3	8	11	15	18	27
65+	927	11.0	53	2	3	10	14	19	23	36
GRAND TOTAL	**1664**	**9.7**	**42**	**2**	**3**	**8**	**12**	**17**	**21**	**33**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	5.4	3	4	4	5	6	8	8	8
20-34	21	3.6	7	1	1	3	4	8	9	11
35-49	17	5.3	16	<1	1	5	6	10	16	18
50-64	23	4.3	6	1	2	4	5	7	10	12
65+	19	5.4	11	1	2	5	7	11	13	13
B. *Operated*										
0-19 YRS	3	5.7	16	2	2	5	9	10	10	10
20-34	23	6.8	17	<1	1	6	9	12	14	17
35-49	23	7.3	65	<1	1	5	9	17	25	36
50-64	25	6.7	35	1	2	4	10	13	22	23
65+	22	7.6	30	1	2	7	11	13	18	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	8.5	62	1	1	6	13	19	26	31
20-34	32	6.6	59	1	1	5	8	12	20	42
35-49	36	6.2	30	1	2	5	8	12	14	31
50-64	83	5.7	13	1	2	5	7	10	13	19
65+	241	6.6	21	2	2	6	8	11	14	31
B. *Operated*										
0-19 YRS	17	8.5	39	2	3	7	12	14	23	27
20-34	40	11.7	134	2	3	9	13	25	54	99+
35-49	78	10.6	97	2	2	9	13	22	29	57
50-64	150	12.2	119	2	3	10	15	22	31	76
65+	247	13.8	99	2	4	12	17	25	31	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	4.6	9	1	1	4	6	8	11	16
B. *Operated*	96	7.1	35	1	2	6	10	13	18	31
2. MULTIPLE DX										
A. *Not Operated*	412	6.5	25	1	2	5	8	11	14	31
B. *Operated*	532	12.5	106	2	3	11	15	24	31	65
1. SINGLE DX	181	5.9	24	1	1	5	8	12	14	24
2. MULTIPLE DX	944	9.9	80	2	2	8	13	19	26	44
A. NOT OPERATED	497	6.2	23	1	2	5	8	11	14	31
B. OPERATED	628	11.7	99	2	2	10	15	23	30	64
TOTAL 0-19 YRS	45	7.9	43	1	2	6	11	14	23	31
20-34	116	7.8	75	1	2	6	10	15	23	76
35-49	154	8.5	72	1	2	6	11	18	24	38
50-64	281	9.1	81	2	2	6	12	17	24	42
65+	529	10.0	70	2	3	8	13	19	26	40
GRAND TOTAL	**1125**	**9.2**	**73**	**2**	**2**	**7**	**12**	**18**	**25**	**43**

219: Diseases of pancreas [illegible]

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	4.1	9	1	1	4	5	7	10	16
20-34	337	5.3	16	2	2	4	6	9	12	22
35-49	365	5.3	8	2	2	5	7	9	11	16
50-64	213	5.5	12	2	2	4	7	9	12	20
65+	147	6.0	14	2	2	5	7	9	11	20
B. *Operated*										
0-19 YRS	11	14.0	128	1	1	10	19	33	35	35
20-34	36	8.9	92	1	1	5	11	18	34	45
35-49	79	10.6	93	1	2	8	14	21	26	55
50-64	52	10.1	39	1	3	9	14	18	21	33
65+	19	6.5	50	<1	1	5	9	12	23	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	6.3	24	1	2	5	7	13	16	25
20-34	856	6.1	19	2	2	5	7	10	13	24
35-49	1400	6.9	26	2	3	6	8	12	16	27
50-64	1023	6.6	21	2	3	6	8	11	15	25
65+	1233	7.4	23	2	3	6	9	13	16	26
B. *Operated*										
0-19 YRS	19	16.9	127	3	5	15	27	34	36	37
20-34	184	15.3	214	2	4	11	17	31	40	86
35-49	368	16.4	233	3	4	12	19	36	54	77
50-64	318	14.9	197	2	4	11	17	32	44	92
65+	355	13.4	120	3	4	10	17	26	39	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1118	5.4	12	2	2	5	7	9	11	18
B. *Operated*	197	9.9	77	1	2	8	12	20	26	42
2. MULTIPLE DX										
A. *Not Operated*	4556	6.8	23	2	3	6	8	12	15	26
B. *Operated*	1244	15.0	188	3	4	11	17	32	43	76
1. SINGLE DX	1315	6.0	25	2	2	5	7	11	15	26
2. MULTIPLE DX	5800	8.6	70	2	3	6	10	16	23	46
A. NOT OPERATED	5674	6.5	21	2	3	5	8	11	15	25
B. OPERATED	1441	14.3	176	2	3	11	17	30	41	74
TOTAL 0-19 YRS	130	7.6	62	1	1	5	9	17	27	36
20-34	1413	7.1	56	2	2	5	8	13	19	38
35-49	2212	8.4	74	2	3	6	9	16	22	53
50-64	1606	8.2	67	2	3	6	9	15	22	45
65+	1754	8.5	48	2	3	7	10	15	20	39
GRAND TOTAL	**7115**	**8.1**	**62**	**2**	**3**	**6**	**9**	**15**	**21**	**43**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	2.7	3	<1	1	2	4	5	6	8
20-34	95	2.9	6	1	1	2	3	6	7	13
35-49	86	3.4	4	1	1	3	5	6	7	9
50-64	131	3.9	6	1	1	4	5	7	9	12
65+	185	4.5	7	1	2	4	6	8	10	12
B. *Operated*										
0-19 YRS	8	7.5	39	3	3	5	8	18	22	22
20-34	10	5.0	7	2	2	4	7	8	9	9
35-49	10	4.2	4	2	2	4	5	7	8	8
50-64	20	6.2	23	2	2	5	8	15	17	18
65+	34	9.0	59	2	3	7	10	15	30	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	192	3.6	8	1	1	3	4	7	9	16
20-34	381	3.8	6	1	1	3	5	7	9	12
35-49	604	4.4	9	1	2	4	5	8	10	16
50-64	1145	5.3	13	2	2	5	6	9	12	20
65+	3716	6.2	21	2	2	5	8	11	14	23
B. *Operated*										
0-19 YRS	36	8.9	112	1	2	5	12	25	26	52
20-34	99	6.9	47	2	2	5	8	14	19	40
35-49	197	7.7	41	2	3	6	9	15	18	27
50-64	414	8.3	46	2	3	6	10	17	20	31
65+	1070	9.3	58	3	3	7	11	18	22	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	563	3.7	6	1	1	3	5	7	8	12
B. *Operated*	82	7.1	37	2	2	5	8	13	20	34
2. MULTIPLE DX										
A. *Not Operated*	6038	5.6	18	2	2	5	7	10	13	21
B. *Operated*	1816	8.8	54	2	3	7	11	17	22	38
1. SINGLE DX	645	4.1	11	1	1	3	5	8	9	16
2. MULTIPLE DX	7854	6.4	28	2	2	5	8	12	16	26
A. NOT OPERATED	6601	5.5	17	1	2	5	7	10	13	21
B. OPERATED	1898	8.7	54	2	3	7	11	17	22	37
TOTAL 0-19 YRS	302	4.1	23	1	1	3	5	7	12	25
20-34	585	4.2	15	1	1	3	5	8	10	19
35-49	897	5.1	18	1	2	4	6	9	12	20
50-64	1710	5.9	22	2	2	5	7	11	15	25
65+	5005	6.9	30	2	3	6	8	12	16	28
GRAND TOTAL	**8499**	**6.2**	**27**	**2**	**2**	**5**	**7**	**11**	**15**	**26**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	4.8	17	1	1	4	5	11	14	21
20-34	5	4.0	7	2	2	3	6	8	8	8
35-49	3	4.3	16	2	2	2	7	9	9	9
50-64	7	6.6	31	<1	<1	6	10	15	16	16
65+	4	2.5		2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	14	6.1	79	1	1	2	4	21	29	31
20-34	5	5.8	14	1	1	7	8	10	10	10
35-49	4	5.8	14	2	2	5	8	11	11	11
50-64	2	10.0	50	5	5	10	15	15	15	15
65+	2	14.5	113	7	7	14	22	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	5.6	24	2	2	4	7	12	16	27
20-34	16	4.2	11	2	2	3	5	11	11	11
35-49	27	8.5	54	2	3	6	12	14	19	39
50-64	29	6.5	20	2	2	5	8	14	15	16
65+	43	9.9	42	2	3	8	16	19	21	25
B. *Operated*										
0-19 YRS	16	10.1	96	2	2	7	22	79	99+	99+
20-34	20	9.6	54	1	2	8	12	23	26	27
35-49	24	12.0	109	3	3	9	15	21	34	51
50-64	26	14.6	83	1	4	13	19	28	33	35
65+	33	16.0	210	2	4	12	22	38	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	4.7	17	1	1	3	5	11	14	20
B. *Operated*	27	6.9	55	1	1	4	9	19	23	31
2. MULTIPLE DX										
A. *Not Operated*	194	7.0	34	2	2	5	9	15	18	27
B. *Operated*	119	13.0	123	2	3	10	19	28	42	99+
1. SINGLE DX	91	5.4	29	1	1	4	7	11	16	27
2. MULTIPLE DX	313	9.3	76	2	2	7	13	20	27	81
A. NOT OPERATED	258	6.4	30	1	2	4	8	14	18	25
B. OPERATED	146	11.9	116	1	2	9	17	27	35	99+
TOTAL 0-19 YRS	154	5.9	36	1	2	4	7	14	22	96
20-34	46	6.7	35	1	2	5	9	12	21	27
35-49	58	9.5	76	2	3	7	12	17	24	50
50-64	64	9.9	61	1	2	8	15	20	26	35
65+	82	12.1	120	2	3	9	18	24	33	90
GRAND TOTAL	**404**	**8.4**	**68**	**1**	**2**	**6**	**11**	**19**	**25**	**60**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	93	5.0	14	1	2	4	7	9	12	20
20-34	5	3.4	3	2	2	3	4	6	6	6
35-49	5	3.4	5	2	2	2	5	7	7	7
50-64	7	4.7	3	3	3	4	6	8	8	8
65+	2	7.0	2	6	6	7	8	8	8	8
B. *Operated*										
0-19 YRS	72	3.0	5	1	2	2	3	6	7	15
20-34	37	3.3	15	1	1	2	3	5	10	23
35-49	28	3.5	17	1	1	2	4	8	15	19
50-64	13	5.0	12	1	1	4	7	10	12	12
65+	8	8.1	84	2	2	4	11	24	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	128	5.1	18	1	2	4	6	11	13	22
20-34	28	6.6	25	2	2	5	9	11	13	27
35-49	50	5.8	16	1	2	5	7	11	16	17
50-64	58	6.3	16	2	2	5	9	12	14	18
65+	104	7.6	30	2	2	6	9	13	19	30
B. *Operated*										
0-19 YRS	81	7.6	66	2	2	4	9	18	27	39
20-34	53	4.7	19	1	1	3	6	11	15	19
35-49	65	5.9	38	1	1	3	8	14	22	29
50-64	66	10.1	193	2	2	7	11	22	34	99+
65+	68	9.8	60	2	2	8	13	25	26	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	112	4.8	12	1	2	4	6	9	11	18
B. *Operated*	158	3.6	15	1	1	2	4	7	11	23
2. MULTIPLE DX										
A. *Not Operated*	368	6.2	22	1	2	5	8	12	15	26
B. *Operated*	333	7.8	80	1	2	5	10	18	26	43
1. SINGLE DX	270	4.1	14	1	2	3	5	8	11	22
2. MULTIPLE DX	701	6.9	50	1	2	5	9	14	20	31
A. NOT OPERATED	480	5.9	20	1	2	5	8	11	14	25
B. OPERATED	491	6.4	63	1	2	3	8	15	23	32
TOTAL 0-19 YRS	374	5.2	27	1	2	3	6	10	15	28
20-34	123	4.7	20	1	2	3	6	10	13	24
35-49	148	5.3	26	1	1	3	7	12	16	24
50-64	144	7.9	100	2	2	5	10	14	20	99
65+	182	8.4	44	2	2	7	11	17	26	30
GRAND TOTAL	**971**	**6.1**	**42**	**1**	**2**	**4**	**8**	**13**	**18**	**30**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	5.0	9	1	2	4	8	9	10	12
20-34	3	3.7	8	2	2	2	6	7	7	7
35-49										
50-64	2	6.0	18	3	3	6	9	9	9	9
65+										
B. *Operated*										
0-19 YRS	6	5.2	8	2	2	4	8	9	9	9
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	7.5	61	2	2	7	13	13	13	13
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	5.2	10	2	2	5	7	9	10	19
20-34	11	5.2	11	1	2	4	8	10	11	11
35-49	11	6.1	25	3	3	5	6	13	19	20
50-64	11	5.9	16	1	2	6	7	11	16	16
65+	26	9.6	72	3	4	7	12	18	25	43
B. *Operated*										
0-19 YRS	5	3.0	2	1	1	3	4	4	4	4
20-34	7	8.1	15	2	2	9	11	13	13	13
35-49	11	13.0	221	2	3	9	14	32	54	56
50-64	17	10.9	54	2	2	12	16	21	23	24
65+	21	11.0	57	2	3	9	13	22	29	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	4.9	9	1	2	4	8	9	10	12
B. *Operated*	10	5.0	15	<1	1	4	8	11	13	13
2. MULTIPLE DX										
A. *Not Operated*	110	6.4	29	2	3	5	7	12	18	30
B. *Operated*	61	10.4	78	2	2	9	13	19	26	53
1. SINGLE DX	60	5.0	9	1	2	4	8	9	10	13
2. MULTIPLE DX	171	7.8	50	2	2	6	9	15	19	40
A. NOT OPERATED	160	6.0	23	2	2	5	7	10	14	21
B. OPERATED	71	9.6	73	2	2	8	13	18	24	51
TOTAL 0-19 YRS	107	5.0	9	2	2	4	7	9	10	16
20-34	22	5.8	13	1	2	4	9	11	12	13
35-49	24	9.4	121	2	3	6	11	16	31	56
50-64	30	8.7	42	2	2	6	14	18	22	24
65+	48	10.0	65	2	3	8	13	18	28	43
GRAND TOTAL	**231**	**7.1**	**41**	**2**	**2**	**5**	**9**	**14**	**18**	**33**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	4.3	54	<1	<1	2	3	13	25	27
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	5	3.8	2	2	2	4	5	5	5	5
50-64	11	3.5	8	<1	1	2	5	8	9	9
65+	15	4.8	15	<1	1	3	6	11	13	14
B. *Operated*										
0-19 YRS	27	6.4	43	1	1	4	7	10	20	34
20-34	25	6.1	128	1	2	3	5	9	24	59
35-49	25	4.8	19	1	1	3	6	10	14	20
50-64	45	6.1	31	1	2	3	8	16	18	25
65+	33	5.5	20	1	1	4	8	12	15	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	8.3	98	1	1	4	11	20	32	50
20-34	67	4.1	12	<1	1	3	5	10	12	14
35-49	102	3.8	9	1	1	3	5	8	10	14
50-64	158	6.2	33	1	2	5	7	13	17	27
65+	330	9.2	67	2	3	7	11	17	22	46
B. *Operated*										
0-19 YRS	90	15.4	301	2	2	9	19	38	60	82
20-34	220	10.1	96	2	2	7	13	23	34	47
35-49	310	10.9	99	2	2	8	15	24	29	53
50-64	422	9.5	91	1	2	6	12	21	28	49
65+	430	10.3	90	2	2	8	13	21	29	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	4.2	21	<1	1	3	5	9	12	27
B. *Operated*	155	5.8	43	1	2	4	7	12	17	34
2. MULTIPLE DX										
A. *Not Operated*	718	7.2	53	1	2	5	9	14	20	37
B. *Operated*	1472	10.5	107	2	2	7	14	23	30	55
1. SINGLE DX	200	5.4	39	1	1	3	7	11	16	30
2. MULTIPLE DX	2190	9.4	92	1	2	7	12	20	28	51
A. NOT OPERATED	763	7.1	52	1	2	5	9	14	20	37
B. OPERATED	1627	10.0	103	2	2	7	13	22	29	54
TOTAL 0-19 YRS	190	11.1	200	1	1	6	14	26	39	72
20-34	314	8.5	86	1	2	5	10	21	27	47
35-49	442	8.8	83	1	2	5	12	21	27	51
50-64	636	8.3	73	1	2	6	10	18	25	43
65+	808	9.6	77	2	2	7	12	19	28	40
GRAND TOTAL	**2390**	**9.1**	**89**	**1**	**2**	**6**	**12**	**20**	**27**	**50**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	5.5	45	1	1	3	4	18	19	19
20-34	5	3.2	1	2	2	3	4	5	5	5
35-49	6	2.7	2	1	1	2	3	5	5	5
50-64	4	2.3		2	2	2	3	3	3	3
65+	13	8.2	65	<1	1	6	8	23	27	28
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49	3	8.3	86	2	2	4	15	19	19	19
50-64	6	4.5	16	<1	<1	3	9	10	10	10
65+	6	18.8	376	<1	<1	14	26	51	54	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	6.5	34	<1	1	5	8	13	19	27
20-34	29	5.6	15	<1	2	4	7	11	13	19
35-49	56	5.9	14	1	2	5	8	12	13	14
50-64	146	8.1	46	1	2	7	9	16	21	33
65+	747	10.0	57	2	3	8	12	18	24	50
B. *Operated*										
0-19 YRS	15	9.6	70	2	2	7	14	23	29	31
20-34	35	12.9	92	2	3	11	18	24	32	43
35-49	67	10.1	58	2	3	8	14	19	32	89
50-64	142	14.7	135	2	3	11	20	30	38	60
65+	332	15.5	120	3	4	13	20	31	41	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	5.3	37	1	1	3	6	12	21	28
B. *Operated*	16	10.6	188	<1	<1	4	14	25	46	54
2. MULTIPLE DX										
A. *Not Operated*	1000	9.3	53	2	3	8	12	17	23	46
B. *Operated*	591	14.4	117	2	4	12	19	30	38	63
1. SINGLE DX	50	7.0	89	<1	1	4	7	19	26	54
2. MULTIPLE DX	1591	11.2	83	2	3	9	14	22	31	51
A. NOT OPERATED	1034	9.2	53	2	3	7	11	17	22	45
B. OPERATED	607	14.3	118	2	4	12	19	29	39	62
TOTAL 0-19 YRS	44	7.4	48	1	1	5	9	16	24	31
20-34	69	9.1	68	2	2	6	12	22	24	41
35-49	132	8.0	42	1	2	7	11	15	20	49
50-64	298	11.1	99	2	2	8	14	24	31	47
65+	1098	11.7	85	2	4	9	15	23	31	53
GRAND TOTAL	**1641**	**11.1**	**84**	**2**	**3**	**8**	**14**	**22**	**31**	**52**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	283	3.7	3	2	2	3	4	6	7	9
20-34	428	3.9	3	2	2	4	5	6	7	10
35-49	138	4.2	5	2	2	4	5	6	8	15
50-64	79	4.7	6	1	2	4	6	7	10	12
65+	71	5.1	6	2	2	5	7	8	9	15
B. *Operated*										
0-19 YRS	26	4.3	3	2	2	4	5	6	7	9
20-34	26	5.1	4	3	3	5	7	7	8	11
35-49	7	4.6	4	1	1	5	6	7	7	7
50-64	3	7.0	12	3	3	9	9	9	9	9
65+	8	5.3	10	1	2	4	7	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	439	4.2	4	2	2	4	5	7	8	11
20-34	876	4.7	6	2	2	4	5	7	9	12
35-49	468	5.2	7	2	3	5	6	8	10	18
50-64	525	6.1	10	2	3	5	8	10	12	15
65+	1402	7.2	20	3	3	6	9	12	15	25
B. *Operated*										
0-19 YRS	49	5.4	19	2	2	5	6	8	10	32
20-34	123	7.6	36	2	3	6	9	13	18	35
35-49	73	8.0	24	2	4	7	9	14	20	25
50-64	119	9.2	46	4	4	8	10	16	22	39
65+	205	11.8	90	4	5	10	14	22	26	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	999	4.0	4	2	2	4	5	6	7	11
B. *Operated*	70	4.8	4	2	3	4	6	7	9	11
2. MULTIPLE DX										
A. *Not Operated*	3710	5.8	13	2	3	5	7	10	12	19
B. *Operated*	569	9.3	59	3	4	7	11	17	22	39
1. SINGLE DX	1069	4.1	4	2	2	4	5	6	7	11
2. MULTIPLE DX	4279	6.3	21	2	3	5	7	11	14	24
A. NOT OPERATED	4709	5.5	12	2	3	5	7	9	11	18
B. OPERATED	639	8.8	55	3	3	7	10	16	22	35
TOTAL 0-19 YRS	797	4.1	5	2	2	4	5	6	8	10
20-34	1453	4.7	8	2	2	4	5	7	9	15
35-49	686	5.3	10	2	3	5	6	9	11	20
50-64	726	6.4	17	2	3	6	8	10	13	22
65+	1686	7.6	31	3	3	6	9	13	17	29
GRAND TOTAL	**5348**	**5.9**	**18**	**2**	**3**	**5**	**7**	**10**	**13**	**22**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	282	3.7	3	1	2	3	5	6	7	9
20-34	429	3.8	3	2	2	4	5	6	7	11
35-49	128	4.2	4	2	2	4	5	7	8	12
50-64	82	4.6	5	2	2	4	6	8	10	11
65+	64	5.3	6	2	3	5	7	9	10	12
B. *Operated*										
0-19 YRS	21	5.0	16	1	2	4	6	7	13	21
20-34	33	5.9	12	2	3	5	7	8	15	18
35-49	16	5.6	7	2	3	5	7	9	10	11
50-64	22	8.8	84	1	2	6	10	17	28	44
65+	12	6.3	16	1	2	5	10	12	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	376	4.6	7	2	2	4	5	7	10	13
20-34	679	4.5	6	2	2	4	5	7	8	15
35-49	382	5.3	9	2	3	5	6	8	10	17
50-64	350	6.4	18	2	3	5	8	11	14	23
65+	670	7.1	22	3	3	6	8	12	15	26
B. *Operated*										
0-19 YRS	74	7.3	28	2	3	6	8	13	21	29
20-34	121	7.5	24	3	3	6	9	12	16	28
35-49	108	9.4	40	2	3	8	13	18	22	31
50-64	132	10.0	51	2	4	8	12	18	22	38
65+	191	13.3	106	3	4	10	17	26	33	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	985	4.0	4	2	2	4	5	6	7	11
B. *Operated*	104	6.3	28	2	2	5	7	11	16	32
2. MULTIPLE DX										
A. *Not Operated*	2457	5.6	14	2	3	5	7	10	12	19
B. *Operated*	626	10.1	63	3	3	8	13	19	24	42
1. SINGLE DX	1089	4.2	7	2	2	4	5	7	8	13
2. MULTIPLE DX	3083	6.5	27	2	3	5	8	12	15	29
A. NOT OPERATED	3442	5.2	11	2	2	4	6	9	11	16
B. OPERATED	730	9.6	60	2	3	7	12	18	24	42
TOTAL 0-19 YRS	753	4.5	9	2	2	4	5	7	10	14
20-34	1262	4.6	8	2	2	4	5	7	9	16
35-49	634	5.8	16	2	3	5	7	10	13	23
50-64	586	7.1	29	2	3	6	8	13	16	28
65+	937	8.3	45	3	3	7	10	15	20	40
GRAND TOTAL	**4172**	**5.9**	**23**	**2**	**2**	**5**	**7**	**10**	**14**	**26**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	2.3	2	1	1	2	3	4	5	8
20-34	441	2.0	1	<1	1	2	2	4	5	6
35-49	626	2.2	3	<1	1	2	3	4	5	7
50-64	371	2.4	2	1	1	2	3	4	5	7
65+	124	2.9	2	1	1	2	4	5	6	8
B. *Operated*										
0-19 YRS	27	5.4	10	2	2	5	7	9	11	15
20-34	295	5.7	10	1	2	5	7	9	12	15
35-49	405	5.8	12	2	2	5	8	10	12	17
50-64	336	5.9	13	2	2	5	8	11	13	17
65+	158	6.5	15	2	2	6	8	11	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	2.8	5	1	1	2	3	5	8	11
20-34	250	2.8	3	1	1	2	4	5	7	9
35-49	366	2.8	5	1	1	2	3	5	7	11
50-64	353	3.1	5	1	1	2	4	6	8	11
65+	314	4.0	10	1	1	3	5	8	10	17
B. *Operated*										
0-19 YRS	21	7.5	14	2	3	7	10	12	14	17
20-34	194	7.8	72	2	2	6	9	12	16	41
35-49	334	7.6	34	2	2	6	9	14	18	33
50-64	406	8.7	61	2	3	7	10	16	23	45
65+	374	8.7	32	2	2	8	11	15	19	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1627	2.3	2	1	1	2	3	4	5	7
B. *Operated*	1221	5.9	12	2	2	5	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	1333	3.2	6	1	1	2	4	6	8	13
B. *Operated*	1329	8.3	47	2	2	7	10	15	19	38
1. SINGLE DX	2848	3.8	10	1	1	3	5	8	10	15
2. MULTIPLE DX	2662	5.7	33	1	1	4	8	11	15	29
A. NOT OPERATED	2960	2.7	4	1	1	2	3	5	6	10
B. OPERATED	2550	7.1	32	2	2	6	9	13	16	29
TOTAL 0-19 YRS	163	3.7	9	1	1	3	5	8	10	15
20-34	1180	4.0	20	1	1	3	5	8	11	16
35-49	1731	4.2	16	1	1	3	6	9	11	20
50-64	1466	5.1	28	1	1	4	6	10	14	27
65+	970	6.0	24	1	2	5	8	12	15	25
GRAND TOTAL	**5510**	**4.7**	**22**	**1**	**1**	**3**	**6**	**10**	**12**	**21**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	238	1.8	1	1	1	2	2	3	3	6
20-34	1777	1.8	1	<1	1	1	2	3	4	5
35-49	2232	1.7	1	<1	1	1	2	3	4	5
50-64	1131	2.0	2	<1	1	2	2	3	4	7
65+	381	2.2	2	1	1	2	3	4	5	8
B. *Operated*										
0-19 YRS	133	4.0	5	1	2	3	5	7	8	11
20-34	1242	4.0	6	1	2	3	5	7	9	13
35-49	1861	4.3	7	1	2	4	5	8	9	13
50-64	1119	4.6	9	1	2	4	6	8	10	15
65+	433	5.1	11	1	2	4	6	9	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	2.0	1	<1	1	2	3	3	4	5
20-34	613	2.2	2	1	1	2	3	4	5	8
35-49	930	2.2	2	1	1	2	3	4	5	8
50-64	748	2.6	4	1	1	2	3	5	6	9
65+	514	3.1	6	1	1	3	4	6	7	14
B. *Operated*										
0-19 YRS	55	5.7	14	2	2	5	7	10	12	20
20-34	537	5.0	11	1	2	4	6	9	11	16
35-49	886	5.6	13	2	2	5	7	10	13	18
50-64	1047	6.3	21	2	2	5	8	12	14	21
65+	852	7.2	31	2	2	6	9	14	17	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5759	1.8	1	<1	1	2	2	3	4	6
B. *Operated*	4788	4.3	8	1	2	4	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	2870	2.5	3	1	1	2	3	4	6	9
B. *Operated*	3377	6.1	20	2	2	5	8	11	14	21
1. SINGLE DX	10547	3.0	6	1	1	2	4	6	8	12
2. MULTIPLE DX	6247	4.4	16	1	1	3	6	9	12	18
A. NOT OPERATED	8629	2.0	2	<1	1	2	2	4	5	7
B. OPERATED	8165	5.1	14	1	2	4	6	9	12	18
TOTAL 0-19 YRS	491	2.9	5	1	1	2	3	6	8	11
20-34	4169	2.9	6	1	1	2	4	6	7	12
35-49	5909	3.2	7	1	1	2	4	7	8	13
50-64	4045	3.9	12	1	1	3	5	8	10	16
65+	2180	5.0	20	1	1	4	6	10	13	21
GRAND TOTAL	**16794**	**3.5**	**10**	**1**	**1**	**3**	**4**	**7**	**9**	**15**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	2.2	2	<1	1	2	3	4	5	8
20-34	27	1.8	1	<1	<1	2	2	3	4	4
35-49	30	2.1	2	1	1	2	2	4	5	7
50-64	31	2.3	2	<1	1	2	3	5	6	7
65+	15	5.1	20	1	2	4	6	12	16	17
B. *Operated*										
0-19 YRS	278	5.9	11	<1	1	6	8	9	11	14
20-34	127	5.2	10	1	1	5	7	9	11	14
35-49	120	4.9	10	1	1	4	7	10	11	14
50-64	112	6.0	22	1	1	5	8	11	15	23
65+	100	5.2	17	<1	1	4	7	9	12	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	103	4.4	37	1	1	3	5	8	13	40
20-34	81	3.9	17	1	1	3	5	7	9	27
35-49	76	5.2	35	1	1	4	6	9	11	40
50-64	121	5.1	19	1	1	4	6	11	14	24
65+	258	6.7	32	1	2	5	8	13	17	36
B. *Operated*										
0-19 YRS	348	7.1	28	<1	1	6	9	14	16	26
20-34	236	7.2	26	1	2	7	9	14	17	28
35-49	303	7.5	38	1	2	6	10	14	18	28
50-64	400	8.2	42	1	2	7	11	17	22	30
65+	558	8.9	67	1	2	7	12	17	23	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	140	2.4	4	<1	1	2	3	4	6	12
B. *Operated*	737	5.6	13	1	1	5	8	10	12	16
2. MULTIPLE DX										
A. *Not Operated*	639	5.5	30	1	1	4	7	11	15	34
B. *Operated*	1845	8.0	45	1	2	7	10	16	21	35
1. SINGLE DX	877	5.1	13	1	1	5	7	9	11	16
2. MULTIPLE DX	2484	7.3	42	1	2	6	9	15	19	34
A. NOT OPERATED	779	4.9	27	1	1	3	6	10	14	30
B. OPERATED	2582	7.3	37	1	2	6	9	14	18	29
TOTAL 0-19 YRS	766	6.1	23	<1	1	6	8	11	14	23
20-34	471	5.8	21	1	1	5	8	11	15	22
35-49	529	6.2	31	1	1	5	8	12	15	25
50-64	664	7.0	35	1	2	5	9	15	19	27
65+	931	7.8	53	1	2	6	10	15	22	39
GRAND TOTAL	**3361**	**6.7**	**35**	**1**	**1**	**5**	**9**	**13**	**17**	**30**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	1.8	1	<1	1	2	2	3	4	4
20-34	64	2.1	2	<1	1	2	2	4	6	7
35-49	76	1.9	1	<1	1	2	2	3	5	6
50-64	56	2.2	2	<1	<1	2	3	4	6	7
65+	12	1.4		1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	5	4.6	5	2	2	5	6	8	8	8
20-34	37	4.6	8	1	2	4	6	8	11	12
35-49	36	3.1	4	<1	1	3	4	7	7	8
50-64	47	3.9	11	1	1	3	5	7	8	21
65+	61	4.0	20	<1	1	3	5	8	9	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	32	3.2	6	1	1	2	4	6	10	12
35-49	49	2.8	4	1	1	2	4	6	7	8
50-64	35	3.1	6	1	1	2	3	6	8	13
65+	36	4.0	6	1	1	3	5	7	9	11
B. *Operated*										
0-19 YRS	13	5.5	41	1	1	3	7	14	22	24
20-34	32	6.3	26	1	2	5	8	14	19	21
35-49	53	5.6	17	1	1	5	7	11	15	18
50-64	99	5.7	19	1	2	5	7	9	15	26
65+	246	6.0	16	1	2	5	8	11	13	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	222	2.0	2	<1	1	2	2	4	5	7
B. *Operated*	186	3.9	12	1	1	3	5	8	8	18
2. MULTIPLE DX										
A. *Not Operated*	156	3.2	5	1	1	3	4	6	8	12
B. *Operated*	443	5.9	18	1	2	5	8	11	14	21
1. SINGLE DX	408	2.9	7	<1	1	2	4	6	7	11
2. MULTIPLE DX	599	5.2	16	1	1	4	7	10	13	21
A. NOT OPERATED	378	2.5	4	<1	1	2	3	5	6	10
B. OPERATED	629	5.3	17	1	2	4	7	10	13	21
TOTAL 0-19 YRS	36	3.5	18	1	1	2	4	8	10	24
20-34	165	3.7	11	1	1	2	5	8	10	19
35-49	214	3.2	8	1	1	2	4	7	9	16
50-64	237	4.1	13	1	1	3	5	8	9	21
65+	355	5.3	16	1	2	4	7	10	12	20
GRAND TOTAL	**1007**	**4.3**	**14**	**1**	**1**	**3**	**6**	**9**	**11**	**19**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	2.8	3	1	1	2	3	5	7	8
20-34	31	3.2	7	1	1	3	3	6	10	13
35-49	30	3.8	7	<1	1	3	6	7	7	13
50-64	9	2.8	2	1	1	3	4	5	5	5
65+	11	2.9	4	1	1	3	4	6	7	7
B. *Operated*										
0-19 YRS	47	2.2	2	<1	<1	2	3	4	5	6
20-34	88	2.8	4	<1	1	2	4	5	7	11
35-49	93	2.5	3	<1	<1	2	3	5	6	9
50-64	122	2.9	7	<1	<1	2	3	5	8	16
65+	120	3.2	5	<1	1	3	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	3.1	3	1	1	3	3	5	7	9
20-34	108	4.0	7	1	2	3	5	7	10	14
35-49	77	4.9	44	1	1	3	5	7	12	44
50-64	92	5.3	12	2	2	5	7	9	11	19
65+	286	6.0	16	2	3	5	7	10	13	21
B. *Operated*										
0-19 YRS	89	3.1	12	<1	1	2	4	6	8	22
20-34	179	4.4	13	1	1	3	6	9	10	21
35-49	218	4.8	25	1	1	4	6	9	14	34
50-64	284	4.7	23	1	1	3	6	9	12	18
65+	651	5.8	25	1	2	4	7	11	15	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	119	3.2	5	1	1	3	4	6	7	13
B. *Operated*	470	2.8	5	<1	<1	2	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	626	5.1	17	1	2	4	6	9	11	19
B. *Operated*	1421	5.1	23	1	1	4	6	10	13	26
1. SINGLE DX	589	2.9	5	<1	1	2	4	5	7	12
2. MULTIPLE DX	2047	5.1	21	1	2	4	6	9	13	25
A. NOT OPERATED	745	4.8	16	1	2	4	6	8	11	16
B. OPERATED	1891	4.5	19	1	1	3	6	9	12	24
TOTAL 0-19 YRS	237	2.9	6	<1	1	2	3	5	7	10
20-34	406	3.8	9	1	1	3	5	8	10	15
35-49	418	4.2	23	<1	1	3	5	8	11	28
50-64	507	4.4	17	1	1	3	5	9	11	17
65+	1068	5.5	21	1	2	4	7	10	13	26
GRAND TOTAL	**2636**	**4.6**	**18**	**1**	**1**	**3**	**6**	**9**	**12**	**22**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	4	2.5		2	2	2	3	3	3	3
65+	8	2.1	4	<1	<1	1	2	6	7	7
B. *Operated*										
0-19 YRS	275	2.0	6	<1	<1	1	2	3	5	15
20-34	145	2.7	5	1	1	2	3	6	7	12
35-49	127	2.5	4	<1	<1	2	3	5	5	14
50-64	93	2.9	6	<1	1	2	4	6	8	12
65+	105	3.0	4	<1	1	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.0	2	<1	<1	2	2	4	5	5
20-34	6	2.3	4	1	1	2	3	6	6	6
35-49	9	4.2	18	1	1	2	7	11	13	13
50-64	7	2.3	2	1	1	2	3	5	5	5
65+	49	4.1	7	1	1	4	6	8	9	11
B. *Operated*										
0-19 YRS	251	2.3	8	<1	1	2	2	4	7	14
20-34	193	3.5	9	1	1	3	4	7	10	17
35-49	207	3.9	11	1	1	3	5	8	11	15
50-64	290	3.7	10	1	1	3	4	7	9	19
65+	566	4.9	15	1	2	4	6	9	12	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	2.3	2	<1	<1	2	3	4	6	7
B. *Operated*	745	2.5	5	<1	<1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	78	3.6	8	1	1	3	6	7	9	13
B. *Operated*	1507	3.9	12	1	1	3	5	8	11	17
1. SINGLE DX	763	2.5	5	<1	<1	2	3	5	6	12
2. MULTIPLE DX	1585	3.9	12	1	1	3	5	8	11	17
A. NOT OPERATED	96	3.4	7	1	1	2	5	7	9	12
B. OPERATED	2252	3.5	10	<1	1	2	4	7	10	16
TOTAL 0-19 YRS	535	2.2	7	<1	<1	1	2	4	6	14
20-34	345	3.1	7	1	1	2	4	6	9	14
35-49	346	3.4	9	<1	1	2	4	7	10	14
50-64	394	3.5	9	1	1	3	4	6	9	14
65+	728	4.6	13	1	1	4	6	9	12	18
GRAND TOTAL	**2348**	**3.5**	**10**	**<1**	**1**	**2**	**4**	**7**	**9**	**16**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	433	2.9	3	1	1	2	4	5	6	9
20-34	241	3.1	4	1	1	3	4	6	7	10
35-49	144	3.5	6	1	1	3	4	6	8	14
50-64	99	3.8	6	1	1	3	5	7	9	14
65+	274	5.0	15	1	2	4	6	8	10	25
B. *Operated*										
0-19 YRS	273	2.3	4	<1	<1	2	3	5	7	10
20-34	236	3.3	7	<1	1	3	4	6	7	13
35-49	227	3.4	10	<1	1	3	4	7	9	14
50-64	257	3.3	6	<1	1	3	4	6	8	11
65+	320	3.8	10	1	1	3	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1241	4.1	7	1	2	3	5	8	9	13
20-34	948	4.5	14	1	2	4	5	8	10	16
35-49	869	5.2	16	2	2	4	6	9	12	19
50-64	1315	5.8	16	2	2	5	7	10	13	21
65+	5989	7.4	36	2	3	6	9	13	16	30
B. *Operated*										
0-19 YRS	495	4.8	33	<1	1	3	6	10	16	34
20-34	464	5.2	42	1	1	4	6	10	15	37
35-49	526	5.3	23	1	1	4	7	11	14	23
50-64	932	6.0	32	1	2	4	8	12	15	31
65+	2653	7.9	56	2	2	6	10	15	21	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1191	3.6	7	1	1	3	4	7	8	12
B. *Operated*	1313	3.2	8	<1	1	3	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	10362	6.4	28	2	2	5	8	11	14	26
B. *Operated*	5070	6.7	46	1	2	5	8	13	18	37
1. SINGLE DX	2504	3.4	7	<1	1	3	4	6	8	13
2. MULTIPLE DX	15432	6.5	34	1	2	5	8	12	15	30
A. NOT OPERATED	11553	6.1	26	2	2	5	8	11	14	25
B. OPERATED	6383	6.0	40	1	1	4	8	12	16	33
TOTAL 0-19 YRS	2442	3.8	12	1	1	3	5	7	9	17
20-34	1889	4.3	19	1	1	3	5	8	10	19
35-49	1766	4.9	17	1	1	4	6	9	12	18
50-64	2603	5.5	21	1	2	4	7	10	13	23
65+	9236	7.4	41	2	3	6	9	13	17	33
GRAND TOTAL	**17936**	**6.0**	**31**	**1**	**2**	**5**	**8**	**11**	**15**	**28**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	13	1.8	1	<1	<1	2	3	3	3	3
65+	17	4.8	21	<1	1	2	8	12	15	16
B. *Operated*										
0-19 YRS	5	5.6	9	2	2	5	8	10	10	10
20-34	5	3.0	1	2	2	3	4	4	4	4
35-49	77	4.0	5	1	1	4	5	7	8	13
50-64	1228	4.5	5	1	2	4	6	7	8	11
65+	2133	5.0	6	1	2	5	6	7	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	6.5	41	2	2	6	11	11	11	11
35-49	9	3.9	4	1	1	4	5	7	7	7
50-64	83	3.6	6	<1	1	3	5	7	8	11
65+	314	4.9	25	1	1	4	6	9	12	28
B. *Operated*										
0-19 YRS	10	6.6	2	4	4	7	8	8	8	8
20-34	9	6.1	13	1	1	6	9	11	11	11
35-49	114	5.8	44	2	2	4	6	9	16	71
50-64	2509	5.6	10	2	3	5	6	9	11	17
65+	7810	6.7	18	3	3	6	8	11	13	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	3.4	13	<1	<1	2	3	9	12	16
B. *Operated*	3448	4.8	6	1	2	5	6	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	408	4.6	21	1	1	4	6	9	11	23
B. *Operated*	10452	6.4	17	2	3	5	7	10	13	21
1. SINGLE DX	3480	4.8	6	1	2	5	6	7	9	13
2. MULTIPLE DX	10860	6.3	17	2	3	5	7	10	13	21
A. NOT OPERATED	440	4.5	20	1	1	4	6	9	11	21
B. OPERATED	13900	6.0	14	2	3	5	7	10	12	20
TOTAL 0-19 YRS	15	6.3	4	2	4	7	8	8	10	10
20-34	16	5.2	12	1	2	4	7	11	11	11
35-49	202	5.0	28	1	2	4	5	8	12	48
50-64	3833	5.2	8	2	2	5	6	8	10	16
65+	10274	6.3	16	2	3	5	7	10	13	21
GRAND TOTAL	**14340**	**6.0**	**15**	**2**	**3**	**5**	**7**	**10**	**12**	**20**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.5	3	<1	<1	2	4	5	5	5
20-34	52	3.9	3	2	2	3	5	6	7	10
35-49	79	4.0	5	2	2	4	5	7	8	11
50-64	62	4.3	7	2	2	4	5	7	9	15
65+	27	3.8	4	1	2	4	5	6	8	9
B. *Operated*										
0-19 YRS	7	2.4	3	<1	<1	1	4	5	5	5
20-34	31	2.9	5	<1	<1	2	4	6	6	10
35-49	52	2.8	3	<1	1	2	4	5	6	8
50-64	47	3.3	6	1	1	2	4	7	8	11
65+	25	3.8	6	1	2	3	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	5.3	13	3	3	4	6	12	13	13
20-34	90	3.9	5	1	2	3	5	7	8	10
35-49	151	4.1	4	1	2	4	5	7	8	9
50-64	209	4.8	8	2	2	4	6	7	9	17
65+	201	5.2	9	2	2	4	7	9	11	15
B. *Operated*										
0-19 YRS	11	3.2	4	<1	1	3	4	6	8	8
20-34	76	4.3	7	<1	1	4	6	8	9	13
35-49	165	4.3	11	1	1	4	6	8	9	13
50-64	201	4.9	16	1	2	4	6	9	12	18
65+	223	5.7	18	1	2	5	7	11	13	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	228	4.0	5	1	2	4	5	7	8	12
B. *Operated*	162	3.1	5	<1	1	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	658	4.7	7	2	2	4	6	8	9	14
B. *Operated*	676	4.9	15	1	1	4	7	9	12	18
1. SINGLE DX	390	3.6	5	1	1	3	5	6	8	11
2. MULTIPLE DX	1334	4.8	11	1	2	4	6	8	10	16
A. NOT OPERATED	886	4.5	7	2	2	4	6	7	9	14
B. OPERATED	838	4.6	13	1	1	4	6	8	11	18
TOTAL 0-19 YRS	33	3.3	6	<1	<1	3	4	6	8	13
20-34	249	3.9	5	1	1	3	5	7	8	11
35-49	447	4.0	7	1	1	4	5	7	8	12
50-64	519	4.7	11	1	2	4	6	8	10	17
65+	476	5.3	13	1	2	4	7	9	12	18
GRAND TOTAL	**1724**	**4.5**	**10**	**1**	**2**	**4**	**6**	**8**	**10**	**15**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.6	1	<1	<1	1	2	3	3	3
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	173	1.5	1	<1	<1	1	2	2	3	5
20-34	72	2.3	2	1	1	2	3	4	5	7
35-49	79	2.1	1	1	1	2	2	3	4	7
50-64	117	2.7	2	1	1	2	3	4	5	8
65+	83	2.7	4	<1	1	2	3	4	5	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.2	4	<1	<1	1	3	6	7	7
20-34										
35-49	3	3.3	6	<1	<1	3	5	6	6	6
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	7	2.9	6	1	1	2	5	7	7	7
B. *Operated*										
0-19 YRS	135	2.1	2	<1	1	2	2	4	4	8
20-34	40	3.2	4	1	2	3	3	6	8	12
35-49	56	3.3	5	1	1	3	4	6	8	10
50-64	140	3.8	11	1	1	3	4	7	9	18
65+	166	4.1	10	1	2	3	5	8	9	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	1.8	1	<1	<1	2	3	3	3	3
B. *Operated*	524	2.2	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	25	2.5	4	<1	1	2	3	6	7	7
B. *Operated*	537	3.4	8	1	1	3	4	6	8	14
1. SINGLE DX	530	2.2	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX	562	3.3	8	1	1	3	4	6	8	14
A. NOT OPERATED	31	2.4	4	<1	<1	2	3	6	7	7
B. OPERATED	1061	2.8	5	<1	1	2	3	5	7	12
TOTAL 0-19 YRS	325	1.8	1	<1	<1	1	2	3	4	6
20-34	113	2.6	3	1	1	2	3	5	6	10
35-49	138	2.6	3	1	1	2	3	5	6	10
50-64	260	3.3	7	1	1	3	4	5	8	14
65+	256	3.6	8	1	1	3	4	7	9	14
GRAND TOTAL	**1092**	**2.8**	**5**	**<1**	**1**	**2**	**3**	**5**	**7**	**12**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	85	3.5	4	1	1	3	5	6	7	8
20-34	161	3.8	5	1	1	3	5	7	8	11
35-49	111	4.3	5	2	2	4	5	7	8	13
50-64	61	5.2	7	2	3	5	6	8	9	19
65+	44	5.6	5	1	3	6	7	8	10	13
B. *Operated*										
0-19 YRS	33	3.2	10	1	1	2	4	6	11	15
20-34	47	3.2	4	1	1	3	4	6	7	8
35-49	65	3.1	4	1	1	3	4	5	7	10
50-64	39	3.8	5	1	1	3	5	7	8	9
65+	19	4.3	7	1	2	3	5	7	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	4.2	6	1	2	3	6	7	9	11
20-34	74	4.5	5	2	2	4	6	8	9	11
35-49	103	5.0	7	2	2	4	6	8	11	15
50-64	118	6.0	8	3	3	5	7	10	12	15
65+	149	6.1	14	3	3	5	7	10	13	21
B. *Operated*										
0-19 YRS	24	3.9	17	1	1	3	5	6	13	21
20-34	39	5.2	7	1	2	5	7	9	10	11
35-49	59	5.1	15	1	1	4	7	10	12	21
50-64	64	8.6	95	2	2	7	9	15	23	57
65+	128	7.3	28	2	2	6	9	15	19	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	462	4.2	6	1	2	4	5	7	8	13
B. *Operated*	203	3.4	5	1	1	3	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	483	5.4	10	2	2	5	7	9	11	16
B. *Operated*	314	6.6	38	1	2	5	8	12	18	30
1. SINGLE DX	665	4.0	6	1	1	4	5	7	8	13
2. MULTIPLE DX	797	5.9	21	2	2	5	7	10	13	21
A. NOT OPERATED	945	4.9	8	1	2	4	6	8	10	15
B. OPERATED	517	5.3	28	1	1	4	7	10	14	24
TOTAL 0-19 YRS	181	3.7	7	1	1	3	5	7	8	14
20-34	321	4.1	6	1	1	3	5	7	9	11
35-49	338	4.4	8	1	2	4	6	8	10	14
50-64	282	6.1	29	2	2	5	7	10	12	26
65+	340	6.4	18	2	3	5	7	11	15	22
GRAND TOTAL	**1462**	**5.0**	**15**	**1**	**2**	**4**	**6**	**9**	**11**	**20**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	1.3		<1	<1	1	2	2	2	2
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	3	1.3		<1	<1	1	2	2	2	2
50-64	4	2.3	2	1	1	2	3	4	4	4
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	527	1.3	1	<1	<1	1	2	2	2	3
20-34	88	1.6	1	<1	<1	1	2	3	3	4
35-49	54	1.6		<1	<1	1	2	2	3	3
50-64	26	2.1	2	<1	1	2	2	3	4	7
65+	17	1.7	1	<1	<1	1	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	1.1		<1	<1	1	1	2	2	2
20-34	1	7.0		7	7	7	7	7	7	7
35-49										
50-64	2	2.0		2	2	2	2	2	2	2
65+	8	4.8	31	<1	<1	2	6	15	17	17
B. *Operated*										
0-19 YRS	170	1.6	1	<1	<1	1	2	3	3	7
20-34	74	2.0	2	<1	<1	2	2	3	4	9
35-49	105	2.1	3	<1	<1	2	3	4	5	10
50-64	74	2.7	6	1	1	2	3	6	8	13
65+	59	3.7	19	1	1	2	4	7	8	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	1.6	1	<1	<1	1	2	3	4	4
B. *Operated*	712	1.4	1	<1	<1	1	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	26	2.5	12	<1	<1	1	2	7	11	17
B. *Operated*	482	2.2	5	<1	<1	2	2	4	6	10
1. SINGLE DX	736	1.4	1	<1	<1	1	2	2	2	4
2. MULTIPLE DX	508	2.2	5	<1	<1	2	2	4	6	11
A. NOT OPERATED	50	2.1	7	<1	<1	1	2	4	7	17
B. OPERATED	1194	1.7	3	<1	<1	1	2	3	4	8
TOTAL 0-19 YRS	726	1.4	1	<1	<1	1	2	2	2	4
20-34	165	1.8	1	<1	<1	2	2	3	4	7
35-49	162	1.9	2	<1	<1	2	2	3	4	8
50-64	106	2.5	5	1	1	2	3	6	7	11
65+	85	3.4	17	<1	1	2	4	7	8	27
GRAND TOTAL	**1244**	**1.7**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	2.1	3	<1	1	1	2	4	7	8
20-34	21	2.5	4	1	1	1	4	5	7	9
35-49	23	2.1	1	<1	1	2	3	3	4	6
50-64	19	2.8	1	<1	1	3	3	5	5	5
65+	9	3.0	4	<1	<1	2	5	6	6	6
B. *Operated*										
0-19 YRS	523	1.6	1	<1	<1	1	2	3	4	5
20-34	286	2.0	2	<1	1	2	3	4	5	9
35-49	231	2.3	2	<1	1	2	3	4	5	8
50-64	299	3.5	11	1	1	3	4	6	7	17
65+	130	3.5	6	1	1	3	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	2.7	3	<1	1	2	3	5	7	9
20-34	40	3.4	8	1	1	3	4	5	6	18
35-49	36	3.5	7	<1	1	3	5	7	8	12
50-64	40	3.1	7	<1	<1	2	3	7	10	11
65+	57	6.0	77	1	1	4	7	9	10	64
B. *Operated*										
0-19 YRS	230	2.3	3	<1	1	2	3	4	6	9
20-34	209	3.1	6	1	1	2	4	6	8	13
35-49	314	4.0	16	1	1	3	5	8	11	23
50-64	430	4.3	15	1	2	3	5	7	9	19
65+	354	5.2	53	2	2	4	5	8	11	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	99	2.4	3	<1	1	2	3	5	6	9
B. *Operated*	1469	2.4	4	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	208	3.9	27	<1	1	3	5	7	9	18
B. *Operated*	1537	4.0	22	1	1	3	5	7	9	24
1. SINGLE DX	1568	2.4	4	<1	1	2	3	4	5	8
2. MULTIPLE DX	1745	4.0	22	1	1	3	5	7	9	22
A. NOT OPERATED	307	3.4	20	<1	1	3	4	7	8	14
B. OPERATED	3006	3.2	14	1	1	2	4	6	8	15
TOTAL 0-19 YRS	815	1.9	2	<1	1	1	2	3	4	7
20-34	556	2.6	4	<1	1	2	3	5	7	11
35-49	604	3.3	10	<1	1	2	4	6	8	15
50-64	788	3.9	13	1	1	3	5	6	8	17
65+	550	4.9	44	1	2	3	5	8	10	36
GRAND TOTAL	**3313**	**3.2**	**15**	**<1**	**1**	**2**	**4**	**6**	**8**	**15**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.0		<1	<1	<1	1	1	1	1
35-49	8	2.5	2	1	1	2	3	4	5	5
50-64	3	1.0		<1	<1	1	1	1	1	1
65+	3	1.7	1	1	1	1	3	3	3	3
B. *Operated*										
0-19 YRS	38	1.8	1	<1	<1	2	2	3	4	5
20-34	331	2.1	1	<1	<1	2	3	4	4	7
35-49	1018	2.2	3	<1	<1	2	2	4	5	8
50-64	667	2.1	1	<1	<1	2	2	3	4	6
65+	264	2.1	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	4	4.3	1	3	3	4	5	5	5	5
35-49	12	2.2	2	<1	<1	2	3	4	5	5
50-64	16	3.3	10	<1	1	2	5	9	10	11
65+	5	2.2	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	18	2.3	5	<1	<1	2	2	5	6	10
20-34	193	3.1	5	<1	1	2	4	6	7	13
35-49	805	3.0	4	1	1	2	4	6	7	10
50-64	565	2.9	4	1	1	2	3	5	6	11
65+	389	3.0	5	1	1	2	3	5	7	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	1.8	1	<1	<1	1	3	3	4	5
B. *Operated*	2318	2.1	2	<1	<1	2	2	3	5	7
2. MULTIPLE DX										
A. *Not Operated*	39	2.9	5	<1	1	2	4	5	8	11
B. *Operated*	1970	3.0	5	1	1	2	4	6	7	11
1. SINGLE DX	2335	2.1	2	<1	<1	2	2	3	5	7
2. MULTIPLE DX	2009	3.0	5	1	1	2	4	6	7	11
A. NOT OPERATED	56	2.6	4	<1	<1	2	3	5	6	11
B. OPERATED	4288	2.5	3	<1	<1	2	3	5	6	9
TOTAL 0-19 YRS	58	2.0	2	<1	<1	2	2	4	5	10
20-34	531	2.4	3	<1	<1	2	3	5	6	8
35-49	1843	2.5	4	<1	<1	2	3	5	6	9
50-64	1251	2.5	3	<1	1	2	3	4	5	9
65+	661	2.6	4	<1	1	2	3	4	6	10
GRAND TOTAL	**4344**	**2.5**	**3**	**<1**	**<1**	**2**	**3**	**5**	**6**	**9**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	3.3	5	1	2	2	4	6	8	10
20-34	46	3.5	5	1	1	3	4	6	9	10
35-49	10	3.8	7	<1	<1	3	6	7	8	8
50-64	9	2.0	1	<1	<1	2	3	4	4	4
65+	6	1.5	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-19 YRS	245	2.5	2	<1	1	2	3	4	5	7
20-34	442	2.9	2	<1	1	3	4	5	5	7
35-49	344	2.8	3	<1	1	2	4	5	6	10
50-64	226	2.6	3	<1	<1	2	3	4	5	10
65+	127	2.3	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.5	2	<1	<1	2	3	5	5	5
20-34	45	3.5	6	<1	1	3	5	7	10	11
35-49	41	3.4	5	<1	<1	3	4	7	8	10
50-64	34	4.3	15	<1	<1	3	7	11	13	15
65+	34	3.2	9	<1	1	2	5	8	10	13
B. *Operated*										
0-19 YRS	92	3.0	2	1	1	3	4	4	5	10
20-34	266	3.7	9	1	1	3	4	6	8	13
35-49	366	3.4	5	1	1	3	4	6	7	10
50-64	313	3.7	6	1	1	3	5	6	8	14
65+	180	3.9	11	1	1	3	5	7	11	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	3.2	5	<1	1	3	4	6	8	10
B. *Operated*	1384	2.7	2	<1	1	2	4	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	160	3.6	8	<1	<1	3	5	8	10	13
B. *Operated*	1217	3.6	7	1	1	3	4	6	8	13
1. SINGLE DX	1480	2.7	3	<1	1	2	4	5	5	9
2. MULTIPLE DX	1377	3.6	7	1	1	3	4	6	8	13
A. NOT OPERATED	256	3.4	7	<1	1	3	4	7	9	13
B. OPERATED	2601	3.1	5	<1	1	3	4	5	6	11
TOTAL 0-19 YRS	368	2.7	2	1	1	2	3	4	5	10
20-34	799	3.2	5	1	1	3	4	5	6	11
35-49	761	3.2	5	<1	1	3	4	5	7	10
50-64	582	3.3	5	<1	1	3	4	6	8	13
65+	347	3.2	8	<1	1	2	4	6	9	13
GRAND TOTAL	**2857**	**3.1**	**5**	**<1**	**1**	**3**	**4**	**5**	**7**	**11**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	243	2.0	1	<1	1	2	2	4	4	6
20-34	393	2.3	3	1	1	2	3	4	5	9
35-49	118	2.6	3	1	1	2	3	5	6	11
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	4	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	303	3.8	3	1	2	4	5	6	7	8
20-34	897	4.1	5	1	1	4	5	6	8	11
35-49	308	5.0	4	2	2	5	6	7	8	11
50-64	42	6.0	5	2	4	6	7	8	10	13
65+	14	7.2	11	2	3	7	9	11	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	185	3.0	44	1	1	2	3	5	6	8
20-34	393	2.9	4	<1	1	2	4	5	6	10
35-49	137	3.5	6	1	1	3	4	6	9	12
50-64	14	5.0	9	1	2	4	6	8	12	13
65+	9	7.9	58	2	2	5	9	20	27	27
B. *Operated*										
0-19 YRS	296	4.6	7	1	2	4	6	8	9	12
20-34	2067	5.3	6	1	2	5	6	8	10	13
35-49	1119	6.3	9	2	4	6	7	9	11	16
50-64	138	7.1	8	4	4	7	8	11	12	17
65+	84	8.1	16	4	5	7	9	11	13	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	759	2.3	2	1	1	2	3	4	5	8
B. *Operated*	1564	4.3	4	1	2	4	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	738	3.1	15	1	1	3	4	5	7	11
B. *Operated*	3704	5.7	8	1	3	5	7	9	10	15
1. SINGLE DX	2323	3.7	5	1	1	3	5	6	7	10
2. MULTIPLE DX	4442	5.2	10	1	2	5	7	8	10	14
A. NOT OPERATED	1497	2.7	9	1	1	2	3	5	6	10
B. OPERATED	5268	5.3	7	1	2	5	6	8	10	14
TOTAL 0-19 YRS	1027	3.5	12	1	1	3	5	6	7	10
20-34	3750	4.4	6	1	1	4	6	7	9	12
35-49	1682	5.6	9	1	2	5	7	9	10	15
50-64	195	6.7	8	3	4	6	8	10	12	16
65+	111	7.7	19	3	4	7	9	11	14	31
GRAND TOTAL	**6765**	**4.7**	**9**	**1**	**1**	**5**	**6**	**8**	**9**	**13**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	748	4.0	4	2	2	4	5	6	8	12
20-34	1799	3.9	4	1	2	4	5	6	7	10
35-49	204	4.5	6	2	2	4	5	8	9	14
50-64	13	4.2	3	2	2	4	5	7	8	8
65+	6	5.2	12	3	3	4	5	11	12	12
B. *Operated*										
0-19 YRS	133	4.9	6	1	2	5	6	8	9	13
20-34	662	5.0	7	1	2	5	6	8	9	14
35-49	243	5.3	7	1	2	5	6	8	10	13
50-64	36	7.1	21	2	2	6	8	14	17	23
65+	4	10.5	9	9	9	9	12	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	552	4.6	6	2	2	4	5	7	10	12
20-34	1503	4.5	5	2	2	4	5	7	9	13
35-49	313	5.2	9	2	2	5	7	9	10	13
50-64	51	6.1	14	2	3	5	8	11	14	19
65+	22	7.8	74	2	2	5	8	18	31	38
B. *Operated*										
0-19 YRS	283	6.0	11	1	2	6	7	10	12	15
20-34	2686	5.8	10	1	2	5	7	9	11	16
35-49	1149	6.8	12	2	4	6	8	11	14	20
50-64	137	9.3	32	2	5	7	11	18	20	27
65+	45	11.8	232	1	2	8	11	22	40	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2770	4.0	4	1	2	4	5	6	8	11
B. *Operated*	1078	5.1	7	1	2	5	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	2441	4.7	7	2	2	4	6	8	9	13
B. *Operated*	4300	6.2	14	1	3	6	7	10	13	19
1. SINGLE DX	3848	4.3	5	1	2	4	5	7	8	12
2. MULTIPLE DX	6741	5.7	12	2	2	5	7	9	11	17
A. NOT OPERATED	5211	4.3	6	2	2	4	5	7	8	12
B. OPERATED	5378	6.0	13	1	2	6	7	9	12	18
TOTAL 0-19 YRS	1716	4.6	6	2	2	4	6	8	9	13
20-34	6650	4.9	8	1	2	5	6	8	9	15
35-49	1909	6.1	11	2	3	6	7	10	12	19
50-64	237	8.0	27	2	3	7	9	15	19	23
65+	77	10.1	161	2	2	7	11	17	36	80
GRAND TOTAL	**10589**	**5.2**	**10**	**2**	**2**	**5**	**6**	**8**	**10**	**16**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	4.0	6	<1	<1	4	6	8	8	8
20-34	26	2.9	3	<1	1	3	4	5	7	7
35-49	12	2.6	2	<1	<1	2	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	25	2.9	3	<1	1	2	4	5	6	6
20-34	612	4.5	5	1	1	5	6	7	8	10
35-49	429	5.5	3	2	4	6	6	7	8	10
50-64	24	5.6	2	2	4	6	6	7	8	9
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.8	1	2	2	3	3	4	4	4
20-34	89	3.5	5	1	1	3	5	6	9	11
35-49	23	2.9	3	<1	<1	2	4	5	6	7
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	51	3.8	4	1	1	4	5	7	8	9
20-34	2886	5.4	5	1	2	5	6	8	9	12
35-49	3250	6.2	4	4	4	6	7	8	9	13
50-64	279	7.3	9	5	5	7	8	10	12	19
65+	46	8.1	12	5	5	7	9	12	13	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	3.0	3	<1	1	3	4	5	7	8
B. *Operated*	1091	4.9	4	1	1	5	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	118	3.3	4	1	1	3	4	6	7	11
B. *Operated*	6512	5.9	5	2	4	6	7	8	9	13
1. SINGLE DX	1136	4.8	4	1	1	5	6	7	8	10
2. MULTIPLE DX	6630	5.8	5	2	4	6	7	8	9	13
A. NOT OPERATED	163	3.2	4	<1	1	3	4	6	7	11
B. OPERATED	7603	5.7	5	2	3	6	7	8	9	13
TOTAL 0-19 YRS	88	3.5	4	<1	1	4	5	6	7	9
20-34	3613	5.2	5	1	2	5	6	7	8	11
35-49	3714	6.1	4	3	4	6	7	8	9	13
50-64	304	7.1	9	5	5	6	8	10	12	18
65+	47	8.0	13	4	5	7	9	12	13	26
GRAND TOTAL	**7766**	**5.7**	**5**	**1**	**3**	**6**	**7**	**8**	**9**	**13**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	37	4.0	10	<1	1	3	5	7	12	15
35-49	31	4.4	5	<1	1	5	6	7	8	8
50-64	11	3.9	21	<1	<1	2	3	13	14	14
65+	4	1.5		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	1	2	2	3	3	4	4	4
20-34	4	4.3	12	<1	<1	3	6	9	9	9
35-49	4	6.3	25	1	1	5	9	13	13	13
50-64	2	6.0	8	4	4	6	8	8	8	8
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	10	6.5	152	<1	<1	2	5	24	41	41
20-34	299	5.0	8	1	2	5	6	7	9	16
35-49	235	5.5	6	1	2	6	7	8	9	13
50-64	72	5.4	16	1	1	5	7	10	14	21
65+	28	4.5	12	1	1	4	6	8	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	3.7	1	3	3	3	5	5	5	5
B. *Operated*	83	4.0	9	<1	1	3	6	7	10	15
2. MULTIPLE DX										
A. *Not Operated*	15	4.8	11	<1	1	4	7	9	12	13
B. *Operated*	644	5.2	11	1	2	5	6	8	9	17
1. SINGLE DX	86	4.0	9	<1	1	3	6	7	9	15
2. MULTIPLE DX	659	5.2	11	1	2	5	6	8	9	17
A. NOT OPERATED	18	4.6	9	<1	1	4	6	9	11	13
B. OPERATED	727	5.1	11	1	2	5	6	8	9	17
TOTAL 0-19 YRS	14	5.4	108	<1	<1	2	5	10	34	41
20-34	342	4.9	8	1	2	5	6	7	9	15
35-49	271	5.4	7	1	2	6	7	8	9	13
50-64	85	5.2	17	1	1	5	7	10	14	20
65+	33	4.2	11	1	1	3	6	7	13	14
GRAND TOTAL	**745**	**5.1**	**11**	**1**	**2**	**5**	**6**	**8**	**9**	**17**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	3.0	2	1	1	3	4	5	5	5
20-34	95	3.6	5	1	1	3	4	6	8	13
35-49	18	3.3	2	1	2	3	4	5	6	6
50-64	5	4.0	2	2	2	4	5	6	6	6
65+	3	6.7	2	5	5	7	8	8	8	8
B. *Operated*										
0-19 YRS	38	2.0	2	<1	1	2	3	4	4	6
20-34	246	2.3	3	<1	1	2	3	4	5	9
35-49	126	2.1	2	<1	1	2	2	4	5	8
50-64	49	3.0	10	<1	1	2	3	5	7	18
65+	11	3.4	16	<1	<1	2	3	9	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	3.7	4	1	1	3	4	6	9	10
20-34	178	4.3	5	1	2	4	5	7	9	11
35-49	47	4.6	8	2	2	4	6	7	11	16
50-64	23	6.9	29	2	3	6	8	10	18	29
65+	28	8.2	53	1	2	7	10	14	26	35
B. *Operated*										
0-19 YRS	44	2.9	5	<1	1	2	4	6	8	9
20-34	225	4.1	9	1	1	4	6	7	8	16
35-49	141	4.4	8	1	1	4	6	8	9	14
50-64	62	7.0	63	1	1	4	8	14	25	42
65+	47	6.9	94	1	2	4	7	13	21	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	154	3.5	4	1	1	3	4	6	7	12
B. *Operated*	470	2.3	4	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	324	4.8	12	1	2	4	6	8	10	18
B. *Operated*	519	4.7	24	1	1	4	6	8	11	27
1. SINGLE DX	624	2.6	4	<1	1	2	3	5	6	11
2. MULTIPLE DX	843	4.7	19	1	1	4	6	8	10	25
A. NOT OPERATED	478	4.4	10	1	2	4	5	8	10	14
B. OPERATED	989	3.6	16	<1	1	2	5	7	9	19
TOTAL 0-19 YRS	163	3.0	4	1	1	3	4	5	6	9
20-34	744	3.5	6	1	1	3	5	6	8	12
35-49	332	3.5	6	1	1	3	5	7	8	13
50-64	139	5.5	40	1	1	3	6	11	17	33
65+	89	6.9	69	1	1	5	8	13	19	50
GRAND TOTAL	**1467**	**3.8**	**14**	**1**	**1**	**3**	**5**	**7**	**9**	**16**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	3	2.3	5	1	1	1	4	5	5	5
50-64	4	4.5	16	<1	<1	4	8	8	8	8
65+	7	4.4	6	2	2	4	6	8	8	8
B. *Operated*										
0-19 YRS	5	4.0	3	2	2	4	5	6	6	6
20-34	275	5.6	4	3	3	5	7	8	9	12
35-49	466	5.7	4	3	4	5	7	8	9	12
50-64	682	6.3	4	3	4	6	7	9	10	13
65+	536	6.4	5	3	4	6	7	9	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	14	1.8	2	<1	<1	1	3	3	5	5
35-49	31	2.0	2	<1	<1	1	3	4	5	7
50-64	31	2.2	4	<1	<1	1	3	5	8	8
65+	56	3.6	8	1	1	3	5	7	8	15
B. *Operated*										
0-19 YRS	9	6.0	11	2	2	6	8	56	99+	99+
20-34	1411	5.8	4	3	4	6	7	8	9	13
35-49	2345	6.5	5	4	4	6	7	9	10	14
50-64	1782	7.2	7	4	5	7	8	10	12	17
65+	1758	7.6	9	4	5	7	9	11	13	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	3.7	8	<1	1	3	6	8	8	8
B. *Operated*	1964	6.1	4	3	4	6	7	9	9	13
2. MULTIPLE DX										
A. *Not Operated*	133	2.7	6	<1	<1	2	4	6	8	13
B. *Operated*	7305	6.8	7	4	4	6	8	10	11	16
1. SINGLE DX	1981	6.0	5	3	4	6	7	8	9	13
2. MULTIPLE DX	7438	6.7	7	4	4	6	8	10	11	16
A. NOT OPERATED	150	2.8	6	<1	1	2	4	6	8	13
B. OPERATED	9269	6.6	6	4	4	6	8	9	11	15
TOTAL 0-19 YRS	16	5.0	8	1	2	5	7	12	69	99+
20-34	1702	5.7	4	3	4	5	7	8	9	13
35-49	2845	6.3	5	3	4	6	7	9	10	14
50-64	2499	6.8	7	3	4	7	8	10	11	16
65+	2357	7.3	9	4	4	7	8	10	12	17
GRAND TOTAL	**9419**	**6.6**	**6**	**3**	**4**	**6**	**8**	**9**	**11**	**15**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	2.5	2	1	1	2	3	4	4	4
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	42	1.7	1	<1	<1	1	2	4	4	5
35-49	31	1.6	1	<1	<1	1	2	3	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	5	2.8	6	1	1	2	4	7	7	7
35-49	5	3.0	2	2	2	2	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	8	2.9	3	1	1	3	4	5	6	6
20-34	84	4.2	5	<1	1	5	6	7	8	10
35-49	95	4.7	9	<1	1	5	6	8	9	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.2	2	1	1	2	3	4	4	4
B. *Operated*	74	1.7	1	<1	<1	1	2	4	5	5
2. MULTIPLE DX										
A. *Not Operated*	13	2.8	3	1	1	2	4	5	7	7
B. *Operated*	187	4.4	7	<1	1	5	6	7	8	11
1. SINGLE DX	79	1.7	1	<1	<1	1	2	4	5	5
2. MULTIPLE DX	200	4.3	7	<1	1	4	6	7	8	11
A. NOT OPERATED	18	2.6	3	1	1	2	4	5	6	7
B. OPERATED	261	3.6	7	<1	<1	3	6	7	8	10
TOTAL 0-19 YRS	13	2.5	3	1	1	2	4	5	6	6
20-34	135	3.3	5	<1	<1	2	5	6	7	9
35-49	131	3.9	9	<1	<1	3	6	7	8	13
50-64										
65+										
GRAND TOTAL	**279**	**3.6**	**7**	**<1**	**<1**	**3**	**6**	**7**	**8**	**10**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	1.7	1	<1	1	1	2	3	4	4
20-34	90	1.8	1	<1	<1	1	2	3	4	7
35-49	40	1.9	4	<1	<1	1	2	3	6	11
50-64										
65+										
B. *Operated*										
0-19 YRS	85	1.7	1	1	1	2	2	3	3	5
20-34	932	2.4	3	<1	<1	2	3	5	6	8
35-49	918	2.8	6	<1	<1	2	5	6	7	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	2.4	2	1	1	2	3	5	5	8
20-34	172	2.6	5	<1	1	2	3	4	6	14
35-49	133	2.4	4	<1	<1	2	3	5	6	10
50-64										
65+										
B. *Operated*										
0-19 YRS	129	3.3	12	1	1	2	5	6	7	20
20-34	2618	4.7	6	1	1	5	6	7	8	12
35-49	3924	5.1	7	1	1	5	6	8	9	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	175	1.8	2	<1	<1	1	2	3	4	8
B. *Operated*	1935	2.5	4	<1	<1	2	4	6	6	9
2. MULTIPLE DX										
A. *Not Operated*	376	2.5	4	<1	1	2	3	4	6	11
B. *Operated*	6671	4.9	7	1	1	5	6	8	9	12
1. SINGLE DX	2110	2.5	4	<1	<1	2	3	6	6	9
2. MULTIPLE DX	7047	4.8	7	1	1	5	6	7	8	12
A. NOT OPERATED	551	2.3	3	<1	<1	2	3	4	5	10
B. OPERATED	8606	4.4	7	<1	1	5	6	7	8	12
TOTAL 0-19 YRS	330	2.5	6	1	1	2	3	5	6	9
20-34	3812	4.0	7	<1	1	4	6	7	8	11
35-49	5015	4.6	7	<1	1	5	6	7	8	12
50-64										
65+										
GRAND TOTAL	**9157**	**4.2**	**7**	**<1**	**1**	**5**	**6**	**7**	**8**	**12**

366 Hospitals, Southern Region, January-December 1985

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	11.7	310	1	1	2	24	32	32	32
50-64	4	1.8	1	1	1	2	2	3	3	3
65+	4	2.5	4	1	1	2	4	5	5	5
B. *Operated*										
0-19 YRS										
20-34	5	1.8	3	<1	<1	<1	2	5	5	5
35-49	79	1.7	2	<1	<1	1	2	4	6	7
50-64	322	2.0	3	<1	<1	1	2	4	6	9
65+	148	1.7	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	19	3.8	6	<1	1	3	5	7	9	10
50-64	26	3.3	6	<1	<1	3	5	7	8	9
65+	36	3.9	10	1	1	3	4	8	10	17
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	19	4.7	4	1	2	5	6	7	8	8
35-49	150	3.7	6	<1	1	3	6	7	8	10
50-64	674	3.6	8	1	1	2	6	7	9	12
65+	498	3.8	12	1	1	2	5	8	10	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	4.7	83	1	1	2	3	16	31	32
B. *Operated*	554	1.9	2	<1	<1	1	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*	81	3.7	8	<1	1	3	5	7	9	15
B. *Operated*	1342	3.7	9	1	1	2	5	7	9	13
1. SINGLE DX	565	1.9	4	<1	<1	1	2	3	5	8
2. MULTIPLE DX	1423	3.7	9	1	1	2	5	7	9	13
A. NOT OPERATED	92	3.8	16	<1	1	3	5	7	9	26
B. OPERATED	1896	3.1	8	<1	1	2	4	7	8	12
TOTAL 0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	24	4.1	5	<1	<1	5	6	6	7	8
35-49	251	3.2	9	<1	<1	2	5	7	7	10
50-64	1026	3.1	7	<1	<1	2	5	7	8	11
65+	686	3.3	10	<1	1	2	4	7	9	15
GRAND TOTAL	**1988**	**3.2**	**8**	**<1**	**1**	**2**	**4**	**7**	**8**	**12**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	2.3	3	<1	1	2	3	6	6	6
20-34	70	2.3	2	<1	1	2	3	4	4	8
35-49	30	2.7	4	<1	1	2	3	7	7	8
50-64	8	2.9	5	1	1	2	3	7	8	8
65+	3	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	95	2.5	3	<1	<1	2	3	4	6	9
20-34	1040	3.2	4	<1	1	3	5	6	7	9
35-49	542	3.5	6	<1	<1	3	5	6	7	11
50-64	242	3.4	7	<1	<1	2	5	7	8	11
65+	96	3.7	13	<1	<1	2	5	7	8	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	2.8	8	<1	<1	2	3	6	9	14
20-34	90	2.6	4	<1	<1	2	3	6	7	8
35-49	56	3.1	7	<1	<1	2	4	6	7	13
50-64	40	3.7	10	1	1	2	5	9	10	14
65+	58	4.8	10	1	1	4	7	10	10	13
B. *Operated*										
0-19 YRS	113	4.0	10	1	1	3	5	8	11	15
20-34	1568	4.7	7	1	1	5	6	7	8	14
35-49	1669	5.4	8	1	2	6	7	8	9	14
50-64	812	5.7	13	1	2	6	7	9	11	19
65+	512	6.7	59	1	2	6	8	13	17	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	137	2.4	3	<1	1	2	3	5	6	8
B. *Operated*	2015	3.3	6	<1	1	3	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	269	3.3	8	<1	1	2	4	7	10	13
B. *Operated*	4674	5.3	15	1	1	5	7	8	10	18
1. SINGLE DX	2152	3.2	5	<1	1	2	5	6	7	10
2. MULTIPLE DX	4943	5.2	14	1	1	5	7	8	10	17
A. NOT OPERATED	406	3.0	6	<1	1	2	4	7	8	13
B. OPERATED	6689	4.7	13	1	1	5	6	8	9	16
TOTAL 0-19 YRS	259	3.2	7	<1	1	2	4	6	8	14
20-34	2768	4.0	7	<1	1	4	6	7	8	11
35-49	2297	4.9	8	<1	1	5	6	8	9	14
50-64	1102	5.1	13	1	1	5	7	9	10	18
65+	669	6.1	49	1	1	5	8	12	16	28
GRAND TOTAL	**7095**	**4.6**	**13**	**<1**	**1**	**5**	**6**	**8**	**9**	**16**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	116	2.0	4	<1	1	2	2	3	4	13
20-34	198	2.3	6	<1	1	2	3	4	5	17
35-49	37	2.3	2	<1	1	2	3	4	4	7
50-64	7	3.7	8	1	1	2	6	8	8	8
65+	4	2.5	3	1	1	2	4	5	5	5
B. *Operated*										
0-19 YRS	58	2.6	2	<1	1	2	3	4	5	7
20-34	561	3.6	5	<1	1	4	5	6	7	10
35-49	427	5.5	6	1	2	6	7	8	9	13
50-64	314	6.5	5	3	4	6	8	9	11	13
65+	128	6.9	6	3	4	7	8	10	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	106	2.3	4	<1	1	2	3	4	5	11
20-34	294	2.7	5	<1	1	2	4	5	6	10
35-49	110	3.1	8	<1	<1	2	4	6	8	15
50-64	24	2.7	4	<1	<1	2	4	5	6	7
65+	20	3.6	7	<1	<1	3	5	8	9	10
B. *Operated*										
0-19 YRS	96	3.8	11	<1	1	3	5	7	10	20
20-34	2398	4.9	6	1	1	5	6	7	8	11
35-49	1703	6.2	6	2	4	6	7	9	10	15
50-64	480	7.7	13	4	5	7	9	11	14	18
65+	326	8.0	13	3	5	7	9	13	15	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	362	2.2	5	<1	1	2	3	4	5	15
B. *Operated*	1488	5.0	7	1	1	5	7	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	554	2.7	5	<1	1	2	3	5	6	10
B. *Operated*	5003	5.8	8	1	2	6	7	9	10	15
1. SINGLE DX	1850	4.5	8	1	1	4	6	8	9	13
2. MULTIPLE DX	5557	5.5	9	1	2	5	7	8	10	15
A. NOT OPERATED	916	2.5	5	<1	1	2	3	5	6	11
B. OPERATED	6491	5.6	8	1	2	6	7	9	10	15
TOTAL 0-19 YRS	376	2.6	6	<1	1	2	3	5	6	16
20-34	3451	4.3	6	1	1	5	6	7	8	11
35-49	2277	5.9	7	1	2	6	7	8	10	14
50-64	825	7.1	10	3	4	7	8	10	12	17
65+	478	7.5	11	3	4	7	9	11	14	18
GRAND TOTAL	**7407**	**5.2**	**9**	**1**	**1**	**5**	**7**	**8**	**10**	**15**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.0	1	<1	<1	2	3	3	3	3
20-34	28	2.3	11	<1	<1	1	2	4	6	18
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	110	4.4	2	3	3	4	5	6	7	11
20-34	1223	4.3	2	2	3	4	5	6	6	8
35-49	136	4.5	2	2	3	4	5	6	7	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	18	3.3	5	<1	1	3	5	7	7	7
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	95	4.7	4	2	3	4	5	6	8	12
20-34	1398	4.8	3	3	3	5	5	7	8	10
35-49	205	5.5	5	3	4	5	6	8	10	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	2.2	8	<1	<1	1	2	4	5	18
B. *Operated*	1469	4.3	2	2	3	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	22	3.0	5	<1	1	2	5	7	7	7
B. *Operated*	1698	4.8	3	3	3	5	5	7	8	11
1. SINGLE DX	1505	4.3	2	2	3	4	5	6	6	8
2. MULTIPLE DX	1720	4.8	3	3	3	5	5	7	8	11
A. NOT OPERATED	58	2.5	7	<1	1	2	3	5	7	17
B. OPERATED	3167	4.6	3	3	3	4	5	6	7	10
TOTAL 0-19 YRS	213	4.4	3	2	3	4	5	6	7	12
20-34	2667	4.5	3	2	3	4	5	6	7	9
35-49	345	5.0	4	3	3	5	6	7	8	13
50-64										
65+										
GRAND TOTAL	**3225**	**4.6**	**3**	**2**	**3**	**4**	**5**	**6**	**7**	**10**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.9	11	1	1	2	2	11	11	11
20-34	37	1.6		1	1	2	2	2	3	3
35-49	8	2.0	1	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	163	1.5	1	<1	<1	1	2	2	3	4
20-34	394	1.5	1	<1	<1	1	2	3	3	5
35-49	65	1.2		<1	<1	<1	1	2	2	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	2.5	4	1	1	1	4	6	6	6
20-34	40	2.5	3	<1	1	2	4	5	6	7
35-49	7	2.7	8	1	1	2	2	8	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	61	2.5	5	<1	<1	2	3	5	7	14
20-34	301	3.1	16	<1	<1	2	4	6	8	18
35-49	82	2.5	9	<1	<1	1	3	6	7	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	2.0	3	1	1	2	2	3	3	11
B. *Operated*	622	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	58	2.5	3	1	1	2	4	5	6	9
B. *Operated*	444	2.9	13	<1	<1	2	4	6	8	18
1. SINGLE DX	682	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX	502	2.9	12	<1	<1	2	4	6	7	17
A. NOT OPERATED	118	2.3	3	1	1	2	3	4	6	11
B. OPERATED	1066	2.1	6	<1	<1	1	2	4	6	10
TOTAL 0-19 YRS	250	1.9	3	<1	<1	1	2	3	5	11
20-34	772	2.2	7	<1	<1	1	2	4	6	10
35-49	162	2.0	5	<1	<1	1	2	4	7	9
50-64										
65+										
GRAND TOTAL	**1184**	**2.1**	**6**	**<1**	**<1**	**1**	**2**	**4**	**6**	**10**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	3	2.7	2	1	1	3	4	4	4	4
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	3	2.7	2	1	1	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	2	4.0	2	3	3	4	5	5	5	5
1. SINGLE DX	3	2.7	2	1	1	3	4	4	4	4
2. MULTIPLE DX	2	4.0	2	3	3	4	5	5	5	5
A. NOT OPERATED										
B. OPERATED	5	3.2	2	1	1	3	4	5	5	5
TOTAL 0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	4	2.8	2	1	1	3	4	4	4	4
35-49										
50-64										
65+										
GRAND TOTAL	**5**	**3.2**	**2**	**1**	**1**	**3**	**4**	**5**	**5**	**5**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	177	1.6	1	<1	<1	1	2	3	4	5
20-34	437	1.6	1	<1	<1	1	2	3	3	5
35-49	30	1.4	1	<1	<1	1	2	2	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1068	1.4	1	<1	<1	1	2	2	3	5
20-34	4810	1.4	1	<1	<1	1	1	2	3	5
35-49	611	1.3		<1	<1	1	1	2	2	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	2.3	2	1	1	2	3	4	6	8
20-34	156	2.7	6	<1	1	2	3	6	7	11
35-49	13	3.5	11	<1	<1	2	5	9	11	12
50-64										
65+										
B. *Operated*										
0-19 YRS	215	2.2	4	1	1	2	3	4	6	13
20-34	1018	2.2	4	<1	1	1	3	4	5	10
35-49	204	2.2	4	<1	1	1	3	5	6	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	644	1.6	1	<1	<1	1	2	3	3	5
B. *Operated*	6489	1.4	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	224	2.6	5	<1	1	2	3	5	7	11
B. *Operated*	1437	2.2	4	<1	1	1	3	4	6	11
1. SINGLE DX	7133	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX	1661	2.2	4	<1	1	2	3	4	6	11
A. NOT OPERATED	868	1.9	2	<1	<1	1	2	3	4	8
B. OPERATED	7926	1.5	2	<1	<1	1	2	3	3	6
TOTAL 0-19 YRS	1515	1.6	1	<1	<1	1	2	3	3	6
20-34	6421	1.5	2	<1	<1	1	2	3	4	6
35-49	858	1.5	2	<1	<1	1	2	2	4	7
50-64										
65+										
GRAND TOTAL	**8794**	**1.5**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**6**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	2.6	2	1	1	2	4	5	5	7
20-34	163	2.3	3	<1	1	2	3	4	6	8
35-49	24	2.2	3	<1	1	2	2	5	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	133	2.0	2	1	1	2	2	3	4	9
20-34	932	1.5	1	<1	<1	1	2	2	3	5
35-49	123	1.5	1	<1	<1	1	2	2	4	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	3.7	6	1	1	3	5	7	7	12
20-34	56	3.0	9	1	1	2	3	6	9	19
35-49	10	2.8	3	<1	<1	3	4	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	46	2.3	2	1	1	2	3	5	5	7
20-34	354	3.1	18	<1	1	2	4	6	8	14
35-49	51	2.5	3	1	1	2	3	5	7	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	227	2.3	3	<1	1	2	3	5	6	7
B. *Operated*	1188	1.6	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	95	3.2	8	1	1	3	4	6	7	16
B. *Operated*	451	3.0	15	<1	1	2	4	6	8	13
1. SINGLE DX	1415	1.7	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	546	3.0	14	<1	1	2	4	6	8	13
A. NOT OPERATED	322	2.6	4	1	1	2	3	5	6	12
B. OPERATED	1639	1.9	5	<1	<1	1	2	3	5	9
TOTAL 0-19 YRS	248	2.4	3	1	1	2	3	5	5	9
20-34	1505	2.0	6	<1	<1	1	2	4	5	11
35-49	208	1.9	2	<1	<1	1	2	4	6	8
50-64										
65+										
GRAND TOTAL	**1961**	**2.0**	**5**	**<1**	**<1**	**1**	**2**	**4**	**5**	**10**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	134	1.8	1	<1	1	2	2	3	4	6
20-34	744	2.2	3	<1	1	2	3	4	5	7
35-49	51	1.9	1	<1	1	2	2	3	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	4	1.5	1	<1	<1	1	2	3	3	3
20-34	23	2.1	2	<1	<1	2	3	3	5	7
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	3.1	6	<1	1	2	4	6	9	12
20-34	199	3.0	7	1	1	2	4	6	7	12
35-49	12	2.8	3	1	1	2	4	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	7	3.9	6	1	1	4	5	7	8	8
20-34	20	3.2	6	1	1	3	4	5	9	12
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	929	2.1	3	<1	1	2	3	4	4	7
B. *Operated*	27	2.0	2	<1	<1	2	3	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	250	3.0	6	1	1	2	4	6	7	12
B. *Operated*	28	3.4	6	1	1	3	4	6	8	12
1. SINGLE DX	956	2.1	3	<1	1	2	3	4	4	7
2. MULTIPLE DX	278	3.0	6	1	1	2	4	6	7	12
A. NOT OPERATED	1179	2.3	4	<1	1	2	3	4	5	9
B. OPERATED	55	2.7	4	<1	1	2	4	5	7	12
TOTAL 0-19 YRS	184	2.2	3	<1	1	2	3	4	5	9
20-34	986	2.3	4	<1	1	2	3	4	5	9
35-49	64	2.1	1	<1	1	2	3	4	4	6
50-64										
65+										
GRAND TOTAL	**1234**	**2.3**	**4**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.6	1	1	1	2	2	3	3	3
20-34	39	1.8	1	<1	<1	1	2	4	5	5
35-49	4	5.0	11	1	1	5	7	9	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	1	1	1	2	3	3	3	3
20-34	19	3.3	20	<1	1	2	3	6	15	21
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	5.0	2	4	4	5	6	6	6	6
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	2.0	3	<1	1	1	2	4	5	9
B. *Operated*	3	3.0	3	1	1	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	25	3.2	16	<1	1	2	3	5	10	21
B. *Operated*	4	3.5	4	1	1	3	5	6	6	6
1. SINGLE DX	54	2.1	3	<1	1	2	2	4	5	9
2. MULTIPLE DX	29	3.2	14	1	1	2	3	6	8	21
A. NOT OPERATED	76	2.4	7	<1	1	2	3	4	6	18
B. OPERATED	7	3.3	3	1	1	4	4	6	6	6
TOTAL 0-19 YRS	14	1.9	1	1	1	2	3	3	3	3
20-34	62	2.5	8	<1	1	2	3	4	6	19
35-49	7	4.0	9	1	1	4	6	8	9	9
50-64										
65+										
GRAND TOTAL	**83**	**2.5**	**7**	**<1**	**1**	**2**	**3**	**4**	**6**	**17**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	235	3.2	6	1	1	3	4	5	7	13
20-34	1035	3.2	7	1	1	3	4	5	7	13
35-49	87	3.3	3	1	2	3	4	5	8	10
50-64										
65+										
B. *Operated*										
0-19 YRS	17	3.6	7	1	1	3	4	7	10	12
20-34	48	3.8	7	<1	1	3	5	8	9	13
35-49	7	3.6	1	3	3	3	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	3.4	7	1	1	3	4	6	10	15
20-34	335	3.7	18	1	1	3	4	6	8	18
35-49	50	4.5	12	1	1	3	6	9	11	16
50-64										
65+										
B. *Operated*										
0-19 YRS	11	2.9	6	<1	<1	3	3	6	10	10
20-34	44	3.9	20	<1	<1	3	4	8	11	26
35-49	6	5.5	26	1	1	4	10	13	13	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1357	3.2	7	1	1	3	4	5	7	13
B. *Operated*	72	3.8	6	<1	1	3	4	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	458	3.7	16	1	1	3	4	7	9	16
B. *Operated*	61	3.9	18	<1	<1	3	4	9	11	25
1. SINGLE DX	1429	3.2	7	1	1	3	4	5	7	13
2. MULTIPLE DX	519	3.7	16	<1	1	3	4	7	10	17
A. NOT OPERATED	1815	3.3	9	1	1	3	4	6	8	14
B. OPERATED	133	3.8	11	<1	1	3	4	8	10	18
TOTAL 0-19 YRS	336	3.3	6	1	1	3	4	6	8	13
20-34	1462	3.3	10	1	1	3	4	6	8	14
35-49	150	3.8	7	1	1	3	4	8	10	14
50-64										
65+										
GRAND TOTAL	**1948**	**3.4**	**9**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	252	3.5	6	1	2	3	4	6	9	12
20-34	1388	3.7	7	1	2	3	4	6	8	13
35-49	42	4.3	8	1	2	3	6	7	9	17
50-64										
65+										
B. *Operated*										
0-19 YRS	3	14.3	494	1	1	2	30	40	40	40
20-34	9	9.0	61	1	1	7	13	22	22	22
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	153	3.7	18	1	2	3	4	6	8	19
20-34	707	3.8	7	1	2	3	5	7	8	13
35-49	21	4.0	5	1	1	3	6	7	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	5	4.2	8	1	1	4	7	7	7	7
20-34	31	9.1	73	1	2	6	14	17	21	43
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1682	3.7	7	1	2	3	4	6	8	13
B. *Operated*	12	10.3	140	1	1	6	16	27	38	40
2. MULTIPLE DX										
A. *Not Operated*	881	3.8	9	1	2	3	5	7	8	13
B. *Operated*	37	8.3	65	1	2	6	13	16	20	43
1. SINGLE DX	1694	3.7	8	1	2	3	4	6	8	14
2. MULTIPLE DX	918	4.0	12	1	2	3	5	7	9	16
A. NOT OPERATED	2563	3.7	7	1	2	3	4	6	8	13
B. OPERATED	49	8.8	82	1	1	6	13	20	23	43
TOTAL 0-19 YRS	413	3.7	14	1	2	3	4	6	9	17
20-34	2135	3.8	9	1	2	3	4	6	8	15
35-49	64	4.2	7	1	2	3	6	7	8	16
50-64										
65+										
GRAND TOTAL	**2612**	**3.8**	**9**	**1**	**2**	**3**	**4**	**6**	**8**	**15**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	589	1.2		<1	<1	1	1	2	2	5
20-34	2190	1.2	3	<1	<1	1	1	2	2	4
35-49	118	1.4	10	<1	<1	1	1	2	2	13
50-64										
65+										
B. *Operated*										
0-19 YRS	61	1.1		<1	<1	<1	1	1	2	4
20-34	205	1.3	2	<1	<1	<1	1	1	3	8
35-49	6	1.2		<1	<1	1	1	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	109	2.1	8	<1	<1	1	2	4	5	15
20-34	386	1.8	3	<1	<1	1	2	3	4	11
35-49	24	1.6	1	<1	<1	1	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	5	2.0	1	<1	<1	2	3	3	3	3
20-34	23	2.3	12	<1	<1	1	2	5	12	15
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2897	1.2	3	<1	<1	1	1	2	2	4
B. *Operated*	272	1.3	1	<1	<1	<1	1	1	3	7
2. MULTIPLE DX										
A. *Not Operated*	519	1.9	4	<1	<1	1	2	3	5	10
B. *Operated*	29	2.2	10	<1	<1	1	2	3	11	15
1. SINGLE DX	3169	1.2	3	<1	<1	1	1	2	2	4
2. MULTIPLE DX	548	1.9	4	<1	<1	1	2	3	5	11
A. NOT OPERATED	3416	1.3	3	<1	<1	1	1	2	3	5
B. OPERATED	301	1.3	2	<1	<1	<1	1	2	3	10
TOTAL 0-19 YRS	764	1.3	2	<1	<1	1	1	2	3	5
20-34	2804	1.3	3	<1	<1	1	1	2	3	5
35-49	149	1.4	8	<1	<1	1	1	2	2	4
50-64										
65+										
GRAND TOTAL	**3717**	**1.3**	**3**	**<1**	**<1**	**1**	**1**	**2**	**3**	**5**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	3.7	33	1	1	2	3	5	17	30
20-34	314	3.4	15	1	1	2	4	6	10	20
35-49	24	3.5	15	<1	1	2	4	7	15	16
50-64										
65+										
B. *Operated*										
0-19 YRS	3	2.0	1	<1	<1	2	3	3	3	3
20-34	23	2.7	2	1	1	2	3	5	6	6
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	6.3	97	<1	1	3	6	15	33	42
20-34	111	5.5	62	1	1	3	5	12	27	42
35-49	9	5.8	33	1	1	3	9	16	16	16
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	14	4.1	6	1	2	4	6	8	9	9
35-49	1	21.0		21	21	21	21	21	21	21
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	370	3.4	17	1	1	2	4	6	11	21
B. *Operated*	26	2.6	2	<1	1	2	3	5	5	6
2. MULTIPLE DX										
A. *Not Operated*	138	5.6	64	1	1	3	5	14	24	43
B. *Operated*	15	5.3	24	1	2	4	6	9	18	21
1. SINGLE DX	396	3.4	16	1	1	2	4	6	10	20
2. MULTIPLE DX	153	5.6	60	1	1	3	5	13	21	42
A. NOT OPERATED	508	4.0	30	1	1	2	4	7	14	31
B. OPERATED	41	3.6	11	1	1	3	5	6	8	21
TOTAL 0-19 YRS	53	4.5	53	<1	1	2	4	7	19	42
20-34	462	3.9	26	1	1	2	4	7	13	31
35-49	34	4.6	28	<1	1	3	4	15	16	21
50-64										
65+										
GRAND TOTAL	**549**	**4.0**	**29**	**1**	**1**	**2**	**4**	**7**	**14**	**31**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	83	2.2	5	<1	<1	1	3	4	6	13
20-34	362	2.3	6	<1	<1	2	3	4	6	16
35-49	23	4.0	83	<1	<1	2	2	6	22	45
50-64										
65+										
B. *Operated*										
0-19 YRS	9	1.8		<1	<1	2	2	3	3	3
20-34	27	1.9	1	<1	<1	1	2	4	4	5
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	3.1	11	<1	1	2	3	6	9	19
20-34	145	2.5	4	1	1	2	3	4	6	13
35-49	7	2.6	4	1	1	2	3	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	5	2.6	6	<1	<1	2	3	7	7	7
20-34	14	5.0	67	<1	1	3	4	8	27	33
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	468	2.4	9	<1	<1	2	3	4	6	16
B. *Operated*	38	1.9	1	<1	<1	2	2	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	190	2.6	6	1	1	2	3	5	7	15
B. *Operated*	20	4.5	48	<1	<1	2	5	6	20	33
1. SINGLE DX	506	2.3	9	<1	<1	2	3	4	5	15
2. MULTIPLE DX	210	2.8	10	1	1	2	3	5	7	17
A. NOT OPERATED	658	2.4	8	<1	1	2	3	4	6	16
B. OPERATED	58	2.8	18	<1	<1	2	3	5	6	31
TOTAL 0-19 YRS	135	2.5	7	<1	<1	2	3	4	7	14
20-34	548	2.4	7	<1	1	2	3	4	6	16
35-49	33	3.6	59	<1	1	2	3	6	9	45
50-64										
65+										
GRAND TOTAL	**716**	**2.5**	**9**	**<1**	**<1**	**2**	**3**	**4**	**6**	**16**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	290	3.1	5	1	1	3	4	5	6	7
20-34	569	3.1	2	<1	1	3	4	5	6	7
35-49	10	2.7	2	<1	<1	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	8	2.8	6	1	1	1	5	6	6	6
20-34	23	2.9	6	<1	<1	2	4	5	7	12
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	400	3.7	3	1	2	3	4	6	7	11
20-34	782	3.6	4	1	1	3	5	6	7	10
35-49	24	3.9	5	1	1	4	5	7	8	9
50-64										
65+										
B. *Operated*										
0-19 YRS	17	4.5	6	1	1	4	5	9	10	10
20-34	40	4.8	10	<1	1	4	7	9	11	12
35-49	2	10.0	18	7	7	10	13	13	13	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	869	3.1	3	1	1	3	4	5	6	7
B. *Operated*	32	2.8	6	<1	<1	2	4	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	1206	3.6	4	1	2	3	4	6	7	10
B. *Operated*	59	4.9	10	<1	1	4	7	10	11	13
1. SINGLE DX	901	3.0	3	<1	1	3	4	5	6	7
2. MULTIPLE DX	1265	3.7	4	1	1	3	5	6	7	11
A. NOT OPERATED	2075	3.4	4	1	1	3	4	5	6	9
B. OPERATED	91	4.1	9	<1	1	3	6	9	10	13
TOTAL 0-19 YRS	715	3.4	4	1	1	3	4	5	6	9
20-34	1414	3.4	4	1	1	3	4	5	7	10
35-49	37	3.8	7	<1	1	3	5	7	9	13
50-64										
65+										
GRAND TOTAL	**2166**	**3.4**	**4**	**1**	**1**	**3**	**4**	**5**	**7**	**10**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	74	3.9	11	1	1	3	4	8	11	18
20-34	486	3.7	9	1	1	3	4	7	9	16
35-49	62	4.4	8	1	2	3	5	8	11	14
50-64										
65+										
B. *Operated*										
0-19 YRS	3	5.7	1	5	5	5	7	7	7	7
20-34	23	3.7	9	1	1	3	5	7	10	13
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	303	3.6	11	1	1	3	4	7	9	17
20-34	1485	4.0	14	1	1	3	5	8	10	19
35-49	155	4.9	17	1	1	4	7	9	12	20
50-64										
65+										
B. *Operated*										
0-19 YRS	22	3.0	3	<1	1	3	4	5	6	7
20-34	143	5.0	20	1	1	4	7	10	16	20
35-49	16	5.9	11	<1	1	6	7	9	13	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	622	3.8	9	1	1	3	4	7	10	16
B. *Operated*	26	3.9	8	1	1	3	5	7	10	13
2. MULTIPLE DX										
A. *Not Operated*	1943	4.0	14	1	1	3	5	8	10	19
B. *Operated*	181	4.8	18	1	1	4	6	10	15	19
1. SINGLE DX	648	3.8	9	1	1	3	5	7	10	16
2. MULTIPLE DX	2124	4.1	14	1	1	3	5	8	10	19
A. NOT OPERATED	2565	3.9	12	1	1	3	5	8	10	18
B. OPERATED	207	4.7	17	1	1	4	6	9	14	19
TOTAL 0-19 YRS	402	3.7	10	1	1	3	4	7	9	17
20-34	2137	4.0	13	1	1	3	5	8	10	18
35-49	233	4.8	14	1	1	4	7	9	12	18
50-64										
65+										
GRAND TOTAL	**2772**	**4.0**	**13**	**1**	**1**	**3**	**5**	**8**	**10**	**18**

268: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	772	2.8	13	<1	<1	2	3	5	8	20
20-34	2607	2.6	15	<1	<1	2	3	5	7	17
35-49	142	3.4	21	<1	<1	2	3	7	12	28
50-64										
65+										
B. *Operated*										
0-19 YRS	133	2.5	9	<1	<1	2	3	4	6	16
20-34	892	2.6	11	<1	<1	2	3	4	6	12
35-49	78	2.6	3	<1	1	2	3	4	5	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	398	3.9	29	<1	1	2	4	8	12	31
20-34	1480	3.8	30	<1	1	2	4	7	12	28
35-49	107	3.4	16	<1	1	2	4	7	11	58
50-64										
65+										
B. *Operated*										
0-19 YRS	80	3.9	32	<1	<1	2	4	7	14	34
20-34	418	3.8	22	<1	<1	3	4	7	11	26
35-49	42	3.5	17	<1	<1	2	3	8	14	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3521	2.7	15	<1	<1	2	3	5	7	19
B. *Operated*	1103	2.6	10	<1	<1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	1985	3.8	29	<1	1	2	4	7	12	29
B. *Operated*	540	3.8	23	<1	<1	3	4	7	12	24
1. SINGLE DX	4624	2.7	14	<1	<1	2	3	5	7	17
2. MULTIPLE DX	2525	3.8	28	<1	1	2	4	7	12	28
A. NOT OPERATED	5506	3.1	20	<1	<1	2	3	6	9	23
B. OPERATED	1643	3.0	15	<1	<1	2	3	5	7	19
TOTAL 0-19 YRS	1383	3.1	19	<1	<1	2	3	6	9	24
20-34	5397	3.1	19	<1	<1	2	3	6	8	21
35-49	369	3.2	15	<1	<1	2	3	6	10	26
50-64										
65+										
GRAND TOTAL	**7149**	**3.1**	**19**	**<1**	**<1**	**2**	**3**	**6**	**8**	**23**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	2.5	1	1	1	2	3	3	4	7
20-34	376	2.6	2	1	2	2	3	4	4	7
35-49	34	3.1	5	1	2	3	4	4	5	14
50-64										
65+										
B. *Operated*										
0-19 YRS	42	3.3	2	1	2	3	4	6	6	7
20-34	242	4.1	7	1	2	4	5	6	7	15
35-49	22	4.0	3	2	2	4	5	6	8	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	165	2.9	6	1	2	3	3	4	4	13
20-34	572	2.8	3	1	2	2	3	4	5	9
35-49	42	3.6	33	1	1	3	3	4	8	39
50-64										
65+										
B. *Operated*										
0-19 YRS	174	4.3	20	2	2	3	5	7	10	32
20-34	1428	4.6	20	2	2	4	5	7	10	25
35-49	162	4.8	22	2	2	4	5	7	10	25
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	502	2.6	2	1	2	2	3	4	4	7
B. *Operated*	306	4.0	6	1	2	4	5	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	779	2.9	5	1	2	3	3	4	5	9
B. *Operated*	1764	4.6	20	2	2	4	5	7	10	26
1. SINGLE DX	808	3.1	4	1	2	3	4	5	6	11
2. MULTIPLE DX	2543	4.1	16	2	2	3	5	6	8	22
A. NOT OPERATED	1281	2.8	4	1	2	2	3	4	5	9
B. OPERATED	2070	4.5	18	2	2	4	5	7	9	24
TOTAL 0-19 YRS	473	3.4	10	1	2	3	3	5	7	17
20-34	2618	3.9	13	2	2	3	4	6	8	18
35-49	260	4.3	20	1	2	4	5	6	9	25
50-64										
65+										
GRAND TOTAL	**3351**	**3.8**	**13**	**2**	**2**	**3**	**4**	**6**	**8**	**18**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6158	2.4	1	1	1	2	3	3	4	5
20-34	25433	2.4	1	1	1	2	3	3	4	5
35-49	1220	2.5	1	1	1	2	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1094	2.4	1	1	1	2	3	3	4	5
20-34	4496	2.5	1	1	1	2	3	3	4	5
35-49	197	2.6	1	1	1	3	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	304	2.8	1	1	2	3	3	4	5	7
20-34	1057	2.8	2	1	2	3	3	4	5	7
35-49	56	3.4	13	1	2	3	3	5	5	27
50-64										
65+										
B. *Operated*										
0-19 YRS	202	2.8	1	1	2	3	3	4	5	6
20-34	5750	3.0	1	2	2	3	3	4	5	6
35-49	600	3.1	1	2	2	3	4	4	5	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32811	2.4	1	1	1	2	3	3	4	5
B. *Operated*	5787	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	1417	2.8	2	1	2	3	3	4	5	7
B. *Operated*	6552	3.0	1	2	2	3	3	4	5	6
1. SINGLE DX	38598	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX	7969	3.0	1	2	2	3	3	4	5	6
A. NOT OPERATED	34228	2.4	1	1	1	2	3	3	4	5
B. OPERATED	12339	2.7	1	1	2	3	3	4	4	6
TOTAL 0-19 YRS	7758	2.4	1	1	1	2	3	3	4	5
20-34	36736	2.5	1	1	1	2	3	4	4	5
35-49	2073	2.7	1	1	1	3	3	4	4	6
50-64										
65+										
GRAND TOTAL	**46567**	**2.5**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**5**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	18	1.9		1	1	2	2	3	3	3
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	12	9.2	268	3	3	4	5	24	56	61
20-34	122	6.2	29	3	3	5	6	9	15	38
35-49	16	6.4	20	4	4	5	6	14	18	20
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.5	4	2	2	3	4	7	7	7
20-34	17	3.1	7	1	2	2	3	4	10	13
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	30	6.9	96	1	2	5	7	10	11	57
20-34	320	10.2	181	3	3	5	8	25	42	77
35-49	41	11.0	240	3	4	6	12	17	34	95
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	1.9		1	1	2	2	3	3	3
B. *Operated*	150	6.5	46	3	4	5	6	9	17	44
2. MULTIPLE DX										
A. *Not Operated*	24	3.3	6	1	2	3	4	5	9	13
B. *Operated*	391	10.0	181	3	3	5	8	24	42	80
1. SINGLE DX	171	5.9	43	2	2	5	6	8	15	42
2. MULTIPLE DX	415	9.6	173	2	3	5	8	23	39	78
A. NOT OPERATED	45	2.6	4	1	1	2	3	4	5	13
B. OPERATED	541	9.0	146	3	3	5	7	19	34	74
TOTAL 0-19 YRS	51	6.7	119	1	2	4	5	9	11	61
20-34	477	8.6	135	2	3	5	7	20	34	73
35-49	58	9.6	178	4	4	6	8	16	22	91
50-64										
65+										
GRAND TOTAL	**586**	**8.5**	**138**	**2**	**3**	**5**	**7**	**17**	**32**	**73**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.3	1	1	1	2	3	4	5	5
20-34	96	2.8	5	1	1	2	3	4	5	15
35-49	6	2.7	1	1	1	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	35	3.7	3	1	1	4	5	5	6	8
20-34	147	3.8	2	2	2	4	5	6	6	8
35-49	10	3.7	2	2	2	4	5	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	2.6	2	1	1	2	3	5	5	6
20-34	124	3.0	5	1	2	3	3	4	5	14
35-49	11	2.4	1	1	1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	103	4.8	18	1	2	4	6	7	9	31
20-34	511	5.1	28	2	2	4	5	7	10	26
35-49	44	4.6	3	2	3	5	6	7	7	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	119	2.7	5	1	1	2	3	4	5	13
B. *Operated*	192	3.8	2	1	2	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	165	2.9	4	1	1	3	3	4	5	12
B. *Operated*	658	5.0	25	2	2	4	6	7	9	28
1. SINGLE DX	311	3.4	3	1	1	3	4	5	6	8
2. MULTIPLE DX	823	4.6	21	2	2	4	5	7	8	23
A. NOT OPERATED	284	2.8	4	1	1	2	3	4	5	11
B. OPERATED	850	4.8	20	2	2	4	5	7	8	22
TOTAL 0-19 YRS	185	4.0	12	1	1	4	5	6	8	22
20-34	878	4.3	19	1	2	4	5	6	8	22
35-49	71	4.0	3	1	2	4	5	6	7	9
50-64										
65+										
GRAND TOTAL	**1134**	**4.3**	**17**	**1**	**2**	**4**	**5**	**6**	**8**	**21**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.5	1	1	1	2	3	4	4	4
20-34	25	2.4	2	<1	1	2	3	4	5	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	51	2.4	1	1	2	2	3	3	4	4
20-34	214	2.5	1	1	1	2	3	4	4	7
35-49	14	2.9	1	1	2	3	3	4	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	11	2.4	1	1	1	2	3	4	4	4
35-49	2	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	30	2.5	2	1	1	2	3	4	6	6
20-34	187	3.0	2	1	2	3	4	5	6	7
35-49	29	3.7	2	2	2	3	4	6	6	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	2.3	2	1	1	2	3	4	5	7
B. *Operated*	279	2.5	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	14	2.4	1	1	1	2	3	3	4	4
B. *Operated*	246	3.0	2	1	2	3	4	5	6	7
1. SINGLE DX	311	2.5	1	1	1	2	3	4	4	6
2. MULTIPLE DX	260	3.0	2	1	2	3	4	5	6	7
A. NOT OPERATED	46	2.4	1	1	1	2	3	4	4	7
B. OPERATED	525	2.8	1	1	1	3	3	4	5	7
TOTAL 0-19 YRS	88	2.5	1	1	1	2	3	4	4	6
20-34	437	2.7	1	1	1	3	3	4	5	7
35-49	46	3.4	2	1	2	3	4	5	6	7
50-64										
65+										
GRAND TOTAL	**571**	**2.7**	**1**	**1**	**1**	**3**	**3**	**4**	**5**	**7**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.6		1	2	3	3	3	3	4
20-34	103	2.5	1	1	1	2	3	4	4	5
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	11	3.3	2	2	2	3	4	5	6	6
20-34	55	2.8	2	1	1	3	3	4	4	9
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	3.0	2	1	1	3	3	5	6	7
20-34	55	2.9	1	1	2	3	3	4	5	8
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	24	3.7	4	2	2	3	4	5	8	12
20-34	133	3.5	4	2	2	3	4	5	6	15
35-49	9	3.0	1	2	2	3	3	4	4	4
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	139	2.5	1	1	2	3	3	3	4	5
B. *Operated*	68	2.8	2	1	1	3	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	77	2.9	1	1	2	3	3	4	5	8
B. *Operated*	166	3.5	3	2	2	3	4	5	6	15
1. SINGLE DX	207	2.6	1	1	2	3	3	4	4	6
2. MULTIPLE DX	243	3.3	3	2	2	3	4	5	6	12
A. NOT OPERATED	216	2.6	1	1	2	3	3	4	4	6
B. OPERATED	234	3.3	3	1	2	3	4	5	6	12
TOTAL 0-19 YRS	89	3.0	2	2	2	3	3	5	5	10
20-34	346	3.0	2	1	2	3	3	4	5	8
35-49	15	2.9	1	2	2	3	3	4	4	4
50-64										
65+										
GRAND TOTAL	**450**	**3.0**	**2**	**1**	**2**	**3**	**3**	**4**	**5**	**8**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.4	1	1	1	3	3	3	3	3
20-34	60	3.6	17	2	2	3	4	4	5	31
35-49	6	2.8	5	1	1	2	3	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	5	4.2	3	3	3	3	5	7	7	7
20-34	52	6.0	94	2	2	4	5	6	29	54
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.6	6	<1	1	3	4	6	10	11
20-34	63	4.4	26	1	2	3	5	7	9	32
35-49	7	2.9	1	1	1	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	45	5.4	56	2	2	4	5	8	9	53
20-34	583	6.0	40	2	3	5	6	8	12	41
35-49	57	5.8	21	2	3	5	6	9	12	30
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	3.5	15	1	2	3	3	4	6	28
B. *Operated*	57	5.9	86	2	2	4	5	6	23	53
2. MULTIPLE DX										
A. *Not Operated*	84	4.1	21	1	1	3	4	7	8	31
B. *Operated*	685	5.9	40	2	3	5	6	8	12	40
1. SINGLE DX	128	4.5	47	2	2	3	4	5	7	47
2. MULTIPLE DX	769	5.7	38	2	3	5	6	8	12	34
A. NOT OPERATED	155	3.8	18	1	2	3	4	5	8	32
B. OPERATED	742	5.9	43	2	3	5	6	8	12	45
TOTAL 0-19 YRS	69	4.8	39	2	2	3	5	8	9	45
20-34	758	5.7	41	2	2	4	6	8	12	43
35-49	70	5.2	19	2	2	4	6	8	11	29
50-64										
65+										
GRAND TOTAL	**897**	**5.6**	**39**	**2**	**2**	**4**	**6**	**8**	**11**	**39**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.2		1	1	2	3	3	3	3
20-34	89	2.3	1	1	1	2	3	3	4	6
35-49	3	2.3		2	2	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	212	4.2	2	2	3	4	5	6	6	9
20-34	1210	4.3	2	2	3	4	5	6	6	7
35-49	67	4.6	4	2	3	5	5	6	7	85
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	3.1	7	1	1	3	3	7	10	10
20-34	44	2.8	3	1	1	2	3	6	6	8
35-49	2	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	218	5.0	7	2	3	5	5	7	9	18
20-34	1586	4.9	5	2	3	5	5	7	8	13
35-49	156	5.0	4	2	3	5	6	7	8	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	106	2.3	1	1	1	2	3	3	4	6
B. *Operated*	1489	4.3	2	2	3	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	57	2.8	3	1	1	2	3	6	6	10
B. *Operated*	1960	4.9	5	2	3	5	6	7	8	13
1. SINGLE DX	1595	4.2	2	2	2	4	5	6	6	8
2. MULTIPLE DX	2017	4.8	5	2	3	5	5	7	8	13
A. NOT OPERATED	163	2.5	2	1	1	2	3	4	5	8
B. OPERATED	3449	4.7	4	2	3	4	5	6	7	11
TOTAL 0-19 YRS	455	4.5	5	2	2	4	5	6	8	13
20-34	2929	4.5	3	2	3	4	5	6	7	10
35-49	228	4.8	4	2	3	5	6	7	7	17
50-64										
65+										
GRAND TOTAL	**3612**	**4.6**	**4**	**2**	**3**	**4**	**5**	**6**	**7**	**11**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	2.6	1	1	2	3	3	4	4	5
20-34	251	2.6	1	1	2	3	3	4	4	5
35-49	11	2.6	1	1	1	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	141	3.7	8	2	2	3	4	6	6	12
20-34	719	3.7	2	2	2	4	5	5	6	7
35-49	35	3.6	2	1	2	3	5	5	6	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	2.9	2	1	2	3	3	4	6	7
20-34	132	2.7	1	1	1	3	3	4	5	6
35-49	8	3.4	3	1	1	3	4	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	346	4.2	4	2	2	4	5	6	8	13
20-34	2262	4.3	6	2	2	4	5	6	7	10
35-49	219	5.0	17	2	3	5	5	7	8	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	308	2.6	1	1	2	3	3	4	4	5
B. *Operated*	895	3.7	3	2	2	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	174	2.8	1	1	2	3	3	4	5	7
B. *Operated*	2827	4.3	7	2	2	4	5	6	7	11
1. SINGLE DX	1203	3.4	3	2	2	3	4	5	6	7
2. MULTIPLE DX	3001	4.2	7	2	2	4	5	6	7	11
A. NOT OPERATED	482	2.7	1	1	2	3	3	4	4	6
B. OPERATED	3722	4.2	6	2	2	4	5	6	7	10
TOTAL 0-19 YRS	567	3.9	5	2	2	3	5	6	7	12
20-34	3364	4.0	5	2	2	4	5	6	6	10
35-49	273	4.7	14	2	2	4	5	6	7	12
50-64										
65+										
GRAND TOTAL	**4204**	**4.0**	**6**	**2**	**2**	**4**	**5**	**6**	**7**	**10**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.8	2	2	2	4	5	5	5	5
20-34	21	3.3	2	1	2	3	4	5	6	6
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	492	4.7	1	3	3	5	5	6	7	9
20-34	2074	4.7	1	3	4	5	5	6	6	8
35-49	78	4.8	1	4	4	5	5	6	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	3	2	2	2	4	5	5	5
20-34	23	4.5	4	2	2	4	6	7	9	10
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1026	5.4	5	3	4	5	6	8	9	14
20-34	4422	5.1	3	3	4	5	6	7	8	11
35-49	261	5.7	20	4	4	5	6	7	8	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	3.4	2	1	2	3	5	6	6	6
B. *Operated*	2644	4.7	1	3	3	5	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	26	4.3	4	2	2	4	5	7	8	10
B. *Operated*	5709	5.2	4	3	4	5	6	7	8	12
1. SINGLE DX	2671	4.7	1	3	3	5	5	6	6	8
2. MULTIPLE DX	5735	5.2	4	3	4	5	6	7	8	12
A. NOT OPERATED	53	3.9	3	2	2	4	5	6	7	10
B. OPERATED	8353	5.1	3	3	4	5	6	6	7	11
TOTAL 0-19 YRS	1525	5.2	4	3	4	5	6	7	9	12
20-34	6540	5.0	2	3	4	5	6	6	7	10
35-49	341	5.5	16	4	4	5	6	7	8	14
50-64										
65+										
GRAND TOTAL	**8406**	**5.0**	**3**	**3**	**4**	**5**	**6**	**6**	**7**	**11**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	2.7	1	2	2	3	3	4	4	6
20-34	385	2.6	1	1	2	3	3	4	4	5
35-49	14	2.6	1	1	1	2	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	159	4.0	2	2	2	4	5	6	7	10
20-34	803	4.0	2	2	2	4	5	6	6	7
35-49	41	4.2	3	1	2	4	6	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	96	3.0	3	1	2	3	3	4	5	11
20-34	299	2.9	1	1	2	3	3	4	5	7
35-49	16	3.3	1	2	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	518	4.4	6	2	2	4	5	7	8	17
20-34	2412	4.5	6	2	2	4	5	6	8	12
35-49	185	4.8	6	2	3	5	6	7	7	18
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	496	2.6	1	1	2	3	3	4	4	5
B. *Operated*	1003	4.0	2	2	2	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	411	2.9	2	1	2	3	3	4	5	7
B. *Operated*	3115	4.5	6	2	2	4	5	6	8	12
1. SINGLE DX	1499	3.6	2	2	2	3	5	5	6	7
2. MULTIPLE DX	3526	4.3	6	2	2	4	5	6	8	12
A. NOT OPERATED	907	2.8	1	1	2	3	3	4	4	6
B. OPERATED	4118	4.4	5	2	2	4	5	6	7	11
TOTAL 0-19 YRS	870	4.0	5	2	2	4	5	6	7	12
20-34	3899	4.1	5	2	2	4	5	6	7	10
35-49	256	4.5	5	2	2	4	6	6	7	12
50-64										
65+										
GRAND TOTAL	**5025**	**4.1**	**5**	**2**	**2**	**4**	**5**	**6**	**7**	**10**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.9	1	2	2	3	3	4	5	6
20-34	68	3.0	24	1	1	2	3	3	4	35
35-49	8	2.5		2	2	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	52	4.5	2	2	2	5	5	6	7	8
20-34	293	4.1	3	2	2	4	5	6	6	9
35-49	22	4.0	3	1	2	4	5	6	8	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	3.3	12	1	1	2	3	8	12	14
20-34	72	2.8	2	1	1	3	3	4	6	9
35-49	3	3.3		3	3	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	98	5.0	3	2	3	5	6	8	8	10
20-34	809	4.7	5	2	3	5	5	7	7	11
35-49	92	5.1	5	2	3	5	6	7	8	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	90	3.0	18	1	2	2	3	3	4	28
B. *Operated*	367	4.2	3	2	2	4	5	6	6	9
2. MULTIPLE DX										
A. *Not Operated*	91	2.9	4	1	1	3	3	5	6	12
B. *Operated*	999	4.8	5	2	3	5	6	7	8	11
1. SINGLE DX	457	3.9	6	2	2	4	5	6	6	9
2. MULTIPLE DX	1090	4.6	5	2	2	4	5	7	8	11
A. NOT OPERATED	181	2.9	11	1	1	3	3	4	5	13
B. OPERATED	1366	4.6	5	2	3	5	5	6	7	10
TOTAL 0-19 YRS	180	4.6	4	2	2	4	6	7	8	10
20-34	1242	4.4	6	2	2	4	5	6	7	10
35-49	125	4.7	5	2	3	4	6	7	8	15
50-64										
65+										
GRAND TOTAL	**1547**	**4.4**	**6**	**2**	**2**	**4**	**5**	**6**	**7**	**10**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.0	3	1	1	2	4	6	6	6
20-34	93	2.6	1	1	1	2	3	4	5	6
35-49	11	2.9	2	1	1	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	327	4.6	1	3	3	5	5	6	6	7
20-34	4363	4.8	1	3	3	5	5	6	7	8
35-49	272	5.1	1	3	4	5	6	6	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	3.0	4	<1	1	2	4	6	7	7
20-34	45	3.6	4	1	2	3	5	7	7	8
35-49	8	3.0	3	<1	<1	3	4	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	324	5.0	2	3	3	5	6	6	7	10
20-34	6348	5.0	4	3	4	5	6	6	7	10
35-49	620	5.3	3	3	4	5	6	7	8	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	2.7	1	1	1	2	3	4	5	6
B. *Operated*	4962	4.8	1	3	3	5	5	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	62	3.5	4	1	1	3	5	6	7	8
B. *Operated*	7292	5.0	3	3	4	5	6	6	7	10
1. SINGLE DX	5073	4.7	1	3	3	5	5	6	7	7
2. MULTIPLE DX	7354	5.0	3	3	4	5	6	6	7	10
A. NOT OPERATED	173	2.9	2	1	1	3	4	5	6	7
B. OPERATED	12254	4.9	3	3	4	5	6	6	7	9
TOTAL 0-19 YRS	667	4.7	2	3	3	5	5	6	7	9
20-34	10849	4.9	3	3	3	5	6	6	7	9
35-49	911	5.2	2	3	4	5	6	7	7	10
50-64										
65+										
GRAND TOTAL	**12427**	**4.9**	**3**	**3**	**3**	**5**	**6**	**6**	**7**	**9**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	148	2.8	1	1	2	3	3	4	5	7
20-34	734	2.9	2	1	2	3	3	4	5	7
35-49	50	2.9	1	1	2	3	4	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	106	3.0	2	1	2	3	3	5	6	7
20-34	630	3.1	2	1	2	3	4	5	5	8
35-49	31	3.2	1	2	2	3	4	5	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	167	3.7	6	2	2	3	4	6	8	15
20-34	559	3.7	8	2	2	3	4	6	8	17
35-49	39	3.5	2	2	2	3	5	6	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	401	4.2	13	2	2	3	5	7	9	25
20-34	2235	4.2	10	2	2	4	5	6	8	15
35-49	228	4.5	5	2	2	4	5	7	8	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	932	2.9	1	1	2	3	3	4	5	7
B. *Operated*	767	3.1	2	1	2	3	4	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	765	3.7	7	2	2	3	4	6	7	16
B. *Operated*	2864	4.3	10	2	2	4	5	6	8	15
1. SINGLE DX	1699	3.0	2	1	2	3	3	4	5	7
2. MULTIPLE DX	3629	4.1	10	2	2	4	5	6	8	15
A. NOT OPERATED	1697	3.3	4	1	2	3	4	5	6	13
B. OPERATED	3631	4.0	9	2	2	3	5	6	7	14
TOTAL 0-19 YRS	822	3.7	9	2	2	3	4	6	7	15
20-34	4158	3.8	8	2	2	3	4	6	7	13
35-49	348	4.1	4	2	2	4	5	6	8	13
50-64										
65+										
GRAND TOTAL	**5328**	**3.8**	**7**	**2**	**2**	**3**	**4**	**6**	**7**	**13**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	337	2.4	1	1	2	2	3	3	3	4
20-34	1898	2.6	5	1	2	2	3	4	4	5
35-49	102	2.8	1	2	2	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	191	2.4	1	1	1	2	3	3	4	6
20-34	1094	2.6	1	1	1	3	3	4	4	5
35-49	51	2.9	1	1	2	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	90	2.9	3	1	1	2	3	5	6	10
20-34	443	2.5	1	1	2	2	3	4	4	5
35-49	21	2.6	1	1	1	3	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	235	3.1	3	1	2	3	4	5	6	9
20-34	1762	3.2	3	1	2	3	4	5	6	8
35-49	148	3.4	2	2	2	3	4	5	6	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2337	2.6	4	1	2	2	3	3	4	5
B. *Operated*	1336	2.6	1	1	1	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	554	2.6	1	1	2	2	3	4	4	6
B. *Operated*	2145	3.2	3	1	2	3	4	5	6	8
1. SINGLE DX	3673	2.6	3	1	2	2	3	4	4	5
2. MULTIPLE DX	2699	3.0	3	1	2	3	4	5	5	8
A. NOT OPERATED	2891	2.6	4	1	2	2	3	4	4	5
B. OPERATED	3481	2.9	2	1	2	3	3	4	5	7
TOTAL 0-19 YRS	853	2.6	2	1	1	2	3	4	5	8
20-34	5197	2.8	3	1	2	3	3	4	5	6
35-49	322	3.0	2	1	2	3	4	5	5	7
50-64										
65+										
GRAND TOTAL	**6372**	**2.8**	**3**	**1**	**2**	**3**	**3**	**4**	**5**	**7**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	194	2.2	1	1	1	2	3	3	3	4
20-34	595	2.3	1	1	1	2	3	3	4	5
35-49	36	2.3	2	1	1	2	3	3	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	1040	2.4	1	1	1	2	3	3	4	5
20-34	4782	2.3	1	1	1	2	3	3	4	5
35-49	324	2.5	1	1	1	2	3	4	4	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	126	3.2	8	1	2	3	3	4	5	14
20-34	337	3.1	8	1	2	3	3	4	6	17
35-49	18	3.3	9	<1	1	3	3	5	11	14
50-64										
65+										
B. *Operated*										
0-19 YRS	531	2.9	10	1	2	3	3	4	5	12
20-34	3428	2.8	3	1	2	3	3	4	5	7
35-49	314	3.0	3	1	2	3	4	4	5	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	825	2.3	1	1	1	2	3	3	4	5
B. *Operated*	6146	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	481	3.1	8	1	2	3	3	4	6	17
B. *Operated*	4273	2.9	4	1	2	3	3	4	5	7
1. SINGLE DX	6971	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX	4754	2.9	4	1	2	3	3	4	5	7
A. NOT OPERATED	1306	2.6	4	1	1	2	3	4	4	7
B. OPERATED	10419	2.6	2	1	1	2	3	4	4	6
TOTAL 0-19 YRS	1891	2.6	4	1	1	2	3	3	4	6
20-34	9142	2.5	2	1	1	2	3	4	4	6
35-49	692	2.8	2	1	1	3	3	4	5	7
50-64										
65+										
GRAND TOTAL	**11725**	**2.6**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	75	2.5	1	1	2	2	3	4	4	5
20-34	200	2.6	1	1	1	2	3	4	4	6
35-49	9	2.4	1	1	1	2	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	991	2.6	1	1	2	3	3	4	4	5
20-34	3173	2.7	1	1	2	3	3	4	4	6
35-49	106	2.7	1	1	2	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	3.1	1	2	2	3	3	4	5	7
20-34	80	3.6	19	2	2	3	4	4	6	31
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	685	3.0	2	2	2	3	3	4	5	8
20-34	2407	3.1	3	2	2	3	3	4	5	8
35-49	119	3.0	1	2	2	3	3	4	4	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	284	2.6	1	1	1	2	3	4	4	6
B. *Operated*	4270	2.7	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	144	3.4	11	2	2	3	3	4	6	26
B. *Operated*	3211	3.1	3	2	2	3	3	4	5	8
1. SINGLE DX	4554	2.7	1	1	2	3	3	4	4	5
2. MULTIPLE DX	3355	3.1	3	2	2	3	3	4	5	8
A. NOT OPERATED	428	2.8	5	1	2	3	3	4	4	7
B. OPERATED	7481	2.8	2	2	2	3	3	4	4	6
TOTAL 0-19 YRS	1814	2.7	1	2	2	3	3	4	4	6
20-34	5860	2.9	2	1	2	3	3	4	5	6
35-49	235	2.9	1	2	2	3	3	4	4	6
50-64										
65+										
GRAND TOTAL	**7909**	**2.8**	**2**	**1**	**2**	**3**	**3**	**4**	**4**	**6**

286: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	85	2.3	1	1	2	2	3	3	4	4
20-34	210	2.4	1	1	1	2	3	3	4	6
35-49	7	2.1	2	1	1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	318	2.5	1	1	2	2	3	4	4	5
20-34	1200	2.5	2	1	2	2	3	4	4	6
35-49	40	2.7	1	<1	1	3	3	4	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	2.9	2	2	2	3	3	4	6	10
20-34	126	3.0	10	1	1	3	3	4	4	21
35-49	6	3.7	4	2	2	3	5	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	231	2.7	1	1	2	3	3	4	5	7
20-34	1120	3.0	2	2	2	3	3	4	5	8
35-49	57	3.4	3	1	2	3	4	6	7	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	302	2.4	1	1	1	2	3	3	4	5
B. *Operated*	1558	2.5	1	1	2	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	197	3.0	8	1	2	3	3	4	5	14
B. *Operated*	1408	3.0	2	2	2	3	3	4	5	8
1. SINGLE DX	1860	2.5	1	1	1	2	3	4	4	5
2. MULTIPLE DX	1605	3.0	3	2	2	3	3	4	5	8
A. NOT OPERATED	499	2.6	4	1	1	2	3	4	4	9
B. OPERATED	2966	2.8	2	1	2	3	3	4	5	7
TOTAL 0-19 YRS	699	2.6	1	1	2	2	3	4	4	6
20-34	2656	2.8	2	1	2	3	3	4	5	7
35-49	110	3.1	2	1	1	3	4	5	6	8
50-64										
65+										
GRAND TOTAL	**3465**	**2.7**	**2**	**1**	**2**	**3**	**3**	**4**	**5**	**7**

287: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1313	2.7	2	1	1	3	3	4	5	9
20-34	4159	2.7	2	1	1	2	3	4	5	8
35-49	256	2.7	3	1	1	2	3	4	5	9
50-64										
65+										
B. *Operated*										
0-19 YRS	2849	3.0	3	1	2	3	3	5	5	9
20-34	12809	3.1	2	1	2	3	4	5	5	8
35-49	605	3.2	2	1	2	3	4	5	6	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	918	3.2	11	1	1	3	4	5	6	11
20-34	2788	3.0	6	1	1	3	3	5	6	12
35-49	179	3.1	11	1	1	3	3	5	6	24
50-64										
65+										
B. *Operated*										
0-19 YRS	3550	4.1	9	2	2	3	5	7	9	17
20-34	17691	4.1	10	2	2	3	5	6	8	16
35-49	1579	4.5	10	2	2	4	5	7	9	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5728	2.7	2	1	1	2	3	4	5	8
B. *Operated*	16263	3.1	2	1	2	3	4	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	3885	3.1	7	1	1	3	3	5	6	11
B. *Operated*	22820	4.1	10	2	2	3	5	6	8	17
1. SINGLE DX	21991	3.0	2	1	2	3	3	4	5	8
2. MULTIPLE DX	26705	4.0	10	2	2	3	5	6	8	16
A. NOT OPERATED	9613	2.8	4	1	1	3	3	4	5	9
B. OPERATED	39083	3.7	7	2	2	3	4	6	7	14
TOTAL 0-19 YRS	8630	3.4	6	1	2	3	4	6	7	12
20-34	37447	3.5	7	1	2	3	4	5	7	13
35-49	2619	3.9	8	1	2	3	5	6	8	10
50-64										
65+										
GRAND TOTAL	**48696**	**3.5**	**7**	**1**	**2**	**3**	**4**	**6**	**7**	**13**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	3.5	1	2	2	3	4	5	6	6
20-34	146	3.5	2	2	2	3	4	5	6	9
35-49	6	3.5	6	1	1	3	4	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	9	6.0	10	2	2	6	8	11	12	12
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	3.9	3	1	2	4	5	6	8	9
20-34	62	4.3	16	2	2	4	5	7	8	30
35-49	2	7.5	5	6	6	7	9	9	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	6	6.0	9	2	2	6	8	10	10	10
20-34	15	3.9	9	1	1	4	5	6	11	13
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	192	3.5	2	2	2	3	4	5	6	9
B. *Operated*	12	5.2	10	2	2	4	7	10	12	12
2. MULTIPLE DX										
A. *Not Operated*	84	4.3	13	2	2	4	5	7	8	25
B. *Operated*	21	4.5	10	1	1	4	6	9	11	13
1. SINGLE DX	204	3.6	3	2	2	3	4	5	6	10
2. MULTIPLE DX	105	4.3	12	1	2	4	5	7	8	22
A. NOT OPERATED	276	3.7	5	2	2	3	4	5	7	9
B. OPERATED	33	4.8	10	1	1	4	6	9	12	13
TOTAL 0-19 YRS	67	3.9	3	2	2	3	4	6	7	10
20-34	232	3.8	7	2	2	3	4	6	7	12
35-49	10	4.1	7	1	1	3	6	8	9	9
50-64										
65+										
GRAND TOTAL	**309**	**3.8**	**6**	**2**	**2**	**3**	**4**	**6**	**7**	**11**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.9		1	1	2	2	3	3	3
20-34	46	1.7	1	<1	<1	1	2	3	4	6
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	26	1.6	1	<1	<1	1	2	3	3	4
20-34	146	1.7	1	<1	1	1	2	3	4	6
35-49	10	1.8	2	1	1	1	2	4	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.0		1	1	2	2	3	3	3
20-34	30	2.1	1	1	1	2	3	4	4	5
35-49	7	2.9	4	1	1	2	4	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	15	1.8	1	<1	1	1	2	4	4	4
20-34	104	2.5	5	1	1	2	3	5	7	11
35-49	7	2.3	3	<1	<1	2	3	5	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	1.7	1	<1	<1	1	2	3	3	6
B. *Operated*	182	1.7	1	<1	1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	47	2.2	2	1	1	2	3	4	4	7
B. *Operated*	126	2.4	4	<1	1	2	3	5	7	11
1. SINGLE DX	237	1.7	1	<1	1	1	2	3	3	6
2. MULTIPLE DX	173	2.4	3	1	1	2	3	5	6	10
A. NOT OPERATED	102	1.9	1	<1	1	2	2	3	4	6
B. OPERATED	308	2.0	3	<1	1	1	2	4	5	8
TOTAL 0-19 YRS	59	1.7	1	<1	1	2	2	3	4	4
20-34	326	2.0	2	<1	1	1	[illegible]	4	5	8
35-49	25	2.2	3	<1	1	2	3	6	6	7
50-64										
65+										
GRAND TOTAL	**410**	**2.0**	**2**	**<1**	**1**	**1**	**2**	**4**	**5**	**8**

290: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	4.6	12	1	1	3	8	10	11	11
20-34	82	3.8	8	1	1	3	5	7	10	14
35-49	8	5.4	13	2	2	4	8	11	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS	24	2.2	2	1	1	2	3	3	5	7
20-34	97	3.4	11	1	1	2	4	7	11	18
35-49	10	4.0	7	2	2	3	5	8	10	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	3.2	1	2	2	3	4	5	5	5
20-34	75	4.4	30	1	1	3	4	8	11	38
35-49	6	3.3	7	1	1	3	4	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	22	3.5	4	2	2	3	4	5	8	11
20-34	104	4.3	27	1	1	3	4	8	13	30
35-49	9	4.3	10	<1	1	3	7	9	10	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	4.0	9	1	1	3	5	9	11	14
B. *Operated*	131	3.2	9	1	1	2	4	7	10	16
2. MULTIPLE DX										
A. *Not Operated*	94	4.1	25	1	1	3	4	8	9	33
B. *Operated*	135	4.2	22	1	1	3	4	8	11	25
1. SINGLE DX	233	3.6	9	1	1	2	4	7	11	15
2. MULTIPLE DX	229	4.2	23	1	1	3	4	8	11	26
A. NOT OPERATED	196	4.1	16	1	1	3	5	8	10	18
B. OPERATED	266	3.7	16	1	1	2	4	7	11	21
TOTAL 0-19 YRS	71	3.2	5	1	1	3	4	5	9	11
20-34	358	4.0	19	1	1	3	4	8	11	21
35-49	33	4.3	9	1	1	3	7	10	10	11
50-64										
65+										
GRAND TOTAL	**462**	**3.9**	**16**	**1**	**1**	**3**	**4**	**8**	**11**	**20**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	582	3.7	5	1	2	3	4	6	8	12
20-34	492	3.8	4	2	2	3	5	6	8	11
35-49	345	4.6	8	2	2	4	6	8	9	14
50-64	257	5.3	13	2	2	5	6	9	11	18
65+	215	5.7	9	2	3	5	7	9	11	17
B. *Operated*										
0-19 YRS	301	4.2	10	1	1	3	5	7	9	17
20-34	273	5.0	12	1	2	4	7	9	11	17
35-49	196	5.2	16	1	2	4	6	10	13	21
50-64	118	5.6	22	1	2	5	6	10	15	25
65+	80	7.8	37	2	2	6	10	14	20	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	735	4.4	10	2	2	4	5	7	9	16
20-34	752	5.2	17	2	2	4	6	9	10	20
35-49	916	6.3	23	2	3	5	7	11	14	30
50-64	1074	6.5	21	2	3	5	8	11	13	24
65+	2121	7.7	27	3	3	7	9	13	16	26
B. *Operated*										
0-19 YRS	322	6.1	28	1	2	5	7	11	16	27
20-34	534	7.4	57	2	2	5	9	15	23	43
35-49	560	9.4	70	2	3	7	11	17	24	46
50-64	656	11.3	87	2	3	9	14	22	29	51
65+	779	12.3	109	3	4	9	15	25	32	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1891	4.3	7	2	2	4	5	7	9	14
B. *Operated*	968	5.1	16	1	2	4	6	10	13	23
2. MULTIPLE DX										
A. *Not Operated*	5598	6.4	23	2	3	5	8	11	14	24
B. *Operated*	2851	9.9	82	2	3	7	12	20	28	48
1. SINGLE DX	2859	4.6	10	1	2	4	6	8	10	17
2. MULTIPLE DX	8449	7.6	46	2	3	6	9	14	19	37
A. NOT OPERATED	7489	5.9	20	2	2	5	7	10	13	22
B. OPERATED	3819	8.7	70	2	2	6	11	18	25	44
TOTAL 0-19 YRS	1940	4.4	12	1	2	4	5	8	10	19
20-34	2051	5.4	25	2	2	4	6	9	13	28
35-49	2017	6.8	36	2	2	5	8	12	16	35
50-64	2105	7.8	46	2	3	6	9	14	20	38
65+	3195	8.7	50	3	3	7	10	15	21	38
GRAND TOTAL	**11308**	**6.8**	**38**	**2**	**2**	**5**	**8**	**13**	**17**	**33**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	174	3.7	4	1	1	3	5	6	8	11
20-34	101	3.9	8	1	2	3	4	6	9	17
35-49	42	4.8	7	1	2	4	6	8	9	14
50-64	34	4.1	4	1	2	4	5	6	8	11
65+	33	5.4	12	2	2	4	6	9	12	19
B. *Operated*										
0-19 YRS	133	3.5	6	1	1	3	5	7	8	12
20-34	95	4.0	7	1	2	4	5	7	8	16
35-49	64	4.6	10	1	2	4	5	9	11	16
50-64	47	3.9	6	1	1	3	5	8	9	11
65+	22	5.2	11	<1	1	5	7	9	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	261	4.4	12	1	2	4	5	8	10	21
20-34	144	5.6	21	2	2	4	6	12	15	26
35-49	147	5.6	13	2	2	5	7	10	13	19
50-64	167	7.0	23	3	3	6	9	13	14	28
65+	248	7.6	32	2	3	7	9	12	18	33
B. *Operated*										
0-19 YRS	132	5.9	27	1	1	5	7	12	15	29
20-34	139	6.7	38	2	2	5	8	13	17	39
35-49	125	8.4	42	2	3	7	11	15	21	35
50-64	186	9.9	66	2	3	8	12	21	25	43
65+	197	9.4	66	2	2	7	12	18	25	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	384	4.0	6	1	2	4	5	7	9	15
B. *Operated*	361	4.0	7	1	1	3	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	967	6.0	22	2	2	5	7	11	14	27
B. *Operated*	779	8.3	53	2	2	6	10	16	22	39
1. SINGLE DX	745	4.0	7	1	1	3	5	7	9	14
2. MULTIPLE DX	1746	7.0	37	2	2	5	8	14	18	33
A. NOT OPERATED	1351	5.5	18	2	2	4	7	10	13	22
B. OPERATED	1140	6.9	42	1	2	5	8	14	19	38
TOTAL 0-19 YRS	700	4.3	12	1	1	4	5	8	10	19
20-34	479	5.2	22	1	2	4	6	10	13	25
35-49	378	6.3	24	2	2	5	8	12	15	28
50-64	434	7.7	43	2	3	6	9	14	21	39
65+	500	8.1	44	2	3	6	10	15	21	36
GRAND TOTAL	**2491**	**6.1**	**30**	**1**	**2**	**5**	**7**	**12**	**15**	**29**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.9	8	<1	<1	3	4	9	10	10
20-34	8	3.1	7	<1	<1	3	4	7	9	9
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
B. *Operated*										
0-19 YRS	518	2.8	3	1	1	2	4	5	5	10
20-34	854	2.8	3	1	1	3	4	5	6	8
35-49	153	2.8	3	1	1	3	4	5	6	9
50-64	26	3.0	5	1	1	3	3	5	7	12
65+	6	2.7	2	<1	<1	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	7	1	1	2	5	6	6	6
20-34	6	2.8	7	1	1	2	5	7	7	7
35-49	3	2.3		2	2	2	3	3	3	3
50-64	3	5.7	16	2	2	5	9	10	10	10
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	80	4.1	8	1	1	3	5	8	9	15
20-34	132	3.8	9	1	1	3	4	6	8	16
35-49	57	3.8	3	1	2	4	5	6	7	9
50-64	23	3.6	20	<1	1	2	4	7	14	22
65+	15	5.3	13	1	2	4	7	12	13	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	3.3	7	<1	<1	3	4	9	10	10
B. *Operated*	1557	2.8	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	16	3.6	8	1	1	2	6	7	9	10
B. *Operated*	307	3.9	9	1	1	3	5	7	9	15
1. SINGLE DX	1573	2.8	3	1	1	3	4	5	6	9
2. MULTIPLE DX	323	3.9	9	1	1	3	5	7	9	15
A. NOT OPERATED	32	3.4	7	<1	1	3	5	8	10	10
B. OPERATED	1864	3.0	4	1	1	3	4	5	6	10
TOTAL 0-19 YRS	608	3.0	4	1	1	3	4	5	6	11
20-34	1000	2.9	4	1	1	3	4	5	6	9
35-49	214	3.1	3	1	1	3	4	5	6	9
50-64	52	3.4	12	1	1	3	4	6	10	22
65+	22	4.7	11	<1	1	4	7	9	13	14
GRAND TOTAL	**1896**	**3.0**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**10**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	2.0		2	2	2	2	2	2	2
50-64										
65+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-19 YRS	81	1.6	1	<1	<1	1	2	3	4	6
20-34	52	1.7	2	<1	<1	1	2	3	4	8
35-49	43	1.7	2	<1	<1	1	2	3	4	7
50-64	33	1.8	2	<1	<1	1	2	3	5	7
65+	15	1.5	1	<1	<1	1	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	3	1.3		1	1	1	2	2	2	2
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	2	1.0		<1	<1	<1	<1	<1	<1	<1
65+	2	4.5	5	3	3	4	6	6	6	6
B. *Operated*										
0-19 YRS	14	2.5	3	<1	<1	2	3	5	6	6
20-34	27	2.7	8	<1	1	2	4	5	7	15
35-49	43	3.1	8	<1	1	2	4	6	9	14
50-64	36	3.6	12	<1	<1	3	4	6	12	17
65+	39	3.6	11	<1	1	2	5	7	10	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	4.5	14	2	2	3	7	10	10	10
B. *Operated*	224	1.7	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	10	2.4	3	<1	<1	2	3	5	6	6
B. *Operated*	159	3.2	9	<1	<1	2	4	6	10	17
1. SINGLE DX	228	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	169	3.2	9	<1	<1	2	4	6	9	17
A. NOT OPERATED	14	3.0	6	<1	<1	2	4	6	9	10
B. OPERATED	383	2.3	5	<1	<1	2	3	5	6	14
TOTAL 0-19 YRS	96	1.8	1	<1	<1	1	2	3	4	7
20-34	83	2.1	4	<1	<1	1	2	4	5	13
35-49	90	2.4	5	<1	<1	2	3	5	7	13
50-64	71	2.7	8	<1	<1	2	3	6	7	16
65+	57	3.2	9	<1	<1	2	4	6	9	18
GRAND TOTAL	**397**	**2.4**	**5**	**<1**	**<1**	**2**	**3**	**5**	**6**	**14**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	245	3.3	7	1	1	3	4	6	9	16
20-34	131	4.0	14	<1	1	3	5	7	13	20
35-49	116	5.3	24	1	1	4	6	12	17	23
50-64	86	4.4	16	1	1	3	5	8	11	24
65+	83	6.6	23	1	2	5	9	13	16	23
B. *Operated*										
0-19 YRS	332	3.0	18	<1	<1	2	3	6	9	16
20-34	389	4.9	43	<1	1	3	5	11	17	34
35-49	293	4.5	38	<1	1	3	5	9	13	31
50-64	305	4.3	38	<1	1	2	5	10	16	39
65+	219	6.1	57	<1	1	3	7	15	23	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	399	4.9	53	1	1	3	5	10	13	30
20-34	265	6.6	49	1	1	4	8	15	21	43
35-49	346	7.2	64	1	2	5	8	14	20	38
50-64	446	7.4	33	2	2	6	9	13	18	30
65+	1228	9.8	75	2	3	8	11	18	24	57
B. *Operated*										
0-19 YRS	299	7.0	95	<1	1	3	8	16	30	45
20-34	487	12.0	214	1	1	6	16	33	45	99+
35-49	667	11.1	204	1	1	6	14	29	42	86
50-64	805	9.6	147	1	1	5	13	23	31	59
65+	1376	15.0	219	1	2	10	19	36	49	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	661	4.3	16	1	1	3	5	9	13	21
B. *Operated*	1538	4.5	38	<1	1	2	5	10	16	34
2. MULTIPLE DX										
A. *Not Operated*	2684	8.0	64	1	2	6	10	16	21	43
B. *Operated*	3634	12.0	196	1	1	7	16	30	43	86
1. SINGLE DX	2199	4.4	32	<1	1	3	5	9	15	29
2. MULTIPLE DX	6318	10.3	144	1	2	7	13	23	36	72
A. NOT OPERATED	3345	7.3	57	1	2	5	9	15	20	38
B. OPERATED	5172	9.8	161	1	1	5	12	25	38	75
TOTAL 0-19 YRS	1275	4.6	47	<1	1	3	5	10	14	37
20-34	1272	7.9	118	1	1	4	9	20	31	72
35-49	1422	8.3	128	1	1	5	9	20	30	67
50-64	1642	7.7	93	1	1	5	9	18	25	47
65+	2906	11.9	150	1	2	8	15	26	39	76
GRAND TOTAL	**8517**	**8.8**	**122**	**1**	**1**	**5**	**11**	**21**	**30**	**65**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	3.0	6	<1	<1	2	4	6	8	11
20-34	40	4.5	5	1	2	4	6	8	10	11
35-49	34	5.5	14	2	2	5	6	9	12	22
50-64	19	7.1	36	<1	1	5	9	17	20	23
65+	11	5.6	21	2	2	4	7	12	17	18
B. *Operated*										
0-19 YRS	24	4.2	9	1	2	3	6	8	10	14
20-34	13	8.1	90	1	1	5	10	18	33	36
35-49	13	6.8	35	1	2	4	10	17	18	18
50-64	5	16.8	308	4	4	13	23	47	47	47
65+	10	7.7	21	4	4	6	9	15	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	6.9	41	1	2	5	9	14	19	36
20-34	143	6.3	24	2	2	5	8	12	15	22
35-49	158	8.4	45	2	3	6	10	15	24	32
50-64	152	7.6	39	2	3	6	9	13	19	32
65+	144	7.8	22	2	3	7	11	15	17	21
B. *Operated*										
0-19 YRS	35	13.9	204	2	2	10	17	38	40	64
20-34	78	10.5	79	1	2	8	16	24	33	99+
35-49	76	13.3	202	2	3	9	16	32	54	93
50-64	92	10.4	64	2	4	9	13	21	25	44
65+	86	11.9	74	3	4	10	14	20	27	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	166	4.5	13	<1	1	4	6	9	11	21
B. *Operated*	65	7.0	60	1	2	4	8	14	18	45
2. MULTIPLE DX										
A. *Not Operated*	664	7.5	34	2	2	6	9	14	18	31
B. *Operated*	367	11.7	112	2	3	9	14	25	33	74
1. SINGLE DX	231	5.2	27	1	1	4	6	10	14	25
2. MULTIPLE DX	1031	9.0	66	2	3	7	11	17	25	47
A. NOT OPERATED	830	6.9	31	1	2	5	9	13	17	29
B. OPERATED	432	11.0	107	2	2	8	14	24	33	66
TOTAL 0-19 YRS	188	6.6	70	<1	1	4	8	14	21	39
20-34	274	7.3	44	2	2	5	9	16	22	43
35-49	281	9.3	89	2	3	6	12	17	29	60
50-64	268	8.7	54	2	3	7	11	16	23	45
65+	251	9.1	44	2	3	8	12	17	20	30
GRAND TOTAL	**1262**	**8.3**	**61**	**2**	**2**	**6**	**10**	**16**	**23**	**46**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	4.7	24	1	1	4	5	8	12	33
20-34	32	4.4	4	2	2	4	6	7	8	8
35-49	67	5.4	17	2	2	4	6	10	15	22
50-64	94	5.9	15	2	3	5	7	10	14	20
65+	87	7.3	48	3	4	6	8	10	15	48
B. *Operated*										
0-19 YRS	11	6.5	34	1	1	5	10	15	20	20
20-34	35	5.8	21	1	2	4	8	14	20	99+
35-49	106	6.5	24	1	2	5	10	12	16	23
50-64	206	8.1	47	1	2	6	11	16	18	30
65+	147	8.8	29	2	3	8	12	17	19	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	6.4	34	2	2	4	8	10	15	37
20-34	48	5.5	14	1	1	5	7	11	13	18
35-49	121	6.2	18	2	3	5	8	10	12	24
50-64	346	7.1	23	2	3	6	9	12	17	23
65+	465	7.3	31	2	3	6	9	12	15	24
B. *Operated*										
0-19 YRS	18	14.8	183	1	2	9	24	35	42	46
20-34	35	7.6	34	2	2	6	11	17	20	22
35-49	132	8.3	56	2	2	5	11	18	24	34
50-64	334	8.8	40	2	3	8	12	16	18	34
65+	332	10.4	53	2	3	9	14	18	24	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	357	5.7	25	2	2	5	7	9	13	22
B. *Operated*	505	7.8	36	2	2	6	11	16	18	25
2. MULTIPLE DX										
A. *Not Operated*	1072	6.9	27	2	3	6	8	12	16	24
B. *Operated*	851	9.5	51	2	3	8	13	17	23	36
1. SINGLE DX	862	6.9	32	2	2	5	9	14	17	24
2. MULTIPLE DX	1923	8.0	39	2	3	6	10	15	19	33
A. NOT OPERATED	1429	6.6	26	2	3	5	8	11	15	24
B. OPERATED	1356	8.8	46	2	2	8	12	17	20	34
TOTAL 0-19 YRS	198	6.5	50	1	2	4	7	12	21	39
20-34	150	5.9	19	1	2	5	7	12	17	22
35-49	426	6.8	32	2	2	5	9	13	18	29
50-64	980	7.8	34	2	3	6	10	15	18	29
65+	1031	8.5	41	2	3	7	10	16	20	32
GRAND TOTAL	**2785**	**7.7**	**37**	**2**	**2**	**6**	**10**	**15**	**18**	**30**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	3.3	7	<1	<1	2	5	8	8	8
35-49	15	3.6	7	<1	<1	4	5	8	9	9
50-64	40	4.1	9	<1	1	3	5	10	11	12
65+	57	5.7	14	1	1	6	8	10	13	18
B. *Operated*										
0-19 YRS	10	3.3	11	1	1	2	3	8	12	12
20-34	109	3.9	9	<1	1	3	5	9	9	13
35-49	263	5.8	17	<1	1	5	9	11	14	16
50-64	875	8.5	23	1	2	9	12	15	16	20
65+	1358	11.5	22	3	6	11	14	17	19	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	6.0	7	2	2	7	8	9	9	9
20-34	11	4.8	7	1	1	6	7	8	8	8
35-49	74	5.8	18	<1	1	5	7	11	13	24
50-64	245	5.3	15	1	2	4	6	10	12	19
65+	657	6.5	34	1	2	5	8	12	16	26
B. *Operated*										
0-19 YRS	13	6.7	61	2	2	4	6	17	28	31
20-34	90	5.0	26	1	1	3	7	12	14	27
35-49	294	6.3	33	1	1	4	9	13	16	28
50-64	1141	9.7	50	1	2	9	13	17	20	33
65+	2817	13.1	50	3	5	12	16	20	24	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	119	4.7	12	<1	1	4	7	10	11	15
B. *Operated*	2615	9.6	26	1	2	10	13	16	18	23
2. MULTIPLE DX										
A. *Not Operated*	992	6.2	28	1	2	5	7	11	15	25
B. *Operated*	4355	11.6	53	2	3	11	15	19	24	37
1. SINGLE DX	2734	9.4	27	1	2	10	13	16	18	23
2. MULTIPLE DX	5347	10.6	53	2	2	10	14	18	22	36
A. NOT OPERATED	1111	6.0	26	1	2	5	7	11	14	24
B. OPERATED	6970	10.8	44	2	2	11	14	18	21	32
TOTAL 0-19 YRS	29	5.2	34	1	1	4	6	11	14	31
20-34	216	4.4	16	<1	1	3	6	9	12	18
35-49	646	6.0	24	<1	1	4	9	12	15	23
50-64	2301	8.7	38	1	2	8	12	16	18	29
65+	4889	11.7	44	2	4	11	15	19	22	34
GRAND TOTAL	**8081**	**10.1**	**44**	**2**	**2**	**10**	**14**	**17**	**21**	**32**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	101	6.7	28	1	2	5	9	14	18	24
20-34	66	5.0	18	1	2	4	6	8	12	26
35-49	45	4.9	23	1	2	4	5	8	17	27
50-64	52	5.8	22	1	2	4	8	12	15	22
65+	37	5.1	7	1	3	5	6	8	10	14
B. *Operated*										
0-19 YRS	79	11.6	61	2	3	10	16	23	26	39
20-34	150	5.0	15	1	1	4	6	11	15	18
35-49	144	5.3	25	1	1	4	7	11	13	22
50-64	118	6.3	33	1	1	4	8	16	17	30
65+	77	9.6	39	1	2	9	13	17	23	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	101	8.1	99	1	2	5	9	16	23	59
20-34	89	5.6	28	1	2	4	7	10	17	32
35-49	102	6.2	47	1	2	5	7	12	15	42
50-64	143	6.3	20	2	2	5	8	14	15	22
65+	259	7.7	38	2	3	6	9	14	18	42
B. *Operated*										
0-19 YRS	111	15.8	105	4	6	14	21	29	36	53
20-34	140	8.8	79	1	2	6	11	18	26	48
35-49	159	8.1	66	1	2	5	10	17	25	42
50-64	222	11.0	107	2	2	9	14	24	30	53
65+	240	14.7	118	2	3	12	19	30	41	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	301	5.7	22	1	2	4	7	12	15	24
B. *Operated*	568	6.9	37	1	1	5	9	15	19	27
2. MULTIPLE DX										
A. *Not Operated*	694	7.0	44	2	2	5	8	14	17	38
B. *Operated*	872	11.8	106	2	2	9	15	25	31	50
1. SINGLE DX	869	6.5	32	1	2	5	8	14	18	27
2. MULTIPLE DX	1566	9.6	84	2	2	7	12	20	28	45
A. NOT OPERATED	995	6.6	37	1	2	5	8	13	17	28
B. OPERATED	1440	9.8	84	1	2	7	13	21	28	45
TOTAL 0-19 YRS	392	10.6	87	2	2	8	14	22	28	40
20-34	445	6.3	41	1	2	4	8	13	18	37
35-49	450	6.5	46	1	2	4	8	13	19	33
50-64	535	8.2	65	1	2	5	11	17	23	42
65+	613	10.5	79	2	3	8	14	21	29	45
GRAND TOTAL	**2435**	**8.5**	**68**	**1**	**2**	**6**	**11**	**18**	**24**	**42**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	6	2.7	3	1	1	2	4	5	5	5
35-49	11	4.2	7	<1	<1	4	6	8	9	9
50-64	5	3.0	12	<1	<1	1	4	9	9	9
65+										
B. *Operated*										
0-19 YRS	235	2.0	2	<1	<1	2	3	4	4	6
20-34	556	2.3	3	<1	<1	2	3	5	5	7
35-49	322	2.3	2	<1	<1	2	3	4	5	8
50-64	168	2.3	3	<1	<1	2	3	5	6	7
65+	56	2.1	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.7	3	<1	<1	2	3	6	6	6
20-34	24	1.9	5	<1	<1	1	2	3	7	11
35-49	18	4.7	64	<1	<1	1	6	8	25	35
50-64	10	6.6	56	<1	<1	4	10	18	25	25
65+	15	3.3	10	<1	<1	2	5	6	11	13
B. *Operated*										
0-19 YRS	225	2.7	4	<1	1	2	4	5	6	9
20-34	631	3.0	5	<1	1	2	4	6	7	12
35-49	487	3.0	8	<1	<1	2	4	6	8	15
50-64	411	3.0	5	<1	1	2	4	5	7	11
65+	243	3.4	8	1	1	3	4	7	10	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	3.3	7	<1	1	3	5	7	9	9
B. *Operated*	1337	2.3	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	73	3.6	28	<1	<1	2	4	8	12	33
B. *Operated*	1997	3.0	6	<1	1	2	4	6	7	13
1. SINGLE DX	1361	2.3	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX	2070	3.0	7	<1	1	2	4	6	8	14
A. NOT OPERATED	97	3.5	23	<1	<1	2	4	7	11	30
B. OPERATED	3334	2.7	5	<1	<1	2	3	5	7	11
TOTAL 0-19 YRS	468	2.4	3	<1	<1	2	3	5	5	8
20-34	1217	2.6	4	<1	<1	2	3	5	6	10
35-49	838	2.8	7	<1	<1	2	3	5	7	12
50-64	594	2.9	6	<1	1	2	3	5	7	11
65+	314	3.2	8	<1	1	2	4	6	9	15
GRAND TOTAL	**3431**	**2.7**	**5**	**<1**	**<1**	**2**	**3**	**5**	**7**	**11**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	93	3.2	6	1	1	3	4	6	8	14
20-34	63	4.0	16	1	1	3	4	9	10	24
35-49	55	3.6	6	1	1	3	5	8	9	10
50-64	43	4.4	8	1	1	4	5	7	9	17
65+	47	4.3	12	1	1	3	5	9	11	17
B. *Operated*										
0-19 YRS	521	3.0	4	1	1	3	4	5	6	12
20-34	858	3.1	3	1	1	3	4	5	6	9
35-49	307	3.3	5	1	1	3	4	6	8	11
50-64	119	3.8	30	1	1	3	5	6	7	28
65+	66	5.0	18	<1	1	3	8	11	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	138	5.5	58	1	1	3	5	10	22	41
20-34	104	5.6	53	<1	1	3	7	12	17	43
35-49	130	4.8	28	1	1	3	6	10	12	27
50-64	137	6.7	84	1	2	5	8	11	17	55
65+	341	9.7	122	2	2	6	10	24	40	60
B. *Operated*										
0-19 YRS	383	4.1	14	1	1	3	5	8	11	21
20-34	507	4.2	29	1	1	3	5	8	10	29
35-49	330	4.5	15	1	1	3	5	9	14	21
50-64	224	6.5	34	1	2	4	8	14	18	37
65+	212	8.7	74	1	2	7	11	17	23	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	301	3.8	9	1	1	3	5	7	9	17
B. *Operated*	1871	3.2	6	1	1	3	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	850	7.3	87	1	1	4	8	14	25	51
B. *Operated*	1656	5.1	32	1	1	3	6	11	15	29
1. SINGLE DX	2172	3.3	6	1	1	3	4	6	7	12
2. MULTIPLE DX	2506	5.9	51	1	1	4	7	12	17	43
A. NOT OPERATED	1151	6.4	69	1	1	4	7	12	20	48
B. OPERATED	3527	4.1	19	1	1	3	5	8	11	22
TOTAL 0-19 YRS	1135	3.7	15	1	1	3	4	6	9	22
20-34	1532	3.7	16	1	1	3	4	6	8	19
35-49	822	4.0	13	1	1	3	5	8	11	18
50-64	523	5.7	45	1	2	4	7	11	15	38
65+	666	8.6	92	1	2	6	10	17	27	53
GRAND TOTAL	**4678**	**4.7**	**32**	**1**	**1**	**3**	**5**	**9**	**13**	**31**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	6	3.8	1	3	3	4	4	6	6	6
35-49	7	5.9	6	4	4	5	6	10	11	11
50-64	6	8.3	19	3	3	7	13	14	14	14
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS										
20-34	1	17.0		17	17	17	17	17	17	17
35-49	5	8.4	27	3	3	7	10	17	17	17
50-64	2	2.0		2	2	2	2	2	2	2
65+	4	11.3	70	4	4	9	17	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49	10	7.1	9	3	3	7	10	11	11	11
50-64	19	5.6	9	2	2	5	7	11	12	12
65+	7	7.4	65	<1	1	5	7	22	25	25
B. *Operated*										
0-19 YRS										
20-34	6	6.2	17	2	2	6	9	12	12	12
35-49	11	9.8	51	2	2	11	14	20	23	23
50-64	10	12.6	57	3	3	10	20	22	23	23
65+	3	9.3	50	3	3	8	15	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	6.0	10	3	3	5	7	12	13	14
B. *Operated*	12	9.0	45	2	2	7	14	19	22	23
2. MULTIPLE DX										
A. *Not Operated*	37	6.4	18	2	3	6	8	11	12	25
B. *Operated*	30	10.0	47	2	2	9	14	21	23	23
1. SINGLE DX	33	7.1	24	2	3	6	8	15	17	23
2. MULTIPLE DX	67	8.0	34	2	2	6	11	18	22	25
A. NOT OPERATED	58	6.2	15	2	3	6	8	11	13	24
B. OPERATED	42	9.7	46	2	2	8	14	21	23	23
TOTAL 0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	14	6.1	19	2	2	4	8	12	16	17
35-49	33	7.9	25	2	3	6	11	15	18	23
50-64	37	7.7	32	2	2	6	10	17	21	23
65+	15	8.5	55	1	3	6	10	23	24	25
GRAND TOTAL	**100**	**7.7**	**31**	**2**	**3**	**6**	**10**	**17**	**21**	**24**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.5	1	2	2	4	4	4	4	4
20-34	29	4.1	6	1	1	4	6	7	9	10
35-49	89	4.3	9	1	1	3	6	9	10	13
50-64	134	4.7	11	1	1	4	7	9	10	17
65+	111	6.3	20	2	2	5	8	12	14	24
B. *Operated*										
0-19 YRS	6	3.7	12	1	1	2	5	9	10	10
20-34	71	6.4	38	1	1	5	9	11	15	40
35-49	326	5.6	13	1	2	5	8	10	12	17
50-64	396	5.8	17	1	2	5	8	10	14	21
65+	171	6.7	25	1	1	6	9	13	16	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	6.0	47	<1	1	4	7	17	23	23
20-34	38	4.8	8	1	2	4	6	8	9	14
35-49	232	5.3	13	1	2	4	7	10	12	19
50-64	568	5.8	15	2	2	5	7	10	12	18
65+	1049	6.5	22	2	2	6	8	11	14	22
B. *Operated*										
0-19 YRS	3	7.7	17	3	3	9	10	11	11	11
20-34	82	6.2	15	1	2	6	9	11	12	20
35-49	405	7.5	37	2	2	6	9	15	18	28
50-64	733	7.5	37	1	2	6	10	14	19	30
65+	621	9.9	57	2	2	8	13	19	24	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	367	5.0	14	1	1	4	7	10	12	16
B. *Operated*	970	5.9	18	1	2	5	8	11	14	20
2. MULTIPLE DX										
A. *Not Operated*	1896	6.1	19	2	2	5	8	11	13	21
B. *Operated*	1844	8.3	44	2	2	7	11	16	21	33
1. SINGLE DX	1337	5.7	17	1	2	5	8	10	13	19
2. MULTIPLE DX	3740	7.2	33	2	2	6	9	14	17	29
A. NOT OPERATED	2263	5.9	18	1	2	5	8	10	13	20
B. OPERATED	2814	7.4	37	1	2	6	10	14	19	31
TOTAL 0-19 YRS	22	5.1	25	<1	1	4	6	10	16	23
20-34	220	5.7	21	1	1	5	8	10	12	20
35-49	1052	6.1	23	1	2	5	8	12	15	22
50-64	1831	6.4	25	1	2	5	8	12	15	25
65+	1952	7.6	36	2	2	6	9	14	18	31
GRAND TOTAL	**5077**	**6.8**	**29**	**1**	**2**	**6**	**9**	**13**	**16**	**27**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	6.2	24	1	2	5	8	10	15	27
20-34	700	5.4	14	1	1	5	8	10	12	17
35-49	1189	5.8	15	1	1	5	8	10	13	18
50-64	577	5.9	14	1	2	5	8	11	14	18
65+	169	6.9	19	1	2	6	9	12	14	19
B. *Operated*										
0-19 YRS	124	5.7	16	1	2	5	7	10	13	21
20-34	3186	6.4	19	1	2	6	8	12	14	23
35-49	4861	6.7	21	1	2	6	9	12	15	21
50-64	2034	7.0	23	1	2	6	9	13	15	22
65+	439	7.9	26	1	2	7	11	15	17	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	5.9	18	2	2	5	7	11	16	17
20-34	342	6.9	33	1	1	6	9	13	18	32
35-49	821	7.1	31	1	2	6	9	12	16	26
50-64	834	7.1	19	2	2	7	9	12	15	20
65+	844	7.3	22	2	3	6	9	12	16	25
B. *Operated*										
0-19 YRS	19	8.6	51	1	2	8	10	16	26	32
20-34	995	8.3	37	2	2	7	11	15	19	31
35-49	2116	8.9	42	2	2	8	11	16	20	31
50-64	1687	9.6	42	2	3	9	12	17	22	33
65+	880	10.8	58	2	3	9	14	20	24	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2681	5.8	15	1	1	5	8	10	13	18
B. *Operated*	10644	6.7	21	1	2	6	9	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	2853	7.1	25	1	2	6	9	12	16	25
B. *Operated*	5697	9.3	44	2	2	8	12	17	21	33
1. SINGLE DX	13325	6.5	20	1	2	6	9	12	15	21
2. MULTIPLE DX	8550	8.6	39	2	2	7	11	16	20	31
A. NOT OPERATED	5534	6.5	21	1	2	6	8	12	14	21
B. OPERATED	16341	7.6	31	1	2	7	10	14	17	27
TOTAL 0-19 YRS	201	6.1	21	1	2	5	8	11	14	26
20-34	5223	6.7	24	1	2	6	9	12	15	24
35-49	8987	7.1	27	1	2	6	9	13	16	25
50-64	5132	7.7	29	1	2	7	10	14	17	27
65+	2332	8.7	39	2	3	7	11	16	20	32
GRAND TOTAL	**21875**	**7.3**	**28**	**1**	**2**	**6**	**9**	**13**	**17**	**26**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	5.9	23	1	1	5	7	14	17	17
20-34	117	5.0	14	1	1	4	7	9	11	23
35-49	256	5.2	17	1	1	4	7	11	13	19
50-64	128	5.3	15	1	1	5	7	9	13	21
65+	36	6.7	23	1	2	6	8	11	20	21
B. *Operated*										
0-19 YRS	7	5.9	43	1	1	3	10	17	18	18
20-34	321	6.0	20	1	2	5	8	11	16	23
35-49	954	6.3	15	1	2	6	8	11	14	18
50-64	456	6.4	16	1	2	6	9	12	14	19
65+	44	7.9	31	1	2	6	12	17	19	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.5	6	2	2	3	5	7	7	7
20-34	62	5.8	16	1	1	5	8	10	12	21
35-49	248	6.0	21	1	2	5	8	11	14	18
50-64	286	6.4	30	1	2	5	8	12	14	21
65+	195	6.6	24	2	3	6	8	11	13	23
B. *Operated*										
0-19 YRS	2	5.5	13	3	3	5	8	8	8	8
20-34	143	7.9	35	2	2	6	10	16	20	31
35-49	554	7.2	26	2	2	6	9	13	15	23
50-64	444	8.4	47	2	2	7	11	15	18	31
65+	108	10.3	55	3	3	8	13	18	25	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	546	5.3	16	1	1	4	7	10	13	21
B. *Operated*	1782	6.3	17	1	2	6	8	12	14	20
2. MULTIPLE DX										
A. *Not Operated*	795	6.3	24	1	2	5	8	11	14	21
B. *Operated*	1251	8.0	38	2	2	7	10	14	18	31
1. SINGLE DX	2328	6.1	17	1	2	5	8	11	14	21
2. MULTIPLE DX	2046	7.3	33	2	2	6	9	13	17	28
A. NOT OPERATED	1341	5.9	21	1	1	5	8	11	13	21
B. OPERATED	3033	7.0	26	1	2	6	9	13	16	23
TOTAL 0-19 YRS	22	5.4	23	1	1	4	7	13	17	18
20-34	643	6.2	23	1	2	5	8	12	16	23
35-49	2012	6.4	19	1	2	6	8	12	14	22
50-64	1314	7.0	30	1	2	6	9	13	16	22
65+	383	7.8	36	2	3	7	10	14	18	30
GRAND TOTAL	**4374**	**6.6**	**25**	**1**	**2**	**6**	**9**	**12**	**15**	**23**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	4.6	14	1	1	4	5	11	13	13
20-34	61	5.8	14	1	2	5	8	10	13	18
35-49	76	5.3	16	1	2	5	7	9	11	23
50-64	41	6.6	18	1	2	6	9	12	16	18
65+	8	4.9	9	<1	1	4	7	9	10	10
B. *Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	82	4.8	13	1	1	4	7	10	13	15
35-49	82	5.0	13	1	1	4	8	11	12	15
50-64	24	5.3	17	1	1	4	7	12	13	16
65+	3	3.7	8	2	2	2	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.3	12	2	2	4	7	10	10	10
20-34	53	5.5	15	1	2	4	7	11	13	19
35-49	87	5.9	16	1	2	5	7	11	14	22
50-64	66	6.6	17	2	3	5	8	10	15	24
65+	34	5.3	11	1	2	5	7	9	14	15
B. *Operated*										
0-19 YRS	4	5.0	5	3	3	4	6	8	8	8
20-34	77	8.4	35	2	3	8	10	17	22	28
35-49	85	8.0	33	1	2	8	11	15	20	23
50-64	42	8.7	37	2	3	8	12	17	21	28
65+	9	10.8	47	3	3	11	13	21	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	194	5.7	15	1	2	5	8	10	13	18
B. *Operated*	194	4.9	13	1	1	4	7	10	12	15
2. MULTIPLE DX										
A. *Not Operated*	244	5.9	15	2	2	5	7	10	14	20
B. *Operated*	217	8.4	34	2	2	8	11	17	21	27
1. SINGLE DX	388	5.3	15	1	2	4	7	10	13	18
2. MULTIPLE DX	461	7.1	26	2	2	6	9	14	17	25
A. NOT OPERATED	438	5.8	15	1	2	5	7	10	13	19
B. OPERATED	411	6.7	27	1	2	5	9	13	17	25
TOTAL 0-19 YRS	19	4.4	10	1	1	4	5	9	12	13
20-34	273	6.2	22	1	2	5	8	12	15	24
35-49	330	6.1	21	1	2	5	9	12	15	23
50-64	173	6.9	23	2	2	6	9	12	17	25
65+	54	6.1	20	1	2	5	8	12	15	25
GRAND TOTAL	**849**	**6.3**	**21**	**1**	**2**	**5**	**8**	**12**	**15**	**24**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	57	5.2	9	1	2	4	7	9	10	17
35-49	85	5.7	15	1	2	5	7	10	12	20
50-64	57	5.9	15	1	2	5	7	10	11	22
65+	21	6.3	7	3	3	6	8	10	12	12
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	53	4.3	16	1	1	3	6	10	13	18
35-49	66	4.5	13	1	1	3	6	10	12	17
50-64	29	4.0	12	1	1	3	5	9	11	15
65+	8	5.8	29	1	1	4	9	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	3	<1	<1	4	4	4	4	4
20-34	50	6.1	9	2	2	6	8	10	12	15
35-49	100	6.9	14	2	2	6	9	12	14	17
50-64	120	7.5	21	3	3	7	9	12	15	28
65+	176	7.2	19	2	3	6	9	12	16	23
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	33	4.5	10	1	1	4	6	9	11	12
35-49	54	5.7	24	1	2	4	8	10	16	28
50-64	48	8.0	43	2	2	7	11	15	19	39
65+	37	9.8	65	3	3	8	12	18	30	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	220	5.7	13	1	2	5	7	10	12	20
B. *Operated*	157	4.4	14	1	1	3	6	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	449	7.1	17	2	3	6	9	12	15	23
B. *Operated*	173	7.0	38	1	2	5	9	13	18	36
1. SINGLE DX	377	5.2	14	1	1	4	7	10	12	18
2. MULTIPLE DX	622	7.0	23	2	2	6	9	12	15	27
A. NOT OPERATED	669	6.6	16	2	2	6	8	11	14	22
B. OPERATED	330	5.8	29	1	1	4	8	12	16	29
TOTAL 0-19 YRS	5	4.2	12	<1	<1	4	6	10	10	10
20-34	193	5.1	11	1	1	5	7	10	11	16
35-49	305	5.8	16	1	2	5	8	11	13	19
50-64	254	6.9	24	1	2	6	9	12	15	26
65+	242	7.5	26	2	3	6	9	13	16	28
GRAND TOTAL	**999**	**6.3**	**20**	**1**	**2**	**5**	**8**	**11**	**14**	**23**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	94	3.3	6	1	1	3	4	7	9	12
20-34	871	4.9	13	1	1	4	7	9	12	18
35-49	1110	5.2	18	1	1	4	7	10	13	20
50-64	508	5.1	13	1	1	4	7	10	11	17
65+	168	5.4	15	1	1	5	7	10	11	18
B. *Operated*										
0-19 YRS	70	3.0	4	1	1	3	3	6	8	12
20-34	1000	4.4	16	1	1	3	6	10	13	18
35-49	1427	4.9	16	1	1	3	7	10	13	18
50-64	734	5.7	20	1	1	4	8	12	15	20
65+	294	7.5	32	1	2	7	10	14	19	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	101	4.0	21	1	1	3	4	9	11	27
20-34	811	5.8	23	1	1	5	7	11	16	23
35-49	1424	6.3	25	1	2	5	8	12	16	25
50-64	1122	6.4	23	1	2	5	8	12	16	22
65+	1107	6.5	20	2	2	6	8	12	14	21
B. *Operated*										
0-19 YRS	42	5.3	40	1	1	3	7	11	17	34
20-34	838	5.6	29	1	1	4	7	11	15	24
35-49	1378	6.3	33	1	2	5	8	13	16	29
50-64	1115	8.1	49	2	2	7	11	16	19	34
65+	828	11.0	77	2	3	9	14	21	27	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2751	5.1	15	1	1	4	7	10	12	18
B. *Operated*	3525	5.1	19	1	1	3	7	11	14	20
2. MULTIPLE DX										
A. *Not Operated*	4565	6.2	23	1	2	5	8	12	15	23
B. *Operated*	4201	7.6	49	1	2	6	10	15	20	34
1. SINGLE DX	6276	5.1	17	1	1	4	7	10	13	19
2. MULTIPLE DX	8766	6.9	36	1	2	5	9	14	17	29
A. NOT OPERATED	7316	5.8	21	1	1	5	8	11	14	21
B. OPERATED	7726	6.4	37	1	2	5	9	13	17	29
TOTAL 0-19 YRS	307	3.8	16	1	1	3	4	8	10	25
20-34	3520	5.1	20	1	1	4	7	10	13	22
35-49	5339	5.7	24	1	1	4	8	11	15	24
50-64	3479	6.6	30	1	2	5	9	13	16	24
65+	2397	8.1	46	2	2	7	10	15	20	34
GRAND TOTAL	**15042**	**6.1**	**29**	**1**	**2**	**5**	**8**	**12**	**16**	**25**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	103	3.1	6	1	1	3	4	5	8	14
20-34	63	3.6	5	1	1	3	5	6	8	10
35-49	67	4.3	6	1	2	4	5	8	9	13
50-64	65	4.2	10	1	1	3	5	9	11	16
65+	41	4.0	5	<1	1	4	5	7	9	10
B. *Operated*										
0-19 YRS	114	2.5	4	<1	<1	2	3	5	7	11
20-34	401	2.6	4	<1	<1	2	3	5	7	11
35-49	698	2.8	7	<1	<1	2	3	5	7	12
50-64	490	3.0	6	<1	1	2	4	6	7	13
65+	153	3.2	7	<1	<1	3	4	7	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	3.6	6	<1	1	3	4	7	10	11
20-34	61	4.5	7	1	1	4	6	8	9	15
35-49	153	5.1	20	1	1	4	6	9	12	23
50-64	222	5.4	19	1	2	4	6	10	12	25
65+	208	5.9	13	2	2	5	7	10	13	19
B. *Operated*										
0-19 YRS	59	4.1	11	1	1	3	5	9	13	92
20-34	267	3.7	15	<1	1	3	4	7	10	17
35-49	495	4.2	16	1	1	3	5	9	13	19
50-64	503	4.6	16	1	2	4	5	9	12	22
65+	225	5.4	24	1	1	4	7	11	15	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	339	3.8	7	1	1	3	5	7	9	13
B. *Operated*	1856	2.9	6	<1	<1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	714	5.2	15	1	2	4	6	9	12	21
B. *Operated*	1549	4.4	17	1	1	3	5	9	12	22
1. SINGLE DX	2195	3.0	6	<1	1	2	4	6	7	12
2. MULTIPLE DX	2263	4.7	17	1	1	4	6	9	12	22
A. NOT OPERATED	1053	4.8	13	1	1	4	6	9	11	18
B. OPERATED	3405	3.6	12	<1	1	3	4	7	10	18
TOTAL 0-19 YRS	346	3.2	6	<1	1	2	4	6	8	14
20-34	792	3.2	9	<1	1	2	4	6	8	14
35-49	1413	3.6	12	<1	1	3	4	7	10	17
50-64	1280	4.1	13	1	1	3	5	8	10	21
65+	627	4.9	16	<1	1	4	6	9	12	21
GRAND TOTAL	**4458**	**3.9**	**12**	**<1**	**1**	**3**	**5**	**7**	**10**	**18**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	3.0	4	1	1	3	4	5	5	5
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+	2	3.5	13	1	1	3	6	6	6	6
B. *Operated*										
0-19 YRS	100	2.7	2	1	1	3	3	4	5	7
20-34	207	3.0	2	1	1	3	4	5	5	7
35-49	284	2.8	3	1	1	3	4	5	6	9
50-64	269	3.2	3	<1	1	3	4	5	6	10
65+	148	3.7	9	<1	1	3	5	6	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	1	5.0		5	5	5	5	5	5	5
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64	18	2.5	4	1	1	1	4	6	7	7
65+	8	1.6	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-19 YRS	78	3.1	2	1	2	3	4	5	6	9
20-34	270	3.1	3	1	1	3	4	5	6	9
35-49	476	3.5	3	1	2	3	4	6	7	9
50-64	773	3.9	5	1	2	4	5	6	7	11
65+	683	4.4	13	1	2	4	5	7	8	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.9	4	1	1	3	5	6	6	6
B. *Operated*	1008	3.1	4	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	33	2.2	3	<1	<1	1	3	5	6	7
B. *Operated*	2280	3.8	7	1	2	3	5	6	7	11
1. SINGLE DX	1015	3.1	4	1	1	3	4	5	6	9
2. MULTIPLE DX	2313	3.8	7	1	2	3	5	6	7	11
A. NOT OPERATED	40	2.3	3	<1	1	1	3	5	6	7
B. OPERATED	3288	3.6	6	1	1	3	4	6	7	11
TOTAL 0-19 YRS	182	2.9	2	1	1	3	4	5	5	8
20-34	481	3.0	2	1	1	3	4	5	6	8
35-49	763	3.3	3	1	1	3	4	5	6	9
50-64	1061	3.7	4	1	1	3	5	6	7	11
65+	841	4.2	13	1	2	4	5	7	8	14
GRAND TOTAL	**3328**	**3.6**	**6**	**1**	**1**	**3**	**4**	**6**	**7**	**11**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	1	<1	<1	2	3	3	3	3
20-34	6	2.2	6	<1	<1	1	2	6	7	7
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	2	6.0	2	5	5	6	7	7	7	7
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	142	1.5		<1	<1	1	2	2	3	3
20-34	247	1.7	1	<1	<1	1	2	3	3	4
35-49	198	1.8	1	<1	<1	1	2	3	4	7
50-64	127	2.3	3	<1	<1	2	3	5	6	9
65+	48	2.7	2	<1	<1	2	4	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	6	2.0	4	<1	<1	1	2	6	6	6
35-49	7	2.7	6	<1	<1	1	4	7	7	7
50-64	7	3.3	8	<1	<1	2	4	8	9	9
65+	12	3.8	8	1	1	3	5	9	9	9
B. *Operated*										
0-19 YRS	21	2.2	2	<1	<1	2	3	5	5	5
20-34	79	2.5	3	<1	<1	2	3	5	7	8
35-49	109	2.9	5	<1	<1	2	4	5	6	14
50-64	107	3.4	5	1	1	3	4	6	9	11
65+	68	4.4	19	1	1	3	5	8	10	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	2.5	5	<1	<1	2	3	7	7	7
B. *Operated*	762	1.8	1	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	33	3.1	6	<1	1	3	4	7	9	9
B. *Operated*	384	3.2	7	<1	1	3	4	6	8	15
1. SINGLE DX	777	1.9	1	<1	<1	2	2	3	4	7
2. MULTIPLE DX	417	3.2	7	<1	1	3	4	6	8	14
A. NOT OPERATED	48	2.9	6	<1	<1	2	4	7	9	9
B. OPERATED	1146	2.3	4	<1	<1	2	3	4	5	9
TOTAL 0-19 YRS	167	1.6	1	<1	<1	1	2	3	3	5
20-34	338	1.9	2	<1	<1	1	2	3	4	7
35-49	316	2.2	3	<1	<1	2	3	4	5	8
50-64	243	2.9	4	<1	<1	2	4	5	7	10
65+	130	3.7	12	<1	1	3	4	7	9	21
GRAND TOTAL	**1194**	**2.3**	**4**	**<1**	**<1**	**2**	**3**	**4**	**6**	**9**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	12.4	69	1	2	12	17	24	29	34
20-34	30	8.4	37	<1	1	8	10	15	21	27
35-49	21	6.8	32	2	3	6	7	11	21	28
50-64	20	8.5	39	1	2	7	14	18	20	21
65+	18	9.4	40	2	3	7	14	19	21	22
B. *Operated*										
0-19 YRS	88	13.8	126	1	2	10	21	29	36	50
20-34	80	10.5	138	1	2	7	12	19	40	66
35-49	70	12.4	112	2	3	9	17	30	35	42
50-64	54	10.6	71	1	3	8	15	22	28	40
65+	58	8.8	39	2	2	7	13	17	21	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	16.4	123	3	5	14	23	32	39	48
20-34	40	11.5	119	2	3	8	14	23	27	62
35-49	57	10.3	63	2	3	8	14	22	27	35
50-64	90	11.8	149	2	2	9	15	21	29	75
65+	125	14.0	107	3	5	11	18	29	37	49
B. *Operated*										
0-19 YRS	121	20.0	242	2	3	16	27	43	52	73
20-34	151	17.4	306	3	4	12	23	37	66	99+
35-49	217	17.5	219	2	4	13	22	40	50	66
50-64	299	17.0	219	3	4	12	22	37	45	80
65+	317	15.9	196	3	3	12	20	34	46	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	158	10.1	54	1	2	8	15	21	25	30
B. *Operated*	350	11.5	105	1	2	8	15	25	34	44
2. MULTIPLE DX										
A. *Not Operated*	375	13.1	117	2	3	10	17	28	33	48
B. *Operated*	1105	17.2	228	3	4	13	22	38	48	82
1. SINGLE DX	508	11.0	90	1	2	8	15	24	30	43
2. MULTIPLE DX	1480	16.1	203	2	3	12	21	34	45	77
A. NOT OPERATED	533	12.2	100	2	3	10	16	24	30	46
B. OPERATED	1455	15.8	204	2	3	12	20	35	45	75
TOTAL 0-19 YRS	341	16.2	164	2	3	14	22	32	43	54
20-34	301	13.9	222	2	3	9	16	30	44	92
35-49	365	14.8	175	2	3	11	18	33	44	63
50-64	463	14.9	188	2	3	11	19	30	43	77
65+	518	14.4	157	2	3	11	18	29	43	58
GRAND TOTAL	**1988**	**14.8**	**179**	**2**	**3**	**11**	**19**	**31**	**43**	**69**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	124	5.2	28	<1	1	4	7	11	15	29
20-34	70	3.3	7	<1	1	3	4	6	7	16
35-49	110	3.4	7	1	1	3	4	7	8	15
50-64	86	5.3	21	1	1	4	7	10	15	24
65+	149	6.7	17	2	2	6	9	12	14	24
B. *Operated*										
0-19 YRS	632	4.1	12	<1	1	3	5	8	10	18
20-34	625	4.4	14	1	1	3	6	9	11	17
35-49	402	5.2	17	1	1	4	7	10	12	21
50-64	294	6.1	18	1	2	5	9	12	14	22
65+	203	8.2	30	1	2	7	11	16	19	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	116	5.9	23	1	1	5	7	11	16	24
20-34	173	3.8	14	1	1	3	4	8	13	21
35-49	345	4.3	14	1	1	3	5	8	12	19
50-64	540	6.4	27	1	2	5	8	13	17	24
65+	2269	8.1	28	2	3	7	10	14	18	26
B. *Operated*										
0-19 YRS	328	6.3	41	1	1	4	8	15	20	32
20-34	454	6.7	68	1	2	4	8	12	17	54
35-49	468	7.9	62	1	2	6	10	16	22	45
50-64	564	9.6	72	2	2	8	13	18	25	36
65+	969	12.7	65	3	4	11	16	22	27	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	539	5.0	18	1	1	4	7	10	13	21
B. *Operated*	2156	5.1	18	1	1	4	7	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	3443	7.1	28	1	2	6	9	14	17	25
B. *Operated*	2783	9.6	70	1	2	8	13	19	25	40
1. SINGLE DX	2695	5.1	18	1	1	4	7	10	13	21
2. MULTIPLE DX	6226	8.2	48	1	2	6	11	16	21	34
A. NOT OPERATED	3982	6.9	27	1	2	6	9	13	17	25
B. OPERATED	4939	7.6	52	1	2	5	10	16	21	35
TOTAL 0-19 YRS	1200	5.0	23	1	1	4	6	10	15	25
20-34	1322	5.0	34	1	1	3	6	10	13	27
35-49	1325	5.8	34	1	1	4	7	12	16	31
50-64	1484	7.5	45	1	2	6	10	15	20	32
65+	3590	9.3	42	2	3	8	12	17	22	32
GRAND TOTAL	**8921**	**7.3**	**41**	**1**	**2**	**6**	**10**	**15**	**19**	**31**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.6	9	<1	<1	1	3	8	8	8
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	2.0	2	1	1	2	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	180	3.6	6	<1	1	3	4	6	8	13
20-34	63	3.9	10	1	1	3	5	7	9	20
35-49	51	3.0	4	<1	<1	2	4	6	6	9
50-64	43	3.6	4	<1	1	3	5	7	8	9
65+	20	4.2	7	<1	1	4	5	8	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	3.9	30	<1	<1	1	4	15	18	18
20-34	5	8.8	215	<1	<1	3	11	35	35	35
35-49	3	4.7	9	2	2	4	7	8	8	8
50-64	2	8.5	61	3	3	8	14	14	14	14
65+	15	8.9	42	1	2	6	14	17	21	23
B. *Operated*										
0-19 YRS	311	5.9	103	1	2	4	5	9	12	70
20-34	110	5.1	26	1	1	4	7	9	14	32
35-49	75	4.9	19	1	1	4	6	9	14	26
50-64	102	4.8	23	1	1	3	5	11	13	28
65+	78	8.6	43	2	3	7	12	19	24	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	2.5	5	<1	<1	2	3	6	8	8
B. *Operated*	357	3.6	6	<1	1	3	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	43	6.5	54	<1	<1	4	10	17	20	35
B. *Operated*	676	5.8	63	1	2	4	6	11	15	46
1. SINGLE DX	367	3.6	6	<1	1	3	5	6	8	12
2. MULTIPLE DX	719	5.9	62	1	1	4	6	11	16	42
A. NOT OPERATED	53	5.7	47	<1	<1	3	8	16	18	35
B. OPERATED	1033	5.1	44	1	1	4	6	9	13	31
TOTAL 0-19 YRS	514	5.0	66	1	1	4	5	8	10	52
20-34	180	4.8	25	1	1	4	6	8	11	33
35-49	130	4.1	14	<1	1	3	5	8	9	19
50-64	149	4.4	18	1	1	3	5	9	13	21
65+	113	7.9	39	1	2	5	11	16	22	28
GRAND TOTAL	**1086**	**5.1**	**45**	**1**	**1**	**4**	**6**	**9**	**13**	**33**

315: Neuralgia, [illegible]s, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	19	6.6	20	1	2	6	7	13	18	20
35-49	33	5.3	11	1	2	5	7	9	11	18
50-64	15	5.5	7	2	2	5	7	10	10	10
65+	6	9.8	71	<1	<1	8	16	21	22	22
B. *Operated*										
0-19 YRS										
20-34	12	5.8	25	1	1	4	8	15	16	16
35-49	29	3.7	8	1	1	2	6	9	9	10
50-64	5	10.8	126	1	1	5	20	27	27	27
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	15	4.3	5	1	2	4	5	6	9	10
35-49	29	5.1	6	2	2	6	7	9	9	10
50-64	54	5.1	7	1	2	5	7	8	9	13
65+	43	5.8	13	1	2	5	8	11	14	14
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	9	6.2	18	2	2	4	9	12	14	14
35-49	15	7.8	25	2	2	7	13	14	16	17
50-64	24	10.1	183	2	2	7	12	16	33	69
65+	12	7.9	22	1	2	7	10	15	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	5.9	18	1	2	5	7	10	16	21
B. *Operated*	47	5.1	28	1	1	3	8	10	16	27
2. MULTIPLE DX										
A. *Not Operated*	143	5.2	8	1	2	5	7	9	11	14
B. *Operated*	61	8.6	84	2	2	7	11	15	17	63
1. SINGLE DX	123	5.6	22	1	1	4	7	10	16	23
2. MULTIPLE DX	204	6.2	33	1	2	5	8	11	14	18
A. NOT OPERATED	219	5.4	12	1	2	5	7	10	12	19
B. OPERATED	108	7.1	62	1	1	5	9	14	17	45
TOTAL 0-19 YRS	6	3.5	14	1	1	2	3	10	11	11
20-34	55	5.7	17	1	2	5	7	10	15	20
35-49	106	5.1	12	1	1	4	7	9	13	17
50-64	98	6.7	59	2	2	5	8	12	16	49
65+	62	6.7	21	1	2	6	9	14	15	22
GRAND TOTAL	**327**	**6.0**	**29**	**1**	**2**	**5**	**8**	**11**	**14**	**20**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	111	2.4	2	<1	1	2	3	4	5	8
20-34	186	4.0	6	1	1	3	5	7	9	12
35-49	247	4.4	12	1	1	3	5	9	12	19
50-64	162	4.7	13	1	1	4	6	9	13	19
65+	56	4.1	11	1	1	3	5	8	12	16
B. *Operated*										
0-19 YRS	540	5.6	16	1	1	5	9	11	12	15
20-34	463	3.8	13	<1	1	3	5	8	10	19
35-49	388	3.8	15	<1	1	2	4	9	11	20
50-64	350	3.4	12	1	1	2	4	7	10	20
65+	158	3.1	10	1	1	2	3	7	9	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	153	4.6	65	1	1	3	5	7	13	65
20-34	379	4.5	14	1	1	4	6	9	10	17
35-49	540	5.1	15	1	2	4	6	10	12	19
50-64	471	5.4	21	1	2	4	7	10	12	20
65+	562	6.5	39	1	2	5	8	12	16	30
B. *Operated*										
0-19 YRS	545	7.0	76	1	1	4	10	16	20	59
20-34	617	5.0	56	1	1	3	5	11	17	37
35-49	649	5.3	40	1	1	3	7	11	15	28
50-64	561	5.9	68	1	1	3	6	13	18	40
65+	403	7.0	55	1	2	5	9	14	19	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	762	4.0	10	1	1	3	5	8	10	15
B. *Operated*	1899	4.2	15	<1	1	3	6	9	12	19
2. MULTIPLE DX										
A. *Not Operated*	2105	5.4	27	1	2	4	7	10	13	24
B. *Operated*	2775	5.9	59	1	1	3	7	13	18	40
1. SINGLE DX	2661	4.1	13	<1	1	3	6	9	11	18
2. MULTIPLE DX	4880	5.7	45	1	1	4	7	12	16	32
A. NOT OPERATED	2867	5.0	23	1	1	4	6	10	12	21
B. OPERATED	4674	5.2	42	1	1	3	7	11	15	29
TOTAL 0-19 YRS	1349	5.8	46	1	1	3	9	12	15	31
20-34	1645	4.4	29	1	1	3	5	9	12	23
35-49	1824	4.8	24	1	1	3	6	10	13	21
50-64	1544	5.1	36	1	1	3	6	10	14	27
65+	1179	6.1	41	1	1	4	8	12	16	30
GRAND TOTAL	**7541**	**5.2**	**34**	**1**	**1**	**3**	**7**	**11**	**14**	**26**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	4.0		4	4	4	4	4	4	4
35-49	3	4.0	13	1	1	3	7	8	8	8
50-64	2	4.5	13	2	2	4	7	7	7	7
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	2.7	2	1	1	3	4	4	4	4
35-49	2	7.0	50	2	2	7	12	12	12	12
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	18	8.4	79	1	2	5	7	24	30	32
35-49	23	5.9	23	2	3	4	6	11	17	24
50-64	8	6.9	24	2	3	6	8	15	18	18
65+	8	4.4	4	2	2	4	6	7	8	8
B. *Operated*										
0-19 YRS										
20-34	5	10.2	52	4	4	7	16	21	21	21
35-49	7	12.3	20	5	5	15	15	16	16	16
50-64	2	6.0	8	4	4	6	8	8	8	8
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	3.8	7	1	1	3	6	8	8	8
B. *Operated*	7	3.7	14	1	1	2	4	10	12	12
2. MULTIPLE DX										
A. *Not Operated*	58	6.5	38	2	2	5	7	13	23	32
B. *Operated*	14	10.6	30	4	4	10	15	16	20	21
1. SINGLE DX	15	3.7	10	1	1	3	4	8	11	12
2. MULTIPLE DX	72	7.3	39	2	2	5	8	16	21	31
A. NOT OPERATED	66	6.2	35	2	2	4	7	13	22	31
B. OPERATED	21	8.3	35	1	2	7	14	16	18	21
TOTAL 0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	28	7.8	63	1	2	5	7	21	27	32
35-49	35	7.1	28	2	2	6	10	15	16	24
50-64	13	6.0	18	2	2	5	7	10	17	18
65+	8	4.4	4	2	2	4	6	7	8	8
GRAND TOTAL	**87**	**6.7**	**36**	**2**	**2**	**5**	**8**	**15**	**21**	**30**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	2.8	34	<1	<1	2	2	3	4	34
20-34	6	3.2	3	1	1	4	4	5	5	5
35-49	3	3.3	4	1	1	4	5	5	5	5
50-64	3	1.7		1	1	2	2	2	2	2
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	151	6.3	31	1	2	5	8	12	17	33
20-34	12	9.2	92	<1	1	6	14	22	32	34
35-49	5	7.4	35	1	1	6	13	15	15	15
50-64	6	6.7	21	2	2	6	11	12	12	12
65+	2	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	5.1	31	1	1	4	5	10	15	33
20-34	14	8.8	87	<1	<1	5	14	24	30	32
35-49	3	6.3	2	5	5	6	7	8	8	8
50-64	1	5.0		5	5	5	5	5	5	5
65+	6	3.0	3	2	2	2	4	6	6	6
B. *Operated*										
0-19 YRS	315	9.2	82	2	2	7	11	20	31	50
20-34	22	16.5	347	3	4	12	15	44	67	77
35-49	12	14.0	149	1	4	11	16	30	45	48
50-64	13	15.8	279	3	3	10	19	41	58	62
65+	8	5.9	11	1	2	5	8	11	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	2.9	25	<1	1	2	3	4	5	34
B. *Operated*	176	6.6	34	1	2	5	8	13	17	34
2. MULTIPLE DX										
A. *Not Operated*	180	5.3	35	1	1	4	6	11	17	33
B. *Operated*	370	10.0	109	2	2	7	11	21	35	59
1. SINGLE DX	220	5.8	34	1	1	4	7	12	16	34
2. MULTIPLE DX	550	8.4	89	1	2	6	10	18	27	51
A. NOT OPERATED	224	4.8	33	1	1	3	5	10	16	33
B. OPERATED	546	8.9	87	2	2	6	10	17	28	51
TOTAL 0-19 YRS	653	7.3	60	1	2	5	9	14	24	43
20-34	54	11.4	200	<1	1	6	15	24	36	76
35-49	23	10.2	100	1	1	7	14	18	31	48
50-64	23	11.1	189	1	2	8	11	26	45	62
65+	17	4.8	8	1	2	5	6	8	11	12
GRAND TOTAL	**770**	**7.7**	**75**	**1**	**2**	**5**	**9**	**16**	**24**	**48**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	67	1.4	3	<1	<1	<1	1	2	4	12
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	356	2.2	3	<1	<1	2	2	4	5	9
20-34	60	2.0	1	<1	1	2	3	3	4	6
35-49	45	2.4	2	<1	1	2	3	4	5	8
50-64	29	2.0	2	1	1	2	2	4	4	7
65+	15	1.8	1	<1	1	2	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	3.3	46	<1	<1	1	2	6	21	34
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	9.0		9	9	9	9	9	9	9
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	157	2.8	6	<1	<1	2	3	6	7	14
20-34	26	3.7	13	1	1	3	4	5	14	16
35-49	9	2.3	1	1	1	2	3	4	5	5
50-64	31	2.5	2	1	1	2	3	4	5	6
65+	20	2.3	5	<1	1	2	3	3	7	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	1.4	3	<1	<1	<1	1	2	4	12
B. *Operated*	505	2.1	3	<1	<1	2	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	44	3.3	43	<1	<1	1	2	8	20	34
B. *Operated*	243	2.8	6	<1	1	2	3	5	7	14
1. SINGLE DX	574	2.1	3	<1	<1	2	2	4	5	9
2. MULTIPLE DX	287	2.9	12	<1	1	2	3	5	7	17
A. NOT OPERATED	113	2.2	19	<1	<1	1	1	3	8	29
B. OPERATED	748	2.4	4	<1	1	2	3	4	6	11
TOTAL 0-19 YRS	621	2.3	7	<1	<1	2	2	4	6	14
20-34	88	2.5	5	<1	1	2	3	4	5	15
35-49	55	2.4	2	<1	1	2	3	4	5	8
50-64	61	2.4	2	1	1	2	3	4	5	9
65+	36	2.1	3	<1	1	2	2	3	4	11
GRAND TOTAL	**861**	**2.3**	**6**	**<1**	**<1**	**2**	**3**	**4**	**6**	**14**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	2.6	4	1	1	2	4	5	6	11
20-34	9	4.1	16	1	1	2	6	11	13	13
35-49	8	2.6	1	1	1	3	4	4	4	4
50-64	2	3.0	8	1	1	3	5	5	5	5
65+	3	3.7	14	1	1	2	6	8	8	8
B. *Operated*										
0-19 YRS	677	4.7	15	1	1	3	8	10	11	16
20-34	46	4.6	13	1	2	3	7	9	10	19
35-49	53	5.2	20	1	1	3	8	12	15	17
50-64	20	4.2	14	<1	1	2	7	10	12	12
65+	14	7.1	40	2	2	6	10	13	22	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	237	4.1	41	<1	1	3	4	8	12	32
20-34	13	3.1	2	1	1	3	4	5	6	6
35-49	26	4.0	11	1	1	3	4	9	12	15
50-64	16	5.6	8	1	3	5	7	10	11	11
65+	34	4.7	9	2	2	4	6	10	10	14
B. *Operated*										
0-19 YRS	1386	7.0	66	1	1	5	9	16	22	61
20-34	95	7.6	73	1	1	4	10	19	25	42
35-49	84	7.2	76	1	2	5	9	13	19	56
50-64	53	10.9	262	2	2	7	10	21	60	99+
65+	56	11.3	128	2	2	8	14	31	42	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	2.9	5	1	1	2	4	5	8	13
B. *Operated*	810	4.8	16	1	1	3	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	326	4.2	32	<1	1	3	5	8	11	24
B. *Operated*	1674	7.3	76	1	1	5	9	16	23	64
1. SINGLE DX	883	4.6	15	1	1	3	7	10	12	17
2. MULTIPLE DX	2000	6.8	70	1	1	4	9	15	21	60
A. NOT OPERATED	399	3.9	28	<1	1	3	4	8	11	21
B. OPERATED	2484	6.5	58	1	1	4	9	13	19	44
TOTAL 0-19 YRS	2351	6.0	49	1	1	3	8	13	17	39
20-34	163	6.2	50	1	1	4	8	14	19	41
35-49	171	5.9	47	1	1	4	8	12	15	26
50-64	91	8.3	166	1	2	6	9	16	32	99
65+	107	8.4	84	2	2	5	10	20	32	72
GRAND TOTAL	**2883**	**6.1**	**54**	**1**	**1**	**4**	**8**	**13**	**18**	**41**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	4.3	27	<1	<1	2	5	13	16	16
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	512	3.4	2	2	2	3	4	5	6	8
20-34	12	3.3	1	1	2	3	4	5	5	5
35-49	7	3.0	4	1	1	3	5	6	6	6
50-64	1	6.0		6	6	6	6	6	6	6
65+	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	2.3	7	<1	<1	1	3	4	8	15
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	393	3.8	8	2	2	3	4	6	8	12
20-34	7	3.4	9	1	1	2	4	9	10	10
35-49	3	3.7	2	2	2	4	5	5	5	5
50-64	2	5.5	13	3	3	5	8	8	8	8
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	4.3	27	<1	<1	2	5	13	16	16
B. *Operated*	534	3.4	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	40	2.3	7	<1	<1	1	3	4	7	15
B. *Operated*	405	3.8	8	2	2	3	4	6	8	12
1. SINGLE DX	542	3.4	3	1	2	3	4	5	6	8
2. MULTIPLE DX	445	3.7	8	1	2	3	4	6	8	13
A. NOT OPERATED	48	2.6	11	<1	<1	1	3	5	10	16
B. OPERATED	939	3.6	5	2	2	3	4	6	7	9
TOTAL 0-19 YRS	952	3.5	5	1	2	3	4	6	7	10
20-34	19	3.3	4	1	1	3	4	5	8	10
35-49	10	3.2	3	1	1	3	5	6	6	6
50-64	4	4.5	10	1	1	4	7	8	8	8
65+	2	3.5	1	3	3	3	4	4	4	4
GRAND TOTAL	**987**	**3.5**	**5**	**1**	**2**	**3**	**4**	**6**	**7**	**10**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	1.6	1	1	1	1	2	3	3	3
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	497	3.2	2	2	2	3	4	5	5	8
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	6.1	53	1	1	3	7	19	23	23
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	106	4.9	20	2	2	4	6	8	11	27
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	1.6	1	1	1	1	2	3	3	3
B. *Operated*	497	3.2	2	2	2	3	4	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	8	6.1	53	1	1	3	7	19	23	23
B. *Operated*	106	4.9	20	2	2	4	6	8	11	27
1. SINGLE DX	511	3.2	2	2	2	3	4	5	5	8
2. MULTIPLE DX	114	5.0	22	2	2	4	6	8	12	30
A. NOT OPERATED	22	3.3	23	1	1	2	3	6	15	23
B. OPERATED	603	3.5	5	2	2	3	4	5	6	11
TOTAL 0-19 YRS	625	3.5	6	2	2	3	4	5	7	12
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**625**	**3.5**	**6**	**2**	**2**	**3**	**4**	**5**	**7**	**12**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

				PERCENTILES						
TYPE OF PATIENT (1)	**TOTAL PATIENTS (2)**	**AVG. STAY (3)**	**VARIANCE (4)**	**5TH (5)**	**10TH (6)**	**50TH (7)**	**75TH (8)**	**90TH (9)**	**95TH (10)**	**99TH (11)**
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	67	3.5	32	<1	<1	2	4	7	9	39
20-34	2	5.0	8	3	3	5	7	7	7	7
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	4	7.0	39	2	2	5	11	16	16	16
65+	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS	354	5.9	52	<1	1	4	7	12	18	43
20-34	38	4.0	14	<1	<1	3	5	10	12	16
35-49	16	5.1	8	1	1	5	7	8	10	11
50-64	13	5.3	31	1	1	4	7	12	19	21
65+	8	7.3	24	2	2	7	11	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	131	5.7	51	1	1	3	7	13	24	56
20-34	9	5.4	20	1	2	3	7	13	14	14
35-49	15	3.1	3	1	2	3	4	5	7	8
50-64	12	3.6	10	1	1	3	4	7	12	13
65+	27	4.0	6	1	1	4	5	7	9	12
B. *Operated*										
0-19 YRS	424	9.8	154	1	2	6	11	26	43	99+
20-34	65	5.2	27	1	1	4	8	10	16	89
35-49	40	8.5	45	1	2	7	11	19	23	29
50-64	38	8.5	52	2	2	7	11	17	26	35
65+	44	8.3	29	1	2	7	12	16	18	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	3.7	30	<1	1	2	4	7	9	37
B. *Operated*	429	5.7	46	<1	1	4	7	12	17	34
2. MULTIPLE DX										
A. *Not Operated*	194	5.1	38	1	1	3	6	11	15	42
B. *Operated*	611	9.1	120	1	2	6	10	20	37	99+
1. SINGLE DX	506	5.4	44	<1	1	3	7	11	16	37
2. MULTIPLE DX	805	8.1	103	1	1	5	9	18	31	90
A. NOT OPERATED	271	4.7	36	1	1	3	6	10	14	43
B. OPERATED	1040	7.7	92	1	1	5	9	16	26	69
TOTAL 0-19 YRS	976	7.4	100	1	1	4	8	16	28	74
20-34	114	4.8	22	<1	1	3	7	11	14	57
35-49	73	6.5	33	1	1	5	8	14	19	28
50-64	67	6.9	42	1	1	5	8	15	21	34
65+	81	6.6	24	1	2	5	10	14	16	21
GRAND TOTAL	**1311**	**7.0**	**82**	**1**	**1**	**4**	**8**	**15**	**25**	**65**

324: Undescended testicle (752.5)

				PERCENTILES						
TYPE OF PATIENT (1)	**TOTAL PATIENTS (2)**	**AVG. STAY (3)**	**VARIANCE (4)**	**5TH (5)**	**10TH (6)**	**50TH (7)**	**75TH (8)**	**90TH (9)**	**95TH (10)**	**99TH (11)**
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.0		<1	<1	<1	1	1	1	1
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	464	1.8	1	<1	<1	2	2	3	4	5
20-34	34	2.6	2	1	1	2	3	5	6	7
35-49	6	2.3	1	1	1	2	3	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	1.9	2	<1	<1	1	2	4	5	7
20-34										
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	368	2.1	2	<1	<1	2	3	4	5	6
20-34	38	2.8	3	1	1	3	4	6	6	6
35-49	14	2.6	1	1	1	3	3	4	5	5
50-64	7	6.1	46	2	2	4	6	18	21	21
65+	3	3.0	1	2	2	3	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.0		<1	<1	1	1	1	1	1
B. *Operated*	506	1.9	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	29	1.8	2	<1	<1	1	2	4	5	7
B. *Operated*	430	2.3	3	<1	1	2	3	4	5	7
1. SINGLE DX	511	1.9	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX	459	2.2	3	<1	<1	2	3	4	5	7
A. NOT OPERATED	34	1.7	2	<1	<1	1	2	4	5	7
B. OPERATED	936	2.0	2	<1	<1	2	3	4	4	6
TOTAL 0-19 YRS	864	1.9	1	<1	<1	2	2	3	4	6
20-34	72	2.7	2	1	1	2	4	5	6	7
35-49	21	2.5	1	1	1	3	3	4	4	5
50-64	8	5.8	41	2	2	3	6	17	21	21
65+	5	3.2	4	1	1	3	4	6	6	6
GRAND TOTAL	**970**	**2.0**	**2**	**<1**	**<1**	**2**	**2**	**4**	**4**	**6**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	2.6	6	<1	1	2	3	5	8	12
20-34	6	1.5		<1	<1	1	2	2	2	2
35-49										
50-64	3	3.3	16	1	1	1	6	8	8	8
65+	4	3.0	3	1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS	750	4.8	13	<1	1	4	7	9	12	16
20-34	82	4.5	10	<1	1	4	6	8	11	18
35-49	38	4.3	7	<1	1	4	5	7	10	13
50-64	21	4.0	12	1	1	3	5	9	12	14
65+	10	7.7	44	1	1	5	13	18	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	2.9	14	<1	<1	1	3	5	10	22
20-34	21	2.8	3	<1	1	2	3	6	7	8
35-49	22	4.7	6	1	1	4	7	8	9	10
50-64	17	5.0	11	1	2	4	7	10	12	13
65+	11	4.6	9	<1	1	4	7	9	11	11
B. *Operated*										
0-19 YRS	497	6.3	34	1	1	5	8	13	16	28
20-34	155	5.0	13	1	1	5	6	9	11	16
35-49	96	6.3	28	2	2	5	7	10	16	33
50-64	57	5.8	14	1	1	6	8	11	14	93
65+	35	7.5	47	1	2	5	9	15	24	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	2.5	5	<1	1	2	3	5	8	12
B. *Operated*	901	4.7	13	<1	1	4	7	9	12	16
2. MULTIPLE DX										
A. *Not Operated*	144	3.5	11	<1	<1	3	5	8	10	20
B. *Operated*	840	6.1	29	1	1	5	8	12	15	29
1. SINGLE DX	938	4.6	13	<1	1	4	7	9	12	16
2. MULTIPLE DX	984	5.7	27	1	1	5	7	11	15	28
A. NOT OPERATED	181	3.3	10	<1	<1	2	4	7	9	18
B. OPERATED	1741	5.4	21	1	1	4	7	11	13	22
TOTAL 0-19 YRS	1344	5.2	21	<1	1	4	7	11	13	20
20-34	264	4.6	12	1	1	4	6	8	11	16
35-49	156	5.6	21	1	2	5	6	9	11	32
50-64	98	5.2	13	1	1	5	8	10	13	59
65+	60	6.7	38	1	1	5	8	14	19	32
GRAND TOTAL	**1922**	**5.2**	**20**	**1**	**1**	**4**	**7**	**10**	**13**	**21**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	1.3	1	<1	<1	<1	<1	2	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	368	3.7	5	1	1	3	5	7	8	10
20-34	9	4.0	6	<1	1	3	6	8	8	8
35-49	6	3.3	1	2	2	3	4	5	5	5
50-64	7	3.9	2	1	1	4	5	6	6	6
65+	5	2.6	3	<1	<1	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	1.5	1	<1	<1	1	2	3	4	5
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	209	4.5	12	1	2	4	5	9	11	21
20-34	39	4.1	4	1	1	4	5	7	8	9
35-49	28	4.7	4	2	2	5	6	7	8	11
50-64	27	3.9	4	1	1	4	5	7	8	9
65+	18	3.7	3	1	2	4	5	6	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	1.3	1	<1	<1	<1	1	2	4	4
B. *Operated*	395	3.7	4	1	1	3	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	38	1.5	1	<1	<1	1	2	3	4	5
B. *Operated*	321	4.4	9	1	2	4	5	8	10	17
1. SINGLE DX	418	3.6	5	<1	1	3	5	7	8	10
2. MULTIPLE DX	359	4.1	9	1	1	4	5	8	9	15
A. NOT OPERATED	61	1.4	1	<1	<1	1	1	3	4	5
B. OPERATED	716	4.0	7	1	2	4	5	7	9	12
TOTAL 0-19 YRS	637	3.8	7	<1	1	3	5	7	9	12
20-34	49	4.0	4	1	1	4	5	7	8	9
35-49	34	4.5	4	2	2	4	5	7	8	11
50-64	34	3.9	4	1	1	4	5	6	8	9
65+	23	3.5	3	<1	1	3	5	6	6	7
GRAND TOTAL	**777**	**3.8**	**7**	**<1**	**1**	**3**	**5**	**7**	**9**	**12**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	156	2.6	21	<1	<1	2	3	4	7	14
20-34	27	3.8	6	1	1	3	5	8	9	10
35-49	25	7.6	375	1	1	2	6	10	37	99
50-64	13	5.5	19	1	1	4	8	11	15	16
65+	4	1.8	1	1	1	2	2	3	3	3
B. *Operated*										
0-19 YRS	1158	4.3	16	1	1	3	6	8	11	20
20-34	223	3.4	8	<1	1	2	4	8	10	12
35-49	131	4.1	13	<1	1	3	5	9	11	18
50-64	58	4.4	18	1	1	3	7	12	13	17
65+	17	6.8	28	1	1	5	10	16	18	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	323	4.2	25	<1	1	3	4	10	15	26
20-34	70	5.1	14	1	1	4	7	11	13	15
35-49	43	5.6	18	1	2	4	7	11	13	23
50-64	49	5.1	15	1	1	4	7	11	12	18
65+	31	7.5	29	3	3	7	10	13	17	28
B. *Operated*										
0-19 YRS	740	7.3	99	1	2	4	9	16	26	99
20-34	138	6.0	35	1	1	4	8	12	15	35
35-49	158	6.0	26	1	1	4	9	12	15	22
50-64	113	9.2	64	1	2	7	13	19	27	37
65+	39	9.8	66	2	2	7	11	22	29	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	225	3.4	59	<1	<1	2	3	6	10	25
B. *Operated*	1587	4.2	15	1	1	3	6	8	11	19
2. MULTIPLE DX										
A. *Not Operated*	516	4.7	23	<1	1	3	6	11	14	26
B. *Operated*	1188	7.3	78	1	2	5	9	15	23	67
1. SINGLE DX	1812	4.1	21	<1	1	3	5	8	11	19
2. MULTIPLE DX	1704	6.5	63	1	1	4	8	14	21	53
A. NOT OPERATED	741	4.3	34	<1	1	3	5	10	13	25
B. OPERATED	2775	5.5	44	1	1	4	7	11	16	36
TOTAL 0-19 YRS	2377	5.1	46	<1	1	3	6	10	15	41
20-34	458	4.4	18	<1	1	3	6	9	12	22
35-49	357	5.3	45	1	1	3	7	11	14	22
50-64	233	6.9	44	1	1	4	10	15	19	36
65+	91	8.1	46	1	2	7	10	17	22	34
GRAND TOTAL	**3516**	**5.3**	**42**	**1**	**1**	**3**	**6**	**11**	**15**	**34**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1322	3.6	15	1	1	2	4	7	11	23
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	54	6.4	53	<1	1	5	7	11	21	42
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1302	9.2	139	1	2	5	10	23	32	66
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	195	19.4	405	1	2	13	32	66	93	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1322	3.6	15	1	1	2	4	7	11	23
B. *Operated*	54	6.4	53	<1	1	5	7	11	21	42
2. MULTIPLE DX										
A. *Not Operated*	1302	9.2	139	1	2	5	10	23	32	66
B. *Operated*	195	19.4	405	1	2	13	32	66	93	99+
1. SINGLE DX	1376	3.7	17	1	1	2	4	7	11	23
2. MULTIPLE DX	1497	10.5	185	1	2	5	12	28	40	84
A. NOT OPERATED	2624	6.4	84	1	1	3	6	15	24	49
B. OPERATED	249	16.6	357	1	2	10	22	53	84	99+
TOTAL 0-19 YRS	2873	7.3	116	1	1	3	8	18	29	69
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**2873**	**7.3**	**116**	**1**	**1**	**3**	**8**	**18**	**29**	**69**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1551	2.6	7	1	1	2	3	5	6	11
20-34	495	2.9	6	1	1	2	4	5	7	12
35-49	302	3.3	7	1	1	3	4	6	7	14
50-64	175	3.3	4	1	1	3	4	6	7	10
65+	125	3.7	5	1	1	3	5	6	8	11
B. *Operated*										
0-19 YRS	8	4.0	12	1	1	3	4	10	12	12
20-34	8	4.1	9	2	2	3	5	9	11	11
35-49	9	3.6	4	1	1	3	4	7	8	8
50-64	7	5.9	23	1	1	5	6	14	16	16
65+	5	3.4	2	1	1	4	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2488	3.1	9	1	1	2	4	6	7	14
20-34	674	4.1	18	1	1	3	5	8	11	21
35-49	786	4.4	18	1	1	3	5	8	11	20
50-64	912	5.1	24	1	2	4	6	9	12	18
65+	1515	5.9	26	2	2	5	7	11	14	26
B. *Operated*										
0-19 YRS	77	9.7	169	1	1	5	10	26	40	63
20-34	47	5.8	30	1	2	4	7	10	18	29
35-49	55	9.2	87	1	2	6	12	18	25	55
50-64	93	9.5	89	2	2	7	12	18	26	57
65+	112	9.9	68	2	3	8	12	17	25	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2648	2.9	6	1	1	2	3	5	7	12
B. *Operated*	37	4.2	10	1	1	3	5	8	12	16
2. MULTIPLE DX										
A. *Not Operated*	6375	4.3	18	1	1	3	5	8	11	20
B. *Operated*	384	9.1	92	1	2	6	11	18	26	54
1. SINGLE DX	2685	2.9	6	1	1	2	3	5	7	12
2. MULTIPLE DX	5759	4.6	24	1	1	3	5	9	12	24
A. NOT OPERATED	9023	3.9	15	1	1	3	5	8	10	18
B. OPERATED	421	8.7	87	1	2	6	11	17	26	52
TOTAL 0-19 YRS	4124	3.1	12	1	1	2	4	6	7	14
20-34	1224	3.7	14	1	1	3	4	7	9	17
35-49	1152	4.3	19	1	1	3	5	8	12	21
50-64	1187	5.1	28	1	1	4	6	10	13	22
65+	1757	6.0	28	2	2	5	7	11	14	27
GRAND TOTAL	**9444**	**4.1**	**19**	**1**	**1**	**3**	**5**	**8**	**11**	**21**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	569	2.7	2	1	1	2	3	4	5	7
20-34	89	4.2	7	1	2	3	5	7	9	14
35-49	70	4.4	9	1	1	4	5	8	9	16
50-64	45	4.9	9	2	2	4	6	8	10	17
65+	73	4.8	6	1	2	4	7	8	9	14
B. *Operated*										
0-19 YRS	7	5.7	5	3	3	6	7	9	9	9
20-34	8	7.0	9	3	3	6	10	11	11	11
35-49	9	8.1	36	1	1	6	11	18	19	19
50-64	7	5.9	9	2	2	6	8	10	10	10
65+	3	7.3	2	6	6	7	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1147	3.3	5	1	1	3	4	6	7	11
20-34	306	4.5	13	1	2	4	5	9	10	19
35-49	268	5.2	14	2	2	4	6	9	12	20
50-64	463	5.6	14	2	2	4	7	10	13	21
65+	1006	6.8	40	2	3	5	8	12	15	32
B. *Operated*										
0-19 YRS	46	6.9	45	2	2	4	8	15	23	33
20-34	45	6.8	11	2	2	7	9	11	12	17
35-49	57	10.2	48	2	3	8	13	18	22	37
50-64	101	11.7	76	3	4	10	14	20	25	49
65+	152	11.7	75	3	4	10	14	23	28	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	846	3.3	4	1	1	3	4	6	7	12
B. *Operated*	34	6.8	14	2	3	6	9	10	15	19
2. MULTIPLE DX										
A. *Not Operated*	3190	5.0	21	1	2	4	6	9	12	22
B. *Operated*	401	10.4	64	2	3	9	13	19	25	49
1. SINGLE DX	880	3.4	5	1	1	3	4	6	8	13
2. MULTIPLE DX	3591	5.6	29	1	2	4	7	11	14	28
A. NOT OPERATED	4036	4.7	18	1	2	4	6	9	11	21
B. OPERATED	435	10.1	61	2	3	8	13	19	25	49
TOTAL 0-19 YRS	1769	3.2	6	1	1	3	4	5	7	12
20-34	448	4.7	12	2	2	4	6	9	11	14
35-49	404	5.9	22	1	2	5	7	12	16	24
50-64	616	6.5	29	2	2	5	8	12	15	25
65+	1234	7.3	46	2	3	6	9	13	17	36
GRAND TOTAL	**4471**	**5.2**	**25**	**1**	**2**	**4**	**6**	**10**	**13**	**25**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	171	2.3	2	1	1	2	3	4	5	7
20-34	425	3.2	5	1	1	3	4	5	7	11
35-49	299	3.3	6	1	1	3	4	6	7	10
50-64	109	3.5	5	1	1	3	4	7	8	10
65+	33	3.6	4	1	2	3	4	7	8	9
B. *Operated*										
0-19 YRS	5	3.2	2	2	2	3	4	5	5	5
20-34	42	3.3	10	1	1	2	3	6	12	15
35-49	34	3.6	9	1	1	2	5	8	11	13
50-64	14	4.0	8	1	1	3	5	9	9	9
65+	7	6.0	53	2	2	3	6	19	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	262	3.0	5	1	1	3	4	5	7	10
20-34	688	4.1	13	1	1	3	5	8	9	17
35-49	651	4.2	8	1	2	3	5	8	10	14
50-64	387	4.3	9	1	2	4	5	8	9	14
65+	273	4.9	14	1	2	4	6	8	12	22
B. *Operated*										
0-19 YRS	8	3.5	6	1	1	3	4	8	9	9
20-34	69	5.9	20	2	2	5	7	11	13	26
35-49	91	6.9	31	2	2	5	9	15	19	25
50-64	74	6.6	50	2	2	5	7	13	19	42
65+	54	5.0	7	2	2	4	6	8	10	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1037	3.1	5	1	1	3	4	6	7	10
B. *Operated*	102	3.7	12	1	1	2	4	8	11	18
2. MULTIPLE DX										
A. *Not Operated*	2261	4.1	10	1	1	3	5	8	9	15
B. *Operated*	296	6.2	29	2	2	5	7	12	16	27
1. SINGLE DX	1139	3.2	5	1	1	3	4	6	7	11
2. MULTIPLE DX	2557	4.4	13	1	2	3	5	8	10	18
A. NOT OPERATED	3298	3.8	9	1	1	3	5	7	9	14
B. OPERATED	398	5.5	25	1	2	4	7	11	15	25
TOTAL 0-19 YRS	446	2.7	4	1	1	2	3	5	6	9
20-34	1224	3.9	11	1	1	3	5	7	9	16
35-49	1075	4.2	10	1	1	3	5	8	10	16
50-64	584	4.4	14	1	2	4	6	8	10	17
65+	367	4.8	13	1	2	4	6	8	12	22
GRAND TOTAL	**3696**	**4.0**	**11**	**1**	**1**	**3**	**5**	**7**	**9**	**16**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.4	4	<1	<1	2	3	6	7	7
20-34	37	3.2	3	1	1	3	4	6	7	7
35-49	50	3.3	5	1	1	3	4	6	7	11
50-64	82	3.2	3	1	1	3	5	5	6	10
65+	59	3.1	3	1	1	3	4	5	6	8
B. *Operated*										
0-19 YRS	19	2.8	5	<1	1	2	3	7	8	8
20-34	25	3.9	6	<1	1	4	5	7	9	10
35-49	48	4.1	4	2	2	4	5	7	8	9
50-64	96	4.1	4	1	2	4	5	6	8	11
65+	74	4.1	5	1	1	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	2.0	1	<1	1	2	2	4	5	5
20-34	33	2.6	4	1	1	2	3	4	5	11
35-49	90	3.7	5	1	1	3	5	7	9	12
50-64	214	3.9	9	1	1	3	5	7	9	14
65+	296	3.9	10	1	1	3	5	7	10	16
B. *Operated*										
0-19 YRS	14	3.4	5	1	1	3	5	7	8	8
20-34	18	4.2	9	1	1	4	5	7	12	14
35-49	71	5.3	20	1	2	5	6	9	12	29
50-64	149	5.0	9	2	2	4	6	8	11	16
65+	216	5.0	13	1	2	4	6	9	12	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	245	3.1	3	1	1	3	4	5	6	10
B. *Operated*	262	4.0	5	1	1	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	667	3.7	8	1	1	3	5	7	9	14
B. *Operated*	468	4.9	12	1	2	4	6	8	11	20
1. SINGLE DX	507	3.6	4	1	1	3	5	6	7	10
2. MULTIPLE DX	1135	4.2	10	1	1	3	5	8	10	16
A. NOT OPERATED	912	3.5	7	1	1	3	4	6	8	13
B. OPERATED	730	4.6	10	1	2	4	6	8	10	16
TOTAL 0-19 YRS	84	2.5	3	<1	1	2	3	5	7	8
20-34	113	3.3	5	1	1	3	4	6	7	12
35-49	259	4.1	9	1	1	4	5	7	9	15
50-64	541	4.1	8	1	1	4	5	7	9	14
65+	645	4.2	10	1	1	3	5	8	10	17
GRAND TOTAL	**1642**	**4.0**	**9**	**1**	**1**	**3**	**5**	**7**	**9**	**15**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	2.6	3	1	1	2	3	5	6	9
20-34	16	2.2	1	1	1	2	3	3	4	4
35-49	15	2.9	6	<1	<1	2	4	7	8	8
50-64	20	2.5	2	<1	<1	2	3	4	6	7
65+	18	3.6	5	1	1	3	5	7	9	9
B. *Operated*										
0-19 YRS	112	2.0	2	<1	<1	2	2	3	4	8
20-34	88	2.4	6	<1	<1	2	3	4	6	15
35-49	72	2.6	3	<1	1	2	3	4	6	9
50-64	46	2.9	7	1	1	2	3	5	10	14
65+	30	2.3	5	<1	<1	2	3	6	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	85	2.8	3	1	1	2	3	4	7	11
20-34	78	3.5	7	1	1	3	4	7	11	13
35-49	100	3.7	13	1	1	3	4	6	9	22
50-64	149	5.0	28	1	1	4	6	10	13	23
65+	331	7.5	44	1	2	6	10	15	20	26
B. *Operated*										
0-19 YRS	42	5.0	98	<1	1	2	4	7	31	49
20-34	70	5.0	15	1	2	4	6	10	15	17
35-49	75	4.9	21	1	1	3	6	10	13	24
50-64	80	7.2	66	1	2	4	9	16	20	45
65+	102	11.3	162	1	2	7	14	26	49	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	106	2.7	3	<1	1	2	3	5	7	9
B. *Operated*	348	2.4	4	<1	<1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	743	5.5	32	1	1	4	7	11	16	24
B. *Operated*	369	7.2	84	1	1	4	9	16	23	52
1. SINGLE DX	454	2.4	4	<1	<1	2	3	4	6	10
2. MULTIPLE DX	1112	6.1	50	1	1	4	7	13	18	43
A. NOT OPERATED	849	5.2	29	1	1	4	6	11	15	24
B. OPERATED	717	4.9	51	<1	1	2	5	11	16	47
TOTAL 0-19 YRS	276	2.8	18	<1	<1	2	3	4	6	20
20-34	252	3.4	10	<1	1	2	4	7	10	17
35-49	262	3.7	13	1	1	3	4	8	10	17
50-64	295	5.1	36	1	1	3	6	11	15	35
65+	481	7.8	70	1	2	5	10	17	22	52
GRAND TOTAL	**1566**	**5.0**	**39**	**1**	**1**	**3**	**6**	**11**	**15**	**30**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	3	<1	<1	<1	3	4	4	4
20-34	1	8.0		8	8	8	8	8	8	8
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	14.0		14	14	14	14	14	14	14
65+	6	7.8	38	1	1	8	10	17	18	18
B. *Operated*										
0-19 YRS	12	4.4	20	<1	<1	2	8	11	14	14
20-34	22	5.1	22	<1	<1	3	8	13	14	15
35-49	19	7.9	45	1	2	5	12	19	22	24
50-64	55	8.7	36	<1	2	9	12	20	21	23
65+	98	11.4	67	2	4	10	14	19	25	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	13.3	204	1	1	10	24	29	29	29
20-34	5	11.8	74	5	5	7	18	25	25	25
35-49	15	8.9	78	1	1	6	11	16	31	36
50-64	43	8.4	49	2	3	7	10	14	22	40
65+	173	8.7	46	2	2	7	11	15	19	39
B. *Operated*										
0-19 YRS	16	11.4	111	1	1	8	18	27	31	33
20-34	67	11.0	143	1	2	9	13	21	26	71
35-49	113	15.7	260	2	3	11	19	36	67	99+
50-64	378	15.9	146	3	5	13	21	32	41	64
65+	1233	14.9	113	4	5	12	19	28	36	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	6.5	31	<1	<1	5	9	15	18	18
B. *Operated*	206	9.3	54	1	2	8	13	18	21	34
2. MULTIPLE DX										
A. *Not Operated*	239	8.8	50	1	2	7	11	15	23	40
B. *Operated*	1807	15.0	131	3	5	12	19	29	37	66
1. SINGLE DX	218	9.1	53	<1	1	8	12	18	21	33
2. MULTIPLE DX	2046	14.2	125	3	4	11	18	28	36	60
A. NOT OPERATED	251	8.7	49	1	2	7	11	15	22	40
B. OPERATED	2013	14.4	126	3	4	12	18	28	36	61
TOTAL 0-19 YRS	34	8.3	86	<1	<1	4	14	26	29	33
20-34	95	9.6	114	<1	1	7	12	19	24	67
35-49	148	13.9	222	2	3	10	18	33	59	99+
50-64	477	14.4	133	3	4	11	19	30	39	58
65+	1510	13.9	107	3	5	11	17	26	34	53
GRAND TOTAL	**2264**	**13.8**	**121**	**2**	**4**	**11**	**17**	**27**	**36**	**59**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	75	2.6	2	1	1	2	3	4	6	7
20-34	485	2.6	3	1	1	2	3	4	6	9
35-49	1551	2.7	3	1	1	2	3	4	5	8
50-64	1077	3.0	3	1	1	3	4	5	6	8
65+	438	3.1	4	1	1	3	4	5	7	10
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	74	3.1	5	1	1	2	4	6	8	11
35-49	445	2.6	3	1	1	2	3	4	6	11
50-64	509	2.7	4	1	1	2	3	5	6	9
65+	122	2.9	4	1	2	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	110	3.2	13	1	1	3	4	5	7	20
20-34	1111	3.1	4	1	1	3	4	5	7	10
35-49	4244	3.4	4	1	1	3	4	6	7	11
50-64	5213	3.7	6	1	2	3	5	6	8	12
65+	4479	4.3	10	1	2	4	5	7	9	15
B. *Operated*										
0-19 YRS	8	2.6	3	1	1	2	4	5	5	5
20-34	180	4.1	8	1	2	3	6	8	10	15
35-49	1231	3.9	9	1	2	3	5	8	10	15
50-64	1722	4.0	10	1	2	3	5	8	10	16
65+	803	5.2	23	1	2	4	7	10	14	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3626	2.8	3	1	1	2	3	5	6	9
B. *Operated*	1151	2.7	4	1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	15157	3.7	7	1	1	3	5	7	8	12
B. *Operated*	3944	4.2	13	1	2	3	5	8	10	17
1. SINGLE DX	4777	2.8	3	1	1	2	3	5	6	9
2. MULTIPLE DX	19101	3.8	8	1	2	3	5	7	9	14
A. NOT OPERATED	18783	3.6	6	1	1	3	4	6	8	12
B. OPERATED	5095	3.9	11	1	2	3	5	8	10	16
TOTAL 0-19 YRS	194	2.9	8	1	1	2	4	5	7	9
20-34	1850	3.1	4	1	1	3	4	6	7	10
35-49	7471	3.3	5	1	1	3	4	6	7	12
50-64	8521	3.6	6	1	1	3	5	7	8	13
65+	5842	4.3	11	1	2	4	5	8	10	17
GRAND TOTAL	**23878**	**3.6**	**7**	**1**	**1**	**3**	**4**	**7**	**8**	**13**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	497	2.8	6	1	1	2	4	6	7	13
20-34	31	2.1	1	<1	<1	2	3	4	4	5
35-49	36	2.9	8	<1	1	2	3	7	8	14
50-64	48	2.8	4	1	1	2	3	6	8	9
65+	48	3.8	35	1	1	2	4	7	8	41
B. *Operated*										
0-19 YRS	40	4.1	19	<1	1	3	5	9	15	19
20-34	21	4.4	27	<1	1	2	4	11	17	23
35-49	56	4.6	47	1	1	3	5	9	10	49
50-64	92	4.1	11	1	1	3	5	8	10	18
65+	62	4.2	21	<1	1	3	5	8	14	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	691	4.4	27	1	1	3	5	8	11	22
20-34	123	4.0	19	1	1	3	5	8	10	28
35-49	227	4.1	11	1	1	3	5	8	10	17
50-64	612	5.6	26	1	2	4	7	10	13	22
65+	1290	6.0	21	1	2	5	8	11	15	22
B. *Operated*										
0-19 YRS	133	6.2	91	1	1	3	6	13	24	72
20-34	57	5.3	12	1	2	4	8	10	11	14
35-49	172	5.3	21	1	1	4	7	11	14	25
50-64	347	6.0	36	1	1	4	7	13	18	32
65+	430	6.4	26	1	2	5	8	12	17	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	660	2.9	8	1	1	2	4	6	7	14
B. *Operated*	271	4.2	23	<1	1	3	5	8	11	22
2. MULTIPLE DX										
A. *Not Operated*	2943	5.3	23	1	1	4	7	10	13	22
B. *Operated*	1139	6.0	35	1	2	4	7	12	17	32
1. SINGLE DX	931	3.3	12	1	1	2	4	6	8	18
2. MULTIPLE DX	4082	5.5	27	1	1	4	7	11	14	24
A. NOT OPERATED	3603	4.9	21	1	1	4	6	10	13	21
B. OPERATED	1410	5.7	33	1	1	4	7	12	17	29
TOTAL 0-19 YRS	1361	4.0	26	1	1	3	5	8	11	23
20-34	232	4.1	16	1	1	3	5	9	11	24
35-49	491	4.5	19	1	1	3	6	9	12	22
50-64	1099	5.5	27	1	1	4	7	11	14	26
65+	1830	6.0	23	1	2	5	8	12	15	24
GRAND TOTAL	**5013**	**5.1**	**25**	**1**	**1**	**4**	**6**	**10**	**14**	**24**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	2.0	1	1	1	2	2	3	4	6
20-34	216	1.8	1	1	1	1	2	3	4	6
35-49	211	2.0	3	<1	1	1	2	4	4	8
50-64	121	2.0	2	<1	1	2	2	4	4	9
65+	81	2.6	4	<1	1	2	3	5	6	11
B. *Operated*										
0-19 YRS	61	1.8	2	<1	<1	1	2	3	4	8
20-34	45	3.9	5	1	1	3	5	7	8	10
35-49	61	4.4	8	1	1	4	6	8	9	14
50-64	30	5.3	11	2	2	5	7	9	12	16
65+	44	5.4	18	1	2	4	6	11	15	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	2.7	4	<1	1	2	3	5	6	13
20-34	223	2.8	5	1	1	2	4	5	7	12
35-49	316	2.8	4	1	1	2	4	5	7	11
50-64	288	3.4	7	1	1	3	4	7	9	12
65+	547	4.9	16	1	1	4	6	9	12	23
B. *Operated*										
0-19 YRS	85	4.0	20	<1	1	2	6	10	12	23
20-34	80	5.4	21	1	2	4	7	13	15	21
35-49	136	6.1	25	1	2	4	8	12	16	28
50-64	185	6.4	25	2	2	5	8	12	14	33
65+	565	7.4	27	2	3	6	9	14	17	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	672	2.0	2	<1	1	2	2	4	4	8
B. *Operated*	241	3.9	10	<1	1	3	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	1434	3.7	10	1	1	3	5	7	9	15
B. *Operated*	1051	6.7	26	1	2	6	8	13	16	27
1. SINGLE DX	913	2.5	5	<1	1	2	3	5	7	11
2. MULTIPLE DX	2485	4.9	19	1	1	4	6	10	13	23
A. NOT OPERATED	2106	3.1	8	1	1	2	4	6	8	14
B. OPERATED	1292	6.2	24	1	2	5	8	12	16	25
TOTAL 0-19 YRS	249	2.8	9	<1	1	2	3	6	8	14
20-34	564	2.9	7	1	1	2	3	5	8	14
35-49	724	3.3	10	1	1	2	4	7	9	16
50-64	624	4.1	14	1	1	3	5	8	11	16
65+	1237	5.9	23	1	2	5	7	11	15	25
GRAND TOTAL	**3398**	**4.3**	**17**	**1**	**1**	**3**	**6**	**9**	**12**	**20**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1360	2.2	2	<1	1	2	3	4	5	7
20-34	1470	2.6	4	1	1	2	3	5	6	10
35-49	850	3.0	5	1	1	3	4	5	6	11
50-64	444	3.1	4	1	1	3	4	6	7	10
65+	282	3.4	4	1	1	3	4	6	7	12
B. *Operated*										
0-19 YRS	174	3.7	4	1	2	3	4	7	9	11
20-34	281	4.1	7	1	2	4	5	8	9	14
35-49	145	4.1	9	1	1	3	5	7	9	19
50-64	62	4.3	7	1	1	4	6	8	9	12
65+	24	4.8	9	1	2	4	6	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1344	2.5	3	1	1	2	3	5	6	9
20-34	1937	3.2	6	1	1	3	4	6	8	12
35-49	1586	3.8	6	1	1	3	5	7	8	12
50-64	1497	4.3	8	1	2	4	5	8	9	15
65+	1866	4.8	13	1	2	4	6	8	11	18
B. *Operated*										
0-19 YRS	158	4.5	14	1	2	4	5	8	10	14
20-34	445	5.2	15	1	2	4	6	9	14	20
35-49	379	6.4	26	2	2	5	8	12	15	23
50-64	323	6.9	26	2	2	6	9	12	14	30
65+	314	8.0	44	2	2	7	10	16	19	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4406	2.6	4	1	1	2	3	5	6	9
B. *Operated*	686	4.0	7	1	2	3	5	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	8230	3.8	8	1	1	3	5	7	9	14
B. *Operated*	1619	6.3	26	1	2	5	8	12	16	26
1. SINGLE DX	5092	2.8	4	1	1	2	4	5	6	10
2. MULTIPLE DX	9849	4.2	12	1	1	3	5	8	10	17
A. NOT OPERATED	12636	3.4	7	1	1	3	4	6	8	13
B. OPERATED	2305	5.6	22	1	2	4	7	10	14	23
TOTAL 0-19 YRS	3036	2.5	3	1	1	2	3	5	6	9
20-34	4133	3.3	7	1	1	3	4	6	8	14
35-49	2960	3.9	10	1	1	3	5	7	9	16
50-64	2326	4.4	11	1	1	4	6	8	10	16
65+	2486	5.1	17	1	2	4	6	9	12	20
GRAND TOTAL	**14941**	**3.7**	**10**	**1**	**1**	**3**	**5**	**7**	**9**	**15**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	170	2.7	4	1	1	2	3	5	5	13
20-34	85	2.7	3	<1	1	2	3	5	6	8
35-49	73	3.7	33	<1	1	2	3	7	11	39
50-64	67	3.6	12	1	1	3	4	6	11	18
65+	65	4.3	25	<1	1	3	5	7	11	33
B. *Operated*										
0-19 YRS	21	3.5	8	<1	<1	2	5	8	9	10
20-34	32	4.6	8	1	1	4	6	8	9	13
35-49	30	4.3	9	<1	<1	4	7	8	10	11
50-64	28	4.1	19	1	1	2	5	8	16	19
65+	26	5.8	20	1	2	4	8	10	17	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	573	3.1	9	1	1	2	3	5	8	16
20-34	398	3.7	9	1	1	3	5	7	8	17
35-49	430	4.5	14	1	1	3	6	9	12	20
50-64	578	5.0	15	1	2	4	6	10	12	20
65+	1286	5.7	25	1	2	4	7	10	14	31
B. *Operated*										
0-19 YRS	70	6.0	55	1	1	4	7	10	18	48
20-34	145	5.3	20	1	1	4	7	11	14	20
35-49	165	6.8	71	1	1	6	8	13	17	33
50-64	191	7.0	38	1	1	6	9	15	20	28
65+	325	9.0	86	1	2	7	11	17	27	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	460	3.2	13	<1	1	2	4	5	8	17
B. *Operated*	137	4.5	13	1	1	4	6	9	10	19
2. MULTIPLE DX										
A. *Not Operated*	3265	4.7	18	1	1	4	6	9	12	23
B. *Operated*	896	7.3	62	1	1	6	9	15	20	38
1. SINGLE DX	597	3.5	13	<1	1	2	4	7	9	17
2. MULTIPLE DX	4161	5.3	29	1	1	4	7	10	14	28
A. NOT OPERATED	3725	4.5	18	1	1	3	6	9	12	22
B. OPERATED	1033	7.0	56	1	1	5	9	14	19	35
TOTAL 0-19 YRS	834	3.3	12	1	1	2	4	6	9	16
20-34	660	4.0	11	1	1	3	5	8	9	18
35-49	698	4.9	30	1	1	4	6	10	13	23
50-64	864	5.3	21	1	1	4	7	10	14	23
65+	1702	6.3	38	1	2	5	8	11	16	34
GRAND TOTAL	**4758**	**5.1**	**27**	**1**	**1**	**4**	**6**	**10**	**13**	**27**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1004	2.9	6	1	1	2	4	5	7	13
20-34	474	2.9	11	<1	1	2	4	5	6	12
35-49	520	2.9	8	1	1	2	3	5	7	15
50-64	556	3.4	20	1	1	2	4	6	8	14
65+	662	4.4	19	1	1	3	5	8	11	23
B. *Operated*										
0-19 YRS	116	3.2	23	<1	<1	2	3	6	12	54
20-34	131	2.4	4	<1	1	2	3	4	6	12
35-49	156	2.9	6	<1	1	2	4	5	6	9
50-64	152	2.6	7	<1	1	2	3	5	6	10
65+	83	5.3	77	<1	1	3	5	8	16	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1814	4.7	33	1	1	3	5	9	13	28
20-34	1237	3.8	15	1	1	3	4	7	9	18
35-49	1850	4.4	18	1	1	3	5	8	10	18
50-64	4057	5.7	30	1	2	4	7	11	15	24
65+	9230	6.5	31	2	2	5	8	12	16	27
B. *Operated*										
0-19 YRS	186	11.6	244	1	1	6	15	31	44	99
20-34	267	5.9	50	1	1	4	7	11	24	42
35-49	425	6.2	66	1	1	4	7	11	20	41
50-64	831	8.8	110	1	2	5	10	20	32	55
65+	1409	10.4	120	2	2	7	13	22	30	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3216	3.3	13	1	1	3	4	6	8	16
B. *Operated*	638	3.1	19	<1	1	2	3	5	7	29
2. MULTIPLE DX										
A. *Not Operated*	18188	5.7	29	1	2	4	7	11	15	26
B. *Operated*	3118	9.1	114	1	2	6	11	21	30	61
1. SINGLE DX	3854	3.3	14	1	1	2	4	6	8	17
2. MULTIPLE DX	21306	6.2	43	1	2	4	7	12	17	33
A. NOT OPERATED	21404	5.4	27	1	1	4	7	10	14	25
B. OPERATED	3756	8.0	103	1	1	5	10	19	27	58
TOTAL 0-19 YRS	3120	4.5	41	1	1	3	5	9	13	31
20-34	2109	3.8	18	1	1	3	4	7	9	24
35-49	2951	4.3	23	1	1	3	5	8	11	26
50-64	5596	5.9	42	1	1	4	7	12	16	33
65+	11384	6.8	43	2	2	5	8	13	18	32
GRAND TOTAL	**25160**	**5.8**	**40**	**1**	**1**	**4**	**7**	**11**	**16**	**32**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	316	2.1	4	<1	1	2	3	4	5	8
20-34	29	3.0	6	<1	<1	2	5	7	8	9
35-49	11	3.1	7	<1	1	2	4	7	10	10
50-64	2	3.0	8	1	1	3	5	5	5	5
65+	6	2.5	2	1	1	2	4	4	4	4
B. *Operated*										
0-19 YRS	75	5.3	29	2	2	4	5	8	19	30
20-34	29	5.5	9	1	2	5	7	10	10	13
35-49	14	7.9	22	4	4	6	10	15	19	20
50-64	1	7.0		7	7	7	7	7	7	7
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	213	3.5	14	1	1	2	4	8	10	23
20-34	47	5.5	32	1	1	4	7	15	19	99+
35-49	27	5.4	14	<1	1	4	7	10	11	18
50-64	23	7.9	128	1	1	3	8	20	39	47
65+	19	9.6	50	2	3	7	14	22	23	24
B. *Operated*										
0-19 YRS	104	11.4	121	1	2	7	14	29	36	77
20-34	115	13.7	249	1	2	8	17	35	43	97
35-49	36	11.8	207	1	1	8	18	58	99+	99+
50-64	22	15.0	269	1	4	10	19	41	87	99+
65+	17	25.9	771	2	5	18	28	82	95	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	364	2.2	4	<1	1	2	3	4	6	9
B. *Operated*	120	5.6	23	2	2	4	6	10	16	26
2. MULTIPLE DX										
A. *Not Operated*	329	4.6	29	1	1	3	6	10	15	31
B. *Operated*	294	13.4	237	1	2	8	18	34	47	99+
1. SINGLE DX	484	3.1	11	<1	1	2	4	6	8	20
2. MULTIPLE DX	623	8.8	147	1	1	5	10	22	34	99+
A. NOT OPERATED	693	3.3	17	<1	1	2	4	7	10	23
B. OPERATED	414	11.2	187	1	2	7	14	28	41	99+
TOTAL 0-19 YRS	708	4.2	36	1	1	2	4	8	15	33
20-34	220	9.5	158	1	1	6	10	22	37	96
35-49	88	8.1	103	1	1	5	10	22	48	99+
50-64	48	11.0	196	1	1	7	15	29	49	99+
65+	43	14.8	404	1	2	7	19	27	58	96
GRAND TOTAL	**1107**	**6.3**	**95**	**1**	**1**	**3**	**7**	**16**	**24**	**82**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	147	2.8	14	1	1	2	3	5	8	19
20-34	49	4.3	14	<1	1	3	6	9	13	15
35-49	10	4.9	13	<1	<1	4	7	10	13	13
50-64	6	4.7	13	1	1	4	6	10	11	11
65+	2	7.5	5	6	6	7	9	9	9	9
B. *Operated*										
0-19 YRS	21	5.4	20	1	2	3	8	10	15	20
20-34	21	4.4	15	<1	1	4	6	9	13	17
35-49	4	7.8	20	2	2	8	11	13	13	13
50-64	4	7.0	13	2	2	8	9	10	10	10
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	167	4.4	17	1	1	3	5	10	13	22
20-34	109	6.4	79	1	1	4	7	13	15	54
35-49	43	5.3	13	1	2	4	7	10	13	17
50-64	34	6.6	21	2	2	5	10	12	17	18
65+	33	10.6	140	1	2	8	12	21	35	62
B. *Operated*										
0-19 YRS	63	14.3	246	1	1	8	20	32	57	97
20-34	100	13.9	245	1	1	9	19	45	56	99+
35-49	50	12.2	228	1	2	7	14	26	46	81
50-64	25	15.5	237	2	3	11	21	28	44	75
65+	9	17.1	315	1	2	14	32	79	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	214	3.3	15	1	1	2	4	7	11	18
B. *Operated*	50	5.3	17	1	1	4	8	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	386	5.8	47	1	1	4	7	12	14	46
B. *Operated*	247	14.0	241	1	2	9	19	40	55	99+
1. SINGLE DX	264	3.7	16	1	1	2	5	8	11	19
2. MULTIPLE DX	633	9.0	138	1	1	5	11	21	35	81
A. NOT OPERATED	600	4.9	37	1	1	3	6	11	13	29
B. OPERATED	297	12.5	213	1	2	8	15	32	54	99+
TOTAL 0-19 YRS	398	5.4	68	1	1	2	6	12	20	54
20-34	279	8.6	138	1	1	5	10	20	45	94
35-49	107	8.6	124	1	2	5	10	15	23	66
50-64	69	9.7	115	2	2	6	11	20	26	67
65+	44	11.8	171	1	2	9	13	32	59	99+
GRAND TOTAL	**897**	**7.4**	**108**	**1**	**1**	**4**	**9**	**16**	**27**	**68**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	1.8	1	<1	1	1	3	3	4	4
20-34	40	2.0	3	<1	<1	2	2	3	4	11
35-49	18	2.8	5	<1	<1	2	5	6	7	7
50-64	7	1.6	1	<1	<1	1	2	4	4	4
65+	6	2.0	1	1	1	2	2	4	4	4
B. *Operated*										
0-19 YRS	421	2.0	2	<1	<1	2	2	3	5	8
20-34	569	2.6	4	<1	1	2	3	5	6	11
35-49	199	2.8	5	1	1	2	3	5	7	13
50-64	45	2.6	3	1	1	2	4	5	5	8
65+	21	3.1	3	<1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	2.3	3	<1	1	2	3	5	7	8
20-34	131	2.7	8	<1	<1	2	3	5	7	17
35-49	59	3.1	7	1	1	2	4	6	8	14
50-64	33	3.4	9	<1	1	3	4	8	10	14
65+	66	4.6	17	1	1	4	5	8	17	20
B. *Operated*										
0-19 YRS	552	3.6	15	1	1	3	4	7	10	19
20-34	969	4.6	24	1	1	3	6	9	12	28
35-49	365	5.0	27	1	1	4	6	11	13	27
50-64	171	6.0	53	1	1	4	7	14	21	56
65+	142	6.6	36	1	2	5	9	14	16	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	2.1	2	<1	<1	2	3	4	5	9
B. *Operated*	1255	2.4	4	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	368	3.1	9	<1	1	2	4	6	8	18
B. *Operated*	2199	4.7	26	1	1	3	6	9	13	28
1. SINGLE DX	1358	2.4	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	2567	4.4	24	1	1	3	5	9	13	26
A. NOT OPERATED	471	2.9	8	<1	1	2	3	6	8	17
B. OPERATED	3454	3.9	19	1	1	3	5	8	11	23
TOTAL 0-19 YRS	1084	2.8	9	<1	1	2	3	5	7	14
20-34	1709	3.8	17	1	1	3	4	7	10	23
35-49	641	4.1	19	1	1	3	5	8	12	19
50-64	256	5.0	40	1	1	3	6	10	15	43
65+	235	5.6	29	1	1	4	7	12	15	24
GRAND TOTAL	**3925**	**3.7**	**18**	**1**	**1**	**3**	**4**	**7**	**11**	**22**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	153	3.9	8	1	1	3	5	8	9	13
20-34	345	5.0	23	1	2	4	6	9	13	28
35-49	239	4.9	11	1	1	4	6	9	11	17
50-64	191	5.9	13	2	2	5	8	11	13	17
65+	269	6.9	15	2	2	6	9	12	14	20
B. *Operated*										
0-19 YRS	19	9.4	34	2	3	8	13	17	21	24
20-34	69	9.4	41	2	3	8	12	20	28	86
35-49	34	9.3	54	2	2	7	13	22	24	27
50-64	13	12.2	137	1	2	11	15	29	40	43
65+	16	15.0	306	2	3	9	20	24	60	75
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	144	6.1	56	1	1	4	7	10	16	50
20-34	354	6.2	36	1	2	5	8	11	15	27
35-49	252	7.2	51	2	2	5	8	14	20	36
50-64	368	8.0	34	2	3	7	10	14	18	26
65+	1708	8.7	33	3	3	7	11	15	18	28
B. *Operated*										
0-19 YRS	56	11.8	64	2	2	11	18	23	32	95
20-34	185	11.0	96	1	2	9	14	24	32	85
35-49	102	12.5	103	2	3	9	17	24	33	56
50-64	89	12.1	144	2	3	9	15	21	30	70
65+	183	15.5	134	4	5	12	20	28	39	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1197	5.4	16	1	2	4	7	10	13	20
B. *Operated*	151	10.2	79	2	3	8	13	21	26	74
2. MULTIPLE DX										
A. *Not Operated*	2826	8.0	37	2	3	7	10	14	18	30
B. *Operated*	615	12.8	115	2	3	10	17	26	34	60
1. SINGLE DX	1348	6.0	26	1	2	5	8	11	14	24
2. MULTIPLE DX	3441	8.9	54	2	3	7	11	17	21	40
A. NOT OPERATED	4023	7.3	32	2	2	6	9	13	17	27
B. OPERATED	766	12.3	109	2	3	9	16	24	32	61
TOTAL 0-19 YRS	372	6.2	44	1	1	4	8	13	19	35
20-34	953	7.0	48	1	2	5	8	14	19	49
35-49	627	7.3	51	1	2	5	8	15	21	35
50-64	661	8.0	48	2	3	7	10	15	19	35
65+	2176	9.1	45	2	3	8	11	16	20	34
GRAND TOTAL	**4789**	**8.1**	**48**	**2**	**2**	**6**	**10**	**15**	**20**	**35**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	5	3.8	7	1	1	3	6	7	7	7
35-49	3	6.0	25	1	1	6	10	11	11	11
50-64	1	19.0		19	19	19	19	19	19	19
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	7	18.0	105	5	6	16	24	33	35	35
20-34	17	19.1	73	8	9	19	24	32	36	37
35-49	6	16.8	59	9	9	14	19	30	31	31
50-64	3	13.0	37	9	9	10	17	20	20	20
65+	2	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	33.3	2854	1	1	4	72	95	95	95
20-34	14	20.1	390	2	2	15	27	38	68	76
35-49	5	10.8	23	7	7	10	12	19	19	19
50-64	10	9.0	84	2	3	5	8	24	33	33
65+	16	14.8	172	3	4	11	17	35	47	52
B. *Operated*										
0-19 YRS	22	31.2	296	12	15	29	44	85	99+	99+
20-34	79	25.9	293	6	7	22	35	55	71	99+
35-49	29	27.4	287	9	12	23	46	77	99+	99+
50-64	8	33.1	592	9	9	28	52	70	71	71
65+	13	21.2	208	5	7	16	31	45	49	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	5.1	26	1	1	3	6	13	18	19
B. *Operated*	35	17.8	67	7	9	17	23	31	35	37
2. MULTIPLE DX										
A. *Not Operated*	48	15.9	340	2	3	10	19	34	54	95
B. *Operated*	151	26.9	300	6	10	23	39	62	82	99+
1. SINGLE DX	48	14.3	88	2	2	14	20	25	34	37
2. MULTIPLE DX	199	24.3	331	4	5	20	34	57	77	99+
A. NOT OPERATED	61	13.6	292	1	2	8	15	33	43	93
B. OPERATED	186	25.2	268	7	9	22	34	55	72	99+
TOTAL 0-19 YRS	35	26.3	454	2	3	24	33	79	98	99+
20-34	115	23.2	281	3	6	20	32	48	69	99+
35-49	43	22.5	258	6	8	17	38	61	99+	99+
50-64	22	18.8	366	3	4	10	25	46	69	71
65+	32	17.1	180	3	4	13	21	39	49	52
GRAND TOTAL	**247**	**22.3**	**298**	**3**	**5**	**18**	**31**	**50**	**71**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (307)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	2.5	3	<1	1	2	3	5	6	7
20-34	58	3.0	4	<1	1	3	4	6	6	9
35-49	62	2.9	4	<1	1	2	4	6	8	9
50-64	64	3.5	5	1	1	3	5	6	8	12
65+	69	4.2	13	1	1	3	5	9	11	20
B. *Operated*										
0-19 YRS	3	4.0	3	3	3	3	5	6	6	6
20-34	7	5.0	11	1	1	6	8	9	9	9
35-49	3	5.7	41	1	1	3	10	13	13	13
50-64	4	8.5	17	4	4	8	11	14	14	14
65+	6	8.3	28	2	2	7	14	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	3.9	9	1	1	3	5	8	10	15
20-34	243	4.0	8	1	1	3	5	9	10	13
35-49	295	4.4	12	1	1	3	6	9	11	18
50-64	453	5.5	15	1	2	5	7	10	13	19
65+	872	6.7	27	2	2	6	8	12	15	29
B. *Operated*										
0-19 YRS	24	7.3	23	2	3	6	9	14	17	22
20-34	96	7.0	19	2	2	6	9	12	15	22
35-49	106	9.4	111	2	2	7	11	20	25	57
50-64	94	11.2	96	1	3	8	14	20	26	58
65+	144	15.1	160	2	5	12	20	33	47	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	274	3.4	7	1	1	3	4	6	9	13
B. *Operated*	23	6.4	19	1	1	6	9	14	15	15
2. MULTIPLE DX										
A. *Not Operated*	1924	5.6	20	1	2	5	7	11	13	21
B. *Operated*	464	10.9	109	2	2	8	14	22	31	68
1. SINGLE DX	297	3.6	8	1	1	3	5	7	9	14
2. MULTIPLE DX	2388	6.7	42	1	2	5	8	13	17	32
A. NOT OPERATED	2198	5.4	19	1	2	4	7	10	13	20
B. OPERATED	487	10.7	106	2	2	8	14	22	30	67
TOTAL 0-19 YRS	109	4.4	13	1	1	3	6	9	11	18
20-34	404	4.6	12	1	1	4	6	9	11	17
35-49	466	5.4	39	1	1	4	6	11	16	27
50-64	615	6.2	31	1	2	5	8	12	16	25
65+	1091	7.7	52	2	2	6	9	15	20	45
GRAND TOTAL	**2685**	**6.3**	**39**	**1**	**2**	**5**	**8**	**12**	**17**	**31**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	4.6	29	1	1	3	6	8	10	37
20-34	88	6.7	41	1	2	5	8	12	17	38
35-49	49	8.0	61	1	2	6	10	17	26	41
50-64	55	9.2	93	2	3	7	9	17	27	52
65+	231	8.0	29	2	3	7	10	14	19	25
B. *Operated*										
0-19 YRS	5	5.8	48	1	1	4	8	18	18	18
20-34	17	17.1	165	3	4	17	21	40	46	47
35-49	9	18.7	167	7	7	14	24	39	47	47
50-64	4	14.3	140	8	8	9	20	32	32	32
65+	7	12.4	49	2	3	10	17	22	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	128	7.9	72	1	2	6	9	17	23	50
20-34	143	10.0	95	2	3	7	12	21	33	46
35-49	92	11.5	69	3	4	9	14	23	30	39
50-64	131	10.8	89	2	3	8	12	22	32	46
65+	1026	11.5	75	3	4	9	14	20	27	48
B. *Operated*										
0-19 YRS	65	20.0	333	3	5	12	29	50	61	99
20-34	161	21.7	390	2	4	15	31	48	64	88
35-49	66	23.7	249	5	6	21	32	49	56	61
50-64	49	21.1	186	3	8	18	29	42	48	57
65+	123	19.3	214	4	6	14	25	37	50	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	500	7.4	43	1	2	6	9	13	19	38
B. *Operated*	42	15.0	135	2	3	12	20	28	44	47
2. MULTIPLE DX										
A. *Not Operated*	1520	11.0	78	3	3	9	13	20	28	46
B. *Operated*	464	21.0	293	3	5	15	28	47	56	85
1. SINGLE DX	542	8.0	54	2	2	6	10	15	23	43
2. MULTIPLE DX	1984	13.3	147	3	4	10	16	28	39	61
A. NOT OPERATED	2020	10.1	72	2	3	8	12	19	26	45
B. OPERATED	506	20.5	283	3	5	15	28	46	55	84
TOTAL 0-19 YRS	275	9.8	154	1	2	6	10	24	41	66
20-34	409	14.2	242	2	3	8	17	36	47	80
35-49	216	14.7	164	2	3	10	21	32	43	58
50-64	239	12.6	128	2	3	9	15	29	39	54
65+	1387	11.6	87	3	4	9	14	21	29	50
GRAND TOTAL	**2526**	**12.2**	**132**	**2**	**3**	**9**	**14**	**25**	**36**	**58**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	122	2.4	16	1	1	1	2	4	10	23
20-34	30	4.0	42	1	1	2	5	6	6	37
35-49	19	2.8	3	1	1	3	4	5	6	7
50-64	38	2.6	3	1	1	2	4	5	6	8
65+	141	4.3	14	1	1	4	5	9	10	18
B. *Operated*										
0-19 YRS	939	3.0	13	1	1	2	3	6	10	19
20-34	122	3.9	11	1	1	3	5	7	9	19
35-49	69	4.0	17	1	1	3	4	8	11	26
50-64	115	4.5	13	1	1	4	5	9	11	20
65+	165	5.0	14	1	1	4	6	9	14	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	3.8	20	1	1	2	4	13	16	18
20-34	34	3.3	5	<1	1	3	4	6	8	10
35-49	31	5.4	32	1	1	4	7	12	15	29
50-64	101	5.8	28	1	2	4	7	11	16	30
65+	524	6.3	33	1	2	5	8	12	16	28
B. *Operated*										
0-19 YRS	233	5.5	55	1	1	3	6	12	17	31
20-34	154	6.9	44	1	1	5	8	14	21	31
35-49	99	8.0	85	2	2	5	8	16	26	53
50-64	150	8.5	88	2	2	6	10	17	22	62
65+	421	8.6	57	2	2	7	11	17	21	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	350	3.3	16	1	1	2	4	7	9	22
B. *Operated*	1410	3.5	14	1	1	2	4	7	11	19
2. MULTIPLE DX										
A. *Not Operated*	741	5.9	30	1	1	4	7	12	15	27
B. *Operated*	1057	7.6	63	1	2	5	9	16	21	41
1. SINGLE DX	1760	3.4	14	1	1	2	4	7	10	19
2. MULTIPLE DX	1798	6.9	50	1	2	5	8	14	19	35
A. NOT OPERATED	1091	5.0	27	1	1	4	6	10	14	27
B. OPERATED	2467	5.2	39	1	1	3	6	12	17	29
TOTAL 0-19 YRS	1345	3.4	22	1	1	2	3	7	13	21
20-34	340	5.2	31	1	1	4	6	10	16	30
35-49	218	5.9	52	1	1	4	7	12	17	38
50-64	404	6.1	48	1	1	4	7	13	17	37
65+	1251	6.7	39	1	2	5	8	13	17	30
GRAND TOTAL	**3558**	**5.2**	**35**	**1**	**1**	**3**	**6**	**11**	**16**	**29**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	1.4	1	<1	1	1	2	2	3	4
20-34	25	2.2	2	<1	<1	2	4	4	5	5
35-49	13	2.2	3	<1	<1	1	3	5	6	6
50-64	12	3.8	11	1	1	3	5	10	11	11
65+	23	3.7	28	<1	1	3	4	5	13	27
B. *Operated*										
0-19 YRS	1312	1.8	3	<1	1	1	2	3	4	7
20-34	432	2.9	4	1	1	2	4	5	7	10
35-49	338	2.8	4	1	1	2	4	5	6	8
50-64	367	2.6	6	1	1	2	3	5	6	14
65+	346	2.8	3	1	1	2	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	3.7	54	<1	1	2	3	7	10	45
20-34	62	2.6	3	1	1	2	3	5	6	7
35-49	42	3.1	4	1	1	3	4	6	7	7
50-64	33	5.6	59	1	1	4	6	10	12	45
65+	93	5.3	13	1	2	4	7	10	11	20
B. *Operated*										
0-19 YRS	316	3.1	10	1	1	2	4	7	10	14
20-34	347	5.9	31	1	2	4	7	13	16	26
35-49	250	5.2	26	1	2	4	6	10	13	25
50-64	283	5.0	38	1	1	3	5	9	14	33
65+	503	5.7	30	1	1	4	7	12	15	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	149	2.1	7	<1	1	1	3	4	5	11
B. *Operated*	2795	2.3	4	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	284	4.1	24	1	1	3	5	8	10	27
B. *Operated*	1699	5.1	28	1	1	3	6	10	14	27
1. SINGLE DX	2944	2.3	4	1	1	2	3	4	5	10
2. MULTIPLE DX	1983	4.9	28	1	1	3	6	10	14	27
A. NOT OPERATED	433	3.4	19	1	1	2	4	7	9	21
B. OPERATED	4494	3.4	15	1	1	2	4	7	10	19
TOTAL 0-19 YRS	1758	2.1	6	<1	1	1	2	4	5	11
20-34	866	4.0	17	1	1	3	5	8	12	24
35-49	643	3.8	14	1	1	3	4	7	10	18
50-64	695	3.8	23	1	1	3	4	7	10	26
65+	965	4.6	21	1	1	3	5	9	13	23
GRAND TOTAL	**4927**	**3.4**	**15**	**1**	**1**	**2**	**4**	**7**	**10**	**20**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.7	3	<1	1	2	4	5	6	7
20-34	21	2.6	4	<1	1	2	3	6	7	8
35-49	10	3.6	18	<1	<1	2	4	10	15	15
50-64	11	2.4	3	<1	<1	1	4	5	6	6
65+	6	6.0	98	<1	<1	2	4	24	26	26
B. *Operated*										
0-19 YRS	271	2.0	7	<1	<1	1	2	3	5	10
20-34	395	2.1	4	<1	1	2	2	4	5	9
35-49	171	2.0	3	<1	<1	2	3	3	4	8
50-64	77	2.0	2	<1	1	2	3	4	5	7
65+	42	2.5	5	<1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	2.3	3	<1	1	2	4	5	5	6
20-34	30	2.6	4	1	1	2	3	6	7	8
35-49	14	3.1	5	1	1	3	4	6	8	8
50-64	18	4.4	12	1	1	3	7	10	12	12
65+	36	4.8	10	1	1	4	7	10	11	11
B. *Operated*										
0-19 YRS	137	3.3	27	1	1	2	3	5	8	36
20-34	313	3.0	8	<1	1	2	4	5	8	16
35-49	169	3.1	12	1	1	2	4	6	8	18
50-64	102	2.9	11	1	1	2	3	6	8	20
65+	65	3.3	12	1	1	2	4	6	9	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	3.1	14	<1	<1	2	4	6	7	24
B. *Operated*	956	2.1	5	<1	1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	118	3.6	8	1	1	3	5	8	10	12
B. *Operated*	786	3.1	13	1	1	2	4	6	8	18
1. SINGLE DX	1021	2.1	5	<1	1	2	2	4	5	9
2. MULTIPLE DX	904	3.2	12	1	1	2	4	6	8	16
A. NOT OPERATED	183	3.4	10	<1	1	2	4	7	9	14
B. OPERATED	1742	2.5	8	<1	1	2	3	5	7	13
TOTAL 0-19 YRS	445	2.4	13	<1	1	2	2	4	6	15
20-34	759	2.5	6	<1	1	2	3	5	6	13
35-49	364	2.6	8	<1	1	2	3	5	7	15
50-64	208	2.6	8	<1	1	2	3	5	7	12
65+	149	3.5	13	1	1	2	4	8	10	22
GRAND TOTAL	**1925**	**2.6**	**9**	**<1**	**1**	**2**	**3**	**5**	**7**	**13**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	12.9	136	1	2	5	23	28	32	43
20-34	4	16.8	553	4	4	5	29	52	52	52
35-49	5	9.0	96	1	1	6	26	93	99+	99+
50-64	24	6.0	23	1	1	4	9	12	16	19
65+	129	7.4	72	1	1	5	9	15	20	44
B. *Operated*										
0-19 YRS	82	9.3	80	2	3	7	10	19	26	52
20-34	49	10.7	118	2	3	8	11	21	37	58
35-49	108	9.0	27	4	4	8	10	15	18	33
50-64	351	10.2	23	4	5	9	12	16	18	30
65+	2138	12.4	28	6	7	12	15	18	21	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	9.0	84	1	2	4	14	24	30	31
20-34	8	4.0	13	<1	<1	3	6	10	11	11
35-49	22	10.0	216	1	2	5	9	35	80	99+
50-64	49	9.9	81	2	3	7	12	23	37	99+
65+	513	10.4	95	2	3	8	13	19	27	58
B. *Operated*										
0-19 YRS	71	13.0	89	4	5	10	16	26	36	89
20-34	137	15.7	131	4	6	12	19	33	43	72
35-49	154	16.1	158	5	6	13	20	28	48	74
50-64	604	14.5	95	5	7	12	17	24	33	68
65+	7416	15.4	69	7	8	14	18	24	30	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	194	8.4	89	1	1	5	10	20	27	64
B. *Operated*	2728	11.8	32	5	6	11	14	18	21	32
2. MULTIPLE DX										
A. *Not Operated*	615	10.2	97	2	3	8	13	19	28	61
B. *Operated*	8382	15.3	74	7	8	14	18	24	30	54
1. SINGLE DX	2922	11.6	36	4	6	11	14	18	21	33
2. MULTIPLE DX	8997	15.0	77	6	7	13	17	24	30	54
A. NOT OPERATED	809	9.8	95	1	2	7	12	19	28	61
B. OPERATED	11110	14.5	66	6	7	13	17	22	28	51
TOTAL 0-19 YRS	208	11.1	94	2	3	8	15	25	31	54
20-34	198	14.0	137	3	4	10	18	31	43	63
35-49	289	12.9	123	4	5	10	16	25	36	89
50-64	1028	12.6	73	4	5	11	15	21	28	56
65+	10196	14.4	65	6	7	13	17	22	28	49
GRAND TOTAL	**11919**	**14.1**	**69**	**5**	**7**	**13**	**17**	**22**	**28**	**51**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	323	15.8	148	1	1	16	24	32	36	54
20-34	22	15.3	322	<1	1	5	29	44	54	59
35-49	12	11.0	270	1	2	5	7	41	52	54
50-64	24	17.3	332	1	3	11	23	41	60	74
65+	54	13.1	204	2	2	8	12	38	47	56
B. *Operated*										
0-19 YRS	418	10.5	123	1	2	6	14	26	33	45
20-34	159	11.2	102	2	3	9	13	20	24	65
35-49	47	13.2	119	3	4	10	17	27	43	47
50-64	45	13.9	164	3	5	11	14	20	48	71
65+	88	13.1	69	3	5	12	16	22	27	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	147	17.3	252	1	1	15	25	38	48	78
20-34	29	21.1	425	1	2	10	40	52	58	68
35-49	16	22.9	651	2	3	6	44	65	66	67
50-64	43	21.0	353	1	5	13	36	49	92	99+
65+	198	18.7	372	2	3	11	27	54	62	93
B. *Operated*										
0-19 YRS	359	17.3	208	2	3	14	23	36	49	67
20-34	390	17.8	203	3	5	13	22	36	50	72
35-49	142	17.9	176	2	4	15	24	41	50	99+
50-64	133	21.3	315	3	6	16	27	43	71	93
65+	461	18.4	149	6	8	15	22	34	47	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	435	15.4	176	1	2	13	23	33	39	59
B. *Operated*	757	11.3	115	1	2	8	14	24	31	51
2. MULTIPLE DX										
A. *Not Operated*	433	18.7	342	1	3	11	28	49	60	90
B. *Operated*	1485	18.2	195	3	6	15	23	36	50	83
1. SINGLE DX	1192	12.8	141	1	2	9	18	27	36	54
2. MULTIPLE DX	1918	18.3	228	2	4	14	23	39	53	87
A. NOT OPERATED	868	17.0	261	1	2	12	25	39	53	80
B. OPERATED	2242	15.9	179	2	3	13	20	33	45	76
TOTAL 0-19 YRS	1247	14.6	177	1	2	11	22	32	39	61
20-34	600	16.1	200	2	4	12	19	35	48	71
35-49	217	16.9	207	2	4	13	22	42	50	77
50-64	245	19.5	301	3	5	13	25	45	66	99+
65+	801	17.5	202	3	5	14	22	38	53	99+
GRAND TOTAL	**3110**	**16.2**	**202**	**2**	**3**	**13**	**22**	**35**	**47**	**77**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	187	2.1	2	1	1	2	3	4	5	7
20-34	126	3.3	7	<1	1	3	4	6	8	14
35-49	73	3.6	7	1	1	3	5	7	10	12
50-64	64	3.8	5	1	1	3	5	7	8	10
65+	73	6.5	26	1	2	5	7	14	17	26
B. *Operated*										
0-19 YRS	544	3.6	12	1	1	3	4	7	9	15
20-34	423	5.3	17	1	2	4	7	10	13	25
35-49	281	6.6	36	1	2	5	8	11	15	30
50-64	187	6.7	31	1	2	5	9	12	16	27
65+	96	6.5	18	1	2	6	8	11	13	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	3.8	21	1	1	3	4	7	10	30
20-34	84	3.8	12	1	1	3	5	7	13	17
35-49	83	6.3	45	1	2	4	8	13	23	78
50-64	78	6.6	27	2	2	5	9	13	16	28
65+	221	7.9	62	2	2	6	10	15	20	35
B. *Operated*										
0-19 YRS	282	9.0	136	1	2	5	10	19	28	83
20-34	436	10.9	130	2	3	7	13	23	31	63
35-49	299	11.3	145	2	3	7	13	25	32	73
50-64	214	11.6	86	2	4	9	15	23	32	79
65+	285	11.6	103	3	4	9	14	21	25	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	523	3.4	10	1	1	3	4	7	9	16
B. *Operated*	1531	5.2	22	1	1	4	7	10	12	25
2. MULTIPLE DX										
A. *Not Operated*	540	6.2	44	1	1	4	8	13	17	36
B. *Operated*	1516	10.9	123	2	3	8	13	22	30	67
1. SINGLE DX	2054	4.7	20	1	1	4	6	9	12	25
2. MULTIPLE DX	2056	9.7	107	1	2	7	12	20	28	65
A. NOT OPERATED	1063	4.9	29	1	1	3	6	10	14	27
B. OPERATED	3047	8.0	81	1	2	5	10	16	23	50
TOTAL 0-19 YRS	1087	4.8	50	1	1	3	5	10	13	39
20-34	1069	7.2	71	1	2	5	8	14	22	45
35-49	736	8.2	85	1	2	6	10	16	25	63
50-64	543	8.3	57	1	2	6	10	17	23	44
65+	675	9.1	73	2	2	7	11	17	22	46
GRAND TOTAL	**4110**	**7.2**	**69**	**1**	**1**	**5**	**9**	**14**	**21**	**45**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	2.3	3	<1	1	2	3	4	5	10
20-34	136	2.9	4	1	1	2	4	6	8	10
35-49	102	3.2	3	1	1	3	4	6	7	8
50-64	74	3.7	7	1	1	3	5	8	10	12
65+	64	4.8	16	1	1	4	6	9	13	22
B. *Operated*										
0-19 YRS	685	3.2	6	1	1	3	4	6	7	12
20-34	1032	3.9	7	1	1	3	5	6	8	13
35-49	822	4.6	10	1	2	4	6	8	10	17
50-64	684	4.8	8	1	2	4	6	8	10	14
65+	399	5.9	21	2	2	5	7	10	13	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	3.3	6	<1	1	3	4	6	7	13
20-34	128	4.2	22	1	1	3	5	9	11	24
35-49	98	4.4	8	1	2	4	6	8	10	15
50-64	115	4.8	12	1	1	4	6	8	11	19
65+	235	6.3	26	2	2	5	7	12	15	22
B. *Operated*										
0-19 YRS	373	5.4	29	1	1	4	6	11	17	31
20-34	799	6.5	46	1	2	4	7	12	18	39
35-49	577	6.4	37	2	2	5	7	11	15	35
50-64	547	7.5	45	2	3	6	9	14	17	32
65+	652	9.0	42	2	3	7	11	16	22	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	460	3.3	6	1	1	3	4	6	8	12
B. *Operated*	3622	4.3	10	1	1	4	5	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	638	5.0	19	1	1	4	6	9	12	18
B. *Operated*	2948	7.1	42	2	2	5	8	13	18	36
1. SINGLE DX	4082	4.2	10	1	1	4	5	7	9	15
2. MULTIPLE DX	3586	6.7	39	1	2	5	8	13	17	34
A. NOT OPERATED	1098	4.3	14	1	1	3	5	8	10	17
B. OPERATED	6570	5.6	26	1	2	4	7	10	14	27
TOTAL 0-19 YRS	1204	3.8	14	1	1	3	5	7	10	20
20-34	2095	4.8	24	1	1	4	6	9	12	28
35-49	1599	5.1	20	1	2	4	6	9	12	22
50-64	1420	5.8	24	1	2	5	7	10	14	23
65+	1350	7.4	34	2	2	6	9	13	18	33
GRAND TOTAL	**7668**	**5.4**	**25**	**1**	**2**	**4**	**6**	**10**	**13**	**26**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.5		<1	<1	1	2	3	3	3
20-34	24	2.5	10	<1	<1	2	2	3	9	17
35-49	5	2.8	6	1	1	2	3	7	7	7
50-64	4	3.8	18	1	1	2	6	10	10	10
65+	8	4.3	10	1	1	3	5	9	11	11
B. *Operated*										
0-19 YRS	41	2.5	3	1	1	2	3	4	6	11
20-34	36	2.7	2	1	1	2	3	5	5	5
35-49	23	3.0	3	1	1	3	4	5	6	8
50-64	7	3.4	8	1	1	2	5	8	9	9
65+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	3.1	9	<1	1	2	4	8	10	16
20-34	113	3.2	6	1	1	3	4	6	7	15
35-49	71	4.2	15	1	1	3	5	9	12	19
50-64	54	4.8	11	1	2	4	7	9	13	15
65+	89	6.7	39	1	1	5	9	13	19	32
B. *Operated*										
0-19 YRS	33	7.6	178	1	1	4	7	11	45	64
20-34	61	6.0	59	<1	1	4	6	13	18	43
35-49	33	4.6	12	1	1	4	6	9	13	15
50-64	29	8.9	146	2	2	6	9	15	34	63
65+	25	9.6	44	2	3	8	15	20	22	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	2.7	8	<1	1	2	2	5	10	17
B. *Operated*	109	2.7	3	1	1	2	3	5	5	10
2. MULTIPLE DX										
A. *Not Operated*	392	4.4	18	1	1	3	5	9	12	22
B. *Operated*	181	7.0	85	1	1	4	8	14	21	59
1. SINGLE DX	162	2.7	5	1	1	2	3	5	6	11
2. MULTIPLE DX	573	5.2	41	1	1	3	6	11	15	36
A. NOT OPERATED	445	4.2	17	1	1	3	5	9	12	20
B. OPERATED	290	5.4	58	1	1	3	5	10	15	48
TOTAL 0-19 YRS	151	3.8	47	<1	1	2	4	7	10	51
20-34	234	3.8	21	1	1	3	4	7	9	26
35-49	132	4.0	12	1	1	3	5	8	11	18
50-64	94	5.9	56	1	2	4	7	10	14	49
65+	124	7.1	39	1	2	5	10	17	21	28
GRAND TOTAL	**735**	**4.6**	**34**	**1**	**1**	**3**	**5**	**9**	**14**	**26**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	8.0	127	1	1	2	16	21	21	21
50-64										
65+										
B. *Operated*										
0-19 YRS	3	8.7	100	1	1	5	16	20	20	20
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	12.5	5	11	11	12	14	14	14	14
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	14	1	1	2	6	8	8	8
20-34	3	4.3	24	1	1	6	55	99+	99+	99+
35-49	1	5.0		5	5	5	5	5	5	5
50-64	4	6.5	20	2	2	6	10	12	12	12
65+	7	14.7	99	4	5	10	19	31	34	34
B. *Operated*										
0-19 YRS	8	11.8	126	1	1	10	30	99+	99+	99+
20-34	8	24.8	591	2	2	13	50	57	60	60
35-49										
50-64	2	44.0	3362	3	3	44	85	85	85	85
65+	3	25.0	228	11	11	23	36	41	41	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	4.9	52	1	1	2	4	18	21	21
B. *Operated*	6	9.2	51	1	1	8	14	19	20	20
2. MULTIPLE DX										
A. *Not Operated*	18	8.8	68	1	1	8	12	29	70	99+
B. *Operated*	21	21.7	537	1	2	11	47	88	99+	99+
1. SINGLE DX	13	6.8	52	1	1	4	12	20	21	21
2. MULTIPLE DX	39	15.7	355	1	2	10	28	67	99+	99+
A. NOT OPERATED	25	7.7	64	1	1	5	10	21	47	99+
B. OPERATED	27	18.9	451	1	2	11	33	75	99+	99+
TOTAL 0-19 YRS	17	8.1	86	1	1	7	18	72	99+	99+
20-34	13	16.8	460	1	2	8	49	64	92	99+
35-49	6	9.0	60	1	1	8	14	20	21	21
50-64	6	19.0	1059	2	2	6	12	78	85	85
65+	10	17.8	141	4	7	12	23	37	41	41
GRAND TOTAL	**52**	**13.5**	**292**	**1**	**1**	**10**	**21**	**51**	**96**	**99+**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	11	1.6		<1	<1	2	2	3	3	3
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	2.0	1	<1	<1	2	3	3	3	3
B. *Operated*										
0-19 YRS	78	3.0	13	1	1	2	3	5	5	25
20-34	311	2.7	2	1	1	3	3	4	5	8
35-49	88	2.6	2	1	1	2	3	4	5	9
50-64	42	2.3	2	1	1	2	3	5	5	6
65+	36	3.1	10	<1	1	2	4	9	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	1.6		<1	<1	2	2	2	2	2
20-34	21	2.8	3	<1	<1	2	4	5	6	7
35-49	17	4.0	15	<1	1	2	6	11	12	12
50-64	13	3.3	10	<1	1	2	3	9	11	11
65+	19	4.0	10	<1	1	3	6	8	11	14
B. *Operated*										
0-19 YRS	16	3.1	6	1	1	3	3	5	9	11
20-34	63	3.2	4	1	1	3	4	5	8	10
35-49	46	4.0	10	1	1	3	6	8	9	16
50-64	22	4.0	13	<1	1	3	4	9	13	14
65+	56	5.2	26	1	1	4	7	11	14	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	1.7		<1	<1	2	2	3	3	3
B. *Operated*	555	2.7	4	1	1	3	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	77	3.3	9	<1	1	2	4	7	11	14
B. *Operated*	203	4.0	13	1	1	3	5	8	10	20
1. SINGLE DX	575	2.7	4	1	1	2	3	4	5	10
2. MULTIPLE DX	280	3.8	12	1	1	3	5	8	11	15
A. NOT OPERATED	97	3.0	7	<1	1	2	3	6	10	13
B. OPERATED	758	3.1	7	1	1	3	4	5	8	13
TOTAL 0-19 YRS	104	2.9	11	1	1	2	3	5	5	21
20-34	406	2.8	2	1	1	3	3	4	5	9
35-49	153	3.2	6	1	1	2	4	6	8	12
50-64	78	2.9	7	1	1	2	4	6	9	14
65+	114	4.3	18	1	1	3	6	9	13	24
GRAND TOTAL	**855**	**3.1**	**7**	**1**	**1**	**3**	**4**	**5**	**8**	**13**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.0	2	<1	<1	2	3	4	4	4
20-34	13	2.5	2	<1	<1	2	3	5	6	6
35-49	5	3.8	10	1	1	3	5	9	9	9
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	3	1.7		<1	<1	2	2	2	2	2
B. *Operated*										
0-19 YRS	384	2.3	2	<1	<1	2	3	4	5	7
20-34	761	2.2	2	<1	<1	2	3	4	5	7
35-49	445	2.2	3	<1	<1	2	3	4	5	7
50-64	189	2.4	3	<1	<1	2	3	5	6	10
65+	79	2.3	2	<1	<1	2	3	5	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.8	19	<1	<1	1	6	11	11	11
20-34	13	2.5	6	<1	<1	1	3	6	8	9
35-49	7	2.7	6	<1	<1	1	4	6	7	7
50-64	21	3.1	12	<1	<1	2	3	8	11	15
65+	13	3.9	15	1	1	3	4	11	13	14
B. *Operated*										
0-19 YRS	306	3.0	15	<1	<1	2	4	5	6	14
20-34	697	2.8	18	<1	<1	2	3	5	7	13
35-49	498	2.5	5	<1	<1	2	3	5	6	12
50-64	416	2.9	8	<1	<1	2	3	6	7	14
65+	247	3.3	10	1	1	2	4	6	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	2.4	3	<1	<1	2	3	4	6	9
B. *Operated*	1858	2.2	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	59	3.2	10	<1	<1	2	4	8	11	15
B. *Operated*	2164	2.9	12	<1	<1	2	3	5	7	14
1. SINGLE DX	1887	2.2	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX	2223	2.9	12	<1	<1	2	3	5	7	14
A. NOT OPERATED	88	2.9	8	<1	<1	2	4	7	9	15
B. OPERATED	4022	2.6	7	<1	<1	2	3	5	6	12
TOTAL 0-19 YRS	701	2.6	8	<1	<1	2	3	5	6	10
20-34	1484	2.5	10	<1	<1	2	3	5	6	10
35-49	955	2.4	4	<1	<1	2	3	4	6	10
50-64	628	2.8	7	<1	<1	2	3	5	7	13
65+	342	3.1	8	<1	1	2	4	6	9	15
GRAND TOTAL	**4110**	**2.6**	**7**	**<1**	**<1**	**2**	**3**	**5**	**6**	**12**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	3.8	21	<1	<1	3	5	7	10	26
20-34	25	5.6	36	<1	1	3	7	14	18	27
35-49	14	4.9	21	1	1	4	6	9	17	19
50-64	5	3.6	4	<1	<1	4	5	6	6	6
65+	3	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	142	2.9	10	<1	1	2	3	7	9	17
20-34	169	3.4	13	<1	1	2	4	8	11	21
35-49	85	3.9	13	<1	1	3	5	9	12	16
50-64	46	4.5	13	1	1	3	7	10	12	15
65+	25	5.4	38	1	1	3	7	14	21	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	5.6	87	<1	1	2	5	12	26	46
20-34	32	6.6	44	1	1	5	10	12	15	35
35-49	29	5.3	23	1	1	4	7	10	13	24
50-64	26	3.7	4	<1	1	4	5	6	8	9
65+	22	8.7	44	2	3	7	10	12	23	35
B. *Operated*										
0-19 YRS	136	7.3	76	1	1	5	9	15	19	60
20-34	179	8.9	108	1	1	5	12	21	31	53
35-49	121	7.5	66	1	1	5	10	15	23	50
50-64	71	7.8	90	1	1	4	9	17	30	46
65+	65	8.4	115	1	2	5	9	14	27	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	4.5	24	<1	1	3	5	9	14	27
B. *Operated*	467	3.6	14	<1	1	2	4	8	11	20
2. MULTIPLE DX										
A. *Not Operated*	137	5.9	42	1	1	4	8	11	14	37
B. *Operated*	572	8.0	90	1	1	5	10	16	24	53
1. SINGLE DX	547	3.7	15	<1	1	2	5	8	11	20
2. MULTIPLE DX	709	7.6	81	1	1	5	9	16	23	50
A. NOT OPERATED	217	5.4	36	<1	1	4	7	11	15	35
B. OPERATED	1039	6.0	60	1	1	3	7	14	19	47
TOTAL 0-19 YRS	339	5.0	47	<1	1	3	6	12	16	36
20-34	405	6.2	65	1	1	3	8	15	21	45
35-49	249	5.8	43	1	1	4	8	12	16	30
50-64	148	5.9	51	1	1	4	7	13	16	40
65+	115	7.7	83	1	1	5	9	14	22	56
GRAND TOTAL	**1256**	**5.9**	**56**	**1**	**1**	**3**	**7**	**13**	**18**	**43**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	1.9	3	<1	<1	1	2	3	7	8
20-34	20	2.7	6	<1	1	2	3	4	8	12
35-49	19	3.5	5	1	1	3	4	5	8	11
50-64	12	2.6	3	1	1	2	4	5	6	6
65+	10	5.8	4	2	3	6	7	8	9	9
B. *Operated*										
0-19 YRS	262	2.7	3	<1	1	2	3	5	5	7
20-34	304	3.1	4	<1	1	3	4	6	7	9
35-49	113	3.8	5	<1	1	3	5	7	8	10
50-64	34	4.6	9	1	1	4	6	9	9	15
65+	17	6.2	9	2	3	6	8	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	4.2	82	<1	1	2	3	6	24	42
20-34	30	3.4	6	1	1	2	5	7	7	8
35-49	28	4.8	10	1	1	4	7	10	11	11
50-64	22	4.9	26	1	1	3	6	9	16	25
65+	60	5.5	12	1	2	5	7	10	14	18
B. *Operated*										
0-19 YRS	282	3.5	5	1	1	3	5	6	7	10
20-34	475	4.1	13	1	1	4	5	7	8	18
35-49	151	4.2	9	1	1	4	5	8	10	15
50-64	64	6.0	19	1	2	5	8	13	15	20
65+	25	8.4	37	2	2	7	11	17	20	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	3.1	6	<1	1	3	4	6	8	12
B. *Operated*	730	3.2	4	<1	1	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	160	4.7	21	1	1	4	6	8	11	24
B. *Operated*	997	4.2	12	1	1	4	5	7	9	18
1. SINGLE DX	807	3.2	5	<1	1	3	4	6	7	10
2. MULTIPLE DX	1157	4.3	13	1	1	4	5	8	10	18
A. NOT OPERATED	237	4.2	17	1	1	3	5	8	11	19
B. OPERATED	1727	3.8	9	<1	1	3	5	7	8	15
TOTAL 0-19 YRS	580	3.1	7	<1	1	3	4	6	6	9
20-34	829	3.7	9	<1	1	3	5	7	8	12
35-49	311	4.0	7	1	1	3	5	8	9	13
50-64	132	5.2	17	1	1	4	7	10	13	21
65+	112	6.3	18	2	2	5	8	11	15	22
GRAND TOTAL	**1964**	**3.8**	**10**	**<1**	**1**	**3**	**5**	**7**	**8**	**15**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	3.7	5	1	1	3	5	6	7	13
20-34	861	5.4	11	1	2	5	7	10	11	16
35-49	799	5.6	10	2	2	5	7	9	12	15
50-64	337	6.0	13	2	2	5	8	11	12	18
65+	86	6.0	10	2	2	5	8	11	11	16
B. *Operated*										
0-19 YRS	12	5.9	45	1	1	4	7	14	23	25
20-34	212	5.6	19	1	2	4	8	12	15	19
35-49	174	5.7	19	1	1	5	8	11	14	18
50-64	35	4.7	12	1	1	3	7	10	12	13
65+	7	8.0	45	2	2	5	12	19	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	4.8	6	1	2	4	6	8	9	12
20-34	672	6.0	13	2	2	5	8	10	12	19
35-49	973	6.7	17	2	3	6	8	12	14	21
50-64	658	6.6	14	2	3	6	8	11	14	20
65+	486	6.7	15	2	3	6	8	11	14	21
B. *Operated*										
0-19 YRS	3	9.0	79	2	2	6	16	19	19	19
20-34	161	7.9	29	2	2	7	11	14	18	27
35-49	170	7.9	21	2	2	8	11	14	16	21
50-64	94	8.2	26	2	3	7	11	16	19	23
65+	31	10.3	24	4	5	9	12	18	20	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2149	5.5	11	2	2	5	7	10	12	16
B. *Operated*	440	5.6	20	1	1	4	8	12	15	19
2. MULTIPLE DX										
A. *Not Operated*	2857	6.5	15	2	3	6	8	11	14	20
B. *Operated*	459	8.1	25	2	2	8	11	15	17	24
1. SINGLE DX	2589	5.6	13	1	2	5	7	10	12	17
2. MULTIPLE DX	3316	6.7	17	2	3	6	8	12	14	21
A. NOT OPERATED	5006	6.1	14	2	2	5	8	11	13	19
B. OPERATED	899	6.9	24	1	2	6	10	14	16	23
TOTAL 0-19 YRS	149	4.5	10	1	1	4	6	8	9	19
20-34	1906	5.8	15	1	2	5	8	11	13	19
35-49	2116	6.3	15	2	2	5	8	11	14	19
50-64	1124	6.5	15	2	3	6	8	11	14	20
65+	610	6.8	16	2	3	6	8	12	15	21
GRAND TOTAL	**5905**	**6.2**	**15**	**2**	**2**	**5**	**8**	**11**	**14**	**20**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	134	3.1	7	<1	<1	2	4	6	8	13
20-34	685	5.1	12	1	2	4	7	10	11	17
35-49	590	5.2	13	1	2	4	7	9	11	19
50-64	190	5.1	9	1	2	4	7	10	11	15
65+	60	5.0	10	1	2	4	7	10	11	15
B. *Operated*										
0-19 YRS	19	3.4	4	1	2	3	5	6	7	8
20-34	239	4.9	21	1	1	3	6	11	15	24
35-49	189	5.9	21	1	2	4	8	12	14	20
50-64	29	4.8	13	1	2	3	5	11	14	14
65+	4	4.0	13	1	1	4	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	197	3.4	11	1	1	3	4	6	9	17
20-34	1003	5.4	15	1	2	5	7	10	12	20
35-49	989	6.1	19	2	2	5	8	11	14	21
50-64	618	6.2	17	1	2	5	8	11	14	20
65+	414	6.3	16	2	2	5	8	11	14	21
B. *Operated*										
0-19 YRS	20	4.4	10	1	2	3	6	9	11	12
20-34	224	6.7	28	1	2	5	9	13	17	25
35-49	260	7.6	53	1	1	6	10	16	21	31
50-64	91	7.1	35	2	2	6	9	14	20	33
65+	32	9.4	38	3	3	8	13	19	20	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1659	5.0	12	1	1	4	6	10	11	17
B. *Operated*	480	5.2	20	1	2	4	7	11	14	23
2. MULTIPLE DX										
A. *Not Operated*	3221	5.8	17	1	2	5	7	11	13	20
B. *Operated*	627	7.2	40	1	2	6	10	15	20	28
1. SINGLE DX	2139	5.0	14	1	2	4	7	10	12	18
2. MULTIPLE DX	3848	6.0	21	1	2	5	8	11	14	23
A. NOT OPERATED	4880	5.5	15	1	2	5	7	10	12	20
B. OPERATED	1107	6.3	32	1	2	5	8	13	18	25
TOTAL 0-19 YRS	370	3.4	9	1	1	3	4	6	8	15
20-34	2151	5.4	16	1	2	4	7	10	13	21
35-49	2028	6.0	22	1	2	5	8	11	14	24
50-64	928	6.0	18	1	2	5	8	11	14	20
65+	510	6.3	18	2	2	5	8	11	15	21
GRAND TOTAL	**5987**	**5.6**	**19**	**1**	**2**	**5**	**7**	**11**	**14**	**22**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	2.4	3	<1	1	2	3	4	5	10
20-34	79	2.9	4	1	1	2	3	6	8	10
35-49	50	2.8	2	1	1	3	4	4	5	7
50-64	28	2.9	3	1	1	3	4	5	6	7
65+	18	3.4	5	<1	1	3	4	7	8	9
B. *Operated*										
0-19 YRS	106	2.2	1	<1	1	2	3	4	4	5
20-34	278	2.6	2	1	1	2	3	4	5	9
35-49	269	2.9	5	1	1	3	4	5	5	8
50-64	264	3.7	4	1	2	3	5	6	7	11
65+	122	4.3	4	2	2	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	2.4	3	<1	1	2	3	5	6	8
20-34	97	3.6	8	1	1	3	4	8	10	15
35-49	97	4.2	7	1	1	4	6	8	10	12
50-64	82	4.0	6	1	1	4	5	7	9	13
65+	150	5.8	20	1	2	5	7	11	15	22
B. *Operated*										
0-19 YRS	45	2.9	4	<1	1	2	4	5	8	11
20-34	110	3.7	15	1	1	3	4	6	8	24
35-49	130	4.8	24	1	1	4	5	9	13	27
50-64	213	4.6	9	2	2	4	6	8	10	20
65+	147	5.8	18	2	2	5	7	11	14	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	215	2.8	3	1	1	2	4	5	7	10
B. *Operated*	1039	3.1	4	1	1	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	468	4.4	12	1	1	3	5	9	11	18
B. *Operated*	645	4.6	15	1	2	4	5	8	11	21
1. SINGLE DX	1254	3.1	4	1	1	3	4	5	6	10
2. MULTIPLE DX	1113	4.5	14	1	1	4	5	8	11	19
A. NOT OPERATED	683	3.9	10	1	1	3	5	8	10	17
B. OPERATED	1684	3.7	9	1	1	3	4	7	8	15
TOTAL 0-19 YRS	233	2.4	2	<1	1	2	3	4	5	9
20-34	564	3.0	6	1	1	2	4	5	7	11
35-49	546	3.6	10	1	1	3	4	6	8	17
50-64	587	4.1	6	1	2	4	5	7	9	12
65+	437	5.3	15	2	2	4	6	10	13	19
GRAND TOTAL	**2367**	**3.8**	**9**	**1**	**1**	**3**	**5**	**7**	**9**	**16**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1224	1.4	1	<1	1	1	2	2	3	5
20-34	361	1.7	2	<1	1	1	2	3	4	9
35-49	100	2.0	3	<1	1	1	2	4	5	9
50-64	40	2.1	2	1	1	2	3	4	5	8
65+	33	2.3	2	1	1	2	3	4	5	7
B. *Operated*										
0-19 YRS	5	4.2	24	1	1	1	7	12	12	12
20-34	5	1.2		1	1	1	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1306	1.8	3	<1	1	1	2	3	4	8
20-34	1002	2.5	7	<1	1	2	3	5	6	12
35-49	482	3.3	17	<1	1	2	4	7	9	14
50-64	289	3.3	8	1	1	2	4	6	8	15
65+	444	4.4	16	1	1	3	6	9	12	22
B. *Operated*										
0-19 YRS	282	2.8	18	1	1	2	3	5	9	16
20-34	311	3.7	30	<1	1	2	4	7	11	24
35-49	140	4.3	34	1	1	2	5	9	13	30
50-64	98	5.7	59	1	1	3	7	10	23	43
65+	110	6.1	92	1	1	3	7	13	19	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1758	1.5	1	<1	1	1	2	3	3	7
B. *Operated*	12	2.6	11	1	1	1	2	8	11	12
2. MULTIPLE DX										
A. *Not Operated*	3523	2.7	9	1	1	2	3	5	7	13
B. *Operated*	941	4.0	38	1	1	2	4	8	12	36
1. SINGLE DX	1770	1.5	2	<1	1	1	2	3	3	7
2. MULTIPLE DX	4464	3.0	15	1	1	2	3	6	8	17
A. NOT OPERATED	5281	2.3	6	<1	1	1	3	5	6	12
B. OPERATED	953	4.0	38	1	1	2	4	8	12	36
TOTAL 0-19 YRS	2817	1.7	4	<1	1	1	2	3	4	9
20-34	1679	2.6	10	<1	1	2	3	5	7	13
35-49	723	3.3	18	<1	1	2	4	7	9	17
50-64	428	3.7	20	1	1	2	4	8	9	28
65+	587	4.6	30	1	1	3	6	9	12	23
GRAND TOTAL	**6234**	**2.6**	**12**	**<1**	**1**	**2**	**3**	**5**	**7**	**15**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	601	1.8	5	<1	1	1	2	3	5	13
20-34	191	2.7	21	<1	1	1	2	5	9	29
35-49	56	3.0	10	<1	<1	2	4	7	8	18
50-64	25	3.8	24	<1	1	2	4	6	16	23
65+	43	5.3	59	<1	1	2	7	14	23	36
B. *Operated*										
0-19 YRS	45	7.8	59	1	2	5	8	17	27	38
20-34	28	9.2	88	1	2	6	11	22	27	44
35-49	17	12.2	422	1	1	5	17	67	95	99+
50-64	16	4.5	6	1	2	4	7	8	8	8
65+	31	11.9	106	2	4	9	13	24	39	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	815	3.4	48	<1	1	2	3	7	11	62
20-34	505	4.5	69	<1	1	2	4	9	20	60
35-49	254	5.1	66	1	1	3	5	11	17	36
50-64	184	5.8	54	1	1	3	7	13	17	42
65+	347	6.7	63	1	1	4	8	14	19	51
B. *Operated*										
0-19 YRS	254	14.8	381	1	1	8	21	50	78	99+
20-34	275	13.4	332	1	1	6	19	52	71	99+
35-49	110	15.1	360	1	1	8	25	47	70	99+
50-64	83	13.9	352	1	1	8	19	61	99+	99+
65+	224	13.6	158	1	2	10	18	30	41	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	916	2.3	12	<1	1	1	2	4	7	20
B. *Operated*	137	9.2	116	1	2	7	11	19	29	89
2. MULTIPLE DX										
A. *Not Operated*	2105	[illegible].6	60	1	1	2	5	10	16	52
B. *Operated*	946	14.0	308	1	1	8	19	45	67	99+
1. SINGLE DX	1053	3.2	31	<1	1	1	3	7	12	29
2. MULTIPLE DX	3051	7.5	156	1	1	3	8	21	38	99+
A. NOT OPERATED	3021	3.9	46	<1	1	2	4	8	14	37
B. OPERATED	1083	13.4	286	1	1	8	18	40	65	99+
TOTAL 0-19 YRS	1715	4.6	102	<1	1	1	3	11	22	84
20-34	999	6.7	150	<1	1	2	6	20	38	99+
35-49	437	7.6	166	1	1	3	8	20	38	99+
50-64	308	7.7	143	1	1	4	9	19	43	99+
65+	645	9.2	109	1	1	6	11	21	30	55
GRAND TOTAL	**4104**	**6.4**	**127**	**1**	**1**	**2**	**6**	**17**	**30**	**90**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	3.0	7	1	1	2	4	5	9	13
20-34	44	3.4	10	<1	1	2	5	7	10	15
35-49	19	2.7	3	1	1	3	3	5	7	8
50-64	10	2.8	2	1	1	3	4	5	5	5
65+	5	3.4	5	<1	<1	3	5	7	7	7
B. *Operated*										
0-19 YRS	39	4.4	6	2	2	4	5	7	10	14
20-34	115	5.1	7	2	3	4	6	8	9	16
35-49	36	5.1	6	1	2	5	6	8	9	13
50-64	10	6.2	8	2	2	6	7	10	12	12
65+	7	6.0	24	2	2	5	7	14	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	3.9	10	1	1	3	5	8	11	16
20-34	107	5.0	54	1	1	3	5	9	12	52
35-49	72	4.3	8	1	2	3	5	9	10	14
50-64	78	6.3	47	2	2	4	7	11	18	41
65+	104	8.0	40	3	3	7	10	13	19	39
B. *Operated*										
0-19 YRS	120	9.5	78	2	3	7	11	18	27	51
20-34	312	8.6	43	2	3	7	10	16	22	34
35-49	140	10.7	160	3	3	7	11	20	27	74
50-64	107	10.8	76	3	3	8	13	21	28	44
65+	117	11.1	91	3	3	8	13	23	30	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	3.1	7	<1	1	2	4	6	8	14
B. *Operated*	207	5.0	7	2	3	4	6	8	9	15
2. MULTIPLE DX										
A. *Not Operated*	419	5.7	37	1	2	4	7	11	13	39
B. *Operated*	796	9.8	81	2	3	7	11	19	25	50
1. SINGLE DX	309	4.4	8	1	2	4	6	8	9	15
2. MULTIPLE DX	1215	8.4	70	2	2	6	10	17	23	48
A. NOT OPERATED	521	5.2	32	1	1	4	6	10	13	33
B. OPERATED	1003	8.8	70	2	3	6	10	17	24	48
TOTAL 0-19 YRS	241	6.7	51	1	2	5	8	13	17	42
20-34	578	6.8	39	1	2	5	8	13	18	32
35-49	267	7.6	98	1	2	5	8	13	20	63
50-64	205	8.5	64	2	2	6	10	19	26	40
65+	233	9.4	68	3	3	7	11	18	26	49
GRAND TOTAL	**1524**	**7.6**	**60**	**1**	**2**	**5**	**9**	**15**	**20**	**44**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	164	3.0	5	1	1	2	4	7	8	11
20-34	81	2.8	6	1	1	2	4	7	8	10
35-49	30	2.5	6	1	1	2	2	7	9	9
50-64	6	2.0		<1	<1	2	2	3	3	3
65+	8	3.1	5	1	1	2	5	7	7	7
B. *Operated*										
0-19 YRS	81	6.6	6	3	4	6	8	10	11	13
20-34	149	6.7	10	2	4	6	8	11	13	17
35-49	39	6.9	15	1	2	6	8	12	15	17
50-64	17	7.8	20	3	4	6	10	14	17	19
65+	7	7.7	22	1	1	9	12	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	204	3.6	11	1	1	3	4	8	9	14
20-34	169	3.8	8	1	1	3	5	8	10	12
35-49	73	4.6	19	1	1	4	6	8	9	27
50-64	42	5.4	16	<1	1	4	7	11	14	17
65+	75	5.7	16	1	2	5	8	10	13	22
B. *Operated*										
0-19 YRS	277	11.5	152	3	3	8	12	24	35	75
20-34	579	12.3	124	4	5	9	13	25	40	70
35-49	259	13.3	107	4	5	10	15	30	38	52
50-64	108	13.6	130	4	5	9	17	29	36	57
65+	102	15.8	203	2	3	12	20	32	56	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	289	2.9	5	1	1	2	4	7	8	10
B. *Operated*	293	6.8	10	2	3	6	8	11	13	17
2. MULTIPLE DX										
A. *Not Operated*	563	4.2	12	1	1	3	5	9	10	16
B. *Operated*	1325	12.7	134	3	5	9	14	27	40	69
1. SINGLE DX	582	4.8	12	1	1	4	7	9	11	15
2. MULTIPLE DX	1888	10.2	113	1	2	7	11	22	32	62
A. NOT OPERATED	852	3.7	10	1	1	3	5	8	10	15
B. OPERATED	1618	11.6	117	3	4	8	13	23	35	65
TOTAL 0-19 YRS	726	6.8	77	1	1	5	8	12	21	53
20-34	978	9.2	92	1	2	7	10	17	28	61
35-49	401	10.3	92	1	2	8	12	22	33	50
50-64	173	10.6	102	1	2	7	12	23	31	52
65+	192	11.0	141	2	2	8	13	24	34	74
GRAND TOTAL	**2470**	**8.9**	**94**	**1**	**2**	**7**	**10**	**18**	**28**	**57**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.5	2	1	1	2	4	4	4	4
20-34	12	3.2	2	1	1	3	4	5	6	6
35-49	6	2.7	2	<1	<1	3	3	5	5	5
50-64										
65+	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*										
0-19 YRS	162	2.4	5	<1	1	2	3	5	6	10
20-34	101	2.9	5	1	1	2	4	5	6	14
35-49	46	3.1	4	<1	1	3	4	6	7	8
50-64	16	2.9	6	1	1	2	4	5	9	11
65+	9	2.3	2	1	1	2	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	3.6	6	<1	1	3	5	8	8	8
20-34	22	2.7	3	<1	1	2	4	5	6	8
35-49	12	2.4	2	1	1	2	3	5	6	6
50-64	4	3.0	2	2	2	3	4	5	5	5
65+	6	2.7	2	1	1	3	4	4	4	4
B. *Operated*										
0-19 YRS	163	3.9	15	1	1	3	5	7	9	15
20-34	194	4.1	15	1	1	3	5	7	10	14
35-49	96	4.3	13	1	1	4	5	8	10	22
50-64	65	4.1	20	1	1	3	5	7	8	29
65+	52	3.8	9	1	1	3	5	7	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	2.9	2	1	1	3	4	5	5	6
B. *Operated*	334	2.7	5	<1	1	2	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	66	3.0	4	1	1	3	4	6	8	8
B. *Operated*	570	4.0	14	1	1	3	5	7	9	20
1. SINGLE DX	364	2.7	5	<1	1	2	4	5	6	10
2. MULTIPLE DX	636	3.9	13	1	1	3	5	7	9	18
A. NOT OPERATED	96	2.9	3	1	1	3	4	5	7	8
B. OPERATED	904	3.5	11	1	1	3	4	7	8	16
TOTAL 0-19 YRS	357	3.2	10	1	1	3	4	6	7	13
20-34	329	3.6	11	1	1	3	4	6	9	13
35-49	160	3.7	9	1	1	3	5	7	8	20
50-64	85	3.8	17	1	1	3	4	7	8	27
65+	69	3.5	8	1	1	3	4	7	8	16
GRAND TOTAL	**1000**	**3.5**	**11**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	2.5	36	<1	<1	1	2	4	4	43
20-34	56	2.1	3	<1	<1	1	3	4	5	9
35-49	26	2.2	4	<1	<1	1	2	5	6	9
50-64	8	1.9	3	1	1	1	2	5	6	6
65+	6	1.5		1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	265	2.0	7	<1	1	1	2	3	5	16
20-34	163	2.2	5	<1	<1	1	2	4	6	11
35-49	52	2.8	7	<1	1	2	3	7	10	12
50-64	25	2.1	2	<1	1	2	3	5	5	5
65+	21	1.9	2	<1	<1	1	2	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	158	2.7	34	1	1	2	3	4	5	33
20-34	235	2.4	3	<1	<1	2	3	5	6	10
35-49	117	3.3	16	<1	1	2	4	6	8	24
50-64	87	3.7	17	1	1	2	5	8	10	25
65+	122	4.5	17	1	1	4	5	9	11	24
B. *Operated*										
0-19 YRS	493	2.7	23	1	1	2	3	5	7	17
20-34	615	3.6	20	<1	1	2	4	7	11	21
35-49	259	4.3	49	1	1	2	5	9	13	46
50-64	150	5.2	43	1	1	3	6	12	19	37
65+	188	4.8	31	1	1	3	5	12	15	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	162	2.2	16	<1	<1	1	2	4	5	9
B. *Operated*	526	2.1	6	<1	<1	1	2	4	5	12
2. MULTIPLE DX										
A. *Not Operated*	719	3.1	17	<1	1	2	4	6	8	18
B. *Operated*	1705	3.7	29	<1	1	2	4	8	11	25
1. SINGLE DX	688	2.1	8	<1	<1	1	2	4	5	12
2. MULTIPLE DX	2424	3.5	25	<1	1	2	4	7	10	24
A. NOT OPERATED	881	2.9	17	<1	1	2	4	6	7	17
B. OPERATED	2231	3.3	24	<1	1	2	4	7	10	23
TOTAL 0-19 YRS	982	2.5	21	<1	1	2	3	4	6	17
20-34	1069	3.0	14	<1	<1	2	4	6	9	16
35-49	454	3.8	33	<1	1	2	4	8	10	23
50-64	270	4.3	30	1	1	2	5	9	15	30
65+	337	4.4	24	1	1	3	5	9	14	25
GRAND TOTAL	**3112**	**3.2**	**22**	**<1**	**1**	**2**	**4**	**6**	**9**	**23**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	100	1.7	1	<1	1	1	2	3	4	6
20-34	223	1.9	2	<1	<1	1	2	3	4	7
35-49	54	1.8	1	<1	1	1	2	4	4	6
50-64	15	2.1	1	1	1	2	2	4	5	5
65+	6	2.8	7	<1	<1	2	5	7	7	7
B. *Operated*										
0-19 YRS	118	2.4	4	<1	1	2	3	5	7	11
20-34	214	3.6	7	<1	1	3	5	7	8	11
35-49	88	3.6	8	<1	1	3	5	7	10	13
50-64	24	4.4	16	1	1	3	6	11	13	16
65+	6	3.7	8	<1	<1	3	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	2.6	4	<1	1	2	3	5	7	10
20-34	165	2.4	4	<1	<1	2	3	4	6	11
35-49	74	3.3	6	<1	1	3	5	6	8	12
50-64	30	3.1	11	<1	<1	2	4	6	7	18
65+	12	4.4	8	<1	1	4	6	9	11	11
B. *Operated*										
0-19 YRS	166	4.8	16	1	1	4	6	10	13	18
20-34	389	5.4	20	1	1	5	7	11	14	22
35-49	160	9.1	159	1	1	6	10	17	36	71
50-64	56	9.0	104	1	1	6	10	19	35	53
65+	25	9.0	131	1	1	5	10	15	34	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	398	1.8	2	<1	1	1	2	4	4	6
B. *Operated*	450	3.4	7	<1	1	3	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	343	2.8	5	<1	1	2	3	6	7	11
B. *Operated*	796	6.4	59	1	1	5	8	12	17	42
1. SINGLE DX	848	2.6	5	<1	1	2	3	6	7	11
2. MULTIPLE DX	1139	5.3	46	1	1	4	6	11	14	39
A. NOT OPERATED	741	2.3	3	<1	1	2	3	4	6	10
B. OPERATED	1246	5.3	43	1	1	4	7	10	14	33
TOTAL 0-19 YRS	446	3.2	10	<1	1	2	4	7	9	14
20-34	991	3.7	13	<1	1	3	5	8	10	19
35-49	376	5.7	80	<1	1	3	6	11	15	55
50-64	125	5.9	60	1	1	3	7	12	18	46
65+	49	6.4	76	<1	1	4	8	13	16	56
GRAND TOTAL	**1987**	**4.2**	**30**	**<1**	**1**	**3**	**5**	**8**	**11**	**25**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	2.4	2	1	1	2	3	4	5	8
20-34	166	2.3	2	<1	<1	2	3	4	6	8
35-49	53	2.5	3	<1	1	2	3	6	6	9
50-64	18	3.1	5	1	1	2	3	7	9	9
65+	14	3.2	2	1	2	3	4	5	6	6
B. *Operated*										
0-19 YRS	485	2.1	4	<1	1	1	2	4	5	10
20-34	783	2.6	6	<1	1	2	3	6	7	12
35-49	292	2.5	6	<1	1	2	3	5	7	14
50-64	161	2.3	3	<1	1	2	3	5	6	7
65+	70	2.4	4	1	1	2	2	5	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	84	3.4	10	<1	1	3	4	7	9	18
20-34	155	3.3	8	<1	1	3	4	7	8	23
35-49	78	3.3	6	<1	1	3	4	6	9	12
50-64	40	4.7	10	1	1	4	6	9	11	14
65+	36	4.7	6	1	2	4	6	8	10	11
B. *Operated*										
0-19 YRS	398	2.8	10	1	1	2	3	6	7	15
20-34	882	3.4	16	<1	1	2	4	7	10	22
35-49	384	4.3	46	1	1	2	4	9	15	35
50-64	193	4.6	61	1	1	2	5	8	16	64
65+	157	4.8	36	1	1	3	6	10	15	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	321	2.5	3	<1	1	2	3	5	6	9
B. *Operated*	1791	2.4	5	<1	1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	393	3.6	8	1	1	3	4	7	9	15
B. *Operated*	2014	3.7	27	1	1	2	4	7	10	27
1. SINGLE DX	2112	2.4	5	<1	1	2	3	5	7	11
2. MULTIPLE DX	2407	3.7	24	1	1	2	4	7	10	25
A. NOT OPERATED	714	3.1	6	<1	1	2	4	6	8	13
B. OPERATED	3805	3.1	17	<1	1	2	3	6	9	21
TOTAL 0-19 YRS	1037	2.5	7	<1	1	2	3	5	7	12
20-34	1986	3.0	11	<1	1	2	4	6	8	16
35-49	807	3.4	25	1	1	2	4	7	10	25
50-64	412	3.6	32	1	1	2	4	7	9	31
65+	277	4.1	23	1	1	3	5	8	11	26
GRAND TOTAL	**4519**	**3.1**	**15**	**<1**	**1**	**2**	**4**	**6**	**9**	**19**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	128	2.9	9	<1	1	2	3	5	8	16
20-34	156	2.7	5	1	1	2	3	6	8	10
35-49	57	3.3	5	<1	1	3	4	7	8	10
50-64	14	3.4	8	<1	1	2	4	8	9	9
65+	7	4.7	3	2	2	5	6	7	7	7
B. *Operated*										
0-19 YRS	450	3.6	16	1	1	2	4	8	11	22
20-34	417	4.0	16	1	1	3	5	9	11	20
35-49	154	4.7	29	1	1	3	5	9	14	31
50-64	70	4.2	17	1	1	3	5	9	11	21
65+	50	6.9	66	<1	1	5	8	13	20	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	91	3.4	4	1	1	3	4	6	7	12
20-34	120	4.3	12	1	1	3	5	8	9	22
35-49	60	4.6	13	1	1	4	6	8	9	22
50-64	54	6.0	14	<1	1	6	8	10	11	24
65+	71	6.6	18	1	2	6	8	13	16	19
B. *Operated*										
0-19 YRS	274	6.1	59	1	1	4	7	15	20	38
20-34	347	7.9	85	1	1	5	10	17	27	47
35-49	157	7.8	63	1	2	6	10	15	23	38
50-64	113	9.7	76	1	2	7	12	20	25	48
65+	108	9.5	101	2	2	7	11	21	30	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	362	2.9	7	<1	1	2	4	6	8	10
B. *Operated*	1141	4.1	20	1	1	3	5	9	12	23
2. MULTIPLE DX										
A. *Not Operated*	396	4.8	13	1	1	4	6	9	11	20
B. *Operated*	999	7.8	76	1	1	5	9	17	24	44
1. SINGLE DX	1503	3.8	17	1	1	3	5	8	11	22
2. MULTIPLE DX	1395	6.9	60	1	1	5	8	15	22	39
A. NOT OPERATED	758	3.9	11	1	1	3	5	8	10	16
B. OPERATED	2140	5.8	50	1	1	4	7	13	19	36
TOTAL 0-19 YRS	943	4.2	28	1	1	3	5	8	13	26
20-34	1040	5.2	41	1	1	3	6	10	15	35
35-49	428	5.6	39	1	1	4	7	13	15	35
50-64	251	7.0	49	1	1	5	9	16	21	31
65+	236	7.9	68	1	2	6	10	16	22	47
GRAND TOTAL	**2898**	**5.3**	**40**	**1**	**1**	**3**	**6**	**11**	**16**	**34**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.1	3	1	1	2	2	5	7	7
20-34	4	4.3	18	1	1	3	7	10	10	10
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	4.3	9	<1	<1	5	6	7	7	7
B. *Operated*										
0-19 YRS	16	3.1	4	1	1	3	4	7	7	7
20-34	24	3.5	12	<1	<1	2	5	9	11	14
35-49	14	4.7	13	<1	1	4	8	10	12	12
50-64	8	5.5	33	1	1	3	7	16	18	18
65+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.1	1	1	1	2	3	4	4	4
20-34	11	3.6	13	1	1	2	7	9	10	10
35-49	6	3.3	6	1	1	3	3	8	8	8
50-64	3	9.7	8	8	8	8	12	13	13	13
65+	9	4.4	7	1	1	4	6	8	10	10
B. *Operated*										
0-19 YRS	32	9.8	148	1	1	4	14	26	41	47
20-34	139	10.7	228	1	1	5	11	23	47	81
35-49	57	9.1	175	1	1	5	9	22	27	85
50-64	22	6.7	30	1	1	6	9	14	18	22
65+	16	10.3	147	1	1	5	17	30	34	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	2.7	6	<1	1	2	4	7	8	10
B. *Operated*	64	3.9	12	<1	1	3	5	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	41	3.8	10	1	1	3	5	9	10	13
B. *Operated*	266	9.9	185	1	1	5	11	22	37	78
1. SINGLE DX	86	3.6	11	<1	1	2	5	9	10	17
2. MULTIPLE DX	307	9.1	166	1	1	5	10	20	33	73
A. NOT OPERATED	63	3.4	9	1	1	2	4	8	10	13
B. OPERATED	330	8.7	157	1	1	5	10	20	31	70
TOTAL 0-19 YRS	73	5.7	79	1	1	2	5	16	20	46
20-34	178	9.2	189	1	1	5	10	20	35	76
35-49	78	7.8	135	1	1	4	9	15	26	75
50-64	34	6.6	28	1	1	5	9	13	17	22
65+	30	7.4	88	1	1	4	7	26	30	36
GRAND TOTAL	**393**	**7.9**	**137**	**1**	**1**	**4**	**9**	**18**	**28**	**66**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	1	1	1	2	3	3	3	3
20-34	8	5.0	23	1	1	3	8	13	13	13
35-49	4	4.0	6	1	1	4	6	7	7	7
50-64	2	6.0	18	3	3	6	9	9	9	9
65+	3	3.0	1	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	71	3.7	11	1	1	2	4	9	12	14
20-34	101	4.0	22	1	1	3	4	8	10	29
35-49	43	4.2	18	1	1	3	5	9	11	25
50-64	26	5.0	31	<1	1	3	6	14	18	24
65+	10	5.1	9	2	2	4	8	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	5.2	28	1	2	4	5	10	19	23
20-34	24	4.0	14	1	1	3	5	8	12	18
35-49	14	5.0	14	<1	1	4	7	12	13	13
50-64	19	7.6	29	1	2	6	11	16	19	21
65+	22	7.3	43	1	2	5	10	21	52	99+
B. *Operated*										
0-19 YRS	52	4.5	23	1	1	3	5	9	15	27
20-34	98	4.8	30	1	1	3	6	10	15	69
35-49	52	6.9	96	1	1	4	9	14	45	99
50-64	36	5.7	29	1	1	4	8	13	17	24
65+	27	9.1	79	1	1	7	10	20	28	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	4.1	12	1	1	3	5	10	12	13
B. *Operated*	251	4.1	19	1	1	3	5	9	12	24
2. MULTIPLE DX										
A. *Not Operated*	95	5.8	27	1	2	4	7	13	19	66
B. *Operated*	265	5.7	48	1	1	3	7	13	19	52
1. SINGLE DX	272	4.1	18	1	1	3	5	9	12	23
2. MULTIPLE DX	360	5.8	42	1	1	4	7	13	19	52
A. NOT OPERATED	116	5.5	25	1	1	4	7	13	18	50
B. OPERATED	516	4.9	34	1	1	3	6	10	15	39
TOTAL 0-19 YRS	143	4.1	17	1	1	3	5	9	12	23
20-34	231	4.4	25	1	1	3	5	9	13	37
35-49	113	5.5	54	1	1	3	6	12	15	69
50-64	83	5.9	29	1	1	4	8	14	17	24
65+	62	7.5	53	1	2	5	10	19	26	92
GRAND TOTAL	**632**	**5.1**	**32**	**1**	**1**	**3**	**6**	**11**	**16**	**39**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	146	3.7	3	1	1	4	5	6	7	8
20-34	45	3.9	4	<1	1	4	5	6	7	11
35-49	20	4.5	12	<1	1	4	6	9	11	13
50-64	4	3.5	2	2	2	3	4	5	5	5
65+	4	3.5	2	2	2	3	4	5	5	5
B. *Operated*										
0-19 YRS	11	6.5	36	<1	1	4	8	17	20	20
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	2	4.5	25	1	1	4	8	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	97	3.9	4	1	1	4	5	6	7	12
20-34	74	3.4	7	<1	1	3	5	7	8	14
35-49	32	3.2	3	1	1	3	4	5	7	9
50-64	14	4.6	10	1	2	3	6	9	11	12
65+	17	3.4	4	1	1	3	5	6	7	8
B. *Operated*										
0-19 YRS	17	6.2	15	1	2	5	9	12	14	15
20-34	24	3.8	4	1	2	3	5	6	8	8
35-49	9	2.7	2	1	1	2	3	5	5	5
50-64	5	6.0	17	2	2	5	9	12	12	12
65+	7	2.1	1	1	1	2	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	219	3.8	4	1	1	4	5	6	7	11
B. *Operated*	14	5.8	32	<1	1	4	8	15	19	20
2. MULTIPLE DX										
A. *Not Operated*	234	3.6	5	1	1	3	5	6	8	12
B. *Operated*	62	4.3	9	1	2	3	5	8	11	15
1. SINGLE DX	233	3.9	6	1	1	4	5	6	8	13
2. MULTIPLE DX	296	3.8	6	1	1	3	5	7	8	13
A. NOT OPERATED	453	3.7	5	1	1	4	5	6	7	11
B. OPERATED	76	4.6	13	1	1	3	6	9	12	19
TOTAL 0-19 YRS	271	4.0	6	1	1	4	5	6	8	15
20-34	144	3.6	6	<1	1	3	5	6	7	11
35-49	61	3.5	6	1	1	3	4	7	9	13
50-64	25	4.7	10	1	2	3	6	9	12	12
65+	28	3.1	3	1	1	3	4	6	6	8
GRAND TOTAL	**529**	**3.9**	**6**	**1**	**1**	**4**	**5**	**6**	**8**	**13**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	445	1.9	2	<1	1	1	2	3	4	9
20-34	427	2.3	4	<1	1	2	3	4	5	10
35-49	200	2.6	5	<1	1	2	3	5	7	13
50-64	104	3.3	7	1	1	2	4	6	9	14
65+	113	3.5	9	1	1	3	5	6	9	17
B. *Operated*										
0-19 YRS	76	2.2	6	<1	<1	2	2	4	5	17
20-34	75	3.4	50	<1	1	2	3	7	8	48
35-49	42	3.6	6	1	1	3	5	8	9	10
50-64	35	5.6	22	<1	1	4	9	13	15	17
65+	20	4.4	43	1	1	3	4	7	20	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	790	2.3	5	<1	1	2	3	4	6	10
20-34	1104	2.9	7	<1	1	2	4	6	7	13
35-49	633	3.6	12	1	1	3	5	7	10	18
50-64	493	4.1	13	1	1	3	5	8	11	16
65+	1074	5.7	25	1	2	4	7	11	15	25
B. *Operated*										
0-19 YRS	125	4.0	19	1	1	3	5	8	11	23
20-34	188	4.6	34	<1	1	3	6	9	14	27
35-49	103	5.5	24	1	1	4	7	10	17	24
50-64	107	6.9	71	1	1	5	8	12	15	53
65+	155	8.9	82	1	2	6	11	19	25	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1289	2.4	5	<1	1	2	3	5	6	11
B. *Operated*	248	3.5	25	<1	1	2	4	7	10	21
2. MULTIPLE DX										
A. *Not Operated*	4094	3.8	14	1	1	3	5	8	10	18
B. *Operated*	678	6.0	50	1	1	4	8	12	19	38
1. SINGLE DX	1537	2.6	8	<1	1	2	3	5	7	13
2. MULTIPLE DX	4772	4.1	20	1	1	3	5	8	12	22
A. NOT OPERATED	5383	3.4	12	1	1	2	4	7	10	17
B. OPERATED	926	5.3	44	1	1	3	7	11	16	35
TOTAL 0-19 YRS	1436	2.3	5	<1	1	2	3	4	6	11
20-34	1794	3.0	11	<1	1	2	4	6	8	15
35-49	978	3.6	12	1	1	3	5	7	10	20
50-64	739	4.5	22	1	1	3	6	9	12	17
65+	1362	5.9	32	1	1	4	7	12	16	30
GRAND TOTAL	**6309**	**3.7**	**17**	**1**	**1**	**2**	**5**	**8**	**10**	**20**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.1	5	1	1	2	2	3	5	12
20-34	36	2.5	3	<1	1	2	3	4	7	7
35-49	12	2.4	2	1	1	2	3	5	6	6
50-64	6	2.7	4	1	1	2	4	6	6	6
65+										
B. *Operated*										
0-19 YRS	16	2.6	12	<1	<1	1	3	4	12	15
20-34	50	4.2	15	<1	1	3	6	9	13	18
35-49	23	3.3	5	<1	1	2	5	6	7	10
50-64	7	2.3	5	1	1	1	4	6	6	6
65+	4	5.8	12	2	2	5	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	3.6	23	<1	1	2	4	7	15	22
20-34	31	4.2	11	2	2	3	5	8	14	15
35-49	22	4.4	10	1	1	3	6	9	11	12
50-64	8	4.8	16	1	1	4	5	11	14	14
65+	8	3.9	16	1	1	2	5	11	13	13
B. *Operated*										
0-19 YRS	27	5.9	41	1	1	3	10	17	19	21
20-34	83	6.6	62	1	1	3	6	21	28	78
35-49	35	5.0	18	<1	1	3	6	12	14	16
50-64	35	8.0	101	1	2	4	9	23	32	46
65+	7	3.9	14	1	1	3	4	10	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	2.4	3	1	1	2	3	4	6	11
B. *Operated*	100	3.7	12	<1	1	3	5	7	11	17
2. MULTIPLE DX										
A. *Not Operated*	89	4.1	14	1	1	3	5	9	13	19
B. *Operated*	187	6.3	57	1	1	3	7	17	22	42
1. SINGLE DX	179	3.1	8	<1	1	2	4	7	9	16
2. MULTIPLE DX	276	5.6	44	1	1	3	6	14	21	34
A. NOT OPERATED	168	3.3	10	1	1	2	4	7	10	15
B. OPERATED	287	5.4	42	1	1	3	6	13	21	34
TOTAL 0-19 YRS	88	3.7	23	<1	1	2	3	11	16	22
20-34	200	4.9	34	1	1	3	5	11	20	34
35-49	92	4.1	11	1	1	3	5	10	12	16
50-64	56	6.2	71	1	1	3	6	14	26	45
65+	19	4.3	14	1	1	3	6	11	13	13
GRAND TOTAL	**455**	**4.6**	**31**	**1**	**1**	**3**	**5**	**11**	**16**	**34**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.2		<1	<1	1	1	2	2	2
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	8	1.3		<1	<1	<1	1	2	2	2
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	4	1.8	1	1	1	2	2	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	2	3.0		3	3	3	3	3	3	3
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	7	2.4	3	1	1	2	4	5	5	5
20-34	3	2.7	4	1	1	2	4	5	5	5
35-49										
50-64	2	6.0	50	1	1	6	11	11	11	11
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	1.2		<1	<1	1	1	2	2	2
B. *Operated*	14	1.6	1	<1	<1	1	2	3	5	5
2. MULTIPLE DX										
A. *Not Operated*	5	3.6	1	3	3	3	4	5	5	5
B. *Operated*	12	3.1	9	1	1	2	4	7	10	11
1. SINGLE DX	27	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX	17	3.2	6	1	1	3	4	5	9	11
A. NOT OPERATED	18	1.8	2	<1	<1	1	3	4	5	5
B. OPERATED	26	2.3	5	<1	<1	1	3	5	6	11
TOTAL 0-19 YRS	29	1.7	1	<1	<1	1	2	4	5	5
20-34	7	2.9	3	1	1	3	4	5	5	5
35-49	6	2.0	2	1	1	2	3	4	4	4
50-64	2	6.0	50	1	1	6	11	11	11	11
65+										
GRAND TOTAL	**44**	**2.1**	**4**	**<1**	**<1**	**1**	**3**	**5**	**5**	**11**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	420	1.3	1	<1	<1	1	1	2	2	7
20-34	73	1.5	2	<1	<1	1	2	2	3	8
35-49	68	1.5	2	<1	<1	1	1	3	4	10
50-64	64	1.7	2	<1	<1	1	2	3	5	8
65+	58	1.6	1	<1	1	1	2	3	5	6
B. *Operated*										
0-19 YRS	136	2.0	4	<1	<1	1	2	4	6	10
20-34	15	3.3	7	1	1	2	6	7	8	9
35-49	19	2.1	5	<1	<1	1	2	5	8	10
50-64	12	3.7	16	<1	<1	2	5	11	13	13
65+	12	2.0	4	<1	<1	1	2	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	135	2.1	3	<1	<1	1	2	4	5	11
20-34	27	4.5	43	<1	1	3	5	10	15	34
35-49	44	2.9	6	<1	1	2	4	7	8	9
50-64	86	2.5	4	<1	1	2	4	5	6	10
65+	196	3.8	17	1	1	3	5	8	10	21
B. *Operated*										
0-19 YRS	76	4.3	35	<1	1	2	5	10	25	81
20-34	26	6.4	62	<1	<1	4	8	18	25	33
35-49	46	5.9	33	1	1	4	8	15	18	24
50-64	67	5.4	26	1	1	3	8	13	16	87
65+	134	5.5	32	1	1	4	7	11	15	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	683	1.4	1	<1	<1	1	1	2	3	7
B. *Operated*	194	2.2	5	<1	<1	1	2	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	488	3.1	12	<1	1	2	4	6	9	16
B. *Operated*	349	5.3	34	1	1	3	7	12	18	33
1. SINGLE DX	877	1.6	2	<1	<1	1	1	3	4	9
2. MULTIPLE DX	837	4.0	22	<1	1	2	5	9	12	27
A. NOT OPERATED	1171	2.1	6	<1	<1	1	2	4	6	12
B. OPERATED	543	4.2	26	<1	1	2	6	10	14	28
TOTAL 0-19 YRS	767	1.8	6	<1	<1	1	2	3	5	13
20-34	141	3.2	24	<1	<1	1	3	7	10	33
35-49	177	3.1	14	<1	<1	1	3	8	11	20
50-64	229	3.2	13	<1	1	2	4	8	11	22
65+	400	4.0	21	1	1	2	5	9	11	22
GRAND TOTAL	**1714**	**2.8**	**13**	**<1**	**<1**	**1**	**3**	**6**	**9**	**21**

380: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	7.6	29	<1	1	8	11	14	17	23
20-34	22	8.6	57	1	2	6	12	21	25	29
35-49	13	4.5	8	1	1	4	7	8	9	9
50-64	3	8.7	58	2	2	7	14	17	17	17
65+	3	7.0	31	<1	<1	8	11	12	12	12
B. *Operated*										
0-19 YRS	81	9.1	89	1	2	6	12	19	23	55
20-34	57	9.2	78	2	2	6	13	18	22	53
35-49	30	11.6	150	2	2	8	14	32	37	53
50-64	25	10.9	94	2	3	9	12	19	33	47
65+	10	11.8	64	4	5	10	14	24	32	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	85	9.5	129	1	2	7	11	21	23	72
20-34	54	7.2	32	1	1	6	10	15	19	23
35-49	33	6.7	43	1	1	7	9	11	15	36
50-64	33	10.3	101	2	3	7	12	20	36	48
65+	50	10.4	72	1	3	9	13	16	19	56
B. *Operated*										
0-19 YRS	138	17.2	262	2	3	13	23	38	47	78
20-34	146	18.0	266	2	3	13	25	41	53	89
35-49	88	18.7	290	1	2	13	28	40	51	83
50-64	89	17.0	166	3	3	14	22	37	43	58
65+	101	24.7	394	3	5	21	36	58	87	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	7.4	35	1	1	7	10	16	19	27
B. *Operated*	203	9.9	94	1	2	7	13	19	28	54
2. MULTIPLE DX										
A. *Not Operated*	255	9.0	83	1	2	7	11	17	22	56
B. *Operated*	562	19.0	281	2	3	14	26	41	53	96
1. SINGLE DX	284	9.2	78	1	2	7	12	18	24	51
2. MULTIPLE DX	817	15.8	241	1	2	11	21	37	49	87
A. NOT OPERATED	336	8.6	72	1	1	7	11	17	21	49
B. OPERATED	765	16.5	247	2	2	12	22	38	49	88
TOTAL 0-19 YRS	344	12.3	177	1	2	8	15	25	39	74
20-34	279	13.4	189	1	2	9	18	31	43	73
35-49	164	13.8	221	1	2	8	19	36	43	61
50-64	150	14.3	146	2	3	11	19	33	40	51
65+	164	19.2	316	3	4	14	28	45	62	99+
GRAND TOTAL	**1101**	**14.1**	**207**	**1**	**2**	**9**	**19**	**33**	**44**	**77**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	248	4.7	24	1	1	3	7	10	13	23
20-34	162	4.6	22	1	1	3	6	11	13	20
35-49	64	4.4	21	<1	<1	2	6	10	15	20
50-64	29	4.8	18	1	1	3	7	10	16	16
65+	8	4.0	15	1	1	3	4	11	13	13
B. *Operated*										
0-19 YRS	51	8.7	107	1	1	5	12	16	31	50
20-34	31	8.2	69	1	1	6	10	18	29	36
35-49	20	6.2	30	1	1	5	9	15	18	18
50-64	10	11.8	110	2	3	8	12	30	37	37
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	534	5.5	24	1	1	4	7	12	16	21
20-34	342	5.1	20	1	1	4	7	11	15	19
35-49	195	5.6	21	1	1	4	8	12	15	21
50-64	115	8.5	66	1	2	6	11	17	24	47
65+	101	10.1	89	1	2	8	13	20	26	54
B. *Operated*										
0-19 YRS	139	12.2	134	1	2	9	16	26	35	65
20-34	115	9.9	101	1	2	7	12	22	38	67
35-49	67	11.4	131	1	2	8	16	24	34	57
50-64	41	17.0	246	2	3	13	21	35	39	90
65+	45	19.3	202	4	6	15	28	35	47	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	511	4.6	22	1	1	3	6	11	14	22
B. *Operated*	113	8.4	82	1	1	6	11	17	29	45
2. MULTIPLE DX										
A. *Not Operated*	1287	6.0	33	1	1	4	8	13	18	25
B. *Operated*	407	12.7	151	1	2	9	17	28	37	65
1. SINGLE DX	624	5.3	35	1	1	3	7	12	16	33
2. MULTIPLE DX	1694	7.6	70	1	1	5	10	17	22	44
A. NOT OPERATED	1798	5.6	31	1	1	4	7	12	16	24
B. OPERATED	520	11.8	139	1	2	8	15	27	36	61
TOTAL 0-19 YRS	972	6.4	50	1	1	4	8	15	19	35
20-34	650	6.0	41	1	1	4	8	13	18	37
35-49	346	6.6	49	1	1	4	9	15	18	34
50-64	195	9.9	113	1	2	7	13	21	30	47
65+	155	12.4	137	2	2	10	17	28	34	69
GRAND TOTAL	**2318**	**7.0**	**61**	**1**	**1**	**5**	**9**	**16**	**20**	**39**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	2.4	4	<1	<1	2	3	5	7	8
20-34	33	5.3	108	<1	1	3	6	9	12	61
35-49	25	4.8	8	1	1	4	7	9	9	10
50-64	8	6.6	18	1	1	6	10	12	12	12
65+	3	6.3	16	4	4	4	9	11	11	11
B. *Operated*										
0-19 YRS	46	3.1	9	<1	1	2	4	7	10	15
20-34	82	3.8	20	<1	1	2	4	8	11	27
35-49	36	2.8	4	<1	1	2	4	5	7	9
50-64	14	3.7	14	<1	1	2	6	11	12	12
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	10.9	299	<1	1	4	11	31	60	71
20-34	55	4.6	16	<1	1	4	5	9	13	22
35-49	32	5.6	20	<1	1	5	8	10	15	20
50-64	26	6.9	51	1	1	5	7	14	21	34
65+	27	9.5	107	2	2	7	12	13	21	57
B. *Operated*										
0-19 YRS	65	7.3	215	<1	1	2	4	19	45	81
20-34	134	5.8	177	1	1	2	5	9	14	91
35-49	63	7.7	128	1	1	4	9	27	38	95
50-64	34	6.5	41	1	1	4	10	19	22	99+
65+	20	12.1	269	1	2	5	15	23	49	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	90	4.6	46	<1	1	3	6	9	11	41
B. *Operated*	179	3.4	13	<1	1	2	4	7	10	21
2. MULTIPLE DX										
A. *Not Operated*	176	7.2	98	1	1	4	8	14	19	62
B. *Operated*	316	7.0	166	1	1	3	7	15	32	93
1. SINGLE DX	269	3.8	24	<1	1	2	5	8	11	22
2. MULTIPLE DX	492	7.0	142	1	1	3	7	14	25	86
A. NOT OPERATED	266	6.3	81	<1	1	4	7	12	16	60
B. OPERATED	495	5.7	114	<1	1	2	5	12	22	86
TOTAL 0-19 YRS	168	6.3	158	<1	1	2	5	14	26	70
20-34	304	5.0	98	<1	1	2	5	9	13	85
35-49	156	5.7	61	1	1	3	7	10	19	60
50-64	82	6.2	38	1	1	4	9	15	20	78
65+	51	10.2	163	1	2	7	12	18	24	74
GRAND TOTAL	**761**	**5.9**	**103**	**<1**	**1**	**3**	**6**	**12**	**19**	**74**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	181	1.9	2	<1	1	1	2	3	5	9
20-34	196	2.5	4	<1	1	2	3	5	6	11
35-49	93	3.4	7	<1	1	3	5	7	10	10
50-64	38	3.3	6	1	1	3	4	6	10	11
65+	34	3.7	14	1	1	2	5	8	11	19
B. *Operated*										
0-19 YRS	43	3.7	13	<1	1	2	5	9	11	17
20-34	85	3.9	20	<1	1	2	4	8	11	26
35-49	45	6.1	81	<1	1	3	7	13	20	56
50-64	15	4.3	20	<1	1	3	5	7	16	19
65+	7	8.7	18	2	3	9	11	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	280	2.5	4	<1	1	2	3	5	7	10
20-34	353	3.5	19	1	1	2	4	7	9	13
35-49	209	4.1	16	1	1	3	5	8	10	14
50-64	160	4.6	11	1	1	4	6	9	13	16
65+	233	6.4	31	1	2	5	8	12	16	31
B. *Operated*										
0-19 YRS	105	6.8	75	1	1	4	8	15	20	50
20-34	209	6.9	43	1	1	5	9	16	19	33
35-49	111	8.1	63	1	2	5	10	18	25	40
50-64	58	9.2	138	1	1	6	11	18	31	71
65+	64	10.9	131	2	2	8	14	22	29	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	542	2.6	5	1	1	2	3	5	7	11
B. *Operated*	195	4.6	33	<1	1	3	5	9	13	26
2. MULTIPLE DX										
A. *Not Operated*	1235	4.1	18	1	1	3	5	8	11	18
B. *Operated*	547	7.8	75	1	1	5	10	17	23	40
1. SINGLE DX	737	3.1	13	1	1	2	4	7	9	17
2. MULTIPLE DX	1782	5.2	39	1	1	3	6	11	15	31
A. NOT OPERATED	1777	3.6	15	1	1	2	5	8	10	16
B. OPERATED	742	7.0	66	1	1	4	9	15	22	39
TOTAL 0-19 YRS	609	3.1	19	1	1	2	3	6	9	19
20-34	843	4.2	24	1	1	3	5	9	12	25
35-49	458	5.1	35	1	1	3	6	10	14	32
50-64	271	5.4	42	1	1	4	6	11	14	34
65+	338	7.0	52	1	2	5	9	14	19	35
GRAND TOTAL	**2519**	**4.6**	**32**	**1**	**1**	**3**	**6**	**10**	**13**	**29**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1308	1.6	2	<1	<1	1	2	3	4	6
20-34	585	1.9	4	<1	1	1	2	3	4	8
35-49	236	2.1	3	<1	1	2	3	4	5	9
50-64	76	3.2	15	<1	1	2	3	7	10	24
65+	69	2.9	7	1	1	2	4	5	6	17
B. *Operated*										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	4	5.5	35	1	1	3	9	14	14	14
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	4.7	40	1	1	1	9	12	12	12
65+	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1427	3.3	38	<1	1	2	3	6	9	33
20-34	1890	3.3	19	<1	1	2	4	6	10	22
35-49	1153	4.2	28	<1	1	3	4	8	14	29
50-64	620	4.8	26	1	1	3	6	10	15	27
65+	1041	5.7	21	1	2	5	7	11	14	21
B. *Operated*										
0-19 YRS	22	9.3	90	2	2	5	13	24	31	39
20-34	40	8.5	165	1	1	4	10	20	28	74
35-49	42	10.2	131	2	2	6	14	29	43	99+
50-64	38	9.8	32	1	2	10	13	18	20	22
65+	65	11.9	103	1	3	9	15	25	34	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2274	1.9	3	<1	1	1	2	3	4	8
B. *Operated*	11	5.6	30	1	1	2	11	14	15	15
2. MULTIPLE DX										
A. *Not Operated*	6131	4.1	27	1	1	3	5	8	12	28
B. *Operated*	207	10.2	106	1	2	8	13	22	31	64
1. SINGLE DX	2285	1.9	3	<1	1	1	2	3	4	9
2. MULTIPLE DX	6338	4.3	31	1	1	3	5	9	13	28
A. NOT OPERATED	8405	3.5	21	<1	1	2	4	7	10	23
B. OPERATED	218	10.0	103	1	2	8	13	22	31	62
TOTAL 0-19 YRS	2759	2.6	22	<1	1	1	3	4	6	24
20-34	2519	3.1	18	<1	1	2	3	6	9	21
35-49	1432	4.0	28	<1	1	2	4	8	14	29
50-64	737	4.9	27	1	1	3	6	11	15	27
65+	1176	5.9	27	1	2	5	7	11	15	26
GRAND TOTAL	**8623**	**3.6**	**25**	**<1**	**1**	**2**	**4**	**8**	**11**	**25**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	758	1.7	3	<1	1	1	2	3	5	8
20-34	383	1.7	1	<1	1	1	2	3	4	7
35-49	193	2.1	5	<1	1	1	2	4	6	15
50-64	104	1.9	3	1	1	1	2	3	5	10
65+	41	1.6	1	<1	<1	1	2	3	3	4
B. *Operated*										
0-19 YRS	21	3.1	4	1	1	2	4	6	8	8
20-34	21	3.5	5	1	1	3	5	6	8	9
35-49	6	3.7	4	2	2	3	5	7	7	7
50-64	7	4.9	22	1	1	3	7	13	14	14
65+	3	8.7	44	3	3	7	14	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	404	2.4	6	1	1	2	3	5	6	10
20-34	304	3.0	27	<1	1	2	3	6	8	19
35-49	231	3.7	24	1	1	2	4	7	11	23
50-64	181	3.9	22	1	1	2	4	8	12	27
65+	161	4.1	15	1	1	3	5	9	11	21
B. *Operated*										
0-19 YRS	19	12.0	293	1	1	5	13	43	58	59
20-34	34	8.6	84	1	2	7	12	20	40	99+
35-49	24	10.0	91	1	2	7	14	25	32	38
50-64	18	5.5	14	1	2	4	7	11	13	15
65+	16	13.8	337	1	2	8	14	32	61	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1479	1.8	3	<1	1	1	2	3	5	8
B. *Operated*	58	3.8	9	1	1	3	5	8	9	16
2. MULTIPLE DX										
A. *Not Operated*	1281	3.2	18	1	1	2	4	6	9	21
B. *Operated*	111	9.7	147	1	2	6	11	23	38	84
1. SINGLE DX	1537	1.8	3	<1	1	1	2	3	5	8
2. MULTIPLE DX	1392	3.7	31	1	1	2	4	8	12	29
A. NOT OPERATED	2760	2.4	10	<1	1	1	3	5	7	15
B. OPERATED	169	7.7	107	1	1	4	9	15	30	71
TOTAL 0-19 YRS	1202	2.2	10	<1	1	1	2	4	6	11
20-34	742	2.6	18	<1	1	1	3	5	7	16
35-49	454	3.4	22	<1	1	2	4	6	11	25
50-64	310	3.3	16	1	1	2	4	7	11	23
65+	221	4.4	43	1	1	3	5	9	13	30
GRAND TOTAL	**2929**	**2.7**	**17**	**<1**	**1**	**2**	**3**	**5**	**8**	**19**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	324	1.7	1	1	1	1	2	3	4	7
20-34	198	1.8	2	<1	1	1	2	3	4	7
35-49	158	2.1	3	1	1	2	3	4	5	11
50-64	129	2.2	3	<1	1	2	3	4	5	10
65+	87	3.1	5	1	1	3	4	6	7	11
B. *Operated*										
0-19 YRS	5	3.4	8	1	1	2	5	8	8	8
20-34	3	2.7	8	1	1	1	5	6	6	6
35-49	8	4.0	20	<1	<1	2	7	11	12	12
50-64	1	24.0		24	24	24	24	24	24	24
65+	2	6.5	13	4	4	6	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	350	3.5	24	1	1	2	4	7	10	24
20-34	312	2.7	6	<1	1	2	4	5	7	12
35-49	392	3.5	9	1	1	3	4	7	9	14
50-64	513	4.7	31	1	1	3	6	9	13	27
65+	1191	5.9	28	1	2	5	7	11	15	26
B. *Operated*										
0-19 YRS	31	14.2	312	1	2	9	19	69	96	99+
20-34	38	7.8	77	1	1	5	10	18	27	42
35-49	40	7.7	98	1	1	5	9	28	39	99+
50-64	60	11.1	172	1	1	6	14	26	37	75
65+	95	9.8	84	1	1	8	13	25	40	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	896	2.0	3	<1	1	1	2	4	5	8
B. *Operated*	19	4.9	34	<1	1	2	7	11	19	24
2. MULTIPLE DX										
A. *Not Operated*	2758	4.7	24	1	1	3	6	9	12	23
B. *Operated*	264	10.0	134	1	1	7	13	26	40	99+
1. SINGLE DX	915	2.1	3	<1	1	2	2	4	5	9
2. MULTIPLE DX	3022	5.1	36	1	1	4	6	10	14	35
A. NOT OPERATED	3654	4.0	20	1	1	3	5	8	11	21
B. OPERATED	283	9.7	128	1	1	6	12	25	39	99+
TOTAL 0-19 YRS	710	3.1	32	1	1	2	3	6	9	35
20-34	551	2.7	11	<1	1	2	3	5	7	17
35-49	598	3.4	15	1	1	2	4	7	10	21
50-64	703	4.8	43	1	1	3	6	9	15	31
65+	1375	6.0	32	1	2	5	7	11	16	34
GRAND TOTAL	**3937**	**4.4**	**30**	**1**	**1**	**3**	**5**	**9**	**13**	**29**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	3.4	20	1	1	2	4	6	7	31
20-34	39	4.4	34	1	1	3	5	7	12	36
35-49	37	4.1	12	1	1	3	6	9	11	17
50-64	41	5.8	34	<1	1	4	8	11	18	29
65+	62	7.0	86	1	1	4	8	14	22	49
B. *Operated*										
0-19 YRS	356	4.7	25	1	1	3	5	9	13	27
20-34	364	4.1	17	<1	1	3	5	9	13	23
35-49	364	5.1	27	<1	1	3	7	11	15	27
50-64	526	6.2	27	1	1	4	9	13	16	25
65+	737	7.4	41	1	2	5	11	15	19	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	167	5.2	31	1	1	3	7	12	16	32
20-34	109	4.8	26	1	1	4	6	9	11	28
35-49	133	5.5	18	1	1	5	7	10	13	23
50-64	187	6.0	57	1	1	4	7	12	16	43
65+	391	6.8	41	1	2	5	9	13	17	30
B. *Operated*										
0-19 YRS	682	9.2	112	2	2	5	10	23	32	60
20-34	677	8.3	114	1	2	5	10	18	28	61
35-49	1016	8.2	82	1	2	5	10	17	26	50
50-64	1590	8.6	80	1	2	6	11	19	27	49
65+	2667	10.0	104	1	2	7	13	21	30	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	249	5.0	41	1	1	3	6	10	13	36
B. *Operated*	2347	5.8	31	1	1	4	8	13	16	27
2. MULTIPLE DX										
A. *Not Operated*	987	6.0	38	1	1	4	8	12	15	30
B. *Operated*	6632	9.1	97	1	2	6	11	20	29	52
1. SINGLE DX	2596	5.8	32	1	1	4	8	13	16	27
2. MULTIPLE DX	7619	8.7	91	1	2	6	11	19	27	51
A. NOT OPERATED	1236	5.8	39	1	1	4	7	11	15	31
B. OPERATED	8979	8.3	82	1	2	5	11	18	25	47
TOTAL 0-19 YRS	1275	7.1	77	1	1	4	8	16	25	48
20-34	1189	6.6	78	1	1	4	8	14	21	44
35-49	1550	7.1	64	1	1	5	9	15	21	42
50-64	2344	7.8	67	1	2	5	10	16	22	45
65+	3857	9.1	87	1	2	6	12	19	26	49
GRAND TOTAL	**10215**	**8.0**	**77**	**1**	**2**	**5**	**10**	**17**	**24**	**46**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	125	1.5	1	<1	1	1	2	2	3	6
20-34	184	2.3	2	<1	1	2	3	4	5	8
35-49	105	2.6	3	1	1	2	3	5	6	8
50-64	103	3.1	3	1	1	3	4	5	7	10
65+	174	3.5	5	1	1	3	4	6	7	12
B. *Operated*										
0-19 YRS	142	1.6	1	<1	1	1	2	3	4	6
20-34	200	2.4	4	<1	1	2	3	5	7	10
35-49	108	3.0	4	1	1	2	4	6	7	9
50-64	51	3.2	7	1	1	2	4	6	7	14
65+	76	4.5	13	1	1	3	6	9	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	1.8	1	<1	1	1	2	4	4	6
20-34	95	3.5	31	1	1	3	4	6	7	35
35-49	88	3.7	8	1	1	3	5	7	10	15
50-64	145	3.6	8	1	1	3	5	7	9	24
65+	259	4.3	19	1	1	3	5	8	9	20
B. *Operated*										
0-19 YRS	36	4.3	30	1	1	2	5	11	18	23
20-34	104	3.3	8	1	1	2	4	7	8	15
35-49	101	5.1	21	1	1	4	7	11	16	21
50-64	92	5.3	42	1	1	4	6	10	14	40
65+	205	5.4	35	1	1	4	7	12	16	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	691	2.6	3	1	1	2	3	5	6	9
B. *Operated*	577	2.7	5	<1	1	2	3	5	8	12
2. MULTIPLE DX										
A. *Not Operated*	634	3.7	16	1	1	3	4	7	9	17
B. *Operated*	538	4.8	29	1	1	3	6	11	14	25
1. SINGLE DX	1268	2.6	4	<1	1	2	3	5	7	11
2. MULTIPLE DX	1172	4.2	22	1	1	3	5	9	12	23
A. NOT OPERATED	1325	3.2	10	1	1	2	4	6	8	13
B. OPERATED	1115	3.7	18	1	1	2	5	8	11	20
TOTAL 0-19 YRS	350	1.9	5	<1	1	1	2	3	5	11
20-34	583	2.7	9	<1	1	2	3	5	7	12
35-49	402	3.6	10	1	1	3	5	7	9	16
50-64	391	3.8	15	1	1	3	5	7	10	22
65+	714	4.4	20	1	1	3	5	8	12	21
GRAND TOTAL	**2440**	**3.4**	**13**	**1**	**1**	**2**	**4**	**7**	**9**	**17**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	4.5	8	1	2	4	6	8	11	14
20-34	139	4.7	10	1	2	4	6	8	11	16
35-49	89	5.4	21	2	2	4	7	9	11	28
50-64	72	6.3	13	2	2	6	8	12	14	16
65+	60	6.5	22	2	2	5	8	14	17	20
B. *Operated*										
0-19 YRS	61	5.5	16	1	1	5	7	10	12	21
20-34	85	6.4	23	1	2	5	8	13	17	25
35-49	101	8.7	51	2	2	7	11	19	22	37
50-64	71	9.9	98	1	2	7	11	20	32	49
65+	49	10.1	89	1	2	7	13	27	30	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	6.2	25	2	2	5	8	12	16	28
20-34	137	6.5	27	2	3	5	8	12	18	28
35-49	162	7.0	23	2	3	6	9	14	16	25
50-64	199	8.0	30	2	3	7	10	14	20	31
65+	229	8.9	50	3	4	7	11	16	20	31
B. *Operated*										
0-19 YRS	71	8.5	80	2	2	5	11	20	39	88
20-34	147	10.6	132	2	3	8	12	20	26	67
35-49	182	11.9	135	2	3	9	15	22	30	68
50-64	230	13.3	135	2	3	10	18	28	36	54
65+	269	16.5	240	2	3	12	21	35	48	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	425	5.3	14	1	2	4	7	10	13	20
B. *Operated*	367	8.1	55	1	2	6	10	17	21	41
2. MULTIPLE DX										
A. *Not Operated*	797	7.6	34	2	3	6	9	14	18	27
B. *Operated*	899	13.2	167	2	3	9	16	27	40	72
1. SINGLE DX	792	6.6	35	1	2	5	8	13	18	30
2. MULTIPLE DX	1696	10.6	112	2	3	7	13	21	28	60
A. NOT OPERATED	1222	6.8	29	2	2	5	8	13	16	26
B. OPERATED	1266	11.7	140	2	2	8	15	24	35	65
TOTAL 0-19 YRS	267	6.2	35	1	2	5	8	12	18	43
20-34	508	7.2	57	2	2	5	8	14	19	36
35-49	534	8.7	72	2	3	6	11	18	23	47
50-64	572	10.1	85	2	3	7	13	21	28	44
65+	607	12.1	150	2	3	8	15	25	35	69
GRAND TOTAL	**2488**	**9.3**	**91**	**2**	**2**	**7**	**11**	**19**	**26**	**52**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	3.2	6	<1	1	3	4	7	9	11
20-34	77	2.9	7	1	1	2	3	6	8	13
35-49	97	4.9	22	1	1	3	6	11	13	25
50-64	75	5.5	24	1	1	4	8	11	16	23
65+	63	4.8	25	1	1	3	7	10	12	25
B. *Operated*										
0-19 YRS	60	4.0	21	<1	1	3	5	8	9	30
20-34	114	5.3	49	1	1	4	6	9	12	40
35-49	130	5.6	17	1	1	5	8	11	14	19
50-64	103	6.0	34	<1	1	4	8	12	16	32
65+	109	6.4	56	<1	1	4	7	14	21	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	93	3.8	11	1	1	3	5	9	12	14
20-34	186	4.3	15	1	1	3	5	9	12	19
35-49	214	4.7	15	1	1	3	6	10	11	19
50-64	234	5.8	18	1	1	5	8	12	15	20
65+	387	6.5	38	1	1	5	9	13	16	25
B. *Operated*										
0-19 YRS	127	5.6	45	1	1	3	8	15	20	33
20-34	274	5.8	52	1	1	3	7	13	20	45
35-49	358	7.7	64	1	1	5	11	17	23	36
50-64	425	8.9	71	1	1	7	12	19	25	52
65+	684	9.0	106	1	1	6	12	22	28	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	371	4.3	18	1	1	3	6	10	12	23
B. *Operated*	516	5.6	36	1	1	4	7	11	15	29
2. MULTIPLE DX										
A. *Not Operated*	1114	5.4	24	1	1	4	7	11	14	23
B. *Operated*	1868	8.0	79	1	1	5	11	18	25	47
1. SINGLE DX	887	5.1	29	1	1	3	7	11	14	26
2. MULTIPLE DX	2982	7.0	60	1	1	5	9	16	22	42
A. NOT OPERATED	1485	5.1	23	1	1	4	7	11	14	23
B. OPERATED	2384	7.5	71	1	1	5	10	17	23	45
TOTAL 0-19 YRS	339	4.4	25	1	1	3	5	9	14	29
20-34	651	4.9	36	1	1	3	6	10	14	34
35-49	799	6.2	40	1	1	4	8	13	18	30
50-64	837	7.3	50	1	1	5	10	16	20	42
65+	1243	7.8	78	1	1	5	10	18	24	48
GRAND TOTAL	**3869**	**6.6**	**54**	**1**	**1**	**4**	**9**	**14**	**20**	**38**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	2.1	2	<1	1	2	3	4	5	6
20-34	8	3.9	6	1	1	3	5	8	9	9
35-49	9	3.2	4	1	1	3	5	6	6	6
50-64	8	4.8	3	2	2	5	6	7	7	7
65+	5	2.2	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	3.5	4	1	1	3	5	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	4.1	19	<1	1	3	4	9	11	24
20-34	14	4.9	6	1	2	5	7	8	9	9
35-49	22	4.9	10	1	2	4	6	10	13	14
50-64	24	4.0	10	1	2	3	5	10	11	13
65+	43	4.3	14	1	1	3	6	9	12	17
B. *Operated*										
0-19 YRS	6	5.7	19	1	1	5	8	12	12	12
20-34	7	5.1	24	1	1	4	4	14	16	16
35-49	5	6.6	6	4	4	6	8	10	10	10
50-64	18	6.7	22	1	2	6	8	14	18	20
65+	11	9.2	20	2	3	8	12	16	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	2.9	3	1	1	2	4	6	7	9
B. *Operated*	4	3.5	4	1	1	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	141	4.4	13	1	1	3	6	9	11	18
B. *Operated*	47	6.9	20	1	2	6	8	14	16	20
1. SINGLE DX	62	3.0	3	1	1	2	4	6	7	9
2. MULTIPLE DX	188	5.0	16	1	1	4	7	10	13	19
A. NOT OPERATED	199	3.9	11	1	1	3	5	8	10	16
B. OPERATED	51	6.6	20	1	2	6	8	13	16	20
TOTAL 0-19 YRS	72	3.5	13	<1	1	2	4	8	9	21
20-34	29	4.7	10	1	1	4	6	9	10	16
35-49	40	4.6	8	1	1	4	6	8	11	14
50-64	50	5.1	14	1	2	4	7	9	13	20
65+	59	5.1	18	1	1	3	8	11	14	17
GRAND TOTAL	**250**	**4.5**	**14**	**1**	**1**	**3**	**6**	**9**	**12**	**17**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	1.0		<1	<1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	18	1.6	1	<1	<1	1	2	3	4	4
20-34	1203	1.6	1	<1	<1	1	2	3	4	5
35-49	447	1.4	1	<1	<1	1	2	3	3	5
50-64	3	1.3		<1	<1	<1	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	27	1.3	1	<1	<1	<1	1	3	3	4
35-49	3	1.3		<1	<1	<1	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	23	3.6	4	1	1	3	5	6	7	8
20-34	837	2.0	2	<1	<1	2	3	4	5	7
35-49	426	1.8	2	<1	<1	1	2	3	4	6
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	2	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.0		<1	<1	1	1	1	1	1
B. *Operated*	1671	1.6	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	31	1.3	1	<1	<1	<1	1	2	3	4
B. *Operated*	1290	2.0	2	<1	<1	2	2	4	5	7
1. SINGLE DX	1678	1.6	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX	1321	2.0	2	<1	<1	1	2	4	5	7
A. NOT OPERATED	38	1.2		<1	<1	<1	1	2	3	4
B. OPERATED	2961	1.7	1	<1	<1	1	2	3	4	6
TOTAL 0-19 YRS	41	2.7	4	<1	<1	2	4	5	7	8
20-34	2074	1.8	1	<1	<1	1	2	3	4	6
35-49	876	1.6	1	<1	<1	1	2	3	4	5
50-64	6	1.3		<1	<1	1	2	2	2	2
65+	2	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**2999**	**1.7**	**1**	**<1**	**<1**	**1**	**2**	**3**	**4**	**6**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	12	36.8	196	17	19	33	47	57	62	63
1500-1749	13	21.8	38	13	14	24	26	30	30	30
1750-2499	2344	3.3	5	1	2	3	4	5	7	12
2500+	105780	2.8	2	1	1	3	3	4	5	6
B. *Operated*										
1-999 G										
1000-1499	4	35.3	472	8	8	37	52	58	58	58
1500-1749	4	26.5	15	23	23	25	29	32	32	32
1750-2499	16	8.8	27	2	2	10	13	15	16	16
2500+	65	6.1	22	1	2	4	10	14	16	19
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	41	63.1	341	39	43	68	82	99+	99+	99+
1000-1499	212	38.0	244	16	22	35	46	60	69	84
1500-1749	359	22.9	84	11	13	21	28	36	40	52
1750-2499	5139	6.6	34	2	2	5	8	14	17	28
2500+	48834	3.6	4	2	2	3	4	6	7	10
B. *Operated*										
1-999 G	90	73.2	318	44	57	89	99+	99+	99+	99+
1000-1499	281	48.7	380	19	28	47	65	93	99+	99+
1500-1749	147	31.5	188	15	19	28	37	50	68	99+
1750-2499	484	16.8	157	3	6	14	22	31	55	99+
2500+	1285	8.7	87	2	2	6	10	18	29	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108149	2.8	2	1	1	3	3	4	5	7
B. *Operated*	89	8.8	88	2	2	5	11	18	26	53
2. MULTIPLE DX										
A. *Not Operated*	54585	4.2	19	2	2	3	5	6	9	22
B. *Operated*	2287	19.3	448	2	3	11	30	65	94	99+
1. SINGLE DX	108238	2.8	2	1	1	3	3	4	5	7
2. MULTIPLE DX	56872	4.8	45	2	2	3	5	7	12	41
A. NOT OPERATED	162734	3.3	8	1	2	3	4	5	6	12
B. OPERATED	2376	18.9	438	2	3	11	29	63	93	99+
TOTAL 1-999 G	131	70.1	345	41	47	83	99+	99+	99+	99+
1000-1499	509	43.8	347	17	24	41	58	78	95	99+
1500-1749	523	25.3	126	12	14	23	30	39	47	76
1750-2499	7983	6.2	43	1	2	4	7	14	18	33
2500+	155964	3.1	4	1	2	3	4	5	6	9
GRAND TOTAL	**165110**	**3.5**	**18**	**1**	**2**	**3**	**4**	**5**	**6**	**19**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	1	30.0		30	30	30	30	30	30	30
1500-1749	6	19.2	55	12	12	17	21	32	33	33
1750-2499	247	4.7	5	2	2	4	6	7	9	14
2500+	876	4.1	3	2	2	4	5	6	7	9
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	4	13.5	54	5	5	14	19	21	21	21
2500+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	3	66.3	114	54	54	73	99+	99+	99+	99+
1000-1499	44	34.5	197	10	16	34	43	48	53	82
1500-1749	71	22.6	79	10	13	22	28	35	37	54
1750-2499	808	8.3	36	3	3	6	11	16	20	32
2500+	664	5.1	11	2	3	5	6	7	9	19
B. *Operated*										
1-999 G	12	75.1	291	53	58	99+	99+	99+	99+	99+
1000-1499	51	43.9	271	15	19	45	59	71	95	99+
1500-1749	39	32.5	175	16	17	32	37	53	62	68
1750-2499	86	17.5	129	6	8	15	20	28	43	66
2500+	16	7.5	20	3	4	6	9	15	18	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1130	4.3	6	2	2	4	5	6	7	12
B. *Operated*	5	12.2	49	5	5	10	19	21	21	21
2. MULTIPLE DX										
A. *Not Operated*	1590	8.4	71	2	3	5	9	18	25	44
B. *Operated*	204	29.6	446	6	8	28	47	84	99+	99+
1. SINGLE DX	1135	4.4	6	2	2	4	5	6	7	14
2. MULTIPLE DX	1794	10.8	158	3	3	6	13	27	42	99+
A. NOT OPERATED	2720	6.7	48	2	3	5	7	14	20	40
B. OPERATED	209	29.2	443	5	8	25	46	82	99+	99+
TOTAL 1-999 G	15	73.3	258	54	56	99+	99+	99+	99+	99+
1000-1499	96	39.4	255	13	17	41	48	63	76	99+
1500-1749	116	25.8	132	12	15	22	32	37	45	65
1750-2499	1145	8.2	46	2	3	6	11	16	20	34
2500+	1557	4.6	7	2	2	4	5	6	8	14
GRAND TOTAL	**2929**	**8.3**	**109**	**2**	**3**	**5**	**8**	**18**	**32**	**72**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	23	3.3	4	<1	1	3	4	6	7	9
2500+	317	2.2	1	<1	1	2	3	4	4	6
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	1	32.0		32	32	32	32	32	32	32
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	2	25.5	13	23	23	25	28	28	28	28
1500-1749	4	21.3	20	17	17	21	25	26	26	26
1750-2499	53	8.4	47	2	2	6	12	20	22	28
2500+	141	3.3	4	1	1	3	4	6	7	10
B. *Operated*										
1-999 G										
1000-1499	2	49.5	313	37	37	49	62	62	62	62
1500-1749	3	29.3	484	7	7	30	46	51	51	51
1750-2499	10	17.3	125	7	7	15	22	34	44	44
2500+	7	6.7	6	2	3	7	8	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	340	2.3	2	<1	1	2	3	4	5	7
B. *Operated*	1	32.0		32	32	32	32	32	32	32
2. MULTIPLE DX										
A. *Not Operated*	200	5.2	30	1	2	3	6	12	19	27
B. *Operated*	22	18.5	272	5	6	10	28	53	75	99+
1. SINGLE DX	341	2.4	4	<1	1	2	3	4	5	7
2. MULTIPLE DX	222	6.6	68	1	2	3	7	17	24	54
A. NOT OPERATED	540	3.4	14	1	1	2	3	6	9	23
B. OPERATED	23	19.1	267	5	7	11	31	52	73	99+
TOTAL 1-999 G										
1000-1499	4	37.5	300	23	23	32	49	62	62	62
1500-1749	7	24.7	190	7	9	24	29	47	51	51
1750-2499	87	8.3	65	1	2	5	11	21	24	40
2500+	465	2.6	3	1	1	2	3	5	6	9
GRAND TOTAL	**563**	**4.0**	**34**	**1**	**1**	**2**	**4**	**7**	**14**	**32**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	1.9	1	<1	<1	2	2	3	4	4
20-34	9	2.3	3	<1	<1	2	3	5	6	6
35-49	5	2.0	3	<1	<1	1	3	5	5	5
50-64	4	3.0	3	<1	<1	3	4	5	5	5
65+	3	2.7	1	2	2	2	4	4	4	4
B. *Operated*										
0-19 YRS	371	2.2	3	<1	<1	2	3	4	5	8
20-34	438	2.3	2	<1	1	2	3	4	5	8
35-49	201	2.4	2	<1	1	2	3	4	5	8
50-64	144	2.6	3	<1	1	2	3	5	7	9
65+	95	3.0	6	<1	<1	2	4	5	6	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.8	10	<1	<1	3	7	8	9	9
20-34	11	2.3	9	<1	<1	1	2	6	11	11
35-49	4	1.5		1	1	1	2	2	2	2
50-64	5	3.4	14	1	1	2	5	10	10	10
65+	4	3.8	14	1	1	3	6	9	9	9
B. *Operated*										
0-19 YRS	165	3.5	15	<1	1	2	4	7	10	25
20-34	120	3.6	11	<1	1	3	5	7	10	44
35-49	89	3.8	14	1	1	3	4	8	9	24
50-64	66	4.6	16	1	1	3	6	9	12	20
65+	74	6.3	45	1	2	4	8	15	20	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	2.2	2	<1	<1	2	3	4	5	6
B. *Operated*	1249	2.4	3	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	34	3.0	9	<1	<1	1	4	9	10	11
B. *Operated*	514	4.1	19	1	1	3	5	8	11	28
1. SINGLE DX	1285	2.4	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	548	4.1	18	<1	1	3	5	8	11	27
A. NOT OPERATED	70	2.6	5	<1	<1	2	3	6	9	11
B. OPERATED	1763	2.9	8	<1	1	2	3	5	7	15
TOTAL 0-19 YRS	561	2.6	7	<1	<1	2	3	5	6	14
20-34	578	2.6	4	<1	1	2	3	5	6	11
35-49	299	2.8	6	1	1	2	3	5	7	10
50-64	219	3.2	8	1	1	2	4	7	9	17
65+	176	4.4	25	<1	1	3	5	9	15	29
GRAND TOTAL	**1833**	**2.9**	**8**	**<1**	**1**	**2**	**3**	**5**	**7**	**15**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64										
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	6.5	1	6	6	6	7	7	7	7
50-64	2	7.0	50	2	2	7	12	12	12	12
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.6	3	1	1	2	3	5	6	6
20-34	6	6.8	165	1	1	2	3	30	33	33
35-49	12	1.6		<1	<1	2	2	2	2	2
50-64	24	2.1	1	<1	<1	2	2	3	4	5
65+	39	1.6		1	1	1	2	2	3	3
B. *Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	110	1.2	1	<1	<1	<1	<1	<1	3	6
35-49	28	3.3	7	<1	<1	2	5	7	9	11
50-64	55	2.7	7	<1	<1	<1	4	7	9	11
65+	25	3.8	11	<1	<1	2	6	10	10	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	3.0	7	1	1	2	5	6	6	6
B. *Operated*	6	5.0	18	<1	<1	4	7	11	12	12
2. MULTIPLE DX										
A. *Not Operated*	91	2.2	12	<1	1	2	2	3	4	22
B. *Operated*	220	2.2	5	<1	<1	<1	2	5	8	11
1. SINGLE DX	9	4.3	14	<1	<1	2	6	10	12	12
2. MULTIPLE DX	311	2.2	7	<1	<1	1	2	4	7	11
A. NOT OPERATED	94	2.2	11	<1	1	2	2	3	5	21
B. OPERATED	226	2.2	6	<1	<1	<1	2	6	8	11
TOTAL 0-19 YRS	13	2.7	3	1	1	2	3	5	6	6
20-34	117	1.5	9	<1	<1	<1	<1	1	4	15
35-49	44	2.9	6	<1	<1	2	4	6	8	11
50-64	81	2.6	6	<1	<1	2	3	6	9	12
65+	65	2.5	6	<1	1	2	2	6	9	11
GRAND TOTAL	**320**	**2.2**	**7**	**<1**	**<1**	**1**	**2**	**5**	**7**	**11**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	932	2.8	23	<1	<1	1	3	5	10	21
20-34	1151	3.7	47	<1	<1	1	3	8	20	35
35-49	540	5.6	75	<1	1	2	5	23	24	40
50-64	532	4.0	51	<1	1	2	3	10	21	30
65+	440	5.9	66	<1	1	2	7	18	25	34
B. *Operated*										
0-19 YRS	354	3.6	19	<1	<1	2	4	8	9	21
20-34	827	3.6	12	<1	<1	3	5	8	9	15
35-49	534	4.2	11	<1	1	3	6	9	11	14
50-64	351	5.0	20	<1	1	3	8	10	12	22
65+	213	6.4	33	<1	1	5	9	13	16	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1807	3.8	29	1	1	3	4	6	12	28
20-34	1497	4.3	58	<1	1	2	4	6	15	42
35-49	2599	3.5	31	1	1	2	4	6	9	30
50-64	6072	3.4	21	1	1	2	4	6	9	27
65+	6455	4.7	49	1	1	3	5	8	17	37
B. *Operated*										
0-19 YRS	540	5.2	47	1	1	3	7	12	16	57
20-34	972	5.1	65	1	1	3	6	10	14	65
35-49	1085	5.0	34	1	1	3	6	10	13	33
50-64	1534	5.8	44	1	1	4	7	11	17	35
65+	1556	6.6	56	1	1	4	9	14	19	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3595	4.1	49	<1	<1	2	3	10	22	34
B. *Operated*	2279	4.2	17	<1	<1	3	6	9	11	19
2. MULTIPLE DX										
A. *Not Operated*	18430	4.0	36	1	1	2	4	6	13	32
B. *Operated*	5687	5.7	50	1	1	4	7	12	17	39
1. SINGLE DX	5874	4.1	37	<1	<1	2	4	10	16	30
2. MULTIPLE DX	24117	4.4	40	1	1	3	5	8	14	33
A. NOT OPERATED	22025	4.0	38	1	1	2	4	7	14	32
B. OPERATED	7966	5.3	41	1	1	3	7	11	15	35
TOTAL 0-19 YRS	3633	3.7	30	<1	1	2	4	8	12	26
20-34	4447	4.2	48	<1	1	2	4	8	13	36
35-49	4758	4.1	35	1	1	2	4	8	13	30
50-64	8489	3.9	28	1	1	2	4	8	12	28
65+	8664	5.1	51	1	1	3	5	11	18	38
GRAND TOTAL	**29991**	**4.3**	**39**	**1**	**1**	**2**	**5**	**9**	**15**	**33**

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease – *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis – *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer – *see Neoplasm, malignant*
	Carcinoma – *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs — *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer — *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer — *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve – *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes – *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease – *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma -- *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease – *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

R3850-1.8 U
11/86

LOS

LENGTH OF STAY

CPHA PUBLICATIONS

Length of Stay by Operation, Southern Region, 1985

A Companion Volume To Length of Stay by Diagnosis, Southern Region, 1985

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1986

LENGTH OF STAY

Copyright 1986 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1985
. . . by Diagnosis, United States, North Central Region, 1985
. . . by Diagnosis, United States, Northeastern Region, 1985
. . . by Diagnosis, United States, Southern Region, 1985
. . . by Diagnosis, United States, Western Region, 1985
. . . by Diagnosis, Canada, 1985

. . . by Operation, United States, 1985
. . . by Operation, United States, North Central Region, 1985
. . . by Operation, United States, Northeastern Region, 1985
. . . by Operation, United States, Southern Region, 1985
. . . by Operation, United States, Western Region, 1985
. . . by Operation, Canada, 1985

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1985
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1985

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1985 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1985 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1985 LENGTH OF STAY BOOKS

Peg Eby, Research Assistant, Research Services
Carol A. Prevost, Research Associate
Jeanine DeLay, Assistant Director
Edward J. Kobrinski, Director

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data. 1
  Data Quality. 2
  Coverage 3
  Organization of Length of Stay Tables. 5
    Definition of Multiple Diagnosis Patients 5
    Definition of Operated Patients 6
  Explanation of Statistics. 6
  Defining the Extended Stay Case 7
Length of Stay Tables 15
  Summary of All Patients. 16
  Operation Groups 501-764. 17
Appendix: *ICD-9-CM* Codes for Selected Operation Groups. 83
Index to Length of Stay Tables 87

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.



** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.
January-December 1985

	Short-Term Nonfederal Hospitals			Short-Term Nonfederal Hospital Beds		
	U.S. Total[2]	Number in Books	Percent in Books	U.S. Total[2]	Number in Books	Percent in Books
Hospital Category						
Bedsize						
6-24	332	44	13.3	6,138	880	14.3
25-49	1,161	226	19.5	42,908	8,735	20.3
50-99	1,283	383	29.9	92,066	27,587	30.0
100-199	1,221	393	32.2	172,860	56,242	32.5
200-299	703	232	33.0	170,564	57,368	33.6
300-399	415	142	34.2	141,454	48,545	34.3
400-499	265	90	34.0	117,253	39,787	33.9
500+	307	73	23.8	212,299	47,783	22.5
Total	5,687	1,583	27.8	955,542	286,927	30.0
Region and Census Division						
Northeast	814	342	42.0	205,568	67,158	32.7
New England	241	131	54.4	48,426	20,234	41.8
Middle Atlantic	573	211	36.8	157,142	46,924	29.9
North Central	1,673	515	30.8	267,603	105,699	39.5
East North Central	880	418	47.5	182,843	90,510	49.5
West North Central	793	97	12.2	84,760	15,189	17.9
South	2,139	366	17.1	338,647	61,836	18.3
South Atlantic	810	186	23.0	158,360	34,351	21.7
East South Central	496	89	17.9	71,653	13,196	18.4
West South Central	833	91	10.9	108,634	14,289	13.2
West	1,061	360	33.9	143,724	52,234	36.3
Mountain	370	153	41.4	40,264	19,940	49.5
Pacific	691	207	30.0	103,460	32,294	31.2
Total	5,687	1,583	27.8	955,542	286,927	30.0

The Pediatric book was compiled from the data of 1,569 hospitals. The Geriatric book was compiled from the data of 1,559 hospitals.

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1984 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Procedure information for all patient data included in this book was coded using *ICD-9-CM.*

In *List B* there are 250 groups that contain at least one UHDDS Class 1 procedure. Fourteen of the 264 *List B* groups consist solely of Class 2, 3, or 4 procedures. This book displays data only for those 250 groups with Class 1 procedures.

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are patients with an *ICD-9-CM* procedure code that fell into a UHDDS category containing at least one Class 1 procedure. Class 1 procedures are defined as those procedures that carry an operative or anesthetic risk, require highly trained personnel, or require special facilities or equipment. The following *ICD-9-CM List B* codes contain a mixture of Class 1 and 2-4 procedures: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. All the other *ICD-9-CM List B* groups contain only Class 1 procedures or they contain only Class 2-4 procedures and are excluded from this book.

Explanation of Statistics

The *List B* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in the *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the correct day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, whether the patient had single or multiple diagnoses, and the patient's age.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and different lengths of stay) could be appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy); primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung); and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the contemplated operation in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening*,[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. Procedures can also be found in the Alphabetic Index at the back of the length of stay books.

c. If an operation is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 3 of *ICD-9-CM*.[3] That code can then be located in *List B* or in the heading of the length of stay table.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 57-year-old patient is admitted to a hospital for elective surgery, a transurethral resection. The admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 3, Procedures: Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening.* Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	3		261
Criteria for admission			
1. Diastolic BP > 110			
2. Not controlled by outpatient Rx			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	2		235
for: Cystoscopy			636
TUR			648
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. Sepsis or fever > 102°, chills			
2. Abscess formation			

b. The Alphabetic Index at the back of the operation length of stay book also shows that TUR is included in operation group 648.



OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	**Transurethral approach**
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.



Procedure **INDEX TO PROCEDURES**

Procedure — *continued*
  diagnostic NEC — *continued*
    pleura 34.28
    posterior chamber, eye 14.19
    prostate 60.18
    pulmonary 33.29
    rectum 48.29
    renal 55.29
    respiratory 33.29
    retina 14.19
    retroperitoneum 59.29
    salivary gland or duct 26.19
    sclera 12.29
    scrotum 61.19
    seminal vesicle 60.19
    sigmoid 45.28
    sinus, nasal 22.19
    skin 86.19
    skull 01.19
    soft tissue 83.29
    spermatic cord 63.09
    sphincter of Oddi 51.19
    spine, spinal (canal) (cord) (meninges)
        (structure) 03.39
    spleen 41.39
    stomach 44.19
    subcutaneous tissue 86.19
    sympathetic nerve 05.19
    tarsus 09.19
    tendon NEC 83.29
      extraocular 15.09
    testicle 62.19
    thalamus 01.18
    thoracic duct 40.19
    thorax 34.28
    thymus 07.19
    thyroid gland 06.19
    tongue 25.09
    tonsils 28.19
    tooth 24.19
    trachea 31.49
    tunica vaginalis 61.19
    ureter 56.39
    urethra 58.29
    uterus and supporting structures 68.19
    uvula 27.29
    vagina 70.29
    vas deferens 63.09
    vesical 57.39
    vessel (blood) (any site) 38.29
    vitreous 14.19
    vulva 71.19
  fistulizing, sclera NEC 12.69
  miscellaneous (nonoperative) NEC 99.99
  respiratory (nonoperative) NEC 93.99
  surgical — *see* Operation
Proctectasis 96.22
Proctectomy (partial) (*see also* Resection,
    rectum) 48.69
  abdominoperineal 48.5

Proctectomy (partial) — *continued*
  complete (Miles) (Rankin) 48.5
  pull-through 48.49
Proctoclysis 96.37
Proctolysis 48.99
Proctopexy (Delorme) 48.76
  abdominal (Ripstein) 48.75
Proctoplasty 48.79
Proctorrhaphy 48.71
Proctoscopy 48.23
  through stoma (artificial) 48.22
  transabdominal approach 48.21
Proctosigmoidectomy (*see also* Resection,
    rectum) 48.69
Proctosigmoidopexy 48.76
Proctosigmoidoscopy 48.23
  through stoma (artificial) 48.22
  transabdominal approach 48.21
Proctostomy 48.1
Proctotomy (decompression) (linear) 48.0
Production — *see also* Formation
  atrial septal defect 35.42
  subcutaneous tunnel for esophageal
      anastomosis 42.86
    with anastomosis — *see* Anastomosis,
        esophagus, antesternal
Prognathic recession 76.64
Prophylaxis, dental (scaling) (polishing)
    96.54
Prostatectomy (complete) (partial) NEC
    60.69
  loop 60.2
  perineal 60.62
  radical (any approach) 60.5
  retropubic (punch) (transcapsular) 60.4
  suprapubic (punch) (transvesical) 60.3
  transcapsular NEC 60.69
    retropubic 60.4
  transurethral 60.2
  transvesical punch (suprapubic) 60.3
Prostatocystotomy 60.0
Prostatolithotomy 60.0
Prostatotomy (perineal) 60.0
Prostatovesiculectomy 60.5
Protection (of)
  individual from his surroundings 99.84
  surroundings from individual 99.84
Psychoanalysis 94.31
Psychodrama 94.43
Psychotherapy NEC 94.39
  biofeedback 94.39
  exploratory verbal 94.37
  group 94.44
    for psychosexual dysfunctions 94.41
  play 94.36
  psychosexual dysfunctions 94.34
  supportive verbal 94.38
Ptyalectasis 26.91
Ptyalithotomy 26.0
Ptyalolithotomy 26.0

Step 2. Find the table for group 648 in the length of stay book.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top five lines of the table (1. Single Dx).

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

The patient was admitted on 3 November; therefore the sixth day will fall on 9 November. Prior to or on 9 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	79549	3.1	14	<1	1	2	3	6	8	18
20-34	148186	3.3	8	1	1	3	4	6	7	13
35-49	65038	4.4	16	1	1	3	6	9	11	19
50-64	50794	5.0	19	1	1	4	7	10	13	20
65+	42790	6.0	28	1	1	5	8	12	15	24
2. MULTIPLE DX										
0-19 YRS	75653	5.8	80	1	1	3	6	12	20	61
20-34	156369	5.1	30	1	2	4	6	9	12	30
35-49	124483	6.4	40	1	2	5	8	12	16	34
50-64	154346	7.6	54	1	2	6	9	15	20	39
65+	268606	9.1	65	2	2	7	11	18	23	43
TOT. SINGLE DX	386357	4.0	15	1	1	3	5	8	11	19
" MULTIPLE DX	779457	7.3	56	1	2	5	9	14	20	40
TOTAL 0-19 YRS	155202	4.4	48	1	1	3	5	8	13	41
20-34	304555	4.2	20	1	1	3	5	7	10	23
35-49	189521	5.7	33	1	1	5	7	11	14	29
50-64	205140	7.0	46	1	2	5	9	14	18	35
65+	311396	8.7	61	2	2	7	11	17	22	41
GRAND TOTAL	**1165814**	**6.2**	**45**	**1**	**1**	**4**	**7**	**13**	**17**	**35**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	136	7.8	34	1	1	7	11	14	19	29
20-34	81	9.8	36	3	4	9	12	16	19	38
35-49	101	11.8	54	4	5	11	14	19	22	44
50-64	133	11.5	59	3	5	10	14	19	24	46
65+	142	12.1	84	4	5	10	14	19	28	50
2. MULTIPLE DX										
0-19 YRS	236	16.0	226	2	3	12	21	34	61	99+
20-34	135	20.1	277	4	6	15	30	53	70	99+
35-49	186	19.2	276	4	7	14	26	47	71	99+
50-64	319	18.8	237	6	8	14	22	37	57	98
65+	494	19.6	209	5	7	16	25	39	50	99
TOT. SINGLE DX	593	10.6	58	2	3	9	13	17	23	43
″ MULTIPLE DX	1370	18.8	236	4	6	14	24	40	58	99+
TOTAL 0-19 YRS	372	13.0	172	1	2	10	16	29	37	99
20-34	216	16.2	211	4	5	11	20	40	56	99+
35-49	287	16.6	210	4	6	12	20	36	61	99+
50-64	452	16.7	196	5	7	12	19	31	46	97
65+	636	17.9	191	5	6	14	23	36	46	96
GRAND TOTAL	**1963**	**16.3**	**196**	**3**	**5**	**12**	**20**	**33**	**48**	**99+**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	82	8.6	53	3	4	7	9	16	22	41
20-34	32	8.8	14	4	5	8	11	15	17	17
35-49	34	12.7	95	4	4	10	15	23	31	54
50-64	44	11.0	35	4	5	9	13	20	24	30
65+	30	11.7	55	3	5	10	14	21	24	38
2. MULTIPLE DX										
0-19 YRS	99	17.9	306	4	5	12	26	45	72	99+
20-34	71	17.9	297	4	5	12	23	45	74	99+
35-49	62	19.5	283	6	7	14	24	52	81	99+
50-64	82	20.3	315	4	6	14	26	54	62	96
65+	91	19.3	206	7	8	15	24	39	60	99+
TOT. SINGLE DX	222	10.2	53	3	4	8	12	19	24	40
″ MULTIPLE DX	405	18.9	279	4	6	13	24	44	63	99+
TOTAL 0-19 YRS	181	13.7	213	3	4	8	15	38	52	99+
20-34	103	15.1	226	4	5	10	17	40	54	99+
35-49	96	17.1	226	4	6	13	20	41	56	99+
50-64	126	17.0	236	4	5	12	20	40	57	90
65+	121	17.4	179	5	7	14	22	36	49	99+
GRAND TOTAL	**627**	**15.8**	**216**	**4**	**5**	**11**	**19**	**38**	**55**	**99+**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	170	5.3	10	2	2	5	7	8	9	15
20-34	43	4.7	6	1	2	4	7	8	10	10
35-49	24	6.9	9	2	3	7	8	12	12	12
50-64	4	5.5	8	2	2	5	7	9	9	9
65+	2	4.0	8	2	2	4	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	137	10.5	142	3	4	7	10	23	33	99
20-34	81	12.5	167	2	3	8	16	35	47	87
35-49	41	12.8	210	2	3	8	13	35	49	65
50-64	24	10.5	215	2	3	6	11	20	37	75
65+	12	14.3	93	4	4	12	16	29	38	39
TOT. SINGLE DX	243	5.3	9	2	2	5	7	8	10	13
″ MULTIPLE DX	295	11.5	162	3	3	7	13	26	39	88
TOTAL 0-19 YRS	307	7.6	76	2	3	5	8	13	22	57
20-34	124	9.8	124	2	2	6	11	22	39	68
35-49	65	10.6	143	2	3	7	11	23	40	63
50-64	28	9.8	188	2	3	6	10	19	26	75
65+	14	12.9	94	2	4	10	16	26	36	39
GRAND TOTAL	**538**	**8.7**	**102**	**2**	**3**	**6**	**9**	**16**	**31**	**61**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	108	6.7	29	2	3	5	7	11	15	35
20-34	9	8.6	14	4	4	8	11	14	16	16
35-49	14	7.0	8	3	3	6	10	11	12	13
50-64	18	11.3	55	6	6	9	11	24	31	33
65+	23	10.8	35	4	5	9	15	20	23	24
2. MULTIPLE DX										
0-19 YRS	271	15.6	298	3	4	8	22	45	79	99+
20-34	21	11.0	56	4	5	11	15	49	99+	99+
35-49	14	16.9	278	4	5	11	19	43	59	64
50-64	45	22.6	396	5	7	16	32	55	80	99+
65+	121	18.8	160	5	6	16	22	36	46	88
TOT. SINGLE DX	172	7.9	33	3	3	7	9	15	19	33
″ MULTIPLE DX	472	17.0	266	4	4	12	22	43	68	99+
TOTAL 0-19 YRS	379	13.1	237	3	4	7	15	37	63	99+
20-34	30	10.3	44	4	5	10	14	25	93	99+
35-49	28	11.9	164	3	4	8	11	22	43	64
50-64	63	19.4	323	6	6	14	24	43	71	99+
65+	144	17.6	149	5	6	15	22	35	41	84
GRAND TOTAL	**644**	**14.5**	**220**	**3**	**4**	**9**	**18**	**36**	**57**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	271	5.2	23	2	2	4	6	10	14	26
20-34	42	8.7	54	2	3	7	9	19	27	34
35-49	22	12.3	344	2	3	7	12	21	53	91
50-64	21	6.5	16	2	2	6	8	13	15	17
65+	16	6.8	40	1	2	5	8	19	22	23
2. MULTIPLE DX										
0-19 YRS	523	11.7	201	2	3	6	14	29	45	94
20-34	93	16.5	324	3	4	10	20	53	92	99+
35-49	59	18.5	271	3	4	15	29	60	99+	99+
50-64	66	15.6	233	3	4	11	21	30	46	90
65+	64	19.6	198	4	6	15	27	40	43	73
TOT. SINGLE DX	372	6.1	49	2	2	4	7	11	17	31
" MULTIPLE DX	805	13.7	230	2	3	8	18	35	54	99+
TOTAL 0-19 YRS	794	9.5	150	2	2	5	10	23	36	82
20-34	135	14.1	252	3	3	9	16	39	69	99+
35-49	81	16.9	295	3	4	10	27	54	93	99+
50-64	87	13.4	196	3	3	9	17	26	36	84
65+	80	17.1	193	2	4	13	25	36	42	70
GRAND TOTAL	**1177**	**11.3**	**185**	**2**	**3**	**6**	**13**	**28**	**43**	**99+**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	32	13.2	165	5	5	9	14	27	38	68
20-34	217	9.3	33	4	4	8	11	17	22	30
35-49	438	8.7	18	4	4	8	10	15	17	22
50-64	415	8.7	18	4	4	8	10	14	17	25
65+	207	10.5	27	5	6	9	13	18	20	29
2. MULTIPLE DX										
0-19 YRS	47	16.4	173	4	6	11	21	42	47	52
20-34	176	13.0	115	4	5	10	15	25	34	63
35-49	463	11.4	78	4	5	9	13	20	27	54
50-64	622	12.2	84	4	5	10	14	20	29	48
65+	662	15.7	109	5	6	13	20	28	35	58
TOT. SINGLE DX	1309	9.2	27	4	5	8	11	16	19	28
" MULTIPLE DX	1970	13.4	100	4	5	10	16	24	32	54
TOTAL 0-19 YRS	79	15.1	170	4	5	10	18	37	45	63
20-34	393	11.0	74	4	5	8	13	21	26	46
35-49	901	10.1	52	4	4	8	12	17	22	45
50-64	1037	10.8	61	4	5	9	12	18	23	42
65+	869	14.5	95	5	6	12	18	25	33	52
GRAND TOTAL	**3279**	**11.7**	**75**	**4**	**5**	**9**	**14**	**21**	**27**	**48**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	59	9.7	53	2	2	9	13	20	23	35
20-34	159	5.5	40	1	1	4	8	12	16	51
35-49	231	5.2	53	1	1	3	7	11	13	24
50-64	120	5.7	26	1	1	4	8	13	16	22
65+	50	4.7	18	1	1	3	6	10	12	23
2. MULTIPLE DX										
0-19 YRS	110	13.8	165	4	5	10	15	28	44	99
20-34	140	9.3	81	1	1	7	14	21	24	65
35-49	244	8.0	47	1	2	6	11	17	21	34
50-64	199	10.2	106	1	1	8	14	22	30	59
65+	142	13.8	173	2	2	10	18	29	40	67
TOT. SINGLE DX	619	5.8	43	1	1	4	8	12	16	29
" MULTIPLE DX	835	10.5	109	1	2	8	14	22	31	60
TOTAL 0-19 YRS	169	12.4	130	3	3	10	14	23	37	88
20-34	299	7.3	63	1	1	5	10	17	22	57
35-49	475	6.6	52	1	1	5	9	15	18	32
50-64	319	8.5	81	1	1	6	11	19	26	51
65+	192	11.4	149	1	2	8	15	26	35	58
GRAND TOTAL	**1454**	**8.5**	**86**	**1**	**1**	**6**	**11**	**18**	**25**	**49**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	35	4.5	14	<1	1	3	7	11	12	15
20-34	86	4.2	41	<1	<1	2	4	9	11	41
35-49	155	3.3	11	<1	<1	2	4	6	10	20
50-64	141	3.3	8	<1	1	2	4	7	10	13
65+	89	3.9	18	<1	<1	2	4	9	13	24
2. MULTIPLE DX										
0-19 YRS	29	3.7	9	1	1	3	4	8	11	14
20-34	65	7.2	167	1	2	4	7	12	21	84
35-49	106	5.1	27	1	1	3	5	14	17	23
50-64	128	5.5	58	1	1	3	6	12	19	43
65+	105	6.1	49	1	1	4	7	15	26	66
TOT. SINGLE DX	506	3.6	17	<1	1	2	4	8	11	21
" MULTIPLE DX	433	5.7	62	1	1	3	6	13	19	42
TOTAL 0-19 YRS	64	4.1	12	<1	1	3	5	9	12	15
20-34	151	5.5	97	<1	1	3	6	10	14	53
35-49	261	4.0	19	<1	1	2	4	9	15	21
50-64	269	4.3	33	1	1	3	5	9	12	35
65+	194	5.1	36	<1	1	3	6	12	21	35
GRAND TOTAL	**939**	**4.6**	**39**	**<1**	**1**	**3**	**5**	**10**	**14**	**30**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	88	2.8	4	<1	<1	2	4	6	6	10
20-34	351	2.5	5	<1	<1	2	3	5	7	11
35-49	496	2.4	4	<1	<1	2	3	4	7	11
50-64	410	2.5	4	<1	<1	2	3	4	8	11
65+	239	2.1	2	<1	<1	2	2	3	4	9
2. MULTIPLE DX										
0-19 YRS	117	3.6	47	1	1	2	4	8	11	99+
20-34	299	3.2	10	1	1	2	4	7	8	15
35-49	399	4.4	33	1	1	3	5	9	12	33
50-64	419	4.1	18	1	1	3	4	9	12	23
65+	307	4.5	33	1	1	3	5	10	13	35
TOT. SINGLE DX	1584	2.4	4	<1	<1	2	3	4	7	11
" MULTIPLE DX	1541	4.1	26	1	1	3	4	9	12	29
TOTAL 0-19 YRS	205	3.3	29	<1	1	2	4	6	9	83
20-34	650	2.8	8	<1	1	2	3	6	8	13
35-49	895	3.3	18	<1	<1	2	3	7	9	22
50-64	829	3.3	12	<1	1	2	3	8	10	18
65+	546	3.5	21	<1	1	2	3	7	11	20
GRAND TOTAL	**3125**	**3.2**	**16**	**<1**	**1**	**2**	**3**	**7**	**9**	**19**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	5.0	7	3	3	4	7	8	8	8
20-34	17	5.6	8	2	2	5	7	10	12	13
35-49	18	5.6	5	2	3	5	8	9	10	10
50-64	13	5.1	7	2	2	4	6	9	11	11
65+	10	7.4	8	4	4	7	10	11	12	12
2. MULTIPLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	19	5.7	5	2	3	5	7	9	10	10
35-49	34	9.4	71	2	3	6	13	17	22	47
50-64	55	13.5	148	5	5	9	17	31	38	70
65+	94	10.5	32	4	5	9	13	20	22	29
TOT. SINGLE DX	61	5.8	7	2	3	5	7	10	11	13
" MULTIPLE DX	203	10.6	72	3	4	8	13	20	25	44
TOTAL 0-19 YRS	4	5.3	5	3	3	5	7	8	8	8
20-34	36	5.7	6	2	2	5	7	9	10	13
35-49	52	8.1	52	2	3	6	9	15	19	46
50-64	68	11.9	132	3	4	8	14	23	36	66
65+	104	10.2	31	4	4	9	13	20	21	28
GRAND TOTAL	**264**	**9.5**	**61**	**3**	**4**	**7**	**11**	**18**	**22**	**41**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	2.3	1	<1	<1	3	3	4	4	4
20-34	25	4.8	22	1	1	4	5	10	14	24
35-49	37	5.1	34	<1	<1	3	5	11	17	30
50-64	23	4.3	9	<1	<1	4	6	9	11	13
65+	8	8.6	40	2	2	7	13	18	19	19
2. MULTIPLE DX										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	35	7.6	86	<1	<1	5	8	18	32	43
35-49	54	6.4	28	<1	1	5	9	11	15	28
50-64	57	7.8	39	<1	<1	6	12	18	20	26
65+	48	11.0	106	2	3	8	13	24	28	60
TOT. SINGLE DX	102	4.9	24	<1	<1	3	5	11	16	27
" MULTIPLE DX	197	8.0	63	<1	1	6	10	18	24	40
TOTAL 0-19 YRS	12	2.1	1	<1	<1	2	3	4	4	4
20-34	60	6.4	61	<1	1	4	8	13	21	42
35-49	91	5.8	31	<1	<1	4	8	11	16	29
50-64	80	6.8	33	<1	<1	5	10	15	19	24
65+	56	10.6	96	2	3	8	13	23	28	58
GRAND TOTAL	**299**	**6.9**	**52**	**<1**	**1**	**5**	**9**	**16**	**20**	**33**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	82	3.7	3	1	2	3	4	5	7	11
20-34	522	3.6	4	1	2	3	4	5	6	12
35-49	623	3.5	2	2	2	3	4	5	6	10
50-64	439	3.8	2	2	2	4	4	5	6	9
65+	195	4.0	3	2	2	4	5	6	7	9
2. MULTIPLE DX										
0-19 YRS	30	6.1	40	2	3	4	6	9	17	36
20-34	202	5.0	15	2	3	4	5	8	10	27
35-49	368	4.7	11	2	2	4	5	8	11	19
50-64	366	4.9	13	2	3	4	5	8	11	23
65+	348	6.1	18	2	3	5	7	11	16	24
TOT. SINGLE DX	1861	3.7	3	2	2	3	4	5	6	10
" MULTIPLE DX	1314	5.2	15	2	3	4	6	9	12	24
TOTAL 0-19 YRS	112	4.3	14	2	2	4	5	6	9	24
20-34	724	4.0	8	2	2	3	4	6	8	17
35-49	991	3.9	6	2	2	4	4	6	8	14
50-64	805	4.3	8	2	2	4	5	6	8	18
65+	543	5.4	14	2	3	4	6	9	12	23
GRAND TOTAL	**3175**	**4.3**	**9**	**2**	**2**	**4**	**5**	**7**	**9**	**18**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	143	2.0	1	1	1	2	2	3	4	9
20-34	90	2.5	3	1	1	2	3	4	5	12
35-49	82	3.0	4	1	1	3	4	5	7	12
50-64	80	4.2	6	1	2	4	5	8	10	13
65+	37	5.4	8	2	3	5	8	10	11	13
2. MULTIPLE DX										
0-19 YRS	28	5.0	18	1	1	4	8	13	21	99+
20-34	63	6.7	31	1	2	5	9	13	16	32
35-49	111	6.7	39	2	3	5	7	14	24	32
50-64	188	7.2	50	2	3	5	8	15	21	34
65+	200	9.0	63	3	3	6	11	20	25	37
TOT. SINGLE DX	432	3.0	5	1	1	2	4	5	8	12
" MULTIPLE DX	590	7.6	50	2	3	5	9	15	22	36
TOTAL 0-19 YRS	171	2.5	5	1	1	2	3	5	8	16
20-34	153	4.2	19	1	1	3	4	10	13	22
35-49	193	5.1	28	1	2	4	6	9	15	27
50-64	268	6.3	40	2	2	4	7	12	16	31
65+	237	8.4	57	2	3	6	10	17	24	36
GRAND TOTAL	**1022**	**5.6**	**36**	**1**	**1**	**4**	**6**	**12**	**17**	**33**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	8.2	13	3	5	8	10	15	15	15
20-34	33	8.8	10	5	6	8	9	13	16	20
35-49	28	7.3	3	3	5	8	9	9	10	10
50-64	32	8.8	9	5	6	9	10	12	15	18
65+	18	9.9	46	1	1	9	12	19	25	29
2. MULTIPLE DX										
0-19 YRS	20	12.1	98	2	5	8	13	29	36	40
20-34	46	11.3	36	5	6	9	13	19	23	31
35-49	60	11.5	72	4	5	9	14	19	25	55
50-64	69	11.5	45	5	6	10	13	21	28	33
65+	57	17.1	210	4	5	13	19	32	53	75
TOT. SINGLE DX	132	8.5	14	3	5	8	10	12	16	22
MULTIPLE DX	252	12.8	96	5	6	10	16	23	31	61
TOTAL 0-19 YRS	41	10.1	57	3	5	8	11	17	29	40
20-34	79	10.3	27	5	6	9	11	17	20	31
35-49	88	10.1	54	4	5	8	11	16	22	49
50-64	101	10.6	35	5	6	9	11	18	25	32
65+	75	15.4	180	3	5	12	18	30	38	73
GRAND TOTAL	**384**	**11.3**	**72**	**5**	**5**	**9**	**13**	**20**	**28**	**51**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	84	1.5	5	<1	<1	<1	1	2	3	17
20-34	8	2.1	4	<1	<1	1	2	6	7	7
35-49	18	2.0	3	<1	<1	1	3	3	7	9
50-64	24	1.7		<1	<1	1	2	3	4	5
65+	42	1.8		<1	<1	2	2	3	4	5
2. MULTIPLE DX										
0-19 YRS	11	2.1	1	<1	<1	2	3	4	5	5
20-34	3	3.3	6	<1	<1	3	5	6	6	6
35-49	23	5.3	50	<1	1	3	6	24	50	99+
50-64	30	4.2	15	1	1	2	6	11	11	16
65+	106	4.1	20	1	1	2	5	8	13	24
TOT. SINGLE DX	176	1.7	4	<1	<1	1	2	3	3	8
" MULTIPLE DX	173	4.2	22	1	1	2	5	10	14	31
TOTAL 0-19 YRS	95	1.6	5	<1	<1	<1	1	2	3	15
20-34	11	2.5	4	<1	<1	2	3	6	7	7
35-49	41	3.9	32	<1	<1	2	3	11	26	99+
50-64	54	3.1	10	<1	1	2	3	8	11	16
65+	148	3.5	16	<1	1	2	4	8	12	18
GRAND TOTAL	**349**	**2.9**	**14**	**<1**	**<1**	**2**	**3**	**6**	**11**	**24**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	161	1.6		<1	<1	1	2	2	4	6
20-34	31	1.8	1	<1	<1	1	2	4	4	5
35-49	56	1.7	2	<1	<1	1	2	3	5	11
50-64	85	1.5		<1	<1	1	2	2	3	6
65+	70	1.8	1	<1	<1	1	2	3	5	7
2. MULTIPLE DX										
0-19 YRS	155	2.9	18	<1	1	2	3	5	8	40
20-34	195	3.9	35	<1	1	2	5	8	11	25
35-49	124	3.3	15	<1	1	2	4	6	8	25
50-64	151	3.6	47	1	1	2	3	6	12	57
65+	217	5.1	51	<1	1	3	6	11	17	34
TOT. SINGLE DX	403	1.6	1	<1	<1	1	2	3	4	7
" MULTIPLE DX	842	3.9	36	<1	1	2	4	8	12	33
TOTAL 0-19 YRS	316	2.3	10	<1	<1	2	2	4	6	19
20-34	226	3.6	31	<1	1	2	4	7	10	20
35-49	180	2.8	12	<1	<1	2	3	5	7	22
50-64	236	2.8	32	<1	1	2	2	5	7	52
65+	287	4.3	41	<1	<1	2	5	9	14	27
GRAND TOTAL	**1245**	**3.2**	**26**	**<1**	**<1**	**2**	**3**	**6**	**10**	**27**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	33	1.4		<1	<1	1	2	2	2	5
20-34	44	2.1	2	1	1	2	2	4	5	8
35-49	30	1.7		1	1	2	2	3	4	4
50-64	30	1.8		1	1	2	2	3	3	3
65+	42	1.9		1	1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	21	3.7	42	<1	1	2	3	7	19	31
20-34	19	2.5	3	1	1	2	3	5	7	9
35-49	22	3.5	15	1	1	2	4	8	13	18
50-64	41	2.1	1	1	1	2	2	3	4	7
65+	68	2.5	2	1	1	2	3	5	7	10
TOT. SINGLE DX	179	1.8	1	1	1	2	2	3	4	6
" MULTIPLE DX	171	2.7	9	1	1	2	3	4	7	16
TOTAL 0-19 YRS	54	2.3	18	<1	1	1	2	3	5	30
20-34	63	2.2	3	1	1	2	3	4	6	9
35-49	52	2.5	7	1	1	2	3	4	7	18
50-64	71	2.0	1	1	1	2	2	3	3	6
65+	110	2.3	2	1	1	2	2	3	5	8
GRAND TOTAL	**350**	**2.2**	**5**	**1**	**1**	**2**	**2**	**4**	**5**	**10**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	1.5		<1	<1	1	2	3	3	3
20-34	4	7.5	169	<1	<1	1	14	27	27	27
35-49	4	1.0		1	1	1	1	1	1	1
50-64	5	2.0	1	<1	<1	2	3	4	4	4
65+	3	7.0	91	<1	<1	2	14	18	18	18
2. MULTIPLE DX										
0-19 YRS	13	6.5	138	<1	<1	3	5	15	39	45
20-34	8	2.9	3	<1	<1	2	4	6	6	6
35-49	12	7.0	117	1	1	5	5	20	37	40
50-64	4	5.8	26	1	1	4	9	13	13	13
65+	12	4.3	11	1	1	3	6	9	12	13
TOT. SINGLE DX	29	2.9	31	<1	<1	1	2	4	18	27
" MULTIPLE DX	49	5.4	69	<1	1	3	5	10	15	45
TOTAL 0-19 YRS	26	4.0	73	<1	<1	2	3	7	15	45
20-34	12	4.4	54	<1	<1	2	4	12	25	27
35-49	16	5.5	93	1	1	2	5	11	32	40
50-64	9	3.7	15	<1	<1	2	4	10	13	13
65+	15	4.9	23	<1	1	3	6	13	17	18
GRAND TOTAL	**78**	**4.5**	**56**	**<1**	**<1**	**2**	**5**	**8**	**16**	**44**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	24	2.0	1	<1	<1	2	3	3	4	5
20-34	38	2.8	2	1	1	3	4	5	5	7
35-49	21	3.2	8	<1	1	2	3	8	10	12
50-64	31	2.5	1	1	1	3	3	4	6	6
65+	106	3.0	2	1	1	3	4	5	6	7
2. MULTIPLE DX										
0-19 YRS	23	3.0	2	<1	1	3	4	5	6	7
20-34	17	4.2	5	1	1	4	6	7	9	10
35-49	17	4.4	32	<1	1	4	4	5	19	26
50-64	61	3.7	4	1	1	3	5	6	7	11
65+	247	3.5	8	1	1	3	4	6	7	16
TOT. SINGLE DX	220	2.8	3	1	1	3	4	5	6	8
" MULTIPLE DX	365	3.6	8	1	1	3	4	6	7	16
TOTAL 0-19 YRS	47	2.5	2	<1	<1	2	3	4	5	7
20-34	55	3.2	4	1	1	3	4	6	7	10
35-49	38	3.7	19	<1	1	3	4	7	11	26
50-64	92	3.3	4	1	1	3	4	6	7	10
65+	353	3.4	7	1	1	3	4	5	7	14
GRAND TOTAL	**585**	**3.3**	**6**	**1**	**1**	**3**	**4**	**5**	**7**	**13**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	78	2.7	3	<1	<1	2	4	5	6	10
20-34	75	2.4	2	1	1	2	3	5	5	6
35-49	56	2.2	2	<1	<1	2	3	5	6	7
50-64	17	1.9		<1	1	2	2	3	3	3
65+	29	2.2	5	<1	<1	1	2	4	8	11
2. MULTIPLE DX										
0-19 YRS	85	3.7	4	<1	1	4	5	6	9	10
20-34	63	3.4	3	1	2	3	4	6	7	12
35-49	34	3.7	7	1	1	3	6	8	9	10
50-64	28	5.0	27	1	1	3	5	10	15	27
65+	51	5.1	132	<1	1	2	5	8	12	81
TOT. SINGLE DX	255	2.4	3	<1	<1	2	3	5	6	9
" MULTIPLE DX	261	4.0	32	1	1	3	5	7	9	19
TOTAL 0-19 YRS	163	3.2	4	<1	1	3	4	6	8	10
20-34	138	2.8	3	1	1	3	4	5	6	9
35-49	90	2.8	5	<1	<1	2	4	7	8	10
50-64	45	3.8	19	1	1	3	4	6	12	27
65+	80	4.1	88	<1	<1	2	4	7	10	63
GRAND TOTAL	**516**	**3.2**	**18**	**<1**	**1**	**3**	**4**	**6**	**8**	**12**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	41	2.8	9	1	1	2	3	5	7	19
20-34	13	3.3	4	1	1	2	5	6	8	8
35-49	35	3.1	4	<1	1	2	5	6	7	8
50-64	57	2.6	2	1	1	2	3	5	6	7
65+	75	2.7	2	<1	<1	2	3	5	6	9
2. MULTIPLE DX										
0-19 YRS	23	4.6	14	<1	1	2	7	11	12	13
20-34	16	5.3	15	1	2	4	6	11	14	16
35-49	21	3.6	3	1	2	3	4	6	8	10
50-64	90	3.9	9	1	1	3	5	7	10	18
65+	192	4.5	24	1	1	3	5	9	11	22
TOT. SINGLE DX	221	2.8	4	<1	1	2	3	5	7	8
" MULTIPLE DX	342	4.3	18	1	1	3	5	9	11	20
TOTAL 0-19 YRS	64	3.4	11	1	1	2	4	7	11	18
20-34	29	4.4	11	1	2	3	5	9	11	16
35-49	56	3.3	4	1	1	3	4	6	7	10
50-64	147	3.4	7	1	1	3	4	7	8	14
65+	267	4.0	19	1	1	3	5	8	10	19
GRAND TOTAL	**563**	**3.7**	**13**	**1**	**1**	**3**	**4**	**7**	**10**	**16**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	25	4.2	20	<1	1	3	4	9	16	20
20-34	29	3.8	12	1	1	3	4	6	9	20
35-49	13	3.1	1	1	1	3	4	5	5	5
50-64	31	2.3	4	1	1	1	3	6	7	8
65+	42	3.6	22	<1	1	2	4	8	11	29
2. MULTIPLE DX										
0-19 YRS	30	4.5	11	1	1	3	6	9	12	15
20-34	38	3.9	4	1	1	4	5	6	7	13
35-49	33	5.3	22	<1	1	4	6	11	17	22
50-64	35	4.1	15	1	1	3	5	8	11	21
65+	110	4.5	17	1	1	3	6	11	14	19
TOT. SINGLE DX	140	3.4	14	1	1	2	4	6	9	21
" MULTIPLE DX	246	4.5	15	1	1	3	6	9	13	20
TOTAL 0-19 YRS	55	4.4	15	1	1	3	5	9	14	20
20-34	67	3.9	8	1	1	4	5	6	8	19
35-49	46	4.7	17	1	2	4	5	9	14	22
50-64	66	3.3	11	1	1	2	4	7	8	20
65+	152	4.3	19	1	1	2	5	10	14	20
GRAND TOTAL	**386**	**4.1**	**15**	**1**	**1**	**3**	**5**	**8**	**12**	**20**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	22	1.9	1	<1	<1	2	3	4	4	4
20-34	2	4.5	5	3	3	4	6	6	6	6
35-49	32	2.2	6	<1	<1	2	2	3	3	16
50-64	168	1.7	2	<1	<1	1	2	3	3	4
65+	515	1.7		<1	<1	2	2	2	3	4
2. MULTIPLE DX										
0-19 YRS	22	3.2	6	<1	1	2	3	7	10	10
20-34	12	4.1	4	2	2	4	6	7	8	8
35-49	19	2.6	5	1	1	2	3	6	8	10
50-64	126	2.7	6	1	1	2	3	4	7	38
65+	538	2.7	6	1	1	2	3	4	7	16
TOT. SINGLE DX	739	1.7	1	<1	<1	2	2	3	3	4
" MULTIPLE DX	717	2.7	7	1	1	2	3	4	7	17
TOTAL 0-19 YRS	44	2.5	4	<1	1	2	3	5	7	10
20-34	14	4.1	4	2	2	4	6	7	8	8
35-49	51	2.4	6	<1	<1	2	2	4	6	16
50-64	294	2.1	4	<1	<1	2	2	3	4	17
65+	1053	2.2	4	<1	<1	2	2	3	4	11
GRAND TOTAL	**1456**	**2.2**	**4**	**<1**	**<1**	**2**	**2**	**3**	**5**	**12**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	53	2.0	1	1	1	2	2	3	5	9
20-34	20	1.9		1	1	2	3	3	3	3
35-49	127	1.6		<1	<1	1	2	2	3	5
50-64	579	1.7	2	<1	<1	2	2	2	3	5
65+	2138	1.7		<1	<1	2	2	2	2	4
2. MULTIPLE DX										
0-19 YRS	41	2.9	4	1	1	2	3	5	7	12
20-34	17	3.5	22	1	1	2	4	6	16	21
35-49	76	2.7	3	1	1	2	3	5	6	12
50-64	576	2.5	5	1	1	2	3	4	5	17
65+	2459	2.4	5	<1	1	2	2	3	5	14
TOT. SINGLE DX	2917	1.7	1	<1	<1	2	2	2	3	4
" MULTIPLE DX	3169	2.4	6	1	1	2	2	4	5	14
TOTAL 0-19 YRS	94	2.4	3	1	1	2	3	4	6	11
20-34	37	2.6	11	1	1	2	3	4	5	21
35-49	203	2.0	2	<1	<1	2	2	3	5	8
50-64	1155	2.1	4	<1	<1	2	2	3	4	10
65+	4597	2.0	4	<1	<1	2	2	3	4	10
GRAND TOTAL	**6086**	**2.1**	**4**	**<1**	**<1**	**2**	**2**	**3**	**4**	**10**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	1.6		1	1	1	2	3	3	3
20-34	5	2.4	4	1	1	2	3	6	6	6
35-49	11	1.5		<1	<1	1	2	2	2	2
50-64	52	1.7	2	<1	<1	1	2	2	3	11
65+	109	1.8	1	<1	<1	2	2	3	3	8
2. MULTIPLE DX										
0-19 YRS	6	3.2	5	2	2	2	3	7	8	8
20-34	3	2.7	1	2	2	2	4	4	4	4
35-49	14	2.1	1	<1	<1	2	3	4	4	4
50-64	64	2.0		1	1	2	2	3	4	5
65+	150	2.1	2	<1	1	2	2	3	4	11
TOT. SINGLE DX	184	1.7	2	<1	<1	2	2	2	3	9
" MULTIPLE DX	237	2.1	2	<1	1	2	2	3	4	8
TOTAL 0-19 YRS	13	2.3	3	1	1	2	2	4	7	8
20-34	8	2.5	3	1	1	2	3	5	6	6
35-49	25	1.8	1	<1	<1	2	2	3	4	4
50-64	116	1.9	1	<1	<1	2	2	3	3	7
65+	259	2.0	2	<1	<1	2	2	3	4	11
GRAND TOTAL	**421**	**2.0**	**2**	**<1**	**<1**	**2**	**2**	**3**	**4**	**9**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	3.9	2	1	2	4	5	6	7	7
20-34	64	3.9	4	1	2	3	5	7	8	11
35-49	68	4.2	4	2	2	4	5	7	9	11
50-64	162	3.5	2	1	2	3	4	6	7	8
65+	174	3.8	3	1	2	3	5	6	8	10
2. MULTIPLE DX										
0-19 YRS	42	4.9	18	2	2	4	5	9	12	27
20-34	87	4.7	5	1	2	4	6	8	9	12
35-49	109	4.6	4	2	2	4	6	7	9	12
50-64	270	4.4	5	2	2	4	6	8	9	12
65+	384	4.4	5	2	2	4	5	7	9	13
TOT. SINGLE DX	489	3.8	4	1	2	3	5	6	7	10
" MULTIPLE DX	892	4.5	6	2	2	4	6	7	9	12
TOTAL 0-19 YRS	63	4.6	13	1	2	4	5	7	10	25
20-34	151	4.4	5	1	2	4	6	7	8	11
35-49	177	4.5	5	2	2	4	6	7	9	12
50-64	432	4.1	5	2	2	4	5	7	8	11
65+	558	4.2	5	2	2	4	5	7	8	12
GRAND TOTAL	**1381**	**4.2**	**5**	**2**	**2**	**4**	**5**	**7**	**8**	**12**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	26	3.7	6	1	1	3	4	9	9	10
20-34	10	6.0	21	1	1	5	8	13	16	16
35-49	15	3.7	4	<1	1	3	6	7	7	7
50-64	36	3.3	5	1	1	3	4	6	8	11
65+	61	3.2	8	<1	1	2	3	7	10	16
2. MULTIPLE DX										
0-19 YRS	41	3.6	7	1	1	3	5	7	9	15
20-34	69	5.7	37	2	2	4	7	9	13	40
35-49	66	4.0	4	2	2	4	4	6	8	13
50-64	92	4.1	8	1	2	3	5	7	10	17
65+	230	4.4	22	2	2	3	5	8	10	19
TOT. SINGLE DX	148	3.6	8	1	1	3	4	7	9	16
" MULTIPLE DX	498	4.4	19	2	2	3	5	7	10	19
TOTAL 0-19 YRS	67	3.6	7	1	1	3	4	7	9	14
20-34	79	5.7	35	2	2	4	7	10	15	39
35-49	81	3.9	4	1	2	4	4	7	8	12
50-64	128	3.8	8	1	1	3	5	7	9	16
65+	291	4.1	20	1	2	3	4	8	10	18
GRAND TOTAL	**646**	**4.2**	**16**	**1**	**2**	**3**	**5**	**7**	**10**	**18**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	783	1.3	1	<1	<1	1	2	2	2	2
20-34	56	1.7		<1	1	2	2	2	3	3
35-49	25	1.4		<1	<1	1	2	2	2	2
50-64	14	1.9		<1	1	2	2	2	2	2
65+	7	1.6		<1	<1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	236	1.5		<1	<1	1	2	2	2	5
20-34	32	3.1	27	1	1	2	2	4	11	30
35-49	20	4.1	97	1	1	2	2	3	25	46
50-64	14	1.8		1	1	2	2	2	3	3
65+	11	2.5	2	1	1	2	3	5	7	7
TOT. SINGLE DX	885	1.4	1	<1	<1	1	2	2	2	3
" MULTIPLE DX	313	1.9	10	<1	<1	1	2	2	3	11
TOTAL 0-19 YRS	1019	1.4	1	<1	<1	1	2	2	2	3
20-34	88	2.2	11	<1	1	2	2	3	3	23
35-49	45	2.6	44	<1	1	2	2	2	3	46
50-64	28	1.8		1	1	2	2	2	3	3
65+	18	2.1	2	<1	<1	2	2	3	6	7
GRAND TOTAL	**1198**	**1.5**	**4**	**<1**	**<1**	**1**	**2**	**2**	**2**	**4**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	2.3	5	<1	<1	1	2	7	7	7
20-34	3	1.7		1	1	2	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	6.0		6	6	6	6	6	6	6
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	11.0		11	11	11	11	11	11	11
65+	1	2.0		2	2	2	2	2	2	2
TOT. SINGLE DX	11	2.1	3	<1	<1	2	2	4	7	7
" MULTIPLE DX	5	4.6	16	2	2	2	7	11	11	11
TOTAL 0-19 YRS	7	2.3	5	<1	<1	2	2	6	7	7
20-34	4	2.8	5	1	1	2	4	6	6	6
35-49	2	2.0		2	2	2	2	2	2	2
50-64	1	11.0		11	11	11	11	11	11	11
65+	2	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**16**	**2.9**	**8**	**<1**	**1**	**2**	**2**	**7**	**10**	**11**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23, 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	116	2.9	8	<1	<1	2	4	6	8	15
20-34	52	2.5	2	1	1	2	3	4	5	9
35-49	32	2.3	2	<1	1	2	3	4	7	8
50-64	43	2.5	4	<1	1	2	3	5	8	9
65+	36	2.8	3	<1	1	2	4	4	6	10
2. MULTIPLE DX										
0-19 YRS	82	5.2	39	1	1	3	6	10	18	37
20-34	87	5.0	14	1	2	4	6	10	14	19
35-49	62	3.6	7	1	1	3	4	8	9	14
50-64	79	4.6	25	1	1	3	6	10	11	30
65+	154	4.5	16	1	1	3	5	9	11	24
TOT. SINGLE DX	279	2.7	5	<1	<1	2	3	5	7	10
" MULTIPLE DX	464	4.6	21	1	1	3	6	9	12	26
TOTAL 0-19 YRS	198	3.9	22	<1	<1	2	5	8	10	26
20-34	139	4.1	11	1	1	3	5	9	11	17
35-49	94	3.2	6	1	1	2	4	7	9	13
50-64	122	3.9	19	1	1	3	4	8	11	30
65+	190	4.2	15	1	1	3	5	8	10	24
GRAND TOTAL	**743**	**3.9**	**16**	**<1**	**1**	**3**	**5**	**8**	**10**	**23**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	191	2.3	5	<1	<1	2	3	4	5	12
20-34	49	2.4	2	<1	<1	2	3	5	6	6
35-49	27	2.7	6	<1	<1	1	5	8	17	99+
50-64	33	3.0	5	<1	1	2	4	6	9	11
65+	47	4.0	58	<1	<1	2	3	8	17	45
2. MULTIPLE DX										
0-19 YRS	207	3.9	54	<1	1	2	4	6	12	55
20-34	77	4.2	17	<1	1	3	5	10	13	23
35-49	54	4.8	53	1	1	3	5	9	13	44
50-64	62	5.6	28	1	1	4	7	11	18	27
65+	151	6.1	52	1	1	4	7	12	17	47
TOT. SINGLE DX	347	2.6	13	<1	<1	2	3	5	7	26
" MULTIPLE DX	551	4.9	46	1	1	3	5	10	15	31
TOTAL 0-19 YRS	398	3.1	32	<1	<1	2	3	5	7	27
20-34	126	3.5	13	<1	<1	2	4	7	11	20
35-49	81	4.1	38	<1	1	2	5	8	13	82
50-64	95	4.7	22	1	1	3	6	10	13	26
65+	198	5.6	54	<1	1	3	7	12	17	46
GRAND TOTAL	898	4.0	34	<1	1	2	4	8	12	29

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	23	1.9		1	1	2	2	3	4	4
20-34	110	1.9		1	1	2	2	3	3	6
35-49	161	1.9		1	1	2	2	3	4	6
50-64	126	1.9		1	1	2	2	3	3	4
65+	31	1.9		1	1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	25	1.7		<1	1	2	2	2	3	4
20-34	64	2.0		1	1	2	2	3	3	5
35-49	80	2.1		1	1	2	2	3	4	5
50-64	103	2.3	1	1	1	2	3	4	5	7
65+	51	2.4	1	1	1	2	3	4	5	6
TOT. SINGLE DX	451	1.9	1	1	1	2	2	3	3	6
" MULTIPLE DX	323	2.1	1	1	1	2	2	3	4	6
TOTAL 0-19 YRS	48	1.8	1	1	1	2	2	3	3	4
20-34	174	1.9	1	1	1	2	2	3	3	6
35-49	241	2.0	1	1	1	2	2	3	4	6
50-64	229	2.1	1	1	1	2	2	3	4	7
65+	82	2.2	1	1	1	2	3	3	4	6
GRAND TOTAL	774	2.0	1	1	1	2	2	3	4	6

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	400	1.5		<1	<1	1	2	2	2	3
20-34	211	1.7	4	1	1	1	2	3	3	4
35-49	165	1.7		1	1	2	2	2	3	4
50-64	109	1.8		1	1	2	2	3	3	5
65+	31	2.0		1	1	2	2	3	3	4
2. MULTIPLE DX										
0-19 YRS	304	1.7		<1	1	2	2	2	3	5
20-34	197	1.8	1	1	1	2	2	3	4	6
35-49	171	1.9	1	1	1	2	2	3	4	9
50-64	157	2.3	3	1	1	2	2	3	5	14
65+	90	2.2	3	1	1	2	2	3	4	12
TOT. SINGLE DX	916	1.7	1	<1	1	2	2	2	3	4
" MULTIPLE DX	919	1.9	2	1	1	2	2	3	4	8
TOTAL 0-19 YRS	704	1.6	1	<1	1	2	2	2	3	4
20-34	408	1.7	3	1	1	1	2	3	3	5
35-49	336	1.8	1	1	1	2	2	3	3	8
50-64	266	2.1	3	1	1	2	2	3	5	11
65+	121	2.2	2	1	1	2	2	3	4	9
GRAND TOTAL	1835	1.8	2	<1	1	2	2	3	3	6

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1218	1.1		<1	<1	<1	1	1	2	4
20-34	21	1.5		<1	1	1	2	2	2	2
35-49	24	2.2	2	1	1	2	3	4	6	7
50-64	22	2.0	1	<1	<1	2	3	4	4	4
65+	9	1.9	1	<1	<1	2	2	4	4	4
2. MULTIPLE DX										
0-19 YRS	1358	2.3	17	<1	<1	1	2	4	6	12
20-34	30	4.1	54	1	1	2	3	8	10	41
35-49	57	3.6	12	1	1	2	5	10	11	16
50-64	37	3.8	14	1	1	2	4	8	15	16
65+	36	6.3	82	<1	<1	3	7	13	31	41
TOT. SINGLE DX	1294	1.2	1	<1	<1	<1	1	1	2	5
" MULTIPLE DX	1518	2.5	20	<1	<1	1	2	5	7	15
TOTAL 0-19 YRS	2576	1.7	10	<1	<1	1	2	3	5	10
20-34	51	3.0	33	1	1	2	2	5	9	41
35-49	81	3.2	10	1	1	2	4	8	10	15
50-64	59	3.2	10	1	1	2	3	7	11	15
65+	45	5.4	69	<1	<1	2	5	13	24	41
GRAND TOTAL	**2812**	**1.9**	**12**	**<1**	**<1**	**1**	**2**	**3**	**5**	**12**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	158	2.0	1	1	1	2	2	3	4	5
20-34	81	1.8		1	1	2	2	3	3	6
35-49	74	2.1		1	1	2	2	3	4	4
50-64	64	2.2	1	1	1	2	3	4	4	8
65+	28	3.5	19	1	1	2	3	7	10	24
2. MULTIPLE DX										
0-19 YRS	258	2.9	13	1	1	2	3	5	8	25
20-34	174	2.5	4	1	1	2	3	4	7	13
35-49	169	2.4	4	1	1	2	3	4	5	15
50-64	161	3.1	19	1	1	2	3	4	8	27
65+	101	4.3	33	1	1	3	4	7	15	33
TOT. SINGLE DX	405	2.1	3	1	1	2	2	3	4	8
" MULTIPLE DX	863	2.9	14	1	1	2	3	4	7	25
TOTAL 0-19 YRS	416	2.6	9	1	1	2	3	4	6	16
20-34	255	2.3	4	1	1	2	3	3	5	10
35-49	243	2.3	3	1	1	2	3	4	4	14
50-64	225	2.9	15	1	1	2	3	4	6	24
65+	129	4.2	30	1	1	3	4	7	14	29
GRAND TOTAL	**1268**	**2.7**	**10**	**1**	**1**	**2**	**3**	**4**	**6**	**17**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	95	1.9	4	<1	<1	1	2	3	6	12
20-34	65	2.1	4	<1	1	2	2	3	5	13
35-49	65	2.5	1	1	1	2	3	4	5	7
50-64	51	2.5	3	1	1	2	3	4	7	10
65+	19	2.5	2	1	1	2	3	5	6	6
2. MULTIPLE DX										
0-19 YRS	103	3.4	31	<1	1	2	2	9	12	36
20-34	56	1.9	1	<1	1	2	2	3	3	7
35-49	53	5.3	168	1	1	2	3	9	20	88
50-64	76	3.1	9	1	1	2	3	6	10	19
65+	41	4.9	24	1	2	3	6	12	17	23
TOT. SINGLE DX	295	2.2	3	<1	<1	2	3	4	6	11
" MULTIPLE DX	329	3.6	43	1	1	2	3	7	12	32
TOTAL 0-19 YRS	198	2.7	19	<1	<1	1	2	5	10	24
20-34	121	2.0	3	<1	1	2	2	3	4	10
35-49	118	3.8	78	1	1	2	3	5	9	51
50-64	127	2.8	7	1	1	2	3	5	8	15
65+	60	4.2	19	1	1	3	5	9	15	23
GRAND TOTAL	**624**	**2.9**	**25**	**<1**	**1**	**2**	**3**	**5**	**9**	**21**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	46	1.9	1	<1	1	2	3	4	4	5
20-34	117	1.9		<1	1	2	3	3	4	5
35-49	56	1.8	1	<1	1	2	3	3	3	5
50-64	30	2.1	8	<1	<1	1	2	3	5	17
65+	6	4.0	2	3	3	3	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	197	2.0	1	<1	1	2	3	3	5	7
20-34	531	2.1	1	1	1	2	3	4	5	7
35-49	439	2.1	1	1	1	2	3	4	4	6
50-64	234	2.4	3	1	1	2	3	4	5	11
65+	57	3.6	9	<1	1	3	4	9	11	16
TOT. SINGLE DX	255	2.0	2	<1	1	2	3	3	4	6
" MULTIPLE DX	1458	2.2	2	1	1	2	3	4	5	8
TOTAL 0-19 YRS	243	2.0	1	<1	1	2	3	3	4	6
20-34	648	2.1	2	1	1	2	3	3	5	6
35-49	495	2.1	2	1	1	2	3	4	4	6
50-64	264	2.3	4	<1	1	2	3	4	5	12
65+	63	3.6	9	<1	1	3	4	8	10	16
GRAND TOTAL	**1713**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**7**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	302	1.9	1	<1	1	2	2	3	4	5
20-34	532	1.7	1	<1	1	1	2	3	4	5
35-49	302	1.8		<1	1	2	2	3	4	5
50-64	145	2.1	1	1	1	2	3	3	4	7
65+	43	2.0	3	1	1	1	3	3	4	11
2. MULTIPLE DX										
0-19 YRS	619	2.1	6	<1	1	2	2	3	4	9
20-34	1454	2.2	6	1	1	2	3	4	4	9
35-49	1092	2.3	5	1	1	2	3	4	5	11
50-64	505	2.7	5	1	1	2	3	4	6	12
65+	238	3.3	10	1	1	2	4	7	10	15
TOT. SINGLE DX	1324	1.8	1	<1	1	2	2	3	4	5
" MULTIPLE DX	3908	2.3	7	1	1	2	3	4	5	11
TOTAL 0-19 YRS	921	2.0	5	<1	1	2	2	3	4	7
20-34	1986	2.1	5	1	1	2	2	3	4	8
35-49	1394	2.2	4	1	1	2	3	4	4	10
50-64	650	2.5	5	1	1	2	3	4	5	11
65+	281	3.1	10	1	1	2	3	6	10	15
GRAND TOTAL	**5232**	**2.2**	**5**	**1**	**1**	**2**	**3**	**4**	**4**	**10**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	54	2.2	3	<1	<1	2	3	3	4	11
20-34	52	2.1	2	<1	<1	2	3	4	6	7
35-49	53	1.8	1	<1	1	1	2	3	4	7
50-64	77	2.4	2	<1	<1	2	3	5	6	7
65+	113	2.4	3	<1	<1	2	3	4	6	11
2. MULTIPLE DX										
0-19 YRS	81	2.2	3	<1	<1	2	3	4	5	13
20-34	160	2.2	3	<1	1	2	3	4	5	11
35-49	188	2.9	12	1	1	2	3	4	8	26
50-64	203	3.5	19	1	1	2	4	6	8	27
65+	263	4.3	39	1	1	3	4	8	13	28
TOT. SINGLE DX	349	2.3	3	<1	<1	2	3	4	6	9
" MULTIPLE DX	895	3.3	20	1	1	2	3	6	8	25
TOTAL 0-19 YRS	135	2.2	4	<1	<1	2	3	4	4	12
20-34	212	2.2	3	<1	1	2	3	4	6	10
35-49	241	2.7	10	<1	1	2	3	4	6	25
50-64	280	3.2	15	<1	1	2	4	6	7	23
65+	376	3.7	29	1	1	2	4	7	11	24
GRAND TOTAL	**1244**	**3.0**	**15**	**<1**	**1**	**2**	**3**	**5**	**7**	**17**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	195	1.5		<1	<1	1	2	3	3	6
20-34	170	1.9	2	<1	<1	1	2	4	5	9
35-49	89	3.3	3	1	1	3	4	6	7	9
50-64	97	3.9	4	1	1	4	5	6	7	11
65+	79	3.8	4	1	1	3	5	7	8	9
2. MULTIPLE DX										
0-19 YRS	189	2.9	31	1	1	2	3	5	7	33
20-34	260	3.2	12	1	1	2	3	7	10	19
35-49	172	4.8	72	1	1	3	5	8	11	40
50-64	170	5.1	11	1	1	4	6	10	14	16
65+	244	5.2	23	1	2	4	6	9	14	29
TOT. SINGLE DX	630	2.6	4	<1	<1	2	3	5	6	9
" MULTIPLE DX	1035	4.2	29	1	1	3	5	8	11	23
TOTAL 0-19 YRS	384	2.2	17	<1	<1	1	2	3	5	11
20-34	430	2.7	9	<1	1	2	3	5	7	16
35-49	261	4.3	49	1	1	3	5	7	9	30
50-64	267	4.7	9	1	1	4	6	8	11	15
65+	323	4.9	19	1	2	4	6	9	12	25
GRAND TOTAL	**1665**	**3.6**	**20**	**<1**	**1**	**2**	**4**	**7**	**9**	**19**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	32	3.3	7	1	1	3	4	9	10	10
20-34	107	2.0	1	<1	1	2	[illegible]	3	4	6
35-49	151	2.2	1	1	1	2	3	4	4	7
50-64	95	2.7	4	1	1	2	3	5	6	13
65+	59	2.6		1	1	3	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	74	4.0	13	1	1	3	5	9	14	80
20-34	200	3.0	6	1	1	2	3	5	8	12
35-49	259	3.8	14	1	1	3	4	7	10	25
50-64	246	3.9	13	1	1	3	4	7	12	19
65+	154	4.7	22	1	1	3	5	9	15	26
TOT. SINGLE DX	444	2.4	2	1	1	2	3	4	5	10
" MULTIPLE DX	933	3.8	14	1	1	3	4	7	11	21
TOTAL 0-19 YRS	106	3.8	12	1	1	3	5	9	10	55
20-34	307	2.6	5	1	1	2	3	5	6	11
35-49	410	3.2	10	1	1	2	4	6	9	20
50-64	341	3.6	11	1	1	3	4	7	11	18
65+	213	4.1	17	1	1	3	4	8	11	25
GRAND TOTAL	**1377**	**3.3**	**11**	**1**	**1**	**3**	**4**	**6**	**9**	**19**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	69	3.0	7	<1	<1	2	4	7	9	14
20-34	76	2.9	4	1	1	2	4	6	7	9
35-49	103	3.0	8	1	1	2	3	6	9	17
50-64	80	2.7	6	1	1	2	3	6	7	16
65+	34	4.5	19	1	1	3	5	7	16	22
2. MULTIPLE DX										
0-19 YRS	122	5.2	39	<1	1	3	7	12	14	34
20-34	201	4.2	18	1	1	3	5	9	14	22
35-49	218	4.7	48	1	1	3	5	10	15	36
50-64	221	4.7	25	1	1	3	6	10	16	26
65+	164	7.2	79	1	1	4	8	18	26	52
TOT. SINGLE DX	362	3.1	8	<1	1	2	4	6	8	18
" MULTIPLE DX	926	5.1	42	1	1	3	6	12	16	37
TOTAL 0-19 YRS	191	4.4	29	<1	1	2	6	10	13	26
20-34	277	3.8	15	1	1	3	4	8	13	20
35-49	321	4.1	36	1	1	3	4	9	12	26
50-64	301	4.2	22	1	1	3	5	9	13	22
65+	198	6.7	70	1	1	4	8	16	23	52
GRAND TOTAL	**1288**	**4.5**	**33**	**1**	**1**	**3**	**5**	**10**	**15**	**28**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	225	1.5		<1	1	1	2	2	2	3
20-34	138	1.9	1	1	1	2	2	2	4	7
35-49	68	2.4	5	1	1	2	2	5	8	12
50-64	34	2.3	6	<1	1	2	2	3	4	16
65+	28	2.6	10	<1	<1	2	3	4	6	18
2. MULTIPLE DX										
0-19 YRS	296	3.4	31	<1	1	2	3	6	12	76
20-34	319	4.6	46	1	1	2	5	10	18	36
35-49	308	5.1	55	1	1	2	5	12	17	43
50-64	285	5.3	58	1	2	3	6	13	16	42
65+	357	6.6	102	1	2	3	7	14	18	60
TOT. SINGLE DX	493	1.8	3	<1	1	2	2	2	4	10
" MULTIPLE DX	1565	5.0	61	1	1	2	5	12	17	48
TOTAL 0-19 YRS	521	2.5	19	<1	1	2	2	4	7	41
20-34	457	3.8	34	1	1	2	3	8	14	32
35-49	376	4.6	47	1	1	2	4	11	15	42
50-64	319	4.9	54	1	1	2	5	12	15	35
65+	385	6.3	97	1	2	3	7	14	18	58
GRAND TOTAL	**2058**	**4.3**	**49**	**1**	**1**	**2**	**4**	**10**	**15**	**42**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	180	1.1		<1	<1	<1	1	1	2	3
20-34	13	2.2	2	<1	<1	1	3	5	6	6
35-49	5	1.6		1	1	2	2	2	2	2
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	237	1.9	42	<1	<1	1	1	2	3	56
20-34	29	2.3	7	1	1	2	2	4	5	15
35-49	10	2.9	2	<1	<1	3	5	5	5	5
50-64	12	3.9	4	1	1	3	6	7	7	7
65+	3	2.0		2	2	2	2	2	2	2
TOT. SINGLE DX	201	1.2		<1	<1	1	1	2	2	5
" MULTIPLE DX	291	2.1	36	<1	<1	1	2	3	5	36
TOTAL 0-19 YRS	417	1.6	24	<1	<1	1	1	2	2	14
20-34	42	2.2	6	<1	1	2	2	4	6	15
35-49	15	2.5	2	<1	1	2	3	5	5	5
50-64	14	3.6	5	1	1	3	6	7	7	7
65+	4	2.5	1	2	2	2	3	4	4	4
GRAND TOTAL	**492**	**1.7**	**22**	**<1**	**<1**	**1**	**1**	**2**	**3**	**14**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	42	2.3	2	<1	<1	2	3	4	5	9
20-34	33	2.4		1	1	2	3	4	4	5
35-49	115	2.3	1	1	1	2	3	4	4	5
50-64	103	2.5	1	1	1	2	3	4	4	5
65+	21	3.6	5	1	2	3	4	6	9	11
2. MULTIPLE DX										
0-19 YRS	72	5.3	165	<1	1	2	4	5	22	86
20-34	79	4.2	66	1	1	2	4	6	9	52
35-49	94	4.6	48	1	1	3	4	8	22	79
50-64	137	3.1	6	1	1	3	3	5	6	19
65+	103	4.1	21	1	2	3	4	7	10	29
TOT. SINGLE DX	314	2.5	2	1	1	2	3	4	5	6
" MULTIPLE DX	485	4.1	51	1	1	3	4	6	10	49
TOTAL 0-19 YRS	114	4.2	107	<1	1	2	3	5	9	68
20-34	112	3.7	47	1	1	2	3	5	6	44
35-49	209	3.4	24	1	1	2	3	5	7	39
50-64	240	2.8	4	1	1	2	3	4	5	11
65+	124	4.0	18	1	2	3	4	7	10	24
GRAND TOTAL	**799**	**3.5**	**32**	**1**	**1**	**2**	**3**	**5**	**7**	**31**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	81	2.5	1	<1	1	2	3	4	5	7
20-34	163	2.4	1	1	1	2	3	4	4	8
35-49	218	2.8	2	1	1	3	3	4	5	8
50-64	224	3.0	2	1	1	3	4	5	6	7
65+	193	3.3	2	1	2	3	4	5	6	9
2. MULTIPLE DX										
0-19 YRS	36	2.6	2	<1	1	2	4	5	6	6
20-34	67	3.5	9	1	1	3	4	7	9	21
35-49	122	4.1	10	1	2	3	4	7	10	19
50-64	203	4.2	12	1	2	3	4	8	11	21
65+	262	4.6	10	1	2	4	5	8	11	16
TOT. SINGLE DX	879	2.8	2	1	1	3	4	5	5	8
" MULTIPLE DX	690	4.2	11	1	2	3	5	8	10	19
TOTAL 0-19 YRS	117	2.5	2	<1	1	2	3	4	5	7
20-34	230	2.7	4	1	1	2	3	4	5	10
35-49	340	3.2	5	1	1	3	4	5	7	12
50-64	427	3.5	8	1	1	3	4	6	8	13
65+	455	4.0	7	1	2	3	5	7	9	15
GRAND TOTAL	**15[illegible]**	**3.4**	**6**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	289	3.5	2	1	2	3	4	5	6	8
20-34	11	2.6	1	1	1	3	4	5	5	5
35-49	9	4.1	8	1	1	3	6	8	10	10
50-64	7	3.6	5	1	1	2	6	6	6	6
65+	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	295	4.0	20	2	2	3	5	6	7	10
20-34	18	4.4	16	1	2	2	6	10	14	17
35-49	22	3.5	4	1	1	3	5	6	8	10
50-64	26	8.7	96	2	2	5	12	29	33	36
65+	7	2.6		1	1	3	3	3	3	3
TOT. SINGLE DX	318	3.5	3	1	2	3	4	6	6	8
" MULTIPLE DX	368	4.3	25	2	2	3	5	6	8	28
TOTAL 0-19 YRS	584	3.8	11	1	2	3	4	6	7	9
20-34	29	3.7	12	1	1	2	4	8	10	17
35-49	31	3.7	5	1	1	3	5	6	10	10
50-64	33	7.6	81	1	2	5	7	21	32	36
65+	9	2.8	1	1	1	3	3	4	4	4
GRAND TOTAL	**686**	**4.0**	**15**	**1**	**2**	**3**	**4**	**6**	**7**	**13**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	392	2.9	3	<1	1	2	4	5	6	9
20-34	84	3.5	6	1	1	3	5	7	8	15
35-49	102	3.4	6	1	1	3	4	7	8	12
50-64	152	3.2	8	1	1	2	4	6	8	16
65+	149	4.3	30	1	1	2	5	10	16	32
2. MULTIPLE DX										
0-19 YRS	337	3.6	11	1	1	3	4	7	9	17
20-34	244	4.1	13	1	1	3	5	8	11	23
35-49	216	5.9	60	1	1	4	6	11	21	45
50-64	301	6.5	52	1	1	4	8	15	22	35
65+	447	7.0	67	1	1	4	9	15	23	49
TOT. SINGLE DX	879	3.3	10	<1	1	2	4	6	8	17
" MULTIPLE DX	1545	5.5	45	1	1	3	6	12	17	36
TOTAL 0-19 YRS	729	3.2	7	1	1	3	4	6	7	13
20-34	328	3.9	12	1	1	3	5	7	9	22
35-49	318	5.1	44	1	1	3	5	9	16	39
50-64	453	5.4	40	1	1	3	6	14	18	30
65+	596	6.3	60	1	1	3	8	15	20	45
GRAND TOTAL	**2424**	**4.7**	**33**	**1**	**1**	**3**	**5**	**10**	**15**	**32**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2814	1.5		1	1	1	2	2	3	3
20-34	1954	1.6		1	1	1	2	3	3	5
35-49	299	1.9	1	1	1	2	2	3	4	8
50-64	43	2.1	1	1	1	2	2	4	5	8
65+	12	1.9		1	1	2	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	778	1.8	11	1	1	1	2	3	3	6
20-34	505	2.1	3	1	1	2	2	4	5	11
35-49	134	3.1	14	1	1	2	3	6	9	27
50-64	40	3.5	16	1	1	2	3	6	16	18
65+	21	5.3	38	1	1	3	5	18	20	21
TOT. SINGLE DX	5122	1.6	1	1	1	1	2	2	3	5
" MULTIPLE DX	1478	2.1	10	1	1	2	2	3	4	12
TOTAL 0-19 YRS	3592	1.6	3	1	1	1	2	2	3	4
20-34	2459	1.7	1	1	1	1	2	3	3	7
35-49	433	2.3	6	1	1	2	2	4	6	12
50-64	83	2.7	9	1	1	2	3	5	7	18
65+	33	4.1	27	1	1	2	3	12	19	21
GRAND TOTAL	**6600**	**1.7**	**3**	**1**	**1**	**1**	**2**	**3**	**3**	**6**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5281	1.6		<1	1	2	2	2	2	3
20-34	265	1.8		1	1	2	2	3	3	5
35-49	25	2.1		1	1	2	3	3	3	3
50-64	3	1.3		1	1	1	2	2	2	2
65+	7	1.9		1	1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	4662	1.7	2	1	1	2	2	2	3	5
20-34	108	2.2	1	1	1	2	3	4	4	7
35-49	10	4.9	17	1	1	3	6	12	13	13
50-64	3	4.7	14	2	2	3	7	9	9	9
65+	10	1.9	1	<1	<1	2	2	3	4	4
TOT. SINGLE DX	5581	1.6		<1	1	2	2	2	2	3
" MULTIPLE DX	4793	1.7	3	1	1	2	2	2	3	6
TOTAL 0-19 YRS	9943	1.6	2	<1	1	2	2	2	3	4
20-34	373	1.9	1	1	1	2	2	3	4	6
35-49	35	2.9	7	1	1	2	3	4	10	13
50-64	6	3.0	9	1	1	2	3	8	9	9
65+	17	1.9	1	<1	1	2	2	3	4	4
GRAND TOTAL	**10374**	**1.7**	**2**	**1**	**1**	**2**	**2**	**2**	**3**	**4**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	191	1.3		<1	<1	1	1	2	2	4
20-34	6	1.8		1	1	2	2	2	2	2
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	784	1.5	3	<1	<1	1	2	2	2	9
20-34	4	1.5		1	1	1	2	2	2	2
35-49	5	2.2	1	1	1	2	3	4	4	4
50-64										
65+										
TOT. SINGLE DX	198	1.3		<1	<1	1	1	2	2	4
" MULTIPLE DX	793	1.5	4	<1	<1	1	2	2	2	9
TOTAL 0-19 YRS	975	1.5	3	<1	<1	1	2	2	2	8
20-34	10	1.7		1	1	2	2	2	2	2
35-49	5	2.2	1	1	1	2	3	4	4	4
50-64										
65+	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**991**	**1.5**	**3**	**<1**	**<1**	**1**	**2**	**2**	**2**	**8**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	336	2.3	3	<1	1	2	3	4	6	11
20-34	242	2.2	2	<1	1	2	3	4	5	7
35-49	112	2.8	5	1	1	2	3	5	6	13
50-64	68	3.2	9	<1	1	2	4	8	11	14
65+	40	3.9	10	1	1	3	5	8	11	14
2. MULTIPLE DX										
0-19 YRS	135	3.8	26	1	1	3	4	6	9	31
20-34	133	3.5	8	1	1	3	4	6	8	16
35-49	74	4.1	16	1	1	3	5	7	14	81
50-64	122	6.1	38	1	1	4	8	16	20	29
65+	122	6.8	63	1	1	3	10	15	22	41
TOT. SINGLE DX	798	2.5	5	<1	1	2	3	5	6	12
" MULTIPLE DX	586	4.9	33	1	1	3	5	11	16	34
TOTAL 0-19 YRS	471	2.7	10	<1	1	2	3	5	6	13
20-34	375	2.7	5	<1	1	2	3	5	6	13
35-49	186	3.3	10	1	1	2	4	6	10	23
50-64	190	5.1	30	1	1	3	6	12	17	28
65+	162	6.1	52	1	1	3	7	14	18	40
GRAND TOTAL	**1384**	**3.5**	**18**	**1**	**1**	**2**	**4**	**7**	**11**	**25**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	33	2.1	2	<1	<1	2	2	4	6	7
20-34	16	2.9	3	1	1	3	4	6	7	7
35-49	16	3.6	3	<1	1	3	5	6	7	7
50-64	30	3.3	4	1	1	3	5	6	6	9
65+	10	2.9	1	1	1	3	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	59	3.6	17	1	1	3	4	5	12	27
20-34	23	3.2	9	<1	1	2	4	6	11	14
35-49	22	4.8	22	1	2	4	6	8	15	24
50-64	71	4.8	25	1	1	3	6	9	11	34
65+	116	5.6	38	1	2	4	6	11	18	34
TOT. SINGLE DX	105	2.9	3	<1	1	2	4	6	6	8
" MULTIPLE DX	291	4.8	28	1	1	3	5	9	13	31
TOTAL 0-19 YRS	92	3.1	12	<1	1	2	3	5	7	23
20-34	39	3.1	7	<1	1	2	4	6	8	14
35-49	38	4.3	14	1	1	3	5	7	8	24
50-64	101	4.3	20	1	1	3	5	8	10	26
65+	126	5.4	36	1	2	4	6	10	17	33
GRAND TOTAL	**396**	**4.3**	**22**	**1**	**1**	**3**	**5**	**8**	**11**	**29**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	114	1.7	1	<1	1	2	2	2	4	7
20-34	84	1.4		<1	<1	1	2	2	3	3
35-49	170	1.6	1	<1	<1	1	2	2	3	7
50-64	233	1.8	1	<1	<1	2	2	2	3	9
65+	138	1.9	2	<1	<1	2	2	3	4	10
2. MULTIPLE DX										
0-19 YRS	65	3.7	41	1	1	2	3	7	13	44
20-34	43	3.2	16	1	1	2	3	6	9	26
35-49	121	3.6	19	<1	1	2	4	8	12	24
50-64	244	3.5	21	<1	1	2	3	8	12	24
65+	251	3.6	24	1	1	2	3	9	11	22
TOT. SINGLE DX	739	1.7	2	<1	<1	1	2	2	3	8
" MULTIPLE DX	724	3.5	24	1	1	2	3	8	11	24
TOTAL 0-19 YRS	179	2.4	17	1	1	2	2	4	6	18
20-34	127	2.0	7	<1	<1	1	2	3	5	14
35-49	291	2.4	10	<1	<1	2	2	5	8	21
50-64	477	2.6	12	<1	1	2	2	5	9	20
65+	389	3.0	18	<1	1	2	3	6	10	19
GRAND TOTAL	**1463**	**2.6**	**13**	**<1**	**<1**	**2**	**2**	**5**	**9**	**20**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	3.6	7	2	2	2	4	9	10	10
20-34	8	2.0	1	<1	<1	2	2	4	5	5
35-49	12	6.1	28	1	1	4	10	14	17	18
50-64	22	8.6	55	<1	1	8	11	18	23	29
65+	16	10.4	66	1	1	10	16	22	26	28
2. MULTIPLE DX										
0-19 YRS	23	6.5	85	1	1	3	8	15	25	44
20-34	4	2.8	1	2	2	3	3	4	4	4
35-49	13	11.3	69	2	2	9	15	24	30	31
50-64	48	15.0	177	2	3	12	18	32	50	62
65+	56	11.6	193	1	1	7	13	27	49	63
TOT. SINGLE DX	70	7.0	46	1	1	4	10	17	18	29
" MULTIPLE DX	144	11.6	162	1	2	8	15	25	42	62
TOTAL 0-19 YRS	35	5.5	60	1	2	2	7	11	15	44
20-34	12	2.3	1	<1	1	2	3	4	5	5
35-49	25	8.8	55	1	2	7	12	18	24	31
50-64	70	13.0	147	1	2	10	16	27	36	61
65+	72	11.3	164	1	1	8	14	25	41	62
GRAND TOTAL	**214**	**10.1**	**128**	**1**	**2**	**7**	**13**	**22**	**32**	**58**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	16	12.4	39	3	8	12	14	15	27	32
50-64	28	13.0	40	6	8	12	14	20	23	39
65+	22	13.8	34	9	10	12	16	19	28	35
2. MULTIPLE DX										
0-19 YRS	2	30.0	722	11	11	30	49	49	49	49
20-34	1	16.0		16	16	16	16	16	16	16
35-49	24	21.3	138	9	10	18	25	41	49	51
50-64	86	19.6	180	9	10	16	21	34	48	82
65+	83	21.1	187	10	11	16	22	37	56	76
TOT. SINGLE DX	66	13.1	37	7	8	12	14	19	26	38
" MULTIPLE DX	196	20.5	179	9	10	16	22	36	52	80
TOTAL 0-19 YRS	2	30.0	722	11	11	30	49	49	49	49
20-34	1	16.0		16	16	16	16	16	16	16
35-49	40	17.7	116	8	9	14	20	33	44	51
50-64	114	18.0	154	8	9	15	20	28	41	79
65+	105	19.6	164	10	10	16	21	35	54	70
GRAND TOTAL	**262**	**18.7**	**154**	**9**	**10**	**15**	**21**	**34**	**47**	**74**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64	7	11.1	74	3	3	8	19	22	23	23
65+	2	5.5	1	5	5	5	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	14	27.6	873	2	7	18	42	98	99+	99+
20-34	17	33.3	517	6	9	31	49	69	75	77
35-49	25	20.2	119	1	7	22	32	36	99+	99+
50-64	52	25.7	425	3	5	20	43	61	70	99
65+	64	33.8	655	4	6	28	53	85	99+	99+
TOT. SINGLE DX	11	9.4	51	3	3	6	15	21	23	23
" MULTIPLE DX	172	28.8	525	4	5	24	44	78	98	99+
TOTAL 0-19 YRS	15	26.3	837	3	7	17	41	97	99	99+
20-34	17	33.3	517	6	9	31	49	69	75	77
35-49	26	19.7	123	1	6	21	31	36	99+	99+
50-64	59	24.0	405	3	4	17	41	58	69	97
65+	66	33.0	660	4	6	26	51	85	99+	99+
GRAND TOTAL	**183**	**27.7**	**518**	**3**	**5**	**23**	**43**	**73**	**97**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	55	5.7	56	1	1	3	7	14	19	43
20-34	19	3.4	9	1	1	2	5	9	11	11
35-49	14	10.6	274	<1	1	4	9	48	50	50
50-64	23	5.0	48	1	1	2	7	11	19	32
65+	19	3.9	37	1	1	2	3	9	19	27
2. MULTIPLE DX										
0-19 YRS	124	13.1	195	2	2	9	22	47	99+	99+
20-34	62	25.5	543	3	3	20	43	52	73	98
35-49	57	16.9	264	1	2	11	31	51	79	99+
50-64	168	22.5	474	1	2	17	37	58	75	99+
65+	189	31.6	657	2	2	28	50	72	91	99+
TOT. SINGLE DX	130	5.5	70	1	1	2	6	12	19	48
" MULTIPLE DX	600	23.2	507	1	2	17	40	64	91	99+
TOTAL 0-19 YRS	179	10.8	163	1	2	6	16	40	77	99+
20-34	81	20.3	506	1	2	10	35	49	61	97
35-49	71	15.7	269	1	2	9	28	49	58	99+
50-64	191	20.4	455	1	1	13	32	55	70	99+
65+	208	29.1	664	1	2	25	48	72	91	99+
GRAND TOTAL	**730**	**20.1**	**474**	**1**	**2**	**12**	**34**	**57**	**81**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	6.5	38	1	2	5	7	13	22	28
20-34	88	4.9	39	1	1	3	6	10	10	41
35-49	119	5.5	23	<1	1	4	8	12	14	26
50-64	258	5.2	17	1	2	4	7	11	14	17
65+	267	6.4	34	1	2	4	8	13	17	34
2. MULTIPLE DX										
0-19 YRS	34	8.4	50	1	2	7	9	22	25	31
20-34	196	8.9	59	2	2	7	12	16	26	45
35-49	504	8.8	54	2	2	7	12	17	23	32
50-64	1442	9.1	52	2	2	7	12	18	22	39
65+	2647	10.3	61	2	3	8	13	20	25	41
TOT. SINGLE DX	753	5.7	28	1	1	4	7	11	14	28
" MULTIPLE DX	4823	9.7	58	2	3	8	13	19	24	40
TOTAL 0-19 YRS	55	7.7	46	1	2	6	9	17	25	31
20-34	284	7.7	57	1	2	6	10	15	22	41
35-49	623	8.2	50	1	2	7	11	17	22	32
50-64	1700	8.5	49	2	2	7	11	17	21	36
65+	2914	9.9	60	2	3	8	13	20	24	40
GRAND TOTAL	**5576**	**9.2**	**56**	**2**	**2**	**7**	**12**	**18**	**23**	**39**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	3	8.3	50	2	2	7	14	16	16	16
35-49										
50-64	1	10.0		10	10	10	10	10	10	10
65+										
2. MULTIPLE DX										
0-19 YRS	1	24.0		24	24	24	24	24	24	24
20-34	1	13.0		13	13	13	13	13	13	13
35-49	1	6.0		6	6	6	6	6	6	6
50-64	4	17.3	95	7	7	17	25	27	27	27
65+										
TOT. SINGLE DX	4	8.8	34	2	2	8	13	16	16	16
" MULTIPLE DX	7	16.0	77	6	6	13	24	26	27	27
TOTAL 0-19 YRS	1	24.0		24	24	24	24	24	24	24
20-34	4	9.5	39	2	2	10	14	16	16	16
35-49	1	6.0		6	6	6	6	6	6	6
50-64	5	15.8	82	7	7	11	25	27	27	27
65+										
GRAND TOTAL	**11**	**13.4**	**70**	**2**	**4**	**11**	**22**	**25**	**27**	**27**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	33	8.9	15	3	5	8	10	13	15	24
20-34	58	7.8	21	1	2	7	10	15	17	22
35-49	99	8.4	33	1	3	8	10	14	20	35
50-64	219	8.3	29	1	1	8	11	16	19	23
65+	169	7.7	32	1	2	7	10	15	17	27
2. MULTIPLE DX										
0-19 YRS	54	13.6	260	3	4	7	14	42	57	99
20-34	124	11.7	65	3	5	10	15	19	27	49
35-49	267	12.2	97	2	3	10	16	23	30	53
50-64	766	12.2	82	2	3	10	16	25	31	48
65+	1002	11.7	86	1	2	10	15	23	28	44
TOT. SINGLE DX	578	8.1	29	1	2	8	10	15	19	25
" MULTIPLE DX	2213	12.0	90	2	3	10	15	24	30	49
TOTAL 0-19 YRS	87	11.8	171	3	4	8	11	29	45	93
20-34	182	10.4	54	2	3	9	13	17	23	45
35-49	366	11.2	83	2	3	9	14	20	29	49
50-64	985	11.3	73	2	3	9	14	22	28	43
65+	1171	11.1	81	1	2	9	15	22	27	42
GRAND TOTAL	**2791**	**11.2**	**80**	**2**	**2**	**9**	**14**	**22**	**28**	**45**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	11.3	22	6	6	9	16	18	18	18
20-34	7	9.4	3	6	7	9	11	12	12	12
35-49	42	11.5	25	6	7	10	13	19	21	28
50-64	122	12.4	20	7	7	11	15	18	21	26
65+	87	13.7	48	8	9	11	15	22	25	45
2. MULTIPLE DX										
0-19 YRS	12	15.1	49	6	8	14	19	24	30	31
20-34	20	15.4	60	7	8	14	25	29	63	99+
35-49	82	15.5	113	6	7	13	17	25	32	69
50-64	378	15.2	80	8	8	13	18	24	32	47
65+	508	15.7	51	8	9	14	19	24	29	37
TOT. SINGLE DX	265	12.6	30	7	8	11	15	19	23	37
" MULTIPLE DX	1000	15.5	67	8	8	14	18	24	31	47
TOTAL 0-19 YRS	19	13.7	41	6	7	13	18	21	27	31
20-34	27	13.8	52	6	7	12	17	27	39	99+
35-49	124	14.1	87	6	7	11	16	23	28	68
50-64	500	14.5	67	7	8	12	17	23	29	45
65+	595	15.4	51	8	9	14	18	24	29	38
GRAND TOTAL	**1265**	**14.9**	**61**	**7**	**8**	**13**	**18**	**24**	**29**	**44**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	241	3.1	13	<1	<1	2	3	7	11	18
20-34	129	4.0	14	<1	<1	3	6	10	12	17
35-49	132	4.7	16	1	1	3	6	9	12	19
50-64	227	5.7	19	1	1	4	8	12	14	18
65+	179	6.8	34	1	1	5	10	16	18	28
2. MULTIPLE DX										
0-19 YRS	321	10.1	174	1	1	5	13	23	39	86
20-34	270	9.5	73	1	2	7	13	19	26	44
35-49	561	9.3	77	2	2	7	11	19	25	38
50-64	1310	9.8	79	2	2	8	12	19	26	43
65+	2003	11.1	83	2	3	9	14	22	28	47
TOT. SINGLE DX	908	4.8	21	<1	1	3	7	11	14	22
" MULTIPLE DX	4465	10.3	88	2	2	8	13	21	27	48
TOTAL 0-19 YRS	562	7.1	117	<1	1	3	8	17	26	65
20-34	399	7.7	61	<1	1	6	10	17	22	41
35-49	693	8.4	69	1	2	6	10	18	23	36
50-64	1537	9.2	73	2	2	7	12	18	25	41
65+	2182	10.7	81	2	2	8	14	21	28	46
GRAND TOTAL	**5373**	**9.4**	**81**	**1**	**2**	**7**	**12**	**19**	**26**	**46**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	11.7	149	3	3	6	14	31	43	44
20-34	34	6.0	13	1	2	6	8	10	12	20
35-49	27	5.3	6	2	2	5	6	9	10	11
50-64	13	6.2	24	1	1	5	9	13	17	18
65+	12	8.2	30	3	3	6	10	18	20	20
2. MULTIPLE DX										
0-19 YRS	18	12.7	252	3	3	7	15	18	51	73
20-34	43	7.8	18	3	4	6	9	12	19	23
35-49	36	11.6	88	2	4	8	16	22	27	50
50-64	65	12.3	99	3	4	10	17	22	33	95
65+	83	12.4	78	2	3	10	16	24	31	41
TOT. SINGLE DX	97	6.8	32	2	2	6	8	12	18	34
" MULTIPLE DX	245	11.5	89	3	4	9	15	21	27	68
TOTAL 0-19 YRS	29	12.3	207	3	3	7	15	21	45	73
20-34	77	7.0	17	2	3	6	8	12	17	22
35-49	63	8.9	62	2	3	6	10	19	23	47
50-64	78	11.3	92	2	3	9	16	21	28	91
65+	95	11.9	74	2	3	10	16	24	29	41
GRAND TOTAL	**342**	**10.1**	**77**	**2**	**3**	**8**	**13**	**20**	**25**	**51**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	159	5.7	23	1	2	4	7	11	14	29
20-34	513	5.4	9	2	3	4	6	9	12	18
35-49	161	6.1	14	2	3	5	7	11	14	19
50-64	111	7.1	18	2	3	6	9	13	14	25
65+	93	7.9	23	2	3	7	10	15	17	24
2. MULTIPLE DX										
0-19 YRS	269	14.3	288	2	3	9	17	36	69	99+
20-34	487	9.6	82	2	3	7	11	20	27	51
35-49	393	11.0	98	3	3	8	13	21	29	53
50-64	599	11.5	70	3	4	9	14	22	28	46
65+	852	12.8	88	3	4	10	17	25	32	49
TOT. SINGLE DX	1037	5.9	15	2	3	5	7	11	14	21
" MULTIPLE DX	2600	11.8	107	3	4	9	15	24	31	58
TOTAL 0-19 YRS	428	11.1	207	2	3	7	12	24	50	99+
20-34	1000	7.4	50	2	3	5	8	14	20	36
35-49	554	9.6	79	3	3	7	11	19	25	43
50-64	710	10.8	65	3	4	9	14	21	26	45
65+	945	12.3	85	3	4	10	16	24	30	49
GRAND TOTAL	**3637**	**10.1**	**88**	**3**	**3**	**7**	**12**	**21**	**27**	**53**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	192	5.8	4	2	4	6	7	8	9	13
20-34	95	5.7	20	1	1	5	8	12	15	21
35-49	67	6.6	36	1	1	6	8	12	14	38
50-64	95	6.3	25	<1	1	5	8	13	17	26
65+	77	7.5	31	2	2	6	11	15	18	28
2. MULTIPLE DX										
0-19 YRS	62	10.0	53	2	4	7	13	19	25	39
20-34	171	10.1	94	1	2	8	13	19	28	57
35-49	201	11.1	108	2	3	9	14	21	27	82
50-64	357	10.8	89	2	3	9	14	21	29	49
65+	533	11.9	82	2	3	9	15	25	30	46
TOT. SINGLE DX	526	6.2	19	1	2	6	8	11	14	23
" MULTIPLE DX	1324	11.1	89	2	3	9	14	22	29	49
TOTAL 0-19 YRS	254	6.8	19	2	4	6	7	10	15	25
20-34	266	8.5	72	1	2	7	11	16	23	44
35-49	268	10.0	94	1	2	8	13	19	26	67
50-64	452	9.9	79	2	2	8	13	20	27	43
65+	610	11.3	78	2	3	9	15	23	29	45
GRAND TOTAL	**1850**	**9.7**	**74**	**2**	**2**	**7**	**12**	**19**	**26**	**43**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	183	8.2	10	4	5	8	10	11	13	21
20-34	25	9.7	11	6	6	9	11	14	18	19
35-49	31	10.6	9	6	6	11	12	15	16	16
50-64	35	12.6	25	7	8	11	14	20	24	25
65+	41	14.8	24	9	10	13	16	23	25	30
2. MULTIPLE DX										
0-19 YRS	441	12.9	106	5	6	10	14	24	37	99+
20-34	62	17.7	158	7	7	13	23	33	40	71
35-49	156	18.9	311	7	8	12	21	41	69	98
50-64	339	16.7	112	8	9	13	19	29	41	79
65+	384	18.2	120	9	9	15	22	30	39	74
TOT. SINGLE DX	315	9.9	19	4	6	9	12	16	19	24
" MULTIPLE DX	1382	16.2	143	6	8	13	18	29	41	87
TOTAL 0-19 YRS	624	11.5	83	4	5	9	13	20	31	86
20-34	87	15.4	128	6	7	11	18	28	35	68
35-49	187	17.5	271	7	8	12	17	34	60	95
50-64	374	16.3	105	8	9	13	18	29	40	75
65+	425	17.9	113	9	9	15	21	28	38	70
GRAND TOTAL	**1697**	**15.0**	**126**	**6**	**7**	**12**	**17**	**27**	**37**	**80**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	4	8.8		8	8	9	9	9	9	9
35-49	126	10.5	12	7	7	10	12	15	18	23
50-64	321	11.4	19	7	8	10	13	17	19	25
65+	146	13.3	30	8	8	12	16	19	26	37
2. MULTIPLE DX										
0-19 YRS	5	11.4	8	9	9	11	13	16	16	16
20-34	31	10.4	27	7	7	9	11	13	16	36
35-49	772	11.3	20	7	7	10	13	17	20	27
50-64	2617	12.8	42	7	8	11	14	20	24	38
65+	2003	14.9	64	8	9	13	17	23	29	51
TOT. SINGLE DX	597	11.7	22	7	8	10	14	17	20	28
" MULTIPLE DX	5428	13.4	49	7	8	11	15	21	26	40
TOTAL 0-19 YRS	5	11.4	8	9	9	11	13	16	16	16
20-34	35	10.2	24	7	7	9	11	12	16	36
35-49	898	11.2	19	7	7	10	13	17	20	27
50-64	2938	12.7	40	7	8	11	14	19	24	38
65+	2149	14.8	63	8	9	13	17	23	29	48
GRAND TOTAL	**6025**	**13.2**	**47**	**7**	**8**	**11**	**15**	**20**	**25**	**39**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	440	1.8	2	1	1	1	2	2	3	9
20-34	152	3.1	6	1	1	2	4	7	9	12
35-49	1097	3.2	6	1	1	2	3	7	9	13
50-64	1784	3.3	8	1	1	2	4	7	10	13
65+	551	3.7	10	1	2	2	5	9	11	15
2. MULTIPLE DX										
0-19 YRS	907	2.8	13	1	1	2	2	6	9	19
20-34	485	5.0	26	1	2	3	7	10	13	29
35-49	4183	4.4	17	1	2	3	6	9	12	18
50-64	9079	4.7	18	1	2	3	6	10	13	19
65+	[illegible]469	5.8	28	1	2	4	8	12	16	25
TOT. SINGLE DX	4024	3.1	8	1	1	2	3	7	9	13
" MULTIPLE DX	20123	4.9	21	1	2	3	7	10	14	21
TOTAL 0-19 YRS	1347	2.4	10	1	1	2	2	5	8	17
20-34	637	4.5	22	1	1	3	6	9	12	23
35-49	5280	4.2	15	1	2	2	5	9	11	17
50-64	10863	4.5	17	1	2	3	6	10	13	19
65+	6020	5.6	28	1	2	4	8	12	16	25
GRAND TOTAL	**24147**	**4.6**	**20**	**1**	**1**	**3**	**6**	**10**	**13**	**21**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	3.7	3	1	1	4	5	6	6	6
20-34	12	3.6	3	1	1	3	5	6	6	6
35-49	37	4.6	10	1	2	4	6	9	12	13
50-64	110	5.7	17	1	1	5	8	12	14	20
65+	448	5.4	19	1	2	4	7	10	13	21
2. MULTIPLE DX										
0-19 YRS	62	7.5	70	1	2	5	8	15	22	47
20-34	44	7.9	85	2	3	5	9	12	16	62
35-49	119	9.6	27	2	4	9	13	17	19	27
50-64	757	9.6	45	2	3	8	12	17	22	35
65+	4327	9.5	47	2	3	8	12	17	22	37
TOT. SINGLE DX	619	5.3	18	1	2	4	7	10	13	20
" MULTIPLE DX	5309	9.5	47	2	3	8	12	17	22	37
TOTAL 0-19 YRS	74	6.9	62	1	2	5	7	14	18	46
20-34	56	7.0	71	1	2	5	8	12	14	59
35-49	156	8.4	28	2	2	8	11	16	18	26
50-64	867	9.1	44	2	3	8	12	17	22	34
65+	4775	9.1	46	2	3	7	12	17	21	36
GRAND TOTAL	**5928**	**9.0**	**46**	**2**	**3**	**7**	**12**	**17**	**21**	**36**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	24	6.6	19	2	2	6	8	14	16	17
20-34	19	7.0	12	2	3	6	10	14	57	99+
35-49	93	4.5	8	2	2	3	6	9	10	14
50-64	148	4.8	10	2	2	3	6	10	12	14
65+	59	6.0	33	2	2	4	8	13	17	31
2. MULTIPLE DX										
0-19 YRS	71	10.6	72	1	2	8	16	23	29	36
20-34	84	10.0	111	2	3	8	12	17	26	69
35-49	581	6.6	23	2	3	5	8	12	15	25
50-64	1155	6.7	22	2	3	5	9	13	16	24
65+	639	8.4	55	2	3	6	11	16	20	42
TOT. SINGLE DX	343	5.2	15	2	2	4	7	10	13	18
" MULTIPLE DX	2530	7.3	36	2	3	6	9	14	18	31
TOTAL 0-19 YRS	95	9.6	61	2	2	8	14	20	28	35
20-34	103	9.4	94	2	3	8	11	16	26	91
35-49	674	6.3	22	2	2	5	8	12	15	25
50-64	1303	6.5	21	2	2	5	9	12	16	23
65+	698	8.2	54	2	3	6	11	16	20	40
GRAND TOTAL	**2873**	**7.1**	**34**	**2**	**2**	**5**	**9**	**14**	**17**	**31**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	286	3.1	28	<1	1	2	3	6	9	25
20-34	68	3.8	13	<1	1	2	5	8	9	21
35-49	95	3.8	21	<1	1	2	5	8	12	25
50-64	148	3.5	20	<1	1	2	4	10	11	23
65+	108	4.9	37	1	1	2	6	11	21	31
2. MULTIPLE DX										
0-19 YRS	403	6.8	111	1	1	4	8	13	26	97
20-34	194	9.9	69	1	2	9	13	19	26	54
35-49	369	8.3	70	1	1	6	11	18	22	49
50-64	929	8.6	61	1	2	7	11	18	24	39
65+	2110	10.7	73	2	3	8	14	21	27	42
TOT. SINGLE DX	705	3.6	26	<1	1	2	4	8	11	26
" MULTIPLE DX	4005	9.6	76	1	2	7	13	20	26	45
TOTAL 0-19 YRS	689	5.3	81	1	1	3	6	10	18	72
20-34	262	8.3	62	1	1	6	12	17	23	42
35-49	464	7.4	64	1	1	5	10	16	21	47
50-64	1077	7.9	59	1	1	6	11	17	23	37
65+	2218	10.4	73	2	2	8	14	21	26	42
GRAND TOTAL	**4710**	**8.7**	**73**	**1**	**1**	**6**	**12**	**19**	**25**	**43**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	2.3	1	1	1	2	3	4	4	4
20-34	236	3.1	2	1	1	3	4	5	6	8
35-49	428	3.6	3	1	2	3	4	6	6	12
50-64	306	3.9	6	1	2	3	5	6	8	13
65+	97	3.8	3	1	2	4	5	6	7	10
2. MULTIPLE DX										
0-19 YRS	4	3.5	1	2	2	3	4	5	5	5
20-34	72	4.2	7	1	2	4	5	8	8	16
35-49	170	5.1	14	2	2	4	5	10	13	22
50-64	197	5.5	16	2	2	4	6	10	14	23
65+	145	7.1	85	2	2	5	8	14	19	35
TOT. SINGLE DX	1078	3.6	4	1	2	3	4	6	7	12
" MULTIPLE DX	588	5.6	33	2	2	4	6	11	15	23
TOTAL 0-19 YRS	15	2.6	2	1	1	2	4	4	5	5
20-34	308	3.4	4	1	1	3	4	5	7	11
35-49	598	4.0	7	1	2	3	5	6	9	17
50-64	503	4.5	11	1	2	4	5	7	11	19
65+	242	5.8	55	1	2	4	6	10	15	31
GRAND TOTAL	**1666**	**4.3**	**15**	**1**	**2**	**4**	**5**	**7**	**10**	**19**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	36	8.4	14	2	3	8	11	15	15	16
20-34	16	4.9	6	2	2	5	7	8	9	9
35-49	72	8.8	38	1	2	8	11	15	20	35
50-64	255	8.6	17	2	3	8	11	13	16	24
65+	201	10.1	46	3	5	9	12	16	19	31
2. MULTIPLE DX										
0-19 YRS	131	12.7	109	4	5	9	16	25	36	71
20-34	147	10.4	84	2	2	7	14	22	27	50
35-49	448	10.9	86	2	3	9	13	20	23	51
50-64	1542	12.5	104	3	4	10	15	22	31	59
65+	2196	14.2	99	4	6	11	17	26	34	56
TOT. SINGLE DX	580	9.0	31	2	3	8	11	14	17	25
" MULTIPLE DX	4464	13.1	101	3	5	10	16	24	32	58
TOTAL 0-19 YRS	167	11.7	92	3	5	9	14	23	31	64
20-34	163	9.9	79	2	2	7	13	21	27	49
35-49	520	10.6	80	2	3	9	13	19	23	49
50-64	1797	12.0	94	3	4	10	14	21	29	57
65+	2397	13.9	96	4	6	11	16	25	34	56
GRAND TOTAL	**5044**	**12.6**	**95**	**3**	**4**	**10**	**15**	**23**	**31**	**56**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	8.0	2	7	7	8	9	9	9	9
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	4	11.0	44	5	5	9	16	20	20	20
20-34										
35-49										
50-64										
65+	1	26.0		26	26	26	26	26	26	26
TOT. SINGLE DX	2	8.0	2	7	7	8	9	9	9	9
" MULTIPLE DX	5	14.0	79	5	5	12	21	26	26	26
TOTAL 0-19 YRS	6	10.0	30	5	5	8	12	19	20	20
20-34										
35-49										
50-64										
65+	1	26.0		26	26	26	26	26	26	26
GRAND TOTAL	**7**	**12.3**	**61**	**5**	**5**	**9**	**18**	**25**	**26**	**26**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	7	5.1	63	<1	<1	2	4	19	23	23
35-49	2	5.0	18	2	2	5	8	8	8	8
50-64	6	6.3	37	1	1	5	8	16	17	17
65+	4	17.8	589	4	4	7	31	54	54	54
2. MULTIPLE DX										
0-19 YRS	43	8.5	260	<1	1	4	7	17	38	83
20-34	419	4.1	18	<1	<1	3	6	9	12	19
35-49	482	5.8	41	1	1	4	7	11	15	34
50-64	925	5.8	26	<1	1	4	7	11	15	29
65+	834	7.0	50	1	2	5	8	13	19	36
TOT. SINGLE DX	19	8.2	157	<1	1	4	8	21	40	54
" MULTIPLE DX	2703	6.0	40	<1	1	4	7	12	15	32
TOTAL 0-19 YRS	43	8.5	261	<1	1	4	7	17	38	83
20-34	426	4.2	19	<1	<1	3	5	9	12	22
35-49	484	5.8	41	1	1	4	7	11	15	34
50-64	931	5.8	26	<1	1	4	7	11	15	29
65+	838	7.1	53	1	2	5	8	13	19	39
GRAND TOTAL	**2722**	**6.0**	**41**	**<1**	**1**	**4**	**7**	**12**	**15**	**33**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	321	7.9	44	1	2	7	10	14	20	33
20-34	201	5.2	30	<1	<1	3	7	12	16	22
35-49	283	7.3	45	1	1	5	10	15	21	30
50-64	700	6.9	30	2	2	5	9	12	15	28
65+	890	7.3	24	2	3	6	9	13	15	26
2. MULTIPLE DX										
0-19 YRS	2080	19.5	412	2	4	12	28	60	83	99+
20-34	627	9.9	150	1	1	6	12	23	34	67
35-49	945	9.5	95	1	2	7	12	21	29	60
50-64	3344	9.6	76	2	2	7	12	18	25	51
65+	6339	11.0	79	3	4	9	14	21	27	49
TOT. SINGLE DX	2395	7.1	32	1	2	6	9	13	16	28
" MULTIPLE DX	13335	11.8	146	2	3	8	14	24	37	83
TOTAL 0-19 YRS	2401	18.0	379	2	3	10	24	54	78	99+
20-34	828	8.8	126	1	1	5	10	20	27	62
35-49	1228	9.0	85	1	2	6	12	20	27	56
50-64	4044	9.1	69	2	2	7	11	17	24	49
65+	7229	10.6	74	3	3	8	13	20	27	47
GRAND TOTAL	**15730**	**11.1**	**132**	**2**	**3**	**8**	**13**	**23**	**34**	**76**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	296	2.5	3	<1	<1	2	3	5	6	9
20-34	225	3.5	8	<1	1	2	5	7	9	15
35-49	180	3.5	11	<1	1	2	4	7	9	18
50-64	169	4.9	38	1	1	3	6	9	13	29
65+	175	4.8	15	<1	1	4	7	10	11	22
2. MULTIPLE DX										
0-19 YRS	163	5.8	41	1	1	4	7	11	18	42
20-34	208	6.0	27	1	1	5	8	11	17	25
35-49	298	7.2	58	1	2	5	9	15	19	38
50-64	476	8.1	61	1	2	6	10	17	22	48
65+	696	9.0	58	2	2	7	12	18	23	38
TOT. SINGLE DX	1045	3.7	14	<1	1	2	5	8	10	16
" MULTIPLE DX	1841	7.8	56	1	2	6	10	16	21	38
TOTAL 0-19 YRS	459	3.7	19	<1	<1	2	5	7	10	23
20-34	433	4.7	19	1	1	3	6	9	12	21
35-49	478	5.8	44	1	1	4	7	13	18	34
50-64	645	7.3	58	1	2	5	9	15	20	41
65+	871	8.1	53	1	2	6	10	17	22	35
GRAND TOTAL	**2886**	**6.3**	**45**	**1**	**1**	**4**	**8**	**14**	**18**	**32**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	3.4	6	<1	<1	3	5	7	9	9
20-34	21	5.6	15	1	2	5	8	9	14	18
35-49	38	4.9	7	1	2	4	6	9	11	12
50-64	72	6.5	16	2	2	6	8	12	16	19
65+	79	6.6	14	2	2	6	8	13	15	19
2. MULTIPLE DX										
0-19 YRS	9	3.9	10	1	1	2	5	10	10	10
20-34	39	7.5	40	2	3	5	9	15	20	35
35-49	79	9.1	75	2	3	7	10	17	23	51
50-64	169	11.0	138	3	3	8	11	19	37	63
65+	248	11.2	112	3	4	8	12	23	32	63
TOT. SINGLE DX	220	6.1	14	2	2	5	8	11	14	18
" MULTIPLE DX	544	10.4	110	3	3	8	11	19	31	56
TOTAL 0-19 YRS	19	3.6	8	<1	1	2	5	9	10	10
20-34	60	6.9	32	2	2	5	8	13	19	34
35-49	117	7.7	57	2	2	6	8	14	19	46
50-64	241	9.6	106	2	3	7	10	16	29	55
65+	327	10.1	92	3	4	7	11	19	28	57
GRAND TOTAL	**764**	**9.2**	**86**	**2**	**3**	**7**	**10**	**17**	**26**	**53**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49										
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	1	6.0		6	6	6	6	6	6	6
35-49	2	17.5	421	3	3	17	32	32	32	32
50-64	1	14.0		14	14	14	14	14	14	14
65+	1	32.0		32	32	32	32	32	32	32
TOT. SINGLE DX	4	4.3	7	2	2	3	6	8	8	8
" MULTIPLE DX	6	17.7	155	3	3	16	32	32	32	32
TOTAL 0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	2	7.0	2	6	6	7	8	8	8	8
35-49	2	17.5	421	3	3	17	32	32	32	32
50-64	3	6.3	44	2	2	3	11	14	14	14
65+	2	18.0	392	4	4	18	32	32	32	32
GRAND TOTAL	**10**	**12.3**	**137**	**2**	**2**	**7**	**19**	**32**	**32**	**32**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	14	45.0	233	26	29	40	53	69	74	76
20-34	7	36.4	349	2	6	42	48	57	59	59
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX	21	42.1	277	14	25	40	50	67	72	76
TOTAL 0-19 YRS	14	45.0	239	26	29	40	53	69	74	76
20-34	7	36.4	350	2	6	42	48	57	59	59
35-49										
50-64										
65+										
GRAND TOTAL	**21**	**42.1**	**277**	**14**	**25**	**40**	**50**	**67**	**72**	**76**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	321	5.5	15	1	2	5	7	10	12	21
20-34	185	6.9	21	2	2	6	8	11	17	27
35-49	124	7.0	33	2	2	6	9	12	17	33
50-64	161	7.7	61	1	2	5	10	15	20	46
65+	183	7.1	34	1	2	5	9	14	17	34
2. MULTIPLE DX										
0-19 YRS	498	9.5	96	2	2	7	11	19	28	58
20-34	526	10.4	106	2	3	7	11	21	34	59
35-49	580	9.8	87	2	3	7	11	20	29	50
50-64	1129	10.6	88	2	3	8	13	21	28	49
65+	3023	10.5	69	3	3	8	13	20	27	47
TOT. SINGLE DX	974	6.6	31	1	2	5	8	12	16	31
" MULTIPLE DX	5756	10.3	81	2	3	8	12	20	28	52
TOTAL 0-19 YRS	819	7.9	69	1	2	6	9	15	22	55
20-34	711	9.5	87	2	3	7	10	18	28	56
35-49	704	9.3	79	2	3	7	11	18	27	46
50-64	1290	10.2	86	2	3	8	12	20	27	48
65+	3206	10.3	68	3	3	8	12	19	27	46
GRAND TOTAL	**6730**	**9.8**	**75**	**2**	**3**	**8**	**12**	**19**	**26**	**48**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	119	7.7	68	1	1	4	10	17	28	39
20-34	39	10.0	71	1	1	7	14	23	26	36
35-49	53	7.9	49	1	1	7	9	14	23	40
50-64	64	10.1	130	1	2	5	12	24	39	48
65+	45	10.7	113	1	1	7	16	24	35	45
2. MULTIPLE DX										
0-19 YRS	345	16.3	270	2	3	11	22	46	63	99+
20-34	257	15.1	157	2	3	12	21	33	44	53
35-49	424	11.5	125	2	2	8	15	25	36	65
50-64	750	12.6	170	1	2	8	16	28	41	67
65+	1002	14.6	168	2	3	11	19	31	41	67
TOT. SINGLE DX	320	8.9	85	1	1	6	12	21	29	44
" MULTIPLE DX	2778	13.9	176	2	3	10	18	31	43	71
TOTAL 0-19 YRS	464	14.0	233	1	2	9	19	38	53	99+
20-34	296	14.4	148	2	2	11	20	32	43	53
35-49	477	11.1	118	2	2	8	14	24	35	63
50-64	814	12.4	167	1	2	8	16	28	41	64
65+	1047	14.4	166	2	3	11	19	31	41	66
GRAND TOTAL	**3098**	**13.3**	**169**	**2**	**2**	**9**	**17**	**30**	**42**	**69**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	87	3.6	14	<1	<1	2	5	9	11	18
20-34	48	3.7	5	1	1	3	5	7	7	12
35-49	81	3.6	5	<1	1	3	5	7	8	11
50-64	106	6.8	49	1	1	5	9	15	21	36
65+	124	5.6	31	<1	1	4	8	12	15	29
2. MULTIPLE DX										
0-19 YRS	168	7.6	107	1	1	3	10	21	28	65
20-34	183	7.3	62	1	2	5	8	15	23	59
35-49	444	7.7	65	1	2	5	9	15	22	49
50-64	776	8.4	82	1	2	6	10	17	25	61
65+	1398	9.3	79	2	2	7	11	18	25	45
TOT. SINGLE DX	446	5.0	27	<1	1	3	6	11	14	30
" MULTIPLE DX	2969	8.6	79	1	2	6	10	18	25	53
TOTAL 0-19 YRS	255	6.3	79	<1	1	3	8	15	26	58
20-34	231	6.5	52	1	2	5	7	13	19	46
35-49	525	7.0	58	1	1	5	8	14	20	44
50-64	882	8.2	78	1	2	6	10	17	25	57
65+	1522	9.0	77	1	2	7	11	18	24	44
GRAND TOTAL	**3415**	**8.1**	**74**	**1**	**2**	**6**	**10**	**17**	**24**	**50**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	587	3.2	1	2	2	3	4	5	5	8
20-34	3	5.3	4	3	3	6	7	7	7	7
35-49	2	7.0	2	6	6	7	8	8	8	8
50-64	2	10.0	32	6	6	10	14	14	14	14
65+	2	13.5	61	8	8	13	19	19	19	19
2. MULTIPLE DX										
0-19 YRS	119	5.5	30	2	2	4	6	9	12	37
20-34	5	9.8	6	6	6	10	11	13	13	13
35-49	20	16.3	191	3	5	11	18	43	44	45
50-64	17	12.3	45	4	5	12	15	19	28	32
65+	39	16.8	117	5	7	15	22	35	46	99+
TOT. SINGLE DX	596	3.3	2	2	2	3	4	5	6	8
" MULTIPLE DX	200	9.5	88	2	3	6	12	21	33	48
TOTAL 0-19 YRS	706	3.6	7	2	2	3	4	5	7	12
20-34	8	8.1	10	3	4	8	10	12	13	13
35-49	22	15.5	180	3	5	9	18	43	44	45
50-64	19	12.1	42	4	5	12	15	18	27	32
65+	41	16.6	113	6	7	15	22	35	45	99+
GRAND TOTAL	**796**	**4.8**	**31**	**2**	**2**	**3**	**5**	**8**	**15**	**36**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	14.7	116	<1	2	13	27	28	28	28
20-34										
35-49	5	27.6	1172	6	6	14	38	88	88	88
50-64	6	18.0	168	7	7	11	33	36	36	36
65+	22	13.0	197	3	4	9	14	25	45	69
2. MULTIPLE DX										
0-19 YRS	94	17.6	354	2	4	13	24	66	99+	99+
20-34	22	19.9	325	3	4	17	31	61	75	99+
35-49	49	16.8	194	3	4	13	30	60	99+	99+
50-64	123	17.5	268	4	5	12	20	47	66	99+
65+	720	17.7	185	4	5	14	23	37	50	85
TOT. SINGLE DX	42	15.8	281	3	5	10	20	34	76	99+
" MULTIPLE DX	1008	17.7	214	3	5	14	23	41	57	99+
TOTAL 0-19 YRS	103	17.4	333	2	4	13	25	58	99+	99+
20-34	22	19.9	326	3	4	17	36	66	99+	99+
35-49	54	17.8	275	3	4	13	30	75	99+	99+
50-64	129	17.5	263	4	5	12	20	47	66	99+
65+	742	17.6	186	4	5	14	23	37	50	84
GRAND TOTAL	**1050**	**17.6**	**216**	**3**	**5**	**14**	**23**	**40**	**57**	**99+**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	4.9	6	1	2	5	7	8	9	9
20-34	52	4.1	6	1	2	3	5	8	9	13
35-49	112	5.4	8	2	2	5	7	9	11	14
50-64	117	5.4	13	1	1	5	7	10	12	18
65+	124	5.8	18	1	2	5	7	10	13	24
2. MULTIPLE DX										
0-19 YRS	34	5.1	16	1	2	4	6	9	12	23
20-34	339	5.5	16	2	2	4	7	10	13	22
35-49	712	6.3	24	2	2	5	8	11	15	31
50-64	1124	7.7	53	2	3	6	9	14	19	38
65+	2432	8.5	41	2	3	7	10	15	20	36
TOT. SINGLE DX	419	5.4	13	1	2	5	7	9	12	17
" MULTIPLE DX	4641	7.7	41	2	3	6	9	14	19	35
TOTAL 0-19 YRS	48	5.1	13	1	2	5	6	9	10	23
20-34	391	5.3	15	2	2	4	7	9	12	21
35-49	824	6.2	22	2	2	5	8	11	14	25
50-64	1241	7.5	50	2	3	6	9	13	18	37
65+	2556	8.4	41	2	3	7	10	15	20	36
GRAND TOTAL	**5060**	**7.5**	**39**	**2**	**3**	**6**	**9**	**14**	**18**	**34**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	7.0		7	7	7	7	7	7	7
20-34	36	8.6	8	5	6	8	9	13	15	18
35-49	92	10.6	14	7	7	10	12	16	20	24
50-64	72	11.7	18	7	7	11	14	17	21	25
65+	65	13.4	35	8	8	12	15	19	28	38
2. MULTIPLE DX										
0-19 YRS	7	9.9	19	4	5	10	12	17	18	18
20-34	62	14.3	120	6	7	10	16	26	36	62
35-49	218	14.1	84	6	7	11	17	24	29	48
50-64	306	15.9	115	7	8	13	18	26	35	85
65+	521	19.4	139	8	9	16	23	34	43	89
TOT. SINGLE DX	267	11.3	22	7	7	10	13	17	20	29
" MULTIPLE DX	1114	17.0	125	7	8	14	20	31	39	84
TOTAL 0-19 YRS	9	9.2	16	4	5	8	11	16	18	18
20-34	98	12.2	87	6	6	9	13	20	29	60
35-49	310	13.0	66	7	7	11	15	22	26	42
50-64	378	15.1	100	7	8	13	17	25	33	75
65+	586	18.7	131	8	9	15	22	34	42	88
GRAND TOTAL	**1381**	**15.9**	**110**	**7**	**8**	**13**	**19**	**28**	**36**	**71**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	8.7	1	8	8	8	10	10	10	10
20-34	47	7.8	6	5	5	7	9	12	13	15
35-49	60	9.5	9	5	6	9	11	14	16	19
50-64	45	10.6	21	6	7	10	12	15	19	29
65+	12	12.3	14	9	9	11	14	18	21	22
2. MULTIPLE DX										
0-19 YRS										
20-34	54	10.4	29	5	6	9	12	16	20	31
35-49	136	11.3	55	5	6	10	13	16	20	54
50-64	130	13.7	46	7	7	12	17	23	26	38
65+	154	17.5	133	7	8	14	22	32	41	80
TOT. SINGLE DX	167	9.5	13	5	6	9	11	15	15	24
" MULTIPLE DX	474	13.9	82	6	7	11	16	24	31	57
TOTAL 0-19 YRS	3	8.7	1	8	8	8	10	10	10	10
20-34	101	9.2	20	5	5	8	10	14	17	30
35-49	196	10.7	42	5	6	9	12	16	19	41
50-64	175	12.9	41	7	7	11	15	21	25	35
65+	166	17.1	126	7	8	14	22	32	40	78
GRAND TOTAL	**641**	**12.7**	**68**	**6**	**7**	**10**	**14**	**22**	**28**	**51**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	3	11.3	17	8	8	10	14	16	16	16
35-49	5	14.2	14	10	10	14	18	18	18	18
50-64	8	13.0	26	9	9	11	13	22	25	25
65+	16	16.3	58	9	10	13	21	30	32	33
2. MULTIPLE DX										
0-19 YRS										
20-34	5	13.0	85	7	7	8	17	29	29	29
35-49	18	18.4	151	8	9	16	20	51	82	99+
50-64	52	19.9	164	10	10	16	22	31	42	84
65+	67	22.0	135	10	12	20	26	35	46	97
TOT. SINGLE DX	32	14.7	41	9	9	12	17	25	30	33
" MULTIPLE DX	142	20.5	147	9	10	17	24	32	47	99+
TOTAL 0-19 YRS										
20-34	8	12.4	55	7	7	9	14	25	29	29
35-49	23	17.5	123	9	10	15	19	38	73	99+
50-64	60	19.0	151	9	10	15	21	31	38	82
65+	83	20.9	125	10	11	19	25	33	39	94
GRAND TOTAL	**174**	**19.4**	**132**	**9**	**10**	**16**	**23**	**32**	**41**	**96**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	70	7.5	27	2	2	7	8	12	20	29
20-34	289	6.9	5	4	5	7	8	9	11	16
35-49	253	7.6	9	4	5	7	8	10	13	22
50-64	109	9.4	37	4	5	8	10	14	19	38
65+	80	10.9	50	4	6	9	12	17	22	49
2. MULTIPLE DX										
0-19 YRS	307	19.2	310	4	5	14	26	55	81	99+
20-34	508	8.7	48	4	5	7	9	13	21	49
35-49	772	9.1	40	4	5	7	10	14	19	41
50-64	503	13.0	98	5	6	10	14	22	30	57
65+	596	16.7	119	7	8	14	19	29	38	69
TOT. SINGLE DX	801	7.9	19	4	5	7	9	11	14	23
" MULTIPLE DX	2686	12.6	116	5	5	9	14	24	34	78
TOTAL 0-19 YRS	377	17.0	278	3	4	11	23	49	68	99+
20-34	797	8.0	34	4	5	7	8	11	16	45
35-49	1025	8.7	34	4	5	7	9	13	18	37
50-64	612	12.3	89	5	6	10	14	21	29	57
65+	676	16.0	114	6	8	13	19	27	37	67
GRAND TOTAL	**3487**	**11.5**	**98**	**5**	**5**	**8**	**13**	**21**	**30**	**68**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	135	4.4	15	1	1	3	5	8	13	20
20-34	196	5.0	12	1	2	5	7	9	10	16
35-49	200	4.2	9	1	1	3	6	8	10	14
50-64	268	4.3	22	1	1	3	6	9	12	21
65+	290	4.2	15	1	1	2	7	9	11	20
2. MULTIPLE DX										
0-19 YRS	222	6.8	56	1	2	4	8	15	25	67
20-34	566	6.2	26	2	2	5	7	12	16	26
35-49	848	6.3	28	1	2	5	8	12	15	26
50-64	1613	6.7	35	1	2	5	8	13	17	32
65+	3146	7.8	48	1	2	6	10	15	20	36
TOT. SINGLE DX	1089	4.4	15	1	1	3	6	9	11	19
" MULTIPLE DX	6395	7.2	41	1	2	6	9	14	19	34
TOTAL 0-19 YRS	357	5.9	42	1	1	4	7	12	19	42
20-34	762	5.9	23	1	2	5	7	11	14	23
35-49	1048	5.9	25	1	2	5	7	11	14	25
50-64	1881	6.4	34	1	1	5	8	13	17	32
65+	3436	7.5	47	1	2	6	10	15	20	35
GRAND TOTAL	**7484**	**6.8**	**38**	**1**	**2**	**5**	**9**	**13**	**18**	**33**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	25	11.3	67	5	5	9	10	21	29	43
20-34	41	9.6	19	5	6	8	11	15	20	26
35-49	32	10.8	22	5	6	10	13	16	22	25
50-64	34	10.6	11	5	7	10	12	15	18	18
65+	43	13.4	64	6	6	11	15	23	25	52
2. MULTIPLE DX										
0-19 YRS	79	19.6	361	5	6	14	44	99+	99+	99+
20-34	127	15.1	173	6	7	11	15	28	43	88
35-49	138	15.2	127	6	7	11	17	29	39	62
50-64	266	18.5	196	7	8	14	21	36	52	74
65+	582	18.7	151	8	8	15	22	33	42	72
TOT. SINGLE DX	175	11.2	38	5	6	10	13	18	23	39
" MULTIPLE DX	1192	17.9	177	7	8	14	21	35	53	99+
TOTAL 0-19 YRS	104	17.6	302	5	6	11	24	82	99+	99+
20-34	168	13.8	141	6	7	10	14	25	37	82
35-49	170	14.3	110	6	7	11	16	26	38	60
50-64	300	17.6	182	6	8	13	19	34	51	73
65+	625	18.3	148	8	8	15	22	33	41	71
GRAND TOTAL	**1367**	**17.1**	**164**	**6**	**7**	**13**	**20**	**33**	**49**	**94**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	26	11.5	46	5	6	9	13	23	30	32
20-34	79	10.3	32	5	6	9	11	15	20	40
35-49	188	10.9	15	6	7	10	13	15	19	26
50-64	488	10.8	16	6	7	10	12	16	19	25
65+	538	11.3	20	7	8	10	12	15	19	31
2. MULTIPLE DX										
0-19 YRS	68	18.4	351	5	6	12	29	88	99+	99+
20-34	221	13.6	77	6	7	11	15	21	33	48
35-49	555	13.3	65	6	7	11	15	21	27	57
50-64	1602	14.1	70	7	8	12	16	22	29	51
65+	4091	15.9	79	8	9	13	18	25	33	53
TOT. SINGLE DX	1319	11.0	20	6	7	10	12	16	19	28
" MULTIPLE DX	6537	15.2	80	7	8	13	17	24	32	55
TOTAL 0-19 YRS	94	16.5	275	5	6	11	19	70	99+	99+
20-34	300	12.8	67	6	7	10	14	21	30	46
35-49	743	12.7	54	6	7	11	14	20	25	46
50-64	2090	13.3	60	7	8	11	15	20	26	48
65+	4629	15.3	75	8	9	13	18	25	32	53
GRAND TOTAL	**7856**	**14.5**	**72**	**7**	**8**	**12**	**16**	**23**	**30**	**53**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	22	8.8	53	3	4	6	10	20	28	32
20-34	14	7.7	18	1	2	8	11	12	15	16
35-49	11	7.3	18	1	2	8	11	13	14	14
50-64	19	10.4	19	5	6	9	13	18	20	21
65+	24	12.5	60	6	7	10	15	22	30	41
2. MULTIPLE DX										
0-19 YRS	22	17.0	220	4	6	10	25	52	70	99+
20-34	28	13.3	116	3	4	11	16	36	51	99+
35-49	57	14.6	173	4	6	11	16	24	36	84
50-64	89	16.9	169	6	7	13	18	33	50	66
65+	235	16.9	86	7	9	14	20	31	35	61
TOT. SINGLE DX	90	9.8	41	2	4	9	11	17	22	37
" MULTIPLE DX	431	16.4	124	6	7	13	19	31	44	73
TOTAL 0-19 YRS	44	12.9	151	3	4	8	17	37	52	99+
20-34	42	11.4	89	2	3	10	15	19	47	99+
35-49	68	13.4	155	3	4	10	14	23	31	81
50-64	108	15.8	149	6	7	12	17	30	48	63
65+	259	16.5	85	7	8	14	20	29	35	59
GRAND TOTAL	**521**	**15.2**	**116**	**5**	**6**	**12**	**18**	**29**	**38**	**68**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	149	6.6	24	2	2	6	8	10	13	25
20-34	107	8.3	15	4	4	8	10	12	13	26
35-49	125	8.7	12	4	5	8	10	12	14	22
50-64	131	9.3	42	3	5	9	10	14	15	31
65+	149	9.9	26	3	5	9	12	16	19	31
2. MULTIPLE DX										
0-19 YRS	236	12.5	159	4	5	9	13	25	38	91
20-34	224	10.9	69	5	5	9	12	17	25	46
35-49	238	13.4	150	5	6	10	14	26	38	72
50-64	374	12.6	91	5	6	10	14	23	28	69
65+	665	13.6	85	5	6	11	16	23	33	57
TOT. SINGLE DX	661	8.6	26	3	4	8	10	13	16	27
" MULTIPLE DX	1737	12.9	104	5	6	10	14	23	33	69
TOTAL 0-19 YRS	385	10.2	115	2	3	8	10	18	30	83
20-34	331	10.1	53	4	5	9	11	15	20	38
35-49	363	11.8	107	4	5	10	12	19	31	50
50-64	505	11.8	81	4	6	10	13	19	26	68
65+	814	13.0	77	5	6	11	15	22	31	54
GRAND TOTAL	**2398**	**11.7**	**86**	**4**	**5**	**9**	**13**	**20**	**28**	**59**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	8.5	9	5	5	8	10	12	15	16
20-34	8	10.5	11	5	6	10	12	15	17	17
35-49	13	19.3	361	7	8	11	17	60	62	63
50-64	23	16.6	87	6	7	15	19	28	38	44
65+	21	12.2	38	2	4	11	17	21	23	25
2. MULTIPLE DX										
0-19 YRS	50	22.5	355	5	5	13	39	56	72	99+
20-34	31	16.3	263	4	5	11	20	32	42	86
35-49	85	18.7	222	5	7	14	22	37	51	86
50-64	176	17.7	179	6	7	14	21	33	44	71
65+	370	19.1	168	7	8	15	22	36	49	71
TOT. SINGLE DX	77	14.0	109	5	6	11	16	25	32	62
" MULTIPLE DX	712	18.8	195	5	7	14	22	38	50	76
TOTAL 0-19 YRS	62	19.8	318	5	5	11	31	53	67	99+
20-34	39	15.1	216	4	5	11	18	27	41	86
35-49	98	18.8	237	5	7	14	22	37	55	83
50-64	199	17.6	169	6	7	14	20	33	43	71
65+	391	18.7	163	6	8	15	22	35	48	70
GRAND TOTAL	**789**	**18.3**	**188**	**5**	**7**	**14**	**22**	**37**	**50**	**74**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4739	3.7	5	2	2	3	4	6	8	13
20-34	3147	3.7	3	2	2	3	4	6	7	11
35-49	1087	4.4	5	2	2	4	5	7	9	14
50-64	492	5.5	10	2	3	5	7	9	11	19
65+	192	6.1	7	3	3	6	8	10	11	16
2. MULTIPLE DX										
0-19 YRS	1265	5.8	19	2	2	4	7	11	13	25
20-34	1061	5.7	17	2	3	5	7	10	12	21
35-49	542	7.4	27	3	3	6	9	13	16	28
50-64	435	9.2	33	3	4	8	11	16	20	31
65+	409	10.5	52	4	4	9	13	17	21	38
TOT. SINGLE DX	9657	3.9	5	2	2	3	5	7	8	12
" MULTIPLE DX	3712	6.9	28	2	3	5	9	13	16	27
TOTAL 0-19 YRS	6004	4.1	9	2	2	3	5	7	10	16
20-34	4208	4.2	8	2	2	4	5	7	9	14
35-49	1629	5.4	15	2	2	4	6	10	12	20
50-64	927	7.2	25	2	3	6	9	13	17	27
65+	601	9.1	42	3	4	8	11	16	19	33
GRAND TOTAL	**13369**	**4.7**	**14**	**2**	**2**	**4**	**6**	**9**	**11**	**18**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	37	3.8	6	2	2	3	4	7	11	12
20-34	30	3.9	6	2	2	3	4	6	7	15
35-49	9	4.3	2	2	2	4	5	6	7	7
50-64	5	7.8	21	<1	<1	8	11	13	13	13
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
0-19 YRS	18	6.8	28	2	3	5	8	15	18	20
20-34	22	5.7	6	3	3	5	6	10	11	12
35-49	11	9.1	39	4	4	6	14	20	20	20
50-64	7	8.6	5	6	6	8	10	12	13	13
65+	3	18.7	44	13	13	17	24	26	26	26
TOT. SINGLE DX	82	4.2	7	2	2	3	5	8	11	14
" MULTIPLE DX	61	7.6	27	3	3	6	9	16	20	25
TOTAL 0-19 YRS	55	4.8	15	2	2	3	5	11	14	20
20-34	52	4.7	7	2	2	4	6	8	11	15
35-49	20	7.0	28	2	3	5	7	18	20	20
50-64	12	8.3	11	1	4	8	10	13	13	13
65+	4	16.3	53	9	9	15	21	26	26	26
GRAND TOTAL	**143**	**5.7**	**19**	**2**	**2**	**4**	**6**	**12**	**15**	**21**

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	7.0	9	3	3	7	9	12	13	14
20-34	8	6.8	23	2	3	6	7	15	18	18
35-49	8	8.1	10	4	4	8	11	12	12	12
50-64	5	6.0	5	3	3	7	8	8	8	8
65+	2	7.5	25	4	4	7	11	11	11	11
2. MULTIPLE DX										
0-19 YRS	10	7.7	7	5	5	8	9	11	12	12
20-34	5	12.8	68	4	4	10	21	23	23	23
35-49	11	9.1	8	5	5	9	11	13	14	14
50-64	6	14.0	53	6	6	13	17	25	26	26
65+	16	14.2	59	5	7	12	17	26	31	33
TOT. SINGLE DX	44	7.1	11	3	4	7	9	11	13	18
" MULTIPLE DX	48	11.5	41	5	5	10	14	21	26	33
TOTAL 0-19 YRS	31	7.2	9	3	4	7	9	12	13	14
20-34	13	9.1	46	2	3	6	12	21	23	23
35-49	19	8.7	9	4	5	9	11	13	14	14
50-64	11	10.4	46	3	4	8	15	21	26	26
65+	18	13.4	58	4	5	11	17	25	31	33
GRAND TOTAL	**92**	**9.4**	**32**	**4**	**4**	**8**	**11**	**17**	**21**	**30**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	94	3.0	10	<1	1	2	4	6	9	20
20-34	64	3.7	14	1	1	3	4	8	10	23
35-49	76	3.6	7	<1	1	3	5	8	10	12
50-64	101	3.3	8	<1	1	2	4	7	9	16
65+	158	3.6	6	1	1	3	4	7	9	13
2. MULTIPLE DX										
0-19 YRS	68	6.2	44	2	2	4	8	13	15	39
20-34	83	5.7	33	1	2	4	6	10	15	33
35-49	131	5.6	25	1	1	4	7	11	16	24
50-64	238	6.3	45	1	2	5	7	12	17	43
65+	596	7.7	39	2	2	6	10	15	21	32
TOT. SINGLE DX	493	3.4	9	1	1	3	4	7	9	14
" MULTIPLE DX	1116	6.9	40	1	2	5	9	14	19	34
TOTAL 0-19 YRS	162	4.4	27	<1	1	3	5	9	14	33
20-34	147	4.8	26	1	1	4	6	9	12	33
35-49	207	4.9	20	1	1	4	6	10	14	20
50-64	339	5.5	36	1	1	4	7	11	14	38
65+	754	6.9	35	1	2	5	9	14	19	30
GRAND TOTAL	**1609**	**5.9**	**33**	**1**	**1**	**4**	**7**	**12**	**16**	**31**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	55	3.7	9	1	1	3	5	8	10	15
20-34	265	2.7	2	1	1	2	3	5	6	9
35-49	185	2.9	4	1	1	3	3	5	7	10
50-64	92	3.3	5	1	1	3	4	6	9	13
65+	26	3.3	3	1	1	3	4	6	7	8
2. MULTIPLE DX										
0-19 YRS	37	5.8	31	1	2	4	8	11	16	31
20-34	165	5.0	33	1	1	3	5	9	16	34
35-49	175	5.6	53	1	1	4	6	10	16	49
50-64	166	5.8	29	1	2	4	7	12	15	34
65+	98	7.3	38	2	2	5	8	17	20	29
TOT. SINGLE DX	623	3.0	4	1	1	3	3	5	8	11
" MULTIPLE DX	641	5.8	39	1	2	4	7	12	17	36
TOTAL 0-19 YRS	92	4.6	19	1	1	3	6	10	11	25
20-34	430	3.6	16	1	1	3	4	7	9	19
35-49	360	4.2	30	1	1	3	5	8	10	23
50-64	258	4.9	22	1	1	3	6	10	14	22
65+	124	6.5	34	1	2	5	7	15	19	26
GRAND TOTAL	**1264**	**4.4**	**24**	**1**	**1**	**3**	**5**	**8**	**13**	**22**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	30	12.1	165	2	5	10	12	16	19	77
20-34	11	15.1	73	4	5	13	23	27	29	29
35-49	37	12.3	18	7	8	12	14	18	21	24
50-64	106	12.2	28	3	8	12	15	19	21	33
65+	127	12.7	19	7	8	12	15	19	21	25
2. MULTIPLE DX										
0-19 YRS	43	11.2	43	6	7	9	11	26	31	99+
20-34	44	11.9	76	3	4	10	13	21	27	55
35-49	81	14.1	73	6	8	12	16	20	27	57
50-64	318	15.7	88	7	9	13	17	26	32	62
65+	645	17.6	94	9	10	15	20	28	33	63
TOT. SINGLE DX	311	12.5	38	5	8	12	15	19	21	27
" MULTIPLE DX	1131	16.3	92	8	9	14	19	27	33	62
TOTAL 0-19 YRS	73	11.6	93	3	7	9	12	17	28	94
20-34	55	12.6	76	3	4	11	14	25	27	54
35-49	118	13.5	57	7	8	12	16	20	25	51
50-64	424	14.8	76	7	8	13	16	24	29	57
65+	772	16.8	86	8	9	15	20	27	32	61
GRAND TOTAL	**1442**	**15.5**	**83**	**7**	**8**	**13**	**18**	**25**	**31**	**61**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	377	3.8	12	1	1	3	4	7	10	16
20-34	821	4.2	10	1	1	3	5	7	10	17
35-49	770	4.4	8	1	1	4	5	8	9	17
50-64	652	4.6	11	1	1	4	6	8	10	17
65+	476	5.2	17	1	2	4	6	9	10	27
2. MULTIPLE DX										
0-19 YRS	628	5.5	44	1	2	4	7	10	15	72
20-34	2561	5.7	31	2	2	4	7	10	14	30
35-49	3926	6.2	28	2	2	5	7	11	15	29
50-64	5110	6.8	33	2	2	5	8	12	16	28
65+	8509	8.1	49	2	3	6	10	15	20	37
TOT. SINGLE DX	3096	4.4	12	1	1	4	6	8	10	17
" MULTIPLE DX	20734	7.1	40	2	2	5	8	13	17	33
TOTAL 0-19 YRS	1005	4.9	33	1	1	4	6	9	13	36
20-34	3382	5.4	26	1	2	4	6	10	13	27
35-49	4696	5.9	25	2	2	5	7	11	14	27
50-64	5762	6.5	32	2	2	5	8	12	16	28
65+	8985	8.0	48	2	3	6	9	14	20	36
GRAND TOTAL	**23830**	**6.7**	**37**	**2**	**2**	**5**	**8**	**12**	**17**	**32**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	32	2.2	1	<1	<1	2	3	5	5	5
20-34	227	2.9	3	1	1	3	4	5	6	8
35-49	314	2.7	2	<1	1	3	3	4	5	8
50-64	138	2.9	2	1	1	3	3	4	6	10
65+	50	3.2	3	1	1	3	4	6	6	10
2. MULTIPLE DX										
0-19 YRS	23	3.0	2	1	1	2	4	5	6	7
20-34	195	3.8	7	1	1	3	4	6	8	17
35-49	313	4.0	11	1	2	3	5	6	8	18
50-64	226	3.9	5	1	2	3	5	6	7	14
65+	146	4.9	16	1	2	4	5	8	12	26
TOT. SINGLE DX	761	2.8	3	1	1	3	4	5	6	8
" MULTIPLE DX	903	4.0	10	1	2	3	5	6	9	17
TOTAL 0-19 YRS	55	2.5	2	<1	1	2	3	5	5	7
20-34	422	3.3	5	1	1	3	4	5	7	15
35-49	627	3.3	7	1	1	3	4	5	6	13
50-64	364	3.5	4	1	2	3	4	6	7	13
65+	196	4.4	14	1	2	4	5	7	11	22
GRAND TOTAL	**1664**	**3.5**	**7**	**1**	**1**	**3**	**4**	**5**	**7**	**15**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	34	2.4	2	<1	1	2	3	5	5	8
20-34	235	2.7	1	<1	1	3	4	5	5	7
35-49	169	2.7	2	<1	1	3	3	4	6	7
50-64	90	3.3	6	1	1	3	4	6	7	16
65+	41	3.6	3	1	1	3	5	6	7	10
2. MULTIPLE DX										
0-19 YRS	26	5.3	24	<1	2	4	5	9	20	21
20-34	276	3.9	7	1	2	4	4	6	7	14
35-49	408	3.9	5	1	2	4	4	6	8	10
50-64	282	4.4	8	2	2	4	5	7	9	20
65+	174	5.1	20	2	2	4	5	8	11	24
TOT. SINGLE DX	569	2.9	3	<1	1	3	4	5	6	8
" MULTIPLE DX	1166	4.2	10	1	2	4	5	7	8	18
TOTAL 0-19 YRS	60	3.7	14	<1	1	3	4	6	9	21
20-34	511	3.4	5	1	1	3	4	5	6	9
35-49	577	3.6	5	1	1	3	4	6	7	10
50-64	372	4.1	8	1	2	4	5	7	8	19
65+	215	4.9	18	1	2	4	5	7	11	21
GRAND TOTAL	**1735**	**3.8**	**8**	**1**	**1**	**3**	**4**	**6**	**7**	**16**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	2.8	3	<1	<1	3	4	5	6	6
20-34	377	3.8	2	1	2	4	5	6	7	9
35-49	452	4.0	3	1	2	4	5	6	7	10
50-64	276	4.1	4	1	2	4	5	7	8	11
65+	85	4.1	4	1	2	4	5	6	8	13
2. MULTIPLE DX										
0-19 YRS	47	3.8	2	1	2	4	4	6	7	7
20-34	1226	4.5	7	2	2	4	5	7	8	15
35-49	2171	4.7	5	2	2	4	6	7	9	13
50-64	1628	5.0	8	2	3	4	6	8	10	15
65+	896	5.4	14	2	3	5	6	9	12	18
TOT. SINGLE DX	1204	4.0	4	1	2	4	5	6	7	10
" MULTIPLE DX	5968	4.9	8	2	2	4	6	8	9	15
TOTAL 0-19 YRS	61	3.6	3	<1	1	4	4	6	7	7
20-34	1603	4.4	7	2	2	4	5	7	8	13
35-49	2623	4.6	5	2	2	4	5	7	9	13
50-64	1904	4.9	8	2	3	4	6	8	9	14
65+	981	5.3	14	2	2	5	6	9	12	18
GRAND TOTAL	**7172**	**4.7**	**8**	**2**	**2**	**4**	**5**	**7**	**9**	**14**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	88	2.8	3	<1	<1	2	3	5	7	10
20-34	225	2.6	2	1	1	2	3	5	6	9
35-49	194	3.2	3	1	1	3	4	5	7	10
50-64	106	3.4	7	1	1	3	4	6	8	16
65+	59	3.5	2	<1	1	3	4	6	7	7
2. MULTIPLE DX										
0-19 YRS	78	5.5	24	1	1	4	7	10	16	28
20-34	221	4.6	35	1	2	4	5	7	8	35
35-49	258	4.6	23	1	1	3	5	9	11	27
50-64	213	5.1	19	1	2	4	6	10	13	18
65+	224	6.3	41	2	2	5	7	11	16	40
TOT. SINGLE DX	672	3.0	4	1	1	3	4	5	7	10
" MULTIPLE DX	994	5.2	30	1	2	4	6	9	13	28
TOTAL 0-19 YRS	166	4.1	15	<1	1	3	5	8	10	23
20-34	446	3.6	20	1	1	3	4	6	8	13
35-49	452	4.0	15	1	1	3	5	7	9	20
50-64	319	4.5	16	1	2	3	5	9	12	18
65+	283	5.7	34	1	2	4	7	10	15	38
GRAND TOTAL	**1666**	**4.3**	**20**	**1**	**1**	**3**	**5**	**8**	**10**	**24**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	9.0		9	9	9	9	9	9	9
20-34	12	10.2	36	2	4	8	14	20	21	21
35-49	3	7.0	52	1	1	5	12	15	15	15
50-64	4	10.0	170	1	1	5	18	29	29	29
65+	4	14.8	101	6	6	12	21	29	29	29
2. MULTIPLE DX										
0-19 YRS	10	13.2	41	3	5	13	17	22	26	26
20-34	20	13.6	96	3	4	10	19	31	34	35
35-49	19	15.8	153	2	4	11	19	39	42	43
50-64	28	17.5	319	2	4	16	21	27	36	99
65+	51	19.1	231	2	2	17	28	40	48	64
TOT. SINGLE DX	25	10.4	60	1	2	8	14	21	29	29
" MULTIPLE DX	128	16.9	204	2	3	14	22	34	42	72
TOTAL 0-19 YRS	12	12.5	37	3	6	12	15	21	25	26
20-34	32	12.3	75	3	4	9	16	24	33	35
35-49	22	14.6	146	1	2	11	18	38	42	43
50-64	32	16.6	301	2	2	14	21	28	29	99
65+	55	18.8	221	2	2	15	28	39	48	64
GRAND TOTAL	**153**	**15.9**	**185**	**2**	**3**	**12**	**21**	**31**	**41**	**64**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	81	5.6	37	1	1	4	8	11	12	38
20-34	118	3.0	11	1	1	2	3	7	9	18
35-49	148	3.4	20	1	1	2	3	8	11	22
50-64	167	4.3	25	1	1	2	6	11	15	21
65+	90	5.6	73	1	1	3	7	13	16	52
2. MULTIPLE DX										
0-19 YRS	141	12.0	190	1	2	7	16	30	46	76
20-34	276	9.6	111	1	2	7	11	19	29	62
35-49	443	8.6	114	1	1	6	10	17	25	70
50-64	721	8.7	72	1	2	7	11	18	26	39
65+	876	10.1	67	1	2	8	13	19	26	42
TOT. SINGLE DX	604	4.2	31	1	1	2	6	10	13	25
" MULTIPLE DX	2457	9.5	90	1	2	7	12	19	27	53
TOTAL 0-19 YRS	222	9.7	144	1	1	6	11	24	34	67
20-34	394	7.6	91	1	1	5	10	16	25	56
35-49	591	7.3	96	1	1	4	9	15	23	62
50-64	888	7.9	66	1	1	6	10	17	24	37
65+	966	9.7	70	1	2	8	13	19	26	43
GRAND TOTAL	**3061**	**8.4**	**83**	**1**	**1**	**6**	**11**	**18**	**25**	**49**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	253	5.4	5	3	3	5	6	8	9	14
20-34	2943	5.6	5	3	3	5	7	8	9	13
35-49	2665	5.9	5	3	4	6	7	8	10	13
50-64	2297	6.5	7	4	4	6	8	10	11	15
65+	1244	7.8	11	4	5	7	9	12	13	18
2. MULTIPLE DX										
0-19 YRS	258	8.1	57	3	4	7	9	13	15	85
20-34	2452	7.3	19	3	4	6	8	11	14	23
35-49	3466	8.1	28	4	4	7	9	13	16	27
50-64	4289	9.0	28	4	5	8	10	14	18	31
65+	5947	11.6	53	5	6	10	13	19	24	42
TOT. SINGLE DX	9402	6.2	7	3	4	6	7	9	11	15
" MULTIPLE DX	16412	9.5	39	4	5	8	11	15	20	34
TOTAL 0-19 YRS	511	6.8	33	3	3	6	8	11	13	25
20-34	5395	6.4	13	3	4	6	7	10	12	19
35-49	6131	7.2	20	3	4	6	8	11	13	23
50-64	6586	8.1	23	4	4	7	9	13	16	27
65+	7191	10.9	48	5	5	9	13	18	23	39
GRAND TOTAL	**25814**	**8.3**	**30**	**4**	**4**	**7**	**10**	**13**	**17**	**30**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	12.5	88	2	3	6	20	25	27	27
20-34	42	6.4	24	1	2	5	8	13	17	24
35-49	52	7.1	32	2	2	6	9	16	19	25
50-64	55	8.6	20	2	3	8	12	14	15	22
65+	80	9.0	46	1	1	8	13	18	24	28
2. MULTIPLE DX										
0-19 YRS	24	13.8	152	2	3	12	19	27	69	99+
20-34	53	11.4	147	2	3	8	11	22	26	72
35-49	107	11.5	47	3	3	10	15	21	23	37
50-64	257	14.7	123	3	5	12	18	26	31	75
65+	595	16.2	102	4	7	14	21	28	35	54
TOT. SINGLE DX	242	8.2	37	1	2	7	12	16	21	27
" MULTIPLE DX	1036	15.0	108	3	5	13	19	27	34	60
TOTAL 0-19 YRS	37	13.4	127	2	3	12	20	27	46	99+
20-34	95	9.2	99	2	2	7	11	17	24	66
35-49	159	10.1	47	2	3	9	13	20	22	35
50-64	312	13.6	110	3	4	11	17	24	30	65
65+	675	15.4	101	2	5	14	20	27	34	51
GRAND TOTAL	**1278**	**13.8**	**101**	**2**	**3**	**12**	**18**	**25**	**31**	**58**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	13.1	432	1	1	6	12	45	70	70
20-34	85	6.2	46	1	1	4	8	12	14	43
35-49	133	7.8	70	1	1	6	10	17	22	42
50-64	100	6.3	32	1	1	5	10	14	16	29
65+	69	6.9	67	1	1	4	9	14	18	42
2. MULTIPLE DX										
0-19 YRS	18	15.3	160	1	1	12	27	34	36	37
20-34	161	11.8	172	1	2	8	15	28	35	67
35-49	347	12.8	204	1	2	8	16	31	41	75
50-64	421	11.7	157	2	2	8	15	24	37	65
65+	621	11.5	124	1	2	8	15	25	34	58
TOT. SINGLE DX	397	7.1	64	1	1	5	9	14	19	41
" MULTIPLE DX	1568	12.0	156	1	2	8	15	27	37	66
TOTAL 0-19 YRS	28	14.5	246	1	1	8	23	34	40	70
20-34	246	9.9	136	1	2	6	12	23	34	64
35-49	480	11.4	172	1	2	7	14	28	37	73
50-64	521	10.7	138	1	2	7	14	23	33	63
65+	690	11.1	120	1	2	8	14	24	34	56
GRAND TOTAL	**1965**	**11.0**	**142**	**1**	**2**	**7**	**14**	**24**	**35**	**62**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	276	3.4	9	<1	1	3	4	7	9	15
20-34	464	4.2	13	1	1	3	5	7	10	22
35-49	547	4.0	8	1	1	3	5	7	9	15
50-64	521	4.1	12	1	1	3	5	8	10	20
65+	461	4.8	24	1	1	3	6	9	12	28
2. MULTIPLE DX										
0-19 YRS	318	5.1	26	1	2	4	6	10	13	28
20-34	1093	5.8	38	1	2	4	6	10	14	34
35-49	1937	5.7	22	2	2	4	7	10	14	28
50-64	3154	5.8	24	1	2	5	7	11	14	25
65+	6401	7.2	33	2	2	6	9	13	17	30
TOT. SINGLE DX	2269	4.2	14	1	1	3	5	8	10	20
" MULTIPLE DX	12903	6.4	31	2	2	5	8	12	16	28
TOTAL 0-19 YRS	594	4.3	19	1	1	3	5	9	11	21
20-34	1557	5.3	31	1	2	4	6	9	13	29
35-49	2484	5.3	20	1	2	4	7	9	13	25
50-64	3675	5.6	23	1	2	4	7	11	14	25
65+	6862	7.0	34	2	2	6	8	13	17	30
GRAND TOTAL	**15172**	**6.1**	**29**	**1**	**2**	**5**	**7**	**12**	**15**	**28**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1584	1.7		<1	<1	1	2	3	3	5
20-34	2042	2.6	1	1	1	2	3	4	5	6
35-49	1977	2.8	1	1	1	3	4	4	5	7
50-64	2571	3.0	2	1	1	3	4	5	5	7
65+	1976	3.5	5	1	1	3	4	6	7	9
2. MULTIPLE DX										
0-19 YRS	948	2.3	5	<1	<1	2	2	4	6	11
20-34	694	3.5	10	1	1	3	4	5	7	15
35-49	1061	3.8	10	1	2	3	4	6	8	14
50-64	2010	4.2	12	1	2	3	5	7	9	16
65+	3230	5.0	16	2	2	4	6	9	12	22
TOT. SINGLE DX	10150	2.8	3	1	1	3	4	5	5	7
" MULTIPLE DX	7943	4.2	14	1	1	3	5	7	10	18
TOTAL 0-19 YRS	2532	1.9	3	<1	<1	2	2	3	4	8
20-34	2736	2.8	4	1	1	3	4	4	5	9
35-49	3038	3.1	5	1	1	3	4	5	6	10
50-64	4581	3.5	7	1	1	3	4	6	7	12
65+	5206	4.4	13	1	2	4	5	8	10	19
GRAND TOTAL	**18093**	**3.4**	**8**	**1**	**1**	**3**	**4**	**6**	**7**	**13**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	757	1.5	1	<1	<1	1	2	2	3	5
20-34	184	3.2	1	1	2	3	4	5	6	7
35-49	329	3.6	9	1	1	3	4	5	6	12
50-64	416	3.8	2	1	2	4	5	6	7	9
65+	284	4.2	2	2	2	4	5	6	7	10
2. MULTIPLE DX										
0-19 YRS	582	4.0	122	<1	<1	2	2	5	12	93
20-34	89	3.9	3	2	2	4	4	5	8	13
35-49	213	4.1	4	2	2	4	5	6	7	11
50-64	381	4.5	6	1	2	4	5	7	8	16
65+	466	5.6	12	2	2	5	7	10	12	20
TOT. SINGLE DX	1970	2.9	5	<1	<1	3	4	5	6	8
" MULTIPLE DX	1731	4.5	47	1	1	3	5	7	11	49
TOTAL 0-19 YRS	1339	2.6	56	<1	<1	1	2	3	5	57
20-34	273	3.4	3	1	2	3	4	5	6	10
35-49	542	3.8	7	1	2	3	5	6	7	11
50-64	797	4.1	5	1	2	4	5	6	7	12
65+	750	5.0	9	2	2	4	6	8	11	18
GRAND TOTAL	**3701**	**3.7**	**25**	**<1**	**1**	**3**	**4**	**6**	**8**	**19**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	1.6		<1	<1	1	2	3	3	3
20-34	32	2.9	1	1	1	3	4	5	5	6
35-49	74	3.2	4	1	1	3	4	5	8	11
50-64	89	3.5	2	1	1	3	4	5	7	9
65+	123	4.6	7	1	2	4	6	7	9	15
2. MULTIPLE DX										
0-19 YRS	7	3.7	13	<1	<1	2	5	10	11	11
20-34	20	3.8	9	1	1	3	4	6	11	15
35-49	45	4.1	5	1	1	4	6	7	9	10
50-64	86	5.5	18	1	2	4	7	9	14	25
65+	231	7.4	51	2	3	5	9	14	16	52
TOT. SINGLE DX	328	3.7	5	1	1	3	5	6	8	14
" MULTIPLE DX	389	6.3	38	2	2	5	8	12	15	44
TOTAL 0-19 YRS	17	2.5	6	<1	<1	2	2	5	9	11
20-34	52	3.3	5	1	1	3	4	5	6	15
35-49	119	3.6	5	1	1	3	4	7	8	11
50-64	175	4.5	11	1	2	4	5	8	10	21
65+	354	6.4	38	2	2	5	8	12	15	49
GRAND TOTAL	**717**	**5.1**	**24**	**1**	**2**	**4**	**6**	**9**	**13**	**27**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	467	1.8	1	<1	<1	2	2	3	3	4
20-34	178	2.7	1	1	1	2	3	5	5	6
35-49	222	2.8	2	1	1	3	4	5	6	8
50-64	148	3.3	3	1	1	3	4	6	7	10
65+	74	3.6	3	1	1	3	5	6	8	10
2. MULTIPLE DX										
0-19 YRS	140	3.4	19	<1	1	2	3	7	9	26
20-34	87	4.4	8	1	1	4	5	8	9	17
35-49	213	4.1	8	1	1	3	5	7	8	16
50-64	232	5.3	27	1	2	4	6	9	13	20
65+	185	7.0	34	2	2	5	9	13	16	32
TOT. SINGLE DX	1089	2.5	2	<1	1	2	3	4	5	8
" MULTIPLE DX	857	5.0	22	1	1	4	6	9	13	23
TOTAL 0-19 YRS	607	2.1	6	<1	<1	2	2	3	4	11
20-34	265	3.2	5	1	1	3	4	5	7	12
35-49	435	3.4	6	1	1	3	4	6	7	12
50-64	380	4.5	19	1	2	4	5	8	11	17
65+	259	6.0	28	1	2	4	7	12	15	31
GRAND TOTAL	**1946**	**3.6**	**13**	**<1**	**1**	**3**	**4**	**7**	**9**	**17**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	72	2.3	2	<1	<1	2	2	4	6	8
20-34	283	3.4	3	1	1	3	4	6	7	11
35-49	484	4.3	5	1	2	4	6	7	8	12
50-64	541	4.8	5	2	2	5	6	8	9	12
65+	392	5.4	6	2	2	5	7	9	10	13
2. MULTIPLE DX										
0-19 YRS	33	3.8	5	<1	1	4	5	7	9	10
20-34	189	5.6	20	2	2	5	7	9	11	30
35-49	548	6.3	21	2	3	6	7	11	14	24
50-64	789	6.9	23	2	3	6	8	11	14	26
65+	882	8.3	34	3	3	7	10	14	17	31
TOT. SINGLE DX	1772	4.5	6	1	2	4	6	8	9	12
" MULTIPLE DX	2441	7.1	27	2	3	6	8	12	15	28
TOTAL 0-19 YRS	105	2.8	4	<1	<1	2	4	5	7	9
20-34	472	4.3	12	1	1	4	5	7	9	14
35-49	1032	5.4	15	1	2	5	7	9	11	19
50-64	1330	6.0	17	2	2	5	7	10	12	23
65+	1274	7.4	27	2	3	6	9	13	16	26
GRAND TOTAL	**4213**	**6.0**	**20**	**2**	**2**	**5**	**7**	**10**	**13**	**23**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	25	4.1	11	<1	<1	3	6	8	12	14
20-34	13	6.9	10	<1	2	8	9	11	12	12
35-49	26	5.8	9	1	2	6	8	9	11	13
50-64	21	6.1	14	1	2	5	8	12	13	15
65+	15	6.7	12	1	3	7	8	9	14	16
2. MULTIPLE DX										
0-19 YRS	27	11.8	82	1	2	9	15	25	32	35
20-34	51	8.2	21	3	4	8	9	11	14	31
35-49	90	9.3	21	5	5	8	11	16	19	25
50-64	125	11.2	97	5	6	9	12	17	21	58
65+	134	12.6	83	4	6	10	15	20	26	50
TOT. SINGLE DX	100	5.7	12	<1	1	6	8	10	12	15
" MULTIPLE DX	427	10.9	69	4	5	9	12	18	23	43
TOTAL 0-19 YRS	52	8.1	62	<1	1	6	11	20	25	35
20-34	64	7.9	19	2	4	8	9	11	13	30
35-49	116	8.5	21	3	4	7	10	15	19	24
50-64	146	10.4	89	4	5	8	12	16	20	48
65+	149	12.0	80	4	6	10	15	19	25	44
GRAND TOTAL	**527**	**9.9**	**62**	**2**	**4**	**8**	**12**	**17**	**21**	**41**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	158	3.6	11	<1	1	3	5	8	9	21
20-34	204	4.1	7	1	1	3	6	7	9	15
35-49	159	5.8	24	1	2	5	7	11	17	24
50-64	156	7.3	46	1	1	5	9	16	20	34
65+	119	6.7	28	1	1	5	9	14	17	26
2. MULTIPLE DX										
0-19 YRS	172	7.5	105	1	1	5	9	13	20	63
20-34	319	7.0	51	1	2	5	8	13	21	42
35-49	482	10.3	96	2	3	8	12	20	31	53
50-64	779	10.7	85	2	3	9	13	21	26	53
65+	1070	11.3	82	2	3	9	14	23	29	46
TOT. SINGLE DX	796	5.4	24	1	1	4	7	11	15	24
" MULTIPLE DX	2822	10.2	85	2	2	8	13	21	28	52
TOTAL 0-19 YRS	330	5.7	64	1	1	3	7	11	16	55
20-34	523	5.9	37	1	2	5	7	11	15	30
35-49	641	9.2	82	2	2	6	11	18	26	52
50-64	935	10.2	80	1	2	8	13	21	26	52
65+	1189	10.8	79	2	2	9	14	22	29	43
GRAND TOTAL	**3618**	**9.2**	**76**	**1**	**2**	**7**	**12**	**19**	**25**	**48**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	210	5.2	9	2	2	4	7	9	10	18
20-34	395	5.3	7	2	3	5	6	9	10	16
35-49	185	6.8	20	2	3	6	8	12	17	24
50-64	128	9.8	35	3	5	8	13	16	19	34
65+	89	11.3	61	4	5	9	14	22	26	44
2. MULTIPLE DX										
0-19 YRS	287	9.3	69	3	3	7	11	18	24	59
20-34	715	7.9	50	2	3	6	9	14	21	40
35-49	473	10.2	63	4	5	8	12	17	22	53
50-64	467	13.9	108	5	6	11	16	26	33	73
65+	609	16.4	116	6	7	14	20	29	39	61
TOT. SINGLE DX	1007	6.7	23	2	3	5	8	12	16	25
" MULTIPLE DX	2551	11.6	93	3	4	9	14	22	30	58
TOTAL 0-19 YRS	497	7.5	48	2	3	6	9	14	20	38
20-34	1110	7.0	37	2	3	5	8	12	16	29
35-49	658	9.3	53	3	4	7	11	16	21	46
50-64	595	13.0	95	5	6	11	15	23	31	67
65+	698	15.8	113	5	7	13	19	28	38	60
GRAND TOTAL	**3558**	**10.2**	**78**	**3**	**4**	**8**	**13**	**20**	**26**	**51**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	200	3.3	4	1	1	3	5	6	8	9
20-34	827	2.8	4	<1	1	2	4	6	7	9
35-49	128	2.9	9	<1	<1	2	3	6	7	21
50-64	42	3.5	17	<1	1	2	5	7	8	26
65+	17	4.6	8	1	2	4	6	10	10	10
2. MULTIPLE DX										
0-19 YRS	270	4.0	8	1	1	3	5	8	9	15
20-34	1278	3.3	7	<1	1	2	5	7	8	12
35-49	295	4.3	17	<1	1	3	6	9	12	20
50-64	68	6.0	31	1	1	4	9	13	16	29
65+	57	8.2	58	2	2	6	10	18	32	95
TOT. SINGLE DX	1214	2.9	5	<1	1	2	4	6	7	9
" MULTIPLE DX	1968	3.8	12	<1	1	3	5	8	10	17
TOTAL 0-19 YRS	470	3.7	7	1	1	3	5	7	9	13
20-34	2105	3.1	6	<1	1	2	4	6	8	11
35-49	423	3.9	16	<1	1	2	5	8	11	21
50-64	110	5.1	27	<1	1	3	7	12	13	28
65+	74	7.4	49	2	2	6	8	16	26	84
GRAND TOTAL	**3182**	**3.4**	**10**	**<1**	**1**	**2**	**5**	**7**	**9**	**15**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	94	6.3	17	1	2	6	8	11	13	24
20-34	292	6.1	22	1	2	6	8	10	11	18
35-49	278	7.5	19	2	3	7	9	13	17	24
50-64	205	8.8	20	2	4	8	10	14	18	24
65+	162	10.1	22	4	5	10	12	16	19	37
2. MULTIPLE DX										
0-19 YRS	236	11.0	118	2	3	8	14	24	38	99+
20-34	928	6.6	35	1	2	5	8	12	17	30
35-49	703	9.5	83	2	3	7	11	16	25	49
50-64	743	12.1	94	3	4	10	15	21	28	55
65+	1019	14.5	98	4	6	12	17	26	35	55
TOT. SINGLE DX	1031	7.7	23	2	2	7	10	13	17	23
" MULTIPLE DX	3629	10.8	89	2	3	8	13	21	28	52
TOTAL 0-19 YRS	330	9.7	94	1	3	7	11	21	36	76
20-34	1220	6.5	32	1	2	5	8	11	15	30
35-49	981	8.9	66	2	3	7	11	16	21	41
50-64	948	11.4	80	2	4	9	14	20	26	53
65+	1181	13.9	90	4	6	11	16	25	33	54
GRAND TOTAL	**4660**	**10.1**	**76**	**2**	**3**	**8**	**12**	**19**	**26**	**49**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	52	7.3	14	3	3	7	9	11	12	24
20-34	62	7.6	6	5	5	8	8	10	11	20
35-49	65	8.8	7	5	6	8	10	14	14	17
50-64	89	9.8	21	6	7	9	11	14	15	34
65+	87	10.2	10	6	7	10	11	15	16	21
2. MULTIPLE DX										
0-19 YRS	108	11.3	132	4	4	8	13	23	28	93
20-34	110	11.6	87	5	6	9	12	20	33	74
35-49	144	12.4	67	6	6	10	14	22	27	54
50-64	310	12.7	48	6	7	10	15	21	26	37
65+	460	14.6	70	7	8	12	17	26	33	48
TOT. SINGLE DX	355	9.0	14	4	6	8	10	13	15	21
" MULTIPLE DX	1132	13.2	73	6	7	11	15	23	30	54
TOTAL 0-19 YRS	160	10.0	97	3	4	7	11	17	26	86
20-34	172	10.2	62	5	5	8	10	15	26	58
35-49	209	11.3	52	6	6	9	13	17	25	43
50-64	399	12.0	43	6	7	10	14	20	24	38
65+	547	13.9	64	7	7	12	16	25	31	48
GRAND TOTAL	**1487**	**12.2**	**62**	**5**	**6**	**10**	**14**	**21**	**27**	**48**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	243	5.3	19	2	2	4	7	10	13	22
20-34	317	6.3	21	2	2	6	8	11	14	18
35-49	378	6.3	11	2	3	6	8	11	12	19
50-64	299	6.8	14	2	2	6	9	12	15	19
65+	160	6.9	14	2	3	7	9	12	14	20
2. MULTIPLE DX										
0-19 YRS	310	10.2	106	2	2	7	12	23	30	61
20-34	450	10.1	65	2	2	8	13	21	28	40
35-49	512	10.7	77	2	3	8	14	21	27	54
50-64	543	11.7	115	2	3	9	14	22	34	61
65+	609	11.1	72	2	3	9	14	21	28	46
TOT. SINGLE DX	1397	6.3	16	2	2	6	8	11	14	20
" MULTIPLE DX	2424	10.8	86	2	3	9	13	22	29	51
TOTAL 0-19 YRS	553	8.0	74	2	2	6	9	18	25	50
20-34	767	8.5	51	2	2	7	10	17	23	39
35-49	890	8.8	54	2	3	7	11	17	22	45
50-64	842	9.9	85	2	3	8	12	18	26	52
65+	769	10.2	64	2	3	8	13	19	25	44
GRAND TOTAL	**3821**	**9.2**	**66**	**2**	**2**	**7**	**11**	**18**	**24**	**45**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17	5.5	8	1	2	5	8	10	11	12
20-34	187	6.1	9	2	2	6	8	10	12	16
35-49	330	6.4	9	2	3	6	8	10	12	15
50-64	225	7.2	13	2	3	7	9	12	14	20
65+	127	7.5	18	1	2	7	9	12	16	22
2. MULTIPLE DX										
0-19 YRS	17	7.2	36	2	2	5	9	17	21	23
20-34	120	7.0	17	1	2	6	9	12	15	21
35-49	234	8.2	23	2	3	7	10	14	17	30
50-64	332	8.5	27	2	3	8	11	14	18	29
65+	357	10.7	52	2	3	9	13	18	24	50
TOT. SINGLE DX	886	6.7	12	2	3	6	8	11	13	19
" MULTIPLE DX	1060	9.0	36	2	3	8	11	16	19	34
TOTAL 0-19 YRS	34	6.4	22	2	2	5	8	12	17	23
20-34	307	6.5	13	1	2	6	8	11	12	19
35-49	564	7.1	16	2	3	7	9	12	14	21
50-64	557	8.0	22	2	3	7	10	13	17	25
65+	484	9.8	46	2	3	9	12	17	22	36
GRAND TOTAL	**1946**	**7.9**	**26**	**2**	**3**	**7**	**10**	**14**	**17**	**28**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	144	7.2	4	4	5	7	8	10	11	13
20-34	15	7.7	4	4	5	8	9	10	11	11
35-49	13	10.0	11	3	7	10	11	15	16	16
50-64	10	11.9	23	3	5	12	14	19	19	19
65+	4	10.5	29	4	4	11	15	15	15	15
2. MULTIPLE DX										
0-19 YRS	176	9.9	44	5	5	8	11	16	22	45
20-34	38	11.9	51	7	7	9	13	18	29	42
35-49	34	13.3	55	6	7	11	16	24	28	38
50-64	26	13.7	47	5	7	12	17	22	26	36
65+	80	16.6	113	6	7	14	20	30	40	57
TOT. SINGLE DX	186	7.8	8	4	5	8	9	11	13	18
" MULTIPLE DX	354	12.2	69	5	6	9	15	22	29	44
TOTAL 0-19 YRS	320	8.7	28	5	5	8	9	12	17	36
20-34	53	10.7	42	5	6	9	12	16	24	42
35-49	47	12.4	45	5	7	10	14	23	26	38
50-64	36	13.2	40	4	7	12	16	20	23	36
65+	84	16.3	111	5	7	14	20	30	40	57
GRAND TOTAL	**540**	**10.7**	**52**	**5**	**5**	**8**	**12**	**18**	**24**	**42**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	92	4.1	7	1	2	4	5	7	9	17
20-34	775	3.5	4	1	1	3	4	6	7	11
35-49	1126	3.7	4	1	2	3	5	6	8	12
50-64	660	3.7	5	1	1	3	5	7	8	12
65+	246	4.2	7	1	1	4	5	7	9	13
2. MULTIPLE DX										
0-19 YRS	65	7.1	34	1	1	6	9	13	21	29
20-34	326	4.3	7	1	2	4	5	8	10	15
35-49	546	4.8	9	1	2	4	6	8	11	16
50-64	571	5.3	11	2	2	5	7	9	12	16
65+	468	6.5	25	2	2	5	8	13	17	25
TOT. SINGLE DX	2899	3.7	5	1	2	3	5	7	8	12
" MULTIPLE DX	1976	5.3	15	1	2	4	7	10	13	20
TOTAL 0-19 YRS	157	5.3	21	1	2	4	6	10	13	28
20-34	1101	3.8	5	1	2	3	5	7	8	12
35-49	1672	4.1	7	1	2	3	5	7	9	14
50-64	1231	4.5	9	1	2	4	6	8	10	15
65+	714	5.7	20	1	2	5	7	11	16	24
GRAND TOTAL	**4875**	**4.4**	**10**	**1**	**2**	**4**	**5**	**8**	**10**	**16**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31: 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	400	2.5	4	<1	<1	2	3	5	7	11
20-34	657	3.7	8	1	1	3	5	7	9	13
35-49	737	3.8	8	1	1	3	5	7	9	14
50-64	619	3.8	8	<1	1	3	5	8	9	14
65+	498	4.2	14	<1	1	3	5	9	12	21
2. MULTIPLE DX										
0-19 YRS	657	4.3	39	<1	<1	2	5	8	11	34
20-34	1017	5.2	25	1	1	4	7	9	12	25
35-49	1417	6.0	39	1	2	4	7	11	16	29
50-64	2140	6.4	40	1	1	5	8	13	17	31
65+	4103	7.9	48	1	2	6	10	16	21	35
TOT. SINGLE DX	2911	3.6	9	<1	1	3	5	7	9	14
" MULTIPLE DX	9334	6.7	44	1	1	5	8	13	18	33
TOTAL 0-19 YRS	1057	3.6	27	<1	<1	2	4	7	10	27
20-34	1674	4.6	19	1	1	4	6	8	11	20
35-49	2154	5.2	30	1	1	4	6	10	13	26
50-64	2759	5.8	34	1	1	4	7	11	16	29
65+	4601	7.5	46	1	2	6	9	15	20	33
GRAND TOTAL	**12245**	**6.0**	**37**	**1**	**1**	**4**	**7**	**12**	**16**	**30**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	3.4	4	1	1	3	4	7	8	8
20-34	56	3.0	7	<1	1	2	4	6	6	16
35-49	129	2.6	4	1	1	2	3	4	6	13
50-64	511	3.2	5	1	1	3	4	6	7	14
65+	872	3.5	5	1	1	3	4	6	8	13
2. MULTIPLE DX										
0-19 YRS	18	4.7	18	1	1	3	5	12	16	17
20-34	106	3.9	10	1	1	3	5	8	10	17
35-49	213	4.8	37	1	1	3	5	9	12	39
50-64	727	4.6	17	1	1	3	5	8	11	25
65+	2559	5.7	24	1	2	4	7	11	15	27
TOT. SINGLE DX	1579	3.3	6	1	1	3	4	6	7	13
" MULTIPLE DX	3623	5.4	24	1	2	4	6	10	14	27
TOTAL 0-19 YRS	29	4.2	13	1	1	3	5	8	14	17
20-34	162	3.6	10	1	1	3	4	7	10	16
35-49	342	4.0	26	1	1	3	4	7	10	22
50-64	1238	4.0	13	1	1	3	5	7	10	19
65+	3431	5.2	21	1	2	4	6	10	14	25
GRAND TOTAL	**5202**	**4.8**	**19**	**1**	**1**	**4**	**6**	**9**	**12**	**24**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	63	4.8	12	1	1	4	7	9	13	88
20-34	80	5.2	13	1	2	4	7	9	13	17
35-49	94	5.6	16	1	2	5	8	10	14	21
50-64	162	6.1	22	1	1	4	9	14	16	19
65+	243	6.3	28	1	1	4	9	15	17	24
2. MULTIPLE DX										
0-19 YRS	167	10.4	117	2	2	7	13	24	31	99+
20-34	142	9.3	106	1	1	6	11	21	33	64
35-49	190	8.6	80	1	2	6	9	16	26	51
50-64	380	8.8	65	1	2	7	11	18	25	47
65+	1082	9.6	71	2	2	7	13	19	25	48
TOT. SINGLE DX	642	5.9	22	1	1	4	8	13	16	20
" MULTIPLE DX	1961	9.4	78	2	2	7	12	19	26	55
TOTAL 0-19 YRS	230	8.8	95	1	2	7	11	20	28	99+
20-34	222	7.8	77	1	2	6	9	17	23	60
35-49	284	7.6	61	1	2	6	9	14	20	47
50-64	542	8.0	54	1	2	6	10	17	20	44
65+	1325	9.0	66	1	2	7	12	18	23	44
GRAND TOTAL	**2603**	**8.5**	**66**	**1**	**2**	**6**	**11**	**17**	**23**	**48**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	81	1.2		<1	<1	<1	1	2	2	4
20-34	8	2.1	4	<1	<1	1	2	6	7	7
35-49	5	3.0	20	<1	<1	<1	3	11	11	11
50-64	4	3.8	13	<1	<1	2	6	9	9	9
65+	5	2.2	1	<1	<1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	48	2.1	2	<1	<1	2	2	4	5	9
20-34	14	4.8	13	<1	1	4	7	9	12	13
35-49	14	4.6	21	<1	<1	2	7	13	14	14
50-64	24	4.6	18	<1	2	4	5	6	12	23
65+	29	8.2	111	1	2	5	8	16	29	55
TOT. SINGLE DX	103	1.5	2	<1	<1	1	1	2	4	10
" MULTIPLE DX	129	4.5	37	<1	<1	3	5	8	13	34
TOTAL 0-19 YRS	129	1.5	1	<1	<1	1	2	3	4	7
20-34	22	3.8	11	<1	<1	2	7	8	11	13
35-49	19	4.2	21	<1	<1	2	7	12	14	14
50-64	28	4.5	17	<1	1	3	5	7	10	23
65+	34	7.3	100	<1	1	5	8	12	26	55
GRAND TOTAL	**232**	**3.2**	**24**	**<1**	**<1**	**2**	**3**	**7**	**9**	**24**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	607	4.8	13	<1	1	4	7	9	12	17
20-34	92	3.7	6	<1	1	3	5	7	8	13
35-49	69	3.4	5	<1	1	3	5	7	8	10
50-64	66	4.3	6	1	1	4	6	8	9	12
65+	64	3.9	5	1	2	3	5	6	8	14
2. MULTIPLE DX										
0-19 YRS	293	5.7	28	1	1	4	7	12	15	21
20-34	70	5.3	23	1	1	4	7	12	16	26
35-49	70	6.8	67	1	2	5	7	12	14	52
50-64	100	5.7	44	1	1	4	7	11	17	39
65+	187	6.0	45	1	2	4	7	13	20	32
TOT. SINGLE DX	898	4.5	12	<1	1	4	6	9	11	16
" MULTIPLE DX	720	5.9	38	1	1	4	7	12	15	31
TOTAL 0-19 YRS	900	5.1	19	<1	1	4	7	10	13	18
20-34	162	4.3	15	<1	1	3	5	8	12	18
35-49	139	5.1	39	1	1	4	6	9	12	47
50-64	166	5.2	30	1	1	4	7	9	13	30
65+	251	5.5	36	1	2	4	6	11	15	31
GRAND TOTAL	**1618**	**5.1**	**24**	**1**	**1**	**4**	**7**	**10**	**13**	**23**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	86	1.9	1	<1	<1	1	2	3	4	6
20-34	53	3.3	6	<1	<1	2	4	7	9	10
35-49	66	3.8	9	<1	<1	3	5	8	11	15
50-64	41	2.6	4	<1	<1	2	3	6	7	9
65+	34	4.2	17	<1	<1	2	6	11	13	18
2. MULTIPLE DX										
0-19 YRS	165	2.9	16	<1	1	2	4	6	7	14
20-34	214	5.8	48	1	2	4	7	11	16	34
35-49	263	6.4	41	1	1	5	8	11	17	36
50-64	335	6.0	42	1	1	4	7	11	17	38
65+	788	8.3	55	2	2	6	11	16	21	36
TOT. SINGLE DX	280	3.0	7	<1	<1	2	4	7	9	13
" MULTIPLE DX	1765	6.8	49	1	1	5	8	14	19	36
TOTAL 0-19 YRS	251	2.5	11	<1	<1	2	3	5	7	12
20-34	267	5.3	41	1	1	4	6	10	15	30
35-49	329	5.9	36	<1	1	4	7	11	15	34
50-64	376	5.6	40	1	1	4	7	10	16	36
65+	822	8.1	55	1	2	6	10	16	21	36
GRAND TOTAL	**2045**	**6.2**	**45**	**1**	**1**	**4**	**8**	**13**	**18**	**33**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	76	1.8	2	<1	<1	1	2	3	4	9
20-34	103	2.4	3	1	1	2	3	4	6	11
35-49	91	2.7	3	<1	1	2	4	5	6	10
50-64	64	3.2	7	1	1	2	4	7	9	14
65+	78	3.6	5	1	1	3	4	6	7	14
2. MULTIPLE DX										
0-19 YRS	90	2.5	4	<1	1	2	3	5	8	11
20-34	112	3.8	28	1	1	3	4	7	9	31
35-49	130	4.3	21	1	1	3	5	9	14	25
50-64	190	4.8	14	1	2	4	6	9	12	21
65+	465	6.4	31	1	2	4	8	13	17	30
TOT. SINGLE DX	412	2.7	5	<1	1	2	3	5	7	11
" MULTIPLE DX	987	5.1	26	1	1	4	6	11	15	27
TOTAL 0-19 YRS	166	2.2	4	<1	<1	2	3	4	7	10
20-34	215	3.1	17	1	1	2	3	6	9	17
35-49	221	3.7	15	1	1	2	4	8	10	21
50-64	254	4.4	13	1	1	3	6	9	12	15
65+	543	6.0	29	1	2	4	7	12	16	30
GRAND TOTAL	**1399**	**4.4**	**21**	**1**	**1**	**3**	**5**	**9**	**13**	**24**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	55	6.3	2	3	4	6	8	8	8	9
35-49	184	6.7	4	4	4	7	8	8	10	15
50-64	179	7.2	4	4	5	7	8	10	11	13
65+	72	7.4	5	4	5	7	8	11	12	15
2. MULTIPLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	59	6.5	2	4	4	7	7	9	10	11
35-49	291	7.6	9	5	5	7	8	10	12	20
50-64	318	8.2	10	4	5	8	9	12	14	19
65+	235	9.3	21	5	6	8	10	15	17	25
TOT. SINGLE DX	490	6.9	4	4	5	7	8	9	11	13
MULTIPLE DX	904	8.2	13	4	5	7	9	12	15	24
TOTAL 0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	114	6.4	3	4	4	6	7	8	9	11
35-49	475	7.2	8	4	5	7	8	10	11	18
50-64	497	7.8	8	4	5	7	9	11	13	18
65+	307	8.9	19	5	5	8	10	14	17	25
GRAND TOTAL	**1394**	**7.7**	**10**	**4**	**5**	**7**	**9**	**11**	**13**	**20**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	23	5.3	3	3	3	5	6	8	9	10
35-49	97	6.0	5	3	4	5	7	3	10	15
50-64	109	6.3	5	3	4	6	8	9	11	13
65+	58	6.4	5	3	4	6	8	9	11	13
2. MULTIPLE DX										
0-19 YRS	4	5.0		4	4	5	6	6	6	6
20-34	21	5.5	5	2	3	5	7	8	10	12
35-49	137	7.7	25	3	4	7	8	11	16	28
50-64	157	7.8	22	3	4	7	9	12	15	27
65+	139	7.6	15	3	4	7	9	13	15	25
TOT. SINGLE DX	289	6.1	5	3	4	6	8	9	10	13
" MULTIPLE DX	458	7.6	20	3	4	7	8	11	15	25
TOTAL 0-19 YRS	6	4.5	2	2	2	5	5	6	6	6
20-34	44	5.4	4	3	3	5	7	8	9	12
35-49	234	7.0	18	3	4	6	8	10	13	23
50-64	266	7.2	16	3	4	7	8	11	13	17
65+	197	7.2	13	3	4	6	9	11	14	21
GRAND TOTAL	**747**	**7.0**	**15**	**3**	**4**	**6**	**8**	**11**	**13**	**20**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	3.6	6	<1	<1	3	6	7	7	7
20-34	36	3.7	5	<1	1	3	5	8	9	9
35-49	40	3.6	4	1	2	3	4	6	8	11
50-64	36	4.3	12	<1	1	3	6	8	12	15
65+	21	4.8	7	1	2	4	6	9	10	11
2. MULTIPLE DX										
0-19 YRS	8	5.8	32	1	1	4	7	16	18	18
20-34	50	6.1	17	2	2	5	8	11	15	22
35-49	46	6.5	16	2	2	5	9	11	16	19
50-64	66	5.8	20	1	1	4	8	13	14	22
65+	87	7.9	39	1	2	6	10	17	21	31
TOT. SINGLE DX	140	4.0	7	1	1	3	5	8	9	13
" MULTIPLE DX	257	6.7	27	1	2	5	9	13	17	23
TOTAL 0-19 YRS	15	4.7	20	<1	1	4	6	10	16	18
20-34	86	5.1	14	1	1	4	7	9	12	20
35-49	86	5.1	13	2	2	4	7	10	11	19
50-64	102	5.3	18	1	1	4	8	12	14	19
65+	108	7.3	35	1	2	6	9	16	19	30
GRAND TOTAL	**397**	**5.7**	**21**	**1**	**2**	**4**	**8**	**11**	**15**	**23**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	4.6	15	2	2	3	5	11	14	15
20-34	110	3.7	7	2	2	3	5	7	9	14
35-49	250	3.5	7	2	2	3	4	6	7	12
50-64	213	3.4	5	2	2	3	4	6	8	14
65+	88	4.7	9	2	2	4	6	9	10	17
2. MULTIPLE DX										
0-19 YRS	11	9.3	83	1	1	6	15	25	27	27
20-34	42	5.8	43	1	2	4	6	11	21	37
35-49	73	7.1	54	2	2	4	8	18	21	38
50-64	106	6.6	32	2	2	5	9	15	18	29
65+	97	7.5	30	2	2	6	10	17	19	24
TOT. SINGLE DX	675	3.7	7	2	2	3	4	7	9	15
" MULTIPLE DX	329	7.0	40	2	2	5	8	17	20	32
TOTAL 0-19 YRS	25	6.6	49	1	2	4	7	17	25	27
20-34	152	4.3	18	2	2	3	5	8	11	22
35-49	323	4.3	20	2	2	3	5	7	11	29
50-64	319	4.5	17	2	2	3	5	9	13	20
65+	185	6.2	23	2	2	5	8	13	17	22
GRAND TOTAL	**1004**	**4.8**	**20**	**2**	**2**	**3**	**6**	**9**	**14**	**23**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	4.2	4	1	1	4	5	7	7	7
20-34	5	4.0		3	3	4	4	5	5	5
35-49	53	4.9	4	2	3	5	5	8	9	14
50-64	1071	5.0	3	3	3	5	6	7	8	12
65+	2301	5.4	5	3	3	5	6	8	9	14
2. MULTIPLE DX										
0-19 YRS	16	5.9	3	3	3	6	7	8	8	8
20-34	10	22.1	762	4	4	9	23	73	81	81
35-49	118	7.2	48	3	3	5	7	12	17	46
50-64	2610	6.4	17	3	4	5	7	10	13	23
65+	10161	7.6	29	3	4	6	9	13	17	30
TOT. SINGLE DX	3435	5.3	5	3	3	5	6	7	9	13
" MULTIPLE DX	12915	7.3	28	3	4	6	8	12	16	29
TOTAL 0-19 YRS	21	5.5	4	2	3	6	7	8	8	8
20-34	15	16.1	568	3	4	6	11	65	77	81
35-49	171	6.5	36	3	3	5	7	10	16	40
50-64	3681	6.0	14	3	3	5	7	9	12	20
65+	12462	7.2	26	3	4	6	8	12	16	28
GRAND TOTAL	**16350**	**6.9**	**24**	**3**	**4**	**6**	**8**	**11**	**15**	**27**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	6.5	25	3	3	6	10	10	10	10
20-34	1	10.0		10	10	10	10	10	10	10
35-49	10	10.0	38	1	2	9	13	19	23	23
50-64	124	10.1	17	5	6	9	12	15	17	26
65+	185	9.9	14	5	6	9	12	15	17	23
2. MULTIPLE DX										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	1	11.0		11	11	11	11	11	11	11
35-49	8	13.6	138	3	4	9	17	33	40	40
50-64	203	9.8	24	4	5	9	12	16	18	29
65+	765	11.6	38	5	6	10	14	19	23	36
TOT. SINGLE DX	322	10.0	16	5	6	9	12	15	17	23
" MULTIPLE DX	979	11.2	37	5	5	10	13	18	22	35
TOTAL 0-19 YRS	4	5.5	10	3	3	4	7	10	10	10
20-34	2	10.5	1	10	10	10	11	11	11	11
35-49	18	11.6	81	2	3	9	16	21	33	40
50-64	327	9.9	22	4	5	9	12	16	18	27
65+	950	11.2	35	5	6	10	13	17	22	34
GRAND TOTAL	**1301**	**10.9**	**32**	**5**	**5**	**10**	**13**	**17**	**21**	**34**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	3	2.3		2	2	2	3	3	3	3
35-49	30	2.2	1	<1	<1	2	3	4	5	5
50-64	281	2.1	2	<1	1	2	2	4	4	9
65+	419	2.3	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	3	20.0	367	7	7	11	34	42	42	42
20-34	7	5.1	41	1	1	3	6	16	19	19
35-49	43	4.2	16	1	1	3	5	11	14	17
50-64	340	4.0	13	1	1	3	5	9	11	19
65+	837	5.5	39	1	1	3	7	12	16	26
TOT. SINGLE DX	733	2.2	3	<1	1	2	3	4	5	8
" MULTIPLE DX	1230	5.1	33	1	1	3	6	11	15	25
TOTAL 0-19 YRS	3	20.0	367	7	7	11	34	42	42	42
20-34	10	4.3	30	1	1	2	5	12	19	19
35-49	73	3.4	12	<1	1	2	4	7	12	17
50-64	621	3.1	9	1	1	2	4	7	9	15
65+	1256	4.4	29	1	1	3	5	10	14	24
GRAND TOTAL	**1963**	**4.0**	**23**	**1**	**1**	**2**	**4**	**9**	**12**	**22**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	88	2.1	5	<1	1	1	2	4	5	14
20-34	65	2.5	2	<1	1	2	3	4	5	9
35-49	68	2.5	2	1	1	2	3	5	5	7
50-64	46	3.2	3	<1	1	3	4	5	7	10
65+	34	2.6	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	68	3.4	22	1	1	2	4	7	9	32
20-34	55	6.0	49	2	2	4	7	10	15	40
35-49	85	6.7	39	1	2	5	9	12	22	35
50-64	87	5.9	44	1	2	3	7	14	18	38
65+	83	7.7	121	1	2	4	8	18	29	67
TOT. SINGLE DX	301	2.5	3	<1	1	2	3	5	5	11
" MULTIPLE DX	378	6.0	59	1	1	4	7	12	20	38
TOTAL 0-19 YRS	156	2.7	13	<1	1	2	3	5	9	15
20-34	120	4.1	27	1	1	3	4	8	10	37
35-49	153	4.8	27	1	1	3	6	10	13	29
50-64	133	5.0	32	1	1	3	5	10	15	31
65+	117	6.2	92	1	1	3	6	12	25	51
GRAND TOTAL	**679**	**4.5**	**37**	**1**	**1**	**3**	**5**	**9**	**13**	**34**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	153	2.1	1	<1	1	2	3	3	4	6
20-34	133	3.0	3	1	1	3	4	5	7	11
35-49	72	3.6	10	1	1	3	4	8	9	19
50-64	51	4.2	16	1	1	3	5	9	10	26
65+	156	3.6	11	1	1	3	4	7	10	17
2. MULTIPLE DX										
0-19 YRS	151	2.5	2	1	1	2	3	4	5	11
20-34	101	3.7	15	1	1	3	4	7	11	21
35-49	66	4.6	16	1	1	3	7	10	13	21
50-64	121	6.6	44	1	1	4	9	13	18	37
65+	682	7.3	62	1	2	5	9	15	20	35
TOT. SINGLE DX	565	3.1	8	1	1	2	3	6	8	16
" MULTIPLE DX	1121	6.1	49	1	1	4	8	13	18	32
TOTAL 0-19 YRS	304	2.3	2	<1	1	2	3	4	5	8
20-34	234	3.3	9	1	1	3	4	6	8	20
35-49	138	4.1	13	1	1	3	5	9	10	22
50-64	172	5.9	37	1	1	4	8	12	17	30
65+	838	6.6	55	1	2	4	8	14	19	34
GRAND TOTAL	**1686**	**5.1**	**37**	**1**	**1**	**3**	**6**	**11**	**16**	**29**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	598	1.6		<1	<1	1	2	3	3	4
20-34	88	1.7	1	<1	1	1	2	3	4	6
35-49	8	1.3		1	1	1	2	2	2	2
50-64	2	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
0-19 YRS	367	2.2	2	<1	1	2	3	4	5	10
20-34	20	2.6	2	<1	1	2	4	5	5	5
35-49	7	4.1	20	1	1	2	4	12	14	14
50-64	2	2.0		2	2	2	2	2	2	2
65+	2	4.5	13	2	2	4	7	7	7	7
TOT. SINGLE DX	696	1.7	1	<1	<1	1	2	3	3	5
" MULTIPLE DX	398	2.3	3	<1	1	2	3	4	5	10
TOTAL 0-19 YRS	965	1.9	2	<1	<1	2	2	3	4	7
20-34	108	1.9	1	<1	1	1	2	4	5	6
35-49	15	2.6	11	1	1	2	2	5	12	14
50-64	4	2.5		2	2	2	3	3	3	3
65+	2	4.5	13	2	2	4	7	7	7	7
GRAND TOTAL	**1094**	**1.9**	**2**	**<1**	**<1**	**2**	**2**	**3**	**4**	**7**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	129	1.7	1	<1	<1	1	2	3	4	6
20-34	69	2.0	1	<1	<1	2	2	4	5	7
35-49	22	1.9		<1	<1	2	2	3	4	4
50-64	20	1.7		<1	1	2	2	3	4	4
65+	7	2.0	2	<1	<1	2	2	4	5	5
2. MULTIPLE DX										
0-19 YRS	47	1.6	1	<1	<1	1	2	2	4	6
20-34	26	3.0	7	<1	1	2	3	7	10	13
35-49	18	3.6	8	<1	<1	3	4	6	10	13
50-64	17	5.1	14	1	2	3	7	11	13	14
65+	2	8.0	50	3	3	8	13	13	13	13
TOT. SINGLE DX	247	1.8	1	<1	<1	1	2	3	4	6
" MULTIPLE DX	110	2.9	8	<1	1	2	3	6	11	14
TOTAL 0-19 YRS	176	1.7	1	<1	<1	1	2	3	4	6
20-34	95	2.3	4	<1	1	2	3	4	6	11
35-49	40	2.7	5	<1	<1	2	4	5	6	13
50-64	37	3.3	10	<1	1	2	3	8	11	14
65+	9	3.3	15	<1	<1	2	3	10	13	13
GRAND TOTAL	**357**	**2.1**	**4**	**<1**	**1**	**2**	**2**	**4**	**5**	**13**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	34	1.0		<1	<1	<1	<1	1	1	2
35-49	27	1.2		<1	<1	<1	1	2	3	3
50-64	3	2.3	2	<1	<1	2	3	4	4	4
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	23	3.4	10	<1	<1	2	5	8	10	13
35-49	23	4.1	11	<1	1	2	6	8	11	15
50-64	5	7.6	8	3	3	8	10	10	10	10
55+	6	8.0	26	2	2	7	14	14	14	14
TOT. SINGLE DX	66	1.2		<1	<1	<1	1	2	2	4
" MULTIPLE DX	57	4.5	14	<1	<1	3	7	10	13	15
TOTAL 0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	57	2.0	5	<1	<1	<1	1	5	7	13
35-49	50	2.6	8	<1	<1	1	3	7	8	15
50-64	8	5.6	13	<1	1	5	9	10	10	10
65+	6	8.0	27	2	2	7	14	14	14	14
GRAND TOTAL	**123**	**2.7**	**10**	**<1**	**<1**	**1**	**3**	**8**	**9**	**14**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	285	1.6		<1	<1	1	2	3	3	4
20-34	269	1.8	1	<1	1	2	2	3	4	6
35-49	257	1.8	1	<1	<1	2	2	3	4	6
50-64	185	2.5	1	1	1	2	3	4	5	8
65+	85	2.9	4	1	1	2	3	5	7	12
2. MULTIPLE DX										
0-19 YRS	145	2.5	7	<1	1	2	3	4	5	21
20-34	164	2.3	2	<1	1	2	3	4	6	10
35-49	149	2.8	5	1	1	2	3	6	7	11
50-64	187	3.8	15	1	1	3	4	8	9	19
65+	187	3.9	7	1	1	3	5	7	9	13
TOT. SINGLE DX	1081	2.0	2	<1	<1	2	2	3	4	7
" MULTIPLE DX	832	3.1	9	1	1	2	3	6	8	14
TOTAL 0-19 YRS	430	1.9	3	<1	<1	1	2	3	4	8
20-34	433	2.0	2	<1	1	2	2	3	4	7
35-49	406	2.2	3	<1	<1	2	3	4	5	9
50-64	372	3.2	9	1	1	3	4	5	8	15
65+	272	3.6	7	1	1	3	4	7	8	13
GRAND TOTAL	**1913**	**2.5**	**5**	**<1**	**1**	**2**	**3**	**4**	**6**	**10**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	572	1.3		<1	<1	1	2	2	2	3
20-34	123	1.5		<1	<1	1	2	2	3	4
35-49	77	1.5		<1	<1	1	2	2	3	3
50-64	36	2.0	2	<1	1	2	2	3	3	11
65+	24	1.6		<1	<1	1	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	210	2.5	23	<1	<1	1	2	4	7	30
20-34	128	2.4	4	<1	<1	2	3	5	8	11
35-49	181	2.9	8	<1	<1	2	3	7	9	15
50-64	126	3.8	17	<1	1	2	4	8	13	23
65+	122	4.6	21	1	1	3	5	9	14	25
TOT. SINGLE DX	832	1.4	1	<1	<1	1	2	2	2	3
" MULTIPLE DX	767	3.1	16	<1	<1	2	3	7	10	20
TOTAL 0-19 YRS	782	1.6	7	<1	<1	1	2	2	3	13
20-34	251	2.0	3	<1	<1	1	2	3	5	10
35-49	258	2.5	6	<1	<1	2	3	5	8	13
50-64	162	3.4	15	<1	1	2	4	7	11	22
65+	146	4.1	20	1	1	3	5	8	13	22
GRAND TOTAL	**1599**	**2.2**	**9**	**<1**	**<1**	**1**	**2**	**4**	**7**	**15**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	90	3.2	7	<1	<1	2	4	7	9	12
20-34	57	3.2	12	<1	<1	2	4	7	8	24
35-49	106	3.5	5	1	1	3	4	5	6	14
50-64	259	3.9	5	1	2	3	5	6	7	16
65+	119	3.8	3	1	2	3	5	6	8	10
2. MULTIPLE DX										
0-19 YRS	60	4.4	10	<1	1	4	5	8	11	17
20-34	85	6.9	97	1	1	4	7	11	33	51
35-49	186	4.3	6	2	2	4	5	7	9	16
50-64	395	4.6	12	2	2	4	5	7	9	19
65+	296	5.0	19	2	2	4	6	8	11	29
TOT. SINGLE DX	631	3.7	6	1	1	3	4	6	8	12
" MULTIPLE DX	1022	4.9	21	1	2	4	5	8	11	27
TOTAL 0-19 YRS	150	3.7	9	<1	<1	3	5	8	9	12
20-34	142	5.4	66	<1	1	3	6	9	18	49
35-49	292	4.0	7	1	2	3	5	6	9	16
50-64	654	4.3	10	1	2	4	5	7	9	18
65+	415	4.7	15	2	2	4	5	8	10	25
GRAND TOTAL	**1653**	**4.4**	**15**	**1**	**2**	**4**	**5**	**7**	**9**	**20**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	199	4.5	2	2	2	4	5	6	7	11
20-34	487	4.8	3	2	3	5	5	6	7	11
35-49	86	4.9	6	2	2	5	6	7	9	16
50-64	12	7.7	13	2	4	7	9	13	16	17
65+	11	5.6	6	1	2	6	8	9	9	9
2. MULTIPLE DX										
0-19 YRS	161	5.7	15	2	3	5	7	9	11	23
20-34	1037	5.2	6	1	3	5	6	8	9	14
35-49	213	6.3	14	1	3	6	8	10	13	19
50-64	35	8.3	21	2	2	8	11	14	17	19
65+	35	12.7	77	5	6	10	15	20	24	53
TOT. SINGLE DX	795	4.8	4	2	3	5	6	7	8	12
" MULTIPLE DX	1481	5.7	12	2	3	5	6	9	11	18
TOTAL 0-19 YRS	360	5.0	9	2	3	5	6	7	9	14
20-34	1524	5.1	5	2	3	5	6	7	8	13
35-49	299	5.9	13	1	2	5	7	9	13	18
50-64	47	8.2	19	2	2	8	11	14	17	19
65+	46	11.0	69	3	5	9	14	19	23	53
GRAND TOTAL	**2276**	**5.4**	**9**	**2**	**3**	**5**	**6**	**8**	**10**	**16**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	87	5.2	2	3	4	5	6	7	8	9
20-34	568	5.2	2	3	4	5	6	7	8	10
35-49	244	5.5	3	3	4	5	6	8	9	11
50-64	43	6.5	9	4	4	6	7	10	13	20
65+	20	7.1	6	5	5	6	8	11	13	15
2. MULTIPLE DX										
0-19 YRS	154	6.6	21	3	4	6	7	10	12	27
20-34	1493	5.9	5	3	4	5	7	8	10	14
35-49	726	6.8	16	4	4	6	8	10	13	21
50-64	116	9.5	35	4	5	7	11	16	21	33
65+	77	11.6	53	5	5	10	14	19	25	45
TOT. SINGLE DX	962	5.3	3	3	4	5	6	7	9	11
" MULTIPLE DX	2566	6.5	14	3	4	6	7	10	12	21
TOTAL 0-19 YRS	241	6.0	15	3	4	5	7	9	10	22
20-34	2061	5.7	5	3	4	5	6	8	9	13
35-49	970	6.5	13	3	4	6	7	10	11	20
50-64	159	8.7	30	4	4	7	10	16	20	27
65+	97	10.6	47	5	5	9	12	18	23	42
GRAND TOTAL	**3528**	**6.2**	**11**	**3**	**4**	**5**	**7**	**9**	**11**	**19**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	79	5.3	2	3	4	5	6	7	9	10
35-49	188	5.8	3	4	4	6	6	8	9	11
50-64	66	7.5	9	4	5	7	8	11	14	21
65+	30	7.8	6	4	4	8	10	12	12	14
2. MULTIPLE DX										
0-19 YRS	7	5.7	2	4	4	5	6	8	9	9
20-34	499	6.1	6	4	4	6	7	8	10	17
35-49	812	6.9	10	4	5	6	8	10	12	17
50-64	279	9.0	30	5	5	7	10	15	19	36
65+	176	10.7	34	5	6	9	13	18	22	34
TOT. SINGLE DX	364	6.2	5	4	4	6	7	9	10	16
" MULTIPLE DX	1773	7.4	17	4	4	6	8	11	15	23
TOTAL 0-19 YRS	8	5.9	2	4	4	6	7	8	9	9
20-34	578	6.0	6	4	4	6	7	8	10	16
35-49	1000	6.7	9	4	4	6	7	9	12	17
50-64	345	8.8	27	5	5	7	10	14	19	36
65+	206	10.3	31	5	5	8	12	17	20	33
GRAND TOTAL	**2137**	**7.2**	**15**	**4**	**4**	**6**	**8**	**11**	**14**	**22**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	50	3.3	2	1	1	3	4	5	6	8
20-34	143	3.3	4	<1	1	3	5	6	6	11
35-49	26	3.2	5	<1	<1	2	6	7	7	8
50-64	3	8.0	27	5	5	5	12	14	14	14
65+										
2. MULTIPLE DX										
0-19 YRS	64	4.7	8	1	2	4	6	8	10	15
20-34	440	4.3	8	1	1	4	6	7	9	15
35-49	99	4.6	9	<1	1	4	7	8	10	16
50-64	6	12.5	324	2	2	6	8	45	49	49
65+	7	7.7	9	3	3	8	10	12	12	12
TOT. SINGLE DX	222	3.3	5	<1	1	3	5	6	7	12
" MULTIPLE DX	616	4.5	12	1	1	4	6	8	10	15
TOTAL 0-19 YRS	114	4.1	6	1	1	4	5	7	9	14
20-34	583	4.1	8	1	1	4	5	7	9	15
35-49	125	4.3	9	<1	1	4	6	7	9	15
50-64	9	11.0	215	2	3	5	9	35	49	49
65+	7	7.7	9	3	3	8	10	12	12	12
GRAND TOTAL	**838**	**4.2**	**10**	**1**	**1**	**4**	**5**	**7**	**9**	**15**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	1.5		<1	<1	1	2	2	2	2
20-34	618	1.3		<1	<1	1	2	2	2	3
35-49	232	1.2		<1	<1	<1	1	2	2	4
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
2. MULTIPLE DX										
0-19 YRS	15	2.3	1	<1	1	2	3	4	4	4
20-34	608	2.2	5	<1	<1	2	3	4	5	8
35-49	287	1.8	6	<1	<1	1	2	3	4	11
50-64	3	1.3		1	1	1	2	2	2	2
65+										
TOT. SINGLE DX	857	1.3		<1	<1	1	1	2	2	3
" MULTIPLE DX	913	2.1	6	<1	<1	1	3	4	5	8
TOTAL 0-19 YRS	21	2.0	1	<1	<1	2	3	4	4	4
20-34	1226	1.8	3	<1	<1	1	2	3	4	7
35-49	519	1.5	4	<1	<1	1	2	2	3	7
50-64	4	1.3		<1	<1	1	2	2	2	2
65+										
GRAND TOTAL	**1770**	**1.7**	**4**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	20	3.2	8	<1	<1	3	4	6	10	13
20-34	1018	2.4	1	<1	<1	2	3	4	5	6
35-49	266	2.1	1	<1	<1	2	3	4	5	8
50-64	2	4.0	8	2	2	4	6	6	6	6
65+										
2. MULTIPLE DX										
0-19 YRS	68	3.2	2	2	2	3	4	5	6	83
20-34	2428	3.1	4	1	2	3	4	5	6	8
35-49	491	3.2	5	1	1	3	4	5	7	13
50-64	4	5.8		5	5	6	6	6	6	6
65+										
TOT. SINGLE DX	1306	2.3	2	<1	<1	2	3	4	5	7
" MULTIPLE DX	2991	3.1	5	1	1	3	4	5	6	10
TOTAL 0-19 YRS	88	3.2	4	1	1	3	4	5	7	66
20-34	3446	2.9	4	1	1	3	3	5	5	8
35-49	757	2.8	4	<1	1	2	4	5	6	11
50-64	6	5.2	3	2	2	6	6	6	6	6
65+										
GRAND TOTAL	**4297**	**2.9**	**4**	**1**	**1**	**3**	**3**	**5**	**5**	**9**

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	95	4.2	1	2	3	4	5	6	6	8
20-34	1186	4.3	1	2	3	4	5	6	6	8
35-49	172	4.4	2	2	3	4	5	6	7	9
50-64	5	6.6	2	6	6	6	7	9	9	9
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	120	5.0	4	2	3	5	6	7	10	13
20-34	1567	4.7	2	3	3	5	5	7	8	10
35-49	253	4.8	3	2	3	5	6	7	7	14
50-64	3	11.3	34	7	7	9	16	18	18	18
65+	3	12.7	86	5	5	10	20	23	23	23
TOT. SINGLE DX	1459	4.3	2	2	3	4	5	6	6	8
" MULTIPLE DX	1946	4.8	3	2	3	5	5	7	8	12
TOTAL 0-19 YRS	215	4.6	3	2	3	4	5	7	8	12
20-34	2753	4.5	2	2	3	4	5	6	7	10
35-49	425	4.6	3	2	3	5	5	6	7	10
50-64	8	8.4	17	6	6	7	9	15	18	18
65+	4	11.5	63	5	5	9	16	23	23	23
GRAND TOTAL	**3405**	**4.6**	**3**	**2**	**3**	**4**	**5**	**6**	**7**	**10**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	15	1.7		<1	<1	2	2	2	3	3
20-34	462	1.9	1	<1	<1	2	2	3	4	7
35-49	166	2.0	1	<1	<1	2	3	4	5	6
50-64	49	2.5	3	<1	1	2	3	4	7	10
65+	21	2.0		<1	1	2	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	20	2.1		<1	1	2	3	3	4	4
20-34	339	2.4	4	<1	1	2	3	5	5	10
35-49	139	2.5	3	<1	1	2	3	5	7	10
50-64	78	2.9	8	<1	1	2	3	4	7	20
65+	62	3.6	9	1	1	2	4	8	10	16
TOT. SINGLE DX	713	2.0	2	<1	1	2	2	3	5	7
" MULTIPLE DX	638	2.6	5	<1	1	2	3	5	7	12
TOTAL 0-19 YRS	35	1.9	1	<1	1	2	2	3	3	4
20-34	801	2.1	3	<1	1	2	3	4	5	8
35-49	305	2.2	3	<1	1	2	3	4	6	8
50-64	127	2.7	7	<1	1	2	3	4	7	14
65+	83	3.2	8	1	1	2	3	7	9	16
GRAND TOTAL	**1351**	**2.3**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	16	2.3	7	<1	<1	2	2	3	9	12
20-34	122	1.7	1	<1	<1	1	2	3	3	7
35-49	64	3.5	131	<1	<1	2	3	4	6	81
50-64	47	3.3	11	<1	<1	2	4	8	11	15
65+	44	3.4	6	<1	1	2	5	8	8	10
2. MULTIPLE DX										
0-19 YRS	21	4.0	46	<1	<1	1	3	12	21	30
20-34	171	3.1	21	<1	<1	2	3	5	8	25
35-49	161	3.2	11	<1	<1	2	4	7	10	18
50-64	115	4.6	38	<1	<1	3	5	9	13	39
65+	216	6.8	101	1	2	5	7	12	17	67
TOT. SINGLE DX	293	2.6	33	<1	<1	2	3	5	7	13
" MULTIPLE DX	684	4.6	50	<1	1	3	5	9	12	35
TOTAL 0-19 YRS	37	3.2	30	<1	<1	1	3	9	13	30
20-34	293	2.5	14	<1	<1	2	3	4	6	14
35-49	225	3.2	45	<1	<1	2	3	6	9	20
50-64	162	4.2	31	<1	<1	3	5	9	12	31
65+	260	6.2	87	1	1	4	7	11	15	60
GRAND TOTAL	**977**	**4.0**	**46**	**<1**	**<1**	**2**	**4**	**8**	**11**	**29**

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	29	2.9	1	1	1	3	3	5	6	7
20-34	495	2.5	2	1	1	2	3	4	5	8
35-49	61	2.5	1	<1	1	2	3	4	5	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	7	4.3	19	1	1	3	3	12	14	14
20-34	173	3.7	13	1	1	3	4	7	9	16
35-49	24	3.3	10	1	1	2	4	7	12	13
50-64	3	4.7	21	2	2	2	8	10	10	10
65+	1	9.0		9	9	9	9	9	9	9
TOT. SINGLE DX	585	2.5	2	1	1	2	3	4	5	8
" MULTIPLE DX	208	3.7	13	1	1	3	4	7	10	15
TOTAL 0-19 YRS	36	3.2	5	1	1	3	3	5	7	14
20-34	668	2.8	5	1	1	2	3	5	6	11
35-49	85	2.7	4	1	1	2	3	5	6	13
50-64	3	4.7	21	2	2	2		10	10	10
65+	1	9.0		9	9	9		9	9	9
GRAND TOTAL	**793**	**2.8**	**5**	**1**	**1**	**2**		**5**	**6**	**12**

670: Hysterotomy and excision of lesion of utarus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	4.5	1	2	2	5	5	5	5	5
20-34	215	5.0	4	1	2	5	6	7	7	11
35-49	70	5.0	14	1	1	5	6	7	9	27
50-64	6	2.2	1	<1	<1	2	3	4	4	4
65+	9	3.6	8	<1	<1	3	6	8	9	9
2. MULTIPLE DX										
0-19 YRS	14	3.6	4	1	1	3	5	6	8	8
20-34	385	5.1	5	1	2	5	6	7	9	13
35-49	179	6.0	26	1	2	5	7	10	15	31
50-64	36	7.6	49	1	1	6	12	18	28	99+
65+	42	7.2	56	1	2	5	9	14	25	37
TOT. SINGLE DX	306	4.9	7	1	2	5	6	7	8	11
" MULTIPLE DX	656	5.6	17	1	2	5	6	9	12	28
TOTAL 0-19 YRS	20	3.9	4	1	1	5	5	6	7	8
20-34	600	5.1	5	1	2	5	6	7	8	12
35-49	249	5.7	23	1	1	5	7	9	12	31
50-64	42	6.8	46	<1	1	4	10	17	28	99+
65+	51	6.5	50	<1	1	5	8	13	20	37
GRAND TOTAL	**962**	**5.4**	**14**	**1**	**2**	**5**	**6**	**8**	**10**	**20**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	6.4	2	4	4	7	7	8	9	9
20-34	1033	5.9	2	4	4	6	7	8	9	11
35-49	1609	6.1	2	4	5	6	7	8	9	11
50-64	401	6.9	5	5	5	6	7	9	11	18
65+	206	7.9	6	5	5	7	8	11	14	17
2. MULTIPLE DX										
0-19 YRS	78	6.8	7	4	5	6	8	10	12	19
20-34	7178	6.4	4	4	5	6	7	8	10	15
35-49	13423	6.6	5	5	5	6	7	9	10	15
50-64	2733	7.7	15	5	5	7	8	11	14	22
65+	1412	9.6	26	5	6	8	10	15	19	31
TOT. SINGLE DX	3263	6.3	3	4	5	6	7	8	9	13
" MULTIPLE DX	24824	6.8	8	4	5	6	7	9	11	18
TOTAL 0-19 YRS	92	6.7	7	4	4	6	7	10	12	18
20-34	8211	6.3	4	4	5	6	7	8	10	14
35-49	15032	6.6	5	5	5	6	7	8	10	15
50-64	3134	7.6	14	5	5	7	8	11	13	21
65+	1618	9.3	25	5	6	8	10	14	19	31
GRAND TOTAL	**28067**	**6.8**	**7**	**4**	**5**	**6**	**7**	**9**	**11**	**17**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	5.3	1	4	4	5	6	6	6	6
20-34	741	5.0	2	3	4	5	6	7	7	10
35-49	605	5.3	1	4	4	5	6	7	8	10
50-64	208	6.7	4	4	5	6	8	9	10	14
65+	208	6.9	3	4	5	7	8	9	10	14
2. MULTIPLE DX										
0-19 YRS	17	5.4	5	3	3	5	6	8	11	13
20-34	2949	5.5	3	4	4	5	6	7	8	12
35-49	4195	5.8	3	4	4	5	6	8	9	12
50-64	1067	6.9	5	4	5	7	8	9	11	15
65+	901	7.9	13	5	5	7	9	11	13	18
TOT. SINGLE DX	1766	5.5	3	4	4	5	6	8	9	12
" MULTIPLE DX	9129	6.0	5	4	4	6	7	8	10	14
TOTAL 0-19 YRS	21	5.4	5	3	3	5	6	7	10	13
20-34	3690	5.4	4	4	4	5	6	7	8	12
35-49	4800	5.7	3	4	4	5	6	8	9	12
50-64	1275	6.9	5	4	5	6	8	9	11	15
65+	1109	7.7	11	5	5	7	9	11	13	18
GRAND TOTAL	**10895**	**5.9**	**5**	**4**	**4**	**6**	**7**	**8**	**9**	**14**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	19	10.2	7	6	7	10	12	14	15	16
35-49	29	10.1	7	7	7	9	11	14	16	19
50-64	11	11.1	9	8	8	10	12	16	18	18
65+	2	10.5	5	9	9	10	12	12	12	12
2. MULTIPLE DX										
0-19 YRS										
20-34	26	10.5	6	7	8	10	12	14	15	16
35-49	46	11.3	36	6	7	10	11	20	24	36
50-64	32	12.7	53	6	6	10	16	21	30	38
65+	30	16.9	111	6	7	14	19	31	38	54
TOT. SINGLE DX	61	10.3	8	7	7	10	11	14	16	19
" MULTIPLE DX	134	12.7	56	6	7	10	14	22	29	41
TOTAL 0-19 YRS										
20-34	45	10.4	7	7	7	10	12	14	15	16
35-49	75	10.8	26	6	7	9	11	17	22	33
50-64	43	12.3	43	6	7	10	15	20	25	38
65+	32	16.5	107	6	7	13	19	30	37	54
GRAND TOTAL	**195**	**12.0**	**42**	**6**	**7**	**10**	**13**	**19**	**23**	**38**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	44	1.5		<1	<1	1	2	2	3	5
20-34	145	1.4		<1	<1	1	1	2	4	5
35-49	20	1.3		<1	<1	<1	1	2	3	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	21	5.8	49	<1	<1	2	7	20	22	22
20-34	138	3.4	16	<1	<1	2	4	7	10	17
35-49	45	2.5	7	<1	<1	1	3	6	7	15
50-64										
65+										
TOT. SINGLE DX	209	1.4	1	<1	<1	1	2	2	4	5
" MULTIPLE DX	204	3.5	18	<1	<1	2	4	7	12	22
TOTAL 0-19 YRS	65	2.9	20	<1	<1	1	2	6	14	22
20-34	283	2.4	10	<1	<1	1	2	5	7	14
35-49	65	2.1	5	<1	<1	1	2	4	7	14
50-64										
65+										
GRAND TOTAL	**413**	**2.4**	**10**	**<1**	**<1**	**1**	**2**	**5**	**7**	**16**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1159	1.6	1	<1	<1	1	2	3	3	6
20-34	6061	1.5	1	<1	<1	1	2	3	3	6
35-49	1585	1.5	1	<1	<1	1	2	2	3	6
50-64	435	1.8	2	<1	<1	1	2	3	5	9
65+	234	2.0	2	<1	<1	2	2	3	5	7
2. MULTIPLE DX										
0-19 YRS	502	2.8	7	1	1	2	4	5	7	15
20-34	3260	2.7	8	<1	1	2	3	5	7	12
35-49	2065	2.8	11	<1	<1	2	3	6	8	14
50-64	878	3.3	14	<1	1	2	3	7	10	20
65+	804	4.2	29	1	1	2	4	9	13	25
TOT. SINGLE DX	9474	1.6	1	<1	<1	1	2	3	3	6
" MULTIPLE DX	7509	3.0	12	<1	1	2	3	6	8	16
TOTAL 0-19 YRS	1661	1.9	3	<1	<1	1	2	4	5	9
20-34	9321	2.0	4	<1	<1	1	2	4	5	9
35-49	3650	2.2	7	<1	<1	1	2	5	6	11
50-64	1313	2.8	11	<1	<1	2	3	6	9	17
65+	1038	3.7	24	<1	1	2	4	8	12	23
GRAND TOTAL	**16983**	**2.2**	**7**	**<1**	**<1**	**1**	**2**	**4**	**6**	**11**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	29	1.4		<1	<1	1	1	3	3	4
20-34	197	1.2		<1	<1	<1	1	1	2	5
35-49	60	1.1		<1	<1	<1	<1	2	2	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	16	3.8	29	<1	<1	2	4	7	18	23
20-34	102	4.2	44	<1	<1	2	5	7	17	41
35-49	26	1.1		<1	<1	1	1	2	2	2
50-64										
65+										
TOT. SINGLE DX	286	1.2		<1	<1	<1	1	2	2	4
" MULTIPLE DX	144	3.6	36	<1	<1	2	4	7	13	34
TOTAL 0-19 YRS	45	2.2	12	<1	<1	1	2	4	6	23
20-34	299	2.2	17	<1	<1	<1	2	4	7	21
35-49	86	1.1		<1	<1	<1	1	2	2	3
50-64										
65+										
GRAND TOTAL	**430**	**2.0**	**14**	**<1**	**<1**	**<1**	**1**	**4**	**6**	**19**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	179	1.3		<1	<1	1	1	2	3	4
20-34	962	1.3		<1	<1	1	1	2	3	4
35-49	117	1.2		<1	<1	1	1	2	2	6
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	40	2.3	5	<1	1	2	3	4	7	13
20-34	235	2.2	3	<1	<1	2	2	4	6	11
35-49	54	2.6	12	<1	<1	1	2	6	9	19
50-64	3	3.7	5	1	1	5	5	5	5	5
65+	6	6.7	22	2	2	5	9	14	15	15
TOT. SINGLE DX	1260	1.3	1	<1	<1	1	1	2	3	4
" MULTIPLE DX	338	2.3	6	<1	<1	2	2	5	7	13
TOTAL 0-19 YRS	219	1.5	2	<1	<1	1	2	2	3	7
20-34	1197	1.5	2	<1	<1	1	2	2	3	7
35-49	171	1.6	5	<1	<1	1	1	2	5	15
50-64	4	3.3	4	1	1	3	5	5	5	5
65+	7	6.0	21	2	2	5	8	14	15	15
GRAND TOTAL	**1598**	**1.5**	**2**	**<1**	**<1**	**1**	**2**	**3**	**3**	**8**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	3.7	6	1	1	4	5	6	6	6
20-34	25	4.4	4	1	1	4	5	6	8	11
35-49	3	4.0	3	2	2	5	5	5	5	5
50-64	3	5.7	2	4	4	6	7	7	7	7
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	4	4.8	14	1	1	4	7	10	10	10
20-34	120	4.9	4	2	3	5	6	7	8	12
35-49	10	5.6	10	2	2	5	7	10	13	13
50-64	2	7.0	2	6	6	7	8	8	8	8
65+	4	7.5	3	6	6	7	9	10	10	10
TOT. SINGLE DX	35	4.4	4	1	1	5	6	6	7	11
" MULTIPLE DX	140	5.0	5	2	3	5	6	8	9	13
TOTAL 0-19 YRS	7	4.3	10	1	1	4	6	9	10	10
20-34	145	4.8	4	2	3	5	6	7	8	11
35-49	13	5.2	9	2	2	5	6	9	12	13
50-64	5	6.2	2	4	4	6	7	8	8	8
65+	5	7.2	3	6	6	7	8	10	10	10
GRAND TOTAL	**175**	**4.9**	**5**	**2**	**3**	**5**	**6**	**7**	**8**	**13**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	2.8	4	<1	1	2	4	7	7	7
20-34	95	3.0	3	<1	1	2	5	5	6	9
35-49	18	2.6	2	<1	<1	2	4	5	5	5
50-64	15	4.0	3	2	2	4	5	7	8	8
65+	12	4.1	2	2	2	4	5	6	8	8
2. MULTIPLE DX										
0-19 YRS	18	3.6	3	1	1	3	5	6	7	7
20-34	150	3.5	6	1	1	3	5	6	7	11
35-49	46	3.7	7	1	1	3	5	7	9	12
50-64	14	3.8	3	<1	1	4	5	6	8	8
65+	48	5.3	10	2	2	4	7	10	13	16
TOT. SINGLE DX	153	3.1	4	<1	1	3	5	5	7	8
" MULTIPLE DX	276	3.9	7	1	1	4	5	7	9	14
TOTAL 0-19 YRS	31	3.3	4	1	1	3	5	6	7	7
20-34	245	3.3	5	<1	1	3	5	6	7	11
35-49	64	3.4	6	<1	1	3	5	6	8	12
50-64	29	3.9	3	1	2	4	5	7	8	8
65+	60	5.1	9	2	2	4	6	9	12	16
GRAND TOTAL	**429**	**3.6**	**6**	**1**	**1**	**3**	**5**	**6**	**8**	**12**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	57	4.8	5	1	2	5	6	7	10	11
35-49	186	5.5	3	3	3	5	7	8	9	11
50-64	401	5.9	3	3	4	6	7	8	9	12
65+	249	6.2	5	3	4	6	7	9	10	15
2. MULTIPLE DX										
0-19 YRS	2	5.5	5	4	4	5	7	7	7	7
20-34	98	6.1	16	2	2	6	7	10	12	26
35-49	444	6.9	8	3	4	6	8	10	12	18
50-64	636	7.2	9	4	4	7	8	10	13	19
65+	580	7.1	7	4	4	7	8	11	13	16
TOT. SINGLE DX	893	5.8	4	3	3	6	7	8	9	12
" MULTIPLE DX	1760	7.0	9	3	4	7	8	10	12	17
TOTAL 0-19 YRS	2	5.5	5	4	4	5	7	7	7	7
20-34	155	5.6	13	2	2	5	7	9	11	17
35-49	630	6.5	8	3	4	6	7	10	11	17
50-64	1037	6.7	8	3	4	6	8	9	11	17
65+	829	6.9	7	4	4	6	8	10	12	16
GRAND TOTAL	**2653**	**6.6**	**8**	**3**	**4**	**6**	**8**	**10**	**11**	**16**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	44	2.4	4	<1	<1	1	3	5	7	10
20-34	108	3.8	7	<1	1	3	5	6	8	17
35-49	56	3.8	3	1	1	4	5	6	7	8
50-64	32	4.6	4	1	2	5	6	7	8	9
65+	18	5.9	15	<1	1	5	8	12	14	15
2. MULTIPLE DX										
0-19 YRS	36	3.6	25	<1	<1	2	4	6	11	29
20-34	92	4.0	18	1	1	3	5	6	8	28
35-49	65	5.2	22	1	1	4	7	10	12	30
50-64	50	7.7	20	2	3	7	10	12	14	29
65+	67	10.1	142	2	3	8	11	18	23	84
TOT. SINGLE DX	258	3.8	7	<1	1	4	5	7	8	14
" MULTIPLE DX	310	6.1	53	1	1	5	7	11	16	32
TOTAL 0-19 YRS	80	3.0	14	<1	<1	2	4	6	8	24
20-34	200	3.9	13	1	1	3	5	6	8	22
35-49	121	4.5	14	1	1	4	6	8	10	20
50-64	82	6.5	16	1	2	6	8	11	12	25
65+	85	9.2	118	1	2	7	10	16	20	73
GRAND TOTAL	**568**	**5.1**	**33**	**1**	**1**	**4**	**6**	**9**	**12**	**28**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	77	2.5	4	<1	<1	2	3	5	6	12
20-34	185	3.5	8	<1	<1	2	5	8	10	13
35-49	80	3.4	9	<1	<1	2	4	8	9	18
50-64	62	3.5	7	<1	1	3	5	7	8	16
65+	72	4.2	5	1	1	4	6	7	8	11
2. MULTIPLE DX										
0-19 YRS	58	3.3	5	1	1	3	5	7	8	11
20-34	274	4.3	35	1	1	3	5	8	11	28
35-49	127	6.6	23	1	2	6	9	12	16	24
50-64	168	6.6	24	2	2	6	8	12	17	24
65+	243	6.9	63	1	2	6	8	11	17	38
TOT. SINGLE DX	476	3.4	8	<1	<1	3	5	7	9	13
" MULTIPLE DX	870	5.7	39	1	1	5	7	10	15	30
TOTAL 0-19 YRS	135	2.8	5	<1	<1	2	4	6	7	11
20-34	459	4.0	25	<1	1	3	5	8	10	22
35-49	207	5.3	21	<1	1	4	8	11	13	22
50-64	230	5.8	22	1	2	5	7	11	16	23
65+	315	6.3	51	1	2	5	7	10	14	35
GRAND TOTAL	**1346**	**4.9**	**29**	**<1**	**1**	**4**	**6**	**9**	**12**	**23**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	81	2.1	1	<1	1	2	3	4	5	6
20-34	306	2.1	2	<1	<1	2	3	4	4	8
35-49	168	2.0	1	<1	<1	2	2	3	4	8
50-64	82	3.0	13	<1	<1	2	3	5	7	25
65+	42	3.3	11	<1	1	2	3	7	10	19
2. MULTIPLE DX										
0-19 YRS	65	3.5	9	1	1	3	4	5	8	20
20-34	174	4.1	29	<1	1	3	5	7	9	39
35-49	124	4.3	24	1	1	3	4	10	14	26
50-64	94	6.3	61	1	1	4	8	14	18	46
65+	110	6.5	53	1	2	4	9	13	15	44
TOT. SINGLE DX	679	2.3	4	<1	<1	2	3	4	5	9
" MULTIPLE DX	567	4.9	37	1	1	3	6	10	14	36
TOTAL 0-19 YRS	146	2.7	5	<1	1	2	3	5	5	13
20-34	480	2.8	13	<1	1	2	3	5	7	13
35-49	292	3.0	13	<1	<1	2	3	6	10	21
50-64	176	4.8	42	<1	1	3	5	9	15	41
65+	152	5.6	44	1	1	3	7	13	15	33
GRAND TOTAL	**1246**	**3.5**	**21**	**<1**	**1**	**2**	**4**	**7**	**10**	**21**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	10	4.3	8	1	1	4	6	9	11	11
35-49	16	6.0	31	1	1	4	8	13	19	22
50-64	18	6.6	44	1	2	5	7	11	23	31
65+	29	8.1	60	2	2	5	9	21	24	36
2. MULTIPLE DX										
0-19 YRS										
20-34	14	5.5	52	1	1	4	4	10	26	30
35-49	21	8.6	79	<1	1	6	11	26	30	31
50-64	41	14.0	341	1	2	8	16	27	54	99
65+	57	13.4	160	3	4	10	17	24	31	81
TOT. SINGLE DX	73	6.8	43	1	2	5	7	13	22	35
" MULTIPLE DX	133	12.0	197	1	2	7	15	25	31	87
TOTAL 0-19 YRS										
20-34	24	5.0	34	1	1	4	5	8	17	30
35-49	37	7.5	59	1	1	4	10	20	28	31
50-64	59	11.7	260	1	2	6	13	26	40	96
65+	86	11.6	132	2	3	8	15	23	30	67
GRAND TOTAL	**206**	**10.1**	**148**	**1**	**2**	**6**	**12**	**23**	**30**	**71**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	27	1.7		1	1	1	2	3	4	4
20-34	37	3.0	2	1	1	3	4	5	6	7
35-49	15	2.6	2	<1	1	2	4	5	6	6
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
0-19 YRS	20	2.7	8	1	1	2	3	5	9	14
20-34	33	4.8	32	1	1	4	5	8	13	33
35-49	8	11.0	216	2	3	7	8	35	47	47
50-64	6	5.8	27	1	1	5	8	14	15	15
65+	6	7.2	19	2	2	7	10	14	14	14
TOT. SINGLE DX	81	2.6	3	1	1	2	3	5	6	10
" MULTIPLE DX	73	5.2	47	1	1	3	6	10	14	44
TOTAL 0-19 YRS	47	2.1	4	1	1	2	2	4	4	14
20-34	70	3.9	17	1	1	3	5	6	7	29
35-49	23	5.5	87	<1	1	4	6	8	22	47
50-64	7	5.4	24	1	1	4	7	14	15	15
65+	7	7.9	20	2	2	7	11	14	14	14
GRAND TOTAL	**154**	**3.8**	**25**	**1**	**1**	**3**	**4**	**7**	**10**	**32**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2101	2.7		1	2	3	3	4	4	6
20-34	9574	2.9	1	2	2	3	3	4	4	6
35-49	395	3.0	1	1	2	3	3	4	5	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1412	3.2	4	2	2	3	3	4	6	9
20-34	7786	3.2	2	2	2	3	4	4	5	8
35-49	589	3.5	1	2	2	3	4	5	6	10
50-64										
65+										
TOT. SINGLE DX	12070	2.8	1	2	2	3	3	4	4	6
" MULTIPLE DX	9787	3.2	2	2	2	3	4	4	5	8
TOTAL 0-19 YRS	3513	2.9	2	2	2	3	3	4	5	7
20-34	17360	3.0	2	2	2	3	3	4	5	7
35-49	984	3.3	2	2	2	3	4	5	5	8
50-64										
65+										
GRAND TOTAL	**21857**	**3.0**	**2**	**2**	**2**	**3**	**3**	**4**	**5**	**7**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	5.0	32	<1	<1	4	9	9	9	9
20-34	6	5.3	26	<1	<1	3	7	14	15	15
35-49	3	1.0		<1	<1	1	1	1	1	1
50-64	2	3.0	2	2	2	3	4	4	4	4
65+										
2. MULTIPLE DX										
0-19 YRS	3	2.3	2	<1	<1	2	3	4	4	4
20-34	15	8.9	413	<1	1	3	5	17	65	81
35-49	3	8.3	17	5	5	7	11	13	13	13
50-64	3	4.0	7	2	2	3	6	7	7	7
65+	11	5.4	11	1	1	6	7	10	11	11
TOT. SINGLE DX	13	3.9	17	<1	<1	2	5	10	14	15
" MULTIPLE DX	35	6.8	181	<1	1	3	7	11	16	81
TOTAL 0-19 YRS	5	3.4	11	<1	<1	2	5	9	9	9
20-34	21	7.9	299	<1	<1	3	6	16	46	81
35-49	6	4.7	23	<1	<1	3	7	12	13	13
50-64	5	3.6	4	2	2	3	5	7	7	7
65+	11	5.4	11	1	1	6	7	10	11	11
GRAND TOTAL	**48**	**6.0**	**137**	**<1**	**<1**	**3**	**7**	**11**	**15**	**81**

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	25	2.2	1	1	1	2	3	4	4	4
20-34	128	2.4	1	1	1	2	3	3	4	7
35-49	8	2.3		1	1	2	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	74	2.9	6	1	1	2	3	5	9	16
20-34	283	3.5	25	1	1	3	4	5	7	16
35-49	31	3.6	2	1	2	3	4	5	6	10
50-64										
65+										
TOT. SINGLE DX	161	2.3	1	1	1	2	3	3	4	6
" MULTIPLE DX	388	3.4	20	1	1	3	4	5	7	15
TOTAL 0-19 YRS	99	2.8	5	1	1	2	3	4	6	14
20-34	411	3.2	18	1	1	3	3	5	6	13
35-49	39	3.3	3	1	1	3	4	5	6	10
50-64										
65+										
GRAND TOTAL	**549**	**3.1**	**15**	**1**	**1**	**3**	**3**	**5**	**6**	**13**

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	421	2.8	3	1	2	3	3	4	4	5
20-34	2101	2.8	1	1	2	3	3	4	4	6
35-49	101	2.8	1	1	2	3	3	4	5	9
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	601	3.2	4	2	2	3	3	5	5	12
20-34	2745	3.3	4	2	2	3	4	5	6	10
35-49	183	3.7	11	1	2	3	4	5	7	13
50-64										
65+										
TOT. SINGLE DX	2623	2.8	2	1	2	3	3	4	4	6
" MULTIPLE DX	3529	3.3	5	2	2	3	4	5	6	10
TOTAL 0-19 YRS	1022	3.0	4	1	2	3	3	4	5	9
20-34	4846	3.1	3	2	2	3	3	4	5	8
35-49	284	3.4	8	1	2	3	4	5	6	10
50-64										
65+										
GRAND TOTAL	**6152**	**3.1**	**4**	**2**	**2**	**3**	**3**	**4**	**5**	**8**

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10715	2.4	1	1	1	2	3	3	4	5
20-34	43199	2.5	1	1	1	2	3	4	4	5
35-49	2158	2.6	1	1	1	3	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	4098	3.1	7	1	2	3	3	5	6	13
20-34	20608	3.1	4	1	2	3	3	4	5	10
35-49	1720	3.2	4	1	2	3	4	5	6	11
50-64										
65+										
TOT. SINGLE DX	56072	2.5	2	1	1	2	3	4	4	5
" MULTIPLE DX	26426	3.1	5	1	2	3	3	4	5	10
TOTAL 0-19 YRS	14813	2.6	3	1	1	2	3	4	4	8
20-34	63807	2.7	3	1	1	3	3	4	4	7
35-49	3878	2.9	3	1	1	3	3	4	5	8
50-64										
65+										
GRAND TOTAL	**82498**	**2.7**	**3**	**1**	**1**	**3**	**3**	**4**	**4**	**7**

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1431	4.8	4	3	3	5	5	6	7	9
20-34	9661	4.8	2	3	4	5	5	6	7	9
35-49	547	5.1	2	3	4	5	6	7	7	10
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3193	5.7	7	4	4	5	6	8	10	16
20-34	21820	5.5	10	3	4	5	6	7	9	17
35-49	2014	5.9	16	4	4	5	6	8	10	19
50-64										
65+										
TOT. SINGLE DX	11639	4.8	3	3	4	5	5	6	7	9
" MULTIPLE DX	27027	5.5	11	3	4	5	6	7	9	17
TOTAL 0-19 YRS	4624	5.4	7	3	4	5	6	7	9	14
20-34	31481	5.3	8	3	4	5	6	7	8	15
35-49	2561	5.7	13	4	4	5	6	7	9	18
50-64										
65+										
GRAND TOTAL	**38666**	**5.3**	**9**	**3**	**4**	**5**	**6**	**7**	**8**	**15**

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	139	4.7	1	3	3	5	5	7	7	9
20-34	584	4.7	2	3	3	5	5	6	7	10
35-49	19	4.8	1	3	4	5	5	6	7	8
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	182	5.5	4	3	4	5	6	8	9	14
20-34	1128	6.0	30	3	4	5	6	8	11	34
35-49	130	5.8	13	4	4	5	6	8	10	20
50-64										
65+										
TOT. SINGLE DX	742	4.7	2	3	3	5	5	6	7	9
" MULTIPLE DX	1440	5.9	26	3	4	5	6	8	11	31
TOTAL 0-19 YRS	321	5.2	4	3	3	5	6	7	9	13
20-34	1712	5.6	22	3	3	5	6	7	9	24
35-49	149	5.7	12	4	4	5	6	8	9	15
50-64										
65+										
GRAND TOTAL	**2182**	**5.5**	**18**	**3**	**3**	**5**	**6**	**7**	**9**	**22**

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	6.8	24	3	3	5	10	14	14	14
20-34	49	4.1	2	1	2	4	5	6	6	7
35-49	3	2.7		2	2	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	6	6.3	21	3	3	4	8	14	15	15
20-34	73	5.0	9	2	3	5	5	8	9	22
35-49	7	5.3	3	3	3	6	6	8	8	8
50-64										
65+										
TOT. SINGLE DX	56	4.2	4	1	2	4	5	6	7	14
" MULTIPLE DX	86	5.1	10	2	3	5	6	8	9	22
TOTAL 0-19 YRS	10	6.5	20	3	3	5	8	14	15	15
20-34	122	4.6	7	2	3	4	5	7	8	14
35-49	10	4.5	4	2	2	4	6	7	8	8
50-64										
65+										
GRAND TOTAL	**142**	**4.8**	**8**	**2**	**3**	**4**	**5**	**7**	**9**	**16**

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	110	1.7	1	1	1	2	2	3	3	8
20-34	182	1.7		1	1	2	2	3	3	4
35-49	10	1.6		1	1	1	2	3	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	26	2.3	2	1	1	2	2	4	6	8
20-34	74	2.7	6	1	1	2	3	5	8	15
35-49	11	1.9		1	1	2	3	3	3	3
50-64										
65+										
TOT. SINGLE DX	302	1.7	1	1	1	2	2	3	3	4
" MULTIPLE DX	111	2.5	5	1	1	2	3	5	7	13
TOTAL 0-19 YRS	136	1.9	2	1	1	2	2	3	3	9
20-34	256	2.0	2	1	1	2	2	3	4	8
35-49	21	1.8	1	1	1	2	2	3	3	3
50-64										
65+										
GRAND TOTAL	**413**	**2.0**	**2**	**1**	**1**	**2**	**2**	**3**	**4**	**8**

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	37	3.9	24	<1	1	3	5	6	10	30
20-34	115	4.3	13	<1	1	3	6	9	12	19
35-49	6	3.7	12	1	1	2	5	9	10	10
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	31	6.1	65	1	1	3	6	16	22	39
20-34	121	6.7	55	1	2	4	8	16	20	42
35-49	12	9.1	51	1	1	7	14	20	21	21
50-64										
65+										
TOT. SINGLE DX	158	4.2	16	<1	1	3	5	9	12	20
" MULTIPLE DX	164	6.8	57	1	1	4	8	16	21	39
TOTAL 0-19 YRS	68	4.9	44	<1	1	3	5	9	22	37
20-34	236	5.5	37	1	1	3	7	12	17	30
35-49	18	7.3	44	1	1	5	13	18	20	21
50-64										
65+										
GRAND TOTAL	**322**	**5.5**	**39**	**1**	**1**	**3**	**6**	**12**	**18**	**32**

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	291	2.0	1	<1	<1	2	3	3	4	6
20-34	1276	2.2	6	<1	<1	2	3	3	4	7
35-49	64	2.6	2	1	2	2	3	4	4	11
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	109	2.6	4	<1	1	2	3	4	5	14
20-34	626	3.0	12	<1	1	3	3	4	6	13
35-49	40	3.1	4	<1	1	3	4	5	6	13
50-64										
65+										
TOT. SINGLE DX	1631	2.2	5	<1	<1	2	3	3	4	7
" MULTIPLE DX	775	3.0	11	<1	1	3	3	4	6	13
TOTAL 0-19 YRS	400	2.1	2	<1	<1	2	3	3	4	7
20-34	1902	2.5	8	<1	<1	2	3	4	5	9
35-49	104	2.8	3	1	1	2	3	4	5	12
50-64										
65+										
GRAND TOTAL	**2406**	**2.5**	**7**	**<1**	**<1**	**2**	**3**	**4**	**5**	**9**

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1267	2.5	1	1	2	2	3	3	4	5
20-34	5116	2.4	1	1	1	2	3	3	4	5
35-49	307	2.5	1	1	1	2	3	4	4	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1152	3.0	7	1	2	3	3	4	5	10
20-34	5221	2.9	5	1	2	3	3	4	5	9
35-49	421	3.1	2	1	2	3	3	5	5	10
50-64										
65+										
TOT. SINGLE DX	6690	2.4	1	1	1	2	3	3	4	5
" MULTIPLE DX	6794	2.9	6	1	2	3	3	4	5	9
TOTAL 0-19 YRS	2419	2.7	4	1	2	3	3	4	4	8
20-34	10337	2.7	3	1	1	2	3	4	4	7
35-49	728	2.8	2	1	2	3	3	4	5	8
50-64										
65+										
GRAND TOTAL	**13484**	**2.7**	**3**	**1**	**2**	**3**	**3**	**4**	**4**	**7**

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17	2.6	2	<1	<1	2	3	5	6	6
20-34	37	3.9	11	1	2	3	5	8	11	18
35-49	29	3.6	6	<1	1	3	4	8	8	11
50-64	21	4.1	8	1	1	3	5	9	10	11
65+	24	4.3	13	1	2	3	5	9	12	18
2. MULTIPLE DX										
0-19 YRS	19	4.8	15	1	1	4	7	11	13	14
20-34	29	8.0	103	1	1	4	6	24	33	43
35-49	43	9.0	136	1	1	5	10	32	45	99+
50-64	62	7.9	158	1	2	4	6	19	40	68
65+	73	8.7	135	1	2	4	12	16	24	75
TOT. SINGLE DX	128	3.8	9	1	1	3	4	8	10	18
" MULTIPLE DX	226	8.1	127	1	1	4	9	17	34	74
TOTAL 0-19 YRS	36	3.8	10	<1	1	3	5	9	11	14
20-34	66	5.7	55	1	2	3	5	13	23	41
35-49	72	6.8	90	1	1	3	7	16	33	89
50-64	83	7.0	122	1	2	3	6	12	35	62
65+	97	7.6	109	1	2	4	11	15	19	63
GRAND TOTAL	**354**	**6.6**	**89**	**1**	**1**	**3**	**7**	**13**	**25**	**51**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	278	3.7	3	2	2	3	4	5	6	11
20-34	537	3.3	1	2	2	3	4	5	5	8
35-49	317	3.6	1	2	2	3	4	5	6	9
50-64	82	3.6	3	1	2	3	4	5	8	11
65+	19	3.6	4	1	1	3	4	5	8	11
2. MULTIPLE DX										
0-19 YRS	323	3.9	8	2	2	3	4	5	6	11
20-34	447	3.9	4	2	2	4	4	5	6	14
35-49	274	3.7	1	2	2	4	4	5	6	10
50-64	85	4.2	21	1	2	4	4	6	10	32
65+	28	8.0	104	1	2	5	8	32	44	99+
TOT. SINGLE DX	1233	3.5	2	2	2	3	4	5	6	9
" MULTIPLE DX	1157	4.0	9	2	2	4	4	5	6	14
TOTAL 0-19 YRS	601	3.8	6	2	2	3	4	5	6	11
20-34	984	3.6	3	2	2	3	4	5	6	9
35-49	591	3.7	2	2	2	3	4	5	6	9
50-64	167	3.9	12	1	2	4	4	5	8	14
65+	47	6.2	68	1	2	4	5	15	35	99+
GRAND TOTAL	**2390**	**3.7**	**5**	**2**	**2**	**3**	**4**	**5**	**6**	**11**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	91	2.1	1	1	1	2	3	4	4	7
20-34	98	2.2	1	1	1	2	3	4	5	7
35-49	30	2.6	2	1	1	2	3	5	6	7
50-64	8	4.0	6	1	1	4	5	8	9	9
65+	3	4.3	1	3	3	5	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	145	4.2	16	1	1	3	5	8	12	21
20-34	194	4.4	17	1	2	3	5	8	10	22
35-49	75	5.5	30	1	2	4	7	12	16	31
50-64	24	7.8	62	1	2	5	9	21	26	33
65+	18	8.8	91	2	2	5	12	17	33	42
TOT. SINGLE DX	230	2.3	2	1	1	2	3	4	5	8
" MULTIPLE DX	456	4.9	25	1	2	3	6	9	13	29
TOTAL 0-19 YRS	236	3.4	12	1	1	2	4	6	9	18
20-34	292	3.7	13	1	1	3	4	7	9	13
35-49	105	4.6	24	1	1	3	6	9	14	30
50-64	32	6.8	50	1	2	4	8	17	23	33
65+	21	8.1	80	2	2	5	10	16	29	42
GRAND TOTAL	**686**	**4.0**	**19**	**1**	**1**	**3**	**5**	**8**	**11**	**26**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	112	2.8	5	1	1	2	3	5	7	14
20-34	302	3.2	11	1	1	3	4	5	7	13
35-49	114	3.3	8	1	1	3	4	5	10	17
50-64	34	2.6	2	1	1	2	4	5	5	8
65+	13	2.6	1	<1	1	2	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	214	5.9	47	1	2	4	7	11	15	32
20-34	495	6.0	37	1	2	4	7	11	15	28
35-49	191	6.7	41	1	2	5	8	13	18	40
50-64	93	7.8	78	1	2	5	8	16	24	53
65+	69	8.8	48	1	2	7	12	18	21	36
TOT. SINGLE DX	575	3.1	9	1	1	2	4	5	7	14
" MULTIPLE DX	1062	6.4	45	1	2	5	8	13	18	35
TOTAL 0-19 YRS	326	4.8	35	1	1	3	6	10	12	30
20-34	797	4.9	29	1	1	4	6	10	13	25
35-49	305	5.4	32	1	1	4	6	12	15	32
50-64	127	6.5	63	1	1	4	7	15	20	47
65+	82	7.8	46	1	2	6	11	17	20	35
GRAND TOTAL	**1637**	**5.3**	**35**	**1**	**1**	**4**	**6**	**11**	**15**	**30**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	2.5	1	<1	1	2	3	4	5	5
20-34	26	2.9	4	<1	1	2	4	7	8	9
35-49	27	3.5	15	1	1	3	3	6	9	22
50-64	26	3.1	2	1	1	3	4	5	6	6
65+	6	8.0	29	3	3	6	10	17	18	18
2. MULTIPLE DX										
0-19 YRS	25	5.2	47	<1	1	3	5	9	24	32
20-34	28	5.3	18	1	2	4	6	9	13	23
35-49	28	6.4	121	1	1	3	5	8	32	56
50-64	27	6.4	44	1	1	3	8	17	22	28
65+	22	4.0	8	1	2	3	4	7	12	14
TOT. SINGLE DX	106	3.3	8	1	1	3	4	6	7	20
" MULTIPLE DX	130	5.5	49	1	1	3	6	10	21	37
TOTAL 0-19 YRS	46	4.0	28	1	1	3	4	6	11	32
20-34	54	4.2	13	1	1	3	6	7	9	23
35-49	55	5.0	70	1	1	3	4	7	18	55
50-64	53	4.8	26	1	1	3	5	9	17	28
65+	28	4.9	15	2	2	4	5	10	14	18
GRAND TOTAL	**236**	**4.5**	**32**	**1**	**1**	**3**	**5**	**7**	**13**	**29**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	349	5.0	18	1	2	4	6	9	13	24
20-34	179	4.3	16	1	1	3	5	9	11	15
35-49	138	5.7	38	1	1	4	6	11	17	36
50-64	129	5.9	22	2	3	5	7	9	12	32
65+	55	6.2	16	1	2	5	9	11	12	20
2. MULTIPLE DX										
0-19 YRS	365	8.3	86	2	3	6	9	17	21	68
20-34	168	8.6	110	1	2	5	9	19	34	64
35-49	153	8.3	109	1	2	5	9	15	35	70
50-64	241	7.6	79	2	2	5	8	14	21	47
65+	133	9.6	56	2	3	7	12	20	29	47
TOT. SINGLE DX	850	5.2	22	1	1	4	6	9	13	28
" MULTIPLE DX	1060	8.4	88	2	2	6	9	16	28	64
TOTAL 0-19 YRS	714	6.7	56	1	2	5	8	13	19	41
20-34	347	6.4	66	1	1	4	7	12	19	51
35-49	291	7.1	77	1	1	5	7	15	26	49
50-64	370	7.0	60	2	2	5	7	12	18	44
65+	188	8.6	47	2	2	7	11	17	27	36
GRAND TOTAL	**1910**	**6.9**	**61**	**1**	**2**	**5**	**8**	**13**	**19**	**46**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	83	2.8	1	1	1	3	4	4	5	7
20-34	166	3.1	2	1	1	3	4	5	6	7
35-49	223	2.9	2	1	1	3	4	5	6	10
50-64	233	3.3	3	1	1	3	4	5	6	10
65+	109	4.0	11	1	1	3	5	6	7	20
2. MULTIPLE DX										
0-19 YRS	91	3.0	2	1	1	3	4	5	6	62
20-34	239	3.4	12	1	1	3	4	5	6	11
35-49	456	3.8	6	1	2	3	5	6	7	11
50-64	675	4.0	5	1	2	4	5	6	8	12
65+	586	4.6	11	1	2	4	5	8	10	19
TOT. SINGLE DX	814	3.2	4	1	1	3	4	5	6	9
" MULTIPLE DX	2047	4.0	8	1	2	4	5	6	8	15
TOTAL 0-19 YRS	174	2.9	2	1	1	3	4	4	5	9
20-34	405	3.3	8	1	1	3	4	5	6	9
35-49	679	3.5	5	1	1	3	4	6	7	10
50-64	908	3.8	5	1	2	3	5	6	8	12
65+	695	4.5	11	1	2	4	5	7	9	19
GRAND TOTAL	**2861**	**3.8**	**7**	**1**	**1**	**3**	**5**	**6**	**8**	**13**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	748	3.8	25	1	1	2	4	7	10	30
20-34	785	3.9	20	1	1	3	4	7	10	23
35-49	674	4.4	31	1	1	3	5	8	12	31
50-64	468	4.5	22	1	1	3	5	8	13	26
65+	254	5.7	32	1	1	4	7	11	15	33
2. MULTIPLE DX										
0-19 YRS	433	8.2	113	1	1	4	10	22	32	58
20-34	792	7.7	114	1	1	4	8	17	29	60
35-49	749	8.0	116	1	1	4	8	19	31	61
50-64	840	8.2	90	1	2	5	10	19	27	47
65+	745	10.8	143	1	2	7	13	24	33	66
TOT. SINGLE DX	2929	4.2	26	1	1	3	5	8	11	28
" MULTIPLE DX	3559	8.6	116	1	2	5	10	20	31	58
TOTAL 0-19 YRS	1181	5.4	62	1	1	3	5	12	20	46
20-34	1577	5.8	71	1	1	3	6	12	19	45
35-49	1423	6.3	79	1	1	3	6	13	24	53
50-64	1308	6.8	69	1	1	4	8	16	23	44
65+	999	9.5	120	1	2	6	12	21	31	58
GRAND TOTAL	**6488**	**6.6**	**80**	**1**	**1**	**4**	**7**	**15**	**24**	**48**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	390	5.2	29	1	1	4	6	9	14	30
20-34	244	4.9	31	1	1	3	6	9	12	39
35-49	119	5.7	20	1	1	5	7	10	12	26
50-64	104	6.6	39	1	2	5	9	12	15	36
65+	152	10.5	50	3	4	10	13	17	21	27
2. MULTIPLE DX										
0-19 YRS	301	9.7	197	1	2	5	9	26	48	85
20-34	191	10.2	126	1	2	7	13	21	25	58
35-49	144	10.6	140	2	3	6	12	25	40	72
50-64	151	9.9	60	2	2	8	13	21	25	33
65+	459	13.1	88	4	5	11	16	22	31	56
TOT. SINGLE DX	1009	6.1	36	1	2	4	8	12	16	30
" MULTIPLE DX	1246	11.2	125	2	3	8	14	22	33	68
TOTAL 0-19 YRS	691	7.2	108	1	2	4	7	14	28	59
20-34	435	7.2	80	1	1	4	9	16	22	52
35-49	263	8.4	92	1	2	6	9	16	26	66
50-64	255	8.6	54	1	2	7	11	19	23	33
65+	611	12.4	80	3	5	11	15	21	27	55
GRAND TOTAL	**2255**	**8.9**	**92**	**1**	**2**	**6**	**11**	**18**	**25**	**54**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	473	2.4	5	<1	<1	2	3	4	5	11
20-34	614	2.7	4	<1	1	2	3	5	6	12
35-49	280	2.9	4	<1	1	2	4	6	8	11
50-64	243	3.6	20	<1	1	2	4	7	11	21
65+	203	4.6	23	<1	1	3	5	10	15	25
2. MULTIPLE DX										
0-19 YRS	320	4.8	43	<1	1	3	5	9	15	42
20-34	265	6.4	120	1	1	3	6	13	19	91
35-49	191	6.9	76	1	1	4	8	15	21	51
50-64	177	7.7	80	1	1	5	9	17	26	44
65+	346	10.5	166	2	2	6	12	24	37	90
TOT. SINGLE DX	1813	3.0	10	<1	1	2	3	5	8	16
" MULTIPLE DX	1299	7.3	106	1	1	4	8	16	25	59
TOTAL 0-19 YRS	793	3.4	22	<1	<1	2	3	6	9	29
20-34	879	3.8	43	<1	1	2	4	7	10	33
35-49	471	4.5	38	1	1	3	5	9	12	31
50-64	420	5.3	50	1	1	3	6	11	17	43
65+	549	8.3	121	1	1	5	10	19	27	69
GRAND TOTAL	**3112**	**4.8**	**54**	**<1**	**1**	**3**	**5**	**10**	**16**	**42**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	92	12.4	140	2	2	8	19	28	41	51
20-34	46	11.7	94	4	5	10	13	18	26	66
35-49	22	9.5	40	5	5	8	9	14	26	34
50-64	46	9.2	20	4	5	8	11	14	15	27
65+	140	11.8	33	5	6	11	14	17	20	32
2. MULTIPLE DX										
0-19 YRS	69	15.6	107	6	6	14	19	25	30	67
20-34	92	16.8	144	5	7	13	20	35	43	63
35-49	28	19.4	170	5	7	16	22	47	53	99+
50-64	53	18.9	167	8	9	14	23	39	50	53
65+	484	15.6	86	6	8	14	18	25	34	63
TOT. SINGLE DX	346	11.5	69	3	4	9	14	20	27	45
" MULTIPLE DX	726	16.1	106	6	7	14	18	27	39	67
TOTAL 0-19 YRS	161	13.8	128	2	3	11	19	27	38	55
20-34	138	15.1	133	4	6	12	17	28	41	67
35-49	50	15.0	136	5	6	11	20	38	50	99+
50-64	99	14.4	121	5	5	11	15	32	42	53
65+	624	14.7	77	6	7	13	17	23	30	55
GRAND TOTAL	**1072**	**14.6**	**99**	**4**	**6**	**13**	**17**	**25**	**36**	**56**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	114	9.0	29	2	4	8	11	17	20	24
20-34	135	10.1	34	4	4	8	13	18	22	32
35-49	112	10.3	47	4	4	8	12	18	21	40
50-64	235	10.4	38	4	5	9	12	16	18	32
65+	1178	12.3	25	6	7	12	15	18	20	31
2. MULTIPLE DX										
0-19 YRS	162	15.7	159	4	5	13	19	31	49	98
20-34	306	15.9	119	5	6	13	19	30	40	65
35-49	210	16.5	151	5	6	13	20	32	50	83
50-64	484	15.5	117	5	7	13	18	27	34	72
65+	4313	15.7	72	7	8	14	18	24	31	53
TOT. SINGLE DX	1774	11.5	30	4	6	11	14	18	21	31
" MULTIPLE DX	5475	15.7	85	6	8	14	18	25	33	57
TOTAL 0-19 YRS	276	12.9	117	3	4	10	16	26	35	81
20-34	441	14.1	100	4	5	12	17	25	36	55
35-49	322	14.3	124	4	5	11	17	27	42	65
50-64	719	13.8	97	5	6	12	16	24	32	68
65+	5491	14.9	65	7	8	13	17	23	29	51
GRAND TOTAL	**7249**	**14.7**	**75**	**6**	**7**	**13**	**17**	**23**	**30**	**54**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	230	8.5	129	1	1	4	9	23	30	53
20-34	14	18.6	425	1	1	10	44	48	56	58
35-49	8	6.4	27	1	1	5	9	15	16	16
50-64	12	11.1	148	<1	1	8	12	25	44	47
65+	26	9.4	99	2	2	7	11	16	26	52
2. MULTIPLE DX										
0-19 YRS	95	12.2	133	1	2	8	19	29	36	50
20-34	50	20.9	344	2	4	15	33	45	55	80
35-49	18	19.9	227	1	3	16	25	47	50	51
50-64	27	20.4	433	3	4	12	23	45	78	85
65+	93	16.3	161	3	5	13	19	33	45	65
TOT. SINGLE DX	290	9.1	142	1	1	5	10	23	34	56
" MULTIPLE DX	283	16.4	223	2	3	12	22	38	47	75
TOTAL 0-19 YRS	325	9.6	134	1	1	5	12	25	33	49
20-34	64	20.4	356	2	3	12	34	47	56	78
35-49	26	15.7	203	1	1	12	24	41	49	51
50-64	39	17.5	358	2	3	11	18	44	63	85
65+	119	14.8	156	2	4	11	16	31	44	61
GRAND TOTAL	**573**	**12.7**	**195**	**1**	**2**	**8**	**16**	**30**	**43**	**71**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	307	3.4	16	1	1	2	4	7	15	19
20-34	188	3.4	10	<1	1	2	5	7	9	17
35-49	130	4.1	22	<1	1	3	5	8	9	22
50-64	118	3.2	6	1	1	2	4	6	8	13
65+	87	4.2	17	1	1	3	5	10	14	19
2. MULTIPLE DX										
0-19 YRS	113	7.1	80	1	1	4	8	18	24	46
20-34	113	6.2	48	1	1	4	8	12	19	39
35-49	81	7.2	99	1	2	5	8	12	17	67
50-64	89	9.4	116	1	2	5	12	24	32	58
65+	156	8.6	128	1	2	5	9	17	25	68
TOT. SINGLE DX	830	3.6	15	1	1	2	4	7	11	18
" MULTIPLE DX	552	7.7	97	1	1	5	9	17	24	57
TOTAL 0-19 YRS	420	4.4	37	1	1	2	4	11	17	26
20-34	301	4.4	26	<1	1	3	6	9	12	24
35-49	211	5.3	54	1	1	4	7	9	12	37
50-64	207	5.8	63	1	1	3	6	13	22	40
65+	243	7.0	93	1	1	4	8	14	19	58
GRAND TOTAL	**1382**	**5.2**	**52**	**1**	**1**	**3**	**6**	**11**	**17**	**32**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1344	3.0	5	1	1	2	4	5	7	11
20-34	1677	3.8	7	1	1	3	5	7	8	14
35-49	1075	4.5	11	1	1	4	5	8	10	18
50-64	819	5.0	12	1	2	4	6	9	11	20
65+	526	5.9	19	1	2	5	7	10	14	21
2. MULTIPLE DX										
0-19 YRS	583	6.0	55	1	1	4	7	12	18	44
20-34	1287	7.6	85	1	2	5	8	16	24	48
35-49	837	7.5	63	1	2	5	9	14	21	44
50-64	802	8.3	71	2	2	6	10	16	22	50
65+	997	9.6	55	2	3	8	12	18	23	39
TOT. SINGLE DX	5441	4.1	11	1	1	3	5	7	10	16
" MULTIPLE DX	4506	7.9	70	1	2	5	10	16	22	44
TOTAL 0-19 YRS	1927	3.9	22	1	1	3	4	7	10	24
20-34	2964	5.4	45	1	1	4	6	10	15	35
35-49	1912	5.8	36	1	2	4	7	11	15	32
50-64	1621	6.6	44	1	2	5	8	13	17	32
65+	1523	8.3	46	2	3	7	10	15	21	36
GRAND TOTAL	**9947**	**5.8**	**41**	**1**	**1**	**4**	**7**	**11**	**16**	**33**

713: Other reduction of fracture without internal fixation, except maxillo-facial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2022	2.1	5	<1	1	1	2	4	6	14
20-34	468	3.4	12	1	1	2	4	7	8	16
35-49	380	3.2	6	1	1	2	4	7	9	13
50-64	378	3.3	8	1	1	2	4	6	8	16
65+	371	3.3	6	1	1	3	4	7	8	12
2. MULTIPLE DX										
0-19 YRS	548	4.9	63	1	1	2	5	11	15	41
20-34	500	6.9	84	1	1	4	8	14	23	53
35-49	375	6.1	50	1	2	4	7	12	17	41
50-64	356	6.8	75	1	1	4	8	13	20	49
65+	764	7.0	42	1	2	5	9	14	20	35
TOT. SINGLE DX	3619	2.6	7	<1	1	2	3	5	7	14
" MULTIPLE DX	2543	6.4	62	1	1	4	8	13	19	42
TOTAL 0-19 YRS	2570	2.7	19	<1	1	1	3	5	8	20
20-34	968	5.2	53	1	1	3	6	10	16	37
35-49	755	4.7	31	1	1	3	6	9	13	29
50-64	734	5.0	44	1	1	3	6	10	16	39
65+	1135	5.8	34	1	1	4	7	12	17	28
GRAND TOTAL	**6162**	**4.2**	**33**	**1**	**1**	**2**	**5**	**9**	**13**	**29**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	166	4.8	52	<1	1	2	5	13	19	30
20-34	121	2.7	10	<1	1	2	3	6	8	20
35-49	67	2.3	5	<1	<1	1	3	5	8	13
50-64	88	4.4	48	1	1	3	5	9	10	47
65+	106	5.0	33	1	1	3	6	11	19	29
2. MULTIPLE DX										
0-19 YRS	77	8.1	153	1	1	5	11	15	23	80
20-34	113	7.6	135	<1	1	4	8	16	23	65
35-49	74	6.7	47	1	1	4	9	16	22	34
50-64	72	7.4	97	1	1	4	8	21	22	48
65+	165	8.1	72	1	1	5	11	18	26	43
TOT. SINGLE DX	548	4.0	34	<1	1	2	4	9	14	25
" MULTIPLE DX	501	7.7	99	1	1	5	9	17	23	48
TOTAL 0-19 YRS	243	5.8	87	<1	1	3	6	14	20	40
20-34	234	5.1	77	<1	1	3	5	11	18	47
35-49	141	4.6	32	<1	1	2	6	11	16	25
50-64	160	5.7	72	1	1	3	7	10	22	48
65+	271	6.9	59	1	1	4	9	17	23	37
GRAND TOTAL	**1049**	**5.8**	**68**	**1**	**1**	**3**	**7**	**14**	**21**	**43**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	104	3.5	15	1	1	3	4	5	7	25
20-34	201	3.0	2	1	1	3	3	4	6	8
35-49	66	3.3	4	1	1	3	4	6	7	12
50-64	29	4.4	8	1	1	4	6	8	11	12
65+	23	8.8	130	1	1	6	9	17	32	56
2. MULTIPLE DX										
0-19 YRS	42	6.8	34	1	2	5	9	14	20	28
20-34	68	5.5	29	1	1	3	7	13	17	25
35-49	44	7.0	94	1	1	5	8	12	17	64
50-64	32	5.8	25	1	1	4	7	12	16	25
65+	51	9.2	31	3	3	8	11	18	20	23
TOT. SINGLE DX	423	3.6	15	1	1	3	4	6	8	18
" MULTIPLE DX	237	6.8	43	1	1	5	9	15	19	26
TOTAL 0-19 YRS	146	4.4	24	1	1	3	5	9	14	28
20-34	269	3.6	10	1	1	3	4	7	10	19
35-49	110	4.8	43	1	1	3	5	8	12	37
50-64	61	5.1	17	1	1	4	6	10	13	24
65+	74	9.1	61	1	2	7	11	18	20	48
GRAND TOTAL	**660**	**4.7**	**27**	**1**	**1**	**3**	**5**	**9**	**14**	**25**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	400	4.4	23	<1	1	3	5	10	15	25
20-34	314	3.2	6	<1	1	2	4	6	8	13
35-49	186	3.6	8	1	1	3	4	7	9	17
50-64	112	4.6	15	<1	1	3	6	10	13	19
65+	81	9.7	87	1	2	7	13	20	31	43
2. MULTIPLE DX										
0-19 YRS	376	8.0	84	1	1	4	10	21	29	41
20-34	368	4.5	23	1	1	3	5	9	13	28
35-49	253	5.9	52	1	1	3	7	13	21	38
50-64	195	10.7	137	1	2	7	14	24	41	59
65+	258	14.9	179	2	3	11	19	34	44	58
TOT. SINGLE DX	1093	4.3	23	<1	1	3	5	9	13	25
" MULTIPLE DX	1450	8.3	100	1	1	4	10	20	30	52
TOTAL 0-19 YRS	776	6.1	56	<1	1	3	7	15	23	37
20-34	682	3.9	16	<1	1	3	5	8	11	24
35-49	439	5.0	35	1	1	3	6	10	15	31
50-64	307	8.4	102	1	1	5	11	19	31	53
65+	339	13.6	163	2	2	9	17	33	43	54
GRAND TOTAL	**2543**	**5.6**	**71**	**1**	**1**	**4**	**8**	**15**	**24**	**44**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	86	6.9	17	3	3	6	8	12	15	23
20-34	2256	7.6	19	3	3	7	9	13	16	23
35-49	3905	7.8	16	3	4	7	9	13	16	22
50-64	1619	8.4	20	3	4	8	10	14	16	24
65+	350	9.8	23	4	5	9	13	16	18	23
2. MULTIPLE DX										
0-19 YRS	32	13.5	79	5	6	10	18	32	34	99+
20-34	756	10.0	52	3	4	8	12	17	22	43
35-49	1772	9.9	38	4	4	9	12	17	21	33
50-64	1555	11.1	48	4	5	10	13	19	24	36
65+	762	12.7	54	5	6	11	16	22	27	37
TOT. SINGLE DX	8216	7.9	19	3	4	7	10	13	16	23
" MULTIPLE DX	4877	10.8	48	4	5	9	13	19	23	37
TOTAL 0-19 YRS	118	8.7	42	3	4	7	10	18	26	55
20-34	3012	8.2	29	3	4	7	10	14	17	28
35-49	5677	8.4	25	3	4	7	10	14	18	25
50-64	3174	9.7	36	4	4	8	12	16	20	32
65+	1112	11.8	46	4	5	10	14	20	24	36
GRAND TOTAL	**13093**	**9.0**	**31**	**3**	**4**	**8**	**11**	**15**	**19**	**30**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	247	2.1	2	<1	<1	2	3	4	5	6
20-34	710	2.1	2	<1	<1	2	3	4	5	7
35-49	485	2.1	2	<1	<1	2	3	4	5	8
50-64	262	2.4	3	<1	<1	2	3	5	6	9
65+	116	2.5	6	<1	<1	2	3	4	6	16
2. MULTIPLE DX										
0-19 YRS	291	2.8	5	<1	<1	2	4	5	7	14
20-34	792	2.6	5	<1	<1	2	3	5	7	13
35-49	605	2.4	4	<1	<1	2	3	5	6	12
50-64	693	3.0	7	<1	1	2	4	6	7	14
65+	463	3.1	7	1	1	2	4	6	8	14
TOT. SINGLE DX	1820	2.2	3	<1	<1	2	3	4	5	8
" MULTIPLE DX	2844	2.8	6	<1	<1	2	3	5	7	13
TOTAL 0-19 YRS	538	2.5	5	<1	<1	2	3	5	6	12
20-34	1502	2.4	4	<1	<1	2	3	4	6	9
35-49	1090	2.3	3	<1	<1	2	3	4	5	10
50-64	955	2.8	6	<1	<1	2	3	5	7	13
65+	579	3.0	7	<1	1	2	4	5	8	14
GRAND TOTAL	**4664**	**2.5**	**5**	**<1**	**<1**	**2**	**3**	**5**	**6**	**11**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	503	2.4	10	<1	<1	2	2	4	6	21
20-34	831	2.2	3	<1	<1	2	2	4	5	10
35-49	516	2.7	8	<1	<1	2	3	5	7	15
50-64	325	3.1	10	<1	1	2	3	5	9	16
65+	116	4.4	20	<1	1	3	5	9	14	24
2. MULTIPLE DX										
0-19 YRS	331	3.4	28	<1	1	2	3	6	10	29
20-34	725	3.3	18	<1	1	2	3	6	11	27
35-49	631	3.8	24	<1	1	2	4	8	11	25
50-64	570	4.8	47	1	1	3	5	10	15	32
65+	354	8.1	93	1	1	4	10	22	28	47
TOT. SINGLE DX	2291	2.6	8	<1	<1	2	3	5	7	17
" MULTIPLE DX	2611	4.4	40	1	1	2	4	9	16	33
TOTAL 0-19 YRS	834	2.8	18	<1	<1	2	3	5	8	24
20-34	1556	2.7	11	<1	<1	2	3	5	7	19
35-49	1147	3.3	18	<1	1	2	3	6	10	23
50-64	895	4.2	34	1	1	3	4	8	14	28
65+	470	7.2	78	1	1	4	8	18	25	46
GRAND TOTAL	**4902**	**3.6**	**26**	**<1**	**1**	**2**	**3**	**7**	**12**	**27**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	330	9.3	8	5	6	9	11	12	15	20
20-34	208	9.2	20	4	5	8	11	15	19	26
35-49	275	8.5	20	4	5	7	10	14	17	23
50-64	135	8.8	17	3	4	8	11	14	16	27
65+	17	13.9	37	4	5	15	19	21	23	24
2. MULTIPLE DX										
0-19 YRS	300	15.2	133	7	8	12	16	26	35	82
20-34	209	14.0	129	5	6	10	16	28	36	92
35-49	274	11.9	54	5	6	10	14	23	27	39
50-64	208	12.8	79	5	6	11	15	23	34	86
65+	68	14.7	122	5	5	11	17	27	39	58
TOT. SINGLE DX	965	9.1	17	4	5	8	11	14	17	24
" MULTIPLE DX	1059	13.6	102	5	6	11	15	25	33	76
TOTAL 0-19 YRS	630	12.1	77	6	7	10	13	18	26	65
20-34	417	11.6	81	5	5	9	13	21	28	62
35-49	549	10.2	41	4	5	9	12	17	23	38
50-64	343	11.2	59	4	5	9	13	19	27	49
65+	85	14.5	105	4	5	12	18	25	38	56
GRAND TOTAL	**2024**	**11.4**	**67**	**5**	**5**	**9**	**13**	**19**	**26**	**54**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	79	4.6	15	1	1	4	6	8	9	26
20-34	166	4.4	10	1	1	4	6	8	9	16
35-49	158	4.4	8	1	1	4	6	8	10	15
50-64	135	4.1	6	1	1	4	5	7	9	12
65+	68	4.0	5	1	1	4	5	7	9	11
2. MULTIPLE DX										
0-19 YRS	89	5.3	13	2	2	5	6	9	11	22
20-34	165	5.7	28	1	2	5	7	10	13	28
35-49	144	5.8	24	1	2	5	7	11	14	27
50-64	167	6.0	37	1	2	4	7	11	16	28
65+	136	7.1	27	2	2	6	9	14	19	24
TOT. SINGLE DX	606	4.3	9	1	1	4	5	8	9	14
" MULTIPLE DX	701	6.0	28	1	2	5	7	11	15	26
TOTAL 0-19 YRS	168	5.0	15	1	2	4	6	8	11	23
20-34	331	5.0	20	1	1	4	6	9	11	25
35-49	302	5.1	17	1	1	4	6	9	12	23
50-64	302	5.2	24	1	1	4	6	9	11	26
65+	204	6.1	22	1	2	5	8	12	16	24
GRAND TOTAL	**1307**	**5.2**	**20**	**1**	**2**	**4**	**6**	**9**	**12**	**24**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	18.3	45	12	12	17	23	27	27	27
20-34	45	10.6	10	7	7	9	12	15	17	21
35-49	153	10.2	12	6	7	10	12	14	16	26
50-64	472	11.2	12	7	8	11	13	16	17	24
65+	866	12.5	16	8	8	12	15	18	20	25
2. MULTIPLE DX										
0-19 YRS	4	14.5	21	10	10	18	39	99+	99+	99+
20-34	90	13.5	44	7	8	11	16	24	30	33
35-49	211	13.8	55	7	8	11	15	22	29	41
50-64	650	14.2	59	7	8	12	16	22	30	46
65+	2094	14.9	50	8	9	13	17	22	27	42
TOT. SINGLE DX	1540	11.8	15	7	8	11	14	17	19	25
" MULTIPLE DX	3049	14.6	53	7	8	13	16	22	28	44
TOTAL 0-19 YRS	8	16.4	33	10	10	18	22	71	99+	99+
20-34	135	12.5	35	7	8	11	14	21	28	32
35-49	364	12.3	41	7	7	11	14	18	25	37
50-64	1122	12.9	42	7	8	11	14	18	24	40
65+	2960	14.2	42	8	9	13	16	21	25	38
GRAND TOTAL	**4589**	**13.7**	**42**	**7**	**8**	**12**	**16**	**20**	**25**	**38**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	9.6	139	2	3	7	9	25	42	44
20-34	19	11.2	77	3	4	11	13	17	32	43
35-49	34	10.7	34	5	6	10	12	18	32	99+
50-64	107	11.1	22	6	6	10	13	17	20	29
65+	719	12.8	30	7	8	12	15	18	21	38
2. MULTIPLE DX										
0-19 YRS	12	9.3	64	2	3	6	10	25	27	27
20-34	20	14.6	176	4	6	12	15	22	46	67
35-49	52	15.5	90	6	7	14	18	26	32	57
50-64	217	14.8	66	6	8	13	17	23	31	99+
65+	2541	15.8	73	7	9	14	18	25	31	53
TOT. SINGLE DX	890	12.5	32	6	7	12	15	18	21	40
" MULTIPLE DX	2842	15.7	74	7	8	14	18	25	31	55
TOTAL 0-19 YRS	23	9.4	95	2	3	6	10	25	33	44
20-34	39	12.9	128	3	5	11	14	18	35	67
35-49	86	13.6	73	5	6	11	17	25	32	84
50-64	324	13.6	55	6	7	12	16	21	26	81
65+	3260	15.2	65	7	8	13	17	23	29	50
GRAND TOTAL	**3732**	**15.0**	**66**	**7**	**8**	**13**	**17**	**23**	**29**	**51**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	315	3.4	3	1	1	3	4	6	7	10
20-34	415	3.7	6	<1	1	3	5	7	8	16
35-49	224	5.7	21	1	1	4	8	11	15	23
50-64	382	10.8	32	2	3	11	14	17	18	26
65+	768	12.3	20	5	8	12	15	18	20	25
2. MULTIPLE DX										
0-19 YRS	292	4.1	5	1	2	4	5	7	8	13
20-34	569	4.6	11	1	1	4	6	8	10	18
35-49	320	5.9	23	<1	1	5	8	12	15	24
50-64	594	11.8	40	2	3	11	15	19	24	32
65+	1732	14.1	48	6	8	13	17	22	25	40
TOT. SINGLE DX	2104	8.3	33	1	2	8	12	16	18	24
" MULTIPLE DX	3507	10.6	53	2	2	10	15	19	23	36
TOTAL 0-19 YRS	607	3.7	5	1	1	3	5	6	7	13
20-34	984	4.2	10	1	1	4	5	7	9	16
35-49	544	5.8	22	<1	1	4	8	12	15	23
50-64	976	11.4	38	2	3	11	14	17	21	31
65+	2500	13.5	41	6	8	13	16	20	24	38
GRAND TOTAL	**5611**	**9.7**	**47**	**1**	**2**	**9**	**14**	**17**	**21**	**31**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	396	2.7	1	1	1	3	4	4	5	6
20-34	757	3.0	2	1	1	3	4	5	5	8
35-49	338	3.3	4	1	1	3	4	5	7	11
50-64	268	3.8	7	1	1	3	5	7	9	16
65+	156	5.2	12	2	2	4	7	10	13	19
2. MULTIPLE DX										
0-19 YRS	98	3.2	2	1	1	3	4	5	7	9
20-34	274	4.3	35	1	1	3	4	7	9	38
35-49	298	4.9	19	1	2	3	5	9	15	26
50-64	348	5.1	20	1	2	4	6	11	16	23
65+	291	6.4	23	2	2	5	8	12	15	26
TOT. SINGLE DX	1915	3.3	4	1	1	3	4	5	7	12
" MULTIPLE DX	1309	5.0	24	1	2	4	6	10	14	25
TOTAL 0-19 YRS	494	2.8	2	1	1	3	4	5	5	7
20-34	1031	3.3	12	1	1	3	4	5	6	14
35-49	636	4.0	12	1	2	3	4	7	10	19
50-64	616	4.6	15	1	2	3	5	9	12	20
65+	447	5.9	20	2	2	4	8	12	14	23
GRAND TOTAL	3224	4.0	13	1	1	3	4	7	10	18

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	220	3.4	9	<1	1	2	4	7	9	17
20-34	201	3.1	6	<1	1	3	4	7	9	14
35-49	190	3.1	18	<1	<1	2	3	6	9	20
50-64	115	2.7	8	<1	<1	2	4	5	6	16
65+	58	3.5	12	<1	<1	2	4	8	9	21
2. MULTIPLE DX										
0-19 YRS	373	6.0	61	1	2	4	6	11	16	39
20-34	183	7.1	100	1	1	4	7	15	22	60
35-49	145	6.4	56	1	1	4	8	13	21	40
50-64	163	6.6	53	1	1	4	8	17	22	37
65+	111	9.3	47	1	2	8	13	19	24	32
TOT. SINGLE DX	784	3.2	11	<1	<1	2	4	7	9	19
" MULTIPLE DX	975	6.7	66	1	1	4	8	15	21	37
TOTAL 0-19 YRS	593	5.1	44	1	1	3	6	10	14	32
20-34	384	5.0	55	<1	1	3	6	10	15	35
35-49	335	4.5	37	<1	<1	3	5	9	15	37
50-64	278	5.0	39	<1	1	3	5	12	18	34
65+	169	7.3	43	<1	<1	5	10	16	21	30
GRAND TOTAL	1759	5.2	45	<1	1	3	6	11	16	34

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	290	2.3	5	<1	<1	2	2	4	7	11
20-34	317	2.1	2	<1	<1	2	2	4	6	9
35-49	278	2.3	10	<1	<1	2	3	4	6	9
50-64	218	2.8	10	<1	<1	2	3	5	8	19
65+	102	4.4	15	<1	1	3	6	9	11	21
2. MULTIPLE DX										
0-19 YRS	116	5.5	61	<1	1	3	7	11	18	44
20-34	139	6.0	127	<1	<1	3	6	12	25	88
35-49	215	6.8	141	1	1	3	6	14	24	83
50-64	253	7.0	72	1	2	4	8	15	19	51
65+	256	7.8	60	1	2	6	10	16	21	42
TOT. SINGLE DX	1205	2.5	8	<1	<1	2	3	5	7	12
" MULTIPLE DX	979	6.8	91	1	1	4	8	15	21	51
TOTAL 0-19 YRS	406	3.2	23	<1	<1	2	3	7	10	22
20-34	456	3.3	44	<1	<1	2	3	6	9	38
35-49	493	4.2	73	<1	<1	2	4	8	13	44
50-64	471	5.0	48	<1	1	3	5	11	16	40
65+	358	6.8	50	1	1	5	9	14	20	38
GRAND TOTAL	2184	4.5	50	<1	<1	2	5	9	14	37

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	1.8		<1	<1	2	2	3	3	3
20-34	26	2.0	1	<1	<1	2	3	4	5	5
35-49	31	2.2	4	<1	<1	2	2	4	4	12
50-64	106	2.0	1	<1	1	2	2	3	4	7
65+	83	2.0		<1	1	2	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	12	6.2	43	<1	1	3	9	18	19	19
20-34	25	7.0	107	1	2	4	6	18	28	51
35-49	32	2.8	6	1	1	2	3	4	11	12
50-64	91	3.8	45	1	1	2	3	5	10	42
65+	90	3.6	49	1	1	2	3	5	9	45
TOT. SINGLE DX	258	2.0	1	<1	1	2	2	3	4	5
" MULTIPLE DX	250	4.0	49	1	1	2	3	7	12	47
TOTAL 0-19 YRS	24	4.0	26	<1	<1	2	3	12	18	19
20-34	51	4.5	59	<1	1	3	4	7	18	51
35-49	63	2.5	6	<1	1	2	3	4	7	12
50-64	197	2.8	22	1	1	2	3	4	5	34
65+	173	2.8	27	1	1	2	3	4	5	14
GRAND TOTAL	508	3.0	26	<1	1	2	3	4	7	26

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	242	2.0	3	<1	1	2	2	3	4	10
20-34	269	2.0	2	<1	1	2	2	4	4	9
35-49	127	2.2	5	<1	1	1	2	4	5	13
50-64	61	1.9	1	<1	1	2	2	4	4	6
65+	25	2.0	1	1	1	2	2	4	4	5
2. MULTIPLE DX										
0-19 YRS	175	2.1	3	1	1	2	2	4	6	8
20-34	329	2.5	8	1	1	2	3	4	6	12
35-49	140	2.9	10	1	1	2	3	6	8	18
50-64	67	3.8	16	1	1	3	5	7	12	23
65+	42	2.9	6	<1	1	2	3	6	9	12
TOT. SINGLE DX	724	2.0	3	<1	1	2	2	4	4	10
" MULTIPLE DX	753	2.6	8	1	1	2	3	5	7	13
TOTAL 0-19 YRS	417	2.0	3	<1	1	2	2	3	5	9
20-34	598	2.3	6	1	1	2	3	4	5	11
35-49	267	2.5	8	1	1	2	3	5	7	16
50-64	128	2.9	10	1	1	2	3	6	8	18
65+	67	2.5	5	<1	1	2	3	5	7	12
GRAND TOTAL	**1477**	**2.3**	**6**	**1**	**1**	**2**	**3**	**4**	**6**	**12**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	163	2.3	3	<1	1	2	3	5	6	8
20-34	280	2.8	5	<1	1	2	3	5	6	14
35-49	265	3.1	7	<1	1	3	4	5	7	10
50-64	300	3.9	14	1	1	3	4	6	8	17
65+	144	4.3	7	1	2	4	6	8	9	14
2. MULTIPLE DX										
0-19 YRS	118	4.8	57	1	1	3	5	8	18	44
20-34	201	4.1	30	1	1	3	5	7	10	36
35-49	243	4.4	13	1	1	3	5	8	12	18
50-64	291	5.5	34	2	2	4	6	10	12	33
65+	169	6.5	49	2	2	5	7	14	18	45
TOT. SINGLE DX	1152	3.3	9	1	1	3	4	6	7	12
" MULTIPLE DX	1022	5.0	34	1	1	4	6	9	14	34
TOTAL 0-19 YRS	281	3.4	27	1	1	2	3	6	8	33
20-34	481	3.3	17	<1	1	2	4	6	8	21
35-49	508	3.7	11	1	1	3	4	7	8	16
50-64	591	4.7	25	1	2	4	5	8	11	23
65+	313	5.5	32	1	2	4	7	10	15	28
GRAND TOTAL	**2174**	**4.1**	**22**	**1**	**1**	**3**	**5**	**7**	**10**	**23**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	415	3.3	6	1	1	3	4	6	8	13
20-34	225	3.5	10	1	1	3	4	6	8	22
35-49	187	3.3	9	1	1	3	4	5	7	18
50-64	90	4.0	17	1	1	3	5	7	9	28
65+	49	4.9	6	2	2	5	6	9	9	12
2. MULTIPLE DX										
0-19 YRS	475	3.7	11	1	1	3	4	6	8	20
20-34	130	8.1	149	1	1	4	9	21	34	99+
35-49	91	5.6	34	1	2	4	6	12	17	74
50-64	71	5.6	43	1	2	4	6	13	15	44
65+	54	7.6	40	1	2	6	10	17	27	96
TOT. SINGLE DX	966	3.5	9	1	1	3	4	6	8	16
" MULTIPLE DX	821	5.0	43	1	1	3	5	10	15	44
TOTAL 0-19 YRS	890	3.5	9	1	1	3	4	6	8	16
20-34	355	5.2	66	1	1	3	5	10	18	70
35-49	278	4.1	19	1	1	3	4	8	11	30
50-64	161	4.7	29	1	1	4	5	8	13	35
65+	103	6.3	26	1	2	5	8	12	17	61
GRAND TOTAL	**1787**	**4.2**	**25**	**1**	**1**	**3**	**5**	**7**	**11**	**28**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	44	2.3	5	<1	1	2	2	3	6	15
20-34	96	2.4	3	<1	1	2	3	4	7	9
35-49	51	2.4	7	<1	1	2	2	4	6	17
50-64	46	2.5	4	<1	1	2	3	5	7	10
65+	28	3.1	6	1	1	2	4	7	9	11
2. MULTIPLE DX										
0-19 YRS	34	2.8	4	1	1	2	4	5	8	11
20-34	102	5.7	38	1	1	3	8	14	20	30
35-49	85	5.4	63	1	1	3	7	13	19	48
50-64	65	7.3	103	1	1	3	9	17	29	51
65+	78	6.3	37	1	1	4	8	16	22	79
TOT. SINGLE DX	265	2.5	5	<1	1	2	3	5	7	11
" MULTIPLE DX	364	5.8	54	1	1	3	7	14	20	44
TOTAL 0-19 YRS	78	2.5	5	<1	1	2	3	5	7	14
20-34	198	4.1	24	<1	1	2	4	9	14	25
35-49	136	4.3	44	1	1	2	4	10	16	33
50-64	111	5.3	68	<1	1	2	5	13	17	48
65+	106	5.4	31	1	1	3	7	15	19	59
GRAND TOTAL	**629**	**4.4**	**36**	**1**	**1**	**2**	**4**	**10**	**15**	**30**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	3.5	4	1	1	4	5	6	6	6
20-34	10	7.2	18	1	2	6	11	13	15	15
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	7.0	32	3	3	7	11	11	11	11
65+	4	9.3	9	5	5	10	11	12	12	12
2. MULTIPLE DX										
0-19 YRS	1	22.0		22	22	22	22	22	22	22
20-34	12	19.0	394	3	3	18	20	51	67	70
35-49	3	18.0	403	4	4	9	33	41	41	41
50-64	10	11.2	173	2	2	6	11	35	38	38
65+	18	18.1	229	2	3	13	27	35	52	62
TOT. SINGLE DX	23	6.3	16	1	1	5	10	12	13	15
" MULTIPLE DX	44	16.8	257	2	3	11	21	38	49	70
TOTAL 0-19 YRS	7	6.1	52	1	1	4	6	19	22	22
20-34	22	13.6	251	2	3	7	19	28	54	70
35-49	4	14.0	333	2	2	6	25	41	41	41
50-64	12	10.5	148	2	2	6	11	34	37	38
65+	22	16.5	199	3	4	11	20	33	47	62
GRAND TOTAL	**67**	**13.2**	**198**	**2**	**2**	**8**	**19**	**33**	**41**	**69**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	33	3.4	3	1	1	3	5	6	7	8
20-34	32	3.8	10	<1	1	3	5	8	13	14
35-49	27	5.9	26	1	2	4	7	12	18	24
50-64	42	7.4	40	1	2	5	11	18	21	24
65+	59	7.1	45	<1	1	6	8	14	19	39
2. MULTIPLE DX										
0-19 YRS	28	7.3	84	1	1	3	7	27	30	31
20-34	58	11.6	113	2	2	8	16	26	35	59
35-49	179	13.6	144	2	3	10	17	28	34	68
50-64	397	14.3	138	3	4	11	19	29	37	74
65+	594	14.0	127	2	3	11	19	28	37	62
TOT. SINGLE DX	193	5.8	31	1	1	4	7	13	17	26
" MULTIPLE DX	1256	13.8	133	2	3	11	18	28	36	66
TOTAL 0-19 YRS	61	5.2	44	1	1	3	6	9	26	31
20-34	90	8.8	91	1	2	5	12	21	29	48
35-49	206	12.6	136	2	2	10	17	26	33	67
50-64	439	13.6	133	2	3	11	18	28	35	69
65+	653	13.4	124	2	3	10	18	28	36	59
GRAND TOTAL	**1449**	**12.7**	**126**	**2**	**2**	**10**	**17**	**27**	**34**	**59**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	12.4	127	4	4	9	16	32	32	32
20-34	10	7.6	5	3	4	8	9	10	11	11
35-49	9	11.4	42	5	5	10	14	22	23	23
50-64	21	13.5	35	5	7	13	18	21	25	29
65+	40	12.6	31	6	7	12	15	22	24	26
2. MULTIPLE DX										
0-19 YRS	8	24.6	738	3	3	21	25	70	88	88
20-34	38	22.7	255	6	7	18	27	51	58	63
35-49	97	21.0	282	5	7	16	27	59	70	99+
50-64	319	19.5	211	5	7	15	25	40	50	79
65+	870	18.6	158	6	7	15	23	35	47	74
TOT. SINGLE DX	85	12.1	37	5	6	11	14	21	24	31
" MULTIPLE DX	1332	19.1	187	6	7	15	24	37	50	79
TOTAL 0-19 YRS	13	19.9	512	3	3	11	23	43	80	88
20-34	48	19.5	240	5	6	13	24	45	57	63
35-49	106	20.2	269	5	7	15	26	57	66	99+
50-64	340	19.1	202	5	7	15	24	39	47	79
65+	910	18.3	155	6	7	15	23	35	46	72
GRAND TOTAL	**1417**	**18.7**	**180**	**6**	**7**	**15**	**23**	**36**	**48**	**78**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	9.4	14	5	5	9	11	15	17	17
20-34	3	11.0	19	8	8	9	14	16	16	16
35-49	4	6.3	15	1	1	7	9	10	10	10
50-64	18	11.8	26	4	5	12	15	18	21	23
65+	42	13.0	97	4	5	11	14	23	48	99+
2. MULTIPLE DX										
0-19 YRS	11	16.6	248	3	4	12	21	39	57	59
20-34	20	28.4	562	7	9	18	40	66	78	89
35-49	36	25.7	418	7	9	18	36	66	81	99+
50-64	187	19.4	251	6	7	14	23	43	51	92
65+	1094	16.3	149	5	6	13	20	33	41	73
TOT. SINGLE DX	81	11.7	62	4	5	10	14	18	25	87
" MULTIPLE DX	1348	17.2	181	5	6	13	21	34	47	86
TOTAL 0-19 YRS	25	12.6	125	4	5	10	13	22	34	59
20-34	23	26.1	523	7	8	16	32	65	75	89
35-49	40	23.7	411	6	7	17	34	63	79	99+
50-64	205	18.8	236	6	7	14	22	39	50	92
65+	1136	16.2	147	5	6	13	20	32	42	73
GRAND TOTAL	**1429**	**16.9**	**176**	**5**	**6**	**13**	**21**	**34**	**46**	**86**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	4.5	9	1	1	4	5	9	10	10
20-34	9	8.8	24	1	2	8	13	15	15	15
35-49	9	16.2	41	6	8	17	18	25	29	29
50-64	10	10.2	52	2	3	9	10	23	24	24
65+	8	24.0	289	5	7	22	30	50	59	59
2. MULTIPLE DX										
0-19 YRS	8	7.6	54	3	3	4	9	21	24	24
20-34	15	24.3	345	5	7	20	27	42	72	82
35-49	47	22.4	342	4	5	18	29	50	61	89
50-64	98	19.9	152	6	8	17	25	37	44	63
65+	177	18.0	167	5		14	23	34	49	66
TOT. SINGLE DX	42	13.0	117	2	3	10	17	28	30	59
" MULTIPLE DX	345	19.2	197	5	6	16	24	36	50	71
TOTAL 0-19 YRS	14	6.3	35	1	2	4	5	14	22	24
20-34	24	18.5	278	3	4	15	22	32	54	82
35-49	56	21.4	298	5	6	18	27	48	56	88
50-64	108	19.0	151	5	7	17	24	36	44	62
65+	185	18.2	173	5	6	14	24	34	50	65
GRAND TOTAL	**387**	**18.5**	**191**	**4**	**5**	**15**	**24**	**34**	**50**	**70**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	24	3.4	7	<1	1	3	4	7	10	10
20-34	20	6.6	37	1	1	6	8	15	21	24
35-49	11	6.0	18	<1	<1	6	8	13	14	14
50-64	3	3.0	3	2	2	2	4	5	5	5
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	9	5.8	24	1	1	7	8	13	15	15
20-34	15	10.3	130	3	3	6	9	21	40	47
35-49	12	5.3	6	2	2	6	7	8	9	9
50-64	9	4.1	6	2	2	3	6	8	9	9
65+	3	5.0	7	2	2	6	7	7	7	7
TOT. SINGLE DX	59	4.9	21	1	1	4	7	11	14	23
" MULTIPLE DX	48	6.7	52	1	2	6	7	10	18	47
TOTAL 0-19 YRS	33	4.1	13	1	1	3	7	10	10	15
20-34	35	8.1	78	1	1	6	8	18	23	47
35-49	23	5.6	12	<1	1	6	7	10	13	14
50-64	12	3.8	5	2	2	3	5	7	9	9
65+	4	4.0	9	1	1	4	6	7	7	7
GRAND TOTAL	**107**	**5.7**	**35**	**1**	**1**	**5**	**7**	**10**	**15**	**34**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	19	2.3	5	<1	<1	1	3	6	8	10
20-34	35	4.2	21	<1	1	3	5	8	16	22
35-49	16	3.8	9	<1	1	3	5	10	11	11
50-64	26	6.5	37	1	1	5	9	12	21	28
65+	28	7.0	52	1	2	5	8	12	18	39
2. MULTIPLE DX										
0-19 YRS	14	5.3	55	1	1	3	4	15	26	29
20-34	31	5.7	25	1	1	4	8	11	20	22
35-49	46	9.2	136	2	2	6	10	16	31	72
50-64	69	11.6	161	2	3	9	16	23	41	99+
65+	131	13.0	159	3	3	9	17	28	38	73
TOT. SINGLE DX	124	5.0	30	<1	1	3	6	10	14	31
" MULTIPLE DX	291	10.9	143	2	2	8	13	22	35	98
TOTAL 0-19 YRS	33	3.6	28	<1	1	2	3	7	13	29
20-34	66	4.9	23	1	1	3	6	10	19	22
35-49	62	7.8	109	1	2	5	10	14	22	68
50-64	95	10.2	132	1	2	8	14	20	28	99+
65+	159	11.9	146	2	3	8	15	23	38	67
GRAND TOTAL	**415**	**9.1**	**116**	**1**	**2**	**6**	**11**	**20**	**29**	**80**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	3	8.3	41	1	1	11	12	13	13	13
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	1	9.0		9	9	9	9	9	9	9
65+	7	21.0	443	4	4	17	25	57	65	65
TOT. SINGLE DX	8	4.9	20	1	1	3	7	12	13	13
" MULTIPLE DX	11	15.4	330	2	3	8	20	42	63	65
TOTAL 0-19 YRS										
20-34	3	4.0	7	2	2	3	6	7	7	7
35-49	5	3.0	1	2	2	3	4	4	4	4
50-64	4	8.5	28	1	1	10	12	13	13	13
65+	7	21.0	443	4	4	17	25	57	65	65
GRAND TOTAL	**19**	**10.9**	**220**	**1**	**2**	**6**	**12**	**24**	**47**	**65**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	174	1.7	1	<1	<1	1	2	3	4	5
20-34	563	1.9	1	<1	<1	2	2	3	4	7
35-49	1430	2.0	2	<1	<1	2	2	3	4	8
50-64	1070	2.3	2	<1	<1	2	2	4	5	10
65+	602	2.6	4	<1	<1	2	3	5	7	11
2. MULTIPLE DX										
0-19 YRS	43	2.5	3	<1	<1	2	2	6	8	8
20-34	318	3.2	12	<1	1	2	4	6	8	22
35-49	1104	3.1	10	<1	1	2	3	6	8	16
50-64	1148	4.2	26	1	1	2	5	9	13	23
65+	1100	5.1	27	1	1	3	7	11	15	28
TOT. SINGLE DX	3839	2.2	3	<1	<1	2	2	4	5	9
" MULTIPLE DX	3713	4.0	21	1	1	2	5	9	12	23
TOTAL 0-19 YRS	217	1.8	2	<1	<1	2	2	3	4	8
20-34	881	2.4	6	<1	<1	2	3	4	6	13
35-49	2534	2.5	6	<1	<1	2	3	5	7	11
50-64	2218	3.3	16	<1	1	2	3	7	10	18
65+	1702	4.2	21	<1	1	2	5	9	13	26
GRAND TOTAL	7552	3.1	13	<1	<1	2	3	6	9	18

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	27	1.9	1	<1	1	2	2	4	4	5
20-34	25	3.0	2	<1	1	3	4	6	6	6
35-49	54	5.3	18	1	1	5	7	9	11	28
50-64	57	4.9	6	1	2	5	6	8	10	13
65+	95	5.5	7	1	2	5	7	8	12	14
2. MULTIPLE DX										
0-19 YRS	6	2.2	3	<1	<1	1	2	6	6	6
20-34	14	6.0	38	1	2	5	6	11	23	26
35-49	85	6.8	26	2	3	5	7	15	20	27
50-64	145	5.7	10	2	2	5	7	10	12	17
65+	231	8.0	42	2	3	6	9	14	18	40
TOT. SINGLE DX	258	4.7	10	1	1	4	6	8	10	13
" MULTIPLE DX	481	7.0	30	2	3	6	8	13	17	27
TOTAL 0-19 YRS	33	2.0	2	<1	<1	2	2	4	5	6
20-34	39	4.1	17	1	1	3	5	6	8	26
35-49	139	6.2	24	1	2	5	7	11	17	28
50-64	202	5.4	10	2	2	5	6	10	12	16
65+	326	7.3	33	2	3	6	8	13	16	34
GRAND TOTAL	739	6.2	24	1	2	5	7	11	15	26

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	78	5.9	4	3	3	6	7	9	10	11
35-49	462	5.9	5	3	3	6	7	9	10	12
50-64	731	6.0	5	3	4	6	7	9	10	12
65+	737	6.5	6	3	4	6	8	9	11	14
2. MULTIPLE DX										
0-19 YRS	5	7.2	6	3	3	8	9	10	10	10
20-34	77	6.6	6	3	4	6	8	10	11	15
35-49	534	6.6	8	3	4	6	8	10	11	16
50-64	1059	7.6	16	3	4	7	9	12	15	24
65+	1559	8.0	18	4	4	7	9	12	15	23
TOT. SINGLE DX	2010	6.2	6	3	4	6	7	9	10	13
" MULTIPLE DX	3234	7.6	16	3	4	7	9	11	14	23
TOTAL 0-19 YRS	7	6.3	8	2	2	7	8	10	10	10
20-34	155	6.3	6	3	4	6	7	10	10	14
35-49	996	6.3	7	3	4	6	8	9	11	14
50-64	1790	6.9	13	3	4	6	8	10	13	22
65+	2296	7.5	15	3	4	7	9	11	14	22
GRAND TOTAL	5244	7.0	13	3	4	6	8	10	13	21

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	198	2.7	1	1	1	3	3	4	5	6
20-34	532	2.9	2	<1	1	3	4	5	6	7
35-49	492	3.5	4	1	1	3	4	6	7	10
50-64	234	3.5	3	1	1	3	4	6	7	10
65+	57	3.1	3	1	1	3	4	5	7	9
2. MULTIPLE DX										
0-19 YRS	100	3.2	4	1	1	3	4	5	9	11
20-34	373	3.6	5	1	1	3	4	6	8	13
35-49	733	3.9	6	1	1	3	5	6	7	14
50-64	429	4.3	11	1	2	4	5	8	10	16
65+	114	4.6	12	1	2	4	5	9	12	20
TOT. SINGLE DX	1513	3.2	3	1	1	3	4	5	6	9
" MULTIPLE DX	1749	3.9	8	1	1	3	5	7	9	14
TOTAL 0-19 YRS	298	2.9	3	1	1	3	4	4	5	10
20-34	905	3.2	4	<1	1	3	4	5	6	10
35-49	1225	3.7	5	1	1	3	5	6	7	12
50-64	663	4.0	9	1	1	4	5	7	9	14
65+	171	4.1	10	1	1	3	5	8	10	18
GRAND TOTAL	**3262**	**3.6**	**6**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	490	2.8	3	1	1	2	3	5	5	9
20-34	827	2.8	2	1	1	2	3	5	6	8
35-49	145	2.8	2	1	1	2	4	5	5	9
50-64	22	2.8	1	<1	1	3	3	5	6	6
65+	5	3.0	2	<1	<1	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	76	4.0	8	1	2	3	5	8	10	16
20-34	141	4.8	35	1	1	3	5	8	12	31
35-49	59	4.0	4	1	1	4	5	7	9	11
50-64	24	3.8	13	1	1	3	5	9	12	16
65+	18	7.9	143	1	2	4	7	13	38	54
TOT. SINGLE DX	1489	2.8	3	1	1	2	4	5	5	8
" MULTIPLE DX	318	4.6	28	1	1	3	5	8	11	28
TOTAL 0-19 YRS	566	3.0	4	1	1	3	4	5	6	11
20-34	968	3.1	8	1	1	3	4	5	6	11
35-49	204	3.1	3	1	1	3	4	5	6	10
50-64	46	3.3	8	1	1	3	4	6	9	16
65+	23	6.9	115	1	2	4	6	12	28	54
GRAND TOTAL	**1807**	**3.1**	**8**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	611	2.6	12	<1	<1	2	3	5	7	17
20-34	462	3.1	16	<1	<1	2	3	6	8	25
35-49	444	3.0	12	<1	<1	2	3	6	8	20
50-64	372	2.9	6	<1	<1	2	4	6	7	13
65+	282	4.0	21	<1	<1	2	5	9	11	29
2. MULTIPLE DX										
0-19 YRS	358	5.8	66	<1	1	3	6	14	24	56
20-34	518	7.8	96	1	1	4	10	18	28	56
35-49	725	7.6	84	1	1	4	9	17	27	47
50-64	935	7.6	66	1	2	5	9	18	24	41
65+	1427	8.4	70	1	2	6	10	17	24	45
TOT. SINGLE DX	2171	3.0	14	<1	<1	2	3	6	8	20
" MULTIPLE DX	3963	7.8	75	1	2	5	9	17	25	46
TOTAL 0-19 YRS	969	3.8	35	<1	<1	2	4	8	14	35
20-34	980	5.6	64	<1	1	3	6	13	22	42
35-49	1169	5.9	62	<1	1	3	7	13	20	42
50-64	1307	6.3	54	<1	1	4	7	13	21	38
65+	1709	7.7	65	1	2	6	9	16	23	43
GRAND TOTAL	**6134**	**6.1**	**59**	**<1**	**1**	**3**	**7**	**14**	**21**	**40**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1199	3.9	24	<1	1	2	5	8	11	23
20-34	1229	4.5	25	<1	1	3	6	9	12	22
35-49	711	5.2	38	1	1	3	6	10	14	31
50-64	522	5.4	33	<1	1	4	7	11	16	30
65+	451	6.3	42	1	1	4	8	13	20	33
2. MULTIPLE DX										
0-19 YRS	1984	6.3	94	1	1	3	7	14	22	62
20-34	2981	6.5	72	1	1	4	7	15	23	46
35-49	2073	9.0	113	1	1	6	11	21	30	60
50-64	2112	10.8	128	1	2	8	14	23	32	68
65+	3677	12.9	174	2	2	9	16	28	42	83
TOT. SINGLE DX	4112	4.7	31	1	1	3	6	10	14	27
" MULTIPLE DX	12827	9.4	128	1	1	6	12	22	32	65
TOTAL 0-19 YRS	3183	5.4	69	1	1	3	6	11	18	48
20-34	4210	5.9	59	1	1	4	7	13	20	43
35-49	2784	8.0	97	1	1	5	10	18	27	57
50-64	2634	9.7	114	1	2	7	12	21	30	63
65+	4128	12.2	165	1	2	8	15	27	40	78
GRAND TOTAL	**16939**	**8.3**	**109**	**1**	**1**	**5**	**10**	**19**	**28**	**59**

Appendix

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	181	6.6	45	1	1	4	9	15	20	34
20-34	208	6.8	49	1	1	5	9	15	19	36
35-49	116	7.1	54	1	2	5	8	12	19	42
50-64	111	8.2	80	1	1	6	10	19	23	48
65+	114	9.1	59	1	2	7	13	21	27	32
2. MULTIPLE DX										
0-19 YRS	207	13.5	195	1	2	9	19	32	42	82
20-34	219	14.7	235	1	2	10	19	33	49	78
35-49	208	15.9	247	2	3	11	20	37	54	69
50-64	286	14.9	179	2	3	11	20	32	42	68
65+	535	16.8	209	2	3	13	22	34	47	88
TOT. SINGLE DX	730	7.4	56	1	1	5	9	16	21	36
" MULTIPLE DX	1455	15.5	212	2	3	11	21	34	46	77
TOTAL 0-19 YRS	388	10.3	137	1	1	7	14	23	34	66
20-34	427	10.8	160	1	2	7	14	24	35	67
35-49	324	12.7	196	2	2	8	15	32	44	61
50-64	397	13.0	161	1	2	9	18	30	37	63
65+	649	15.5	191	2	3	12	21	32	44	86
GRAND TOTAL	**2185**	**12.8**	**174**	**1**	**2**	**9**	**17**	**30**	**39**	**71**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	43	3.6	10	<1	<1	2	5	9	10	14
20-34	74	5.7	63	1	1	3	6	14	23	41
35-49	37	5.4	14	1	2	4	7	11	12	15
50-64	28	5.9	36	1	1	4	8	15	19	25
65+	15	13.7	529	2	2	6	10	37	77	91
2. MULTIPLE DX										
0-19 YRS	40	9.2	195	1	2	4	11	21	30	82
20-34	76	15.9	362	1	2	10	20	33	63	94
35-49	61	21.9	513	1	2	16	31	58	74	99+
50-64	69	14.6	329	1	1	7	20	42	69	97
65+	78	12.9	196	2	2	8	18	36	51	99+
TOT. SINGLE DX	197	5.8	77	1	1	3	7	12	16	40
" MULTIPLE DX	324	15.2	334	1	2	9	21	42	65	99+
TOTAL 0-19 YRS	83	6.3	106	<1	1	3	8	13	19	65
20-34	150	10.9	240	1	1	5	14	25	41	83
35-49	98	15.7	387	1	2	7	24	49	63	99
50-64	97	12.1	259	1	1	6	16	35	51	92
65+	93	13.0	246	2	2	7	17	37	52	99+
GRAND TOTAL	**521**	**11.7**	**257**	**1**	**1**	**5**	**15**	**31**	**51**	**98**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	267	2.3	3	<1	<1	2	2	4	6	10
20-34	144	2.9	5	<1	<1	2	4	5	7	12
35-49	139	2.7	6	<1	1	2	3	6	7	14
50-64	176	2.5	7	<1	1	2	3	4	5	14
65+	75	3.2	73	1	1	2	3	5	6	58
2. MULTIPLE DX										
0-19 YRS	208	5.1	120	1	1	2	4	9	30	99+
20-34	203	4.9	57	1	1	3	5	8	12	45
35-49	284	4.7	24	1	1	3	6	9	13	26
50-64	349	4.5	35	1	1	3	5	10	15	41
65+	309	8.6	85	1	1	6	10	16	27	49
TOT. SINGLE DX	801	2.6	12	<1	1	2	3	5	6	12
" MULTIPLE DX	1353	5.6	63	1	1	3	6	12	18	51
TOTAL 0-19 YRS	475	3.5	56	<1	1	2	3	6	10	86
20-34	347	4.0	37	<1	1	3	5	7	9	33
35-49	423	4.0	19	1	1	3	5	8	12	20
50-64	525	3.8	27	1	1	2	4	8	12	32
65+	384	7.5	87	1	1	5	9	15	23	50
GRAND TOTAL	**2154**	**4.5**	**46**	**1**	**1**	**3**	**5**	**9**	**14**	**42**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	3.2	9	1	1	2	4	8	11	11
20-34	13	3.5	11	1	1	3	4	8	12	13
35-49	10	3.3	6	1	1	2	3	8	8	8
50-64	11	3.5	4	1	1	4	5	6	6	6
65+	12	8.6	151	3	3	5	8	21	43	47
2. MULTIPLE DX										
0-19 YRS	31	4.7	26	1	2	3	6	9	13	28
20-34	28	10.6	306	1	1	4	8	43	60	62
35-49	27	5.0	7	1	2	5	7	10	11	11
50-64	42	9.5	95	2	2	6	12	19	35	43
65+	162	8.3	43	2	2	7	10	16	23	34
TOT. SINGLE DX	55	4.5	41	1	1	3	5	8	11	45
" MULTIPLE DX	290	8.0	73	2	2	6	9	15	27	45
TOTAL 0-19 YRS	40	4.4	23	1	1	3	5	9	12	28
20-34	41	8.4	221	1	1	3	6	23	52	62
35-49	37	4.5	8	1	1	4	6	8	10	11
50-64	53	8.2	82	1	2	5	10	15	30	43
65+	174	8.4	50	2	3	6	10	16	23	38
GRAND TOTAL	**345**	**7.5**	**69**	**1**	**2**	**5**	**9**	**14**	**24**	**46**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	243	3.1	5	1	1	2	3	6	8	12
20-34	2755	4.0	13	1	1	3	5	9	11	17
35-49	3576	4.0	12	1	1	3	5	9	11	17
50-64	1651	3.8	11	1	1	3	5	8	11	17
65+	420	4.3	25	1	1	3	5	9	13	20
2. MULTIPLE DX										
0-19 YRS	229	4.5	24	1	2	2	5	10	14	20
20-34	1802	5.4	26	1	1	4	7	11	14	24
35-49	2810	5.5	28	1	2	4	7	11	15	27
50-64	2172	5.7	27	1	2	4	8	12	15	24
65+	1222	7.2	44	1	2	5	9	15	20	32
TOT. SINGLE DX	8645	4.0	13	1	1	3	5	9	11	17
" MULTIPLE DX	8235	5.8	30	1	2	4	8	12	15	27
TOTAL 0-19 YRS	472	3.8	15	1	1	2	4	8	11	18
20-34	4557	4.6	19	1	1	3	6	10	13	21
35-49	6386	4.7	20	1	1	3	6	10	13	22
50-64	3823	4.9	21	1	1	3	6	11	14	21
65+	1642	6.5	41	1	1	4	8	14	18	31
GRAND TOTAL	**16880**	**4.9**	**22**	**1**	**1**	**3**	**6**	**10**	**13**	**22**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	62	3.9	18	1	1	2	5	7	12	27
20-34	167	3.4	10	1	1	2	4	6	8	16
35-49	241	4.0	16	1	1	3	5	8	10	22
50-64	444	4.2	22	1	1	3	5	9	11	29
65+	463	3.9	11	1	1	3	5	8	11	17
2. MULTIPLE DX										
0-19 YRS	91	6.4	44	1	2	4	7	13	21	37
20-34	257	6.1	49	1	2	4	7	11	17	37
35-49	577	6.4	40	1	2	5	8	13	16	32
50-64	1593	6.2	37	1	2	4	8	12	16	29
65+	2822	6.2	26	1	2	5	8	12	15	25
TOT. SINGLE DX	1377	3.9	16	1	1	3	5	8	11	22
" MULTIPLE DX	5340	6.2	33	1	2	5	8	12	16	28
TOTAL 0-19 YRS	153	5.3	35	1	1	4	6	11	17	33
20-34	424	5.0	36	1	1	3	6	10	15	30
35-49	818	5.7	34	1	2	4	7	11	15	28
50-64	2037	5.7	35	1	2	4	7	11	15	29
65+	3285	5.9	25	1	2	4	8	12	15	24
GRAND TOTAL	**6717**	**5.7**	**30**	**1**	**2**	**4**	**7**	**11**	**15**	**27**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	5	3.4	4	2	2	2	5	6	6	6
35-49	27	5.0	11	1	2	4	7	10	11	15
50-64	39	4.1	7	2	2	3	6	8	10	12
65+	13	4.7	11	2	2	3	8	10	11	11
2. MULTIPLE DX										
0-19 YRS										
20-34	8	5.9	4	4	4	5	7	9	10	10
35-49	72	5.7	14	2	2	5	8	11	11	20
50-64	180	6.0	21	2	2	5	8	12	14	20
65+	127	5.7	24	2	2	4	8	13	15	24
TOT. SINGLE DX	84	4.4	9	2	2	3	6	9	10	14
" MULTIPLE DX	387	5.9	20	2	2	5	8	12	14	21
TOTAL 0-19 YRS										
20-34	13	4.9	5	2	2	5	6	8	10	10
35-49	99	5.5	13	2	2	5	7	10	11	19
50-64	219	5.6	19	2	2	5	8	12	14	19
65+	140	5.6	23	2	2	4	8	12	15	22
GRAND TOTAL	**471**	**5.6**	**19**	**2**	**2**	**4**	**8**	**11**	**14**	**20**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	109	4.2	18	1	1	3	5	9	13	24
20-34	464	4.0	11	1	1	3	5	9	11	15
35-49	530	4.8	14	1	1	4	7	10	12	15
50-64	551	4.5	13	1	1	3	7	10	13	16
65+	526	5.0	16	1	1	3	7	11	13	18
2. MULTIPLE DX										
0-19 YRS	128	6.8	108	1	1	4	8	14	17	63
20-34	533	6.4	35	1	2	5	9	12	17	33
35-49	1023	6.3	34	1	2	5	8	12	16	30
50-64	2119	6.4	36	1	2	5	8	13	16	28
65+	3539	7.1	36	1	2	6	9	14	17	30
TOT. SINGLE DX	2180	4.6	15	1	1	3	7	10	12	16
" MULTIPLE DX	7342	6.7	37	1	2	5	9	13	17	29
TOTAL 0-19 YRS	237	5.6	69	1	1	3	7	11	15	49
20-34	997	5.3	26	1	1	4	7	11	14	26
35-49	1553	5.8	28	1	1	4	8	11	15	27
50-64	2670	6.0	32	1	2	4	8	12	15	26
65+	4065	6.8	34	1	2	5	9	13	17	28
GRAND TOTAL	**9522**	**6.2**	**33**	**1**	**2**	**5**	**8**	**12**	**16**	**27**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6959	3.5	22	1	1	2	4	6	8	23
20-34	9676	3.9	18	1	1	3	5	7	10	21
35-49	7323	4.2	17	1	1	3	5	8	11	21
50-64	5258	4.8	18	1	1	4	6	9	12	20
65+	4319	6.0	25	1	2	5	8	11	14	25
2. MULTIPLE DX										
0-19 YRS	11209	5.3	54	1	1	3	6	10	15	44
20-34	15136	5.1	31	1	1	4	6	9	13	31
35-49	18660	5.7	27	1	2	4	7	11	14	27
50-64	28037	6.5	31	2	2	5	8	12	16	30
65+	60177	7.9	41	2	3	6	10	15	19	34
TOT. SINGLE DX	33535	4.3	21	1	1	3	5	8	11	22
" MULTIPLE DX	133219	6.8	39	2	2	5	8	13	17	32
TOTAL 0-19 YRS	18168	4.6	43	1	1	3	5	8	12	37
20-34	24812	4.7	27	1	1	3	5	9	12	28
35-49	25983	5.3	25	1	2	4	7	10	13	26
50-64	33295	6.3	30	1	2	5	8	12	15	29
65+	64496	7.8	41	2	3	6	10	14	19	33
GRAND TOTAL	**166754**	**6.3**	**36**	**1**	**2**	**5**	**8**	**12**	**16**	**31**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2348	6.1	74	1	1	3	6	16	24	46
20-34	1342	6.6	48	1	1	4	8	13	19	36
35-49	1349	6.7	42	1	2	5	8	13	18	32
50-64	953	6.6	36	1	2	5	8	12	17	30
65+	786	7.6	49	2	2	6	9	14	20	37
2. MULTIPLE DX										
0-19 YRS	3434	7.2	120	1	2	4	6	15	28	68
20-34	1956	8.4	101	1	2	5	9	17	28	58
35-49	2579	7.8	60	2	2	6	9	15	22	42
50-64	4411	8.2	59	2	3	6	10	15	21	44
65+	9935	9.2	55	2	3	7	11	17	23	45
TOT. SINGLE DX	6778	6.5	55	1	1	4	8	14	21	38
" MULTIPLE DX	22315	8.5	76	2	2	6	10	16	24	50
TOTAL 0-19 YRS	5782	6.7	102	1	1	4	6	15	26	59
20-34	3298	7.6	81	1	2	5	9	15	24	51
35-49	3928	7.5	54	1	2	5	9	14	21	41
50-64	5364	7.9	55	2	2	6	9	14	20	42
65+	10721	9.1	64	2	3	7	11	17	23	45
GRAND TOTAL	**29093**	**8.0**	**72**	**1**	**2**	**6**	**9**	**16**	**23**	**48**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9, 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4102	3.8	30	1	1	3	4	6	9	27
20-34	2314	4.2	31	1	1	3	5	8	11	29
35-49	1996	4.5	26	1	1	3	5	9	11	25
50-64	1928	5.2	26	1	1	4	7	10	12	25
65+	1883	6.0	32	1	2	4	7	11	14	30
2. MULTIPLE DX										
0-19 YRS	7739	5.7	68	1	1	4	6	10	18	53
20-34	4744	5.3	40	1	1	4	6	10	15	32
35-49	7048	5.7	32	1	2	4	7	11	15	30
50-64	13901	6.4	30	2	2	5	8	12	15	29
65+	32386	7.7	41	2	3	6	9	14	19	34
TOT. SINGLE DX	12223	4.5	30	1	1	3	5	9	12	27
" MULTIPLE DX	65818	6.8	42	2	2	5	8	13	17	34
TOTAL 0-19 YRS	11841	5.0	56	1	1	3	5	9	14	47
20-34	7058	4.9	38	1	1	3	6	9	14	31
35-49	9044	5.4	31	1	2	4	7	10	14	30
50-64	15829	6.3	30	1	2	5	8	12	15	28
65+	34269	7.6	42	2	3	6	9	14	18	34
GRAND TOTAL	**78041**	**6.4**	**41**	**1**	**2**	**5**	**8**	**12**	**17**	**33**

Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	**Title**
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

OPERATION INDEX (continued)

Group Number **Title**

- 763 Cancer chemotherapy
- Cardiac
  - 573 Catheterization
  - 764 Function tests
  - Massage
    - 763 Closed
    - 575 Open
  - 574 Pacemaker insertion or replacement
  - 575 Revascularization, except coronary bypass
    - 572 Coronary bypass
  - 764 Stress tests
- 509 Carpal tunnel decompression or release
- 760 Cast application
- 758 C.A.T. scan
- 526 Cataract extraction, except intracapsular
  - 525 Intracapsular
- Catheterization
  - 647 Bladder, except suprapubic approach
    - 638 Suprapubic approach
  - 581 Blood vessel
  - 573 Cardiac
  - 645 Ureteral
  - 647 Urethral, indwelling
  - 587 Vein, except umbilical
    - 581 Umbilical
- 669 Cerclage, cervix
- 692 Cesarean section, except low cervical
  - 691 Low cervical
- 763 Chemotherapy
- 758 Cholangiogram (intravenous) (percutaneous)
- 616 Cholecystectomy
- 758 Cholecystogram
- 617 Cholecystotomy
- 764 Circulatory monitoring
- 657 Circumcision, except newborn
- Closure
  - 617 Cholecystostomy
  - 601 Colostomy
  - Fistula – *see Fistulectomy*
  - 596 Gastric anastomosis
  - 601 Sigmoidostomy
  - 570 Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

OPERATION INDEX (continued)

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions – *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, exept of hand
728	Hand

OPERATION INDEX (continued)

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage – *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

OPERATION INDEX (continued)

Group Number **Title**

- 533 Epilation, eyelid
- 697 Episioperinorrhaphy
- 697 Episiorrhaphy
- 690 Episiotomy, except with forceps delivery
  - 687 With low forceps delivery
  - 689 With other forceps delivery
- 544 Epistaxis control, except by anterior packing
  - 557 Anterior packing
- 588 Esophagectomy
- 589 Esophagoscopy, except surgical approach
  - 619 Surgical approach
- 588 Esophagotomy
- 613 Evacuation, hemorrhoids
- Evisceration
  - 532 Eyeball
  - 673 Pelvic
- Examination
  - 764 Eye
  - 764 General physical
  - 764 Gynecologic
  - 764 Pelvic
  - 761 Psychiatric
- 763 Exchange transfusion, except intrauterine
  - 696 Intrauterine
- Excision – *see also Excision of lesion (and destruction of tissue)*
  - 610 Anal fistula
  - 727 Baker's cyst
  - 705 Bone, except facial
    - 699 Facial, except partial
      - 698 Partial
  - 556 Branchial cleft cyst
  - 704 Bunion
  - 517 Chalazion, eyelid
  - 599 Colon
  - 665 Fallopian tubes, bilateral, except endoscopic approach
    - 664 Endoscopic approach
  - 670 Fibroid, uterine
  - 616 Gallbladder
  - 508 Ganglion, except of tendon
    - 727 Tendon (of hand)
  - 612 Hemorrhoids

OPERATION INDEX (continued)

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

OPERATION INDEX (continued)

Group Number **Title**

- Excision of lesion (continued)
  - 660 Ovary
  - 550 Parotid gland
  - 658 Penis
  - Perineum
    - 683 Female
    - 747 Male
  - 508 Peripheral nerve
  - 607 Perirectal tissue
  - 626 Peritoneum
  - 606 Rectum
  - 550 Salivary gland
  - 524 Sclera
  - 651 Scrotum
  - 747 Skin, except radical and of pilonidal cyst or sinus
    - 746 Pilonidal cyst or sinus
    - 748 Radical
  - 501 Skull
  - 597 Small intestine
  - 507 Spinal meninges
  - 592 Stomach
  - 727 Tendon
  - 654 Testis
  - 552 Tongue
  - 559 Trachea
  - 635 Ureter
  - 640 Urethra
  - 679 Uterine ligament
  - 670 Uterus
  - 682 Vagina
  - 559 Vocal cord
  - 683 Vulva
- Exenteration
  - 532 Eyeball, orbit
  - 673 Pelvic
- Exploration
  - 627 Abdominal cavity
  - 617 Bile duct
  - 632 Kidney
- 627 Exploratory laparotomy
- 600 Exteriorization, intestine
- 579 Extracorporeal circulation

OPERATION INDEX (continued)

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

OPERATION INDEX (continued)

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

OPERATION INDEX (continued)

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus – *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) – *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) – *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

OPERATION INDEX (continued)

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

OPERATION INDEX (continued)

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

OPERATION INDEX (continued)

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

OPERATION INDEX (continued)

Group Number	Title
	Reduction (continued)
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia – *see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions – *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	Without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	With incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva

OPERATION INDEX (continued)

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula – *see Fistulectomy*
704	Hallux valgus
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
	Hernia – *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration – *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

OPERATION INDEX (continued)

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt – *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

OPERATION INDEX (continued)

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
	Stress incontinence repair, except by
644	urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture – *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown – *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction – *see Reduction, fracture*
	Transfer – *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

OPERATION INDEX (continued)

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray – *see Radiography*
751	Z-plasty, skin

R 3850-1.9 U

11/86

LOS

LENGTH OF STAY

CPHA PUBLICATIONS

Length of Stay
by Diagnosis,
Western Region, 1985

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1986

LENGTH OF STAY

Copyright 1986 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1985
. . . by Diagnosis, United States, North Central Region, 1985
. . . by Diagnosis, United States, Northeastern Region, 1985
. . . by Diagnosis, United States, Southern Region, 1985
. . . by Diagnosis, United States, Western Region, 1985
. . . by Diagnosis, Canada, 1985

. . . by Operation, United States, 1985
. . . by Operation, United States, North Central Region, 1985
. . . by Operation, United States, Northeastern Region, 1985
. . . by Operation, United States, Southern Region, 1985
. . . by Operation, United States, Western Region, 1985
. . . by Operation, Canada, 1985

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1985
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1985

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1985 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1985 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1985 LENGTH OF STAY BOOKS

Peg Eby, Research Assistant, Research Services
Carol A. Prevost, Research Associate
Jeanine DeLay, Assistant Director
Edward J. Kobrinski, Director

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data. 1
  Data Quality. 2
  Coverage 3
  Organization of Length of Stay Tables. 5
    Definition of Multiple Diagnosis Patients 5
    Definition of Operated Patients 5
  Explanation of Statistics. 6
  Defining the Extended Stay Case 7
Length of Stay Tables 17
  Summary of All Patients. 18
  Summary of All Patients Except Newborn 19
  Diagnosis Groups 1-398 20
Appendix: ***ICD-9-CM*** **Codes for Selected Diagnosis Groups** 219
Index to Length of Stay Tables 223

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.



** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.
January-December 1985

	Short-Term Nonfederal Hospitals			Short-Term Nonfederal Hospital Beds		
	U.S. Total[2]	Number in Books	Percent in Books	U.S. Total[2]	Number in Books	Percent in Books
Hospital Category						
Bedsize						
6-24	332	44	13.3	6,138	880	14.3
25-49	1,161	226	19.5	42,908	8,735	20.3
50-99	1,283	383	29.9	92,066	27,587	30.0
100-199	1,221	393	32.2	172,860	56,242	32.5
200-299	703	232	33.0	170,564	57,368	33.6
300-399	415	142	34.2	141,454	48,545	34.3
400-499	265	90	34.0	117,253	39,787	33.9
500+	307	73	23.8	212,299	47,783	22.5
Total	5,687	1,583	27.8	955,542	286,927	30.0
Region and Census Division						
Northeast	814	342	42.0	205,568	67,158	32.7
New England	241	131	54.4	48,426	20,234	41.8
Middle Atlantic	573	211	36.8	157,142	46,924	29.9
North Central	1,673	515	30.8	267,603	105,699	39.5
East North Central	880	418	47.5	182,843	90,510	49.5
West North Central	793	97	12.2	84,760	15,189	17.9
South	2,139	366	17.1	338,647	61,836	18.3
South Atlantic	810	186	23.0	158,360	34,351	21.7
East South Central	496	89	17.9	71,653	13,196	18.4
West South Central	833	91	10.9	108,634	14,289	13.2
West	1,061	360	33.9	143,724	52,234	36.3
Mountain	370	153	41.4	40,264	19,940	49.5
Pacific	691	207	30.0	103,460	32,294	31.2
Total	5,687	1,583	27.8	955,542	286,927	30.0

The Pediatric book was compiled from the data of 1,569 hospitals. The Geriatric book was compiled from the data of 1,559 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1984 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients

Operated patients are patients who had at least one UHDDS[3] Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g.			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	2		**215**
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.



DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	**Cholelithiasis**
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis INDEX TO DISEASES

- **Cholangitis** (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  - chronic nonsuppurative destructive 571.6
  - nonsuppurative destructive (chronic) 571.6
- **Cholecystdocholithiasis** — *see* Choledocholithiasis
- **Cholecystitis** (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

- with
  - calculus, stones in
    - bile duct (common) (hepatic) 574.4
    - gallbladder 574.1
  - choledocholithiasis 574.4
  - cholelithiasis 574.1
- acute 575.0
  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.3
      - gallbladder 574.0
    - choledocholithiasis 574.3
    - cholelithiasis 574.0
- emphysematous (acute) (*see also* Cholecystitis, acute) 575.0
- gangrenous (*see also* Cholecystitis, acute) 575.0
- paratyphoidal, current (*see also* Fever, paratyphoid) 002.9
- suppurative (*see also* cholecystitis, acute) 575.0
- typhoidal 002.0
- **Choledochitis** (suppurative) 576.1
- **Choledocholith** — *see* Choledocholithiasis
- **Choledocholithiasis** 574.5

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

- with cholecystitis (chronic) 574.4
  - acute 574.3
- **Cholelithiasis** (impacted) (multiple) 574.2

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

- with cholecystitis (chronic) 574.1
  - acute 574.0
- **Cholemia** (*see also* Jaundice) 782.4
  - familial 277.4
  - Gilbert's (familial nonhemolytic) 277.4
- **Cholemic gallstone** — *see* Cholelithiasis
- **Choleperitoneum, choleperitonitis** (*see also* Disease, gallbladder) 567.8
- **Cholera** (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  - antimonial 985.4
  - carrier (suspected) of V02.0
  - classical 001.0
  - contact V01.0
  - due to
    - Vibrio
      - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        - El Tor 001.1
  - El Tor 001.1
  - exposure to V01.0
  - vaccination, prophylactic (against) V03.0
- **Cholerine** (*see also* Cholera) 001.9
- **Cholestasis** (*see also* Disease, gallbladder) 575.8
- **Cholesteatoma** (ear) 385.30
  - attic (primary) 385.31
  - diffuse 385.35
  - external ear (canal) 380.21
  - marginal (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
    - secondary (with middle ear involvement) 385.33
  - mastoid cavity 385.30
  - middle ear 385.30
    - secondary 385.32
      - with involvement of mastoid cavity 385.33
  - postmastoidectomy cavity (recurrent) 383.32
  - primary 385.31
  - recurrent, postmastoidectomy cavity 383.32
  - secondary (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
- **Cholesteatosis** (middle ear) (*see also* Cholesteatoma) 385.30
  - diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	4.7	10	1	2	4	6	9	11	15
20-34	1472	4.4	10	1	1	4	6	8	10	16
35-49	1964	5.2	14	1	2	4	7	9	12	17
50-64	3826	5.8	15	2	2	5	7	10	13	19
65+	7503	7.6	32	2	3	6	10	14	17	28
B. *Operated*										
0-19 YRS	671	9.6	30	5	5	8	11	15	17	32
20-34	9073	9.2	24	5	5	8	11	14	17	27
35-49	11544	9.9	27	5	6	8	12	16	19	30
50-64	17699	11.4	41	5	6	10	13	18	23	35
65+	18538	15.1	82	6	7	13	18	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6693	4.1	9	1	1	3	5	8	9	14
B. *Operated*	50291	8.3	14	5	5	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	14921	6.5	24	2	2	5	8	12	15	25
B. *Operated*	57525	11.9	54	5	6	10	14	20	25	41
1. SINGLE DX	56984	7.8	15	3	4	7	9	12	14	21
2. MULTIPLE DX	72446	10.8	53	3	5	9	13	19	24	39
A. NOT OPERATED	21614	5.7	21	1	2	5	7	11	14	22
B. OPERATED	107816	10.2	38	5	6	8	12	17	21	34
TOTAL 0-19 YRS	2325	7.5	19	2	3	7	9	12	14	22
20-34	27293	7.6	16	3	4	7	9	12	14	21
35-49	28151	8.3	21	3	4	7	10	13	16	24
50-64	36761	9.4	31	3	5	8	11	16	19	30
65+	34900	12.1	68	3	5	10	15	21	27	44
GRAND TOTAL	**129430**	**9.5**	**38**	**3**	**4**	**8**	**11**	**16**	**20**	**33**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 5. The patient is 47-years-old and therefore falls in the age group 35-49.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay
Tables

360 Hospitals, Western Region, January-December 1985

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	167710	2.3	8	<1	1	2	3	4	5	10
20-34	93536	2.6	16	<1	1	2	3	4	7	21
35-49	28963	3.8	25	<1	1	2	4	8	11	29
50-64	18371	4.0	21	1	1	3	5	8	11	26
65+	17555	4.4	24	1	1	3	5	8	11	25
B. *Operated*										
0-19 YRS	50601	2.4	7	<1	<1	2	3	5	6	12
20-34	121035	2.6	5	<1	1	2	3	5	6	11
35-49	51579	3.3	9	<1	1	2	4	7	9	14
50-64	39447	3.8	12	<1	1	3	5	8	10	15
65+	32361	4.8	18	<1	1	3	7	10	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	148534	4.0	44	1	1	3	4	6	11	43
20-34	81714	5.2	59	1	1	3	5	12	22	43
35-49	68625	5.5	48	1	1	3	6	12	20	35
50-64	102394	5.5	34	1	1	4	7	11	15	30
65+	246420	6.1	31	1	2	5	8	12	16	28
B. *Operated*										
0-19 YRS	48586	5.3	86	<1	1	3	5	11	20	61
20-34	157246	4.2	25	1	1	3	5	7	10	27
35-49	96586	5.6	40	1	1	4	6	10	15	34
50-64	106746	6.9	58	1	1	5	9	14	20	40
65+	170624	8.6	69	1	1	7	11	17	23	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	326135	2.7	14	<1	1	2	3	5	7	18
B. *Operated*	295023	3.1	9	<1	1	2	4	6	9	14
2. MULTIPLE DX										
A. *Not Operated*	647687	5.4	40	1	1	4	6	11	16	34
B. *Operated*	579788	6.3	55	1	1	4	8	13	19	40
1. SINGLE DX	621158	2.9	12	<1	1	2	3	6	8	16
2. MULTIPLE DX	1227475	5.8	47	1	1	4	7	12	17	37
A. NOT OPERATED	973822	4.5	33	1	1	3	5	9	13	30
B. OPERATED	874811	5.2	42	1	1	3	6	11	16	33
TOTAL 0-19 YRS	415431	3.3	31	<1	1	2	3	5	8	32
20-34	453531	3.6	25	<1	1	2	4	6	10	28
35-49	245753	4.9	35	1	1	3	6	9	14	31
50-64	266958	5.7	41	1	1	4	7	12	16	33
65+	466960	6.9	46	1	1	5	9	14	18	35
GRAND TOTAL	**1848633**	**4.8**	**37**	**1**	**1**	**3**	**6**	**10**	**15**	**32**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47078	2.9	24	<1	1	2	3	5	7	28
20-34	93536	2.6	16	<1	1	2	3	4	7	21
35-49	28963	3.8	25	<1	1	2	4	8	11	29
50-64	18371	4.0	21	1	1	3	5	8	11	26
65+	17555	4.4	24	1	1	3	5	8	11	25
B. *Operated*										
0-19 YRS	50566	2.4	7	<1	<1	2	3	5	6	12
20-34	121035	2.6	5	<1	1	2	3	5	6	11
35-49	51579	3.3	9	<1	1	2	4	7	9	14
50-64	39447	3.8	12	<1	1	3	5	8	10	15
65+	32361	4.8	18	<1	1	3	7	10	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62510	5.2	88	1	1	3	4	10	23	56
20-34	81714	5.2	59	1	1	3	5	12	22	43
35-49	68625	5.5	48	1	1	3	6	12	20	35
50-64	102394	5.5	34	1	1	4	7	11	15	30
65+	246420	6.1	31	1	2	5	8	12	16	28
B. *Operated*										
0-19 YRS	44842	4.3	46	<1	1	2	5	9	14	38
20-34	157246	4.2	25	1	1	3	5	7	10	27
35-49	96586	5.6	40	1	1	4	6	10	15	34
50-64	106746	6.9	58	1	1	5	9	14	20	40
65+	170624	8.6	69	1	1	7	11	17	23	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	205503	3.1	21	<1	1	2	3	6	9	25
B. *Operated*	294988	3.1	9	<1	1	2	4	6	9	14
2. MULTIPLE DX										
A. *Not Operated*	561663	5.7	44	1	1	4	7	11	17	36
B. *Operated*	576044	6.2	52	1	1	4	8	13	18	38
1. SINGLE DX	500491	3.1	14	<1	1	2	4	6	9	17
2. MULTIPLE DX	1137707	6.0	48	1	1	4	7	12	18	37
A. NOT OPERATED	767166	5.0	39	1	1	3	6	10	15	33
B. OPERATED	871032	5.2	39	<1	1	3	6	11	15	32
TOTAL 0-19 YRS	204996	3.8	45	<1	1	2	4	7	12	42
20-34	453531	3.6	25	<1	1	2	4	6	10	28
35-49	245753	4.9	35	1	1	3	6	9	14	31
50-64	266958	5.7	41	1	1	4	7	12	16	33
65+	466960	6.9	46	1	1	5	9	14	18	35
GRAND TOTAL	**1638198**	**5.1**	**39**	**1**	**1**	**3**	**6**	**11**	**15**	**32**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	234	4.1	8	1	1	3	5	8	11	13
20-34	14	3.8	10	1	1	3	5	7	12	13
35-49	13	4.6	4	2	2	4	6	7	8	8
50-64	16	4.7	13	1	1	4	6	11	12	12
65+	33	5.9	16	1	2	5	7	10	15	21
B. *Operated*										
0-19 YRS	4	8.8	7	5	5	9	10	11	11	11
20-34	2	25.0	578	8	8	25	42	42	42	42
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+	2	9.0	8	7	7	9	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	515	5.5	17	1	2	4	7	11	14	19
20-34	216	7.2	24	2	3	6	9	13	16	28
35-49	260	8.4	47	2	3	7	10	15	20	33
50-64	562	8.9	45	3	4	7	11	15	19	30
65+	2665	9.4	38	3	4	8	11	16	20	32
B. *Operated*										
0-19 YRS	59	13.0	111	2	3	10	17	26	32	60
20-34	91	14.2	192	3	4	10	18	31	45	99+
35-49	128	15.2	173	3	4	13	19	36	53	99+
50-64	236	16.2	190	3	5	12	20	34	44	78
65+	673	17.7	155	6	7	14	22	33	44	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	310	4.3	9	1	1	3	6	8	11	14
B. *Operated*	9	12.0	132	5	5	9	11	30	42	42
2. MULTIPLE DX										
A. *Not Operated*	4218	8.7	38	2	3	7	11	15	19	30
B. *Operated*	1187	16.6	166	4	5	13	21	33	44	92
1. SINGLE DX	319	4.5	14	1	1	4	6	9	11	15
2. MULTIPLE DX	5405	10.4	76	3	3	8	12	19	27	48
A. NOT OPERATED	4528	8.4	37	2	3	7	10	15	19	30
B. OPERATED	1196	16.6	166	4	5	13	21	33	44	91
TOTAL 0-19 YRS	812	5.6	25	1	2	4	7	11	14	26
20-34	323	9.1	85	2	3	7	10	19	28	77
35-49	402	10.5	96	2	3	7	13	21	31	68
50-64	814	10.9	98	3	4	8	12	20	28	58
65+	3373	11.0	72	3	4	9	13	20	27	46
GRAND TOTAL	**5724**	**10.1**	**75**	**2**	**3**	**8**	**12**	**19**	**26**	**46**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	164	5.4	22	1	1	4	8	10	11	16
20-34	43	4.5	11	1	2	3	6	9	12	14
35-49	29	6.4	20	2	2	5	8	15	16	16
50-64	12	4.7	19	1	1	3	6	11	15	16
65+	13	5.2	4	2	2	6	6	7	8	8
B. *Operated*										
0-19 YRS	13	7.6	89	<1	<1	6	9	16	33	37
20-34	9	4.8	9	2	2	4	6	10	10	10
35-49	7	5.9	7	3	3	7	7	9	10	10
50-64	7	9.6	49	1	2	8	16	20	20	20
65+	4	11.0	134	2	2	7	18	28	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	164	7.3	30	2	2	6	10	13	15	31
20-34	92	4.7	14	2	2	3	6	9	14	20
35-49	38	6.5	36	2	2	4	8	15	19	29
50-64	70	7.9	37	2	2	6	9	16	20	33
65+	162	7.4	36	2	3	6	9	14	17	22
B. *Operated*										
0-19 YRS	20	9.2	159	<1	<1	5	10	25	43	52
20-34	27	8.9	33	1	3	8	13	17	22	23
35-49	33	11.4	191	1	1	7	13	26	45	66
50-64	38	17.4	216	3	4	12	25	34	49	68
65+	64	14.6	144	3	5	12	19	27	36	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	261	5.3	19	1	1	4	7	10	12	16
B. *Operated*	40	7.4	52	<1	1	6	9	14	24	37
2. MULTIPLE DX										
A. *Not Operated*	526	6.9	31	2	2	5	9	14	16	27
B. *Operated*	182	13.2	159	1	3	9	17	28	35	65
1. SINGLE DX	301	5.6	23	1	1	4	8	10	12	24
2. MULTIPLE DX	708	8.5	72	2	2	6	10	16	23	50
A. NOT OPERATED	787	6.4	28	1	2	5	9	12	15	25
B. OPERATED	222	12.1	145	1	2	8	15	26	34	65
TOTAL 0-19 YRS	361	6.6	36	1	2	5	9	11	14	37
20-34	171	5.3	18	1	2	4	7	11	14	22
35-49	107	7.9	81	2	2	5	9	16	23	56
50-64	127	10.5	109	2	2	7	12	24	32	60
65+	243	9.2	74	2	3	7	12	18	23	58
GRAND TOTAL	**1009**	**7.6**	**59**	**1**	**2**	**6**	**10**	**15**	**21**	**42**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	815	2.5	7	1	1	2	3	5	6	13
20-34	488	2.5	3	1	1	2	3	4	6	10
35-49	202	2.8	4	1	1	2	3	5	7	10
50-64	131	2.6	3	<1	1	2	3	4	6	9
65+	79	2.9	3	1	1	2	4	6	7	9
B. *Operated*										
0-19 YRS	21	4.7	10	1	2	4	5	8	13	16
20-34	36	5.2	21	1	2	4	6	10	17	23
35-49	18	6.1	22	1	2	5	9	13	16	18
50-64	8	5.9	12	2	2	5	8	11	11	11
65+	5	4.4	3	2	2	4	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1671	3.0	11	1	1	2	3	5	7	13
20-34	864	2.7	4	1	1	2	3	5	6	11
35-49	576	3.3	6	1	1	3	4	6	8	12
50-64	523	3.7	14	1	1	3	4	7	9	14
65+	1074	4.6	13	1	2	4	6	8	11	19
B. *Operated*										
0-19 YRS	54	8.4	91	2	3	5	10	17	31	44
20-34	88	5.6	22	1	2	4	7	14	19	70
35-49	51	10.2	106	2	3	7	10	20	35	51
50-64	53	6.9	31	2	2	5	9	13	21	26
65+	95	8.4	57	2	3	6	10	16	23	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1715	2.6	5	1	1	2	3	5	6	10
B. *Operated*	88	5.3	17	2	2	4	6	11	14	21
2. MULTIPLE DX										
A. *Not Operated*	4708	3.4	10	1	1	3	4	6	8	14
B. *Operated*	341	7.7	58	2	2	6	9	15	24	47
1. SINGLE DX	1803	2.7	6	1	1	2	3	5	7	12
2. MULTIPLE DX	5049	3.7	15	1	1	3	4	7	9	18
A. NOT OPERATED	6423	3.2	9	1	1	2	4	6	8	14
B. OPERATED	429	7.2	51	2	2	5	8	14	21	45
TOTAL 0-19 YRS	2561	3.0	12	1	1	2	3	5	7	15
20-34	1476	2.8	6	1	1	2	3	5	7	14
35-49	847	3.6	14	1	1	3	4	7	9	17
50-64	715	3.8	14	1	1	3	4	7	9	16
65+	1253	4.8	17	1	2	4	6	9	12	23
GRAND TOTAL	**6852**	**3.4**	**13**	**1**	**1**	**3**	**4**	**6**	**9**	**16**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	3.6	8	1	1	3	4	8	10	11
20-34	12	10.8	52	2	3	10	13	21	27	28
35-49	8	11.4	123	3	3	7	14	31	36	36
50-64	7	6.0	17	2	2	5	7	13	14	14
65+	9	5.3	12	1	1	6	7	10	12	12
B. *Operated*										
0-19 YRS	3	10.0	49	2	2	13	14	15	15	15
20-34	12	6.7	15	2	3	7	7	11	16	17
35-49	4	5.5	6	2	2	6	7	7	7	7
50-64	5	4.6	21	1	1	2	7	12	12	12
65+	6	10.3	57	5	5	7	12	24	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	6.9	21	1	1	8	10	13	13	13
20-34	35	10.6	78	2	2	7	16	21	31	39
35-49	28	10.5	150	2	3	7	13	25	36	60
50-64	34	9.1	74	3	4	7	11	17	18	51
65+	77	12.0	77	2	3	10	15	22	30	42
B. *Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	15	15.4	162	1	2	14	20	28	44	50
35-49	25	12.3	154	3	4	9	13	20	40	64
50-64	33	10.7	49	3	4	8	15	23	25	27
65+	68	13.2	62	4	4	11	17	25	29	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	7.2	46	1	2	5	9	14	19	36
B. *Operated*	30	7.2	27	2	2	7	7	14	17	25
2. MULTIPLE DX										
A. *Not Operated*	181	10.7	86	2	3	8	13	21	30	49
B. *Operated*	143	12.5	85	3	4	10	16	25	29	51
1. SINGLE DX	80	7.2	38	1	2	6	9	14	18	34
2. MULTIPLE DX	324	11.5	86	3	3	9	15	22	29	50
A. NOT OPERATED	231	10.0	79	2	3	7	13	19	29	45
B. OPERATED	173	11.6	79	2	4	9	15	24	28	47
TOTAL 0-19 YRS	26	5.2	18	1	1	3	8	13	14	15
20-34	74	10.9	85	2	2	8	16	21	28	47
35-49	65	11.0	137	2	3	7	13	20	34	63
50-64	79	9.2	57	2	3	7	12	18	24	44
65+	160	12.1	68	3	3	10	16	24	29	38
GRAND TOTAL	**404**	**10.7**	**79**	**2**	**3**	**8**	**14**	**21**	**28**	**46**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	1	27.0		27	27	27	27	27	27	27
65+	1	19.0		19	19	19	19	19	19	19
B. *Operated*										
0-19 YRS										
20-34	4	2.8	12	1	1	1	5	8	8	8
35-49	6	13.7	231	1	1	6	31	35	35	35
50-64										
65+	4	6.0	13	2	2	6	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0		3	3	3	3	3	3	3
20-34	4	15.8	341	3	3	8	27	43	43	43
35-49	6	12.7	24	8	8	11	17	20	20	20
50-64	8	8.5	55	3	3	6	10	21	25	25
65+	10	10.3	58	<1	1	10	18	19	20	20
B. *Operated*										
0-19 YRS	6	7.8	86	<1	<1	3	14	23	24	24
20-34	7	10.9	76	1	1	9	15	25	27	27
35-49	8	19.9	604	<1	1	9	27	63	73	73
50-64	12	15.9	68	2	5	17	23	27	27	27
65+	21	19.2	230	3	3	19	27	55	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	15.7	177	1	1	19	25	27	27	27
B. *Operated*	14	8.4	119	1	1	4	8	31	34	35
2. MULTIPLE DX										
A. *Not Operated*	31	10.3	80	2	3	7	15	20	25	43
B. *Operated*	54	16.2	215	1	3	12	25	30	56	99
1. SINGLE DX	17	9.6	127	1	1	4	12	30	34	35
2. MULTIPLE DX	85	14.1	172	1	3	10	20	27	45	90
A. NOT OPERATED	34	10.8	85	1	3	8	17	21	27	43
B. OPERATED	68	14.6	203	1	1	10	23	31	54	95
TOTAL 0-19 YRS	9	6.2	60	<1	<1	3	6	20	24	24
20-34	16	9.4	129	1	1	7	11	26	38	43
35-49	20	15.9	301	<1	2	9	18	37	56	73
50-64	21	13.6	79	2	3	12	22	27	27	27
65+	36	15.3	174	2	3	14	21	30	56	99+
GRAND TOTAL	**102**	**13.3**	**166**	**1**	**1**	**9**	**19**	**28**	**41**	**86**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	82	2.5	5	1	1	2	3	4	5	16
20-34	49	2.2	1	1	1	2	3	4	4	5
35-49	17	2.9	1	2	2	2	4	4	5	6
50-64	4	3.0	5	1	1	2	4	6	6	6
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	25	1.3	1	<1	<1	1	1	2	3	5
20-34	11	1.5	1	1	1	1	2	3	4	4
35-49	2	1.0		1	1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	254	2.4	2	1	1	2	3	4	6	7
20-34	135	2.8	2	1	1	3	4	5	6	7
35-49	47	3.1	4	1	1	3	4	6	7	11
50-64	27	3.6	5	2	2	3	3	6	9	12
65+	22	4.8	7	2	2	4	6	9	10	12
B. *Operated*										
0-19 YRS	17	2.2	11	1	1	1	1	5	11	14
20-34	7	1.6	1	1	1	1	2	3	3	3
35-49	3	5.0	12	1	1	7	7	7	7	7
50-64	2	3.0	8	<1	<1	2	5	5	5	5
65+	2	5.5	1	5	5	5	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	153	2.5	4	1	1	2	3	4	5	10
B. *Operated*	38	1.4	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	485	2.8	3	1	1	2	3	5	6	9
B. *Operated*	31	2.6	8	1	1	1	4	6	7	14
1. SINGLE DX	191	2.3	3	1	1	2	3	4	5	9
2. MULTIPLE DX	516	2.8	3	1	1	2	3	5	6	9
A. NOT OPERATED	638	2.7	3	1	1	2	3	4	6	9
B. OPERATED	69	1.9	4	<1	1	1	2	5	6	13
TOTAL 0-19 YRS	378	2.4	3	1	1	2	3	4	5	9
20-34	202	2.6	2	1	1	2	3	4	5	7
35-49	69	3.1	4	1	1	3	4	6	7	10
50-64	33	3.5	5	1	2	3	4	6	8	12
65+	25	4.8	6	2	3	4	6	8	10	12
GRAND TOTAL	**707**	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**6**	**9**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

				PERCENTILES						
TYPE OF PATIENT (1)	**TOTAL PATIENTS (2)**	**AVG. STAY (3)**	**VARI-ANCE (4)**	**5TH (5)**	**10TH (6)**	**50TH (7)**	**75TH (8)**	**90TH (9)**	**95TH (10)**	**99TH (11)**
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	542	3.0	3	1	1	3	4	5	6	9
20-34	328	3.1	3	1	1	3	4	5	6	10
35-49	82	3.2	5	1	1	3	4	5	7	13
50-64	11	3.4	3	1	1	3	5	6	6	6
65+	3	5.0	1	4	4	5	6	6	6	6
B. *Operated*										
0-19 YRS	4	3.3	4	1	1	3	5	6	6	6
20-34	8	4.9	7	3	3	4	6	9	10	10
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	265	3.7	9	1	2	3	4	6	9	13
20-34	187	4.4	12	1	1	4	6	8	9	22
35-49	83	4.6	11	1	2	4	6	8	11	18
50-64	33	6.6	21	1	2	6	9	13	14	22
65+	19	5.5	14	2	3	4	7	10	14	17
B. *Operated*										
0-19 YRS	10	17.9	593	1	1	12	16	57	81	81
20-34	9	9.8	69	3	3	8	9	23	31	31
35-49	2	18.0	18	15	15	18	21	21	21	21
50-64	5	12.4	78	7	7	8	15	28	28	28
65+	3	7.7	6	5	5	8	9	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	966	3.1	3	1	1	3	4	5	6	10
B. *Operated*	13	4.2	6	1	2	3	5	8	10	10
2. MULTIPLE DX										
A. *Not Operated*	587	4.3	11	1	2	3	5	8	10	19
B. *Operated*	29	13.4	239	2	2	8	15	30	36	81
1. SINGLE DX	979	3.1	3	1	1	3	4	5	6	10
2. MULTIPLE DX	616	4.7	26	1	2	3	6	8	12	25
A. NOT OPERATED	1553	3.5	7	1	1	3	4	6	8	13
B. OPERATED	42	10.5	184	1	2	7	11	23	32	81
TOTAL 0-19 YRS	821	3.4	14	1	1	3	4	5	7	13
20-34	532	3.7	8	1	1	3	5	7	8	14
35-49	167	4.1	11	1	1	3	5	8	11	19
50-64	50	6.4	27	1	2	5	8	12	14	28
65+	25	5.7	11	2	3	5	7	10	12	17
GRAND TOTAL	**1595**	**3.7**	**12**	**1**	**1**	**3**	**4**	**6**	**8**	**15**

8: Viral diseases with exanthem (050-057)

				PERCENTILES						
TYPE OF PATIENT (1)	**TOTAL PATIENTS (2)**	**AVG. STAY (3)**	**VARI-ANCE (4)**	**5TH (5)**	**10TH (6)**	**50TH (7)**	**75TH (8)**	**90TH (9)**	**95TH (10)**	**99TH (11)**
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	103	3.2	7	1	1	2	3	7	8	14
20-34	70	4.2	6	1	1	4	6	8	9	13
35-49	24	4.1	4	1	2	4	5	7	8	8
50-64	31	3.9	3	1	2	4	5	6	7	8
65+	62	4.5	9	1	1	4	6	8	10	16
B. *Operated*										
0-19 YRS	3	5.3	34	1	1	3	10	12	12	12
20-34	3	5.0	4	3	3	5	6	7	7	7
35-49	5	2.2	1	1	1	2	3	4	4	4
50-64	4	1.8	1	1	1	2	2	3	3	3
65+	7	4.0	11	1	1	3	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	312	3.7	7	1	1	3	4	7	9	13
20-34	122	5.6	82	1	2	4	6	9	12	45
35-49	78	6.3	43	2	2	5	7	10	14	44
50-64	163	6.9	19	2	3	6	9	12	15	22
65+	589	7.0	28	2	2	6	8	14	18	29
B. *Operated*										
0-19 YRS	9	13.8	227	3	3	6	18	40	49	49
20-34	20	11.0	199	1	1	6	11	25	44	62
35-49	15	7.1	21	2	3	6	10	19	76	99+
50-64	30	11.3	140	1	2	8	14	27	37	54
65+	66	11.6	116	1	2	9	16	25	29	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	290	3.9	7	1	1	3	5	8	8	13
B. *Operated*	22	3.5	9	1	1	3	4	8	10	12
2. MULTIPLE DX										
A. *Not Operated*	1264	6.0	30	1	2	5	7	11	15	24
B. *Operated*	140	11.1	128	1	2	8	14	25	33	71
1. SINGLE DX	312	3.8	7	1	1	3	5	8	9	13
2. MULTIPLE DX	1404	6.5	42	1	2	5	8	12	18	32
A. NOT OPERATED	1554	5.6	26	1	2	4	7	10	14	23
B. OPERATED	162	10.1	119	1	1	7	13	24	30	67
TOTAL 0-19 YRS	427	3.8	14	1	1	3	4	7	10	15
20-34	215	5.6	70	1	2	4	6	9	13	39
35-49	122	5.8	32	2	2	4	7	10	13	63
50-64	228	7.0	36	1	2	6	8	13	16	32
65+	724	7.2	37	2	2	6	9	15	19	32
GRAND TOTAL	**1716**	**6.0**	**37**	**1**	**2**	**4**	**7**	**11**	**16**	**29**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	3.6	5	1	1	3	5	6	8	10
20-34	172	4.5	10	1	2	4	6	8	9	18
35-49	43	5.7	14	1	2	5	8	10	13	19
50-64	28	6.8	31	2	3	5	8	12	15	31
65+	9	5.2	8	2	2	5	8	9	9	9
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	10	1.2		<1	<1	1	1	2	2	2
35-49	13	2.1	9	1	1	1	2	5	11	12
50-64	4	3.5	19	1	1	2	6	10	10	10
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	4.5	8	1	2	4	6	8	10	14
20-34	256	4.9	28	1	2	4	6	8	10	37
35-49	104	5.2	14	1	2	4	6	10	13	20
50-64	89	5.6	21	1	2	5	7	10	13	28
65+	81	7.2	23	2	3	6	8	14	19	23
B. *Operated*										
0-19 YRS	2	7.0	50	2	2	7	12	12	12	12
20-34	18	7.5	41	1	2	6	11	14	22	28
35-49	10	11.9	125	1	1	10	16	28	39	39
50-64	16	16.0	533	1	1	8	15	45	78	91
65+	14	19.0	609	1	3	9	10	64	69	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	320	4.7	12	1	2	4	6	8	10	18
B. *Operated*	29	1.9	7	<1	<1	1	2	3	10	12
2. MULTIPLE DX										
A. *Not Operated*	592	5.3	22	1	2	4	7	9	13	20
B. *Operated*	60	13.2	323	1	1	7	12	33	60	89
1. SINGLE DX	349	4.5	12	1	1	4	6	8	10	18
2. MULTIPLE DX	652	6.0	55	1	2	4	7	10	14	44
A. NOT OPERATED	912	5.1	19	1	2	4	6	9	12	20
B. OPERATED	89	9.5	247	1	1	5	10	19	48	83
TOTAL 0-19 YRS	133	4.0	7	1	1	3	6	7	9	12
20-34	456	4.7	22	1	1	4	6	8	10	23
35-49	170	5.5	23	1	1	4	7	12	14	20
50-64	137	7.0	90	1	2	5	8	12	16	54
65+	105	8.6	112	2	2	6	9	14	20	67
GRAND TOTAL	**1001**	**5.5**	**40**	**1**	**1**	**4**	**6**	**9**	**13**	**33**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	114	3.2	4	1	1	3	4	5	6	13
20-34	31	2.9	3	1	1	2	3	6	7	7
35-49	13	5.2	6	2	2	5	7	8	10	10
50-64	2	2.0	2	1	1	2	3	3	3	3
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	282	3.0	3	1	1	3	4	5	6	9
20-34	77	4.4	11	2	2	3	5	9	12	17
35-49	23	4.8	11	1	1	4	7	10	11	11
50-64	6	4.8	8	2	2	4	7	9	9	9
65+	3	6.0	16	2	2	6	9	10	10	10
B. *Operated*										
0-19 YRS	6	7.8	12	3	3	8	11	12	12	12
20-34	7	9.6	25	4	4	9	11	17	19	19
35-49	3	19.0	243	10	10	10	30	37	37	37
50-64	3	4.3	10	2	2	3	7	8	8	8
65+	1	8.0		8	8	8	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	160	3.3	4	1	1	3	4	5	7	10
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	391	3.5	5	1	1	3	4	6	8	12
B. *Operated*	20	9.6	57	2	3	9	11	15	28	37
1. SINGLE DX	160	3.3	4	1	1	3	4	5	7	10
2. MULTIPLE DX	411	3.8	9	1	1	3	4	7	9	14
A. NOT OPERATED	551	3.4	5	1	1	3	4	6	8	11
B. OPERATED	20	9.6	57	2	3	9	11	15	28	37
TOTAL 0-19 YRS	402	3.2	3	1	1	3	4	5	6	10
20-34	115	4.3	11	1	2	3	5	9	11	18
35-49	39	6.0	35	1	1	5	8	10	11	37
50-64	11	4.2	7	1	1	3	6	8	9	9
65+	4	6.5	12	2	2	7	9	10	10	10
GRAND TOTAL	**571**	**3.6**	**8**	**1**	**1**	**3**	**4**	**7**	**9**	**14**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	35	1.4	1	<1	<1	1	1	2	3	7
20-34	109	1.3		<1	<1	1	1	2	2	5
35-49	30	1.2		<1	<1	1	1	2	3	3
50-64	20	1.4	1	<1	<1	1	2	2	3	4
65+	4	2.5	6	<1	<1	1	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49										
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	9	1.8	1	1	1	1	3	4	4	4
20-34	50	2.6	6	<1	1	2	3	5	7	14
35-49	19	2.4	2	<1	1	2	3	5	5	5
50-64	9	3.8	8	<1	<1	3	5	8	10	10
65+	10	2.5	2	1	1	2	4	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.7		<1	<1	2	2	2	2	2
B. *Operated*	198	1.3	1	<1	<1	1	1	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	6	1.7	1	<1	<1	1	2	3	3	3
B. *Operated*	97	2.6	4	<1	1	2	3	5	6	12
1. SINGLE DX	201	1.3	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX	103	2.5	4	<1	1	2	3	5	6	12
A. NOT OPERATED	9	1.7	1	<1	<1	2	2	3	3	3
B. OPERATED	295	1.7	2	<1	<1	1	2	4	4	8
TOTAL 0-19 YRS	47	1.5	1	<1	<1	1	1	3	3	7
20-34	164	1.7	2	<1	<1	1	2	3	4	8
35-49	49	1.7	1	<1	<1	1	2	3	4	5
50-64	29	2.1	4	<1	<1	1	2	4	6	10
65+	15	2.4	3	<1	<1	2	4	5	6	6
GRAND TOTAL	**304**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	737	2.5	2	1	1	2	3	4	5	7
20-34	203	2.6	3	1	1	2	3	4	6	8
35-49	102	3.2	5	1	1	3	4	6	8	10
50-64	55	3.4	6	1	1	3	4	7	8	12
65+	45	4.5	90	1	1	2	4	7	9	65
B. *Operated*										
0-19 YRS	23	3.6	11	<1	1	3	4	9	12	14
20-34	11	5.1	17	1	1	5	9	11	11	11
35-49	10	3.7	9	<1	<1	3	5	8	10	10
50-64	6	6.8	52	<1	<1	4	7	20	21	21
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1115	2.8	9	1	1	2	3	4	6	11
20-34	419	3.1	15	1	1	2	4	5	7	14
35-49	328	3.2	8	1	1	3	4	6	8	19
50-64	272	3.7	7	1	1	3	5	6	8	14
65+	508	4.3	11	1	2	3	5	8	11	16
B. *Operated*										
0-19 YRS	27	10.8	196	1	2	6	11	30	45	61
20-34	30	6.6	15	1	2	6	8	12	16	16
35-49	42	10.2	153	1	2	6	12	24	41	62
50-64	35	10.0	81	1	2	7	13	29	33	99+
65+	31	10.7	57	2	3	8	15	24	26	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1142	2.7	6	1	1	2	3	4	6	9
B. *Operated*	51	4.4	16	<1	1	3	6	10	11	21
2. MULTIPLE DX										
A. *Not Operated*	2642	3.3	10	1	1	3	4	6	8	15
B. *Operated*	165	9.7	101	1	2	7	12	24	31	62
1. SINGLE DX	1193	2.8	7	1	1	2	3	4	6	10
2. MULTIPLE DX	2807	3.7	18	1	1	3	4	7	9	22
A. NOT OPERATED	3784	3.1	9	1	1	3	4	5	7	13
B. OPERATED	216	8.5	86	1	1	6	10	19	28	61
TOTAL 0-19 YRS	1902	2.8	10	1	1	2	3	4	6	12
20-34	663	3.1	12	1	1	2	4	6	7	14
35-49	482	3.8	24	1	1	3	4	7	10	23
50-64	368	4.3	18	1	1	3	5	8	12	28
65+	585	4.7	21	1	2	3	6	9	12	24
GRAND TOTAL	**4000**	**3.4**	**15**	**1**	**1**	**3**	**4**	**6**	**8**	**17**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.7	4	1	1	1	4	6	6	6
20-34	26	2.7	3	<1	1	2	3	5	6	8
35-49	17	4.4	6	1	2	3	6	9	10	10
50-64	6	5.5	9	2	2	5	7	10	10	10
65+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-19 YRS	2	6.0	18	3	3	6	9	9	9	9
20-34	1	9.0		9	9	9	9	9	9	9
35-49	1	11.0		11	11	11	11	11	11	11
50-64	1	4.0		4	4	4	4	4	4	4
65+	2	6.0		5	5	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	3.1	4	1	1	3	4	5	7	9
20-34	18	3.3	2	1	2	3	4	5	6	7
35-49	13	4.0	3	2	2	4	5	6	8	8
50-64	8	5.0	9	1	2	5	6	10	11	11
65+	7	4.0	10	1	1	3	5	9	10	10
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64	1	59.0		59	59	59	59	59	59	59
65+	2	10.0	162	1	1	10	19	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	3.4	5	1	1	3	4	7	8	10
B. *Operated*	7	6.9	9	3	3	7	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	65	3.7	4	1	1	3	5	6	8	11
B. *Operated*	5	17.2	598	1	1	5	29	59	59	59
1. SINGLE DX	67	3.8	7	1	1	3	5	8	9	11
2. MULTIPLE DX	70	4.6	51	1	1	3	5	7	10	51
A. NOT OPERATED	125	3.6	5	1	1	3	4	7	8	10
B. OPERATED	12	11.2	251	1	2	6	10	31	55	59
TOTAL 0-19 YRS	31	3.2	5	1	1	3	4	6	9	9
20-34	46	3.1	3	1	1	3	4	5	7	9
35-49	31	4.4	6	2	2	4	5	8	10	11
50-64	16	8.5	189	1	2	5	7	11	45	59
65+	13	5.0	25	1	1	4	6	12	18	19
GRAND TOTAL	**137**	**4.2**	**29**	**1**	**1**	**3**	**5**	**7**	**10**	**24**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	74	4.0	3	2	2	4	5	6	7	11
20-34	109	3.9	4	1	2	3	5	7	8	11
35-49	8	3.3	1	2	2	3	4	5	5	5
50-64	6	6.2	22	1	1	6	10	12	12	12
65+	1	15.0		15	15	15	15	15	15	15
B. *Operated*										
0-19 YRS	5	3.2	5	<1	<1	2	5	6	6	6
20-34	21	2.9	8	<1	<1	2	4	5	9	13
35-49	6	2.3	4	1	1	2	3	6	6	6
50-64	3	5.3	56	<1	<1	1	11	14	14	14
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	4.3	6	1	2	4	6	8	9	13
20-34	106	4.0	4	1	2	4	5	7	8	10
35-49	23	6.5	21	1	2	5	9	15	16	16
50-64	15	8.3	12	1	3	10	10	12	12	12
65+	17	8.5	94	<1	1	5	15	19	31	37
B. *Operated*										
0-19 YRS	9	5.9	24	2	2	4	6	14	18	18
20-34	38	6.4	21	1	2	6	8	13	16	22
35-49	13	7.1	24	<1	2	5	10	15	17	17
50-64	16	5.0	9	<1	1	5	7	9	10	11
65+	7	12.0	52	1	2	12	14	23	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	198	4.0	5	1	2	4	5	7	9	12
B. *Operated*	36	3.0	9	<1	<1	2	4	6	11	14
2. MULTIPLE DX										
A. *Not Operated*	224	5.0	16	1	2	4	6	10	11	18
B. *Operated*	83	6.7	24	1	2	5	8	13	17	24
1. SINGLE DX	234	3.9	6	1	2	3	5	6	9	13
2. MULTIPLE DX	307	5.5	18	1	2	4	7	10	14	20
A. NOT OPERATED	422	4.6	11	1	2	4	5	8	10	16
B. OPERATED	119	5.6	22	<1	1	4	8	13	15	23
TOTAL 0-19 YRS	151	4.2	6	1	2	4	5	7	8	13
20-34	274	4.2	8	1	2	4	5	7	9	15
35-49	50	5.6	19	1	1	4	7	13	16	17
50-64	40	6.5	16	<1	1	7	10	11	12	14
65+	26	9.5	79	<1	1	8	14	19	27	37
GRAND TOTAL	**541**	**4.8**	**13**	**1**	**2**	**4**	**6**	**9**	**12**	**17**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.9	5	<1	<1	2	3	7	8	8
20-34	9	4.9	29	1	1	3	4	13	19	19
35-49	7	11.4	269	1	1	4	13	41	47	47
50-64	3	4.7	14	2	2	3	7	9	9	9
65+	6	8.0	25	2	2	7	9	16	17	17
B. *Operated*										
0-19 YRS	3	6.0	21	<1	<1	7	9	10	10	10
20-34	6	7.3	13	4	4	6	11	12	12	12
35-49	13	7.2	38	1	1	6	8	17	22	23
50-64	23	8.1	100	1	2	6	9	11	26	52
65+	16	6.1	4	2	3	6	8	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	5.0	19	1	1	3	7	11	12	20
20-34	51	8.1	103	1	2	5	11	15	22	66
35-49	45	8.7	184	<1	1	5	8	21	32	80
50-64	31	6.2	7	2	2	6	8	10	10	11
65+	102	9.3	63	2	3	7	11	20	29	38
B. *Operated*										
0-19 YRS	4	21.0	388	4	4	20	38	40	40	40
20-34	54	20.4	428	2	4	13	28	67	76	99+
35-49	53	15.8	276	2	4	9	19	38	56	82
50-64	56	13.4	180	2	2	8	16	36	45	56
65+	75	13.9	135	1	3	10	22	28	40	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	6.3	74	1	1	3	8	15	19	47
B. *Operated*	61	7.2	48	1	2	6	8	11	14	49
2. MULTIPLE DX										
A. *Not Operated*	258	8.1	81	1	2	6	10	15	25	43
B. *Operated*	242	15.8	248	2	3	10	22	36	51	84
1. SINGLE DX	94	6.9	56	1	2	6	8	11	17	50
2. MULTIPLE DX	500	11.8	176	1	2	7	14	28	38	74
A. NOT OPERATED	291	7.9	81	1	2	5	10	15	24	46
B. OPERATED	303	14.0	219	2	3	8	17	32	45	80
TOTAL 0-19 YRS	44	6.1	64	<1	1	3	7	11	25	40
20-34	120	13.3	278	1	2	7	16	31	66	96
35-49	118	11.9	223	1	1	7	15	31	44	81
50-64	113	10.1	121	2	2	7	10	21	40	55
65+	199	10.8	90	2	3	8	13	24	30	48
GRAND TOTAL	**594**	**11.0**	**161**	**1**	**2**	**7**	**12**	**27**	**36**	**69**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	4	9.3	29	3	3	9	13	16	16	16
35-49	3	4.0	3	2	2	5	5	5	5	5
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	8	2.5	3	<1	<1	2	3	5	6	6
20-34	7	4.7	15	<1	<1	3	7	11	12	12
35-49	2	5.5	1	5	5	5	6	6	6	6
50-64	2	11.5	61	6	6	11	17	17	17	17
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	7.8	104	1	1	6	7	25	32	32
20-34	11	3.8	10	1	1	2	5	9	10	10
35-49	9	3.8	4	1	1	4	4	7	8	8
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	13.0		13	13	13	13	13	13	13
B. *Operated*										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	9	12.4	198	3	3	6	15	37	46	46
35-49	4	7.0	21	2	2	6	10	13	13	13
50-64	5	10.0	24	4	4	9	15	15	15	15
65+	1	27.0		27	27	27	27	27	27	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	6.2	21	<1	1	5	8	14	16	16
B. *Operated*	19	4.6	17	<1	<1	3	6	10	15	17
2. MULTIPLE DX										
A. *Not Operated*	30	5.1	35	1	1	3	7	9	13	32
B. *Operated*	22	10.3	108	2	3	6	13	24	35	46
1. SINGLE DX	28	5.1	18	<1	<1	4	6	11	16	17
2. MULTIPLE DX	52	7.3	71	1	1	4	8	15	27	46
A. NOT OPERATED	39	5.3	32	1	1	4	7	10	15	32
B. OPERATED	41	7.6	72	<1	2	5	8	16	25	46
TOTAL 0-19 YRS	20	4.9	46	<1	<1	3	6	7	20	32
20-34	31	7.2	76	1	2	5	9	14	23	46
35-49	18	4.7	8	1	2	4	6	8	11	13
50-64	8	9.3	34	1	2	8	15	16	17	17
65+	3	13.7	169	<1	<1	13	23	27	27	27
GRAND TOTAL	**80**	**6.5**	**53**	**<1**	**1**	**4**	**7**	**14**	**20**	**42**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.8	2	1	1	3	4	5	5	5
20-34	9	4.9	16	1	1	5	6	11	14	14
35-49	8	5.4	22	1	1	4	6	13	16	16
50-64	3	3.3	10	1	1	2	6	7	7	7
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS										
20-34	35	2.6	9	<1	1	1	3	7	8	15
35-49	22	3.5	7	<1	1	3	5	7	10	12
50-64	14	4.0	14	1	1	3	5	11	13	13
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	3.1	3	1	1	3	5	6	6	6
20-34	59	7.4	43	1	2	5	10	16	22	32
35-49	72	6.9	31	1	2	6	9	13	17	30
50-64	37	8.8	34	1	2	7	11	18	21	24
65+	36	5.9	11	1	2	5	8	10	13	13
B. *Operated*										
0-19 YRS	8	16.8	133	4	5	13	22	36	40	40
20-34	124	13.6	95	1	2	13	19	25	31	46
35-49	133	13.9	87	2	3	13	20	25	29	47
50-64	57	13.6	100	1	2	11	19	27	31	48
65+	19	9.9	57	1	2	8	13	19	28	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	4.3	14	1	1	3	6	7	14	16
B. *Operated*	71	3.2	10	<1	1	2	5	7	11	15
2. MULTIPLE DX										
A. *Not Operated*	220	6.9	31	1	2	6	9	13	18	28
B. *Operated*	341	13.6	92	1	2	12	19	25	31	46
1. SINGLE DX	98	3.5	11	1	1	2	5	7	12	16
2. MULTIPLE DX	561	11.0	78	1	2	9	16	22	27	44
A. NOT OPERATED	247	6.6	30	1	2	5	9	13	17	27
B. OPERATED	412	11.8	93	1	1	9	17	24	29	45
TOTAL 0-19 YRS	29	6.8	74	1	1	4	7	17	27	40
20-34	227	10.0	83	1	1	7	15	22	27	44
35-49	235	10.5	76	1	2	8	15	21	26	40
50-64	111	10.5	77	1	1	8	16	23	27	41
65+	57	7.1	30	1	2	7	10	13	14	31
GRAND TOTAL	**659**	**9.9**	**75**	**1**	**1**	**7**	**14**	**21**	**26**	**43**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
0-19 YRS										
20-34	1	15.0		15	15	15	15	15	15	15
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	2	3.0	8	1	1	3	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS										
20-34	2	11.0	50	6	6	11	16	16	16	16
35-49	1	13.0		13	13	13	13	13	13	13
50-64	5	10.6	29	4	4	13	14	17	17	17
65+	2	6.5	61	1	1	6	12	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	12.0		12	12	12	12	12	12	12
B. *Operated*	5	4.8	35	1	1	2	7	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*	10	10.1	29	1	2	12	13	16	17	17
1. SINGLE DX	6	6.0	37	1	1	3	12	15	15	15
2. MULTIPLE DX	12	8.9	32	1	1	9	13	16	17	17
A. NOT OPERATED	3	6.0	31	1	1	5	10	12	12	12
B. OPERATED	15	8.3	36	1	1	6	13	16	17	17
TOTAL 0-19 YRS										
20-34	3	12.3	30	6	6	15	16	16	16	16
35-49	3	5.3	44	1	1	2	10	13	13	13
50-64	8	7.5	37	1	1	5	13	16	17	17
65+	4	7.5	30	1	1	8	12	12	12	12
GRAND TOTAL	**18**	**7.9**	**34**	**1**	**1**	**6**	**13**	**16**	**17**	**17**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	5.0	17	2	2	3	7	11	11	11
50-64	9	4.6	11	1	1	4	6	10	12	12
65+	6	2.8	2	1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS	10	3.1	4	1	1	3	3	6	7	7
20-34	25	4.5	14	1	1	3	7	10	12	14
35-49	62	2.9	6	<1	1	2	4	7	8	10
50-64	147	3.8	18	<1	1	2	4	9	13	20
65+	132	3.3	11	<1	1	2	4	8	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3	10	2	2	3	7	8	8	8
20-34	6	3.8	10	<1	<1	3	5	9	9	9
35-49	14	6.1	33	<1	1	5	7	12	21	23
50-64	61	6.3	36	<1	1	5	8	11	15	38
65+	72	7.2	46	1	1	5	8	15	22	37
B. *Operated*										
0-19 YRS	7	7.6	56	1	1	4	11	20	22	22
20-34	14	7.6	49	<1	1	5	9	19	22	23
35-49	76	8.8	109	1	1	6	12	19	27	60
50-64	359	9.2	102	1	1	6	13	20	29	61
65+	468	9.7	131	1	1	6	13	22	30	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	4.1	9	1	1	3	5	9	12	12
B. *Operated*	376	3.5	13	<1	1	2	4	8	11	17
2. MULTIPLE DX										
A. *Not Operated*	156	6.6	39	1	1	5	8	11	17	38
B. *Operated*	924	9.4	116	1	1	6	13	21	29	61
1. SINGLE DX	395	3.5	13	<1	1	2	4	8	11	17
2. MULTIPLE DX	1080	9.0	106	1	1	6	12	20	28	58
A. NOT OPERATED	175	6.3	36	1	1	5	8	11	16	37
B. OPERATED	1300	7.7	93	1	1	4	10	18	24	52
TOTAL 0-19 YRS	20	4.9	25	1	1	3	6	10	16	22
20-34	45	5.4	25	<1	1	4	7	11	18	23
35-49	156	6.1	66	1	1	3	8	15	20	36
50-64	576	7.4	77	<1	1	5	10	16	23	48
65+	678	8.1	104	1	1	5	10	19	27	56
GRAND TOTAL	**1475**	**7.5**	**87**	**1**	**1**	**4**	**9**	**17**	**24**	**51**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	6	2.8	3	<1	<1	3	4	5	5	5
65+	4	3.3	4	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	23	5.1	13	1	1	4	9	10	11	11
65+	16	5.2	20	<1	1	3	8	12	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	5	6.4	58	2	2	3	8	20	20	20
50-64	36	6.3	21	1	2	5	9	13	16	20
65+	47	6.6	51	1	2	4	7	16	20	41
B. *Operated*										
0-19 YRS										
20-34	2	11.5	221	1	1	11	22	22	22	22
35-49	16	12.8	91	1	1	12	15	28	35	38
50-64	104	13.9	164	1	2	12	17	29	39	70
65+	170	13.4	142	1	2	11	17	30	39	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.0	3	<1	<1	3	5	5	5	5
B. *Operated*	41	5.0	15	1	1	4	8	11	12	14
2. MULTIPLE DX										
A. *Not Operated*	89	6.4	38	1	2	4	8	15	19	34
B. *Operated*	292	13.5	146	1	2	11	17	30	38	75
1. SINGLE DX	51	4.6	13	1	1	4	7	10	11	14
2. MULTIPLE DX	381	11.8	130	1	2	10	15	26	36	68
A. NOT OPERATED	99	6.1	36	1	2	4	7	14	18	33
B. OPERATED	333	12.5	138	1	2	10	16	28	38	72
TOTAL 0-19 YRS										
20-34	3	8.0	147	<1	<1	1	17	22	22	22
35-49	23	10.6	86	1	1	11	14	22	32	38
50-64	169	10.7	124	1	1	8	13	21	33	60
65+	237	11.3	124	1	2	9	15	26	35	74
GRAND TOTAL	**432**	**11.0**	**121**	**1**	**2**	**9**	**14**	**24**	**35**	**64**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64	3	8.7	2	7	7	9	10	10	10	10
65+	5	3.6	3	2	2	3	5	6	6	6
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	1	2.0		2	2	2	2	2	2	2
35-49	6	10.2	11	6	6	10	13	14	14	14
50-64	33	8.3	26	<1	<1	9	10	14	18	22
65+	43	10.2	42	2	4	9	13	17	24	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	8.0	22	5	5	6	11	15	15	15
35-49	13	4.7	10	1	2	3	7	9	11	11
50-64	40	6.0	32	<1	1	4	7	12	15	31
65+	102	6.0	32	1	1	4	8	13	17	29
B. *Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	9	12.3	18	7	7	11	15	18	20	20
35-49	63	11.4	43	3	4	9	15	21	24	33
50-64	234	13.1	96	2	4	11	16	22	36	59
65+	630	14.0	98	3	5	12	18	26	31	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	5.4	8	2	2	5	7	9	10	10
B. *Operated*	84	9.4	33	<1	1	9	12	15	19	31
2. MULTIPLE DX										
A. *Not Operated*	159	5.9	30	1	1	4	8	13	17	31
B. *Operated*	937	13.6	93	3	4	11	17	24	31	56
1. SINGLE DX	94	8.9	32	<1	2	9	11	15	19	31
2. MULTIPLE DX	1096	12.5	91	2	3	11	16	23	29	53
A. NOT OPERATED	169	5.9	28	1	1	4	8	12	16	30
B. OPERATED	1021	13.2	90	3	4	11	16	24	30	54
TOTAL 0-19 YRS	2	12.5	25	9	9	12	16	16	16	16
20-34	14	10.4	26	3	5	10	15	16	19	20
35-49	84	10.1	40	2	3	9	13	19	22	31
50-64	310	11.6	86	1	2	10	14	21	31	53
65+	780	12.7	94	2	3	11	16	24	30	53
GRAND TOTAL	**1190**	**12.2**	**87**	**2**	**3**	**10**	**15**	**23**	**29**	**51**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	8.5	1	8	8	8	9	9	9	9
50-64	3	10.7	4	9	9	10	12	13	13	13
65+	6	9.2	30	1	1	9	12	16	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	6	4.2	7	<1	<1	3	7	8	8	8
65+	10	5.7	22	2	2	5	6	12	18	18
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	2	14.5	5	13	13	14	16	16	16	16
35-49	17	17.9	481	1	3	11	22	30	73	96
50-64	40	10.9	25	5	6	9	12	19	21	29
65+	74	16.2	88	6	8	14	19	25	43	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	11	9.5	17	1	4	9	12	15	17	17
2. MULTIPLE DX										
A. *Not Operated*	17	4.9	16	1	2	3	6	8	14	18
B. *Operated*	134	14.8	121	5	6	12	17	24	31	54
1. SINGLE DX	11	9.5	17	1	4	9	12	15	17	17
2. MULTIPLE DX	151	13.6	118	3	5	11	17	23	31	46
A. NOT OPERATED	17	4.9	16	1	2	3	6	8	14	18
B. OPERATED	145	14.4	114	5	6	12	17	23	31	49
TOTAL 0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	2	14.5	5	13	13	14	16	16	16	16
35-49	20	16.2	425	1	2	9	19	29	63	96
50-64	49	10.1	26	3	5	9	12	18	20	29
65+	90	14.5	89	3	6	13	17	24	40	46
GRAND TOTAL	**162**	**13.4**	**112**	**3**	**5**	**11**	**16**	**23**	**30**	**46**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	6	5.3	27	1	1	4	6	14	15	15
65+	9	2.3	2	<1	<1	2	4	4	4	4
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	5	7.2	2	6	6	7	8	9	9	9
35-49	44	8.3	11	3	5	8	10	11	13	21
50-64	202	8.6	9	5	6	8	10	12	13	19
65+	296	9.1	12	6	6	9	10	13	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	3.0	4	1	1	3	4	5	5	5
35-49	15	6.5	62	1	2	4	8	11	27	33
50-64	64	6.1	33	1	1	5	8	10	14	34
65+	233	6.5	32	1	2	5	8	13	17	31
B. *Operated*										
0-19 YRS	3	6.3	14	2	2	8	9	9	9	9
20-34	30	8.6	17	2	2	8	11	14	15	16
35-49	182	11.2	74	5	6	9	12	16	22	61
50-64	991	11.4	53	5	6	9	13	19	24	44
65+	3011	12.6	53	6	7	11	15	21	26	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	3.4	13	<1	<1	2	4	6	12	15
B. *Operated*	548	8.9	11	5	6	8	10	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	315	6.4	33	1	2	5	8	13	17	33
B. *Operated*	4217	12.2	54	6	7	10	14	20	25	43
1. SINGLE DX	564	8.7	12	3	6	8	10	12	14	21
2. MULTIPLE DX	4532	11.8	55	4	6	10	14	20	25	42
A. NOT OPERATED	331	6.2	32	1	1	5	8	13	17	33
B. OPERATED	4765	11.9	50	6	7	10	14	19	24	42
TOTAL 0-19 YRS	4	6.3	10	2	2	7	8	9	9	9
20-34	38	8.0	16	1	2	8	11	14	15	16
35-49	242	10.4	64	3	5	9	11	15	20	50
50-64	1263	10.6	47	4	6	9	12	17	23	41
65+	3549	11.9	51	4	6	10	14	20	24	42
GRAND TOTAL	**5096**	**11.5**	**51**	**4**	**6**	**10**	**13**	**19**	**24**	**42**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	10.3	68	4	4	7	16	22	22	22
50-64	11	3.9	8	1	1	4	5	8	11	11
65+	10	5.1	14	<1	1	4	5	10	15	15
B. *Operated*										
0-19 YRS	2	14.0	18	11	11	14	17	17	17	17
20-34	7	8.0	19	2	2	9	11	13	14	14
35-49	40	8.0	16	1	2	8	10	13	14	18
50-64	170	7.6	14	1	2	8	10	12	14	16
65+	217	8.2	19	2	2	9	10	13	14	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	18	8.6	42	2	2	6	11	21	23	23
50-64	39	7.0	48	1	1	5	9	16	18	37
65+	146	6.6	58	1	1	5	8	13	18	54
B. *Operated*										
0-19 YRS	3	8.0	19	3	3	10	11	11	11	11
20-34	21	9.9	26	2	4	10	11	18	21	22
35-49	89	12.2	58	5	6	10	13	19	32	42
50-64	544	11.9	62	3	5	10	14	20	24	46
65+	1239	12.3	65	2	4	11	15	21	25	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	5.4	22	1	1	4	5	11	17	22
B. *Operated*	436	8.0	17	1	2	8	10	13	14	18
2. MULTIPLE DX										
A. *Not Operated*	204	6.8	54	1	1	5	9	15	19	45
B. *Operated*	1896	12.2	64	3	4	11	14	20	25	42
1. SINGLE DX	461	7.9	17	1	2	8	10	13	14	19
2. MULTIPLE DX	2100	11.7	65	2	3	10	14	20	25	42
A. NOT OPERATED	229	6.7	51	1	1	5	8	14	18	41
B. OPERATED	2332	11.4	58	2	4	10	14	19	24	40
TOTAL 0-19 YRS	5	10.4	25	3	3	11	13	17	17	17
20-34	29	9.2	25	2	3	9	11	16	20	22
35-49	151	10.6	48	2	4	10	12	18	22	42
50-64	764	10.6	54	2	3	10	12	17	23	37
65+	1612	11.2	62	2	3	10	14	19	24	40
GRAND TOTAL	**2561**	**11.0**	**59**	**2**	**3**	**10**	**13**	**19**	**24**	**40**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.5	7	<1	<1	3	5	7	7	7
20-34	1	4.0		4	4	4	4	4	4	4
35-49	4	2.5	2	1	1	2	3	4	4	4
50-64	4	2.3	1	<1	<1	2	3	3	3	3
65+	6	4.7	2	2	2	5	6	6	6	6
B. *Operated*										
0-19 YRS	14	6.5	16	1	1	6	8	12	14	14
20-34	4	5.8	10	1	1	7	8	8	8	8
35-49	22	6.6	29	1	1	6	9	13	19	22
50-64	25	6.4	30	1	1	5	9	17	18	21
65+	31	9.2	173	1	1	6	12	15	21	74
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	3.8	14	1	1	2	5	10	12	12
20-34	6	3.8	7	1	1	3	5	8	8	8
35-49	18	6.1	22	1	1	5	8	12	16	18
50-64	53	6.2	28	<1	1	5	8	14	17	26
65+	112	8.2	44	1	2	6	11	18	22	31
B. *Operated*										
0-19 YRS	11	16.5	251	5	5	9	34	41	41	41
20-34	18	11.4	54	4	6	9	12	25	30	31
35-49	59	14.2	127	2	5	11	18	26	41	60
50-64	139	13.6	150	2	3	10	16	24	44	61
65+	344	13.5	109	2	4	11	16	26	37	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	3.4	3	<1	1	3	5	6	7	7
B. *Operated*	96	7.4	73	1	1	6	9	14	17	50
2. MULTIPLE DX										
A. *Not Operated*	198	7.2	36	1	1	5	10	16	19	27
B. *Operated*	571	13.6	121	2	4	11	16	26	38	61
1. SINGLE DX	115	6.7	63	1	1	5	8	13	17	40
2. MULTIPLE DX	769	12.0	107	2	2	10	15	23	33	60
A. NOT OPERATED	217	6.8	35	1	1	5	9	16	19	26
B. OPERATED	667	12.7	119	2	3	10	15	24	37	61
TOTAL 0-19 YRS	38	8.4	105	1	1	6	9	15	40	41
20-34	29	8.8	47	1	2	8	10	16	28	31
35-49	103	10.7	99	1	2	9	13	20	30	53
50-64	221	10.8	117	1	2	8	14	21	26	59
65+	493	12.0	103	2	3	10	15	23	32	62
GRAND TOTAL	**884**	**11.3**	**105**	**1**	**2**	**9**	**14**	**22**	**31**	**60**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	2.0		2	2	2	2	2	2	2
50-64	7	2.9	1	2	2	3	4	4	4	4
65+	16	5.3	57	<1	1	3	5	10	25	32
B. *Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49	6	14.3	59	7	7	13	20	25	26	26
50-64	23	8.5	20	1	2	10	11	13	16	19
65+	33	9.0	37	1	1	9	13	16	21	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	28	5.4	25	1	1	4	8	12	16	22
50-64	77	5.7	24	1	2	4	7	10	15	29
65+	223	6.8	36	1	2	5	8	14	20	29
B. *Operated*										
0-19 YRS	2	12.5	13	10	10	12	15	15	15	15
20-34	2	13.0	32	9	9	13	17	17	17	17
35-49	54	14.6	97	5	6	13	17	27	36	55
50-64	241	13.5	115	3	4	11	16	27	37	56
65+	529	14.1	94	3	4	12	18	26	31	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	4.3	37	<1	1	3	4	6	15	32
B. *Operated*	63	9.3	34	1	1	9	12	16	21	26
2. MULTIPLE DX										
A. *Not Operated*	328	6.4	32	1	2	5	8	13	17	29
B. *Operated*	828	14.0	100	3	5	12	17	26	33	53
1. SINGLE DX	88	7.9	39	1	1	7	11	16	20	30
2. MULTIPLE DX	1156	11.8	92	2	3	10	15	23	30	49
A. NOT OPERATED	353	6.3	33	1	2	5	8	12	16	30
B. OPERATED	891	13.7	97	2	4	11	17	26	32	52
TOTAL 0-19 YRS	2	12.5	13	10	10	12	15	15	15	15
20-34	3	11.7	21	9	9	9	15	17	17	17
35-49	90	11.5	89	1	2	9	15	23	30	50
50-64	348	11.3	99	2	3	9	14	22	34	51
65+	801	11.7	86	2	3	10	15	23	29	47
GRAND TOTAL	**1244**	**11.6**	**90**	**2**	**3**	**10**	**15**	**23**	**29**	**49**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	14	3.5	10	1	1	3	4	8	11	12
50-64	50	4.8	26	<1	1	3	6	11	13	30
65+	44	4.8	13	<1	1	4	7	10	11	18
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	7	8.9	6	7	7	8	10	13	14	14
35-49	65	5.6	13	<1	1	5	8	11	13	14
50-64	273	5.6	19	<1	1	5	8	11	12	22
65+	243	6.8	20	1	1	7	10	12	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	8	5.4	13	1	2	4	7	11	13	13
35-49	140	5.8	26	1	1	4	7	13	18	23
50-64	710	6.5	34	1	1	5	8	13	18	29
65+	1034	6.6	34	1	2	5	8	13	18	32
B. *Operated*										
0-19 YRS	7	11.6	202	2	3	7	27	83	99+	99+
20-34	26	9.7	54	3	3	8	12	17	29	32
35-49	289	9.3	73	1	2	7	11	17	25	45
50-64	1594	9.3	63	1	2	8	11	17	22	39
65+	2344	10.1	68	2	2	8	13	18	24	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	4.6	19	<1	1	3	7	10	12	23
B. *Operated*	589	6.2	19	<1	1	6	9	12	13	19
2. MULTIPLE DX										
A. *Not Operated*	1894	6.5	33	1	2	5	8	13	18	29
B. *Operated*	4260	9.8	67	1	2	8	12	18	24	43
1. SINGLE DX	697	5.9	19	<1	1	6	8	11	13	19
2. MULTIPLE DX	6154	8.7	59	1	2	7	11	17	22	40
A. NOT OPERATED	2002	6.4	33	1	2	5	8	13	17	29
B. OPERATED	4849	9.3	62	1	2	8	12	17	23	41
TOTAL 0-19 YRS	10	8.9	155	1	1	6	11	66	97	99+
20-34	41	8.7	40	3	3	8	11	15	22	32
35-49	508	7.7	54	1	1	6	9	14	21	39
50-64	2627	8.1	52	1	2	7	10	16	20	34
65+	3665	8.8	57	1	2	7	11	17	22	40
GRAND TOTAL	**6851**	**8.5**	**55**	**1**	**2**	**7**	**11**	**16**	**21**	**38**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	5	4.6	1	4	4	4	5	6	6	6
50-64	11	3.7	60	<1	<1	1	2	13	26	27
65+	7	2.9	6	<1	<1	1	5	7	7	7
B. *Operated*										
0-19 YRS	5	6.0	13	1	1	7	8	10	10	10
20-34	8	3.9	10	<1	<1	3	6	9	9	9
35-49	29	4.5	17	<1	<1	3	6	11	14	15
50-64	106	5.3	33	<1	<1	2	9	14	16	24
65+	61	5.3	33	<1	<1	2	9	13	16	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	4	5.3	28	1	1	3	8	13	13	13
35-49	8	5.1	4	3	3	5	6	8	9	9
50-64	39	5.8	34	<1	<1	4	8	14	18	27
65+	32	4.7	13	<1	1	4	7	10	11	14
B. *Operated*										
0-19 YRS	11	6.2	8	<1	1	7	8	9	11	11
20-34	11	17.9	148	4	6	14	28	37	40	40
35-49	49	9.4	44	1	2	9	12	16	25	30
50-64	190	11.8	112	1	1	9	16	27	33	57
65+	280	12.1	132	1	1	10	16	27	36	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	3.4	28	<1	<1	1	4	6	12	27
B. *Operated*	209	5.1	29	<1	<1	2	8	13	15	24
2. MULTIPLE DX										
A. *Not Operated*	86	5.2	22	<1	1	4	7	12	14	24
B. *Operated*	541	11.7	116	1	1	9	15	26	34	54
1. SINGLE DX	234	4.9	29	<1	<1	2	8	12	15	27
2. MULTIPLE DX	627	10.9	108	1	1	8	15	23	33	52
A. NOT OPERATED	111	4.8	23	<1	<1	4	6	11	14	27
B. OPERATED	750	9.9	100	<1	1	8	14	21	30	50
TOTAL 0-19 YRS	20	5.4	10	<1	1	6	8	9	10	11
20-34	24	10.4	121	<1	1	7	13	30	36	40
35-49	91	7.2	35	<1	1	5	10	14	17	28
50-64	346	8.8	87	<1	1	6	14	20	29	48
65+	380	10.2	113	1	1	8	14	22	32	53
GRAND TOTAL	**861**	**9.2**	**93**	**<1**	**1**	**7**	**13**	**20**	**29**	**48**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.3	7	1	1	3	4	7	9	9
20-34	2	3.0	8	<1	<1	2	5	5	5	5
35-49	1	4.0		4	4	4	4	4	4	4
50-64	5	3.2	3	<1	<1	3	5	5	5	5
65+	3	7.0	28	3	3	5	11	13	13	13
B. *Operated*										
0-19 YRS	70	4.6	16	<1	1	3	6	11	12	19
20-34	39	6.0	184	1	1	3	5	10	15	86
35-49	45	5.1	20	1	1	3	8	12	14	16
50-64	43	4.8	17	<1	1	4	6	10	13	21
65+	41	4.1	11	<1	<1	3	6	8	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	4.8	12	<1	<1	4	8	9	11	12
20-34	14	5.9	16	1	2	4	9	12	13	13
35-49	16	4.5	23	1	1	3	6	8	16	20
50-64	18	6.1	39	1	2	4	6	12	22	28
65+	26	6.1	23	1	2	5	7	13	19	21
B. *Operated*										
0-19 YRS	48	9.2	55	2	2	8	12	19	27	34
20-34	31	12.1	203	2	2	7	14	36	47	59
35-49	42	11.4	235	<1	<1	8	12	23	42	86
50-64	67	9.7	73	1	1	8	13	23	29	37
65+	145	10.4	149	1	2	7	13	24	32	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	3.9	9	<1	<1	3	5	7	11	13
B. *Operated*	238	4.9	43	1	1	3	6	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	92	5.5	22	1	1	4	7	11	14	25
B. *Operated*	333	10.4	135	1	2	7	13	23	33	68
1. SINGLE DX	258	4.8	41	<1	1	3	6	10	13	20
2. MULTIPLE DX	425	9.3	114	1	2	6	11	21	28	62
A. NOT OPERATED	112	5.2	20	<1	1	4	7	10	13	24
B. OPERATED	571	8.1	104	1	1	5	10	17	25	61
TOTAL 0-19 YRS	145	6.0	32	<1	1	4	8	12	18	28
20-34	86	8.1	166	1	1	4	8	14	35	76
35-49	104	7.5	116	<1	1	5	10	15	22	67
50-64	133	7.3	53	1	1	5	9	16	24	37
65+	215	8.6	112	1	1	6	10	20	27	72
GRAND TOTAL	**683**	**7.6**	**91**	**1**	**1**	**5**	**9**	**15**	**23**	**57**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	1.0		<1	<1	<1	1	1	1	1
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	4	2.3	1	<1	<1	2	3	3	3	3
20-34	66	3.2	5	<1	1	3	5	7	7	8
35-49	106	3.1	6	<1	<1	2	4	6	9	12
50-64	106	3.0	5	<1	<1	2	4	6	7	9
65+	76	3.3	9	<1	<1	2	4	7	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	11.5	181	2	2	11	21	21	21	21
20-34	5	1.6	1	<1	<1	1	2	3	3	3
35-49	19	4.8	17	<1	1	3	7	10	14	17
50-64	9	8.1	18	4	4	7	12	15	15	15
65+	11	3.7	5	<1	1	3	5	7	8	8
B. *Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	41	4.8	12	1	1	5	6	8	12	18
35-49	53	4.9	16	1	1	4	6	9	11	22
50-64	74	4.1	16	1	1	3	6	9	10	23
65+	109	5.3	22	1	1	4	7	12	15	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	1.4	1	<1	<1	1	2	3	3	3
B. *Operated*	358	3.1	6	<1	1	2	4	7	7	11
2. MULTIPLE DX										
A. *Not Operated*	46	5.1	20	<1	1	4	7	11	15	21
B. *Operated*	279	4.8	18	1	1	4	6	10	14	22
1. SINGLE DX	366	3.1	6	<1	<1	2	4	7	7	11
2. MULTIPLE DX	325	4.8	18	1	1	4	7	10	14	22
A. NOT OPERATED	54	4.6	19	<1	<1	3	6	10	15	21
B. OPERATED	637	3.8	12	<1	1	3	5	7	10	18
TOTAL 0-19 YRS	8	4.3	47	<1	<1	2	3	16	21	21
20-34	112	3.7	8	1	1	3	5	7	7	16
35-49	182	3.8	11	<1	1	3	5	8	10	18
50-64	192	3.6	11	<1	1	3	5	8	9	15
65+	197	4.4	17	<1	1	3	6	9	14	21
GRAND TOTAL	**691**	**3.9**	**12**	**<1**	**1**	**3**	**5**	**8**	**10**	**18**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65+	3	3.0	7	1	1	2	5	6	6	6
B. *Operated*										
0-19 YRS	5	2.0	3	<1	<1	1	3	5	5	5
20-34	21	1.7	3	<1	<1	<1	1	4	6	7
35-49	47	2.1	3	<1	<1	1	3	4	7	7
50-64	105	2.0	7	<1	<1	1	2	4	5	15
65+	187	2.2	5	<1	<1	1	2	4	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	5.0	10	2	2	5	7	9	9	9
35-49	6	4.3	5	2	2	4	5	8	8	8
50-64	1	19.0		19	19	19	19	19	19	19
65+	8	5.4	26	<1	<1	3	9	13	14	14
B. *Operated*										
0-19 YRS	3	2.3	2	<1	<1	2	3	4	4	4
20-34	17	10.6	91	<1	<1	8	17	23	29	33
35-49	42	3.8	23	<1	<1	2	5	9	13	26
50-64	91	3.6	22	<1	<1	2	3	9	14	24
65+	327	4.3	29	<1	1	2	5	10	14	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.8	5	1	1	2	4	6	6	6
B. *Operated*	365	2.1	5	<1	<1	1	2	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	20	5.7	23	<1	1	4	8	13	16	19
B. *Operated*	480	4.3	30	<1	1	2	5	11	15	27
1. SINGLE DX	370	2.1	5	<1	<1	1	2	4	6	10
2. MULTIPLE DX	500	4.4	30	<1	1	2	5	11	15	27
A. NOT OPERATED	25	5.1	20	<1	1	4	7	12	15	19
B. OPERATED	845	3.4	21	<1	<1	2	4	7	12	23
TOTAL 0-19 YRS	8	2.1	2	<1	<1	1	3	5	5	5
20-34	43	5.6	55	<1	<1	2	7	17	22	33
35-49	96	3.0	13	<1	<1	2	4	7	8	21
50-64	198	2.9	16	<1	<1	1	3	6	10	22
65+	525	3.5	21	<1	<1	2	4	8	12	20
GRAND TOTAL	**870**	**3.4**	**21**	**<1**	**<1**	**2**	**4**	**7**	**13**	**23**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.0		2	2	2	2	2	2	2
35-49	14	3.8	5	1	1	3	5	7	8	9
50-64	16	3.1	5	<1	1	2	4	7	8	8
65+	5	4.4	4	2	2	5	6	7	7	7
B. *Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	113	3.0	3	<1	1	3	4	5	6	7
35-49	743	3.5	3	1	1	3	5	6	7	9
50-64	1131	3.6	3	1	1	3	5	6	7	9
65+	989	4.1	4	1	2	4	5	7	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	16	6.6	36	<1	<1	5	7	13	21	25
35-49	46	6.0	34	1	1	3	10	16	19	22
50-64	122	7.1	66	<1	1	5	9	15	18	50
65+	122	6.7	44	1	1	4	8	16	21	32
B. *Operated*										
0-19 YRS	8	4.8	7	<1	<1	6	7	8	8	8
20-34	140	4.0	4	1	2	3	5	7	8	11
35-49	845	4.6	17	1	2	4	5	7	9	15
50-64	1656	4.9	14	1	2	4	6	8	10	19
65+	2425	5.4	17	2	2	5	6	9	11	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	3.5	4	1	1	3	5	7	8	9
B. *Operated*	2978	3.7	4	1	1	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	308	6.7	50	<1	1	4	9	15	20	35
B. *Operated*	5074	5.1	16	1	2	4	6	8	10	18
1. SINGLE DX	3015	3.7	4	1	1	4	5	6	7	9
2. MULTIPLE DX	5382	5.2	18	1	2	4	6	8	11	21
A. NOT OPERATED	345	6.4	46	1	1	4	8	15	19	34
B. OPERATED	8052	4.6	12	1	2	4	6	7	9	16
TOTAL 0-19 YRS	12	4.7	6	<1	1	5	7	7	8	8
20-34	271	3.7	6	<1	1	3	5	6	7	13
35-49	1648	4.2	11	1	2	4	5	7	8	14
50-64	2925	4.5	13	1	2	4	5	7	9	17
65+	3541	5.1	15	1	2	5	6	8	10	19
GRAND TOTAL	**8397**	**4.7**	**13**	**1**	**2**	**4**	**6**	**8**	**9**	**17**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	2.7	1	1	1	3	4	4	4	4
35-49	16	2.6	3	<1	1	2	3	5	7	8
50-64	20	3.0	3	1	1	3	4	5	7	9
65+	11	3.8	8	2	2	3	4	7	12	12
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	52	5.1	11	<1	<1	5	8	9	10	12
35-49	76	4.6	11	<1	1	4	7	10	11	15
50-64	45	3.0	4	<1	<1	2	4	6	7	10
65+	28	2.5	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	6.0	31	<1	1	4	7	16	18	18
35-49	30	6.4	48	1	1	4	9	14	22	32
50-64	35	5.2	24	<1	1	3	6	15	16	19
65+	34	5.3	15	1	2	4	6	12	14	18
B. *Operated*										
0-19 YRS										
20-34	73	6.8	21	1	1	6	9	15	17	19
35-49	127	8.4	80	2	2	6	10	13	32	49
50-64	101	7.9	56	1	2	5	9	16	23	38
65+	108	6.5	42	1	1	5	8	14	17	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	3.0	4	1	1	3	4	5	8	12
B. *Operated*	202	4.1	9	<1	1	3	6	9	10	13
2. MULTIPLE DX										
A. *Not Operated*	108	5.6	28	1	1	4	6	13	16	26
B. *Operated*	409	7.5	54	1	2	5	9	14	20	42
1. SINGLE DX	255	3.9	9	<1	1	3	5	9	10	13
2. MULTIPLE DX	517	7.1	49	1	2	5	9	14	18	41
A. NOT OPERATED	161	4.8	22	1	1	3	5	12	15	22
B. OPERATED	611	6.4	42	1	1	5	8	12	17	40
TOTAL 0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	140	6.0	18	<1	1	5	8	11	15	18
35-49	249	6.7	54	1	1	5	8	11	16	43
50-64	201	5.8	38	<1	1	4	7	12	18	35
65+	181	5.5	31	1	1	4	7	12	16	34
GRAND TOTAL	**772**	**6.0**	**38**	**1**	**1**	**4**	**8**	**12**	**16**	**36**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	3	2.7		2	2	3	3	3	3	3
65+	10	2.9	2	1	1	3	3	5	6	6
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	6	5.5	2	4	4	5	6	8	8	8
35-49	30	5.2	3	1	4	5	6	7	8	8
50-64	155	5.1	4	1	2	5	6	7	7	9
65+	186	5.3	5	1	1	5	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	1	5.0		5	5	5	5	5	5	5
50-64	22	4.9	23	<1	1	4	4	11	15	21
65+	52	6.3	35	1	2	4	8	15	16	33
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	14	6.7	9	3	3	6	10	13	78	99+
35-49	126	6.0	11	2	3	5	7	9	12	21
50-64	473	6.5	27	2	4	6	7	9	12	34
65+	865	6.7	12	2	3	6	8	10	13	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	3.0	2	1	1	3	3	5	6	6
B. *Operated*	378	5.2	5	1	2	5	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	76	5.9	31	1	1	4	7	14	16	30
B. *Operated*	1479	6.6	16	2	3	6	7	10	13	22
1. SINGLE DX	393	5.1	5	1	2	5	6	7	8	11
2. MULTIPLE DX	1555	6.5	17	2	3	6	7	10	13	22
A. NOT OPERATED	91	5.4	27	1	1	4	6	12	16	28
B. OPERATED	1857	6.3	14	2	3	6	7	9	12	21
TOTAL 0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	21	6.4	7	3	3	6	8	11	48	99+
35-49	159	5.8	10	2	3	5	7	8	11	19
50-64	653	6.1	22	1	3	6	7	9	12	28
65+	1113	6.4	12	1	3	6	7	10	13	20
GRAND TOTAL	**1948**	**6.2**	**15**	**1**	**3**	**6**	**7**	**10**	**12**	**21**

35: Malignant neoplasm of ovary (183.0)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	1.5	1	1	1	1	2	3	3	3
35-49	9	2.9	8	<1	<1	1	5	8	8	8
50-64	18	2.2	6	<1	<1	1	3	5	8	10
65+	7	1.6		1	1	2	2	2	2	2
B. *Operated*										
0-19 YRS	7	7.1	8	4	4	7	9	11	12	12
20-34	22	5.7	6	3	3	5	7	9	11	12
35-49	24	5.8	5	2	3	5	7	9	10	11
50-64	42	6.8	13	2	3	6	8	10	15	20
65+	34	7.3	11	1	3	7	9	11	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	8	<1	<1	2	5	5	5	5
20-34	3	6.3	56	2	2	2	12	15	15	15
35-49	31	5.0	25	1	1	3	7	9	18	23
50-64	63	4.5	26	1	1	3	6	8	15	28
65+	85	6.1	27	1	1	5	8	13	17	24
B. *Operated*										
0-19 YRS	10	7.3	6	4	4	7	8	11	12	12
20-34	49	6.6	13	3	3	6	8	10	15	19
35-49	147	7.8	25	4	4	7	9	13	15	32
50-64	326	10.0	35	4	5	9	12	18	22	33
65+	342	12.0	75	4	5	10	14	21	26	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	2.2	5	<1	1	1	3	5	8	10
B. *Operated*	129	6.6	10	2	3	6	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	184	5.4	26	1	1	4	7	13	17	24
B. *Operated*	874	10.2	51	4	4	8	12	18	23	39
1. SINGLE DX	168	5.6	12	1	1	5	8	9	11	18
2. MULTIPLE DX	1058	9.4	50	2	3	8	12	17	22	36
A. NOT OPERATED	223	4.8	24	1	1	3	6	12	16	24
B. OPERATED	1003	9.7	47	4	4	8	11	17	22	37
TOTAL 0-19 YRS	20	6.6	8	1	3	6	8	11	12	12
20-34	78	6.1	13	1	3	5	8	10	14	18
35-49	211	6.9	24	1	3	6	8	12	15	32
50-64	449	8.6	36	1	2	8	11	15	20	31
65+	468	10.5	68	2	3	8	13	19	24	42
GRAND TOTAL	**1226**	**8.8**	**46**	**1**	**3**	**7**	**11**	**16**	**21**	**34**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64	2	3.0	2	2	2	3	4	4	4	4
65+	6	3.3	5	2	2	3	3	8	8	8
B. *Operated*										
0-19 YRS										
20-34	3	6.7	8	5	5	5	9	10	10	10
35-49	6	3.3	3	2	2	3	5	6	6	6
50-64	14	7.1	19	<1	<1	7	9	15	15	15
65+	15	4.2	9	<1	1	3	7	8	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	2.7	1	2	2	2	4	4	4	4
35-49										
50-64	6	5.5	9	2	2	5	7	10	10	10
65+	24	5.1	17	1	1	4	6	10	13	20
B. *Operated*										
0-19 YRS	1	46.0		46	46	73	99+	99+	99+	99+
20-34	4	13.8	68	3	3	14	19	23	23	23
35-49	19	5.9	18	1	2	4	8	12	15	17
50-64	36	10.6	86	2	2	8	14	18	27	52
65+	70	11.5	86	2	3	9	17	22	28	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.4	4	2	2	3	4	7	8	8
B. *Operated*	38	5.3	13	<1	1	5	8	10	13	15
2. MULTIPLE DX										
A. *Not Operated*	34	4.9	14	1	2	4	6	10	10	20
B. *Operated*	130	10.8	87	2	2	8	14	21	30	61
1. SINGLE DX	47	5.0	12	<1	1	5	7	10	12	15
2. MULTIPLE DX	164	9.5	77	1	2	7	13	20	24	52
A. NOT OPERATED	43	4.6	12	1	2	4	6	9	10	20
B. OPERATED	168	9.5	75	1	2	7	13	19	23	51
TOTAL 0-19 YRS	2	24.5	925	3	3	46	86	99+	99+	99+
20-34	11	8.0	45	2	2	5	13	18	23	23
35-49	25	5.3	15	1	2	4	7	9	14	17
50-64	58	9.0	63	1	2	7	11	15	19	50
65+	115	8.8	68	1	2	6	11	20	22	47
GRAND TOTAL	**211**	**8.5**	**66**	**1**	**2**	**7**	**11**	**18**	**22**	**50**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	4	2.8	3	1	1	2	4	5	5	5
65+	15	3.1	7	<1	<1	2	4	7	9	10
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	10	4.3	7	1	1	4	7	8	8	8
50-64	303	5.2	13	1	1	5	7	9	12	18
65+	743	4.4	9	1	1	4	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	13.0		13	13	13	13	13	13	13
50-64	76	5.4	19	<1	1	4	7	11	15	21
65+	398	5.7	33	1	1	4	7	11	15	35
B. *Operated*										
0-19 YRS	3	5.7	6	3	3	6	7	8	8	8
20-34	1	15.0		15	15	15	15	15	15	15
35-49	28	6.7	27	1	2	5	8	14	16	25
50-64	680	6.0	22	1	2	5	8	11	15	22
65+	3674	5.9	21	1	2	5	7	11	15	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	3.1	6	<1	<1	2	4	6	9	10
B. *Operated*	1057	4.7	10	1	1	4	6	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	475	5.7	31	1	1	4	7	11	15	30
B. *Operated*	4386	6.0	21	1	2	5	7	11	15	23
1. SINGLE DX	1076	4.6	10	1	1	4	6	9	10	14
2. MULTIPLE DX	4861	5.9	22	1	2	5	7	11	15	23
A. NOT OPERATED	494	5.6	30	1	1	4	7	11	15	28
B. OPERATED	5443	5.7	19	1	1	5	7	11	14	22
TOTAL 0-19 YRS	4	4.5	10	1	1	4	7	8	8	8
20-34	1	15.0		15	15	15	15	15	15	15
35-49	39	6.3	23	1	1	5	8	13	15	25
50-64	1063	5.7	19	1	1	5	8	11	14	21
65+	4830	5.7	21	1	2	5	7	11	14	23
GRAND TOTAL	**5937**	**5.7**	**20**	**1**	**1**	**5**	**7**	**11**	**14**	**22**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	3.8	2	1	1	4	5	5	5	5
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	8	2.4	4	<1	<1	2	3	6	7	7
20-34	140	2.3	5	1	1	1	2	6	8	10
35-49	51	1.8	1	<1	1	1	2	3	4	7
50-64	16	1.8	1	<1	<1	1	2	4	4	4
65+	11	4.3	8	1	1	4	5	9	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	23	4.4	13	<1	1	4	6	10	12	13
35-49	4	5.8	8	4	4	5	7	10	10	10
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	9	5.0	10	1	1	5	7	10	10	10
20-34	66	6.0	31	1	1	5	8	15	19	21
35-49	22	3.4	10	1	1	2	4	8	11	13
50-64	13	5.2	46	1	1	3	6	13	24	26
65+	16	2.8	5	1	1	2	3	7	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.8	2	1	2	4	5	5	5	5
B. *Operated*	226	2.3	4	<1	1	1	3	5	8	10
2. MULTIPLE DX										
A. *Not Operated*	28	4.5	12	1	1	4	6	10	12	13
B. *Operated*	126	5.0	25	1	1	3	7	12	15	22
1. SINGLE DX	236	2.3	4	1	1	2	3	5	8	10
2. MULTIPLE DX	154	4.9	23	1	1	3	7	12	15	21
A. NOT OPERATED	38	4.3	9	1	1	4	5	9	11	13
B. OPERATED	352	3.2	13	1	1	2	4	8	10	20
TOTAL 0-19 YRS	17	3.8	9	<1	1	3	6	9	10	10
20-34	237	3.6	16	1	1	2	5	9	12	20
35-49	79	2.5	5	<1	1	2	3	5	7	12
50-64	30	3.3	23	<1	1	2	4	6	10	26
65+	27	3.4	6	1	1	2	4	8	9	11
GRAND TOTAL	**390**	**3.3**	**13**	**1**	**1**	**2**	**4**	**8**	**10**	**20**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64	5	1.2		<1	<1	1	1	2	2	2
65+	7	6.1	24	2	2	3	11	13	13	13
B. *Operated*										
0-19 YRS										
20-34	15	2.0	5	<1	<1	1	2	3	8	10
35-49	88	2.7	8	<1	<1	2	3	6	10	15
50-64	345	3.0	12	1	1	2	3	6	11	18
65+	725	3.0	9	1	1	2	4	6	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	4.7	40	<1	<1	1	9	12	12	12
50-64	32	3.4	6	<1	1	3	5	6	8	11
65+	123	5.8	32	1	1	4	7	12	17	31
B. *Operated*										
0-19 YRS										
20-34	10	5.1	29	1	1	3	5	15	15	15
35-49	77	6.4	90	1	1	3	7	15	19	60
50-64	559	5.5	50	1	1	3	6	13	17	42
65+	2361	5.5	39	1	1	4	6	12	17	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	4.1	18	<1	1	2	5	11	13	13
B. *Operated*	1173	3.0	10	1	1	2	3	6	10	15
2. MULTIPLE DX										
A. *Not Operated*	158	5.3	28	1	1	4	7	11	15	28
B. *Operated*	3007	5.5	42	1	1	3	6	13	17	33
1. SINGLE DX	1186	3.0	10	1	1	2	3	6	10	15
2. MULTIPLE DX	3165	5.5	41	1	1	3	6	13	17	33
A. NOT OPERATED	171	5.2	27	1	1	4	7	11	14	27
B. OPERATED	4180	4.8	34	1	1	3	5	11	15	29
TOTAL 0-19 YRS										
20-34	25	3.2	17	<1	<1	1	3	10	15	15
35-49	169	4.4	49	<1	1	2	4	11	15	29
50-64	941	4.5	36	1	1	2	5	11	15	34
65+	3216	5.0	33	1	1	3	6	11	15	28
GRAND TOTAL	**4351**	**4.8**	**34**	**1**	**1**	**3**	**5**	**11**	**15**	**28**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34										
35-49	3	1.3		1	1	1	2	2	2	2
50-64	3	2.7	2	<1	<1	3	4	4	4	4
65+	3	5.3	14	<1	<1	7	8	8	8	8
B. *Operated*										
0-19 YRS	18	7.3	22	1	2	7	8	11	18	22
20-34	6	7.3	3	6	6	7	7	11	11	11
35-49	46	6.4	6	1	3	7	8	9	10	14
50-64	84	6.4	21	1	1	6	7	9	14	28
65+	65	6.6	17	1	1	7	9	11	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	2.7	5	<1	<1	2	4	6	7	7
20-34										
35-49	11	5.8	22	1	1	5	9	13	15	15
50-64	40	7.7	42	1	2	6	9	17	21	31
65+	75	6.4	27	1	1	6	8	13	16	30
B. *Operated*										
0-19 YRS	22	7.8	10	2	4	8	10	12	13	13
20-34	8	11.0	73	4	5	8	12	26	31	31
35-49	92	8.0	12	2	4	8	10	12	14	19
50-64	304	9.1	38	2	3	8	11	15	18	40
65+	530	10.4	60	2	3	9	13	20	24	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	3.0	6	<1	<1	2	4	7	8	8
B. *Operated*	219	6.5	16	1	1	7	8	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	139	6.4	30	1	1	5	9	14	16	31
B. *Operated*	956	9.7	48	2	3	8	11	17	22	35
1. SINGLE DX	231	6.4	16	1	1	7	8	10	12	21
2. MULTIPLE DX	1095	9.3	47	1	2	8	11	16	22	34
A. NOT OPERATED	151	6.1	29	1	1	5	8	13	16	31
B. OPERATED	1175	9.1	43	1	3	8	11	16	21	33
TOTAL 0-19 YRS	56	6.2	16	<1	1	7	8	11	13	21
20-34	14	9.4	44	4	5	7	11	15	27	31
35-49	152	7.2	12	1	3	7	9	11	14	18
50-64	431	8.4	36	1	2	8	10	14	18	34
65+	673	9.6	54	1	2	8	11	18	23	34
GRAND TOTAL	**1326**	**8.8**	**43**	**1**	**2**	**8**	**11**	**16**	**21**	**32**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	17	2.3	5	<1	<1	1	3	5	8	10
20-34	5	2.6	3	<1	<1	3	4	5	5	5
35-49	7	2.3	2	1	1	2	3	5	5	5
50-64	8	3.5	2	<1	1	4	4	5	5	5
65+	16	3.2	8	1	1	3	3	4	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	7	2.0	2	<1	<1	2	2	4	5	5
20-34	3	3.0	7	1	1	2	5	6	6	6
35-49	3	3.0		3	3	3	3	3	3	3
50-64	7	1.6	1	1	1	1	2	3	3	3
65+	22	4.5	18	1	1	3	6	10	15	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	1.0		<1	<1	<1	<1	<1	1	1
B. *Operated*	53	2.8	5	<1	<1	2	3	5	5	13
2. MULTIPLE DX										
A. *Not Operated*	3	6.3	4	4	4	7	8	8	8	8
B. *Operated*	42	3.4	11	1	1	2	4	7	11	17
1. SINGLE DX	70	2.3	4	<1	<1	2	3	4	5	12
2. MULTIPLE DX	45	3.6	11	1	1	2	5	7	10	17
A. NOT OPERATED	20	1.8	4	<1	<1	<1	<1	5	7	8
B. OPERATED	95	3.0	8	<1	1	2	3	5	8	16
TOTAL 0-19 YRS	40	1.7	3	<1	<1	<1	2	3	5	10
20-34	10	2.7	3	<1	<1	2	4	5	6	6
35-49	11	3.0	4	1	1	3	3	6	8	8
50-64	15	2.6	2	<1	1	3	4	5	5	5
65+	39	4.0	13	1	1	3	5	8	14	17
GRAND TOTAL	**115**	**2.8**	**7**	**<1**	**<1**	**2**	**3**	**5**	**8**	**15**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.4	4	1	1	3	5	6	8	8
20-34	11	4.0	12	1	1	4	5	10	12	12
35-49	19	3.3	6	1	1	2	5	7	9	10
50-64	20	7.2	42	1	1	5	9	18	22	25
65+	15	6.7	31	2	3	4	8	16	20	21
B. *Operated*										
0-19 YRS	31	10.5	56	1	2	9	13	20	28	34
20-34	41	8.0	20	2	3	8	10	14	16	22
35-49	93	7.4	12	2	3	7	10	12	14	18
50-64	91	8.9	35	3	4	7	11	16	21	33
65+	55	9.9	43	2	2	9	12	17	24	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	3.5	8	<1	1	3	5	9	10	11
20-34	37	5.6	46	1	1	3	5	14	24	31
35-49	85	6.3	40	1	2	4	8	14	20	33
50-64	85	6.6	35	1	2	5	8	12	19	33
65+	117	8.3	42	1	3	6	11	17	22	56
B. *Operated*										
0-19 YRS	87	10.2	62	2	3	8	14	22	28	99+
20-34	73	10.6	68	1	2	9	13	20	25	48
35-49	128	10.7	101	2	3	8	12	19	27	60
50-64	155	14.4	190	3	4	10	17	31	38	82
65+	161	14.8	107	3	4	13	19	28	36	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	5.1	23	1	1	4	6	11	17	24
B. *Operated*	311	8.7	31	2	3	8	11	15	19	29
2. MULTIPLE DX										
A. *Not Operated*	358	6.7	39	1	2	5	8	14	20	34
B. *Operated*	604	12.7	120	2	3	10	15	26	36	59
1. SINGLE DX	387	8.0	31	1	2	7	10	14	18	29
2. MULTIPLE DX	962	10.4	98	1	2	8	13	22	29	56
A. NOT OPERATED	434	6.4	36	1	1	4	8	14	20	34
B. OPERATED	915	11.3	93	2	3	9	14	22	29	55
TOTAL 0-19 YRS	163	8.4	54	1	2	7	12	18	25	91
20-34	162	8.4	51	1	1	7	11	17	22	31
35-49	325	8.2	59	1	2	7	10	14	20	41
50-64	351	10.7	115	2	3	8	13	22	31	51
65+	348	11.5	82	2	3	10	15	23	30	45
GRAND TOTAL	**1349**	**9.7**	**80**	**1**	**2**	**8**	**12**	**19**	**26**	**47**

43: Malignant neoplasm of other parts of nervous [illegible] 192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	6.5	5	5	5	6	8	8	8	8
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	8	6.1	5	1	2	6	7	8	9	9
20-34	3	9.0	3	7	7	10	10	10	10	10
35-49	6	5.8	11	1	1	6	8	10	10	10
50-64	3	11.0	7	8	8	12	13	13	13	13
65+	3	12.0	19	7	7	14	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.7	32	1	1	4	10	12	12	12
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	6	6.5	60	1	1	4	6	20	22	22
65+	9	12.3	259	3	3	7	12	38	54	54
B. *Operated*										
0-19 YRS	8	18.4	203	2	3	14	31	39	40	40
20-34	8	17.1	240	1	2	14	19	43	52	52
35-49	17	7.6	25	1	1	9	10	13	16	18
50-64	18	15.0	234	2	4	11	14	30	54	69
65+	15	9.9	44	1	1	10	15	18	21	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	6.3	4	4	4	6	8	8	8	8
B. *Operated*	23	7.8	13	1	3	7	10	13	14	15
2. MULTIPLE DX										
A. *Not Operated*	21	8.4	135	1	2	4	10	17	36	54
B. *Operated*	66	12.6	141	1	1	10	15	25	38	66
1. SINGLE DX	27	7.6	12	1	3	7	9	13	14	15
2. MULTIPLE DX	87	11.6	141	1	1	10	14	22	37	63
A. NOT OPERATED	25	8.0	114	1	2	4	9	13	30	54
B. OPERATED	89	11.4	112	1	1	10	14	20	31	62
TOTAL 0-19 YRS	19	11.2	124	1	2	7	13	32	39	40
20-34	12	13.9	178	1	2	11	16	30	49	52
35-49	26	6.7	21	1	1	7	10	11	14	18
50-64	29	12.2	168	2	3	9	13	25	33	69
65+	28	10.8	103	1	2	9	14	18	25	54
GRAND TOTAL	**114**	**10.6**	**113**	**1**	**1**	**8**	**12**	**19**	**30**	**59**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.3	3	1	1	2	2	5	6	6
20-34	16	2.1	1	<1	1	2	3	4	5	5
35-49	13	2.6	7	1	1	2	3	6	9	10
50-64	8	1.5		1	1	1	2	2	2	2
65+	5	3.2	3	2	2	2	4	6	6	6
B. *Operated*										
0-19 YRS	14	3.6	5	1	1	3	5	6	8	9
20-34	102	2.7	2	1	1	2	3	5	5	7
35-49	99	3.1	4	1	1	3	4	4	6	13
50-64	55	3.6	12	1	1	3	4	6	6	21
65+	27	3.3	3	1	1	3	4	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	4.0	17	<1	1	3	5	9	15	17
20-34	10	2.9	2	2	2	3	3	5	6	6
35-49	22	2.9	3	<1	1	3	4	5	6	7
50-64	19	5.9	45	1	1	4	8	12	22	30
65+	21	6.3	33	1	1	4	7	17	20	21
B. *Operated*										
0-19 YRS	25	9.6	183	<1	1	5	10	29	38	63
20-34	98	4.3	12	1	2	3	5	8	10	64
35-49	129	4.4	13	1	2	4	5	8	11	24
50-64	96	5.4	25	1	2	4	6	9	13	30
65+	111	7.7	53	2	2	5	9	17	23	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	2.3	3	1	1	2	2	5	6	10
B. *Operated*	297	3.1	5	1	1	3	4	5	6	13
2. MULTIPLE DX										
A. *Not Operated*	94	4.5	22	1	1	3	5	9	15	26
B. *Operated*	459	5.7	36	1	2	4	6	11	16	32
1. SINGLE DX	347	3.0	4	1	1	3	4	5	5	12
2. MULTIPLE DX	553	5.5	34	1	2	4	6	10	16	30
A. NOT OPERATED	144	3.8	17	1	1	2	4	7	11	22
B. OPERATED	756	4.7	25	1	2	3	5	8	13	29
TOTAL 0-19 YRS	69	5.7	80	1	1	3	6	12	18	57
20-34	226	3.4	7	1	1	3	4	6	8	18
35-49	263	3.7	9	1	1	3	4	6	9	14
50-64	178	4.7	23	1	1	3	5	8	12	29
65+	164	6.7	43	1	2	5	8	15	21	34
GRAND TOTAL	**900**	**4.5**	**24**	**1**	**1**	**3**	**5**	**8**	**13**	**28**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	4	1.8	2	<1	<1	1	2	4	4	4
35-49	15	3.8	19	1	1	2	5	7	15	18
50-64	29	7.0	85	<1	1	4	8	20	30	40
65+	45	4.2	8	1	1	3	6	9	10	12
B. *Operated*										
0-19 YRS	20	5.3	10	<1	1	5	7	10	11	12
20-34	17	3.9	9	<1	<1	3	5	7	11	13
35-49	49	3.9	7	1	1	3	5	7	8	12
50-64	81	4.2	24	<1	<1	2	5	10	13	28
65+	98	4.7	24	<1	1	3	6	9	14	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	3.5	10	<1	1	2	4	9	11	13
20-34	163	5.0	24	1	1	3	7	11	13	20
35-49	527	7.0	57	1	1	5	9	15	21	39
50-64	1515	7.4	59	1	2	5	9	15	22	37
65+	3045	7.4	42	1	2	6	9	15	20	31
B. *Operated*										
0-19 YRS	66	7.0	35	1	1	5	9	13	19	32
20-34	243	8.0	61	1	2	6	10	15	21	45
35-49	849	9.0	83	1	1	7	11	19	27	46
50-64	2160	9.6	82	1	2	7	12	20	26	45
65+	3354	10.1	84	1	2	8	13	21	27	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	95	4.8	35	<1	1	3	6	9	16	35
B. *Operated*	265	4.4	19	<1	<1	3	6	9	11	23
2. MULTIPLE DX										
A. *Not Operated*	5287	7.2	48	1	2	5	9	15	20	34
B. *Operated*	6672	9.7	82	1	2	7	12	20	26	46
1. SINGLE DX	360	4.5	23	<1	1	3	6	9	12	28
2. MULTIPLE DX	11959	8.6	68	1	2	6	11	18	24	42
A. NOT OPERATED	5382	7.2	48	1	2	5	9	15	20	34
B. OPERATED	6937	9.5	81	1	2	7	12	20	26	46
TOTAL 0-19 YRS	125	5.6	26	<1	1	4	7	12	14	27
20-34	427	6.6	47	1	1	5	9	13	17	33
35-49	1440	8.1	72	1	1	6	10	18	24	45
50-64	3785	8.6	73	1	2	6	11	18	25	43
65+	6542	8.7	65	1	2	7	11	18	24	41
GRAND TOTAL	**12319**	**8.5**	**67**	**1**	**2**	**6**	**11**	**18**	**24**	**42**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	1.6	1	<1	<1	1	2	4	4	4
35-49	7	2.3	7	<1	<1	1	3	7	8	8
50-64	2	6.5	1	6	6	6	7	7	7	7
65+	4	3.0	16	<1	<1	<1	5	9	9	9
B. *Operated*										
0-19 YRS	48	4.6	24	<1	<1	4	6	9	14	25
20-34	114	4.0	12	<1	<1	4	6	7	7	17
35-49	42	4.4	11	1	1	4	7	8	11	14
50-64	21	5.0	23	<1	1	4	6	15	16	16
65+	13	2.5	5	<1	<1	1	3	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.8	2	<1	<1	3	4	4	4	4
20-34	32	5.4	13	1	1	5	7	11	13	15
35-49	17	7.5	91	1	1	3	7	27	29	29
50-64	9	5.6	67	1	1	3	5	19	27	27
65+	18	4.9	16	<1	1	4	7	9	14	17
B. *Operated*										
0-19 YRS	27	7.0	19	2	2	6	9	11	17	22
20-34	86	8.4	156	1	1	7	9	11	20	87
35-49	53	7.3	39	<1	1	7	9	12	16	41
50-64	28	7.4	34	1	2	6	9	16	21	24
65+	48	11.2	170	2	2	7	13	25	38	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	2.6	7	<1	<1	1	3	7	8	9
B. *Operated*	238	4.2	15	<1	<1	4	6	7	9	22
2. MULTIPLE DX										
A. *Not Operated*	82	5.5	34	1	1	4	7	11	19	29
B. *Operated*	242	8.4	105	1	2	7	9	15	22	64
1. SINGLE DX	258	4.1	14	<1	<1	3	6	7	9	22
2. MULTIPLE DX	324	7.7	88	1	1	6	9	14	22	60
A. NOT OPERATED	102	5.0	30	<1	1	3	6	9	16	28
B. OPERATED	480	6.3	64	<1	1	5	7	11	16	40
TOTAL 0-19 YRS	81	5.3	22	<1	1	5	7	9	14	24
20-34	239	5.7	68	<1	1	5	7	9	12	34
35-49	119	6.0	37	<1	1	5	8	11	15	33
50-64	60	6.3	34	1	1	5	7	15	19	27
65+	83	8.1	116	<1	1	5	9	16	28	62
GRAND TOTAL	**582**	**6.1**	**59**	**<1**	**1**	**5**	**7**	**11**	**16**	**35**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	4.5	33	<1	1	3	5	8	14	36
20-34	4	2.5	4	1	1	2	4	5	5	5
35-49	9	4.0	17	<1	<1	2	6	11	11	11
50-64	11	3.5	11	<1	<1	2	5	8	12	12
65+	5	4.0	10	2	2	2	6	9	9	9
B. *Operated*										
0-19 YRS	77	6.4	97	<1	<1	4	7	12	18	65
20-34	9	6.9	68	<1	<1	4	8	20	27	27
35-49	6	7.5	93	2	2	4	6	25	27	27
50-64	6	6.8	51	<1	<1	3	12	18	19	19
65+	3	3.0	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	5.8	30	<1	1	4	7	13	15	29
20-34	15	7.1	46	<1	1	7	9	15	23	26
35-49	26	6.0	31	<1	<1	4	7	16	18	21
50-64	42	5.8	41	<1	1	4	7	14	22	28
65+	125	6.8	33	1	1	5	9	15	17	27
B. *Operated*										
0-19 YRS	104	11.3	134	1	2	7	14	29	34	65
20-34	36	19.9	145	2	4	19	30	36	37	38
35-49	38	16.2	253	1	2	10	22	40	52	71
50-64	41	14.8	343	1	2	8	16	63	68	99+
65+	77	10.3	120	1	2	7	13	21	30	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	4.2	25	<1	<1	3	5	9	11	31
B. *Operated*	101	6.5	87	<1	<1	4	7	13	22	53
2. MULTIPLE DX										
A. *Not Operated*	288	6.3	34	1	1	4	9	14	17	28
B. *Operated*	296	13.2	184	1	2	8	16	31	38	70
1. SINGLE DX	186	5.4	60	<1	<1	4	6	11	17	35
2. MULTIPLE DX	584	9.8	121	1	1	6	12	23	31	66
A. NOT OPERATED	373	5.8	32	<1	1	4	7	13	16	28
B. OPERATED	397	11.5	167	1	2	7	14	29	36	70
TOTAL 0-19 YRS	317	7.5	88	<1	1	5	8	15	28	43
20-34	64	14.0	146	1	1	9	26	34	36	38
35-49	79	10.8	166	<1	1	6	15	25	38	66
50-64	100	9.3	181	1	1	5	10	22	46	84
65+	210	7.9	67	1	2	6	10	16	22	43
GRAND TOTAL	**770**	**8.7**	**110**	**<1**	**1**	**5**	**11**	**20**	**30**	**64**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	4.3	9	<1	<1	4	7	8	9	9
20-34	10	4.8	86	<1	<1	2	3	17	31	31
35-49	20	4.6	18	<1	<1	4	6	9	14	18
50-64	16	4.3	40	<1	<1	2	5	10	21	26
65+	17	4.6	29	<1	1	3	7	12	18	21
B. *Operated*										
0-19 YRS	23	11.4	117	1	2	9	13	32	37	40
20-34	12	9.7	139	<1	1	4	15	29	37	38
35-49	12	11.0	95	3	3	7	15	28	31	32
50-64	18	10.6	116	1	1	6	22	27	29	31
65+	21	8.5	87	1	1	4	11	25	28	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	6.8	38	1	1	5	9	13	16	34
20-34	42	5.7	36	<1	1	3	8	15	19	26
35-49	42	8.7	101	<1	1	6	10	21	33	48
50-64	94	7.0	85	1	1	3	8	16	32	46
65+	215	6.6	51	1	1	4	8	15	23	38
B. *Operated*										
0-19 YRS	55	13.3	179	1	1	9	14	33	50	56
20-34	75	24.9	372	1	3	25	34	57	62	99
35-49	79	22.5	245	2	3	24	33	43	51	64
50-64	116	25.4	356	2	3	26	39	50	59	74
65+	196	16.6	246	2	3	10	26	38	50	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83	4.5	29	<1	<1	3	6	8	15	29
B. *Operated*	86	10.2	105	1	1	6	14	27	31	39
2. MULTIPLE DX										
A. *Not Operated*	453	6.8	60	1	1	4	8	16	23	39
B. *Operated*	521	20.3	299	2	3	15	31	46	53	72
1. SINGLE DX	169	7.4	75	<1	1	4	8	22	27	37
2. MULTIPLE DX	974	14.0	233	1	1	8	23	36	47	67
A. NOT OPERATED	536	6.5	55	1	1	4	8	15	22	37
B. OPERATED	607	18.9	284	1	2	12	30	42	52	70
TOTAL 0-19 YRS	158	9.4	105	1	1	7	11	20	33	53
20-34	139	16.3	314	1	1	8	27	43	59	95
35-49	153	15.5	218	1	1	8	26	35	45	55
50-64	244	15.8	296	1	1	8	28	42	50	69
65+	449	11.0	161	1	1	6	13	28	38	56
GRAND TOTAL	**1143**	**13.1**	**215**	**1**	**1**	**7**	**21**	**34**	**45**	**65**

49: Lymphatic and hematopoietic neoplasm, except hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	4.6	8	1	1	6	7	8	8	8
20-34	10	5.6	82	1	1	3	4	18	31	31
35-49	27	3.2	5	1	1	3	4	7	8	9
50-64	35	4.1	11	1	1	3	6	10	12	13
65+	47	4.4	16	1	1	3	6	10	12	20
B. *Operated*										
0-19 YRS	31	4.9	15	<1	<1	3	8	10	12	15
20-34	34	4.4	19	1	1	4	6	8	11	23
35-49	85	5.1	28	<1	1	3	7	11	16	28
50-64	138	5.0	20	<1	1	4	7	11	14	21
65+	155	5.2	35	<1	1	3	8	11	15	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	5.0	19	<1	<1	4	7	11	14	15
20-34	31	5.8	15	1	1	4	9	11	13	14
35-49	108	6.7	58	1	1	4	8	17	21	40
50-64	242	7.2	51	1	1	5	9	17	22	37
65+	526	7.4	55	1	1	5	10	15	21	40
B. *Operated*										
0-19 YRS	31	13.6	227	1	2	8	17	31	57	62
20-34	54	12.3	157	2	2	8	14	32	41	52
35-49	154	10.6	119	1	1	7	13	25	33	52
50-64	375	11.0	129	1	2	8	14	22	30	63
65+	795	11.5	108	1	2	9	14	25	34	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	128	4.2	17	1	1	3	6	9	11	22
B. *Operated*	443	5.0	26	<1	1	3	7	11	14	27
2. MULTIPLE DX										
A. *Not Operated*	920	7.2	52	1	1	5	9	15	21	39
B. *Operated*	1409	11.4	119	1	2	8	14	24	34	56
1. SINGLE DX	571	4.9	24	<1	1	3	7	10	14	26
2. MULTIPLE DX	2329	9.7	97	1	2	7	12	21	30	50
A. NOT OPERATED	1048	6.8	49	1	1	5	9	14	20	37
B. OPERATED	1852	9.9	104	1	1	7	12	21	30	52
TOTAL 0-19 YRS	84	8.1	109	<1	1	5	9	16	24	61
20-34	129	8.1	92	1	1	5	9	18	31	49
35-49	374	7.7	79	1	1	5	9	18	28	41
50-64	790	8.5	87	1	1	6	11	18	24	47
65+	1523	9.2	86	1	1	7	12	19	28	47
GRAND TOTAL	**2900**	**8.8**	**86**	**1**	**1**	**6**	**11**	**19**	**27**	**48**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	43	2.3	4	<1	1	1	3	5	7	9
20-34	129	1.8	1	1	1	2	2	3	4	5
35-49	149	2.1	1	<1	1	2	3	4	4	5
50-64	147	1.9	1	<1	1	2	2	3	4	5
65+	115	2.1	1	1	1	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	17	3.5	8	<1	1	2	6	8	9	10
20-34	30	2.3	3	1	1	2	2	4	7	8
35-49	41	2.4	7	1	1	2	2	4	6	17
50-64	73	2.3	2	1	1	2	3	4	4	7
65+	134	3.6	10	1	1	3	4	6	9	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	583	2.0	1	<1	1	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	4	2.0	2	1	1	2	3	4	4	4
B. *Operated*	295	3.0	7	1	1	2	3	5	7	16
1. SINGLE DX	583	2.0	1	<1	1	2	3	3	4	6
2. MULTIPLE DX	299	2.9	7	1	1	2	3	5	7	16
A. NOT OPERATED	4	2.0	2	1	1	2	3	4	4	4
B. OPERATED	878	2.3	3	1	1	2	3	4	5	9
TOTAL 0-19 YRS	60	2.6	5	<1	1	2	3	6	8	10
20-34	159	1.9	1	1	1	2	2	3	4	7
35-49	191	2.2	2	<1	1	2	3	4	4	6
50-64	222	2.0	1	<1	1	2	3	4	4	6
65+	250	2.9	6	1	1	2	3	5	6	16
GRAND TOTAL	**882**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	5	1.4		<1	<1	1	2	2	2	2
65+	5	1.2		<1	<1	1	1	2	2	2
B. *Operated*										
0-19 YRS	16	4.9	13	<1	<1	4	8	10	10	10
20-34	36	4.7	14	<1	<1	5	7	9	11	16
35-49	52	3.3	8	<1	<1	1	6	7	8	10
50-64	155	3.6	13	<1	<1	1	6	9	10	14
65+	164	3.7	11	<1	<1	2	6	9	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	7.8	100	1	1	3	12	25	25	25
35-49	7	2.6	2	<1	<1	2	4	5	5	5
50-64	21	3.8	9	<1	<1	3	7	9	9	10
65+	43	3.1	9	<1	<1	2	4	6	7	19
B. *Operated*										
0-19 YRS	20	3.5	7	<1	<1	3	5	8	8	9
20-34	48	6.9	42	<1	<1	6	9	13	19	99+
35-49	98	5.8	24	<1	<1	5	9	12	15	24
50-64	298	4.6	16	<1	<1	3	7	10	11	16
65+	633	6.5	52	<1	<1	5	9	13	17	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	1.4		<1	<1	1	2	2	2	2
B. *Operated*	423	3.8	12	<1	<1	2	7	9	10	13
2. MULTIPLE DX										
A. *Not Operated*	76	3.5	14	<1	<1	2	4	8	9	23
B. *Operated*	1097	5.9	39	<1	<1	5	9	12	15	26
1. SINGLE DX	437	3.7	11	<1	<1	2	7	9	10	12
2. MULTIPLE DX	1173	5.7	38	<1	<1	4	8	12	15	25
A. NOT OPERATED	90	3.2	13	<1	<1	2	3	7	8	23
B. OPERATED	1520	5.3	33	<1	<1	4	8	11	13	24
TOTAL 0-19 YRS	37	4.1	10	<1	<1	3	7	9	10	10
20-34	90	6.0	34	<1	<1	5	9	11	16	76
35-49	159	4.8	19	<1	<1	3	7	10	13	19
50-64	479	4.2	14	<1	<1	2	7	9	11	14
65+	845	5.7	44	<1	<1	4	9	12	15	25
GRAND TOTAL	**1610**	**5.2**	**32**	**<1**	**<1**	**3**	**8**	**11**	**13**	**24**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	2	2.5	5	1	1	2	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	79	1.4	2	<1	<1	<1	1	2	5	7
20-34	25	2.0	4	<1	<1	1	3	4	6	8
35-49	41	3.4	7	<1	<1	2	5	7	9	9
50-64	33	4.1	11	<1	<1	2	7	9	10	11
65+	34	4.0	9	1	1	3	6	8	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34										
35-49										
50-64	3	7.7	1	7	7	7	9	9	9	9
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	26	2.7	12	<1	<1	1	4	12	27	99+
20-34	23	3.8	11	<1	1	2	6	8	11	13
35-49	28	4.3	10	<1	1	4	6	9	11	12
50-64	54	6.1	21	<1	1	5	8	11	15	26
65+	64	5.8	18	<1	1	5	8	11	14	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	1.5	2	<1	<1	1	1	4	4	4
B. *Operated*	212	2.7	7	<1	<1	1	4	7	9	10
2. MULTIPLE DX										
A. *Not Operated*	6	5.8	7	1	1	6	7	9	9	9
B. *Operated*	195	5.0	17	<1	1	4	7	10	13	23
1. SINGLE DX	218	2.7	7	<1	<1	1	4	7	9	10
2. MULTIPLE DX	201	5.0	17	<1	1	4	7	10	13	22
A. NOT OPERATED	12	3.7	9	<1	<1	3	6	8	9	9
B. OPERATED	407	3.8	13	<1	<1	2	6	9	11	17
TOTAL 0-19 YRS	110	1.7	4	<1	<1	1	1	4	6	47
20-34	49	2.9	8	<1	<1	1	4	7	8	13
35-49	69	3.8	8	<1	<1	3	5	8	9	12
50-64	92	5.4	17	<1	1	5	8	10	12	22
65+	99	5.2	15	1	1	5	8	9	12	19
GRAND TOTAL	**419**	**3.8**	**13**	**<1**	**<1**	**2**	**6**	**9**	**11**	**17**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	1.8		<1	<1	2	2	2	2	2
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	341	1.9	3	<1	<1	1	2	3	5	10
20-34	286	2.0	3	<1	<1	1	2	4	5	9
35-49	282	2.1	8	<1	<1	1	2	4	7	13
50-64	273	1.9	3	<1	<1	1	2	3	5	9
65+	104	1.8	2	<1	<1	1	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	9.5	289	<1	<1	1	18	35	35	35
20-34	5	3.0	9	<1	<1	2	4	8	8	8
35-49	5	3.4	13	<1	<1	1	6	9	9	9
50-64	4	3.5	4	<1	<1	3	5	6	6	6
65+	5	4.2	5	2	2	4	5	8	8	8
B. *Operated*										
0-19 YRS	71	3.2	11	<1	<1	2	4	7	10	18
20-34	97	3.4	22	<1	<1	2	4	7	12	28
35-49	169	3.5	13	<1	1	2	5	8	12	22
50-64	185	3.3	19	<1	<1	2	3	7	12	29
65+	165	3.3	13	<1	<1	2	3	8	13	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.3	1	<1	<1	2	3	4	4	4
B. *Operated*	1286	2.0	4	<1	<1	1	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	23	4.6	50	<1	<1	3	5	8	18	35
B. *Operated*	687	3.3	16	<1	<1	2	4	7	12	23
1. SINGLE DX	1292	2.0	4	<1	<1	1	2	4	5	9
2. MULTIPLE DX	710	3.4	17	<1	<1	2	4	7	12	24
A. NOT OPERATED	29	4.1	41	<1	<1	2	4	8	10	35
B. OPERATED	1973	2.4	8	<1	<1	1	3	5	7	15
TOTAL 0-19 YRS	416	2.2	7	<1	<1	1	2	4	6	13
20-34	392	2.3	8	<1	<1	1	3	4	6	13
35-49	458	2.7	10	<1	<1	1	3	6	8	15
50-64	462	2.5	10	<1	<1	1	3	5	8	21
65+	274	2.7	9	<1	<1	2	3	6	9	17
GRAND TOTAL	**2002**	**2.5**	**9**	**<1**	**<1**	**1**	**3**	**5**	**7**	**15**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5		<1	<1	1	2	2	2	2
20-34	3	3.3	10	1	1	2	6	7	7	7
35-49	3	4.7	16	1	1	4	8	9	9	9
50-64	2	3.5	5	2	2	3	5	5	5	5
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	281	1.7	3	<1	<1	1	2	3	5	10
20-34	94	2.0	2	<1	<1	1	3	4	5	7
35-49	82	2.2	5	<1	<1	1	2	5	7	11
50-64	53	2.8	6	<1	<1	2	3	7	9	10
65+	37	3.0	9	<1	<1	1	4	8	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.0	3	<1	<1	1	2	5	6	6
20-34	7	3.3	7	<1	<1	2	5	8	8	8
35-49	4	2.8	6	<1	<1	2	4	6	6	6
50-64	4	5.3	16	<1	<1	5	8	10	10	10
65+	22	5.8	25	1	1	4	7	14	18	20
B. *Operated*										
0-19 YRS	82	3.5	21	<1	<1	2	4	8	14	24
20-34	59	4.7	25	<1	1	2	7	12	16	21
35-49	50	5.8	56	<1	1	3	7	14	19	43
50-64	66	4.8	28	<1	1	3	6	11	13	31
65+	64	6.9	58	<1	1	4	9	17	26	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	3.1	6	<1	<1	2	4	7	9	9
B. *Operated*	547	2.0	4	<1	<1	1	2	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	45	4.4	17	<1	<1	3	6	10	14	20
B. *Operated*	321	5.0	37	<1	<1	3	6	12	17	32
1. SINGLE DX	560	2.1	4	<1	<1	1	2	5	7	10
2. MULTIPLE DX	366	5.0	34	<1	<1	3	6	12	17	31
A. NOT OPERATED	58	4.1	15	<1	<1	3	5	9	12	20
B. OPERATED	868	3.1	18	<1	<1	1	3	7	10	23
TOTAL 0-19 YRS	375	2.1	8	<1	<1	1	2	5	7	16
20-34	163	3.1	12	<1	<1	2	3	7	10	20
35-49	139	3.5	26	<1	<1	2	4	8	11	27
50-64	125	3.9	19	<1	<1	2	6	8	12	25
65+	124	5.5	39	<1	<1	3	7	13	17	33
GRAND TOTAL	**926**	**3.2**	**18**	**<1**	**<1**	**2**	**4**	**7**	**11**	**22**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	25	1.0		<1	<1	<1	1	1	1	1
20-34	66	1.2		<1	<1	<1	1	2	2	4
35-49	71	1.1		<1	<1	<1	1	1	1	4
50-64	34	1.4	1	<1	<1	<1	2	2	2	5
65+	24	1.5	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	1.7		<1	<1	2	2	2	2	2
20-34	26	1.3		<1	<1	1	1	2	3	3
35-49	68	1.9	2	<1	<1	1	2	3	4	9
50-64	58	2.2	8	<1	<1	1	2	5	8	16
65+	45	1.8	2	<1	<1	1	2	4	5	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	220	1.2		<1	<1	<1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	200	1.9	4	<1	<1	1	2	4	5	11
1. SINGLE DX	221	1.2		<1	<1	<1	1	2	2	4
2. MULTIPLE DX	200	1.9	4	<1	<1	1	2	4	5	11
A. NOT OPERATED	1	1.0		1	1	1	1	1	1	1
B. OPERATED	420	1.5	2	<1	<1	1	1	3	4	8
TOTAL 0-19 YRS	28	1.1		<1	<1	<1	1	1	2	2
20-34	92	1.2		<1	<1	<1	1	2	2	4
35-49	140	1.5	1	<1	<1	1	1	3	4	8
50-64	92	1.9	5	<1	<1	1	2	4	5	14
65+	69	1.7	1	<1	<1	1	2	4	5	6
GRAND TOTAL	**421**	**1.5**	**2**	**<1**	**<1**	**1**	**1**	**3**	**4**	**8**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	2.2	2	1	1	2	3	5	5	5
35-49	14	2.9	4	<1	1	2	5	6	6	6
50-64	3	1.7	1	<1	<1	1	2	3	3	3
65+										
B. *Operated*										
0-19 YRS										
20-34	228	4.2	3	1	2	4	5	6	7	9
35-49	715	4.7	2	2	3	5	5	6	7	8
50-64	111	4.4	3	<1	1	5	6	6	7	8
65+	15	5.1	3	2	2	6	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	22	2.3	3	<1	<1	2	3	4	6	8
35-49	88	2.7	5	<1	<1	1	4	6	7	9
50-64	15	3.1	5	1	1	2	5	7	7	7
65+	2	7.0	8	5	5	7	9	9	9	9
B. *Operated*										
0-19 YRS	10	4.3	4	<1	1	4	6	7	7	7
20-34	1031	4.8	3	2	3	5	6	7	8	12
35-49	6643	5.0	3	3	3	5	6	7	8	11
50-64	1323	5.3	5	3	4	5	6	7	8	12
65+	144	6.4	10	2	4	6	7	9	12	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	2.5	3	<1	1	2	4	5	6	6
B. *Operated*	1069	4.5	2	1	3	5	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	127	2.7	5	<1	<1	2	4	6	7	9
B. *Operated*	9151	5.1	4	3	3	5	6	7	8	12
1. SINGLE DX	1095	4.5	2	1	3	5	5	6	7	8
2. MULTIPLE DX	9278	5.0	4	3	3	5	6	7	8	12
A. NOT OPERATED	153	2.7	4	<1	<1	2	4	6	7	9
B. OPERATED	10220	5.0	4	3	3	5	6	7	8	11
TOTAL 0-19 YRS	10	4.3	4	<1	1	4	6	7	7	7
20-34	1290	4.6	4	1	3	5	5	6	7	11
35-49	7460	5.0	3	3	3	5	6	7	8	10
50-64	1452	5.2	5	2	3	5	6	7	8	12
65+	161	6.3	10	2	4	6	7	9	11	19
GRAND TOTAL	**10373**	**5.0**	**4**	**2**	**3**	**5**	**6**	**7**	**8**	**11**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	2.3	2	<1	<1	2	3	4	4	4
35-49	14	3.5	4	<1	<1	4	5	6	6	6
50-64	4	4.8	5	2	2	5	6	7	7	7
65+	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	3.8		3	3	4	4	4	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS										
20-34	21	4.4	3	2	3	4	6	7	7	8
35-49	76	4.9	4	1	3	5	6	7	8	12
50-64	22	4.0	3	<1	1	4	5	6	7	7
65+	6	8.8	19	5	5	7	10	16	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	25	3.4	4	<1	<1	4	5	6	6	7
2. MULTIPLE DX										
A. *Not Operated*	5	3.8		3	3	4	4	4	4	4
B *Operated*	125	4.8	5	1	3	5	6	7	8	13
1. SINGLE DX	25	3.4	4	<1	<1	4	5	6	6	7
2. MULTIPLE DX	130	4.8	5	1	3	5	6	7	8	13
A. NOT OPERATED	5	3.8		3	3	4	4	4	4	4
B. OPERATED	150	4.6	5	1	2	5	6	7	8	12
TOTAL 0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	25	4.0	3	1	1	4	5	6	7	8
35-49	94	4.6	4	1	2	5	6	7	7	12
50-64	27	4.1	3	<1	1	4	5	6	7	7
65+	8	7.5	20	2	3	6	9	15	17	17
GRAND TOTAL	**155**	**4.6**	**5**	**1**	**2**	**4**	**6**	**7**	**8**	**12**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	84	4.0	1	2	2	4	5	5	6	8
20-34	355	3.9	2	2	3	4	5	5	6	7
35-49	118	4.3	1	3	3	4	5	6	6	7
50-64	91	5.1	4	3	3	5	6	7	7	16
65+	43	5.8	1	4	4	6	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64										
65+	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-19 YRS	70	4.5	2	2	3	4	5	6	8	9
20-34	453	4.3	2	3	3	4	5	6	7	9
35-49	477	5.2	4	3	3	5	6	7	8	12
50-64	268	6.0	6	3	4	5	7	9	10	15
65+	248	7.8	16	4	5	7	9	13	16	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.4	3	<1	<1	4	5	5	5	5
B. *Operated*	691	4.3	2	2	3	4	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	6	2.5	3	<1	<1	2	4	5	5	5
B. *Operated*	1516	5.5	7	3	3	5	6	9	10	16
1. SINGLE DX	696	4.3	2	2	3	4	5	6	7	8
2. MULTIPLE DX	1522	5.5	7	3	3	5	6	8	10	16
A. NOT OPERATED	11	2.9	3	<1	<1	3	5	5	5	5
B. OPERATED	2207	5.1	6	3	3	5	6	7	9	15
TOTAL 0-19 YRS	156	4.2	2	2	3	4	5	6	6	8
20-34	811	4.1	2	2	3	4	5	6	6	8
35-49	598	5.0	4	3	3	5	6	7	8	12
50-64	359	5.8	6	3	4	5	6	8	10	15
65+	294	7.5	14	4	5	6	8	12	16	25
GRAND TOTAL	**2218**	**5.1**	**6**	**3**	**3**	**5**	**6**	**7**	**9**	**15**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	1.7	1	<1	<1	<1	2	3	3	3
20-34	13	3.2	4	<1	<1	3	5	6	6	6
35-49	12	3.1	4	<1	<1	3	5	6	6	6
50-64	6	2.3	2	<1	<1	2	3	5	5	5
65+	3	4.7	4	3	3	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	2.0	2	<1	<1	1	3	3	3	3
65+	1	14.0		14	14	14	14	14	14	14
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	14	3.2	4	<1	<1	4	5	5	6	6
35-49	28	4.8	4	1	2	5	6	6	8	10
50-64	13	3.4	3	<1	1	4	5	5	6	6
65+	6	5.7	18	<1	<1	5	10	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	37	3.0	4	<1	<1	3	4	6	6	7
2. MULTIPLE DX										
A. *Not Operated*	6	3.8	26	<1	<1	2	3	13	14	14
B. *Operated*	62	4.2	5	<1	1	4	5	6	9	11
1. SINGLE DX	37	3.0	4	<1	<1	3	4	6	6	7
2. MULTIPLE DX	68	4.1	7	<1	<1	4	5	6	10	13
A. NOT OPERATED	6	3.8	26	<1	<1	2	3	13	14	14
B. OPERATED	99	3.7	5	<1	<1	4	5	6	7	11
TOTAL 0-19 YRS	5	1.6	1	<1	<1	1	2	3	3	3
20-34	28	3.2	4	<1	<1	3	5	6	6	6
35-49	41	4.2	5	<1	1	4	6	6	7	10
50-64	21	3.0	3	<1	<1	3	5	5	6	6
65+	10	6.2	19	<1	<1	5	10	12	14	14
GRAND TOTAL	**105**	**3.7**	**6**	**<1**	**<1**	**4**	**5**	**6**	**7**	**12**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	5	1.4	1	<1	<1	1	2	3	3	3
20-34	9	1.0		1	1	1	1	1	1	1
35-49	13	1.2		<1	<1	1	1	2	2	2
50-64	5	1.8	1	1	1	1	3	3	3	3
65+	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	4	1.5	1	<1	<1	1	2	3	3	3
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64	3	2.0	3	1	1	1	3	4	4	4
65+	6	2.3	2	1	1	2	3	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	34	1.3	1	<1	<1	1	1	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	16	1.9	2	<1	1	1	3	4	5	5
1. SINGLE DX	34	1.3	1	<1	<1	1	1	3	3	4
2. MULTIPLE DX	16	1.9	2	<1	1	1	3	4	5	5
A. NOT OPERATED										
B. OPERATED	50	1.5	1	<1	<1	1	2	3	4	5
TOTAL 0-19 YRS	5	1.4	1	<1	<1	1	2	3	3	3
20-34	13	1.2		<1	<1	1	1	2	3	3
35-49	16	1.3		<1	<1	1	1	2	3	3
50-64	8	1.9	2	1	1	1	3	4	4	4
65+	8	2.4	2	1	1	2	3	5	5	5
GRAND TOTAL	**50**	**1.5**	**1**	**<1**	**<1**	**1**	**2**	**3**	**4**	**5**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	5.5	25	2	2	5	9	9	9	9
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	8	3.1	16	<1	<1	1	4	10	12	12
65+	17	2.2	3	<1	1	2	2	5	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	10	9.5	43	1	2	8	15	19	22	22
35-49	7	4.7	2	2	2	5	6	6	6	6
50-64	20	4.9	23	<1	1	3	7	11	15	19
65+	75	4.1	14	1	1	2	6	11	13	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	6.0		6	6	6	6	6	6	6
B. *Operated*	30	2.6	7	<1	<1	2	2	7	9	12
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	113	4.7	19	1	1	3	6	11	14	20
1. SINGLE DX	31	2.7	7	<1	<1	2	3	7	9	12
2. MULTIPLE DX	113	4.7	19	1	1	3	6	11	14	20
A. NOT OPERATED	1	6.0		6	6	6	6	6	6	6
B. OPERATED	143	4.3	17	1	1	2	6	11	13	19
TOTAL 0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	12	8.8	40	1	2	8	13	18	21	22
35-49	9	3.9	4	<1	<1	5	5	6	6	6
50-64	28	4.4	21	<1	1	2	7	11	13	19
65+	93	3.7	12	1	1	2	5	9	12	15
GRAND TOTAL	**144**	**4.3**	**17**	**1**	**1**	**3**	**6**	**11**	**13**	**19**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	5	1.0		<1	<1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	3.0		3	3	3	3	3	3	3
50-64	3	1.3		<1	<1	1	2	2	2	2
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	1.7	1	<1	<1	1	2	3	3	3
20-34	3	1.0		1	1	1	1	1	1	1
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	2.3	1	1	1	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	11	1.9	3	<1	<1	1	2	5	7	7
2. MULTIPLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	12	1.8	1	<1	<1	1	3	3	3	3
1. SINGLE DX	11	1.9	3	<1	<1	1	2	5	7	7
2. MULTIPLE DX	13	1.8	1	<1	<1	1	3	3	3	3
A. NOT OPERATED	1	2.0		2	2	2	2	2	2	2
B. OPERATED	23	1.8	2	<1	<1	1	3	3	5	7
TOTAL 0-19 YRS	9	1.3	1	<1	<1	1	2	3	3	3
20-34	4	1.3		1	1	1	2	2	2	2
35-49	3	2.3	1	<1	<1	3	3	3	3	3
50-64	4	1.5		<1	<1	1	2	2	2	2
65+	4	3.5	6	1	1	3	5	7	7	7
GRAND TOTAL	**24**	**1.8**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	5.7	12	2	2	6	8	9	9	9
35-49	6	3.0	12	1	1	2	3	9	10	10
50-64	4	1.8	1	1	1	2	2	3	3	3
65+	7	11.9	555	1	1	3	7	54	65	65
B. *Operated*										
0-19 YRS	7	6.1	10	1	2	6	8	10	11	11
20-34	38	7.7	20	1	2	8	10	13	16	22
35-49	66	6.9	13	1	1	7	9	10	13	18
50-64	75	7.1	14	1	2	7	9	12	15	18
65+	46	7.5	18	1	2	8	10	14	15	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	2	5.0	8	3	3	5	7	7	7	7
35-49	9	2.6	4	<1	<1	2	4	6	6	6
50-64	11	4.0	9	<1	<1	3	6	9	10	10
65+	43	4.5	10	1	2	3	6	8	10	18
B. *Operated*										
0-19 YRS	11	11.5	77	5	5	9	12	27	32	33
20-34	34	10.9	55	4	5	9	13	18	25	41
35-49	114	12.6	130	2	3	10	15	23	37	86
50-64	170	13.8	112	2	4	11	17	29	37	51
65+	173	14.1	126	2	4	11	18	25	31	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	6.3	199	1	1	2	5	9	37	65
B. *Operated*	232	7.2	15	1	2	7	9	12	15	19
2. MULTIPLE DX										
A. *Not Operated*	69	4.0	9	1	1	3	5	8	10	17
B. *Operated*	502	13.4	116	2	4	10	17	25	36	55
1. SINGLE DX	252	7.1	29	1	1	7	9	12	15	19
2. MULTIPLE DX	571	12.3	113	1	2	10	15	24	34	53
A. NOT OPERATED	89	4.5	51	1	1	3	5	8	10	47
B. OPERATED	734	11.4	93	1	3	9	14	22	30	49
TOTAL 0-19 YRS	22	8.0	55	1	1	6	9	15	27	33
20-34	77	9.0	38	1	2	8	11	15	20	37
35-49	195	9.9	92	1	2	8	11	19	25	69
50-64	260	11.3	91	1	2	9	14	23	33	48
65+	269	11.3	113	1	2	9	14	22	29	61
GRAND TOTAL	**823**	**10.7**	**93**	**1**	**2**	**9**	**13**	**21**	**29**	**49**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.7		1	1	2	2	2	2	2
35-49										
50-64	2	1.5	1	1	1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	24	2.5	3	1	1	2	3	4	6	9
20-34	190	2.3	1	1	1	2	3	3	4	5
35-49	242	2.2	1	1	1	2	3	3	4	5
50-64	129	2.4	1	1	1	2	3	4	4	5
65+	64	2.8	1	1	1	3	4	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	2	5.0	32	1	1	5	9	9	9	9
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	4	2.3	1	1	1	2	3	3	3	3
20-34	70	2.4	1	1	1	2	3	3	4	4
35-49	140	2.7	2	1	1	3	3	4	5	7
50-64	136	3.2	3	1	2	3	4	5	6	13
65+	84	4.5	25	1	2	3	4	6	17	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.6		1	1	2	2	2	2	2
B. *Operated*	649	2.4	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	4	3.3	15	1	1	2	5	9	9	9
B. *Operated*	434	3.1	7	1	1	3	4	4	6	17
1. SINGLE DX	654	2.4	1	1	1	2	3	4	4	5
2. MULTIPLE DX	438	3.1	7	1	1	3	4	5	6	17
A. NOT OPERATED	9	2.3	7	1	1	2	2	6	9	9
B. OPERATED	1083	2.7	4	1	1	2	3	4	5	8
TOTAL 0-19 YRS	29	2.4	3	1	1	2	3	4	5	9
20-34	263	2.3	1	1	1	2	3	3	4	5
35-49	384	2.4	1	1	1	2	3	4	4	6
50-64	267	2.8	2	1	1	3	4	4	5	8
65+	149	3.7	16	1	1	3	4	5	7	28
GRAND TOTAL	**1092**	**2.7**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	2	2.0		2	2	2	2	2	2	2
35-49	4	2.8	8	<1	<1	1	4	7	7	7
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	5	7.0	6	4	4	8	9	9	9	9
20-34	29	5.7	4	2	3	5	7	8	9	10
35-49	30	5.4	7	2	2	5	7	8	10	14
50-64	47	4.9	7	1	2	4	7	9	10	11
65+	27	4.8	10	2	2	4	6	8	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	3.0	4	1	1	3	4	5	5	5
35-49	12	3.1	9	<1	<1	2	5	8	9	9
50-64	12	7.5	47	2	2	4	11	20	21	21
65+	12	5.6	14	1	1	5	7	12	13	13
B. *Operated*										
0-19 YRS	7	6.3	11	3	3	5	7	12	13	13
20-34	58	6.7	16	2	3	6	8	12	14	24
35-49	86	6.1	20	2	2	5	8	12	16	22
50-64	120	6.4	28	1	2	4	9	13	15	29
65+	125	6.8	33	2	2	5	8	14	19	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.6	4	<1	<1	2	3	6	7	7
B. *Operated*	138	5.2	7	2	2	5	7	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	40	5.1	24	1	1	3	7	12	16	21
B. *Operated*	396	6.5	26	2	2	5	8	13	16	26
1. SINGLE DX	147	5.1	7	2	2	5	7	8	9	14
2. MULTIPLE DX	436	6.4	26	1	2	5	8	13	16	25
A. NOT OPERATED	49	4.6	21	1	1	3	7	11	14	21
B. OPERATED	534	6.2	21	2	2	5	8	12	15	25
TOTAL 0-19 YRS	15	5.7	10	1	2	5	8	9	12	13
20-34	92	6.2	13	2	2	6	8	10	12	21
35-49	132	5.6	17	1	2	5	7	10	13	22
50-64	180	6.1	24	1	2	4	8	12	15	24
65+	164	6.4	28	2	2	5	7	13	17	26
GRAND TOTAL	**583**	**6.0**	**21**	**1**	**2**	**5**	**8**	**12**	**14**	**25**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	7	2.4	2	<1	<1	2	4	4	4	4
20-34	273	2.8	3	<1	1	3	4	5	5	7
35-49	140	3.5	5	<1	1	4	5	6	6	8
50-64	34	3.8	5	<1	1	4	5	7	8	10
65+	24	3.7	5	<1	1	4	5	7	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0	8	<1	<1	2	5	5	5	5
35-49	6	3.8	8	<1	<1	3	6	8	8	8
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	328	4.0	5	1	1	4	5	6	7	12
35-49	329	4.4	3	1	2	4	5	6	7	10
50-64	82	5.0	8	1	1	5	6	8	10	16
65+	45	5.4	5	1	2	6	6	8	9	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.5	1	1	1	3	3	3	3	3
B. *Operated*	478	3.1	4	<1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	11	3.2	6	<1	<1	3	5	7	8	8
B. *Operated*	785	4.3	5	1	1	4	5	7	8	12
1. SINGLE DX	482	3.1	4	<1	1	3	4	5	6	8
2. MULTIPLE DX	796	4.3	5	1	1	4	5	7	8	12
A. NOT OPERATED	15	3.0	4	<1	<1	3	4	6	7	8
B. OPERATED	1263	3.9	5	<1	1	4	5	6	7	11
TOTAL 0-19 YRS	8	2.3	2	<1	<1	2	4	4	4	4
20-34	605	3.5	5	<1	1	4	5	6	6	10
35-49	475	4.1	4	1	1	4	5	6	7	10
50-64	119	4.6	7	1	1	4	5	8	8	15
65+	71	4.8	6	1	1	5	6	7	8	11
GRAND TOTAL	**1278**	**3.9**	**5**	**<1**	**1**	**4**	**5**	**6**	**7**	**11**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34	12	4.0	14	<1	<1	2	7	9	10	10
35-49	64	4.4	54	<1	1	4	5	6	9	53
50-64	112	3.4	7	<1	1	3	5	7	10	12
65+	107	3.4	9	<1	<1	2	4	8	9	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	4	3.3	7	<1	<1	2	5	7	7	7
65+	8	2.9	11	<1	<1	2	3	9	11	11
B. *Operated*										
0-19 YRS										
20-34	14	3.6	4	<1	1	4	5	6	8	8
35-49	83	4.6	10	1	2	4	6	8	10	17
50-64	170	4.8	14	1	1	4	6	10	11	18
65+	326	6.7	77	1	1	4	8	13	17	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	298	3.7	18	<1	1	3	5	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	12	3.0	9	<1	<1	2	3	8	11	11
B. *Operated*	593	5.8	49	1	1	4	7	11	16	27
1. SINGLE DX	299	3.6	18	<1	1	3	5	7	9	14
2. MULTIPLE DX	605	5.7	48	1	1	4	7	11	15	27
A. NOT OPERATED	13	3.0	8	<1	<1	2	3	8	10	11
B. OPERATED	891	5.1	40	<1	1	4	6	10	13	24
TOTAL 0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34	26	3.8	8	<1	<1	3	6	9	9	10
35-49	148	4.5	29	1	1	4	5	8	9	20
50-64	286	4.2	11	<1	1	3	5	9	11	16
65+	441	5.8	62	1	1	4	7	12	17	30
GRAND TOTAL	**904**	**5.0**	**39**	**<1**	**1**	**4**	**6**	**10**	**13**	**24**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.0	4	<1	<1	1	2	5	7	7
20-34	13	2.5	2	<1	1	2	3	5	6	6
35-49	12	3.8	11	<1	<1	2	7	9	9	9
50-64	21	2.5	2	1	1	2	3	5	5	5
65+	20	2.9	10	<1	<1	1	4	7	10	12
B. *Operated*										
0-19 YRS	71	4.0	24	<1	<1	2	4	9	16	25
20-34	126	3.2	6	<1	1	2	4	7	8	11
35-49	123	3.3	8	<1	1	2	5	7	9	13
50-64	172	3.6	11	<1	1	2	5	7	11	17
65+	167	3.7	12	<1	1	2	5	9	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	3.0	5	<1	<1	2	4	7	8	9
20-34	28	3.0	8	<1	<1	2	4	6	9	14
35-49	52	3.5	12	<1	<1	2	4	8	11	17
50-64	75	3.8	44	<1	1	2	4	8	12	44
65+	220	5.2	43	1	1	3	6	10	14	37
B. *Operated*										
0-19 YRS	49	11.5	192	1	1	7	15	27	33	79
20-34	122	5.9	65	1	1	4	6	11	16	52
35-49	183	5.8	47	<1	1	5	7	11	15	44
50-64	294	6.0	49	1	1	5	7	11	15	50
65+	522	6.9	34	1	1	6	10	14	17	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	2.8	6	<1	<1	2	3	6	8	11
B. *Operated*	659	3.5	11	<1	1	2	5	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	404	4.4	35	<1	1	3	5	9	12	31
B. *Operated*	1170	6.6	51	1	1	5	8	13	17	38
1. SINGLE DX	734	3.4	11	<1	1	2	5	8	10	15
2. MULTIPLE DX	1574	6.0	47	1	1	4	8	12	16	36
A. NOT OPERATED	479	4.1	31	<1	1	3	5	8	11	25
B. OPERATED	1829	5.5	39	1	1	4	7	11	15	29
TOTAL 0-19 YRS	158	6.0	85	<1	<1	3	7	15	23	46
20-34	289	4.3	33	<1	1	3	5	8	11	29
35-49	370	4.6	30	<1	1	3	6	9	12	24
50-64	562	4.9	37	1	1	3	6	9	13	22
65+	929	5.8	33	1	1	4	8	12	15	27
GRAND TOTAL	**2308**	**5.2**	**37**	**<1**	**1**	**4**	**7**	**11**	**14**	**29**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	3	1.3		1	1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	10	2.3		1	1	2	3	3	3	3
20-34	130	2.6	1	1	1	3	3	4	4	6
35-49	202	2.5	1	1	1	2	3	4	5	6
50-64	145	2.6	1	1	1	3	3	4	4	5
65+	81	3.1	3	1	2	3	4	5	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	5	1.0		<1	<1	<1	1	1	1	1
35-49	6	1.3	1	<1	<1	1	1	3	3	3
50-64	7	2.7	3	1	1	2	4	5	5	5
65+	11	4.0	5	1	1	3	6	7	8	8
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	54	4.0	62	1	1	3	4	5	6	58
35-49	111	3.2	4	1	2	3	4	5	6	11
50-64	131	3.4	5	1	2	3	4	5	7	13
65+	118	5.0	60	1	2	4	5	8	9	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.2		<1	<1	1	1	2	2	2
B. *Operated*	568	2.6	1	1	1	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	31	2.5	4	<1	<1	2	3	6	7	8
B. *Operated*	416	3.9	28	1	2	3	4	6	8	18
1. SINGLE DX	573	2.6	1	1	1	3	3	4	4	6
2. MULTIPLE DX	447	3.8	26	1	1	3	4	6	8	17
A. NOT OPERATED	36	2.3	4	<1	<1	2	3	5	7	8
B. OPERATED	984	3.2	13	1	1	3	4	5	6	11
TOTAL 0-19 YRS	14	2.1	1	1	1	2	3	3	3	3
20-34	189	2.9	19	1	1	3	3	4	5	8
35-49	321	2.7	2	1	1	3	3	4	5	7
50-64	286	3.0	3	1	1	3	4	5	5	10
65+	210	4.2	35	1	2	3	4	6	8	22
GRAND TOTAL	**1020**	**3.1**	**13**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.8	1	1	1	2	2	4	4	4
20-34	18	3.3	5	<1	1	3	4	7	8	8
35-49	14	3.1	4	<1	1	3	4	7	7	7
50-64	9	2.9	1	2	2	2	4	5	5	5
65+	4	7.8	11	4	4	8	10	11	11	11
B. *Operated*										
0-19 YRS	16	3.2	2	1	1	3	4	5	5	5
20-34	103	2.9	1	1	1	3	4	4	5	7
35-49	116	2.7	1	1	1	2	4	4	5	6
50-64	75	2.8	1	1	1	3	3	4	5	7
65+	25	2.8	1	1	1	3	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	11.3	211	1	2	5	13	39	44	45
20-34	55	5.0	20	1	1	4	6	11	15	23
35-49	61	4.2	17	1	1	3	5	9	11	23
50-64	89	5.7	32	1	2	4	7	11	13	36
65+	186	7.1	34	2	2	6	8	14	19	31
B. *Operated*										
0-19 YRS	12	4.2	9	1	1	4	5	8	11	12
20-34	53	4.8	13	2	2	4	5	9	14	18
35-49	62	3.4	2	1	2	3	4	5	6	7
50-64	78	4.3	9	2	2	3	5	8	12	16
65+	66	7.8	155	1	2	4	8	16	27	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	3.4	6	1	1	3	4	7	8	11
B. *Operated*	335	2.8	1	1	1	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	403	6.2	35	1	2	4	7	12	18	35
B. *Operated*	271	5.0	46	1	2	4	5	8	14	28
1. SINGLE DX	386	2.9	2	1	1	3	4	5	5	7
2. MULTIPLE DX	674	5.7	40	1	2	4	6	11	16	33
A. NOT OPERATED	454	5.9	33	1	2	4	7	12	17	34
B. OPERATED	606	3.8	23	1	2	3	4	6	8	18
TOTAL 0-19 YRS	46	5.4	68	1	1	3	5	7	22	45
20-34	229	3.9	10	1	1	3	4	7	9	17
35-49	253	3.3	6	1	1	3	4	5	7	13
50-64	251	4.3	16	1	2	3	5	8	11	19
65+	281	6.9	60	2	2	5	8	13	20	36
GRAND TOTAL	**1060**	**4.7**	**28**	**1**	**2**	**3**	**5**	**9**	**13**	**26**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	113	3.6	2	1	2	4	4	5	6	9
20-34	36	2.9	3	<1	1	3	4	5	5	11
35-49	37	3.7	4	1	1	3	5	6	7	11
50-64	20	4.4	15	1	1	3	5	10	14	16
65+	11	4.8	19	<1	<1	4	7	11	16	16
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	5.0	8	3	3	5	7	7	7	7
50-64	1	4.0		4	4	4	4	4	4	4
65+	2	6.0	8	4	4	6	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	96	4.1	4	1	2	4	5	7	9	10
20-34	85	3.9	5	<1	<1	4	5	7	8	11
35-49	104	4.1	4	1	1	4	5	7	8	10
50-64	143	5.4	32	1	2	4	6	8	12	37
65+	126	6.3	47	2	2	4	7	12	16	45
B. *Operated*										
0-19 YRS										
20-34	12	8.9	69	1	2	6	11	21	30	31
35-49	10	5.8	11	3	3	4	9	11	12	12
50-64	15	10.5	227	1	2	5	11	28	51	59
65+	11	16.1	207	4	6	12	17	35	55	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	217	3.6	5	1	1	3	4	6	7	13
B. *Operated*	7	4.0	7	1	1	4	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	554	4.9	22	1	2	4	6	8	11	24
B. *Operated*	48	10.4	142	2	2	6	12	19	34	59
1. SINGLE DX	224	3.7	5	1	1	3	4	6	7	13
2. MULTIPLE DX	602	5.3	34	1	2	4	6	9	12	35
A. NOT OPERATED	771	4.5	18	1	2	4	5	7	10	20
B. OPERATED	55	9.6	129	1	2	6	12	18	30	59
TOTAL 0-19 YRS	210	3.8	3	1	2	4	5	6	7	9
20-34	134	4.1	12	<1	1	3	5	7	9	19
35-49	153	4.1	5	1	2	4	5	7	8	11
50-64	179	5.7	47	1	2	4	6	10	13	42
65+	150	6.9	61	2	2	5	7	13	18	55
GRAND TOTAL	**826**	**4.9**	**26**	**1**	**2**	**4**	**5**	**8**	**11**	**29**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	524	3.1	5	1	1	3	4	6	7	9
20-34	336	2.9	4	1	1	2	4	5	7	10
35-49	134	3.3	8	1	1	3	4	5	7	14
50-64	57	3.9	6	1	1	3	5	7	9	14
65+	39	5.3	11	1	2	4	7	9	13	16
B. *Operated*										
0-19 YRS	6	3.7	2	2	2	4	5	5	5	5
20-34	4	4.0	2	2	2	4	5	5	5	5
35-49	4	3.8	5	2	2	3	5	7	7	7
50-64	3	15.3	100	5	5	16	23	25	25	25
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	750	3.5	8	1	1	3	4	6	8	11
20-34	920	3.6	8	1	1	3	4	6	8	12
35-49	575	4.5	11	1	2	4	5	7	9	18
50-64	459	5.9	16	2	2	5	7	11	14	22
65+	705	7.1	24	2	3	6	9	12	15	26
B. *Operated*										
0-19 YRS	14	7.1	64	2	2	4	9	16	28	32
20-34	87	8.6	89	2	2	6	10	18	25	84
35-49	80	12.1	133	2	3	8	14	28	41	52
50-64	82	14.6	185	2	4	11	20	28	35	79
65+	73	19.1	294	4	7	14	22	33	43	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1090	3.2	5	1	1	3	4	6	7	11
B. *Operated*	17	5.8	35	2	2	5	5	14	22	25
2. MULTIPLE DX										
A. *Not Operated*	3409	4.8	15	1	2	4	6	9	11	19
B. *Operated*	336	13.1	180	2	3	9	17	28	38	91
1. SINGLE DX	1107	3.2	6	1	1	3	4	6	7	12
2. MULTIPLE DX	3745	5.5	35	1	2	4	6	10	14	31
A. NOT OPERATED	4499	4.4	13	1	1	3	5	8	10	18
B. OPERATED	353	12.8	175	2	3	9	16	27	37	89
TOTAL 0-19 YRS	1294	3.4	7	1	1	3	4	6	7	11
20-34	1347	3.7	14	1	1	3	4	7	8	18
35-49	793	5.0	28	1	2	4	6	9	12	32
50-64	601	6.9	48	2	2	5	8	13	20	33
65+	817	8.1	59	2	3	6	10	14	19	37
GRAND TOTAL	**4852**	**5.0**	**29**	**1**	**1**	**4**	**6**	**9**	**13**	**28**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	199	4.0	5	1	2	4	5	6	8	12
20-34	145	3.6	3	1	1	3	5	6	7	8
35-49	162	3.7	4	1	1	3	5	6	7	9
50-64	176	3.9	4	1	2	4	5	6	7	11
65+	178	4.0	8	1	2	4	5	7	9	16
B. *Operated*										
0-19 YRS	4	2.3	2	<1	<1	2	3	4	4	4
20-34	17	4.5	21	1	2	4	5	7	16	21
35-49	9	2.3	3	<1	<1	2	3	5	6	6
50-64	25	2.3	6	<1	<1	1	2	5	9	11
65+	25	2.7	6	<1	<1	2	3	8	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	263	3.7	5	<1	1	3	5	7	8	11
20-34	713	4.5	23	1	1	3	5	8	12	29
35-49	1011	4.9	12	1	2	4	6	8	11	17
50-64	1674	5.3	16	2	2	4	7	9	12	20
65+	2815	6.0	21	2	2	5	7	10	13	22
B. *Operated*										
0-19 YRS	9	10.3	162	2	2	5	11	33	41	41
20-34	300	8.1	85	1	2	5	9	17	23	62
35-49	520	10.4	107	1	2	7	13	22	33	51
50-64	903	11.5	130	1	2	8	15	26	33	53
65+	1192	12.9	135	2	3	10	17	27	35	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	860	3.9	5	1	2	4	5	6	7	11
B. *Operated*	80	2.9	9	<1	<1	2	4	6	8	18
2. MULTIPLE DX										
A. *Not Operated*	6476	5.4	18	1	2	4	7	9	12	21
B. *Operated*	2924	11.5	126	1	2	8	15	25	33	61
1. SINGLE DX	940	3.8	5	1	1	3	5	6	7	11
2. MULTIPLE DX	9400	7.3	60	1	2	5	8	15	21	41
A. NOT OPERATED	7336	5.2	17	1	2	4	6	9	12	21
B. OPERATED	3004	11.3	124	1	2	8	15	25	33	61
TOTAL 0-19 YRS	475	3.9	9	1	1	4	5	7	8	12
20-34	1175	5.3	39	1	1	4	6	10	16	33
35-49	1702	6.4	47	1	2	5	7	12	18	39
50-64	2778	7.2	61	1	2	5	8	15	22	40
65+	4210	7.8	63	2	2	6	9	15	22	43
GRAND TOTAL	**10340**	**7.0**	**56**	**1**	**2**	**5**	**8**	**14**	**20**	**40**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
B. *Operated*										
0-19 YRS	9	2.6	2	<1	<1	3	3	4	5	5
20-34	54	3.5	3	<1	1	3	5	6	6	8
35-49	4	4.0	1	3	3	4	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	6	5.3	4	3	3	5	7	8	8	8
35-49	3	2.0	3	<1	<1	1	3	4	4	4
50-64										
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	13	2.7	2	<1	<1	3	4	5	6	6
20-34	134	4.2	4	<1	2	4	5	6	8	10
35-49	32	4.4	3	2	2	5	5	6	7	10
50-64	5	5.6	1	5	5	5	6	7	7	7
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.7	2	<1	<1	3	4	4	4	4
B. *Operated*	67	3.4	3	<1	1	3	4	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	12	4.6	6	<1	1	4	7	8	8	8
B. *Operated*	184	4.2	4	<1	2	4	5	6	7	10
1. SINGLE DX	70	3.4	3	<1	1	3	4	6	6	8
2. MULTIPLE DX	196	4.2	4	<1	1	4	5	6	7	10
A. NOT OPERATED	15	4.2	6	<1	<1	4	6	7	8	8
B. OPERATED	251	4.0	3	<1	1	4	5	6	7	10
TOTAL 0-19 YRS	24	2.8	3	<1	<1	3	4	5	6	7
20-34	196	4.0	4	<1	1	4	5	6	7	10
35-49	40	4.1	3	<1	1	4	5	6	7	10
50-64	5	5.6	1	5	5	5	6	7	7	7
65+	1	7.0		7	7	7	7	7	7	7
GRAND TOTAL	**266**	**4.0**	**4**	**<1**	**1**	**4**	**5**	**6**	**7**	**10**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	2.1	8	<1	<1	1	2	4	5	20
20-34	32	2.4	2	<1	<1	2	3	5	5	6
35-49	43	2.6	5	<1	<1	2	3	6	7	8
50-64	26	2.8	3	<1	1	3	3	5	7	9
65+	35	2.5	4	1	1	2	3	5	7	11
B. *Operated*										
0-19 YRS	18	3.2	6	<1	<1	2	5	6	9	10
20-34	12	4.3	5	1	1	4	6	8	9	9
35-49	16	4.3	13	<1	<1	3	6	10	13	14
50-64	27	3.5	4	1	1	3	5	6	7	9
65+	9	7.3	30	3	3	5	9	16	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	175	3.4	45	<1	<1	2	3	6	10	41
20-34	185	3.7	16	1	1	3	4	8	10	22
35-49	222	4.1	21	1	1	3	5	8	10	28
50-64	377	4.3	15	1	1	3	6	8	11	22
65+	1176	5.0	19	1	1	4	6	10	13	25
B. *Operated*										
0-19 YRS	15	5.7	19	1	1	4	9	15	74	99+
20-34	36	8.9	129	2	2	5	8	21	39	52
35-49	60	7.5	32	2	2	6	10	15	19	27
50-64	112	9.7	91	2	3	6	12	24	28	50
65+	139	9.2	99	2	3	7	10	17	25	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	196	2.4	5	<1	<1	2	3	5	6	10
B. *Operated*	82	4.1	10	<1	1	3	5	8	10	18
2. MULTIPLE DX										
A. *Not Operated*	2135	4.5	21	1	1	3	6	9	12	25
B. *Operated*	362	8.9	85	2	2	6	10	19	26	60
1. SINGLE DX	278	2.9	7	<1	<1	2	4	6	7	13
2. MULTIPLE DX	2497	5.2	32	1	1	4	6	10	15	31
A. NOT OPERATED	2331	4.4	20	1	1	3	5	9	12	24
B. OPERATED	444	8.0	75	1	2	5	9	16	25	59
TOTAL 0-19 YRS	268	3.2	33	<1	<1	2	3	6	10	42
20-34	265	4.3	32	1	1	3	5	8	12	33
35-49	341	4.5	22	1	1	3	6	9	13	27
50-64	542	5.3	35	1	1	4	6	11	16	28
65+	1359	5.4	29	1	1	4	7	10	14	28
GRAND TOTAL	**2775**	**4.9**	**30**	**1**	**1**	**3**	**6**	**10**	**14**	**28**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3	9	1	1	5	6	7	7	7
20-34	2	2.0	2	<1	<1	1	3	3	3	3
35-49	2	6.5	1	6	6	6	7	7	7	7
50-64	2	2.0	2	<1	<1	1	3	3	3	3
65+	5	3.6	4	1	1	3	5	6	6	6
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	8.5	85	2	2	8	15	15	15	15
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	10.8	188	1	2	6	14	25	46	62
20-34	26	13.3	372	<1	2	4	14	35	66	77
35-49	38	10.0	112	3	3	7	11	18	28	62
50-64	67	8.7	43	2	2	7	12	18	21	31
65+	242	7.8	41	2	3	6	9	14	20	42
B. *Operated*										
0-19 YRS	15	7.0	30	3	3	6	9	10	21	25
20-34	71	6.3	29	4	4	4	5	12	17	35
35-49	101	6.8	63	4	4	5	5	11	17	54
50-64	62	9.1	74	3	4	6	11	17	24	53
65+	85	13.8	176	2	3	10	17	30	41	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	3.7	5	<1	<1	3	6	7	7	7
B. *Operated*	3	6.0	61	1	1	2	12	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	412	8.8	83	2	3	6	10	17	25	62
B. *Operated*	334	8.9	93	4	4	5	9	18	26	51
1. SINGLE DX	17	4.1	13	<1	<1	3	6	7	12	15
2. MULTIPLE DX	746	8.8	88	2	3	5	10	18	25	58
A. NOT OPERATED	426	8.6	82	2	2	6	10	16	24	62
B. OPERATED	337	8.9	93	3	4	5	9	18	26	51
TOTAL 0-19 YRS	57	9.5	139	1	2	6	12	18	31	62
20-34	99	8.1	126	3	4	4	6	16	30	70
35-49	143	7.6	76	3	4	5	7	15	20	62
50-64	132	8.7	57	2	3	7	11	17	23	36
65+	332	9.3	82	2	3	6	11	19	27	44
GRAND TOTAL	**763**	**8.7**	**86**	**2**	**3**	**5**	**10**	**17**	**25**	**58**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	8.0	31	<1	<1	9	11	14	17	21
20-34	23	11.3	11	6	8	11	14	16	17	18
35-49	6	11.8	5	8	8	13	13	14	14	14
50-64										
65+										
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	211	9.9	31	2	3	10	13	17	20	23
20-34	135	12.3	34	3	6	12	15	19	21	29
35-49	27	14.1	40	3	6	14	16	23	25	31
50-64										
65+										
B. *Operated*										
0-19 YRS	23	11.5	38	2	3	11	17	19	20	22
20-34	17	11.6	26	6	7	10	14	18	23	26
35-49	4	23.3	372	11	11	15	34	52	52	52
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83	9.2	26	<1	<1	10	13	15	17	21
B. *Operated*	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	373	11.1	35	2	3	11	14	18	21	26
B. *Operated*	44	12.3	67	3	5	11	16	19	23	52
1. SINGLE DX	84	9.2	26	<1	<1	10	13	14	17	21
2. MULTIPLE DX	417	11.2	38	2	3	11	14	19	21	28
A. NOT OPERATED	456	10.7	34	2	3	10	14	18	21	25
B. OPERATED	45	12.6	65	3	5	11	16	19	23	52
TOTAL 0-19 YRS	289	9.7	32	<1	2	10	13	17	19	22
20-34	175	12.1	30	4	6	11	15	18	20	26
35-49	37	14.7	70	4	7	14	15	23	29	52
50-64										
65+										
GRAND TOTAL	**501**	**10.9**	**37**	**2**	**3**	**10**	**14**	**18**	**21**	**26**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	1	5.0		5	5	5	5	5	5	5
35-49	3	3.3	10	1	1	2	6	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	3	4.3	2	3	3	4	5	6	6	6
20-34	92	5.4	4	2	3	5	7	8	8	13
35-49	95	5.4	4	3	3	5	7	8	9	11
50-64	18	5.2	6	1	2	5	6	9	10	10
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.3	14	1	1	7	8	8	8	8
20-34	9	15.0	342	<1	<1	5	34	43	46	46
35-49	9	7.8	152	1	1	3	6	28	40	40
50-64	12	7.2	55	<1	<1	3	12	18	23	24
65+	4	4.0	6	2	2	4	6	7	7	7
B. *Operated*										
0-19 YRS	6	7.2	6	4	4	7	8	11	11	11
20-34	188	7.3	28	4	4	7	8	9	11	40
35-49	303	7.2	17	4	4	7	8	9	13	25
50-64	72	8.4	60	3	4	7	8	10	25	48
65+	3	7.0	1	6	6	7	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.3	5	1	1	2	5	7	7	7
B. *Operated*	209	5.4	4	3	3	5	7	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	37	8.7	142	<1	1	4	10	30	40	46
B. *Operated*	572	7.4	26	4	4	7	8	9	12	37
1. SINGLE DX	216	5.3	4	2	3	5	7	8	9	11
2. MULTIPLE DX	609	7.5	33	3	4	7	8	10	13	41
A. NOT OPERATED	44	7.9	124	<1	1	3	8	25	39	46
B. OPERATED	781	6.8	21	3	4	6	8	9	11	26
TOTAL 0-19 YRS	15	5.3	8	1	2	5	8	8	10	11
20-34	290	6.9	32	3	4	6	8	9	10	43
35-49	410	6.8	17	3	4	6	8	9	11	25
50-64	102	7.7	51	1	3	7	8	10	19	46
65+	8	5.8	7	2	2	6	8	9	9	9
GRAND TOTAL	**825**	**6.9**	**26**	**3**	**4**	**6**	**8**	**9**	**11**	**38**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	2.3	5	<1	<1	1	2	5	7	12
20-34	101	2.6	30	<1	<1	<1	2	5	8	33
35-49	49	1.9	8	<1	<1	<1	1	4	7	14
50-64	46	2.3	8	<1	<1	<1	2	6	9	15
65+	18	2.8	3	<1	1	3	3	6	6	6
B. *Operated*										
0-19 YRS	28	2.7	3	<1	<1	2	4	5	6	8
20-34	44	2.4	4	<1	<1	2	3	6	7	10
35-49	54	4.2	176	<1	1	2	4	5	7	95
50-64	31	2.4	2	<1	<1	2	3	4	5	7
65+	15	2.4	5	<1	<1	1	4	8	72	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	149	4.6	77	1	1	2	4	10	12	39
20-34	181	3.8	23	<1	<1	2	4	9	14	26
35-49	205	5.3	39	<1	<1	3	7	13	18	27
50-64	235	5.0	23	<1	<1	4	6	11	14	23
65+	312	6.1	18	1	2	5	8	11	14	20
B. *Operated*										
0-19 YRS	30	5.8	49	<1	1	3	9	23	93	99+
20-34	120	10.5	162	1	1	7	13	23	30	73
35-49	127	9.7	141	1	1	4	12	28	35	67
50-64	120	10.1	196	1	1	5	13	30	42	92
65+	125	9.6	102	1	2	7	11	21	32	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	264	2.4	15	<1	<1	<1	2	5	7	16
B. *Operated*	172	3.0	58	<1	<1	2	3	5	7	78
2. MULTIPLE DX										
A. *Not Operated*	1082	5.1	33	<1	<1	4	7	11	15	25
B. *Operated*	522	9.7	144	1	1	6	12	25	35	98
1. SINGLE DX	436	2.6	32	<1	<1	1	3	5	7	16
2. MULTIPLE DX	1604	6.6	74	<1	<1	4	8	15	23	48
A. NOT OPERATED	1346	4.6	31	<1	<1	3	6	10	14	24
B. OPERATED	694	8.1	131	1	1	4	9	21	32	98
TOTAL 0-19 YRS	257	4.1	53	<1	<1	2	4	9	12	90
20-34	446	5.2	70	<1	<1	2	6	13	19	36
35-49	435	6.0	88	<1	<1	3	7	15	23	51
50-64	432	5.9	75	<1	<1	3	7	13	22	46
65+	470	6.8	43	1	1	5	9	12	18	40
GRAND TOTAL	**2040**	**5.8**	**67**	**<1**	**<1**	**3**	**7**	**13**	**19**	**45**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	3.5	2	2	2	3	4	5	5	5
35-49	8	2.6	1	1	1	2	4	4	4	4
50-64	15	2.5	3	1	1	2	4	5	6	6
65+	23	2.9	4	<1	1	3	4	5	7	10
B. *Operated*										
0-19 YRS										
20-34	4	1.5	1	<1	<1	1	2	3	3	3
35-49										
50-64	4	1.5		1	1	1	2	2	2	2
65+	5	3.6	4	1	1	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	8	3.0	3	1	1	3	4	5	6	6
35-49	19	3.6	4	1	2	3	5	6	8	9
50-64	63	4.2	20	1	2	3	5	7	9	31
65+	180	4.7	11	1	2	4	6	9	11	18
B. *Operated*										
0-19 YRS										
20-34	3	5.7	2	4	4	6	7	7	7	7
35-49	7	6.4	40	1	1	3	9	17	19	19
50-64	19	7.7	86	1	1	4	10	17	30	40
65+	30	6.0	34	1	1	4	8	15	16	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	2.8	3	1	1	2	4	5	5	10
B. *Operated*	13	2.3	3	<1	<1	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*	271	4.4	12	1	2	3	6	8	10	18
B. *Operated*	59	6.6	49	1	1	4	8	16	18	39
1. SINGLE DX	63	2.7	3	<1	1	2	4	5	6	10
2. MULTIPLE DX	330	4.8	19	1	2	4	6	9	12	21
A. NOT OPERATED	321	4.2	11	1	1	3	5	8	10	17
B. OPERATED	72	5.8	43	1	1	4	7	15	17	37
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	19	3.2	4	<1	<1	3	4	6	7	7
35-49	34	4.0	11	1	2	3	4	8	9	19
50-64	101	4.5	31	1	1	3	5	8	12	37
65+	238	4.7	13	1	1	4	6	9	12	19
GRAND TOTAL	**393**	**4.5**	**17**	**1**	**1**	**3**	**6**	**8**	**12**	**20**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	2.0	1	1	1	2	3	3	4	4
20-34	33	2.3	2	<1	1	2	3	4	5	6
35-49	14	2.4	2	<1	1	2	3	5	5	5
50-64	26	3.0	6	<1	<1	2	4	7	8	10
65+	78	3.2	5	<1	1	3	4	6	7	14
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+	3	7.3	44	3	3	4	12	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1593	2.6	4	1	1	2	3	5	6	9
20-34	756	3.0	7	1	1	2	3	6	8	14
35-49	800	3.5	9	1	1	3	4	7	9	16
50-64	1585	4.7	18	1	1	3	6	9	12	22
65+	7253	5.6	23	1	2	4	7	10	13	23
B. *Operated*										
0-19 YRS	34	7.0	61	1	2	4	8	18	26	35
20-34	59	5.4	36	1	1	4	6	11	22	29
35-49	81	7.6	106	1	1	5	9	14	18	67
50-64	172	9.4	102	1	1	6	12	22	29	61
65+	594	11.9	117	2	3	9	15	24	35	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	228	2.6	3	<1	1	2	3	5	6	8
B. *Operated*	4	6.8	31	3	3	4	10	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	11987	4.8	19	1	1	4	6	9	12	21
B. *Operated*	940	10.5	110	1	2	7	13	22	32	62
1. SINGLE DX	232	2.7	4	<1	1	2	3	5	6	11
2. MULTIPLE DX	12927	5.2	28	1	1	4	6	10	14	27
A. NOT OPERATED	12215	4.8	19	1	1	4	6	9	12	21
B. OPERATED	944	10.5	110	1	2	7	13	22	32	62
TOTAL 0-19 YRS	1704	2.7	5	1	1	2	3	5	6	10
20-34	848	3.1	9	1	1	2	4	6	8	16
35-49	896	3.8	19	1	1	3	5	7	10	16
50-64	1783	5.1	28	1	1	4	6	10	14	29
65+	7928	6.1	33	1	2	5	7	11	15	29
GRAND TOTAL	**13159**	**5.2**	**28**	**1**	**1**	**4**	**6**	**10**	**14**	**27**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	1.8	1	<1	<1	2	3	3	3	3
20-34	14	1.9	1	<1	1	1	3	4	4	4
35-49	18	2.1	3	1	1	1	3	5	6	6
50-64	10	2.6		1	1	3	3	3	3	3
65+	31	2.4	2	<1	<1	2	3	4	5	5
B. *Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	1	3.0		3	3	3	3	3	3	3
35-49	5	3.6	2	2	2	3	4	6	6	6
50-64	1	2.0		2	2	2	2	2	2	2
65+	6	4.0	2	3	3	3	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	2.7	7	1	1	2	3	5	6	15
20-34	53	2.9	3	1	1	2	4	5	7	8
35-49	112	2.8	3	1	1	2	4	5	7	9
50-64	136	3.6	9	1	1	3	5	7	9	17
65+	762	4.1	9	1	1	3	5	8	9	13
B. *Operated*										
0-19 YRS	5	4.0	14	1	1	2	6	10	10	10
20-34	17	4.8	7	2	2	5	6	9	10	11
35-49	33	5.5	15	1	2	4	7	11	15	17
50-64	70	6.0	22	1	1	4	8	11	18	21
65+	261	6.7	24	2	3	5	8	11	15	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	2.2	2	<1	1	2	3	4	5	6
B. *Operated*	15	3.5	2	1	2	3	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	1096	3.8	8	1	1	3	5	7	9	13
B. *Operated*	386	6.3	22	2	2	5	8	11	15	25
1. SINGLE DX	99	2.4	2	<1	1	2	3	4	5	6
2. MULTIPLE DX	1482	4.4	13	1	1	4	6	8	10	19
A. NOT OPERATED	1180	3.7	8	1	1	3	5	7	9	13
B. OPERATED	401	6.2	22	2	2	5	8	11	15	25
TOTAL 0-19 YRS	51	2.6	6	1	1	2	3	5	6	15
20-34	85	3.1	4	1	1	3	4	6	7	10
35-49	168	3.3	7	1	1	3	4	6	8	15
50-64	217	4.3	14	1	1	3	6	9	11	21
65+	1060	4.7	14	1	1	4	6	9	11	19
GRAND TOTAL	**1581**	**4.3**	**13**	**1**	**1**	**3**	**6**	**8**	**10**	**18**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	80	4.1	12	1	1	3	5	7	9	22
20-34	157	4.3	7	1	1	4	6	8	9	12
35-49	46	4.7	12	<1	<1	4	6	10	11	16
50-64	6	7.2	19	3	3	6	10	14	14	14
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	8.1	21	4	4	7	10	16	17	17
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	93	6.1	20	1	2	5	7	12	14	24
20-34	241	5.9	25	1	2	5	7	11	13	24
35-49	96	5.9	12	1	2	5	8	11	12	16
50-64	19	6.9	12	2	3	7	9	11	13	15
65+										
B. *Operated*										
0-19 YRS	4	36.3	965	6	6	61	74	99+	99+	99+
20-34	14	12.2	108	2	4	7	20	29	34	35
35-49	10	10.7	76	3	3	9	13	25	31	31
50-64	2	15.0	32	11	11	15	19	19	19	19
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	289	4.3	9	<1	1	4	6	8	10	13
B. *Operated*	9	7.2	21	1	2	7	9	15	17	17
2. MULTIPLE DX										
A. *Not Operated*	449	6.0	21	1	2	5	7	11	13	21
B. *Operated*	30	15.1	245	3	4	10	20	45	65	99+
1. SINGLE DX	298	4.4	10	<1	1	4	6	8	10	15
2. MULTIPLE DX	479	6.6	39	1	2	5	8	12	15	34
A. NOT OPERATED	738	5.4	17	1	1	5	7	10	12	20
B. OPERATED	39	13.3	203	2	3	8	18	33	63	99+
TOTAL 0-19 YRS	178	5.8	55	1	1	4	7	11	14	64
20-34	419	5.6	23	1	2	5	7	9	12	26
35-49	153	5.9	18	<1	1	5	8	11	13	19
50-64	27	7.6	18	2	3	8	10	13	16	19
65+										
GRAND TOTAL	**777**	**5.8**	**29**	**1**	**1**	**5**	**7**	**11**	**13**	**28**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	129	2.3	8	<1	<1	1	2	5	7	18
20-34	25	2.6	8	<1	<1	1	3	5	9	14
35-49	30	1.9	6	<1	<1	1	2	3	5	14
50-64	50	1.8	3	<1	<1	1	2	4	5	9
65+	150	2.1	4	<1	<1	1	2	5	7	9
B. *Operated*										
0-19 YRS	36	4.8	7	1	2	4	5	7	11	13
20-34	15	3.5	3	1	1	3	5	6	6	6
35-49	11	5.6	16	1	1	4	9	12	12	12
50-64	12	5.8	11	2	2	5	8	11	11	11
65+	30	4.6	7	1	2	5	6	8	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	229	2.9	17	<1	1	2	3	6	9	21
20-34	112	3.1	8	<1	<1	2	4	7	8	15
35-49	221	2.9	6	<1	1	2	4	6	8	12
50-64	470	3.3	14	<1	1	2	4	7	10	17
65+	1667	3.8	17	<1	1	3	5	8	11	18
B. *Operated*										
0-19 YRS	68	8.0	128	1	1	5	8	19	27	72
20-34	65	5.2	35	1	1	4	7	10	17	32
35-49	100	7.4	47	1	1	6	10	16	21	34
50-64	189	6.9	58	1	1	5	8	18	22	31
65+	534	7.7	53	1	2	6	10	15	21	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	384	2.1	6	<1	<1	1	2	5	7	13
B. *Operated*	104	4.7	8	1	2	4	6	9	11	13
2. MULTIPLE DX										
A. *Not Operated*	2699	3.5	15	<1	1	2	4	8	10	18
B. *Operated*	956	7.4	58	1	1	5	9	16	21	38
1. SINGLE DX	488	2.7	7	<1	<1	1	4	6	8	13
2. MULTIPLE DX	3655	4.5	29	<1	1	3	6	10	14	27
A. NOT OPERATED	3083	3.4	14	<1	1	2	4	7	10	17
B. OPERATED	1060	7.1	53	1	1	5	9	15	20	35
TOTAL 0-19 YRS	462	3.6	33	<1	1	2	4	7	12	27
20-34	217	3.7	16	<1	<1	2	4	7	10	21
35-49	362	4.1	22	<1	1	2	5	10	14	22
50-64	721	4.2	27	<1	1	3	5	9	13	27
65+	2381	4.6	27	<1	1	3	6	10	13	25
GRAND TOTAL	**4143**	**4.3**	**27**	**<1**	**1**	**3**	**5**	**9**	**13**	**25**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.2	1	1	1	2	3	4	4	4
20-34	6	2.7	1	2	2	3	3	4	4	4
35-49	2	4.5	13	2	2	4	7	7	7	7
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	2	6.5	1	6	6	6	7	7	7	7
20-34	2	11.0	32	7	7	11	15	15	15	15
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	3.7	20	<1	<1	3	5	7	8	25
20-34	24	3.6	10	<1	<1	3	5	8	11	12
35-49	15	4.4	6	1	1	4	6	8	9	9
50-64	4	5.8	5	4	4	5	7	9	9	9
65+	2	10.0	2	9	9	10	11	11	11	11
B. *Operated*										
0-19 YRS	4	7.0	44	2	2	5	12	16	16	16
20-34	7	11.7	112	4	4	6	21	28	29	29
35-49										
50-64	1	11.0		11	11	11	11	11	11	11
65+	2	27.5	1013	5	5	27	50	50	50	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	2.8	2	1	1	2	4	4	6	7
B. *Operated*	4	8.8	18	6	6	7	11	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	76	4.1	13	<1	1	3	5	8	10	22
B. *Operated*	14	12.6	184	2	2	7	16	31	46	50
1. SINGLE DX	19	4.1	11	1	1	3	6	7	12	15
2. MULTIPLE DX	90	5.4	48	<1	1	4	6	10	16	42
A. NOT OPERATED	91	3.9	12	<1	1	3	5	8	9	20
B. OPERATED	18	11.7	147	2	3	7	15	28	42	50
TOTAL 0-19 YRS	43	4.0	19	<1	1	3	5	7	11	25
20-34	39	5.3	37	<1	1	3	6	12	20	29
35-49	17	4.4	6	1	1	4	6	8	9	9
50-64	6	6.3	9	4	4	5	9	11	11	11
65+	4	18.8	440	5	5	10	30	50	50	50
GRAND TOTAL	**109**	**5.2**	**41**	**<1**	**1**	**4**	**6**	**9**	**15**	**38**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	126	2.7	4	1	1	2	3	5	7	9
20-34	26	4.0	25	<1	<1	3	5	6	11	27
35-49	26	3.5	11	<1	<1	2	5	7	12	13
50-64	29	1.8	1	<1	<1	1	3	3	4	5
65+	34	2.8	4	<1	1	3	3	5	7	8
B. *Operated*										
0-19 YRS	65	4.1	10	1	1	4	6	7	8	18
20-34	60	4.5	5	1	2	4	5	7	9	11
35-49	29	5.4	8	2	2	5	7	8	9	16
50-64	26	5.7	13	1	2	5	8	10	13	15
65+	25	6.8	16	1	2	6	9	12	15	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	213	3.7	10	<1	1	3	5	7	10	16
20-34	132	4.0	9	1	1	4	5	7	9	17
35-49	170	4.5	13	<1	1	4	6	8	9	21
50-64	274	5.6	22	1	1	4	7	10	13	25
65+	652	5.1	21	1	1	4	7	10	14	22
B. *Operated*										
0-19 YRS	76	5.2	27	1	1	4	6	11	13	32
20-34	111	7.1	30	1	2	6	9	14	17	30
35-49	103	7.8	47	2	2	6	9	14	23	37
50-64	163	9.7	74	2	2	7	12	20	28	45
65+	355	10.3	78	2	2	8	13	20	25	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	241	2.8	7	<1	1	2	3	6	7	12
B. *Operated*	205	4.9	10	1	1	4	6	8	11	17
2. MULTIPLE DX										
A. *Not Operated*	1441	4.8	18	1	1	4	6	10	12	21
B. *Operated*	808	8.9	65	1	2	7	11	18	24	42
1. SINGLE DX	446	3.8	9	<1	1	3	5	7	9	15
2. MULTIPLE DX	2249	6.3	38	1	1	5	8	13	18	33
A. NOT OPERATED	1682	4.5	17	1	1	3	6	9	12	21
B. OPERATED	1013	8.1	56	1	2	6	10	16	22	38
TOTAL 0-19 YRS	480	3.7	12	1	1	3	5	7	10	16
20-34	329	5.1	18	1	1	4	6	10	13	24
35-49	328	5.5	25	1	1	5	7	9	13	34
50-64	492	6.7	43	1	1	5	8	13	19	35
65+	1066	6.8	45	1	1	5	9	14	19	34
GRAND TOTAL	**2695**	**5.9**	**35**	**1**	**1**	**4**	**7**	**12**	**16**	**32**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	274	1.4	1	<1	<1	1	2	2	3	5
20-34	67	1.6	1	<1	1	1	2	3	3	4
35-49	14	1.9	1	<1	1	2	2	3	4	4
50-64	4	1.8		1	1	2	2	2	2	2
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	283	2.8	1	1	2	3	3	4	5	6
20-34	110	3.3	1	2	2	3	4	5	5	7
35-49	18	3.1	1	1	2	3	4	4	4	4
50-64	4	7.0	11	3	3	7	9	11	11	11
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	136	1.8	1	1	1	2	2	3	4	5
20-34	55	2.1	2	1	1	2	2	4	5	7
35-49	19	2.3	1	<1	<1	3	3	4	4	4
50-64	6	2.0	2	1	1	2	3	4	4	4
65+	4	2.5		2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	143	3.2	2	1	2	3	4	5	6	9
20-34	81	4.0	3	2	2	4	4	6	7	10
35-49	12	4.8	15	2	2	4	5	10	15	16
50-64	4	7.3	22	3	3	6	10	14	14	14
65+	4	7.0	24	3	3	6	11	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	360	1.5	1	<1	<1	1	2	2	3	5
B. *Operated*	415	3.0	1	1	2	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	220	1.9	1	1	1	2	2	3	4	6
B. *Operated*	244	3.7	4	2	2	3	4	6	7	13
1. SINGLE DX	775	2.3	2	1	1	2	3	4	4	6
2. MULTIPLE DX	464	2.9	4	1	1	2	4	5	6	10
A. NOT OPERATED	580	1.6	1	<1	1	1	2	3	3	5
B. OPERATED	659	3.2	3	1	2	3	4	5	6	10
TOTAL 0-19 YRS	836	2.3	2	1	1	2	3	4	5	7
20-34	313	2.9	3	1	1	3	4	5	6	8
35-49	63	2.9	4	<1	1	3	4	4	5	15
50-64	18	4.2	14	1	1	3	6	10	13	14
65+	9	4.3	16	1	1	3	5	11	13	13
GRAND TOTAL	**1239**	**2.5**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	72	3.5	4	1	1	3	5	6	8	10
20-34	7	4.7	26	1	1	2	7	14	15	15
35-49	4	7.0	65	2	2	3	11	19	19	19
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	31	2.1	3	<1	<1	1	2	5	6	9
20-34	25	1.6	1	<1	<1	1	2	3	4	5
35-49	11	2.4	2	<1	<1	2	3	5	6	6
50-64	9	3.4	13	<1	<1	2	4	10	12	12
65+	5	1.0		<1	<1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	4.1	4	1	2	4	6	7	7	10
20-34	10	3.4	6	1	1	3	4	7	9	9
35-49	6	2.3	1	<1	<1	2	3	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	38	4.8	10	1	1	4	7	10	11	12
20-34	19	2.5	5	<1	<1	2	3	6	8	10
35-49	10	3.6	6	<1	<1	3	5	7	8	8
50-64	13	4.3	14	1	1	4	6	9	13	14
65+	11	2.3	4	1	1	1	3	6	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	3.7	8	1	1	3	5	7	8	18
B. *Operated*	81	2.0	4	<1	<1	1	2	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	76	3.8	4	1	1	4	5	6	7	10
B. *Operated*	91	3.8	9	<1	1	3	6	8	10	13
1. SINGLE DX	167	2.9	7	<1	<1	2	4	6	8	14
2. MULTIPLE DX	167	3.8	7	1	1	3	6	7	9	12
A. NOT OPERATED	162	3.8	6	1	1	3	5	7	8	14
B. OPERATED	172	3.0	7	<1	<1	2	4	7	9	12
TOTAL 0-19 YRS	199	3.7	6	<1	1	3	5	7	8	11
20-34	61	2.5	7	<1	<1	2	3	5	8	14
35-49	31	3.4	12	<1	<1	2	4	6	8	19
50-64	25	3.8	11	<1	1	2	5	7	12	14
65+	18	2.1	3	<1	1	1	3	5	6	7
GRAND TOTAL	**334**	**3.4**	**7**	**<1**	**1**	**3**	**5**	**7**	**8**	**13**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	4.7	35	1	1	2	8	15	16	16
20-34	20	8.5	72	<1	1	5	12	19	27	33
35-49	7	6.9	106	1	1	2	8	25	29	29
50-64	8	3.4	12	1	1	2	4	9	11	11
65+	19	10.0	122	1	1	7	12	28	36	42
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	7.5	122	<1	1	2	8	28	33	35
20-34	48	9.0	133	1	1	6	10	22	48	99+
35-49	51	8.0	107	1	1	5	7	20	37	47
50-64	81	8.5	128	1	1	5	11	20	28	99+
65+	374	6.7	41	1	2	5	8	13	20	41
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	13.3	118	6	6	9	20	29	29	29
50-64	4	7.8	4	5	5	8	9	10	10	10
65+	44	7.4	31	1	1	6	11	15	17	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	7.7	80	1	1	4	11	19	29	41
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	570	7.3	69	1	1	5	9	16	24	83
B. *Operated*	52	7.9	36	1	1	7	11	15	17	29
1. SINGLE DX	61	7.7	80	1	1	4	11	19	29	41
2. MULTIPLE DX	622	7.3	67	1	1	5	9	16	23	70
A. NOT OPERATED	631	7.3	70	1	1	5	9	16	25	67
B. OPERATED	52	7.9	36	1	1	7	11	15	17	29
TOTAL 0-19 YRS	23	6.7	94	<1	1	2	8	23	31	35
20-34	68	8.9	114	1	1	6	11	21	34	93
35-49	62	8.2	106	1	1	5	7	23	36	46
50-64	93	8.1	114	1	1	5	11	20	23	99+
65+	437	6.9	44	1	2	5	9	14	20	41
GRAND TOTAL	**683**	**7.3**	**68**	**1**	**1**	**5**	**9**	**16**	**24**	**58**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	3.2	91	<1	1	1	1	5	9	65
20-34	65	5.4	66	<1	1	2	5	13	23	40
35-49	26	2.6	3	<1	<1	2	3	7	22	99+
50-64	33	6.5	192	1	1	3	9	74	99+	99+
65+	160	8.4	143	1	1	5	9	23	59	99+
B. *Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	3	3.0	7	1	1	2	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	145	8.5	308	1	1	2	5	30	51	91
20-34	222	10.3	274	1	1	4	10	28	55	99+
35-49	149	13.2	368	1	1	5	16	48	82	99+
50-64	188	9.6	142	2	2	6	13	45	99+	99+
65+	1552	8.1	81	1	2	6	10	18	31	99+
B. *Operated*										
0-19 YRS	8	10.0	588	<1	<1	1	2	50	70	70
20-34	27	22.5	895	1	1	5	38	80	83	99+
35-49	16	9.3	285	1	2	4	8	15	54	71
50-64	18	22.3	694	1	3	13	27	90	98	99+
65+	129	11.4	80	2	3	9	17	25	34	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	374	6.1	116	1	1	3	7	16	41	99+
B. *Operated*	7	2.3	3	1	1	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*	2256	8.8	140	1	2	5	10	22	47	99+
B. *Operated*	198	13.7	295	1	2	8	18	34	80	99+
1. SINGLE DX	381	6.0	114	1	1	3	7	15	40	99+
2. MULTIPLE DX	2454	9.2	155	1	2	6	11	23	49	99+
A. NOT OPERATED	2630	8.4	138	1	1	5	10	21	46	99+
B. OPERATED	205	13.3	290	1	2	8	18	33	80	99+
TOTAL 0-19 YRS	243	6.6	241	<1	1	1	3	16	42	86
20-34	315	10.3	299	1	1	4	10	31	58	99+
35-49	191	11.5	323	1	1	4	14	39	80	99+
50-64	242	10.0	198	1	2	6	14	46	99+	99+
65+	1844	8.3	87	1	2	6	10	20	33	99+
GRAND TOTAL	**2835**	**8.8**	**150**	**1**	**1**	**5**	**10**	**22**	**48**	**99+**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	28.0		28	28	28	28	28	28	28
65+	9	12.9	152	1	2	10	16	32	42	42
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49	1	4.0		4	4	52	99+	99+	99+	99+
50-64	10	10.2	37	2	3	11	17	53	96	99+
65+	186	9.3	130	2	2	6	11	27	79	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	19.0		19	19	19	19	19	19	19
50-64	2	12.0	2	11	11	12	13	13	13	13
65+	23	13.1	44	3	5	11	18	22	25	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	14.4	158	1	2	12	17	35	42	42
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	198	9.4	124	2	2	6	11	28	99+	99+
B. *Operated*	26	13.2	40	3	6	12	18	22	25	28
1. SINGLE DX	10	14.4	158	1	2	12	17	35	42	42
2. MULTIPLE DX	224	9.8	116	2	2	7	13	26	79	99+
A. NOT OPERATED	208	9.6	126	2	2	6	12	28	92	99+
B. OPERATED	26	13.2	40	3	6	12	18	22	25	28
TOTAL 0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49	2	11.5	113	4	4	19	80	99+	99+	99+
50-64	13	11.8	52	2	4	11	18	35	86	99+
65+	218	9.9	123	2	2	7	13	26	62	99+
GRAND TOTAL	**234**	**10.0**	**118**	**2**	**2**	**7**	**13**	**27**	**72**	**99+**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5	1	1	1	1	2	3	3	3
20-34	46	3.1	11	<1	1	2	4	6	9	17
35-49	64	3.2	6	1	1	2	4	6	9	12
50-64	41	3.1	6	<1	1	3	3	6	10	12
65+	11	5.0	21	1	2	4	6	43	92	99+
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	13.2	184	<1	1	6	28	32	34	35
20-34	524	7.9	82	1	1	4	8	27	28	36
35-49	838	6.7	68	1	1	4	7	21	27	33
50-64	668	7.2	67	1	2	5	8	21	28	99+
65+	362	8.8	120	2	2	6	10	21	27	99+
B. *Operated*										
0-19 YRS										
20-34	6	15.5	262	3	3	12	15	44	47	47
35-49	21	9.6	90	1	2	5	21	46	99+	99+
50-64	32	15.5	176	3	4	11	23	36	48	50
65+	18	14.6	124	2	3	14	22	38	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	166	3.2	8	1	1	2	4	6	11	18
B. *Operated*	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	2411	7.5	80	1	2	4	8	23	28	66
B. *Operated*	77	13.6	147	2	3	10	22	37	50	99+
1. SINGLE DX	167	3.3	9	1	1	2	4	6	11	18
2. MULTIPLE DX	2488	7.7	84	1	2	4	8	24	28	85
A. NOT OPERATED	2577	7.2	77	1	1	4	7	21	28	65
B. OPERATED	78	13.6	145	2	3	10	22	37	50	99+
TOTAL 0-19 YRS	24	11.1	164	<1	1	5	26	31	34	35
20-34	576	7.6	80	1	1	4	7	26	28	40
35-49	923	6.5	65	1	1	4	7	20	27	39
50-64	741	7.3	72	1	2	5	8	21	28	99+
65+	391	9.0	119	2	2	6	11	21	28	99+
GRAND TOTAL	**2655**	**7.4**	**80**	**1**	**2**	**4**	**8**	**23**	**28**	**79**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	8.3	162	<1	<1	3	8	29	41	41
20-34	31	6.3	118	<1	1	3	6	11	18	61
35-49	20	5.4	39	<1	1	3	6	17	20	22
50-64	1	1.0		1	1	1	1	1	1	1
65+	13	3.8	3	2	2	3	4	7	7	7
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	10.3	191	<1	1	6	11	29	39	97
20-34	471	9.8	146	1	2	6	11	28	31	99+
35-49	187	7.8	66	1	1	5	8	21	28	33
50-64	105	7.2	55	1	1	5	8	16	23	39
65+	265	6.3	44	1	2	5	7	13	16	32
B. *Operated*										
0-19 YRS										
20-34	7	10.0	74	1	2	5	15	23	25	25
35-49	1	6.0		6	6	6	6	6	6	6
50-64	7	16.6	162	2	2	19	27	33	34	34
65+	18	10.1	84	2	3	8	10	19	33	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	5.8	79	<1	1	3	6	12	19	56
B. *Operated*	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	1109	8.4	105	1	2	5	9	24	29	90
B. *Operated*	33	11.3	97	2	3	8	16	26	33	42
1. SINGLE DX	75	5.7	78	<1	1	3	6	12	19	56
2. MULTIPLE DX	1142	8.5	105	1	2	5	9	24	29	90
A. NOT OPERATED	1183	8.2	104	1	1	5	9	23	29	89
B. OPERATED	34	11.0	97	1	2	8	16	25	33	42
TOTAL 0-19 YRS	90	10.1	187	<1	1	6	11	29	40	97
20-34	509	9.5	144	1	2	6	10	28	31	99+
35-49	208	7.6	63	1	1	5	8	21	28	32
50-64	113	7.8	65	1	1	5	9	19	27	38
65+	297	6.4	45	1	2	5	7	13	17	38
GRAND TOTAL	**1217**	**8.3**	**104**	**1**	**2**	**5**	**9**	**24**	**29**	**88**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	75	16.2	236	2	4	11	27	44	89	99+
20-34	1022	12.0	169	1	2	9	15	29	66	99+
35-49	571	11.5	122	1	2	8	16	29	43	99+
50-64	170	11.9	148	2	3	9	17	32	99	99+
65+	38	13.1	167	1	1	10	23	50	99+	99+
B. *Operated*										
0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49										
50-64	1	16.0		16	16	16	16	16	16	16
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	16.4	203	2	3	14	25	52	99+	99+
20-34	861	12.7	175	2	3	9	18	39	99+	99+
35-49	528	12.9	176	2	3	9	19	41	99+	99+
50-64	237	13.3	145	2	3	10	18	32	86	99+
65+	100	16.0	252	3	3	14	25	95	99+	99+
B. *Operated*										
0-19 YRS										
20-34	20	26.2	592	4	5	19	54	92	99+	99+
35-49	17	17.7	133	4	6	18	25	99+	99+	99+
50-64	3	24.3	549	7	7	15	42	51	51	51
65+	7	16.1	85	5	6	14	24	28	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1876	12.0	156	1	2	9	16	30	59	99+
B. *Operated*	2	13.5	13	11	11	13	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	1786	13.1	177	2	3	9	19	40	99+	99+
B. *Operated*	47	21.5	346	5	5	18	30	91	99+	99+
1. SINGLE DX	1878	12.0	156	1	2	9	16	30	59	99+
2. MULTIPLE DX	1833	13.3	183	2	3	10	19	42	99+	99+
A. NOT OPERATED	3662	12.6	167	1	3	9	17	35	92	99+
B. OPERATED	49	21.2	334	5	5	18	29	89	99+	99+
TOTAL 0-19 YRS	135	16.3	220	2	3	12	25	45	99+	99+
20-34	1904	12.4	178	1	2	9	17	34	83	99+
35-49	1116	12.3	148	1	3	9	18	33	79	99+
50-64	411	12.8	148	2	3	10	18	32	97	99+
65+	145	15.2	221	2	3	13	24	73	99+	99+
GRAND TOTAL	**3711**	**12.7**	**170**	**1**	**3**	**9**	**18**	**35**	**93**	**99+**

360 Hospitals, Western Region, January-December 1985

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	14.9	124	2	4	13	20	27	43	44
20-34	90	12.0	121	1	2	9	17	26	40	51
35-49	25	7.0	26	2	3	5	11	22	99+	99+
50-64	4	9.5	46	4	4	8	15	18	18	18
65+	5	18.2	261	6	6	14	24	46	46	46
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	24.9	250	3	4	25	42	81	99+	99+
20-34	72	11.0	103	1	1	9	14	24	34	49
35-49	29	5.9	17	1	1	5	8	13	14	16
50-64	19	9.6	50	<1	1	8	17	20	21	21
65+	7	11.0	97	<1	1	10	24	77	99+	99+
B. *Operated*										
0-19 YRS										
20-34	2	12.0	32	8	8	12	16	16	16	16
35-49										
50-64	1	9.0		9	9	9	9	9	9	9
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	147	11.8	112	2	3	9	17	26	41	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	144	11.4	121	1	2	8	16	31	40	99+
B. *Operated*	3	11.0	19	8	8	9	14	16	16	16
1. SINGLE DX	147	11.8	112	2	3	9	17	26	41	99+
2. MULTIPLE DX	147	11.4	119	1	2	8	16	30	39	99+
A. NOT OPERATED	291	11.6	116	1	2	8	16	27	41	99+
B. OPERATED	3	11.0	19	8	8	9	14	16	16	16
TOTAL 0-19 YRS	40	19.2	198	3	4	18	31	45	72	99+
20-34	164	11.6	111	1	2	9	16	25	36	51
35-49	54	6.4	21	1	2	5	9	14	22	99+
50-64	24	9.5	45	1	2	8	17	20	20	21
65+	12	14.0	162	<1	2	11	24	57	92	99+
GRAND TOTAL	**294**	**11.6**	**115**	**1**	**2**	**8**	**16**	**27**	**41**	**99+**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	120	15.3	253	1	3	11	21	41	60	99+
20-34	1117	12.1	146	1	2	9	17	33	99	99+
35-49	524	10.6	104	1	2	8	16	32	99+	99+
50-64	173	11.3	175	1	2	8	16	29	85	99+
65+	49	14.6	226	1	2	13	20	29	83	99+
B. *Operated*										
0-19 YRS										
20-34	1	25.0		25	25	25	25	25	25	25
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	122	20.0	453	2	3	14	41	99	99+	99+
20-34	1156	14.0	224	2	2	10	20	54	99+	99+
35-49	632	13.3	185	2	3	10	19	39	98	99+
50-64	316	13.2	140	2	3	10	20	37	99+	99+
65+	118	14.6	205	1	3	11	24	54	99+	99+
B. *Operated*										
0-19 YRS	2	13.5	13	11	11	16	79	99+	99+	99+
20-34	37	18.2	125	4	8	17	26	99+	99+	99+
35-49	18	16.9	149	6	8	20	99+	99+	99+	99+
50-64	9	13.1	35	5	6	16	21	99+	99+	99+
65+	7	41.6	1008	12	13	34	68	90	93	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1983	11.9	147	1	2	9	17	33	99	99+
B. *Operated*	2	13.5	265	2	2	13	25	25	25	25
2. MULTIPLE DX										
A. *Not Operated*	2344	14.1	215	2	3	10	20	49	99+	99+
B. *Operated*	73	19.4	242	5	8	17	34	99+	99+	99+
1. SINGLE DX	1985	11.9	147	1	2	9	17	33	99	99+
2. MULTIPLE DX	2417	14.2	216	2	3	11	21	52	99+	99+
A. NOT OPERATED	4327	13.1	185	1	2	10	19	42	99+	99+
B. OPERATED	75	19.2	240	5	7	17	34	99+	99+	99+
TOTAL 0-19 YRS	244	17.7	355	2	3	12	28	70	99+	99+
20-34	2311	13.2	186	1	2	10	19	42	99+	99+
35-49	1174	12.2	150	1	2	9	18	37	99+	99+
50-64	499	12.5	150	2	3	10	19	35	99+	99+
65+	174	15.7	265	1	3	12	22	55	99+	99+
GRAND TOTAL	**4402**	**13.2**	**186**	**1**	**2**	**10**	**19**	**43**	**99+**	**99+**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	25.9	419	1	2	35	58	99+	99+	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	28.5	450	1	4	35	53	94	99+	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	31.0		31	31	31	31	31	31	31
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	25.9	419	1	2	35	58	99+	99+	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	34	28.5	450	1	4	35	53	94	99+	99+
B. *Operated*	1	31.0		31	31	31	31	31	31	31
1. SINGLE DX	8	25.9	419	1	2	35	58	99+	99+	99+
2. MULTIPLE DX	35	28.6	437	1	4	34	51	92	99+	99+
A. NOT OPERATED	42	28.0	435	1	3	35	53	99+	99+	99+
B. OPERATED	1	31.0		31	31	31	31	31	31	31
TOTAL 0-19 YRS	43	28.1	425	1	3	35	53	99+	99+	99+
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**43**	**28.1**	**425**	**1**	**3**	**35**	**53**	**99+**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	255	20.3	368	1	2	16	32	61	97	99+
20-34	729	10.5	135	1	1	6	14	27	33	69
35-49	651	11.0	112	1	1	8	15	23	33	53
50-64	357	11.5	96	2	2	9	15	25	31	57
65+	333	16.2	152	3	4	13	22	33	39	65
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	14.7	97	8	8	10	22	26	26	26
50-64	1	22.0		22	22	22	22	22	22	22
65+	3	33.3	934	4	4	31	56	65	65	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	583	23.3	459	2	3	18	42	72	99+	99+
20-34	1816	12.3	175	1	2	8	16	29	41	99+
35-49	1584	12.3	143	1	2	9	16	27	36	79
50-64	1026	14.0	163	2	3	11	18	29	38	73
65+	1287	16.2	170	2	3	13	22	34	42	66
B. *Operated*										
0-19 YRS	7	34.4	925	2	6	43	99+	99+	99+	99+
20-34	51	20.1	348	1	2	15	25	40	59	91
35-49	54	23.0	409	4	7	17	35	71	95	99+
50-64	55	25.9	418	4	7	21	42	70	79	99+
65+	100	23.0	304	6	7	18	28	52	59	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2325	12.7	161	1	2	9	17	30	39	90
B. *Operated*	7	23.7	432	4	5	22	30	58	65	65
2. MULTIPLE DX										
A. *Not Operated*	6296	14.4	201	1	2	10	19	33	46	99+
B. *Operated*	267	23.3	372	3	6	18	32	58	79	99+
1. SINGLE DX	2332	12.7	162	1	2	9	17	30	39	90
2. MULTIPLE DX	6563	14.7	211	1	2	10	20	35	49	99+
A. NOT OPERATED	8621	13.9	191	1	2	10	19	32	44	99+
B. OPERATED	274	23.3	372	3	6	18	31	58	78	99+
TOTAL 0-19 YRS	845	22.5	437	1	3	17	39	70	99+	99+
20-34	2596	11.9	169	1	2	8	16	28	39	95
35-49	2292	12.1	143	1	2	9	16	27	36	77
50-64	1439	13.8	163	2	3	10	18	28	39	77
65+	1723	16.6	178	3	4	13	22	35	43	66
GRAND TOTAL	**8895**	**14.2**	**199**	**1**	**2**	**10**	**19**	**33**	**46**	**99+**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	18.6	279	3	4	14	34	87	99+	99+
20-34	715	11.1	117	1	2	8	15	27	41	99+
35-49	570	11.7	146	1	2	9	15	26	45	99+
50-64	263	12.5	119	2	3	10	17	28	54	99+
65+	139	12.2	102	2	3	9	17	25	39	99+
B. *Operated*										
0-19 YRS										
20-34	2	13.5	25	10	10	17	79	99+	99+	99+
35-49	1	10.0		10	10	10	10	10	10	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	130	21.5	405	2	3	17	38	66	99+	99+
20-34	772	13.1	160	1	3	10	18	35	57	99+
35-49	790	12.4	144	2	3	9	16	29	45	99+
50-64	541	15.1	217	2	3	12	20	35	67	99+
65+	384	15.7	207	3	4	12	21	37	62	99+
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	21	23.4	269	6	9	19	42	99+	99+	99+
35-49	24	20.8	300	3	6	15	29	76	99+	99+
50-64	23	19.4	199	5	6	15	28	63	99+	99+
65+	16	20.6	114	6	7	21	30	35	35	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1756	11.9	134	1	2	9	16	28	46	99+
B. *Operated*	3	12.3	16	10	10	14	58	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	2617	14.1	190	2	3	11	19	35	59	99+
B. *Operated*	85	20.8	226	4	7	17	32	64	99+	99+
1. SINGLE DX	1759	11.9	134	1	2	9	16	28	46	99+
2. MULTIPLE DX	2702	14.3	193	2	3	11	19	35	63	99+
A. NOT OPERATED	4373	13.2	169	2	3	10	18	32	55	99+
B. OPERATED	88	20.5	221	4	7	17	32	67	99+	99+
TOTAL 0-19 YRS	200	20.4	362	2	3	15	36	67	99+	99+
20-34	1510	12.3	144	1	2	9	16	31	51	99+
35-49	1385	12.3	149	2	3	9	16	29	46	99+
50-64	827	14.4	187	2	3	11	19	34	63	99+
65+	539	14.9	180	2	3	12	20	34	54	99+
GRAND TOTAL	**4461**	**13.3**	**171**	**2**	**3**	**10**	**18**	**33**	**56**	**99+**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	67	10.1	88	1	1	7	16	27	33	99+
20-34	315	7.9	99	1	1	5	10	18	27	97
35-49	167	7.6	68	1	1	5	10	19	24	48
50-64	95	7.9	54	1	1	6	11	19	25	71
65+	100	10.3	84	1	2	8	14	24	30	78
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	104	15.6	322	2	2	10	23	43	89	99+
20-34	474	10.0	141	1	1	6	14	26	50	99+
35-49	238	8.8	75	1	2	6	12	20	28	59
50-64	248	9.5	129	1	2	6	12	23	32	99+
65+	639	8.3	86	1	2	6	10	19	24	74
B. *Operated*										
0-19 YRS	3	8.0	28	4	4	6	12	14	14	14
20-34	18	16.0	219	<1	1	13	23	42	50	51
35-49	6	6.7	45	1	1	5	5	19	20	20
50-64	24	11.8	98	1	2	11	14	25	36	37
65+	54	15.4	260	2	2	11	20	30	35	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	744	8.4	84	1	1	6	11	20	28	99+
B. *Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. *Not Operated*	1703	9.5	123	1	2	6	12	23	33	99+
B. *Operated*	105	14.0	200	1	2	11	19	29	36	82
1. SINGLE DX	745	8.4	84	1	1	6	11	20	28	99+
2. MULTIPLE DX	1808	9.7	128	1	2	6	13	23	33	99+
A. NOT OPERATED	2447	9.1	111	1	2	6	12	22	31	99+
B. OPERATED	106	13.9	199	1	2	11	19	29	36	81
TOTAL 0-19 YRS	175	13.3	233	1	2	8	20	32	78	99+
20-34	807	9.3	128	1	1	6	12	23	35	99+
35-49	411	8.3	72	1	2	5	10	19	26	54
50-64	367	9.2	108	1	1	6	12	22	31	99+
65+	793	9.1	100	1	2	6	11	20	27	83
GRAND TOTAL	**2553**	**9.3**	**116**	**1**	**2**	**6**	**12**	**22**	**32**	**99+**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.6	11	1	1	2	2	6	11	15
20-34	78	4.2	37	1	1	2	5	9	15	37
35-49	84	3.8	23	1	1	2	5	8	12	29
50-64	40	4.6	37	1	1	2	5	10	21	28
65+	18	5.0	44	<1	1	2	3	15	21	24
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	8.7	152	<1	1	4	10	34	54	99+
20-34	238	6.9	70	1	1	3	9	17	24	33
35-49	233	6.3	51	1	1	3	7	19	22	30
50-64	189	5.6	46	1	1	3	6	14	21	34
65+	181	4.6	20	1	1	3	5	10	15	23
B. *Operated*										
0-19 YRS										
20-34	5	7.8	42	1	1	10	13	15	15	15
35-49	8	14.9	244	1	1	10	23	41	46	46
50-64	5	6.2	20	2	2	4	10	12	12	12
65+	9	14.8	217	3	3	7	19	38	50	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	240	4.1	30	1	1	2	4	9	15	29
B. *Operated*	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	872	6.0	53	1	1	3	7	16	21	33
B. *Operated*	27	11.9	157	1	1	9	17	26	47	50
1. SINGLE DX	241	4.1	30	1	1	2	4	9	15	29
2. MULTIPLE DX	899	6.2	57	1	1	3	7	16	22	34
A. NOT OPERATED	1112	5.6	48	1	1	3	6	14	21	33
B. OPERATED	28	11.5	156	1	1	8	16	25	46	50
TOTAL 0-19 YRS	51	6.3	105	1	1	2	8	16	35	99
20-34	321	6.2	62	1	1	3	8	16	22	34
35-49	325	5.9	51	1	1	3	7	17	21	32
50-64	234	5.4	44	1	1	3	6	13	21	33
65+	209	5.1	34	1	1	3	5	11	17	27
GRAND TOTAL	**1140**	**5.8**	**52**	**1**	**1**	**3**	**7**	**15**	**21**	**34**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	128	18.9	403	1	2	12	31	46	68	98
20-34	182	6.1	81	<1	1	3	7	15	28	91
35-49	147	5.3	29	<1	1	3	7	13	16	26
50-64	56	5.1	19	1	2	4	6	10	15	22
65+	22	9.9	158	1	2	6	11	18	42	59
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	12.0	98	5	5	12	19	19	19	19
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	385	21.0	451	1	2	13	34	60	77	99+
20-34	763	8.3	91	1	1	5	11	19	25	69
35-49	509	8.3	71	1	2	6	11	19	27	50
50-64	231	7.7	60	1	1	5	10	19	23	33
65+	234	8.1	55	2	2	6	11	19	26	99+
B. *Operated*										
0-19 YRS	4	26.0	705	6	6	16	42	65	65	65
20-34	26	14.7	148	1	1	11	25	33	38	40
35-49	14	17.3	422	1	2	13	20	33	71	82
50-64	8	18.1	401	1	1	12	26	51	61	61
65+	9	10.3	145	2	3	6	12	29	41	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	535	9.0	171	1	1	4	10	23	39	80
B. *Operated*	2	12.0	98	5	5	12	19	19	19	19
2. MULTIPLE DX										
A. *Not Operated*	2122	10.5	168	1	1	6	13	26	42	99+
B. *Operated*	61	15.9	268	1	2	11	23	35	50	80
1. SINGLE DX	537	9.0	170	1	1	4	10	23	38	80
2. MULTIPLE DX	2183	10.7	172	1	2	6	14	27	42	99
A. NOT OPERATED	2657	10.2	169	1	1	6	13	26	41	96
B. OPERATED	63	15.7	261	1	2	11	22	34	48	80
TOTAL 0-19 YRS	517	20.5	440	1	2	13	34	56	72	99+
20-34	971	8.0	92	1	1	5	10	19	27	73
35-49	672	7.9	72	1	1	5	10	19	26	48
50-64	295	7.5	64	1	2	5	10	19	23	34
65+	265	8.4	66	2	2	6	11	19	26	92
GRAND TOTAL	**2720**	**10.3**	**172**	**1**	**1**	**6**	**13**	**26**	**41**	**93**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	103	11.5	327	<1	1	4	13	36	64	93
20-34	304	8.3	229	1	1	4	9	36	98	99+
35-49	100	6.1	80	<1	1	3	10	53	99+	99+
50-64	46	4.1	25	<1	1	2	5	12	19	99+
65+	22	2.8	2	<1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS	4	9.5	54	1	1	9	14	19	19	19
20-34	65	8.1	7	2	2	9	9	9	10	14
35-49	41	7.2	10	1	2	9	9	9	10	12
50-64	16	3.4	11	1	1	2	6	9	9	9
65+	8	2.1	2	1	1	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	251	11.4	249	<1	1	5	15	43	73	99+
20-34	906	7.8	137	1	1	4	10	35	99+	99+
35-49	451	7.5	122	1	1	4	10	40	99+	99+
50-64	152	7.7	109	1	1	5	10	25	87	99+
65+	148	7.1	93	1	1	4	8	16	31	99+
B. *Operated*										
0-19 YRS	5	22.0	797	2	2	23	92	99+	99+	99+
20-34	53	15.0	377	1	1	9	27	94	99+	99+
35-49	37	8.8	114	1	2	7	9	22	27	59
50-64	32	7.5	107	1	1	4	9	15	28	54
65+	18	6.1	46	1	1	4	6	18	24	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	575	8.0	200	<1	1	3	9	30	91	99+
B. *Operated*	134	6.9	12	1	1	9	9	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	1908	8.1	144	1	1	4	11	33	99+	99+
B. *Operated*	145	10.9	232	1	2	7	11	55	97	99+
1. SINGLE DX	709	7.8	165	1	1	4	9	21	72	99+
2. MULTIPLE DX	2053	8.3	151	1	1	4	11	34	99+	99+
A. NOT OPERATED	2483	8.1	157	1	1	4	10	32	99+	99+
B. OPERATED	279	9.0	130	1	1	9	9	22	59	99+
TOTAL 0-19 YRS	363	11.5	275	<1	1	5	15	44	70	99+
20-34	1328	8.2	163	1	1	4	10	35	99+	99+
35-49	629	7.3	108	1	1	4	10	31	99+	99+
50-64	246	6.7	88	1	1	4	9	17	49	99+
65+	196	6.3	77	1	1	4	7	15	24	91
GRAND TOTAL	**2762**	**8.2**	**154**	**1**	**1**	**4**	**10**	**30**	**99+**	**99+**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	11.4	205	<1	<1	2	28	35	45	98
20-34	344	10.0	113	<1	1	4	20	28	29	32
35-49	391	9.3	105	1	1	4	16	27	29	33
50-64	199	9.4	107	1	1	4	15	28	30	33
65+	65	6.9	75	<1	1	3	6	22	29	31
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	28.0		28	28	28	28	28	28	28
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	493	28.2	354	1	2	28	42	49	61	91
20-34	2950	16.5	137	1	2	19	28	30	32	41
35-49	3017	14.5	134	1	2	13	26	30	31	40
50-64	2095	13.9	127	1	2	9	24	29	31	39
65+	1159	13.5	109	1	2	10	21	28	32	41
B. *Operated*										
0-19 YRS	9	49.3	649	2	14	48	58	86	92	92
20-34	53	19.9	131	1	2	21	30	34	36	37
35-49	84	18.8	204	1	2	20	28	31	39	75
50-64	86	18.8	167	2	2	21	28	33	43	58
65+	36	14.7	132	2	4	12	21	26	30	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1052	9.5	112	1	1	4	17	28	30	35
B. *Operated*	1	28.0		28	28	28	28	28	28	28
2. MULTIPLE DX										
A. *Not Operated*	9714	15.6	151	1	2	14	26	30	33	46
B. *Operated*	268	19.5	212	1	2	21	28	34	45	74
1. SINGLE DX	1053	9.5	112	1	1	4	17	28	30	35
2. MULTIPLE DX	9982	15.7	153	1	2	14	27	30	34	46
A. NOT OPERATED	10766	15.0	151	1	2	13	26	30	33	46
B. OPERATED	269	19.5	212	1	2	21	28	34	45	74
TOTAL 0-19 YRS	555	26.9	376	1	1	28	42	48	60	92
20-34	3347	15.9	138	1	2	17	28	30	32	39
35-49	3493	14.0	136	1	2	10	25	29	31	40
50-64	2380	13.7	129	1	2	8	24	29	31	39
65+	1260	13.2	110	1	2	10	21	28	31	41
GRAND TOTAL	**11035**	**15.1**	**153**	**1**	**2**	**13**	**26**	**30**	**33**	**46**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	21.3	205	<1	<1	29	30	33	33	33
20-34	79	6.8	58	1	1	4	7	17	28	34
35-49	22	10.6	121	1	1	6	21	32	33	33
50-64	3	23.7	246	6	6	29	34	36	36	36
65+	1	16.0		16	16	16	16	16	16	16
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	20.8	154	3	4	27	30	34	38	43
20-34	530	12.8	120	2	3	8	21	29	32	42
35-49	205	12.3	99	1	2	8	20	28	30	35
50-64	40	15.7	157	2	4	10	25	31	37	59
65+	19	11.2	85	2	2	9	18	27	31	31
B. *Operated*										
0-19 YRS	1	32.0		32	32	32	32	32	32	32
20-34	9	14.4	134	<1	2	11	28	30	31	31
35-49	9	30.0	256	8	12	30	31	53	67	67
50-64										
65+	1	15.0		15	15	15	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	8.9	97	1	1	5	10	29	32	35
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	821	13.1	119	2	3	8	21	29	32	42
B. *Operated*	20	22.4	229	2	4	27	31	32	50	67
1. SINGLE DX	111	8.9	97	1	1	5	10	29	32	35
2. MULTIPLE DX	841	13.3	123	2	3	8	22	29	32	42
A. NOT OPERATED	932	12.6	118	1	2	8	21	29	32	42
B. OPERATED	20	22.4	229	2	4	27	31	32	50	67
TOTAL 0-19 YRS	34	21.2	156	1	4	27	30	33	37	43
20-34	618	12.1	116	1	3	7	20	28	32	42
35-49	236	12.8	118	1	2	8	21	29	31	37
50-64	43	16.2	162	2	4	10	27	33	37	59
65+	21	11.6	78	2	2	9	17	25	30	31
GRAND TOTAL	**952**	**12.8**	**122**	**1**	**2**	**8**	**21**	**29**	**32**	**42**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	26.5	275	1	2	30	38	46	52	58
20-34	133	10.8	154	1	1	5	22	28	30	43
35-49	23	13.5	133	1	2	9	21	30	35	42
50-64	7	11.6	75	4	4	9	16	26	28	28
65+	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	456	31.7	322	3	6	31	44	55	68	99
20-34	963	18.8	131	2	3	21	28	31	34	43
35-49	244	16.8	133	2	3	19	27	30	33	42
50-64	63	17.6	192	2	3	15	27	35	37	75
65+	50	15.5	116	3	4	14	21	30	37	43
B. *Operated*										
0-19 YRS	7	44.1	299	28	28	43	67	91	99+	99+
20-34	24	27.5	52	14	20	28	32	36	37	38
35-49	9	20.7	117	6	8	23	27	35	40	40
50-64	3	23.7	134	16	16	18	32	37	37	37
65+	1	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	202	13.9	204	1	1	6	27	32	42	56
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1776	21.7	217	2	3	22	29	40	47	75
B. *Operated*	44	28.0	164	6	11	28	33	42	67	99+
1. SINGLE DX	202	13.9	204	1	1	6	27	32	42	56
2. MULTIPLE DX	1820	21.9	217	2	3	22	30	40	47	75
A. NOT OPERATED	1978	20.9	221	2	3	21	29	39	47	74
B. OPERATED	44	28.0	164	6	11	28	33	42	67	99+
TOTAL 0-19 YRS	500	31.5	321	3	6	31	44	54	68	99+
20-34	1120	18.0	141	1	2	21	28	30	34	43
35-49	276	16.7	133	1	3	18	27	30	33	42
50-64	73	17.3	180	2	4	15	27	35	37	71
65+	53	14.8	117	3	4	12	21	30	37	43
GRAND TOTAL	**2022**	**21.1**	**221**	**2**	**3**	**21**	**29**	**39**	**47**	**74**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	144	1.3	5	<1	<1	1	1	1	2	7
20-34	56	1.4	1	<1	<1	<1	1	3	4	5
35-49	18	2.3	7	<1	<1	1	3	4	9	12
50-64	14	2.7	5	<1	<1	2	3	7	8	8
65+	6	1.5	2	<1	<1	1	1	4	4	4
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	310	19.7	432	<1	<1	7	37	51	56	78
20-34	250	4.5	64	<1	<1	2	4	10	24	78
35-49	130	4.0	26	<1	<1	2	5	11	18	99+
50-64	75	4.3	28	<1	1	3	5	11	17	81
65+	42	4.2	19	1	1	3	6	8	11	25
B. *Operated*										
0-19 YRS	6	6.5	156	<1	<1	1	2	29	32	32
20-34	8	7.0	77	<1	<1	3	10	22	26	26
35-49	5	9.6	255	<1	<1	3	13	38	38	38
50-64										
65+	2	14.5	61	9	9	14	20	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	238	1.5	4	<1	<1	1	1	2	4	8
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	807	10.2	249	<1	<1	2	10	39	48	79
B. *Operated*	21	8.2	126	<1	<1	2	10	28	35	38
1. SINGLE DX	238	1.5	4	<1	<1	1	1	2	4	8
2. MULTIPLE DX	828	10.2	246	<1	<1	2	10	38	48	79
A. NOT OPERATED	1045	8.2	207	<1	<1	1	6	30	45	74
B. OPERATED	21	8.2	126	<1	<1	2	10	28	35	38
TOTAL 0-19 YRS	460	13.7	367	<1	<1	1	29	45	52	73
20-34	314	4.0	55	<1	<1	1	4	9	23	53
35-49	153	4.0	31	<1	<1	2	4	11	18	97
50-64	89	4.0	25	<1	1	2	5	9	17	72
65+	50	4.3	23	1	1	3	6	9	13	25
GRAND TOTAL	**1066**	**8.2**	**205**	**<1**	**<1**	**1**	**6**	**30**	**45**	**72**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	11.4	243	<1	1	2	25	36	44	46
20-34	69	9.3	108	<1	1	4	15	29	32	87
35-49	10	5.0	50	<1	<1	2	5	18	21	21
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	419	32.2	338	2	4	32	44	56	66	90
20-34	460	14.0	174	1	1	8	27	30	35	99
35-49	126	12.1	129	1	1	7	22	28	32	43
50-64	28	9.3	89	1	1	6	12	28	29	32
65+	19	11.8	72	1	2	10	20	23	25	26
B. *Operated*										
0-19 YRS	7	52.3	145	35	37	49	63	68	69	69
20-34	7	14.6	118	3	3	11	24	30	31	31
35-49	3	13.0	175	3	3	8	23	28	28	28
50-64	1	6.0		6	6	6	6	6	6	6
65+	1	28.0		28	28	28	28	28	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	132	9.6	153	<1	1	3	15	32	35	55
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1052	20.8	315	1	2	20	31	45	56	95
B. *Operated*	19	28.5	471	3	4	28	46	62	67	69
1. SINGLE DX	132	9.6	153	<1	1	3	15	32	35	55
2. MULTIPLE DX	1071	21.0	319	1	2	20	31	45	56	93
A. NOT OPERATED	1184	19.6	310	1	1	17	30	44	55	92
B. OPERATED	19	28.5	471	3	4	28	46	62	67	69
TOTAL 0-19 YRS	475	30.3	372	1	2	31	43	56	65	85
20-34	536	13.4	167	1	1	8	26	30	34	99+
35-49	139	11.6	126	<1	1	6	22	28	31	43
50-64	32	8.5	83	1	1	5	9	27	29	32
65+	21	12.5	77	1	2	10	20	25	27	28
GRAND TOTAL	**1203**	**19.7**	**313**	**1**	**1**	**18**	**30**	**45**	**55**	**90**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.4	2	1	1	2	3	5	6	6
20-34	20	2.4	2	<1	1	2	3	4	5	6
35-49	18	1.9	3	<1	1	1	2	4	6	7
50-64	11	3.5	16	<1	<1	3	4	9	14	15
65+	13	1.8	1	1	1	2	2	3	3	3
B. *Operated*										
0-19 YRS	3	3.7	9	<1	<1	3	6	7	7	7
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64	3	3.3	6	1	1	3	5	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	3.6	14	1	1	2	4	7	11	20
20-34	83	3.8	15	<1	1	3	4	8	12	22
35-49	62	3.6	19	1	1	2	4	7	11	25
50-64	79	3.9	15	1	1	2	5	9	12	19
65+	75	3.5	6	1	1	3	5	6	8	14
B. *Operated*										
0-19 YRS	4	9.8	10	7	7	10	12	13	13	13
20-34	7	25.1	944	3	3	17	35	79	88	88
35-49	9	6.3	18	1	1	5	10	12	12	12
50-64	5	9.4	112	2	2	6	12	28	28	28
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	2.3	4	1	1	2	3	4	6	13
B. *Operated*	10	3.4	5	<1	<1	3	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	332	3.7	14	1	1	2	4	7	11	20
B. *Operated*	25	12.8	326	2	2	7	12	28	53	88
1. SINGLE DX	89	2.5	4	<1	1	2	3	5	6	12
2. MULTIPLE DX	357	4.3	40	1	1	3	5	9	13	26
A. NOT OPERATED	411	3.4	12	1	1	2	4	7	9	20
B. OPERATED	35	10.1	250	<1	1	6	11	18	38	88
TOTAL 0-19 YRS	57	3.7	13	1	1	2	5	7	12	20
20-34	112	4.8	91	<1	1	3	4	9	17	59
35-49	91	3.6	16	1	1	2	4	8	11	24
50-64	98	4.2	20	1	1	3	5	9	14	24
65+	88	3.3	6	1	1	3	4	6	7	13
GRAND TOTAL	**446**	**4.0**	**33**	**1**	**1**	**2**	**4**	**7**	**11**	**24**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	281	7.4	109	<1	1	3	8	20	33	51
20-34	423	3.7	18	<1	<1	2	4	8	12	25
35-49	264	4.7	28	<1	1	3	5	12	15	29
50-64	58	4.9	45	<1	1	2	5	15	21	35
65+	35	7.9	147	1	1	5	8	12	15	74
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	690	10.7	200	1	1	5	13	34	44	78
20-34	1277	5.3	54	<1	1	3	6	12	16	31
35-49	758	5.4	42	1	1	3	7	12	17	40
50-64	279	5.8	36	1	1	4	7	13	18	31
65+	242	6.6	54	1	1	4	8	15	20	53
B. *Operated*										
0-19 YRS	21	12.5	292	<1	<1	3	16	42	49	57
20-34	38	6.3	47	1	1	3	9	14	19	34
35-49	34	9.2	93	<1	1	6	10	25	34	38
50-64	8	15.6	545	1	1	8	17	55	71	71
65+	9	12.9	275	1	1	6	17	41	53	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1061	5.1	53	<1	1	3	6	12	19	44
B. *Operated*	2	4.5	5	3	3	4	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	3246	6.6	85	1	1	4	7	15	24	53
B. *Operated*	110	9.6	162	1	1	5	11	25	38	63
1. SINGLE DX	1063	5.1	52	<1	1	3	6	12	19	44
2. MULTIPLE DX	3356	6.7	88	1	1	4	8	15	25	54
A. NOT OPERATED	4307	6.2	78	1	1	3	7	14	23	50
B. OPERATED	112	9.5	160	1	1	5	11	25	38	62
TOTAL 0-19 YRS	993	9.8	178	1	1	4	11	31	43	70
20-34	1738	5.0	45	<1	1	3	6	11	15	31
35-49	1057	5.3	40	1	1	3	6	13	17	34
50-64	345	5.9	50	1	1	3	7	13	20	32
65+	286	6.9	72	1	1	4	8	15	20	56
GRAND TOTAL	**4419**	**6.3**	**80**	**1**	**1**	**3**	**7**	**14**	**23**	**51**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	432	20.3	394	1	2	14	35	49	66	99+
20-34	207	11.5	307	<1	1	4	12	40	59	93
35-49	105	8.8	188	<1	1	3	8	27	38	68
50-64	35	6.8	81	<1	1	3	7	14	32	38
65+	26	6.5	99	<1	<1	3	7	13	36	43
B. *Operated*										
0-19 YRS	4	7.8	31	<1	<1	8	12	14	14	14
20-34	5	5.6	5	2	2	7	7	7	7	7
35-49	4	5.5	33	2	2	3	9	14	14	14
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1247	27.8	476	1	3	27	45	63	89	99+
20-34	735	13.4	293	1	1	6	18	42	57	99+
35-49	451	12.0	266	1	1	6	13	32	57	85
50-64	218	9.6	184	1	1	4	11	24	39	62
65+	295	6.8	55	1	1	4	8	15	21	61
B. *Operated*										
0-19 YRS	23	30.7	635	2	4	39	[illegible]	[illegible]	99+	99+
20-34	34	25.3	640	1	3	[illegible]	44	87	97	99+
35-49	30	20.2	465	1	2	11	33	63	75	99+
50-64	16	10.1	61	1	1	8	13	24	25	26
65+	16	11.2	82	1	1	9	18	24	28	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	805	15.5	349	1	1	7	26	45	58	99+
B. *Operated*	15	6.5	19	[illegible]	2	6	9	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	2946	18.3	404	1	2	9	32	51	66	99+
B. *Operated*	119	21.1	483	1	2	15	38	75	99+	99+
1. SINGLE DX	820	15.4	344	1	1	6	25	45	58	99+
2. MULTIPLE DX	3065	18.4	407	1	2	10	32	52	68	99+
A. NOT OPERATED	3751	17.7	393	1	1	9	30	49	64	99+
B. OPERATED	134	19.5	452	1	2	13	34	68	99+	99+
TOTAL 0-19 YRS	1706	25.9	467	1	2	23	44	60	86	99+
20-34	981	13.4	312	1	1	5	18	42	60	99+
35-49	590	11.8	265	1	1	5	13	33	57	85
50-64	270	9.3	163	1	1	4	11	24	33	61
65+	338	7.0	60	1	1	4	9	16	23	57
GRAND TOTAL	**3885**	**17.8**	**395**	**1**	**1**	**9**	**30**	**50**	**66**	**99+**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	5.0	30	<1	<1	1	11	11	11	11
20-34	6	12.7	106	4	4	13	66	99+	99+	99+
35-49	2	40.0	1250	15	15	40	65	65	65	65
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	3.0		3	3	51	99+	99+	99+	99+
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	15.1	175	1	1	14	28	57	94	99+
20-34	33	10.9	226	1	1	8	26	99+	99+	99+
35-49	10	17.4	505	3	3	11	81	99+	99+	99+
50-64	7	17.6	547	4	4	6	49	89	99+	99+
65+	1	5.0		5	5	52	99+	99+	99+	99+
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34										
35-49										
50-64	2	8.5	25	5	5	8	12	12	12	12
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	12.5	277	<1	1	11	32	99+	99+	99+
B. *Operated*	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	62	13.3	285	1	2	9	37	99+	99+	99+
B. *Operated*	3	7.7	14	5	5	6	10	12	12	12
1. SINGLE DX	17	11.4	252	<1	1	11	23	99+	99+	99+
2. MULTIPLE DX	65	13.1	274	1	2	8	34	99+	99+	99+
A. NOT OPERATED	77	13.2	280	1	2	11	35	99+	99+	99+
B. OPERATED	5	5.8	14	2	2	5	7	12	12	12
TOTAL 0-19 YRS	18	11.2	135	<1	1	7	22	35	72	99+
20-34	39	11.2	205	1	2	11	34	99+	99+	99+
35-49	13	19.7	582	2	3	13	70	99+	99+	99+
50-64	10	14.3	397	3	3	5	29	78	98	99+
65+	2	4.0	2	3	3	52	99+	99+	99+	99+
GRAND TOTAL	**82**	**12.7**	**267**	**1**	**2**	**10**	**31**	**99+**	**99+**	**99+**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	283	9.2	18	2	3	10	11	14	15	23
20-34	39	5.4	15	1	1	4	9	11	12	16
35-49	23	6.1	24	1	1	4	10	13	16	19
50-64	15	5.1	16	1	1	4	9	11	12	13
65+	2	2.5	5	<1	<1	2	4	4	4	4
B. *Operated*										
0-19 YRS	20	11.0	17	4	5	11	12	17	19	21
20-34	21	5.8	40	1	1	3	7	17	20	23
35-49	24	3.5	7	1	1	3	5	7	9	10
50-64	24	5.0	45	<1	1	2	8	13	21	29
65+	3	1.7		1	1	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	359	10.1	22	2	3	10	12	15	17	25
20-34	59	11.1	111	2	3	10	14	22	26	61
35-49	55	10.8	110	2	3	10	14	19	27	67
50-64	48	12.1	68	2	3	11	15	20	29	43
65+	57	11.5	96	3	3	8	16	23	34	46
B. *Operated*										
0-19 YRS	97	17.6	152	4	8	14	21	35	49	88
20-34	43	18.7	270	2	2	14	26	51	82	99+
35-49	69	13.3	112	1	2	12	18	26	30	52
50-64	71	14.8	203	1	1	11	21	36	55	92
65+	47	21.1	243	3	5	17	27	42	52	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	362	8.4	20	1	2	10	11	13	15	21
B. *Operated*	92	6.0	34	1	1	4	10	13	18	26
2. MULTIPLE DX										
A. *Not Operated*	578	10.6	50	2	3	10	13	16	21	41
B. *Operated*	327	16.7	188	1	3	14	22	37	51	99+
1. SINGLE DX	454	7.9	24	1	1	9	11	13	16	23
2. MULTIPLE DX	905	12.8	109	2	3	11	15	24	35	65
A. NOT OPERATED	940	9.7	40	2	3	10	12	15	18	33
B. OPERATED	419	14.4	174	1	1	12	19	32	45	82
TOTAL 0-19 YRS	759	10.7	44	2	3	10	12	16	21	44
20-34	162	11.0	146	1	2	8	14	25	38	96
35-49	171	10.1	96	1	1	8	15	21	27	52
50-64	158	11.6	134	1	1	9	16	28	38	64
65+	109	15.2	184	2	3	12	18	35	42	65
GRAND TOTAL	**1359**	**11.2**	**86**	**1**	**2**	**10**	**13**	**20**	**28**	**56**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	4	3.8	4	2	2	4	5	6	6	6
50-64	43	4.3	12	1	2	3	6	8	11	19
65+	42	8.0	41	2	2	6	10	15	23	30
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	3	2.7		2	2	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	13.0		13	13	13	13	13	13	13
35-49	12	7.1	16	2	3	7	10	13	14	14
50-64	71	7.1	48	1	1	5	9	14	21	36
65+	503	8.0	35	2	3	7	10	15	19	30
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	10	9.2	108	1	2	5	12	26	36	36
65+	38	15.6	167	2	3	12	18	31	43	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	90	5.9	28	2	2	4	7	12	16	30
B. *Operated*	4	2.3	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	588	7.9	36	2	3	6	10	15	20	30
B. *Operated*	48	14.3	159	2	3	11	18	31	39	62
1. SINGLE DX	94	5.8	27	2	2	4	7	11	16	30
2. MULTIPLE DX	636	8.4	48	2	3	7	10	16	21	38
A. NOT OPERATED	678	7.6	35	2	2	6	10	14	19	30
B. OPERATED	52	13.4	157	2	2	10	17	31	38	62
TOTAL 0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	7.5	61	2	2	7	13	13	13	13
35-49	16	6.3	15	2	2	5	9	12	13	14
50-64	125	6.2	41	1	2	4	7	12	20	36
65+	586	8.5	47	2	3	7	11	16	21	36
GRAND TOTAL	**730**	**8.0**	**46**	**2**	**2**	**6**	**10**	**15**	**20**	**36**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	3	3	3	3	5	6	6	6
20-34	97	5.5	25	<1	1	4	9	12	15	25
35-49	94	5.9	24	<1	<1	4	9	13	17	65
50-64	35	5.3	12	<1	1	4	8	9	12	15
65+	5	7.4	32	1	1	10	11	14	14	14
B. *Operated*										
0-19 YRS										
20-34	16	2.9	12	1	1	2	3	7	12	14
35-49	15	3.5	14	1	1	2	4	10	13	14
50-64	3	6.7	66	1	1	3	13	16	16	16
65+	3	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	6.0	14	1	1	6	8	10	10	10
20-34	128	6.0	30	<1	<1	5	9	12	15	30
35-49	220	7.8	78	<1	<1	5	10	18	24	44
50-64	111	9.0	70	<1	1	6	12	18	26	43
65+	29	7.0	11	3	3	6	9	13	13	13
B. *Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	22	11.4	174	<1	1	8	17	22	41	60
35-49	54	10.7	110	1	1	8	14	22	28	51
50-64	20	8.6	83	1	2	6	10	18	30	41
65+	6	7.8	29	1	1	8	13	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	234	5.6	22	<1	1	4	9	12	15	25
B. *Operated*	37	3.3	16	1	1	2	4	9	14	16
2. MULTIPLE DX										
A. *Not Operated*	492	7.5	60	<1	<1	5	10	16	22	42
B. *Operated*	104	10.1	111	1	1	7	14	19	28	55
1. SINGLE DX	271	5.3	22	<1	1	4	8	12	15	24
2. MULTIPLE DX	596	8.0	70	<1	<1	6	11	17	24	43
A. NOT OPERATED	726	6.9	49	<1	<1	5	10	14	20	39
B. OPERATED	141	8.3	95	1	1	5	12	18	26	52
TOTAL 0-19 YRS	9	4.9	8	1	1	6	6	9	10	10
20-34	263	6.0	42	<1	1	4	9	13	17	30
35-49	383	7.5	69	<1	<1	5	10	17	24	48
50-64	169	8.1	60	<1	1	6	11	16	22	42
65+	43	6.7	17	1	1	6	10	13	14	14
GRAND TOTAL	**867**	**7.1**	**56**	**<1**	**1**	**5**	**10**	**15**	**20**	**42**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	415	2.4	6	<1	1	2	3	5	7	14
20-34	277	2.3	9	<1	1	2	3	4	5	10
35-49	121	2.6	5	<1	1	2	3	5	7	13
50-64	69	3.2	13	1	1	2	3	5	14	17
65+	81	2.9	4	1	1	2	4	6	7	11
B. *Operated*										
0-19 YRS	11	4.6	22	1	1	2	8	12	15	15
20-34	23	5.0	20	<1	1	3	9	10	12	16
35-49	12	3.3	15	<1	<1	1	4	11	11	11
50-64	6	4.2	7	2	2	3	5	9	9	9
65+	2	4.5	5	3	3	4	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	596	3.2	14	1	1	2	4	6	9	22
20-34	570	3.6	16	1	1	2	4	7	9	24
35-49	472	4.0	19	1	1	3	5	8	10	25
50-64	529	3.8	10	1	1	3	5	8	10	17
65+	1017	5.1	27	1	1	4	6	10	13	23
B. *Operated*										
0-19 YRS	46	13.4	259	1	1	7	17	37	58	62
20-34	75	8.6	139	1	1	5	11	21	23	72
35-49	46	7.6	55	1	1	7	10	13	19	44
50-64	46	12.1	250	2	2	8	14	24	45	90
65+	84	11.7	112	1	2	7	16	24	31	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	963	2.5	7	1	1	2	3	5	6	14
B. *Operated*	54	4.4	17	1	1	3	8	10	11	16
2. MULTIPLE DX										
A. *Not Operated*	3184	4.1	19	1	1	3	5	8	11	23
B. *Operated*	297	10.6	156	1	1	7	14	23	32	61
1. SINGLE DX	1017	2.6	8	1	1	2	3	5	7	14
2. MULTIPLE DX	3481	4.6	34	1	1	3	5	9	13	28
A. NOT OPERATED	4147	3.7	17	1	1	3	4	7	10	21
B. OPERATED	351	9.7	139	1	1	7	12	21	29	60
TOTAL 0-19 YRS	1068	3.3	26	1	1	2	3	6	10	28
20-34	945	3.7	26	1	1	2	4	8	10	24
35-49	651	4.0	20	1	1	3	5	8	11	24
50-64	650	4.3	32	1	1	3	5	8	13	24
65+	1184	5.4	34	1	1	4	6	11	15	27
GRAND TOTAL	**4498**	**4.2**	**29**	**1**	**1**	**3**	**5**	**8**	**12**	**25**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	101	2.9	9	<1	1	2	3	6	9	17
20-34	133	3.4	9	1	1	3	4	7	9	15
35-49	116	3.3	9	1	1	2	4	7	8	18
50-64	60	3.6	10	<1	1	2	5	8	9	18
65+	81	4.1	28	<1	1	2	4	8	15	28
B. *Operated*										
0-19 YRS	123	3.7	12	<1	<1	3	5	8	10	19
20-34	121	3.6	13	1	1	2	5	8	10	18
35-49	143	3.1	7	1	1	2	4	7	9	11
50-64	93	3.7	11	<1	1	3	5	8	10	17
65+	126	5.2	18	1	1	4	8	11	12	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	252	6.5	107	1	1	3	6	14	36	98
20-34	331	7.5	129	1	1	4	7	22	38	81
35-49	368	9.2	162	1	1	4	9	26	35	66
50-64	569	11.8	192	1	2	6	15	31	44	78
65+	1859	10.5	130	2	2	7	13	25	34	65
B. *Operated*										
0-19 YRS	260	9.4	210	1	1	4	11	22	43	99
20-34	285	10.3	174	1	1	6	12	28	46	99+
35-49	302	9.3	151	1	1	5	11	25	45	99+
50-64	364	11.1	172	1	1	7	14	29	39	98
65+	723	13.2	177	1	2	9	17	30	43	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	491	3.4	12	<1	1	2	4	7	9	20
B. *Operated*	606	3.9	12	<1	1	3	5	8	11	17
2. MULTIPLE DX										
A. *Not Operated*	3379	10.0	144	1	2	6	12	26	36	73
B. *Operated*	1934	11.3	178	1	1	7	14	28	44	99+
1. SINGLE DX	1097	3.7	12	<1	1	2	5	8	10	19
2. MULTIPLE DX	5313	10.5	157	1	2	6	13	27	38	86
A. NOT OPERATED	3870	9.2	132	1	1	5	10	24	34	68
B. OPERATED	2540	9.5	149	1	1	6	12	23	36	94
TOTAL 0-19 YRS	736	6.6	120	<1	1	3	7	14	28	94
20-34	870	7.2	116	1	1	4	8	18	31	91
35-49	929	7.6	123	1	1	4	8	19	32	66
50-64	1086	10.4	167	1	1	6	13	28	39	83
65+	2789	10.8	138	1	2	7	14	26	35	69
GRAND TOTAL	**6410**	**9.3**	**139**	**1**	**1**	**5**	**11**	**24**	**35**	**77**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	105	1.7	1	<1	1	1	2	3	4	7
20-34	255	2.6	5	1	1	2	4	5	6	12
35-49	228	3.1	10	1	1	2	4	6	8	17
50-64	59	2.3	2	<1	1	2	3	4	5	8
65+	19	4.4	40	1	1	2	3	12	21	27
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	16	2.6	3	1	1	2	3	5	7	8
35-49	20	1.7	1	<1	1	1	2	3	4	5
50-64	12	2.0	2	1	1	2	3	4	5	5
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	2.2	2	<1	1	2	3	4	5	7
20-34	321	3.5	10	1	1	3	4	7	9	18
35-49	369	3.9	16	1	1	3	5	7	9	21
50-64	148	3.8	14	1	1	3	4	8	11	25
65+	89	3.6	16	1	1	3	4	5	7	26
B. *Operated*										
0-19 YRS	5	4.4	8	<1	<1	5	6	8	8	8
20-34	40	4.6	20	1	1	3	6	8	9	28
35-49	36	4.7	14	1	1	3	7	11	11	14
50-64	23	6.0	40	1	1	4	7	16	21	27
65+	17	4.4	12	1	1	4	5	10	13	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	666	2.7	7	1	1	2	3	5	7	14
B. *Operated*	51	2.1	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	996	3.6	13	1	1	3	4	7	9	21
B. *Operated*	121	4.8	20	1	1	4	6	10	12	27
1. SINGLE DX	717	2.6	7	1	1	2	3	5	7	13
2. MULTIPLE DX	1117	3.8	14	1	1	3	4	7	10	21
A. NOT OPERATED	1662	3.2	11	1	1	2	4	6	8	18
B. OPERATED	172	4.0	16	1	1	3	5	8	11	25
TOTAL 0-19 YRS	181	1.9	2	<1	1	1	2	4	5	8
20-34	632	3.2	9	1	1	2	4	6	8	16
35-49	653	3.6	14	1	1	3	4	7	9	20
50-64	242	3.6	14	1	1	3	4	7	10	25
65+	126	3.8	19	1	1	3	4	6	12	28
GRAND TOTAL	**1834**	**3.3**	**11**	**1**	**1**	**2**	**4**	**6**	**9**	**18**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	1.5		<1	<1	1	2	2	2	2
35-49	3	1.0		1	1	1	1	1	1	1
50-64	2	3.0		3	3	3	3	3	3	3
65+	2	2.5	5	<1	<1	2	4	4	4	4
B. *Operated*										
0-19 YRS	14	1.2		<1	<1	1	1	2	2	2
20-34	222	1.3		<1	<1	<1	1	2	2	4
35-49	315	1.2	1	<1	<1	<1	1	2	2	5
50-64	280	1.2		<1	<1	1	1	2	2	3
65+	136	1.2		<1	<1	<1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	4	3.0	3	1	1	3	4	5	5	5
35-49	8	2.0	2	<1	<1	1	3	4	5	5
50-64	12	1.7	2	<1	<1	1	2	3	6	6
65+	14	2.9	3	<1	1	3	4	5	7	7
B. *Operated*										
0-19 YRS	8	1.4	1	<1	<1	1	2	3	3	3
20-34	128	2.1	5	<1	<1	1	2	3	6	12
35-49	190	1.8	3	<1	<1	1	2	3	4	9
50-64	252	2.1	4	<1	<1	1	2	4	5	11
65+	175	2.1	3	<1	<1	1	2	3	6	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	1.8	1	<1	<1	1	2	3	4	4
B. *Operated*	967	1.2		<1	<1	<1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	39	2.3	3	<1	<1	2	3	5	6	7
B. *Operated*	753	2.0	4	<1	<1	1	2	3	5	10
1. SINGLE DX	979	1.2		<1	<1	<1	1	2	2	4
2. MULTIPLE DX	792	2.0	4	<1	<1	1	2	3	5	10
A. NOT OPERATED	51	2.2	2	<1	<1	2	3	5	5	7
B. OPERATED	1720	1.6	2	<1	<1	1	2	3	3	8
TOTAL 0-19 YRS	24	1.3		<1	<1	1	1	2	3	3
20-34	358	1.6	2	<1	<1	1	2	2	3	7
35-49	516	1.5	1	<1	<1	1	2	2	3	8
50-64	546	1.6	2	<1	<1	1	2	3	4	7
65+	327	1.7	2	<1	<1	1	2	3	4	9
GRAND TOTAL	**1771**	**1.6**	**2**	**<1**	**<1**	**1**	**2**	**3**	**3**	**8**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	5.9	48	<1	<1	3	8	11	21	35
20-34	90	5.1	45	1	1	3	5	11	17	40
35-49	82	4.3	17	1	1	3	5	8	12	23
50-64	76	4.6	54	<1	<1	3	4	9	14	44
65+	64	4.1	67	<1	1	2	4	8	12	57
B. *Operated*										
0-19 YRS	78	2.5	12	<1	<1	2	3	4	7	21
20-34	484	2.9	10	<1	1	2	4	5	7	15
35-49	561	2.6	5	<1	1	2	3	5	7	12
50-64	372	2.3	4	<1	<1	2	3	5	6	11
65+	200	3.2	14	<1	1	2	4	7	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	8.1	43	1	2	7	10	20	21	23
20-34	114	6.7	118	1	1	4	6	12	18	62
35-49	173	6.1	78	1	1	4	7	12	19	56
50-64	215	6.4	63	1	1	4	7	13	21	36
65+	435	6.1	34	1	1	4	8	13	20	29
B. *Operated*										
0-19 YRS	73	7.7	193	1	1	3	6	29	63	99+
20-34	470	5.1	70	1	1	3	5	9	14	48
35-49	510	4.5	29	1	1	3	5	9	13	38
50-64	471	5.1	65	1	1	3	6	10	15	49
65+	385	6.3	68	1	1	4	8	14	23	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	352	4.7	44	<1	1	3	5	9	14	39
B. *Operated*	1695	2.7	8	<1	1	2	3	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	968	6.3	58	1	1	4	7	13	20	37
B. *Operated*	1909	5.3	63	1	1	3	6	10	16	57
1. SINGLE DX	2047	3.0	15	<1	1	2	4	6	8	16
2. MULTIPLE DX	2877	5.6	61	1	1	3	6	12	18	46
A. NOT OPERATED	1320	5.9	55	1	1	4	7	12	19	37
B. OPERATED	3604	4.1	38	<1	1	2	5	8	12	34
TOTAL 0-19 YRS	222	5.6	87	<1	1	3	6	14	23	81
20-34	1158	4.3	49	<1	1	3	5	8	12	43
35-49	1326	3.9	26	1	1	3	5	8	11	22
50-64	1134	4.4	46	<1	1	2	5	9	13	34
65+	1084	5.5	46	1	1	3	7	12	19	34
GRAND TOTAL	**4924**	**4.5**	**44**	**1**	**1**	**3**	**5**	**9**	**14**	**36**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	4	2.0	1	<1	<1	2	3	3	3	3
65+	2	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	60	2.7	2	1	1	3	4	5	5	6
20-34	138	2.8	4	1	1	2	4	5	6	10
35-49	159	3.2	4	1	1	3	4	6	7	10
50-64	448	3.0	5	1	1	3	4	5	6	12
65+	422	3.2	6	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	<1	2	2	2	2
20-34	4	2.0	2	1	1	2	3	4	4	4
35-49	4	2.5	2	<1	<1	2	3	4	4	4
50-64	6	3.2	7	<1	<1	3	5	7	7	7
65+	21	3.0	31	<1	<1	2	3	4	14	27
B. *Operated*										
0-19 YRS	84	4.1	7	1	1	4	5	8	9	14
20-34	218	4.2	10	1	2	4	5	7	8	13
35-49	260	3.9	4	1	2	3	5	7	8	9
50-64	663	3.6	4	1	1	3	5	6	7	10
65+	1041	3.8	5	1	2	3	5	6	8	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.1	1	<1	<1	3	3	3	3	3
B. *Operated*	1227	3.1	5	1	1	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	38	2.7	18	<1	<1	2	3	4	6	27
B. *Operated*	2266	3.8	5	1	2	3	5	7	8	11
1. SINGLE DX	1236	3.1	5	1	1	3	4	5	6	10
2. MULTIPLE DX	2304	3.8	5	1	1	3	5	6	8	11
A. NOT OPERATED	47	2.6	15	<1	<1	2	3	4	5	27
B. OPERATED	3493	3.5	5	1	1	3	4	6	7	10
TOTAL 0-19 YRS	149	3.5	5	1	1	3	4	6	8	10
20-34	361	3.6	8	1	1	3	4	6	8	12
35-49	423	3.7	4	1	2	3	5	7	8	9
50-64	1121	3.4	5	1	1	3	4	6	7	10
65+	1486	3.6	5	1	1	3	4	6	7	12
GRAND TOTAL	**3540**	**3.5**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**10**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	2	1.0		1	1	1	1	1	1	1
50-64	7	2.7	3	1	1	2	4	6	6	6
65+	19	1.3	1	<1	<1	1	1	2	3	4
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	9	2.3	2	1	1	2	4	4	4	4
35-49	21	2.1	3	<1	<1	1	3	3	6	9
50-64	47	2.0	2	<1	1	2	3	3	4	7
65+	82	2.1	3	<1	<1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	1.3		<1	<1	1	2	2	2	2
65+	39	2.6	4	<1	1	2	3	5	7	8
B. *Operated*										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	5	2.0	1	1	1	2	2	3	3	3
35-49	11	2.3	1	<1	<1	2	3	4	5	5
50-64	40	2.9	6	1	1	2	3	5	8	14
65+	158	3.1	8	1	1	2	4	6	7	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	1.6	1	<1	<1	1	2	3	4	6
B *Operated*	160	2.1	3	<1	<1	2	3	4	4	9
2. MULTIPLE DX										
A. *Not Operated*	47	2.4	4	<1	1	2	3	5	7	8
B. *Operated*	217	2.9	7	1	1	2	3	5	7	15
1. SINGLE DX	190	2.0	2	<1	<1	1	3	4	4	9
2. MULTIPLE DX	264	2.8	7	1	1	2	3	5	7	14
A. NOT OPERATED	77	2.1	3	<1	<1	1	3	4	6	8
B. OPERATED	377	2.6	6	<1	1	2	3	5	6	12
TOTAL 0-19 YRS	7	1.0		<1	<1	1	1	1	1	1
20-34	17	2.2	2	<1	1	2	3	4	5	5
35-49	35	2.1	2	<1	<1	2	3	3	5	9
50-64	97	2.4	4	<1	1	2	3	4	5	12
65+	298	2.6	6	<1	1	2	3	5	7	12
GRAND TOTAL	**454**	**2.5**	**5**	**<1**	**1**	**2**	**3**	**5**	**6**	**12**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	3.0		3	3	3	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64	6	2.2	2	<1	<1	2	2	5	5	5
65+	9	2.6	11	<1	<1	1	2	8	11	11
B. *Operated*										
0-19 YRS	3	2.3	5	<1	<1	1	4	5	5	5
20-34	3	1.0		1	1	1	1	1	1	1
35-49	7	1.9	1	<1	<1	2	2	4	4	4
50-64	24	2.0	6	<1	<1	1	2	3	6	13
65+	40	1.9	1	<1	1	2	3	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	2	5.5	5	4	4	5	7	7	7	7
35-49	1	5.0		5	5	5	5	5	5	5
50-64	5	2.4	3	1	1	2	3	5	5	5
65+	23	2.8	10	<1	1	2	3	6	10	16
B. *Operated*										
0-19 YRS	10	2.3	3	<1	<1	2	4	5	5	5
20-34	26	3.2	5	1	1	3	4	6	7	11
35-49	21	2.8	5	<1	<1	2	3	7	8	9
50-64	53	3.2	7	<1	1	2	4	7	9	15
65+	106	2.9	4	<1	1	2	4	6	8	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	2.4	5	<1	<1	2	3	4	8	11
B. *Operated*	77	1.9	3	<1	<1	1	2	3	4	11
2. MULTIPLE DX										
A. *Not Operated*	32	2.9	9	<1	1	2	4	6	7	16
B. *Operated*	216	2.9	5	<1	1	2	4	6	8	10
1. SINGLE DX	96	2.0	3	<1	<1	2	2	3	4	12
2. MULTIPLE DX	248	2.9	6	<1	1	2	4	6	8	11
A. NOT OPERATED	51	2.7	7	<1	1	2	3	5	7	16
B. OPERATED	293	2.7	5	<1	1	2	3	5	7	10
TOTAL 0-19 YRS	15	2.2	3	<1	<1	1	4	5	5	5
20-34	33	3.2	4	1	1	3	4	6	7	11
35-49	30	2.6	4	<1	<1	2	3	6	7	9
50-64	88	2.7	7	<1	<1	2	3	6	8	14
65+	178	2.6	5	<1	1	2	3	6	7	11
GRAND TOTAL	**344**	**2.7**	**5**	**<1**	**1**	**2**	**3**	**5**	**7**	**11**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	6	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS										
20-34										
35-49	95	1.1		<1	<1	<1	<1	1	2	4
50-64	521	1.2		<1	<1	<1	1	2	2	3
65+	1571	1.2		<1	<1	<1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	25	1.1		<1	<1	<1	1	1	2	3
65+	68	1.6	3	<1	<1	<1	1	3	4	12
B. *Operated*										
0-19 YRS										
20-34										
35-49	78	1.7	2	<1	<1	1	2	3	4	10
50-64	458	1.6	2	<1	<1	1	2	2	4	7
65+	2098	1.6	1	<1	<1	1	2	2	3	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	1.1		<1	<1	<1	<1	2	2	2
B. *Operated*	2187	1.2		<1	<1	<1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	95	1.5	2	<1	<1	<1	1	3	3	11
B. *Operated*	2634	1.6	1	<1	<1	1	2	2	3	7
1. SINGLE DX	2195	1.2		<1	<1	<1	1	2	2	3
2. MULTIPLE DX	2729	1.6	1	<1	<1	1	2	2	3	7
A. NOT OPERATED	103	1.5	2	<1	<1	<1	1	3	3	11
B. OPERATED	4821	1.4	1	<1	<1	<1	2	2	3	5
TOTAL 0-19 YRS										
20-34										
35-49	176	1.4	1	<1	<1	<1	1	2	3	6
50-64	1005	1.4	1	<1	<1	<1	1	2	2	6
65+	3743	1.4	1	<1	<1	1	2	2	3	5
GRAND TOTAL	**4924**	**1.4**	**1**	**<1**	**<1**	**<1**	**2**	**2**	**3**	**5**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	25	1.2	1	<1	<1	1	1	2	3	4
20-34	13	1.6	2	<1	<1	1	2	3	5	6
35-49	29	1.3	1	<1	<1	<1	1	2	3	6
50-64	26	1.2		<1	<1	<1	1	2	2	2
65+	27	1.2		<1	<1	<1	1	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	24	1.5	1	<1	<1	1	2	3	3	4
20-34	18	2.6	2	<1	1	2	4	5	6	6
35-49	25	1.7	1	<1	<1	2	2	3	3	4
50-64	55	1.7	1	<1	<1	2	2	2	3	5
65+	148	1.9	1	<1	<1	2	2	2	4	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	120	1.3	1	<1	<1	1	1	2	2	6
2. MULTIPLE DX										
A. *Not Operated*	2	1.0		1	1	1	1	1	1	1
B. *Operated*	270	1.9	1	<1	<1	2	2	3	4	6
1. SINGLE DX	121	1.3	1	<1	<1	1	1	2	2	6
2. MULTIPLE DX	272	1.8	1	<1	<1	2	2	3	4	6
A. NOT OPERATED	3	1.0		1	1	1	1	1	1	1
B. OPERATED	390	1.7	1	<1	<1	1	2	2	4	6
TOTAL 0-19 YRS	50	1.4	1	<1	<1	1	1	3	3	4
20-34	31	2.2	2	<1	<1	2	2	5	6	6
35-49	54	1.5	1	<1	<1	1	2	2	3	6
50-64	83	1.5	1	<1	<1	1	2	2	3	5
65+	175	1.8	1	<1	<1	2	2	2	3	6
GRAND TOTAL	**393**	**1.7**	**1**	**<1**	**<1**	**1**	**2**	**2**	**4**	**6**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.4	1	<1	<1	1	2	3	3	3
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	3	2.3	2	<1	<1	2	3	4	4	4
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS	423	1.1		<1	<1	<1	1	1	2	2
20-34	44	1.1		<1	<1	1	1	2	2	2
35-49	43	1.2		<1	<1	1	1	2	3	3
50-64	20	1.7	2	<1	<1	1	2	4	5	5
65+	8	2.5	5	1	1	2	3	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	1.5	1	<1	<1	1	2	2	4	5
20-34	9	3.4	8	1	1	3	5	8	9	9
35-49	8	4.1	18	<1	<1	2	6	11	13	13
50-64	16	4.8	8	1	1	4	7	8	10	11
65+	22	4.1	6	<1	1	4	5	7	9	10
B. *Operated*										
0-19 YRS	149	1.1		<1	<1	<1	1	1	2	2
20-34	28	1.4		<1	<1	1	2	2	3	3
35-49	26	1.4	1	<1	<1	1	1	2	4	6
50-64	29	1.8	2	<1	<1	1	2	4	5	6
65+	23	3.3	12	1	1	2	4	7	13	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.1	2	<1	<1	2	3	4	4	4
B. *Operated*	538	1.1		<1	<1	<1	1	1	2	3
2. MULTIPLE DX										
A. *Not Operated*	70	3.6	8	<1	<1	3	5	8	9	13
B. *Operated*	255	1.4	2	<1	<1	1	1	2	3	6
1. SINGLE DX	552	1.1		<1	<1	<1	1	1	2	4
2. MULTIPLE DX	325	1.9	4	<1	<1	1	2	4	6	11
A. NOT OPERATED	84	3.4	7	<1	<1	2	5	7	9	12
B. OPERATED	793	1.2	1	<1	<1	<1	1	2	2	5
TOTAL 0-19 YRS	592	1.1		<1	<1	<1	1	1	2	2
20-34	83	1.5	2	<1	<1	1	2	2	4	8
35-49	80	1.6	3	<1	<1	1	1	3	4	11
50-64	67	2.4	5	<1	<1	1	3	6	7	11
65+	55	3.5	8	1	1	2	5	7	9	14
GRAND TOTAL	**877**	**1.4**	**2**	**<1**	**<1**	**<1**	**1**	**2**	**4**	**8**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	2.4	4	<1	<1	1	3	5	8	10
20-34	18	4.8	25	1	1	3	6	11	17	21
35-49	11	2.8	3	<1	1	2	4	6	7	7
50-64	21	4.4	10	<1	1	3	7	9	10	11
65+	16	3.4	5	<1	1	3	5	6	7	8
B. *Operated*										
0-19 YRS	44	1.3	1	<1	<1	<1	1	2	3	8
20-34	134	1.6	1	<1	<1	1	2	3	3	5
35-49	131	1.6	1	<1	<1	1	2	3	4	4
50-64	144	1.5	1	<1	<1	1	2	3	4	6
65+	229	1.5	1	<1	<1	1	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	96	3.0	4	<1	1	3	4	5	5	12
20-34	24	3.5	7	<1	<1	3	5	7	9	11
35-49	22	4.8	8	1	1	4	7	9	10	10
50-64	21	6.4	41	<1	1	5	8	12	21	30
65+	57	5.6	30	<1	<1	4	7	13	15	33
B. *Operated*										
0-19 YRS	73	1.7	1	<1	<1	1	2	4	4	6
20-34	86	2.6	23	<1	1	1	3	5	6	33
35-49	116	2.5	10	<1	1	2	3	4	5	18
50-64	229	2.1	5	<1	1	1	3	4	5	13
65+	650	2.5	8	1	1	2	3	4	6	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	143	3.1	9	<1	<1	2	4	7	9	12
B. *Operated*	682	1.5	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	220	4.2	16	<1	1	3	5	8	11	22
B. *Operated*	1154	2.4	8	<1	1	2	3	4	6	15
1. SINGLE DX	825	1.8	3	<1	<1	1	2	3	4	9
2. MULTIPLE DX	1374	2.7	10	<1	1	2	3	5	7	16
A. NOT OPERATED	363	3.8	13	<1	<1	3	5	8	10	18
B. OPERATED	1836	2.1	6	<1	<1	1	2	4	5	10
TOTAL 0-19 YRS	290	2.3	3	<1	<1	2	3	4	5	10
20-34	262	2.3	11	<1	<1	1	3	4	6	15
35-49	280	2.2	6	<1	<1	1	3	4	6	16
50-64	415	2.2	7	<1	<1	1	3	4	7	12
65+	952	2.5	8	<1	1	2	3	4	6	14
GRAND TOTAL	**2199**	**2.4**	**7**	**<1**	**<1**	**2**	**3**	**4**	**6**	**13**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	292	3.0	3	1	1	3	4	5	6	10
20-34	36	3.2	5	1	1	3	4	6	7	12
35-49	26	3.2	2	1	2	3	4	5	6	7
50-64	20	3.9	5	1	1	3	5	7	8	8
65+	30	3.6	5	1	1	3	5	7	7	9
B. *Operated*										
0-19 YRS	47	2.0	2	<1	<1	1	3	4	5	8
20-34	135	1.2	1	<1	<1	<1	<1	2	3	5
35-49	112	1.4	1	<1	<1	<1	1	2	4	7
50-64	111	1.4	1	<1	<1	1	1	2	3	5
65+	182	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	401	3.6	4	1	1	3	4	6	8	11
20-34	65	3.7	9	1	1	3	4	8	10	17
35-49	50	4.7	36	1	1	3	5	10	14	38
50-64	76	4.8	35	<1	1	3	6	9	13	38
65+	142	4.7	21	<1	1	4	6	8	11	31
B. *Operated*										
0-19 YRS	84	4.4	17	<1	1	3	6	10	13	19
20-34	130	3.2	5	<1	1	3	4	6	7	14
35-49	143	4.0	40	<1	<1	3	4	7	12	38
50-64	313	3.4	9	<1	1	2	4	7	9	15
65+	597	3.4	13	<1	1	2	4	7	8	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	404	3.2	3	1	1	3	4	5	7	10
B. *Operated*	587	1.5	1	<1	<1	<1	1	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	734	4.0	13	1	1	3	5	7	10	17
B. *Operated*	1267	3.5	15	<1	1	2	4	7	9	18
1. SINGLE DX	991	2.2	3	<1	<1	1	3	4	5	8
2. MULTIPLE DX	2001	3.7	14	<1	1	3	5	7	9	18
A. NOT OPERATED	1138	3.7	10	1	1	3	5	7	8	14
B. OPERATED	1854	2.9	11	<1	<1	2	4	6	8	16
TOTAL 0-19 YRS	824	3.4	5	1	1	3	4	6	8	12
20-34	366	2.6	5	<1	<1	2	3	5	7	12
35-49	331	3.2	25	<1	<1	2	4	6	7	26
50-64	520	3.2	12	<1	<1	2	4	7	9	16
65+	951	3.3	12	<1	<1	2	4	7	8	18
GRAND TOTAL	**2992**	**3.2**	**11**	**<1**	**<1**	**2**	**4**	**6**	**8**	**16**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	1	2.0		2	2	2	2	2	2	2
35-49	4	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	6	1.2		<1	<1	<1	<1	2	2	2
20-34	18	1.1		<1	<1	<1	<1	1	2	3
35-49	8	1.1		<1	<1	<1	1	2	2	2
50-64	14	1.4	1	<1	<1	1	1	3	4	4
65+	5	1.8	3	<1	<1	1	2	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	2.1	3	<1	<1	1	2	5	7	7
20-34	12	1.7	2	<1	<1	1	2	3	6	6
35-49	20	2.9	5	<1	1	2	4	6	8	9
50-64	23	3.2	10	<1	1	2	4	8	11	13
65+	31	4.0	19	1	1	3	5	9	10	23
B. *Operated*										
0-19 YRS	12	1.8	4	<1	<1	1	1	4	7	8
20-34	39	1.3	1	<1	<1	<1	1	3	3	4
35-49	36	1.7	2	<1	<1	1	2	4	5	6
50-64	36	2.1	2	<1	1	2	3	4	5	6
65+	46	2.7	4	1	1	2	3	6	7	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	1.4		1	1	1	2	2	2	2
B. *Operated*	51	1.3	1	<1	<1	<1	1	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	99	3.1	10	<1	1	2	4	7	9	18
B. *Operated*	169	2.0	2	<1	<1	1	2	4	6	8
1. SINGLE DX	62	1.3	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX	268	2.4	6	<1	<1	1	3	5	7	10
A. NOT OPERATED	110	2.9	9	1	1	2	3	6	9	17
B. OPERATED	220	1.8	2	<1	<1	1	2	4	5	8
TOTAL 0-19 YRS	34	1.8	3	<1	<1	1	2	3	6	8
20-34	70	1.3	1	<1	<1	<1	1	2	3	6
35-49	68	1.9	3	<1	<1	1	2	4	6	9
50-64	74	2.3	4	<1	1	2	3	4	6	12
65+	84	3.1	10	1	1	2	4	6	8	19
GRAND TOTAL	**330**	**2.2**	**5**	**<1**	**<1**	**1**	**3**	**5**	**6**	**10**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	181	2.3	2	<1	1	2	3	4	5	6
20-34	4	6.8	31	3	3	4	10	15	15	15
35-49	5	4.4	9	1	1	4	6	9	9	9
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-19 YRS	1917	1.0		<1	<1	<1	<1	<1	1	2
20-34	120	1.4	1	<1	<1	1	1	2	3	7
35-49	93	1.4	1	<1	1	1	2	2	3	5
50-64	80	1.4	1	<1	1	1	2	2	3	5
65+	35	1.5	1	1	1	1	2	2	3	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	738	2.5	3	<1	1	2	3	4	6	9
20-34	26	2.5	3	<1	<1	2	3	6	6	6
35-49	24	3.4	7	<1	1	3	4	7	9	12
50-64	20	4.2	20	<1	<1	3	5	7	14	21
65+	10	4.3	5	2	2	4	4	7	10	10
B. *Operated*										
0-19 YRS	1261	1.3	2	<1	<1	1	1	2	2	6
20-34	220	1.4	1	<1	1	1	1	2	3	9
35-49	171	1.7	3	<1	1	1	2	3	5	11
50-64	166	1.7	2	<1	1	1	2	3	4	8
65+	85	2.2	21	1	1	1	2	3	4	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	193	2.4	3	<1	1	2	3	4	5	10
B. *Operated*	2245	1.1		<1	<1	<1	<1	1	2	3
2. MULTIPLE DX										
A. *Not Operated*	818	2.6	4	<1	1	2	3	5	6	10
B. *Operated*	1903	1.4	3	<1	<1	1	1	2	3	7
1. SINGLE DX	2438	1.2	1	<1	<1	<1	1	2	2	4
2. MULTIPLE DX	2721	1.8	3	<1	<1	1	2	3	4	9
A. NOT OPERATED	1011	2.6	3	<1	1	2	3	4	6	10
B. OPERATED	4148	1.2	1	<1	<1	<1	1	2	2	5
TOTAL 0-19 YRS	4097	1.4	2	<1	<1	<1	1	3	3	6
20-34	370	1.5	2	<1	<1	1	2	3	3	9
35-49	293	1.8	3	<1	1	1	2	3	5	11
50-64	267	1.8	3	<1	1	1	2	3	5	8
65+	132	2.2	15	1	1	1	2	4	4	16
GRAND TOTAL	**5159**	**1.5**	**2**	**<1**	**<1**	**1**	**1**	**3**	**4**	**7**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	3.3	16	1	1	2	3	6	9	27
20-34	16	2.6	1	1	1	2	3	4	5	5
35-49	14	5.5	22	1	2	4	5	13	18	19
50-64	7	3.1	2	1	1	3	4	6	6	6
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	123	1.5	2	<1	<1	<1	1	2	5	9
20-34	36	1.6	2	<1	<1	1	2	3	3	9
35-49	27	2.5	12	<1	1	1	2	5	9	18
50-64	14	1.7	2	<1	<1	1	1	5	5	5
65+	10	2.5	3	<1	<1	2	4	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	123	2.9	4	1	1	2	3	5	7	13
20-34	38	4.6	7	1	2	4	6	8	10	14
35-49	34	4.0	3	1	2	4	5	7	7	8
50-64	36	7.0	52	2	2	5	7	19	28	28
65+	39	8.1	48	1	2	6	10	17	24	33
B. *Operated*										
0-19 YRS	165	2.6	9	<1	<1	1	3	6	8	14
20-34	67	3.2	43	1	1	1	2	6	10	44
35-49	59	2.8	14	1	1	2	3	5	9	25
50-64	37	4.4	42	1	1	2	4	10	21	31
65+	59	6.8	161	<1	1	2	4	22	34	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	3.5	13	1	1	3	4	6	9	24
B. *Operated*	210	1.7	4	<1	<1	1	1	3	5	10
2. MULTIPLE DX										
A. *Not Operated*	270	4.6	21	1	1	3	5	8	13	28
B. *Operated*	387	3.6	44	<1	<1	2	3	7	11	35
1. SINGLE DX	301	2.2	7	<1	<1	1	3	4	6	15
2. MULTIPLE DX	657	4.0	35	<1	1	2	4	8	12	31
A. NOT OPERATED	361	4.3	19	1	1	3	5	8	11	28
B. OPERATED	597	2.9	30	<1	<1	1	3	5	9	30
TOTAL 0-19 YRS	464	2.5	7	<1	<1	1	3	5	7	13
20-34	157	3.1	22	1	1	2	4	6	9	17
35-49	134	3.3	12	1	1	2	4	6	8	20
50-64	94	4.9	40	1	1	3	5	9	22	30
65+	109	6.8	106	1	1	3	7	17	28	59
GRAND TOTAL	**958**	**3.4**	**27**	**<1**	**<1**	**2**	**4**	**7**	**10**	**28**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.0	2	<1	<1	1	3	4	5	5
20-34	53	2.3	2	1	1	2	3	5	5	8
35-49	108	2.2	2	<1	1	2	3	4	5	7
50-64	144	2.2	3	1	1	2	3	5	6	8
65+	181	2.6	3	1	1	2	3	5	6	9
B. *Operated*										
0-19 YRS	27	1.7	3	<1	<1	1	2	3	4	10
20-34	45	1.9	2	<1	1	1	2	3	5	6
35-49	65	2.2	5	<1	1	1	2	6	7	12
50-64	73	2.4	2	1	1	2	3	5	6	7
65+	28	2.4	2	1	1	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	3.4	7	<1	1	3	4	7	10	12
20-34	93	3.1	5	1	1	2	4	6	8	12
35-49	170	2.5	3	1	1	2	3	5	6	9
50-64	415	3.1	6	1	1	2	4	6	8	13
65+	1067	3.2	4	1	1	3	4	6	7	11
B. *Operated*										
0-19 YRS	20	2.5	6	<1	<1	1	2	7	8	9
20-34	82	5.4	93	1	1	3	5	10	15	63
35-49	88	3.0	5	1	1	3	4	5	6	14
50-64	75	3.8	11	1	1	3	5	8	9	19
65+	79	5.0	19	1	1	4	6	9	11	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	497	2.3	3	1	1	2	3	4	6	8
B. *Operated*	238	2.2	3	<1	1	2	3	4	6	8
2. MULTIPLE DX										
A. *Not Operated*	1766	3.1	5	1	1	2	4	6	7	11
B. *Operated*	344	4.2	31	1	1	3	5	7	10	20
1. SINGLE DX	735	2.3	3	1	1	2	3	4	6	8
2. MULTIPLE DX	2110	3.3	9	1	1	3	4	6	8	12
A. NOT OPERATED	2263	2.9	4	1	1	2	4	6	7	10
B. OPERATED	582	3.3	21	1	1	2	4	7	8	17
TOTAL 0-19 YRS	79	2.4	5	<1	<1	1	3	5	8	11
20-34	273	3.4	32	1	1	2	4	6	8	16
35-49	431	2.5	3	1	1	2	3	5	6	9
50-64	707	2.9	6	1	1	2	4	6	7	12
65+	1355	3.2	5	1	1	3	4	6	7	11
GRAND TOTAL	**2845**	**3.0**	**8**	**1**	**1**	**2**	**4**	**6**	**7**	**12**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	2.5	5	1	1	2	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	14	1.4		1	1	1	2	2	2	2
20-34	91	1.4	2	1	1	1	1	2	2	9
35-49	135	1.2		<1	1	1	1	2	2	3
50-64	126	1.4		1	1	1	2	2	3	4
65+	46	1.6	1	1	1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64										
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	7	1.0		<1	<1	1	1	1	1	1
20-34	51	1.2		<1	1	1	1	2	2	3
35-49	74	1.4	1	1	1	1	2	2	3	5
50-64	71	1.3	1	1	1	1	1	2	2	5
65+	40	1.5	1	1	1	1	2	3	3	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.8	2	1	1	1	2	4	4	4
B. *Operated*	412	1.3	1	1	1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	5	1.4	1	<1	<1	1	2	3	3	3
B. *Operated*	243	1.3	1	1	1	1	1	2	3	5
1. SINGLE DX	417	1.4	1	1	1	1	2	2	3	4
2. MULTIPLE DX	248	1.3	1	<1	1	1	1	2	3	5
A. NOT OPERATED	10	1.6	1	<1	<1	1	2	3	4	4
B. OPERATED	655	1.3	1	1	1	1	1	2	3	5
TOTAL 0-19 YRS	21	1.2		<1	<1	1	1	2	2	2
20-34	145	1.3	1	<1	1	1	1	2	2	8
35-49	212	1.3		<1	1	1	1	2	3	4
50-64	199	1.3		1	1	1	2	2	3	4
65+	88	1.6	1	1	1	1	2	3	3	6
GRAND TOTAL	**665**	**1.3**	**1**	**1**	**1**	**1**	**1**	**2**	**3**	**5**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	4	2.8	2	2	2	2	4	5	5	5
35-49	13	2.4	2	<1	<1	2	3	5	6	6
50-64	3	1.3		1	1	1	2	2	2	2
65+	9	2.8	1	1	1	3	3	5	5	5
B. *Operated*										
0-19 YRS	327	1.2		<1	<1	1	1	2	2	4
20-34	269	1.3	1	<1	<1	1	1	2	2	5
35-49	218	1.3	1	<1	<1	1	1	2	3	5
50-64	156	1.3		<1	<1	1	1	2	2	4
65+	69	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	1.8	2	<1	<1	1	2	5	5	5
20-34	13	3.7	18	<1	<1	2	4	11	14	15
35-49	15	3.1	4	<1	<1	3	5	6	7	7
50-64	23	3.6	6	<1	1	3	4	7	10	11
65+	32	3.8	10	<1	1	3	4	10	12	13
B. *Operated*										
0-19 YRS	371	1.2		<1	<1	1	1	2	2	4
20-34	250	1.6	3	<1	1	1	2	3	4	10
35-49	228	1.4	2	<1	1	1	1	2	3	7
50-64	243	1.7	9	<1	1	1	2	2	4	10
65+	143	1.7	2	<1	1	1	2	3	4	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	1.9	2	<1	<1	1	2	4	5	6
B. *Operated*	1039	1.3		<1	<1	1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	101	3.3	8	<1	<1	3	4	7	10	14
B. *Operated*	1235	1.5	3	<1	<1	1	1	2	3	7
1. SINGLE DX	1085	1.3	1	<1	<1	1	1	2	2	5
2. MULTIPLE DX	1336	1.6	3	<1	<1	1	2	3	4	10
A. NOT OPERATED	147	2.9	6	<1	<1	2	4	6	9	13
B. OPERATED	2274	1.4	2	<1	<1	1	1	2	3	6
TOTAL 0-19 YRS	733	1.2		<1	<1	1	1	2	2	4
20-34	536	1.5	2	<1	1	1	2	2	3	10
35-49	474	1.5	1	<1	<1	1	1	2	4	6
50-64	425	1.6	6	<1	<1	1	2	3	4	10
65+	253	1.9	3	<1	1	1	2	3	5	11
GRAND TOTAL	**2421**	**1.5**	**2**	**<1**	**<1**	**1**	**1**	**2**	**3**	**7**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	4.7	12	1	1	4	6	10	12	15
20-34	5	3.2	2	2	2	3	4	5	5	5
35-49	3	3.7	2	2	2	4	5	5	5	5
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	2	7.5	5	6	6	7	9	9	9	9
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	5.7	26	1	2	4	6	16	17	22
20-34	14	9.5	98	1	3	6	13	18	35	40
35-49	16	5.3	21	1	2	4	6	8	17	21
50-64	13	3.2	2	2	2	3	4	5	6	6
65+	21	7.6	41	2	3	7	8	13	23	31
B. *Operated*										
0-19 YRS	4	18.3	286	6	6	12	29	43	43	43
20-34	1	5.0		5	5	5	5	5	5	5
35-49	8	10.4	45	2	2	10	13	20	23	23
50-64	9	11.1	201	1	1	8	12	33	47	47
65+	8	19.6	458	1	2	9	31	56	61	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	4.4	10	1	1	3	5	9	11	15
B. *Operated*	4	5.8	12	<1	<1	6	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	101	6.2	37	1	2	4	7	15	17	35
B. *Operated*	30	13.9	227	1	1	9	14	43	47	61
1. SINGLE DX	55	4.5	10	1	1	4	6	9	11	15
2. MULTIPLE DX	131	8.0	90	1	2	5	9	16	23	50
A. NOT OPERATED	152	5.6	29	1	2	4	7	11	16	31
B. OPERATED	34	13.0	208	1	1	9	13	43	46	61
TOTAL 0-19 YRS	84	5.8	36	1	2	4	7	13	16	36
20-34	22	7.7	69	1	2	5	8	15	26	40
35-49	28	6.4	31	1	2	5	9	13	21	23
50-64	22	6.5	93	1	1	3	7	12	27	47
65+	30	10.6	170	2	2	7	10	25	44	61
GRAND TOTAL	**186**	**7.0**	**69**	**1**	**2**	**5**	**8**	**15**	**19**	**46**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	2.7		2	2	3	3	3	3	3
35-49	4	3.0	7	1	1	2	5	7	7	7
50-64	4	2.3	1	1	1	2	3	3	3	3
65+	6	4.2	3	2	2	4	6	6	6	6
B. *Operated*										
0-19 YRS	5	4.4	14	1	1	2	8	9	9	9
20-34	28	5.1	13	<1	1	6	8	10	11	11
35-49	54	4.5	16	<1	1	2	8	10	10	15
50-64	61	3.8	16	1	1	2	7	10	12	16
65+	26	4.5	21	<1	1	2	9	11	13	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	6.3	61	1	1	4	5	20	22	22
20-34	15	3.9	6	<1	2	2	6	7	9	9
35-49	45	4.4	14	1	1	3	5	8	10	22
50-64	127	4.3	10	<1	1	4	6	8	10	16
65+	248	5.7	22	1	2	5	7	10	11	25
B. *Operated*										
0-19 YRS	14	5.9	37	1	1	2	11	13	18	19
20-34	65	8.0	52	1	1	8	11	14	21	39
35-49	215	7.8	46	1	1	8	11	15	20	32
50-64	470	8.6	50	1	1	8	12	17	22	34
65+	492	9.8	84	1	1	9	13	19	25	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	3.1	3	1	1	3	4	6	7	7
B. *Operated*	174	4.4	16	1	1	2	8	10	11	15
2. MULTIPLE DX										
A. *Not Operated*	441	5.1	18	1	1	4	6	9	11	22
B. *Operated*	1256	8.9	63	1	1	8	12	18	23	40
1. SINGLE DX	192	4.2	15	1	1	2	8	10	11	15
2. MULTIPLE DX	1697	7.9	54	1	1	7	11	16	21	35
A. NOT OPERATED	459	5.0	17	1	1	4	6	9	11	22
B. OPERATED	1430	8.3	60	1	1	8	12	17	22	36
TOTAL 0-19 YRS	26	5.5	34	1	1	3	9	12	20	22
20-34	111	6.5	38	1	1	6	9	13	17	31
35-49	318	6.7	38	1	1	6	9	13	18	31
50-64	662	7.3	43	1	1	6	11	15	20	32
65+	772	8.3	66	1	1	6	11	17	23	42
GRAND TOTAL	**1889**	**7.5**	**51**	**1**	**1**	**6**	**11**	**15**	**20**	**35**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	1	1	1	2	3	3	3	3
20-34	43	1.6	1	<1	<1	1	2	3	4	5
35-49	130	2.2	2	<1	1	2	3	4	5	7
50-64	117	2.8	4	1	1	2	4	5	7	10
65+	104	3.8	34	1	1	2	4	6	11	35
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	10	2.5	10	<1	<1	1	2	7	11	11
35-49	26	2.3	2	<1	<1	2	3	5	6	7
50-64	31	2.8	6	1	1	2	3	6	8	11
65+	7	2.6	2	1	1	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	3.1	5	<1	1	2	4	6	7	9
20-34	142	3.0	4	1	1	3	4	6	7	9
35-49	462	3.1	6	1	1	3	4	6	7	13
50-64	725	3.8	9	1	1	3	5	7	9	15
65+	1012	4.1	9	1	1	3	5	8	10	17
B. *Operated*										
0-19 YRS	10	4.8	5	2	2	4	5	8	9	9
20-34	35	4.4	15	1	1	4	6	8	10	21
35-49	82	6.5	62	1	1	4	8	15	19	47
50-64	136	7.1	122	1	1	4	8	13	23	77
65+	179	6.5	72	1	1	4	8	13	18	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	398	2.7	11	<1	1	2	3	5	6	13
B. *Operated*	75	2.5	5	<1	1	2	3	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	2362	3.7	8	1	1	3	5	7	9	15
B. *Operated*	442	6.5	79	1	1	4	7	13	19	52
1. SINGLE DX	473	2.7	10	<1	1	2	3	5	6	12
2. MULTIPLE DX	2804	4.2	20	1	1	3	5	8	10	19
A. NOT OPERATED	2760	3.6	9	1	1	3	4	7	9	15
B. OPERATED	517	5.9	71	1	1	4	7	12	17	45
TOTAL 0-19 YRS	36	3.4	5	<1	1	3	5	6	9	9
20-34	230	2.9	6	<1	1	2	4	6	8	11
35-49	700	3.3	13	1	1	2	4	6	8	17
50-64	1009	4.1	25	1	1	3	5	8	10	19
65+	1302	4.4	20	1	1	3	5	8	11	19
GRAND TOTAL	**3277**	**3.9**	**19**	**1**	**1**	**3**	**5**	**7**	**10**	**19**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.3	2	1	1	2	3	4	4	4
35-49	7	3.4	2	2	2	4	5	5	5	5
50-64	20	3.3	3	1	1	3	4	6	6	6
65+	44	4.0	6	1	2	4	5	7	9	11
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	9	1.4	1	<1	<1	1	2	3	3	3
65+	4	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	7	3.0	2	1	1	3	4	5	5	5
35-49	53	4.6	10	1	1	4	6	8	11	17
50-64	324	5.0	11	2	2	4	6	9	11	18
65+	1379	6.3	23	2	2	5	8	12	15	24
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	6	5.5	18	2	2	4	10	11	11	11
35-49	26	5.0	24	1	1	2	8	11	13	22
50-64	88	6.4	42	1	1	5	8	13	19	36
65+	200	10.9	103	1	2	8	13	24	33	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	3.7	4	1	1	3	5	7	7	11
B. *Operated*	15	1.3		<1	<1	1	2	2	3	3
2. MULTIPLE DX										
A. *Not Operated*	1764	6.0	20	2	2	5	7	11	14	23
B. *Operated*	321	9.1	84	1	1	7	11	20	30	45
1. SINGLE DX	89	3.3	4	1	1	3	4	6	7	11
2. MULTIPLE DX	2085	6.5	31	2	2	5	8	12	16	30
A. NOT OPERATED	1838	5.9	20	2	2	5	7	11	14	23
B. OPERATED	336	8.7	83	1	1	6	11	19	29	45
TOTAL 0-19 YRS	3	6.3	30	<1	<1	6	10	12	12	12
20-34	16	3.8	9	1	1	3	5	10	11	11
35-49	87	4.6	14	1	1	4	6	10	11	20
50-64	441	5.1	17	1	2	4	6	9	12	24
65+	1627	6.8	35	2	2	5	8	13	17	31
GRAND TOTAL	**2174**	**6.4**	**31**	**1**	**2**	**5**	**8**	**12**	**16**	**30**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	4	2.8	8	1	1	2	4	7	7	7
35-49	1	6.0		6	6	6	6	6	6	6
50-64	9	4.2	13	1	1	3	5	10	13	13
65+	12	4.7	10	1	1	4	6	9	12	12
B. *Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	10	4.9	24	1	1	3	8	13	17	17
35-49	20	2.8	3	1	1	2	4	5	6	7
50-64	20	3.2	13	1	1	2	4	8	12	14
65+	10	1.9	1	<1	<1	2	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.8	16	<1	<1	3	8	11	13	13
20-34	18	3.3	7	1	1	3	5	8	10	10
35-49	35	4.9	13	1	1	4	6	9	13	17
50-64	63	5.1	11	1	1	4	7	9	11	16
65+	131	6.2	21	1	2	5	8	13	16	21
B. *Operated*										
0-19 YRS	22	7.7	31	1	2	7	10	16	19	23
20-34	108	6.5	32	1	2	6	9	12	16	34
35-49	146	6.1	33	1	2	4	9	11	14	27
50-64	205	7.3	50	1	1	5	9	17	19	39
65+	200	10.2	127	1	1	7	13	23	31	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	4.1	10	1	1	3	6	8	12	13
B. *Operated*	62	3.1	10	1	1	2	4	6	9	17
2. MULTIPLE DX										
A. *Not Operated*	258	5.5	17	1	1	5	7	11	15	18
B. *Operated*	681	7.8	68	1	1	6	10	17	23	39
1. SINGLE DX	90	3.4	10	1	1	2	4	7	11	16
2. MULTIPLE DX	939	7.2	55	1	1	5	9	15	20	36
A. NOT OPERATED	286	5.4	16	1	1	4	7	10	14	18
B. OPERATED	743	7.4	65	1	1	5	10	16	22	39
TOTAL 0-19 YRS	37	6.2	27	1	1	5	8	13	16	23
20-34	140	5.9	29	1	1	4	8	11	15	34
35-49	202	5.6	28	1	1	4	8	11	13	23
50-64	297	6.4	40	1	1	5	8	14	18	37
65+	353	8.3	85	1	1	5	10	17	24	44
GRAND TOTAL	**1029**	**6.8**	**52**	**1**	**1**	**5**	**9**	**14**	**19**	**36**

140: [illegible]ute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	53	99+	99+	99+	99+
20-34	27	5.7	4	2	2	6	7	8	9	9
35-49	336	7.0	8	1	3	7	9	11	12	14
50-64	724	7.1	9	2	3	7	9	10	12	15
65+	580	7.3	8	2	4	7	9	11	12	15
B. *Operated*										
0-19 YRS										
20-34	19	6.5	7	1	2	7	8	10	10	10
35-49	121	6.5	13	1	1	7	9	12	13	15
50-64	210	7.0	14	1	2	7	9	11	13	18
65+	79	7.4	14	1	2	8	10	13	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	7.6	4	4	5	8	9	10	10	10
20-34	60	7.0	13	1	3	7	9	11	14	16
35-49	1013	7.5	12	2	3	7	9	11	13	16
50-64	3694	8.3	15	3	4	8	10	12	15	22
65+	8323	9.1	18	3	5	8	11	14	17	25
B. *Operated*										
0-19 YRS	3	11.0	7	9	9	10	13	14	14	14
20-34	75	8.1	27	1	3	7	10	13	20	30
35-49	886	8.7	26	2	3	8	11	14	17	26
50-64	2358	9.7	40	2	3	9	12	16	20	32
65+	2332	12.6	71	4	5	11	15	22	27	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1668	7.1	9	2	3	7	9	10	12	15
B. *Operated*	429	6.9	14	1	1	7	9	12	13	17
2. MULTIPLE DX										
A. *Not Operated*	13102	8.7	17	3	4	8	10	13	16	24
B. *Operated*	5654	10.7	53	2	4	9	13	18	23	39
1. SINGLE DX	2097	7.1	10	2	3	7	9	11	12	16
2. MULTIPLE DX	18756	9.3	29	3	4	9	11	15	18	30
A. NOT OPERATED	14770	8.5	16	3	4	8	10	13	15	23
B. OPERATED	6083	10.4	51	2	4	9	12	18	23	39
TOTAL 0-19 YRS	16	8.2	6	4	5	8	10	13	70	99+
20-34	181	7.2	17	1	3	7	9	11	14	22
35-49	2356	7.8	17	2	3	8	10	12	14	20
50-64	6986	8.6	24	2	4	8	10	13	16	26
65+	11314	9.7	31	3	5	9	11	15	19	31
GRAND TOTAL	**20853**	**9.1**	**27**	**3**	**4**	**8**	**11**	**14**	**18**	**29**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	17	2.0	2	<1	1	2	2	3	6	7
35-49	254	2.4	16	1	1	2	3	4	5	10
50-64	442	2.4	2	1	1	2	3	4	5	7
65+	418	2.3	2	1	1	2	3	4	5	7
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	2.9	4	1	1	2	4	6	6	6
35-49	102	2.8	8	<1	1	2	3	7	9	14
50-64	198	1.9	3	1	1	1	2	3	6	10
65+	97	2.1	3	<1	1	2	2	3	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	2.9	3	1	1	3	3	5	6	7
20-34	86	2.8	6	1	1	2	3	6	9	12
35-49	903	2.8	3	1	1	2	3	5	6	10
50-64	2906	3.1	5	1	1	3	4	6	7	12
65+	5847	3.5	6	1	1	3	4	6	8	13
B. *Operated*										
0-19 YRS	4	4.5	20	1	1	3	7	11	11	11
20-34	41	4.9	15	1	1	4	7	11	13	15
35-49	736	3.8	12	1	1	2	5	9	10	15
50-64	2506	4.0	20	1	1	2	6	9	12	19
65+	2029	4.8	28	1	1	3	7	11	15	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1131	2.4	5	1	1	2	3	4	5	7
B. *Operated*	405	2.2	4	1	1	2	2	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	9757	3.3	6	1	1	3	4	6	7	12
B. *Operated*	5316	4.3	22	1	1	2	6	10	12	20
1. SINGLE DX	1536	2.3	5	1	1	2	3	4	5	9
2. MULTIPLE DX	15073	3.7	12	1	1	3	4	8	10	16
A. NOT OPERATED	10888	3.2	6	1	1	3	4	6	7	12
B. OPERATED	5721	4.1	21	1	1	2	6	10	12	20
TOTAL 0-19 YRS	20	3.2	6	1	1	3	4	6	9	11
20-34	151	3.3	9	1	1	2	4	7	10	14
35-49	1995	3.1	9	1	1	2	4	7	9	13
50-64	6052	3.4	11	1	1	2	4	7	9	15
65+	8391	3.7	12	1	1	3	4	7	10	17
GRAND TOTAL	**16609**	**3.5**	**11**	**1**	**1**	**3**	**4**	**7**	**9**	**16**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	1.6		<1	<1	2	2	2	2	2
35-49	170	2.4	2	1	1	2	3	4	5	8
50-64	396	2.8	6	1	1	2	4	5	5	10
65+	521	3.1	4	1	1	3	4	5	7	10
B. *Operated*										
0-19 YRS										
20-34	2	5.0	8	3	3	5	7	7	7	7
35-49	75	3.1	5	1	1	3	4	6	8	10
50-64	194	3.3	7	1	1	2	4	7	9	12
65+	153	4.3	13	1	1	3	7	10	12	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	3.3	4	2	2	3	4	6	8	8
20-34	50	3.4	7	1	1	3	4	8	11	12
35-49	759	3.2	4	1	1	3	4	6	7	11
50-64	2886	3.6	5	1	1	3	4	6	8	12
65+	7082	4.1	8	1	2	3	5	7	9	14
B. *Operated*										
0-19 YRS	4	5.0	15	2	2	4	8	10	10	10
20-34	28	6.3	22	1	1	6	10	13	14	16
35-49	803	5.5	20	1	1	4	8	11	13	20
50-64	2919	6.5	26	1	1	5	9	12	15	23
65+	3461	7.8	48	1	1	7	11	15	19	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1093	2.9	4	1	1	2	4	5	6	10
B. *Operated*	424	3.6	9	1	1	2	5	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	10786	3.9	7	1	2	3	5	7	9	13
B. *Operated*	7215	7.0	37	1	1	6	10	14	17	27
1. SINGLE DX	1517	3.1	6	1	1	2	4	6	8	12
2. MULTIPLE DX	18001	5.1	21	1	1	4	7	10	13	22
A. NOT OPERATED	11879	3.8	7	1	2	3	5	7	9	13
B. OPERATED	7639	6.8	36	1	1	6	9	14	17	27
TOTAL 0-19 YRS	14	3.7	6	2	2	3	4	8	10	10
20-34	85	4.3	14	1	1	3	6	11	12	15
35-49	1807	4.1	13	1	1	3	5	9	11	15
50-64	6395	4.8	17	1	1	3	6	10	12	20
65+	11217	5.2	23	1	2	4	6	10	14	23
GRAND TOTAL	**19518**	**5.0**	**20**	**1**	**1**	**4**	**6**	**10**	**13**	**21**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.0		2	2	2	2	2	2	2
35-49	27	3.1	5	1	1	2	4	7	8	9
50-64	61	2.4	4	<1	1	2	3	3	5	14
65+	35	2.7	4	1	1	2	3	5	5	11
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	13	2.3	7	<1	<1	1	2	5	10	11
35-49	354	2.4	5	<1	1	2	2	6	7	11
50-64	1121	2.6	7	<1	1	2	3	7	9	11
65+	586	3.2	11	<1	1	2	3	9	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3	17	1	1	3	7	9	9	9
20-34	21	2.4	6	<1	1	2	2	6	9	10
35-49	175	3.0	4	<1	1	2	4	6	8	11
50-64	621	3.5	11	1	1	3	4	7	8	14
65+	1215	4.5	15	1	1	3	6	9	11	20
B. *Operated*										
0-19 YRS	9	2.8	6	1	1	2	3	7	9	9
20-34	71	4.0	28	1	1	2	5	9	12	32
35-49	1588	4.4	21	1	1	2	7	9	11	19
50-64	5576	5.2	30	1	1	3	8	11	14	24
65+	4564	6.6	46	1	1	4	10	14	18	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	125	2.6	4	1	1	2	3	5	6	12
B. *Operated*	2076	2.8	8	<1	1	2	3	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	2035	4.0	13	1	1	3	5	8	10	18
B. *Operated*	11808	5.6	35	1	1	3	9	12	15	27
1. SINGLE DX	2201	2.8	8	<1	1	2	3	7	9	12
2. MULTIPLE DX	13843	5.4	32	1	1	3	8	12	15	26
A. NOT OPERATED	2160	4.0	13	1	1	3	5	8	10	17
B. OPERATED	13884	5.2	32	1	1	3	8	12	14	25
TOTAL 0-19 YRS	14	2.9	7	1	1	2	3	9	9	9
20-34	107	3.4	21	<1	1	2	3	8	12	24
35-49	2144	3.9	17	<1	1	2	6	9	11	17
50-64	7379	4.7	25	1	1	2	7	10	13	21
65+	6400	5.9	38	1	1	3	9	13	16	28
GRAND TOTAL	**16044**	**5.0**	**30**	**1**	**1**	**3**	**8**	**11**	**14**	**25**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	56	6.8	6	3	4	7	8	10	11	13
35-49	73	8.0	7	4	4	7	10	12	13	14
50-64	86	7.3	8	2	4	8	9	11	12	15
65+	89	7.5	9	4	4	7	9	10	12	20
B. *Operated*										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	7	7.7	12	4	4	6	11	12	12	12
35-49	11	6.5	7	1	3	7	8	10	11	11
50-64	17	7.0	11	1	2	7	9	12	12	12
65+	16	10.6	39	5	6	8	11	22	25	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	9.0	17	3	4	8	10	15	18	18
20-34	114	8.0	11	3	4	8	10	12	14	17
35-49	237	8.0	14	2	4	8	10	13	14	25
50-64	443	8.9	14	4	5	8	10	13	17	21
65+	1163	9.7	21	4	5	9	11	14	17	26
B. *Operated*										
0-19 YRS	3	21.3	24	18	18	19	25	27	27	27
20-34	50	12.6	89	5	5	10	14	23	26	59
35-49	93	12.1	71	4	5	11	14	20	24	54
50-64	158	11.2	43	5	6	10	13	17	21	36
65+	335	13.3	90	5	6	11	15	24	30	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	305	7.4	8	3	4	7	9	11	12	15
B. *Operated*	53	8.0	21	1	3	7	10	12	18	26
2. MULTIPLE DX										
A. *Not Operated*	1966	9.2	19	4	5	9	11	14	17	25
B. *Operated*	639	12.6	76	5	6	11	14	21	29	55
1. SINGLE DX	358	7.5	10	3	4	7	9	11	12	19
2. MULTIPLE DX	2605	10.0	35	4	5	9	12	15	19	33
A. NOT OPERATED	2271	9.0	17	4	5	8	11	13	16	24
B. OPERATED	692	12.2	73	4	6	10	14	21	29	52
TOTAL 0-19 YRS	15	10.7	47	2	3	8	16	19	25	27
20-34	227	8.7	31	3	4	8	10	13	16	28
35-49	414	8.9	28	3	4	8	11	13	17	30
50-64	704	9.2	21	4	5	8	11	14	17	23
65+	1603	10.3	38	4	5	9	12	16	20	34
GRAND TOTAL	**2963**	**9.7**	**32**	**4**	**5**	**9**	**11**	**15**	**19**	**32**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	2	16.0	450	1	1	16	31	31	31	31
35-49										
50-64	2	24.0	392	10	10	24	38	38	38	38
65+	5	13.2	102	2	2	9	22	27	27	27
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	19.3	106	7	8	16	28	34	39	40
20-34	55	17.1	201	1	2	14	28	41	43	57
35-49	43	18.4	206	2	3	14	28	41	47	58
50-64	58	21.3	164	4	7	19	28	31	45	70
65+	120	21.3	188	4	5	17	31	41	46	58
B. *Operated*										
0-19 YRS	8	25.4	198	6	10	25	45	78	99+	99+
20-34	44	22.7	159	5	8	22	32	43	47	99+
35-49	31	32.0	226	8	12	30	45	52	53	60
50-64	32	23.4	207	6	9	20	33	44	54	59
65+	82	30.2	313	8	10	29	43	51	62	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	16.0	158	1	1	12	27	34	38	38
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	290	20.0	185	3	4	16	29	40	45	58
B. *Operated*	197	27.5	253	7	9	27	40	49	54	96
1. SINGLE DX	11	14.7	160	1	1	10	25	34	38	38
2. MULTIPLE DX	487	23.0	226	3	6	19	32	44	51	71
A. NOT OPERATED	300	19.8	184	2	4	16	29	40	45	58
B. OPERATED	198	27.4	255	6	9	27	39	49	54	96
TOTAL 0-19 YRS	23	21.2	137	7	8	17	30	45	62	99+
20-34	101	19.5	190	2	3	16	29	42	45	78
35-49	75	23.8	260	3	4	24	35	46	53	59
50-64	92	22.1	179	5	8	20	28	42	45	67
65+	207	24.6	255	4	7	20	35	45	52	71
GRAND TOTAL	**498**	**22.8**	**226**	**3**	**6**	**19**	**32**	**44**	**50**	**71**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	1.6	1	<1	<1	1	2	4	4	4
20-34	18	1.4		<1	<1	1	2	2	2	2
35-49	33	1.5	1	<1	<1	1	2	3	3	4
50-64	61	1.4		<1	<1	1	2	2	3	4
65+	58	1.8	1	<1	1	2	2	3	4	7
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49										
50-64	2	4.5	25	1	1	4	8	8	8	8
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	1.9	1	<1	1	2	2	4	4	5
20-34	35	2.1	2	<1	1	2	3	5	5	6
35-49	81	2.2	3	<1	1	2	3	4	6	9
50-64	281	2.7	4	1	1	2	3	5	6	10
65+	648	3.8	12	1	1	3	5	7	10	18
B. *Operated*										
0-19 YRS	2	20.5	761	1	1	20	40	40	40	40
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	11	4.5	12	1	1	3	6	10	12	12
50-64	14	5.7	25	1	1	4	10	13	16	17
65+	39	7.7	29	1	2	7	11	15	19	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	181	1.6	1	<1	<1	1	2	3	3	4
B. *Operated*	6	3.2	8	<1	<1	2	5	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	1075	3.3	9	1	1	2	4	6	8	15
B. *Operated*	68	7.0	42	1	1	5	10	15	18	37
1. SINGLE DX	187	1.6	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX	1143	3.5	11	1	1	3	4	7	9	17
A. NOT OPERATED	1256	3.0	8	1	1	2	4	6	8	14
B. OPERATED	74	6.7	40	1	1	5	9	14	18	36
TOTAL 0-19 YRS	44	2.7	34	<1	1	1	2	4	5	40
20-34	57	2.0	2	<1	<1	2	2	4	5	6
35-49	125	2.2	3	<1	1	2	3	4	6	10
50-64	358	2.6	5	<1	1	2	3	5	6	13
65+	746	3.8	13	1	1	3	5	8	10	19
GRAND TOTAL	**1330**	**3.2**	**10**	**1**	**1**	**2**	**4**	**6**	**9**	**17**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.7	2	<1	<1	1	2	4	5	5
20-34	71	1.4	1	<1	<1	1	2	2	3	4
35-49	141	1.6	1	<1	<1	1	2	3	4	6
50-64	292	1.6	1	<1	<1	1	2	3	4	6
65+	399	2.0	2	<1	<1	1	2	4	5	8
B. *Operated*										
0-19 YRS										
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	6	7.3	137	<1	<1	3	5	28	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	2.4	4	<1	<1	1	3	6	7	7
20-34	126	2.1	2	<1	1	2	2	4	6	8
35-49	350	2.6	5	<1	1	2	3	5	6	11
50-64	1570	3.1	9	<1	1	2	4	6	8	16
65+	4836	4.0	11	1	1	3	5	8	10	17
B. *Operated*										
0-19 YRS	4	2.3	1	1	1	2	3	3	3	3
20-34	8	2.9	7	1	1	2	4	7	8	8
35-49	30	4.6	14	1	1	4	5	11	13	15
50-64	131	6.2	53	1	1	4	7	12	18	45
65+	401	8.7	89	1	2	6	11	18	26	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	912	1.8	2	<1	<1	1	2	3	4	7
B. *Operated*	12	4.5	72	<1	<1	1	4	13	28	31
2. MULTIPLE DX										
A. *Not Operated*	6899	3.7	11	1	1	3	5	7	9	16
B. *Operated*	574	7.8	77	1	1	5	10	17	24	44
1. SINGLE DX	924	1.8	3	<1	<1	1	2	3	4	8
2. MULTIPLE DX	7473	4.0	17	1	1	3	5	8	11	19
A. NOT OPERATED	7811	3.5	10	<1	1	3	4	7	9	15
B. OPERATED	586	7.7	77	1	1	5	9	17	24	44
TOTAL 0-19 YRS	30	2.1	3	<1	<1	1	3	5	6	7
20-34	207	1.9	2	<1	<1	1	2	4	5	8
35-49	523	2.5	5	<1	<1	2	3	5	6	12
50-64	1995	3.1	12	<1	1	2	4	6	8	17
65+	5642	4.2	18	1	1	3	5	8	11	20
GRAND TOTAL	**8397**	**3.8**	**16**	**<1**	**1**	**3**	**5**	**8**	**10**	**19**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	2.3	4	1	1	2	3	5	8	8
20-34	65	2.1	3	<1	1	2	2	4	6	9
35-49	135	1.8	2	<1	<1	1	2	3	4	9
50-64	200	2.1	2	<1	1	2	3	4	4	8
65+	233	2.7	3	1	1	2	3	5	6	9
B. *Operated*										
0-19 YRS	17	4.7	19	1	1	4	7	12	14	15
20-34	11	2.5	5	1	1	1	4	6	7	7
35-49	35	3.1	4	<1	1	2	5	7	7	9
50-64	71	3.7	8	1	1	2	5	8	10	13
65+	196	3.6	5	1	1	3	5	6	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	119	3.7	26	1	1	2	4	7	10	31
20-34	200	2.9	11	1	1	2	3	6	8	18
35-49	516	3.0	6	1	1	2	4	6	7	13
50-64	1692	3.8	11	1	1	3	5	7	10	18
65+	5037	4.6	15	1	2	4	6	9	11	19
B. *Operated*										
0-19 YRS	44	8.5	128	1	1	5	10	27	46	99+
20-34	62	5.4	35	1	1	3	7	13	19	28
35-49	146	6.4	49	1	1	5	8	13	16	47
50-64	640	6.4	35	1	2	5	8	13	18	29
65+	3047	6.5	28	1	2	5	8	12	16	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	669	2.3	3	<1	1	2	3	4	5	9
B. *Operated*	330	3.6	7	1	1	3	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	7564	4.3	14	1	1	3	5	8	11	18
B. *Operated*	3939	6.5	32	1	2	5	8	12	17	28
1. SINGLE DX	999	2.7	4	1	1	2	3	5	7	10
2. MULTIPLE DX	11503	5.0	21	1	1	4	6	10	13	23
A. NOT OPERATED	8233	4.1	13	1	1	3	5	8	10	18
B. OPERATED	4269	6.3	30	1	2	5	8	12	16	27
TOTAL 0-19 YRS	216	4.5	47	1	1	2	5	9	16	47
20-34	338	3.2	15	1	1	2	4	7	10	23
35-49	832	3.4	15	1	1	2	4	7	9	16
50-64	2603	4.3	18	1	1	3	5	9	12	22
65+	8513	5.2	20	1	2	4	6	10	13	23
GRAND TOTAL	**12502**	**4.8**	**20**	**1**	**1**	**4**	**6**	**9**	**13**	**23**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	4.4	2	2	2	5	6	6	6	6
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	14	2.3	2	1	1	2	3	4	6	6
50-64	81	4.7	23	1	1	3	6	10	12	28
65+	483	4.4	8	1	1	4	6	8	10	15
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	5.0	32	1	1	5	9	9	9	9
50-64	8	4.3	22	1	1	2	7	12	13	13
65+	8	5.5	20	1	1	4	9	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	127	5.4	50	1	1	4	6	9	12	72
20-34	83	5.1	13	1	2	4	7	9	12	19
35-49	536	5.5	15	2	2	5	7	10	12	20
50-64	3317	5.8	19	2	2	5	7	11	13	22
65+	18342	6.3	21	2	2	5	8	11	15	23
B. *Operated*										
0-19 YRS	33	11.2	212	2	3	6	14	23	24	83
20-34	39	6.3	51	<1	1	4	7	12	24	36
35-49	144	8.1	58	1	1	7	11	16	23	40
50-64	567	9.8	84	1	2	7	12	21	29	47
65+	1793	11.7	102	2	3	9	15	23	30	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	587	4.4	10	1	1	4	6	8	10	15
B. *Operated*	18	4.9	19	1	1	3	9	12	13	13
2. MULTIPLE DX										
A. *Not Operated*	22405	6.2	21	2	2	5	8	11	14	23
B. *Operated*	2576	11.0	98	2	2	8	14	23	29	53
1. SINGLE DX	605	4.4	10	1	1	4	6	8	10	15
2. MULTIPLE DX	24981	6.7	31	2	2	5	8	12	16	28
A. NOT OPERATED	22992	6.2	20	2	2	5	8	11	14	23
B. OPERATED	2594	11.0	98	2	2	8	14	23	29	53
TOTAL 0-19 YRS	167	6.5	84	1	2	4	7	11	23	80
20-34	124	5.4	25	1	2	4	7	10	13	31
35-49	696	6.0	25	1	2	5	7	11	15	28
50-64	3973	6.3	31	1	2	5	8	12	15	30
65+	20626	6.8	30	2	2	5	8	12	16	27
GRAND TOTAL	**25586**	**6.7**	**30**	**2**	**2**	**5**	**8**	**12**	**16**	**28**

150: Miscellaneous diseases of heart
(415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	3.0	4	1	1	2	4	5	7	8
20-34	122	2.6	4	1	1	2	3	5	7	13
35-49	174	2.5	3	1	1	2	3	5	6	8
50-64	122	3.0	4	1	1	2	4	6	7	9
65+	71	3.6	13	<1	<1	3	4	7	11	21
B. *Operated*										
0-19 YRS	42	3.5	12	<1	1	2	6	9	11	13
20-34	32	3.7	20	1	1	2	5	8	14	21
35-49	112	3.1	19	<1	<1	1	3	8	9	28
50-64	151	2.8	15	<1	1	1	2	8	10	14
65+	128	3.2	17	<1	1	1	2	10	11	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	72	4.5	16	1	1	3	5	8	11	26
20-34	260	3.8	12	1	1	3	5	8	10	16
35-49	561	4.3	20	1	1	3	6	8	11	23
50-64	1057	5.5	24	1	2	4	7	10	14	23
65+	1898	6.2	28	1	2	5	8	12	16	27
B. *Operated*										
0-19 YRS	71	7.0	63	<1	1	5	9	16	25	40
20-34	157	6.6	47	1	1	4	9	15	22	29
35-49	366	6.5	57	1	1	4	8	15	22	30
50-64	1098	6.9	48	1	1	5	10	15	21	31
65+	1577	8.6	88	1	1	7	12	19	25	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	502	2.8	5	1	1	2	3	6	7	11
B. *Operated*	465	3.1	16	<1	1	1	3	8	11	21
2. MULTIPLE DX										
A. *Not Operated*	3848	5.6	25	1	2	4	7	11	14	25
B. *Operated*	3269	7.7	69	1	1	5	11	17	23	41
1. SINGLE DX	967	3.0	10	<1	1	2	3	7	9	14
2. MULTIPLE DX	7117	6.5	47	1	1	4	9	14	19	33
A. NOT OPERATED	4350	5.2	23	1	1	4	6	10	14	24
B. OPERATED	3734	7.1	65	1	1	4	10	16	22	39
TOTAL 0-19 YRS	198	5.1	33	<1	1	3	6	12	16	28
20-34	571	4.3	22	1	1	3	5	9	13	26
35-49	1213	4.6	31	1	1	3	6	9	14	28
50-64	2428	5.8	35	1	1	4	8	13	17	29
65+	3674	7.1	55	1	1	5	9	15	20	37
GRAND TOTAL	**8084**	**6.1**	**44**	**1**	**1**	**4**	**8**	**13**	**18**	**31**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+	3	34.0	2524	4	4	6	70	92	92	92
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	13.0		13	13	13	13	13	13	13
50-64	5	2.4	2	1	1	2	3	5	5	5
65+	2	7.0	72	1	1	7	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	11	2.7	8	1	1	2	3	8	10	10
50-64	56	4.0	8	1	1	3	5	9	11	12
65+	157	5.3	18	1	2	4	7	12	15	24
B. *Operated*										
0-19 YRS										
20-34										
35-49	16	5.2	72	1	1	2	6	10	27	35
50-64	68	4.4	31	1	1	2	7	11	14	31
65+	79	6.9	61	1	1	4	10	16	26	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	26.3	1923	3	3	5	49	92	92	92
B. *Operated*	8	4.9	27	1	1	2	9	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	224	4.8	15	1	2	4	6	10	14	22
B. *Operated*	163	5.7	50	1	1	3	9	13	19	38
1. SINGLE DX	12	12.0	652	1	1	3	9	37	84	92
2. MULTIPLE DX	387	5.2	30	1	1	3	7	12	15	36
A. NOT OPERATED	228	5.2	48	1	2	4	6	10	14	38
B. OPERATED	171	5.7	49	1	1	2	9	13	19	38
TOTAL 0-19 YRS										
20-34										
35-49	29	4.4	46	1	1	2	6	10	14	35
50-64	129	4.2	20	1	1	3	5	10	12	21
65+	241	6.2	63	1	1	4	8	13	18	93
GRAND TOTAL	**399**	**5.4**	**48**	**1**	**1**	**3**	**7**	**12**	**15**	**37**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	6	6.3	23	1	1	6	10	13	13	13
35-49	4	3.8	12	1	1	3	6	8	8	8
50-64	10	4.7	71	<1	<1	1	4	17	28	28
65+	3	14.0	79	4	4	17	20	21	21	21
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	15	9.8	24	2	3	10	13	15	18	19
35-49	30	13.0	37	3	6	12	18	21	25	28
50-64	24	11.2	54	1	2	9	15	23	25	29
65+	12	19.4	367	4	5	13	23	46	69	73
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34										
35-49	6	16.5	152	4	5	13	17	38	40	40
50-64	14	12.1	225	<1	1	6	20	42	45	46
65+	42	11.5	70	2	3	11	13	22	31	37
B. *Operated*										
0-19 YRS	7	11.6	53	4	4	9	17	23	24	24
20-34	33	13.0	65	3	4	12	19	29	31	99+
35-49	69	20.0	177	4	8	15	25	35	48	73
50-64	98	20.0	244	3	6	15	28	43	54	96
65+	67	25.8	294	4	9	21	35	48	56	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	6.0	51	<1	<1	3	8	17	23	28
B. *Operated*	82	12.7	93	2	3	11	15	23	28	60
2. MULTIPLE DX										
A. *Not Operated*	65	11.6	110	1	1	10	14	28	38	45
B. *Operated*	274	20.4	226	3	6	17	26	41	52	89
1. SINGLE DX	106	11.2	91	1	1	10	14	21	28	51
2. MULTIPLE DX	339	18.7	215	2	4	15	24	37	48	83
A. NOT OPERATED	89	10.1	100	<1	1	8	13	21	35	44
B. OPERATED	356	18.6	206	3	5	15	24	36	49	82
TOTAL 0-19 YRS	12	7.4	56	1	1	5	10	20	23	24
20-34	54	11.4	53	2	3	10	16	22	30	96
35-49	109	17.3	145	3	5	14	23	30	40	67
50-64	146	16.7	221	1	2	13	23	37	46	92
65+	124	20.1	259	3	4	16	26	38	52	80
GRAND TOTAL	**445**	**16.9**	**196**	**1**	**3**	**13**	**22**	**35**	**45**	**79**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	12.0	151	3	3	7	21	26	26	26
B. *Operated*										
0-19 YRS										
20-34	2	40.5	61	35	35	40	46	46	46	46
35-49	5	38.2	170	25	25	37	48	56	56	56
50-64	11	40.4	691	2	9	49	70	80	97	99+
65+	12	25.2	328	5	8	22	29	46	72	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	5	8.8	97	2	2	6	12	26	26	26
B. *Operated*	30	33.9	442	5	11	28	53	71	76	99+
1. SINGLE DX										
2. MULTIPLE DX	35	30.3	468	2	5	26	46	71	75	99+
A. NOT OPERATED	5	8.8	97	2	2	6	12	26	26	26
B. OPERATED	30	33.9	442	5	11	28	53	71	76	99+
TOTAL 0-19 YRS										
20-34	3	29.0	427	6	6	35	43	46	46	46
35-49	5	38.2	170	25	25	37	48	56	56	56
50-64	12	37.2	751	1	2	43	69	77	96	99+
65+	15	22.5	309	3	5	22	26	33	65	76
GRAND TOTAL	**35**	**30.3**	**468**	**2**	**5**	**26**	**46**	**71**	**75**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	18.5	613	<1	<1	18	36	36	36	36
20-34	2	12.0	242	<1	<1	11	23	23	23	23
35-49	6	9.8	62	2	2	8	15	21	22	22
50-64	21	5.7	21	1	2	4	7	12	15	19
65+	54	7.7	37	1	1	7	10	14	17	33
B. *Operated*										
0-19 YRS	9	6.3	14	1	1	7	9	11	11	11
20-34	16	5.1	16	1	1	4	7	12	13	13
35-49	16	5.3	11	1	2	5	7	10	13	14
50-64	32	6.1	9	1	3	5	7	11	13	13
65+	87	9.3	29	3	4	8	11	17	22	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	6.8	57	<1	<1	2	14	17	18	18
20-34	4	9.0	57	<1	<1	8	15	18	18	18
35-49	35	6.7	64	<1	1	4	8	12	31	35
50-64	121	10.9	143	2	2	7	12	21	37	61
65+	534	10.2	60	2	3	8	13	19	25	42
B. *Operated*										
0-19 YRS	18	14.3	255	1	1	9	24	29	52	66
20-34	32	23.4	671	4	5	15	26	62	93	98
35-49	44	14.8	224	3	4	9	20	35	50	70
50-64	92	16.0	300	3	4	10	19	37	51	94
65+	310	16.5	213	4	5	12	20	35	48	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	7.7	47	1	1	6	11	15	22	35
B. *Operated*	160	7.7	24	2	3	7	10	14	17	23
2. MULTIPLE DX										
A. *Not Operated*	702	10.1	75	2	3	8	13	19	26	49
B. *Operated*	496	16.6	262	3	4	11	20	36	51	95
1. SINGLE DX	245	7.7	32	1	2	6	10	14	18	31
2. MULTIPLE DX	1198	12.8	162	2	3	9	16	25	38	79
A. NOT OPERATED	787	9.8	72	2	2	8	12	19	25	48
B. OPERATED	656	14.5	218	2	4	10	17	29	47	91
TOTAL 0-19 YRS	37	10.9	169	<1	1	7	14	26	34	66
20-34	54	16.5	478	1	2	7	19	45	78	98
35-49	101	10.2	140	1	2	6	12	23	35	60
50-64	266	11.7	184	2	2	7	12	24	40	67
65+	985	12.0	114	2	4	9	15	23	31	65
GRAND TOTAL	**1443**	**11.9**	**144**	**2**	**3**	**9**	**14**	**24**	**35**	**70**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	11.0	200	1	1	11	21	21	21	21
35-49	9	21.6	312	2	3	19	33	49	52	52
50-64	45	15.8	280	2	4	8	21	43	49	75
65+	254	12.4	103	4	4	10	15	22	30	48
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	6	27.0	555	11	11	14	43	65	68	68
35-49	11	16.0	65	7	8	14	25	52	93	99+
50-64	28	22.4	205	7	7	20	31	43	51	55
65+	92	18.1	161	5	7	15	22	39	49	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	310	13.2	137	3	4	10	15	24	38	60
B. *Operated*	138	19.1	179	6	7	16	25	42	50	99+
1. SINGLE DX										
2. MULTIPLE DX	448	15.0	157	4	5	11	18	31	45	68
A. NOT OPERATED	310	13.2	137	3	4	10	15	24	38	60
B. OPERATED	138	19.1	179	6	7	16	25	42	50	99+
TOTAL 0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	8	23.0	480	1	4	14	32	60	68	68
35-49	20	18.5	174	3	5	17	27	48	74	99+
50-64	73	18.3	259	3	4	10	30	43	50	71
65+	346	13.9	124	4	5	11	17	27	39	58
GRAND TOTAL	**448**	**15.0**	**157**	**4**	**5**	**11**	**18**	**31**	**45**	**68**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	6.5	25	3	3	6	10	10	10	10
50-64	7	4.1	17	<1	<1	2	7	11	11	11
65+	19	2.9	2	<1	1	3	4	5	6	7
B. *Operated*										
0-19 YRS										
20-34	3	2.0	3	1	1	1	3	4	4	4
35-49	38	3.6	8	1	1	3	5	9	10	12
50-64	452	3.5	10	1	1	3	4	6	7	11
65+	915	3.8	8	1	1	3	5	6	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	12	4.0	8	<1	1	3	5	9	10	10
50-64	55	3.8	24	<1	1	3	4	7	11	33
65+	295	4.6	15	1	1	4	6	9	12	20
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	6	5.0	55	<1	<1	2	4	18	20	20
35-49	127	4.7	13	1	1	4	6	9	12	18
50-64	1375	4.8	17	1	1	4	6	8	11	22
65+	3789	5.4	22	1	1	4	7	10	13	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	3.5	7	<1	<1	3	4	8	10	11
B. *Operated*	1408	3.7	9	1	1	3	5	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	365	4.5	16	1	1	4	6	9	11	20
B. *Operated*	5298	5.2	20	1	1	4	6	10	13	21
1. SINGLE DX	1436	3.7	9	1	1	3	5	6	8	14
2. MULTIPLE DX	5663	5.2	20	1	1	4	6	9	12	21
A. NOT OPERATED	393	4.4	16	<1	1	3	6	9	11	20
B. OPERATED	6706	4.9	18	1	1	4	6	9	12	20
TOTAL 0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	11	4.0	31	<1	<1	2	4	12	19	20
35-49	179	4.4	12	1	1	4	5	9	11	17
50-64	1889	4.5	15	1	1	4	5	8	11	20
65+	5018	5.1	19	1	1	4	6	9	12	20
GRAND TOTAL	**7099**	**4.9**	**18**	**1**	**1**	**4**	**6**	**9**	**12**	**20**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	20.5	263	5	5	21	34	35	35	35
50-64	8	7.0	11	3	3	6	10	11	11	11
65+	50	9.6	97	1	2	7	12	16	30	51
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	9.5	13	7	7	9	12	12	12	12
35-49	17	8.8	97	2	3	7	9	13	34	45
50-64	78	10.0	115	2	3	7	11	19	30	67
65+	193	10.9	136	1	2	8	12	20	35	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	62	10.0	101	1	3	7	11	17	34	51
B. *Operated*	291	10.5	127	2	3	8	12	20	32	68
1. SINGLE DX										
2. MULTIPLE DX	353	10.4	122	2	3	7	12	19	32	63
A. NOT OPERATED	62	10.0	101	1	3	7	11	17	34	51
B. OPERATED	291	10.5	127	2	3	8	12	20	32	68
TOTAL 0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	9.5	13	7	7	9	12	12	12	12
35-49	21	11.0	139	2	3	7	10	34	39	45
50-64	86	9.7	106	2	3	7	11	18	29	64
65+	243	10.6	128	1	2	8	12	19	33	64
GRAND TOTAL	**353**	**10.4**	**122**	**2**	**3**	**7**	**12**	**19**	**32**	**63**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	5.0	4	3	3	5	6	8	8	8
20-34	6	4.0	4	2	2	3	6	7	7	7
35-49	21	5.0	22	1	1	3	5	12	16	20
50-64	85	5.6	17	1	2	5	8	11	14	20
65+	249	5.8	20	1	2	5	8	11	12	17
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	10	3.0	4	1	1	2	4	6	7	7
35-49	12	5.1	26	1	1	3	6	14	17	17
50-64	23	5.1	14	1	1	5	7	12	13	13
65+	38	5.8	26	1	1	4	8	12	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	12.4	80	2	3	11	15	27	30	31
20-34	30	7.7	68	2	2	5	9	19	29	36
35-49	134	6.2	20	1	2	5	8	11	13	22
50-64	726	7.1	43	2	2	5	9	13	17	38
65+	4254	7.9	33	2	3	7	10	14	18	30
B. *Operated*										
0-19 YRS	6	20.3	387	1	1	18	30	49	51	51
20-34	16	8.3	95	1	1	5	10	12	33	42
35-49	76	7.1	40	1	3	6	9	12	20	39
50-64	234	9.6	112	1	2	6	12	21	31	60
65+	705	11.1	110	2	3	9	13	22	29	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	367	5.7	19	1	2	4	8	11	13	20
B. *Operated*	85	5.1	20	1	1	3	7	12	14	22
2. MULTIPLE DX										
A. *Not Operated*	5157	7.7	34	2	3	6	10	14	18	31
B. *Operated*	1037	10.5	108	2	3	8	12	22	29	59
1. SINGLE DX	452	5.5	19	1	2	4	7	11	13	20
2. MULTIPLE DX	6194	8.2	48	2	3	7	10	15	20	35
A. NOT OPERATED	5524	7.6	34	2	2	6	10	14	18	30
B. OPERATED	1122	10.1	103	1	2	7	12	21	28	57
TOTAL 0-19 YRS	27	11.7	147	2	2	8	13	30	34	51
20-34	62	6.7	60	1	2	4	7	12	24	41
35-49	243	6.3	27	1	2	5	8	11	15	26
50-64	1068	7.5	57	2	2	6	9	14	20	41
65+	5246	8.2	44	2	3	7	10	15	19	34
GRAND TOTAL	**6646**	**8.0**	**46**	**2**	**2**	**6**	**10**	**15**	**19**	**35**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.8	8	2	2	4	7	9	9	9
20-34	9	6.7	45	<1	<1	6	9	17	21	21
35-49	59	9.3	140	2	3	6	9	18	42	97
50-64	380	8.9	51	2	3	7	11	18	22	39
65+	2305	9.5	45	3	4	8	12	17	21	36
B. *Operated*										
0-19 YRS	3	29.3	1186	7	7	12	55	69	69	69
20-34	11	11.5	127	2	3	8	13	30	40	41
35-49	30	16.7	401	3	4	9	15	51	69	80
50-64	75	13.8	197	3	4	9	15	30	51	72
65+	325	15.6	188	3	4	11	18	33	43	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2758	9.4	48	3	4	8	11	17	22	37
B. *Operated*	444	15.3	207	3	4	11	18	33	46	80
1. SINGLE DX										
2. MULTIPLE DX	3202	10.2	74	3	4	8	12	19	25	50
A. NOT OPERATED	2758	9.4	48	3	4	8	11	17	22	37
B. OPERATED	444	15.3	207	3	4	11	18	33	46	80
TOTAL 0-19 YRS	8	14.0	505	2	2	6	10	52	69	69
20-34	20	9.4	92	<1	1	8	11	21	31	41
35-49	89	11.8	237	3	3	6	11	24	59	92
50-64	455	9.7	78	2	3	7	11	19	25	52
65+	2630	10.3	66	3	4	8	12	19	24	45
GRAND TOTAL	**3202**	**10.2**	**74**	**3**	**4**	**8**	**12**	**19**	**25**	**50**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.3		1	1	1	2	2	2	2
20-34	6	4.8	36	2	2	3	3	16	17	17
35-49	47	2.3	3	<1	1	2	3	5	6	8
50-64	182	2.3	5	1	1	2	3	4	5	12
65+	396	2.7	4	1	1	2	3	5	6	11
B. *Operated*										
0-19 YRS										
20-34	4	2.5		2	2	2	3	3	3	3
35-49	39	3.0	8	1	1	2	3	6	8	15
50-64	111	2.7	4	1	1	2	4	5	7	10
65+	161	2.7	4	1	1	2	3	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	3.4	5	1	1	3	4	7	9	9
20-34	26	2.7	6	<1	1	2	3	7	8	9
35-49	181	3.1	5	1	1	2	4	6	8	11
50-64	791	3.3	5	1	1	3	4	6	8	12
65+	4602	3.9	9	1	1	3	5	7	9	16
B. *Operated*										
0-19 YRS	4	8.0	72	2	2	5	14	20	20	20
20-34	12	4.1	11	<1	1	2	7	9	10	10
35-49	64	4.9	26	1	1	4	6	11	13	30
50-64	380	4.2	12	1	1	3	6	8	11	16
65+	998	5.3	23	1	1	4	7	10	14	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	635	2.6	5	1	1	2	3	5	6	11
B. *Operated*	315	2.7	4	1	1	2	3	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	5613	3.8	9	1	1	3	5	7	9	15
B. *Operated*	1458	5.0	20	1	1	4	6	10	13	24
1. SINGLE DX	950	2.6	4	1	1	2	3	5	6	11
2. MULTIPLE DX	7071	4.1	11	1	1	3	5	8	10	17
A. NOT OPERATED	6248	3.7	8	1	1	3	5	7	9	15
B. OPERATED	1773	4.6	18	1	1	3	6	9	13	23
TOTAL 0-19 YRS	21	3.9	19	1	1	2	4	8	14	20
20-34	48	3.3	10	1	1	2	4	8	9	17
35-49	331	3.3	10	1	1	2	4	6	9	15
50-64	1464	3.4	7	1	1	3	4	6	8	14
65+	6157	4.0	11	1	1	3	5	7	10	18
GRAND TOTAL	**8021**	**3.9**	**11**	**1**	**1**	**3**	**5**	**7**	**9**	**17**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	4	1	1	3	4	5	5	5
20-34	4	2.5	3	1	1	2	4	5	5	5
35-49	9	6.3	30	1	1	5	9	15	18	18
50-64	63	4.5	18	1	1	3	6	11	13	20
65+	228	5.3	18	1	1	4	6	11	13	21
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	14	4.4	12	1	1	3	7	10	11	11
50-64	21	4.9	8	1	1	5	7	8	9	9
65+	33	6.3	27	2	2	5	7	12	15	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	7.0	32	3	3	7	11	11	11	11
20-34	12	5.4	13	2	2	4	8	10	13	13
35-49	78	5.8	22	1	2	4	7	13	18	78
50-64	458	6.6	40	1	2	5	8	12	16	35
65+	2712	7.1	35	2	2	6	9	13	17	26
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	6	4.8	13	1	1	5	7	10	10	10
35-49	27	8.6	87	1	3	5	9	19	31	42
50-64	106	7.8	87	1	2	6	9	14	19	61
65+	306	12.3	138	2	3	9	16	27	36	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	308	5.1	18	1	1	4	6	11	13	20
B. *Operated*	70	5.3	18	1	1	5	7	9	12	26
2. MULTIPLE DX										
A. *Not Operated*	3262	7.0	35	2	2	6	9	13	17	27
B. *Operated*	446	10.9	125	2	3	8	13	23	32	78
1. SINGLE DX	378	5.2	18	1	1	4	7	11	13	20
2. MULTIPLE DX	3708	7.5	48	2	2	6	9	14	18	35
A. NOT OPERATED	3570	6.9	34	2	2	6	9	13	16	27
B. OPERATED	516	10.2	114	1	2	7	12	21	30	66
TOTAL 0-19 YRS	8	4.0	12	<1	<1	3	5	9	11	11
20-34	23	4.6	11	1	1	4	7	9	11	13
35-49	128	6.3	36	1	2	4	8	14	19	54
50-64	648	6.6	45	1	2	5	8	12	16	35
65+	3279	7.5	46	2	2	6	9	14	18	32
GRAND TOTAL	**4086**	**7.3**	**45**	**2**	**2**	**6**	**9**	**13**	**18**	**33**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	11.2	174	2	2	5	17	34	34	34
20-34	5	9.8	53	4	4	5	16	20	20	20
35-49	19	7.4	23	2	2	6	10	15	18	18
50-64	209	8.6	44	2	3	7	10	18	21	39
65+	1169	9.0	56	2	3	7	11	16	24	46
B. *Operated*										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	4	8.5	86	2	2	5	14	22	22	22
35-49	12	15.0	172	1	4	9	21	39	41	41
50-64	36	15.1	320	2	3	8	16	51	70	99+
65+	119	16.0	203	4	5	11	21	35	54	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1407	8.9	54	2	3	7	11	16	24	43
B. *Operated*	173	15.4	219	3	4	10	20	38	55	95
1. SINGLE DX										
2. MULTIPLE DX	1580	9.6	76	2	3	7	11	18	26	53
A. NOT OPERATED	1407	8.9	54	2	3	7	11	16	24	43
B. OPERATED	173	15.4	219	3	4	10	20	38	55	95
TOTAL 0-19 YRS	7	9.7	123	2	2	5	10	29	34	34
20-34	9	9.2	59	2	2	5	16	21	22	22
35-49	31	10.4	91	2	3	7	13	21	37	41
50-64	245	9.5	89	2	3	7	11	19	26	63
65+	1288	9.6	74	2	3	7	11	18	27	53
GRAND TOTAL	**1580**	**9.6**	**76**	**2**	**3**	**7**	**11**	**18**	**26**	**53**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	10	2.3	1	1	1	2	3	4	4	4
35-49	26	2.5	3	<1	1	2	3	5	6	7
50-64	38	3.6	28	1	1	2	3	7	9	33
65+	66	4.2	42	1	1	3	4	8	10	40
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	8	6.4	33	1	1	5	10	15	17	17
35-49	27	5.7	40	<1	<1	4	7	16	18	25
50-64	43	5.5	31	1	1	2	9	16	17	21
65+	35	2.5	7	1	1	2	2	7	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.9	7	<1	<1	2	4	7	8	8
20-34	36	4.7	20	1	1	4	6	9	14	24
35-49	104	4.3	31	1	1	3	5	8	11	33
50-64	292	4.6	28	1	1	3	6	9	12	28
65+	1088	5.4	30	1	2	4	6	10	15	28
B. *Operated*										
0-19 YRS	7	30.0	1740	4	4	6	68	93	94	94
20-34	17	8.2	69	1	1	7	10	20	27	31
35-49	64	7.6	57	1	1	5	11	17	23	39
50-64	137	9.1	130	1	1	4	11	23	31	60
65+	286	7.1	55	1	1	5	9	15	21	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	141	3.6	28	1	1	2	3	7	9	36
B. *Operated*	114	4.7	27	1	1	2	7	13	17	22
2. MULTIPLE DX										
A. *Not Operated*	1527	5.2	30	1	2	4	6	10	14	27
B. *Operated*	511	8.0	103	1	1	5	10	18	25	51
1. SINGLE DX	255	4.1	28	1	1	2	4	9	15	33
2. MULTIPLE DX	2038	5.9	49	1	1	4	7	12	17	38
A. NOT OPERATED	1668	5.0	30	1	1	4	6	9	13	28
B. OPERATED	625	7.4	91	1	1	4	9	17	23	48
TOTAL 0-19 YRS	16	14.8	891	<1	1	5	7	80	92	94
20-34	71	5.4	33	1	1	3	7	12	17	30
35-49	221	5.2	39	1	1	3	6	12	17	30
50-64	510	5.8	59	1	1	3	7	13	18	42
65+	1475	5.6	36	1	1	4	7	11	16	33
GRAND TOTAL	**2293**	**5.7**	**47**	**1**	**1**	**4**	**7**	**12**	**17**	**36**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64										
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34										
35-49	14	3.0	10	<1	1	1	4	9	9	9
50-64	96	3.5	10	<1	1	2	6	8	9	13
65+	156	4.3	14	<1	1	3	7	9	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	2.5	5	<1	<1	2	4	4	4	4
50-64	20	3.8	14	1	1	2	5	9	13	15
65+	122	5.0	19	1	1	3	7	11	14	23
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	10	6.5	43	1	1	6	9	16	22	22
35-49	124	7.0	77	1	1	6	9	12	20	54
50-64	724	7.5	46	1	1	7	10	15	19	32
65+	1587	9.3	80	1	1	8	12	18	25	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.0	1	1	1	2	3	3	3	3
B. *Operated*	268	3.9	12	<1	1	2	7	9	10	16
2. MULTIPLE DX										
A. *Not Operated*	144	4.8	18	1	1	3	7	11	14	22
B. *Operated*	2446	8.7	71	1	1	7	11	16	23	43
1. SINGLE DX	272	3.9	12	<1	1	2	7	9	10	16
2. MULTIPLE DX	2590	8.4	68	1	1	7	11	16	22	41
A. NOT OPERATED	148	4.8	18	1	1	3	7	11	14	22
B. OPERATED	2714	8.2	67	1	1	7	11	16	22	40
TOTAL 0-19 YRS	3	5.0	37	1	1	2	9	12	12	12
20-34	10	6.5	43	1	1	6	9	16	22	22
35-49	142	6.5	70	1	1	5	9	12	19	48
50-64	840	6.9	43	1	1	6	9	14	18	31
65+	1867	8.6	73	1	1	7	11	17	24	43
GRAND TOTAL	**2862**	**8.0**	**65**	**1**	**1**	**7**	**10**	**16**	**22**	**40**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	17	2.1	8	<1	<1	1	2	3	10	13
B. *Operated*										
0-19 YRS										
20-34										
35-49	6	4.8	12	1	1	4	9	9	9	9
50-64	67	7.0	12	1	1	8	9	10	12	17
65+	145	8.2	19	1	1	8	10	12	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	3.3	7	1	1	3	5	6	6	6
50-64	27	4.0	21	1	1	3	4	8	17	21
65+	169	4.9	23	1	1	3	6	11	15	22
B. *Operated*										
0-19 YRS										
20-34	11	13.3	93	2	4	10	14	31	34	34
35-49	38	10.1	52	<1	1	9	12	24	25	28
50-64	471	10.7	62	1	4	9	12	17	24	42
65+	1547	12.2	94	1	3	10	14	20	29	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	2.0	8	<1	<1	1	2	3	9	13
B. *Operated*	218	7.8	17	1	1	8	10	12	14	23
2. MULTIPLE DX										
A. *Not Operated*	201	4.7	22	1	1	3	6	10	15	22
B. *Operated*	2067	11.8	86	1	3	10	13	20	27	55
1. SINGLE DX	237	7.3	19	1	1	8	10	11	13	23
2. MULTIPLE DX	2268	11.2	85	1	2	10	13	19	26	53
A. NOT OPERATED	220	4.5	22	1	1	3	6	10	14	21
B. OPERATED	2285	11.4	81	1	3	10	13	19	26	53
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	12	12.3	97	1	2	10	13	30	33	34
35-49	49	8.7	49	<1	1	7	11	22	25	28
50-64	565	10.0	57	1	2	9	11	16	22	40
65+	1878	11.1	87	1	2	10	13	19	26	55
GRAND TOTAL	**2505**	**10.8**	**80**	**1**	**2**	**9**	**13**	**18**	**25**	**51**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	16	3.8	18	1	1	2	4	12	14	14
35-49	9	4.9	14	1	1	4	7	11	12	12
50-64	38	5.3	15	1	1	4	8	11	13	14
65+	38	5.6	10	1	1	5	7	10	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	3	1.0		<1	<1	1	1	1	1	1
65+	14	5.8	46	<1	<1	3	8	14	23	25
B. *Operated*										
0-19 YRS	4	6.5	6	4	4	6	8	9	9	9
20-34	14	11.8	236	<1	1	6	12	28	52	59
35-49	36	6.6	25	1	1	6	10	14	20	99+
50-64	131	9.3	71	1	2	7	11	21	31	38
65+	263	10.1	114	1	2	7	12	19	29	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	104	5.1	13	1	1	4	7	11	12	14
2. MULTIPLE DX										
A. *Not Operated*	19	4.5	38	<1	<1	2	6	12	20	25
B. *Operated*	448	9.6	98	1	2	7	11	20	29	68
1. SINGLE DX	106	5.0	13	1	1	4	7	11	12	14
2. MULTIPLE DX	467	9.4	96	1	2	7	11	19	28	66
A. NOT OPERATED	21	4.2	35	<1	<1	1	4	12	18	25
B. OPERATED	552	8.7	85	1	1	7	10	18	26	59
TOTAL 0-19 YRS	7	4.4	10	1	1	4	7	9	9	9
20-34	31	7.3	129	<1	1	4	8	17	25	59
35-49	46	6.2	23	1	1	5	10	12	16	99+
50-64	172	8.3	61	1	1	6	10	18	25	36
65+	317	9.3	101	1	2	7	11	18	27	71
GRAND TOTAL	**573**	**8.6**	**84**	**1**	**1**	**6**	**10**	**18**	**25**	**58**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	5.8	20	<1	<1	6	9	10	10	10
20-34	10	5.7	12	2	2	4	9	10	10	10
35-49	9	4.6	5	1	1	5	6	7	7	7
50-64	15	5.7	10	<1	2	6	8	10	11	12
65+	14	3.7	13	<1	<1	2	7	10	10	10
B. *Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	15	4.0	6	<1	1	4	6	8	9	9
35-49	84	4.9	15	1	1	4	8	9	11	20
50-64	216	5.0	16	1	1	4	8	9	11	17
65+	252	5.2	17	1	1	5	8	10	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	17	6.1	13	1	2	7	8	12	13	13
35-49	15	6.8	13	1	3	7	10	12	12	12
50-64	59	4.8	10	<1	<1	4	7	9	10	14
65+	163	5.8	24	1	1	5	7	10	12	25
B. *Operated*										
0-19 YRS	7	5.4	8	2	2	4	7	10	10	10
20-34	50	9.0	94	1	1	7	11	19	23	51
35-49	241	8.3	54	1	2	7	10	14	20	44
50-64	1064	8.5	62	1	1	7	10	15	22	46
65+	2084	9.3	67	1	1	8	12	18	23	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	5.0	11	<1	1	4	8	10	10	12
B. *Operated*	569	5.0	16	1	1	5	8	10	11	18
2. MULTIPLE DX										
A. *Not Operated*	255	5.7	20	1	1	5	8	10	12	18
B. *Operated*	3446	9.0	65	1	1	8	11	17	23	43
1. SINGLE DX	621	5.0	15	1	1	5	8	10	11	18
2. MULTIPLE DX	3701	8.7	62	1	1	7	11	16	22	42
A. NOT OPERATED	307	5.5	18	1	1	5	8	10	12	17
B. OPERATED	4015	8.4	60	1	1	7	10	16	21	40
TOTAL 0-19 YRS	14	5.8	12	<1	2	5	9	10	12	12
20-34	92	7.3	59	1	1	6	9	12	20	49
35-49	349	7.3	44	1	1	7	9	13	16	43
50-64	1354	7.8	54	1	1	7	10	14	19	41
65+	2513	8.6	61	1	1	7	11	17	22	39
GRAND TOTAL	**4322**	**8.2**	**57**	**1**	**1**	**7**	**10**	**15**	**21**	**39**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	4.8	13	1	1	4	6	10	13	16
20-34	12	4.2	38	<1	<1	2	4	11	21	23
35-49	8	5.3	101	1	1	2	3	22	30	30
50-64	11	3.3	7	1	1	2	5	8	9	9
65+	14	4.6	12	<1	1	3	7	10	12	12
B. *Operated*										
0-19 YRS	7	1.7	1	1	1	1	3	3	3	3
20-34	22	3.8	9	<1	1	3	5	8	11	11
35-49	54	2.4	10	<1	<1	1	2	5	10	16
50-64	115	3.0	10	<1	<1	2	4	7	10	15
65+	116	3.4	13	<1	1	2	5	9	12	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	5.5	34	1	1	4	6	9	13	34
20-34	28	4.5	28	1	1	4	5	8	14	28
35-49	56	6.1	57	1	1	3	6	16	23	38
50-64	107	4.4	15	<1	1	3	6	8	15	19
65+	277	5.5	21	1	1	4	7	11	15	21
B. *Operated*										
0-19 YRS	20	12.2	171	1	1	7	19	32	39	45
20-34	66	8.2	127	1	1	5	8	18	36	56
35-49	160	6.7	87	1	1	4	8	14	20	59
50-64	519	6.5	75	1	1	4	8	14	22	48
65+	944	7.9	89	1	1	5	9	17	25	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	4.6	20	1	1	3	6	10	13	26
B. *Operated*	314	3.1	11	<1	<1	1	4	8	11	15
2. MULTIPLE DX										
A. *Not Operated*	524	5.3	25	1	1	4	6	11	15	30
B. *Operated*	1709	7.4	87	1	1	5	9	16	25	55
1. SINGLE DX	422	3.5	14	<1	1	2	5	8	11	16
2. MULTIPLE DX	2233	6.9	74	1	1	4	8	15	22	45
A. NOT OPERATED	632	5.2	25	1	1	4	6	11	15	30
B. OPERATED	2023	6.7	78	1	1	4	8	15	22	48
TOTAL 0-19 YRS	146	5.9	48	1	1	4	7	13	17	34
20-34	128	6.2	80	1	1	4	7	11	25	51
35-49	278	5.7	69	1	1	3	6	14	19	46
50-64	752	5.6	57	1	1	3	7	12	19	40
65+	1351	7.0	70	1	1	5	8	15	21	40
GRAND TOTAL	**2655**	**6.4**	**66**	**1**	**1**	**4**	**8**	**14**	**20**	**41**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	6.5	11	1	2	7	9	10	11	11
20-34	126	5.6	9	1	2	5	7	9	10	17
35-49	174	6.3	10	2	2	6	8	10	11	16
50-64	200	6.3	10	2	3	6	8	10	12	18
65+	192	6.5	8	2	3	6	8	10	11	13
B. *Operated*										
0-19 YRS	11	5.5	12	<1	1	6	7	10	12	12
20-34	67	5.5	10	1	1	7	8	9	10	13
35-49	104	6.3	10	1	2	7	9	10	11	14
50-64	111	5.4	9	1	1	5	8	10	10	12
65+	122	6.5	12	1	1	6	8	11	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	6.4	8	2	3	6	8	10	12	13
20-34	147	6.7	9	3	3	7	8	10	13	14
35-49	351	6.8	14	2	3	6	9	11	13	20
50-64	547	7.5	17	3	3	7	9	12	14	21
65+	1211	7.7	15	3	4	7	9	12	14	22
B. *Operated*										
0-19 YRS	19	7.4	9	2	4	7	9	11	13	14
20-34	124	8.9	42	2	3	8	11	14	19	40
35-49	233	7.8	14	2	3	7	9	13	14	18
50-64	428	8.9	43	2	3	8	10	15	19	38
65+	697	9.0	30	2	4	8	10	14	18	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	708	6.2	9	2	3	6	8	10	11	16
B. *Operated*	415	6.0	10	1	1	6	8	10	11	14
2. MULTIPLE DX										
A. *Not Operated*	2270	7.5	15	3	3	7	9	12	14	22
B. *Operated*	1501	8.8	32	2	3	8	10	14	18	34
1. SINGLE DX	1123	6.1	10	1	2	6	8	10	11	15
2. MULTIPLE DX	3771	8.0	22	2	3	7	10	13	15	26
A. NOT OPERATED	2978	7.2	14	2	3	7	9	11	13	20
B. OPERATED	1916	8.2	29	2	3	8	10	13	17	31
TOTAL 0-19 YRS	60	6.6	10	1	2	7	9	11	12	14
20-34	464	6.8	20	1	2	7	8	11	13	22
35-49	862	6.9	13	2	3	7	9	11	13	18
50-64	1286	7.6	25	2	3	7	9	12	15	27
65+	2222	8.0	20	3	3	7	10	12	15	24
GRAND TOTAL	**4894**	**7.6**	**20**	**2**	**3**	**7**	**9**	**12**	**14**	**23**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	7.0	72	1	1	7	13	13	13	13
35-49	4	2.5	1	2	2	2	3	4	4	4
50-64	11	4.8	16	1	1	4	7	11	13	13
65+	18	6.9	23	<1	1	6	8	16	16	16
B. *Operated*										
0-19 YRS	15	2.7	5	<1	<1	2	3	7	7	7
20-34	389	2.1	2	1	1	2	3	3	4	8
35-49	556	2.4	4	1	1	2	3	4	5	9
50-64	326	2.8	6	1	1	2	3	5	6	15
65+	119	4.4	52	1	1	3	4	9	12	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0	50	1	1	6	11	11	11	11
20-34	10	12.2	160	1	2	7	18	34	35	35
35-49	28	6.9	22	<1	1	6	10	13	16	17
50-64	67	6.6	25	<1	1	5	8	13	17	28
65+	242	8.1	30	2	3	7	10	16	20	26
B. *Operated*										
0-19 YRS	5	7.0	32	2	2	4	11	16	16	16
20-34	95	3.4	12	1	1	2	4	6	10	19
35-49	210	4.0	27	1	1	3	4	7	14	33
50-64	230	5.7	47	1	1	3	6	11	20	39
65+	262	10.3	98	1	2	7	14	22	33	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	5.7	21	1	1	4	8	13	16	16
B. *Operated*	1405	2.6	8	1	1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	349	7.8	32	1	2	6	10	15	20	30
B. *Operated*	802	6.5	62	1	1	3	7	17	22	38
1. SINGLE DX	1440	2.7	9	1	1	2	3	4	6	13
2. MULTIPLE DX	1151	6.9	53	1	1	4	8	16	21	36
A. NOT OPERATED	384	7.6	32	1	2	6	10	15	19	29
B. OPERATED	2207	4.0	31	1	1	2	4	8	14	32
TOTAL 0-19 YRS	22	4.0	15	<1	1	2	6	10	13	16
20-34	496	2.6	9	1	1	2	3	4	6	17
35-49	798	3.0	12	1	1	2	3	5	8	17
50-64	634	4.3	25	1	1	3	5	8	13	27
65+	641	8.3	66	1	2	6	11	19	23	39
GRAND TOTAL	**2591**	**4.5**	**33**	**1**	**1**	**3**	**5**	**10**	**16**	**32**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7	1	<1	<1	1	2	3	3	3
20-34	22	2.5	3	<1	1	2	3	5	7	8
35-49	31	2.1	3	<1	<1	1	3	5	5	7
50-64	22	2.1	2	<1	<1	2	3	4	5	5
65+	14	1.6	1	<1	<1	1	2	3	5	5
B. *Operated*										
0-19 YRS	6	2.3	2	1	1	2	3	5	5	5
20-34	133	2.6	2	1	1	2	3	5	5	7
35-49	241	3.0	3	1	1	3	4	5	6	9
50-64	173	3.0	3	1	1	3	4	5	6	9
65+	51	3.2	4	1	1	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	41	2.9	10	<1	<1	2	4	6	11	14
35-49	68	2.6	4	<1	<1	2	3	5	7	10
50-64	72	2.7	3	<1	<1	2	4	5	6	9
65+	125	3.3	5	1	1	3	4	6	8	11
B. *Operated*										
0-19 YRS	12	3.7	3	2	2	3	5	6	8	8
20-34	676	3.3	3	1	2	3	4	5	6	9
35-49	1358	3.6	7	1	2	3	4	6	7	10
50-64	1131	3.6	4	1	2	3	4	6	7	10
65+	599	4.1	7	1	2	4	5	7	8	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	2.1	2	<1	<1	1	3	5	5	8
B. *Operated*	604	3.0	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	307	3.0	5	<1	<1	2	4	6	7	11
B. *Operated*	3776	3.6	5	1	2	3	4	6	7	10
1. SINGLE DX	696	2.8	3	<1	1	3	4	5	6	9
2. MULTIPLE DX	4083	3.5	5	1	2	3	4	6	7	10
A. NOT OPERATED	399	2.8	5	<1	<1	2	4	5	7	11
B. OPERATED	4380	3.5	5	1	2	3	4	6	7	10
TOTAL 0-19 YRS	22	3.0	3	<1	1	3	3	5	6	8
20-34	872	3.1	3	1	1	3	4	5	6	9
35-49	1698	3.4	6	1	1	3	4	5	7	10
50-64	1398	3.4	4	1	1	3	4	6	7	9
65+	789	3.9	6	1	1	3	5	7	8	12
GRAND TOTAL	**4779**	**3.4**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**10**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	4.0	9	1	1	3	7	8	9	10
20-34	90	6.3	13	1	1	6	9	11	14	16
35-49	104	5.8	7	1	2	6	8	9	10	11
50-64	124	5.7	10	1	1	6	8	10	11	14
65+	123	5.3	9	1	1	5	7	9	10	13
B. *Operated*										
0-19 YRS	43	2.7	11	<1	<1	1	2	9	11	14
20-34	159	3.5	9	<1	1	2	6	8	9	12
35-49	80	4.9	15	<1	1	4	8	10	12	17
50-64	99	6.3	11	<1	1	6	9	11	12	15
65+	74	6.1	10	1	2	6	9	10	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	4.3	11	1	1	3	6	9	11	16
20-34	204	5.6	31	1	1	4	7	11	14	28
35-49	282	5.2	15	1	1	4	7	10	12	19
50-64	635	5.6	17	1	2	5	7	10	12	21
65+	1877	5.5	15	1	2	5	7	10	13	20
B. *Operated*										
0-19 YRS	60	5.7	53	<1	1	2	7	13	23	33
20-34	221	6.2	68	<1	1	4	8	12	18	58
35-49	304	7.2	33	1	1	6	9	14	18	29
50-64	428	8.4	58	1	2	7	10	16	21	34
65+	790	8.4	35	1	2	8	11	15	19	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	456	5.7	10	1	1	6	8	10	11	14
B. *Operated*	455	4.7	12	<1	1	4	7	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	3046	5.5	16	1	2	5	7	10	13	20
B. *Operated*	1803	7.8	45	1	1	7	10	15	19	33
1. SINGLE DX	911	5.2	11	1	1	5	8	9	11	14
2. MULTIPLE DX	4849	6.4	28	1	1	5	8	12	15	27
A. NOT OPERATED	3502	5.5	16	1	2	5	7	10	12	19
B. OPERATED	2258	7.2	40	1	1	6	9	13	18	32
TOTAL 0-19 YRS	166	4.4	27	<1	1	2	6	10	13	32
20-34	674	5.4	37	<1	1	4	7	11	14	32
35-49	770	6.0	22	1	1	5	8	11	14	24
50-64	1286	6.6	31	1	2	6	9	12	15	27
65+	2864	6.3	22	1	2	5	8	12	14	24
GRAND TOTAL	**5760**	**6.2**	**26**	**1**	**1**	**5**	**8**	**11**	**14**	**26**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2138	1.9	1	<1	1	2	2	3	4	6
20-34	161	2.5	2	1	1	2	3	4	5	8
35-49	103	2.8	2	1	1	3	4	5	5	8
50-64	37	2.6	3	<1	1	2	3	5	6	8
65+	22	3.8	7	<1	1	3	5	7	9	11
B. *Operated*										
0-19 YRS	176	1.3	1	<1	<1	1	1	2	3	5
20-34	72	2.0	3	1	1	1	2	5	5	8
35-49	22	3.2	11	1	1	2	5	7	10	14
50-64	11	1.8	1	<1	<1	1	2	4	4	4
65+	4	2.0	4	<1	<1	1	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2471	2.6	3	1	1	2	3	4	6	9
20-34	439	3.0	5	1	1	3	4	5	6	14
35-49	272	3.5	7	1	1	3	4	7	9	13
50-64	290	4.5	9	1	2	4	6	9	10	16
65+	475	5.0	15	2	2	4	6	9	11	17
B. *Operated*										
0-19 YRS	207	2.6	16	<1	<1	1	3	6	8	18
20-34	153	3.7	22	<1	1	3	5	7	10	29
35-49	66	4.4	26	1	1	3	5	8	17	26
50-64	63	5.1	49	1	1	3	6	11	13	47
65+	49	5.8	21	1	1	5	9	11	14	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2461	2.0	2	<1	1	2	2	3	4	7
B. *Operated*	285	1.7	2	<1	<1	1	2	3	5	7
2. MULTIPLE DX										
A. *Not Operated*	3947	3.1	6	1	1	2	4	6	8	13
B. *Operated*	538	3.7	24	<1	1	2	5	8	11	25
1. SINGLE DX	2746	1.9	2	<1	1	2	2	3	4	7
2. MULTIPLE DX	4485	3.2	9	1	1	2	4	6	8	14
A. NOT OPERATED	6408	2.7	5	1	1	2	3	5	6	11
B. OPERATED	823	3.0	17	<1	<1	1	4	7	9	18
TOTAL 0-19 YRS	4992	2.2	3	<1	1	2	3	4	5	8
20-34	825	3.0	7	1	1	2	4	5	6	11
35-49	463	3.4	9	1	1	3	4	7	9	14
50-64	401	4.4	15	1	1	4	5	9	10	16
65+	550	5.0	15	1	2	4	6	9	11	17
GRAND TOTAL	**7231**	**2.7**	**6**	**<1**	**1**	**2**	**3**	**5**	**7**	**12**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1533	2.7	3	1	1	2	3	4	6	9
20-34	56	3.2	2	1	2	3	4	5	6	8
35-49	71	3.3	2	1	2	3	4	5	6	6
50-64	74	4.0	6	<1	1	4	5	7	9	13
65+	128	4.3	7	2	2	4	5	7	8	16
B. *Operated*										
0-19 YRS	8	1.4	1	<1	<1	1	1	3	4	4
20-34	4	1.0		<1	<1	<1	1	1	1	1
35-49	3	1.3		<1	<1	<1	2	2	2	2
50-64	4	5.3	9	<1	<1	6	7	8	8	8
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2345	3.3	5	1	1	3	4	6	7	11
20-34	325	4.5	15	1	2	3	5	8	12	18
35-49	573	4.8	14	1	2	4	6	8	11	20
50-64	1847	5.4	13	2	2	5	7	10	12	17
65+	4993	6.0	16	2	2	5	7	11	13	20
B. *Operated*										
0-19 YRS	28	6.6	39	1	1	4	8	18	22	23
20-34	23	6.7	41	<1	1	5	8	15	22	30
35-49	50	6.9	29	<1	1	6	9	13	18	29
50-64	113	10.6	90	2	3	8	12	23	28	54
65+	266	10.8	80	2	3	8	13	21	26	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1862	2.9	4	1	1	2	4	5	6	10
B. *Operated*	20	2.3	5	<1	<1	1	3	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	10083	5.2	14	1	2	4	6	9	12	18
B. *Operated*	480	9.9	75	2	3	8	12	20	25	45
1. SINGLE DX	1882	2.9	4	1	1	2	4	5	6	10
2. MULTIPLE DX	10563	5.4	18	1	2	4	7	10	13	21
A. NOT OPERATED	11945	4.8	13	1	2	4	6	9	11	18
B. OPERATED	500	9.6	75	1	2	7	12	20	25	44
TOTAL 0-19 YRS	3914	3.1	5	1	1	3	4	6	7	11
20-34	408	4.4	15	1	1	3	5	8	12	18
35-49	697	4.8	14	1	2	4	6	8	11	19
50-64	2038	5.7	19	2	2	5	7	10	13	20
65+	5388	6.2	20	2	2	5	7	11	14	23
GRAND TOTAL	**12445**	**5.0**	**16**	**1**	**2**	**4**	**6**	**9**	**12**	**20**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	165	1.1		<1	1	1	1	2	2	3
20-34	361	1.2		<1	<1	1	1	2	2	4
35-49	253	1.1		<1	<1	1	1	1	2	3
50-64	123	1.2		<1	<1	1	1	2	2	3
65+	38	1.1		<1	<1	1	1	1	2	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.0		<1	<1	<1	1	1	1	1
20-34	16	1.0		<1	<1	<1	1	1	1	1
35-49	10	1.3		<1	<1	1	2	2	2	2
50-64	9	1.3	1	<1	<1	1	2	3	3	3
65+	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	450	1.2		<1	1	1	1	2	2	3
20-34	1364	1.4	1	<1	1	1	2	2	3	4
35-49	921	1.4	1	<1	1	1	2	2	3	5
50-64	494	1.6	3	<1	1	1	2	3	3	6
65+	169	1.7	1	1	1	1	2	3	4	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	940	1.2		<1	<1	1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	41	1.2		<1	<1	<1	1	2	2	3
B. *Operated*	3398	1.4	1	<1	1	1	2	2	3	4
1. SINGLE DX	940	1.2		<1	<1	1	1	2	2	3
2. MULTIPLE DX	3439	1.4	1	<1	1	1	2	2	3	4
A. NOT OPERATED	41	1.2		<1	<1	<1	1	2	2	3
B. OPERATED	4338	1.4	1	<1	1	1	1	2	3	4
TOTAL 0-19 YRS	619	1.2		<1	1	1	1	2	2	3
20-34	1741	1.3		<1	1	1	1	2	3	4
35-49	1184	1.4	1	<1	1	1	1	2	3	5
50-64	626	1.5	3	<1	1	1	2	3	3	5
65+	209	1.6	1	<1	1	1	2	3	4	6
GRAND TOTAL	**4379**	**1.4**	**1**	**<1**	**1**	**1**	**1**	**2**	**3**	**4**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	13	1.0		<1	<1	1	1	1	1	1
20-34	27	1.3		<1	<1	1	2	2	3	3
35-49	27	1.3		<1	<1	1	1	2	3	4
50-64	33	1.2		<1	<1	1	1	2	2	2
65+	13	1.2		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	3	1.3		1	1	1	2	2	2	2
65+	6	1.7	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-19 YRS	32	1.2		<1	<1	1	1	2	2	2
20-34	90	1.6	1	<1	1	1	2	3	4	7
35-49	141	1.5	1	<1	1	1	2	3	4	4
50-64	137	1.8	2	<1	1	1	2	3	4	6
65+	74	1.8	2	<1	1	1	2	3	4	10
SURTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	113	1.2		<1	<1	1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	14	1.4		<1	<1	1	2	2	3	3
B. *Operated*	474	1.6	1	<1	1	1	2	3	4	6
1. SINGLE DX	113	1.2		<1	<1	1	1	2	2	3
2. MULTIPLE DX	488	1.6	1	<1	1	1	2	3	4	6
A. NOT OPERATED	14	1.4		<1	<1	1	2	2	3	3
B. OPERATED	587	1.5	1	<1	1	1	2	3	4	5
TOTAL 0-19 YRS	46	1.1		<1	<1	1	1	2	2	2
20-34	119	1.5	1	<1	1	1	2	2	4	6
35-49	170	1.4	1	<1	1	1	2	3	3	4
50-64	173	1.7	1	<1	<1	1	2	3	4	6
65+	93	1.7	2	<1	<1	1	2	3	3	9
GRAND TOTAL	**601**	**1.5**	**1**	**<1**	**<1**	**1**	**2**	**3**	**4**	**5**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	1.3		<1	<1	1	1	2	3	3
20-34	11	1.5	1	1	1	1	2	3	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	6742	1.1		<1	<1	1	1	2	2	2
20-34	1919	1.2		<1	1	1	1	2	2	3
35-49	208	1.3	1	1	1	1	1	2	3	4
50-64	27	1.7	1	<1	1	1	2	3	4	5
65+	17	1.4		1	1	1	2	2	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	96	1.3	1	<1	<1	1	1	2	3	5
20-34	17	1.5	1	<1	<1	<1	2	4	4	4
35-49	4	2.8	2	<1	<1	3	4	4	4	4
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	2	10.5	181	<1	<1	10	20	20	20	20
B. *Operated*										
0-19 YRS	4343	1.2		<1	<1	1	1	2	2	3
20-34	601	1.4	1	1	1	1	1	2	3	5
35-49	117	1.6	1	1	1	1	2	3	4	7
50-64	27	1.6	1	<1	1	1	2	3	4	6
65+	13	1.5	2	1	1	1	2	3	5	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	1.4		<1	<1	1	2	2	3	4
B. *Operated*	8913	1.1		<1	<1	1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	120	1.5	4	<1	<1	1	1	3	3	10
B. *Operated*	5101	1.2	1	<1	<1	1	1	2	2	4
1. SINGLE DX	8957	1.1		<1	<1	1	1	2	2	3
2. MULTIPLE DX	5221	1.2	1	<1	<1	1	1	2	2	4
A. NOT OPERATED	164	1.5	3	<1	<1	1	1	2	3	6
B. OPERATED	14014	1.2		<1	<1	1	1	2	2	3
TOTAL 0-19 YRS	11213	1.1		<1	<1	1	1	2	2	3
20-34	2548	1.2		<1	1	1	1	2	2	4
35-49	330	1.4	1	1	1	1	2	2	3	6
50-64	55	1.6	1	<1	1	1	2	3	4	6
65+	32	2.0	12	1	1	1	2	3	6	20
GRAND TOTAL	**14178**	**1.2**		**<1**	**<1**	**1**	**1**	**2**	**2**	**3**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	263	2.2	2	<1	<1	2	3	4	5	8
20-34	152	2.5	2	1	1	2	3	4	5	8
35-49	67	2.4	2	<1	<1	2	3	4	5	6
50-64	36	2.6	2	1	1	2	3	5	6	6
65+	15	2.2	1	<1	<1	2	3	4	4	4
B. *Operated*										
0-19 YRS	320	1.9	3	<1	<1	1	2	4	5	9
20-34	536	1.6	2	<1	<1	1	2	3	4	6
35-49	453	1.5	1	<1	<1	1	2	3	3	5
50-64	319	1.6	2	<1	<1	1	2	3	4	7
65+	186	1.7	2	<1	<1	1	2	3	4	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	306	2.7	12	<1	<1	2	3	5	6	12
20-34	157	3.1	11	1	1	3	4	5	7	13
35-49	125	3.2	6	<1	1	3	4	6	8	13
50-64	95	3.3	6	1	1	3	4	6	8	12
65+	114	3.7	14	1	1	3	5	7	9	25
B. *Operated*										
0-19 YRS	563	2.4	9	<1	<1	1	2	5	8	17
20-34	896	2.0	4	<1	1	1	2	4	5	11
35-49	811	1.9	4	<1	1	1	2	3	5	11
50-64	684	2.5	10	<1	1	1	3	5	8	15
65+	471	3.7	36	<1	1	2	3	8	14	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	533	2.3	2	<1	1	2	3	4	5	7
B. *Operated*	1814	1.6	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	797	3.1	10	<1	1	2	4	6	7	13
B. *Operated*	3425	2.4	11	<1	1	1	2	4	7	16
1. SINGLE DX	2347	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	4222	2.5	11	<1	1	1	3	5	7	15
A. NOT OPERATED	1330	2.8	7	<1	1	2	3	5	6	11
B. OPERATED	5239	2.1	8	<1	<1	1	2	4	6	14
TOTAL 0-19 YRS	1452	2.3	7	<1	<1	2	3	4	6	13
20-34	1741	2.0	4	<1	1	1	2	4	5	10
35-49	1456	1.9	3	<1	1	1	2	4	5	10
50-64	1134	2.3	7	<1	1	1	3	5	7	14
65+	786	3.2	25	<1	1	2	3	7	10	26
GRAND TOTAL	**6569**	**2.3**	**8**	**<1**	**<1**	**1**	**2**	**4**	**6**	**13**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2442	3.2	4	1	1	3	4	6	7	10
20-34	535	3.8	5	1	2	3	5	7	8	11
35-49	479	4.1	4	2	2	4	5	7	8	11
50-64	444	4.6	6	1	2	4	6	8	10	13
65+	803	5.2	9	2	2	5	6	9	10	16
B. *Operated*										
0-19 YRS	23	5.0	13	<1	1	5	7	9	13	14
20-34	10	8.6	37	3	3	8	9	18	23	23
35-49	31	6.5	14	2	2	7	8	12	15	16
50-64	30	6.6	20	1	1	6	9	13	15	18
65+	44	8.3	42	1	2	7	10	14	27	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4869	4.0	9	1	2	3	5	7	10	16
20-34	1139	5.3	18	2	2	4	6	9	12	22
35-49	1553	5.6	15	2	2	5	7	10	12	20
50-64	3682	6.6	22	2	3	6	8	11	15	24
65+	16068	7.7	26	3	3	7	10	14	17	26
B. *Operated*										
0-19 YRS	107	10.9	71	3	3	9	14	22	26	46
20-34	166	10.3	95	2	2	7	13	21	25	93
35-49	255	12.5	153	3	3	9	14	27	36	81
50-64	568	12.9	110	3	4	10	16	25	37	64
65+	1753	14.7	119	4	5	12	19	27	35	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4703	3.8	6	1	2	3	5	7	8	12
B. *Operated*	138	7.0	26	1	2	7	9	13	16	28
2. MULTIPLE DX										
A. *Not Operated*	27311	6.7	23	2	2	6	8	12	15	24
B. *Operated*	2849	13.8	119	3	4	11	17	27	35	68
1. SINGLE DX	4841	3.9	7	1	2	3	5	7	8	13
2. MULTIPLE DX	30160	7.4	37	2	2	6	9	14	18	31
A. NOT OPERATED	32014	6.3	22	2	2	5	8	12	15	23
B. OPERATED	2987	13.5	116	3	4	11	17	26	35	64
TOTAL 0-19 YRS	7441	3.9	9	1	1	3	5	7	9	16
20-34	1850	5.3	25	1	2	4	6	10	13	26
35-49	2318	6.0	34	2	2	5	7	11	14	29
50-64	4724	7.2	36	2	3	6	9	13	17	34
65+	18668	8.3	38	3	3	7	10	15	19	32
GRAND TOTAL	**35001**	**6.9**	**34**	**2**	**2**	**5**	**8**	**13**	**17**	**30**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	112	2.4	2	1	1	2	3	4	5	8
20-34	62	2.3	2	1	1	2	3	4	5	6
35-49	61	3.1	3	1	1	3	4	6	7	9
50-64	53	2.9	2	1	1	3	4	5	6	7
65+	54	3.8	4	2	2	4	5	6	8	10
B. *Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	3	4.0	1	3	3	4	5	5	5	5
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	248	2.7	7	1	1	2	3	5	7	10
20-34	195	2.8	3	1	1	3	3	5	6	9
35-49	182	3.3	3	1	1	3	4	6	7	8
50-64	285	4.0	6	1	2	3	5	7	9	13
65+	855	5.2	12	2	2	4	6	10	13	18
B. *Operated*										
0-19 YRS	3	10.0	129	2	2	5	18	23	23	23
20-34	9	3.9	7	<1	<1	4	5	8	9	9
35-49	7	6.1	24	1	1	4	11	13	13	13
50-64	5	9.2	37	3	3	10	13	18	18	18
65+	24	12.0	79	2	4	10	15	27	30	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	342	2.8	3	1	1	2	4	5	6	9
B. *Operated*	5	3.8	2	2	2	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	1765	4.2	10	1	1	3	5	8	10	16
B. *Operated*	48	9.2	62	1	2	6	12	22	27	33
1. SINGLE DX	347	2.8	3	1	1	2	4	5	6	9
2. MULTIPLE DX	1813	4.4	12	1	1	3	5	8	10	18
A. NOT OPERATED	2107	4.0	9	1	1	3	5	7	10	16
B. OPERATED	53	8.7	59	1	2	6	11	21	27	33
TOTAL 0-19 YRS	365	2.7	6	1	1	2	3	5	6	10
20-34	269	2.8	3	1	1	2	3	5	6	9
35-49	250	3.3	4	1	1	3	4	6	7	10
50-64	343	3.9	7	1	1	3	5	7	9	13
65+	933	5.3	15	2	2	4	6	10	13	20
GRAND TOTAL	**2160**	**4.1**	**11**	**1**	**1**	**3**	**5**	**8**	**10**	**18**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	254	2.3	3	1	1	2	3	4	5	12
20-34	27	2.8	2	1	1	3	4	5	6	7
35-49	26	3.3	4	1	1	3	5	6	7	9
50-64	96	4.5	10	1	1	4	6	8	11	17
65+	136	4.6	8	1	2	4	6	7	9	17
B. *Operated*										
0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	5	2.2	3	<1	<1	<1	3	5	5	5
50-64	8	2.1	5	<1	<1	<1	2	6	7	7
65+	4	4.3	6	<1	<1	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	273	2.8	3	1	1	2	3	5	6	10
20-34	88	3.9	14	1	1	3	5	8	10	23
35-49	140	4.5	8	1	2	4	6	8	9	14
50-64	573	5.8	17	2	2	5	7	10	13	23
65+	1379	6.6	28	2	2	5	8	12	15	26
B. *Operated*										
0-19 YRS	13	3.5	19	<1	<1	2	3	12	14	14
20-34	11	5.5	12	<1	1	5	7	11	13	13
35-49	17	4.9	10	1	1	6	7	9	10	11
50-64	67	9.4	78	1	2	7	14	21	29	91
65+	119	9.[illegible]	87	2	2	7	12	21	24	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	539	3.3	7	1	1	3	4	6	8	14
B. *Operated*	21	2.3	4	<1	<1	<1	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	2453	5.7	22	1	2	5	7	11	13	24
B. *Operated*	227	8.7	74	1	2	6	11	19	24	53
1. SINGLE DX	560	3.3	7	<1	1	3	4	6	8	14
2. MULTIPLE DX	2680	6.0	27	1	2	5	7	11	14	26
A. NOT OPERATED	2992	5.3	20	1	2	4	7	10	13	23
B. OPERATED	248	8.1	71	<1	1	6	10	18	23	51
TOTAL 0-19 YRS	543	2.5	4	1	1	2	3	4	6	12
20-34	127	3.8	12	1	1	3	5	7	10	17
35-49	188	4.3	7	1	2	4	6	8	9	14
50-64	744	5.9	23	1	2	5	7	11	15	26
65+	1638	6.6	31	2	2	5	8	12	15	28
GRAND TOTAL	**3240**	**5.5**	**25**	**1**	**2**	**4**	**7**	**10**	**14**	**24**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	33	4.6	7	1	1	4	6	8	10	12
65+	70	5.8	16	1	2	4	8	12	15	20
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	8.3	15	4	4	8	11	12	12	12
50-64	3	4.7	2	3	3	5	6	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	25.0	968	3	3	25	47	47	47	47
20-34	3	9.0	75	4	4	4	15	19	19	19
35-49	32	7.4	43	1	2	6	8	16	25	26
50-64	330	6.7	29	2	2	5	9	12	15	32
65+	843	6.9	22	2	3	6	9	13	15	23
B. *Operated*										
0-19 YRS	5	11.4	54	5	5	8	17	22	22	22
20-34	7	8.1	28	3	3	5	13	15	16	16
35-49	22	10.0	19	4	5	10	13	16	17	18
50-64	51	14.6	238	3	3	9	18	29	35	83
65+	67	16.6	187	4	4	13	22	31	38	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	105	5.4	13	1	2	4	7	10	13	19
B. *Operated*	7	6.7	12	3	3	6	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	1210	6.9	26	2	2	6	9	13	15	26
B. *Operated*	152	14.4	173	3	4	11	17	29	33	79
1. SINGLE DX	112	5.5	13	1	2	4	7	11	12	19
2. MULTIPLE DX	1362	7.7	48	2	3	6	9	14	19	33
A. NOT OPERATED	1315	6.8	25	2	2	6	8	13	15	25
B. OPERATED	159	14.1	168	3	4	11	17	28	32	79
TOTAL 0-19 YRS	7	15.3	241	3	3	8	20	42	47	47
20-34	10	8.4	36	3	3	5	13	17	19	19
35-49	60	8.3	33	1	2	6	12	16	18	26
50-64	417	7.5	59	2	2	5	9	14	19	36
65+	980	7.5	39	2	3	6	9	14	18	30
GRAND TOTAL	**1474**	**7.6**	**45**	**2**	**3**	**6**	**9**	**14**	**19**	**31**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3228	2.4	2	1	1	2	3	4	5	7
20-34	1047	2.9	3	1	1	3	4	5	6	9
35-49	968	3.5	4	1	1	3	4	6	7	10
50-64	779	3.9	6	1	1	3	5	7	8	12
65+	550	4.2	6	1	2	4	5	7	9	12
B. *Operated*										
0-19 YRS	9	2.0	2	<1	<1	2	2	4	5	5
20-34	3	3.7		3	3	4	4	4	4	4
35-49	4	4.3	1	3	3	4	5	5	5	5
50-64	7	7.4	28	1	2	5	12	15	15	15
65+	4	7.5	25	2	2	7	11	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2860	2.9	6	1	1	3	4	5	6	10
20-34	1251	3.7	5	1	1	3	5	7	8	11
35-49	1615	4.4	9	1	2	4	5	8	9	14
50-64	2615	5.2	12	2	2	4	6	9	12	17
65+	3638	5.9	16	2	2	5	7	10	13	21
B. *Operated*										
0-19 YRS	26	5.0	43	1	1	3	6	8	15	35
20-34	40	6.8	40	1	1	5	8	14	22	29
35-49	60	9.8	79	2	4	7	11	18	27	48
50-64	107	11.7	146	2	3	8	13	23	39	68
65+	140	10.9	87	2	3	9	13	21	26	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6572	3.0	4	1	1	3	4	5	7	10
B. *Operated*	27	4.7	16	1	1	4	5	13	14	15
2. MULTIPLE DX										
A. *Not Operated*	11979	4.6	12	1	2	4	6	8	11	17
B. *Operated*	373	10.1	98	2	3	8	12	20	28	48
1. SINGLE DX	6599	3.0	4	1	1	3	4	5	7	10
2. MULTIPLE DX	12352	4.8	15	1	2	4	6	9	11	19
A. NOT OPERATED	18551	4.0	9	1	1	3	5	7	9	15
B. OPERATED	400	9.8	94	1	2	7	12	19	27	48
TOTAL 0-19 YRS	6123	2.7	4	1	1	2	3	4	5	8
20-34	2341	3.4	5	1	1	3	4	6	7	11
35-49	2647	4.2	10	1	2	3	5	7	9	14
50-64	3508	5.1	16	1	2	4	6	9	12	19
65+	4332	5.8	18	2	2	5	7	10	13	21
GRAND TOTAL	**18951**	**4.1**	**12**	**1**	**1**	**3**	**5**	**8**	**10**	**16**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	2	2	2	4	5	5	5	5
20-34	4	4.0	8	2	2	3	6	8	8	8
35-49	33	4.0	4	<1	1	4	5	7	7	8
50-64	229	4.7	8	1	2	4	6	9	10	14
65+	412	4.9	8	2	2	4	7	8	11	14
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64	15	5.3	19	<1	1	4	8	13	14	14
65+	8	3.8	7	<1	<1	3	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	5.0	20	1	1	4	6	12	15	18
20-34	30	6.5	21	1	1	5	9	14	16	17
35-49	239	5.8	24	1	2	5	7	10	13	30
50-64	1901	6.3	23	2	2	5	8	11	14	24
65+	4970	6.3	22	2	2	5	8	11	15	23
B. *Operated*										
0-19 YRS	8	9.4	65	1	2	8	11	23	27	27
20-34	11	6.8	13	<1	2	7	9	12	14	14
35-49	32	9.8	46	2	3	9	11	16	29	32
50-64	186	9.8	84	1	2	8	12	20	28	46
65+	378	12.8	162	2	4	9	15	26	43	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	681	4.8	8	1	2	4	6	8	10	14
B. *Operated*	25	4.6	14	<1	1	4	8	8	13	14
2. MULTIPLE DX										
A. *Not Operated*	7163	6.3	22	2	2	5	8	11	14	24
B. *Operated*	615	11.6	131	2	3	8	13	22	34	70
1. SINGLE DX	706	4.8	8	1	2	4	6	8	10	14
2. MULTIPLE DX	7778	6.7	33	2	2	5	8	12	16	28
A. NOT OPERATED	7844	6.2	21	2	2	5	8	11	14	23
B. OPERATED	640	11.3	128	2	3	8	13	22	33	69
TOTAL 0-19 YRS	35	5.8	31	1	1	4	7	13	17	27
20-34	45	6.3	18	1	2	5	9	14	15	17
35-49	305	6.0	26	1	2	5	7	10	14	31
50-64	2331	6.4	28	2	2	5	8	12	15	27
65+	5768	6.7	33	2	2	5	8	12	16	28
GRAND TOTAL	**8484**	**6.6**	**31**	**2**	**2**	**5**	**8**	**12**	**15**	**28**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	2.4	5	1	1	1	3	6	7	10
20-34	62	3.0	5	1	1	2	4	6	7	12
35-49	20	3.4	7	<1	1	3	4	7	9	10
50-64	7	2.6	2	1	1	3	3	5	5	5
65+	5	3.6	1	2	2	4	4	5	5	5
B. *Operated*										
0-19 YRS	83	5.1	11	1	2	4	6	10	12	16
20-34	394	5.1	11	2	2	4	6	9	12	19
35-49	129	5.1	11	2	2	4	7	9	12	16
50-64	49	4.9	8	1	1	4	7	8	10	12
65+	26	5.2	12	2	2	4	6	9	14	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	3.2	7	1	1	2	5	7	9	9
20-34	33	3.5	8	1	1	2	5	7	9	14
35-49	17	5.9	16	<1	1	5	9	12	13	13
50-64	29	3.9	13	<1	1	3	6	10	11	15
65+	37	5.3	14	2	2	4	7	10	14	18
B. *Operated*										
0-19 YRS	41	8.9	46	3	3	7	11	15	17	43
20-34	189	7.9	25	3	3	7	10	14	18	30
35-49	115	8.2	32	2	3	6	11	17	19	26
50-64	174	8.4	49	2	3	6	10	18	21	41
65+	297	9.2	62	2	3	7	11	19	24	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	2.9	5	1	1	2	4	6	7	11
B. *Operated*	681	5.1	11	2	2	4	6	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	127	4.4	13	1	1	3	6	9	12	16
B. *Operated*	816	8.6	46	2	3	7	10	17	21	32
1. SINGLE DX	802	4.7	10	1	2	4	6	9	11	17
2. MULTIPLE DX	943	8.0	43	2	2	6	10	16	20	31
A. NOT OPERATED	248	3.7	9	1	1	3	5	8	10	14
B. OPERATED	1497	7.0	33	2	2	5	8	14	18	28
TOTAL 0-19 YRS	162	5.5	24	1	1	4	7	11	14	18
20-34	678	5.6	17	2	2	5	7	11	13	20
35-49	281	6.3	22	1	2	5	8	13	17	22
50-64	259	7.1	40	1	2	6	8	15	20	30
65+	365	8.5	55	2	3	6	10	18	23	36
GRAND TOTAL	**1745**	**6.5**	**31**	**1**	**2**	**5**	**8**	**13**	**17**	**27**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	162	2.2	2	1	1	2	3	4	5	6
20-34	105	2.5	3	1	1	2	3	5	6	9
35-49	89	2.8	4	<1	1	2	3	6	7	9
50-64	91	3.4	11	<1	1	2	4	7	11	18
65+	94	4.3	13	1	1	3	6	9	11	18
B. *Operated*										
0-19 YRS	39	2.3	6	<1	<1	1	3	5	8	12
20-34	41	4.4	21	<1	<1	3	6	10	16	19
35-49	75	6.1	43	1	1	5	8	11	13	44
50-64	135	4.7	11	<1	1	4	6	9	11	15
65+	117	5.3	20	<1	1	5	8	11	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	466	4.4	21	1	1	3	5	9	13	21
20-34	328	4.6	21	1	1	3	6	9	11	24
35-49	445	4.5	14	1	1	3	5	9	13	16
50-64	1021	5.6	30	1	2	4	7	11	14	28
65+	3383	7.2	38	1	2	6	9	14	18	31
B. *Operated*										
0-19 YRS	139	8.3	135	<1	1	4	11	22	30	92
20-34	204	8.8	70	1	2	6	11	20	27	50
35-49	330	9.9	119	1	2	7	13	22	32	91
50-64	761	9.5	96	1	2	7	12	20	27	54
65+	1271	12.1	125	1	3	9	16	24	35	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	541	2.9	6	1	1	2	4	6	8	13
B. *Operated*	407	4.9	21	<1	1	4	7	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	5643	6.3	34	1	2	5	8	12	16	27
B. *Operated*	2705	10.7	114	1	2	8	14	22	31	63
1. SINGLE DX	948	3.8	14	<1	1	3	5	8	11	17
2. MULTIPLE DX	8348	7.7	64	1	2	6	10	16	22	42
A. NOT OPERATED	6184	6.0	32	1	1	4	8	12	15	27
B. OPERATED	3112	9.9	106	1	1	7	13	21	30	60
TOTAL 0-19 YRS	806	4.5	40	<1	1	3	5	10	15	34
20-34	678	5.5	38	1	1	3	7	12	18	31
35-49	939	6.3	59	1	1	4	8	14	19	50
50-64	2008	6.9	57	1	1	5	8	14	20	40
65+	4865	8.4	65	1	2	6	10	17	22	41
GRAND TOTAL	**9296**	**7.3**	**60**	**1**	**1**	**5**	**9**	**15**	**21**	**41**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	3.0	4	1	1	2	4	5	8	10
20-34	27	4.4	18	1	1	3	5	9	13	22
35-49	13	3.3	2	1	2	3	4	5	5	5
50-64	4	2.0		2	2	2	2	2	2	2
65+	4	1.8	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-19 YRS	573	2.1	1	<1	<1	2	3	4	4	5
20-34	869	2.7	2	1	1	3	3	4	5	7
35-49	439	2.5	1	1	1	2	3	4	4	6
50-64	147	2.4	4	<1	1	2	3	4	4	12
65+	59	2.2	6	<1	1	1	3	4	4	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	2.4	2	<1	<1	2	3	4	5	7
20-34	55	3.1	7	<1	<1	2	4	7	10	11
35-49	39	3.0	5	<1	<1	3	4	5	8	10
50-64	37	3.0	12	<1	<1	2	4	5	9	20
65+	32	5.1	15	1	2	4	6	11	15	17
B. *Operated*										
0-19 YRS	560	2.5	2	<1	<1	2	3	4	5	8
20-34	784	3.0	4	1	1	3	4	5	6	9
35-49	453	2.9	3	1	1	3	4	5	6	9
50-64	290	3.2	15	1	1	2	3	5	8	16
65+	259	3.4	30	1	1	2	3	6	11	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	3.5	9	1	1	3	4	5	10	20
B. *Operated*	2087	2.5	2	<1	1	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	203	3.2	8	<1	<1	3	4	6	10	16
B. *Operated*	2346	2.9	8	<1	1	2	3	5	6	12
1. SINGLE DX	2155	2.5	2	<1	1	2	3	4	4	7
2. MULTIPLE DX	2549	3.0	8	<1	1	2	4	5	6	13
A. NOT OPERATED	271	3.3	9	<1	<1	3	4	6	10	17
B. OPERATED	4433	2.7	5	<1	1	2	3	4	5	9
TOTAL 0-19 YRS	1193	2.3	2	<1	<1	2	3	4	5	7
20-34	1735	2.9	3	1	1	3	3	4	6	9
35-49	944	2.8	2	1	1	3	3	4	5	8
50-64	478	2.9	11	<1	1	2	3	5	7	16
65+	354	3.4	25	1	1	2	3	6	11	30
GRAND TOTAL	**4704**	**2.7**	**5**	**<1**	**1**	**2**	**3**	**4**	**6**	**10**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	2.9	3	1	1	2	4	5	6	7
20-34	28	3.1	2	1	1	3	4	5	6	6
35-49	27	3.6	4	1	1	3	5	6	7	10
50-64	13	2.5	1	1	1	2	3	4	5	5
65+	14	3.9	2	1	2	4	5	6	7	7
B. *Operated*										
0-19 YRS	89	2.0	7	<1	<1	1	2	4	7	68
20-34	92	2.2	4	<1	<1	1	2	4	6	12
35-49	124	1.9	2	<1	1	2	2	3	5	9
50-64	107	2.1	3	<1	<1	2	2	4	7	9
65+	74	1.9	2	<1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	98	3.6	6	1	1	3	5	7	8	13
20-34	41	3.7	5	1	1	3	5	6	8	13
35-49	32	4.8	7	2	2	4	7	8	11	11
50-64	47	5.8	14	2	2	5	7	10	13	19
65+	109	6.9	30	1	3	6	8	13	16	32
B. *Operated*										
0-19 YRS	105	3.2	11	<1	1	2	4	6	9	19
20-34	94	3.3	8	1	1	2	4	7	9	13
35-49	137	3.5	17	<1	1	2	4	8	13	21
50-64	156	2.8	7	1	1	2	3	5	8	16
65+	150	4.2	29	1	1	3	5	8	12	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	3.1	3	1	1	3	4	5	6	8
B. *Operated*	486	2.0	3	<1	<1	1	2	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	327	5.1	17	1	2	4	7	9	12	20
B. *Operated*	642	3.4	15	1	1	2	4	7	10	19
1. SINGLE DX	616	2.3	4	<1	<1	2	3	5	6	9
2. MULTIPLE DX	969	4.0	16	1	1	3	5	8	11	19
A. NOT OPERATED	457	4.6	14	1	1	4	6	8	11	18
B. OPERATED	1128	2.8	11	<1	1	2	3	6	8	17
TOTAL 0-19 YRS	340	3.0	7	<1	<1	2	4	6	8	19
20-34	255	2.9	6	<1	1	2	4	6	8	13
35-49	320	3.0	10	<1	1	2	4	7	9	15
50-64	323	3.0	8	<1	1	2	4	6	8	16
65+	347	4.5	25	1	1	3	6	9	13	25
GRAND TOTAL	**1585**	**3.3**	**12**	**<1**	**1**	**2**	**4**	**7**	**9**	**17**

189: Diseases of esophagus (530)

				PERCENTILES						
TYPE OF PATIENT (1)	**TOTAL PATIENTS (2)**	**AVG. STAY (3)**	**VARIANCE (4)**	**5TH (5)**	**10TH (6)**	**50TH (7)**	**75TH (8)**	**90TH (9)**	**95TH (10)**	**99TH (11)**
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	137	2.1	3	1	1	2	2	4	6	8
20-34	63	2.2	3	<1	1	2	3	4	5	11
35-49	100	2.2	2	<1	1	2	3	4	5	7
50-64	90	2.4	2	1	1	2	3	5	6	7
65+	68	3.1	9	1	1	3	4	5	7	21
B. *Operated*										
0-19 YRS	52	3.5	9	<1	<1	1	6	7	8	14
20-34	55	4.7	11	<1	1	5	6	8	10	17
35-49	70	4.7	8	<1	<1	5	7	9	10	11
50-64	73	5.0	18	<1	<1	4	7	10	11	22
65+	91	3.5	7	<1	<1	3	5	8	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	256	3.4	10	1	1	2	4	7	9	19
20-34	289	3.0	4	1	1	3	4	5	7	9
35-49	523	3.2	8	1	1	3	4	6	8	11
50-64	705	3.4	8	1	1	3	4	6	8	15
65+	1190	4.2	11	1	1	3	5	8	10	16
B. *Operated*										
0-19 YRS	173	8.8	114	<1	<1	7	11	21	28	60
20-34	180	7.3	79	1	2	6	8	13	18	39
35-49	304	6.3	29	1	1	5	7	11	18	28
50-64	490	7.1	77	<1	1	6	9	13	19	45
65+	910	7.5	57	1	2	6	9	16	21	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	458	2.4	4	1	1	2	3	4	5	8
B. *Operated*	341	4.3	11	<1	<1	4	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	2963	3.6	9	1	1	3	5	7	9	15
B. *Operated*	2057	7.3	64	1	1	6	9	15	20	38
1. SINGLE DX	799	3.2	8	<1	1	2	4	7	8	12
2. MULTIPLE DX	5020	5.1	35	1	1	4	6	10	15	28
A. NOT OPERATED	3421	3.5	9	1	1	3	4	7	8	15
B. OPERATED	2398	6.9	58	<1	1	5	8	14	19	36
TOTAL 0-19 YRS	618	4.6	44	<1	1	2	6	10	15	30
20-34	587	4.4	31	1	1	3	5	8	11	23
35-49	997	4.2	16	1	1	3	6	8	10	21
50-64	1358	4.7	36	1	1	3	6	9	12	25
65+	2259	5.5	32	1	1	4	7	11	15	29
GRAND TOTAL	**5819**	**4.9**	**32**	**1**	**1**	**3**	**6**	**9**	**14**	**26**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

				PERCENTILES						
TYPE OF PATIENT (1)	**TOTAL PATIENTS (2)**	**AVG. STAY (3)**	**VARIANCE (4)**	**5TH (5)**	**10TH (6)**	**50TH (7)**	**75TH (8)**	**90TH (9)**	**95TH (10)**	**99TH (11)**
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	32	2.8	3	<1	<1	2	4	5	6	6
35-49	31	3.6	4	1	1	3	4	7	8	9
50-64	32	2.8	3	1	1	2	3	5	7	8
65+	27	3.3	7	<1	1	3	4	7	9	11
B. *Operated*										
0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34	21	5.4	7	<1	1	6	7	8	9	10
35-49	49	5.6	26	<1	<1	5	7	10	13	27
50-64	30	4.5	9	<1	<1	5	6	7	10	13
65+	40	5.3	11	<1	<1	6	8	10	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	4.5	15	2	2	3	5	11	12	12
20-34	49	4.2	13	1	2	3	5	7	11	23
35-49	119	4.5	12	1	2	4	6	9	11	20
50-64	148	4.0	7	1	1	3	5	7	9	17
65+	292	5.0	14	1	2	4	6	9	11	22
B. *Operated*										
0-19 YRS	5	5.2	17	1	1	5	7	12	12	12
20-34	53	8.1	46	2	3	6	10	17	19	39
35-49	139	6.6	35	<1	<1	5	9	13	16	34
50-64	183	7.7	65	<1	2	6	9	16	20	30
65+	274	7.0	40	2	2	5	8	13	17	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	125	3.1	4	1	1	3	4	6	7	10
B. *Operated*	142	5.2	15	<1	<1	5	7	9	10	24
2. MULTIPLE DX										
A. *Not Operated*	614	4.6	12	1	2	4	6	9	10	21
B. *Operated*	654	7.2	46	<1	2	5	9	14	18	32
1. SINGLE DX	267	4.2	11	<1	<1	3	6	8	9	13
2. MULTIPLE DX	1268	5.9	31	1	2	4	7	11	16	27
A. NOT OPERATED	739	4.3	11	1	1	4	5	8	10	19
B. OPERATED	796	6.8	41	<1	2	5	8	13	17	29
TOTAL 0-19 YRS	16	3.9	12	<1	1	3	5	11	12	12
20-34	155	5.4	26	1	1	4	7	11	16	23
35-49	338	5.4	24	<1	1	4	7	10	13	28
50-64	393	5.7	37	<1	1	4	7	10	16	24
65+	633	5.8	26	1	2	4	7	10	15	26
GRAND TOTAL	**1535**	**5.6**	**28**	**1**	**1**	**4**	**7**	**10**	**15**	**25**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	1	<1	<1	2	3	3	3	3
20-34	32	3.0	2	1	1	3	4	5	5	6
35-49	72	3.3	3	1	1	3	4	6	6	10
50-64	73	3.5	3	2	2	3	4	6	6	9
65+	119	3.9	3	2	2	4	5	6	7	10
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	22	5.4	6	1	2	5	7	8	9	10
35-49	39	7.0	18	2	3	6	9	13	17	18
50-64	69	6.2	15	2	2	5	9	12	12	20
65+	83	5.6	10	2	2	5	8	10	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	4.0	21	1	1	3	3	11	16	16
20-34	56	3.2	3	1	2	3	4	6	7	8
35-49	184	4.3	8	2	2	4	5	8	10	15
50-64	421	4.7	13	2	2	4	6	8	10	20
65+	1075	5.3	11	2	2	5	6	9	11	18
B. *Operated*										
0-19 YRS	3	6.0	19	3	3	4	9	11	11	11
20-34	52	7.6	51	2	3	6	8	12	21	42
35-49	160	7.3	35	2	2	6	9	13	17	29
50-64	379	8.9	75	2	3	6	11	17	23	46
65+	1154	9.3	67	2	3	7	11	18	23	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	299	3.6	3	1	2	3	5	6	7	10
B. *Operated*	214	6.0	13	2	2	5	8	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	1745	5.0	11	2	2	4	6	9	11	18
B. *Operated*	1748	9.0	66	2	3	7	11	17	22	45
1. SINGLE DX	513	4.6	9	1	2	4	6	8	11	15
2. MULTIPLE DX	3493	7.0	42	2	2	5	8	13	18	37
A. NOT OPERATED	2044	4.8	10	2	2	4	6	8	10	17
B. OPERATED	1962	8.7	61	2	3	7	11	16	22	44
TOTAL 0-19 YRS	16	4.1	16	<1	1	3	4	10	14	16
20-34	162	4.9	22	1	2	4	6	8	10	33
35-49	455	5.4	20	2	2	4	7	10	13	22
50-64	942	6.4	41	2	2	5	7	12	17	40
65+	2431	7.2	42	2	3	5	9	13	18	35
GRAND TOTAL	**4006**	**6.7**	**39**	**2**	**2**	**5**	**8**	**13**	**17**	**34**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	2.6	3	1	1	2	3	4	7	8
20-34	142	2.6	2	1	1	2	3	4	5	8
35-49	132	2.7	3	1	1	2	3	5	6	8
50-64	63	3.1	3	1	1	3	4	6	7	10
65+	37	3.4	9	1	1	3	4	6	7	18
B. *Operated*										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	23	6.9	8	2	4	7	8	9	12	16
35-49	44	7.8	19	3	3	7	9	11	15	28
50-64	20	8.6	13	3	4	8	11	14	15	15
65+	12	4.6	7	<1	1	4	6	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	3.3	3	1	1	3	4	5	6	8
20-34	192	3.4	5	1	1	3	4	6	7	11
35-49	298	3.5	6	1	1	3	4	6	8	13
50-64	293	3.6	6	1	1	3	4	6	8	12
65+	609	4.5	8	2	2	4	6	8	10	14
B. *Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	38	7.8	28	1	2	7	10	16	19	23
35-49	101	7.9	25	2	4	7	9	13	17	30
50-64	102	8.0	33	2	3	7	10	15	19	31
65+	145	8.5	36	2	3	7	11	15	17	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	398	2.8	3	1	1	2	3	5	6	9
B. *Operated*	102	7.2	15	2	3	7	8	11	15	22
2. MULTIPLE DX										
A. *Not Operated*	1432	3.9	7	1	1	3	5	7	9	13
B. *Operated*	388	8.1	31	2	3	7	10	14	18	33
1. SINGLE DX	500	3.7	9	1	1	3	4	7	9	15
2. MULTIPLE DX	1820	4.8	15	1	2	4	6	9	12	20
A. NOT OPERATED	1830	3.7	6	1	1	3	5	7	8	13
B. OPERATED	490	7.9	28	2	3	7	9	14	17	30
TOTAL 0-19 YRS	69	3.0	3	1	1	3	4	5	6	8
20-34	395	3.7	9	1	1	3	4	7	9	17
35-49	575	4.4	14	1	1	3	6	8	11	19
50-64	478	4.7	16	1	2	4	6	9	12	21
65+	803	5.2	16	2	2	4	7	9	12	20
GRAND TOTAL	**2320**	**4.6**	**14**	**1**	**1**	**4**	**6**	**9**	**11**	**19**

193: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.6	2	1	1	2	3	5	6	7
20-34	134	3.1	3	1	1	3	4	6	7	9
35-49	183	3.2	3	1	2	3	4	6	7	9
50-64	182	3.6	3	1	2	3	5	6	7	9
65+	155	3.9	5	1	2	3	5	7	8	12
B. *Operated*										
0-19 YRS	5	8.0	22	4	4	6	10	16	16	16
20-34	58	6.8	8	3	4	6	8	10	13	14
35-49	88	7.2	17	3	3	7	9	11	12	29
50-64	79	7.4	10	3	4	7	9	11	14	19
65+	58	7.9	11	2	4	7	10	13	13	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	3.0	3	1	1	3	4	5	7	8
20-34	195	3.5	3	1	1	3	5	6	7	8
35-49	363	3.8	5	1	2	3	5	6	7	11
50-64	632	4.5	10	2	2	4	6	8	9	15
65+	1429	5.5	15	2	2	5	7	10	12	20
B. *Operated*										
0-19 YRS	7	22.4	1129	2	3	8	21	82	97	97
20-34	66	8.2	20	3	4	8	9	13	14	31
35-49	161	8.8	37	2	3	7	11	15	20	30
50-64	315	9.8	70	2	3	8	11	17	26	51
65+	694	12.0	74	3	4	10	15	23	30	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	674	3.5	3	1	2	3	4	6	7	10
B. *Operated*	288	7.3	12	3	4	7	9	11	13	17
2. MULTIPLE DX										
A. *Not Operated*	2643	4.8	12	2	2	4	6	8	11	17
B. *Operated*	1243	10.9	73	3	4	9	13	19	28	51
1. SINGLE DX	962	4.6	9	1	2	4	6	8	10	14
2. MULTIPLE DX	3886	6.8	40	2	2	5	8	13	17	35
A. NOT OPERATED	3317	4.6	11	1	2	4	6	8	10	16
B. OPERATED	1531	10.2	63	3	4	8	12	18	26	49
TOTAL 0-19 YRS	56	5.8	169	1	1	3	5	8	15	93
20-34	453	4.5	10	1	2	4	6	8	10	14
35-49	795	5.0	17	1	2	4	6	9	12	23
50-64	1208	6.0	31	2	2	5	7	11	14	30
65+	2336	7.4	41	2	2	5	9	14	19	37
GRAND TOTAL	**4848**	**6.4**	**34**	**2**	**2**	**5**	**8**	**12**	**16**	**31**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	5.2	16	2	2	4	5	12	13	13
35-49	11	6.8	77	3	3	4	5	17	32	33
50-64	15	4.1	2	2	3	4	5	6	6	6
65+	17	4.4	3	1	2	4	6	7	8	8
B. *Operated*										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	11	8.8	20	1	3	8	11	15	19	19
35-49	26	8.6	15	2	3	8	11	14	15	16
50-64	19	10.1	18	3	4	10	12	17	18	18
65+	25	10.3	15	6	6	9	14	15	17	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.6	7	2	2	2	5	8	8	8
20-34	23	5.2	9	1	2	4	7	9	12	13
35-49	46	4.5	5	1	2	4	6	8	9	10
50-64	52	6.5	23	1	2	5	8	14	15	27
65+	132	5.8	12	2	2	5	7	10	12	18
B. *Operated*										
0-19 YRS										
20-34	19	11.0	44	2	3	10	14	22	25	25
35-49	68	12.0	53	4	6	10	14	21	25	43
50-64	101	14.7	198	3	5	11	16	31	38	86
65+	230	14.8	152	3	4	12	18	27	31	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	4.9	20	2	2	4	5	7	8	33
B. *Operated*	83	9.4	16	3	5	9	12	15	17	20
2. MULTIPLE DX										
A. *Not Operated*	258	5.6	13	1	2	5	7	10	13	17
B. *Operated*	418	14.2	143	3	4	11	17	26	33	78
1. SINGLE DX	132	7.8	22	2	3	7	10	14	16	23
2. MULTIPLE DX	676	10.9	111	2	3	8	13	21	29	50
A. NOT OPERATED	307	5.5	14	2	2	5	7	10	13	18
B. OPERATED	501	13.4	125	3	4	10	15	25	31	75
TOTAL 0-19 YRS	7	4.3	6	2	2	4	6	8	8	8
20-34	59	7.7	29	2	2	7	10	14	19	25
35-49	151	8.7	44	2	3	8	10	16	21	38
50-64	187	11.1	132	2	3	8	13	21	32	68
65+	404	11.2	110	2	3	8	14	23	29	59
GRAND TOTAL	**808**	**10.4**	**97**	**2**	**3**	**8**	**13**	**20**	**27**	**47**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	114	2.0	1	<1	1	2	2	3	5	6
20-34	281	2.3	2	<1	1	2	3	4	5	8
35-49	234	2.3	2	1	1	2	3	4	5	6
50-64	132	2.4	2	<1	1	2	3	4	6	8
65+	75	2.5	3	<1	1	2	3	4	6	10
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	22	2.2	2	<1	<1	2	3	4	5	5
35-49	22	3.5	11	<1	<1	2	5	10	11	11
50-64	40	4.4	12	<1	<1	3	7	9	10	12
65+	25	3.0	13	<1	<1	<1	5	7	12	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	283	2.3	3	1	1	2	3	4	5	10
20-34	861	3.0	5	1	1	2	4	5	7	12
35-49	907	3.5	7	1	1	3	4	6	8	14
50-64	1027	3.9	9	1	1	3	5	7	9	16
65+	1622	4.6	15	1	2	4	5	8	11	19
B. *Operated*										
0-19 YRS	18	3.6	5	<1	<1	3	5	7	9	9
20-34	133	5.0	20	<1	1	4	6	11	15	24
35-49	177	5.8	28	<1	<1	4	7	12	14	32
50-64	271	5.4	22	<1	1	5	7	10	13	32
65+	415	7.5	57	<1	2	6	9	13	19	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	836	2.3	2	<1	1	2	3	4	5	7
B. *Operated*	110	3.4	10	<1	<1	2	5	9	11	13
2. MULTIPLE DX										
A. *Not Operated*	4700	3.8	10	1	1	3	5	7	9	16
B. *Operated*	1014	6.2	38	<1	1	5	8	12	16	34
1. SINGLE DX	946	2.4	3	<1	<1	2	3	5	6	10
2. MULTIPLE DX	5714	4.2	16	1	1	3	5	8	10	19
A. NOT OPERATED	5536	3.6	9	1	1	3	4	6	8	15
B. OPERATED	1124	6.0	36	<1	<1	5	7	11	15	33
TOTAL 0-19 YRS	416	2.3	3	<1	1	2	3	4	5	9
20-34	1297	3.0	6	1	1	2	4	5	7	15
35-49	1340	3.6	10	1	1	3	4	7	9	16
50-64	1470	4.0	11	1	1	3	5	7	10	17
65+	2137	5.0	24	1	2	4	6	9	12	23
GRAND TOTAL	**6660**	**4.0**	**14**	**1**	**1**	**3**	**5**	**7**	**10**	**18**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	1.9	1	<1	1	2	2	4	4	7
20-34	42	2.4	1	<1	1	2	3	4	5	6
35-49	51	3.5	11	1	1	3	4	7	12	18
50-64	43	3.2	3	<1	1	3	4	6	7	8
65+	19	3.1	3	<1	1	3	4	6	6	6
B. *Operated*										
0-19 YRS	35	3.1	2	1	2	3	4	5	6	9
20-34	16	5.3	12	<1	1	5	8	10	11	11
35-49	14	8.6	31	<1	1	9	11	16	19	20
50-64	17	7.5	35	<1	<1	7	10	16	20	22
65+	14	8.2	94	<1	<1	5	10	23	32	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	104	8.0	164	1	1	3	5	34	40	50
20-34	180	7.3	138	1	1	3	6	13	40	53
35-49	191	4.6	36	1	1	3	5	8	11	40
50-64	216	4.5	16	1	1	3	6	9	14	20
65+	371	5.2	19	1	2	4	7	10	15	21
B. *Operated*										
0-19 YRS	29	6.0	40	1	2	4	6	12	21	30
20-34	34	8.9	34	2	3	7	13	18	19	26
35-49	96	9.8	56	1	2	7	14	20	27	30
50-64	143	11.8	78	2	3	9	15	22	30	42
65+	266	13.4	134	2	4	10	17	25	30	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	203	2.8	5	<1	1	2	3	5	6	12
B. *Operated*	96	5.8	31	<1	<1	4	8	11	17	29
2. MULTIPLE DX										
A. *Not Operated*	1062	5.6	57	1	1	3	6	10	17	44
B. *Operated*	568	11.7	100	2	3	9	15	24	28	45
1. SINGLE DX	299	3.8	15	<1	1	3	4	8	11	21
2. MULTIPLE DX	1630	7.7	80	1	1	5	9	17	25	44
A. NOT OPERATED	1265	5.1	49	1	1	3	5	9	15	40
B. OPERATED	664	10.9	94	1	2	8	15	23	27	44
TOTAL 0-19 YRS	216	5.6	91	1	1	2	4	12	33	44
20-34	272	6.6	100	1	1	3	6	13	36	52
35-49	352	6.0	43	1	1	4	7	13	18	39
50-64	419	7.0	49	1	1	5	9	16	21	37
65+	670	8.4	82	1	2	6	10	19	24	39
GRAND TOTAL	**1929**	**7.1**	**72**	**1**	**1**	**4**	**8**	**16**	**23**	**42**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.1	3	<1	<1	2	3	4	6	8
20-34	32	2.2	1	<1	<1	2	3	4	5	5
35-49	10	3.1	5	<1	<1	3	5	6	7	7
50-64	6	3.7	9	1	1	3	5	9	9	9
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	4183	2.7	1	1	2	3	3	4	5	7
20-34	3491	2.9	1	1	2	3	3	4	5	7
35-49	1143	3.2	2	2	2	3	4	5	6	8
50-64	368	3.5	2	2	2	3	4	5	6	9
65+	122	4.1	4	2	2	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	2.3	6	<1	<1	1	3	7	8	9
20-34	16	1.8	1	<1	<1	1	2	3	4	5
35-49	2	6.0	18	3	3	6	9	9	9	9
50-64	3	2.3	1	1	1	3	3	3	3	3
65+	2	10.0	162	1	1	10	19	19	19	19
B. *Operated*										
0-19 YRS	826	3.7	5	2	2	3	4	6	8	13
20-34	829	3.9	6	2	2	3	4	6	8	13
35-49	369	4.4	6	2	2	4	5	7	10	13
50-64	200	5.4	9	2	3	4	7	10	12	16
65+	136	6.3	20	3	3	5	7	11	15	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	2.5	3	<1	<1	2	3	5	6	9
B. *Operated*	9307	2.9	1	1	2	3	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	39	2.7	11	<1	<1	1	3	6	9	19
B. *Operated*	2360	4.2	7	2	2	3	5	7	9	15
1. SINGLE DX	9379	2.9	1	1	2	3	3	4	5	7
2. MULTIPLE DX	2399	4.2	7	2	2	3	5	7	9	15
A. NOT OPERATED	111	2.5	6	<1	<1	2	3	5	7	13
B. OPERATED	11667	3.2	3	1	2	3	4	5	6	10
TOTAL 0-19 YRS	5048	2.9	2	1	2	3	3	4	5	8
20-34	4368	3.0	2	1	2	3	4	4	5	8
35-49	1524	3.5	3	2	2	3	4	5	6	11
50-64	577	4.1	6	2	2	4	5	7	9	14
65+	261	5.3	14	2	2	4	6	9	13	19
GRAND TOTAL	**11778**	**3.1**	**3**	**1**	**2**	**3**	**4**	**5**	**6**	**10**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	5.9	5	3	3	6	8	9	9	9
20-34	9	4.3	5	1	2	4	5	8	9	9
35-49	8	4.8	5	2	2	4	6	8	8	8
50-64	5	6.6	27	1	1	5	9	15	15	15
65+	3	7.0	25	2	2	7	11	12	12	12
B. *Operated*										
0-19 YRS	932	5.7	7	2	3	5	7	9	11	14
20-34	565	5.3	7	2	3	5	7	8	10	13
35-49	345	6.0	7	2	3	6	8	9	10	14
50-64	203	6.5	9	3	3	6	8	10	11	19
65+	110	7.0	10	3	3	7	9	11	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	8.5	5	7	7	8	10	10	10	10
20-34	6	5.8	13	3	3	5	5	12	13	13
35-49	2	4.5	25	<1	<1	4	8	8	8	8
50-64	4	7.5	4	5	5	8	9	9	9	9
65+	6	11.8	79	1	1	11	18	24	25	25
B. *Operated*										
0-19 YRS	680	8.0	22	3	4	7	9	14	16	26
20-34	481	7.8	19	3	4	7	9	12	15	26
35-49	386	8.7	24	4	4	8	11	14	18	27
50-64	407	9.7	41	4	5	8	11	16	20	31
65+	402	11.3	65	4	5	9	12	18	28	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	5.4	9	1	2	5	7	9	11	15
B. *Operated*	2155	5.8	7	2	3	5	7	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	20	8.1	34	<1	2	7	10	16	21	25
B. *Operated*	2356	8.9	34	3	4	8	10	15	18	32
1. SINGLE DX	2190	5.8	7	2	3	5	7	9	10	14
2. MULTIPLE DX	2376	8.9	34	3	4	8	10	15	18	32
A. NOT OPERATED	55	6.4	19	1	2	5	8	12	15	25
B. OPERATED	4511	7.4	24	3	3	7	9	12	15	26
TOTAL 0-19 YRS	1624	6.7	14	2	3	6	8	11	13	22
20-34	1061	6.4	14	2	3	6	8	11	12	20
35-49	741	7.4	18	3	3	7	9	12	15	23
50-64	619	8.6	32	3	4	7	10	14	17	30
65+	521	10.3	56	4	5	9	11	17	24	44
GRAND TOTAL	**4566**	**7.4**	**24**	**3**	**3**	**7**	**9**	**12**	**15**	**26**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	1.3		<1	<1	1	1	2	3	3
20-34	19	1.6		<1	<1	1	2	3	3	3
35-49	13	2.9	5	<1	1	2	3	7	8	8
50-64	5	2.0	2	<1	<1	1	3	4	4	4
65+										
B. *Operated*										
0-19 YRS	233	3.0	2	1	2	3	3	4	5	9
20-34	223	3.0	2	1	2	3	4	5	5	7
35-49	66	3.2	3	1	1	3	4	6	6	7
50-64	20	4.1	5	2	2	3	5	7	9	10
65+	14	5.1	4	3	3	5	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	1.6	1	<1	1	2	2	3	3	3
20-34	15	1.5	1	1	1	1	2	2	4	4
35-49	6	2.7	3	1	1	2	3	6	6	6
50-64	7	4.6	8	1	1	5	6	8	9	9
65+	5	2.8	3	1	1	2	4	5	5	5
B. *Operated*										
0-19 YRS	146	3.7	3	2	2	3	4	6	7	10
20-34	151	4.3	6	2	2	4	5	7	9	12
35-49	57	4.6	6	2	2	4	5	8	10	12
50-64	28	5.5	8	3	3	5	6	9	13	14
65+	19	9.3	24	4	5	7	14	17	18	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	1.8	2	<1	<1	1	2	3	5	8
B. *Operated*	556	3.1	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	49	2.3	3	1	1	2	3	5	6	9
B. *Operated*	401	4.5	7	2	2	4	5	8	10	16
1. SINGLE DX	611	3.0	2	1	1	3	4	5	6	8
2. MULTIPLE DX	450	4.2	7	1	2	4	5	7	10	15
A. NOT OPERATED	104	2.0	3	<1	1	2	2	4	6	8
B. OPERATED	957	3.7	5	2	2	3	4	6	8	12
TOTAL 0-19 YRS	413	3.1	3	1	1	3	4	5	6	10
20-34	408	3.4	4	1	2	3	4	5	7	11
35-49	142	3.7	5	1	2	3	5	6	8	11
50-64	60	4.6	7	1	2	4	6	8	10	14
65+	38	6.9	20	2	3	6	8	15	17	19
GRAND TOTAL	**1061**	**3.5**	**5**	**1**	**2**	**3**	**4**	**6**	**8**	**12**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.0		<1	<1	1	1	1	1	1
20-34	12	1.5		<1	<1	1	2	2	2	2
35-49	11	1.5		<1	<1	1	2	3	3	3
50-64	16	1.6	1	<1	<1	1	2	3	3	3
65+	5	1.2		<1	<1	1	1	2	2	2
B. *Operated*										
0-19 YRS	1135	1.2		<1	<1	<1	1	2	2	4
20-34	1655	1.6	1	<1	1	1	2	3	3	5
35-49	1602	1.6	1	<1	1	1	2	3	3	5
50-64	2156	1.8	1	<1	1	1	2	3	4	5
65+	1333	2.0	1	<1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	1.1		<1	<1	<1	1	2	2	3
20-34	11	1.5	1	<1	<1	1	1	3	5	5
35-49	13	1.8	2	<1	<1	1	2	4	6	6
50-64	36	1.9	4	<1	<1	1	2	5	5	10
65+	51	2.4	3	<1	<1	2	3	5	6	9
B. *Operated*										
0-19 YRS	769	1.5	4	<1	<1	1	1	2	3	7
20-34	570	2.0	2	1	1	2	3	3	4	6
35-49	901	2.2	2	1	1	2	3	4	5	9
50-64	1824	2.4	3	1	1	2	3	4	5	8
65+	2608	2.9	6	1	1	2	4	5	7	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	1.4		<1	<1	1	2	2	3	3
B. *Operated*	7881	1.7	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	152	1.8	2	<1	<1	1	2	4	5	9
B. *Operated*	6672	2.4	4	<1	1	2	3	4	6	10
1. SINGLE DX	7930	1.7	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX	6824	2.4	4	<1	1	2	3	4	6	10
A. NOT OPERATED	201	1.7	2	<1	<1	1	2	3	5	8
B. OPERATED	14553	2.0	3	<1	<1	2	3	4	5	8
TOTAL 0-19 YRS	1950	1.3	2	<1	<1	1	1	2	2	4
20-34	2248	1.7	1	<1	1	1	2	3	4	5
35-49	2527	1.8	2	<1	1	1	2	3	4	6
50-64	4032	2.1	2	<1	1	2	3	4	5	7
65+	3997	2.6	5	<1	1	2	3	5	6	11
GRAND TOTAL	**14754**	**2.0**	**3**	**<1**	**<1**	**1**	**3**	**4**	**5**	**8**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	7	1.9	5	<1	<1	1	1	6	7	7
B. *Operated*										
0-19 YRS	239	1.3		<1	<1	1	2	2	3	4
20-34	99	1.9	1	1	1	2	2	3	4	7
35-49	75	2.3	2	1	1	2	3	4	5	6
50-64	106	2.8	3	1	1	2	4	5	6	9
65+	194	3.3	5	1	1	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	1.4	1	1	1	1	2	3	3	3
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	5	2.8	5	<1	<1	2	4	6	6	6
65+	32	2.7	3	<1	1	2	4	5	6	7
B. *Operated*										
0-19 YRS	177	1.9	2	<1	1	1	2	4	5	7
20-34	40	2.8	4	1	1	2	4	5	6	11
35-49	48	3.1	5	1	1	2	4	6	7	12
50-64	113	4.2	8	1	1	3	5	8	11	14
65+	594	5.7	32	1	2	4	7	11	16	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	1.6	3	<1	<1	1	1	4	6	7
B. *Operated*	713	2.3	3	<1	1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	46	2.5	3	<1	1	2	4	5	6	7
B. *Operated*	972	4.6	24	1	1	3	6	9	13	22
1. SINGLE DX	726	2.3	3	<1	1	2	3	4	6	9
2. MULTIPLE DX	1018	4.5	23	1	1	3	5	9	13	21
A. NOT OPERATED	59	2.3	3	<1	<1	1	4	5	6	7
B. OPERATED	1685	3.6	16	1	1	2	4	7	10	19
TOTAL 0-19 YRS	426	1.5	1	<1	<1	1	2	3	4	5
20-34	141	2.1	2	<1	1	2	3	4	5	8
35-49	124	2.6	3	1	1	2	3	5	6	10
50-64	226	3.5	6	1	1	3	4	6	9	13
65+	827	5.0	26	1	1	4	6	10	13	22
GRAND TOTAL	**1744**	**3.6**	**16**	**1**	**1**	**2**	**4**	**7**	**10**	**19**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	128	1.1		<1	<1	<1	<1	1	1	4
20-34	85	1.6	1	<1	<1	1	2	3	4	5
35-49	113	1.5	1	<1	<1	1	2	3	3	5
50-64	106	1.7	1	<1	<1	1	2	3	4	5
65+	38	2.1	2	<1	<1	2	3	5	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	4	1.3		<1	<1	<1	1	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64	6	1.5		<1	<1	1	2	2	2	2
65+	7	5.3	14	1	1	5	6	12	13	13
B. *Operated*										
0-19 YRS	40	2.2	26	<1	<1	<1	1	3	5	33
20-34	43	2.1	2	<1	1	2	3	3	4	8
35-49	114	2.6	3	1	1	2	3	5	6	8
50-64	139	2.6	4	<1	1	2	3	5	7	10
65+	85	3.3	9	1	1	3	4	7	8	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.3		<1	<1	1	2	2	2	2
B. *Operated*	470	1.5	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	19	2.8	9	<1	<1	2	4	6	10	13
B. *Operated*	421	2.7	7	<1	1	2	3	5	7	10
1. SINGLE DX	474	1.5	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX	440	2.7	7	<1	<1	2	3	5	7	11
A. NOT OPERATED	23	2.6	7	<1	<1	2	3	5	8	13
B. OPERATED	891	2.1	4	<1	<1	1	3	4	5	9
TOTAL 0-19 YRS	170	1.4	7	<1	<1	<1	1	1	2	7
20-34	133	1.7	1	<1	<1	1	2	3	4	6
35-49	229	2.1	2	<1	<1	2	3	4	5	7
50-64	251	2.2	3	<1	<1	2	3	4	5	9
65+	131	3.1	8	<1	1	2	4	6	7	15
GRAND TOTAL	**914**	**2.1**	**4**	**<1**	**<1**	**1**	**3**	**4**	**5**	**9**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	1.0		<1	<1	<1	1	1	1	1
50-64	1	3.0		3	3	3	3	3	3	3
65+	3	4.0	9	1	1	4	6	7	7	7
B. *Operated*										
0-19 YRS	41	1.5	1	<1	<1	1	2	3	4	6
20-34	180	2.3	2	<1	1	2	3	4	5	8
35-49	368	2.9	3	1	1	3	4	5	6	8
50-64	417	3.0	3	1	1	3	4	5	6	8
65+	276	3.4	4	1	1	3	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	1.2		<1	<1	<1	1	2	2	2
35-49	12	2.5	16	<1	<1	1	2	7	14	15
50-64	24	3.0	19	<1	<1	2	3	5	10	22
65+	30	2.9	4	<1	<1	2	4	6	6	7
B. *Operated*										
0-19 YRS	31	3.9	18	<1	<1	3	5	7	16	19
20-34	141	3.9	7	1	1	3	5	7	8	13
35-49	403	4.5	8	1	1	4	6	8	10	15
50-64	639	4.9	11	1	2	4	6	8	10	15
65+	788	5.4	19	1	2	5	7	10	12	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.6	5	<1	<1	1	4	6	7	7
B. *Operated*	1282	2.9	3	<1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	72	2.8	10	<1	<1	2	3	5	6	20
B. *Operated*	2002	4.9	13	1	2	4	6	9	11	18
1. SINGLE DX	1289	2.9	3	<1	1	3	4	5	6	8
2. MULTIPLE DX	2074	4.9	13	1	1	4	6	9	11	18
A. NOT OPERATED	79	2.7	10	<1	<1	2	3	5	7	20
B. OPERATED	3284	4.1	10	1	1	4	5	7	9	15
TOTAL 0-19 YRS	72	2.6	10	<1	<1	1	3	5	7	18
20-34	327	2.9	5	<1	1	2	4	5	7	10
35-49	786	3.7	6	1	1	3	5	7	8	13
50-64	1081	4.1	9	1	1	4	5	7	9	14
65+	1097	4.8	15	1	1	4	6	9	11	18
GRAND TOTAL	**3363**	**4.1**	**10**	**1**	**1**	**4**	**5**	**7**	**9**	**15**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	6	1.5		1	1	1	2	2	2	2
35-49	8	2.0	1	1	1	2	3	3	3	3
50-64	19	1.9	1	<1	1	2	2	4	5	5
65+	16	3.0	5	1	1	2	4	6	9	10
B. *Operated*										
0-19 YRS	5	6.4	3	5	5	6	7	9	9	9
20-34	1	4.0		4	4	4	4	4	4	4
35-49	15	5.0	5	1	1	5	7	8	9	9
50-64	25	5.3	5	1	2	6	7	8	9	10
65+	13	6.5	7	1	3	7	8	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	39	2.4	2	<1	1	2	3	4	4	7
35-49	117	2.7	3	<1	1	2	4	5	6	9
50-64	219	3.1	4	1	1	3	4	6	6	9
65+	366	3.9	10	1	1	3	5	7	8	19
B. *Operated*										
0-19 YRS	9	8.3	17	3	3	8	11	14	15	15
20-34	46	5.9	14	2	2	6	7	8	11	26
35-49	146	7.0	12	3	4	7	8	10	12	24
50-64	214	6.4	13	1	2	6	8	10	12	20
65+	204	7.9	20	2	3	7	10	12	17	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	2.2	2	1	1	2	3	4	5	10
B. *Operated*	59	5.6	6	1	2	6	7	9	10	11
2. MULTIPLE DX										
A. *Not Operated*	744	3.4	7	1	1	3	4	6	7	14
B. *Operated*	619	7.1	15	2	3	7	8	11	14	22
1. SINGLE DX	109	4.0	7	1	1	4	6	7	9	11
2. MULTIPLE DX	1363	5.1	14	1	1	4	7	9	11	20
A. NOT OPERATED	794	3.3	7	1	1	3	4	6	7	13
B. OPERATED	678	6.9	15	2	3	7	8	10	13	21
TOTAL 0-19 YRS	18	6.6	13	2	3	6	9	12	14	15
20-34	92	4.1	11	1	1	3	6	7	8	21
35-49	286	5.0	12	1	1	5	7	9	10	18
50-64	477	4.7	11	1	1	4	7	8	10	17
65+	599	5.3	17	1	1	4	7	10	12	21
GRAND TOTAL	**1472**	**5.0**	**14**	**1**	**1**	**4**	**7**	**9**	**11**	**20**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49	1	2.0		2	2	2	2	2	2	2
50-64	4	4.0	9	1	1	3	6	8	8	8
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	6	1.0		<1	<1	1	1	1	1	1
20-34	42	2.0	4	<1	1	1	2	3	6	10
35-49	36	2.5	6	<1	1	1	3	5	9	11
50-64	54	2.1	3	<1	1	1	2	4	7	10
65+	40	2.5	4	1	1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	3.0	4	1	1	3	4	6	6	6
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	2	3.5	13	1	1	3	6	6	6	6
65+	6	4.2	11	<1	<1	4	5	9	10	10
B. *Operated*										
0-19 YRS	7	2.1	1	1	1	2	3	4	4	4
20-34	22	3.4	3	1	1	3	4	6	7	8
35-49	26	5.9	203	<1	1	2	5	6	22	75
50-64	56	4.0	16	1	1	3	5	8	10	26
65+	94	3.5	12	1	1	3	5	7	9	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	4.4	14	1	1	3	7	10	11	11
B. *Operated*	178	2.2	4	<1	1	1	3	4	7	11
2. MULTIPLE DX										
A. *Not Operated*	15	3.4	7	<1	<1	3	5	6	9	10
B. *Operated*	205	3.9	36	1	1	3	5	7	9	26
1. SINGLE DX	185	2.3	5	<1	1	1	3	4	8	11
2. MULTIPLE DX	220	3.9	34	1	1	3	5	7	9	26
A. NOT OPERATED	22	3.7	9	<1	<1	3	5	9	10	11
B. OPERATED	383	3.1	22	1	1	2	4	6	8	14
TOTAL 0-19 YRS	13	1.6	1	<1	<1	1	2	3	4	4
20-34	71	2.6	5	1	1	2	3	5	8	11
35-49	64	3.8	87	<1	1	2	4	6	9	66
50-64	116	3.1	11	1	1	2	4	6	8	18
65+	141	3.3	10	1	1	2	4	7	9	15
GRAND TOTAL	**405**	**3.1**	**21**	**1**	**1**	**2**	**4**	**6**	**8**	**14**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	1.0		1	1	1	1	1	1	1
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	7	2.3	2	<1	<1	2	3	5	5	5
65+	17	2.9	3	<1	1	3	5	5	6	6
B. *Operated*										
0-19 YRS	19	2.0	2	<1	<1	2	2	4	6	6
20-34	88	2.3	3	<1	1	2	3	4	6	10
35-49	152	2.8	5	1	1	2	3	6	7	11
50-64	167	3.4	6	1	1	3	5	7	8	13
65+	174	3.9	7	1	1	3	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	3	1.7	1	<1	<1	1	2	3	3	3
35-49	8	3.6	8	<1	<1	3	4	8	10	10
50-64	14	2.6	5	1	1	2	4	6	7	8
65+	66	4.5	12	1	1	3	6	9	11	16
B. *Operated*										
0-19 YRS	11	5.3	11	<1	1	5	8	10	11	11
20-34	62	4.3	9	1	1	3	6	8	10	13
35-49	165	5.7	34	1	2	4	7	10	13	35
50-64	304	7.1	47	1	2	6	8	13	18	37
65+	734	8.6	81	1	2	7	10	15	21	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	2.4	3	<1	<1	2	3	5	5	6
B. *Operated*	600	3.2	6	1	1	2	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	92	4.0	11	<1	1	3	5	9	11	16
B. *Operated*	1276	7.6	64	1	2	6	9	14	19	46
1. SINGLE DX	630	3.1	6	1	1	2	4	6	8	11
2. MULTIPLE DX	1368	7.4	61	1	2	6	9	14	19	45
A. NOT OPERATED	122	3.6	9	<1	1	3	5	8	10	16
B. OPERATED	1876	6.2	50	1	1	5	8	12	16	36
TOTAL 0-19 YRS	32	3.1	7	<1	<1	2	4	7	9	11
20-34	156	3.1	6	<1	1	2	4	7	8	12
35-49	327	4.2	22	1	1	3	5	9	10	22
50-64	492	5.6	35	1	1	4	7	11	15	32
65+	991	7.4	66	1	2	6	9	14	19	46
GRAND TOTAL	**1998**	**6.1**	**48**	**1**	**1**	**4**	**8**	**11**	**15**	**35**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	130	2.4	5	<1	1	2	3	5	6	13
20-34	238	3.0	4	1	1	2	4	6	7	10
35-49	342	3.3	5	1	1	3	4	6	7	11
50-64	440	3.4	5	1	1	3	4	6	8	12
65+	525	3.6	5	1	1	3	5	6	8	10
B. *Operated*										
0-19 YRS	125	5.3	9	2	2	5	7	9	10	16
20-34	154	7.8	13	3	4	7	9	12	16	21
35-49	162	9.0	53	3	3	7	11	14	21	34
50-64	175	8.9	15	5	5	8	10	14	16	23
65+	175	9.0	16	4	5	8	10	13	17	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	126	4.0	50	1	1	3	4	6	9	43
20-34	309	4.0	10	1	1	3	5	7	9	17
35-49	535	4.3	12	1	1	4	5	8	10	22
50-64	973	4.9	12	1	2	4	6	9	11	19
65+	2890	5.4	20	1	2	4	7	10	12	20
B. *Operated*										
0-19 YRS	180	9.1	78	2	3	7	10	16	29	67
20-34	248	10.6	77	4	4	9	12	19	24	46
35-49	423	13.1	116	5	6	10	15	24	33	61
50-64	718	13.2	107	5	6	10	15	23	31	61
65+	1689	14.2	87	5	7	12	17	24	33	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1675	3.3	5	1	1	3	4	6	7	11
B. *Operated*	791	8.2	23	3	4	7	10	13	16	25
2. MULTIPLE DX										
A. *Not Operated*	4833	5.0	18	1	2	4	6	9	12	20
B. *Operated*	3258	13.3	96	4	6	11	16	23	31	56
1. SINGLE DX	2466	4.9	16	1	1	4	6	9	12	19
2. MULTIPLE DX	8091	8.4	66	2	2	6	10	17	22	43
A. NOT OPERATED	6508	4.6	15	1	1	4	6	8	11	19
B. OPERATED	4049	12.3	86	4	5	10	14	22	29	53
TOTAL 0-19 YRS	561	5.6	46	1	1	4	7	10	15	38
20-34	949	6.1	36	1	1	5	8	11	15	28
35-49	1462	7.1	62	1	2	5	8	14	21	41
50-64	2306	7.5	57	1	2	6	9	14	20	42
65+	5279	8.2	58	2	2	6	10	16	21	40
GRAND TOTAL	**10557**	**7.6**	**56**	**1**	**2**	**6**	**9**	**15**	**20**	**39**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1287	1.9	2	<1	1	2	2	3	4	6
20-34	917	1.9	1	<1	1	2	2	4	4	6
35-49	469	2.2	2	<1	1	2	3	4	5	7
50-64	274	2.3	2	<1	1	2	3	4	6	8
65+	229	2.7	4	<1	1	2	3	5	7	11
B. *Operated*										
0-19 YRS	69	3.6	25	1	1	3	4	5	6	36
20-34	71	3.2	4	<1	1	3	4	6	7	11
35-49	35	4.1	5	1	2	4	5	8	9	10
50-64	31	3.7	4	1	1	4	5	6	7	9
65+	19	5.4	60	<1	<1	3	6	10	24	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3132	2.5	5	1	1	2	3	4	5	9
20-34	1550	2.5	5	1	1	2	3	5	6	11
35-49	1035	3.1	10	1	1	2	4	6	8	13
50-64	1274	3.5	8	1	1	3	4	6	8	16
65+	2814	4.1	9	1	2	3	5	8	9	15
B. *Operated*										
0-19 YRS	83	6.1	68	2	2	4	6	14	26	86
20-34	145	4.5	14	1	1	4	5	8	11	21
35-49	124	6.2	38	1	2	4	7	13	16	35
50-64	157	8.3	78	1	2	5	10	16	28	44
65+	329	9.3	72	2	3	7	11	18	24	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3176	2.0	2	<1	1	2	3	4	5	7
B. *Operated*	225	3.7	15	<1	1	3	4	6	8	18
2. MULTIPLE DX										
A. *Not Operated*	9805	3.2	7	1	1	2	4	6	8	13
B. *Operated*	838	7.5	61	1	2	5	9	15	22	43
1. SINGLE DX	3401	2.2	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	10643	3.5	13	1	1	3	4	7	9	17
A. NOT OPERATED	12981	2.9	6	1	1	2	4	5	7	12
B. OPERATED	1063	6.7	53	1	2	4	8	14	20	42
TOTAL 0-19 YRS	4571	2.4	6	1	1	2	3	4	5	9
20-34	2683	2.5	5	<1	1	2	3	4	6	10
35-49	1663	3.1	11	1	1	2	4	6	8	15
50-64	1736	3.7	15	1	1	3	4	7	9	20
65+	3391	4.5	18	1	1	3	5	8	11	21
GRAND TOTAL	**14044**	**3.2**	**11**	**1**	**1**	**2**	**4**	**6**	**8**	**16**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	40	4.5	12	1	1	4	6	9	10	20
35-49	241	4.0	5	1	2	4	5	7	9	11
50-64	394	4.2	5	1	2	4	6	7	8	11
65+	378	4.1	6	1	2	4	5	7	8	12
B. *Operated*										
0-19 YRS	2	8.5	5	7	7	8	10	10	10	10
20-34	25	7.2	5	4	4	7	9	10	11	[illegible]
35-49	110	7.2	11	3	4	7	8	10	11	21
50-64	148	7.9	9	3	5	8	9	11	13	19
65+	112	9.7	17	5	6	9	11	16	17	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.2	4	1	1	3	4	6	6	6
20-34	27	4.6	9	1	2	4	6	9	11	13
35-49	207	4.5	6	2	2	4	6	8	9	12
50-64	770	4.6	6	1	2	4	6	8	9	13
65+	2483	5.3	13	2	2	4	7	9	11	18
B. *Operated*										
0-19 YRS	4	9.0	37	5	5	6	12	18	18	18
20-34	60	9.3	32	3	4	8	11	15	20	30
35-49	263	10.8	79	4	5	9	11	16	27	56
50-64	603	11.0	53	3	6	9	12	17	23	46
65+	1252	12.6	71	4	5	11	15	22	27	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1054	4.1	5	1	2	4	5	7	8	11
B. *Operated*	397	8.2	12	4	5	8	10	11	15	21
2. MULTIPLE DX										
A. *Not Operated*	3492	5.1	11	2	2	4	6	9	11	17
B. *Operated*	2182	11.9	67	4	5	10	14	20	26	48
1. SINGLE DX	1451	5.2	11	1	2	5	7	9	11	16
2. MULTIPLE DX	5674	7.7	43	2	2	6	10	14	19	34
A. NOT OPERATED	4546	4.8	10	1	2	4	6	8	10	16
B. OPERATED	2579	11.3	60	4	5	9	13	19	24	47
TOTAL 0-19 YRS	12	6.3	20	1	2	6	7	12	17	18
20-34	152	6.9	23	1	2	6	9	12	14	30
35-49	821	6.8	39	2	2	6	8	11	14	40
50-64	1915	6.8	30	2	2	6	9	12	15	28
65+	4225	7.5	41	2	2	6	9	14	19	31
GRAND TOTAL	**7125**	**7.2**	**37**	**2**	**2**	**6**	**9**	**13**	**17**	**30**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.2		3	3	3	4	4	4	4
20-34	16	2.4	3	<1	1	2	4	5	5	5
35-49	17	3.1	15	1	1	2	4	5	13	17
50-64	9	2.7	5	1	1	2	3	6	8	8
65+	3	3.0	3	2	2	2	4	5	5	5
B. *Operated*										
0-19 YRS	63	1.7	2	<1	<1	1	2	3	5	7
20-34	530	1.9	1	1	1	2	2	3	4	6
35-49	552	2.0	2	1	1	2	3	4	4	8
50-64	335	2.3	4	1	1	2	3	4	5	11
65+	84	2.2	3	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	6.0	106	1	1	3	4	20	35	38
20-34	24	3.0	5	<1	<1	3	4	5	8	10
35-49	33	4.2	8	<1	1	4	6	9	9	11
50-64	40	4.5	29	1	1	3	6	9	12	32
65+	47	4.9	16	<1	1	4	7	10	13	21
B. *Operated*										
0-19 YRS	46	3.4	11	<1	<1	2	4	9	11	15
20-34	473	3.2	17	1	1	2	4	6	7	30
35-49	651	2.9	10	1	1	2	3	5	7	14
50-64	533	3.4	19	1	1	2	4	6	9	21
65+	362	4.6	28	1	1	3	5	9	14	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	2.8	7	1	1	2	4	5	5	17
B. *Operated*	1564	2.0	2	<1	1	2	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	157	4.5	23	<1	1	3	5	9	12	31
B. *Operated*	2065	3.4	18	1	1	2	4	6	9	21
1. SINGLE DX	1614	2.1	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	2222	3.5	18	1	1	3	4	7	9	21
A. NOT OPERATED	207	4.1	20	<1	1	3	5	8	11	26
B. OPERATED	3629	2.8	12	1	1	2	3	5	7	16
TOTAL 0-19 YRS	127	2.8	17	<1	<1	2	3	5	9	20
20-34	1043	2.5	9	1	1	2	3	4	6	11
35-49	1253	2.6	7	1	1	2	3	5	6	11
50-64	917	3.0	14	1	1	2	3	6	8	20
65+	496	4.2	23	1	1	3	5	8	13	26
GRAND TOTAL	**3836**	**2.9**	**12**	**1**	**1**	**2**	**3**	**5**	**7**	**16**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	209	2.4	5	<1	1	2	3	5	7	11
20-34	395	3.7	9	1	1	3	5	7	10	16
35-49	313	3.6	7	1	1	3	5	7	8	13
50-64	183	3.2	6	<1	1	3	4	6	8	13
65+	216	2.8	5	<1	1	2	4	6	7	11
B. *Operated*										
0-19 YRS	128	4.1	14	<1	<1	3	6	8	10	20
20-34	312	5.9	26	<1	1	5	7	11	15	27
35-49	207	6.3	29	1	1	5	8	12	15	26
50-64	180	6.1	28	<1	1	5	8	11	14	23
65+	185	5.8	24	1	1	5	8	11	14	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	268	4.0	23	<1	1	2	5	8	13	21
20-34	734	4.7	17	1	1	3	6	9	14	21
35-49	758	4.8	16	1	1	4	6	9	12	21
50-64	895	4.7	13	1	1	4	6	9	12	18
65+	2327	5.0	21	1	1	4	6	9	12	23
B. *Operated*										
0-19 YRS	190	8.5	70	<1	1	7	11	16	24	42
20-34	810	8.8	70	1	2	7	11	18	24	41
35-49	906	9.4	82	1	2	7	11	18	25	45
50-64	990	11.1	128	1	2	8	13	23	35	67
65+	1882	11.3	106	2	3	9	14	23	32	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1316	3.3	7	<1	1	3	4	7	8	13
B. *Operated*	1012	5.8	25	<1	1	5	8	11	14	25
2. MULTIPLE DX										
A. *Not Operated*	4982	4.8	18	1	1	4	6	9	12	21
B. *Operated*	4778	10.4	100	1	2	8	13	21	30	53
1. SINGLE DX	2328	4.3	16	<1	1	3	6	9	11	18
2. MULTIPLE DX	9760	7.5	66	1	2	5	9	16	22	42
A. NOT OPERATED	6298	4.5	16	1	1	3	6	9	12	20
B. OPERATED	5790	9.6	90	1	2	7	12	19	27	49
TOTAL 0-19 YRS	795	4.7	33	<1	1	3	6	10	14	30
20-34	2251	6.2	40	1	1	4	8	13	17	31
35-49	2184	6.6	49	1	1	5	8	13	18	35
50-64	2248	7.5	75	1	1	5	9	15	22	48
65+	4610	7.5	65	1	2	5	9	16	22	42
GRAND TOTAL	**12088**	**6.9**	**58**	**1**	**1**	**5**	**9**	**14**	**20**	**40**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	4.3	7	2	2	3	6	8	10	10
35-49	15	3.9	4	<1	1	4	5	7	7	7
50-64	23	3.4	6	<1	1	3	5	6	8	11
65+	7	3.1	3	1	1	4	5	5	5	5
B. *Operated*										
0-19 YRS										
20-34	3	2.3	5	1	1	1	4	5	5	5
35-49	12	3.2	5	1	1	3	5	6	7	7
50-64	17	3.9	14	<1	1	3	5	9	13	15
65+	8	3.8	12	1	1	2	6	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	140	7.0	43	1	2	5	9	15	19	36
35-49	399	7.6	51	2	2	5	10	15	20	40
50-64	524	8.8	51	2	3	6	11	18	23	34
65+	349	8.5	47	2	3	7	10	17	22	33
B. *Operated*										
0-19 YRS										
20-34	51	8.3	47	1	2	6	11	17	21	39
35-49	173	11.1	96	2	3	8	13	23	32	53
50-64	187	9.8	92	1	2	7	12	20	27	55
65+	132	11.3	160	1	2	8	13	21	31	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	3.7	5	1	1	3	5	7	7	11
B. *Operated*	40	3.5	10	1	1	3	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	1412	8.2	50	2	2	6	10	16	22	35
B. *Operated*	543	10.4	106	1	2	8	12	21	29	56
1. SINGLE DX	96	3.6	7	1	1	3	5	7	9	13
2. MULTIPLE DX	1955	8.8	66	2	2	6	11	18	24	41
A. NOT OPERATED	1468	8.0	49	2	2	6	10	16	21	34
B. OPERATED	583	9.9	102	1	2	7	12	20	28	55
TOTAL 0-19 YRS										
20-34	205	7.1	42	1	2	5	9	15	19	37
35-49	599	8.4	66	1	2	6	10	17	24	46
50-64	751	8.8	61	1	2	6	11	18	24	42
65+	496	9.1	78	1	2	7	11	18	26	40
GRAND TOTAL	**2051**	**8.6**	**65**	**1**	**2**	**6**	**11**	**17**	**23**	**41**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	6.3	53	1	1	3	10	17	17	17
20-34	6	3.3	1	2	2	3	4	5	5	5
35-49	8	2.5	3	<1	<1	2	4	5	6	6
50-64	13	4.2	5	1	1	4	6	7	8	8
65+	5	7.6	38	2	2	7	10	18	18	18
B. *Operated*										
0-19 YRS	14	2.6	5	1	1	2	3	6	8	9
20-34	34	2.4	14	<1	<1	1	2	6	11	19
35-49	56	1.5	2	<1	1	1	1	3	4	10
50-64	60	2.0	5	<1	<1	1	2	5	8	10
65+	35	2.6	7	<1	1	1	4	6	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.7	13	1	1	4	5	9	14	14
20-34	16	5.1	15	<1	1	4	6	13	14	14
35-49	66	5.3	19	1	2	4	7	11	14	23
50-64	139	7.5	38	1	2	6	10	15	19	35
65+	238	7.6	31	2	2	6	10	14	19	28
B. *Operated*										
0-19 YRS	20	4.8	31	1	1	3	6	14	19	20
20-34	48	4.9	29	1	1	2	6	13	16	22
35-49	111	5.5	23	1	1	4	8	12	16	21
50-64	179	7.8	90	1	1	4	10	19	28	50
65+	233	8.6	65	1	1	7	12	19	24	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	4.4	14	1	1	4	5	7	14	18
B. *Operated*	199	2.1	6	<1	1	1	2	4	8	12
2. MULTIPLE DX										
A. *Not Operated*	470	7.1	31	1	2	6	9	14	18	28
B. *Operated*	591	7.3	62	1	1	5	10	17	22	36
1. SINGLE DX	235	2.4	8	<1	1	1	3	6	8	17
2. MULTIPLE DX	1061	7.2	48	1	1	5	9	16	20	32
A. NOT OPERATED	506	6.9	30	1	2	5	9	14	18	28
B. OPERATED	790	6.0	53	1	1	3	8	15	20	32
TOTAL 0-19 YRS	49	4.3	21	1	1	3	5	9	17	20
20-34	104	4.0	21	<1	1	2	5	12	14	21
35-49	241	4.4	19	1	1	3	6	10	13	21
50-64	391	6.7	60	1	1	4	9	16	21	38
65+	511	7.7	47	1	1	6	10	16	20	30
GRAND TOTAL	**1296**	**6.4**	**44**	**1**	**1**	**4**	**9**	**14**	**19**	**31**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	3.8	18	<1	1	3	4	7	14	21
20-34	84	3.4	4	1	1	3	4	6	8	11
35-49	36	3.4	3	1	2	3	4	5	7	8
50-64	21	3.8	5	1	1	3	5	7	8	10
65+	17	3.1	3	1	2	3	4	6	7	7
B. *Operated*										
0-19 YRS	8	3.5	7	1	1	3	5	8	9	9
20-34	23	3.6	20	<1	<1	1	5	10	14	19
35-49	19	6.3	38	<1	1	5	12	16	17	18
50-64	31	2.9	10	1	1	1	3	8	11	12
65+	19	5.5	59	<1	1	2	6	16	25	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	5.0	15	1	1	5	5	8	13	23
20-34	112	4.6	15	1	2	4	5	8	13	24
35-49	204	5.7	19	1	2	4	7	11	14	23
50-64	432	6.6	38	2	2	5	8	13	16	30
65+	526	7.3	29	2	2	6	9	14	17	30
B. *Operated*										
0-19 YRS	27	9.1	114	1	1	5	12	25	31	47
20-34	58	10.2	86	1	1	8	13	21	34	43
35-49	100	10.9	100	1	2	8	14	31	34	72
50-64	177	11.6	130	1	2	8	15	25	32	59
65+	169	12.9	100	1	2	11	17	27	35	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	180	3.5	6	1	1	3	4	6	7	11
B. *Operated*	100	4.2	27	<1	1	2	5	12	16	25
2. MULTIPLE DX										
A. *Not Operated*	1324	6.5	29	2	2	5	8	13	16	29
B. *Operated*	531	11.6	110	1	2	9	15	25	34	45
1. SINGLE DX	280	3.7	14	1	1	3	5	7	11	19
2. MULTIPLE DX	1855	8.0	58	1	2	6	10	16	23	38
A. NOT OPERATED	1504	6.1	28	1	2	5	8	12	15	27
B. OPERATED	631	10.4	104	1	1	8	14	24	34	44
TOTAL 0-19 YRS	107	5.7	43	1	1	4	6	12	21	36
20-34	277	5.4	34	1	1	4	6	12	15	34
35-49	359	7.0	47	1	2	5	9	15	22	35
50-64	661	7.7	67	1	2	5	10	15	22	38
65+	731	8.5	52	2	2	6	11	17	22	37
GRAND TOTAL	**2135**	**7.4**	**54**	**1**	**2**	**5**	**9**	**15**	**21**	**36**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	2.1	2	<1	<1	1	3	5	6	6
20-34	164	2.0	2	<1	<1	2	3	4	5	8
35-49	187	2.1	2	<1	1	2	3	4	5	7
50-64	185	2.0	2	<1	1	2	3	4	5	8
65+	130	2.9	4	1	1	2	4	6	7	10
B. *Operated*										
0-19 YRS	182	4.6	3	2	3	4	5	7	8	10
20-34	2372	4.6	3	3	3	4	5	6	7	10
35-49	2240	4.9	3	3	3	5	6	7	8	10
50-64	1878	5.1	3	3	3	5	6	7	8	10
65+	905	6.0	6	3	4	6	7	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	3.4	15	<1	<1	2	4	8	14	16
20-34	195	2.4	3	<1	<1	2	3	5	5	9
35-49	227	3.0	7	<1	1	2	4	6	8	13
50-64	399	3.3	6	1	1	3	5	6	8	12
65+	989	4.4	11	1	1	4	6	8	11	15
B. *Operated*										
0-19 YRS	151	5.7	6	3	3	5	7	9	11	15
20-34	2211	5.7	12	3	3	5	6	8	10	17
35-49	2921	6.0	8	3	4	5	7	9	11	16
50-64	3810	6.7	14	3	4	6	8	10	12	21
65+	4720	8.8	30	4	4	8	10	14	17	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	687	2.2	3	<1	1	2	3	4	5	8
B. *Operated*	7577	5.0	3	3	3	5	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	1833	3.8	9	1	1	3	5	7	9	14
B. *Operated*	13813	7.1	19	3	4	6	8	11	14	24
1. SINGLE DX	8264	4.8	4	2	3	5	6	7	8	11
2. MULTIPLE DX	15646	6.7	19	2	3	6	8	11	14	24
A. NOT OPERATED	2520	3.4	8	<1	1	3	4	7	8	14
B. OPERATED	21390	6.3	15	3	3	5	7	10	12	21
TOTAL 0-19 YRS	377	4.8	6	1	2	4	6	8	9	14
20-34	4942	4.9	8	2	3	5	6	7	9	13
35-49	5575	5.3	7	2	3	5	6	8	10	15
50-64	6272	5.9	11	2	3	5	7	9	11	18
65+	6744	7.7	26	2	3	7	9	13	16	28
GRAND TOTAL	**23910**	**6.0**	**15**	**2**	**3**	**5**	**7**	**10**	**12**	**20**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.1	1	<1	<1	2	3	4	5	5
20-34	83	2.2	2	<1	1	2	2	4	5	8
35-49	83	2.4	3	1	1	2	3	5	5	8
50-64	58	2.6	3	<1	1	2	3	5	6	8
65+	52	2.8	4	<1	1	2	4	6	7	9
B. *Operated*										
0-19 YRS	15	4.3	6	1	3	4	5	5	10	12
20-34	195	5.2	5	3	3	5	6	8	10	13
35-49	175	5.0	3	3	3	5	6	7	8	11
50-64	115	6.0	11	3	3	5	7	8	10	23
65+	60	6.6	10	3	4	5	8	11	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.5	1	2	2	2	3	4	4	4
20-34	104	2.9	6	<1	1	2	4	5	6	15
35-49	113	2.9	4	<1	1	3	4	5	7	11
50-64	128	3.8	9	1	1	3	5	8	11	15
65+	296	5.1	17	1	2	4	6	10	12	22
B. *Operated*										
0-19 YRS	29	6.3	9	3	3	5	8	11	12	13
20-34	285	6.3	14	3	4	5	7	10	13	23
35-49	388	6.9	26	3	3	6	8	12	14	29
50-64	430	8.1	30	4	4	7	9	13	16	29
65+	467	10.0	33	4	5	9	12	17	21	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	289	2.4	3	<1	1	2	3	5	6	9
B. *Operated*	560	5.4	6	3	3	5	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	651	4.1	12	1	1	3	5	8	11	18
B. *Operated*	1599	8.0	29	3	4	7	9	13	17	30
1. SINGLE DX	849	4.4	7	1	1	4	6	7	9	13
2. MULTIPLE DX	2250	6.9	27	1	2	6	8	12	15	28
A. NOT OPERATED	940	3.6	10	1	1	3	4	7	9	15
B. OPERATED	2159	7.4	24	3	4	6	8	12	15	28
TOTAL 0-19 YRS	67	4.5	8	1	1	4	5	9	12	13
20-34	667	5.0	11	1	2	4	6	8	11	16
35-49	759	5.4	18	1	2	5	7	9	12	22
50-64	731	6.6	25	1	2	6	8	12	15	28
65+	875	7.7	31	2	2	7	10	14	19	29
GRAND TOTAL	**3099**	**6.2**	**23**	**1**	**2**	**5**	**8**	**11**	**14**	**27**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	16	2.0	1	<1	1	2	2	3	4	5
35-49	11	3.5	15	<1	<1	2	4	10	14	14
50-64	14	2.4	2	1	1	2	3	5	5	5
65+	24	2.8	2	<1	1	3	4	5	6	6
B. *Operated*										
0-19 YRS	7	4.0	2	1	2	4	5	5	5	5
20-34	77	5.1	7	1	1	5	6	8	11	13
35-49	74	5.8	11	1	1	5	8	10	12	15
50-64	71	5.4	8	1	1	5	7	9	10	13
65+	124	5.9	19	1	1	6	8	11	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	17	2.9	5	<1	<1	2	5	6	7	8
35-49	28	3.0	4	1	1	3	4	6	7	8
50-64	53	3.6	5	1	2	3	5	7	9	11
65+	139	4.8	10	1	1	4	6	9	12	16
B. *Operated*										
0-19 YRS	6	7.5	15	4	4	6	10	14	14	14
20-34	126	7.2	17	3	4	6	8	12	15	23
35-49	133	7.2	15	2	4	7	9	12	13	21
50-64	257	9.1	55	2	4	8	11	15	19	47
65+	674	10.7	40	3	5	9	13	18	22	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	2.6	4	<1	1	2	3	5	6	13
B. *Operated*	353	5.6	12	1	1	5	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	237	4.2	8	1	1	4	6	8	10	14
B. *Operated*	1196	9.6	40	3	4	8	11	16	20	34
1. SINGLE DX	419	5.1	12	1	1	5	7	10	11	16
2. MULTIPLE DX	1433	8.7	39	2	3	8	11	15	19	33
A. NOT OPERATED	303	3.8	8	1	1	3	5	7	9	14
B. OPERATED	1549	8.7	36	1	3	8	11	15	19	33
TOTAL 0-19 YRS	14	5.4	11	1	2	5	6	10	13	14
20-34	236	5.8	15	1	2	5	7	10	13	18
35-49	246	6.2	15	1	1	6	8	11	12	17
50-64	395	7.5	44	1	2	7	9	12	16	40
65+	961	9.0	39	1	2	8	11	16	20	30
GRAND TOTAL	**1852**	**7.9**	**35**	**1**	**2**	**7**	**10**	**14**	**18**	**30**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	8.1	27	2	2	10	12	14	14	14
20-34	17	3.2	5	<1	1	2	5	7	8	8
35-49	25	3.8	8	<1	1	3	5	8	10	10
50-64	18	3.5	7	1	1	3	5	7	9	9
65+	16	3.8	8	<1	<1	3	6	8	9	9
B. *Operated*										
0-19 YRS	2	16.0	162	7	7	16	25	25	25	25
20-34	10	4.2	7	1	1	4	6	7	8	8
35-49	23	4.7	11	1	1	4	7	10	11	11
50-64	27	4.5	13	1	1	4	6	9	12	15
65+	21	7.3	31	1	1	7	10	15	19	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	8.9	50	2	3	6	9	22	24	26
20-34	28	4.3	11	1	1	3	6	10	11	14
35-49	52	4.9	9	1	2	4	7	9	12	14
50-64	95	5.1	19	1	1	4	6	10	13	23
65+	193	5.7	18	1	2	5	7	11	13	20
B. *Operated*										
0-19 YRS	16	14.3	136	2	3	10	17	34	41	44
20-34	49	9.5	72	1	1	8	13	17	27	47
35-49	89	8.6	70	1	1	8	10	16	22	47
50-64	130	9.8	44	1	3	8	12	19	22	32
65+	347	12.0	99	1	3	10	15	22	33	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	4.0	10	<1	1	3	6	9	10	14
B. *Operated*	83	5.5	21	1	1	5	8	11	14	23
2. MULTIPLE DX										
A. *Not Operated*	398	5.6	20	1	1	4	7	11	14	23
B. *Operated*	631	10.9	84	1	2	9	14	21	30	46
1. SINGLE DX	167	4.8	16	1	1	4	7	10	12	20
2. MULTIPLE DX	1029	8.9	66	1	2	7	11	18	23	44
A. NOT OPERATED	482	5.3	18	1	1	4	7	10	13	22
B. OPERATED	714	10.3	80	1	2	9	13	21	28	46
TOTAL 0-19 YRS	56	10.6	77	2	2	8	13	24	26	43
20-34	104	6.6	46	1	1	5	8	13	17	39
35-49	189	6.4	42	1	1	5	9	12	15	40
50-64	270	7.2	36	1	1	6	10	15	20	29
65+	577	9.5	76	1	2	8	12	19	25	46
GRAND TOTAL	**1196**	**8.3**	**61**	**1**	**1**	**6**	**11**	**17**	**22**	**42**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	4.4	17	1	2	4	5	6	15	22
20-34	285	4.4	16	1	1	4	5	8	10	17
35-49	343	4.2	6	1	1	4	5	7	9	12
50-64	181	5.2	11	2	2	4	7	9	11	20
65+	141	4.7	9	2	2	4	6	8	10	18
B. *Operated*										
0-19 YRS	8	13.9	115	2	3	11	21	31	32	32
20-34	27	9.3	52	1	2	7	14	20	22	31
35-49	45	8.4	44	2	2	6	11	14	24	33
50-64	32	7.8	54	1	1	6	10	19	22	31
65+	14	10.1	230	1	1	6	12	20	51	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	5.0	21	1	2	4	6	8	11	31
20-34	727	5.6	22	2	2	5	7	10	12	20
35-49	1158	6.0	20	2	2	5	7	11	13	24
50-64	871	6.1	19	2	2	5	8	11	14	23
65+	975	6.5	24	2	2	5	8	11	14	27
B. *Operated*										
0-19 YRS	20	19.4	294	3	5	11	29	47	54	61
20-34	158	15.4	262	3	4	10	16	36	56	76
35-49	301	14.4	210	2	4	9	18	30	43	86
50-64	309	14.4	140	2	4	11	19	32	43	99+
65+	359	14.0	162	3	5	11	16	27	45	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1005	4.5	11	1	2	4	6	8	10	18
B. *Operated*	126	9.0	72	1	1	7	12	18	26	39
2. MULTIPLE DX										
A. *Not Operated*	3799	6.1	21	2	2	5	7	11	14	24
B. *Operated*	1147	14.5	185	3	4	10	17	30	47	85
1. SINGLE DX	1131	5.0	20	1	2	4	6	9	12	22
2. MULTIPLE DX	4946	8.0	72	2	2	6	9	15	22	50
A. NOT OPERATED	4804	5.7	19	2	2	5	7	10	13	22
B. OPERATED	1273	13.9	176	2	4	10	17	29	44	83
TOTAL 0-19 YRS	151	7.2	85	1	2	4	7	15	28	48
20-34	1197	6.7	65	1	2	5	7	12	16	49
35-49	1847	7.1	60	1	2	5	8	13	19	42
50-64	1393	7.9	57	2	2	6	9	15	22	44
65+	1489	8.2	69	2	2	6	9	15	21	49
GRAND TOTAL	**6077**	**7.5**	**63**	**2**	**2**	**5**	**9**	**14**	**20**	**47**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	1.9	1	<1	1	2	3	3	4	6
20-34	79	2.1	1	<1	1	2	3	4	4	6
35-49	80	2.8	3	<1	1	2	4	6	7	9
50-64	102	3.1	12	1	1	2	4	5	6	23
65+	179	3.3	6	<1	1	3	4	6	7	13
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	9	3.4	6	<1	1	3	4	7	9	9
35-49	11	3.9	17	<1	<1	3	4	10	15	15
50-64	14	4.0	9	1	1	3	5	9	10	10
65+	21	7.2	39	1	2	5	10	15	21	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	123	2.7	3	<1	1	2	4	5	6	8
20-34	367	3.1	7	1	1	2	4	6	8	13
35-49	671	3.7	8	1	1	3	5	7	8	14
50-64	1141	4.4	17	1	2	4	5	8	10	16
65+	3834	5.1	17	1	2	4	6	9	12	21
B. *Operated*										
0-19 YRS	16	13.4	442	2	2	4	7	56	62	64
20-34	75	6.4	35	1	2	4	9	14	16	33
35-49	159	6.5	35	2	2	5	8	12	19	33
50-64	400	7.3	71	1	2	5	9	15	20	49
65+	1090	8.4	55	2	2	6	10	17	23	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	492	2.8	6	<1	1	2	4	5	6	12
B. *Operated*	56	5.1	23	<1	1	4	6	10	15	27
2. MULTIPLE DX										
A. *Not Operated*	6136	4.7	15	1	2	4	6	8	11	19
B. *Operated*	1740	7.9	60	2	2	6	9	16	21	39
1. SINGLE DX	548	3.1	8	<1	1	2	4	5	7	15
2. MULTIPLE DX	7876	5.4	27	1	2	4	6	10	13	25
A. NOT OPERATED	6628	4.5	15	1	1	4	6	8	11	19
B. OPERATED	1796	7.8	59	2	2	6	9	15	21	38
TOTAL 0-19 YRS	192	3.4	47	<1	1	2	3	5	6	52
20-34	530	3.4	11	1	1	2	4	7	10	16
35-49	921	4.1	13	1	1	3	5	7	10	19
50-64	1657	5.0	31	1	2	4	6	9	12	23
65+	5124	5.7	27	1	2	4	7	11	14	27
GRAND TOTAL	**8424**	**5.2**	**26**	**1**	**2**	**4**	**6**	**10**	**13**	**25**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	2.8	4	1	1	2	4	5	8	8
20-34	1	2.0		2	2	2	2	2	2	2
35-49	5	2.4	7	1	1	1	3	7	7	7
50-64	2	6.5	1	6	6	6	7	7	7	7
65+	6	3.5	6	1	1	3	5	7	7	7
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	2	6.0	2	5	5	6	7	7	7	7
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	4.0		4	4	4	4	4	4	4
65+	2	5.0	32	<1	<1	4	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	4.9	97	1	1	2	5	8	17	67
20-34	11	5.4	35	1	1	3	5	17	18	18
35-49	21	5.2	25	1	2	3	7	11	16	22
50-64	29	6.8	27	2	3	6	8	15	16	25
65+	53	7.5	42	1	2	6	10	14	19	36
B. *Operated*										
0-19 YRS	13	16.3	421	2	3	7	22	50	66	70
20-34	6	8.7	33	1	1	9	14	15	15	15
35-49	27	12.3	123	1	2	11	15	45	99+	99+
50-64	29	13.5	219	2	2	9	17	27	43	73
65+	33	14.8	158	3	3	11	22	30	37	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	3.0	5	1	1	2	4	7	7	8
B. *Operated*	8	5.0	7	<1	1	5	7	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	179	6.0	57	1	1	4	7	13	18	34
B. *Operated*	108	13.7	186	2	3	10	17	31	53	99+
1. SINGLE DX	50	3.3	5	1	1	3	5	7	8	9
2. MULTIPLE DX	287	8.9	119	1	1	5	11	21	30	74
A. NOT OPERATED	221	5.5	49	1	1	3	7	12	17	31
B. OPERATED	116	13.1	179	1	3	9	16	30	50	99+
TOTAL 0-19 YRS	107	5.8	124	1	1	3	5	8	21	72
20-34	20	6.3	30	1	1	4	9	15	17	18
35-49	54	8.5	86	1	1	6	12	22	47	99+
50-64	62	9.8	125	2	2	6	12	22	27	69
65+	94	9.7	93	1	2	7	12	23	29	51
GRAND TOTAL	**337**	**8.1**	**106**	**1**	**1**	**5**	**9**	**19**	**28**	**73**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	3.6	6	1	1	3	5	7	8	10
20-34	7	3.4	12	1	1	3	3	9	11	11
35-49	3	3.0	7	<1	<1	2	5	6	6	6
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	2	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	54	1.9	1	1	1	2	2	3	4	8
20-34	52	2.3	4	1	1	2	2	5	7	11
35-49	37	1.9	1	1	1	2	2	4	4	5
50-64	19	3.2	46	1	1	2	2	3	18	31
65+	11	2.5	11	<1	<1	1	2	8	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	4.9	11	1	2	4	7	9	11	15
20-34	29	4.9	11	2	2	4	6	9	13	16
35-49	20	5.4	27	<1	1	4	6	12	19	22
50-64	32	5.4	11	2	2	4	7	10	11	16
65+	65	8.4	55	1	3	6	9	16	28	37
B. *Operated*										
0-19 YRS	78	4.8	51	1	1	2	5	12	18	44
20-34	77	4.1	23	1	1	2	5	9	14	25
35-49	83	4.1	19	1	1	2	5	10	14	20
50-64	98	4.2	26	1	1	3	5	9	13	29
65+	99	6.4	44	1	1	3	9	17	21	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	3.7	7	<1	1	3	5	8	8	11.
B. *Operated*	173	2.2	7	1	1	2	2	4	5	12
2. MULTIPLE DX										
A. *Not Operated*	200	6.1	29	1	2	5	7	11	16	30
B. *Operated*	435	4.8	33	1	1	2	6	12	18	27
1. SINGLE DX	222	2.5	8	1	1	2	3	5	7	11
2. MULTIPLE DX	635	5.2	32	1	1	3	7	11	17	29
A. NOT OPERATED	249	5.7	25	1	2	4	7	10	15	29
B. OPERATED	608	4.0	27	1	1	2	4	10	14	24
TOTAL 0-19 YRS	222	3.9	23	1	1	2	5	9	11	20
20-34	165	3.6	15	1	1	2	4	8	11	21
35-49	143	3.7	16	1	1	2	4	8	12	21
50-64	150	4.3	25	1	1	3	5	9	13	31
65+	177	6.9	47	1	1	5	9	16	21	31
GRAND TOTAL	**857**	**4.5**	**27**	**1**	**1**	**2**	**5**	**10**	**15**	**28**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

				PERCENTILES						
TYPE OF PATIENT (1)	**TOTAL PATIENTS (2)**	**AVG. STAY (3)**	**VARIANCE (4)**	**5TH (5)**	**10TH (6)**	**50TH (7)**	**75TH (8)**	**90TH (9)**	**95TH (10)**	**99TH (11)**
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.7	4	2	2	3	5	6	7	7
20-34	4	3.5	2	2	2	3	4	5	5	5
35-49	3	3.7	14	1	1	2	6	8	8	8
50-64										
65+	2	4.0	18	1	1	4	7	7	7	7
B. *Operated*										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	4.6	6	2	2	4	6	8	10	13
20-34	14	3.2	5	<1	<1	3	5	7	8	8
35-49	9	5.0	12	2	2	3	7	10	12	12
50-64	9	6.3	10	2	3	6	9	11	12	12
65+	27	8.6	80	2	3	6	10	15	29	46
B. *Operated*										
0-19 YRS	12	5.1	11	1	1	4	7	10	11	11
20-34	13	7.8	69	1	1	7	9	18	29	32
35-49	8	12.9	210	4	4	7	14	37	47	47
50-64	21	12.6	113	1	1	12	16	27	38	43
65+	20	12.8	181	2	2	9	16	23	44	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	3.7	5	1	1	3	5	7	8	8
B. *Operated*	9	1.7	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	121	5.5	26	1	2	4	7	10	11	32
B. *Operated*	74	10.6	121	1	2	8	13	21	34	59
1. SINGLE DX	30	3.1	4	1	1	2	4	6	7	8
2. MULTIPLE DX	195	7.4	68	1	2	5	9	14	20	47
A. NOT OPERATED	142	5.2	23	1	2	4	7	9	10	28
B. OPERATED	83	9.6	115	1	1	7	12	19	33	58
TOTAL 0-19 YRS	89	4.4	7	1	2	4	6	8	10	12
20-34	34	4.9	33	<1	1	3	7	9	13	32
35-49	22	7.4	95	1	1	4	8	14	28	47
50-64	31	10.4	89	1	1	9	13	20	33	43
65+	49	10.1	121	2	3	7	10	19	27	63
GRAND TOTAL	**225**	**6.8**	**61**	**1**	**2**	**5**	**8**	**13**	**18**	**46**

224: Chronic renal failure (585)

				PERCENTILES						
TYPE OF PATIENT (1)	**TOTAL PATIENTS (2)**	**AVG. STAY (3)**	**VARIANCE (4)**	**5TH (5)**	**10TH (6)**	**50TH (7)**	**75TH (8)**	**90TH (9)**	**95TH (10)**	**99TH (11)**
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	2.0		2	2	2	2	2	2	2
35-49	5	2.2	7	<1	<1	1	3	7	7	7
50-64	1	3.0		3	3	3	3	3	3	3
65+	4	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	7	8.4	90	1	1	4	11	25	28	28
20-34	30	4.2	25	<1	<1	2	4	11	20	20
35-49	35	3.6	22	<1	1	2	4	11	16	21
50-64	56	3.6	19	<1	1	2	4	9	16	18
65+	41	2.9	10	<1	1	2	3	5	9	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	5.2	21	1	1	3	7	13	15	17
20-34	22	6.0	185	1	1	3	4	8	33	66
35-49	36	3.4	12	<1	<1	2	5	8	11	14
50-64	71	5.2	11	<1	1	5	8	10	11	13
65+	206	6.8	29	1	2	6	8	13	16	26
B. *Operated*										
0-19 YRS	76	13.2	141	1	2	11	18	30	34	59
20-34	225	9.0	93	1	1	6	12	23	26	49
35-49	289	7.9	76	1	1	5	10	19	22	46
50-64	404	8.2	72	1	1	6	11	19	28	43
65+	450	8.3	62	1	2	6	11	17	23	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	2.2	3	<1	<1	2	2	4	7	7
B. *Operated*	169	3.8	21	<1	1	2	4	10	17	21
2. MULTIPLE DX										
A. *Not Operated*	354	6.0	33	1	1	5	8	11	15	24
B. *Operated*	1444	8.6	78	1	1	6	11	19	26	43
1. SINGLE DX	181	3.7	20	<1	1	2	4	9	16	21
2. MULTIPLE DX	1798	8.1	70	1	1	5	10	18	24	42
A. NOT OPERATED	366	5.9	33	1	1	5	8	11	14	24
B. OPERATED	1613	8.1	74	1	1	5	11	19	25	42
TOTAL 0-19 YRS	103	11.3	124	1	2	8	16	28	32	56
20-34	278	8.2	94	1	1	4	11	21	25	50
35-49	365	7.0	67	1	1	4	9	17	21	38
50-64	532	7.3	61	1	1	5	9	17	23	38
65+	701	7.5	51	1	2	5	10	16	20	39
GRAND TOTAL	**1979**	**7.7**	**67**	**1**	**1**	**5**	**10**	**17**	**23**	**41**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.5	20	1	1	3	7	11	11	11
20-34	5	2.2	1	1	1	2	3	4	4	4
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	2	4.5	1	4	4	4	5	5	5	5
65+	7	3.6	7	<1	<1	2	6	7	7	7
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	6	2.0	6	<1	<1	1	1	6	7	7
35-49	2	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	2	4.0	18	<1	<1	3	7	7	7	7
65+	4	3.0	2	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	5.0	16	<1	1	4	7	12	13	13
20-34	25	4.7	14	<1	1	4	8	9	12	15
35-49	29	6.7	22	1	1	6	10	14	16	17
50-64	121	7.5	43	1	3	6	10	14	18	32
65+	597	8.5	37	2	3	7	11	16	20	30
B. *Operated*										
0-19 YRS	14	12.0	251	1	1	5	14	41	51	54
20-34	51	8.8	79	2	2	6	12	15	20	54
35-49	66	10.8	80	1	1	8	17	25	28	31
50-64	138	12.3	134	1	2	9	17	24	32	51
65+	320	15.1	120	2	4	12	20	30	37	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	3.5	6	<1	1	3	5	7	9	11
B. *Operated*	15	2.5	5	<1	<1	1	4	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	785	8.1	37	2	3	6	10	15	19	29
B. *Operated*	589	13.4	122	2	2	11	18	27	35	53
1. SINGLE DX	35	3.1	6	<1	<1	2	4	7	7	11
2. MULTIPLE DX	1374	10.4	80	2	2	8	13	22	27	45
A. NOT OPERATED	805	8.0	37	2	2	6	10	15	19	29
B. OPERATED	604	13.1	122	1	2	11	18	27	34	53
TOTAL 0-19 YRS	32	8.0	126	1	1	4	10	15	38	54
20-34	87	6.8	57	1	1	5	9	13	16	48
35-49	99	9.3	65	1	1	7	14	23	27	30
50-64	263	10.0	96	1	2	7	13	21	26	45
65+	928	10.7	76	2	3	8	14	23	28	44
GRAND TOTAL	**1409**	**10.2**	**80**	**1**	**2**	**8**	**13**	**21**	**27**	**44**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	208	3.2	2	1	2	3	4	5	6	8
20-34	363	3.1	2	1	1	3	4	5	6	8
35-49	98	3.7	3	1	2	3	5	6	7	9
50-64	49	4.2	4	1	1	4	6	7	8	9
65+	43	3.8	4	1	2	3	5	7	8	10
B. *Operated*										
0-19 YRS	5	3.4	11	<1	<1	2	5	9	9	9
20-34	15	5.1	6	3	3	5	6	7	11	13
35-49	2	8.5	5	7	7	8	10	10	10	10
50-64										
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	443	3.7	5	1	2	3	4	6	7	14
20-34	961	4.0	4	2	2	4	5	6	7	11
35-49	393	4.8	13	2	2	4	6	8	10	16
50-64	435	5.5	11	2	2	5	7	10	12	15
65+	960	6.2	16	2	3	5	8	10	13	18
B. *Operated*										
0-19 YRS	35	6.1	19	2	2	5	7	11	13	25
20-34	74	6.5	17	2	3	6	8	11	16	23
35-49	58	8.6	44	2	3	8	11	15	19	41
50-64	61	9.8	41	3	3	8	13	21	24	28
65+	148	11.6	55	4	5	9	15	21	27	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	761	3.3	3	1	1	3	4	5	6	8
B. *Operated*	23	5.0	8	<1	2	5	6	9	11	13
2. MULTIPLE DX										
A. *Not Operated*	3192	4.9	11	2	2	4	6	8	11	16
B. *Operated*	376	9.3	44	3	3	8	12	17	24	34
1. SINGLE DX	784	3.4	3	1	2	3	4	6	7	9
2. MULTIPLE DX	3568	5.4	16	2	2	4	6	10	12	21
A. NOT OPERATED	3953	4.6	9	2	2	4	6	8	10	15
B. OPERATED	399	9.1	43	2	3	7	11	17	23	34
TOTAL 0-19 YRS	691	3.7	5	1	2	3	4	6	7	13
20-34	1413	3.9	5	1	2	3	5	6	8	12
35-49	551	5.0	16	2	2	4	6	8	11	17
50-64	545	5.8	16	2	2	5	7	11	13	25
65+	1152	6.8	24	2	3	6	8	12	15	27
GRAND TOTAL	**4352**	**5.0**	**14**	**2**	**2**	**4**	**6**	**9**	**11**	**20**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	163	3.2	3	1	1	3	4	5	6	9
20-34	210	3.2	3	1	2	3	4	5	6	8
35-49	65	4.1	61	1	1	3	4	6	6	56
50-64	37	3.7	4	1	2	3	5	5	7	10
65+	24	4.0	10	1	2	3	5	6	10	16
B. *Operated*										
0-19 YRS	11	4.0	7	<1	1	3	4	9	10	10
20-34	12	5.5	14	<1	1	5	8	11	13	13
35-49	10	5.4	15	<1	<1	6	7	11	13	13
50-64	10	6.8	13	<1	2	6	9	12	14	14
65+	4	4.8	15	<1	<1	4	7	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	259	3.7	4	1	2	3	4	6	8	11
20-34	537	4.0	5	2	2	4	5	7	8	12
35-49	230	4.9	10	2	2	4	6	9	12	15
50-64	258	5.5	11	2	2	5	7	9	11	20
65+	450	6.2	15	2	3	5	8	10	13	23
B. *Operated*										
0-19 YRS	35	5.7	13	1	1	5	8	11	13	16
20-34	69	7.6	27	2	3	6	9	14	18	30
35-49	55	9.3	33	3	4	8	11	17	24	26
50-64	87	10.7	65	4	4	8	13	20	24	50
65+	110	12.4	73	3	4	11	15	24	31	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	499	3.4	11	1	1	3	4	5	6	10
B. *Operated*	47	5.3	12	<1	<1	5	8	10	13	14
2. MULTIPLE DX										
A. *Not Operated*	1734	4.9	10	2	2	4	6	9	11	16
B. *Operated*	356	9.9	54	2	4	8	13	18	24	35
1. SINGLE DX	546	3.5	11	1	1	3	4	6	7	13
2. MULTIPLE DX	2090	5.7	21	2	2	4	7	10	14	25
A. NOT OPERATED	2233	4.5	10	1	2	4	6	8	10	16
B. OPERATED	403	9.4	52	2	3	8	12	18	24	35
TOTAL 0-19 YRS	468	3.6	5	1	2	3	4	6	8	12
20-34	828	4.1	7	1	2	3	5	7	9	14
35-49	360	5.4	25	1	2	4	7	10	14	24
50-64	392	6.5	28	2	2	5	8	11	16	25
65+	588	7.3	32	2	3	6	9	13	18	31
GRAND TOTAL	**2636**	**5.3**	**20**	**1**	**2**	**4**	**6**	**9**	**13**	**23**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	1.6	1	<1	1	1	2	3	4	5
20-34	242	1.6	2	<1	<1	1	2	3	4	8
35-49	354	1.5	1	<1	<1	1	2	3	3	4
50-64	176	1.6	1	<1	1	1	2	3	3	6
65+	90	1.9	5	<1	1	1	2	3	5	14
B. *Operated*										
0-19 YRS	16	4.4	4	1	1	5	6	7	8	8
20-34	155	4.8	11	1	1	4	6	8	9	23
35-49	200	5.0	10	1	2	5	6	8	9	20
50-64	173	4.9	8	1	1	4	7	9	11	13
65+	85	5.1	10	1	1	5	7	9	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	1.9	1	<1	1	2	2	3	3	5
20-34	225	2.3	3	<1	1	2	3	4	4	12
35-49	265	2.4	9	<1	1	2	3	4	6	14
50-64	236	2.5	5	1	1	2	3	5	7	12
65+	198	2.9	5	1	1	2	3	6	8	11
B. *Operated*										
0-19 YRS	30	4.8	17	1	1	4	7	8	9	22
20-34	183	6.5	17	2	2	6	8	11	14	23
35-49	249	7.2	47	1	2	6	9	12	16	38
50-64	295	7.3	26	2	2	7	10	13	17	26
65+	284	8.0	32	1	2	7	10	15	20	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	888	1.6	1	<1	1	1	2	3	4	6
B. *Operated*	629	4.9	9	1	1	5	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	954	2.5	6	1	1	2	3	5	6	12
B. *Operated*	1041	7.3	31	1	2	6	9	13	17	26
1. SINGLE DX	1517	3.0	7	<1	1	2	4	7	8	12
2. MULTIPLE DX	1995	5.0	25	1	1	3	7	10	14	23
A. NOT OPERATED	1842	2.1	4	<1	1	1	2	4	5	10
B. OPERATED	1670	6.4	24	1	2	6	8	11	14	25
TOTAL 0-19 YRS	102	3.1	8	1	1	2	4	7	8	15
20-34	805	3.5	11	<1	1	2	5	8	10	17
35-49	1068	3.7	20	<1	1	2	5	8	10	23
50-64	880	4.4	17	1	1	3	6	10	12	19
65+	657	5.2	24	1	1	4	7	11	15	23
GRAND TOTAL	**3512**	**4.1**	**18**	**1**	**1**	**3**	**6**	**9**	**11**	**21**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	95	1.6	1	<1	1	1	2	3	3	4
20-34	1059	1.6	1	<1	1	1	2	3	3	5
35-49	1540	1.5	1	<1	<1	1	2	3	3	5
50-64	771	1.6	1	<1	1	1	2	3	4	5
65+	266	1.9	1	<1	1	2	2	3	4	5
B. *Operated*										
0-19 YRS	46	3.5	4	1	1	3	4	6	9	10
20-34	701	3.4	5	1	1	3	5	6	8	10
35-49	828	3.5	7	1	1	3	5	7	8	11
50-64	569	4.0	9	1	1	3	5	8	10	14
65+	222	4.1	8	1	1	3	6	8	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	1.7	1	1	1	1	2	3	5	6
20-34	408	1.9	2	<1	1	1	2	3	4	7
35-49	597	2.0	2	<1	1	2	2	4	5	7
50-64	582	2.1	3	<1	1	2	3	4	5	7
65+	433	2.7	11	1	1	2	3	5	6	10
B. *Operated*										
0-19 YRS	33	4.5	7	1	1	4	6	9	10	10
20-34	394	4.7	12	1	1	4	6	9	11	17
35-49	612	4.9	15	1	1	4	7	9	11	17
50-64	645	5.3	14	1	1	5	7	10	12	18
65+	594	6.6	26	1	2	5	9	13	16	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3731	1.6	1	<1	1	1	2	3	3	5
B. *Operated*	2366	3.6	7	1	1	3	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	2055	2.1	4	1	1	2	3	4	5	8
B. *Operated*	2278	5.4	18	1	1	4	7	10	13	20
1. SINGLE DX	6097	2.4	4	<1	1	2	3	5	7	10
2. MULTIPLE DX	4333	3.9	14	1	1	3	5	8	11	17
A. NOT OPERATED	5786	1.8	2	<1	1	1	2	3	4	6
B. OPERATED	4644	4.5	13	1	1	4	6	9	11	17
TOTAL 0-19 YRS	209	2.5	4	1	1	2	3	5	7	10
20-34	2562	2.6	5	<1	1	2	3	5	7	11
35-49	3577	2.6	7	<1	1	2	3	6	7	12
50-64	2567	3.2	9	1	1	2	4	7	9	14
65+	1515	4.3	19	1	1	3	5	9	12	19
GRAND TOTAL	**10430**	**3.0**	**9**	**1**	**1**	**2**	**4**	**7**	**9**	**14**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	2.5	4	<1	1	2	3	5	7	9
20-34	22	2.1	1	1	1	2	3	4	4	5
35-49	25	1.8	1	<1	<1	1	2	3	5	5
50-64	20	1.9	1	<1	1	1	3	4	4	5
65+	19	2.3	2	1	1	2	3	4	5	5
B. *Operated*										
0-19 YRS	200	4.8	6	<1	1	5	6	8	9	13
20-34	79	4.6	7	1	1	4	7	8	9	10
35-49	72	4.7	14	1	1	4	7	9	14	16
50-64	76	4.0	10	<1	1	3	6	9	11	12
65+	52	3.0	7	<1	<1	1	5	8	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	3.1	6	<1	1	2	4	6	8	14
20-34	64	3.1	12	1	1	2	4	6	8	22
35-49	51	3.6	13	<1	1	2	5	8	10	17
50-64	88	4.5	14	1	1	3	6	9	11	18
65+	191	5.2	18	1	1	4	6	10	13	22
B. *Operated*										
0-19 YRS	325	5.8	22	<1	1	5	7	11	13	20
20-34	253	6.5	26	1	2	6	8	12	14	28
35-49	257	6.5	28	1	1	5	8	13	17	24
50-64	379	6.9	39	1	1	5	9	14	18	27
65+	474	8.4	58	1	1	7	11	16	21	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	107	2.1	2	<1	1	2	3	4	5	7
B. *Operated*	479	4.4	8	<1	1	4	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	458	4.3	15	1	1	3	6	8	11	21
B. *Operated*	1688	7.0	38	1	1	6	9	13	17	31
1. SINGLE DX	586	4.0	8	<1	1	3	6	8	9	13
2. MULTIPLE DX	2146	6.4	34	1	1	5	8	13	17	28
A. NOT OPERATED	565	3.9	13	1	1	3	5	8	10	19
B. OPERATED	2167	6.4	33	1	1	5	8	12	16	27
TOTAL 0-19 YRS	610	5.1	15	<1	1	5	7	9	11	17
20-34	418	5.4	21	1	1	4	7	10	13	25
35-49	405	5.5	24	1	1	4	8	12	15	22
50-64	563	5.9	32	1	1	5	8	12	16	26
65+	736	7.0	46	1	1	5	9	14	19	32
GRAND TOTAL	**2732**	**5.9**	**30**	**1**	**1**	**5**	**8**	**12**	**15**	**25**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2
20-34	54	2.5	64	<1	1	1	2	2	4	58
35-49	61	1.6	1	<1	1	1	2	3	4	5
50-64	34	1.9	3	<1	<1	1	2	3	4	11
65+	9	1.4	1	<1	<1	1	2	3	4	4
B. *Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	15	2.9	5	1	1	2	4	7	8	8
35-49	24	2.4	4	<1	1	1	3	6	7	7
50-64	20	3.2	10	<1	1	2	4	5	10	15
65+	34	2.8	5	<1	1	2	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	21	1.7	1	<1	<1	1	2	3	4	4
35-49	33	2.2	3	<1	<1	2	3	4	5	8
50-64	30	3.4	20	<1	<1	2	3	8	13	22
65+	21	2.6	4	<1	1	2	3	6	7	8
B. *Operated*										
0-19 YRS	3	6.0	7	4	4	5	8	9	9	9
20-34	37	5.1	22	1	1	4	6	10	13	25
35-49	47	4.4	16	1	1	3	7	9	13	19
50-64	103	4.6	33	<1	1	3	5	9	12	33
65+	260	4.8	19	1	1	4	6	9	13	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	163	2.0	22	<1	<1	1	2	3	4	10
B. *Operated*	96	2.7	6	<1	1	2	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	106	2.5	8	<1	<1	2	3	5	7	17
B. *Operated*	450	4.7	22	1	1	4	6	9	13	27
1. SINGLE DX	259	2.2	16	<1	1	1	2	4	6	11
2. MULTIPLE DX	556	4.3	20	1	1	3	5	9	13	25
A. NOT OPERATED	269	2.2	17	<1	<1	1	2	4	5	13
B. OPERATED	546	4.4	20	1	1	3	6	9	12	25
TOTAL 0-19 YRS	12	2.5	6	<1	<1	2	3	6	9	9
20-34	127	3.2	36	<1	1	2	3	6	9	33
35-49	165	2.7	7	<1	1	2	3	7	8	14
50-64	187	3.7	24	<1	<1	2	4	8	11	31
65+	324	4.3	17	1	1	4	6	8	12	20
GRAND TOTAL	**815**	**3.7**	**20**	**<1**	**1**	**2**	**5**	**7**	**10**	**21**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.8	1	<1	<1	1	2	3	4	4
20-34	25	2.7	3	<1	1	2	3	5	6	8
35-49	14	1.9	2	<1	<1	1	3	4	5	5
50-64	10	2.2	2	1	1	2	3	5	6	6
65+	7	2.1	1	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	15	1.1		<1	<1	1	1	1	2	2
20-34	43	3.1	11	<1	<1	2	4	6	10	18
35-49	34	1.8	2	<1	<1	1	2	5	6	6
50-64	53	1.9	3	<1	<1	1	2	4	5	9
65+	59	2.0	1	<1	1	2	2	4	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	2.9	7	<1	<1	2	3	5	10	14
20-34	57	3.2	5	1	1	3	5	7	8	9
35-49	43	4.0	6	1	2	3	6	8	9	11
50-64	62	3.6	6	1	1	3	4	7	9	14
65+	231	5.2	13	1	2	4	6	9	12	18
B. *Operated*										
0-19 YRS	24	4.5	105	<1	<1	2	3	7	27	50
20-34	87	4.3	21	1	1	3	5	9	10	28
35-49	75	5.3	40	<1	1	3	6	13	16	32
50-64	153	3.6	16	<1	1	2	4	8	10	16
65+	442	4.8	30	1	1	3	6	10	14	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	2.3	2	<1	1	2	3	4	5	8
B. *Operated*	204	2.1	4	<1	<1	1	2	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	423	4.4	11	1	1	4	6	8	10	16
B. *Operated*	781	4.5	30	1	1	3	6	9	14	32
1. SINGLE DX	268	2.2	4	<1	<1	1	3	4	5	10
2. MULTIPLE DX	1204	4.5	23	1	1	3	6	9	12	27
A. NOT OPERATED	487	4.1	10	1	1	3	5	8	10	16
B. OPERATED	985	4.0	25	<1	1	2	5	8	12	29
TOTAL 0-19 YRS	77	2.9	36	<1	<1	2	3	4	9	41
20-34	212	3.6	13	1	1	2	5	7	9	18
35-49	166	4.0	22	<1	1	2	5	8	13	30
50-64	278	3.2	11	<1	1	2	4	7	9	15
65+	739	4.7	23	1	1	3	6	9	13	27
GRAND TOTAL	**1472**	**4.1**	**20**	**<1**	**1**	**3**	**5**	**8**	**11**	**24**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	74	1.1		<1	<1	<1	1	1	2	3
20-34	107	2.2	4	<1	1	2	3	4	6	11
35-49	79	1.5	1	<1	1	1	2	3	4	6
50-64	80	2.1	3	<1	1	2	2	4	5	11
65+	77	2.1	2	1	1	2	3	3	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	5	1.8	1	1	1	1	3	3	3	3
35-49	5	3.2	6	1	1	3	5	7	7	7
50-64	7	2.9	5	<1	<1	2	5	6	6	6
65+	20	4.1	4	1	2	3	6	7	8	8
B. *Operated*										
0-19 YRS	89	1.3	2	<1	<1	1	1	2	3	8
20-34	140	2.6	7	<1	1	1	3	6	8	13
35-49	117	2.4	5	<1	1	2	3	6	7	10
50-64	168	3.3	22	<1	1	2	3	6	9	17
65+	405	3.6	12	1	1	2	4	7	10	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.8	3	<1	<1	1	2	5	5	5
B. *Operated*	417	1.8	2	<1	<1	1	2	3	5	7
2. MULTIPLE DX										
A. *Not Operated*	40	3.3	5	<1	1	3	5	7	7	8
B. *Operated*	919	3.0	12	<1	1	2	4	6	9	16
1. SINGLE DX	422	1.8	2	<1	<1	1	2	3	5	7
2. MULTIPLE DX	959	3.0	11	<1	1	2	4	6	9	16
A. NOT OPERATED	45	3.1	4	<1	1	3	5	6	7	8
B. OPERATED	1336	2.6	9	<1	<1	2	3	5	8	14
TOTAL 0-19 YRS	167	1.2	1	<1	<1	<1	1	2	2	4
20-34	253	2.4	5	<1	1	1	3	5	7	13
35-49	202	2.1	3	<1	1	1	2	5	6	9
50-64	256	2.9	16	<1	1	2	3	6	9	16
65+	503	3.4	10	1	1	2	4	7	9	17
GRAND TOTAL	**1381**	**2.7**	**9**	**<1**	**<1**	**2**	**3**	**6**	**8**	**14**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	150	2.4	3	1	1	2	3	4	6	10
20-34	71	2.5	3	1	1	2	3	4	6	10
35-49	47	2.4	2	<1	<1	2	3	4	6	7
50-64	46	2.5	3	<1	1	2	3	5	6	7
65+	94	3.4	5	1	1	3	4	6	9	10
B. *Operated*										
0-19 YRS	98	1.9	4	<1	<1	1	2	5	7	10
20-34	93	2.0	3	<1	<1	1	3	3	4	10
35-49	93	2.8	8	<1	<1	1	4	7	9	12
50-64	154	2.3	12	<1	1	2	3	4	5	13
65+	209	2.4	4	<1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	583	3.5	7	1	1	3	4	7	8	12
20-34	567	3.8	9	1	1	3	5	7	10	17
35-49	446	4.7	14	1	1	4	6	9	12	19
50-64	832	5.3	18	1	2	4	7	9	12	21
65+	3839	6.2	23	2	2	5	8	11	14	22
B. *Operated*										
0-19 YRS	168	3.3	16	<1	<1	1	5	8	9	13
20-34	221	5.0	38	<1	1	3	6	11	15	28
35-49	319	5.6	70	<1	1	3	6	11	16	46
50-64	671	5.1	32	1	1	3	6	10	14	29
65+	2211	6.3	42	1	2	4	8	13	17	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	408	2.7	4	<1	1	2	3	5	6	10
B. *Operated*	647	2.3	6	<1	<1	1	3	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	6267	5.5	20	1	2	4	7	10	13	21
B. *Operated*	3590	5.8	42	1	1	4	7	12	16	33
1. SINGLE DX	1055	2.4	5	<1	<1	2	3	5	7	10
2. MULTIPLE DX	9857	5.6	28	1	1	4	7	11	14	26
A. NOT OPERATED	6675	5.3	19	1	2	4	7	10	13	20
B. OPERATED	4237	5.3	38	<1	1	3	6	11	15	31
TOTAL 0-19 YRS	999	3.2	8	<1	<1	2	4	7	8	12
20-34	952	3.8	15	1	1	3	4	7	11	18
35-49	905	4.7	34	1	1	3	6	9	12	27
50-64	1703	4.9	23	1	1	4	6	9	13	23
65+	6353	6.0	29	1	2	5	8	12	15	27
GRAND TOTAL	**10912**	**5.3**	**26**	**1**	**1**	**4**	**7**	**10**	**14**	**24**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	8	3.6	2	1	1	4	4	6	6	6
65+	10	3.3	3	<1	<1	4	4	6	7	7
B. *Operated*										
0-19 YRS	5	2.6	4	<1	<1	2	4	6	6	6
20-34	1	1.0		1	1	1	1	1	1	1
35-49	52	2.8	2	<1	1	3	4	5	6	7
50-64	978	3.7	3	1	2	4	5	5	6	9
65+	1656	3.9	3	1	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49	3	3.0	4	1	1	3	4	5	5	5
50-64	57	2.9	5	<1	<1	2	4	6	8	9
65+	275	3.6	11	<1	1	3	5	8	10	15
B. *Operated*										
0-19 YRS	9	4.4	7	2	2	4	5	9	11	11
20-34	8	3.1	5	1	1	3	3	7	8	8
35-49	104	4.0	10	1	1	3	4	7	9	19
50-64	2789	4.2	6	1	2	4	5	7	8	13
65+	8837	5.2	11	2	2	4	6	9	11	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	3.4	3	<1	1	4	4	6	7	7
B. *Operated*	2692	3.8	3	1	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	336	3.5	10	<1	1	3	4	7	9	14
B. *Operated*	11747	4.9	10	2	2	4	6	8	10	17
1. SINGLE DX	2710	3.8	3	1	2	4	5	6	7	9
2. MULTIPLE DX	12083	4.9	10	2	2	4	6	8	10	17
A. NOT OPERATED	354	3.5	9	<1	1	3	4	7	9	14
B. OPERATED	14439	4.7	9	2	2	4	5	8	10	16
TOTAL 0-19 YRS	14	3.8	6	<1	1	3	5	6	10	11
20-34	10	3.4	7	1	1	3	3	8	8	8
35-49	159	3.6	8	1	1	3	4	6	8	15
50-64	3832	4.1	5	1	2	4	5	6	8	12
65+	10778	4.9	10	2	2	4	6	8	10	17
GRAND TOTAL	**14793**	**4.7**	**9**	**1**	**2**	**4**	**5**	**8**	**10**	**16**

[illegible]seases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	4	1	1	3	4	5	5	5
20-34	20	3.4	4	<1	1	3	5	6	7	8
35-49	20	3.0	3	1	1	3	4	6	6	6
50-64	27	3.3	2	1	1	3	4	5	6	7
65+	10	3.2	2	2	2	3	4	5	6	6
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	1.0		<1	<1	<1	1	1	1	1
35-49	9	2.3	3	<1	<1	1	4	5	5	5
50-64	17	1.9	2	<1	<1	1	2	4	5	6
65+	9	1.9	2	<1	<1	1	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.8	1	2	2	4	4	5	5	5
20-34	40	3.4	4	<1	1	3	4	6	8	11
35-49	66	3.5	4	1	1	3	4	6	7	11
50-64	115	4.3	4	2	2	4	5	7	8	11
65+	150	4.5	6	1	2	4	6	8	9	11
B. *Operated*										
0-19 YRS										
20-34	8	2.5	3	1	1	2	3	5	6	6
35-49	28	3.8	7	1	1	3	5	8	9	12
50-64	102	4.2	10	1	1	3	5	9	11	15
65+	168	4.9	15	1	1	4	6	11	14	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	3.2	3	1	1	3	4	6	6	8
B. *Operated*	41	1.9	2	<1	<1	1	2	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	377	4.1	5	1	2	4	5	7	9	11
B. *Operated*	306	4.5	13	1	1	4	6	9	12	17
1. SINGLE DX	121	2.8	3	<1	<1	3	4	5	6	7
2. MULTIPLE DX	683	4.3	8	1	1	4	5	8	10	15
A. NOT OPERATED	457	4.0	5	1	2	4	5	7	8	11
B. OPERATED	347	4.2	12	1	1	3	5	9	12	16
TOTAL 0-19 YRS	10	3.3	2	1	1	4	4	5	5	5
20-34	73	3.1	4	<1	<1	3	4	6	6	11
35-49	123	3.4	4	1	1	3	4	6	7	11
50-64	261	4.0	6	1	1	4	5	7	9	12
65+	337	4.6	11	1	1	4	6	9	11	16
GRAND TOTAL	**804**	**4.1**	**8**	**1**	**1**	**3**	**5**	**7**	**9**	**15**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	1.0		1	1	1	1	1	1	1
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	102	1.2		<1	<1	1	1	2	2	3
20-34	46	1.3		<1	<1	1	1	2	3	3
35-49	60	1.5	1	<1	<1	1	2	3	3	4
50-64	87	1.6	1	<1	<1	1	2	3	3	5
65+	71	1.6	1	1	1	1	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	7.0		7	7	7	7	7	7	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*										
0-19 YRS	107	1.6	2	<1	<1	1	2	3	4	8
20-34	39	1.6	1	<1	1	1	2	3	4	5
35-49	58	1.9	2	<1	1	1	2	4	6	8
50-64	84	2.2	4	<1	1	2	2	4	5	13
65+	136	2.8	4	<1	1	2	3	5	6	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.0		<1	<1	1	1	1	1	1
B. *Operated*	366	1.4	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	6	2.8	7	<1	<1	1	5	7	7	7
B. *Operated*	424	2.1	3	<1	<1	2	3	4	5	10
1. SINGLE DX	369	1.4	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX	430	2.1	3	<1	<1	2	3	4	5	10
A. NOT OPERATED	9	2.2	5	<1	<1	1	3	6	7	7
B. OPERATED	790	1.8	2	<1	<1	1	2	3	4	8
TOTAL 0-19 YRS	210	1.4	1	<1	<1	1	1	2	3	6
20-34	86	1.5	1	<1	<1	1	2	3	4	6
35-49	119	1.7	2	<1	<1	1	2	3	4	7
50-64	174	1.9	2	<1	<1	1	2	3	4	7
65+	210	2.4	3	1	1	2	3	4	6	10
GRAND TOTAL	**799**	**1.8**	**2**	**<1**	**<1**	**1**	**2**	**3**	**5**	**8**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	3.6	5	1	1	4	5	6	7	9
20-34	96	3.2	4	1	1	3	4	6	8	9
35-49	56	3.6	3	1	2	3	5	6	7	10
50-64	35	3.7	3	1	2	3	5	6	7	9
65+	26	4.6	7	2	2	4	6	7	10	13
B. *Operated*										
0-19 YRS	35	1.8	2	<1	1	1	2	4	5	6
20-34	49	3.0	6	<1	1	2	4	6	8	13
35-49	32	2.5	5	1	1	2	3	5	9	10
50-64	25	2.5	4	1	1	2	3	5	7	8
65+	22	2.7	6	<1	1	2	3	7	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	4.0	3	1	2	4	6	6	7	8
20-34	57	4.0	6	2	2	3	5	6	8	16
35-49	55	4.9	8	1	2	4	6	10	10	12
50-64	82	4.8	7	2	2	4	6	8	10	14
65+	134	5.3	11	2	3	4	7	9	10	18
B. *Operated*										
0-19 YRS	14	2.6	3	<1	1	2	3	5	7	7
20-34	49	4.1	16	<1	1	3	5	10	15	19
35-49	38	4.1	12	1	1	3	6	10	11	12
50-64	44	4.3	14	<1	1	3	5	11	13	17
65+	90	5.5	22	1	1	4	8	12	17	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	252	3.6	4	1	1	3	5	6	7	9
B. *Operated*	163	2.5	5	<1	1	2	3	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	355	4.8	8	2	2	4	6	8	10	14
B. *Operated*	235	4.6	17	1	1	3	6	10	14	19
1. SINGLE DX	415	3.2	5	1	1	3	4	6	7	10
2. MULTIPLE DX	590	4.7	12	1	1	4	6	9	11	18
A. NOT OPERATED	607	4.3	7	1	2	4	5	7	9	14
B. OPERATED	398	3.7	13	1	1	2	5	8	11	18
TOTAL 0-19 YRS	115	3.0	4	1	1	3	5	6	7	8
20-34	251	3.5	7	1	1	3	5	7	8	15
35-49	181	3.9	7	1	1	3	5	8	10	12
50-64	186	4.2	8	1	1	3	5	7	10	15
65+	272	5.1	14	1	2	4	7	9	13	19
GRAND TOTAL	**1005**	**4.1**	**9**	**1**	**1**	**3**	**5**	**8**	**10**	**16**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.0		<1	<1	<1	<1	1	1	1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	256	1.1		<1	<1	<1	1	1	2	2
20-34	31	1.2		<1	<1	1	1	2	2	3
35-49	21	1.2	1	<1	<1	1	1	2	3	5
50-64	10	1.0		<1	<1	1	1	1	1	1
65+	13	1.0		<1	<1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	1.3		<1	<1	1	2	2	2	2
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	8.0		8	8	8	8	8	8	8
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	4	2.8	3	1	1	2	4	5	5	5
B. *Operated*										
0-19 YRS	50	1.2		<1	<1	1	1	2	2	3
20-34	18	1.5	1	<1	<1	1	2	3	4	4
35-49	25	1.6	1	<1	<1	1	2	3	4	5
50-64	32	1.8	2	<1	<1	1	2	3	4	7
65+	37	2.3	3	<1	<1	2	3	5	7	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	1.0		<1	<1	<1	<1	1	1	1
B. *Operated*	331	1.1		<1	<1	<1	1	1	2	2
2. MULTIPLE DX										
A. *Not Operated*	18	2.2	4	<1	<1	1	2	5	7	8
B. *Operated*	162	1.7	2	<1	<1	1	2	3	4	7
1. SINGLE DX	339	1.1		<1	<1	<1	1	1	2	2
2. MULTIPLE DX	180	1.7	2	<1	<1	1	2	3	5	8
A. NOT OPERATED	26	1.8	3	<1	<1	1	2	5	6	8
B. OPERATED	493	1.3	1	<1	<1	<1	1	2	3	5
TOTAL 0-19 YRS	325	1.1		<1	<1	<1	1	1	2	2
20-34	50	1.4	1	<1	<1	1	1	2	4	5
35-49	47	1.6	2	<1	<1	1	2	3	5	8
50-64	43	1.6	1	<1	<1	1	2	3	4	7
65+	54	2.0	3	<1	<1	1	3	4	6	8
GRAND TOTAL	**519**	**1.3**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**6**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.4	3	<1	<1	2	3	5	6	6
20-34	10	2.5	3	1	1	2	4	5	6	6
35-49	7	4.4	19	<1	<1	3	4	12	14	14
50-64	11	3.0	2	1	1	3	4	5	5	5
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	368	1.3	1	<1	<1	1	1	2	3	5
20-34	206	1.5	1	<1	<1	1	2	3	3	5
35-49	151	1.8	3	<1	<1	1	2	3	5	9
50-64	216	2.2	4	<1	1	2	3	4	5	7
65+	127	2.1	3	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	2.7	1	1	1	3	4	4	4	4
20-34	34	3.3	17	<1	<1	2	4	6	15	19
35-49	22	4.4	13	<1	1	4	6	8	12	17
50-64	33	3.4	10	<1	<1	2	5	8	10	14
65+	38	5.4	34	<1	1	4	7	11	12	35
B. *Operated*										
0-19 YRS	158	1.7	2	<1	1	1	2	3	5	9
20-34	178	3.5	31	<1	1	2	3	7	13	26
35-49	234	3.3	15	<1	1	2	4	7	9	18
50-64	442	3.3	23	1	1	3	4	5	8	15
65+	393	3.2	14	1	1	2	4	5	8	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	2.9	5	<1	1	2	4	5	6	14
B. *Operated*	1068	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	147	3.9	18	<1	<1	3	5	8	11	19
B. *Operated*	1405	3.1	18	1	1	2	3	5	8	18
1. SINGLE DX	1117	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	1552	3.2	18	1	1	2	4	6	8	19
A. NOT OPERATED	196	3.7	15	<1	1	3	4	7	10	18
B. OPERATED	2473	2.5	12	<1	1	2	3	5	6	14
TOTAL 0-19 YRS	566	1.5	1	<1	<1	1	2	3	4	6
20-34	428	2.5	15	<1	<1	1	3	5	7	23
35-49	414	2.8	11	<1	1	2	3	6	8	16
50-64	702	3.0	16	1	1	2	3	5	7	14
65+	559	3.1	13	1	1	2	3	5	8	15
GRAND TOTAL	**2669**	**2.6**	**12**	**<1**	**1**	**2**	**3**	**5**	**7**	**14**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	3	4.0	27	<1	<1	1	8	10	10	10
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	11	1.2		<1	<1	<1	1	2	3	3
20-34	161	1.7	2	<1	<1	1	2	4	4	6
35-49	472	1.8	2	<1	<1	1	2	4	5	7
50-64	297	1.5	1	<1	<1	1	2	3	3	5
65+	148	1.4	1	<1	<1	1	2	2	3	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	4	1.5	1	<1	<1	1	2	3	3	3
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	3	1.3		<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	4	2.0	4	<1	<1	1	3	5	5	5
20-34	130	3.1	3	<1	<1	3	4	5	6	8
35-49	449	2.7	3	<1	<1	2	4	5	6	8
50-64	300	2.5	4	<1	<1	2	3	5	6	9
65+	191	2.2	3	<1	<1	2	3	4	6	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.8	16	<1	<1	<1	3	10	10	10
B. *Operated*	1089	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	11	1.3		<1	<1	1	1	2	3	3
B. *Operated*	1074	2.6	3	<1	<1	2	4	5	6	8
1. SINGLE DX	1094	1.6	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	1085	2.6	3	<1	<1	2	4	5	6	8
A. NOT OPERATED	16	1.8	5	<1	<1	1	1	3	8	10
B. OPERATED	2163	2.1	3	<1	<1	1	3	4	5	7
TOTAL 0-19 YRS	15	1.4	1	<1	<1	<1	1	3	4	5
20-34	294	2.3	3	<1	<1	1	3	5	5	7
35-49	928	2.2	3	<1	<1	1	3	5	5	8
50-64	600	2.0	3	<1	<1	1	2	4	6	8
65+	342	1.9	2	<1	<1	1	2	3	5	8
GRAND TOTAL	**2179**	**2.1**	**3**	**<1**	**<1**	**1**	**3**	**4**	**5**	**8**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.2	6	<1	<1	2	3	8	8	8
20-34	22	2.6	1	1	1	2	3	4	5	6
35-49	11	2.5	4	<1	<1	2	4	6	7	7
50-64	3	3.0	1	2	2	3	4	4	4	4
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	200	2.0	1	<1	1	2	3	3	4	5
20-34	420	2.2	1	<1	<1	2	3	4	4	5
35-49	259	2.3	3	<1	<1	2	3	4	5	7
50-64	189	2.2	2	<1	<1	2	3	4	5	5
65+	78	2.2	2	<1	<1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	3.0	1	2	2	3	4	4	4	4
20-34	20	2.5	3	<1	<1	2	3	5	6	7
35-49	16	3.0	5	<1	<1	3	5	6	7	8
50-64	14	3.1	8	<1	<1	2	5	7	9	10
65+	24	3.2	11	<1	<1	2	4	7	11	15
B. *Operated*										
0-19 YRS	82	2.5	2	<1	1	2	3	4	6	8
20-34	274	2.9	4	1	1	3	4	5	6	13
35-49	351	2.8	3	<1	1	3	3	5	5	9
50-64	334	3.2	5	<1	1	3	4	6	8	13
65+	191	3.3	12	<1	1	3	4	6	7	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	2.7	2	<1	1	2	3	5	6	8
B. *Operated*	1146	2.2	2	<1	<1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	81	3.0	6	<1	<1	2	4	6	8	13
B. *Operated*	1232	3.0	5	<1	1	3	4	5	7	13
1. SINGLE DX	1189	2.2	2	<1	<1	2	3	4	4	6
2. MULTIPLE DX	1313	3.0	5	<1	1	3	4	5	7	13
A. NOT OPERATED	124	2.9	5	<1	<1	2	4	6	7	11
B. OPERATED	2378	2.6	4	<1	1	2	3	4	5	9
TOTAL 0-19 YRS	295	2.2	1	<1	1	2	3	4	4	7
20-34	736	2.5	2	<1	1	2	3	4	5	8
35-49	637	2.6	3	<1	<1	2	3	5	5	8
50-64	540	2.8	4	<1	<1	2	4	5	7	12
65+	294	3.0	10	<1	<1	2	4	5	6	16
GRAND TOTAL	**2502**	**2.6**	**4**	**<1**	**<1**	**2**	**3**	**4**	**5**	**9**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	197	1.6	1	<1	1	1	2	3	3	5
20-34	349	1.7	1	<1	1	1	2	3	4	5
35-49	89	1.7	1	<1	1	1	2	3	4	5
50-64	7	1.6		<1	<1	2	2	2	2	2
65+	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*										
0-19 YRS	321	3.2	3	1	1	3	4	5	6	8
20-34	1085	3.1	3	<1	<1	3	4	5	6	8
35-49	291	3.6	3	<1	1	4	5	6	6	8
50-64	48	5.0	4	1	2	5	6	7	8	12
65+	21	5.3	3	2	2	6	6	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	116	2.1	2	<1	1	2	3	4	5	7
20-34	308	2.3	3	<1	<1	2	3	4	6	10
35-49	61	2.4	5	<1	1	2	3	5	6	13
50-64	9	4.3	8	1	1	3	6	9	10	10
65+	6	2.3	1	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	297	3.8	21	1	1	3	5	6	6	10
20-34	2102	4.1	4	1	1	4	5	6	8	11
35-49	1094	4.9	5	2	3	5	6	7	8	12
50-64	166	5.7	10	3	3	5	6	8	10	22
65+	122	6.4	6	4	4	6	7	9	11	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	644	1.7	1	<1	1	1	2	3	4	5
B. *Operated*	1766	3.3	3	<1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	500	2.3	3	<1	1	2	3	4	6	10
B. *Operated*	3781	4.5	7	1	2	4	5	7	8	12
1. SINGLE DX	2410	2.8	3	<1	1	3	4	5	6	8
2. MULTIPLE DX	4281	4.2	7	1	1	4	5	7	8	12
A. NOT OPERATED	1144	2.0	2	<1	1	2	2	4	4	7
B. OPERATED	5547	4.1	6	1	1	4	5	6	8	11
TOTAL 0-19 YRS	931	2.9	9	1	1	3	4	5	6	9
20-34	3844	3.5	4	<1	1	3	5	6	7	10
35-49	1535	4.4	5	1	1	4	5	7	8	12
50-64	230	5.4	9	2	3	5	6	8	10	18
65+	151	6.1	6	2	4	6	7	9	10	14
GRAND TOTAL	**6691**	**3.7**	**6**	**1**	**1**	**4**	**5**	**6**	**7**	**11**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	512	3.3	3	1	1	3	4	5	6	9
20-34	1286	3.6	4	1	2	3	4	6	7	10
35-49	195	4.3	5	1	2	4	5	7	8	12
50-64	11	3.1	3	1	1	3	5	6	6	6
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	126	4.1	6	1	1	4	5	7	9	12
20-34	609	4.0	6	<1	1	4	5	6	8	14
35-49	176	4.2	9	<1	1	4	6	7	9	12
50-64	27	4.8	2	2	3	5	6	6	7	8
65+	7	3.4	9	1	1	2	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	362	3.9	4	1	2	3	5	6	7	12
20-34	1037	4.1	5	1	2	4	5	7	8	12
35-49	216	4.6	7	1	2	4	6	8	10	12
50-64	23	7.5	28	1	2	6	10	15	18	22
65+	11	5.6	5	3	3	5	6	10	10	10
B. *Operated*										
0-19 YRS	251	5.0	7	1	2	5	6	9	10	14
20-34	2904	4.8	7	1	2	4	6	8	10	14
35-49	1138	5.4	11	1	3	5	6	9	11	18
50-64	153	6.7	22	2	3	6	7	12	15	28
65+	51	9.5	33	3	4	7	14	19	20	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2005	3.6	4	1	2	3	4	6	7	10
B. *Operated*	945	4.0	6	<1	1	4	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	1649	4.2	6	1	2	4	5	7	8	13
B. *Operated*	4497	5.1	9	1	2	5	6	8	11	16
1. SINGLE DX	2950	3.7	4	1	1	3	5	6	7	11
2. MULTIPLE DX	6146	4.8	8	1	2	4	6	8	10	15
A. NOT OPERATED	3654	3.9	5	1	2	3	5	6	8	11
B. OPERATED	5442	4.9	9	1	2	4	6	8	10	16
TOTAL 0-19 YRS	1251	3.9	5	1	2	4	5	6	8	12
20-34	5836	4.3	6	1	2	4	5	7	9	13
35-49	1725	5.1	10	1	2	5	6	8	11	16
50-64	214	6.4	20	1	2	5	7	12	15	24
65+	70	8.2	31	1	3	6	10	17	20	26
GRAND TOTAL	**9096**	**4.5**	**7**	**1**	**2**	**4**	**5**	**7**	**9**	**14**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	3	1	1	1	3	4	4	4
20-34	28	2.0	1	<1	<1	2	3	4	4	5
35-49	9	2.6	5	1	1	1	4	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	16	2.1	2	<1	<1	1	3	4	4	4
20-34	482	3.6	3	<1	<1	4	5	6	6	7
35-49	324	4.4	3	1	3	5	5	6	7	9
50-64	28	4.5	3	<1	1	5	6	7	7	8
65+	2	6.5	5	5	5	6	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.8	4	<1	<1	2	4	6	6	6
20-34	69	2.9	5	<1	<1	2	4	5	6	12
35-49	33	3.2	4	<1	<1	4	5	5	6	9
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	54	3.7	5	<1	1	4	5	6	7	10
20-34	2873	4.5	3	1	2	4	5	6	7	10
35-49	3592	5.0	3	3	3	5	6	7	8	11
50-64	395	5.4	5	3	4	5	6	7	8	12
65+	48	6.3	7	4	4	6	7	8	10	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	2.1	2	<1	<1	2	3	4	5	7
B. *Operated*	852	3.9	3	<1	1	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	109	3.0	4	<1	<1	3	4	5	6	11
B. *Operated*	6962	4.8	4	2	3	5	6	7	7	11
1. SINGLE DX	892	3.8	3	<1	1	4	5	6	6	8
2. MULTIPLE DX	7071	4.8	4	2	3	5	6	7	7	11
A. NOT OPERATED	149	2.8	4	<1	<1	2	4	5	6	9
B. OPERATED	7814	4.7	4	1	3	5	6	7	7	10
TOTAL 0-19 YRS	79	3.2	4	<1	<1	3	5	6	7	9
20-34	3452	4.3	4	1	1	4	5	6	7	9
35-49	3958	5.0	3	3	3	5	6	7	7	11
50-64	424	5.3	5	3	4	5	6	7	8	12
65+	50	6.3	7	4	4	6	7	8	9	18
GRAND TOTAL	**7963**	**4.7**	**4**	**1**	**3**	**5**	**6**	**7**	**7**	**10**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	2.3	1	1	1	3	3	3	3	3
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	19	2.6	3	<1	<1	2	4	5	6	6
35-49	12	1.8	1	<1	<1	1	2	4	4	4
50-64	5	1.2		<1	<1	1	1	2	2	2
65+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	4	3.0	1	2	2	3	4	4	4	4
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+	2	4.0	8	2	2	4	6	6	6	6
B. *Operated*										
0-19 YRS										
20-34	132	4.6	10	1	2	4	5	6	7	14
35-49	185	4.3	3	<1	1	4	5	6	7	9
50-64	38	4.3	5	<1	<1	4	6	8	8	9
65+	17	4.2	6	<1	1	4	6	7	8	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.3	1	1	1	2	3	3	3	3
B. *Operated*	38	2.1	2	<1	<1	1	3	5	5	6
2. MULTIPLE DX										
A. *Not Operated*	9	3.4	2	2	2	3	4	6	6	6
B. *Operated*	372	4.4	6	<1	1	4	5	7	7	10
1. SINGLE DX	42	2.1	2	<1	<1	1	3	4	5	6
2. MULTIPLE DX	381	4.4	6	<1	1	4	5	7	7	10
A. NOT OPERATED	13	3.1	2	1	2	3	4	5	6	6
B. OPERATED	410	4.2	6	<1	1	4	5	6	7	9
TOTAL 0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	158	4.3	9	1	1	4	5	6	7	10
35-49	198	4.1	4	<1	1	4	5	6	7	9
50-64	43	3.9	5	<1	<1	4	6	7	8	9
65+	21	4.0	6	<1	1	4	6	7	8	9
GRAND TOTAL	**423**	**4.1**	**6**	**<1**	**1**	**4**	**5**	**6**	**7**	**9**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.5	2	<1	<1	2	3	4	6	7
20-34	71	3.2	3	1	1	3	4	6	7	9
35-49	15	3.9	2	2	2	4	5	5	7	7
50-64	4	3.8	9	<1	<1	3	6	8	8	8
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	14	1.9	2	<1	<1	1	3	4	5	5
20-34	118	1.7	2	<1	<1	1	2	4	5	8
35-49	65	1.3	1	<1	<1	1	1	2	4	5
50-64	17	1.1		<1	<1	1	1	2	2	2
65+	7	2.1	2	<1	<1	2	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	3.5	2	1	2	3	4	6	7	7
20-34	99	3.5	4	1	2	3	4	6	8	10
35-49	32	3.9	5	1	1	3	5	7	8	9
50-64	7	7.9	55	2	2	5	8	21	24	24
65+	15	5.5	8	2	2	5	7	9	11	12
B. *Operated*										
0-19 YRS	16	4.8	7	1	2	4	7	8	9	10
20-34	161	3.9	7	<1	1	4	5	7	8	16
35-49	94	4.4	9	<1	1	4	6	8	9	17
50-64	36	5.9	49	<1	<1	4	8	16	18	35
65+	33	5.7	35	<1	1	3	6	17	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	114	3.2	3	<1	1	3	4	6	7	9
B. *Operated*	221	1.6	2	<1	<1	1	2	3	5	7
2. MULTIPLE DX										
A. *Not Operated*	200	3.9	6	1	2	3	5	7	8	11
B. *Operated*	340	4.5	15	<1	1	4	6	8	11	19
1. SINGLE DX	335	2.1	3	<1	<1	1	3	4	6	8
2. MULTIPLE DX	540	4.3	12	<1	1	4	5	8	9	19
A. NOT OPERATED	314	3.6	5	1	1	3	4	7	8	10
B. OPERATED	561	3.3	12	<1	<1	2	5	7	8	18
TOTAL 0-19 YRS	100	3.3	4	<1	1	3	4	6	7	9
20-34	449	3.2	5	<1	<1	3	4	6	7	10
35-49	206	3.3	7	<1	<1	3	5	7	8	12
50-64	64	4.7	38	<1	<1	2	6	11	17	33
65+	56	5.1	24	<1	1	4	6	14	18	19
GRAND TOTAL	**875**	**3.4**	**9**	**<1**	**<1**	**3**	**5**	**7**	**8**	**17**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	5	4.6	2	3	3	4	5	7	7	7
50-64	5	4.8	2	3	3	5	6	6	6	6
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	3	4.0	1	3	3	4	5	5	5	5
20-34	183	4.0	3	1	2	4	5	6	7	9
35-49	370	4.6	3	2	3	4	6	7	7	10
50-64	514	4.8	3	2	3	5	6	7	8	10
65+	510	5.0	3	3	3	5	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	21	3.6	6	<1	<1	4	5	7	8	10
35-49	35	3.5	5	<1	<1	3	5	7	8	8
50-64	31	3.0	5	<1	<1	2	5	6	7	8
65+	38	2.7	8	<1	<1	1	4	5	9	14
B. *Operated*										
0-19 YRS	12	5.0	5	<1	2	5	7	8	8	8
20-34	1029	4.8	3	3	3	5	6	7	8	10
35-49	2324	5.2	5	3	3	5	6	7	8	11
50-64	1857	5.5	4	3	3	5	6	8	9	13
65+	1988	6.0	7	3	4	6	7	9	10	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	4.4	2	1	2	4	5	6	7	7
B. *Operated*	1580	4.7	3	2	3	5	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	126	3.1	6	<1	<1	2	5	6	7	12
B. *Operated*	7210	5.4	5	3	3	5	6	8	9	13
1. SINGLE DX	1593	4.7	3	2	3	5	6	7	8	10
2. MULTIPLE DX	7336	5.4	5	3	3	5	6	8	9	13
A. NOT OPERATED	139	3.2	6	<1	<1	3	5	6	7	12
B. OPERATED	8790	5.3	5	3	3	5	6	8	9	12
TOTAL 0-19 YRS	16	4.6	5	<1	1	4	6	8	8	8
20-34	1235	4.6	3	2	3	4	5	7	7	10
35-49	2734	5.1	5	3	3	5	6	7	8	11
50-64	2407	5.3	4	3	3	5	6	8	9	12
65+	2537	5.8	6	3	3	5	7	8	10	14
GRAND TOTAL	**8929**	**5.3**	**5**	**3**	**3**	**5**	**6**	**8**	**9**	**12**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	24	1.1		<1	<1	<1	1	1	2	3
35-49	35	1.4	1	<1	<1	<1	1	3	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	3.4	8	<1	<1	3	5	8	8	8
35-49	5	2.6	1	2	2	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	50	3.6	5	<1	<1	4	5	6	6	11
35-49	79	3.9	5	<1	<1	4	5	7	8	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.3		1	1	1	2	2	2	2
B. *Operated*	59	1.3	1	<1	<1	<1	1	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	10	3.0	4	<1	<1	3	4	6	8	8
B. *Operated*	130	3.8	5	<1	<1	4	5	7	7	9
1. SINGLE DX	62	1.3	1	<1	<1	<1	1	2	3	6
2. MULTIPLE DX	140	3.7	5	<1	<1	4	5	7	8	9
A. NOT OPERATED	13	2.6	4	<1	1	2	3	5	7	8
B. OPERATED	189	3.0	5	<1	<1	2	5	6	7	9
TOTAL 0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	80	2.8	5	<1	<1	2	4	6	6	10
35-49	120	3.1	5	<1	<1	2	5	6	7	9
50-64										
65+										
GRAND TOTAL	**202**	**3.0**	**5**	**<1**	**<1**	**2**	**5**	**6**	**7**	**9**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	1.6	1	<1	<1	1	2	2	4	4
20-34	61	1.3	1	<1	<1	1	2	2	3	6
35-49	38	2.2	5	<1	<1	1	3	5	8	10
50-64										
65+										
B. *Operated*										
0-19 YRS	39	1.5	1	<1	<1	1	2	3	4	4
20-34	446	2.0	3	<1	<1	1	3	5	5	6
35-49	678	2.1	3	<1	<1	1	3	5	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	1.9	1	<1	1	2	2	3	4	6
20-34	128	2.1	3	<1	<1	1	2	4	5	10
35-49	141	2.6	4	<1	<1	2	4	5	6	8
50-64										
65+										
B. *Operated*										
0-19 YRS	63	2.0	2	<1	<1	1	3	5	6	6
20-34	1588	3.9	4	<1	1	4	5	6	7	9
35-49	3295	4.2	5	<1	1	4	5	6	7	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	115	1.7	2	<1	<1	1	2	3	4	9
B. *Operated*	1163	2.1	3	<1	<1	1	3	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	316	2.3	3	<1	<1	2	3	5	6	8
B. *Operated*	4946	4.1	5	<1	1	4	5	6	7	10
1. SINGLE DX	1278	2.0	3	<1	<1	1	3	5	5	7
2. MULTIPLE DX	5262	4.0	5	<1	1	4	5	6	7	10
A. NOT OPERATED	431	2.1	3	<1	<1	1	3	4	5	8
B. OPERATED	6109	3.7	5	<1	<1	4	5	6	7	10
TOTAL 0-19 YRS	165	1.8	2	<1	<1	1	2	4	5	6
20-34	2223	3.3	4	<1	<1	3	5	6	6	8
35-49	4152	3.8	6	<1	<1	4	5	6	7	11
50-64										
65+										
GRAND TOTAL	**6540**	**3.6**	**5**	**<1**	**<1**	**4**	**5**	**6**	**7**	**10**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	7	1.4	1	<1	<1	1	1	3	4	4
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS										
20-34	13	2.2	3	<1	<1	1	4	5	5	5
35-49	73	1.5	1	<1	<1	<1	1	3	4	6
50-64	241	1.3	1	<1	<1	<1	1	1	4	7
65+	106	1.4	1	<1	<1	1	1	2	3	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.0		1	1	1	1	1	1	1
35-49	10	2.1	1	<1	<1	2	3	4	4	4
50-64	16	2.7	6	<1	<1	1	4	6	9	10
65+	23	2.9	5	<1	1	2	4	6	8	10
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	37	3.8	3	1	1	4	5	6	6	8
35-49	192	3.5	5	<1	<1	4	5	6	7	11
50-64	452	2.7	5	<1	<1	1	4	6	7	9
65+	259	2.7	6	<1	<1	1	4	6	8	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	1.5	1	<1	<1	1	2	3	4	4
B. *Operated*	433	1.4	1	<1	<1	<1	1	2	4	6
2. MULTIPLE DX										
A. *Not Operated*	52	2.6	5	<1	<1	2	3	5	7	10
B. *Operated*	941	2.9	5	<1	<1	2	5	6	7	10
1. SINGLE DX	445	1.4	1	<1	<1	<1	1	2	4	6
2. MULTIPLE DX	993	2.9	5	<1	<1	2	5	6	7	10
A. NOT OPERATED	64	2.4	4	<1	<1	2	3	4	6	10
B. OPERATED	1374	2.4	4	<1	<1	1	4	6	6	9
TOTAL 0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	55	3.2	3	<1	<1	3	5	5	6	8
35-49	277	2.9	5	<1	<1	3	5	6	6	9
50-64	716	2.2	4	<1	<1	1	4	5	6	8
65+	389	2.4	5	<1	<1	1	3	6	7	10
GRAND TOTAL	**1438**	**2.4**	**4**	**<1**	**<1**	**1**	**4**	**6**	**6**	**9**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	1.9	3	<1	<1	1	2	5	7	7
20-34	37	2.1	3	<1	1	2	2	5	6	9
35-49	10	2.8	7	1	1	2	4	7	9	9
50-64	3	2.7	8	1	1	1	5	6	6	6
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	48	1.9	1	<1	<1	1	3	4	4	5
20-34	517	2.6	3	<1	<1	2	4	5	5	8
35-49	347	2.8	4	<1	<1	2	4	5	6	10
50-64	154	2.7	4	<1	<1	2	4	5	6	9
65+	68	3.3	10	<1	<1	2	5	7	9	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	1.4	1	<1	<1	1	2	3	3	3
20-34	64	2.2	3	<1	<1	2	3	4	6	8
35-49	33	2.2	4	<1	<1	1	3	5	6	9
50-64	21	2.4	2	<1	<1	2	3	4	5	6
65+	29	4.1	12	<1	<1	3	6	9	13	14
B. *Operated*										
0-19 YRS	81	3.2	7	<1	<1	3	4	6	7	16
20-34	1197	3.9	5	<1	1	4	5	6	7	11
35-49	1485	4.5	5	<1	1	5	6	7	8	12
50-64	828	4.8	10	<1	1	5	6	7	9	14
65+	401	5.9	27	<1	1	5	7	11	14	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	2.2	4	<1	<1	1	2	5	7	9
B. *Operated*	1134	2.7	4	<1	<1	2	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	163	2.5	5	<1	<1	2	3	5	7	13
B. *Operated*	3992	4.5	8	<1	1	4	6	7	8	14
1. SINGLE DX	1199	2.7	4	<1	<1	2	4	5	6	9
2. MULTIPLE DX	4155	4.4	8	<1	1	4	6	7	8	14
A. NOT OPERATED	228	2.4	5	<1	<1	2	3	5	7	10
B. OPERATED	5126	4.1	8	<1	1	4	5	7	8	13
TOTAL 0-19 YRS	159	2.5	5	<1	<1	2	4	5	6	8
20-34	1815	3.4	5	<1	1	3	5	6	7	10
35-49	1875	4.1	5	<1	1	4	5	6	7	11
50-64	1006	4.4	9	<1	1	4	6	7	9	12
65+	499	5.4	25	<1	1	5	7	10	14	24
GRAND TOTAL	**5354**	**4.0**	**8**	**<1**	**1**	**4**	**5**	**7**	**8**	**13**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	1.5	1	<1	<1	1	2	3	3	4
20-34	153	1.9	2	<1	<1	1	2	3	4	6
35-49	31	1.9	3	<1	<1	1	2	4	6	9
50-64	7	3.7	6	<1	<1	3	6	7	7	7
65+	3	2.7	4	1	1	2	4	5	5	5
B. *Operated*										
0-19 YRS	55	2.3	3	<1	<1	1	3	5	6	7
20-34	557	2.7	4	<1	<1	2	4	5	6	8
35-49	523	3.9	4	<1	1	4	5	6	7	9
50-64	379	4.8	4	2	2	5	6	7	8	11
65+	169	5.3	5	2	3	5	7	8	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	2.0	2	<1	<1	2	3	4	5	7
20-34	254	2.3	6	<1	<1	2	3	4	6	7
35-49	73	2.6	22	<1	<1	1	2	5	8	32
50-64	18	2.1	3	<1	<1	1	3	5	6	7
65+	21	2.8	6	<1	<1	2	4	6	8	10
B. *Operated*										
0-19 YRS	70	2.8	3	<1	1	2	4	5	6	7
20-34	2239	4.0	4	<1	1	4	5	6	7	9
35-49	1810	4.9	4	1	3	5	6	7	8	11
50-64	698	5.7	10	3	3	5	7	8	9	15
65+	461	5.9	7	3	3	6	7	9	10	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	280	1.8	2	<1	<1	1	2	3	4	7
B. *Operated*	1683	3.8	5	<1	<1	4	5	7	7	10
2. MULTIPLE DX										
A. *Not Operated*	429	2.3	8	<1	<1	1	3	4	6	9
B. *Operated*	5278	4.7	5	1	2	5	6	7	8	11
1. SINGLE DX	1963	3.5	5	<1	<1	3	5	6	7	9
2. MULTIPLE DX	5707	4.5	6	1	1	4	6	7	8	11
A. NOT OPERATED	709	2.1	5	<1	<1	1	3	4	5	8
B. OPERATED	6961	4.5	5	<1	1	4	6	7	8	11
TOTAL 0-19 YRS	274	2.1	2	<1	<1	1	3	5	5	7
20-34	3203	3.5	4	<1	1	4	5	6	7	9
35-49	2437	4.6	5	1	1	5	6	7	8	10
50-64	1102	5.3	8	2	3	5	6	8	9	13
65+	654	5.7	7	2	3	5	7	9	10	15
GRAND TOTAL	**7670**	**4.3**	**6**	**<1**	**1**	**4**	**6**	**7**	**8**	**11**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34	28	2.2	2	<1	<1	2	3	4	5	5
35-49	4	2.5	4	1	1	2	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	146	3.4	1	2	2	3	4	5	5	5
20-34	1847	3.5	1	2	2	4	4	5	5	6
35-49	241	3.6	2	2	2	4	4	5	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.8	1	<1	<1	1	2	3	3	3
20-34	22	2.7	3	<1	1	3	4	5	6	8
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	121	3.9	3	2	2	4	5	6	7	9
20-34	2162	3.9	2	2	3	4	4	5	6	8
35-49	383	4.1	2	2	3	4	5	6	7	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	2.1	2	<1	<1	2	3	4	5	5
B. *Operated*	2234	3.5	1	2	2	4	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*	27	2.6	3	<1	1	3	3	4	5	8
B. *Operated*	2666	3.9	2	2	3	4	5	5	6	8
1. SINGLE DX	2269	3.5	1	2	2	4	4	5	5	6
2. MULTIPLE DX	2693	3.9	2	2	3	4	5	5	6	8
A. NOT OPERATED	62	2.3	2	<1	<1	2	3	4	5	8
B. OPERATED	4900	3.7	2	2	2	4	4	5	6	8
TOTAL 0-19 YRS	274	3.6	2	2	2	3	4	5	6	9
20-34	4059	3.7	2	2	2	4	4	5	6	7
35-49	629	3.9	2	2	2	4	4	5	6	8
50-64										
65+										
GRAND TOTAL	**4962**	**3.7**	**2**	**2**	**2**	**4**	**4**	**5**	**6**	**8**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	1.2		<1	<1	1	1	2	2	2
20-34	39	1.5	1	<1	<1	1	2	3	4	4
35-49	8	4.9	112	<1	<1	1	2	22	31	31
50-64										
65+										
B. *Operated*										
0-19 YRS	259	1.1		<1	<1	1	1	1	2	4
20-34	547	1.3	7	<1	<1	<1	1	2	2	5
35-49	52	1.1		<1	<1	1	1	2	2	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.3	3	1	1	2	2	6	6	6
20-34	36	2.1	4	<1	1	1	3	4	6	10
35-49	14	1.0		<1	<1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	76	1.8	2	<1	<1	1	2	3	4	9
20-34	388	2.1	4	<1	<1	1	2	5	6	10
35-49	103	2.0	4	<1	<1	1	2	4	6	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	1.9	15	<1	<1	1	2	3	4	28
B. *Operated*	858	1.3	4	<1	<1	1	1	2	2	5
2. MULTIPLE DX										
A. *Not Operated*	56	1.9	3	<1	1	1	2	3	6	10
B. *Operated*	567	2.1	4	<1	<1	1	2	5	6	10
1. SINGLE DX	920	1.3	5	<1	<1	1	1	2	2	5
2. MULTIPLE DX	623	2.0	4	<1	<1	1	2	4	6	10
A. NOT OPERATED	118	1.9	9	<1	<1	1	2	3	4	17
B. OPERATED	1425	1.6	4	<1	<1	1	1	3	4	8
TOTAL 0-19 YRS	356	1.3	1	<1	<1	1	1	2	3	7
20-34	1010	1.7	6	<1	<1	1	1	3	5	8
35-49	177	1.8	8	<1	<1	1	2	3	5	13
50-64										
65+										
GRAND TOTAL	**1543**	**1.6**	**5**	**<1**	**<1**	**1**	**1**	**3**	**4**	**8**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	2	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	3	1.0		<1	<1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	1	1.0		1	1	1	1	1	1	1
1. SINGLE DX	4	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX	1	1.0		1	1	1	1	1	1	1
A. NOT OPERATED	1	2.0		2	2	2	2	2	2	2
B. OPERATED	4	1.0		<1	<1	1	1	1	1	1
TOTAL 0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	2	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
GRAND TOTAL	**5**	**1.2**		**<1**	**<1**	**1**	**1**	**2**	**2**	**2**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	1.3		<1	<1	1	1	2	3	4
20-34	337	1.3	1	<1	<1	1	1	2	3	6
35-49	52	1.3	2	<1	<1	1	1	2	2	11
50-64										
65+										
B. *Operated*										
0-19 YRS	648	1.2		<1	<1	1	1	2	2	4
20-34	3645	1.1		<1	<1	1	1	1	2	4
35-49	616	1.1		<1	<1	1	1	1	2	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	2.0	4	<1	<1	1	2	4	6	10
20-34	130	1.7	1	<1	<1	1	2	3	4	6
35-49	21	1.3		<1	<1	1	2	2	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	152	1.6	2	<1	<1	1	2	3	4	9
20-34	942	1.7	2	<1	<1	1	2	3	5	8
35-49	221	1.8	2	<1	<1	1	2	4	4	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	486	1.3	1	<1	<1	1	1	2	3	5
B. *Operated*	4909	1.1		<1	<1	1	1	1	2	4
2. MULTIPLE DX										
A. *Not Operated*	173	1.7	1	<1	<1	1	2	3	4	6
B. *Operated*	1315	1.7	2	<1	<1	1	2	3	4	8
1. SINGLE DX	5395	1.2		<1	<1	1	1	2	2	4
2. MULTIPLE DX	1488	1.7	2	<1	<1	1	2	3	4	8
A. NOT OPERATED	659	1.4	1	<1	<1	1	1	2	3	6
B. OPERATED	6224	1.3	1	<1	<1	1	1	2	3	5
TOTAL 0-19 YRS	919	1.3	1	<1	<1	1	1	2	3	5
20-34	5054	1.3	1	<1	<1	1	1	2	3	5
35-49	910	1.3	1	<1	<1	1	1	2	3	5
50-64										
65+										
GRAND TOTAL	**6883**	**1.3**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**	**5**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	2.4	2	<1	<1	2	3	5	5	6
20-34	193	1.9	2	<1	<1	1	2	4	5	8
35-49	34	1.4	1	<1	<1	1	1	3	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	112	1.5	1	<1	<1	1	2	3	4	6
20-34	895	1.3	1	<1	<1	1	1	2	2	5
35-49	183	1.3	1	<1	<1	1	1	2	3	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	3.1	4	<1	1	2	5	5	7	10
20-34	91	3.1	15	<1	1	2	4	6	8	24
35-49	11	2.8	3	1	1	2	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	63	2.6	8	<1	1	2	3	6	9	16
20-34	403	2.0	3	<1	<1	1	2	4	5	8
35-49	80	1.9	2	<1	<1	1	2	5	5	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	275	2.0	2	<1	<1	1	2	4	5	7
B. *Operated*	1190	1.3	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	124	3.1	12	<1	1	2	4	5	7	16
B. *Operated*	546	2.0	3	<1	<1	1	2	4	6	9
1. SINGLE DX	1465	1.4	1	<1	<1	1	1	2	3	6
2. MULTIPLE DX	670	2.2	5	<1	<1	1	3	5	6	10
A. NOT OPERATED	399	2.3	5	<1	<1	2	3	5	5	10
B. OPERATED	1736	1.5	2	<1	<1	1	1	3	4	7
TOTAL 0-19 YRS	245	2.1	4	<1	<1	1	2	4	5	10
20-34	1582	1.6	3	<1	<1	1	2	3	4	7
35-49	308	1.5	1	<1	<1	1	1	3	5	6
50-64										
65+										
GRAND TOTAL	**2135**	**1.7**	**3**	**<1**	**<1**	**1**	**2**	**3**	**5**	**7**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	1.6	1	<1	<1	1	2	2	4	7
20-34	319	1.6	1	<1	<1	1	2	3	3	6
35-49	27	1.6	1	<1	<1	1	2	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	27	1.4		<1	<1	1	2	2	3	3
35-49	5	1.0		<1	<1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	2.2	2	1	1	2	3	4	5	5
20-34	130	2.0	2	<1	<1	1	3	4	5	8
35-49	16	2.3	2	<1	1	2	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	7	1.7	2	1	1	1	2	4	5	5
20-34	17	1.9	2	<1	1	1	3	4	5	5
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	395	1.6	1	<1	<1	1	2	3	3	6
B. *Operated*	34	1.3		<1	<1	1	1	2	3	3
2. MULTIPLE DX										
A. *Not Operated*	160	2.1	2	<1	<1	2	3	4	5	7
B. *Operated*	26	2.0	2	<1	1	1	3	5	5	5
1. SINGLE DX	429	1.6	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX	186	2.1	2	<1	1	2	3	4	5	7
A. NOT OPERATED	555	1.7	1	<1	<1	1	2	3	4	7
B. OPERATED	60	1.6	1	<1	<1	1	2	3	4	5
TOTAL 0-19 YRS	72	1.7	1	<1	<1	1	2	3	4	7
20-34	493	1.7	1	<1	<1	1	2	3	4	7
35-49	50	1.8	1	<1	<1	1	3	4	4	5
50-64										
65+										
GRAND TOTAL	**615**	**1.7**	**1**	**<1**	**<1**	**1**	**2**	**3**	**4**	**6**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5	1	1	1	1	2	3	3	3
20-34	39	1.5	1	<1	<1	1	2	3	4	4
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	4	1.0		<1	<1	1	1	1	1	1
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	1.5		<1	<1	1	2	2	2	2
20-34	23	2.4	2	1	1	2	3	5	6	6
35-49	2	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	1.5	1	<1	<1	1	2	3	3	4
B. *Operated*	4	1.0		<1	<1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	31	2.2	2	1	1	2	3	4	5	6
B. *Operated*	1	8.0		8	8	8	8	8	8	8
1. SINGLE DX	49	1.4	1	<1	<1	1	2	3	3	4
2. MULTIPLE DX	32	2.3	3	1	1	2	3	5	6	8
A. NOT OPERATED	76	1.8	1	<1	<1	1	2	3	4	6
B. OPERATED	5	2.4	10	<1	<1	1	3	8	8	8
TOTAL 0-19 YRS	10	1.5	1	<1	<1	1	2	3	3	3
20-34	67	1.9	2	<1	<1	1	2	4	5	8
35-49	4	1.0		<1	<1	1	1	1	1	1
50-64										
65+										
GRAND TOTAL	**81**	**1.8**	**2**	**<1**	**<1**	**1**	**2**	**3**	**5**	**7**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	144	2.4	4	<1	1	2	3	5	6	12
20-34	754	2.3	3	<1	1	2	3	4	6	9
35-49	62	2.5	4	<1	<1	2	3	5	7	11
50-64										
65+										
B. *Operated*										
0-19 YRS	19	1.6	1	<1	<1	1	2	4	5	5
20-34	129	2.5	5	<1	<1	2	3	5	9	12
35-49	11	2.4	2	1	1	2	3	4	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	2.8	9	<1	1	2	3	5	8	20
20-34	335	2.9	7	<1	1	2	3	5	8	15
35-49	40	3.7	7	<1	1	3	5	8	9	11
50-64										
65+										
B. *Operated*										
0-19 YRS	14	4.1	12	<1	1	3	5	9	13	14
20-34	149	2.1	5	<1	<1	1	2	4	7	11
35-49	22	4.1	15	<1	<1	3	5	11	13	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	960	2.3	3	<1	1	2	3	4	6	9
B. *Operated*	159	2.4	5	<1	<1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	427	3.0	7	<1	1	2	4	5	8	15
B. *Operated*	185	2.5	7	<1	<1	1	3	5	9	14
1. SINGLE DX	1119	2.3	3	<1	<1	2	3	4	6	10
2. MULTIPLE DX	612	2.8	7	<1	<1	2	3	5	9	14
A. NOT OPERATED	1387	2.5	4	<1	1	2	3	5	6	12
B. OPERATED	344	2.4	6	<1	<1	2	3	5	8	14
TOTAL 0-19 YRS	229	2.5	5	<1	1	2	3	5	6	13
20-34	1367	2.4	4	<1	<1	2	3	5	6	12
35-49	135	3.1	7	<1	<1	2	4	6	9	13
50-64										
65+										
GRAND TOTAL	**1731**	**2.5**	**5**	**<1**	**<1**	**2**	**3**	**5**	**7**	**12**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	197	2.7	3	1	1	2	3	5	6	9
20-34	1413	3.1	4	1	1	3	4	5	6	10
35-49	50	3.3	6	1	1	3	4	7	9	12
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	6	3.2	9	1	1	2	3	8	9	9
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	132	2.9	7	1	1	2	3	5	6	15
20-34	832	3.5	9	1	1	3	4	6	8	15
35-49	35	3.5	5	1	1	3	5	7	8	10
50-64										
65+										
B. *Operated*										
0-19 YRS	5	3.6	3	1	1	4	5	6	6	6
20-34	54	5.1	52	<1	1	3	6	13	18	44
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1660	3.1	4	1	1	3	4	5	6	10
B. *Operated*	7	3.0	8	1	1	2	3	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	999	3.4	8	1	1	3	4	6	8	14
B. *Operated*	59	5.0	48	<1	1	3	6	11	17	43
1. SINGLE DX	1667	3.1	4	1	1	3	4	5	6	10
2. MULTIPLE DX	1058	3.5	11	1	1	3	4	6	8	15
A. NOT OPERATED	2659	3.2	6	1	1	3	4	5	7	11
B. OPERATED	66	4.8	44	<1	1	3	5	9	16	41
TOTAL 0-19 YRS	335	2.8	4	1	1	2	3	5	6	10
20-34	2305	3.3	7	1	1	3	4	6	7	13
35-49	85	3.4	6	1	1	3	4	7	8	11
50-64										
65+										
GRAND TOTAL	**2725**	**3.3**	**7**	**1**	**1**	**3**	**4**	**6**	**7**	**13**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	567	1.1		<1	<1	<1	1	1	2	3
20-34	3077	1.1		<1	<1	<1	1	1	1	3
35-49	184	1.1		<1	<1	<1	1	1	1	3
50-64										
65+										
B. *Operated*										
0-19 YRS	87	1.1	1	<1	<1	<1	1	1	2	6
20-34	447	1.1		<1	<1	<1	1	1	2	3
35-49	32	1.1		<1	<1	<1	1	1	1	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	1.6	3	<1	<1	1	2	3	4	11
20-34	362	1.3	1	<1	<1	1	1	2	3	5
35-49	30	1.3		<1	<1	1	2	2	2	3
50-64										
65+										
B. *Operated*										
0-19 YRS	24	1.2		<1	<1	1	1	2	3	3
20-34	144	1.7	3	<1	<1	1	2	4	5	11
35-49	12	1.3	1	<1	<1	<1	1	2	4	4
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3828	1.1		<1	<1	<1	1	1	1	3
B. *Operated*	566	1.1		<1	<1	<1	1	1	2	3
2. MULTIPLE DX										
A. *Not Operated*	457	1 3	1	<1	<1	1	1	2	3	5
B. *Operated*	180	1.6	3	<1	<1	1	1	3	4	10
1. SINGLE DX	4394	1.1		<1	<1	<1	1	1	1	3
2. MULTIPLE DX	637	1.4	1	<1	<1	1	1	2	3	7
A. NOT OPERATED	4285	1.1		<1	<1	<1	1	1	2	4
B. OPERATED	746	1.2	1	<1	<1	<1	1	2	3	7
TOTAL 0-19 YRS	743	1.1	1	<1	<1	<1	1	1	2	4
20-34	4030	1.1	1	<1	<1	<1	1	1	2	4
35-49	258	1.1		<1	<1	<1	1	1	2	3
50-64										
65+										
GRAND TOTAL	**5031**	**1.1**	**1**	**<1**	**<1**	**<1**	**1**	**1**	**2**	**4**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	2.0	2	<1	1	1	3	4	4	8
20-34	344	2.6	12	<1	<1	2	3	5	7	16
35-49	49	2.4	5	<1	<1	2	3	4	7	14
50-64										
65+										
B. *Operated*										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	43	4.8	51	<1	<1	2	6	11	16	42
35-49	5	7.4	38	1	1	8	11	16	16	16
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	3.1	6	1	1	3	4	7	8	8
20-34	136	5.3	121	<1	1	3	5	10	15	75
35-49	25	4.0	20	<1	1	2	6	9	13	20
50-64										
65+										
B. *Operated*										
0-19 YRS	3	9.0	129	1	1	4	17	22	22	22
20-34	42	4.0	10	1	1	3	6	9	11	12
35-49	10	6.1	106	<1	<1	3	5	20	35	35
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	423	2.5	10	<1	<1	2	3	4	7	15
B. *Operated*	49	5.3	52	<1	<1	2	8	13	18	42
2. MULTIPLE DX										
A. *Not Operated*	168	5.0	101	<1	1	3	5	10	14	67
B. *Operated*	55	4.7	32	1	1	3	5	9	12	34
1. SINGLE DX	472	2.8	15	<1	<1	2	3	5	9	18
2. MULTIPLE DX	223	4.9	84	<1	1	3	5	9	14	50
A. NOT OPERATED	591	3.2	37	<1	<1	2	3	6	9	20
B. OPERATED	104	5.0	41	<1	1	3	6	11	17	38
TOTAL 0-19 YRS	41	3.1	18	<1	1	2	3	6	13	22
20-34	565	3.5	42	<1	<1	2	4	7	11	23
35-49	89	3.5	23	<1	<1	2	4	8	11	29
50-64										
65+										
GRAND TOTAL	**695**	**3.5**	**38**	**<1**	**<1**	**2**	**4**	**7**	**11**	**23**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	80	1.3	1	<1	<1	1	1	2	3	5
20-34	478	1.8	4	<1	<1	1	2	3	5	12
35-49	47	1.5	1	<1	<1	1	2	3	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	6	2.5	4	<1	<1	1	5	5	5	5
20-34	40	2.2	5	<1	<1	1	2	5	8	11
35-49	10	1.8	2	<1	<1	1	2	4	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	2.7	13	<1	<1	1	3	5	7	20
20-34	195	2.4	6	<1	<1	2	3	5	6	14
35-49	23	2.3	4	<1	<1	2	3	5	7	8
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	61	3.0	21	<1	<1	2	3	6	8	29
35-49	6	1.5	1	<1	<1	1	2	3	3	3
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	605	1.7	3	<1	<1	1	2	3	4	10
B. *Operated*	56	2.2	5	<1	<1	1	2	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	248	2.4	6	<1	<1	2	3	5	7	14
B. *Operated*	69	2.8	19	<1	<1	2	3	5	8	28
1. SINGLE DX	661	1.8	3	<1	<1	1	2	3	4	10
2. MULTIPLE DX	317	2.5	9	<1	<1	2	3	5	7	17
A. NOT OPERATED	853	1.9	4	<1	<1	1	2	3	5	13
B. OPERATED	125	2.5	12	<1	<1	1	3	5	7	22
TOTAL 0-19 YRS	118	1.8	4	<1	<1	1	2	3	5	11
20-34	774	2.1	6	<1	<1	1	2	4	6	14
35-49	86	1.8	2	<1	<1	1	2	3	4	8
50-64										
65+										
GRAND TOTAL	**978**	**2.0**	**5**	**<1**	**<1**	**1**	**2**	**4**	**5**	**13**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	144	2.7	2	<1	1	2	3	5	5	7
20-34	449	2.5	4	<1	<1	2	3	4	5	7
35-49	14	2.1	2	<1	<1	2	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	23	2.8	4	<1	<1	2	4	6	7	7
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	281	3.3	16	<1	1	3	4	5	6	12
20-34	709	3.1	17	<1	1	3	4	5	6	10
35-49	33	2.8	2	1	1	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	10	3.5	3	<1	1	3	5	6	7	7
20-34	52	3.6	8	<1	1	3	5	7	9	13
35-49	5	3.2	3	2	2	3	4	6	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	607	2.5	3	<1	<1	2	3	4	5	7
B. *Operated*	26	2.8	4	<1	<1	2	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	1023	3.2	16	<1	1	3	4	5	6	10
B. *Operated*	67	3.6	7	<1	1	3	5	7	9	13
1. SINGLE DX	633	2.6	3	<1	<1	2	3	4	5	7
2. MULTIPLE DX	1090	3.2	15	<1	1	3	4	5	6	11
A. NOT OPERATED	1630	2.9	11	<1	1	3	4	5	6	9
B. OPERATED	93	3.4	6	<1	1	3	5	6	7	13
TOTAL 0-19 YRS	437	3.1	11	<1	1	3	4	5	6	9
20-34	1233	2.9	11	<1	1	2	4	5	6	9
35-49	53	2.7	2	<1	1	2	4	5	5	6
50-64										
65+										
GRAND TOTAL	**1723**	**3.0**	**11**	**<1**	**1**	**3**	**4**	**5**	**6**	**9**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	2.1	2	<1	<1	1	3	4	4	8
20-34	262	2.8	4	<1	1	2	3	6	7	9
35-49	60	3.1	4	<1	<1	3	4	6	7	9
50-64										
65+										
B. *Operated*										
0-19 YRS	5	2.4	3	<1	<1	2	3	5	5	5
20-34	27	2.1	3	<1	<1	1	2	5	6	9
35-49	5	3.6	7	1	1	2	6	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	203	2.6	5	<1	<1	2	3	5	8	12
20-34	1243	3.0	11	<1	<1	2	4	6	7	15
35-49	152	3.8	11	<1	1	3	4	6	9	22
50-64										
65+										
B. *Operated*										
0-19 YRS	43	5.0	159	<1	<1	2	5	7	11	84
20-34	205	3.5	10	<1	<1	3	5	7	9	17
35-49	16	2.2	2	<1	<1	2	3	5	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	353	2.8	4	<1	1	2	3	6	7	9
B. *Operated*	37	2.3	4	<1	<1	2	3	5	7	9
2. MULTIPLE DX										
A. *Not Operated*	1598	3.0	10	<1	<1	2	4	6	8	14
B. *Operated*	264	3.7	34	<1	<1	3	5	7	9	20
1. SINGLE DX	390	2.8	4	<1	<1	2	3	6	7	9
2. MULTIPLE DX	1862	3.1	13	<1	<1	2	4	6	8	14
A. NOT OPERATED	1951	3.0	9	<1	<1	2	4	6	7	13
B. OPERATED	301	3.5	30	<1	<1	2	4	7	8	17
TOTAL 0-19 YRS	282	2.9	29	<1	<1	2	3	5	8	13
20-34	1737	3.0	9	<1	<1	2	4	6	8	13
35-49	233	3.5	8	<1	1	3	4	6	7	15
50-64										
65+										
GRAND TOTAL	**2252**	**3.1**	**12**	**<1**	**<1**	**2**	**4**	**6**	**8**	**13**

268: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	899	1.7	3	<1	<1	1	2	3	4	11
20-34	3984	1.8	5	<1	<1	1	2	3	5	11
35-49	269	2.1	5	<1	<1	1	2	4	5	13
50-64										
65+										
B. *Operated*										
0-19 YRS	309	1.9	5	<1	<1	1	2	4	5	11
20-34	1719	1.9	8	<1	<1	1	2	3	5	17
35-49	143	1.8	6	<1	<1	1	2	3	7	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	393	2.2	4	<1	<1	1	2	4	6	12
20-34	2010	2.6	15	<1	<1	1	3	5	7	19
35-49	135	2.7	14	<1	<1	2	3	5	7	24
50-64										
65+										
B. *Operated*										
0-19 YRS	184	3.1	27	<1	<1	2	3	6	9	34
20-34	1113	2.5	11	<1	<1	1	3	5	7	18
35-49	113	2.5	9	<1	<1	1	3	5	6	18
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5152	1.8	5	<1	<1	1	2	3	5	11
B. *Operated*	2171	1.9	7	<1	<1	1	2	3	5	16
2. MULTIPLE DX										
A. *Not Operated*	2538	2.5	13	<1	<1	1	3	4	7	17
B. *Operated*	1410	2.5	13	<1	<1	1	3	5	7	18
1. SINGLE DX	7323	1.8	5	<1	<1	1	2	3	5	11
2. MULTIPLE DX	3948	2.5	13	<1	<1	1	3	5	7	18
A. NOT OPERATED	7690	2.0	8	<1	<1	1	2	4	5	13
B. OPERATED	3581	2.2	10	<1	<1	1	2	4	6	17
TOTAL 0-19 YRS	1785	2.0	6	<1	<1	1	2	4	5	12
20-34	8826	2.1	9	<1	<1	1	2	4	6	14
35-49	660	2.2	8	<1	<1	1	2	4	6	17
50-64										
65+										
GRAND TOTAL	**11271**	**2.1**	**8**	**<1**	**<1**	**1**	**2**	**4**	**5**	**13**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	1.9	1	1	1	2	2	3	4	5
20-34	454	1.9	1	1	1	2	2	3	3	5
35-49	46	2.1	2	<1	1	2	2	3	5	8
50-64										
65+										
B. *Operated*										
0-19 YRS	33	2.9	3	1	1	3	4	6	6	7
20-34	361	2.9	2	1	1	3	4	5	5	7
35-49	29	2.9	1	1	2	3	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	107	2.0	1	1	1	2	2	3	4	6
20-34	733	2.1	1	1	1	2	3	3	4	6
35-49	73	1.9	1	1	1	2	2	3	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	193	3.5	12	1	1	3	4	5	7	17
20-34	2293	3.7	16	1	2	3	4	5	7	18
35-49	320	4.0	12	1	2	3	5	6	8	21
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	560	2.0	1	1	1	2	2	3	3	5
B. *Operated*	423	2.9	2	1	1	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	913	2.1	1	1	1	2	3	3	4	6
B. *Operated*	2806	3.7	15	1	2	3	4	6	7	18
1. SINGLE DX	983	2.3	1	1	1	2	3	4	5	6
2. MULTIPLE DX	3719	3.3	12	1	1	3	4	5	6	14
A. NOT OPERATED	1473	2.0	1	1	1	2	2	3	4	6
B. OPERATED	3229	3.6	13	1	2	3	4	5	7	17
TOTAL 0-19 YRS	393	2.8	7	1	1	2	3	5	6	11
20-34	3841	3.1	10	1	1	3	4	5	6	12
35-49	468	3.4	9	1	1	3	4	5	6	20
50-64										
65+										
GRAND TOTAL	**4702**	**3.1**	**10**	**1**	**1**	**3**	**4**	**5**	**6**	**12**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4482	1.7	1	1	1	2	2	3	3	4
20-34	33475	1.8	1	1	1	2	2	3	3	4
35-49	2219	1.9	1	<1	1	2	2	3	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1557	1.9	1	1	1	2	2	3	3	4
20-34	11283	1.9	1	1	1	2	2	3	3	4
35-49	776	2.0	1	1	1	2	2	3	3	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	161	1.8	1	1	1	2	2	3	3	5
20-34	963	1.9	1	1	1	2	2	3	3	5
35-49	96	2.1	1	1	1	2	3	3	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	101	2.1	1	1	1	2	3	3	4	6
20-34	4025	2.5	1	1	1	2	3	3	4	5
35-49	641	2.7	1	1	2	3	3	4	4	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40176	1.8	1	1	1	2	2	3	3	4
B. *Operated*	13616	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	1220	1.9	1	1	1	2	2	3	3	5
B. *Operated*	4767	2.5	1	1	1	2	3	4	4	5
1. SINGLE DX	53792	1.8	1	1	1	2	2	3	3	4
2. MULTIPLE DX	5987	2.4	1	1	1	2	3	3	4	5
A. NOT OPERATED	41396	1.8	1	1	1	2	2	3	3	4
B. OPERATED	18383	2.1	1	1	1	2	3	3	3	4
TOTAL 0-19 YRS	6301	1.8	1	1	1	2	2	3	3	4
20-34	49746	1.9	1	1	1	2	2	3	3	4
35-49	3732	2.0	1	1	1	2	3	3	3	4
50-64										
65+										
GRAND TOTAL	**59779**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**4**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.6	7	1	1	1	4	7	7	7
20-34	26	2.3	2	1	1	2	3	4	5	6
35-49	3	3.3	2	2	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	4	3.0	1	2	2	3	4	4	4	4
20-34	130	7.7	130	2	2	4	6	21	30	60
35-49	16	6.1	30	3	3	5	6	7	20	26
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	34	5.5	181	1	1	2	3	6	28	75
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	22	10.2	208	1	1	4	7	41	44	46
20-34	489	7.3	106	2	3	4	6	15	26	61
35-49	117	8.4	130	2	3	5	7	19	38	60
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	2.4	2	1	1	2	3	4	6	7
B. *Operated*	150	7.4	117	2	2	4	6	19	27	54
2. MULTIPLE DX										
A. *Not Operated*	37	5.2	167	1	1	2	3	6	24	75
B. *Operated*	628	7.6	114	2	3	4	6	16	28	60
1. SINGLE DX	184	6.5	99	1	2	4	5	11	26	54
2. MULTIPLE DX	665	7.5	117	1	2	4	6	15	28	61
A. NOT OPERATED	71	3.9	89	1	1	2	3	5	7	66
B. OPERATED	778	7.6	114	2	3	4	6	16	28	60
TOTAL 0-19 YRS	33	7.6	151	1	1	3	4	28	43	46
20-34	679	7.1	111	1	2	4	6	14	26	62
35-49	137	8.0	115	2	3	5	7	16	34	60
50-64										
65+										
GRAND TOTAL	**849**	**7.3**	**113**	**1**	**2**	**4**	**6**	**15**	**27**	**60**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	1.8	1	<1	<1	2	2	3	3	3
20-34	153	2.0	1	<1	1	2	2	3	4	5
35-49	14	1.9	1	<1	<1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	21	2.4	1	<1	<1	2	4	4	4	4
20-34	175	2.9	2	1	1	3	4	5	5	7
35-49	15	2.8	2	<1	1	3	4	4	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	2.0	1	<1	<1	2	3	4	4	4
20-34	177	2.3	3	<1	1	2	3	4	5	11
35-49	15	2.7	9	1	1	2	3	4	11	13
50-64										
65+										
B. *Operated*										
0-19 YRS	73	3.1	2	1	1	3	4	5	6	8
20-34	814	3.7	7	1	1	3	4	6	7	14
35-49	84	5.8	115	1	2	4	5	7	14	69
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	185	1.9	1	<1	1	2	2	3	4	5
B. *Operated*	211	2.8	2	1	1	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	218	2.3	3	<1	1	2	3	4	5	12
B. *Operated*	971	3.8	17	1	1	3	4	6	7	15
1. SINGLE DX	396	2.4	2	<1	1	2	3	4	5	6
2. MULTIPLE DX	1189	3.5	15	1	1	3	4	5	6	15
A. NOT OPERATED	403	2.1	2	<1	1	2	3	3	4	7
B. OPERATED	1182	3.6	14	1	1	3	4	5	6	15
TOTAL 0-19 YRS	138	2.6	2	<1	1	2	4	4	5	7
20-34	1319	3.2	6	1	1	3	4	5	6	12
35-49	128	4.7	79	1	1	3	4	6	8	67
50-64										
65+										
GRAND TOTAL	**1585**	**3.3**	**12**	**1**	**1**	**3**	**4**	**5**	**6**	**13**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	53	2.1	1	<1	1	2	3	3	4	5
35-49	4	2.0	1	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	49	1.8	1	1	1	2	2	3	3	4
20-34	539	2.0	1	1	1	2	2	3	3	4
35-49	46	2.0	1	<1	<1	2	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	1.9		1	1	2	2	3	3	3
20-34	22	2.0	1	<1	<1	2	2	4	5	5
35-49	2	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	48	2.1	1	1	1	2	3	3	4	5
20-34	487	2.5	1	1	1	2	3	4	5	6
35-49	58	2.6	1	<1	1	2	3	4	5	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	2.1	1	<1	1	2	3	3	4	5
B. *Operated*	634	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	31	2.0	1	<1	1	2	2	3	5	5
B. *Operated*	593	2.5	1	1	1	2	3	4	5	6
1. SINGLE DX	693	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX	624	2.4	1	1	1	2	3	4	5	6
A. NOT OPERATED	90	2.0	1	<1	1	2	3	3	4	5
B. OPERATED	1227	2.2	1	1	1	2	3	3	4	5
TOTAL 0-19 YRS	106	1.9	1	1	1	2	2	3	3	5
20-34	1101	2.2	1	1	1	2	3	3	4	5
35-49	110	2.3	1	<1	1	2	3	4	4	6
50-64										
65+										
GRAND TOTAL	**1317**	**2.2**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	2.0	3	<1	1	2	2	3	3	13
20-34	301	1.9	1	1	1	2	2	3	3	4
35-49	30	2.2	1	1	1	2	3	3	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	26	1.8	1	1	1	2	2	3	3	3
20-34	199	2.1	1	1	1	2	3	3	4	7
35-49	11	2.1	1	1	1	2	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	2.4	1	1	1	2	3	4	4	5
20-34	184	2.1	1	1	1	2	3	3	4	5
35-49	17	2.1	1	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	57	2.6	3	1	1	2	3	3	5	13
20-34	347	2.4	1	1	1	2	3	4	4	6
35-49	30	3.1	2	<1	1	3	4	5	6	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	381	1.9	1	1	1	2	2	3	3	4
B. *Operated*	236	2.1	1	1	1	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	231	2.1	1	1	1	2	3	3	4	5
B. *Operated*	434	2.5	1	1	1	2	3	4	4	6
1. SINGLE DX	617	2.0	1	1	1	2	2	3	3	5
2. MULTIPLE DX	665	2.4	1	1	1	2	3	4	4	6
A. NOT OPERATED	612	2.0	1	1	1	2	2	3	3	4
B. OPERATED	670	2.4	1	1	1	2	3	4	4	6
TOTAL 0-19 YRS	163	2.2	2	1	1	2	3	3	4	12
20-34	1031	2.1	1	1	1	2	3	3	4	6
35-49	88	2.5	1	1	1	2	3	4	4	7
50-64										
65+										
GRAND TOTAL	**1282**	**2.2**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	1	2	2	3	3	4	4	4
20-34	83	2.5	1	1	1	2	3	4	4	6
35-49	6	2.3	1	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	6	3.3	3	1	1	3	5	5	5	5
20-34	72	3.4	2	1	2	3	4	5	6	7
35-49	4	2.0	1	1	1	2	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5	1	2	2	2	3	4	4	4
20-34	124	2.8	3	1	1	3	3	4	6	10
35-49	3	1.3		1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	62	5.2	26	2	2	4	6	8	13	32
20-34	740	5.0	32	2	2	4	5	7	9	32
35-49	86	4.4	10	2	2	4	5	7	8	22
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	2.5	1	1	1	2	3	4	4	6
B. *Operated*	82	3.3	2	1	1	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	131	2.8	3	1	1	2	3	4	5	10
B. *Operated*	888	4.9	30	2	2	4	5	7	9	30
1. SINGLE DX	175	2.9	2	1	1	3	4	5	5	7
2. MULTIPLE DX	1019	4.7	27	2	2	4	5	7	8	27
A. NOT OPERATED	224	2.7	2	1	1	2	3	4	5	9
B. OPERATED	970	4.8	27	2	2	4	5	7	8	28
TOTAL 0-19 YRS	76	4.8	22	2	2	4	5	8	11	31
20-34	1019	4.4	25	1	2	4	5	6	8	20
35-49	99	4.1	9	1	2	4	5	6	7	19
50-64										
65+										
GRAND TOTAL	**1194**	**4.4**	**23**	**1**	**2**	**4**	**5**	**6**	**8**	**23**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.8	1	<1	<1	2	2	3	3	3
20-34	113	1.9	1	1	1	2	2	3	4	6
35-49	7	1.3		<1	<1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	198	3.6	1	2	2	4	4	5	5	7
20-34	1607	3.7	1	2	2	4	4	5	5	6
35-49	138	3.9	1	2	3	4	5	5	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	1.3	1	1	1	1	1	3	4	4
20-34	71	2.1	2	1	1	2	3	4	5	6
35-49	10	2.9	1	1	1	3	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	205	4.2	6	2	2	4	5	6	7	16
20-34	2158	4.1	5	2	2	4	5	5	6	10
35-49	304	4.2	6	2	3	4	5	6	6	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	1.8	1	<1	1	2	2	3	4	6
B. *Operated*	1943	3.7	1	2	2	4	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*	90	2.1	2	1	1	2	3	4	5	6
B. *Operated*	2667	4.1	5	2	2	4	5	6	6	10
1. SINGLE DX	2072	3.6	1	1	2	4	4	5	5	6
2. MULTIPLE DX	2757	4.1	5	2	2	4	5	6	6	10
A. NOT OPERATED	219	1.9	1	1	1	2	2	4	4	6
B. OPERATED	4610	4.0	3	2	2	4	5	5	6	9
TOTAL 0-19 YRS	421	3.8	4	1	2	4	4	5	6	9
20-34	3949	3.8	3	2	2	4	4	5	6	8
35-49	459	4.1	5	2	2	4	5	5	6	8
50-64										
65+										
GRAND TOTAL	**4829**	**3.9**	**3**	**1**	**2**	**4**	**4**	**5**	**6**	**8**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	1.9	1	<1	1	2	2	3	3	5
20-34	592	1.9	1	1	1	2	2	3	3	4
35-49	42	2.0	1	<1	1	2	3	3	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	112	2.5	3	1	1	2	3	4	4	10
20-34	1046	2.7	1	1	1	2	3	4	5	6
35-49	92	3.1	2	1	1	3	4	5	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	2.0	1	1	1	2	2	3	4	5
20-34	441	2.0	1	1	1	2	2	3	4	5
35-49	35	2.1	1	1	1	2	3	3	3	5
50-64										
65+										
B. *Operated*										
0-19 YRS	554	3.2	5	1	1	3	4	5	6	9
20-34	4852	3.3	3	1	2	3	4	5	6	8
35-49	531	3.8	5	1	2	4	5	6	6	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	680	1.9	1	1	1	2	2	3	3	4
B. *Operated*	1250	2.7	2	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	522	2.0	1	1	1	2	2	3	4	5
B. *Operated*	5937	3.4	3	1	2	3	4	5	6	8
1. SINGLE DX	1930	2.4	1	1	1	2	3	4	5	6
2. MULTIPLE DX	6459	3.3	3	1	1	3	4	5	6	8
A. NOT OPERATED	1202	1.9	1	1	1	2	2	3	3	5
B. OPERATED	7187	3.3	3	1	1	3	4	5	6	8
TOTAL 0-19 YRS	758	2.9	4	1	1	3	4	5	6	8
20-34	6931	3.0	3	1	1	3	4	5	5	7
35-49	700	3.5	5	1	1	3	4	5	6	11
50-64										
65+										
GRAND TOTAL	**8389**	**3.1**	**3**	**1**	**1**	**3**	**4**	**5**	**5**	**8**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	25	2.8	1	1	1	3	4	4	5	5
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	233	4.0	1	3	3	4	4	5	6	8
20-34	1518	4.1	1	3	3	4	5	5	6	7
35-49	103	4.4	1	3	3	4	5	6	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	31	3.5	4	1	1	4	5	6	7	7
35-49	5	2.0	1	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	827	4.5	4	3	3	4	5	6	7	13
20-34	5886	4.4	3	3	3	4	5	6	6	9
35-49	515	4.5	2	3	3	4	5	6	6	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	2.9	2	1	1	3	4	4	5	6
B. *Operated*	1854	4.1	1	3	3	4	5	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	39	3.3	3	1	1	3	4	6	7	7
B. *Operated*	7228	4.4	3	3	3	4	5	6	6	9
1. SINGLE DX	1881	4.1	1	3	3	4	5	5	6	7
2. MULTIPLE DX	7267	4.4	3	3	3	4	5	6	6	9
A. NOT OPERATED	66	3.1	3	1	1	3	4	6	6	7
B. OPERATED	9082	4.3	2	3	3	4	5	6	6	9
TOTAL 0-19 YRS	1063	4.4	3	3	3	4	5	6	7	11
20-34	7460	4.3	2	3	3	4	5	6	6	8
35-49	625	4.4	2	3	3	4	5	6	6	9
50-64										
65+										
GRAND TOTAL	**9148**	**4.3**	**2**	**3**	**3**	**4**	**5**	**6**	**6**	**9**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	100	2.0	1	1	1	2	3	3	3	4
20-34	764	2.0	1	1	1	2	2	3	4	4
35-49	50	2.1	1	1	1	2	3	3	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	206	2.8	2	1	1	3	4	5	5	6
20-34	1524	3.0	2	1	1	3	4	5	5	6
35-49	115	3.2	2	1	1	3	4	5	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	88	2.1	1	1	1	2	3	3	3	5
20-34	561	2.2	1	1	1	2	3	3	4	5
35-49	43	2.0	1	<1	1	2	3	3	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	580	3.2	3	1	1	3	4	5	6	9
20-34	4328	3.3	3	1	2	3	4	5	6	8
35-49	386	3.6	5	1	2	3	5	5	6	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	914	2.0	1	1	1	2	2	3	4	4
B. *Operated*	1845	3.0	2	1	1	3	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*	692	2.2	1	1	1	2	3	3	4	5
B. *Operated*	5294	3.3	3	1	2	3	4	5	6	8
1. SINGLE DX	2759	2.7	2	1	1	2	3	5	5	6
2. MULTIPLE DX	5986	3.2	3	1	1	3	4	5	6	8
A. NOT OPERATED	1606	2.1	1	1	1	2	3	3	4	5
B. OPERATED	7139	3.2	3	1	1	3	4	5	6	8
TOTAL 0-19 YRS	974	2.9	3	1	1	3	4	5	6	9
20-34	7177	3.0	2	1	1	3	4	5	6	7
35-49	594	3.3	4	1	1	3	4	5	6	8
50-64										
65+										
GRAND TOTAL	**8745**	**3.0**	**3**	**1**	**1**	**3**	**4**	**5**	**6**	**7**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.6		1	1	2	2	2	2	2
20-34	96	1.8	1	<1	1	2	2	3	3	4
35-49	6	2.5		2	2	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	39	3.2	3	1	1	3	5	5	6	6
20-34	356	3.3	2	1	1	3	4	5	5	6
35-49	37	3.3	3	1	1	3	5	5	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	1.5		1	1	1	2	2	2	2
20-34	83	2.7	8	1	1	2	3	4	6	19
35-49	5	4.0	13	1	1	3	5	10	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	91	3.9	3	2	2	4	5	6	7	9
20-34	1032	3.9	10	1	2	4	5	6	7	14
35-49	152	4.4	13	2	2	4	5	6	6	22
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	112	1.8	1	<1	1	2	2	3	3	4
B. *Operated*	432	3.3	2	1	1	3	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*	94	2.7	7	1	1	2	3	4	6	18
B. *Operated*	1275	4.0	10	1	2	4	5	6	7	15
1. SINGLE DX	544	3.0	2	1	1	3	4	5	5	6
2. MULTIPLE DX	1369	3.9	10	1	2	4	5	6	7	15
A. NOT OPERATED	206	2.2	4	1	1	2	3	3	4	12
B. OPERATED	1707	3.8	8	1	2	4	5	5	6	12
TOTAL 0-19 YRS	146	3.4	3	1	1	3	5	5	6	8
20-34	1567	3.6	8	1	1	3	4	5	6	11
35-49	200	4.1	11	1	2	4	5	6	6	18
50-64										
65+										
GRAND TOTAL	**1913**	**3.6**	**8**	**1**	**1**	**3**	**4**	**5**	**6**	**12**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.4		1	1	1	2	2	2	2
20-34	273	2.0	1	1	1	2	2	3	4	5
35-49	23	2.0	1	<1	1	2	2	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	215	3.6	1	2	3	4	4	5	5	7
20-34	5900	3.8	1	2	3	4	4	5	5	6
35-49	446	4.0	1	2	3	4	5	5	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.8	1	<1	<1	1	2	3	3	3
20-34	158	2.0	1	1	1	2	2	3	4	5
35-49	14	2.4	1	1	1	2	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	231	4.0	4	2	3	4	4	5	6	12
20-34	8824	4.1	2	2	3	4	5	5	6	8
35-49	1286	4.4	2	2	3	4	5	6	6	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	303	2.0	1	1	1	2	2	3	4	5
B. *Operated*	6561	3.8	1	2	3	4	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*	176	2.0	1	1	1	2	2	3	4	5
B. *Operated*	10341	4.1	2	2	3	4	5	5	6	8
1. SINGLE DX	6864	3.7	1	2	2	4	4	5	5	6
2. MULTIPLE DX	10517	4.1	2	2	3	4	5	5	6	8
A. NOT OPERATED	479	2.0	1	1	1	2	2	3	4	5
B. OPERATED	16902	4.0	2	2	3	4	5	5	6	7
TOTAL 0-19 YRS	457	3.8	3	2	3	4	4	5	6	9
20-34	15155	3.9	2	2	3	4	5	5	6	7
35-49	1769	4.2	2	2	3	4	5	6	6	9
50-64										
65+										
GRAND TOTAL	**17381**	**3.9**	**2**	**2**	**3**	**4**	**5**	**5**	**6**	**7**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	107	2.1	1	1	1	2	3	3	4	7
20-34	910	2.0	1	1	1	2	3	3	3	4
35-49	68	2.1	1	1	1	2	3	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	107	2.3	1	1	1	2	3	4	4	6
20-34	932	2.3	2	1	1	2	3	3	4	6
35-49	78	2.5	1	1	1	2	3	4	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	103	2.3	1	1	1	2	3	4	5	7
20-34	757	2.5	4	1	1	2	3	4	5	11
35-49	63	2.4	2	1	1	2	3	5	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	425	3.4	9	1	1	3	4	6	7	12
20-34	3321	3.3	8	1	1	3	4	5	6	12
35-49	404	3.6	9	1	2	3	4	5	7	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1085	2.0	1	1	1	2	3	3	3	4
B. *Operated*	1117	2.3	2	1	1	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	923	2.5	4	1	1	2	3	4	5	10
B. *Operated*	4150	3.4	8	1	1	3	4	5	6	12
1. SINGLE DX	2202	2.2	2	1	1	2	3	3	4	5
2. MULTIPLE DX	5073	3.2	8	1	1	3	4	5	6	12
A. NOT OPERATED	2008	2.2	2	1	1	2	3	3	4	7
B. OPERATED	5267	3.1	7	1	1	3	4	5	6	10
TOTAL 0-19 YRS	742	2.9	6	1	1	2	3	5	6	9
20-34	5920	2.9	6	1	1	2	3	5	6	10
35-49	613	3.2	7	1	1	3	4	5	6	9
50-64										
65+										
GRAND TOTAL	**7275**	**2.9**	**6**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	565	1.8	1	1	1	2	2	3	3	4
20-34	4931	1.8	1	1	1	2	2	3	3	4
35-49	341	1.9	1	1	1	2	2	3	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	386	1.9	1	1	1	2	2	3	3	4
20-34	3464	2.0	1	1	1	2	2	3	3	4
35-49	214	2.2	1	1	1	2	3	3	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	185	1.9	1	1	1	2	2	3	3	5
20-34	1445	1.9	2	1	1	2	2	3	3	4
35-49	125	2.0	1	1	1	2	2	3	4	7
50-64										
65+										
B. *Operated*										
0-19 YRS	417	2.2	1	1	1	2	3	4	4	6
20-34	4491	2.4	2	1	1	2	3	4	4	6
35-49	521	3.0	8	1	1	3	3	5	5	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5837	1.8	1	1	1	2	2	3	3	4
B. *Operated*	4064	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	1755	1.9	2	1	1	2	2	3	3	4
B. *Operated*	5429	2.4	2	1	1	2	3	4	4	6
1. SINGLE DX	9901	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX	7184	2.3	2	1	1	2	3	4	4	6
A. NOT OPERATED	7592	1.8	1	1	1	2	2	3	3	4
B. OPERATED	9493	2.2	2	1	1	2	3	3	4	5
TOTAL 0-19 YRS	1553	1.9	1	1	1	2	2	3	3	5
20-34	14331	2.0	1	1	1	2	3	3	4	5
35-49	1201	2.4	4	1	1	2	3	4	5	7
50-64										
65+										
GRAND TOTAL	**17085**	**2.1**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	141	1.7		1	1	2	2	2	3	3
20-34	1095	1.7	1	<1	1	2	2	3	3	4
35-49	97	1.8	1	<1	1	2	2	3	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1127	1.8	1	1	1	2	2	3	3	4
20-34	10513	1.8	1	1	1	2	2	3	3	4
35-49	914	1.8	1	1	1	2	2	3	3	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	1.6		1	1	1	2	3	3	3
20-34	388	1.8	1	1	1	2	2	3	3	6
35-49	40	1.7		1	1	2	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	644	2.0	2	1	1	2	2	3	4	5
20-34	7011	2.1	1	1	1	2	3	3	4	5
35-49	846	2.3	2	1	1	2	3	4	4	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1333	1.7	1	<1	1	2	2	3	3	4
B. *Operated*	12554	1.8	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	483	1.8	1	1	1	2	2	3	3	5
B. *Operated*	8501	2.1	1	1	1	2	3	3	4	5
1. SINGLE DX	13887	1.8	1	1	1	2	2	3	3	4
2. MULTIPLE DX	8984	2.1	1	1	1	2	3	3	4	5
A. NOT OPERATED	1816	1.7	1	<1	1	2	2	3	3	4
B. OPERATED	21055	1.9	1	1	1	2	2	3	3	4
TOTAL 0-19 YRS	1967	1.8	1	1	1	2	2	3	3	4
20-34	19007	1.9	1	1	1	2	2	3	3	4
35-49	1897	2.1	1	1	1	2	3	3	4	5
50-64										
65+										
GRAND TOTAL	**22871**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**4**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	1.8		1	1	2	2	3	3	3
20-34	288	2.1	1	1	1	2	3	3	4	5
35-49	13	2.0	2	<1	<1	2	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	745	2.0	1	1	1	2	2	3	3	5
20-34	4072	2.1	1	1	1	2	3	3	3	4
35-49	178	2.1	1	1	1	2	3	3	3	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	2.8	1	1	2	3	3	4	5	6
20-34	128	2.2	1	1	1	2	3	3	4	6
35-49	5	2.6	1	2	2	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	599	2.2	1	1	1	2	3	3	4	7
20-34	3471	2.3	1	1	1	2	3	3	4	6
35-49	247	2.5	2	1	1	2	3	4	4	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	362	2.0	1	1	1	2	3	3	3	5
B. *Operated*	4995	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	154	2.3	1	1	1	2	3	3	4	6
B. *Operated*	4317	2.3	1	1	1	2	3	3	4	6
1. SINGLE DX	5357	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX	4471	2.3	1	1	1	2	3	3	4	6
A. NOT OPERATED	516	2.1	1	1	1	2	3	3	4	5
B. OPERATED	9312	2.2	1	1	1	2	3	3	4	5
TOTAL 0-19 YRS	1426	2.1	1	1	1	2	2	3	4	5
20-34	7959	2.2	1	1	1	2	3	3	4	5
35-49	443	2.3	1	1	1	2	3	4	4	5
50-64										
65+										
GRAND TOTAL	**9828**	**2.2**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

286: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	1.5		<1	1	2	2	2	2	3
20-34	324	1.7		<1	1	2	2	3	3	3
35-49	16	2.1	2	<1	1	2	3	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	297	1.9	1	1	1	2	2	3	3	4
20-34	1541	1.9	1	1	1	2	2	3	3	4
35-49	56	2.3	1	1	1	2	3	3	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	2.2	2	<1	1	2	3	4	5	7
20-34	145	1.9	1	1	1	2	2	3	3	4
35-49	6	1.7	1	1	1	2	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	244	2.0	1	1	1	2	3	3	4	5
20-34	1630	2.3	2	1	1	2	3	3	4	6
35-49	94	2.7	3	1	1	2	3	5	6	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	405	1.7	1	<1	1	2	2	3	3	4
B. *Operated*	1894	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	172	2.0	1	1	1	2	2	3	3	4
B. *Operated*	1968	2.3	2	1	1	2	3	3	4	6
1. SINGLE DX	2299	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX	2140	2.3	2	1	1	2	3	3	4	6
A. NOT OPERATED	577	1.8	1	1	1	2	2	3	3	4
B. OPERATED	3862	2.1	1	1	1	2	3	3	4	5
TOTAL 0-19 YRS	627	1.9	1	1	1	2	2	3	3	5
20-34	3640	2.1	1	1	1	2	3	3	4	5
35-49	172	2.5	2	1	1	2	3	4	5	8
50-64										
65+										
GRAND TOTAL	**4439**	**2.1**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

287: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	963	1.9	1	<1	1	2	2	3	3	5
20-34	6481	1.9	1	1	1	2	2	3	3	5
35-49	496	1.9	1	1	1	2	2	3	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1795	2.3	3	1	1	2	3	4	5	7
20-34	11439	2.4	2	1	1	2	3	4	4	6
35-49	843	2.6	3	1	1	2	3	4	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	707	2.2	3	1	1	2	2	3	4	9
20-34	4291	2.2	2	1	1	2	3	3	4	7
35-49	427	2.5	4	1	1	2	3	4	5	12
50-64										
65+										
B. *Operated*										
0-19 YRS	3443	3.1	5	1	1	3	4	5	7	12
20-34	24241	3.2	7	1	1	3	4	5	6	12
35-49	2687	3.7	12	1	1	3	4	6	7	18
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7940	1.9	1	1	1	2	2	3	3	5
B. *Operated*	14077	2.4	2	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	5425	2.2	3	1	1	2	3	3	4	8
B. *Operated*	30371	3.2	7	1	1	3	4	5	7	12
1. SINGLE DX	22017	2.2	2	1	1	2	3	3	4	6
2. MULTIPLE DX	35796	3.1	7	1	1	3	4	5	6	12
A. NOT OPERATED	13365	2.0	2	1	1	2	2	3	4	6
B. OPERATED	44448	3.0	6	1	1	2	4	5	6	11
TOTAL 0-19 YRS	6908	2.6	4	1	1	2	3	5	6	9
20-34	46452	2.7	5	1	1	2	3	5	5	10
35-49	4453	3.2	9	1	1	3	4	5	6	13
50-64										
65+										
GRAND TOTAL	**57813**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	2.8	1	1	2	3	4	4	5	5
20-34	212	3.1	2	1	2	3	4	5	5	7
35-49	16	3.5	2	1	1	3	4	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	2	3.5	13	<1	<1	3	6	6	6	6
20-34	16	4.4	5	<1	<1	4	6	8	9	9
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	3.8	4	2	2	3	5	7	8	10
20-34	141	3.6	4	1	2	3	4	6	7	10
35-49	7	4.6	9	2	2	3	6	9	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	7	5.3	36	1	1	3	8	16	17	17
20-34	48	5.6	25	1	1	4	9	12	13	27
35-49	5	5.8	15	3	3	3	10	10	10	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	276	3.1	2	1	2	3	4	5	5	7
B. *Operated*	19	4.3	5	<1	<1	4	6	7	9	9
2. MULTIPLE DX										
A. *Not Operated*	179	3.7	4	1	2	3	5	6	7	10
B. *Operated*	60	5.6	24	1	1	3	9	11	14	26
1. SINGLE DX	295	3.1	2	1	2	3	4	5	6	8
2. MULTIPLE DX	239	4.1	10	1	2	3	5	8	10	15
A. NOT OPERATED	455	3.3	3	1	2	3	4	5	6	9
B. OPERATED	79	5.2	20	1	1	4	7	11	13	24
TOTAL 0-19 YRS	88	3.3	5	1	2	3	4	5	7	14
20-34	417	3.6	6	1	2	3	4	6	8	12
35-49	29	4.2	6	1	2	3	5	9	10	10
50-64										
65+										
GRAND TOTAL	**534**	**3.6**	**6**	**1**	**2**	**3**	**4**	**6**	**8**	**12**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	44	1.3		<1	<1	1	2	2	2	2
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	33	1.3		<1	1	1	2	2	3	3
20-34	180	1.5	1	<1	<1	1	2	3	3	6
35-49	25	1.4	1	<1	<1	1	1	2	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	36	1.7	1	<1	<1	1	2	3	4	6
35-49	7	3.1	19	1	1	1	3	11	13	13
50-64										
65+										
B. *Operated*										
0-19 YRS	13	2.0	2	<1	<1	2	3	4	5	5
20-34	148	2.3	4	1	1	2	3	5	6	9
35-49	12	2.4	4	<1	<1	2	4	6	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	1.2		<1	<1	1	1	2	2	2
B. *Operated*	238	1.5	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	45	1.9	4	<1	1	1	2	3	5	13
B. *Operated*	173	2.3	3	1	1	2	3	5	6	9
1. SINGLE DX	287	1.4	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX	218	2.2	4	<1	1	2	2	5	6	10
A. NOT OPERATED	94	1.6	2	<1	<1	1	2	2	3	10
B. OPERATED	411	1.8	2	<1	<1	1	2	3	5	7
TOTAL 0-19 YRS	51	1.5	1	<1	1	1	2	3	3	5
20-34	408	1.8	2	<1	<1	1	2	3	5	7
35-49	46	1.9	4	<1	<1	1	2	4	6	13
50-64										
65+										
GRAND TOTAL	**505**	**1.8**	**2**	**<1**	**<1**	**1**	**2**	**3**	**5**	**7**

290: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.6	3	1	1	2	4	6	6	6
20-34	104	3.7	7	1	1	3	5	8	9	12
35-49	6	5.7	9	2	2	5	6	11	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS	25	2.4	4	<1	1	1	3	6	7	8
20-34	136	2.7	8	<1	1	2	3	6	11	14
35-49	7	2.4	2	<1	<1	3	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	4.2	10	<1	2	4	5	7	12	14
20-34	90	4.8	14	1	2	3	6	10	14	19
35-49	10	7.0	24	2	2	5	12	14	16	16
50-64										
65+										
B. *Operated*										
0-19 YRS	19	4.2	16	<1	<1	2	6	11	13	15
20-34	151	4.7	35	<1	1	2	5	12	17	30
35-49	27	3.9	18	<1	1	2	4	9	11	20
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	128	3.7	7	1	1	3	5	8	9	12
B. *Operated*	168	2.7	7	<1	1	2	3	5	10	14
2. MULTIPLE DX										
A. *Not Operated*	116	4.9	15	1	2	4	6	11	14	18
B. *Operated*	197	4.5	31	<1	1	2	5	11	16	29
1. SINGLE DX	296	3.1	7	<1	1	2	4	7	10	13
2. MULTIPLE DX	313	4.7	25	<1	1	3	5	11	15	28
A. NOT OPERATED	244	4.2	11	1	1	3	5	9	12	16
B. OPERATED	365	3.7	21	<1	1	2	4	9	13	27
TOTAL 0-19 YRS	78	3.2	8	<1	1	2	5	6	9	15
20-34	481	4.0	18	<1	1	2	4	9	13	21
35-49	50	4.5	17	<1	1	3	6	10	13	20
50-64										
65+										
GRAND TOTAL	**609**	**3.9**	**17**	**<1**	**1**	**2**	**5**	**9**	**12**	**20**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	432	3.1	2	1	1	3	4	5	6	8
20-34	444	3.6	4	1	2	3	4	6	7	9
35-49	314	4.0	4	1	2	4	5	7	7	11
50-64	200	4.1	4	1	2	4	5	7	8	10
65+	149	4.4	7	2	2	3	5	8	9	17
B. *Operated*										
0-19 YRS	173	4.2	11	<1	1	3	5	9	10	17
20-34	203	4.6	14	1	1	4	6	8	10	19
35-49	138	5.1	22	1	1	4	6	11	15	24
50-64	81	4.3	9	1	1	3	6	8	11	14
65+	51	4.3	9	1	1	4	6	8	9	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	672	3.7	6	1	2	3	5	6	8	14
20-34	860	4.3	7	2	2	4	5	7	9	15
35-49	891	5.2	12	2	2	4	6	9	11	18
50-64	1028	6.2	19	2	2	5	8	11	14	23
65+	1894	6.7	18	2	3	6	8	12	15	22
B. *Operated*										
0-19 YRS	253	6.1	35	1	2	4	8	11	15	28
20-34	594	7.0	53	2	2	5	8	12	18	40
35-49	579	9.2	80	2	2	7	11	17	25	47
50-64	593	10.4	96	2	2	7	13	22	29	49
65+	781	11.0	98	2	3	8	14	22	30	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1539	3.7	4	1	2	3	5	6	7	10
B. *Operated*	646	4.5	14	1	1	4	6	9	11	19
2. MULTIPLE DX										
A. *Not Operated*	5345	5.6	16	2	2	5	7	10	13	21
B. *Operated*	2800	9.2	82	2	2	7	11	19	26	48
1. SINGLE DX	2185	3.9	7	1	2	3	5	7	9	14
2. MULTIPLE DX	8145	6.9	41	2	2	5	8	13	18	33
A. NOT OPERATED	6884	5.2	14	2	2	4	6	9	12	19
B. OPERATED	3446	8.3	73	1	2	6	10	17	24	44
TOTAL 0-19 YRS	1530	4.0	11	1	2	3	5	7	10	17
20-34	2101	4.9	22	1	2	4	6	9	11	24
35-49	1922	6.2	36	2	2	5	7	12	16	31
50-64	1902	7.2	46	2	2	5	8	14	19	37
65+	2875	7.7	44	2	3	6	9	14	19	34
GRAND TOTAL	**10330**	**6.2**	**35**	**2**	**2**	**5**	**7**	**12**	**16**	**31**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	123	3.2	4	1	1	3	4	6	7	10
20-34	101	3.1	4	1	1	3	4	6	7	11
35-49	51	3.4	4	1	1	3	4	6	8	10
50-64	24	4.2	6	1	1	4	6	8	9	10
65+	11	4.4	2	2	2	4	5	6	7	7
B. *Operated*										
0-19 YRS	90	3.3	6	<1	<1	3	5	7	8	11
20-34	86	4.0	10	1	1	3	6	9	10	16
35-49	47	3.3	9	<1	<1	3	4	5	7	19
50-64	26	5.0	19	<1	<1	3	8	10	13	16
65+	23	5.5	29	<1	<1	5	7	10	16	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	209	3.6	6	1	1	3	4	6	9	12
20-34	148	4.0	7	1	2	3	5	7	8	16
35-49	98	4.9	13	2	2	4	6	8	10	22
50-64	130	5.4	7	2	2	5	7	9	10	14
65+	189	6.3	24	2	3	5	7	11	15	28
B. *Operated*										
0-19 YRS	113	5.2	16	<1	1	4	7	9	11	23
20-34	151	6.1	42	1	1	4	7	14	18	34
35-49	133	7.6	81	1	2	5	8	14	18	49
50-64	144	8.8	70	2	2	6	10	18	28	41
65+	161	8.3	41	1	2	7	11	17	22	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	310	3.3	4	1	1	3	4	6	7	10
B. *Operated*	272	3.9	11	<1	<1	3	5	8	10	18
2. MULTIPLE DX										
A. *Not Operated*	774	4.8	13	1	2	4	6	8	11	18
B. *Operated*	702	7.3	52	1	2	5	9	14	21	37
1. SINGLE DX	582	3.6	7	<1	1	3	5	7	9	12
2. MULTIPLE DX	1476	6.0	33	1	2	4	7	11	16	29
A. NOT OPERATED	1084	4.4	10	1	2	4	5	8	10	16
B. OPERATED	974	6.3	43	1	1	5	8	13	18	35
TOTAL 0-19 YRS	535	3.8	8	<1	1	3	5	7	9	13
20-34	486	4.5	19	1	1	3	5	8	11	23
35-49	329	5.5	41	1	2	4	6	10	15	37
50-64	324	6.8	39	1	2	5	8	12	17	37
65+	384	7.0	32	2	2	5	8	13	20	28
GRAND TOTAL	**2058**	**5.3**	**27**	**1**	**1**	**4**	**6**	**10**	**14**	**28**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	6	3.7	7	1	1	3	6	8	8	8
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	221	1.8	2	<1	1	1	2	3	4	7
20-34	472	1.9	2	<1	1	1	2	3	4	7
35-49	83	1.9	1	1	1	2	2	3	4	6
50-64	17	1.8	1	<1	1	1	2	3	4	4
65+	6	3.0	4	1	1	3	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	7	2.6	5	<1	<1	1	4	6	6	6
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	46	2.5	21	<1	1	2	2	4	5	32
20-34	105	2.9	6	<1	1	2	4	6	8	12
35-49	25	3.3	6	1	1	3	4	7	9	10
50-64	17	4.6	17	<1	<1	3	6	12	14	15
65+	3	3.3	4	1	1	4	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.3	7	<1	<1	2	5	8	8	8
B. *Operated*	799	1.9	2	<1	1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	9	2.2	4	<1	<1	1	3	6	6	6
B. *Operated*	196	3.0	10	<1	1	2	4	6	8	15
1. SINGLE DX	806	1.9	2	<1	1	1	2	3	4	7
2. MULTIPLE DX	205	3.0	10	<1	1	2	4	6	8	14
A. NOT OPERATED	16	2.7	5	<1	<1	2	4	6	7	8
B. OPERATED	995	2.1	4	<1	1	2	3	4	5	10
TOTAL 0-19 YRS	270	1.9	5	<1	1	1	2	3	4	8
20-34	590	2.1	3	<1	1	2	3	4	5	9
35-49	108	2.3	3	1	1	2	3	4.	5	9
50-64	34	3.2	11	<1	1	2	4	6	12	15
65+	9	3.1	3	1	1	3	4	6	6	6
GRAND TOTAL	**1011**	**2.1**	**4**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	69	1.1		<1	<1	<1	1	1	2	3
20-34	57	1.2		<1	<1	<1	1	2	3	4
35-49	39	1.1		<1	<1	<1	1	2	2	2
50-64	29	1.3		<1	<1	<1	1	2	2	3
65+	13	1.2		<1	<1	<1	1	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	16	1.1		<1	<1	<1	1	1	2	2
20-34	25	2.6	6	<1	<1	2	4	6	8	11
35-49	15	1.9	2	<1	<1	1	3	4	5	5
50-64	19	1.6	3	<1	<1	1	2	2	5	8
65+	19	3.2	7	<1	<1	2	4	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.3	1	<1	<1	2	3	3	3	3
B. *Operated*	207	1.2		<1	<1	<1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	8	1.6	1	<1	<1	<1	2	3	3	3
B. *Operated*	94	2.1	4	<1	<1	1	2	5	8	10
1. SINGLE DX	211	1.2		<1	<1	<1	1	2	2	3
2. MULTIPLE DX	102	2.1	4	<1	<1	1	2	5	7	10
A. NOT OPERATED	12	1.8	1	<1	<1	1	3	3	3	3
B. OPERATED	301	1.5	2	<1	<1	<1	1	2	4	8
TOTAL 0-19 YRS	88	1.1		<1	<1	<1	1	1	2	3
20-34	84	1.7	2	<1	<1	1	2	3	5	10
35-49	57	1.4	1	<1	<1	<1	1	2	3	5
50-64	50	1.4	1	<1	<1	1	2	2	3	8
65+	34	2.4	5	<1	<1	1	3	7	8	8
GRAND TOTAL	**313**	**1.5**	**2**	**<1**	**<1**	**<1**	**1**	**2**	**4**	**8**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	116	2.8	5	<1	1	2	3	6	8	11
20-34	81	3.2	11	<1	1	2	3	7	10	19
35-49	51	2.5	3	1	1	2	3	4	5	9
50-64	37	4.4	9	1	1	4	5	10	11	12
65+	34	7.0	125	1	2	5	7	10	14	68
B. *Operated*										
0-19 YRS	160	2.4	21	<1	<1	1	2	5	7	15
20-34	202	2.5	12	<1	<1	1	3	6	8	15
35-49	207	2.8	13	<1	<1	1	3	7	9	21
50-64	169	2.9	10	<1	<1	2	4	7	8	16
65+	129	6.1	79	<1	<1	2	7	16	21	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	203	3.5	10	1	1	3	4	6	10	21
20-34	187	5.3	38	1	1	3	6	10	17	37
35-49	232	6.1	35	1	1	4	8	12	17	39
50-64	327	6.7	49	1	1	5	9	14	18	36
65+	780	8.2	62	2	2	6	10	15	20	44
B. *Operated*										
0-19 YRS	250	5.4	95	<1	<1	2	5	16	27	99
20-34	476	12.2	207	<1	1	7	17	31	45	93
35-49	597	11.1	179	1	1	5	17	29	41	81
50-64	589	12.6	234	1	1	7	17	33	54	84
65+	1318	14.3	171	1	3	11	18	31	42	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	319	3.5	21	1	1	2	4	7	10	13
B. *Operated*	867	3.2	25	<1	<1	1	3	7	11	23
2. MULTIPLE DX										
A. *Not Operated*	1729	6.8	50	1	2	5	8	13	18	38
B. *Operated*	3230	12.4	189	1	1	8	17	30	43	81
1. SINGLE DX	1186	3.2	24	<1	<1	2	3	7	11	22
2. MULTIPLE DX	4959	10.5	148	1	1	6	13	25	37	68
A. NOT OPERATED	2048	6.3	47	1	1	4	8	12	17	37
B. OPERATED	4097	10.5	168	<1	1	6	14	27	39	73
TOTAL 0-19 YRS	729	3.8	42	<1	<1	2	4	8	12	49
20-34	946	8.0	134	<1	1	3	9	23	34	73
35-49	1087	8.1	121	<1	1	4	9	23	32	57
50-64	1122	9.2	154	<1	1	5	11	23	36	65
65+	2261	11.6	138	1	2	8	15	25	36	62
GRAND TOTAL	**6145**	**9.1**	**132**	**<1**	**1**	**5**	**11**	**23**	**33**	**62**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.5	13	<1	<1	2	4	9	13	13
20-34	38	3.6	7	1	1	3	5	7	10	12
35-49	18	4.4	6	1	1	4	6	8	9	9
50-64	14	3.4	7	1	1	3	3	8	10	10
65+	3	2.0	3	<1	<1	<1	3	4	4	4
B. *Operated*										
0-19 YRS	9	3.8	17	1	1	2	4	11	12	12
20-34	33	3.4	18	1	1	2	4	7	10	23
35-49	18	3.4	8	<1	<1	3	4	7	10	12
50-64	8	2.0	1	<1	<1	2	3	4	4	4
65+	6	5.2	15	1	1	5	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	6.4	26	2	2	5	8	12	18	27
20-34	139	6.5	91	1	2	4	7	11	16	45
35-49	123	5.9	31	1	2	4	7	11	15	33
50-64	150	6.3	23	1	2	5	8	12	16	25
65+	123	7.7	43	1	2	6	10	14	24	34
B. *Operated*										
0-19 YRS	19	8.7	95	1	2	7	9	24	33	38
20-34	85	10.2	140	1	2	7	12	24	38	94
35-49	96	9.0	72	1	2	7	12	21	27	77
50-64	82	10.6	109	1	2	8	12	17	39	51
65+	53	16.9	262	3	4	11	19	36	57	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	3.7	7	<1	1	3	5	8	9	13
B. *Operated*	74	3.4	13	<1	1	2	4	8	11	20
2. MULTIPLE DX										
A. *Not Operated*	580	6.6	46	1	2	5	8	12	17	33
B. *Operated*	335	10.9	135	1	2	8	14	24	36	76
1. SINGLE DX	158	3.6	10	<1	1	3	5	8	10	13
2. MULTIPLE DX	915	8.2	83	1	2	6	10	17	25	50
A. NOT OPERATED	664	6.2	42	1	2	5	7	12	16	32
B. OPERATED	409	9.6	121	1	1	7	12	20	34	73
TOTAL 0-19 YRS	84	6.3	41	1	1	4	8	12	19	35
20-34	295	6.8	92	1	1	4	8	14	21	65
35-49	255	6.8	46	1	2	5	9	15	21	35
50-64	254	7.4	55	1	2	5	10	15	18	46
65+	185	10.2	122	1	2	7	12	23	30	67
GRAND TOTAL	**1073**	**7.5**	**75**	**1**	**2**	**5**	**9**	**15**	**23**	**46**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	3.8	7	1	1	3	5	7	9	10
20-34	19	4.3	6	1	2	4	6	7	9	10
35-49	47	4.9	30	1	2	3	5	10	18	30
50-64	48	4.1	6	1	2	4	6	7	8	13
65+	43	4.4	6	<1	1	4	6	8	9	10
B. *Operated*										
0-19 YRS	13	3.2	10	<1	<1	2	5	8	10	10
20-34	44	5.7	27	1	1	4	7	12	18	24
35-49	132	4.9	18	1	1	3	8	10	12	20
50-64	262	5.9	29	1	1	4	9	13	16	27
65+	180	6.2	21	1	2	4	10	12	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	6.2	38	1	2	4	7	16	20	27
20-34	41	4.3	7	1	1	4	6	8	10	11
35-49	92	5.4	31	1	1	4	7	10	12	33
50-64	183	5.8	15	1	2	5	7	11	15	19
65+	335	6.6	25	1	2	5	8	12	16	27
B. *Operated*										
0-19 YRS	18	6.0	29	<1	1	5	7	13	18	21
20-34	66	8.4	66	1	1	7	12	15	23	46
35-49	187	6.3	32	1	2	5	9	12	15	28
50-64	508	7.4	41	1	2	6	10	14	17	30
65+	494	8.7	49	1	2	7	12	17	20	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	200	4.3	11	1	1	4	6	7	10	19
B. *Operated*	631	5.7	24	1	1	4	9	12	15	24
2. MULTIPLE DX										
A. *Not Operated*	695	6.1	23	1	2	5	7	11	15	26
B. *Operated*	1273	7.8	45	1	2	6	11	15	18	31
1. SINGLE DX	831	5.4	22	1	1	4	8	11	14	22
2. MULTIPLE DX	1968	7.2	38	1	2	6	10	14	17	30
A. NOT OPERATED	895	5.7	21	1	2	5	7	11	14	26
B. OPERATED	1904	7.1	39	1	1	5	10	14	17	30
TOTAL 0-19 YRS	118	5.0	23	<1	1	4	6	12	16	24
20-34	170	6.2	38	1	1	4	9	12	15	32
35-49	458	5.6	28	1	1	4	8	11	15	25
50-64	1001	6.6	33	1	2	5	9	13	16	25
65+	1052	7.4	36	1	2	6	10	15	18	29
GRAND TOTAL	**2799**	**6.7**	**34**	**1**	**2**	**5**	**9**	**13**	**17**	**28**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	4	2.8	3	1	1	2	4	5	5	5
35-49	8	3.4	8	<1	<1	2	5	8	9	9
50-64	15	5.3	19	<1	<1	4	8	10	14	16
65+	46	4.6	12	1	2	4	6	9	11	18
B. *Operated*										
0-19 YRS	10	5.8	23	<1	<1	4	8	13	16	16
20-34	147	3.2	8	<1	1	2	4	7	9	15
35-49	334	4.5	14	<1	1	3	7	10	11	16
50-64	1311	7.2	17	1	1	8	10	12	14	17
65+	2245	9.6	13	3	5	10	12	14	15	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	6.0	7	3	3	7	8	8	8	8
20-34	5	3.6	13	<1	<1	<1	7	8	8	8
35-49	22	2.9	9	<1	<1	1	4	8	10	12
50-64	111	4.2	25	<1	<1	2	5	10	14	26
65+	561	5.2	24	<1	1	4	7	11	14	23
B. *Operated*										
0-19 YRS	17	4.4	17	<1	<1	2	7	11	13	14
20-34	171	4.0	16	<1	1	2	5	9	13	17
35-49	433	5.6	22	<1	1	4	8	12	14	21
50-64	1823	8.6	35	1	2	8	11	14	17	26
65+	4975	11.0	28	2	5	11	13	16	19	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	4.5	12	1	1	3	6	9	11	17
B. *Operated*	4047	8.1	18	1	2	8	11	13	15	18
2. MULTIPLE DX										
A. *Not Operated*	702	5.0	24	<1	1	4	7	11	14	22
B. *Operated*	7419	9.9	32	1	2	10	13	16	19	27
1. SINGLE DX	4122	8.1	18	1	2	8	11	13	15	18
2. MULTIPLE DX	8121	9.5	34	1	2	9	12	16	18	27
A. NOT OPERATED	777	4.9	23	<1	1	4	7	10	14	21
B. OPERATED	11466	9.3	28	1	2	9	12	15	17	24
TOTAL 0-19 YRS	32	5.0	17	<1	1	4	8	11	14	16
20-34	327	3.6	12	<1	1	2	4	8	11	16
35-49	797	5.1	19	<1	1	4	8	11	13	19
50-64	3260	7.9	28	1	1	8	11	13	15	23
65+	7827	10.1	26	2	4	10	13	16	18	25
GRAND TOTAL	**12243**	**9.0**	**29**	**1**	**2**	**9**	**12**	**15**	**17**	**24**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	5.4	24	1	1	4	7	11	17	23
20-34	40	5.0	12	2	2	4	6	10	14	16
35-49	31	4.0	12	1	1	3	5	9	10	17
50-64	20	3.9	3	1	2	4	5	6	7	8
65+	29	4.3	6	1	2	3	6	8	9	10
B. *Operated*										
0-19 YRS	78	7.1	28	1	1	5	10	14	19	22
20-34	177	4.0	19	<1	1	3	5	8	11	18
35-49	186	3.8	8	<1	1	3	5	8	9	14
50-64	174	4.8	21	1	1	3	7	9	12	20
65+	78	6.8	18	1	1	6	10	12	15	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	98	7.2	27	1	2	6	10	15	18	22
20-34	73	6.2	38	1	2	4	7	14	18	37
35-49	68	5.9	49	1	1	4	7	12	14	47
50-64	91	6.0	27	1	1	5	7	11	15	30
65+	222	7.1	43	2	2	5	9	16	18	31
B. *Operated*										
0-19 YRS	113	10.5	67	1	2	9	14	21	27	39
20-34	274	7.2	65	1	1	5	8	16	23	42
35-49	263	7.2	82	1	1	5	8	16	23	44
50-64	289	9.1	96	1	1	7	11	19	30	48
65+	332	13.4	149	2	3	10	16	26	37	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	191	4.8	15	1	1	4	6	9	12	22
B. *Operated*	693	4.8	19	1	1	4	7	10	12	20
2. MULTIPLE DX										
A. *Not Operated*	552	6.7	38	1	2	5	9	14	17	31
B. *Operated*	1271	9.5	104	1	1	7	12	21	29	56
1. SINGLE DX	884	4.8	18	1	1	4	7	10	12	20
2. MULTIPLE DX	1823	8.7	86	1	2	6	11	18	24	48
A. NOT OPERATED	743	6.2	32	1	2	4	8	13	16	25
B. OPERATED	1964	7.9	79	1	1	5	10	17	23	45
TOTAL 0-19 YRS	360	7.9	42	1	1	6	11	17	21	29
20-34	564	5.9	45	1	1	4	7	13	18	40
35-49	548	5.7	51	1	1	4	7	11	16	42
50-64	574	7.1	63	1	1	5	9	15	21	42
65+	661	10.1	103	2	2	8	13	19	29	60
GRAND TOTAL	**2707**	**7.4**	**67**	**1**	**1**	**5**	**9**	**16**	**21**	**42**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	6	1.5		1	1	1	2	2	2	2
35-49	4	3.8	13	1	1	2	6	9	9	9
50-64	6	1.7	1	<1	<1	1	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	339	1.9	2	<1	<1	1	3	4	5	6
20-34	1042	2.2	2	<1	<1	2	3	4	5	7
35-49	480	1.9	2	<1	<1	1	2	4	5	7
50-64	216	1.8	2	<1	<1	1	2	3	4	7
65+	75	2.2	4	<1	<1	2	3	4	6	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	1.8	1	<1	<1	1	3	3	3	3
20-34	14	1.1		<1	<1	1	1	2	3	3
35-49	12	1.1		<1	<1	<1	1	2	2	2
50-64	16	1.8	1	<1	<1	1	3	3	4	4
65+	14	4.3	17	1	1	3	6	10	14	15
B. *Operated*										
0-19 YRS	370	2.2	2	<1	<1	1	3	4	5	7
20-34	1214	2.5	4	<1	<1	2	3	5	6	9
35-49	820	2.3	3	<1	<1	2	3	5	6	9
50-64	621	2.2	5	<1	<1	1	2	4	6	12
65+	349	2.4	5	<1	1	2	3	5	7	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	2.0	4	<1	<1	1	2	3	7	9
B. *Operated*	2152	2.1	2	<1	<1	1	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	62	2.1	6	<1	<1	1	2	4	7	14
B. *Operated*	3374	2.4	4	<1	<1	2	3	5	6	9
1. SINGLE DX	2170	2.1	2	<1	<1	1	3	4	5	7
2. MULTIPLE DX	3436	2.4	4	<1	<1	2	3	5	6	9
A. NOT OPERATED	80	2.1	5	<1	<1	1	2	4	7	13
B. OPERATED	5526	2.2	3	<1	<1	2	3	4	5	8
TOTAL 0-19 YRS	717	2.1	2	<1	<1	1	3	4	5	7
20-34	2276	2.4	3	<1	<1	2	3	5	5	8
35-49	1316	2.2	3	<1	<1	1	3	4	6	8
50-64	859	2.1	4	<1	<1	1	2	4	5	11
65+	438	2.4	5	<1	1	2	3	5	7	11
GRAND TOTAL	**5606**	**2.2**	**3**	**<1**	**<1**	**2**	**3**	**4**	**5**	**9**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	3.0	8	<1	1	2	3	5	10	16
20-34	40	2.9	7	<1	1	2	4	8	8	11
35-49	29	2.8	2	1	1	2	4	5	5	7
50-64	27	3.8	17	<1	1	2	5	12	13	15
65+	33	3.4	71	<1	<1	2	2	4	6	50
B. *Operated*										
0-19 YRS	859	2.3	2	1	1	2	3	4	5	7
20-34	1691	2.4	2	<1	1	2	3	4	5	8
35-49	540	2.6	3	<1	1	2	3	5	6	9
50-64	178	2.8	5	<1	<1	2	4	5	7	14
65+	84	3.6	11	1	1	3	5	7	8	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	3.8	70	<1	1	2	3	7	11	58
20-34	114	5.3	60	<1	<1	2	5	14	22	39
35-49	98	5.0	28	<1	1	3	6	12	18	26
50-64	116	5.1	39	1	1	3	5	11	17	36
65+	375	8.3	59	1	2	5	11	19	24	36
B. *Operated*										
0-19 YRS	569	3.1	10	<1	1	2	4	5	7	20
20-34	1066	3.2	9	1	1	2	4	6	8	13
35-49	592	3.5	21	1	1	2	4	7	9	24
50-64	332	4.3	22	1	1	3	5	9	14	25
65+	284	7.1	51	1	1	5	10	15	22	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	180	3.1	19	<1	1	2	3	6	10	16
B. *Operated*	3352	2.5	3	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	770	6.5	56	1	1	4	7	16	22	35
B. *Operated*	2843	3.8	19	1	1	3	4	7	10	24
1. SINGLE DX	3532	2.5	4	<1	1	2	3	4	5	9
2. MULTIPLE DX	3613	4.4	28	1	1	3	5	9	14	29
A. NOT OPERATED	950	5.9	51	1	1	3	7	15	20	35
B OPERATED	6195	3.1	11	1	1	2	4	6	8	16
TOTAL 0-19 YRS	1546	2.7	8	<1	1	2	3	5	6	11
20-34	2911	2.8	7	<1	1	2	3	5	7	12
35-49	1259	3.2	14	<1	1	2	4	6	8	19
50-64	653	4.0	21	<1	1	3	4	8	13	23
65+	776	7.1	54	1	1	4	9	16	23	37
GRAND TOTAL	**7145**	**3.4**	**17**	**1**	**1**	**2**	**4**	**6**	**10**	**22**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	3.5	3	1	1	4	5	5	5	5
35-49	3	2.3	1	1	1	3	3	3	3	3
50-64	1	5.0		5	5	5	5	5	5	5
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	3	3.7	21	1	1	1	7	9	9	9
50-64	2	7.0	2	6	6	7	8	8	8	8
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	6	5.8	21	1	1	6	10	11	11	11
35-49	14	5.6	19	2	2	5	6	12	17	18
50-64	11	6.7	50	<1	1	4	8	19	23	23
65+	19	9.7	85	1	2	8	10	21	33	41
B. *Operated*										
0-19 YRS										
20-34	8	8.5	23	1	2	8	12	15	16	16
35-49	13	11.0	77	3	3	9	12	24	32	34
50-64	11	7.6	23	4	4	6	9	15	19	19
65+	8	12.6	166	3	4	8	13	35	43	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	3.2	3	1	1	3	5	5	5	5
B. *Operated*	7	4.9	10	1	1	6	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	51	7.4	51	1	2	5	9	17	23	41
B. *Operated*	40	9.9	67	3	3	8	12	18	28	43
1. SINGLE DX	20	3.8	6	1	1	3	5	7	8	9
2. MULTIPLE DX	91	8.5	59	1	2	6	10	17	23	42
A. NOT OPERATED	64	6.5	44	1	1	5	8	12	19	38
B. OPERATED	47	9.1	62	1	3	8	11	17	24	43
TOTAL 0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	23	6.0	18	1	1	5	9	12	14	16
35-49	33	7.3	48	1	2	5	9	17	21	34
50-64	25	7.1	31	1	2	5	8	17	20	23
65+	29	10.0	102	2	2	7	11	21	41	43
GRAND TOTAL	**111**	**7.6**	**53**	**1**	**2**	**6**	**9**	**16**	**22**	**42**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	14	3.3	4	<1	1	3	4	6	6	6
35-49	40	4.2	11	1	1	3	6	9	12	13
50-64	65	5.1	16	<1	1	4	7	10	13	19
65+	73	4.3	7	1	2	4	6	8	8	13
B. *Operated*										
0-19 YRS	4	3.5	6	1	1	3	5	6	6	6
20-34	63	3.2	8	1	1	2	5	8	10	11
35-49	370	4.0	10	1	1	3	6	8	10	14
50-64	509	4.0	14	1	1	3	6	8	10	15
65+	261	5.0	19	1	1	4	8	11	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	25	4.4	12	1	1	4	6	7	10	18
35-49	88	5.8	19	1	2	5	8	12	14	21
50-64	237	6.0	24	1	2	5	8	11	15	21
65+	699	6.2	18	2	2	5	8	11	14	22
B. *Operated*										
0-19 YRS	7	7.0	59	2	2	5	6	20	24	24
20-34	38	4.7	17	1	1	3	7	10	12	22
35-49	406	5.5	22	1	1	5	8	11	14	22
50-64	739	5.6	27	1	1	5	8	11	14	25
65+	759	8.4	64	1	1	7	11	17	22	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	193	4.5	10	1	1	4	6	8	11	16
B. *Operated*	1207	4.2	13	1	1	3	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	1051	6.1	19	1	2	5	8	11	14	21
B. *Operated*	1999	6.6	41	1	1	5	9	13	18	34
1. SINGLE DX	1400	4.2	13	1	1	3	6	9	11	16
2. MULTIPLE DX	3050	6.4	34	1	1	5	8	13	16	29
A. NOT OPERATED	1244	5.8	18	1	2	5	7	11	14	21
B. OPERATED	3206	5.7	32	1	1	4	8	12	15	27
TOTAL 0-19 YRS	14	5.1	33	1	1	4	6	8	20	24
20-34	190	4.0	13	1	1	3	6	9	11	18
35-49	904	4.8	16	1	1	4	7	10	13	19
50-64	1550	5.1	22	1	1	4	7	10	13	21
65+	1792	6.9	39	1	1	6	9	14	18	32
GRAND TOTAL	**4450**	**5.7**	**28**	**1**	**1**	**5**	**8**	**11**	**15**	**25**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	5.0	13	1	1	4	6	9	13	17
20-34	626	5.2	11	1	1	5	7	9	11	15
35-49	857	5.6	13	1	1	5	7	10	12	18
50-64	457	5.6	11	1	2	5	7	10	11	16
65+	153	6.0	17	1	2	5	7	10	12	25
B. *Operated*										
0-19 YRS	167	3.9	9	1	1	4	5	7	8	17
20-34	4078	4.7	14	1	1	4	6	9	11	17
35-49	5495	4.8	15	1	1	4	7	9	12	18
50-64	2255	4.9	15	1	1	4	7	10	12	18
65+	578	5.8	22	1	1	5	8	11	14	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	5.9	25	1	2	4	7	14	18	18
20-34	366	5.8	16	1	1	5	8	11	13	18
35-49	752	6.1	23	1	1	5	8	11	14	25
50-64	619	6.3	19	1	2	6	8	12	14	20
65+	665	6.8	17	2	3	6	9	12	14	21
B. *Operated*										
0-19 YRS	39	6.7	39	1	1	5	8	16	19	32
20-34	1475	6.5	26	1	1	6	9	12	16	24
35-49	2662	6.9	33	1	1	6	9	13	17	25
50-64	1920	7.4	36	1	1	6	10	14	18	30
65+	1235	8.5	42	1	2	8	11	16	20	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2119	5.5	12	1	1	5	7	10	11	17
B. *Operated*	12573	4.8	15	1	1	4	7	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	2412	6.3	19	1	2	6	8	12	14	22
B. *Operated*	7331	7.2	34	1	1	6	9	14	18	29
1. SINGLE DX	14692	4.9	15	1	1	4	7	9	12	18
2. MULTIPLE DX	9743	7.0	31	1	1	6	9	13	17	27
A. NOT OPERATED	4531	5.9	16	1	2	5	8	11	13	19
B. OPERATED	19904	5.7	23	1	1	5	8	11	14	23
TOTAL 0-19 YRS	242	4.5	16	1	1	4	6	8	11	19
20-34	6545	5.2	17	1	1	5	7	10	13	19
35-49	9766	5.6	21	1	1	5	7	11	14	21
50-64	5251	6.0	24	1	1	5	8	12	15	23
65+	2631	7.3	31	1	1	6	10	14	18	28
GRAND TOTAL	**24435**	**5.8**	**22**	**1**	**1**	**5**	**8**	**11**	**14**	**22**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	36	3.5	6	1	1	3	5	7	8	11
35-49	103	4.8	9	1	1	5	7	9	10	14
50-64	49	4.2	7	1	1	4	6	8	10	12
65+	16	5.6	4	3	3	6	7	8	9	9
B. *Operated*										
0-19 YRS	5	4.0	11	1	1	2	7	8	8	8
20-34	366	3.8	10	1	1	3	5	8	10	17
35-49	1056	4.0	9	1	1	4	5	8	9	14
50-64	505	4.0	10	1	1	4	6	8	10	15
65+	72	3.6	11	1	1	2	6	8	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	8.0	42	1	1	9	13	16	16	16
20-34	38	3.8	11	<1	1	3	5	7	11	17
35-49	105	4.9	11	<1	1	5	7	8	10	19
50-64	107	5.7	16	1	1	5	7	11	14	20
65+	125	5.5	20	1	2	4	7	10	12	22
B. *Operated*										
0-19 YRS	6	4.3	17	1	1	3	7	11	11	11
20-34	174	4.7	15	1	1	4	6	8	13	20
35-49	641	4.9	19	1	1	4	7	10	13	22
50-64	571	5.3	17	1	1	4	7	11	14	20
65+	145	7.2	61	1	1	5	9	16	21	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	205	4.5	8	1	1	4	6	8	10	13
B. *Operated*	2004	4.0	10	1	1	3	5	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	380	5.3	16	1	1	4	7	10	12	18
B. *Operated*	1537	5.2	22	1	1	4	7	11	14	22
1. SINGLE DX	2209	4.0	10	1	1	4	6	8	10	15
2. MULTIPLE DX	1917	5.2	21	1	1	4	7	10	14	22
A. NOT OPERATED	585	5.0	13	1	1	4	7	9	11	16
B. OPERATED	3541	4.5	16	1	1	4	6	9	12	19
TOTAL 0-19 YRS	17	5.2	22	1	1	3	8	12	15	16
20-34	614	4.0	12	1	1	3	5	8	10	17
35-49	1905	4.4	13	1	1	4	6	9	11	18
50-64	1232	4.7	14	1	1	4	6	9	12	18
65+	358	5.8	36	1	1	4	7	11	16	30
GRAND TOTAL	**4126**	**4.6**	**15**	**1**	**1**	**4**	**6**	**9**	**12**	**19**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3	2	2	2	3	4	5	5	5
20-34	48	5.6	14	2	2	4	7	10	13	18
35-49	64	6.0	25	1	2	5	7	9	15	32
50-64	23	5.4	10	1	2	5	7	10	12	13
65+	6	4.7	12	2	2	3	6	10	11	11
B. *Operated*										
0-19 YRS	2	8.0	8	6	6	8	10	10	10	10
20-34	98	3.9	22	1	1	2	6	10	12	26
35-49	94	4.7	26	1	1	2	7	12	17	20
50-64	23	3.9	11	1	1	3	6	10	11	11
65+	4	5.5	11	<1	<1	6	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	6.7	5	4	4	8	8	8	8	8
20-34	48	6.4	24	1	2	5	8	12	19	26
35-49	82	6.6	25	1	2	5	8	13	16	28
50-64	65	6.5	16	2	2	6	8	12	15	19
65+	40	7.2	40	2	2	5	9	16	22	30
B. *Operated*										
0-19 YRS	2	5.0	32	1	1	5	9	9	9	9
20-34	67	6.3	46	1	1	4	9	11	21	35
35-49	97	6.3	22	1	1	6	9	12	13	23
50-64	27	6.7	26	1	1	6	11	15	16	17
65+	10	8.0	34	1	1	8	13	15	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	145	5.6	18	1	2	5	7	10	14	19
B. *Operated*	221	4.3	22	1	1	2	6	11	13	21
2. MULTIPLE DX										
A. *Not Operated*	238	6.6	24	2	2	5	8	12	18	26
B. *Operated*	203	6.4	31	1	1	6	9	12	16	30
1. SINGLE DX	366	4.8	21	1	1	3	7	11	13	20
2. MULTIPLE DX	441	6.5	27	1	1	5	9	12	17	27
A. NOT OPERATED	383	6.3	22	2	2	5	8	12	15	25
B. OPERATED	424	5.3	27	1	1	3	8	12	15	25
TOTAL 0-19 YRS	11	5.4	9	1	1	5	8	9	10	10
20-34	261	5.3	28	1	1	4	7	10	15	27
35-49	337	5.9	25	1	1	5	8	12	15	21
50-64	138	5.9	17	1	1	5	8	12	15	17
65+	60	6.9	34	1	2	5	9	14	20	29
GRAND TOTAL	**807**	**5.8**	**25**	**1**	**1**	**5**	**8**	**12**	**15**	**25**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	51	4.9	7	1	2	4	7	9	10	12
35-49	67	4.0	9	1	1	4	5	7	8	17
50-64	42	4.0	7	<1	1	4	6	8	9	10
65+	23	6.0	19	1	2	6	9	12	14	17
B. *Operated*										
0-19 YRS										
20-34	45	2.3	4	1	1	1	3	5	7	9
35-49	71	3.3	18	1	1	1	4	10	12	21
50-64	37	3.4	17	1	1	1	4	11	12	18
65+	15	3.0	10	1	1	1	4	8	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.7	9	2	2	4	7	8	8	8
20-34	47	5.7	22	1	1	5	7	13	15	24
35-49	71	6.0	14	1	2	6	8	10	14	17
50-64	93	6.4	15	2	3	6	8	12	14	20
65+	120	5.8	12	1	2	5	7	11	12	18
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	42	4.2	21	1	1	3	5	9	16	21
35-49	59	6.0	38	1	1	4	9	13	19	31
50-64	39	6.3	40	<1	1	4	7	12	21	32
65+	36	7.4	51	1	1	6	11	16	22	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	185	4.5	10	1	1	4	6	9	10	16
B. *Operated*	168	3.0	13	1	1	1	4	8	11	18
2. MULTIPLE DX										
A. *Not Operated*	334	6.0	14	1	2	5	8	11	13	18
B. *Operated*	178	5.9	37	1	1	4	8	13	20	32
1. SINGLE DX	353	3.8	12	1	1	3	5	8	11	17
2. MULTIPLE DX	512	5.9	22	1	1	5	8	12	15	24
A. NOT OPERATED	519	5.4	13	1	1	5	7	10	13	18
B. OPERATED	346	4.5	28	1	1	2	6	11	15	25
TOTAL 0-19 YRS	7	3.3	6	1	1	2	4	7	8	8
20-34	185	4.3	15	1	1	4	6	9	12	20
35-49	268	4.8	20	1	1	4	6	10	13	23
50-64	211	5.4	20	1	1	4	7	10	13	22
65+	194	5.9	20	1	1	5	8	12	13	22
GRAND TOTAL	**865**	**5.1**	**19**	**1**	**1**	**4**	**7**	**10**	**13**	**21**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	4.4	47	<1	1	2	5	7	10	38
20-34	525	4.6	10	1	1	4	6	9	11	16
35-49	652	4.8	11	1	1	4	6	9	11	16
50-64	366	4.8	12	1	1	4	7	10	12	17
65+	151	4.3	9	<1	1	4	6	8	10	15
B. *Operated*										
0-19 YRS	52	1.8	2	<1	1	1	2	4	5	8
20-34	849	2.7	10	<1	1	1	3	7	9	16
35-49	1149	3.0	10	1	1	1	4	7	9	14
50-64	861	3.8	12	1	1	2	6	9	10	15
65+	524	5.4	19	1	1	5	8	11	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	3.8	26	<1	1	2	5	9	11	33
20-34	677	6.3	43	1	1	4	7	14	19	32
35-49	1139	6.5	36	1	1	5	8	15	19	32
50-64	829	6.2	29	1	1	5	8	12	17	32
65+	1221	5.9	23	1	2	5	8	11	14	22
B. *Operated*										
0-19 YRS	36	4.4	24	<1	1	3	6	9	10	28
20-34	745	4.8	31	1	1	3	7	11	14	24
35-49	1252	4.9	28	1	1	3	7	11	16	24
50-64	1358	6.2	34	1	1	5	9	13	16	30
65+	1516	8.1	43	1	1	7	11	16	20	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1748	4.7	12	1	1	4	6	9	11	16
B. *Operated*	3435	3.5	12	1	1	2	5	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	3924	6.2	32	1	1	5	8	12	18	29
B. *Operated*	4907	6.2	36	1	1	5	9	13	17	28
1. SINGLE DX	5183	3.9	13	1	1	3	6	8	10	16
2. MULTIPLE DX	8831	6.2	34	1	1	5	8	13	18	29
A. NOT OPERATED	5672	5.7	26	1	1	4	7	11	16	26
B. OPERATED	8342	5.1	28	1	1	3	7	11	15	24
TOTAL 0-19 YRS	200	3.6	26	<1	1	2	5	7	9	35
20-34	2796	4.5	25	1	1	3	6	10	13	24
35-49	4192	4.8	24	1	1	3	7	10	15	23
50-64	3414	5.4	26	1	1	4	7	11	14	25
65+	3412	6.7	33	1	1	6	9	13	17	26
GRAND TOTAL	**14014**	**5.3**	**28**	**1**	**1**	**4**	**7**	**11**	**15**	**25**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	2.5	2	1	1	2	3	5	6	8
20-34	54	3.1	3	1	1	3	4	6	7	8
35-49	57	3.8	8	<1	1	3	5	8	10	14
50-64	43	2.9	4	<1	1	2	4	5	8	10
65+	31	3.4	3	1	1	3	5	6	7	8
B. *Operated*										
0-19 YRS	176	1.9	4	<1	<1	1	2	3	6	11
20-34	554	2.1	3	<1	<1	1	3	4	6	8
35-49	762	2.1	4	<1	<1	2	3	4	5	7
50-64	585	2.1	3	<1	<1	2	3	4	5	8
65+	139	2.3	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	3.8	14	1	1	3	5	7	8	26
20-34	76	4.1	8	<1	1	3	5	7	10	15
35-49	105	4.1	14	<1	<1	3	5	9	11	20
50-64	133	4.8	11	1	1	4	6	10	12	16
65+	215	4.7	9	1	2	4	6	9	11	16
B. *Operated*										
0-19 YRS	80	2.6	6	<1	<1	2	3	6	8	12
20-34	436	3.1	10	<1	1	2	4	6	8	16
35-49	759	2.8	8	<1	1	2	3	5	7	12
50-64	725	3.0	6	1	1	2	4	6	8	13
65+	441	4.2	17	<1	1	3	5	8	12	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	266	3.1	4	1	1	3	4	6	7	11
B. *Operated*	2216	2.1	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	589	4.4	11	1	1	4	6	8	10	17
B. *Operated*	2441	3.2	10	<1	1	2	4	6	8	15
1. SINGLE DX	2482	2.2	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX	3030	3.4	10	<1	1	3	4	7	9	16
A. NOT OPERATED	855	4.0	9	1	1	3	5	7	10	16
B. OPERATED	4657	2.7	7	<1	<1	2	3	5	7	13
TOTAL 0-19 YRS	397	2.4	6	<1	<1	2	3	5	7	11
20-34	1120	2.7	6	<1	<1	2	3	5	7	14
35-49	1683	2.6	7	<1	1	2	3	5	7	12
50-64	1486	2.8	6	<1	1	2	3	5	7	13
65+	826	4.0	13	<1	1	3	5	8	11	17
GRAND TOTAL	**5512**	**2.9**	**7**	**<1**	**1**	**2**	**4**	**6**	**8**	**14**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49	5	2.4	3	1	1	2	3	5	5	5
50-64	5	3.6	1	2	2	4	4	5	5	5
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	138	1.9	1	<1	1	2	2	3	4	5
20-34	269	2.3	4	<1	1	2	3	4	5	8
35-49	377	2.2	1	<1	1	2	3	4	5	6
50-64	425	2.4	2	<1	1	2	3	4	5	7
65+	194	2.2	2	<1	<1	2	3	4	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.3		<1	<1	<1	1	2	2	2
20-34	7	1.3	1	<1	<1	<1	1	3	3	3
35-49	8	1.6	3	<1	<1	1	1	5	6	6
50-64	13	2.2	4	<1	<1	1	2	6	7	7
65+	14	2.8	9	<1	<1	1	3	7	11	12
B. *Operated*										
0-19 YRS	234	2.3	2	1	1	2	3	4	5	6
20-34	474	2.3	2	1	1	2	3	4	5	7
35-49	774	2.6	2	1	1	2	3	4	5	9
50-64	1276	2.7	3	1	1	2	3	5	5	8
65+	1027	2.9	4	1	1	3	4	5	6	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	3.0	2	1	1	3	4	5	5	5
B. *Operated*	1403	2.2	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	46	2.1	5	<1	<1	1	2	5	6	12
B. *Operated*	3785	2.7	3	1	1	2	3	5	6	8
1. SINGLE DX	1416	2.2	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	3831	2.6	3	1	1	2	3	5	6	8
A. NOT OPERATED	59	2.3	4	<1	<1	1	3	5	6	12
B. OPERATED	5188	2.5	3	1	1	2	3	4	5	8
TOTAL 0-19 YRS	377	2.2	2	<1	1	2	3	4	5	6
20-34	751	2.3	3	<1	1	2	3	4	5	7
35-49	1164	2.4	2	1	1	2	3	4	5	8
50-64	1719	2.6	3	1	1	2	3	5	5	7
65+	1236	2.8	4	<1	1	2	4	5	6	10
GRAND TOTAL	**5247**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	5	1.8	3	<1	<1	1	2	5	5	5
65+	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	137	1.1		<1	<1	<1	1	1	2	3
20-34	209	1.3	1	<1	<1	<1	1	2	3	5
35-49	148	1.5	1	<1	<1	1	2	3	3	6
50-64	100	1.5	1	<1	<1	1	2	3	4	6
65+	35	1.6	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.5	5	<1	<1	2	4	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	4	1.0		<1	<1	<1	<1	<1	<1	<1
65+	9	5.4	9	2	2	4	7	10	12	12
B. *Operated*										
0-19 YRS	23	1.5	2	<1	<1	1	1	3	5	7
20-34	59	2.0	1	<1	<1	2	3	4	4	5
35-49	81	2.1	3	<1	<1	1	2	4	6	9
50-64	86	3.1	11	<1	<1	2	4	6	8	21
65+	81	2.9	4	<1	1	2	4	5	6	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	1.5	2	<1	<1	1	1	3	5	5
B. *Operated*	629	1.4	1	<1	<1	<1	1	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	16	3.8	9	<1	<1	3	5	7	11	12
B. *Operated*	330	2.5	5	<1	<1	2	3	5	6	11
1. SINGLE DX	639	1.4	1	<1	<1	<1	1	2	3	5
2. MULTIPLE DX	346	2.5	5	<1	<1	2	3	5	6	12
A. NOT OPERATED	26	2.9	7	<1	<1	2	4	7	8	12
B. OPERATED	959	1.7	3	<1	<1	1	2	3	5	8
TOTAL 0-19 YRS	161	1.2		<1	<1	<1	1	2	2	3
20-34	271	1.5	1	<1	<1	<1	2	3	4	5
35-49	231	1.7	2	<1	<1	1	2	3	4	7
50-64	195	2.2	6	<1	<1	1	3	4	6	14
65+	127	2.7	4	<1	<1	2	4	5	6	12
GRAND TOTAL	**985**	**1.8**	**3**	**<1**	**<1**	**1**	**2**	**4**	**5**	**8**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	96	9.3	50	1	2	7	12	21	24	32
20-34	20	6.9	25	<1	1	6	10	13	17	21
35-49	12	5.7	16	1	2	5	7	11	15	16
50-64	17	6.8	30	1	1	5	11	14	18	20
65+	13	10.8	41	5	6	9	13	17	28	30
B. *Operated*										
0-19 YRS	73	10.8	166	1	1	7	15	23	34	76
20-34	79	7.4	72	<1	1	5	8	18	21	48
35-49	69	7.9	45	1	1	7	10	20	21	26
50-64	60	9.0	104	1	1	5	12	22	31	47
65+	43	10.1	61	1	1	8	14	22	25	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	100	12.0	66	3	3	11	15	24	27	39
20-34	52	8.9	97	1	2	6	10	20	37	46
35-49	56	11.3	203	1	2	8	13	19	38	93
50-64	91	10.0	102	1	2	7	14	21	32	48
65+	126	12.1	138	2	4	10	14	25	34	67
B. *Operated*										
0-19 YRS	158	13.3	141	2	3	10	17	29	40	98
20-34	222	13.1	143	2	3	10	18	29	42	65
35-49	247	15.2	150	2	3	11	21	32	43	52
50-64	355	14.6	128	3	4	12	19	31	41	67
65+	423	14.0	142	2	3	11	18	28	36	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	158	8.6	43	1	2	7	11	18	23	31
B. *Operated*	324	8.9	93	1	1	6	11	20	26	46
2. MULTIPLE DX										
A. *Not Operated*	425	11.1	117	1	2	8	14	23	30	51
B. *Operated*	1405	14.1	140	2	3	11	18	30	41	64
1. SINGLE DX	482	8.8	76	1	1	6	11	20	24	40
2. MULTIPLE DX	1830	13.4	136	2	3	10	17	28	40	64
A. NOT OPERATED	583	10.4	98	1	2	8	13	21	28	46
B. OPERATED	1729	13.2	135	1	3	10	17	28	38	61
TOTAL 0-19 YRS	427	11.6	109	1	3	9	15	24	33	64
20-34	373	11.0	122	1	2	7	14	22	38	56
35-49	384	13.0	144	1	2	9	17	27	41	51
50-64	523	12.9	124	2	3	10	17	29	37	59
65+	605	13.2	134	2	3	10	17	27	35	61
GRAND TOTAL	**2312**	**12.5**	**127**	**1**	**3**	**9**	**16**	**27**	**36**	**58**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	3.7	19	<1	<1	2	4	8	10	28
20-34	47	2.6	4	<1	1	2	3	5	7	9
35-49	69	2.2	4	<1	<1	2	2	5	8	9
50-64	56	4.7	111	<1	1	2	4	9	11	74
65+	114	5.4	12	1	2	5	7	10	12	16
B. *Operated*										
0-19 YRS	603	2.9	9	<1	1	2	3	6	8	15
20-34	786	3.2	8	<1	1	2	4	6	8	15
35-49	541	4.0	12	1	1	3	5	8	12	17
50-64	327	4.5	15	1	1	3	6	10	12	17
65+	187	6.9	29	1	1	6	10	14	16	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	6.3	56	<1	1	4	7	17	21	35
20-34	90	3.0	8	<1	1	2	4	6	8	16
35-49	230	4.3	21	1	1	3	5	9	12	25
50-64	457	5.7	31	1	1	4	7	11	18	30
65+	2589	7.1	28	2	2	6	9	13	16	28
B. *Operated*										
0-19 YRS	294	4.3	36	<1	1	2	5	10	13	33
20-34	663	5.0	46	1	1	3	6	10	15	38
35-49	619	6.2	46	1	1	4	8	13	17	40
50-64	712	7.8	38	1	2	7	10	15	19	31
65+	1274	11.4	72	2	3	10	14	20	27	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	343	3.9	28	<1	1	2	5	8	10	19
B. *Operated*	2444	3.8	13	<1	1	3	5	8	11	17
2. MULTIPLE DX										
A. *Not Operated*	3414	6.6	29	1	2	5	9	13	16	28
B. *Operated*	3562	8.0	60	1	1	6	11	16	21	38
1. SINGLE DX	2787	3.8	15	<1	1	3	5	8	11	17
2. MULTIPLE DX	6976	7.3	45	1	1	6	10	15	19	35
A. NOT OPERATED	3757	6.4	29	1	2	5	8	12	16	27
B. OPERATED	6006	6.3	45	1	1	4	9	14	18	34
TOTAL 0-19 YRS	1002	3.5	20	<1	1	2	4	7	10	25
20-34	1586	3.9	25	1	1	3	5	8	11	23
35-49	1459	4.9	29	1	1	3	6	10	14	24
50-64	1552	6.4	36	1	1	5	9	13	18	29
65+	4164	8.4	45	2	2	7	11	15	20	36
GRAND TOTAL	**9763**	**6.3**	**39**	**1**	**1**	**4**	**8**	**13**	**17**	**31**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	-									
20-34	1	14.0		14	14	14	14	14	14	14
35-49	2	14.5	265	3	3	14	26	26	26	26
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	170	3.3	26	<1	1	2	4	5	7	35
20-34	83	2.6	4	<1	<1	2	4	5	7	9
35-49	55	2.7	5	<1	<1	1	4	7	8	10
50-64	29	3.0	9	<1	<1	2	3	6	8	15
65+	15	5.5	12	<1	1	5	8	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	1.9	3	<1	<1	1	2	5	6	6
20-34	8	8.3	317	<1	<1	1	4	38	52	52
35-49	11	7.5	87	<1	<1	4	12	21	30	31
50-64	10	10.4	103	<1	<1	6	16	27	28	28
65+	29	13.7	68	1	2	14	18	25	29	30
B. *Operated*										
0-19 YRS	296	3.3	14	<1	1	3	4	5	7	20
20-34	210	4.2	18	<1	1	3	6	8	11	19
35-49	139	3.6	6	1	1	3	5	6	8	15
50-64	130	5.2	55	1	1	3	6	9	11	48
65+	110	7.3	65	1	1	5	8	15	29	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	11.8	115	3	3	9	20	26	26	26
B. *Operated*	352	3.1	16	<1	<1	2	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	66	10.1	107	<1	<1	6	16	26	29	49
B. *Operated*	885	4.3	28	1	1	3	5	8	11	33
1. SINGLE DX	356	3.2	17	<1	<1	2	4	6	8	25
2. MULTIPLE DX	951	4.7	35	1	1	3	5	9	14	34
A. NOT OPERATED	70	10.2	106	<1	<1	6	16	26	29	48
B. OPERATED	1237	4.0	25	<1	1	3	5	7	10	31
TOTAL 0-19 YRS	474	3.3	18	<1	1	3	4	5	7	27
20-34	302	3.9	22	<1	<1	3	5	8	10	19
35-49	207	3.6	13	<1	<1	3	5	7	9	20
50-64	170	5.1	51	1	1	3	5	9	13	41
65+	154	8.3	67	1	1	5	11	18	28	38
GRAND TOTAL	**1307**	**4.3**	**31**	**<1**	**1**	**3**	**5**	**8**	**12**	**32**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	5	3.8	4	1	1	4	5	6	6	6
35-49	11	3.8	12	<1	<1	2	6	9	11	11
50-64	4	4.0	7	1	1	4	6	7	7	7
65+	4	6.0	13	2	2	6	9	10	10	10
B. *Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	11	2.1	3	1	1	1	3	5	6	6
35-49	20	3.8	19	<1	<1	2	6	10	13	16
50-64	13	4.2	15	1	1	4	7	10	12	13
65+	9	4.0	13	1	1	2	7	9	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	10.0	128	2	2	10	18	18	18	18
20-34	8	4.9	16	1	1	4	6	11	13	13
35-49	19	4.7	12	<1	1	4	7	10	12	13
50-64	21	5.2	8	1	1	5	7	9	10	11
65+	32	6.5	20	1	2	6	9	11	16	21
B. *Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	10	4.6	27	<1	<1	2	5	14	16	16
35-49	11	3.4	7	1	1	2	5	7	9	9
50-64	14	3.6	11	1	1	2	5	9	10	10
65+	20	4.8	14	<1	1	4	7	9	12	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	4.6	13	<1	1	4	6	10	12	15
B. *Operated*	56	3.5	13	1	1	2	5	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	82	5.7	16	1	1	5	8	11	13	20
B. *Operated*	57	4.2	13	1	1	2	6	9	11	16
1. SINGLE DX	81	3.8	13	1	1	2	6	9	11	16
2. MULTIPLE DX	139	5.1	15	1	1	4	7	10	13	18
A. NOT OPERATED	107	5.4	16	1	1	5	8	11	13	19
B. OPERATED	113	3.8	13	1	1	2	6	9	11	16
TOTAL 0-19 YRS	8	6.1	44	1	1	3	10	17	18	18
20-34	34	3.7	13	1	1	3	5	8	13	16
35-49	61	4.0	13	<1	1	2	6	10	11	16
50-64	52	4.4	10	1	1	4	7	9	10	13
65+	65	5.6	17	1	1	5	8	10	12	20
GRAND TOTAL	**220**	**4.6**	**15**	**1**	**1**	**4**	**7**	**10**	**12**	**17**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	3.0	7	1	1	2	3	6	8	15
20-34	97	3.2	8	<1	1	2	4	7	10	14
35-49	118	2.8	8	<1	1	2	3	6	7	18
50-64	90	2.9	6	<1	1	2	3	5	7	15
65+	54	4.2	12	<1	1	3	6	10	11	18
B. *Operated*										
0-19 YRS	352	4.4	18	<1	<1	2	8	10	11	21
20-34	480	3.3	12	<1	<1	2	4	9	10	16
35-49	414	3.5	17	<1	<1	2	4	9	11	18
50-64	397	2.2	5	<1	<1	1	2	5	7	10
65+	241	2.3	4	<1	<1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	4.3	32	<1	1	3	5	8	13	35
20-34	230	4.7	34	<1	1	3	5	9	15	33
35-49	306	4.6	26	1	1	3	5	10	15	29
50-64	295	4.6	18	1	1	3	6	9	13	22
65+	499	5.3	24	1	1	4	6	10	13	28
B. *Operated*										
0-19 YRS	428	4.3	32	<1	<1	2	5	10	13	31
20-34	684	4.3	32	<1	1	2	5	10	12	29
35-49	623	4.4	38	1	1	2	5	10	13	27
50-64	652	5.0	52	1	1	3	6	11	17	39
65+	537	5.7	52	1	1	3	7	12	16	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	397	3.1	8	<1	1	2	4	7	9	16
B. *Operated*	1884	3.2	12	<1	<1	2	4	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	1408	4.8	25	1	1	3	6	10	14	28
B. *Operated*	2924	4.7	44	<1	1	3	6	10	14	32
1. SINGLE DX	2281	3.2	11	<1	<1	2	4	8	10	16
2. MULTIPLE DX	4332	4.8	38	1	1	3	6	10	14	30
A. NOT OPERATED	1805	4.5	22	1	1	3	5	9	12	25
B. OPERATED	4808	4.1	32	<1	1	2	5	9	12	26
TOTAL 0-19 YRS	896	4.3	25	<1	<1	2	7	10	12	23
20-34	1491	4.0	25	<1	1	2	5	9	12	25
35-49	1461	4.1	28	<1	1	2	5	9	12	25
50-64	1434	4.0	31	<1	1	2	5	9	12	25
65+	1331	4.9	36	1	1	3	6	10	13	30
GRAND TOTAL	**6613**	**4.2**	**29**	**<1**	**1**	**2**	**5**	**9**	**12**	**25**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	5.0	7	3	3	4	7	8	8	8
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	4.5	1	4	4	4	5	5	5	5
65+										
B. *Operated*										
0-19 YRS										
20-34	5	1.0		1	1	1	1	1	1	1
35-49	5	4.8	47	1	1	2	6	17	17	17
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	3.8	3	2	2	3	5	6	7	7
35-49	11	4.7	7	2	2	4	7	9	9	9
50-64	7	4.9	14	1	1	4	6	11	12	12
65+	7	4.0	5	1	1	4	6	7	7	7
B. *Operated*										
0-19 YRS										
20-34	7	3.3	16	1	1	2	3	10	12	12
35-49	12	2.5	3	1	1	2	3	5	6	6
50-64	3	4.3	17	1	1	3	7	9	9	9
65+	2	1.5	1	1	1	1	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	4.7	3	3	3	4	5	8	8	8
B. *Operated*	11	2.7	23	1	1	1	2	8	16	17
2. MULTIPLE DX										
A. *Not Operated*	33	4.4	6	1	2	4	6	8	9	12
B. *Operated*	24	2.9	7	1	1	2	3	6	10	12
1. SINGLE DX	17	3.4	16	1	1	2	4	7	14	17
2. MULTIPLE DX	57	3.7	7	1	1	3	5	8	9	12
A. NOT OPERATED	39	4.4	6	1	2	4	6	8	9	12
B. OPERATED	35	2.8	12	1	1	2	3	6	11	17
TOTAL 0-19 YRS										
20-34	23	3.2	7	1	1	3	4	7	9	12
35-49	29	3.8	11	1	1	3	5	8	9	17
50-64	13	4.4	11	1	1	4	6	10	12	12
65+	9	3.4	5	1	1	3	5	7	7	7
GRAND TOTAL	**74**	**3.7**	**9**	**1**	**1**	**3**	**5**	**8**	**9**	**16**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.6	8	<1	<1	1	2	8	10	10
20-34	6	1.7	1	1	1	1	2	4	4	4
35-49	3	2.0	1	<1	<1	2	3	3	3	3
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	59	5.0	11	1	1	4	7	10	11	16
20-34	9	4.6	4	2	2	5	6	7	7	7
35-49	4	6.3	17	1	1	6	9	11	11	11
50-64	6	8.2	27	3	3	8	10	16	17	17
65+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	3.8	18	<1	1	2	5	7	15	21
20-34	10	3.2	5	<1	<1	3	5	7	8	8
35-49	5	4.4	14	<1	<1	4	7	10	10	10
50-64	2	16.5	313	4	4	16	29	29	29	29
65+	3	2.7	1	2	2	2	4	4	4	4
B. *Operated*										
0-19 YRS	108	8.0	39	1	2	7	10	15	22	30
20-34	17	7.2	24	1	1	8	11	14	14	14
35-49	18	7.6	39	1	1	7	9	12	23	29
50-64	10	11.5	47	4	5	9	15	22	27	27
65+	6	12.3	74	1	2	12	17	24	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	2.2	5	<1	<1	1	2	5	8	10
B. *Operated*	80	5.2	12	1	1	4	7	10	11	17
2. MULTIPLE DX										
A. *Not Operated*	86	4.0	22	<1	1	2	5	8	15	26
B. *Operated*	159	8.3	40	1	2	7	11	16	23	29
1. SINGLE DX	102	4.5	12	<1	1	4	6	9	11	16
2. MULTIPLE DX	245	6.8	37	1	1	6	9	14	20	29
A. NOT OPERATED	108	3.7	19	<1	<1	2	4	7	11	25
B. OPERATED	239	7.2	32	1	2	6	9	14	19	28
TOTAL 0-19 YRS	245	5.9	29	1	1	5	8	12	16	27
20-34	42	4.9	16	1	1	4	7	11	13	14
35-49	30	6.3	30	<1	1	6	8	11	13	29
50-64	18	10.9	58	3	3	9	15	24	28	29
65+	12	7.3	62	<1	1	3	12	19	24	25
GRAND TOTAL	**347**	**6.1**	**31**	**1**	**1**	**5**	**8**	**12**	**17**	**28**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	1.3	1	<1	<1	<1	1	1	5	6
20-34	3	4.7	14	2	2	3	7	9	9	9
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	324	1.5	4	<1	<1	1	2	3	3	6
20-34	77	1.6	1	<1	<1	1	2	3	4	5
35-49	36	1.3		<1	<1	1	1	2	3	4
50-64	18	1.4		<1	<1	1	2	2	3	3
65+	6	1.2		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	1.7	2	<1	<1	<1	2	4	6	7
20-34										
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	165	1.7	2	<1	<1	1	2	3	4	8
20-34	29	2.3	3	<1	1	2	3	4	7	7
35-49	19	1.9	1	1	1	2	2	3	4	4
50-64	21	2.3	3	<1	<1	2	3	5	6	7
65+	17	1.4	1	<1	<1	1	2	3	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	1.4	2	<1	<1	<1	1	2	5	8
B. *Operated*	461	1.5	3	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	26	1.8	2	<1	<1	1	2	4	5	7
B. *Operated*	251	1.8	2	<1	<1	1	2	4	4	7
1. SINGLE DX	529	1.5	3	<1	<1	1	2	3	3	6
2. MULTIPLE DX	277	1.8	2	<1	<1	1	2	4	5	7
A. NOT OPERATED	94	1.5	2	<1	<1	<1	1	3	5	8
B. OPERATED	712	1.6	3	<1	<1	1	2	3	4	7
TOTAL 0-19 YRS	577	1.6	3	<1	<1	1	2	3	4	7
20-34	109	1.8	2	<1	<1	1	2	3	4	8
35-49	57	1.5	1	<1	<1	1	2	3	3	4
50-64	39	1.9	2	<1	<1	1	2	4	5	7
65+	24	1.3	1	<1	<1	1	1	2	3	4
GRAND TOTAL	**806**	**1.6**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.5	11	<1	<1	2	3	3	9	17
20-34										
35-49	1	15.0		15	15	15	15	15	15	15
50-64	2	3.5	13	<1	<1	3	6	6	6	6
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	556	4.0	10	<1	<1	4	7	8	9	12
20-34	81	3.9	16	<1	1	2	6	8	9	23
35-49	46	4.5	14	1	1	3	7	9	11	16
50-64	25	3.2	9	<1	<1	2	5	7	9	13
65+	8	4.9	18	1	1	2	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	169	4.3	28	<1	<1	2	5	10	16	27
20-34	24	3.5	10	<1	1	3	4	8	10	15
35-49	11	3.7	9	<1	1	3	5	8	11	11
50-64	23	3.0	4	<1	1	2	5	6	7	8
65+	29	4.8	21	1	1	4	6	9	12	24
B. *Operated*										
0-19 YRS	1077	6.0	61	<1	1	4	8	12	17	42
20-34	122	6.5	40	1	1	6	9	13	18	32
35-49	120	6.6	67	1	1	4	9	14	17	44
50-64	78	7.4	45	1	1	6	11	15	18	35
65+	88	7.2	40	1	1	6	10	16	19	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	3.1	15	<1	<1	2	3	6	15	17
B. *Operated*	716	4.0	11	<1	1	3	7	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	256	4.2	23	<1	1	3	5	9	14	24
B. *Operated*	1485	6.2	58	1	1	5	8	13	17	41
1. SINGLE DX	743	4.0	11	<1	<1	3	7	8	9	13
2. MULTIPLE DX	1741	5.9	53	<1	1	4	8	13	17	38
A. NOT OPERATED	283	4.1	22	<1	1	2	5	8	15	24
B. OPERATED	2201	5.5	44	<1	1	4	8	11	15	34
TOTAL 0-19 YRS	1825	5.2	43	<1	1	3	7	10	14	34
20-34	227	5.3	30	1	1	3	8	10	15	28
35-49	178	5.9	51	1	1	4	8	12	16	32
50-64	128	5.7	34	<1	1	3	9	14	15	25
65+	126	6.5	35	1	1	5	9	14	18	27
GRAND TOTAL	**2484**	**5.4**	**41**	**<1**	**1**	**3**	**7**	**11**	**15**	**31**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.2	1	<1	<1	2	3	4	4	4
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	345	2.8	2	1	1	3	3	5	5	7
20-34	10	3.0	1	<1	1	3	3	4	5	5
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	1.6	2	<1	<1	1	2	3	5	6
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	320	3.1	5	1	1	3	4	5	6	14
20-34	9	1.8	1	1	1	1	3	3	3	3
35-49	5	3.2	11	1	1	2	4	9	9	9
50-64	3	1.7		1	1	2	2	2	2	2
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.2	1	<1	<1	2	3	4	4	4
B. *Operated*	359	2.8	2	1	1	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	26	1.6	2	<1	<1	1	2	3	5	6
B. *Operated*	337	3.1	5	1	1	3	4	5	6	14
1. SINGLE DX	365	2.8	2	1	1	3	3	5	5	7
2. MULTIPLE DX	363	3.0	5	1	1	3	4	5	6	14
A. NOT OPERATED	32	1.7	2	<1	<1	1	2	3	5	6
B. OPERATED	696	3.0	3	1	1	3	4	5	6	11
TOTAL 0-19 YRS	696	2.9	3	1	1	3	4	5	6	11
20-34	20	2.4	1	<1	1	3	3	4	4	5
35-49	7	3.4	9	1	1	2	5	8	9	9
50-64	4	1.5		1	1	1	2	2	2	2
65+	1	5.0		5	5	5	5	5	5	5
GRAND TOTAL	**728**	**2.9**	**3**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	3	<1	<1	1	3	4	4	4
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	342	3.1	2	1	2	3	4	5	6	9
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.6	21	<1	<1	1	4	11	15	16
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	131	3.9	4	2	2	4	5	6	8	32
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.0	3	<1	<1	1	3	4	4	4
B. *Operated*	342	3.1	2	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	12	3.6	21	<1	<1	1	4	11	15	16
B. *Operated*	131	3.9	4	2	2	4	5	6	8	32
1. SINGLE DX	345	3.1	2	1	2	3	4	5	6	9
2. MULTIPLE DX	143	3.9	5	1	2	4	5	6	8	22
A. NOT OPERATED	15	3.3	18	<1	<1	1	4	9	14	16
B. OPERATED	473	3.3	3	1	2	3	4	5	6	10
TOTAL 0-19 YRS	488	3.3	3	1	2	3	4	5	6	10
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**488**	**3.3**	**3**	**1**	**2**	**3**	**4**	**5**	**6**	**10**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	2.1	4	<1	<1	1	2	4	6	14
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	11.0		11	11	11	11	11	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS	200	3.9	11	<1	<1	3	6	9	10	16
20-34	26	3.6	6	<1	<1	4	5	6	8	10
35-49	17	4.4	6	1	1	5	6	8	8	8
50-64	10	3.4	6	<1	<1	3	6	7	7	7
65+	5	5.8	8	2	2	5	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	89	7.2	112	<1	1	4	8	17	27	55
20-34	13	4.2	8	1	2	3	6	8	10	10
35-49	7	3.9	4	<1	<1	4	5	7	7	7
50-64	7	2.6	6	<1	<1	1	4	7	7	7
65+	13	4.5	6	1	2	4	6	8	8	8
B. *Operated*										
0-19 YRS	304	7.5	83	1	1	5	9	15	24	50
20-34	57	5.3	10	1	2	5	8	9	10	17
35-49	43	6.7	35	1	1	5	8	14	21	27
50-64	37	8.4	38	1	1	8	10	18	21	28
65+	47	9.3	60	1	1	8	12	16	23	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	2.3	6	<1	<1	1	2	4	7	14
B. *Operated*	258	3.9	10	<1	<1	3	6	8	10	13
2. MULTIPLE DX										
A. *Not Operated*	129	6.2	81	<1	1	3	7	11	24	51
B. *Operated*	488	7.4	65	1	1	6	9	15	21	43
1. SINGLE DX	317	3.6	10	<1	<1	3	5	8	10	13
2. MULTIPLE DX	617	7.1	69	1	1	5	9	14	21	47
A. NOT OPERATED	188	5.0	60	<1	<1	3	5	10	15	48
B. OPERATED	746	6.2	49	<1	1	5	8	12	17	38
TOTAL 0-19 YRS	650	5.9	62	<1	<1	4	7	11	17	47
20-34	97	4.7	9	<1	1	4	7	9	10	14
35-49	68	5.9	25	1	1	5	8	11	17	26
50-64	54	6.7	34	<1	1	6	9	13	20	28
65+	65	8.0	49	1	1	7	10	15	19	39
GRAND TOTAL	**934**	**5.9**	**52**	**<1**	**1**	**4**	**8**	**11**	**17**	**40**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	303	1.3		<1	<1	1	1	2	3	4
20-34	29	1.3	1	<1	<1	1	1	3	3	4
35-49	11	1.7	2	<1	<1	1	2	4	5	5
50-64	4	1.0		<1	<1	1	1	1	1	1
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	1.0		<1	<1	<1	1	1	1	1
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	294	1.5	4	<1	<1	1	2	2	3	7
20-34	31	1.6	1	<1	1	1	2	3	3	4
35-49	14	1.6	1	1	1	1	2	3	3	3
50-64	7	3.7	10	1	1	2	7	8	8	8
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.3		<1	<1	1	2	2	2	2
B. *Operated*	348	1.3		<1	<1	1	1	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	7	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	346	1.6	3	<1	<1	1	2	3	3	8
1. SINGLE DX	351	1.3		<1	<1	1	1	2	3	4
2. MULTIPLE DX	353	1.6	3	<1	<1	1	2	3	3	8
A. NOT OPERATED	10	1.1		<1	<1	<1	1	2	2	2
B. OPERATED	694	1.4	2	<1	<1	1	1	2	3	6
TOTAL 0-19 YRS	606	1.4	2	<1	<1	1	1	2	3	5
20-34	61	1.5	1	<1	<1	1	2	3	3	4
35-49	25	1.7	1	<1	1	1	2	3	4	5
50-64	11	2.7	8	<1	<1	1	5	7	8	8
65+	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**704**	**1.4**	**2**	**<1**	**<1**	**1**	**1**	**2**	**3**	**6**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	1.6	1	<1	<1	1	2	4	4	4
20-34	10	2.8	6	<1	<1	2	3	7	7	7
35-49	12	2.7	7	<1	1	2	2	5	10	11
50-64	4	2.0		2	2	2	2	2	2	2
65+	5	1.6		1	1	2	2	2	2	2
B. *Operated*										
0-19 YRS	440	3.1	8	<1	<1	2	4	7	8	15
20-34	102	3.2	6	<1	<1	3	4	6	7	12
35-49	32	4.0	6	<1	1	4	5	7	8	12
50-64	16	4.9	50	<1	<1	3	6	7	23	30
65+	3	4.7	10	1	1	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	3.0	6	<1	<1	2	4	6	8	11
20-34	19	3.5	8	1	1	2	5	8	10	11
35-49	20	4.2	8	1	2	4	5	7	10	13
50-64	9	2.9	6	1	1	2	4	7	8	8
65+	12	3.5	5	1	1	3	4	8	8	8
B. *Operated*										
0-19 YRS	297	4.3	16	<1	<1	3	6	9	12	19
20-34	164	4.4	7	<1	1	4	6	8	10	12
35-49	89	5.4	11	1	1	5	7	10	13	16
50-64	49	5.5	17	1	1	5	7	11	13	18
65+	40	5.7	15	1	1	5	8	11	12	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	2.2	4	<1	<1	2	2	4	7	11
B. *Operated*	593	3.2	9	<1	<1	2	4	7	8	15
2. MULTIPLE DX										
A. *Not Operated*	83	3.5	7	<1	1	3	4	7	9	12
B. *Operated*	639	4.6	13	<1	1	4	6	9	12	18
1. SINGLE DX	635	3.1	8	<1	<1	2	4	7	8	15
2. MULTIPLE DX	722	4.5	13	<1	1	4	6	9	11	17
A. NOT OPERATED	125	3.0	6	<1	1	2	4	7	8	12
B. OPERATED	1232	3.9	11	<1	<1	3	5	8	10	15
TOTAL 0-19 YRS	771	3.5	11	<1	<1	2	5	8	10	15
20-34	295	3.9	7	<1	1	4	5	7	9	12
35-49	153	4.7	10	1	1	4	6	8	13	15
50-64	78	4.9	22	1	1	4	6	10	13	27
65+	60	4.9	13	1	1	4	7	10	11	17
GRAND TOTAL	**1357**	**3.9**	**11**	**<1**	**<1**	**3**	**5**	**8**	**10**	**15**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	285	2.3	2	1	1	2	3	4	5	6
20-34	14	3.3	2	1	2	3	4	5	5	5
35-49	7	2.0	2	1	1	1	3	5	5	5
50-64	6	2.3	1	1	1	2	3	4	4	4
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	1.7	2	<1	<1	1	2	4	5	5
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	198	2.7	2	1	1	2	3	5	6	8
20-34	48	3.1	3	1	1	3	4	6	7	8
35-49	39	2.9	4	<1	1	3	4	6	6	8
50-64	43	2.7	2	<1	1	2	4	5	5	6
65+	30	3.2	3	1	1	3	5	5	6	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	313	2.3	2	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	14	1.7	2	<1	<1	1	2	4	5	5
B. *Operated*	358	2.8	3	1	1	2	4	5	6	8
1. SINGLE DX	315	2.3	2	1	1	2	3	4	5	6
2. MULTIPLE DX	372	2.8	3	<1	1	2	4	5	6	8
A. NOT OPERATED	16	1.7	2	<1	<1	1	2	4	5	5
B. OPERATED	671	2.6	2	1	1	2	3	5	5	7
TOTAL 0-19 YRS	499	2.4	2	1	1	2	3	4	5	7
20-34	62	3.1	3	1	1	3	4	5	7	8
35-49	46	2.8	3	<1	1	2	4	6	6	8
50-64	49	2.7	2	<1	1	2	4	5	5	6
65+	31	3.2	3	1	1	3	5	5	6	7
GRAND TOTAL	**687**	**2.5**	**2**	**1**	**1**	**2**	**3**	**5**	**5**	**7**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	2.5	12	<1	<1	1	2	7	13	15
20-34	14	2.7	3	<1	1	2	4	5	6	6
35-49	14	5.1	10	1	1	4	8	10	10	10
50-64	6	2.3	2	1	1	2	3	5	5	5
65+	2	6.5	1	6	6	6	7	7	7	7
B. *Operated*										
0-19 YRS	1106	3.4	12	<1	<1	2	5	7	9	16
20-34	268	3.3	10	<1	1	2	5	8	9	13
35-49	158	3.6	11	<1	<1	2	6	9	10	15
50-64	89	2.9	7	1	1	2	4	7	8	13
65+	22	4.1	17	1	1	2	7	11	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	130	3.8	24	<1	<1	2	5	8	10	29
20-34	34	7.8	103	1	1	5	8	12	28	55
35-49	35	5.0	25	1	1	4	6	9	18	22
50-64	32	4.5	15	1	1	4	6	8	10	21
65+	25	4.6	5	1	2	4	6	8	9	9
B. *Operated*										
0-19 YRS	573	4.8	34	<1	1	3	5	10	14	39
20-34	210	5.6	25	1	1	4	8	11	14	24
35-49	176	6.2	23	1	1	6	9	12	14	25
50-64	141	5.9	24	1	1	5	8	13	14	22
65+	67	6.8	28	1	1	5	10	15	17	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	95	3.0	10	<1	<1	2	4	8	10	15
B. *Operated*	1643	3.4	11	<1	<1	2	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	256	4.6	33	<1	1	3	6	8	13	32
B. *Operated*	1167	5.4	29	1	1	4	7	11	14	28
1. SINGLE DX	1738	3.4	11	<1	<1	2	5	7	9	15
2. MULTIPLE DX	1423	5.3	30	1	1	4	7	11	14	28
A. NOT OPERATED	351	4.2	27	<1	<1	2	5	8	12	28
B. OPERATED	2810	4.2	20	<1	1	3	6	9	12	21
TOTAL 0-19 YRS	1868	3.8	20	<1	<1	3	5	7	11	23
20-34	526	4.5	24	<1	1	3	7	10	12	22
35-49	383	5.0	19	<1	1	4	8	10	13	21
50-64	268	4.6	18	1	1	3	7	10	13	20
65+	116	5.8	22	1	1	5	8	12	16	22
GRAND TOTAL	**3161**	**4.2**	**21**	**<1**	**1**	**3**	**6**	**9**	**12**	**22**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3433	2.3	4	1	1	2	3	3	4	11
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	50	2.8	4	<1	1	2	3	5	7	11
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1592	6.3	89	1	1	3	6	16	25	56
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	154	15.5	394	1	2	7	23	51	73	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3433	2.3	4	1	1	2	3	3	4	11
B. *Operated*	50	2.8	4	<1	1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	1592	6.3	89	1	1	3	6	16	25	56
B. *Operated*	154	15.5	394	1	2	7	23	51	73	99+
1. SINGLE DX	3483	2.3	4	1	1	2	3	3	4	11
2. MULTIPLE DX	1746	7.1	122	1	1	3	7	18	29	70
A. NOT OPERATED	5025	3.6	35	1	1	2	3	6	12	31
B. OPERATED	204	12.4	328	1	1	5	13	42	67	99+
TOTAL 0-19 YRS	5229	3.9	49	1	1	2	3	7	13	41
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**5229**	**3.9**	**49**	**1**	**1**	**2**	**3**	**7**	**13**	**41**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	727	1.9	6	<1	1	1	2	3	4	7
20-34	303	1.9	2	<1	1	1	2	3	4	7
35-49	161	2.0	2	1	1	2	2	3	5	9
50-64	92	2.6	7	<1	<1	2	3	5	6	17
65+	113	2.5	4	1	1	2	3	5	6	11
B. *Operated*										
0-19 YRS	5	4.6	28	<1	<1	3	6	14	14	14
20-34	5	1.8		1	1	2	2	2	2	2
35-49	10	2.3	2	1	1	2	3	4	5	5
50-64	3	2.7	8	1	1	1	5	6	6	6
65+	4	4.0	5	2	2	4	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1404	2.4	5	1	1	2	3	4	6	12
20-34	546	2.9	12	1	1	2	3	5	8	14
35-49	492	3.5	11	1	1	2	4	7	9	18
50-64	653	3.9	14	1	1	3	5	7	10	21
65+	1212	4.4	14	1	1	3	6	9	11	18
B. *Operated*										
0-19 YRS	26	4.6	38	<1	1	2	5	13	18	29
20-34	40	5.7	53	1	1	3	7	11	19	40
35-49	38	5.4	19	1	1	4	7	11	14	22
50-64	69	7.1	38	2	2	5	9	16	24	27
65+	93	9.9	70	2	2	7	14	20	26	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1396	2.0	5	<1	1	1	2	3	5	8
B. *Operated*	27	2.9	7	<1	1	2	3	6	7	14
2. MULTIPLE DX										
A. *Not Operated*	4307	3.3	11	1	1	2	4	7	9	16
B. *Operated*	266	7.4	52	1	2	5	10	17	23	34
1. SINGLE DX	1423	2.0	5	<1	1	2	2	3	5	8
2. MULTIPLE DX	4573	3.6	14	1	1	2	4	7	10	20
A. NOT OPERATED	5703	3.0	10	1	1	2	3	6	8	15
B. OPERATED	293	7.0	50	1	1	5	9	16	22	33
TOTAL 0-19 YRS	2162	2.2	6	1	1	2	2	4	6	11
20-34	894	2.7	11	<1	1	2	3	5	7	13
35-49	701	3.2	10	1	1	2	4	7	9	16
50-64	817	4.0	16	1	1	3	5	8	11	22
65+	1422	4.6	19	1	1	3	6	9	12	22
GRAND TOTAL	**5996**	**3.2**	**12**	**1**	**1**	**2**	**4**	**6**	**9**	**18**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	274	2.5	1	1	1	2	3	4	5	7
20-34	59	3.0	3	1	1	3	4	6	6	8
35-49	35	4.5	42	1	1	3	4	7	9	40
50-64	31	4.1	5	1	1	4	5	8	9	10
65+	31	4.5	21	2	2	3	5	8	11	26
B. *Operated*										
0-19 YRS	4	4.3	7	2	2	3	6	8	8	8
20-34	7	5.9	21	2	2	3	8	14	15	15
35-49	1	10.0		10	10	10	10	10	10	10
50-64	4	3.8	2	2	2	4	5	5	5	5
65+	2	13.5	85	7	7	13	20	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	715	3.5	11	1	1	3	4	6	9	19
20-34	275	4.1	10	1	1	3	5	8	10	15
35-49	252	4.4	12	1	2	3	5	7	11	19
50-64	340	4.9	13	1	2	4	6	9	12	21
65+	746	5.2	11	2	2	4	6	9	11	16
B. *Operated*										
0-19 YRS	35	5.7	24	1	2	4	7	12	15	24
20-34	58	8.6	69	2	2	7	11	15	29	41
35-49	50	9.4	102	2	3	7	9	13	35	56
50-64	86	11.0	53	3	4	9	14	22	25	38
65+	151	11.7	101	3	3	9	14	24	37	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	430	3.0	7	1	1	3	3	5	6	9
B. *Operated*	18	6.1	24	2	2	4	8	13	18	20
2. MULTIPLE DX										
A. *Not Operated*	2328	4.4	12	1	1	3	6	8	11	18
B. *Operated*	380	10.2	81	2	3	8	12	22	30	43
1. SINGLE DX	448	3.1	8	1	1	3	4	5	7	11
2. MULTIPLE DX	2708	5.2	25	1	2	4	6	10	13	27
A. NOT OPERATED	2758	4.2	11	1	1	3	5	8	10	17
B. OPERATED	398	10.0	79	2	3	8	12	21	29	43
TOTAL 0-19 YRS	1028	3.3	9	1	1	3	4	6	8	16
20-34	399	4.6	20	1	1	3	6	9	12	26
35-49	338	5.1	31	1	2	4	6	9	12	36
50-64	461	6.0	26	1	2	4	7	12	16	26
65+	930	6.2	32	2	2	5	7	11	15	35
GRAND TOTAL	**3156**	**4.9**	**23**	**1**	**1**	**4**	**6**	**9**	**13**	**26**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	1.8	2	1	1	2	2	3	3	10
20-34	130	2.7	6	<1	1	2	3	5	8	12
35-49	101	2.6	3	1	1	2	3	5	6	10
50-64	32	2.8	5	1	1	2	3	7	8	8
65+	10	2.3	4	1	1	2	3	5	7	7
B. *Operated*										
0-19 YRS	4	2.8	2	1	1	3	4	4	4	4
20-34	19	1.8	3	<1	1	1	2	5	6	6
35-49	13	1.6	1	<1	<1	1	2	3	4	4
50-64	9	3.4	11	1	1	2	5	9	10	10
65+	3	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	96	1.8	1	1	1	2	2	3	4	7
20-34	280	3.4	11	1	1	3	4	7	9	18
35-49	272	3.8	16	1	1	3	4	7	10	22
50-64	205	3.3	8	1	1	3	4	6	8	19
65+	185	3.9	13	1	1	3	5	8	10	18
B. *Operated*										
0-19 YRS	6	5.2	22	1	1	4	8	12	13	13
20-34	46	4.5	20	1	1	3	6	8	13	26
35-49	41	5.5	47	1	1	3	6	13	23	32
50-64	39	4.7	14	1	1	3	6	11	13	14
65+	29	4.3	15	1	1	3	5	9	12	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	323	2.5	5	1	1	2	3	5	7	10
B. *Operated*	48	2.1	4	<1	1	1	2	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	1038	3.4	12	1	1	2	4	6	9	19
B. *Operated*	161	4.8	24	1	1	3	6	10	14	29
1. SINGLE DX	371	2.5	4	1	1	2	3	5	7	10
2. MULTIPLE DX	1199	3.6	13	1	1	3	4	7	10	20
A. NOT OPERATED	1361	3.2	10	1	1	2	4	6	9	19
B. OPERATED	209	4.2	21	1	1	3	5	9	13	27
TOTAL 0-19 YRS	156	2.0	3	1	1	2	2	3	4	10
20-34	475	3.3	10	1	1	2	4	7	9	19
35-49	427	3.6	16	1	1	2	4	6	10	24
50-64	285	3.5	9	1	1	3	4	7	9	17
65+	227	3.9	13	1	1	3	5	8	10	18
GRAND TOTAL	**1570**	**3.4**	**12**	**1**	**1**	**2**	**4**	**7**	**9**	**19**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	1.9	3	<1	<1	1	2	5	6	6
20-34	36	2.2	2	<1	1	2	3	4	5	5
35-49	47	2.9	3	<1	1	2	4	6	6	8
50-64	51	3.1	5	1	1	3	4	6	9	10
65+	66	2.7	3	<1	1	2	4	5	6	7
B. *Operated*										
0-19 YRS	19	1.7	3	<1	<1	<1	1	5	7	7
20-34	40	3.7	5	<1	1	3	5	7	8	9
35-49	46	3.9	5	1	1	4	5	6	7	11
50-64	82	4.0	5	1	2	4	5	7	8	11
65+	90	3.7	6	1	1	3	5	8	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	2.2	3	<1	<1	2	2	5	6	7
20-34	39	2.7	3	<1	1	2	4	5	6	7
35-49	60	3.9	18	1	1	3	5	6	8	30
50-64	158	3.5	8	1	1	3	4	7	9	14
65+	307	3.3	6	1	1	3	4	6	8	13
B. *Operated*										
0-19 YRS	10	4.1	8	1	1	3	7	8	9	9
20-34	34	4.6	8	1	2	4	6	7	11	15
35-49	62	4.1	5	1	1	4	6	7	9	10
50-64	139	4.4	12	1	1	4	5	7	10	22
65+	310	4.6	12	1	1	4	6	8	10	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	214	2.7	3	<1	1	2	4	5	6	9
B. *Operated*	277	3.7	5	<1	1	3	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	602	3.3	7	1	1	3	4	6	8	14
B. *Operated*	555	4.5	11	1	1	4	6	8	10	17
1. SINGLE DX	491	3.3	5	<1	1	3	4	6	8	10
2. MULTIPLE DX	1157	3.9	10	1	1	3	5	7	9	16
A. NOT OPERATED	816	3.1	6	1	1	2	4	6	7	13
B. OPERATED	832	4.2	9	1	1	4	5	7	9	16
TOTAL 0-19 YRS	81	2.3	4	<1	<1	1	3	6	7	9
20-34	149	3.3	5	1	1	3	4	6	7	12
35-49	215	3.7	8	1	1	4	5	6	8	11
50-64	430	3.8	8	1	1	3	5	7	9	15
65+	773	3.8	9	1	1	3	5	7	9	15
GRAND TOTAL	**1648**	**3.7**	**8**	**1**	**1**	**3**	**5**	**7**	**8**	**14**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	[illegible] (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.4	3	<1	<1	2	4	5	6	6
20-34	12	2.0	3	<1	<1	1	2	5	6	6
35-49	8	2.4	3	1	1	2	3	5	6	6
50-64	17	2.0	1	<1	1	2	3	4	4	4
65+	6	2.7	1	<1	<1	3	3	4	4	4
B. *Operated*										
0-19 YRS	60	1.2		<1	<1	<1	1	2	2	4
20-34	72	1.4	1	<1	<1	1	2	2	3	4
35-49	56	1.3	1	<1	<1	1	1	2	3	5
50-64	39	1.4	1	<1	<1	1	1	3	4	4
65+	13	2.1	5	<1	<1	1	2	4	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	3.0	6	<1	1	2	3	6	10	11
20-34	46	4.1	38	<1	1	2	4	8	14	38
35-49	55	3.1	6	1	1	2	4	7	9	10
50-64	109	4.8	20	1	1	3	6	11	13	22
65+	259	5.8	41	1	1	4	7	13	17	29
B. *Operated*										
0-19 YRS	26	6.0	111	<1	<1	2	5	14	26	52
20-34	54	5.6	91	<1	<1	3	7	9	14	58
35-49	57	5.8	56	1	1	3	7	11	19	44
50-64	77	6.5	121	<1	1	3	8	14	19	70
65+	99	8.1	118	<1	1	5	11	17	26	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	2.2	2	<1	1	2	3	4	6	6
B. *Operated*	240	1.4	1	<1	<1	1	1	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	506	4.9	31	1	1	3	6	11	15	28
B. *Operated*	313	6.7	102	<1	1	3	8	15	21	55
1. SINGLE DX	293	1.5	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	819	5.6	59	<1	1	3	7	12	17	39
A. NOT OPERATED	559	4.7	29	1	1	3	6	10	15	27
B. OPERATED	553	4.4	65	<1	<1	1	4	11	15	41
TOTAL 0-19 YRS	133	2.7	26	<1	<1	1	3	5	10	25
20-34	184	3.3	40	<1	<1	1	3	7	9	40
35-49	176	3.4	24	<1	<1	2	4	8	11	27
50-64	242	4.6	51	<1	<1	2	5	11	14	31
65+	377	6.2	61	<1	1	4	8	15	18	36
GRAND TOTAL	**1112**	**4.5**	**47**	**<1**	**<1**	**2**	**5**	**10**	**15**	**34**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	41	1	1	5	10	10	10	10
20-34	1	6.0		6	6	6	6	6	6	6
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	4	3.0	8	<1	<1	2	5	7	7	7
20-34	15	2.7	6	<1	<1	2	3	8	9	9
35-49	13	5.8	95	<1	<1	2	6	15	33	37
50-64	7	6.7	108	<1	<1	3	5	25	30	30
65+	20	7.8	34	1	2	6	11	16	19	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	6.2	24	3	3	4	6	15	16	16
35-49	5	4.4	20	<1	<1	2	8	11	11	11
50-64	19	6.6	21	2	2	5	7	13	18	21
65+	87	7.5	45	1	2	6	9	13	16	42
B. *Operated*										
0-19 YRS	9	10.1	142	<1	<1	3	21	28	30	30
20-34	52	11.4	165	1	2	8	14	27	32	66
35-49	78	13.4	178	1	2	10	18	33	40	66
50-64	240	15.5	199	2	4	11	19	31	44	79
65+	707	13.6	133	2	4	11	17	25	38	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	5.7	20	1	1	6	9	10	10	10
B. *Operated*	59	5.6	49	<1	<1	3	7	13	19	36
2. MULTIPLE DX										
A. *Not Operated*	118	7.1	39	1	2	6	9	13	16	40
B. *Operated*	1086	13.9	153	2	3	11	17	28	39	66
1. SINGLE DX	62	5.6	47	<1	<1	3	7	12	19	36
2. MULTIPLE DX	1204	13.2	145	2	3	10	16	26	38	64
A. NOT OPERATED	121	7.1	39	1	2	6	9	13	16	40
B. OPERATED	1145	13.4	151	1	3	10	17	28	38	65
TOTAL 0-19 YRS	16	7.2	93	<1	<1	2	9	25	29	30
20-34	74	9.1	132	1	1	5	10	21	32	63
35-49	96	11.9	167	<1	1	7	16	31	40	61
50-64	266	14.7	190	2	3	11	18	30	40	76
65+	814	12.8	125	2	3	10	16	24	36	61
GRAND TOTAL	**1266**	**12.8**	**143**	**1**	**2**	**10**	**16**	**26**	**37**	**63**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	2.0	3	<1	<1	1	3	4	5	8
20-34	337	1.7	1	<1	1	1	2	3	3	5
35-49	1403	1.9	2	<1	1	2	2	3	4	7
50-64	1208	2.0	1	1	1	2	2	3	4	6
65+	453	2.1	2	1	1	2	2	3	4	6
B. *Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	46	1.9	2	<1	1	1	2	4	5	6
35-49	364	1.8	2	<1	<1	1	2	3	5	8
50-64	414	1.6	2	<1	<1	1	2	3	3	6
65+	152	1.7	2	<1	1	1	2	4	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	2.1	2	<1	<1	2	2	4	5	6
20-34	703	2.3	5	<1	1	2	3	4	5	12
35-49	3383	2.3	4	1	1	2	3	4	5	9
50-64	4987	2.6	3	1	1	2	3	5	6	9
65+	4670	2.9	5	1	1	2	3	5	6	11
B. *Operated*										
0-19 YRS	7	3.3	4	1	1	4	5	6	6	6
20-34	88	3.1	7	<1	1	2	4	6	7	16
35-49	733	2.8	8	1	1	2	3	6	8	13
50-64	1339	2.8	10	1	1	2	3	6	7	13
65+	918	3.4	13	1	1	2	4	7	9	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3430	1.9	2	1	1	2	2	3	4	6
B. *Operated*	978	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	13809	2.6	4	1	1	2	3	5	6	10
B. *Operated*	3085	3.0	10	1	1	2	4	6	8	15
1. SINGLE DX	4408	1.9	2	<1	1	2	2	3	4	6
2. MULTIPLE DX	16894	2.7	5	1	1	2	3	5	6	11
A. NOT OPERATED	17239	2.5	4	1	1	2	3	4	6	9
B. OPERATED	4063	2.7	8	<1	1	2	3	6	7	13
TOTAL 0-19 YRS	104	2.2	2	<1	1	2	3	4	5	7
20-34	1174	2.2	4	<1	1	2	3	4	5	11
35-49	5883	2.3	4	1	1	2	3	4	5	9
50-64	7948	2.5	4	1	1	2	3	5	6	10
65+	6193	2.9	6	1	1	2	3	5	7	12
GRAND TOTAL	**21302**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	250	2.2	3	<1	1	2	3	4	5	9
20-34	16	1.6	1	<1	<1	1	2	3	4	4
35-49	25	1.9	2	<1	<1	1	3	4	4	5
50-64	26	2.3	3	<1	1	2	3	5	6	6
65+	24	2.9	6	<1	1	2	3	7	9	11
B. *Operated*										
0-19 YRS	14	1.9	3	<1	<1	1	3	5	5	5
20-34	15	2.7	7	<1	<1	1	4	6	9	10
35-49	37	1.9	3	<1	<1	1	2	4	5	10
50-64	58	2.2	4	<1	1	2	3	4	5	14
65+	22	2.0	2	<1	<1	2	2	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	452	3.2	9	1	1	2	4	6	8	18
20-34	106	4.2	38	<1	1	2	4	7	13	39
35-49	152	3.0	5	<1	1	2	4	6	7	10
50-64	451	4.6	19	1	1	3	6	9	12	21
65+	960	4.8	16	1	1	4	6	9	12	21
B. *Operated*										
0-19 YRS	41	4.0	32	<1	<1	1	4	11	17	24
20-34	41	4.5	23	1	1	3	5	12	16	21
35-49	87	5.2	54	1	1	3	6	11	16	45
50-64	191	4.1	16	1	1	3	5	9	11	20
65+	260	6.1	42	1	1	4	7	15	21	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	341	2.2	3	<1	1	2	3	4	5	9
B. *Operated*	146	2.1	4	<1	<1	1	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	2121	4.2	16	1	1	3	5	8	11	21
B. *Operated*	620	5.1	34	1	1	3	6	12	17	29
1. SINGLE DX	487	2.2	3	<1	1	2	3	4	5	10
2. MULTIPLE DX	2741	4.4	20	1	1	3	5	9	12	22
A. NOT OPERATED	2462	4.0	15	1	1	3	5	8	10	20
B. OPERATED	766	4.5	30	<1	1	3	5	10	16	26
TOTAL 0-19 YRS	757	2.9	9	<1	1	2	3	5	7	18
20-34	178	3.9	29	<1	1	2	4	7	12	32
35-49	301	3.4	20	<1	1	2	4	6	10	18
50-64	726	4.2	17	1	1	3	5	8	11	21
65+	1266	5.0	21	1	1	4	6	10	14	23
GRAND TOTAL	**3228**	**4.1**	**18**	**1**	**1**	**3**	**5**	**8**	**12**	**22**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	1.5		<1	1	1	2	2	3	3
20-34	101	1.6	1	<1	<1	1	2	3	4	5
35-49	115	1.6	1	1	1	1	2	3	4	6
50-64	61	1.5		<1	<1	1	2	2	3	3
65+	34	2.3	2	<1	1	2	3	4	5	5
B. *Operated*										
0-19 YRS	16	1.1		<1	<1	<1	<1	2	2	2
20-34	27	2.6	3	<1	<1	2	4	5	6	8
35-49	18	3.0	5	<1	<1	2	5	7	8	8
50-64	14	3.8	8	<1	1	3	6	8	10	10
65+	15	4.4	23	<1	<1	3	5	7	17	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	2.3	2	<1	1	2	4	4	5	6
20-34	123	2.1	2	<1	1	2	3	4	6	7
35-49	144	2.7	5	<1	1	2	3	5	7	12
50-64	182	3.4	15	1	1	3	4	6	8	27
65+	388	4.3	12	1	1	3	6	8	10	14
B. *Operated*										
0-19 YRS	44	2.2	5	<1	<1	<1	3	7	8	8
20-34	40	4.8	20	<1	1	4	6	12	14	21
35-49	64	3.9	9	1	1	3	5	8	10	13
50-64	109	4.7	11	1	1	3	7	9	12	16
65+	424	6.3	29	1	2	5	8	12	15	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	332	1.6	1	<1	1	1	2	3	4	5
B. *Operated*	90	2.9	8	<1	<1	2	4	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	860	3.5	11	1	1	3	4	7	9	14
B. *Operated*	681	5.4	24	1	1	4	7	11	14	27
1. SINGLE DX	422	1.9	3	<1	<1	1	2	4	5	8
2. MULTIPLE DX	1541	4.4	17	1	1	3	6	9	12	22
A. NOT OPERATED	1192	3.0	9	1	1	2	4	6	8	14
B. OPERATED	771	5.1	23	<1	1	4	7	11	13	26
TOTAL 0-19 YRS	104	1.9	3	<1	<1	1	2	4	6	8
20-34	291	2.3	5	<1	1	2	3	5	6	13
35-49	341	2.6	5	<1	1	2	3	5	7	12
50-64	366	3.5	12	1	1	3	4	7	9	19
65+	861	5.2	22	1	1	4	7	10	13	26
GRAND TOTAL	**1963**	**3.8**	**15**	**<1**	**1**	**3**	**5**	**8**	**11**	**19**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	952	1.6	1	<1	1	1	2	3	4	5
20-34	1358	2.0	2	<1	1	2	3	4	5	7
35-49	710	2.2	3	<1	1	2	3	4	5	9
50-64	365	2.3	3	<1	1	2	3	4	6	7
65+	264	2.3	4	<1	1	2	3	4	5	8
B. *Operated*										
0-19 YRS	204	3.0	2	1	2	3	4	5	5	8
20-34	311	3.2	4	1	1	3	4	5	7	11
35-49	97	3.2	6	<1	1	3	4	6	8	14
50-64	63	3.5	7	<1	1	3	5	7	8	12
65+	21	3.9	8	<1	1	4	5	8	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	853	2.0	2	<1	1	2	2	4	5	9
20-34	1622	2.6	5	<1	1	2	3	5	6	11
35-49	1221	3.3	7	1	1	3	4	6	8	13
50-64	1073	3.3	6	1	1	3	4	6	8	14
65+	1767	3.9	9	1	1	3	5	8	9	15
B. *Operated*										
0-19 YRS	165	3.5	4	1	1	3	4	6	7	9
20-34	410	4.6	17	1	1	4	6	9	11	19
35-49	255	5.3	21	1	1	4	7	10	12	23
50-64	197	6.1	26	1	1	5	9	12	13	19
65+	280	6.4	31	1	1	5	8	13	15	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3649	2.0	2	<1	1	2	2	4	5	7
B. *Operated*	696	3.2	4	1	1	3	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	6536	3.1	7	1	1	2	4	6	8	13
B. *Operated*	1307	5.2	21	1	1	4	7	10	13	22
1. SINGLE DX	4345	2.2	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	7843	3.5	10	1	1	3	4	7	9	15
A. NOT OPERATED	10185	2.7	5	<1	1	2	3	5	7	12
B. OPERATED	2003	4.5	16	1	1	3	5	9	11	18
TOTAL 0-19 YRS	2174	2.0	2	<1	1	2	3	4	5	8
20-34	3701	2.7	6	<1	1	2	3	5	7	12
35-49	2283	3.2	8	1	1	2	4	6	8	15
50-64	1698	3.4	9	1	1	3	4	7	9	14
65+	2332	4.0	12	1	1	3	5	8	11	16
GRAND TOTAL	**12188**	**3.0**	**8**	**<1**	**1**	**2**	**4**	**6**	**8**	**14**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	1.8	2	<1	<1	1	2	4	6	7
20-34	63	2.3	4	<1	<1	2	3	4	7	10
35-49	29	2.5	4	<1	1	2	4	5	6	8
50-64	37	3.4	7	<1	<1	3	5	7	8	14
65+	32	3.3	3	<1	1	3	4	6	7	8
B. *Operated*										
0-19 YRS	9	2.0	2	<1	<1	2	2	4	5	5
20-34	26	3.8	6	<1	1	4	5	7	8	10
35-49	22	4.2	10	<1	<1	4	6	8	11	13
50-64	26	3.7	11	<1	1	3	6	9	10	13
65+	16	3.6	12	<1	<1	2	6	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	342	2.7	7	1	1	2	3	5	7	14
20-34	294	2.7	4	1	1	2	3	5	7	11
35-49	328	3.8	11	1	1	3	5	8	10	16
50-64	518	4.6	21	1	1	3	6	9	13	23
65+	1096	4.5	13	1	1	3	6	9	11	18
B. *Operated*										
0-19 YRS	47	2.9	5	1	1	2	4	7	7	8
20-34	137	4.6	41	1	1	3	6	10	11	32
35-49	136	5.1	29	1	1	4	6	9	13	28
50-64	148	6.9	64	1	1	5	8	15	22	46
65+	270	7.2	63	1	1	5	9	17	25	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	251	2.4	4	<1	1	2	3	5	7	10
B. *Operated*	99	3.7	9	<1	<1	3	6	8	10	13
2. MULTIPLE DX										
A. *Not Operated*	2578	4.0	13	1	1	3	5	8	11	18
B. *Operated*	738	6.0	51	1	1	4	7	12	19	35
1. SINGLE DX	350	2.8	6	<1	<1	2	4	6	7	11
2. MULTIPLE DX	3316	4.4	22	1	1	3	5	9	12	24
A. NOT OPERATED	2829	3.8	12	1	1	3	5	8	10	17
B. OPERATED	837	5.7	46	1	1	4	7	12	18	33
TOTAL 0-19 YRS	488	2.5	6	1	1	2	3	5	7	12
20-34	520	3.2	15	1	1	2	4	6	8	15
35-49	515	4.1	16	1	1	3	5	8	10	21
50-64	729	5.0	29	1	1	3	6	10	15	25
65+	1414	4.9	23	1	1	4	6	10	13	25
GRAND TOTAL	**3666**	**4.3**	**21**	**1**	**1**	**3**	**5**	**8**	**12**	**23**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	557	2.8	7	<1	1	2	3	5	8	14
20-34	227	2.0	3	<1	<1	1	2	4	5	8
35-49	224	2.1	3	<1	1	1	2	4	6	11
50-64	291	2.2	5	<1	1	2	3	4	6	11
65+	499	2.5	4	1	1	2	3	5	6	10
B. *Operated*										
0-19 YRS	49	2.4	15	<1	<1	1	2	4	6	24
20-34	92	1.9	7	<1	<1	1	2	4	6	16
35-49	129	1.7	2	<1	<1	1	2	3	4	8
50-64	134	1.8	3	<1	<1	1	2	3	6	11
65+	88	3.5	11	<1	<1	2	5	7	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1114	4.4	29	1	1	3	5	9	13	25
20-34	743	3.2	16	<1	1	2	4	6	8	27
35-49	1181	3.8	25	1	1	2	4	7	11	22
50-64	2885	4.5	23	1	1	3	6	10	13	23
65+	8965	5.1	23	1	1	4	6	10	13	23
B. *Operated*										
0-19 YRS	136	7.2	107	<1	1	4	9	17	37	62
20-34	191	4.1	41	1	1	2	4	9	17	51
35-49	322	5.7	118	<1	1	2	5	12	16	70
50-64	618	7.6	95	1	1	4	10	18	29	52
65+	1233	9.2	104	1	1	6	12	21	33	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1798	2.4	5	<1	1	2	3	5	6	11
B. *Operated*	492	2.2	7	<1	<1	1	2	4	6	15
2. MULTIPLE DX										
A. *Not Operated*	14888	4.7	24	1	1	3	6	10	13	23
B. *Operated*	2500	7.9	101	1	1	4	10	18	29	55
1. SINGLE DX	2290	2.4	5	<1	1	2	3	5	6	12
2. MULTIPLE DX	17388	5.2	36	1	1	3	6	11	15	32
A. NOT OPERATED	16686	4.5	22	1	1	3	6	9	13	23
B. OPERATED	2992	6.9	90	<1	1	3	8	17	26	51
TOTAL 0-19 YRS	1856	4.1	29	<1	1	3	5	8	12	26
20-34	1253	3.0	17	<1	1	2	3	6	8	24
35-49	1856	3.8	38	<1	1	2	4	7	12	25
50-64	3928	4.7	35	1	1	3	6	10	15	31
65+	10785	5.4	33	1	1	4	7	11	15	31
GRAND TOTAL	**19678**	**4.9**	**33**	**1**	**1**	**3**	**6**	**10**	**14**	**30**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	274	1.7	2	<1	1	1	2	3	5	9
20-34	21	3.2	3	<1	1	3	4	6	7	7
35-49	7	2.4	3	<1	<1	2	4	5	5	5
50-64	2	4.0	8	2	2	4	6	6	6	6
65+	2	2.0	2	<1	<1	1	3	3	3	3
B. *Operated*										
0-19 YRS	70	3.3	3	1	1	3	4	5	6	10
20-34	29	5.6	12	1	2	5	8	11	13	14
35-49	5	6.8	25	1	1	5	11	13	13	13
50-64	3	6.3	1	5	5	7	7	7	7	7
65+	3	5.7	40	2	2	2	10	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	267	4.2	66	1	1	2	4	8	14	55
20-34	80	5.4	32	1	1	4	6	12	15	34
35-49	36	5.1	31	1	1	3	6	13	19	25
50-64	30	5.3	15	1	1	5	7	10	11	20
65+	25	7.5	36	1	2	5	11	14	22	24
B. *Operated*										
0-19 YRS	159	12.7	306	1	1	6	14	38	56	94
20-34	162	13.7	264	1	1	8	17	40	62	99+
35-49	58	13.2	193	1	2	9	14	33	39	71
50-64	21	16.7	317	1	2	10	25	30	55	81
65+	24	18.0	253	2	2	16	26	39	50	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	306	1.9	2	<1	1	1	2	4	5	8
B. *Operated*	110	4.2	8	1	1	3	5	8	11	14
2. MULTIPLE DX										
A. *Not Operated*	438	4.8	52	1	1	3	5	11	15	41
B. *Operated*	424	13.6	272	1	1	8	17	37	55	99+
1. SINGLE DX	416	2.5	5	1	1	2	3	5	7	12
2. MULTIPLE DX	862	9.1	180	1	1	4	11	24	40	80
A. NOT OPERATED	744	3.6	34	1	1	2	4	7	12	24
B. OPERATED	534	11.7	232	1	1	6	14	33	51	96
TOTAL 0-19 YRS	770	5.0	103	1	1	2	4	10	18	62
20-34	292	9.8	175	1	1	5	12	26	43	99+
35-49	106	9.4	134	1	1	5	12	25	33	61
50-64	56	9.6	154	1	2	6	10	24	28	78
65+	54	11.9	160	2	2	7	16	30	38	62
GRAND TOTAL	**1278**	**7.0**	**133**	**1**	**1**	**3**	**7**	**17**	**31**	**73**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	184	2.3	5	1	1	1	3	5	7	11
20-34	50	3.6	13	1	1	2	4	8	12	18
35-49	17	3.9	13	<1	1	3	3	10	12	13
50-64	7	2.4	3	1	1	1	4	5	5	5
65+	6	5.3	13	1	1	5	6	11	12	12
B. *Operated*										
0-19 YRS	32	4.8	32	1	1	4	5	8	10	33
20-34	16	5.6	15	2	2	4	7	12	14	15
35-49	5	3.8	17	1	1	2	5	11	11	11
50-64	3	5.0	1	4	4	5	6	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	264	3.7	14	<1	1	2	5	9	11	18
20-34	211	4.8	26	1	1	3	6	10	13	27
35-49	72	4.6	14	1	1	3	6	11	12	15
50-64	58	6.1	26	1	2	5	8	11	13	30
65+	47	7.9	198	1	2	4	8	13	22	96
B. *Operated*										
0-19 YRS	139	12.6	270	1	2	6	15	32	61	99+
20-34	202	13.5	248	1	2	8	17	37	49	93
35-49	98	15.2	358	1	2	9	17	44	73	96
50-64	46	15.3	348	2	2	7	19	52	67	99+
65+	22	13.5	141	2	3	10	22	37	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	264	2.8	8	1	1	2	3	7	8	13
B. *Operated*	56	4.9	24	1	1	4	6	10	12	32
2. MULTIPLE DX										
A. *Not Operated*	652	4.7	33	1	1	3	6	10	13	24
B. *Operated*	507	13.7	279	1	2	8	16	37	59	99+
1. SINGLE DX	320	3.1	11	1	1	2	4	7	9	16
2. MULTIPLE DX	1159	8.6	161	1	1	4	10	20	34	86
A. NOT OPERATED	916	4.1	26	1	1	3	5	9	12	23
B. OPERATED	563	12.9	260	1	2	7	16	35	54	99+
TOTAL 0-19 YRS	619	5.3	85	1	1	3	6	11	17	71
20-34	479	8.4	137	1	1	4	9	20	33	72
35-49	192	9.9	217	1	1	5	11	20	46	87
50-64	114	9.6	175	1	2	6	10	22	44	90
65+	75	9.3	172	1	2	5	10	23	34	99
GRAND TOTAL	**1479**	**7.4**	**133**	**1**	**1**	**4**	**8**	**17**	**31**	**80**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	1.4	1	<1	<1	1	2	2	3	4
20-34	28	1.4	1	<1	<1	1	2	2	3	4
35-49	14	1.7	1	<1	<1	1	3	3	4	4
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	5	2.8	5	1	1	2	4	6	6	6
B. *Operated*										
0-19 YRS	395	1.6	3	<1	<1	1	2	3	3	9
20-34	678	2.1	9	<1	<1	1	2	4	5	10
35-49	222	2.0	3	<1	1	1	2	4	6	9
50-64	67	1.6	1	<1	<1	1	2	3	4	5
65+	21	1.9	1	<1	<1	2	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	2.3	9	<1	1	1	3	4	5	20
20-34	143	2.1	2	<1	<1	2	3	4	5	6
35-49	59	2.8	7	<1	<1	2	3	5	8	15
50-64	41	3.3	15	<1	1	2	4	6	10	23
65+	63	4.0	10	1	1	3	5	8	10	17
B. *Operated*										
0-19 YRS	569	3.0	13	1	1	2	4	6	8	16
20-34	1176	3.6	17	1	1	2	4	8	11	21
35-49	424	4.1	35	1	1	2	5	9	11	26
50-64	157	4.8	32	1	1	3	6	9	13	32
65+	142	6.3	70	1	1	4	7	13	20	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	1.6	1	<1	<1	1	2	3	4	6
B. *Operated*	1383	1.9	6	<1	<1	1	2	3	5	10
2. MULTIPLE DX										
A. *Not Operated*	362	2.7	7	<1	<1	2	3	5	8	15
B. *Operated*	2468	3.8	24	1	1	2	4	8	11	22
1. SINGLE DX	1453	1.9	5	<1	<1	1	2	3	5	10
2. MULTIPLE DX	2830	3.7	22	1	1	2	4	8	11	22
A. NOT OPERATED	432	2.5	6	<1	<1	2	3	5	7	12
B. OPERATED	3851	3.1	18	<1	1	2	3	6	9	20
TOTAL 0-19 YRS	1040	2.4	9	<1	<1	1	3	5	6	14
20-34	2025	3.0	14	<1	1	2	3	6	9	18
35-49	719	3.3	23	<1	1	2	4	7	10	21
50-64	268	3.8	23	<1	1	2	4	8	10	25
65+	231	5.2	48	1	1	3	6	10	15	29
GRAND TOTAL	**4283**	**3.1**	**17**	**<1**	**1**	**2**	**3**	**6**	**9**	**20**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	143	3.5	20	1	1	2	4	6	9	27
20-34	326	3.9	17	1	1	3	5	7	9	17
35-49	213	4.1	7	1	1	4	5	8	9	14
50-64	161	4.6	8	1	1	4	6	9	10	12
65+	215	5.9	16	2	2	5	8	11	13	17
B. *Operated*										
0-19 YRS	32	7.7	21	1	3	6	10	14	16	21
20-34	84	7.4	23	1	2	6	10	14	18	21
35-49	30	10.1	84	1	2	9	11	20	28	45
50-64	10	8.6	40	1	1	7	12	18	19	19
65+	11	9.3	55	1	2	6	15	20	25	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	172	4.2	21	1	1	3	5	7	11	17
20-34	478	4.8	18	1	1	4	6	9	12	20
35-49	300	5.4	32	1	1	4	7	9	12	26
50-64	388	6.4	23	1	2	5	8	13	16	27
65+	1876	7.1	25	2	3	6	9	12	15	23
B. *Operated*										
0-19 YRS	80	10.8	76	2	3	8	13	24	29	43
20-34	300	10.2	94	1	2	8	13	19	24	55
35-49	140	10.3	100	1	2	9	14	17	22	52
50-64	98	12.1	123	1	2	9	15	22	34	66
65+	184	13.8	129	3	4	10	17	25	36	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1058	4.4	14	1	1	4	6	8	10	15
B. *Operated*	167	8.1	37	1	2	7	11	16	19	28
2. MULTIPLE DX										
A. *Not Operated*	3214	6.4	25	1	2	5	8	12	14	23
B. *Operated*	802	11.4	106	1	2	9	14	21	29	59
1. SINGLE DX	1225	4.9	19	1	1	4	6	9	12	20
2. MULTIPLE DX	4016	7.4	45	1	2	6	9	14	18	35
A. NOT OPERATED	4272	5.9	23	1	2	5	8	11	14	22
B. OPERATED	969	10.8	96	1	2	9	14	21	26	53
TOTAL 0-19 YRS	427	5.5	38	1	1	4	7	11	16	32
20-34	1188	6.1	43	1	1	4	7	12	16	39
35-49	683	6.2	46	1	1	5	8	12	16	30
50-64	657	6.9	40	1	2	5	9	13	17	30
65+	2286	7.6	36	2	3	6	9	13	17	31
GRAND TOTAL	**5241**	**6.8**	**40**	**1**	**2**	**5**	**8**	**13**	**17**	**31**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	6.7	52	2	2	3	12	15	15	15
20-34	11	4.5	8	<1	1	5	7	8	9	9
35-49	8	5.4	108	<1	<1	2	3	23	31	31
50-64	4	8.8	28	3	3	8	13	15	15	15
65+	2	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-19 YRS	7	11.0	15	8	8	10	16	76	99+	99+
20-34	22	14.0	93	4	5	11	17	30	35	40
35-49	6	16.2	117	2	2	19	20	30	31	31
50-64										
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	15.8	214	1	1	11	33	35	35	35
20-34	31	9.3	187	1	1	4	10	50	95	99+
35-49	13	8.7	46	1	1	8	13	19	21	22
50-64	13	11.5	243	2	3	7	11	24	55	62
65+	37	8.8	35	2	3	8	11	15	21	32
B. *Operated*										
0-19 YRS	41	18.4	186	4	7	15	22	31	52	68
20-34	96	21.0	232	3	6	18	28	45	57	99+
35-49	49	22.2	334	2	4	17	28	50	52	96
50-64	26	21.6	229	5	7	17	27	43	54	64
65+	22	17.7	230	5	8	11	21	41	57	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	6.0	41	<1	1	3	8	14	17	31
B. *Operated*	36	13.6	78	3	5	11	19	31	37	99+
2. MULTIPLE DX										
A. *Not Operated*	100	9.7	119	1	2	8	11	20	39	99+
B. *Operated*	234	20.6	243	3	7	17	25	45	54	97
1. SINGLE DX	64	10.3	76	1	2	9	13	25	31	91
2. MULTIPLE DX	334	17.3	230	2	3	13	22	39	54	99+
A. NOT OPERATED	128	8.9	104	1	2	7	11	19	33	99+
B. OPERATED	270	19.6	226	2	6	16	24	42	54	99
TOTAL 0-19 YRS	57	16.6	167	2	5	14	21	33	54	97
20-34	160	16.6	220	2	2	13	23	41	56	99+
35-49	76	17.7	283	1	2	14	22	33	51	89
50-64	43	17.3	237	3	4	13	19	40	55	64
65+	62	12.0	118	3	4	9	12	22	34	61
GRAND TOTAL	**398**	**16.2**	**212**	**2**	**2**	**12**	**20**	**36**	**52**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	1.7	1	<1	1	1	2	3	4	4
20-34	62	2.5	14	<1	1	2	2	5	5	26
35-49	71	2.1	2	<1	1	2	3	4	4	8
50-64	42	2.7	4	<1	1	2	3	6	8	9
65+	65	3.1	4	1	1	3	4	6	7	9
B. *Operated*										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	11	3.0	5	1	1	3	4	6	8	8
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	3.0	11	<1	<1	2	4	7	8	20
20-34	314	3.0	5	1	1	2	4	6	8	11
35-49	325	3.5	7	1	1	3	5	7	8	12
50-64	445	4.6	23	1	1	4	6	8	11	20
65+	937	5.4	18	1	2	4	7	10	13	23
B. *Operated*										
0-19 YRS	31	6.3	23	1	2	5	9	12	15	24
20-34	129	5.4	17	1	1	5	7	11	13	20
35-49	141	7.9	95	1	2	6	9	16	24	82
50-64	112	10.5	106	2	2	7	12	26	37	46
65+	148	11.3	161	2	3	8	13	23	34	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	260	2.5	6	1	1	2	3	5	6	9
B. *Operated*	16	3.6	5	1	1	3	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*	2091	4.5	16	1	1	4	6	9	11	18
B. *Operated*	561	8.7	97	1	2	6	10	17	27	64
1. SINGLE DX	276	2.6	6	1	1	2	3	5	7	9
2. MULTIPLE DX	2652	5.4	36	1	1	4	7	10	14	31
A. NOT OPERATED	2351	4.3	15	1	1	3	6	8	11	18
B. OPERATED	577	8.5	96	1	2	6	10	17	27	64
TOTAL 0-19 YRS	123	3.7	15	<1	1	2	4	8	10	23
20-34	516	3.5	10	1	1	2	5	8	9	16
35-49	538	4.5	33	1	1	3	5	9	12	28
50-64	600	5.6	43	1	1	4	6	11	14	39
65+	1151	6.0	40	1	2	5	7	11	15	33
GRAND TOTAL	**2928**	**5.1**	**34**	**1**	**1**	**4**	**6**	**10**	**13**	**29**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	4.1	16	1	1	3	5	8	10	26
20-34	82	4.6	10	1	2	4	7	9	11	15
35-49	45	5.5	9	1	2	5	7	10	11	13
50-64	67	6.7	47	2	2	5	8	12	15	43
65+	226	6.4	38	2	2	5	8	12	14	32
B. *Operated*										
0-19 YRS	8	12.5	46	2	3	13	16	22	23	23
20-34	16	15.7	176	3	7	11	16	43	46	47
35-49	4	18.3	520	3	3	9	32	52	52	52
50-64	5	21.2	160	8	8	18	30	40	40	40
65+	2	8.5	5	7	7	8	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	122	6.2	35	1	2	5	8	10	13	39
20-34	249	7.9	81	1	2	6	9	15	21	46
35-49	147	8.7	74	2	2	7	10	15	23	54
50-64	170	9.1	60	2	3	7	11	17	24	41
65+	1261	8.5	38	2	3	7	11	15	18	35
B. *Operated*										
0-19 YRS	77	12.4	186	1	2	8	18	30	33	79
20-34	182	17.8	209	3	4	13	23	41	50	58
35-49	79	16.4	198	3	5	14	22	30	42	84
50-64	72	18.2	205	3	3	14	24	43	51	91
65+	143	15.3	123	3	4	14	20	28	38	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	489	5.7	30	1	2	4	7	10	13	26
B. *Operated*	35	15.6	162	2	5	12	19	40	46	52
2. MULTIPLE DX										
A. *Not Operated*	1949	8.3	48	2	3	7	10	15	19	41
B. *Operated*	553	16.2	184	2	4	12	22	34	47	59
1. SINGLE DX	524	6.4	44	1	2	5	8	12	14	44
2. MULTIPLE DX	2502	10.1	89	2	3	7	12	20	28	51
A. NOT OPERATED	2438	7.8	45	2	2	6	10	14	18	41
B. OPERATED	588	16.2	182	2	4	12	22	34	47	58
TOTAL 0-19 YRS	276	7.6	83	1	1	5	9	17	25	43
20-34	529	11.0	143	1	2	7	13	26	41	56
35-49	275	10.5	119	2	2	7	12	23	30	53
50-64	314	10.9	110	2	3	7	13	23	36	57
65+	1632	8.8	50	2	3	7	11	16	21	41
GRAND TOTAL	**3026**	**9.4**	**83**	**2**	**3**	**7**	**11**	**18**	**27**	**50**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	2.3	10	<1	1	1	2	6	11	17
20-34	32	1.9	1	1	1	2	3	4	4	5
35-49	15	2.5	3	1	1	2	4	5	6	6
50-64	32	2.3	2	<1	1	2	3	4	5	7
65+	108	3.3	7	1	1	3	4	6	7	17
B. *Operated*										
0-19 YRS	1095	2.4	9	<1	1	1	2	4	9	17
20-34	124	3.0	8	1	1	2	4	6	8	16
35-49	105	3.2	5	1	1	3	4	5	8	12
50-64	117	3.2	6	1	1	3	4	6	8	13
65+	164	4.0	8	1	1	3	5	8	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	2.0	2	1	1	2	3	5	5	99+
20-34	53	3.5	16	<1	1	2	4	7	15	18
35-49	33	4.3	31	<1	1	2	5	10	20	24
50-64	90	4.6	13	1	1	3	7	9	11	19
65+	567	5.3	17	1	2	4	7	10	12	20
B. *Operated*										
0-19 YRS	324	4.0	27	1	1	2	4	10	15	27
20-34	173	6.2	41	1	1	4	7	13	20	37
35-49	132	6.6	67	1	1	4	8	13	20	45
50-64	192	6.4	51	1	1	4	7	14	20	31
65+	535	7.3	53	1	2	6	9	14	18	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	273	2.7	7	<1	1	2	3	5	7	17
B. *Operated*	1605	2.7	9	1	1	2	3	5	9	16
2. MULTIPLE DX										
A. *Not Operated*	784	4.8	17	1	1	4	6	10	12	21
B. *Operated*	1356	6.2	48	1	1	4	7	13	18	37
1. SINGLE DX	1878	2.7	9	1	1	2	3	5	8	16
2. MULTIPLE DX	2140	5.7	37	1	1	4	7	12	15	30
A. NOT OPERATED	1057	4.3	15	1	1	3	5	9	12	19
B. OPERATED	2961	4.3	30	1	1	3	5	10	14	27
TOTAL 0-19 YRS	1546	2.7	13	1	1	2	3	5	11	18
20-34	382	4.4	26	1	1	3	5	10	14	24
35-49	285	4.8	39	1	1	3	5	10	13	36
50-64	431	4.8	29	1	1	3	6	9	15	29
65+	1374	5.8	31	1	2	4	7	11	15	27
GRAND TOTAL	**4018**	**4.3**	**26**	**1**	**1**	**3**	**5**	**9**	**13**	**25**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	1.3	1	<1	<1	1	1	2	3	4
20-34	21	1.8	1	<1	<1	2	2	3	4	5
35-49	11	2.5	6	<1	<1	1	4	6	8	8
50-64	12	1.9	1	<1	<1	2	2	3	4	4
65+	17	1.9	4	1	1	1	2	3	7	9
B. *Operated*										
0-19 YRS	1409	1.5	1	<1	<1	1	2	3	3	5
20-34	604	2.3	3	1	1	2	3	4	5	9
35-49	398	2.2	3	1	1	2	3	4	6	10
50-64	315	1.9	2	<1	1	1	2	4	5	7
65+	361	2.2	3	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	2.0	3	<1	<1	1	2	4	6	11
20-34	64	2.6	5	<1	1	2	3	7	8	10
35-49	28	3.3	14	<1	1	2	3	10	13	15
50-64	39	3.9	9	<1	1	3	5	9	10	12
65+	106	4.5	8	1	2	4	6	8	11	14
B. *Operated*										
0-19 YRS	432	3.1	21	1	1	2	3	6	9	24
20-34	542	4.6	27	1	1	3	5	10	14	29
35-49	337	5.2	53	1	1	3	5	10	16	44
50-64	336	4.8	41	1	1	3	5	10	15	37
65+	578	4.6	21	1	1	3	6	10	14	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	1.8	2	<1	<1	1	2	3	5	9
B. *Operated*	3087	1.9	2	<1	1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	294	3.4	8	<1	1	2	4	7	10	13
B. *Operated*	2225	4.4	31	1	1	3	5	9	14	31
1. SINGLE DX	3178	1.9	2	<1	1	1	2	3	4	8
2. MULTIPLE DX	2519	4.3	28	1	1	3	5	9	13	30
A. NOT OPERATED	385	3.0	7	<1	1	2	4	7	9	13
B. OPERATED	5312	2.9	16	<1	1	2	3	6	9	19
TOTAL 0-19 YRS	1928	1.8	6	<1	1	1	2	3	4	10
20-34	1231	3.3	15	1	1	2	4	6	10	20
35-49	774	3.5	27	1	1	2	4	7	11	31
50-64	702	3.4	23	1	1	2	4	6	10	25
65+	1062	3.8	14	1	1	3	5	8	11	19
GRAND TOTAL	**5697**	**2.9**	**15**	**<1**	**1**	**2**	**3**	**6**	**9**	**18**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.3	34	1	1	2	7	13	13	13
20-34	25	2.5	2	<1	<1	2	4	4	5	5
35-49	7	2.0	1	1	1	2	2	4	4	4
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	3	1.3		1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	317	1.4	1	<1	<1	1	1	2	3	5
20-34	542	1.5	1	<1	<1	1	2	3	4	6
35-49	229	1.6	2	<1	<1	1	2	3	4	7
50-64	96	1.8	3	<1	1	1	2	3	4	12
65+	38	1.8	2	<1	1	1	2	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	3.6	46	<1	1	2	3	5	20	31
20-34	56	2.6	4	<1	<1	2	3	5	6	12
35-49	22	2.7	4	<1	<1	2	3	6	7	8
50-64	18	1.9	1	<1	1	2	2	3	4	5
65+	24	4.5	11	1	1	3	6	9	12	14
B. *Operated*										
0-19 YRS	214	3.1	30	<1	1	2	3	5	9	35
20-34	481	2.8	20	<1	1	2	3	5	7	12
35-49	214	2.6	6	<1	1	2	3	5	7	13
50-64	121	2.8	10	<1	1	2	4	6	7	18
65+	97	2.7	5	<1	1	2	4	5	7	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	2.5	4	<1	1	2	3	4	5	13
B. *Operated*	1222	1.5	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	139	3.0	11	<1	<1	2	3	6	8	16
B. *Operated*	1127	2.8	17	<1	1	2	3	5	7	17
1. SINGLE DX	1264	1.5	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX	1266	2.8	16	<1	1	2	3	5	7	17
A. NOT OPERATED	181	2.9	9	<1	<1	2	3	6	7	14
B. OPERATED	2349	2.1	9	<1	<1	1	2	4	5	12
TOTAL 0-19 YRS	554	2.1	14	<1	<1	1	2	3	5	19
20-34	1104	2.2	10	<1	<1	1	2	4	6	10
35-49	472	2.1	4	<1	<1	1	2	4	5	10
50-64	238	2.4	7	<1	1	2	3	4	6	13
65+	162	2.8	5	<1	1	2	4	6	8	12
GRAND TOTAL	**2530**	**2.2**	**9**	**<1**	**<1**	**1**	**2**	**4**	**6**	**12**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	13.3	126	1	1	13	20	33	34	43
20-34	8	4.9	26	1	1	3	8	13	13	13
35-49	9	9.4	263	1	1	5	7	35	52	52
50-64	26	4.7	30	<1	1	3	5	8	18	26
65+	115	5.7	15	<1	1	5	8	11	13	17
B. *Operated*										
0-19 YRS	92	9.6	107	2	2	6	10	23	31	54
20-34	62	7.8	21	2	3	7	10	15	18	23
35-49	92	6.9	17	3	3	6	8	12	14	24
50-64	327	7.9	11	4	4	7	10	12	14	17
65+	1656	10.1	20	5	6	9	12	15	17	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	16.6	220	2	2	9	28	37	49	51
20-34	10	9.6	95	<1	1	4	14	26	27	27
35-49	18	9.4	206	<1	1	5	9	17	46	64
50-64	52	6.6	24	1	2	5	8	12	16	26
65+	637	8.4	39	1	2	7	11	17	20	39
B. *Operated*										
0-19 YRS	75	11.9	86	2	5	9	14	22	31	53
20-34	136	13.0	162	4	5	10	14	25	35	98
35-49	185	12.0	89	4	5	10	13	21	27	46
50-64	785	12.1	73	5	6	10	14	19	25	69
65+	8856	12.4	44	6	7	11	14	19	24	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	193	7.1	57	1	1	5	10	15	22	39
B. *Operated*	2229	9.5	23	4	5	9	11	15	17	25
2. MULTIPLE DX										
A. *Not Operated*	742	8.6	51	1	2	7	11	17	21	45
B. *Operated*	10037	12.4	49	6	7	11	14	19	24	42
1. SINGLE DX	2422	9.3	27	3	4	9	11	15	17	27
2. MULTIPLE DX	10779	12.1	50	5	6	11	14	19	24	42
A. NOT OPERATED	935	8.3	52	1	2	6	11	17	21	43
B. OPERATED	12266	11.9	46	5	6	11	14	18	23	39
TOTAL 0-19 YRS	227	11.7	119	1	2	8	15	28	33	52
20-34	216	11.0	119	3	3	8	13	21	28	88
35-49	304	10.2	83	3	4	8	11	18	24	49
50-64	1190	10.6	58	4	5	9	13	17	23	46
65+	11264	11.8	42	5	6	11	14	18	22	36
GRAND TOTAL	**13201**	**11.6**	**47**	**4**	**6**	**10**	**14**	**18**	**23**	**39**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	309	14.7	111	1	1	15	21	29	33	45
20-34	11	19.7	350	1	1	10	41	47	48	48
35-49	8	2.4	3	1	1	2	3	5	6	6
50-64	9	9.2	72	1	1	7	11	24	26	26
65+	42	10.8	181	1	2	6	11	36	42	56
B. *Operated*										
0-19 YRS	386	9.7	101	1	1	6	14	24	30	46
20-34	153	9.6	68	1	3	8	12	16	25	50
35-49	52	8.3	21	2	3	8	11	15	18	19
50-64	49	9.6	77	2	3	8	11	15	25	57
65+	77	10.4	22	3	5	10	12	15	19	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	153	14.2	112	1	2	14	21	28	30	50
20-34	31	9.5	98	1	1	7	14	20	31	45
35-49	16	20.4	537	2	2	6	41	58	61	63
50-64	47	11.9	253	2	2	5	12	36	57	66
65+	230	12.6	202	1	2	7	15	36	46	60
B. *Operated*										
0-19 YRS	450	15.1	150	2	3	12	20	30	38	56
20-34	439	15.8	162	3	5	12	19	30	44	67
35-49	157	14.8	188	1	2	11	19	33	48	77
50-64	144	18.6	217	5	6	14	25	40	47	87
65+	511	15.5	131	5	6	13	18	27	36	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	379	14.0	127	1	1	13	21	29	35	48
B. *Operated*	717	9.6	78	1	1	8	13	21	26	44
2. MULTIPLE DX										
A. *Not Operated*	477	13.1	184	1	2	8	19	29	45	60
B. *Operated*	1701	15.7	157	3	4	13	19	30	41	69
1. SINGLE DX	1096	11.1	99	1	1	9	16	25	31	47
2. MULTIPLE DX	2178	15.1	164	2	3	12	19	30	42	67
A. NOT OPERATED	856	13.5	158	1	2	10	20	29	40	58
B. OPERATED	2418	13.9	141	1	3	11	18	28	37	64
TOTAL 0-19 YRS	1298	13.3	127	1	1	11	19	28	33	50
20-34	634	14.0	147	1	3	11	17	29	41	65
35-49	233	13.3	180	1	2	10	16	30	48	66
50-64	249	15.2	206	2	3	11	19	33	47	81
65+	860	14.0	146	2	4	11	17	28	40	62
GRAND TOTAL	**3274**	**13.8**	**146**	**1**	**2**	**11**	**18**	**28**	**38**	**61**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	193	1.9	2	1	1	1	2	4	4	9
20-34	125	2.5	8	<1	1	2	3	4	5	15
35-49	83	3.5	14	<1	1	3	4	7	10	24
50-64	55	3.5	5	1	1	3	5	6	7	12
65+	75	4.4	9	1	2	4	6	8	10	16
B. *Operated*										
0-19 YRS	689	2.8	7	1	1	2	4	6	8	14
20-34	591	4.6	15	1	1	4	5	9	12	19
35-49	419	5.0	23	1	1	4	6	9	12	19
50-64	205	4.9	9	1	2	4	6	9	10	16
65+	114	6.0	11	1	2	6	8	10	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	2.6	7	1	1	2	3	5	7	16
20-34	104	3.2	9	<1	1	2	4	6	7	18
35-49	79	3.8	8	1	1	3	5	8	10	13
50-64	96	5.4	25	1	1	4	7	11	14	30
65+	233	7.4	43	2	3	6	9	13	17	43
B. *Operated*										
0-19 YRS	423	6.4	56	1	1	4	7	13	20	40
20-34	682	9.3	104	1	2	6	11	19	29	60
35-49	396	9.5	96	2	2	7	11	21	27	63
50-64	304	9.6	77	2	3	7	11	20	28	45
65+	291	11.6	119	3	3	9	14	21	30	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	531	2.8	7	1	1	2	3	5	7	13
B. *Operated*	2018	4.2	14	1	1	3	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	590	5.2	29	1	1	4	7	10	14	31
B. *Operated*	2096	9.1	93	1	2	6	11	19	27	57
1. SINGLE DX	2549	3.9	13	1	1	3	5	8	10	17
2. MULTIPLE DX	2686	8.3	82	1	2	6	10	17	25	53
A. NOT OPERATED	1121	4.1	20	1	1	3	5	8	12	21
B. OPERATED	4114	6.7	60	1	1	5	8	14	20	42
TOTAL 0-19 YRS	1383	3.8	24	1	1	2	4	8	11	30
20-34	1502	6.5	61	1	1	4	7	13	19	43
35-49	977	6.6	57	1	1	5	8	13	19	41
50-64	660	7.0	48	1	2	5	8	13	20	35
65+	713	8.6	72	2	2	7	10	15	21	49
GRAND TOTAL	**5235**	**6.1**	**53**	**1**	**1**	**4**	**7**	**12**	**18**	**39**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	67	1.8	2	<1	<1	1	2	3	4	8
20-34	108	2.7	15	1	1	2	3	5	6	22
35-49	80	2.5	3	<1	1	2	3	4	5	10
50-64	72	3.3	8	<1	<1	3	4	6	7	17
65+	74	4.1	13	1	1	3	5	7	9	22
B. *Operated*										
0-19 YRS	956	2.4	3	1	1	2	3	4	5	10
20-34	1504	3.2	6	1	1	3	4	6	7	13
35-49	1194	3.3	4	1	1	3	4	6	7	11
50-64	844	3.9	5	1	2	3	5	6	8	11
65+	465	4.5	6	2	2	4	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	2.6	8	1	1	2	3	5	10	15
20-34	129	3.1	6	<1	1	2	4	6	8	12
35-49	100	3.9	9	<1	1	3	5	8	10	13
50-64	110	4.6	13	1	1	4	6	9	12	19
65+	298	5.2	13	1	2	4	7	10	12	21
B. *Operated*										
0-19 YRS	535	4.7	41	1	1	3	5	8	13	34
20-34	1248	5.3	26	1	1	4	6	10	15	30
35-49	823	5.3	30	1	2	4	6	9	12	30
50-64	778	5.9	27	2	2	5	7	10	13	29
65+	828	7.1	28	2	3	6	9	13	17	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	401	2.9	9	<1	1	2	4	5	7	14
B. *Operated*	4963	3.3	5	1	1	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	695	4.3	12	1	1	3	6	9	11	16
B. *Operated*	4212	5.7	30	1	2	4	7	10	14	30
1. SINGLE DX	5364	3.3	5	1	1	3	4	6	7	11
2. MULTIPLE DX	4907	5.5	27	1	2	4	7	10	14	28
A. NOT OPERATED	1096	3.8	11	1	1	3	5	8	10	16
B. OPERATED	9175	4.4	18	1	1	3	5	8	11	22
TOTAL 0-19 YRS	1616	3.1	17	1	1	2	4	6	8	17
20-34	2989	4.1	16	1	1	3	5	8	10	21
35-49	2197	4.1	15	1	1	3	5	7	9	16
50-64	1804	4.8	16	1	2	4	6	8	10	21
65+	1665	5.9	20	2	2	5	7	10	14	24
GRAND TOTAL	**10271**	**4.3**	**17**	**1**	**1**	**3**	**5**	**8**	**11**	**21**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.2		<1	<1	1	1	2	3	3
20-34	14	1.9	2	<1	<1	1	3	4	4	4
35-49	9	4.7	46	1	1	2	4	16	22	22
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	8	2.3	4	<1	<1	1	3	6	6	6
B. *Operated*										
0-19 YRS	34	1.4	1	<1	1	1	2	3	3	4
20-34	43	2.3	8	1	1	2	3	4	6	18
35-49	15	1.8	1	1	1	2	2	3	4	5
50-64	4	2.5	1	1	1	3	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	87	2.2	2	<1	1	2	3	4	5	8
20-34	138	2.8	7	<1	1	2	4	5	8	12
35-49	82	3.6	8	1	1	3	5	7	8	17
50-64	54	4.1	13	1	1	4	4	8	12	20
65+	93	5.2	12	1	2	4	7	9	12	19
B. *Operated*										
0-19 YRS	38	4.2	41	1	1	2	4	8	18	35
20-34	77	4.4	16	1	1	3	6	9	12	22
35-49	50	6.2	129	1	1	3	5	12	19	71
50-64	26	5.3	14	1	2	4	6	11	12	17
65+	22	5.0	19	1	1	3	7	10	14	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	2.4	12	<1	<1	1	3	4	6	22
B. *Operated*	96	1.9	4	1	1	1	2	3	4	13
2. MULTIPLE DX										
A. *Not Operated*	454	3.5	9	1	1	3	4	7	9	17
B. *Operated*	213	5.0	47	1	1	3	6	10	15	37
1. SINGLE DX	139	2.1	6	<1	1	1	2	3	5	18
2. MULTIPLE DX	667	4.0	22	1	1	3	5	8	10	20
A. NOT OPERATED	497	3.4	9	1	1	3	4	7	9	18
B. OPERATED	309	4.0	35	1	1	2	4	8	12	29
TOTAL 0-19 YRS	168	2.5	11	<1	1	2	3	4	5	19
20-34	272	3.2	10	1	1	2	4	7	9	17
35-49	156	4.3	50	1	1	3	5	7	13	39
50-64	87	4.3	13	1	1	3	5	9	12	19
65+	123	5.0	13	1	1	4	7	9	11	19
GRAND TOTAL	**806**	**3.6**	**19**	**1**	**1**	**2**	**4**	**7**	**10**	**20**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.1	11	1	1	2	4	9	10	10
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	4	2.8	6	<1	<1	2	4	6	6	6
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	3.7	6	<1	<1	4	5	7	8	8
20-34	9	7.8	79	1	1	4	14	64	99+	99+
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	16	17.9	214	1	2	17	22	44	49	51
20-34	20	23.5	430	3	4	13	43	61	81	99+
35-49	10	9.1	58	2	2	6	11	22	24	24
50-64	4	16.5	158	6	6	13	25	34	34	34
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.9	10	1	1	2	4	8	10	10
B. *Operated*	7	3.6	7	<1	<1	3	5	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	20	5.4	41	<1	1	4	6	20	60	99+
B. *Operated*	50	18.3	281	2	3	11	24	48	59	99+
1. SINGLE DX	15	3.2	8	<1	1	2	5	8	9	10
2. MULTIPLE DX	70	14.6	245	1	2	9	21	45	59	99+
A. NOT OPERATED	28	4.7	33	1	1	4	5	13	32	99+
B. OPERATED	57	16.5	270	1	2	10	23	45	59	97
TOTAL 0-19 YRS	36	9.8	149	<1	1	5	13	24	41	51
20-34	30	18.1	365	1	2	11	36	61	96	99+
35-49	12	7.9	55	1	2	5	10	22	24	24
50-64	5	13.6	160	2	2	9	21	34	34	34
65+	2	5.5	13	3	3	5	8	8	8	8
GRAND TOTAL	**85**	**12.6**	**222**	**1**	**1**	**7**	**18**	**41**	**58**	**99+**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	1	1	1	2	3	3	3	3
20-34	10	1.4	1	<1	<1	1	1	3	3	3
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+	4	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-19 YRS	86	1.7	1	<1	1	1	2	3	4	5
20-34	430	1.8	1	1	1	2	2	3	4	5
35-49	177	1.7	1	<1	1	2	2	3	4	4
50-64	53	1.9	2	<1	<1	2	2	4	5	6
65+	20	1.8	1	<1	1	1	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	3.9	7	1	1	4	6	7	8	8
20-34	24	3.1	8	<1	<1	2	4	7	11	11
35-49	22	3.0	21	<1	<1	2	3	4	12	23
50-64	8	2.8	4	1	1	2	3	6	7	7
65+	12	3.3	6	<1	1	3	4	8	9	9
B. *Operated*										
0-19 YRS	27	2.7	2	<1	1	3	3	4	5	8
20-34	125	2.5	5	<1	1	2	3	4	5	14
35-49	65	2.9	4	1	1	3	4	5	8	9
50-64	37	2.6	4	1	1	2	3	4	6	12
65+	81	3.7	12	1	1	2	5	8	9	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	1.4	1	<1	<1	1	2	3	3	3
B. *Operated*	766	1.8	1	<1	1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	74	3.2	11	<1	<1	2	4	7	9	20
B. *Operated*	335	2.9	6	1	1	2	4	5	8	13
1. SINGLE DX	787	1.8	1	<1	1	2	2	3	4	5
2. MULTIPLE DX	409	3.0	7	<1	1	2	4	5	8	14
A. NOT OPERATED	95	2.8	9	<1	<1	2	3	5	8	18
B. OPERATED	1101	2.1	3	1	1	2	3	4	5	9
TOTAL 0-19 YRS	125	2.0	2	<1	1	2	3	4	5	8
20-34	589	2.0	2	<1	1	2	2	3	4	7
35-49	266	2.1	4	<1	1	2	3	4	4	9
50-64	99	2.3	3	<1	1	2	3	4	5	10
65+	117	3.2	9	<1	1	2	4	7	9	17
GRAND TOTAL	**1196**	**2.2**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.6	1	<1	<1	1	2	3	3	3
20-34	8	2.4	3	<1	<1	2	4	5	5	5
35-49	3	1.0		<1	<1	1	1	1	1	1
50-64	3	5.3	16	3	3	3	8	10	10	10
65+	5	2.8	4	<1	<1	2	5	5	5	5
B. *Operated*										
0-19 YRS	387	1.7	1	<1	<1	1	2	3	4	6
20-34	798	1.7	2	<1	<1	1	2	3	4	7
35-49	428	1.6	2	<1	<1	1	2	3	4	7
50-64	193	1.5	1	<1	<1	1	2	2	3	6
65+	56	2.1	5	<1	<1	1	2	4	6	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	1.4	1	<1	<1	1	2	3	3	3
20-34	13	3.0	9	<1	<1	<1	5	6	10	11
35-49	13	2.5	5	<1	<1	1	4	6	8	8
50-64	8	2.9	7	<1	<1	2	3	7	9	9
65+	15	2.8	3	<1	<1	3	4	5	6	7
B. *Operated*										
0-19 YRS	369	2.5	8	<1	<1	2	3	4	6	12
20-34	898	2.6	6	<1	<1	2	3	5	6	12
35-49	595	2.3	6	<1	<1	1	3	5	6	11
50-64	385	2.3	9	<1	<1	1	2	4	6	16
65+	235	2.9	11	<1	<1	2	3	6	10	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	2.4	4	<1	<1	2	3	5	6	10
B. *Operated*	1862	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	54	2.7	5	<1	<1	1	4	5	8	11
B. *Operated*	2482	2.5	7	<1	<1	2	3	5	6	13
1. SINGLE DX	1890	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	2536	2.5	7	<1	<1	2	3	5	6	12
A. NOT OPERATED	82	2.6	5	<1	<1	1	4	5	7	11
B. OPERATED	4344	2.1	5	<1	<1	1	3	4	5	10
TOTAL 0-19 YRS	770	2.1	5	<1	<1	1	3	4	5	9
20-34	1717	2.2	4	<1	<1	1	3	4	5	10
35-49	1039	2.0	4	<1	<1	1	2	4	6	10
50-64	589	2.1	7	<1	<1	1	2	4	6	12
65+	311	2.8	9	<1	<1	2	3	6	9	15
GRAND TOTAL	**4426**	**2.2**	**5**	**<1**	**<1**	**1**	**3**	**4**	**5**	**10**

359: Other dislocation (830; 832-835; 837-839)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	1.8	1	<1	<1	2	2	3	4	5
20-34	32	4.3	12	1	1	3	6	11	12	13
35-49	17	3.4	7	<1	1	2	5	8	9	9
50-64	10	3.9	9	<1	<1	3	7	8	8	8
65+	3	3.3	16	<1	<1	1	6	8	8	8
B. *Operated*										
0-19 YRS	160	2.5	8	<1	1	1	3	6	7	18
20-34	239	2.7	7	<1	1	2	3	6	7	17
35-49	133	3.7	12	<1	1	2	5	8	11	17
50-64	64	4.0	17	<1	1	3	5	9	14	19
65+	36	4.7	34	<1	<1	2	5	11	19	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	3.2	12	<1	<1	2	3	8	11	15
20-34	33	4.7	16	1	1	4	7	10	13	18
35-49	35	5.3	21	1	1	3	7	14	15	16
50-64	22	4.6	8	1	1	4	7	9	9	10
65+	33	6.2	34	1	2	4	8	16	18	25
B. *Operated*										
0-19 YRS	125	4.5	19	<1	1	3	5	10	14	21
20-34	213	5.2	30	1	1	3	7	11	15	30
35-49	137	4.5	14	<1	1	3	6	11	13	19
50-64	115	6.0	62	1	1	3	7	14	16	46
65+	99	8.0	72	1	1	5	10	17	26	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	3.5	9	<1	1	2	5	8	9	13
B. *Operated*	632	3.1	11	<1	1	2	4	7	9	19
2. MULTIPLE DX										
A. *Not Operated*	145	4.9	20	1	1	3	7	12	15	19
B. *Operated*	689	5.5	37	1	1	4	7	12	16	32
1. SINGLE DX	712	3.1	11	<1	1	2	4	7	9	19
2. MULTIPLE DX	834	5.4	34	1	1	3	7	12	16	28
A. NOT OPERATED	225	4.4	17	<1	1	3	6	10	13	18
B. OPERATED	1321	4.3	26	1	1	3	5	10	14	25
TOTAL 0-19 YRS	325	3.3	13	<1	1	2	4	7	10	20
20-34	517	3.9	19	1	1	2	5	9	12	22
35-49	322	4.2	14	<1	1	3	5	9	13	17
50-64	211	5.1	41	1	1	3	6	12	15	29
65+	171	6.9	57	1	1	4	9	16	23	40
GRAND TOTAL	**1546**	**4.3**	**25**	**1**	**1**	**3**	**5**	**10**	**14**	**23**

360: Sprains and strains of knee and leg (844)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.8	1	<1	<1	2	3	3	3	3
20-34	24	1.6	1	<1	<1	1	2	3	4	4
35-49	14	2.2	4	<1	<1	1	3	5	7	7
50-64	13	2.6	6	<1	<1	2	3	5	9	10
65+	14	3.4	5	2	2	3	4	5	10	11
B. *Operated*										
0-19 YRS	393	2.7	2	<1	1	3	4	4	5	7
20-34	814	2.8	3	<1	1	3	4	5	6	8
35-49	216	2.8	2	<1	1	3	4	5	6	8
50-64	40	3.7	4	1	2	3	5	6	8	10
65+	24	4.9	6	1	2	5	6	7	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	2.3	2	<1	<1	2	3	4	5	6
20-34	35	2.5	4	<1	<1	2	4	5	7	9
35-49	32	3.3	7	<1	1	3	4	7	9	12
50-64	22	3.5	4	<1	1	4	5	6	7	8
65+	99	4.4	9	1	2	4	5	9	11	14
B. *Operated*										
0-19 YRS	503	3.2	4	<1	1	3	4	5	6	10
20-34	1157	3.5	5	1	1	3	4	6	7	12
35-49	467	3.8	19	<1	1	3	4	6	8	15
50-64	96	4.4	15	1	1	4	5	8	9	25
65+	60	5.1	10	2	2	4	6	8	12	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	2.2	3	<1	<1	2	3	4	5	11
B. *Operated*	1487	2.8	3	<1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	205	3.6	7	<1	1	3	4	7	10	13
B. *Operated*	2283	3.6	8	1	1	3	4	6	7	13
1. SINGLE DX	1562	2.8	3	<1	1	3	4	5	6	8
2. MULTIPLE DX	2488	3.6	8	1	1	3	4	6	7	13
A. NOT OPERATED	280	3.3	6	<1	1	3	4	6	9	12
B. OPERATED	3770	3.3	6	<1	1	3	4	5	7	11
TOTAL 0-19 YRS	923	3.0	3	<1	1	3	4	5	6	8
20-34	2030	3.2	4	<1	1	3	4	5	6	10
35-49	729	3.5	13	<1	1	3	4	6	7	12
50-64	171	4.0	11	1	1	3	5	7	9	16
65+	197	4.6	9	2	2	4	6	8	11	15
GRAND TOTAL	**4050**	**3.3**	**6**	**<1**	**1**	**3**	**4**	**6**	**7**	**11**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	3.1	3	1	1	3	4	5	6	7
20-34	409	4.6	9	1	2	4	6	8	10	16
35-49	454	4.6	7	1	2	4	6	8	9	14
50-64	158	4.9	6	2	2	5	6	8	10	13
65+	76	4.2	8	1	1	4	6	8	9	15
B. *Operated*										
0-19 YRS	5	3.4	23	1	1	1	4	12	12	12
20-34	86	4.3	21	1	1	2	8	10	12	22
35-49	58	3.4	13	1	1	2	5	9	11	17
50-64	7	2.4	1	1	1	2	3	4	4	4
65+	2	7.5	85	1	1	7	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	4.1	17	<1	1	3	5	9	14	18
20-34	373	5.0	13	1	1	4	6	9	11	19
35-49	520	5.8	33	1	2	5	7	10	14	19
50-64	371	5.8	18	2	2	5	7	10	13	22
65+	518	5.5	12	2	2	5	7	10	12	18
B. *Operated*										
0-19 YRS	3	23.0	988	1	1	9	46	59	59	59
20-34	76	6.2	30	1	1	5	9	12	16	30
35-49	97	9.0	61	1	1	7	12	17	26	39
50-64	35	10.5	158	1	2	8	11	17	34	70
65+	28	12.6	177	3	4	9	15	22	38	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1133	4.6	8	1	2	4	6	8	9	14
B. *Operated*	158	3.9	17	1	1	2	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	1816	5.6	20	1	2	5	7	10	13	19
B. *Operated*	239	8.9	92	1	1	7	11	17	25	60
1. SINGLE DX	1291	4.5	9	1	1	4	6	8	10	15
2. MULTIPLE DX	2055	5.9	29	1	2	5	7	11	14	23
A. NOT OPERATED	2949	5.2	15	1	2	4	6	9	11	18
B. OPERATED	397	6.9	68	1	1	5	9	14	18	42
TOTAL 0-19 YRS	78	4.3	50	1	1	3	5	8	12	47
20-34	944	4.9	14	1	1	4	6	9	11	18
35-49	1129	5.5	26	1	2	5	7	10	13	21
50-64	571	5.8	24	2	2	5	7	10	13	23
65+	624	5.7	21	1	2	5	7	10	13	19
GRAND TOTAL	**3346**	**5.4**	**22**	**1**	**2**	**4**	**7**	**10**	**12**	**19**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	85	1.8	2	<1	1	1	2	4	5	7
20-34	386	4.0	9	1	1	3	5	8	10	13
35-49	357	4.2	7	1	1	4	6	8	10	13
50-64	111	4.2	6	1	1	4	5	8	9	12
65+	41	3.2	3	1	1	3	5	6	6	7
B. *Operated*										
0-19 YRS	10	4.0	16	1	1	3	5	10	14	14
20-34	150	2.5	9	1	1	1	2	6	9	16
35-49	120	3.0	9	1	1	2	4	8	9	13
50-64	18	2.8	6	<1	1	2	4	7	8	9
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	127	2.8	6	<1	1	2	4	6	8	12
20-34	724	4.5	11	1	1	4	6	9	10	16
35-49	606	5.3	19	1	1	4	7	10	12	20
50-64	372	5.3	12	1	2	5	7	9	11	18
65+	477	4.9	10	1	2	4	6	9	11	15
B. *Operated*										
0-19 YRS	11	3.2	8	1	1	2	3	8	10	10
20-34	173	4.5	20	1	1	3	7	11	13	21
35-49	144	5.1	26	1	1	3	8	13	16	22
50-64	50	8.5	168	1	1	5	11	16	22	84
65+	30	9.5	117	1	2	7	12	15	43	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	980	3.9	7	1	1	3	5	8	9	12
B. *Operated*	299	2.8	9	1	1	1	3	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	2306	4.8	13	1	1	4	6	9	11	18
B. *Operated*	408	5.5	49	1	1	3	8	13	15	29
1. SINGLE DX	1279	3.6	8	1	1	3	5	7	9	13
2. MULTIPLE DX	2714	4.9	19	1	1	4	7	9	12	19
A. NOT OPERATED	3286	4.5	12	1	1	4	6	9	11	15
B. OPERATED	707	4.4	34	1	1	2	6	11	14	22
TOTAL 0-19 YRS	233	2.5	5	<1	1	2	3	6	8	12
20-34	1433	4.1	12	1	1	3	6	9	11	16
35-49	1227	4.7	16	1	1	4	6	9	12	19
50-64	551	5.3	26	1	1	4	7	10	12	21
65+	549	5.0	17	1	2	4	6	9	12	16
GRAND TOTAL	**3993**	**4.5**	**16**	**1**	**1**	**4**	**6**	**9**	**11**	**17**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	2.0	2	<1	<1	1	3	4	4	6
20-34	42	2.5	4	<1	<1	2	3	5	8	10
35-49	39	2.2	5	1	1	2	3	4	5	13
50-64	25	3.3	7	<1	1	2	4	8	9	11
65+	25	2.7	4	<1	1	2	3	5	7	10
B. *Operated*										
0-19 YRS	113	1.8	1	<1	<1	1	2	3	4	6
20-34	506	1.9	2	<1	<1	2	2	3	4	6
35-49	519	2.2	3	<1	1	2	3	4	5	6
50-64	544	2.8	2	1	1	3	4	5	6	8
65+	220	3.1	3	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	2.3	5	<1	<1	2	3	4	9	10
20-34	76	2.6	6	<1	1	2	3	5	6	16
35-49	67	3.1	10	<1	1	2	4	6	8	18
50-64	64	3.4	6	<1	<1	3	5	7	9	10
65+	191	4.8	16	1	2	4	6	10	13	20
B. *Operated*										
0-19 YRS	61	1.9	2	<1	<1	1	2	4	5	6
20-34	146	2.2	2	<1	1	2	3	4	5	8
35-49	224	3.1	3	1	1	3	4	5	6	10
50-64	400	3.5	6	1	1	3	4	6	8	13
65+	283	4.5	8	2	2	4	5	8	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	161	2.5	4	<1	1	2	3	5	7	11
B. *Operated*	1902	2.4	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	430	3.8	12	<1	1	3	5	8	10	18
B. *Operated*	1114	3.4	6	1	1	3	4	6	8	12
1. SINGLE DX	2063	2.4	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	1544	3.5	8	1	1	3	4	6	8	16
A. NOT OPERATED	591	3.4	10	<1	1	2	4	7	9	17
B. OPERATED	3016	2.8	4	<1	1	2	3	5	6	10
TOTAL 0-19 YRS	236	1.9	2	<1	<1	1	2	3	4	7
20-34	770	2.1	2	<1	<1	2	3	4	4	8
35-49	849	2.5	4	<1	1	2	3	5	5	9
50-64	1033	3.1	4	1	1	3	4	5	7	10
65+	719	4.1	9	1	2	3	5	8	10	17
GRAND TOTAL	**3607**	**2.9**	**5**	**<1**	**1**	**2**	**4**	**5**	**7**	**11**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1068	1.1		<1	<1	1	1	2	2	3
20-34	299	1.5	1	<1	<1	1	2	2	3	6
35-49	92	1.8	3	<1	<1	1	2	3	6	10
50-64	36	1.7	2	<1	<1	1	2	4	5	7
65+	30	1.6	1	1	1	1	2	3	3	4
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	3.3		3	3	3	4	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1469	1.6	2	<1	1	1	2	3	4	7
20-34	1162	2.1	5	<1	<1	1	2	4	6	11
35-49	461	2.5	7	<1	1	2	3	5	7	18
50-64	285	2.7	7	1	1	2	3	6	8	14
65+	445	3.9	16	1	1	2	5	8	12	17
B. *Operated*										
0-19 YRS	392	2.6	18	<1	1	1	3	5	8	15
20-34	472	3.4	31	<1	1	2	3	7	10	23
35-49	196	4.7	87	<1	1	2	4	8	18	58
50-64	82	2.9	10	<1	1	2	3	7	8	18
65+	165	4.0	23	1	1	2	5	8	14	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1525	1.3	1	<1	<1	1	1	2	2	5
B. *Operated*	7	2.3	2	1	1	3	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	3822	2.2	6	<1	1	1	2	4	6	13
B. *Operated*	1307	3.4	34	<1	1	2	3	7	10	28
1. SINGLE DX	1532	1.3	1	<1	<1	1	1	2	2	5
2. MULTIPLE DX	5129	2.5	13	<1	1	1	3	5	7	16
A. NOT OPERATED	5347	1.9	5	<1	1	1	2	4	5	11
B. OPERATED	1314	3.4	33	<1	1	2	3	7	10	27
TOTAL 0-19 YRS	2930	1.5	3	<1	1	1	2	2	4	8
20-34	1936	2.3	11	<1	<1	1	2	5	6	13
35-49	750	3.0	28	<1	1	2	3	5	8	24
50-64	404	2.7	7	1	1	2	3	6	8	14
65+	641	3.8	17	1	1	2	5	8	12	22
GRAND TOTAL	**6661**	**2.2**	**11**	**<1**	**1**	**1**	**2**	**4**	**6**	**14**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	401	1.6	2	<1	<1	1	1	3	4	9
20-34	106	3.7	77	<1	1	2	3	6	9	58
35-49	45	2.2	5	<1	<1	1	2	4	7	12
50-64	15	2.3	3	<1	<1	1	3	5	6	7
65+	27	2.7	5	<1	<1	2	3	6	9	9
B. *Operated*										
0-19 YRS	30	6.3	51	1	1	5	6	10	14	41
20-34	24	10.0	204	2	2	6	9	20	46	68
35-49	14	6.1	32	1	2	5	8	24	81	99+
50-64	15	9.2	113	3	4	6	8	15	38	46
65+	32	6.9	14	3	3	6	9	11	15	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	698	2.8	28	<1	1	1	2	6	10	27
20-34	458	4.4	49	<1	1	2	4	10	17	46
35-49	211	4.6	35	1	1	2	5	11	21	28
50-64	142	4.6	24	1	1	3	6	11	15	23
65+	309	6.5	42	1	1	4	8	14	18	31
B. *Operated*										
0-19 YRS	264	12.5	286	1	1	6	18	34	53	96
20-34	378	14.7	304	1	1	8	23	44	67	99+
35-49	142	15.4	333	1	1	10	19	50	63	99+
50-64	111	14.3	270	1	2	9	19	36	52	97
65+	264	13.8	164	1	2	10	18	28	38	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	594	2.1	16	<1	<1	1	2	4	5	12
B. *Operated*	115	7.6	78	1	2	6	8	13	22	79
2. MULTIPLE DX										
A. *Not Operated*	1818	4.2	38	<1	1	2	4	10	15	29
B. *Operated*	1159	14.0	268	1	1	9	20	36	57	99+
1. SINGLE DX	709	3.0	30	<1	1	1	3	6	8	29
2. MULTIPLE DX	2977	8.0	151	1	1	3	9	22	34	80
A. NOT OPERATED	2412	3.6	33	<1	1	2	4	8	13	28
B. OPERATED	1274	13.5	254	1	1	8	19	35	56	99+
TOTAL 0-19 YRS	1393	4.3	86	<1	1	1	3	10	20	57
20-34	966	8.5	181	<1	1	3	9	26	42	99+
35-49	412	8.1	162	1	1	3	10	23	33	95
50-64	283	8.5	146	1	1	4	11	20	34	76
65+	632	9.4	105	1	1	6	12	21	27	52
GRAND TOTAL	**3686**	**7.0**	**132**	**<1**	**1**	**3**	**8**	**19**	**30**	**72**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	2.6	6	1	1	2	3	6	9	10
20-34	48	2.4	2	<1	1	2	3	4	5	6
35-49	20	2.5	3	<1	1	2	3	5	6	7
50-64	6	1.8	1	1	1	2	3	3	3	3
65+	8	2.1	2	<1	<1	2	3	5	5	5
B. *Operated*										
0-19 YRS	32	3.9	2	2	2	4	5	6	7	8
20-34	115	3.9	4	2	2	3	5	7	8	10
35-49	49	3.8	6	2	2	3	4	7	9	14
50-64	16	4.1	3	2	2	4	5	8	8	8
65+	6	5.5	28	2	2	4	5	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	93	2.9	8	1	1	2	3	6	7	17
20-34	197	3.1	5	1	1	3	4	6	8	11
35-49	112	3.2	8	1	1	2	4	6	8	17
50-64	95	4.4	12	1	2	4	5	8	10	20
65+	142	6.1	18	1	2	5	8	11	13	23
B. *Operated*										
0-19 YRS	136	6.7	33	2	2	5	8	13	15	34
20-34	407	7.1	49	2	3	5	9	13	18	29
35-49	190	8.0	78	2	2	5	9	15	26	51
50-64	128	9.1	111	2	3	6	10	21	31	58
65+	168	11.3	148	3	3	7	13	21	35	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	112	2.4	3	<1	1	2	3	5	6	9
B. *Operated*	218	3.9	4	2	2	3	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	639	3.9	11	1	1	3	5	8	10	19
B. *Operated*	1029	8.2	78	2	3	6	9	16	21	51
1. SINGLE DX	330	3.4	4	1	1	3	4	6	8	11
2. MULTIPLE DX	1668	6.5	57	1	1	5	8	13	18	41
A. NOT OPERATED	751	3.7	10	1	1	3	5	7	10	18
B. OPERATED	1247	7.4	68	2	2	5	8	14	20	48
TOTAL 0-19 YRS	291	4.7	22	1	1	4	6	9	13	21
20-34	767	5.3	32	1	1	4	6	10	14	22
35-49	371	5.7	49	1	1	4	6	11	16	43
50-64	245	6.8	69	1	2	5	7	13	21	46
65+	324	8.7	93	2	2	6	10	18	26	56
GRAND TOTAL	**1998**	**6.0**	**50**	**1**	**1**	**4**	**7**	**12**	**17**	**36**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	150	3.0	7	1	1	2	4	7	8	14
20-34	88	2.5	4	1	1	2	3	5	6	11
35-49	21	2.2	2	<1	1	2	3	4	6	6
50-64	9	2.8	2	1	1	3	4	5	5	5
65+	5	2.2	5	1	1	1	3	6	6	6
B. *Operated*										
0-19 YRS	106	5.4	7	2	3	5	7	8	9	17
20-34	132	5.2	5	2	2	5	6	8	9	11
35-49	35	6.0	6	1	3	6	7	9	10	12
50-64	10	6.2	13	1	2	6	8	11	14	14
65+	6	6.7	13	2	2	6	7	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	270	3.4	8	1	1	2	5	7	9	13
20-34	225	3.1	7	1	1	2	4	6	8	13
35-49	99	3.7	11	1	1	3	5	8	12	16
50-64	54	4.4	13	1	1	3	5	10	13	19
65+	66	4.8	16	1	1	3	7	10	12	20
B. *Operated*										
0-19 YRS	451	10.2	95	2	4	7	11	19	30	62
20-34	798	10.6	101	3	4	8	11	22	32	63
35-49	263	11.2	163	2	4	8	11	21	35	88
50-64	135	13.5	223	3	5	9	16	22	44	81
65+	112	13.3	149	2	3	10	17	23	32	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	273	2.8	6	1	1	2	3	6	7	11
B. *Operated*	289	5.4	6	2	3	5	7	9	9	14
2. MULTIPLE DX										
A. *Not Operated*	714	3.6	9	1	1	3	5	7	10	15
B. *Operated*	1759	11.0	122	2	4	8	11	22	33	67
1. SINGLE DX	562	4.1	8	1	1	4	6	7	9	13
2. MULTIPLE DX	2473	8.8	101	1	2	6	10	17	27	62
A. NOT OPERATED	987	3.4	9	1	1	2	4	7	9	14
B. OPERATED	2048	10.2	109	2	4	7	11	19	30	67
TOTAL 0-19 YRS	977	6.7	59	1	1	5	8	13	18	45
20-34	1243	8.1	79	1	2	6	9	15	26	52
35-49	418	8.6	118	1	1	6	9	15	26	75
50-64	208	10.3	167	1	2	7	11	20	27	77
65+	189	9.8	112	1	2	7	12	20	25	62
GRAND TOTAL	**3035**	**8.0**	**87**	**1**	**1**	**6**	**9**	**15**	**24**	**54**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.8	1	<1	<1	2	2	3	4	4
20-34	7	2.1	1	<1	<1	2	3	3	3	3
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	11.0	98	4	4	11	18	18	18	18
B. *Operated*										
0-19 YRS	171	1.9	3	<1	<1	1	3	4	5	8
20-34	107	2.4	2	<1	1	2	3	5	5	6
35-49	37	2.3	2	1	1	2	3	5	6	6
50-64	21	2.0	2	<1	<1	1	2	5	6	6
65+	21	1.9	2	<1	<1	1	2	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.9	2	<1	<1	3	4	5	5	5
20-34	16	2.6	3	<1	<1	2	3	6	7	7
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64	3	5.3	17	2	2	4	8	10	10	10
65+	5	2.4	2	<1	<1	3	3	4	4	4
B. *Operated*										
0-19 YRS	179	2.8	5	1	1	2	4	6	7	10
20-34	184	3.5	8	1	1	3	5	7	9	15
35-49	96	3.2	4	1	1	3	4	6	7	11
50-64	37	3.1	7	1	1	2	4	7	9	11
65+	64	3.9	20	1	1	2	5	9	14	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	2.7	13	<1	<1	2	3	4	10	18
B. *Operated*	357	2.1	2	<1	<1	1	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	37	2.8	4	<1	<1	2	4	5	7	10
B. *Operated*	560	3.2	8	1	1	2	4	6	8	14
1. SINGLE DX	379	2.1	3	<1	<1	1	3	4	5	7
2. MULTIPLE DX	597	3.2	8	1	1	2	4	6	8	14
A. NOT OPERATED	59	2.8	7	<1	<1	2	3	4	7	17
B. OPERATED	917	2.8	6	<1	1	2	4	6	7	13
TOTAL 0-19 YRS	372	2.4	4	<1	1	1	3	5	6	9
20-34	314	3.0	6	<1	1	3	4	6	7	13
35-49	136	2.9	4	1	1	2	4	6	6	9
50-64	62	2.8	6	<1	1	2	4	6	8	11
65+	92	3.5	18	1	1	2	4	7	14	23
GRAND TOTAL	**976**	**2.8**	**6**	**<1**	**1**	**2**	**4**	**5**	**7**	**13**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	1.9	1	<1	<1	2	3	4	4	5
20-34	28	1.5	1	<1	<1	1	2	3	3	4
35-49	8	2.5	6	<1	<1	2	3	7	8	8
50-64	3	1.7	1	<1	<1	1	2	3	3	3
65+	7	5.0	65	1	1	2	4	19	23	23
B. *Operated*										
0-19 YRS	162	1.5	2	<1	<1	1	1	3	4	8
20-34	114	1.8	4	<1	<1	1	2	3	4	12
35-49	57	1.8	2	<1	<1	1	2	4	5	6
50-64	20	2.0	2	<1	1	1	3	4	5	5
65+	12	1.5	1	<1	<1	1	2	3	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	122	2.1	2	<1	<1	2	3	4	5	9
20-34	166	2.2	7	<1	<1	1	2	4	6	12
35-49	73	2.2	2	<1	1	2	3	4	5	8
50-64	56	3.1	9	<1	1	2	4	8	10	14
65+	83	3.9	26	1	1	2	5	9	12	31
B. *Operated*										
0-19 YRS	454	2.5	7	<1	1	2	3	5	7	12
20-34	626	3.0	18	<1	1	2	3	6	9	18
35-49	267	3.0	14	<1	1	2	4	6	7	19
50-64	124	3.9	18	<1	1	3	5	8	14	23
65+	240	3.7	11	1	1	3	5	7	9	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	2.0	6	<1	<1	1	2	4	4	16
B. *Operated*	365	1.7	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	500	2.6	9	<1	1	2	3	5	7	13
B. *Operated*	1711	3.0	14	<1	1	2	4	6	8	18
1. SINGLE DX	461	1.8	3	<1	<1	1	2	3	4	8
2. MULTIPLE DX	2211	2.9	13	<1	1	2	3	6	8	17
A. NOT OPERATED	596	2.5	8	<1	<1	2	3	5	7	13
B. OPERATED	2076	2.8	12	<1	1	2	3	6	8	18
TOTAL 0-19 YRS	788	2.2	5	<1	<1	1	3	4	6	11
20-34	934	2.7	14	<1	<1	2	3	5	8	18
35-49	405	2.7	10	<1	1	2	3	5	7	15
50-64	203	3.5	14	<1	1	2	4	7	11	19
65+	342	3.7	15	1	1	2	5	7	10	20
GRAND TOTAL	**2672**	**2.7**	**11**	**<1**	**1**	**2**	**3**	**6**	**8**	**17**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	1.5	1	<1	<1	1	2	3	3	5
20-34	141	1.4	1	<1	<1	1	2	2	3	5
35-49	52	1.6	2	<1	<1	1	1	3	6	8
50-64	8	2.0	1	<1	<1	2	3	4	4	4
65+	2	2.5	5	<1	<1	2	4	4	4	4
B. *Operated*										
0-19 YRS	105	1.9	2	<1	<1	1	2	4	5	7
20-34	128	2.8	5	<1	1	2	4	5	6	12
35-49	30	3.0	6	<1	1	2	4	7	9	10
50-64	13	3.5	9	1	1	2	5	8	10	10
65+	5	1.4	1	1	1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	2.1	4	<1	<1	1	2	5	7	8
20-34	126	2.3	8	<1	<1	1	2	4	7	19
35-49	57	3.0	23	<1	1	1	3	6	11	31
50-64	25	2.0	1	<1	<1	2	3	4	4	5
65+	11	3.1	8	<1	<1	2	4	7	11	11
B. *Operated*										
0-19 YRS	131	4.6	38	<1	1	3	5	9	14	37
20-34	322	5.0	47	<1	1	4	6	9	12	39
35-49	100	6.2	98	<1	1	4	6	12	22	62
50-64	36	9.8	208	1	2	4	9	27	47	69
65+	14	10.3	221	2	2	7	9	16	51	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	264	1.5	1	<1	<1	1	2	3	4	7
B. *Operated*	281	2.5	4	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	268	2.4	10	<1	<1	1	3	4	7	18
B. *Operated*	603	5.5	68	<1	1	4	6	9	14	55
1. SINGLE DX	545	2.0	3	<1	<1	1	2	4	5	9
2. MULTIPLE DX	871	4.6	52	<1	1	3	5	9	12	41
A. NOT OPERATED	532	2.0	6	<1	<1	1	2	4	5	11
B. OPERATED	884	4.6	50	<1	1	3	5	8	12	41
TOTAL 0-19 YRS	346	2.9	17	<1	1	1	3	6	8	19
20-34	717	3.4	26	<1	<1	2	4	7	9	19
35-49	239	4.0	51	<1	1	2	4	8	12	43
50-64	82	5.7	105	<1	1	3	5	9	20	64
65+	32	5.9	111	<1	1	3	7	10	11	61
GRAND TOTAL	**1416**	**3.6**	**35**	**<1**	**1**	**2**	**4**	**7**	**10**	**30**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	2.4	3	<1	1	2	3	4	6	9
20-34	112	2.3	2	<1	<1	2	3	4	6	8
35-49	34	3.3	4	<1	1	3	4	7	7	9
50-64	14	3.7	4	<1	1	3	5	7	7	7
65+	14	2.3	1	<1	1	2	3	4	5	5
B. *Operated*										
0-19 YRS	501	1.8	2	<1	<1	1	2	4	5	8
20-34	894	2.1	4	<1	<1	1	2	5	6	9
35-49	371	2.0	4	<1	<1	1	2	4	6	12
50-64	169	2.0	5	<1	<1	1	2	4	5	9
65+	71	1.7	2	<1	<1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	3.7	52	<1	1	2	3	6	7	50
20-34	183	3.1	7	<1	1	3	4	5	7	17
35-49	77	3.5	6	<1	1	3	5	7	9	10
50-64	40	3.7	23	<1	1	3	3	6	7	31
65+	40	4.7	12	<1	1	4	6	8	12	16
B. *Operated*										
0-19 YRS	485	2.5	9	<1	1	1	3	5	8	14
20-34	1214	3.1	22	<1	1	2	3	6	9	21
35-49	430	3.0	10	<1	1	2	4	6	9	17
50-64	191	3.4	19	1	1	2	4	7	11	24
65+	137	3.6	17	1	1	2	4	8	13	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	237	2.5	3	<1	1	2	3	5	7	9
B. *Operated*	2006	2.0	3	<1	<1	1	2	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	420	3.5	17	<1	1	3	4	6	8	19
B. *Operated*	2457	3.0	17	<1	1	2	3	6	9	18
1. SINGLE DX	2243	2.0	3	<1	<1	1	2	4	6	9
2. MULTIPLE DX	2877	3.1	17	<1	1	2	4	6	9	18
A. NOT OPERATED	657	3.1	12	<1	1	2	4	6	7	15
B. OPERATED	4463	2.6	11	<1	<1	1	3	5	8	15
TOTAL 0-19 YRS	1129	2.3	9	<1	<1	1	3	5	7	12
20-34	2403	2.7	13	<1	<1	2	3	5	8	15
35-49	912	2.7	7	<1	<1	2	3	6	8	15
50-64	414	2.9	14	<1	1	2	3	6	8	22
65+	262	3.2	12	<1	1	2	4	7	10	18
GRAND TOTAL	**5120**	**2.6**	**11**	**<1**	**<1**	**2**	**3**	**5**	**8**	**15**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	2.6	4	<1	1	2	3	6	7	11
20-34	94	2.3	2	<1	<1	2	3	4	5	9
35-49	23	3.0	5	<1	1	2	3	6	8	11
50-64	10	3.1	2	1	1	3	4	5	5	5
65+	8	3.3	3	1	1	3	4	6	7	7
B. *Operated*										
0-19 YRS	359	3.0	13	<1	1	2	3	6	8	17
20-34	394	2.9	7	<1	1	2	4	6	8	14
35-49	114	3.1	10	<1	1	2	4	6	10	17
50-64	64	3.5	23	<1	1	2	4	6	12	29
65+	37	3.8	9	1	1	3	5	9	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	3.0	6	1	1	2	3	5	10	12
20-34	76	3.8	39	1	1	3	4	6	8	43
35-49	27	3.8	8	<1	1	4	5	9	10	11
50-64	16	4.2	8	<1	<1	4	6	9	10	10
65+	41	5.3	14	1	1	4	7	11	12	16
B. *Operated*										
0-19 YRS	244	4.9	40	1	1	3	5	11	18	30
20-34	394	6.2	64	1	1	4	7	13	22	39
35-49	148	7.1	115	1	1	4	8	14	20	69
50-64	90	9.5	110	1	1	5	13	23	35	45
65+	96	9.3	88	1	1	7	12	19	30	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	185	2.5	3	<1	1	2	3	5	6	10
B. *Operated*	968	3.0	11	<1	1	2	4	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	210	3.9	20	1	1	3	5	8	10	15
B. *Operated*	972	6.7	75	1	1	4	8	15	23	45
1. SINGLE DX	1153	3.0	10	<1	1	2	4	6	8	15
2. MULTIPLE DX	1182	6.2	66	1	1	4	7	13	21	44
A. NOT OPERATED	395	3.3	13	<1	1	2	4	6	9	12
B. OPERATED	1940	4.9	46	<1	1	3	5	11	16	36
TOTAL 0-19 YRS	703	3.6	22	<1	1	2	4	7	12	26
20-34	958	4.3	35	<1	1	3	5	9	13	30
35-49	312	5.1	63	1	1	3	5	11	15	48
50-64	180	6.5	73	1	1	3	7	16	26	43
65+	182	7.0	58	1	1	5	9	14	19	45
GRAND TOTAL	**2335**	**4.6**	**41**	**<1**	**1**	**3**	**5**	**10**	**15**	**32**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	25	3	3	6	10	10	10	10
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64	2	4.5	13	2	2	4	7	7	7	7
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	16	2.8	4	<1	1	3	4	6	7	7
20-34	29	3.0	6	<1	1	2	5	6	7	11
35-49	13	2.7	7	1	1	1	4	7	9	9
50-64	4	7.5	73	1	1	5	14	19	19	19
65+	3	3.0	3	2	2	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	1.5	1	1	1	1	2	3	3	3
20-34	6	5.8	74	<1	<1	2	5	21	23	23
35-49	2	7.5	25	4	4	7	11	11	11	11
50-64	3	3.3	6	1	1	3	5	6	6	6
65+	9	4.6	8	2	2	4	4	9	12	12
B. *Operated*										
0-19 YRS	53	7.8	148	1	1	4	8	16	23	76
20-34	161	7.5	136	1	1	4	8	14	26	66
35-49	45	6.8	39	1	1	5	10	16	18	30
50-64	34	8.9	177	1	2	5	10	17	31	74
65+	23	7.1	49	1	1	4	12	21	47	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.8	10	1	1	2	6	9	10	10
B. *Operated*	65	3.2	10	<1	1	2	4	6	9	18
2. MULTIPLE DX										
A. *Not Operated*	26	4.2	22	<1	1	3	4	10	14	23
B. *Operated*	316	7.6	121	1	1	4	9	16	24	75
1. SINGLE DX	74	3.2	9	1	1	2	5	7	9	17
2. MULTIPLE DX	342	7.3	114	1	1	4	9	16	23	74
A. NOT OPERATED	35	4.1	19	<1	1	3	4	10	12	23
B. OPERATED	381	6.8	105	1	1	4	8	14	22	71
TOTAL 0-19 YRS	77	6.3	108	1	1	3	7	13	20	68
20-34	198	6.8	116	1	1	4	8	13	23	65
35-49	62	5.9	33	1	1	4	9	12	17	29
50-64	43	8.2	148	1	1	5	9	17	26	74
65+	36	5.9	36	1	1	4	7	18	23	99+
GRAND TOTAL	**416**	**6.6**	**98**	**1**	**1**	**4**	**8**	**13**	**21**	**69**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.4	1	<1	<1	1	2	3	3	3
20-34	8	2.9	2	1	1	3	4	5	5	5
35-49	3	1.7		1	1	2	2	2	2	2
50-64	1	5.0		5	5	5	5	5	5	5
65+	3	6.3	21	1	1	9	9	9	9	9
B. *Operated*										
0-19 YRS	44	3.3	11	<1	1	2	4	8	10	16
20-34	93	3.3	13	<1	<1	2	4	7	11	19
35-49	52	3.1	12	<1	1	2	4	6	7	23
50-64	33	2.1	3	<1	<1	2	2	4	7	8
65+	8	2.9	3	1	1	3	4	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	12.8	820	1	1	3	5	56	89	89
20-34	22	4.1	28	<1	1	3	4	9	19	23
35-49	26	9.1	140	1	1	4	7	35	37	38
50-64	20	10.3	183	<1	1	5	8	35	42	46
65+	22	14.0	220	1	1	8	29	34	42	53
B. *Operated*										
0-19 YRS	42	3.8	19	<1	1	2	4	8	12	24
20-34	106	5.7	86	<1	1	3	6	16	23	77
35-49	76	5.4	43	1	1	3	7	13	22	30
50-64	51	5.6	28	1	1	3	8	15	18	19
65+	30	8.2	60	1	1	6	11	23	34	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	3.0	6	<1	1	2	4	7	9	9
B. *Operated*	230	3.1	10	<1	<1	2	4	7	8	17
2. MULTIPLE DX										
A. *Not Operated*	99	9.7	203	1	1	4	8	32	38	71
B. *Operated*	305	5.6	54	1	1	3	7	14	21	57
1. SINGLE DX	250	3.1	10	<1	1	2	4	7	9	16
2. MULTIPLE DX	404	6.6	93	1	1	3	7	18	28	57
A. NOT OPERATED	119	8.5	176	1	1	4	7	30	37	64
B. OPERATED	535	4.5	37	<1	1	2	5	10	17	33
TOTAL 0-19 YRS	100	4.3	86	<1	1	2	4	8	11	56
20-34	229	4.5	49	<1	1	2	5	9	19	56
35-49	157	5.2	51	<1	1	3	5	11	23	37
50-64	105	5.4	56	<1	1	2	7	14	18	42
65+	63	9.5	118	1	1	6	11	30	34	93
GRAND TOTAL	**654**	**5.2**	**64**	**<1**	**1**	**3**	**6**	**12**	**22**	**46**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	133	4.1	5	1	1	4	5	6	7	11
20-34	67	2.9	3	1	1	2	4	5	6	7
35-49	16	3.2	3	<1	1	3	5	5	6	6
50-64	5	3.4	4	1	1	3	5	6	6	6
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	7	4.6	6	1	1	5	7	8	8	8
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	3.2	5	<1	1	3	5	6	7	11
20-34	64	3.3	5	<1	1	3	5	6	7	11
35-49	20	3.4	7	1	1	3	4	5	9	13
50-64	14	3.6	4	1	2	3	5	6	8	8
65+	20	4.2	6	1	1	4	6	8	8	9
B. *Operated*										
0-19 YRS	20	4.5	6	1	1	4	6	8	9	9
20-34	23	3.7	11	<1	1	3	5	7	11	16
35-49	7	2.7	4	<1	<1	2	4	6	6	6
50-64	6	3.8	31	<1	<1	2	3	14	15	15
65+	11	3.9	12	1	1	3	5	9	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	223	3.6	4	1	1	3	5	6	7	10
B. *Operated*	10	3.7	6	1	1	3	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*	196	3.4	5	1	1	3	5	6	7	12
B. *Operated*	67	3.9	10	<1	1	3	5	8	10	16
1. SINGLE DX	233	3.6	4	1	1	3	5	6	7	10
2. MULTIPLE DX	263	3.5	6	<1	1	3	5	6	8	13
A. NOT OPERATED	419	3.5	5	1	1	3	5	6	7	11
B. OPERATED	77	3.9	10	<1	1	3	5	8	9	16
TOTAL 0-19 YRS	238	3.8	5	1	1	4	5	6	8	10
20-34	156	3.2	5	1	1	3	4	6	6	12
35-49	44	3.2	5	<1	1	3	4	5	6	13
50-64	25	3.6	9	<1	1	3	5	6	10	15
65+	33	3.9	8	1	1	3	5	7	9	13
GRAND TOTAL	**496**	**3.6**	**5**	**1**	**1**	**3**	**5**	**6**	**7**	**12**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	286	1.4	1	<1	<1	1	1	2	3	4
20-34	301	2.0	5	<1	<1	1	2	4	5	13
35-49	138	2.3	3	<1	<1	2	3	5	6	9
50-64	72	1.8	1	<1	1	1	2	3	4	5
65+	100	2.8	5	1	1	2	3	6	8	10
B. *Operated*										
0-19 YRS	66	1.7	2	<1	<1	1	2	3	4	10
20-34	88	2.4	3	<1	<1	2	4	5	6	9
35-49	41	3.1	9	<1	<1	2	4	7	10	13
50-64	24	2.4	3	<1	<1	2	3	4	6	9
65+	14	1.9	2	<1	<1	1	2	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	634	1.7	2	<1	1	1	2	3	4	7
20-34	921	2.2	3	<1	1	2	3	5	6	10
35-49	464	2.6	5	<1	1	2	3	5	7	12
50-64	389	3.6	9	1	1	3	5	7	10	15
65+	1253	4.4	18	1	1	3	6	8	11	17
B. *Operated*										
0-19 YRS	97	3.6	18	<1	1	2	4	10	12	23
20-34	172	3.3	10	<1	1	2	4	7	9	15
35-49	108	4.0	15	1	1	2	6	9	12	17
50-64	69	4.9	18	1	1	4	6	8	15	22
65+	121	7.4	40	1	1	6	9	15	20	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	897	1.9	3	<1	<1	1	2	4	5	10
B. *Operated*	233	2.3	4	<1	<1	1	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	3661	3.1	10	<1	1	2	4	6	8	14
B. *Operated*	567	4.6	22	1	1	3	6	10	14	22
1. SINGLE DX	1130	2.0	3	<1	<1	1	2	4	5	10
2. MULTIPLE DX	4228	3.3	12	<1	1	2	4	7	9	16
A. NOT OPERATED	4558	2.9	9	<1	1	2	4	6	8	14
B. OPERATED	800	3.9	18	<1	1	2	5	9	12	21
TOTAL 0-19 YRS	1083	1.8	3	<1	<1	1	2	3	4	10
20-34	1482	2.3	5	<1	1	2	3	5	7	11
35-49	751	2.8	7	<1	1	2	3	6	8	13
50-64	554	3.5	10	1	1	3	4	7	10	17
65+	1488	4.5	20	1	1	3	6	9	11	19
GRAND TOTAL	**5358**	**3.0**	**10**	**<1**	**1**	**2**	**4**	**6**	**8**	**15**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	1.8	1	<1	1	2	2	3	4	4
20-34	41	2.0	3	1	1	1	2	4	6	9
35-49	18	2.7	2	1	1	2	3	5	6	7
50-64	7	1.3		1	1	1	2	2	2	2
65+	5	4.2	6	1	1	4	6	7	7	7
B. *Operated*										
0-19 YRS	27	5.3	32	1	1	3	7	14	18	24
20-34	37	2.5	3	<1	1	2	3	5	7	8
35-49	21	6.2	126	1	1	2	6	16	33	50
50-64	6	5.5	49	<1	<1	3	6	18	19	19
65+	8	2.1	2	1	1	2	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	2.6	7	<1	1	2	3	8	9	10
20-34	30	2.9	3	1	1	3	4	5	6	9
35-49	22	3.5	12	1	1	2	4	8	13	14
50-64	9	3.6	6	1	1	3	4	8	9	9
65+	12	4.8	17	1	1	3	7	11	14	14
B. *Operated*										
0-19 YRS	62	5.8	58	1	1	3	6	14	23	37
20-34	116	6.2	78	1	1	3	7	14	17	49
35-49	55	6.4	51	1	1	4	9	14	16	46
50-64	27	6.4	30	1	1	5	9	14	18	24
65+	13	16.4	242	1	3	11	23	41	52	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	2.1	3	1	1	2	3	4	6	8
B. *Operated*	99	4.2	41	1	1	2	4	9	16	37
2. MULTIPLE DX										
A. *Not Operated*	93	3.3	8	1	1	2	4	8	10	14
B. *Operated*	273	6.6	75	1	1	4	8	14	23	46
1. SINGLE DX	192	3.2	23	1	1	2	3	6	9	22
2. MULTIPLE DX	366	5.8	60	1	1	3	7	13	18	44
A. NOT OPERATED	186	2.7	6	1	1	2	3	6	8	13
B. OPERATED	372	6.0	67	1	1	3	7	14	20	46
TOTAL 0-19 YRS	131	4.5	38	1	1	2	5	10	18	34
20-34	224	4.4	45	1	1	2	4	9	14	43
35-49	116	5.2	51	1	1	3	6	12	15	48
50-64	49	5.0	26	1	1	3	6	12	17	24
65+	38	8.1	122	1	1	4	9	20	33	55
GRAND TOTAL	**558**	**4.9**	**49**	**1**	**1**	**3**	**6**	**11**	**15**	**42**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	9	1.6	3	<1	<1	<1	1	4	6	6
20-34	4	2.0	2	<1	<1	1	3	4	4	4
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	3	1.7	1	<1	<1	1	2	3	3	3
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	3	3.3	2	2	2	3	4	5	5	5
35-49	4	3.0	2	1	1	3	4	4	4	4
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.5		<1	<1	1	2	2	2	2
B. *Operated*	13	1.7	2	<1	<1	1	2	4	6	6
2. MULTIPLE DX										
A. *Not Operated*	4	2.3	2	<1	<1	2	3	4	4	4
B. *Operated*	9	3.4	2	1	1	4	4	5	5	5
1. SINGLE DX	17	1.6	2	<1	<1	1	2	4	5	6
2. MULTIPLE DX	13	3.1	2	<1	1	3	4	5	5	5
A. NOT OPERATED	8	1.9	1	<1	<1	1	3	4	4	4
B. OPERATED	22	2.4	3	<1	<1	2	4	5	6	6
TOTAL 0-19 YRS	13	2.2	3	<1	<1	1	4	5	6	6
20-34	12	2.2	2	<1	<1	2	3	4	5	5
35-49	5	2.8	2	1	1	3	4	4	4	4
50-64										
65+										
GRAND TOTAL	**30**	**2.3**	**2**	**<1**	**<1**	**2**	**4**	**5**	**5**	**6**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	445	1.2		<1	<1	1	1	2	2	4
20-34	79	1.2		<1	<1	1	1	2	3	5
35-49	68	1.1		<1	<1	1	1	1	2	2
50-64	58	1.3	1	<1	<1	1	1	2	2	6
65+	48	1.2		<1	<1	1	1	2	2	3
B. *Operated*										
0-19 YRS	150	1.4	1	<1	<1	1	1	3	3	4
20-34	13	2.5	3	<1	<1	2	4	5	5	5
35-49	21	2.5	4	<1	<1	2	4	6	7	7
50-64	14	2.7	5	<1	<1	2	4	6	8	9
65+	18	1.9	4	<1	<1	1	2	4	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	145	2.1	4	<1	<1	1	2	4	6	11
20-34	50	1.9	2	<1	<1	1	2	4	4	9
35-49	68	2.4	5	<1	<1	1	3	5	7	12
50-64	75	2.6	8	<1	<1	2	3	6	7	15
65+	179	3.4	11	1	1	2	4	8	11	17
B. *Operated*										
0-19 YRS	73	3.6	27	<1	<1	2	3	9	12	31
20-34	34	5.0	16	<1	1	4	7	11	15	16
35-49	28	7.3	95	<1	1	3	11	17	22	47
50-64	43	5.9	61	<1	1	2	8	16	22	39
65+	123	5.2	23	1	1	4	8	11	16	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	698	1.2		<1	<1	1	1	2	2	4
B. *Operated*	216	1.7	2	<1	<1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	517	2.6	7	<1	<1	2	3	6	8	14
B. *Operated*	301	5.1	36	<1	1	3	7	11	16	31
1. SINGLE DX	914	1.3	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX	818	3.5	19	<1	1	2	4	8	11	20
A. NOT OPERATED	1215	1.8	4	<1	<1	1	2	4	5	11
B. OPERATED	517	3.7	24	<1	1	2	4	9	12	24
TOTAL 0-19 YRS	813	1.6	4	<1	<1	1	1	3	4	9
20-34	176	2.2	6	<1	<1	1	3	5	7	15
35-49	185	2.7	21	<1	<1	1	2	6	9	19
50-64	190	3.0	20	<1	<1	1	3	7	10	23
65+	368	3.6	15	1	1	2	5	9	11	18
GRAND TOTAL	**1732**	**2.4**	**11**	**<1**	**<1**	**1**	**2**	**5**	**8**	**16**

380: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.2	16	<1	<1	1	4	10	12	12
20-34	6	3.5	19	<1	<1	1	4	11	12	12
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	3	4.0	7	2	2	3	6	7	7	7
65+	5	5.6	26	1	1	4	10	12	12	12
B. *Operated*										
0-19 YRS	54	8.1	78	1	1	5	11	21	31	35
20-34	48	4.8	27	<1	1	2	6	13	17	22
35-49	18	6.9	25	<1	<1	6	11	14	16	17
50-64	15	9.1	41	2	4	5	14	19	20	21
65+	10	8.4	27	1	1	9	10	16	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	6.9	65	1	1	3	10	18	24	37
20-34	49	4.0	19	1	1	2	5	10	16	18
35-49	27	6.6	47	<1	1	4	10	14	23	29
50-64	20	7.9	24	1	1	7	11	14	17	19
65+	18	6.6	16	2	2	5	8	14	15	15
B. *Operated*										
0-19 YRS	186	11.5	151	<1	1	8	16	29	42	99+
20-34	153	13.6	206	1	2	9	20	35	49	99
35-49	93	18.5	305	2	2	13	26	43	47	83
50-64	68	17.2	222	1	2	13	26	35	47	69
65+	75	19.6	240	2	3	14	28	40	57	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	3.8	15	<1	<1	2	5	12	12	12
B. *Operated*	145	7.0	49	<1	1	5	9	17	21	32
2. MULTIPLE DX										
A. *Not Operated*	162	6.1	39	1	1	4	9	14	18	31
B. *Operated*	575	14.9	219	1	2	10	21	36	46	84
1. SINGLE DX	170	6.5	45	<1	1	4	9	16	21	32
2. MULTIPLE DX	737	13.0	193	1	1	8	18	33	42	80
A. NOT OPERATED	187	5.8	36	1	1	3	8	13	18	30
B. OPERATED	720	13.3	195	1	1	9	19	33	43	81
TOTAL 0-19 YRS	297	9.9	124	<1	1	6	14	27	34	91
20-34	256	9.9	152	1	1	5	13	25	36	77
35-49	140	14.5	246	1	1	9	20	38	45	80
50-64	106	13.9	172	1	2	9	19	32	38	64
65+	108	15.7	206	1	2	12	21	37	43	62
GRAND TOTAL	**907**	**11.8**	**171**	**1**	**1**	**7**	**16**	**30**	**40**	**76**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	102	3.4	15	<1	1	2	4	8	13	18
20-34	56	3.2	10	<1	1	2	4	8	10	15
35-49	33	3.6	16	<1	<1	2	4	9	13	18
50-64	10	3.1	14	<1	<1	2	4	9	13	13
65+	4	1.3		1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	36	3.9	20	<1	<1	2	5	12	14	18
20-34	32	6.5	60	<1	<1	3	10	16	21	34
35-49	13	7.0	56	<1	<1	5	10	18	24	25
50-64	4	9.3	128	1	1	6	17	25	25	25
65+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	352	3.7	13	1	1	2	5	9	11	17
20-34	269	3.9	17	<1	1	2	5	10	13	20
35-49	119	4.7	23	1	1	3	7	12	15	22
50-64	73	5.3	38	1	1	3	6	11	16	32
65+	83	8.3	85	1	1	5	10	21	28	42
B. *Operated*										
0-19 YRS	111	5.8	52	1	1	4	7	12	16	40
20-34	87	9.6	107	1	1	6	13	21	34	50
35-49	70	6.8	38	1	1	5	9	16	17	30
50-64	37	17.1	355	1	1	13	22	37	64	87
65+	28	13.8	126	2	4	9	20	34	39	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	205	3.3	13	<1	1	2	4	8	13	17
B. *Operated*	86	5.7	46	<1	<1	2	8	15	19	31
2. MULTIPLE DX										
A. *Not Operated*	896	4.5	26	1	1	3	6	10	14	27
B. *Operated*	333	8.9	116	1	1	6	11	20	29	55
1. SINGLE DX	291	4.0	24	<1	<1	2	5	11	15	23
2. MULTIPLE DX	1229	5.7	54	1	1	3	7	13	19	38
A. NOT OPERATED	1101	4.2	24	1	1	2	5	10	14	24
B. OPERATED	419	8.3	103	1	1	5	11	19	25	47
TOTAL 0-19 YRS	601	4.0	22	<1	1	2	5	10	13	20
20-34	444	5.1	42	<1	1	3	7	13	16	34
35-49	235	5.3	29	<1	1	3	8	13	17	23
50-64	124	8.8	161	1	1	4	11	22	31	80
65+	116	9.4	98	1	1	6	12	25	34	41
GRAND TOTAL	**1520**	**5.4**	**49**	**1**	**1**	**3**	**7**	**13**	**17**	**34**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.6	3	<1	1	2	4	6	6	6
20-34	24	2.8	5	<1	1	2	3	5	9	10
35-49	23	3.7	11	1	1	3	4	7	12	15
50-64	8	3.0	2	1	1	3	4	5	5	5
65+										
B. *Operated*										
0-19 YRS	39	1.7	4	<1	<1	1	2	3	4	13
20-34	97	1.8	3	<1	<1	1	2	4	6	9
35-49	48	2.4	13	<1	<1	1	2	6	9	23
50-64	13	1.3		<1	<1	1	2	2	2	2
65+	3	2.3	5	<1	<1	1	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	4.0	98	<1	1	2	3	5	9	55
20-34	56	5.3	60	1	1	3	5	12	17	44
35-49	38	4.5	13	<1	1	4	6	10	13	14
50-64	21	8.6	184	1	2	5	8	15	39	65
65+	38	5.9	18	1	2	5	8	10	13	23
B. *Operated*										
0-19 YRS	87	4.2	104	<1	<1	1	3	6	15	65
20-34	191	3.8	54	<1	<1	1	3	7	15	47
35-49	92	5.9	132	<1	1	2	5	13	28	60
50-64	36	4.9	86	<1	<1	2	4	8	33	40
65+	32	11.9	207	1	2	7	14	33	52	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	3.1	6	1	1	2	4	5	9	14
B. *Operated*	200	1.9	6	<1	<1	1	2	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	182	5.4	62	1	1	3	6	10	14	52
B. *Operated*	438	5.0	97	<1	1	2	4	11	20	54
1. SINGLE DX	272	2.2	6	<1	<1	1	2	4	7	13
2. MULTIPLE DX	620	5.1	87	<1	1	2	5	11	18	54
A. NOT OPERATED	254	4.7	47	1	1	3	5	9	13	45
B. OPERATED	638	4.0	70	<1	<1	1	3	8	16	53
TOTAL 0-19 YRS	172	3.4	71	<1	<1	1	3	5	12	55
20-34	368	3.5	39	<1	<1	1	3	6	12	43
35-49	201	4.6	69	<1	1	2	4	10	15	55
50-64	78	5.1	93	<1	1	2	5	9	18	58
65+	73	8.4	109	1	1	5	9	16	30	58
GRAND TOTAL	**892**	**4.2**	**64**	**<1**	**<1**	**2**	**4**	**9**	**14**	**52**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	145	1.7	2	<1	1	1	2	3	4	8
20-34	137	2.1	3	<1	1	1	2	4	6	11
35-49	51	2.2	2	1	1	2	3	4	6	6
50-64	32	2.6	6	1	1	2	3	6	7	12
65+	29	2.2	1	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	48	3.0	7	<1	1	2	4	7	8	13
20-34	96	3.2	11	<1	<1	2	4	7	10	18
35-49	37	4.1	23	<1	1	3	5	7	14	26
50-64	17	2.8	5	1	1	2	3	7	8	8
65+	6	5.0	10	1	1	5	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	190	2.5	7	1	1	2	3	5	7	14
20-34	318	2.8	7	<1	1	2	3	6	8	15
35-49	135	3.4	10	<1	1	2	4	7	10	15
50-64	93	4.1	11	1	1	3	6	9	10	17
65+	213	4.9	11	1	2	4	6	9	11	16
B. *Operated*										
0-19 YRS	69	6.2	65	1	1	3	7	15	18	50
20-34	189	6.4	61	1	1	4	8	15	19	43
35-49	86	7.4	79	1	2	5	9	14	25	51
50-64	64	7.9	57	1	2	6	11	15	20	40
65+	61	8.2	82	1	1	7	10	16	19	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	394	2.0	3	1	1	1	2	4	5	9
B. *Operated*	204	3.3	12	<1	1	2	4	7	9	18
2. MULTIPLE DX										
A. *Not Operated*	949	3.4	10	1	1	2	4	7	9	16
B. *Operated*	469	7.0	67	1	1	5	9	15	19	45
1. SINGLE DX	598	2.5	6	<1	1	2	3	5	7	13
2. MULTIPLE DX	1418	4.6	31	1	1	3	6	10	14	27
A. NOT OPERATED	1343	3.0	8	1	1	2	4	7	9	15
B. OPERATED	673	5.9	53	1	1	4	7	13	18	40
TOTAL 0-19 YRS	452	2.9	16	<1	1	2	3	6	9	18
20-34	740	3.7	24	<1	1	2	4	8	11	22
35-49	309	4.4	33	1	1	3	5	10	13	31
50-64	206	4.9	28	1	1	3	6	11	14	31
65+	309	5.3	26	1	1	4	7	10	14	22
GRAND TOTAL	**2016**	**4.0**	**25**	**1**	**1**	**2**	**5**	**9**	**12**	**23**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1132	1.4	2	<1	<1	1	1	2	3	6
20-34	464	1.5	1	<1	<1	1	2	3	3	6
35-49	206	1.8	4	<1	<1	1	2	4	5	13
50-64	65	2.0	4	<1	<1	1	2	4	7	12
65+	53	2.0	2	<1	1	2	3	4	4	6
B. *Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	8.0	98	1	1	8	15	15	15	15
50-64	1	10.0		10	10	10	10	10	10	10
65+	3	5.0	13	2	2	4	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1821	2.7	24	<1	<1	1	2	4	7	28
20-34	2809	2.7	16	<1	<1	2	3	5	8	18
35-49	1516	3.0	15	<1	1	2	3	6	9	22
50-64	795	3.6	15	<1	1	2	4	8	11	21
65+	1126	4.6	19	1	1	3	6	9	12	21
B. *Operated*										
0-19 YRS	26	5.4	38	1	1	3	5	15	18	27
20-34	81	7.5	126	1	1	4	8	16	32	62
35-49	57	8.0	93	1	1	5	9	19	28	55
50-64	42	10.5	137	2	3	8	13	23	50	99+
65+	73	11.4	66	1	2	9	16	23	26	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1920	1.5	2	<1	<1	1	2	3	3	7
B. *Operated*	10	4.5	25	<1	<1	2	9	12	15	15
2. MULTIPLE DX										
A. *Not Operated*	8067	3.1	18	<1	1	2	3	6	9	22
B. *Operated*	279	8.9	100	1	1	6	12	20	27	61
1. SINGLE DX	1930	1.5	2	<1	<1	1	2	3	3	8
2. MULTIPLE DX	8346	3.3	22	<1	1	2	4	7	10	24
A. NOT OPERATED	9987	2.8	15	<1	<1	2	3	6	9	20
B. OPERATED	289	8.7	98	1	1	6	11	20	27	61
TOTAL 0-19 YRS	2982	2.2	16	<1	<1	1	2	4	5	20
20-34	3355	2.6	17	<1	<1	1	3	5	8	19
35-49	1781	3.1	17	<1	1	2	3	6	10	22
50-64	903	3.8	22	<1	1	2	4	8	12	24
65+	1255	4.9	24	1	1	3	6	10	13	25
GRAND TOTAL	**10276**	**3.0**	**19**	**<1**	**<1**	**2**	**3**	**6**	**9**	**22**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	440	1.3	1	<1	<1	1	1	2	3	4
20-34	272	1.5	1	<1	<1	1	2	3	3	6
35-49	139	1.4	1	<1	<1	1	2	2	3	6
50-64	60	1.7	7	<1	<1	1	2	3	4	18
65+	29	1.7	3	<1	1	1	2	3	7	9
B. *Operated*										
0-19 YRS	6	2.3	2	1	1	2	4	4	4	4
20-34	9	3.3	3	1	1	3	5	6	6	6
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	327	2.3	34	<1	<1	1	2	3	5	23
20-34	364	2.4	16	<1	<1	1	2	4	8	24
35-49	254	2.6	6	<1	1	2	3	6	8	13
50-64	148	3.1	22	1	1	2	3	6	9	25
65+	161	3.5	15	1	1	2	4	7	9	22
B. *Operated*										
0-19 YRS	10	12.4	185	2	2	9	16	33	47	47
20-34	27	8.7	172	<1	1	5	8	22	46	56
35-49	16	9.6	222	<1	1	6	9	16	49	63
50-64	16	12.4	227	<1	1	8	16	25	50	61
65+	15	11.1	256	2	2	5	11	23	54	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	940	1.4	1	<1	<1	1	1	2	3	6
B. *Operated*	19	2.9	2	1	1	3	4	5	6	6
2. MULTIPLE DX										
A. *Not Operated*	1254	2.6	19	<1	1	1	3	5	8	22
B. *Operated*	84	10.4	201	1	1	6	11	23	50	64
1. SINGLE DX	959	1.5	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX	1338	3.1	34	<1	1	1	3	6	10	29
A. NOT OPERATED	2194	2.1	12	<1	<1	1	2	4	6	16
B. OPERATED	103	9.1	172	1	1	5	10	20	45	64
TOTAL 0-19 YRS	783	1.9	18	<1	<1	1	2	3	4	16
20-34	672	2.3	18	<1	<1	1	2	4	7	23
35-49	411	2.5	15	<1	<1	1	3	5	7	14
50-64	225	3.4	38	<1	1	1	3	6	15	28
65+	206	3.8	34	1	1	2	4	8	11	27
GRAND TOTAL	**2297**	**2.4**	**21**	**<1**	**<1**	**1**	**2**	**4**	**7**	**21**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	177	1.8	33	<1	1	1	2	2	3	7
20-34	128	1.6	3	<1	1	1	2	2	3	13
35-49	93	1.5	1	<1	<1	1	2	3	3	6
50-64	66	1.7	2	<1	1	1	2	3	4	10
65+	59	2.0	3	1	1	1	2	4	6	9
B. *Operated*										
0-19 YRS	2	15.5	145	7	7	15	24	24	24	24
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	5	2.8	9	1	1	2	4	8	8	8
50-64	3	6.0	7	4	4	5	8	9	9	9
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	272	2.3	6	1	1	1	2	5	8	11
20-34	312	2.5	5	1	1	2	3	5	7	13
35-49	286	2.7	7	<1	1	2	3	5	7	14
50-64	288	3.3	12	1	1	2	4	7	10	19
65+	872	4.3	16	1	1	3	6	8	10	19
B. *Operated*										
0-19 YRS	35	12.8	340	<1	1	7	20	33	82	99+
20-34	36	6.1	85	1	1	4	6	9	33	42
35-49	40	5.6	47	1	1	3	8	13	19	36
50-64	55	10.2	123	1	1	7	14	23	31	61
65+	101	8.4	71	1	1	6	12	19	27	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	523	1.7	13	<1	1	1	2	3	4	10
B. *Operated*	13	5.2	40	1	1	3	7	12	22	24
2. MULTIPLE DX										
A. *Not Operated*	2030	3.4	12	1	1	2	4	7	9	17
B. *Operated*	267	8.6	118	1	1	5	11	21	33	87
1. SINGLE DX	536	1.8	14	<1	1	1	2	3	4	11
2. MULTIPLE DX	2297	4.0	27	1	1	2	5	8	12	26
A. NOT OPERATED	2553	3.1	13	1	1	2	4	6	9	17
B. OPERATED	280	8.5	115	1	1	5	11	21	31	83
TOTAL 0-19 YRS	486	2.9	48	1	1	1	2	5	10	32
20-34	478	2.5	12	<1	1	1	3	5	7	15
35-49	424	2.7	10	<1	1	2	3	5	8	17
50-64	412	4.0	31	1	1	2	4	10	13	28
65+	1033	4.6	23	1	1	3	6	9	14	26
GRAND TOTAL	**2833**	**3.6**	**25**	**1**	**1**	**2**	**4**	**8**	**11**	**25**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.5	4	<1	<1	2	3	6	7	8
20-34	51	4.0	9	<1	1	4	5	8	10	17
35-49	37	4.0	10	<1	1	3	5	8	10	15
50-64	39	4.3	28	<1	<1	3	5	8	11	32
65+	70	5.0	31	1	1	3	7	9	15	36
B. *Operated*										
0-19 YRS	212	3.1	9	<1	<1	2	4	6	9	19
20-34	421	4.0	20	<1	<1	3	5	9	12	16
35-49	403	4.5	20	<1	1	3	6	11	14	18
50-64	550	5.9	36	1	1	4	9	13	15	29
65+	881	6.0	32	1	1	4	9	13	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	176	4.8	25	<1	1	3	6	10	15	26
20-34	219	5.0	21	1	1	4	6	10	15	24
35-49	201	5.2	29	1	1	4	6	11	13	36
50-64	249	5.4	24	1	1	4	7	12	16	24
65+	530	5.9	31	1	1	4	7	11	15	32
B. *Operated*										
0-19 YRS	678	6.9	77	1	1	4	8	16	23	46
20-34	1160	6.6	69	1	1	4	8	14	21	43
35-49	1443	6.8	62	1	1	4	9	14	19	44
50-64	2578	7.7	72	1	1	5	10	17	22	44
65+	4407	8.6	86	1	1	6	11	18	24	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	230	4.1	19	<1	1	3	5	8	10	20
B. *Operated*	2467	5.2	28	<1	1	3	8	12	14	23
2. MULTIPLE DX										
A. *Not Operated*	1375	5.4	28	1	1	4	7	11	15	28
B. *Operated*	10266	7.8	77	1	1	5	10	17	23	46
1. SINGLE DX	2697	5.1	27	<1	1	3	8	11	14	23
2. MULTIPLE DX	11641	7.5	72	1	1	5	10	16	22	44
A. NOT OPERATED	1605	5.2	26	1	1	4	7	10	14	28
B. OPERATED	12733	7.3	69	1	1	5	10	16	21	43
TOTAL 0-19 YRS	1099	5.7	56	<1	1	3	6	13	20	38
20-34	1851	5.7	52	<1	1	4	7	12	17	40
35-49	2084	6.1	51	1	1	4	8	13	17	37
50-64	3416	7.2	63	1	1	5	10	15	21	41
65+	5888	7.9	73	1	1	5	11	17	22	44
GRAND TOTAL	**14338**	**7.0**	**64**	**1**	**1**	**4**	**9**	**15**	**21**	**41**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	122	1.4	1	<1	<1	1	1	2	4	7
20-34	153	1.9	2	<1	1	1	2	4	5	7
35-49	74	2.4	4	1	1	2	3	5	5	12
50-64	121	2.6	2	1	1	2	3	5	6	7
65+	165	2.6	2	1	1	2	4	5	5	7
B. *Operated*										
0-19 YRS	169	1.4	1	<1	<1	1	1	2	3	5
20-34	188	1.9	2	<1	<1	1	2	4	4	7
35-49	127	2.0	3	<1	1	1	3	4	5	9
50-64	68	2.8	5	1	1	2	4	6	8	10
65+	80	2.8	4	1	1	2	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	1.8	2	<1	<1	1	2	4	5	7
20-34	104	2.9	6	1	1	2	4	6	8	14
35-49	98	2.7	6	1	1	2	3	5	9	14
50-64	155	2.8	4	1	1	2	4	5	7	9
65+	366	3.5	10	1	1	3	4	7	8	12
B. *Operated*										
0-19 YRS	68	2.4	15	<1	1	1	2	5	7	26
20-34	176	3.1	7	1	1	2	4	7	9	13
35-49	168	4.2	23	1	1	3	5	10	14	24
50-64	176	4.1	22	1	1	3	5	9	13	26
65+	389	4.3	26	1	1	3	5	9	13	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	635	2.2	2	<1	1	2	3	4	5	7
B. *Operated*	632	2.0	3	<1	<1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	780	3.1	8	1	1	2	4	6	8	12
B. *Operated*	977	3.9	21	1	1	2	5	8	12	25
1. SINGLE DX	1267	2.1	3	<1	1	1	3	4	5	8
2. MULTIPLE DX	1757	3.5	15	1	1	2	4	7	10	21
A. NOT OPERATED	1415	2.7	5	1	1	2	3	5	7	10
B. OPERATED	1609	3.2	15	<1	1	2	4	7	9	21
TOTAL 0-19 YRS	416	1.6	3	<1	<1	1	2	3	4	8
20-34	621	2.4	4	<1	1	2	3	5	7	11
35-49	467	3.0	12	1	1	2	3	6	9	18
50-64	520	3.2	10	1	1	2	4	6	8	17
65+	1000	3.6	15	1	1	3	4	7	9	22
GRAND TOTAL	**3024**	**2.9**	**10**	**<1**	**1**	**2**	**4**	**6**	**8**	**17**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	4.8	7	1	2	4	6	9	10	14
20-34	148	4.3	5	2	2	4	6	7	9	10
35-49	92	4.1	5	1	2	4	5	7	9	11
50-64	67	5.1	8	2	2	4	7	10	11	12
65+	45	6.6	60	1	2	5	7	10	20	49
B. *Operated*										
0-19 YRS	62	6.6	24	1	2	5	9	14	16	23
20-34	96	7.3	38	1	2	6	10	15	20	33
35-49	87	6.0	22	1	1	5	8	13	17	20
50-64	60	6.6	30	1	1	5	9	14	19	25
65+	53	8.0	81	<1	1	5	10	19	25	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	76	5.2	17	1	2	4	6	12	14	19
20-34	218	5.5	25	1	2	4	6	11	14	27
35-49	210	6.0	18	2	2	5	7	11	14	24
50-64	275	7.0	40	2	2	6	8	13	18	29
65+	384	7.9	49	2	3	6	9	15	19	45
B. *Operated*										
0-19 YRS	121	8.6	38	1	2	7	11	16	20	31
20-34	264	10.1	94	2	2	8	13	21	28	56
35-49	319	11.4	112	2	3	8	14	25	35	58
50-64	342	12.7	152	2	3	9	16	29	42	99+
65+	487	13.8	146	2	3	10	18	28	40	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	412	4.7	12	1	2	4	6	8	10	13
B. *Operated*	358	6.9	37	1	1	5	9	15	19	27
2. MULTIPLE DX										
A. *Not Operated*	1163	6.7	36	2	2	5	8	12	17	29
B. *Operated*	1533	12.0	126	2	3	9	15	26	36	62
1. SINGLE DX	770	5.7	25	1	2	4	7	11	15	24
2. MULTIPLE DX	2696	9.7	94	2	2	7	12	20	29	54
A. NOT OPERATED	1575	6.2	30	2	2	5	7	11	15	28
B. OPERATED	1891	11.0	113	2	2	8	14	23	33	57
TOTAL 0-19 YRS	319	6.7	27	1	2	5	9	14	16	24
20-34	726	7.2	53	2	2	5	9	15	20	37
35-49	708	8.2	68	1	2	6	10	17	25	48
50-64	744	9.4	97	2	2	7	11	20	29	58
65+	969	10.8	109	2	3	8	13	23	32	53
GRAND TOTAL	**3466**	**8.8**	**81**	**2**	**2**	**6**	**10**	**18**	**26**	**51**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	2.8	9	1	1	2	3	5	7	18
20-34	142	3.2	6	1	1	2	4	7	8	11
35-49	129	4.4	14	1	1	3	6	9	11	19
50-64	88	3.8	9	<1	1	3	6	8	9	13
65+	77	4.2	11	1	1	3	6	9	10	15
B. *Operated*										
0-19 YRS	75	2.5	6	<1	<1	1	3	6	8	12
20-34	148	3.2	8	<1	<1	2	4	7	9	13
35-49	151	4.5	16	1	1	3	6	9	11	17
50-64	132	4.9	21	<1	1	4	7	10	15	23
65+	133	4.1	15	1	1	3	5	9	11	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	143	3.4	12	1	1	2	4	7	11	17
20-34	349	3.6	13	1	1	2	5	7	9	19
35-49	340	3.9	11	1	1	3	6	8	10	14
50-64	412	4.9	18	1	1	4	7	10	13	21
65+	682	5.3	28	1	1	4	7	11	14	24
B. *Operated*										
0-19 YRS	207	4.3	56	<1	1	1	4	11	18	35
20-34	572	5.0	58	1	1	2	6	11	17	35
35-49	625	6.9	86	1	1	4	9	16	21	57
50-64	823	8.0	111	1	1	5	10	20	27	74
65+	1531	6.5	67	1	1	3	8	16	23	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	479	3.7	10	1	1	3	5	8	10	16
B. *Operated*	639	4.0	14	<1	1	3	5	9	11	19
2. MULTIPLE DX										
A. *Not Operated*	1926	4.5	19	1	1	3	6	10	12	21
B. *Operated*	3758	6.6	79	1	1	3	8	16	23	46
1. SINGLE DX	1118	3.9	12	<1	1	3	5	8	10	18
2. MULTIPLE DX	5684	5.9	60	1	1	3	7	13	20	39
A. NOT OPERATED	2405	4.4	18	1	1	3	6	9	12	20
B. OPERATED	4397	6.2	71	1	1	3	8	15	22	42
TOTAL 0-19 YRS	468	3.6	31	<1	1	2	4	8	13	29
20-34	1211	4.2	34	1	1	2	5	9	12	28
35-49	1245	5.5	51	1	1	3	7	12	17	31
50-64	1455	6.6	73	1	1	4	8	14	22	50
65+	2423	6.0	52	1	1	3	8	14	20	37
GRAND TOTAL	**6802**	**5.5**	**53**	**1**	**1**	**3**	**7**	**12**	**18**	**36**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	1.5	1	<1	<1	1	2	3	3	3
20-34	11	1.7	1	<1	<1	1	3	4	4	4
35-49	7	4.0	9	1	1	5	7	8	8	8
50-64	9	2.1	2	1	1	1	3	5	5	5
65+	9	1.9	1	<1	<1	1	3	4	4	4
B. *Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	7.0	12	3	3	9	9	9	9	9
50-64	2	2.0	2	<1	<1	1	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	2.3	2	<1	<1	2	3	4	5	7
20-34	31	3.8	6	1	1	3	6	7	8	11
35-49	35	3.8	10	1	1	3	4	8	12	14
50-64	35	4.9	20	1	1	3	8	11	15	17
65+	60	3.0	6	1	1	2	5	7	8	10
B. *Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	15	11.2	265	<1	2	6	14	21	55	66
35-49	21	9.9	135	1	1	6	11	23	40	50
50-64	15	6.9	50	2	2	4	9	13	25	29
65+	24	9.9	177	1	1	5	13	21	34	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	2.1	3	<1	1	1	3	5	5	8
B. *Operated*	6	4.7	12	<1	<1	3	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	188	3.5	9	1	1	3	5	8	9	15
B. *Operated*	78	9.2	150	1	1	5	11	21	31	65
1. SINGLE DX	55	2.4	4	<1	1	1	3	5	8	9
2. MULTIPLE DX	266	5.2	57	1	1	3	6	11	15	47
A. NOT OPERATED	237	3.2	8	1	1	2	4	7	9	14
B. OPERATED	84	8.9	141	1	1	5	11	20	30	65
TOTAL 0-19 YRS	43	2.0	2	<1	<1	2	3	3	4	7
20-34	58	5.3	82	<1	1	3	6	10	15	62
35-49	66	5.9	56	1	1	4	7	12	15	47
50-64	61	4.9	26	1	1	3	7	11	15	28
65+	93	4.7	58	1	1	2	5	9	17	45
GRAND TOTAL	**321**	**4.7**	**49**	**1**	**1**	**3**	**6**	**10**	**14**	**37**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	1.4	1	1	1	1	2	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	7	1.0		<1	<1	<1	1	1	1	1
20-34	1058	1.2		<1	<1	<1	1	2	2	3
35-49	584	1.1		<1	<1	<1	1	1	2	3
50-64	5	1.0		<1	<1	<1	1	1	1	1
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	17	1.5	2	<1	<1	<1	1	3	5	6
35-49	9	1.0		<1	<1	<1	<1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	14	2.4	5	<1	<1	1	4	6	7	8
20-34	497	1.7	2	<1	<1	1	2	3	4	7
35-49	341	1.5	1	<1	<1	1	1	3	4	5
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	1.3	1	1	1	1	1	3	3	3
B. *Operated*	1655	1.2		<1	<1	<1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	28	1.4	1	<1	<1	<1	1	3	4	6
B. *Operated*	853	1.6	1	<1	<1	1	2	3	4	6
1. SINGLE DX	1661	1.2		<1	<1	<1	1	2	2	3
2. MULTIPLE DX	881	1.6	1	<1	<1	1	2	3	4	6
A. NOT OPERATED	34	1.4	1	<1	<1	<1	1	3	4	6
B. OPERATED	2508	1.3	1	<1	<1	1	1	2	3	5
TOTAL 0-19 YRS	23	2.0	4	<1	<1	1	2	5	6	8
20-34	1577	1.3	1	<1	<1	1	1	2	3	5
35-49	935	1.3	1	<1	<1	1	1	2	3	5
50-64	6	1.0		<1	<1	<1	<1	1	1	1
65+	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**2542**	**1.3**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**	**5**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	1	77.0		77	77	77	77	77	77	77
1500-1749	1	8.0		8	8	8	8	8	8	8
1750-2499	1443	2.1	2	1	1	2	3	4	4	6
2500+	117630	2.0	1	1	1	2	3	4	4	5
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	33	2.5	3	<1	1	2	3	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	7	79.7	315	49	59	92	99+	99+	99+	99+
1000-1499	154	35.0	227	15	17	32	45	55	66	93
1500-1749	245	22.9	104	9	13	21	27	35	38	64
1750-2499	5167	5.6	32	1	1	4	7	13	17	28
2500+	77982	2.8	3	1	1	2	4	5	5	9
B. *Operated*										
1-999 G	98	72.9	235	50	57	87	99+	99+	99+	99+
1000-1499	282	49.0	353	22	28	47	64	86	99+	99+
1500-1749	221	31.7	207	14	17	29	40	51	66	99+
1750-2499	774	15.4	142	<1	2	13	21	31	38	69
2500+	2016	7.3	83	1	1	5	8	14	20	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	119075	2.0	1	1	1	2	3	4	4	5
B. *Operated*	33	2.5	3	<1	1	2	3	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	83555	3.1	10	1	1	2	4	5	6	15
B. *Operated*	3391	16.1	377	1	2	8	22	51	75	99+
1. SINGLE DX	119108	2.0	1	1	1	2	3	4	4	5
2. MULTIPLE DX	86946	3.6	30	1	1	3	4	5	8	30
A. NOT OPERATED	202630	2.5	5	1	1	2	3	4	5	9
B. OPERATED	3424	16.0	375	1	2	8	21	50	75	99+
TOTAL 1-999 G	105	73.4	240	50	57	88	99+	99+	99+	99+
1000-1499	437	44.1	355	17	23	43	58	76	92	99+
1500-1749	467	27.0	173	12	14	24	33	44	54	84
1750-2499	7384	6.0	50	1	1	3	7	14	20	34
2500+	197661	2.4	3	1	1	2	3	4	5	8
GRAND TOTAL	**206054**	**2.7**	**14**	**1**	**1**	**2**	**3**	**4**	**5**	**15**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	240	3.7	5	1	2	3	5	6	7	14
2500+	1044	3.3	2	1	2	3	4	5	6	7
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	3	49.7	376	37	37	40	64	72	72	72
1000-1499	28	33.8	289	12	15	32	45	50	75	78
1500-1749	85	20.0	90	8	11	19	23	29	34	67
1750-2499	1005	7.2	29	2	3	5	9	14	17	31
2500+	1110	4.2	5	2	2	4	5	6	7	14
B. *Operated*										
1-999 G	22	78.0	229	54	60	88	99+	99+	99+	99+
1000-1499	74	52.0	382	25	31	53	73	99+	99+	99+
1500-1749	62	32.6	137	17	21	29	41	54	63	99+
1750-2499	131	19.1	193	4	5	15	26	33	50	67
2500+	44	7.4	26	2	3	5	11	15	17	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1284	3.4	3	1	2	3	4	5	6	8
B. *Operated*	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	2231	6.6	45	2	3	5	7	14	18	35
B. *Operated*	333	31.3	578	4	5	28	51	84	99+	99+
1. SINGLE DX	1286	3.4	3	1	2	3	4	5	6	8
2. MULTIPLE DX	2564	9.8	182	2	3	5	10	24	41	93
A. NOT OPERATED	3515	5.4	32	2	2	4	5	10	15	31
B. OPERATED	335	31.1	579	3	5	28	51	84	99+	99+
TOTAL 1-999 G	25	74.6	320	41	53	86	99+	99+	99+	99+
1000-1499	102	47.0	421	16	23	48	66	95	99+	99+
1500-1749	147	25.3	148	10	13	23	30	46	54	99+
1750-2499	1376	7.7	56	2	2	5	9	16	22	38
2500+	2200	3.9	5	1	2	4	5	6	7	13
GRAND TOTAL	**3850**	**7.7**	**132**	**2**	**2**	**4**	**6**	**16**	**30**	**80**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	12	1.9	2	<1	<1	1	2	4	6	6
2500+	261	1.6	1	<1	<1	1	2	3	3	5
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	1	69.0		69	69	69	69	69	69	69
1000-1499	5	20.4	81	11	11	18	28	33	33	33
1500-1749	2	18.0	98	11	11	18	25	25	25	25
1750-2499	49	5.3	29	1	1	3	7	13	19	23
2500+	181	2.4	3	<1	1	2	3	5	6	8
B. *Operated*										
1-999 G	1	71.0		71	71	71	71	71	71	71
1000-1499	4	52.8	428	30	30	53	70	74	74	74
1500-1749	3	14.3	85	9	9	9	21	25	25	25
1750-2499	3	11.0	4	9	9	11	12	13	13	13
2500+	9	6.1	15	1	1	6	9	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	273	1.6	1	<1	<1	1	2	3	3	6
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	238	3.8	38	<1	1	2	4	8	13	27
B. *Operated*	20	20.7	555	1	3	10	27	68	72	74
1. SINGLE DX	273	1.6	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX	258	5.1	96	<1	1	2	5	11	19	69
A. NOT OPERATED	511	2.6	19	<1	1	2	2	5	8	21
B. OPERATED	20	20.7	555	1	3	10	27	68	72	74
TOTAL 1-999 G	2	70.0	2	69	69	70	71	71	71	71
1000-1499	9	34.8	492	11	12	30	47	71	74	74
1500-1749	5	15.8	71	9	9	11	25	25	25	25
1750-2499	64	4.9	26	<1	1	3	7	12	16	23
2500+	451	2.0	3	<1	<1	2	2	3	5	9
GRAND TOTAL	**531**	**3.3**	**50**	**<1**	**1**	**2**	**3**	**6**	**10**	**35**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.4	1	<1	<1	<1	2	3	3	3
20-34	9	2.1	2	1	1	1	3	4	4	4
35-49	4	1.3		<1	<1	1	2	2	2	2
50-64	4	1.5	1	1	1	1	2	3	3	3
65+										
B. *Operated*										
0-19 YRS	436	1.5	1	<1	<1	1	2	3	3	5
20-34	730	1.7	2	<1	<1	1	2	3	4	7
35-49	353	1.7	1	<1	<1	1	2	3	4	6
50-64	225	1.6	1	<1	<1	1	2	3	4	5
65+	125	2.3	5	<1	<1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.0		<1	<1	<1	1	1	1	1
20-34	6	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	3	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	3	1.0		<1	<1	1	1	1	1	1
65+	4	3.8	8	1	1	3	6	7	7	7
B. *Operated*										
0-19 YRS	161	2.3	9	<1	<1	1	2	4	5	21
20-34	209	2.2	5	<1	1	1	2	5	6	9
35-49	147	2.8	7	<1	<1	2	4	6	8	13
50-64	122	3.2	9	<1	1	2	4	6	9	15
65+	123	3.1	8	<1	1	2	4	6	8	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	1.7	1	<1	<1	1	2	3	4	4
B. *Operated*	1869	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	20	1.6	2	<1	<1	<1	1	3	6	7
B. *Operated*	762	2.6	7	<1	<1	2	3	5	7	13
1. SINGLE DX	1893	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	782	2.6	7	<1	<1	2	3	5	7	13
A. NOT OPERATED	44	1.6	2	<1	<1	1	2	3	4	7
B. OPERATED	2631	2.0	4	<1	<1	1	2	4	5	9
TOTAL 0-19 YRS	608	1.7	3	<1	<1	1	2	3	4	8
20-34	954	1.8	3	<1	<1	1	2	4	5	7
35-49	507	2.0	3	<1	<1	1	2	4	5	9
50-64	354	2.2	4	<1	<1	2	3	4	6	12
65+	252	2.7	7	<1	<1	2	3	5	7	13
GRAND TOTAL	**2675**	**2.0**	**4**	**<1**	**<1**	**1**	**2**	**4**	**5**	**9**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	5	6.8	30	3	3	3	11	15	15	15
20-34	33	3.5	38	<1	<1	2	3	7	8	36
35-49	30	2.2	2	<1	<1	2	3	4	6	7
50-64	71	2.2	7	<1	<1	<1	2	5	9	14
65+	63	2.5	10	<1	<1	<1	3	5	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	7	1.9	1	<1	<1	1	3	3	3	3
B. *Operated*	202	2.6	13	<1	<1	1	3	6	9	15
1. SINGLE DX	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX	209	2.6	13	<1	<1	1	3	6	8	15
A. NOT OPERATED	7	1.9	1	<1	<1	1	3	3	3	3
B. OPERATED	203	2.6	13	<1	<1	1	3	6	9	15
TOTAL 0-19 YRS	7	5.4	26	1	1	3	8	14	15	15
20-34	35	3.4	36	<1	<1	2	3	6	8	36
35-49	32	2.2	2	<1	<1	2	3	4	6	7
50-64	72	2.2	7	<1	<1	<1	2	5	9	14
65+	64	2.5	10	<1	<1	<1	3	5	9	15
GRAND TOTAL	**210**	**2.6**	**13**	**<1**	**<1**	**1**	**3**	**6**	**8**	**15**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	487	1.6	2	<1	<1	1	2	3	4	7
20-34	950	2.0	17	<1	<1	1	2	3	4	21
35-49	400	2.1	6	<1	<1	1	2	4	6	12
50-64	352	2.1	3	<1	1	1	3	4	6	9
65+	288	3.1	35	<1	1	2	3	6	11	21
B. *Operated*										
0-19 YRS	260	2.6	6	<1	<1	1	3	7	8	10
20-34	688	2.9	7	<1	<1	2	4	7	8	12
35-49	506	3.5	11	<1	<1	2	5	8	9	11
50-64	343	4.0	18	<1	<1	3	6	9	10	14
65+	220	4.6	14	<1	1	3	7	10	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2120	5.5	136	<1	1	2	4	9	33	84
20-34	2404	6.8	131	<1	1	2	5	23	30	71
35-49	3251	4.6	59	1	1	2	4	11	23	37
50-64	6790	3.9	44	1	1	2	4	7	15	36
65+	8329	6.0	79	1	1	3	6	16	25	46
B. *Operated*										
0-19 YRS	619	4.8	72	<1	<1	2	5	9	21	63
20-34	1382	4.7	67	<1	1	2	5	9	14	54
35-49	1598	4.5	46	1	1	3	5	9	12	38
50-64	2034	5.4	42	1	1	4	7	11	16	35
65+	2199	6.7	70	1	1	4	9	15	22	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2477	2.1	13	<1	<1	1	2	4	5	15
B. *Operated*	2017	3.4	11	<1	<1	2	5	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	22894	5.2	78	1	1	2	5	13	23	46
B. *Operated*	7832	5.4	58	1	1	3	6	11	18	44
1. SINGLE DX	4494	2.7	12	<1	<1	1	3	6	8	14
2. MULTIPLE DX	30726	5.3	73	1	1	2	5	12	22	46
A. NOT OPERATED	25371	4.9	72	1	1	2	5	12	22	45
B. OPERATED	9849	5.0	49	<1	1	3	6	10	15	39
TOTAL 0-19 YRS	3486	4.6	98	<1	<1	2	4	8	22	61
20-34	5424	5.0	83	<1	<1	2	5	10	24	53
35-49	5755	4.3	48	<1	1	2	4	9	19	35
50-64	9519	4.2	42	1	1	2	5	8	14	34
65+	11036	6.0	75	1	1	3	6	16	23	46
GRAND TOTAL	**35220**	**4.9**	**66**	**1**	**1**	**2**	**5**	**11**	**21**	**44**

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease – *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis – *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer – *see Neoplasm, malignant*
	Carcinoma – *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs – *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular – *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Cronn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer – *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer – *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve – *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes – *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease – *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma – *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

R3850-1.104
11/86

LOS

LENGTH OF STAY

CPHA PUBLICATIONS

Length of Stay
by Operation,
Western Region, 1985

A Companion Volume To
Length of Stay
by Diagnosis,
Western Region, 1985

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1986

LENGTH OF STAY

Copyright 1986 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1985
. . . by Diagnosis, United States, North Central Region, 1985
. . . by Diagnosis, United States, Northeastern Region, 1985
. . . by Diagnosis, United States, Southern Region, 1985
. . . by Diagnosis, United States, Western Region, 1985
. . . by Diagnosis, Canada, 1985

. . . by Operation, United States, 1985
. . . by Operation, United States, North Central Region, 1985
. . . by Operation, United States, Northeastern Region, 1985
. . . by Operation, United States, Southern Region, 1985
. . . by Operation, United States, Western Region, 1985
. . . by Operation, Canada, 1985

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1985
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1985

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1985 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1985 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1985 LENGTH OF STAY BOOKS

Peg Eby, Research Assistant, Research Services
Carol A. Prevost, Research Associate
Jeanine DeLay, Assistant Director
Edward J. Kobrinski, Director

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data. 1
  Data Quality. 2
  Coverage 3
  Organization of Length of Stay Tables. 5
    Definition of Multiple Diagnosis Patients 5
    Definition of Operated Patients 6
  Explanation of Statistics. 6
  Defining the Extended Stay Case 7
Length of Stay Tables 15
  Summary of All Patients. 16
  Operation Groups 501-764 17
Appendix: *ICD-9-CM* Codes for Selected Operation Groups 83
Index to Length of Stay Tables 87

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.



** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1985

	Short-Term Nonfederal Hospitals			Short-Term Nonfederal Hospital Beds		
	U.S. Total[2]	Number in Books	Percent in Books	U.S. Total[2]	Number in Books	Percent in Books
Hospital Category						
Bedsize						
6-24	332	44	13.3	6,138	880	14.3
25-49	1,161	226	19.5	42,908	8,735	20.3
50-99	1,283	383	29.9	92,066	27,587	30.0
100-199	1,221	393	32.2	172,860	56,242	32.5
200-299	703	232	33.0	170,564	57,368	33.6
300-399	415	142	34.2	141,454	48,545	34.3
400-499	265	90	34.0	117,253	39,787	33.9
500+	307	73	23.8	212,299	47,783	22.5
Total	5,687	1,583	27.8	955,542	286,927	30.0
Region and Census Division						
Northeast	814	342	42.0	205,568	67,158	32.7
New England	241	131	54.4	48,426	20,234	41.8
Middle Atlantic	573	211	36.8	157,142	46,924	29.9
North Central	1,673	515	30.8	267,603	105,699	39.5
East North Central	880	418	47.5	182,843	90,510	49.5
West North Central	793	97	12.2	84,760	15,189	17.9
South	2,139	366	17.1	338,647	61,836	18.3
South Atlantic	810	186	23.0	158,360	34,351	21.7
East South Central	496	89	17.9	71,653	13,196	18.4
West South Central	833	91	10.9	108,634	14,289	13.2
West	1,061	360	33.9	143,724	52,234	36.3
Mountain	370	153	41.4	40,264	19,940	49.5
Pacific	691	207	30.0	103,460	32,294	31.2
Total	5,687	1,583	27.8	955,542	286,927	30.0

The Pediatric book was compiled from the data of 1,569 hospitals. The Geriatric book was compiled from the data of 1,559 hospitals.

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1984 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Procedure information for all patient data included in this book was coded using *ICD-9-CM.*

In *List B* there are 250 groups that contain at least one UHDDS Class 1 procedure. Fourteen of the 264 *List B* groups consist solely of Class 2, 3, or 4 procedures. This book displays data only for those 250 groups with Class 1 procedures.

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are patients with an *ICD-9-CM* procedure code that fell into a UHDDS category containing at least one Class 1 procedure. Class 1 procedures are defined as those procedures that carry an operative or anesthetic risk, require highly trained personnel, or require special facilities or equipment. The following *ICD-9-CM List B* codes contain a mixture of Class 1 and 2-4 procedures: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, [illegible], 679, 682, 686, 690, 696, 706, 758, 760, 764. All the other *ICD-9-CM List B* groups contain only Class 1 procedures or they contain only Class 2-4 procedures and are excluded from this book.

Explanation of Statistics

The *List B* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in the *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the correct day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, whether the patient had single or multiple diagnoses, and the patient's age.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and different lengths of stay) could be appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy); primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung); and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the contemplated operation in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. Procedures can also be found in the Alphabetic Index at the back of the length of stay books.

c. If an operation is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 3 of *ICD-9-CM.*[3] That code can then be located in *List B* or in the heading of the length of stay table.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 57-year-old patient is admitted to a hospital for elective surgery, a transurethral resection. The admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *ICD-9-CM List' B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 3, Procedures: Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening.* Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	3		261
Criteria for admission			
1. Diastolic BP > 110			
2. Not controlled by outpatient Rx			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	2		235
for: Cystoscopy			636
TUR			648
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. Sepsis or fever > 102°, chills			
2. Abscess formation			

b. The Alphabetic Index at the back of the operation length of stay book also shows that TUR is included in operation group 648.



OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	**Transurethral approach**
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.



Procedure **INDEX TO PROCEDURES**

- **Procedure** — *continued*
  - diagnostic NEC — *continued*
    - pleura 34.28
    - posterior chamber, eye 14.19
    - prostate 60.18
    - pulmonary 33.29
    - rectum 48.29
    - renal 55.29
    - respiratory 33.29
    - retina 14.19
    - retroperitoneum 59.29
    - salivary gland or duct 26.19
    - sclera 12.29
    - scrotum 61.19
    - seminal vesicle 60.19
    - sigmoid 45.28
    - sinus, nasal 22.19
    - skin 86.19
    - skull 01.19
    - soft tissue 83.29
    - spermatic cord 63.09
    - sphincter of Oddi 51.19
    - spine, spinal (canal) (cord) (meninges) (structure) 03.39
    - spleen 41.39
    - stomach 44.19
    - subcutaneous tissue 86.19
    - sympathetic nerve 05.19
    - tarsus 09.19
    - tendon NEC 83.29
      - extraocular 15.09
    - testicle 62.19
    - thalamus 01.18
    - thoracic duct 40.19
    - thorax 34.28
    - thymus 07.19
    - thyroid gland 06.19
    - tongue 25.09
    - tonsils 28.19
    - tooth 24.19
    - trachea 31.49
    - tunica vaginalis 61.19
    - ureter 56.39
    - urethra 58.29
    - uterus and supporting structures 68.19
    - uvula 27.29
    - vagina 70.29
    - vas deferens 63.09
    - vesical 57.39
    - vessel (blood) (any site) 38.29
    - vitreous 14.19
    - vulva 71.19
  - fistulizing, sclera NEC 12.69
  - miscellaneous (nonoperative) NEC 99.99
  - respiratory (nonoperative) NEC 93.99
  - surgical — *see* Operation
- **Proctectasis** 96.22
- **Proctectomy** (partial) *(see also* Resection, rectum) 48.69
  - abdominoperineal 48.5
- **Proctectomy** (partial) — *continued*
  - complete (Miles) (Rankin) 48.5
  - pull-through 48.49
- **Proctoclysis** 96.37
- **Proctolysis** 48.99
- **Proctopexy** (Delorme) 48.76
  - abdominal (Ripstein) 48.75
- **Proctoplasty** 48.79
- **Proctorrhaphy** 48.71
- **Proctoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctosigmoidectomy** *(see also* Resection, rectum) 48.69
- **Proctosigmoidopexy** 48.76
- **Proctosigmoidoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctostomy** 48.1
- **Proctotomy** (decompression) (linear) 48.0
- **Production** — *see also* Formation
  - atrial septal defect 35.42
  - subcutaneous tunnel for esophageal anastomosis 42.86
    - with anastomosis — *see* Anastomosis, esophagus, antesternal
- **Prognathic recession** 76.64
- **Prophylaxis, dental** (scaling) (polishing) 96.54
- **Prostatectomy (complete) (partial) NEC** 60.69
  - loop 60.2
  - perineal 60.62
  - radical (any approach) 60.5
  - retropubic (punch) (transcapsular) 60.4
  - suprapubic (punch) (transvesical) 60.3
  - transcapsular NEC 60.69
    - retropubic 60.4
  - **transurethral 60.2**
  - transvesical punch (suprapubic) 60.3
- **Prostatocystotomy** 60.0
- **Prostatolithotomy** 60.0
- **Prostatotomy** (perineal) 60.0
- **Prostatovesiculectomy** 60.5
- **Protection** (of)
  - individual from his surroundings 99.84
  - surroundings from individual 99.84
- **Psychoanalysis** 94.31
- **Psychodrama** 94.43
- **Psychotherapy** NEC 94.39
  - biofeedback 94.39
  - exploratory verbal 94.37
  - group 94.44
    - for psychosexual dysfunctions 94.41
  - play 94.36
  - psychosexual dysfunctions 94.34
  - supportive verbal 94.38
- **Ptyalectasis** 26.91
- **Ptyalithotomy** 26.0
- **Ptyalolithotomy** 26.0

Step 2. Find the table for group 648 in the length of stay book.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top five lines of the table (1. Single Dx).

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

The patient was admitted on 3 November; therefore the sixth day will fall on 9 November. Prior to or on 9 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	66649	2.4	8	<1	<1	2	3	4	6	14
20-34	178583	2.5	5	<1	1	2	3	4	6	10
35-49	63190	3.3	10	<1	1	2	4	7	9	14
50-64	46040	3.8	12	<1	1	3	5	8	10	15
65+	38708	4.7	18	<1	1	3	7	10	12	18
2. MULTIPLE DX										
0-19 YRS	70098	5.2	75	<1	1	3	5	11	19	55
20-34	188544	4.2	27	1	1	3	5	7	11	27
35-49	122206	5.5	39	1	1	4	6	10	15	33
50-64	150945	6.6	50	1	1	5	8	13	18	37
65+	285950	7.8	55	1	2	6	10	15	21	38
TOT. SINGLE DX	393170	3.0	9	<1	1	2	4	6	8	14
" MULTIPLE DX	817743	6.2	49	1	1	4	8	13	18	37
TOTAL 0-19 YRS	136747	3.8	45	<1	1	2	4	7	12	39
20-34	367127	3.3	17	1	1	2	4	6	8	20
35-49	185396	4.7	30	1	1	4	6	9	13	28
50-64	196985	5.9	43	1	1	4	8	12	16	33
65+	324658	7.5	52	1	2	6	10	15	20	37
GRAND TOTAL	**1210913**	**5.1**	**38**	**1**	**1**	**3**	**6**	**11**	**15**	**31**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	105	6.3	33	<1	1	5	9	14	15	31
20-34	98	7.8	17	2	3	8	10	14	16	22
35-49	147	7.3	14	1	3	7	10	11	14	20
50-64	158	8.2	24	3	4	7	10	14	18	28
65+	179	9.7	34	3	4	9	12	17	23	31
2. MULTIPLE DX										
0-19 YRS	210	12.4	133	1	2	9	16	27	45	99+
20-34	257	18.4	350	4	5	12	24	61	97	99+
35-49	326	14.4	169	3	5	11	17	31	44	82
50-64	480	15.6	183	3	5	11	18	34	46	94
65+	718	16.3	138	4	6	13	20	31	41	58
TOT. SINGLE DX	687	8.0	26	1	3	7	10	14	17	28
" MULTIPLE DX	1991	15.7	183	3	5	12	19	34	47	99+
TOTAL 0-19 YRS	315	10.4	108	1	1	8	13	24	33	99+
20-34	355	15.4	281	3	4	10	17	42	78	99+
35-49	473	12.2	131	2	4	9	14	24	37	70
50-64	638	13.8	154	3	5	10	16	28	41	83
65+	897	15.0	125	4	5	12	19	29	37	57
GRAND TOTAL	**2678**	**13.7**	**154**	**2**	**4**	**10**	**17**	**28**	**41**	**96**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	58	4.9	9	2	2	4	6	8	10	18
20-34	41	8.9	127	2	2	5	9	16	26	68
35-49	36	7.7	13	2	3	7	11	13	16	99+
50-64	46	10.2	89	3	3	7	12	17	26	52
65+	38	9.6	121	3	4	8	10	14	15	73
2. MULTIPLE DX										
0-19 YRS	128	16.0	287	3	4	9	21	39	51	76
20-34	124	16.1	253	3	5	11	19	30	57	81
35-49	107	16.6	250	3	4	12	19	35	58	75
50-64	117	17.4	245	4	5	12	21	37	50	80
65+	168	18.7	268	5	6	14	23	36	61	91
TOT. SINGLE DX	219	8.0	71	2	3	6	10	14	17	69
" MULTIPLE DX	644	17.1	262	4	5	12	20	36	56	79
TOTAL 0-19 YRS	186	12.6	227	3	3	6	12	34	46	74
20-34	165	14.3	231	2	3	9	16	28	50	80
35-49	143	14.3	205	3	4	11	16	32	55	79
50-64	163	15.4	211	4	4	11	17	33	47	77
65+	206	17.0	253	5	5	12	19	32	59	91
GRAND TOTAL	**863**	**14.8**	**229**	**3**	**4**	**10**	**17**	**32**	**50**	**79**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	235	4.2	6	1	2	4	5	6	8	11
20-34	56	4.5	7	1	2	4	5	8	11	13
35-49	28	4.6	6	2	2	4	6	8	11	11
50-64	16	8.1	137	1	2	5	7	12	39	51
65+	12	6.0	15	2	2	5	7	12	15	16
2. MULTIPLE DX										
0-19 YRS	181	7.5	116	1	2	4	8	13	20	70
20-34	133	10.0	143	2	3	6	11	23	34	67
35-49	50	11.5	176	3	3	6	13	28	48	59
50-64	29	6.6	15	1	2	6	8	13	15	18
65+	27	8.2	38	3	4	6	10	14	23	31
TOT. SINGLE DX	347	4.5	13	1	2	4	5	7	9	13
" MULTIPLE DX	420	8.8	122	2	2	5	9	16	29	62
TOTAL 0-19 YRS	416	5.6	57	1	2	4	5	9	13	42
20-34	189	8.4	109	2	2	5	9	16	29	60
35-49	78	9.0	125	2	2	5	9	18	39	57
50-64	45	7.1	57	1	2	6	7	12	16	51
65+	39	7.5	32	3	3	6	9	14	19	31
GRAND TOTAL	**767**	**6.8**	**77**	**2**	**2**	**4**	**7**	**12**	**18**	**53**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	61	5.1	14	2	2	4	6	8	12	22
20-34	13	6.1	9	2	2	5	8	11	11	11
35-49	8	5.9	7	3	3	6	8	10	10	10
50-64	13	6.0	8	3	3	5	7	10	12	13
65+	48	7.8	13	2	3	7	9	12	15	21
2. MULTIPLE DX										
0-19 YRS	157	12.9	204	3	3	7	17	33	57	99+
20-34	46	13.6	182	3	3	9	14	37	46	61
35-49	33	15.0	413	2	3	10	17	31	91	99+
50-64	62	16.2	200	3	5	12	20	36	41	79
65+	199	15.2	117	4	5	13	20	29	39	91
TOT. SINGLE DX	143	6.2	14	2	2	6	8	11	13	21
" MULTIPLE DX	497	14.4	181	3	4	10	19	31	46	99+
TOTAL 0-19 YRS	218	10.7	164	2	3	6	11	25	45	99+
20-34	59	11.9	153	2	3	7	12	31	44	60
35-49	41	13.2	345	2	3	9	14	24	90	99+
50-64	75	14.5	182	3	4	10	18	35	38	75
65+	247	13.7	106	4	5	10	18	28	36	82
GRAND TOTAL	**640**	**12.6**	**155**	**3**	**3**	**8**	**16**	**28**	**39**	**92**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	106	4.0	8	1	1	3	5	7	9	17
20-34	41	4.9	7	1	1	5	7	9	10	11
35-49	23	7.0	82	1	2	5	6	14	25	45
50-64	9	4.3	8	<1	1	3	6	9	9	9
65+	10	5.8	23	<1	<1	5	9	13	14	14
2. MULTIPLE DX										
0-19 YRS	419	8.1	117	1	2	4	9	19	28	78
20-34	156	15.1	281	2	2	8	20	45	56	99+
35-49	81	15.0	284	1	3	10	17	38	63	99+
50-64	98	15.2	182	3	4	11	22	35	47	85
65+	128	14.1	155	2	3	11	20	29	40	92
TOT. SINGLE DX	189	4.7	19	1	1	4	6	9	11	19
" MULTIPLE DX	882	11.6	185	1	2	7	15	28	42	98
TOTAL 0-19 YRS	525	7.2	98	1	1	4	8	16	24	63
20-34	197	12.9	241	2	2	7	17	37	51	99+
35-49	104	13.3	250	1	2	8	15	33	50	99+
50-64	107	14.3	176	2	3	10	19	34	45	82
65+	138	13.5	151	1	2	10	19	28	40	91
GRAND TOTAL	**1071**	**10.4**	**163**	**1**	**2**	**6**	**13**	**25**	**39**	**90**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	18	7.8	26	2	3	7	9	12	20	25
20-34	200	7.4	26	3	3	6	9	11	13	35
35-49	447	6.8	12	3	3	6	8	10	13	19
50-64	441	6.9	11	3	4	6	8	10	13	22
65+	352	8.1	13	3	4	7	10	13	15	22
2. MULTIPLE DX										
0-19 YRS	32	18.0	216	3	4	14	24	34	51	68
20-34	271	10.0	64	4	4	8	12	17	22	36
35-49	577	9.6	48	3	4	8	11	17	23	45
50-64	881	10.2	81	4	5	8	11	16	22	59
65+	1205	12.5	79	5	5	10	15	21	29	50
TOT. SINGLE DX	1458	7.2	15	3	4	7	9	12	14	22
" MULTIPLE DX	2966	11.1	76	4	5	9	13	19	26	52
TOTAL 0-19 YRS	50	14.3	171	3	4	10	19	31	37	68
20-34	471	8.9	50	3	4	7	10	15	21	36
35-49	1024	8.4	35	3	4	7	10	14	19	34
50-64	1322	9.1	61	3	4	7	10	15	19	42
65+	1557	11.5	68	4	5	9	13	20	26	48
GRAND TOTAL	**4424**	**9.8**	**59**	**3**	**4**	**8**	**11**	**17**	**22**	**42**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	42	6.0	14	1	1	6	9	10	12	19
20-34	135	4.6	14	<1	1	3	8	10	12	17
35-49	142	4.7	20	1	1	3	6	10	12	28
50-64	75	5.8	17	1	1	5	8	12	15	18
65+	33	6.2	14	1	1	6	9	11	13	14
2. MULTIPLE DX										
0-19 YRS	88	11.4	73	2	3	9	14	24	29	40
20-34	198	10.4	96	2	2	8	14	21	32	50
35-49	235	9.4	90	1	2	6	12	19	28	52
50-64	178	11.3	101	2	3	8	14	21	33	60
65+	157	13.8	137	2	2	11	19	27	41	56
TOT. SINGLE DX	427	5.1	17	1	1	4	7	11	12	18
" MULTIPLE DX	856	11.1	103	2	2	8	14	23	32	52
TOTAL 0-19 YRS	130	9.7	61	1	2	8	12	19	26	40
20-34	333	8.1	72	1	1	6	11	17	22	47
35-49	377	7.6	70	1	1	5	9	16	23	47
50-64	253	9.7	83	1	2	7	12	18	27	52
65+	190	12.5	124	2	2	10	16	26	40	54
GRAND TOTAL	**1283**	**9.1**	**82**	**1**	**2**	**6**	**11**	**19**	**27**	**48**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	32	2.1	3	<1	<1	1	3	6	7	7
20-34	127	2.5	8	<1	<1	1	3	7	8	13
35-49	151	2.6	6	<1	<1	1	3	7	8	10
50-64	148	2.6	6	<1	<1	2	3	7	8	12
65+	83	2.7	5	<1	<1	2	3	6	8	11
2. MULTIPLE DX										
0-19 YRS	26	4.1	24	<1	1	2	4	11	14	23
20-34	121	4.8	50	<1	<1	2	5	11	15	42
35-49	128	4.3	20	1	1	3	6	10	11	20
50-64	155	5.8	45	1	1	3	8	13	21	28
65+	143	6.1	46	1	1	3	9	14	19	36
TOT. SINGLE DX	541	2.6	7	<1	<1	1	3	7	8	11
" MULTIPLE DX	573	5.3	41	<1	1	3	7	12	16	37
TOTAL 0-19 YRS	58	3.0	13	<1	<1	2	3	7	10	22
20-34	248	3.6	30	<1	<1	2	4	8	12	37
35-49	279	3.4	14	<1	<1	2	5	8	10	14
50-64	303	4.2	29	<1	1	2	5	10	14	24
65+	226	4.9	34	<1	1	3	7	11	15	35
GRAND TOTAL	**1114**	**4.0**	**26**	**<1**	**<1**	**2**	**5**	**9**	**12**	**24**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	110	1.4		<1	<1	1	2	2	3	4
20-34	534	1.6	1	<1	<1	1	2	3	4	6
35-49	605	1.6	1	<1	<1	1	2	3	4	7
50-64	481	1.6	1	<1	<1	1	2	3	5	7
65+	245	1.9	3	<1	<1	1	2	4	6	12
2. MULTIPLE DX										
0-19 YRS	154	2.5	12	<1	<1	1	3	5	8	20
20-34	512	2.7	9	<1	<1	2	3	5	8	15
35-49	474	2.7	9	<1	<1	2	3	6	8	15
50-64	501	2.9	8	<1	<1	2	3	7	8	15
65+	342	3.1	13	<1	1	2	3	8	11	17
TOT. SINGLE DX	1975	1.7	2	<1	<1	1	2	3	4	7
" MULTIPLE DX	1983	2.8	10	<1	<1	2	3	6	9	16
TOTAL 0-19 YRS	264	2.1	8	<1	<1	1	2	3	6	11
20-34	1046	2.1	6	<1	<1	1	2	4	6	12
35-49	1079	2.1	5	<1	<1	1	2	4	6	11
50-64	982	2.3	6	<1	<1	1	2	5	7	11
65+	587	2.6	10	<1	<1	1	3	6	9	14
GRAND TOTAL	**3958**	**2.2**	**6**	**<1**	**<1**	**1**	**2**	**4**	**7**	**12**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	27	4.3	2	2	2	4	5	6	7	8
35-49	15	3.7	6	<1	<1	3	6	8	8	8
50-64	14	3.6	2	<1	2	3	4	6	7	8
65+	13	7.5	18	3	3	6	10	13	18	19
2. MULTIPLE DX										
0-19 YRS	4	6.5	29	1	1	5	10	14	14	14
20-34	49	6.2	66	1	2	4	6	9	11	56
35-49	35	5.8	13	1	3	5	7	10	13	21
50-64	46	7.2	29	1	2	6	9	13	16	33
65+	74	9.8	55	2	4	7	13	18	23	41
TOT. SINGLE DX	69	4.6	8	<1	2	4	5	8	10	17
" MULTIPLE DX	208	7.6	47	1	3	6	9	15	19	38
TOTAL 0-19 YRS	4	6.5	30	1	1	5	10	14	14	14
20-34	76	5.5	45	1	2	4	6	8	10	48
35-49	50	5.2	12	<1	1	5	6	9	10	21
50-64	60	6.4	26	1	2	5	8	11	15	32
65+	87	9.4	50	3	4	7	12	18	22	40
GRAND TOTAL	**277**	**6.9**	**39**	**1**	**2**	**5**	**8**	**14**	**18**	**34**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	7.0	18	4	4	7	10	10	10	10
20-34	17	2.8	5	<1	<1	2	3	7	8	8
35-49	19	3.6	16	<1	<1	2	3	10	14	16
50-64	12	3.8	15	1	1	2	5	9	14	15
65+	9	3.0	13	<1	<1	1	4	9	12	12
2. MULTIPLE DX										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	37	7.2	39	<1	1	6	10	15	21	27
35-49	38	9.6	79	1	1	7	15	22	26	38
50-64	28	9.3	137	1	1	5	10	25	34	52
65+	56	7.4	32	1	1	6	11	14	20	23
TOT. SINGLE DX	59	3.4	12	<1	<1	2	4	8	12	16
" MULTIPLE DX	161	8.1	64	1	1	6	11	20	23	37
TOTAL 0-19 YRS	4	4.0	18	1	1	3	7	10	10	10
20-34	54	5.8	33	<1	<1	4	8	12	20	27
35-49	57	7.6	66	<1	1	3	11	20	24	37
50-64	40	7.6	106	1	1	4	8	22	29	52
65+	65	6.8	32	1	1	5	10	14	20	23
GRAND TOTAL	**220**	**6.9**	**54**	**<1**	**1**	**4**	**9**	**17**	**22**	**34**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	61	2.7	2	1	1	2	3	5	5	9
20-34	519	2.5	1	1	1	2	3	4	4	6
35-49	643	2.5	1	1	1	2	3	4	4	6
50-64	400	2.6	1	1	1	3	3	4	5	6
65+	198	3.0	1	1	1	3	4	4	5	8
2. MULTIPLE DX										
0-19 YRS	35	3.3	4	1	1	3	4	5	7	12
20-34	264	3.7	17	1	2	3	4	6	8	15
35-49	420	3.2	3	1	1	3	4	5	6	11
50-64	425	3.7	7	1	2	3	4	5	8	17
65+	338	5.5	40	1	2	4	5	10	16	32
TOT. SINGLE DX	1821	2.6	1	1	1	2	3	4	5	6
" MULTIPLE DX	1482	3.9	16	1	2	3	4	6	9	19
TOTAL 0-19 YRS	96	2.9	3	1	1	3	4	5	5	11
20-34	783	2.9	7	1	1	3	3	4	5	10
35-49	1063	2.8	2	1	1	3	3	4	5	8
50-64	825	3.2	5	1	1	3	4	5	6	12
65+	536	4.6	28	1	2	3	5	8	13	24
GRAND TOTAL	**3303**	**3.2**	**9**	**1**	**1**	**3**	**4**	**5**	**6**	**14**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	132	1.5	3	<1	<1	1	2	2	3	10
20-34	97	1.8	1	<1	1	1	2	3	4	7
35-49	63	2.4	3	1	1	2	3	4	6	10
50-64	74	2.6	1	1	1	3	3	4	5	6
65+	39	3.4	3	1	1	3	4	6	7	9
2. MULTIPLE DX										
0-19 YRS	35	3.8	10	<1	<1	3	6	8	10	15
20-34	76	5.5	35	1	2	4	7	11	13	39
35-49	128	4.9	16	1	2	4	5	10	14	19
50-64	198	5.7	66	1	2	4	6	9	15	45
65+	186	6.5	53	1	2	4	7	13	19	41
TOT. SINGLE DX	405	2.1	3	<1	<1	2	3	4	5	8
" MULTIPLE DX	623	5.6	46	1	2	4	6	10	16	32
TOTAL 0-19 YRS	167	2.0	5	<1	<1	1	2	4	7	14
20-34	173	3.4	19	1	1	2	4	7	10	22
35-49	191	4.1	13	1	1	3	5	8	12	17
50-64	272	4.9	51	1	1	3	5	8	12	29
65+	225	6.0	46	1	2	4	6	11	17	37
GRAND TOTAL	**1028**	**4.3**	**32**	**1**	**1**	**3**	**5**	**8**	**12**	**28**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	7.2	16	1	3	6	9	13	16	17
20-34	40	6.1	3	3	4	6	7	9	10	10
35-49	30	6.8	7	4	4	6	8	11	14	14
50-64	30	7.5	8	4	4	7	9	10	11	19
65+	11	8.9	28	3	5	7	9	19	21	21
2. MULTIPLE DX										
0-19 YRS	14	10.4	53	4	5	8	11	20	29	31
20-34	61	8.9	34	4	4	7	10	15	24	34
35-49	70	9.7	30	5	5	8	12	17	21	33
50-64	95	10.3	52	4	5	8	11	15	25	42
65+	77	12.2	156	2	4	9	14	23	29	83
TOT. SINGLE DX	124	6.9	10	3	4	6	8	10	13	20
" MULTIPLE DX	317	10.4	70	4	5	8	12	18	25	39
TOTAL 0-19 YRS	27	8.9	37	3	4	7	10	17	21	31
20-34	101	7.8	24	3	4	7	8	12	16	30
35-49	100	8.8	25	4	5	7	10	14	19	30
50-64	125	9.6	43	4	5	8	11	13	22	39
65+	88	11.8	141	2	4	8	14	20	26	77
GRAND TOTAL	**441**	**9.4**	**55**	**4**	**4**	**8**	**11**	**16**	**22**	**36**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	49	1.1		<1	<1	<1	<1	1	2	5
20-34	7	1.1		<1	<1	<1	1	2	2	2
35-49	9	1.1		<1	<1	<1	1	2	2	2
50-64	11	1.9	4	<1	<1	<1	1	6	8	8
65+	23	1.6	1	<1	<1	1	2	2	4	7
2. MULTIPLE DX										
0-19 YRS	10	1.4	1	<1	<1	<1	1	3	5	5
20-34	7	4.1	43	<1	<1	2	3	16	19	19
35-49	11	1.2		1	1	1	1	2	2	2
50-64	25	2.6	11	<1	<1	1	2	11	11	12
65+	47	4.8	62	<1	<1	1	7	10	16	49
TOT. SINGLE DX	99	1.3	1	<1	<1	<1	1	2	2	8
" MULTIPLE DX	100	3.5	36	<1	<1	1	2	9	13	34
TOTAL 0-19 YRS	59	1.2	1	<1	<1	<1	<1	1	2	5
20-34	14	2.6	23	<1	<1	1	2	5	16	19
35-49	20	1.2		<1	<1	1	1	2	2	2
50-64	36	2.4	9	<1	<1	1	2	8	11	12
65+	70	3.7	44	<1	<1	1	3	9	14	43
GRAND TOTAL	**199**	**2.4**	**20**	**<1**	**<1**	**1**	**2**	**6**	**9**	**19**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	99	1.1		<1	<1	1	1	2	2	3
20-34	24	1.5		<1	<1	1	2	3	4	4
35-49	37	1.3		<1	<1	1	1	2	3	6
50-64	59	1.3		<1	<1	1	1	2	2	8
65+	61	1.2		<1	<1	<1	1	2	2	6
2. MULTIPLE DX										
0-19 YRS	175	2.0	3	<1	<1	1	2	5	6	9
20-34	210	3.0	20	<1	<1	2	4	5	7	36
35-49	99	3.4	15	<1	1	2	3	8	13	19
50-64	140	3.0	19	<1	1	1	3	7	10	23
65+	216	4.3	35	<1	1	2	5	11	19	28
TOT. SINGLE DX	280	1.2	1	<1	<1	1	1	2	2	5
" MULTIPLE DX	840	3.2	21	<1	1	2	3	7	11	24
TOTAL 0-19 YRS	274	1.7	2	<1	<1	1	2	3	5	8
20-34	234	2.8	19	<1	<1	2	3	5	7	29
35-49	136	2.8	12	<1	<1	1	3	6	11	18
50-64	199	2.5	15	<1	<1	1	2	5	8	22
65+	277	3.6	30	<1	<1	1	4	9	15	27
GRAND TOTAL	**1120**	**2.7**	**16**	**<1**	**<1**	**1**	**3**	**6**	**9**	**23**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	37	1.2		<1	<1	1	1	2	3	4
20-34	25	1.2		<1	<1	1	1	3	3	3
35-49	14	1.2		<1	<1	1	1	2	2	2
50-64	33	1.3		1	1	1	1	2	2	4
65+	24	1.4		<1	1	1	2	2	3	3
2. MULTIPLE DX										
0-19 YRS	36	1.6	1	<1	<1	1	2	3	5	6
20-34	29	1.3		<1	<1	1	1	2	3	5
35-49	33	1.9	1	<1	<1	1	2	3	5	7
50-64	39	1.8	3	<1	1	1	2	3	6	11
65+	93	1.6		1	1	1	2	3	3	5
TOT. SINGLE DX	133	1.3		<1	<1	1	1	2	3	4
" MULTIPLE DX	230	1.6	1	<1	1	1	2	3	4	6
TOTAL 0-19 YRS	73	1.4	1	<1	<1	1	1	2	4	6
20-34	54	1.3	1	<1	<1	1	1	2	3	5
35-49	47	1.7	1	<1	<1	1	2	3	4	7
50-64	72	1.6	2	1	1	1	2	2	4	10
65+	117	1.6	1	1	1	1	2	3	3	5
GRAND TOTAL	**363**	**1.5**	**1**	**<1**	**1**	**1**	**2**	**3**	**3**	**6**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	1.2		<1	<1	<1	1	2	3	3
20-34	3	3.7	14	<1	<1	2	6	8	8	8
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	3	1.0		<1	<1	<1	1	1	1	1
65+	2	6.5	61	<1	<1	6	12	12	12	12
2. MULTIPLE DX										
0-19 YRS	10	3.5	12	<1	<1	2	6	9	10	10
20-34	4	1.5	1	<1	<1	1	2	3	3	3
35-49	3	4.0	7	<1	<1	5	6	6	6	6
50-64	8	2.5	3	1	1	2	4	6	6	6
65+	11	3.8	9	<1	<1	3	5	9	10	10
TOT. SINGLE DX	22	2.0	7	<1	<1	<1	1	4	10	12
" MULTIPLE DX	36	3.2	8	<1	<1	2	5	9	10	10
TOTAL 0-19 YRS	23	2.2	7	<1	<1	<1	2	7	9	10
20-34	7	2.4	7	<1	<1	1	3	7	8	8
35-49	4	3.3	7	<1	<1	3	5	6	6	6
50-64	11	2.1	3	<1	<1	1	2	5	6	6
65+	13	4.2	14	<1	<1	3	6	10	12	12
GRAND TOTAL	**58**	**2.7**	**8**	**<1**	**<1**	**1**	**3**	**7**	**10**	**12**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	1.7	1	<1	<1	1	2	3	4	4
20-34	92	1.8	1	<1	1	1	2	3	4	6
35-49	76	2.0	1	1	1	2	3	4	4	4
50-64	53	1.8	1	<1	<1	1	2	3	4	6
65+	146	1.6		1	1	1	2	3	4	5
2. MULTIPLE DX										
0-19 YRS	18	2.0	1	1	1	2	3	4	4	4
20-34	50	2.8	33	1	1	2	3	4	5	42
35-49	74	3.0	17	1	1	2	3	5	11	25
50-64	127	2.6	4	1	1	2	3	5	6	12
65+	536	2.7	8	1	1	2	3	5	6	11
TOT. SINGLE DX	379	1.8	1	<1	1	1	2	3	4	5
" MULTIPLE DX	805	2.7	10	1	1	2	3	5	6	14
TOTAL 0-19 YRS	30	1.9	1	1	1	1	3	4	4	4
20-34	142	2.1	13	<1	1	1	3	3	4	10
35-49	150	2.5	9	1	1	2	3	4	5	21
50-64	180	2.4	4	1	1	2	3	4	6	10
65+	682	2.5	7	1	1	2	3	4	5	10
GRAND TOTAL	**1184**	**2.4**	**7**	**1**	**1**	**2**	**3**	**4**	**5**	**11**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	71	2.3	4	<1	<1	1	3	5	5	12
20-34	195	1.4		<1	<1	<1	1	3	3	6
35-49	127	1.2		<1	<1	<1	<1	2	3	5
50-64	42	1.6	2	<1	<1	<1	1	4	6	6
65+	28	1.4	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX										
0-19 YRS	63	2.9	3	1	1	2	4	5	7	8
20-34	78	2.4	5	<1	<1	1	3	5	5	14
35-49	62	2.2	1	<1	<1	2	3	4	5	6
50-64	32	3.2	20	<1	<1	2	3	7	15	22
65+	62	3.1	15	<1	1	2	4	7	8	25
TOT. SINGLE DX	463	1.5	2	<1	<1	<1	1	3	4	6
" MULTIPLE DX	297	2.7	8	<1	<1	2	3	5	7	16
TOTAL 0-19 YRS	134	2.6	4	<1	<1	2	4	5	6	9
20-34	273	1.7	2	<1	<1	<1	2	3	5	7
35-49	189	1.6	1	<1	<1	<1	1	3	4	6
50-64	74	2.3	11	<1	<1	1	2	5	6	20
65+	90	2.6	11	<1	<1	1	2	6	7	21
GRAND TOTAL	**760**	**2.0**	**4**	**<1**	**<1**	**1**	**2**	**4**	**5**	**9**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	24	1.5		<1	<1	1	2	2	4	5
20-34	12	1.8	1	1	1	1	3	4	4	4
35-49	23	2.1	2	<1	<1	2	3	3	5	9
50-64	59	2.0	3	<1	<1	1	3	3	4	12
65+	95	2.1	2	<1	<1	2	3	4	4	11
2. MULTIPLE DX										
0-19 YRS	25	1.8	2	<1	<1	1	2	4	5	7
20-34	31	2.7	4	<1	1	2	3	5	6	11
35-49	24	2.6	4	<1	<1	2	3	5	8	9
50-64	81	2.8	6	<1	1	2	3	5	8	15
65+	207	3.1	9	1	1	2	4	6	9	19
TOT. SINGLE DX	213	2.0	3	<1	<1	1	2	3	4	10
" MULTIPLE DX	368	2.9	8	<1	1	2	3	6	8	15
TOTAL 0-19 YRS	49	1.6	2	<1	<1	1	2	4	5	7
20-34	43	2.4	4	<1	1	2	3	4	6	11
35-49	47	2.4	4	<1	<1	2	3	4	8	9
50-64	140	2.5	5	<1	<1	2	3	4	7	14
65+	302	2.8	8	<1	1	2	3	5	8	15
GRAND TOTAL	**581**	**2.6**	**6**	**<1**	**<1**	**2**	**3**	**5**	**7**	**13**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	34	2.9	4	<1	<1	2	4	6	7	8
20-34	23	2.8	2	<1	1	3	4	5	6	6
35-49	17	1.7	1	<1	<1	1	2	3	4	5
50-64	20	1.9	1	<1	1	2	3	3	4	4
65+	41	2.0	3	<1	<1	1	2	4	7	9
2. MULTIPLE DX										
0-19 YRS	28	3.5	6	1	1	3	5	8	9	9
20-34	34	3.8	11	1	1	3	5	9	11	16
35-49	26	3.0	4	<1	1	2	5	6	7	7
50-64	43	3.8	12	<1	1	3	5	8	10	18
65+	108	3.1	13	1	1	2	3	7	8	24
TOT. SINGLE DX	135	2.3	3	<1	<1	2	3	5	6	8
" MULTIPLE DX	239	3.4	11	1	1	2	5	7	9	19
TOTAL 0-19 YRS	62	3.2	5	<1	1	3	5	6	8	9
20-34	57	3.4	8	1	1	3	4	6	9	16
35-49	43	2.5	3	<1	1	2	3	6	6	7
50-64	63	3.2	9	<1	1	2	4	7	9	17
65+	149	2.8	11	<1	1	2	3	7	8	23
GRAND TOTAL	**374**	**3.0**	**8**	**<1**	**1**	**2**	**4**	**6**	**8**	**15**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	1.1		<1	<1	1	1	2	2	2
20-34	4	3.5	8	<1	<1	3	6	6	6	6
35-49	14	2.0	2	<1	<1	1	3	5	6	6
50-64	57	1.4		<1	<1	1	2	2	2	3
65+	156	1.3		<1	<1	1	1	2	2	3
2. MULTIPLE DX										
0-19 YRS	14	2.7	5	<1	<1	2	3	7	8	8
20-34	9	2.2	2	1	1	2	3	5	5	5
35-49	25	3.0	6	<1	1	2	4	6	8	13
50-64	68	2.1	4	<1	<1	1	2	4	6	12
65+	351	2.8	42	<1	<1	2	2	4	8	26
TOT. SINGLE DX	243	1.4	1	<1	<1	1	2	2	3	6
" MULTIPLE DX	467	2.7	33	<1	<1	2	2	4	7	14
TOTAL 0-19 YRS	26	2.0	4	<1	<1	1	2	6	7	8
20-34	13	2.6	4	<1	<1	2	4	6	6	6
35-49	39	2.7	6	<1	<1	2	3	6	7	13
50-64	125	1.8	3	<1	<1	1	2	2	4	11
65+	507	2.3	30	<1	<1	1	2	4	5	14
GRAND TOTAL	**710**	**2.2**	**22**	**<1**	**<1**	**1**	**2**	**4**	**6**	**13**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	57	1.3		<1	<1	1	1	2	3	4
20-34	17	1.5		<1	<1	2	2	2	2	2
35-49	117	1.1		<1	<1	<1	1	2	2	2
50-64	498	1.2		<1	<1	<1	1	2	2	3
65+	1437	1.2		<1	<1	<1	1	2	2	3
2. MULTIPLE DX										
0-19 YRS	39	1.7	1	<1	<1	1	2	3	5	7
20-34	25	3.4	12	<1	1	2	4	7	10	18
35-49	96	1.8	3	<1	<1	1	2	3	4	13
50-64	490	1.8	7	<1	<1	1	2	2	4	9
65+	2204	1.8	4	<1	<1	1	2	3	4	10
TOT. SINGLE DX	2126	1.2		<1	<1	<1	1	2	2	3
" MULTIPLE DX	2854	1.8	5	<1	<1	1	2	3	4	10
TOTAL 0-19 YRS	96	1.4	1	<1	<1	1	2	2	3	7
20-34	42	2.7	8	<1	<1	2	3	5	7	18
35-49	213	1.4	2	<1	<1	<1	1	2	3	8
50-64	988	1.5	4	<1	<1	<1	1	2	3	7
65+	3641	1.5	3	<1	<1	1	2	2	3	8
GRAND TOTAL	**4980**	**1.5**	**3**	**<1**	**<1**	**1**	**2**	**2**	**3**	**8**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	4	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	9	1.0		<1	<1	<1	1	1	1	1
50-64	62	1.1		<1	<1	<1	1	1	2	3
65+	130	1.2		<1	<1	<1	1	2	2	3
2. MULTIPLE DX										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	5	1.2		<1	<1	1	1	2	2	2
35-49	19	1.4		<1	<1	1	1	3	4	4
50-64	46	1.2		<1	<1	1	1	2	2	3
65+	160	1.8	4	<1	<1	1	2	3	5	20
TOT. SINGLE DX	205	1.1		<1	<1	<1	1	2	2	3
" MULTIPLE DX	232	1.7	3	<1	<1	1	2	3	4	14
TOTAL 0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	9	1.1		<1	<1	<1	1	2	2	2
35-49	28	1.3		<1	<1	<1	1	2	3	4
50-64	108	1.1		<1	<1	<1	1	2	2	3
65+	290	1.5	3	<1	<1	1	2	2	3	11
GRAND TOTAL	**437**	**1.4**	**2**	**<1**	**<1**	**1**	**1**	**2**	**3**	**8**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	61	2.6	1	1	1	2	3	4	5	6
20-34	137	2.7	3	1	1	2	3	5	6	10
35-49	151	3.2	3	1	1	3	4	6	7	10
50-64	444	3.0	5	1	1	3	4	5	6	12
65+	411	3.1	5	1	1	3	4	5	6	8
2. MULTIPLE DX										
0-19 YRS	84	3.8	6	1	1	3	5	7	9	14
20-34	243	4.1	9	1	1	4	5	7	8	13
35-49	283	4.0	5	1	2	3	5	7	8	12
50-64	701	3.6	4	1	1	3	5	6	7	10
65+	1050	3.8	4	1	2	3	5	6	8	12
TOT. SINGLE DX	1204	3.0	5	1	1	3	4	5	6	10
" MULTIPLE DX	2361	3.8	5	1	1	3	5	6	8	12
TOTAL 0-19 YRS	145	3.3	5	1	1	3	4	6	7	11
20-34	380	3.6	8	1	1	3	4	6	8	12
35-49	434	3.7	5	1	1	3	5	7	8	11
50-64	1145	3.4	5	1	1	3	4	6	7	10
65+	1461	3.6	5	1	1	3	4	6	7	12
GRAND TOTAL	**3565**	**3.5**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**11**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	18	2.3	4	<1	<1	1	3	5	7	8
20-34	22	2.4	2	<1	1	2	3	5	5	6
35-49	16	3.3	2	1	2	3	4	5	6	6
50-64	39	2.2	1	1	1	2	3	5	5	6
65+	74	2.9	3	1	1	3	4	5	6	12
2. MULTIPLE DX										
0-19 YRS	58	3.8	9	<1	1	3	5	8	10	14
20-34	191	4.1	13	1	2	4	5	7	8	14
35-49	172	3.9	5	1	1	3	5	7	8	13
50-64	263	3.8	10	1	1	3	5	6	8	14
65+	486	3.9	11	1	1	3	5	7	9	15
TOT. SINGLE DX	169	2.7	3	<1	1	2	4	5	5	8
" MULTIPLE DX	1170	3.9	10	1	1	3	5	7	8	14
TOTAL 0-19 YRS	76	3.4	9	<1	<1	3	4	8	9	14
20-34	213	3.9	12	1	1	3	5	6	8	13
35-49	188	3.8	5	1	1	3	5	6	8	12
50-64	302	3.6	9	1	1	3	4	6	8	14
65+	560	3.8	10	1	1	3	5	7	8	14
GRAND TOTAL	**1339**	**3.7**	**10**	**1**	**1**	**3**	**5**	**7**	**8**	**14**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	422	1.0		<1	<1	<1	<1	1	2	2
20-34	45	1.1		<1	<1	1	1	2	2	2
35-49	39	1.1		<1	<1	<1	1	2	2	3
50-64	14	1.1		<1	<1	1	1	2	2	2
65+	5	1.4	1	1	1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	161	1.1		<1	<1	<1	1	1	2	2
20-34	30	1.4		<1	<1	1	2	2	3	3
35-49	28	1.5	1	<1	<1	1	2	2	3	7
50-64	17	1.3		<1	<1	1	1	2	3	4
65+	17	1.4		1	1	1	2	2	2	2
TOT. SINGLE DX	525	1.1		<1	<1	<1	1	1	2	2
" MULTIPLE DX	253	1.2		<1	<1	1	1	2	2	3
TOTAL 0-19 YRS	583	1.1		<1	<1	<1	1	1	2	2
20-34	75	1.2		<1	<1	1	1	2	2	3
35-49	67	1.3	1	<1	<1	1	1	2	2	6
50-64	31	1.2		<1	<1	1	1	2	2	4
65+	22	1.4		1	1	1	2	2	3	3
GRAND TOTAL	**778**	**1.1**		**<1**	**<1**	**<1**	**1**	**1**	**2**	**2**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	3	2.0	3	<1	<1	1	3	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
0-19 YRS	3	12.0	363	1	1	1	26	34	34	34
20-34	2	3.0		3	3	3	3	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	3	8.3	57	3	3	5	14	17	17	17
TOT. SINGLE DX	7	2.3	6	<1	<1	1	3	6	7	7
" MULTIPLE DX	11	6.5	105	1	1	3	5	24	33	34
TOTAL 0-19 YRS	5	7.6	218	<1	<1	1	9	34	34	34
20-34	5	2.4	2	<1	<1	3	3	4	4	4
35-49	2	1.0		1	1	1	1	1	1	1
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	4	8.0	39	3	3	6	12	17	17	17
GRAND TOTAL	**18**	**4.8**	**68**	**<1**	**<1**	**2**	**4**	**14**	**27**	**34**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	145	4.5	8	<1	1	5	6	7	7	12
20-34	42	2.3	2	<1	1	2	3	5	6	8
35-49	40	2.6	3	1	1	2	3	5	6	10
50-64	37	2.0	1	<1	<1	1	3	4	5	5
65+	48	2.2	1	1	1	2	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	115	4.4	22	1	1	3	6	8	11	28
20-34	97	3.3	8	1	1	2	4	8	10	14
35-49	74	3.4	14	<1	1	2	4	8	14	18
50-64	74	3.7	46	<1	1	2	3	6	9	44
65+	143	4.0	16	1	1	3	5	8	14	20
TOT. SINGLE DX	312	3.3	6	<1	1	3	5	6	7	10
" MULTIPLE DX	503	3.8	20	1	1	2	4	8	12	20
TOTAL 0-19 YRS	260	4.4	14	1	1	5	6	7	9	20
20-34	139	3.0	7	1	1	2	4	6	9	13
35-49	114	3.1	11	<1	1	2	3	6	11	17
50-64	111	3.1	32	<1	<1	2	3	5	9	41
65+	191	3.6	14	1	1	2	4	7	13	18
GRAND TOTAL	**815**	**3.6**	**15**	**1**	**1**	**2**	**5**	**7**	**9**	**18**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	150	1.8	7	<1	<1	1	2	3	4	10
20-34	63	1.3	1	<1	<1	1	1	2	3	7
35-49	45	2.1	7	<1	<1	1	2	5	5	18
50-64	35	1.4		<1	<1	1	1	3	4	5
65+	34	1.8	2	<1	<1	1	2	3	6	7
2. MULTIPLE DX										
0-19 YRS	182	2.5	6	<1	<1	2	3	4	7	13
20-34	94	3.4	22	<1	1	2	4	6	11	28
35-49	53	4.3	42	<1	1	2	5	9	13	40
50-64	50	4.5	31	<1	<1	2	6	10	17	28
65+	89	5.6	65	1	1	3	6	13	24	43
TOT. SINGLE DX	327	1.7	5	<1	<1	1	2	3	4	9
" MULTIPLE DX	468	3.7	29	<1	<1	2	4	8	12	29
TOTAL 0-19 YRS	332	2.2	7	<1	<1	1	2	4	6	13
20-34	157	2.6	15	<1	<1	1	3	5	8	26
35-49	98	3.3	28	<1	<1	1	3	6	10	33
50-64	85	3.2	21	<1	<1	1	3	7	12	26
65+	123	4.5	51	<1	<1	2	4	9	19	38
GRAND TOTAL	**795**	**2.9**	**20**	**<1**	**<1**	**1**	**3**	**5**	**9**	**26**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	46	1.1		<1	<1	1	1	2	2	2
20-34	117	1.4	1	1	1	1	1	2	3	9
35-49	158	1.2		<1	1	1	1	2	2	3
50-64	151	1.3		<1	1	1	2	2	2	3
65+	61	1.6	1	1	1	1	2	3	4	6
2. MULTIPLE DX										
0-19 YRS	29	1.2		<1	<1	1	1	2	2	5
20-34	79	1.5	1	1	1	1	1	2	3	10
35-49	104	1.4		1	1	1	1	2	3	5
50-64	94	1.7	18	1	1	1	1	2	3	26
65+	59	1.5		1	1	1	2	3	3	6
TOT. SINGLE DX	533	1.3	1	<1	1	1	1	2	3	4
" MULTIPLE DX	365	1.5	5	1	1	1	1	2	3	6
TOTAL 0-19 YRS	75	1.2		<1	<1	1	1	2	2	4
20-34	196	1.4	2	1	1	1	1	2	3	9
35-49	262	1.3		<1	1	1	1	2	3	5
50-64	245	1.5	7	<1	1	1	1	2	3	4
65+	120	1.5	1	1	1	1	2	3	3	6
GRAND TOTAL	**898**	**1.4**	**3**	**<1**	**1**	**1**	**1**	**2**	**3**	**5**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	292	1.2		<1	<1	1	1	2	2	4
20-34	209	1.3		<1	1	1	1	2	3	5
35-49	181	1.3		<1	1	1	1	2	2	4
50-64	133	1.2		<1	<1	1	1	2	2	3
65+	46	1.2		<1	1	1	1	2	2	3
2. MULTIPLE DX										
0-19 YRS	329	1.4	8	<1	<1	1	1	2	2	5
20-34	254	1.5	5	<1	1	1	1	2	3	10
35-49	195	1.3		<1	1	1	1	2	2	4
50-64	189	1.4		<1	1	1	2	2	3	5
65+	104	1.4		<1	1	1	2	2	3	4
TOT. SINGLE DX	861	1.2		<1	<1	1	1	2	2	4
" MULTIPLE DX	1071	1.4	4	<1	1	1	1	2	3	4
TOTAL 0-19 YRS	621	1.3	5	<1	<1	1	1	2	2	4
20-34	463	1.4	3	<1	1	1	1	2	3	6
35-49	376	1.3		<1	1	1	1	2	2	4
50-64	322	1.3		<1	1	1	1	2	3	4
65+	150	1.4		<1	1	1	2	2	3	4
GRAND TOTAL	**1932**	**1.3**	**2**	**<1**	**<1**	**1**	**1**	**2**	**2**	**4**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1890	1.0		<1	<1	<1	<1	<1	<1	2
20-34	36	1.2		<1	<1	1	1	2	2	4
35-49	29	1.3		<1	<1	1	1	2	3	4
50-64	15	1.5	1	<1	<1	1	1	4	5	5
65+	8	1.6		<1	<1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	1178	1.5	5	<1	<1	1	1	2	4	11
20-34	47	3.2	27	<1	<1	1	3	8	12	31
35-49	26	3.2	12	<1	<1	1	4	9	11	15
50-64	39	3.8	48	<1	<1	1	4	8	14	41
65+	21	6.6	107	<1	<1	2	7	18	35	43
TOT. SINGLE DX	1978	1.0		<1	<1	<1	<1	<1	1	2
" MULTIPLE DX	1311	1.8	10	<1	<1	1	1	3	6	15
TOTAL 0-19 YRS	3068	1.2	2	<1	<1	<1	1	1	2	7
20-34	83	2.3	16	<1	<1	1	1	5	9	25
35-49	55	2.2	7	<1	<1	1	2	4	9	15
50-64	54	3.1	36	<1	<1	1	2	6	13	40
65+	29	5.2	82	<1	<1	2	5	11	29	43
GRAND TOTAL	**3289**	**1.3**	**4**	**<1**	**<1**	**<1**	**1**	**1**	**2**	**9**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	101	1.7	3	<1	1	1	2	3	6	10
20-34	103	1.6	2	<1	1	1	2	2	3	11
35-49	65	1.5	1	<1	1	1	2	3	4	8
50-64	52	1.5	1	1	1	1	2	3	4	5
65+	30	1.6		<1	1	1	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	207	2.2	12	1	1	1	2	4	7	21
20-34	165	2.1	19	1	1	1	2	3	4	18
35-49	154	2.0	4	1	1	1	2	4	5	14
50-64	142	2.2	10	1	1	1	2	3	4	22
65+	120	3.6	71	1	1	2	3	6	8	58
TOT. SINGLE DX	351	1.6	2	<1	1	1	2	2	4	9
" MULTIPLE DX	788	2.4	21	1	1	1	2	4	6	22
TOTAL 0-19 YRS	308	2.0	10	1	1	1	2	4	7	17
20-34	268	1.9	13	1	1	1	2	3	3	16
35-49	219	1.8	4	1	1	1	2	3	5	13
50-64	194	2.0	8	1	1	1	2	3	4	17
65+	150	3.2	58	1	1	2	3	5	7	54
GRAND TOTAL	**1139**	**2.1**	**15**	**1**	**1**	**1**	**2**	**3**	**5**	**17**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	116	1.5	2	<1	<1	1	1	2	4	11
20-34	98	1.5		<1	<1	1	2	3	3	6
35-49	110	1.7	2	<1	<1	1	2	3	4	9
50-64	89	1.9	1	1	1	2	2	3	5	7
65+	30	2.1	2	<1	1	2	2	4	5	7
2. MULTIPLE DX										
0-19 YRS	126	1.4	1	<1	<1	1	1	2	3	8
20-34	140	3.8	55	<1	1	2	4	7	9	23
35-49	148	2.7	9	1	1	2	3	5	6	16
50-64	119	2.6	5	1	1	2	3	6	8	11
65+	65	3.4	12	1	1	2	4	7	8	21
TOT. SINGLE DX	443	1.7	2	<1	<1	1	2	3	4	8
" MULTIPLE DX	598	2.7	19	<1	1	2	3	6	8	15
TOTAL 0-19 YRS	242	1.5	2	<1	<1	1	1	2	3	10
20-34	238	2.8	34	<1	1	2	3	6	8	14
35-49	258	2.3	7	<1	1	2	3	4	5	13
50-64	208	2.3	4	1	1	2	3	5	7	10
65+	95	3.0	10	1	1	2	4	6	7	20
GRAND TOTAL	**1041**	**2.3**	**12**	**<1**	**<1**	**1**	**2**	**5**	**6**	**11**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	55	1.3		1	1	1	1	2	3	3
20-34	93	1.3		<1	<1	1	1	2	3	4
35-49	73	1.1		<1	<1	1	1	1	2	3
50-64	30	1.4		<1	<1	1	1	2	3	5
65+	9	1.3	1	<1	<1	1	1	3	4	4
2. MULTIPLE DX										
0-19 YRS	183	1.3		1	1	1	1	2	2	3
20-34	510	1.5		<1	1	1	2	2	3	5
35-49	364	1.4		1	1	1	1	2	3	6
50-64	183	1.8	4	<1	1	1	2	3	4	19
65+	59	2.1	2	1	1	1	3	4	6	9
TOT. SINGLE DX	260	1.3		<1	<1	1	1	2	3	4
" MULTIPLE DX	1299	1.5	1	<1	1	1	2	3	3	6
TOTAL 0-19 YRS	238	1.3		1	1	1	1	2	2	3
20-34	603	1.5	1	<1	1	1	2	2	3	5
35-49	437	1.4	1	<1	1	1	1	2	3	5
50-64	213	1.7	4	<1	1	1	2	3	4	14
65+	68	2.0	3	<1	1	1	3	4	5	9
GRAND TOTAL	**1559**	**1.5**	**1**	**<1**	**1**	**1**	**2**	**2**	**3**	**6**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	239	1.3		<1	<1	1	1	2	2	6
20-34	461	1.2		<1	<1	1	1	2	2	4
35-49	305	1.2		<1	<1	1	1	2	2	3
50-64	139	1.3		<1	<1	1	1	2	3	3
65+	40	1.3		<1	<1	1	1	2	3	3
2. MULTIPLE DX										
0-19 YRS	546	1.4		<1	1	1	2	2	3	6
20-34	1330	1.5	1	<1	1	1	2	2	3	5
35-49	872	1.6	5	<1	1	1	2	3	3	6
50-64	489	1.8	5	<1	1	1	2	3	4	8
65+	228	2.3	6	1	1	1	3	4	6	15
TOT. SINGLE DX	1184	1.2		<1	<1	1	1	2	2	4
" MULTIPLE DX	3465	1.6	3	<1	1	1	2	3	4	7
TOTAL 0-19 YRS	785	1.4	1	<1	1	1	2	2	3	6
20-34	1791	1.4	1	<1	1	1	2	2	3	5
35-49	1177	1.5	4	<1	1	1	2	2	3	6
50-64	628	1.7	5	<1	1	1	2	3	4	7
65+	268	2.1	5	<1	1	1	2	4	5	14
GRAND TOTAL	**4649**	**1.5**	**3**	**<1**	**1**	**1**	**2**	**3**	**3**	**6**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	47	1.1		<1	<1	<1	1	1	2	6
20-34	52	1.6	2	<1	<1	1	2	3	4	10
35-49	51	1.4		<1	<1	1	1	2	4	5
50-64	67	1.3		<1	<1	1	1	2	3	6
65+	66	1.8	2	<1	<1	1	2	3	5	10
2. MULTIPLE DX										
0-19 YRS	106	1.9	5	<1	<1	1	2	3	7	12
20-34	196	1.8	3	<1	1	1	2	3	4	9
35-49	209	2.0	9	<1	1	1	2	3	4	23
50-64	190	2.4	10	<1	<1	1	2	5	7	18
65+	185	3.5	18	<1	1	2	4	10	12	21
TOT. SINGLE DX	283	1.5	1	<1	<1	1	1	2	4	6
" MULTIPLE DX	886	2.3	10	<1	1	1	2	4	8	20
TOTAL 0-19 YRS	153	1.6	4	<1	<1	1	1	2	6	11
20-34	248	1.8	3	<1	<1	1	2	3	4	10
35-49	260	1.9	8	<1	<1	1	2	3	4	20
50-64	257	2.1	8	<1	<1	1	2	4	6	13
65+	251	3.1	15	<1	<1	2	3	8	11	20
GRAND TOTAL	**1169**	**2.1**	**8**	**<1**	**<1**	**1**	**2**	**4**	**6**	**17**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	184	1.2		<1	<1	1	1	2	2	6
20-34	196	1.7	2	<1	<1	1	2	3	5	8
35-49	100	2.5	4	<1	<1	1	4	5	6	10
50-64	98	3.5	5	<1	1	3	5	6	8	11
65+	93	3.5	5	1	1	3	4	7	9	12
2. MULTIPLE DX										
0-19 YRS	183	2.1	6	<1	<1	1	2	4	8	15
20-34	291	2.4	8	<1	1	1	3	6	7	14
35-49	147	3.5	17	1	1	2	4	6	8	30
50-64	173	4.1	14	1	1	3	5	7	10	20
65+	369	4.6	15	1	1	4	6	8	12	22
TOT. SINGLE DX	671	2.2	4	<1	<1	1	3	5	6	9
" MULTIPLE DX	1163	3.4	13	1	1	2	5	7	9	18
TOTAL 0-19 YRS	367	1.6	4	<1	<1	1	1	3	5	12
20-34	487	2.1	6	<1	<1	1	2	5	7	9
35-49	247	3.1	12	<1	1	2	4	6	7	18
50-64	271	3.9	11	1	1	3	5	7	9	16
65+	462	4.4	14	1	1	4	5	8	11	18
GRAND TOTAL	**1834**	**3.0**	**10**	**<1**	**<1**	**2**	**4**	**6**	**8**	**16**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	34	2.0	5	1	1	1	2	3	9	12
20-34	137	1.5	2	1	1	1	2	2	3	7
35-49	188	1.5		1	1	1	2	3	3	5
50-64	102	1.7	1	1	1	1	2	3	4	8
65+	62	1.9	2	1	1	1	2	3	4	12
2. MULTIPLE DX										
0-19 YRS	54	2.4	7	1	1	2	2	5	10	96
20-34	256	2.6	16	1	1	1	3	5	7	16
35-49	233	2.0	4	1	1	1	2	3	5	14
50-64	243	2.6	16	1	1	2	3	4	7	14
65+	147	3.2	31	1	1	2	3	7	9	39
TOT. SINGLE DX	523	1.6	2	1	1	1	2	3	3	8
" MULTIPLE DX	933	2.5	15	1	1	2	3	4	7	20
TOTAL 0-19 YRS	88	2.3	6	1	1	2	2	4	10	67
20-34	393	2.2	12	1	1	1	2	4	5	16
35-49	421	1.8	3	1	1	1	2	3	4	11
50-64	345	2.4	12	1	1	2	2	4	6	12
65+	209	2.9	23	1	1	2	3	5	7	28
GRAND TOTAL	**1456**	**2.2**	**11**	**1**	**1**	**1**	**2**	**4**	**6**	**13**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	34	1.8	1	<1	<1	1	3	4	5	5
20-34	92	2.4	4	<1	<1	1	3	5	7	10
35-49	79	1.8	2	<1	<1	1	2	3	5	9
50-64	68	2.9	8	<1	1	2	4	6	9	16
65+	38	2.6	7	1	1	2	3	6	8	13
2. MULTIPLE DX										
0-19 YRS	122	4.3	25	<1	<1	2	6	12	16	23
20-34	277	3.1	16	1	1	2	4	7	11	25
35-49	284	2.4	10	1	1	1	3	5	7	21
50-64	208	3.5	19	1	1	2	4	7	13	25
65+	172	4.5	30	1	1	3	5	10	14	27
TOT. SINGLE DX	311	2.3	5	<1	<1	1	3	5	7	12
" MULTIPLE DX	1063	3.3	19	1	1	2	4	7	12	25
TOTAL 0-19 YRS	156	3.7	21	<1	<1	1	5	9	14	21
20-34	369	2.9	14	1	1	1	3	6	10	23
35-49	363	2.3	9	<1	1	1	2	5	7	17
50-64	276	3.3	17	1	1	2	4	7	11	20
65+	210	4.1	26	1	1	2	5	9	14	26
GRAND TOTAL	**1374**	**3.1**	**16**	**<1**	**1**	**2**	**3**	**7**	**11**	**23**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	56	1.3		<1	<1	1	2	2	2	4
20-34	43	2.5	8	<1	<1	2	3	5	13	99+
35-49	24	1.6		<1	<1	1	2	2	3	4
50-64	24	2.2	10	<1	<1	1	2	3	8	17
65+	16	1.3		<1	<1	1	2	2	3	3
2. MULTIPLE DX										
0-19 YRS	112	3.8	73	<1	<1	1	2	9	28	99+
20-34	160	6.0	144	<1	1	2	7	44	99+	99+
35-49	114	6.8	110	1	1	3	9	54	99+	99+
50-64	144	5.3	55	1	1	2	6	20	32	99+
65+	192	5.0	103	<1	1	2	5	11	21	99+
TOT. SINGLE DX	163	1.8	4	<1	<1	1	2	3	4	17
" MULTIPLE DX	722	5.4	100	<1	1	2	6	19	83	99+
TOTAL 0-19 YRS	168	3.0	50	<1	<1	1	2	5	12	92
20-34	203	5.3	117	<1	<1	2	5	25	99+	99+
35-49	138	5.9	95	1	1	3	7	37	99+	99+
50-64	168	4.8	50	<1	1	2	5	17	30	99+
65+	208	4.7	96	<1	1	2	5	11	18	99+
GRAND TOTAL	**885**	**4.7**	**84**	**<1**	**<1**	**2**	**4**	**15**	**51**	**99+**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	85	1.2	1	<1	<1	<1	<1	1	2	8
20-34	3	1.0		<1	<1	<1	1	1	1	1
35-49	6	1.2		<1	<1	1	1	2	2	2
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	85	1.9	35	<1	<1	1	1	2	3	38
20-34	26	1.3		<1	<1	1	2	61	99+	99+
35-49	16	9.7	449	<1	<1	2	6	26	68	85
50-64	6	2.8	5	<1	<1	2	4	7	7	7
65+	1	50.0		50	50	50	50	50	50	50
TOT. SINGLE DX	98	1.2	1	<1	<1	<1	1	1	2	7
" MULTIPLE DX	134	3.1	97	<1	<1	1	2	4	22	99+
TOTAL 0-19 YRS	170	1.5	18	<1	<1	<1	1	2	2	10
20-34	29	1.3		<1	<1	1	2	32	99+	99+
35-49	22	7.4	336	<1	<1	1	4	16	51	85
50-64	8	2.5	4	<1	<1	2	3	6	7	7
65+	3	17.3	800	1	1	1	38	50	50	50
GRAND TOTAL	**232**	**2.3**	**57**	**<1**	**<1**	**<1**	**1**	**2**	**5**	**99+**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	50	1.4		<1	<1	<1	1	2	3	5
20-34	21	2.4	3	<1	<1	2	3	5	6	8
35-49	37	2.1		1	1	2	3	4	4	4
50-64	59	2.2	2	1	1	2	3	3	4	10
65+	20	2.3	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	73	1.8	1	<1	<1	1	2	3	5	6
20-34	61	3.5	19	<1	<1	2	3	9	13	24
35-49	55	3.0	9	<1	1	2	3	7	8	20
50-64	84	3.1	7	1	1	2	3	5	8	16
65+	63	4.0	27	1	1	2	4	8	15	31
TOT. SINGLE DX	187	2.0	2	<1	<1	2	2	3	4	7
" MULTIPLE DX	336	3.0	13	<1	<1	2	3	6	8	20
TOTAL 0-19 YRS	123	1.6	1	<1	<1	1	2	3	4	6
20-34	82	3.2	15	<1	<1	2	3	6	12	22
35-49	92	2.6	6	<1	1	2	3	4	7	16
50-64	143	2.7	5	1	1	2	3	4	7	14
65+	83	3.6	22	1	1	2	3	6	10	29
GRAND TOTAL	**523**	**2.7**	**9**	**<1**	**<1**	**2**	**3**	**4**	**7**	**18**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	87	1.8	1	<1	1	1	2	3	5	65
20-34	214	1.8	1	1	1	2	2	3	4	5
35-49	285	2.0	1	1	1	2	2	3	4	6
50-64	279	2.1	1	1	1	2	3	3	4	7
65+	200	2.1	1	1	1	2	3	3	4	7
2. MULTIPLE DX										
0-19 YRS	43	2.8	4	1	1	2	4	6	8	9
20-34	95	2.3	2	1	1	2	3	4	6	7
35-49	161	2.6	7	1	1	2	3	5	7	16
50-64	221	2.8	6	1	1	2	3	5	7	16
65+	325	3.8	13	1	1	3	4	7	9	20
TOT. SINGLE DX	1065	2.0	1	1	1	2	2	3	4	7
" MULTIPLE DX	845	3.1	9	1	1	2	4	6	8	18
TOTAL 0-19 YRS	130	2.1	3	<1	1	2	2	4	6	26
20-34	309	2.0	1	1	1	2	2	3	4	7
35-49	446	2.2	4	1	1	2	3	4	5	11
50-64	500	2.4	4	1	1	2	3	4	5	10
65+	525	3.2	9	1	1	2	4	5	8	18
GRAND TOTAL	**1910**	**2.5**	**5**	**1**	**1**	**2**	**3**	**4**	**6**	**13**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	220	2.8	2	1	1	3	4	4	5	8
20-34	7	2.6	2	1	1	3	4	5	5	5
35-49	10	2.6	3	1	1	2	4	5	6	6
50-64	11	1.7		1	1	2	2	3	3	3
65+	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	242	3.1	4	1	1	3	4	5	6	14
20-34	20	2.4	3	1	1	2	3	5	6	7
35-49	50	2.8	8	1	1	2	3	6	7	19
50-64	37	2.5	2	1	1	2	3	4	6	7
65+	14	3.6	7	1	1	3	5	8	9	9
TOT. SINGLE DX	250	2.7	2	1	1	2	4	4	5	7
" MULTIPLE DX	363	3.0	5	1	1	3	4	5	6	14
TOTAL 0-19 YRS	462	3.0	4	1	1	3	4	5	5	11
20-34	27	2.4	3	1	1	2	4	5	6	7
35-49	60	2.8	8	1	1	2	3	6	7	18
50-64	48	2.3	2	1	1	2	3	4	6	7
65+	16	3.6	6	1	1	3	5	8	9	9
GRAND TOTAL	**613**	**2.9**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	301	2.4	4	<1	<1	2	3	5	6	9
20-34	78	3.4	9	<1	<1	2	5	7	10	14
35-49	103	2.5	4	<1	<1	2	3	6	7	9
50-64	145	3.2	15	<1	<1	2	3	8	10	24
65+	121	2.5	4	<1	<1	2	3	5	7	12
2. MULTIPLE DX										
0-19 YRS	362	3.0	10	<1	1	2	4	6	7	17
20-34	237	4.6	43	<1	1	3	5	9	17	35
35-49	198	4.4	20	1	1	3	6	10	14	23
50-64	282	5.8	48	1	1	3	7	13	19	34
65+	451	6.5	70	1	1	4	8	14	19	50
TOT. SINGLE DX	748	2.7	7	<1	<1	2	3	6	8	12
" MULTIPLE DX	1530	5.0	43	1	1	3	6	11	16	34
TOTAL 0-19 YRS	663	2.7	8	<1	<1	2	3	5	7	14
20-34	315	4.3	36	<1	1	3	5	8	14	30
35-49	301	3.8	16	<1	1	2	5	8	12	20
50-64	427	4.9	39	<1	1	3	6	11	15	29
65+	572	5.7	59	<1	1	3	7	13	16	46
GRAND TOTAL	**2278**	**4.2**	**33**	**<1**	**1**	**2**	**5**	**9**	**13**	**28**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2976	1.1		<1	<1	1	1	2	2	3
20-34	1918	1.2		<1	1	1	1	2	2	4
35-49	228	1.3		1	1	1	1	2	3	4
50-64	35	1.7	1	<1	1	1	2	3	4	5
65+	9	2.7	5	1	1	2	3	6	8	8
2. MULTIPLE DX										
0-19 YRS	967	1.3		<1	1	1	1	2	3	5
20-34	666	1.6	2	1	1	1	2	3	4	7
35-49	150	1.8	3	1	1	1	2	3	4	8
50-64	35	1.9	3	1	1	1	2	3	5	10
65+	10	2.6	5	1	1	2	4	6	7	7
TOT. SINGLE DX	5166	1.2		<1	1	1	1	2	2	3
" MULTIPLE DX	1828	1.5	2	<1	1	1	1	2	3	6
TOTAL 0-19 YRS	3943	1.2		<1	<1	1	1	2	2	4
20-34	2584	1.3	1	<1	1	1	1	2	3	4
35-49	378	1.5	2	1	1	1	2	2	3	8
50-64	70	1.8	2	1	1	1	2	3	4	9
65+	19	2.6	5	1	1	2	4	7	8	8
GRAND TOTAL	**6994**	**1.3**	**1**	**<1**	**1**	**1**	**1**	**2**	**2**	**4**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3943	1.1		<1	<1	1	1	2	2	2
20-34	114	1.3		<1	1	1	1	2	2	3
35-49	9	1.3		<1	<1	1	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+	11	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	3416	1.2	3	<1	<1	1	1	2	2	3
20-34	79	1.3		1	1	1	2	2	3	3
35-49	7	1.3		1	1	1	2	2	2	2
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	8	1.8	1	1	1	2	2	3	4	4
TOT. SINGLE DX	4078	1.1		<1	<1	1	1	2	2	2
" MULTIPLE DX	3512	1.2	4	<1	<1	1	1	2	2	3
TOTAL 0-19 YRS	7359	1.2	2	<1	<1	1	1	2	2	3
20-34	193	1.3		<1	1	1	1	2	2	3
35-49	16	1.3		<1	1	1	2	2	2	2
50-64	3	1.3		1	1	1	2	2	2	2
65+	19	1.5	1	1	1	1	2	2	3	4
GRAND TOTAL	**7590**	**1.2**	**2**	**<1**	**<1**	**1**	**1**	**2**	**2**	**3**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	126	1.2		<1	<1	1	1	2	2	4
20-34	2	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	341	1.2		<1	<1	<1	1	1	2	5
20-34	4	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
TOT. SINGLE DX	128	1.2		<1	<1	1	1	2	2	4
" MULTIPLE DX	346	1.2	1	<1	<1	<1	1	1	2	5
TOTAL 0-19 YRS	467	1.2	1	<1	<1	1	1	1	2	5
20-34	6	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
GRAND TOTAL	**474**	**1.2**	**1**	**<1**	**<1**	**1**	**1**	**1**	**2**	**5**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	319	1.8	2	<1	<1	1	2	4	6	9
20-34	211	1.9	2	<1	<1	1	2	4	4	7
35-49	93	1.9	2	<1	<1	1	2	3	5	9
50-64	62	2.2	3	<1	<1	1	3	4	8	9
65+	36	2.7	7	<1	<1	2	4	5	6	15
2. MULTIPLE DX										
0-19 YRS	156	3.3	15	<1	1	2	4	7	11	20
20-34	117	3.0	8	1	1	2	3	6	8	16
35-49	79	3.5	43	1	1	2	3	7	9	44
50-64	132	4.8	34	<1	1	3	7	12	15	50
65+	147	6.9	60	1	1	4	9	15	21	40
TOT. SINGLE DX	721	1.9	3	<1	<1	1	2	4	5	9
" MULTIPLE DX	631	4.4	34	<1	1	2	5	10	15	36
TOTAL 0-19 YRS	475	2.3	7	<1	<1	1	2	5	7	15
20-34	328	2.3	5	<1	1	2	3	4	6	13
35-49	172	2.6	22	<1	1	2	3	5	8	11
50-64	194	4.0	26	<1	<1	2	5	10	14	38
65+	183	6.1	53	<1	1	4	8	14	18	39
GRAND TOTAL	**1352**	**3.1**	**19**	**<1**	**<1**	**2**	**3**	**7**	**10**	**20**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	1.8	2	<1	<1	<1	1	5	6	6
20-34	17	2.5	1	<1	<1	2	3	5	5	5
35-49	18	2.5	4	<1	<1	1	4	6	7	8
50-64	23	3.0	4	<1	1	2	4	6	8	10
65+	24	2.9	4	<1	1	3	4	5	7	10
2. MULTIPLE DX										
0-19 YRS	73	3.2	11	<1	1	2	4	5	10	18
20-34	22	3.1	3	<1	<1	3	4	6	7	8
35-49	36	3.7	8	1	1	3	5	8	10	14
50-64	59	4.7	22	<1	1	3	6	11	18	21
65+	127	4.5	15	1	1	3	6	10	14	18
TOT. SINGLE DX	103	2.5	4	<1	<1	2	4	5	6	10
" MULTIPLE DX	317	4.1	14	1	1	3	5	9	13	19
TOTAL 0-19 YRS	94	2.8	10	<1	<1	2	4	5	8	18
20-34	39	2.8	3	<1	<1	3	4	5	6	8
35-49	54	3.3	8	<1	1	2	4	7	9	14
50-64	82	4.2	18	<1	1	3	6	8	15	20
65+	151	4.3	14	1	1	3	5	10	13	18
GRAND TOTAL	**420**	**3.7**	**12**	**<1**	**1**	**3**	**4**	**8**	**11**	**18**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	100	1.2		<1	<1	<1	1	1	2	4
20-34	58	1.1		<1	<1	1	1	1	2	2
35-49	102	1.8	34	<1	<1	1	1	2	3	33
50-64	169	1.3	1	<1	<1	1	1	2	2	11
65+	114	1.4		<1	<1	1	1	2	3	6
2. MULTIPLE DX										
0-19 YRS	83	2.0	16	<1	<1	1	1	3	6	78
20-34	29	2.7	43	<1	<1	1	2	3	11	36
35-49	68	2.6	27	<1	<1	1	2	4	10	36
50-64	168	2.8	26	<1	<1	1	2	6	9	35
65+	203	3.8	46	<1	<1	2	3	9	14	38
TOT. SINGLE DX	543	1.4	7	<1	<1	1	1	2	2	6
" MULTIPLE DX	551	3.0	34	<1	<1	1	2	6	11	36
TOTAL 0-19 YRS	183	1.5	8	<1	<1	1	1	2	4	28
20-34	87	1.6	15	<1	<1	1	1	2	2	26
35-49	170	2.1	32	<1	<1	1	1	3	4	35
50-64	337	2.1	15	<1	<1	1	2	3	6	17
65+	317	2.9	32	<1	<1	1	2	6	10	29
GRAND TOTAL	**1094**	**2.2**	**21**	**<1**	**<1**	**1**	**2**	**3**	**7**	**30**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	18	1.5	4	<1	<1	1	1	1	7	10
20-34	5	2.0	5	<1	<1	<1	2	6	6	6
35-49	3	9.7	44	2	2	13	14	14	14	14
50-64	13	8.9	59	<1	<1	8	12	17	27	29
65+	11	5.0	21	<1	<1	4	9	12	13	13
2. MULTIPLE DX										
0-19 YRS	31	3.3	23	<1	<1	1	4	8	12	25
20-34	8	8.0	173	<1	<1	5	16	76	99+	99+
35-49	15	10.3	145	1	1	6	11	25	41	47
50-64	36	10.4	79	1	1	9	15	21	29	38
65+	41	13.6	201	1	2	9	19	36	55	99+
TOT. SINGLE DX	50	4.7	34	<1	<1	1	8	13	14	29
" MULTIPLE DX	131	9.6	129	<1	1	6	14	25	38	99+
TOTAL 0-19 YRS	49	2.6	17	<1	<1	1	2	7	10	25
20-34	13	5.7	112	<1	<1	2	6	46	88	99+
35-49	18	10.2	125	1	1	7	13	23	38	47
50-64	49	10.0	73	<1	1	9	14	20	29	38
65+	52	11.8	175	<1	1	9	17	33	44	99
GRAND TOTAL	**181**	**8.2**	**107**	**<1**	**<1**	**4**	**12**	**20**	**34**	**90**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	2	13.5	5	12	12	13	15	15	15	15
50-64	24	11.5	16	6	7	10	14	19	19	20
65+	17	12.8	26	8	8	11	15	17	25	29
2. MULTIPLE DX										
0-19 YRS										
20-34	1	40.0		40	40	40	40	40	40	40
35-49	13	13.5	61	2	4	12	16	27	29	30
50-64	98	17.2	102	7	8	14	21	32	40	82
65+	109	20.2	177	9	10	15	24	38	51	90
TOT. SINGLE DX	43	12.1	20	7	8	11	15	17	20	29
" MULTIPLE DX	221	18.6	141	7	9	15	23	36	43	88
TOTAL 0-19 YRS										
20-34	1	40.0		40	40	40	40	40	40	40
35-49	15	13.5	53	3	5	12	15	26	29	30
50-64	122	16.1	90	7	8	14	20	29	37	73
65+	126	19.2	163	8	9	15	23	37	50	87
GRAND TOTAL	**264**	**17.5**	**127**	**7**	**8**	**14**	**21**	**32**	**41**	**80**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64	2	9.0	50	4	4	9	14	14	14	14
65+	2	3.0	8	1	1	3	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	6	13.2	187	2	2	19	99+	99+	99+	99+
20-34	8	22.6	320	1	4	23	55	99+	99+	99+
35-49	15	27.3	849	2	3	14	53	76	80	82
50-64	46	22.3	280	2	3	19	31	53	73	99+
65+	73	26.6	399	4	7	19	40	58	79	99+
TOT. SINGLE DX	5	5.8	24	1	1	5	7	14	14	14
" MULTIPLE DX	148	24.6	394	2	3	19	40	67	99+	99+
TOTAL 0-19 YRS	6	13.2	187	2	2	19	99+	99+	99+	99+
20-34	8	22.6	321	1	4	23	55	99+	99+	99+
35-49	16	25.9	824	2	3	13	48	75	80	82
50-64	48	21.7	277	3	3	18	31	52	70	99+
65+	75	26.0	403	3	6	19	40	58	77	99+
GRAND TOTAL	**153**	**24.0**	**393**	**2**	**3**	**19**	**40**	**66**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	29	3.4	18	<1	<1	2	5	7	8	23
20-34	19	2.3	5	<1	<1	1	2	7	8	8
35-49	7	3.1	5	<1	<1	3	5	7	7	7
50-64	14	2.4	2	<1	<1	2	3	5	5	5
65+	12	3.3	56	1	1	1	1	9	24	27
2. MULTIPLE DX										
0-19 YRS	115	13.5	336	<1	<1	7	20	48	91	99+
20-34	90	20.5	449	<1	1	12	40	60	77	99+
35-49	82	19.4	480	1	1	11	39	77	99+	99+
50-64	149	20.0	419	1	1	13	31	61	82	99+
65+	230	26.9	513	1	2	24	44	68	95	99+
TOT. SINGLE DX	81	2.9	16	<1	<1	1	3	6	7	26
" MULTIPLE DX	666	21.3	469	1	1	15	37	63	92	99+
TOTAL 0-19 YRS	144	11.5	289	<1	<1	5	17	44	70	99+
20-34	109	17.3	420	<1	<1	8	26	58	66	99+
35-49	89	18.1	462	1	1	10	32	72	99+	99+
50-64	163	18.5	408	1	1	12	29	56	80	99+
65+	242	25.8	517	1	1	23	42	65	94	99+
GRAND TOTAL	**747**	**19.3**	**452**	**<1**	**1**	**11**	**34**	**61**	**85**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	3.0	2	1	1	4	4	4	4	4
20-34	18	4.5	22	<1	<1	2	8	12	15	17
35-49	50	5.1	31	<1	<1	4	7	10	12	35
50-64	115	3.9	18	<1	<1	2	5	9	12	24
65+	128	5.0	23	<1	<1	3	7	12	15	23
2. MULTIPLE DX										
0-19 YRS	23	8.5	42	1	2	7	12	19	21	24
20-34	176	12.2	107	2	2	10	16	23	30	53
35-49	350	10.4	83	1	2	8	14	23	28	41
50-64	891	8.9	75	1	2	7	11	18	24	48
65+	1753	10.3	87	2	2	8	13	20	25	52
TOT. SINGLE DX	319	4.5	23	<1	<1	3	6	11	13	24
" MULTIPLE DX	3193	10.0	85	1	2	8	13	20	25	50
TOTAL 0-19 YRS	31	7.1	38	1	1	4	11	18	19	24
20-34	194	11.5	105	1	2	9	16	22	30	51
35-49	400	9.7	80	1	2	7	13	22	27	40
50-64	1006	8.3	71	1	1	6	10	18	24	45
65+	1881	9.9	85	1	2	8	13	20	24	52
GRAND TOTAL	**3512**	**9.5**	**82**	**1**	**2**	**7**	**12**	**20**	**25**	**48**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	2	7.5	1	7	7	7	8	8	8	8
35-49	2	6.0	8	4	4	6	8	8	8	8
50-64	3	9.0	49	2	2	9	14	16	16	16
65+	2	13.0	242	2	2	13	24	24	24	24
TOT. SINGLE DX										
" MULTIPLE DX	10	9.8	53	2	2	8	16	21	24	24
TOTAL 0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	2	7.5	1	7	7	7	8	8	8	8
35-49	2	6.0	8	4	4	6	8	8	8	8
50-64	3	9.0	49	2	2	9	14	16	16	16
65+	2	13.0	242	2	2	13	24	24	24	24
GRAND TOTAL	**10**	**9.8**	**53**	**2**	**2**	**8**	**16**	**21**	**24**	**24**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	6.9	12	2	4	6	9	12	14	15
20-34	49	6.5	17	1	1	6	9	12	14	19
35-49	78	6.6	13	1	3	6	8	11	13	21
50-64	152	6.0	9	1	2	6	8	9	11	14
65+	111	7.0	16	1	2	7	8	12	14	24
2. MULTIPLE DX										
0-19 YRS	65	12.7	162	4	5	9	13	29	47	96
20-34	140	11.3	72	3	4	9	14	21	30	39
35-49	239	10.0	67	2	4	8	12	19	23	53
50-64	728	9.5	55	1	3	8	12	18	22	42
65+	1009	9.9	67	1	2	8	12	19	25	46
TOT. SINGLE DX	403	6.5	13	1	2	6	8	11	13	19
" MULTIPLE DX	2181	10.0	67	1	3	8	12	19	25	47
TOTAL 0-19 YRS	78	11.7	142	3	5	9	13	27	38	93
20-34	189	10.0	63	2	3	8	13	19	26	36
35-49	317	9.2	56	2	4	7	11	17	21	45
50-64	880	8.9	49	1	2	7	11	16	21	39
65+	1120	9.6	64	1	2	8	12	18	25	44
GRAND TOTAL	**2584**	**9.4**	**60**	**1**	**2**	**8**	**11**	**18**	**23**	**43**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	8.8	18	6	6	7	11	15	15	15
20-34	9	8.6	8	5	6	7	10	13	14	14
35-49	27	8.1	7	5	5	8	9	13	14	14
50-64	89	8.9	14	5	5	8	10	12	16	26
65+	80	9.0	7	4	5	9	11	13	14	16
2. MULTIPLE DX										
0-19 YRS	14	18.3	325	6	6	9	27	39	63	70
20-34	28	10.2	26	5	6	8	12	17	20	28
35-49	113	12.2	101	5	6	9	13	21	28	63
50-64	484	12.3	95	6	6	10	14	19	24	65
65+	576	13.5	77	6	7	11	15	23	30	59
TOT. SINGLE DX	209	8.8	11	5	5	8	10	12	14	19
" MULTIPLE DX	1215	12.9	89	6	7	10	14	21	29	60
TOTAL 0-19 YRS	18	16.2	269	6	6	8	20	34	56	70
20-34	37	9.8	22	5	6	8	12	16	18	28
35-49	140	11.4	86	5	6	8	12	20	25	58
50-64	573	11.8	84	5	6	9	13	18	23	59
65+	656	12.9	71	6	7	11	15	22	29	59
GRAND TOTAL	**1424**	**12.3**	**79**	**5**	**6**	**10**	**14**	**20**	**27**	**59**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	138	1.6	1	<1	<1	1	1	4	5	7
20-34	31	4.6	22	<1	<1	3	7	9	14	23
35-49	49	3.2	8	<1	<1	2	5	7	8	14
50-64	97	4.4	21	<1	<1	2	6	11	14	23
65+	82	5.2	31	<1	1	2	8	12	16	27
2. MULTIPLE DX										
0-19 YRS	169	5.6	47	<1	1	3	8	14	22	47
20-34	194	11.0	136	1	2	8	13	25	32	72
35-49	320	9.8	77	1	2	7	13	21	27	56
50-64	677	10.1	90	1	2	8	13	21	30	47
65+	1414	12.0	102	2	3	9	15	25	33	51
TOT. SINGLE DX	397	3.5	17	<1	<1	2	5	8	12	21
" MULTIPLE DX	2774	10.8	98	1	2	8	14	23	31	52
TOTAL 0-19 YRS	307	3.8	31	<1	<1	2	4	10	15	30
20-34	225	10.1	126	1	1	7	12	23	30	70
35-49	369	8.9	73	<1	1	7	12	19	25	53
50-64	774	9.4	85	1	1	7	12	20	29	46
65+	1496	11.7	101	1	2	9	15	24	33	50
GRAND TOTAL	**3171**	**9.9**	**94**	**1**	**1**	**7**	**13**	**22**	**30**	**49**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	3.1	8	1	1	2	4	8	9	9
20-34	46	3.7	3	1	2	3	5	6	7	10
35-49	9	6.9	42	3	3	4	8	18	22	22
50-64	12	4.4	12	<1	<1	4	7	9	12	12
65+	8	4.8	8	1	1	5	7	9	9	9
2. MULTIPLE DX										
0-19 YRS	27	5.7	12	2	2	5	8	10	13	16
20-34	39	8.8	103	3	3	6	9	14	17	66
35-49	45	10.0	95	1	2	8	12	22	30	52
50-64	51	10.9	118	1	3	9	13	19	24	67
65+	68	12.1	97	1	3	9	16	25	32	47
TOT. SINGLE DX	86	4.2	10	1	1	3	5	8	9	19
" MULTIPLE DX	230	10.1	95	1	2	8	12	19	28	55
TOTAL 0-19 YRS	38	5.0	12	1	1	4	8	9	11	16
20-34	85	6.0	55	2	2	5	6	10	14	49
35-49	54	9.5	87	1	2	7	12	22	28	51
50-64	63	9.7	104	1	1	7	12	19	23	64
65+	76	11.4	93	1	3	9	15	24	31	47
GRAND TOTAL	**316**	**8.5**	**79**	**1**	**2**	**6**	**10**	**18**	**23**	**49**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	98	4.5	8	1	2	4	5	8	11	16
20-34	430	4.6	9	2	2	4	6	8	10	18
35-49	186	4.5	8	2	2	4	6	9	10	15
50-64	104	5.2	10	2	2	4	7	9	11	17
65+	58	5.6	13	1	2	5	7	11	14	17
2. MULTIPLE DX										
0-19 YRS	251	10.8	202	2	2	7	11	24	47	82
20-34	526	7.3	49	2	3	5	8	14	20	40
35-49	463	8.1	45	2	3	6	10	15	21	40
50-64	735	9.4	65	2	3	7	12	18	25	45
65+	1030	10.2	71	2	3	7	12	21	29	45
TOT. SINGLE DX	876	4.7	9	2	2	4	6	8	10	17
" MULTIPLE DX	3005	9.2	74	2	3	7	11	18	26	47
TOTAL 0-19 YRS	349	9.1	156	2	2	5	9	18	30	81
20-34	956	6.1	33	2	2	5	7	11	16	30
35-49	649	7.1	37	2	2	5	9	13	18	33
50-64	839	8.9	60	2	3	7	11	17	23	44
65+	1088	9.9	69	2	3	7	12	21	28	44
GRAND TOTAL	**3881**	**8.2**	**63**	**2**	**3**	**6**	**10**	**16**	**23**	**44**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	81	4.6	5	<1	1	5	6	7	9	12
20-34	85	5.2	22	1	1	4	7	10	13	26
35-49	81	5.1	36	<1	1	4	6	9	10	40
50-64	96	3.7	11	1	1	2	5	8	12	14
65+	67	4.8	16	1	1	4	7	10	13	18
2. MULTIPLE DX										
0-19 YRS	58	7.9	29	1	3	6	10	16	20	25
20-34	167	8.6	56	1	1	7	12	18	21	33
35-49	186	10.0	98	1	2	7	13	20	30	51
50-64	398	8.2	79	1	1	6	10	17	27	42
65+	652	9.6	89	1	1	7	13	20	29	45
TOT. SINGLE DX	410	4.7	18	<1	1	4	6	9	12	17
" MULTIPLE DX	1461	9.1	82	1	1	7	12	19	27	44
TOTAL 0-19 YRS	139	6.0	18	1	1	5	7	11	16	23
20-34	252	7.5	47	1	1	6	10	16	20	31
35-49	267	8.5	85	1	1	6	10	18	27	51
50-64	494	7.3	70	1	1	5	9	15	25	41
65+	719	9.2	84	1	1	7	12	19	28	44
GRAND TOTAL	**1871**	**8.1**	**71**	**1**	**1**	**6**	**10**	**17**	**24**	**42**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	164	7.2	7	3	5	7	8	10	11	15
20-34	34	7.8	2	6	6	8	9	9	11	11
35-49	45	9.0	11	6	7	8	9	11	14	27
50-64	43	9.8	28	5	6	9	11	15	20	35
65+	32	11.2	11	7	8	11	12	16	20	22
2. MULTIPLE DX										
0-19 YRS	351	11.8	102	5	6	9	12	20	36	77
20-34	116	13.5	89	6	7	10	15	29	39	64
35-49	269	13.5	90	7	7	11	14	24	30	58
50-64	687	13.7	61	7	8	11	15	22	29	49
65+	928	16.2	115	8	9	13	18	26	36	67
TOT. SINGLE DX	318	8.3	12	5	5	8	9	11	14	24
" MULTIPLE DX	2351	14.4	96	7	8	11	16	24	34	63
TOTAL 0-19 YRS	515	10.4	77	5	5	8	11	16	28	57
20-34	150	12.2	75	6	6	9	13	26	36	46
35-49	314	12.8	82	7	7	10	13	22	29	55
50-64	730	13.5	60	7	8	11	15	22	28	48
65+	960	16.0	113	8	9	13	18	26	36	67
GRAND TOTAL	**2669**	**13.7**	**90**	**6**	**7**	**11**	**15**	**23**	**32**	**60**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	48	8.0	4	5	6	7	9	11	13	14
50-64	186	8.3	5	6	6	8	9	11	12	18
65+	140	9.5	6	6	7	9	11	13	14	16
2. MULTIPLE DX										
0-19 YRS	3	8.7	6	6	6	9	10	11	11	11
20-34	29	8.9	9	5	6	8	10	13	15	19
35-49	931	9.8	19	6	7	9	11	14	17	31
50-64	3863	10.9	31	7	7	9	12	16	20	35
65+	3746	13.0	56	7	8	11	15	20	26	47
TOT. SINGLE DX	375	8.7	6	6	6	8	10	12	13	17
" MULTIPLE DX	8572	11.7	42	7	7	10	13	18	23	39
TOTAL 0-19 YRS	3	8.7	6	6	6	9	10	11	11	11
20-34	30	8.8	10	5	6	8	10	13	15	19
35-49	979	9.7	19	6	6	9	11	14	16	31
50-64	4049	10.8	31	6	7	9	12	16	20	34
65+	3886	12.9	55	7	8	11	15	20	26	47
GRAND TOTAL	**8947**	**11.6**	**41**	**7**	**7**	**10**	**13**	**18**	**23**	**39**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	292	1.4	1	<1	<1	1	1	2	3	7
20-34	120	2.2	4	<1	<1	1	2	5	7	10
35-49	911	2.2	4	<1	<1	1	2	5	7	12
50-64	1668	2.0	4	<1	<1	1	2	4	7	11
65+	828	2.1	4	<1	1	1	2	4	7	11
2. MULTIPLE DX										
0-19 YRS	638	2.5	19	<1	<1	1	2	5	9	28
20-34	394	3.9	17	1	1	2	5	9	13	21
35-49	3172	3.5	13	1	1	2	5	9	11	16
50-64	8933	3.5	18	1	1	2	4	8	11	19
65+	7685	4.3	24	1	1	2	6	10	14	24
TOT. SINGLE DX	3819	2.0	4	<1	<1	1	2	4	7	11
" MULTIPLE DX	20822	3.8	20	1	1	2	5	9	12	21
TOTAL 0-19 YRS	930	2.2	14	<1	<1	1	2	4	7	20
20-34	514	3.5	15	<1	1	2	5	8	12	20
35-49	4083	3.2	12	<1	1	2	4	8	10	15
50-64	10601	3.3	16	<1	1	2	4	8	11	18
65+	8513	4.1	23	1	1	2	5	10	13	23
GRAND TOTAL	**24641**	**3.5**	**18**	**<1**	**1**	**2**	**4**	**9**	**11**	**20**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	2.8	5	1	1	2	4	6	7	7
20-34	11	1.7	1	1	1	1	2	3	5	5
35-49	26	2.8	4	<1	1	2	4	5	7	9
50-64	99	3.3	8	<1	1	2	5	7	8	16
65+	393	3.0	7	<1	1	2	4	6	7	14
2. MULTIPLE DX										
0-19 YRS	41	5.7	40	1	2	4	7	11	13	40
20-34	53	5.0	22	1	1	3	6	12	15	23
35-49	145	6.3	23	1	1	5	9	14	18	31
50-64	815	7.3	36	1	2	6	10	14	19	30
65+	4635	7.1	38	1	2	5	9	14	19	30
TOT. SINGLE DX	543	3.0	7	<1	1	2	4	6	7	14
" MULTIPLE DX	5689	7.1	38	1	2	5	9	14	18	30
TOTAL 0-19 YRS	55	5.0	33	1	1	3	6	10	11	39
20-34	64	4.5	20	1	1	3	5	11	14	22
35-49	171	5.7	22	1	1	5	8	12	17	27
50-64	914	6.8	35	1	1	5	9	14	18	29
65+	5028	6.8	37	1	2	5	9	14	18	30
GRAND TOTAL	**6232**	**6.7**	**36**	**1**	**1**	**5**	**9**	**14**	**18**	**29**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	23	6.9	12	1	2	7	8	12	14	15
20-34	26	5.8	20	1	2	5	7	11	16	21
35-49	149	3.5	6	1	1	3	4	7	9	13
50-64	366	3.4	6	1	1	3	4	7	8	13
65+	163	3.7	7	1	1	3	5	8	10	14
2. MULTIPLE DX										
0-19 YRS	50	9.5	202	1	2	6	10	19	25	88
20-34	108	9.4	71	1	2	7	12	20	23	46
35-49	939	5.5	29	1	2	4	7	10	14	27
50-64	2499	5.3	26	1	2	4	7	10	13	28
65+	1832	6.2	31	2	2	4	8	12	16	29
TOT. SINGLE DX	727	3.7	8	1	1	3	5	7	9	15
" MULTIPLE DX	5428	5.7	31	1	2	4	7	11	15	29
TOTAL 0-19 YRS	73	8.7	143	1	2	6	9	14	24	80
20-34	134	8.7	63	1	2	7	11	19	22	38
35-49	1088	5.2	27	1	2	3	7	10	13	26
50-64	2865	5.1	24	1	2	3	6	10	12	26
65+	1995	6.0	30	1	2	4	8	12	15	29
GRAND TOTAL	**6155**	**5.5**	**29**	**1**	**2**	**4**	**7**	**11**	**14**	**28**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	166	2.3	4	<1	<1	2	3	4	7	12
20-34	60	2.3	3	<1	<1	1	3	5	7	8
35-49	85	3.8	17	<1	<1	2	6	11	12	19
50-64	93	2.4	7	<1	<1	1	2	6	9	14
65+	96	3.6	14	<1	<1	2	5	9	11	20
2. MULTIPLE DX										
0-19 YRS	489	4.6	31	<1	<1	3	5	11	15	42
20-34	221	9.1	146	1	1	6	10	19	29	83
35-49	377	8.1	87	1	1	5	10	17	23	48
50-64	818	7.2	45	1	1	5	10	15	20	31
65+	2321	9.1	56	2	2	7	12	18	23	36
TOT. SINGLE DX	500	2.8	10	<1	<1	1	3	7	10	15
" MULTIPLE DX	4226	8.2	61	1	2	6	11	17	22	38
TOTAL 0-19 YRS	655	4.1	26	<1	<1	2	4	9	14	37
20-34	281	7.6	124	<1	1	5	9	15	22	79
35-49	462	7.3	77	<1	1	5	10	15	22	47
50-64	911	6.7	44	1	1	5	9	15	20	31
65+	2417	8.9	56	1	2	7	12	18	23	36
GRAND TOTAL	**4726**	**7.6**	**58**	**1**	**1**	**6**	**10**	**16**	**21**	**37**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	2.5	2	<1	<1	2	3	5	6	6
20-34	392	2.1	1	1	1	2	3	3	4	7
35-49	548	2.3	2	1	1	2	3	4	5	7
50-64	315	2.5	2	1	1	2	3	4	6	9
65+	99	2.6	2	1	1	2	3	4	5	9
2. MULTIPLE DX										
0-19 YRS	5	2.8	1	2	2	2	4	4	4	4
20-34	92	3.0	12	1	1	2	3	5	9	21
35-49	208	3.1	12	1	1	2	3	5	6	21
50-64	199	3.7	10	1	1	3	4	7	8	15
65+	114	5.0	34	1	1	3	5	13	19	30
TOT. SINGLE DX	1366	2.3	2	1	1	2	3	4	5	7
" MULTIPLE DX	618	3.6	16	1	1	3	4	6	10	24
TOTAL 0-19 YRS	17	2.6	2	<1	<1	2	3	5	6	6
20-34	484	2.3	4	1	1	2	3	4	5	9
35-49	756	2.5	5	1	1	2	3	4	5	11
50-64	514	3.0	6	1	1	3	4	5	7	13
65+	213	3.9	21	1	1	3	4	7	13	25
GRAND TOTAL	**1984**	**2.7**	**7**	**1**	**1**	**2**	**3**	**5**	**6**	**14**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	6.6	9	1	2	6	8	10	12	12
20-34	25	4.4	17	1	2	3	5	11	14	19
35-49	59	5.3	11	1	1	5	8	10	11	14
50-64	198	6.2	14	1	1	6	8	10	11	18
65+	220	7.0	12	1	2	7	9	11	14	18
2. MULTIPLE DX										
0-19 YRS	72	10.9	103	2	3	8	12	24	35	57
20-34	192	9.4	115	1	1	6	12	18	34	58
35-49	473	9.9	102	1	2	8	11	20	29	70
50-64	1602	10.7	80	2	4	9	12	19	27	51
65+	2748	12.4	93	3	5	10	15	23	31	54
TOT. SINGLE DX	516	6.4	14	1	2	6	8	11	12	18
" MULTIPLE DX	5087	11.5	92	2	4	9	14	21	30	55
TOTAL 0-19 YRS	86	10.2	90	2	3	7	11	18	30	54
20-34	217	8.8	107	1	1	6	11	18	31	54
35-49	532	9.4	95	1	2	7	11	19	28	60
50-64	1800	10.2	75	2	3	8	12	18	25	50
65+	2968	12.0	89	3	4	9	14	22	30	52
GRAND TOTAL	**5603**	**11.0**	**87**	**2**	**3**	**9**	**13**	**20**	**28**	**52**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
-0-19 YRS										
20-34										
35-49										
50-64	2	10.5	61	5	5	10	16	16	16	16
65+	2	32.0	392	18	18	32	46	46	46	46
TOT. SINGLE DX	1	11.0		11	11	11	11	11	11	11
" MULTIPLE DX	4	21.3	305	5	5	17	32	46	46	46
TOTAL 0-19 YRS										
20-34										
35-49										
50-64	2	10.5	61	5	5	10	16	16	16	16
65+	3	25.0	343	11	11	18	39	46	46	46
GRAND TOTAL	**5**	**19.2**	**250**	**5**	**5**	**16**	**25**	**46**	**46**	**46**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	2.0	3	1	1	1	3	4	4	4
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	10	2.0	2	<1	<1	1	3	4	5	5
50-64	5	6.2	35	1	1	4	12	14	14	14
65+	4	1.8	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	58	5.6	58	1	1	3	6	10	22	40
20-34	456	5.1	38	1	1	3	6	10	14	35
35-49	583	5.5	40	1	1	4	6	11	17	36
50-64	1012	5.8	40	1	1	4	7	12	16	30
65+	1153	6.2	38	1	1	4	8	13	17	33
TOT. SINGLE DX	25	2.8	10	<1	1	1	3	5	12	14
" MULTIPLE DX	3262	5.8	40	1	1	4	7	12	16	34
TOTAL 0-19 YRS	61	5.4	55	1	1	3	6	9	20	40
20-34	459	5.1	39	1	1	3	6	10	14	35
35-49	593	5.4	40	1	1	4	6	11	17	36
50-64	1017	5.8	40	1	1	4	7	12	16	30
65+	1157	6.2	38	1	1	4	8	13	17	33
GRAND TOTAL	**3287**	**5.8**	**40**	**1**	**1**	**4**	**7**	**12**	**16**	**34**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	261	4.9	16	1	1	4	6	9	11	21
20-34	185	3.9	15	<1	1	2	5	9	11	18
35-49	222	5.2	26	1	1	3	8	12	17	25
50-64	690	4.9	15	1	1	4	6	9	11	22
65+	1048	5.4	14	1	2	4	7	10	11	23
2. MULTIPLE DX										
0-19 YRS	3060	16.4	364	1	2	9	22	48	72	99+
20-34	828	7.7	101	1	1	4	9	20	28	70
35-49	1209	7.8	75	1	1	5	10	18	24	47
50-64	4015	8.2	72	1	2	6	10	17	23	45
65+	8364	9.1	79	2	3	7	11	18	24	49
TOT. SINGLE DX	2406	5.1	17	1	1	4	6	9	12	22
" MULTIPLE DX	17476	10.0	137	1	2	7	11	21	32	76
TOTAL 0-19 YRS	3321	15.5	347	1	2	8	20	46	69	99+
20-34	1013	7.0	88	1	1	4	8	17	25	66
35-49	1431	7.4	69	1	1	5	9	17	23	44
50-64	4705	7.7	65	1	2	5	9	15	22	41
65+	9412	8.7	73	2	2	6	10	17	23	46
GRAND TOTAL	**19882**	**9.4**	**125**	**1**	**2**	**6**	**11**	**20**	**30**	**73**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	202	2.3	6	<1	<1	1	3	5	8	13
20-34	173	2.2	4	<1	<1	1	2	5	7	9
35-49	171	2.7	10	<1	<1	1	3	6	7	17
50-64	198	3.0	7	<1	<1	2	4	6	8	14
65+	136	3.5	8	<1	1	3	5	8	9	13
2. MULTIPLE DX										
0-19 YRS	129	6.3	135	<1	<1	3	7	11	17	78
20-34	199	6.1	71	<1	1	4	8	13	18	49
35-49	248	5.6	45	<1	1	3	7	14	18	36
50-64	457	6.1	55	1	1	4	8	13	18	34
65+	676	7.0	50	1	1	5	9	14	18	34
TOT. SINGLE DX	880	2.7	8	<1	<1	2	3	6	8	14
" MULTIPLE DX	1709	6.4	60	<1	1	4	8	14	18	36
TOTAL 0-19 YRS	331	3.9	61	<1	<1	1	4	9	11	44
20-34	372	4.3	44	<1	<1	2	5	9	13	39
35-49	419	4.4	33	<1	<1	2	5	10	16	29
50-64	655	5.1	43	<1	1	3	7	11	16	30
65+	812	6.4	45	1	1	5	8	13	18	32
GRAND TOTAL	**2589**	**5.1**	**45**	**<1**	**<1**	[illegible]	**7**	**11**	**16**	**31**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	1.8	1	1	1	2	2	4	4	4
20-34	28	3.3	6	<1	1	2	5	7	9	9
35-49	58	3.5	19	1	1	3	4	6	7	32
50-64	78	3.4	7	1	1	3	4	6	7	18
65+	62	4.6	5	1	2	4	5	8	10	12
2. MULTIPLE DX										
0-19 YRS	12	6.3	13	<1	2	5	9	11	14	14
20-34	80	6.6	19	2	2	6	8	12	15	25
35-49	122	5.9	55	1	2	4	7	10	15	45
50-64	224	7.2	45	1	2	5	9	14	20	48
65+	350	7.8	56	1	2	6	9	16	22	41
TOT. SINGLE DX	232	3.7	10	1	1	3	5	6	8	15
" MULTIPLE DX	788	7.2	49	1	2	6	8	14	20	39
TOTAL 0-19 YRS	18	4.8	14	<1	1	4	7	10	12	14
20-34	108	5.8	18	1	2	5	8	10	13	22
35-49	180	5.1	45	1	1	4	6	8	14	35
50-64	302	6.2	38	1	2	4	8	13	17	36
65+	412	7.3	50	1	2	5	8	15	21	39
GRAND TOTAL	**1020**	**6.4**	**42**	**1**	**2**	**5**	**7**	**13**	**18**	**36**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1	33.0		33	33	33	33	33	33	33
20-34	4	20.3	376	2	2	20	37	38	38	38
35-49	3	13.7	52	9	9	10	19	22	22	22
50-64	3	7.3	14	3	3	9	10	10	10	10
65+	3	20.0	273	9	9	12	32	39	39	39
TOT. SINGLE DX										
" MULTIPLE DX	14	16.9	188	2	3	10	33	38	39	39
TOTAL 0-19 YRS	1	33.0		33	33	33	33	33	33	33
20-34	4	20.3	376	2	2	20	37	38	38	38
35-49	3	13.7	52	9	9	10	19	22	22	22
50-64	3	7.3	14	3	3	9	10	10	10	10
65+	3	20.0	273	9	9	12	32	39	39	39
GRAND TOTAL	**14**	**16.9**	**188**	**2**	**3**	**10**	**33**	**38**	**39**	**39**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	35.0		35	35	35	35	35	35	35
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2	61.0	648	43	43	79	95	99+	99+	99+
20-34	2	35.5	85	29	29	35	42	42	42	42
35-49	3	41.0	211	26	26	42	52	55	55	55
50-64										
65+										
TOT. SINGLE DX	1	35.0		35	35	35	35	35	35	35
" MULTIPLE DX	7	45.1	316	26	27	43	67	94	99+	99+
TOTAL 0-19 YRS	3	52.3	549	35	35	61	89	99+	99+	99+
20-34	2	35.5	85	29	29	35	42	42	42	42
35-49	3	41.0	211	26	26	42	52	55	55	55
50-64										
65+										
GRAND TOTAL	**8**	**43.9**	**284**	**26**	**27**	**42**	**61**	**92**	**99+**	**99+**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	235	5.3	15	1	1	5	6	8	13	22
20-34	178	5.0	7	1	2	5	6	8	9	18
35-49	103	5.9	15	1	2	6	7	10	13	22
50-64	88	5.9	14	1	2	5	8	11	15	16
65+	122	6.0	34	1	1	5	7	10	17	34
2. MULTIPLE DX										
0-19 YRS	468	8.6	77	1	2	6	9	17	28	47
20-34	630	11.4	135	2	3	7	12	27	38	63
35-49	551	10.4	119	2	3	7	11	22	32	64
50-64	925	10.8	112	2	2	7	13	23	30	67
65+	2374	9.8	65	2	3	8	12	19	25	43
TOT. SINGLE DX	726	5.5	17	1	2	5	7	9	12	22
" MULTIPLE DX	4948	10.1	91	2	3	7	12	21	28	50
TOTAL 0-19 YRS	703	7.5	59	1	2	6	8	14	22	42
20-34	808	10.0	114	2	3	6	10	24	33	61
35-49	654	9.7	105	2	2	7	10	20	29	64
50-64	1013	10.4	106	2	2	7	12	22	29	60
65+	2496	9.6	65	2	3	7	12	19	25	42
GRAND TOTAL	**5674**	**9.5**	**84**	**2**	**2**	**7**	**11**	**20**	**27**	**49**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	76	7.9	143	<1	<1	4	10	16	32	68
20-34	47	8.4	117	<1	<1	4	11	24	39	44
35-49	51	6.7	59	1	1	3	9	17	26	32
50-64	58	4.2	32	<1	1	3	5	7	17	31
65+	34	4.6	15	<1	<1	3	7	11	13	16
2. MULTIPLE DX										
0-19 YRS	311	13.4	238	1	2	8	18	37	58	99+
20-34	404	12.6	190	1	2	8	16	30	41	82
35-49	569	11.6	147	1	2	7	15	28	38	64
50-64	988	11.1	126	1	2	7	14	26	36	55
65+	1200	12.0	122	1	2	9	16	25	35	52
TOT. SINGLE DX	266	6.5	84	<1	<1	3	7	14	27	42
" MULTIPLE DX	3472	11.9	146	1	2	8	15	27	37	62
TOTAL 0-19 YRS	387	12.3	224	1	1	8	16	33	53	99+
20-34	451	12.1	185	1	2	7	15	30	41	76
35-49	620	11.2	142	1	1	7	15	27	36	63
50-64	1046	10.7	124	1	1	7	14	25	35	55
65+	1234	11.8	121	1	2	9	15	25	35	52
GRAND TOTAL	**3738**	**11.5**	**144**	**1**	**2**	**7**	**15**	**27**	**37**	**61**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	59	2.0	3	<1	<1	1	3	4	6	10
20-34	29	4.9	15	1	1	5	7	9	14	17
35-49	45	4.3	17	<1	<1	3	6	9	10	24
50-64	78	4.1	13	<1	<1	3	6	10	12	15
65+	108	3.3	9	<1	<1	2	5	8	10	14
2. MULTIPLE DX										
0-19 YRS	131	5.0	73	<1	<1	2	5	12	23	70
20-34	173	6.4	36	1	1	5	8	13	19	42
35-49	297	7.2	51	1	1	5	9	16	20	38
50-64	616	7.8	64	1	1	6	10	17	23	40
65+	1253	8.3	68	1	2	6	10	17	23	49
TOT. SINGLE DX	319	3.5	12	<1	<1	2	5	9	10	15
" MULTIPLE DX	2470	7.7	64	1	1	6	10	16	22	47
TOTAL 0-19 YRS	190	4.1	54	<1	<1	2	4	10	15	58
20-34	202	6.2	34	1	1	5	7	12	16	40
35-49	342	6.8	48	1	1	5	8	15	19	31
50-64	694	7.4	60	1	1	5	9	16	22	40
65+	1361	7.9	66	1	1	6	10	16	22	48
GRAND TOTAL	**2789**	**7.2**	**60**	**1**	**1**	**5**	**9**	**15**	**21**	**44**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	370	3.1	2	1	2	3	4	5	6	9
20-34	4	5.8	1	5	5	6	6	7	7	7
35-49	5	5.2	3	3	3	5	6	8	8	8
50-64	6	5.2	1	4	4	5	6	7	7	7
65+	8	10.6	5	8	8	10	12	14	15	15
2. MULTIPLE DX										
0-19 YRS	144	4.1	6	2	2	4	5	6	8	17
20-34	7	8.6	30	3	3	5	14	15	15	15
35-49	5	17.0	329	6	6	9	23	49	49	49
50-64	19	15.2	121	4	6	10	19	37	38	38
65+	33	12.0	51	2	4	11	15	23	28	30
TOT. SINGLE DX	393	3.4	3	1	2	3	4	5	7	11
" MULTIPLE DX	208	6.9	49	2	2	4	8	14	21	38
TOTAL 0-19 YRS	514	3.4	4	1	2	3	4	5	6	10
20-34	11	7.5	20	3	4	5	11	15	15	15
35-49	10	11.1	187	3	3	7	9	31	49	49
50-64	25	12.8	111	4	4	9	19	37	37	38
65+	41	11.8	42	3	5	11	14	22	26	30
GRAND TOTAL	**601**	**4.6**	**22**	**1**	**2**	**3**	**5**	**8**	**12**	**26**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	4.3	4	2	2	5	6	6	6	6
20-34	3	5.3	34	1	1	3	10	12	12	12
35-49	1	9.0		9	9	9	9	9	9	9
50-64	7	6.1	23	1	1	5	7	14	16	16
65+	10	8.2	33	2	3	6	10	18	18	18
2. MULTIPLE DX										
0-19 YRS	68	17.5	377	1	3	10	23	57	78	99+
20-34	24	20.8	406	2	3	14	36	59	85	99+
35-49	47	21.2	532	3	3	11	28	67	77	81
50-64	92	16.7	254	2	4	13	22	36	59	99+
65+	511	17.4	175	3	4	15	22	36	47	72
TOT. SINGLE DX	24	6.8	25	1	2	5	9	16	18	18
" MULTIPLE DX	742	17.6	233	2	4	14	23	38	57	99+
TOTAL 0-19 YRS	71	16.9	369	1	3	10	22	57	77	99+
20-34	27	19.1	386	1	2	12	29	56	82	99+
35-49	48	20.9	525	3	3	11	26	66	77	81
50-64	99	16.0	245	2	4	12	21	35	55	99+
65+	521	17.2	174	3	4	15	22	36	46	72
GRAND TOTAL	**766**	**17.3**	**230**	**2**	**4**	**14**	**22**	**38**	**56**	**99+**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	2.2	2	<1	<1	1	3	5	5	5
20-34	28	2.9	3	<1	<1	3	4	6	7	7
35-49	43	4.2	10	<1	<1	3	6	8	10	18
50-64	65	3.8	7	<1	<1	3	5	8	9	11
65+	108	4.2	7	<1	<1	4	5	7	11	14
2. MULTIPLE DX										
0-19 YRS	18	5.2	13	1	1	4	7	10	13	15
20-34	156	6.5	71	2	2	4	8	12	15	37
35-49	345	5.8	30	2	2	4	7	10	14	29
50-64	675	6.5	36	1	2	5	8	12	18	30
65+	1993	8.0	53	2	3	6	9	15	21	36
TOT. SINGLE DX	250	3.9	8	<1	<1	3	5	7	9	13
" MULTIPLE DX	3187	7.4	49	2	2	5	9	14	20	35
TOTAL 0-19 YRS	24	4.4	13	<1	1	3	6	9	12	15
20-34	184	6.0	63	1	2	4	7	11	14	34
35-49	388	5.7	28	1	2	4	7	10	14	28
50-64	740	6.3	35	1	2	5	7	12	17	30
65+	2101	7.8	52	2	3	6	9	15	21	35
GRAND TOTAL	**3437**	**7.1**	**47**	**2**	**2**	**5**	**8**	**13**	**19**	**35**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	8.0	2	7	7	8	9	9	9	9
20-34	27	7.7	11	2	3	7	9	11	13	19
35-49	80	9.5	16	5	6	8	11	13	16	26
50-64	67	10.0	9	6	7	9	11	14	16	21
65+	61	10.2	18	6	7	9	11	15	19	30
2. MULTIPLE DX										
0-19 YRS	3	14.0	84	6	6	12	21	24	24	24
20-34	58	12.5	42	5	6	11	14	20	25	41
35-49	190	13.2	63	7	7	10	15	25	29	49
50-64	326	14.5	111	6	7	11	16	25	37	63
65+	625	16.8	130	7	8	14	20	28	39	75
TOT. SINGLE DX	237	9.6	15	6	6	9	11	14	16	24
" MULTIPLE DX	1202	15.4	112	7	7	12	18	27	35	72
TOTAL 0-19 YRS	5	11.6	53	6	6	9	15	24	24	24
20-34	85	11.0	37	5	6	9	13	19	23	36
35-49	270	12.1	52	6	7	10	13	23	28	47
50-64	393	13.7	97	6	7	11	15	23	34	57
65+	686	16.2	124	7	8	13	19	28	36	75
GRAND TOTAL	**1439**	**14.4**	**101**	**6**	**7**	**11**	**17**	**25**	**33**	**60**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	2	10.0	32	6	6	10	14	14	14	14
50-64	10	13.4	27	9	9	11	18	22	22	22
65+	5	18.2	68	12	12	14	24	31	31	31
2. MULTIPLE DX										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	2	21.5	221	11	11	21	32	32	32	32
35-49	26	14.1	45	7	9	12	16	22	30	34
50-64	90	19.6	243	8	10	15	19	38	52	86
65+	128	20.9	191	10	10	16	25	34	54	96
TOT. SINGLE DX	17	14.4	42	7	9	12	19	22	28	31
" MULTIPLE DX	247	19.7	197	9	10	15	23	34	51	88
TOTAL 0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	2	21.5	221	11	11	21	32	32	32	32
35-49	28	13.8	44	6	8	12	16	22	29	34
50-64	100	19.0	225	8	10	14	19	36	51	86
65+	133	20.8	187	10	10	16	25	34	53	96
GRAND TOTAL	**264**	**19.3**	**188**	**9**	**10**	**15**	**22**	**33**	**49**	**87**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	36	7.6	9	4	5	7	8	12	15	17
35-49	53	8.4	16	4	5	8	9	12	16	28
50-64	41	9.8	16	6	6	8	11	15	20	22
65+	17	10.0	13	6	7	10	11	14	19	21
2. MULTIPLE DX										
0-19 YRS	5	31.0	1444	8	8	12	47	97	97	97
20-34	52	9.6	34	5	5	8	10	14	20	40
35-49	113	10.3	34	5	5	9	12	17	20	35
50-64	153	12.8	116	6	6	9	14	21	33	58
65+	202	16.2	113	7	8	13	20	29	36	76
TOT. SINGLE DX	147	8.8	15	5	5	8	10	13	17	22
" MULTIPLE DX	525	13.4	109	5	6	10	15	25	31	62
TOTAL 0-19 YRS	5	31.0	1444	8	8	12	47	97	97	97
20-34	88	8.8	25	5	5	8	10	13	17	35
35-49	166	9.7	29	5	5	8	11	16	19	30
50-64	194	12.1	97	6	6	9	14	20	27	58
65+	219	15.7	109	7	8	12	19	29	35	75
GRAND TOTAL	**672**	**12.4**	**92**	**5**	**6**	**9**	**14**	**21**	**30**	**57**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	42	5.0	6	1	2	5	6	8	9	14
20-34	179	5.9	4	3	4	6	7	9	9	13
35-49	204	6.2	4	3	4	6	7	9	10	14
50-64	121	7.6	8	4	4	7	9	11	13	17
65+	67	9.6	23	4	5	9	12	15	16	32
2. MULTIPLE DX										
0-19 YRS	157	16.6	359	3	4	9	20	44	74	99+
20-34	408	8.7	95	4	4	6	8	12	20	69
35-49	744	8.5	48	4	4	7	8	13	20	45
50-64	576	11.7	132	4	5	8	11	21	36	64
65+	822	14.7	108	5	6	11	17	28	38	64
TOT. SINGLE DX	613	6.7	9	3	4	6	8	10	12	16
" MULTIPLE DX	2707	11.5	118	4	5	8	12	22	33	67
TOTAL 0-19 YRS	199	14.2	307	2	3	8	15	32	60	98
20-34	587	7.8	69	4	4	6	8	11	16	58
35-49	948	8.0	40	4	4	7	8	12	18	44
50-64	697	11.0	113	4	5	8	11	20	31	59
65+	889	14.3	104	5	6	11	17	27	37	61
GRAND TOTAL	**3320**	**10.6**	**101**	**4**	**4**	**8**	**11**	**20**	**29**	**61**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	47	4.6	13	<1	1	3	6	9	11	19
20-34	109	4.0	13	<1	<1	3	5	7	9	23
35-49	105	4.4	12	<1	<1	4	6	8	10	18
50-64	157	3.4	9	<1	<1	2	5	8	10	13
65+	171	3.5	11	<1	<1	2	6	8	9	16
2. MULTIPLE DX										
0-19 YRS	112	6.7	43	1	2	5	8	12	22	37
20-34	299	5.9	29	1	2	5	7	10	16	31
35-49	389	7.1	68	1	2	5	8	13	19	40
50-64	812	6.6	39	<1	1	5	8	14	18	32
65+	2092	7.7	52	1	2	6	9	15	21	38
TOT. SINGLE DX	589	3.8	12	<1	<1	3	5	8	10	17
" MULTIPLE DX	3704	7.2	50	1	1	5	9	14	19	37
TOTAL 0-19 YRS	159	6.1	35	<1	1	4	7	12	18	33
20-34	408	5.4	26	<1	1	4	7	9	13	29
35-49	494	6.5	58	<1	1	5	8	11	17	36
50-64	969	6.1	36	<1	1	5	8	13	17	31
65+	2263	7.3	51	<1	1	6	9	14	20	38
GRAND TOTAL	**4293**	**6.7**	**46**	**<1**	**1**	**5**	**8**	**13**	**18**	**35**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	15	6.5	7	3	4	6	9	10	11	11
20-34	32	7.9	6	5	5	8	9	11	13	17
35-49	29	10.9	54	4	4	8	13	20	28	36
50-64	30	11.1	44	6	6	9	13	16	20	41
65+	34	9.9	13	6	6	9	12	15	17	21
2. MULTIPLE DX										
0-19 YRS	70	15.6	285	4	5	10	15	46	74	99+
20-34	147	13.5	142	5	6	10	15	27	43	79
35-49	191	15.4	161	5	7	11	18	28	44	66
50-64	302	16.2	159	6	7	11	20	33	50	70
65+	738	16.8	140	7	8	13	20	30	42	68
TOT. SINGLE DX	140	9.6	28	4	5	8	11	15	18	36
" MULTIPLE DX	1448	16.1	155	6	7	12	19	31	44	75
TOTAL 0-19 YRS	85	14.0	248	4	4	9	14	38	71	99+
20-34	179	12.5	122	5	6	9	13	22	39	77
35-49	220	14.8	149	5	6	11	17	28	43	65
50-64	332	15.8	151	6	7	11	19	29	50	68
65+	772	16.5	137	6	7	13	20	29	41	67
GRAND TOTAL	**1588**	**15.5**	**147**	**6**	**7**	**11**	**18**	**29**	**43**	**73**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	29	6.8	2	5	5	7	8	9	10	11
20-34	84	9.0	26	5	5	8	10	13	19	34
35-49	181	8.5	6	5	6	8	10	12	14	16
50-64	416	8.6	6	5	6	8	10	11	13	18
65+	521	9.3	11	6	6	9	10	12	15	20
2. MULTIPLE DX										
0-19 YRS	62	16.4	370	5	6	10	21	96	99+	99+
20-34	293	12.6	92	6	6	10	14	21	27	54
35-49	640	11.7	66	6	7	9	12	18	26	49
50-64	1874	12.2	67	6	7	10	13	20	26	50
65+	4685	13.7	73	7	7	11	16	22	30	51
TOT. SINGLE DX	1231	8.9	10	5	6	8	10	12	14	20
" MULTIPLE DX	7554	13.1	75	6	7	10	15	22	29	53
TOTAL 0-19 YRS	91	13.3	272	5	5	8	13	56	99+	99+
20-34	377	11.8	80	5	6	9	13	20	26	49
35-49	821	11.0	55	6	6	9	12	16	22	47
50-64	2290	11.5	58	6	7	9	12	18	24	47
65+	5206	13.3	69	7	7	11	15	22	28	49
GRAND TOTAL	**8785**	**12.5**	**68**	**6**	**7**	**10**	**14**	**21**	**27**	**50**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	4.9	3	3	3	5	6	8	8	8
20-34	4	5.8	12	2	2	5	8	10	10	10
35-49	7	7.0	2	5	5	7	8	10	10	10
50-64	16	7.8	9	3	4	8	10	11	12	13
65+	20	8.6	14	3	4	8	10	13	16	19
2. MULTIPLE DX										
0-19 YRS	30	16.4	406	4	5	9	19	52	96	99+
20-34	33	13.5	172	4	4	10	15	23	28	77
35-49	40	12.3	83	3	5	10	14	21	33	48
50-64	84	14.3	139	6	6	11	16	23	36	73
65+	203	14.2	68	5	6	12	18	24	30	43
TOT. SINGLE DX	55	7.4	11	3	3	7	10	11	13	19
" MULTIPLE DX	390	14.1	119	5	6	11	17	24	33	72
TOTAL 0-19 YRS	38	14.0	342	3	4	7	15	41	80	99+
20-34	37	12.7	160	3	4	10	15	22	28	77
35-49	47	11.5	74	4	5	9	13	19	29	48
50-64	100	13.2	124	4	6	10	15	23	34	67
65+	223	13.7	66	5	6	11	17	23	29	43
GRAND TOTAL	**445**	**13.3**	**110**	**4**	**5**	**11**	**16**	**23**	**31**	**65**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	121	5.6	10	2	2	5	7	9	10	19
20-34	117	7.2	8	4	4	7	8	10	12	18
35-49	114	7.8	8	3	5	8	9	10	12	19
50-64	124	7.6	8	3	5	7	9	11	12	18
65+	129	7.4	10	3	4	7	9	11	12	18
2. MULTIPLE DX										
0-19 YRS	223	9.7	110	3	4	7	10	18	29	97
20-34	264	9.4	45	4	5	8	10	15	24	41
35-49	319	11.2	87	4	5	9	12	19	27	59
50-64	483	11.8	104	4	5	9	13	20	30	69
65+	884	12.4	94	4	5	10	14	21	29	60
TOT. SINGLE DX	605	7.1	10	2	3	7	9	10	12	18
" MULTIPLE DX	2173	11.5	92	4	5	9	13	20	29	59
TOTAL 0-19 YRS	344	8.3	79	2	3	7	8	14	21	82
20-34	381	8.7	35	4	5	7	9	14	17	38
35-49	433	10.3	69	4	5	8	11	17	24	54
50-64	607	10.9	88	4	5	9	12	18	25	52
65+	1013	11.8	86	4	5	9	13	20	27	57
GRAND TOTAL	**2778**	**10.5**	**78**	**3**	**5**	**8**	**11**	**18**	**25**	**50**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	9.0	18	4	5	7	12	16	18	18
20-34	6	8.7	2	7	7	8	10	11	11	11
35-49	9	8.9	9	5	5	8	10	13	15	15
50-64	6	10.3	15	6	6	9	14	16	16	16
65+	15	12.6	40	6	6	9	16	24	25	25
2. MULTIPLE DX										
0-19 YRS	43	15.3	192	3	4	10	21	35	59	99+
20-34	32	15.4	195	6	7	12	15	31	55	62
35-49	63	14.0	105	5	6	11	16	28	37	55
50-64	170	15.2	111	6	7	13	19	27	30	63
65+	392	16.3	127	6	7	13	20	29	40	63
TOT. SINGLE DX	50	10.2	23	6	6	9	12	17	21	25
" MULTIPLE DX	700	15.7	128	5	7	13	19	29	39	62
TOTAL 0-19 YRS	57	13.7	156	3	4	9	18	33	51	97
20-34	38	14.3	170	6	7	11	15	20	54	62
35-49	72	13.4	96	5	6	10	15	24	33	54
50-64	176	15.1	109	6	7	13	18	26	30	62
65+	407	16.1	124	6	7	13	19	29	39	62
GRAND TOTAL	**750**	**15.3**	**123**	**5**	**7**	**12**	**18**	**28**	**38**	**62**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5818	3.2	3	1	2	3	4	5	7	10
20-34	4623	3.2	2	1	2	3	4	5	6	9
35-49	1623	3.8	3	2	2	3	4	6	8	10
50-64	607	4.6	6	2	2	4	6	8	9	13
65+	240	5.3	8	2	2	5	7	9	10	15
2. MULTIPLE DX										
0-19 YRS	1984	5.1	13	2	2	4	6	9	12	19
20-34	1782	5.0	12	2	2	4	6	9	11	18
35-49	876	6.3	20	2	3	5	8	12	14	24
50-64	624	7.9	32	3	3	7	10	13	16	29
65+	560	9.3	44	3	4	8	11	15	20	35
TOT. SINGLE DX	12911	3.4	4	1	2	3	4	6	7	10
" MULTIPLE DX	5826	5.9	21	2	2	5	7	11	14	24
TOTAL 0-19 YRS	7802	3.7	7	1	2	3	4	7	8	14
20-34	6405	3.7	6	2	2	3	4	6	8	12
35-49	2499	4.6	11	2	2	4	6	8	11	16
50-64	1231	6.3	22	2	2	5	8	11	14	23
65+	800	8.1	37	3	3	7	10	14	18	34
GRAND TOTAL	**18737**	**4.2**	**10**	**2**	**2**	**3**	**5**	**8**	**10**	**16**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	44	3.0	1	1	2	3	4	5	5	5
20-34	48	3.8	4	1	2	3	4	7	8	11
35-49	13	4.4	5	1	2	4	5	8	9	9
50-64	5	4.6	6	2	2	4	6	8	8	8
65+	3	3.7	4	2	2	3	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	19	4.3	3	2	3	3	6	8	8	8
20-34	45	5.3	18	2	2	4	6	7	17	24
35-49	6	6.2	29	2	2	4	6	16	17	17
50-64	6	11.2	97	4	4	7	14	28	30	30
65+	6	13.7	47	7	7	12	19	23	24	24
TOT. SINGLE DX	113	3.5	4	1	2	3	4	6	8	10
" MULTIPLE DX	82	6.2	29	2	3	4	7	14	19	28
TOTAL 0-19 YRS	63	3.4	2	2	2	3	4	5	7	8
20-34	93	4.5	12	2	2	4	5	7	10	22
35-49	19	4.9	13	1	2	4	6	9	13	17
50-64	11	8.2	63	2	3	6	8	20	29	30
65+	9	10.3	56	2	2	8	16	22	24	24
GRAND TOTAL	**195**	**4.7**	**16**	**2**	**2**	**4**	**5**	**8**	**11**	**24**

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	7.1	14	2	3	6	10	13	14	15
20-34	10	6.0	5	3	3	6	8	9	10	10
35-49	11	7.7	7	5	5	7	9	12	14	14
50-64	2	4.5	1	4	4	4	5	5	5	5
65+	3	7.0	1	6	6	7	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	15	11.0	64	6	6	8	11	22	32	36
20-34	3	23.7	174	12	12	21	34	38	38	38
35-49	15	10.8	103	3	4	8	11	23	38	43
50-64	13	11.8	28	3	5	13	14	18	23	24
65+	14	15.6	98	4	6	14	18	26	40	44
TOT. SINGLE DX	47	6.9	10	3	3	6	8	11	14	15
" MULTIPLE DX	60	12.8	83	4	5	10	15	23	37	44
TOTAL 0-19 YRS	36	8.7	38	3	4	7	11	14	20	36
20-34	13	10.1	93	3	3	6	10	24	35	38
35-49	26	9.5	63	4	5	7	10	14	27	43
50-64	15	10.8	31	3	4	11	14	16	22	24
65+	17	14.1	92	5	6	12	16	24	37	44
GRAND TOTAL	**107**	**10.2**	**59**	**3**	**4**	**8**	**12**	**18**	**24**	**43**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	43	2.1	5	<1	<1	1	2	5	7	10
20-34	44	3.0	8	<1	<1	2	4	6	7	18
35-49	32	2.2	5	<1	1	1	3	4	7	13
50-64	114	2.6	3	<1	<1	2	3	5	7	11
65+	159	3.2	8	<1	1	2	4	6	7	16
2. MULTIPLE DX										
0-19 YRS	31	6.2	116	<1	<1	3	8	11	11	61
20-34	61	6.0	25	<1	1	5	8	13	16	23
35-49	71	4.7	59	<1	1	3	5	9	10	54
50-64	174	5.7	49	1	1	4	7	11	17	31
65+	527	6.5	51	1	1	4	8	14	20	42
TOT. SINGLE DX	392	2.8	7	<1	<1	2	4	5	7	13
" MULTIPLE DX	864	6.2	52	1	1	4	8	13	17	40
TOTAL 0-19 YRS	74	3.8	55	<1	<1	1	5	10	10	49
20-34	105	4.8	20	<1	<1	4	6	10	15	22
35-49	103	3.9	44	<1	1	3	4	8	10	38
50-64	288	4.5	34	<1	1	3	5	10	12	27
65+	686	5.8	43	1	1	4	7	13	16	33
GRAND TOTAL	**1256**	**5.1**	**40**	**<1**	**1**	**3**	**6**	**11**	**15**	**29**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17	2.1	1	<1	1	2	3	4	5	6
20-34	130	1.9	1	1	1	2	2	3	4	7
35-49	108	2.5	2	1	1	2	3	5	6	8
50-64	64	3.3	13	1	1	2	4	7	8	24
65+	21	3.9	9	<1	1	3	6	8	10	11
2. MULTIPLE DX										
0-19 YRS	8	3.6	2	2	2	4	5	5	5	5
20-34	107	4.2	21	1	1	3	5	8	14	60
35-49	122	4.6	48	1	1	3	5	10	16	74
50-64	116	5.5	59	1	1	3	6	11	16	43
65+	99	7.8	86	1	2	5	9	18	29	51
TOT. SINGLE DX	340	2.5	5	1	1	2	3	5	7	9
" MULTIPLE DX	452	5.4	54	1	1	3	6	11	17	55
TOTAL 0-19 YRS	25	2.6	2	<1	1	2	4	5	5	6
20-34	237	2.9	12	1	1	2	4	6	8	27
35-49	230	3.6	28	1	1	2	4	6	10	38
50-64	180	4.7	44	1	1	3	5	9	15	27
65+	120	7.1	75	1	1	4	8	14	25	49
GRAND TOTAL	**792**	**4.2**	**35**	**1**	**1**	**3**	**4**	**8**	**13**	**33**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	18	7.3	15	<1	1	7	10	11	15	17
20-34	14	10.3	20	6	7	9	12	17	22	23
35-49	35	11.1	54	6	7	9	12	14	25	47
50-64	116	9.8	10	6	7	9	11	13	16	22
65+	120	10.1	14	5	6	10	12	14	16	26
2. MULTIPLE DX										
0-19 YRS	58	10.6	36	5	5	9	11	15	24	37
20-34	36	15.3	104	6	7	10	20	34	37	44
35-49	107	12.2	51	6	7	10	13	19	30	42
50-64	424	13.2	70	7	8	11	14	21	26	51
65+	942	14.4	67	7	8	12	16	23	28	43
TOT. SINGLE DX	303	9.9	18	5	7	9	11	14	17	26
" MULTIPLE DX	1567	13.8	68	7	8	12	15	23	28	43
TOTAL 0-19 YRS	76	9.8	34	4	5	9	11	15	23	35
20-34	50	13.9	85	6	7	10	17	29	36	44
35-49	142	12.0	52	6	7	10	13	19	28	43
50-64	540	12.4	60	7	8	11	13	19	24	42
65+	1062	13.9	63	7	8	12	16	22	28	42
GRAND TOTAL	**1870**	**13.2**	**62**	**7**	**7**	**11**	**15**	**21**	**27**	**42**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	113	3.0	6	<1	<1	2	4	6	7	14
20-34	423	3.5	10	<1	1	3	4	6	8	14
35-49	456	3.6	8	<1	1	3	4	6	8	16
50-64	421	3.6	8	<1	<1	3	5	6	8	15
65+	363	4.1	17	<1	<1	4	5	7	9	13
2. MULTIPLE DX										
0-19 YRS	234	4.8	27	<1	1	3	5	9	14	29
20-34	1492	5.2	28	1	2	4	6	10	15	29
35-49	2251	5.3	28	1	2	4	6	10	13	30
50-64	3282	6.0	36	1	2	4	7	11	16	30
65+	6712	7.0	37	2	2	5	8	13	18	32
TOT. SINGLE DX	1776	3.6	11	<1	1	3	4	6	8	14
" MULTIPLE DX	13971	6.3	35	1	2	5	7	12	16	31
TOTAL 0-19 YRS	347	4.3	21	<1	1	3	5	8	13	28
20-34	1915	4.9	25	1	1	4	5	9	14	28
35-49	2707	5.0	25	1	2	4	6	9	13	27
50-64	3703	5.8	34	1	2	4	7	11	15	29
65+	7075	6.9	37	2	2	5	8	13	17	32
GRAND TOTAL	**15747**	**6.0**	**33**	**1**	**2**	**4**	**7**	**11**	**16**	**30**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	1.6	2	<1	<1	<1	1	3	6	7
20-34	215	1.8	1	1	1	1	2	3	4	5
35-49	265	1.8	1	1	1	2	2	3	4	6
50-64	155	2.0	1	1	1	2	2	3	4	6
65+	42	1.8		1	1	2	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	16	2.9	6	<1	<1	2	4	7	9	10
20-34	164	3.1	18	1	1	2	3	5	7	20
35-49	265	2.5	3	1	1	2	3	5	5	8
50-64	204	2.8	7	1	1	2	3	5	6	19
65+	118	3.3	5	1	1	3	4	6	8	13
TOT. SINGLE DX	698	1.9	1	<1	1	2	2	3	4	6
" MULTIPLE DX	767	2.8	8	1	1	2	3	5	6	17
TOTAL 0-19 YRS	37	2.2	5	<1	<1	1	2	6	7	10
20-34	379	2.4	9	1	1	2	3	4	5	17
35-49	530	2.2	2	1	1	2	3	4	5	7
50-64	359	2.5	5	1	1	2	3	4	5	13
65+	160	2.9	5	1	1	2	4	5	7	10
GRAND TOTAL	**1465**	**2.4**	**5**	**1**	**1**	**2**	**3**	**4**	**5**	**10**

611: Local excision or destruction of lesion or tissue of anus (49.23: 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	1.2		<1	<1	1	1	2	3	3
20-34	142	1.6		<1	<1	1	2	3	3	6
35-49	95	1.8	1	<1	1	1	2	4	4	6
50-64	55	1.6		<1	<1	1	2	3	3	4
65+	16	2.4	4	<1	1	2	2	3	8	10
2. MULTIPLE DX										
0-19 YRS	21	8.5	351	<1	1	2	3	30	60	77
20-34	157	2.8	7	1	1	2	3	5	7	19
35-49	193	2.9	9	1	1	2	3	4	5	22
50-64	139	3.1	15	1	1	2	4	5	6	12
65+	133	3.7	11	1	1	3	5	7	9	20
TOT. SINGLE DX	322	1.7	1	<1	<1	1	2	3	4	6
" MULTIPLE DX	643	3.3	22	1	1	2	4	5	7	21
TOTAL 0-19 YRS	35	5.6	220	<1	<1	2	2	4	40	77
20-34	299	2.2	5	<1	1	2	3	4	5	12
35-49	288	2.5	7	1	1	2	3	4	5	11
50-64	194	2.7	12	<1	1	2	3	5	5	8
65+	149	3.6	11	1	1	3	4	7	9	19
GRAND TOTAL	**965**	**2.8**	**16**	**<1**	**1**	**2**	**3**	**5**	**6**	**18**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	2.4	3	1	1	2	3	5	5	5
20-34	129	2.6	1	1	1	2	3	5	5	7
35-49	236	3.0	2	1	1	3	4	5	5	9
50-64	168	3.1	2	1	1	3	4	5	6	9
65+	47	3.5	4	1	1	3	4	6	8	10
2. MULTIPLE DX										
0-19 YRS	15	3.3	3	2	2	3	4	5	7	8
20-34	679	3.4	5	1	2	3	4	5	6	12
35-49	1368	3.7	9	1	2	3	4	6	7	12
50-64	1140	3.6	4	1	2	3	4	6	7	10
65+	608	4.3	9	1	2	4	5	7	10	16
TOT. SINGLE DX	585	3.0	3	1	1	3	4	5	6	9
" MULTIPLE DX	3810	3.7	7	1	2	3	4	6	7	12
TOTAL 0-19 YRS	20	3.1	3	1	1	3	4	5	7	8
20-34	808	3.3	5	1	1	3	4	5	6	10
35-49	1604	3.6	8	1	2	3	4	6	7	11
50-64	1308	3.5	4	1	2	3	4	6	7	10
65+	655	4.2	9	1	2	4	5	7	10	16
GRAND TOTAL	**4395**	**3.6**	**7**	**1**	**2**	**3**	**4**	**6**	**7**	**12**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	38	2.4	2	<1	<1	2	3	5	6	7
20-34	156	2.3	2	<1	1	2	3	5	6	8
35-49	127	2.1	1	<1	1	2	3	4	5	7
50-64	87	2.4	3	1	1	2	3	4	6	10
65+	53	3.0	5	<1	1	2	4	6	9	11
2. MULTIPLE DX										
0-19 YRS	47	5.4	21	<1	<1	4	7	11	16	21
20-34	157	3.8	13	1	1	3	5	8	9	24
35-49	184	3.5	10	1	1	3	4	7	9	18
50-64	176	4.0	19	1	1	3	5	7	12	24
65+	186	5.3	43	1	1	4	6	11	14	32
TOT. SINGLE DX	461	2.4	3	<1	1	2	3	5	6	9
" MULTIPLE DX	750	4.2	23	1	1	3	5	8	12	24
TOTAL 0-19 YRS	85	4.1	15	<1	<1	3	5	8	12	20
20-34	313	3.1	9	1	1	2	4	6	8	13
35-49	311	2.9	8	1	1	2	3	5	7	17
50-64	263	3.5	15	1	1	2	4	7	10	23
65+	239	4.8	36	1	1	3	6	10	13	26
GRAND TOTAL	**1211**	**3.5**	**16**	**1**	**1**	**2**	**4**	**7**	**10**	**19**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	10	9.5	30	4	4	8	12	19	19	19
35-49	10	7.4	39	1	1	7	13	15	16	16
50-64	6	6.2	35	2	2	4	9	16	17	17
65+	4	1.5	1	1	1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	9	15.7	156	4	4	11	28	35	35	35
20-34	17	12.9	74	5	6	10	15	23	33	39
35-49	29	15.6	122	4	5	12	21	35	36	37
50-64	40	15.6	70	4	6	15	19	25	35	39
65+	53	16.3	107	1	6	13	21	34	36	43
TOT. SINGLE DX	31	7.1	33	1	1	6	11	16	19	19
" MULTIPLE DX	148	15.5	98	4	6	13	20	34	36	40
TOTAL 0-19 YRS	10	15.0	143	4	4	10	26	34	35	35
20-34	27	11.7	59	4	5	9	15	21	25	39
35-49	39	13.5	113	1	2	10	16	34	36	37
50-64	46	14.3	75	2	3	14	18	25	34	39
65+	57	15.2	115	1	2	13	21	34	36	43
GRAND TOTAL	**179**	**14.1**	**96**	**1**	**3**	**12**	**18**	**32**	**35**	**40**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	42	3.7	11	1	1	2	5	8	12	14
20-34	106	3.0	8	<1	1	1	4	7	8	15
35-49	119	2.2	6	<1	1	1	2	5	8	13
50-64	135	2.6	10	<1	1	1	3	7	10	17
65+	83	3.7	22	<1	1	1	5	10	13	27
2. MULTIPLE DX										
0-19 YRS	132	10.5	150	1	1	7	11	25	41	64
20-34	297	8.5	108	1	1	6	10	17	28	56
35-49	350	7.7	78	1	1	5	10	17	23	44
50-64	573	7.4	92	1	1	5	9	16	22	51
65+	801	8.5	72	1	1	7	11	16	24	43
TOT. SINGLE DX	485	2.9	12	<1	1	1	4	7	10	15
" MULTIPLE DX	2153	8.2	89	1	1	6	10	16	25	48
TOTAL 0-19 YRS	174	8.8	125	1	1	5	10	20	33	59
20-34	403	7.0	88	1	1	5	9	15	24	40
35-49	469	6.3	66	1	1	4	8	15	20	39
50-64	708	6.5	80	1	1	3	9	15	20	47
65+	884	8.0	70	1	1	6	10	16	23	42
GRAND TOTAL	**2638**	**7.2**	**79**	**1**	**1**	**5**	**9**	**15**	**22**	**44**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	205	4.6	3	2	3	4	5	7	9	10
20-34	2622	4.7	2	3	3	4	5	7	8	11
35-49	2463	4.9	2	3	3	5	6	7	8	10
50-64	2044	5.2	3	3	3	5	6	7	8	11
65+	1016	6.2	11	3	4	6	7	9	11	16
2. MULTIPLE DX										
0-19 YRS	191	6.3	14	3	3	5	7	10	12	17
20-34	2666	6.0	13	3	3	5	7	9	11	20
35-49	3445	6.3	13	3	4	5	7	10	12	20
50-64	4486	7.1	20	3	4	6	8	11	14	25
65+	5839	9.6	37	4	5	8	11	15	20	34
TOT. SINGLE DX	8350	5.1	4	3	3	5	6	7	8	12
" MULTIPLE DX	16627	7.6	26	3	4	6	9	12	16	28
TOTAL 0-19 YRS	396	5.4	9	3	3	5	6	9	10	15
20-34	5288	5.3	9	3	3	5	6	8	10	15
35-49	5908	5.7	10	3	3	5	6	8	10	17
50-64	6530	6.5	16	3	4	6	7	10	13	22
65+	6855	9.1	35	4	4	8	11	15	19	32
GRAND TOTAL	**24977**	**6.8**	**20**	**3**	**4**	**6**	**8**	**11**	**14**	**25**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	8.5	13	1	3	[illegible]	[illegible]	12	13	13
20-34	35	3.8	6	1	1	[illegible]	[illegible]	7	8	8
35-49	37	6.3	32	1	1	5	[illegible]	12	20	26
50-64	54	6.1	25	1	1	5	1	12	16	21
65+	84	6.3	25	1	1	6	[illegible]	11	17	25
2. MULTIPLE DX										
0-19 YRS	18	15.3	144	3	5	11	18	38	44	44
20-34	68	10.0	132	1	1	8	11	17	22	76
35-49	137	11.7	123	1	3	9	14	26	33	55
50-64	270	11.8	91	2	3	10	15	21	29	66
65+	801	12.7	75	2	4	11	16	23	28	47
TOT. SINGLE DX	218	5.9	24	1	1	5	8	11	15	23
" MULTIPLE DX	1294	12.3	88	2	3	10	15	23	29	50
TOTAL 0-19 YRS	26	13.2	112	2	5	10	15	26	43	44
20-34	103	7.9	98	1	1	6	10	15	19	63
35-49	174	10.6	109	1	2	8	12	22	29	50
50-64	324	10.8	85	1	2	9	14	20	26	59
65+	885	12.1	75	2	3	10	15	22	28	46
GRAND TOTAL	**1512**	**11.4**	**84**	**1**	**2**	**10**	**15**	**22**	**27**	**48**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	12.4	92	2	2	10	17	28	28	28
20-34	39	5.3	21	1	1	4	7	11	16	21
35-49	65	5.5	28	1	1	4	7	11	16	26
50-64	72	4.6	19	1	1	3	7	10	12	22
65+	66	4.8	23	1	1	3	7	13	16	21
2. MULTIPLE DX										
0-19 YRS	22	20.5	285	4	5	13	29	50	58	61
20-34	113	12.6	288	1	2	7	11	36	55	83
35-49	234	12.0	195	1	1	8	14	29	42	75
50-64	349	12.3	146	2	2	9	16	27	43	76
65+	543	11.9	164	1	2	8	14	27	40	78
TOT. SINGLE DX	247	5.2	25	1	1	4	7	12	16	26
" MULTIPLE DX	1261	12.2	179	1	2	8	15	28	43	76
TOTAL 0-19 YRS	27	19.0	255	3	4	13	29	45	57	61
20-34	152	10.7	229	1	1	6	10	21	52	76
35-49	299	10.6	166	1	1	7	12	26	36	75
50-64	421	11.0	133	1	2	8	15	24	38	68
65+	609	11.1	154	1	1	8	13	26	38	74
GRAND TOTAL	**1508**	**11.1**	**161**	**1**	**1**	**7**	**13**	**26**	**39**	**75**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	66	4.3	19	<1	1	3	5	8	14	23
20-34	219	3.6	6	<1	1	3	5	7	9	13
35-49	228	4.2	50	<1	<1	3	5	7	9	21
50-64	217	3.3	15	<1	<1	2	5	6	8	14
65+	221	3.5	6	<1	<1	3	5	8	9	11
2. MULTIPLE DX										
0-19 YRS	118	6.0	53	1	1	4	6	14	24	37
20-34	466	5.8	42	1	2	4	6	11	18	35
35-49	685	5.8	37	1	2	4	7	11	17	33
50-64	1222	5.8	31	1	1	4	7	11	15	28
65+	3442	6.5	28	1	2	5	8	12	16	29
TOT. SINGLE DX	951	3.7	20	<1	<1	3	5	7	9	17
" MULTIPLE DX	5933	6.2	32	1	2	5	8	12	16	30
TOTAL 0-19 YRS	184	5.4	42	1	1	3	6	12	18	31
20-34	685	5.1	32	1	1	4	6	9	14	30
35-49	913	5.4	41	<1	1	4	6	10	16	33
50-64	1439	5.4	30	<1	1	4	6	10	14	27
65+	3663	6.3	28	1	2	5	8	12	16	27
GRAND TOTAL	**6884**	**5.9**	**31**	**1**	**1**	**4**	**7**	**11**	**15**	**29**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1042	1.2		<1	<1	1	1	2	2	4
20-34	1570	1.6		<1	1	1	2	3	3	5
35-49	1433	1.6		<1	1	1	2	3	3	4
50-64	1903	1.8	1	<1	1	1	2	3	4	6
65+	1339	2.1	1	<1	1	2	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	646	1.6	5	<1	<1	1	1	3	4	12
20-34	566	2.1	6	1	1	2	3	3	4	7
35-49	802	2.2	3	1	1	2	3	4	5	10
50-64	1658	2.4	3	1	1	2	3	4	6	11
65+	3007	3.3	10	1	1	2	4	6	9	18
TOT. SINGLE DX	7287	1.7	1	<1	<1	1	2	3	4	5
" MULTIPLE DX	6679	2.7	8	<1	1	2	3	5	7	15
TOTAL 0-19 YRS	1688	1.4	2	<1	<1	1	1	2	3	5
20-34	2136	1.7	2	<1	1	1	2	3	4	5
35-49	2235	1.8	2	<1	1	1	2	3	4	6
50-64	3561	2.1	3	<1	1	2	3	4	5	8
65+	4346	2.9	8	1	1	2	4	5	8	16
GRAND TOTAL	**13966**	**2.2**	**5**	**<1**	**1**	**2**	**3**	**4**	**5**	**11**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	331	1.1		<1	<1	<1	1	2	2	3
20-34	183	1.8		1	1	2	2	3	4	4
35-49	244	2.2	1	1	1	2	3	4	4	5
50-64	358	2.1	1	1	1	2	3	4	4	5
65+	195	2.6	2	1	1	2	3	4	6	8
2. MULTIPLE DX										
0-19 YRS	340	2.8	75	<1	<1	1	2	4	23	99+
20-34	94	2.2	1	1	1	2	3	4	5	6
35-49	206	2.5	6	1	1	2	3	4	5	10
50-64	364	2.7	3	1	1	2	3	5	6	10
65+	546	3.4	7	1	1	3	4	6	9	15
TOT. SINGLE DX	1311	1.9	1	<1	<1	1	2	4	4	6
" MULTIPLE DX	1550	2.9	21	<1	1	2	3	5	7	26
TOTAL 0-19 YRS	671	2.0	39	<1	<1	1	1	2	4	99+
20-34	277	1.9	1	1	1	2	3	4	4	5
35-49	450	2.3	4	1	1	2	3	4	4	8
50-64	722	2.4	2	1	1	2	3	4	5	7
65+	741	3.2	7	1	1	3	4	6	8	14
GRAND TOTAL	**2861**	**2.5**	**12**	**<1**	**<1**	**2**	**3**	**4**	**6**	**15**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	1.0		<1	<1	1	1	1	1	1
20-34	52	1.7		<1	1	1	2	3	4	4
35-49	57	2.2	2	<1	1	2	3	4	6	9
50-64	84	2.0	1	<1	1	2	2	4	4	8
65+	100	3.0	3	1	1	3	4	6	6	8
2. MULTIPLE DX										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	22	2.1	1	1	1	2	3	4	5	5
35-49	38	2.3	2	1	1	2	3	5	6	7
50-64	76	4.8	39	1	1	3	5	11	14	37
65+	278	6.3	83	1	1	4	7	13	17	48
TOT. SINGLE DX	300	2.3	2	1	1	2	3	4	6	8
" MULTIPLE DX	418	5.4	65	1	1	3	6	11	15	32
TOTAL 0-19 YRS	11	1.3		<1	<1	1	1	2	3	3
20-34	74	1.8	1	<1	1	1	3	3	4	5
35-49	95	2.3	2	1	1	2	3	4	6	8
50-64	160	3.3	22	1	1	2	4	5	10	28
65+	378	5.4	64	1	1	4	6	11	15	27
GRAND TOTAL	**718**	**4.1**	**41**	**1**	**1**	**3**	**4**	**8**	**13**	**24**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	138	1.1		<1	<1	<1	1	1	2	5
20-34	120	1.7	1	<1	<1	1	2	3	4	5
35-49	184	1.6		<1	<1	1	2	3	3	4
50-64	160	2.0	1	<1	<1	2	2	4	5	6
65+	74	2.8	4	<1	1	2	4	5	7	10
2. MULTIPLE DX										
0-19 YRS	55	5.1	117	<1	<1	1	3	18	34	55
20-34	70	2.8	7	<1	1	2	3	5	7	18
35-49	176	2.7	3	1	1	2	4	5	6	9
50-64	217	3.4	10	<1	1	3	4	7	9	15
65+	201	4.5	30	1	1	3	6	8	11	30
TOT. SINGLE DX	676	1.7	1	<1	<1	1	2	3	4	6
" MULTIPLE DX	719	3.6	22	<1	1	3	4	7	9	24
TOTAL 0-19 YRS	193	2.3	36	<1	<1	<1	1	2	5	36
20-34	190	2.1	4	<1	<1	1	3	4	5	8
35-49	360	2.1	2	<1	1	2	3	4	5	8
50-64	377	2.8	7	<1	1	2	3	6	7	13
65+	275	4.1	24	1	1	3	5	8	11	21
GRAND TOTAL	**1395**	**2.7**	**13**	**<1**	**<1**	**2**	**3**	**5**	**7**	**15**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	46	1.6	1	<1	<1	1	2	3	4	6
20-34	210	2.3	2	<1	1	2	3	4	5	7
35-49	420	3.0	3	1	1	3	4	6	7	8
50-64	486	3.2	3	1	1	3	4	6	7	9
65+	333	3.4	4	1	1	3	4	6	7	8
2. MULTIPLE DX										
0-19 YRS	33	3.9	17	<1	<1	3	5	8	15	19
20-34	178	4.1	8	1	1	3	5	8	10	13
35-49	481	4.8	11	1	1	4	6	8	11	18
50-64	799	5.3	13	1	2	5	6	9	12	21
65+	1078	6.1	28	1	2	5	7	11	14	25
TOT. SINGLE DX	1495	3.0	3	1	1	3	4	6	7	8
" MULTIPLE DX	2569	5.4	19	1	2	5	7	10	12	22
TOTAL 0-19 YRS	79	2.5	9	<1	<1	1	3	6	7	18
20-34	388	3.1	6	1	1	3	4	6	8	11
35-49	901	3.9	8	1	1	3	5	7	9	14
50-64	1285	4.5	11	1	1	4	6	8	10	17
65+	1411	5.4	24	1	1	4	7	10	12	23
GRAND TOTAL	**4064**	**4.5**	**15**	**1**	**1**	**4**	**6**	**8**	**10**	**19**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	6.1	4	3	3	6	8	9	9	9
20-34	7	3.9	9	1	1	3	6	9	9	9
35-49	16	6.0	6	2	3	6	8	9	10	11
50-64	26	4.7	5	1	1	5	6	8	8	9
65+	21	7.8	14	1	2	8	10	12	14	16
2. MULTIPLE DX										
0-19 YRS	17	13.8	316	1	1	7	21	60	89	99+
20-34	44	8.7	160	2	3	7	8	12	20	86
35-49	83	8.2	31	3	4	7	9	12	17	37
50-64	137	8.2	16	4	5	7	9	13	16	25
65+	173	11.2	73	5	6	9	11	20	25	52
TOT. SINGLE DX	77	5.8	10	1	1	6	8	9	11	15
" MULTIPLE DX	454	9.6	68	3	5	8	10	15	21	52
TOTAL 0-19 YRS	24	11.6	234	1	2	7	13	30	80	99+
20-34	51	8.0	142	1	2	7	8	11	17	85
35-49	99	7.8	28	3	4	7	9	11	15	37
50-64	163	7.6	17	3	4	7	9	12	15	24
65+	194	10.8	68	5	5	9	11	17	24	52
GRAND TOTAL	**531**	**9.0**	**61**	**3**	**4**	**7**	**10**	**15**	**21**	**51**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	112	3.4	7	<1	<1	2	5	8	9	11
20-34	183	3.6	7	<1	1	3	5	6	9	13
35-49	125	4.0	8	<1	1	3	6	8	9	12
50-64	99	4.5	14	<1	1	4	6	9	12	20
65+	82	5.7	27	1	1	4	7	11	18	26
2. MULTIPLE DX										
0-19 YRS	150	6.5	44	<1	1	5	8	13	21	39
20-34	381	6.5	57	1	1	4	7	13	18	36
35-49	536	8.3	67	1	2	7	10	17	22	39
50-64	888	8.9	63	1	2	7	11	18	24	45
65+	1152	10.2	70	2	3	8	13	20	27	42
TOT. SINGLE DX	601	4.1	12	<1	1	3	5	8	10	18
" MULTIPLE DX	3107	8.9	67	1	2	7	11	18	24	42
TOTAL 0-19 YRS	262	5.1	31	<1	<1	4	6	10	14	27
20-34	564	5.6	43	1	1	4	6	11	15	35
35-49	661	7.5	59	1	1	6	9	15	19	34
50-64	987	8.4	60	1	2	6	10	18	23	44
65+	1234	9.9	69	1	2	8	13	20	27	41
GRAND TOTAL	**3708**	**8.1**	**61**	**1**	**1**	**6**	**10**	**17**	**23**	**39**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	183	4.7	11	2	2	4	5	8	11	18
20-34	375	4.5	8	1	2	4	5	8	9	16
35-49	134	6.1	17	2	2	5	7	11	18	21
50-64	98	6.4	16	2	2	6	8	11	14	23
65+	60	9.2	59	4	5	8	10	12	18	56
2. MULTIPLE DX										
0-19 YRS	272	8.8	106	2	3	6	10	16	26	74
20-34	932	7.1	56	2	3	5	8	12	19	57
35-49	477	10.3	118	2	3	7	11	20	29	73
50-64	440	12.2	100	3	4	9	14	26	36	55
65+	705	14.1	120	4	6	11	17	26	37	56
TOT. SINGLE DX	850	5.3	17	2	2	4	6	9	12	20
" MULTIPLE DX	2826	10.3	102	2	3	7	12	21	29	60
TOTAL 0-19 YRS	455	7.2	73	2	2	5	8	13	18	53
20-34	1307	6.4	44	2	3	5	7	11	16	49
35-49	611	9.3	99	2	3	7	10	18	25	58
50-64	538	11.2	91	3	4	8	13	22	33	52
65+	765	13.7	117	4	5	10	16	25	36	57
GRAND TOTAL	**3676**	**9.2**	**87**	**2**	**3**	**6**	**11**	**18**	**26**	**54**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	232	2.6	4	<1	<1	2	4	6	7	9
20-34	948	2.0	2	<1	<1	1	3	4	5	9
35-49	145	1.8	3	<1	<1	1	2	3	5	8
50-64	23	1.8	2	<1	<1	1	2	4	6	7
65+	6	1.7		1	1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	247	3.2	8	<1	1	2	4	6	8	12
20-34	1387	2.7	7	<1	<1	2	4	6	7	11
35-49	291	2.4	5	<1	<1	1	3	6	7	11
50-64	49	4.0	28	<1	<1	2	6	10	12	32
65+	49	7.0	59	1	1	3	9	21	24	33
TOT. SINGLE DX	1354	2.1	3	<1	<1	1	3	5	6	9
" MULTIPLE DX	2023	2.8	9	<1	<1	2	4	6	8	13
TOTAL 0-19 YRS	479	2.9	7	<1	<1	2	4	6	7	10
20-34	2335	2.4	6	<1	<1	1	3	5	7	10
35-49	436	2.2	5	<1	<1	1	3	5	6	10
50-64	72	3.3	21	<1	<1	1	3	8	12	28
65+	55	6.4	56	1	1	3	9	19	23	33
GRAND TOTAL	**3377**	**2.5**	**7**	**<1**	**<1**	**1**	**3**	**5**	**7**	**11**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	85	5.7	14	1	2	5	8	10	13	20
20-34	325	5.1	12	<1	1	4	7	9	12	17
35-49	207	7.0	46	1	2	6	8	12	16	32
50-64	172	7.6	13	2	3	7	9	12	15	18
65+	156	8.4	22	1	3	8	10	14	17	26
2. MULTIPLE DX										
0-19 YRS	207	12.0	187	1	2	7	14	28	39	76
20-34	1055	5.6	22	1	2	4	7	10	13	26
35-49	738	8.7	71	1	2	6	10	17	25	46
50-64	691	10.7	80	2	3	9	13	20	25	58
65+	1090	13.4	91	3	5	11	17	24	30	65
TOT. SINGLE DX	945	6.6	23	1	2	6	8	12	15	24
" MULTIPLE DX	3781	9.7	81	1	3	7	12	20	25	51
TOTAL 0-19 YRS	292	10.1	145	1	2	6	11	23	33	70
20-34	1380	5.5	20	1	1	4	7	10	13	25
35-49	945	8.3	66	1	2	6	10	16	23	44
50-64	863	10.1	69	2	3	8	12	18	24	51
65+	1246	12.8	85	3	5	10	16	23	29	62
GRAND TOTAL	**4726**	**9.1**	**71**	**1**	**2**	**7**	**11**	**18**	**24**	**46**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	24	7.0	16	3	3	7	8	10	15	22
20-34	26	6.9	7	5	5	6	7	9	12	18
35-49	60	7.1	5	4	5	7	8	9	12	15
50-64	75	7.7	17	5	5	7	8	10	16	30
65+	49	8.3	11	5	5	8	9	13	15	21
2. MULTIPLE DX										
0-19 YRS	87	8.8	33	3	3	8	11	16	22	32
20-34	110	10.7	91	4	4	8	12	19	27	88
35-49	181	9.1	25	4	5	8	10	15	21	29
50-64	361	10.6	46	5	5	9	12	17	20	45
65+	538	12.4	67	5	6	10	14	22	27	41
TOT. SINGLE DX	234	7.5	12	4	5	7	8	11	14	21
" MULTIPLE DX	1277	11.0	57	5	5	9	13	19	25	41
TOTAL 0-19 YRS	111	8.4	30	3	3	7	10	15	22	29
20-34	136	10.0	77	4	5	7	11	18	25	83
35-49	241	8.6	22	4	5	7	9	14	19	28
50-64	436	10.1	43	5	5	8	12	17	20	43
65+	587	12.0	64	5	6	9	14	21	27	39
GRAND TOTAL	**1511**	**10.5**	**51**	**4**	**5**	**8**	**12**	**18**	**23**	**37**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	169	3.9	11	1	1	3	5	8	10	13
20-34	285	4.6	13	1	1	4	6	8	10	22
35-49	265	4.9	13	1	1	4	6	9	11	20
50-64	226	5.1	11	1	1	4	7	10	12	17
65+	98	5.3	11	1	1	5	8	9	12	15
2. MULTIPLE DX										
0-19 YRS	265	7.4	59	1	1	5	9	18	24	36
20-34	564	7.9	54	1	1	6	10	17	22	35
35-49	580	8.7	87	1	1	7	11	17	23	52
50-64	652	7.8	52	1	2	6	10	15	19	40
65+	681	9.6	71	1	2	8	12	20	25	40
TOT. SINGLE DX	1043	4.7	13	1	1	4	7	9	11	18
" MULTIPLE DX	2742	8.4	66	1	2	7	11	17	23	41
TOTAL 0-19 YRS	434	6.0	44	1	1	4	8	13	19	33
20-34	849	6.8	43	1	1	5	8	14	20	28
35-49	845	7.5	67	1	1	6	9	15	21	47
50-64	878	7.1	43	1	1	6	9	13	17	36
65+	779	9.1	66	1	2	7	12	19	24	38
GRAND TOTAL	**3785**	**7.4**	**54**	**1**	**1**	**6**	**9**	**15**	**20**	**37**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	3.2	5	<1	<1	3	4	7	9	9
20-34	152	4.6	7	1	1	4	6	8	9	11
35-49	159	5.3	8	1	2	5	7	9	10	16
50-64	151	6.1	14	1	2	5	8	11	14	15
65+	77	6.1	7	1	1	6	8	10	11	12
2. MULTIPLE DX										
0-19 YRS	24	5.5	12	1	1	6	8	9	11	14
20-34	138	6.1	19	1	2	5	8	11	14	22
35-49	207	7.0	33	1	2	6	9	12	14	38
50-64	264	8.0	55	1	2	7	10	14	18	42
65+	347	8.7	46	1	2	8	11	16	20	33
TOT. SINGLE DX	552	5.4	10	1	1	5	7	9	11	15
" MULTIPLE DX	980	7.7	42	1	2	7	10	14	17	33
TOTAL 0-19 YRS	37	4.7	11	<1	1	4	7	9	10	14
20-34	290	5.3	14	1	1	5	7	9	11	18
35-49	366	6.3	23	1	2	6	8	10	12	24
50-64	415	7.3	41	1	2	6	9	13	15	33
65+	424	8.2	40	1	2	7	10	15	17	32
GRAND TOTAL	**1532**	**6.9**	**32**	**1**	**2**	**6**	**9**	**12**	**15**	**29**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	133	5.4	4	2	3	5	7	8	9	14
20-34	10	6.8	2	4	4	7	8	9	9	9
35-49	3	6.3	6	4	4	6	8	9	9	9
50-64	7	7.7	8	3	3	9	10	11	11	11
65+	11	7.8	20	2	3	7	11	15	16	16
2. MULTIPLE DX										
0-19 YRS	203	6.8	19	2	3	6	8	11	13	18
20-34	39	8.7	22	3	4	8	10	14	20	26
35-49	38	9.8	13	4	5	10	11	14	18	20
50-64	54	11.9	44	6	6	11	13	17	23	44
65+	73	13.3	52	5	6	12	15	22	31	38
TOT. SINGLE DX	164	5.8	6	2	3	5	7	9	10	15
" MULTIPLE DX	407	9.1	35	3	4	8	11	15	19	34
TOTAL 0-19 YRS	336	6.2	14	2	3	6	7	10	12	17
20-34	49	8.3	19	3	4	7	9	13	18	26
35-49	41	9.5	13	4	5	9	11	14	17	20
50-64	61	11.4	42	5	6	10	13	17	22	43
65+	84	12.6	51	4	5	12	15	21	31	37
GRAND TOTAL	**571**	**8.1**	**29**	**3**	**3**	**7**	**10**	**13**	**17**	**32**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	45	3.6	6	<1	1	3	5	6	9	12
20-34	428	2.9	2	1	1	3	4	5	6	8
35-49	516	2.9	3	1	1	2	4	6	7	9
50-64	328	3.1	4	1	1	3	4	6	7	10
65+	135	2.9	4	1	1	2	4	6	7	11
2. MULTIPLE DX										
0-19 YRS	57	6.1	24	1	1	5	7	13	15	29
20-34	271	4.2	14	1	1	3	5	8	9	17
35-49	369	4.3	16	1	1	3	5	9	11	17
50-64	354	4.8	30	1	1	4	6	9	11	21
65+	367	6.1	33	1	1	5	8	14	18	27
TOT. SINGLE DX	1452	3.0	4	1	1	2	4	6	7	9
" MULTIPLE DX	1418	5.0	25	1	1	4	6	10	13	23
TOTAL 0-19 YRS	102	5.0	18	<1	1	4	6	10	13	23
20-34	699	3.4	8	1	1	3	4	6	8	12
35-49	885	3.5	10	1	1	3	5	7	9	13
50-64	682	4.0	19	1	1	3	5	8	10	15
65+	502	5.3	28	1	1	4	6	11	16	25
GRAND TOTAL	**2870**	**4.0**	**15**	**1**	**1**	**3**	**5**	**8**	**10**	**18**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	136	1.6	2	<1	<1	<1	1	3	5	8
20-34	215	2.8	6	<1	<1	2	4	6	8	11
35-49	224	3.2	8	<1	<1	2	4	6	8	11
50-64	231	2.9	7	<1	<1	2	4	6	8	13
65+	181	2.5	4	<1	<1	2	3	5	6	12
2. MULTIPLE DX										
0-19 YRS	186	2.9	10	<1	<1	1	4	8	10	15
20-34	352	5.9	44	1	1	4	7	12	18	30
35-49	469	5.7	44	<1	1	4	7	11	15	45
50-64	783	6.0	47	<1	1	4	7	13	19	35
65+	1855	7.7	54	1	1	6	10	16	22	37
TOT. SINGLE DX	987	2.7	7	<1	<1	2	4	6	7	11
" MULTIPLE DX	3645	6.7	50	<1	1	5	8	14	20	36
TOTAL 0-19 YRS	322	2.3	7	<1	<1	1	3	6	9	14
20-34	567	4.7	32	<1	1	3	6	10	14	27
35-49	693	4.9	34	<1	1	3	6	10	13	34
50-64	1014	5.3	40	<1	1	3	6	11	18	32
65+	2036	7.3	52	1	1	5	9	15	22	36
GRAND TOTAL	**4632**	**5.8**	**43**	**<1**	**1**	**4**	**7**	**13**	**18**	**33**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	1.5	2	<1	<1	1	1	4	5	5
20-34	35	1.9	2	<1	<1	1	2	3	4	10
35-49	113	2.2	3	<1	<1	1	2	4	6	11
50-64	388	2.0	2	<1	1	2	3	4	4	9
65+	800	2.3	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	11	2.8	3	<1	1	2	3	6	7	7
20-34	76	3.5	23	<1	1	2	4	7	12	30
35-49	151	4.6	54	1	1	2	5	8	13	37
50-64	737	3.3	14	1	1	2	4	6	8	21
65+	3061	4.4	23	1	1	3	5	9	13	25
TOT. SINGLE DX	1344	2.2	2	<1	1	2	3	4	5	8
" MULTIPLE DX	4036	4.2	23	1	1	3	5	8	12	24
TOTAL 0-19 YRS	19	2.3	3	<1	<1	2	3	5	6	7
20-34	111	3.0	17	<1	<1	2	3	6	11	24
35-49	264	3.5	34	<1	1	2	4	7	10	32
50-64	1125	2.9	10	1	1	2	3	5	7	17
65+	3861	4.0	19	1	1	3	5	8	11	22
GRAND TOTAL	**5380**	**3.7**	**18**	**1**	**1**	**3**	**4**	**7**	**10**	**22**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	38	3.7	11	<1	1	3	5	7	9	19
20-34	48	3.5	6	1	1	3	4	8	9	11
35-49	101	3.8	7	<1	1	3	5	7	9	14
50-64	143	4.6	18	<1	1	3	6	11	14	19
65+	172	4.9	18	1	1	3	8	11	13	19
2. MULTIPLE DX										
0-19 YRS	146	7.5	66	1	1	5	9	17	21	45
20-34	167	9.6	160	1	2	6	10	22	32	92
35-49	209	7.0	52	1	1	5	9	15	24	42
50-64	431	8.4	80	1	1	6	11	17	26	53
65+	1163	8.2	65	1	1	6	11	17	23	39
TOT. SINGLE DX	502	4.4	15	1	1	3	6	10	13	18
" MULTIPLE DX	2116	8.2	75	1	1	5	11	17	25	46
TOTAL 0-19 YRS	184	6.7	57	1	1	4	8	15	19	45
20-34	215	8.2	133	1	1	5	9	16	30	88
35-49	310	5.9	40	1	1	4	7	13	18	34
50-64	574	7.5	68	1	1	5	10	16	22	49
65+	1335	7.7	60	1	1	5	10	16	22	38
GRAND TOTAL	**2618**	**7.4**	**66**	**1**	**1**	**5**	**10**	**15**	**22**	**42**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	2	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64	4	2.3	3	<1	<1	1	3	5	5	5
65+	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	20	1.8	3	<1	<1	1	2	4	7	9
20-34	3	5.0	13	2	2	4	8	9	9	9
35-49	3	3.7	6	1	1	4	5	6	6	6
50-64	9	2.1	1	<1	<1	2	3	4	5	5
65+	11	7.5	80	1	1	6	9	21	30	31
TOT. SINGLE DX	25	1.4	1	<1	<1	<1	<1	3	4	5
" MULTIPLE DX	46	3.5	26	<1	<1	2	4	9	10	31
TOTAL 0-19 YRS	37	1.4	2	<1	<1	<1	1	2	4	9
20-34	5	3.4	11	<1	<1	2	5	9	9	9
35-49	3	3.7	6	1	1	4	5	6	6	6
50-64	13	2.2	2	<1	<1	2	3	5	5	5
65+	13	6.8	69	1	1	4	8	18	29	31
GRAND TOTAL	**71**	**2.8**	**18**	**<1**	**<1**	**1**	**3**	**6**	**9**	**28**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	290	2.8	6	<1	<1	2	4	6	8	14
20-34	74	2.2	2	<1	<1	2	3	4	5	10
35-49	51	2.5	2	<1	1	2	4	5	6	7
50-64	57	3.0	3	<1	1	3	4	6	6	8
65+	54	2.5	3	<1	1	2	3	5	6	10
2. MULTIPLE DX										
0-19 YRS	150	3.5	11	<1	<1	2	5	8	10	18
20-34	75	4.8	53	<1	1	3	5	9	12	47
35-49	78	5.0	55	1	1	3	5	10	15	46
50-64	126	5.0	44	1	1	4	6	9	13	40
65+	148	4.2	32	1	1	3	6	8	11	19
TOT. SINGLE DX	526	2.7	5	<1	<1	2	3	6	7	11
" MULTIPLE DX	577	4.4	36	1	1	3	5	8	12	38
TOTAL 0-19 YRS	440	3.1	8	<1	<1	2	4	7	8	15
20-34	149	3.5	30	<1	1	2	4	6	11	39
35-49	129	4.0	36	1	1	2	5	7	13	44
50-64	183	4.4	32	1	1	3	5	7	11	36
65+	202	3.8	25	1	1	3	5	7	10	18
GRAND TOTAL	**1103**	**3.6**	**22**	**<1**	**1**	**2**	**4**	**7**	**9**	**18**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	31	1.1		<1	<1	<1	1	1	2	4
20-34	14	2.1	1	<1	1	2	3	4	4	4
35-49	22	2.1	1	<1	<1	2	3	4	5	6
50-64	15	2.0	1	<1	<1	2	2	4	5	5
65+	11	2.3	3	<1	<1	1	3	6	6	6
2. MULTIPLE DX										
0-19 YRS	86	1.5	2	<1	<1	<1	1	2	4	10
20-34	55	3.9	19	<1	<1	3	6	8	11	26
35-49	86	4.9	19	<1	1	3	7	11	15	20
50-64	111	5.2	46	<1	1	3	7	9	16	47
65+	342	7.0	34	1	1	6	10	15	19	30
TOT. SINGLE DX	93	1.8	2	<1	<1	1	2	4	5	6
" MULTIPLE DX	680	5.5	32	<1	<1	4	7	13	16	27
TOTAL 0-19 YRS	117	1.4	2	<1	<1	<1	1	2	4	8
20-34	69	3.6	16	<1	<1	3	4	8	9	25
35-49	108	4.3	17	<1	1	3	6	10	15	19
50-64	126	4.8	43	<1	1	3	6	9	15	46
65+	353	6.9	34	1	1	5	9	14	19	30
GRAND TOTAL	**773**	**5.0**	**30**	**<1**	**<1**	**3**	**7**	**11**	**15**	**26**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	36	1.1		<1	<1	<1	1	2	2	3
20-34	80	2.3	4	<1	1	1	3	5	6	13
35-49	64	2.1	4	<1	1	1	2	6	7	11
50-64	60	2.5	5	1	1	2	3	6	8	12
65+	66	2.2	2	1	1	2	3	5	5	9
2. MULTIPLE DX										
0-19 YRS	65	1.9	4	<1	<1	1	2	4	8	11
20-34	123	3.2	36	<1	1	1	4	6	9	29
35-49	91	2.6	6	<1	1	1	3	5	7	14
50-64	128	3.9	17	<1	1	2	5	10	13	22
65+	359	4.5	24	1	1	3	6	10	14	20
TOT. SINGLE DX	306	2.1	4	<1	1	1	2	5	6	10
" MULTIPLE DX	766	3.7	22	<1	1	2	5	8	12	19
TOTAL 0-19 YRS	101	1.6	3	<1	<1	1	1	3	5	10
20-34	203	2.8	24	<1	1	1	3	6	8	17
35-49	155	2.4	5	<1	1	1	3	5	7	11
50-64	188	3.5	14	<1	1	2	4	8	12	20
65+	425	4.1	22	1	1	2	5	9	12	19
GRAND TOTAL	**1072**	**3.3**	**17**	**<1**	**1**	**2**	**4**	**7**	**10**	**17**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	44	4.6	2	2	3	5	5	6	7	9
35-49	173	4.8	2	2	3	5	6	7	8	8
50-64	184	5.0	2	2	3	5	6	7	8	9
65+	85	5.7	5	2	3	6	7	9	9	14
2. MULTIPLE DX										
0-19 YRS	4	4.8	4	2	2	5	6	7	7	7
20-34	69	5.1	2	3	3	5	6	7	7	9
35-49	382	5.5	3	3	3	5	7	8	9	12
50-64	391	6.0	11	3	4	6	7	8	10	14
65+	267	6.5	8	3	3	6	8	10	11	16
TOT. SINGLE DX	487	5.0	3	2	3	5	6	7	8	10
" MULTIPLE DX	1113	5.9	8	3	3	6	7	8	10	14
TOTAL 0-19 YRS	5	5.0	4	2	2	5	6	7	7	7
20-34	113	4.9	2	2	3	5	6	7	7	9
35-49	555	5.3	3	3	3	5	6	7	8	11
50-64	575	5.7	9	3	3	5	7	8	9	13
65+	352	6.3	8	3	3	6	8	9	11	16
GRAND TOTAL	**1600**	**5.6**	**6**	**3**	**3**	**5**	**7**	**8**	**9**	**13**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	26	4.4	2	2	2	4	6	6	7	8
35-49	132	4.3	2	2	2	4	5	6	7	9
50-64	145	4.8	4	2	2	4	6	8	9	11
65+	95	5.1	4	2	3	5	6	7	8	12
2. MULTIPLE DX										
0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	37	4.8	1	3	3	5	6	6	7	8
35-49	224	4.8	3	2	3	4	6	8	9	11
50-64	286	5.3	5	2	3	5	6	8	10	14
65+	297	5.7	7	2	3	5	7	9	11	17
TOT. SINGLE DX	399	4.7	4	2	2	5	6	7	8	10
" MULTIPLE DX	846	5.3	6	2	3	5	6	8	9	14
TOTAL 0-19 YRS	3	4.3	5	3	3	3	6	7	7	7
20-34	63	4.7	2	2	3	5	6	6	7	8
35-49	356	4.7	3	2	3	4	6	7	9	10
50-64	431	5.1	5	2	3	5	6	8	9	14
65+	392	5.6	7	2	3	5	7	8	10	15
GRAND TOTAL	**1245**	**5.1**	**5**	**2**	**3**	**5**	**6**	**8**	**9**	**13**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	3.0	4	<1	<1	2	4	6	6	6
20-34	23	3.2	4	<1	1	3	4	6	8	8
35-49	18	3.5	6	<1	1	3	5	7	9	10
50-64	23	4.4	7	1	2	4	7	8	10	12
65+	9	2.8	2	1	1	3	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	[illegible]	5.3	52	1	1	3	5	12	25	30
20-34	39	4.8	15	1	1	4	7	9	13	17
35-49	43	5.3	16	1	1	4	8	12	13	15
50-64	73	6.7	43	1	1	5	8	14	19	33
65+	86	9.1	150	1	1	5	10	23	33	69
TOT. SINGLE DX	77	3.6	6	1	1	3	5	7	8	11
" MULTIPLE DX	257	6.9	73	1	1	4	8	14	22	38
TOTAL 0-19 YRS	20	4.8	43	<1	1	3	5	10	21	30
20-34	62	4.2	12	1	1	3	6	8	10	17
35-49	61	4.8	14	1	1	4	7	11	12	15
50-64	96	6.2	35	1	1	4	7	13	18	32
65+	95	8.5	139	1	1	4	9	21	30	68
GRAND TOTAL	**334**	**6.1**	**59**	**1**	**1**	**4**	**7**	**13**	**19**	**35**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	16	3.1	6	1	1	2	5	7	8	9
35-49	23	3.2	12	1	1	2	4	8	11	16
50-64	17	2.6	23	1	1	1	2	4	15	21
65+	24	1.8	4	1	1	1	2	5	7	9
2. MULTIPLE DX										
0-19 YRS	6	6.5	7	2	2	7	9	9	9	9
20-34	34	7.2	51	1	2	6	8	15	24	37
35-49	38	7.5	33	1	1	6	10	16	21	23
50-64	46	7.4	39	1	1	6	11	15	19	27
65+	60	8.0	129	1	1	5	8	16	26	62
TOT. SINGLE DX	81	2.7	11	1	1	1	3	6	9	19
" MULTIPLE DX	184	7.5	68	1	1	6	9	15	20	51
TOTAL 0-19 YRS	7	6.6	6	2	3	7	9	9	9	9
20-34	50	5.9	40	1	1	4	7	9	18	37
35-49	61	5.9	30	1	1	4	8	14	18	23
50-64	63	6.1	39	1	1	4	9	14	19	27
65+	84	6.2	101	1	1	3	7	13	17	61
GRAND TOTAL	**265**	**6.1**	**55**	**1**	**1**	**4**	**8**	**13**	**17**	**37**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	3.7	4	2	2	3	5	6	6	6
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	38	3.4	2	1	2	3	4	6	6	7
50-64	948	3.8	2	2	2	4	5	5	6	7
65+	1850	4.0	2	2	2	4	5	6	7	9
2. MULTIPLE DX										
0-19 YRS	14	5.4	19	<1	2	4	6	12	17	18
20-34	12	4.5	4	1	2	4	6	7	8	8
35-49	117	4.9	35	2	2	4	5	7	10	37
50-64	3116	4.4	12	2	2	4	5	7	9	17
65+	11694	5.5	17	2	3	4	6	9	12	22
TOT. SINGLE DX	2840	3.9	3	2	2	4	5	6	6	9
" MULTIPLE DX	14953	5.3	16	2	2	4	6	9	12	21
TOTAL 0-19 YRS	17	5.1	17	1	2	4	6	10	16	18
20-34	13	4.2	5	<1	1	4	6	7	8	8
35-49	155	4.5	28	2	2	4	5	7	8	28
50-64	4064	4.3	10	2	2	4	5	6	8	15
65+	13544	5.3	16	2	3	4	6	9	12	21
GRAND TOTAL	**17793**	**5.1**	**15**	**2**	**2**	**4**	**6**	**8**	**11**	**20**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	5	6.4	2	4	4	7	7	8	8	8
50-64	142	8.2	9	4	5	8	9	11	13	21
65+	182	8.2	8	4	5	8	9	12	13	18
2. MULTIPLE DX										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	3	6.7	54	1	1	4	12	15	15	15
35-49	16	10.1	28	1	5	9	13	15	21	24
50-64	299	9.0	17	4	5	8	10	14	17	24
65+	969	10.0	28	5	6	9	11	16	19	27
TOT. SINGLE DX	331	8.1	9	4	5	8	9	12	13	19
" MULTIPLE DX	1289	9.7	26	5	6	8	11	15	18	27
TOTAL 0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	4	5.3	44	1	1	3	9	15	15	15
35-49	21	9.2	25	2	5	8	12	15	19	24
50-64	441	8.7	15	4	5	8	10	13	16	23
65+	1151	9.7	26	5	6	8	11	15	18	27
GRAND TOTAL	**1620**	**9.4**	**23**	**5**	**6**	**8**	**11**	**14**	**18**	**26**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	1	5.0		5	5	5	5	5	5	5
35-49	18	1.5		<1	<1	1	2	3	3	3
50-64	134	1.7	1	<1	<1	1	2	3	4	7
65+	209	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
0-19 YRS										
20-34	2	5.5	13	3	3	5	8	8	8	8
35-49	23	4.7	67	<1	<1	2	3	15	24	37
50-64	241	3.4	20	<1	1	2	4	7	11	28
65+	694	4.1	24	1	1	2	5	10	13	23
TOT. SINGLE DX	364	1.6	1	<1	<1	1	2	3	4	7
" MULTIPLE DX	960	3.9	24	1	1	2	5	9	13	25
TOTAL 0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	3	5.3	6	3	3	5	7	8	8	8
35-49	41	3.3	40	<1	<1	1	2	6	15	37
50-64	375	2.8	14	<1	<1	2	3	6	9	22
65+	903	3.5	20	<1	1	2	4	8	12	21
GRAND TOTAL	**1324**	**3.3**	**19**	**<1**	**1**	**2**	**4**	**8**	**11**	**21**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	72	1.4		<1	<1	1	1	2	3	6
20-34	63	1.7	1	<1	<1	1	2	4	4	6
35-49	52	1.6	1	<1	<1	1	2	3	3	7
50-64	39	2.1	2	<1	<1	2	2	4	5	10
65+	32	2.1	2	1	1	2	2	4	7	8
2. MULTIPLE DX										
0-19 YRS	53	1.8	3	<1	<1	1	2	3	6	12
20-34	57	6.1	99	<1	1	3	6	13	24	60
35-49	63	3.4	13	<1	1	2	4	8	12	16
50-64	58	6.0	145	1	1	2	6	10	15	83
65+	101	5.4	41	1	1	3	7	10	14	42
TOT. SINGLE DX	258	1.7	2	<1	<1	1	2	3	4	7
" MULTIPLE DX	332	4.6	60	<1	1	2	5	10	14	42
TOTAL 0-19 YRS	125	1.5	2	<1	<1	1	2	2	4	8
20-34	120	3.8	52	<1	<1	2	4	7	12	46
35-49	115	2.6	9	<1	<1	1	3	7	9	15
50-64	97	4.4	91	<1	1	2	4	8	12	62
65+	133	4.6	34	1	1	3	6	10	13	42
GRAND TOTAL	**590**	**3.4**	**37**	**<1**	**<1**	**2**	**3**	**7**	**10**	**30**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	91	1.4		<1	<1	1	2	3	3	6
20-34	195	1.9	3	1	1	1	2	3	5	11
35-49	83	2.0	3	<1	1	1	3	4	5	10
50-64	64	1.8	1	<1	1	1	2	3	5	7
65+	131	2.0	2	<1	1	1	2	4	6	8
2. MULTIPLE DX										
0-19 YRS	85	2.1	6	<1	1	1	2	4	5	17
20-34	125	2.9	9	1	1	2	3	6	10	16
35-49	65	3.8	30	1	1	2	4	8	10	37
50-64	136	5.0	64	1	1	3	5	11	17	41
65+	697	5.7	55	1	1	3	7	14	20	37
TOT. SINGLE DX	564	1.8	3	<1	1	1	2	3	5	9
" MULTIPLE DX	1108	4.9	48	1	1	2	6	12	17	35
TOTAL 0-19 YRS	176	1.8	4	<1	<1	1	2	3	5	7
20-34	320	2.3	6	1	1	1	3	5	7	13
35-49	148	2.8	16	<1	1	2	3	7	9	13
50-64	200	4.0	46	<1	1	2	4	8	14	30
65+	828	5.1	49	1	1	2	6	13	18	35
GRAND TOTAL	**1672**	**3.9**	**35**	**1**	**1**	**2**	**4**	**9**	**14**	**30**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	460	1.3		<1	<1	1	1	2	3	4
20-34	85	1.5		<1	<1	1	2	2	3	5
35-49	11	1.5	1	<1	<1	1	2	3	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	318	1.6	11	<1	<1	1	2	2	3	7
20-34	25	1.4		1	1	1	2	3	3	4
35-49	6	1.3		1	1	1	2	2	2	2
50-64	2	3.5	1	3	3	3	4	4	4	4
65+										
TOT. SINGLE DX	558	1.3	1	<1	<1	1	1	2	3	4
" MULTIPLE DX	351	1.6	10	<1	<1	1	2	2	3	7
TOTAL 0-19 YRS	778	1.4	5	<1	<1	1	1	2	3	6
20-34	110	1.4	1	<1	<1	1	2	3	3	5
35-49	17	1.5	1	<1	<1	1	2	3	4	4
50-64	3	3.0	1	2	2	3	4	4	4	4
65+	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**909**	**1.4**	**4**	**<1**	**<1**	**1**	**1**	**2**	**3**	**5**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	97	1.4		<1	<1	1	1	2	3	6
20-34	58	1.8	2	<1	<1	1	2	4	5	8
35-49	25	1.4	1	<1	<1	1	2	2	4	5
50-64	12	1.8	1	<1	<1	1	2	3	4	4
65+	3	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	55	1.9	3	<1	<1	1	2	4	4	13
20-34	40	3.0	19	<1	<1	1	3	6	11	25
35-49	18	2.1	2	<1	<1	1	2	5	6	6
50-64	10	6.7	165	<1	<1	3	4	24	43	43
65+	13	3.7	4	1	1	3	5	7	9	9
TOT. SINGLE DX	195	1.5	1	<1	<1	1	2	3	4	6
" MULTIPLE DX	136	2.8	20	<1	<1	1	3	5	7	28
TOTAL 0-19 YRS	152	1.6	2	<1	<1	1	2	3	4	6
20-34	98	2.3	9	<1	<1	1	3	4	6	20
35-49	43	1.7	2	<1	<1	1	2	4	5	6
50-64	22	4.0	78	<1	<1	2	3	5	21	43
65+	16	3.2	5	1	1	3	4	6	8	9
GRAND TOTAL	**331**	**2.0**	**9**	**<1**	**<1**	**1**	**2**	**4**	**5**	**13**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	13	1.1		<1	<1	<1	1	1	2	2
35-49	14	1.1		<1	<1	<1	<1	1	2	2
50-64	2	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
2. MULTIPLE DX										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	8	12.0	870	<1	<1	2	3	60	85	85
35-49	5	3.8	27	<1	<1	1	5	13	13	13
50-64										
65+										
TOT. SINGLE DX	30	1.1		<1	<1	<1	1	1	2	2
" MULTIPLE DX	14	9.6	500	<1	<1	2	3	26	72	85
TOTAL 0-19 YRS	2	10.0	162	1	1	10	19	19	19	19
20-34	21	5.2	334	<1	<1	1	1	3	40	85
35-49	19	1.8	8	<1	<1	<1	1	3	8	13
50-64	2	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
GRAND TOTAL	**44**	**3.8**	**167**	**<1**	**<1**	**<1**	**1**	**3**	**15**	**85**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	154	1.2		<1	<1	1	1	2	2	3
20-34	206	1.5		<1	<1	1	2	3	3	7
35-49	175	1.3		<1	<1	1	1	2	3	4
50-64	135	1.6		<1	<1	1	2	3	3	5
65+	69	1.7	1	<1	1	1	2	3	3	7
2. MULTIPLE DX										
0-19 YRS	116	1.6	1	<1	<1	1	2	3	4	7
20-34	145	1.7	2	<1	<1	1	2	3	4	9
35-49	118	1.6	1	<1	<1	1	2	3	4	5
50-64	140	2.4	6	1	1	2	3	4	6	16
65+	160	3.1	12	1	1	2	3	5	9	18
TOT. SINGLE DX	739	1.4	1	<1	<1	1	2	2	3	5
" MULTIPLE DX	679	2.1	6	<1	<1	1	2	4	5	14
TOTAL 0-19 YRS	270	1.4	1	<1	<1	1	1	2	3	5
20-34	351	1.6	2	<1	<1	1	2	3	3	7
35-49	293	1.4	1	<1	<1	1	1	2	3	5
50-64	275	2.0	4	<1	1	1	2	3	5	10
65+	229	2.7	9	1	1	2	3	4	8	17
GRAND TOTAL	**1418**	**1.7**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**	**9**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	258	1.1		<1	<1	<1	1	1	2	2
20-34	36	1.1		<1	<1	1	1	2	2	2
35-49	26	1.2		<1	<1	1	1	2	2	2
50-64	17	1.2		<1	<1	1	1	2	3	3
65+	19	1.1		<1	<1	1	1	1	2	2
2. MULTIPLE DX										
0-19 YRS	70	2.7	38	<1	<1	1	1	3	14	37
20-34	19	1.5		<1	<1	1	2	3	4	4
35-49	40	4.0	100	<1	<1	1	2	6	16	61
50-64	43	2.5	12	<1	<1	1	3	4	7	23
65+	74	3.7	22	<1	1	2	4	7	11	27
TOT. SINGLE DX	356	1.1		<1	<1	<1	1	1	2	2
" MULTIPLE DX	246	3.1	36	<1	<1	1	2	6	9	29
TOTAL 0-19 YRS	328	1.4	9	<1	<1	<1	1	2	2	16
20-34	55	1.2		<1	<1	1	1	2	2	4
35-49	66	2.8	62	<1	<1	1	2	3	7	55
50-64	60	2.2	9	<1	<1	1	2	4	6	21
65+	93	3.2	19	<1	<1	1	3	7	9	26
GRAND TOTAL	**602**	**1.9**	**16**	**<1**	**<1**	**1**	**1**	**3**	**5**	**23**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	62	2.1	5	<1	<1	1	3	5	6	14
20-34	30	2.5	3	<1	<1	2	4	4	5	9
35-49	52	2.6	5	<1	1	2	3	5	8	13
50-64	164	2.4	5	1	1	2	3	4	5	9
65+	122	2.4	3	1	1	2	3	4	5	10
2. MULTIPLE DX										
0-19 YRS	40	2.5	5	<1	<1	1	3	5	8	12
20-34	70	5.0	38	1	1	3	5	12	17	37
35-49	181	4.2	32	1	1	3	4	7	9	57
50-64	438	3.2	10	1	1	3	4	5	8	14
65+	361	3.3	8	1	1	3	4	5	8	19
TOT. SINGLE DX	430	2.4	5	<1	1	2	3	4	5	10
" MULTIPLE DX	1090	3.5	16	1	1	3	4	6	9	19
TOTAL 0-19 YRS	102	2.2	5	<1	<1	1	3	5	7	13
20-34	100	4.3	29	<1	1	3	4	9	15	31
35-49	233	3.9	27	1	1	3	4	7	9	27
50-64	602	3.0	9	1	1	2	3	5	7	14
65+	483	3.1	7	1	1	2	4	5	7	16
GRAND TOTAL	**1520**	**3.2**	**13**	**1**	**1**	**2**	**4**	**5**	**8**	**17**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	186	3.7	2	1	2	4	4	5	6	9
20-34	688	3.7	1	2	2	4	4	5	6	7
35-49	101	4.0	2	2	2	4	5	6	7	9
50-64	19	4.8	7	2	3	4	5	7	11	15
65+	7	6.7	2	5	5	6	7	9	10	10
2. MULTIPLE DX										
0-19 YRS	211	3.9	2	1	2	4	5	6	6	10
20-34	1388	4.2	4	2	2	4	5	6	7	11
35-49	249	4.7	6	2	3	4	5	7	9	18
50-64	37	6.8	9	3	3	6	8	12	14	15
65+	49	10.6	40	5	6	9	11	19	26	33
TOT. SINGLE DX	1001	3.8	2	2	2	4	5	5	6	8
" MULTIPLE DX	1934	4.5	6	2	3	4	5	6	8	14
TOTAL 0-19 YRS	397	3.8	2	1	2	4	5	6	6	9
20-34	2076	4.0	3	2	2	4	5	6	7	10
35-49	350	4.5	6	2	2	4	5	6	8	13
50-64	56	6.1	10	3	3	5	8	9	14	15
65+	56	10.1	37	5	6	8	10	16	25	33
GRAND TOTAL	**2935**	**4.2**	**5**	**2**	**2**	**4**	**5**	**6**	**7**	**13**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	90	4.3	2	2	3	4	5	6	8	11
20-34	600	4.2	2	2	3	4	5	6	7	10
35-49	226	4.3	1	3	3	4	5	6	7	9
50-64	32	5.7	8	2	3	5	6	11	12	15
65+	21	5.5	6	3	4	5	6	8	11	14
2. MULTIPLE DX										
0-19 YRS	118	5.1	7	2	3	4	6	8	10	18
20-34	1455	4.8	4	3	3	4	5	7	8	14
35-49	734	5.1	13	3	3	5	5	7	9	16
50-64	90	7.4	27	3	4	6	8	14	20	75
65+	110	9.7	36	4	5	8	11	17	20	35
TOT. SINGLE DX	969	4.3	2	2	3	4	5	6	7	10
" MULTIPLE DX	2507	5.2	11	3	3	5	6	8	10	18
TOTAL 0-19 YRS	208	4.7	6	2	3	4	5	7	8	15
20-34	2055	4.6	4	2	3	4	5	6	8	12
35-49	960	4.9	11	3	3	4	5	7	9	15
50-64	122	7.0	23	3	3	6	8	13	17	55
65+	131	9.0	34	4	4	7	10	16	18	35
GRAND TOTAL	**3476**	**4.9**	**9**	**3**	**3**	**4**	**5**	**7**	**9**	**17**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	61	4.4	1	2	3	4	5	6	7	8
35-49	122	4.5	1	3	3	4	5	6	7	8
50-64	77	5.4	8	3	3	5	6	7	9	20
65+	34	5.9	1	4	4	6	7	7	9	9
2. MULTIPLE DX										
0-19 YRS	9	4.4	1	3	3	5	5	6	6	6
20-34	463	4.9	6	3	3	4	5	7	8	15
35-49	846	5.4	7	3	3	5	6	8	9	14
50-64	324	7.2	16	3	4	6	9	13	16	22
65+	249	9.4	30	4	5	8	11	17	21	29
TOT. SINGLE DX	295	4.9	4	3	3	5	6	7	7	12
" MULTIPLE DX	1891	6.1	14	3	3	5	7	10	13	22
TOTAL 0-19 YRS	10	4.3	1	3	3	4	5	6	6	6
20-34	524	4.8	6	3	3	4	5	7	8	13
35-49	968	5.3	7	3	3	5	6	8	9	14
50-64	401	6.9	15	3	4	6	8	12	16	21
65+	283	9.0	28	4	5	7	10	16	20	29
GRAND TOTAL	**2186**	**6.0**	**13**	**3**	**3**	**5**	**6**	**9**	**12**	**20**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	53	2.6	2	<1	<1	2	4	4	5	7
20-34	215	2.3	3	<1	<1	1	3	4	6	8
35-49	67	1.6	2	<1	<1	1	1	3	4	10
50-64	4	5.5	9	<1	<1	6	7	8	8	8
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	48	3.9	6	1	1	3	5	7	9	13
20-34	604	3.4	4	<1	1	3	5	6	6	11
35-49	170	3.0	6	<1	<1	2	5	6	7	10
50-64	14	4.4	4	1	2	4	6	8	8	8
65+	3	2.3	5	<1	<1	1	4	5	5	5
TOT. SINGLE DX	340	2.3	4	<1	<1	1	3	4	6	8
" MULTIPLE DX	839	3.4	5	<1	<1	3	5	6	7	11
TOTAL 0-19 YRS	101	3.2	5	<1	1	3	4	6	7	11
20-34	819	3.1	5	<1	<1	3	4	5	6	10
35-49	237	2.6	6	<1	<1	1	4	5	6	11
50-64	18	4.7	5	<1	1	5	6	8	8	8
65+	4	3.8	12	<1	<1	3	6	8	8	8
GRAND TOTAL	**1179**	**3.1**	**5**	**<1**	**<1**	**3**	**4**	**5**	**6**	**10**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	3.0	8	<1	<1	2	5	5	5	5
20-34	509	1.1		<1	<1	<1	1	1	1	3
35-49	302	1.0		<1	<1	<1	<1	1	1	2
50-64	2	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
2. MULTIPLE DX										
0-19 YRS	4	1.0		<1	<1	1	1	1	1	1
20-34	312	1.7	2	<1	<1	1	2	3	4	9
35-49	204	1.3		<1	<1	<1	1	2	3	5
50-64										
65+										
TOT. SINGLE DX	815	1.1		<1	<1	<1	1	1	1	3
" MULTIPLE DX	520	1.5	2	<1	<1	1	2	3	4	8
TOTAL 0-19 YRS	6	1.7	3	<1	<1	1	1	5	5	5
20-34	821	1.3	1	<1	<1	<1	1	2	3	6
35-49	506	1.1		<1	<1	<1	1	1	2	4
50-64	2	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
GRAND TOTAL	**1335**	**1.2**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**5**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	1.6		<1	<1	1	2	3	3	3
20-34	720	1.6		<1	<1	1	2	3	3	5
35-49	305	1.4		<1	<1	1	2	2	3	4
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
0-19 YRS	19	2.7	4	1	1	3	3	5	8	10
20-34	1841	2.6	3	1	1	2	3	4	5	8
35-49	472	2.7	2	<1	1	2	3	5	6	8
50-64	4	9.5	155	<1	<1	4	16	28	28	28
65+										
TOT. SINGLE DX	1034	1.5	1	<1	<1	1	2	3	3	4
" MULTIPLE DX	2336	2.6	4	1	1	2	3	4	5	8
TOTAL 0-19 YRS	27	2.4	4	<1	<1	2	3	4	6	10
20-34	2561	2.3	3	<1	1	2	3	4	4	7
35-49	777	2.2	2	<1	<1	2	3	4	5	8
50-64	5	7.8	131	<1	<1	4	11	28	28	28
65+										
GRAND TOTAL	**3370**	**2.3**	**3**	**<1**	**<1**	**2**	**3**	**4**	**4**	**7**

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	129	3.5	1	2	2	3	4	5	5	7
20-34	1706	3.5	1	2	2	4	4	5	5	6
35-49	266	3.5	1	2	2	3	4	5	5	7
50-64	1	5.0		5	5	5	5	5	5	5
65+										
2. MULTIPLE DX										
0-19 YRS	142	4.2	3	2	2	4	5	7	8	11
20-34	2447	3.9	1	2	3	4	5	5	6	8
35-49	446	4.0	2	2	2	4	5	6	6	10
50-64	10	8.1	28	1	2	7	12	16	18	18
65+	5	6.0	13	2	2	5	7	12	12	12
TOT. SINGLE DX	2102	3.5	2	2	2	4	4	5	5	6
" MULTIPLE DX	3050	3.9	2	2	3	4	5	5	6	9
TOTAL 0-19 YRS	271	3.9	3	2	2	4	4	6	7	10
20-34	4153	3.7	2	2	2	4	4	5	6	8
35-49	712	3.8	2	2	2	4	4	5	6	9
50-64	11	7.8	26	1	3	7	11	16	18	18
65+	5	6.0	14	2	2	5	7	12	12	12
GRAND TOTAL	**5152**	**3.8**	**2**	**2**	**2**	**4**	**4**	**5**	**6**	**8**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	1.3		<1	<1	1	2	2	2	2
20-34	224	1.2		<1	<1	1	1	2	2	5
35-49	109	1.4	1	<1	<1	1	1	2	3	7
50-64	31	1.2		<1	<1	1	1	2	2	3
65+	18	1.6	2	<1	<1	1	1	3	5	7
2. MULTIPLE DX										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	170	1.7	2	<1	<1	1	2	4	6	7
35-49	99	2.2	7	<1	<1	1	2	4	7	17
50-64	51	2.1	5	<1	<1	1	2	4	6	15
65+	31	2.4	3	<1	<1	2	3	5	8	8
TOT. SINGLE DX	391	1.3	1	<1	<1	1	1	2	2	6
" MULTIPLE DX	354	1.9	4	<1	<1	1	2	4	6	8
TOTAL 0-19 YRS	12	1.3		<1	<1	1	2	2	2	2
20-34	394	1.4	1	<1	<1	1	1	2	4	6
35-49	208	1.8	4	<1	<1	1	2	4	5	9
50-64	82	1.7	4	<1	<1	1	2	3	5	13
65+	49	2.1	3	<1	<1	1	2	4	7	8
GRAND TOTAL	**745**	**1.6**	**2**	**<1**	**<1**	**1**	**2**	**3**	**5**	**8**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	2.5	9	<1	<1	<1	4	7	7	7
20-34	33	1.4		<1	<1	1	2	2	4	4
35-49	34	1.7	2	<1	<1	1	2	3	6	7
50-64	20	2.4	3	<1	<1	2	3	5	6	7
65+	24	2.8	3	<1	1	2	3	6	7	7
2. MULTIPLE DX										
0-19 YRS	4	1.0		1	1	1	1	1	1	1
20-34	56	1.9	3	<1	<1	1	2	5	6	7
35-49	61	3.3	16	<1	<1	1	4	7	12	22
50-64	64	4.5	21	<1	<1	3	6	10	13	23
65+	105	5.4	47	1	1	4	6	9	10	45
TOT. SINGLE DX	115	2.0	3	<1	<1	1	2	4	7	7
" MULTIPLE DX	290	4.0	28	<1	<1	2	5	8	10	24
TOTAL 0-19 YRS	8	1.8	5	<1	<1	1	1	5	7	7
20-34	89	1.7	2	<1	<1	1	2	4	5	7
35-49	95	2.7	12	<1	<1	1	3	7	8	20
50-64	84	4.0	18	<1	<1	3	5	10	11	23
65+	129	4.9	40	1	1	3	6	8	10	37
GRAND TOTAL	**405**	**3.4**	**21**	**<1**	**<1**	**2**	**5**	**7**	**9**	**21**

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	24	1.7		<1	1	2	2	3	3	3
20-34	444	1.7	3	<1	1	1	2	3	4	6
35-49	58	1.4		<1	<1	1	2	2	3	6
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
0-19 YRS	8	4.0	12	1	1	3	6	10	11	11
20-34	153	2.6	3	1	1	2	3	5	7	11
35-49	31	2.4	5	1	1	2	3	5	7	11
50-64	2	4.5	5	3	3	4	6	6	6	6
65+										
TOT. SINGLE DX	527	1.7	3	<1	1	1	2	3	4	6
" MULTIPLE DX	194	2.6	4	1	1	2	3	5	8	11
TOTAL 0-19 YRS	32	2.3	4	1	1	2	3	3	8	11
20-34	597	1.9	3	<1	1	1	2	4	5	8
35-49	89	1.8	2	<1	<1	1	2	3	5	9
50-64	3	3.3	6	1	1	3	5	6	6	6
65+										
GRAND TOTAL	**721**	**1.9**	**3**	**<1**	**1**	**1**	**2**	**3**	**5**	**9**

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	3.2	2	<1	<1	3	4	5	5	5
20-34	156	3.9	2	1	1	4	5	6	6	8
35-49	72	4.2	2	1	1	4	5	6	7	9
50-64	8	2.5	2	1	1	2	4	5	5	5
65+	3	2.3	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	11	5.2	5	1	2	5	6	8	10	10
20-34	413	4.3	3	1	2	4	5	6	7	10
35-49	188	4.5	5	1	2	4	6	7	8	18
50-64	22	5.1	26	<1	<1	3	9	11	16	20
65+	27	4.4	14	<1	1	3	6	8	15	15
TOT. SINGLE DX	244	3.9	3	1	1	4	5	6	6	8
" MULTIPLE DX	661	4.4	5	1	1	4	5	6	8	15
TOTAL 0-19 YRS	16	4.6	5	<1	1	5	5	7	9	10
20-34	569	4.2	3	1	2	4	5	6	7	8
35-49	260	4.4	5	1	1	4	5	6	8	16
50-64	30	4.4	21	<1	1	2	5	10	14	20
65+	30	4.2	13	<1	1	3	5	8	15	15
GRAND TOTAL	**905**	**4.3**	**5**	**1**	**1**	**4**	**5**	**6**	**7**	**12**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	6.3	13	4	4	4	10	12	12	12
20-34	591	4.9	3	3	3	5	5	6	7	11
35-49	1147	5.1	1	3	4	5	6	6	7	9
50-64	408	5.4	2	3	4	5	6	7	8	10
65+	240	6.0	2	4	4	6	7	8	9	12
2. MULTIPLE DX										
0-19 YRS	52	5.5	5	3	3	5	6	10	12	97
20-34	5556	5.3	3	3	4	5	6	7	8	13
35-49	13321	5.4	4	3	4	5	6	7	8	12
50-64	3299	6.0	8	4	4	5	7	8	10	16
65+	1635	7.4	12	4	5	6	8	11	14	22
TOT. SINGLE DX	2392	5.2	3	3	4	5	6	7	8	10
" MULTIPLE DX	23863	5.6	5	3	4	5	6	8	9	14
TOTAL 0-19 YRS	58	5.6	6	3	3	5	6	11	12	92
20-34	6147	5.3	4	3	4	5	6	7	8	12
35-49	14468	5.4	4	3	4	5	6	7	8	12
50-64	3707	5.9	7	4	4	5	6	8	10	15
65+	1875	7.2	12	4	5	6	8	11	14	21
GRAND TOTAL	**26255**	**5.5**	**5**	**3**	**4**	**5**	**6**	**7**	**9**	**14**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	4.0		4	4	4	4	4	4	4
20-34	439	4.0	1	2	3	4	5	5	6	8
35-49	604	4.2	2	2	3	4	5	6	7	9
50-64	202	5.0	2	3	3	5	6	7	8	9
65+	180	5.9	2	3	4	6	7	8	9	11
2. MULTIPLE DX										
0-19 YRS	15	5.3	3	2	3	5	7	8	8	8
20-34	2458	4.3	2	3	3	4	5	6	7	9
35-49	4796	4.6	2	3	3	4	5	6	7	9
50-64	1145	5.4	3	3	4	5	6	8	8	12
65+	924	6.3	6	4	4	6	7	8	10	15
TOT. SINGLE DX	1429	4.5	3	2	3	4	5	6	7	9
" MULTIPLE DX	9338	4.8	3	3	3	5	6	7	8	11
TOTAL 0-19 YRS	19	5.0	3	2	3	4	7	8	8	8
20-34	2897	4.3	2	2	3	4	5	6	7	8
35-49	5400	4.5	3	3	3	4	5	6	7	9
50-64	1347	5.4	3	3	4	5	6	7	8	12
65+	1104	6.2	6	4	4	6	7	8	10	14
GRAND TOTAL	**10767**	**4.7**	**3**	**3**	**3**	**4**	**6**	**7**	**8**	**10**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	16	8.8	1	6	8	9	9	10	11	12
35-49	15	9.9	6	7	7	10	11	13	15	16
50-64	2	8.5	5	7	7	8	10	10	10	10
65+	3	19.3	142	11	11	14	28	33	33	33
2. MULTIPLE DX										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	26	11.8	17	5	6	11	15	18	31	99+
35-49	43	13.4	107	5	7	10	12	29	42	51
50-64	33	14.2	65	6	7	11	19	24	31	41
65+	39	15.2	137	5	6	13	17	25	30	75
TOT. SINGLE DX	36	10.1	20	7	7	9	10	13	15	33
" MULTIPLE DX	142	13.8	88	5	7	11	16	23	33	77
TOTAL 0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	42	10.6	13	5	7	9	12	17	19	99+
35-49	58	12.5	83	6	7	10	12	21	38	50
50-64	35	13.9	64	6	7	10	19	23	30	41
65+	42	15.5	136	5	6	13	18	28	32	75
GRAND TOTAL	**178**	**13.0**	**77**	**6**	**7**	**10**	**15**	**22**	**32**	**68**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	42	1.3		<1	<1	1	1	2	3	4
20-34	194	1.3		<1	<1	1	1	2	3	5
35-49	42	1.3		<1	<1	1	1	2	3	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	22	2.1	3	<1	1	2	3	5	41	99+
20-34	173	2.7	9	<1	<1	1	3	5	7	19
35-49	37	2.2	6	<1	<1	1	2	5	7	14
50-64										
65+										
TOT. SINGLE DX	278	1.3	1	<1	<1	1	1	2	3	4
" MULTIPLE DX	232	2.6	9	<1	<1	1	3	5	7	21
TOTAL 0-19 YRS	64	1.6	2	<1	<1	1	2	3	4	86
20-34	367	1.9	5	<1	<1	1	2	4	5	12
35-49	79	1.7	4	<1	<1	1	1	4	5	12
50-64										
65+										
GRAND TOTAL	**510**	**1.9**	**5**	**<1**	**<1**	**1**	**2**	**4**	**5**	**13**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	728	1.3	1	<1	<1	1	1	2	3	5
20-34	4270	1.3		<1	<1	1	1	2	3	5
35-49	1299	1.2		<1	<1	1	1	1	2	4
50-64	316	1.1		<1	<1	<1	1	1	2	5
65+	162	1.3		<1	<1	1	1	2	3	3
2. MULTIPLE DX										
0-19 YRS	332	2.5	25	<1	<1	1	2	5	7	20
20-34	2349	2.2	9	<1	<1	1	2	4	5	13
35-49	1588	1.9	11	<1	<1	1	2	4	5	12
50-64	563	2.3	24	<1	<1	1	2	5	7	21
65+	455	2.9	18	<1	<1	1	3	7	10	27
TOT. SINGLE DX	6775	1.2	1	<1	<1	1	1	2	3	5
" MULTIPLE DX	5287	2.2	14	<1	<1	1	2	4	6	16
TOTAL 0-19 YRS	1060	1.7	9	<1	<1	1	2	3	4	9
20-34	6619	1.6	4	<1	<1	1	1	3	4	7
35-49	2887	1.6	7	<1	<1	1	1	3	4	9
50-64	879	1.9	16	<1	<1	<1	1	3	6	16
65+	617	2.5	14	<1	<1	1	2	6	9	25
GRAND TOTAL	**12062**	**1.7**	**7**	**<1**	**<1**	**1**	**1**	**3**	**4**	**10**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	70	1.2		<1	<1	<1	1	1	2	6
20-34	318	1.3	11	<1	<1	<1	1	2	2	4
35-49	44	1.2		<1	<1	1	1	2	3	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	45	3.9	49	<1	<1	1	3	11	15	42
20-34	270	2.3	11	<1	<1	1	2	5	7	20
35-49	50	2.2	6	<1	<1	1	2	5	7	14
50-64										
65+										
TOT. SINGLE DX	432	1.3	8	<1	<1	<1	1	1	2	4
" MULTIPLE DX	365	2.5	16	<1	<1	1	2	5	7	21
TOTAL 0-19 YRS	115	2.2	21	<1	<1	<1	1	4	8	27
20-34	568	1.8	12	<1	<1	1	1	3	5	12
35-49	94	1.7	4	<1	<1	1	1	3	5	12
50-64										
65+										
GRAND TOTAL	**797**	**1.8**	**12**	**<1**	**<1**	**1**	**1**	**3**	**5**	**14**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	145	1.2		<1	<1	1	1	2	3	5
20-34	967	1.2		<1	<1	1	1	1	2	3
35-49	180	1.1		<1	<1	1	1	1	2	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	50	2.1	7	<1	<1	1	2	3	4	19
20-34	283	1.9	3	<1	<1	1	2	4	5	10
35-49	63	1.9	2	<1	<1	1	2	4	5	10
50-64	9	6.3	104	1	1	3	5	23	33	33
65+	6	7.5	37	1	1	6	12	16	17	17
TOT. SINGLE DX	1292	1.2	1	<1	<1	1	1	1	2	3
" MULTIPLE DX	411	2.1	7	<1	<1	1	2	4	5	14
TOTAL 0-19 YRS	195	1.5	3	<1	<1	1	1	2	3	9
20-34	1250	1.3	1	<1	<1	1	1	2	3	5
35-49	243	1.3	1	<1	<1	1	1	2	3	5
50-64	9	6.3	104	1	1	3	5	23	33	33
65+	6	7.5	37	1	1	6	12	16	17	17
GRAND TOTAL	**1703**	**1.4**	**2**	**<1**	**<1**	**1**	**1**	**2**	**3**	**6**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	13	3.2	3	<1	1	3	4	5	6	6
35-49	1	8.0		8	8	8	8	8	8	8
50-64	4	4.5		4	4	4	5	5	5	5
65+	5	5.6	5	4	4	4	7	9	9	9
2. MULTIPLE DX										
0-19 YRS	6	4.5		3	3	5	5	5	5	5
20-34	134	4.5	2	3	3	4	5	6	7	10
35-49	15	4.9	3	3	3	4	5	9	9	9
50-64	8	6.3	12	2	3	5	7	12	14	14
65+	10	6.3	4	3	3	6	7	9	10	10
TOT. SINGLE DX	25	4.2	4	<1	1	4	5	7	8	9
" MULTIPLE DX	173	4.7	3	3	3	4	5	7	8	10
TOTAL 0-19 YRS	8	4.5	1	3	3	5	5	5	5	5
20-34	147	4.4	2	2	3	4	5	6	7	10
35-49	16	5.1	4	3	3	5	6	9	9	9
50-64	12	5.7	9	2	3	5	6	10	13	14
65+	15	6.1	5	3	4	6	7	9	10	10
GRAND TOTAL	**198**	**4.7**	**3**	**2**	**3**	**4**	**5**	**7**	**8**	**10**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	29	2.1	1	<1	<1	1	3	4	5	5
20-34	129	2.3	2	<1	<1	1	3	5	6	7
35-49	46	2.0	1	<1	<1	1	3	4	5	6
50-64	10	2.6	3	<1	<1	2	3	5	7	7
65+	6	3.5	2	2	2	3	4	6	6	6
2. MULTIPLE DX										
0-19 YRS	26	2.7	2	<1	1	3	3	4	5	7
20-34	240	3.0	4	<1	<1	3	4	5	6	10
35-49	94	2.9	4	<1	<1	3	4	5	6	11
50-64	26	4.4	12	1	2	3	5	8	14	17
65+	45	3.6	5	1	2	3	4	5	9	13
TOT. SINGLE DX	220	2.3	3	<1	<1	1	3	5	6	7
" MULTIPLE DX	431	3.1	5	<1	1	3	4	5	6	13
TOTAL 0-19 YRS	55	2.4	2	<1	<1	3	3	4	5	7
20-34	369	2.7	4	<1	<1	2	4	5	6	10
35-49	140	2.6	4	<1	<1	2	4	5	6	8
50-64	36	3.9	11	<1	1	3	4	8	12	17
65+	51	3.6	5	1	2	3	4	6	9	13
GRAND TOTAL	**651**	**2.8**	**4**	**<1**	**<1**	**3**	**4**	**5**	**6**	**11**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	53	3.2	3	1	1	3	4	6	7	9
35-49	139	4.0	3	2	2	4	5	6	7	10
50-64	281	4.4	3	2	2	4	5	6	8	11
65+	247	4.4	2	2	3	4	5	6	7	9
2. MULTIPLE DX										
0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34	92	3.8	3	1	1	4	5	6	8	10
35-49	375	5.3	14	2	3	5	6	8	9	12
50-64	614	5.1	3	2	3	5	6	7	8	12
65+	653	5.7	7	3	3	5	7	8	10	14
TOT. SINGLE DX	722	4.2	3	2	2	4	5	6	7	9
" MULTIPLE DX	1736	5.3	8	2	3	5	6	8	9	12
TOTAL 0-19 YRS	4	3.3	3	<1	<1	3	4	5	5	5
20-34	145	3.6	4	1	1	3	5	6	8	9
35-49	514	4.9	12	2	2	4	6	8	9	12
50-64	895	4.9	4	2	3	5	6	7	8	12
65+	900	5.3	7	2	3	5	6	8	9	13
GRAND TOTAL	**2458**	**5.0**	**7**	**2**	**3**	**5**	**6**	**7**	**9**	**12**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	25	2.0	5	<1	<1	1	2	5	7	12
20-34	120	2.7	3	<1	1	2	3	5	6	10
35-49	45	3.0	5	<1	1	2	4	5	8	12
50-64	30	4.2	4	1	1	5	6	7	7	7
65+	24	5.9	17	1	1	6	7	10	14	20
2. MULTIPLE DX										
0-19 YRS	29	4.3	15	1	1	3	7	11	14	14
20-34	94	3.1	6	<1	1	2	4	7	9	12
35-49	55	4.7	12	1	1	4	6	8	12	16
50-64	93	5.5	10	2	2	5	7	9	10	21
65+	75	6.7	11	3	4	6	8	10	13	21
TOT. SINGLE DX	244	3.2	7	<1	1	3	4	6	8	12
" MULTIPLE DX	346	4.9	12	1	1	4	6	9	11	16
TOTAL 0-19 YRS	54	3.3	12	<1	<1	2	4	8	12	14
20-34	214	2.9	5	<1	1	2	4	5	7	11
35-49	100	3.9	10	1	1	3	5	8	11	16
50-64	123	5.2	9	1	2	5	6	8	10	17
65+	99	6.5	13	1	3	6	8	10	13	21
GRAND TOTAL	**590**	**4.2**	**10**	**1**	**1**	**4**	**6**	**6**	**10**	**15**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	46	2.8	8	<1	<1	2	3	6	6	18
20-34	170	2.5	5	<1	<1	2	3	5	8	12
35-49	71	2.8	5	<1	<1	2	4	6	7	11
50-64	28	3.3	4	<1	<1	3	4	6	7	10
65+	51	3.7	2	1	2	4	4	6	6	10
2. MULTIPLE DX										
0-19 YRS	62	3.3	9	1	1	2	4	7	9	16
20-34	252	4.2	14	<1	1	3	5	9	11	20
35-49	109	5.3	27	1	1	4	7	11	14	28
50-64	162	5.3	19	1	2	5	6	9	13	16
65+	237	5.9	28	1	2	5	7	10	15	29
TOT. SINGLE DX	366	2.8	5	<1	<1	2	4	5	7	11
" MULTIPLE DX	822	5.0	21	1	1	4	6	9	13	22
TOTAL 0-19 YRS	108	3.1	9	<1	1	2	4	6	8	17
20-34	422	3.5	11	<1	<1	3	4	7	10	19
35-49	180	4.3	20	<1	<1	3	6	9	12	20
50-64	190	5.0	18	1	1	4	6	9	12	16
65+	288	5.5	24	1	2	4	6	9	13	26
GRAND TOTAL	**1188**	**4.3**	**17**	**<1**	**1**	**3**	**5**	**8**	**12**	**19**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	49	1.5	1	<1	<1	1	2	3	4	5
20-34	131	1.4	1	<1	<1	1	1	2	4	7
35-49	81	1.4	1	<1	<1	1	1	2	3	7
50-64	35	1.3	1	<1	<1	1	1	2	3	7
65+	10	1.9		<1	<1	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	26	4.8	138	<1	<1	2	4	5	17	62
20-34	113	3.1	11	<1	1	2	3	6	7	20
35-49	54	3.8	47	1	1	2	3	7	11	43
50-64	54	5.7	52	<1	1	3	7	15	23	35
65+	69	6.9	107	<1	1	3	8	18	20	62
TOT. SINGLE DX	306	1.4	1	<1	<1	1	1	2	3	7
" MULTIPLE DX	316	4.6	57	<1	1	2	4	9	17	45
TOTAL 0-19 YRS	75	2.7	50	<1	<1	1	2	4	5	48
20-34	244	2.2	7	<1	<1	1	2	4	7	14
35-49	135	2.3	21	<1	<1	1	2	4	7	30
50-64	89	4.0	36	<1	<1	1	4	10	16	33
65+	79	6.3	97	<1	<1	3	7	17	20	60
GRAND TOTAL	**622**	**3.0**	**32**	**<1**	**<1**	**1**	**3**	**6**	**9**	**30**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	8	5.4	16	<1	<1	5	9	10	10	10
35-49	6	5.0	6	2	2	5	6	9	9	9
50-64	21	6.0	18	<1	1	6	8	12	15	15
65+	12	4.5	10	<1	1	4	7	9	10	10
2. MULTIPLE DX										
0-19 YRS	1	46.0		46	46	73	99+	99+	99+	99+
20-34	3	6.0	61	1	1	2	12	15	15	15
35-49	9	9.4	31	2	2	9	12	18	19	19
50-64	22	9.0	43	1	2	7	13	16	23	29
65+	50	10.5	71	2	2	9	14	21	22	49
TOT. SINGLE DX	47	5.4	14	<1	1	5	8	10	12	15
" MULTIPLE DX	85	10.3	74	1	2	9	14	21	24	82
TOTAL 0-19 YRS	1	46.0		46	46	73	99+	99+	99+	99+
20-34	11	5.5	24	<1	<1	5	10	12	15	15
35-49	15	7.7	25	2	2	7	10	17	18	19
50-64	43	7.5	33	1	1	6	11	15	17	29
65+	62	9.3	65	1	2	7	12	20	22	46
GRAND TOTAL	**132**	**8.5**	**58**	**1**	**1**	**7**	**11**	**18**	**21**	**58**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17	1.9	4	<1	<1	1	2	5	7	8
20-34	47	1.9	1	<1	<1	2	2	4	4	5
35-49	13	2.5	8	<1	<1	2	2	5	11	12
50-64	4	8.5	205	<1	<1	1	16	30	30	30
65+										
2. MULTIPLE DX										
0-19 YRS	22	1.5	1	<1	<1	1	2	3	4	5
20-34	39	3.1	4	<1	1	3	4	5	6	12
35-49	11	4.5	19	1	1	4	5	11	16	16
50-64	7	4.7	52	1	1	2	3	17	21	21
65+	5	6.2	44	2	2	4	8	18	18	18
TOT. SINGLE DX	81	2.3	13	<1	<1	2	2	4	5	24
" MULTIPLE DX	84	3.2	12	<1	1	2	4	5	9	20
TOTAL 0-19 YRS	39	1.7	2	<1	<1	1	2	3	6	8
20-34	86	2.4	3	<1	1	2	3	4	5	10
35-49	24	3.4	14	<1	1	2	4	8	13	16
50-64	11	6.1	97	<1	<1	2	3	25	30	30
65+	5	6.2	44	2	2	4	8	18	18	18
GRAND TOTAL	**165**	**2.8**	**12**	**<1**	**1**	**2**	**3**	**5**	**7**	**21**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	1.1		<1	<1	<1	1	2	2	2
20-34	2	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	12	2.3	4	<1	<1	1	3	5	8	8
35-49	5	1.2		<1	<1	1	1	2	2	2
50-64										
65+	5	7.2	44	1	1	8	11	17	17	17
TOT. SINGLE DX	10	1.1		<1	<1	<1	1	2	2	2
" MULTIPLE DX	23	3.0	16	<1	<1	1	3	8	12	17
TOTAL 0-19 YRS	8	1.1		<1	<1	<1	1	2	2	2
20-34	14	2.1	4	<1	<1	1	3	4	7	8
35-49	5	1.2		<1	<1	1	1	2	2	2
50-64										
65+	6	6.2	42	1	1	5	9	16	17	17
GRAND TOTAL	**33**	**2.5**	**12**	**<1**	**<1**	**1**	**2**	**8**	**9**	**17**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	893	2.0		1	1	2	2	3	3	4
20-34	5706	2.1		1	1	2	3	3	3	4
35-49	370	2.4	1	1	1	2	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1193	2.4	1	1	1	2	3	4	4	7
20-34	7857	2.6	3	1	1	2	3	4	4	6
35-49	728	2.7	1	1	1	3	3	4	4	6
50-64										
65+										
TOT. SINGLE DX	6969	2.1	1	1	1	2	3	3	3	4
" MULTIPLE DX	9778	2.6	3	1	1	2	3	4	4	6
TOTAL 0-19 YRS	2086	2.2	1	1	1	2	3	3	4	6
20-34	13563	2.4	3	1	1	2	3	3	4	5
35-49	1098	2.6	1	1	1	3	3	4	4	6
50-64										
65+										
GRAND TOTAL	**16747**	**2.4**	**2**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	1.5		<1	<1	1	2	2	2	2
20-34	83	1.9	1	<1	1	2	2	3	4	10
35-49	10	2.0		<1	<1	2	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	27	2.6	3	<1	1	2	3	5	6	10
20-34	274	2.4	2	1	1	2	3	4	5	11
35-49	36	2.6	2	<1	1	2	3	4	5	9
50-64										
65+										
TOT. SINGLE DX	103	1.9	2	<1	1	2	2	3	3	8
" MULTIPLE DX	337	2.4	3	1	1	2	3	4	5	10
TOTAL 0-19 YRS	37	2.3	3	<1	1	2	3	4	5	10
20-34	357	2.3	3	1	1	2	3	4	5	11
35-49	46	2.4	2	<1	1	2	3	4	5	9
50-64										
65+										
GRAND TOTAL	**440**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**10**

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	374	1.9		1	1	2	2	3	3	4
20-34	2802	2.2		1	1	2	3	3	4	4
35-49	205	2.2		1	1	2	3	3	4	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	623	2.4	2	1	1	2	3	4	4	6
20-34	4835	2.5	2	1	1	2	3	4	4	6
35-49	487	2.7	2	1	1	3	3	4	4	7
50-64										
65+										
TOT. SINGLE DX	3381	2.1	1	1	1	2	3	3	3	4
" MULTIPLE DX	5945	2.5	2	1	1	2	3	4	4	6
TOTAL 0-19 YRS	997	2.2	2	1	1	2	3	3	4	6
20-34	7637	2.4	2	1	1	2	3	3	4	6
35-49	692	2.6	2	1	1	2	3	4	4	5
50-64										
65+										
GRAND TOTAL	**9326**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9032	1.8		1	1	2	2	3	3	4
20-34	67082	1.9		1	1	2	2	3	3	4
35-49	4559	2.0	1	1	1	2	2	3	3	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3591	2.3	3	1	1	2	3	4	4	8
20-34	29559	2.3	2	1	1	2	3	4	4	7
35-49	3174	2.6	4	1	1	2	3	4	5	10
50-64										
65+										
TOT. SINGLE DX	80673	1.9	1	1	1	2	2	3	3	4
" MULTIPLE DX	36324	2.4	3	1	1	2	3	4	4	7
TOTAL 0-19 YRS	12623	2.0	2	1	1	2	2	3	3	6
20-34	96641	2.0	1	1	1	2	2	3	3	5
35-49	7733	2.2	2	1	1	2	3	3	4	6
50-64										
65+										
GRAND TOTAL	**116997**	**2.0**	**2**	**1**	**1**	**2**	**2**	**3**	**4**	**5**

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	940	4.0	3	3	3	4	4	5	6	8
20-34	10972	4.0	2	3	3	4	5	5	6	7
35-49	875	4.3	1	3	3	4	5	6	6	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2818	4.7	7	3	3	4	5	6	8	15
20-34	30094	4.6	6	3	3	4	5	6	7	13
35-49	3850	5.0	15	3	3	4	5	6	8	20
50-64										
65+										
TOT. SINGLE DX	12787	4.1	3	3	3	4	5	5	6	7
" MULTIPLE DX	36762	4.6	8	3	3	4	5	6	7	14
TOTAL 0-19 YRS	3758	4.5	6	3	3	4	5	6	8	14
20-34	41066	4.4	6	3	3	4	5	6	7	12
35-49	4725	4.9	13	3	3	4	5	6	7	18
50-64										
65+										
GRAND TOTAL	**49549**	**4.5**	**7**	**3**	**3**	**4**	**5**	**6**	**7**	**12**

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	32	4.2	1	3	3	4	5	5	5	9
20-34	341	4.2	2	3	3	4	5	5	6	10
35-49	29	4.6	3	3	3	4	5	7	8	11
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	81	5.3	10	3	3	4	6	9	11	19
20-34	807	5.3	18	3	3	4	5	8	11	25
35-49	134	6.3	40	3	3	5	6	8	12	40
50-64										
65+										
TOT. SINGLE DX	402	4.2	2	3	3	4	5	5	6	10
" MULTIPLE DX	1022	5.5	21	3	3	4	6	8	11	27
TOTAL 0-19 YRS	113	5.0	8	3	3	4	5	8	10	18
20-34	1148	5.0	14	3	3	4	5	7	9	20
35-49	163	6.0	34	3	3	5	6	8	11	38
50-64										
65+										
GRAND TOTAL	**1424**	**5.1**	**16**	**3**	**3**	**4**	**5**	**7**	**10**	**22**

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	3.0		2	2	3	4	4	4	4
20-34	109	3.3	1	1	2	3	4	5	5	7
35-49	9	4.3	2	2	2	4	5	7	8	8
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	17	3.5	1	2	2	3	4	5	6	6
20-34	116	3.9	1	2	3	4	4	6	6	9
35-49	8	3.9	5	1	1	3	5	7	8	8
50-64										
65+										
TOT. SINGLE DX	128	3.4	1	2	2	3	4	5	5	7
" MULTIPLE DX	141	3.8	2	2	2	4	4	6	6	8
TOTAL 0-19 YRS	27	3.3	1	2	2	3	4	5	5	6
20-34	225	3.6	2	2	2	4	4	5	6	7
35-49	17	4.1	4	1	2	4	5	7	8	8
50-64										
65+										
GRAND TOTAL	**269**	**3.6**	**2**	**2**	**2**	**4**	**4**	**5**	**6**	**8**

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	92	1.2		<1	<1	1	1	2	2	5
20-34	91	1.3		<1	<1	1	1	2	3	6
35-49	14	1.1		<1	<1	1	1	1	2	2
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	13	2.6	9	1	1	1	2	9	10	10
20-34	37	1.8	3	<1	1	1	2	3	5	10
35-49	11	3.1	9	<1	<1	2	4	8	11	11
50-64										
65+										
TOT. SINGLE DX	197	1.2	1	<1	<1	1	1	2	2	6
" MULTIPLE DX	61	2.2	6	<1	1	1	2	5	9	11
TOTAL 0-19 YRS	105	1.3	2	<1	<1	1	1	2	2	9
20-34	128	1.5	2	<1	<1	1	1	3	3	8
35-49	25	2.0	5	<1	<1	1	2	5	7	11
50-64										
65+										
GRAND TOTAL	**258**	**1.5**	**2**	**<1**	**<1**	**1**	**1**	**2**	**3**	**10**

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	81	3.8	16	1	1	3	4	8	11	23
20-34	304	4.0	25	<1	1	2	4	9	14	27
35-49	30	4.8	21	1	1	3	7	11	16	18
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	75	4.7	33	1	1	3	5	8	13	38
20-34	338	4.7	29	1	1	3	5	10	13	30
35-49	37	5.1	40	<1	1	3	5	13	15	35
50-64										
65+										
TOT. SINGLE DX	415	4.0	24	<1	1	3	4	9	14	24
" MULTIPLE DX	450	4.7	31	1	1	3	5	10	13	34
TOTAL 0-19 YRS	156	4.2	25	1	1	3	4	8	13	25
20-34	642	4.4	28	<1	1	3	5	9	14	30
35-49	67	5.0	32	1	1	3	5	12	16	32
50-64										
65+										
GRAND TOTAL	**865**	**4.4**	**28**	**<1**	**1**	**3**	**5**	**10**	**14**	**29**

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	773	1.7		<1	<1	1	2	3	3	5
20-34	5253	1.8	1	<1	<1	2	2	3	3	4
35-49	362	1.9	1	<1	<1	2	2	3	3	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	361	2.1	4	<1	<1	2	2	3	4	7
20-34	2715	2.2	2	<1	1	2	3	3	4	7
35-49	248	2.2	2	<1	1	2	3	4	4	5
50-64										
65+										
TOT. SINGLE DX	6388	1.8	1	<1	<1	2	2	3	3	4
" MULTIPLE DX	3324	2.2	3	<1	1	2	3	3	4	7
TOTAL 0-19 YRS	1134	1.8	2	<1	<1	2	2	3	3	5
20-34	7968	1.9	2	<1	<1	2	2	3	3	6
35-49	610	2.0	2	<1	<1	2	3	3	4	5
50-64										
65+										
GRAND TOTAL	**9712**	**1.9**	**2**	**<1**	**<1**	**2**	**2**	**3**	**3**	**6**

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1501	1.8		1	1	2	2	3	3	4
20-34	11646	1.8		1	1	2	2	3	3	4
35-49	890	1.9		1	1	2	2	3	3	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1616	2.1	1	1	1	2	3	3	4	6
20-34	13081	2.1	2	1	1	2	3	3	4	6
35-49	1313	2.4	3	1	1	2	3	4	4	7
50-64										
65+										
TOT. SINGLE DX	14037	1.8	1	1	1	2	2	3	3	4
" MULTIPLE DX	16010	2.2	3	1	1	2	3	3	4	6
TOTAL 0-19 YRS	3117	2.0	1	1	1	2	2	3	3	5
20-34	24727	2.0	2	1	1	2	2	3	3	5
35-49	2203	2.2	2	1	1	2	3	3	4	6
50-64										
65+										
GRAND TOTAL	30047	2.0	2	1	1	2	2	3	3	5

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	23	4.0	21	<1	1	2	4	10	14	20
20-34	29	3.0	4	1	1	3	4	6	7	9
35-49	22	1.8	1	<1	<1	1	2	4	5	6
50-64	17	4.5	40	<1	<1	2	4	18	21	21
65+	7	4.6	13	1	1	4	8	9	9	9
2. MULTIPLE DX										
0-19 YRS	24	5.1	39	<1	1	4	5	9	23	27
20-34	27	5.1	19	1	1	4	7	11	17	18
35-49	24	5.0	30	<1	1	3	6	14	17	24
50-64	49	6.8	28	1	1	5	10	14	18	23
65+	59	11.8	145	1	2	9	15	29	47	96
TOT. SINGLE DX	98	3.3	15	<1	1	2	4	8	10	21
" MULTIPLE DX	183	7.7	74	1	1	5	11	17	25	59
TOTAL 0-19 YRS	47	4.5	31	<1	1	3	5	10	20	27
20-34	56	4.0	13	1	1	3	5	8	11	18
35-49	46	3.5	19	<1	1	2	4	7	14	24
50-64	66	6.2	32	<1	1	4	9	14	21	23
65+	66	11.1	136	1	1	8	14	28	42	93
GRAND TOTAL	281	6.2	58	1	1	4	7	14	21	50

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	388	2.6	1	1	1	3	3	4	4	6
20-34	832	2.7	1	1	1	3	3	4	5	7
35-49	387	2.7	1	1	1	3	3	4	4	9
50-64	66	2.8	4	1	1	2	3	4	5	14
65+	12	2.8	4	1	1	2	3	7	8	8
2. MULTIPLE DX										
0-19 YRS	343	3.2	3	1	2	3	4	5	6	9
20-34	617	3.3	10	1	2	3	4	5	6	10
35-49	325	3.1	2	1	1	3	4	5	6	8
50-64	106	5.0	40	1	2	3	5	9	15	38
65+	43	4.3	22	1	1	3	5	9	12	29
TOT. SINGLE DX	1685	2.7	2	1	1	3	3	4	4	7
" MULTIPLE DX	1434	3.4	10	1	2	3	4	5	6	13
TOTAL 0-19 YRS	731	2.9	2	1	1	3	3	4	5	8
20-34	1449	3.0	6	1	1	3	3	4	5	7
35-49	712	2.9	2	1	1	3	4	4	5	8
50-64	172	4.2	27	1	1	3	4	7	13	33
65+	55	3.9	19	1	1	3	4	8	12	28
GRAND TOTAL	3119	3.0	5	1	1	3	3	4	5	9

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	82	2.1	4	<1	1	2	2	4	6	13
20-34	170	2.7	19	1	1	2	3	4	6	33
35-49	34	2.3	2	1	1	2	3	4	6	7
50-64	15	1.8	2	<1	<1	1	2	5	5	5
65+	4	2.5	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	148	3.1	6	1	1	2	4	6	7	16
20-34	236	3.7	21	1	1	2	4	6	10	21
35-49	80	4.3	18	1	1	3	5	8	13	25
50-64	19	4.6	13	1	1	4	7	9	13	15
65+	20	7.5	64	1	2	4	8	17	27	35
TOT. SINGLE DX	305	2.4	12	<1	1	2	3	4	6	16
" MULTIPLE DX	503	3.8	19	1	1	3	4	7	10	21
TOTAL 0-19 YRS	230	2.7	6	1	1	2	3	5	7	14
20-34	406	3.2	21	1	1	2	3	6	8	22
35-49	114	3.7	15	1	1	3	5	7	11	22
50-64	34	3.4	10	<1	1	2	5	7	10	15
65+	24	6.6	57	1	2	4	7	15	24	35
GRAND TOTAL	808	3.3	17	1	1	2	4	6	9	20

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	119	1.8	1	<1	1	1	2	3	4	7
20-34	318	2.4	7	<1	1	2	3	4	6	9
35-49	128	2.2	4	<1	1	1	3	5	6	11
50-64	33	1.6		<1	1	1	2	3	4	5
65+	11	1.7		<1	<1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	245	4.6	30	1	1	3	5	10	13	22
20-34	629	4.6	28	1	1	3	5	10	13	25
35-49	240	4.9	56	1	1	3	6	10	13	41
50-64	85	6.7	64	1	2	4	8	12	24	46
65+	64	9.7	185	1	1	6	10	20	38	77
TOT. SINGLE DX	609	2.2	5	<1	1	2	3	4	5	10
" MULTIPLE DX	1263	5.1	46	1	1	3	6	10	14	34
TOTAL 0-19 YRS	364	3.7	23	1	1	2	4	7	12	20
20-34	947	3.9	23	1	1	2	4	8	12	22
35-49	368	4.0	40	1	1	2	4	9	11	29
50-64	118	5.3	52	1	1	3	6	10	15	44
65+	75	8.5	166	1	1	5	9	17	34	75
GRAND TOTAL	**1872**	**4.1**	**34**	**1**	**1**	**2**	**5**	**9**	**12**	**31**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	20	2.4	1	<1	1	2	3	4	5	5
20-34	28	2.3	1	<1	1	2	3	4	4	5
35-49	18	1.5		1	1	1	2	3	3	3
50-64	26	3.1	4	1	1	2	4	7	8	8
65+	17	2.2	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	26	3.9	6	1	2	3	5	6	10	13
20-34	45	5.5	65	1	1	3	5	10	21	47
35-49	34	5.1	32	1	1	3	7	14	16	28
50-64	38	3.0	7	1	1	2	3	6	7	16
65+	24	7.3	83	1	1	3	9	25	29	34
TOT. SINGLE DX	109	2.3	2	1	1	2	3	4	5	8
" MULTIPLE DX	167	4.9	40	1	1	3	5	10	16	33
TOTAL 0-19 YRS	46	3.2	5	1	1	3	4	5	7	13
20-34	73	4.3	43	1	1	3	4	7	13	43
35-49	52	3.9	24	1	1	2	5	8	14	28
50-64	64	3.0	6	1	1	2	3	6	7	15
65+	41	5.2	55	1	1	3	4	13	26	34
GRAND TOTAL	**276**	**3.9**	**27**	**1**	**1**	**2**	**4**	**7**	**12**	**29**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	265	4.1	15	<1	1	3	5	8	13	21
20-34	202	3.4	8	<1	1	3	4	6	8	16
35-49	165	4.2	14	<1	1	4	5	8	10	20
50-64	189	4.1	4	1	1	4	5	7	8	12
65+	74	5.5	15	1	1	4	7	10	14	21
2. MULTIPLE DX										
0-19 YRS	342	5.1	40	1	1	3	5	9	16	34
20-34	228	6.1	87	1	1	3	7	12	17	70
35-49	269	6.5	82	1	1	4	6	13	23	47
50-64	353	5.9	36	1	1	4	7	11	16	35
65+	208	7.2	63	1	2	5	9	14	20	52
TOT. SINGLE DX	895	4.1	12	<1	1	3	5	7	9	18
" MULTIPLE DX	1400	6.0	59	1	1	4	7	12	18	43
TOTAL 0-19 YRS	607	4.7	30	1	1	3	5	9	15	28
20-34	430	4.8	52	1	1	3	5	9	15	31
35-49	434	5.6	57	1	1	4	6	10	18	43
50-64	542	5.3	26	1	1	4	6	9	13	31
65+	282	6.8	51	1	2	5	8	14	18	44
GRAND TOTAL	**2295**	**5.3**	**41**	**1**	**1**	**4**	**6**	**10**	**15**	**35**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	115	2.0	1	<1	1	2	3	3	4	5
20-34	223	2.4	1	<1	1	2	3	4	5	7
35-49	317	2.2	1	1	1	2	3	4	5	6
50-64	327	2.5	1	<1	1	2	3	5	5	6
65+	112	2.6	2	1	1	2	3	4	5	10
2. MULTIPLE DX										
0-19 YRS	232	2.4	1	1	1	2	3	4	5	6
20-34	447	2.4	2	1	1	2	3	4	5	8
35-49	702	2.8	14	1	1	2	3	4	6	9
50-64	1136	2.8	3	1	1	2	4	5	6	9
65+	832	3.0	4	1	1	3	4	5	6	10
TOT. SINGLE DX	1094	2.3	2	<1	1	2	3	4	5	6
" MULTIPLE DX	3349	2.8	6	1	1	2	3	5	6	9
TOTAL 0-19 YRS	347	2.2	1	1	1	2	3	4	4	6
20-34	670	2.4	2	1	1	2	3	4	5	8
35-49	1019	2.6	11	1	1	2	3	4	5	9
50-64	1463	2.7	3	1	1	2	3	5	5	8
65+	944	3.0	5	1	1	3	4	5	6	10
GRAND TOTAL	**4443**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**5**	**8**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	940	2.7	13	<1	1	2	3	5	7	21
20-34	1161	2.9	13	<1	<1	2	3	5	8	17
35-49	872	2.7	7	<1	1	2	3	5	7	16
50-64	551	3.0	8	<1	1	2	4	6	8	17
65+	253	4.0	20	<1	1	3	5	8	11	29
2. MULTIPLE DX										
0-19 YRS	567	6.0	69	<1	1	3	7	15	22	42
20-34	1372	6.5	95	1	1	3	7	15	26	61
35-49	1163	5.8	69	<1	1	3	6	14	21	46
50-64	1105	6.9	76	1	1	4	8	17	26	47
65+	1074	8.6	102	1	1	5	11	20	28	47
TOT. SINGLE DX	3777	2.9	12	<1	1	2	3	5	8	18
" MULTIPLE DX	5281	6.8	86	1	1	3	8	16	26	49
TOTAL 0-19 YRS	1507	3.9	37	<1	1	2	4	8	15	32
20-34	2533	4.8	61	<1	1	2	5	10	17	47
35-49	2035	4.5	45	<1	1	2	4	9	16	38
50-64	1656	5.6	58	1	1	3	6	13	22	39
65+	1327	7.7	90	1	1	4	10	18	27	45
GRAND TOTAL	**9058**	**5.2**	**59**	**<1**	**1**	**3**	**5**	**12**	**19**	**42**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	330	4.8	41	1	1	3	5	10	18	35
20-34	330	3.5	7	1	1	3	5	6	8	14
35-49	184	3.9	7	1	1	3	5	7	10	13
50-64	109	5.3	35	1	1	4	6	10	12	33
65+	159	7.3	19	1	3	7	9	12	17	20
2. MULTIPLE DX										
0-19 YRS	273	6.2	55	1	1	3	7	16	24	43
20-34	337	7.4	79	1	1	5	9	15	23	50
35-49	215	8.2	83	1	2	5	11	18	22	44
50-64	240	9.7	148	1	2	7	10	20	31	75
65+	579	10.9	54	3	4	9	13	20	25	40
TOT. SINGLE DX	1112	4.7	24	1	1	3	6	9	12	26
" MULTIPLE DX	1644	8.9	80	1	2	7	11	18	25	45
TOTAL 0-19 YRS	603	5.4	48	1	1	3	6	12	21	39
20-34	667	5.5	48	1	1	4	6	12	16	33
35-49	399	6.2	53	1	1	4	7	13	19	39
50-64	349	8.3	117	1	1	5	9	17	27	58
65+	738	10.1	49	3	4	9	12	18	24	36
GRAND TOTAL	**2756**	**7.2**	**62**	**1**	**1**	**5**	**9**	**15**	**21**	**42**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	492	1.8	7	<1	<1	1	2	3	4	13
20-34	903	2.0	3	<1	<1	1	2	4	5	10
35-49	463	2.1	4	<1	<1	1	3	4	5	10
50-64	310	2.3	8	<1	<1	1	3	4	6	14
65+	226	3.3	15	<1	<1	2	4	7	10	20
2. MULTIPLE DX										
0-19 YRS	249	3.8	51	<1	<1	2	4	7	15	46
20-34	456	4.2	41	<1	1	2	4	9	15	33
35-49	324	5.5	60	<1	1	3	6	13	21	46
50-64	338	6.2	66	1	1	3	7	14	22	46
65+	501	7.5	80	1	1	4	10	16	22	54
TOT. SINGLE DX	2394	2.1	6	<1	<1	1	2	4	6	13
" MULTIPLE DX	1868	5.6	63	<1	1	3	6	13	20	46
TOTAL 0-19 YRS	741	2.4	23	<1	<1	1	2	4	7	23
20-34	1359	2.7	17	<1	<1	1	3	6	8	21
35-49	787	3.5	30	<1	<1	2	4	7	11	30
50-64	648	4.3	43	<1	<1	2	4	10	15	35
65+	727	6.2	64	<1	1	3	8	14	20	45
GRAND TOTAL	**4262**	**3.7**	**34**	**<1**	**<1**	**2**	**4**	**8**	**13**	**30**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	80	14.1	137	1	2	10	22	32	39	47
20-34	41	8.1	19	3	3	8	10	13	15	26
35-49	27	9.8	93	3	3	8	12	16	25	52
50-64	64	7.4	7	4	4	7	9	10	13	17
65+	111	8.8	11	4	5	8	10	13	14	21
2. MULTIPLE DX										
0-19 YRS	95	14.9	165	3	5	12	18	29	36	75
20-34	96	14.8	131	5	6	11	17	31	48	99+
35-49	61	12.7	80	4	5	9	15	24	31	51
50-64	119	12.7	98	4	5	10	15	23	35	55
65+	676	12.1	60	5	6	10	14	20	25	48
TOT. SINGLE DX	323	9.8	55	3	4	8	11	17	25	41
" MULTIPLE DX	1047	12.7	83	5	6	10	14	22	30	54
TOTAL 0-19 YRS	175	14.5	152	1	3	11	20	30	38	54
20-34	137	12.8	107	4	5	10	14	27	43	99+
35-49	88	11.8	86	4	4	9	15	22	31	53
50-64	183	10.9	73	4	5	8	13	18	27	48
65+	787	11.6	55	5	6	10	13	19	25	47
GRAND TOTAL	**1370**	**12.0**	**78**	**4**	**5**	**10**	**14**	**21**	**29**	**50**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	127	6.4	20	1	2	5	9	12	13	24
20-34	133	8.9	35	3	4	8	11	15	19	33
35-49	99	7.9	17	3	4	7	10	14	16	23
50-64	229	8.2	16	4	4	8	10	12	15	26
65+	894	10.0	24	4	5	9	12	15	18	25
2. MULTIPLE DX										
0-19 YRS	194	14.3	144	3	5	10	17	28	42	60
20-34	353	14.1	101	5	6	11	17	26	34	51
35-49	229	14.7	190	4	5	11	17	28	47	92
50-64	562	13.5	96	5	6	11	15	25	31	70
65+	5173	12.7	50	6	7	11	15	20	25	42
TOT. SINGLE DX	1482	9.2	25	3	4	9	11	14	17	25
" MULTIPLE DX	6511	12.9	65	5	6	11	15	21	27	47
TOTAL 0-19 YRS	321	11.2	110	2	3	8	13	22	29	49
20-34	486	12.7	89	4	5	10	15	24	31	50
35-49	328	12.7	148	4	4	9	14	23	35	81
50-64	791	11.9	79	4	5	10	14	21	27	58
65+	6067	12.3	48	5	6	11	14	19	24	40
GRAND TOTAL	**7993**	**12.2**	**60**	**5**	**6**	**11**	**14**	**20**	**26**	**46**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	222	7.5	93	1	1	3	10	20	25	52
20-34	21	10.8	148	1	2	6	14	28	41	50
35-49	7	5.4	3	3	3	6	7	8	8	8
50-64	15	4.9	16	1	1	4	6	11	14	15
65+	32	6.9	15	1	1	7	9	12	14	15
2. MULTIPLE DX										
0-19 YRS	143	11.7	124	1	2	7	17	29	35	44
20-34	33	17.2	258	2	3	11	27	45	50	60
35-49	21	16.2	157	2	4	13	23	41	69	99+
50-64	29	15.9	309	2	3	10	20	40	64	74
65+	115	13.6	151	3	4	10	15	29	41	67
TOT. SINGLE DX	297	7.5	84	1	1	4	9	18	25	51
" MULTIPLE DX	341	13.5	165	2	2	9	18	32	41	64
TOTAL 0-19 YRS	365	9.2	109	1	1	4	14	23	32	50
20-34	54	14.7	222	2	2	8	21	41	49	60
35-49	28	13.5	140	2	3	9	20	38	51	99+
50-64	44	12.2	235	1	2	7	13	24	50	74
65+	147	12.2	129	2	3	9	14	25	36	60
GRAND TOTAL	**638**	**10.7**	**136**	**1**	**1**	**7**	**14**	**26**	**35**	**59**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	350	2.5	9	<1	1	1	2	5	10	15
20-34	235	2.8	7	<1	<1	2	3	6	8	15
35-49	148	2.8	12	<1	<1	2	4	6	8	10
50-64	103	2.5	3	1	1	2	3	5	7	9
65+	94	2.6	4	<1	1	2	3	6	8	10
2. MULTIPLE DX										
0-19 YRS	132	6.8	158	1	1	3	6	15	25	77
20-34	173	5.6	46	1	1	4	6	12	21	36
35-49	118	5.5	30	1	1	4	7	13	17	29
50-64	88	5.5	47	<1	1	3	7	12	22	34
65+	186	6.9	79	1	1	4	9	15	22	54
TOT. SINGLE DX	930	2.6	8	<1	1	2	3	6	8	15
" MULTIPLE DX	697	6.1	74	1	1	3	7	13	21	40
TOTAL 0-19 YRS	482	3.7	54	<1	1	2	3	8	14	30
20-34	408	4.0	26	<1	1	2	5	8	13	28
35-49	266	4.0	22	<1	1	2	5	9	12	28
50-64	191	3.9	26	1	1	2	4	8	11	31
65+	280	5.4	58	1	1	3	7	12	18	37
GRAND TOTAL	**1627**	**4.1**	**39**	**<1**	**1**	**2**	**4**	**9**	**13**	**30**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1938	2.3	3	1	1	2	3	4	5	10
20-34	2507	3.0	7	1	1	2	4	5	7	12
35-49	1728	3.3	7	1	1	3	4	6	7	12
50-64	1086	3.8	7	1	1	3	5	6	8	13
65+	651	4.5	7	1	2	4	6	8	10	13
2. MULTIPLE DX										
0-19 YRS	938	4.7	35	1	1	3	5	9	16	35
20-34	2141	5.8	43	1	1	4	7	12	18	39
35-49	1352	6.1	48	1	1	4	7	12	17	35
50-64	1185	6.8	54	1	2	5	8	13	20	37
65+	1402	7.8	51	2	2	6	10	15	19	37
TOT. SINGLE DX	7910	3.1	7	1	1	3	4	6	7	12
" MULTIPLE DX	7018	6.3	48	1	1	4	7	13	18	37
TOTAL 0-19 YRS	2876	3.1	15	1	1	2	3	6	8	20
20-34	4648	4.3	26	1	1	3	5	8	13	27
35-49	3080	4.5	27	1	1	3	5	8	12	27
50-64	2271	5.4	34	1	2	4	6	10	15	29
65+	2053	6.8	40	1	2	5	8	13	17	32
GRAND TOTAL	**14928**	**4.6**	**29**	**1**	**1**	**3**	**5**	**9**	**13**	**27**

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2108	1.8	4	<1	<1	1	2	3	5	12
20-34	566	2.8	7	<1	1	2	4	5	7	15
35-49	403	3.0	7	<1	1	2	4	6	9	14
50-64	322	2.7	5	<1	1	2	3	5	7	11
65+	320	2.7	5	1	1	2	4	6	7	13
2. MULTIPLE DX										
0-19 YRS	721	4.1	55	1	1	2	4	8	14	36
20-34	549	6.2	66	1	1	3	7	14	24	41
35-49	359	5.8	70	1	1	3	6	12	17	47
50-64	385	5.8	56	1	1	4	6	12	17	42
65+	689	5.7	52	1	1	4	7	12	15	29
TOT. SINGLE DX	3719	2.2	6	<1	1	1	3	5	6	13
" MULTIPLE DX	2703	5.4	60	1	1	3	6	11	17	42
TOTAL 0-19 YRS	2829	2.4	18	<1	1	1	2	4	7	19
20-34	1115	4.5	40	1	1	3	5	9	15	37
35-49	762	4.3	39	1	1	3	5	9	13	39
50-64	707	4.3	35	1	1	3	5	9	13	29
65+	1009	4.8	40	1	1	3	6	9	14	26
GRAND TOTAL	**6422**	**3.6**	**31**	**<1**	**1**	**2**	**4**	**7**	**11**	**28**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	185	3.7	23	<1	<1	1	4	10	14	23
20-34	143	2.0	4	<1	<1	1	2	4	5	11
35-49	81	1.9	3	<1	<1	1	2	4	6	9
50-64	91	3.4	17	<1	<1	2	3	7	13	23
65+	184	4.2	34	<1	1	2	5	8	11	23
2. MULTIPLE DX										
0-19 YRS	95	4.9	30	<1	1	3	6	14	18	24
20-34	167	5.7	55	1	1	3	7	14	22	35
35-49	77	7.2	120	1	1	4	7	16	25	63
50-64	113	5.7	35	1	1	4	7	12	15	34
65+	365	6.2	45	1	1	4	8	13	19	36
TOT. SINGLE DX	684	3.2	20	<1	<1	2	4	7	11	21
" MULTIPLE DX	817	6.0	52	1	1	4	7	13	20	36
TOTAL 0-19 YRS	280	4.1	26	<1	<1	2	5	11	17	23
20-34	310	4.0	36	<1	1	2	4	9	17	28
35-49	158	4.5	67	<1	1	2	4	10	15	57
50-64	204	4.7	29	<1	1	3	6	10	15	26
65+	549	5.5	42	1	1	4	7	12	17	33
GRAND TOTAL	**1501**	**4.7**	**39**	**<1**	**1**	**2**	**6**	**11**	**16**	**28**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	138	2.6	15	1	1	2	3	4	7	16
20-34	224	2.1	3	1	1	2	2	3	4	8
35-49	103	2.2	1	<1	1	2	3	4	5	6
50-64	41	3.7	10	1	1	3	4	6	10	18
65+	17	6.1	15	1	2	6	8	12	15	16
2. MULTIPLE DX										
0-19 YRS	84	4.6	41	1	1	3	4	7	16	39
20-34	125	3.9	25	1	1	3	5	8	9	27
35-49	55	5.2	85	1	1	3	5	9	13	65
50-64	52	6.0	140	1	1	3	6	9	15	85
65+	62	10.5	84	1	3	8	13	22	30	45
TOT. SINGLE DX	523	2.5	8	1	1	2	3	4	6	13
" MULTIPLE DX	378	5.6	68	1	1	3	6	11	17	44
TOTAL 0-19 YRS	222	3.4	26	1	1	2	3	6	9	37
20-34	349	2.7	12	1	1	2	3	5	7	20
35-49	158	3.2	33	1	1	2	4	6	8	20
50-64	93	4.9	83	1	1	3	5	8	14	57
65+	79	9.6	73	1	2	7	12	19	25	44
GRAND TOTAL	**901**	**3.8**	**35**	**1**	**1**	**2**	**4**	**7**	**11**	**30**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	441	2.6	8	<1	1	2	3	5	8	15
20-34	541	2.6	7	<1	<1	2	3	5	7	19
35-49	249	2.8	8	<1	1	2	3	6	8	15
50-64	129	3.8	30	<1	1	2	4	7	12	32
65+	66	6.1	29	1	1	4	8	14	18	24
2. MULTIPLE DX										
0-19 YRS	410	4.6	36	<1	1	2	5	12	17	30
20-34	599	4.1	37	<1	1	2	4	8	14	32
35-49	399	5.3	93	<1	1	3	5	10	18	60
50-64	309	7.2	68	1	1	4	10	18	23	49
65+	368	15.7	249	2	2	11	20	36	51	97
TOT. SINGLE DX	1426	2.9	12	<1	1	2	3	6	8	19
" MULTIPLE DX	2085	6.9	107	<1	1	3	8	17	28	58
TOTAL 0-19 YRS	851	3.6	23	<1	1	2	4	8	13	23
20-34	1140	3.4	24	<1	1	2	4	7	10	28
35-49	648	4.3	62	<1	1	2	4	8	14	47
50-64	438	6.2	60	<1	1	3	7	15	22	46
65+	434	14.2	228	1	2	9	18	34	48	91
GRAND TOTAL	**3511**	**5.3**	**72**	**<1**	**1**	**2**	**5**	**13**	**20**	**48**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	122	5.5	15	2	2	4	6	9	15	47
20-34	2792	5.9	13	2	2	5	7	10	13	19
35-49	3993	6.0	12	2	3	5	7	10	12	19
50-64	1742	6.4	11	2	3	6	8	10	13	18
65+	467	7.6	18	3	3	7	9	13	16	23
2. MULTIPLE DX										
0-19 YRS	42	7.5	22	3	4	6	9	15	18	23
20-34	1077	7.8	26	3	3	6	10	14	18	26
35-49	2122	8.0	31	3	3	7	10	14	17	29
50-64	1800	8.6	34	3	4	7	10	15	19	34
65+	1174	10.4	42	4	4	9	13	18	23	34
TOT. SINGLE DX	9116	6.1	13	2	3	5	7	10	13	19
" MULTIPLE DX	6215	8.6	34	3	4	7	10	15	19	32
TOTAL 0-19 YRS	164	6.0	18	2	2	5	7	11	17	26
20-34	3869	6.4	18	2	3	5	8	11	14	22
35-49	6115	6.7	20	2	3	6	8	11	14	22
50-64	3542	7.5	24	3	3	6	9	13	16	27
65+	1641	9.6	37	3	4	8	12	17	21	32
GRAND TOTAL	**15331**	**7.1**	**23**	**2**	**3**	**6**	**9**	**12**	**16**	**25**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	258	1.3		<1	<1	1	1	2	3	4
20-34	807	1.6	1	<1	<1	1	2	3	4	6
35-49	525	1.5	1	<1	<1	1	2	3	4	7
50-64	302	1.6	1	<1	<1	1	2	3	4	7
65+	119	2.2	8	<1	<1	1	3	4	6	14
2. MULTIPLE DX										
0-19 YRS	363	2.3	12	<1	<1	1	3	4	5	11
20-34	1167	2.3	4	<1	<1	2	3	4	5	9
35-49	826	2.1	4	<1	<1	1	3	4	5	10
50-64	840	2.2	8	<1	<1	1	2	4	6	14
65+	597	2.5	7	<1	<1	2	3	5	8	12
TOT. SINGLE DX	2011	1.6	2	<1	<1	1	2	3	4	6
" MULTIPLE DX	3793	2.3	7	<1	<1	1	3	4	6	11
TOTAL 0-19 YRS	621	1.9	8	<1	<1	1	2	4	4	7
20-34	1974	2.0	4	<1	<1	1	3	4	5	8
35-49	1351	1.9	3	<1	<1	1	2	4	5	8
50-64	1142	2.1	7	<1	<1	1	2	4	5	11
65+	716	2.5	7	<1	<1	2	3	5	7	12
GRAND TOTAL	**5804**	**2.0**	**5**	**<1**	**<1**	**1**	**2**	**4**	**5**	**9**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	525	1.7	4	<1	<1	1	2	3	4	13
20-34	996	1.9	5	<1	<1	1	2	3	5	11
35-49	524	2.0	5	<1	<1	1	2	4	5	11
50-64	288	2.4	11	<1	<1	1	2	4	7	14
65+	125	3.2	32	<1	<1	2	3	5	10	37
2. MULTIPLE DX										
0-19 YRS	391	2.8	21	<1	<1	1	3	6	9	29
20-34	880	3.0	24	<1	<1	1	3	6	10	27
35-49	770	3.0	25	<1	<1	1	3	6	9	28
50-64	571	3.8	33	<1	1	2	4	9	13	36
65+	434	6.5	89	1	1	3	7	17	25	42
TOT. SINGLE DX	2458	2.0	7	<1	<1	1	2	4	5	13
" MULTIPLE DX	3046	3.6	37	<1	<1	2	3	8	14	35
TOTAL 0-19 YRS	916	2.2	12	<1	<1	1	2	4	7	18
20-34	1876	2.4	15	<1	<1	1	2	4	7	20
35-49	1294	2.6	18	<1	<1	1	3	5	8	20
50-64	859	3.3	27	<1	<1	2	3	7	11	33
65+	559	5.7	79	<1	1	2	6	16	22	41
GRAND TOTAL	**5504**	**2.9**	**24**	**<1**	**<1**	**1**	**3**	**5**	**10**	**28**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	179	8.8	9	5	6	8	10	11	13	24
20-34	268	8.1	13	4	4	8	9	12	15	21
35-49	395	7.3	17	3	3	7	9	12	14	21
50-64	172	6.8	19	2	3	6	8	11	12	21
65+	34	8.8	31	3	4	7	12	15	22	26
2. MULTIPLE DX										
0-19 YRS	190	12.3	77	4	5	10	14	23	29	52
20-34	368	11.5	83	4	5	9	12	20	28	65
35-49	499	10.2	75	3	4	8	12	17	22	45
50-64	339	11.8	91	3	4	9	13	23	35	62
65+	184	13.8	134	4	5	11	16	25	35	68
TOT. SINGLE DX	1048	7.7	16	3	4	7	9	12	14	23
" MULTIPLE DX	1580	11.5	89	4	5	9	13	21	28	56
TOTAL 0-19 YRS	369	10.6	48	5	6	9	11	16	24	45
20-34	636	10.1	57	4	4	9	11	16	22	43
35-49	894	8.9	52	3	4	8	10	15	19	40
50-64	511	10.1	73	3	4	8	12	18	28	46
65+	218	13.0	121	4	4	10	15	23	32	62
GRAND TOTAL	**2628**	**10.0**	**63**	**3**	**4**	**8**	**11**	**17**	**23**	**45**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	86	3.0	4	<1	1	3	4	6	7	10
20-34	209	3.4	7	<1	1	3	4	6	7	14
35-49	183	3.4	5	<1	1	3	5	6	7	11
50-64	206	3.4	15	<1	<1	2	4	7	8	12
65+	109	3.4	5	<1	<1	3	5	7	8	10
2. MULTIPLE DX										
0-19 YRS	112	4.6	24	1	1	4	5	7	11	34
20-34	282	4.1	8	1	1	4	5	7	9	15
35-49	255	4.2	11	1	1	3	5	8	9	20
50-64	291	4.8	43	1	1	4	6	8	12	20
65+	259	5.2	31	1	1	4	7	10	14	29
TOT. SINGLE DX	793	3.3	8	<1	1	3	4	6	7	11
" MULTIPLE DX	1199	4.6	24	1	1	4	6	8	11	22
TOTAL 0-19 YRS	198	3.9	16	1	1	3	5	7	9	24
20-34	491	3.8	8	1	1	3	5	7	8	15
35-49	438	3.8	9	1	1	3	5	7	9	20
50-64	497	4.2	32	<1	1	3	5	8	10	19
65+	368	4.7	25	<1	1	4	6	9	12	28
GRAND TOTAL	**1992**	**4.1**	**18**	**<1**	**1**	**3**	**5**	**7**	**9**	**20**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	8.3	24	2	2	9	10	15	16	16
20-34	57	9.2	6	5	6	9	11	13	14	15
35-49	168	9.8	12	5	6	9	12	15	16	22
50-64	673	9.8	14	6	6	9	11	14	16	24
65+	1254	10.7	10	6	7	10	13	15	16	20
2. MULTIPLE DX										
0-19 YRS	12	12.5	64	5	6	10	12	29	30	30
20-34	116	11.1	25	6	7	10	13	15	22	33
35-49	333	10.5	18	6	6	10	12	16	19	27
50-64	1160	11.9	39	6	7	11	13	18	21	37
65+	3567	12.7	37	7	8	11	14	19	23	37
TOT. SINGLE DX	2158	10.3	12	6	7	10	12	15	16	21
" MULTIPLE DX	5188	12.4	37	6	7	11	14	18	22	37
TOTAL 0-19 YRS	18	11.1	53	3	4	9	12	24	29	30
20-34	173	10.5	20	6	6	10	12	15	19	28
35-49	501	10.3	17	6	6	9	12	15	18	26
50-64	1833	11.1	31	6	7	10	12	16	19	32
65+	4821	12.2	31	7	8	11	14	17	21	35
GRAND TOTAL	**7346**	**11.8**	**31**	**6**	**7**	**11**	**13**	**17**	**21**	**34**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	3.9	1	1	2	4	5	5	5	5
20-34	12	11.3	19	7	8	10	12	18	22	23
35-49	25	8.7	14	2	3	8	11	13	15	18
50-64	97	10.1	14	4	6	10	13	14	16	24
65+	600	10.7	17	6	7	10	13	15	18	28
2. MULTIPLE DX										
0-19 YRS	16	7.3	25	1	1	7	9	14	18	19
20-34	26	13.0	103	4	5	10	14	24	40	48
35-49	66	11.2	40	3	4	10	14	20	24	35
50-64	270	12.1	48	6	7	10	14	20	23	48
65+	2984	13.0	45	6	7	12	15	20	24	38
TOT. SINGLE DX	741	10.5	18	6	6	10	13	15	17	26
" MULTIPLE DX	3362	12.9	46	6	7	11	15	20	24	38
TOTAL 0-19 YRS	23	6.2	21	1	1	5	8	14	16	19
20-34	38	12.4	76	4	6	10	13	22	32	48
35-49	91	10.5	34	3	4	9	13	17	24	32
50-64	367	11.6	40	5	6	10	13	18	22	44
65+	3584	12.6	42	6	7	11	15	19	23	36
GRAND TOTAL	**4103**	**12.4**	**42**	**6**	**7**	**11**	**14**	**19**	**23**	**37**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	584	3.1	2	1	1	3	4	5	6	9
20-34	1211	3.3	3	1	1	3	4	5	6	10
35-49	423	4.1	9	1	1	3	5	9	10	16
50-64	558	8.5	17	1	2	9	11	13	15	20
65+	1192	10.1	10	5	6	10	12	14	15	19
2. MULTIPLE DX										
0-19 YRS	647	3.6	5	1	1	3	4	6	7	11
20-34	1646	4.0	8	1	2	4	5	6	8	15
35-49	765	4.9	16	1	1	4	6	10	13	24
50-64	1006	9.6	32	2	3	9	12	15	18	29
65+	2811	11.7	23	6	7	11	14	17	19	29
TOT. SINGLE DX	3968	6.1	18	1	2	5	9	12	14	18
" MULTIPLE DX	6875	8.0	32	2	2	7	11	15	17	26
TOTAL 0-19 YRS	1231	3.4	4	1	1	3	4	5	6	9
20-34	2857	3.7	7	1	1	3	4	6	7	14
35-49	1188	4.6	14	1	1	4	5	9	12	20
50-64	1564	9.2	27	1	3	9	11	14	17	26
65+	4003	11.2	21	6	7	11	13	16	19	27
GRAND TOTAL	**10843**	**7.3**	**27**	**1**	**2**	**6**	**11**	**14**	**16**	**23**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	594	2.2	1	1	1	2	3	4	4	6
20-34	1548	2.3	1	1	1	2	3	4	5	6
35-49	704	2.4	2	1	1	2	3	4	5	7
50-64	544	2.5	2	1	1	2	3	4	6	8
65+	271	3.3	6	1	1	3	4	7	9	12
2. MULTIPLE DX										
0-19 YRS	202	2.5	3	<1	1	2	3	4	5	8
20-34	619	2.7	3	1	1	2	3	5	6	10
35-49	609	3.0	3	1	1	3	4	5	7	10
50-64	773	3.5	11	1	1	3	4	6	8	21
65+	686	4.8	24	1	1	3	6	9	12	22
TOT. SINGLE DX	3661	2.4	2	1	1	2	3	4	5	8
" MULTIPLE DX	2889	3.4	11	1	1	3	4	6	9	18
TOTAL 0-19 YRS	796	2.3	2	1	1	2	3	4	5	7
20-34	2167	2.4	2	1	1	2	3	4	5	8
35-49	1313	2.6	3	1	1	2	3	5	6	9
50-64	1317	3.1	8	1	1	2	4	5	7	15
65+	957	4.4	20	1	1	3	5	9	11	21
GRAND TOTAL	**6550**	**2.9**	**7**	**1**	**1**	**2**	**3**	**5**	**7**	**12**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	232	2.4	5	<1	<1	1	3	5	7	12
20-34	247	2.6	5	<1	<1	2	4	5	7	11
35-49	216	2.6	4	<1	<1	2	4	5	6	9
50-64	136	1.9	5	<1	<1	1	2	3	6	10
65+	57	2.1	2	<1	<1	1	3	4	6	9
2. MULTIPLE DX										
0-19 YRS	264	4.1	29	1	1	3	4	8	12	28
20-34	329	6.6	98	1	1	4	7	13	19	52
35-49	252	6.2	56	<1	1	4	8	14	19	25
50-64	203	7.4	117	<1	1	4	8	16	31	49
65+	190	7.9	60	<1	1	5	10	19	23	42
TOT. SINGLE DX	888	2.4	5	<1	<1	2	3	5	6	11
" MULTIPLE DX	1238	6.3	74	1	1	4	7	14	20	44
TOTAL 0-19 YRS	496	3.3	19	<1	<1	2	4	6	10	19
20-34	576	4.9	62	<1	1	3	5	9	14	40
35-49	468	4.6	36	<1	<1	3	6	9	16	23
50-64	339	5.2	80	<1	<1	2	5	11	21	45
65+	247	6.6	53	<1	<1	4	9	17	21	41
GRAND TOTAL	**2126**	**4.7**	**49**	**<1**	**<1**	**3**	**5**	**10**	**16**	**36**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	212	1.5	3	<1	<1	<1	1	2	4	6
20-34	287	1.6	1	<1	<1	<1	2	3	5	7
35-49	234	1.8	2	<1	<1	1	2	4	5	9
50-64	193	1.8	1	<1	<1	1	2	3	5	7
65+	93	2.7	10	<1	<1	1	3	6	9	19
2. MULTIPLE DX										
0-19 YRS	68	4.6	91	<1	<1	1	4	15	44	99+
20-34	132	5.3	57	<1	<1	2	5	14	20	45
35-49	202	4.8	45	<1	<1	2	5	14	18	35
50-64	222	5.4	52	<1	1	3	7	11	15	39
65+	283	8.4	126	1	1	4	10	22	29	66
TOT. SINGLE DX	1019	1.8	3	<1	<1	1	2	3	5	8
" MULTIPLE DX	907	6.1	80	<1	<1	3	7	15	23	52
TOTAL 0-19 YRS	280	2.2	26	<1	<1	1	2	4	6	56
20-34	419	2.7	22	<1	<1	1	3	6	9	26
35-49	436	3.2	25	<1	<1	1	3	7	12	24
50-64	415	3.7	38	<1	<1	2	4	8	11	29
65+	376	7.0	104	<1	<1	3	8	17	25	52
GRAND TOTAL	**1926**	**3.8**	**44**	**<1**	**<1**	**1**	**4**	**8**	**14**	**34**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	1.7	1	<1	<1	1	2	4	5	5
20-34	26	2.6	9	<1	<1	1	4	6	9	15
35-49	33	1.3		<1	<1	1	1	2	4	4
50-64	163	1.4		<1	<1	1	2	2	3	4
65+	129	1.5		<1	<1	1	2	2	3	5
2. MULTIPLE DX										
0-19 YRS	12	3.4	4	1	1	3	5	7	7	7
20-34	39	3.5	11	<1	1	2	5	8	14	99+
35-49	42	2.8	7	<1	1	2	3	7	9	12
50-64	119	2.9	31	<1	<1	1	3	5	8	41
65+	132	2.4	11	<1	1	1	2	4	8	17
TOT. SINGLE DX	363	1.5	1	<1	<1	1	2	2	3	6
" MULTIPLE DX	344	2.8	18	<1	1	2	3	6	8	32
TOTAL 0-19 YRS	24	2.5	4	<1	<1	2	4	5	7	7
20-34	65	3.1	11	<1	<1	2	4	7	13	86
35-49	75	2.1	5	<1	<1	1	2	4	8	12
50-64	282	2.0	14	<1	<1	1	2	3	4	15
65+	261	1.9	6	<1	<1	1	2	3	4	11
GRAND TOTAL	**707**	**2.1**	**10**	**<1**	**<1**	**1**	**2**	**4**	**7**	**14**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	197	1.5	1	<1	<1	1	2	2	3	8
20-34	353	1.5	1	<1	<1	1	2	2	3	6
35-49	159	1.4	1	<1	<1	1	2	2	3	6
50-64	79	1.4		<1	<1	1	2	2	3	3
65+	22	1.5	3	<1	<1	1	1	2	5	9
2. MULTIPLE DX										
0-19 YRS	241	1.8	3	<1	<1	1	2	3	4	11
20-34	502	2.3	5	<1	<1	2	3	4	6	14
35-49	214	2.3	4	<1	<1	1	3	4	6	12
50-64	88	2.3	4	1	1	2	3	5	6	12
65+	74	2.9	10	1	1	2	3	5	8	20
TOT. SINGLE DX	810	1.5	1	<1	<1	1	2	2	3	6
" MULTIPLE DX	1119	2.2	5	<1	1	1	3	4	6	13
TOTAL 0-19 YRS	438	1.6	2	<1	<1	1	2	3	4	8
20-34	855	1.9	4	<1	<1	1	2	4	5	11
35-49	373	1.9	3	<1	<1	1	2	4	6	11
50-64	167	1.9	3	<1	<1	1	2	4	5	10
65+	96	2.6	9	<1	1	2	3	5	8	19
GRAND TOTAL	**1929**	**1.9**	**4**	**<1**	**<1**	**1**	**2**	**3**	**5**	**11**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	152	2.0	3	<1	<1	1	3	4	5	12
20-34	438	2.2	3	<1	1	2	3	4	5	11
35-49	437	2.4	2	1	1	2	3	4	5	7
50-64	521	2.9	2	1	1	3	4	5	6	8
65+	237	3.3	3	1	1	3	4	6	6	10
2. MULTIPLE DX										
0-19 YRS	108	3.5	63	<1	1	2	3	6	14	83
20-34	294	3.4	15	<1	1	2	4	6	9	25
35-49	339	3.5	8	1	1	3	4	7	9	15
50-64	484	3.8	15	1	1	3	5	6	8	19
65+	384	5.2	30	1	1	4	6	10	13	25
TOT. SINGLE DX	1785	2.6	3	<1	1	2	3	5	6	9
" MULTIPLE DX	1609	4.0	22	1	1	3	5	8	10	24
TOTAL 0-19 YRS	260	2.6	29	<1	<1	1	3	5	6	30
20-34	732	2.7	9	<1	1	2	3	5	7	18
35-49	776	2.9	6	1	1	2	4	5	7	10
50-64	1005	3.3	9	1	1	3	4	6	7	12
65+	621	4.5	21	1	1	3	5	8	11	24
GRAND TOTAL	**3394**	**3.2**	**12**	**1**	**1**	**2**	**4**	**6**	**8**	**17**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	309	2.1	1	1	1	2	3	4	4	6
20-34	351	2.4	1	1	1	2	3	4	5	7
35-49	241	2.3	2	1	1	2	3	4	5	7
50-64	129	2.6	5	1	1	2	3	5	6	12
65+	60	3.8	6	1	1	3	5	7	8	13
2. MULTIPLE DX										
0-19 YRS	402	3.0	25	<1	1	2	3	5	7	17
20-34	252	5.9	118	1	1	3	5	11	19	79
35-49	165	4.6	53	1	1	3	4	8	16	61
50-64	132	6.1	104	1	1	3	6	13	27	90
65+	115	8.5	116	2	2	5	9	16	28	65
TOT. SINGLE DX	1090	2.4	3	1	1	2	3	4	5	7
" MULTIPLE DX	1066	4.9	75	1	1	3	5	9	16	66
TOTAL 0-19 YRS	711	2.6	15	<1	1	2	3	4	6	13
20-34	603	3.8	54	1	1	2	4	6	9	44
35-49	406	3.2	24	1	1	2	3	5	7	27
50-64	261	4.4	59	1	1	2	4	8	15	42
65+	175	6.9	83	1	2	4	7	14	18	50
GRAND TOTAL	**2156**	**3.6**	**40**	**1**	**1**	**2**	**4**	**6**	**9**	**36**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	38	1.6		<1	1	1	2	3	4	4
20-34	103	1.7	1	<1	<1	1	2	3	4	8
35-49	61	2.3	15	<1	<1	1	2	3	7	26
50-64	47	2.0	3	<1	<1	1	2	5	7	9
65+	22	1.7	1	<1	1	1	2	3	5	6
2. MULTIPLE DX										
0-19 YRS	37	3.3	33	<1	1	2	3	7	9	35
20-34	104	3.4	11	1	1	2	4	8	9	18
35-49	67	4.0	25	1	1	2	4	8	15	27
50-64	69	4.7	38	1	1	2	4	13	20	30
65+	54	5.7	92	<1	1	2	6	18	27	98
TOT. SINGLE DX	271	1.9	5	<1	<1	1	2	3	5	10
" MULTIPLE DX	331	4.1	36	1	1	2	4	9	17	32
TOTAL 0-19 YRS	75	2.4	17	<1	1	1	2	4	7	29
20-34	207	2.5	7	<1	1	2	3	6	8	15
35-49	128	3.2	21	<1	<1	2	3	7	12	27
50-64	116	3.6	26	<1	1	2	4	8	16	28
65+	76	4.6	69	<1	1	2	4	14	20	89
GRAND TOTAL	**602**	**3.1**	**23**	**<1**	**1**	**2**	**3**	**7**	**10**	**27**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	5.5	41	1	1	5	10	10	10	10
20-34	3	10.0	67	3	3	8	16	19	19	19
35-49	3	5.3	14	1	1	7	8	8	8	8
50-64	1	2.0		2	2	2	2	2	2	2
65+	4	3.8	2	2	2	4	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	2	7.5	61	2	2	7	13	13	13	13
20-34	13	15.5	480	1	2	4	21	60	64	65
35-49	12	15.5	559	2	2	5	24	84	97	99+
50-64	12	11.7	74	2	4	9	13	28	30	30
65+	10	14.1	79	4	4	12	20	27	33	33
TOT. SINGLE DX	13	5.7	25	1	1	5	8	12	18	19
" MULTIPLE DX	49	14.0	286	2	2	9	17	39	65	99+
TOTAL 0-19 YRS	4	6.5	35	1	1	6	11	13	13	13
20-34	16	14.5	398	1	2	5	19	56	63	65
35-49	15	13.5	460	1	2	6	15	76	94	99+
50-64	13	10.9	75	2	2	9	13	28	30	30
65+	14	11.1	79	2	3	8	15	23	31	33
GRAND TOTAL	**62**	**12.2**	**241**	**1**	**2**	**7**	**14**	**31**	**61**	**97**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	24	1.8		<1	<1	2	2	3	4	4
20-34	24	3.3	6	1	1	3	4	8	8	9
35-49	6	3.3	4	<1	<1	3	5	6	6	6
50-64	20	4.3	43	1	1	2	4	9	21	30
65+	28	5.6	32	<1	<1	3	9	14	16	24
2. MULTIPLE DX										
0-19 YRS	20	5.4	66	<1	<1	2	6	15	27	33
20-34	66	9.2	79	1	1	6	14	22	26	41
35-49	132	11.3	79	1	2	10	16	23	33	57
50-64	289	12.5	127	2	3	9	16	28	34	60
65+	514	11.8	100	2	3	9	16	25	34	62
TOT. SINGLE DX	102	3.8	21	<1	1	2	4	9	12	27
" MULTIPLE DX	1021	11.6	104	1	2	9	16	25	33	60
TOTAL 0-19 YRS	44	3.4	33	<1	<1	2	3	7	13	33
20-34	90	7.6	67	1	1	5	9	19	22	40
35-49	138	10.9	79	1	2	9	16	22	33	54
50-64	309	12.0	126	1	2	9	15	27	32	60
65+	542	11.5	99	1	2	9	15	24	33	61
GRAND TOTAL	**1123**	**10.9**	**102**	**1**	**2**	**8**	**15**	**24**	**32**	**59**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	8.7	26	3	3	10	12	13	13	13
20-34	6	11.0	46	5	5	8	18	21	21	21
35-49	3	6.3	4	4	4	7	8	8	8	8
50-64	6	12.2	86	2	2	10	17	27	28	28
65+	7	13.0	51	6	6	11	17	24	26	26
2. MULTIPLE DX										
0-19 YRS	9	16.1	149	2	3	20	25	32	33	33
20-34	43	17.5	320	4	5	11	22	44	69	99+
35-49	73	19.0	219	5	5	13	25	40	46	70
50-64	218	19.3	236	5	6	15	23	37	53	87
65+	611	16.8	156	5	6	14	21	31	41	78
TOT. SINGLE DX	25	11.0	48	3	4	8	16	21	26	28
" MULTIPLE DX	954	17.6	187	5	6	14	22	33	44	80
TOTAL 0-19 YRS	12	14.3	125	2	3	11	22	32	33	33
20-34	49	16.7	290	5	5	10	21	42	57	99+
35-49	76	18.5	217	4	5	13	25	40	46	70
50-64	224	19.1	233	5	6	15	23	37	52	86
65+	618	16.8	155	5	6	14	21	31	41	78
GRAND TOTAL	**979**	**17.4**	**184**	**5**	**6**	**14**	**21**	**33**	**44**	**79**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	7.4	5	5	5	7	8	11	11	11
20-34	4	6.8	3	5	5	6	8	9	9	9
35-49	4	17.3	188	7	7	12	26	37	37	37
50-64	4	10.8	41	4	4	10	15	19	19	19
65+	10	9.8	28	3	4	8	16	18	19	19
2. MULTIPLE DX										
0-19 YRS	6	22.2	909	7	7	8	19	77	83	83
20-34	11	26.5	531	4	5	18	41	61	77	79
35-49	23	19.2	246	4	6	14	25	46	54	69
50-64	109	19.2	257	5	7	13	22	42	52	80
65+	535	14.6	135	4	5	11	19	27	39	70
TOT. SINGLE DX	27	10.1	49	4	5	8	12	18	22	37
" MULTIPLE DX	684	15.7	174	4	5	12	19	31	46	79
TOTAL 0-19 YRS	11	15.5	516	5	6	7	10	45	80	83
20-34	15	21.2	462	4	5	11	30	49	71	79
35-49	27	18.9	231	5	6	14	25	44	50	69
50-64	113	18.9	252	5	7	13	22	41	51	80
65+	545	14.5	134	4	5	11	18	27	38	69
GRAND TOTAL	**711**	**15.5**	**171**	**4**	**5**	**11**	**19**	**30**	**45**	**79**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	4.0	16	1	1	3	4	11	12	12
20-34	3	31.0	2269	3	3	4	65	86	86	86
35-49	2	7.5	25	4	4	7	11	11	11	11
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	7	8.6	21	4	4	9	13	15	15	15
2. MULTIPLE DX										
0-19 YRS	8	15.0	305	1	1	8	22	44	52	52
20-34	24	14.0	161	4	4	10	19	25	40	62
35-49	56	14.1	137	2	4	12	17	27	37	68
50-64	86	19.5	219	4	5	15	28	39	55	87
65+	148	18.7	264	5	6	14	23	38	51	94
TOT. SINGLE DX	19	10.2	356	<1	1	4	11	15	54	86
" MULTIPLE DX	322	17.7	226	4	5	13	23	37	51	87
TOTAL 0-19 YRS	14	10.3	203	1	1	4	12	29	47	52
20-34	27	15.9	347	3	4	9	20	30	66	86
35-49	58	13.9	135	2	4	12	17	26	37	68
50-64	87	19.3	221	4	5	15	28	39	55	87
65+	155	18.3	258	4	6	14	22	38	50	93
GRAND TOTAL	341	17.3	235	3	4	13	22	36	51	87

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	23	3.1	5	<1	1	2	5	6	7	8
20-34	28	5.2	7	<1	1	6	7	8	11	11
35-49	10	3.7	14	1	1	2	4	10	12	12
50-64	4	8.0	90	1	1	4	13	22	22	22
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	14	6.4	12	1	2	6	8	12	12	12
20-34	38	8.3	34	1	2	7	10	17	22	27
35-49	11	11.5	111	<1	2	7	20	28	32	32
50-64	9	4.4	20	1	1	3	7	12	12	12
65+	7	6.1	13	1	1	8	9	9	9	9
TOT. SINGLE DX	66	4.4	13	<1	1	4	6	8	11	20
" MULTIPLE DX	79	7.8	40	1	1	7	10	15	24	31
TOTAL 0-19 YRS	37	4.4	10	<1	1	5	6	8	11	12
20-34	66	7.0	25	1	2	6	8	13	18	27
35-49	21	7.8	78	<1	1	4	10	24	29	32
50-64	13	5.5	39	1	1	3	7	14	21	22
65+	8	5.9	12	1	1	7	9	9	9	9
GRAND TOTAL	145	6.3	30	1	1	5	8	12	18	27

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	2.2	1	<1	<1	2	3	4	5	5
20-34	50	3.1	11	<1	<1	2	3	7	11	19
35-49	24	3.2	13	<1	<1	2	4	7	11	17
50-64	14	4.4	6	<1	1	5	5	8	9	10
65+	13	3.1	8	1	1	2	3	8	10	11
2. MULTIPLE DX										
0-19 YRS	11	3.1	12	<1	<1	2	3	10	12	12
20-34	41	5.1	29	1	1	4	6	13	14	30
35-49	51	9.7	136	1	1	5	12	22	29	57
50-64	62	10.1	100	1	1	6	15	27	34	93
65+	130	9.7	73	2	2	7	12	22	32	57
TOT. SINGLE DX	114	3.2	10	<1	<1	2	4	7	10	18
" MULTIPLE DX	295	8.9	85	1	1	6	12	22	29	54
TOTAL 0-19 YRS	24	2.6	7	<1	<1	2	3	5	9	12
20-34	91	4.0	21	<1	1	3	5	10	13	25
35-49	75	7.6	106	<1	1	3	9	21	25	55
50-64	76	9.1	88	1	1	5	13	25	31	85
65+	143	9.1	71	1	2	7	12	22	29	50
GRAND TOTAL	409	7.3	70	1	1	4	9	17	25	49

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34										
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	3	3.0	3	2	2	2	4	5	5	5
65+	3	10.7	66	5	5	7	17	20	20	20
2. MULTIPLE DX										
0-19 YRS										
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	5	4.2	12	1	1	2	7	9	9	9
50-64	5	6.8	6	3	3	7	9	9	9	9
65+	11	7.5	9	3	4	7	9	12	13	13
TOT. SINGLE DX	9	6.4	42	1	1	5	9	18	20	20
" MULTIPLE DX	23	6.3	10	1	2	7	9	10	12	13
TOTAL 0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	7	3.4	10	1	1	2	6	9	9	9
50-64	8	5.4	8	2	2	5	8	9	9	9
65+	14	8.1	19	3	4	7	9	14	19	20
GRAND TOTAL	32	6.3	18	1	2	6	8	12	14	20

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	48	1.0		<1	<1	<1	1	1	1	2
20-34	273	1.3		<1	<1	<1	1	2	3	5
35-49	700	1.6	1	<1	<1	1	2	3	4	7
50-64	633	1.8	1	<1	<1	1	2	3	4	6
65+	398	2.0	2	<1	<1	1	2	4	5	8
2. MULTIPLE DX										
0-19 YRS	13	1.8	1	<1	<1	1	2	4	5	5
20-34	142	2.2	6	<1	<1	1	3	5	7	15
35-49	557	2.4	12	<1	<1	1	3	5	7	15
50-64	667	3.2	15	<1	<1	2	4	6	10	22
65+	782	4.1	27	<1	<1	2	5	9	14	23
TOT. SINGLE DX	2052	1.7	2	<1	<1	1	2	3	4	7
" MULTIPLE DX	2161	3.2	19	<1	<1	2	4	7	10	21
TOTAL 0-19 YRS	61	1.2		<1	<1	<1	1	2	2	5
20-34	415	1.6	3	<1	<1	1	2	3	5	10
35-49	1257	2.0	7	<1	<1	1	2	4	5	11
50-64	1300	2.5	9	<1	<1	1	3	5	7	17
65+	1180	3.4	20	<1	<1	2	4	8	10	20
GRAND TOTAL	**4213**	**2.5**	**11**	**<1**	**<1**	**1**	**3**	**5**	**8**	**16**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	1.7		<1	<1	1	2	3	3	3
20-34	23	2.4	2	<1	<1	2	4	5	5	6
35-49	58	3.6	2	1	1	3	4	6	7	9
50-64	59	3.1	3	1	1	3	4	6	7	9
65+	91	3.8	4	1	1	3	5	6	7	13
2. MULTIPLE DX										
0-19 YRS	6	3.5	8	<1	<1	2	6	8	8	8
20-34	26	3.0	3	1	1	3	3	5	6	10
35-49	120	4.0	3	1	2	4	5	7	8	9
50-64	140	3.9	12	1	1	3	4	7	10	17
65+	315	4.8	18	1	2	4	6	8	9	18
TOT. SINGLE DX	243	3.3	4	1	1	3	4	6	7	10
" MULTIPLE DX	607	4.3	14	1	2	4	5	7	9	15
TOTAL 0-19 YRS	18	2.3	4	<1	<1	2	3	5	7	8
20-34	49	2.7	3	<1	1	3	4	5	5	10
35-49	178	3.9	4	1	2	3	5	6	8	9
50-64	199	3.6	10	1	1	3	4	7	8	15
65+	406	4.6	15	1	2	4	6	7	9	16
GRAND TOTAL	**850**	**4.0**	**11**	**1**	**1**	**3**	**5**	**7**	**8**	**14**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	2.3	5	1	1	1	4	5	5	5
20-34	52	3.8	2	2	2	4	5	6	7	7
35-49	489	4.1	2	2	2	4	5	6	7	9
50-64	752	4.1	2	2	2	4	5	6	7	9
65+	717	4.6	3	2	2	4	6	7	8	10
2. MULTIPLE DX										
0-19 YRS	6	5.0	6	1	1	6	7	7	7	7
20-34	94	4.4	3	2	2	4	6	7	7	11
35-49	662	4.5	4	2	2	4	6	7	8	13
50-64	1319	4.9	7	2	2	5	6	8	9	15
65+	1871	5.7	12	2	3	5	7	9	11	18
TOT. SINGLE DX	2013	4.3	3	2	2	4	5	7	7	9
" MULTIPLE DX	3952	5.2	9	2	3	5	6	8	10	16
TOTAL 0-19 YRS	9	4.1	7	1	1	5	6	7	7	7
20-34	146	4.2	3	2	2	4	5	7	7	9
35-49	1151	4.3	4	2	2	4	5	7	8	10
50-64	2071	4.6	6	2	2	4	6	7	9	13
65+	2588	5.4	10	2	3	5	6	8	10	17
GRAND TOTAL	**5965**	**4.9**	**7**	**2**	**2**	**4**	**6**	**8**	**9**	**15**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	194	2.1	1	<1	1	2	3	4	4	5
20-34	494	2.3	1	<1	1	2	3	4	4	6
35-49	460	2.6	2	<1	1	3	4	4	5	7
50-64	265	2.7	1	1	1	3	4	5	5	7
65+	61	2.7	3	1	1	2	4	4	5	12
2. MULTIPLE DX										
0-19 YRS	101	2.7	2	1	1	2	3	5	6	9
20-34	473	3.1	4	1	1	3	4	5	6	12
35-49	973	3.1	3	1	1	3	4	5	6	8
50-64	722	3.4	7	1	1	3	4	6	7	13
65+	200	3.4	4	1	1	3	4	6	7	12
TOT. SINGLE DX	1474	2.5	2	<1	1	2	3	4	5	6
" MULTIPLE DX	2469	3.2	5	1	1	3	4	5	7	11
TOTAL 0-19 YRS	295	2.3	2	<1	1	2	3	4	5	8
20-34	967	2.7	3	<1	1	2	3	4	5	9
35-49	1433	2.9	3	1	1	3	4	5	6	8
50-64	987	3.2	6	1	1	3	4	5	6	12
65+	261	3.3	5	1	1	3	4	6	7	13
GRAND TOTAL	**3943**	**2.9**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**9**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	211	1.8	1	<1	1	2	2	3	4	7
20-34	451	1.8	1	<1	1	1	2	3	4	7
35-49	79	2.0	1	<1	1	2	2	3	4	7
50-64	18	1.8	1	<1	1	2	3	3	4	4
65+	4	2.3	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	48	5.0	101	<1	1	2	3	12	33	47
20-34	103	2.9	5	<1	1	2	4	6	8	12
35-49	30	3.6	7	1	1	3	4	9	10	10
50-64	19	4.5	15	<1	1	3	6	11	14	15
65+	5	3.6	4	1	1	4	5	6	6	6
TOT. SINGLE DX	763	1.8	2	<1	1	1	2	3	4	7
" MULTIPLE DX	205	3.7	29	<1	1	2	4	7	10	38
TOTAL 0-19 YRS	259	2.4	21	<1	1	2	2	3	4	30
20-34	554	2.0	3	<1	1	1	3	4	5	9
35-49	109	2.4	4	1	1	2	3	5	7	10
50-64	37	3.2	10	<1	1	2	4	6	11	15
65+	9	3.0	4	1	1	3	4	6	6	6
GRAND TOTAL	**968**	**2.2**	**8**	**<1**	**1**	**2**	**3**	**4**	**5**	**11**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	376	1.7	3	<1	<1	<1	1	3	5	11
20-34	334	2.0	5	<1	<1	1	2	4	6	10
35-49	315	1.9	4	<1	<1	1	2	4	6	12
50-64	286	2.0	5	<1	<1	1	2	4	6	15
65+	177	2.2	7	<1	<1	1	2	5	8	14
2. MULTIPLE DX										
0-19 YRS	244	5.5	117	<1	<1	2	5	14	37	99+
20-34	371	7.9	102	<1	1	4	10	22	31	49
35-49	429	8.6	129	<1	1	4	10	23	31	61
50-64	480	7.5	112	<1	1	4	9	17	27	66
65+	817	8.8	122	1	1	6	11	20	29	56
TOT. SINGLE DX	1488	1.9	5	<1	<1	1	2	4	6	13
" MULTIPLE DX	2341	8.0	119	<1	1	4	10	21	30	61
TOTAL 0-19 YRS	620	3.2	52	<1	<1	1	2	7	12	59
20-34	705	5.1	65	<1	<1	2	5	14	23	39
35-49	744	5.8	87	<1	<1	2	6	15	25	50
50-64	766	5.5	80	<1	<1	2	6	13	21	53
65+	994	7.7	108	<1	1	4	9	17	27	55
GRAND TOTAL	**3829**	**5.7**	**83**	**<1**	**<1**	**2**	**6**	**14**	**23**	**51**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	867	3.3	24	<1	<1	2	4	7	10	21
20-34	1141	3.6	16	<1	1	2	4	7	11	18
35-49	627	4.0	19	<1	1	2	5	9	13	24
50-64	410	3.9	16	<1	1	3	5	9	11	22
65+	346	4.8	35	<1	1	3	6	10	16	28
2. MULTIPLE DX										
0-19 YRS	1984	4.9	52	<1	1	3	5	11	19	43
20-34	3592	5.9	73	<1	1	3	7	13	21	53
35-49	2258	7.8	96	1	1	4	10	18	27	52
50-64	2006	10.0	119	1	1	7	13	23	32	62
65+	3597	11.1	137	1	2	7	14	24	36	62
TOT. SINGLE DX	3391	3.7	21	<1	1	2	5	8	11	22
" MULTIPLE DX	13437	8.1	104	1	1	5	10	19	29	57
TOTAL 0-19 YRS	2851	4.5	44	<1	1	2	5	10	16	37
20-34	4733	5.4	61	<1	1	3	6	11	18	45
35-49	2885	6.9	82	1	1	4	8	16	24	49
50-64	2416	9.0	107	1	1	6	12	21	30	59
65+	3943	10.5	132	1	1	7	13	23	34	62
GRAND TOTAL	**16828**	**7.2**	**90**	**1**	**1**	**4**	**9**	**17**	**25**	**52**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	141	4.5	41	<1	<1	2	5	10	16	37
20-34	151	3.7	16	<1	<1	2	5	10	13	21
35-49	96	5.0	51	<1	<1	2	5	11	18	42
50-64	71	5.8	36	<1	<1	4	7	15	18	28
65+	81	8.4	91	1	2	6	10	16	24	54
2. MULTIPLE DX										
0-19 YRS	204	9.6	116	<1	1	6	14	26	32	99+
20-34	259	11.1	136	1	1	7	14	29	37	61
35-49	206	14.6	201	1	2	10	20	32	45	76
50-64	248	14.5	171	1	2	11	21	33	40	60
65+	451	15.8	182	2	3	12	20	34	43	61
TOT. SINGLE DX	540	5.1	45	<1	<1	3	6	12	17	36
″ MULTIPLE DX	1368	13.6	170	1	2	10	19	31	41	62
TOTAL 0-19 YRS	345	7.5	92	<1	<1	4	9	20	27	63
20-34	410	8.3	105	<1	1	5	10	21	32	48
35-49	302	11.5	174	<1	1	7	15	26	40	62
50-64	319	12.6	154	1	1	9	18	29	37	59
65+	532	14.7	176	2	2	11	19	32	42	59
GRAND TOTAL	**1908**	**11.2**	**149**	**1**	**1**	**7**	**15**	**27**	**36**	**59**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	51	2.7	22	<1	<1	1	2	7	10	31
20-34	75	3.7	14	<1	<1	2	5	9	13	16
35-49	43	2.9	11	<1	<1	1	3	8	10	17
50-64	16	6.3	141	<1	<1	1	5	21	39	46
65+	19	5.9	59	<1	<1	4	6	14	25	33
2. MULTIPLE DX										
0-19 YRS	54	9.0	179	<1	1	4	11	24	45	65
20-34	170	12.1	216	1	1	6	17	32	49	95
35-49	108	14.5	274	1	1	7	23	38	52	95
50-64	80	14.6	235	1	2	10	18	43	57	89
65+	113	16.8	288	1	2	12	23	50	62	99+
TOT. SINGLE DX	204	3.7	30	<1	<1	2	4	9	12	32
″ MULTIPLE DX	525	13.7	247	1	1	8	19	38	56	99+
TOTAL 0-19 YRS	105	5.9	112	<1	<1	2	7	13	29	58
20-34	245	9.5	170	1	1	4	12	27	41	78
35-49	151	11.2	227	<1	1	4	18	32	45	91
50-64	96	13.2	228	<1	1	8	17	39	55	84
65+	132	15.2	269	1	2	11	21	48	60	99+
GRAND TOTAL	**729**	**10.9**	**206**	**<1**	**1**	**5**	**14**	**31**	**49**	**93**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	134	1.7	2	<1	<1	1	2	3	4	11
20-34	92	1.8	2	<1	<1	1	2	4	5	7
35-49	131	2.4	5	<1	<1	2	3	5	5	11
50-64	93	1.9	1	<1	<1	1	3	4	4	7
65+	37	1.6	1	<1	<1	1	2	3	7	99+
2. MULTIPLE DX										
0-19 YRS	170	3.1	41	<1	<1	2	3	6	10	92
20-34	183	4.0	31	<1	1	2	5	7	11	29
35-49	243	3.9	19	1	1	3	4	7	10	27
50-64	208	3.5	28	<1	1	2	4	7	10	30
65+	187	6.3	67	1	1	4	8	13	17	39
TOT. SINGLE DX	487	2.0	3	<1	<1	1	2	4	5	8
″ MULTIPLE DX	991	4.2	37	<1	1	2	5	8	13	35
TOTAL 0-19 YRS	304	2.5	24	<1	<1	1	2	5	7	55
20-34	275	3.3	22	<1	<1	2	4	6	9	27
35-49	374	3.4	15	<1	1	3	4	6	9	22
50-64	301	3.0	21	<1	<1	2	3	6	8	19
65+	224	5.5	59	<1	1	3	8	11	16	53
GRAND TOTAL	**1478**	**3.4**	**27**	**<1**	**<1**	**2**	**4**	**7**	**10**	**28**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
″ MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	10	4.0	54	1	1	2	2	14	25	25
35-49	12	2.3	1	1	1	2	3	4	5	5
50-64	6	3.8	11	1	1	2	8	8	8	8
65+	14	2.2	1	<1	1	2	3	4	5	5
2. MULTIPLE DX										
0-19 YRS	16	6.8	112	1	1	3	8	13	35	44
20-34	26	5.5	85	1	2	3	4	9	19	49
35-49	25	7.2	53	1	1	4	10	18	24	29
50-64	48	6.0	33	1	1	4	7	16	19	24
65+	95	8.9	73	2	2	6	12	18	27	44
TOT. SINGLE DX	43	2.9	15	1	1	2	3	5	8	25
" MULTIPLE DX	210	7.5	67	1	1	5	9	16	24	45
TOTAL 0-19 YRS	17	6.6	106	1	1	3	8	13	33	44
20-34	36	5.1	76	1	1	2	4	9	21	49
35-49	37	5.6	42	1	1	4	6	15	21	29
50-64	54	5.7	31	1	1	4	7	13	19	24
65+	109	8.1	70	1	2	5	10	17	26	42
GRAND TOTAL	**253**	**6.7**	**61**	**1**	**1**	**4**	**8**	**15**	**24**	**44**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	163	2.1	9	<1	1	1	2	4	8	19
20-34	2844	2.3	7	1	1	1	2	6	8	14
35-49	3969	2.2	6	1	1	1	2	5	8	12
50-64	2100	1.9	4	1	1	1	2	4	7	11
65+	709	2.1	6	1	1	1	2	4	7	12
2. MULTIPLE DX										
0-19 YRS	127	3.2	13	1	1	2	4	8	9	19
20-34	1750	3.7	18	1	1	2	5	9	12	21
35-49	2864	3.6	21	1	1	2	4	9	12	21
50-64	2428	3.6	21	1	1	2	4	9	13	21
65+	1917	4.8	34	1	1	2	6	12	16	29
TOT. SINGLE DX	9785	2.1	6	1	1	1	2	5	8	12
" MULTIPLE DX	9086	3.9	24	1	1	2	5	9	13	22
TOTAL 0-19 YRS	290	2.6	12	1	1	1	2	6	9	19
20-34	4594	2.8	12	1	1	1	3	7	10	17
35-49	6833	2.8	13	1	1	1	3	7	9	17
50-64	4528	2.8	14	1	1	1	3	7	10	19
65+	2626	4.1	28	1	1	2	5	10	14	27
GRAND TOTAL	**18871**	**3.0**	**15**	**1**	**1**	**1**	**3**	**8**	**10**	**19**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	34	2.6	6	1	1	2	3	6	9	11
20-34	160	2.7	8	1	1	1	3	6	10	13
35-49	230	2.4	7	<1	1	1	3	5	9	13
50-64	435	2.7	14	<1	1	2	3	6	7	15
65+	550	2.5	8	1	1	2	3	5	7	13
2. MULTIPLE DX										
0-19 YRS	60	4.5	33	<1	1	2	5	9	13	37
20-34	234	5.0	44	1	1	3	6	10	16	41
35-49	451	5.4	55	1	1	3	6	11	17	41
50-64	1282	4.8	45	1	1	3	5	11	15	30
65+	2682	5.0	29	1	1	3	7	11	15	27
TOT. SINGLE DX	1409	2.6	10	1	1	1	3	6	8	14
" MULTIPLE DX	4709	4.9	37	1	1	3	6	11	15	30
TOTAL 0-19 YRS	94	3.8	24	1	1	2	5	8	12	29
20-34	394	4.0	31	1	1	2	5	9	12	28
35-49	681	4.4	41	1	1	2	5	9	13	35
50-64	1717	4.2	39	1	1	2	5	9	14	28
65+	3232	4.5	27	1	1	3	6	10	14	26
GRAND TOTAL	**6118**	**4.4**	**32**	**1**	**1**	**2**	**5**	**10**	**13**	**27**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	14	3.2	7	<1	1	2	5	7	9	10
35-49	94	2.1	5	<1	1	1	2	4	9	12
50-64	194	2.0	4	1	1	1	2	4	8	10
65+	86	2.1	3	<1	1	1	2	5	6	9
2. MULTIPLE DX										
0-19 YRS	6	1.2		1	1	1	1	2	2	2
20-34	31	4.5	10	1	1	4	7	9	12	12
35-49	333	3.2	10	1	1	2	4	7	10	15
50-64	981	3.1	9	1	1	2	4	7	9	16
65+	861	3.4	12	<1	1	2	5	8	10	17
TOT. SINGLE DX	390	2.1	5	<1	1	1	2	5	7	11
" MULTIPLE DX	2212	3.3	11	1	1	2	4	8	10	16
TOTAL 0-19 YRS	8	1.3		1	1	1	2	2	2	2
20-34	45	4.1	10	1	1	3	6	9	10	12
35-49	427	3.0	10	1	1	2	4	7	10	14
50-64	1175	2.9	9	1	1	2	4	7	9	15
65+	947	3.3	12	<1	1	2	4	8	10	16
GRAND TOTAL	**2602**	**3.1**	**10**	**1**	**1**	**2**	**4**	**7**	**9**	**16**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	75	3.1	9	<1	1	2	5	7	9	16
20-34	341	4.1	10	<1	1	3	7	8	10	13
35-49	422	4.0	12	1	1	3	6	9	10	13
50-64	560	3.4	9	<1	1	2	5	8	10	12
65+	619	3.3	10	<1	1	2	5	8	10	14
2. MULTIPLE DX										
0-19 YRS	146	5.7	121	1	1	2	6	11	18	93
20-34	607	6.1	38	1	1	5	8	12	15	33
35-49	1033	5.8	29	1	1	5	8	12	14	23
50-64	2167	5.4	30	1	1	4	8	11	14	26
65+	4104	5.9	32	1	1	5	8	12	15	26
TOT. SINGLE DX	2017	3.6	11	<1	1	2	6	8	10	13
" MULTIPLE DX	8057	5.8	34	1	1	4	8	12	15	27
TOTAL 0-19 YRS	221	4.8	84	1	1	2	6	10	15	83
20-34	948	5.4	30	1	1	4	8	11	13	28
35-49	1455	5.3	25	1	1	4	8	11	13	21
50-64	2727	5.0	27	1	1	3	7	10	13	24
65+	4723	5.6	30	1	1	4	8	12	15	24
GRAND TOTAL	**10074**	**5.4**	**30**	**1**	**1**	**4**	**8**	**11**	**14**	**25**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4054	2.9	12	<1	1	2	3	6	8	17
20-34	7178	3.3	16	<1	1	2	4	6	9	17
35-49	5079	3.5	16	1	1	2	4	7	9	18
50-64	3511	3.9	12	1	1	3	5	8	10	17
65+	3195	4.6	18	1	1	3	6	9	11	23
2. MULTIPLE DX										
0-19 YRS	7950	5.6	78	1	1	3	5	11	19	53
20-34	13224	4.9	41	1	1	3	6	9	14	33
35-49	13476	5.5	37	1	1	4	7	11	15	32
50-64	21890	6.1	34	1	2	4	7	12	15	30
65+	56450	6.9	33	2	2	5	9	13	17	29
TOT. SINGLE DX	23017	3.5	16	1	1	2	4	7	9	18
" MULTIPLE DX	112990	6.2	39	1	2	5	8	12	16	32
TOTAL 0-19 YRS	12004	4.7	58	1	1	3	5	9	15	44
20-34	20402	4.4	33	1	1	3	5	8	12	30
35-49	18555	4.9	33	1	1	3	6	10	13	30
50-64	25401	5.8	32	1	2	4	7	11	15	29
65+	59645	6.8	33	2	2	5	8	13	16	29
GRAND TOTAL	**136007**	**5.8**	**36**	**1**	**1**	**4**	**7**	**11**	**15**	**31**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2948	4.2	34	1	1	2	4	8	17	31
20-34	1221	4.8	27	1	1	3	6	9	12	26
35-49	1366	4.9	17	1	1	4	6	9	11	21
50-64	1021	4.6	15	1	1	4	6	9	11	19
65+	875	5.5	31	1	2	4	7	10	13	30
2. MULTIPLE DX										
0-19 YRS	5117	5.6	76	1	1	3	5	11	20	52
20-34	2354	6.7	77	1	1	4	7	13	21	49
35-49	2912	6.9	65	1	2	5	8	14	20	48
50-64	5083	6.9	53	1	2	5	8	13	19	40
65+	13977	7.6	48	2	2	6	9	14	20	38
TOT. SINGLE DX	7431	4.6	27	1	1	3	5	9	13	28
" MULTIPLE DX	29443	7.0	59	1	2	5	8	14	20	43
TOTAL 0-19 YRS	8065	5.1	61	1	1	3	5	10	19	43
20-34	3575	6.0	61	1	1	4	7	12	18	46
35-49	4278	6.2	51	1	1	4	7	12	18	37
50-64	6104	6.5	48	1	2	5	8	13	18	38
65+	14852	7.5	48	2	2	6	9	14	20	38
GRAND TOTAL	**36874**	**6.5**	**53**	**1**	**2**	**4**	**8**	**13**	**19**	**40**

Appendix

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3063	2.7	14	<1	1	2	3	5	6	16
20-34	3405	2.5	14	<1	<1	1	3	5	7	19
35-49	1947	3.3	18	<1	1	2	4	7	9	22
50-64	1920	3.8	13	1	1	3	5	8	10	16
65+	1926	4.3	17	1	1	3	5	8	11	21
2. MULTIPLE DX										
0-19 YRS	7692	5.5	80	1	1	3	5	11	20	56
20-34	5758	4.7	49	<1	1	3	5	9	16	38
35-49	6962	4.8	31	1	1	3	6	9	13	29
50-64	14862	5.5	29	1	1	4	7	11	14	27
65+	38004	6.4	31	1	2	5	8	12	16	28
TOT. SINGLE DX	12261	3.2	16	<1	1	2	4	6	9	19
" MULTIPLE DX	73278	5.8	38	1	1	4	7	11	16	31
TOTAL 0-19 YRS	10755	4.7	63	<1	1	3	4	9	16	49
20-34	9163	3.9	37	<1	<1	2	4	8	12	31
35-49	8909	4.5	29	1	1	3	5	9	12	28
50-64	16782	5.3	28	1	1	4	7	10	14	26
65+	39930	6.3	31	1	2	5	8	12	16	28
GRAND TOTAL	**85539**	**5.4**	**36**	**1**	**1**	**4**	**7**	**11**	**15**	**30**

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

OPERATION INDEX (continued)

Group Number	Title
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy
	Fistula – *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

OPERATION INDEX (continued)

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions – *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, exept of hand
728	Hand

OPERATION INDEX (continued)

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage – *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

OPERATION INDEX (continued)

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision – *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

OPERATION INDEX (continued)

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

OPERATION INDEX (continued)

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth -
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

OPERATION INDEX (continued)

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

OPERATION INDEX (continued)

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus – *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) — *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) — *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

OPERATION INDEX (continued)

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

OPERATION INDEX (continued)

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

OPERATION INDEX (continued)

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

OPERATION INDEX (continued)

Group Number **Title**

- Reduction (continued)
  - Femur
    - 710 Closed, except with internal fixation
      - 708 With internal fixation
    - 710 Open, except with internal fixation
      - 709 With internal fixation
  - 701 Mandible, except closed reduction
    - 700 Closed reduction
  - 701 Maxillofacial, except closed reduction
    - 700 Closed reduction
  - 544 Nose
  - 619 Hemorrhoids
  - Hernia — *see also Herniorrhaphy*
    - 764 Manual
  - 601 Intestinal torsion
  - 601 Intussusception, intestine
  - 745 Mammoplasty
  - 601 Volvulus, intestine
- Release
  - Adhesions — *see Lysis, adhesions*
  - 728 Dupuytren's contracture
  - 749 Scar contracture, skin
  - 642 Urethral stricture
- Removal
  - Calculus
    - 617 Biliary tract
    - 638 Bladder
    - 632 Kidney, except transurethral approach
      - 635 Transurethral approach
    - 519 Lacrimal tract (by incision)
      - 533 Without incision
    - 633 Ureter, except transurethral approach
      - 635 Transurethral approach
  - 764 Catheter, nonoperatively
  - 764 Cholecystotomy tube
  - 693 Ectopic fetus
  - 707 Fixation device, internal
  - Foreign body
    - 762 Bronchus, except with incision
      - 563 With incision
    - 532 Eye, except as below
      - 524 Anterior chamber
      - 520 Conjunctiva

OPERATION INDEX (continued)

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula — *see Fistulectomy*
704	Hallux valgus
729	Hand

OPERATION INDEX (continued)

Group Number **Title**

- Repair (continued)
  - Hernia – *see Herniorrhaphy*
  - 723 Hip, except total replacement
    - 722 Total replacement
  - Hydrocephalus, by ventricular shunt
    - 504 Extracranial
    - 505 Intracranial (ventriculostomy)
  - 601 Intestine
  - 725 Joint, except hip and knee
    - 723 Hip, except total replacement
      - 722 Total replacement
    - 724 Knee
  - 724 Knee (joint)
  - Laceration – *see also Repair, by site*
    - 697 Obstetric
  - 562 Larynx
  - 552 Lip
  - 615 Liver
  - 568 Lung
  - 731 Muscle, except extraocular and of hand
    - 531 Extraocular
    - 729 Hand
  - 556 Nasopharyngeal atresia
  - 542 Nose
  - 663 Ovary
  - 551 Palate
  - 658 Penis
  - 685 Perineum, female, except obstetric laceration
    - 697 Obstetric laceration
  - 509 Peripheral nerve
  - 596 Pylorus, stomach
  - 680 Rectocele, vagina
  - 609 Rectum
  - 528 Retinal detachment or tear
  - 730 Rotator-cuff (shoulder)
  - 503 Skull
  - 507 Spina bifida
  - 507 Spinal meningocele
  - 596 Stomach
  - 644 Stress incontinence, except urethral suspension
    - 643 Urethral suspension
  - 731 Tendon, except of hand
    - 729 Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

OPERATION INDEX (continued)

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt — *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

OPERATION INDEX (continued)

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
644	Stress incontinence repair, except by urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture – *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown – *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction – *see Reduction, fracture*
	Transfer – *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

OPERATION INDEX (continued)

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray — *see Radiography*
751	Z-plasty, skin

R3850-1.11 U
11/86

LOS

LENGTH OF STAY

CPHA PUBLICATIONS

Length of Stay by Diagnosis, Canada, 1985

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1986

LENGTH OF STAY

Copyright 1986 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1985
. . . by Diagnosis, United States, North Central Region, 1985
. . . by Diagnosis, United States, Northeastern Region, 1985
. . . by Diagnosis, United States, Southern Region, 1985
. . . by Diagnosis, United States, Western Region, 1985
. . . by Diagnosis, Canada, 1985

. . . by Operation, United States, 1985
. . . by Operation, United States, North Central Region, 1985
. . . by Operation, United States, Northeastern Region, 1985
. . . by Operation, United States, Southern Region, 1985
. . . by Operation, United States, Western Region, 1985
. . . by Operation, Canada, 1985

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1985
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1985

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1985 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1985 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1985 LENGTH OF STAY BOOKS

Peg Eby, Research Assistant, Research Services
Carol A. Prevost, Research Associate
Jeanine DeLay, Assistant Director
Edward J. Kobrinski, Director

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data. 1
  Data Quality. 2
  Coverage 3
  Organization of Length of Stay Tables. 5
    Definition of Multiple Diagnosis Patients 5
    Definition of Operated Patients 5
  Explanation of Statistics. 6
  Defining the Extended Stay Case 7
Length of Stay Tables 17
  Summary of All Patients. 18
  Summary of All Patients Except Newborn 19
  Diagnosis Groups 1-398 20
Appendix: ***ICD-9-CM*** **Codes for Selected Diagnosis Groups** 219
Index to Length of Stay Tables 223

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient separation records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain separation data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each separated patient into the PAS System via PAS+ microcomputer, PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. separated to other short-term hospital
5. separated against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

The data chosen for inclusion in this book are from general, nonfederal, short-term hospitals in Canada. Short-term hospitals are defined as those in which the median stay is shorter than 45 days. Hospitals participating in PAS from the United States, United States Territories, and Puerto Rico were excluded from this book. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included.

Characteristics of all the hospitals with data included in the Canada length of stay books are displayed on the following page.

Bed Size and Province: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in Canada January-December 1985

Hospital Class (1)	Short-Term Nonfederal Hospitals			Short-Term Nonfederal Hospital Beds		
	Canada Total[2] (2)	Number in Books (3)	Percent in Books (4)	Canada Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
Less than 25 beds	242	23	9.5	3,434	393	11.4
25-49	194	65	33.5	6,680	2,204	33.0
50-99	174	39	22.4	12,300	2,584	21.0
100-199	120	19	15.8	16,507	2,494	15.1
200-299	74	7	9.5	17,869	1,627	9.1
300-399	58	5	8.6	20,119	1,723	8.6
400-499	20	3	15.0	8,981	1,435	16.0
500+	37	7	18.9	25,481	5,018	20.0
Total	919	168	18.3	111,371	17,478	15.7
Province or Territory						
Alberta	125	111	88.8	11,653	9,926	85.2
British Columbia	111	17	15.3	12,355	2,268	18.4
Manitoba	78	–	–	5,150	–	–
New Brunswick	33	32	97.0	3,924	3,584	91.3
Newfoundland	35	1	2.9	2,588	37	1.4
Nova Scotia	48	5	10.4	4,833	1,562	32.3
Ontario	207	–	–	37,688	–	–
Prince Edward Island	9	–	–	644	–	–
Quebec	138	–	–	26,125	–	–
Saskatchewan	132	–	–	6,260	–	–
Northwest Territories	3	2	66.7	151	101	66.9
Yukon	–	–	–	–	–	–
Total	919	168	18.3	111,371	17,478	15.7

---

[1] Hospitals with average stay less than 45 days, excluding psychiatric hospitals.

[2] *Canadian Hospital Directory*, 1980, Canadian Hospital Association, Ottawa, 1980.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are those who had at least one procedure that had an operative or anesthetic risk, required highly trained personnel, or required special facilities or equipment. For a complete list of these procedures refer to the Class 1 procedure section of *UHDDS Classes of Procedures, ICD-9-CM,*[1] Commission on Professional and Hospital Activities, Ann Arbor, Michigan 1978. Patients with only Class 2-4 procedures are considered nonoperated.

Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and separation dates by counting the day of admission but not the day of separation. Patients who left the hospital on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) left the hospital on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

---

[1] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Defining the Extended Stay Case

Although utilization review in Canadian hospitals has not had the regulatory impetus of programs in the United States, Canadian hospitals have equal reason to be concerned about the wise use of resources. The instructions that follow are those found in the length of stay books for the United States. The techniques employed can be used by any Canadian hospital conducting a review of those cases whose stay exceeds the norms for matching cases listed in ***Length of Stay by Diagnosis, Canada, 1985*** or ***Length of Stay by Operation, Canada, 1985***

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct day" on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than the one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[3] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate operation length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g.			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	**2**		**215**
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	**Cholelithiasis**
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis **INDEX TO DISEASES**

Cholangitis (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  chronic nonsuppurative destructive 571.6
  nonsuppurative destructive (chronic) 571.6
Cholecystdocholithiasis — *see* Choledocholithiasis
Cholecystitis (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  with
    calculus, stones in
      bile duct (common) (hepatic) 574.4
      gallbladder 574.1
    choledocholithiasis 574.4
    cholelithiasis 574.1
  acute 575.0
    with
      calculus, stones in
        bile duct (common) (hepatic) 574.3
        gallbladder 574.0
      choledocholithiasis 574.3
      cholelithiasis 574.0
  emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
  gangrenous *(see also* Cholecystitis, acute) 575.0
  paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
  suppurative *(see also* cholecystitis, acute) 575.0
  typhoidal 002.0
Choledochitis (suppurative) 576.1
Choledocholith — *see* Choledocholithiasis
Choledocholithiasis 574.5

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  with cholecystitis (chronic) 574.4
    acute 574.3
Cholelithiasis (impacted) (multiple) 574.2

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  with cholecystitis (chronic) 574.1
    acute 574.0
Cholemia *(see also* Jaundice) 782.4
  familial 277.4
  Gilbert's (familial nonhemolytic) 277.4
Cholemic gallstone — *see* Cholelithiasis
Choleperitoneum, choleperitonitis *(see also* Disease, gallbladder) 567.8
Cholera (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  antimonial 985.4
  carrier (suspected) of V02.0
  classical 001.0
  contact V01.0
  due to
    Vibrio
      cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        El Tor 001.1
  El Tor 001.1
  exposure to V01.0
  vaccination, prophylactic (against) V03.0
Cholerine *(see also* Cholera) 001.9
Cholestasis *(see also* Disease, gallbladder) 575.8
Cholesteatoma (ear) 385.30
  attic (primary) 385.31
  diffuse 385.35
  external ear (canal) 380.21
  marginal (middle ear) 385.32
    with involvement of mastoid cavity 385.33
    secondary (with middle ear involvement) 385.33
  mastoid cavity 385.30
  middle ear 385.30
    secondary 385.32
      with involvement of mastoid cavity 385.33
  postmastoidectomy cavity (recurrent) 383.32
  primary 385.31
  recurrent, postmastoidectomy cavity 383.32
  secondary (middle ear) 385.32
    with involvement of mastoid cavity 385.33
Cholesteatosis (middle ear) *(see also* Cholesteatoma) 385.30
  diffuse 385.35

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	4.7	10	1	2	4	6	9	11	15
20-34	1472	4.4	10	1	1	4	6	8	10	16
35-49	1964	5.2	14	1	2	4	7	9	12	17
50-64	3826	5.8	15	2	2	5	7	10	13	19
65+	7503	7.6	32	2	3	6	10	14	17	28
B. *Operated*										
0-19 YRS	671	9.6	30	5	5	8	11	15	17	32
20-34	9073	9.2	24	5	5	8	11	14	17	27
35-49	11544	9.9	27	5	6	8	12	16	19	30
50-64	17699	11.4	41	5	6	10	13	18	23	35
65+	18538	15.1	82	6	7	13	18	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6693	4.1	9	1	1	3	5	8	9	14
B. *Operated*	50291	8.3	14	5	5	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	14921	6.5	24	2	2	5	8	12	15	25
B. *Operated*	57525	11.9	54	5	6	10	14	20	25	41
1. SINGLE DX	56984	7.8	15	3	4	7	9	12	14	21
2. MULTIPLE DX	72446	10.8	53	3	5	9	13	19	24	39
A. NOT OPERATED	21614	5.7	21	1	2	5	7	11	14	22
B. OPERATED	107816	10.2	38	5	6	8	12	17	21	34
TOTAL 0-19 YRS	2325	7.5	19	2	3	7	9	12	14	22
20-34	27293	7.6	16	3	4	7	9	12	14	21
35-49	28151	8.3	21	3	4	7	10	13	16	24
50-64	36761	9.4	31	3	5	8	11	16	19	30
65+	34900	12.1	68	3	5	10	15	21	27	44
GRAND TOTAL	**129430**	**9.5**	**38**	**3**	**4**	**8**	**11**	**16**	**20**	**33**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 5. The patient is 47-years-old and therefore falls in the age group 35-49.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

168 Hospitals, Canada, January-December 1985

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66314	3.9	13	1	1	3	5	7	8	17
20-34	41066	4.1	28	<1	1	3	5	7	10	28
35-49	15160	5.5	52	<1	1	3	6	11	17	38
50-64	12414	6.6	58	1	1	4	8	14	20	40
65+	16153	8.1	85	1	1	5	10	17	24	55
B. *Operated*										
0-19 YRS	24615	3.1	12	<1	1	2	4	6	8	17
20-34	48700	3.9	13	<1	1	3	5	7	9	16
35-49	20708	4.8	21	<1	1	4	6	9	12	22
50-64	15528	5.9	33	1	1	4	8	12	16	28
65+	14768	7.1	56	1	2	5	9	15	21	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69723	5.3	31	1	2	4	6	9	13	30
20-34	27595	6.3	81	1	1	4	7	13	22	54
35-49	20186	7.5	80	1	1	5	9	16	24	52
50-64	29950	8.6	83	1	2	6	11	18	25	53
65+	62543	11.1	134	2	2	8	14	24	36	93
B. *Operated*										
0-19 YRS	14974	6.0	86	1	1	3	6	13	22	64
20-34	51804	6.0	42	1	2	5	7	10	15	37
35-49	27322	7.7	68	1	2	6	9	15	21	46
50-64	28828	10.1	117	1	2	7	13	22	31	65
65+	36989	13.2	183	2	2	9	17	30	44	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	151107	4.8	34	<1	1	3	5	9	13	31
B. *Operated*	124319	4.5	23	<1	1	3	6	9	12	24
2. MULTIPLE DX										
A. *Not Operated*	209997	7.8	86	1	2	5	9	17	25	58
B. *Operated*	159917	8.7	105	1	2	6	10	19	28	65
1. SINGLE DX	275426	4.7	29	<1	1	3	5	9	13	27
2. MULTIPLE DX	369914	8.2	94	1	2	5	9	18	26	62
A. NOT OPERATED	361104	6.6	67	1	1	4	7	14	21	48
B. OPERATED	284236	6.9	73	<1	1	4	8	15	22	51
TOTAL 0-19 YRS	175626	4.5	27	1	1	4	5	8	11	27
20-34	169165	5.0	37	<1	1	4	6	9	13	33
35-49	83376	6.5	58	<1	1	5	8	13	19	41
50-64	86720	8.3	84	1	2	6	10	18	25	52
65+	130453	10.9	137	1	2	7	14	24	35	86
GRAND TOTAL	**645340**	**6.7**	**70**	**1**	**1**	**4**	**8**	**14**	**21**	**49**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41785	3.8	18	<1	1	3	5	7	10	20
20-34	41066	4.1	28	<1	1	3	5	7	10	28
35-49	15160	5.5	52	<1	1	3	6	11	17	38
50-64	12414	6.6	58	1	1	4	8	14	20	40
65+	16153	8.1	85	1	1	5	10	17	24	55
B. *Operated*										
0-19 YRS	24604	3.1	12	<1	1	2	4	6	8	17
20-34	48700	3.9	13	<1	1	3	5	7	9	16
35-49	20708	4.8	21	<1	1	4	6	9	12	22
50-64	15528	5.9	33	1	1	4	8	12	16	28
65+	14768	7.1	56	1	2	5	9	15	21	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33906	5.3	39	1	1	4	6	10	15	32
20-34	27595	6.3	81	1	1	4	7	13	22	54
35-49	20186	7.5	80	1	1	5	9	16	24	52
50-64	29950	8.6	83	1	2	6	11	18	25	53
65+	62543	11.1	134	2	2	8	14	24	36	93
B. *Operated*										
0-19 YRS	14480	5.5	60	1	1	3	6	12	19	46
20-34	51804	6.0	42	1	2	5	7	10	15	37
35-49	27322	7.7	68	1	2	6	9	15	21	46
50-64	28828	10.1	117	1	2	7	13	22	31	65
65+	36989	13.2	183	2	2	9	17	30	44	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	126578	4.9	40	<1	1	3	6	10	14	33
B. *Operated*	124308	4.5	23	<1	1	3	6	9	12	24
2. MULTIPLE DX										
A. *Not Operated*	174180	8.4	98	1	1	5	10	18	27	64
B. *Operated*	159423	8.7	103	1	2	6	10	19	28	64
1. SINGLE DX	250886	4.7	32	<1	1	3	6	9	13	28
2. MULTIPLE DX	333603	8.5	100	1	2	6	10	19	28	64
A. NOT OPERATED	300758	6.9	76	1	1	4	8	15	22	52
B. OPERATED	283731	6.8	72	<1	1	4	8	15	22	50
TOTAL 0-19 YRS	114775	4.3	29	<1	1	3	5	8	12	28
20-34	169165	5.0	37	<1	1	4	6	9	13	33
35-49	83376	6.5	58	<1	1	5	8	13	19	41
50-64	86720	8.3	84	1	2	6	10	18	25	52
65+	130453	10.9	137	1	2	7	14	24	35	86
GRAND TOTAL	**584489**	**6.9**	**74**	**1**	**1**	**4**	**8**	**15**	**22**	**51**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1254	3.8	9	1	1	3	5	7	9	15
20-34	285	3.0	4	<1	1	2	4	6	7	11
35-49	120	3.5	11	1	1	3	5	6	9	17
50-64	99	3.9	10	1	1	3	5	9	11	14
65+	95	5.4	18	1	2	4	7	12	16	18
B. *Operated*										
0-19 YRS	6	5.2	7	3	3	4	8	9	9	9
20-34	33	5.5	16	1	2	4	7	11	14	18
35-49	9	4.7	2	3	3	5	5	7	8	8
50-64	4	7.5	2	6	6	7	8	9	9	9
65+	2	9.5	25	6	6	9	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1036	5.8	22	1	2	4	7	11	14	25
20-34	191	3.8	11	1	1	3	5	7	9	21
35-49	87	4.3	9	1	1	3	6	8	9	17
50-64	123	5.6	30	1	2	4	7	12	15	34
65+	216	7.8	65	1	2	5	9	15	22	44
B. *Operated*										
0-19 YRS	16	12.6	155	3	4	8	14	29	45	52
20-34	26	6.8	31	2	3	6	8	13	17	29
35-49	14	6.7	13	2	3	6	8	10	15	17
50-64	17	12.7	184	3	3	7	17	26	47	57
65+	14	14.2	63	3	3	14	20	31	83	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1853	3.7	9	1	1	3	5	7	9	15
B. *Operated*	54	5.6	12	2	2	5	7	10	13	18
2. MULTIPLE DX										
A. *Not Operated*	1653	5.7	27	1	2	4	7	11	15	28
B. *Operated*	87	10.2	92	3	3	7	13	20	30	84
1. SINGLE DX	1907	3.8	9	1	1	3	5	7	10	15
2. MULTIPLE DX	1740	5.9	31	1	2	4	7	12	15	30
A. NOT OPERATED	3506	4.7	18	1	1	3	6	9	12	22
B. OPERATED	141	8.4	66	2	3	6	11	17	25	60
TOTAL 0-19 YRS	2312	4.7	17	1	1	4	6	9	12	21
20-34	535	3.6	10	1	1	3	4	7	9	15
35-49	230	4.1	10	1	1	3	5	8	9	17
50-64	243	5.5	36	1	1	3	7	11	15	32
65+	327	7.4	54	1	2	5	9	15	20	44
GRAND TOTAL	**3647**	**4.8**	**21**	**1**	**1**	**4**	**6**	**9**	**13**	**23**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	47.0	1231	4	7	36	82	94	95	95
20-34	11	13.7	106	2	3	12	22	30	32	32
35-49	12	22.3	601	4	5	17	27	53	86	92
50-64	7	21.3	378	5	5	15	33	53	57	57
65+	7	13.0	112	2	3	10	18	31	33	33
B. *Operated*										
0-19 YRS	1	35.0		35	35	35	35	35	35	35
20-34	9	23.4	618	7	7	16	30	64	84	84
35-49	6	19.0	126	8	8	16	26	37	38	38
50-64	6	7.0	4	5	5	6	7	11	11	11
65+	7	16.3	50	6	7	16	23	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	49.4	1451	6	7	64	95	99+	99+	99+
20-34	13	22.9	626	1	2	15	28	65	80	83
35-49	13	33.7	502	5	14	31	57	77	95	99+
50-64	8	21.9	245	6	11	22	99+	99+	99+	99+
65+	22	22.7	220	3	6	24	36	48	68	99+
B. *Operated*										
0-19 YRS										
20-34	11	25.0	239	7	7	23	39	70	96	99+
35-49	16	23.2	405	7	8	16	27	57	72	78
50-64	15	23.1	337	10	11	18	30	79	95	99+
65+	5	31.0	809	7	8	29	76	98	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	22.5	551	3	4	14	30	54	91	95
B. *Operated*	29	17.8	257	6	6	14	23	35	40	84
2. MULTIPLE DX										
A. *Not Operated*	66	28.9	602	3	6	23	57	99+	99+	99+
B. *Operated*	47	24.4	363	7	8	19	32	77	99+	99+
1. SINGLE DX	73	20.6	434	4	5	14	27	37	80	94
2. MULTIPLE DX	113	27.0	503	6	7	20	47	94	99+	99+
A. NOT OPERATED	110	26.3	586	3	5	21	43	92	99+	99+
B. OPERATED	76	21.9	329	6	7	17	30	58	84	99+
TOTAL 0-19 YRS	18	47.7	1214	5	7	53	92	98	99+	99+
20-34	44	21.3	390	2	4	16	28	57	83	99+
35-49	47	25.3	449	5	6	18	36	62	79	99+
50-64	36	19.8	283	5	6	17	30	99+	99+	99+
65+	41	21.0	250	3	6	19	31	48	84	99+
GRAND TOTAL	**186**	**24.5**	**484**	**4**	**6**	**18**	**36**	**82**	**99+**	**99+**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	8.0		8	8	8	8	8	8	8
20-34	2	18.5	113	11	11	18	26	26	26	26
35-49	2	14.5	181	5	5	14	24	24	24	24
50-64										
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	5	4.8	11	<1	<1	5	8	8	8	8
20-34	9	8.1	53	1	1	5	15	19	21	21
35-49	4	14.5	44	9	9	12	19	24	24	24
50-64	2	10.0	162	<1	<1	9	19	19	19	19
65+	6	11.5	46	3	3	12	14	21	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	20.5	1	20	20	20	21	21	21	21
20-34	6	20.5	333	4	4	16	31	49	51	51
35-49	9	20.4	649	4	4	13	19	63	85	85
50-64	4	11.3	8	7	7	12	13	13	13	13
65+	3	10.7	10	7	7	12	13	13	13	13
B. *Operated*										
0-19 YRS	2	22.5	545	6	6	22	39	39	39	39
20-34	10	19.8	292	2	3	9	39	43	45	45
35-49	5	8.6	40	3	3	5	15	16	16	16
50-64	9	26.1	480	5	6	22	30	63	77	77
65+	7	28.6	517	4	6	20	41	64	70	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	12.3	81	4	4	8	21	26	26	26
B. *Operated*	26	9.4	50	<1	1	8	14	21	22	24
2. MULTIPLE DX										
A. *Not Operated*	24	17.7	319	4	4	13	20	33	61	85
B. *Operated*	33	21.8	365	3	4	15	37	43	66	77
1. SINGLE DX	33	10.0	55	<1	2	8	14	22	24	26
2. MULTIPLE DX	57	20.1	344	4	4	13	28	42	63	84
A. NOT OPERATED	31	16.5	266	4	4	12	21	30	50	85
B. OPERATED	59	16.4	262	1	2	11	22	40	44	76
TOTAL 0-19 YRS	11	11.5	124	<1	1	8	17	28	38	39
20-34	27	16.0	218	2	2	10	25	41	46	51
35-49	20	15.7	323	3	4	12	16	27	57	85
50-64	15	20.0	348	1	5	15	23	41	68	77
65+	17	17.9	297	3	4	13	20	41	60	70
GRAND TOTAL	**90**	**16.4**	**260**	**2**	**3**	**12**	**21**	**39**	**45**	**82**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	162	2.8	3	1	1	3	3	5	5	7
20-34	41	3.0	2	1	2	3	4	5	6	6
35-49	9	3.2	2	1	1	3	4	6	6	6
50-64	4	3.5	3	2	2	3	5	6	6	6
65+	2	6.0	18	3	3	6	9	9	9	9
B. *Operated*										
0-19 YRS	4	3.3	4	1	1	3	5	5	5	5
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	183	3.6	7	1	1	3	5	7	8	15
20-34	35	4.1	11	1	2	3	5	6	10	19
35-49	8	3.4	2	1	1	3	4	5	6	6
50-64	6	6.3	6	3	3	6	8	10	10	10
65+	6	7.3	9	4	4	6	11	11	11	11
B. *Operated*										
0-19 YRS	5	7.4	25	2	2	8	10	15	15	15
20-34	1	14.0		14	14	14	14	14	14	14
35-49	1	6.0		6	6	6	6	6	6	6
50-64	1	5.0		5	5	5	5	5	5	5
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	218	2.9	3	1	1	3	4	5	6	8
B. *Operated*	4	3.3	4	1	1	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	238	3.9	8	1	1	3	5	7	8	16
B. *Operated*	8	7.8	21	2	3	7	11	15	15	15
1. SINGLE DX	222	2.9	3	1	1	3	4	5	6	8
2. MULTIPLE DX	246	4.0	9	1	1	3	5	7	9	16
A. NOT OPERATED	456	3.4	6	1	1	3	4	6	7	14
B. OPERATED	12	6.3	20	1	2	5	8	14	15	15
TOTAL 0-19 YRS	354	3.3	6	1	1	3	4	6	7	15
20-34	77	3.7	8	1	2	3	4	6	7	18
35-49	18	3.4	3	1	1	3	4	6	6	6
50-64	11	5.2	6	2	2	5	7	9	10	10
65+	8	7.0	9	3	3	6	10	11	11	11
GRAND TOTAL	**468**	**3.5**	**6**	**1**	**1**	**3**	**4**	**6**	**8**	**15**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	5.0	13	1	2	4	7	9	10	22
20-34	6	14.3	201	6	6	9	12	40	43	43
35-49	2	6.5	5	5	5	6	8	8	8	8
50-64	4	5.5	4	4	4	5	7	8	8	8
65+	17	7.0	23	<1	1	6	9	15	16	16
B. *Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	7.4	34	2	3	6	9	13	19	32
20-34	12	9.0	17	3	3	8	12	14	17	17
35-49	19	8.4	40	2	3	8	10	16	24	29
50-64	38	12.3	132	3	4	8	14	32	50	99+
65+	133	15.9	172	5	6	11	18	34	49	63
B. *Operated*										
0-19 YRS	4	12.0	164	1	1	11	23	25	25	25
20-34	1	11.0		11	11	11	11	11	11	11
35-49	5	17.8	32	10	10	19	21	25	25	25
50-64	10	29.4	446	6	6	25	46	58	63	63
65+	32	22.8	284	7	9	19	25	45	47	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	6.3	33	1	2	5	8	11	15	38
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	277	12.3	126	3	4	9	14	26	36	62
B. *Operated*	52	22.5	286	5	7	19	26	46	53	91
1. SINGLE DX	76	6.3	33	1	2	5	8	11	15	38
2. MULTIPLE DX	329	13.9	165	3	4	10	17	29	45	63
A. NOT OPERATED	352	11.0	112	2	3	8	12	22	34	60
B. OPERATED	53	22.2	287	4	7	19	26	45	53	91
TOTAL 0-19 YRS	125	6.7	32	2	2	5	8	12	19	31
20-34	20	10.5	71	3	4	8	12	15	30	43
35-49	26	10.1	49	3	4	8	14	20	26	29
50-64	52	15.0	228	4	4	8	18	45	55	99
65+	182	16.2	191	4	5	12	19	34	46	64
GRAND TOTAL	**405**	**12.5**	**149**	**2**	**3**	**8**	**15**	**27**	**43**	**63**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	94	7.6	64	1	2	6	10	13	19	48
20-34	13	3.2	4	<1	1	3	4	6	8	8
35-49	9	4.8	8	1	1	5	7	9	9	9
50-64	14	5.3	18	1	2	4	6	10	16	18
65+	18	8.4	67	2	3	6	9	14	29	39
B. *Operated*										
0-19 YRS										
20-34	1	15.0		15	15	15	15	15	15	15
35-49	2	11.0	128	3	3	11	19	19	19	19
50-64	4	6.0	11	2	2	6	8	10	10	10
65+	3	11.0	37	7	7	8	15	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	8.4	48	2	2	6	10	17	25	33
20-34	16	8.6	29	1	2	8	11	15	19	21
35-49	12	8.5	40	3	3	5	13	20	20	20
50-64	12	9.8	24	4	5	9	12	16	21	22
65+	32	8.7	62	3	3	5	11	18	21	41
B. *Operated*										
0-19 YRS	3	15.3	89	8	8	12	22	26	26	26
20-34	1	13.0		13	13	13	13	13	13	13
35-49	1	5.0		5	5	5	5	5	5	5
50-64	4	38.8	654	15	15	32	54	75	75	75
65+	11	25.9	518	7	9	13	38	66	71	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	148	6.9	53	1	2	5	9	13	18	40
B. *Operated*	10	9.4	36	2	2	7	15	18	19	19
2. MULTIPLE DX										
A. *Not Operated*	141	8.6	45	2	3	6	11	18	22	34
B. *Operated*	20	25.2	469	6	7	14	32	67	73	75
1. SINGLE DX	158	7.1	52	1	2	5	9	13	18	38
2. MULTIPLE DX	161	10.7	125	2	3	7	13	21	31	71
A. NOT OPERATED	289	7.8	50	2	2	6	10	15	20	37
B. OPERATED	30	19.9	376	3	5	13	26	51	72	75
TOTAL 0-19 YRS	166	8.1	58	2	2	6	10	15	22	33
20-34	31	6.7	27	1	1	5	10	15	15	21
35-49	24	7.2	32	2	3	5	9	19	20	20
50-64	34	10.9	186	2	3	6	12	23	33	75
65+	64	11.7	175	3	4	7	13	22	41	71
GRAND TOTAL	**319**	**8.9**	**92**	**2**	**2**	**6**	**11**	**18**	**23**	**64**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	4.7	10	1	2	4	6	8	10	17
20-34	66	4.6	7	1	2	4	6	8	10	14
35-49	10	4.1	8	1	1	3	4	9	11	11
50-64	1	4.0		4	4	4	4	4	4	4
65+	2	11.5	13	9	9	11	14	14	14	14
B. *Operated*										
0-19 YRS										
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	6.1	9	2	3	5	9	10	11	11
20-34	16	6.3	15	2	3	5	8	13	15	16
35-49	11	5.8	16	2	2	4	8	12	15	15
50-64	3	12.7	96	7	7	7	20	24	24	24
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS										
20-34	3	8.7	1	8	8	8	10	10	10	10
35-49	3	18.3	104	11	11	14	26	30	30	30
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	148	4.7	9	1	2	4	6	9	11	15
B. *Operated*	2	3.5	13	1	1	3	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	47	6.6	18	2	3	6	9	11	15	24
B. *Operated*	6	13.5	70	8	8	10	14	28	30	30
1. SINGLE DX	150	4.7	9	1	2	4	6	9	11	15
2. MULTIPLE DX	53	7.3	28	2	3	6	9	13	16	30
A. NOT OPERATED	195	5.1	12	1	2	4	7	9	11	17
B. OPERATED	8	11.0	73	1	2	9	12	25	30	30
TOTAL 0-19 YRS	85	4.9	10	1	2	4	7	9	10	17
20-34	87	5.0	9	2	2	4	6	9	11	16
35-49	24	6.7	40	2	2	4	9	14	19	30
50-64	4	10.5	83	4	4	7	16	24	24	24
65+	3	10.3	10	8	8	9	13	14	14	14
GRAND TOTAL	**203**	**5.4**	**15**	**1**	**2**	**4**	**7**	**10**	**12**	**21**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	219	3.7	11	1	1	3	5	7	9	17
20-34	34	3.9	4	1	1	4	5	6	8	9
35-49	20	6.1	41	1	2	5	6	10	22	31
50-64	35	7.1	47	<1	<1	6	7	16	26	31
65+	76	10.5	67	1	3	8	15	19	25	42
B. *Operated*										
0-19 YRS										
20-34	4	6.5	12	3	3	6	9	10	10	10
35-49										
50-64	2	7.0	18	4	4	7	10	10	10	10
65+	3	5.0	1	4	4	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	263	5.0	18	1	2	4	6	10	13	26
20-34	45	5.4	8	1	2	5	7	9	10	13
35-49	19	6.3	16	2	2	5	9	13	14	14
50-64	44	7.7	38	2	3	6	9	12	14	42
65+	196	14.0	181	3	3	9	18	30	47	67
B. *Operated*										
0-19 YRS	3	10.3	49	3	3	11	15	17	17	17
20-34	3	4.7		4	4	5	5	5	5	5
35-49	4	11.3	28	7	7	10	15	18	18	18
50-64	6	17.3	357	2	2	9	30	48	50	50
65+	15	21.9	319	5	6	14	34	66	90	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	384	5.5	33	1	1	4	7	10	16	31
B. *Operated*	9	6.1	8	3	3	5	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	567	8.4	92	2	2	5	10	18	27	52
B. *Operated*	31	16.8	251	3	4	12	27	47	66	99+
1. SINGLE DX	393	5.5	33	1	1	4	7	10	16	31
2. MULTIPLE DX	598	8.8	104	2	2	5	10	19	29	55
A. NOT OPERATED	951	7.2	70	1	2	5	8	15	23	47
B. OPERATED	40	14.4	215	3	4	10	17	41	58	99+
TOTAL 0-19 YRS	485	4.4	16	1	1	3	5	8	11	24
20-34	86	4.8	7	1	2	4	6	9	10	12
35-49	43	6.6	29	2	2	5	8	13	16	31
50-64	87	8.1	65	<1	2	6	9	14	29	47
65+	290	13.4	162	3	3	9	16	29	43	72
GRAND TOTAL	**991**	**7.5**	**78**	**1**	**2**	**5**	**8**	**15**	**25**	**51**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	4.9	9	1	2	4	6	8	10	18
20-34	50	7.7	26	3	3	6	10	14	17	25
35-49	17	4.6	11	1	1	3	6	8	13	15
50-64	8	6.1	8	2	2	6	8	10	10	10
65+	3	10.7	22	7	7	9	14	16	16	16
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	4	11.0	118	1	1	9	19	25	25	25
35-49	4	5.3	12	2	2	4	7	10	10	10
50-64	2	10.5	61	5	5	10	16	16	16	16
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	8.2	52	2	3	6	10	15	18	42
20-34	24	6.9	22	2	3	6	8	15	18	22
35-49	12	7.7	14	3	4	7	10	14	15	15
50-64	9	8.7	3	6	6	8	10	11	11	11
65+	6	13.3	124	5	5	8	20	32	33	33
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	5	13.0	16	6	6	15	15	15	15	15
35-49	3	9.7	2	8	8	10	11	11	11	11
50-64	2	19.0	8	17	17	19	21	21	21	21
65+	6	17.7	271	4	5	12	18	47	50	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	144	6.0	17	1	2	5	8	11	15	22
B. *Operated*	12	8.7	48	1	2	7	12	19	24	25
2. MULTIPLE DX										
A. *Not Operated*	87	8.2	39	2	3	6	10	15	19	39
B. *Operated*	17	14.2	109	3	4	12	16	20	40	50
1. SINGLE DX	156	6.2	20	1	2	5	8	11	15	25
2. MULTIPLE DX	104	9.1	54	3	3	7	11	16	20	46
A. NOT OPERATED	231	6.8	26	2	2	6	8	13	16	27
B. OPERATED	29	11.9	89	2	3	11	15	20	26	50
TOTAL 0-19 YRS	104	6.0	26	1	2	5	7	10	15	30
20-34	83	8.0	29	2	3	6	11	15	19	25
35-49	36	6.1	14	1	2	5	8	11	14	15
50-64	21	8.9	21	3	4	8	10	16	19	21
65+	16	14.1	145	4	5	10	17	32	45	50
GRAND TOTAL	**260**	**7.4**	**36**	**2**	**2**	**6**	**9**	**15**	**17**	**32**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	210	4.6	8	1	2	4	5	8	11	15
20-34	57	5.1	10	1	2	5	7	8	10	19
35-49	9	6.7	10	3	3	6	10	11	11	11
50-64	2	8.0	8	6	6	8	10	10	10	10
65+										
B. *Operated*										
0-19 YRS										
20-34	2	10.5	25	7	7	10	14	14	14	14
35-49	1	9.0		9	9	9	9	9	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	115	4.9	9	2	2	4	6	9	12	15
20-34	46	4.4	6	1	2	4	6	7	8	15
35-49	5	7.0	2	5	5	7	8	8	8	8
50-64	3	7.7	8	6	6	6	10	11	11	11
65+										
B. *Operated*										
0-19 YRS	6	17.3	449	3	3	10	13	55	60	60
20-34	1	8.0		8	8	8	8	8	8	8
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+	1	31.0		31	31	31	31	31	31	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	278	4.8	8	1	2	4	6	8	11	15
B. *Operated*	3	10.0	13	7	7	9	13	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	169	4.9	8	2	2	4	6	8	11	15
B. *Operated*	9	16.8	326	3	5	8	17	48	60	60
1. SINGLE DX	281	4.9	9	1	2	4	6	8	11	15
2. MULTIPLE DX	178	5.5	29	2	2	4	6	9	12	27
A. NOT OPERATED	447	4.9	8	1	2	4	6	8	11	15
B. OPERATED	12	15.1	249	3	6	9	13	40	57	60
TOTAL 0-19 YRS	331	5.0	18	2	2	4	6	8	11	16
20-34	106	4.9	9	1	2	4	6	8	10	17
35-49	16	7.0	6	3	3	7	9	10	11	11
50-64	5	7.8	6	6	6	6	10	11	11	11
65+	1	31.0		31	31	31	31	31	31	31
GRAND TOTAL	**459**	**5.1**	**17**	**1**	**2**	**4**	**6**	**8**	**11**	**17**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3	24	1	1	2	8	10	10	10
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	135	1.4	2	<1	<1	1	1	2	3	9
20-34	195	1.7	2	<1	<1	1	2	3	4	9
35-49	35	1.5	1	<1	<1	<1	2	2	3	7
50-64	12	2.5	2	<1	<1	2	3	4	5	5
65+	6	2.8	1	2	2	3	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	3	1.3		<1	<1	1	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	28	2.3	4	<1	<1	2	3	4	6	11
20-34	55	3.2	8	<1	<1	2	4	7	10	15
35-49	20	4.5	54	<1	<1	2	3	15	24	30
50-64	10	4.4	16	1	1	3	5	11	14	14
65+	8	4.8	18	1	1	3	7	12	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.3	14	<1	<1	1	6	9	10	10
B. *Operated*	383	1.6	2	<1	<1	1	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	5	2.0	2	<1	<1	2	3	4	4	4
B. *Operated*	121	3.4	16	<1	<1	2	3	8	12	21
1. SINGLE DX	390	1.6	2	<1	<1	1	2	3	4	9
2. MULTIPLE DX	126	3.4	16	<1	<1	2	3	7	11	21
A. NOT OPERATED	12	2.8	8	<1	<1	2	3	8	10	10
B. OPERATED	504	2.0	6	<1	<1	1	2	4	6	13
TOTAL 0-19 YRS	168	1.6	3	<1	<1	1	2	3	4	10
20-34	255	2.0	4	<1	<1	1	2	4	6	11
35-49	56	2.5	22	<1	<1	1	2	3	10	29
50-64	22	3.4	9	<1	1	3	4	6	11	14
65+	15	4.1	11	1	2	3	5	9	12	13
GRAND TOTAL	**516**	**2.1**	**6**	**<1**	**<1**	**1**	**2**	**4**	**6**	**13**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	304	2.9	3	1	1	3	4	5	6	9
20-34	66	3.4	7	<1	1	3	5	7	8	16
35-49	35	4.0	4	<1	1	4	5	6	7	10
50-64	10	3.8	6	1	1	3	5	7	9	9
65+	23	5.0	12	1	2	5	6	8	12	18
B. *Operated*										
0-19 YRS	16	1.9	4	<1	<1	1	2	5	7	8
20-34	4	3.0	16	<1	<1	1	5	9	9	9
35-49	5	5.8	31	1	1	3	9	15	15	15
50-64										
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	300	3.6	6	1	1	3	4	6	8	13
20-34	71	4.9	17	1	2	4	6	9	12	23
35-49	45	6.2	77	1	1	4	7	12	15	58
50-64	44	5.4	20	1	2	4	6	12	15	20
65+	89	8.0	47	2	2	6	9	16	21	38
B. *Operated*										
0-19 YRS	10	11.4	217	1	1	6	15	33	49	49
20-34	12	19.3	174	3	5	16	28	39	46	47
35-49	5	11.4	315	1	1	4	15	43	43	43
50-64	5	7.2	2	6	6	7	8	9	9	9
65+	5	33.0	1311	2	2	16	61	87	87	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	438	3.2	5	1	1	3	4	6	7	10
B. *Operated*	26	2.9	12	<1	<1	1	3	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	549	4.8	23	1	1	4	6	9	12	24
B. *Operated*	37	16.3	352	1	1	9	20	46	52	87
1. SINGLE DX	464	3.2	5	<1	1	3	4	6	7	10
2. MULTIPLE DX	586	5.5	51	1	1	4	6	11	15	43
A. NOT OPERATED	987	4.1	16	1	1	3	5	7	10	20
B. OPERATED	63	10.8	253	<1	<1	6	12	30	48	83
TOTAL 0-19 YRS	630	3.3	9	1	1	3	4	6	7	13
20-34	153	5.3	41	1	1	3	6	10	19	35
35-49	90	5.6	59	1	1	4	6	10	14	52
50-64	59	5.3	16	1	2	4	6	10	14	20
65+	118	8.4	111	1	2	6	9	16	23	64
GRAND TOTAL	**1050**	**4.5**	**32**	**1**	**1**	**3**	**5**	**8**	**11**	**27**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	4.9	8	3	3	3	7	10	10	10
20-34	16	4.2	10	1	1	3	5	10	11	12
35-49	8	5.4	18	2	2	4	6	13	15	15
50-64	2	6.5	5	5	5	6	8	8	8	8
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	32	1	1	5	9	9	9	9
20-34	6	8.7	74	4	4	5	8	24	26	26
35-49	1	4.0		4	4	4	4	4	4	4
50-64	3	8.7	9	6	6	8	11	12	12	12
65+										
B. *Operated*										
0-19 YRS										
20-34	1	25.0		25	25	25	25	25	25	25
35-49										
50-64	1	14.0		14	14	14	14	14	14	14
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	4.7	11	1	2	4	6	10	12	15
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	12	7.7	42	1	3	6	9	16	25	26
B. *Operated*	2	19.5	61	14	14	19	25	25	25	25
1. SINGLE DX	34	4.7	11	1	2	4	6	10	12	15
2. MULTIPLE DX	14	9.4	58	2	3	7	12	25	26	26
A. NOT OPERATED	46	5.5	20	1	2	4	7	10	13	26
B. OPERATED	2	19.5	61	14	14	19	25	25	25	25
TOTAL 0-19 YRS	9	4.9	10	1	2	3	8	10	10	10
20-34	23	6.3	44	1	2	4	7	15	25	26
35-49	9	5.2	16	2	2	4	6	12	15	15
50-64	6	8.8	12	5	5	8	12	14	14	14
65+	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**48**	**6.1**	**28**	**1**	**2**	**4**	**8**	**12**	**16**	**26**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	4.7	5	1	2	5	6	7	9	11
20-34	53	5.5	15	1	1	5	6	10	11	25
35-49	8	5.8	14	2	2	5	8	11	12	12
50-64	1	11.0		11	11	11	11	11	11	11
65+										
B. *Operated*										
0-19 YRS	6	3.5	6	<1	<1	3	5	7	7	7
20-34	12	5.4	28	<1	<1	3	8	15	16	16
35-49	4	6.8	118	<1	<1	1	12	23	23	23
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	5.5	17	3	3	5	6	9	13	25
20-34	37	5.9	41	1	2	5	6	8	9	42
35-49	4	9.0	33	3	3	8	13	16	16	16
50-64	3	12.7	60	4	4	15	18	19	19	19
65+	6	14.0	122	2	3	10	18	32	34	34
B. *Operated*										
0-19 YRS	2	6.0		6	6	6	6	6	6	6
20-34	8	11.0	87	4	5	7	13	27	32	32
35-49	5	5.4	20	2	2	5	7	13	13	13
50-64	1	13.0		13	13	13	13	13	13	13
65+	2	25.5	145	17	17	25	34	34	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	5.4	13	1	2	5	6	10	11	21
B. *Operated*	23	5.0	33	<1	<1	2	7	14	18	23
2. MULTIPLE DX										
A. *Not Operated*	87	6.7	40	2	3	5	7	11	18	39
B. *Operated*	18	10.6	86	2	3	7	13	28	33	34
1. SINGLE DX	105	5.3	17	<1	1	5	6	10	12	24
2. MULTIPLE DX	105	7.3	49	2	3	5	7	15	20	38
A. NOT OPERATED	169	6.0	27	1	2	5	7	11	14	32
B. OPERATED	41	7.5	63	<1	<1	5	9	17	27	34
TOTAL 0-19 YRS	65	5.1	12	1	3	5	6	7	10	23
20-34	110	6.0	31	1	1	5	7	10	14	36
35-49	21	6.5	33	<1	1	5	10	14	19	23
50-64	6	10.7	43	2	2	12	15	19	19	19
65+	8	16.9	136	2	4	14	26	34	34	34
GRAND TOTAL	**210**	**6.3**	**34**	**1**	**2**	**5**	**7**	**11**	**17**	**34**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	4.7	10	1	1	4	6	9	12	15
20-34	9	3.2	4	<1	<1	3	4	7	7	7
35-49	5	4.4	10	<1	<1	5	6	9	9	9
50-64	7	5.7	30	2	2	3	7	15	17	17
65+	15	3.9	9	2	2	2	5	7	11	12
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	6.0		6	6	6	6	6	6	6
35-49	4	5.3	4	3	3	5	7	8	8	8
50-64	2	6.5	61	<1	<1	6	12	12	12	12
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	101	6.0	18	1	2	5	9	12	14	19
20-34	7	6.4	25	1	1	7	10	13	14	14
35-49	5	5.4	24	2	2	4	7	14	14	14
50-64	11	9.4	147	2	2	4	11	26	42	44
65+	38	16.1	194	2	2	14	21	37	46	59
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	6.0		6	6	6	6	6	6	6
35-49	3	10.3	16	6	6	11	13	14	14	14
50-64	6	11.8	241	2	2	4	15	39	42	42
65+	6	18.0	229	5	6	14	15	45	48	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	101	4.5	10	1	1	4	6	9	12	16
B. *Operated*	9	5.7	15	<1	<1	5	8	11	12	12
2. MULTIPLE DX										
A. *Not Operated*	162	8.6	84	1	2	5	12	18	24	48
B. *Operated*	17	12.8	172	1	2	11	14	37	46	48
1. SINGLE DX	110	4.6	11	<1	1	4	6	9	12	16
2. MULTIPLE DX	179	9.0	93	1	2	6	12	18	26	49
A. NOT OPERATED	263	7.0	60	1	2	4	9	15	21	44
B. OPERATED	26	10.3	127	<1	<1	6	14	15	43	48
TOTAL 0-19 YRS	168	5.4	15	1	1	4	7	12	13	18
20-34	18	4.8	13	<1	1	4	7	10	13	14
35-49	17	5.9	16	1	2	5	8	13	14	14
50-64	26	8.7	122	1	2	4	12	17	42	44
65+	60	13.1	173	2	2	10	18	30	45	58
GRAND TOTAL	**289**	**7.3**	**66**	**1**	**2**	**5**	**9**	**15**	**21**	**46**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.6	1	1	1	2	3	4	5	5
20-34	4	8.0	25	3	3	7	11	15	15	15
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	8	3.8	2	2	2	4	5	6	6	6
20-34	1	19.0		19	19	19	19	19	19	19
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	4.3	3	2	2	5	6	6	6	6
20-34	2	9.0	32	5	5	9	13	13	13	13
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64										
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	2	18.0	512	2	2	18	34	34	34	34
20-34	3	16.7	69	10	10	14	23	26	26	26
35-49	4	16.8	13	14	14	15	19	22	22	22
50-64	3	49.7	1826	24	24	26	81	99	99	99+
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	3.9	11	1	1	3	4	7	12	15
B. *Operated*	10	5.6	25	2	2	4	6	13	19	19
2. MULTIPLE DX										
A. *Not Operated*	12	5.0	8	2	2	5	6	8	12	13
B. *Operated*	12	25.2	613	3	8	19	26	53	92	99
1. SINGLE DX	27	4.5	16	1	2	3	5	7	16	19
2. MULTIPLE DX	24	15.1	403	2	2	8	19	27	53	99
A. NOT OPERATED	29	4.3	10	1	2	3	5	7	13	15
B. OPERATED	22	16.3	431	2	2	12	22	29	60	99
TOTAL 0-19 YRS	29	4.4	35	1	2	3	5	6	8	34
20-34	10	11.9	49	3	4	11	15	22	26	26
35-49	8	10.5	52	3	3	10	15	20	22	22
50-64	3	49.7	1826	24	24	26	81	99	99	99+
65+	1	5.0		5	5	5	5	5	5	5
GRAND TOTAL	**51**	**9.5**	**222**	**2**	**2**	**5**	**12**	**23**	**26**	**98**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	5.7	14	1	2	5	8	13	16	99+
20-34	24	7.3	30	2	2	6	10	14	18	26
35-49	9	6.2	17	1	1	5	9	12	14	14
50-64	3	11.0	103	2	2	9	19	22	22	22
65+	3	5.3	5	4	4	4	7	8	8	8
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	27	5.5	18	2	2	4	7	11	16	18
35-49	17	8.2	39	2	2	5	13	17	20	22
50-64	14	8.3	40	2	2	6	13	17	21	22
65+	4	6.5	16	3	3	6	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	7.6	40	2	3	6	10	13	22	37
20-34	17	5.3	9	2	2	5	7	10	11	11
35-49	17	7.5	59	1	2	5	8	15	28	34
50-64	10	6.2	26	2	2	4	5	15	17	17
65+	22	14.0	119	3	4	11	18	34	38	42
B. *Operated*										
0-19 YRS	3	12.7	10	9	9	14	15	15	15	15
20-34	27	11.6	54	2	3	11	15	21	28	32
35-49	16	14.8	174	2	2	12	14	39	46	49
50-64	20	11.4	70	1	2	11	14	21	29	37
65+	10	21.8	268	5	6	19	27	47	62	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	6.5	22	2	2	5	9	14	16	81
B. *Operated*	63	6.8	29	2	2	5	10	16	18	22
2. MULTIPLE DX										
A. *Not Operated*	115	8.4	59	2	3	6	10	17	26	39
B. *Operated*	76	13.6	116	2	3	12	15	27	36	59
1. SINGLE DX	137	6.6	25	2	2	5	9	14	17	35
2. MULTIPLE DX	191	10.4	88	2	3	8	13	21	32	46
A. NOT OPERATED	189	7.6	45	2	2	6	9	15	22	40
B. OPERATED	139	10.5	87	2	2	9	14	20	27	50
TOTAL 0-19 YRS	88	6.9	30	2	2	6	9	14	17	75
20-34	95	7.6	35	2	2	6	11	15	19	30
35-49	59	9.5	85	2	2	7	13	17	31	48
50-64	47	9.3	54	2	2	8	14	20	22	37
65+	39	14.6	158	3	4	10	19	33	39	62
GRAND TOTAL	**328**	**8.9**	**65**	**2**	**2**	**7**	**11**	**17**	**26**	**43**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	10.0		10	10	10	10	10	10	10
50-64	2	5.5	1	5	5	5	6	6	6	6
65+	3	13.7	158	2	2	12	23	27	27	27
B. *Operated*										
0-19 YRS										
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49										
50-64										
65+	2	20.0	648	2	2	20	38	38	38	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	4.5	1	4	4	4	5	5	5	5
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	6	10.3	79	2	2	8	12	25	27	27
B. *Operated*	4	11.8	308	2	2	4	21	38	38	38
1. SINGLE DX	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX	10	10.9	147	2	2	6	12	32	38	38
A. NOT OPERATED	8	8.9	64	2	3	6	11	22	27	27
B. OPERATED	4	11.8	308	2	2	4	21	38	38	38
TOTAL 0-19 YRS										
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	1	10.0		10	10	10	10	10	10	10
50-64	3	5.0	1	4	4	5	6	6	6	6
65+	6	14.3	223	2	2	8	27	37	38	38
GRAND TOTAL	**12**	**9.8**	**127**	**2**	**2**	**5**	**11**	**30**	**37**	**38**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	5.0		5	5	5	5	5	5	5
35-49	2	13.5	85	7	7	13	20	20	20	20
50-64	12	9.9	55	1	3	8	11	22	27	28
65+	13	7.3	12	2	4	7	10	12	13	13
B. *Operated*										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	7	5.0	3	2	3	5	5	7	8	8
35-49	22	7.6	51	1	2	5	9	18	26	28
50-64	31	9.3	117	1	2	6	11	20	35	51
65+	45	8.9	117	1	2	6	9	23	30	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7		3	3	4	4	4	4	4
20-34										
35-49	11	14.7	140	3	4	8	24	34	36	36
50-64	29	14.0	195	2	2	11	17	35	44	62
65+	46	14.7	204	1	1	11	19	32	42	75
B. *Operated*										
0-19 YRS										
20-34	8	13.6	151	2	2	11	20	33	37	37
35-49	25	11.5	197	2	3	8	13	16	47	67
50-64	91	19.1	333	2	3	13	25	50	63	94
65+	105	18.2	390	2	3	10	24	52	69	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	8.7	34	1	4	7	11	17	21	28
B. *Operated*	107	8.4	94	1	2	5	9	18	26	54
2. MULTIPLE DX										
A. *Not Operated*	89	14.1	186	1	2	11	17	32	41	70
B. *Operated*	229	17.7	341	2	3	11	23	48	64	92
1. SINGLE DX	136	8.5	81	1	2	6	10	18	25	52
2. MULTIPLE DX	318	16.7	299	2	3	11	21	41	62	86
A. NOT OPERATED	118	12.8	154	1	2	9	17	30	37	66
B. OPERATED	336	14.7	280	2	2	9	19	39	57	86
TOTAL 0-19 YRS	6	4.0		3	3	4	4	5	5	5
20-34	16	9.3	92	2	2	5	12	22	33	37
35-49	60	10.7	130	2	3	7	14	25	34	64
50-64	163	15.7	262	2	2	10	20	40	56	83
65+	209	14.8	281	1	2	9	18	35	58	85
GRAND TOTAL	**454**	**14.2**	**248**	**2**	**2**	**9**	**18**	**35**	**52**	**81**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	10	15.8	829	2	2	6	12	55	97	97
65+	12	6.8	115	1	1	3	6	17	37	40
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	12	13.0	183	1	1	7	25	35	37	37
65+	12	18.4	201	3	4	11	24	44	45	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	1	2.0		2	2	2	2	2	2	2
50-64	19	7.9	37	2	3	6	10	13	22	29
65+	20	11.2	75	4	5	7	15	24	32	35
B. *Operated*										
0-19 YRS										
20-34										
35-49	6	30.8	1217	8	8	15	36	93	99	99+
50-64	40	19.3	222	3	6	15	24	34	53	71
65+	41	24.4	334	3	4	21	35	51	63	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	10.5	420	1	2	5	7	18	60	97
B. *Operated*	24	15.7	191	1	2	11	24	38	44	45
2. MULTIPLE DX										
A. *Not Operated*	41	9.3	57	3	3	7	11	18	29	35
B. *Operated*	87	22.5	338	3	5	16	30	47	67	89
1. SINGLE DX	47	13.1	304	1	2	7	13	36	44	97
2. MULTIPLE DX	128	18.3	285	3	4	13	24	37	53	77
A. NOT OPERATED	64	9.8	183	2	2	6	10	18	31	89
B. OPERATED	111	21.0	312	2	3	16	28	44	60	82
TOTAL 0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	8	23.6	1047	2	2	11	27	80	99	99+
50-64	81	15.3	257	2	2	11	18	33	37	89
65+	85	17.9	266	2	3	12	25	44	50	70
GRAND TOTAL	**175**	**16.9**	**293**	**2**	**2**	**12**	**23**	**37**	**49**	**91**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	39.0		39	39	39	39	39	39	39
35-49										
50-64	10	15.7	332	4	4	9	15	43	65	65
65+	19	8.6	55	2	3	6	12	17	26	33
B. *Operated*										
0-19 YRS										
20-34										
35-49	5	18.6	21	14	14	17	23	24	24	24
50-64	16	13.6	44	2	5	13	17	21	26	28
65+	31	19.5	168	4	7	18	21	39	52	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	6.5	61	1	1	6	12	12	12	12
35-49	13	5.2	5	3	3	4	6	8	10	11
50-64	26	9.0	56	2	2	7	11	18	27	33
65+	75	10.2	73	2	3	7	16	24	36	99+
B. *Operated*										
0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34	3	16.3	30	10	10	19	20	20	20	20
35-49	25	19.2	116	8	9	17	24	27	44	55
50-64	78	20.6	196	6	9	16	25	38	53	71
65+	144	21.8	227	6	8	18	26	41	56	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	12.0	174	3	4	7	15	27	39	65
B. *Operated*	52	17.6	121	4	7	17	21	26	48	57
2. MULTIPLE DX										
A. *Not Operated*	116	9.3	63	2	3	7	12	21	31	99+
B. *Operated*	251	21.1	203	7	9	17	25	38	55	75
1. SINGLE DX	82	15.6	146	3	4	14	20	26	43	62
2. MULTIPLE DX	367	17.4	188	3	4	14	22	34	49	79
A. NOT OPERATED	146	9.9	86	2	3	7	13	22	33	99+
B. OPERATED	303	20.5	190	6	9	17	24	37	52	73
TOTAL 0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34	6	16.8	165	1	2	15	20	37	39	39
35-49	43	14.9	111	3	4	12	22	26	32	55
50-64	130	17.0	179	3	5	14	19	32	38	70
65+	269	17.4	195	3	4	14	22	35	51	86
GRAND TOTAL	**449**	**17.0**	**181**	**3**	**4**	**14**	**21**	**33**	**49**	**75**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	18.0		18	18	18	18	18	18	18
35-49	1	11.0		11	11	11	11	11	11	11
50-64	4	20.0	111	9	9	21	29	29	29	29
65+	1	28.0		28	28	28	28	28	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.0	3	1	1	1	3	4	4	4
35-49	2	6.0	32	2	2	6	10	10	10	10
50-64	5	11.4	149	3	3	7	14	33	33	33
65+	6	12.5	278	2	2	7	10	42	46	46
B. *Operated*										
0-19 YRS										
20-34	2	13.5	25	10	10	13	17	17	17	17
35-49	9	10.8	40	1	3	9	13	20	24	24
50-64	11	16.9	122	3	7	15	20	31	45	46
65+	8	25.8	656	10	10	19	40	95	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	7	19.6	80	9	9	18	29	29	29	29
2. MULTIPLE DX										
A. *Not Operated*	16	9.4	153	1	1	6	9	31	42	46
B. *Operated*	30	17.2	246	3	8	15	20	33	86	99+
1. SINGLE DX	7	19.6	80	9	9	18	29	29	29	29
2. MULTIPLE DX	46	14.5	224	1	2	10	18	31	52	99+
A. NOT OPERATED	16	9.4	153	1	1	6	9	31	42	46
B. OPERATED	37	17.6	213	5	9	15	21	29	71	99+
TOTAL 0-19 YRS										
20-34	6	8.5	60	1	1	7	17	18	18	18
35-49	12	10.0	35	1	2	10	12	18	23	24
50-64	20	16.2	123	3	5	13	21	31	39	46
65+	15	20.6	475	2	3	16	26	84	96	99+
GRAND TOTAL	**53**	**15.2**	**206**	**1**	**3**	**11**	**19**	**30**	**46**	**99+**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	3.3	20	1	1	1	6	10	10	10
50-64	4	5.5	38	<1	<1	3	10	14	14	14
65+	10	8.8	36	2	2	9	12	17	21	21
B. *Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49	23	13.5	28	6	8	11	18	22	23	24
50-64	55	13.2	24	6	9	13	15	19	22	32
65+	103	15.9	73	6	9	14	19	23	31	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	28	3.6	16	<1	1	2	4	11	13	16
50-64	45	6.9	81	<1	1	4	6	15	26	52
65+	103	12.0	135	2	3	8	14	26	39	58
B. *Operated*										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	4	9.8	27	5	5	9	14	16	16	16
35-49	43	16.0	121	5	6	13	18	25	40	64
50-64	212	17.8	99	9	10	15	20	28	40	71
65+	531	21.8	179	9	11	19	26	37	52	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	6.8	35	<1	1	6	10	14	18	21
B. *Operated*	182	14.8	54	6	9	13	18	22	25	47
2. MULTIPLE DX										
A. *Not Operated*	176	9.3	112	1	1	6	12	20	34	51
B. *Operated*	791	20.4	158	9	10	17	24	36	48	84
1. SINGLE DX	200	14.1	57	2	7	13	17	22	25	45
2. MULTIPLE DX	967	18.3	168	3	6	15	22	34	45	82
A. NOT OPERATED	194	9.1	105	1	1	6	12	18	33	50
B. OPERATED	973	19.3	143	9	10	16	22	33	44	81
TOTAL 0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	5	9.6	20	5	5	9	13	16	16	16
35-49	98	11.3	95	1	1	10	16	21	25	54
50-64	316	15.3	98	3	4	13	18	26	34	56
65+	747	19.5	171	5	7	16	23	35	48	83
GRAND TOTAL	**1167**	**17.6**	**15[illegible]**	**3**	**6**	**15**	**21**	**33**	**43**	**75**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	5.5	25	2	2	5	9	9	9	9
50-64	7	9.0	142	<1	<1	5	10	30	35	35
65+	9	6.0	39	1	1	4	7	17	20	20
B. *Operated*										
0-19 YRS										
20-34	2	19.0	2	18	18	19	20	20	20	20
35-49	14	13.9	75	1	3	15	17	22	32	35
50-64	56	15.4	46	5	7	15	21	24	26	33
65+	98	14.6	97	1	3	14	18	26	33	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	6.3	20	2	2	6	10	11	11	11
35-49	12	7.2	46	2	2	5	9	17	24	25
50-64	46	7.6	43	1	2	5	9	16	24	26
65+	91	12.7	111	3	3	10	18	25	36	88
B. *Operated*										
0-19 YRS										
20-34	8	18.8	190	1	4	16	25	41	46	46
35-49	52	14.1	131	4	5	12	17	23	34	70
50-64	177	18.2	127	7	10	16	21	28	31	82
65+	292	21.6	188	4	8	18	26	42	53	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	7.1	72	<1	1	4	9	18	29	35
B. *Operated*	170	14.9	77	2	3	14	20	24	29	38
2. MULTIPLE DX										
A. *Not Operated*	152	10.6	89	2	2	8	15	24	26	70
B. *Operated*	529	19.7	167	5	7	17	24	35	46	92
1. SINGLE DX	188	14.1	81	1	3	13	20	24	29	38
2. MULTIPLE DX	681	17.6	163	3	5	15	22	32	44	84
A. NOT OPERATED	170	10.2	88	1	2	7	14	23	26	64
B. OPERATED	699	18.5	149	4	6	16	23	32	43	70
TOTAL 0-19 YRS										
20-34	13	15.9	144	1	2	15	21	32	43	46
35-49	80	12.8	111	2	3	12	17	21	32	64
50-64	286	15.7	112	3	4	15	20	26	29	53
65+	490	18.2	170	3	4	15	24	35	46	86
GRAND TOTAL	**869**	**16.9**	**148**	**3**	**4**	**15**	**21**	**31**	**40**	**70**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	13	5.2	16	3	3	4	5	13	15	16
50-64	6	11.7	361	<1	<1	4	9	46	50	50
65+	5	18.6	433	7	7	7	26	55	55	55
B. *Operated*										
0-19 YRS										
20-34	1	21.0		21	21	21	21	21	21	21
35-49	5	10.6	53	4	4	9	15	22	22	22
50-64	8	18.4	168	5	6	15	24	39	44	44
65+	6	15.7	55	5	5	16	22	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3		4	4	4	5	5	5	5
20-34										
35-49	8	5.0	8	1	1	5	6	9	10	10
50-64	16	12.4	91	2	4	9	15	30	34	35
65+	33	14.5	209	1	2	10	16	44	48	48
B. *Operated*										
0-19 YRS	5	17.0	46	7	7	18	22	24	24	24
20-34	4	17.8	38	12	12	17	23	24	24	24
35-49	15	19.6	299	5	6	16	25	71	93	99+
50-64	36	20.5	103	5	6	22	29	34	35	41
65+	64	19.0	146	5	8	16	27	34	44	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	9.6	192	1	2	4	8	20	51	55
B. *Operated*	20	15.8	99	4	5	14	22	26	35	44
2. MULTIPLE DX										
A. *Not Operated*	60	12.2	151	1	2	8	14	33	45	48
B. *Operated*	124	19.4	141	5	7	17	27	34	41	99+
1. SINGLE DX	44	12.4	156	2	3	8	17	25	46	55
2. MULTIPLE DX	184	17.1	155	3	4	14	25	34	42	91
A. NOT OPERATED	84	11.4	162	1	3	7	13	31	48	53
B. OPERATED	144	18.9	136	5	6	17	27	32	41	99+
TOTAL 0-19 YRS	8	12.3	69	4	4	10	20	23	24	24
20-34	5	18.4	30	12	12	21	22	24	24	24
35-49	41	11.1	162	2	3	7	16	24	49	99+
50-64	66	17.5	137	1	4	15	27	34	36	49
65+	108	17.4	172	3	4	14	25	36	48	82
GRAND TOTAL	**228**	**16.2**	**158**	**3**	**4**	**13**	**24**	**32**	**43**	**81**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	5	4.2	1	3	3	4	5	5	5	5
50-64	17	12.2	121	3	4	10	13	17	40	52
65+	11	6.5	16	1	2	6	11	39	91	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	4	12.8	76	2	2	13	19	23	23	23
65+	11	18.2	156	1	5	16	20	36	49	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	9.5	1	9	9	9	10	10	10	10
35-49	21	5.0	10	<1	<1	4	7	9	11	12
50-64	22	10.5	44	3	4	10	12	17	24	32
65+	60	9.6	62	2	2	8	12	18	27	38
B. *Operated*										
0-19 YRS										
20-34	2	32.5	1105	9	9	32	56	56	56	56
35-49	20	18.4	110	8	9	15	22	32	43	51
50-64	68	22.9	141	7	9	22	29	42	44	51
65+	97	22.7	99	7	10	22	28	39	42	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	9.1	77	2	3	7	12	15	45	99+
B. *Operated*	15	16.7	134	1	2	15	20	27	44	50
2. MULTIPLE DX										
A. *Not Operated*	105	8.9	50	1	2	7	12	17	22	36
B. *Operated*	187	22.4	122	8	9	21	28	39	43	54
1. SINGLE DX	48	11.5	105	2	3	10	15	22	50	99+
2. MULTIPLE DX	292	17.5	138	2	4	16	24	35	42	51
A. NOT OPERATED	138	8.9	56	1	2	7	12	17	23	57
B. OPERATED	202	22.0	125	6	9	20	28	39	43	54
TOTAL 0-19 YRS										
20-34	4	21.0	545	9	9	10	33	56	56	56
35-49	46	10.7	97	1	1	8	15	24	30	51
50-64	111	18.4	146	4	5	15	25	37	43	51
65+	179	17.0	127	2	3	16	23	35	41	85
GRAND TOTAL	**340**	**16.7**	**138**	**2**	**4**	**15**	**23**	**35**	**42**	**52**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	24	3.5	9	1	2	2	4	7	10	14
50-64	75	7.0	48	1	1	4	10	15	25	29
65+	59	12.1	105	1	3	9	16	23	29	59
B. *Operated*										
0-19 YRS										
20-34	1	55.0		55	55	55	55	55	55	55
35-49	25	12.3	35	5	5	11	16	23	24	26
50-64	167	12.1	58	2	3	11	16	22	26	35
65+	145	14.5	107	3	4	12	18	28	36	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34										
35-49	47	10.0	115	1	2	6	13	21	41	43
50-64	347	7.2	67	1	2	4	9	17	24	50
65+	358	10.6	96	2	2	8	15	21	28	99+
B. *Operated*										
0-19 YRS										
20-34	7	16.9	35	8	8	20	22	23	23	23
35-49	89	17.2	118	3	4	16	22	30	41	53
50-64	443	17.4	145	3	4	16	23	32	39	90
65+	536	19.9	172	4	7	17	26	37	43	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	159	8.3	72	1	2	6	12	18	26	34
B. *Operated*	338	13.3	83	2	4	11	17	25	32	43
2. MULTIPLE DX										
A. *Not Operated*	754	9.0	86	1	2	6	12	20	27	66
B. *Operated*	1075	18.6	157	3	5	16	24	35	41	87
1. SINGLE DX	497	11.7	85	2	2	10	15	23	29	42
2. MULTIPLE DX	1829	14.7	150	2	2	12	21	30	39	81
A. NOT OPERATED	913	8.9	84	1	2	6	12	20	27	62
B. OPERATED	1413	17.3	144	3	5	15	23	33	40	70
TOTAL 0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	9	19.8	216	5	6	20	22	42	55	55
35-49	185	12.9	114	2	2	11	18	27	39	44
50-64	1032	12.4	119	2	2	10	18	26	34	53
65+	1098	15.7	153	2	4	13	21	32	40	90
GRAND TOTAL	**2326**	**14.0**	**138**	**2**	**2**	**11**	**19**	**29**	**37**	**67**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	1.8		1	1	2	2	2	2	2
50-64	11	10.5	220	2	2	4	13	32	50	52
65+	9	7.0	50	<1	<1	3	13	18	19	19
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	4.7	30	1	1	2	9	11	11	11
35-49	13	14.2	214	1	1	10	22	29	49	53
50-64	46	8.4	71	1	1	4	14	21	25	32
65+	37	9.3	167	<1	1	4	13	21	34	66
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	38.0		38	38	38	38	38	38	38
35-49	13	8.5	44	2	3	7	9	17	25	27
50-64	23	6.9	26	1	2	7	11	15	16	16
65+	20	18.3	554	2	3	8	20	53	77	92
B. *Operated*										
0-19 YRS	3	6.7	52	2	2	3	12	15	15	15
20-34	4	8.5	20	2	2	10	11	12	12	12
35-49	9	14.3	99	<1	1	13	24	28	29	29
50-64	63	16.6	254	1	2	12	26	36	47	68
65+	69	16.3	251	1	2	10	27	40	43	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	7.5	120	<1	1	3	8	19	27	52
B. *Operated*	100	9.3	124	1	1	4	14	22	26	59
2. MULTIPLE DX										
A. *Not Operated*	58	11.6	244	2	2	7	12	26	41	90
B. *Operated*	148	15.9	233	1	2	11	26	38	43	70
1. SINGLE DX	125	8.9	123	1	1	4	14	21	25	56
2. MULTIPLE DX	206	14.7	239	1	2	9	23	37	43	79
A. NOT OPERATED	83	10.4	208	1	2	6	12	20	40	82
B. OPERATED	248	13.2	199	1	2	9	21	34	40	69
TOTAL 0-19 YRS	5	5.0	32	2	2	3	6	15	15	15
20-34	9	9.7	135	1	1	9	11	28	38	38
35-49	39	11.0	120	1	2	8	15	25	28	53
50-64	143	12.0	171	1	2	7	16	29	36	65
65+	135	14.0	269	1	2	7	19	39	43	93
GRAND TOTAL	**331**	**12.5**	**202**	**1**	**2**	**7**	**18**	**32**	**40**	**69**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	3.0	2	1	1	3	4	5	5	5
20-34	1	8.0		8	8	8	8	8	8	8
35-49	2	4.0	18	1	1	4	7	7	7	7
50-64	5	9.4	32	1	1	10	12	17	17	17
65+	7	5.3	35	1	1	4	6	16	18	18
B. *Operated*										
0-19 YRS	9	7.7	131	2	2	3	7	27	37	37
20-34	10	11.7	43	2	4	11	12	22	24	24
35-49	6	18.7	218	5	5	11	37	38	38	38
50-64	14	11.3	83	1	3	7	21	24	26	27
65+	12	9.1	50	1	2	7	12	20	25	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	5.8	39	1	2	4	5	13	22	27
20-34	17	6.8	40	1	2	6	9	14	21	25
35-49	2	8.5	25	5	5	8	12	12	12	12
50-64	15	9.2	34	2	3	7	13	16	21	23
65+	10	9.5	86	2	2	4	21	23	24	24
B. *Operated*										
0-19 YRS	10	14.6	189	1	2	10	19	36	47	47
20-34	16	36.9	556	4	8	40	51	69	78	81
35-49	12	29.6	564	10	11	19	37	72	83	85
50-64	24	18.9	420	2	2	13	24	46	65	87
65+	36	20.8	352	3	4	17	26	58	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	4.5	16	1	1	4	5	10	15	18
B. *Operated*	51	11.1	93	2	2	8	13	25	36	38
2. MULTIPLE DX										
A. *Not Operated*	62	7.6	45	2	2	5	11	17	24	27
B. *Operated*	98	23.4	444	2	3	17	37	56	75	94
1. SINGLE DX	87	8.4	71	1	2	5	10	21	26	38
2. MULTIPLE DX	160	17.3	348	2	2	11	23	48	62	87
A. NOT OPERATED	98	6.5	36	1	2	4	8	15	22	26
B. OPERATED	149	19.2	357	2	3	13	25	49	64	87
TOTAL 0-19 YRS	58	6.6	77	1	2	4	5	16	27	46
20-34	44	18.9	411	2	2	10	27	50	60	81
35-49	22	22.4	434	3	5	13	33	48	74	85
50-64	58	13.7	219	1	2	9	18	26	43	84
65+	65	15.2	257	2	2	10	21	39	61	97
GRAND TOTAL	**247**	**14.1**	**268**	**2**	**2**	**8**	**18**	**39**	**50**	**85**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	1	36.0		36	36	36	36	36	36	36
50-64	1	11.0		11	11	11	11	11	11	11
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	12	8.5	32	2	3	6	14	16	19	19
35-49	14	9.1	106	<1	1	5	15	19	35	39
50-64	21	8.1	37	<1	1	7	12	17	21	22
65+	19	8.7	55	1	2	7	13	19	24	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	6	9.7	51	3	3	8	15	20	21	21
50-64	12	6.7	21	2	2	6	8	14	17	17
65+	6	26.8	357	6	7	23	28	59	62	62
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	9	8.9	38	2	3	6	15	18	18	18
35-49	16	10.8	53	2	2	10	15	21	25	27
50-64	16	16.7	572	2	2	8	18	51	81	92
65+	32	13.5	254	2	2	7	16	36	48	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	11.2	206	1	1	4	17	36	36	36
B. *Operated*	67	8.5	53	1	2	6	12	18	21	37
2. MULTIPLE DX										
A. *Not Operated*	26	11.8	164	2	3	7	17	26	35	62
B. *Operated*	74	13.0	246	2	2	9	16	29	47	86
1. SINGLE DX	72	8.7	61	1	2	6	12	18	22	38
2. MULTIPLE DX	100	12.7	224	2	2	8	16	27	44	79
A. NOT OPERATED	31	11.7	164	2	2	7	16	27	36	62
B. OPERATED	141	10.9	158	2	2	7	14	21	34	69
TOTAL 0-19 YRS	2	9.0	18	6	6	9	12	12	12	12
20-34	25	7.8	32	2	2	4	14	18	18	19
35-49	37	10.6	86	2	2	8	15	21	33	39
50-64	50	10.6	214	2	2	7	12	20	22	92
65+	58	13.2	214	2	2	8	18	32	45	67
GRAND TOTAL	**172**	**11.0**	**159**	**2**	**2**	**7**	**14**	**22**	**35**	**66**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+	8	7.8	50	1	2	5	10	20	23	23
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	10	3.5	15	<1	<1	2	4	9	14	14
35-49	32	4.7	29	<1	1	3	5	10	16	27
50-64	31	3.3	6	<1	<1	3	4	7	10	11
65+	85	5.2	43	<1	1	3	5	10	19	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49	1	5.0		5	5	5	5	5	5	5
50-64	2	1.0		1	1	1	1	1	1	1
65+	13	8.7	26	1	3	9	13	26	84	99+
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	8.5	60	<1	<1	8	15	17	17	17
35-49	14	6.4	48	<1	2	4	6	13	25	28
50-64	46	9.2	141	2	2	4	12	24	35	59
65+	115	9.7	157	<1	1	6	11	23	32	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	7.3	45	1	2	5	10	19	23	23
B. *Operated*	160	4.6	31	<1	<1	3	5	10	14	33
2. MULTIPLE DX										
A. *Not Operated*	17	7.5	26	<1	1	7	12	17	67	99+
B. *Operated*	180	9.2	141	<1	2	5	11	23	31	65
1. SINGLE DX	169	4.7	32	<1	<1	3	5	10	14	33
2. MULTIPLE DX	197	9.1	131	<1	2	5	11	23	32	72
A. NOT OPERATED	26	7.5	31	1	1	6	11	18	34	99+
B. OPERATED	340	7.0	95	<1	1	3	8	17	25	59
TOTAL 0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	16	5.1	26	<1	<1	3	6	14	16	17
35-49	47	5.2	34	<1	1	3	6	11	18	28
50-64	79	6.7	93	<1	1	3	7	17	27	54
65+	221	7.8	106	<1	1	4	9	18	28	69
GRAND TOTAL	**366**	**7.1**	**90**	**<1**	**1**	**4**	**9**	**17**	**25**	**63**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	5.6	44	1	1	4	8	17	17	17
35-49	3	5.7	32	1	1	4	10	12	12	12
50-64	7	6.0	40	<1	<1	4	14	76	99+	99+
65+	25	11.9	95	1	3	8	19	29	31	36
B. *Operated*										
0-19 YRS										
20-34	25	5.8	10	<1	1	6	8	10	11	12
35-49	154	7.6	34	1	2	7	9	13	17	30
50-64	217	7.6	20	1	2	7	10	12	15	23
65+	241	8.2	23	2	3	8	10	14	16	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	17	10.3	117	<1	1	6	12	31	34	35
35-49	64	9.4	92	1	1	7	13	23	34	92
50-64	104	9.9	129	1	2	8	12	20	24	75
65+	135	13.4	165	2	3	9	19	28	42	62
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	42	7.1	8	4	4	7	8	11	13	15
35-49	229	8.1	27	2	3	7	10	14	18	29
50-64	383	9.1	32	2	4	8	11	16	22	33
65+	445	10.8	83	3	4	9	13	19	28	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	9.6	80	<1	1	7	15	26	32	99+
B. *Operated*	637	7.8	24	2	2	7	10	13	15	28
2. MULTIPLE DX										
A. *Not Operated*	320	11.3	138	1	2	8	15	23	33	71
B. *Operated*	1100	9.5	52	2	3	8	11	17	22	48
1. SINGLE DX	677	7.9	28	1	2	7	10	14	16	30
2. MULTIPLE DX	1420	9.9	72	2	3	8	12	18	25	53
A. NOT OPERATED	360	11.1	132	1	2	8	15	24	33	72
B. OPERATED	1737	8.9	43	2	3	8	11	15	20	37
TOTAL 0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	89	7.3	32	1	2	7	9	12	17	34
35-49	450	8.1	39	1	2	7	10	14	21	31
50-64	711	8.7	43	2	3	8	11	15	21	33
65+	846	10.5	82	2	3	8	12	19	28	58
GRAND TOTAL	**2097**	**9.3**	**59**	**2**	**3**	**8**	**11**	**17**	**23**	**47**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	3.9	4	2	2	3	5	7	7	7
35-49	15	3.1	3	1	1	3	4	6	6	6
50-64	9	3.8	8	1	1	3	4	8	11	11
65+	6	2.3	1	2	2	2	2	4	4	4
B. *Operated*										
0-19 YRS										
20-34	45	6.0	57	<1	1	3	7	12	23	38
35-49	46	6.8	67	<1	1	4	8	15	22	40
50-64	25	6.7	218	<1	1	3	6	8	29	76
65+	9	12.8	163	2	2	7	20	34	40	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	22	4.0	9	1	1	3	6	8	11	12
35-49	28	4.9	17	<1	1	4	6	12	13	15
50-64	31	9.1	77	1	1	5	13	24	27	32
65+	25	11.6	420	2	2	4	9	24	74	84
B. *Operated*										
0-19 YRS										
20-34	51	12.5	158	1	1	8	17	34	37	56
35-49	74	13.5	200	1	2	8	20	36	43	56
50-64	63	12.6	214	1	1	6	18	36	48	57
65+	39	14.8	199	2	2	9	24	37	45	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	3.3	4	1	1	3	4	6	7	11
B. *Operated*	125	6.9	100	<1	1	3	8	14	27	49
2. MULTIPLE DX										
A. *Not Operated*	106	7.5	133	1	1	4	8	15	24	77
B. *Operated*	227	13.3	192	1	1	8	18	36	45	56
1. SINGLE DX	162	6.1	80	<1	1	3	7	12	19	40
2. MULTIPLE DX	333	11.4	180	1	1	6	14	32	41	56
A. NOT OPERATED	143	6.4	103	1	1	4	6	12	21	72
B. OPERATED	352	11.0	168	1	1	6	14	32	40	56
TOTAL 0-19 YRS										
20-34	125	8.2	100	1	1	4	9	19	35	48
35-49	163	9.2	128	<1	1	4	11	26	37	54
50-64	128	10.0	173	1	1	4	11	26	37	61
65+	79	12.6	254	2	2	6	15	33	45	80
GRAND TOTAL	**495**	**9.7**	**154**	**1**	**1**	**4**	**11**	**26**	**37**	**56**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	4.5	13	2	2	4	7	7	7	7
50-64	8	4.6	7	1	2	5	5	9	10	10
65+	12	12.2	152	2	2	7	20	32	36	37
B. *Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	18	5.9	16	<1	1	7	10	11	12	13
50-64	77	5.6	21	<1	1	6	8	10	15	24
65+	78	6.1	24	<1	1	6	9	10	15	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64	7	5.3	43	1	1	2	7	17	19	19
65+	27	9.7	159	1	2	3	12	32	35	49
B. *Operated*										
0-19 YRS										
20-34	7	7.7	22	2	2	8	10	15	16	16
35-49	35	9.4	68	<1	3	7	11	15	22	48
50-64	157	9.8	68	1	2	8	12	19	24	50
65+	205	11.9	125	1	2	9	15	23	38	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	8.7	97	1	2	5	12	24	33	37
B. *Operated*	174	5.8	22	<1	1	6	8	10	14	25
2. MULTIPLE DX										
A. *Not Operated*	36	8.6	130	1	1	3	7	30	32	49
B. *Operated*	404	10.8	97	1	2	8	13	20	29	51
1. SINGLE DX	196	6.1	31	<1	1	5	8	11	16	28
2. MULTIPLE DX	440	10.6	100	1	2	8	13	21	31	51
A. NOT OPERATED	58	8.6	116	1	1	3	10	28	32	48
B. OPERATED	578	9.3	79	1	1	8	11	19	25	48
TOTAL 0-19 YRS										
20-34	8	6.9	24	1	1	7	9	14	16	16
35-49	57	7.9	50	<1	1	7	10	14	16	46
50-64	249	8.2	55	1	1	7	9	17	20	38
65+	322	10.3	109	1	2	8	12	22	32	53
GRAND TOTAL	**636**	**9.2**	**83**	**1**	**1**	**7**	**11**	**19**	**26**	**48**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7		3	3	4	4	4	4	4
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	1	8.0		8	8	8	8	8	8	8
50-64	14	3.5	11	1	1	3	3	9	12	13
65+	6	7.3	44	1	1	6	7	19	20	20
B. *Operated*										
0-19 YRS	4	7.5	26	4	4	5	10	15	15	15
20-34	9	8.2	2	6	6	8	10	10	10	10
35-49	12	8.8	9	5	5	8	11	13	14	14
50-64	12	9.7	16	2	5	10	12	14	17	18
65+	10	13.1	20	7	7	13	16	19	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	3	9.0	148	1	1	3	18	23	23	23
35-49	20	6.6	34	1	1	6	7	11	20	28
50-64	49	6.1	49	1	1	4	7	13	21	33
65+	50	7.4	38	1	2	6	10	18	24	99
B. *Operated*										
0-19 YRS	4	10.8	35	6	6	9	15	19	19	19
20-34	14	10.6	18	5	6	10	15	16	18	18
35-49	46	11.2	25	5	6	10	13	18	21	27
50-64	111	15.7	151	7	7	11	18	29	39	72
65+	97	20.6	190	6	7	17	27	41	48	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	4.6	18	1	1	3	6	9	14	20
B. *Operated*	47	9.7	15	5	6	9	12	15	18	20
2. MULTIPLE DX										
A. *Not Operated*	124	6.7	42	1	1	5	8	14	23	50
B. *Operated*	272	16.3	147	6	7	12	19	30	44	66
1. SINGLE DX	73	7.9	22	1	2	8	10	14	18	20
2. MULTIPLE DX	396	13.3	134	2	3	10	16	27	36	66
A. NOT OPERATED	150	6.3	39	1	1	4	8	13	21	33
B. OPERATED	319	15.4	133	6	7	12	18	29	39	66
TOTAL 0-19 YRS	13	7.1	24	3	3	5	8	16	18	19
20-34	28	9.1	24	3	3	8	11	16	18	23
35-49	79	9.6	28	3	5	8	12	16	19	28
50-64	186	11.8	127	1	2	10	14	25	32	65
65+	163	15.6	165	2	3	13	20	33	45	66
GRAND TOTAL	**469**	**12.5**	**120**	**2**	**3**	**10**	**15**	**26**	**33**	**65**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+	6	7.7	54	3	3	3	15	19	19	19
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	2.7		2	2	3	3	3	3	3
50-64	6	8.7	57	<1	<1	8	13	19	20	20
65+	11	10.5	90	2	2	8	13	28	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	7	<1	<1	2	5	6	6	6
20-34	9	4.7	14	2	2	3	6	11	13	13
35-49	3	7.7	25	3	3	7	11	13	13	13
50-64	3	8.7	154	1	1	2	18	23	23	23
65+	6	9.7	52	2	2	9	14	20	21	21
B. *Operated*										
0-19 YRS	1	61.0		61	61	61	61	61	61	61
20-34	4	22.3	513	2	2	19	41	49	49	49
35-49	8	9.0	188	<1	<1	4	9	32	42	42
50-64	21	17.6	142	3	5	16	27	35	40	45
65+	27	21.0	265	2	3	18	31	49	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	7.6	45	3	3	3	13	18	19	19
B. *Operated*	20	8.8	70	1	2	5	12	23	28	30
2. MULTIPLE DX										
A. *Not Operated*	24	6.6	39	1	2	4	9	15	22	23
B. *Operated*	61	19.0	256	2	2	14	30	47	53	95
1. SINGLE DX	27	8.5	62	1	2	4	13	20	27	30
2. MULTIPLE DX	85	15.5	225	1	2	10	26	42	49	86
A. NOT OPERATED	31	6.8	39	1	2	3	10	17	21	23
B. OPERATED	81	16.5	228	2	2	11	27	43	49	87
TOTAL 0-19 YRS	4	17.5	846	<1	<1	4	33	61	61	61
20-34	13	10.1	209	2	2	5	9	36	47	49
35-49	15	7.3	104	<1	2	3	8	13	35	42
50-64	30	14.9	136	1	1	13	21	32	36	45
65+	50	15.7	204	2	2	11	26	41	50	99+
GRAND TOTAL	**112**	**13.8**	**194**	**2**	**2**	**9**	**21**	**35**	**48**	**75**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	8	4.3	10	1	1	3	6	9	10	10
65+	29	11.2	152	1	2	7	15	30	44	48
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	10.0		10	10	10	10	10	10	10
50-64	84	9.9	35	2	3	9	13	19	21	29
65+	306	9.5	45	2	2	8	13	19	22	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	66	7.4	43	1	2	5	9	18	22	31
65+	282	12.0	159	2	3	8	14	31	45	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	9.3	21	4	4	12	12	12	12	12
50-64	230	13.9	155	2	3	10	18	29	37	70
65+	920	13.1	115	2	3	10	16	24	33	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	9.7	128	1	2	5	12	17	42	48
B. *Operated*	391	9.6	43	2	3	8	13	19	22	33
2. MULTIPLE DX										
A. *Not Operated*	348	11.1	140	2	2	7	13	28	42	99
B. *Operated*	1153	13.2	123	2	3	10	16	25	34	59
1. SINGLE DX	428	9.6	50	2	2	8	13	19	22	36
2. MULTIPLE DX	1501	12.7	127	2	3	10	16	25	35	65
A. NOT OPERATED	385	11.0	138	2	2	7	13	27	42	93
B. OPERATED	1544	12.3	105	2	3	10	15	23	31	54
TOTAL 0-19 YRS										
20-34										
35-49	4	9.5	14	4	4	11	12	12	12	12
50-64	388	11.7	114	2	2	9	15	24	30	49
65+	1537	12.1	112	2	3	9	15	23	34	59
GRAND TOTAL	**1929**	**12.0**	**112**	**2**	**3**	**9**	**15**	**23**	**33**	**58**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	4.3	1	3	3	5	5	5	5	5
35-49	1	40.0		40	40	40	40	40	40	40
50-64										
65+	1	24.0		24	24	24	24	24	24	24
B. *Operated*										
0-19 YRS	3	7.0	7	4	4	8	9	9	9	9
20-34	38	6.9	14	2	3	7	9	11	14	19
35-49	19	5.7	12	2	2	4	8	11	12	12
50-64	3	6.0	7	3	3	7	8	8	8	8
65+	4	9.8	31	4	4	10	14	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	6.8	2	6	6	6	8	9	9	9
20-34	37	6.2	26	1	2	5	5	16	19	22
35-49	18	6.3	61	1	2	5	6	6	25	37
50-64										
65+	5	8.0	48	1	1	5	13	18	18	18
B. *Operated*										
0-19 YRS	2	11.0	32	7	7	11	15	15	15	15
20-34	12	10.8	111	1	2	7	14	26	37	39
35-49	13	9.5	53	3	3	8	10	22	27	28
50-64	3	16.0	333	4	4	7	29	37	37	37
65+	6	10.0	70	2	2	9	14	22	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	11.3	183	3	3	5	15	35	40	40
B. *Operated*	67	6.7	14	2	3	6	9	11	14	18
2. MULTIPLE DX										
A. *Not Operated*	64	6.4	35	1	2	5	6	15	19	35
B. *Operated*	36	10.6	86	2	3	8	14	23	34	39
1. SINGLE DX	75	7.2	32	2	3	6	9	12	15	36
2. MULTIPLE DX	100	7.9	57	1	2	5	8	18	22	38
A. NOT OPERATED	72	6.9	51	1	2	5	6	17	22	39
B. OPERATED	103	8.1	42	2	3	7	10	15	20	38
TOTAL 0-19 YRS	9	7.8	10	4	5	7	9	13	15	15
20-34	93	7.0	32	2	3	5	8	15	19	32
35-49	51	7.5	62	2	2	6	8	12	28	40
50-64	6	11.0	166	3	3	7	8	34	37	37
65+	16	10.2	57	1	2	9	15	22	24	24
GRAND TOTAL	**175**	**7.6**	**46**	**2**	**3**	**5**	**9**	**15**	**21**	**39**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	3	9.3	89	2	2	6	16	20	20	20
65+	10	7.4	166	<1	<1	2	4	29	41	41
B. *Operated*										
0-19 YRS	3	9.7	20	5	5	10	13	14	14	14
20-34	8	4.0	4	1	1	4	5	7	7	7
35-49	46	4.7	22	<1	2	3	5	8	14	27
50-64	121	4.7	22	1	1	4	5	8	12	28
65+	366	6.1	65	1	2	4	6	12	22	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	9.0	50	4	4	9	14	14	14	14
50-64	31	6.4	42	1	2	3	10	15	18	29
65+	49	13.3	257	1	1	8	16	28	45	85
B. *Operated*										
0-19 YRS										
20-34	3	7.0	16	3	3	7	10	11	11	11
35-49	34	6.1	36	1	2	4	7	14	16	30
50-64	202	9.0	117	1	2	5	11	22	30	57
65+	692	10.0	103	2	2	7	12	23	32	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	7.8	140	<1	<1	2	9	24	38	41
B. *Operated*	544	5.7	51	1	2	4	6	11	18	35
2. MULTIPLE DX										
A. *Not Operated*	82	10.6	180	1	2	7	14	21	33	78
B. *Operated*	931	9.7	104	2	2	6	12	23	31	55
1. SINGLE DX	557	5.7	53	1	2	4	6	11	19	36
2. MULTIPLE DX	1013	9.7	110	2	2	6	12	23	31	56
A. NOT OPERATED	95	10.2	174	1	1	6	14	20	37	75
B. OPERATED	1475	8.2	88	1	2	5	9	20	27	48
TOTAL 0-19 YRS	3	9.7	20	5	5	10	13	14	14	14
20-34	11	4.8	8	1	2	4	7	9	11	11
35-49	82	5.4	28	1	2	4	6	13	16	29
50-64	357	7.3	82	1	2	4	8	17	25	40
65+	1117	8.9	102	2	2	5	10	21	30	52
GRAND TOTAL	**1570**	**8.3**	**93**	**1**	**2**	**5**	**10**	**20**	**28**	**50**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34										
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	5	5.6	5	3	3	6	7	9	9	9
65+	6	9.0	19	5	5	8	10	16	17	17
B. *Operated*										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	3	15.0	75	5	5	20	20	20	20	20
35-49	22	12.5	26	4	7	12	15	20	22	24
50-64	28	12.0	36	1	4	12	14	19	23	30
65+	39	16.1	101	2	3	14	22	31	36	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	24.0		24	24	24	24	24	24	24
20-34										
35-49	2	34.5	1513	7	7	34	62	62	62	62
50-64	44	6.7	45	1	2	4	8	18	21	31
65+	31	14.8	312	2	2	7	19	43	55	77
B. *Operated*										
0-19 YRS	3	13.0	181	2	2	9	23	28	28	28
20-34	3	13.3	49	6	6	14	18	20	20	20
35-49	24	19.3	175	3	7	17	21	31	51	64
50-64	104	16.9	89	5	8	15	20	30	39	47
65+	114	20.1	115	6	8	18	25	35	41	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	6.1	16	1	2	6	8	10	15	17
B. *Operated*	93	14.0	64	2	5	13	18	24	29	42
2. MULTIPLE DX										
A. *Not Operated*	78	10.9	199	2	2	5	13	22	44	73
B. *Operated*	248	18.5	111	5	8	17	23	33	40	50
1. SINGLE DX	108	12.9	64	2	3	12	17	23	27	40
2. MULTIPLE DX	326	16.7	142	2	3	15	22	32	41	60
A. NOT OPERATED	93	10.1	172	2	2	5	12	22	41	71
B. OPERATED	341	17.3	102	4	7	15	21	31	38	47
TOTAL 0-19 YRS	7	12.6	120	2	2	9	23	27	28	28
20-34	6	14.2	51	5	5	17	20	20	20	20
35-49	50	16.2	157	2	5	14	19	28	45	64
50-64	181	13.4	87	2	3	12	17	23	33	47
65+	190	18.1	147	2	5	16	23	34	43	58
GRAND TOTAL	**434**	**15.8**	**125**	**2**	**3**	**14**	**20**	**30**	**38**	**56**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	6	4.7	11	1	1	4	8	9	9	9
20-34	1	12.0		12	12	12	12	12	12	12
35-49	3	9.7	40	6	6	6	14	17	17	17
50-64	1	6.0		6	6	6	6	6	6	6
65+	7	7.0	20	2	2	6	9	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	6.7	30	1	1	7	11	12	12	12
35-49	2	6.0	18	3	3	6	9	9	9	9
50-64	1	7.0		7	7	7	7	7	7	7
65+	2	4.0	18	1	1	4	7	7	7	7
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	3	5.0	1	4	4	5	6	6	6	6
35-49	1	6.0		6	6	6	6	6	6	6
50-64	5	7.6	13	4	4	6	11	12	12	12
65+	10	14.9	374	3	3	8	16	42	68	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.7	1	1	1	1	3	3	3	3
B. *Operated*	18	6.9	20	1	2	6	9	14	16	17
2. MULTIPLE DX										
A. *Not Operated*	8	5.9	15	1	1	7	8	11	12	12
B. *Operated*	20	11.0	198	3	4	6	12	16	42	68
1. SINGLE DX	21	6.1	20	1	1	6	8	13	16	17
2. MULTIPLE DX	28	9.5	149	1	3	6	11	16	21	68
A. NOT OPERATED	11	4.7	15	1	1	3	7	10	12	12
B. OPERATED	38	9.1	115	2	3	6	11	16	17	68
TOTAL 0-19 YRS	7	5.7	17	1	1	5	9	11	12	12
20-34	8	6.0	18	1	1	5	9	12	12	12
35-49	6	7.8	24	3	3	6	9	16	17	17
50-64	7	7.3	9	4	4	6	10	12	12	12
65+	21	10.0	200	1	2	6	11	16	39	68
GRAND TOTAL	**49**	**8.1**	**95**	**1**	**2**	**5**	**10**	**15**	**16**	**68**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	4.8	22	1	1	3	6	13	13	13
20-34	17	4.6	13	1	2	3	5	10	14	15
35-49	10	4.7	27	<1	<1	3	6	13	18	18
50-64	17	16.6	203	1	2	11	26	40	45	47
65+	3	13.7	82	7	7	10	20	24	24	24
B. *Operated*										
0-19 YRS	10	17.9	121	6	7	15	25	34	42	42
20-34	16	19.3	251	4	5	13	29	45	52	54
35-49	18	19.4	237	5	8	13	23	45	57	63
50-64	18	23.8	358	6	8	16	25	55	63	67
65+	11	34.3	510	8	9	29	48	69	70	70
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	4.9	32	<1	<1	3	6	9	20	23
20-34	12	8.3	86	2	2	6	13	99+	99+	99+
35-49	10	19.6	344	2	2	18	38	72	98	99+
50-64	19	14.9	281	1	2	13	33	99+	99+	99+
65+	20	14.9	141	4	5	11	19	28	42	54
B. *Operated*										
0-19 YRS	14	23.3	297	2	7	20	36	59	90	99+
20-34	25	27.7	425	4	5	22	50	63	73	99+
35-49	17	22.1	419	5	6	13	30	65	86	99+
50-64	24	24.8	333	6	9	19	45	63	99+	99+
65+	13	26.9	209	8	10	24	37	51	51	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	9.1	110	1	1	4	11	24	32	47
B. *Operated*	73	22.5	308	5	7	16	29	50	62	70
2. MULTIPLE DX										
A. *Not Operated*	75	12.6	188	1	2	9	19	54	99+	99+
B. *Operated*	93	25.2	341	5	7	20	40	63	86	99+
1. SINGLE DX	125	16.9	268	1	3	11	23	46	52	69
2. MULTIPLE DX	168	19.5	310	2	3	15	32	61	99+	99+
A. NOT OPERATED	127	11.1	158	1	2	7	15	35	69	99+
B. OPERATED	166	24.0	326	5	7	19	36	58	66	99+
TOTAL 0-19 YRS	43	13.9	200	1	1	9	22	37	54	99+
20-34	70	16.8	313	2	3	9	29	55	66	99+
35-49	55	17.6	300	1	2	12	23	57	65	99+
50-64	78	20.4	306	2	4	16	32	62	99+	99+
65+	47	22.7	296	5	7	17	31	50	56	70
GRAND TOTAL	**293**	**18.4**	**293**	**2**	**3**	**12**	**28**	**54**	**66**	**99+**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	24.0		24	24	24	24	24	24	24
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	25.0		25	25	25	25	25	25	25
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	40.0		40	40	40	40	40	40	40
20-34										
35-49	2	11.0	32	7	7	11	15	15	15	15
50-64	1	9.0		9	9	9	9	9	9	9
65+										
B. *Operated*										
0-19 YRS	5	12.6	46	3	3	16	17	19	19	19
20-34	1	29.0		29	29	29	29	29	29	29
35-49	2	14.5	13	12	12	17	79	99+	99+	99+
50-64	4	20.8	121	8	8	21	29	33	33	33
65+	1	48.0		48	48	48	48	48	48	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	24.0		24	24	24	24	24	24	24
B. *Operated*	4	10.5	121	1	1	8	19	25	25	25
2. MULTIPLE DX										
A. *Not Operated*	4	17.8	232	7	7	12	27	40	40	40
B. *Operated*	13	19.4	146	4	7	17	29	53	90	99+
1. SINGLE DX	5	13.2	127	1	1	13	24	25	25	25
2. MULTIPLE DX	17	19.0	154	5	7	16	29	46	79	99+
A. NOT OPERATED	5	19.0	182	7	7	15	28	40	40	40
B. OPERATED	17	17.3	148	2	3	16	26	43	79	99+
TOTAL 0-19 YRS	6	17.2	162	3	3	16	19	38	40	40
20-34	2	26.5	13	24	24	26	29	29	29	29
35-49	5	15.2	44	7	7	16	25	92	99+	99+
50-64	7	13.7	143	1	1	9	23	32	33	33
65+	2	30.5	613	13	13	30	48	48	48	48
GRAND TOTAL	**22**	**17.7**	**148**	**2**	**3**	**16**	**26**	**42**	**66**	**99+**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	8	6.9	10	<1	1	7	9	10	10	10
35-49	13	7.7	18	2	3	7	11	13	15	16
50-64	10	6.9	9	3	3	7	9	11	11	11
65+	6	7.0	21	3	3	5	11	14	14	14
B. *Operated*										
0-19 YRS	2	12.5	181	3	3	12	22	22	22	22
20-34	22	4.8	3	2	3	4	6	7	9	10
35-49	20	6.1	4	3	4	6	7	8	10	12
50-64	10	6.4	12	4	4	5	7	12	15	15
65+	4	15.8	208	4	4	11	26	36	36	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	5.3	17	2	2	4	7	12	13	13
20-34	19	7.1	13	1	2	7	10	12	13	13
35-49	25	7.7	21	2	3	7	10	14	16	19
50-64	14	8.1	26	1	3	9	10	13	19	21
65+	12	9.7	13	3	6	10	12	14	17	17
B. *Operated*										
0-19 YRS	6	11.0	74	3	3	8	16	25	26	26
20-34	24	7.2	26	2	3	5	11	14	19	20
35-49	28	9.9	91	2	3	6	13	24	35	40
50-64	24	8.6	33	3	4	7	10	16	20	29
65+	29	13.6	293	3	4	9	13	25	52	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	7.0	13	2	3	7	10	11	13	16
B. *Operated*	58	6.5	27	3	4	5	7	10	16	35
2. MULTIPLE DX										
A. *Not Operated*	76	7.7	19	2	3	7	11	13	15	20
B. *Operated*	111	10.0	118	3	3	7	12	17	29	65
1. SINGLE DX	97	6.7	21	3	3	6	8	11	15	29
2. MULTIPLE DX	187	9.1	79	3	3	7	11	16	20	46
A. NOT OPERATED	115	7.5	17	2	3	7	11	12	14	20
B. OPERATED	169	8.8	89	3	3	6	10	16	26	48
TOTAL 0-19 YRS	16	8.1	54	2	3	5	11	21	25	26
20-34	73	6.4	14	2	3	5	8	11	13	20
35-49	86	8.0	40	3	3	6	10	15	17	38
50-64	58	7.8	23	3	3	7	9	14	16	28
65+	51	12.1	189	3	4	9	12	17	36	88
GRAND TOTAL	**284**	**8.3**	**60**	**3**	**3**	**7**	**10**	**15**	**18**	**39**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	5	3.0	12	<1	<1	1	4	9	9	9
50-64	16	9.8	64	1	2	7	13	22	28	30
65+	36	11.6	184	2	3	6	16	24	40	69
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	6.2	8	2	2	6	8	10	10	10
35-49	5	7.6	35	3	3	4	13	15	15	15
50-64	30	10.4	78	2	3	8	13	23	29	39
65+	36	13.1	210	1	1	9	16	31	47	68
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.8		3	3	4	4	4	4	4
20-34	60	7.2	54	1	2	4	8	15	26	38
35-49	177	8.7	55	2	3	6	10	18	28	36
50-64	384	11.6	142	2	2	9	14	24	37	78
65+	554	12.3	157	2	3	9	15	25	36	79
B. *Operated*										
0-19 YRS	5	6.6	62	1	1	4	10	20	20	20
20-34	60	11.1	81	1	2	8	18	27	33	93
35-49	176	14.6	176	2	3	10	20	27	46	58
50-64	451	14.5	172	2	3	11	19	30	38	79
65+	460	16.7	219	2	3	13	22	33	42	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	10.1	136	1	2	6	13	23	31	67
B. *Operated*	78	11.0	133	1	2	8	13	24	34	64
2. MULTIPLE DX										
A. *Not Operated*	1179	11.3	133	2	3	8	13	23	34	75
B. *Operated*	1152	15.2	188	2	3	11	20	31	39	81
1. SINGLE DX	137	10.6	134	1	2	7	13	24	32	68
2. MULTIPLE DX	2331	13.2	164	2	3	9	17	28	37	80
A. NOT OPERATED	1238	11.2	133	2	3	8	13	23	34	74
B. OPERATED	1230	14.9	185	2	3	11	20	31	39	81
TOTAL 0-19 YRS	10	4.9	32	1	1	4	4	13	20	20
20-34	128	8.9	68	1	2	6	11	23	29	52
35-49	363	11.4	122	2	3	8	14	24	33	55
50-64	881	13.0	155	2	3	10	16	28	37	78
65+	1086	14.2	190	2	3	10	18	30	39	81
GRAND TOTAL	**2468**	**13.1**	**163**	**2**	**3**	**9**	**17**	**28**	**36**	**79**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.4	1	1	1	1	2	3	3	3
20-34	45	2.1	4	<1	1	2	2	3	7	11
35-49	4	2.8	1	2	2	3	3	4	4	4
50-64	7	3.3	3	2	2	2	5	5	5	5
65+	2	15.0	288	3	3	15	27	27	27	27
B. *Operated*										
0-19 YRS	10	10.9	59	1	1	11	17	20	23	23
20-34	40	12.4	70	2	3	10	16	22	32	36
35-49	21	11.3	102	1	2	9	17	25	32	41
50-64	8	16.8	127	2	4	15	22	33	38	38
65+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	3.4	11	1	1	2	5	9	11	11
20-34	16	6.6	33	<1	<1	5	10	16	19	20
35-49	5	5.8	40	1	1	2	10	16	16	16
50-64	10	8.2	80	1	1	4	11	21	31	31
65+	8	6.3	42	1	1	4	8	17	20	20
B. *Operated*										
0-19 YRS	6	12.2	56	4	4	11	20	21	21	21
20-34	27	16.7	173	1	2	15	26	38	44	48
35-49	9	13.6	42	2	4	14	19	22	22	22
50-64	5	13.8	29	8	8	15	17	21	21	21
65+	8	28.0	522	3	5	25	32	65	78	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	2.6	13	<1	1	2	2	5	7	25
B. *Operated*	80	12.4	81	2	2	10	17	23	32	40
2. MULTIPLE DX										
A. *Not Operated*	52	6.0	38	1	1	3	9	13	19	31
B. *Operated*	55	17.1	188	1	3	15	22	31	42	76
1. SINGLE DX	143	8.1	74	1	1	5	12	21	25	38
2. MULTIPLE DX	107	11.7	145	1	1	8	16	27	32	61
A. NOT OPERATED	115	4.1	27	<1	1	2	5	11	15	28
B. OPERATED	135	14.3	129	2	2	12	19	29	36	52
TOTAL 0-19 YRS	34	6.9	48	1	1	4	11	18	21	23
20-34	128	9.0	96	1	1	6	14	22	30	44
35-49	39	10.2	79	1	2	8	16	22	25	41
50-64	30	10.3	87	2	2	8	15	22	31	38
65+	19	16.6	342	1	2	11	26	33	59	78
GRAND TOTAL	**250**	**9.6**	**107**	**1**	**1**	**6**	**15**	**22**	**30**	**43**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	5.7	78	<1	<1	<1	7	22	24	24
20-34	6	1.7	3	<1	<1	1	1	5	5	5
35-49	8	2.3	2	1	1	2	3	4	5	5
50-64	12	3.4	6	<1	<1	3	6	7	7	7
65+	15	15.9	435	1	2	7	25	70	92	99+
B. *Operated*										
0-19 YRS	20	6.4	62	<1	1	3	7	19	27	28
20-34	2	38.0	98	31	31	38	45	45	45	45
35-49	1	8.0		8	8	8	8	8	8	8
50-64	9	8.8	22	2	3	7	11	16	17	17
65+	6	5.2	18	<1	<1	5	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	4.1	21	<1	<1	3	5	11	12	24
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49										
50-64	21	11.7	166	1	1	10	15	24	41	58
65+	58	11.4	218	1	1	9	15	29	73	99+
B. *Operated*										
0-19 YRS	32	18.1	311	2	2	9	29	39	43	82
20-34	5	62.8	206	44	44	70	74	76	76	76
35-49	1	11.0		11	11	11	11	11	11	11
50-64	16	17.5	196	3	4	15	21	36	52	59
65+	24	16.8	228	2	5	12	21	38	58	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	7.2	174	<1	<1	3	6	21	52	99+
B. *Operated*	38	8.5	93	<1	1	6	10	24	30	45
2. MULTIPLE DX										
A. *Not Operated*	123	8.8	150	<1	1	5	11	18	38	99+
B. *Operated*	78	20.3	368	2	3	13	27	49	66	80
1. SINGLE DX	88	7.7	138	<1	<1	4	8	22	33	89
2. MULTIPLE DX	201	13.3	265	1	1	8	16	36	58	98
A. NOT OPERATED	173	8.3	156	<1	1	4	11	19	39	99+
B. OPERATED	116	16.4	307	1	2	9	23	40	58	78
TOTAL 0-19 YRS	103	9.0	159	<1	<1	4	10	27	35	61
20-34	15	26.9	906	<1	<1	5	49	73	75	76
35-49	10	3.7	11	1	1	2	5	9	11	11
50-64	58	11.1	139	1	1	8	15	23	33	59
65+	103	13.0	244	1	2	9	16	38	61	99+
GRAND TOTAL	**289**	**11.6**	**232**	**<1**	**1**	**6**	**14**	**31**	**51**	**98**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	3.8	14	<1	<1	2	6	10	12	12
20-34	3	1.7		1	1	2	2	2	2	2
35-49	5	3.2	11	1	1	2	4	9	9	9
50-64	14	7.3	216	<1	<1	2	3	21	48	56
65+	24	5.7	54	1	1	3	5	15	22	33
B. *Operated*										
0-19 YRS	4	11.5	46	5	5	10	16	21	21	21
20-34	5	3.6	3	2	2	4	5	6	6	6
35-49	8	18.1	176	3	4	19	30	33	33	33
50-64	11	15.6	262	1	2	6	28	42	47	47
65+	12	6.9	16	2	3	5	10	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	3.4	14	<1	<1	1	6	8	12	14
20-34	11	9.4	119	1	1	6	11	29	33	33
35-49	7	7.7	44	1	1	5	13	17	18	18
50-64	28	6.9	55	1	1	4	9	22	24	27
65+	52	8.9	100	1	1	6	13	23	38	98
B. *Operated*										
0-19 YRS	9	35.2	653	1	3	30	59	71	77	77
20-34	28	31.1	404	3	4	29	38	62	72	79
35-49	19	27.2	418	3	5	26	35	54	71	83
50-64	26	30.7	422	4	5	30	42	57	73	80
65+	38	24.6	352	5	6	20	37	62	90	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	5.1	71	<1	<1	2	5	12	17	53
B. *Operated*	40	11.6	136	2	2	6	13	31	35	47
2. MULTIPLE DX										
A. *Not Operated*	115	7.6	76	<1	1	5	10	20	27	66
B. *Operated*	120	28.6	408	3	5	26	38	60	78	99+
1. SINGLE DX	104	7.6	105	<1	<1	3	9	21	32	51
2. MULTIPLE DX	235	18.3	356	1	1	12	29	49	63	99+
A. NOT OPERATED	179	6.7	76	<1	1	3	8	17	25	54
B. OPERATED	160	24.4	393	3	4	22	35	56	71	98
TOTAL 0-19 YRS	48	10.2	276	<1	<1	5	10	30	59	77
20-34	47	21.2	415	1	2	17	31	52	66	79
35-49	39	18.7	328	1	2	13	31	37	54	83
50-64	79	16.0	339	<1	1	7	26	43	55	77
65+	126	12.8	218	1	2	8	19	38	54	99+
GRAND TOTAL	**339**	**15.0**	**303**	**<1**	**1**	**8**	**24**	**40**	**56**	**84**

49: Lymphatic and hematopoietic neoplasm, except hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	4.9	25	<1	<1	3	6	13	14	14
20-34	39	3.2	30	1	1	2	3	6	11	33
35-49	68	2.9	8	<1	1	2	3	7	8	13
50-64	107	3.7	19	1	1	2	4	10	14	21
65+	93	5.6	53	1	1	3	6	11	27	34
B. *Operated*										
0-19 YRS	4	15.8	166	2	2	14	25	32	32	32
20-34	19	12.8	220	1	2	8	19	25	47	64
35-49	43	9.4	49	1	2	7	12	21	24	28
50-64	81	11.4	87	2	3	9	16	26	31	42
65+	75	13.3	119	2	3	11	21	29	35	89
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	7.4	217	<1	1	3	6	11	32	79
20-34	16	9.7	71	1	1	6	13	26	28	29
35-49	29	7.7	39	2	2	5	9	19	20	24
50-64	110	7.5	79	1	1	5	8	17	28	76
65+	193	11.1	102	1	2	8	15	24	32	53
B. *Operated*										
0-19 YRS	5	30.6	551	4	4	35	43	65	65	65
20-34	20	16.7	336	<1	1	10	24	34	57	79
35-49	46	15.5	223	1	2	12	18	40	47	77
50-64	125	19.8	206	2	3	16	28	37	46	67
65+	169	20.5	283	3	4	16	30	47	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	317	4.1	29	1	1	2	5	9	13	32
B. *Operated*	222	11.9	103	2	2	9	17	25	32	60
2. MULTIPLE DX										
A. *Not Operated*	378	9.4	100	1	2	6	12	22	30	58
B. *Operated*	365	19.5	257	2	3	16	28	41	53	79
1. SINGLE DX	539	7.3	74	1	1	4	10	19	26	36
2. MULTIPLE DX	743	14.4	203	1	2	10	20	33	45	78
A. NOT OPERATED	695	7.0	75	1	1	4	8	17	25	44
B. OPERATED	587	16.6	212	2	3	13	23	35	48	78
TOTAL 0-19 YRS	49	9.9	249	<1	<1	4	10	32	37	79
20-34	94	9.1	165	1	1	4	12	25	32	72
35-49	186	8.3	98	1	1	5	11	18	23	48
50 64	423	10.9	141	1	1	6	15	28	36	58
65+	530	13.4	182	1	2	9	20	32	43	81
GRAND TOTAL	**1282**	**11.4**	**161**	**1**	**1**	**7**	**16**	**29**	**37**	**75**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	18	3.7	9	<1	1	3	5	8	10	12
20-34	44	4.2	4	<1	2	4	5	7	8	10
35-49	37	4.2	6	2	2	4	5	7	9	13
50-64	51	4.4	5	1	2	4	5	8	9	11
65+	18	6.1	9	3	3	6	8	10	12	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	13.3	122	3	3	12	22	25	25	25
20-34	9	3.4	2	<1	1	4	4	5	5	5
35-49	16	6.3	16	2	2	5	8	13	15	16
50-64	20	4.9	6	1	2	5	6	8	10	12
65+	17	5.8	11	1	2	5	8	10	12	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	168	4.4	6	1	2	4	6	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	3	1.3		1	1	1	2	2	2	2
B. *Operated*	65	5.7	16	1	2	4	7	10	13	24
1. SINGLE DX	169	4.4	6	1	2	4	5	7	9	13
2. MULTIPLE DX	68	5.5	16	1	2	4	7	10	13	23
A. NOT OPERATED	4	1.8	1	1	1	2	2	3	3	3
B. OPERATED	233	4.8	9	1	2	4	6	8	10	15
TOTAL 0-19 YRS	22	5.0	30	<1	1	3	5	12	17	25
20-34	55	3.9	4	<1	1	4	5	6	7	10
35-49	53	4.8	9	2	2	4	6	8	13	16
50-64	72	4.5	6	1	2	4	6	8	9	12
65+	35	6.0	10	2	3	6	8	10	12	14
GRAND TOTAL	**237**	**4.7**	**9**	**1**	**2**	**4**	**6**	**8**	**10**	**14**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	7	4.9	45	1	1	2	4	17	20	20
50-64	3	1.3		<1	<1	1	2	2	2	2
65+	10	2.5	3	<1	<1	2	3	5	7	7
B. *Operated*										
0-19 YRS	7	4.0	15	1	1	2	7	10	11	11
20-34	16	5.7	17	<1	1	5	10	11	12	12
35-49	23	7.0	32	1	1	7	10	15	19	22
50-64	53	6.1	30	<1	1	4	9	15	18	24
65+	73	6.5	49	<1	1	4	8	12	22	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	11.3	108	3	3	8	19	23	23	23
35-49	3	5.7	4	4	4	5	7	8	8	8
50-64	6	6.7	19	3	3	5	7	14	15	15
65+	15	5.8	18	1	1	6	10	12	12	12
B. *Operated*										
0-19 YRS	5	5.0	28	1	1	3	7	14	14	14
20-34	12	8.7	36	2	3	7	11	17	23	24
35-49	39	10.6	189	1	1	6	11	24	43	70
50-64	73	10.1	68	1	2	9	14	20	24	40
65+	138	11.9	88	2	3	10	15	25	34	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	3.2	18	<1	<1	2	3	5	13	20
B. *Operated*	172	6.3	36	1	1	4	9	13	17	34
2. MULTIPLE DX										
A. *Not Operated*	27	6.6	25	1	2	6	9	12	16	23
B. *Operated*	267	10.9	94	1	2	9	14	22	33	44
1. SINGLE DX	192	5.9	35	<1	1	4	9	12	17	32
2. MULTIPLE DX	294	10.5	90	1	2	8	14	22	30	44
A. NOT OPERATED	47	5.1	24	<1	1	3	7	12	16	23
B. OPERATED	439	9.1	77	1	1	7	12	20	25	41
TOTAL 0-19 YRS	12	4.4	19	1	1	3	6	12	14	14
20-34	31	7.4	33	1	1	6	10	13	23	24
35-49	72	8.7	120	1	1	6	10	18	25	65
50-64	135	8.2	54	1	1	6	12	17	21	37
65+	236	9.4	77	1	1	7	12	21	29	39
GRAND TOTAL	**486**	**8.7**	**73**	**1**	**1**	**6**	**12**	**19**	**24**	**40**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	20	3.4	12	1	2	2	2	9	12	15
20-34	18	3.2	13	<1	1	2	3	5	12	17
35-49	19	5.3	27	<1	1	2	7	15	17	17
50-64	17	5.8	22	<1	1	4	10	13	14	15
65+	12	5.6	60	1	1	2	4	22	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34										
35-49										
50-64	1	5.0		5	5	5	5	5	5	5
65+	4	6.5	7	3	3	7	8	9	9	9
B. *Operated*										
0-19 YRS	5	4.2	37	1	1	2	5	15	15	15
20-34	5	5.0	5	2	2	5	6	8	8	8
35-49	4	9.3	38	3	3	9	14	15	15	15
50-64	17	7.9	69	<1	1	4	13	22	27	28
65+	19	6.5	24	<1	1	4	10	14	15	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.0		2	2	2	2	2	2	2
B. *Operated*	86	4.5	24	<1	2	2	5	13	16	22
2. MULTIPLE DX										
A. *Not Operated*	6	6.3	5	3	3	6	8	9	9	9
B. *Operated*	50	6.8	39	1	1	4	10	15	16	28
1. SINGLE DX	88	4.5	24	<1	2	2	5	12	16	22
2. MULTIPLE DX	56	6.8	35	1	1	5	10	15	16	28
A. NOT OPERATED	8	5.3	7	2	2	5	7	9	9	9
B. OPERATED	136	5.4	31	<1	1	2	8	14	16	25
TOTAL 0-19 YRS	26	3.7	16	1	1	2	2	10	15	15
20-34	23	3.6	12	<1	1	2	4	6	11	17
35-49	23	6.0	30	1	1	3	9	15	16	17
50-64	35	6.8	44	<1	1	4	10	15	22	28
65+	37	6.0	32	1	2	3	9	14	19	23
GRAND TOTAL	**144**	**5.4**	**29**	**1**	**1**	**3**	**8**	**14**	**16**	**24**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	5.8	8	3	3	5	8	9	9	9
20-34	1	2.0		2	2	2	2	2	2	2
35-49	7	3.6	18	<1	<1	2	4	11	13	13
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	3	7.3	2	6	6	7	8	9	9	9
B. *Operated*										
0-19 YRS	138	3.0	3	1	1	3	4	5	6	9
20-34	150	3.4	7	<1	<1	3	4	7	8	13
35-49	168	2.8	8	<1	<1	2	3	6	7	14
50-64	123	3.4	11	<1	<1	2	3	8	11	18
65+	45	3.3	7	<1	1	3	4	6	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.0	6	1	1	2	4	7	7	7
20-34	3	1.3		1	1	1	2	2	2	2
35-49	3	2.3	1	1	1	3	3	3	3	3
50-64	3	3.3	4	1	1	4	5	5	5	5
65+	5	5.4	54	<1	<1	1	9	18	18	18
B. *Operated*										
0-19 YRS	26	7.3	37	<1	2	4	13	16	19	22
20-34	39	3.9	11	<1	<1	3	5	10	12	15
35-49	71	4.3	17	<1	1	3	6	8	13	23
50-64	103	5.1	29	<1	1	3	6	11	12	33
65+	91	5.3	25	<1	1	4	7	13	15	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	4.6	13	<1	<1	3	7	9	12	13
B. *Operated*	624	3.2	7	<1	<1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	19	3.3	16	<1	1	2	4	7	13	18
B. *Operated*	330	5.0	24	<1	1	3	7	11	15	26
1. SINGLE DX	640	3.2	7	<1	<1	2	4	6	8	14
2. MULTIPLE DX	349	4.9	24	<1	1	3	6	11	15	26
A. NOT OPERATED	35	3.9	15	<1	1	2	6	9	12	18
B. OPERATED	954	3.8	14	<1	<1	3	4	8	11	18
TOTAL 0-19 YRS	173	3.7	10	1	1	3	4	7	9	18
20-34	193	3.5	8	<1	<1	3	4	7	9	14
35-49	249	3.3	11	<1	<1	2	4	7	8	16
50-64	230	4.1	19	<1	<1	3	5	10	12	21
65+	144	4.7	20	<1	1	3	6	11	14	26
GRAND TOTAL	**989**	**3.8**	**14**	**<1**	**<1**	**3**	**4**	**8**	**11**	**18**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.2	3	1	1	4	4	5	6	6
20-34	2	4.5	13	2	2	4	7	7	7	7
35-49	5	4.0	11	<1	<1	3	7	8	8	8
50-64	2	6.0	2	5	5	6	7	7	7	7
65+										
B. *Operated*										
0-19 YRS	132	2.3	11	<1	<1	1	2	4	5	15
20-34	74	3.0	8	<1	<1	2	4	7	9	14
35-49	38	2.9	11	<1	<1	1	3	9	10	14
50-64	34	3.6	23	<1	<1	2	3	7	18	22
65+	23	3.7	19	<1	<1	2	4	11	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.2	5	<1	<1	5	6	7	7	7
20-34	2	5.5	1	5	5	5	6	6	6	6
35-49	2	10.5	41	6	6	10	15	15	15	15
50-64	4	7.0	17	4	4	5	9	13	13	13
65+	5	4.8	23	1	1	3	7	13	13	13
B. *Operated*										
0-19 YRS	36	6.0	45	<1	<1	4	8	10	22	33
20-34	35	6.0	101	<1	<1	3	7	13	19	57
35-49	36	7.4	113	<1	<1	3	8	21	33	48
50-64	25	4.3	38	<1	<1	2	4	12	17	30
65+	22	5.0	18	<1	1	3	8	12	14	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	3.8	5	<1	1	4	6	7	8	8
B. *Operated*	301	2.8	12	<1	<1	2	3	6	9	18
2. MULTIPLE DX										
A. *Not Operated*	18	5.8	16	<1	1	5	6	13	14	15
B. *Operated*	154	5.9	68	<1	<1	3	8	13	21	48
1. SINGLE DX	321	2.9	12	<1	<1	2	3	6	9	18
2. MULTIPLE DX	172	5.9	63	<1	<1	3	7	13	20	46
A. NOT OPERATED	38	4.8	11	<1	1	4	6	8	13	15
B. OPERATED	455	3.9	33	<1	<1	2	4	9	13	33
TOTAL 0-19 YRS	184	3.2	19	<1	<1	2	4	7	9	31
20-34	113	4.0	38	<1	<1	2	5	8	12	34
35-49	81	5.2	61	<1	<1	2	6	13	20	45
50-64	65	4.1	28	<1	<1	2	4	9	15	29
65+	50	4.4	19	<1	<1	2	7	12	14	17
GRAND TOTAL	**493**	**3.9**	**32**	**<1**	**<1**	**2**	**4**	**9**	**13**	**32**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	30	1.6		<1	<1	2	2	2	3	3
20-34	83	1.7	1	<1	<1	2	2	3	3	4
35-49	78	1.9	1	<1	<1	2	2	3	4	6
50-64	24	2.5	1	1	2	2	3	4	5	5
65+	16	3.3	8	1	1	2	3	8	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	4	3.5	2	2	2	3	4	5	5	5
20-34	25	2.0	1	<1	<1	2	2	3	4	4
35-49	54	2.6	5	<1	<1	2	3	6	6	14
50-64	42	3.1	4	1	1	2	4	6	8	11
65+	32	4.8	16	<1	1	4	6	9	13	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	231	1.9	1	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	157	3.1	7	<1	<1	2	4	6	8	14
1. SINGLE DX	231	1.9	1	<1	<1	2	2	3	4	7
2. MULTIPLE DX	158	3.1	7	<1	<1	2	4	6	8	14
A. NOT OPERATED	1	1.0		1	1	1	1	1	1	1
B. OPERATED	388	2.4	4	<1	<1	2	3	4	6	11
TOTAL 0-19 YRS	34	1.8	1	<1	<1	2	2	3	4	5
20-34	109	1.7	1	<1	<1	2	2	3	3	4
35-49	132	2.2	3	<1	<1	2	2	4	6	8
50-64	66	2.9	3	1	2	2	4	5	6	11
65+	48	4.3	14	1	1	3	6	8	11	20
GRAND TOTAL	**389**	**2.4**	**4**	**<1**	**<1**	**2**	**3**	**4**	**6**	**11**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	9	3.7	7	<1	<1	2	6	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	78	5.6	7	1	1	6	7	8	9	13
35-49	278	6.5	6	1	2	7	8	9	10	13
50-64	35	7.1	11	1	2	7	8	10	14	17
65+	4	6.5	2	5	5	6	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	7	3.3	5	<1	<1	3	5	7	7	7
35-49	23	4.1	23	<1	<1	2	5	11	15	20
50-64	5	4.4	18	<1	<1	2	8	10	10	10
65+	3	5.0	16	<1	<1	5	8	9	9	9
B. *Operated*										
0-19 YRS										
20-34	273	6.8	8	2	4	7	8	10	11	18
35-49	1745	7.2	8	2	5	7	8	10	12	18
50-64	344	7.5	10	1	4	7	8	11	13	19
65+	47	11.7	64	6	6	9	12	20	21	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	3.5	5	<1	1	2	6	7	7	7
B. *Operated*	395	6.3	7	1	2	7	8	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	40	4.0	17	<1	<1	2	5	9	12	20
B. *Operated*	2409	7.3	10	2	5	7	8	10	12	19
1. SINGLE DX	406	6.3	7	1	2	7	8	9	10	14
2. MULTIPLE DX	2449	7.2	10	1	5	7	8	10	12	19
A. NOT OPERATED	51	3.9	14	<1	<1	2	5	8	11	20
B. OPERATED	2804	7.2	10	1	5	7	8	10	12	18
TOTAL 0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	360	6.5	8	1	2	6	8	9	11	17
35-49	2055	7.1	8	1	5	7	8	10	12	18
50-64	384	7.4	10	1	2	7	8	10	13	19
65+	54	11.0	60	5	6	9	12	19	21	56
GRAND TOTAL	**2855**	**7.1**	**10**	**1**	**4**	**7**	**8**	**10**	**12**	**18**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	8	7.1	10	2	3	8	9	11	12	12
50-64	1	11.0		11	11	11	11	11	11	11
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	13	5.2	5	<1	2	5	7	7	8	8
35-49	62	7.9	6	5	6	8	9	11	13	16
50-64	15	6.8	17	<1	1	8	10	12	13	13
65+	5	4.4	8	2	2	3	6	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	13	6.2	13	1	2	6	8	11	12	12
2. MULTIPLE DX										
A. *Not Operated*	1	6.0		6	6	6	6	6	6	6
B. *Operated*	95	7.2	9	2	3	7	8	11	12	16
1. SINGLE DX	14	5.9	13	1	2	6	8	11	12	12
2. MULTIPLE DX	96	7.2	9	2	3	7	8	11	12	16
A. NOT OPERATED	2	4.0	8	2	2	4	6	6	6	6
B. OPERATED	108	7.1	9	2	2	7	8	11	12	15
TOTAL 0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	16	4.6	5	<1	1	5	7	7	8	8
35-49	71	7.8	6	4	5	8	9	11	12	16
50-64	16	7.1	17	<1	1	8	10	12	13	13
65+	6	4.0	7	2	2	3	5	9	9	9
GRAND TOTAL	**110**	**7.0**	**9**	**2**	**2**	**7**	**8**	**11**	**12**	**15**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	—									
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	24	6.5	5	4	5	6	7	10	12	12
20-34	116	5.6	2	3	4	5	7	8	8	10
35-49	49	6.6	4	4	5	6	7	9	9	15
50-64	20	7.4	5	4	5	7	9	10	12	13
65+	17	8.8	16	5	6	7	10	16	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	—									
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	22	6.7	11	4	4	6	7	9	15	19
20-34	119	6.4	4	4	4	6	7	9	10	15
35-49	112	7.6	8	4	5	7	9	11	13	19
50-64	61	10.0	26	6	6	8	12	18	22	26
65+	45	11.9	106	6	7	9	12	18	19	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	226	6.3	5	4	4	6	7	9	10	15
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	359	8.1	26	4	5	7	9	13	17	23
1. SINGLE DX	227	6.3	5	4	4	6	7	9	10	15
2. MULTIPLE DX	359	8.1	26	4	5	7	9	13	17	23
A. NOT OPERATED	1	3.0		3	3	3	3	3	3	3
B. OPERATED	585	7.4	18	4	5	7	8	11	14	20
TOTAL 0-19 YRS	46	6.6	8	4	5	6	7	10	12	19
20-34	236	6.0	3	4	4	6	7	8	9	12
35-49	161	7.3	7	4	5	7	8	11	13	18
50-64	81	9.3	22	5	6	8	10	17	20	25
65+	62	11.0	82	6	6	8	12	18	19	67
GRAND TOTAL	**586**	**7.4**	**18**	**4**	**5**	**7**	**8**	**11**	**14**	**20**

59: Beni[illegible]lasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	3	2.7	4	<1	<1	2	4	5	5	5
35-49	6	2.7	4	<1	<1	2	4	6	6	6
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. Operated										
0-19 YRS										
20-34	3	4.0	7	<1	<1	5	6	6	6	6
35-49	6	7.3	22	2	2	6	8	15	16	16
50-64	3	6.0	7	3	3	7	8	8	8	8
65+	3	8.0	1	7	7	8	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	14	2.2	3	<1	<1	2	2	5	6	6
2. MULTIPLE DX										
A. Not Operated	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. Operated	15	6.5	12	<1	2	6	8	9	14	16
1. SINGLE DX	15	2.3	3	<1	<1	2	3	5	6	6
2. MULTIPLE DX	16	6.2	13	<1	<1	6	8	9	14	16
A. NOT OPERATED	2	2.5	5	<1	<1	2	4	4	4	4
B. OPERATED	29	4.4	12	<1	<1	4	6	8	9	16
TOTAL 0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	7	3.4	4	<1	<1	4	5	6	6	6
35-49	12	5.0	18	<1	1	5	6	10	15	16
50-64	6	3.7	9	<1	<1	2	7	8	8	8
65+	4	6.5	10	2	2	7	8	9	9	9
GRAND TOTAL	**31**	**4.3**	**12**	**<1**	**<1**	**4**	**6**	**8**	**9**	**16**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS										
20-34	5	3.2	5	<1	<1	3	4	7	7	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	5.0		5	5	5	5	5	5	5
65+	4	9.3	230	1	1	2	17	32	32	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS										
20-34										
35-49	3	2.0	3	1	1	1	3	4	4	4
50-64	2	3.5	1	3	3	3	4	4	4	4
65+	2	16.5	13	14	14	16	19	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated	11	5.4	81	<1	<1	2	5	17	31	32
2. MULTIPLE DX										
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	7	6.6	50	1	1	4	12	18	19	19
1. SINGLE DX	11	5.4	81	<1	<1	2	5	17	31	32
2. MULTIPLE DX	8	6.3	43	1	1	4	9	17	19	19
A. NOT OPERATED	1	4.0		4	4	4	4	4	4	4
B. OPERATED	18	5.8	66	<1	1	3	5	17	27	32
TOTAL 0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	5	3.2	5	<1	<1	3	4	7	7	7
35-49	4	1.8	2	1	1	1	3	4	4	4
50-64	3	4.0	1	3	3	4	5	5	5	5
65+	6	11.7	155	1	1	8	19	31	32	32
GRAND TOTAL	**19**	**5.7**	**62**	**<1**	**1**	**3**	**5**	**17**	**26**	**32**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	2.3	5	<1	<1	1	4	5	5	5
35-49	1	12.0		12	12	12	12	12	12	12
50-64	8	8.0	61	2	2	5	9	21	26	26
65+	6	6.3	21	2	2	5	11	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	7.0		7	7	7	7	7	7	7
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	4	7.3	18	2	2	7	10	12	12	12
50-64	8	8.1	66	2	2	5	12	22	25	25
65+	11	6.1	22	1	2	5	8	13	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	19	6.5	37	<1	1	5	10	12	20	26
2. MULTIPLE DX										
A. *Not Operated*	2	4.0	18	1	1	4	7	7	7	7
B. *Operated*	24	6.9	33	1	2	5	9	15	19	25
1. SINGLE DX	19	6.5	37	<1	1	5	10	12	20	26
2. MULTIPLE DX	26	6.7	32	1	2	5	9	15	19	25
A. NOT OPERATED	2	4.0	18	1	1	4	7	7	7	7
B. OPERATED	43	6.7	34	1	2	5	9	13	20	26
TOTAL 0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	2.8	4	<1	<1	2	4	5	5	5
35-49	5	8.2	18	2	2	9	12	12	12	12
50-64	17	8.0	56	2	2	6	9	23	26	26
65+	18	5.9	20	1	1	4	8	12	15	17
GRAND TOTAL	**45**	**6.6**	**33**	**1**	**2**	**5**	**9**	**12**	**19**	**26**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	5	1.4	1	<1	<1	<1	1	3	3	3
35-49	3	1.3		<1	<1	<1	2	2	2	2
50-64	3	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	4.0		4	4	4	4	4	4	4
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	11	1.5		<1	<1	<1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	4	1.8	2	<1	<1	<1	2	4	4	4
1. SINGLE DX	12	1.7	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX	4	1.8	2	<1	<1	<1	2	4	4	4
A. NOT OPERATED	1	3.0		3	3	3	3	3	3	3
B. OPERATED	15	1.6	1	<1	<1	<1	2	3	4	4
TOTAL 0-19 YRS										
20-34	6	1.3	1	<1	<1	<1	<1	3	3	3
35-49	6	1.5	1	<1	<1	<1	2	3	3	3
50-64	4	2.5	1	2	2	2	3	4	4	4
65+										
GRAND TOTAL	**16**	**1.7**	**1**	**<1**	**<1**	**<1**	**2**	**3**	**4**	**4**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	9.0		9	9	9	9	9	9	9
50-64	3	9.0	64	1	1	9	15	17	17	17
65+	5	5.6	17	1	1	6	9	11	11	11
B. *Operated*										
0-19 YRS	2	11.0	2	10	10	11	12	12	12	12
20-34	10	12.8	27	4	6	13	14	20	24	24
35-49	16	10.7	21	2	2	12	14	15	16	16
50-64	16	14.8	65	3	6	14	17	29	31	31
65+	6	15.5	170	5	5	12	15	38	41	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49	1	9.0		9	9	9	9	9	9	9
50-64	3	8.0	57	1	1	7	14	16	16	16
65+	4	23.5	820	5	5	11	40	66	66	66
B. *Operated*										
0-19 YRS	3	25.3	324	13	13	17	39	46	46	46
20-34	11	18.3	73	8	9	18	23	30	36	37
35-49	14	23.4	369	8	10	16	29	44	73	81
50-64	29	19.9	220	3	4	17	26	35	53	70
65+	27	26.3	345	9	10	18	32	58	71	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	6.6	27	1	1	7	9	14	17	17
B. *Operated*	50	13.0	52	2	4	12	15	20	30	41
2. MULTIPLE DX										
A. *Not Operated*	9	14.4	399	1	2	8	16	83	99+	99+
B. *Operated*	84	22.5	266	6	8	17	27	43	64	79
1. SINGLE DX	60	11.9	53	2	2	12	15	17	27	40
2. MULTIPLE DX	93	21.7	281	3	8	17	27	44	69	92
A. NOT OPERATED	19	10.3	207	1	1	8	13	41	83	99+
B. OPERATED	134	19.0	207	3	8	15	23	36	46	75
TOTAL 0-19 YRS	6	16.8	225	3	4	12	17	43	46	46
20-34	22	15.0	62	3	7	14	21	27	59	99+
35-49	32	16.2	207	2	6	13	16	31	40	81
50-64	51	16.9	163	2	3	15	20	31	36	70
65+	42	22.0	352	4	6	16	27	49	68	74
GRAND TOTAL	**153**	**17.9**	**214**	**2**	**5**	**14**	**21**	**36**	**51**	**81**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	7	4.1	2	2	2	4	5	6	6	6
20-34	59	4.6	3	3	3	4	5	7	7	12
35-49	73	5.0	3	3	3	5	6	7	8	12
50-64	46	5.2	3	3	3	5	6	8	8	10
65+	16	5.6	10	2	3	5	6	8	14	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	7.0		7	7	7	7	7	7	7
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS										
20-34	22	5.0	5	3	3	4	5	8	11	12
35-49	43	5.8	8	3	4	5	6	8	11	19
50-64	33	6.2	9	4	4	5	6	10	14	17
65+	27	10.0	61	4	4	8	12	20	23	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	201	4.9	4	3	3	5	6	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	2	6.0	2	5	5	6	7	7	7	7
B. *Operated*	125	6.7	22	3	4	5	7	11	15	25
1. SINGLE DX	201	4.9	4	3	3	5	6	7	8	12
2. MULTIPLE DX	127	6.7	22	3	4	5	7	11	15	25
A. NOT OPERATED	2	6.0	2	5	5	6	7	7	7	7
B. OPERATED	326	5.6	11	3	3	5	6	8	11	19
TOTAL 0-19 YRS	7	4.1	2	2	2	4	5	6	6	6
20-34	81	4.7	3	3	3	4	5	7	8	12
35-49	116	5.3	5	3	3	5	6	7	9	16
50-64	80	5.6	6	3	4	5	6	8	10	16
65+	44	8.3	45	3	4	6	9	16	20	41
GRAND TOTAL	**328**	**5.6**	**11**	**3**	**3**	**5**	**6**	**8**	**11**	**19**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	1	10.0		10	10	10	10	10	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	17	10.6	68	2	3	9	12	17	31	38
35-49	7	8.3	41	4	4	5	9	19	22	22
50-64	7	10.1	78	4	4	5	14	25	28	28
65+	6	10.3	137	4	4	5	9	31	34	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	6	4.3	3	2	2	4	6	6	6	6
35-49	5	7.0	12	4	4	5	10	12	12	12
50-64										
65+	4	5.5	23	1	1	4	9	12	12	12
B. *Operated*										
0-19 YRS	3	12.7	46	5	5	15	17	18	18	18
20-34	14	13.4	50	5	5	11	18	24	27	28
35-49	18	11.8	42	5	5	11	15	22	26	28
50-64	33	12.6	66	4	5	8	21	25	28	29
65+	20	19.4	130	3	5	18	30	35	36	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	6.0	13	3	3	5	9	10	10	10
B. *Operated*	37	10.0	70	3	4	8	11	21	32	38
2. MULTIPLE DX										
A. *Not Operated*	16	5.9	12	1	2	5	8	12	12	12
B. *Operated*	88	14.1	78	4	5	11	21	28	32	37
1. SINGLE DX	40	9.7	66	3	4	8	10	20	31	38
2. MULTIPLE DX	104	12.8	76	4	4	10	19	28	30	36
A. NOT OPERATED	19	5.9	11	1	2	5	8	11	12	12
B. OPERATED	125	12.9	78	4	4	10	18	28	32	37
TOTAL 0-19 YRS	4	12.3	32	5	5	13	16	18	18	18
20-34	39	10.3	57	2	3	9	12	20	26	38
35-49	31	10.2	38	4	4	9	12	21	23	28
50-64	40	12.2	67	4	4	8	20	26	28	29
65+	30	15.7	141	3	3	13	26	34	36	37
GRAND TOTAL	**144**	**12.0**	**75**	**3**	**4**	**9**	**16**	**26**	**30**	**37**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	4	2.5		2	2	2	3	3	3	3
20-34	264	3.5	4	<1	<1	3	5	7	7	9
35-49	117	4.3	7	<1	1	4	6	8	8	10
50-64	34	4.5	8	<1	1	4	7	8	9	10
65+	6	4.2	9	2	2	3	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	12.0		12	12	12	12	12	12	12
35-49	3	3.0	12	1	1	1	6	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	241	5.2	9	<1	1	5	7	9	10	15
35-49	194	6.3	9	1	2	7	8	10	12	15
50-64	29	6.3	8	2	2	7	8	10	10	12
65+	4	13.5	238	3	3	7	23	36	36	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	425	3.8	5	<1	1	3	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	4	5.3	28	1	1	4	9	12	12	12
B. *Operated*	470	5.8	12	<1	2	6	8	9	11	16
1. SINGLE DX	426	3.8	5	<1	1	3	6	7	8	10
2. MULTIPLE DX	474	5.8	12	<1	2	6	8	9	11	16
A. NOT OPERATED	5	4.6	23	1	1	2	8	12	12	12
B. OPERATED	895	4.8	10	<1	1	5	7	8	10	14
TOTAL 0-19 YRS	6	2.7	1	2	2	3	3	4	4	4
20-34	506	4.3	8	<1	1	3	6	8	9	14
35-49	315	5.5	9	<1	2	6	7	9	11	15
50-64	63	5.3	8	1	2	6	8	9	10	12
65+	10	7.9	107	2	2	4	8	23	36	36
GRAND TOTAL	**900**	**4.8**	**10**	**<1**	**1**	**5**	**7**	**8**	**10**	**14**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	6.5	5	5	5	6	8	8	8	8
35-49	2	8.5	1	8	8	8	9	9	9	9
50-64	1	3.0		3	3	3	3	3	3	3
65+	5	4.4	32	1	1	1	7	14	14	14
B. *Operated*										
0-19 YRS										
20-34	7	4.0	7	<1	<1	3	6	8	8	8
35-49	15	5.3	18	2	2	4	7	9	16	18
50-64	12	6.4	43	2	2	3	9	17	22	23
65+	33	4.3	24	<1	1	3	4	10	18	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34										
35-49										
50-64										
65+	13	8.2	31	1	2	8	11	15	20	21
B. *Operated*										
0-19 YRS										
20-34	10	7.0	46	2	2	5	7	17	25	25
35-49	27	6.4	40	1	2	4	8	16	22	27
50-64	50	7.2	46	<1	1	6	9	16	22	31
65+	70	9.8	78	2	2	7	14	20	28	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	5.1	18	1	1	5	8	11	14	14
B. *Operated*	67	4.9	24	<1	1	3	7	10	18	23
2. MULTIPLE DX										
A. *Not Operated*	14	8.5	29	1	2	8	12	15	20	21
B. *Operated*	157	8.2	60	1	2	6	11	19	25	36
1. SINGLE DX	78	4.9	23	<1	1	3	7	10	17	22
2. MULTIPLE DX	171	8.2	57	1	2	6	11	19	24	36
A. NOT OPERATED	25	7.0	27	1	1	7	10	14	16	21
B. OPERATED	224	7.2	52	1	2	5	9	18	22	35
TOTAL 0-19 YRS	2	6.5	61	1	1	6	12	12	12	12
20-34	19	5.8	28	1	2	5	7	9	18	25
35-49	44	6.1	31	2	2	4	8	12	19	27
50-64	63	7.0	44	1	1	5	9	16	22	30
65+	121	7.9	61	1	1	5	12	18	22	38
GRAND TOTAL	**249**	**7.2**	**49**	**1**	**1**	**5**	**9**	**17**	**21**	**34**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.7	10	1	1	3	5	9	11	11
20-34	8	3.9	12	1	1	3	5	10	11	11
35-49	12	6.2	22	<1	1	4	10	14	14	14
50-64	18	5.3	21	<1	1	4	6	13	17	18
65+	30	8.9	220	1	1	3	9	25	32	75
B. *Operated*										
0-19 YRS	10	10.6	307	<1	<1	2	18	38	56	56
20-34	38	5.9	23	<1	1	5	9	13	16	21
35-49	34	6.1	18	<1	1	6	8	10	17	18
50-64	47	6.1	41	1	1	4	8	11	23	34
65+	60	6.9	46	<1	1	5	9	15	18	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	5.6	18	1	1	5	10	10	10	10
20-34	12	6.9	51	1	1	4	9	20	23	23
35-49	16	5.4	19	<1	1	4	7	10	16	18
50-64	34	7.6	113	1	1	5	8	16	23	61
65+	70	10.1	82	1	2	8	17	27	44	99+
B. *Operated*										
0-19 YRS	17	11.8	110	3	3	9	17	24	37	43
20-34	34	8.9	73	1	2	6	10	21	32	35
35-49	36	9.2	39	2	3	8	13	20	28	99+
50-64	71	10.6	102	1	2	8	14	22	29	56
65+	110	12.4	138	2	2	10	16	26	41	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	6.4	95	1	1	4	7	14	21	62
B. *Operated*	189	6.5	48	<1	1	5	8	14	18	38
2. MULTIPLE DX										
A. *Not Operated*	137	8.5	79	1	1	6	10	21	31	99+
B. *Operated*	268	11.0	106	1	2	8	14	23	33	73
1. SINGLE DX	269	6.5	61	<1	1	4	8	14	18	39
2. MULTIPLE DX	405	10.2	98	1	2	7	14	23	33	99+
A. NOT OPERATED	217	7.7	86	1	1	5	10	19	26	99+
B. OPERATED	457	9.2	86	1	2	7	12	20	28	56
TOTAL 0-19 YRS	44	8.6	122	1	1	4	10	19	30	56
20-34	92	7.0	45	1	1	5	9	14	21	34
35-49	98	7.1	28	<1	1	6	9	15	18	66
50-64	170	8.2	82	1	1	6	9	18	24	56
65+	270	10.2	115	1	1	7	14	23	34	99+
GRAND TOTAL	**674**	**8.7**	**86**	**1**	**1**	**6**	**11**	**20**	**28**	**71**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64										
65+	5	10.2	40	5	5	7	16	18	18	18
B. *Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	25	4.6	4	2	4	4	5	6	8	13
35-49	48	4.7	2	3	3	5	6	7	7	7
50-64	60	5.3	2	3	4	5	6	7	8	11
65+	19	5.9	3	4	4	6	7	8	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	3.2	5	1	1	3	5	6	6	6
35-49	3	3.0	3	<1	<1	4	4	4	4	4
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	9	4.6	6	<1	1	4	7	8	8	8
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	10	4.8	1	3	3	5	5	6	7	7
35-49	27	5.5	4	3	4	5	6	9	10	12
50-64	39	7.1	17	4	4	6	7	12	18	22
65+	35	8.9	34	4	5	7	9	16	24	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	8.4	37	2	3	6	14	18	18	18
B. *Operated*	154	5.0	3	3	3	5	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	20	3.6	5	<1	<1	3	5	7	8	8
B. *Operated*	112	7.0	20	4	4	6	7	11	17	28
1. SINGLE DX	161	5.2	4	3	3	5	6	7	8	16
2. MULTIPLE DX	132	6.5	19	2	3	6	7	10	16	27
A. NOT OPERATED	27	4.9	17	<1	1	4	6	8	16	18
B. OPERATED	266	5.9	11	3	4	5	6	9	11	22
TOTAL 0-19 YRS	3	2.3	1	1	1	3	3	3	3	3
20-34	40	4.5	4	1	3	4	5	6	7	13
35-49	80	4.9	3	3	3	5	6	7	8	11
50-64	102	5.9	9	3	4	5	6	8	10	20
65+	68	7.6	24	3	4	6	8	12	18	29
GRAND TOTAL	**293**	**5.8**	**11**	**3**	**3**	**5**	**6**	**9**	**11**	**21**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	6.3	18	1	1	5	9	13	15	16
20-34	22	4.3	20	<1	1	3	5	9	16	20
35-49	23	6.5	16	1	2	5	10	13	14	14
50-64	19	6.2	12	2	2	5	8	11	14	15
65+	22	11.4	266	1	2	7	13	19	46	80
B. *Operated*										
0-19 YRS	2	7.0	2	6	6	7	8	8	8	8
20-34	42	5.7	14	3	3	5	6	8	17	20
35-49	25	4.6	2	1	3	5	6	7	7	7
50-64	26	4.6	1	3	3	5	5	6	7	7
65+	17	7.2	10	4	5	6	8	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	5.9	9	1	2	6	9	9	10	10
20-34	26	5.7	12	2	2	5	8	11	13	15
35-49	42	8.6	60	2	2	8	10	13	24	42
50-64	56	8.8	61	2	3	7	10	17	24	49
65+	95	15.9	278	3	4	9	17	45	57	75
B. *Operated*										
0-19 YRS	2	8.0	8	6	6	8	10	10	10	10
20-34	18	6.2	6	3	4	5	7	9	12	14
35-49	34	7.3	54	3	3	5	7	14	22	41
50-64	25	9.4	92	2	4	6	11	18	27	49
65+	19	8.1	18	3	4	8	9	14	19	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	7.0	74	1	2	5	8	13	16	51
B. *Operated*	112	5.5	8	3	3	5	6	7	11	19
2. MULTIPLE DX										
A. *Not Operated*	232	11.2	157	2	3	8	12	22	42	64
B. *Operated*	98	7.8	47	3	4	6	8	14	19	45
1. SINGLE DX	214	6.2	40	2	2	5	7	11	14	22
2. MULTIPLE DX	330	10.2	126	2	3	7	11	20	34	62
A. NOT OPERATED	334	9.9	135	2	2	7	11	17	29	63
B. OPERATED	210	6.6	28	3	3	5	7	11	16	31
TOTAL 0-19 YRS	33	6.3	12	1	2	6	9	10	13	16
20-34	108	5.5	14	2	2	5	7	9	14	20
35-49	124	7.0	40	2	2	5	8	13	15	41
50-64	126	7.7	50	2	3	6	8	13	20	49
65+	153	13.3	224	3	4	8	14	25	54	79
GRAND TOTAL	**544**	**8.6**	**96**	**2**	**3**	**6**	**9**	**15**	**22**	**58**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	7.3	24	2	2	6	10	15	18	23
20-34	43	6.5	23	1	2	6	8	13	17	22
35-49	69	6.9	20	1	2	6	8	14	15	24
50-64	96	8.2	35	2	3	7	11	14	21	32
65+	169	8.4	43	2	2	7	11	17	22	31
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	10.5	113	3	3	10	18	18	18	18
65+	3	25.0	457	1	1	32	39	42	42	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	6.2	22	1	1	5	9	13	15	19
20-34	42	7.4	26	2	2	7	10	12	17	29
35-49	122	7.6	25	1	2	7	9	15	16	23
50-64	297	9.0	44	2	3	8	12	17	19	37
65+	639	11.4	124	2	3	8	14	24	36	87
B. *Operated*										
0-19 YRS										
20-34	6	19.2	142	4	5	18	23	37	39	39
35-49	9	16.4	226	1	2	13	23	42	48	48
50-64	13	18.0	146	2	4	16	25	37	42	43
65+	30	17.8	138	4	6	14	25	34	45	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	461	7.8	33	1	2	6	10	15	19	26
B. *Operated*	5	19.2	320	1	1	18	34	42	42	42
2. MULTIPLE DX										
A. *Not Operated*	1145	10.1	88	2	3	8	12	19	28	60
B. *Operated*	58	17.8	146	4	5	14	25	36	44	49
1. SINGLE DX	466	7.9	37	1	2	6	10	15	20	31
2. MULTIPLE DX	1203	10.4	93	2	3	8	13	20	30	59
A. NOT OPERATED	1606	9.4	73	2	3	7	12	18	24	54
B. OPERATED	63	17.9	155	2	4	14	25	37	44	49
TOTAL 0-19 YRS	129	6.9	23	1	2	6	9	14	16	21
20-34	91	7.8	40	1	2	6	10	14	22	35
35-49	200	7.8	35	1	2	7	10	15	17	33
50-64	408	9.1	48	2	3	8	12	17	20	38
65+	841	11.1	112	2	3	8	14	23	33	75
GRAND TOTAL	**1669**	**9.7**	**79**	**2**	**3**	**7**	**12**	**19**	**26**	**53**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	5.5	16	1	1	4	8	12	13	18
20-34	54	4.9	8	2	2	4	6	10	11	14
35-49	25	5.7	17	1	1	5	8	12	14	16
50-64	13	5.5	6	2	2	5	7	8	11	12
65+	17	9.0	26	2	3	9	10	18	19	20
B. *Operated*										
0-19 YRS										
20-34	3	14.0	304	2	2	6	27	34	34	34
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	106	6.5	73	1	1	4	7	11	22	52
20-34	38	7.3	25	2	2	6	10	14	16	24
35-49	55	7.7	31	2	2	6	9	15	20	27
50-64	47	11.0	61	3	3	8	15	22	28	34
65+	90	16.5	205	3	4	12	22	37	50	91
B. *Operated*										
0-19 YRS	2	10.5	181	1	1	10	20	20	20	20
20-34	6	13.0	40	5	5	14	19	20	20	20
35-49	4	24.5	108	15	15	24	33	34	34	34
50-64	4	28.3	80	18	18	28	35	39	39	39
65+	7	30.4	264	13	13	26	40	55	58	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	199	5.6	15	1	2	4	8	11	13	19
B. *Operated*	3	14.0	304	2	2	6	27	34	34	34
2. MULTIPLE DX										
A. *Not Operated*	386	9.7	100	1	2	7	12	21	28	59
B. *Operated*	23	22.7	179	4	6	20	32	40	48	58
1. SINGLE DX	202	5.8	19	1	2	5	8	11	13	19
2. MULTIPLE DX	409	10.4	113	1	2	7	13	23	34	60
A. NOT OPERATED	585	8.3	75	1	2	6	10	17	24	50
B. OPERATED	26	21.7	190	2	5	19	33	39	45	58
TOTAL 0-19 YRS	198	6.0	47	1	1	4	7	12	16	39
20-34	151	6.8	27	2	2	5	9	13	16	24
35-49	84	7.9	44	1	2	6	10	15	22	34
50-64	64	10.9	75	2	3	8	15	25	30	38
65+	114	16.2	200	3	4	12	21	36	50	85
GRAND TOTAL	**611**	**8.9**	**87**	**1**	**2**	**6**	**11**	**19**	**27**	**51**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	174	7.4	26	2	2	6	10	15	18	23
20-34	114	6.7	16	2	3	6	8	13	15	19
35-49	139	6.7	21	2	2	6	8	12	14	29
50-64	205	7.8	26	3	3	7	10	14	18	25
65+	300	9.0	52	2	3	7	12	17	22	45
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	4	5.8	18	3	3	4	8	12	12	12
35-49	8	5.4	14	2	2	4	8	11	12	12
50-64	11	7.9	59	1	1	6	10	19	27	28
65+	13	5.2	11	2	2	5	6	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	108	7.7	99	1	1	5	10	15	21	54
20-34	206	8.2	43	2	2	7	10	15	20	37
35-49	362	8.8	65	2	3	7	10	15	22	47
50-64	769	9.8	52	3	3	8	13	19	23	43
65+	1386	11.9	102	3	4	9	15	24	32	82
B. *Operated*										
0-19 YRS	6	11.0	73	2	2	9	12	25	27	27
20-34	42	12.0	140	2	3	7	19	36	66	99+
35-49	84	15.2	215	2	3	11	20	42	50	99+
50-64	170	20.7	383	3	4	15	25	57	76	99+
65+	238	23.9	372	2	4	20	37	65	86	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	932	7.8	33	2	3	7	10	15	18	28
B. *Operated*	37	6.1	26	1	2	5	8	12	13	28
2. MULTIPLE DX										
A. *Not Operated*	2831	10.5	81	2	3	8	13	21	27	57
B. *Operated*	540	20.5	344	2	4	15	29	57	80	99+
1. SINGLE DX	969	7.8	33	2	3	7	10	15	18	28
2. MULTIPLE DX	3371	12.1	137	2	3	9	15	25	38	99
A. NOT OPERATED	3763	9.9	71	2	3	8	12	19	25	54
B. OPERATED	577	19.6	336	2	3	14	28	54	77	99+
TOTAL 0-19 YRS	289	7.6	54	1	2	6	10	15	18	28
20-34	366	8.1	48	2	3	6	10	15	21	48
35-49	593	9.2	82	2	3	7	10	16	27	55
50-64	1155	11.0	112	3	3	8	13	21	28	74
65+	1937	12.9	145	3	3	9	16	27	40	99+
GRAND TOTAL	**4340**	**11.1**	**117**	**2**	**3**	**8**	**14**	**22**	**32**	**82**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.7	41	1	1	3	10	13	13	13
20-34	5	3.8	7	1	1	4	5	8	8	8
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	3	8.7	12	5	5	9	11	12	12	12
20-34	25	5.0	6	1	2	5	6	7	10	11
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	1	8.0		8	8	8	8	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	6	5.7	30	2	2	4	7	15	16	16
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	2	12.0	2	11	11	12	13	13	13	13
20-34	38	5.9	15	2	2	5	7	8	10	26
35-49	9	5.3	8	<1	<1	6	8	8	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	4.2	15	1	1	3	5	11	13	13
B. *Operated*	31	5.3	8	1	2	5	7	9	11	12
2. MULTIPLE DX										
A. *Not Operated*	9	5.1	22	2	2	2	7	13	16	16
B. *Operated*	49	6.0	14	1	2	6	7	8	11	26
1. SINGLE DX	40	5.1	9	1	1	5	7	9	11	13
2. MULTIPLE DX	58	5.9	15	1	2	5	7	8	12	25
A. NOT OPERATED	18	4.7	18	1	1	3	7	12	15	16
B. OPERATED	80	5.7	12	1	2	5	7	9	11	22
TOTAL 0-19 YRS	10	7.7	22	1	1	8	12	13	13	13
20-34	74	5.4	12	1	2	5	7	8	11	24
35-49	13	4.5	7	<1	1	5	7	8	8	8
50-64	1	8.0		8	8	8	8	8	8	8
65+										
GRAND TOTAL	**98**	**5.5**	**13**	**1**	**2**	**5**	**7**	**9**	**12**	**21**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	4.9	113	<1	1	2	4	7	17	67
20-34	32	3.6	12	1	1	3	5	7	8	18
35-49	27	4.5	19	1	1	3	6	8	13	22
50-64	14	6.7	23	1	2	5	9	14	15	15
65+	45	5.8	29	1	1	4	7	12	17	25
B. *Operated*										
0-19 YRS	7	5.7	7	4	4	4	7	10	11	11
20-34	5	9.0	54	1	1	9	13	20	20	20
35-49	5	7.2	15	2	2	8	10	12	12	12
50-64	4	4.3		4	4	4	5	5	5	5
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	3.5	8	1	1	3	5	7	9	12
20-34	68	6.1	119	1	1	3	6	11	18	72
35-49	70	6.8	61	1	1	5	9	15	18	45
50-64	87	6.6	24	1	1	6	9	14	16	22
65+	211	8.8	86	1	2	6	11	17	24	55
B. *Operated*										
0-19 YRS	7	9.0	27	2	3	8	10	17	19	19
20-34	12	20.1	548	<1	2	12	27	47	82	88
35-49	15	7.7	42	1	1	5	10	13	24	27
50-64	11	17.7	465	4	4	10	15	52	75	77
65+	19	14.8	174	3	4	10	26	41	76	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	159	5.0	45	1	1	3	6	11	15	25
B. *Operated*	22	6.6	18	2	3	5	9	11	15	20
2. MULTIPLE DX										
A. *Not Operated*	496	7.1	69	1	1	5	9	15	20	50
B. *Operated*	64	14.0	253	2	4	10	15	29	59	98
1. SINGLE DX	181	5.2	42	1	1	3	6	11	14	24
2. MULTIPLE DX	560	7.9	95	1	1	5	10	16	24	57
A. NOT OPERATED	655	6.6	64	1	1	4	8	14	18	47
B. OPERATED	86	12.1	202	2	4	8	13	28	39	96
TOTAL 0-19 YRS	115	4.4	47	1	1	3	5	8	11	38
20-34	117	7.0	147	1	1	3	6	14	28	82
35-49	117	6.4	47	1	1	5	8	13	18	42
50-64	116	7.6	72	1	1	6	10	14	17	50
65+	276	8.7	86	1	2	6	11	19	26	56
GRAND TOTAL	**741**	**7.2**	**83**	**1**	**1**	**5**	**9**	**15**	**22**	**54**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	6.3	12	3	3	6	9	10	10	10
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	7.0	18	4	4	7	10	10	10	10
50-64	1	3.0		3	3	3	3	3	3	3
65+	5	10.6	70	4	4	8	14	25	25	25
B. *Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	10.8	52	1	3	9	15	23	26	26
20-34	3	5.0	28	1	1	3	9	11	11	11
35-49	5	9.6	56	2	2	7	13	22	22	22
50-64	17	18.9	472	4	6	10	19	59	76	81
65+	41	13.7	142	2	3	10	19	30	41	55
B. *Operated*										
0-19 YRS	3	9.7	10	6	6	11	12	12	12	12
20-34										
35-49	7	20.0	350	5	6	15	21	52	60	60
50-64	5	13.8	67	8	8	11	17	28	28	28
65+	11	29.7	851	4	4	22	33	83	93	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	7.5	40	1	2	6	10	15	24	25
B. *Operated*	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	85	13.5	183	2	3	10	17	26	40	76
B. *Operated*	26	21.7	495	4	5	14	23	57	79	94
1. SINGLE DX	13	7.0	40	1	1	6	10	13	23	25
2. MULTIPLE DX	111	15.5	264	2	3	10	20	29	54	86
A. NOT OPERATED	97	12.8	169	2	3	9	16	25	36	74
B. OPERATED	27	21.0	492	3	4	13	23	55	78	94
TOTAL 0-19 YRS	25	10.2	43	2	3	9	12	20	25	26
20-34	5	3.4	19	1	1	1	5	11	11	11
35-49	14	14.4	214	2	4	10	20	26	52	60
50-64	23	17.1	370	3	5	10	16	36	71	81
65+	57	16.5	302	3	3	10	21	34	51	93
GRAND TOTAL	**124**	**14.6**	**247**	**2**	**3**	**10**	**19**	**28**	**48**	**84**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	12.3	28	2	4	14	15	18	21	22
20-34	12	11.4	5	7	8	12	13	14	14	14
35-49	3	7.7	9	5	5	7	10	11	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS	2	13.5	25	10	10	13	17	17	17	17
20-34	1	18.0		18	18	18	18	18	18	18
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	13.8	70	3	5	14	15	21	32	52
20-34	26	13.4	63	3	5	12	17	26	30	34
35-49	3	14.0	16	10	10	14	17	18	18	18
50-64										
65+										
B. *Operated*										
0-19 YRS	7	22.7	508	2	3	18	33	60	66	66
20-34	6	18.2	91	2	3	19	25	29	29	29
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	12.0	25	3	5	14	15	17	20	22
B. *Operated*	3	15.0	19	10	10	17	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*	95	13.7	65	3	5	14	16	21	31	46
B. *Operated*	13	20.6	297	2	2	18	27	41	61	66
1. SINGLE DX	94	12.1	25	3	5	14	15	17	20	22
2. MULTIPLE DX	108	14.6	96	3	5	14	16	26	34	60
A. NOT OPERATED	186	12.9	46	3	5	14	15	18	22	35
B. OPERATED	16	19.6	246	2	3	17	25	34	57	66
TOTAL 0-19 YRS	151	13.5	70	3	4	14	16	20	24	55
20-34	45	13.6	52	3	6	13	16	25	29	34
35-49	6	10.8	22	5	5	10	14	18	18	18
50-64										
65+										
GRAND TOTAL	**202**	**13.4**	**64**	**3**	**5**	**14**	**16**	**21**	**26**	**45**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	5.5	13	1	2	5	7	9	13	15
20-34	8	7.9	44	2	2	5	12	18	19	19
35-49	4	5.0	11	3	3	4	7	10	10	10
50-64	3	7.0	3	5	5	8	8	8	8	8
65+										
B. *Operated*										
0-19 YRS	7	7.1	2	4	5	8	8	8	8	8
20-34	110	8.2	3	6	7	8	9	10	11	14
35-49	82	7.9	13	5	6	7	8	10	13	28
50-64	8	6.9	7	2	3	7	9	10	10	10
65+	2	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	6.7	24	2	2	4	10	13	17	18
20-34	21	6.1	19	1	1	5	10	11	14	17
35-49	26	7.5	51	1	2	5	9	13	28	29
50-64	25	9.9	66	2	2	8	14	27	44	99+
65+	22	15.6	131	3	4	13	22	37	38	38
B. *Operated*										
0-19 YRS	3	8.7	4	7	7	8	10	11	11	11
20-34	73	10.4	43	6	7	9	10	15	23	43
35-49	107	11.4	73	6	7	9	11	18	27	55
50-64	23	17.0	337	6	7	10	17	32	72	75
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	6.2	19	2	2	5	8	12	17	19
B. *Operated*	209	8.0	7	5	6	8	9	10	11	15
2. MULTIPLE DX										
A. *Not Operated*	107	9.3	71	1	2	7	12	22	29	64
B. *Operated*	206	11.7	93	6	7	9	12	18	27	68
1. SINGLE DX	239	7.7	9	3	5	8	9	10	12	17
2. MULTIPLE DX	313	10.9	86	3	3	9	12	19	29	68
A. NOT OPERATED	137	8.7	61	1	2	6	11	19	28	45
B. OPERATED	415	9.8	53	6	6	8	10	14	19	46
TOTAL 0-19 YRS	38	6.4	14	2	2	7	8	12	14	18
20-34	212	8.7	21	3	6	8	9	12	15	31
35-49	219	9.5	50	3	5	8	10	14	20	43
50-64	59	12.1	173	2	3	8	14	22	50	97
65+	24	14.9	126	3	4	10	21	37	37	38
GRAND TOTAL	**552**	**9.5**	**55**	**3**	**4**	**8**	**10**	**15**	**21**	**46**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	4.0	14	1	1	3	5	9	12	18
20-34	18	5.9	82	1	2	4	5	10	29	41
35-49	15	6.7	41	<1	<1	4	10	13	22	25
50-64	14	6.0	20	<1	1	4	9	13	15	16
65+	19	7.0	48	1	1	5	9	13	23	31
B. *Operated*										
0-19 YRS	11	5.5	24	1	1	4	8	13	17	17
20-34	59	4.7	12	<1	1	4	6	9	12	18
35-49	51	4.0	11	<1	1	3	5	7	10	20
50-64	35	6.1	29	<1	<1	4	7	14	17	26
65+	4	7.3	25	3	3	6	11	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	6.9	98	1	2	4	7	10	28	63
20-34	33	6.1	26	<1	<1	5	8	15	16	21
35-49	50	8.8	89	1	1	6	10	22	35	42
50-64	39	7.7	48	1	2	6	9	17	23	33
65+	58	9.6	46	2	3	8	13	22	26	94
B. *Operated*										
0-19 YRS	21	11.9	345	1	1	5	10	32	59	80
20-34	96	6.6	22	2	3	5	7	12	17	26
35-49	112	8.4	111	2	3	5	9	15	25	57
50-64	68	12.0	182	1	3	7	15	24	39	75
65+	30	16.0	271	2	3	10	21	34	46	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120	5.4	34	1	1	4	7	12	14	34
B. *Operated*	160	4.9	17	<1	1	4	6	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	231	8.0	65	1	2	6	10	17	26	46
B. *Operated*	327	9.5	135	2	3	6	10	21	29	79
1. SINGLE DX	280	5.1	24	<1	1	4	6	11	14	26
2. MULTIPLE DX	558	8.9	107	1	2	6	10	20	28	62
A. NOT OPERATED	351	7.1	56	1	1	5	9	15	23	41
B. OPERATED	487	8.0	101	1	2	5	9	17	25	51
TOTAL 0-19 YRS	137	6.4	101	1	1	4	7	11	24	65
20-34	206	5.9	25	1	2	5	7	12	15	26
35-49	228	7.4	82	1	2	5	8	15	24	38
50-64	156	9.1	106	<1	2	6	11	19	27	51
65+	111	10.8	115	2	2	8	13	25	30	87
GRAND TOTAL	**838**	**7.6**	**82**	**1**	**2**	**5**	**9**	**16**	**24**	**46**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	8	2.0	2	<1	<1	1	3	4	4	4
35-49	24	3.8	6	<1	<1	3	5	7	9	10
50-64	26	5.7	16	<1	<1	5	8	11	14	16
65+	52	6.9	52	2	2	4	8	12	27	35
B. *Operated*										
0-19 YRS										
20-34										
35-49	7	3.9	14	1	1	2	4	10	12	12
50-64	4	5.0	21	1	1	4	8	11	11	11
65+	4	2.8	2	1	1	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	3.0	4	<1	<1	3	4	5	5	5
35-49	16	9.4	82	3	3	6	11	28	31	32
50-64	38	6.1	24	1	2	5	8	13	17	23
65+	159	8.4	60	2	3	6	11	15	20	34
B. *Operated*										
0-19 YRS										
20-34										
35-49	6	10.3	65	1	1	11	15	21	22	22
50-64	16	10.7	87	2	2	8	16	21	32	37
65+	13	21.4	261	2	4	20	36	42	46	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	5.6	32	<1	1	4	7	10	14	35
B. *Operated*	15	3.9	12	1	1	3	4	11	12	12
2. MULTIPLE DX										
A. *Not Operated*	216	8.0	55	2	3	6	10	15	20	33
B. *Operated*	35	14.6	168	2	2	11	21	37	40	47
1. SINGLE DX	126	5.4	30	<1	1	4	7	11	13	35
2. MULTIPLE DX	251	8.9	76	2	3	6	12	17	30	41
A. NOT OPERATED	327	7.2	49	1	2	5	9	14	18	34
B. OPERATED	50	11.4	144	1	2	6	16	34	39	47
TOTAL 0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	11	2.3	2	<1	<1	2	4	5	5	5
35-49	53	6.2	43	<1	1	4	8	13	21	32
50-64	84	6.8	36	1	2	5	9	15	17	32
65+	228	8.7	78	2	3	6	11	16	30	42
GRAND TOTAL	**377**	**7.8**	**63**	**1**	**2**	**5**	**9**	**15**	**23**	**38**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.7	3	1	1	2	3	5	7	7
20-34	9	2.9	3	1	1	3	4	5	6	6
35-49	7	2.1	1	1	1	2	3	4	4	4
50-64	10	5.1	16	1	1	4	7	11	14	14
65+	37	7.8	43	1	2	6	9	14	24	33
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	3.8	10	1	1	3	4	8	9	18
20-34	35	5.1	21	1	1	3	7	11	16	19
35-49	37	5.7	24	1	1	4	8	12	17	21
50-64	92	10.2	146	2	3	7	11	21	35	68
65+	480	12.9	173	2	3	9	16	28	43	81
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49	6	7.7	65	<1	<1	5	8	22	23	23
50-64	16	16.3	586	<1	1	7	18	61	78	84
65+	38	20.3	331	2	3	14	35	58	88	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	5.4	29	1	1	4	7	11	14	31
B. *Operated*	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	715	10.9	148	2	2	7	13	24	37	77
B. *Operated*	61	17.7	375	1	1	10	24	52	79	99+
1. SINGLE DX	79	5.5	29	1	1	4	7	11	14	31
2. MULTIPLE DX	776	11.4	169	1	2	7	14	27	42	81
A. NOT OPERATED	793	10.4	139	1	2	7	12	23	35	76
B. OPERATED	62	17.6	369	1	1	10	24	51	79	99+
TOTAL 0-19 YRS	87	3.6	9	1	1	3	4	7	9	17
20-34	44	4.7	18	1	1	3	6	9	16	19
35-49	50	5.4	26	1	1	4	8	11	18	23
50-64	118	10.6	197	1	2	6	11	22	41	78
65+	556	13.1	179	2	3	9	16	30	45	97
GRAND TOTAL	**855**	**10.9**	**159**	**1**	**2**	**7**	**13**	**25**	**39**	**78**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	6.1	14	1	3	5	8	11	15	16
20-34	11	4.3	5	1	2	4	5	8	9	9
35-49	17	3.4	8	1	1	2	5	8	9	10
50-64	9	5.6	39	1	1	4	6	16	21	21
65+	69	7.0	33	1	2	5	9	15	20	28
B. *Operated*										
0-19 YRS	2	13.0	50	8	8	13	18	18	18	18
20-34	2	7.5	5	6	6	7	9	9	9	9
35-49	3	5.0	3	3	3	6	6	6	6	6
50-64	4	11.8	32	8	8	10	15	20	20	20
65+	13	11.9	59	3	4	9	17	23	26	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	83	7.1	31	2	2	6	9	13	18	32
20-34	23	4.7	18	1	1	4	6	12	15	16
35-49	49	6.7	36	1	2	6	8	12	15	39
50-64	61	7.0	20	1	2	7	10	14	15	18
65+	306	9.6	93	1	2	7	12	20	27	63
B. *Operated*										
0-19 YRS	2	11.0	50	6	6	11	16	16	16	16
20-34	9	9.9	24	3	3	10	14	16	16	16
35-49	20	10.3	22	3	4	11	14	16	17	17
50-64	46	14.9	89	4	5	12	18	30	33	44
65+	113	15.8	87	5	6	14	21	28	36	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	161	6.0	23	1	2	5	8	12	16	22
B. *Operated*	24	10.8	44	3	4	8	14	22	24	27
2. MULTIPLE DX										
A. *Not Operated*	522	8.4	68	1	2	6	10	16	22	48
B. *Operated*	190	14.6	81	4	5	13	19	28	34	81
1. SINGLE DX	185	6.7	28	1	2	5	8	14	18	25
2. MULTIPLE DX	712	10.1	79	1	2	8	13	21	28	53
A. NOT OPERATED	683	7.8	58	1	2	6	10	16	20	42
B. OPERATED	214	14.2	78	4	5	13	18	27	33	71
TOTAL 0-19 YRS	142	6.9	25	2	2	6	8	13	17	22
20-34	45	5.8	20	1	1	4	8	14	15	16
35-49	89	6.8	31	1	2	6	9	14	16	31
50-64	120	10.1	63	1	2	9	13	19	29	37
65+	501	10.7	91	2	2	8	14	22	29	63
GRAND TOTAL	**897**	**9.4**	**70**	**1**	**2**	**7**	**12**	**19**	**25**	**48**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	5.0	3	3	3	5	6	7	7	7
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49										
50-64	1	5.0		5	5	5	5	5	5	5
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	7.0	14	2	3	6	8	12	16	16
20-34	4	8.5	12	4	4	9	11	12	12	12
35-49	3	3.7	9	<1	<1	3	6	7	7	7
50-64	1	6.0		6	6	6	6	6	6	6
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.9	5	<1	<1	4	6	7	7	7
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	18	6.7	13	1	2	6	8	11	14	16
B. *Operated*										
1. SINGLE DX	7	3.9	5	<1	<1	4	6	7	7	7
2. MULTIPLE DX	18	6.7	13	1	2	6	8	11	14	16
A. NOT OPERATED	25	5.9	12	<1	1	6	8	10	13	16
B. OPERATED										
TOTAL 0-19 YRS	14	6.4	12	2	3	6	8	10	15	16
20-34	6	6.0	22	<1	<1	6	10	12	12	12
35-49	3	3.7	9	<1	<1	3	6	7	7	7
50-64	2	5.5	1	5	5	5	6	6	6	6
65+										
GRAND TOTAL	**25**	**5.9**	**12**	**<1**	**1**	**6**	**8**	**10**	**13**	**16**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	5.4	27	<1	<1	4	8	11	14	28
20-34	16	4.4	12	<1	1	4	7	10	11	12
35-49	18	6.3	43	<1	<1	4	9	13	21	27
50-64	19	6.9	83	1	1	2	11	16	29	38
65+	121	6.9	81	1	1	4	8	14	24	48
B. *Operated*										
0-19 YRS	6	6.8	13	1	1	7	10	10	10	10
20-34	5	25.6	1235	3	3	13	32	88	88	88
35-49	7	6.3	12	2	2	7	9	11	11	11
50-64	9	16.1	233	4	4	11	20	43	48	48
65+	24	13.2	58	4	5	12	18	22	28	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	107	4.7	45	<1	<1	1	6	13	18	34
20-34	34	7.2	71	<1	1	5	9	13	20	47
35-49	45	7.5	45	<1	1	5	12	19	21	26
50-64	109	6.4	49	1	1	4	8	15	20	37
65+	480	9.2	97	1	1	7	12	20	29	99
B. *Operated*										
0-19 YRS	19	13.9	183	1	2	10	16	28	47	60
20-34	16	16.2	174	4	5	9	23	39	44	46
35-49	17	13.8	476	2	3	8	10	26	72	95
50-64	30	17.0	221	4	7	11	22	34	36	77
65+	139	17.0	149	4	6	14	21	31	45	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	222	6.4	61	<1	1	4	8	13	20	41
B. *Operated*	51	13.2	194	3	4	10	15	24	35	88
2. MULTIPLE DX										
A. *Not Operated*	775	8.0	82	1	1	5	11	18	25	62
B. *Operated*	221	16.4	186	3	5	13	21	31	45	96
1. SINGLE DX	273	7.6	93	1	1	4	10	15	25	47
2. MULTIPLE DX	996	9.9	117	1	1	7	13	22	31	77
A. NOT OPERATED	997	7.6	78	1	1	5	10	17	24	54
B. OPERATED	272	15.8	188	3	5	12	19	31	43	93
TOTAL 0-19 YRS	180	5.9	61	<1	<1	2	8	14	21	37
20-34	71	9.9	181	1	1	6	10	22	40	79
35-49	87	8.4	128	<1	1	6	10	17	23	71
50-64	167	8.9	110	1	1	6	11	21	33	46
65+	764	10.4	114	1	2	8	14	23	32	94
GRAND TOTAL	**1269**	**9.4**	**113**	**1**	**1**	**7**	**12**	**21**	**30**	**69**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	4.5	4	2	2	4	5	7	9	9
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	6.8	82	<1	<1	5	7	19	32	33
20-34	11	5.5	21	1	1	4	8	13	15	15
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	7.5	25	4	4	7	11	11	11	11
65+										
B. *Operated*										
0-19 YRS										
20-34	2	6.5	1	6	6	6	7	7	7	7
35-49	1	11.0		11	11	11	11	11	11	11
50-64	1	7.0		7	7	7	7	7	7	7
65+	1	12.0		12	12	12	12	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	4.5	3	2	2	4	5	7	9	9
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	25	6.1	45	<1	1	4	7	12	19	33
B. *Operated*	5	8.6	7	6	6	7	11	12	12	12
1. SINGLE DX	11	4.5	3	2	2	4	5	7	9	9
2. MULTIPLE DX	30	6.5	39	1	1	5	8	12	15	33
A. NOT OPERATED	36	5.6	33	1	1	4	6	11	14	33
B. OPERATED	5	8.6	7	6	6	7	11	12	12	12
TOTAL 0-19 YRS	21	5.7	44	<1	1	4	6	9	20	33
20-34	13	5.7	18	1	1	6	7	13	15	15
35-49	3	5.7	22	2	2	4	9	11	11	11
50-64	3	7.3	12	4	4	7	10	11	11	11
65+	1	12.0		12	12	12	12	12	12	12
GRAND TOTAL	**41**	**6.0**	**30**	**1**	**1**	**5**	**7**	**11**	**13**	**33**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	5.0	18	1	1	4	6	10	11	23
20-34	13	5.0	9	<1	2	4	7	9	11	12
35-49	9	4.1	10	<1	<1	3	6	9	10	10
50-64	18	4.1	9	1	1	3	7	9	10	10
65+	16	10.2	114	1	1	6	15	23	36	41
B. *Operated*										
0-19 YRS	34	7.9	47	1	2	6	9	15	26	30
20-34	37	9.1	31	3	4	7	12	17	20	28
35-49	20	8.0	9	5	5	7	9	12	15	17
50-64	16	8.8	17	4	5	8	10	16	18	18
65+	18	6.6	36	1	2	5	8	11	21	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	103	5.4	20	1	1	4	7	10	13	25
20-34	24	5.5	33	1	2	3	6	14	21	24
35-49	37	6.5	23	1	2	4	9	14	16	21
50-64	60	7.4	32	1	2	6	10	13	17	29
65+	102	8.8	87	1	2	6	11	17	22	60
B. *Operated*										
0-19 YRS	34	7.4	33	2	2	6	8	14	19	30
20-34	17	14.8	507	2	3	8	17	23	72	98
35-49	29	15.2	146	2	4	10	23	35	36	44
50-64	34	15.3	161	4	5	12	17	34	42	64
65+	65	18.2	243	2	5	13	22	38	57	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	153	5.4	28	1	1	4	7	10	14	24
B. *Operated*	125	8.2	31	2	3	7	10	14	20	28
2. MULTIPLE DX										
A. *Not Operated*	326	7.0	46	1	2	5	9	14	17	31
B. *Operated*	179	14.8	207	2	3	11	18	33	44	74
1. SINGLE DX	278	6.6	31	1	2	5	8	12	18	28
2. MULTIPLE DX	505	9.8	117	1	2	7	12	20	30	60
A. NOT OPERATED	479	6.5	41	1	2	5	8	13	17	30
B. OPERATED	304	12.1	145	2	3	8	14	25	35	62
TOTAL 0-19 YRS	268	5.8	25	1	2	5	8	11	14	29
20-34	91	8.6	124	2	2	6	10	18	21	69
35-49	95	9.2	72	1	2	7	11	17	33	40
50-64	128	9.2	75	1	2	7	11	17	25	48
65+	201	11.8	154	1	2	8	14	24	36	62
GRAND TOTAL	**783**	**8.6**	**89**	**1**	**2**	**6**	**10**	**17**	**25**	**54**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	285	1.9	1	1	1	2	2	3	4	6
20-34	44	1.8	1	<1	1	2	2	3	3	4
35-49	6	2.2	1	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	102	4.0	2	2	3	4	5	6	6	7
20-34	32	4.6	2	2	3	5	5	6	7	7
35-49	2	8.5	25	5	5	8	12	12	12	12
50-64										
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	2.2	3	1	1	2	2	4	5	11
20-34	12	3.8	12	1	1	3	4	9	12	13
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	37	4.9	6	3	3	4	5	8	9	16
20-34	12	4.8	2	3	3	5	6	7	7	7
35-49	2	33.0	392	19	19	33	47	47	47	47
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	335	1.9	1	1	1	2	2	3	4	6
B. *Operated*	137	4.2	2	2	3	4	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	88	2.4	4	1	1	2	3	4	6	13
B. *Operated*	51	6.0	43	3	3	5	6	8	16	47
1. SINGLE DX	472	2.5	3	1	1	2	3	5	6	7
2. MULTIPLE DX	139	3.7	21	1	1	3	4	6	8	22
A. NOT OPERATED	423	2.0	2	1	1	2	2	3	4	8
B. OPERATED	188	4.7	14	2	3	4	5	6	7	18
TOTAL 0-19 YRS	498	2.6	3	1	1	2	3	5	6	8
20-34	100	3.3	4	1	1	3	5	6	7	10
35-49	11	8.8	192	1	1	3	10	30	46	47
50-64										
65+	2	2.5	5	1	1	2	4	4	4	4
GRAND TOTAL	**611**	**2.8**	**7**	**1**	**1**	**2**	**4**	**5**	**6**	**11**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	4.2	8	<1	1	4	6	8	10	13
20-34	4	3.3	2	2	2	3	4	5	5	5
35-49	4	5.5	20	<1	<1	5	9	11	11	11
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	5.5	13	3	3	5	8	8	8	8
B. *Operated*										
0-19 YRS	28	4.5	13	<1	1	4	6	11	13	13
20-34	11	2.8	12	<1	<1	2	3	8	13	13
35-49	4	5.5	49	2	2	2	9	16	16	16
50-64	4	3.5	4	2	2	3	5	6	6	6
65+	6	2.5	4	1	1	2	3	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	4.5	10	1	2	3	6	8	11	16
20-34	5	3.8	3	<1	<1	5	5	5	5	5
35-49	4	4.0	3	2	2	4	5	6	6	6
50-64	3	3.3	1	2	2	4	4	4	4	4
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	5	7.4	35	2	2	5	11	17	17	17
20-34	7	9.0	73	2	2	6	12	24	26	26
35-49	8	7.9	83	<1	<1	3	13	23	26	26
50-64	4	3.8	5	2	2	3	5	7	7	7
65+	7	7.0	25	1	1	5	11	13	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	4.3	8	<1	1	4	6	8	10	13
B. *Operated*	53	3.9	14	<1	1	2	5	10	13	16
2. MULTIPLE DX										
A. *Not Operated*	37	4.2	7	1	2	4	5	7	8	16
B. *Operated*	31	7.3	47	1	2	5	11	16	25	26
1. SINGLE DX	109	4.1	11	<1	1	3	5	9	12	14
2. MULTIPLE DX	68	5.6	27	1	2	4	6	13	16	26
A. NOT OPERATED	93	4.2	8	<1	1	4	5	8	9	15
B. OPERATED	84	5.2	28	<1	1	3	6	13	16	26
TOTAL 0-19 YRS	102	4.5	11	<1	1	4	6	9	12	16
20-34	27	4.7	29	<1	1	3	5	12	16	26
35-49	20	6.2	44	<1	1	3	9	16	21	26
50-64	12	3.4	3	2	2	3	4	6	7	7
65+	16	4.9	16	1	1	4	7	11	13	14
GRAND TOTAL	**177**	**4.7**	**18**	**<1**	**1**	**3**	**6**	**10**	**13**	**23**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	13	17.5	240	2	3	12	29	39	51	54
35-49	3	3.0	7	<1	<1	2	5	6	6	6
50-64	4	19.5	288	4	4	16	33	41	41	41
65+	8	14.6	513	3	3	7	11	53	70	70
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5	9	1	1	1	4	7	7	7
20-34	19	15.4	251	4	4	10	22	53	85	99+
35-49	12	15.4	137	1	1	17	26	31	32	32
50-64	13	16.0	247	2	4	11	17	36	57	62
65+	51	11.6	123	1	2	8	19	34	45	99+
B. *Operated*										
0-19 YRS										
20-34	1	15.0		15	15	15	15	15	15	15
35-49										
50-64										
65+	3	32.7	54	27	27	41	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	15.1	286	2	2	8	20	39	55	70
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	99	13.0	163	1	2	9	21	32	52	99+
B. *Operated*	4	28.3	114	15	16	35	99+	99+	99+	99+
1. SINGLE DX	29	15.1	286	2	2	8	20	39	55	70
2. MULTIPLE DX	103	13.6	169	1	2	9	22	36	74	99+
A. NOT OPERATED	128	13.5	190	1	2	9	20	34	54	99+
B. OPERATED	4	28.3	114	15	16	35	99+	99+	99+	99+
TOTAL 0-19 YRS	5	3.4	11	1	1	1	7	7	7	7
20-34	33	16.2	233	3	4	11	22	37	68	99+
35-49	15	12.9	135	<1	1	9	23	30	31	32
50-64	17	16.8	241	3	4	11	23	39	55	62
65+	62	13.0	182	2	2	9	22	41	99+	99+
GRAND TOTAL	**132**	**13.9**	**193**	**1**	**2**	**9**	**22**	**36**	**67**	**99+**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	4.8	71	1	1	1	4	12	28	33
20-34	16	11.6	603	1	1	2	7	35	79	97
35-49	9	29.1	840	1	2	16	44	76	92	92
50-64	19	16.1	449	1	2	4	27	67	87	99+
65+	138	16.7	401	1	2	9	22	61	96	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	18.6	438	1	1	22	41	82	99+	99+
20-34	28	12.9	227	1	1	8	15	34	45	66
35-49	14	19.6	412	1	2	18	32	98	99+	99+
50-64	53	19.9	369	3	3	13	29	55	60	69
65+	414	20.6	377	3	4	15	34	83	99+	99+
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34										
35-49	1	38.0		38	38	38	38	38	38	38
50-64	4	29.0	221	14	14	30	62	99+	99+	99+
65+	27	35.4	808	4	5	48	77	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	197	15.9	427	1	1	8	21	60	94	99+
B. *Operated*	3	4.7	14	2	2	3	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	517	20.1	370	2	4	15	33	75	99+	99+
B. *Operated*	33	33.9	702	4	6	37	72	99+	99+	99+
1. SINGLE DX	200	15.7	422	1	1	8	20	59	93	99+
2. MULTIPLE DX	550	20.9	400	3	4	15	35	81	99+	99+
A. NOT OPERATED	714	18.9	389	1	3	13	30	70	99+	99+
B. OPERATED	36	31.5	710	3	5	34	70	99+	99+	99+
TOTAL 0-19 YRS	24	9.6	220	1	1	1	14	37	66	99+
20-34	44	12.4	353	1	1	5	14	36	50	97
35-49	25	23.1	550	1	2	17	37	90	99+	99+
50-64	77	19.2	379	2	3	13	30	57	67	99+
65+	580	20.4	414	2	4	14	34	84	99+	99+
GRAND TOTAL	**750**	**19.5**	**411**	**1**	**3**	**13**	**33**	**74**	**99+**	**99+**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	3	27.3	581	2	2	30	45	50	50	50
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	8.0	50	3	3	8	13	13	13	13
65+	32	21.3	443	3	3	14	38	60	68	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	4	54.0	897	25	25	55	96	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	27.3	581	2	2	30	45	50	50	50
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	34	20.5	428	3	3	13	32	58	68	99+
B. *Operated*	4	54.0	897	25	25	55	96	99+	99+	99+
1. SINGLE DX	3	27.3	581	2	2	30	45	50	50	50
2. MULTIPLE DX	38	24.1	563	3	3	15	48	68	97	99+
A. NOT OPERATED	37	21.1	428	2	3	13	35	58	68	99+
B. OPERATED	4	54.0	897	25	25	55	96	99+	99+	99+
TOTAL 0-19 YRS										
20-34										
35-49										
50-64	2	8.0	50	3	3	8	13	13	13	13
65+	39	25.1	563	2	3	18	49	68	97	99+
GRAND TOTAL	**41**	**24.3**	**550**	**2**	**3**	**15**	**48**	**68**	**97**	**99+**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	7	<1	<1	2	5	6	6	6
20-34	40	2.7	3	<1	<1	2	4	5	6	6
35-49	68	4.5	40	1	1	3	5	9	11	43
50-64	40	8.3	248	1	1	4	8	14	24	99
65+	12	4.7	8	1	2	4	6	9	10	10
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.0	1	1	1	2	2	3	3	3
20-34	139	5.2	39	1	1	3	5	12	19	32
35-49	201	7.1	96	1	2	4	8	13	20	62
50-64	220	8.8	70	2	2	7	11	17	25	47
65+	87	15.4	261	3	4	10	19	36	57	99
B. *Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	7	13.7	332	2	2	6	16	46	53	53
50-64	12	22.9	283	2	5	21	39	62	93	99+
65+	6	45.5	997	11	11	60	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	163	5.0	82	1	1	3	5	9	13	45
B. *Operated*	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	652	8.3	105	1	2	5	10	18	27	59
B. *Operated*	26	24.9	562	2	3	20	53	99+	99+	99+
1. SINGLE DX	164	5.1	82	1	1	3	5	9	14	45
2. MULTIPLE DX	678	9.0	132	1	2	5	10	20	31	93
A. NOT OPERATED	815	7.7	102	1	2	4	9	16	24	58
B. OPERATED	27	24.6	543	2	3	20	53	99+	99+	99+
TOTAL 0-19 YRS	8	2.4	3	<1	<1	2	3	5	6	6
20-34	180	4.7	31	1	1	3	5	10	17	31
35-49	276	6.6	89	1	2	4	7	13	19	57
50-64	272	9.4	112	1	2	6	11	20	27	57
65+	106	15.9	327	2	3	10	20	48	94	99+
GRAND TOTAL	**842**	**8.2**	**125**	**1**	**2**	**5**	**9**	**19**	**29**	**92**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	9.6	178	<1	1	3	10	36	39	40
20-34	24	10.3	118	<1	1	7	14	24	35	46
35-49	6	4.0	25	1	1	2	3	13	14	14
50-64	3	14.7	92	6	6	13	22	25	25	25
65+	5	9.0	25	2	2	10	13	14	14	14
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	10.0		10	10	10	10	10	10	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	15.2	171	<1	1	11	25	39	40	40
20-34	59	11.1	160	1	1	6	15	28	43	58
35-49	23	9.6	60	<1	1	7	15	22	23	24
50-64	19	12.8	67	2	3	13	17	24	28	31
65+	34	13.4	155	1	3	8	17	37	39	52
B. *Operated*										
0-19 YRS										
20-34	3	16.3	24	13	13	14	20	22	22	22
35-49										
50-64	1	9.0		9	9	9	9	9	9	9
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	9.5	113	<1	1	5	13	25	35	46
B. *Operated*	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	149	12.0	132	1	2	8	16	27	39	52
B. *Operated*	4	14.5	30	9	9	13	18	22	22	22
1. SINGLE DX	54	9.5	111	<1	1	5	13	25	35	46
2. MULTIPLE DX	153	12.1	130	1	2	8	16	26	39	52
A. NOT OPERATED	202	11.3	128	1	1	8	15	26	38	49
B. OPERATED	5	13.6	26	9	9	13	16	22	22	22
TOTAL 0-19 YRS	29	12.3	177	<1	1	8	18	38	40	40
20-34	86	11.0	143	1	1	7	15	25	42	54
35-49	30	8.5	55	1	1	6	14	21	23	24
50-64	23	12.9	64	2	3	13	17	24	27	31
65+	39	12.9	140	1	3	8	16	34	39	52
GRAND TOTAL	**207**	**11.4**	**125**	**1**	**1**	**8**	**15**	**25**	**38**	**49**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	25.8	313	1	4	24	40	46	55	56
20-34	170	21.4	337	2	3	16	29	54	71	99+
35-49	120	20.8	258	2	3	17	29	41	48	77
50-64	39	22.9	406	2	3	20	31	61	99	99+
65+	16	18.1	220	3	3	16	25	41	48	51
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	11.0		11	11	11	11	11	11	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	49.8	376	25	25	51	63	72	72	72
20-34	131	21.9	378	1	3	20	30	52	76	99+
35-49	61	22.6	275	2	4	20	32	42	65	98
50-64	39	24.6	420	4	6	21	34	77	94	99+
65+	15	27.8	694	1	2	14	47	60	81	88
B. *Operated*										
0-19 YRS										
20-34	7	27.0	187	14	14	27	34	48	51	51
35-49	1	77.0		77	77	77	77	77	77	77
50-64	5	29.4	10	25	25	31	32	32	32	32
65+	2	47.5	421	33	33	47	62	62	62	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	357	21.3	310	2	3	17	30	45	63	99+
B. *Operated*	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	250	23.3	385	2	3	20	32	54	82	99+
B. *Operated*	15	33.9	303	14	15	32	34	62	73	77
1. SINGLE DX	358	21.3	309	2	3	17	30	45	63	99+
2. MULTIPLE DX	265	23.9	385	2	4	21	33	55	77	99+
A. NOT OPERATED	607	22.1	341	2	3	18	31	49	70	99+
B. OPERATED	16	32.4	316	12	14	31	34	61	72	77
TOTAL 0-19 YRS	16	31.8	420	2	6	32	45	56	67	72
20-34	308	21.7	350	2	3	17	30	52	71	99+
35-49	183	21.6	277	2	3	20	30	42	52	86
50-64	83	24.1	385	2	5	22	32	66	99	99+
65+	33	24.3	478	2	3	16	37	58	62	88
GRAND TOTAL	**623**	**22.4**	**343**	**2**	**3**	**19**	**32**	**49**	**71**	**99+**

95: Acute schizophrenic episode (295.4)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	12.0	32	8	8	12	16	16	16	16
20-34	14	11.7	48	3	4	13	20	92	99+	99+
35-49	5	11.8	158	1	1	5	21	31	31	31
50-64	3	30.0	559	8	8	27	48	55	55	55
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	19.0	338	6	6	32	83	99+	99+	99+
20-34	8	13.3	102	4	4	13	24	74	99+	99+
35-49	7	10.0	75	2	2	6	16	23	25	25
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	27.0		27	27	27	27	27	27	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	14.0	142	2	4	13	22	53	99+	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	17	12.6	102	2	3	13	24	73	99+	99+
B. *Operated*	1	27.0		27	27	27	27	27	27	27
1. SINGLE DX	24	14.0	142	2	4	13	22	53	99+	99+
2. MULTIPLE DX	18	13.4	107	2	3	13	26	67	99+	99+
A. NOT OPERATED	41	13.4	123	2	4	13	22	55	99+	99+
B. OPERATED	1	27.0		27	27	27	27	27	27	27
TOTAL 0-19 YRS	4	15.5	140	6	6	16	49	99+	99+	99+
20-34	22	12.3	64	3	4	13	21	99+	99+	99+
35-49	12	10.8	99	1	2	5	17	27	30	31
50-64	3	30.0	559	8	8	27	48	55	55	55
65+	1	27.0		27	27	27	27	27	27	27
GRAND TOTAL	**42**	**13.8**	**124**	**2**	**4**	**13**	**24**	**53**	**99+**	**99+**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	26.8	431	3	6	23	40	68	99+	99+
20-34	405	20.2	382	1	2	15	29	53	72	99+
35-49	203	20.0	351	2	3	14	27	50	62	86
50-64	100	18.7	228	2	3	14	28	41	51	84
65+	23	19.3	454	1	2	14	24	47	66	95
B. *Operated*										
0-19 YRS	1	34.0		34	34	34	34	34	34	34
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	26.9	637	2	3	20	41	74	83	99+
20-34	304	24.5	528	1	2	19	35	67	87	99+
35-49	168	18.1	334	1	2	12	28	48	73	99+
50-64	74	22.8	414	4	5	16	32	60	91	99+
65+	46	20.3	383	3	3	15	27	56	68	99+
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	12	35.3	357	15	16	30	46	64	77	79
35-49	8	29.1	377	4	10	27	48	88	99+	99+
50-64	1	69.0		69	69	69	69	69	69	69
65+	2	26.5	113	19	19	34	83	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	773	20.3	360	1	3	15	29	51	69	99+
B. *Operated*	1	34.0		34	34	34	34	34	34	34
2. MULTIPLE DX										
A. *Not Operated*	623	22.4	462	1	3	16	32	61	85	99+
B. *Operated*	24	32.8	383	8	15	30	48	78	99+	99+
1. SINGLE DX	774	20.3	359	1	3	15	29	51	69	99+
2. MULTIPLE DX	647	22.8	463	2	3	17	32	63	86	99+
A. NOT OPERATED	1396	21.2	406	1	3	15	30	56	79	99+
B. OPERATED	25	32.9	367	8	15	31	47	77	99+	99+
TOTAL 0-19 YRS	75	26.7	502	2	4	22	41	70	93	99+
20-34	721	22.3	449	1	2	16	31	58	83	99+
35-49	379	19.4	345	1	2	14	27	50	70	99+
50-64	175	20.7	321	3	4	15	30	50	69	99+
65+	71	20.1	392	3	3	15	28	52	90	99+
GRAND TOTAL	**1421**	**21.4**	**408**	**1**	**3**	**16**	**30**	**56**	**79**	**99+**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	24.2	134	8	10	22	32	40	47	47
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	17.4	76	8	8	17	22	31	31	31
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	24.2	134	8	10	22	32	40	47	47
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	5	17.4	76	8	8	17	22	31	31	31
B. *Operated*										
1. SINGLE DX	10	24.2	134	8	10	22	32	40	47	47
2. MULTIPLE DX	5	17.4	76	8	8	17	22	31	31	31
A. NOT OPERATED	15	21.9	119	8	8	19	31	32	43	47
B. OPERATED										
TOTAL 0-19 YRS	15	21.9	119	8	8	19	31	32	43	47
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**15**	**21.9**	**119**	**8**	**8**	**19**	**31**	**32**	**43**	**47**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	18.9	454	<1	2	11	22	50	78	80
20-34	191	16.1	264	1	2	11	22	41	54	96
35-49	227	17.9	241	2	2	14	25	38	51	71
50-64	205	19.9	230	3	5	16	27	42	53	74
65+	171	23.8	352	3	5	20	31	50	64	97
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	78.0		78	78	78	78	78	78	78
50-64										
65+	1	27.0		27	27	27	27	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	17.5	240	1	1	13	27	44	53	99+
20-34	313	23.3	431	2	3	18	35	54	70	95
35-49	339	22.1	352	3	4	18	30	52	70	99+
50-64	311	25.7	343	4	6	22	37	51	75	99+
65+	320	24.2	333	4	6	20	33	51	65	99+
B. *Operated*										
0-19 YRS	3	29.3	676	3	3	30	49	55	55	55
20-34	12	37.6	845	6	8	27	60	79	92	94
35-49	14	35.0	439	10	13	42	82	99+	99+	99+
50-64	29	35.4	424	13	14	30	45	66	71	96
65+	28	29.6	472	5	7	25	37	71	99	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	833	19.2	282	2	3	15	26	43	54	87
B. *Operated*	2	52.5	1301	27	27	52	78	78	78	78
2. MULTIPLE DX										
A. *Not Operated*	1328	23.6	362	3	4	19	34	52	70	99+
B. *Operated*	86	33.5	492	6	10	29	49	81	99+	99+
1. SINGLE DX	835	19.3	285	2	3	15	26	43	55	86
2. MULTIPLE DX	1414	24.2	375	3	5	20	35	54	72	99+
A. NOT OPERATED	2161	21.9	335	2	4	17	31	49	63	99+
B. OPERATED	88	34.0	503	6	10	29	49	80	99+	99+
TOTAL 0-19 YRS	87	18.6	344	1	2	12	24	47	74	92
20-34	516	21.0	395	2	3	14	30	52	67	95
35-49	581	20.9	324	2	4	17	29	49	67	99+
50-64	545	24.0	318	4	6	19	34	50	65	99+
65+	520	24.3	346	4	6	20	33	51	65	99+
GRAND TOTAL	**2249**	**22.4**	**347**	**2**	**4**	**18**	**31**	**50**	**66**	**99+**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	20.5	119	3	8	20	30	34	39	42
20-34	239	19.4	233	2	4	15	25	41	50	74
35-49	218	19.3	251	2	3	15	27	41	49	82
50-64	169	21.9	290	3	4	17	30	42	54	83
65+	61	21.8	241	5	6	18	29	41	51	75
B. *Operated*										
0-19 YRS										
20-34	1	33.0		33	33	33	33	33	33	33
35-49										
50-64										
65+	1	20.0		20	20	20	20	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	25.0	293	3	4	23	37	60	92	99+
20-34	204	26.0	408	4	6	21	38	58	77	99+
35-49	205	22.6	317	3	5	18	29	49	59	88
50-64	177	25.4	269	4	6	24	33	51	59	97
65+	117	21.9	335	1	1	21	32	49	65	99+
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	7	42.9	253	22	23	42	54	65	67	67
35-49	4	70.3	569	35	35	79	84	87	87	87
50-64	15	46.9	677	15	23	41	78	92	98	99+
65+	8	45.9	565	11	15	48	76	90	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	705	20.2	250	2	4	16	28	41	50	77
B. *Operated*	2	26.5	85	20	20	26	33	33	33	33
2. MULTIPLE DX										
A. *Not Operated*	736	24.2	333	2	5	21	33	53	65	99+
B. *Operated*	35	47.3	614	11	20	46	76	86	97	99+
1. SINGLE DX	707	20.2	250	2	4	16	28	41	50	77
2. MULTIPLE DX	771	25.3	368	2	5	22	35	55	74	99+
A. NOT OPERATED	1441	22.2	296	2	4	18	30	48	59	97
B. OPERATED	37	46.2	605	11	20	42	76	85	97	99+
TOTAL 0-19 YRS	52	23.0	236	3	4	22	31	55	67	99+
20-34	451	22.7	328	2	5	18	31	51	62	99+
35-49	427	21.4	309	2	4	17	28	46	59	88
50-64	361	24.6	318	4	5	22	33	50	66	93
65+	187	22.9	332	1	2	20	34	49	71	99+
GRAND TOTAL	**1478**	**22.8**	**318**	**2**	**4**	**19**	**31**	**49**	**63**	**99**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	10.0	150	<1	<1	5	11	33	36	39
20-34	86	12.8	171	<1	<1	9	18	30	42	88
35-49	83	10.5	75	<1	1	8	17	22	28	37
50-64	57	13.9	173	<1	1	10	22	31	48	97
65+	68	13.5	214	1	1	8	20	31	52	96
B. *Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34										
35-49										
50-64										
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	16.4	203	<1	1	12	26	43	62	99+
20-34	134	18.6	262	2	3	14	26	41	57	90
35-49	107	16.5	181	2	3	13	25	32	43	67
50-64	95	18.5	245	2	5	14	24	42	70	99+
65+	288	17.1	353	2	3	11	22	41	67	99+
B. *Operated*										
0-19 YRS										
20-34	4	48.5	841	14	14	66	83	99+	99+	99+
35-49	5	32.2	391	12	12	27	43	64	64	64
50-64	3	23.3	662	7	7	10	42	53	53	53
65+	10	29.8	606	6	9	32	92	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	317	12.3	154	<1	1	8	18	29	39	86
B. *Operated*	3	4.0	4	2	2	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	650	17.5	283	2	3	12	25	41	60	99+
B. *Operated*	22	32.9	582	7	10	34	66	99+	99+	99+
1. SINGLE DX	320	12.3	153	<1	1	8	18	29	39	85
2. MULTIPLE DX	672	18.0	300	2	3	13	25	42	65	99+
A. NOT OPERATED	967	15.8	247	1	2	11	22	36	55	99+
B. OPERATED	25	29.4	601	4	5	27	64	99+	99+	99+
TOTAL 0-19 YRS	51	13.0	180	<1	<1	8	24	33	45	99
20-34	224	16.9	259	1	2	12	24	41	58	99+
35-49	195	14.4	156	1	2	11	21	29	36	61
50-64	155	16.9	226	1	2	13	23	40	60	99+
65+	367	16.7	338	1	2	11	23	41	71	99+
GRAND TOTAL	**992**	**16.1**	**259**	**1**	**2**	**11**	**23**	**37**	**58**	**99+**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	4.4	24	<1	<1	3	6	8	11	32
20-34	165	4.9	44	<1	<1	3	5	12	16	40
35-49	138	5.9	64	<1	1	4	7	12	16	31
50-64	81	5.5	43	<1	1	4	7	11	15	41
65+	125	8.1	99	1	1	5	9	20	29	46
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	4.5	13	2	2	4	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	8.3	100	1	1	4	10	24	32	45
20-34	269	8.8	121	<1	1	5	11	22	33	58
35-49	280	8.0	75	1	1	5	9	18	25	43
50-64	291	9.0	113	1	2	6	11	18	30	62
65+	414	8.7	88	1	2	6	11	18	24	61
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	18	11.1	100	2	3	6	21	27	30	31
35-49	12	7.8	49	2	2	8	13	99+	99+	99+
50-64	16	8.7	27	2	3	8	10	16	20	22
65+	9	20.2	377	2	4	12	31	53	56	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	558	5.9	61	<1	1	4	7	13	18	36
B. *Operated*	2	4.5	13	2	2	4	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	1335	8.6	98	1	1	5	11	19	29	55
B. *Operated*	56	11.0	122	2	2	8	14	28	53	99+
1. SINGLE DX	560	5.9	60	<1	1	4	7	13	18	36
2. MULTIPLE DX	1391	8.7	99	1	1	5	11	20	29	58
A. NOT OPERATED	1893	7.8	88	1	1	5	9	18	24	50
B. OPERATED	58	10.8	119	2	2	8	14	27	52	99+
TOTAL 0-19 YRS	131	6.8	74	<1	1	4	8	16	32	38
20-34	452	7.5	96	<1	1	4	9	20	29	51
35-49	430	7.3	71	1	1	5	9	16	23	51
50-64	388	8.2	97	1	1	5	10	17	27	59
65+	550	8.7	96	1	2	6	11	18	25	60
GRAND TOTAL	**1951**	**7.9**	**89**	**1**	**1**	**5**	**10**	**18**	**25**	**53**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	10.7	122	1	1	6	14	28	37	42
20-34	224	8.8	110	1	1	5	10	21	32	57
35-49	203	10.6	147	1	1	6	13	26	36	59
50-64	116	10.4	100	2	3	7	13	23	31	49
65+	91	14.6	222	2	3	9	18	37	49	69
B. *Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	21.0		21	21	21	21	21	21	21
50-64										
65+	1	23.0		23	23	23	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	14.2	217	1	2	9	21	36	44	69
20-34	364	13.2	198	1	2	8	18	34	43	63
35-49	365	14.5	198	2	3	10	19	36	50	80
50-64	263	13.3	154	2	3	10	16	28	38	78
65+	250	13.5	109	2	4	10	20	28	35	56
B. *Operated*										
0-19 YRS	2	39.0	1250	14	14	39	64	64	64	64
20-34	19	30.5	501	1	4	31	49	64	67	67
35-49	16	40.1	767	7	11	33	56	88	91	92
50-64	14	29.9	1007	6	6	17	35	92	94	94
65+	9	42.1	941	6	7	34	72	81	82	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	678	10.5	138	1	1	6	14	26	36	56
B. *Operated*	3	16.0	109	4	4	21	22	23	23	23
2. MULTIPLE DX										
A. *Not Operated*	1315	13.7	173	2	2	9	18	32	42	67
B. *Operated*	60	35.0	746	6	6	29	58	79	90	94
1. SINGLE DX	681	10.5	137	1	1	6	14	26	36	56
2. MULTIPLE DX	1375	14.6	216	2	2	10	19	34	47	82
A. NOT OPERATED	1993	12.6	163	1	2	8	17	30	41	63
B. OPERATED	63	34.0	730	5	6	27	56	78	90	94
TOTAL 0-19 YRS	119	13.3	202	1	2	8	19	34	43	67
20-34	608	12.1	189	1	2	7	15	32	42	63
35-49	585	13.8	217	1	2	9	18	35	49	82
50-64	393	13.1	178	2	3	9	16	28	38	83
65+	351	14.6	177	2	3	10	20	30	43	69
GRAND TOTAL	**2056**	**13.3**	**194**	**1**	**2**	**8**	**17**	**32**	**43**	**71**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	82	8.8	126	<1	<1	3	10	30	33	48
20-34	209	9.5	152	<1	<1	5	12	23	35	61
35-49	76	11.1	228	1	1	6	14	29	52	97
50-64	37	8.6	107	1	1	5	10	29	38	99+
65+	33	11.6	189	<1	2	8	11	27	34	73
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	6	4.7	13	<1	<1	4	8	10	10	10
35-49	6	4.2	7	1	1	4	5	9	9	9
50-64	1	8.0		8	8	8	8	8	8	8
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	106	11.4	110	1	1	7	20	30	32	66
20-34	498	14.5	255	1	1	9	21	38	53	95
35-49	234	14.5	222	1	2	9	20	34	48	74
50-64	120	14.6	331	1	1	8	20	33	63	99
65+	95	14.8	197	2	3	10	21	36	43	67
B. *Operated*										
0-19 YRS	8	26.6	1019	2	2	18	35	81	97	97
20-34	22	25.1	686	2	3	15	31	69	87	90
35-49	13	23.7	193	5	8	24	34	62	92	99+
50-64	13	13.8	201	3	3	8	15	38	48	50
65+	8	15.5	98	5	6	14	26	74	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	437	9.7	159	<1	1	5	11	25	34	75
B. *Operated*	15	5.5	15	<1	1	5	8	10	13	14
2. MULTIPLE DX										
A. *Not Operated*	1053	14.2	237	1	1	9	20	35	48	90
B. *Operated*	64	21.5	454	3	4	14	30	60	91	99+
1. SINGLE DX	452	9.6	154	<1	1	5	11	24	34	73
2. MULTIPLE DX	1117	14.6	252	1	1	9	21	36	50	97
A. NOT OPERATED	1490	12.9	218	1	1	7	18	32	46	88
B. OPERATED	79	18.5	409	2	3	11	25	53	87	99+
TOTAL 0-19 YRS	197	10.9	160	<1	1	6	18	31	34	74
20-34	735	13.3	245	<1	1	8	19	34	48	90
35-49	329	13.9	225	1	2	8	20	34	49	90
50-64	171	13.2	275	1	1	7	17	31	51	99+
65+	137	14.0	188	2	3	9	19	34	43	79
GRAND TOTAL	**1569**	**13.2**	**229**	**1**	**1**	**8**	**19**	**32**	**47**	**91**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	5.8	73	<1	<1	2	5	24	26	26
20-34	203	6.2	52	<1	1	4	6	19	25	31
35-49	339	6.2	49	<1	1	4	7	17	24	31
50-64	190	7.1	55	1	1	4	8	20	25	30
65+	60	6.3	36	1	1	4	9	14	15	32
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	6.2	96	1	1	2	3	24	30	35
20-34	319	7.2	66	1	1	4	9	19	25	28
35-49	477	7.4	75	1	1	5	8	17	24	42
50-64	481	8.8	105	1	2	6	11	18	26	75
65+	241	12.3	154	2	2	8	17	28	38	74
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	8	18.6	212	1	2	16	31	38	40	40
35-49	13	18.5	288	4	5	14	22	39	63	69
50-64	18	20.1	186	5	6	14	29	40	45	47
65+	12	22.2	539	2	3	13	37	62	64	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	811	6.4	50	<1	1	4	7	18	25	31
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1537	8.5	98	1	1	5	10	20	26	55
B. *Operated*	52	19.7	280	3	4	14	28	43	60	69
1. SINGLE DX	811	6.4	50	<1	1	4	7	18	25	31
2. MULTIPLE DX	1589	8.9	108	1	1	5	11	21	28	60
A. NOT OPERATED	2348	7.8	83	1	1	5	9	19	25	46
B. OPERATED	52	19.7	280	3	4	14	28	43	60	69
TOTAL 0-19 YRS	39	6.0	81	<1	1	2	5	24	26	35
20-34	530	7.0	65	<1	1	4	8	20	25	32
35-49	829	7.1	70	1	1	4	8	17	24	41
50-64	689	8.6	97	1	2	5	10	20	26	52
65+	313	11.5	154	1	2	7	15	27	37	67
GRAND TOTAL	**2400**	**8.1**	**90**	**1**	**1**	**5**	**9**	**20**	**25**	**49**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	15	10.5	46	1	3	11	15	21	22	22
35-49	8	14.9	161	3	4	8	28	33	33	33
50-64	3	7.0	49	2	2	4	12	15	15	15
65+	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
0-19 YRS										
20-34	1	18.0		18	18	18	18	18	18	18
35-49	1	11.0		11	11	11	11	11	11	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.5	4	<1	<1	2	4	5	5	5
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	27	11.4	78	2	3	10	15	24	32	33
B. *Operated*	2	14.5	25	11	11	14	18	18	18	18
1. SINGLE DX	4	2.5	4	<1	<1	2	4	5	5	5
2. MULTIPLE DX	29	11.7	74	2	3	11	16	23	32	33
A. NOT OPERATED	31	10.3	77	<1	2	6	15	23	32	33
B. OPERATED	2	14.5	25	11	11	14	18	18	18	18
TOTAL 0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	17	10.4	49	<1	1	11	16	20	22	22
35-49	11	12.2	139	<1	2	6	21	32	33	33
50-64	3	7.0	49	2	2	4	12	15	15	15
65+	1	12.0		12	12	12	12	12	12	12
GRAND TOTAL	**33**	**10.5**	**74**	**<1**	**2**	**10**	**15**	**22**	**31**	**33**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	19	8.2	77	<1	<1	5	10	23	29	32
35-49	9	8.7	84	2	2	5	10	24	31	31
50-64										
65+	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	7.9	93	1	1	2	12	25	25	25
20-34	49	10.8	79	2	3	6	16	25	26	32
35-49	29	8.0	39	1	1	6	13	18	20	21
50-64	11	13.9	88	1	2	14	23	26	28	28
65+	8	14.9	67	5	6	12	21	27	29	29
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	24.0		24	24	24	24	24	24	24
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	7.9	70	<1	1	5	10	22	30	32
B. *Operated*	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	106	10.4	71	1	2	7	15	25	26	30
B. *Operated*	3	16.3	176	<1	<1	24	24	24	24	24
1. SINGLE DX	33	7.9	68	<1	1	5	9	22	30	32
2. MULTIPLE DX	109	10.6	73	1	2	7	17	25	25	30
A. NOT OPERATED	138	9.8	71	1	1	6	14	25	26	32
B. OPERATED	4	14.3	135	<1	<1	16	24	24	24	24
TOTAL 0-19 YRS	12	6.6	74	1	1	3	6	24	25	25
20-34	68	10.0	78	<1	2	6	14	25	26	32
35-49	41	9.0	56	1	2	6	13	20	24	31
50-64	11	13.9	88	1	2	14	23	26	28	28
65+	10	13.2	72	<1	2	12	21	25	29	29
GRAND TOTAL	**142**	**10.0**	**73**	**1**	**1**	**6**	**14**	**25**	**26**	**32**

168 Hospitals, Canada, January-December 1985

107: Nondependent abuse of alcohol (305.0)

				PERCENTILES						
TYPE OF PATIENT (1)	**TOTAL PATIENTS (2)**	**AVG. STAY (3)**	**VARIANCE (4)**	**5TH (5)**	**10TH (6)**	**50TH (7)**	**75TH (8)**	**90TH (9)**	**95TH (10)**	**99TH (11)**
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	1.1		<1	<1	1	1	2	2	2
20-34	42	1.2	1	<1	<1	<1	1	2	2	6
35-49	26	2.0	6	<1	<1	1	2	5	8	12
50-64	28	2.0	3	<1	<1	1	3	5	6	8
65+	10	1.8	1	<1	<1	1	3	3	3	3
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	2.9	26	<1	<1	1	2	9	14	27
20-34	105	7.6	135	<1	<1	2	8	26	29	58
35-49	64	6.2	71	<1	<1	2	7	19	24	40
50-64	37	7.6	82	1	1	5	10	23	28	38
65+	26	8.4	158	<1	1	4	10	16	32	63
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	7	7.7	42	1	1	8	11	18	19	19
50-64	4	14.5	660	<1	<1	2	28	53	53	53
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	198	1.4	2	<1	<1	1	1	2	3	8
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	281	6.5	98	<1	<1	2	7	21	27	52
B. *Operated*	14	8.4	194	<1	<1	3	9	22	46	53
1. SINGLE DX	199	1.4	2	<1	<1	1	1	2	3	8
2. MULTIPLE DX	295	6.6	102	<1	<1	2	8	21	27	55
A. NOT OPERATED	479	4.4	65	<1	<1	1	3	12	23	40
B. OPERATED	15	7.9	183	<1	<1	3	9	19	44	53
TOTAL 0-19 YRS	142	1.7	10	<1	<1	1	1	2	3	19
20-34	150	5.7	103	<1	<1	1	4	22	28	56
35-49	97	5.2	55	<1	<1	2	6	17	22	36
50-64	69	5.8	86	<1	<1	2	5	14	26	50
65+	36	6.6	122	<1	<1	3	8	15	22	63
GRAND TOTAL	**494**	**4.5**	**68**	**<1**	**<1**	**1**	**3**	**12**	**23**	**42**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

				PERCENTILES						
TYPE OF PATIENT (1)	**TOTAL PATIENTS (2)**	**AVG. STAY (3)**	**VARIANCE (4)**	**5TH (5)**	**10TH (6)**	**50TH (7)**	**75TH (8)**	**90TH (9)**	**95TH (10)**	**99TH (11)**
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.7	1	<1	<1	1	2	4	4	4
20-34	16	1.9	2	<1	<1	1	2	4	5	6
35-49	8	3.1	7	<1	<1	2	5	7	8	8
50-64	4	3.8	24	1	1	2	6	11	11	11
65+	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS										
20-34	2	2.5	5	<1	<1	2	4	4	4	4
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	9.2	87	1	1	6	9	27	29	29
20-34	67	10.9	90	<1	1	7	17	23	26	46
35-49	22	8.5	47	<1	<1	8	14	17	20	25
50-64	12	7.9	34	2	3	5	13	17	18	18
65+	10	6.6	31	1	1	4	8	15	20	20
B. *Operated*										
0-19 YRS										
20-34	2	8.0	2	7	7	8	9	9	9	9
35-49										
50-64										
65+	2	13.5	5	12	12	13	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	2.3	5	<1	<1	1	3	5	7	11
B. *Operated*	2	2.5	5	<1	<1	2	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	129	9.7	73	<1	1	7	15	22	25	33
B. *Operated*	4	10.8	12	7	7	10	13	15	15	15
1. SINGLE DX	44	2.3	5	<1	<1	1	3	5	7	11
2. MULTIPLE DX	133	9.7	71	<1	1	7	15	21	25	33
A. NOT OPERATED	171	7.8	66	<1	<1	4	12	20	25	29
B. OPERATED	6	8.0	26	<1	<1	8	12	15	15	15
TOTAL 0-19 YRS	30	6.2	66	<1	<1	3	7	21	28	29
20-34	87	9.0	83	<1	<1	5	15	22	25	42
35-49	30	7.0	41	<1	<1	5	11	16	17	25
50-64	16	6.9	33	1	1	4	11	17	18	18
65+	14	7.1	32	1	1	5	11	15	19	20
GRAND TOTAL	**177**	**7.8**	**65**	**<1**	**<1**	**4**	**12**	**20**	**24**	**29**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	3.0	7	<1	<1	1	5	7	8	8
20-34	25	5.3	22	<1	1	5	8	12	15	19
35-49	15	4.8	8	1	2	4	7	9	9	9
50-64	11	6.5	50	1	2	4	7	17	25	26
65+	12	3.6	4	1	1	3	5	7	7	7
B. *Operated*										
0-19 YRS	2	5.5	5	4	4	5	7	7	7	7
20-34										
35-49	2	5.5	25	2	2	5	9	9	9	9
50-64	1	6.0		6	6	6	6	6	6	6
65+	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	6.5	47	1	1	5	8	12	28	29
20-34	31	5.6	12	1	2	6	7	10	14	16
35-49	28	6.6	37	1	1	5	8	15	19	28
50-64	35	6.7	28	1	2	5	8	12	15	29
65+	28	7.9	48	2	2	6	9	17	26	31
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	3	14.0	117	2	2	17	21	23	23	23
50-64	2	16.0	72	10	10	16	22	22	22	22
65+	2	25.0	722	6	6	25	44	44	44	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	4.5	17	<1	1	4	7	9	11	23
B. *Operated*	6	6.8	15	2	2	6	9	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	152	6.7	34	1	2	5	8	13	18	29
B. *Operated*	10	14.2	168	2	2	10	22	33	44	44
1. SINGLE DX	92	4.7	17	1	1	4	7	9	12	23
2. MULTIPLE DX	162	7.1	44	1	2	5	8	14	22	31
A. NOT OPERATED	238	5.9	29	1	1	4	8	12	15	29
B. OPERATED	16	11.4	119	2	2	8	15	23	38	44
TOTAL 0-19 YRS	56	5.1	31	<1	1	4	7	10	13	29
20-34	58	5.4	16	1	1	5	7	10	14	19
35-49	48	6.5	34	1	2	4	8	15	18	28
50-64	49	7.0	35	1	2	5	8	13	22	29
65+	43	7.6	69	1	2	5	8	15	27	44
GRAND TOTAL	**254**	**6.2**	**36**	**1**	**1**	**4**	**8**	**12**	**18**	**29**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	96	12.1	277	1	1	6	17	32	44	83
20-34	134	6.8	63	<1	1	4	9	14	25	42
35-49	120	9.1	112	1	1	6	11	23	35	48
50-64	35	13.7	340	<1	1	6	17	36	50	89
65+	28	7.6	53	1	1	5	11	15	25	31
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	25.0		25	25	25	25	25	25	25
35-49										
50-64	1	55.0		55	55	55	55	55	55	55
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	159	16.5	385	1	1	11	29	81	99+	99+
20-34	319	10.2	110	1	1	7	13	25	32	43
35-49	209	10.6	106	1	1	8	15	23	31	59
50-64	90	11.7	141	1	1	9	17	29	37	86
65+	76	12.4	166	1	1	7	18	37	42	87
B. *Operated*										
0-19 YRS	4	36.3	384	9	14	51	99+	99+	99+	99+
20-34	12	26.8	631	1	4	21	34	62	89	94
35-49	3	24.3	10	22	22	23	27	28	28	28
50-64	4	25.3	1021	2	2	13	45	72	72	72
65+	5	18.6	70	8	8	16	26	29	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	413	9.3	154	1	1	5	11	23	33	68
B. *Operated*	4	22.0	583	3	3	15	40	55	55	55
2. MULTIPLE DX										
A. *Not Operated*	853	11.8	173	1	1	8	16	31	41	99+
B. *Operated*	28	26.2	451	2	7	23	45	96	99+	99+
1. SINGLE DX	417	9.5	158	1	1	5	11	24	34	67
2. MULTIPLE DX	881	12.3	188	1	1	8	17	32	45	99+
A. NOT OPERATED	1266	11.0	168	1	1	7	15	30	39	99+
B. OPERATED	32	25.7	451	2	5	23	45	94	99+	99+
TOTAL 0-19 YRS	260	15.1	353	1	1	9	24	57	99+	99+
20-34	466	9.7	119	1	1	6	12	24	32	48
35-49	332	10.1	109	1	1	7	14	24	32	52
50-64	130	13.0	230	1	1	8	18	34	51	91
65+	110	11.4	137	1	1	7	15	31	39	70
GRAND TOTAL	**1298**	**11.4**	**180**	**1**	**1**	**7**	**15**	**31**	**41**	**99+**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	276	12.7	159	1	2	8	17	32	32	73
20-34	312	9.0	105	1	1	6	12	21	32	95
35-49	268	10.0	115	1	2	7	12	25	35	52
50-64	147	11.2	93	2	3	8	16	25	32	45
65+	140	13.8	216	1	2	10	17	27	45	81
B. *Operated*										
0-19 YRS	3	2.7		2	2	3	52	99+	99+	99+
20-34	6	9.5	138	3	3	4	9	31	33	33
35-49										
50-64	2	23.5	113	16	16	23	31	31	31	31
65+	4	13.0	71	4	4	12	19	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	415	18.3	288	2	2	12	28	39	58	99+
20-34	493	15.2	298	1	2	9	21	41	62	99+
35-49	429	11.9	136	1	2	8	16	28	39	99+
50-64	343	12.4	150	2	3	8	15	28	39	68
65+	451	14.6	184	3	4	11	19	34	45	99+
B. *Operated*										
0-19 YRS	16	15.7	206	1	1	11	32	84	99+	99+
20-34	19	19.7	421	1	2	13	30	85	99+	99+
35-49	18	21.9	370	3	4	19	31	69	91	99+
50-64	19	25.5	402	5	7	17	34	58	72	74
65+	38	27.3	429	4	8	23	39	52	92	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1143	11.0	135	1	2	7	14	28	33	64
B. *Operated*	15	10.9	112	2	3	7	20	33	80	99+
2. MULTIPLE DX										
A. *Not Operated*	2131	14.6	220	1	2	10	20	35	50	99+
B. *Operated*	110	23.1	385	2	5	19	35	70	98	99+
1. SINGLE DX	1158	11.0	134	1	2	7	14	28	34	69
2. MULTIPLE DX	2241	15.0	232	1	2	10	21	36	53	99+
A. NOT OPERATED	3274	13.3	193	1	2	9	18	32	44	97
B. OPERATED	125	21.7	367	2	3	17	34	67	99	99+
TOTAL 0-19 YRS	710	16.0	242	1	2	11	25	37	53	99+
20-34	830	12.9	237	1	1	8	17	33	50	99+
35-49	715	11.4	137	1	2	7	15	28	36	78
50-64	511	12.6	149	2	3	8	16	29	39	68
65+	633	15.2	213	2	3	11	19	35	48	99+
GRAND TOTAL	**3399**	**13.6**	**202**	**1**	**2**	**9**	**18**	**32**	**45**	**99+**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	15.4	143	4	4	11	26	31	31	31
20-34	1	8.0		8	8	8	8	8	8	8
35-49	3	12.0	109	5	5	7	20	24	24	24
50-64	1	8.0		8	8	8	8	8	8	8
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	7.0		7	7	7	7	7	7	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	22.1	342	1	1	21	29	39	64	71
20-34	29	19.5	349	2	5	14	28	73	99	99+
35-49	5	31.6	567	9	9	24	51	65	65	65
50-64	2	41.5	113	34	34	41	49	49	49	49
65+	1	16.0		16	16	16	16	16	16	16
B. *Operated*										
0-19 YRS										
20-34	1	37.0		37	37	37	37	37	37	37
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	12.9	97	4	4	8	24	28	31	31
B. *Operated*	2	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	51	22.2	361	1	4	16	30	61	90	99+
B. *Operated*	1	37.0		37	37	37	37	37	37	37
1. SINGLE DX	12	11.9	85	4	5	8	17	27	30	31
2. MULTIPLE DX	52	22.5	358	1	4	17	30	60	89	99+
A. NOT OPERATED	61	20.7	327	2	4	15	29	51	79	99+
B. OPERATED	3	17.0	300	7	7	7	30	37	37	37
TOTAL 0-19 YRS	19	20.3	288	1	2	15	29	34	55	71
20-34	31	19.7	340	2	6	14	28	67	99	99+
35-49	8	24.3	458	5	6	18	36	60	65	65
50-64	5	21.0	379	7	7	8	38	49	49	49
65+	1	16.0		16	16	16	16	16	16	16
GRAND TOTAL	**64**	**20.5**	**322**	**2**	**4**	**15**	**29**	**49**	**75**	**99+**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	11.9	19	3	6	12	14	17	20	22
20-34	12	7.5	21	<1	1	7	10	15	16	16
35-49	6	12.0	177	<1	<1	8	15	35	37	37
50-64	2	3.5	5	2	2	3	5	5	5	5
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	8	10.6	67	4	5	8	11	25	30	30
35-49	11	13.4	302	2	2	6	15	46	52	53
50-64	8	9.5	155	1	1	3	17	30	30	30
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	13.4	24	6	8	13	16	20	22	28
20-34	12	14.3	169	2	3	11	15	35	46	48
35-49	7	9.1	39	2	2	8	15	17	17	17
50-64	9	16.8	221	4	4	10	25	40	49	49
65+	6	16.2	90	7	7	13	21	32	33	33
B. *Operated*										
0-19 YRS	13	27.5	354	8	10	18	45	55	64	66
20-34	7	16.9	158	2	5	14	32	83	99+	99+
35-49	9	18.7	146	6	6	17	25	37	44	44
50-64	13	24.2	406	1	3	21	49	55	90	99+
65+	2	16.0	8	14	14	16	18	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	11.0	33	2	3	11	14	17	19	33
B. *Operated*	29	11.1	170	1	2	6	12	30	42	53
2. MULTIPLE DX										
A. *Not Operated*	93	13.7	65	2	5	13	17	22	28	49
B. *Operated*	44	22.5	280	3	6	17	43	50	73	99+
1. SINGLE DX	108	11.0	68	2	2	11	14	17	29	46
2. MULTIPLE DX	137	16.5	150	3	5	13	19	43	49	99+
A. NOT OPERATED	172	12.4	52	2	4	12	15	20	23	46
B. OPERATED	73	18.0	265	2	2	14	27	49	53	99+
TOTAL 0-19 YRS	131	14.1	72	4	8	13	16	20	23	55
20-34	39	11.9	105	2	3	9	15	30	45	99+
35-49	33	13.7	178	2	2	8	17	38	44	53
50-64	32	17.2	297	1	2	10	29	49	50	99+
65+	10	13.8	78	1	4	12	18	27	33	33
GRAND TOTAL	**245**	**14.1**	**121**	**2**	**3**	**12**	**17**	**27**	**45**	**67**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	8.0	52	2	2	6	13	16	16	16
50-64	15	8.0	58	1	1	7	11	16	26	29
65+	58	14.2	169	1	3	10	20	32	45	58
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	2	14.5	1	14	14	14	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	9.0	50	4	4	9	14	14	14	14
35-49	11	12.7	50	5	5	12	15	24	28	28
50-64	28	14.7	123	2	3	12	27	35	99+	99+
65+	232	19.0	376	2	4	13	25	51	89	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	5	27.4	140	18	18	24	31	48	48	48
65+	26	24.4	504	2	4	18	55	90	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	12.7	148	1	2	9	16	29	38	57
B. *Operated*	3	10.0	61	1	1	14	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	274	18.1	337	2	4	13	25	49	89	99+
B. *Operated*	31	24.9	440	2	5	22	48	78	99+	99+
1. SINGLE DX	79	12.6	144	1	2	9	16	29	38	57
2. MULTIPLE DX	305	18.8	350	2	4	13	27	53	91	99+
A. NOT OPERATED	350	17.0	300	2	3	12	22	42	77	99+
B. OPERATED	34	23.6	422	1	4	18	44	73	99+	99+
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	9.0	50	4	4	9	14	14	14	14
35-49	15	11.0	55	1	2	10	15	22	26	28
50-64	48	13.9	131	1	2	11	24	34	48	99+
65+	318	18.5	351	2	3	13	25	52	87	99+
GRAND TOTAL	**384**	**17.5**	**314**	**2**	**3**	**12**	**23**	**49**	**83**	**99+**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	10.3	8	6	6	11	12	12	12	12
20-34	136	11.1	106	<1	1	9	13	22	29	46
35-49	124	10.5	38	2	4	10	13	17	24	54
50-64	48	16.4	236	3	3	12	16	37	65	99+
65+	5	14.8	161	6	6	10	19	37	37	37
B. *Operated*										
0-19 YRS	3	9.0	1	8	8	9	10	10	10	10
20-34	19	7.7	46	1	2	4	11	16	23	28
35-49	12	8.2	16	1	3	8	10	15	16	16
50-64	7	13.4	280	1	1	8	13	43	50	50
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	72	17.1	400	2	3	10	17	48	73	98
35-49	94	14.3	223	2	3	10	17	35	55	94
50-64	64	15.5	303	3	3	11	20	64	99+	99+
65+	18	12.3	242	2	2	8	14	55	82	99+
B. *Operated*										
0-19 YRS	2	8.0	2	7	7	8	9	9	9	9
20-34	17	12.8	183	2	2	7	19	43	78	99+
35-49	25	14.9	174	3	4	13	18	52	99+	99+
50-64	15	18.5	319	2	4	14	24	34	62	72
65+	3	24.3	225	9	9	32	69	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	317	11.7	101	1	3	10	14	23	32	83
B. *Operated*	42	8.9	70	1	2	8	10	15	22	50
2. MULTIPLE DX										
A. *Not Operated*	249	15.2	294	2	3	10	17	44	69	99+
B. *Operated*	62	15.5	207	2	3	12	25	49	99+	99+
1. SINGLE DX	359	11.4	98	1	3	10	13	21	31	79
2. MULTIPLE DX	311	15.3	276	2	3	10	18	44	72	99+
A. NOT OPERATED	566	13.3	189	2	3	10	15	30	45	99+
B. OPERATED	104	12.8	161	2	3	9	15	37	54	99+
TOTAL 0-19 YRS	10	9.3	4	6	6	9	11	12	12	12
20-34	244	12.7	200	1	2	9	14	28	42	91
35-49	255	12.2	122	2	4	10	14	25	38	99+
50-64	134	16.0	274	3	3	12	19	40	77	99+
65+	27	14.0	216	2	3	9	18	55	99+	99+
GRAND TOTAL	**670**	**13.2**	**184**	**2**	**3**	**10**	**15**	**31**	**51**	**99+**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	354	3.5	9	1	1	3	4	8	10	14
20-34	223	4.2	18	1	1	3	5	9	14	20
35-49	135	5.0	28	<1	1	3	7	12	15	29
50-64	58	4.4	21	1	1	3	5	11	14	22
65+	51	4.2	16	<1	1	3	6	9	15	19
B. *Operated*										
0-19 YRS	2	25.0	162	16	16	25	34	34	34	34
20-34	13	10.4	82	<1	1	9	17	25	26	26
35-49	6	19.5	184	2	2	21	33	34	34	34
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	367	6.6	94	1	1	4	7	12	22	57
20-34	291	6.9	85	1	1	4	7	16	26	48
35-49	210	6.3	42	1	1	4	8	13	20	68
50-64	179	6.8	52	1	1	4	8	16	22	37
65+	179	9.6	99	1	2	7	11	22	37	87
B. *Operated*										
0-19 YRS	19	21.1	344	3	5	12	33	49	60	66
20-34	19	16.2	197	2	3	17	22	47	81	99+
35-49	17	11.8	151	1	2	7	14	34	39	41
50-64	15	9.9	46	1	2	8	16	18	21	22
65+	13	20.6	624	<1	2	13	24	51	88	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	821	4.0	16	1	1	3	5	9	12	20
B. *Operated*	21	14.4	133	1	1	14	23	33	34	34
2. MULTIPLE DX										
A. *Not Operated*	1226	7.1	78	1	1	4	8	15	25	55
B. *Operated*	83	16.0	267	2	3	11	20	40	56	99
1. SINGLE DX	842	4.3	21	1	1	3	5	9	14	23
2. MULTIPLE DX	1309	7.7	95	1	1	5	9	17	27	58
A. NOT OPERATED	2047	5.9	55	1	1	4	7	12	19	42
B. OPERATED	104	15.6	239	2	2	12	21	35	46	98
TOTAL 0-19 YRS	742	5.5	69	1	1	3	6	11	17	47
20-34	546	6.2	66	1	1	3	7	15	21	47
35-49	368	6.3	48	1	1	4	8	14	23	40
50-64	252	6.4	46	1	1	4	8	15	21	34
65+	243	9.1	119	1	1	6	11	21	35	96
GRAND TOTAL	**2151**	**6.3**	**69**	**1**	**1**	**4**	**7**	**14**	**21**	**47**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	4.4	18	1	1	3	5	11	15	17
20-34	64	4.6	24	<1	1	3	7	9	13	27
35-49	46	7.1	43	<1	1	6	9	17	23	28
50-64	57	9.3	69	2	3	7	12	17	30	44
65+	89	17.1	457	2	3	8	20	52	73	98
B. *Operated*										
0-19 YRS	32	6.5	27	1	1	5	10	13	15	23
20-34	47	7.4	26	2	2	7	10	15	17	21
35-49	40	7.2	57	<1	1	4	10	19	26	31
50-64	43	8.3	46	1	1	6	12	17	22	30
65+	21	9.0	127	<1	<1	6	9	22	36	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	107	7.4	47	1	1	6	9	18	22	67
20-34	99	10.4	232	<1	2	5	11	30	54	91
35-49	87	10.7	270	1	2	6	10	23	67	98
50-64	141	14.4	267	1	2	9	18	36	64	99+
65+	352	18.8	366	2	3	13	28	61	94	99+
B. *Operated*										
0-19 YRS	75	10.0	75	1	2	8	13	22	26	44
20-34	122	12.3	325	<1	1	7	14	24	70	95
35-49	100	9.5	91	<1	1	7	13	23	31	75
50-64	123	13.2	266	<1	1	9	17	34	69	99+
65+	138	16.1	239	1	2	12	24	41	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	293	9.7	192	1	1	6	10	21	36	93
B. *Operated*	183	7.6	49	1	1	6	10	15	21	31
2. MULTIPLE DX										
A. *Not Operated*	786	14.5	295	1	2	9	18	43	71	99+
B. *Operated*	558	12.6	220	<1	2	9	16	31	51	99+
1. SINGLE DX	476	8.9	138	1	1	6	10	18	28	71
2. MULTIPLE DX	1344	13.7	264	1	2	9	17	36	68	99+
A. NOT OPERATED	1079	13.2	271	1	2	8	15	37	65	99+
B. OPERATED	741	11.4	182	<1	1	8	14	28	41	99+
TOTAL 0-19 YRS	251	7.6	51	1	1	5	10	17	22	43
20-34	332	9.6	204	<1	1	5	11	19	35	91
35-49	273	9.1	136	<1	1	6	11	22	30	90
50-64	364	12.5	214	1	2	8	15	31	53	99+
65+	600	17.6	345	2	3	11	24	55	81	99+
GRAND TOTAL	**1820**	**12.4**	**236**	**1**	**2**	**8**	**15**	**31**	**56**	**99+**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	107	3.3	10	1	1	2	4	7	10	17
20-34	297	3.1	7	<1	<1	2	4	6	9	14
35-49	231	3.2	8	<1	1	2	4	7	9	14
50-64	70	3.1	6	<1	1	2	4	7	8	13
65+	18	3.4	9	<1	1	2	4	8	10	10
B. *Operated*										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	16	3.6	4	1	1	3	5	7	7	7
35-49	10	6.6	22	<1	1	5	10	14	15	15
50-64	5	6.6	16	1	1	7	9	12	12	12
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	3.6	14	1	1	3	4	6	8	26
20-34	197	4.6	17	1	1	3	6	10	13	23
35-49	225	4.2	12	1	1	3	6	9	10	17
50-64	86	5.5	25	1	2	4	7	10	13	31
65+	38	6.9	27	1	2	6	9	16	18	21
B. *Operated*										
0-19 YRS										
20-34	14	6.3	12	2	2	6	8	11	13	13
35-49	19	7.6	20	2	2	7	11	13	15	17
50-64	11	7.2	10	3	3	7	9	11	14	14
65+	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	723	3.1	8	<1	1	2	4	7	9	14
B. *Operated*	34	5.1	13	1	1	4	7	10	13	15
2. MULTIPLE DX										
A. *Not Operated*	608	4.6	17	1	1	3	6	9	12	22
B. *Operated*	45	7.2	14	2	3	7	10	13	13	17
1. SINGLE DX	757	3.2	8	<1	1	2	4	7	9	15
2. MULTIPLE DX	653	4.8	18	1	1	3	7	10	13	21
A. NOT OPERATED	1331	3.8	13	<1	1	3	5	8	10	17
B. OPERATED	79	6.3	15	1	2	5	9	12	13	16
TOTAL 0-19 YRS	171	3.4	12	1	1	3	4	7	9	19
20-34	524	3.7	12	<1	1	3	5	8	11	16
35-49	485	3.9	12	<1	1	3	5	9	11	16
50-64	172	4.7	18	1	1	3	6	9	11	25
65+	58	5.8	23	1	1	4	8	12	17	21
GRAND TOTAL	**1410**	**3.9**	**13**	**<1**	**1**	**3**	**5**	**9**	**11**	**17**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	27.5	1105	4	4	27	51	51	51	51
50-64	3	1.3		<1	<1	1	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	7	1.9	1	<1	<1	2	3	3	3	3
20-34	121	1.8	1	<1	<1	2	2	3	3	7
35-49	147	2.0	2	<1	<1	2	2	3	5	8
50-64	156	2.1	1	<1	<1	2	2	4	4	7
65+	126	2.6	5	<1	<1	2	3	4	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	3.3	4	1	1	4	5	5	5	5
35-49	3	2.3	1	<1	<1	3	3	3	3	3
50-64	2	3.5	5	2	2	3	5	5	5	5
65+	7	5.9	25	1	1	7	8	14	15	15
B. *Operated*										
0-19 YRS	3	3.0	7	1	1	2	5	6	6	6
20-34	26	2.7	4	<1	1	2	4	5	7	9
35-49	74	3.9	18	<1	<1	2	4	8	13	24
50-64	86	2.7	3	<1	1	2	3	5	6	10
65+	153	4.4	40	<1	1	2	4	9	15	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	8.9	346	<1	<1	2	4	42	51	51
B. *Operated*	557	2.1	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	15	4.3	14	<1	1	3	6	8	13	15
B. *Operated*	342	3.7	23	<1	1	2	4	7	12	25
1. SINGLE DX	564	2.2	7	<1	<1	2	2	3	5	9
2. MULTIPLE DX	357	3.8	23	<1	1	2	4	7	12	25
A. NOT OPERATED	22	5.8	113	<1	<1	3	5	10	29	51
B. OPERATED	899	2.7	11	<1	<1	2	3	5	7	16
TOTAL 0-19 YRS	10	2.2	2	<1	<1	2	3	5	6	6
20-34	151	2.0	2	<1	<1	2	2	3	4	9
35-49	226	2.9	18	<1	<1	2	3	5	8	21
50-64	247	2.3	2	<1	<1	2	3	4	5	8
65+	287	3.6	25	<1	1	2	4	7	12	24
GRAND TOTAL	**921**	**2.8**	**13**	**<1**	**<1**	**2**	**3**	**5**	**7**	**17**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	5.7	21	1	1	4	10	12	13	13
20-34	44	8.9	245	1	1	4	8	17	39	93
35-49	41	5.2	54	<1	1	3	6	12	17	43
50-64	47	6.6	36	1	1	5	8	15	18	29
65+	54	7.4	69	1	2	5	9	15	23	51
B. *Operated*										
0-19 YRS	25	5.6	41	2	2	4	6	11	17	34
20-34	149	4.6	8	<1	2	4	6	9	11	14
35-49	185	4.7	19	<1	1	3	6	9	13	21
50-64	148	5.0	34	<1	1	3	7	9	14	37
65+	75	4.3	22	<1	1	3	4	10	17	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	6.4	49	1	1	5	8	10	25	29
20-34	47	9.2	145	1	1	5	10	21	37	66
35-49	47	7.4	66	1	2	6	8	14	22	45
50-64	95	9.4	74	1	2	6	13	20	29	39
65+	132	11.2	169	1	2	7	13	24	31	72
B. *Operated*										
0-19 YRS	26	5.0	10	<1	<1	5	7	9	11	12
20-34	110	7.4	85	1	2	5	9	16	19	85
35-49	112	8.1	92	<1	1	5	9	18	28	52
50-64	130	7.5	54	1	2	4	10	16	27	49
65+	107	10.2	158	2	2	5	13	23	38	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	205	6.9	91	1	1	4	8	14	20	49
B. *Operated*	582	4.8	21	<1	1	3	6	9	12	24
2. MULTIPLE DX										
A. *Not Operated*	335	9.7	120	1	2	6	11	21	30	57
B. *Operated*	485	8.1	91	1	2	5	10	18	28	72
1. SINGLE DX	787	5.3	40	1	1	4	6	10	14	35
2. MULTIPLE DX	820	8.7	104	1	2	6	10	19	29	66
A. NOT OPERATED	540	8.6	111	1	1	6	10	19	28	53
B. OPERATED	1067	6.3	56	1	1	4	8	13	18	43
TOTAL 0-19 YRS	84	5.6	27	1	1	4	8	11	12	32
20-34	350	6.7	83	1	1	5	7	12	18	66
35-49	385	6.1	52	<1	1	4	7	12	18	41
50-64	420	7.0	52	1	1	4	9	16	22	37
65+	368	8.9	127	1	2	5	10	20	29	68
GRAND TOTAL	**1607**	**7.1**	**75**	**1**	**1**	**4**	**8**	**15**	**22**	**47**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49										
50-64										
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	21	5.6	4	3	4	5	6	8	10	12
20-34	60	5.6	13	2	3	5	7	9	10	26
35-49	42	6.0	7	2	3	6	8	10	11	12
50-64	83	6.1	9	2	3	6	7	10	12	15
65+	85	7.2	8	3	4	7	9	10	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	8.0	72	2	2	8	14	14	14	14
65+	4	6.5	14	3	3	6	9	11	11	11
B. *Operated*										
0-19 YRS	10	4.2	3	1	2	4	5	6	7	7
20-34	31	6.1	7	3	3	6	7	9	12	13
35-49	24	7.1	14	3	3	6	9	13	15	16
50-64	98	6.3	10	2	4	6	8	10	12	19
65+	115	7.3	18	4	4	6	9	11	15	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.0		3	3	3	3	3	3	3
B. *Operated*	291	6.3	9	3	3	6	8	10	11	16
2. MULTIPLE DX										
A. *Not Operated*	7	6.1	24	1	1	4	10	13	14	14
B. *Operated*	278	6.7	14	3	4	6	8	11	13	24
1. SINGLE DX	293	6.2	9	3	3	6	8	10	11	16
2. MULTIPLE DX	285	6.7	14	3	4	6	8	11	13	23
A. NOT OPERATED	9	5.4	20	1	1	3	9	13	14	14
B. OPERATED	569	6.5	11	3	3	6	8	10	12	19
TOTAL 0-19 YRS	32	5.1	4	3	3	5	6	7	9	12
20-34	91	5.7	11	2	3	5	7	9	11	21
35-49	67	6.3	10	3	3	6	8	10	12	16
50-64	183	6.2	10	2	3	6	8	10	12	17
65+	205	7.2	14	3	4	7	9	11	13	26
GRAND TOTAL	**578**	**6.5**	**11**	**3**	**3**	**6**	**8**	**10**	**12**	**19**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	11	3.0	4	1	1	2	5	6	7	7
65+	14	4.1	9	<1	1	4	6	7	11	12
B. *Operated*										
0-19 YRS	2	26.5	265	15	15	26	38	38	38	38
20-34	1	3.0		3	3	3	3	3	3	3
35-49	15	5.0	6	2	2	5	6	7	10	11
50-64	40	6.3	15	2	2	5	8	12	13	19
65+	62	5.7	13	1	2	5	8	11	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	5.0	27	2	2	2	9	11	11	11
50-64	4	7.8	18	2	2	8	10	12	12	12
65+	19	7.0	50	1	2	4	10	14	23	31
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	1	4.0		4	4	4	4	4	4	4
35-49	6	12.7	111	4	4	7	24	28	28	28
50-64	15	13.5	178	2	4	11	15	42	46	47
65+	68	8.7	48	2	3	6	12	19	20	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	3.5	7	<1	1	3	5	7	8	12
B. *Operated*	120	6.1	22	2	2	5	8	11	13	25
2. MULTIPLE DX										
A. *Not Operated*	26	6.9	41	1	2	5	11	13	17	31
B. *Operated*	91	9.6	74	2	3	6	12	19	28	45
1. SINGLE DX	147	5.6	20	1	2	5	7	11	12	20
2. MULTIPLE DX	117	9.0	67	2	2	6	11	19	26	44
A. NOT OPERATED	53	5.2	26	1	1	4	7	12	13	30
B. OPERATED	211	7.6	47	2	2	5	10	15	19	40
TOTAL 0-19 YRS	3	19.7	272	6	6	15	32	38	38	38
20-34	3	3.0	1	2	2	3	4	4	4	4
35-49	25	6.7	41	1	2	5	7	11	25	28
50-64	70	7.4	58	1	2	5	10	12	17	46
65+	163	6.9	34	1	2	5	8	14	19	31
GRAND TOTAL	**264**	**7.1**	**44**	**1**	**2**	**5**	**9**	**14**	**19**	**39**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	3.0	5	1	1	2	4	6	6	6
35-49										
50-64										
65+	9	4.9	11	2	2	4	5	11	13	13
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	5.0	2	4	4	5	6	6	6	6
35-49	3	2.7	1	2	2	2	4	4	4	4
50-64	22	5.0	14	2	2	4	6	8	13	19
65+	45	4.7	7	2	2	4	6	9	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	4	5.5	19	3	3	4	8	12	12	12
65+	15	6.6	34	1	1	5	9	18	19	20
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	4	6.8	9	3	3	7	9	10	10	10
35-49	9	7.2	35	4	4	5	6	16	23	23
50-64	23	5.3	8	1	3	5	6	8	11	15
65+	58	6.8	21	1	2	6	8	13	18	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	4.3	10	1	2	3	5	8	12	13
B. *Operated*	73	4.7	9	2	2	4	6	8	9	18
2. MULTIPLE DX										
A. *Not Operated*	21	5.9	29	1	1	4	8	14	19	20
B. *Operated*	95	6.4	19	2	3	5	7	12	16	23
1. SINGLE DX	86	4.6	9	2	2	4	6	8	10	17
2. MULTIPLE DX	116	6.3	20	1	2	5	8	12	18	22
A. NOT OPERATED	34	5.3	22	1	1	4	7	12	17	20
B. OPERATED	168	5.7	15	2	2	5	7	10	13	22
TOTAL 0-19 YRS	3	3.0	3	2	2	2	4	5	5	5
20-34	10	4.9	8	1	1	5	6	9	10	10
35-49	13	5.7	30	1	2	5	6	10	20	23
50-64	49	5.2	11	2	2	4	6	9	12	19
65+	127	5.9	18	1	2	5	7	12	14	21
GRAND TOTAL	**202**	**5.6**	**16**	**1**	**2**	**5**	**7**	**10**	**14**	**21**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	10	4.1	30	<1	<1	2	5	12	19	19
B. *Operated*										
0-19 YRS										
20-34										
35-49	122	3.1	1	<1	2	3	4	5	5	6
50-64	729	3.2	2	<1	2	3	4	5	6	9
65+	2871	3.5	5	1	2	3	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	5	1.6	2	<1	<1	1	2	4	4	4
50-64	19	1.8	2	<1	<1	1	2	3	5	7
65+	115	4.0	27	<1	1	2	4	9	12	29
B. *Operated*										
0-19 YRS										
20-34										
35-49	77	4.2	19	1	2	3	4	7	8	30
50-64	589	3.9	6	2	2	3	4	6	9	13
65+	3241	4.3	18	2	2	3	5	7	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	4.1	30	<1	<1	2	5	12	19	19
B. *Operated*	3722	3.4	4	1	2	3	4	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	139	3.6	23	<1	<1	2	4	8	12	26
B. *Operated*	3907	4.2	16	2	2	3	5	7	10	17
1. SINGLE DX	3732	3.4	4	1	2	3	4	5	6	11
2. MULTIPLE DX	4046	4.2	16	2	2	3	5	7	10	17
A. NOT OPERATED	149	3.6	23	<1	<1	2	4	8	12	24
B. OPERATED	7629	3.8	10	2	2	3	4	6	8	14
TOTAL 0-19 YRS										
20-34										
35-49	204	3.5	8	<1	2	3	4	5	6	13
50-64	1337	3.5	4	1	2	3	4	5	7	11
65+	6237	3.9	12	2	2	3	5	6	9	15
GRAND TOTAL	**7778**	**3.8**	**11**	**1**	**2**	**3**	**4**	**6**	**8**	**14**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	14	2.9	5	<1	1	2	3	5	9	10
20-34	21	3.2	1	2	2	3	4	5	6	6
35-49	20	4.0	5	1	2	3	5	6	9	12
50-64	23	2.7	1	2	2	3	3	4	5	5
65+	30	3.3	3	2	2	3	4	6	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-19 YRS	15	3.4	4	<1	1	3	4	7	7	7
20-34	13	3.5	2	2	2	3	4	5	7	7
35-49	15	3.0	2	<1	2	3	3	5	6	7
50-64	23	4.1	17	2	2	3	4	6	14	21
65+	33	4.5	6	2	2	4	6	8	8	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	108	3.2	3	2	2	3	4	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	99	3.9	7	2	2	3	4	7	8	17
1. SINGLE DX	109	3.2	3	2	2	3	4	5	6	11
2. MULTIPLE DX	101	3.8	7	1	2	3	4	7	8	16
A. NOT OPERATED	3	1.0		<1	<1	1	1	1	1	1
B. OPERATED	207	3.5	5	2	2	3	4	6	8	12
TOTAL 0-19 YRS	30	3.1	4	<1	1	3	4	6	7	10
20-34	34	3.3	1	2	2	3	4	5	6	7
35-49	35	3.5	4	1	2	3	4	5	7	12
50-64	46	3.4	9	2	2	3	4	5	6	21
65+	65	3.8	5	1	2	3	5	8	8	12
GRAND TOTAL	**210**	**3.5**	**5**	**2**	**2**	**3**	**4**	**6**	**8**	**12**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.0	2	<1	<1	1	3	4	4	4
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	1	6.0		5	6	6	6	6	6	6
50-64	3	3.7	4	2	2	3	5	6	6	6
65+	4	3.0	2	2	2	3	4	5	5	5
B. *Operated*										
0-19 YRS	350	1.6	1	<1	<1	2	2	2	2	4
20-34	125	2.2	2	<1	<1	2	2	3	3	9
35-49	57	2.5	14	<1	<1	2	2	3	3	28
50-64	35	2.1	1	<1	1	2	2	3	4	5
65+	10	3.0	3	2	2	2	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	1.4	1	<1	<1	1	1	3	4	4
20-34	8	2.5	4	<1	<1	2	3	6	7	7
35-49	6	2.8	4	[illegible]	1	2	4	6	6	6
50-64	6	7.8	27	1	4	7	15	84	99+	99+
65+	11	9.5	37	[illegible]	3	9	15	18	19	19
B. *Operated*										
0-19 YRS	90	1.7	1	<1	<1	2	2	2	3	8
20-34	54	2.4	6	<1	1	2	2	3	5	18
35-49	39	2.4	4	<1	<1	2	3	4	8	11
50-64	23	4.0	38	<1	1	2	3	9	18	30
65+	17	3.4	8	1	2	2	4	5	10	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	2.8	3	<1	<1	2	4	5	6	6
B. *Operated*	577	1.9	3	<1	<1	2	2	2	3	7
2. MULTIPLE DX										
A. *Not Operated*	38	5.2	27	<1	<1	4	7	17	19	99+
B. *Operated*	223	2.4	7	<1	<1	2	2	3	6	14
1. SINGLE DX	597	1.9	3	<1	<1	2	2	3	3	7
2. MULTIPLE DX	261	2.8	11	<1	<1	2	2	5	9	19
A. NOT OPERATED	58	4.4	20	<1	<1	3	6	12	18	93
B. OPERATED	800	2.0	4	<1	<1	2	2	3	3	11
TOTAL 0-19 YRS	457	1.7	1	<1	<1	2	2	2	3	5
20-34	189	2.2	3	<1	<1	2	2	3	4	10
35-49	103	2.5	10	<1	<1	2	2	3	6	20
50-64	67	3.3	18	<1	1	2	3	7	12	87
65+	42	4.8	20	1	2	3	5	13	16	19
GRAND TOTAL	**858**	**2.2**	**5**	**<1**	**<1**	**2**	**2**	**3**	**5**	**16**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	123	2.4	5	<1	<1	1	3	6	8	11
20-34	51	2.8	15	<1	<1	1	3	6	8	26
35-49	23	3.4	8	<1	<1	3	4	8	10	11
50-64	20	4.2	13	<1	<1	3	6	10	12	13
65+	28	4.1	8	<1	<1	4	6	9	10	10
B. *Operated*										
0-19 YRS	64	1.9	2	<1	<1	1	2	4	5	7
20-34	106	3.2	4	<1	<1	3	4	6	7	10
35-49	128	2.8	4	<1	<1	2	4	5	6	10
50-64	136	3.0	6	<1	<1	2	4	6	8	13
65+	178	3.2	5	<1	<1	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	139	4.8	12	<1	1	4	6	9	11	22
20-34	19	4.5	23	<1	<1	2	6	13	16	17
35-49	23	5.0	16	<1	<1	4	8	11	13	14
50-64	21	5.4	10	1	1	6	7	10	11	12
65+	63	7.1	35	<1	1	6	9	13	23	27
B. *Operated*										
0-19 YRS	22	3.2	3	<1	1	3	4	5	7	8
20-34	49	4.2	12	1	1	4	5	8	13	16
35-49	78	3.8	7	<1	1	3	5	7	8	15
50-64	90	3.2	3	<1	1	3	4	6	7	10
65+	234	4.7	33	<1	1	3	5	8	14	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	245	2.9	9	<1	<1	2	4	7	9	12
B. *Operated*	612	2.9	5	<1	<1	2	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	265	5.4	19	<1	1	4	7	10	13	23
B. *Operated*	473	4.1	20	<1	1	3	5	7	10	23
1. SINGLE DX	857	2.9	6	<1	<1	2	4	6	7	11
2. MULTIPLE DX	738	4.6	20	<1	1	3	6	8	12	23
A. NOT OPERATED	510	4.2	16	<1	<1	3	6	9	11	22
B. OPERATED	1085	3.5	12	<1	<1	3	4	6	8	17
TOTAL 0-19 YRS	348	3.3	9	<1	<1	2	5	7	8	14
20-34	225	3.5	10	<1	<1	2	4	6	9	16
35-49	252	3.4	7	<1	<1	3	4	7	8	14
50-64	267	3.3	6	<1	<1	3	4	7	8	12
65+	503	4.4	23	<1	1	3	5	8	12	25
GRAND TOTAL	**1595**	**3.7**	**13**	**<1**	**<1**	**3**	**5**	**7**	**9**	**19**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	5.2	19	2	2	4	6	9	13	28
20-34	64	4.8	16	<1	1	4	6	9	11	24
35-49	41	5.9	13	1	2	5	8	12	13	13
50-64	21	7.1	34	1	1	6	8	15	21	25
65+	24	6.5	21	<1	1	5	11	13	15	16
B. *Operated*										
0-19 YRS	10	5.3	17	<1	<1	4	7	12	14	14
20-34	21	4.8	14	1	2	4	6	9	14	17
35-49	24	4.1	5	1	2	3	6	7	8	8
50-64	82	3.6	5	1	2	3	4	7	9	11
65+	192	3.7	10	1	2	3	4	7	9	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	5.6	28	1	1	5	6	9	13	32
20-34	56	6.1	23	1	1	5	8	11	13	29
35-49	33	6.2	14	1	2	6	9	10	15	16
50-64	35	5.5	9	1	2	5	8	10	11	12
65+	98	7.3	66	1	2	6	9	13	19	85
B. *Operated*										
0-19 YRS	10	6.8	19	2	2	6	8	14	14	14
20-34	60	5.2	13	1	2	5	6	7	8	26
35-49	55	6.7	43	2	2	5	8	13	28	96
50-64	94	6.0	34	1	2	4	7	10	16	34
65+	191	5.7	29	2	2	4	6	13	15	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	226	5.5	19	1	2	5	7	12	13	25
B. *Operated*	329	3.8	9	1	2	3	4	7	9	18
2. MULTIPLE DX										
A. *Not Operated*	287	6.3	36	1	1	5	8	12	14	32
B. *Operated*	410	5.8	29	2	2	5	7	11	15	36
1. SINGLE DX	555	4.5	14	1	2	3	6	9	12	24
2. MULTIPLE DX	697	6.0	32	1	2	5	7	11	14	34
A. NOT OPERATED	513	6.0	29	1	1	5	8	12	13	31
B. OPERATED	739	4.9	21	1	2	4	6	9	13	29
TOTAL 0-19 YRS	161	5.5	22	1	2	5	6	10	14	31
20-34	201	5.3	17	1	1	5	7	9	12	26
35-49	153	6.0	23	1	2	5	8	10	13	39
50-64	232	5.2	21	1	2	4	7	10	12	25
65+	505	5.3	30	1	2	4	6	11	14	33
GRAND TOTAL	**1252**	**5.4**	**24**	**1**	**2**	**4**	**7**	**10**	**13**	**30**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.9	10	<1	<1	3	8	8	8	8
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	2	11.5	25	8	8	11	15	15	15	15
50-64	3	4.0	4	2	2	4	5	6	6	6
65+	10	4.4	10	1	1	3	7	9	10	10
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	3.0	1	2	2	3	4	4	4	4
35-49	4	5.8	30	1	1	4	10	13	13	13
50-64	3	7.7	26	2	2	9	11	12	12	12
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	3.5	13	<1	<1	1	6	9	11	11
20-34	11	4.0	4	1	2	4	5	7	8	8
35-49	6	5.8	30	1	1	4	8	15	16	16
50-64	8	5.5	20	1	1	3	9	12	13	13
65+	22	12.3	395	1	2	7	9	26	58	95
B. *Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	9	7.8	131	2	2	4	6	25	38	38
35-49	7	6.1	18	2	2	5	10	13	13	13
50-64	11	10.5	224	2	2	3	13	30	51	53
65+	10	6.9	14	3	3	6	7	13	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	4.6	12	1	1	3	7	9	11	15
B. *Operated*	12	5.1	18	1	1	3	8	12	13	13
2. MULTIPLE DX										
A. *Not Operated*	60	7.3	164	1	1	4	8	12	19	89
B. *Operated*	39	7.8	96	2	2	5	7	14	28	53
1. SINGLE DX	39	4.7	14	1	1	3	8	10	13	15
2. MULTIPLE DX	99	7.5	136	1	1	4	8	13	19	74
A. NOT OPERATED	87	6.4	118	1	1	4	8	11	15	72
B. OPERATED	51	7.2	78	2	2	4	7	14	15	53
TOTAL 0-19 YRS	26	3.6	10	<1	<1	2	6	8	9	11
20-34	25	5.1	50	1	2	4	5	6	15	38
35-49	19	6.5	24	1	1	5	10	14	16	16
50-64	25	7.8	108	1	2	4	10	14	24	53
65+	43	9.0	215	1	2	6	9	13	26	95
GRAND TOTAL	**138**	**6.7**	**103**	**1**	**1**	**4**	**8**	**13**	**15**	**58**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	649	3.6	14	<1	1	3	5	7	9	14
20-34	33	2.9	5	<1	<1	2	4	6	7	10
35-49	4	4.5	10	2	2	3	6	9	9	9
50-64	3	1.7	1	<1	<1	1	2	3	3	3
65+	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	782	1.3	1	<1	<1	1	1	2	3	6
20-34	80	2.7	4	<1	<1	2	3	6	6	9
35-49	64	2.6	3	1	1	2	3	5	5	11
50-64	34	2.3	3	<1	<1	2	2	3	5	11
65+	23	2.1	2	<1	1	2	2	3	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1369	4.6	13	1	1	3	6	9	12	18
20-34	27	4.4	12	<1	<1	3	7	9	10	15
35-49	22	5.5	14	1	2	5	8	9	13	17
50-64	14	6.3	19	<1	2	5	7	12	17	18
65+	18	13.4	113	2	2	10	21	30	32	33
B. *Operated*										
0-19 YRS	630	2.3	14	<1	<1	2	2	3	6	12
20-34	108	2.9	2	1	2	2	3	5	6	10
35-49	90	3.0	2	2	2	3	3	5	6	8
50-64	77	2.7	1	1	2	2	3	4	5	7
65+	22	4.0	13	2	2	3	4	7	13	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	691	3.6	14	<1	1	3	5	7	9	13
B. *Operated*	983	1.5	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	1450	4.7	15	1	1	4	6	10	13	20
B. *Operated*	927	2.5	10	<1	<1	2	3	4	6	11
1. SINGLE DX	1674	2.4	8	<1	<1	1	3	5	7	11
2. MULTIPLE DX	2377	3.8	14	<1	1	3	5	8	11	19
A. NOT OPERATED	2141	4.3	15	1	1	3	6	9	11	19
B. OPERATED	1910	2.0	6	<1	<1	1	2	3	5	10
TOTAL 0-19 YRS	3430	3.2	13	<1	<1	2	4	7	9	15
20-34	248	3.0	4	<1	<1	2	4	6	7	10
35-49	180	3.2	5	1	2	3	4	6	8	11
50-64	128	3.0	5	<1	1	2	3	5	7	13
65+	65	5.8	58	1	1	3	5	19	26	33
GRAND TOTAL	**4051**	**3.2**	**12**	**<1**	**<1**	**2**	**4**	**7**	**9**	**16**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	3.6	5	1	1	3	5	7	8	10
20-34	21	3.7	5	1	1	3	5	6	8	11
35-49	18	5.1	11	1	1	5	6	10	13	14
50-64	6	3.2	5	<1	<1	3	4	7	7	7
65+	6	3.8	4	<1	<1	4	5	6	6	6
B. *Operated*										
0-19 YRS	40	4.0	13	<1	<1	3	5	7	12	18
20-34	37	4.3	3	2	2	4	6	6	7	10
35-49	28	4.1	2	1	2	5	5	6	6	6
50-64	14	6.1	23	2	3	5	6	9	19	22
65+	6	4.0	10	2	2	3	5	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	159	5.2	13	1	1	4	7	10	12	18
20-34	28	5.1	11	1	1	4	7	10	13	14
35-49	18	7.4	37	2	2	5	11	18	21	21
50-64	7	5.3	5	3	3	5	7	9	9	9
65+	15	8.5	26	3	3	7	10	17	20	21
B. *Operated*										
0-19 YRS	72	3.3	10	1	1	2	4	8	10	16
20-34	44	3.1	2	1	2	3	4	5	6	7
35-49	28	3.3	4	1	2	3	4	5	9	10
50-64	34	4.2	7	2	2	3	5	7	9	15
65+	15	6.5	33	2	2	4	9	12	20	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	137	3.8	6	<1	1	3	5	7	8	12
B. *Operated*	125	4.3	9	<1	2	4	6	6	8	19
2. MULTIPLE DX										
A. *Not Operated*	227	5.6	16	1	2	5	7	11	14	20
B. *Operated*	193	3.7	9	1	1	3	4	7	10	16
1. SINGLE DX	262	4.1	7	<1	1	4	5	6	8	16
2. MULTIPLE DX	420	4.7	14	1	1	3	6	10	12	20
A. NOT OPERATED	364	4.9	13	1	1	4	6	9	12	20
B. OPERATED	318	3.9	9	1	1	3	5	6	10	17
TOTAL 0-19 YRS	357	4.3	11	1	1	3	6	8	11	17
20-34	130	4.0	5	1	2	3	5	7	8	13
35-49	92	4.7	13	1	2	4	5	8	13	21
50-64	61	4.7	11	2	2	4	6	8	9	21
65+	42	6.5	25	2	2	5	9	12	19	23
GRAND TOTAL	**682**	**4.5**	**11**	**1**	**1**	**3**	**6**	**8**	**11**	**18**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.9	6	<1	1	2	3	8	8	8
20-34	58	2.5	3	<1	1	2	3	5	5	10
35-49	63	3.5	6	<1	1	3	4	8	9	11
50-64	101	3.4	7	1	1	3	4	7	8	15
65+	116	4.6	13	1	1	3	6	9	14	17
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	7	2.7	1	2	2	2	4	4	4	4
35-49	13	4.5	6	2	3	4	5	7	11	12
50-64	12	5.0	14	2	2	4	5	10	15	16
65+	3	5.3	6	3	3	5	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	4.0	9	1	1	3	7	8	9	9
20-34	40	3.3	4	1	1	3	4	6	7	8
35-49	76	4.4	18	1	1	3	5	9	11	26
50-64	111	4.7	15	1	1	3	6	9	13	21
65+	318	6.9	36	2	2	5	9	14	19	32
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	6	4.3	3	2	2	4	6	7	7	7
50-64	16	8.0	14	3	4	7	11	13	15	16
65+	22	14.9	145	6	6	9	17	34	46	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	352	3.6	9	1	1	3	5	7	9	16
B. *Operated*	36	4.3	8	2	2	4	5	7	11	16
2. MULTIPLE DX										
A. *Not Operated*	557	5.8	28	1	2	4	7	12	16	28
B. *Operated*	47	10.4	92	2	3	8	12	19	32	48
1. SINGLE DX	388	3.7	9	1	1	3	5	7	9	16
2. MULTIPLE DX	604	6.2	35	1	2	4	8	13	17	31
A. NOT OPERATED	909	5.0	22	1	1	3	6	10	14	27
B OPERATED	83	7.8	64	2	2	5	8	16	21	47
TOTAL 0-19 YRS	28	3.3	7	1	1	2	4	8	8	9
20-34	107	2.8	3	<1	1	2	4	5	6	9
35-49	158	4.0	12	1	1	3	5	8	10	19
50-64	240	4.4	13	1	1	3	6	8	12	20
65+	459	6.7	40	1	2	5	8	14	18	33
GRAND TOTAL	**992**	**5.2**	**26**	**1**	**1**	**4**	**7**	**10**	**15**	**28**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	18.0		18	18	18	18	18	18	18
B. *Operated*										
0-19 YRS	8	2.1	1	1	1	2	2	4	4	4
20-34	49	2.8	2	1	2	2	3	~~4~~	5	9
35-49	91	2.8	1	1	2	3	3	4	5	7
50-64	52	3.5	16	2	2	3	3	5	7	30
65+	10	3.4	4	<1	<1	3	4	6	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	24	3.4	3	2	2	3	4	5	8	8
35-49	37	3.4	3	2	2	3	4	5	7	10
50-64	26	3.1	2	2	2	3	3	5	6	8
65+	9	2.6	1	2	2	2	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	18.0		18	18	18	18	18	18	18
B. *Operated*	210	3.0	5	1	2	3	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*	97	3.2	2	2	2	3	3	5	7	9
1. SINGLE DX	211	3.0	6	1	2	3	3	5	6	13
2. MULTIPLE DX	99	3.2	2	2	2	3	3	5	7	9
A. NOT OPERATED	3	7.3	86	1	1	3	14	18	18	18
B. OPERATED	307	3.1	4	1	2	3	3	5	6	9
TOTAL 0-19 YRS	9	2.2	1	1	1	2	3	4	4	4
20-34	74	2.9	2	2	2	3	3	4	6	9
35-49	129	3.0	2	1	2	3	3	5	5	8
50-64	78	3.4	11	2	2	3	3	5	7	24
65+	20	3.8	14	<1	1	3	4	6	13	18
GRAND TOTAL	**310**	**3.1**	**5**	**1**	**2**	**3**	**3**	**5**	**6**	**9**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	5.8	45	<1	1	4	6	16	23	24
20-34	17	1.6	2	<1	<1	<1	1	4	5	6
35-49	11	3.0	13	<1	<1	<1	4	8	13	13
50-64	7	2.6	4	<1	<1	1	5	5	5	5
65+	12	2.9	7	<1	<1	2	4	6	9	10
B. *Operated*										
0-19 YRS	103	2.3	1	1	1	2	3	3	4	8
20-34	149	2.5	2	1	1	2	3	4	5	8
35-49	100	2.6	1	1	2	2	3	4	4	7
50-64	74	2.6	1	1	2	2	3	4	5	6
65+	17	2.9	2	2	2	2	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.3	8	<1	<1	2	4	7	10	11
20-34	14	3.7	15	<1	<1	2	4	12	12	12
35-49	11	4.4	13	<1	<1	4	5	11	13	13
50-64	13	5.5	22	<1	<1	4	7	12	17	18
65+	22	8.1	75	1	1	5	9	21	27	35
B. *Operated*										
0-19 YRS	143	2.3	3	1	1	2	3	4	6	9
20-34	163	2.6	1	1	2	2	3	4	5	7
35-49	123	3.2	11	2	2	3	3	4	6	21
50-64	90	2.8	3	1	2	2	3	5	6	11
65+	21	4.7	36	2	2	3	4	12	22	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	3.1	14	<1	<1	1	4	6	11	23
B. *Operated*	443	2.5	1	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	72	5.4	36	<1	<1	3	6	12	20	32
B. *Operated*	540	2.8	6	1	1	2	3	4	6	12
1. SINGLE DX	501	2.6	3	<1	1	2	3	4	5	9
2. MULTIPLE DX	612	3.1	10	1	1	2	3	5	7	19
A. NOT OPERATED	130	4.4	27	<1	<1	3	5	11	13	26
B. OPERATED	983	2.7	4	1	1	2	3	4	5	9
TOTAL 0-19 YRS	269	2.5	5	1	1	2	3	4	6	11
20-34	343	2.5	2	1	1	2	3	4	5	9
35-49	245	3.0	7	1	2	3	3	4	5	13
50-64	184	2.9	4	1	2	2	3	5	6	12
65+	72	5.0	39	1	2	3	5	10	20	33
GRAND TOTAL	**1113**	**2.9**	**7**	**1**	**1**	**2**	**3**	**4**	**6**	**13**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	8.3	71	1	1	5	13	22	23	23
20-34	7	8.4	16	3	3	10	11	13	14	14
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	2	12.5	25	9	9	12	16	16	16	16
65+										
B. *Operated*										
0-19 YRS										
20-34	2	19.0	50	14	14	19	24	24	24	24
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	19.3	446	4	4	11	33	50	50	50
20-34	2	7.5	1	7	7	7	8	8	8	8
35-49	3	16.7	190	1	1	22	26	27	27	27
50-64	5	7.4	11	2	2	8	9	11	11	11
65+	3	11.3	12	8	8	11	14	15	15	15
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	8.3	39	1	2	7	11	18	22	23
B. *Operated*	2	19.0	50	14	14	19	24	24	24	24
2. MULTIPLE DX										
A. *Not Operated*	17	12.5	138	1	2	8	15	26	42	50
B. *Operated*	2	2.5	1	2	2	2	3	3	3	3
1. SINGLE DX	21	9.3	48	2	2	7	14	21	23	24
2. MULTIPLE DX	19	11.5	133	1	2	8	14	25	40	50
A. NOT OPERATED	36	10.3	88	1	2	8	13	22	26	50
B. OPERATED	4	10.8	108	2	2	8	19	24	24	24
TOTAL 0-19 YRS	12	11.9	196	1	2	6	18	31	47	50
20-34	11	10.2	34	3	4	10	13	18	24	24
35-49	5	11.4	147	1	1	4	23	27	27	27
50-64	8	8.1	20	2	2	8	10	14	16	16
65+	4	9.0	30	2	2	9	13	15	15	15
GRAND TOTAL	**40**	**10.3**	**87**	**1**	**2**	**8**	**14**	**22**	**25**	**50**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	6.0		6	6	6	6	6	6	6
50-64	3	4.3	17	1	1	3	7	9	9	9
65+	3	17.0	259	4	4	12	29	35	35	35
B. *Operated*										
0-19 YRS										
20-34	7	6.3	19	<1	<1	9	10	11	11	11
35-49	18	4.7	19	1	1	3	9	12	14	15
50-64	17	4.4	12	1	1	3	6	11	11	11
65+	9	11.0	220	<1	<1	2	17	34	46	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	15	3.7	5	<1	1	3	5	7	8	8
35-49	11	9.9	118	<1	1	5	11	30	34	34
50-64	53	8.8	53	2	3	7	11	20	25	33
65+	73	10.2	57	2	3	8	12	20	28	35
B. *Operated*										
0-19 YRS										
20-34	20	7.9	43	<1	1	7	11	16	21	25
35-49	38	9.6	46	1	2	9	13	17	21	32
50-64	96	10.3	85	1	2	10	15	23	27	43
65+	44	12.8	201	1	2	10	16	30	40	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	7.5	107	1	1	3	9	23	35	35
B. *Operated*	51	5.9	54	1	1	3	9	12	17	46
2. MULTIPLE DX										
A. *Not Operated*	152	9.0	57	1	2	7	11	19	27	34
B. *Operated*	198	10.5	99	1	2	9	15	22	28	46
1. SINGLE DX	61	6.2	61	1	1	3	9	12	17	45
2. MULTIPLE DX	350	9.8	81	1	2	8	13	21	28	39
A. NOT OPERATED	162	8.9	60	1	2	7	11	19	27	35
B. OPERATED	249	9.6	93	1	1	8	13	20	25	46
TOTAL 0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	43	6.0	28	<1	1	4	10	12	16	25
35-49	68	8.3	53	1	1	8	12	16	22	34
50-64	169	9.1	69	1	2	7	12	22	25	35
65+	129	11.3	120	1	2	9	14	23	35	52
GRAND TOTAL	**411**	**9.3**	**80**	**1**	**2**	**7**	**12**	**20**	**27**	**40**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3	12	1	1	4	7	8	8	8
20-34	30	5.2	12	1	1	4	8	10	11	13
35-49	75	4.8	16	1	1	4	7	9	11	24
50-64	155	4.7	11	1	2	4	6	9	12	16
65+	211	6.0	57	1	2	5	7	11	15	25
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	9	4.2	13	<1	<1	3	7	10	10	10
35-49	10	5.9	44	<1	<1	4	7	16	23	23
50-64	7	3.9	11	1	1	2	7	9	9	9
65+	9	7.1	45	1	1	6	8	19	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	7.1	33	<1	1	5	11	14	19	21
20-34	51	4.4	12	<1	1	3	6	8	11	20
35-49	195	6.8	32	1	2	6	9	12	15	37
50-64	465	6.6	29	2	2	5	8	13	17	29
65+	1028	8.6	71	2	2	6	10	16	24	44
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	10	9.6	68	3	4	7	9	24	30	30
35-49	21	12.7	111	<1	1	11	16	28	38	40
50-64	52	11.5	104	1	2	9	12	23	34	53
65+	73	15.5	209	1	3	13	18	33	46	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	474	5.3	32	1	2	4	7	10	13	20
B. *Operated*	36	5.3	28	<1	<1	4	7	10	20	23
2. MULTIPLE DX										
A. *Not Operated*	1755	7.8	55	2	2	6	9	15	20	40
B. *Operated*	158	13.2	154	1	2	10	17	30	41	64
1. SINGLE DX	510	5.3	32	1	1	4	7	10	13	22
2. MULTIPLE DX	1913	8.2	65	1	2	6	10	16	22	43
A. NOT OPERATED	2229	7.2	51	1	2	5	9	14	18	38
B. OPERATED	194	11.8	140	1	1	9	15	23	36	60
TOTAL 0-19 YRS	22	6.1	28	<1	1	4	8	14	17	21
20-34	100	5.2	19	<1	1	4	7	10	12	25
35-49	301	6.7	37	1	1	5	8	13	16	37
50-64	679	6.5	33	1	2	5	8	12	17	31
65+	1321	8.6	80	2	2	6	10	16	23	46
GRAND TOTAL	**2423**	**7.6**	**60**	**1**	**2**	**5**	**9**	**15**	**20**	**42**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	7.5	5	6	6	7	9	9	9	9
35-49										
50-64	4	3.5	6	2	2	3	5	7	7	7
65+	21	8.0	33	1	2	6	10	17	20	22
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	11.0		11	11	11	11	11	11	11
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49	9	6.3	1	5	5	7	7	8	8	8
50-64	43	7.1	32	2	2	6	9	15	21	25
65+	211	11.3	87	3	4	9	14	23	27	52
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	8.0	31	3	3	6	11	16	16	16
50-64	7	13.4	224	1	1	7	18	39	44	44
65+	13	27.5	263	7	9	24	45	49	54	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	7.3	29	2	2	6	9	17	19	22
B. *Operated*	2	9.5	5	8	8	9	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	264	10.4	77	2	3	8	13	22	26	51
B. *Operated*	24	20.2	270	2	3	15	30	46	49	55
1. SINGLE DX	29	7.4	27	2	2	6	9	16	18	22
2. MULTIPLE DX	288	11.2	100	2	3	8	13	23	28	52
A. NOT OPERATED	291	10.1	74	2	3	7	12	21	26	51
B. OPERATED	26	19.3	257	2	3	14	26	46	49	55
TOTAL 0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	7.5	5	6	6	7	9	9	9	9
35-49	13	6.8	9	3	4	7	7	10	15	16
50-64	55	7.7	56	2	2	6	10	18	22	43
65+	246	11.8	105	2	4	9	15	24	32	53
GRAND TOTAL	**317**	**10.9**	**94**	**2**	**3**	**8**	**13**	**23**	**27**	**52**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	35.0		35	35	35	35	35	35	35
35-49	3	4.3	4	2	2	5	6	6	6	6
50-64	2	4.0	2	3	3	4	5	5	5	5
65+	4	7.8	11	4	4	8	10	11	11	11
B. *Operated*										
0-19 YRS										
20-34	6	12.2	107	4	4	9	14	30	32	32
35-49	7	7.1	37	1	1	5	12	15	16	16
50-64	6	8.5	36	2	2	8	10	18	19	19
65+	5	7.8	12	3	3	8	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	6	8.3	46	1	1	7	11	19	20	20
35-49	10	8.5	39	1	1	7	14	17	18	18
50-64	22	9.3	47	2	3	7	14	18	23	29
65+	68	10.2	74	1	2	8	13	26	28	89
B. *Operated*										
0-19 YRS	5	16.0	182	1	1	19	27	31	31	31
20-34	9	12.3	79	1	2	8	20	24	25	25
35-49	18	11.8	57	1	2	11	17	22	23	23
50-64	36	14.3	73	2	4	14	21	26	26	37
65+	37	15.6	163	1	2	12	21	33	41	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	8.3	86	2	3	5	9	21	34	35
B. *Operated*	24	8.9	47	1	2	8	12	16	23	32
2. MULTIPLE DX										
A. *Not Operated*	107	9.7	63	1	2	7	13	21	27	66
B. *Operated*	105	14.2	105	1	2	13	20	26	32	51
1. SINGLE DX	35	8.7	57	2	2	6	11	16	29	35
2. MULTIPLE DX	212	11.9	89	1	2	9	18	24	27	50
A. NOT OPERATED	118	9.6	64	1	2	7	13	21	27	59
B. OPERATED	129	13.2	98	1	2	12	20	25	31	47
TOTAL 0-19 YRS	7	12.4	159	1	1	4	24	30	31	31
20-34	22	12.2	96	1	2	9	20	27	33	35
35-49	38	9.5	48	1	2	8	16	20	22	23
50-64	66	11.8	65	2	3	10	18	24	26	36
65+	114	11.8	104	1	2	9	16	27	36	75
GRAND TOTAL	**247**	**11.5**	**85**	**1**	**2**	**9**	**17**	**24**	**28**	**43**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	10.7	4	9	9	10	12	13	13	13
20-34	21	11.4	19	5	7	11	13	18	20	21
35-49	197	11.6	21	4	7	11	14	16	20	27
50-64	444	11.9	20	4	7	12	14	18	20	26
65+	450	12.8	32	5	7	12	15	20	22	32
B. *Operated*										
0-19 YRS										
20-34	2	8.0	98	1	1	8	15	15	15	15
35-49	12	9.5	35	1	2	11	13	17	17	17
50-64	26	11.7	31	1	2	13	15	16	20	27
65+	17	15.9	41	10	11	14	17	29	32	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	11.7	14	9	9	10	14	16	16	16
20-34	24	10.9	20	3	6	11	13	17	19	20
35-49	328	11.9	33	3	6	12	14	18	19	40
50-64	1045	13.2	45	6	8	12	15	19	23	35
65+	1817	15.1	85	6	7	13	17	25	30	56
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	12	9.3	13	2	3	10	11	13	15	15
35-49	96	12.4	48	1	3	12	16	20	26	33
50-64	231	16.9	99	6	8	15	20	29	36	57
65+	259	21.6	188	8	10	19	25	38	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1115	12.2	25	4	7	12	14	19	21	29
B. *Operated*	57	12.4	41	1	2	13	15	18	25	32
2. MULTIPLE DX										
A. *Not Operated*	3217	14.1	67	5	7	13	16	22	27	47
B. *Operated*	599	18.0	140	4	8	15	22	31	40	81
1. SINGLE DX	1172	12.2	26	4	7	12	14	19	21	29
2. MULTIPLE DX	3816	14.7	81	5	7	13	17	24	30	56
A. NOT OPERATED	4332	13.6	57	5	7	12	16	21	26	43
B. OPERATED	656	17.5	134	3	8	15	21	30	39	81
TOTAL 0-19 YRS	7	11.6	8	9	9	10	14	16	16	16
20-34	59	10.6	20	2	5	10	13	16	19	21
35-49	633	11.8	32	3	6	11	14	18	20	31
50-64	1746	13.3	48	5	7	12	15	20	24	36
65+	2543	15.3	91	6	8	13	18	25	31	60
GRAND TOTAL	**4988**	**14.1**	**69**	**5**	**7**	**13**	**16**	**22**	**28**	**50**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	3.2	5	1	1	2	5	6	6	6
35-49	76	4.0	28	1	1	3	4	7	9	35
50-64	177	4.4	11	1	1	3	5	9	12	17
65+	273	5.2	21	1	2	4	6	10	16	23
B. *Operated*										
0-19 YRS										
20-34	2	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	22	2.2	7	<1	<1	<1	2	5	10	11
50-64	32	2.3	8	<1	<1	<1	2	8	9	13
65+	6	3.2	16	<1	<1	1	4	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.7	12	2	2	6	8	9	9	9
20-34	8	2.8	5	<1	<1	2	4	6	7	7
35-49	184	4.9	18	1	1	4	6	11	14	22
50-64	613	5.8	25	1	2	4	7	11	15	25
65+	1242	7.0	36	2	2	5	9	14	18	29
B. *Operated*										
0-19 YRS										
20-34	4	2.3	2	<1	<1	2	3	4	4	4
35-49	240	4.9	18	<1	<1	3	8	11	13	17
50-64	711	5.3	34	<1	<1	3	9	11	14	29
65+	394	8.1	69	<1	<1	4	11	17	22	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	532	4.7	19	1	1	3	6	9	13	22
B. *Operated*	62	2.3	8	<1	<1	<1	2	8	10	13
2. MULTIPLE DX										
A. *Not Operated*	2050	6.5	31	1	2	5	8	13	17	26
B. *Operated*	1349	6.0	43	<1	<1	3	10	13	16	31
1. SINGLE DX	594	4.5	18	<1	1	3	6	9	12	21
2. MULTIPLE DX	3399	6.3	36	<1	1	4	9	13	17	28
A. NOT OPERATED	2582	6.1	29	1	2	5	8	12	17	26
B. OPERATED	1411	5.9	42	<1	<1	3	9	13	16	30
TOTAL 0-19 YRS	4	4.8	12	2	2	4	7	9	9	9
20-34	19	2.6	4	<1	<1	2	4	6	7	7
35-49	522	4.7	19	<1	<1	3	6	11	13	23
50-64	1533	5.3	28	<1	<1	3	7	11	14	25
65+	1915	7.0	41	1	2	5	9	14	19	29
GRAND TOTAL	**3993**	**6.0**	**34**	**<1**	**1**	**4**	**8**	**12**	**16**	**27**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	4.4	5	2	2	5	6	7	7	7
20-34	3	10.0	21	6	6	9	13	15	15	15
35-49	75	6.1	13	2	2	5	8	12	13	16
50-64	195	6.3	17	2	2	5	9	12	14	20
65+	270	8.1	33	2	3	7	11	14	17	23
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	12.7	16	9	9	12	16	17	17	17
50-64	7	12.3	43	7	7	9	17	23	24	24
65+	5	6.6	17	1	1	7	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	16.5	13	14	14	16	19	19	19	19
20-34	6	5.5	5	2	2	6	7	8	8	8
35-49	166	7.5	30	2	2	7	10	12	16	29
50-64	688	7.4	25	2	3	7	10	13	17	25
65+	1380	9.2	55	2	3	7	11	17	21	38
B. *Operated*										
0-19 YRS										
20-34	2	7.0	32	3	3	7	11	11	11	11
35-49	51	10.8	45	<1	2	11	13	19	25	30
50-64	204	12.6	84	<1	3	10	17	25	31	39
65+	219	16.7	113	4	6	14	21	31	38	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	548	7.2	25	2	2	6	10	13	15	22
B. *Operated*	15	10.5	34	2	4	9	13	18	22	24
2. MULTIPLE DX										
A. *Not Operated*	2242	8.5	44	2	3	7	11	16	20	35
B. *Operated*	476	14.3	98	2	4	12	18	28	33	48
1. SINGLE DX	563	7.2	25	2	2	6	10	13	15	23
2. MULTIPLE DX	2718	9.5	58	2	3	8	12	18	23	39
A. NOT OPERATED	2790	8.2	41	2	3	7	10	15	19	32
B. OPERATED	491	14.2	97	2	4	12	18	27	33	48
TOTAL 0-19 YRS	7	7.9	40	2	2	6	12	18	19	19
20-34	11	7.0	14	2	3	7	9	13	15	15
35-49	295	7.8	30	2	2	7	11	13	18	29
50-64	1094	8.2	39	2	2	7	10	15	20	34
65+	1874	9.9	65	2	3	8	12	18	24	42
GRAND TOTAL	**3281**	**9.1**	**53**	**2**	**3**	**7**	**11**	**17**	**22**	**37**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	50	4.6	11	1	1	4	6	10	12	14
50-64	128	6.2	18	1	2	5	8	13	15	19
65+	219	7.7	63	1	2	6	9	15	20	40
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	134	3.4	12	<1	<1	2	3	9	10	14
50-64	381	3.9	17	<1	<1	2	5	10	11	16
65+	155	5.6	48	<1	1	2	10	15	22	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	12.5	216	1	1	7	21	34	34	34
20-34	5	7.2	43	1	1	5	13	16	16	16
35-49	147	5.5	17	<1	1	5	8	11	14	17
50-64	613	7.1	43	1	2	5	9	15	18	30
65+	1344	9.6	97	2	3	7	11	20	26	71
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	26	2.9	4	<1	<1	2	3	6	8	9
35-49	367	5.2	33	<1	1	2	8	13	17	28
50-64	1213	6.1	55	<1	1	2	10	15	18	33
65+	588	7.6	77	1	1	3	12	19	25	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	399	6.8	43	1	2	5	8	14	17	32
B. *Operated*	673	4.2	24	<1	<1	2	6	11	13	24
2. MULTIPLE DX										
A. *Not Operated*	2113	8.6	78	1	2	6	11	17	23	55
B. *Operated*	2195	6.3	57	<1	1	3	10	15	21	36
1. SINGLE DX	1072	5.2	32	<1	1	3	8	11	15	27
2. MULTIPLE DX	4308	7.5	69	1	1	5	10	16	22	48
A. NOT OPERATED	2512	8.3	73	1	2	6	10	16	23	53
B. OPERATED	2868	5.8	50	<1	1	2	9	14	19	32
TOTAL 0-19 YRS	7	7.7	144	1	1	2	8	29	34	34
20-34	34	3.5	11	<1	<1	3	4	8	11	16
35-49	698	4.9	24	<1	1	3	7	11	15	23
50-64	2335	6.0	45	<1	1	3	9	14	17	31
65+	2306	8.7	87	1	1	6	11	19	25	56
GRAND TOTAL	**5380**	**7.0**	**62**	**1**	**1**	**4**	**10**	**15**	**21**	**44**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	14.0		14	14	14	14	14	14	14
20-34	25	10.4	21	2	5	10	13	16	18	23
35-49	18	10.7	33	4	6	10	13	17	24	28
50-64	30	11.5	34	3	5	10	16	19	23	25
65+	34	11.9	35	3	6	11	16	20	22	27
B. *Operated*										
0-19 YRS										
20-34	2	7.5	61	2	2	7	13	13	13	13
35-49	9	11.0	5	9	9	11	12	15	16	16
50-64	10	12.9	16	8	8	12	17	19	20	20
65+	2	12.5	13	10	10	12	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	11.0	28	7	7	9	15	17	17	17
20-34	15	12.6	26	4	6	12	17	20	21	21
35-49	40	10.5	21	2	4	11	13	16	18	22
50-64	76	13.4	33	5	7	13	16	20	23	34
65+	132	16.7	116	5	7	14	20	29	38	56
B. *Operated*										
0-19 YRS										
20-34	11	17.3	96	9	10	14	19	33	42	43
35-49	9	17.4	21	9	11	16	21	23	24	24
50-64	22	16.4	65	7	10	14	20	29	36	37
65+	37	20.5	173	7	8	18	24	33	52	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	109	11.3	30	3	6	11	14	19	22	27
B. *Operated*	23	11.7	14	6	8	11	13	17	19	20
2. MULTIPLE DX										
A. *Not Operated*	266	14.5	77	5	7	13	17	22	32	49
B. *Operated*	79	18.6	115	8	9	16	21	33	36	63
1. SINGLE DX	132	11.4	27	3	6	11	14	18	20	27
2. MULTIPLE DX	345	15.4	88	5	7	13	19	24	33	51
A. NOT OPERATED	375	13.6	65	5	6	12	16	22	28	46
B. OPERATED	102	17.0	101	8	9	14	20	32	34	62
TOTAL 0-19 YRS	5	12.2	17	7	7	14	15	17	17	17
20-34	53	12.4	44	3	6	12	15	20	23	42
35-49	76	11.4	26	3	6	11	14	18	22	27
50-64	138	13.4	38	5	7	12	17	21	24	35
65+	205	16.5	117	5	7	14	20	29	34	62
GRAND TOTAL	**477**	**14.3**	**75**	**5**	**7**	**13**	**17**	**22**	**32**	**49**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	25.0		25	25	25	25	25	25	25
B. *Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+	1	19.0		19	19	19	19	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	28.7	411	2	2	35	45	49	49	49
20-34	1	18.0		18	18	18	18	18	18	18
35-49	5	24.2	138	13	13	26	31	41	41	41
50-64	5	43.4	135	30	30	48	53	55	55	55
65+	7	27.1	273	7	7	24	43	45	45	45
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	33.5	5	32	32	33	35	35	35	35
65+	2	47.0	2	46	46	47	48	48	48	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	25.0		25	25	25	25	25	25	25
B. *Operated*	2	11.0	128	3	3	11	19	19	19	19
2. MULTIPLE DX										
A. *Not Operated*	24	29.9	264	5	7	29	44	49	53	55
B. *Operated*	4	40.3	63	32	32	40	47	48	48	48
1. SINGLE DX	3	15.7	129	3	3	19	23	25	25	25
2. MULTIPLE DX	28	31.4	245	6	7	32	45	49	52	55
A. NOT OPERATED	25	29.7	254	5	7	29	43	49	53	55
B. OPERATED	6	30.5	292	3	5	33	46	48	48	48
TOTAL 0-19 YRS	6	28.7	411	2	2	35	45	49	49	49
20-34	2	10.5	113	3	3	10	18	18	18	18
35-49	5	24.2	138	13	13	26	31	41	41	41
50-64	7	40.6	114	30	30	35	51	54	55	55
65+	11	29.8	242	7	7	25	44	47	48	48
GRAND TOTAL	**31**	**29.9**	**252**	**3**	**6**	**30**	**44**	**49**	**52**	**55**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.1	9	<1	<1	2	5	8	10	10
20-34	19	2.7	4	<1	1	2	4	6	7	7
35-49	30	2.2	4	1	1	1	3	5	6	9
50-64	46	2.9	6	<1	1	2	4	5	8	14
65+	30	5.9	35	1	1	5	7	13	22	24
B. *Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	4.4	9	1	1	4	5	10	11	11
20-34	22	2.2	6	<1	<1	1	2	6	8	10
35-49	29	3.8	35	<1	<1	2	3	7	24	25
50-64	86	4.9	14	1	1	4	6	11	14	16
65+	130	6.5	50	1	1	5	9	12	14	45
B. *Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	12.5	1	12	12	12	13	13	13	13
50-64	6	4.7	5	2	2	4	5	9	9	9
65+	8	11.9	97	<1	1	13	16	27	31	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	137	3.4	14	1	1	2	5	7	10	22
B. *Operated*	5	3.4	8	<1	<1	3	5	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	279	5.3	34	1	1	4	7	11	14	25
B. *Operated*	17	8.9	58	1	2	5	13	16	26	31
1. SINGLE DX	142	3.4	13	1	1	2	5	7	10	22
2. MULTIPLE DX	296	5.5	35	1	1	4	7	12	14	28
A. NOT OPERATED	416	4.7	28	1	1	3	6	10	13	24
B. OPERATED	22	7.7	52	<1	1	4	12	15	23	31
TOTAL 0-19 YRS	24	3.8	9	<1	1	3	5	9	10	11
20-34	43	2.5	5	<1	<1	1	4	6	7	10
35-49	63	3.3	21	<1	1	2	3	7	12	25
50-64	139	4.2	12	1	1	3	5	9	13	15
65+	169	6.7	50	1	1	5	9	13	15	39
GRAND TOTAL	**438**	**4.8**	**29**	**1**	**1**	**3**	**6**	**11**	**14**	**24**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	34	2.1	4	<1	1	1	2	6	7	7
35-49	55	2.6	5	<1	<1	2	3	7	7	10
50-64	134	3.1	10	<1	1	2	4	7	10	16
65+	184	4.5	17	<1	1	4	5	7	11	27
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	2.5		2	2	2	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	6.0	18	3	3	6	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	26	2.6	4	<1	1	2	4	6	7	8
35-49	88	4.4	11	<1	1	3	7	9	12	13
50-64	336	5.6	28	1	1	4	8	12	15	25
65+	970	7.5	36	1	2	6	10	15	19	35
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34										
35-49	3	7.3	34	3	3	5	12	14	14	14
50-64	38	10.9	88	<1	1	10	16	23	29	41
65+	74	16.9	145	3	4	14	24	33	37	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	409	3.6	13	<1	1	3	5	7	10	19
B. *Operated*	7	3.3	7	1	1	3	3	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	1423	6.8	33	1	1	5	9	14	18	30
B. *Operated*	116	14.6	131	1	2	13	20	31	37	53
1. SINGLE DX	416	3.6	12	<1	1	3	5	7	10	19
2. MULTIPLE DX	1539	7.4	45	1	1	6	10	15	20	36
A. NOT OPERATED	1832	6.1	31	1	1	5	8	13	16	28
B. OPERATED	123	14.0	130	1	2	13	19	31	37	52
TOTAL 0-19 YRS	6	3.3	11	1	1	2	7	8	8	8
20-34	60	2.4	4	<1	1	2	3	6	7	8
35-49	150	3.7	10	<1	1	3	6	8	9	13
50-64	509	5.4	31	<1	1	3	7	13	16	26
65+	1230	7.6	46	1	2	6	10	16	21	37
GRAND TOTAL	**1955**	**6.6**	**40**	**1**	**1**	**5**	**9**	**14**	**19**	**34**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	3.2	8	<1	<1	2	5	7	9	12
20-34	55	3.0	10	<1	1	2	4	7	9	18
35-49	60	4.0	50	<1	1	2	5	7	10	50
50-64	103	3.7	8	<1	1	3	5	7	9	13
65+	161	5.6	26	1	1	4	7	13	17	23
B. *Operated*										
0-19 YRS	2	7.0	18	4	4	7	10	10	10	10
20-34	12	4.3	13	<1	<1	3	6	11	11	11
35-49	20	5.1	11	<1	1	4	8	10	11	12
50-64	28	6.0	15	<1	1	5	8	10	13	18
65+	88	6.3	21	2	3	5	8	11	16	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	5.5	75	1	1	3	6	10	12	50
20-34	66	3.5	21	1	1	2	4	6	9	30
35-49	172	5.0	21	1	1	4	7	10	14	23
50-64	372	5.7	32	1	1	4	7	11	15	32
65+	938	8.3	75	1	2	6	10	16	24	53
B. *Operated*										
0-19 YRS	7	23.3	1376	<1	<1	2	56	80	81	81
20-34	17	13.6	297	2	2	10	11	50	57	57
35-49	34	10.4	127	1	2	7	13	22	36	55
50-64	129	10.0	92	1	3	8	12	18	23	59
65+	478	12.0	115	3	4	9	15	24	33	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	406	4.4	23	<1	1	3	6	9	13	20
B. *Operated*	150	5.9	18	<1	2	5	8	11	13	24
2. MULTIPLE DX										
A. *Not Operated*	1580	7.1	59	1	2	5	9	14	20	42
B. *Operated*	665	11.7	129	2	3	8	14	23	35	68
1. SINGLE DX	556	4.8	22	<1	1	3	6	10	13	20
2. MULTIPLE DX	2245	8.4	84	1	2	6	10	17	25	55
A. NOT OPERATED	1986	6.5	53	1	1	4	8	13	19	39
B. OPERATED	815	10.6	113	2	3	7	13	22	29	63
TOTAL 0-19 YRS	68	6.5	196	<1	1	3	6	10	16	80
20-34	150	4.5	56	<1	1	2	5	10	11	57
35-49	286	5.4	42	1	1	3	7	11	15	34
50-64	632	6.3	43	1	1	5	8	12	15	40
65+	1665	9.0	83	2	2	6	11	18	26	52
GRAND TOTAL	**2801**	**7.7**	**74**	**1**	**1**	**5**	**9**	**16**	**23**	**49**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	8	5.5	8	2	2	5	8	9	9	9
50-64	69	7.2	37	2	2	5	10	14	16	37
65+	419	9.4	83	2	2	7	11	21	28	52
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	5	26.2	524	7	7	20	32	66	66	66
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	8.0	34	1	2	6	10	15	22	25
20-34	15	6.6	11	1	3	6	9	11	12	13
35-49	63	9.9	165	1	2	6	12	22	33	79
50-64	596	10.0	74	2	3	8	12	18	24	53
65+	3694	12.0	126	2	3	9	15	24	35	85
B. *Operated*										
0-19 YRS	2	10.5	181	1	1	10	20	20	20	20
20-34	3	7.7	114	<1	<1	2	15	20	20	20
35-49	9	17.6	159	3	3	15	25	36	43	43
50-64	59	18.7	274	2	4	15	26	45	99	99+
65+	235	22.2	245	5	7	18	31	48	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	497	9.0	76	2	2	7	11	18	27	47
B. *Operated*	5	26.2	524	7	7	20	32	66	66	66
2. MULTIPLE DX										
A. *Not Operated*	4399	11.6	119	2	3	9	14	23	33	78
B. *Operated*	308	21.2	249	3	6	18	29	48	68	99+
1. SINGLE DX	502	9.2	82	2	2	7	11	18	27	54
2. MULTIPLE DX	4707	12.3	133	2	3	9	15	25	38	91
A. NOT OPERATED	4896	11.4	115	2	3	8	14	23	33	77
B. OPERATED	313	21.2	252	4	6	18	29	48	67	99+
TOTAL 0-19 YRS	34	8.0	37	1	2	6	10	17	22	25
20-34	18	6.8	23	<1	1	6	10	12	17	20
35-49	80	10.3	155	1	2	6	12	24	34	72
50-64	724	10.4	93	2	3	8	13	20	28	64
65+	4353	12.3	135	2	3	9	15	25	39	95
GRAND TOTAL	**5209**	**12.0**	**129**	**2**	**3**	**9**	**15**	**25**	**36**	**85**

150: Miscellaneous diseases of heart
(415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	5.8	35	1	1	4	8	13	21	23
20-34	66	4.5	15	1	2	3	5	8	13	23
35-49	68	5.0	17	1	1	4	6	9	12	25
50-64	48	5.2	16	1	1	4	7	12	14	16
65+	38	6.9	49	1	2	5	7	17	24	34
B. *Operated*										
0-19 YRS	6	6.7	72	2	2	2	9	22	23	23
20-34	23	4.7	14	<1	<1	3	9	10	11	11
35-49	37	5.1	20	<1	1	3	9	11	13	17
50-64	55	4.7	42	<1	<1	2	4	14	23	96
65+	28	5.2	53	<1	<1	2	8	14	19	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	7.8	36	1	2	7	10	17	21	24
20-34	56	7.3	54	1	2	5	9	15	17	41
35-49	127	7.8	79	2	2	6	10	14	19	39
50-64	207	8.6	40	2	3	7	12	17	19	30
65+	302	11.7	129	2	3	8	16	24	37	99+
B. *Operated*										
0-19 YRS	9	7.9	74	1	1	2	12	22	26	26
20-34	24	15.7	416	1	1	9	17	39	65	91
35-49	62	10.4	73	<1	2	10	14	18	28	42
50-64	179	9.5	118	<1	1	6	14	21	28	44
65+	181	11.3	145	<1	1	7	17	29	40	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	233	5.2	23	1	1	4	6	10	15	26
B. *Operated*	149	5.0	35	<1	<1	2	9	12	16	33
2. MULTIPLE DX										
A. *Not Operated*	725	9.6	88	2	3	7	13	19	25	81
B. *Operated*	455	10.6	138	<1	1	7	15	25	34	54
1. SINGLE DX	382	5.1	27	<1	1	3	7	12	15	30
2. MULTIPLE DX	1180	10.0	107	1	2	7	14	21	29	57
A. NOT OPERATED	958	8.5	75	1	2	6	11	18	23	54
B. OPERATED	604	9.2	118	<1	1	5	13	23	31	52
TOTAL 0-19 YRS	61	7.3	43	1	1	4	9	17	23	26
20-34	169	7.1	96	<1	1	4	8	14	19	52
35-49	294	7.4	60	1	1	5	10	14	17	34
50-64	489	8.1	69	1	1	5	12	17	23	39
65+	549	10.9	128	1	2	7	15	25	36	99
GRAND TOTAL	**1562**	**8.8**	**92**	**1**	**1**	**6**	**12**	**19**	**26**	**54**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	7.5	1	7	7	7	8	8	8	8
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	4	15.3	10	13	13	14	40	99+	99+	99+
65+	52	16.5	303	3	4	12	22	30	38	90
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	17.0		17	17	17	17	17	17	17
50-64										
65+	2	35.5	761	16	16	35	55	55	55	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	7.5	1	7	7	7	8	8	8	8
B. *Operated*	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	56	16.4	282	3	4	12	22	31	71	99
B. *Operated*	3	29.3	494	16	16	17	45	55	55	55
1. SINGLE DX	3	8.0	1	7	7	8	9	9	9	9
2. MULTIPLE DX	59	17.1	292	3	4	13	22	31	72	99
A. NOT OPERATED	58	16.1	274	3	4	12	22	30	66	99
B. OPERATED	4	24.3	433	9	9	16	36	55	55	55
TOTAL 0-19 YRS										
20-34										
35-49	1	17.0		17	17	17	17	17	17	17
50-64	4	15.3	10	13	13	14	40	99+	99+	99+
65+	57	16.7	306	3	4	12	22	31	49	90
GRAND TOTAL	**62**	**16.6**	**282**	**3**	**4**	**12**	**22**	**31**	**67**	**99**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49	5	6.6	32	<1	<1	5	12	14	14	14
50-64	1	9.0		9	9	9	9	9	9	9
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	2	23.0	98	16	16	23	30	30	30	30
20-34	15	20.8	123	10	10	17	24	40	43	44
35-49	10	14.7	126	2	3	11	21	32	33	33
50-64	7	22.3	54	12	12	26	28	30	30	30
65+	3	24.7	54	19	19	22	30	33	33	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	16.0	200	6	6	16	26	26	26	26
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	17.5	1	17	17	17	18	18	18	18
65+	1	9.0		9	9	99+	99+	99+	99+	99+
B. *Operated*										
0-19 YRS										
20-34	6	20.2	126	6	7	21	22	37	39	39
35-49	19	32.3	172	11	16	38	43	47	50	51
50-64	26	30.3	278	11	12	31	43	90	99+	99+
65+	5	36.6	451	13	13	48	54	54	54	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	6.0	21	<1	1	5	9	13	14	14
B. *Operated*	37	19.9	106	5	7	19	27	33	39	44
2. MULTIPLE DX										
A. *Not Operated*	7	11.7	78	2	3	17	44	99+	99+	99+
B. *Operated*	56	30.4	243	9	12	31	43	55	89	99+
1. SINGLE DX	46	17.2	119	2	3	15	24	33	38	44
2. MULTIPLE DX	63	28.4	258	6	10	30	42	58	99+	99+
A. NOT OPERATED	16	8.5	51	1	2	8	17	78	99+	99+
B. OPERATED	93	26.2	214	6	10	24	38	48	58	99+
TOTAL 0-19 YRS	5	16.2	141	3	3	16	27	30	30	30
20-34	23	19.0	136	2	5	17	23	39	41	44
35-49	35	22.8	247	2	4	21	39	44	47	51
50-64	36	27.4	234	10	12	29	37	70	99+	99+
65+	10	27.3	346	7	8	27	54	99+	99+	99+
GRAND TOTAL	**109**	**23.6**	**229**	**3**	**6**	**21**	**37**	**49**	**73**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	82.0		82	82	82	82	82	82	82
35-49	2	61.5	2113	29	29	94	98	99+	99+	99+
50-64	2	41.5	113	34	34	41	49	49	49	49
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	5	57.6	842	29	29	65	94	99	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	5	57.6	842	29	29	65	94	99	99+	99+
A. NOT OPERATED										
B. OPERATED	5	57.6	842	29	29	65	94	99	99+	99+
TOTAL 0-19 YRS										
20-34	1	82.0		82	82	82	82	82	82	82
35-49	2	61.5	2113	29	29	94	98	99+	99+	99+
50-64	2	41.5	113	34	34	41	49	49	49	49
65+										
GRAND TOTAL	**5**	**57.6**	**842**	**29**	**29**	**65**	**94**	**99**	**99+**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	9.0		9	9	9	9	9	9	9
50-64	3	6.7	44	1	1	5	12	14	14	14
65+	7	22.1	433	2	3	17	28	58	64	64
B. *Operated*										
0-19 YRS	2	4.0	18	<1	<1	3	7	7	7	7
20-34	1	6.0		6	6	6	6	6	6	6
35-49	2	10.5	113	3	3	10	18	18	18	18
50-64	4	13.3	55	5	5	12	18	23	23	23
65+	12	9.7	22	3	4	9	14	16	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	7.5	5	6	6	7	9	9	9	9
20-34	1	5.0		5	5	5	5	5	5	5
35-49	2	43.0	1250	18	18	43	68	68	68	68
50-64	10	12.1	35	5	6	13	20	99+	99+	99+
65+	32	25.5	572	2	6	18	48	92	99+	99+
B. *Operated*										
0-19 YRS	4	17.3	160	7	7	15	27	33	33	33
20-34	5	16.8	270	3	3	13	22	45	45	45
35-49	5	10.6	76	5	5	8	13	26	26	26
50-64	18	27.3	409	5	6	22	42	58	71	75
65+	40	22.9	282	7	9	17	39	61	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	15.6	312	1	2	11	17	42	61	64
B. *Operated*	21	9.7	33	2	3	9	14	18	20	23
2. MULTIPLE DX										
A. *Not Operated*	47	22.2	485	4	6	16	44	94	99+	99+
B. *Operated*	72	22.4	299	6	6	17	35	54	78	99+
1. SINGLE DX	33	11.8	136	1	3	9	15	19	31	64
2. MULTIPLE DX	119	22.3	369	5	6	17	39	67	99+	99+
A. NOT OPERATED	59	20.9	451	2	5	15	36	89	99+	99+
B. OPERATED	93	19.5	266	4	6	15	28	45	72	99+
TOTAL 0-19 YRS	8	11.5	111	<1	2	7	15	30	33	33
20-34	8	12.3	195	3	3	7	14	36	45	45
35-49	10	16.9	375	3	4	9	18	47	68	68
50-64	35	19.6	288	4	5	16	27	60	91	99+
65+	91	22.0	376	4	6	16	39	63	99+	99+
GRAND TOTAL	**152**	**20.1**	**336**	**3**	**5**	**15**	**31**	**58**	**96**	**99+**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	16.0		16	16	16	16	16	16	16
35-49	1	14.0		14	14	14	14	14	14	14
50-64	4	28.3	47	22	22	27	34	36	36	36
65+	12	32.1	295	6	10	34	47	73	95	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	6	35.3	359	8	10	31	55	59	59	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	18	29.3	229	8	12	28	40	59	85	99+
B. *Operated*	6	35.3	359	8	10	31	55	59	59	59
1. SINGLE DX										
2. MULTIPLE DX	24	30.8	255	7	11	30	42	59	74	99+
A. NOT OPERATED	18	29.3	229	8	12	28	40	59	85	99+
B. OPERATED	6	35.3	359	8	10	31	55	59	59	59
TOTAL 0-19 YRS										
20-34	1	16.0		16	16	16	16	16	16	16
35-49	1	14.0		14	14	14	14	14	14	14
50-64	4	28.3	47	22	22	27	34	36	36	36
65+	18	33.2	299	6	9	33	48	63	85	99+
GRAND TOTAL	**24**	**30.8**	**255**	**7**	**11**	**30**	**42**	**59**	**74**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	1	4.0		4	4	4	4	4	4	4
50-64	3	9.0	31	3	3	10	13	14	14	14
65+	6	3.0	4	1	1	2	3	7	7	7
B. *Operated*										
0-19 YRS										
20-34	4	7.3	28	<1	<1	7	11	13	13	13
35-49	8	10.8	62	2	3	8	16	23	25	25
50-64	73	7.6	25	1	1	7	10	14	18	21
65+	72	6.7	32	<1	1	6	10	13	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	19.0		19	19	19	19	19	19	19
50-64	14	10.4	87	1	1	8	16	23	31	33
65+	30	10.6	126	1	2	8	15	17	33	58
B. *Operated*										
0-19 YRS										
20-34	2	7.0	50	2	2	7	12	12	12	12
35-49	14	10.3	57	<1	2	7	17	19	23	24
50-64	184	12.1	99	1	3	9	16	24	28	71
65+	300	11.6	68	1	2	10	16	23	29	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	5.1	16	1	1	3	7	12	14	14
B. *Operated*	157	7.3	30	<1	1	7	10	14	19	25
2. MULTIPLE DX										
A. *Not Operated*	45	10.8	110	1	1	8	15	19	33	58
B. *Operated*	500	11.7	79	1	2	10	16	23	28	45
1. SINGLE DX	168	7.2	30	1	1	7	10	14	18	25
2. MULTIPLE DX	545	11.6	81	1	2	9	16	23	28	51
A. NOT OPERATED	56	9.6	96	1	1	7	14	19	30	56
B. OPERATED	657	10.7	71	1	2	9	15	21	27	39
TOTAL 0-19 YRS										
20-34	7	7.1	22	<1	<1	7	11	13	13	13
35-49	24	10.5	56	1	2	7	17	19	24	25
50-64	274	10.8	81	1	2	9	14	21	27	58
65+	408	10.5	69	1	1	8	15	22	27	38
GRAND TOTAL	**713**	**10.6**	**73**	**1**	**2**	**9**	**15**	**21**	**27**	**39**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	16.5	145	8	8	16	25	25	25	25
65+	2	29.5	761	10	10	29	49	49	49	49
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	5.0	8	3	3	5	7	7	7	7
50-64	7	10.7	18	5	5	11	14	16	16	16
65+	11	14.9	244	3	3	10	13	43	53	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	4	23.0	358	8	8	17	37	49	49	49
B. *Operated*	20	12.5	145	3	3	10	13	25	44	54
1. SINGLE DX										
2. MULTIPLE DX	24	14.2	183	3	3	10	14	36	50	54
A. NOT OPERATED	4	23.0	358	8	8	17	37	49	49	49
B. OPERATED	20	12.5	145	3	3	10	13	25	44	54
TOTAL 0-19 YRS										
20-34										
35-49	2	5.0	8	3	3	5	7	7	7	7
50-64	9	12.0	38	5	5	11	15	21	25	25
65+	13	17.2	297	3	3	10	19	50	53	54
GRAND TOTAL	**24**	**14.2**	**183**	**3**	**3**	**10**	**14**	**36**	**50**	**54**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49	1	15.0		15	15	15	15	15	15	15
50-64	11	12.2	102	1	2	10	18	27	34	35
65+	39	9.4	78	2	3	7	10	21	28	46
B. *Operated*										
0-19 YRS										
20-34	4	11.0	50	3	3	10	16	20	20	20
35-49	6	13.3	99	3	3	11	22	27	28	28
50-64	3	6.0	28	2	2	4	10	12	12	12
65+	7	10.7	119	1	1	6	16	29	32	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	12.5	85	6	6	12	19	19	19	19
35-49	21	8.7	41	2	3	7	12	18	23	28
50-64	89	13.4	195	3	4	9	16	27	39	81
65+	299	19.6	310	4	5	13	28	52	75	99+
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	5	25.8	645	4	4	10	53	55	55	55
35-49	17	13.3	118	4	5	10	18	42	80	99+
50-64	48	18.1	325	4	5	10	27	40	68	99+
65+	77	18.6	241	5	6	13	24	48	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	10.1	80	1	3	7	13	21	28	46
B. *Operated*	20	10.9	80	1	2	8	16	25	30	32
2. MULTIPLE DX										
A. *Not Operated*	412	17.6	280	3	4	12	25	45	70	99+
B. *Operated*	148	18.0	264	4	6	12	23	48	66	99+
1. SINGLE DX	72	10.3	79	1	3	7	14	22	28	44
2. MULTIPLE DX	560	17.7	275	4	5	12	25	46	69	99+
A. NOT OPERATED	464	16.8	263	3	4	11	23	42	64	99+
B. OPERATED	168	17.2	247	4	5	12	22	44	59	99+
TOTAL 0-19 YRS	2	8.0	72	2	2	8	14	14	14	14
20-34	12	17.4	311	3	4	10	19	53	55	55
35-49	45	11.2	78	3	4	8	14	24	33	99+
50-64	151	14.7	230	3	4	9	18	35	40	96
65+	422	18.3	281	3	4	12	27	48	71	99+
GRAND TOTAL	**632**	**16.9**	**258**	**3**	**4**	**11**	**22**	**43**	**64**	**99+**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0	18	3	3	6	9	9	9	9
20-34	2	15.5	145	7	7	15	24	24	24	24
35-49	2	6.5	1	6	6	6	7	7	7	7
50-64	25	27.5	702	3	5	21	65	99+	99+	99+
65+	85	25.6	403	5	6	26	46	99+	99+	99+
B. *Operated*										
0-19 YRS										
20-34	1	24.0		24	24	24	24	24	24	24
35-49	6	29.2	439	6	8	24	56	92	99+	99+
50-64	7	23.4	472	3	6	19	49	91	99+	99+
65+	13	35.7	661	11	13	34	83	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	116	25.2	458	5	6	23	47	99+	99+	99+
B. *Operated*	27	30.6	527	6	11	25	64	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	143	26.2	472	5	6	24	52	99+	99+	99+
A. NOT OPERATED	116	25.2	458	5	6	23	47	99+	99+	99+
B. OPERATED	27	30.6	527	6	11	25	64	99+	99+	99+
TOTAL 0-19 YRS	2	6.0	18	3	3	6	9	9	9	9
20-34	3	18.3	96	7	7	24	24	24	24	24
35-49	8	23.5	423	6	6	19	53	83	99+	99+
50-64	32	26.6	638	3	5	21	64	99+	99+	99+
65+	98	27.0	442	5	7	26	49	99+	99+	99+
GRAND TOTAL	**143**	**26.2**	**472**	**5**	**6**	**24**	**52**	**99+**	**99+**	**99+**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	6	4.5	15	1	1	3	5	11	12	12
35-49	23	5.0	13	<1	1	4	8	10	12	13
50-64	66	4.4	18	1	1	3	5	9	12	25
65+	306	6.1	46	1	1	4	7	13	16	32
B. *Operated*										
0-19 YRS										
20-34	2	9.5	5	8	8	9	11	11	11	11
35-49	10	5.4	9	2	2	5	8	10	11	11
50-64	33	5.8	12	1	1	6	7	10	13	16
65+	39	5.5	24	1	1	4	8	12	17	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.5	14	1	1	2	6	9	9	9
20-34	3	6.0	31	1	1	5	10	12	12	12
35-49	30	5.9	23	1	1	4	7	13	14	22
50-64	195	6.4	30	1	1	5	8	13	17	32
65+	920	9.1	92	1	2	6	11	20	27	57
B. *Operated*										
0-19 YRS										
20-34	2	6.0	18	3	3	6	9	9	9	9
35-49	21	10.5	36	2	2	11	14	19	21	22
50-64	123	8.3	60	1	1	7	10	18	28	61
65+	188	12.0	151	1	2	9	15	25	32	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	404	5.7	40	1	1	4	7	12	15	30
B. *Operated*	84	5.7	17	1	1	5	8	11	13	20
2. MULTIPLE DX										
A. *Not Operated*	1152	8.5	81	1	2	6	10	18	26	55
B. *Operated*	334	10.5	112	1	2	8	13	22	29	76
1. SINGLE DX	488	5.7	36	1	1	4	7	12	15	29
2. MULTIPLE DX	1486	9.0	89	1	2	6	11	19	27	58
A. NOT OPERATED	1556	7.8	72	1	2	5	9	16	23	50
B. OPERATED	418	9.6	97	1	2	7	12	20	28	69
TOTAL 0-19 YRS	7	3.0	8	1	1	2	3	8	9	9
20-34	13	5.8	16	1	1	5	9	12	12	12
35-49	84	6.7	26	1	2	6	10	13	17	22
50-64	417	6.6	37	1	1	5	8	13	18	36
65+	1453	8.8	92	1	2	6	11	19	27	59
GRAND TOTAL	**1974**	**8.2**	**77**	**1**	**2**	**6**	**10**	**17**	**24**	**55**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	5	12.2	120	2	2	12	20	28	28	28
50-64	44	13.0	186	2	2	8	15	27	50	57
65+	222	16.2	349	2	3	10	22	53	98	99+
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49										
50-64	8	5.5	10	1	1	8	8	64	99+	99+
65+	10	8.7	80	1	1	6	19	54	96	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	11.4	22	6	6	10	16	18	18	18
35-49	24	13.0	394	2	2	6	13	55	89	99+
50-64	132	14.1	230	3	4	9	17	37	72	99+
65+	815	21.7	417	3	5	15	33	69	99+	99+
B. *Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	9	11.0	43	4	4	9	14	22	24	24
50-64	39	20.3	334	5	6	14	32	70	99+	99+
65+	71	28.7	580	6	8	22	55	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	272	15.6	318	2	3	9	22	49	94	99+
B. *Operated*	19	7.1	47	1	1	6	13	54	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	979	20.4	396	3	4	14	30	65	99	99+
B. *Operated*	120	24.5	483	5	7	17	44	89	99+	99+
1. SINGLE DX	291	15.0	304	2	2	9	21	49	94	99+
2. MULTIPLE DX	1099	20.8	406	3	4	14	31	69	99+	99+
A. NOT OPERATED	1251	19.3	382	3	4	13	27	59	96	99+
B. OPERATED	139	22.1	459	3	5	14	40	88	99+	99+
TOTAL 0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	10	10.5	21	6	6	8	15	17	18	18
35-49	38	12.4	268	2	2	7	13	36	71	99+
50-64	223	14.7	239	3	4	9	17	42	78	99+
65+	1118	20.9	420	3	4	14	32	71	99+	99+
GRAND TOTAL	**1390**	**19.6**	**390**	**3**	**4**	**13**	**28**	**64**	**99+**	**99+**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49	5	25.0	515	3	3	21	47	51	51	51
50-64	31	19.9	381	4	4	13	33	75	96	99+
65+	222	27.3	494	4	6	23	49	99+	99+	99+
B. *Operated*										
0-19 YRS										
20-34	1	19.0		19	19	19	19	19	19	19
35-49	2	86.5	1	86	86	86	87	87	87	87
50-64	8	27.8	661	5	7	20	33	71	86	86
65+	16	39.3	694	7	13	66	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	259	26.3	482	4	5	21	46	98	99+	99+
B. *Operated*	27	38.6	806	6	11	46	99+	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	286	27.4	523	4	5	23	51	99+	99+	99+
A. NOT OPERATED	259	26.3	482	4	5	21	46	98	99+	99+
B. OPERATED	27	38.6	806	6	11	46	99+	99+	99+	99+
TOTAL 0-19 YRS										
20-34	2	13.5	61	8	8	13	19	19	19	19
35-49	7	42.6	1244	3	3	46	77	87	87	87
50-64	39	21.5	432	4	5	17	33	75	92	99+
65+	238	28.1	513	4	6	24	55	99+	99+	99+
GRAND TOTAL	**286**	**27.4**	**523**	**4**	**5**	**23**	**51**	**99+**	**99+**	**99+**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	7.0		7	7	7	7	7	7	7
20-34	5	2.4	1	1	1	3	3	3	3	3
35-49	5	5.2	7	2	2	5	7	9	9	9
50-64	11	8.0	47	2	2	5	12	18	24	25
65+	67	10.6	279	1	2	6	9	33	72	99+
B. *Operated*										
0-19 YRS										
20-34	4	11.5	138	<1	<1	9	21	26	26	26
35-49	9	4.7	17	<1	<1	3	8	11	12	12
50-64	14	10.0	68	<1	1	8	12	25	28	29
65+	10	2.4	4	<1	<1	2	3	6	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.6	3	3	3	4	6	7	7	7
20-34	6	6.8	52	1	1	3	15	17	17	17
35-49	16	5.8	17	<1	1	5	9	11	13	14
50-64	68	10.1	127	1	2	7	12	26	45	99+
65+	360	14.1	220	2	3	10	19	46	99+	99+
B. *Operated*										
0-19 YRS	5	12.4	80	1	1	12	18	25	25	25
20-34										
35-49	13	8.3	66	<1	1	7	10	20	28	30
50-64	29	13.2	114	2	4	11	19	39	98	99+
65+	47	13.9	180	<1	1	12	22	77	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	90	9.4	218	1	2	5	9	21	65	99+
B. *Operated*	37	6.8	54	<1	<1	3	10	15	26	29
2. MULTIPLE DX										
A. *Not Operated*	455	13.0	199	2	3	9	17	41	82	99+
B. *Operated*	94	12.8	139	<1	2	11	19	46	99+	99+
1. SINGLE DX	127	8.7	171	<1	1	5	9	20	41	99+
2. MULTIPLE DX	549	13.0	189	2	2	9	18	42	96	99+
A. NOT OPERATED	545	12.4	204	2	2	8	15	40	75	99+
B. OPERATED	131	11.1	122	<1	1	9	17	28	87	99+
TOTAL 0-19 YRS	12	8.3	45	1	2	7	10	19	24	25
20-34	15	6.6	61	<1	1	3	12	17	24	26
35-49	43	6.3	31	<1	1	5	9	12	15	30
50-64	122	10.6	110	1	2	8	13	25	48	99+
65+	484	13.3	223	2	2	9	18	46	99+	99+
GRAND TOTAL	**676**	**12.2**	**188**	**1**	**2**	**8**	**16**	**39**	**76**	**99+**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	26.0	968	4	4	26	48	48	48	48
20-34										
35-49										
50-64	4	5.8	19	2	2	4	8	12	12	12
65+	18	16.2	475	2	3	11	22	97	99+	99+
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34										
35-49	7	8.6	21	4	4	9	11	15	16	16
50-64	47	5.9	39	<1	1	3	10	15	17	26
65+	50	6.6	44	1	1	3	12	16	20	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	10.0		10	10	10	10	10	10	10
35-49	2	5.5	5	4	4	5	7	7	7	7
50-64	19	11.8	407	2	3	8	10	13	57	94
65+	106	16.7	289	3	4	11	22	48	82	99+
B. *Operated*										
0-19 YRS										
20-34	2	7.0	32	3	3	7	11	11	11	11
35-49	41	10.6	151	<1	1	9	13	15	27	76
50-64	196	11.4	134	1	1	10	15	25	34	58
65+	270	15.5	248	1	2	12	21	35	76	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	15.3	422	2	3	10	16	89	99+	99+
B. *Operated*	105	6.5	40	1	1	4	11	15	18	26
2. MULTIPLE DX										
A. *Not Operated*	128	15.8	302	3	4	10	20	45	82	99+
B. *Operated*	509	13.5	199	1	1	11	17	30	52	99+
1. SINGLE DX	129	8.1	120	1	1	4	12	16	27	99+
2. MULTIPLE DX	637	13.9	220	1	2	11	17	32	60	99+
A. NOT OPERATED	152	15.7	318	3	3	10	20	47	94	99+
B. OPERATED	614	12.3	179	1	1	10	16	27	45	99+
TOTAL 0-19 YRS	3	21.3	549	4	4	12	39	48	48	48
20-34	3	8.0	19	3	3	10	11	11	11	11
35-49	50	10.1	127	<1	1	8	12	15	21	76
50-64	266	10.4	138	1	1	8	13	22	30	60
65+	444	14.8	251	1	2	11	20	39	78	99+
GRAND TOTAL	**766**	**13.0**	**208**	**1**	**1**	**10**	**16**	**30**	**54**	**99+**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	4.5	1	4	4	4	5	5	5	5
65+	13	5.8	24	1	[illegible]	4	7	11	18	20
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	12.0		12	12	12	12	12	12	12
50-64	19	12.6	18	5	8	12	15	19	21	21
65+	52	12.8	21	4	8	13	15	19	21	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	12	8.5	53	2	2	6	13	18	25	26
65+	51	7.1	31	2	2	5	10	16	19	23
B. *Operated*										
0-19 YRS										
20-34	2	12.0	18	9	9	12	15	15	15	15
35-49	4	14.5	24	9	9	14	18	21	21	21
50-64	121	14.7	63	6	8	13	16	23	28	74
65+	321	17.4	123	3	9	15	20	29	40	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	5.6	20	1	2	4	7	9	17	20
B. *Operated*	72	12.7	20	4	8	12	15	19	21	22
2. MULTIPLE DX										
A. *Not Operated*	63	7.4	35	2	2	5	10	16	20	26
B. *Operated*	448	16.6	107	3	9	14	19	27	36	65
1. SINGLE DX	87	11.5	27	3	4	12	15	19	21	22
2. MULTIPLE DX	511	15.5	107	3	4	14	19	26	33	65
A. NOT OPERATED	78	7.0	32	2	2	5	9	16	20	25
B. OPERATED	520	16.1	96	4	9	14	19	26	33	65
TOTAL 0-19 YRS										
20-34	2	12.0	18	9	9	12	15	15	15	15
35-49	5	14.0	20	9	9	14	16	21	21	21
50-64	154	13.8	59	3	6	13	16	22	26	63
65+	437	15.3	111	3	4	14	19	27	33	65
GRAND TOTAL	**598**	**14.9**	**97**	**3**	**4**	**13**	**18**	**25**	**31**	**64**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	4.5	13	2	2	4	7	7	7	7
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	21.0		21	21	21	21	21	21	21
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	5	9.8	9	5	5	11	12	12	12	12
65+	11	17.0	209	2	4	13	20	36	54	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	4.0	18	<1	<1	3	7	7	7	7
65+	3	2.3	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49	7	10.4	71	1	1	9	15	23	25	25
50-64	28	13.0	83	1	5	12	20	24	50	99+
65+	71	18.2	175	2	4	14	27	35	44	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	4.5	13	2	2	4	7	7	7	7
B. *Operated*	20	13.5	140	1	3	11	18	22	39	56
2. MULTIPLE DX										
A. *Not Operated*	5	3.0	7	<1	<1	2	5	7	7	7
B. *Operated*	107	16.3	149	1	3	12	22	33	44	78
1. SINGLE DX	22	12.6	134	1	2	10	17	22	36	56
2. MULTIPLE DX	112	15.7	150	1	2	12	21	33	44	76
A. NOT OPERATED	7	3.4	7	<1	<1	2	6	7	7	7
B. OPERATED	127	15.8	148	1	3	12	21	33	44	70
TOTAL 0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	16.0	50	11	11	16	21	21	21	21
35-49	9	8.9	64	1	1	8	12	22	25	25
50-64	35	12.0	73	1	4	11	14	22	40	99+
65+	87	17.2	180	2	2	13	25	34	45	60
GRAND TOTAL	**134**	**15.2**	**148**	**1**	**2**	**12**	**21**	**32**	**44**	**68**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	8.0	8	6	6	8	10	10	10	10
35-49	5	7.0	8	4	4	9	9	9	9	9
50-64	4	9.8	43	4	4	8	15	18	18	18
65+	9	9.3	40	2	2	9	12	19	22	22
B. *Operated*										
0-19 YRS										
20-34	5	8.8	19	4	4	8	12	15	15	15
35-49	40	7.4	25	2	2	6	10	15	17	21
50-64	105	8.3	42	1	2	8	12	16	20	29
65+	103	11.2	89	1	2	10	15	23	30	77
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	5	15.6	184	2	2	11	25	36	36	36
50-64	14	4.0	9	1	1	3	7	8	9	9
65+	29	10.6	208	2	2	7	11	23	79	99+
B. *Operated*										
0-19 YRS										
20-34	8	10.0	118	1	1	7	15	28	32	32
35-49	70	10.7	67	2	2	10	14	19	24	42
50-64	360	12.6	137	1	2	11	16	24	30	93
65+	498	15.5	176	1	2	13	20	33	44	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	8.7	27	2	3	9	11	16	20	22
B. *Operated*	253	9.3	60	1	2	8	13	20	24	40
2. MULTIPLE DX										
A. *Not Operated*	49	9.1	153	1	1	6	11	20	36	99+
B. *Operated*	936	14.0	155	1	2	12	17	28	39	99
1. SINGLE DX	273	9.3	57	1	2	8	13	19	23	39
2. MULTIPLE DX	985	13.7	155	1	2	11	17	28	39	99
A. NOT OPERATED	69	9.0	115	1	2	7	11	19	27	96
B. OPERATED	1189	13.0	138	1	2	11	16	26	35	93
TOTAL 0-19 YRS										
20-34	16	9.1	62	1	1	7	11	19	28	32
35-49	120	9.6	57	2	2	8	13	17	23	41
50-64	483	11.4	116	1	1	10	15	22	27	87
65+	639	14.5	164	1	2	12	18	30	43	99+
GRAND TOTAL	**1258**	**12.8**	**137**	**1**	**2**	**11**	**16**	**26**	**35**	**93**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	6.2	16	1	2	6	8	12	15	16
20-34	8	5.8	18	<1	<1	5	9	11	12	12
35-49	8	4.6	9	2	2	4	6	10	11	11
50-64	28	6.3	56	<1	1	4	7	14	25	34
65+	59	6.8	76	1	2	5	9	11	18	60
B. *Operated*										
0-19 YRS	3	4.3	10	2	2	3	7	8	8	8
20-34	15	6.5	29	<1	1	5	9	15	19	20
35-49	37	6.4	31	1	2	5	9	15	17	24
50-64	104	6.0	39	<1	<1	3	9	15	18	29
65+	99	9.3	130	<1	1	7	13	19	41	85
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	10.5	56	2	3	11	13	20	27	31
20-34	8	5.6	37	2	2	3	6	16	20	20
35-49	25	9.6	188	1	2	5	8	34	45	56
50-64	72	7.6	37	1	2	6	10	15	18	31
65+	162	10.9	160	1	2	7	13	30	46	99+
B. *Operated*										
0-19 YRS	2	10.5	41	6	6	10	15	15	15	15
20-34	21	10.1	96	1	2	7	12	20	34	45
35-49	48	15.0	357	1	2	8	18	35	55	89
50-64	186	11.3	168	<1	1	8	14	22	35	79
65+	266	16.6	281	1	2	12	24	41	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	125	6.4	52	1	2	5	8	11	16	41
B. *Operated*	258	7.3	74	<1	<1	5	10	16	20	56
2. MULTIPLE DX										
A. *Not Operated*	286	9.8	123	1	2	7	12	22	36	99+
B. *Operated*	523	14.3	245	1	1	10	19	35	50	99+
1. SINGLE DX	383	7.0	67	<1	1	5	9	15	19	52
2. MULTIPLE DX	809	12.7	206	1	2	8	17	31	46	99+
A. NOT OPERATED	411	8.7	104	1	2	6	11	18	31	89
B. OPERATED	781	12.0	199	<1	1	8	15	29	42	99+
TOTAL 0-19 YRS	46	8.0	37	2	2	7	12	15	17	31
20-34	52	7.7	57	<1	1	6	10	16	20	45
35-49	118	10.5	208	1	2	6	11	23	39	84
50-64	390	8.8	107	<1	1	6	12	18	26	55
65+	586	12.8	214	1	2	8	17	34	55	99+
GRAND TOTAL	**1192**	**10.9**	**168**	**1**	**1**	**7**	**14**	**26**	**40**	**99+**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	5.3	19	2	2	4	6	12	16	17
20-34	49	7.4	20	1	3	7	10	12	15	25
35-49	62	7.2	12	2	3	7	11	12	13	16
50-64	62	7.7	17	2	3	8	10	13	15	21
65+	96	9.6	51	2	3	8	12	17	21	41
B. *Operated*										
0-19 YRS	5	10.0	10	7	7	9	12	15	15	15
20-34	27	8.5	23	2	3	8	11	16	18	20
35-49	24	8.3	21	2	3	8	11	16	17	19
50-64	32	9.2	29	<1	2	9	12	16	18	24
65+	20	12.4	73	3	4	10	14	25	33	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	9.6	31	3	3	10	14	16	16	16
20-34	40	8.4	29	2	3	7	10	16	21	25
35-49	52	7.8	19	2	3	7	10	15	17	20
50-64	113	9.4	33	2	3	9	12	16	19	30
65+	216	11.9	96	3	4	10	15	22	27	53
B. *Operated*										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	21	13.1	175	2	3	10	14	29	49	55
35-49	35	12.0	59	2	3	11	14	23	31	35
50-64	51	12.1	52	2	4	11	15	23	28	31
65+	94	16.2	281	2	4	12	20	27	63	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	281	8.1	29	2	3	7	11	14	16	24
B. *Operated*	108	9.4	34	2	3	9	12	16	19	33
2. MULTIPLE DX										
A. *Not Operated*	426	10.4	65	3	3	9	13	19	24	39
B. *Operated*	202	14.1	174	2	4	11	16	24	34	82
1. SINGLE DX	389	8.5	31	2	3	8	11	15	17	25
2. MULTIPLE DX	628	11.6	103	2	3	10	14	21	26	70
A. NOT OPERATED	707	9.5	52	2	3	8	12	17	21	36
B. OPERATED	310	12.5	130	2	3	10	14	22	28	76
TOTAL 0-19 YRS	23	7.9	28	2	2	6	11	16	18	19
20-34	137	8.8	49	1	3	8	11	15	20	45
35-49	173	8.5	28	2	3	8	11	14	17	31
50-64	258	9.5	34	2	3	9	12	16	21	28
65+	426	12.4	130	3	4	10	15	22	28	75
GRAND TOTAL	**1017**	**10.4**	**78**	**2**	**3**	**9**	**13**	**19**	**24**	**43**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	10	6.1	39	<1	<1	5	6	16	21	21
50-64	28	13.5	106	2	3	10	21	29	36	41
65+	54	19.8	321	2	4	17	25	44	60	99+
B. *Operated*										
0-19 YRS	9	3.3	2	<1	1	3	4	5	6	6
20-34	274	4.0	5	2	2	4	5	6	7	11
35-49	511	4.2	5	2	2	4	5	7	8	12
50-64	374	5.3	48	2	2	4	6	8	11	27
65+	90	7.0	57	2	2	5	7	14	23	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	5	8.2	39	3	3	4	15	15	15	15
35-49	20	8.5	81	<1	<1	6	11	18	29	39
50-64	51	16.1	195	3	3	11	20	38	43	65
65+	166	21.1	329	2	4	15	29	48	68	99
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	63	4.7	19	1	2	4	5	7	12	29
35-49	167	6.7	63	2	3	4	6	11	21	44
50-64	202	8.5	96	2	3	5	8	18	33	49
65+	130	16.9	317	2	3	9	26	49	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	95	16.1	240	1	3	13	21	36	50	99
B. *Operated*	1258	4.7	22	2	2	4	5	7	9	24
2. MULTIPLE DX										
A. *Not Operated*	243	18.7	289	2	4	13	24	42	61	97
B. *Operated*	563	9.5	146	2	3	5	8	26	41	72
1. SINGLE DX	1353	5.5	46	2	2	4	5	8	14	41
2. MULTIPLE DX	806	12.3	206	2	3	6	15	33	46	80
A. NOT OPERATED	338	18.0	275	2	3	13	23	41	57	98
B. OPERATED	1821	6.2	65	2	2	4	6	10	20	50
TOTAL 0-19 YRS	12	4.5	12	<1	1	4	5	9	13	14
20-34	344	4.2	8	2	2	4	5	6	8	16
35-49	708	4.9	22	2	2	4	5	8	11	30
50-64	655	7.5	87	2	2	5	7	15	24	51
65+	440	16.8	295	2	3	11	23	42	59	99+
GRAND TOTAL	**2159**	**8.0**	**117**	**2**	**2**	**4**	**7**	**18**	**32**	**63**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	45	2.8	4	<1	<1	2	4	7	7	8
35-49	38	2.4	3	<1	<1	2	4	5	5	8
50-64	31	3.0	6	<1	<1	2	4	6	8	11
65+	22	4.6	10	<1	1	4	7	9	10	11
B. *Operated*										
0-19 YRS	5	4.6	15	<1	<1	4	6	11	11	11
20-34	289	5.2	16	2	3	5	6	7	8	12
35-49	398	5.2	5	2	3	5	6	7	9	13
50-64	221	5.3	7	2	3	5	6	8	10	13
65+	87	5.6	7	2	3	5	7	10	11	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	33	4.6	21	<1	1	3	6	11	15	20
35-49	32	2.9	4	<1	<1	3	3	6	7	8
50-64	44	3.7	7	<1	<1	3	6	7	8	9
65+	79	7.2	70	1	2	6	8	12	14	58
B. *Operated*										
0-19 YRS	5	5.8	6	2	2	7	7	8	8	8
20-34	247	5.2	5	2	3	5	6	8	9	13
35-49	478	5.4	7	2	3	5	6	8	10	14
50-64	372	6.3	15	3	3	5	7	10	13	22
65+	172	8.5	33	3	4	7	11	15	19	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	138	3.0	6	<1	<1	2	4	7	8	11
B. *Operated*	1000	5.2	9	2	3	5	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	190	5.1	38	<1	1	4	7	10	12	26
B. *Operated*	1274	6.0	14	2	3	5	7	10	12	20
1. SINGLE DX	1138	5.0	9	1	2	5	6	8	9	12
2. MULTIPLE DX	1464	5.9	17	2	3	5	7	10	12	20
A. NOT OPERATED	328	4.2	25	<1	<1	3	6	8	11	16
B. OPERATED	2274	5.7	12	2	3	5	7	9	11	19
TOTAL 0-19 YRS	14	4.3	9	<1	<1	4	7	8	10	11
20-34	614	5.0	11	1	2	5	6	8	9	13
35-49	946	5.1	6	2	3	5	6	8	9	13
50-64	668	5.6	12	1	3	5	7	9	10	19
65+	360	7.3	35	2	2	6	9	13	16	26
GRAND TOTAL	**2602**	**5.5**	**14**	**2**	**2**	**5**	**7**	**9**	**11**	**18**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.4	10	<1	<1	2	6	8	8	8
20-34	65	6.3	22	<1	1	5	9	10	14	25
35-49	56	6.9	13	<1	2	7	10	12	13	14
50-64	62	8.8	24	3	3	8	11	14	18	27
65+	114	9.5	65	1	2	8	11	17	21	51
B. *Operated*										
0-19 YRS	32	3.1	9	1	1	2	3	8	10	14
20-34	95	5.3	24	1	1	3	8	12	14	27
35-49	45	7.3	29	1	2	6	10	14	15	29
50-64	34	9.1	27	1	3	9	11	14	19	25
65+	47	9.9	75	1	2	9	11	18	22	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	5.2	14	1	2	4	7	9	12	18
20-34	42	7.0	24	1	1	6	10	15	17	19
35-49	74	8.5	45	1	2	7	12	15	18	36
50-64	150	9.8	67	2	3	8	11	19	28	42
65+	419	10.5	69	2	3	9	13	20	25	47
B. *Operated*										
0-19 YRS	12	5.8	56	<1	1	3	5	19	24	25
20-34	75	7.5	70	1	2	5	10	17	23	46
35-49	64	10.5	145	1	2	7	11	25	34	67
50-64	116	14.7	123	3	4	11	18	30	37	56
65+	150	18.1	239	5	6	13	23	35	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	305	8.0	38	1	2	7	10	14	18	27
B. *Operated*	253	6.7	38	1	1	5	10	14	17	29
2. MULTIPLE DX										
A. *Not Operated*	711	9.7	63	2	3	8	12	18	24	43
B. *Operated*	417	13.7	173	2	2	10	17	30	37	79
1. SINGLE DX	558	7.4	38	1	2	7	10	14	17	28
2. MULTIPLE DX	1128	11.2	107	2	3	9	14	23	33	57
A. NOT OPERATED	1016	9.2	56	1	2	8	11	17	22	42
B. OPERATED	670	11.1	133	1	2	9	14	25	34	69
TOTAL 0-19 YRS	78	4.2	18	<1	1	3	5	9	13	23
20-34	277	6.4	36	1	1	4	9	13	17	28
35-49	239	8.5	62	1	2	7	11	14	20	40
50-64	362	11.1	80	2	3	9	13	21	29	47
65+	730	11.9	114	2	3	10	14	23	33	69
GRAND TOTAL	**1686**	**10.0**	**88**	**1**	**2**	**8**	**12**	**19**	**27**	**52**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4642	3.1	6	<1	1	2	4	6	8	13
20-34	287	2.8	3	<1	<1	2	4	5	6	9
35-49	96	3.4	4	<1	<1	3	5	7	8	9
50-64	62	4.6	10	<1	1	4	7	9	10	17
65+	102	5.3	13	1	2	4	7	11	14	15
B. *Operated*										
0-19 YRS	160	2.2	2	1	1	2	3	3	4	11
20-34	39	3.0	5	<1	1	3	3	5	7	14
35-49	8	4.3	5	1	1	4	6	7	7	7
50-64	6	3.5	12	<1	<1	2	5	9	10	10
65+	3	7.0	75	2	2	2	13	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4061	4.1	12	1	1	3	5	8	10	17
20-34	319	3.6	6	<1	1	3	5	7	8	12
35-49	162	4.5	10	1	2	3	6	8	12	16
50-64	247	5.9	17	1	2	5	7	11	14	23
65+	527	8.4	54	2	3	7	10	16	21	40
B. *Operated*										
0-19 YRS	86	4.8	34	1	1	2	6	12	16	32
20-34	32	5.1	11	1	2	4	7	9	12	15
35-49	9	3.2	1	2	2	3	4	5	5	5
50-64	15	11.1	116	2	2	7	17	32	34	35
65+	32	14.4	161	2	3	11	17	33	36	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5189	3.1	6	<1	1	2	4	6	8	13
B. *Operated*	216	2.5	4	1	1	2	3	4	5	13
2. MULTIPLE DX										
A. *Not Operated*	5316	4.6	18	1	1	3	6	9	12	21
B. *Operated*	174	7.1	72	1	2	4	8	16	26	36
1. SINGLE DX	5405	3.1	6	<1	1	2	4	6	8	13
2. MULTIPLE DX	5490	4.7	19	1	1	3	6	9	12	22
A. NOT OPERATED	10505	3.9	12	1	1	3	5	7	10	17
B. OPERATED	390	4.6	39	1	1	2	4	10	16	34
TOTAL 0-19 YRS	8949	3.5	9	1	1	3	4	7	9	15
20-34	677	3.3	5	<1	<1	3	4	6	7	12
35-49	275	4.1	8	<1	1	3	5	8	9	14
50-64	330	5.8	21	1	2	5	7	11	15	23
65+	664	8.2	55	2	2	6	10	16	21	40
GRAND TOTAL	**10895**	**3.9**	**13**	**1**	**1**	**3**	**5**	**8**	**10**	**18**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2106	4.5	11	1	2	4	6	8	10	17
20-34	75	3.3	3	1	1	3	4	6	7	8
35-49	75	4.0	5	1	2	4	6	7	8	10
50-64	74	4.8	5	1	2	5	6	8	9	10
65+	133	7.5	33	2	3	6	9	14	18	32
B. *Operated*										
0-19 YRS	3	6.3	1	5	5	7	7	7	7	7
20-34	3	4.0		4	4	4	4	4	4	4
35-49	1	10.0		10	10	10	10	10	10	10
50-64										
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1827	5.4	16	1	2	4	7	10	12	21
20-34	114	4.4	7	1	1	4	6	8	9	12
35-49	160	5.3	12	1	2	5	7	9	10	21
50-64	326	7.5	33	2	3	6	9	14	18	33
65+	912	9.0	51	3	3	7	11	17	21	35
B. *Operated*										
0-19 YRS	14	8.4	15	3	4	8	11	15	16	16
20-34	4	8.0	25	4	4	6	11	15	15	15
35-49	7	13.6	91	2	2	12	22	27	27	27
50-64	11	16.4	367	2	2	9	23	42	66	68
65+	27	21.1	275	5	6	15	27	48	57	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2463	4.6	12	1	2	4	6	8	11	18
B. *Operated*	8	5.4	6	2	2	5	7	9	10	10
2 MULTIPLE DX										
A. *Not Operated*	3339	6.6	30	2	2	5	8	12	16	29
B. *Operated*	63	15.8	217	3	4	11	23	32	52	71
1. SINGLE DX	2471	4.6	12	1	2	4	6	8	11	18
2. MULTIPLE DX	3402	6.7	35	2	2	5	8	12	17	31
A. NOT OPERATED	5802	5.7	23	1	2	4	7	11	14	24
B. OPERATED	71	14.6	204	2	4	10	19	29	50	70
TOTAL 0-19 YRS	3950	4.9	14	1	2	4	6	9	12	19
20-34	196	4.1	6	1	1	4	5	8	9	12
35-49	243	5.1	14	1	2	4	7	9	10	25
50-64	411	7.3	40	2	3	6	9	13	18	33
65+	1073	9.1	58	3	3	7	11	17	22	41
GRAND TOTAL	**5873**	**5.8**	**26**	**1**	**2**	**5**	**7**	**11**	**14**	**26**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	144	2.5	1	1	2	2	3	4	4	5
20-34	475	2.5	1	2	2	2	3	4	4	5
35-49	205	2.5	1	1	2	2	3	3	4	5
50-64	72	2.5		2	2	2	3	3	4	5
65+	15	2.6	2	2	2	2	3	8	72	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	1.3		<1	<1	1	2	2	2	2
35-49	4	1.3		<1	<1	1	1	2	2	2
50-64	3	3.3	2	2	2	3	4	5	5	5
65+	2	7.5	1	7	7	7	8	8	8	8
B. *Operated*										
0-19 YRS	212	2.6	1	1	2	3	3	3	4	6
20-34	806	2.7	1	2	2	3	3	3	4	6
35-49	439	2.7	1	2	2	3	3	3	4	5
50-64	206	2.9	3	2	2	3	3	4	5	9
65+	62	2.9	1	2	2	3	3	4	5	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	911	2.5	1	2	2	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	19	2.3	4	<1	<1	1	2	6	8	8
B. *Operated*	1725	2.7	1	2	2	3	3	3	4	6
1. SINGLE DX	913	2.5	1	2	2	2	3	4	4	5
2. MULTIPLE DX	1744	2.7	1	1	2	3	3	3	4	7
A. NOT OPERATED	21	2.2	4	<1	<1	1	2	6	7	8
B. OPERATED	2636	2.6	1	2	2	3	3	3	4	5
TOTAL 0-19 YRS	357	2.6	1	1	2	3	3	3	4	5
20-34	1292	2.6	1	2	2	3	3	3	4	5
35-49	648	2.6	1	1	2	3	3	3	4	5
50-64	281	2.8	2	2	2	3	3	4	4	9
65+	79	3.0	2	2	2	3	3	5	7	72
GRAND TOTAL	**2657**	**2.6**	**1**	**1**	**2**	**3**	**3**	**3**	**4**	**6**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	12	2.3	1	1	1	2	3	4	5	5
20-34	23	2.3	1	1	1	2	3	3	4	5
35-49	37	2.5	1	<1	<1	2	3	4	5	5
50-64	40	2.7	2	1	2	2	3	4	5	8
65+	35	2.7	3	1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+	3	1.7	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-19 YRS	24	3.2	9	1	1	2	4	5	9	16
20-34	65	2.7	1	1	2	3	3	4	5	7
35-49	95	3.1	5	2	2	3	3	5	7	14
50-64	117	3.0	3	2	2	3	3	5	6	10
65+	55	2.9	3	1	2	3	3	5	7	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	147	2.5	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	6	1.7	1	<1	<1	1	3	3	3	3
B. *Operated*	356	3.0	4	1	2	3	3	5	6	13
1. SINGLE DX	147	2.5	2	1	1	2	3	4	5	8
2. MULTIPLE DX	362	3.0	4	1	2	3	3	5	6	13
A. NOT OPERATED	6	1.7	1	<1	<1	1	3	3	3	3
B. OPERATED	503	2.9	3	1	2	2	3	5	5	11
TOTAL 0-19 YRS	36	2.9	6	1	1	2	3	5	6	16
20-34	88	2.6	1	1	2	2	3	4	5	6
35-49	134	2.9	4	<1	2	2	3	5	5	13
50-64	158	2.9	3	1	2	3	3	5	6	8
65+	93	2.8	3	1	1	2	3	4	6	10
GRAND TOTAL	**509**	**2.8**	**3**	**1**	**2**	**2**	**3**	**5**	**5**	**11**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	2.3	2	<1	1	2	3	4	5	7
20-34	10	3.0	4	1	1	3	4	6	8	8
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	5987	2.0	1	1	1	2	2	3	3	4
20-34	1068	2.6	1	1	2	3	3	4	4	6
35-49	118	2.7	1	1	2	3	3	4	5	7
50-64	16	2.6	6	1	1	2	3	4	9	11
65+	17	2.6	2	<1	1	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	142	1.8	3	<1	<1	1	2	4	5	11
20-34	25	2.4	5	<1	<1	1	3	7	7	8
35-49	6	3.2	5	<1	<1	3	4	7	7	7
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	2398	1.9	1	1	1	2	2	3	3	6
20-34	227	2.9	2	1	2	3	3	4	5	9
35-49	36	3.4	3	2	2	3	4	5	7	9
50-64	16	3.3	3	<1	1	3	4	7	7	7
65+	7	2.7	1	2	2	2	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	2.4	2	<1	1	2	3	4	5	8
B. *Operated*	7206	2.1	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	175	2.0	4	<1	<1	1	2	4	7	10
B. *Operated*	2684	2.1	1	1	1	2	2	3	4	7
1. SINGLE DX	7275	2.1	1	1	1	2	2	3	3	5
2. MULTIPLE DX	2859	2.0	1	1	1	2	2	3	4	7
A. NOT OPERATED	244	2.1	3	<1	<1	1	3	4	6	8
B. OPERATED	9890	2.1	1	1	1	2	2	3	3	5
TOTAL 0-19 YRS	8584	2.0	1	1	1	2	2	3	3	5
20-34	1330	2.7	1	1	2	3	3	4	4	7
35-49	160	2.9	2	1	2	3	3	4	5	9
50-64	34	2.9	4	1	1	2	3	5	7	11
65+	26	2.8	2	1	2	2	3	4	6	6
GRAND TOTAL	**10134**	**2.1**	**1**	**1**	**1**	**2**	**2**	**3**	**4**	**5**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	234	3.4	6	<1	1	3	4	6	8	14
20-34	149	3.3	5	1	1	3	4	5	7	16
35-49	46	2.8	3	<1	<1	2	3	5	7	8
50-64	33	2.8	4	<1	1	2	4	6	8	8
65+	24	3.5	10	<1	1	2	5	6	9	15
B. *Operated*										
0-19 YRS	131	2.7	3	1	1	2	3	5	6	11
20-34	215	3.0	5	1	1	3	3	4	5	10
35-49	188	2.6	3	1	1	2	3	4	4	9
50-64	146	2.5	2	1	1	2	3	4	5	7
65+	78	3.2	14	1	1	2	3	5	8	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	158	4.8	23	<1	1	4	6	9	12	25
20-34	75	3.9	7	<1	1	3	5	7	9	15
35-49	67	4.6	9	<1	1	4	7	8	10	14
50-64	54	5.1	24	1	1	4	6	10	15	25
65+	60	7.7	56	1	2	6	10	17	20	94
B. *Operated*										
0-19 YRS	153	2.9	6	<1	1	2	3	5	7	14
20-34	257	3.3	5	1	2	3	3	5	7	15
35-49	208	3.6	9	1	2	3	4	6	10	17
50-64	214	4.3	53	1	2	3	4	7	13	44
65+	130	5.6	76	1	2	3	5	13	20	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	486	3.3	6	<1	1	3	4	6	7	15
B. *Operated*	758	2.8	4	1	1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	414	5.1	24	1	1	4	6	10	13	25
B. *Operated*	962	3.8	27	1	1	3	4	6	11	25
1. SINGLE DX	1244	3.0	5	1	1	3	3	5	6	11
2. MULTIPLE DX	1376	4.2	26	1	1	3	4	8	12	25
A. NOT OPERATED	900	4.1	15	<1	1	3	5	8	10	19
B. OPERATED	1720	3.4	17	1	1	3	3	5	8	19
TOTAL 0-19 YRS	676	3.5	10	<1	1	3	4	6	9	14
20-34	696	3.3	5	1	1	3	4	5	7	15
35-49	509	3.3	7	1	1	3	3	6	8	15
50-64	447	3.8	30	1	1	3	4	6	8	25
65+	292	5.2	52	1	1	3	5	11	17	46
GRAND TOTAL	**2620**	**3.6**	**16**	**1**	**1**	**3**	**4**	**6**	**9**	**19**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2306	5.3	14	2	2	4	7	10	12	19
20-34	374	5.0	10	2	2	4	6	9	11	15
35-49	310	5.5	12	2	2	5	7	10	12	18
50-64	317	7.0	41	2	3	6	8	12	14	25
65+	610	9.2	45	3	3	8	11	16	21	35
B. *Operated*										
0-19 YRS	7	9.4	18	1	2	10	13	13	13	13
20-34	7	7.3	12	4	4	6	10	12	13	13
35-49	18	8.8	41	2	3	6	13	21	22	22
50-64	19	11.4	62	3	5	9	12	22	31	36
65+	23	13.8	69	2	2	12	19	26	28	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2057	7.0	30	2	2	6	9	13	17	30
20-34	297	6.6	24	2	2	5	8	12	16	29
35-49	350	7.9	34	2	3	6	10	14	19	32
50-64	729	9.3	62	3	3	7	11	17	22	44
65+	2494	12.8	112	3	4	10	15	24	34	68
B. *Operated*										
0-19 YRS	45	14.7	65	3	6	14	19	25	31	36
20-34	22	16.9	135	5	6	14	21	35	46	48
35-49	57	13.6	73	4	5	12	18	24	33	41
50-64	132	18.1	185	4	6	14	21	40	51	65
65+	230	23.7	283	6	8	20	33	60	98	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3917	6.0	22	2	2	5	7	11	14	23
B. *Operated*	74	10.9	53	2	3	9	13	22	26	34
2. MULTIPLE DX										
A. *Not Operated*	5927	9.8	75	2	3	7	12	19	25	49
B. *Operated*	486	19.9	219	5	6	16	25	42	61	99+
1. SINGLE DX	3991	6.1	23	2	2	5	8	11	14	25
2. MULTIPLE DX	6413	10.5	93	2	3	8	13	21	29	63
A. NOT OPERATED	9844	8.3	58	2	2	6	10	16	21	41
B. OPERATED	560	18.7	206	4	6	15	24	40	58	99+
TOTAL 0-19 YRS	4415	6.2	23	2	2	5	8	11	15	25
20-34	700	6.1	24	2	2	5	7	11	14	28
35-49	735	7.4	32	2	3	6	9	13	19	31
50-64	1197	9.7	80	3	3	7	11	18	25	53
65+	3357	12.9	121	3	4	10	16	25	35	76
GRAND TOTAL	**10404**	**8.8**	**71**	**2**	**3**	**7**	**11**	**17**	**24**	**48**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	425	3.7	11	1	1	3	5	8	9	20
20-34	166	2.8	4	<1	1	2	4	5	7	10
35-49	104	3.6	10	<1	1	3	4	7	8	19
50-64	114	3.8	6	1	1	3	5	7	9	11
65+	214	5.7	18	1	2	5	7	11	14	22
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	304	4.5	17	1	1	3	6	9	12	20
20-34	145	3.0	4	1	1	2	4	6	7	11
35-49	123	4.6	11	1	2	4	6	8	12	18
50-64	226	5.6	14	1	2	5	7	10	12	21
65+	644	8.5	70	2	3	6	10	16	22	48
B. *Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	1	4.0		4	4	4	4	4	4	4
35-49	3	5.3	10	3	3	4	8	9	9	9
50-64	4	7.3	3	5	5	8	32	99+	99+	99+
65+	10	15.3	170	2	4	10	24	35	45	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1023	4.0	12	1	1	3	5	8	10	19
B. *Operated*	2	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	1442	6.3	43	1	2	5	8	12	16	34
B. *Operated*	20	10.4	109	2	3	8	13	34	70	99+
1. SINGLE DX	1025	4.0	12	1	1	3	5	8	10	19
2. MULTIPLE DX	1462	6.4	44	1	2	5	8	12	16	37
A. NOT OPERATED	2465	5.4	31	1	1	4	7	10	14	28
B. OPERATED	22	10.0	100	2	3	7	11	30	64	99+
TOTAL 0-19 YRS	731	4.0	14	1	1	3	5	9	10	20
20-34	312	2.9	4	1	1	2	4	5	7	10
35-49	230	4.1	11	1	1	3	5	7	10	17
50-64	344	5.0	12	1	2	4	6	9	11	20
65+	870	7.9	60	2	2	6	9	15	21	44
GRAND TOTAL	**2487**	**5.4**	**32**	**1**	**1**	**4**	**7**	**10**	**14**	**29**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	880	4.6	10	1	2	4	6	8	10	16
20-34	103	3.5	6	<1	<1	3	5	6	8	12
35-49	84	4.4	12	<1	1	3	6	7	11	19
50-64	141	6.2	34	2	2	5	7	11	14	34
65+	268	7.6	31	2	2	6	9	14	18	29
B. *Operated*										
0-19 YRS										
20-34										
35-49	10	5.4	24	<1	<1	4	6	13	17	17
50-64	18	7.4	37	<1	<1	6	11	17	19	20
65+	16	7.2	31	1	2	5	10	15	20	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	747	5.8	14	2	2	5	7	10	13	20
20-34	97	4.4	10	1	2	4	5	7	9	19
35-49	129	5.7	15	1	2	5	7	10	15	19
50-64	321	8.5	50	2	2	7	11	16	20	42
65+	894	10.0	70	3	3	8	12	19	25	48
B. *Operated*										
0-19 YRS	8	12.3	87	2	3	7	21	26	27	27
20-34	8	11.0	101	1	2	7	16	28	31	31
35-49	20	11.2	72	2	2	10	14	25	30	32
50-64	39	12.3	157	1	3	8	16	26	32	70
65+	67	18.2	261	4	5	12	23	40	57	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1476	5.2	17	1	2	4	7	10	12	20
B. *Operated*	44	6.9	31	<1	1	5	10	16	19	22
2. MULTIPLE DX										
A. *Not Operated*	2188	7.8	46	2	2	6	10	15	20	35
B. *Operated*	142	14.8	194	2	4	10	19	32	44	70
1. SINGLE DX	1520	5.3	18	1	2	4	7	10	13	20
2. MULTIPLE DX	2330	8.3	58	2	2	6	10	16	22	41
A. NOT OPERATED	3664	6.8	36	1	2	5	8	13	17	31
B. OPERATED	186	13.0	166	2	2	9	17	28	37	70
TOTAL 0-19 YRS	1635	5.2	13	1	2	4	7	9	12	18
20-34	208	4.2	13	<1	1	3	5	7	10	21
35-49	243	5.7	22	1	2	5	7	11	16	22
50-64	519	8.1	55	2	2	6	10	16	20	42
65+	1245	9.8	76	2	3	7	12	19	25	50
GRAND TOTAL	**3850**	**7.1**	**44**	**1**	**2**	**5**	**9**	**13**	**18**	**34**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	8.7	52	4	4	5	14	17	17	17
50-64	32	11.1	52	5	6	10	13	16	22	43
65+	86	10.5	94	3	4	7	12	22	27	60
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	10.0		10	10	10	10	10	10	10
65+	6	13.7	78	2	2	15	20	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	1	3.0		3	3	3	3	3	3	3
35-49	26	16.5	479	2	2	5	19	60	66	66
50-64	115	14.2	176	3	4	10	17	29	40	72
65+	364	13.3	199	2	3	9	15	28	43	94
B. *Operated*										
0-19 YRS	2	7.0	2	6	6	7	8	8	8	8
20-34	6	11.0	46	3	3	10	15	21	22	22
35-49	6	14.5	40	8	8	12	17	25	26	26
50-64	19	19.3	147	5	7	18	25	46	74	99+
65+	36	25.5	390	9	10	19	28	70	84	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	10.6	81	3	4	8	12	18	25	52
B. *Operated*	7	13.1	67	2	3	12	20	23	24	24
2. MULTIPLE DX										
A. *Not Operated*	508	13.6	207	2	3	9	16	29	45	87
B. *Operated*	69	21.0	276	6	8	17	25	51	81	99+
1. SINGLE DX	128	10.8	80	3	4	8	13	20	25	50
2. MULTIPLE DX	577	14.5	220	2	3	10	18	30	49	93
A. NOT OPERATED	629	13.1	184	2	3	9	15	27	41	84
B. OPERATED	76	20.3	261	5	7	16	24	47	78	99+
TOTAL 0-19 YRS	4	4.5	10	1	1	4	7	8	8	8
20-34	7	9.9	47	3	3	9	14	21	22	22
35-49	35	15.5	366	2	2	6	17	55	65	66
50-64	167	14.1	151	3	4	10	17	29	43	75
65+	492	13.7	204	2	3	10	16	28	43	91
GRAND TOTAL	**705**	**13.8**	**197**	**2**	**3**	**10**	**16**	**29**	**44**	**87**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3253	3.8	8	1	1	3	5	7	9	14
20-34	625	3.5	6	<1	1	3	5	6	8	12
35-49	536	4.7	9	1	2	4	6	9	11	15
50-64	600	5.6	15	1	1	5	7	11	13	21
65+	538	6.7	27	1	2	6	9	12	16	25
B. *Operated*										
0-19 YRS	4	5.0	23	2	2	3	8	12	12	12
20-34	7	7.3	20	1	2	6	11	14	14	14
35-49	6	7.5	13	3	3	8	11	11	11	11
50-64	3	8.0	4	6	6	8	9	10	10	10
65+	3	7.7	25	3	3	7	11	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1704	4.9	19	1	2	4	6	9	12	23
20-34	382	5.3	23	1	2	4	6	9	13	26
35-49	358	6.6	32	1	2	5	8	13	19	26
50-64	715	7.4	37	2	3	6	9	14	17	26
65+	1097	9.8	72	2	3	8	12	17	24	52
B. *Operated*										
0-19 YRS	16	8.9	38	2	3	7	15	20	72	99+
20-34	11	16.3	168	6	6	13	16	35	51	52
35-49	28	12.4	77	4	5	11	15	20	27	48
50-64	58	17.3	184	2	5	13	24	33	41	75
65+	53	17.7	122	4	6	17	23	30	43	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5552	4.3	11	1	1	3	6	8	11	16
B. *Operated*	23	7.1	15	1	2	6	11	12	13	14
2. MULTIPLE DX										
A. *Not Operated*	4256	6.8	41	1	2	5	8	13	17	30
B. *Operated*	166	15.7	137	3	5	13	21	30	41	73
1. SINGLE DX	5575	4.3	12	1	1	3	6	8	11	16
2. MULTIPLE DX	4422	7.1	48	1	2	5	9	14	19	33
A. NOT OPERATED	9808	5.4	26	1	2	4	7	11	14	25
B. OPERATED	189	14.7	130	2	4	12	19	29	40	67
TOTAL 0-19 YRS	4977	4.2	12	1	1	3	5	8	10	18
20-34	1025	4.3	17	1	1	3	5	8	10	20
35-49	928	5.7	22	1	2	5	7	11	13	23
50-64	1376	7.0	39	1	2	6	8	13	17	29
65+	1691	9.1	64	2	3	7	11	17	23	45
GRAND TOTAL	**9997**	**5.6**	**29**	**1**	**2**	**4**	**7**	**11**	**15**	**26**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	6.7	50	<1	1	4	9	16	24	26
20-34	10	8.5	192	1	1	4	8	28	47	47
35-49	45	5.4	12	1	2	5	6	11	13	15
50-64	228	8.2	50	2	2	7	9	15	24	38
65+	548	9.2	86	2	3	7	11	16	21	51
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	2	13.0	8	11	11	13	15	15	15	15
35-49	3	8.7	52	4	4	5	14	17	17	17
50-64	10	4.7	8	1	1	5	7	8	9	9
65+	14	18.6	529	3	5	10	22	40	80	92
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	8.4	59	<1	1	5	14	16	26	29
20-34	25	9.4	54	<1	1	7	13	21	25	27
35-49	85	8.8	94	2	2	6	10	18	24	60
50-64	694	10.7	95	2	3	8	13	21	28	72
65+	1983	12.3	141	2	3	9	15	26	37	94
B. *Operated*										
0-19 YRS	7	16.6	91	6	7	12	26	30	30	30
20-34	7	14.1	74	5	6	12	17	28	31	31
35-49	14	9.9	22	3	5	10	12	16	20	21
50-64	69	18.7	283	3	4	12	32	53	96	99+
65+	155	20.3	280	4	5	17	30	62	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	844	8.7	74	2	3	7	10	15	21	46
B. *Operated*	30	12.2	285	1	2	7	12	24	34	92
2. MULTIPLE DX										
A. *Not Operated*	2801	11.7	128	2	3	8	14	24	33	91
B. *Operated*	252	19.0	260	3	5	15	29	53	99+	99+
1. SINGLE DX	874	8.8	81	2	3	7	10	16	22	47
2. MULTIPLE DX	3053	12.3	143	2	3	9	15	27	38	99+
A. NOT OPERATED	3645	11.0	117	2	3	8	13	22	31	77
B. OPERATED	282	18.3	266	3	4	14	26	53	96	99+
TOTAL 0-19 YRS	35	9.3	70	<1	1	7	13	26	29	30
20-34	44	10.1	85	1	1	8	13	21	28	47
35-49	147	7.9	63	2	2	6	10	15	21	54
50-64	1001	10.6	103	2	3	8	13	22	32	83
65+	2700	12.1	146	2	3	9	15	26	38	99+
GRAND TOTAL	**3927**	**11.5**	**131**	**2**	**3**	**8**	**14**	**24**	**35**	**97**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	4.7	7	<1	1	5	7	8	9	9
20-34	45	4.4	24	1	1	3	6	8	10	31
35-49	7	5.3	8	1	1	5	8	9	9	9
50-64	4	3.5	3	2	2	3	5	6	6	6
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	28	6.3	20	2	3	5	8	12	17	21
20-34	113	6.5	13	3	3	6	8	11	12	19
35-49	30	6.2	10	2	3	6	9	11	12	14
50-64	13	6.2	28	2	3	5	6	10	21	23
65+	10	11.4	110	3	3	6	18	29	33	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0		5	5	5	5	5	5	5
20-34	12	3.5	2	2	2	3	4	5	6	6
35-49	6	8.3	16	4	4	7	11	15	15	15
50-64	9	9.6	49	1	2	7	12	21	24	24
65+	5	6.0	25	1	1	5	10	13	13	13
B. *Operated*										
0-19 YRS	18	10.5	49	3	4	8	15	21	26	28
20-34	53	9.5	27	3	4	8	12	16	20	28
35-49	17	11.4	141	4	6	8	11	14	41	56
50-64	33	14.6	146	4	5	10	21	29	42	54
65+	34	13.4	79	4	5	12	19	28	30	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	4.6	16	1	1	4	7	8	9	25
B. *Operated*	194	6.7	20	2	3	5	8	11	17	24
2. MULTIPLE DX										
A. *Not Operated*	35	6.4	24	1	2	5	7	13	16	24
B. *Operated*	155	11.8	81	4	5	9	14	23	28	53
1. SINGLE DX	271	6.1	20	1	2	5	7	11	12	25
2. MULTIPLE DX	190	10.8	75	3	4	8	13	22	28	50
A. NOT OPERATED	112	5.1	19	1	1	4	7	9	11	27
B. OPERATED	349	8.9	53	3	3	7	11	17	23	39
TOTAL 0-19 YRS	69	6.9	27	2	2	5	8	14	20	27
20-34	223	6.6	21	2	2	6	8	12	16	23
35-49	60	7.8	51	2	3	7	9	12	14	52
50-64	59	11.2	110	2	3	7	13	25	34	53
65+	50	12.2	81	2	4	9	18	28	30	33
GRAND TOTAL	**461**	**8.0**	**48**	**2**	**2**	**6**	**10**	**16**	**22**	**33**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	283	4.9	18	1	1	4	6	10	12	23
20-34	56	3.0	4	<1	1	3	4	6	7	9
35-49	50	3.7	9	<1	<1	3	5	8	10	13
50-64	63	5.6	15	1	1	5	7	10	11	21
65+	142	7.8	46	1	2	6	9	16	21	34
B. *Operated*										
0-19 YRS	10	5.8	65	<1	<1	2	9	19	25	25
20-34	18	6.8	26	<1	<1	7	10	15	17	17
35-49	39	8.6	45	1	2	8	11	19	24	29
50-64	59	12.6	98	2	3	10	17	27	34	42
65+	50	11.3	90	2	2	8	17	23	31	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	387	5.4	28	1	2	4	7	10	14	27
20-34	95	5.8	82	1	1	4	7	10	11	58
35-49	124	6.0	27	1	2	4	7	11	20	26
50-64	298	8.3	53	1	2	7	10	15	19	42
65+	777	10.2	74	2	3	8	12	19	28	59
B *Operated*										
0-19 YRS	30	8.9	75	1	1	6	16	24	34	99+
20-34	42	14.4	126	3	3	11	20	34	37	42
35-49	69	16.7	280	3	3	13	22	28	50	95
50-64	114	14.5	123	2	3	12	18	27	41	53
65+	205	15.9	152	2	4	13	22	31	45	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	594	5.4	24	1	1	4	7	10	14	26
B. *Operated*	176	10.4	79	1	2	8	15	23	28	39
2. MULTIPLE DX										
A. *Not Operated*	1681	8.2	61	1	2	6	10	16	22	44
B. *Operated*	460	15.1	159	2	3	12	20	29	42	95
1. SINGLE DX	770	6.5	41	1	1	5	8	14	20	32
2. MULTIPLE DX	2141	9.7	90	2	2	7	12	20	28	58
A. NOT OPERATED	2275	7.5	53	1	2	6	9	15	20	38
B. OPERATED	636	13.8	141	2	3	11	18	28	37	75
TOTAL 0-19 YRS	710	5.4	27	1	1	4	7	10	15	30
20-34	211	6.9	80	1	1	4	8	14	22	40
35-49	282	8.5	111	1	2	5	10	20	25	52
50-64	534	9.8	77	1	2	7	12	19	27	47
65+	1174	10.9	90	2	3	8	14	22	30	66
GRAND TOTAL	**2911**	**8.8**	**79**	**1**	**2**	**6**	**11**	**19**	**26**	**50**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	72	2.9	4	<1	<1	2	4	6	7	8
20-34	86	2.8	3	<1	<1	3	4	5	6	9
35-49	18	3.6	8	<1	1	3	4	8	10	11
50-64	12	3.6	9	<1	1	3	4	7	11	12
65+	6	6.7	35	<1	<1	4	10	16	17	17
B. *Operated*										
0-19 YRS	683	1.7	1	<1	<1	1	2	4	4	6
20-34	804	2.2	3	<1	<1	2	3	4	5	6
35-49	345	2.2	2	<1	<1	2	3	4	5	6
50-64	170	2.0	2	<1	<1	2	2	4	4	6
65+	70	2.5	2	<1	1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	4.1	5	1	2	4	5	8	9	10
20-34	72	3.4	11	<1	1	2	4	7	9	20
35-49	31	3.5	9	<1	<1	3	4	7	10	15
50-64	24	4.5	15	<1	1	3	5	10	14	15
65+	25	8.6	51	1	3	7	13	16	26	29
B. *Operated*										
0-19 YRS	449	2.8	4	<1	1	2	4	5	6	8
20-34	470	3.2	5	<1	<1	3	4	5	7	12
35-49	238	2.9	10	<1	<1	2	4	5	7	11
50-64	197	3.0	7	<1	<1	2	4	6	9	61
65+	169	4.3	51	1	1	2	4	9	15	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	194	3.1	6	<1	<1	3	4	6	8	12
B. *Operated*	2072	2.0	2	<1	<1	1	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	234	4.3	15	<1	1	3	5	9	12	22
B. *Operated*	1523	3.1	11	<1	1	2	4	5	7	16
1. SINGLE DX	2266	2.1	3	<1	<1	2	3	4	5	7
2. MULTIPLE DX	1757	3.3	12	<1	1	2	4	6	8	16
A. NOT OPERATED	428	3.8	11	<1	<1	3	5	7	10	16
B. OPERATED	3595	2.5	6	<1	<1	2	3	5	5	10
TOTAL 0-19 YRS	1286	2.3	3	<1	<1	2	3	5	5	8
20-34	1432	2.6	4	<1	<1	2	4	5	6	9
35-49	632	2.5	6	<1	<1	2	3	5	6	11
50-64	403	2.7	6	<1	1	2	3	5	8	14
65+	270	4.3	41	1	1	2	4	9	15	29
GRAND TOTAL	**4023**	**2.6**	**7**	**<1**	**<1**	**2**	**3**	**5**	**6**	**12**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	100	4.0	8	1	1	3	5	7	10	58
20-34	27	3.6	4	<1	1	3	5	6	7	9
35-49	18	5.1	7	<1	1	5	6	9	10	10
50-64	7	3.3	1	2	2	3	4	4	4	4
65+	12	5.8	12	<1	1	5	7	11	12	12
B. *Operated*										
0-19 YRS	45	2.5	4	<1	<1	2	3	5	6	9
20-34	61	3.2	4	<1	1	3	4	6	8	10
35-49	37	3.6	6	1	1	3	4	7	9	10
50-64	60	3.8	6	1	2	3	5	7	9	12
65+	35	3.2	5	<1	1	2	4	7	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	125	6.0	27	1	2	5	7	10	13	31
20-34	19	4.9	19	<1	1	3	6	9	15	20
35-49	11	5.7	30	<1	<1	4	7	16	18	18
50-64	12	5.9	21	<1	1	6	7	13	16	17
65+	39	9.0	79	1	2	7	11	15	28	47
B. *Operated*										
0-19 YRS	25	5.0	23	1	1	4	5	10	18	20
20-34	50	3.5	4	1	2	3	4	6	7	10
35-49	33	3.7	11	<1	1	3	4	6	9	19
50-64	61	6.0	75	1	1	3	6	9	24	46
65+	47	5.6	14	1	2	5	8	10	14	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	164	4.2	8	1	1	4	6	8	10	18
B. *Operated*	238	3.3	5	<1	1	3	4	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	206	6.4	37	1	2	5	8	12	17	35
B. *Operated*	216	4.9	30	1	1	3	5	9	13	37
1. SINGLE DX	402	3.6	6	<1	1	3	5	7	9	12
2. MULTIPLE DX	422	5.6	34	1	1	4	7	10	15	35
A. NOT OPERATED	370	5.4	25	1	1	4	6	10	14	34
B. OPERATED	454	4.0	18	1	1	3	5	8	10	19
TOTAL 0-19 YRS	295	4.7	18	1	1	4	6	9	11	27
20-34	157	3.6	6	<1	1	3	4	6	8	10
35-49	99	4.1	11	<1	1	3	5	8	10	19
50-64	140	4.9	38	1	1	3	5	8	12	44
65+	133	6.0	35	1	1	4	8	12	15	37
GRAND TOTAL	**824**	**4.7**	**21**	**1**	**1**	**3**	**6**	**9**	**11**	**25**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	4.0	9	1	1	3	5	7	9	18
20-34	57	3.0	5	<1	<1	3	4	6	8	11
35-49	92	3.4	12	<1	1	2	4	7	10	17
50-64	65	3.7	10	<1	1	3	5	7	9	18
65+	83	4.9	25	<1	1	4	6	11	15	28
B. *Operated*										
0-19 YRS	24	4.7	9	2	2	4	5	10	11	12
20-34	37	7.1	17	1	2	7	9	11	14	21
35-49	57	7.2	21	<1	1	7	9	12	14	25
50-64	49	7.9	17	1	2	8	11	13	14	16
65+	50	6.9	61	<1	<1	6	9	13	17	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	106	5.4	25	1	1	4	7	10	15	27
20-34	85	5.0	30	<1	1	4	6	10	13	31
35-49	142	5.4	24	<1	1	4	7	12	15	23
50-64	211	5.7	14	1	1	5	8	12	13	16
65+	346	7.5	45	2	2	6	9	15	20	56
B. *Operated*										
0-19 YRS	47	11.0	154	1	2	7	13	30	38	61
20-34	52	9.9	53	2	3	9	12	19	22	44
35-49	95	9.4	50	1	2	8	11	19	23	38
50-64	168	12.2	146	2	2	9	15	22	28	66
65+	242	12.4	186	1	2	9	15	25	34	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	376	3.9	13	<1	1	3	5	8	11	18
B. *Operated*	217	7.0	27	<1	1	7	9	13	14	27
2. MULTIPLE DX										
A. *Not Operated*	890	6.2	31	1	1	5	8	12	16	34
B. *Operated*	604	11.6	140	2	2	9	14	22	30	70
1. SINGLE DX	593	5.0	21	<1	1	4	7	10	13	19
2. MULTIPLE DX	1494	8.4	82	1	2	6	10	17	23	56
A. NOT OPERATED	1266	5.5	27	1	1	4	7	12	15	30
B. OPERATED	821	10.4	115	1	2	8	12	21	27	62
TOTAL 0-19 YRS	256	5.9	48	1	1	4	7	11	17	38
20-34	231	6.0	33	<1	1	4	8	12	17	27
35-49	386	6.2	32	1	1	5	8	13	17	30
50-64	493	7.9	69	1	2	6	10	15	19	44
65+	721	8.8	98	1	2	6	11	18	25	74
GRAND TOTAL	**2087**	**7.4**	**67**	**1**	**1**	**5**	**9**	**15**	**21**	**44**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.8	6	1	1	3	5	7	7	7
20-34	17	4.6	15	<1	<1	3	6	8	13	16
35-49	29	4.5	10	<1	<1	5	7	9	10	10
50-64	32	4.7	8	<1	<1	4	7	8	10	11
65+	39	7.1	23	<1	1	6	10	14	18	22
B. *Operated*										
0-19 YRS										
20-34	11	6.9	6	2	4	7	8	10	11	11
35-49	10	8.7	17	2	2	9	12	13	14	14
50-64	19	6.1	21	<1	<1	6	11	12	13	13
65+	22	8.9	69	<1	<1	6	13	21	28	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	4.3	5	2	2	4	6	8	8	8
20-34	22	4.0	4	1	1	4	5	6	7	9
35-49	40	5.6	11	1	2	5	6	10	11	19
50-64	55	7.3	53	<1	1	4	9	18	22	39
65+	94	10.9	129	<1	3	8	12	18	26	76
B. *Operated*										
0-19 YRS										
20-34	16	9.3	29	2	3	8	13	17	18	19
35-49	32	11.8	57	2	4	10	14	24	30	32
50-64	58	13.3	138	1	2	11	15	35	47	96
65+	75	12.1	120	1	4	9	14	25	34	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	5.4	15	<1	<1	5	7	10	12	19
B. *Operated*	62	7.6	35	<1	1	7	11	14	17	30
2. MULTIPLE DX										
A. *Not Operated*	217	8.1	78	<1	2	6	9	16	22	47
B. *Operated*	181	12.2	106	1	3	10	14	25	35	87
1. SINGLE DX	183	6.1	23	<1	<1	6	8	12	15	25
2. MULTIPLE DX	398	9.9	95	1	2	8	12	19	29	62
A. NOT OPERATED	338	7.1	57	<1	1	6	9	14	18	31
B. OPERATED	243	11.0	92	1	2	9	13	23	32	64
TOTAL 0-19 YRS	10	4.1	5	1	1	4	6	7	8	8
20-34	66	5.9	17	1	1	5	8	11	16	19
35-49	111	7.4	33	<1	1	6	10	13	19	31
50-64	164	8.7	82	<1	1	6	11	18	31	54
65+	230	10.4	104	<1	2	8	12	19	27	67
GRAND TOTAL	**581**	**8.7**	**75**	**<1**	**1**	**7**	**11**	**17**	**24**	**59**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	13	4.4	10	<1	1	3	7	9	10	10
35-49	29	4.7	3	2	2	5	6	7	8	8
50-64	16	6.7	15	2	3	6	8	11	15	17
65+	30	7.3	18	1	2	6	11	13	14	15
B. *Operated*										
0-19 YRS	2	7.5	13	5	5	7	10	10	10	10
20-34	3	11.0	93	4	4	7	18	22	22	22
35-49	14	8.5	9	5	5	8	9	14	14	14
50-64	19	8.6	42	3	4	7	10	18	24	28
65+	17	9.2	43	1	2	7	13	20	24	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	23	5.8	12	2	2	5	9	10	11	12
35-49	35	5.8	14	2	2	5	8	9	15	17
50-64	66	7.4	32	2	3	6	9	13	16	37
65+	122	9.8	64	3	4	8	10	18	26	48
B. *Operated*										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	11	8.4	89	3	3	6	8	20	35	36
35-49	30	13.0	110	4	4	9	16	25	43	46
50-64	62	13.7	148	3	4	10	17	30	51	95
65+	133	13.7	105	3	4	11	16	28	35	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	5.9	12	2	2	5	7	11	13	16
B. *Operated*	55	8.8	33	3	4	7	10	17	22	28
2. MULTIPLE DX										
A. *Not Operated*	246	8.2	46	2	3	7	10	14	18	40
B. *Operated*	237	13.4	116	3	4	10	17	28	38	68
1. SINGLE DX	144	7.0	22	2	2	6	9	13	16	25
2. MULTIPLE DX	483	10.7	87	3	3	8	13	22	31	55
A. NOT OPERATED	335	7.6	38	2	3	6	9	13	17	37
B. OPERATED	292	12.5	103	3	4	9	16	25	35	60
TOTAL 0-19 YRS	4	9.0	35	4	4	7	13	17	17	17
20-34	50	6.3	33	2	2	4	9	10	12	36
35-49	108	7.9	48	2	3	6	9	15	18	44
50-64	163	9.9	84	3	3	7	11	18	28	63
65+	302	11.2	81	3	4	8	14	22	31	54
GRAND TOTAL	**627**	**9.9**	**74**	**2**	**3**	**8**	**12**	**19**	**28**	**53**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	3.9	4	1	1	4	5	6	8	10
20-34	170	3.4	5	<1	<1	3	4	6	7	11
35-49	138	3.5	7	<1	<1	3	5	7	9	14
50-64	98	4.2	11	<1	<1	3	6	8	11	16
65+	91	7.5	111	<1	1	5	9	15	21	66
B. *Operated*										
0-19 YRS	3	9.0	36	3	3	9	13	15	15	15
20-34	24	9.4	14	1	6	9	11	14	16	18
35-49	38	10.6	33	5	6	9	12	17	21	36
50-64	18	12.6	28	7	8	12	15	17	24	29
65+	4	8.3	24	1	1	10	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	5.6	24	<1	1	4	7	12	14	23
20-34	133	4.6	9	1	1	4	6	8	11	15
35-49	144	4.8	13	1	1	4	6	9	11	19
50-64	157	6.9	32	1	2	6	8	12	16	26
65+	231	8.4	40	2	3	7	10	15	21	32
B. *Operated*										
0-19 YRS	2	19.0	200	9	9	19	29	29	29	29
20-34	32	10.1	15	6	7	9	11	16	18	21
35-49	63	12.3	52	5	7	10	14	23	28	40
50-64	54	13.6	78	4	5	11	17	24	34	41
65+	42	13.2	79	3	4	12	18	27	35	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	549	4.3	26	<1	<1	3	5	8	11	19
B. *Operated*	87	10.5	27	3	6	9	12	16	19	33
2. MULTIPLE DX										
A. *Not Operated*	697	6.5	28	1	2	5	8	12	16	27
B. *Operated*	193	12.6	60	4	6	10	15	23	29	44
1. SINGLE DX	636	5.1	31	<1	<1	4	7	11	14	22
2. MULTIPLE DX	890	7.8	42	1	2	6	10	15	21	34
A. NOT OPERATED	1246	5.5	29	<1	1	4	7	11	14	24
B. OPERATED	280	11.9	51	4	6	10	14	21	28	41
TOTAL 0-19 YRS	89	5.0	20	1	1	4	5	10	13	27
20-34	359	4.8	13	<1	1	4	7	10	12	16
35-49	383	6.2	31	<1	1	4	8	12	16	28
50-64	327	7.5	44	<1	2	6	9	15	19	36
65+	368	8.7	64	1	2	7	11	17	23	43
GRAND TOTAL	**1526**	**6.7**	**39**	**<1**	**1**	**5**	**9**	**14**	**18**	**31**

193: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	5.0	11	1	1	4	6	11	12	13
20-34	72	4.5	7	1	2	4	6	8	10	12
35-49	63	4.3	7	1	2	4	5	7	8	17
50-64	85	5.2	11	2	2	5	6	9	10	22
65+	82	6.7	11	3	3	6	8	12	13	18
B. *Operated*										
0-19 YRS	2	10.0	2	9	9	10	11	11	11	11
20-34	28	8.6	8	3	5	9	11	12	13	14
35-49	27	8.4	10	5	6	8	8	10	16	21
50-64	27	9.9	17	5	6	9	12	17	19	20
65+	24	12.8	77	3	6	11	15	20	32	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.7	5	2	2	4	5	9	9	9
20-34	62	5.2	8	2	2	4	7	9	11	14
35-49	81	4.9	8	1	2	4	6	9	11	14
50-64	126	6.2	13	2	2	5	8	11	14	17
65+	205	10.2	108	3	4	8	11	20	27	81
B. *Operated*										
0-19 YRS	4	9.3	29	3	3	9	13	16	16	16
20-34	22	10.7	18	3	6	10	14	16	18	20
35-49	45	11.3	43	3	6	9	13	23	25	35
50-64	87	15.3	109	5	6	13	18	29	42	54
65+	105	19.5	282	5	6	14	25	41	54	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	321	5.2	10	1	2	5	6	9	11	16
B. *Operated*	108	9.8	28	4	6	9	11	16	18	34
2. MULTIPLE DX										
A. *Not Operated*	485	7.5	57	2	3	6	9	13	18	44
B. *Operated*	263	15.8	168	4	6	12	18	32	42	89
1. SINGLE DX	429	6.4	19	2	2	6	8	11	13	20
2. MULTIPLE DX	748	10.4	112	2	3	8	12	21	29	61
A. NOT OPERATED	806	6.6	39	2	2	5	8	11	15	31
B. OPERATED	371	14.1	135	4	6	11	16	26	39	63
TOTAL 0-19 YRS	36	5.7	13	1	2	5	8	11	12	16
20-34	184	6.1	13	1	2	5	8	11	13	17
35-49	216	6.5	23	1	2	6	8	12	15	25
50-64	325	8.7	56	2	3	6	11	17	20	44
65+	416	12.0	151	3	4	8	13	25	38	94
GRAND TOTAL	**1177**	**9.0**	**81**	**2**	**3**	**7**	**10**	**17**	**24**	**51**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	7.0	4	5	5	7	8	9	9	9
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	2	11.5	41	7	7	11	16	16	16	16
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS										
20-34	3	11.7	2	10	10	12	13	13	13	13
35-49	7	9.7	31	2	3	9	13	18	19	19
50-64	5	16.0	42	9	9	14	20	26	26	26
65+	6	12.3	14	8	8	11	14	18	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.5	13	<1	<1	3	6	6	6	6
35-49	6	4.2	7	<1	<1	4	7	7	7	7
50-64	2	4.5	13	2	2	4	7	7	7	7
65+	10	14.4	92	6	6	10	21	29	35	35
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	4	19.5	71	10	10	20	26	28	28	28
35-49	8	15.3	85	7	7	10	22	30	32	32
50-64	15	13.3	22	7	8	12	16	19	23	24
65+	19	28.6	180	13	14	26	36	50	57	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	6.6	21	<1	1	6	8	14	16	16
B. *Operated*	21	12.2	27	4	7	11	14	19	22	26
2. MULTIPLE DX										
A. *Not Operated*	20	9.3	75	<1	<1	7	10	22	29	35
B. *Operated*	47	20.3	145	8	9	17	26	36	46	59
1. SINGLE DX	29	10.7	31	2	4	11	14	18	20	26
2. MULTIPLE DX	67	17.0	149	2	6	13	24	34	39	58
A. NOT OPERATED	28	8.5	60	<1	<1	7	9	20	24	35
B. OPERATED	68	17.8	122	7	8	14	23	33	39	58
TOTAL 0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	12	11.8	62	<1	3	10	14	26	28	28
35-49	23	9.5	62	<1	<1	7	11	22	27	32
50-64	24	13.0	31	5	7	12	16	20	25	26
65+	36	21.3	183	6	7	18	29	38	51	59
GRAND TOTAL	**96**	**15.1**	**121**	**2**	**5**	**12**	**19**	**31**	**36**	**57**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	382	2.6	4	<1	1	2	3	5	6	9
20-34	357	2.6	5	<1	1	2	3	5	6	12
35-49	249	3.4	8	<1	<1	3	4	7	8	15
50-64	176	3.4	7	<1	<1	3	5	7	8	14
65+	188	5.4	52	<1	1	4	6	11	18	60
B. *Operated*										
0-19 YRS	3	5.0	1	4	4	5	6	6	6	6
20-34	13	3.8	10	<1	<1	3	6	8	9	9
35-49	17	3.7	15	<1	<1	1	5	11	11	11
50-64	16	5.0	16	<1	<1	4	9	10	11	11
65+	18	9.0	39	<1	<1	8	14	17	20	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	336	3.3	7	1	1	3	4	6	8	12
20-34	459	3.8	8	<1	1	3	5	8	10	14
35-49	419	4.9	31	1	1	4	6	9	12	24
50-64	435	5.5	23	1	1	4	7	11	14	24
65+	674	7.5	58	1	2	5	9	15	20	37
B. *Operated*										
0-19 YRS	6	8.5	19	5	5	7	9	16	17	17
20-34	35	8.8	40	<1	1	8	13	16	19	31
35-49	65	8.9	73	1	2	7	11	17	22	53
50-64	80	8.5	29	<1	2	8	11	15	17	29
65+	113	13.2	132	3	4	10	16	23	31	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1352	3.2	13	<1	1	2	4	6	8	16
B. *Operated*	67	5.5	24	<1	<1	4	9	11	15	21
2. MULTIPLE DX										
A. *Not Operated*	2323	5.3	32	1	1	4	6	10	14	27
B. *Operated*	299	10.4	82	1	3	8	13	19	24	54
1. SINGLE DX	1419	3.3	13	<1	<1	2	4	7	9	17
2. MULTIPLE DX	2622	5.9	40	1	1	4	7	12	16	30
A. NOT OPERATED	3675	4.5	26	<1	1	3	5	9	13	24
B. OPERATED	366	9.5	75	<1	1	8	12	18	22	51
TOTAL 0-19 YRS	727	3.0	6	1	1	2	4	6	7	11
20-34	864	3.5	10	<1	1	3	4	7	10	15
35-49	750	4.7	29	<1	1	3	6	9	12	23
50-64	707	5.3	22	<1	1	4	7	11	14	22
65+	993	7.8	69	1	2	5	9	16	22	42
GRAND TOTAL	**4041**	**5.0**	**32**	**<1**	**1**	**3**	**6**	**10**	**14**	**26**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	2.8	3	<1	1	2	3	5	7	9
20-34	84	2.9	4	<1	<1	2	3	5	7	11
35-49	74	3.0	6	<1	<1	2	4	6	7	13
50-64	60	3.7	18	<1	1	3	5	7	9	27
65+	60	4.5	10	<1	1	4	6	8	12	15
B. *Operated*										
0-19 YRS	14	6.3	7	2	3	6	7	11	11	11
20-34	10	6.3	20	<1	1	6	7	12	17	17
35-49	14	10.1	18	6	6	9	12	16	20	21
50-64	5	13.6	16	9	9	13	17	19	19	19
65+	5	7.6	15	3	3	9	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	4.0	8	1	1	3	5	8	10	13
20-34	108	4.9	18	1	1	4	6	9	14	22
35-49	122	4.6	20	<1	1	3	6	9	12	23
50-64	150	5.6	31	1	1	4	7	11	16	28
65+	239	6.9	38	1	2	5	9	14	19	31
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	28	14.9	196	3	5	10	18	33	55	59
35-49	27	9.5	28	1	6	8	12	16	19	27
50-64	42	14.3	176	1	4	11	16	26	42	75
65+	38	17.0	151	1	5	14	24	38	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	340	3.3	8	<1	1	3	4	7	8	14
B. *Operated*	48	8.3	19	2	3	7	11	15	17	21
2. MULTIPLE DX										
A. *Not Operated*	681	5.6	28	1	1	4	7	11	16	29
B. *Operated*	136	14.2	146	1	5	10	18	29	42	78
1. SINGLE DX	388	3.9	12	<1	1	3	5	8	11	17
2. MULTIPLE DX	817	7.0	58	1	1	5	9	14	21	41
A. NOT OPERATED	1021	4.9	22	<1	1	3	6	10	13	27
B. OPERATED	184	12.7	120	1	4	10	15	25	37	69
TOTAL 0-19 YRS	139	3.7	7	<1	1	3	5	7	9	12
20-34	230	5.5	47	<1	1	3	6	11	17	40
35-49	237	5.0	21	<1	1	3	7	10	14	23
50-64	257	6.7	64	1	1	4	8	14	19	44
65+	342	7.6	57	1	1	5	10	16	23	39
GRAND TOTAL	**1205**	**6.0**	**45**	**<1**	**1**	**4**	**8**	**12**	**18**	**36**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	1.6		<1	<1	2	2	3	3	3
20-34	5	6.4	109	<1	<1	2	8	25	25	25
35-49	3	5.3	14	1	1	7	8	8	8	8
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	1259	4.0	2	2	3	4	5	6	7	9
20-34	982	4.1	2	2	3	4	5	6	7	9
35-49	262	4.3	3	2	3	4	5	6	7	9
50-64	64	5.3	8	2	3	4	7	9	12	15
65+	27	6.1	8	3	4	5	8	11	12	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.7	5	<1	<1	4	6	6	6	6
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	9.0	50	4	4	9	14	14	14	14
50-64	1	11.0		11	11	11	11	11	11	11
65+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-19 YRS	227	5.7	21	2	3	5	6	10	11	24
20-34	208	5.5	10	3	3	5	6	9	11	20
35-49	61	6.9	16	3	3	6	8	13	15	22
50-64	47	8.7	83	3	3	6	10	14	19	62
65+	30	10.5	67	3	4	8	14	23	43	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	3.4	30	<1	<1	2	3	7	16	25
B. *Operated*	2594	4.1	2	2	3	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	11	5.6	19	<1	<1	5	9	12	14	14
B. *Operated*	573	6.3	25	3	3	5	7	11	14	25
1. SINGLE DX	2614	4.1	3	2	3	4	5	6	7	10
2. MULTIPLE DX	584	6.3	25	2	3	5	7	11	14	25
A. NOT OPERATED	31	4.2	26	<1	<1	2	6	10	14	25
B. OPERATED	3167	4.5	7	2	3	4	5	7	8	14
TOTAL 0-19 YRS	1503	4.2	5	2	3	4	5	6	8	11
20-34	1196	4.4	4	2	3	4	5	6	8	12
35-49	328	4.8	6	2	3	4	5	7	10	14
50-64	113	6.7	42	3	3	5	8	12	14	39
65+	58	8.4	42	3	4	7	11	15	23	95
GRAND TOTAL	**3198**	**4.5**	**7**	**2**	**3**	**4**	**5**	**7**	**8**	**14**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	8.0	34	3	3	7	8	18	19	19
20-34	5	5.0	14	<1	<1	5	8	10	10	10
35-49	8	5.5	6	<1	1	6	7	8	8	8
50-64	4	6.3	2	5	5	6	7	8	8	8
65+	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
0-19 YRS	231	6.8	8	3	3	7	8	11	12	18
20-34	161	6.6	14	3	3	6	8	10	12	17
35-49	84	7.0	6	3	4	7	8	10	12	14
50-64	34	9.3	26	3	5	8	11	13	16	32
65+	16	10.6	16	5	6	10	12	18	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+	1	15.0		15	15	15	15	15	15	15
B. *Operated*										
0-19 YRS	137	9.5	24	3	4	9	11	16	20	27
20-34	91	8.8	17	4	5	8	10	15	16	24
35-49	55	10.5	24	4	5	9	13	18	21	21
50-64	53	11.3	30	5	6	10	13	21	24	25
65+	57	14.4	77	6	7	12	17	24	27	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	6.4	14	<1	2	6	8	10	13	19
B. *Operated*	526	7.0	12	3	3	7	8	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	3	13.7	65	5	5	15	15	21	21	21
B. *Operated*	393	10.5	34	4	5	9	12	18	21	27
1. SINGLE DX	550	7.0	12	3	3	7	8	11	13	18
2. MULTIPLE DX	396	10.5	34	4	5	9	12	18	21	27
A. NOT OPERATED	27	7.2	23	<1	2	7	8	14	19	21
B. OPERATED	919	8.5	24	3	4	8	10	14	18	25
TOTAL 0-19 YRS	375	7.8	16	3	4	7	9	12	16	22
20-34	257	7.3	17	3	3	7	9	12	15	23
35-49	148	8.2	16	3	4	7	9	14	17	21
50-64	91	10.3	28	4	5	9	12	17	23	29
65+	75	13.6	64	6	6	11	16	21	26	54
GRAND TOTAL	**946**	**8.5**	**24**	**3**	**4**	**8**	**10**	**14**	**18**	**25**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	1.5	1	<1	1	1	2	3	3	5
20-34	32	1.9	2	<1	<1	2	2	3	4	9
35-49	4	2.0	1	1	1	2	3	3	3	3
50-64	3	2.7	2	1	1	3	4	4	4	4
65+	3	5.0	4	3	3	5	6	7	7	7
B. *Operated*										
0-19 YRS	145	4.2	3	2	3	4	5	6	7	10
20-34	96	4.5	4	2	3	4	5	6	7	14
35-49	33	4.8	3	3	3	4	5	8	8	10
50-64	8	6.4	5	4	4	7	8	9	10	10
65+	5	7.0	5	5	5	7	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	2.1	1	1	1	2	3	4	5	5
20-34	12	2.7	2	1	1	3	4	4	5	5
35-49	2	5.0	18	2	2	5	8	8	8	8
50-64	1	3.0		3	3	3	3	3	3	3
65+	4	6.0	21	<1	<1	5	9	12	12	12
B. *Operated*										
0-19 YRS	71	4.9	3	3	3	5	6	7	8	11
20-34	61	6.9	61	3	3	5	7	11	14	56
35-49	21	6.3	14	3	3	5	7	12	15	17
50-64	10	7.0	13	3	3	6	9	13	13	13
65+	7	21.6	838	7	7	12	13	72	87	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	101	1.8	2	<1	1	1	2	3	4	8
B. *Operated*	287	4.5	3	2	3	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	36	2.9	5	1	1	2	4	5	7	12
B. *Operated*	170	6.6	66	3	3	5	7	11	13	53
1. SINGLE DX	388	3.8	4	1	1	4	5	6	7	11
2. MULTIPLE DX	206	6.0	57	2	2	5	6	10	12	38
A. NOT OPERATED	137	2.1	3	<1	1	2	3	4	5	9
B. OPERATED	457	5.3	28	3	3	4	6	8	10	17
TOTAL 0-19 YRS	292	3.7	4	1	1	4	5	6	7	10
20-34	201	4.7	24	1	2	4	5	7	10	18
35-49	60	5.2	8	2	3	4	6	8	10	17
50-64	22	6.0	10	2	3	5	7	11	13	13
65+	19	11.8	343	1	4	7	12	13	54	87
GRAND TOTAL	**594**	**4.5**	**24**	**1**	**1**	**4**	**5**	**7**	**9**	**15**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.8	2	<1	<1	1	2	4	5	5
20-34	4	2.0	2	<1	<1	1	3	4	4	4
35-49	3	1.3		<1	<1	<1	2	2	2	2
50-64	7	2.0	3	<1	<1	1	2	5	6	6
65+	5	3.0	8	<1	<1	1	5	7	7	7
B. *Operated*										
0-19 YRS	664	2.4	2	<1	<1	2	3	4	5	7
20-34	824	3.5	3	1	2	3	4	5	6	9
35-49	784	3.8	7	1	2	4	5	6	7	10
50-64	955	4.2	4	1	2	4	5	7	8	10
65+	707	4.9	8	2	2	4	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	2.0	4	<1	<1	1	2	5	6	9
20-34	8	3.1	13	1	1	2	4	9	11	11
35-49	9	2.9	24	<1	<1	1	2	10	16	16
50-64	17	3.0	12	<1	1	1	3	7	12	14
65+	32	4.7	11	1	1	4	7	9	11	14
B. *Operated*										
0-19 YRS	360	2.7	6	<1	1	2	3	5	6	11
20-34	245	3.7	3	1	2	4	5	6	7	9
35-49	362	4.6	7	1	2	4	6	7	9	17
50-64	798	5.1	9	2	3	4	6	9	10	17
65+	875	7.1	39	2	3	6	8	12	16	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	2.0	3	<1	<1	1	2	5	6	7
B. *Operated*	3934	3.8	5	1	2	3	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	92	3.3	11	<1	<1	2	5	8	11	15
B. *Operated*	2640	5.2	20	1	2	4	6	9	12	23
1. SINGLE DX	3963	3.8	5	1	1	3	5	6	8	10
2. MULTIPLE DX	2732	5.2	20	1	2	4	6	9	11	22
A. NOT OPERATED	121	3.0	10	<1	<1	2	4	7	10	15
B. OPERATED	6574	4.4	12	1	2	4	5	7	9	16
TOTAL 0-19 YRS	1060	2.5	3	<1	1	2	3	4	6	8
20-34	1081	3.6	3	1	2	3	4	5	6	9
35-49	1158	4.0	7	1	2	4	5	6	8	12
50-64	1777	4.6	7	1	2	4	5	8	9	15
65+	1619	6.1	26	2	2	5	7	10	13	28
GRAND TOTAL	**6695**	**4.3**	**12**	**1**	**2**	**4**	**5**	**7**	**9**	**16**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65+	4	1.8		1	1	2	2	2	2	2
B. *Operated*										
0-19 YRS	100	2.2	3	<1	1	2	3	4	5	10
20-34	40	4.1	4	2	2	4	5	7	8	11
35-49	30	3.6	3	1	2	4	4	6	7	8
50-64	34	4.7	7	2	3	4	6	7	11	14
65+	61	6.1	17	2	3	5	8	10	13	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+	7	2.6	3	<1	<1	2	4	6	6	6
B. *Operated*										
0-19 YRS	71	3.4	9	1	1	2	4	7	9	18
20-34	16	4.9	14	1	2	4	6	7	14	17
35-49	15	4.2	3	2	2	4	5	6	7	8
50-64	34	7.2	33	2	2	6	9	11	12	36
65+	95	11.1	155	3	4	7	11	23	38	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.4		1	1	1	2	2	2	2
B. *Operated*	265	3.9	9	1	1	3	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	12	2.1	2	<1	<1	2	2	5	6	6
B. *Operated*	231	7.3	84	1	2	5	8	13	21	47
1. SINGLE DX	272	3.8	9	1	1	3	5	7	9	15
2. MULTIPLE DX	243	7.0	81	1	2	5	8	13	21	47
A. NOT OPERATED	19	1.8	2	<1	<1	2	2	3	5	6
B. OPERATED	496	5.5	47	1	1	4	6	10	13	39
TOTAL 0-19 YRS	174	2.7	6	1	1	2	3	5	7	13
20-34	56	4.3	7	2	2	4	5	7	8	17
35-49	47	3.7	3	1	2	4	5	6	7	8
50-64	71	5.8	21	2	2	5	6	10	12	31
65+	167	8.7	102	2	3	6	9	15	25	49
GRAND TOTAL	**515**	**5.3**	**45**	**1**	**1**	**4**	**6**	**10**	**13**	**38**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.2	24	<1	<1	1	4	12	12	12
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	89	2.0	1	<1	<1	2	2	3	3	6
20-34	41	2.7	1	1	2	3	3	4	5	6
35-49	63	3.5	3	<1	1	3	4	5	7	9
50-64	69	3.7	7	1	1	3	5	7	8	15
65+	22	4.7	5	2	2	4	6	8	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	5.6	13	1	1	5	7	11	11	11
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	6	2.0	2	1	1	2	2	5	5	5
65+	1	16.0		16	16	16	16	16	16	16
B. *Operated*										
0-19 YRS	21	2.4	2	<1	<1	2	3	4	5	5
20-34	24	3.7	5	1	2	3	5	7	9	10
35-49	35	4.6	15	2	2	4	5	7	10	24
50-64	66	6.0	29	2	2	4	7	10	14	36
65+	43	8.1	28	1	3	7	10	14	18	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.2	24	<1	<1	1	4	12	12	12
B. *Operated*	284	3.0	4	<1	1	3	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	13	4.5	20	1	1	2	5	12	15	16
B. *Operated*	189	5.5	23	1	2	4	7	10	13	26
1. SINGLE DX	289	3.0	4	<1	1	3	4	5	7	12
2. MULTIPLE DX	202	5.4	23	1	2	4	7	10	14	26
A. NOT OPERATED	18	4.1	20	<1	1	2	5	12	14	16
B. OPERATED	473	4.0	13	<1	1	3	5	8	10	17
TOTAL 0-19 YRS	120	2.2	3	<1	<1	2	2	4	5	11
20-34	65	3.1	3	1	2	3	4	5	7	10
35-49	99	3.9	7	<1	2	3	4	6	8	18
50-64	141	4.7	18	1	2	4	6	8	11	18
65+	66	7.1	24	2	3	6	9	13	16	27
GRAND TOTAL	**491**	**4.0**	**13**	**<1**	**1**	**3**	**5**	**8**	**10**	**17**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	6.0		6	6	6	6	6	6	6
50-64	4	4.0	9	<1	<1	3	6	8	8	8
65+	5	3.0	2	1	1	3	4	4	4	4
B. *Operated*										
0-19 YRS	19	2.8	3	<1	<1	3	4	5	6	7
20-34	148	4.3	6	1	2	4	5	8	9	12
35-49	165	5.2	7	2	2	5	7	8	10	14
50-64	195	6.0	15	3	3	6	7	9	10	15
65+	124	7.2	15	2	3	7	9	12	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	10.0	162	<1	<1	9	19	19	19	19
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	8	5.5	17	1	1	5	9	11	11	11
50-64	15	6.2	29	2	2	5	7	11	20	23
65+	30	6.7	41	1	1	5	9	13	16	32
B. *Operated*										
0-19 YRS	16	5.0	24	<1	<1	3	6	15	17	17
20-34	44	6.3	13	2	3	6	8	10	13	19
35-49	174	7.4	25	2	3	6	9	11	16	30
50-64	261	8.6	42	3	4	7	10	15	21	45
65+	247	10.6	60	3	4	9	12	19	27	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	3.3	5	<1	<1	3	4	7	8	8
B. *Operated*	651	5.6	12	2	2	5	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	57	6.3	35	1	1	5	9	13	18	31
B. *Operated*	742	8.8	44	3	3	7	10	15	21	38
1. SINGLE DX	663	5.5	12	2	2	5	7	9	11	16
2. MULTIPLE DX	799	8.6	44	2	3	7	10	15	21	38
A. NOT OPERATED	69	5.8	31	<1	1	4	8	11	16	30
B. OPERATED	1393	7.3	31	2	3	6	9	12	17	35
TOTAL 0-19 YRS	38	4.1	19	<1	<1	3	4	8	17	19
20-34	195	4.7	8	1	2	4	6	8	10	16
35-49	348	6.3	18	2	2	6	8	11	12	25
50-64	475	7.4	32	2	3	6	8	12	17	41
65+	406	9.2	47	2	3	8	11	16	23	37
GRAND TOTAL	**1462**	**7.2**	**32**	**2**	**3**	**6**	**9**	**12**	**17**	**34**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	5.0	12	1	1	5	7	10	10	10
35-49	17	2.6	5	<1	<1	2	3	6	7	8
50-64	38	3.5	13	<1	<1	2	4	8	10	19
65+	44	4.8	13	<1	<1	4	7	10	12	14
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	7.8	2	6	6	8	9	9	9	9
35-49	13	7.6	4	4	5	8	9	10	12	12
50-64	11	9.7	12	5	6	9	12	15	16	16
65+	5	6.4	10	2	2	8	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	25	3.6	12	<1	<1	3	5	6	12	15
35-49	88	4.2	17	<1	<1	3	6	8	10	25
50-64	148	5.6	22	<1	1	5	7	11	15	21
65+	236	8.3	64	2	2	6	9	16	21	38
B. *Operated*										
0-19 YRS	2	12.5	13	10	10	12	15	15	15	15
20-34	37	10.1	32	6	6	9	10	14	19	38
35-49	62	9.3	22	4	6	9	10	13	17	32
50-64	104	10.8	34	3	5	9	13	17	22	34
65+	76	14.5	139	4	6	12	17	23	28	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	105	3.9	12	<1	<1	3	6	9	10	16
B. *Operated*	34	7.9	10	2	4	8	9	12	14	16
2. MULTIPLE DX										
A. *Not Operated*	498	6.5	43	<1	1	5	8	13	18	33
B. *Operated*	281	11.4	63	4	6	9	13	19	23	34
1. SINGLE DX	139	4.9	15	<1	<1	4	8	10	12	16
2. MULTIPLE DX	779	8.3	56	<1	2	7	10	15	21	34
A. NOT OPERATED	603	6.1	39	<1	1	5	7	12	17	31
B. OPERATED	315	11.0	58	4	6	9	13	18	23	34
TOTAL 0-19 YRS	5	6.8	36	1	1	7	11	15	15	15
20-34	71	7.3	30	<1	1	7	9	12	15	34
35-49	180	6.1	23	<1	<1	6	8	11	12	26
50-64	301	7.3	33	<1	1	6	10	14	18	31
65+	361	9.1	81	1	2	7	11	18	23	38
GRAND TOTAL	**918**	**7.8**	**51**	**<1**	**1**	**7**	**10**	**15**	**20**	**33**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	2.7	4	<1	<1	2	4	5	5	5
50-64										
65+	3	1.3		1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	5	1.8	2	<1	<1	1	2	4	4	4
20-34	20	3.6	2	1	2	3	4	5	6	7
35-49	25	3.8	1	2	3	4	4	5	6	7
50-64	27	4.2	4	1	1	4	6	6	7	10
65+	27	5.6	7	2	2	5	7	9	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	9	1	1	4	6	7	7	7
20-34										
35-49	3	4.7	9	2	2	4	7	8	8	8
50-64	1	3.0		3	3	3	3	3	3	3
65+	7	2.6	3	<1	<1	2	4	5	5	5
B. *Operated*										
0-19 YRS	3	3.3	5	2	2	2	5	6	6	6
20-34	5	5.0	2	3	3	5	6	7	7	7
35-49	17	5.5	4	2	3	6	7	8	8	8
50-64	24	4.9	7	1	2	4	7	7	9	13
65+	29	7.2	22	3	3	6	8	13	16	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	1.8	2	<1	<1	1	2	4	5	5
B. *Operated*	104	4.2	4	1	2	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	14	3.4	5	<1	1	3	5	7	8	8
B. *Operated*	78	5.8	12	2	3	6	7	8	13	22
1. SINGLE DX	113	4.0	5	1	1	4	5	7	8	11
2. MULTIPLE DX	92	5.5	12	1	2	5	7	8	12	21
A. NOT OPERATED	23	2.7	4	<1	1	2	4	6	7	8
B. OPERATED	182	4.9	8	1	2	4	6	8	9	15
TOTAL 0-19 YRS	13	2.6	4	<1	<1	2	4	6	7	7
20-34	26	3.8	2	1	2	4	5	6	7	7
35-49	48	4.4	3	2	2	4	6	7	8	8
50-64	52	4.5	6	1	2	4	6	7	8	13
65+	66	5.8	15	1	2	5	7	9	13	24
GRAND TOTAL	**205**	**4.7**	**8**	**1**	**2**	**4**	**6**	**7**	**9**	**15**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	6.3	46	<1	<1	4	11	14	14	14
65+	7	6.6	50	1	1	3	10	18	20	20
B. *Operated*										
0-19 YRS	10	2.3	3	<1	<1	2	3	5	6	6
20-34	25	4.1	3	1	2	4	5	6	7	9
35-49	49	4.0	4	1	2	4	5	8	9	9
50-64	38	6.1	21	2	2	4	7	11	16	23
65+	40	7.1	27	2	3	6	8	13	17	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	6	5.7	13	1	1	6	8	10	10	10
50-64	11	5.1	13	<1	1	5	8	10	11	11
65+	18	9.2	48	2	3	7	16	22	66	99+
B. *Operated*										
0-19 YRS	5	8.6	78	2	2	6	11	24	24	24
20-34	10	8.8	69	2	3	6	7	24	27	27
35-49	37	8.8	71	3	3	6	9	13	30	45
50-64	54	9.7	108	3	3	7	11	15	19	68
65+	112	16.9	272	3	5	11	22	39	56	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	5.7	39	<1	<1	3	9	16	19	20
B. *Operated*	162	5.2	16	1	2	4	6	9	11	23
2. MULTIPLE DX										
A. *Not Operated*	37	7.0	33	1	1	5	10	17	22	99+
B. *Operated*	218	13.2	196	3	4	9	14	28	45	87
1. SINGLE DX	174	5.2	17	1	2	4	6	9	12	22
2. MULTIPLE DX	255	12.3	177	2	3	8	14	27	44	98
A. NOT OPERATED	49	6.7	34	1	1	5	10	17	20	99+
B. OPERATED	380	9.8	135	2	3	6	10	21	29	67
TOTAL 0-19 YRS	16	4.2	32	<1	<1	2	5	7	19	24
20-34	37	5.3	24	2	2	4	6	7	17	27
35-49	93	6.0	37	2	2	5	8	9	12	40
50-64	106	7.8	68	2	3	6	10	14	16	55
65+	177	13.5	204	2	3	9	17	29	53	99+
GRAND TOTAL	**429**	**9.4**	**124**	**2**	**2**	**6**	**10**	**20**	**29**	**71**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	2.8	6	1	1	2	3	6	8	12
20-34	93	3.8	7	1	1	3	5	7	9	14
35-49	144	4.3	8	1	1	4	6	8	9	12
50-64	140	4.9	9	1	2	4	6	9	11	14
65+	180	6.2	22	1	2	5	8	12	15	25
B. *Operated*										
0-19 YRS	35	6.9	17	3	3	6	8	11	18	20
20-34	42	9.2	38	3	4	7	11	14	25	32
35-49	65	11.2	42	5	6	10	12	18	26	39
50-64	42	12.1	65	4	6	10	14	22	24	51
65+	41	14.2	141	7	8	11	17	20	24	82
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	5.5	33	1	1	3	6	16	20	23
20-34	108	5.7	23	1	2	4	7	11	16	27
35-49	149	6.4	32	1	2	5	7	13	20	31
50-64	186	7.1	34	2	2	6	8	14	17	33
65+	426	9.9	107	2	2	7	12	20	29	55
B. *Operated*										
0-19 YRS	45	10.9	41	3	4	9	12	19	26	30
20-34	76	17.3	221	5	6	12	19	34	57	73
35-49	113	14.9	138	5	6	10	20	27	41	60
50-64	169	17.6	173	6	7	14	21	34	45	76
65+	234	20.4	174	8	9	17	25	44	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	604	4.8	13	1	1	4	6	9	11	19
B. *Operated*	225	10.9	64	3	5	9	12	18	23	43
2. MULTIPLE DX										
A. *Not Operated*	895	8.1	70	1	2	6	9	17	22	47
B. *Operated*	637	17.6	170	5	7	14	22	34	52	99+
1. SINGLE DX	829	6.4	34	1	2	5	8	12	16	27
2. MULTIPLE DX	1532	12.1	134	2	3	9	15	25	36	71
A. NOT OPERATED	1499	6.8	50	1	2	5	8	13	19	39
B. OPERATED	862	15.9	151	5	6	12	20	29	45	78
TOTAL 0-19 YRS	153	6.6	33	1	1	5	8	13	19	28
20-34	319	8.3	95	1	2	6	10	18	25	58
35-49	471	8.4	69	1	2	6	10	18	24	47
50-64	537	10.3	102	2	3	8	13	21	27	55
65+	881	12.1	136	2	3	9	16	25	37	91
GRAND TOTAL	**2361**	**10.1**	**106**	**1**	**2**	**7**	**12**	**21**	**28**	**61**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2952	3.3	7	1	1	3	4	6	8	13
20-34	762	2.4	3	1	1	2	3	4	6	9
35-49	326	3.0	6	1	1	2	4	6	8	14
50-64	240	3.8	10	<1	1	3	5	7	9	18
65+	413	4.5	13	1	1	3	6	9	11	20
B. *Operated*										
0-19 YRS	17	5.2	8	3	3	4	6	7	12	15
20-34	29	7.3	15	3	3	6	10	13	14	18
35-49	19	9.6	31	2	3	9	12	15	21	26
50-64	14	7.9	31	2	3	7	8	14	22	24
65+	15	9.0	30	4	4	6	11	17	21	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2070	4.8	19	1	1	4	6	9	12	21
20-34	517	3.5	13	1	1	2	4	7	9	23
35-49	327	4.7	21	1	1	3	6	9	12	25
50-64	379	5.7	29	1	2	4	7	12	13	34
65+	1031	8.0	72	1	2	6	10	16	23	48
B. *Operated*										
0-19 YRS	31	9.8	150	2	3	7	12	15	26	69
20-34	53	8.8	50	2	2	7	11	16	19	43
35-49	36	13.6	218	4	4	9	14	30	47	76
50-64	53	14.7	140	4	4	12	16	32	44	99
65+	68	17.1	196	4	5	12	23	45	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4693	3.3	7	1	1	3	4	6	8	14
B. *Operated*	94	7.7	23	3	3	6	10	14	17	25
2. MULTIPLE DX										
A. *Not Operated*	4324	5.5	34	1	1	4	6	11	15	30
B. *Operated*	241	13.3	157	3	4	10	16	30	46	99+
1. SINGLE DX	4787	3.4	8	1	1	3	4	6	8	14
2. MULTIPLE DX	4565	5.9	44	1	1	4	7	12	16	35
A. NOT OPERATED	9017	4.3	21	1	1	3	5	8	11	22
B. OPERATED	335	11.7	125	3	4	9	13	24	39	79
TOTAL 0-19 YRS	5070	3.9	14	1	1	3	5	7	10	16
20-34	1361	3.2	11	1	1	2	4	6	8	17
35-49	708	4.5	30	1	1	3	5	9	12	26
50-64	686	5.8	38	1	1	4	7	12	15	38
65+	1527	7.5	68	1	2	5	9	15	22	51
GRAND TOTAL	**9352**	**4.6**	**27**	**1**	**1**	**3**	**5**	**9**	**13**	**26**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	8.5	41	4	4	8	13	13	13	13
20-34	16	5.1	5	1	2	5	7	8	9	9
35-49	79	5.0	8	1	2	5	7	9	10	13
50-64	167	5.4	10	2	2	5	8	10	11	16
65+	267	6.0	19	1	2	5	8	11	13	24
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	10	11.9	35	5	5	10	18	20	21	21
35-49	24	12.2	54	5	7	10	12	19	31	39
50-64	38	13.1	32	6	7	12	17	19	24	31
65+	36	14.9	44	6	7	14	19	24	28	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	15.5	25	12	12	15	19	19	19	19
20-34	7	3.1	2	<1	<1	3	4	6	6	6
35-49	54	6.1	21	2	2	5	8	12	17	24
50-64	178	6.8	22	2	3	6	8	11	15	27
65+	597	8.7	52	2	3	7	11	16	21	37
B. *Operated*										
0-19 YRS										
20-34	8	9.9	16	6	7	9	10	17	19	19
35-49	56	16.2	151	4	6	13	19	28	51	98
50-64	136	15.4	101	5	6	14	18	26	32	65
65+	197	20.7	224	5	8	17	25	40	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	531	5.6	14	1	2	5	7	10	12	19
B. *Operated*	109	13.3	41	5	7	12	17	20	27	35
2. MULTIPLE DX										
A. *Not Operated*	838	8.1	44	2	3	6	10	15	20	35
B. *Operated*	397	18.0	174	5	7	15	21	33	53	99+
1. SINGLE DX	640	7.0	27	1	2	6	9	13	18	27
2. MULTIPLE DX	1235	11.3	108	2	3	8	14	22	31	66
A. NOT OPERATED	1369	7.2	34	2	2	6	9	13	17	32
B. OPERATED	506	17.0	149	5	7	14	20	31	42	91
TOTAL 0-19 YRS	5	11.0	34	4	4	12	14	19	19	19
20-34	41	7.4	24	1	2	6	9	15	19	21
35-49	213	9.0	76	2	2	7	11	18	23	60
50-64	519	9.1	57	2	3	7	12	17	22	37
65+	1097	10.4	100	2	2	8	13	21	30	62
GRAND TOTAL	**1875**	**9.8**	**84**	**2**	**3**	**7**	**12**	**19**	**26**	**58**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	2.0	2	<1	1	2	3	4	5	6
20-34	35	2.3	5	<1	<1	1	3	5	7	12
35-49	31	2.6	4	<1	<1	2	4	6	7	8
50-64	21	7.2	208	<1	<1	2	7	15	42	66
65+	15	3.8	12	<1	<1	3	5	10	11	12
B. *Operated*										
0-19 YRS	79	4.1	16	1	1	3	5	9	12	22
20-34	345	3.7	7	1	1	3	5	6	8	15
35-49	304	4.0	9	1	1	3	5	8	9	15
50-64	154	4.4	13	1	2	4	5	8	12	14
65+	45	5.0	18	1	1	4	5	10	15	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	4.2	11	<1	1	3	6	9	11	16
20-34	33	3.3	8	<1	<1	2	5	7	10	12
35-49	32	3.7	8	<1	1	3	5	8	11	12
50-64	18	5.8	28	1	1	4	9	15	18	19
65+	27	9.3	80	1	1	6	10	26	30	36
B. *Operated*										
0-19 YRS	30	4.4	20	1	1	4	5	6	7	26
20-34	247	5.2	19	1	2	4	6	10	13	27
35-49	242	5.6	55	1	2	4	6	9	12	41
50-64	166	5.8	36	1	2	4	7	10	16	37
65+	88	8.4	76	1	2	5	11	17	26	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	126	3.3	41	<1	<1	2	4	7	9	33
B. *Operated*	927	4.0	10	1	1	3	5	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	136	5.1	30	<1	1	4	6	10	15	30
B. *Operated*	773	5.8	41	1	2	4	6	10	16	34
1. SINGLE DX	1053	3.9	14	1	1	3	5	7	9	16
2. MULTIPLE DX	909	5.7	39	1	1	4	6	10	16	33
A. NOT OPERATED	262	4.2	36	<1	<1	2	5	9	12	29
B. OPERATED	1700	4.8	25	1	1	4	6	9	12	26
TOTAL 0-19 YRS	159	3.9	14	1	1	3	5	7	10	22
20-34	660	4.2	12	<1	1	3	5	7	10	19
35-49	609	4.6	28	1	1	4	5	8	9	26
50-64	359	5.3	35	1	2	4	6	10	13	31
65+	175	7.3	60	1	1	5	9	16	20	41
GRAND TOTAL	**1962**	**4.7**	**26**	**1**	**1**	**4**	**6**	**9**	**12**	**27**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	418	3.8	12	1	1	3	4	8	10	22
20-34	478	5.7	34	<1	1	4	7	12	16	30
35-49	246	5.3	21	1	1	4	7	11	15	20
50-64	165	5.3	27	<1	1	4	7	11	15	29
65+	282	5.4	22	<1	1	4	7	12	16	21
B. *Operated*										
0-19 YRS	94	8.1	50	1	1	7	11	16	21	36
20-34	229	10.3	84	1	2	8	13	23	29	47
35-49	130	10.4	67	2	3	8	13	19	25	45
50-64	89	9.3	54	1	2	8	12	19	25	38
65+	89	11.0	66	1	3	9	13	21	29	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	361	4.9	28	1	1	3	6	10	14	27
20-34	486	7.0	35	1	2	5	9	14	19	30
35-49	362	7.0	42	1	1	5	9	14	19	35
50-64	396	7.2	41	1	2	6	9	14	17	29
65+	912	8.6	73	1	2	6	11	17	24	50
B. *Operated*										
0-19 YRS	108	12.1	152	2	3	9	15	26	38	95
20-34	437	15.7	181	2	4	12	21	34	44	81
35-49	303	15.5	176	2	4	11	19	34	45	71
50-64	302	16.4	243	2	4	12	19	34	50	93
65+	386	17.4	210	3	4	14	23	37	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1589	5.0	24	<1	1	4	7	11	15	23
B. *Operated*	631	9.9	69	1	2	8	12	20	27	43
2. MULTIPLE DX										
A. *Not Operated*	2517	7.3	51	1	1	5	9	15	19	38
B. *Operated*	1536	16.0	199	2	4	12	21	35	47	93
1. SINGLE DX	2220	6.4	42	1	1	4	8	14	19	33
2. MULTIPLE DX	4053	10.6	125	1	2	7	13	24	33	67
A. NOT OPERATED	4106	6.4	42	1	1	5	8	13	18	32
B. OPERATED	2167	14.2	168	2	3	10	18	31	42	79
TOTAL 0-19 YRS	981	5.5	44	1	1	3	7	12	16	36
20-34	1630	9.4	97	1	2	6	12	21	29	53
35-49	1041	9.5	96	1	2	7	12	20	30	52
50-64	952	10.0	124	1	2	7	12	20	29	66
65+	1669	10.2	113	1	2	7	13	22	31	67
GRAND TOTAL	**6273**	**9.1**	**99**	**1**	**2**	**6**	**11**	**19**	**28**	**57**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	5.7	39	1	1	4	5	17	18	18
35-49	17	7.4	95	2	2	4	8	13	33	43
50-64	16	10.4	133	1	2	6	13	19	39	48
65+	6	11.5	17	6	6	11	16	16	16	16
B. *Operated*										
0-19 YRS										
20-34	2	4.5	25	1	1	4	8	8	8	8
35-49	10	14.0	276	1	1	11	14	37	59	59
50-64	5	16.8	794	2	2	5	23	67	67	67
65+	1	11.0		11	11	55	99+	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	35	10.2	253	1	2	5	9	21	48	81
35-49	95	12.0	159	2	3	8	14	28	40	86
50-64	142	16.5	241	3	4	11	20	35	52	77
65+	84	15.6	183	3	4	12	20	38	60	99+
B. *Operated*										
0-19 YRS										
20-34	6	19.8	583	1	1	9	37	59	61	61
35-49	45	12.2	116	1	1	10	17	30	39	41
50-64	41	12.2	115	1	2	9	16	28	35	49
65+	27	16.5	135	1	4	13	25	36	39	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	8.8	90	1	2	5	11	18	25	48
B. *Operated*	18	13.6	348	1	1	8	14	64	85	99+
2. MULTIPLE DX										
A. *Not Operated*	356	14.5	210	2	3	10	18	34	52	84
B. *Operated*	119	13.6	142	1	1	10	19	33	39	53
1. SINGLE DX	63	10.1	164	1	2	7	12	19	51	95
2. MULTIPLE DX	475	14.2	193	2	3	10	18	33	47	80
A. NOT OPERATED	401	13.8	200	2	3	9	17	32	50	82
B. OPERATED	137	13.6	167	1	1	10	18	33	41	71
TOTAL 0-19 YRS										
20-34	49	10.6	260	1	1	5	10	28	53	81
35-49	167	11.7	147	1	2	8	14	28	40	68
50-64	204	15.1	220	.	3	10	18	33	49	73
65+	118	15.6	162	3	4	12	21	38	57	99+
GRAND TOTAL	**538**	**13.8**	**191**	**2**	**2**	**9**	**17**	**33**	**48**	**81**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	10.3	6	8	8	10	12	13	13	13
35-49	5	6.2	31	<1	<1	4	11	14	14	14
50-64	15	11.9	390	2	2	5	7	30	65	77
65+	9	10.3	49	2	2	10	17	20	21	21
B. *Operated*										
0-19 YRS	5	2.8	2	2	2	2	3	5	5	5
20-34	14	1.9	6	1	1	1	1	5	9	10
35-49	13	2.8	10	1	1	2	3	6	12	13
50-64	24	8.4	160	1	1	2	11	25	40	51
65+	7	8.3	131	1	1	4	12	28	32	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	6.6	95	<1	1	3	6	22	32	32
20-34	9	11.7	71	4	4	8	15	25	31	31
35-49	19	6.4	21	1	2	6	8	12	17	20
50-64	32	13.4	97	3	3	11	21	28	33	36
65+	50	12.5	70	2	4	10	16	23	26	47
B. *Operated*										
0-19 YRS	5	6.2	15	2	2	5	9	12	12	12
20-34	14	3.5	13	1	1	1	6	9	11	12
35-49	43	9.1	194	1	1	6	11	13	27	88
50-64	52	10.8	90	1	1	10	15	24	24	98
65+	50	14.0	140	1	2	11	18	27	33	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	10.4	197	2	2	6	12	22	29	77
B. *Operated*	63	5.3	85	1	1	2	4	14	27	49
2. MULTIPLE DX										
A. *Not Operated*	119	11.3	77	2	3	9	15	24	29	39
B. *Operated*	164	10.5	131	1	1	8	14	23	31	85
1. SINGLE DX	95	7.1	127	1	1	3	8	18	28	65
2. MULTIPLE DX	283	10.8	108	1	1	8	15	24	29	61
A. NOT OPERATED	151	11.1	101	2	2	8	15	24	29	47
B. OPERATED	227	9.1	123	1	1	5	12	23	30	71
TOTAL 0-19 YRS	19	5.5	48	1	2	3	6	10	23	32
20-34	40	5.3	38	1	1	2	8	13	15	31
35-49	80	7.3	117	1	1	5	10	13	18	72
50-64	123	11.1	140	1	1	7	16	24	34	83
65+	116	12.7	102	1	2	10	17	24	31	53
GRAND TOTAL	**378**	**9.9**	**115**	**1**	**1**	**7**	**14**	**23**	**29**	**62**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	5.5	14	2	2	4	7	9	15	17
20-34	25	4.0	10	<1	<1	3	5	9	10	13
35-49	18	10.1	437	2	2	5	8	11	60	93
50-64	10	7.9	28	3	3	7	9	16	21	21
65+	12	8.8	43	1	2	7	13	17	23	24
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	6	4.2	15	1	1	3	6	10	11	11
35-49	10	8.0	109	1	1	3	15	25	31	31
50-64	8	5.4	13	1	1	6	8	9	10	10
65+	4	15.3	291	3	3	9	26	40	40	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.6	7	1	1	5	6	8	10	10
20-34	24	6.1	12	1	3	5	7	12	13	15
35-49	28	8.1	19	3	3	8	10	15	17	18
50-64	51	11.0	140	2	2	8	12	31	50	99
65+	52	12.7	91	2	4	11	16	24	30	53
B. *Operated*										
0-19 YRS	5	7.2	37	2	2	4	12	16	16	16
20-34	6	14.7	127	3	3	12	21	32	33	33
35-49	18	14.1	183	1	1	10	21	37	43	45
50-64	23	16.9	220	1	1	15	27	37	46	58
65+	19	19.4	193	1	2	16	29	37	46	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	6.8	112	1	2	5	8	11	15	71
B. *Operated*	29	7.4	85	1	1	4	9	18	31	40
2. MULTIPLE DX										
A. *Not Operated*	166	9.9	83	2	3	7	12	19	29	53
B. *Operated*	71	16.0	184	1	1	14	25	36	40	57
1. SINGLE DX	111	7.0	104	1	1	4	8	13	20	61
2. MULTIPLE DX	237	11.7	120	1	2	8	15	29	38	54
A. NOT OPERATED	248	8.9	94	1	2	6	11	17	24	53
B. OPERATED	100	13.5	170	1	1	9	19	32	39	55
TOTAL 0-19 YRS	34	5.5	14	2	2	4	7	10	15	17
20-34	61	5.9	30	<1	1	5	7	12	16	32
35-49	74	10.0	171	1	2	6	11	20	31	81
50-64	92	11.7	146	1	2	8	14	31	45	82
65+	87	13.7	121	2	2	12	17	30	36	53
GRAND TOTAL	**348**	**10.2**	**120**	**1**	**2**	**7**	**13**	**22**	**33**	**53**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	3.2	7	<1	1	3	4	7	9	10
20-34	173	2.6	5	<1	1	2	3	5	8	12
35-49	135	2.6	3	<1	1	2	3	5	6	9
50-64	125	3.4	10	<1	1	3	4	6	9	18
65+	87	4.5	10	1	2	3	6	8	9	19
B. *Operated*										
0-19 YRS	91	6.5	4	4	5	6	7	9	11	14
20-34	1088	6.8	5	4	5	6	8	9	10	15
35-49	924	7.0	4	4	5	7	8	9	11	14
50-64	725	7.6	8	5	5	7	9	10	13	19
65+	375	9.6	20	5	6	8	11	15	18	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.7	4	1	1	4	5	6	7	7
20-34	96	3.0	6	<1	1	2	4	5	8	15
35-49	94	4.3	20	1	1	3	5	8	12	27
50-64	169	4.7	16	1	1	3	6	10	13	19
65+	289	9.0	80	1	2	7	10	19	25	49
B. *Operated*										
0-19 YRS	48	9.4	14	5	6	9	11	15	17	20
20-34	803	8.1	11	4	5	7	9	12	15	20
35-49	990	8.6	20	5	5	7	10	13	16	28
50-64	1241	10.3	40	5	6	8	11	16	21	38
65+	1111	14.6	97	6	7	12	17	25	33	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	547	3.1	7	<1	1	2	4	6	8	13
B. *Operated*	3203	7.3	8	4	5	7	8	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	660	6.2	49	1	1	4	7	13	19	36
B. *Operated*	4193	10.6	51	5	6	8	12	18	23	41
1. SINGLE DX	3750	6.7	10	2	3	6	8	10	12	18
2. MULTIPLE DX	4853	10.0	53	3	5	8	11	17	23	41
A. NOT OPERATED	1207	4.8	32	1	1	3	6	10	14	28
B. OPERATED	7396	9.2	35	5	5	8	10	15	19	34
TOTAL 0-19 YRS	178	6.6	11	1	3	6	8	11	13	18
20-34	2160	6.7	10	2	3	6	8	10	12	18
35-49	2143	7.3	15	2	4	7	8	11	13	22
50-64	2260	8.6	31	2	4	8	10	14	18	31
65+	1862	12.2	84	3	5	10	15	22	29	51
GRAND TOTAL	**8603**	**8.6**	**37**	**2**	**4**	**7**	**10**	**14**	**19**	**33**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	2.9	4	<1	<1	2	4	6	7	7
20-34	122	3.1	4	1	1	3	4	6	7	9
35-49	87	3.0	4	1	1	3	4	6	7	9
50-64	48	4.1	11	1	1	3	5	9	12	15
65+	65	5.5	15	2	2	4	7	10	15	20
B. *Operated*										
0-19 YRS	9	7.4	4	4	4	8	8	10	11	11
20-34	97	8.2	12	5	5	8	9	12	14	23
35-49	77	7.5	7	4	5	7	8	12	14	16
50-64	61	8.3	11	5	5	7	10	12	14	21
65+	30	10.7	19	5	6	10	14	17	18	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	3.8	5	2	2	3	5	7	10	10
20-34	62	3.7	8	<1	1	3	5	7	8	15
35-49	47	4.4	10	1	1	4	7	9	10	15
50-64	63	5.8	60	1	1	4	7	11	13	54
65+	131	7.5	35	2	2	6	9	16	20	30
B. *Operated*										
0-19 YRS	6	6.5	1	6	6	6	7	8	8	8
20-34	124	8.9	44	5	5	7	9	14	20	41
35-49	132	9.9	40	5	6	8	11	17	25	34
50-64	132	11.1	42	5	6	9	13	18	21	44
65+	121	16.3	127	6	7	13	19	32	48	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	343	3.7	8	1	1	3	5	7	9	15
B. *Operated*	274	8.3	12	5	5	8	10	13	14	19
2. MULTIPLE DX										
A. *Not Operated*	314	5.8	32	1	1	4	7	11	16	27
B. *Operated*	515	11.4	69	5	6	9	13	20	28	56
1. SINGLE DX	617	5.7	15	1	1	5	8	11	13	18
2. MULTIPLE DX	829	9.3	62	2	3	7	11	17	25	48
A. NOT OPERATED	657	4.7	21	1	1	4	6	9	12	21
B. OPERATED	789	10.3	51	5	5	8	12	17	25	46
TOTAL 0-19 YRS	47	4.4	7	1	1	4	7	8	9	11
20-34	405	6.2	26	1	1	5	8	11	13	31
35-49	343	6.9	28	1	2	6	8	12	15	27
50-64	304	8.3	42	1	3	7	10	14	18	34
65+	347	10.5	81	2	3	8	13	20	29	61
GRAND TOTAL	**1446**	**7.8**	**45**	**1**	**2**	**6**	**9**	**14**	**19**	**37**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	18	3.4	4	<1	1	4	5	7	7	7
35-49	11	3.8	9	<1	<1	3	6	8	10	10
50-64	10	2.9	8	<1	<1	2	3	7	10	10
65+	11	5.0	16	1	1	4	7	11	15	15
B. *Operated*										
0-19 YRS	6	6.5	15	3	3	6	6	13	14	14
20-34	39	8.3	24	2	3	8	11	15	17	25
35-49	33	8.8	24	3	4	8	11	12	17	29
50-64	40	10.5	21	3	6	10	13	18	19	21
65+	44	11.2	42	2	3	11	15	20	24	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	11	3.8	4	1	1	4	5	6	7	7
35-49	4	6.3	7	4	4	6	8	9	9	9
50-64	11	6.6	17	2	2	7	7	14	14	14
65+	40	6.5	16	2	2	6	8	13	16	17
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	22	10.0	17	4	6	9	13	16	18	20
35-49	31	11.4	58	2	4	10	14	23	31	32
50-64	45	12.3	58	1	3	10	16	21	26	37
65+	89	16.4	96	3	4	15	22	28	34	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	3.8	8	<1	1	3	5	7	10	15
B. *Operated*	162	9.7	29	2	3	8	12	17	19	28
2. MULTIPLE DX										
A. *Not Operated*	67	6.0	14	2	2	5	7	12	14	17
B. *Operated*	188	13.8	77	3	4	12	18	26	31	42
1. SINGLE DX	213	8.2	30	1	2	7	11	16	19	26
2. MULTIPLE DX	255	11.8	72	2	3	9	16	24	29	39
A. NOT OPERATED	118	5.0	13	1	1	4	7	9	14	17
B. OPERATED	350	11.9	59	3	4	10	15	22	27	37
TOTAL 0-19 YRS	9	5.9	11	3	3	6	6	11	14	14
20-34	90	7.2	22	1	2	7	9	14	16	23
35-49	79	9.0	40	1	3	8	11	14	24	32
50-64	106	10.1	43	1	2	9	14	19	21	33
65+	184	12.3	80	2	3	10	17	25	28	42
GRAND TOTAL	**468**	**10.2**	**56**	**1**	**2**	**8**	**14**	**20**	**25**	**36**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	10	3.1	4	<1	<1	2	5	6	7	7
35-49	9	5.2	25	<1	<1	3	9	13	15	15
50-64	16	5.9	11	1	2	6	8	11	12	12
65+	21	7.5	71	1	1	5	8	19	30	34
B. *Operated*										
0-19 YRS										
20-34	11	12.3	191	1	1	6	20	35	42	43
35-49	7	11.6	79	2	2	7	18	25	26	26
50-64	7	10.0	52	1	2	9	14	21	22	22
65+	8	13.9	92	1	1	14	21	26	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	8.2	13	4	4	7	11	14	16	16
20-34	13	4.6	7	1	2	4	7	8	9	9
35-49	8	8.4	62	1	2	6	11	22	25	25
50-64	18	9.6	66	3	3	7	13	17	29	36
65+	46	10.5	198	2	3	7	13	19	23	94
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	13	13.9	50	2	7	13	18	24	26	26
35-49	18	15.3	98	3	7	13	19	30	38	41
50-64	24	17.7	155	2	4	14	24	36	44	44
65+	43	20.8	130	5	7	20	29	38	41	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	5.8	35	1	1	4	7	12	15	33
B. *Operated*	33	12.0	106	1	1	9	19	26	29	43
2. MULTIPLE DX										
A. *Not Operated*	95	9.1	118	2	3	7	11	17	20	68
B. *Operated*	99	18.1	122	3	6	16	24	35	41	47
1. SINGLE DX	91	8.1	69	1	1	5	11	20	26	39
2. MULTIPLE DX	194	13.7	140	2	3	10	19	29	36	47
A. NOT OPERATED	153	7.8	88	1	2	6	9	15	20	36
B. OPERATED	132	16.6	124	1	3	15	23	33	40	45
TOTAL 0-19 YRS	13	7.8	15	3	4	7	11	14	16	16
20-34	47	8.7	80	1	1	6	12	23	26	43
35-49	42	11.2	84	1	2	9	16	24	29	41
50-64	65	11.7	104	2	3	9	14	28	35	44
65+	118	14.0	170	1	2	10	20	30	37	63
GRAND TOTAL	**285**	**11.9**	**124**	**1**	**2**	**8**	**16**	**26**	**34**	**44**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	3.8	3	1	2	4	5	6	7	8
20-34	137	5.5	14	1	2	5	7	10	13	18
35-49	144	6.7	32	2	2	5	8	12	17	31
50-64	79	7.2	19	2	3	6	8	13	16	23
65+	73	8.5	39	3	4	7	10	16	21	37
B. Operated										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	9	10.9	22	4	5	10	15	17	18	18
35-49	16	10.8	46	2	4	9	14	22	25	26
50-64	13	10.7	72	1	1	11	16	24	26	27
65+	5	10.8	19	6	6	10	14	17	17	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	5.7	10	1	2	6	8	9	12	13
20-34	170	7.8	32	2	3	6	10	15	20	25
35-49	289	7.7	40	2	3	6	9	15	19	29
50-64	171	9.8	66	2	3	7	12	19	24	41
65+	173	10.8	121	3	4	8	12	19	30	82
B. Operated										
0-19 YRS	6	25.8	263	9	10	19	43	48	49	49
20-34	43	19.5	172	6	7	16	27	46	74	99+
35-49	69	21.2	316	4	5	16	26	43	60	91
50-64	85	18.4	179	3	4	14	24	42	51	86
65+	75	20.7	284	3	6	17	24	39	71	98
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	452	6.6	25	2	2	5	8	12	16	27
B. Operated	45	10.4	44	1	2	10	15	18	24	27
2. MULTIPLE DX										
A. Not Operated	820	8.8	62	2	3	7	10	17	22	42
B. Operated	278	20.1	241	4	6	16	25	43	60	99+
1. SINGLE DX	497	6.9	28	2	2	6	8	13	17	27
2. MULTIPLE DX	1098	11.6	131	2	3	8	14	24	34	74
A. NOT OPERATED	1272	8.0	50	2	3	6	10	15	21	37
B. OPERATED	323	18.7	224	3	5	15	23	41	54	99+
TOTAL 0-19 YRS	44	7.5	91	1	2	5	8	15	27	49
20-34	359	8.4	59	2	2	6	10	17	24	49
35-49	518	9.3	96	2	3	6	11	19	27	51
50-64	348	11.3	100	2	3	8	14	23	34	60
65+	326	12.6	158	3	4	9	15	25	34	86
GRAND TOTAL	**1595**	**10.2**	**104**	**2**	**3**	**7**	**13**	**21**	**28**	**63**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	37	3.1	9	1	1	2	4	7	11	13
20-34	44	6.1	171	<1	1	4	6	9	10	89
35-49	43	3.6	4	1	1	3	5	6	7	9
50-64	53	5.0	10	1	2	5	6	10	11	15
65+	111	6.4	26	1	2	5	8	13	16	25
B. Operated										
0-19 YRS										
20-34										
35-49	3	14.0	109	7	7	9	22	26	26	26
50-64	3	11.0	21	6	6	12	14	15	15	15
65+	9	10.3	27	3	4	9	14	18	19	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	47	3.8	10	1	1	3	5	7	8	20
20-34	101	4.0	6	<1	1	4	5	7	9	12
35-49	144	5.3	18	1	1	4	7	10	15	20
50-64	190	7.2	37	1	2	6	9	12	14	36
65+	587	9.9	74	2	3	8	12	19	25	51
B. Operated										
0-19 YRS	5	6.6	37	1	1	5	9	17	17	17
20-34	12	8.8	35	3	4	7	10	20	21	21
35-49	25	12.4	163	2	3	9	16	23	49	51
50-64	51	10.6	61	3	4	9	12	20	27	42
65+	105	18.0	302	3	4	14	20	43	60	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	288	5.3	41	1	1	4	6	10	13	20
B. Operated	15	11.2	36	3	5	9	14	19	24	26
2. MULTIPLE DX										
A. Not Operated	1069	8.0	56	1	2	6	10	15	21	41
B. Operated	198	14.6	212	3	4	10	18	27	51	89
1. SINGLE DX	303	5.6	42	1	1	4	7	11	15	23
2. MULTIPLE DX	1267	9.0	86	1	2	6	11	18	23	55
A. NOT OPERATED	1357	7.4	54	1	2	5	9	14	19	40
B. OPERATED	213	14.3	200	3	4	10	18	26	50	88
TOTAL 0-19 YRS	89	3.7	12	1	1	3	5	7	11	19
20-34	157	4.9	56	1	1	4	6	9	10	21
35-49	215	5.9	39	1	1	4	7	11	18	34
50-64	297	7.5	39	1	2	6	9	13	18	36
65+	812	10.5	106	2	3	8	13	20	28	61
GRAND TOTAL	**1570**	**8.3**	**79**	**1**	**2**	**6**	**10**	**16**	**22**	**53**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	6.0	36	2	2	4	6	12	21	27
20-34	3	4.0	3	2	2	5	5	5	5	5
35-49	7	4.6	7	1	1	6	7	7	7	7
50-64	1	5.0		5	5	5	5	5	5	5
65+	3	3.3	10	1	1	2	6	7	7	7
B. *Operated*										
0-19 YRS	2	14.5	13	12	12	14	17	17	17	17
20-34	4	9.0	7	6	6	9	11	12	12	12
35-49	7	7.4	28	1	1	6	12	15	15	15
50-64	11	8.3	33	2	3	5	14	17	17	17
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	7.4	33	2	3	6	9	14	17	35
20-34	8	5.4	6	2	2	6	7	8	8	8
35-49	8	7.0	23	2	2	6	10	14	16	16
50-64	9	6.1	31	<1	<1	5	9	15	17	17
65+	12	15.8	164	3	3	10	27	33	39	40
B. *Operated*										
0-19 YRS	5	23.8	1018	3	3	11	33	80	80	80
20-34	4	15.5	178	5	5	11	23	35	35	35
35-49	12	26.5	644	4	7	15	33	71	84	86
50-64	25	22.9	314	7	10	14	32	45	58	81
65+	15	26.7	135	12	15	23	37	50	85	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	5.6	29	1	2	4	6	9	19	27
B. *Operated*	24	8.7	27	2	3	8	13	17	17	17
2. MULTIPLE DX										
A. *Not Operated*	88	8.2	55	2	2	7	9	17	25	38
B. *Operated*	61	24.1	360	5	9	17	35	50	80	98
1. SINGLE DX	82	6.5	30	1	2	5	8	15	18	27
2. MULTIPLE DX	149	14.7	240	2	3	10	18	36	45	86
A. NOT OPERATED	146	7.2	46	2	2	5	8	16	23	35
B. OPERATED	85	19.8	314	3	4	14	24	43	68	95
TOTAL 0-19 YRS	102	7.7	87	2	2	5	9	16	19	57
20-34	19	8.1	52	2	2	7	9	12	25	35
35-49	34	13.5	322	1	2	8	14	26	61	86
50-64	46	15.7	244	1	2	12	17	38	46	81
65+	30	20.0	187	2	3	19	34	40	50	99+
GRAND TOTAL	**231**	**11.8**	**181**	**2**	**2**	**7**	**14**	**29**	**39**	**82**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	8.0	17	1	2	7	11	14	14	16
20-34	6	3.2	2	<1	<1	3	4	5	5	5
35-49	4	6.0	11	4	4	5	8	11	11	11
50-64	1	7.0		7	7	7	7	7	7	7
65+	3	5.7	5	3	3	7	7	7	7	7
B. *Operated*										
0-19 YRS	8	4.5	11	1	1	4	7	10	10	10
20-34	17	5.8	9	1	2	5	8	10	11	11
35-49	7	4.6	24	1	1	3	5	13	15	15
50-64	4	3.5		3	3	3	4	4	4	4
65+	3	7.0	52	1	1	5	12	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	6.1	14	1	2	5	9	11	13	15
20-34	15	7.5	44	<1	2	5	8	21	22	22
35-49	8	8.8	27	2	3	8	9	17	20	20
50-64	13	9.8	81	2	3	6	11	24	32	34
65+	12	16.3	93	6	7	12	23	31	34	35
B. *Operated*										
0-19 YRS	19	12.9	241	2	3	8	14	33	50	64
20-34	44	13.3	204	2	2	8	16	31	46	64
35-49	44	16.5	285	2	3	10	24	38	54	80
50-64	42	13.9	255	1	2	10	17	29	53	72
65+	16	18.1	222	2	5	15	23	53	84	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	7.2	16	1	2	7	10	13	14	16
B. *Operated*	39	5.2	13	1	1	4	8	10	13	15
2. MULTIPLE DX										
A. *Not Operated*	73	9.0	56	2	2	7	11	20	27	35
B. *Operated*	165	14.7	242	2	2	10	18	36	55	79
1. SINGLE DX	98	6.4	16	1	2	6	9	12	14	16
2. MULTIPLE DX	238	13.0	191	2	2	8	16	29	43	73
A. NOT OPERATED	132	8.2	39	2	2	7	10	15	21	34
B. OPERATED	204	12.9	212	1	2	8	16	30	51	76
TOTAL 0-19 YRS	97	8.2	64	1	2	7	10	14	16	50
20-34	82	9.9	132	2	2	6	11	21	33	63
35-49	63	13.5	226	2	2	8	20	29	44	78
50-64	60	12.2	203	1	2	7	16	23	43	72
65+	34	15.4	154	2	5	12	20	35	52	99+
GRAND TOTAL	**336**	**11.1**	**149**	**2**	**2**	**7**	**13**	**23**	**36**	**69**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	5.3	12	1	1	5	7	11	12	12
20-34	5	5.0	9	2	2	4	7	9	9	9
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	3	3.3	2	2	2	3	4	5	5	5
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	15.0	72	9	9	15	21	21	21	21
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	9.6	51	2	2	7	14	20	22	22
20-34	2	4.5	5	3	3	4	6	6	6	6
35-49	1	6.0		6	6	6	6	6	6	6
50-64	1	5.0		5	5	5	5	5	5	5
65+	2	12.5	41	8	8	12	17	17	17	17
B. *Operated*										
0-19 YRS	3	3.0	3	2	2	2	4	5	5	5
20-34	3	17.7	49	11	11	17	23	25	25	25
35-49	6	20.2	173	2	3	19	21	41	43	43
50-64	8	8.3	20	2	2	8	11	14	15	15
65+	2	25.5	113	18	18	33	83	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	4.9	10	1	1	5	7	10	11	12
B. *Operated*	6	6.8	56	1	1	4	9	20	21	21
2. MULTIPLE DX										
A. *Not Operated*	13	8.6	37	2	3	6	13	18	21	22
B. *Operated*	22	13.6	113	2	2	13	19	35	63	99+
1. SINGLE DX	31	5.3	18	1	1	5	7	10	12	21
2. MULTIPLE DX	35	11.8	89	2	2	9	18	25	40	99+
A. NOT OPERATED	38	6.2	22	1	2	5	8	13	16	22
B. OPERATED	28	12.2	107	2	2	9	19	30	46	99+
TOTAL 0-19 YRS	30	5.9	22	1	2	5	7	12	14	22
20-34	11	8.0	54	1	2	6	10	20	25	25
35-49	10	16.2	140	2	3	18	21	32	43	43
50-64	10	7.3	20	2	2	7	9	14	15	15
65+	5	15.4	145	1	2	17	33	93	99+	99+
GRAND TOTAL	**66**	**8.7**	**66**	**1**	**2**	**6**	**13**	**20**	**26**	**90**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	5	4.0	5	3	3	3	5	8	8	8
65+	23	5.8	33	1	2	2	9	15	18	21
B. *Operated*										
0-19 YRS	1	26.0		26	26	26	26	26	26	26
20-34	5	7.0	8[illegible]	1	1	4	9	23	23	23
35-49	4	11.5	48	5	5	11	17	18	18	18
50-64	4	19.3	782	3	3	6	35	61	61	61
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.2	12	<1	<1	2	3	9	10	10
20-34	13	7.5	48	1	1	7	13	19	21	22
35-49	14	7.9	59	<1	2	6	8	16	28	32
50-64	34	13.1	269	1	2	7	19	31	45	81
65+	69	13.8	93	3	5	12	17	27	48	99+
B. *Operated*										
0-19 YRS	5	5.6	35	2	2	3	8	16	16	16
20-34	55	16.3	202	2	2	11	24	35	41	70
35-49	57	15.8	354	2	2	11	21	38	58	96
50-64	52	12.9	209	2	2	8	18	43	90	99+
65+	42	19.5	201	2	4	16	29	38	52	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	5.5	28	1	2	3	8	14	17	21
B. *Operated*	15	12.8	240	1	3	6	18	26	52	61
2. MULTIPLE DX										
A. *Not Operated*	136	11.9	132	1	2	9	16	26	35	99+
B. *Operated*	211	15.7	245	2	2	11	24	37	55	99+
1. SINGLE DX	43	8.0	111	1	2	4	9	19	24	61
2. MULTIPLE DX	347	14.2	203	2	2	10	20	34	49	99+
A. NOT OPERATED	164	10.8	120	1	2	8	15	24	32	97
B. OPERATED	226	15.5	244	2	2	11	24	37	55	99+
TOTAL 0-19 YRS	12	6.1	59	<1	1	3	7	19	25	26
20-34	73	14.1	179	1	2	10	22	34	39	65
35-49	75	14.1	290	2	2	8	17	29	54	91
50-64	95	12.8	239	1	2	7	17	37	62	99+
65+	135	14.2	136	2	2	11	19	30	46	99+
GRAND TOTAL	**390**	**13.5**	**197**	**2**	**2**	**9**	**18**	**32**	**48**	**99+**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	7	1	1	2	5	6	6	6
20-34	1	7.0		7	7	7	7	7	7	7
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	6.5	1	6	6	6	7	7	7	7
65+	2	11.0	50	6	6	11	16	16	16	16
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	1	5.0		5	5	5	5	5	5	5
50-64	7	5.1	14	2	2	4	6	12	13	13
65+	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	7.3	18	2	2	7	10	12	12	12
20-34	9	9.7	51	3	3	7	15	21	23	23
35-49	3	7.0	13	4	4	6	10	11	11	11
50-64	16	8.3	31	1	3	8	10	19	20	20
65+	74	15.2	195	2	3	12	20	33	50	96
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	6	13.5	59	4	4	14	17	24	25	25
35-49	6	26.3	323	2	5	22	49	90	99+	99+
50-64	15	15.2	110	2	3	14	21	33	35	36
65+	23	23.4	269	5	7	22	30	44	89	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	6.0	19	1	1	6	7	12	16	16
B. *Operated*	13	4.4	9	2	2	4	5	8	12	13
2. MULTIPLE DX										
A. *Not Operated*	106	13.2	154	2	3	10	17	26	39	90
B. *Operated*	51	20.0	211	3	4	18	25	41	79	99+
1. SINGLE DX	22	5.0	13	1	2	4	6	9	14	16
2. MULTIPLE DX	157	15.4	182	2	3	13	21	34	47	99+
A. NOT OPERATED	115	12.6	147	2	3	9	17	26	38	89
B. OPERATED	64	16.8	209	2	3	15	24	37	57	99+
TOTAL 0-19 YRS	9	5.9	21	1	1	6	10	13	13	13
20-34	18	10.0	53	2	3	7	15	21	24	25
35-49	11	17.0	280	2	3	15	33	65	95	99+
50-64	40	10.3	70	2	3	7	14	21	28	36
65+	101	16.8	218	2	3	14	23	36	53	99+
GRAND TOTAL	**179**	**14.1**	**172**	**2**	**3**	**11**	**20**	**32**	**43**	**99+**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	3.6	3	1	2	3	5	6	7	8
20-34	99	4.3	4	2	2	4	5	7	8	12
35-49	31	4.8	6	2	2	4	7	9	10	10
50-64	21	5.8	8	1	2	6	8	9	11	12
65+	14	6.6	6	1	3	7	7	10	11	11
B. *Operated*										
0-19 YRS	4	4.0	5	1	1	4	5	6	6	6
20-34	5	7.2	21	4	4	6	9	15	15	15
35-49										
50-64	2	12.0	8	10	10	12	14	14	14	14
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	5.2	6	2	3	5	7	8	11	13
20-34	133	5.4	14	1	2	4	7	9	11	25
35-49	52	5.8	16	2	2	5	7	9	11	24
50-64	47	7.6	43	3	3	7	9	10	11	48
65+	75	9.0	42	3	4	7	10	20	30	99+
B *Operated*										
0-19 YRS	12	10.3	39	4	5	8	13	22	23	23
20-34	9	10.7	108	4	4	7	10	28	37	37
35-49	5	11.2	34	5	5	12	14	20	20	20
50-64	11	12.5	53	2	4	13	13	23	29	30
65+	6	22.7	585	8	8	12	26	66	70	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	257	4.4	5	2	2	4	6	7	9	11
B. *Operated*	12	6.8	18	1	3	5	8	14	15	15
2. MULTIPLE DX										
A. *Not Operated*	399	6.3	23	2	3	5	7	10	15	32
B. *Operated*	43	12.7	134	4	5	9	14	24	32	70
1. SINGLE DX	269	4.5	6	2	2	4	6	7	9	14
2. MULTIPLE DX	442	7.0	37	2	3	6	8	12	19	38
A. NOT OPERATED	656	5.6	17	2	2	5	7	9	11	26
B. OPERATED	55	11.4	114	4	4	8	13	21	29	68
TOTAL 0-19 YRS	200	4.7	9	1	2	4	6	7	10	18
20-34	246	5.2	15	2	2	4	6	8	10	24
35-49	88	5.8	15	2	2	5	7	10	12	22
50-64	81	7.9	38	2	3	7	10	13	14	42
65+	96	9.4	77	3	4	7	10	20	30	99+
GRAND TOTAL	**711**	**6.0**	**27**	**2**	**2**	**5**	**7**	**10**	**14**	**31**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	145	3.9	6	1	1	3	5	7	8	16
20-34	199	4.2	5	1	2	4	5	7	8	11
35-49	63	4.6	6	1	2	4	6	8	10	12
50-64	33	5.0	6	2	3	4	6	9	9	10
65+	31	8.7	59	2	3	6	9	21	25	35
B. *Operated*										
0-19 YRS	8	5.9	10	1	2	6	8	10	11	11
20-34	14	8.7	27	2	4	7	11	17	21	22
35-49	6	5.8	11	<1	<1	6	9	9	9	9
50-64	1	8.0		8	8	8	8	8	8	8
65+	5	5.0	34	<1	<1	4	7	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	150	5.5	8	2	3	5	7	9	11	13
20-34	208	4.9	8	2	2	4	7	9	10	13
35-49	70	5.6	8	1	2	5	7	9	10	16
50-64	64	7.8	23	2	3	7	9	15	18	23
65+	145	9.0	41	2	3	8	12	15	19	33
B. *Operated*										
0-19 YRS	32	8.5	23	3	4	8	10	12	14	29
20-34	56	10.3	101	1	4	7	10	24	36	48
35-49	30	10.9	55	2	3	9	17	26	27	99+
50-64	38	15.5	178	3	6	12	19	29	34	79
65+	44	18.3	185	5	6	15	23	35	55	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	471	4.5	10	1	2	4	6	8	9	18
B. *Operated*	34	7.0	21	<1	1	7	8	12	17	22
2. MULTIPLE DX										
A. *Not Operated*	637	6.3	19	2	2	5	8	11	14	22
B. *Operated*	200	12.9	126	3	4	9	15	27	35	70
1. SINGLE DX	505	4.7	11	1	2	4	6	8	9	19
2. MULTIPLE DX	837	7.9	52	2	2	6	9	14	21	41
A. NOT OPERATED	1108	5.6	16	1	2	5	7	10	12	21
B. OPERATED	234	12.0	115	2	4	9	14	25	32	64
TOTAL 0-19 YRS	335	5.1	10	1	2	4	7	9	11	15
20-34	477	5.4	21	1	2	4	7	9	11	26
35-49	169	6.2	20	1	2	5	8	11	17	27
50-64	136	9.3	77	2	3	7	11	18	23	41
65+	225	10.7	85	2	3	8	13	21	27	54
GRAND TOTAL	**1342**	**6.7**	**39**	**1**	**2**	**5**	**8**	**12**	**17**	**32**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.0	2	<1	1	3	4	5	6	6
20-34	115	2.3	3	1	1	2	3	4	6	9
35-49	122	2.1	2	<1	1	2	3	4	5	9
50-64	77	2.7	4	1	1	2	3	6	6	11
65+	52	3.8	14	<1	1	3	5	7	9	24
B. *Operated*										
0-19 YRS	4	8.0	21	4	4	7	11	14	14	14
20-34	69	8.1	17	2	3	8	11	14	15	18
35-49	97	8.6	17	3	4	8	10	14	17	23
50-64	83	9.9	27	2	3	10	12	17	21	24
65+	43	9.3	37	2	2	8	12	18	24	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.9	1	2	2	3	4	4	4	4
20-34	67	4.2	16	1	1	3	5	9	14	21
35-49	74	3.5	12	1	1	3	4	7	11	20
50-64	87	3.7	7	1	1	3	5	8	8	13
65+	62	4.5	18	1	1	3	6	9	16	19
B. *Operated*										
0-19 YRS	5	12.0	27	4	4	14	15	17	17	17
20-34	50	12.7	77	3	3	11	17	23	32	38
35-49	88	11.5	102	2	3	10	14	21	28	62
50-64	123	11.0	53	2	4	10	14	20	25	36
65+	97	15.1	128	3	7	12	16	31	35	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	376	2.5	5	<1	1	2	3	5	6	10
B. *Operated*	296	8.9	23	2	3	8	11	15	18	24
2. MULTIPLE DX										
A. *Not Operated*	300	3.9	12	1	1	3	5	8	11	18
B. *Operated*	363	12.5	90	3	4	11	15	22	30	52
1. SINGLE DX	672	5.4	23	1	1	4	8	11	14	22
2. MULTIPLE DX	663	8.6	73	1	1	6	12	17	23	38
A. NOT OPERATED	676	3.1	9	1	1	2	4	6	8	16
B. OPERATED	659	10.9	63	2	3	10	13	19	24	38
TOTAL 0-19 YRS	29	5.2	20	1	2	4	5	14	15	17
20-34	301	5.8	35	1	1	4	8	14	17	30
35-49	381	6.2	45	1	1	4	9	13	17	29
50-64	370	7.3	39	1	1	6	11	15	19	26
65+	254	9.2	87	1	1	7	12	18	26	51
GRAND TOTAL	**1335**	**7.0**	**50**	**1**	**1**	**5**	**10**	**15**	**19**	**32**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.7	3	<1	1	2	4	5	6	6
20-34	205	2.4	3	1	1	2	3	5	5	8
35-49	258	2.4	2	1	1	2	3	4	5	7
50-64	187	2.6	4	1	1	2	4	5	7	9
65+	64	3.6	19	1	1	3	4	6	8	30
B. *Operated*										
0-19 YRS	20	5.1	10	2	2	4	7	8	12	15
20-34	239	6.0	14	2	2	5	8	11	14	17
35-49	321	6.4	19	2	2	5	9	12	15	20
50-64	249	7.0	29	2	2	6	9	13	17	25
65+	116	7.9	26	2	2	8	11	14	15	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.8	4	3	3	5	6	8	8	8
20-34	65	2.8	4	1	1	2	4	5	6	11
35-49	73	2.6	2	<1	1	2	3	4	6	7
50-64	98	3.4	7	1	1	2	4	8	9	12
65+	57	4.8	13	1	2	4	6	8	13	21
B. *Operated*										
0-19 YRS	7	7.6	8	3	3	9	9	11	11	11
20-34	102	8.7	38	2	3	7	12	17	19	32
35-49	133	8.1	35	2	2	7	10	15	20	30
50-64	217	9.6	53	2	3	8	12	18	24	38
65+	120	9.8	43	3	4	9	12	18	19	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	731	2.6	4	1	1	2	3	5	6	8
B. *Operated*	945	6.6	21	2	2	6	9	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	298	3.4	7	1	1	3	4	6	9	13
B. *Operated*	579	9.1	44	2	3	8	12	17	21	34
1. SINGLE DX	1676	4.9	18	1	1	3	6	10	13	21
2. MULTIPLE DX	877	7.2	39	1	2	5	10	15	19	30
A. NOT OPERATED	1029	2.8	5	1	1	2	4	5	7	11
B. OPERATED	1524	7.6	31	2	2	6	10	14	18	28
TOTAL 0-19 YRS	49	4.6	9	1	2	4	6	9	9	15
20-34	611	4.9	19	1	1	4	6	10	14	19
35-49	785	5.0	20	1	1	3	7	11	14	21
50-64	751	6.2	34	1	1	4	8	13	17	28
65+	357	7.3	34	1	2	6	10	15	18	29
GRAND TOTAL	**2553**	**5.7**	**26**	**1**	**1**	**4**	**8**	**12**	**15**	**25**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	4.2	15	<1	1	3	6	9	14	16
20-34	14	3.1	4	<1	1	2	5	6	7	7
35-49	16	3.8	6	1	1	4	5	5	9	11
50-64	13	3.1	2	1	1	3	4	6	6	6
65+	3	9.7	114	3	3	4	17	22	22	22
B. *Operated*										
0-19 YRS	81	10.2	19	1	3	10	13	15	18	20
20-34	52	8.4	37	<1	1	8	10	17	21	31
35-49	36	6.7	27	1	2	5	10	15	18	21
50-64	34	7.5	38	1	2	6	9	17	22	23
65+	22	8.0	40	<1	1	7	10	17	21	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	4.6	20	1	1	3	6	8	11	24
20-34	41	5.4	18	1	1	5	6	10	14	22
35-49	20	4.7	10	1	1	4	7	9	11	11
50-64	31	5.5	21	1	2	4	7	9	15	24
65+	48	12.9	215	1	2	10	17	31	82	99+
B. *Operated*										
0-19 YRS	131	10.5	45	1	2	10	12	17	19	37
20-34	76	10.7	51	1	2	11	14	18	26	83
35-49	82	13.2	91	2	3	12	17	22	28	58
50-64	90	11.5	91	1	1	10	17	23	31	42
65+	118	15.2	261	2	2	11	18	29	46	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	3.9	12	1	1	3	5	7	10	21
B. *Operated*	225	8.6	31	1	2	8	12	16	19	23
2. MULTIPLE DX										
A. *Not Operated*	167	7.4	86	1	1	5	8	16	24	96
B. *Operated*	497	12.3	116	1	2	11	15	23	30	60
1. SINGLE DX	288	7.6	30	1	1	7	10	15	19	23
2. MULTIPLE DX	664	11.0	113	1	2	9	14	22	28	74
A. NOT OPERATED	230	6.4	68	1	1	4	7	13	22	85
B. OPERATED	722	11.1	92	1	2	10	14	20	25	51
TOTAL 0-19 YRS	256	9.4	37	1	2	10	12	16	19	27
20-34	183	8.3	42	1	1	7	12	16	21	37
35-49	154	9.6	72	1	2	8	13	19	23	39
50-64	168	8.9	68	1	1	6	12	21	24	38
65+	191	13.7	225	2	2	10	17	26	46	98
GRAND TOTAL	**952**	**10.0**	**90**	**1**	**2**	**8**	**13**	**19**	**24**	**53**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.2	1	1	1	2	3	3	3	3
20-34	13	3.1	5	1	1	2	5	6	8	8
35-49	19	1.6		<1	<1	1	2	3	3	3
50-64	25	3.0	6	<1	1	2	4	6	10	10
65+	5	3.2	2	1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS	2	11.0	98	4	4	11	18	18	18	18
20-34	5	3.6	1	2	2	4	4	5	5	5
35-49	18	5.3	6	2	2	5	7	9	10	10
50-64	20	5.0	21	1	2	4	5	9	16	22
65+	26	5.7	15	1	2	4	8	11	13	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	2.9	5	1	1	2	4	7	7	7
35-49	7	2.4	1	1	1	2	3	4	4	4
50-64	11	3.6	6	1	1	3	6	7	8	8
65+	8	9.9	65	2	3	7	12	24	27	27
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	12	7.9	56	<1	<1	6	11	17	26	28
35-49	20	9.5	73	1	2	6	11	25	29	30
50-64	27	7.0	140	1	1	3	7	12	24	63
65+	81	10.9	111	2	2	7	13	25	31	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	2.6	4	<1	1	2	3	5	7	10
B. *Operated*	71	5.4	15	2	2	4	7	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	33	4.7	26	1	1	3	6	8	15	27
B. *Operated*	141	9.6	106	1	2	6	12	22	28	62
1. SINGLE DX	138	4.0	12	<1	1	3	5	9	10	18
2. MULTIPLE DX	174	8.7	94	1	2	6	11	21	27	57
A. NOT OPERATED	100	3.3	12	<1	1	2	4	7	9	21
B. OPERATED	212	8.2	80	2	2	6	10	18	26	49
TOTAL 0-19 YRS	8	5.0	31	1	1	3	5	15	18	18
20-34	37	4.7	25	<1	1	3	6	10	12	28
35-49	64	5.2	35	<1	1	3	6	10	18	30
50-64	83	4.9	55	1	1	3	5	9	11	49
65+	120	9.4	87	2	2	7	12	21	27	47
GRAND TOTAL	**312**	**6.6**	**63**	**1**	**1**	**4**	**8**	**13**	**22**	**41**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	3.1	3	<1	1	3	4	6	7	8
20-34	38	2.6	3	<1	<1	2	4	5	7	7
35-49	16	3.9	5	<1	<1	4	6	7	7	7
50-64	14	3.6	6	<1	<1	3	6	7	8	9
65+	23	6.0	36	2	2	4	6	12	18	30
B. *Operated*										
0-19 YRS	24	3.8	8	<1	<1	4	5	9	9	10
20-34	35	3.5	20	<1	<1	2	4	7	12	24
35-49	36	2.6	4	<1	<1	2	4	6	7	9
50-64	40	2.5	3	<1	<1	2	4	4	5	10
65+	65	4.0	19	<1	<1	3	4	8	9	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	4.3	7	1	1	4	6	7	9	14
20-34	67	4.6	17	1	1	4	6	7	11	27
35-49	43	4.9	9	1	2	4	7	8	10	15
50-64	44	4.8	16	1	2	3	6	11	15	18
65+	164	8.4	62	2	2	6	11	18	27	47
B. *Operated*										
0-19 YRS	34	3.9	12	1	1	3	6	8	11	17
20-34	39	7.5	66	<1	<1	5	10	20	28	33
35-49	46	5.9	52	<1	<1	4	6	9	23	39
50-64	74	5.7	32	<1	<1	4	7	11	16	32
65+	186	10.5	137	2	2	6	13	25	36	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	137	3.6	10	<1	<1	3	4	6	7	15
B. *Operated*	200	3.3	12	<1	<1	2	4	6	9	23
2. MULTIPLE DX										
A. *Not Operated*	398	6.2	36	1	2	4	7	12	17	34
B. *Operated*	379	8.1	93	<1	1	5	10	19	27	58
1. SINGLE DX	337	3.4	11	<1	<1	3	4	6	8	23
2. MULTIPLE DX	777	7.1	65	1	2	5	8	15	23	51
A. NOT OPERATED	535	5.5	30	1	1	4	7	11	16	31
B. OPERATED	579	6.4	70	<1	<1	4	7	14	24	53
TOTAL 0-19 YRS	184	3.8	7	<1	1	3	5	7	9	14
20-34	179	4.6	28	<1	<1	3	6	9	14	30
35-49	141	4.5	23	<1	<1	3	6	8	10	29
50-64	172	4.6	21	<1	<1	3	6	9	14	24
65+	438	8.5	91	1	2	6	10	19	28	61
GRAND TOTAL	**1114**	**6.0**	**51**	**<1**	**1**	**4**	**7**	**13**	**19**	**43**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	7.0	49	1	1	5	12	16	16	16
20-34	3	2.0	1	<1	<1	2	3	3	3	3
35-49	2	2.0		2	2	2	2	2	2	2
50-64	2	3.5	1	3	3	3	4	4	4	4
65+	5	4.0	6	2	2	3	5	8	8	8
B. *Operated*										
0-19 YRS	63	2.2	5	<1	<1	1	2	5	7	12
20-34	63	3.9	10	<1	<1	3	6	8	11	14
35-49	48	4.5	11	<1	1	4	6	8	14	16
50-64	49	3.9	8	<1	1	3	5	8	9	13
65+	133	5.9	66	<1	1	4	7	11	18	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	4.0	14	<1	<1	2	6	10	10	10
35-49	3	5.0	37	1	1	2	9	12	12	12
50-64	4	3.0	8	<1	<1	2	5	7	7	7
65+	12	6.3	16	<1	2	5	9	13	13	13
B. *Operated*										
0-19 YRS	50	3.7	13	1	1	2	5	9	10	19
20-34	42	7.2	30	<1	1	6	11	15	18	22
35-49	63	6.0	42	<1	<1	4	8	11	18	40
50-64	101	6.0	30	1	1	4	8	13	15	29
65+	276	7.7	59	1	2	6	10	17	22	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	4.1	15	<1	1	3	4	9	14	16
B. *Operated*	356	4.4	31	<1	1	3	6	9	13	21
2. MULTIPLE DX										
A. *Not Operated*	25	5.0	16	<1	<1	3	8	12	13	13
B. *Operated*	532	6.8	46	1	1	5	9	14	19	57
1. SINGLE DX	372	4.4	31	<1	1	3	6	9	13	21
2. MULTIPLE DX	557	6.7	45	1	1	5	9	14	19	55
A. NOT OPERATED	41	4.6	15	<1	1	3	7	11	13	16
B. OPERATED	888	5.8	42	<1	1	4	7	13	17	41
TOTAL 0-19 YRS	118	3.0	10	<1	1	2	4	7	10	17
20-34	113	5.1	20	<1	<1	4	7	11	14	20
35-49	116	5.3	28	<1	1	4	6	11	14	28
50-64	156	5.2	23	1	1	4	7	11	14	18
65+	426	7.1	60	1	2	5	9	15	20	86
GRAND TOTAL	**929**	**5.8**	**40**	**<1**	**1**	**4**	**7**	**13**	**17**	**40**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	410	3.5	7	1	1	3	5	7	8	13
20-34	159	3.5	5	1	1	3	5	6	8	10
35-49	88	4.0	7	1	1	3	5	7	10	15
50-64	70	4.6	10	1	1	4	6	9	11	16
65+	167	5.4	11	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	88	3.3	18	<1	<1	1	4	8	10	23
20-34	78	3.1	8	<1	<1	2	4	7	10	13
35-49	82	4.2	37	<1	<1	2	4	9	13	37
50-64	85	3.7	10	<1	<1	2	5	8	10	17
65+	165	5.0	21	<1	1	4	6	10	14	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	523	4.6	14	1	1	4	6	8	11	18
20-34	295	5.3	26	1	1	4	7	9	14	33
35-49	183	5.9	22	1	2	5	8	10	12	22
50-64	248	6.5	26	1	2	5	8	12	16	34
65+	844	9.6	79	2	2	7	12	20	27	59
B. *Operated*										
0-19 YRS	116	5.9	33	1	1	4	8	14	18	25
20-34	111	6.7	111	<1	<1	4	8	13	18	64
35-49	107	7.8	73	<1	<1	5	10	18	29	42
50-64	228	7.9	93	<1	1	5	9	18	24	50
65+	569	10.4	137	1	2	7	13	22	35	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	894	4.0	8	1	1	3	5	7	9	14
B. *Operated*	498	4.0	20	<1	<1	2	5	8	13	24
2. MULTIPLE DX										
A. *Not Operated*	2093	7.0	49	1	2	5	8	14	20	44
B. *Operated*	1131	8.8	111	<1	1	6	10	19	29	70
1. SINGLE DX	1392	4.0	12	<1	1	3	5	8	10	17
2. MULTIPLE DX	3224	7.7	71	1	2	5	9	16	22	49
A. NOT OPERATED	2987	6.1	38	1	2	5	7	12	17	35
B. OPERATED	1629	7.3	88	<1	1	5	9	16	24	53
TOTAL 0-19 YRS	1137	4.2	14	1	1	3	5	8	11	19
20-34	643	4.8	35	<1	1	4	6	9	12	29
35-49	460	5.7	36	<1	1	4	7	10	15	36
50-64	631	6.4	49	<1	1	5	7	12	18	33
65+	1745	9.0	90	1	2	6	11	19	27	65
GRAND TOTAL	**4616**	**6.6**	**56**	**1**	**1**	**5**	**8**	**13**	**19**	**42**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	2.8		2	2	3	3	3	3	3
50-64	10	2.7	4	<1	<1	2	3	6	7	7
65+	22	3.0	6	<1	1	2	4	7	9	10
B. *Operated*										
0-19 YRS	2	10.0	162	<1	<1	9	19	19	19	19
20-34	3	3.7	8	2	2	2	6	7	7	7
35-49	33	4.2	22	<1	<1	2	5	12	16	18
50-64	527	7.0	20	1	2	7	9	11	14	23
65+	921	7.9	25	1	3	7	9	12	16	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49	3	3.7	2	2	2	4	5	5	5	5
50-64	31	3.6	7	1	1	3	5	7	8	13
65+	121	6.5	93	1	1	4	7	12	16	58
B. *Operated*										
0-19 YRS	2	19.0	578	2	2	19	36	36	36	36
20-34	1	5.0		5	5	5	5	5	5	5
35-49	27	6.1	8	1	2	7	8	10	11	12
50-64	797	8.3	29	2	3	7	10	14	18	29
65+	2131	10.4	56	3	4	9	13	18	24	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	2.9	5	<1	1	2	3	6	8	10
B. *Operated*	1486	7.5	24	1	2	7	9	12	15	29
2. MULTIPLE DX										
A. *Not Operated*	156	5.8	75	1	1	4	7	11	15	46
B. *Operated*	2958	9.8	50	2	4	8	12	17	23	39
1. SINGLE DX	1522	7.4	24	1	2	7	9	12	15	28
2. MULTIPLE DX	3114	9.6	52	2	3	8	11	17	23	39
A. NOT OPERATED	192	5.3	63	1	1	3	6	10	13	43
B. OPERATED	4444	9.0	42	2	3	8	11	16	20	36
TOTAL 0-19 YRS	5	11.8	242	<1	<1	2	23	36	36	36
20-34	4	4.0	6	2	2	4	6	7	7	7
35-49	67	4.8	15	<1	1	4	7	10	12	18
50-64	1365	7.6	26	2	2	7	9	13	16	28
65+	3195	9.5	50	2	3	8	11	16	21	38
GRAND TOTAL	**4636**	**8.9**	**43**	**2**	**3**	**8**	**10**	**15**	**20**	**36**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	3.8	6	<1	<1	4	6	7	7	7
35-49	16	3.9	7	<1	<1	4	6	8	9	9
50-64	13	4.9	6	<1	1	6	6	8	9	9
65+	9	7.3	23	4	4	5	9	16	16	16
B. *Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	4	1.8	1	<1	<1	1	2	3	3	3
35-49	14	2.7	2	<1	<1	2	4	5	5	5
50-64	15	5.0	25	<1	<1	3	7	11	17	19
65+	19	3.9	5	<1	1	4	6	8	54	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	4	5.5	6	3	3	5	7	8	8	8
35-49	15	4.9	7	1	1	5	7	8	9	10
50-64	19	5.7	9	2	3	5	7	9	13	15
65+	29	6.4	8	2	3	6	8	10	11	14
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	8	3.9	8	<1	<1	3	6	8	8	8
35-49	18	4.8	26	<1	1	3	5	13	18	20
50-64	55	6.6	54	<1	1	5	8	11	17	49
65+	96	10.9	139	2	3	8	12	22	40	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	4.8	10	<1	<1	5	6	8	10	16
B. *Operated*	54	3.7	10	<1	<1	3	5	8	10	96
2. MULTIPLE DX										
A. *Not Operated*	69	5.8	8	2	2	6	7	9	11	15
B. *Operated*	178	8.6	101	1	2	6	10	18	25	70
1. SINGLE DX	102	4.2	10	<1	<1	4	6	8	10	57
2. MULTIPLE DX	247	7.8	76	1	2	6	9	14	20	65
A. NOT OPERATED	117	5.4	9	1	1	5	7	9	11	15
B. OPERATED	232	7.4	84	<1	1	5	9	16	22	76
TOTAL 0-19 YRS	5	3.4	7	<1	<1	3	4	8	8	8
20-34	26	3.8	6	<1	<1	3	6	7	8	8
35-49	63	4.1	12	<1	1	3	5	8	10	19
50-64	102	6.0	35	<1	1	5	7	10	14	35
65+	153	9.0	97	2	2	6	10	17	30	98
GRAND TOTAL	**349**	**6.7**	**60**	**<1**	**1**	**5**	**8**	**13**	**19**	**65**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.2		<1	<1	1	1	2	2	2
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	11.0		11	11	11	11	11	11	11
65+										
B. *Operated*										
0-19 YRS	194	2.2	2	<1	1	2	3	4	5	8
20-34	34	3.3	6	<1	2	3	4	5	5	16
35-49	44	3.3	4	1	2	3	4	6	7	9
50-64	80	3.4	3	1	1	3	4	6	7	8
65+	47	4.2	14	1	2	3	5	6	9	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	1.1		<1	<1	1	1	2	2	2
20-34										
35-49										
50-64	1	8.0		8	8	8	8	8	8	8
65+	5	12.8	443	<1	<1	3	19	50	50	50
B. *Operated*										
0-19 YRS	97	2.5	5	<1	1	2	3	4	7	13
20-34	21	4.0	4	1	1	3	6	7	7	7
35-49	31	4.6	20	1	2	3	5	10	14	23
50-64	58	5.7	25	2	2	4	6	11	12	31
65+	67	5.0	12	1	2	4	6	10	11	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	2.0	8	<1	<1	1	2	5	10	11
B. *Operated*	399	2.9	4	<1	1	2	3	5	7	9
2. MULTIPLE DX										
A. *Not Operated*	14	5.8	169	<1	<1	1	3	13	42	50
B. *Operated*	274	4.1	14	1	1	3	5	8	11	22
1. SINGLE DX	411	2.9	5	<1	1	2	3	5	7	10
2. MULTIPLE DX	288	4.2	21	1	1	3	5	8	11	23
A. NOT OPERATED	26	4.0	95	<1	<1	1	2	9	19	50
B. OPERATED	673	3.4	9	1	1	3	4	6	8	15
TOTAL 0-19 YRS	308	2.3	3	<1	<1	2	3	4	5	9
20-34	56	3.5	5	<1	1	3	4	6	7	15
35-49	76	3.8	11	1	2	3	4	7	9	21
50-64	140	4.4	13	1	2	4	5	8	10	22
65+	119	5.0	30	1	2	4	6	9	11	32
GRAND TOTAL	**699**	**3.4**	**12**	**<1**	**1**	**3**	**4**	**6**	**8**	**16**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	4.6	10	<1	1	4	7	8	12	13
20-34	93	4.4	7	1	2	4	6	7	9	14
35-49	34	4.3	6	1	1	4	6	7	9	11
50-64	24	6.1	8	3	3	6	7	11	13	14
65+	27	6.7	9	3	4	6	9	11	12	14
B. *Operated*										
0-19 YRS	14	3.4	3	1	2	3	4	5	7	8
20-34	20	4.7	4	2	2	5	6	7	9	10
35-49	9	4.3	10	1	1	3	7	9	10	10
50-64	8	5.6	15	1	2	5	7	12	13	13
65+	12	7.1	37	2	3	4	8	19	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	4.1	11	1	1	3	5	10	11	11
20-34	21	6.6	17	1	2	6	8	12	15	18
35-49	22	5.5	10	1	2	5	8	10	11	13
50-64	20	6.4	14	<1	1	6	9	12	13	14
65+	44	7.0	19	2	3	6	9	13	15	21
B. *Operated*										
0-19 YRS	5	5.2	7	2	2	6	7	8	8	8
20-34	17	6.3	22	1	2	6	8	9	18	22
35-49	7	9.4	34	3	3	10	12	18	20	20
50-64	17	7.2	16	3	4	6	8	15	17	17
65+	38	8.8	55	2	2	7	12	18	20	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	212	4.9	8	1	2	5	6	9	11	14
B. *Operated*	63	4.9	13	1	2	4	6	8	11	21
2. MULTIPLE DX										
A. *Not Operated*	115	6.4	16	1	2	5	8	12	13	19
B. *Operated*	84	7.8	37	2	2	6	10	16	19	34
1. SINGLE DX	275	4.9	9	1	2	4	6	9	11	16
2. MULTIPLE DX	199	7.0	25	1	2	6	9	13	17	22
A. NOT OPERATED	327	5.4	11	1	2	5	7	10	12	16
B. OPERATED	147	6.6	28	2	2	5	8	13	18	23
TOTAL 0-19 YRS	61	4.3	8	1	1	3	6	8	10	13
20-34	151	5.0	10	1	2	4	6	9	11	18
35-49	72	5.2	12	1	2	5	7	10	11	18
50-64	69	6.4	12	2	3	6	8	12	14	17
65+	121	7.5	30	2	3	6	10	14	18	27
GRAND TOTAL	**474**	**5.8**	**17**	**1**	**2**	**5**	**7**	**11**	**13**	**20**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.7	1	<1	<1	1	2	3	3	3
20-34	2	1.0		1	1	1	1	1	1	1
35-49										
50-64	1	7.0		7	7	7	7	7	7	7
65+										
B. *Operated*										
0-19 YRS	401	1.8	3	<1	<1	2	2	3	3	8
20-34	62	2.0	1	<1	<1	2	3	3	3	5
35-49	36	2.3	1	<1	<1	2	3	4	5	5
50-64	8	2.4	2	<1	<1	2	3	4	5	5
65+	20	2.7	2	2	2	2	3	4	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	2.4	9	<1	<1	1	2	7	11	12
20-34	3	1.0		<1	<1	<1	1	1	1	1
35-49	1	7.0		7	7	7	7	7	7	7
50-64	1	8.0		8	8	8	8	8	8	8
65+	3	9.3	9	6	6	10	11	12	12	12
B. *Operated*										
0-19 YRS	104	2.4	8	<1	<1	2	2	4	7	18
20-34	24	2.5	1	<1	1	2	3	4	5	5
35-49	28	2.6	3	1	1	2	3	5	7	8
50-64	27	3.2	6	<1	1	2	4	8	9	9
65+	38	4.1	14	1	1	3	5	8	12	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	1.9	3	<1	<1	1	3	3	6	7
B. *Operated*	527	1.9	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	25	3.4	14	<1	<1	1	6	10	12	12
B. *Operated*	221	2.8	8	<1	<1	2	3	5	8	15
1. SINGLE DX	542	1.9	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX	246	2.9	8	<1	<1	2	3	6	8	14
A. NOT OPERATED	40	2.9	10	<1	<1	1	3	8	11	12
B. OPERATED	748	2.2	4	<1	<1	2	2	3	5	10
TOTAL 0-19 YRS	534	1.9	4	<1	<1	2	2	3	4	12
20-34	91	2.1	1	<1	<1	2	3	3	4	5
35-49	65	2.5	2	<1	1	2	3	4	6	8
50-64	37	3.2	6	<1	<1	2	4	8	9	9
65+	61	3.9	11	1	2	3	4	8	11	18
GRAND TOTAL	**788**	**2.2**	**4**	**<1**	**<1**	**2**	**2**	**4**	**5**	**12**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	2.3	3	<1	1	2	3	5	7	7
20-34	13	3.1	10	<1	<1	2	4	7	11	12
35-49	4	3.0	3	1	1	3	4	5	5	5
50-64	3	4.7	30	1	1	2	9	11	11	11
65+	4	6.8	48	<1	<1	5	12	16	16	16
B. *Operated*										
0-19 YRS	240	2.3	3	<1	1	2	3	4	5	9
20-34	130	2.7	3	<1	1	2	3	5	5	10
35-49	90	2.9	4	<1	1	2	4	5	6	12
50-64	78	3.7	8	<1	1	3	5	6	8	17
65+	28	3.8	5	1	1	3	5	8	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	2.9	5	1	1	2	4	6	8	10
20-34	10	3.3	4	1	1	3	5	6	6	6
35-49	7	9.1	98	<1	1	7	8	26	31	31
50-64	14	3.3	4	<1	1	3	4	7	8	8
65+	16	6.6	24	<1	1	6	9	15	17	17
B. *Operated*										
0-19 YRS	77	2.8	8	<1	1	2	3	5	7	18
20-34	94	3.4	7	1	1	3	4	6	9	16
35-49	70	4.5	16	1	1	3	5	9	10	25
50-64	116	5.3	38	1	1	4	5	9	16	34
65+	84	7.2	59	1	2	5	9	15	23	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	2.8	8	<1	1	2	3	6	8	15
B. *Operated*	566	2.8	4	<1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	70	4.5	21	1	1	3	6	9	11	28
B. *Operated*	441	4.7	29	1	1	3	5	9	14	28
1. SINGLE DX	637	2.8	5	<1	1	2	3	5	7	11
2. MULTIPLE DX	511	4.7	28	1	1	3	5	9	14	29
A. NOT OPERATED	141	3.7	15	<1	1	2	5	7	10	18
B. OPERATED	1007	3.6	16	<1	1	3	4	7	9	22
TOTAL 0-19 YRS	387	2.4	4	<1	1	2	3	5	7	11
20-34	247	3.0	5	<1	1	2	3	5	7	13
35-49	171	3.8	14	<1	1	3	4	7	10	25
50-64	211	4.6	25	1	1	3	5	8	11	29
65+	132	6.4	44	1	2	5	8	14	17	37
GRAND TOTAL	**1148**	**3.6**	**16**	**<1**	**1**	**3**	**4**	**7**	**9**	**22**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34										
35-49	3	1.3		1	1	1	2	2	2	2
50-64										
65+	3	1.3		1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	22	2.8	8	<1	1	2	2	6	11	12
20-34	137	2.1	2	<1	<1	2	2	4	4	9
35-49	323	2.4	4	<1	<1	2	3	4	6	12
50-64	139	2.5	4	<1	<1	2	3	4	5	11
65+	42	3.7	30	1	1	3	4	6	7	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	27	1	1	1	8	10	10	10
20-34	3	3.0	12	<1	<1	1	5	7	7	7
35-49	7	2.4	4	1	1	1	4	6	6	6
50-64	4	1.5	1	1	1	1	2	3	3	3
65+	2	2.5	5	<1	<1	2	4	4	4	4
B. *Operated*										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	78	3.5	16	<1	<1	2	4	7	13	21
35-49	215	2.7	5	<1	<1	2	3	5	7	12
50-64	165	3.4	12	<1	<1	2	4	6	8	20
65+	90	3.5	6	<1	2	3	4	7	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	1.4		1	1	1	2	2	2	2
B. *Operated*	663	2.5	5	<1	<1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	19	2.6	7	<1	<1	1	4	7	9	10
B. *Operated*	550	3.2	9	<1	<1	2	4	6	9	17
1. SINGLE DX	672	2.5	5	<1	<1	2	3	4	6	12
2. MULTIPLE DX	569	3.1	9	<1	<1	2	4	6	9	17
A. NOT OPERATED	28	2.2	5	<1	1	1	3	5	7	10
B. OPERATED	1213	2.8	7	<1	<1	2	3	5	7	15
TOTAL 0-19 YRS	30	2.9	8	<1	1	2	2	7	10	12
20-34	218	2.6	8	<1	<1	2	3	5	7	18
35-49	548	2.6	4	<1	<1	2	3	5	7	12
50-64	308	3.0	9	<1	<1	2	3	5	7	19
65+	137	3.5	13	<1	1	3	4	6	9	16
GRAND TOTAL	**1241**	**2.8**	**7**	**<1**	**<1**	**2**	**3**	**5**	**7**	**15**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.0	6	1	1	5	5	7	7	7
20-34	28	3.8	7	<1	<1	3	5	8	9	10
35-49	10	3.6	2	<1	<1	4	5	5	5	5
50-64	3	15.7	177	<1	<1	19	25	27	27	27
65+	6	3.8	4	1	1	4	4	7	7	7
B. *Operated*										
0-19 YRS	115	2.9	3	<1	1	3	4	5	6	9
20-34	329	3.2	3	<1	1	3	4	5	6	10
35-49	177	2.9	3	<1	<1	3	4	5	6	9
50-64	93	3.1	2	<1	1	3	4	5	6	8
65+	51	3.1	4	<1	1	3	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	2.2	1	1	1	2	3	4	4	4
20-34	20	4.2	13	<1	<1	3	6	9	13	14
35-49	14	3.1	12	<1	1	2	3	7	12	14
50-64	12	3.4	13	1	1	1	5	9	12	12
65+	18	3.6	14	<1	<1	2	4	9	13	15
B. *Operated*										
0-19 YRS	36	4.6	13	1	2	3	5	9	12	19
20-34	169	3.5	5	1	1	3	4	6	8	12
35-49	117	4.1	7	1	2	4	5	7	8	17
50-64	84	4.0	6	1	2	3	5	7	8	13
65+	68	4.8	20	2	2	3	5	9	14	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	4.5	19	<1	<1	4	5	7	10	27
B. *Operated*	765	3.1	3	<1	1	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	73	3.5	11	<1	1	2	4	8	12	15
B. *Operated*	474	4.0	8	1	2	3	5	7	9	16
1. SINGLE DX	818	3.2	4	<1	1	3	4	5	6	10
2. MULTIPLE DX	547	3.9	9	1	1	3	5	7	9	15
A. NOT OPERATED	126	3.9	15	<1	<1	3	5	8	12	21
B. OPERATED	1239	3.4	5	<1	1	3	4	6	7	12
TOTAL 0-19 YRS	166	3.2	5	1	1	3	4	6	7	13
20-34	546	3.4	4	<1	1	3	4	6	7	11
35-49	318	3.4	5	<1	1	3	4	6	8	14
50-64	192	3.7	9	<1	1	3	4	6	8	17
65+	143	4.0	13	1	1	3	4	7	10	22
GRAND TOTAL	**1365**	**3.5**	**6**	**<1**	**1**	**3**	**4**	**6**	**8**	**14**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	2.3	2	1	1	2	3	4	5	7
20-34	178	2.6	3	1	1	2	3	5	7	9
35-49	39	3.9	22	1	1	2	5	7	13	27
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	93	4.2	7	1	1	4	6	8	8	15
20-34	425	4.4	6	1	1	5	6	7	8	12
35-49	126	5.8	6	2	3	6	7	8	9	15
50-64	20	7.6	8	4	5	7	9	12	14	15
65+	3	6.0	7	3	3	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	2.9	3	1	1	3	4	5	7	8
20-34	104	2.6	5	<1	1	2	3	5	6	13
35-49	31	4.7	15	1	1	4	7	11	13	16
50-64	7	3.0	3	1	1	3	4	6	6	6
65+	4	7.5	43	2	2	7	13	15	15	15
B. *Operated*										
0-19 YRS	76	5.1	5	2	3	5	6	8	10	13
20-34	604	5.7	8	1	2	5	7	9	11	16
35-49	323	7.0	12	2	4	7	8	11	13	20
50-64	40	7.3	13	2	2	7	9	13	15	16
65+	28	10.5	52	3	5	9	12	18	22	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	290	2.7	6	1	1	2	3	5	7	11
B. *Operated*	667	4.8	7	1	1	5	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	176	3.2	8	<1	1	2	4	6	9	16
B. *Operated*	1071	6.3	12	2	2	6	8	10	12	18
1. SINGLE DX	957	4.1	7	1	1	4	6	7	8	13
2. MULTIPLE DX	1247	5.8	12	1	2	6	7	10	12	18
A. NOT OPERATED	466	2.9	7	1	1	2	4	5	8	14
B. OPERATED	1738	5.7	10	1	2	5	7	9	11	16
TOTAL 0-19 YRS	270	3.8	6	1	1	3	5	7	8	13
20-34	1311	4.6	8	1	1	5	6	8	10	14
35-49	519	6.4	13	1	2	6	8	10	12	19
50-64	68	6.9	13	2	2	7	8	12	15	16
65+	36	9.8	47	2	3	8	12	17	19	40
GRAND TOTAL	**2204**	**5.1**	**11**	**1**	**1**	**5**	**7**	**9**	**11**	**16**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	326	4.4	6	1	2	4	5	8	9	12
20-34	719	4.8	7	2	2	4	6	8	10	13
35-49	72	4.8	7	1	2	4	6	9	11	13
50-64	2	4.0	2	3	3	4	5	5	5	5
65+	4	3.8	10	<1	<1	3	6	7	7	7
B. *Operated*										
0-19 YRS	57	5.1	11	<1	1	5	6	10	11	18
20-34	272	5.4	11	1	1	5	7	10	12	16
35-49	72	6.4	16	1	2	6	8	9	13	23
50-64	11	5.4	7	2	2	5	7	9	10	10
65+	3	6.3	9	3	3	7	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	159	4.5	6	1	2	4	6	8	9	13
20-34	400	4.8	7	1	2	4	6	8	10	14
35-49	56	5.1	6	2	2	5	6	9	10	13
50-64	13	6.3	9	2	2	6	8	11	11	11
65+	6	12.3	171	2	2	6	29	29	29	29
B. *Operated*										
0-19 YRS	84	6.9	12	2	3	7	9	12	14	16
20-34	881	5.8	10	1	2	6	7	9	11	17
35-49	274	7.0	12	2	3	6	8	11	15	19
50-64	30	8.7	27	2	5	7	10	15	18	28
65+	9	15.3	176	<1	1	13	21	35	45	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1123	4.7	7	1	2	4	6	8	10	13
B. *Operated*	415	5.5	12	1	1	5	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	634	4.9	9	1	2	4	6	8	10	14
B. *Operated*	1278	6.3	13	1	2	6	8	10	13	19
1. SINGLE DX	1538	4.9	9	1	2	5	6	8	10	15
2. MULTIPLE DX	1912	5.8	12	1	2	6	7	9	12	18
A. NOT OPERATED	1757	4.7	8	1	2	4	6	8	10	13
B. OPERATED	1693	6.1	13	1	2	6	7	10	12	18
TOTAL 0-19 YRS	626	4.8	8	1	2	4	6	9	10	15
20-34	2272	5.3	9	1	2	5	7	9	11	15
35-49	474	6.4	12	2	2	6	8	10	13	19
50-64	56	7.3	20	2	2	7	9	12	16	27
65+	22	11.2	132	<1	1	7	15	29	36	45
GRAND TOTAL	**3450**	**5.4**	**11**	**1**	**2**	**5**	**7**	**9**	**11**	**17**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	2	<1	<1	3	4	4	4	4
20-34	22	3.3	4	<1	<1	3	4	6	7	7
35-49	4	2.5	2	1	1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	13	3.9	9	1	1	3	5	9	10	10
20-34	217	4.5	9	<1	1	5	7	8	8	12
35-49	136	5.9	5	<1	2	6	8	8	8	10
50-64	3	6.0	12	2	2	8	8	8	8	8
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	6.3	3	4	4	6	7	8	8	8
20-34	20	3.8	9	1	1	3	5	9	10	10
35-49	13	3.2	5	<1	<1	3	4	6	8	8
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	20	3.6	5	<1	<1	3	6	7	8	8
20-34	627	6.0	9	1	2	6	7	9	10	17
35-49	780	7.3	8	4	5	7	8	9	11	16
50-64	92	8.1	12	2	6	8	9	11	17	20
65+	10	8.0	8	4	4	8	9	12	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	3.1	3	<1	<1	3	4	6	7	7
B. *Operated*	370	5.0	8	<1	1	6	7	8	8	10
2. MULTIPLE DX										
A. *Not Operated*	39	3.7	7	<1	1	3	6	8	9	10
B. *Operated*	1529	6.8	9	2	3	7	8	9	11	18
1. SINGLE DX	399	4.8	8	<1	1	5	7	8	8	10
2. MULTIPLE DX	1568	6.7	9	1	2	7	8	9	11	18
A. NOT OPERATED	68	3.5	5	<1	<1	3	5	7	8	10
B. OPERATED	1899	6.4	9	1	2	7	8	9	10	17
TOTAL 0-19 YRS	40	3.9	6	<1	<1	3	6	8	9	10
20-34	886	5.5	9	<1	1	6	7	9	10	15
35-49	933	7.0	8	2	5	7	8	9	11	16
50-64	96	7.9	12	2	5	8	9	11	17	20
65+	12	7.2	10	2	3	7	9	11	14	14
GRAND TOTAL	**1987**	**6.3**	**10**	**1**	**2**	**7**	**8**	**9**	**10**	**16**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	2.7	8	1	1	1	5	6	6	6
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	6	2.7	7	<1	<1	1	5	7	7	7
20-34	34	3.5	7	<1	<1	2	5	7	8	13
35-49	29	4.0	9	<1	<1	3	6	8	9	12
50-64	6	3.7	13	1	1	2	3	10	11	11
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	3	4.0	13	<1	<1	3	7	8	8	8
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	7	2.3	4	<1	<1	1	4	5	5	5
20-34	84	6.5	17	<1	1	7	8	11	15	22
35-49	97	6.5	16	<1	2	7	8	9	10	26
50-64	20	5.9	12	<1	<1	6	8	9	12	14
65+	2	6.0	18	3	3	6	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.4	11	1	1	1	6	8	8	8
B. *Operated*	76	3.6	8	<1	<1	2	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	7	3.7	8	<1	<1	3	6	8	8	8
B. *Operated*	210	6.3	16	<1	1	7	8	9	11	21
1. SINGLE DX	81	3.6	8	<1	<1	2	5	7	9	13
2. MULTIPLE DX	217	6.2	16	<1	1	7	8	9	11	20
A. NOT OPERATED	12	3.6	8	<1	<1	2	6	8	8	8
B. OPERATED	286	5.6	15	<1	<1	6	7	9	11	19
TOTAL 0-19 YRS	16	2.6	5	<1	<1	1	5	7	7	7
20-34	124	5.5	16	<1	<1	5	7	9	13	20
35-49	129	5.9	15	<1	1	6	7	9	10	19
50-64	26	5.4	13	<1	1	6	8	10	12	14
65+	3	5.0	12	3	3	3	8	9	9	9
GRAND TOTAL	**298**	**5.5**	**15**	**<1**	**<1**	**6**	**7**	**9**	**11**	**19**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	3.4	3	<1	1	3	4	5	7	8
20-34	59	3.6	5	1	1	3	4	7	8	13
35-49	17	3.8	5	<1	1	3	5	8	9	9
50-64	7	5.7	14	2	2	4	9	12	12	12
65+	5	8.0	45	<1	<1	5	14	17	17	17
B. *Operated*										
0-19 YRS	24	2.5	2	<1	<1	2	3	4	5	5
20-34	193	2.1	2	<1	1	2	3	4	5	7
35-49	91	2.1	2	<1	1	2	3	4	6	8
50-64	25	2.3	5	<1	<1	2	2	5	7	11
65+	8	3.3	3	<1	1	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	4.0	7	1	1	4	6	7	9	10
20-34	56	3.3	7	<1	1	3	4	6	10	12
35-49	19	4.6	25	<1	1	2	6	14	18	18
50-64	8	5.3	15	1	1	5	6	11	13	13
65+	19	7.9	21	2	3	7	10	15	17	18
B. *Operated*										
0-19 YRS	13	3.6	27	<1	<1	1	4	9	18	20
20-34	102	3.5	9	<1	1	3	4	7	9	17
35-49	47	3.4	8	<1	1	2	5	7	8	14
50-64	22	4.1	35	<1	1	2	3	10	17	28
65+	18	7.9	66	<1	1	6	9	23	28	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	3.9	8	1	1	3	5	7	10	15
B. *Operated*	341	2.1	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	129	4.5	14	1	1	4	6	10	13	18
B. *Operated*	202	4.0	19	<1	1	2	5	8	11	27
1. SINGLE DX	452	2.6	4	<1	1	2	3	5	6	12
2. MULTIPLE DX	331	4.2	17	<1	1	3	5	8	12	21
A. NOT OPERATED	240	4.2	11	1	1	3	5	8	11	17
B. OPERATED	543	2.8	9	<1	1	2	3	6	7	17
TOTAL 0-19 YRS	87	3.4	7	<1	1	3	4	6	7	16
20-34	410	2.8	6	<1	1	2	4	6	7	12
35-49	174	2.9	7	<1	1	2	4	6	7	16
50-64	62	3.7	19	<1	1	2	4	10	11	26
65+	50	7.2	38	<1	2	6	9	15	18	29
GRAND TOTAL	**783**	**3.3**	**10**	**<1**	**1**	**2**	**4**	**7**	**9**	**17**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	5	3.8	11	1	1	2	6	9	9	9
65+	5	5.0	15	1	1	4	7	11	11	11
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	38	6.8	31	1	2	6	7	11	19	31
35-49	124	7.3	12	2	4	7	9	12	15	17
50-64	222	7.8	8	5	5	7	9	12	13	18
65+	172	8.4	15	5	5	7	9	13	14	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	3.7	4	2	2	3	5	6	6	6
35-49	7	1.6	2	1	1	1	1	4	5	5
50-64	13	2.5	6	<1	<1	2	3	5	9	10
65+	27	6.6	44	1	1	4	9	14	20	28
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	163	8.2	18	3	5	7	9	13	16	22
35-49	511	9.2	20	5	6	8	10	14	19	26
50-64	623	9.6	24	5	6	8	11	16	19	29
65+	579	10.6	31	5	6	9	12	17	22	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	4.4	12	1	1	3	6	10	11	11
B. *Operated*	557	7.8	13	4	5	7	9	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	51	4.6	29	<1	1	2	6	13	14	28
B. *Operated*	1877	9.6	25	5	6	8	11	16	20	29
1. SINGLE DX	567	7.7	13	3	5	7	9	12	14	21
2. MULTIPLE DX	1928	9.5	26	4	5	8	11	16	19	28
A. NOT OPERATED	61	4.6	26	<1	1	2	6	12	14	27
B. OPERATED	2434	9.2	23	4	5	8	10	15	19	28
TOTAL 0-19 YRS	3	3.3	10	<1	<1	2	6	7	7	7
20-34	204	7.8	20	2	4	7	9	13	17	26
35-49	642	8.7	19	4	5	8	10	14	18	25
50-64	863	9.0	21	4	5	8	10	14	18	25
65+	783	9.9	29	4	6	9	11	16	22	31
GRAND TOTAL	**2495**	**9.1**	**23**	**4**	**5**	**8**	**10**	**15**	**18**	**28**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34	14	2.1	2	<1	1	2	3	4	5	5
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	41	2.3	4	<1	<1	1	2	6	7	8
35-49	49	1.9	3	<1	<1	1	2	5	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.6	1	1	1	3	3	4	4	4
20-34	5	2.0	1	<1	<1	2	3	3	3	3
35-49	5	3.6	13	1	1	2	5	10	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	3	2.0	3	<1	<1	1	3	4	4	4
20-34	30	3.5	9	<1	<1	2	6	8	8	10
35-49	60	3.9	14	<1	<1	2	7	10	11	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	2.1	2	<1	<1	1	3	5	5	5
B. *Operated*	91	2.1	4	<1	<1	1	2	5	7	8
2. MULTIPLE DX										
A. *Not Operated*	15	2.7	5	<1	1	2	3	4	8	10
B. *Operated*	93	3.7	12	<1	<1	2	7	9	10	12
1. SINGLE DX	109	2.1	3	<1	<1	1	2	5	7	8
2. MULTIPLE DX	108	3.6	11	<1	<1	2	6	9	10	12
A. NOT OPERATED	33	2.4	3	<1	<1	2	3	4	5	10
B. OPERATED	184	2.9	8	<1	<1	1	4	8	9	12
TOTAL 0-19 YRS	12	1.9	2	<1	<1	1	3	4	4	4
20-34	90	2.6	5	<1	<1	2	3	7	8	9
35-49	115	3.1	10	<1	<1	2	4	9	10	12
50-64										
65+										
GRAND TOTAL	**217**	**2.8**	**8**	**<1**	**<1**	**2**	**3**	**7**	**9**	**12**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	2.1	2	<1	1	2	2	4	5	8
20-34	148	1.7	1	<1	1	1	2	3	4	6
35-49	46	2.2	2	<1	1	2	3	4	6	8
50-64										
65+										
B. *Operated*										
0-19 YRS	62	2.1	4	<1	<1	1	2	5	7	11
20-34	931	2.5	6	<1	<1	1	3	7	7	9
35-49	1022	2.4	6	<1	<1	1	2	7	8	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	2.8	3	1	1	2	4	6	6	7
20-34	127	2.2	4	<1	<1	2	3	5	6	11
35-49	84	2.7	5	<1	<1	2	3	6	8	10
50-64										
65+										
B. *Operated*										
0-19 YRS	46	2.7	4	<1	<1	2	3	6	7	8
20-34	1241	5.0	14	<1	<1	6	7	8	10	14
35-49	1940	5.4	13	<1	<1	6	7	9	11	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	262	1.9	2	<1	1	1	2	3	4	8
B. *Operated*	2015	2.4	6	<1	<1	1	2	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	252	2.5	4	<1	<1	2	3	5	7	10
B. *Operated*	3227	5.2	14	<1	<1	6	7	9	10	16
1. SINGLE DX	2277	2.4	5	<1	<1	1	2	6	7	10
2. MULTIPLE DX	3479	5.0	13	<1	<1	6	7	9	10	15
A. NOT OPERATED	514	2.2	3	<1	1	2	3	4	6	9
B. OPERATED	5242	4.2	12	<1	<1	2	7	8	9	15
TOTAL 0-19 YRS	217	2.4	3	<1	<1	2	3	5	6	9
20-34	2447	3.7	11	<1	<1	2	6	8	9	13
35-49	3092	4.3	12	<1	<1	3	7	8	10	15
50-64										
65+										
GRAND TOTAL	**5756**	**4.0**	**12**	**<1**	**<1**	**2**	**7**	**8**	**9**	**14**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	7	2.3	2	1	1	2	3	5	5	5
50-64	4	3.3	2	2	2	3	4	5	5	5
65+	7	2.4	3	<1	<1	2	2	5	6	6
B. *Operated*										
0-19 YRS										
20-34	3	1.0		<1	<1	<1	1	1	1	1
35-49	82	1.7	3	<1	<1	1	2	2	4	11
50-64	342	1.6	1	<1	<1	1	2	2	3	8
65+	90	2.4	5	<1	<1	2	2	5	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	6	3.5	16	<1	<1	1	5	10	11	11
50-64	16	3.5	7	<1	<1	3	6	8	8	8
65+	27	8.9	90	1	1	7	11	26	30	35
B. *Operated*										
0-19 YRS										
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	100	3.4	20	<1	<1	1	4	9	10	24
50-64	484	2.7	8	<1	<1	2	2	7	9	15
65+	195	4.1	35	<1	1	2	4	9	12	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	2.6	2	<1	1	2	3	5	6	6
B. *Operated*	517	1.8	2	<1	<1	1	2	2	4	9
2. MULTIPLE DX										
A. *Not Operated*	50	6.4	59	<1	<1	3	8	15	27	35
B. *Operated*	781	3.1	17	<1	<1	2	3	8	10	18
1. SINGLE DX	535	1.8	2	<1	<1	1	2	3	5	9
2. MULTIPLE DX	831	3.3	20	<1	<1	2	3	8	10	21
A. NOT OPERATED	68	5.4	47	<1	1	2	7	11	23	34
B. OPERATED	1298	2.6	12	<1	<1	2	2	6	8	15
TOTAL 0-19 YRS										
20-34	6	1.7	1	<1	<1	1	2	4	4	4
35-49	195	2.6	13	<1	<1	1	2	8	9	16
50-64	846	2.3	6	<1	<1	1	2	5	8	13
65+	319	4.0	33	<1	1	2	4	9	12	29
GRAND TOTAL	**1366**	**2.7**	**14**	**<1**	**<1**	**2**	**2**	**7**	**9**	**17**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	1.9	3	<1	<1	1	2	4	6	7
20-34	48	2.6	6	1	1	2	3	6	8	12
35-49	7	3.0	4	1	1	3	5	6	6	6
50-64	3	4.7	22	<1	<1	3	8	10	10	10
65+	5	6.8	14	4	4	6	8	13	13	13
B. *Operated*										
0-19 YRS	22	2.9	7	<1	<1	2	3	6	10	11
20-34	393	3.6	7	<1	<1	3	5	7	8	12
35-49	252	3.5	9	<1	<1	2	6	8	9	13
50-64	151	2.7	6	<1	<1	2	3	7	8	11
65+	52	4.2	32	<1	1	2	3	10	22	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	1.9	1	<1	<1	2	3	4	4	4
20-34	61	3.1	11	<1	1	2	3	6	11	17
35-49	26	2.8	11	<1	<1	2	3	6	10	16
50-64	9	9.9	93	2	2	5	17	26	30	30
65+	13	7.0	17	3	3	5	9	12	17	18
B. *Operated*										
0-19 YRS	23	4.0	11	<1	<1	3	5	8	12	15
20-34	595	5.2	9	<1	1	6	7	8	10	15
35-49	560	5.6	14	<1	1	6	7	9	10	20
50-64	326	5.0	27	<1	1	3	7	9	12	28
65+	154	7.6	101	1	1	4	9	17	25	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	2.8	7	<1	<1	2	3	6	8	13
B. *Operated*	870	3.4	9	<1	<1	2	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	125	3.8	20	<1	1	2	4	9	16	22
B. *Operated*	1658	5.5	23	<1	1	5	7	9	11	24
1. SINGLE DX	955	3.4	9	<1	<1	2	5	7	8	13
2. MULTIPLE DX	1783	5.4	23	<1	1	5	7	9	11	24
A. NOT OPERATED	210	3.4	15	<1	<1	2	4	7	11	18
B. OPERATED	2528	4.8	19	<1	1	4	7	9	11	22
TOTAL 0-19 YRS	83	2.7	7	<1	<1	2	4	5	8	14
20-34	1097	4.4	9	<1	1	4	6	8	9	15
35-49	845	4.9	13	<1	<1	5	7	9	10	15
50-64	489	4.4	23	<1	<1	2	7	9	11	26
65+	224	6.8	80	1	1	3	9	15	22	49
GRAND TOTAL	**2738**	**4.7**	**19**	**<1**	**1**	**4**	**7**	**9**	**11**	**22**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	157	2.1	3	1	1	2	2	4	5	11
20-34	173	2.2	3	<1	1	2	3	4	5	10
35-49	28	2.3	4	1	1	2	3	4	6	11
50-64	6	1.3		<1	<1	1	2	2	2	2
65+	3	4.3		4	4	4	5	5	5	5
B. *Operated*										
0-19 YRS	54	2.4	4	<1	1	2	3	7	7	7
20-34	607	2.7	7	<1	<1	2	3	7	8	12
35-49	296	7.0	20	<1	1	7	9	12	15	22
50-64	136	8.7	16	<1	5	8	10	13	16	23
65+	38	10.4	37	2	6	9	12	18	25	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	2.8	4	1	1	2	4	5	6	9
20-34	162	2.9	6	<1	1	2	4	6	8	11
35-49	55	3.5	11	<1	1	2	5	7	8	20
50-64	14	7.4	21	<1	2	7	10	12	17	19
65+	15	7.7	24	1	1	8	10	15	17	18
B. *Operated*										
0-19 YRS	37	3.4	8	<1	<1	2	6	8	9	10
20-34	1314	4.2	10	<1	<1	4	6	8	9	14
35-49	563	7.6	21	<1	1	7	9	13	16	23
50-64	214	11.1	44	5	6	9	13	18	25	33
65+	130	10.2	44	2	3	9	13	19	23	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	367	2.2	3	<1	1	2	3	4	5	11
B. *Operated*	1131	4.8	19	<1	<1	2	8	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	313	3.4	9	<1	1	2	5	8	9	16
B. *Operated*	2258	6.0	24	<1	<1	6	8	11	15	24
1. SINGLE DX	1498	4.2	17	<1	<1	2	7	9	11	19
2. MULTIPLE DX	2571	5.7	23	<1	<1	5	8	11	14	23
A. NOT OPERATED	680	2.7	6	<1	1	2	3	6	8	11
B. OPERATED	3389	5.6	23	<1	<1	5	8	11	14	23
TOTAL 0-19 YRS	315	2.4	4	<1	1	2	3	5	7	10
20-34	2256	3.5	9	<1	<1	2	6	7	9	13
35-49	942	7.0	21	<1	1	7	9	12	15	23
50-64	370	9.9	35	2	5	9	11	16	20	29
65+	186	9.9	41	2	3	9	12	18	22	33
GRAND TOTAL	**4069**	**5.1**	**21**	**<1**	**<1**	**4**	**7**	**10**	**13**	**21**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	25	2.5	4	<1	1	2	3	7	7	7
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	20	4.5	2	2	3	4	5	6	7	7
20-34	510	5.0	2	3	3	5	6	7	8	9
35-49	64	5.2	3	3	4	5	6	7	8	14
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	16	3.1	5	1	1	2	5	6	6	6
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	15	5.5	13	1	1	5	7	10	14	15
20-34	422	5.3	3	3	4	5	6	7	9	12
35-49	65	5.9	5	3	3	6	6	9	11	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	2.7	5	<1	1	2	4	7	7	8
B. *Operated*	594	5.0	2	3	3	5	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	17	3.4	5	1	1	2	6	6	7	7
B. *Operated*	502	5.4	4	3	3	5	6	7	9	13
1. SINGLE DX	620	4.9	3	2	3	5	6	7	8	9
2. MULTIPLE DX	519	5.3	4	3	3	5	6	7	9	13
A. NOT OPERATED	43	3.0	5	1	1	2	5	7	7	8
B. OPERATED	1096	5.2	3	3	3	5	6	7	8	11
TOTAL 0-19 YRS	35	4.9	6	1	2	4	6	7	9	15
20-34	973	5.0	3	2	3	5	6	7	8	10
35-49	131	5.5	4	3	3	5	6	8	9	15
50-64										
65+										
GRAND TOTAL	**1139**	**5.1**	**3**	**2**	**3**	**5**	**6**	**7**	**8**	**11**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	691	1.1		<1	<1	<1	1	2	2	3
20-34	1404	1.1		<1	<1	<1	<1	1	2	3
35-49	74	1.1		<1	<1	<1	<1	1	2	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	2	<1	<1	2	3	4	4	4
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	282	1.6	2	<1	<1	1	2	2	4	8
20-34	1025	1.8	4	<1	<1	1	2	3	5	9
35-49	210	2.0	2	<1	<1	1	2	4	5	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.4	1	1	1	2	3	4	4	4
B. *Operated*	2169	1.1		<1	<1	<1	<1	1	2	3
2. MULTIPLE DX										
A. *Not Operated*	5	2.0	2	<1	<1	2	3	4	4	4
B. *Operated*	1517	1.8	3	<1	<1	1	2	3	5	9
1. SINGLE DX	2174	1.1		<1	<1	<1	<1	1	2	3
2. MULTIPLE DX	1522	1.8	3	<1	<1	1	2	3	5	9
A. NOT OPERATED	10	2.2	1	<1	<1	2	3	4	4	4
B. OPERATED	3686	1.4	1	<1	<1	<1	1	2	3	6
TOTAL 0-19 YRS	979	1.3	1	<1	<1	<1	1	2	2	5
20-34	2433	1.4	2	<1	<1	<1	1	2	3	6
35-49	284	1.7	2	<1	<1	1	2	3	5	7
50-64										
65+										
GRAND TOTAL	**3696**	**1.4**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**6**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX	3	2.3	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. NOT OPERATED	2	3.0	2	2	2	3	4	4	4	4
B. OPERATED	1	1.0		1	1	1	1	1	1	1
TOTAL 0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
GRAND TOTAL	**3**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**4**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	2.0	2	<1	<1	1	2	4	5	7
20-34	568	1.9	2	<1	1	1	2	4	5	8
35-49	67	2.2	3	<1	<1	1	3	4	6	9
50-64										
65+										
B. *Operated*										
0-19 YRS	302	1.7	1	<1	1	1	2	3	4	6
20-34	2880	1.6	1	<1	<1	1	2	3	4	6
35-49	360	1.6	2	<1	<1	1	2	3	4	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.4	2	<1	<1	2	3	5	5	5
20-34	99	3.0	17	<1	1	2	4	5	7	27
35-49	6	2.3	1	1	1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	57	2.0	2	<1	<1	2	2	4	5	8
20-34	627	2.0	6	<1	<1	1	2	3	5	12
35-49	100	2.2	4	<1	1	1	2	5	6	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	734	1.9	2	<1	1	1	2	4	5	8
B. *Operated*	3542	1.6	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	117	2.9	15	<1	1	2	4	5	6	23
B. *Operated*	784	2.0	5	<1	<1	1	2	4	5	12
1. SINGLE DX	4276	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	901	2.1	7	<1	<1	1	2	4	6	12
A. NOT OPERATED	851	2.1	4	<1	1	1	2	4	5	8
B. OPERATED	4326	1.7	2	<1	<1	1	2	3	4	7
TOTAL 0-19 YRS	470	1.8	2	<1	<1	1	2	3	5	6
20-34	4174	1.8	3	<1	<1	1	2	3	4	8
35-49	533	1.8	2	<1	<1	1	2	3	5	8
50-64										
65+										
GRAND TOTAL	**5177**	**1.8**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	3.1	3	<1	1	3	4	5	7	8
20-34	135	2.7	3	1	1	2	4	5	6	7
35-49	12	2.8	4	1	1	2	3	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	45	2.2	1	<1	<1	2	3	4	4	6
20-34	636	1.8	2	<1	1	1	2	3	4	6
35-49	50	1.7	1	1	1	2	2	2	4	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	2.3	2	<1	1	2	3	4	6	6
20-34	46	3.5	6	1	1	3	4	7	9	12
35-49	4	3.8	9	1	1	3	6	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	31	2.9	5	1	1	2	4	5	8	9
20-34	190	2.4	3	1	1	2	3	5	5	9
35-49	33	2.3	3	<1	1	2	3	4	6	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	184	2.8	3	1	1	2	4	5	6	7
B. *Operated*	731	1.8	2	<1	1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	64	3.3	5	1	1	3	4	6	8	12
B. *Operated*	254	2.5	3	1	1	2	3	5	6	9
1. SINGLE DX	915	2.0	2	<1	1	2	2	4	5	7
2. MULTIPLE DX	318	2.6	4	1	1	2	3	5	6	9
A. NOT OPERATED	248	2.9	3	1	1	2	4	5	7	9
B. OPERATED	985	2.0	2	<1	1	2	2	4	4	8
TOTAL 0-19 YRS	127	2.6	3	<1	1	2	4	5	6	8
20-34	1007	2.1	3	<1	1	2	2	4	5	8
35-49	99	2.1	2	1	1	2	2	4	6	8
50-64										
65+										
GRAND TOTAL	**1233**	**2.1**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**8**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	109	2.7	3	1	1	3	3	5	6	9
20-34	896	2.9	6	1	1	2	4	5	7	11
35-49	53	2.8	3	1	1	3	3	4	5	10
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	21	2.6	2	<1	1	2	4	5	5	5
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	4.6	20	1	2	3	4	12	16	18
20-34	190	3.3	6	1	1	3	4	6	8	13
35-49	15	3.9	16	1	1	3	3	8	15	17
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	10	5.2	12	1	1	4	7	10	13	13
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1058	2.9	5	1	1	2	4	5	7	11
B. *Operated*	24	2.7	2	<1	1	3	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*	221	3.5	8	1	1	3	4	6	9	17
B. *Operated*	13	4.8	12	1	1	4	7	9	12	13
1. SINGLE DX	1082	2.9	5	1	1	2	4	5	7	11
2. MULTIPLE DX	234	3.5	8	1	1	3	4	7	9	17
A. NOT OPERATED	1279	3.0	6	1	1	2	4	5	7	12
B. OPERATED	37	3.4	6	1	1	3	4	7	8	13
TOTAL 0-19 YRS	129	2.9	5	1	1	3	3	5	7	13
20-34	1117	3.0	6	1	1	2	4	5	7	12
35-49	70	3.1	6	1	1	3	4	5	7	16
50-64										
65+										
GRAND TOTAL	**1316**	**3.0**	**6**	**1**	**1**	**2**	**4**	**5**	**7**	**12**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.9	1	1	1	2	3	4	4	4
20-34	40	4.0	18	<1	1	3	4	10	13	22
35-49	4	3.0	1	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	9	3.1	2	1	1	3	4	5	5	5
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	3	2.3		2	2	2	3	3	3	3
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	3.6	15	1	1	3	4	6	13	22
B. *Operated*	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	10	3.1	2	1	1	3	4	5	5	5
B. *Operated*	3	2.3		2	2	2	[illegible]	3	3	3
1. SINGLE DX	53	3.5	15	1	1	3	4	6	13	22
2. MULTIPLE DX	13	2.9	2	1	1	3	4	5	5	5
A. NOT OPERATED	62	3.5	13	1	1	3	4	5	12	21
B. OPERATED	4	2.0	1	1	1	2	3	3	3	3
TOTAL 0-19 YRS	9	2.0	1	1	1	2	3	4	4	4
20-34	53	3.7	15	1	1	3	4	6	13	22
35-49	4	3.0	1	2	2	3	4	4	4	4
50-64										
65+										
GRAND TOTAL	**66**	**3.4**	**12**	**1**	**1**	**3**	**4**	**5**	**12**	**21**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	3.7	6	1	1	3	4	8	9	11
20-34	420	3.7	8	1	1	3	4	7	9	16
35-49	30	4.1	6	1	1	4	6	8	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	6	3.2	3	2	2	3	4	6	6	6
20-34	121	3.8	10	<1	1	3	5	7	8	18
35-49	6	2.7	1	1	1	3	3	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	5.0	6	2	2	5	6	8	10	10
20-34	108	4.8	21	1	1	4	6	10	12	25
35-49	10	5.9	8	2	2	6	7	10	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	13	6.5	30	<1	2	4	9	14	19	20
20-34	101	4.3	17	<1	<1	3	5	10	13	20
35-49	9	7.2	26	1	1	7	11	14	15	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	486	3.7	8	1	1	3	5	7	9	15
B. *Operated*	133	3.7	9	<1	1	3	5	7	8	17
2. MULTIPLE DX										
A. *Not Operated*	131	4.9	18	1	1	4	6	10	11	20
B. *Operated*	123	4.8	19	<1	<1	3	6	11	14	21
1. SINGLE DX	619	3.7	8	1	1	3	5	7	9	16
2. MULTIPLE DX	254	4.9	19	<1	1	3	6	11	13	20
A. NOT OPERATED	617	4.0	10	1	1	3	5	7	10	16
B. OPERATED	256	4.2	14	<1	1	3	5	9	12	20
TOTAL 0-19 YRS	68	4.4	11	1	1	3	6	8	11	19
20-34	750	4.0	11	1	1	3	5	7	11	16
35-49	55	4.8	11	1	1	4	7	10	11	15
50-64										
65+										
GRAND TOTAL	**873**	**4.0**	**11**	**1**	**1**	**3**	**5**	**8**	**11**	**16**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	114	4.0	10	1	1	3	5	7	8	22
20-34	684	5.2	16	1	2	4	6	10	13	24
35-49	19	4.8	8	<1	1	5	7	8	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	11	5.1	42	2	2	3	5	13	23	24
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	5.1	11	1	2	4	6	10	12	15
20-34	216	5.3	18	1	2	4	7	10	13	21
35-49	11	6.9	35	1	2	6	8	16	21	22
50-64										
65+										
B. *Operated*										
0-19 YRS	5	18.0	1165	1	1	3	23	79	79	79
20-34	12	8.8	95	<1	1	3	17	25	27	27
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	817	5.0	15	1	2	4	6	9	12	24
B. *Operated*	11	5.1	42	2	2	3	5	13	23	24
2. MULTIPLE DX										
A. *Not Operated*	260	5.3	18	1	2	4	7	10	13	22
B. *Operated*	17	11.5	375	<1	1	3	16	26	61	79
1. SINGLE DX	828	5.0	16	1	2	4	6	9	12	24
2. MULTIPLE DX	277	5.7	41	1	2	4	7	11	15	26
A. NOT OPERATED	1077	5.1	16	1	2	4	6	10	13	23
B. OPERATED	28	9.0	248	1	1	3	6	24	32	79
TOTAL 0-19 YRS	152	4.7	47	1	1	3	5	7	10	26
20-34	923	5.2	18	1	2	4	6	10	13	24
35-49	30	5.6	18	1	1	5	7	9	12	22
50-64										
65+										
GRAND TOTAL	**1105**	**5.2**	**22**	**1**	**2**	**4**	**6**	**10**	**13**	**24**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	373	1.3	1	<1	<1	1	1	2	3	5
20-34	2236	1.3	3	<1	<1	1	1	2	3	6
35-49	108	1.2	1	<1	<1	1	1	1	2	6
50-64										
65+										
B. *Operated*										
0-19 YRS	78	1.4	3	<1	<1	1	1	2	3	12
20-34	469	1.2		<1	<1	1	1	2	2	5
35-49	19	1.4	1	<1	<1	1	1	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	1.4	1	<1	<1	1	2	3	3	5
20-34	259	1.7	2	<1	<1	1	2	3	5	10
35-49	13	1.5	1	<1	<1	1	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	18	3.1	18	<1	<1	2	3	5	14	19
20-34	139	1.6	2	<1	<1	1	2	3	4	8
35-49	11	1.5	1	<1	<1	1	2	3	3	3
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2717	1.3	3	<1	<1	1	1	2	3	6
B. *Operated*	566	1.3	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	339	1.6	2	<1	<1	1	2	3	4	8
B. *Operated*	168	1.7	4	<1	<1	1	2	3	5	14
1. SINGLE DX	3283	1.3	2	<1	<1	1	1	2	3	6
2. MULTIPLE DX	507	1.7	3	<1	<1	1	2	3	4	9
A. NOT OPERATED	3056	1.3	2	<1	<1	1	1	2	3	6
B. OPERATED	734	1.4	2	<1	<1	1	1	2	3	6
TOTAL 0-19 YRS	536	1.4	2	<1	<1	1	1	2	3	6
20-34	3103	1.3	2	<1	<1	1	1	2	3	6
35-49	151	1.3	1	<1	<1	1	1	2	3	5
50-64										
65+										
GRAND TOTAL	**3790**	**1.3**	**2**	**<1**	**<1**	**1**	**1**	**2**	**3**	**6**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.7	2	1	1	3	4	4	4	4
20-34	87	4.3	19	1	1	3	5	8	14	24
35-49	8	4.1	6	1	1	4	6	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	30	5.6	26	1	1	4	7	14	18	19
35-49	3	2.3	5	1	1	1	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	19	7.8	55	<1	1	4	9	20	24	27
35-49	3	6.7	41	2	2	4	11	14	14	14
50-64										
65+										
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	10	15.9	710	1	1	4	14	62	83	83
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	101	4.2	17	1	1	3	4	8	14	22
B. *Operated*	34	5.3	24	1	1	4	6	12	18	19
2. MULTIPLE DX										
A. *Not Operated*	23	7.5	50	1	1	4	9	19	23	27
B. *Operated*	11	14.9	650	1	1	4	12	58	81	83
1. SINGLE DX	135	4.4	19	1	1	3	5	10	15	20
2. MULTIPLE DX	34	9.9	243	1	1	4	9	22	39	83
A. NOT OPERATED	124	4.8	24	1	1	3	5	12	15	27
B. OPERATED	45	7.6	184	1	1	4	6	17	25	83
TOTAL 0-19 YRS	9	3.1	2	1	1	3	4	5	5	5
20-34	146	5.8	76	1	1	3	6	14	18	44
35-49	14	4.3	12	1	1	4	5	9	13	14
50-64										
65+										
GRAND TOTAL	**169**	**5.5**	**68**	**1**	**1**	**3**	**5**	**13**	**17**	**39**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	2.3	2	<1	<1	2	3	4	5	5
20-34	319	2.6	8	<1	<1	2	3	5	7	16
35-49	12	3.2	15	1	1	2	3	7	14	15
50-64										
65+										
B. *Operated*										
0-19 YRS	21	2.2	1	<1	<1	2	3	4	4	4
20-34	141	3.2	25	<1	<1	2	3	7	10	36
35-49	7	1.7	2	<1	<1	1	2	4	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	4.3	43	<1	<1	3	4	5	20	30
20-34	120	3.3	20	<1	<1	2	4	6	8	28
35-49	12	3.0	3	<1	<1	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	13	9.6	440	<1	1	3	6	24	69	79
20-34	84	4.3	27	<1	<1	3	5	8	12	32
35-49	6	9.7	256	<1	<1	3	7	38	42	42
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	378	2.6	7	<1	<1	2	3	5	7	16
B. *Operated*	169	3.0	21	<1	<1	2	3	6	9	31
2. MULTIPLE DX										
A. *Not Operated*	150	3.4	22	<1	<1	2	4	5	8	30
B. *Operated*	103	5.2	91	<1	<1	3	5	8	15	59
1. SINGLE DX	547	2.7	11	<1	<1	2	3	5	7	16
2. MULTIPLE DX	253	4.1	50	<1	<1	2	4	7	11	39
A. NOT OPERATED	528	2.8	11	<1	<1	2	3	5	7	17
B. OPERATED	272	3.9	49	<1	<1	2	4	7	10	40
TOTAL 0-19 YRS	99	3.6	69	<1	<1	2	4	5	6	55
20-34	664	3.1	16	<1	<1	2	3	6	8	23
35-49	37	3.9	48	<1	<1	2	4	5	12	42
50-64										
65+										
GRAND TOTAL	**800**	**3.2**	**24**	**<1**	**<1**	**2**	**3**	**6**	**8**	**27**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	2.8	4	<1	1	2	3	6	7	10
20-34	206	2.9	4	<1	1	2	4	6	7	10
35-49	7	2.4	1	1	1	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	11	2.7	4	<1	<1	2	4	6	6	6
20-34	26	2.8	6	<1	<1	2	4	7	8	10
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	3.9	7	<1	1	3	5	8	9	12
20-34	217	3.7	6	1	1	3	5	7	8	12
35-49	7	5.3	11	1	1	5	8	10	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	21	2.4	3	<1	<1	2	3	5	6	7
20-34	66	4.2	18	<1	1	3	5	10	13	23
35-49	3	3.7	9	<1	<1	3	6	7	7	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	289	2.9	4	<1	1	2	4	6	7	10
B. *Operated*	37	2.8	5	<1	<1	2	4	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	303	3.8	6	1	1	3	5	7	9	12
B. *Operated*	90	3.8	14	<1	<1	3	5	8	13	21
1. SINGLE DX	326	2.9	4	<1	1	2	4	6	7	10
2. MULTIPLE DX	393	3.8	8	<1	1	3	5	7	9	13
A. NOT OPERATED	592	3.4	5	<1	1	3	4	6	8	11
B. OPERATED	127	3.5	12	<1	<1	2	4	7	10	17
TOTAL 0-19 YRS	187	3.2	5	<1	1	3	4	6	8	11
20-34	515	3.4	7	<1	1	3	4	7	8	13
35-49	17	3.8	7	<1	1	3	5	9	10	10
50-64										
65+										
GRAND TOTAL	**719**	**3.4**	**6**	**<1**	**1**	**3**	**4**	**6**	**8**	**13**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	4.2	11	<1	1	2	6	9	11	14
20-34	191	4.6	21	1	1	3	6	9	11	23
35-49	22	3.3	5	<1	1	3	4	7	8	10
50-64										
65+										
B. *Operated*										
0-19 YRS	5	2.0	2	<1	<1	1	3	4	4	4
20-34	40	3.9	21	<1	<1	3	4	7	12	27
35-49	8	5.5	12	<1	<1	5	8	10	10	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	99	3.7	35	<1	<1	2	4	6	9	39
20-34	640	3.8	28	<1	1	2	4	7	11	26
35-49	43	5.3	39	1	1	3	6	10	20	35
50-64										
65+										
B. *Operated*										
0-19 YRS	57	3.1	9	<1	<1	2	4	6	9	18
20-34	358	3.2	22	<1	<1	2	4	7	9	18
35-49	15	3.4	4	<1	1	3	4	6	8	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	244	4.5	18	1	1	3	6	9	11	21
B. *Operated*	53	3.9	19	<1	<1	3	5	8	10	27
2. MULTIPLE DX										
A. *Not Operated*	782	3.9	30	<1	1	2	4	7	11	27
B. *Operated*	430	3.2	20	<1	<1	2	4	7	9	18
1. SINGLE DX	297	4.4	18	<1	1	3	5	9	11	23
2. MULTIPLE DX	1212	3.6	26	<1	<1	2	4	7	10	25
A. NOT OPERATED	1026	4.0	27	<1	1	3	5	7	11	26
B. OPERATED	483	3.3	20	<1	<1	2	4	7	9	18
TOTAL 0-19 YRS	192	3.5	23	<1	<1	2	4	7	10	23
20-34	1229	3.8	25	<1	<1	2	4	7	11	25
35-49	88	4.5	23	1	1	3	5	9	10	29
50-64										
65+										
GRAND TOTAL	**1509**	**3.8**	**25**	**<1**	**<1**	**2**	**4**	**7**	**10**	**25**

268: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	181	3.2	57	<1	<1	1	3	5	12	39
20-34	1143	3.2	28	<1	<1	2	3	6	10	33
35-49	42	2.5	17	<1	<1	1	3	4	7	27
50-64										
65+										
B. *Operated*										
0-19 YRS	108	2.9	40	<1	<1	1	2	6	9	39
20-34	1010	2.9	30	<1	<1	1	3	5	8	32
35-49	41	2.9	11	<1	<1	2	3	5	10	17
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	114	3.3	23	<1	<1	2	3	6	11	26
20-34	721	3.9	41	<1	<1	2	4	8	13	34
35-49	34	6.1	143	1	1	3	5	12	20	69
50-64										
65+										
B. *Operated*										
0-19 YRS	92	4.9	61	<1	<1	3	5	10	17	48
20-34	649	4.4	50	<1	<1	2	5	9	15	34
35-49	39	5.9	74	<1	<1	3	5	14	27	42
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1366	3.2	32	<1	<1	1	3	6	10	32
B. *Operated*	1159	2.9	31	<1	<1	1	3	5	9	30
2. MULTIPLE DX										
A. *Not Operated*	869	3.9	43	<1	<1	2	4	8	13	35
B. *Operated*	780	4.6	53	<1	<1	2	5	10	16	40
1. SINGLE DX	2525	3.1	31	<1	<1	1	3	6	9	31
2. MULTIPLE DX	1649	4.2	48	<1	<1	2	4	9	14	36
A. NOT OPERATED	2235	3.5	36	<1	<1	2	3	7	12	34
B. OPERATED	1939	3.6	40	<1	<1	2	4	7	12	35
TOTAL 0-19 YRS	495	3.5	47	<1	<1	2	3	6	12	44
20-34	3523	3.5	36	<1	<1	2	4	7	11	34
35-49	156	4.2	59	<1	<1	2	4	8	15	42
50-64										
65+										
GRAND TOTAL	**4174**	**3.5**	**38**	**<1**	**<1**	**2**	**3**	**7**	**12**	**35**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	5.9	21	3	3	5	6	7	18	22
20-34	98	4.2	2	2	3	4	5	6	7	9
35-49	8	4.8	12	3	3	4	5	11	13	13
50-64										
65+										
B. *Operated*										
0-19 YRS	8	4.0	11	1	1	3	5	9	11	11
20-34	67	5.5	10	3	3	5	7	8	9	20
35-49	3	13.3	56	6	6	13	19	21	21	21
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	6.0	24	3	3	4	5	14	19	20
20-34	139	4.3	3	3	3	4	5	7	8	10
35-49	5	3.6	4	2	2	3	5	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	36	8.3	32	3	3	7	10	19	20	25
20-34	549	7.0	40	3	3	5	7	12	18	44
35-49	56	8.6	97	3	3	6	8	17	27	61
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	4.5	5	2	3	4	5	6	7	16
B. *Operated*	78	5.6	13	2	3	5	7	9	12	21
2. MULTIPLE DX										
A. *Not Operated*	157	4.4	5	2	3	4	5	7	9	13
B. *Operated*	641	7.2	45	3	3	6	7	12	19	44
1. SINGLE DX	199	4.9	9	2	3	4	6	7	9	21
2. MULTIPLE DX	798	6.7	38	3	3	5	7	11	18	41
A. NOT OPERATED	278	4.4	5	2	3	4	5	6	8	13
B. OPERATED	719	7.1	41	3	3	5	7	12	19	43
TOTAL 0-19 YRS	72	6.9	28	3	3	5	8	16	20	24
20-34	853	6.1	29	3	3	5	7	9	14	28
35-49	72	8.0	82	2	3	6	8	15	23	57
50-64										
65+										
GRAND TOTAL	**997**	**6.3**	**33**	**3**	**3**	**5**	**7**	**10**	**16**	**34**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	945	4.3	6	2	3	4	5	6	7	9
20-34	8686	4.0	3	2	3	4	5	5	6	8
35-49	323	4.0	2	2	3	4	5	6	7	8
50-64										
65+										
B. *Operated*										
0-19 YRS	218	4.6	2	2	3	4	5	6	7	9
20-34	1969	4.3	2	3	3	4	5	6	7	10
35-49	92	4.3	2	2	3	4	5	6	7	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	83	5.6	43	3	3	4	5	7	10	46
20-34	781	4.3	3	3	3	4	5	6	7	11
35-49	41	4.8	7	2	3	4	6	7	9	16
50-64										
65+										
B. *Operated*										
0-19 YRS	49	4.7	12	2	2	4	5	6	9	26
20-34	1634	4.6	3	3	3	4	5	6	7	9
35-49	185	4.8	2	3	3	5	5	6	7	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9954	4.0	3	2	3	4	5	6	6	8
B. *Operated*	2279	4.3	2	3	3	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	905	4.5	7	3	3	4	5	6	7	13
B. *Operated*	1868	4.6	3	3	3	4	5	6	7	9
1. SINGLE DX	12233	4.1	3	2	3	4	5	6	6	8
2. MULTIPLE DX	2773	4.6	4	3	3	4	5	6	7	10
A. NOT OPERATED	10859	4.1	3	2	3	4	5	6	6	8
B. OPERATED	4147	4.4	2	3	3	4	5	6	7	9
TOTAL 0-19 YRS	1295	4.5	8	2	3	4	5	6	7	11
20-34	13070	4.1	3	2	3	4	5	6	6	8
35-49	641	4.3	2	2	3	4	5	6	7	9
50-64										
65+										
GRAND TOTAL	**15006**	**4.2**	**3**	**2**	**3**	**4**	**5**	**6**	**6**	**9**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	2.7	3	1	1	3	3	5	6	6
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	7.5	13	5	5	7	10	10	10	10
20-34	29	17.6	419	4	4	6	24	56	63	72
35-49	2	25.5	841	5	5	25	46	46	46	46
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	42.0		42	42	42	42	42	42	42
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	20.5	545	4	4	20	37	37	37	37
20-34	83	16.0	389	4	5	7	14	46	58	95
35-49	13	17.9	478	3	4	11	21	40	77	86
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.7	3	1	1	3	3	5	6	6
B. *Operated*	33	17.5	403	4	5	6	24	51	63	72
2. MULTIPLE DX										
A. *Not Operated*	1	42.0		42	42	42	42	42	42	42
B. *Operated*	98	16.3	394	4	5	7	16	45	59	94
1. SINGLE DX	40	14.9	364	2	3	6	16	47	62	72
2. MULTIPLE DX	99	16.6	397	4	5	7	17	45	59	94
A. NOT OPERATED	8	7.6	195	1	1	3	5	31	42	42
B. OPERATED	131	16.6	394	4	5	7	18	46	61	91
TOTAL 0-19 YRS	4	14.0	242	4	4	7	23	37	37	37
20-34	120	15.8	383	3	4	7	14	46	61	92
35-49	15	18.9	477	3	5	11	22	46	76	86
50-64										
65+										
GRAND TOTAL	**139**	**16.1**	**385**	**3**	**4**	**7**	**17**	**46**	**61**	**90**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.6	6	1	1	3	5	7	8	8
20-34	51	3.7	5	1	1	4	5	6	7	13
35-49	3	5.7	4	4	4	5	7	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	12	7.6	67	3	3	5	7	16	30	33
20-34	44	5.2	5	2	3	5	7	9	10	11
35-49	5	5.0	12	1	1	4	8	9	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	3.8	4	1	1	4	5	7	8	8
20-34	68	4.3	6	1	1	4	5	7	8	15
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	21	6.0	8	3	3	5	7	10	12	14
20-34	284	6.5	23	2	3	5	7	11	18	26
35-49	18	7.1	13	4	5	6	7	13	17	18
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	3.8	5	1	1	4	5	6	7	12
B. *Operated*	61	5.6	18	2	3	5	7	9	10	31
2. MULTIPLE DX										
A. *Not Operated*	83	4.2	6	1	1	4	5	7	8	14
B. *Operated*	323	6.5	21	3	3	5	7	11	18	26
1. SINGLE DX	123	4.7	12	1	2	4	6	8	9	18
2. MULTIPLE DX	406	6.0	19	2	3	5	7	10	16	25
A. NOT OPERATED	145	4.0	5	1	1	4	5	6	8	13
B. OPERATED	384	6.3	21	2	3	5	7	10	16	26
TOTAL 0-19 YRS	54	5.5	21	1	2	5	6	8	11	32
20-34	447	5.7	18	2	2	5	6	9	14	25
35-49	28	6.3	12	2	3	6	7	9	15	18
50-64										
65+										
GRAND TOTAL	**529**	**5.7**	**18**	**2**	**2**	**5**	**6**	**9**	**14**	**25**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	4.3	1	3	3	5	5	5	5	5
20-34	26	3.9	2	1	2	4	5	6	6	6
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	16	4.8	6	1	3	4	6	6	10	12
20-34	141	4.1	3	1	2	4	5	6	7	10
35-49	10	4.2	3	1	1	4	5	6	7	7
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	20	4.1	5	<1	1	4	5	6	9	11
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	16	5.2	8	3	3	5	6	6	12	15
20-34	207	4.8	5	2	3	4	5	7	8	16
35-49	12	4.9	3	1	2	5	6	7	7	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	29	3.9	2	1	2	4	5	6	6	6
B. Operated	167	4.2	3	1	2	4	5	6	7	11
2. MULTIPLE DX										
A. Not Operated	21	4.0	5	1	1	4	5	6	9	11
B. Operated	235	4.8	5	2	3	4	5	7	8	16
1. SINGLE DX	196	4.2	3	1	2	4	5	6	7	11
2. MULTIPLE DX	256	4.8	5	2	3	4	5	7	8	15
A. NOT OPERATED	50	4.0	3	1	2	4	5	6	6	11
B. OPERATED	402	4.6	4	2	3	4	5	6	8	13
TOTAL 0-19 YRS	36	4.8	6	2	3	4	6	6	10	15
20-34	394	4.5	4	2	3	4	5	6	8	12
35-49	22	4.6	3	1	2	5	6	7	7	7
50-64										
65+										
GRAND TOTAL	**452**	**4.5**	**4**	**2**	**3**	**4**	**5**	**6**	**7**	**12**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	4.5	3	3	3	4	5	7	8	9
20-34	148	4.1	2	2	3	4	5	6	6	8
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64										
65+										
B. Operated										
0-19 YRS	8	4.6	2	3	3	4	5	7	7	7
20-34	64	4.5	2	2	3	4	5	6	7	8
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	4.8	3	2	3	5	6	7	8	8
20-34	70	4.1	1	2	3	4	5	6	6	8
35-49	3	4.7		4	4	5	5	5	5	5
50-64										
65+										
B. Operated										
0-19 YRS	14	5.4	5	3	4	5	6	8	11	12
20-34	105	4.9	3	3	3	5	5	7	8	13
35-49	6	4.7	2	3	3	4	6	7	7	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	167	4.2	2	2	3	4	5	6	7	9
B. Operated	74	4.5	2	3	3	4	5	6	7	8
2. MULTIPLE DX										
A. Not Operated	85	4.2	2	2	3	4	5	6	6	8
B. Operated	125	5.0	3	3	3	5	6	7	8	13
1. SINGLE DX	241	4.3	2	2	3	4	5	6	7	8
2. MULTIPLE DX	210	4.7	3	3	3	4	5	6	8	11
A. NOT OPERATED	252	4.2	2	2	3	4	5	6	6	8
B. OPERATED	199	4.8	3	3	3	5	5	7	8	12
TOTAL 0-19 YRS	51	4.8	3	3	3	4	6	7	8	12
20-34	387	4.4	2	3	3	4	5	6	7	9
35-49	13	4.5	1	3	3	4	5	6	7	7
50-64										
65+										
GRAND TOTAL	**451**	**4.5**	**2**	**3**	**3**	**4**	**5**	**6**	**7**	**9**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	14	6.2	15	3	3	5	7	10	16	18
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	15	13.2	232	3	4	8	19	58	89	99+
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	9.5	26	6	6	7	12	17	17	17
20-34	29	11.7	248	2	3	6	8	39	50	67
35-49	2	5.5	5	4	4	5	7	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	9	8.3	42	4	4	6	8	19	25	25
20-34	220	12.3	190	4	5	7	12	26	40	87
35-49	11	14.5	168	4	5	9	21	34	46	47
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	6.0	13	3	3	5	6	9	15	18
B. *Operated*	16	12.7	221	3	4	8	17	55	87	99+
2. MULTIPLE DX										
A. *Not Operated*	35	11.1	209	2	3	6	8	35	47	67
B. *Operated*	240	12.3	184	4	5	7	12	26	40	83
1. SINGLE DX	32	9.3	125	3	4	5	9	24	57	99+
2. MULTIPLE DX	275	12.1	186	4	4	7	12	26	42	78
A. NOT OPERATED	51	9.5	152	3	3	6	8	17	42	67
B. OPERATED	256	12.3	185	4	4	7	12	26	44	97
TOTAL 0-19 YRS	16	7.9	30	4	4	6	8	16	23	25
20-34	278	12.0	190	3	4	7	12	27	44	93
35-49	13	13.2	152	4	4	8	17	30	44	47
50-64										
65+										
GRAND TOTAL	**307**	**11.8**	**180**	**4**	**4**	**7**	**11**	**26**	**42**	**89**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	47	4.2	2	2	3	4	5	6	7	9
35-49	4	4.8	1	4	4	5	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	24	5.4	4	2	3	6	7	8	8	9
20-34	392	5.8	3	3	4	6	7	8	8	11
35-49	6	5.8	5	2	2	6	7	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	21	4.6	2	1	3	5	5	7	7	8
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	47	6.2	3	4	4	6	7	8	9	13
20-34	764	6.6	18	3	4	6	7	9	12	28
35-49	62	6.7	17	3	3	6	8	9	11	31
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	4.3	2	2	3	4	5	6	7	9
B. *Operated*	422	5.8	3	3	4	6	7	8	8	10
2. MULTIPLE DX										
A. *Not Operated*	25	4.4	3	1	2	5	5	6	7	8
B. *Operated*	873	6.6	17	3	4	6	7	9	12	28
1. SINGLE DX	474	5.6	3	3	3	6	7	8	8	10
2. MULTIPLE DX	898	6.5	17	3	4	6	7	9	11	27
A. NOT OPERATED	77	4.3	2	2	3	4	5	6	7	9
B. OPERATED	1295	6.3	13	3	4	6	7	8	10	22
TOTAL 0-19 YRS	74	5.8	4	3	4	6	7	8	9	13
20-34	1224	6.2	12	3	3	6	7	8	10	21
35-49	74	6.4	15	3	3	6	8	9	11	29
50-64										
65+										
GRAND TOTAL	**1372**	**6.2**	**12**	**3**	**3**	**6**	**7**	**8**	**10**	**21**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	4.5	1	3	3	4	5	6	7	7
20-34	138	4.1	1	3	3	4	5	5	6	7
35-49	9	4.2		3	3	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	56	4.7	2	3	3	4	6	7	8	8
20-34	405	5.0	4	3	3	5	6	7	8	12
35-49	20	5.7	3	3	4	6	7	8	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	4.8	5	2	2	4	6	8	9	10
20-34	172	4.1	2	2	3	4	5	6	6	8
35-49	5	4.4	3	3	3	4	5	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	133	5.8	8	3	4	5	6	8	11	17
20-34	1934	5.6	7	3	3	5	6	8	9	16
35-49	121	6.3	9	3	3	6	7	10	12	18
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	160	4.1	1	3	3	4	5	5	6	7
B. *Operated*	481	5.0	4	3	3	5	6	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	193	4.2	2	2	3	4	5	6	7	9
B. *Operated*	2188	5.6	7	3	3	5	6	8	9	17
1. SINGLE DX	641	4.8	3	3	3	4	6	7	8	10
2. MULTIPLE DX	2381	5.5	7	3	3	5	6	8	9	16
A. NOT OPERATED	353	4.2	2	2	3	4	5	6	6	8
B. OPERATED	2669	5.5	6	3	3	5	6	8	9	16
TOTAL 0-19 YRS	218	5.4	6	3	3	5	6	8	10	15
20-34	2649	5.3	6	3	3	5	6	7	9	14
35-49	155	6.0	8	3	3	5	7	9	11	18
50-64										
65+										
GRAND TOTAL	**3022**	**5.4**	**6**	**3**	**3**	**5**	**6**	**8**	**9**	**15**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	5	4.6	1	4	4	4	5	6	6	6
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	51	6.5	3	4	5	6	8	9	9	11
20-34	370	6.5	3	4	5	6	7	8	9	12
35-49	8	6.6	3	4	4	7	8	9	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	5.0	2	4	4	5	5	8	8	8
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	136	7.4	10	4	5	7	8	11	14	20
20-34	1192	7.0	11	4	5	6	7	9	11	22
35-49	67	7.0	5	5	5	7	8	9	10	18
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	4.6	1	4	4	4	5	6	6	6
B. *Operated*	429	6.5	3	4	5	6	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	6	5.0	2	4	4	5	5	8	8	8
B. *Operated*	1395	7.1	11	4	5	6	8	9	12	22
1. SINGLE DX	436	6.5	3	4	5	6	7	8	9	12
2. MULTIPLE DX	1401	7.0	11	4	5	6	8	9	12	22
A. NOT OPERATED	13	4.8	1	4	4	4	5	6	8	8
B. OPERATED	1824	6.9	9	4	5	6	7	9	11	20
TOTAL 0-19 YRS	189	7.1	8	4	5	7	8	10	13	18
20-34	1573	6.9	9	4	5	6	7	9	11	21
35-49	75	7.0	5	4	5	7	8	9	10	18
50-64										
65+										
GRAND TOTAL	**1837**	**6.9**	**9**	**4**	**5**	**6**	**7**	**9**	**11**	**20**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	5.1	3	3	4	5	6	6	8	12
20-34	223	4.7	2	3	3	5	5	6	7	8
35-49	8	4.6	3	3	3	4	5	7	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	53	5.0	1	3	4	5	6	7	7	8
20-34	501	4.8	2	3	3	5	6	7	7	9
35-49	18	5.4	5	3	3	5	7	9	11	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	4.8	2	2	3	5	6	7	8	8
20-34	226	4.6	2	3	3	4	5	6	7	9
35-49	9	3.1	4	1	1	2	5	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	151	5.9	8	3	4	6	6	9	9	17
20-34	1795	5.5	13	3	3	5	6	8	9	15
35-49	111	5.7	7	3	3	5	6	8	10	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	259	4.7	2	3	3	5	5	6	7	9
B. *Operated*	572	4.9	2	3	3	5	6	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	258	4.5	2	2	3	4	5	6	7	9
B. *Operated*	2057	5.5	12	3	3	5	6	8	9	15
1. SINGLE DX	831	4.8	2	3	3	5	6	7	7	9
2. MULTIPLE DX	2315	5.4	11	3	3	5	6	8	9	15
A. NOT OPERATED	517	4.6	2	3	3	5	5	6	7	9
B. OPERATED	2629	5.4	10	3	3	5	6	7	9	14
TOTAL 0-19 YRS	255	5.5	6	3	4	5	6	8	9	14
20-34	2745	5.2	9	3	3	5	6	7	8	13
35-49	146	5.4	6	2	3	5	6	8	10	17
50-64										
65+										
GRAND TOTAL	**3146**	**5.2**	**9**	**3**	**3**	**5**	**6**	**7**	**8**	**13**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	33	4.1	2	2	3	4	5	6	7	7
35-49	3	4.7		4	4	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	6	5.5	2	4	4	5	7	7	7	7
20-34	97	4.5	3	3	3	4	5	7	8	10
35-49	2	4.0		4	4	4	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	1	6	6	6	7	7	7	7
20-34	22	5.6	52	1	2	4	5	7	20	37
35-49	5	3.8	1	2	2	4	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	28	5.9	7	2	3	5	7	10	11	13
20-34	360	6.0	8	3	3	6	7	8	10	15
35-49	40	6.7	12	3	3	6	8	9	16	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	4.1	2	2	3	4	5	5	6	7
B. *Operated*	105	4.5	2	3	3	4	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	29	5.3	40	2	2	4	5	7	10	37
B. *Operated*	428	6.0	8	3	3	6	7	8	10	16
1. SINGLE DX	143	4.4	2	3	3	4	5	7	7	9
2. MULTIPLE DX	457	6.0	10	3	3	6	7	8	10	18
A. NOT OPERATED	67	4.6	18	2	3	4	5	6	7	32
B. OPERATED	533	5.8	7	3	3	5	7	8	10	15
TOTAL 0-19 YRS	38	5.8	6	3	3	5	7	9	10	13
20-34	512	5.6	9	3	3	5	7	8	9	15
35-49	50	6.2	11	3	3	5	7	9	14	19
50-64										
65+										
GRAND TOTAL	**600**	**5.6**	**9**	**3**	**3**	**5**	**7**	**8**	**9**	**15**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	19	3.8	2	1	2	4	5	6	6	6
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	33	6.7	12	5	5	6	7	8	8	25
20-34	1454	6.4	2	4	5	6	7	8	8	10
35-49	70	6.3	2	4	4	6	7	8	8	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	4.3	2	3	3	4	4	7	7	7
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	23	6.7	3	4	5	6	8	9	10	10
20-34	2170	6.8	8	4	5	6	7	8	10	19
35-49	261	7.2	11	5	5	7	8	9	10	21
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	3.8	2	1	2	4	5	6	6	6
B. *Operated*	1557	6.4	2	4	5	6	7	8	8	10
2. MULTIPLE DX										
A. *Not Operated*	12	4.3	2	3	3	4	5	7	7	7
B. *Operated*	2454	6.8	9	4	5	6	7	8	10	19
1. SINGLE DX	1577	6.3	2	4	5	6	7	8	8	10
2. MULTIPLE DX	2466	6.8	9	4	5	6	7	8	10	19
A. NOT OPERATED	32	4.0	2	2	2	4	5	6	7	7
B. OPERATED	4011	6.7	6	4	5	6	7	8	9	15
TOTAL 0-19 YRS	56	6.7	8	5	5	6	7	8	9	24
20-34	3553	6.6	6	4	5	6	7	8	9	15
35-49	334	7.0	9	4	5	7	7	8	9	16
50-64										
65+										
GRAND TOTAL	**4043**	**6.6**	**6**	**4**	**5**	**6**	**7**	**8**	**9**	**15**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	3.9	2	2	2	4	5	6	6	7
20-34	325	4.1	3	2	3	4	5	6	7	10
35-49	14	4.1	1	3	3	4	5	5	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	34	5.0	6	3	3	4	5	8	12	13
20-34	386	4.6	9	3	3	4	5	6	8	12
35-49	21	4.5	6	2	2	4	5	7	10	13
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	5.6	8	2	2	5	7	8	11	14
20-34	250	4.7	8	2	3	4	5	7	8	19
35-49	10	5.7	11	2	2	5	6	11	14	14
50-64										
65+										
B. *Operated*										
0-19 YRS	99	5.9	9	3	3	5	7	9	12	18
20-34	1325	5.3	8	3	3	5	6	8	9	16
35-49	101	5.7	7	3	3	5	7	9	11	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	373	4.1	3	2	3	4	5	6	7	10
B. *Operated*	441	4.6	9	3	3	4	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	280	4.8	8	2	3	4	6	7	8	18
B. *Operated*	1525	5.4	8	3	3	5	6	8	9	16
1. SINGLE DX	814	4.4	6	2	3	4	5	6	7	12
2. MULTIPLE DX	1805	5.3	8	3	3	5	6	8	9	16
A. NOT OPERATED	653	4.4	5	2	3	4	5	7	8	13
B. OPERATED	1966	5.2	8	3	3	5	6	8	9	15
TOTAL 0-19 YRS	187	5.3	8	2	3	5	6	8	11	15
20-34	2286	5.0	8	3	3	4	6	7	9	15
35-49	146	5.4	7	3	3	5	6	8	11	14
50-64										
65+										
GRAND TOTAL	**2619**	**5.0**	**8**	**3**	**3**	**4**	**6**	**8**	**9**	**15**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	4.0	1	3	3	4	5	5	6	7
20-34	656	4.0	2	2	3	4	5	5	6	8
35-49	33	4.0	1	3	3	4	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	32	4.4	2	3	3	4	5	6	7	9
20-34	238	4.3	2	3	3	4	5	6	6	10
35-49	14	4.6	4	2	3	4	6	7	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	4.7	4	3	3	4	5	7	9	12
20-34	238	4.2	3	2	3	4	5	6	7	11
35-49	16	5.9	16	1	3	5	7	13	15	16
50-64										
65+										
B. *Operated*										
0-19 YRS	38	5.2	5	2	3	5	6	8	9	14
20-34	556	4.6	9	2	3	4	5	7	7	11
35-49	47	5.0	5	2	3	5	6	8	8	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	759	4.0	2	2	3	4	5	5	6	8
B. *Operated*	284	4.3	2	3	3	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	274	4.3	4	2	3	4	5	6	7	13
B. *Operated*	641	4.7	9	2	3	4	5	7	8	11
1. SINGLE DX	1043	4.0	2	2	3	4	5	5	6	8
2. MULTIPLE DX	915	4.6	7	2	3	4	5	7	8	12
A. NOT OPERATED	1033	4.0	2	2	3	4	5	6	6	9
B. OPERATED	925	4.6	7	2	3	4	5	7	7	10
TOTAL 0-19 YRS	160	4.4	3	3	3	4	5	6	8	12
20-34	1688	4.2	4	2	3	4	5	6	7	10
35-49	110	4.8	6	2	3	4	6	7	8	16
50-64										
65+										
GRAND TOTAL	**1958**	**4.3**	**4**	**2**	**3**	**4**	**5**	**6**	**7**	**10**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	4.0	3	1	2	4	5	6	7	10
20-34	344	3.9	2	2	2	4	5	5	6	8
35-49	18	3.9	3	1	2	4	5	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	228	4.0	2	2	3	4	5	6	6	8
20-34	3644	3.9	2	2	3	4	5	5	6	8
35-49	215	3.9	2	2	2	4	5	6	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	4.6	5	3	3	4	5	6	9	13
20-34	144	3.9	2	1	2	4	5	6	7	8
35-49	6	5.2	9	3	3	4	6	10	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS	134	4.9	14	2	3	4	5	7	8	27
20-34	2525	4.4	4	2	3	4	5	6	7	10
35-49	229	4.3	2	2	3	4	5	6	6	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	403	3.9	2	2	2	4	5	5	6	9
B. *Operated*	4087	3.9	2	2	3	4	5	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	173	4.1	3	2	2	4	5	6	7	11
B. *Operated*	2888	4.4	4	2	3	4	5	6	7	10
1. SINGLE DX	4490	3.9	2	2	3	4	5	5	6	8
2. MULTIPLE DX	3061	4.4	4	2	3	4	5	6	7	10
A. NOT OPERATED	576	4.0	2	2	2	4	5	6	7	9
B. OPERATED	6975	4.1	3	2	3	4	5	6	6	9
TOTAL 0-19 YRS	426	4.3	6	2	3	4	5	6	7	13
20-34	6657	4.1	2	2	3	4	5	6	6	9
35-49	468	4.1	2	2	3	4	5	6	7	9
50-64										
65+										
GRAND TOTAL	**7551**	**4.1**	**3**	**2**	**3**	**4**	**5**	**6**	**6**	**9**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.3	2	3	3	4	5	7	7	7
20-34	68	4.5	2	3	3	4	5	6	7	10
35-49	3	5.0	4	3	3	5	6	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	51	4.3	2	3	3	4	5	6	7	8
20-34	406	4.3	4	3	3	4	5	6	6	9
35-49	12	4.0	1	3	3	4	5	6	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	20	4.8	2	3	4	4	5	7	8	9
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	44	5.4	7	3	3	5	6	8	12	16
20-34	392	4.6	3	3	3	4	5	7	7	11
35-49	17	4.2	4	1	2	4	5	7	9	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	4.5	2	3	3	4	5	7	7	10
B. *Operated*	469	4.3	4	3	3	4	5	6	6	9
2. MULTIPLE DX										
A. *Not Operated*	20	4.8	2	3	4	4	5	7	8	9
B. *Operated*	453	4.7	3	3	3	4	5	7	7	13
1. SINGLE DX	546	4.3	3	3	3	4	5	6	7	9
2. MULTIPLE DX	473	4.7	3	3	3	4	5	7	7	13
A. NOT OPERATED	97	4.5	2	3	3	4	5	7	7	10
B. OPERATED	922	4.5	4	3	3	4	5	6	7	10
TOTAL 0-19 YRS	101	4.8	4	3	3	4	5	7	8	15
20-34	886	4.4	3	3	3	4	5	6	7	10
35-49	32	4.2	3	2	3	4	5	7	7	10
50-64										
65+										
GRAND TOTAL	**1019**	**4.5**	**3**	**3**	**3**	**4**	**5**	**6**	**7**	**10**

286: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.5	4	1	1	3	5	6	6	6
20-34	34	3.8	2	2	2	4	5	5	6	7
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	22	3.8	1	2	2	4	5	5	5	5
20-34	181	4.1	2	2	3	4	5	6	6	8
35-49	6	3.3	3	1	1	3	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.8	6	<1	<1	4	5	7	7	7
20-34	12	4.9	4	2	3	5	6	8	9	9
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	17	6.1	29	3	3	4	6	8	20	26
20-34	164	4.4	3	2	3	4	5	6	7	10
35-49	8	3.8	1	2	2	4	5	5	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	3.8	2	1	2	4	5	6	6	7
B. *Operated*	209	4.0	2	2	2	4	5	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	19	4.6	4	1	2	4	6	7	8	9
B. *Operated*	189	4.5	6	2	3	4	5	6	7	15
1. SINGLE DX	247	4.0	2	2	2	4	5	5	6	8
2. MULTIPLE DX	208	4.5	5	2	3	4	5	6	7	14
A. NOT OPERATED	57	4.1	3	1	2	4	5	6	7	9
B. OPERATED	398	4.2	4	2	3	4	5	6	7	10
TOTAL 0-19 YRS	48	4.6	12	2	2	4	5	7	7	26
20-34	391	4.2	3	2	3	4	5	6	7	9
35-49	16	3.7	2	1	2	4	5	5	5	5
50-64										
65+										
GRAND TOTAL	**455**	**4.2**	**4**	**2**	**3**	**4**	**5**	**6**	**7**	**9**

287: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	187	4.2	4	2	2	4	5	6	7	8
20-34	1768	4.0	3	2	2	4	5	6	7	10
35-49	90	4.5	6	2	3	4	5	6	9	17
50-64										
65+										
B. *Operated*										
0-19 YRS	276	5.0	6	3	3	4	6	8	9	16
20-34	2531	4.8	8	3	3	4	5	7	8	16
35-49	118	5.0	4	3	3	5	6	8	9	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	140	5.4	12	1	3	4	6	9	13	18
20-34	1237	4.4	6	2	2	4	5	6	8	13
35-49	69	4.3	4	2	2	4	5	7	8	11
50-64										
65+										
B. *Operated*										
0-19 YRS	553	5.8	12	3	3	5	7	9	11	24
20-34	7471	5.8	18	3	3	5	6	9	12	24
35-49	564	6.4	25	3	3	5	7	10	14	35
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2045	4.0	4	2	2	4	5	6	7	10
B. *Operated*	2925	4.9	8	3	3	4	5	7	8	16
2. MULTIPLE DX										
A. *Not Operated*	1446	4.5	6	2	2	4	5	7	8	14
B. *Operated*	8588	5.8	18	3	3	5	6	9	12	25
1. SINGLE DX	4970	4.5	6	2	3	4	5	7	8	13
2. MULTIPLE DX	10034	5.6	16	3	3	5	6	9	11	24
A. NOT OPERATED	3491	4.2	5	2	2	4	5	6	7	12
B. OPERATED	11513	5.6	15	3	3	5	6	8	11	23
TOTAL 0-19 YRS	1156	5.3	10	2	3	5	6	8	10	19
20-34	13007	5.2	13	2	3	4	6	8	10	21
35-49	841	5.8	19	2	3	5	6	9	11	30
50-64										
65+										
GRAND TOTAL	**15004**	**5.3**	**13**	**2**	**3**	**4**	**6**	**8**	**10**	**21**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	4.3	10	1	1	3	6	9	11	11
20-34	75	3.6	2	2	2	4	4	6	7	8
35-49	3	4.0	1	3	3	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	8	3.5	21	<1	<1	1	4	12	14	14
35-49	1	9.0		9	9	9	9	9	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	4.6	3	1	2	5	6	7	7	7
20-34	46	5.1	9	2	2	4	6	8	9	20
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	13	5.0	11	1	2	3	7	10	11	11
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	3.7	3	2	2	4	5	6	7	10
B. *Operated*	10	3.8	20	<1	<1	1	6	11	14	14
2. MULTIPLE DX										
A. *Not Operated*	55	5.0	8	2	2	4	6	7	9	19
B. *Operated*	14	5.3	11	1	2	4	9	10	11	11
1. SINGLE DX	97	3.7	5	1	2	3	5	6	8	13
2. MULTIPLE DX	69	5.1	9	2	2	4	6	9	10	18
A. NOT OPERATED	142	4.2	5	2	2	4	5	7	8	12
B. OPERATED	24	4.7	15	<1	<1	3	8	10	12	14
TOTAL 0-19 YRS	19	4.5	7	1	1	4	6	8	10	11
20-34	142	4.2	7	1	2	4	5	7	9	14
35-49	5	5.2	5	3	3	5	6	9	9	9
50-64										
65+										
GRAND TOTAL	**166**	**4.3**	**7**	**1**	**2**	**4**	**5**	**7**	**9**	**14**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.1	2	<1	<1	2	3	4	5	5
20-34	85	1.7	2	<1	<1	1	2	3	5	8
35-49	4	2.0	4	1	1	1	3	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	27	1.4		<1	1	1	2	2	3	3
20-34	250	1.7	1	<1	1	1	2	3	4	8
35-49	18	1.6	1	1	1	2	2	2	3	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	22	2.0	2	<1	1	2	2	4	5	5
35-49	3	2.3	2	1	1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	20	2.1	3	1	1	2	2	4	6	7
20-34	136	2.4	5	<1	1	2	3	4	6	13
35-49	4	1.3		1	1	1	2	2	2	2
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	98	1.8	2	<1	<1	1	2	3	5	8
B. *Operated*	295	1.7	1	<1	1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	28	2.0	1	<1	1	2	2	4	5	5
B. *Operated*	160	2.3	4	<1	1	2	3	4	6	12
1. SINGLE DX	393	1.7	1	<1	1	1	2	3	4	7
2. MULTIPLE DX	188	2.3	4	<1	1	2	3	4	6	11
A. NOT OPERATED	126	1.8	2	<1	1	1	2	3	5	7
B. OPERATED	455	1.9	2	<1	1	1	2	3	4	9
TOTAL 0-19 YRS	59	1.8	1	1	1	2	2	3	4	7
20-34	493	1.9	2	<1	1	1	2	3	5	9
35-49	29	1.7	1	1	1	1	2	3	4	5
50-64										
65+										
GRAND TOTAL	**581**	**1.9**	**2**	**<1**	**1**	**1**	**2**	**3**	**5**	**9**

290: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	4.0	8	2	2	3	5	9	10	10
20-34	73	4.1	6	<1	1	4	5	7	9	13
35-49	3	3.3	4	1	1	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	5	5.0	10	3	3	3	7	10	10	10
20-34	55	5.2	18	<1	1	4	7	11	14	21
35-49	4	3.5	4	2	2	3	5	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	5.0	9	1	1	5	6	10	11	12
20-34	57	5.6	19	1	2	4	7	12	15	22
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	6	3.5	2	1	1	4	4	5	5	5
20-34	42	6.1	19	1	2	5	7	12	15	23
35-49	2	9.0	32	5	5	9	13	13	13	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83	4.0	6	1	1	4	5	7	9	13
B. *Operated*	64	5.1	16	1	1	4	6	10	14	20
2. MULTIPLE DX										
A. *Not Operated*	75	5.4	16	1	2	4	7	11	14	20
B. *Operated*	50	5.9	18	1	2	5	7	12	13	23
1. SINGLE DX	147	4.5	11	1	1	4	5	8	11	17
2. MULTIPLE DX	125	5.6	17	1	2	5	7	12	14	22
A. NOT OPERATED	158	4.7	11	1	1	4	6	9	12	16
B. OPERATED	114	5.4	17	1	1	5	7	11	13	22
TOTAL 0-19 YRS	34	4.5	7	1	2	4	6	10	10	12
20-34	227	5.1	15	1	1	4	6	10	13	21
35-49	11	4.5	10	1	1	4	5	9	13	13
50-64										
65+										
GRAND TOTAL	**272**	**5.0**	**14**	**1**	**1**	**4**	**6**	**10**	**13**	**21**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	256	4.4	8	1	2	4	6	7	10	17
20-34	266	4.3	7	2	2	4	5	8	9	14
35-49	164	4.9	13	1	2	4	6	9	11	22
50-64	122	5.7	14	2	2	4	7	10	13	20
65+	82	7.6	44	2	2	5	10	16	19	37
B. *Operated*										
0-19 YRS	70	5.1	13	1	1	5	7	9	13	18
20-34	89	6.2	41	1	1	5	7	12	22	34
35-49	29	4.4	12	<1	1	3	6	10	11	14
50-64	27	5.0	9	1	2	4	7	10	11	13
65+	21	9.8	60	1	2	8	12	19	26	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	198	5.0	14	2	2	4	6	9	11	17
20-34	199	5.5	15	2	2	5	7	10	13	27
35-49	141	6.5	19	2	2	6	8	11	15	24
50-64	244	9.0	48	2	3	7	12	19	23	35
65+	333	11.4	93	3	3	9	14	23	33	71
B. *Operated*										
0-19 YRS	54	6.4	24	1	2	6	9	12	16	27
20-34	77	9.2	117	1	2	6	10	18	31	92
35-49	48	11.2	200	2	3	7	13	26	31	91
50-64	82	14.9	162	3	4	12	17	31	51	89
65+	92	17.2	159	3	4	14	23	39	45	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	890	4.9	14	1	2	4	6	9	12	19
B. *Operated*	236	5.8	29	1	1	5	7	11	15	28
2. MULTIPLE DX										
A. *Not Operated*	1115	8.1	52	2	3	6	10	16	23	47
B. *Operated*	353	12.4	150	2	3	9	16	27	41	90
1. SINGLE DX	1126	5.1	17	1	2	4	6	9	12	22
2. MULTIPLE DX	1468	9.1	79	2	3	6	11	19	27	57
A. NOT OPERATED	2005	6.7	38	2	2	5	8	13	18	35
B. OPERATED	589	9.8	111	1	2	6	12	22	31	63
TOTAL 0-19 YRS	578	4.9	13	1	2	4	6	9	12	17
20-34	631	5.5	30	1	2	4	6	10	14	32
35-49	382	6.3	42	1	2	5	7	11	14	29
50-64	475	8.9	66	2	3	6	11	18	24	51
65+	528	11.8	103	2	3	9	15	25	36	59
GRAND TOTAL	**2594**	**7.4**	**56**	**2**	**2**	**5**	**9**	**15**	**22**	**45**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	131	5.5	13	2	2	5	7	11	14	18
20-34	66	4.2	9	1	2	3	5	8	12	14
35-49	44	5.3	37	<1	1	3	6	11	16	36
50-64	24	5.3	8	1	2	5	7	10	11	11
65+	20	7.8	51	1	2	6	8	15	24	33
B. *Operated*										
0-19 YRS	45	4.3	20	<1	1	2	6	10	16	18
20-34	28	3.7	16	<1	<1	3	5	7	10	21
35-49	18	6.9	34	<1	1	5	12	14	19	22
50-64	17	6.4	144	<1	1	3	5	9	37	52
65+	7	5.1	5	2	2	6	6	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	203	6.2	20	2	2	5	8	12	15	23
20-34	71	4.7	9	2	2	4	6	8	8	19
35-49	52	6.1	16	1	2	5	8	13	14	16
50-64	58	10.2	100	2	3	7	12	23	36	45
65+	88	12.2	110	3	3	9	14	31	33	50
B. *Operated*										
0-19 YRS	29	5.7	18	1	1	5	8	10	13	21
20-34	29	6.0	37	<1	1	4	6	11	17	33
35-49	26	10.8	93	1	2	7	17	24	32	38
50-64	23	12.5	119	2	3	8	17	32	36	41
65+	29	18.3	278	2	3	10	31	42	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	285	5.3	18	1	2	4	6	11	14	19
B. *Operated*	115	4.9	39	<1	<1	3	6	10	15	32
2. MULTIPLE DX										
A. *Not Operated*	472	7.6	51	2	2	6	9	14	21	38
B. *Operated*	136	10.6	129	1	2	6	12	30	33	76
1. SINGLE DX	400	5.2	24	<1	1	4	6	11	14	21
2. MULTIPLE DX	608	8.2	70	2	2	6	9	18	28	43
A. NOT OPERATED	757	6.7	40	2	2	5	8	13	18	35
B. OPERATED	251	8.0	95	<1	1	5	8	21	32	52
TOTAL 0-19 YRS	408	5.7	18	1	2	5	7	11	15	21
20-34	194	4.6	14	<1	1	4	5	8	11	21
35-49	140	6.8	42	<1	1	5	8	15	19	36
50-64	122	9.2	96	2	2	6	10	19	32	47
65+	144	12.4	141	2	3	8	15	32	35	73
GRAND TOTAL	**1008**	**7.0**	**54**	**1**	**2**	**5**	**8**	**14**	**21**	**39**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.8	3	<1	<1	2	5	5	5	5
20-34	7	1.4		<1	<1	1	2	2	2	2
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	270	3.8	4	1	2	4	5	6	7	11
20-34	486	3.8	5	1	2	3	5	7	8	11
35-49	53	4.1	9	<1	1	3	5	7	10	16
50-64	12	4.8	9	2	2	4	6	10	11	11
65+	5	3.0	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	2	<1	<1	2	3	4	4	4
20-34	7	2.3	3	1	1	2	4	5	5	5
35-49	5	2.6	4	<1	<1	2	4	6	6	6
50-64	3	6.7	44	1	1	5	12	14	14	14
65+										
B. *Operated*										
0-19 YRS	30	5.1	25	1	1	3	6	8	16	26
20-34	92	5.2	21	1	2	4	6	10	16	23
35-49	15	5.4	15	1	3	4	7	10	14	16
50-64	9	18.0	883	1	1	4	22	68	92	92
65+	2	4.5	13	2	2	4	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	2.1	2	<1	<1	2	3	5	5	5
B. *Operated*	826	3.9	5	1	2	3	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	18	3.1	10	<1	<1	2	4	6	11	14
B. *Operated*	148	6.0	77	1	2	4	6	11	18	34
1. SINGLE DX	841	3.8	5	1	1	3	5	6	8	12
2. MULTIPLE DX	166	5.7	70	1	1	4	6	10	17	32
A. NOT OPERATED	33	2.7	7	<1	<1	2	4	5	6	14
B. OPERATED	974	4.2	17	1	2	3	5	7	9	16
TOTAL 0-19 YRS	309	3.9	6	1	1	4	5	6	8	15
20-34	592	4.0	8	1	1	3	5	7	9	15
35-49	74	4.3	10	<1	1	3	5	8	10	16
50-64	25	9.6	344	1	1	4	8	19	48	92
65+	7	3.4	3	2	2	3	4	6	7	7
GRAND TOTAL	**1007**	**4.1**	**16**	**1**	**1**	**3**	**5**	**7**	**9**	**16**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	2	<1	<1	2	3	4	4	4
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49										
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	36	1.6	1	<1	<1	1	2	3	3	5
20-34	54	1.7	2	<1	<1	1	2	3	4	8
35-49	23	2.1	4	<1	<1	1	3	4	6	9
50-64	23	2.4	6	<1	<1	2	3	5	9	10
65+	7	2.3	4	<1	<1	1	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	1	6.0		6	6	6	6	6	6	6
35-49										
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	4	18.0	185	4	4	18	29	32	32	32
B. *Operated*										
0-19 YRS	9	3.1	6	1	1	2	4	7	8	8
20-34	14	2.5	3	<1	<1	2	4	5	5	5
35-49	12	5.3	53	<1	1	3	5	13	26	28
50-64	7	5.6	32	1	1	3	7	15	17	17
65+	11	9.1	144	<1	<1	3	17	28	36	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.3	1	<1	<1	2	3	4	4	4
B. *Operated*	143	1.9	3	<1	<1	1	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	8	10.5	145	<1	1	5	18	30	32	32
B. *Operated*	53	5.0	50	<1	<1	3	5	11	22	37
1. SINGLE DX	150	1.9	3	<1	<1	1	2	3	5	9
2. MULTIPLE DX	61	5.7	64	<1	<1	3	5	18	27	36
A. NOT OPERATED	15	6.7	91	<1	<1	3	6	27	31	32
B. OPERATED	196	2.7	17	<1	<1	1	3	5	8	25
TOTAL 0-19 YRS	51	1.9	2	<1	<1	1	2	4	5	8
20-34	71	1.9	2	<1	<1	1	2	4	5	8
35-49	35	3.2	22	<1	<1	2	4	5	8	28
50-64	31	3.1	13	<1	<1	2	3	8	10	17
65+	23	8.3	122	<1	<1	3	10	28	34	37
GRAND TOTAL	**211**	**3.0**	**23**	**<1**	**<1**	**2**	**3**	**5**	**9**	**30**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	352	4.6	15	1	1	3	6	10	12	18
20-34	137	5.6	38	<1	<1	3	7	12	20	29
35-49	114	7.0	42	<1	1	5	10	16	22	27
50-64	81	8.6	62	<1	<1	7	12	22	24	31
65+	125	12.6	172	1	3	9	14	28	48	77
B. *Operated*										
0-19 YRS	147	3.0	11	<1	<1	2	3	7	10	19
20-34	210	4.0	37	<1	<1	2	4	8	13	25
35-49	144	5.2	59	<1	1	3	6	12	15	41
50-64	130	4.9	36	<1	<1	3	5	11	18	31
65+	98	7.3	134	<1	<1	3	7	22	25	63
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	308	6.5	56	1	2	4	8	13	18	36
20-34	160	9.1	122	<1	1	6	11	19	29	58
35-49	129	8.3	87	1	1	6	11	17	22	63
50-64	205	12.4	153	1	2	8	16	27	37	78
65+	452	16.2	252	3	3	11	21	39	60	99+
B. *Operated*										
0-19 YRS	85	10.1	304	<1	<1	4	11	31	74	99+
20-34	197	12.8	293	<1	1	5	16	43	58	99+
35-49	174	14.7	321	1	2	7	19	48	61	99+
50-64	204	15.1	348	1	2	8	22	47	73	99+
65+	272	19.0	361	1	2	13	28	49	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	809	6.7	59	<1	1	4	9	14	22	43
B. *Operated*	729	4.7	50	<1	<1	2	5	11	16	32
2. MULTIPLE DX										
A. *Not Operated*	1254	11.5	170	1	2	7	14	27	39	94
B. *Operated*	932	15.2	338	1	1	8	22	46	65	99+
1. SINGLE DX	1538	5.8	56	<1	<1	3	7	13	20	34
2. MULTIPLE DX	2186	13.1	245	1	2	8	17	35	52	99+
A. NOT OPERATED	2063	9.6	132	1	1	6	12	22	33	84
B. OPERATED	1661	10.6	239	<1	1	4	13	31	50	99+
TOTAL 0-19 YRS	892	5.5	59	<1	1	3	7	11	16	36
20-34	704	7.9	140	<1	<1	4	8	20	33	76
35-49	561	9.2	158	1	1	5	11	22	36	78
50-64	620	11.2	195	<1	1	6	14	28	41	95
65+	947	15.6	272	1	2	10	21	39	59	99+
GRAND TOTAL	**3724**	**10.1**	**180**	**<1**	**1**	**5**	**12**	**25**	**40**	**93**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	5.1	17	2	2	4	5	12	15	15
20-34	20	7.9	42	2	2	6	9	19	23	24
35-49	8	8.1	33	3	3	6	9	18	21	21
50-64	17	8.7	76	<1	<1	6	12	21	29	33
65+	8	6.9	57	<1	<1	3	13	18	19	19
B. *Operated*										
0-19 YRS	6	7.2	21	2	2	7	11	13	13	13
20-34	7	7.1	46	2	2	3	9	19	21	21
35-49	3	6.7	14	4	4	5	9	11	11	11
50-64	9	10.8	53	1	1	14	16	60	99+	99+
65+	3	24.0	31	18	18	25	28	29	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	7.5	26	1	3	6	10	14	19	21
20-34	64	11.7	134	2	2	8	15	23	34	61
35-49	47	15.6	180	3	5	12	18	31	37	74
50-64	47	10.2	106	1	2	8	11	19	27	59
65+	36	13.4	223	2	4	8	17	27	29	87
B. *Operated*										
0-19 YRS	4	11.8	207	1	1	7	22	32	32	32
20-34	33	15.2	170	2	4	12	16	31	48	61
35-49	18	18.7	378	2	3	14	29	65	94	99+
50-64	27	21.9	293	2	7	17	25	49	68	71
65+	19	23.9	337	4	5	23	30	50	64	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	7.7	47	<1	<1	5	10	18	22	32
B. *Operated*	28	10.1	60	2	2	10	15	23	32	99+
2. MULTIPLE DX										
A. *Not Operated*	209	12.2	149	2	3	9	15	24	32	67
B. *Operated*	101	19.1	275	2	4	14	26	39	63	93
1. SINGLE DX	89	8.4	52	<1	1	6	13	21	24	73
2. MULTIPLE DX	310	14.5	200	2	3	10	18	30	48	79
A. NOT OPERATED	270	11.2	129	1	2	8	14	23	30	61
B. OPERATED	129	17.1	242	2	3	13	23	34	61	99+
TOTAL 0-19 YRS	33	7.4	42	1	2	5	10	14	20	32
20-34	124	11.8	129	2	2	9	14	23	33	61
35-49	76	15.2	211	3	4	11	19	32	47	96
50-64	100	13.2	171	1	2	10	17	25	48	85
65+	66	16.1	256	<1	3	12	23	30	49	85
GRAND TOTAL	**399**	**13.1**	**173**	**1**	**2**	**9**	**16**	**29**	**35**	**80**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	7.6	45	1	2	6	10	16	22	36
20-34	44	9.4	64	1	2	7	15	19	26	35
35-49	73	11.5	41	2	3	12	15	21	23	28
50-64	148	12.4	72	2	3	12	17	23	26	36
65+	128	11.9	68	3	4	10	16	20	23	51
B. *Operated*										
0-19 YRS	6	9.7	52	3	3	8	11	22	23	23
20-34	32	13.7	102	3	4	11	17	30	32	47
35-49	44	7.2	24	1	2	6	10	14	16	23
50-64	121	10.7	67	1	2	9	16	20	26	39
65+	72	12.7	83	2	2	11	19	28	33	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	9.2	62	1	2	7	12	21	28	29
20-34	45	13.3	87	3	3	13	16	24	39	99+
35-49	86	11.9	66	1	2	11	17	24	26	34
50-64	249	14.8	108	2	4	13	19	26	34	65
65+	333	16.2	239	3	4	12	19	31	49	96
B. *Operated*										
0-19 YRS	5	29.8	1255	2	2	7	60	81	81	81
20-34	28	17.5	264	3	4	14	19	39	51	79
35-49	57	15.1	159	3	4	11	20	35	39	63
50-64	163	18.3	220	2	5	15	24	40	53	96
65+	160	19.5	251	2	4	17	26	45	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	444	11.3	64	2	3	10	16	21	24	36
B. *Operated*	275	11.0	71	2	2	9	16	23	30	45
2. MULTIPLE DX										
A. *Not Operated*	735	14.8	163	2	4	12	18	28	38	89
B. *Operated*	413	18.4	238	2	4	15	24	41	60	99+
1. SINGLE DX	719	11.2	66	2	2	10	16	22	26	39
2. MULTIPLE DX	1148	16.1	192	2	4	13	20	32	45	96
A. NOT OPERATED	1179	13.5	128	2	3	12	17	24	33	75
B. OPERATED	688	15.5	184	2	3	12	20	33	45	99+
TOTAL 0-19 YRS	84	9.5	134	1	2	6	11	19	28	71
20-34	149	13.0	122	2	3	11	17	25	36	79
35-49	260	11.7	77	2	2	11	16	23	28	40
50-64	681	14.4	126	2	3	12	19	27	37	73
65+	693	15.8	201	2	4	13	20	31	49	99+
GRAND TOTAL	**1867**	**14.2**	**150**	**2**	**3**	**12**	**18**	**28**	**38**	**82**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	4.4	2	3	3	4	6	6	6	6
20-34	2	6.5	41	2	2	6	11	11	11	11
35-49	9	6.4	17	2	2	5	9	13	13	13
50-64	44	6.8	47	1	1	4	8	17	19	35
65+	146	8.8	70	2	2	6	10	18	23	42
B. *Operated*										
0-19 YRS	8	6.8	15	<1	1	8	10	11	11	11
20-34	43	5.6	29	1	1	4	7	13	15	29
35-49	115	6.5	34	1	1	5	8	15	17	28
50-64	370	10.2	43	2	2	10	14	17	21	35
65+	501	13.0	66	2	4	12	16	22	26	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	9.3	37	5	5	7	13	19	20	20
20-34	7	6.3	58	<1	<1	4	6	20	23	23
35-49	21	6.5	39	<1	1	4	9	16	21	22
50-64	133	8.3	36	2	2	7	11	16	20	29
65+	658	11.8	146	2	3	8	15	26	39	99+
B. *Operated*										
0-19 YRS	3	4.7	16	1	1	4	8	9	9	9
20-34	62	6.7	54	1	2	4	8	12	19	41
35-49	126	8.0	68	1	2	5	11	17	29	63
50-64	466	13.0	103	2	3	12	17	23	29	56
65+	920	16.8	117	3	6	15	21	30	38	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	206	8.1	62	2	2	6	10	17	22	40
B. *Operated*	1037	10.9	58	1	2	10	15	19	24	35
2. MULTIPLE DX										
A. *Not Operated*	825	11.1	126	2	3	8	14	24	35	99+
B. *Operated*	1577	14.6	116	2	3	13	19	27	35	73
1. SINGLE DX	1243	10.4	60	1	2	9	15	19	24	35
2. MULTIPLE DX	2402	13.4	122	2	3	11	18	26	35	92
A. NOT OPERATED	1031	10.5	114	2	2	7	13	22	33	94
B. OPERATED	2614	13.1	96	2	3	12	17	24	31	57
TOTAL 0-19 YRS	22	6.6	20	1	2	6	9	12	16	20
20-34	114	6.2	44	1	1	4	8	12	16	39
35-49	271	7.2	50	1	2	5	9	16	22	37
50-64	1013	11.1	74	2	2	10	15	20	25	39
65+	2225	14.0	118	2	3	12	18	26	35	92
GRAND TOTAL	**3645**	**12.4**	**103**	**2**	**2**	**11**	**17**	**24**	**31**	**63**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	6.0	15	2	2	5	7	11	15	17
20-34	38	6.3	20	1	2	5	8	12	17	21
35-49	25	5.0	6	1	2	5	7	8	9	10
50-64	45	7.3	52	2	2	6	8	10	29	32
65+	87	10.1	108	1	2	7	11	21	35	56
B. *Operated*										
0-19 YRS	12	15.3	34	6	8	15	19	24	26	26
20-34	28	7.8	69	1	1	6	8	17	28	37
35-49	29	6.5	29	1	1	5	8	14	17	24
50-64	26	8.3	57	1	1	6	13	17	27	29
65+	6	5.8	30	1	1	6	13	83	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	12.4	120	2	2	9	15	29	39	43
20-34	31	8.2	41	1	2	7	10	19	23	25
35-49	43	6.2	16	1	2	5	10	13	13	13
50-64	60	9.5	75	2	2	7	12	18	26	45
65+	295	11.9	134	2	3	8	15	26	33	90
B. *Operated*										
0-19 YRS	21	16.6	207	1	3	14	21	31	51	65
20-34	28	11.7	112	1	2	9	14	23	37	50
35-49	26	13.1	394	2	2	6	11	36	67	87
50-64	38	15.1	264	1	2	10	17	42	56	69
65+	44	22.5	322	3	5	18	35	58	82	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	225	7.8	61	1	2	6	9	15	23	43
B. *Operated*	101	8.3	53	1	1	6	12	17	26	67
2. MULTIPLE DX										
A. *Not Operated*	458	10.9	111	2	3	8	13	23	30	56
B. *Operated*	157	16.4	277	2	3	11	21	44	61	99
1. SINGLE DX	326	8.0	59	1	2	6	10	17	24	43
2. MULTIPLE DX	615	12.3	159	2	3	8	15	26	41	85
A. NOT OPERATED	683	9.8	97	2	2	7	12	22	29	56
B. OPERATED	258	13.3	205	1	2	9	17	30	50	98
TOTAL 0-19 YRS	92	11.6	109	2	2	9	16	23	29	56
20-34	125	8.3	59	1	2	6	10	17	23	40
35-49	123	7.5	103	1	2	5	9	13	17	69
50-64	169	10.0	115	2	2	7	12	22	32	58
65+	432	12.6	158	2	3	8	16	27	42	99+
GRAND TOTAL	**941**	**10.8**	**128**	**2**	**2**	**7**	**13**	**23**	**35**	**69**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.4	7	1	1	2	6	7	7	7
20-34	12	1.9	2	<1	<1	1	2	4	6	6
35-49	9	5.9	20	<1	<1	5	9	12	13	13
50-64	2	2.5	5	1	1	2	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	205	3.2	3	1	1	3	4	5	6	9
20-34	663	3.2	4	1	1	3	4	5	6	10
35-49	289	3.3	5	1	1	3	4	6	7	10
50-64	103	4.2	10	1	2	4	5	7	8	21
65+	28	4.0	8	1	1	3	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	4	1	1	3	4	5	5	5
20-34	16	2.1	2	<1	<1	2	3	5	5	5
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	4	6.3	14	3	3	6	9	10	10	10
65+	4	4.3	4	2	2	4	6	7	7	7
B. *Operated*										
0-19 YRS	110	3.7	8	1	1	3	4	6	8	18
20-34	437	3.5	7	1	1	3	5	6	8	14
35-49	227	3.2	5	1	1	3	4	6	7	12
50-64	201	3.8	11	1	1	3	5	7	9	19
65+	71	4.9	28	1	1	3	6	9	16	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	3.5	11	<1	<1	2	5	8	11	13
B. *Operated*	1288	3.3	5	1	1	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	29	3.1	6	<1	1	2	4	6	9	10
B. *Operated*	1046	3.6	9	1	1	3	4	7	8	17
1. SINGLE DX	1318	3.3	5	1	1	3	4	6	7	11
2. MULTIPLE DX	1075	3.6	9	1	1	3	4	7	8	17
A. NOT OPERATED	59	3.3	8	<1	<1	2	5	8	10	13
B. OPERATED	2334	3.5	7	1	1	3	4	6	8	14
TOTAL 0-19 YRS	325	3.4	5	1	1	3	4	6	7	14
20-34	1128	3.3	5	1	1	3	4	6	7	11
35-49	527	3.3	5	1	1	3	4	6	7	12
50-64	310	3.9	10	1	1	3	5	7	9	19
65+	103	4.6	22	1	1	3	6	8	12	28
GRAND TOTAL	**2393**	**3.5**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	92	3.5	8	1	1	2	5	7	9	15
20-34	41	2.7	5	<1	<1	2	3	6	7	11
35-49	24	5.8	25	1	1	4	10	13	16	17
50-64	22	5.3	25	<1	1	3	7	15	16	16
65+	44	7.7	59	<1	1	5	11	17	25	35
B. Operated										
0-19 YRS	282	4.0	6	1	2	4	5	6	8	14
20-34	653	3.8	4	1	2	3	4	6	7	10
35-49	164	4.5	25	1	1	3	5	9	14	24
50-64	59	5.1	30	1	1	4	6	10	15	35
65+	25	8.1	47	<1	<1	7	14	19	19	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	66	5.0	55	<1	1	3	6	9	13	50
20-34	54	6.3	59	<1	<1	3	9	15	19	40
35-49	44	6.7	52	1	2	5	8	11	19	40
50-64	63	7.3	56	1	2	5	8	16	22	44
65+	138	10.9	202	1	2	7	12	23	38	84
B. Operated										
0-19 YRS	149	5.9	39	1	2	4	7	11	17	32
20-34	228	5.0	23	1	2	4	6	9	15	26
35-49	95	5.4	22	1	2	3	6	14	16	21
50-64	70	5.3	25	1	1	4	6	10	18	26
65+	54	12.3	167	<1	1	7	18	39	45	98
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	223	4.6	24	<1	1	3	6	11	15	25
B. Operated	1183	4.1	10	1	2	3	5	7	9	17
2. MULTIPLE DX										
A. Not Operated	365	8.0	116	1	1	5	9	16	25	55
B. Operated	596	6.0	44	1	2	4	7	12	19	42
1. SINGLE DX	1406	4.2	12	1	1	3	5	7	10	18
2. MULTIPLE DX	961	6.8	72	1	1	4	7	14	21	45
A. NOT OPERATED	588	6.7	83	1	1	4	8	14	21	45
B. OPERATED	1779	4.7	22	1	2	4	5	8	12	25
TOTAL 0-19 YRS	589	4.5	20	1	1	3	5	8	10	22
20-34	976	4.1	12	1	2	3	5	7	9	17
35-49	327	5.2	28	1	2	3	6	11	16	26
50-64	214	5.8	36	1	1	4	7	13	16	31
65+	261	10.4	157	1	1	7	12	22	38	83
GRAND TOTAL	**2367**	**5.2**	**38**	**1**	**1**	**4**	**6**	**10**	**15**	**35**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	6.0	50	1	1	6	11	11	11	11
20-34	13	7.3	16	2	3	8	10	13	14	14
35-49	13	10.0	76	2	2	9	15	20	30	32
50-64	5	7.0	54	<1	<1	2	14	16	16	16
65+										
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	2	8.0	18	5	5	8	11	11	11	11
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	5	8.2	27	4	4	5	12	16	16	16
35-49	12	9.3	38	2	2	9	11	18	23	24
50-64	16	12.2	74	3	4	10	17	23	32	36
65+	7	10.7	45	4	4	8	15	22	23	23
B. Operated										
0-19 YRS										
20-34	4	30.8	84	19	19	32	38	39	39	39
35-49	10	16.8	97	3	6	14	20	33	35	35
50-64	7	13.7	65	2	3	11	18	25	27	27
65+	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	8.2	45	1	2	8	13	16	17	32
B. Operated	3	5.7	25	1	1	5	9	11	11	11
2. MULTIPLE DX										
A. Not Operated	41	10.4	50	3	4	9	13	21	24	36
B. Operated	22	18.0	113	3	7	15	27	36	38	39
1. SINGLE DX	36	8.0	43	1	2	7	12	16	17	32
2. MULTIPLE DX	63	13.1	84	3	4	10	17	27	35	39
A. NOT OPERATED	74	9.5	48	2	2	8	13	17	23	35
B. OPERATED	25	16.6	118	2	3	13	22	35	37	39
TOTAL 0-19 YRS	4	4.5	22	1	1	3	8	11	11	11
20-34	22	11.8	110	2	3	8	14	31	38	39
35-49	37	11.5	73	2	2	11	15	23	32	35
50-64	28	11.6	69	1	2	10	17	22	28	36
65+	8	10.6	38	4	5	9	13	21	23	23
GRAND TOTAL	**99**	**11.3**	**75**	**2**	**2**	**10**	**15**	**23**	**32**	**38**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	10	5.4	15	2	2	3	8	11	13	13
35-49	26	6.9	32	1	2	5	9	18	20	22
50-64	33	6.5	49	1	1	5	7	15	18	37
65+	63	8.2	46	2	3	7	10	16	25	32
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	13	6.7	30	1	2	4	10	13	19	20
35-49	52	7.9	43	1	2	6	11	17	22	30
50-64	54	8.2	38	1	2	7	11	19	21	24
65+	21	9.8	70	1	2	8	14	20	27	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	6	6.7	43	3	3	4	5	19	20	20
35-49	41	7.3	104	1	1	4	8	16	24	60
50-64	93	8.5	150	1	2	6	9	13	18	83
65+	315	12.1	172	2	3	8	15	26	38	91
B. *Operated*										
0-19 YRS	1	27.0		27	27	27	27	27	27	27
20-34	10	10.2	39	2	3	10	14	19	20	20
35-49	48	8.7	30	2	3	8	13	16	21	99+
50-64	90	10.9	102	2	2	9	14	21	31	83
65+	69	15.6	153	2	3	14	21	37	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	134	7.3	41	1	2	5	9	15	21	34
B. *Operated*	141	8.2	44	1	2	7	11	19	21	30
2. MULTIPLE DX										
A. *Not Operated*	457	10.8	162	2	3	7	12	24	34	88
B. *Operated*	218	11.9	106	2	3	10	16	26	37	99+
1. SINGLE DX	275	7.8	43	1	2	6	10	17	22	32
2. MULTIPLE DX	675	11.2	144	2	3	8	14	24	35	97
A. NOT OPERATED	591	10.0	136	2	2	7	11	22	31	82
B. OPERATED	359	10.5	85	2	2	8	14	21	30	95
TOTAL 0-19 YRS	6	8.8	85	3	3	5	10	25	27	27
20-34	39	7.3	31	2	2	5	11	17	20	20
35-49	167	7.9	52	1	2	6	10	17	22	55
50-64	270	9.0	100	1	2	6	11	18	24	64
65+	468	12.0	151	2	3	8	15	26	37	95
GRAND TOTAL	**950**	**10.2**	**117**	**2**	**2**	**7**	**13**	**22**	**31**	**87**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	7.3	21	1	2	7	9	15	17	18
20-34	194	6.4	25	1	2	5	8	12	16	22
35-49	301	6.7	23	1	2	6	8	12	16	25
50-64	183	7.3	23	2	2	6	10	14	17	23
65+	72	8.6	27	2	2	8	11	16	19	21
B. *Operated*										
0-19 YRS	42	7.1	28	1	1	6	9	16	17	21
20-34	810	7.3	34	1	1	6	10	14	18	26
35-49	1110	7.8	32	1	2	7	10	14	17	26
50-64	395	8.1	35	1	1	7	11	17	20	26
65+	66	8.2	64	1	1	7	11	16	20	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	11.2	111	1	1	7	22	23	23	23
20-34	82	7.3	28	<1	1	6	10	16	18	22
35-49	186	7.8	31	2	3	7	10	15	17	31
50-64	191	9.2	46	2	3	8	12	17	23	36
65+	196	11.5	119	2	3	9	14	20	28	64
B. *Operated*										
0-19 YRS	11	11.1	68	2	3	7	17	23	28	28
20-34	267	10.4	51	2	3	9	13	20	23	41
35-49	545	11.0	54	2	3	10	14	19	24	38
50-64	304	12.2	70	1	3	11	16	22	27	46
65+	121	17.3	211	1	4	15	22	34	52	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	768	6.9	24	1	2	6	9	13	16	23
B. *Operated*	2423	7.7	34	1	1	7	10	15	18	26
2. MULTIPLE DX										
A. *Not Operated*	660	9.3	64	2	3	7	12	18	22	43
B. *Operated*	1248	11.7	76	2	3	10	15	21	27	49
1. SINGLE DX	3191	7.5	32	1	2	7	10	14	18	26
2. MULTIPLE DX	1908	10.9	73	2	3	9	14	20	26	44
A. NOT OPERATED	1428	8.0	44	1	2	6	10	15	19	32
B. OPERATED	3671	9.1	52	1	2	8	12	17	21	35
TOTAL 0-19 YRS	76	8.0	38	1	1	6	11	17	21	27
20-34	1353	7.8	37	1	2	7	10	15	19	30
35-49	2142	8.4	39	1	2	7	11	16	19	32
50-64	1073	9.3	48	1	2	8	12	18	22	30
65+	455	12.1	132	1	3	9	15	23	32	70
GRAND TOTAL	**5099**	**8.8**	**50**	**1**	**2**	**7**	**11**	**17**	**21**	**35**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	9.5	25	6	6	9	13	13	13	13
20-34	33	6.1	15	1	2	5	9	12	13	14
35-49	50	6.4	24	1	1	5	8	12	16	22
50-64	32	6.0	19	1	2	4	8	11	17	19
65+	17	6.9	31	1	2	6	8	17	19	20
B. *Operated*										
0-19 YRS										
20-34	42	4.8	15	1	1	4	6	10	13	18
35-49	116	6.7	22	1	1	6	10	13	14	21
50-64	57	7.9	31	1	1	6	12	15	19	24
65+	15	6.2	71	1	1	2	8	14	28	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	4.3	23	<1	<1	3	5	12	16	16
35-49	37	8.1	35	1	2	6	10	17	22	25
50-64	52	8.5	51	1	2	5	11	21	26	29
65+	55	12.1	96	2	2	9	16	23	40	97
B. *Operated*										
0-19 YRS	2	33.5	841	13	13	33	54	54	54	54
20-34	22	8.1	28	1	2	7	13	15	16	18
35-49	73	9.3	54	1	2	8	13	18	23	36
50-64	67	12.7	202	2	2	9	15	21	29	83
65+	10	9.2	35	1	1	11	14	15	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	134	6.3	21	1	2	5	9	13	16	21
B. *Operated*	230	6.6	26	1	1	6	10	13	16	23
2. MULTIPLE DX										
A. *Not Operated*	153	9.5	66	1	2	7	12	21	26	50
B. *Operated*	174	10.7	119	1	2	8	14	18	24	68
1. SINGLE DX	364	6.5	24	1	1	6	9	13	16	22
2. MULTIPLE DX	327	10.1	94	1	2	8	14	20	25	58
A. NOT OPERATED	287	8.0	47	1	2	6	10	17	22	40
B. OPERATED	404	8.4	70	1	1	6	12	16	19	44
TOTAL 0-19 YRS	4	21.5	480	6	6	13	34	54	54	54
20-34	106	5.8	19	1	1	5	9	13	15	18
35-49	276	7.5	33	1	1	6	10	15	18	26
50-64	208	9.3	94	1	2	7	13	18	24	60
65+	97	10.0	79	1	2	8	14	21	30	76
GRAND TOTAL	**691**	**8.2**	**61**	**1**	**2**	**6**	**11**	**16**	**21**	**40**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	7.3	22	2	2	9	10	11	11	11
20-34	30	6.2	44	1	1	4	7	11	26	29
35-49	28	4.3	13	1	1	3	5	11	12	15
50-64	13	6.0	13	1	1	6	8	11	12	12
65+	4	11.0	10	8	8	10	13	15	15	15
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	24	5.8	26	1	2	4	8	13	16	22
35-49	30	7.3	23	2	2	7	11	12	17	22
50-64	9	6.3	20	2	2	3	11	13	13	13
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	26	7.2	44	1	1	5	9	16	20	30
35-49	36	5.5	19	1	1	5	7	13	15	17
50-64	22	5.5	20	1	1	4	9	11	14	17
65+	25	8.7	51	1	1	6	14	21	22	24
B. *Operated*										
0-19 YRS										
20-34	13	6.8	40	2	2	3	10	18	20	20
35-49	21	12.0	57	1	3	11	18	24	26	27
50-64	7	5.0	5	1	1	6	6	7	7	7
65+	2	23.0	800	3	3	23	43	43	43	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	5.8	26	1	1	4	8	11	14	28
B. *Operated*	64	6.6	23	2	2	4	10	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	110	6.7	33	1	1	5	10	14	17	26
B. *Operated*	43	9.8	76	1	2	7	12	21	26	43
1. SINGLE DX	142	6.1	25	1	2	4	9	12	14	26
2. MULTIPLE DX	153	7.5	47	1	1	5	11	17	21	30
A. NOT OPERATED	188	6.3	30	1	1	5	9	13	16	28
B. OPERATED	107	7.9	46	2	2	6	11	18	22	34
TOTAL 0-19 YRS	5	7.2	11	2	2	7	9	11	11	11
20-34	93	6.4	38	1	2	4	9	13	20	30
35-49	115	6.9	32	1	1	5	10	14	18	26
50-64	51	5.7	16	1	1	5	9	11	12	17
65+	31	9.9	82	1	1	8	14	21	24	43
GRAND TOTAL	**295**	**6.9**	**36**	**1**	**1**	**5**	**10**	**14**	**18**	**28**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	5.0	3	3	3	5	6	7	7	7
20-34	31	4.9	13	1	1	4	7	11	13	13
35-49	50	5.9	14	1	2	5	7	12	13	17
50-64	41	8.4	26	1	3	7	12	17	18	19
65+	18	9.2	44	<1	1	8	14	20	23	24
B. *Operated*										
0-19 YRS	3	7.0	37	3	3	4	11	14	14	14
20-34	21	4.8	23	1	1	3	7	13	15	15
35-49	28	4.2	12	1	1	3	7	9	11	14
50-64	21	4.5	17	1	1	2	7	11	13	14
65+	2	3.5	13	1	1	3	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	22	7.4	20	1	2	7	10	14	17	19
35-49	47	7.1	24	1	2	6	9	14	18	22
50-64	52	9.0	66	3	4	8	11	14	16	56
65+	79	13.1	102	3	4	11	18	26	30	57
B. *Operated*										
0-19 YRS										
20-34	8	5.3	27	1	1	3	6	14	17	17
35-49	16	9.4	61	<1	1	7	12	22	25	27
50-64	16	8.6	31	1	1	8	13	17	18	18
65+	15	17.0	125	5	7	17	19	26	45	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	144	6.8	23	1	2	6	9	13	17	22
B. *Operated*	75	4.5	17	1	1	3	7	11	14	15
2. MULTIPLE DX										
A. *Not Operated*	200	10.0	71	2	3	8	13	19	25	44
B. *Operated*	55	10.6	79	1	1	8	16	20	25	50
1. SINGLE DX	219	6.0	22	1	1	5	8	13	15	20
2. MULTIPLE DX	255	10.1	73	2	3	8	13	20	26	50
A. NOT OPERATED	344	8.7	53	2	2	7	11	17	22	31
B. OPERATED	130	7.1	52	1	1	6	11	17	20	32
TOTAL 0-19 YRS	7	5.9	15	3	3	4	7	13	14	14
20-34	82	5.6	19	1	1	5	8	12	15	18
35-49	141	6.4	24	1	1	5	8	13	16	23
50-64	130	8.1	43	1	2	7	11	15	18	32
65+	114	12.8	99	2	3	11	17	25	29	57
GRAND TOTAL	**474**	**8.2**	**53**	**1**	**1**	**7**	**11**	**17**	**20**	**31**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	3.4	7	1	1	3	5	7	8	11
20-34	311	4.9	22	<1	1	4	6	10	13	26
35-49	348	6.2	44	1	2	4	7	11	16	40
50-64	181	6.7	31	1	2	5	8	14	17	30
65+	96	8.1	72	1	1	6	10	18	21	49
B. *Operated*										
0-19 YRS	14	4.6	8	2	2	4	7	9	10	10
20-34	247	4.3	16	1	1	3	6	9	11	19
35-49	311	5.8	21	1	2	4	8	12	14	21
50-64	231	7.5	30	1	2	7	10	14	18	26
65+	82	9.5	88	1	1	8	13	17	24	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	4.6	13	1	1	4	6	11	13	15
20-34	230	6.4	43	1	1	5	8	13	19	37
35-49	322	8.5	76	1	2	6	10	18	31	40
50-64	283	9.0	67	1	2	7	11	20	26	40
65+	318	10.1	101	1	3	7	12	20	30	61
B. *Operated*										
0-19 YRS	13	7.9	53	1	2	6	9	19	25	27
20-34	146	8.1	88	1	2	5	9	18	26	44
35-49	312	9.2	65	2	2	7	12	21	25	37
50-64	327	11.2	133	1	2	9	15	22	30	67
65+	216	15.3	137	2	4	13	19	28	36	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	992	5.9	37	1	1	4	7	12	16	36
B. *Operated*	885	6.2	30	1	1	5	9	13	15	25
2. MULTIPLE DX										
A. *Not Operated*	1197	8.5	74	1	2	6	10	18	26	41
B. *Operated*	1014	11.0	112	1	2	9	14	23	29	60
1. SINGLE DX	1877	6.0	34	1	1	5	8	12	15	30
2. MULTIPLE DX	2211	9.6	93	1	2	7	12	21	28	48
A. NOT OPERATED	2189	7.3	59	1	1	5	9	15	22	40
B. OPERATED	1899	8.7	79	1	2	7	11	18	24	43
TOTAL 0-19 YRS	127	4.4	15	1	1	3	6	9	11	19
20-34	934	5.6	37	1	1	4	7	11	16	32
35-49	1293	7.4	54	1	2	5	9	15	22	40
50-64	1022	9.0	76	1	2	7	11	18	24	40
65+	712	11.3	113	1	2	9	14	22	31	65
GRAND TOTAL	**4088**	**8.0**	**69**	**1**	**2**	**6**	**10**	**17**	**23**	**40**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	78	4.1	19	1	1	3	5	7	9	29
20-34	57	3.3	6	<1	<1	3	5	7	8	9
35-49	64	5.0	24	<1	<1	4	6	10	11	30
50-64	61	3.8	11	<1	<1	3	5	8	10	16
65+	41	7.9	101	<1	1	4	10	16	28	53
B. *Operated*										
0-19 YRS	91	3.2	10	1	1	2	4	6	8	20
20-34	229	2.9	4	<1	1	2	4	5	6	10
35-49	194	3.1	9	<1	1	2	4	5	8	19
50-64	177	3.1	10	<1	1	2	3	5	8	16
65+	62	3.0	4	<1	1	2	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	5.8	53	1	1	4	7	9	18	39
20-34	32	5.8	8	2	2	6	8	10	11	13
35-49	46	7.2	112	<1	1	5	8	11	15	69
50-64	75	8.3	51	1	2	7	11	15	20	39
65+	97	10.4	101	3	3	6	12	24	35	82
B. *Operated*										
0-19 YRS	28	3.1	5	<1	1	3	4	4	7	12
20-34	92	4.8	30	1	1	3	5	8	13	32
35-49	135	4.4	16	1	1	3	5	9	13	23
50-64	146	4.5	26	1	1	3	5	10	14	28
65+	94	6.0	53	1	1	3	6	19	29	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	301	4.6	29	<1	<1	3	6	8	12	34
B. *Operated*	753	3.0	7	<1	1	2	4	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	277	8.3	76	1	2	6	10	16	25	58
B. *Operated*	495	4.7	28	1	1	3	5	11	16	34
1. SINGLE DX	1054	3.5	14	<1	1	3	4	6	9	19
2. MULTIPLE DX	772	6.0	48	1	1	4	7	13	19	40
A. NOT OPERATED	578	6.4	55	<1	1	5	8	12	17	40
B. OPERATED	1248	3.7	16	<1	1	3	4	7	11	27
TOTAL 0-19 YRS	224	3.8	18	1	1	3	4	7	9	29
20-34	410	3.6	11	<1	1	3	4	7	8	17
35-49	439	4.2	26	<1	1	3	5	8	11	24
50-64	459	4.5	25	<1	1	3	5	10	14	27
65+	294	7.1	72	1	1	4	8	17	26	82
GRAND TOTAL	**1826**	**4.5**	**30**	**<1**	**1**	**3**	**5**	**9**	**13**	**32**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	1	3.0		3	3	3	3	3	3	3
50-64	3	3.3		3	3	3	4	4	4	4
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	89	3.6	3	1	2	3	5	5	6	9
20-34	152	3.8	4	1	2	4	5	6	7	9
35-49	195	3.8	3	1	2	4	5	6	7	9
50-64	254	4.1	5	1	2	4	5	7	8	10
65+	177	4.2	10	1	1	4	5	7	9	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.0		<1	<1	1	1	1	1	1
35-49	5	2.8	16	<1	<1	1	3	10	10	10
50-64	9	2.2	1	1	1	2	3	4	4	4
65+	8	5.3	56	<1	<1	1	8	18	20	20
B. *Operated*										
0-19 YRS	67	4.2	3	1	2	4	5	6	7	9
20-34	175	4.2	3	2	2	4	5	7	7	10
35-49	242	4.5	6	2	2	4	5	7	9	13
50-64	443	4.7	5	1	2	4	6	7	8	12
65+	303	5.6	17	1	2	5	7	9	12	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.6	3	1	1	3	4	6	7	7
B. *Operated*	867	3.9	5	1	2	4	5	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	25	3.2	22	<1	<1	1	3	10	15	20
B. *Operated*	1230	4.8	8	1	2	4	6	8	9	15
1. SINGLE DX	874	3.9	5	1	2	4	5	6	7	12
2. MULTIPLE DX	1255	4.7	8	1	2	4	6	8	9	15
A. NOT OPERATED	32	3.3	17	<1	<1	2	3	8	14	20
B. OPERATED	2097	4.4	7	1	2	4	5	7	8	13
TOTAL 0-19 YRS	156	3.9	3	1	2	4	5	6	7	9
20-34	332	4.0	4	1	2	4	5	6	7	9
35-49	443	4.2	5	1	2	4	5	6	8	12
50-64	709	4.5	5	1	2	4	6	7	8	11
65+	489	5.0	15	1	1	4	6	9	12	21
GRAND TOTAL	**2129**	**4.4**	**7**	**1**	**2**	**4**	**5**	**7**	**8**	**13**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	6.0		6	6	6	6	6	6	6
65+										
B. *Operated*										
0-19 YRS	87	2.0	2	<1	<1	2	2	4	5	7
20-34	156	1.6	1	<1	<1	1	2	3	4	5
35-49	87	2.1	2	<1	<1	2	3	4	5	8
50-64	56	2.4	3	<1	<1	2	3	4	6	10
65+	33	3.3	11	1	1	2	3	7	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	5	8.2	45	<1	<1	10	12	17	17	17
35-49	1	1.0		1	1	1	1	1	1	1
50-64	3	1.0		1	1	1	1	1	1	1
65+	4	8.8	24	3	3	8	12	15	15	15
B. *Operated*										
0-19 YRS	17	1.8	1	<1	<1	2	2	3	3	3
20-34	44	2.4	4	<1	<1	2	3	4	5	12
35-49	37	2.5	5	<1	<1	2	3	5	7	12
50-64	49	3.3	7	<1	<1	3	4	6	11	11
65+	25	8.4	260	1	1	3	8	14	39	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.0	5	<1	<1	<1	2	6	6	6
B. *Operated*	419	2.0	3	<1	<1	2	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	16	5.2	31	<1	<1	2	9	15	16	17
B. *Operated*	172	3.5	45	<1	<1	2	3	5	11	23
1. SINGLE DX	424	2.0	3	<1	<1	2	2	4	5	8
2. MULTIPLE DX	188	3.6	44	<1	<1	2	4	8	11	22
A. NOT OPERATED	21	4.4	26	<1	<1	1	8	13	16	17
B. OPERATED	591	2.4	15	<1	<1	2	3	4	6	12
TOTAL 0-19 YRS	107	1.9	1	<1	<1	2	2	3	4	7
20-34	208	1.9	3	<1	<1	1	2	3	4	11
35-49	126	2.2	3	<1	<1	2	3	4	5	10
50-64	109	2.8	5	<1	<1	2	4	5	7	11
65+	62	5.7	116	1	1	3	6	12	15	74
GRAND TOTAL	**612**	**2.5**	**16**	**<1**	**<1**	**2**	**3**	**4**	**7**	**13**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	14.2	73	3	5	14	21	23	25	42
20-34	20	9.8	98	1	2	7	11	27	34	38
35-49	11	11.9	88	<1	1	8	19	26	31	31
50-64	7	13.4	26	7	7	16	17	19	20	20
65+	11	14.5	69	2	4	14	22	26	28	28
B. *Operated*										
0-19 YRS	30	13.5	103	3	3	14	16	21	25	57
20-34	36	15.0	136	2	3	11	22	29	42	45
35-49	16	16.9	237	3	4	12	24	32	54	63
50-64	16	23.8	583	3	5	17	29	53	81	93
65+	13	28.2	489	5	5	22	38	58	79	84
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	13.9	93	2	3	13	20	29	33	37
20-34	13	15.6	127	1	3	14	28	30	31	31
35-49	7	24.1	795	8	8	12	25	75	86	86
50-64	18	11.3	47	3	3	9	16	21	25	27
65+	18	22.3	497	2	3	16	30	46	75	94
B. *Operated*										
0-19 YRS	26	23.3	240	3	4	23	33	45	48	51
20-34	43	22.5	174	5	6	20	34	43	45	47
35-49	27	20.4	297	5	7	16	30	69	99+	99+
50-64	36	27.3	288	3	5	26	40	56	63	99+
65+	33	31.1	636	2	3	24	54	84	97	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	12.8	77	2	3	10	20	23	29	41
B. *Operated*	111	17.7	261	3	4	15	22	37	52	88
2. MULTIPLE DX										
A. *Not Operated*	77	16.5	251	2	4	14	20	30	43	92
B. *Operated*	165	25.0	328	3	5	22	37	55	77	99+
1. SINGLE DX	193	15.6	188	2	3	12	21	29	43	75
2. MULTIPLE DX	242	22.3	318	3	4	18	30	47	66	99+
A. NOT OPERATED	159	14.6	163	2	3	11	20	29	33	82
B. OPERATED	276	22.1	313	3	4	17	30	50	63	99+
TOTAL 0-19 YRS	110	16.1	137	3	4	14	21	31	43	53
20-34	112	17.0	162	2	3	13	26	37	43	46
35-49	61	18.4	296	2	5	15	25	48	80	99+
50-64	77	21.6	307	3	4	17	28	53	57	98
65+	75	26.1	513	2	4	21	37	65	87	99+
GRAND TOTAL	**435**	**19.3**	**271**	**3**	**4**	**16**	**26**	**44**	**55**	**99+**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	7.9	75	<1	<1	4	11	22	25	38
20-34	32	3.1	12	<1	<1	1	4	8	10	17
35-49	21	3.3	7	<1	<1	3	4	7	9	11
50-64	39	6.0	20	<1	1	5	8	11	12	25
65+	74	11.6	113	1	2	10	16	24	33	92
B. *Operated*										
0-19 YRS	214	4.9	34	1	1	3	5	10	14	34
20-34	303	4.9	18	1	2	4	6	9	11	24
35-49	150	5.5	23	1	2	4	7	10	14	29
50-64	75	7.6	37	1	3	6	10	14	17	37
65+	45	15.1	301	2	3	10	17	34	47	92
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	6.9	69	1	1	4	7	17	24	38
20-34	25	7.2	68	<1	1	4	7	21	26	33
35-49	47	6.3	68	1	1	4	8	13	16	52
50-64	93	8.8	69	1	2	7	12	19	28	78
65+	434	15.0	177	3	4	11	19	33	47	99+
B. *Operated*										
0-19 YRS	82	7.3	68	1	2	4	7	23	26	33
20-34	166	7.5	56	1	2	4	10	18	24	39
35-49	105	11.5	189	2	2	7	15	25	33	98
50-64	147	12.2	120	1	2	9	16	27	43	99+
65+	175	21.4	352	2	4	16	28	52	67	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	219	7.7	72	<1	<1	5	10	18	24	48
B. *Operated*	787	5.9	47	1	2	4	7	11	16	35
2. MULTIPLE DX										
A. *Not Operated*	632	12.7	154	1	2	9	16	29	42	94
B. *Operated*	675	12.7	198	1	2	8	17	29	43	96
1. SINGLE DX	1006	6.3	53	1	1	4	8	12	18	38
2. MULTIPLE DX	1307	12.7	177	1	2	9	16	29	43	95
A. NOT OPERATED	851	11.4	138	1	2	8	15	26	37	77
B. OPERATED	1462	9.0	128	1	2	5	10	21	31	70
TOTAL 0-19 YRS	382	6.0	51	1	1	3	6	14	23	37
20-34	526	5.7	34	1	1	4	7	12	17	33
35-49	323	7.4	90	1	2	5	9	16	22	63
50-64	354	9.6	83	1	2	7	12	22	28	60
65+	728	16.2	229	2	4	12	21	36	52	99+
GRAND TOTAL	**2313**	**9.9**	**133**	**1**	**2**	**6**	**12**	**23**	**33**	**74**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	6.0		6	6	6	6	6	6	6
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	20.0		20	20	20	20	20	20	20
B. *Operated*										
0-19 YRS	46	5.2	8	2	2	5	6	8	12	15
20-34	38	4.7	13	1	1	4	7	9	12	17
35-49	15	3.4	8	<1	<1	3	4	6	10	12
50-64	12	4.8	10	<1	1	4	7	9	11	11
65+	13	6.7	62	1	2	4	8	14	28	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.8	31	1	1	2	8	13	13	13
20-34	1	8.0		8	8	8	8	8	8	8
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	2	3.5	13	1	1	3	6	6	6	6
65+	4	15.0	147	3	3	13	24	31	31	31
B. *Operated*										
0-19 YRS	62	5.6	26	1	2	4	7	10	14	33
20-34	47	6.5	30	1	2	5	9	12	16	31
35-49	32	5.9	23	1	2	5	7	12	17	21
50-64	32	10.3	139	1	2	8	11	17	32	64
65+	15	9.1	52	1	2	9	12	29	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	6.8	57	2	2	3	9	20	20	20
B. *Operated*	124	4.9	15	1	1	4	6	9	11	21
2. MULTIPLE DX										
A. *Not Operated*	12	7.9	79	<1	1	5	11	21	30	31
B. *Operated*	188	6.9	49	1	2	5	9	14	18	53
1. SINGLE DX	129	5.0	17	1	1	4	6	9	12	22
2. MULTIPLE DX	200	7.0	51	1	2	5	9	14	18	49
A. NOT OPERATED	17	7.6	69	<1	1	3	10	19	27	31
B. OPERATED	312	6.1	37	1	2	4	8	12	15	34
TOTAL 0-19 YRS	113	5.4	18	1	2	4	7	10	14	23
20-34	87	5.7	23	1	1	4	7	12	14	27
35-49	49	5.0	18	<1	1	4	6	11	13	21
50-64	47	8.4	104	1	1	6	10	15	22	64
65+	33	9.2	70	1	2	7	10	31	31	99+
GRAND TOTAL	**329**	**6.2**	**38**	**1**	**2**	**4**	**8**	**12**	**16**	**33**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	4.3	4	2	2	5	6	6	6	6
35-49	7	7.0	8	3	3	7	10	10	10	10
50-64	5	5.2	30	1	1	2	9	14	14	14
65+	3	5.7	12	2	2	6	8	9	9	9
B. *Operated*										
0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	6	7.5	37	2	2	5	13	17	17	17
50-64	5	5.8	33	3	3	3	7	16	16	16
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	6	2.7	2	<1	<1	2	3	5	5	5
35-49	6	4.5	24	1	1	3	4	13	14	14
50-64	3	6.0	25	1	1	6	10	11	11	11
65+	9	10.0	65	3	3	9	12	24	28	28
B. *Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	3	10.0	91	<1	<1	9	17	20	20	20
50-64	4	5.5	12	2	2	5	8	9	9	9
65+	2	10.5	13	8	8	10	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	5.8	13	1	2	6	9	10	12	14
B. *Operated*	14	6.2	27	2	2	4	8	16	17	17
2. MULTIPLE DX										
A. *Not Operated*	25	6.7	42	<1	1	4	10	16	20	28
B. *Operated*	10	8.0	31	<1	1	8	9	16	20	20
1. SINGLE DX	32	6.0	19	2	2	5	8	13	16	17
2. MULTIPLE DX	35	7.1	38	<1	1	5	9	16	19	28
A. NOT OPERATED	43	6.3	29	1	1	5	9	14	16	28
B. OPERATED	24	7.0	29	1	2	5	9	16	18	20
TOTAL 0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	12	3.4	4	<1	1	3	5	6	7	7
35-49	22	6.9	28	<1	1	5	10	15	18	20
50-64	17	5.6	21	1	1	3	8	13	15	16
65+	15	9.1	43	2	3	8	11	17	25	28
GRAND TOTAL	**67**	**6.6**	**29**	**1**	**2**	**5**	**9**	**14**	**17**	**27**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	72	2.8	28	<1	<1	1	3	5	6	37
20-34	99	3.4	14	<1	<1	2	4	7	9	24
35-49	99	4.7	31	<1	<1	3	5	10	13	35
50-64	59	4.5	11	<1	1	4	6	9	11	17
65+	72	6.0	18	1	1	5	8	11	14	21
B. *Operated*										
0-19 YRS	133	5.3	33	<1	<1	3	7	13	16	29
20-34	274	3.5	13	<1	<1	2	4	8	11	17
35-49	174	3.8	23	<1	1	2	4	8	12	23
50-64	170	3.5	10	<1	<1	3	4	7	10	17
65+	124	3.8	27	<1	1	3	3	7	12	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	3.0	6	1	1	2	4	7	8	9
20-34	83	5.1	20	1	1	3	7	11	15	21
35-49	134	5.3	26	1	1	4	7	12	14	30
50-64	146	6.5	49	1	1	4	8	14	21	38
65+	201	9.3	117	1	2	7	11	17	24	63
B. *Operated*										
0-19 YRS	159	6.2	40	1	2	3	9	15	18	30
20-34	324	4.1	26	<1	1	3	4	8	13	26
35-49	196	6.4	81	1	1	3	7	14	19	57
50-64	206	5.8	33	1	2	3	8	14	17	29
65+	194	9.2	176	1	1	4	11	25	46	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	401	4.2	22	<1	<1	3	5	9	12	24
B. *Operated*	875	3.9	20	<1	1	2	4	9	12	22
2. MULTIPLE DX										
A. *Not Operated*	605	6.7	64	1	1	4	8	14	18	37
B. *Operated*	1079	6.1	69	1	1	3	7	14	20	52
1. SINGLE DX	1276	4.0	21	<1	1	3	4	9	12	22
2. MULTIPLE DX	1684	6.3	67	1	1	3	8	14	19	45
A. NOT OPERATED	1006	5.7	48	<1	1	4	7	12	16	35
B. OPERATED	1954	5.1	48	<1	1	3	5	12	16	37
TOTAL 0-19 YRS	405	5.0	34	<1	1	3	5	12	16	29
20-34	780	3.9	19	<1	1	3	4	8	12	24
35-49	603	5.2	45	<1	1	3	6	12	15	36
50-64	581	5.2	30	<1	1	3	6	11	16	30
65+	591	7.7	110	1	1	4	9	17	25	69
GRAND TOTAL	**2960**	**5.3**	**48**	**<1**	**1**	**3**	**6**	**12**	**16**	**36**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	7.0		7	7	7	7	7	7	7
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	10.0		10	10	10	10	10	10	10
65+										
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	7.0		7	7	7	7	7	7	7
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1	10.0		10	10	10	10	10	10	10
B. *Operated*	1	5.0		5	5	5	5	5	5	5
1. SINGLE DX	2	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX	2	7.5	13	5	5	7	10	10	10	10
A. NOT OPERATED	3	8.0	3	7	7	7	9	10	10	10
B. OPERATED	1	5.0		5	5	5	5	5	5	5
TOTAL 0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49										
50-64	2	8.5	5	7	7	8	10	10	10	10
65+	1	7.0		7	7	7	7	7	7	7
GRAND TOTAL	**4**	**7.3**	**4**	**5**	**5**	**7**	**9**	**10**	**10**	**10**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	4.4	30	1	1	2	3	14	18	18
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	14	6.3	32	<1	1	5	9	11	20	23
20-34	2	12.5	25	9	9	12	16	16	16	16
35-49	1	12.0		12	12	12	12	12	12	12
50-64	2	6.0	2	5	5	6	7	7	7	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	5.9	21	1	1	5	9	12	15	20
20-34	5	11.8	160	2	2	3	24	28	28	28
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	1	29.0		29	29	29	29	29	29	29
B. *Operated*										
0-19 YRS	39	9.9	59	2	2	8	14	22	28	99+
20-34	6	22.5	503	3	4	13	55	92	99+	99+
35-49	2	15.5	25	12	12	15	19	19	19	19
50-64	5	19.0	22	13	13	18	23	25	25	25
65+	2	33.5	5	32	32	33	35	35	35	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	4.5	27	1	1	2	5	13	18	18
B. *Operated*	19	7.2	30	<1	1	6	9	14	20	23
2. MULTIPLE DX										
A. *Not Operated*	39	7.1	51	1	1	5	9	18	26	29
B. *Operated*	54	13.2	128	2	2	12	20	33	54	99+
1. SINGLE DX	30	6.2	30	1	1	5	9	14	18	23
2. MULTIPLE DX	93	10.7	104	1	2	8	15	25	34	99+
A. NOT OPERATED	50	6.5	47	1	1	4	9	16	23	29
B. OPERATED	73	11.7	109	2	2	9	17	25	37	99+
TOTAL 0-19 YRS	95	7.4	42	1	1	5	10	18	23	69
20-34	13	16.8	294	2	3	12	28	65	92	99+
35-49	5	9.8	49	1	1	12	14	19	19	19
50-64	7	15.3	55	5	5	17	21	24	25	25
65+	3	32.0	9	29	29	32	34	35	35	35
GRAND TOTAL	**123**	**9.6**	**89**	**1**	**2**	**7**	**13**	**23**	**32**	**99+**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	1.7	2	<1	<1	1	2	2	6	8
20-34										
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	224	2.1	2	<1	<1	2	3	4	5	7
20-34	53	2.9	3	<1	<1	3	4	5	6	10
35-49	22	3.7	10	1	2	3	4	6	11	17
50-64	8	2.9	2	<1	<1	2	4	5	5	5
65+	2	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	2.8	10	<1	<1	2	3	7	10	14
20-34	3	1.0		<1	<1	<1	1	1	1	1
35-49	5	3.4	19	<1	<1	1	5	11	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS	79	4.0	22	<1	1	3	4	9	13	28
20-34	27	2.8	6	<1	1	2	3	6	9	12
35-49	15	8.5	82	2	2	4	15	22	27	29
50-64	6	4.2	3	2	2	4	6	6	6	6
65+	3	3.3	6	1	1	3	5	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	1.7	2	<1	<1	1	2	2	6	8
B. *Operated*	309	2.4	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	31	2.7	10	<1	<1	1	3	7	11	14
B. *Operated*	130	4.2	26	<1	1	3	4	9	17	29
1. SINGLE DX	355	2.3	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX	161	4.0	23	<1	<1	2	4	8	14	28
A. NOT OPERATED	77	2.1	5	<1	<1	1	2	4	7	13
B. OPERATED	439	2.9	11	<1	<1	2	3	5	7	20
TOTAL 0-19 YRS	371	2.5	7	<1	<1	2	3	4	7	15
20-34	83	2.8	4	<1	<1	2	3	5	7	11
35-49	42	5.4	41	1	1	3	4	17	21	29
50-64	15	3.4	3	<1	2	3	5	6	6	6
65+	5	3.6	3	1	1	4	5	6	6	6
GRAND TOTAL	**516**	**2.8**	**10**	**<1**	**<1**	**2**	**3**	**5**	**8**	**19**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	4.9	53	<1	1	3	5	8	18	37
20-34	4	3.0	2	2	2	3	4	5	5	5
35-49	5	1.8	1	<1	<1	2	2	3	3	3
50-64	1	5.0		5	5	5	5	5	5	5
65+	3	6.7	41	2	2	4	11	14	14	14
B. *Operated*										
0-19 YRS	103	6.6	17	1	2	8	9	11	13	19
20-34	29	6.6	116	<1	1	3	8	11	17	59
35-49	16	5.3	24	<1	<1	4	8	10	16	19
50-64	9	4.7	20	1	1	2	8	12	13	13
65+	2	5.5	41	1	1	5	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	85	4.6	30	<1	<1	3	6	10	14	33
20-34	20	7.7	31	1	1	6	12	16	17	18
35-49	9	10.0	37	3	4	8	14	20	21	21
50-64	8	11.8	232	2	2	6	12	38	48	48
65+	6	10.0	84	4	4	6	11	26	28	28
B. *Operated*										
0-19 YRS	251	7.7	82	2	2	4	10	15	24	56
20-34	48	7.3	31	1	1	8	10	13	18	29
35-49	20	8.5	28	2	2	9	11	16	18	19
50-64	26	7.5	47	1	2	4	12	18	40	99+
65+	10	11.1	158	2	2	4	24	31	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	4.4	38	<1	1	3	5	8	12	37
B. *Operated*	159	6.3	35	<1	1	7	9	11	13	24
2. MULTIPLE DX										
A. *Not Operated*	128	6.2	48	<1	1	4	8	14	18	43
B. *Operated*	355	7.8	71	2	2	6	10	16	24	55
1. SINGLE DX	195	6.0	36	<1	1	5	9	10	13	31
2. MULTIPLE DX	483	7.3	65	1	2	5	10	15	22	51
A. NOT OPERATED	164	5.8	46	<1	1	4	7	13	17	40
B. OPERATED	514	7.3	60	1	2	6	10	13	20	53
TOTAL 0-19 YRS	462	6.7	58	1	2	4	9	13	18	50
20-34	101	7.0	54	1	1	5	9	13	17	44
35-49	50	7.1	31	<1	<1	7	10	16	19	21
50-64	44	7.7	74	1	2	4	11	16	34	99+
65+	21	9.6	102	1	2	6	12	28	31	34
GRAND TOTAL	**678**	**6.9**	**57**	**1**	**2**	**5**	**9**	**13**	**19**	**50**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	8.3	121	1	1	3	16	21	21	21
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	113	5.9	7	2	3	6	7	8	9	18
20-34	10	3.7	5	<1	<1	3	5	7	8	8
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64										
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.0	1	<1	<1	2	3	4	4	4
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	91	6.2	13	2	3	6	7	9	12	25
20-34	12	4.5	5	2	2	4	6	8	10	10
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	8.3	121	1	1	3	16	21	21	21
B. *Operated*	126	5.7	7	2	3	6	7	8	9	17
2. MULTIPLE DX										
A. *Not Operated*	7	2.0	1	<1	<1	2	3	4	4	4
B. *Operated*	104	6.0	12	2	3	6	7	9	11	24
1. SINGLE DX	129	5.7	9	2	3	6	7	8	9	21
2. MULTIPLE DX	111	5.7	13	2	2	6	7	9	11	24
A. NOT OPERATED	10	3.9	37	<1	<1	2	3	12	21	21
B. OPERATED	230	5.8	9	2	3	6	7	8	10	22
TOTAL 0-19 YRS	214	5.9	11	2	3	6	7	8	10	22
20-34	22	4.1	5	1	1	4	5	7	9	10
35-49	3	3.7	1	3	3	3	5	5	5	5
50-64										
65+	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**240**	**5.7**	**10**	**2**	**2**	**6**	**7**	**8**	**10**	**22**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.8	1	4	4	5	5	6	6	6
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	87	5.1	5	3	3	5	6	8	10	13
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.0	3	2	2	4	5	6	6	6
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	36	5.7	5	3	3	5	7	9	11	13
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	4.8	1	4	4	5	5	6	6	6
B. *Operated*	87	5.1	5	3	3	5	6	8	10	13
2. MULTIPLE DX										
A. *Not Operated*	4	4.0	3	2	2	4	5	6	6	6
B. *Operated*	36	5.7	5	3	3	5	7	9	11	13
1. SINGLE DX	91	5.1	5	3	3	5	6	8	10	13
2. MULTIPLE DX	40	5.5	5	3	3	5	6	9	10	13
A. NOT OPERATED	8	4.4	2	2	2	4	5	6	6	6
B. OPERATED	123	5.3	5	3	3	5	6	9	10	14
TOTAL 0-19 YRS	131	5.2	5	3	3	5	6	8	10	13
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**131**	**5.2**	**5**	**3**	**3**	**5**	**6**	**8**	**10**	**13**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	2.8	27	<1	<1	1	2	6	9	32
20-34	4	9.5	22	5	5	8	12	16	16	16
35-49	6	4.5	10	<1	<1	4	8	8	8	8
50-64	1	9.0		9	9	9	9	9	9	9
65+	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS	90	6.7	41	<1	1	4	9	15	17	34
20-34	28	4.4	18	<1	1	3	5	10	15	18
35-49	4	5.0	25	<1	<1	3	8	12	12	12
50-64	4	8.0	115	2	2	3	14	24	24	24
65+	2	11.5	61	6	6	11	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	5.8	52	1	1	3	9	14	19	34
20-34	6	5.3	27	1	1	4	6	14	15	15
35-49	3	7.3	4	5	5	8	9	9	9	9
50-64	4	11.0	13	8	8	10	13	16	16	16
65+	12	6.0	10	2	2	6	8	10	11	11
B. *Operated*										
0-19 YRS	93	11.8	185	2	2	7	15	29	42	96
20-34	28	7.5	46	1	2	5	7	17	20	33
35-49	11	6.7	21	2	2	6	7	14	18	18
50-64	15	13.6	35	3	7	12	19	22	22	22
65+	14	14.4	80	2	2	14	20	26	31	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	3.6	26	<1	<1	1	4	8	13	31
B. *Operated*	128	6.3	38	<1	1	4	8	15	17	28
2. MULTIPLE DX										
A. *Not Operated*	94	6.1	43	1	1	4	9	14	17	33
B. *Operated*	161	11.1	131	2	2	7	15	23	33	86
1. SINGLE DX	185	5.4	36	<1	<1	3	7	14	17	29
2. MULTIPLE DX	255	9.3	104	1	1	6	12	21	31	52
A. NOT OPERATED	151	5.1	38	<1	<1	3	7	12	16	32
B. OPERATED	289	9.0	95	1	2	6	12	20	27	49
TOTAL 0-19 YRS	296	7.5	96	<1	1	4	9	17	29	49
20-34	66	6.1	33	1	1	5	7	15	17	31
35-49	24	6.0	16	<1	<1	6	8	11	14	18
50-64	24	12.0	43	2	2	11	17	22	23	24
65+	30	10.1	61	2	2	8	15	21	25	33
GRAND TOTAL	**440**	**7.6**	**79**	**<1**	**1**	**5**	**10**	**17**	**24**	**43**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5	9	<1	<1	1	4	7	7	7
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	320	2.9	3	<1	1	2	4	5	7	9
20-34	32	3.3	3	<1	1	3	4	6	8	8
35-49	10	3.0		2	2	3	3	4	4	4
50-64	4	2.8	1	2	2	3	3	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	1.6	1	<1	<1	1	2	3	4	4
20-34	2	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	160	2.8	2	1	1	2	3	5	6	9
20-34	22	3.6	3	1	2	3	5	6	7	8
35-49	12	5.6	46	1	1	4	6	13	24	26
50-64										
65+	2	6.0	8	4	4	6	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.5	9	<1	<1	1	4	7	7	7
B. *Operated*	366	3.0	3	<1	1	2	4	5	7	8
2. MULTIPLE DX										
A. *Not Operated*	15	1.5	1	<1	<1	<1	2	3	4	4
B. *Operated*	196	3.1	6	1	1	3	3	5	7	10
1. SINGLE DX	370	3.0	3	<1	1	2	4	5	7	8
2. MULTIPLE DX	211	3.0	5	<1	1	2	3	5	7	10
A. NOT OPERATED	19	1.7	2	<1	<1	1	2	4	6	7
B. OPERATED	562	3.0	4	<1	1	2	4	5	7	9
TOTAL 0-19 YRS	497	2.8	3	<1	1	2	3	5	7	9
20-34	56	3.4	3	<1	1	3	4	6	8	8
35-49	22	4.4	26	1	2	3	4	7	15	26
50-64	4	2.8	1	2	2	3	3	4	4	4
65+	2	6.0	8	4	4	6	8	8	8	8
GRAND TOTAL	**581**	**3.0**	**4**	**<1**	**1**	**2**	**4**	**5**	**7**	**9**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.7	8	<1	<1	2	3	8	9	9
20-34										
35-49	5	4.0	7	<1	<1	4	6	7	7	7
50-64	2	7.0	32	3	3	7	11	11	11	11
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	136	6.3	26	<1	1	5	10	13	16	22
20-34	61	4.7	12	<1	1	4	6	10	12	16
35-49	22	6.0	20	1	2	5	7	11	16	22
50-64	13	5.5	12	1	1	7	8	10	10	10
65+	4	2.3	1	<1	<1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.4	4	1	1	3	5	6	7	7
20-34	7	4.0	4	1	1	4	5	7	7	7
35-49	8	8.3.	46	3	3	5	13	19	19	19
50-64	6	5.8	9	1	1	6	8	9	9	9
65+	9	7.3	82	1	1	4	9	22	30	30
B. *Operated*										
0-19 YRS	124	11.2	91	1	2	10	15	22	28	48
20-34	63	7.2	30	1	2	6	10	15	18	26
35-49	57	9.4	40	2	2	8	13	17	24	27
50-64	34	12.4	86	2	2	11	16	29	31	35
65+	14	12.7	127	3	4	9	15	28	42	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	3.7	10	<1	<1	3	6	11	73	99+
B. *Operated*	236	5.7	21	<1	1	5	8	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	44	5.5	29	1	1	4	6	9	19	30
B. *Operated*	292	10.2	71	1	2	8	14	20	27	37
1. SINGLE DX	251	5.6	21	<1	1	5	8	12	14	22
2. MULTIPLE DX	336	9.6	68	1	2	7	13	19	27	36
A. NOT OPERATED	59	5.1	25	1	1	4	6	10	19	93
B. OPERATED	528	8.2	54	1	1	6	11	16	22	31
TOTAL 0-19 YRS	281	8.2	61	1	1	6	12	17	21	32
20-34	131	5.8	22	<1	1	5	7	13	16	40
35-49	92	8.2	36	2	2	7	10	17	19	27
50-64	55	9.8	67	1	2	8	13	22	29	35
65+	28	9.1	102	1	2	6	10	23	32	46
GRAND TOTAL	**587**	**7.9**	**52**	**1**	**1**	**6**	**11**	**16**	**22**	**32**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.7	2	<1	<1	3	4	5	5	5
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	111	3.5	2	1	2	3	4	6	7	8
20-34	12	5.2	22	1	1	3	7	13	16	16
35-49	6	7.0	36	2	2	5	9	17	18	18
50-64	4	3.8	4	<1	<1	4	5	6	6	6
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3	4	1	1	3	5	5	5	5
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64										
65+	1	18.0		18	18	18	18	18	18	18
B. *Operated*										
0-19 YRS	67	4.6	7	2	2	4	6	8	10	14
20-34	23	5.0	16	2	2	4	6	8	14	21
35-49	8	3.9	3	3	3	3	4	7	8	8
50-64	23	3.7	2	2	2	3	4	5	6	7
65+	15	4.2	2	2	3	4	5	6	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.7	2	<1	<1	3	4	5	5	5
B. *Operated*	134	3.8	6	1	2	3	5	6	7	16
2. MULTIPLE DX										
A. *Not Operated*	6	5.3	42	<1	<1	3	5	17	18	18
B. *Operated*	136	4.4	7	2	2	4	5	7	9	15
1. SINGLE DX	141	3.8	6	1	2	3	5	6	7	16
2. MULTIPLE DX	142	4.5	8	2	2	4	5	7	9	18
A. NOT OPERATED	13	3.9	20	<1	<1	3	5	8	16	18
B. OPERATED	270	4.1	6	2	2	3	5	7	8	16
TOTAL 0-19 YRS	189	3.9	4	2	2	3	5	6	7	12
20-34	36	4.9	17	1	2	4	6	10	15	21
35-49	14	5.2	18	2	2	4	6	10	16	18
50-64	27	3.7	2	1	2	3	4	6	6	7
65+	17	4.9	13	2	2	4	5	7	14	18
GRAND TOTAL	**283**	**4.1**	**7**	**2**	**2**	**3**	**5**	**7**	**8**	**17**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	4.2	24	<1	<1	2	4	13	16	19
20-34	12	5.9	44	<1	1	4	8	13	23	25
35-49	13	4.2	11	<1	1	2	6	10	11	11
50-64	4	8.3	50	2	2	7	14	17	17	17
65+	5	12.0	165	2	2	7	17	34	34	34
B. *Operated*										
0-19 YRS	294	4.9	20	<1	1	3	6	10	13	23
20-34	147	4.8	30	1	1	3	5	11	13	27
35-49	64	6.2	34	1	2	4	8	15	20	25
50-64	29	7.4	49	2	2	5	9	18	25	30
65+	9	9.8	109	3	3	6	10	27	36	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	7.6	105	1	1	4	7	24	35	44
20-34	16	8.0	55	1	1	5	11	16	25	29
35-49	11	5.7	27	1	1	5	7	12	19	20
50-64	19	7.0	61	1	2	5	8	13	26	36
65+	29	14.8	243	2	3	9	17	30	47	78
B. *Operated*										
0-19 YRS	155	7.3	80	1	2	5	9	16	22	34
20-34	83	6.5	50	1	1	3	9	14	22	36
35-49	59	9.0	123	2	2	5	12	18	28	69
50-64	44	8.9	45	2	2	8	14	17	20	30
65+	15	14.1	80	2	4	12	16	27	33	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	5.2	37	<1	1	3	7	12	17	32
B. *Operated*	543	5.2	28	1	1	3	6	11	15	27
2. MULTIPLE DX										
A. *Not Operated*	148	8.8	122	1	1	5	10	23	34	46
B. *Operated*	356	7.9	78	1	2	5	10	17	24	35
1. SINGLE DX	617	5.2	29	1	1	3	6	11	16	28
2. MULTIPLE DX	504	8.2	90	1	2	5	10	17	26	43
A. NOT OPERATED	222	7.6	96	1	1	4	9	17	30	44
B. OPERATED	899	6.3	49	1	1	4	8	14	19	31
TOTAL 0-19 YRS	562	5.9	50	<1	1	3	7	13	17	34
20-34	258	5.6	39	1	1	3	7	13	18	29
35-49	147	7.1	69	1	2	4	10	16	21	32
50-64	96	8.0	49	2	2	5	11	17	21	33
65+	58	13.6	169	2	3	9	16	31	36	75
GRAND TOTAL	**1121**	**6.5**	**59**	**1**	**1**	**4**	**8**	**14**	**21**	**35**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	443	3.2	8	1	1	3	4	6	8	14
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	6	1.3		1	1	1	2	2	2	2
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	298	6.6	110	1	1	4	7	12	19	65
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	10	6.9	35	<1	1	6	9	16	18	18
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	443	3.2	8	1	1	3	4	6	8	14
B. *Operated*	6	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	298	6.6	110	1	1	4	7	12	19	65
B. *Operated*	10	6.9	35	<1	1	6	9	16	18	18
1. SINGLE DX	449	3.2	8	1	1	3	4	6	7	13
2. MULTIPLE DX	308	6.6	107	1	1	4	7	13	19	61
A. NOT OPERATED	741	4.6	51	1	1	3	5	9	13	34
B. OPERATED	16	4.8	29	<1	1	2	8	14	17	18
TOTAL 0-19 YRS	757	4.6	51	1	1	3	5	9	13	34
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**757**	**4.6**	**51**	**1**	**1**	**3**	**5**	**9**	**13**	**34**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	581	2.9	6	1	1	2	4	5	7	14
20-34	138	4.0	14	<1	1	3	5	9	12	21
35-49	67	4.3	55	1	1	3	5	7	10	53
50-64	33	4.5	10	<1	1	4	6	8	12	14
65+	57	5.8	32	<1	1	4	8	13	18	28
B. *Operated*										
0-19 YRS	2	24.5	685	6	6	24	43	43	43	43
20-34	2	6.5	5	5	5	6	8	8	8	8
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64										
65+	2	9.0	8	7	7	9	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	887	3.6	10	1	1	3	4	7	9	18
20-34	106	4.4	17	1	1	3	6	9	12	21
35-49	123	5.4	26	1	1	4	7	11	14	26
50-64	132	6.7	67	1	2	5	8	13	17	51
65+	189	10.3	119	1	2	8	11	22	31	64
B. *Operated*										
0-19 YRS	13	13.1	346	1	3	8	13	28	65	73
20-34	5	17.4	268	1	1	12	28	43	43	43
35-49	13	14.1	292	1	2	9	21	34	58	63
50-64	7	20.7	800	2	2	11	20	71	83	83
65+	12	16.9	187	4	5	11	23	38	49	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	876	3.5	14	1	1	2	4	7	10	17
B. *Operated*	8	11.1	171	4	4	6	9	33	43	43
2. MULTIPLE DX										
A. *Not Operated*	1437	5.0	36	1	1	3	6	10	13	31
B. *Operated*	50	15.8	325	1	2	10	19	37	63	83
1. SINGLE DX	884	3.5	16	1	1	2	4	7	10	18
2. MULTIPLE DX	1487	5.4	50	1	1	3	6	10	15	37
A. NOT OPERATED	2313	4.4	28	1	1	3	5	9	12	26
B. OPERATED	58	15.1	303	1	3	9	17	40	58	82
TOTAL 0-19 YRS	1483	3.5	13	1	1	3	4	6	9	17
20-34	251	4.5	23	1	1	3	6	10	12	23
35-49	205	5.6	56	1	1	4	6	10	15	49
50-64	172	6.9	90	1	2	5	8	12	17	66
65+	260	9.6	107	1	2	7	11	21	30	59
GRAND TOTAL	**2371**	**4.7**	**38**	**1**	**1**	**3**	**5**	**9**	**13**	**30**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	472	2.9	4	<1	1	2	4	6	6	11
20-34	32	4.8	10	2	2	4	6	8	14	15
35-49	11	5.6	9	1	2	4	9	10	10	10
50-64	26	5.0	6	2	2	5	7	8	9	10
65+	20	3.8	4	1	1	3	5	7	8	8
B. *Operated*										
0-19 YRS	4	1.8		<1	<1	2	2	2	2	2
20-34	6	4.5	27	2	2	3	3	14	15	15
35-49	5	6.6	95	2	2	2	8	24	24	24
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	13.5	25	10	10	13	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	521	3.5	9	1	1	3	4	7	9	16
20-34	51	5.2	22	1	2	4	6	10	14	25
35-49	39	5.4	12	1	2	4	6	9	13	18
50-64	46	6.2	20	2	2	5	8	10	16	25
65+	100	8.5	101	2	2	6	9	17	23	62
B. *Operated*										
0-19 YRS	4	7.0	23	2	2	7	11	12	12	12
20-34	13	20.7	345	3	3	17	23	58	60	60
35-49	3	19.7	212	6	6	18	31	35	35	35
50-64	20	18.6	109	3	6	19	28	31	34	35
65+	12	13.6	52	2	6	12	20	24	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	561	3.2	5	<1	1	3	4	6	7	11
B. *Operated*	18	5.3	44	<1	1	2	3	16	21	24
2. MULTIPLE DX										
A. *Not Operated*	757	4.5	26	1	1	3	5	9	12	24
B. *Operated*	52	17.1	158	2	3	15	24	31	35	60
1. SINGLE DX	579	3.3	7	<1	1	3	4	6	8	15
2. MULTIPLE DX	809	5.4	44	1	1	3	6	11	17	31
A. NOT OPERATED	1318	4.0	17	1	1	3	5	8	10	18
B. OPERATED	70	14.1	155	2	2	11	22	28	35	60
TOTAL 0-19 YRS	1001	3.2	7	<1	1	2	4	6	8	14
20-34	102	7.0	84	2	2	4	7	16	22	59
35-49	58	6.3	34	1	2	4	7	10	18	34
50-64	93	8.5	63	2	2	6	9	23	28	34
65+	134	8.3	86	1	2	6	9	17	23	50
GRAND TOTAL	**1388**	**4.5**	**29**	**1**	**1**	**3**	**5**	**8**	**13**	**27**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	3.6	25	<1	1	2	4	7	10	33
20-34	122	4.5	62	<1	<1	2	5	8	20	40
35-49	77	3.8	16	<1	<1	3	5	8	12	22
50-64	37	4.2	41	<1	1	3	5	5	9	40
65+	18	3.7	2	<1	1	4	5	5	6	6
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	10	6.0	15	2	2	5	8	12	14	14
35-49	12	6.0	45	1	2	4	5	19	22	22
50-64	4	6.3	4	5	5	6	7	9	9	9
65+	5	8.4	34	3	3	7	11	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	87	3.1	6	1	1	2	4	7	8	12
20-34	126	4.6	30	1	1	3	6	8	14	37
35-49	86	5.3	28	1	1	4	6	11	14	33
50-64	88	7.0	42	1	1	5	9	15	17	34
65+	84	6.0	17	1	2	5	8	11	16	18
B. *Operated*										
0-19 YRS	2	6.0	8	4	4	6	8	8	8	8
20-34	11	6.3	15	1	2	5	9	12	14	14
35-49	10	8.0	26	2	2	8	13	14	15	15
50-64	7	3.3	2	1	1	4	4	5	5	5
65+	13	11.2	91	<1	<1	10	18	25	28	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	327	4.0	37	<1	<1	2	5	8	10	40
B. *Operated*	33	6.1	26	1	2	5	7	15	18	22
2. MULTIPLE DX										
A. *Not Operated*	471	5.1	27	1	1	4	7	11	14	32
B. *Operated*	43	7.7	43	1	1	5	11	16	22	29
1. SINGLE DX	360	4.2	36	<1	<1	2	5	8	11	40
2. MULTIPLE DX	514	5.4	29	1	1	4	7	11	15	30
A. NOT OPERATED	798	4.7	31	<1	1	3	6	10	14	38
B. OPERATED	76	7.0	36	1	2	5	9	16	20	28
TOTAL 0-19 YRS	164	3.3	14	1	1	2	4	7	9	12
20-34	269	4.7	44	<1	1	3	5	9	14	40
35-49	185	4.8	25	<1	1	3	6	11	14	24
50-64	136	6.0	40	1	1	4	7	13	17	35
65+	120	6.3	26	1	1	5	8	13	17	25
GRAND TOTAL	**874**	**4.9**	**32**	**<1**	**1**	**3**	**6**	**10**	**14**	**36**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	2.1	1	<1	<1	2	3	4	4	5
20-34	41	2.4	4	<1	1	2	3	4	7	11
35-49	38	2.8	3	<1	1	2	4	5	6	8
50-64	50	3.2	4	<1	1	3	4	6	7	9
65+	102	3.0	5	<1	1	2	4	6	8	12
B. *Operated*										
0-19 YRS	14	2.1	3	<1	<1	1	2	5	6	7
20-34	9	2.4	1	2	2	2	3	4	4	4
35-49	15	2.9	2	<1	1	3	4	4	5	5
50-64	29	3.8	4	1	1	4	5	7	7	8
65+	36	3.8	6	<1	1	3	5	7	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	2.4	3	<1	1	2	3	5	6	8
20-34	21	3.0	5	<1	<1	3	4	5	8	11
35-49	30	3.1	5	1	1	3	4	7	8	9
50-64	82	4.0	7	1	1	3	5	8	9	12
65+	194	5.1	24	1	1	3	6	11	17	29
B. *Operated*										
0-19 YRS	15	4.0	9	1	1	3	5	9	11	12
20-34	10	8.2	191	<1	1	3	7	28	47	47
35-49	20	3.2	3	1	1	3	4	5	7	9
50-64	41	5.5	23	1	1	4	7	10	15	26
65+	68	9.3	150	1	1	5	9	23	32	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	259	2.8	4	<1	1	2	4	5	7	11
B. *Operated*	103	3.3	4	<1	1	3	4	7	7	10
2. MULTIPLE DX										
A. *Not Operated*	364	4.3	16	1	1	3	5	9	11	25
B. *Operated*	154	6.9	90	1	1	4	7	15	25	47
1. SINGLE DX	362	3.0	4	<1	1	2	4	6	7	10
2. MULTIPLE DX	518	5.1	39	1	1	3	6	10	16	35
A. NOT OPERATED	623	3.7	12	1	1	3	4	7	10	19
B. OPERATED	257	5.5	59	1	1	3	6	9	18	46
TOTAL 0-19 YRS	94	2.5	4	<1	1	2	3	5	7	11
20-34	81	3.3	29	<1	1	2	3	5	8	36
35-49	103	3.0	3	1	1	3	4	5	7	9
50-64	202	4.1	10	1	1	3	5	7	9	15
65+	400	5.1	43	1	1	3	6	10	17	37
GRAND TOTAL	**880**	**4.2**	**26**	**1**	**1**	**3**	**5**	**8**	**11**	**28**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	3.1	3	1	1	3	4	5	6	8
20-34	14	2.0	2	<1	<1	1	3	5	5	5
35-49	11	3.5	12	1	1	2	4	10	12	12
50-64	16	2.7	3	<1	<1	2	3	6	7	7
65+	22	5.9	27	1	2	4	7	14	19	21
B. *Operated*										
0-19 YRS	46	2.1	3	<1	<1	2	2	3	6	9
20-34	43	3.4	24	<1	<1	2	4	6	8	32
35-49	18	2.9	7	<1	<1	2	3	5	9	12
50-64	22	3.6	8	1	2	3	4	8	10	13
65+	20	5.4	41	<1	1	3	7	12	20	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	2.8	4	<1	1	2	3	6	7	10
20-34	23	2.8	6	<1	<1	2	4	7	8	8
35-49	27	3.0	7	<1	<1	2	3	6	10	13
50-64	36	6.6	78	1	2	4	6	11	26	47
65+	83	6.7	43	1	1	5	8	14	23	31
B. *Operated*										
0-19 YRS	13	4.0	10	<1	1	3	6	9	10	10
20-34	20	5.2	66	<1	<1	3	6	8	23	38
35-49	22	6.3	107	<1	1	4	7	9	26	51
50-64	31	5.6	46	<1	1	3	7	13	18	33
65+	23	10.2	219	1	2	5	11	19	40	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	3.5	12	<1	1	3	4	7	10	20
B. *Operated*	149	3.2	16	<1	<1	2	3	6	10	28
2. MULTIPLE DX										
A. *Not Operated*	193	5.2	38	<1	1	3	6	11	16	31
B. *Operated*	109	6.4	95	<1	1	3	8	13	18	60
1. SINGLE DX	234	3.4	14	<1	<1	2	4	6	10	22
2. MULTIPLE DX	302	5.6	59	<1	1	3	6	11	18	42
A. NOT OPERATED	278	4.7	31	<1	1	3	6	9	14	29
B. OPERATED	258	4.6	52	<1	<1	3	5	9	13	38
TOTAL 0-19 YRS	105	2.7	4	<1	<1	2	3	5	8	10
20-34	100	3.4	25	<1	<1	2	4	7	8	35
35-49	78	4.0	37	<1	<1	3	4	8	11	40
50-64	105	5.1	44	<1	1	3	5	11	14	39
65+	148	6.9	68	1	1	5	8	14	22	32
GRAND TOTAL	**536**	**4.7**	**41**	**<1**	**1**	**3**	**5**	**9**	**13**	**32**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	9.0	50	4	4	9	14	14	14	14
50-64										
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	7	7.6	41	1	1	7	10	18	20	20
20-34	3	4.0	7	2	2	3	6	7	7	7
35-49	3	11.0	73	2	2	12	17	19	19	19
50-64	1	25.0		25	25	25	25	25	25	25
65+	6	29.7	561	4	4	37	59	93	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	1	14.0		14	14	14	14	14	14	14
50-64	2	10.5	5	9	9	10	12	12	12	12
65+	18	22.1	674	3	4	14	17	70	86	93
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	56.0		56	56	56	56	56	56	56
35-49	8	19.8	215	3	5	14	31	42	43	43
50-64	17	21.1	241	4	5	15	30	35	55	65
65+	73	24.9	456	2	4	21	36	77	94	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	8.3	26	4	4	7	12	14	14	14
B. *Operated*	20	15.1	284	1	2	7	25	50	81	99+
2. MULTIPLE DX										
A. *Not Operated*	22	19.7	575	2	3	13	17	64	82	93
B. *Operated*	100	24.0	403	3	5	17	35	65	82	99+
1. SINGLE DX	23	14.2	253	1	2	7	22	43	76	99+
2. MULTIPLE DX	122	23.2	433	2	4	15	33	65	82	99+
A. NOT OPERATED	25	18.4	520	2	4	12	16	59	79	93
B. OPERATED	120	22.5	392	2	4	15	34	65	82	99+
TOTAL 0-19 YRS	9	6.7	35	1	1	5	8	16	20	20
20-34	4	17.0	681	2	2	5	31	56	56	56
35-49	14	15.9	153	2	3	14	19	41	43	43
50-64	20	20.2	215	4	5	15	28	34	50	65
65+	98	24.5	492	2	4	17	37	76	95	99+
GRAND TOTAL	**145**	**21.8**	**413**	**2**	**4**	**15**	**32**	**63**	**82**	**99+**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	2.4	3	<1	<1	2	3	5	7	9
20-34	180	2.4	3	<1	<1	2	3	5	6	9
35-49	462	3.2	9	<1	1	2	4	7	8	14
50-64	440	3.5	8	1	1	3	5	7	9	13
65+	321	4.6	17	1	1	3	6	9	13	19
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	16	5.1	15	1	2	4	6	12	13	14
35-49	87	3.1	7	1	1	2	3	6	10	13
50-64	109	2.8	5	1	1	2	3	6	8	11
65+	17	3.8	17	1	1	2	5	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	3.7	10	1	1	3	4	9	10	14
20-34	196	3.8	12	<1	1	3	5	8	10	22
35-49	657	4.2	18	1	1	3	5	8	11	18
50-64	1004	4.8	19	1	1	4	6	10	12	20
65+	996	6.4	42	1	2	5	8	13	18	30
B. *Operated*										
0-19 YRS	4	6.5	33	3	3	4	10	15	15	15
20-34	25	5.6	48	1	1	3	6	9	19	36
35-49	156	5.2	34	1	2	3	5	10	19	28
50-64	264	5.4	41	1	2	3	7	13	15	33
65+	118	8.3	71	1	2	6	11	17	24	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1446	3.5	10	<1	1	3	4	7	9	16
B. *Operated*	230	3.1	8	1	1	2	3	7	10	13
2. MULTIPLE DX										
A. *Not Operated*	2882	5.1	27	1	1	4	6	10	14	24
B. *Operated*	567	6.0	47	1	2	3	7	14	18	41
1. SINGLE DX	1676	3.4	10	<1	1	3	4	7	9	15
2. MULTIPLE DX	3449	5.3	30	1	1	4	7	11	14	25
A. NOT OPERATED	4328	4.6	22	1	1	3	6	9	12	22
B. OPERATED	797	5.2	37	1	1	3	6	12	15	35
TOTAL 0-19 YRS	77	3.1	8	<1	1	2	3	7	9	15
20-34	417	3.4	11	<1	1	2	4	7	9	18
35-49	1362	3.9	16	1	1	3	5	8	10	20
50-64	1817	4.5	19	1	1	3	6	9	12	20
65+	1452	6.1	40	1	1	4	7	12	17	30
GRAND TOTAL	**5125**	**4.7**	**24**	**1**	**1**	**3**	**6**	**9**	**13**	**23**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	189	3.8	22	<1	1	3	4	7	10	25
20-34	20	2.0	4	<1	<1	1	2	4	7	10
35-49	13	2.2	2	<1	<1	1	3	4	5	5
50-64	28	2.6	2	<1	<1	3	3	5	6	6
65+	53	7.2	113	1	2	4	7	12	22	66
B. *Operated*										
0-19 YRS	7	2.4	2	<1	<1	2	4	5	5	5
20-34	8	5.3	27	2	2	3	6	14	17	17
35-49	28	2.9	4	<1	1	2	4	5	7	10
50-64	22	6.9	36	1	2	5	9	17	21	21
65+	17	5.9	14	1	2	6	7	10	14	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	153	4.4	34	<1	1	3	5	9	10	28
20-34	31	3.5	16	1	1	2	4	8	15	17
35-49	42	7.0	77	<1	<1	4	7	19	29	37
50-64	84	6.5	45	<1	1	5	7	16	25	77
65+	195	9.0	111	2	2	6	11	17	23	64
B. *Operated*										
0-19 YRS	17	9.4	219	1	2	7	9	12	46	65
20-34	9	11.8	219	2	2	4	15	38	44	44
35-49	16	7.6	30	2	2	7	9	16	20	22
50-64	42	9.9	212	1	2	6	11	16	39	75
65+	60	12.7	165	2	3	10	15	25	27	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	303	4.1	36	<1	1	3	4	8	10	35
B. *Operated*	82	4.8	19	<1	1	3	6	10	16	21
2. MULTIPLE DX										
A. *Not Operated*	505	6.7	72	1	1	4	8	14	20	49
B. *Operated*	144	10.8	172	2	2	8	12	20	28	76
1. SINGLE DX	385	4.2	32	<1	1	3	5	8	11	28
2. MULTIPLE DX	649	7.6	97	1	1	5	9	15	23	65
A. NOT OPERATED	808	5.7	60	<1	1	3	7	13	17	43
B. OPERATED	226	8.6	125	1	2	6	10	17	25	68
TOTAL 0-19 YRS	366	4.3	37	<1	1	3	5	8	10	30
20-34	68	4.4	47	<1	<1	2	4	10	17	41
35-49	99	5.3	43	<1	1	3	7	11	20	36
50-64	176	6.7	81	<1	1	4	7	15	21	73
65+	325	9.2	119	2	2	6	11	18	25	69
GRAND TOTAL	**1034**	**6.3**	**75**	**<1**	**1**	**4**	**7**	**14**	**19**	**49**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	3.7	9	<1	1	3	5	9	11	11
20-34	194	2.3	3	<1	1	2	3	4	5	8
35-49	194	2.3	3	<1	1	2	3	5	6	9
50-64	124	2.2	3	<1	1	2	3	4	5	10
65+	100	4.4	31	1	1	3	5	8	14	36
B. *Operated*										
0-19 YRS	30	2.1	3	<1	<1	1	3	5	6	8
20-34	38	4.2	7	<1	1	4	5	8	10	12
35-49	41	5.3	44	<1	<1	3	7	11	14	40
50-64	32	6.6	145	<1	<1	3	6	11	14	70
65+	44	7.7	51	1	2	7	10	14	22	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	3.5	12	<1	1	3	4	7	9	20
20-34	129	3.6	17	1	1	2	4	7	12	23
35-49	82	3.4	5	1	1	3	5	7	8	10
50-64	111	4.3	32	1	1	3	5	8	12	36
65+	226	8.6	93	1	1	6	10	19	30	54
B. *Operated*										
0-19 YRS	21	3.4	10	<1	<1	3	4	6	10	15
20-34	44	7.7	45	<1	1	6	10	20	22	27
35-49	45	8.6	167	<1	<1	6	10	15	17	87
50-64	53	8.8	36	1	2	9	11	18	22	26
65+	127	12.0	161	2	2	9	14	23	30	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	662	2.7	8	<1	1	2	3	5	7	13
B. *Operated*	185	5.3	51	<1	<1	3	7	10	13	38
2. MULTIPLE DX										
A. *Not Operated*	588	5.6	53	1	1	3	6	12	19	41
B. *Operated*	290	9.6	115	1	2	7	12	20	24	64
1. SINGLE DX	847	3.3	19	<1	1	2	4	7	9	17
2. MULTIPLE DX	878	6.9	77	1	1	4	8	15	22	47
A. NOT OPERATED	1250	4.1	31	1	1	2	4	8	12	32
B. OPERATED	475	7.9	95	<1	1	5	10	16	23	59
TOTAL 0-19 YRS	141	3.2	9	<1	<1	2	4	7	9	15
20-34	405	3.5	15	<1	1	2	4	7	10	22
35-49	362	3.6	32	<1	1	2	4	7	10	17
50-64	320	4.5	38	1	1	3	5	10	13	27
65+	497	8.5	100	1	1	5	10	19	26	55
GRAND TOTAL	**1725**	**5.1**	**52**	**<1**	**1**	**3**	**6**	**11**	**16**	**35**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1789	2.5	5	<1	1	2	3	5	7	12
20-34	1216	2.9	7	<1	1	2	4	6	8	13
35-49	556	3.4	10	<1	1	3	4	7	9	13
50-64	360	4.2	15	<1	1	3	6	9	10	15
65+	335	5.2	19	1	1	4	7	10	13	19
B. *Operated*										
0-19 YRS	171	4.3	6	2	2	4	5	7	9	16
20-34	244	4.0	9	1	1	3	5	7	10	17
35-49	90	4.4	20	<1	1	3	6	10	13	25
50-64	31	6.7	133	<1	1	2	7	16	26	59
65+	23	8.2	103	<1	1	4	8	27	34	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	862	3.1	7	1	1	2	4	7	8	13
20-34	1038	3.6	17	<1	1	3	4	7	10	18
35-49	496	4.7	17	1	1	3	6	9	13	21
50-64	506	6.1	27	1	1	5	8	12	15	27
65+	882	7.4	47	1	2	6	9	14	19	37
B. *Operated*										
0-19 YRS	101	5.6	14	1	2	5	7	11	14	19
20-34	280	6.7	81	<1	1	5	8	13	20	44
35-49	145	8.8	64	1	2	7	11	18	25	36
50-64	123	10.9	70	2	2	9	14	22	28	41
65+	108	12.7	109	2	3	10	16	26	39	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4256	3.1	9	<1	1	2	4	7	9	14
B. *Operated*	559	4.5	21	1	1	4	5	8	11	26
2. MULTIPLE DX										
A. *Not Operated*	3784	4.9	26	1	1	3	6	10	14	24
B. *Operated*	757	8.5	76	1	2	6	11	18	24	42
1. SINGLE DX	4815	3.2	11	<1	1	2	4	7	9	15
2. MULTIPLE DX	4541	5.5	36	1	1	4	7	12	16	30
A. NOT OPERATED	8040	3.9	18	<1	1	3	5	8	11	20
B. OPERATED	1316	6.8	57	1	1	5	8	15	21	40
TOTAL 0-19 YRS	2923	2.9	7	<1	1	2	4	6	8	13
20-34	2778	3.6	19	<1	1	2	4	7	10	19
35-49	1287	4.6	22	1	1	3	6	9	13	25
50-64	1020	6.1	35	1	1	4	8	12	16	30
65+	1348	7.3	50	1	2	5	9	15	20	39
GRAND TOTAL	**9356**	**4.3**	**24**	**<1**	**1**	**3**	**5**	**9**	**13**	**23**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	210	4.5	21	1	1	3	5	10	14	24
20-34	45	2.4	4	<1	<1	2	3	5	7	9
35-49	30	4.5	26	<1	1	2	7	11	13	23
50-64	24	4.1	18	<1	<1	2	7	9	14	17
65+	66	4.2	13	1	1	3	6	9	13	14
B. *Operated*										
0-19 YRS	3	3.3	5	2	2	2	5	6	6	6
20-34	13	4.8	14	<1	<1	4	6	10	13	14
35-49	12	5.2	13	<1	1	4	8	11	12	12
50-64	12	7.6	84	2	2	3	9	26	27	27
65+	11	9.7	47	<1	2	10	14	20	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	261	4.8	34	1	1	3	6	9	14	19
20-34	81	3.3	14	<1	1	2	4	9	12	20
35-49	55	6.3	48	1	2	4	8	13	17	45
50-64	105	7.4	47	1	1	5	10	16	24	29
65+	267	8.2	86	1	2	6	10	16	23	51
B. *Operated*										
0-19 YRS	15	9.4	36	1	3	9	12	20	21	22
20-34	15	10.4	57	1	1	9	17	21	24	25
35-49	25	11.5	123	<1	3	9	15	23	34	52
50-64	50	10.8	87	1	1	8	14	27	31	38
65+	37	15.7	205	2	3	10	26	40	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	375	4.2	18	<1	1	3	5	9	13	21
B. *Operated*	51	6.5	39	<1	1	4	9	14	23	27
2. MULTIPLE DX										
A. *Not Operated*	769	6.3	55	1	1	4	8	13	17	36
B. *Operated*	142	12.0	118	1	2	9	16	28	35	64
1. SINGLE DX	426	4.4	21	<1	1	3	5	10	14	24
2. MULTIPLE DX	911	7.2	69	1	1	5	9	15	23	42
A. NOT OPERATED	1144	5.6	44	1	1	4	7	12	16	32
B. OPERATED	193	10.6	103	1	2	8	14	25	32	57
TOTAL 0-19 YRS	489	4.8	29	1	1	3	6	10	14	22
20-34	154	3.9	20	<1	1	2	4	10	14	23
35-49	122	6.8	59	1	1	4	9	15	20	48
50-64	191	7.9	59	1	1	5	11	19	27	33
65+	381	8.3	91	1	2	5	10	17	27	59
GRAND TOTAL	**1337**	**6.3**	**56**	**1**	**1**	**4**	**8**	**14**	**19**	**37**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	600	4.2	24	1	1	3	5	8	11	19
20-34	221	3.2	8	<1	1	2	4	7	9	15
35-49	154	3.5	9	<1	1	3	5	7	9	16
50-64	200	4.4	15	1	1	3	6	9	12	23
65+	484	6.5	61	1	1	5	8	14	19	71
B. *Operated*										
0-19 YRS	31	3.5	6	<1	1	2	5	7	9	9
20-34	95	3.1	6	<1	<1	2	4	7	8	13
35-49	60	3.9	10	<1	<1	3	5	8	10	15
50-64	40	5.4	19	<1	1	4	7	11	15	20
65+	42	7.5	35	<1	1	6	12	15	21	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	680	6.1	38	1	1	4	8	13	18	31
20-34	280	4.4	14	<1	1	3	6	9	11	19
35-49	332	5.6	39	1	1	4	7	11	16	46
50-64	594	7.2	62	1	1	5	9	15	22	39
65+	1941	9.7	114	1	2	6	12	22	36	99+
B. *Operated*										
0-19 YRS	48	8.4	142	1	1	5	9	20	25	71
20-34	47	6.5	75	1	1	4	9	11	14	59
35-49	74	8.1	88	1	1	5	10	17	28	50
50-64	109	11.9	212	1	2	7	14	28	47	86
65+	208	16.4	188	1	3	12	25	35	45	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1659	4.7	32	1	1	3	6	9	13	28
B. *Operated*	268	4.4	16	<1	<1	3	5	10	12	21
2. MULTIPLE DX										
A. *Not Operated*	3827	7.9	82	1	1	5	10	17	26	68
B. *Operated*	486	12.4	176	1	2	8	16	31	41	73
1. SINGLE DX	1927	4.7	29	<1	1	3	6	9	13	25
2. MULTIPLE DX	4313	8.4	95	1	1	6	10	19	29	71
A. NOT OPERATED	5486	7.0	69	1	1	5	8	15	22	53
B. OPERATED	754	9.5	134	<1	1	5	12	24	34	67
TOTAL 0-19 YRS	1359	5.3	36	1	1	4	7	11	15	29
20-34	643	3.9	16	<1	1	3	5	8	11	17
35-49	620	5.2	36	<1	1	4	7	10	15	39
50-64	943	7.1	72	1	1	5	9	15	21	47
65+	2675	9.6	114	1	2	6	12	23	35	99+
GRAND TOTAL	**6240**	**7.3**	**78**	**1**	**1**	**5**	**9**	**16**	**24**	**59**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	123	2.1	6	1	1	1	2	3	6	13
20-34	6	2.0		1	1	2	2	3	3	3
35-49	3	6.0	25	1	1	6	10	11	11	11
50-64	3	4.0	3	2	2	5	5	5	5	5
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	14	7.2	33	<1	1	6	12	17	17	17
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	1	8.0		8	8	8	8	8	8	8
50-64	2	4.5	25	<1	<1	4	8	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	3.8	12	1	1	2	5	8	11	18
20-34	14	8.6	145	<1	1	3	9	23	40	45
35-49	9	9.0	86	2	2	6	9	24	32	32
50-64	4	15.3	272	1	1	12	28	36	36	36
65+	6	7.3	92	1	1	2	14	23	24	24
B. *Operated*										
0-19 YRS	20	13.1	191	3	4	8	35	63	99+	99+
20-34	27	11.4	156	1	2	6	16	46	99+	99+
35-49	13	14.3	81	1	3	15	17	29	31	32
50-64	11	19.8	521	1	2	8	40	80	97	99+
65+	3	27.7	254	10	10	32	39	41	41	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	2.2	6	1	1	2	2	3	6	13
B. *Operated*	19	6.5	28	<1	1	6	10	15	17	17
2. MULTIPLE DX										
A. *Not Operated*	104	5.5	54	1	1	3	6	13	21	40
B. *Operated*	74	14.3	212	1	2	10	28	47	99+	99+
1. SINGLE DX	155	2.7	11	1	1	2	3	6	10	17
2. MULTIPLE DX	178	9.2	138	1	1	5	12	32	46	99+
A. NOT OPERATED	240	3.6	29	1	1	2	3	8	12	32
B. OPERATED	93	12.7	184	1	2	8	17	42	89	99+
TOTAL 0-19 YRS	228	3.9	35	1	1	2	4	9	12	57
20-34	49	9.1	135	1	1	5	13	35	48	99+
35-49	26	11.3	79	1	2	8	17	27	32	32
50-64	20	15.0	363	<1	1	6	29	57	85	99+
65+	10	12.8	217	1	1	6	24	36	41	41
GRAND TOTAL	**333**	**6.2**	**89**	**1**	**1**	**2**	**7**	**17**	**33**	**99+**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	2.9	7	1	1	2	4	6	10	12
20-34	22	4.1	15	<1	1	3	5	9	13	18
35-49	5	6.6	62	1	1	4	10	20	20	20
50-64	2	4.0	2	3	3	4	5	5	5	5
65+	2	5.0	2	4	4	5	6	6	6	6
B. *Operated*										
0-19 YRS	4	7.0	17	1	1	8	9	10	10	10
20-34	5	6.6	20	1	1	7	9	13	13	13
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	6.0	139	<1	1	3	6	9	20	79
20-34	47	4.6	11	1	1	4	7	10	12	12
35-49	29	5.2	35	1	1	4	5	10	15	32
50-64	10	14.7	425	2	2	6	11	53	59	59
65+	7	7.7	19	2	3	6	10	14	15	15
B. *Operated*										
0-19 YRS	17	8.3	37	2	2	7	13	21	69	99+
20-34	41	12.9	153	2	2	9	23	53	99+	99+
35-49	9	10.4	87	1	1	8	21	64	99+	99+
50-64	9	18.2	192	2	4	19	23	39	49	49
65+	8	20.9	250	6	7	17	29	46	53	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	3.4	11	1	1	2	4	7	11	19
B. *Operated*	11	7.5	19	1	1	8	10	14	15	15
2. MULTIPLE DX										
A. *Not Operated*	140	6.0	91	1	1	4	7	11	14	61
B. *Operated*	84	13.0	143	2	2	10	22	44	99+	99+
1. SINGLE DX	113	3.8	13	1	1	3	4	8	12	19
2. MULTIPLE DX	224	8.7	122	1	1	5	11	23	47	99+
A. NOT OPERATED	242	4.9	59	1	1	3	6	10	12	48
B. OPERATED	95	12.4	131	2	2	9	20	39	99+	99+
TOTAL 0-19 YRS	139	4.7	58	1	1	3	6	10	14	81
20-34	115	7.5	77	1	1	5	10	22	40	99+
35-49	44	6.4	49	1	1	4	7	20	30	99+
50-64	21	15.2	285	2	2	9	21	48	53	59
65+	18	13.7	157	3	4	9	17	29	43	53
GRAND TOTAL	**337**	**7.0**	**90**	**1**	**1**	**4**	**8**	**19**	**29**	**99+**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	1.7	1	<1	<1	1	3	3	4	4
20-34	41	1.7	2	<1	<1	1	2	3	4	9
35-49	10	2.6	4	<1	<1	2	3	6	6	6
50-64	6	2.8	4	<1	<1	2	4	6	6	6
65+	4	2.0	1	<1	<1	2	3	3	3	3
B. *Operated*										
0-19 YRS	187	2.3	3	<1	<1	2	3	5	6	8
20-34	374	2.6	3	<1	1	2	3	5	6	9
35-49	110	2.5	3	<1	<1	2	3	5	6	9
50-64	18	2.4	3	<1	<1	2	3	5	6	7
65+	7	4.3	1	3	3	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	2.2	2	<1	<1	2	3	4	4	7
20-34	55	2.4	4	<1	<1	2	3	6	7	9
35-49	22	4.9	22	1	1	3	6	12	16	17
50-64	22	5.3	23	<1	<1	4	7	11	16	21
65+	16	12.8	299	3	3	9	12	24	59	74
B. *Operated*										
0-19 YRS	140	4.6	25	<1	1	3	6	10	13	22
20-34	341	4.5	24	1	1	3	5	8	12	25
35-49	101	6.0	55	1	1	4	7	11	16	47
50-64	47	8.8	106	1	2	6	11	18	20	66
65+	23	10.0	253	1	1	5	8	22	46	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83	1.9	2	<1	<1	1	3	3	5	8
B. *Operated*	696	2.5	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	145	4.3	50	<1	<1	2	5	9	12	27
B. *Operated*	652	5.3	44	1	1	4	6	10	16	39
1. SINGLE DX	779	2.5	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX	797	5.1	45	1	1	3	6	10	15	35
A. NOT OPERATED	228	3.4	34	<1	<1	2	4	8	10	22
B. OPERATED	1348	3.8	25	<1	1	3	5	7	10	20
TOTAL 0-19 YRS	379	3.1	12	<1	<1	2	4	6	8	18
20-34	811	3.4	13	<1	1	2	4	6	8	17
35-49	243	4.2	29	<1	1	2	5	9	11	29
50-64	93	6.4	66	<1	1	4	7	15	18	48
65+	50	9.4	217	1	1	5	9	20	31	74
GRAND TOTAL	**1576**	**3.8**	**26**	**<1**	**1**	**2**	**4**	**7**	**10**	**21**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	6.8	56	1	1	4	8	15	29	33
20-34	140	7.3	60	1	1	5	8	14	21	43
35-49	67	7.0	29	1	2	6	10	14	18	27
50-64	45	8.6	43	2	2	7	10	20	24	99+
65+	54	11.1	79	2	2	8	14	28	30	36
B. *Operated*										
0-19 YRS	7	14.0	177	3	3	7	27	33	34	34
20-34	18	9.4	44	1	2	8	15	18	21	23
35-49	2	7.0	8	5	5	7	9	9	9	9
50-64	4	9.3	24	3	3	9	12	15	15	15
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	12.4	270	1	1	8	13	35	39	90
20-34	101	9.1	116	1	2	6	10	20	42	79
35-49	58	8.7	54	1	2	7	11	17	23	36
50-64	95	10.7	73	2	3	8	13	22	29	45
65+	235	18.7	239	3	5	14	22	40	54	99+
B. *Operated*										
0-19 YRS	11	13.4	120	1	2	9	22	31	31	31
20-34	43	13.9	222	2	3	9	18	30	62	99+
35-49	29	21.0	268	2	3	20	28	50	71	99+
50-64	15	15.7	75	3	4	15	20	31	32	33
65+	24	22.1	195	2	7	21	32	60	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	354	7.9	56	1	2	6	10	17	26	36
B. *Operated*	31	10.3	67	2	2	9	15	21	31	34
2. MULTIPLE DX										
A. *Not Operated*	529	13.9	186	2	3	10	18	33	44	89
B. *Operated*	122	17.4	209	2	3	15	24	43	64	99+
1. SINGLE DX	385	8.1	57	1	2	6	10	17	27	36
2. MULTIPLE DX	651	14.5	192	2	3	10	19	34	46	99+
A. NOT OPERATED	883	11.5	142	1	2	8	14	26	38	80
B. OPERATED	153	15.9	188	2	3	12	23	34	53	99+
TOTAL 0-19 YRS	106	10.1	156	1	1	6	11	30	34	63
20-34	302	9.0	104	1	2	6	11	19	31	69
35-49	156	10.3	108	1	2	7	12	23	31	70
50-64	159	10.6	66	2	3	8	14	22	30	46
65+	313	17.6	217	2	4	14	22	39	53	99+
GRAND TOTAL	**1036**	**12.1**	**151**	**1**	**2**	**8**	**16**	**28**	**39**	**89**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	3	3.3	6	<1	<1	3	5	6	6	6
35-49	1	19.0		19	19	19	19	19	19	19
50-64	2	4.5	13	2	2	4	7	7	7	7
65+	3	5.7	5	3	3	7	7	7	7	7
B. *Operated*										
0-19 YRS	3	14.3	57	9	9	11	20	23	23	23
20-34	3	16.3	9	13	13	17	18	19	19	19
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	5.4	26	1	1	5	6	14	16	16
35-49	2	3.0		3	3	3	3	3	3	3
50-64	8	18.4	510	2	3	10	21	57	71	71
65+	5	15.8	16	12	12	16	21	92	99+	99+
B. *Operated*										
0-19 YRS	4	45.8	786	19	19	63	82	99+	99+	99+
20-34	8	48.9	1202	9	19	97	99+	99+	99+	99+
35-49	4	31.0	206	11	11	38	58	99+	99+	99+
50-64	3	7.3	6	5	5	7	9	10	10	10
65+	3	25.7	462	4	4	26	42	47	47	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	7.2	38	<1	1	6	7	18	19	19
B. *Operated*	7	13.4	49	2	3	13	18	22	23	23
2. MULTIPLE DX										
A. *Not Operated*	22	12.3	221	1	2	7	17	34	81	99+
B. *Operated*	22	36.2	806	5	7	47	99+	99+	99+	99+
1. SINGLE DX	17	9.8	49	1	2	7	17	19	22	23
2. MULTIPLE DX	44	24.3	648	2	3	20	71	99+	99+	99+
A. NOT OPERATED	32	10.7	167	1	2	7	16	22	64	99+
B. OPERATED	29	30.7	713	4	6	30	97	99+	99+	99+
TOTAL 0-19 YRS	8	30.4	624	9	10	23	66	90	99+	99+
20-34	21	23.2	871	1	2	19	98	99+	99+	99+
35-49	7	21.3	278	3	3	25	41	83	99+	99+
50-64	14	12.9	322	2	2	7	13	30	62	71
65+	11	15.7	160	3	4	13	23	63	95	99+
GRAND TOTAL	**61**	**20.2**	**521**	**2**	**3**	**17**	**46**	**99+**	**99+**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.1	1	<1	1	2	3	3	5	5
20-34	29	3.8	15	<1	1	2	4	11	12	16
35-49	35	2.6	3	<1	1	2	4	5	6	7
50-64	37	5.0	38	<1	1	3	5	12	20	30
65+	65	8.3	48	<1	1	6	12	17	23	30
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	4.9	36	1	1	4	5	9	11	35
20-34	73	3.9	8	1	1	3	5	7	11	13
35-49	92	6.4	22	1	2	5	8	13	17	21
50-64	139	7.5	43	1	2	6	9	15	21	34
65+	254	11.6	107	2	3	9	15	25	33	99+
B. *Operated*										
0-19 YRS	5	4.2	7	<1	<1	5	6	7	7	7
20-34	34	8.4	74	1	2	7	9	21	41	99+
35-49	23	13.4	146	4	5	9	13	35	42	47
50-64	27	16.0	140	3	5	12	23	37	39	46
65+	28	26.3	472	3	7	20	45	64	85	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	180	5.3	34	<1	1	3	7	13	17	29
B. *Operated*	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*	591	8.5	71	1	2	6	10	19	25	49
B. *Operated*	117	15.2	239	2	3	9	21	43	54	99+
1. SINGLE DX	181	5.4	34	<1	1	3	7	14	18	29
2. MULTIPLE DX	708	9.6	104	1	2	7	11	21	32	88
A. NOT OPERATED	771	7.8	64	1	1	5	10	17	23	46
B. OPERATED	118	15.2	237	2	3	9	20	43	53	99+
TOTAL 0-19 YRS	52	4.1	25	<1	1	3	5	7	9	34
20-34	136	5.0	29	1	1	4	6	11	14	54
35-49	150	6.6	47	1	1	5	8	13	18	40
50-64	203	8.2	65	1	2	6	10	20	24	39
65+	348	12.2	142	2	3	9	15	28	41	99+
GRAND TOTAL	**889**	**8.7**	**93**	**1**	**1**	**6**	**11**	**20**	**30**	**64**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	6.4	65	1	2	4	7	13	18	43
20-34	31	7.5	17	1	2	7	10	13	15	18
35-49	10	7.6	30	3	3	6	11	16	20	20
50-64	19	9.8	32	2	4	10	11	15	22	28
65+	71	19.9	215	5	6	17	29	43	50	95
B. *Operated*										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	7	9.7	41	3	3	7	13	20	21	21
35-49	1	22.0		22	22	22	22	22	22	22
50-64										
65+	1	35.0		35	35	35	35	35	35	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	9.4	63	1	2	8	12	21	24	41
20-34	28	11.9	81	3	4	8	17	26	31	36
35-49	17	11.8	151	2	2	8	13	28	43	50
50-64	42	19.0	308	4	5	15	22	36	64	85
65+	159	25.6	284	4	7	24	37	55	67	99+
B. *Operated*										
0-19 YRS	12	23.0	403	2	5	20	46	99+	99+	99+
20-34	32	28.4	534	4	6	20	54	66	68	73
35-49	8	19.4	134	6	6	18	26	37	39	39
50-64	8	36.0	532	5	8	31	49	71	79	79
65+	23	27.9	229	7	11	29	51	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	159	13.1	153	2	3	9	17	30	43	76
B. *Operated*	10	14.4	100	3	3	13	21	28	35	35
2. MULTIPLE DX										
A. *Not Operated*	286	20.2	270	3	4	16	30	44	60	99+
B. *Operated*	83	27.3	391	5	6	24	46	71	99+	99+
1. SINGLE DX	169	13.2	149	2	3	9	17	30	43	73
2. MULTIPLE DX	369	21.8	305	3	5	18	33	55	69	99+
A. NOT OPERATED	445	17.7	239	2	4	12	26	42	55	99+
B. OPERATED	93	25.9	375	4	6	22	44	69	99+	99+
TOTAL 0-19 YRS	81	10.5	139	1	2	7	13	27	44	99+
20-34	98	15.7	282	2	4	9	18	39	61	71
35-49	36	12.6	124	2	3	8	18	29	37	50
50-64	69	18.4	306	4	4	11	22	36	60	84
65+	254	24.2	265	5	6	22	36	55	84	99+
GRAND TOTAL	**538**	**19.1**	**272**	**2**	**4**	**14**	**28**	**46**	**62**	**99+**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	1.9	3	<1	<1	1	2	4	6	9
20-34	12	2.7	3	<1	<1	2	4	5	6	6
35-49	17	4.1	13	<1	1	3	5	7	13	16
50-64	32	5.3	77	<1	1	3	5	11	13	50
65+	62	9.6	137	<1	1	5	12	27	40	46
B. *Operated*										
0-19 YRS	304	3.3	20	1	1	2	3	6	11	25
20-34	35	4.0	10	1	1	3	6	9	11	12
35-49	17	4.2	16	<1	1	3	5	10	14	16
50-64	32	4.6	13	1	1	4	6	9	13	17
65+	43	5.9	38	1	1	5	7	12	15	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	3.6	21	<1	1	2	4	10	13	21
20-34	12	5.7	52	1	1	3	6	14	25	27
35-49	12	9.4	144	<1	1	6	9	26	41	44
50-64	24	11.6	274	1	1	6	12	30	48	77
65+	120	20.0	326	2	3	15	34	50	68	99+
B. *Operated*										
0-19 YRS	48	6.8	74	1	1	4	8	18	24	47
20-34	60	10.1	278	1	2	4	10	17	43	93
35-49	29	7.9	232	<1	1	5	6	15	20	84
50-64	48	9.8	139	1	2	6	13	20	24	65
65+	94	19.0	416	2	3	12	29	69	93	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	200	5.1	67	<1	1	2	5	12	21	45
B. *Operated*	431	3.7	21	1	1	2	4	8	12	25
2. MULTIPLE DX										
A. *Not Operated*	195	15.1	288	1	1	8	23	45	59	99+
B. *Operated*	279	12.2	282	1	2	6	14	36	66	99+
1. SINGLE DX	631	4.2	36	1	1	2	4	9	14	37
2. MULTIPLE DX	474	13.4	286	1	1	7	17	39	63	99+
A. NOT OPERATED	395	10.0	201	<1	1	4	12	35	46	92
B. OPERATED	710	7.1	141	1	1	3	7	17	26	85
TOTAL 0-19 YRS	456	3.4	24	1	1	2	3	7	12	25
20-34	119	7.1	156	1	1	4	8	12	20	80
35-49	75	6.5	120	<1	1	4	6	13	17	74
50-64	136	7.9	124	1	1	4	9	18	21	67
65+	319	15.8	305	1	1	9	24	46	68	99+
GRAND TOTAL	**1105**	**8.1**	**164**	**1**	**1**	**3**	**9**	**21**	**39**	**85**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	1.2		<1	<1	1	1	2	2	4
20-34	13	1.4	1	<1	<1	1	2	3	3	3
35-49	17	1.8	2	<1	<1	1	2	3	6	7
50-64	26	2.8	13	<1	<1	1	3	7	13	16
65+	21	3.5	19	<1	<1	2	4	6	13	21
B. *Operated*										
0-19 YRS	1222	1.6	2	<1	1	1	2	3	4	7
20-34	228	2.6	4	<1	1	2	3	5	6	11
35-49	161	2.5	5	<1	1	2	3	5	6	15
50-64	222	2.1	2	<1	1	2	2	4	5	7
65+	204	3.1	11	1	1	2	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	2.5	3	<1	<1	2	4	5	6	6
20-34	21	3.4	12	<1	1	2	5	8	11	14
35-49	14	3.4	11	<1	<1	2	6	9	10	10
50-64	19	4.4	21	<1	<1	3	5	12	16	18
65+	51	14.3	203	1	2	9	21	41	47	99
B. *Operated*										
0-19 YRS	162	3.6	33	1	1	2	4	8	11	28
20-34	123	6.3	68	1	1	4	7	13	20	49
35-49	67	6.0	81	1	1	4	7	10	15	60
50-64	111	4.9	20	1	1	3	6	11	13	22
65+	194	7.2	97	1	1	4	8	17	24	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	138	1.9	6	<1	<1	1	2	4	5	17
B. *Operated*	2037	2.0	4	<1	1	1	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	121	8.0	121	<1	1	4	9	24	40	66
B. *Operated*	657	5.6	63	1	1	3	6	12	19	55
1. SINGLE DX	2175	2.0	4	<1	1	1	2	4	5	10
2. MULTIPLE DX	778	6.0	72	1	1	3	7	13	21	55
A. NOT OPERATED	259	4.8	69	<1	<1	2	5	11	22	47
B. OPERATED	2694	2.9	20	1	1	2	3	6	9	21
TOTAL 0-19 YRS	1461	1.8	5	<1	1	1	2	3	5	10
20-34	385	3.8	28	<1	1	2	4	7	10	28
35-49	259	3.4	27	<1	1	2	4	7	9	18
50-64	378	3.1	11	<1	1	2	3	6	10	19
65+	470	6.0	79	1	1	3	7	14	24	65
GRAND TOTAL	**2953**	**3.0**	**25**	**<1**	**1**	**2**	**3**	**6**	**10**	**27**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	1.7	2	<1	<1	1	2	5	5	5
20-34	27	2.0	3	<1	<1	1	2	5	6	6
35-49	15	1.3		<1	<1	<1	2	2	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+	5	2.4	2	1	1	2	3	5	5	5
B. *Operated*										
0-19 YRS	215	1.7	2	<1	<1	1	2	3	3	10
20-34	232	1.9	2	<1	<1	1	2	3	5	7
35-49	90	2.2	13	<1	<1	1	2	4	5	24
50-64	33	2.5	6	<1	1	2	3	5	7	13
65+	16	2.4	3	1	1	2	3	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	1.4	1	<1	<1	1	2	3	3	3
20-34	22	2.5	6	<1	<1	2	3	4	8	12
35-49	6	3.5	5	1	1	3	5	7	7	7
50-64	10	7.4	54	1	1	6	8	18	26	26
65+	15	14.8	472	<1	1	7	22	31	71	85
B. *Operated*										
0-19 YRS	78	3.7	28	<1	1	2	4	6	15	29
20-34	119	4.7	80	<1	1	3	5	8	11	61
35-49	59	3.8	21	<1	1	3	5	7	8	33
50-64	40	5.7	68	1	1	3	5	17	26	38
65+	7	4.1	15	<1	<1	3	7	10	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	1.8	2	<1	<1	1	2	4	5	6
B. *Operated*	586	1.9	4	<1	<1	1	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	67	5.9	137	<1	<1	3	5	12	25	76
B. *Operated*	303	4.4	52	<1	1	3	4	7	12	36
1. SINGLE DX	649	1.9	4	<1	<1	1	2	3	5	8
2. MULTIPLE DX	370	4.7	67	<1	1	3	4	8	16	37
A. NOT OPERATED	130	3.9	75	<1	<1	2	3	7	12	42
B. OPERATED	889	2.8	22	<1	<1	2	3	5	7	24
TOTAL 0-19 YRS	322	2.2	9	<1	<1	1	2	4	5	22
20-34	400	2.8	27	<1	<1	2	3	5	7	14
35-49	170	2.8	15	<1	<1	2	3	5	7	28
50-64	84	4.6	43	1	1	2	5	9	20	35
65+	43	7.0	195	<1	1	3	6	15	27	85
GRAND TOTAL	**1019**	**2.9**	**29**	**<1**	**<1**	**2**	**3**	**5**	**7**	**27**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	13.0	49	5	5	12	17	22	22	22
20-34	1	60.0		60	60	60	60	60	60	60
35-49	3	12.3	1	11	11	13	13	13	13	13
50-64	6	18.2	198	3	3	27	33	87	99+	99+
65+	30	15.4	249	1	3	9	27	46	59	99+
B. *Operated*										
0-19 YRS	8	10.6	48	3	4	8	15	22	23	23
20-34	15	8.2	13	3	4	8	10	12	16	17
35-49	33	14.8	363	4	5	10	13	22	73	91
50-64	65	12.0	33	5	5	11	16	21	22	27
65+	371	17.3	154	5	6	14	21	32	44	83
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	24.0	954	1	1	6	51	73	83	83
20-34	1	59.0		59	59	59	59	59	59	59
35-49	3	10.0	49	2	2	13	14	15	15	15
50-64	12	18.3	285	1	2	14	28	45	51	52
65+	103	20.5	289	3	4	16	36	67	99+	99+
B. *Operated*										
0-19 YRS	8	17.6	214	1	3	13	26	41	45	45
20-34	24	19.5	280	3	5	16	22	39	54	82
35-49	38	18.4	229	5	7	14	24	37	67	99+
50-64	137	18.3	125	7	8	15	24	32	42	57
65+	1124	27.5	360	7	10	23	39	72	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	16.4	242	2	3	11	27	56	68	99+
B. *Operated*	492	16.0	151	5	6	13	20	28	41	83
2. MULTIPLE DX										
A. *Not Operated*	128	20.6	334	2	3	16	38	59	99+	99+
B. *Operated*	1331	26.1	340	7	9	21	36	65	97	99+
1. SINGLE DX	536	16.1	158	5	5	13	20	29	44	86
2. MULTIPLE DX	1459	25.6	342	6	8	21	36	65	99+	99+
A. NOT OPERATED	172	19.5	312	2	3	15	33	58	99+	99+
B. OPERATED	1823	23.4	309	6	8	19	32	56	84	99+
TOTAL 0-19 YRS	29	17.0	373	1	2	9	21	47	59	83
20-34	41	17.3	289	3	4	12	19	40	59	82
35-49	77	16.3	271	5	6	12	15	31	65	97
50-64	220	16.4	114	5	6	14	22	30	41	57
65+	1628	24.5	327	6	8	20	35	62	94	99+
GRAND TOTAL	**1995**	**23.0**	**310**	**5**	**7**	**18**	**32**	**56**	**85**	**99+**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	89	23.8	315	2	2	22	34	50	57	71
20-34	4	4.8	10	2	2	4	7	9	9	9
35-49	1	4.0		4	4	4	4	4	4	4
50-64	3	19.7	884	2	2	3	41	54	54	54
65+	9	18.3	296	1	1	10	35	40	42	42
B. *Operated*										
0-19 YRS	97	20.3	276	2	3	18	32	46	52	65
20-34	33	10.7	41	2	4	10	14	17	26	29
35-49	5	17.2	105	8	8	15	24	33	33	33
50-64	5	18.4	62	9	9	16	26	28	28	28
65+	17	23.8	522	4	8	18	28	50	83	99
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	25.0	260	2	3	25	33	52	61	99
20-34	5	8.8	32	4	4	7	13	17	17	17
35-49	4	29.8	1045	5	5	21	54	73	73	73
50-64	7	25.6	641	1	2	28	54	92	99+	99+
65+	26	30.6	621	3	4	30	54	82	99+	99+
B. *Operated*										
0-19 YRS	79	30.5	415	2	4	28	46	59	68	77
20-34	65	21.1	238	4	5	18	30	43	61	99+
35-49	22	20.7	302	3	5	14	25	51	60	72
50-64	25	24.2	419	6	6	21	30	46	71	97
65+	58	35.1	533	6	10	40	66	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	106	22.3	322	2	2	21	34	49	56	71
B. *Operated*	157	18.5	254	2	4	13	27	40	51	68
2. MULTIPLE DX										
A. *Not Operated*	93	25.9	411	2	3	25	36	70	81	99+
B. *Operated*	249	27.6	413	4	6	24	45	68	98	99+
1. SINGLE DX	263	20.0	284	2	3	16	31	44	53	69
2. MULTIPLE DX	342	27.2	412	3	5	25	43	68	94	99+
A. NOT OPERATED	199	24.0	365	2	2	22	35	54	72	99+
B. OPERATED	406	24.1	371	3	5	19	37	56	77	99+
TOTAL 0-19 YRS	316	24.6	331	2	3	23	36	51	59	72
20-34	107	16.7	190	3	4	13	22	36	54	99+
35-49	32	20.8	341	4	5	14	26	51	70	73
50-64	40	23.4	414	3	5	21	31	58	84	99+
65+	110	30.9	550	3	6	31	54	99+	99+	99+
GRAND TOTAL	**605**	**24.1**	**368**	**2**	**4**	**21**	**36**	**55**	**73**	**99+**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	140	2.6	5	<1	1	2	3	5	6	13
20-34	61	3.5	10	<1	<1	3	4	8	11	16
35-49	42	4.0	15	<1	1	3	5	10	11	21
50-64	25	8.8	101	1	2	5	11	20	28	48
65+	22	12.7	318	2	3	7	10	36	60	76
B. *Operated*										
0-19 YRS	274	4.1	22	1	1	3	5	7	11	27
20-34	206	5.9	29	1	2	4	7	12	16	28
35-49	132	6.0	24	1	1	4	8	12	15	24
50-64	54	9.4	84	1	3	7	10	20	31	48
65+	23	13.4	188	4	5	9	14	24	44	69
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	4.8	43	1	1	3	5	8	19	32
20-34	31	4.3	13	1	1	3	5	7	12	19
35-49	22	10.7	194	1	3	7	12	44	75	99+
50-64	37	11.0	262	1	1	8	11	20	31	97
65+	39	13.6	148	3	4	10	19	35	79	99+
B. *Operated*										
0-19 YRS	75	9.2	200	1	2	5	10	17	33	88
20-34	141	14.6	202	2	3	11	18	32	47	72
35-49	103	12.2	136	2	3	8	14	27	39	58
50-64	91	17.0	272	3	4	12	21	41	71	99+
65+	57	20.9	262	2	5	18	33	60	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	290	4.3	47	<1	1	3	4	9	12	41
B. *Operated*	689	5.7	39	1	1	4	7	12	16	31
2. MULTIPLE DX										
A. *Not Operated*	170	8.8	140	1	1	5	10	20	34	99+
B. *Operated*	467	14.5	218	2	3	10	18	34	52	99+
1. SINGLE DX	979	5.3	41	1	1	4	6	11	15	32
2. MULTIPLE DX	637	13.0	203	1	2	8	17	32	49	99+
A. NOT OPERATED	460	6.0	86	1	1	3	7	13	20	74
B. OPERATED	1156	9.3	129	1	1	5	11	21	32	71
TOTAL 0-19 YRS	530	4.5	48	1	1	3	5	8	13	33
20-34	439	8.3	101	1	2	5	10	19	26	54
35-49	299	8.2	84	1	2	5	10	17	27	56
50-64	207	12.9	211	2	2	8	16	29	48	98
65+	141	16.4	236	3	4	11	22	48	70	99+
GRAND TOTAL	**1616**	**8.3**	**119**	**1**	**1**	**5**	**10**	**19**	**31**	**71**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	2.4	3	<1	1	2	3	4	6	9
20-34	99	3.1	10	<1	<1	2	4	6	9	18
35-49	69	3.1	6	<1	1	2	4	7	8	11
50-64	44	3.9	19	<1	<1	3	5	9	11	25
65+	48	10.0	125	<1	<1	6	12	26	39	47
B. *Operated*										
0-19 YRS	275	3.5	9	1	1	3	4	6	7	11
20-34	484	4.3	8	1	2	4	5	7	9	15
35-49	298	4.9	13	2	2	4	5	8	11	23
50-64	192	5.6	9	2	3	5	7	10	13	14
65+	100	7.9	15	3	4	7	10	13	16	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	4.4	16	1	1	3	5	10	15	17
20-34	74	5.1	25	1	1	4	7	10	13	31
35-49	39	5.0	21	1	1	3	7	10	15	20
50-64	53	9.1	134	1	2	6	11	20	27	72
65+	90	14.9	272	2	3	9	19	40	59	90
B. *Operated*										
0-19 YRS	91	6.6	34	1	2	5	8	13	20	27
20-34	327	7.0	64	2	2	5	7	17	22	50
35-49	179	7.1	41	2	3	5	8	13	20	50
50-64	160	9.1	111	3	3	6	10	16	26	72
65+	120	13.2	154	3	4	9	19	33	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	337	4.0	31	<1	<1	2	4	8	12	29
B. *Operated*	1349	4.7	11	1	2	4	6	8	11	19
2. MULTIPLE DX										
A. *Not Operated*	283	8.9	141	1	1	5	10	20	30	73
B. *Operated*	877	8.2	81	2	2	5	9	19	26	62
1. SINGLE DX	1686	4.6	15	1	1	4	5	8	11	21
2. MULTIPLE DX	1160	8.4	96	2	2	5	9	19	27	72
A. NOT OPERATED	620	6.2	87	<1	1	3	7	13	21	58
B. OPERATED	2226	6.1	42	1	2	4	7	11	17	39
TOTAL 0-19 YRS	470	4.0	15	1	1	3	5	7	11	25
20-34	984	5.1	30	1	1	4	6	9	14	30
35-49	585	5.4	23	1	2	4	6	10	14	25
50-64	449	7.1	65	1	2	5	8	13	18	40
65+	358	11.7	148	2	3	8	14	26	44	97
GRAND TOTAL	**2846**	**6.1**	**52**	**1**	**2**	**4**	**7**	**11**	**19**	**45**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	1.7	1	<1	<1	1	2	3	3	7
20-34	34	2.1	3	<1	1	2	3	4	4	9
35-49	12	1.8	1	<1	<1	1	2	3	4	4
50-64	7	6.3	25	1	1	7	11	12	12	12
65+	8	7.5	12	4	4	6	10	13	13	13
B. *Operated*										
0-19 YRS	21	2.7	4	<1	1	2	4	6	7	7
20-34	17	2.6	3	1	1	2	3	5	6	7
35-49	2	3.0		3	3	3	3	3	3	3
50-64	2	3.0	2	2	2	3	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	3.4	23	1	1	2	4	7	8	30
20-34	52	3.5	7	1	1	3	5	8	9	11
35-49	27	5.1	10	1	1	5	7	9	11	15
50-64	26	10.2	179	1	1	7	9	26	48	57
65+	34	12.6	119	2	2	9	15	24	37	51
B. *Operated*										
0-19 YRS	14	4.8	30	1	1	3	6	9	19	22
20-34	26	4.0	9	1	1	3	5	8	10	14
35-49	9	4.3	7	1	1	5	6	8	9	9
50-64	9	6.1	20	1	1	6	9	13	14	14
65+	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	2.7	7	<1	<1	2	3	7	9	13
B. *Operated*	42	2.7	3	1	1	2	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	181	6.4	69	1	1	4	8	13	22	49
B. *Operated*	59	4.6	15	1	1	4	6	9	13	21
1. SINGLE DX	138	2.7	6	<1	1	2	3	6	8	12
2. MULTIPLE DX	240	5.9	57	1	1	4	7	11	18	46
A. NOT OPERATED	277	5.1	51	1	1	3	6	10	15	44
B. OPERATED	101	3.8	11	1	1	3	5	7	9	18
TOTAL 0-19 YRS	112	2.9	14	<1	1	2	3	6	7	25
20-34	129	3.2	6	1	1	2	4	7	9	12
35-49	50	4.1	9	1	1	3	5	8	9	15
50-64	44	8.4	116	1	1	6	9	14	33	57
65+	43	11.4	101	2	3	9	13	23	35	51
GRAND TOTAL	**378**	**4.8**	**40**	**1**	**1**	**3**	**6**	**9**	**14**	**37**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	11.0		11	11	11	11	11	11	11
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	20.0		20	20	20	20	20	20	20
20-34										
35-49										
50-64										
65+	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	4.7	30	1	1	2	9	11	11	11
B. *Operated*	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	2	15.0	50	10	10	15	20	20	20	20
1. SINGLE DX	4	3.8	24	1	1	2	6	11	11	11
2. MULTIPLE DX	2	15.0	50	10	10	15	20	20	20	20
A. NOT OPERATED	3	4.7	30	1	1	2	9	11	11	11
B. OPERATED	3	10.3	90	1	1	10	17	20	20	20
TOTAL 0-19 YRS	3	7.3	120	1	1	1	15	20	20	20
20-34	1	11.0		11	11	11	11	11	11	11
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+	1	10.0		10	10	10	10	10	10	10
GRAND TOTAL	**6**	**7.5**	**58**	**1**	**1**	**6**	**11**	**19**	**20**	**20**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	1.3		<1	<1	1	2	2	3	3
20-34	27	1.3	1	<1	<1	1	1	2	3	5
35-49	2	2.5	5	<1	<1	2	4	4	4	4
50-64	2	1.0		1	1	1	1	1	1	1
65+	7	7.0	51	<1	<1	3	14	17	17	17
B. *Operated*										
0-19 YRS	65	2.4	1	<1	1	2	3	4	5	5
20-34	268	2.4	1	1	1	2	3	4	4	6
35-49	76	2.2	1	<1	1	2	3	4	4	5
50-64	25	1.6	1	<1	1	1	2	3	4	4
65+	21	2.0	4	<1	<1	1	2	5	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	14	3.4	10	1	1	2	4	7	12	13
35-49	4	1.3		<1	<1	1	1	2	2	2
50-64	5	2.0	5	1	1	1	3	6	6	6
65+	15	10.2	208	<1	1	4	9	43	44	45
B. *Operated*										
0-19 YRS	14	2.2	2	1	1	2	3	4	6	6
20-34	66	3.7	16	<1	1	3	5	7	8	24
35-49	25	2.9	3	<1	1	3	4	5	6	8
50-64	24	5.1	86	<1	1	2	5	9	24	46
65+	19	7.0	41	1	1	4	15	18	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	2.1	10	<1	<1	1	1	3	10	17
B. *Operated*	455	2.3	1	<1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	41	5.3	91	<1	1	2	5	11	29	45
B. *Operated*	148	4.1	28	1	1	3	5	8	16	46
1. SINGLE DX	509	2.3	2	<1	1	2	3	4	4	7
2. MULTIPLE DX	189	4.3	42	1	1	2	5	8	16	46
A. NOT OPERATED	95	3.5	47	<1	<1	1	3	6	14	44
B. OPERATED	603	2.8	9	<1	1	2	3	5	6	16
TOTAL 0-19 YRS	98	2.2	1	<1	1	2	3	4	5	6
20-34	375	2.6	5	<1	1	2	3	4	6	10
35-49	107	2.4	2	<1	1	2	3	4	5	7
50-64	56	3.1	40	<1	1	1	3	6	8	44
65+	62	6.1	76	<1	1	3	8	16	28	93
GRAND TOTAL	**698**	**2.9**	**14**	**<1**	**1**	**2**	**3**	**5**	**6**	**19**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.4	4	<1	<1	1	3	6	7	7
20-34	13	2.1	3	<1	<1	1	2	5	7	7
35-49	2	1.0		1	1	1	1	1	1	1
50-64	2	4.5	5	3	3	4	6	6	6	6
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	71	3.5	5	1	1	3	4	6	7	13
20-34	247	3.3	4	1	1	3	4	5	6	8
35-49	112	3.2	3	1	1	3	4	5	7	9
50-64	44	3.8	4	1	2	4	5	6	7	10
65+	3	5.3	14	1	1	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	3	2.3	5	1	1	1	4	5	5	5
35-49	3	2.7	1	2	2	2	4	4	4	4
50-64	3	3.0	1	2	2	3	4	4	4	4
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	26	4.7	13	1	1	4	6	9	13	17
20-34	118	4.5	60	1	1	3	4	6	9	54
35-49	50	4.2	6	1	1	4	6	7	9	10
50-64	24	4.3	10	1	1	4	5	9	11	14
65+	7	4.3	9	2	2	3	7	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	2.4	4	<1	<1	1	3	6	7	7
B. *Operated*	477	3.4	4	1	1	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	12	2.5	2	1	1	2	3	4	5	5
B. *Operated*	225	4.4	35	1	1	3	5	7	9	30
1. SINGLE DX	509	3.3	4	1	1	3	4	6	7	9
2. MULTIPLE DX	237	4.3	34	1	1	3	5	7	9	28
A. NOT OPERATED	44	2.4	3	<1	1	2	3	5	6	7
B. OPERATED	702	3.7	14	1	1	3	4	6	8	14
TOTAL 0-19 YRS	113	3.6	7	<1	1	3	5	6	8	15
20-34	381	3.7	21	1	1	3	4	6	7	18
35-49	167	3.5	4	1	1	3	4	6	7	10
50-64	73	4.0	6	1	1	4	5	6	9	13
65+	12	4.3	9	1	1	3	7	8	9	9
GRAND TOTAL	**746**	**3.7**	**13**	**1**	**1**	**3**	**4**	**6**	**7**	**14**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	3.6	8	<1	<1	3	6	8	9	10
20-34	17	2.8	9	<1	<1	1	3	7	11	12
35-49	7	4.6	29	<1	<1	2	7	14	15	15
50-64	5	3.8	9	<1	<1	3	5	9	9	9
65+	5	8.0	153	1	1	3	10	30	30	30
B. *Operated*										
0-19 YRS	72	3.2	17	<1	<1	1	3	11	12	21
20-34	78	4.1	20	<1	1	2	5	11	14	21
35-49	21	4.1	15	<1	<1	2	8	10	12	13
50-64	12	7.8	103	<1	<1	4	8	27	31	32
65+	14	6.2	71	1	1	3	8	16	28	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	5.1	75	<1	<1	1	5	20	26	26
20-34	10	4.4	17	<1	<1	4	6	49	96	99+
35-49	2	4.5	25	1	1	4	8	8	8	8
50-64	2	5.5	13	3	3	5	8	8	8	8
65+	5	16.8	519	3	3	10	22	57	57	57
B. *Operated*										
0-19 YRS	27	10.9	196	1	1	6	16	38	64	99+
20-34	39	6.9	63	<1	1	4	9	18	24	36
35-49	29	7.2	50	<1	<1	4	12	19	22	24
50-64	12	10.2	71	1	1	8	14	25	27	27
65+	11	8.6	29	1	2	9	12	16	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	3.9	25	<1	<1	2	4	9	12	30
B. *Operated*	197	4.1	27	<1	1	2	5	11	14	29
2. MULTIPLE DX										
A. *Not Operated*	27	7.0	130	<1	<1	4	8	23	61	99+
B. *Operated*	118	8.4	88	<1	1	5	12	21	26	72
1. SINGLE DX	246	4.1	27	<1	<1	2	5	11	13	30
2. MULTIPLE DX	145	8.1	95	<1	1	4	11	21	27	99+
A. NOT OPERATED	76	5.0	63	<1	<1	3	6	11	22	88
B. OPERATED	315	5.7	54	<1	1	2	8	14	22	38
TOTAL 0-19 YRS	122	5.1	67	<1	<1	2	6	12	22	71
20-34	144	4.7	32	<1	1	2	6	12	17	39
35-49	59	5.7	35	<1	<1	3	9	14	19	24
50-64	31	7.9	71	<1	1	5	10	24	27	32
65+	35	8.7	127	1	1	5	10	19	31	57
GRAND TOTAL	**391**	**5.6**	**56**	**<1**	**1**	**3**	**8**	**14**	**22**	**51**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	2.0	2	<1	<1	2	2	4	5	10
20-34	66	2.0	1	<1	<1	2	2	3	4	7
35-49	24	1.9	2	<1	<1	1	2	4	6	6
50-64	14	3.4	13	<1	<1	2	5	8	12	13
65+	16	5.9	15	1	1	5	10	12	12	12
B. *Operated*										
0-19 YRS	105	3.4	3	1	1	3	5	5	6	8
20-34	251	3.6	4	1	1	3	5	6	7	10
35-49	49	4.3	9	1	1	4	5	8	10	18
50-64	14	5.6	14	1	2	5	7	12	14	14
65+	3	3.0	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	2.6	3	<1	<1	2	4	5	6	7
20-34	22	3.4	8	1	1	2	3	9	10	11
35-49	16	8.3	187	1	2	4	9	11	44	58
50-64	17	5.9	32	<1	1	4	9	15	17	18
65+	35	10.9	102	2	3	7	15	21	38	44
B. *Operated*										
0-19 YRS	73	4.3	5	2	2	4	5	8	8	10
20-34	202	4.6	8	2	2	4	6	8	8	16
35-49	103	4.6	8	1	1	4	6	8	10	15
50-64	24	5.8	18	2	2	5	7	9	15	23
65+	9	13.0	193	3	4	9	13	36	48	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	179	2.4	5	<1	<1	2	3	5	8	12
B. *Operated*	422	3.7	5	1	1	3	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	116	6.5	73	1	1	4	7	15	19	49
B. *Operated*	411	4.8	13	1	2	4	6	8	10	19
1. SINGLE DX	601	3.3	5	1	1	3	4	6	8	11
2. MULTIPLE DX	527	5.2	27	1	2	4	6	9	12	26
A. NOT OPERATED	295	4.1	36	<1	<1	2	4	10	14	35
B. OPERATED	833	4.3	9	1	2	4	5	7	8	14
TOTAL 0-19 YRS	263	3.3	4	1	1	3	4	6	7	10
20-34	541	3.8	6	1	1	3	5	7	8	11
35-49	192	4.5	24	1	1	4	6	8	10	19
50-64	69	5.3	20	<1	1	4	7	12	14	22
65+	63	9.6	93	2	3	7	12	18	32	47
GRAND TOTAL	**1128**	**4.2**	**16**	**1**	**1**	**3**	**5**	**7**	**10**	**18**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.0	3	<1	1	1	2	4	6	7
20-34	76	4.2	11	1	1	3	6	8	9	18
35-49	68	5.2	15	1	1	4	7	9	12	21
50-64	27	7.5	19	1	2	7	10	13	15	20
65+	13	6.5	25	1	1	5	9	14	17	18
B. *Operated*										
0-19 YRS										
20-34	7	10.4	61	2	2	9	15	22	24	24
35-49	7	9.0	44	3	3	8	11	20	22	22
50-64	1	15.0		15	15	15	15	15	15	15
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.2		2	2	2	3	3	3	3
20-34	44	4.4	8	1	1	4	6	8	11	13
35-49	49	6.6	18	1	2	6	9	13	14	18
50-64	38	6.2	18	2	2	5	8	12	16	19
65+	62	8.8	31	2	3	7	12	17	21	24
B. *Operated*										
0-19 YRS										
20-34	6	17.8	317	2	3	9	29	47	49	49
35-49	3	10.3	60	4	4	8	16	19	19	19
50-64	5	15.8	248	2	2	8	26	41	41	41
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	198	5.0	16	1	1	4	7	9	13	20
B. *Operated*	15	10.1	48	2	3	9	15	22	23	24
2. MULTIPLE DX										
A. *Not Operated*	198	6.6	22	1	2	5	9	13	17	22
B. *Operated*	14	15.5	216	2	2	9	21	42	47	49
1. SINGLE DX	213	5.3	19	1	1	4	7	10	14	22
2. MULTIPLE DX	212	7.2	39	1	2	6	9	14	19	34
A. NOT OPERATED	396	5.8	20	1	1	5	8	12	14	21
B. OPERATED	29	12.7	132	2	2	9	16	27	41	49
TOTAL 0-19 YRS	19	2.1	2	<1	1	2	2	4	6	7
20-34	133	5.2	33	1	1	4	7	9	13	32
35-49	127	6.1	20	1	2	5	8	12	15	22
50-64	71	7.5	37	2	2	6	9	14	19	37
65+	75	8.4	31	1	2	7	12	16	20	24
GRAND TOTAL	**425**	**6.3**	**30**	**1**	**1**	**5**	**8**	**13**	**17**	**24**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	2.3	3	<1	<1	2	3	4	6	9
20-34	254	3.1	8	<1	<1	2	4	6	9	14
35-49	155	4.7	12	<1	1	4	7	9	11	18
50-64	66	4.8	21	<1	<1	4	6	9	13	29
65+	37	7.0	28	<1	1	6	10	15	19	20
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	5	2.6	2	2	2	2	3	5	5	5
35-49	7	10.4	109	1	1	7	21	25	25	25
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	3.0	5	<1	1	2	5	7	7	9
20-34	132	4.6	18	1	1	3	6	9	15	21
35-49	130	5.6	22	1	1	5	8	12	15	22
50-64	114	5.9	14	1	1	5	8	11	13	19
65+	119	10.1	114	1	2	7	13	19	27	54
B. *Operated*										
0-19 YRS	7	4.0	7	1	1	4	5	8	9	9
20-34	10	9.4	72	1	2	7	9	24	28	28
35-49	5	23.0	978	2	2	12	32	78	78	78
50-64										
65+	4	5.3	28	2	2	3	8	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	593	3.8	13	<1	<1	3	5	8	10	18
B. *Operated*	14	6.5	67	1	2	3	7	25	25	25
2. MULTIPLE DX										
A. *Not Operated*	539	6.2	43	1	1	5	8	13	16	29
B. *Operated*	26	9.9	235	1	2	5	9	21	38	78
1. SINGLE DX	607	3.9	14	<1	<1	3	5	8	10	19
2. MULTIPLE DX	565	6.4	52	1	1	5	8	13	16	31
A. NOT OPERATED	1132	5.0	29	<1	1	3	7	10	14	25
B. OPERATED	40	8.7	176	1	2	4	9	23	27	78
TOTAL 0-19 YRS	133	2.6	4	<1	1	2	3	6	7	9
20-34	401	3.7	14	<1	<1	2	5	8	10	20
35-49	297	5.5	38	<1	1	4	7	11	15	25
50-64	181	5.5	17	<1	1	5	7	10	13	19
65+	160	9.3	94	1	2	7	12	18	25	38
GRAND TOTAL	**1172**	**5.1**	**34**	**<1**	**1**	**3**	**7**	**10**	**14**	**26**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	94	1.4	1	<1	<1	1	1	2	3	5
20-34	116	1.5	1	<1	<1	<1	2	3	3	7
35-49	35	3.0	17	<1	<1	1	3	6	12	21
50-64	31	2.2	3	<1	<1	1	3	4	6	9
65+	37	3.9	10	<1	<1	3	5	9	10	16
B. *Operated*										
0-19 YRS	57	2.5	2	<1	1	2	3	4	5	5
20-34	167	2.6	2	<1	1	2	3	4	5	7
35-49	99	2.7	2	<1	1	3	4	5	5	6
50-64	46	5.2	78	1	1	3	5	8	11	60
65+	20	5.2	23	<1	1	3	7	13	16	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	2.8	5	<1	1	2	4	6	8	9
20-34	43	2.4	8	<1	<1	1	3	5	7	16
35-49	18	4.8	36	1	1	3	4	12	21	25
50-64	39	3.8	8	1	1	3	5	7	10	14
65+	73	8.7	79	1	2	6	10	18	33	45
B. *Operated*										
0-19 YRS	12	2.3	2	1	1	2	4	5	5	5
20-34	43	3.5	9	<1	1	3	4	6	11	15
35-49	26	3.7	11	<1	1	3	4	6	11	17
50-64	25	4.6	7	2	2	4	6	7	11	12
65+	13	15.9	240	1	3	11	28	38	49	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	313	2.0	5	<1	<1	1	2	4	6	11
B. *Operated*	389	3.0	12	<1	1	2	4	5	6	14
2. MULTIPLE DX										
A. *Not Operated*	208	5.2	41	<1	1	3	6	11	16	36
B. *Operated*	119	5.0	47	1	1	3	5	10	15	40
1. SINGLE DX	702	2.6	9	<1	<1	2	3	5	6	12
2. MULTIPLE DX	327	5.1	43	<1	1	3	5	11	16	36
A. NOT OPERATED	521	3.3	22	<1	<1	2	4	7	10	24
B. OPERATED	508	3.5	21	1	1	3	4	5	8	22
TOTAL 0-19 YRS	198	2.0	2	<1	<1	1	3	4	5	8
20-34	369	2.3	3	<1	<1	2	3	4	5	9
35-49	178	3.1	10	<1	<1	2	4	5	6	20
50-64	141	4.0	30	<1	1	3	5	7	9	23
65+	143	7.6	77	1	1	5	9	16	28	47
GRAND TOTAL	**1029**	**3.4**	**21**	**<1**	**<1**	**2**	**4**	**6**	**9**	**24**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	818	1.3	1	<1	1	1	1	2	3	4
20-34	158	1.5	1	<1	1	1	2	2	4	7
35-49	52	1.6	2	<1	1	1	2	3	4	7
50-64	21	2.4	4	<1	<1	2	3	5	7	8
65+	19	2.2	2	1	1	2	3	4	5	5
B. *Operated*										
0-19 YRS	3	2.0	3	1	1	1	3	4	4	4
20-34	2	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	502	1.9	4	<1	1	1	2	3	5	8
20-34	261	2.3	5	1	1	1	3	5	6	12
35-49	84	3.0	11	<1	<1	2	3	6	11	17
50-64	58	3.2	8	1	1	2	4	7	10	13
65+	62	6.3	51	1	1	4	7	15	23	34
B. *Operated*										
0-19 YRS	104	4.9	136	1	1	2	4	9	16	74
20-34	100	4.0	70	1	1	2	4	7	11	57
35-49	38	2.8	11	<1	1	2	3	6	7	20
50-64	26	4.1	20	1	1	2	6	9	14	20
65+	28	4.3	15	1	1	3	6	11	12	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1068	1.4	1	<1	1	1	1	2	3	5
B. *Operated*	5	2.0	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	967	2.5	9	<1	1	1	3	5	7	17
B. *Operated*	296	4.2	76	1	1	2	4	9	13	51
1. SINGLE DX	1073	1.4	1	<1	1	1	1	2	3	5
2. MULTIPLE DX	1263	2.9	25	1	1	2	3	5	9	20
A. NOT OPERATED	2035	1.9	5	<1	1	1	2	3	5	11
B. OPERATED	301	4.2	75	1	1	2	4	8	13	50
TOTAL 0-19 YRS	1427	1.8	12	<1	1	1	2	3	4	10
20-34	521	2.4	17	<1	1	1	2	5	6	13
35-49	174	2.6	9	<1	1	2	3	5	7	17
50-64	105	3.2	10	1	1	2	4	7	10	16
65+	109	5.1	35	1	1	3	6	11	17	33
GRAND TOTAL	**2336**	**2.2**	**15**	**<1**	**1**	**1**	**2**	**4**	**6**	**14**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	469	1.4	1	<1	<1	1	1	2	3	6
20-34	112	2.0	8	<1	<1	1	2	3	5	16
35-49	42	3.2	38	<1	<1	1	2	8	11	39
50-64	17	1.9	2	<1	<1	1	2	4	5	5
65+	26	9.0	320	<1	1	2	4	23	53	82
B. *Operated*										
0-19 YRS	9	5.3	40	<1	<1	1	8	16	19	19
20-34	8	5.9	9	1	1	7	8	9	9	9
35-49	3	3.3	4	1	1	4	5	5	5	5
50-64	4	10.3	7	8	8	10	12	13	13	13
65+	5	15.6	109	10	10	10	19	34	34	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	334	2.4	11	<1	1	1	2	5	6	10
20-34	171	4.6	95	<1	<1	2	4	10	20	62
35-49	63	3.8	25	<1	1	2	4	9	20	90
50-64	42	5.8	41	1	1	3	7	17	19	28
65+	90	8.8	103	1	1	5	12	24	28	50
B. *Operated*										
0-19 YRS	62	7.9	133	1	1	2	12	28	40	93
20-34	79	6.8	141	1	1	2	6	23	29	68
35-49	35	9.1	312	<1	1	3	9	36	77	99+
50-64	32	10.7	212	1	1	5	27	99+	99+	99+
65+	47	13.9	397	1	1	7	15	56	80	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	666	1.9	19	<1	<1	1	2	3	4	14
B. *Operated*	29	7.7	47	<1	<1	7	10	14	20	34
2. MULTIPLE DX										
A. *Not Operated*	700	4.1	50	<1	1	2	4	9	16	39
B. *Operated*	255	9.2	221	1	1	3	11	33	64	99+
1. SINGLE DX	695	2.2	21	<1	<1	1	2	3	7	17
2. MULTIPLE DX	955	5.4	101	<1	1	2	5	14	26	84
A. NOT OPERATED	1366	3.0	36	<1	1	1	3	6	10	28
B. OPERATED	284	9.0	204	1	1	3	11	30	58	99+
TOTAL 0-19 YRS	874	2.3	17	<1	1	1	2	4	6	27
20-34	370	4.3	79	<1	<1	2	4	9	20	41
35-49	143	4.9	102	<1	1	2	5	10	23	99+
50-64	95	6.9	99	1	1	3	10	26	76	99+
65+	168	10.4	221	1	1	5	12	25	48	82
GRAND TOTAL	**1650**	**4.1**	**70**	**<1**	**1**	**1**	**3**	**9**	**18**	**66**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.6	6	1	1	3	5	7	8	8
20-34	17	2.9	12	<1	<1	2	3	6	12	15
35-49	7	3.3	3	<1	<1	4	4	6	6	6
50-64	4	8.3	41	3	3	6	13	17	17	17
65+	5	6.6	6	4	4	7	9	9	9	9
B. *Operated*										
0-19 YRS	12	4.8	4	3	3	4	5	7	10	10
20-34	14	4.6	5	2	3	4	6	8	9	10
35-49	4	8.0	11	4	4	8	10	12	12	12
50-64	1	3.0		3	3	3	3	3	3	3
65+	2	6.0	18	3	3	6	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.4	5	1	2	3	5	6	8	9
20-34	30	4.6	12	1	1	4	7	8	9	17
35-49	9	7.9	111	1	1	4	9	26	34	34
50-64	21	6.2	12	1	2	5	9	12	12	12
65+	24	10.5	73	1	2	8	14	22	30	36
B. *Operated*										
0-19 YRS	26	12.3	113	2	3	8	16	32	36	42
20-34	55	10.1	168	2	3	6	11	18	29	73
35-49	28	9.7	41	4	4	8	13	15	17	36
50-64	25	11.6	85	3	4	8	17	30	49	99+
65+	11	18.9	237	3	4	12	31	43	48	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	4.0	13	<1	1	3	5	9	12	17
B. *Operated*	33	5.1	6	3	3	4	6	9	10	12
2. MULTIPLE DX										
A. *Not Operated*	98	6.5	40	1	1	5	8	13	18	35
B. *Operated*	145	11.4	127	3	3	8	13	25	36	75
1. SINGLE DX	75	4.5	10	<1	1	4	6	9	10	16
2. MULTIPLE DX	243	9.4	97	2	2	7	12	19	33	65
A. NOT OPERATED	140	5.8	33	1	1	4	8	12	16	34
B. OPERATED	178	10.2	110	3	3	7	12	22	35	71
TOTAL 0-19 YRS	61	7.5	67	1	2	5	8	17	27	41
20-34	116	6.9	94	1	1	4	8	12	18	67
35-49	48	8.3	48	1	2	7	11	15	17	36
50-64	51	9.0	56	2	3	7	12	21	30	99
65+	42	12.0	119	2	3	8	14	30	37	49
GRAND TOTAL	**318**	**8.2**	**81**	**1**	**2**	**6**	**9**	**17**	**28**	**54**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	4.0	13	1	1	3	5	9	9	20
20-34	50	4.6	15	1	1	3	6	10	13	18
35-49	10	5.2	18	<1	<1	4	9	11	13	13
50-64	5	4.4	14	1	1	2	8	9	9	9
65+	2	6.5	1	6	6	6	7	7	7	7
B. *Operated*										
0-19 YRS	34	7.5	4	4	5	8	8	10	11	12
20-34	28	9.1	123	4	5	7	9	10	16	65
35-49	5	8.8	73	2	2	6	13	23	23	23
50-64	4	8.5	39	2	2	7	12	17	17	17
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	5.4	21	1	1	4	7	12	13	25
20-34	66	4.2	11	<1	1	3	6	9	11	16
35-49	17	6.4	43	1	1	4	9	11	22	28
50-64	9	8.8	42	2	2	8	13	19	22	22
65+	13	8.5	27	<1	2	7	14	15	17	18
B. *Operated*										
0-19 YRS	55	14.5	181	3	5	10	17	30	48	70
20-34	76	16.5	296	3	5	11	20	32	55	98
35-49	28	16.3	105	5	6	14	18	38	50	99+
50-64	15	12.3	100	1	2	10	14	27	37	40
65+	8	17.9	64	9	10	16	21	30	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	157	4.3	14	1	1	3	6	9	10	18
B. *Operated*	72	8.2	56	3	4	7	9	10	12	56
2. MULTIPLE DX										
A. *Not Operated*	166	5.4	22	1	1	4	7	12	14	25
B. *Operated*	182	15.6	204	3	5	12	18	32	50	98
1. SINGLE DX	229	5.5	30	1	1	5	8	10	11	22
2. MULTIPLE DX	348	10.7	143	1	2	8	13	23	34	92
A. NOT OPERATED	323	4.9	18	1	1	3	7	10	13	22
B. OPERATED	254	13.5	173	3	5	9	15	27	44	94
TOTAL 0-19 YRS	240	7.2	69	1	1	5	9	13	21	50
20-34	220	9.2	154	1	2	6	10	18	30	93
35-49	60	11.0	93	1	2	10	15	25	38	94
50-64	33	9.7	68	1	2	8	13	18	26	40
65+	24	11.2	59	1	2	10	15	21	26	34
GRAND TOTAL	**577**	**8.7**	**105**	**1**	**1**	**6**	**10**	**18**	**26**	**62**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	5.3	41	<1	<1	4	6	16	19	19
20-34	9	4.7	14	<1	<1	4	6	11	12	12
35-49	8	3.4	2	2	2	3	4	5	5	5
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	40	3.6	7	1	1	3	5	7	9	11
20-34	38	3.8	7	<1	1	3	5	8	9	11
35-49	21	5.4	13	1	2	4	7	9	13	17
50-64	6	3.7	5	1	1	3	5	7	7	7
65+	3	4.3	9	1	1	5	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	3.3	4	1	1	3	5	6	7	7
20-34	9	2.8	2	1	1	2	4	5	5	5
35-49	3	1.3		1	1	1	2	2	2	2
50-64	2	3.5	13	1	1	3	6	6	6	6
65+	4	6.3	27	3	3	4	9	14	14	14
B. *Operated*										
0-19 YRS	44	5.9	33	<1	1	5	7	11	15	32
20-34	55	5.8	20	<1	1	5	8	11	16	23
35-49	25	6.8	41	<1	1	6	9	14	18	31
50-64	14	10.4	374	2	2	5	7	18	64	77
65+	11	6.5	16	2	2	6	9	12	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	4.3	17	<1	<1	4	5	9	14	19
B. *Operated*	108	4.0	8	1	1	4	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	27	3.4	8	1	1	3	5	6	8	14
B. *Operated*	149	6.5	59	<1	1	5	8	12	14	32
1. SINGLE DX	133	4.1	10	<1	1	4	5	8	9	17
2. MULTIPLE DX	176	6.0	53	<1	1	5	7	11	14	32
A. NOT OPERATED	52	3.8	12	<1	1	3	5	6	12	19
B. OPERATED	257	5.5	39	<1	1	4	7	10	13	30
TOTAL 0-19 YRS	100	4.7	21	<1	1	4	6	9	12	26
20-34	111	4.8	15	<1	1	4	7	9	12	20
35-49	57	5.5	25	1	1	4	7	10	14	30
50-64	22	8.0	245	1	2	5	6	9	38	77
65+	19	5.8	16	1	1	5	8	13	14	14
GRAND TOTAL	**309**	**5.2**	**35**	**<1**	**1**	**4**	**7**	**10**	**13**	**26**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	2.1	5	<1	<1	1	2	4	6	12
20-34	30	1.4	2	<1	<1	1	1	3	4	7
35-49	16	1.9	3	<1	1	1	2	4	6	7
50-64	4	3.3	2	1	1	4	4	4	4	4
65+	14	3.9	23	<1	<1	2	4	12	16	17
B. *Operated*										
0-19 YRS	150	1.7	3	<1	<1	1	2	4	6	9
20-34	99	2.3	6	<1	<1	1	3	5	6	16
35-49	32	1.7	2	<1	<1	1	2	3	5	6
50-64	14	2.1	2	<1	<1	2	3	4	5	5
65+	12	2.0	2	<1	<1	1	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	2.8	8	<1	<1	2	3	6	8	16
20-34	61	2.5	5	<1	<1	2	3	5	7	11
35-49	36	2.5	3	<1	1	2	4	5	6	7
50-64	23	5.3	41	<1	1	3	6	11	23	27
65+	47	9.3	239	1	1	4	8	32	58	99+
B. *Operated*										
0-19 YRS	189	2.8	9	<1	<1	2	4	6	8	16
20-34	228	3.4	23	<1	<1	2	4	7	9	27
35-49	76	5.0	54	1	1	2	6	10	22	37
50-64	66	4.8	58	<1	1	3	6	11	12	52
65+	112	8.6	113	1	1	5	10	21	33	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	2.1	6	<1	<1	1	2	4	7	14
B. *Operated*	307	1.9	4	<1	<1	1	2	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	226	4.3	64	<1	<1	2	4	8	11	61
B. *Operated*	671	4.4	45	<1	1	2	5	9	14	38
1. SINGLE DX	420	2.0	4	<1	<1	1	2	4	6	11
2. MULTIPLE DX	897	4.4	50	<1	1	2	5	9	14	41
A. NOT OPERATED	339	3.6	46	<1	<1	2	4	7	10	47
B. OPERATED	978	3.6	33	<1	<1	2	4	8	11	35
TOTAL 0-19 YRS	447	2.4	6	<1	<1	1	3	5	7	12
20-34	418	2.9	15	<1	<1	2	3	6	8	21
35-49	160	3.5	29	<1	<1	2	4	7	9	36
50-64	107	4.5	46	<1	1	3	5	10	12	41
65+	185	8.0	134	<1	1	4	9	20	34	75
GRAND TOTAL	**1317**	**3.6**	**36**	**<1**	**<1**	**2**	**4**	**7**	**11**	**36**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	2.1	2	<1	1	2	3	4	5	5
20-34	34	2.0	3	<1	1	1	2	4	6	8
35-49	6	4.7	18	2	2	3	5	12	13	13
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	24	3.8	11	1	1	3	5	10	11	12
20-34	34	4.8	8	1	1	5	7	9	10	11
35-49	6	4.2	10	2	2	3	5	9	10	10
50-64	6	3.2	13	1	1	2	4	9	10	10
65+	6	4.2	13	1	1	3	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	1.8	1	<1	<1	2	2	3	3	3
20-34	25	3.3	7	<1	1	2	4	8	9	10
35-49	10	4.2	6	<1	<1	4	6	7	8	8
50-64	7	4.6	21	1	1	3	6	13	14	14
65+	5	8.6	30	3	3	6	12	17	17	17
B. *Operated*										
0-19 YRS	24	6.6	47	1	1	4	8	15	22	30
20-34	53	8.7	91	1	1	6	10	19	27	54
35-49	17	8.1	132	<1	1	6	8	11	37	51
50-64	7	17.4	355	4	4	10	22	51	57	57
65+	3	21.7	696	4	4	9	41	52	52	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	2.3	4	<1	1	2	3	5	6	12
B. *Operated*	76	4.3	9	1	1	4	6	9	10	12
2. MULTIPLE DX										
A. *Not Operated*	56	3.8	11	<1	1	3	5	8	11	17
B. *Operated*	104	9.1	122	1	1	6	10	19	31	56
1. SINGLE DX	140	3.4	8	1	1	2	5	8	10	12
2. MULTIPLE DX	160	7.3	89	1	1	4	8	15	24	55
A. NOT OPERATED	120	3.0	8	<1	1	2	3	7	9	15
B. OPERATED	180	7.0	80	1	1	5	8	14	21	54
TOTAL 0-19 YRS	79	3.9	21	1	1	2	5	9	13	27
20-34	146	5.3	44	1	1	3	7	10	17	33
35-49	39	5.9	64	<1	1	4	7	10	13	51
50-64	21	8.3	160	1	1	4	10	19	39	57
65+	15	9.3	157	1	1	6	9	17	43	52
GRAND TOTAL	**300**	**5.4**	**55**	**1**	**1**	**3**	**7**	**11**	**16**	**51**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	2.9	4	<1	<1	2	4	6	6	11
20-34	101	2.7	3	<1	<1	2	4	5	6	8
35-49	35	3.2	4	<1	<1	3	4	6	8	8
50-64	12	3.1	6	<1	<1	2	4	7	8	8
65+	7	4.9	24	<1	<1	2	10	12	12	12
B. *Operated*										
0-19 YRS	192	2.5	11	<1	<1	1	2	5	7	16
20-34	304	2.6	8	<1	<1	2	3	5	8	14
35-49	100	2.8	17	<1	<1	2	3	6	10	26
50-64	69	3.8	20	<1	<1	2	4	9	14	22
65+	23	4.1	41	<1	<1	2	4	9	22	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	3.7	6	<1	1	3	5	7	11	99+
20-34	93	4.7	23	<1	1	4	6	9	13	28
35-49	48	4.8	56	<1	1	3	5	9	10	52
50-64	23	7.2	63	1	2	4	8	21	27	32
65+	17	11.3	447	2	2	5	11	71	96	99+
B. *Operated*										
0-19 YRS	141	3.9	28	1	1	2	5	8	10	25
20-34	313	4.2	34	<1	1	2	5	9	14	34
35-49	124	4.6	26	1	1	3	6	11	19	44
50-64	72	5.8	93	1	1	3	5	14	23	53
65+	42	6.9	135	1	1	4	6	12	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	221	2.9	4	<1	<1	2	4	6	7	11
B. *Operated*	688	2.8	13	<1	<1	2	3	6	9	18
2. MULTIPLE DX										
A. *Not Operated*	222	5.3	65	<1	1	4	6	10	17	93
B. *Operated*	692	4.5	44	1	1	3	5	10	16	50
1. SINGLE DX	909	2.8	11	<1	<1	2	3	6	8	17
2. MULTIPLE DX	914	4.7	49	1	1	3	5	10	16	53
A. NOT OPERATED	443	4.1	36	<1	<1	3	5	8	11	33
B. OPERATED	1380	3.7	29	<1	1	2	4	8	12	31
TOTAL 0-19 YRS	440	3.1	15	<1	<1	2	4	6	8	20
20-34	811	3.5	20	<1	<1	2	4	7	11	25
35-49	307	3.9	26	<1	1	2	4	8	12	29
50-64	176	5.0	56	<1	1	2	5	12	19	45
65+	89	6.9	162	<1	1	4	6	13	41	99+
GRAND TOTAL	**1823**	**3.8**	**31**	**<1**	**1**	**2**	**4**	**8**	**12**	**32**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	4.0	11	<1	1	3	5	7	9	21
20-34	56	3.0	5	<1	<1	2	4	6	6	10
35-49	17	3.4	6	<1	<1	2	6	7	7	7
50-64	16	5.5	12	1	3	4	7	11	13	14
65+	5	8.4	40	3	3	7	13	18	18	18
B. *Operated*										
0-19 YRS	144	4.2	42	<1	1	2	4	8	15	33
20-34	129	4.3	28	1	1	3	5	10	13	33
35-49	37	7.3	129	<1	1	3	8	14	36	55
50-54	18	9.9	200	1	1	4	7	37	45	47
65+	5	18.4	223	1	1	19	26	41	41	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	4.9	7	1	2	5	6	8	11	12
20-34	25	4.3	10	<1	1	3	6	8	11	13
35-49	11	5.0	14	<1	1	4	7	10	14	14
50-64	12	8.8	30	2	3	8	12	18	20	20
65+	25	12.0	114	1	2	10	16	24	40	43
B. *Operated*										
0-19 YRS	65	7.0	61	1	1	4	9	20	22	38
20-34	67	8.5	107	1	1	4	10	19	30	52
35-49	31	7.3	45	1	1	6	12	17	19	28
50-64	23	9.5	108	1	2	8	12	16	29	51
65+	22	14.0	137	3	4	9	16	33	43	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	156	3.9	10	<1	<1	3	5	7	10	18
B. *Operated*	333	5.1	61	1	1	2	5	11	19	45
2. MULTIPLE DX										
A. *Not Operated*	119	6.7	41	1	2	5	8	13	18	40
B. *Operated*	208	8.5	89	1	1	5	11	19	29	48
1. SINGLE DX	489	4.7	45	<1	1	3	5	10	15	42
2. MULTIPLE DX	327	7.9	72	1	1	5	10	17	24	44
A. NOT OPERATED	275	5.1	25	<1	1	4	6	11	14	23
B. OPERATED	541	6.4	75	1	1	3	7	16	23	46
TOTAL 0-19 YRS	317	4.8	36	1	1	3	5	10	16	31
20-34	277	5.1	44	<1	1	3	6	11	17	37
35-49	96	6.4	68	<1	1	4	7	14	19	50
50-64	69	8.6	95	1	2	5	10	17	23	50
65+	57	13.0	124	2	2	10	17	28	42	43
GRAND TOTAL	**816**	**6.0**	**58**	**1**	**1**	**3**	**7**	**14**	**20**	**43**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	3	4.3	24	<1	<1	2	8	10	10	10
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	7	4.9	12	<1	<1	4	7	10	11	11
35-49	3	2.0	3	1	1	1	3	4	4	4
50-64	2	30.5	685	12	12	30	49	49	49	49
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.3	5	1	1	2	2	7	7	7
20-34	1	8.0		8	8	8	8	8	8	8
35-49	1	9.0		9	9	9	9	9	9	9
50-64	3	11.3	42	5	5	11	16	18	18	18
65+	2	4.5	1	4	4	4	5	5	5	5
B. *Operated*										
0-19 YRS	11	7.7	127	<1	<1	2	9	25	38	39
20-34	31	7.4	39	1	2	5	10	17	20	25
35-49	7	7.3	34	<1	<1	7	12	15	15	15
50-64	4	6.3	44	<1	<1	4	10	16	16	16
65+	3	4.7	40	<1	<1	1	9	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.0	16	<1	<1	1	4	10	10	10
B. *Operated*	14	7.6	155	<1	<1	4	8	16	42	49
2. MULTIPLE DX										
A. *Not Operated*	13	5.7	25	1	1	5	8	12	17	18
B. *Operated*	56	7.2	53	<1	1	5	10	16	19	38
1. SINGLE DX	19	6.4	120	<1	<1	3	7	12	32	49
2. MULTIPLE DX	69	6.9	47	<1	1	5	10	16	18	36
A. NOT OPERATED	18	4.9	23	<1	<1	3	8	11	15	18
B. OPERATED	70	7.3	71	<1	<1	4	10	16	20	47
TOTAL 0-19 YRS	20	5.1	78	<1	<1	2	6	12	27	39
20-34	42	6.8	33	<1	1	5	9	16	19	25
35-49	11	6.0	28	<1	<1	4	10	14	15	15
50-64	9	13.3	213	<1	1	11	16	37	49	49
65+	6	4.5	16	<1	<1	4	5	11	12	12
GRAND TOTAL	**88**	**6.8**	**62**	**<1**	**<1**	**4**	**9**	**16**	**18**	**45**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	5	3.0	4	1	1	3	4	6	6	6
35-49	9	5.2	28	<1	1	3	6	14	18	18
50-64	3	5.3	34	1	1	3	10	12	12	12
65+	3	7.0	36	1	1	7	11	13	13	13
B. *Operated*										
0-19 YRS	24	5.3	37	1	2	3	6	10	17	31
20-34	59	5.3	62	1	1	3	5	11	22	49
35-49	16	4.9	11	1	1	4	7	10	11	11
50-64	13	3.8	6	<1	1	4	6	7	8	8
65+	9	7.6	24	1	1	7	12	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	7.8	37	1	2	6	11	17	21	23
20-34	24	5.1	34	1	1	3	7	11	21	23
35-49	11	11.5	436	1	1	5	12	81	97	99+
50-64	8	5.4	12	1	1	5	7	11	12	12
65+	11	8.5	42	3	3	5	11	20	22	22
B. *Operated*										
0-19 YRS	20	6.4	60	<1	1	3	8	17	26	31
20-34	45	6.9	60	1	2	5	8	23	31	99+
35-49	30	7.1	95	1	1	3	6	21	35	39
50-64	14	5.9	28	2	2	4	6	18	18	18
65+	13	6.5	27	2	2	5	8	16	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	4.8	20	<1	1	3	6	12	15	18
B. *Operated*	121	5.2	41	1	1	3	6	10	14	37
2. MULTIPLE DX										
A. *Not Operated*	72	7.3	93	1	1	5	8	18	23	94
B. *Operated*	122	6.7	60	1	2	4	8	18	26	55
1. SINGLE DX	143	5.2	38	1	1	3	6	11	14	32
2. MULTIPLE DX	194	6.9	72	1	1	4	8	18	24	87
A. NOT OPERATED	94	6.7	77	1	1	5	8	17	21	88
B. OPERATED	243	6.0	51	1	1	3	7	13	22	40
TOTAL 0-19 YRS	64	6.3	43	1	1	4	7	13	22	31
20-34	133	5.7	54	1	1	3	6	12	24	59
35-49	66	7.0	120	1	1	3	7	18	36	95
50-64	38	5.0	17	1	1	4	6	11	16	18
65+	36	7.4	30	1	2	6	11	16	19	22
GRAND TOTAL	**337**	**6.2**	**58**	**1**	**1**	**4**	**7**	**14**	**22**	**53**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	146	3.9	6	1	1	4	5	6	7	11
20-34	101	3.6	3	1	1	3	5	6	7	8
35-49	36	3.5	3	<1	1	4	5	6	7	8
50-64	9	2.7	4	<1	<1	2	5	5	5	5
65+	2	4.5	1	4	4	4	5	5	5	5
B. *Operated*										
0-19 YRS	2	11.5	25	8	8	11	15	15	15	15
20-34										
35-49										
50-64	2	6.0	8	4	4	6	8	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	3.9	7	1	1	4	5	7	10	11
20-34	51	4.4	16	<1	1	4	5	7	10	26
35-49	18	4.8	3	2	3	5	6	7	7	7
50-64	9	3.4	3	1	1	3	5	6	6	6
65+	7	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	5	7.2	22	3	3	5	11	14	14	14
20-34	19	5.7	20	<1	1	5	8	13	16	17
35-49	5	4.8	11	2	2	5	6	10	10	10
50-64	2	4.0	2	3	3	4	5	5	5	5
65+	2	19.0	72	13	13	19	25	25	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	294	3.7	5	1	1	4	5	6	7	10
B. *Operated*	4	8.8	21	4	4	8	12	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	133	4.1	9	<1	1	4	5	7	9	14
B. *Operated*	33	6.5	28	1	2	5	9	14	17	25
1. SINGLE DX	298	3.8	5	1	1	4	5	6	7	10
2. MULTIPLE DX	166	4.6	14	1	1	4	5	8	11	24
A. NOT OPERATED	427	3.8	6	1	1	4	5	6	7	11
B. OPERATED	37	6.8	27	1	2	5	9	14	16	25
TOTAL 0-19 YRS	201	4.1	8	1	1	4	5	7	9	14
20-34	171	4.0	9	<1	1	4	5	7	8	16
35-49	59	4.0	4	1	2	4	5	7	7	10
50-64	22	3.4	4	<1	1	3	5	6	7	8
65+	11	5.5	53	1	1	3	5	18	24	25
GRAND TOTAL	**464**	**4.1**	**8**	**1**	**1**	**4**	**5**	**7**	**8**	**15**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	521	1.9	7	<1	<1	1	2	3	5	14
20-34	391	1.8	2	<1	<1	1	2	4	5	7
35-49	140	2.4	5	<1	<1	1	3	5	8	10
50-64	94	3.4	10	<1	<1	2	4	7	9	15
65+	147	6.7	66	<1	1	4	9	18	23	39
B. *Operated*										
0-19 YRS	50	5.3	24	1	1	3	7	13	14	21
20-34	47	3.6	9	<1	<1	3	5	9	10	12
35-49	17	4.5	15	<1	<1	3	7	11	12	12
50-64	10	5.2	14	1	1	4	8	11	11	11
65+	3	13.3	112	2	2	15	21	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	396	2.6	17	<1	1	1	3	5	7	16
20-34	427	2.6	6	<1	<1	2	3	6	7	12
35-49	180	3.6	9	<1	1	2	5	8	10	14
50-64	178	6.5	63	1	1	4	8	14	17	65
65+	554	10.7	152	1	2	7	14	23	34	75
B. *Operated*										
0-19 YRS	44	3.6	20	<1	1	2	4	11	14	20
20-34	48	2.7	10	<1	<1	2	3	5	10	19
35-49	20	5.0	17	1	1	4	7	11	14	15
50-64	19	9.2	110	1	1	6	10	28	37	37
65+	40	21.9	366	1	3	19	30	51	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1293	2.6	14	<1	<1	1	3	5	8	21
B. *Operated*	127	4.7	20	<1	1	3	7	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	1735	5.7	74	<1	1	3	7	13	20	53
B. *Operated*	171	8.4	165	<1	1	3	10	24	37	85
1. SINGLE DX	1420	2.8	15	<1	<1	1	3	6	10	21
2. MULTIPLE DX	1906	5.9	83	<1	1	3	7	14	21	57
A. NOT OPERATED	3028	4.4	51	<1	<1	2	5	10	15	35
B. OPERATED	298	6.9	106	<1	1	3	8	17	27	62
TOTAL 0-19 YRS	1011	2.4	13	<1	<1	1	2	5	7	17
20-34	913	2.3	5	<1	<1	1	3	5	7	12
35-49	357	3.2	8	<1	<1	2	4	8	10	13
50-64	301	5.6	50	<1	1	4	7	12	16	37
65+	744	10.5	155	1	1	6	14	24	34	75
GRAND TOTAL	**3326**	**4.6**	**57**	**<1**	**<1**	**2**	**5**	**11**	**17**	**37**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.8	24	<1	<1	1	2	5	16	21
20-34	36	2.4	3	<1	1	2	3	5	6	7
35-49	6	6.5	2	5	5	6	7	9	9	9
50-64	6	3.2	3	1	1	3	4	6	6	6
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	9	3.7	34	1	1	2	3	13	19	19
20-34	14	7.1	196	1	1	3	6	14	46	55
35-49	7	11.3	145	1	1	8	20	30	32	32
50-64	5	8.0	126	2	2	3	10	28	28	28
65+	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	2.9	3	<1	1	2	4	5	7	7
20-34	9	2.3	2	1	1	2	3	5	5	5
35-49	7	5.1	26	1	1	4	7	13	15	15
50-64	6	4.8	9	2	2	4	7	10	10	10
65+	5	16.6	273	7	7	9	20	46	46	46
B. *Operated*										
0-19 YRS	10	3.8	15	<1	<1	2	4	10	13	13
20-34	26	9.0	68	1	2	6	13	24	26	31
35-49	6	13.2	191	1	1	10	17	36	38	38
50-64	4	8.8	26	2	2	9	12	14	14	14
65+	2	50.0	4418	3	3	50	97	97	97	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	2.9	9	<1	1	2	4	6	7	19
B. *Operated*	37	6.9	125	1	1	2	6	23	31	55
2. MULTIPLE DX										
A. *Not Operated*	38	5.3	58	1	1	3	7	10	14	46
B. *Operated*	48	10.1	233	1	1	5	13	23	32	97
1. SINGLE DX	103	4.3	53	<1	1	2	4	7	20	43
2. MULTIPLE DX	86	8.0	160	1	1	4	10	15	26	79
A. NOT OPERATED	104	3.8	28	<1	1	2	4	7	10	32
B. OPERATED	85	8.7	187	1	1	3	11	24	31	82
TOTAL 0-19 YRS	47	3.2	18	<1	1	2	3	7	14	21
20-34	85	5.2	61	1	1	3	5	11	22	47
35-49	26	9.0	91	1	1	6	9	23	33	38
50-64	21	5.9	37	1	2	3	7	12	20	28
65+	10	18.7	933	1	1	8	12	71	97	97
GRAND TOTAL	**189**	**6.0**	**105**	**1**	**1**	**3**	**6**	**13**	**24**	**51**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.1		<1	<1	1	1	2	2	2
20-34	19	1.1		<1	<1	<1	<1	1	2	2
35-49	10	1.0		<1	<1	<1	<1	1	1	1
50-64	3	1.0		<1	<1	<1	1	1	1	1
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	6	4.0	7	<1	<1	4	5	8	8	8
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5	6	<1	<1	1	4	6	6	6
20-34	7	2.7	4	<1	<1	2	5	5	5	5
35-49	3	1.0		<1	<1	<1	1	1	1	1
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	4	3.5	9	1	1	3	6	7	7	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	4.0		4	4	4	4	4	4	4
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	1.1		<1	<1	<1	1	1	2	2
B. *Operated*	9	3.3	6	<1	<1	4	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*	15	2.2	3	<1	<1	1	4	5	6	6
B. *Operated*	8	3.8	9	1	1	3	6	8	9	9
1. SINGLE DX	49	1.5	2	<1	<1	<1	1	3	5	8
2. MULTIPLE DX	23	2.7	6	<1	<1	1	5	6	8	9
A. NOT OPERATED	55	1.4	1	<1	<1	<1	1	2	5	6
B. OPERATED	17	3.5	7	<1	<1	4	5	8	9	9
TOTAL 0-19 YRS	15	2.1	5	<1	<1	1	2	6	8	9
20-34	36	2.1	4	<1	<1	1	3	5	7	8
35-49	15	1.2	1	<1	<1	<1	1	1	3	4
50-64	4	1.8	2	<1	<1	1	2	4	4	4
65+	2	1.0		<1	<1	<1	1	1	1	1
GRAND TOTAL	**72**	**1.9**	**3**	**<1**	**<1**	**1**	**2**	**5**	**6**	**9**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	203	1.5	1	<1	<1	1	1	2	4	7
20-34	36	1.4	1	<1	<1	1	2	2	4	5
35-49	42	1.4	1	<1	<1	1	1	3	4	6
50-64	35	1.2		<1	<1	1	1	2	2	3
65+	27	2.1	5	1	1	1	2	5	7	10
B. *Operated*										
0-19 YRS	45	2.3	4	<1	1	2	3	6	8	9
20-34	7	2.7	5	1	1	2	4	6	7	7
35-49	6	2.8	13	1	1	1	3	9	10	10
50-64	6	1.8	1	1	1	2	2	3	3	3
65+	12	2.8	4	<1	<1	2	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	2.5	7	<1	1	2	3	6	9	13
20-34	17	2.6	9	<1	1	2	2	7	11	12
35-49	16	2.8	19	<1	<1	1	2	10	14	16
50-64	21	1.7	1	<1	<1	1	2	3	4	5
65+	47	3.9	42	<1	1	2	4	8	11	41
B. *Operated*										
0-19 YRS	30	4.9	48	1	1	2	5	16	21	29
20-34	9	4.3	17	1	1	2	9	10	11	11
35-49	14	5.6	39	1	1	3	8	11	21	24
50-64	15	7.8	77	1	1	5	8	16	30	35
65+	26	9.3	67	1	1	7	15	24	26	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	343	1.5	2	<1	<1	1	1	2	4	7
B. *Operated*	76	2.4	5	<1	1	2	3	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	146	2.9	19	<1	1	2	3	6	10	21
B. *Operated*	94	6.7	55	1	1	4	8	18	25	32
1. SINGLE DX	419	1.6	2	<1	<1	1	2	3	5	9
2. MULTIPLE DX	240	4.4	36	<1	1	2	5	11	18	30
A. NOT OPERATED	489	1.9	7	<1	<1	1	2	4	6	12
B. OPERATED	170	4.8	37	1	1	2	6	11	18	29
TOTAL 0-19 YRS	323	2.0	8	<1	<1	1	2	4	6	15
20-34	69	2.2	6	<1	1	1	2	5	9	12
35-49	78	2.6	14	<1	<1	1	2	7	10	22
50-64	77	2.7	21	<1	1	1	2	5	8	30
65+	112	4.6	41	1	1	2	5	10	18	32
GRAND TOTAL	**659**	**2.6**	**16**	**<1**	**<1**	**1**	**2**	**6**	**9**	**24**

380: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	7.1	28	1	1	7	11	14	17	17
20-34	6	6.7	18	<1	<1	6	7	13	14	14
35-49	2	11.5	113	4	4	11	19	19	19	19
50-64	1	3.0		3	3	3	3	3	3	3
65+	3	13.7	32	9	9	12	18	20	20	20
B. *Operated*										
0-19 YRS	8	17.3	142	2	3	14	27	34	35	35
20-34	18	14.5	74	3	6	14	18	35	73	99+
35-49	11	23.8	474	7	7	16	30	58	78	80
50-64	7	25.4	782	4	5	16	26	74	86	86
65+	1	49.0		49	49	49	49	49	49	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	13.4	158	1	2	8	23	33	37	39
20-34	19	7.4	66	<1	<1	5	10	22	28	28
35-49	6	12.2	81	<1	<1	15	20	20	20	20
50-64	2	21.0	162	12	12	30	82	99+	99+	99+
65+	4	11.5	80	2	2	11	19	21	21	21
B. *Operated*										
0-19 YRS	35	21.7	248	3	4	19	34	55	88	99+
20-34	47	19.4	202	2	5	16	29	41	54	99+
35-49	20	23.2	510	3	4	14	32	57	76	86
50-64	22	26.0	235	6	8	24	39	55	72	99+
65+	6	45.7	644	8	11	64	69	94	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	8.1	32	1	2	7	12	18	19	20
B. *Operated*	45	19.7	307	4	5	15	24	44	81	99+
2. MULTIPLE DX										
A. *Not Operated*	47	11.0	107	<1	1	8	18	30	34	99+
B. *Operated*	130	22.9	306	3	5	19	34	57	70	99+
1. SINGLE DX	67	15.9	245	2	3	13	19	34	52	97
2. MULTIPLE DX	177	19.8	280	2	3	15	30	50	66	99+
A. NOT OPERATED	69	10.1	84	<1	1	8	14	28	30	88
B. OPERATED	175	22.1	307	3	5	17	33	54	75	99+
TOTAL 0-19 YRS	69	17.2	206	2	2	13	29	39	56	99+
20-34	90	15.1	161	1	2	11	22	34	51	99+
35-49	39	21.1	415	1	4	15	22	47	74	86
50-64	32	24.8	333	3	6	23	36	60	97	99+
65+	14	29.3	579	3	6	21	60	71	93	99+
GRAND TOTAL	**244**	**18.7**	**273**	**2**	**3**	**14**	**28**	**45**	**66**	**99+**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	176	5.8	29	1	1	4	8	13	16	24
20-34	109	4.7	25	<1	1	2	7	12	17	22
35-49	38	5.0	36	<1	1	2	7	13	15	29
50-64	18	8.7	61	1	1	7	12	20	25	28
65+	9	9.6	73	<1	<1	5	17	20	22	22
B. *Operated*										
0-19 YRS	30	11.3	130	1	1	7	15	26	35	44
20-34	12	19.5	310	1	1	12	35	44	53	55
35-49	3	7.0	43	1	1	6	12	14	14	14
50-64	1	40.0		40	40	40	40	40	40	40
65+	2	13.0	50	8	8	13	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	255	6.9	44	1	1	5	9	16	21	31
20-34	149	5.4	26	<1	1	4	7	12	15	24
35-49	65	7.6	45	1	1	6	13	16	20	30
50-64	41	9.8	148	<1	1	7	11	18	24	76
65+	43	14.7	189	2	3	11	19	28	54	99+
B. *Operated*										
0-19 YRS	63	16.0	217	1	2	11	22	32	50	67
20-34	41	17.3	330	2	3	11	25	32	52	97
35-49	26	22.7	347	1	1	21	34	44	56	77
50-64	16	18.4	200	2	3	14	29	34	47	53
65+	12	33.8	270	8	11	37	47	52	56	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	350	5.6	32	<1	1	3	8	13	18	25
B. *Operated*	48	13.8	185	1	1	8	21	37	40	55
2. MULTIPLE DX										
A. *Not Operated*	553	7.4	63	1	1	5	10	16	22	34
B. *Operated*	158	19.0	286	1	2	14	28	43	52	76
1. SINGLE DX	398	6.6	57	<1	1	4	9	15	21	39
2. MULTIPLE DX	711	10.0	136	1	1	6	13	24	31	62
A. NOT OPERATED	903	6.7	52	1	1	4	9	15	21	31
B. OPERATED	206	17.8	267	1	2	13	27	40	50	72
TOTAL 0-19 YRS	524	7.9	74	1	1	5	11	18	26	39
20-34	311	7.3	98	<1	1	4	9	17	24	50
35-49	132	9.8	141	1	1	6	14	25	34	56
50-64	76	11.8	157	1	2	8	14	27	33	70
65+	66	17.4	241	2	3	15	22	42	51	97
GRAND TOTAL	**1109**	**8.8**	**110**	**1**	**1**	**5**	**11**	**21**	**29**	**53**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.3	8	<1	<1	1	2	7	10	10
20-34	17	2.8	6	<1	1	2	3	7	9	9
35-49	9	3.9	31	<1	<1	1	4	13	18	18
50-64	7	7.0	18	1	2	7	9	13	14	14
65+	3	31.3	1620	1	1	16	62	77	77	77
B. *Operated*										
0-19 YRS	19	2.4	1	1	1	2	3	3	5	6
20-34	34	3.1	10	<1	1	2	3	7	10	16
35-49	12	2.9	5	1	1	2	4	6	9	9
50-64	6	1.8	1	1	1	2	2	4	4	4
65+	2	23.0	882	2	2	23	44	44	44	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	2.2	1	1	1	2	3	4	4	4
20-34	22	5.1	43	<1	1	3	6	12	23	28
35-49	10	2.4	3	<1	<1	2	3	5	6	6
50-64	6	12.0	251	<1	<1	4	22	38	40	40
65+	14	16.8	189	1	3	13	23	39	40	40
B. *Operated*										
0-19 YRS	23	2.6	6	1	1	2	3	7	8	10
20-34	65	3.4	18	<1	1	2	4	6	14	20
35-49	22	2.4	2	<1	<1	2	3	4	5	5
50-64	10	16.7	378	1	1	8	26	48	56	56
65+	2	4.0	8	2	2	4	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	5.3	132	<1	1	2	5	10	16	77
B. *Operated*	73	3.4	29	1	1	2	3	6	9	38
2. MULTIPLE DX										
A. *Not Operated*	63	7.4	108	<1	1	3	7	22	39	40
B. *Operated*	122	4.2	53	1	1	2	3	7	19	44
1. SINGLE DX	120	4.1	70	<1	1	2	3	8	12	54
2. MULTIPLE DX	185	5.3	74	1	1	2	5	14	23	40
A. NOT OPERATED	110	6.5	118	<1	1	3	6	17	28	55
B. OPERATED	195	3.9	44	1	1	2	3	7	14	42
TOTAL 0-19 YRS	64	2.4	4	1	1	2	3	5	7	10
20-34	138	3.6	19	<1	1	2	4	7	12	21
35-49	53	2.8	7	<1	1	2	3	5	6	18
50-64	29	10.3	204	1	1	4	14	34	41	56
65+	21	18.2	379	1	2	12	27	42	59	77
GRAND TOTAL	**305**	**4.8**	**72**	**<1**	**1**	**2**	**4**	**10**	**20**	**42**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	214	2.4	6	<1	1	1	3	5	8	13
20-34	185	2.7	6	<1	<1	2	3	6	8	11
35-49	76	3.8	18	<1	1	3	5	7	11	24
50-64	29	4.3	6	1	1	4	5	7	8	13
65+	53	6.4	24	1	1	5	8	13	16	20
B. *Operated*										
0-19 YRS	19	4.2	18	1	1	3	5	7	14	20
20-34	31	5.1	17	<1	1	4	7	11	14	18
35-49	19	6.8	46	1	1	4	9	20	23	23
50-64	4	3.8	10	1	1	3	6	8	8	8
65+	4	18.5	804	3	3	5	33	61	61	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	147	2.9	13	<1	1	2	3	6	9	18
20-34	149	3.1	5	<1	1	2	4	6	8	11
35-49	75	4.4	28	<1	1	3	5	9	10	35
50-64	73	7.7	122	<1	1	4	9	16	21	65
65+	160	12.1	215	2	2	8	14	27	38	90
B. *Operated*										
0-19 YRS	19	6.2	16	1	1	5	9	12	14	14
20-34	44	7.7	54	1	2	4	10	16	22	39
35-49	11	10.4	87	<1	2	8	12	23	35	36
50-64	18	10.9	200	<1	1	6	11	21	45	61
65+	20	11.2	86	1	2	8	17	27	29	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	557	3.2	11	<1	1	2	4	7	10	18
B. *Operated*	77	5.9	64	1	1	4	7	11	19	51
2. MULTIPLE DX										
A. *Not Operated*	604	6.2	94	<1	1	3	7	13	20	61
B. *Operated*	112	8.8	80	1	1	6	11	20	25	47
1. SINGLE DX	634	3.5	18	<1	1	2	4	7	11	19
2. MULTIPLE DX	716	6.6	93	1	1	4	8	14	21	56
A. NOT OPERATED	1161	4.7	56	<1	1	3	5	10	15	39
B. OPERATED	189	7.6	75	1	1	5	9	17	22	52
TOTAL 0-19 YRS	399	2.9	10	<1	1	2	3	7	9	16
20-34	409	3.6	14	<1	1	2	4	8	10	18
35-49	181	4.8	31	<1	1	3	6	9	15	33
50-64	124	7.3	105	1	1	4	8	14	21	63
65+	237	10.9	174	1	2	7	13	25	31	89
GRAND TOTAL	**1350**	**5.1**	**60**	**<1**	**1**	**3**	**6**	**11**	**17**	**39**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	720	1.7	3	<1	<1	1	2	3	4	10
20-34	232	2.1	3	<1	<1	1	2	4	5	10
35-49	100	3.1	13	<1	<1	2	3	6	10	20
50-64	45	4.4	31	<1	1	2	5	10	17	30
65+	54	4.1	11	1	1	3	5	10	10	16
B. *Operated*										
0-19 YRS	2	7.0		7	7	7	7	7	7	7
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	654	4.1	35	<1	1	2	5	9	13	33
20-34	1019	6.3	105	<1	1	3	6	16	30	59
35-49	578	7.4	107	1	1	4	8	18	31	58
50-64	286	7.5	63	1	1	5	9	19	25	43
65+	378	9.9	111	1	2	7	12	20	38	63
B. *Operated*										
0-19 YRS	8	18.1	436	3	3	14	36	86	99+	99+
20-34	35	13.5	295	1	1	8	22	35	74	99+
35-49	25	24.4	622	3	3	18	26	68	84	98
50-64	16	24.1	322	5	7	19	39	50	58	62
65+	25	18.3	206	3	4	14	20	43	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1151	2.1	6	<1	<1	1	2	4	6	12
B. *Operated*	4	5.5	6	2	2	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	2915	6.6	90	1	1	3	8	16	26	57
B. *Operated*	109	19.0	370	2	2	14	24	51	78	99+
1. SINGLE DX	1155	2.1	6	<1	<1	1	2	4	6	12
2. MULTIPLE DX	3024	7.1	105	1	1	3	8	17	28	60
A. NOT OPERATED	4066	5.4	70	<1	1	2	6	12	21	47
B. OPERATED	113	18.5	363	2	2	13	24	50	76	99+
TOTAL 0-19 YRS	1384	2.9	23	<1	<1	1	3	6	10	23
20-34	1287	5.8	96	<1	1	2	5	14	25	58
35-49	704	7.4	124	1	1	3	8	18	31	59
50-64	347	7.9	84	1	1	4	9	20	26	50
65+	457	9.7	112	1	2	7	12	20	38	64
GRAND TOTAL	**4179**	**5.7**	**82**	**<1**	**1**	**2**	**6**	**14**	**23**	**57**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	261	1.3	1	<1	<1	1	1	2	3	5
20-34	89	1.4	1	<1	<1	1	2	3	3	7
35-49	52	1.9	3	<1	1	1	2	3	6	9
50-64	17	1.6	1	<1	<1	1	2	3	4	4
65+	13	3.2	10	1	1	2	5	8	10	10
B. *Operated*										
0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	76	2.8	31	<1	<1	1	2	5	16	83
20-34	82	3.8	40	<1	<1	2	3	8	16	37
35-49	63	3.9	32	<1	<1	2	4	10	15	32
50-64	43	6.2	65	1	1	3	7	14	25	42
65+	24	12.2	268	1	1	6	12	32	48	74
B. *Operated*										
0-19 YRS	2	18.0	578	1	1	18	35	35	35	35
20-34	7	7.7	122	<1	<1	4	8	27	32	32
35-49	1	1.0		1	1	1	1	1	1	1
50-64	3	3.7	1	3	3	3	5	5	5	5
65+	1	30.0		30	30	65	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	432	1.5	2	<1	<1	1	1	3	3	8
B. *Operated*	2	9.5	5	8	8	9	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	288	4.6	64	<1	1	2	5	11	22	41
B. *Operated*	14	9.4	160	<1	1	4	25	35	84	99+
1. SINGLE DX	434	1.5	2	<1	<1	1	1	3	4	8
2. MULTIPLE DX	302	4.9	69	<1	1	2	5	12	28	57
A. NOT OPERATED	720	2.8	29	<1	<1	1	2	5	10	33
B. OPERATED	16	9.4	139	<1	1	4	16	34	77	99+
TOTAL 0-19 YRS	339	1.8	11	<1	<1	1	1	3	4	30
20-34	179	2.8	26	<1	<1	1	2	5	10	32
35-49	117	3.0	19	<1	1	1	3	7	10	26
50-64	63	4.8	49	<1	1	2	6	10	18	40
65+	38	9.6	200	1	1	6	10	31	57	99+
GRAND TOTAL	**736**	**2.9**	**32**	**<1**	**<1**	**1**	**2**	**6**	**10**	**35**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	148	2.6	14	<1	1	1	3	6	8	25
20-34	108	3.1	10	<1	<1	2	4	8	10	14
35-49	55	2.8	7	<1	1	2	3	5	8	14
50-64	29	4.2	49	<1	<1	2	3	10	23	32
65+	49	5.7	97	<1	1	3	5	10	21	57
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	7	13.9	157	2	2	10	22	34	36	36
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64	2	42.0	242	31	31	42	53	53	53	53
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	141	4.4	21	1	1	3	5	10	14	21
20-34	117	4.6	31	<1	<1	2	6	11	16	28
35-49	83	6.1	90	1	1	3	7	13	19	61
50-64	101	6.2	56	1	1	4	8	14	21	42
65+	166	9.5	180	1	2	5	11	22	30	91
B. *Operated*										
0-19 YRS	4	13.8	201	1	1	10	22	34	34	34
20-34	6	23.2	826	2	2	14	27	73	78	78
35-49	13	18.2	576	<1	2	10	20	45	82	91
50-64	16	23.8	627	4	5	15	25	73	86	90
65+	24	21.8	360	3	3	23	29	54	87	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	389	3.3	26	<1	<1	2	3	7	11	26
B. *Operated*	13	15.5	255	2	2	9	27	39	50	53
2. MULTIPLE DX										
A. *Not Operated*	608	6.4	85	1	1	4	7	15	21	52
B. *Operated*	63	21.2	481	2	3	14	28	56	85	99
1. SINGLE DX	402	3.7	37	<1	<1	2	3	8	11	34
2. MULTIPLE DX	671	7.8	140	1	1	4	8	18	27	82
A. NOT OPERATED	997	5.2	64	<1	1	3	6	11	18	39
B. OPERATED	76	20.2	443	2	3	12	27	51	81	98
TOTAL 0-19 YRS	294	3.6	21	<1	1	2	4	9	13	24
20-34	238	4.7	53	<1	<1	2	5	11	15	30
35-49	153	5.9	114	<1	1	3	6	13	18	74
50-64	148	8.2	161	<1	1	4	9	22	31	77
65+	240	10.0	197	1	1	5	11	25	39	92
GRAND TOTAL	**1073**	**6.2**	**106**	**<1**	**1**	**3**	**7**	**15**	**24**	**70**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.3	5	<1	1	3	5	7	7	7
20-34	46	5.5	92	<1	<1	2	7	12	14	63
35-49	15	5.1	39	<1	1	3	6	13	21	24
50-64	14	5.3	54	<1	<1	3	8	10	25	29
65+	30	9.4	109	1	1	7	11	20	28	52
B. *Operated*										
0-19 YRS	68	6.5	46	<1	1	5	10	12	17	41
20-34	201	5.7	89	<1	<1	3	6	13	18	46
35-49	111	5.6	51	<1	1	3	6	12	18	44
50-64	159	9.1	97	1	1	6	12	20	31	47
65+	305	9.8	125	2	2	6	12	20	30	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	6.4	62	1	1	4	7	12	19	45
20-34	71	5.4	45	<1	1	3	7	11	13	43
35-49	52	9.1	58	1	2	8	13	19	23	40
50-64	73	7.8	51	1	2	6	9	16	21	37
65+	132	10.5	72	1	2	8	15	21	26	39
B. *Operated*										
0-19 YRS	176	10.5	122	1	2	7	13	27	34	95
20-34	287	8.7	100	<1	1	5	11	19	27	48
35-49	272	9.7	112	1	1	7	12	22	29	65
50-64	475	13.4	204	1	2	9	18	31	49	99+
65+	710	17.6	319	1	2	13	23	45	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	117	6.2	78	<1	<1	3	8	13	21	56
B. *Operated*	844	7.9	98	<1	1	4	10	18	27	49
2. MULTIPLE DX										
A. *Not Operated*	377	8.3	63	1	1	6	11	19	24	39
B. *Operated*	1920	13.5	223	1	2	9	18	33	50	99+
1. SINGLE DX	961	7.7	96	<1	1	4	10	17	26	51
2. MULTIPLE DX	2297	12.6	200	1	2	8	17	30	46	97
A. NOT OPERATED	494	7.8	67	1	1	5	10	18	24	43
B. OPERATED	2764	11.8	191	1	1	7	15	28	43	86
TOTAL 0-19 YRS	305	8.7	95	1	1	5	11	21	31	65
20-34	605	7.1	92	<1	<1	4	9	16	25	48
35-49	450	8.5	92	<1	1	5	11	20	25	49
50-64	721	11.7	168	1	2	8	15	27	43	94
65+	1177	14.6	249	1	2	10	19	35	54	99
GRAND TOTAL	**3258**	**11.2**	**174**	**1**	**1**	**7**	**14**	**26**	**41**	**82**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	1.9	2	<1	<1	1	2	3	6	8
20-34	133	2.4	2	1	1	2	3	4	5	8
35-49	74	3.2	5	1	1	3	4	7	8	10
50-64	44	3.7	5	1	2	3	4	7	9	10
65+	86	4.1	8	1	2	4	5	8	10	16
B. *Operated*										
0-19 YRS	33	2.1	3	<1	1	2	2	3	6	10
20-34	83	3.8	10	1	1	3	5	9	11	14
35-49	50	4.0	14	1	1	3	5	8	12	20
50-64	31	6.5	74	1	1	4	7	11	25	45
65+	27	5.6	59	<1	1	4	6	10	17	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	2.8	4	1	1	2	4	5	7	8
20-34	76	3.3	7	1	1	2	5	7	9	13
35-49	39	4.2	7	1	1	4	5	8	10	12
50-64	47	4.3	14	1	1	3	6	9	10	23
65+	85	5.8	23	1	2	4	8	12	15	26
B. *Operated*										
0-19 YRS	17	3.8	11	1	1	3	4	9	12	13
20-34	47	5.0	20	1	1	3	8	11	14	19
35-49	36	4.9	15	1	1	4	6	9	10	21
50-64	43	4.6	15	1	1	3	6	10	11	21
65+	49	9.4	71	1	2	7	12	23	31	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	416	2.9	5	1	1	2	4	6	7	10
B. *Operated*	224	4.2	26	1	1	3	5	8	11	30
2. MULTIPLE DX										
A. *Not Operated*	264	4.4	14	1	1	3	5	9	11	22
B. *Operated*	192	5.9	34	1	1	4	8	12	18	32
1. SINGLE DX	640	3.4	13	1	1	2	4	7	9	14
2. MULTIPLE DX	456	5.0	23	1	1	4	6	10	14	27
A. NOT OPERATED	680	3.5	9	1	1	3	4	7	9	14
B. OPERATED	416	5.0	30	1	1	3	6	10	14	31
TOTAL 0-19 YRS	146	2.2	4	<1	1	2	2	4	7	10
20-34	339	3.3	8	1	1	2	4	8	10	14
35-49	199	3.9	10	1	1	3	5	7	9	18
50-64	165	4.6	24	1	1	3	6	9	10	26
65+	247	5.9	34	1	2	4	7	12	18	32
GRAND TOTAL	**1096**	**4.1**	**18**	**1**	**1**	**3**	**5**	**8**	**11**	**22**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	5.6	10	2	2	5	7	9	12	16
20-34	132	6.0	33	1	2	4	7	11	14	32
35-49	73	6.1	14	1	2	5	8	10	13	22
50-64	54	8.0	58	1	2	6	9	13	21	48
65+	44	11.7	127	3	3	8	11	27	42	54
B. *Operated*										
0-19 YRS	20	8.9	57	1	1	7	12	16	25	33
20-34	41	8.7	53	2	3	7	11	17	22	40
35-49	43	8.1	112	1	2	5	9	14	29	57
50-64	26	10.5	55	2	2	9	13	21	24	32
65+	17	9.6	57	3	3	7	14	24	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	6.8	63	1	2	4	8	14	17	50
20-34	121	6.7	31	1	2	6	8	12	20	29
35-49	82	7.3	29	2	3	6	8	15	20	27
50-64	91	10.7	60	2	3	9	14	23	27	36
65+	101	11.0	125	2	4	7	14	23	34	91
B. *Operated*										
0-19 YRS	29	8.5	60	1	2	7	9	17	21	41
20-34	56	13.6	153	2	4	10	19	26	34	74
35-49	44	14.4	166	2	5	10	18	38	44	56
50-64	51	17.9	248	1	4	14	24	52	63	99+
65+	52	16.7	338	2	3	12	20	31	55	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	358	7.0	44	2	2	5	8	12	15	46
B. *Operated*	147	9.0	70	1	2	7	11	19	23	44
2. MULTIPLE DX										
A. *Not Operated*	437	8.6	65	2	3	6	10	18	25	43
B. *Operated*	232	14.8	211	2	3	10	19	33	51	99
1. SINGLE DX	505	7.6	52	2	2	6	9	14	21	45
2. MULTIPLE DX	669	10.8	124	2	3	7	13	22	32	73
A. NOT OPERATED	795	7.9	56	2	2	6	9	15	22	45
B. OPERATED	379	12.5	164	2	3	9	15	26	41	77
TOTAL 0-19 YRS	146	7.0	42	1	2	5	8	14	17	41
20-34	350	7.8	60	2	2	6	9	15	22	40
35-49	242	8.4	72	1	2	6	9	17	23	50
50-64	222	11.7	113	2	3	9	15	26	36	73
65+	214	12.4	176	3	3	8	14	26	38	89
GRAND TOTAL	**1174**	**9.4**	**96**	**2**	**3**	**6**	**11**	**20**	**27**	**55**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	3.0	6	<1	1	2	4	6	8	11
20-34	55	4.6	43	1	1	3	5	10	12	43
35-49	39	4.1	11	1	1	3	6	8	10	16
50-64	34	7.2	70	1	1	3	9	18	28	34
65+	32	5.8	23	1	1	4	8	15	16	17
B. *Operated*										
0-19 YRS	22	6.6	32	<1	1	6	11	16	18	19
20-34	47	6.5	39	1	1	3	9	17	20	25
35-49	32	7.9	50	1	2	4	12	23	27	99+
50-64	31	7.7	54	1	1	4	12	20	22	31
65+	51	5.6	31	1	1	4	6	14	17	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	3.8	14	1	1	2	5	8	12	19
20-34	142	4.9	15	1	1	4	6	9	13	22
35-49	141	6.5	39	1	1	5	8	13	17	28
50-64	185	8.1	65	1	1	6	10	17	23	41
65+	194	9.2	83	1	2	7	12	20	27	41
B. *Operated*										
0-19 YRS	57	9.9	91	<1	<1	7	16	25	30	95
20-34	129	9.5	118	1	1	7	11	24	29	62
35-49	136	12.0	117	1	2	9	15	26	34	56
50-64	175	13.3	224	1	2	9	16	28	57	95
65+	179	15.1	184	2	3	12	21	38	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	184	5.0	34	1	1	3	7	11	16	33
B. *Operated*	183	6.7	40	1	1	4	10	16	21	31
2. MULTIPLE DX										
A. *Not Operated*	725	7.1	54	1	1	5	9	15	21	38
B. *Operated*	676	12.5	164	1	2	9	17	28	43	99+
1. SINGLE DX	367	5.8	38	1	1	3	8	14	19	31
2. MULTIPLE DX	1401	9.7	114	1	1	7	12	22	31	72
A. NOT OPERATED	909	6.7	50	1	1	5	8	14	20	37
B. OPERATED	859	11.3	143	1	2	8	15	26	38	99+
TOTAL 0-19 YRS	166	6.2	49	<1	1	3	8	17	23	37
20-34	373	6.7	62	1	1	4	8	14	21	44
35-49	348	8.5	76	1	1	6	11	20	26	50
50-64	425	10.2	136	1	1	7	13	22	32	75
65+	456	10.9	125	1	2	8	15	25	37	99+
GRAND TOTAL	**1768**	**8.9**	**101**	**1**	**1**	**6**	**11**	**21**	**28**	**67**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.8	1	1	1	2	2	3	4	4
20-34	4	1.5	1	<1	<1	1	2	3	3	3
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64	6	4.3	33	1	1	2	3	15	16	16
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	3.5	3	1	1	3	4	6	7	9
20-34	11	4.9	16	<1	<1	4	6	12	12	12
35-49	4	4.3	5	1	1	5	6	6	6	6
50-64	9	9.9	224	<1	<1	4	12	34	48	48
65+	10	5.5	20	1	1	4	9	12	14	14
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	5	16.4	310	2	2	15	23	46	46	46
35-49	2	9.5	1	9	9	9	10	10	10	10
50-64	8	8.5	48	1	1	8	14	17	18	18
65+	2	6.0	32	2	2	6	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	2.5	9	<1	1	2	3	4	8	16
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	56	5.2	45	1	1	4	6	11	13	46
B. *Operated*	18	10.5	110	1	1	9	15	17	35	46
1. SINGLE DX	24	2.5	9	<1	1	2	3	4	8	16
2. MULTIPLE DX	74	6.5	65	1	1	4	9	14	15	48
A. NOT OPERATED	80	4.4	36	<1	1	3	5	10	13	38
B. OPERATED	18	10.5	110	1	1	9	15	17	35	46
TOTAL 0-19 YRS	33	3.1	4	1	1	3	4	6	8	9
20-34	20	7.1	106	<1	<1	4	9	15	31	46
35-49	9	4.7	11	1	1	5	7	10	10	10
50-64	23	8.0	110	<1	1	3	13	16	28	48
65+	13	5.5	18	1	1	4	9	11	13	14
GRAND TOTAL	**98**	**5.5**	**54**	**1**	**1**	**3**	**6**	**13**	**15**	**47**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	2.1	2	<1	<1	2	3	4	5	5
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	16	2.2	1	<1	<1	2	3	4	4	4
20-34	2308	2.0	1	<1	<1	2	3	4	4	6
35-49	813	1.9	1	<1	<1	2	3	3	4	6
50-64	5	2.4	10	<1	<1	<1	3	8	8	8
65+	5	2.4	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	32	1.1		<1	<1	<1	1	2	2	3
35-49	14	1.4	1	<1	<1	1	1	3	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	4	3.5	2	2	2	3	4	5	5	5
20-34	912	2.6	3	<1	<1	2	3	5	6	8
35-49	424	2.5	2	<1	<1	2	3	4	5	8
50-64	1	1.0		1	1	1	1	1	1	1
65+	3	2.3	5	<1	<1	1	4	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.1	2	<1	<1	2	3	4	5	5
B. *Operated*	3147	2.0	1	<1	<1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	48	1.2	1	<1	<1	<1	1	2	3	5
B. *Operated*	1344	2.6	3	<1	<1	2	3	5	5	8
1. SINGLE DX	3155	2.0	1	<1	<1	2	3	4	4	6
2. MULTIPLE DX	1392	2.5	3	<1	<1	2	3	5	5	8
A. NOT OPERATED	56	1.4	1	<1	<1	<1	1	2	3	5
B. OPERATED	4491	2.2	2	<1	<1	2	3	4	5	7
TOTAL 0-19 YRS	21	2.4	1	<1	<1	2	3	4	5	5
20-34	3260	2.2	2	<1	<1	2	3	4	5	6
35-49	1251	2.1	2	<1	<1	2	3	4	5	8
50-64	7	2.1	7	<1	<1	1	2	7	8	8
65+	8	2.4	2	<1	<1	2	3	5	5	5
GRAND TOTAL	**4547**	**2.2**	**2**	**<1**	**<1**	**2**	**3**	**4**	**5**	**7**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749	1	7.0		7	7	7	7	7	7	7
1750-2499	196	5.3	9	3	3	4	6	8	11	19
2500+	24089	4.1	2	2	3	4	5	6	7	8
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	11	4.5	1	3	3	5	5	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	10	77.0	126	64	65	78	96	99+	99+	99+
1000-1499	89	52.5	332	28	31	49	68	85	96	99+
1500-1749	119	29.8	122	15	18	28	35	46	54	62
1750-2499	1638	10.3	63	3	4	7	14	21	26	36
2500+	33086	4.7	5	3	3	4	5	7	8	12
B. *Operated*										
1-999 G	14	84.4	68	73	77	98	99+	99+	99+	99+
1000-1499	43	61.0	311	25	40	66	82	99+	99+	99+
1500-1749	17	47.8	479	21	26	39	68	75	90	98
1750-2499	78	23.6	166	5	7	23	32	40	45	93
2500+	303	9.8	102	3	4	6	11	21	33	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24286	4.1	2	2	3	4	5	6	7	9
B. *Operated*	11	4.5	1	3	3	5	5	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	34942	5.1	19	3	3	4	6	7	9	23
B. *Operated*	455	20.7	530	3	4	10	33	74	97	99+
1. SINGLE DX	24297	4.1	2	2	3	4	5	6	7	9
2. MULTIPLE DX	35397	5.3	29	3	3	4	6	7	10	29
A. NOT OPERATED	59228	4.7	13	2	3	4	5	7	8	17
B. OPERATED	466	20.3	524	3	4	10	32	73	96	99+
TOTAL 1-999 G	24	81.3	102	66	69	93	99+	99+	99+	99+
1000-1499	132	55.2	339	28	32	56	72	93	99+	99+
1500-1749	137	31.9	202	15	18	29	37	50	60	79
1750-2499	1912	10.3	72	3	4	7	14	22	27	39
2500+	57489	4.4	4	2	3	4	5	6	7	11
GRAND TOTAL	**59694**	**4.8**	**19**	**2**	**3**	**4**	**5**	**7**	**8**	**21**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749	1	12.0		12	12	12	12	12	12	12
1750-2499	33	6.4	7	3	4	6	7	10	13	15
2500+	163	5.9	4	3	4	6	7	8	9	13
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	4	75.3	178	57	57	77	83	89	89	89
1000-1499	26	46.8	235	20	31	46	52	66	80	90
1500-1749	36	31.4	103	15	20	30	39	46	51	53
1750-2499	328	12.4	52	5	5	10	17	22	28	36
2500+	410	7.0	12	4	4	6	8	10	14	19
B. *Operated*										
1-999 G	3	73.3	21	68	70	99+	99+	99+	99+	99+
1000-1499	11	58.5	463	25	34	53	82	94	99	99+
1500-1749	5	48.2	485	30	30	35	65	82	82	82
1750-2499	12	24.7	51	17	17	23	31	34	37	37
2500+	2	11.0	50	6	6	11	16	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	197	6.0	5	3	4	6	7	8	10	14
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	804	11.9	129	4	5	7	13	23	37	55
B. *Operated*	33	43.1	588	16	17	42	77	99+	99+	99+
1. SINGLE DX	197	6.0	5	3	4	6	7	8	10	14
2. MULTIPLE DX	837	13.2	183	4	5	8	15	30	43	83
A. NOT OPERATED	1001	10.8	110	4	4	7	11	22	32	52
B. OPERATED	33	43.1	588	16	17	42	77	99+	99+	99+
TOTAL 1-999 G	7	74.4	97	58	64	78	99+	99+	99+	99+
1000-1499	37	50.2	321	22	32	47	54	82	91	99+
1500-1749	42	32.9	177	15	18	31	39	49	55	82
1750-2499	373	12.3	56	5	5	10	17	22	28	37
2500+	575	6.7	10	4	4	6	7	10	12	19
GRAND TOTAL	**1034**	**11.8**	**157**	**4**	**4**	**7**	**12**	**24**	**40**	**82**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	2	3.0		3	3	3	3	3	3	3
2500+	44	3.5	2	2	2	3	4	5	6	6
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	1	93.0		93	93	93	93	93	93	93
1000-1499										
1500-1749	2	40.5	265	29	29	40	52	52	52	52
1750-2499	15	11.1	65	3	4	6	20	23	24	24
2500+	53	4.6	16	1	2	4	5	8	12	22
B. *Operated*										
1-999 G										
1000-1499	2	69.0	512	53	53	85	96	99+	99+	99+
1500-1749										
1750-2499										
2500+	4	13.0	38	5	5	13	17	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	3.4	1	2	2	3	4	5	6	6
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	71	8.3	172	1	2	4	7	20	24	84
B. *Operated*	6	31.7	961	5	7	20	77	97	99+	99+
1. SINGLE DX	46	3.4	1	2	2	3	4	5	6	6
2. MULTIPLE DX	77	10.1	262	1	2	4	9	23	53	98
A. NOT OPERATED	117	6.4	110	1	2	4	5	12	21	65
B. OPERATED	6	31.7	961	5	7	20	77	97	99+	99+
TOTAL 1-999 G	1	93.0		93	93	93	93	93	93	93
1000-1499	2	69.0	512	53	53	85	96	99+	99+	99+
1500-1749	2	40.5	265	29	29	40	52	52	52	52
1750-2499	17	10.1	64	3	3	5	19	22	24	24
2500+	101	4.5	13	1	2	4	5	7	12	21
GRAND TOTAL	**123**	**7.6**	**174**	**1**	**2**	**4**	**6**	**20**	**25**	**95**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	3	1.0		1	1	1	1	1	1	1
35-49	1	7.0		7	7	7	7	7	7	7
50-64	2	2.0		2	2	2	2	2	2	2
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	133	2.5	2	<1	1	2	3	4	5	25
20-34	214	2.7	4	<1	1	2	3	4	5	11
35-49	107	2.9	3	<1	1	2	3	5	6	10
50-64	71	3.3	4	1	1	3	4	6	7	10
65+	44	5.7	60	1	1	3	6	12	21	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	6.7	167	<1	<1	1	3	30	33	33
20-34	4	1.5		<1	<1	1	2	2	2	2
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64										
65+	2	38.5	2665	2	2	38	75	75	75	75
B. *Operated*										
0-19 YRS	41	3.5	5	1	1	3	4	7	8	11
20-34	57	4.5	19	<1	1	4	5	8	12	27
35-49	31	3.0	3	1	1	3	4	5	5	8
50-64	37	4.7	13	1	2	4	6	9	13	17
65+	41	7.7	59	1	2	5	8	19	27	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	2.5	3	1	1	2	3	5	7	7
B. *Operated*	569	3.0	8	<1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	14	9.3	429	<1	<1	2	3	37	67	75
B. *Operated*	207	4.7	23	1	1	4	5	8	13	28
1. SINGLE DX	579	3.0	8	<1	1	2	3	5	7	13
2. MULTIPLE DX	221	5.0	48	1	1	3	5	9	15	33
A. NOT OPERATED	24	6.5	255	<1	<1	2	3	10	46	75
B. OPERATED	776	3.5	13	<1	1	3	4	6	8	20
TOTAL 0-19 YRS	183	2.8	8	<1	1	2	3	4	7	26
20-34	278	3.1	7	<1	1	2	4	5	7	15
35-49	141	3.0	3	<1	1	2	4	5	7	10
50-64	110	3.8	7	1	1	3	5	7	9	15
65+	88	7.3	112	1	1	4	8	16	28	62
GRAND TOTAL	**800**	**3.6**	**20**	**<1**	**1**	**3**	**4**	**6**	**9**	**27**

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	1	8.0		8	8	8	8	8	8	8
50-64	2	3.5	13	1	1	6	76	99+	99+	99+
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	27.0	388	5	5	33	40	43	43	43
50-64	2	25.5	481	10	10	25	41	41	41	41
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	6.0	13	3	3	5	9	10	10	10
50-64	8	8.6	153	1	1	2	13	29	36	36
65+	9	7.6	224	1	1	2	5	31	47	47
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	5.1	78	1	1	2	4	21	25	25
35-49	7	12.4	111	1	1	8	24	25	25	25
50-64	9	20.3	402	1	1	9	33	51	57	57
65+	3	12.7	341	2	2	2	26	34	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.6	10	1	1	4	8	91	99+	99+
B. *Operated*	6	22.7	335	4	4	21	41	43	43	43
2. MULTIPLE DX										
A. *Not Operated*	23	7.0	137	1	1	2	7	18	40	47
B. *Operated*	27	12.8	234	1	1	4	25	33	44	57
1. SINGLE DX	11	14.0	271	1	1	7	37	60	94	99+
2. MULTIPLE DX	50	10.1	194	1	1	3	13	32	42	57
A. NOT OPERATED	28	6.4	115	1	1	2	8	27	50	99+
B. OPERATED	33	14.6	258	1	1	5	26	41	43	57
TOTAL 0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	8	4.6	69	1	1	2	3	19	25	25
35-49	14	13.9	171	1	3	8	25	34	41	43
50-64	21	14.8	292	1	1	9	30	46	74	99+
65+	14	8.0	200	1	1	2	4	35	44	47
GRAND TOTAL	**61**	**10.8**	**206**	**1**	**1**	**4**	**14**	**37**	**45**	**95**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1330	3.4	27	<1	<1	2	4	6	9	27
20-34	1599	2.7	13	<1	<1	1	3	5	7	21
35-49	454	3.4	38	<1	<1	2	4	6	10	41
50-64	301	4.8	82	<1	<1	2	5	11	19	57
65+	387	8.2	204	<1	<1	2	8	25	41	78
B. *Operated*										
0-19 YRS	199	3.4	17	<1	<1	2	3	9	12	22
20-34	685	3.3	8	<1	<1	2	5	7	8	11
35-49	326	3.8	13	<1	<1	3	5	9	10	19
50-64	199	3.8	23	<1	1	2	4	9	12	29
65+	198	4.6	40	1	1	2	6	11	14	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	621	4.6	40	<1	<1	3	5	10	16	34
20-34	837	5.0	80	<1	<1	2	5	10	20	64
35-49	800	5.0	58	1	1	2	5	12	19	41
50-64	1375	6.1	82	1	1	3	7	14	25	60
65+	1609	10.1	189	1	1	5	12	30	49	99+
B. *Operated*										
0-19 YRS	208	5.0	41	<1	<1	2	6	12	20	66
20-34	989	4.8	43	<1	<1	3	6	10	14	51
35-49	741	4.9	33	<1	<1	3	6	11	15	32
50-64	874	6.0	69	<1	<1	3	8	13	19	49
65+	1161	6.7	102	<1	1	3	8	16	26	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4071	3.7	46	<1	<1	2	4	7	12	37
B. *Operated*	1607	3.7	16	<1	<1	2	4	8	10	20
2. MULTIPLE DX										
A. *Not Operated*	5242	6.8	111	<1	1	3	7	17	30	82
B. *Operated*	3973	5.6	65	<1	<1	3	6	12	20	52
1. SINGLE DX	5678	3.7	38	<1	<1	2	4	7	11	32
2. MULTIPLE DX	9215	6.3	91	<1	1	3	7	15	25	71
A. NOT OPERATED	9313	5.4	85	<1	1	2	5	12	23	63
B. OPERATED	5580	5.1	52	<1	<1	3	6	11	17	44
TOTAL 0-19 YRS	2358	3.8	32	<1	<1	2	4	8	12	32
20-34	4110	3.8	34	<1	<1	2	4	7	11	35
35-49	2321	4.5	40	<1	<1	2	5	10	15	34
50-64	2749	5.8	74	<1	1	3	7	13	22	49
65+	3355	8.4	155	1	1	4	10	22	39	99+
GRAND TOTAL	**14893**	**5.3**	**73**	**<1**	**<1**	**3**	**5**	**12**	**20**	**58**

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer – *see Neoplasm, malignant*
	Carcinoma – *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs – *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular – *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer – *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer – *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve — *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes — *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease – *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease – *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer – *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease – *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma – *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve – *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer – *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease – *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

R3850-1.12 U
11/86

LENGTH OF STAY

CPHA PUBLICATIONS

Length of Stay by Operation, Canada, 1985

A Companion Volume To Length of Stay by Diagnosis, Canada, 1985

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1986

LENGTH OF STAY

Copyright 1986 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1985
. . . by Diagnosis, United States, North Central Region, 1985
. . . by Diagnosis, United States, Northeastern Region, 1985
. . . by Diagnosis, United States, Southern Region, 1985
. . . by Diagnosis, United States, Western Region, 1985
. . . by Diagnosis, Canada, 1985

. . . by Operation, United States, 1985
. . . by Operation, United States, North Central Region, 1985
. . . by Operation, United States, Northeastern Region, 1985
. . . by Operation, United States, Southern Region, 1985
. . . by Operation, United States, Western Region, 1985
. . . by Operation, Canada, 1985

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1985
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1985

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1985 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1985 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1985 LENGTH OF STAY BOOKS

Peg Eby, Research Assistant, Research Services
Carol A. Prevost, Research Associate
Jeanine DeLay, Assistant Director
Edward J. Kobrinski, Director

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data. 1
  Data Quality. 2
  Coverage 3
  Organization of Length of Stay Tables. 5
    Definition of Multiple Diagnosis Patients 5
    Definition of Operated Patients 6
  Explanation of Statistics. 6
  Defining the Extended Stay Case 7
Length of Stay Tables 15
  Summary of All Patients. 16
  Operation Groups 501-764. 17
Appendix: *ICD-9-CM* **Codes for Selected Operation Groups**. 83
Index to Length of Stay Tables 87

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient separation records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain separation data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each separated patient into the PAS System via PAS+ microcomputer, PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data edits, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. separated to other short-term hospital
5. separated against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

The data chosen for inclusion in this book are from general, nonfederal, short-term hospitals in Canada. Short-term hospitals are defined as those in which the median stay is shorter than 45 days. Hospitals participating in PAS from the United States, United States Territories, and Puerto Rico were excluded from this book. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.

Bed Size and Province: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in Canada January-December 1985

	Short-Term Nonfederal Hospitals			Short-Term Nonfederal Hospital Beds		
Hospital Class (1)	Canada Total[2] (2)	Number in Books (3)	Percent in Books (4)	Canada Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
Less than 25 beds	242	23	9.5	3,434	393	11.4
25-49	194	65	33.5	6,680	2,204	33.0
50-99	174	39	22.4	12,300	2,584	21.0
100-199	120	19	15.8	16,507	2,494	15.1
200-299	74	7	9.5	17,869	1,627	9.1
300-399	58	5	8.6	20,119	1,723	8.6
400-499	20	3	15.0	8,981	1,435	16.0
500+	37	7	18.9	25,481	5,018	20.0
Total	919	168	18.3	111,371	17,478	15.7
Province or Territory						
Alberta	125	111	88.8	11,653	9,926	85.2
British Columbia	111	17	15.3	12,355	2,268	18.4
Manitoba	78	–	–	5,150	–	–
New Brunswick	33	32	97.0	3,924	3,584	91.3
Newfoundland	35	1	2.9	2,588	37	1.4
Nova Scotia	48	5	10.4	4,833	1,562	32.3
Ontario	207	–	–	37,688	–	–
Prince Edward Island	9	–	–	644	–	–
Quebec	138	–	–	26,125	–	–
Saskatchewan	132	–	–	6,260	–	–
Northwest Territories	3	2	66.7	151	101	66.9
Yukon	–	–	–	–	–	–
Total	919	168	18.3	111,371	17,478	15.7

---

[1] Hospitals with average stay less than 45 days, excluding psychiatric hospitals.

[2] *Canadian Hospital Directory*, 1980, Canadian Hospital Association, Ottawa, 1980.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification called *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. Generally "principal procedure" is that therapeutic procedure most related to the principal diagnosis. Procedure information for all patient data included in this book was coded using *ICD-9-CM.*

In *List B* there are 250 groups that contain at least one Uniform Hospital Discharge Data Set (UHDDS)[2] Class 1 procedure. A Class 1 procedure is defined as a procedure with an operative anesthetic risk or one that requires highly trained personnel or special facilities or equipment. Fourteen of the 264 *List B* groups consist solely of Class 2, 3, or 4 procedures. This book displays data only for those 250 groups with Class 1 procedures.

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are those patients whose principal procedure was grouped into an *ICD-9-CM List B* number where at least one UHDDS Class 1 procedure was present. While most *List B* groups contain only Class 1 procedures, the following groups contain Class 1 procedures and at least one procedure that is Class 2-4: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. All the other *ICD-9-CM List B* groups contain only Class 1 procedures or they contain only Class 2-4 procedures and are excluded from this book.

Explanation of Statistics

The *List B* procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* procedure codes included in that *List B* group.

Length of stay was calculated by the computer from admission and separation dates by counting the day of admission but not the day of separation. Patients who left the hospital on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) left the hospital on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Although utilization review in Canadian hospitals has not had the regulatory impetus of programs in the United States, Canadian hospitals have equal reason to be concerned about the wise use of resources. The instructions that follow are those found in the length of stay books for the United States. The techniques employed can be used by any Canadian hospital conducting a review of those cases whose stay exceeds the norms for matching cases listed in *Length of Stay by Diagnosis, Canada, 1985* or *Length of Stay by Operation, Canada, 1985*

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, whether the patient had single or multiple diagnoses, and the patient's age.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and different lengths of stay) could be appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR], or other prostatectomy); primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung); and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the contemplated operation in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. Procedures can also be found in the Alphabetic Index at the back of the length of stay books.

c. If an operation is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 3 of *ICD-9-CM.*[3] That code can then be located in *List B* or in the heading of the length of stay table.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 57-year-old patient is admitted to a hospital for elective surgery, a transurethral resection. The admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 3, Procedures: Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening.* Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	3		261
Criteria for admission			
1. Diastolic BP > 110			
2. Not controlled by outpatient Rx			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	**2**		**235**
for: Cystoscopy			636
TUR			**648**
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. Sepsis or fever > 102^{o}, chills			
2. Abscess formation			

b. The Alphabetic Index at the back of the operation length of stay book also shows that TUR is included in operation group 648.



OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	**Transurethral approach**
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.



Procedure **INDEX TO PROCEDURES**

Procedure — *continued*
  diagnostic NEC — *continued*
    pleura 34.28
    posterior chamber, eye 14.19
    prostate 60.18
    pulmonary 33.29
    rectum 48.29
    renal 55.29
    respiratory 33.29
    retina 14.19
    retroperitoneum 59.29
    salivary gland or duct 26.19
    sclera 12.29
    scrotum 61.19
    seminal vesicle 60.19
    sigmoid 45.28
    sinus, nasal 22.19
    skin 86.19
    skull 01.19
    soft tissue 83.29
    spermatic cord 63.09
    sphincter of Oddi 51.19
    spine, spinal (canal) (cord) (meninges)
        (structure) 03.39
    spleen 41.39
    stomach 44.19
    subcutaneous tissue 86.19
    sympathetic nerve 05.19
    tarsus 09.19
    tendon NEC 83.29
      extraocular 15.09
    testicle 62.19
    thalamus 01.18
    thoracic duct 40.19
    thorax 34.28
    thymus 07.19
    thyroid gland 06.19
    tongue 25.09
    tonsils 28.19
    tooth 24.19
    trachea 31.49
    tunica vaginalis 61.19
    ureter 56.39
    urethra 58.29
    uterus and supporting structures 68.19
    uvula 27.29
    vagina 70.29
    vas deferens 63.09
    vesical 57.39
    vessel (blood) (any site) 38.29
    vitreous 14.19
    vulva 71.19
  fistulizing, sclera NEC 12.69
  miscellaneous (nonoperative) NEC 99.99
  respiratory (nonoperative) NEC 93.99
  surgical — *see* Operation
Proctectasis 96.22
Proctectomy (partial) *(see also* Resection,
    rectum) 48.69
  abdominoperineal 48.5

Proctectomy (partial) — *continued*
  complete (Miles) (Rankin) 48.5
  pull-through 48.49
Proctoclysis 96.37
Proctolysis 48.99
Proctopexy (Delorme) 48.76
  abdominal (Ripstein) 48.75
Proctoplasty 48.79
Proctorrhaphy 48.71
Proctoscopy 48.23
  through stoma (artificial) 48.22
  transabdominal approach 48.21
Proctosigmoidectomy *(see also* Resection,
    rectum) 48.69
Proctosigmoidopexy 48.76
Proctosigmoidoscopy 48.23
  through stoma (artificial) 48.22
  transabdominal approach 48.21
Proctostomy 48.1
Proctotomy (decompression) (linear) 48.0
Production — *see also* Formation
  atrial septal defect 35.42
  subcutaneous tunnel for esophageal
      anastomosis 42.86
    with anastomosis — *see* Anastomosis,
        esophagus, antesternal
Prognathic recession 76.64
Prophylaxis, dental (scaling) (polishing)
    96.54
Prostatectomy (complete) (partial) NEC
    60.69
  loop 60.2
  perineal 60.62
  radical (any approach) 60.5
  retropubic (punch) (transcapsular) 60.4
  suprapubic (punch) (transvesical) 60.3
  transcapsular NEC 60.69
    retropubic 60.4
  transurethral 60.2
  transvesical punch (suprapubic) 60.3
Prostatocystotomy 60.0
Prostatolithotomy 60.0
Prostatotomy (perineal) 60.0
Prostatovesiculectomy 60.5
Protection (of)
  individual from his surroundings 99.84
  surroundings from individual 99.84
Psychoanalysis 94.31
Psychodrama 94.43
Psychotherapy NEC 94.39
  biofeedback 94.39
  exploratory verbal 94.37
  group 94.44
    for psychosexual dysfunctions 94.41
  play 94.36
  psychosexual dysfunctions 94.34
  supportive verbal 94.38
Ptyalectasis 26.91
Ptyalithotomy 26.0
Ptyalolithotomy 26.0

Step 2. Find the table for group 648 in the length of stay book.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top five lines of the table (1. Single Dx).

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	.1	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

The patient was admitted on 3 November; therefore the sixth day will fall on 9 November. Prior to or on 9 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

168 Hospitals, Canada, January-December 1985, by Operation

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	38855	3.4	15	<1	1	2	4	7	9	18
20-34	69171	4.0	12	<1	1	3	5	7	9	16
35-49	26073	4.8	22	<1	1	4	6	9	12	23
50-64	19799	6.0	35	1	1	4	8	12	16	29
65+	20512	7.4	62	1	2	5	9	15	21	42
2. MULTIPLE DX										
0-19 YRS	30959	6.1	68	1	1	4	7	12	19	49
20-34	63518	5.9	42	1	1	5	7	10	15	37
35-49	34605	7.6	67	1	2	6	9	15	21	46
50-64	40595	9.7	105	1	2	7	12	21	29	62
65+	64977	12.6	165	2	2	9	16	28	41	99+
TOT. SINGLE DX	174410	4.6	24	<1	1	3	5	9	12	25
" MULTIPLE DX	234654	8.7	102	1	2	6	10	19	28	65
TOTAL 0-19 YRS	69814	4.6	40	<1	1	3	5	9	13	34
20-34	132689	4.9	28	<1	1	4	6	8	11	28
35-49	60678	6.4	50	<1	1	5	8	12	17	39
50-64	60394	8.5	85	1	2	6	11	18	25	53
65+	85489	11.3	146	2	2	8	14	25	37	91
GRAND TOTAL	**409064**	**6.9**	**73**	**1**	**1**	**4**	**8**	**15**	**22**	**51**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	27	13.3	110	1	2	10	18	29	36	42
20-34	46	15.4	173	3	4	10	19	30	48	59
35-49	37	18.3	186	4	6	14	21	36	52	63
50-64	37	17.1	169	5	8	13	18	31	49	67
65+	28	23.0	410	4	6	13	38	52	69	70
2. MULTIPLE DX										
0-19 YRS	33	25.4	396	7	8	21	33	54	88	99+
20-34	47	26.2	265	8	9	21	36	58	68	99+
35-49	51	21.7	263	5	6	18	28	59	65	99+
50-64	105	26.1	316	4	8	22	40	59	76	99+
65+	80	26.8	380	6	8	21	42	62	80	99+
TOT. SINGLE DX	175	17.3	207	4	5	13	20	36	52	68
" MULTIPLE DX	316	25.5	324	6	8	21	37	59	76	99+
TOTAL 0-19 YRS	60	20.0	300	3	5	14	27	48	58	99
20-34	93	20.8	247	4	6	16	30	48	59	99+
35-49	88	20.2	232	5	6	16	25	49	64	99+
50-64	142	23.7	292	5	8	18	34	55	74	99+
65+	108	25.8	387	6	8	18	41	60	74	99+
GRAND TOTAL	**491**	**22.6**	**297**	**4**	**7**	**17**	**32**	**53**	**66**	**99+**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	8.7	56	<1	1	7	10	21	24	24
20-34	11	8.6	13	4	4	8	11	14	16	16
35-49	9	10.8	33	5	5	10	13	20	23	23
50-64	12	16.3	291	<1	3	11	17	51	52	52
65+	4	18.5	87	8	8	18	26	29	29	29
2. MULTIPLE DX										
0-19 YRS	12	22.3	272	2	9	18	37	65	93	99+
20-34	19	26.3	181	10	12	25	31	57	84	99+
35-49	15	18.2	127	6	8	14	27	32	42	46
50-64	11	19.0	51	10	10	17	27	51	93	99+
65+	16	22.6	230	4	5	22	36	52	84	99+
TOT. SINGLE DX	43	12.1	114	2	4	10	14	23	36	52
" MULTIPLE DX	73	22.1	176	6	9	22	29	48	89	99+
TOTAL 0-19 YRS	19	17.3	231	<1	2	12	26	52	78	99+
20-34	30	19.8	192	5	6	20	26	41	67	99+
35-49	24	15.4	103	5	5	12	20	29	36	46
50-64	23	17.6	171	3	4	15	25	50	66	99+
65+	20	21.8	199	5	6	22	33	49	75	99+
GRAND TOTAL	**116**	**18.4**	**176**	**4**	**5**	**14**	**26**	**46**	**55**	**99+**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	31	9.1	20	3	4	8	11	17	18	22
20-34	20	6.5	12	1	2	6	9	11	13	14
35-49	8	7.9	5	4	5	8	10	11	11	11
50-64	9	6.9	9	<1	2	8	9	10	10	10
65+										
2. MULTIPLE DX										
0-19 YRS	34	9.8	39	3	4	9	12	22	81	99+
20-34	22	11.9	68	4	5	10	14	43	99+	99+
35-49	13	9.5	11	4	6	9	10	16	16	16
50-64	14	17.4	387	5	6	9	12	49	67	72
65+	3	17.0	189	5	5	14	27	32	32	32
TOT. SINGLE DX	68	7.9	16	2	3	8	10	12	17	21
" MULTIPLE DX	86	11.8	106	4	5	9	13	32	72	99+
TOTAL 0-19 YRS	65	9.4	30	3	4	9	11	17	25	99+
20-34	42	9.3	48	2	3	8	12	24	56	99+
35-49	21	8.9	10	4	5	8	10	13	16	16
50-64	23	13.3	260	3	5	8	10	36	56	72
65+	3	17.0	189	5	5	14	27	32	32	32
GRAND TOTAL	**154**	**10.0**	**70**	**3**	**4**	**8**	**11**	**17**	**35**	**99+**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	16.8	273	7	7	10	17	46	56	56
20-34	4	9.8	9	7	7	9	12	14	14	14
35-49	5	11.8	52	3	3	12	15	23	23	23
50-64	5	11.8	39	5	5	15	16	18	18	18
65+	7	9.0	34	4	4	8	10	19	21	21
2. MULTIPLE DX										
0-19 YRS	31	23.6	343	7	8	19	44	86	99+	99+
20-34	10	11.7	67	3	4	9	14	25	30	30
35-49	4	15.5	35	10	10	20	99+	99+	99+	99+
50-64	14	19.2	210	4	5	20	34	95	99+	99+
65+	25	23.1	367	4	6	18	34	68	82	99+
TOT. SINGLE DX	29	12.2	99	4	4	9	14	22	25	56
" MULTIPLE DX	84	20.9	289	4	7	18	32	80	99+	99+
TOTAL 0-19 YRS	39	22.2	330	7	8	17	37	67	99+	99+
20-34	14	11.1	50	3	5	9	14	22	28	30
35-49	9	13.4	43	3	7	12	23	99+	99+	99+
50-64	19	17.3	172	4	5	16	26	72	99+	99+
65+	32	20.0	327	4	4	15	25	52	77	99+
GRAND TOTAL	**113**	**18.7**	**253**	**4**	**6**	**14**	**25**	**57**	**99+**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	29	9.8	62	3	4	8	11	19	34	34
20-34	18	8.0	32	1	2	7	11	16	19	21
35-49	8	16.0	263	3	4	8	24	44	49	49
50-64	13	14.4	109	4	6	9	21	31	36	37
65+	3	23.3	369	6	6	20	38	44	44	44
2. MULTIPLE DX										
0-19 YRS	108	12.9	182	3	3	9	15	31	36	89
20-34	24	20.3	378	7	8	16	25	93	99+	99+
35-49	21	19.4	236	3	5	13	28	44	48	52
50-64	14	18.0	186	5	6	14	23	39	50	53
65+	8	13.6	91	6	6	10	16	30	35	35
TOT. SINGLE DX	71	11.5	103	2	4	8	13	28	34	48
" MULTIPLE DX	175	15.2	217	3	4	10	20	35	52	99+
TOTAL 0-19 YRS	137	12.3	158	3	4	9	13	31	35	84
20-34	42	15.0	264	2	3	11	19	35	98	99+
35-49	29	18.5	237	3	4	12	27	45	49	52
50-64	27	16.3	147	5	6	12	22	35	40	53
65+	11	16.3	159	6	6	11	19	39	44	44
GRAND TOTAL	**246**	**14.1**	**186**	**3**	**4**	**10**	**18**	**33**	**45**	**99+**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	10.3	1	9	9	10	11	12	12	12
20-34	46	8.5	15	4	5	7	11	14	16	21
35-49	111	9.3	26	4	5	8	11	15	21	29
50-64	125	10.5	30	5	5	9	12	17	24	32
65+	41	13.0	40	6	7	12	15	22	28	33
2. MULTIPLE DX										
0-19 YRS	7	27.3	267	9	10	27	32	54	59	59
20-34	34	18.1	235	6	6	15	20	31	58	75
35-49	102	14.4	120	5	6	12	16	25	40	88
50-64	156	17.8	193	7	8	13	21	33	52	88
65+	123	18.4	158	8	8	15	23	32	38	73
TOT. SINGLE DX	327	10.1	29	4	5	9	12	17	21	30
" MULTIPLE DX	422	17.3	173	6	7	13	21	31	45	87
TOTAL 0-19 YRS	11	21.1	235	9	9	14	27	44	58	59
20-34	80	12.6	130	4	5	9	15	21	30	71
35-49	213	11.7	77	4	5	9	14	20	27	63
50-64	281	14.6	134	5	6	11	17	25	35	80
65+	164	17.0	134	6	8	14	21	31	36	63
GRAND TOTAL	**749**	**14.2**	**123**	**5**	**6**	**11**	**16**	**26**	**34**	**66**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	9.1	39	2	3	8	14	17	22	23
20-34	65	7.1	31	2	2	5	9	17	20	22
35-49	65	7.2	25	2	2	5	11	13	17	22
50-64	24	8.4	43	2	2	6	12	19	22	27
65+	8	9.6	180	2	2	3	11	33	41	41
2. MULTIPLE DX										
0-19 YRS	34	18.0	97	2	5	18	23	33	38	38
20-34	32	18.9	344	4	6	14	22	64	99	99+
35-49	53	12.8	69	3	4	10	17	25	27	44
50-64	37	16.0	206	2	3	12	21	36	62	99+
65+	29	17.4	224	4	5	15	20	32	84	99+
TOT. SINGLE DX	174	7.6	37	2	2	5	11	16	19	26
" MULTIPLE DX	185	16.2	175	3	4	13	21	33	48	99+
TOTAL 0-19 YRS	46	15.7	97	2	3	15	22	28	37	38
20-34	97	11.0	163	2	2	8	15	22	39	99+
35-49	118	9.8	53	2	3	9	13	19	24	35
50-64	61	13.0	155	2	2	11	16	33	41	96
65+	37	15.7	220	2	3	14	18	35	67	99+
GRAND TOTAL	**359**	**12.0**	**127**	**2**	**3**	**10**	**17**	**24**	**34**	**99**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	3.2	8	<1	<1	2	3	7	11	11
20-34	43	5.0	24	<1	1	3	5	12	15	24
35-49	39	5.3	47	1	1	3	5	11	21	36
50-64	53	4.5	15	<1	1	3	6	11	14	16
65+	32	4.4	17	1	1	3	5	10	15	18
2. MULTIPLE DX										
0-19 YRS	13	7.6	47	<1	1	4	14	17	19	19
20-34	27	8.2	122	1	1	4	10	18	39	48
35-49	39	6.8	75	1	2	3	6	15	28	44
50-64	65	8.1	150	1	2	4	8	20	29	68
65+	44	10.3	168	1	2	5	11	25	40	67
TOT. SINGLE DX	177	4.7	24	<1	1	3	5	12	14	25
" MULTIPLE DX	188	8.3	127	1	2	4	9	19	29	66
TOTAL 0-19 YRS	23	5.7	34	<1	<1	3	10	16	18	19
20-34	70	6.2	64	<1	1	3	7	13	19	46
35-49	78	6.1	61	1	2	3	6	13	27	42
50-64	118	6.5	92	1	1	3	8	14	20	66
65+	76	7.8	112	1	2	4	9	17	26	62
GRAND TOTAL	**365**	**6.6**	**80**	**1**	**1**	**3**	**7**	**14**	**21**	**48**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	34	2.5	2	1	1	2	3	4	6	8
20-34	199	2.1	2	<1	<1	2	2	3	5	9
35-49	239	2.6	5	<1	<1	2	3	5	6	14
50-64	230	2.7	11	<1	<1	2	3	5	7	9
65+	168	2.8	5	<1	<1	2	3	5	7	15
2. MULTIPLE DX										
0-19 YRS	41	3.1	7	<1	1	2	4	7	9	12
20-34	109	4.1	65	<1	1	2	4	7	11	47
35-49	142	4.1	23	<1	<1	3	5	9	14	39
50-64	145	5.6	61	<1	1	3	6	14	20	37
65+	204	5.5	67	1	1	3	5	13	19	50
TOT. SINGLE DX	870	2.5	6	<1	<1	2	3	4	6	11
" MULTIPLE DX	641	4.9	53	<1	1	3	5	11	17	37
TOTAL 0-19 YRS	75	2.8	5	<1	1	2	3	6	8	11
20-34	308	2.8	25	<1	<1	2	3	5	7	22
35-49	381	3.1	12	<1	<1	2	3	6	9	21
50-64	375	3.8	33	<1	<1	2	3	8	12	26
65+	372	4.3	42	<1	1	2	4	9	15	36
GRAND TOTAL	**1511**	**3.5**	**27**	**<1**	**<1**	**2**	**3**	**7**	**11**	**25**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	6.3	5	4	4	6	8	9	9	9
20-34	14	6.9	4	4	5	7	9	10	10	10
35-49	8	7.5	23	2	3	6	9	15	18	18
50-64	13	9.2	17	2	4	8	13	14	15	15
65+	3	17.7	376	5	5	24	70	99+	99+	99+
2. MULTIPLE DX										
0-19 YRS										
20-34	16	8.0	23	4	5	7	8	10	21	25
35-49	14	24.6	733	4	6	12	38	77	86	89
50-64	19	11.0	15	4	5	11	14	15	17	19
65+	61	18.4	314	4	6	14	20	45	71	98
TOT. SINGLE DX	42	8.4	37	3	4	7	9	14	26	99+
" MULTIPLE DX	110	16.4	292	4	6	11	18	38	63	93
TOTAL 0-19 YRS	4	6.3	5	4	4	6	8	9	9	9
20-34	30	7.5	14	4	5	7	8	10	10	25
35-49	22	18.4	532	3	4	9	18	51	81	89
50-64	32	10.3	16	3	5	11	13	15	15	19
65+	64	18.3	312	4	6	14	21	56	82	99+
GRAND TOTAL	**152**	**14.2**	**234**	**4**	**5**	**9**	**15**	**30**	**60**	**99**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	4	15.0	340	<1	<1	8	26	42	42	42
35-49	7	5.3	32	<1	<1	2	10	14	14	14
50-64	14	5.6	29	1	1	4	9	14	19	20
65+	4	3.8	23	<1	<1	1	6	11	11	11
2. MULTIPLE DX										
0-19 YRS	2	27.5	925	6	6	27	49	49	49	49
20-34	18	8.7	58	<1	1	6	12	18	26	31
35-49	13	14.2	181	<1	<1	9	21	32	46	49
50-64	17	17.2	387	1	1	9	23	55	64	65
65+	16	12.9	277	<1	1	9	15	29	57	68
TOT. SINGLE DX	32	6.2	66	<1	1	3	9	13	19	42
" MULTIPLE DX	66	13.6	238	<1	1	9	17	31	52	68
TOTAL 0-19 YRS	5	12.6	416	2	2	3	17	49	49	49
20-34	22	9.9	102	<1	1	6	12	23	35	42
35-49	20	11.1	144	<1	<1	8	15	25	38	49
50-64	31	12.0	253	1	1	5	17	28	59	65
65+	20	11.1	237	<1	<1	7	14	23	49	68
GRAND TOTAL	**98**	**11.2**	**193**	**<1**	**1**	**6**	**14**	**27**	**46**	**67**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	15	5.1	25	1	1	4	6	8	18	22
20-34	145	4.9	5	3	3	4	5	7	8	19
35-49	163	5.0	2	3	3	5	6	7	8	12
50-64	137	5.3	2	3	4	5	6	7	8	12
65+	53	6.6	23	3	4	5	7	10	14	35
2. MULTIPLE DX										
0-19 YRS	6	6.2	8	3	3	6	9	10	10	10
20-34	70	5.7	8	3	3	5	6	10	12	18
35-49	121	6.5	25	3	4	5	7	11	15	31
50-64	109	7.1	14	4	4	6	7	12	16	21
65+	98	9.7	48	4	4	8	11	19	22	40
TOT. SINGLE DX	513	5.2	7	3	3	5	6	7	8	15
" MULTIPLE DX	404	7.3	26	3	4	6	8	13	17	30
TOTAL 0-19 YRS	21	5.4	20	1	2	4	6	9	15	22
20-34	215	5.1	7	3	3	4	6	7	11	19
35-49	284	5.6	13	3	3	5	6	8	12	22
50-64	246	6.1	9	4	4	5	7	9	12	19
65+	151	8.6	41	4	4	7	9	16	20	39
GRAND TOTAL	**917**	**6.1**	**16**	**3**	**4**	**5**	**7**	**9**	**13**	**22**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	50	2.7	2	<1	<1	2	4	5	5	7
20-34	26	4.0	4	1	2	4	5	7	8	10
35-49	21	5.2	7	2	3	4	7	9	12	12
50-64	17	4.7	4	2	2	4	5	9	10	10
65+	10	7.3	17	4	4	6	7	15	16	16
2. MULTIPLE DX										
0-19 YRS	13	7.6	126	1	2	5	7	17	39	44
20-34	15	6.0	11	3	3	5	7	12	13	13
35-49	27	6.9	20	2	3	6	8	13	15	23
50-64	33	9.0	48	2	4	7	9	22	25	28
65+	32	11.5	63	4	5	9	14	21	35	37
TOT. SINGLE DX	124	4.0	7	1	1	4	5	7	9	15
" MULTIPLE DX	120	8.7	52	2	3	7	10	16	23	39
TOTAL 0-19 YRS	63	3.7	30	<1	1	3	4	6	7	40
20-34	41	4.7	8	1	2	4	6	8	11	13
35-49	48	6.1	15	2	3	5	7	12	13	23
50-64	50	7.6	37	2	3	5	8	18	24	28
65+	42	10.5	55	4	5	8	14	18	28	37
GRAND TOTAL	**244**	**6.3**	**34**	**1**	**2**	**5**	**7**	**12**	**16**	**36**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	16	11.6	15	6	8	10	14	18	19	20
35-49	7	7.9	3	5	5	9	9	10	10	10
50-64	2	21.5	85	15	15	21	28	28	28	28
65+	3	20.0	163	9	9	17	30	34	34	34
2. MULTIPLE DX										
0-19 YRS	7	13.9	36	9	9	12	17	24	25	25
20-34	17	16.4	59	7	9	13	22	29	29	29
35-49	20	14.9	34	7	8	13	20	23	25	27
50-64	22	27.2	485	7	8	21	30	70	75	81
65+	12	24.0	118	5	11	24	32	37	42	43
TOT. SINGLE DX	29	11.9	46	5	6	9	15	19	28	34
" MULTIPLE DX	78	20.0	203	7	8	16	24	33	49	78
TOTAL 0-19 YRS	8	12.3	52	<1	3	11	16	23	25	25
20-34	33	14.1	43	6	8	12	18	25	29	29
35-49	27	13.1	36	6	7	11	16	23	24	27
50-64	24	26.8	449	7	8	21	29	70	73	81
65+	15	23.2	119	5	9	21	33	35	41	43
GRAND TOTAL	**107**	**17.8**	**173**	**6**	**7**	**14**	**22**	**30**	**39**	**75**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	42	1.1		<1	<1	1	1	2	2	2
20-34	16	1.9	3	<1	<1	1	2	5	7	8
35-49	21	1.3		<1	<1	<1	1	2	3	3
50-64	24	2.4	6	<1	<1	1	3	5	9	11
65+	29	3.2	9	<1	<1	2	4	8	9	14
2. MULTIPLE DX										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	5	5.6	28	<1	<1	6	8	14	14	14
35-49	5	8.0	151	2	2	3	30	93	99+	99+
50-64	21	9.4	267	<1	1	3	8	29	53	69
65+	35	6.1	67	<1	<1	4	8	17	81	99+
TOT. SINGLE DX	132	1.9	4	<1	<1	1	2	4	7	12
" MULTIPLE DX	69	7.0	127	<1	<1	3	8	24	67	99+
TOTAL 0-19 YRS	45	1.2		<1	<1	1	1	2	2	2
20-34	21	2.8	11	<1	<1	1	3	7	11	14
35-49	26	2.6	32	<1	<1	1	2	3	40	99+
50-64	45	5.7	137	<1	<1	2	4	10	26	69
65+	64	4.8	43	<1	<1	3	7	11	24	99+
GRAND TOTAL	**201**	**3.7**	**52**	**<1**	**<1**	**2**	**3**	**8**	**14**	**99+**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	56	1.9	1	<1	<1	1	2	5	5	6
20-34	37	2.0	2	<1	<1	1	2	5	5	6
35-49	45	2.1	1	<1	<1	2	3	4	5	6
50-64	57	2.1	2	<1	<1	2	2	3	5	12
65+	88	2.5	5	<1	<1	2	3	5	5	14
2. MULTIPLE DX										
0-19 YRS	62	3.1	12	<1	1	2	4	6	15	89
20-34	104	3.5	17	<1	<1	2	4	9	14	20
35-49	86	2.9	16	<1	<1	2	3	5	8	26
50-64	88	2.6	4	<1	<1	2	3	5	6	13
65+	159	6.2	127	<1	<1	3	4	14	31	73
TOT. SINGLE DX	283	2.2	3	<1	<1	2	3	4	5	11
" MULTIPLE DX	499	4.1	51	<1	<1	2	4	8	15	49
TOTAL 0-19 YRS	118	2.6	8	<1	<1	2	3	5	7	43
20-34	141	3.1	14	<1	<1	2	4	6	12	18
35-49	131	2.6	11	<1	<1	2	3	5	7	24
50-64	145	2.4	4	<1	<1	2	3	4	6	12
65+	247	4.9	87	<1	<1	2	4	10	20	73
GRAND TOTAL	**782**	**3.4**	**35**	**<1**	**<1**	**2**	**3**	**6**	**11**	**38**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	2.5	2	1	1	2	3	5	5	5
20-34	22	2.3	1	<1	1	2	3	4	5	5
35-49	19	2.5		<1	1	2	3	4	4	4
50-64	42	3.0	2	1	1	3	4	5	7	9
65+	39	3.0	1	1	2	3	4	5	6	7
2. MULTIPLE DX										
0-19 YRS	8	3.0	3	1	1	3	4	6	7	7
20-34	8	10.3	472	1	1	3	4	46	64	64
35-49	19	3.2	3	<1	1	3	4	6	7	8
50-64	15	2.8	1	2	2	2	3	4	6	6
65+	29	4.3	18	1	1	3	5	7	13	23
TOT. SINGLE DX	130	2.8	2	1	1	2	3	5	6	8
" MULTIPLE DX	79	4.2	55	1	2	3	4	6	8	52
TOTAL 0-19 YRS	16	2.8	3	1	1	2	4	5	6	7
20-34	30	4.4	128	<1	1	2	3	5	5	64
35-49	38	2.8	2	<1	1	2	3	4	6	8
50-64	57	3.0	3	1	2	2	3	5	6	9
65+	68	3.6	9	1	2	3	4	6	7	21
GRAND TOTAL	**209**	**3.3**	**22**	**1**	**1**	**3**	**4**	**5**	**6**	**16**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	1.5	1	<1	<1	1	2	3	3	3
20-34	8	1.9	1	<1	<1	1	3	3	3	3
35-49	3	2.3		2	2	2	3	3	3	3
50-64	3	2.7		2	2	3	3	3	3	3
65+	3	4.3	10	2	2	3	7	8	8	8
2. MULTIPLE DX										
0-19 YRS	5	3.0	2	2	2	2	4	5	5	5
20-34	4	3.0	2	<1	<1	3	4	4	4	4
35-49	9	6.3	90	<1	<1	3	6	21	31	31
50-64	3	4.0	1	3	3	4	5	5	5	5
65+	4	9.8	50	<1	<1	11	15	16	16	16
TOT. SINGLE DX	21	2.3	2	<1	<1	2	3	3	5	8
" MULTIPLE DX	25	5.4	43	<1	<1	4	5	15	20	31
TOTAL 0-19 YRS	9	2.3	2	<1	<1	2	3	5	5	5
20-34	12	2.3	1	<1	<1	2	3	4	4	4
35-49	12	5.3	69	<1	<1	3	5	14	29	31
50-64	6	3.3	1	2	2	3	4	5	5	5
65+	7	7.4	37	<1	<1	7	13	16	16	16
GRAND TOTAL	**46**	**4.0**	**26**	**<1**	**<1**	**3**	**4**	**7**	**15**	**31**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	4.6	2	2	2	5	5	7	7	7
20-34	50	4.8	2	3	3	4	5	7	8	11
35-49	38	4.4	2	2	3	4	5	7	7	8
50-64	20	6.0	10	3	3	5	7	9	13	18
65+	43	6.0	20	3	3	5	6	10	13	30
2. MULTIPLE DX										
0-19 YRS	8	5.9	5	3	3	5	8	9	9	9
20-34	25	5.4	8	2	2	5	6	8	11	16
35-49	22	7.0	43	2	3	5	7	13	23	33
50-64	32	4.7	2	2	3	4	6	7	7	8
65+	76	5.3	8	2	3	5	6	8	10	19
TOT. SINGLE DX	160	5.2	9	3	3	5	6	7	9	18
" MULTIPLE DX	163	5.5	12	2	3	5	6	8	10	20
TOTAL 0-19 YRS	17	5.2	4	2	3	5	6	8	9	9
20-34	75	5.0	5	2	3	4	6	8	9	15
35-49	60	5.4	18	2	3	4	6	8	10	31
50-64	52	5.2	6	3	3	5	6	7	8	18
65+	119	5.6	13	2	3	5	6	8	11	24
GRAND TOTAL	**323**	**5.3**	**10**	**2**	**3**	**5**	**6**	**8**	**10**	**19**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	20	4.0	8	<1	<1	3	6	8	10	11
20-34	31	3.4	6	<1	<1	3	5	7	9	11
35-49	39	2.5	3	<1	<1	2	4	5	7	8
50-64	17	1.9	1	<1	<1	2	2	4	4	4
65+	28	3.2	6	<1	1	3	4	5	8	14
2. MULTIPLE DX										
0-19 YRS	20	7.0	47	<1	<1	6	8	12	22	32
20-34	17	4.1	7	<1	<1	4	7	8	8	8
35-49	17	3.8	9	<1	<1	2	6	9	10	10
50-64	13	5.4	32	<1	1	3	7	14	20	21
65+	27	9.1	106	<1	2	5	15	23	31	41
TOT. SINGLE DX	135	3.0	5	<1	<1	2	4	6	7	12
" MULTIPLE DX	94	6.3	51	<1	<1	4	7	13	23	37
TOTAL 0-19 YRS	40	5.5	29	<1	<1	5	7	10	12	32
20-34	48	3.6	7	<1	<1	3	5	8	8	11
35-49	56	2.9	5	<1	<1	2	4	7	8	10
50-64	30	3.4	17	<1	<1	2	4	7	12	21
65+	55	6.1	64	<1	1	3	5	18	23	40
GRAND TOTAL	**229**	**4.3**	**27**	**<1**	**<1**	**3**	**5**	**8**	**12**	**30**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	14.0	296	<1	<1	8	26	38	38	38
20-34	3	6.7	9	4	4	6	9	10	10	10
35-49	10	5.7	5	2	3	5	7	9	11	11
50-64	33	5.3	9	2	2	5	7	9	12	14
65+	74	5.5	17	2	2	5	6	11	12	25
2. MULTIPLE DX										
0-19 YRS	4	8.5	40	2	2	7	13	17	17	17
20-34	8	6.8	20	<1	<1	7	10	12	13	13
35-49	19	10.6	81	3	4	6	18	26	29	29
50-64	31	9.8	106	2	3	6	11	17	41	47
65+	85	8.3	48	2	3	6	12	17	19	38
TOT. SINGLE DX	124	5.8	23	2	2	5	7	11	12	31
" MULTIPLE DX	147	8.8	63	2	3	6	11	18	25	42
TOTAL 0-19 YRS	8	11.3	153	<1	1	7	16	32	38	38
20-34	11	6.7	16	<1	1	6	10	12	13	13
35-49	29	8.9	60	2	4	6	9	23	28	29
50-64	64	7.5	61	2	2	5	8	14	17	46
65+	159	7.0	36	2	2	5	8	14	18	36
GRAND TOTAL	**271**	**7.4**	**47**	**2**	**2**	**5**	**9**	**14**	**19**	**39**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	5.1	17	<1	1	4	7	11	14	15
20-34	13	4.3	5	<1	1	4	6	8	8	8
35-49	16	4.3	5	1	2	4	6	8	9	9
50-64	35	5.5	13	2	2	4	6	11	12	19
65+	42	5.2	12	2	2	4	7	9	13	19
2. MULTIPLE DX										
0-19 YRS	5	7.0	13	2	2	7	10	11	11	11
20-34	17	4.5	6	<1	1	4	7	8	8	8
35-49	9	6.9	13	3	3	5	10	12	14	14
50-64	20	5.7	10	1	2	5	7	11	11	12
65+	67	8.6	154	2	2	5	10	15	18	74
TOT. SINGLE DX	118	5.1	12	1	2	4	6	10	12	19
" MULTIPLE DX	118	7.3	94	1	2	5	8	12	16	74
TOTAL 0-19 YRS	17	5.6	16	<1	1	5	8	11	14	15
20-34	30	4.4	6	<1	1	4	7	8	8	8
35-49	25	5.2	10	1	2	4	7	10	11	14
50-64	55	5.5	12	2	2	5	7	11	12	19
65+	109	7.3	102	2	2	5	8	14	17	74
GRAND TOTAL	**236**	**6.2**	**54**	**1**	**2**	**5**	**7**	**11**	**14**	**27**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	2.7	1	2	2	2	4	4	4	4
20-34	6	3.0	1	2	2	3	3	5	5	5
35-49	64	3.6	1	2	2	3	4	5	6	6
50-64	380	3.6	2	2	2	3	4	5	6	11
65+	1399	3.7	2	2	2	3	4	5	6	11
2. MULTIPLE DX										
0-19 YRS	8	2.5		1	1	2	3	4	4	4
20-34	3	4.7	2	3	3	5	6	6	6	6
35-49	33	4.2	4	2	2	3	5	7	9	10
50-64	208	4.6	8	2	2	4	5	8	10	18
65+	1144	5.6	44	2	2	4	6	9	12	36
TOT. SINGLE DX	1856	3.7	3	2	2	3	4	5	6	11
" MULTIPLE DX	1396	5.4	38	2	2	4	6	9	12	28
TOTAL 0-19 YRS	15	2.6	1	1	2	2	3	4	4	4
20-34	9	3.6	2	2	2	3	5	6	6	6
35-49	97	3.8	3	2	2	3	4	6	7	10
50-64	588	4.0	5	2	2	3	4	6	7	14
65+	2543	4.6	22	2	2	4	5	7	9	19
GRAND TOTAL	**3252**	**4.4**	**18**	**2**	**2**	**4**	**5**	**7**	**9**	**17**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17	3.9	10	1	2	3	4	9	12	13
20-34	21	3.2	1	2	2	3	4	5	6	6
35-49	80	2.7	1	<1	<1	3	4	4	5	5
50-64	347	2.7	2	<1	<1	2	3	4	5	10
65+	1392	3.2	6	<1	2	3	4	5	7	11
2. MULTIPLE DX										
0-19 YRS	23	5.4	48	1	1	3	6	10	24	31
20-34	23	4.6	35	2	2	3	4	7	16	31
35-49	74	4.3	19	<1	2	3	4	8	10	84
50-64	405	4.0	26	2	2	3	4	6	9	20
65+	2078	3.9	22	2	2	3	4	7	10	19
TOT. SINGLE DX	1857	3.1	5	<1	1	3	4	5	7	11
" MULTIPLE DX	2603	4.0	23	2	2	3	4	7	10	21
TOTAL 0-19 YRS	40	4.8	32	1	2	3	5	9	17	31
20-34	44	3.9	19	2	2	3	4	6	7	31
35-49	154	3.5	11	<1	1	3	4	5	8	35
50-64	752	3.4	16	<1	2	3	4	5	7	13
65+	3470	3.6	16	1	2	3	4	6	8	16
GRAND TOTAL	**4460**	**3.6**	**16**	**1**	**2**	**3**	**4**	**6**	**8**	**16**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	8	3.4	1	2	2	4	4	5	5	5
35-49	13	3.5	7	2	2	3	4	6	11	12
50-64	104	3.4	3	1	2	3	4	5	6	12
65+	294	3.9	5	2	2	4	5	7	8	15
2. MULTIPLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	5	3.2	2	2	2	3	4	6	6	6
35-49	8	3.4	2	2	2	3	4	6	7	7
50-64	65	4.3	8	1	2	3	5	8	12	14
65+	240	4.9	11	2	2	4	5	7	11	20
TOT. SINGLE DX	420	3.8	5	2	2	3	4	6	8	14
" MULTIPLE DX	319	4.7	11	2	2	4	5	7	11	18
TOTAL 0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	13	3.3	2	2	2	3	4	5	6	6
35-49	21	3.4	5	2	2	3	4	6	9	12
50-64	169	3.8	5	1	2	3	4	6	8	13
65+	534	4.4	8	2	2	4	5	7	9	17
GRAND TOTAL	**739**	**4.2**	**7**	**2**	**2**	**4**	**5**	**7**	**9**	**15**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	5.6	4	3	4	5	6	8	10	12
20-34	60	5.5	13	2	3	5	7	9	10	26
35-49	41	5.9	6	2	3	6	8	10	11	12
50-64	85	6.1	8	2	3	6	7	10	12	15
65+	86	7.2	7	3	4	7	9	10	11	17
2. MULTIPLE DX										
0-19 YRS	12	4.3	3	1	2	4	6	6	7	7
20-34	33	6.0	7	2	3	6	7	9	12	13
35-49	28	7.3	11	3	3	6	9	13	15	16
50-64	105	6.6	13	3	4	6	8	10	13	22
65+	111	7.2	18	3	4	6	8	11	16	27
TOT. SINGLE DX	293	6.2	9	3	3	6	8	10	11	16
" MULTIPLE DX	289	6.7	15	3	3	6	8	11	13	25
TOTAL 0-19 YRS	33	5.1	4	3	3	5	6	7	9	12
20-34	93	5.6	11	2	3	5	7	9	11	21
35-49	69	6.4	9	3	3	6	8	10	12	16
50-64	190	6.3	11	2	3	6	8	10	12	20
65+	197	7.2	14	3	4	7	9	11	13	26
GRAND TOTAL	**582**	**6.5**	**12**	**3**	**3**	**6**	**8**	**10**	**12**	**20**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	4.5	9	<1	<1	4	7	8	8	8
20-34	7	4.7	6	2	2	3	7	8	8	8
35-49	8	6.1	3	4	4	6	7	9	9	9
50-64	17	4.8	5	2	2	4	6	8	9	9
65+	31	4.7	6	2	2	4	6	9	10	10
2. MULTIPLE DX										
0-19 YRS	6	4.5	4	3	3	5	54	99+	99+	99+
20-34	54	6.4	12	3	3	6	7	9	12	23
35-49	33	8.0	35	3	4	6	8	15	23	29
50-64	47	6.5	96	2	2	5	6	9	11	70
65+	87	5.8	21	2	2	4	6	10	13	31
TOT. SINGLE DX	71	4.9	6	2	2	4	7	9	9	10
" MULTIPLE DX	227	6.3	36	2	3	5	7	10	14	76
TOTAL 0-19 YRS	14	4.5	7	<1	2	5	8	91	99+	99+
20-34	61	6.2	12	3	3	6	7	8	11	23
35-49	41	7.6	30	3	4	6	8	12	23	29
50-64	64	6.0	72	2	2	5	6	9	10	62
65+	118	5.5	18	2	2	4	6	9	12	27
GRAND TOTAL	**298**	**6.0**	**30**	**2**	**2**	**5**	**7**	**9**	**13**	**52**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	349	1.6	1	<1	<1	2	2	2	2	4
20-34	123	2.1	1	<1	<1	2	2	3	3	8
35-49	57	2.4	14	<1	<1	2	2	3	3	28
50-64	31	2.1		<1	1	2	2	3	4	5
65+	9	2.2		1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	88	1.7	1	<1	<1	2	2	2	3	8
20-34	60	2.1		<1	1	2	2	3	4	6
35-49	37	2.1	2	<1	<1	2	2	3	3	11
50-64	19	1.9		<1	<1	2	2	3	4	4
65+	14	2.5	1	<1	1	2	3	4	5	5
TOT. SINGLE DX	569	1.8	3	<1	<1	2	2	2	3	5
" MULTIPLE DX	218	1.9	1	<1	<1	2	2	3	4	7
TOTAL 0-19 YRS	437	1.6	1	<1	<1	2	2	2	3	5
20-34	183	2.1	1	<1	1	2	2	3	3	7
35-49	94	2.3	10	<1	<1	2	2	3	3	22
50-64	50	2.0	1	<1	<1	2	2	3	4	5
65+	23	2.4	1	1	1	2	3	4	5	5
GRAND TOTAL	**787**	**1.9**	**2**	**<1**	**<1**	**2**	**2**	**2**	**3**	**6**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64	4	2.3		2	2	2	3	3	3	3
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	20.5	685	2	2	20	39	39	39	39
50-64	1	2.0		2	2	2	2	2	2	2
65+										
TOT. SINGLE DX	6	3.0	4	2	2	2	3	7	7	7
" MULTIPLE DX	5	9.2	278	1	1	2	11	39	39	39
TOTAL 0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	2	20.5	685	2	2	20	39	39	39	39
50-64	5	2.2		2	2	2	3	3	3	3
65+	1	7.0		7	7	7	7	7	7	7
GRAND TOTAL	**11**	**5.8**	**124**	**1**	**1**	**2**	**3**	**20**	**37**	**39**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	16	4.1	11	1	2	3	4	9	12	14
20-34	18	5.1	12	1	1	4	7	11	12	12
35-49	23	6.9	30	1	1	6	10	17	18	18
50-64	11	4.9	6	1	2	4	6	9	10	10
65+	27	6.2	27	1	2	4	8	14	17	24
2. MULTIPLE DX										
0-19 YRS	16	5.3	20	<1	<1	4	7	14	14	14
20-34	36	6.5	29	2	2	5	7	13	18	28
35-49	20	9.7	164	1	2	6	9	23	43	56
50-64	25	7.3	31	1	1	5	11	17	18	18
65+	43	8.1	110	2	2	6	8	14	20	68
TOT. SINGLE DX	95	5.7	21	1	2	4	7	12	16	21
" MULTIPLE DX	140	7.5	73	1	2	5	8	15	18	57
TOTAL 0-19 YRS	32	4.7	16	<1	1	3	6	12	14	14
20-34	54	6.1	24	1	2	5	7	12	16	28
35-49	43	8.2	93	1	2	6	10	17	23	56
50-64	36	6.6	25	1	1	5	9	15	18	18
65+	70	7.4	78	2	2	5	8	14	16	60
GRAND TOTAL	**235**	**6.7**	**52**	**1**	**2**	**5**	**8**	**14**	**17**	**35**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	2.2		1	1	2	2	3	4	4
20-34	57	2.8	1	2	2	3	3	4	5	9
35-49	100	2.7	1	1	2	2	3	4	5	7
50-64	55	3.4	15	1	2	3	3	5	7	29
65+	13	3.2	3	<1	1	3	4	6	8	8
2. MULTIPLE DX										
0-19 YRS	5	2.6		2	2	3	3	3	3	3
20-34	33	3.2	2	2	2	3	4	5	7	8
35-49	46	3.0	1	2	2	3	3	4	5	8
50-64	35	2.6	1	1	2	2	3	4	5	8
65+	10	2.5		2	2	2	3	4	4	4
TOT. SINGLE DX	239	2.9	5	1	2	2	3	4	5	8
" MULTIPLE DX	129	2.9	2	2	2	3	3	4	5	8
TOTAL 0-19 YRS	19	2.3		1	2	2	3	3	4	4
20-34	90	2.9	2	2	2	3	3	4	5	9
35-49	146	2.8	1	1	2	3	3	4	5	7
50-64	90	3.1	10	1	2	2	3	5	6	21
65+	23	2.9	2	1	1	3	4	4	6	8
GRAND TOTAL	**368**	**2.9**	**4**	**1**	**2**	**3**	**3**	**4**	**5**	**8**

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	194	2.0	2	<1	<1	2	2	3	4	7
20-34	48	2.5	3	<1	<1	2	3	5	7	8
35-49	26	2.6		1	2	2	3	4	4	5
50-64	19	3.3	1	1	2	3	5	5	5	5
65+	30	3.2	6	<1	<1	2	4	7	10	10
2. MULTIPLE DX										
0-19 YRS	117	3.8	8	<1	1	3	5	7	9	17
20-34	44	4.3	23	<1	<1	2	5	10	17	21
35-49	18	3.6	28	<1	<1	2	3	7	17	24
50-64	22	5.7	25	<1	1	3	11	13	15	16
65+	40	13.6	277	2	2	9	17	61	82	99+
TOT. SINGLE DX	317	2.3	3	<1	<1	2	3	4	5	9
" MULTIPLE DX	241	5.7	71	<1	1	3	6	13	20	72
TOTAL 0-19 YRS	311	2.7	6	<1	<1	2	3	5	7	14
20-34	92	3.3	13	<1	<1	2	4	7	10	21
35-49	44	3.0	12	<1	<1	2	3	4	6	24
50-64	41	4.6	16	1	1	3	5	12	14	16
65+	70	9.1	186	1	1	4	11	24	64	99+
GRAND TOTAL	**558**	**3.8**	**35**	**<1**	**<1**	**2**	**4**	**8**	**12**	**35**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	93	2.3		1	1	2	3	3	4	7
20-34	157	2.4	1	1	1	2	3	5	6	7
35-49	119	2.5	1	1	2	2	3	4	5	7
50-64	73	2.3		1	1	2	3	3	4	6
65+	21	1.9		1	1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	129	2.2	2	1	1	2	3	3	5	9
20-34	157	2.4		1	2	2	3	3	3	6
35-49	129	2.6	1	2	2	2	3	3	4	7
50-64	108	2.6	1	1	2	2	3	4	5	8
65+	21	2.7	1	2	2	2	3	4	5	7
TOT. SINGLE DX	463	2.4	1	1	1	2	3	3	5	6
" MULTIPLE DX	544	2.4	1	1	1	2	3	3	4	7
TOTAL 0-19 YRS	222	2.2	2	1	1	2	3	3	4	7
20-34	314	2.4	1	1	1	2	3	3	5	6
35-49	248	2.5	1	1	2	2	3	3	5	6
50-64	181	2.5	1	1	2	2	3	3	4	6
65+	42	2.3	1	1	1	2	3	3	4	7
GRAND TOTAL	**1007**	**2.4**	**1**	**1**	**1**	**2**	**3**	**3**	**5**	**7**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	769	1.2		<1	<1	<1	1	2	2	5
20-34	24	2.0	3	<1	<1	1	2	3	8	9
35-49	11	2.1	1	<1	<1	2	3	4	4	4
50-64	9	1.6		<1	<1	2	2	2	2	2
65+	6	2.8	12	<1	<1	1	2	9	10	10
2. MULTIPLE DX										
0-19 YRS	636	2.4	7	<1	<1	2	2	5	8	16
20-34	16	5.1	133	1	1	2	3	7	36	48
35-49	12	3.8	19	<1	1	2	4	9	16	17
50-64	13	10.9	492	<1	<1	2	4	47	71	76
65+	12	6.8	72	2	2	3	6	22	29	30
TOT. SINGLE DX	819	1.3	1	<1	<1	<1	1	2	2	6
" MULTIPLE DX	689	2.7	22	<1	<1	2	2	5	8	19
TOTAL 0-19 YRS	1405	1.7	4	<1	<1	1	2	2	5	12
20-34	40	3.2	56	<1	<1	2	2	5	8	48
35-49	23	3.0	11	<1	<1	2	3	5	10	17
50-64	22	7.1	304	<1	<1	2	2	17	54	76
65+	18	5.5	55	<1	<1	3	6	16	25	30
GRAND TOTAL	**1508**	**1.9**	**11**	**<1**	**<1**	**1**	**2**	**3**	**5**	**15**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	36	4.7	8	2	2	4	6	7	11	16
20-34	55	3.9	2	2	2	3	5	6	6	10
35-49	35	4.0	1	2	2	4	5	6	6	6
50-64	19	5.4	18	2	3	5	6	7	16	22
65+	3	4.0	3	2	2	5	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	65	4.7	10	2	2	3	5	9	13	18
20-34	97	3.7	2	2	2	3	4	6	7	10
35-49	74	3.6	2	2	2	3	4	6	7	10
50-64	61	4.2	5	2	2	3	5	7	9	15
65+	22	7.1	44	2	2	5	8	19	24	25
TOT. SINGLE DX	148	4.3	6	2	2	4	5	6	7	16
" MULTIPLE DX	319	4.2	8	2	2	3	5	7	9	18
TOTAL 0-19 YRS	101	4.7	10	2	2	3	5	8	12	17
20-34	152	3.8	3	2	2	3	5	6	6	10
35-49	109	3.7	2	2	2	3	5	6	7	9
50-64	80	4.5	9	2	2	3	5	7	9	20
65+	25	6.8	40	2	2	5	7	18	23	25
GRAND TOTAL	**467**	**4.2**	**8**	**2**	**2**	**3**	**5**	**7**	**8**	**17**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	31	3.7	23	<1	<1	2	3	11	15	21
20-34	20	2.8	3	1	2	2	3	4	7	10
35-49	29	4.4	7	2	2	4	5	9	12	12
50-64	21	4.6	12	2	2	3	5	10	13	16
65+	4	4.0	1	3	3	4	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	38	3.1	17	<1	<1	2	2	8	16	17
20-34	40	3.1	8	1	1	2	3	5	7	18
35-49	26	4.2	10	1	2	3	4	6	11	18
50-64	22	5.8	38	1	2	3	6	14	21	26
65+	6	5.3	28	<1	<1	3	10	14	14	14
TOT. SINGLE DX	105	3.9	12	<1	1	3	4	9	12	18
" MULTIPLE DX	132	3.8	18	<1	1	2	4	8	14	20
TOTAL 0-19 YRS	69	3.4	20	<1	<1	2	3	9	15	20
20-34	60	3.0	6	1	2	2	3	5	7	17
35-49	55	4.3	9	2	2	3	5	9	11	18
50-64	43	5.2	26	2	2	3	5	12	17	26
65+	10	4.8	17	<1	1	3	5	12	14	14
GRAND TOTAL	**237**	**3.9**	**15**	**<1**	**1**	**3**	**4**	**9**	**13**	**19**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	102	2.7		2	2	3	3	4	4	5
20-34	318	2.6		2	2	2	3	4	4	5
35-49	131	2.5		2	2	2	3	3	4	5
50-64	43	2.6		2	2	2	3	4	4	5
65+	16	3.1	1	2	2	3	4	5	6	6
2. MULTIPLE DX										
0-19 YRS	175	2.7		1	2	3	3	3	4	6
20-34	704	2.9	6	2	2	3	3	3	4	7
35-49	345	2.7	1	1	2	3	3	3	4	5
50-64	180	3.1	4	2	2	3	3	4	6	16
65+	48	4.0	47	2	2	3	4	5	6	50
TOT. SINGLE DX	610	2.6	1	2	2	2	3	4	4	5
" MULTIPLE DX	1452	2.9	6	2	2	3	3	3	4	8
TOTAL 0-19 YRS	277	2.7	1	2	2	3	3	3	4	6
20-34	1022	2.8	5	2	2	3	3	3	4	7
35-49	476	2.7	1	2	2	3	3	3	4	5
50-64	223	3.0	4	2	2	3	3	4	5	12
65+	64	3.8	36	2	2	3	4	5	6	44
GRAND TOTAL	**2062**	**2.8**	**4**	**2**	**2**	**3**	**3**	**4**	**4**	**7**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	142	2.6	1	<1	1	2	3	4	5	8
20-34	440	2.6	1	<1	1	2	3	4	4	6
35-49	177	2.5	1	<1	1	2	3	4	4	6
50-64	60	2.7	1	1	2	3	3	4	5	6
65+	18	3.1	3	1	1	2	4	8	59	99+
2. MULTIPLE DX										
0-19 YRS	182	2.7	1	<1	1	3	3	4	5	9
20-34	583	2.5	1	<1	<1	2	3	4	4	7
35-49	305	2.9	7	<1	<1	3	3	4	5	13
50-64	113	3.6	25	<1	1	3	3	5	6	36
65+	52	4.8	26	1	1	3	5	10	19	25
TOT. SINGLE DX	837	2.6	1	<1	1	2	3	4	4	7
" MULTIPLE DX	1235	2.8	7	<1	<1	3	3	4	5	13
TOTAL 0-19 YRS	324	2.6	2	<1	1	3	3	4	5	9
20-34	1023	2.5	2	<1	<1	2	3	4	4	7
35-49	482	2.8	5	<1	1	3	3	4	5	12
50-64	173	3.3	17	<1	1	3	3	4	5	31
65+	70	4.4	21	1	1	3	5	9	20	84
GRAND TOTAL	**2072**	**2.7**	**5**	**<1**	**1**	**3**	**3**	**4**	**5**	**9**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	39	2.6	7	<1	1	2	3	4	6	17
20-34	43	2.4	1	<1	1	2	3	4	5	5
35-49	62	2.4	1	<1	1	2	3	4	5	6
50-64	57	2.9	3	1	1	2	3	6	7	11
65+	63	3.3	7	1	1	2	4	6	9	17
2. MULTIPLE DX										
0-19 YRS	56	3.5	9	1	1	3	4	8	9	16
20-34	91	2.7	2	1	1	2	3	4	5	10
35-49	122	3.3	5	1	2	3	3	5	10	13
50-64	142	3.2	4	1	2	3	4	6	7	12
65+	123	6.7	107	1	2	3	7	15	27	86
TOT. SINGLE DX	264	2.7	4	<1	1	2	3	5	6	11
" MULTIPLE DX	534	4.0	31	1	2	3	4	7	11	29
TOTAL 0-19 YRS	95	3.1	8	1	1	2	3	6	8	17
20-34	134	2.6	2	1	1	2	3	4	5	8
35-49	184	3.0	5	1	1	2	3	5	7	13
50-64	199	3.1	4	1	2	3	3	6	7	12
65+	186	5.6	76	1	2	3	6	10	21	68
GRAND TOTAL	**798**	**3.6**	**22**	**1**	**1**	**3**	**3**	**6**	**9**	**23**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	104	1.4		<1	<1	1	2	2	3	6
20-34	119	1.6		<1	<1	1	2	2	3	6
35-49	40	2.1	1	<1	<1	2	3	4	4	5
50-64	32	3.6	5	<1	1	3	5	7	8	8
65+	37	3.8	6	<1	1	4	5	7	9	10
2. MULTIPLE DX										
0-19 YRS	58	4.1	63	<1	<1	2	4	8	13	96
20-34	88	3.3	20	<1	1	2	3	6	9	30
35-49	45	4.2	15	<1	1	3	5	10	11	21
50-64	52	6.8	53	1	1	5	8	14	19	42
65+	84	7.5	91	1	1	5	9	15	24	59
TOT. SINGLE DX	332	2.0	3	<1	<1	1	2	4	6	9
" MULTIPLE DX	327	5.2	53	<1	1	3	6	11	17	46
TOTAL 0-19 YRS	162	2.4	25	<1	<1	1	2	4	6	54
20-34	207	2.3	10	<1	<1	2	2	4	5	14
35-49	85	3.2	10	<1	<1	2	4	7	10	18
50-64	84	5.6	37	1	1	4	7	12	16	37
65+	121	6.4	68	1	1	4	8	11	21	43
GRAND TOTAL	**659**	**3.6**	**30**	**<1**	**<1**	**2**	**4**	**7**	**11**	**27**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	3.6	4	2	2	3	4	7	8	8
20-34	25	3.5	2	2	2	3	4	5	8	8
35-49	25	3.0		2	2	3	3	4	5	6
50-64	30	3.5	2	2	2	3	4	5	7	10
65+	15	3.9	4	1	2	3	5	7	8	9
2. MULTIPLE DX										
0-19 YRS	5	3.8	12	2	2	2	5	10	10	10
20-34	47	5.6	58	1	2	3	6	9	16	49
35-49	31	3.7	7	2	2	3	4	5	6	17
50-64	38	3.9	9	1	2	3	4	6	11	16
65+	17	3.1	1	1	2	3	4	5	5	5
TOT. SINGLE DX	104	3.4	3	2	2	3	4	6	7	9
" MULTIPLE DX	138	4.3	25	1	2	3	4	6	11	28
TOTAL 0-19 YRS	14	3.6	7	2	2	3	4	8	10	10
20-34	72	4.8	40	2	2	3	5	8	11	44
35-49	56	3.4	4	2	2	3	4	5	6	16
50-64	68	3.7	6	2	2	3	4	5	7	16
65+	32	3.5	3	1	2	3	4	6	7	9
GRAND TOTAL	**242**	**4.0**	**16**	**2**	**2**	**3**	**4**	**6**	**8**	**18**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	28	2.3	4	<1	<1	2	2	4	6	11
20-34	38	2.5	1	<1	1	2	3	4	5	8
35-49	51	3.7	52	1	1	2	3	6	8	53
50-64	34	3.4	7	<1	1	3	4	6	8	15
65+	16	6.0	96	1	1	2	5	14	32	40
2. MULTIPLE DX										
0-19 YRS	39	3.7	16	<1	<1	2	4	9	14	18
20-34	63	4.7	37	1	2	3	5	10	13	41
35-49	67	4.5	25	1	2	3	4	9	13	32
50-64	62	6.1	126	1	2	3	4	10	26	68
65+	35	6.8	43	2	2	3	8	18	23	25
TOT. SINGLE DX	167	3.4	28	<1	1	2	3	6	8	36
" MULTIPLE DX	266	5.1	53	1	1	3	5	11	17	43
TOTAL 0-19 YRS	67	3.1	12	<1	<1	2	4	8	11	17
20-34	101	3.9	25	1	1	3	4	8	12	30
35-49	118	4.1	37	1	1	3	4	8	11	41
50-64	96	5.2	86	1	2	3	4	8	16	61
65+	51	6.5	59	1	2	3	8	18	24	40
GRAND TOTAL	**433**	**4.4**	**44**	**1**	**1**	**3**	**4**	**8**	**14**	**41**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	381	1.2		<1	<1	1	1	2	2	4
20-34	461	1.4	2	<1	<1	1	2	2	2	4
35-49	209	1.4		<1	<1	1	2	2	2	4
50-64	116	1.7	4	<1	<1	1	2	2	3	10
65+	51	2.1	1	<1	<1	2	2	3	5	7
2. MULTIPLE DX										
0-19 YRS	187	2.3	5	<1	<1	2	2	5	7	13
20-34	237	3.7	49	<1	<1	2	3	7	15	65
35-49	161	4.1	111	<1	<1	2	3	5	10	68
50-64	171	4.9	67	<1	<1	2	4	12	24	99+
65+	163	8.0	202	1	1	3	8	22	42	99+
TOT. SINGLE DX	1218	1.4	2	<1	<1	1	2	2	2	4
" MULTIPLE DX	919	4.5	85	<1	<1	2	3	9	18	88
TOTAL 0-19 YRS	568	1.6	2	<1	<1	1	2	2	4	9
20-34	698	2.2	20	<1	<1	1	2	3	5	31
35-49	370	2.6	50	<1	<1	2	2	3	5	46
50-64	287	3.6	44	<1	<1	2	3	8	18	85
65+	214	6.6	161	1	1	2	5	16	34	99
GRAND TOTAL	**2137**	**2.7**	**40**	**<1**	**<1**	**1**	**2**	**4**	**8**	**43**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	149	1.2		<1	<1	1	1	2	2	4
20-34	31	1.5		<1	<1	1	2	2	3	3
35-49	5	1.8		1	1	2	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	71	1.9	1	<1	<1	2	2	4	5	7
20-34	32	1.5		<1	<1	1	2	3	3	3
35-49	13	2.0	2	<1	<1	2	2	4	6	7
50-64	3	21.3	758	3	3	8	42	53	53	53
65+	1	2.0		2	2	2	2	2	2	2
TOT. SINGLE DX	188	1.3	1	<1	<1	1	1	2	2	4
" MULT!PLE DX	120	2.3	23	<1	<1	2	2	3	5	22
TOTAL 0-19 YRS	220	1.4	1	<1	<1	1	2	2	3	6
20-34	63	1.5		<1	<1	1	2	2	3	3
35-49	18	1.9	2	<1	1	2	2	3	5	7
50-64	4	16.3	609	1	1	5	30	53	53	53
65+	3	2.7		2	2	3	3	3	3	3
GRAND TOTAL	**308**	**1.7**	**10**	**<1**	**<1**	**1**	**2**	**2**	**3**	**8**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	43	1.8	3	<1	<1	<1	2	4	5	10
20-34	12	2.3	2	<1	<1	2	3	5	5	5
35-49	27	2.8	2	<1	<1	3	4	5	6	6
50-64	28	3.2	1	1	1	3	4	5	5	7
65+	11	4.1	5	1	2	4	5	7	10	10
2. MULTIPLE DX										
0-19 YRS	35	3.3	14	<1	1	2	3	7	12	18
20-34	36	3.8	12	<1	<1	2	6	8	10	16
35-49	25	2.9	3	<1	1	2	4	5	6	8
50-64	34	4.3	7	1	1	4	5	9	11	12
65+	32	6.8	110	1	2	3	6	13	36	50
TOT. SINGLE DX	121	2.6	3	<1	<1	2	4	5	6	10
" MULTIPLE DX	162	4.3	31	<1	1	3	5	8	11	36
TOTAL 0-19 YRS	78	2.5	9	<1	<1	1	3	6	9	17
20-34	48	3.4	10	<1	<1	2	4	8	9	16
35-49	52	2.8	3	<1	1	3	4	5	6	8
50-64	62	3.8	5	1	1	3	5	6	9	12
65+	43	6.1	84	1	2	3	5	10	26	50
GRAND TOTAL	**283**	**3.5**	**20**	**<1**	**<1**	**3**	**4**	**7**	**10**	**19**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	38	3.9	7	<1	1	3	5	8	10	12
20-34	99	3.9	4	1	2	4	5	7	9	10
35-49	77	4.5	6	2	2	4	5	8	9	15
50-64	99	4.6	5	2	2	4	5	8	9	14
65+	45	5.0	14	1	2	4	6	9	11	23
2. MULTIPLE DX										
0-19 YRS	8	3.6	9	1	1	3	5	9	10	10
20-34	50	4.4	20	2	2	3	4	6	9	32
35-49	45	5.4	19	1	2	4	6	13	17	19
50-64	65	6.7	57	1	2	5	7	13	24	42
65+	69	10.0	96	2	3	7	11	20	32	51
TOT. SINGLE DX	358	4.4	7	1	2	4	5	8	9	14
" MULTIPLE DX	237	6.8	57	2	2	4	7	14	23	44
TOTAL 0-19 YRS	46	3.8	8	<1	1	3	5	8	10	12
20-34	149	4.1	10	1	2	4	5	6	9	16
35-49	122	4.8	11	1	2	4	6	8	13	18
50-64	164	5.4	27	2	2	4	6	8	13	30
65+	114	8.0	70	2	3	6	9	16	25	47
GRAND TOTAL	**595**	**5.3**	**28**	**1**	**2**	**4**	**6**	**9**	**13**	**32**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	72	5.6	6	1	2	6	7	8	9	14
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	3	3.0		3	3	3	3	3	3	3
50-64	1	5.0		5	5	5	5	5	5	5
65+										
2. MULTIPLE DX										
0-19 YRS	65	6.4	17	3	4	6	7	9	11	27
20-34	6	4.0	2	2	2	4	5	6	6	6
35-49	4	3.5	4	1	1	3	5	6	6	6
50-64	3	2.7		2	2	3	3	3	3	3
65+										
TOT. SINGLE DX	78	5.4	6	1	2	6	7	8	9	14
" MULTIPLE DX	78	5.9	16	2	3	5	7	9	11	27
TOTAL 0-19 YRS	137	6.0	12	1	2	6	7	9	10	27
20-34	8	3.9	2	2	2	4	5	6	6	6
35-49	7	3.3	2	1	1	3	4	6	6	6
50-64	4	3.3	2	2	2	3	4	5	5	5
65+										
GRAND TOTAL	**156**	**5.7**	**11**	**1**	**2**	**5**	**7**	**8**	**10**	**26**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	131	3.5	8	<1	<1	2	6	7	8	11
20-34	62	3.5	8	<1	<1	2	5	7	10	12
35-49	32	2.9	3	<1	1	2	3	6	7	10
50-64	51	5.5	68	<1	1	3	6	14	20	51
65+	62	4.0	7	<1	1	3	6	8	9	13
2. MULTIPLE DX										
0-19 YRS	133	4.7	16	1	1	4	6	8	13	37
20-34	80	6.9	97	<1	1	4	7	13	30	54
35-49	48	9.3	165	<1	1	5	9	20	31	77
50-64	84	11.2	189	<1	1	7	13	26	46	64
65+	117	12.7	232	1	2	8	15	30	41	77
TOT. SINGLE DX	338	3.8	17	<1	<1	3	5	8	9	20
" MULTIPLE DX	462	8.8	141	1	1	5	9	20	34	69
TOTAL 0-19 YRS	264	4.1	13	<1	1	3	6	8	9	22
20-34	142	5.4	61	<1	<1	3	6	11	15	43
35-49	80	6.8	110	<1	1	3	7	14	23	66
50-64	135	9.1	150	<1	1	4	11	22	36	64
65+	179	9.7	171	1	1	5	11	20	34	70
GRAND TOTAL	**800**	**6.7**	**95**	**<1**	**1**	**4**	**7**	**14**	**22**	**61**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2168	2.2		1	1	2	3	3	4	5
20-34	1027	2.6	1	1	2	3	3	4	4	6
35-49	113	2.7		1	2	3	3	4	5	5
50-64	12	2.8	7	1	1	2	3	6	10	11
65+	12	3.9	9	1	1	3	5	8	11	12
2. MULTIPLE DX										
0-19 YRS	391	2.5	11	1	1	2	3	4	4	12
20-34	212	3.0	2	1	2	3	4	4	5	10
35-49	37	3.6	2	2	2	3	4	6	7	9
50-64	15	3.9	4	1	2	3	5	7	8	8
65+	7	12.0	214	3	3	4	22	36	38	38
TOT. SINGLE DX	3332	2.3	1	1	1	2	3	3	4	5
" MULTIPLE DX	662	2.9	11	1	1	2	3	4	5	12
TOTAL 0-19 YRS	2559	2.2	2	1	1	2	3	3	4	5
20-34	1239	2.7	2	1	2	3	3	4	4	7
35-49	150	2.9	1	1	2	3	3	4	5	7
50-64	27	3.4	6	1	1	3	4	7	8	11
65+	19	6.9	93	1	2	3	6	22	33	38
GRAND TOTAL	**3994**	**2.4**	**3**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3628	1.9		1	1	2	2	3	3	4
20-34	45	3.1	4	1	1	3	3	5	6	14
35-49	4	3.0		2	2	3	4	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65+	4	2.3		2	2	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	1658	2.0	1	1	1	2	2	3	3	7
20-34	14	2.9		1	2	3	3	4	5	5
35-49										
50-64										
65+	3	2.0		2	2	2	2	2	2	2
TOT. SINGLE DX	3682	1.9	1	1	1	2	2	3	3	4
" MULTIPLE DX	1675	2.0	1	<1	1	2	2	3	3	7
TOTAL 0-19 YRS	5286	1.9	1	1	1	2	2	3	3	5
20-34	59	3.0	3	1	1	3	3	5	6	13
35-49	4	3.0	1	2	2	3	4	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65+	7	2.1		2	2	2	2	3	3	3
GRAND TOTAL	**5357**	**2.0**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	371	1.5		<1	<1	1	2	2	2	2
20-34	2	2.5	5	<1	<1	2	4	4	4	4
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
0-19 YRS	460	1.7	1	<1	1	2	2	2	2	7
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49										
50-64										
65+	1	88.0		88	88	88	88	88	88	88
TOT. SINGLE DX	375	1.5		<1	<1	1	2	2	2	3
" MULTIPLE DX	463	1.9	17	<1	1	2	2	2	2	8
TOTAL 0-19 YRS	831	1.6	1	<1	<1	2	2	2	2	4
20-34	4	2.5	2	<1	<1	2	3	4	4	4
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	88.0		88	88	88	88	88	88	88
GRAND TOTAL	**838**	**1.7**	**10**	**<1**	**<1**	**2**	**2**	**2**	**2**	**4**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	93	2.6	2	<1	1	2	3	5	6	7
20-34	81	2.9	2	1	1	3	3	5	6	8
35-49	55	4.1	15	1	1	3	4	9	13	21
50-64	28	5.0	28	1	2	2	7	11	14	26
65+	24	9.1	180	1	1	3	10	27	42	58
2. MULTIPLE DX										
0-19 YRS	35	4.6	25	1	1	3	5	11	16	25
20-34	29	4.1	12	2	2	2	4	11	12	15
35-49	32	7.1	140	1	2	3	7	15	18	67
50-64	51	9.9	252	1	1	5	10	19	39	96
65+	30	8.6	83	1	1	6	13	24	38	99+
TOT. SINGLE DX	281	3.7	25	1	1	2	4	7	10	26
" MULTIPLE DX	177	7.2	123	1	1	4	7	17	24	88
TOTAL 0-19 YRS	128	3.1	9	<1	1	2	4	6	7	20
20-34	110	3.2	6	1	1	3	4	6	8	13
35-49	87	5.2	62	1	2	3	5	12	16	50
50-64	79	8.2	177	1	1	4	9	16	28	85
65+	54	8.9	124	1	1	4	11	24	38	98
GRAND TOTAL	**458**	**5.1**	**66**	**1**	**1**	**3**	**5**	**10**	**17**	**55**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	45	2.2	21	<1	<1	1	2	4	5	32
20-34	21	3.1	7	<1	1	2	4	7	10	11
35-49	16	3.3	7	1	1	3	4	8	10	11
50-64	18	3.0	3	<1	1	2	4	6	7	7
65+	27	2.7	2	<1	1	2	4	5	6	6
2. MULTIPLE DX										
0-19 YRS	58	5.5	13	1	2	5	7	10	13	21
20-34	16	3.1	7	<1	<1	2	4	9	10	10
35-49	14	2.8	4	<1	1	2	4	6	8	8
50-64	38	4.8	39	1	1	3	5	11	20	32
65+	71	5.8	30	1	1	4	7	15	23	99+
TOT. SINGLE DX	127	2.7	11	<1	<1	2	3	5	7	16
" MULTIPLE DX	197	5.1	24	1	1	4	6	11	15	66
TOTAL 0-19 YRS	103	4.0	20	<1	<1	3	5	8	11	26
20-34	37	3.1	7	<1	<1	2	4	8	10	11
35-49	30	3.0	6	1	1	2	4	7	8	11
50-64	56	4.2	29	1	1	3	4	7	13	32
65+	98	4.9	24	1	1	4	6	13	17	99+
GRAND TOTAL	**324**	**4.1**	**20**	**<1**	**1**	**3**	**5**	**8**	**13**	**32**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	26	3.0	7	1	2	2	2	5	11	13
20-34	35	1.9		<1	1	2	2	2	3	3
35-49	53	2.1	1	1	1	2	2	3	3	10
50-64	107	2.7	10	<1	1	2	2	4	7	20
65+	54	2.7	5	1	1	2	3	5	7	14
2. MULTIPLE DX										
0-19 YRS	10	3.8	13	1	1	2	6	10	12	12
20-34	6	4.0	18	<1	<1	2	6	11	12	12
35-49	24	3.1	9	1	1	2	3	7	11	15
50-64	101	4.3	35	<1	1	2	4	11	18	32
65+	106	5.7	88	1	1	2	5	12	23	54
TOT. SINGLE DX	275	2.5	6	<1	1	2	2	4	7	13
" MULTIPLE DX	247	4.8	55	1	1	2	4	11	18	41
TOTAL 0-19 YRS	36	3.2	9	1	1	2	3	8	11	13
20-34	41	2.2	3	<1	<1	2	2	3	4	12
35-49	77	2.4	4	1	1	2	2	3	6	14
50-64	208	3.5	23	<1	1	2	3	7	12	27
65+	160	4.7	62	1	1	2	4	10	15	42
GRAND TOTAL	**522**	**3.6**	**30**	**<1**	**1**	**2**	**3**	**7**	**12**	**28**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34										
35-49	3	15.0	112	3	3	19	22	23	23	23
50-64	8	18.1	39	11	11	17	23	27	28	28
65+	5	15.6	119	4	4	13	26	28	28	28
2. MULTIPLE DX										
0-19 YRS										
20-34	3	7.7	96	2	2	2	15	19	19	19
35-49	3	7.3	102	<1	<1	2	15	19	19	19
50-64	19	10.1	225	<1	1	4	12	23	47	65
65+	10	18.4	145	2	3	18	27	36	37	37
TOT. SINGLE DX	17	16.5	64	3	5	15	24	27	28	28
" MULTIPLE DX	35	12.0	187	<1	2	6	19	27	36	65
TOTAL 0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	3	7.7	96	2	2	2	15	19	19	19
35-49	6	11.2	103	<1	<1	11	19	23	23	23
50-64	27	12.4	181	1	2	11	18	26	34	65
65+	15	17.5	129	2	4	17	27	35	36	37
GRAND TOTAL	**52**	**13.5**	**150**	**1**	**2**	**12**	**20**	**27**	**34**	**64**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	1	23.0		23	23	23	23	23	23	23
50-64	4	21.3	4	19	19	21	23	24	24	24
65+	5	21.2	159	12	12	18	26	43	43	43
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49	5	18.2	36	12	12	16	24	26	26	26
50-64	15	40.4	518	14	15	38	70	97	99+	99+
65+	19	36.6	337	15	17	35	50	72	90	99+
TOT. SINGLE DX	10	21.4	73	12	12	20	23	33	43	43
" MULTIPLE DX	39	35.7	404	14	15	34	56	81	99+	99+
TOTAL 0-19 YRS										
20-34										
35-49	6	19.0	33	12	12	19	23	26	26	26
50-64	19	36.4	469	15	16	31	59	91	99+	99+
65+	24	33.4	333	13	15	34	41	64	85	99+
GRAND TOTAL	**49**	**32.8**	**367**	**13**	**15**	**27**	**46**	**76**	**98**	**99+**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64										
65+	2	38.0	1568	10	10	38	66	66	66	66
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49	2	30.5	925	9	9	30	52	52	52	52
50-64	1	39.0		39	39	39	39	39	39	39
65+	1	21.0		21	21	60	99+	99+	99+	99+
TOT. SINGLE DX	3	27.0	1147	5	5	10	52	66	66	66
" MULTIPLE DX	4	30.3	362	9	9	39	64	99+	99+	99+
TOTAL 0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	2	30.5	925	9	9	30	52	52	52	52
50-64	1	39.0		39	39	39	39	39	39	39
65+	3	32.3	880	10	10	43	83	99+	99+	99+
GRAND TOTAL	**7**	**28.9**	**566**	**5**	**6**	**30**	**59**	**90**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	5.8	20	2	2	5	9	11	11	11
20-34	7	3.1	9	<1	<1	2	6	8	8	8
35-49	6	2.8	1	2	2	3	3	5	5	5
50-64	3	5.7	40	2	2	2	10	13	13	13
65+	5	6.8	69	<1	<1	4	10	21	21	21
2. MULTIPLE DX										
0-19 YRS	15	16.9	217	2	3	14	35	90	99+	99+
20-34	12	28.9	951	2	2	17	63	90	98	99+
35-49	19	22.4	394	2	2	15	40	48	58	66
50-64	35	26.9	484	2	2	35	57	99+	99+	99+
65+	39	36.1	756	2	3	38	66	88	99+	99+
TOT. SINGLE DX	25	4.5	23	<1	<1	2	7	11	15	21
" MULTIPLE DX	120	28.1	596	2	2	28	52	89	99+	99+
TOTAL 0-19 YRS	19	14.5	194	2	2	11	31	69	99+	99+
20-34	19	19.4	748	<1	1	7	36	81	94	99+
35-49	25	17.7	369	2	2	7	34	47	53	66
50-64	38	25.2	482	2	2	30	54	99+	99+	99+
65+	44	32.8	763	2	2	31	59	86	99+	99+
GRAND TOTAL	**145**	**24.0**	**576**	**2**	**2**	**17**	**47**	**80**	**99+**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	6.5	24	<1	<1	6	10	12	12	12
20-34	24	8.9	37	2	3	8	10	17	21	29
35-49	30	8.0	34	2	2	6	10	18	19	22
50-64	82	10.1	58	1	2	9	13	17	24	40
65+	87	10.9	55	2	3	10	13	20	27	38
2. MULTIPLE DX										
0-19 YRS	3	10.7	9	8	8	10	13	14	14	14
20-34	31	17.7	188	3	4	15	27	44	47	48
35-49	56	15.5	115	3	4	13	20	34	39	42
50-64	227	14.6	139	2	4	12	19	28	40	82
65+	326	17.0	192	2	4	14	22	34	50	99+
TOT. SINGLE DX	227	9.9	52	2	2	9	13	18	24	37
" MULTIPLE DX	643	16.0	167	2	4	13	21	32	43	92
TOTAL 0-19 YRS	7	8.3	20	<1	1	9	11	14	14	14
20-34	55	13.9	140	2	3	9	17	31	45	48
35-49	86	12.9	100	2	3	10	18	28	36	42
50-64	309	13.4	121	2	3	11	17	27	36	73
65+	413	15.8	169	2	4	13	20	32	42	95
GRAND TOTAL	**870**	**14.4**	**144**	**2**	**3**	**11**	**19**	**29**	**39**	**76**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	1	15.0		15	15	15	15	15	15	15
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
TOT. SINGLE DX										
" MULTIPLE DX	2	8.5	85	2	2	8	15	15	15	15
TOTAL 0-19 YRS										
20-34	1	15.0		15	15	15	15	15	15	15
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
GRAND TOTAL	**2**	**8.5**	**85**	**2**	**2**	**8**	**15**	**15**	**15**	**15**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	12.0	47	4	4	9	18	21	21	21
20-34	20	10.2	19	3	5	10	12	17	19	19
35-49	28	10.2	27	3	4	9	13	18	19	24
50-64	75	14.5	70	3	6	13	19	24	33	40
65+	62	14.6	72	3	5	13	19	26	32	40
2. MULTIPLE DX										
0-19 YRS	23	13.7	77	5	6	12	16	25	31	43
20-34	59	12.6	56	5	6	11	14	21	30	41
35-49	75	18.6	172	5	7	14	23	40	50	62
50-64	172	18.0	124	4	8	15	22	31	42	72
65+	212	21.5	182	6	8	19	28	38	45	79
TOT. SINGLE DX	190	13.4	61	3	5	12	17	23	31	40
" MULTIPLE DX	541	18.7	152	5	7	16	24	35	43	76
TOTAL 0-19 YRS	28	13.4	70	4	5	11	16	24	27	43
20-34	79	12.0	48	4	6	11	14	19	29	40
35-49	103	16.3	146	4	6	13	19	30	43	61
50-64	247	16.9	110	4	7	15	21	30	37	58
65+	274	19.9	165	5	8	18	26	36	42	77
GRAND TOTAL	**731**	**17.3**	**134**	**4**	**7**	**14**	**22**	**32**	**40**	**69**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	3	14.3	69	5	5	17	20	21	21	21
35-49	13	14.1	29	8	9	12	16	24	26	26
50-64	34	17.3	41	9	10	16	22	26	31	32
65+	20	25.1	420	9	10	20	27	52	79	92
2. MULTIPLE DX										
0-19 YRS	7	20.4	87	6	7	19	29	30	30	30
20-34	4	16.3	39	8	8	17	21	22	22	22
35-49	26	18.5	77	9	9	18	23	27	32	50
50-64	131	21.8	143	9	11	19	25	36	44	98
65+	127	23.8	164	11	12	21	29	41	46	91
TOT. SINGLE DX	71	18.6	160	8	9	15	23	27	32	87
" MULTIPLE DX	295	22.3	145	10	11	19	26	38	45	93
TOTAL 0-19 YRS	8	18.8	98	6	6	18	29	30	30	30
20-34	7	15.4	44	5	6	17	21	22	22	22
35-49	39	17.1	65	8	9	16	22	26	28	50
50-64	165	20.9	125	9	11	19	24	34	41	92
65+	147	24.0	196	11	12	21	28	41	47	92
GRAND TOTAL	**366**	**21.6**	**150**	**9**	**11**	**19**	**25**	**36**	**44**	**91**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	77	4.6	36	<1	1	2	5	12	14	32
20-34	38	7.3	193	<1	<1	3	8	15	21	84
35-49	72	7.9	50	1	2	6	10	18	22	36
50-64	109	8.6	70	1	2	6	10	19	26	43
65+	100	11.2	97	1	2	8	16	26	31	45
2. MULTIPLE DX										
0-19 YRS	97	8.2	60	1	1	6	11	19	24	39
20-34	59	11.4	90	1	2	8	17	25	34	38
35-49	112	12.7	123	2	2	10	16	27	39	52
50-64	255	13.4	171	2	3	10	17	28	40	74
65+	318	16.4	178	2	3	13	22	33	43	85
TOT. SINGLE DX	396	8.2	83	1	1	5	11	20	26	40
" MULTIPLE DX	841	13.7	156	2	2	10	19	29	38	66
TOTAL 0-19 YRS	174	6.6	53	1	1	4	8	16	23	34
20-34	97	9.8	133	<1	1	6	14	22	31	62
35-49	184	10.8	100	1	2	8	13	23	30	50
50-64	364	12.0	146	2	2	8	15	26	37	63
65+	418	15.1	164	2	3	12	22	32	37	78
GRAND TOTAL	**1237**	**11.9**	**139**	**1**	**2**	**8**	**16**	**27**	**35**	**59**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	3	6.3	30	<1	<1	6	10	12	12	12
35-49	1	12.0		12	12	12	12	12	12	12
50-64	2	3.5	5	2	2	3	5	5	5	5
65+	3	17.3	358	4	4	9	31	39	39	39
2. MULTIPLE DX										
0-19 YRS	2	15.0	72	9	9	21	80	99+	99+	99+
20-34	8	14.4	54	3	5	12	21	24	24	24
35-49										
50-64	7	13.0	168	4	5	9	11	36	42	42
65+	7	23.6	228	11	12	19	25	50	56	56
TOT. SINGLE DX	10	10.0	119	<1	1	7	12	26	39	39
" MULTIPLE DX	24	16.7	144	4	7	14	21	42	67	99+
TOTAL 0-19 YRS	3	13.3	44	9	9	15	60	99+	99+	99+
20-34	11	12.2	58	<1	2	11	18	23	24	24
35-49	1	12.0		12	12	12	12	12	12	12
50-64	9	10.9	144	2	3	9	10	30	42	42
65+	10	21.7	241	4	6	18	27	47	56	56
GRAND TOTAL	**34**	**14.7**	**142**	**2**	**4**	**11**	**20**	**39**	**52**	**99+**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	33	4.8	4	2	3	4	6	7	10	12
20-34	103	5.3	5	2	3	5	7	9	10	11
35-49	32	5.6	8	2	2	5	8	10	12	12
50-64	20	9.4	130	2	3	6	7	20	39	52
65+	19	7.9	48	3	3	6	9	14	25	33
2. MULTIPLE DX										
0-19 YRS	62	23.8	482	3	4	17	32	64	70	90
20-34	87	7.9	45	2	3	6	9	14	23	39
35-49	67	9.8	45	2	3	8	14	17	22	35
50-64	113	13.4	119	4	5	11	17	24	34	60
65+	114	15.5	163	3	5	12	20	31	41	67
TOT. SINGLE DX	207	5.9	23	2	3	5	7	10	11	29
" MULTIPLE DX	443	13.8	178	3	4	9	16	28	40	70
TOTAL 0-19 YRS	95	17.2	397	3	3	8	22	53	68	83
20-34	190	6.5	25	2	3	5	7	11	14	29
35-49	99	8.4	37	2	3	7	11	15	21	35
50-64	133	12.8	122	3	4	9	16	24	34	57
65+	133	14.4	154	3	4	11	18	30	38	63
GRAND TOTAL	**650**	**11.3**	**142**	**3**	**3**	**7**	**13**	**23**	**33**	**69**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	19	7.3	12	<1	1	9	9	12	13	13
20-34	48	7.9	41	1	2	6	10	17	18	35
35-49	21	11.1	56	1	2	10	16	22	25	28
50-64	41	11.1	95	1	1	8	15	27	33	39
65+	23	10.8	57	2	3	8	18	21	24	26
2. MULTIPLE DX										
0-19 YRS	25	14.2	184	2	3	12	16	28	48	65
20-34	45	13.9	96	2	3	11	21	30	32	41
35-49	51	18.7	326	2	3	14	25	36	45	98
50-64	116	18.6	183	2	3	16	26	36	43	69
65+	113	19.5	235	2	3	16	27	38	52	70
TOT. SINGLE DX	152	9.6	58	1	2	8	13	19	26	35
" MULTIPLE DX	350	18.0	212	2	3	15	25	36	45	69
TOTAL 0-19 YRS	44	11.2	120	1	2	9	13	16	32	65
20-34	93	10.8	76	1	2	8	14	23	31	38
35-49	72	16.5	258	2	3	13	21	29	41	95
50-64	157	16.6	171	2	2	15	24	34	40	68
65+	136	18.1	216	2	3	15	26	37	49	69
GRAND TOTAL	**502**	**15.4**	**180**	**2**	**3**	**12**	**21**	**31**	**39**	**68**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	35	9.3	10	6	7	9	10	12	13	23
20-34	14	9.8	4	7	8	9	10	12	15	16
35-49	15	10.1	3	8	8	10	11	12	14	15
50-64	15	12.5	20	8	8	11	14	16	24	26
65+	8	20.6	158	9	9	17	25	42	46	46
2. MULTIPLE DX										
0-19 YRS	61	14.3	139	8	8	10	13	25	51	57
20-34	29	13.9	80	8	8	11	15	22	27	54
35-49	54	14.5	47	8	8	13	16	22	26	43
50-64	115	17.7	135	9	9	14	21	29	35	79
65+	77	23.0	178	10	11	18	28	41	51	72
TOT. SINGLE DX	87	11.1	32	7	8	10	12	16	19	41
" MULTIPLE DX	336	17.4	137	8	9	13	20	31	42	62
TOTAL 0-19 YRS	96	12.5	97	7	8	9	12	21	33	57
20-34	43	12.6	59	8	8	11	13	18	25	54
35-49	69	13.5	41	8	8	12	15	20	25	42
50-64	130	17.1	125	9	9	14	19	28	34	76
65+	85	22.7	175	10	11	18	28	41	50	71
GRAND TOTAL	**423**	**16.1**	**122**	**8**	**8**	**12**	**18**	**28**	**40**	**58**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	22	9.5	1	8	8	9	10	11	12	12
50-64	79	10.7	13	7	8	10	11	14	16	30
65+	39	13.8	26	9	9	12	16	22	26	30
2. MULTIPLE DX										
0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49	113	12.7	25	8	9	11	13	22	24	31
50-64	451	13.9	61	9	9	11	15	20	29	50
65+	268	16.1	87	9	10	13	17	28	32	49
TOT. SINGLE DX	140	11.4	17	8	8	10	12	16	20	30
" MULTIPLE DX	833	14.5	66	9	9	12	16	23	30	48
TOTAL 0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49	135	12.2	23	8	9	10	13	18	23	31
50-64	530	13.5	55	9	9	11	14	20	28	48
65+	307	15.8	80	9	10	13	17	26	31	48
GRAND TOTAL	**973**	**14.0**	**60**	**9**	**9**	**11**	**15**	**22**	**29**	**47**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	44	~~2.3~~	2	1	2	2	2	3	5	9
20-34	52	2.9	8	<1	<1	2	3	8	10	14
35-49	249	2.3	4	<1	<1	2	3	4	6	12
50-64	472	2.0	3	<1	<1	1	2	3	6	13
65+	161	2.4	11	<1	1	1	2	6	12	18
2. MULTIPLE DX										
0-19 YRS	162	3.5	23	1	2	2	2	6	13	30
20-34	110	4.8	50	<1	<1	3	5	10	13	45
35-49	712	4.4	24	<1	<1	3	4	11	14	25
50-64	2055	4.5	36	<1	<1	2	4	11	16	32
65+	992	6.3	66	<1	1	3	8	17	22	37
TOT. SINGLE DX	978	2.2	5	<1	<1	2	2	4	8	13
" MULTIPLE DX	4031	4.9	42	<1	<1	3	4	13	18	32
TOTAL 0-19 YRS	206	3.3	19	1	2	2	2	6	10	28
20-34	162	4.2	38	<1	<1	3	4	10	11	35
35-49	961	3.8	20	<1	<1	2	4	10	13	23
50-64	2527	4.0	31	<1	<1	2	4	10	15	30
65+	1153	5.7	60	<1	1	3	7	16	21	35
GRAND TOTAL	**5009**	**4.4**	**36**	**<1**	**<1**	**2**	**4**	**11**	**16**	**31**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	16.4	259	6	6	10	19	45	45	45
20-34	12	4.5	6	2	2	4	5	6	11	11
35-49	27	6.5	20	2	2	5	10	14	17	17
50-64	52	6.2	23	1	2	5	8	13	15	27
65+	212	6.0	24	2	2	4	7	12	16	28
2. MULTIPLE DX										
0-19 YRS	11	16.0	427	3	4	10	15	41	74	77
20-34	22	6.2	17	1	1	5	10	11	14	16
35-49	44	10.5	56	1	2	9	15	22	26	28
50-64	208	11.6	83	3	4	9	15	23	27	47
65+	823	12.9	117	3	4	10	17	26	37	68
TOT. SINGLE DX	308	6.2	28	2	2	4	8	12	16	28
" MULTIPLE DX	1108	12.4	111	3	4	10	16	25	33	63
TOTAL 0-19 YRS	16	16.1	354	4	5	10	14	42	67	77
20-34	34	5.6	14	1	2	4	8	11	12	16
35-49	71	9.0	46	2	2	6	14	18	23	28
50-64	260	10.6	76	2	3	8	14	21	26	45
65+	1035	11.5	106	2	3	8	15	24	32	59
GRAND TOTAL	**1416**	**11.1**	**99**	**2**	**3**	**8**	**14**	**23**	**30**	**57**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	9.5	1	9	9	9	10	10	10	10
20-34	2	2.0	2	<1	<1	1	3	3	3	3
35-49	27	5.5	26	1	2	2	9	14	17	17
50-64	66	4.8	27	2	2	2	5	12	14	30
65+	20	4.2	13	1	2	2	5	11	12	12
2. MULTIPLE DX										
0-19 YRS	5	18.4	30	11	11	19	21	26	26	26
20-34	14	17.6	506	2	2	12	18	91	98	99+
35-49	109	7.5	113	2	2	3	9	16	22	60
50-64	261	6.9	55	2	2	3	9	16	23	38
65+	127	8.7	91	2	2	5	12	17	27	54
TOT. SINGLE DX	117	4.9	24	2	2	2	7	12	14	22
" MULTIPLE DX	516	7.9	91	2	2	4	11	17	24	51
TOTAL 0-19 YRS	7	15.9	39	9	9	16	20	25	26	26
20-34	16	15.6	468	1	2	10	17	79	97	99+
35-49	136	7.1	97	2	2	3	9	15	20	44
50-64	327	6.5	50	2	2	3	8	15	20	36
65+	147	8.1	83	2	2	4	12	16	24	50
GRAND TOTAL	**633**	**7.3**	**80**	**2**	**2**	**3**	**10**	**16**	**23**	**47**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	37	3.2	19	<1	<1	2	4	7	9	25
20-34	27	4.1	37	<1	<1	3	4	9	13	32
35-49	33	2.8	6	<1	<1	2	3	6	8	12
50-64	32	3.8	26	<1	<1	2	4	9	18	23
65+	47	8.0	155	1	1	3	8	21	32	66
2. MULTIPLE DX										
0-19 YRS	73	6.1	123	1	1	4	6	11	15	76
20-34	33	7.1	60	1	1	4	8	19	26	33
35-49	39	8.9	99	1	2	7	12	16	34	46
50-64	130	11.3	164	1	1	7	16	25	34	65
65+	222	16.2	282	2	2	11	22	36	49	97
TOT. SINGLE DX	176	4.6	60	<1	<1	2	5	9	18	42
" MULTIPLE DX	497	12.3	214	1	2	8	16	29	40	89
TOTAL 0-19 YRS	110	5.1	90	<1	1	3	5	10	14	53
20-34	60	5.8	52	<1	1	3	7	14	24	33
35-49	72	6.1	65	<1	1	3	8	13	16	45
50-64	162	9.8	146	<1	1	5	14	23	32	63
65+	269	14.8	270	1	2	9	20	34	47	96
GRAND TOTAL	**673**	**10.3**	**185**	**1**	**1**	**5**	**13**	**26**	**35**	**73**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	3.1	2	<1	<1	3	4	5	6	6
20-34	272	3.9	2	2	2	4	5	6	7	10
35-49	505	4.1	3	2	2	4	5	6	8	11
50-64	371	4.9	18	2	2	4	6	7	9	24
65+	83	5.9	27	2	2	5	6	9	14	34
2. MULTIPLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	64	4.0	5	1	2	4	5	6	8	15
35-49	160	5.5	22	2	3	4	6	10	13	29
50-64	196	6.5	29	2	3	5	7	11	16	31
65+	84	9.0	135	2	3	6	8	16	28	70
TOT. SINGLE DX	1241	4.4	10	2	2	4	5	7	8	14
" MULTIPLE DX	505	6.3	44	2	3	5	7	11	16	36
TOTAL 0-19 YRS	11	3.1	2	<1	1	3	4	5	6	6
20-34	336	3.9	3	2	2	4	5	6	7	10
35-49	665	4.4	9	2	2	4	5	7	9	14
50-64	567	5.4	23	2	2	4	6	8	12	27
65+	167	7.5	83	2	2	5	7	12	23	55
GRAND TOTAL	1746	4.9	20	2	2	4	5	8	10	24

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	9.3	3	8	8	9	10	12	12	12
20-34	8	4.9	6	1	2	5	6	8	9	9
35-49	30	10.0	18	5	5	9	13	16	17	21
50-64	91	12.6	50	4	6	11	15	19	24	47
65+	91	15.4	119	7	8	13	17	25	39	94
2. MULTIPLE DX										
0-19 YRS	14	18.6	219	3	7	12	30	39	52	56
20-34	24	15.3	298	2	4	10	15	34	63	71
35-49	105	13.6	88	3	3	12	16	23	35	48
50-64	429	16.7	143	6	8	13	19	28	46	76
65+	508	20.2	186	8	9	16	25	40	54	99+
TOT. SINGLE DX	224	13.0	78	5	6	11	15	21	26	67
" MULTIPLE DX	1080	18.0	167	6	8	14	21	34	46	93
TOTAL 0-19 YRS	18	16.6	185	4	8	11	21	35	48	56
20-34	32	12.7	244	2	3	8	11	31	56	71
35-49	135	12.8	75	3	5	11	15	21	32	47
50-64	520	16.0	130	6	8	13	18	26	40	75
65+	599	19.5	179	8	9	15	24	38	49	99+
GRAND TOTAL	1304	17.2	155	6	8	13	20	31	44	88

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3	13.7	66	8	8	10	20	23	23	23
20-34										
35-49										
50-64	1	50.0		50	50	50	50	50	50	50
65+										
TOT. SINGLE DX	1	8.0		8	8	8	8	8	8	8
" MULTIPLE DX	4	22.8	374	8	8	16	36	50	50	50
TOTAL 0-19 YRS	3	13.7	66	8	8	10	20	23	23	23
20-34	1	8.0		8	8	8	8	8	8	8
35-49										
50-64	1	50.0		50	50	50	50	50	50	50
65+										
GRAND TOTAL	5	19.8	324	8	8	10	30	50	50	50

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	2	44.5	3281	4	4	44	85	85	85	85
35-49	3	27.0	388	5	5	33	40	43	43	43
50-64	3	18.0	409	3	3	10	33	41	41	41
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	8	2.4	5	1	1	2	3	6	8	8
20-34	42	10.8	284	<1	1	5	13	25	40	94
35-49	45	9.9	172	1	2	6	12	24	36	99+
50-64	73	9.8	168	1	1	5	12	23	41	94
65+	57	12.3	234	1	1	7	15	32	43	82
TOT. SINGLE DX	9	25.3	779	3	3	10	41	68	85	85
" MULTIPLE DX	225	10.4	202	1	1	5	13	25	39	95
TOTAL 0-19 YRS	8	2.4	6	1	1	2	3	6	8	8
20-34	44	12.3	398	<1	1	5	14	26	65	94
35-49	48	10.9	196	1	2	6	17	25	45	99+
50-64	76	10.1	175	1	1	5	12	28	42	94
65+	58	12.2	232	1	1	7	15	32	42	82
GRAND TOTAL	234	11.0	230	1	1	5	14	29	43	95

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	40	6.7	13	1	1	7	9	11	13	15
20-34	57	8.2	64	1	2	5	14	20	23	39
35-49	80	6.8	37	1	2	5	9	15	20	28
50-64	199	9.4	77	1	2	8	12	18	21	68
65+	186	11.3	46	2	4	10	15	20	22	38
2. MULTIPLE DX										
0-19 YRS	310	21.1	492	2	4	13	31	74	89	99+
20-34	119	12.3	189	2	2	8	17	30	57	99+
35-49	190	12.8	165	2	2	9	16	32	40	78
50-64	702	14.5	143	2	4	12	18	28	43	99+
65+	1035	16.8	153	4	5	14	21	32	43	92
TOT. SINGLE DX	562	9.3	58	1	2	8	12	18	21	39
" MULTIPLE DX	2356	16.2	203	2	4	13	20	33	51	99+
TOTAL 0-19 YRS	350	19.5	458	2	4	11	26	67	87	99+
20-34	176	11.0	152	1	2	7	16	24	43	99+
35-49	270	11.0	135	1	2	7	14	27	36	54
50-64	901	13.4	133	2	3	11	17	26	36	99+
65+	1221	16.0	141	3	5	13	20	30	40	84
GRAND TOTAL	**2918**	**14.8**	**183**	**2**	**3**	**12**	**19**	**31**	**45**	**99+**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	98	3.9	20	<1	<1	2	4	8	15	21
20-34	105	5.5	62	<1	1	3	5	13	20	45
35-49	67	6.1	39	<1	1	3	9	15	22	25
50-64	84	7.4	92	1	2	4	8	18	22	59
65+	60	9.5	132	<1	1	6	11	26	30	64
2. MULTIPLE DX										
0-19 YRS	42	6.7	57	<1	1	4	8	12	21	43
20-34	92	9.3	132	<1	1	5	12	25	38	83
35-49	92	8.6	79	1	2	5	11	20	24	49
50-64	184	11.5	129	1	2	8	15	29	35	53
65+	197	14.2	171	2	2	11	19	31	36	69
TOT. SINGLE DX	414	6.2	68	<1	1	3	7	15	22	34
" MULTIPLE DX	607	11.3	136	1	2	8	15	27	34	57
TOTAL 0-19 YRS	140	4.7	33	<1	<1	3	6	11	16	28
20-34	197	7.3	99	<1	1	3	8	19	30	58
35-49	159	7.5	64	1	1	4	10	19	23	45
50-64	268	10.2	122	1	2	6	14	25	33	53
65+	257	13.1	165	2	2	10	17	29	34	68
GRAND TOTAL	**1021**	**9.2**	**115**	**1**	**1**	**5**	**12**	**23**	**31**	**55**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	8	6.9	15	2	3	6	9	13	14	14
35-49	4	5.5	3	4	4	5	7	8	8	8
50-64	7	8.4	86	3	3	5	8	25	29	29
65+	13	13.3	60	3	5	11	19	24	28	29
2. MULTIPLE DX										
0-19 YRS	3	9.7	22	6	6	8	13	15	15	15
20-34	29	10.5	41	3	5	10	12	18	37	99+
35-49	36	10.6	75	2	3	8	14	20	33	39
50-64	58	10.9	47	3	4	9	16	21	25	29
65+	65	16.7	227	4	4	12	23	33	54	97
TOT. SINGLE DX	34	9.2	54	2	3	6	11	20	28	29
" MULTIPLE DX	191	12.7	119	3	4	10	16	27	34	92
TOTAL 0-19 YRS	5	6.8	27	2	2	6	10	15	15	15
20-34	37	9.7	38	3	4	9	12	16	30	99+
35-49	40	10.1	71	2	3	8	13	18	31	39
50-64	65	10.6	51	3	4	8	15	22	26	29
65+	78	16.1	201	4	4	12	22	31	46	94
GRAND TOTAL	**225**	**12.2**	**111**	**3**	**4**	**9**	**16**	**26**	**32**	**85**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX	1	7.0		7	7	7	7	7	7	7
" MULTIPLE DX										
TOTAL 0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3	26.3	264	8	8	32	37	39	39	39
20-34	7	29.4	210	4	8	30	38	49	51	51
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX	10	28.5	201	4	6	30	39	45	51	51
TOTAL 0-19 YRS	3	26.3	264	8	8	32	37	39	39	39
20-34	7	29.4	210	4	8	30	38	49	51	51
35-49										
50-64										
65+										
GRAND TOTAL	**10**	**28.5**	**201**	**4**	**6**	**30**	**39**	**45**	**51**	**51**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	83	7.7	32	1	2	7	9	13	22	28
20-34	88	11.4	147	3	3	8	13	21	30	79
35-49	64	9.3	50	2	3	7	11	17	25	39
50-64	81	11.0	93	3	4	8	13	18	32	53
65+	114	10.4	55	2	3	8	15	21	26	34
2. MULTIPLE DX										
0-19 YRS	118	14.1	247	1	2	9	18	30	40	81
20-34	110	18.1	348	3	4	11	24	42	69	99
35-49	132	15.5	187	3	5	11	20	35	51	99+
50-64	283	16.3	154	4	5	13	20	34	41	60
65+	671	18.3	197	4	5	15	23	37	52	99+
TOT. SINGLE DX	430	10.0	77	2	3	8	12	19	27	45
" MULTIPLE DX	1314	17.2	206	3	5	13	22	35	49	96
TOTAL 0-19 YRS	201	11.4	168	1	2	8	12	26	31	79
20-34	198	15.1	269	3	4	9	19	31	52	97
35-49	196	13.5	151	2	4	10	17	29	43	99+
50-64	364	15.1	145	4	4	11	18	32	41	59
65+	785	17.2	185	3	5	14	22	35	48	98
GRAND TOTAL	**1744**	**15.4**	**183**	**3**	**4**	**11**	**20**	**32**	**45**	**88**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	6.8	78	1	1	3	10	17	30	32
20-34	17	11.1	168	1	1	6	14	33	41	45
35-49	13	12.2	126	1	3	10	16	32	33	33
50-64	4	20.8	263	1	1	22	33	38	38	38
65+	3	9.3	184	1	1	2	19	25	25	25
2. MULTIPLE DX										
0-19 YRS	45	21.1	539	2	2	10	38	65	80	99+
20-34	43	26.4	403	3	4	22	39	55	69	79
35-49	41	22.4	594	1	2	15	32	61	86	90
50-64	57	22.0	338	2	3	16	37	47	58	98
65+	42	25.2	338	3	5	22	36	62	86	99+
TOT. SINGLE DX	49	11.0	143	1	1	5	14	32	34	45
" MULTIPLE DX	228	23.3	433	2	3	18	36	55	79	99+
TOTAL 0-19 YRS	57	18.1	473	1	2	9	32	59	76	99
20-34	60	22.1	381	1	2	19	34	47	62	79
35-49	54	19.9	496	1	2	12	31	44	84	90
50-64	61	21.9	330	2	3	16	37	47	58	98
65+	45	24.2	340	2	4	21	35	58	83	99+
GRAND TOTAL	**277**	**21.1**	**403**	**1**	**2**	**15**	**34**	**50**	**76**	**99+**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	22	3.1	3	1	1	2	4	5	8	10
20-34	15	5.0	12	1	1	4	8	10	11	11
35-49	23	6.2	41	<1	<1	3	10	15	19	26
50-64	37	5.1	24	1	1	3	7	12	15	24
65+	50	7.6	90	<1	<1	4	9	18	24	45
2. MULTIPLE DX										
0-19 YRS	49	9.7	192	<1	1	4	13	30	45	99+
20-34	26	9.2	55	1	2	8	13	22	42	99+
35-49	58	10.7	223	1	2	7	11	20	36	95
50-64	165	12.7	154	2	2	9	17	27	36	81
65+	296	14.2	205	1	2	10	20	33	48	73
TOT. SINGLE DX	147	5.8	47	<1	1	4	8	12	17	44
" MULTIPLE DX	594	12.9	187	1	2	9	17	30	43	85
TOTAL 0-19 YRS	71	7.7	143	1	1	3	7	28	37	94
20-34	41	7.7	43	1	1	6	10	19	26	99+
35-49	81	9.4	174	<1	1	5	11	19	29	84
50-64	202	11.3	139	1	2	8	15	24	34	76
65+	346	13.3	194	1	2	9	18	32	45	71
GRAND TOTAL	**741**	**11.5**	**167**	**1**	**2**	**8**	**15**	**27**	**38**	**74**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	101	5.3	5	3	3	5	6	8	10	13
20-34										
35-49	2	9.0	2	8	8	9	10	10	10	10
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	40	6.5	26	3	3	5	7	9	12	35
20-34	5	12.8	22	9	9	11	14	21	21	21
35-49	2	10.0	8	8	8	10	12	12	12	12
50-64	2	35.5	1625	7	7	35	64	64	64	64
65+	3	28.7	704	3	3	27	49	56	56	56
TOT. SINGLE DX	103	5.3	5	3	3	5	7	8	10	13
" MULTIPLE DX	52	9.6	138	3	3	6	9	15	34	64
TOTAL 0-19 YRS	141	5.6	11	3	3	5	6	9	10	17
20-34	5	12.8	22	9	9	11	14	21	21	21
35-49	4	9.5	4	8	8	9	11	12	12	12
50-64	2	35.5	1625	7	7	35	64	64	64	64
65+	3	28.7	704	3	3	27	49	56	56	56
GRAND TOTAL	**155**	**6.8**	**53**	**3**	**3**	**5**	**7**	**10**	**12**	**55**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	7	3.9	57	<1	<1	<1	<1	17	21	21
35-49	6	7.2	113	<1	<1	2	9	26	28	28
50-64	3	1.0		<1	<1	<1	<1	<1	<1	<1
65+	2	19.0	50	14	14	19	24	24	24	24
2. MULTIPLE DX										
0-19 YRS	10	44.2	735	11	12	50	57	83	86	86
20-34	4	9.8	151	2	2	4	17	28	28	28
35-49	5	10.8	205	2	2	6	15	36	36	36
50-64	18	22.8	559	2	5	17	33	98	99+	99+
65+	19	21.1	517	3	6	18	52	99+	99+	99+
TOT. SINGLE DX	19	6.4	79	<1	<1	<1	10	23	26	28
" MULTIPLE DX	56	24.1	594	2	3	18	48	99	99+	99+
TOTAL 0-19 YRS	11	41.1	769	10	11	48	56	83	86	86
20-34	11	6.0	88	<1	<1	<1	5	24	28	28
35-49	11	8.8	143	<1	<1	3	9	31	36	36
50-64	21	19.7	537	<1	<1	15	26	97	99+	99+
65+	21	20.9	469	3	7	18	43	99+	99+	99+
GRAND TOTAL	**75**	**19.6**	**521**	**<1**	**<1**	**14**	**28**	**90**	**99+**	**99+**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	7.9	25	1	2	8	11	15	16	16
20-34	25	6.7	23	1	3	6	8	9	19	23
35-49	32	10.5	53	<1	<1	9	14	21	24	26
50-64	40	6.1	14	<1	<1	6	9	11	13	14
65+	69	10.0	149	<1	1	7	12	20	24	81
2. MULTIPLE DX										
0-19 YRS	7	11.6	82	2	2	10	16	26	28	28
20-34	69	9.7	73	2	3	8	12	18	31	44
35-49	141	10.2	98	2	3	8	13	19	32	79
50-64	262	10.1	70	1	2	8	13	19	26	41
65+	481	13.6	124	3	4	11	17	28	42	66
TOT. SINGLE DX	173	8.6	79	<1	1	7	11	17	22	34
" MULTIPLE DX	960	11.9	105	2	3	9	15	23	34	63
TOTAL 0-19 YRS	14	9.7	54	1	2	8	14	18	26	28
20-34	94	8.9	61	1	3	7	10	17	23	43
35-49	173	10.3	90	1	3	8	13	21	28	71
50-64	302	9.6	64	<1	2	8	12	18	24	39
65+	550	13.1	129	2	4	10	16	26	37	66
GRAND TOTAL	**1133**	**11.4**	**102**	**1**	**3**	**9**	**14**	**22**	**32**	**59**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	10	11.4	9	7	8	11	12	16	18	18
35-49	22	13.8	40	8	9	12	14	21	30	36
50-64	24	14.3	29	7	8	13	17	21	26	28
65+	26	17.5	86	8	9	16	19	29	34	50
2. MULTIPLE DX										
0-19 YRS										
20-34	18	16.6	64	6	8	15	21	26	32	36
35-49	49	16.5	78	9	9	13	21	27	30	55
50-64	111	19.5	147	9	10	15	21	37	48	82
65+	121	25.8	206	12	13	22	33	52	58	99+
TOT. SINGLE DX	83	14.8	50	8	9	13	17	25	29	45
" MULTIPLE DX	299	21.4	168	9	10	17	26	40	54	93
TOTAL 0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	28	14.8	50	7	8	13	18	25	28	36
35-49	71	15.7	68	8	9	12	17	27	30	51
50-64	135	18.6	130	9	9	15	20	35	44	75
65+	147	24.3	195	10	12	20	30	51	56	99+
GRAND TOTAL	**382**	**20.0**	**150**	**9**	**10**	**16**	**25**	**36**	**51**	**81**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	1	23.0		23	23	23	23	23	23	23
50-64	6	25.0	78	16	16	22	34	37	37	37
65+	4	30.0	118	21	21	27	38	45	45	45
2. MULTIPLE DX										
0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34	2	27.5	145	19	19	27	36	36	36	36
35-49	10	25.6	169	12	12	23	26	47	55	55
50-64	25	27.9	243	11	13	25	36	49	67	71
65+	32	30.8	335	14	15	22	43	61	67	80
TOT. SINGLE DX	11	26.6	82	16	17	23	33	40	45	45
" MULTIPLE DX	70	28.8	264	12	14	23	36	55	66	78
TOTAL 0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34	2	27.5	145	19	19	27	36	36	36	36
35-49	11	25.4	153	12	13	23	26	46	54	55
50-64	31	27.3	209	12	14	25	35	43	65	71
65+	36	30.7	308	14	15	23	42	60	66	80
GRAND TOTAL	**81**	**28.5**	**239**	**13**	**14**	**23**	**36**	**53**	**65**	**77**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	10.0	2	9	9	10	11	11	11	11
20-34	24	9.8	10	7	7	9	11	13	16	22
35-49	36	9.8	10	6	7	9	11	14	17	21
50-64	23	11.9	12	8	8	11	15	17	19	20
65+	6	14.2	47	7	7	13	15	26	27	27
2. MULTIPLE DX										
0-19 YRS	2	22.5	85	16	16	22	29	29	29	29
20-34	38	12.8	138	6	7	10	14	18	21	79
35-49	66	12.1	34	6	7	10	13	20	25	34
50-64	59	14.8	83	7	8	11	17	29	34	51
65+	44	24.0	227	9	11	19	29	43	52	84
TOT. SINGLE DX	91	10.6	14	7	7	9	12	15	19	25
" MULTIPLE DX	209	15.6	127	7	7	11	17	29	38	64
TOTAL 0-19 YRS	4	16.3	81	9	9	13	22	29	29	29
20-34	62	11.6	90	7	7	10	13	16	21	72
35-49	102	11.3	27	6	7	10	13	16	22	33
50-64	82	14.0	65	7	8	11	16	23	32	48
65+	50	22.8	215	8	10	18	28	42	51	84
GRAND TOTAL	**300**	**14.1**	**98**	**7**	**7**	**11**	**16**	**24**	**33**	**53**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	15	7.7	5	4	5	8	9	10	12	12
20-34	152	8.5	6	6	6	8	9	11	14	20
35-49	137	8.0	4	6	6	8	9	10	13	16
50-64	51	10.6	16	6	7	10	12	15	18	31
65+	25	13.9	121	5	7	10	17	22	37	57
2. MULTIPLE DX										
0-19 YRS	34	19.0	310	5	6	12	23	43	64	74
20-34	156	12.0	60	6	7	9	13	20	27	47
35-49	237	12.1	71	6	7	9	12	21	27	51
50-64	188	15.3	112	7	8	12	18	24	35	67
65+	161	19.5	203	8	9	16	24	39	76	99+
TOT. SINGLE DX	380	8.9	17	6	6	8	9	12	15	22
" MULTIPLE DX	776	14.7	125	7	7	11	17	26	38	77
TOTAL 0-19 YRS	49	15.6	243	5	5	10	15	33	61	74
20-34	308	10.3	37	6	7	9	10	15	21	40
35-49	374	10.6	51	6	6	8	10	17	23	46
50-64	239	14.3	96	7	7	11	16	22	31	61
65+	186	18.7	195	7	8	15	23	36	63	99+
GRAND TOTAL	**1156**	**12.8**	**97**	**6**	**7**	**9**	**14**	**22**	**31**	**70**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	40	8.9	29	3	3	7	12	18	21	99+
20-34	102	7.9	27	2	3	7	10	14	18	28
35-49	60	8.9	71	1	1	7	10	18	26	48
50-64	71	6.4	27	1	1	5	9	12	15	30
65+	65	8.9	66	1	1	7	12	21	28	37
2. MULTIPLE DX										
0-19 YRS	58	10.7	62	3	3	9	15	18	23	48
20-34	162	12.5	140	3	3	8	14	27	35	78
35-49	157	11.1	56	2	4	9	14	22	28	37
50-64	252	12.9	154	3	4	11	15	23	30	82
65+	352	15.2	158	2	3	12	20	29	43	69
TOT. SINGLE DX	338	8.1	43	1	2	7	10	16	21	35
" MULTIPLE DX	981	13.2	135	3	4	10	17	25	35	73
TOTAL 0-19 YRS	98	9.9	49	3	3	8	14	18	22	75
20-34	264	10.7	101	2	3	8	13	22	29	73
35-49	217	10.5	62	1	3	8	13	21	27	38
50-64	323	11.5	133	2	3	9	14	22	29	81
65+	417	14.2	149	2	3	11	19	27	40	68
GRAND TOTAL	**1319**	**11.9**	**116**	**2**	**3**	**9**	**15**	**23**	**31**	**69**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	9.1	31	3	4	8	11	18	20	20
20-34	14	15.7	233	6	7	12	15	32	58	65
35-49	10	15.4	111	6	7	11	16	34	40	40
50-64	13	13.8	28	9	9	11	17	23	23	23
65+	12	15.3	48	9	9	12	18	29	29	29
2. MULTIPLE DX										
0-19 YRS	24	13.3	55	6	7	13	18	88	99+	99+
20-34	53	18.3	186	6	6	14	23	35	42	77
35-49	55	18.4	182	8	8	14	24	38	61	98
50-64	83	21.6	360	8	9	15	22	46	77	98
65+	86	22.7	205	8	10	19	31	49	73	99+
TOT. SINGLE DX	58	14.1	96	5	6	11	16	26	29	63
" MULTIPLE DX	301	20.1	234	7	8	16	25	44	73	99+
TOTAL 0-19 YRS	33	12.2	51	5	5	11	16	40	99+	99+
20-34	67	17.7	194	6	6	13	21	35	43	76
35-49	65	18.0	171	8	8	13	24	38	51	96
50-64	96	20.6	322	8	9	15	22	38	76	98
65+	98	21.8	192	8	10	[illegible]	28	47	72	99+
GRAND TOTAL	**359**	**19.1**	**216**	**7**	**8**	[illegible]	**24**	**41**	**69**	**99+**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	15.6	106	7	7	12	18	29	41	44
20-34	50	17.1	84	7	9	13	21	33	38	43
35-49	70	13.6	35	8	9	12	15	21	27	37
50-64	84	14.5	40	9	9	13	17	21	27	43
65+	140	16.8	57	9	10	15	20	26	32	43
2. MULTIPLE DX										
0-19 YRS	21	25.6	588	7	8	20	28	88	96	99+
20-34	131	21.4	225	8	9	16	27	43	57	99+
35-49	151	19.5	192	8	9	15	23	37	52	78
50-64	350	18.3	124	9	10	15	21	32	44	84
65+	674	22.6	217	10	11	18	26	41	60	96
TOT. SINGLE DX	357	15.6	56	8	9	13	18	25	31	43
" MULTIPLE DX	1327	21.0	200	9	10	17	25	39	57	97
TOTAL 0-19 YRS	34	21.8	420	7	7	16	25	58	92	99+
20-34	181	20.2	190	8	9	15	25	39	48	97
35-49	221	17.6	150	8	9	14	20	30	43	77
50-64	434	17.6	111	9	10	14	20	29	42	74
65+	814	21.6	194	10	11	17	25	37	55	93
GRAND TOTAL	**1684**	**19.9**	**174**	**9**	**10**	**16**	**23**	**35**	**50**	**92**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	6.0	18	3	3	6	9	9	9	9
20-34	4	18.3	444	2	2	11	31	49	49	49
35-49										
50-64	10	15.7	109	7	7	13	17	31	43	43
65+	8	12.1	18	8	8	10	14	19	21	21
2. MULTIPLE DX										
0-19 YRS	5	22.8	357	6	6	13	39	50	50	50
20-34	12	18.9	64	11	12	18	22	52	91	99+
35-49	11	22.6	384	7	8	13	34	56	64	65
50-64	30	21.0	125	8	9	21	28	39	41	45
65+	60	25.3	272	9	12	21	32	62	91	99+
TOT. SINGLE DX	24	14.1	118	3	7	10	15	23	45	49
" MULTIPLE DX	118	23.2	225	8	10	20	31	47	73	99+
TOTAL 0-19 YRS	7	18.0	309	3	4	10	29	47	50	50
20-34	16	18.8	136	4	9	18	22	47	82	99+
35-49	11	22.6	385	7	8	13	34	56	64	65
50-64	40	19.7	124	7	8	17	26	39	42	45
65+	68	23.8	260	9	10	19	31	55	86	99+
GRAND TOTAL	**142**	**21.7**	**217**	**8**	**9**	**18**	**29**	**45**	**65**	**99+**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	34	8.2	23	3	3	7	10	14	18	24
20-34	26	8.7	6	5	6	8	10	11	14	17
35-49	42	10.7	33	3	5	10	11	18	23	34
50-64	27	10.9	23	6	7	10	13	16	20	29
65+	42	13.1	78	6	7	12	14	20	21	62
2. MULTIPLE DX										
0-19 YRS	43	15.0	165	3	4	11	17	33	41	67
20-34	67	14.6	113	5	6	12	16	28	44	54
35-49	65	15.5	145	7	8	11	16	26	47	63
50-64	119	18.2	198	6	8	14	21	36	44	79
65+	160	18.5	196	5	8	14	21	36	48	86
TOT. SINGLE DX	171	10.5	39	3	5	10	12	16	21	33
" MULTIPLE DX	454	17.1	176	5	7	13	20	35	46	74
TOTAL 0-19 YRS	77	12.0	113	3	3	9	13	24	33	60
20-34	93	13.0	91	5	6	10	14	24	36	51
35-49	107	13.6	106	5	7	10	14	24	36	59
50-64	146	16.9	174	6	7	13	18	34	39	78
65+	202	17.3	176	5	8	13	20	33	48	80
GRAND TOTAL	**625**	**15.3**	**147**	**5**	**6**	**12**	**17**	**29**	**40**	**71**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	12.0	17	9	9	9	16	17	17	17
20-34	2	17.0	18	14	14	17	20	20	20	20
35-49	5	18.4	166	7	7	18	25	39	39	39
50-64	5	18.6	28	14	14	19	21	27	27	27
65+	14	21.4	206	10	10	17	23	38	60	66
2. MULTIPLE DX										
0-19 YRS	5	14.6	71	8	8	13	29	93	99+	99+
20-34	8	23.5	170	8	9	20	33	43	46	46
35-49	19	27.2	292	7	12	25	37	52	64	71
50-64	45	23.8	175	10	11	18	30	46	59	99+
65+	92	28.3	243	11	13	25	37	53	78	99+
TOT. SINGLE DX	31	18.7	130	8	9	17	20	30	39	66
" MULTIPLE DX	169	26.3	226	9	12	23	33	52	68	99+
TOTAL 0-19 YRS	10	13.3	41	8	8	13	17	57	96	99+
20-34	10	22.2	142	8	9	19	30	41	46	46
35-49	24	25.3	271	6	8	21	34	47	60	71
50-64	50	23.3	162	10	11	18	30	45	58	99+
65+	106	27.4	242	10	13	24	33	53	71	99+
GRAND TOTAL	**200**	**25.1**	**218**	**9**	**11**	**22**	**31**	**50**	**61**	**99+**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1841	4.3	3	2	3	4	5	7	8	12
20-34	1356	4.4	4	2	3	4	5	7	8	12
35-49	403	4.9	4	2	3	4	6	8	9	13
50-64	108	6.7	16	3	3	6	8	12	13	23
65+	50	8.0	22	4	4	7	9	14	19	27
2. MULTIPLE DX										
0-19 YRS	523	6.5	19	2	3	5	8	11	15	23
20-34	463	6.5	23	3	3	5	8	11	14	25
35-49	154	7.7	20	3	3	7	10	14	18	21
50-64	112	9.9	56	3	4	8	12	17	24	45
65+	98	13.4	127	5	5	11	15	24	32	94
TOT. SINGLE DX	3758	4.5	5	2	3	4	5	7	8	13
" MULTIPLE DX	1350	7.4	36	3	3	6	9	13	17	27
TOTAL 0-19 YRS	2364	4.8	8	2	3	4	5	8	10	16
20-34	1819	5.0	10	2	3	4	6	8	10	16
35-49	557	5.7	10	3	3	5	7	9	12	20
50-64	220	8.3	39	3	3	7	10	13	18	33
65+	148	11.6	98	4	5	9	14	20	27	87
GRAND TOTAL	**5108**	**5.3**	**15**	**2**	**3**	**4**	**6**	**9**	**11**	**20**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	4.7	2	3	3	4	6	7	8	8
20-34	14	4.1	1	2	3	4	5	6	6	6
35-49	4	6.3	5	3	3	7	8	8	8	8
50-64	3	9.7	54	4	4	7	15	18	18	18
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
0-19 YRS	8	5.1	1	3	3	5	6	7	7	7
20-34	9	5.9	4	3	3	6	7	9	10	10
35-49	3	9.7	32	5	5	8	14	16	16	16
50-64	2	5.5	1	5	5	5	6	6	6	6
65+										
TOT. SINGLE DX	35	5.2	8	3	3	4	6	8	10	18
" MULTIPLE DX	22	6.1	8	3	4	5	7	9	12	16
TOTAL 0-19 YRS	21	4.9	2	3	3	5	6	7	8	8
20-34	23	4.8	3	2	3	5	6	7	9	10
35-49	7	7.7	17	3	3	7	8	14	16	16
50-64	5	8.0	33	4	4	6	10	18	18	18
65+	1	10.0		10	10	10	10	10	10	10
GRAND TOTAL	**57**	**5.6**	**8**	**3**	**3**	**5**	**7**	**8**	**10**	**18**

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	6.4	7	3	3	7	9	10	10	10
20-34	4	12.5	12	9	9	12	15	16	16	16
35-49	2	7.5	1	7	7	7	8	8	8	8
50-64	1	14.0		14	14	14	14	14	14	14
65+	4	9.3	12	5	5	9	12	13	13	13
2. MULTIPLE DX										
0-19 YRS	4	8.8	15	4	4	9	12	12	12	12
20-34	1	9.0		9	9	9	9	9	9	9
35-49	2	19.0	8	17	17	19	21	21	21	21
50-64	3	14.0	28	10	10	12	18	20	20	20
65+	1	19.0		19	19	19	19	19	19	19
TOT. SINGLE DX	21	8.6	14	3	4	8	10	14	15	16
" MULTIPLE DX	11	13.0	31	4	6	12	18	20	21	21
TOTAL 0-19 YRS	14	7.1	10	3	3	7	9	12	12	12
20-34	5	11.8	12	9	9	10	15	16	16	16
35-49	4	13.3	47	7	7	12	19	21	21	21
50-64	4	14.0	19	10	10	13	17	20	20	20
65+	5	11.2	28	5	5	11	14	19	19	19
GRAND TOTAL	**32**	**10.1**	**24**	**3**	**4**	**9**	**13**	**18**	**20**	**21**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	45	5.1	18	<1	1	4	8	11	15	17
20-34	57	5.4	20	<1	1	4	7	12	16	20
35-49	43	6.3	39	<1	1	4	7	14	18	35
50-64	48	5.2	18	1	2	4	6	10	14	24
65+	87	6.3	47	1	1	4	8	13	18	38
2. MULTIPLE DX										
0-19 YRS	48	10.5	191	1	2	7	12	23	28	91
20-34	58	7.5	61	1	2	6	9	14	22	50
35-49	60	10.6	126	1	2	7	11	28	40	51
50-64	95	11.3	208	1	2	7	13	22	35	88
65+	188	12.6	151	2	3	9	17	26	36	99+
TOT. SINGLE DX	280	5.7	31	1	1	4	7	12	16	33
" MULTIPLE DX	449	11.2	154	1	2	7	13	24	35	94
TOTAL 0-19 YRS	93	7.9	114	1	1	6	9	15	24	65
20-34	115	6.5	42	1	1	5	8	13	18	35
35-49	103	8.8	94	1	2	6	10	19	35	47
50-64	143	9.3	153	1	2	5	11	18	25	77
65+	275	10.6	127	1	2	7	14	24	35	98
GRAND TOTAL	**729**	**9.1**	**114**	**1**	**2**	**6**	**11**	**20**	**27**	**76**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	14	3.1	5	<1	<1	2	4	7	9	9
35-49	7	5.7	24	1	1	3	10	13	14	14
50-64	7	4.3	7	2	2	3	5	9	10	10
65+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	14	5.5	24	2	2	4	6	11	19	21
35-49	6	5.8	7	3	3	5	6	11	11	11
50-64	5	3.4	5	1	1	4	5	6	6	6
65+	2	10.5	41	6	6	10	15	15	15	15
TOT. SINGLE DX	32	4.0	10	<1	1	3	5	9	11	14
" MULTIPLE DX	28	5.4	19	1	1	5	6	11	16	21
TOTAL 0-19 YRS	3	4.0	7	1	1	5	6	6	6	6
20-34	28	4.3	16	<1	1	3	5	8	11	21
35-49	13	5.8	16	1	2	5	7	12	14	14
50-64	12	3.9	6	1	1	4	5	7	10	10
65+	4	6.0	41	1	1	4	10	15	15	15
GRAND TOTAL	**60**	**4.7**	**15**	**<1**	**1**	**4**	**6**	**10**	**13**	**20**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	18.9	111	9	10	16	21	37	41	41
20-34	12	21.3	217	9	10	15	27	48	52	53
35-49	23	14.7	57	8	9	13	17	21	30	44
50-64	60	15.7	41	8	9	14	20	25	28	33
65+	58	16.8	49	9	11	15	21	24	29	49
2. MULTIPLE DX										
0-19 YRS	19	17.7	92	7	8	15	27	36	69	99+
20-34	31	21.4	233	8	9	18	25	40	65	70
35-49	53	18.4	130	9	10	15	19	36	47	59
50-64	193	17.8	76	9	10	16	21	28	31	58
65+	297	22.4	161	10	12	19	26	40	54	99+
TOT. SINGLE DX	160	16.5	63	8	9	15	20	25	30	50
" MULTIPLE DX	593	20.3	137	10	10	17	24	34	46	92
TOTAL 0-19 YRS	26	18.0	94	8	8	16	25	38	50	99+
20-34	43	21.4	224	8	9	18	26	43	58	70
35-49	76	17.3	110	8	10	14	18	30	45	57
50-64	253	17.3	69	9	10	15	20	27	31	57
65+	355	21.5	147	10	11	18	25	36	48	99+
GRAND TOTAL	**753**	**19.5**	**123**	**9**	**10**	**17**	**23**	**32**	**44**	**82**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	26	5.7	11	1	2	5	7	12	12	13
20-34	127	5.1	16	<1	<1	4	7	11	14	18
35-49	110	4.1	7	<1	<1	4	6	8	9	14
50-64	118	5.6	16	<1	1	5	8	11	12	21
65+	128	6.7	19	<1	1	6	9	13	15	20
2. MULTIPLE DX										
0-19 YRS	40	7.0	26	1	2	6	10	13	15	27
20-34	246	7.7	68	1	2	5	10	15	20	43
35-49	270	9.6	123	1	2	6	10	19	32	62
50-64	391	9.8	66	2	3	8	12	19	27	40
65+	617	12.5	127	2	4	9	16	26	36	89
TOT. SINGLE DX	509	5.4	16	<1	<1	5	7	11	13	19
" MULTIPLE DX	1564	10.4	103	2	3	8	13	21	30	59
TOTAL 0-19 YRS	66	6.5	21	1	2	6	9	12	13	25
20-34	373	6.8	52	<1	1	5	9	14	17	41
35-49	380	8.0	96	<1	1	5	9	16	23	57
50-64	509	8.9	58	1	2	7	11	18	24	37
65+	745	11.5	114	2	3	9	14	23	34	82
GRAND TOTAL	**2073**	**9.2**	**86**	**1**	**2**	**7**	**11**	**19**	**27**	**53**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	26	3.6	10	1	1	3	4	8	11	13
20-34	99	4.1	8	2	2	3	5	6	7	19
35-49	118	4.1	11	1	2	3	5	7	9	19
50-64	67	4.1	5	1	2	3	5	7	9	13
65+	15	4.9	15	2	2	3	5	12	13	14
2. MULTIPLE DX										
0-19 YRS	10	6.7	140	1	1	3	5	23	40	40
20-34	70	5.8	19	2	3	5	7	10	13	29
35-49	92	5.3	28	1	2	4	6	10	16	32
50-64	54	4.9	11	1	2	4	7	10	12	17
65+	28	13.3	343	1	2	6	13	37	66	77
TOT. SINGLE DX	325	4.1	9	1	2	3	5	7	9	14
" MULTIPLE DX	254	6.3	66	1	2	4	7	12	17	45
TOTAL 0-19 YRS	36	4.5	45	1	1	3	5	8	12	40
20-34	169	4.8	13	2	2	4	6	8	10	23
35-49	210	4.6	19	1	2	4	5	8	12	22
50-64	121	4.5	8	1	2	4	5	9	11	14
65+	43	10.4	243	1	2	5	12	18	52	77
GRAND TOTAL	**579**	**5.1**	**35**	**1**	**2**	**4**	**6**	**9**	**13**	**31**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	22	3.0	8	<1	1	2	3	6	11	13
20-34	84	2.6	2	<1	<1	2	4	4	5	8
35-49	37	2.9	5	<1	<1	3	4	5	5	14
50-64	24	4.0	7	1	2	3	4	7	11	13
65+	11	8.9	87	2	2	5	10	25	32	33
2. MULTIPLE DX										
0-19 YRS	8	3.0	4	1	1	2	4	6	6	6
20-34	57	4.5	13	<1	1	4	5	7	9	26
35-49	59	5.6	75	<1	1	4	6	8	9	61
50-64	49	6.9	57	1	2	5	7	16	19	41
65+	46	7.8	42	2	3	6	9	19	23	31
TOT. SINGLE DX	178	3.3	11	<1	<1	3	4	5	8	18
" MULTIPLE DX	219	6.0	47	1	2	4	6	10	18	35
TOTAL 0-19 YRS	30	3.0	7	1	1	2	3	6	9	13
20-34	141	3.4	8	<1	<1	3	4	6	7	12
35-49	96	4.6	50	<1	<1	4	5	7	9	48
50-64	73	6.0	42	1	2	4	6	13	17	39
65+	57	8.0	50	2	3	5	9	20	23	33
GRAND TOTAL	**397**	**4.8**	**33**	**<1**	**1**	**3**	**5**	**8**	**13**	**32**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	2.7	4	<1	<1	2	4	5	5	5
20-34	278	5.2	16	3	3	5	6	7	8	12
35-49	373	5.2	4	2	3	5	6	7	9	13
50-64	212	5.3	6	3	3	5	6	8	9	13
65+	88	5.6	6	2	3	5	7	10	11	13
2. MULTIPLE DX										
0-19 YRS	5	5.8	5	2	2	7	7	8	8	8
20-34	248	5.4	5	2	3	5	6	8	9	16
35-49	487	5.7	10	2	3	5	6	9	12	21
50-64	365	6.4	20	3	3	6	7	10	13	25
65+	179	9.2	50	3	4	7	11	18	21	57
TOT. SINGLE DX	954	5.3	9	2	3	5	6	8	9	12
" MULTIPLE DX	1284	6.3	20	3	3	5	7	10	13	22
TOTAL 0-19 YRS	8	4.6	7	<1	1	5	7	8	8	8
20-34	526	5.3	11	3	3	5	6	8	9	14
35-49	860	5.5	8	2	3	5	6	8	10	17
50-64	577	6.0	16	3	3	5	7	9	11	22
65+	267	8.0	39	3	3	6	10	14	19	46
GRAND TOTAL	**2238**	**5.9**	**15**	**3**	**3**	**5**	**7**	**9**	**11**	**21**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	44	4.3	19	1	1	3	5	8	14	22
20-34	193	3.5	7	1	1	3	4	6	9	16
35-49	162	4.1	7	1	1	3	5	8	9	15
50-64	67	4.7	20	1	1	3	5	9	12	29
65+	32	5.5	21	1	1	4	8	10	17	20
2. MULTIPLE DX										
0-19 YRS	32	7.3	45	1	2	5	9	14	25	32
20-34	139	6.3	100	1	1	4	7	12	15	60
35-49	110	5.7	75	1	1	4	6	9	11	50
50-64	97	6.2	27	1	2	4	8	14	17	28
65+	66	9.5	104	2	2	6	13	27	32	93
TOT. SINGLE DX	498	4.1	11	1	1	3	5	8	10	18
" MULTIPLE DX	444	6.7	76	1	2	4	7	13	20	55
TOTAL 0-19 YRS	76	5.5	32	1	1	4	6	11	19	30
20-34	332	4.7	48	1	1	3	5	9	12	29
35-49	272	4.8	36	1	1	4	6	9	10	21
50-64	164	5.6	25	1	2	4	7	12	15	29
65+	98	8.2	80	1	1	5	10	20	29	79
GRAND TOTAL	**942**	**5.3**	**44**	**1**	**1**	**4**	**6**	**10**	**14**	**31**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	3	16.3	197	3	3	15	27	31	31	31
50-64	1	6.0		6	6	6	6	6	6	6
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	1	34.0		34	34	34	34	34	34	34
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	4	22.8	19	18	18	23	26	27	27	27
65+	4	17.8	145	2	2	19	26	31	31	31
TOT. SINGLE DX	5	11.6	142	3	3	6	19	31	31	31
" MULTIPLE DX	10	19.8	118	2	2	20	27	32	34	34
TOTAL 0-19 YRS	1	34.0		34	34	34	34	34	34	34
20-34										
35-49	4	12.8	183	2	2	9	23	31	31	31
50-64	5	19.4	71	6	6	20	26	27	27	27
65+	5	14.8	152	2	2	17	23	31	31	31
GRAND TOTAL	**15**	**17.1**	**133**	**2**	**2**	**18**	**27**	**31**	**33**	**34**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	5.6	14	1	2	5	10	11	11	11
20-34	52	5.7	38	1	1	4	8	14	19	32
35-49	42	7.3	100	1	1	3	11	15	21	59
50-64	59	9.1	173	1	1	4	10	24	40	66
65+	21	13.7	141	1	1	11	22	33	37	40
2. MULTIPLE DX										
0-19 YRS	29	17.2	345	2	3	11	22	46	61	80
20-34	72	11.6	250	1	1	7	15	25	62	99
35-49	151	11.2	157	1	1	9	14	25	34	88
50-64	198	11.8	89	1	1	10	18	25	28	46
65+	175	17.4	185	1	4	14	23	35	42	69
TOT. SINGLE DX	188	8.0	109	1	1	4	10	21	29	56
" MULTIPLE DX	625	13.5	169	1	1	11	18	28	38	78
TOTAL 0-19 YRS	43	13.4	265	2	2	8	14	28	53	80
20-34	124	9.1	169	1	1	6	11	21	31	95
35-49	193	10.3	147	1	1	8	13	22	33	84
50-64	257	11.2	109	1	1	9	17	25	29	51
65+	196	17.0	181	1	3	14	23	35	41	68
GRAND TOTAL	**813**	**12.2**	**160**	**1**	**1**	**9**	**17**	**27**	**37**	**71**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	105	6.6	4	4	5	6	7	9	11	14
20-34	1208	6.9	6	4	5	6	8	10	11	15
35-49	1026	7.1	5	4	5	7	8	10	11	14
50-64	792	7.7	8	5	5	7	9	11	13	19
65+	415	9.8	20	5	6	8	11	16	19	27
2. MULTIPLE DX										
0-19 YRS	60	10.0	35	5	6	8	12	15	19	39
20-34	962	8.5	24	5	5	7	9	13	16	30
35-49	1154	9.1	29	5	5	8	10	14	19	33
50-64	1434	10.8	53	5	6	9	12	17	24	47
65+	1288	15.3	105	6	7	12	18	27	36	66
TOT. SINGLE DX	3546	7.5	9	4	5	7	8	10	12	19
" MULTIPLE DX	4898	11.1	63	5	6	9	13	19	26	48
TOTAL 0-19 YRS	165	7.8	18	4	5	7	8	12	15	28
20-34	2170	7.6	15	4	5	7	8	11	13	20
35-49	2180	8.1	19	5	5	7	9	12	14	29
50-64	2226	9.7	40	5	6	8	11	15	20	38
65+	1703	14.0	90	6	7	11	17	25	33	57
GRAND TOTAL	**8444**	**9.6**	**43**	**5**	**5**	**8**	**10**	**16**	**21**	**39**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	6.5	41	2	2	4	10	16	16	16
20-34	17	12.8	106	3	3	12	16	24	37	43
35-49	16	11.1	38	3	4	10	15	19	24	26
50-64	27	12.2	39	2	4	12	16	21	23	27
65+	34	14.1	102	2	3	14	19	27	28	50
2. MULTIPLE DX										
0-19 YRS	3	23.7	602	9	9	10	41	52	52	52
20-34	23	12.8	86	2	3	10	16	24	32	43
35-49	29	19.0	179	6	9	16	23	35	76	99+
50-64	71	17.2	97	1	5	16	24	30	35	44
65+	144	19.8	97	4	8	19	26	35	40	51
TOT. SINGLE DX	98	12.6	73	2	3	12	16	23	27	47
" MULTIPLE DX	270	18.5	112	3	6	17	24	34	39	71
TOTAL 0-19 YRS	7	13.9	306	2	2	9	14	45	52	52
20-34	40	12.8	92	3	3	10	16	24	34	43
35-49	45	16.2	142	5	6	14	19	32	44	99+
50-64	98	15.9	86	2	5	15	21	29	34	42
65+	178	18.7	103	3	6	17	25	34	39	49
GRAND TOTAL	**368**	**16.9**	**108**	**3**	**5**	**15**	**22**	**31**	**38**	**52**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	2.3	3	1	1	2	3	5	5	5
20-34	31	6.6	39	1	1	5	10	15	18	29
35-49	32	6.4	37	1	1	5	8	13	22	26
50-64	29	9.0	76	1	1	7	15	25	27	29
65+	39	8.2	48	1	1	8	14	16	17	33
2. MULTIPLE DX										
0-19 YRS	7	16.4	157	2	3	18	20	36	40	40
20-34	45	17.6	268	1	2	13	27	55	70	99+
35-49	101	16.5	306	1	1	11	20	39	55	86
50-64	111	15.5	200	1	1	12	23	42	51	99+
65+	118	18.9	283	2	4	14	24	41	76	99+
TOT. SINGLE DX	135	7.4	49	1	1	5	10	17	23	30
" MULTIPLE DX	382	17.1	261	1	2	13	23	42	61	99+
TOTAL 0-19 YRS	11	11.3	147	1	1	5	19	28	39	40
20-34	76	13.2	203	1	1	9	18	35	59	99+
35-49	133	14.1	260	1	1	9	18	31	49	81
50-64	140	14.2	181	1	1	11	19	38	50	99+
65+	157	16.3	246	1	2	13	22	38	59	99+
GRAND TOTAL	**517**	**14.6**	**223**	**1**	**1**	**10**	**20**	**35**	**50**	**99+**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	69	5.7	27	1	1	4	8	11	17	25
20-34	172	6.4	53	<1	1	4	8	13	19	36
35-49	174	5.1	20	<1	<1	4	7	11	13	20
50-64	158	5.3	27	<1	<1	4	7	12	17	22
65+	236	6.4	25	<1	1	5	9	13	16	26
2. MULTIPLE DX										
0-19 YRS	58	6.5	46	1	1	4	6	13	25	34
20-34	211	8.0	31	1	3	7	10	16	20	29
35-49	221	9.6	113	1	2	6	12	19	31	57
50-64	382	9.5	72	1	2	7	12	19	27	88
65+	928	12.8	141	2	3	10	15	26	38	87
TOT. SINGLE DX	809	5.8	31	<1	1	4	8	12	16	27
" MULTIPLE DX	1800	10.9	111	2	3	8	13	22	32	72
TOTAL 0-19 YRS	127	6.0	36	1	1	4	7	11	21	30
20-34	383	7.3	42	<1	1	6	9	14	19	32
35-49	395	7.6	78	<1	1	5	9	15	20	43
50-64	540	8.2	63	<1	1	6	10	17	23	53
65+	1164	11.5	125	1	2	9	14	24	34	77
GRAND TOTAL	**2609**	**9.3**	**92**	**1**	**2**	**7**	**12**	**19**	**27**	**63**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	702	2.4	2	<1	1	2	3	4	5	8
20-34	821	3.5	2	1	2	3	4	5	6	9
35-49	751	3.8	7	1	2	4	5	6	7	10
50-64	898	4.1	4	1	2	4	5	6	8	10
65+	709	4.9	7	2	2	4	6	8	10	15
2. MULTIPLE DX										
0-19 YRS	368	4.2	75	<1	1	2	4	7	13	85
20-34	243	3.8	3	1	2	4	5	6	7	9
35-49	331	4.6	11	1	2	4	5	7	8	18
50-64	753	5.3	11	2	3	4	6	9	11	18
65+	890	7.7	56	2	3	6	8	14	20	46
TOT. SINGLE DX	3881	3.8	5	1	1	3	5	6	8	11
" MULTIPLE DX	2585	5.7	38	1	2	4	7	10	14	35
TOTAL 0-19 YRS	1070	3.0	28	<1	1	2	3	5	7	21
20-34	1064	3.6	3	1	2	3	4	5	6	9
35-49	1082	4.0	9	1	2	4	5	6	7	12
50-64	1651	4.7	8	1	2	4	5	8	9	16
65+	1599	6.5	37	2	2	5	7	11	15	36
GRAND TOTAL	**6466**	**4.6**	**19**	**1**	**2**	**4**	**5**	**8**	**10**	**20**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	71	2.0	1	<1	1	2	2	3	4	7
20-34	44	3.8	2	1	2	4	5	6	6	7
35-49	61	4.1	2	1	2	4	5	6	7	8
50-64	91	5.0	4	2	3	5	6	7	8	14
65+	62	5.5	6	2	2	5	7	9	10	12
2. MULTIPLE DX										
0-19 YRS	94	6.3	244	<1	1	2	3	7	43	84
20-34	20	4.3	2	2	3	4	5	6	7	7
35-49	45	5.0	7	2	3	4	6	7	11	18
50-64	83	5.0	7	2	3	5	6	7	9	19
65+	96	8.3	105	3	4	6	9	12	16	68
TOT. SINGLE DX	329	4.1	5	1	1	4	5	7	8	11
" MULTIPLE DX	338	6.3	102	1	2	4	6	9	13	68
TOTAL 0-19 YRS	165	4.4	144	<1	1	2	3	5	9	71
20-34	64	4.0	2	1	2	4	5	6	7	7
35-49	106	4.5	5	2	2	4	5	7	7	14
50-64	174	5.0	5	2	3	5	6	7	8	15
65+	158	7.2	68	2	3	6	8	11	13	33
GRAND TOTAL	**667**	**5.2**	**55**	**1**	**1**	**4**	**6**	**8**	**10**	**33**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	1.6	1	<1	<1	1	2	3	3	3
20-34	16	3.6	2	1	2	3	4	6	7	7
35-49	44	3.6	2	1	2	4	4	5	6	8
50-64	32	4.3	3	1	1	4	6	7	7	10
65+	42	5.7	7	2	3	5	7	9	11	15
2. MULTIPLE DX										
0-19 YRS	3	3.3	5	2	2	2	5	6	6	6
20-34	7	5.3	3	3	3	5	7	7	7	7
35-49	18	6.1	6	2	3	6	7	8	11	12
50-64	18	4.9	7	1	2	4	7	9	11	12
65+	61	11.6	145	3	3	7	13	26	50	95
TOT. SINGLE DX	139	4.3	5	1	2	4	5	7	8	12
" MULTIPLE DX	107	8.9	95	2	3	7	9	18	27	78
TOTAL 0-19 YRS	8	2.3	3	<1	<1	2	3	5	6	6
20-34	23	4.1	3	1	2	4	5	7	7	7
35-49	62	4.3	4	1	2	4	5	7	8	12
50-64	50	4.5	5	1	2	4	6	7	9	12
65+	103	9.2	97	2	3	6	10	18	27	80
GRAND TOTAL	**246**	**6.3**	**49**	**1**	**2**	**5**	**7**	**11**	**16**	**62**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	94	1.9		<1	<1	2	2	3	3	6
20-34	54	3.1	2	1	2	3	4	5	6	9
35-49	82	3.5	3	<1	1	3	4	6	8	9
50-64	83	3.7	6	1	1	3	5	6	8	15
65+	29	5.5	10	2	3	5	7	10	11	17
2. MULTIPLE DX										
0-19 YRS	31	4.1	39	<1	1	2	4	6	16	34
20-34	26	6.1	130	1	2	3	6	8	20	61
35-49	48	5.2	30	2	2	4	5	8	12	34
50-64	89	6.3	29	2	3	5	7	11	15	34
65+	63	9.6	53	2	3	8	12	20	33	99+
TOT. SINGLE DX	342	3.2	5	<1	1	3	4	6	7	11
" MULTIPLE DX	257	6.6	50	1	2	5	7	13	22	59
TOTAL 0-19 YRS	125	2.5	11	<1	<1	2	2	4	5	21
20-34	80	4.1	45	1	2	3	4	6	8	46
35-49	130	4.2	14	<1	2	3	5	7	9	26
50-64	172	5.0	20	1	2	4	6	9	13	24
65+	92	8.3	43	2	3	7	11	17	28	99+
GRAND TOTAL	**599**	**4.7**	**27**	**1**	**1**	**3**	**5**	**9**	**13**	**34**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	26	3.1	3	<1	<1	3	4	6	7	8
20-34	158	4.3	5	1	2	4	5	8	9	12
35-49	180	5.2	7	2	2	5	7	9	10	14
50-64	208	6.2	16	3	3	6	7	9	10	21
65+	137	7.1	15	2	3	7	9	12	14	22
2. MULTIPLE DX										
0-19 YRS	18	5.3	25	<1	<1	3	6	15	17	17
20-34	47	6.3	12	2	3	6	8	11	13	19
35-49	192	7.6	26	3	3	7	9	11	18	32
50-64	289	8.8	41	3	4	7	11	15	22	43
65+	289	12.3	138	4	4	9	13	25	34	81
TOT. SINGLE DX	709	5.6	12	2	2	5	7	9	11	17
" MULTIPLE DX	835	9.5	74	3	4	8	11	18	25	51
TOTAL 0-19 YRS	44	4.0	13	<1	<1	3	5	8	14	17
20-34	205	4.7	8	1	2	4	6	8	10	16
35-49	372	6.5	19	2	3	6	8	10	12	27
50-64	497	7.7	33	3	3	6	9	13	18	38
65+	426	10.6	104	3	4	8	12	20	27	61
GRAND TOTAL	**1544**	**7.7**	**50**	**2**	**3**	**6**	**9**	**13**	**19**	**38**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	3.8	9	1	1	3	6	8	8	8
20-34	10	4.3	2	2	2	4	6	7	7	7
35-49	8	7.6	4	5	5	7	9	11	12	12
50-64	9	9.0	15	5	5	7	12	15	16	16
65+	5	9.4	10	5	5	9	11	14	14	14
2. MULTIPLE DX										
0-19 YRS	6	24.0	188	8	8	26	30	43	44	44
20-34	16	9.3	12	6	7	9	10	12	18	21
35-49	31	9.2	13	5	6	9	10	13	15	24
50-64	51	13.3	102	5	6	11	14	24	30	68
65+	39	17.3	222	8	9	14	19	26	69	99+
TOT. SINGLE DX	36	6.9	12	2	3	6	9	12	14	16
" MULTIPLE DX	143	13.5	121	6	7	10	15	24	30	99
TOTAL 0-19 YRS	10	15.9	217	1	1	9	29	37	44	44
20-34	26	7.3	14	3	3	7	9	10	14	21
35-49	39	8.9	12	5	6	8	10	12	14	24
50-64	60	12.6	91	5	6	11	14	23	28	65
65+	44	16.4	204	7	9	13	18	26	54	99+
GRAND TOTAL	**179**	**12.2**	**106**	**4**	**5**	**10**	**14**	**23**	**28**	**90**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	41	4.1	14	<1	1	3	6	9	12	18
20-34	66	5.3	15	1	2	5	7	10	12	21
35-49	47	6.6	23	1	2	6	9	12	15	24
50-64	46	7.5	49	1	2	6	10	18	23	32
65+	32	10.6	102	2	2	8	13	22	25	52
2. MULTIPLE DX										
0-19 YRS	36	8.8	64	1	1	5	14	22	27	29
20-34	70	12.1	177	2	3	8	17	24	33	74
35-49	90	12.4	113	2	3	8	16	23	35	56
50-64	174	15.6	198	3	5	11	18	35	47	69
65+	224	17.8	262	2	4	13	23	40	58	99+
TOT. SINGLE DX	232	6.5	39	1	1	5	9	13	21	26
" MULTIPLE DX	594	15.1	205	2	3	11	19	32	51	81
TOTAL 0-19 YRS	77	6.3	43	1	1	4	8	16	21	28
20-34	136	8.8	110	1	2	6	10	20	24	63
35-49	137	10.4	90	2	2	8	13	21	27	53
50-64	220	13.9	178	2	3	10	16	30	45	68
65+	256	16.9	247	2	3	12	22	38	57	98
GRAND TOTAL	**826**	**12.7**	**174**	**2**	**2**	**9**	**16**	**27**	**41**	**78**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	49	6.7	30	3	3	5	7	13	19	30
20-34	115	6.2	15	2	3	5	7	10	14	22
35-49	45	7.5	15	2	3	6	9	13	15	17
50-64	25	10.8	28	3	5	10	13	18	21	23
65+	27	12.5	66	6	7	9	15	20	26	46
2. MULTIPLE DX										
0-19 YRS	48	8.4	39	3	3	7	10	16	19	99+
20-34	175	9.8	82	2	3	7	11	19	26	52
35-49	88	14.2	178	3	4	9	17	32	50	64
50-64	121	18.4	281	4	6	13	21	38	71	99+
65+	96	21.5	309	6	7	18	24	48	72	99+
TOT. SINGLE DX	261	7.6	29	2	3	6	9	14	18	25
" MULTIPLE DX	528	14.5	203	3	4	10	18	32	50	99
TOTAL 0-19 YRS	97	7.5	35	3	3	6	9	14	19	72
20-34	290	8.4	59	2	3	6	9	17	21	39
35-49	133	11.9	133	3	4	8	13	22	39	61
50-64	146	17.1	246	4	6	12	19	35	58	99+
65+	123	19.5	269	6	7	15	23	46	63	99+
GRAND TOTAL	**789**	**12.2**	**156**	**3**	**4**	**8**	**14**	**24**	**39**	**83**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	191	3.7	15	<1	1	2	5	8	11	18
20-34	919	2.4	4	<1	<1	2	2	5	7	11
35-49	148	2.4	5	<1	<1	2	2	5	8	12
50-64	12	4.8	31	1	1	2	6	14	19	20
65+	3	2.0	3	<1	<1	1	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	132	4.3	10	<1	1	3	6	9	10	14
20-34	1058	2.8	10	<1	<1	2	3	6	9	17
35-49	179	3.6	19	<1	<1	2	4	9	14	23
50-64	23	6.9	74	<1	1	4	8	16	32	33
65+	15	10.9	166	<1	<1	4	14	35	41	43
TOT. SINGLE DX	1273	2.6	7	<1	<1	2	3	6	8	12
" MULTIPLE DX	1407	3.2	15	<1	<1	2	4	7	10	20
TOTAL 0-19 YRS	323	4.0	13	<1	1	3	5	9	11	16
20-34	1977	2.6	8	<1	<1	2	3	6	8	15
35-49	327	3.1	13	<1	<1	2	3	7	10	19
50-64	35	6.2	60	1	1	3	8	12	29	33
65+	18	9.4	149	<1	<1	3	14	30	40	43
GRAND TOTAL	**2680**	**2.9**	**11**	**<1**	**<1**	**2**	**3**	**6**	**9**	**16**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	22	6.6	18	1	2	7	8	11	15	20
20-34	71	7.4	32	1	2	6	8	14	19	31
35-49	60	10.1	33	4	5	9	12	17	22	34
50-64	42	10.1	65	2	3	9	12	16	22	51
65+	31	14.5	209	5	6	10	17	27	78	99+
2. MULTIPLE DX										
0-19 YRS	44	10.9	63	3	3	8	13	25	32	99+
20-34	189	10.5	137	2	3	7	12	19	31	86
35-49	170	12.9	134	2	4	9	17	28	41	64
50-64	158	16.8	155	3	5	13	22	34	43	76
65+	156	21.5	217	7	9	17	26	48	58	98
TOT. SINGLE DX	226	9.5	66	2	3	8	11	18	22	58
" MULTIPLE DX	717	14.9	170	3	4	11	19	33	45	85
TOTAL 0-19 YRS	66	9.4	52	2	2	8	11	20	30	89
20-34	260	9.6	110	2	3	7	11	18	27	71
35-49	230	12.2	109	2	4	9	14	26	34	57
50-64	200	15.4	143	3	5	11	19	32	42	67
65+	187	20.4	222	7	8	16	25	44	59	99+
GRAND TOTAL	**943**	**13.6**	**150**	**2**	**4**	**10**	**17**	**29**	**41**	**81**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	13.5	61	8	8	13	19	19	19	19
20-34	12	10.0	13	7	7	9	10	16	19	20
35-49	31	11.7	21	5	7	10	15	18	21	24
50-64	26	13.6	33	8	8	12	15	22	27	30
65+	34	18.1	71	8	10	15	23	34	36	39
2. MULTIPLE DX										
0-19 YRS	15	13.0	37	4	6	12	17	19	26	28
20-34	34	13.1	54	7	7	10	16	23	27	40
35-49	48	16.9	121	8	8	14	18	28	46	58
50-64	112	17.3	63	9	9	15	21	29	34	43
65+	125	22.6	127	9	10	20	28	37	43	70
TOT. SINGLE DX	105	14.1	48	7	8	12	17	24	27	38
" MULTIPLE DX	334	18.6	104	8	9	16	23	31	38	55
TOTAL 0-19 YRS	17	13.1	37	5	6	12	17	19	25	28
20-34	46	12.3	45	7	7	10	14	21	25	40
35-49	79	14.8	88	7	8	13	16	23	29	57
50-64	138	16.6	60	8	9	14	20	29	33	41
65+	159	21.7	118	9	10	19	26	36	42	68
GRAND TOTAL	**439**	**17.5**	**94**	**8**	**8**	**15**	**22**	**30**	**36**	**52**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	35	8.1	32	1	2	8	11	15	18	26
20-34	99	9.2	32	1	3	8	11	15	20	32
35-49	95	9.6	31	2	4	9	11	17	19	33
50-64	83	11.0	33	3	4	10	14	17	21	34
65+	34	10.8	33	2	5	10	14	18	22	29
2. MULTIPLE DX										
0-19 YRS	71	12.6	122	1	3	10	16	23	33	61
20-34	155	15.5	115	2	4	13	19	30	39	51
35-49	188	16.1	178	2	3	13	19	29	41	77
50-64	176	15.9	175	2	3	13	18	34	43	70
65+	109	17.1	149	2	4	14	21	35	52	99+
TOT. SINGLE DX	346	9.8	33	2	3	9	12	17	21	31
" MULTIPLE DX	699	15.7	154	2	4	13	19	31	41	68
TOTAL 0-19 YRS	106	11.1	97	1	2	9	14	20	28	57
20-34	254	13.0	92	2	4	11	16	26	32	48
35-49	283	13.9	138	2	4	11	17	25	33	68
50-64	259	14.3	135	2	4	12	17	26	38	64
65+	143	15.6	129	2	4	14	19	33	43	99+
GRAND TOTAL	**1045**	**13.8**	**122**	**2**	**3**	**11**	**17**	**26**	**35**	**61**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	7.3	44	3	3	4	12	15	15	15
20-34	56	9.2	11	3	4	9	11	14	16	18
35-49	69	9.7	21	2	4	9	13	17	17	23
50-64	64	12.3	97	2	6	10	13	21	23	66
65+	34	11.1	18	4	6	11	13	15	17	27
2. MULTIPLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	33	12.0	36	6	7	12	14	17	24	34
35-49	47	14.8	214	5	6	11	16	22	31	98
50-64	82	15.1	76	5	6	12	20	26	31	45
65+	53	14.1	51	4	7	13	18	20	22	50
TOT. SINGLE DX	226	10.5	41	3	5	10	12	17	21	31
" MULTIPLE DX	216	14.3	94	5	6	12	17	24	28	50
TOTAL 0-19 YRS	4	7.8	30	3	3	6	12	15	15	15
20-34	89	10.3	22	4	6	10	13	16	17	30
35-49	116	11.8	105	3	5	10	14	19	22	66
50-64	146	13.9	87	5	6	11	17	24	29	48
65+	87	12.9	40	4	6	12	16	19	21	42
GRAND TOTAL	**442**	**12.3**	**70**	**4**	**6**	**11**	**15**	**21**	**24**	**47**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	60	11.5	10	8	8	10	13	16	19	21
20-34	9	10.6	14	5	6	11	12	16	18	18
35-49	5	12.6	70	6	6	10	16	27	27	27
50-64	3	19.0	81	10	10	19	26	28	28	28
65+	3	19.7	69	13	13	17	26	29	29	29
2. MULTIPLE DX										
0-19 YRS	86	14.2	70	9	9	11	15	22	28	60
20-34	23	14.5	50	4	5	13	19	25	28	31
35-49	19	18.4	95	7	9	15	25	39	70	99+
50-64	18	20.8	36	12	13	21	26	27	32	35
65+	20	33.3	416	10	11	30	47	77	90	99+
TOT. SINGLE DX	80	12.1	21	8	8	11	13	18	20	29
" MULTIPLE DX	166	17.7	144	9	9	14	21	32	44	96
TOTAL 0-19 YRS	146	13.1	47	8	9	11	14	19	23	36
20-34	32	13.4	43	5	5	12	17	24	27	31
35-49	24	17.2	93	6	8	14	23	39	54	99+
50-64	21	20.6	39	11	12	21	26	28	31	35
65+	23	31.5	388	10	11	29	45	75	87	99+
GRAND TOTAL	**246**	**15.9**	**111**	**8**	**9**	**12**	**18**	**28**	**37**	**81**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	15	5.0	10	1	2	4	6	10	12	13
20-34	158	4.8	9	1	2	4	6	9	10	15
35-49	168	5.1	10	2	2	4	6	10	11	17
50-64	120	5.4	15	2	2	4	6	10	13	24
65+	57	7.4	46	2	2	6	9	12	15	44
2. MULTIPLE DX										
0-19 YRS	19	10.0	42	1	2	10	11	15	24	31
20-34	67	7.7	41	2	2	5	11	19	20	31
35-49	79	6.7	32	2	2	5	8	14	16	35
50-64	114	7.4	43	2	2	5	9	15	21	38
65+	57	8.8	49	2	3	7	11	15	23	39
TOT. SINGLE DX	518	5.3	16	2	2	4	7	10	12	18
" MULTIPLE DX	336	7.7	42	2	2	5	10	15	20	38
TOTAL 0-19 YRS	34	7.8	34	1	2	7	11	14	15	31
20-34	225	5.7	20	2	2	4	7	11	16	21
35-49	247	5.6	18	2	2	5	7	11	13	21
50-64	234	6.4	30	2	2	5	8	12	17	30
65+	114	8.1	48	2	2	7	10	14	17	41
GRAND TOTAL	**854**	**6.3**	**27**	**2**	**2**	**5**	**8**	**12**	**15**	**29**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	155	2.9	10	<1	<1	1	4	7	9	11
20-34	183	4.3	19	<1	<1	3	5	9	11	22
35-49	229	4.5	27	<1	<1	3	6	10	13	29
50-64	298	4.2	30	<1	<1	2	5	9	12	28
65+	433	5.0	64	<1	<1	2	6	11	18	49
2. MULTIPLE DX										
0-19 YRS	179	5.5	42	<1	1	3	7	12	17	85
20-34	285	8.8	153	<1	<1	6	10	21	34	99+
35-49	331	8.7	130	<1	<1	5	11	19	31	83
50-64	706	7.5	109	<1	<1	4	9	19	26	60
65+	1587	10.2	180	<1	1	5	13	29	44	99+
TOT. SINGLE DX	1298	4.4	38	<1	<1	2	5	9	12	32
" MULTIPLE DX	3088	9.0	150	<1	1	5	11	24	38	99+
TOTAL 0-19 YRS	334	4.3	29	<1	<1	2	6	10	13	42
20-34	468	7.1	106	<1	<1	5	8	14	26	97
35-49	560	7.0	93	<1	<1	4	8	15	24	51
50-64	1004	6.5	88	<1	<1	3	8	15	24	52
65+	2020	9.0	160	<1	1	4	11	25	39	99+
GRAND TOTAL	**4386**	**7.6**	**121**	**<1**	**<1**	**4**	**9**	**19**	**32**	**93**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.[illegible]

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	4.8	9	2	2	4	6	10	10	10
20-34	17	4.0	3	1	2	3	5	7	7	7
35-49	61	4.4	14	1	2	4	5	8	9	25
50-64	139	4.3	9	1	2	4	5	8	10	18
65+	399	5.1	23	2	2	4	6	9	13	27
2. MULTIPLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	21	7.8	40	2	3	6	9	12	22	32
35-49	67	6.2	59	1	2	3	7	14	18	43
50-64	272	7.0	56	1	2	5	8	16	20	46
65+	888	8.7	89	2	2	6	10	19	25	35
TOT. SINGLE DX	621	4.8	19	2	2	4	6	8	12	27
" MULTIPLE DX	1249	8.2	80	2	2	6	9	17	24	51
TOTAL 0-19 YRS	6	4.5	8	2	2	4	5	9	10	10
20-34	38	6.1	27	2	2	5	7	10	13	32
35-49	128	5.3	38	1	2	3	6	10	16	34
50-64	411	6.0	42	1	2	4	7	12	18	37
65+	1287	7.6	71	2	2	5	9	15	23	49
GRAND TOTAL	**1870**	**7.1**	**62**	**2**	**2**	**5**	**8**	**15**	**21**	**46**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	8.5	33	3	3	6	11	18	20	20
20-34	25	8.7	37	1	2	8	13	16	19	27
35-49	38	7.6	31	<1	2	7	11	16	19	24
50-64	54	6.9	40	1	1	5	8	16	22	28
65+	88	9.7	87	1	2	6	13	23	32	44
2. MULTIPLE DX										
0-19 YRS	31	17.4	235	1	2	13	24	34	48	71
20-34	52	15.6	225	2	2	12	19	34	54	67
35-49	61	10.3	76	2	2	8	14	24	28	94
50-64	146	14.8	319	1	2	7	19	34	63	91
65+	267	16.8	211	2	3	13	24	40	50	99+
TOT. SINGLE DX	213	8.5	59	1	2	6	11	19	24	38
" MULTIPLE DX	557	15.5	230	2	2	11	21	35	49	91
TOTAL 0-19 YRS	39	15.6	206	1	3	12	22	31	44	71
20-34	77	13.4	174	2	2	10	16	29	39	66
35-49	99	9.3	60	2	2	7	12	21	26	74
50-64	200	12.7	256	1	2	7	16	27	40	86
65+	355	15.0	190	2	3	11	21	36	46	98
GRAND TOTAL	**770**	**13.5**	**192**	**2**	**2**	**9**	**18**	**31**	**43**	**81**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	26	1.2		<1	<1	1	1	2	2	3
20-34	3	1.0		<1	<1	1	1	1	1	1
35-49	2	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	3	2.3		2	2	2	3	3	3	3
65+	2	4.0	8	2	2	4	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	15	3.8	22	1	1	2	3	10	17	19
20-34	2	7.5	5	6	6	7	9	9	9	9
35-49	4	3.5	9	<1	<1	2	5	8	8	8
50-64	6	8.2	58	2	2	5	12	21	22	22
65+	10	11.3	111	2	2	8	18	28	35	35
TOT. SINGLE DX	36	1.4	1	<1	<1	1	2	2	3	6
" MULTIPLE DX	37	6.7	57	1	1	3	8	19	22	35
TOTAL 0-19 YRS	41	2.1	10	<1	<1	1	2	3	7	19
20-34	5	3.6	14	<1	<1	1	7	9	9	9
35-49	6	2.7	7	<1	<1	1	3	7	8	8
50-64	9	6.2	45	2	2	3	7	18	22	22
65+	12	10.1	100	2	2	7	14	25	34	35
GRAND TOTAL	**73**	**4.1**	**36**	**<1**	**<1**	**2**	**4**	**10**	**19**	**32**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	90	7.4	27	<1	2	6	12	14	16	24
20-34	24	4.9	18	<1	1	2	8	11	13	14
35-49	21	7.5	18	1	2	7	10	14	15	16
50-64	8	7.3	10	4	4	6	9	12	13	13
65+	33	6.8	33	1	1	5	11	18	19	19
2. MULTIPLE DX										
0-19 YRS	52	11.8	44	<1	2	11	15	21	23	32
20-34	26	14.5	199	1	2	8	24	32	47	53
35-49	33	11.6	127	<1	1	8	16	27	41	46
50-64	28	8.5	29	2	3	7	13	15	17	24
65+	51	10.1	143	1	2	7	15	20	23	99+
TOT. SINGLE DX	176	6.9	26	<1	2	6	11	14	16	19
" MULTIPLE DX	190	11.2	105	1	2	9	15	22	27	70
TOTAL 0-19 YRS	142	9.0	38	<1	2	9	13	16	20	28
20-34	50	9.9	134	1	1	5	13	26	32	53
35-49	54	10.0	88	<1	2	8	12	21	27	46
50-64	36	8.2	25	2	3	7	12	14	16	24
65+	84	8.8	102	1	2	6	14	19	20	94
GRAND TOTAL	**366**	**9.1**	**71**	**1**	**2**	**7**	**13**	**18**	**23**	**46**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	36	2.8	4	<1	<1	2	4	7	8	9
20-34	44	3.7	16	<1	<1	2	5	8	13	20
35-49	32	2.3	2	<1	<1	2	3	5	6	7
50-64	35	4.6	39	<1	<1	2	5	8	21	30
65+	77	4.8	33	<1	1	2	6	8	18	33
2. MULTIPLE DX										
0-19 YRS	77	5.7	57	<1	1	4	7	12	16	49
20-34	47	7.6	191	<1	<1	5	10	14	19	94
35-49	59	7.5	74	<1	1	5	10	16	24	50
50-64	125	7.5	67	<1	1	5	10	15	21	42
65+	351	10.7	142	1	2	7	15	24	39	99+
TOT. SINGLE DX	224	3.9	23	<1	<1	2	5	8	10	26
" MULTIPLE DX	659	9.0	119	<1	1	6	11	20	31	68
TOTAL 0-19 YRS	113	4.8	42	<1	<1	3	6	10	13	36
20-34	91	5.7	110	<1	<1	3	7	12	15	64
35-49	91	5.7	56	<1	<1	3	7	11	17	44
50-64	160	6.9	62	<1	1	4	9	14	22	36
65+	428	9.6	128	1	2	6	13	22	36	97
GRAND TOTAL	**883**	**7.7**	**99**	**<1**	**<1**	**4**	**10**	**17**	**25**	**63**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	7.2	38	1	1	6	11	18	18	18
20-34	27	4.5	3	2	2	5	6	7	8	9
35-49	23	5.5	4	2	3	5	6	9	10	10
50-64	19	3.9	4	2	2	3	5	7	9	9
65+	42	5.4	5	2	2	5	7	8	9	13
2. MULTIPLE DX										
0-19 YRS	5	4.4	6	2	2	3	6	8	8	8
20-34	20	7.9	25	3	3	7	9	16	20	23
35-49	21	6.8	27	1	2	5	9	15	19	20
50-64	28	6.7	10	3	3	6	8	12	13	16
65+	91	10.6	121	3	3	8	11	16	32	63
TOT. SINGLE DX	122	5.1	8	2	2	5	6	8	9	18
" MULTIPLE DX	165	9.0	79	3	3	7	10	15	20	58
TOTAL 0-19 YRS	16	6.3	29	1	1	5	7	17	18	18
20-34	47	5.9	16	2	2	5	7	9	15	23
35-49	44	6.1	16	2	3	5	7	10	15	20
50-64	47	5.6	10	2	2	5	7	10	12	16
65+	133	9.0	90	2	3	7	10	15	21	60
GRAND TOTAL	**287**	**7.3**	**52**	**2**	**3**	**6**	**9**	**12**	**17**	**50**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	7.0		7	7	7	7	7	7	7
20-34	32	8.1	8	5	6	8	9	11	14	18
35-49	103	8.3	5	5	6	8	9	11	13	16
50-64	67	8.8	4	6	6	8	10	12	13	16
65+	24	11.0	31	6	7	9	12	19	24	31
2. MULTIPLE DX										
0-19 YRS										
20-34	31	7.5	6	4	5	7	9	11	12	14
35-49	117	9.5	10	5	6	9	11	15	16	21
50-64	93	11.3	35	6	7	9	12	18	26	35
65+	55	11.3	35	5	6	9	13	18	21	39
TOT. SINGLE DX	228	8.7	9	5	6	8	10	12	14	19
" MULTIPLE DX	296	10.2	24	5	6	9	12	16	19	30
TOTAL 0-19 YRS	2	7.0		7	7	7	7	7	7	7
20-34	63	7.8	7	4	5	7	9	11	13	18
35-49	220	8.9	9	5	6	8	10	13	15	18
50-64	160	10.3	24	6	6	9	11	15	20	30
65+	79	11.2	34	6	6	9	13	19	21	37
GRAND TOTAL	**524**	**9.5**	**18**	**5**	**6**	**8**	**11**	**14**	**17**	**28**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	15	8.4	5	4	6	8	10	11	13	14
35-49	58	10.2	22	6	7	8	11	19	22	24
50-64	37	10.2	17	5	6	9	12	16	21	22
65+	11	11.2	37	7	7	9	13	20	27	28
2. MULTIPLE DX										
0-19 YRS										
20-34	14	12.1	33	7	7	10	17	20	24	25
35-49	73	9.5	13	6	6	8	11	15	18	22
50-64	69	13.6	79	6	7	11	16	25	28	55
65+	38	13.8	59	6	7	10	18	24	31	40
TOT. SINGLE DX	122	10.0	20	6	7	9	11	15	21	25
" MULTIPLE DX	194	12.0	50	6	7	10	14	20	26	40
TOTAL 0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	29	10.2	22	6	7	9	11	18	20	25
35-49	131	9.9	17	6	6	8	11	15	20	24
50-64	106	12.4	60	6	7	9	14	22	27	48
65+	49	13.2	55	6	7	10	16	24	28	40
GRAND TOTAL	**316**	**11.3**	**40**	**6**	**7**	**9**	**13**	**20**	**23**	**36**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	11.3	86	1	1	14	18	19	19	19
20-34	6	6.2	6	2	2	6	8	9	9	9
35-49	8	6.4	13	2	2	5	9	12	12	12
50-64	5	3.6	1	2	2	4	4	5	5	5
65+	4	5.0	15	<1	<1	4	8	10	10	10
2. MULTIPLE DX										
0-19 YRS	2	12.5	13	10	10	12	15	15	15	15
20-34	12	9.1	59	1	2	7	12	23	24	24
35-49	6	9.5	70	3	3	8	8	24	26	26
50-64	16	11.7	51	3	3	12	16	23	26	27
65+	14	9.1	76	1	2	5	16	20	28	30
TOT. SINGLE DX	26	6.2	19	1	2	5	8	12	15	19
" MULTIPLE DX	50	10.1	59	2	2	8	15	23	26	30
TOTAL 0-19 YRS	5	11.8	47	1	1	14	16	19	19	19
20-34	18	8.1	42	1	2	7	9	21	24	24
35-49	14	7.7	37	2	3	7	8	13	23	26
50-64	21	9.8	51	2	3	6	13	21	25	27
65+	18	8.2	65	<1	1	5	13	18	26	30
GRAND TOTAL	**76**	**8.8**	**48**	**1**	**2**	**7**	**12**	**19**	**24**	**29**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	2	8.5	1	8	8	8	9	9	9	9
35-49	9	9.7	11	5	6	10	10	15	17	17
50-64	9	8.8	18	4	5	8	9	16	19	19
65+	3	11.7	24	6	6	14	15	15	15	15
2. MULTIPLE DX										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	6	6.3	6	3	3	6	9	9	9	9
35-49	7	13.6	100	5	6	10	15	31	35	35
50-64	3	8.7	9	6	6	8	11	12	12	12
65+	9	20.6	210	9	9	15	26	45	54	54
TOT. SINGLE DX	23	9.5	14	5	6	8	11	15	18	19
" MULTIPLE DX	26	13.8	127	4	5	10	15	30	39	54
TOTAL 0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	8	6.9	6	3	3	7	9	9	9	9
35-49	16	11.4	50	5	5	10	11	17	30	35
50-64	12	8.8	15	4	5	8	10	14	18	19
65+	12	18.3	174	6	8	15	20	38	52	54
GRAND TOTAL	**49**	**11.8**	**77**	**4**	**5**	**9**	**14**	**18**	**31**	**54**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	13.0	72	7	7	13	19	19	19	19
20-34										
35-49	10	10.3	23	4	4	10	13	17	18	18
50-64	441	7.9	14	4	5	7	9	11	14	23
65+	863	8.8	21	5	5	8	10	13	17	30
2. MULTIPLE DX										
0-19 YRS	2	21.0	450	6	6	21	36	36	36	36
20-34	2	11.5	1	11	11	11	12	12	12	12
35-49	24	10.8	61	4	6	8	11	26	30	35
50-64	835	10.0	54	4	5	8	11	17	23	48
65+	2574	12.7	104	5	6	10	15	23	32	73
TOT. SINGLE DX	1316	8.5	20	4	5	7	10	13	16	29
" MULTIPLE DX	3437	12.0	94	5	5	9	14	22	29	69
TOTAL 0-19 YRS	4	17.0	195	6	6	13	27	36	36	36
20-34	2	11.5	1	11	11	11	12	12	12	12
35-49	34	10.6	49	4	5	8	12	19	28	35
50-64	1276	9.3	42	4	5	8	10	15	20	36
65+	3437	11.7	87	5	5	9	13	21	28	61
GRAND TOTAL	**4753**	**11.0**	**76**	**5**	**5**	**9**	**12**	**19**	**26**	**56**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34										
35-49										
50-64	41	13.0	26	3	8	13	16	19	20	28
65+	67	15.3	58	8	8	14	18	23	33	43
2. MULTIPLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	12.0		12	12	12	12	12	12	12
50-64	53	19.5	76	8	9	18	25	30	35	48
65+	180	18.7	94	8	9	16	24	33	42	85
TOT. SINGLE DX	110	14.1	49	7	8	13	18	20	29	39
" MULTIPLE DX	236	18.7	91	8	9	17	24	32	40	59
TOTAL 0-19 YRS	3	2.7	4	1	1	2	4	5	5	5
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	12.0		12	12	12	12	12	12	12
50-64	94	16.6	65	7	8	15	20	28	31	44
65+	247	17.8	87	8	9	15	22	32	40	54
GRAND TOTAL	**346**	**17.3**	**82**	**8**	**8**	**15**	**21**	**30**	**36**	**52**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	4.0	18	1	1	4	7	7	7	7
35-49	19	3.0	6	1	1	2	4	6	9	11
50-64	78	3.7	7	<1	1	3	5	8	9	13
65+	169	5.0	30	1	2	3	6	10	17	30
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	6.0	4	4	4	6	7	8	8	8
35-49	11	3.7	8	1	1	3	4	7	12	12
50-64	156	6.2	56	1	2	3	7	14	20	43
65+	441	8.2	89	2	2	5	10	19	25	58
TOT. SINGLE DX	269	4.5	22	1	1	3	5	8	13	29
" MULTIPLE DX	612	7.6	80	2	2	4	9	17	24	51
TOTAL 0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	5	5.2	8	1	1	6	7	8	8	8
35-49	30	3.3	7	1	1	3	4	6	11	12
50-64	234	5.3	41	1	2	3	6	11	16	40
65+	610	7.3	75	1	2	4	9	17	23	51
GRAND TOTAL	**881**	**6.6**	**65**	**1**	**2**	**4**	**8**	**15**	**21**	**42**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	44	3.5	26	1	1	2	3	6	8	34
20-34	35	3.2	3	<1	1	3	4	6	8	8
35-49	34	3.8	6	1	1	3	5	8	9	10
50-64	23	3.5	5	1	1	3	4	7	9	10
65+	18	4.2	26	1	1	3	5	6	17	24
2. MULTIPLE DX										
0-19 YRS	29	3.9	11	1	1	3	4	8	10	16
20-34	19	6.5	30	1	1	5	8	15	19	22
35-49	21	6.7	34	2	2	4	9	13	20	27
50-64	24	7.6	74	1	2	4	8	18	32	33
65+	40	8.9	96	1	2	5	11	19	31	50
TOT. SINGLE DX	154	3.6	14	1	1	3	4	7	8	24
" MULTIPLE DX	133	6.9	57	1	2	4	8	16	22	36
TOTAL 0-19 YRS	73	3.7	20	1	1	2	4	7	10	30
20-34	54	4.4	15	<1	1	3	5	8	12	22
35-49	55	4.9	19	1	2	4	6	10	11	26
50-64	47	5.6	44	1	1	4	5	10	19	33
65+	58	7.4	79	1	2	4	9	17	28	49
GRAND TOTAL	**287**	**5.1**	**36**	**1**	**1**	**3**	**6**	**10**	**16**	**33**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	44	3.5	5	1	1	3	5	6	8	12
20-34	73	5.6	13	2	2	5	7	11	11	18
35-49	31	4.2	6	2	2	3	5	8	10	12
50-64	14	4.8	11	2	2	3	6	10	12	13
65+	51	8.7	52	2	3	5	13	18	21	39
2. MULTIPLE DX										
0-19 YRS	38	3.2	3	1	1	3	4	6	7	8
20-34	37	5.2	48	1	1	3	6	8	19	39
35-49	24	5.7	21	1	1	4	8	11	16	21
50-64	37	11.4	147	2	3	8	12	26	37	64
65+	175	12.1	122	2	3	8	15	28	35	56
TOT. SINGLE DX	213	5.7	23	2	2	4	7	11	14	22
" MULTIPLE DX	311	9.6	106	2	2	6	12	21	34	55
TOTAL 0-19 YRS	82	3.4	4	1	1	3	4	6	8	11
20-34	110	5.5	25	1	2	4	7	10	15	28
35-49	55	4.8	13	1	2	3	6	9	12	21
50-64	51	9.6	118	2	2	6	11	18	30	64
65+	226	11.3	109	2	3	8	14	24	34	55
GRAND TOTAL	**524**	**8.0**	**76**	**2**	**2**	**5**	**9**	**17**	**25**	**41**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	394	2.8	3	<1	1	2	4	5	7	9
20-34	40	2.5	2	<1	1	2	3	4	6	8
35-49	4	2.5	1	1	1	2	3	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
0-19 YRS	162	2.8	3	1	1	2	3	5	7	14
20-34	25	4.0	6	<1	1	3	5	8	9	11
35-49	3	16.0	91	7	7	15	23	26	26	26
50-64										
65+										
TOT. SINGLE DX	439	2.8	3	<1	1	2	3	5	7	9
" MULTIPLE DX	190	3.2	8	1	1	2	3	6	9	21
TOTAL 0-19 YRS	556	2.8	3	<1	1	2	3	5	7	9
20-34	65	3.1	5	<1	1	3	4	6	8	11
35-49	7	8.3	83	1	1	4	13	24	26	26
50-64	1	3.0		3	3	3	3	3	3	3
65+										
GRAND TOTAL	**629**	**2.9**	**5**	**<1**	**1**	**2**	**3**	**5**	**7**	**11**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	73	2.2	1	1	1	2	3	4	5	7
20-34	48	3.0	1	1	1	3	4	5	5	7
35-49	14	3.3	3	1	1	3	4	6	7	8
50-64	6	3.8	1	2	2	4	5	5	5	5
65+	2	8.5	13	6	6	8	11	11	11	11
2. MULTIPLE DX										
0-19 YRS	23	2.5	2	1	1	2	3	5	6	7
20-34	22	4.6	113	<1	1	2	3	5	24	52
35-49	14	3.4	5	1	1	3	4	6	9	10
50-64	7	4.4	2	2	2	4	6	6	6	6
65+	5	9.8	157	2	2	5	13	32	32	32
TOT. SINGLE DX	143	2.7	3	1	1	2	3	5	5	8
" MULTIPLE DX	71	4.0	48	1	1	2	4	6	7	48
TOTAL 0-19 YRS	96	2.2	2	1	1	2	3	4	5	7
20-34	70	3.5	36	1	1	3	4	5	5	43
35-49	28	3.4	4	1	1	3	4	5	8	10
50-64	13	4.2	2	2	2	4	5	6	6	6
65+	7	9.4	108	2	2	6	10	28	32	32
GRAND TOTAL	**214**	**3.1**	**18**	**1**	**1**	**2**	**4**	**5**	**6**	**19**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	201	1.1		<1	<1	<1	1	1	2	3
35-49	92	1.3		<1	<1	<1	1	2	3	7
50-64	3	1.3		<1	<1	<1	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	32	1.9	2	<1	<1	1	2	4	6	7
35-49	17	2.3	8	<1	<1	1	2	6	10	12
50-64	3	3.3	10	1	1	2	6	7	7	7
65+	2	2.0	2	<1	<1	1	3	3	3	3
TOT. SINGLE DX	297	1.1		<1	<1	<1	1	1	2	4
" MULTIPLE DX	54	2.1	4	<1	<1	1	2	4	7	12
TOTAL 0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	233	1.2	1	<1	<1	<1	1	2	2	5
35-49	109	1.4	2	<1	<1	<1	1	2	3	10
50-64	6	2.3	5	<1	<1	1	2	7	7	7
65+	2	2.0	2	<1	<1	1	3	3	3	3
GRAND TOTAL	**351**	**1.3**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**7**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	214	2.3	2	<1	1	2	3	4	5	10
20-34	148	2.7	1	<1	1	3	3	4	5	6
35-49	137	2.5	1	<1	<1	2	3	4	5	6
50-64	104	3.5	3	<1	1	3	5	6	7	9
65+	48	4.0	5	1	2	3	5	7	8	14
2. MULTIPLE DX										
0-19 YRS	103	3.5	58	<1	1	2	3	5	9	52
20-34	100	3.0	2	1	1	3	3	5	7	9
35-49	74	4.3	15	1	2	3	4	7	14	22
50-64	92	4.9	16	1	2	4	6	10	12	24
65+	63	5.4	15	1	2	4	7	11	13	22
TOT. SINGLE DX	651	2.8	3	<1	1	2	3	5	6	8
" MULTIPLE DX	432	4.1	24	1	1	3	4	8	11	23
TOTAL 0-19 YRS	317	2.7	21	<1	1	2	3	4	7	16
20-34	248	2.8	2	<1	1	3	3	5	6	8
35-49	211	3.1	7	<1	1	3	4	5	6	17
50-64	196	4.1	10	1	1	3	5	7	10	19
65+	111	4.8	12	1	2	4	6	9	11	19
GRAND TOTAL	**1083**	**3.3**	**12**	**<1**	**1**	**3**	**4**	**6**	**8**	**15**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	446	1.8	2	<1	<1	2	2	3	3	7
20-34	77	2.0		<1	<1	2	3	3	3	4
35-49	43	2.4	3	<1	1	2	2	4	5	12
50-64	15	2.3		<1	<1	2	3	3	5	5
65+	24	2.6	1	1	2	2	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	128	2.5	8	<1	<1	2	2	4	8	15
20-34	33	2.8	6	<1	1	2	3	5	6	15
35-49	47	3.6	12	1	1	2	4	8	11	19
50-64	45	3.2	5	<1	1	3	4	6	7	14
65+	57	6.4	141	1	2	3	6	12	19	81
TOT. SINGLE DX	605	1.9	2	<1	<1	2	2	3	4	6
" MULTIPLE DX	310	3.5	35	<1	<1	2	3	7	11	21
TOTAL 0-19 YRS	574	1.9	4	<1	<1	2	2	3	4	12
20-34	110	2.3	2	<1	<1	2	3	3	4	10
35-49	90	3.0	8	<1	1	2	3	6	10	17
50-64	60	2.9	5	<1	1	2	4	5	7	13
65+	81	5.2	102	1	2	3	5	9	16	69
GRAND TOTAL	**915**	**2.4**	**14**	**<1**	**<1**	**2**	**2**	**4**	**6**	**15**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	1.9	2	<1	<1	1	2	4	5	6
20-34	31	3.2	8	<1	<1	2	4	7	9	14
35-49	23	5.7	28	<1	<1	4	6	13	18	23
50-64	22	6.4	15	2	3	6	7	10	16	20
65+	13	5.9	19	2	2	4	8	14	15	15
2. MULTIPLE DX										
0-19 YRS	16	4.6	16	<1	<1	4	6	11	14	15
20-34	20	10.2	155	<1	1	4	12	33	39	45
35-49	26	6.3	10	1	3	6	9	11	12	13
50-64	49	8.5	82	2	3	5	9	18	33	43
65+	39	6.9	19	2	3	6	9	14	14	23
TOT. SINGLE DX	110	4.4	17	<1	<1	3	6	9	14	21
" MULTIPLE DX	150	7.5	57	1	2	5	9	14	23	43
TOTAL 0-19 YRS	37	3.0	10	<1	<1	2	5	6	10	15
20-34	51	5.9	76	<1	<1	3	6	13	31	45
35-49	49	6.0	19	<1	1	5	9	12	13	23
50-64	71	7.9	62	2	3	5	8	15	28	42
65+	52	6.7	19	2	3	5	9	14	14	23
GRAND TOTAL	**260**	**6.2**	**42**	**<1**	**1**	**4**	**7**	**13**	**15**	**37**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	54	5.5	5	3	3	5	6	8	9	16
20-34	249	5.7	3	3	4	6	7	8	9	12
35-49	58	6.1	4	3	4	6	7	8	9	15
50-64	10	6.4	7	4	4	6	7	10	13	13
65+	5	9.8	18	5	5	10	14	14	14	14
2. MULTIPLE DX										
0-19 YRS	61	5.9	5	3	3	5	7	9	11	15
20-34	380	6.1	7	3	4	6	7	9	10	17
35-49	95	6.8	9	2	4	6	8	11	13	19
50-64	12	16.7	115	2	5	14	25	33	35	35
65+	19	12.2	26	6	7	10	17	20	21	22
TOT. SINGLE DX	376	5.8	4	3	4	6	7	8	9	14
" MULTIPLE DX	567	6.6	13	3	4	6	7	10	13	23
TOTAL 0-19 YRS	115	5.7	6	3	3	5	6	9	10	15
20-34	629	5.9	6	3	4	6	7	8	10	15
35-49	153	6.6	8	3	4	6	8	9	11	18
50-64	22	12.0	91	3	4	8	16	28	33	35
65+	24	11.7	25	6	6	10	16	19	21	22
GRAND TOTAL	**943**	**6.3**	**10**	**3**	**4**	**6**	**7**	**9**	**11**	**19**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	27	6.9	9	4	4	6	8	12	13	15
20-34	200	6.1	2	4	4	6	7	8	9	11
35-49	118	6.5	3	4	4	6	7	8	10	14
50-64	12	8.2	11	4	5	7	11	13	15	15
65+	15	10.1	27	5	6	8	14	17	21	23
2. MULTIPLE DX										
0-19 YRS	36	7.3	11	4	5	6	7	11	17	19
20-34	422	6.5	6	4	4	6	7	9	11	17
35-49	283	7.3	11	4	4	7	8	10	13	24
50-64	29	10.9	64	4	5	7	15	24	31	32
65+	25	19.5	261	5	6	15	27	40	54	74
TOT. SINGLE DX	372	6.5	5	4	4	6	7	9	11	15
" MULTIPLE DX	795	7.4	23	4	4	6	8	11	15	29
TOTAL 0-19 YRS	63	7.1	11	4	4	6	7	12	14	19
20-34	622	6.4	5	4	4	6	7	9	10	16
35-49	401	7.1	9	4	4	6	8	10	12	20
50-64	41	10.1	50	4	5	7	12	19	29	32
65+	40	16.0	192	5	6	10	21	29	43	74
GRAND TOTAL	**1167**	**7.1**	**18**	**4**	**4**	**6**	**8**	**10**	**13**	**26**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	24	5.8	4	3	4	5	7	9	11	11
35-49	37	7.2	4	5	5	7	8	9	12	15
50-64	11	8.5	5	5	5	8	10	12	13	13
65+	5	8.0	2	7	7	7	9	10	10	10
2. MULTIPLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	114	7.0	7	4	5	6	8	10	12	19
35-49	191	8.7	22	5	5	7	10	13	17	25
50-64	81	10.6	35	5	6	8	12	19	24	31
65+	46	16.4	190	7	7	11	18	33	49	66
TOT. SINGLE DX	78	7.1	5	4	5	7	8	10	12	15
" MULTIPLE DX	433	9.4	46	5	5	8	10	15	21	44
TOTAL 0-19 YRS	2	10.0	18	7	7	10	13	13	13	13
20-34	138	6.8	7	4	4	6	8	10	12	18
35-49	228	8.4	20	5	5	7	9	13	15	24
50-64	92	10.3	33	5	6	8	11	18	23	31
65+	51	15.6	178	7	7	10	18	30	45	66
GRAND TOTAL	**511**	**9.1**	**40**	**5**	**5**	**7**	**10**	**14**	**19**	**38**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	3.3	5	1	1	2	4	7	8	8
20-34	74	3.7	6	1	1	3	5	7	9	12
35-49	12	3.3	6	1	1	2	4	8	8	8
50-64										
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	13	4.9	8	1	2	4	7	9	10	10
20-34	319	4.6	9	1	1	5	6	7	8	16
35-49	52	4.6	21	1	1	4	6	9	10	28
50-64	4	1.8		1	1	2	2	2	2	2
65+	2	11.0	98	4	4	11	18	18	18	18
TOT. SINGLE DX	97	3.6	6	1	1	3	5	7	8	12
" MULTIPLE DX	390	4.7	12	1	1	5	6	7	9	18
TOTAL 0-19 YRS	23	4.2	7	1	2	4	6	9	10	10
20-34	393	4.5	9	1	1	5	6	7	8	15
35-49	64	4.4	19	1	1	4	6	8	10	26
50-64	4	1.8		1	1	2	2	2	2	2
65+	3	8.3	70	3	3	4	14	18	18	18
GRAND TOTAL	**487**	**4.4**	**11**	**1**	**1**	**4**	**6**	**7**	**9**	**17**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	1.8	1	<1	<1	1	2	3	3	3
20-34	879	1.3		<1	<1	<1	1	2	2	4
35-49	336	1.2		<1	<1	<1	1	2	2	3
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	406	1.9	4	<1	<1	1	2	4	6	8
35-49	178	1.6	1	<1	<1	<1	2	3	4	8
50-64										
65+										
TOT. SINGLE DX	1220	1.3		<1	<1	<1	1	2	2	4
" MULTIPLE DX	584	1.8	4	<1	<1	1	2	3	5	8
TOTAL 0-19 YRS	4	1.8	1	<1	<1	1	2	3	3	3
20-34	1285	1.5	2	<1	<1	<1	2	2	3	7
35-49	514	1.4	1	<1	<1	<1	2	2	3	5
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
GRAND TOTAL	**1804**	**1.4**	**2**	**<1**	**<1**	**<1**	**2**	**2**	**3**	**6**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	2.9		2	2	3	4	4	4	4
20-34	1304	2.8	1	1	2	3	3	4	5	7
35-49	399	2.9	2	1	1	3	3	5	5	8
50-64	3	4.3	8	1	1	6	6	6	6	6
65+										
2. MULTIPLE DX										
0-19 YRS	7	[illegible]	30	2	2	2	5	15	17	17
20-34	705	[illegible]	11	2	2	3	5	6	8	12
35-49	253	3.9	33	1	2	3	4	6	7	19
50-64	3	11.7	36	6	6	11	16	18	18	18
65+										
TOT. SINGLE DX	1713	2.8	2	1	2	3	3	4	5	8
" MULTIPLE DX	968	4.0	17	2	2	3	5	6	8	17
TOTAL 0-19 YRS	14	3.9	16	2	2	3	4	7	15	17
20-34	2009	3.3	5	1	2	3	4	5	6	9
35-49	652	3.3	14	1	2	3	4	5	6	11
50-64	6	8.0	34	1	1	6	11	17	18	18
65+										
GRAND TOTAL	**2681**	**3.3**	**8**	**1**	**2**	**3**	**4**	**5**	**6**	**10**

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	22	5.3	5	2	3	5	6	10	11	11
20-34	660	5.0	2	2	3	5	6	7	8	9
35-49	109	4.7	3	2	2	5	6	7	8	9
50-64	5	2.8	1	1	1	3	4	4	4	4
65+										
2. MULTIPLE DX										
0-19 YRS	23	5.3	9	1	2	5	7	8	12	15
20-34	812	5.5	4	3	4	5	6	7	9	13
35-49	121	5.7	6	2	3	6	6	8	10	16
50-64	1	3.0		3	3	3	3	3	3	3
65+	3	11.7	101	1	1	13	19	21	21	21
TOT. SINGLE DX	796	4.9	3	2	3	5	6	7	8	9
" MULTIPLE DX	960	5.5	5	3	3	5	6	8	9	15
TOTAL 0-19 YRS	45	5.3	7	2	3	5	6	9	11	15
20-34	1472	5.3	4	3	3	5	6	7	8	12
35-49	230	5.2	5	2	3	5	6	8	9	14
50-64	6	2.8	1	1	1	3	4	4	4	4
65+	3	11.7	101	1	1	13	19	21	21	21
GRAND TOTAL	**1756**	**5.3**	**4**	**2**	**3**	**5**	**6**	**7**	**8**	**12**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	3.6	6	1	1	3	5	7	7	7
20-34	326	2.4	1	<1	<1	2	3	4	5	6
35-49	155	2.3	1	<1	<1	2	3	4	5	8
50-64	47	1.9	1	<1	<1	2	3	3	4	5
65+	8	2.1		1	1	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	5	3.0	2	1	1	3	4	5	5	5
20-34	236	2.9	11	<1	<1	2	4	4	5	9
35-49	135	3.3	10	<1	<1	3	3	6	9	18
50-64	48	2.6	1	<1	1	2	3	4	5	6
65+	15	5.7	28	1	2	4	8	16	17	18
TOT. SINGLE DX	541	2.4	2	<1	<1	2	3	4	5	6
" MULTIPLE DX	439	3.1	11	<1	<1	3	3	5	7	16
TOTAL 0-19 YRS	10	3.3	4	1	1	3	5	6	7	7
20-34	562	2.6	6	<1	<1	2	3	4	5	8
35-49	290	2.8	6	<1	<1	2	3	4	7	13
50-64	95	2.2	1	<1	<1	2	3	4	5	6
65+	23	4.5	21	1	1	3	4	12	17	18
GRAND TOTAL	**980**	**2.7**	**6**	**<1**	**<1**	**2**	**3**	**4**	**5**	**11**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	1.9		<1	<1	2	3	3	3	3
20-34	55	2.2	2	<1	<1	2	3	4	5	9
35-49	35	4.2	44	<1	<1	2	4	9	17	36
50-64	41	1.9	1	<1	<1	2	2	4	5	8
65+	11	7.3	56	2	2	5	8	21	24	24
2. MULTIPLE DX										
0-19 YRS	8	3.0	12	<1	<1	2	4	9	11	11
20-34	60	4.1	35	<1	<1	2	5	8	13	32
35-49	62	5.5	138	<1	<1	2	4	10	20	77
50-64	55	4.2	47	<1	<1	2	5	12	14	44
65+	28	13.1	223	<1	<1	7	17	42	45	50
TOT. SINGLE DX	149	2.9	18	<1	<1	2	3	5	8	24
" MULTIPLE DX	213	5.7	100	<1	<1	2	6	12	26	47
TOTAL 0-19 YRS	15	2.5	7	<1	<1	2	3	5	9	11
20-34	115	3.2	21	<1	<1	2	3	6	9	32
35-49	97	5.0	104	<1	<1	2	4	10	17	63
50-64	96	3.3	29	<1	<1	2	3	8	12	33
65+	39	11.4	181	<1	1	7	15	37	43	50
GRAND TOTAL	**362**	**4.6**	**68**	**<1**	**<1**	**2**	**4**	**9**	**17**	**44**

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	169	3.3	47	1	1	2	3	4	6	12
35-49	23	2.5	2	1	1	2	3	4	5	6
50-64										
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	2	6.5	5	5	5	6	8	8	8	8
20-34	59	5.1	75	2	2	3	4	8	10	56
35-49	6	8.5	45	4	4	5	15	19	19	19
50-64	1	8.0		8	8	8	8	8	8	8
65+										
TOT. SINGLE DX	195	3.2	42	1	1	2	3	4	6	12
" MULTIPLE DX	68	5.5	70	2	2	3	5	8	15	54
TOTAL 0-19 YRS	4	4.3	8	2	2	4	6	8	8	8
20-34	228	3.7	55	1	1	3	4	5	8	45
35-49	29	3.7	16	1	1	3	4	6	15	19
50-64	1	8.0		8	8	8	8	8	8	8
65+	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**263**	**3.8**	**50**	**1**	**1**	**3**	**4**	**5**	**8**	**38**

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	48	4.8	5	1	1	5	6	8	9	9
35-49	25	4.2	6	1	1	4	6	7	8	9
50-64	4	1.5		1	1	1	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	88	5.5	7	1	2	6	7	8	9	16
35-49	40	7.5	34	1	2	6	7	13	20	33
50-64	24	4.0	23	<1	1	2	4	13	16	19
65+	15	6.3	32	1	1	3	11	12	18	20
TOT. SINGLE DX	78	4.4	6	1	1	5	6	7	9	9
" MULTIPLE DX	168	5.8	19	1	1	6	7	9	14	22
TOTAL 0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	136	5.3	7	1	1	6	6	8	9	15
35-49	65	6.2	26	1	1	6	7	9	16	31
50-64	28	3.7	21	1	1	2	3	11	15	19
65+	15	6.3	33	1	1	3	11	12	18	20
GRAND TOTAL	**246**	**5.4**	**15**	**1**	**1**	**5**	**7**	**8**	**12**	**20**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	341	7.0	2	5	5	7	8	8	10	14
35-49	568	7.4	2	6	6	7	8	9	10	13
50-64	134	8.4	8	6	6	8	9	11	14	22
65+	57	9.2	13	6	7	8	9	14	18	26
2. MULTIPLE DX										
0-19 YRS	11	7.1	5	5	5	7	8	10	13	13
20-34	1746	7.6	8	5	6	7	8	10	11	19
35-49	3739	7.8	7	5	6	7	8	10	12	19
50-64	780	9.3	30	6	6	8	9	14	18	32
65+	294	13.0	84	6	7	10	15	23	30	65
TOT. SINGLE DX	1101	7.5	4	5	6	7	8	9	11	16
" MULTIPLE DX	6570	8.2	15	5	6	7	8	11	14	24
TOTAL 0-19 YRS	12	7.0	5	5	5	7	8	10	13	13
20-34	2087	7.5	8	5	6	7	8	10	11	18
35-49	4307	7.8	7	5	6	7	8	10	12	18
50-64	914	9.2	27	6	6	8	9	13	17	30
65+	351	12.4	75	6	7	9	14	21	29	64
GRAND TOTAL	**7671**	**8.1**	**14**	**5**	**6**	**7**	**8**	**11**	**14**	**23**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	175	6.6	6	4	5	6	7	8	9	18
35-49	151	6.3	2	5	5	6	7	8	8	11
50-64	66	8.4	7	6	6	8	8	12	14	20
65+	46	9.3	16	6	6	8	10	14	21	23
2. MULTIPLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	605	7.2	16	5	5	6	7	10	12	18
35-49	1075	7.7	14	5	5	7	8	11	14	22
50-64	266	9.9	18	6	6	8	11	16	19	28
65+	260	11.3	29	6	7	10	13	17	23	35
TOT. SINGLE DX	438	7.0	7	5	5	7	8	9	11	21
" MULTIPLE DX	2207	8.2	19	5	5	7	9	13	16	24
TOTAL 0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	780	7.0	14	5	5	6	7	9	11	18
35-49	1226	7.5	13	5	5	7	8	11	13	22
50-64	332	9.6	17	6	6	8	11	15	19	23
65+	306	11.0	28	6	7	9	13	17	22	34
GRAND TOTAL	**2645**	**8.0**	**17**	**5**	**5**	**7**	**9**	**12**	**15**	**23**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	4	13.5	17	9	9	13	16	19	19	19
35-49	5	11.6	21	8	8	9	14	19	19	19
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	22	18.0	66	12	12	15	20	28	38	46
35-49	15	22.4	117	13	13	18	26	35	48	52
50-64	12	20.6	70	8	9	20	27	33	34	34
65+	9	31.9	105	20	21	28	42	46	48	48
TOT. SINGLE DX	9	12.4	18	8	8	12	15	19	19	19
" MULTIPLE DX	58	21.8	103	12	13	19	27	35	45	52
TOTAL 0-19 YRS										
20-34	26	17.3	61	11	12	15	19	26	36	46
35-49	20	19.7	114	8	9	17	22	35	44	52
50-64	12	20.6	70	8	9	20	27	33	34	34
65+	9	31.9	106	20	21	28	42	46	48	48
GRAND TOTAL	**67**	**20.6**	**102**	**9**	**12**	**18**	**25**	**35**	**43**	**51**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	34	1.2		<1	<1	1	1	2	3	3
20-34	104	1.5		<1	<1	1	2	3	3	6
35-49	7	1.9	1	1	1	2	2	4	4	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	23	4.2	176	<1	<1	1	2	3	25	65
20-34	94	2.0	3	1	1	1	2	4	6	9
35-49	36	2.0	2	<1	1	1	2	3	6	8
50-64										
65+										
TOT. SINGLE DX	145	1.4	1	<1	<1	1	2	2	3	5
" MULTIPLE DX	153	2.3	29	<1	1	1	2	4	6	9
TOTAL 0-19 YRS	57	2.4	72	<1	<1	1	1	2	3	61
20-34	198	1.7	2	<1	<1	1	2	3	4	9
35-49	43	2.0	2	<1	1	1	2	4	6	8
50-64										
65+										
GRAND TOTAL	**298**	**1.9**	**15**	**<1**	**<1**	**1**	**2**	**3**	**4**	**9**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	430	1.8	1	<1	<1	1	2	3	4	7
20-34	4392	1.6	1	<1	<1	1	2	3	4	6
35-49	1475	1.5	6	<1	<1	1	2	2	3	7
50-64	430	1.6		<1	<1	1	2	2	3	7
65+	156	2.4	5	<1	<1	2	2	5	7	13
2. MULTIPLE DX										
0-19 YRS	170	2.8	11	<1	<1	2	3	6	7	18
20-34	1750	2.2	7	<1	<1	1	2	4	6	12
35-49	1324	2.4	18	<1	<1	1	2	4	7	19
50-64	650	2.9	33	<1	<1	2	2	5	8	33
65+	320	4.8	57	<1	1	2	4	9	15	44
TOT. SINGLE DX	6883	1.6	3	<1	<1	1	2	3	4	7
" MULTIPLE DX	4214	2.6	19	<1	<1	1	2	5	8	21
TOTAL 0-19 YRS	600	2.0	5	<1	<1	1	2	4	6	9
20-34	6142	1.8	3	<1	<1	1	2	3	4	8
35-49	2799	1.9	12	<1	<1	1	2	3	4	15
50-64	1080	2.3	21	<1	<1	1	2	3	6	23
65+	476	4.0	41	<1	1	2	4	8	12	39
GRAND TOTAL	**11097**	**2.0**	**9**	**<1**	**<1**	**1**	**2**	**3**	**5**	**12**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	555	1.1		<1	<1	<1	<1	1	2	2
20-34	1304	1.1		<1	<1	<1	<1	1	2	2
35-49	73	1.1		<1	<1	<1	<1	1	2	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	150	1.8	6	<1	<1	<1	1	2	5	13
20-34	760	2.0	16	<1	<1	<1	2	3	4	10
35-49	153	1.8	1	<1	<1	<1	2	4	5	7
50-64										
65+										
TOT. SINGLE DX	1932	1.1		<1	<1	<1	<1	1	2	2
" MULTIPLE DX	1063	1.9	13	<1	<1	<1	2	3	4	11
TOTAL 0-19 YRS	705	1.2	2	<1	<1	<1	<1	1	2	5
20-34	2064	1.4	6	<1	<1	<1	<1	2	3	6
35-49	226	1.6	1	<1	<1	<1	2	3	4	6
50-64										
65+										
GRAND TOTAL	**2995**	**1.4**	**5**	**<1**	**<1**	**<1**	**<1**	**2**	**3**	**6**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	31	2.0	1	<1	1	2	3	4	4	4
20-34	270	1.5		<1	1	1	2	3	4	5
35-49	21	1.6	1	<1	<1	1	2	4	4	4
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
2. MULTIPLE DX										
0-19 YRS	13	1.8	1	1	1	1	2	4	4	4
20-34	75	1.8	1	<1	1	2	2	3	4	5
35-49	10	2.9	4	1	1	2	5	6	6	6
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	40.0		40	40	40	40	40	40	40
TOT. SINGLE DX	323	1.6	1	<1	1	1	2	3	4	5
" MULTIPLE DX	100	2.3	16	<1	1	2	2	4	5	23
TOTAL 0-19 YRS	44	2.0	1	<1	1	2	3	4	4	4
20-34	345	1.6	1	<1	1	1	2	3	4	5
35-49	31	2.0	2	<1	1	1	2	5	6	6
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+	1	40.0		40	40	40	40	40	40	40
GRAND TOTAL	**423**	**1.8**	**4**	**<1**	**1**	**1**	**2**	**3**	**4**	**5**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	22	4.4	2	2	2	4	5	7	8	8
35-49	2	6.5	25	3	3	6	10	10	10	10
50-64	1	12.0		12	12	12	12	12	12	12
65+	4	15.5	137	8	8	10	22	33	33	33
2. MULTIPLE DX										
0-19 YRS	3	5.3		5	5	5	6	6	6	6
20-34	54	5.3	3	2	2	6	6	7	8	10
35-49	11	7.8	19	1	3	6	12	14	15	15
50-64	4	7.5	5	5	5	7	9	10	10	10
65+	14	9.4	14	6	6	8	10	13	19	21
TOT. SINGLE DX	29	6.3	34	2	2	5	7	11	13	33
" MULTIPLE DX	86	6.4	9	2	3	6	7	10	12	19
TOTAL 0-19 YRS	3	5.3		5	5	5	6	6	6	6
20-34	76	5.0	3	2	2	5	6	7	8	10
35-49	13	7.6	18	1	3	6	11	14	15	15
50-64	5	8.4	8	5	5	9	10	12	12	12
65+	18	10.7	42	6	6	9	11	18	28	33
GRAND TOTAL	**115**	**6.4**	**15**	**2**	**3**	**6**	**7**	**10**	**12**	**25**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	3.3	4	1	1	4	5	5	5	5
20-34	69	2.9	18	<1	<1	1	4	6	7	28
35-49	17	3.8	11	<1	<1	4	5	8	11	13
50-64	4	7.5	1	6	6	7	8	9	9	9
65+	7	11.6	46	5	5	9	14	23	25	25
2. MULTIPLE DX										
0-19 YRS	8	4.0	4	<1	1	4	5	7	8	8
20-34	74	4.5	76	<1	<1	3	5	7	9	61
35-49	20	3.5	16	<1	<1	2	5	9	14	16
50-64	8	31.6	560	7	7	27	55	60	61	61
65+	10	10.2	70	1	1	9	19	22	23	23
TOT. SINGLE DX	100	3.9	23	<1	<1	2	5	8	10	29
" MULTIPLE DX	120	6.6	136	<1	<1	4	6	13	22	65
TOTAL 0-19 YRS	11	3.8	4	<1	1	4	5	6	8	8
20-34	143	3.7	49	<1	<1	2	5	7	8	36
35-49	37	3.6	14	<1	<1	2	5	8	13	16
50-64	12	23.6	498	6	6	11	47	58	61	61
65+	17	10.8	57	1	2	9	17	23	24	25
GRAND TOTAL	**220**	**5.4**	**86**	**<1**	**<1**	**3**	**6**	**9**	**16**	**58**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	24	5.9	11	2	3	6	7	9	12	18
35-49	104	8.0	14	3	4	7	9	13	16	20
50-64	140	7.7	7	4	5	7	9	12	13	17
65+	96	7.8	9	4	5	7	8	12	13	21
2. MULTIPLE DX										
0-19 YRS										
20-34	72	8.2	9	4	5	7	10	13	14	17
35-49	268	9.3	18	5	5	8	10	15	17	26
50-64	362	9.1	16	5	6	8	10	15	18	23
65+	258	10.6	48	5	6	9	12	16	22	36
TOT. SINGLE DX	365	7.7	11	4	5	7	9	12	14	19
" MULTIPLE DX	960	9.5	25	5	6	8	11	15	18	26
TOTAL 0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	96	7.6	11	3	4	7	9	12	14	18
35-49	372	8.9	18	4	5	8	10	14	17	24
50-64	502	8.7	14	4	5	8	10	14	16	22
65+	354	9.8	39	5	6	8	11	15	20	33
GRAND TOTAL	**1325**	**9.0**	**22**	**4**	**5**	**8**	**10**	**14**	**17**	**25**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	5.0	46	<1	<1	3	5	17	20	20
20-34	37	4.2	6	1	1	4	6	7	9	11
35-49	21	5.7	29	<1	1	4	7	14	19	22
50-64	9	6.7	7	1	3	7	8	10	10	10
65+	8	5.4	9	1	1	6	8	9	9	9
2. MULTIPLE DX										
0-19 YRS	6	7.2	29	2	2	5	14	14	14	14
20-34	26	8.3	40	1	1	7	14	16	22	23
35-49	16	8.3	15	3	4	7	11	15	16	16
50-64	25	12.1	55	1	3	10	17	25	26	28
65+	12	8.8	5	6	6	8	10	13	13	13
TOT. SINGLE DX	82	5.0	16	1	1	4	6	9	11	21
" MULTIPLE DX	85	9.4	36	1	2	8	13	17	22	27
TOTAL 0-19 YRS	13	6.0	37	<1	1	4	8	15	19	20
20-34	63	5.9	24	1	1	5	8	14	15	23
35-49	37	6.8	24	1	2	6	9	15	16	22
50-64	34	10.6	48	1	3	9	12	22	26	28
65+	20	7.5	9	1	3	8	9	11	13	13
GRAND TOTAL	**167**	**7.3**	**31**	**1**	**1**	**6**	**10**	**14**	**20**	**26**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	27	2.0	2	<1	<1	1	3	4	6	6
20-34	71	3.2	14	<1	<1	1	4	10	14	15
35-49	32	4.0	18	<1	<1	3	5	9	15	20
50-64	28	4.6	11	<1	1	3	7	9	12	13
65+	29	6.4	15	1	1	6	8	12	14	16
2. MULTIPLE DX										
0-19 YRS	20	7.7	181	1	1	3	6	17	40	61
20-34	68	4.8	15	<1	1	4	7	11	12	18
35-49	42	9.4	96	1	2	7	10	20	35	42
50-64	70	8.6	60	2	2	7	10	17	26	43
65+	77	9.8	54	3	4	7	10	21	25	40
TOT. SINGLE DX	187	3.9	14	<1	<1	2	5	9	12	16
" MULTIPLE DX	277	8.1	64	1	2	6	9	17	22	43
TOTAL 0-19 YRS	47	4.4	85	<1	1	2	4	7	15	61
20-34	139	4.0	15	<1	<1	2	5	11	13	15
35-49	74	7.1	69	<1	<1	4	8	16	26	42
50-64	98	7.5	49	1	2	6	9	15	19	39
65+	106	8.9	46	2	3	7	10	18	22	36
GRAND TOTAL	**464**	**6.4**	**48**	**<1**	**1**	**5**	**8**	**14**	**19**	**39**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	53	2.0	2	<1	<1	1	2	4	5	8
20-34	269	2.1	2	<1	<1	2	3	4	5	9
35-49	112	2.0	2	<1	<1	2	3	3	5	8
50-64	43	2.9	11	<1	<1	2	3	6	9	20
65+	25	3.1	5	1	1	3	3	6	8	12
2. MULTIPLE DX										
0-19 YRS	30	3.3	6	<1	1	3	4	6	7	14
20-34	109	3.1	12	<1	1	2	3	6	7	23
35-49	52	3.1	9	<1	1	2	4	6	9	18
50-64	38	7.2	190	<1	<1	3	5	14	30	79
65+	34	8.9	103	<1	2	5	14	28	42	99+
TOT. SINGLE DX	502	2.2	3	<1	<1	2	3	4	5	9
" MULTIPLE DX	263	4.5	52	<1	1	3	4	9	16	45
TOTAL 0-19 YRS	83	2.5	4	<1	<1	2	3	5	6	12
20-34	378	2.[illegible]	6	<1	<1	2	3	4	6	10
35-49	164	2.4	5	<1	<1	2	3	5	6	10
50-64	81	4.9	98	<1	<1	2	4	10	17	66
65+	59	6.4	69	<1	1	3	7	19	29	95
GRAND TOTAL	**765**	**3.0**	**21**	**<1**	**<1**	**2**	**3**	**5**	**8**	**22**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	5	3.2	8	<1	<1	2	5	8	8	8
35-49	2	4.5	5	3	3	4	6	6	6	6
50-64	3	2.3	2	1	1	2	3	4	4	4
65+	2	13.5	313	1	1	13	26	26	26	26
2. MULTIPLE DX										
0-19 YRS										
20-34	9	11.8	249	2	2	4	15	39	49	49
35-49	6	11.8	169	2	2	6	21	33	34	34
50-64	14	16.0	151	2	3	14	28	35	36	36
65+	16	25.1	351	3	4	27	45	56	85	99+
TOT. SINGLE DX	14	4.4	43	<1	<1	2	4	10	22	26
" MULTIPLE DX	45	17.8	262	2	2	11	30	48	54	99+
TOTAL 0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	14	8.7	174	<1	<1	4	8	27	44	49
35-49	8	10.0	133	2	2	5	14	30	34	34
50-64	17	13.6	152	1	2	8	23	34	36	36
65+	18	23.8	343	2	3	26	42	55	81	99+
GRAND TOTAL	**59**	**14.6**	**242**	**1**	**1**	**8**	**26**	**41**	**51**	**96**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	1.6		1	1	1	2	3	3	3
20-34	18	3.8	2	<1	<1	4	5	6	7	7
35-49	4	1.8		1	1	2	2	2	2	2
50-64	3	5.0	19	2	2	3	8	10	10	10
65+	3	4.3	17	1	1	3	7	9	9	9
2. MULTIPLE DX										
0-19 YRS	5	4.8	6	1	1	5	7	7	7	7
20-34	14	3.9	3	1	2	4	5	6	7	7
35-49	4	3.0	2	2	2	3	4	5	5	5
50-64	3	2.0	1	<1	<1	2	3	3	3	3
65+	3	5.3	8	2	2	7	7	7	7	7
TOT. SINGLE DX	37	3.2	5	<1	1	3	4	6	8	10
" MULTIPLE DX	29	3.9	4	1	1	4	5	7	7	7
TOTAL 0-19 YRS	14	2.7	5	1	1	2	4	7	7	7
20-34	32	3.9	3	<1	1	4	5	6	7	7
35-49	8	2.4	1	1	1	2	3	4	5	5
50-64	6	3.5	11	<1	<1	2	3	9	10	10
65+	6	4.8	11	1	1	5	7	9	9	9
GRAND TOTAL	**66**	**3.5**	**5**	**<1**	**1**	**3**	**5**	**7**	**7**	**10**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	2.0	5	<1	<1	1	2	6	6	6
20-34	35	1.8	4	<1	<1	1	1	3	8	10
35-49	8	1.5		1	1	1	2	3	3	3
50-64	3	2.0		2	2	2	2	2	2	2
65+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	18	6.0	108	<1	<1	2	7	11	32	45
35-49	6	4.0	8	1	1	3	6	9	9	9
50-64	7	13.1	178	1	1	10	24	33	34	34
65+	7	15.4	240	2	2	14	16	42	48	48
TOT. SINGLE DX	53	1.8	3	<1	<1	1	2	3	7	10
" MULTIPLE DX	39	8.6	136	<1	<1	3	10	23	40	48
TOTAL 0-19 YRS	6	2.0	4	<1	<1	1	2	6	6	6
20-34	53	3.2	42	<1	<1	1	2	8	10	44
35-49	14	2.6	5	1	1	2	3	6	8	9
50-64	10	9.8	148	1	1	2	17	30	34	34
65+	9	12.3	218	1	1	9	15	36	48	48
GRAND TOTAL	**92**	**4.6**	**70**	**<1**	**<1**	**1**	**3**	**11**	**17**	**47**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	160	4.5	2	3	3	4	5	6	8	13
20-34	1351	4.5	2	3	3	4	5	6	7	10
35-49	57	4.8	2	3	3	5	5	7	8	10
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	246	5.6	9	3	3	5	6	8	11	17
20-34	2922	5.2	9	3	3	5	6	7	9	17
35-49	156	5.7	34	2	3	5	6	8	11	37
50-64										
65+										
TOT. SINGLE DX	1568	4.5	3	3	3	4	5	6	7	10
" MULTIPLE DX	3324	5.3	11	3	3	5	6	7	9	17
TOTAL 0-19 YRS	406	5.2	7	3	3	5	6	7	9	15
20-34	4273	5.0	7	3	3	4	5	7	8	14
35-49	213	5.5	26	3	3	5	6	7	10	29
50-64										
65+										
GRAND TOTAL	**4892**	**5.0**	**8**	**3**	**3**	**4**	**6**	**7**	**8**	**14**

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	3.5		3	3	3	4	4	4	4
20-34	89	4.2	2	3	3	4	5	6	7	9
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	11	4.3	4	1	1	4	5	7	9	9
20-34	281	5.3	16	2	3	4	6	8	11	25
35-49	27	5.6	21	2	2	5	6	9	13	26
50-64										
65+										
TOT. SINGLE DX	94	4.1	2	3	3	4	5	6	7	9
" MULTIPLE DX	319	5.3	16	2	3	4	6	8	11	26
TOTAL 0-19 YRS	15	4.1	4	1	2	4	5	6	8	9
20-34	370	5.0	13	2	3	4	6	7	10	22
35-49	28	5.5	21	2	2	4	6	9	12	26
50-64										
65+										
GRAND TOTAL	**413**	**5.0**	**13**	**2**	**3**	**4**	**5**	**7**	**10**	**24**

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	48	4.8	1	3	3	5	6	6	8	9
20-34	511	4.7	3	3	3	4	5	6	7	11
35-49	23	4.7	3	2	3	4	6	6	8	11
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	124	5.6	13	3	3	5	6	8	10	27
20-34	1801	5.4	14	3	3	5	6	7	9	19
35-49	97	5.6	10	3	3	5	7	8	9	22
50-64										
65+										
TOT. SINGLE DX	582	4.7	3	3	3	4	5	6	7	11
" MULTIPLE DX	2022	5.4	14	3	3	5	6	7	9	19
TOTAL 0-19 YRS	172	5.4	10	3	3	5	6	7	8	25
20-34	2312	5.2	12	3	3	5	6	7	9	18
35-49	120	5.5	9	3	3	5	6	8	9	20
50-64										
65+										
GRAND TOTAL	**2604**	**5.2**	**12**	**3**	**3**	**5**	**6**	**7**	**9**	**19**

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1715	4.4	5	2	3	4	5	6	7	10
20-34	16104	4.1	3	2	3	4	5	6	7	9
35-49	651	4.1	2	2	3	4	5	6	7	10
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	746	5.3	14	2	3	5	6	8	11	20
20-34	9085	4.8	9	2	3	4	5	7	9	16
35-49	662	5.2	9	2	3	5	6	7	10	19
50-64										
65+										
TOT. SINGLE DX	18470	4.1	3	2	3	4	5	6	7	9
" MULTIPLE DX	10493	4.9	10	2	3	4	5	7	9	16
TOTAL 0-19 YRS	2461	4.6	8	2	3	4	5	7	8	14
20-34	25189	4.4	6	2	3	4	5	6	7	12
35-49	1313	4.7	7	2	3	4	5	7	8	15
50-64										
65+										
GRAND TOTAL	**28963**	**4.4**	**6**	**2**	**3**	**4**	**5**	**6**	**7**	**12**

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	135	6.4	2	4	5	6	7	8	9	11
20-34	2415	6.7	12	5	5	6	7	8	9	16
35-49	109	7.2	18	4	5	7	8	9	10	31
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	407	7.6	14	4	5	7	8	11	14	25
20-34	6638	7.6	25	5	5	7	8	10	14	30
35-49	623	8.0	21	5	5	7	8	11	15	34
50-64										
65+										
TOT. SINGLE DX	2659	6.7	12	5	5	6	7	8	9	16
" MULTIPLE DX	7668	7.6	25	5	5	7	8	10	14	30
TOTAL 0-19 YRS	542	7.3	11	4	5	6	8	10	13	22
20-34	9053	7.4	22	5	5	6	8	9	12	27
35-49	732	7.9	21	5	5	7	8	10	14	34
50-64										
65+										
GRAND TOTAL	**10327**	**7.4**	**21**	**5**	**5**	**7**	**8**	**9**	**12**	**28**

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	6.2	2	4	4	6	7	8	9	9
20-34	84	6.6	2	5	5	6	8	8	10	11
35-49	2	11.5	5	10	10	11	13	13	13	13
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	7	8.0	2	6	6	8	9	11	11	11
20-34	131	8.4	22	4	5	7	9	14	20	27
35-49	23	12.2	277	4	5	8	11	18	43	86
50-64										
65+										
TOT. SINGLE DX	98	6.6	3	5	5	6	8	8	10	13
" MULTIPLE DX	161	9.0	58	4	5	7	9	14	20	28
TOTAL 0-19 YRS	19	6.8	3	4	5	7	8	9	10	11
20-34	215	7.7	16	4	5	7	8	10	16	26
35-49	25	12.2	254	4	5	8	12	18	36	86
50-64										
65+										
GRAND TOTAL	**259**	**8.1**	**39**	**4**	**5**	**7**	**8**	**11**	**17**	**26**

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	26	4.8	1	3	3	5	5	7	7	7
35-49	2	5.5	1	5	5	5	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3	6.0	3	5	5	5	7	8	8	8
20-34	40	5.2	2	3	4	5	6	7	8	10
35-49	6	5.8	8	3	3	5	9	9	9	9
50-64										
65+										
TOT. SINGLE DX	29	4.8	1	3	3	5	5	7	7	7
" MULTIPLE DX	49	5.3	3	3	3	5	6	8	9	10
TOTAL 0-19 YRS	4	5.5	3	4	4	5	7	8	8	8
20-34	66	5.0	2	3	4	5	6	7	7	10
35-49	8	5.8	6	3	3	5	8	9	9	9
50-64										
65+										
GRAND TOTAL	**78**	**5.1**	**2**	**3**	**3**	**5**	**6**	**7**	**8**	**10**

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	89	1.4		1	1	1	2	2	3	7
20-34	85	1.5		1	1	1	2	2	3	5
35-49	5	1.6		1	1	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	108	1.7	7	1	1	1	2	2	3	19
20-34	193	1.8	2	1	1	1	2	3	5	9
35-49	26	1.8	1	1	1	2	2	3	4	7
50-64										
65+										
TOT. SINGLE DX	179	1.5	1	1	1	1	2	2	3	6
" MULTIPLE DX	327	1.8	4	1	1	1	2	3	4	10
TOTAL 0-19 YRS	197	1.6	4	1	1	1	2	2	3	11
20-34	278	1.7	2	1	1	1	2	3	4	8
35-49	31	1.8	1	1	1	2	2	3	3	7
50-64										
65+										
GRAND TOTAL	**506**	**1.7**	**3**	**1**	**1**	**1**	**2**	**3**	**3**	**8**

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	5.6	44	<1	<1	2	9	17	17	17
20-34	76	4.1	52	<1	<1	1	3	13	19	39
35-49	9	2.2	6	<1	<1	<1	2	7	7	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3	13.3	33	10	10	10	18	20	20	20
20-34	37	9.9	169	<1	<1	6	11	28	43	54
35-49	9	2.1	3	<1	<1	<1	3	5	6	6
50-64										
65+										
TOT. SINGLE DX	90	4.0	47	<1	<1	1	3	13	17	37
" MULTIPLE DX	49	8.7	140	<1	<1	4	11	25	34	54
TOTAL 0-19 YRS	8	8.5	51	<1	1	8	14	19	20	20
20-34	113	6.0	97	<1	<1	1	7	15	29	51
35-49	18	2.2	4	<1	<1	<1	3	6	7	7
50-64										
65+										
GRAND TOTAL	**139**	**5.6**	**84**	**<1**	**<1**	**1**	**6**	**14**	**26**	**50**

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	355	3.3	15	<1	<1	3	4	6	7	14
20-34	2526	3.2	11	<1	<1	3	4	5	6	13
35-49	120	3.6	6	<1	<1	4	4	6	8	15
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	340	4.7	53	<1	1	4	5	7	10	45
20-34	3112	4.3	18	<1	1	4	5	7	9	20
35-49	218	4.7	15	1	2	4	5	7	9	22
50-64										
65+										
TOT. SINGLE DX	3001	3.2	12	<1	<1	3	4	5	6	14
" MULTIPLE DX	3670	4.4	21	<1	1	4	5	7	9	21
TOTAL 0-19 YRS	695	4.0	35	<1	<1	3	5	6	9	22
20-34	5638	3.8	15	<1	<1	4	5	6	8	17
35-49	338	4.3	12	<1	1	4	5	6	9	16
50-64										
65+										
GRAND TOTAL	**6671**	**3.9**	**17**	**<1**	**<1**	**4**	**5**	**6**	**8**	**18**

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	259	4.0	2	2	3	4	5	6	6	8
20-34	3602	3.9	2	2	3	4	5	5	6	8
35-49	222	3.9	2	1	2	4	5	6	7	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	238	4.8	7	2	3	4	5	7	8	14
20-34	4254	4.5	6	2	3	4	5	6	8	14
35-49	362	4.7	14	2	3	4	5	6	8	20
50-64										
65+										
TOT. SINGLE DX	4083	3.9	2	2	3	4	5	5	6	8
" MULTIPLE DX	4854	4.5	7	2	3	4	5	6	8	14
TOTAL 0-19 YRS	497	4.4	5	2	3	4	5	6	8	11
20-34	7856	4.2	5	2	3	4	5	6	7	12
35-49	584	4.4	10	2	2	4	5	6	7	12
50-64										
65+										
GRAND TOTAL	**8937**	**4.3**	**5**	**2**	**3**	**4**	**5**	**6**	**7**	**11**

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	2.6	1	1	1	2	3	4	4	4
20-34	12	7.4	93	2	2	3	6	26	30	31
35-49	5	2.0	1	1	1	2	3	3	3	3
50-64	6	15.3	236	1	1	12	29	35	36	36
65+	6	10.7	75	2	2	7	20	23	23	23
2. MULTIPLE DX										
0-19 YRS	8	3.3	4	2	2	3	4	7	8	8
20-34	13	5.1	18	2	2	4	7	9	16	18
35-49	8	19.6	895	1	1	3	30	72	85	85
50-64	21	18.0	115	4	5	17	23	33	39	46
65+	18	16.9	391	1	2	9	21	55	63	64
TOT. SINGLE DX	38	7.3	92	1	1	3	6	24	30	36
" MULTIPLE DX	68	13.7	271	2	2	7	18	34	47	81
TOTAL 0-19 YRS	17	2.9	2	1	2	2	3	4	7	8
20-34	25	6.2	53	2	2	4	7	18	26	31
35-49	13	12.8	602	1	1	3	7	51	79	85
50-64	27	17.4	136	2	3	17	24	34	37	46
65+	24	15.4	313	1	2	7	20	42	62	64
GRAND TOTAL	**106**	**11.4**	**215**	**1**	**2**	**4**	**17**	**31**	**40**	**73**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	124	3.5	1	2	2	3	4	5	5	6
20-34	302	3.5	1	2	2	3	4	5	6	8
35-49	99	3.5	2	1	2	4	4	5	6	9
50-64	28	4.1	20	1	1	3	4	9	12	24
65+	7	10.7	436	1	1	3	5	47	58	58
2. MULTIPLE DX										
0-19 YRS	197	3.9	1	2	2	4	5	5	6	7
20-34	201	4.4	12	2	2	4	5	6	7	11
35-49	51	3.6	1	1	2	4	4	5	5	7
50-64	19	3.7	3	1	1	4	5	7	54	99+
65+	9	4.7	18	1	1	4	5	11	15	15
TOT. SINGLE DX	560	3.6	8	1	2	3	4	5	6	8
" MULTIPLE DX	477	4.1	7	2	2	4	5	5	6	10
TOTAL 0-19 YRS	321	3.8	2	2	2	4	5	5	6	7
20-34	503	3.9	6	2	2	4	5	5	6	8
35-49	150	3.5	2	1	2	4	4	5	5	7
50-64	47	4.0	14	1	1	3	5	7	12	99+
65+	16	7.3	194	1	1	3	5	14	45	58
GRAND TOTAL	**1037**	**3.8**	**7**	**2**	**2**	**4**	**5**	**5**	**6**	**9**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	48	3.4	4	1	1	3	4	6	7	14
20-34	132	2.9	3	1	1	3	4	6	6	10
35-49	37	2.8	4	1	1	2	4	5	7	11
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	34	3.8	11	1	1	3	4	8	10	19
20-34	112	4.4	12	1	2	4	5	8	10	21
35-49	26	7.8	175	1	2	6	7	11	28	70
50-64	12	6.4	26	2	2	5	6	17	18	18
65+	2	17.5	365	4	4	17	31	31	31	31
TOT. SINGLE DX	221	3.0	4	1	1	3	4	6	7	11
" MULTIPLE DX	186	5.1	40	1	2	4	5	9	14	30
TOTAL 0-19 YRS	82	3.5	8	1	1	3	4	6	8	17
20-34	244	3.6	8	1	1	3	4	6	8	17
35-49	63	4.9	79	1	1	2	6	8	11	63
50-64	15	5.5	24	1	2	4	6	16	17	18
65+	3	13.0	243	4	4	4	24	31	31	31
GRAND TOTAL	**407**	**3.9**	**22**	**1**	**1**	**3**	**4**	**6**	**9**	**19**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	38	3.0	3	1	1	3	4	6	6	8
20-34	108	3.2	8	1	1	2	4	6	8	18
35-49	48	2.4	2	1	1	2	3	5	6	7
50-64	10	2.4	3	<1	<1	2	3	5	7	7
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	51	8.3	66	2	2	6	11	18	22	41
20-34	150	6.3	41	1	2	4	7	12	18	35
35-49	48	8.4	159	2	2	5	9	15	41	99+
50-64	27	13.8	314	2	2	9	14	24	68	77
65+	7	6.9	38	1	2	5	7	18	20	20
TOT. SINGLE DX	205	2.9	6	1	1	2	4	6	7	12
" MULTIPLE DX	283	7.7	95	1	2	5	9	15	23	73
TOTAL 0-19 YRS	89	6.1	46	1	1	4	7	13	19	40
20-34	258	5.0	30	1	1	3	6	10	14	25
35-49	96	5.4	89	1	1	3	6	10	16	91
50-64	37	10.7	254	1	1	6	12	20	52	77
65+	8	6.4	35	1	2	5	7	16	20	20
GRAND TOTAL	**488**	**5.7**	**63**	**1**	**1**	**4**	**6**	**12**	**17**	**47**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	4.7		4	4	5	5	5	5	5
20-34	13	5.6	44	1	1	3	7	14	23	25
35-49	13	7.1	43	2	2	5	7	21	21	21
50-64	7	2.9	2	1	1	3	4	5	5	5
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	2	5.5	13	3	3	5	8	8	8	8
20-34	15	10.4	111	<1	<1	7	12	31	34	35
35-49	7	7.3	50	3	3	4	9	20	22	22
50-64	7	4.3	8	1	1	5	6	8	9	9
65+	3	4.0	19	1	1	2	7	9	9	9
TOT. SINGLE DX	37	5.4	32	1	1	4	5	11	21	25
" MULTIPLE DX	34	7.6	67	<1	1	5	9	20	29	35
TOTAL 0-19 YRS	5	5.0	4	3	3	5	6	8	8	8
20-34	28	8.2	83	<1	1	5	10	23	31	35
35-49	20	7.2	43	2	2	4	8	21	22	22
50-64	14	3.6	6	1	1	3	5	6	8	9
65+	4	3.5	14	1	1	2	6	9	9	9
GRAND TOTAL	**71**	**6.5**	**49**	**1**	**1**	**4**	**8**	**16**	**22**	**34**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	117	6.6	55	1	2	4	7	15	20	40
20-34	111	6.7	47	2	2	5	8	12	19	39
35-49	63	6.6	37	2	2	5	8	13	19	32
50-64	120	8.5	113	2	2	6	9	14	17	65
65+	75	8.9	49	2	2	7	10	16	23	41
2. MULTIPLE DX										
0-19 YRS	103	10.4	118	2	2	6	13	28	33	48
20-34	80	11.7	155	2	2	7	13	36	47	84
35-49	78	12.0	228	2	3	7	12	24	36	90
50-64	136	10.3	65	2	3	8	14	18	26	60
65+	101	12.4	103	2	3	10	17	26	39	99+
TOT. SINGLE DX	486	7.4	65	2	2	5	9	14	19	44
" MULTIPLE DX	498	11.3	124	2	3	8	14	25	37	98
TOTAL 0-19 YRS	220	8.4	88	2	2	5	10	20	29	47
20-34	191	8.8	98	2	2	5	10	20	36	49
35-49	141	9.6	150	2	2	6	10	20	30	75
50-64	256	9.5	89	2	3	7	12	17	22	54
65+	176	10.9	83	2	3	9	14	24	31	99+
GRAND TOTAL	**984**	**9.4**	**99**	**2**	**2**	**6**	**11**	**19**	**29**	**57**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	75	3.6	2	1	2	3	5	5	6	9
20-34	124	3.9	3	1	2	4	5	6	7	11
35-49	140	4.1	3	2	2	4	5	6	6	12
50-64	161	4.5	5	1	2	4	6	7	9	12
65+	89	4.8	9	1	1	4	6	8	10	18
2. MULTIPLE DX										
0-19 YRS	71	4.1	3	1	2	4	5	6	7	9
20-34	155	4.6	18	2	2	4	5	7	8	10
35-49	185	4.6	6	2	2	4	5	7	9	15
50-64	350	4.7	5	1	2	5	6	7	8	11
65+	217	6.3	40	1	2	5	7	11	13	37
TOT. SINGLE DX	589	4.2	5	1	2	4	5	7	8	12
" MULTIPLE DX	978	5.0	16	1	2	4	6	8	10	20
TOTAL 0-19 YRS	146	3.8	3	1	2	4	5	6	7	9
20-34	279	4.3	12	2	2	4	5	7	7	10
35-49	325	4.4	5	2	2	4	5	6	8	12
50-64	511	4.7	5	1	2	4	6	7	8	12
65+	306	5.9	32	1	2	5	7	10	12	28
GRAND TOTAL	**1567**	**4.7**	**12**	**1**	**2**	**4**	**6**	**7**	**9**	**16**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	313	4.7	26	1	2	3	5	9	14	28
20-34	401	4.4	18	1	1	3	5	8	11	23
35-49	199	4.7	51	1	1	3	5	8	11	29
50-64	141	6.7	64	1	1	4	8	14	24	43
65+	85	9.4	195	1	1	5	9	22	35	78
2. MULTIPLE DX										
0-19 YRS	137	8.4	121	1	2	4	8	21	32	53
20-34	236	10.1	193	1	2	5	11	28	38	81
35-49	170	8.9	117	1	2	4	11	24	34	63
50-64	209	12.3	224	1	2	7	15	35	52	90
65+	156	15.5	285	1	2	9	24	39	73	99+
TOT. SINGLE DX	1139	5.2	47	1	1	3	5	9	14	36
" MULTIPLE DX	908	11.0	197	1	2	5	13	31	46	82
TOTAL 0-19 YRS	450	5.8	58	1	2	3	6	12	19	49
20-34	637	6.5	91	1	1	4	6	13	24	56
35-49	369	6.6	86	1	2	4	6	14	27	55
50-64	350	10.0	167	1	2	5	10	27	42	70
65+	241	13.3	262	1	2	7	19	35	61	99+
GRAND TOTAL	**2047**	**7.8**	**122**	**1**	**2**	**4**	**8**	**19**	**32**	**70**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	84	7.0	93	1	1	4	7	12	23	53
20-34	167	5.2	14	2	2	4	6	10	13	17
35-49	57	8.1	141	1	2	4	8	17	24	79
50-64	42	8.7	24	2	3	8	10	16	19	25
65+	73	19.0	288	5	5	13	27	44	66	99+
2. MULTIPLE DX										
0-19 YRS	57	9.0	151	1	2	5	9	16	41	64
20-34	96	9.4	119	1	2	5	11	23	31	58
35-49	24	20.5	508	2	3	9	27	62	74	84
50-64	52	14.4	110	2	3	11	25	31	36	98
65+	117	23.7	310	3	6	20	34	54	84	99+
TOT. SINGLE DX	423	8.6	118	1	2	5	10	17	27	71
" MULTIPLE DX	346	15.7	254	2	3	10	25	38	56	99+
TOTAL 0-19 YRS	141	7.8	117	1	2	5	8	14	30	54
20-34	263	6.7	57	1	2	4	7	15	19	43
35-49	81	11.7	278	1	2	5	12	27	49	83
50-64	94	11.9	80	2	3	9	16	27	32	72
65+	190	21.9	306	4	5	17	20	49	76	99+
GRAND TOTAL	**769**	**11.8**	**191**	**2**	**2**	**7**	**14**	**30**	**44**	**96**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	164	2.8	8	<1	<1	2	3	4	7	29
20-34	263	3.4	12	1	1	2	4	6	9	18
35-49	138	3.9	20	<1	1	3	4	8	10	25
50-64	98	4.6	22	1	1	3	5	10	12	28
65+	68	7.5	129	1	2	4	8	15	34	66
2. MULTIPLE DX										
0-19 YRS	57	5.3	44	1	2	3	5	11	16	42
20-34	117	7.8	93	<1	1	4	9	17	30	47
35-49	67	5.7	37	1	1	4	7	17	23	87
50-64	83	8.4	121	1	2	4	9	19	34	57
65+	100	14.0	280	2	2	8	18	36	59	89
TOT. SINGLE DX	731	3.9	27	<1	1	3	4	7	11	32
" MULTIPLE DX	424	8.7	136	1	2	4	10	24	35	67
TOTAL 0-19 YRS	221	3.4	19	<1	1	2	3	6	11	35
20-34	380	4.8	41	1	1	3	5	10	15	39
35-49	205	4.5	27	<1	1	3	5	10	16	33
50-64	181	6.3	71	1	1	4	6	12	20	46
65+	168	11.4	228	1	2	5	12	33	50	77
GRAND TOTAL	**1155**	**5.7**	**72**	**1**	**1**	**3**	**5**	**12**	**21**	**53**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	25.5	192	5	6	26	34	45	47	47
20-34	4	11.5	11	7	7	12	14	15	15	15
35-49	3	10.7	6	8	8	11	12	13	13	13
50-64	9	10.2	16	6	6	9	14	16	16	16
65+	23	15.8	97	5	6	13	20	28	39	42
2. MULTIPLE DX										
0-19 YRS	14	39.3	532	9	11	46	56	73	78	79
20-34	10	19.6	273	3	6	14	18	49	55	55
35-49	11	29.3	608	10	10	23	31	72	88	90
50-64	21	21.6	262	7	8	20	26	35	58	79
65+	139	24.2	275	5	8	22	35	81	99+	99+
TOT. SINGLE DX	51	16.5	120	6	6	13	22	34	42	47
" MULTIPLE DX	195	25.1	322	6	8	22	35	65	99+	99+
TOTAL 0-19 YRS	26	32.9	411	6	8	29	47	57	73	79
20-34	14	17.3	206	4	7	13	16	45	53	55
35-49	14	25.3	532	8	10	16	27	63	84	90
50-64	30	18.2	213	6	6	14	23	32	40	79
65+	162	23.0	258	5	7	20	34	60	99+	99+
GRAND TOTAL	**246**	**23.3**	**292**	**6**	**7**	**20**	**33**	**58**	**97**	**99+**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	35	11.3	96	3	4	9	11	25	36	46
20-34	42	10.2	73	3	4	8	13	17	28	48
35-49	28	10.6	23	5	6	10	12	19	22	22
50-64	35	12.7	36	5	5	12	16	22	24	28
65+	164	17.6	204	5	6	14	21	35	47	85
2. MULTIPLE DX										
0-19 YRS	25	16.0	218	3	4	11	25	40	74	99+
20-34	57	20.2	184	5	7	17	24	37	43	80
35-49	48	18.5	183	5	7	14	23	40	53	99+
50-64	100	19.4	207	7	8	14	24	34	46	85
65+	496	29.6	437	8	10	25	49	84	99+	99+
TOT. SINGLE DX	304	14.7	148	4	5	12	17	28	39	81
" MULTIPLE DX	726	26.3	385	7	9	21	39	73	99+	99+
TOTAL 0-19 YRS	60	13.3	150	3	4	9	16	31	43	96
20-34	99	15.9	161	3	4	13	20	32	40	68
35-49	76	15.6	139	5	6	12	20	29	47	92
50-64	135	17.6	171	6	7	14	23	28	45	77
65+	660	26.6	406	6	8	21	40	75	99+	99+
GRAND TOTAL	**1030**	**22.8**	**343**	**5**	**7**	**17**	**32**	**61**	**90**	**99+**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	58	19.2	258	1	2	19	28	42	51	60
20-34	5	5.2	6	2	2	6	7	8	8	8
35-49	2	22.0	242	11	11	22	33	33	33	33
50-64	1	8.0		8	8	8	8	8	8	8
65+	7	4.7	8	1	1	4	6	9	10	10
2. MULTIPLE DX										
0-19 YRS	43	30.9	297	2	4	32	44	50	60	69
20-34	12	40.0	440	13	20	35	58	90	98	99+
35-49	4	14.0	136	2	2	13	47	99+	99+	99+
50-64	4	23.5	710	5	5	13	39	63	63	63
65+	27	32.3	559	6	7	31	58	90	99+	99+
TOT. SINGLE DX	73	16.7	238	1	2	10	26	38	50	59
" MULTIPLE DX	90	31.4	414	2	6	31	46	69	96	99+
TOTAL 0-19 YRS	101	24.1	306	1	2	23	37	48	55	65
20-34	17	29.8	571	2	4	29	56	79	95	99+
35-49	6	16.7	147	2	4	13	32	87	99+	99+
50-64	5	20.4	581	5	5	11	27	63	63	63
65+	34	26.6	571	3	4	21	51	81	99+	99+
GRAND TOTAL	**163**	**24.9**	**387**	**2**	**2**	**23**	**39**	**58**	**75**	**99+**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	43	4.7	37	<1	1	2	5	13	21	28
20-34	45	3.5	29	<1	1	2	3	6	15	27
35-49	30	3.9	19	<1	<1	2	4	8	15	21
50-64	14	3.1	6	<1	1	2	4	8	9	9
65+	6	15.2	719	1	1	3	14	63	69	69
2. MULTIPLE DX										
0-19 YRS	10	10.1	69	1	1	9	14	23	28	28
20-34	33	11.1	211	2	2	6	12	31	44	68
35-49	13	7.1	22	<1	1	8	9	14	16	16
50-64	14	9.8	84	2	3	6	9	27	28	28
65+	7	24.6	705	1	2	16	32	70	79	79
TOT. SINGLE DX	138	4.4	58	<1	1	2	4	10	19	33
" MULTIPLE DX	77	11.3	191	1	2	7	14	28	35	76
TOTAL 0-19 YRS	53	5.7	47	1	1	3	7	16	21	28
20-34	78	6.7	119	1	1	2	7	18	29	62
35-49	43	4.9	22	<1	1	3	6	12	15	21
50-64	28	6.4	56	1	1	4	7	20	27	28
65+	13	20.2	676	1	1	14	25	71	77	79
GRAND TOTAL	**215**	**6.9**	**115**	**1**	**1**	**3**	**7**	**17**	**27**	**68**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	463	3.5	16	1	1	3	4	6	8	16
20-34	749	4.2	12	1	1	3	5	8	10	19
35-49	399	4.7	11	1	2	4	5	9	12	17
50-64	237	6.0	17	2	2	5	7	11	14	22
65+	136	8.1	32	1	3	6	10	14	17	33
2. MULTIPLE DX										
0-19 YRS	175	8.1	170	1	2	4	8	20	27	98
20-34	471	7.8	94	2	2	4	8	18	24	61
35-49	265	7.4	53	2	2	5	8	15	21	42
50-64	266	10.5	136	2	3	7	12	21	36	96
65+	169	14.1	163	3	4	9	18	37	50	99+
TOT. SINGLE DX	1984	4.6	17	1	1	4	5	9	12	20
" MULTIPLE DX	1346	9.1	118	2	2	6	11	21	28	80
TOTAL 0-19 YRS	638	4.7	63	1	1	3	5	8	13	47
20-34	1220	5.6	47	1	2	4	6	11	17	33
35-49	664	5.8	30	1	2	4	6	11	15	27
50-64	503	8.4	85	2	3	5	10	17	25	74
65+	305	11.4	114	2	4	8	14	25	38	99+
GRAND TOTAL	**3330**	**6.4**	**62**	**1**	**2**	**4**	**7**	**13**	**20**	**50**

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1808	2.0	5	<1	1	1	2	4	5	11
20-34	395	3.0	8	<1	1	2	4	6	8	13
35-49	256	3.3	13	<1	1	2	4	7	10	20
50-64	263	2.8	15	<1	1	2	3	5	8	17
65+	227	3.3	9	1	1	2	4	7	9	16
2. MULTIPLE DX										
0-19 YRS	256	4.3	39	1	1	2	5	9	13	33
20-34	217	8.6	169	1	1	4	8	20	43	71
35-49	151	7.8	103	1	1	5	8	17	34	51
50-64	162	8.4	124	1	1	5	9	21	30	72
65+	255	10.5	207	1	1	5	14	39	71	99+
TOT. SINGLE DX	2949	2.4	8	<1	1	1	3	5	7	14
" MULTIPLE DX	1041	7.9	135	1	1	4	8	21	38	99+
TOTAL 0-19 YRS	2064	2.3	10	<1	1	1	2	4	6	15
20-34	612	5.0	72	1	1	3	5	10	19	60
35-49	407	5.0	51	<1	1	3	6	10	16	41
50-64	425	4.9	64	1	1	2	5	11	18	51
65+	482	7.1	127	1	1	3	8	20	39	99+
GRAND TOTAL	**3990**	**3.8**	**47**	**1**	**1**	**2**	**4**	**8**	**13**	**45**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	95	3.5	20	<1	<1	1	3	12	14	19
20-34	104	2.1	8	<1	<1	1	2	4	5	20
35-49	41	2.1	6	<1	<1	1	2	4	8	14
50-64	37	3.5	35	<1	<1	1	3	10	15	32
65+	56	5.8	64	1	1	2	8	14	23	38
2. MULTIPLE DX										
0-19 YRS	39	7.0	112	1	1	4	10	19	43	99+
20-34	48	4.3	34	<1	1	2	5	10	21	25
35-49	29	3.4	27	<1	<1	1	3	10	18	22
50-64	43	5.0	36	<1	1	2	6	19	43	99+
65+	57	17.4	431	1	2	12	26	39	80	99+
TOT. SINGLE DX	333	3.3	26	<1	<1	1	3	9	13	26
" MULTIPLE DX	216	8.3	182	<1	1	3	11	23	36	99+
TOTAL 0-19 YRS	134	4.5	49	<1	<1	1	6	12	16	66
20-34	152	2.8	18	<1	<1	1	3	5	10	22
35-49	70	2.6	15	<1	<1	1	2	5	13	21
50-64	80	4.3	36	<1	<1	2	5	15	22	99+
65+	113	11.7	281	1	1	5	14	31	39	99
GRAND TOTAL	**549**	**5.2**	**93**	**<1**	**<1**	**1**	**5**	**14**	**22**	**82**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	65	3.7	12	1	2	3	4	6	8	21
20-34	240	2.8	2	1	2	3	3	4	5	8
35-49	58	2.5	1	1	1	2	3	4	5	5
50-64	13	2.3	1	1	1	2	3	4	5	5
65+	9	9.9	115	1	2	7	11	29	35	35
2. MULTIPLE DX										
0-19 YRS	21	6.2	28	<1	1	4	7	15	19	20
20-34	74	5.0	24	1	1	3	6	10	18	24
35-49	23	5.6	24	1	2	4	6	10	18	24
50-64	8	6.6	17	2	2	5	9	13	14	14
65+	6	7.7	46	2	2	6	10	19	20	20
TOT. SINGLE DX	385	3.1	8	1	1	3	3	5	6	18
" MULTIPLE DX	132	5.5	25	1	1	4	7	11	19	24
TOTAL 0-19 YRS	86	4.3	18	1	2	3	5	7	13	21
20-34	314	3.3	8	1	1	3	4	5	7	19
35-49	81	3.4	10	1	1	3	4	5	7	21
50-64	21	4.0	12	1	1	3	5	9	12	14
65+	15	9.0	84	1	2	7	10	20	31	35
GRAND TOTAL	**517**	**3.7**	**13**	**1**	**1**	**3**	**4**	**6**	**9**	**21**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	119	4.4	21	1	2	3	4	6	16	26
20-34	144	3.5	4	1	2	3	4	6	7	12
35-49	70	3.9	15	1	1	3	5	7	10	25
50-64	29	5.4	22	<1	1	4	6	13	15	22
65+	22	6.5	28	1	2	5	9	17	50	99+
2. MULTIPLE DX										
0-19 YRS	88	7.1	67	1	2	4	8	19	32	77
20-34	128	4.8	47	1	2	3	5	8	14	35
35-49	64	5.8	72	1	2	3	6	12	17	53
50-64	75	8.9	126	1	2	4	9	22	44	87
65+	46	18.7	451	1	1	10	25	53	81	99+
TOT. SINGLE DX	384	4.1	15	1	2	3	4	7	13	23
" MULTIPLE DX	401	7.8	133	1	2	4	8	19	39	81
TOTAL 0-19 YRS	207	5.5	42	1	2	3	5	13	21	40
20-34	272	4.1	25	1	2	3	4	7	9	24
35-49	134	4.8	44	1	1	3	5	9	15	41
50-64	104	7.9	100	1	2	4	8	21	40	72
65+	68	14.8	346	1	2	8	17	51	81	99+
GRAND TOTAL	**785**	**6.0**	**79**	**1**	**2**	**3**	**6**	**13**	**22**	**60**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	30	8.9	26	2	3	7	13	16	17	21
20-34	548	8.9	27	2	3	8	11	15	18	26
35-49	766	9.4	23	3	4	9	11	15	18	26
50-64	270	10.5	27	4	5	9	13	18	21	26
65+	46	12.5	64	3	4	11	15	20	29	46
2. MULTIPLE DX										
0-19 YRS	13	13.3	66	2	4	13	18	27	28	28
20-34	217	11.8	47	4	5	10	15	20	26	61
35-49	460	13.0	66	4	6	11	16	22	28	48
50-64	311	14.5	78	5	6	13	18	25	30	46
65+	126	17.7	113	6	8	16	21	28	37	86
TOT. SINGLE DX	1660	9.5	27	3	4	9	12	16	19	26
" MULTIPLE DX	1127	13.7	74	5	6	12	17	24	29	52
TOTAL 0-19 YRS	43	10.2	42	2	3	8	15	18	23	28
20-34	765	9.7	35	3	4	8	12	17	21	35
35-49	1226	10.8	43	4	5	9	13	18	22	36
50-64	581	12.7	59	4	6	11	16	22	26	35
65+	172	16.3	105	5	7	14	20	28	36	76
GRAND TOTAL	**2787**	**11.2**	**51**	**3**	**5**	**10**	**14**	**19**	**24**	**38**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	138	3.2	2	1	1	3	4	5	6	8
20-34	585	3.3	3	1	1	3	4	5	6	9
35-49	308	3.4	4	1	1	3	4	5	7	10
50-64	123	4.0	5	1	2	4	5	6	8	16
65+	23	3.5	8	1	1	2	5	6	9	14
2. MULTIPLE DX										
0-19 YRS	66	3.6	7	1	1	3	4	6	7	18
20-34	330	3.6	12	1	1	3	4	6	8	19
35-49	217	3.6	8	1	1	3	4	6	9	14
50-64	187	3.9	11	1	1	3	5	7	9	21
65+	70	5.2	29	1	1	3	7	11	18	25
TOT. SINGLE DX	1177	3.4	4	1	1	3	4	5	6	10
" MULTIPLE DX	870	3.8	12	1	1	3	4	7	9	21
TOTAL 0-19 YRS	204	3.3	4	1	1	3	4	6	7	10
20-34	915	3.4	7	1	1	3	4	5	6	11
35-49	525	3.5	6	1	1	3	4	6	7	12
50-64	310	4.0	9	1	1	3	5	7	8	18
65+	93	4.7	25	1	1	3	6	10	17	24
GRAND TOTAL	**2047**	**3.6**	**8**	**1**	**1**	**3**	**4**	**6**	**7**	**15**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	170	2.6	5	<1	1	2	3	5	6	13
20-34	431	2.6	6	<1	1	2	3	4	6	10
35-49	167	2.7	5	<1	1	2	3	5	7	13
50-64	101	3.7	14	<1	1	2	4	9	10	21
65+	43	5.2	52	1	1	2	7	13	20	40
2. MULTIPLE DX										
0-19 YRS	73	3.9	60	1	1	2	3	6	8	55
20-34	188	4.3	54	1	1	2	3	7	16	39
35-49	130	5.4	90	<1	1	3	5	13	18	52
50-64	124	6.0	85	1	1	3	6	15	23	52
65+	86	8.8	179	1	1	4	10	21	31	77
TOT. SINGLE DX	912	2.9	9	<1	1	2	3	5	8	14
" MULTIPLE DX	601	5.5	89	1	1	2	5	13	21	54
TOTAL 0-19 YRS	243	3.0	23	<1	1	2	3	5	7	22
20-34	619	3.1	21	<1	1	2	3	5	8	29
35-49	297	3.9	44	<1	1	2	4	7	13	21
50-64	225	5.0	55	1	1	3	5	10	17	47
65+	129	7.5	140	1	1	3	9	20	26	76
GRAND TOTAL	**1513**	**3.9**	**43**	**<1**	**1**	**2**	**4**	**7**	**13**	**37**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	34	14.1	51	7	8	12	16	27	32	33
20-34	52	12.5	28	7	7	11	15	20	23	31
35-49	55	11.2	13	7	8	10	13	15	20	23
50-64	25	10.1	13	5	6	9	12	15	17	21
65+	3	13.7	1	13	13	13	15	15	15	15
2. MULTIPLE DX										
0-19 YRS	48	18.9	165	8	9	15	21	31	44	76
20-34	54	14.9	106	6	7	12	17	30	53	99+
35-49	83	13.6	88	6	7	11	15	21	33	61
50-64	33	15.3	49	7	9	14	19	29	33	99+
65+	11	21.3	234	10	11	16	35	68	95	99+
TOT. SINGLE DX	169	12.1	27	7	7	11	14	18	23	32
" MULTIPLE DX	229	15.6	113	6	8	13	18	29	43	99+
TOTAL 0-19 YRS	82	16.9	122	7	9	14	19	31	37	69
20-34	106	13.7	69	6	7	11	16	25	32	99+
35-49	138	12.6	60	6	7	11	14	19	24	45
50-64	58	13.1	40	6	7	12	15	22	30	94
65+	14	19.6	191	10	11	15	22	55	89	99+
GRAND TOTAL	**398**	**14.1**	**79**	**6**	**8**	**12**	**16**	**24**	**32**	**87**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	34	5.1	20	2	2	4	6	9	11	26
20-34	65	5.1	12	1	2	4	8	11	12	16
35-49	75	6.0	29	1	2	5	7	11	16	34
50-64	82	5.0	13	2	2	4	6	9	12	22
65+	55	5.7	81	1	1	4	5	9	19	61
2. MULTIPLE DX										
0-19 YRS	23	6.3	17	2	3	6	7	9	15	23
20-34	87	6.5	24	<1	2	5	8	12	15	30
35-49	69	6.7	33	2	3	5	7	12	23	88
50-64	85	9.5	144	2	3	5	11	18	30	68
65+	80	9.1	92	2	3	6	11	22	33	88
TOT. SINGLE DX	311	5.4	30	1	2	4	6	10	12	26
" MULTIPLE DX	344	7.9	73	2	3	5	9	16	23	61
TOTAL 0-19 YRS	57	5.6	19	2	2	5	7	9	11	26
20-34	152	5.9	20	1	2	5	8	11	14	21
35-49	144	6.3	31	2	2	5	7	11	17	43
50-64	167	7.3	85	2	2	5	8	14	20	58
65+	135	7.7	91	1	2	5	8	18	25	68
GRAND TOTAL	**655**	**6.7**	**54**	**1**	**2**	**5**	**8**	**12**	**18**	**56**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	18	15.3	24	9	10	14	17	24	27	27
35-49	30	14.3	26	7	8	14	17	21	24	28
50-64	194	14.4	43	7	8	13	16	21	28	41
65+	362	15.0	65	7	7	14	17	23	29	60
2. MULTIPLE DX										
0-19 YRS										
20-34	20	16.6	76	9	9	15	17	29	41	41
35-49	58	17.0	75	9	10	15	20	26	33	60
50-64	297	18.6	143	8	10	16	20	29	46	90
65+	727	20.2	144	7	9	17	24	36	47	96
TOT. SINGLE DX	605	14.8	55	7	8	14	17	22	28	42
" MULTIPLE DX	1102	19.6	140	7	9	17	23	34	45	89
TOTAL 0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	38	16.0	51	9	10	15	17	24	35	41
35-49	88	16.1	60	8	9	14	18	24	29	52
50-64	491	17.0	108	7	9	14	18	26	38	74
65+	1089	18.5	124	7	8	16	22	32	41	77
GRAND TOTAL	**1707**	**17.9**	**115**	**7**	**9**	**15**	**21**	**30**	**40**	**73**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	2	12.5	5	11	11	12	14	14	14	14
35-49	3	15.0	21	10	10	16	18	19	19	19
50-64	29	16.3	52	7	8	14	20	26	32	36
65+	132	17.3	99	6	9	15	20	26	41	56
2. MULTIPLE DX										
0-19 YRS										
20-34	3	12.7	24	7	7	15	16	16	16	16
35-49	6	22.7	303	6	6	18	31	50	52	52
50-64	43	19.7	146	7	8	17	24	33	48	61
65+	423	28.0	350	9	11	23	40	75	99+	99+
TOT. SINGLE DX	166	17.0	89	6	9	14	20	26	38	56
" MULTIPLE DX	475	27.1	336	8	10	23	38	73	99+	99+
TOTAL 0-19 YRS										
20-34	5	12.6	13	7	7	14	15	16	16	16
35-49	9	20.1	209	6	7	16	27	44	52	52
50-64	72	18.3	110	7	8	16	23	29	39	60
65+	555	25.5	312	8	10	21	35	64	99+	99+
GRAND TOTAL	**641**	**24.5**	**291**	**8**	**10**	**20**	**33**	**59**	**94**	**99+**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	171	4.7	4	2	3	4	5	7	9	14
20-34	295	5.3	19	2	2	5	6	8	10	30
35-49	73	6.6	31	1	2	5	8	13	20	28
50-64	84	14.2	67	2	4	14	18	23	31	40
65+	141	17.0	109	2	6	15	21	27	35	64
2. MULTIPLE DX										
0-19 YRS	93	5.2	7	2	2	5	6	8	10	16
20-34	265	5.3	24	2	2	5	6	8	9	24
35-49	113	7.7	84	2	2	5	7	16	26	55
50-64	126	16.6	127	3	4	15	22	32	40	76
65+	289	20.4	167	5	8	18	24	37	49	99+
TOT. SINGLE DX	764	8.4	63	2	2	5	10	19	24	39
" MULTIPLE DX	886	12.1	138	2	3	7	17	26	36	72
TOTAL 0-19 YRS	264	4.9	6	2	2	4	6	8	9	14
20-34	560	5.3	22	2	2	5	6	8	10	29
35-49	186	7.3	64	2	2	5	7	15	21	44
50-64	210	15.6	104	3	4	15	20	30	37	55
65+	430	19.3	151	5	7	17	23	33	45	95
GRAND TOTAL	**1650**	**10.4**	**107**	**2**	**3**	**6**	**15**	**23**	**30**	**57**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	165	3.3	1	1	2	3	4	5	6	7
20-34	549	3.4	3	1	2	3	4	5	6	9
35-49	189	3.3	3	1	1	3	4	6	7	10
50-64	133	5.0	25	1	1	4	6	9	13	31
65+	76	5.2	23	1	1	4	6	11	14	29
2. MULTIPLE DX										
0-19 YRS	48	4.2	14	1	1	3	5	8	12	23
20-34	151	4.2	11	1	2	4	5	7	10	16
35-49	124	4.5	14	1	2	3	5	9	10	51
50-64	171	6.3	82	1	2	4	6	10	18	56
65+	130	8.0	52	2	2	5	9	18	22	61
TOT. SINGLE DX	1112	3.7	7	1	1	3	4	6	7	14
" MULTIPLE DX	624	5.6	42	1	2	4	6	10	16	35
TOTAL 0-19 YRS	213	3.5	5	1	1	3	4	5	6	12
20-34	700	3.6	5	1	2	3	4	6	7	13
35-49	313	3.8	8	1	1	3	5	7	9	14
50-64	304	5.7	58	1	2	4	6	10	15	33
65+	206	6.9	44	1	2	5	9	14	20	42
GRAND TOTAL	**1736**	**4.4**	**21**	**1**	**2**	**3**	**5**	**7**	**10**	**23**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	73	5.4	44	1	1	3	6	11	18	39
20-34	103	4.0	12	<1	1	3	5	7	12	59
35-49	79	4.1	9	<1	1	4	5	8	8	17
50-64	51	3.8	17	1	1	2	4	8	16	21
65+	21	3.3	17	<1	<1	2	3	15	50	99+
2. MULTIPLE DX										
0-19 YRS	69	6.8	31	1	2	6	8	13	17	35
20-34	71	9.3	135	1	2	6	10	20	25	67
35-49	44	6.4	95	1	1	3	7	11	17	62
50-64	38	14.0	331	1	1	5	20	43	58	72
65+	31	12.5	241	2	2	7	20	47	95	99+
TOT. SINGLE DX	327	4.3	20	<1	1	3	5	8	14	30
" MULTIPLE DX	253	9.2	147	1	2	5	10	22	39	72
TOTAL 0-19 YRS	142	6.1	38	1	1	4	8	12	17	38
20-34	174	6.2	69	1	1	4	6	13	20	66
35-49	123	4.9	41	1	1	4	5	8	12	37
50-64	89	8.1	175	1	1	3	7	22	39	68
65+	52	8.8	169	<1	1	3	14	37	92	99+
GRAND TOTAL	**580**	**6.4**	**81**	**1**	**1**	**4**	**7**	**14**	**23**	**70**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	133	2.8	16	<1	<1	2	3	5	8	29
20-34	194	2.6	21	<1	<1	2	2	4	7	28
35-49	126	3.1	32	<1	<1	2	3	5	9	40
50-64	85	3.8	18	<1	<1	2	4	11	14	72
65+	42	5.9	53	1	1	3	6	18	21	34
2. MULTIPLE DX										
0-19 YRS	55	5.2	59	<1	1	3	5	12	23	46
20-34	76	3.5	14	<1	<1	2	4	10	12	19
35-49	65	4.9	45	<1	<1	3	5	12	18	39
50-64	106	9.4	235	<1	1	3	11	26	34	78
65+	65	14.8	292	1	2	9	24	45	77	99+
TOT. SINGLE DX	580	3.2	25	<1	<1	2	3	6	12	34
" MULTIPLE DX	367	7.7	154	<1	1	3	8	22	33	80
TOTAL 0-19 YRS	188	3.5	30	<1	<1	2	3	7	11	32
20-34	270	2.9	19	<1	<1	2	3	5	10	21
35-49	191	3.8	38	<1	<1	2	3	7	13	39
50-64	191	6.9	146	<1	<1	3	5	17	28	79
65+	107	11.3	216	1	1	4	19	33	48	99+
GRAND TOTAL	**947**	**4.9**	**80**	**<1**	**<1**	**2**	**4**	**12**	**21**	**50**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	2.0	1	<1	<1	2	3	3	3	3
20-34	8	4.0	11	2	2	2	6	10	10	10
35-49	44	2.4	1	<1	<1	2	3	4	5	6
50-64	95	2.4	4	<1	<1	2	3	4	4	14
65+	90	2.6	3	<1	1	2	3	4	5	12
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	3.8	2	2	2	3	5	6	6	6
35-49	18	3.0	2	1	2	3	3	5	7	8
50-64	79	4.0	63	<1	1	2	3	5	10	55
65+	90	3.3	8	1	1	2	3	6	8	16
TOT. SINGLE DX	240	2.5	4	<1	<1	2	3	4	5	11
" MULTIPLE DX	193	3.5	30	1	1	2	3	6	8	18
TOTAL 0-19 YRS	4	2.0	1	<1	<1	2	3	3	3	3
20-34	13	3.9	8	2	2	3	5	9	10	10
35-49	62	2.6	2	<1	1	2	3	4	5	8
50-64	174	3.1	32	<1	<1	2	3	4	6	20
65+	180	3.0	6	<1	1	2	3	5	8	14
GRAND TOTAL	**433**	**3.0**	**16**	**<1**	**1**	**2**	**3**	**5**	**6**	**15**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	95	2.1	2	<1	1	2	2	3	5	10
20-34	159	2.3	3	1	1	2	3	4	6	13
35-49	49	2.2	4	<1	1	2	2	4	7	11
50-64	34	4.0	100	<1	1	2	4	4	6	60
65+	11	2.5	1	1	1	2	3	4	6	6
2. MULTIPLE DX										
0-19 YRS	64	3.1	18	1	1	2	3	5	8	29
20-34	147	3.1	12	1	1	2	4	6	7	19
35-49	66	5.5	83	<1	<1	3	5	11	32	93
50-64	47	4.2	60	1	1	2	3	6	16	50
65+	27	2.7	4	1	1	2	3	5	7	9
TOT. SINGLE DX	348	2.4	13	<1	1	2	2	4	6	11
" MULTIPLE DX	351	3.7	33	1	1	2	4	7	11	38
TOTAL 0-19 YRS	159	2.5	9	<1	1	2	3	4	6	16
20-34	306	2.7	8	1	1	2	3	5	7	15
35-49	115	4.1	52	<1	1	2	3	8	12	72
50-64	81	4.1	76	1	1	2	3	4	15	57
65+	38	2.6	3	1	1	2	3	5	7	9
GRAND TOTAL	**699**	**3.0**	**23**	**<1**	**1**	**2**	**3**	**5**	**7**	**31**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	54	2.9	3	1	1	2	4	6	7	8
20-34	159	3.3	6	<1	1	3	4	6	8	13
35-49	98	3.2	4	<1	1	3	4	6	8	10
50-64	89	3.9	8	1	1	3	5	8	9	16
65+	26	4.8	12	1	1	4	7	9	11	17
2. MULTIPLE DX										
0-19 YRS	34	4.2	18	<1	1	3	5	8	15	21
20-34	87	5.1	31	1	1	3	6	13	18	29
35-49	61	3.7	13	<1	1	3	4	7	10	22
50-64	64	7.5	126	1	2	5	8	13	23	73
65+	40	13.4	251	1	2	7	18	50	78	99+
TOT. SINGLE DX	426	3.5	6	1	1	3	4	7	8	12
" MULTIPLE DX	286	6.4	86	1	1	3	7	13	23	72
TOTAL 0-19 YRS	88	3.4	9	1	1	3	5	6	8	19
20-34	246	4.0	16	1	1	3	4	8	12	20
35-49	159	3.4	8	<1	1	3	4	6	8	16
50-64	153	5.4	60	1	2	3	6	10	13	45
65+	66	10.0	174	1	2	5	11	37	55	99+
GRAND TOTAL	**712**	**4.6**	**41**	**1**	**1**	**3**	**5**	**8**	**13**	**45**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	140	3.6	5	1	2	3	4	5	7	12
20-34	115	3.6	4	1	1	3	5	6	8	10
35-49	46	3.3	3	1	2	3	4	5	6	11
50-64	31	4.2	6	<1	1	3	6	8	9	10
65+	20	6.1	21	1	1	4	9	13	15	16
2. MULTIPLE DX										
0-19 YRS	111	4.0	8	1	2	3	4	8	9	16
20-34	71	5.4	19	1	2	4	6	11	15	23
35-49	32	9.4	216	1	1	4	7	28	52	58
50-64	19	5.4	30	<1	1	4	6	13	19	23
65+	17	14.1	347	2	2	9	15	32	62	78
TOT. SINGLE DX	352	3.7	6	1	1	3	5	6	8	13
" MULTIPLE DX	250	5.9	68	1	2	3	6	11	17	53
TOTAL 0-19 YRS	251	3.8	7	1	2	3	4	7	8	14
20-34	186	4.3	11	1	1	3	5	8	10	18
35-49	78	5.8	98	1	1	3	5	9	21	57
50-64	50	4.6	15	<1	1	3	6	9	10	23
65+	37	9.8	183	1	2	6	12	17	31	78
GRAND TOTAL	**602**	**4.6**	**33**	**1**	**2**	**3**	**5**	**8**	**11**	**25**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	3.5	20	<1	<1	1	4	10	16	17
20-34	40	2.7	16	<1	1	2	3	4	7	26
35-49	25	4.0	48	<1	1	2	3	5	22	33
50-64	20	7.6	164	<1	<1	3	6	23	42	53
65+	11	5.0	37	<1	1	2	6	14	21	22
2. MULTIPLE DX										
0-19 YRS	7	2.0		<1	<1	2	3	3	3	3
20-34	41	6.4	108	1	1	3	6	15	25	60
35-49	27	8.5	309	1	1	3	8	13	40	91
50-64	23	7.3	84	1	1	3	8	24	31	32
65+	18	8.4	188	<1	1	3	6	27	46	54
TOT. SINGLE DX	117	4.2	52	<1	1	2	3	9	18	40
" MULTIPLE DX	116	7.1	154	1	1	3	6	16	31	71
TOTAL 0-19 YRS	28	3.1	16	<1	<1	2	3	7	15	17
20-34	81	4.6	66	1	1	2	4	10	18	51
35-49	52	6.3	186	1	1	2	5	12	30	90
50-64	43	7.4	119	<1	1	3	7	24	31	53
65+	29	7.1	131	<1	1	3	6	18	35	54
GRAND TOTAL	**233**	**5.6**	**105**	**<1**	**1**	**2**	**5**	**12**	**26**	**55**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	5	2.8	6	1	1	2	4	7	7	7
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	2	23.0	578	6	6	23	40	40	40	40
20-34	3	22.0	723	5	5	30	76	99+	99+	99+
35-49	3	13.3	1	12	12	14	14	14	14	14
50-64										
65+	3	11.0	4	9	9	11	12	13	13	13
TOT. SINGLE DX	8	4.3	11	1	1	3	7	9	9	9
" MULTIPLE DX	11	16.8	233	5	6	12	27	67	95	99+
TOTAL 0-19 YRS	3	18.3	354	6	6	9	32	40	40	40
20-34	8	10.0	309	1	1	5	19	81	99+	99+
35-49	4	10.8	28	3	3	13	14	14	14	14
50-64										
65+	4	10.3	5	8	8	10	12	13	13	13
GRAND TOTAL	**19**	**11.5**	**174**	**1**	**2**	**8**	**13**	**46**	**76**	**99+**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	5.5	45	<1	1	3	5	15	24	24
20-34	8	11.5	318	2	2	4	10	42	55	55
35-49	11	4.5	11	<1	<1	4	7	9	11	11
50-64	10	2.5	1	1	1	2	3	4	4	4
65+	26	10.3	195	1	1	4	15	35	41	57
2. MULTIPLE DX										
0-19 YRS	6	8.0	75	2	2	4	12	23	24	24
20-34	15	22.3	409	2	4	20	31	44	69	78
35-49	18	17.3	213	3	4	10	33	45	76	99+
50-64	42	19.0	211	2	3	17	29	40	53	99+
65+	71	24.9	444	1	3	21	41	61	82	99+
TOT. SINGLE DX	65	7.5	131	1	1	4	7	21	36	57
" MULTIPLE DX	152	21.5	344	2	3	17	35	46	76	99+
TOTAL 0-19 YRS	16	6.4	54	<1	2	4	6	23	24	24
20-34	23	18.6	390	2	3	10	27	46	63	78
35-49	29	12.5	173	1	2	8	17	41	47	99+
50-64	52	15.8	213	1	2	10	26	39	46	99
65+	97	21.0	417	1	2	15	37	49	76	99+
GRAND TOTAL	**217**	**17.3**	**320**	**1**	**2**	**10**	**26**	**45**	**62**	**99+**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	2	30.5	13	28	28	30	33	33	33	33
35-49	2	43.5	761	24	24	43	63	63	63	63
50-64	1	43.0		43	43	43	43	43	43	43
65+	8	35.0	364	16	16	40	58	86	99+	99+
2. MULTIPLE DX										
0-19 YRS	3	24.7	114	13	13	27	32	34	34	34
20-34	9	32.4	206	13	14	32	38	54	60	60
35-49	8	34.3	857	7	9	21	58	80	81	81
50-64	30	39.4	707	9	11	31	60	89	91	99+
65+	102	36.7	512	9	13	33	63	99+	99+	99+
TOT. SINGLE DX	13	36.2	296	16	17	36	56	69	93	99+
" MULTIPLE DX	152	36.7	537	9	13	32	60	92	99+	99+
TOTAL 0-19 YRS	3	24.7	114	13	13	27	32	34	34	34
20-34	11	32.1	167	13	15	32	35	52	59	60
35-49	10	36.1	767	7	10	25	63	79	81	81
50-64	31	39.5	685	9	11	35	59	89	91	99+
65+	110	36.6	499	9	15	34	63	99+	99+	99+
GRAND TOTAL	**165**	**36.6**	**516**	**9**	**13**	**33**	**60**	**92**	**99+**	**99+**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	4	16.0	86	3	3	18	22	25	25	25
35-49	1	10.0		10	10	10	10	10	10	10
50-64	1	12.0		12	12	12	12	12	12	12
65+	3	17.3	76	10	10	15	24	27	27	27
2. MULTIPLE DX										
0-19 YRS	1	26.0		26	26	26	26	26	26	26
20-34	1	39.0		39	39	39	39	39	39	39
35-49	3	27.0	939	5	5	14	50	62	62	62
50-64	15	26.8	304	10	10	26	32	57	67	71
65+	74	26.5	540	5	8	21	57	99+	99+	99+
TOT. SINGLE DX	9	15.3	58	3	6	15	20	26	27	27
" MULTIPLE DX	94	26.7	492	5	9	21	54	99+	99+	99+
TOTAL 0-19 YRS	1	26.0		26	26	26	26	26	26	26
20-34	5	20.6	171	3	3	19	28	39	39	39
35-49	4	22.8	698	5	5	12	38	62	62	62
50-64	16	25.9	298	10	10	23	31	55	67	71
65+	77	26.1	524	5	8	20	56	99+	99+	99+
GRAND TOTAL	**103**	**25.7**	**463**	**5**	**9**	**20**	**46**	**97**	**99+**	**99+**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	4.7	2	3	3	5	6	6	6	6
20-34	1	11.0		11	11	11	11	11	11	11
35-49	1	44.0		44	44	44	44	44	44	44
50-64	1	20.0		20	20	20	20	20	20	20
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	6	23.5	374	4	4	20	35	52	54	54
35-49	7	27.3	124	14	15	29	41	82	99+	99+
50-64	10	42.4	600	13	18	45	70	92	99	99+
65+	9	58.9	695	26	28	72	81	88	89	89
TOT. SINGLE DX	7	13.1	221	3	3	6	18	39	44	44
" MULTIPLE DX	33	39.1	651	6	11	33	68	87	97	99+
TOTAL 0-19 YRS	4	4.8	2	3	3	5	6	6	6	6
20-34	7	21.7	334	4	5	11	33	50	54	54
35-49	8	29.4	141	14	16	33	42	78	99+	99+
50-64	11	40.4	586	14	18	39	65	91	99	99+
65+	10	53.3	931	3	14	55	79	87	89	89
GRAND TOTAL	**40**	**34.6**	**668**	**4**	**5**	**31**	**54**	**86**	**93**	**99+**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	1.8	1	<1	<1	1	2	4	4	4
20-34	4	14.0	68	5	5	13	19	25	25	25
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	17.5	61	12	12	17	23	23	23	23
65+										
2. MULTIPLE DX										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	6	11.5	37	3	3	11	15	20	21	21
35-49	5	11.4	63	2	2	10	19	20	20	20
50-64	2	12.0	242	1	1	12	23	23	23	23
65+										
TOT. SINGLE DX	12	8.4	76	<1	<1	4	13	24	25	25
" MULTIPLE DX	14	12.4	62	1	2	11	20	23	23	23
TOTAL 0-19 YRS	6	5.3	76	<1	<1	2	4	21	23	23
20-34	10	12.5	45	3	4	12	15	23	25	25
35-49	6	9.7	68	1	1	8	19	20	20	20
50-64	4	14.8	111	1	1	17	23	23	23	23
65+										
GRAND TOTAL	**26**	**10.5**	**70**	**<1**	**1**	**10**	**19**	**23**	**24**	**25**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	2.1	3	1	1	1	3	5	6	6
20-34	11	5.2	86	<1	<1	1	5	18	31	32
35-49	7	9.7	128	1	1	6	25	78	99+	99+
50-64	7	2.9	2	<1	<1	3	4	5	5	5
65+	4	10.0	35	5	5	8	14	18	18	18
2. MULTIPLE DX										
0-19 YRS	4	2.0	2	<1	<1	1	3	4	4	4
20-34	11	10.3	148	2	2	5	12	33	37	37
35-49	6	8.3	42	3	3	8	18	84	99+	99+
50-64	26	14.7	396	<1	1	8	19	61	86	99+
65+	16	19.8	143	3	6	20	30	42	80	99+
TOT. SINGLE DX	36	5.6	60	<1	1	2	6	22	31	99+
" MULTIPLE DX	63	13.8	246	<1	1	8	22	37	86	99+
TOTAL 0-19 YRS	11	2.1	3	<1	<1	1	3	5	6	6
20-34	22	7.7	118	<1	1	2	9	31	34	37
35-49	13	9.1	82	1	1	8	22	99+	99+	99+
50-64	33	12.2	334	<1	1	6	17	32	80	99+
65+	20	17.8	135	3	5	18	27	39	69	99+
GRAND TOTAL	**99**	**10.8**	**193**	**<1**	**1**	**6**	**18**	**32**	**74**	**99+**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	3.0		3	3	3	3	3	3	3
TOT. SINGLE DX	2	4.0	8	2	2	4	6	6	6	6
" MULTIPLE DX	3	1.7	1	1	1	1	3	3	3	3
TOTAL 0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	4.5	5	3	3	4	6	6	6	6
GRAND TOTAL	**5**	**2.6**	**4**	**1**	**1**	**2**	**4**	**6**	**6**	**6**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	66	1.9		<1	<1	2	2	3	4	6
20-34	307	2.0	2	<1	<1	2	2	3	4	9
35-49	527	2.6	6	<1	<1	2	3	5	7	13
50-64	304	3.3	8	<1	1	2	4	7	9	16
65+	193	4.6	20	1	1	3	6	10	11	29
2. MULTIPLE DX										
0-19 YRS	12	3.3	5	<1	<1	3	5	6	9	9
20-34	158	3.6	16	<1	<1	2	4	7	10	24
35-49	382	3.6	16	<1	<1	2	4	7	10	27
50-64	377	4.8	23	<1	1	3	6	11	14	26
65+	347	7.0	71	1	2	4	8	15	20	49
TOT. SINGLE DX	1397	2.8	8	<1	<1	2	3	6	8	14
" MULTIPLE DX	1276	4.9	36	<1	<1	3	5	10	15	28
TOTAL 0-19 YRS	78	2.1	2	<1	<1	2	2	4	5	8
20-34	465	2.5	8	<1	<1	2	3	4	7	15
35-49	909	3.0	11	<1	<1	2	3	6	9	20
50-64	681	4.1	18	<1	1	3	5	9	12	24
65+	540	6.1	55	1	2	4	7	13	18	38
GRAND TOTAL	**2673**	**3.8**	**22**	**<1**	**<1**	**2**	**4**	**8**	**12**	**24**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	26	3.2	11	<1	1	2	3	6	9	18
20-34	28	2.8	2	<1	1	3	4	5	6	6
35-49	31	5.5	28	<1	1	4	7	9	12	30
50-64	32	7.3	29	2	2	6	10	15	20	23
65+	26	6.7	11	2	3	7	8	11	13	16
2. MULTIPLE DX										
0-19 YRS	4	3.5	3	2	2	3	5	6	6	6
20-34	18	6.8	32	1	2	6	7	13	21	25
35-49	31	6.4	10	3	4	5	7	11	13	17
50-64	39	7.8	24	2	3	6	11	14	19	22
65+	84	11.2	97	3	4	8	13	25	31	51
TOT. SINGLE DX	143	5.2	20	1	1	4	7	11	14	23
" MULTIPLE DX	176	9.0	61	2	3	7	11	17	25	44
TOTAL 0-19 YRS	30	3.2	10	1	1	3	3	6	6	18
20-34	46	4.4	17	<1	1	3	6	7	12	25
35-49	62	5.9	19	1	2	5	7	10	13	28
50-64	71	7.6	26	2	2	6	10	15	20	23
65+	110	10.2	60	3	3	7	11	21	28	49
GRAND TOTAL	**319**	**7.3**	**46**	**1**	**2**	**6**	**8**	**15**	**21**	**36**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	14	6.6	4	4	4	6	8	9	11	11
35-49	70	9.4	30	5	5	8	10	14	17	40
50-64	112	8.7	9	5	5	9	10	12	14	21
65+	123	10.0	14	[illegible]	6	9	12	15	16	22
2. MULTIPLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	21	8.0	6	4	5	8	9	11	13	15
35-49	139	9.1	18	5	5	8	11	14	18	23
50-64	242	9.9	26	5	6	9	11	16	19	30
65+	218	11.4	46	5	6	9	13	20	27	99+
TOT. SINGLE DX	320	9.3	16	5	5	9	11	14	15	24
" MULTIPLE DX	621	10.2	32	5	6	9	11	16	21	38
TOTAL 0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	35	7.4	6	4	5	7	9	10	12	15
35-49	209	9.2	23	5	5	8	11	14	18	29
50-64	354	9.6	21	5	5	9	11	14	18	30
65+	341	10.9	35	5	6	9	13	16	22	55
GRAND TOTAL	**941**	**9.9**	**27**	**5**	**5**	**9**	**11**	**15**	**19**	**35**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	111	3.0	2	<1	1	3	4	5	5	9
20-34	440	3.3	3	<1	1	3	4	5	7	10
35-49	219	3.4	5	<1	1	3	4	6	8	12
50-64	86	4.2	18	1	2	4	5	7	8	29
65+	32	3.4	5	1	1	3	4	7	10	11
2. MULTIPLE DX										
0-19 YRS	55	4.5	13	1	2	3	5	9	12	19
20-34	371	3.4	5	<1	<1	3	4	6	8	12
35-49	259	4.0	6	<1	1	4	5	7	8	16
50-64	134	4.0	7	<1	1	3	4	7	10	15
65+	37	5.3	9	2	2	4	6	9	12	16
TOT. SINGLE DX	888	3.4	6	<1	1	3	4	5	7	11
" MULTIPLE DX	856	3.8	7	<1	1	3	4	7	9	16
TOTAL 0-19 YRS	166	3.5	6	<1	1	3	4	5	7	17
20-34	811	3.3	5	<1	<1	3	4	5	7	11
35-49	478	3.7	6	<1	1	3	4	6	8	13
50-64	220	4.1	12	1	2	3	4	7	8	16
65+	69	4.4	9	1	2	4	5	9	10	15
GRAND TOTAL	**1744**	**3.6**	**6**	**<1**	**1**	**3**	**4**	**6**	**8**	**13**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	269	3.8	4	1	1	4	5	6	7	11
20-34	480	3.8	4	1	1	3	5	7	8	11
35-49	55	4.0	8	<1	1	3	5	7	10	16
50-64	13	4.5	9	<1	2	4	5	10	11	11
65+	5	3.0	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	31	5.1	24	1	1	3	6	8	16	26
20-34	96	5.3	20	1	2	4	6	10	15	23
35-49	20	6.3	22	1	3	4	8	15	17	18
50-64	8	8.9	126	2	2	4	12	29	33	33
65+	2	4.5	13	2	2	4	7	7	7	7
TOT. SINGLE DX	822	3.8	5	1	1	3	5	6	8	11
" MULTIPLE DX	157	5.5	26	1	2	4	6	11	17	26
TOTAL 0-19 YRS	300	4.0	6	1	1	4	5	6	8	15
20-34	576	4.0	7	1	2	3	5	7	9	14
35-49	75	4.6	13	<1	2	4	5	10	14	18
50-64	21	6.2	54	1	2	4	5	14	25	33
65+	7	3.4	3	2	2	3	4	6	7	7
GRAND TOTAL	**979**	**4.1**	**8**	**1**	**2**	**3**	**5**	**7**	**9**	**16**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	284	2.4	13	<1	<1	1	2	5	8	16
20-34	330	3.4	31	<1	<1	2	4	7	10	26
35-49	229	3.4	18	<1	<1	2	3	8	14	22
50-64	158	5.3	76	<1	<1	2	5	13	18	31
65+	124	4.8	33	<1	<1	2	5	13	20	26
2. MULTIPLE DX										
0-19 YRS	129	7.5	158	<1	<1	3	7	17	35	74
20-34	219	8.6	163	<1	<1	5	9	22	36	99+
35-49	216	8.7	102	<1	1	5	11	23	33	54
50-64	235	11.2	153	<1	1	7	15	28	38	80
65+	456	13.4	174	1	2	9	19	36	50	99+
TOT. SINGLE DX	1125	3.6	32	<1	<1	2	4	8	13	27
" MULTIPLE DX	1255	10.7	159	<1	1	7	14	28	42	99+
TOTAL 0-19 YRS	413	4.0	64	<1	<1	2	3	8	13	44
20-34	549	5.5	90	<1	<1	3	5	13	22	71
35-49	445	6.0	66	<1	<1	3	7	15	23	41
50-64	393	8.8	131	<1	1	4	11	23	33	70
65+	580	11.6	156	<1	1	8	16	30	47	99+
GRAND TOTAL	**2380**	**7.3**	**112**	**<1**	**<1**	**3**	**9**	**20**	**30**	**78**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	471	3.9	25	<1	<1	2	5	8	13	21
20-34	474	4.6	32	<1	<1	3	5	10	14	38
35-49	205	6.2	85	<1	<1	3	7	13	20	50
50-64	139	7.4	75	<1	1	4	10	19	25	48
65+	107	9.7	157	<1	1	5	11	25	35	65
2. MULTIPLE DX										
0-19 YRS	613	5.6	73	<1	1	3	6	12	21	75
20-34	845	7.1	133	<1	1	3	7	18	29	78
35-49	414	8.7	144	1	1	5	10	21	34	80
50-64	390	13.2	330	1	1	7	14	37	62	99+
65+	545	16.6	372	1	2	10	24	51	75	99+
TOT. SINGLE DX	1396	5.2	55	<1	<1	3	6	12	17	40
" MULTIPLE DX	2807	9.7	212	1	1	4	11	26	45	99+
TOTAL 0-19 YRS	1084	4.8	53	<1	1	2	6	11	18	48
20-34	1319	6.2	99	<1	1	3	7	14	23	61
35-49	619	7.9	126	<1	1	4	9	19	29	78
50-64	529	11.7	270	1	1	6	13	31	52	98
65+	652	15.5	344	1	1	8	21	45	68	99+
GRAND TOTAL	**4203**	**8.2**	**164**	**<1**	**1**	**4**	**9**	**21**	**36**	**90**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	44	10.0	79	1	1	8	13	25	28	35
20-34	60	11.6	102	1	2	10	16	22	30	53
35-49	31	15.0	274	1	2	10	19	47	72	99+
50-64	18	16.4	176	2	3	14	24	31	45	53
65+	16	19.1	193	1	1	21	29	40	42	43
2. MULTIPLE DX										
0-19 YRS	65	19.5	241	3	4	14	26	45	65	95
20-34	79	18.1	214	2	3	17	26	40	57	99+
35-49	55	24.5	395	2	5	18	35	51	64	87
50-64	61	27.7	324	9	11	23	37	54	75	99
65+	93	30.2	303	6	8	30	44	62	80	99+
TOT. SINGLE DX	169	13.0	149	1	2	10	19	27	39	70
" MULTIPLE DX	353	24.2	311	3	5	21	34	51	67	99+
TOTAL 0-19 YRS	109	15.6	197	1	2	11	23	32	48	81
20-34	139	15.3	175	1	2	12	22	32	49	99+
35-49	86	21.0	369	2	2	15	29	50	67	95
50-64	79	25.1	311	3	7	22	35	52	65	97
65+	109	28.5	301	3	7	28	43	56	74	99+
GRAND TOTAL	**522**	**20.6**	**285**	**2**	**3**	**16**	**30**	**46**	**62**	**99+**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	4.2	29	<1	<1	2	6	12	18	19
20-34	20	9.9	166	1	1	4	13	27	42	51
35-49	9	7.7	57	1	1	5	12	20	24	24
50-64	3	6.0	9	3	3	6	8	9	9	9
65+	2	2.5	5	<1	<1	2	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	16	14.0	555	1	1	7	12	26	76	98
20-34	30	13.3	186	<1	2	9	17	39	52	99+
35-49	16	26.9	773	1	2	10	59	62	75	81
50-64	18	20.2	588	1	2	13	45	99+	99+	99+
65+	13	24.1	703	2	5	15	72	99+	99+	99+
TOT. SINGLE DX	45	7.4	96	<1	1	3	9	19	26	51
" MULTIPLE DX	93	18.6	505	1	2	10	33	79	99+	99+
TOTAL 0-19 YRS	27	10.0	356	<1	1	4	9	22	37	98
20-34	50	11.9	178	1	2	6	15	35	51	99+
35-49	25	20.0	591	1	2	8	27	61	67	81
50-64	21	18.1	527	2	2	9	40	99+	99+	99+
65+	15	21.2	661	<1	2	14	67	99+	99+	99+
GRAND TOTAL	**138**	**14.9**	**398**	**1**	**1**	**8**	**20**	**61**	**98**	**99+**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	162	3.1	9	<1	<1	2	4	8	10	13
20-34	209	3.0	5	<1	<1	2	4	6	7	11
35-49	137	3.5	5	<1	1	3	4	7	7	11
50-64	107	3.6	6	<1	<1	3	4	7	8	13
65+	43	4.1	17	<1	<1	3	6	9	13	20
2. MULTIPLE DX										
0-19 YRS	69	4.6	28	<1	1	3	5	9	12	30
20-34	241	4.6	29	<1	<1	4	5	8	11	28
35-49	256	5.5	32	<1	1	4	6	10	15	38
50-64	208	5.3	38	<1	1	4	5	9	18	36
65+	118	8.7	60	2	2	7	11	22	27	57
TOT. SINGLE DX	658	3.3	7	<1	<1	3	4	7	9	13
" MULTIPLE DX	892	5.6	38	<1	1	4	6	11	18	36
TOTAL 0-19 YRS	231	3.5	15	<1	<1	2	4	9	11	21
20-34	450	3.9	19	<1	<1	3	5	7	9	18
35-49	393	4.8	24	<1	1	4	5	8	12	33
50-64	315	4.7	28	<1	1	3	5	8	12	34
65+	161	7.5	52	1	1	5	9	19	24	38
GRAND TOTAL	**1550**	**4.6**	**26**	**<1**	**<1**	**3**	**5**	**9**	**12**	**30**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

Appendix

ICD-9-CM Codes for Selected Operation Groups

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	3.3	4	1	1	4	5	5	5	5
20-34	5	2.4	1	1	1	2	3	4	4	4
35-49	1	11.0		11	11	11	11	11	11	11
50-64	1	5.0		5	5	5	5	5	5	5
65+	2	5.5	25	2	2	5	9	9	9	9
2. MULTIPLE DX										
0-19 YRS	4	7.8	43	2	2	6	13	16	16	16
20-34	1	20.0		20	20	20	20	20	20	20
35-49	4	8.8	34	4	4	8	13	16	16	16
50-64	7	6.6	9	4	4	5	7	12	13	13
65+	6	14.5	131	2	2	15	20	31	32	32
TOT. SINGLE DX	12	4.1	10	1	1	3	5	10	11	11
" MULTIPLE DX	22	10.0	61	2	3	7	16	20	25	32
TOTAL 0-19 YRS	7	5.9	28	1	1	4	9	15	16	16
20-34	6	5.3	53	1	1	3	4	18	20	20
35-49	5	9.2	27	4	4	11	12	16	16	16
50-64	8	6.4	8	4	4	5	7	11	13	13
65+	8	12.3	115	2	2	10	19	28	32	32
GRAND TOTAL	**34**	**7.9**	**50**	**1**	**2**	**5**	**11**	**19**	**20**	**32**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	44	3.8	10	1	1	3	5	9	10	14
20-34	571	4.0	18	1	1	2	5	9	12	22
35-49	756	4.6	26	1	1	3	6	10	14	25
50-64	406	4.6	20	1	1	3	6	10	14	22
65+	105	4.8	36	1	1	2	6	11	15	31
2. MULTIPLE DX										
0-19 YRS	55	5.3	26	1	1	4	6	13	18	23
20-34	307	5.8	47	1	1	4	7	11	20	43
35-49	526	7.3	61	1	1	4	9	17	23	36
50-64	463	7.3	78	1	1	5	9	16	22	50
65+	214	11.7	152	1	1	8	15	26	33	61
TOT. SINGLE DX	1882	4.4	23	1	1	3	5	10	13	25
" MULTIPLE DX	1565	7.5	78	1	1	5	9	18	24	49
TOTAL 0-19 YRS	99	4.6	20	1	1	3	6	10	15	22
20-34	878	4.6	29	1	1	3	6	10	14	29
35-49	1282	5.7	43	1	1	3	7	13	19	33
50-64	869	6.0	53	1	1	4	8	13	18	34
65+	319	9.4	125	1	1	5	13	23	30	60
GRAND TOTAL	**3447**	**5.8**	**50**	**1**	**1**	**3**	**7**	**13**	**19**	**34**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	19	5.7	28	1	1	3	9	15	16	16
20-34	59	4.8	13	<1	1	3	7	10	12	18
35-49	80	6.0	43	1	1	4	7	11	23	32
50-64	95	5.5	33	<1	1	4	7	11	20	28
65+	116	4.9	27	<1	1	3	6	12	17	26
2. MULTIPLE DX										
0-19 YRS	10	8.8	20	<1	2	9	12	15	16	16
20-34	61	10.3	169	1	2	7	11	23	45	98
35-49	117	8.9	132	1	2	7	11	18	24	99+
50-64	320	8.7	89	1	2	7	10	16	22	44
65+	341	9.5	75	1	1	8	12	20	25	46
TOT. SINGLE DX	369	5.3	30	1	1	3	7	11	17	28
" MULTIPLE DX	849	9.2	94	1	2	7	11	18	25	60
TOTAL 0-19 YRS	29	6.8	27	1	1	5	11	15	16	16
20-34	120	7.6	99	1	2	5	9	15	23	86
35-49	197	7.8	98	1	2	5	8	17	24	93
50-64	415	8.0	78	1	1	6	10	15	22	37
65+	457	8.4	68	1	1	6	11	18	23	39
GRAND TOTAL	**1218**	**8.0**	**78**	**1**	**1**	**6**	**10**	**17**	**23**	**50**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	2	10.0	50	5	5	10	15	15	15	15
35-49	4	10.0	33	3	3	10	14	17	17	17
50-64	8	8.5	28	<1	1	8	13	15	16	16
65+	3	8.7	40	5	5	5	13	16	16	16
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49	17	12.6	99	4	5	11	14	19	38	48
50-64	27	14.4	76	2	3	14	19	27	34	36
65+	17	16.2	97	4	5	15	21	24	39	46
TOT. SINGLE DX	17	9.1	27	1	3	9	14	16	17	17
" MULTIPLE DX	61	14.4	88	3	5	14	18	23	35	48
TOTAL 0-19 YRS										
20-34	2	10.0	50	5	5	10	15	15	15	15
35-49	21	12.1	86	4	4	11	14	18	33	48
50-64	35	13.0	71	2	3	12	17	22	32	36
65+	20	15.1	94	4	5	15	19	23	35	46
GRAND TOTAL	**78**	**13.2**	**79**	**3**	**4**	**12**	**17**	**22**	**32**	**47**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	24	7.5	33	1	2	7	10	15	19	25
20-34	146	7.6	39	<1	1	6	11	14	20	27
35-49	163	5.7	22	<1	1	4	9	12	15	22
50-64	263	5.0	21	<1	1	3	8	12	14	19
65+	241	6.2	43	<1	1	4	9	14	18	35
2. MULTIPLE DX										
0-19 YRS	24	9.4	66	2	2	6	15	25	26	26
20-34	153	10.0	84	1	2	8	13	22	29	46
35-49	259	8.9	92	1	1	7	12	19	25	51
50-64	639	8.4	81	1	1	6	12	18	26	45
65+	959	10.9	160	1	1	8	14	23	34	93
TOT. SINGLE DX	837	6.0	32	<1	1	4	9	13	16	25
" MULTIPLE DX	2034	9.7	121	1	1	7	13	21	30	71
TOTAL 0-19 YRS	48	8.4	50	1	2	7	11	19	25	26
20-34	299	8.8	64	1	2	7	12	19	24	40
35-49	422	7.7	67	1	1	5	11	16	22	36
50-64	902	7.4	67	<1	1	5	11	16	22	40
65+	1200	9.9	141	1	1	7	13	22	31	85
GRAND TOTAL	**2871**	**8.7**	**98**	**1**	**1**	**6**	**12**	**19**	**26**	**52**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5408	3.9	18	1	1	3	5	8	10	19
20-34	5060	4.2	23	1	1	3	5	8	11	25
35-49	2854	4.8	24	1	1	3	6	10	13	24
50-64	2303	6.5	49	1	1	4	8	13	18	39
65+	2938	8.5	84	1	2	6	10	18	25	55
2. MULTIPLE DX										
0-19 YRS	5949	6.2	60	1	1	4	7	12	17	42
20-34	4912	6.0	58	1	1	4	7	12	18	42
35-49	3880	7.3	62	1	2	5	9	14	20	44
50-64	6303	9.2	82	1	2	7	11	19	27	52
65+	14666	12.3	148	2	3	9	15	26	40	99+
TOT. SINGLE DX	18563	5.2	38	1	1	3	6	11	15	32
" MULTIPLE DX	35710	9.3	108	1	2	6	11	20	29	71
TOTAL 0-19 YRS	11357	5.1	42	1	1	3	6	10	14	32
20-34	9972	5.1	42	1	1	3	6	10	15	36
35-49	6734	6.2	48	1	1	4	8	12	17	36
50-64	8606	8.5	75	1	2	6	10	18	25	49
65+	17604	11.7	140	2	3	8	14	25	37	97
GRAND TOTAL	**54273**	**7.9**	**88**	**1**	**1**	**5**	**9**	**17**	**25**	**58**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1666	4.6	44	<1	1	3	5	8	14	38
20-34	790	4.7	33	<1	<1	3	6	10	15	38
35-49	637	6.2	55	<1	<1	4	7	12	19	44
50-64	572	7.0	56	<1	1	5	9	14	18	36
65+	544	9.9	119	<1	1	7	11	21	34	62
2. MULTIPLE DX										
0-19 YRS	1776	7.3	98	1	2	4	7	15	27	68
20-34	746	9.0	142	1	1	5	10	20	34	67
35-49	763	9.2	103	1	2	6	11	18	27	56
50-64	1164	10.9	133	2	2	8	13	23	35	67
65+	2605	14.1	192	3	3	10	17	34	54	99+
TOT. SINGLE DX	4209	5.9	59	<1	1	4	7	12	19	44
" MULTIPLE DX	7054	10.8	152	1	2	7	13	24	39	95
TOTAL 0-19 YRS	3442	6.0	74	1	1	4	6	12	22	53
20-34	1536	6.8	91	<1	<1	4	7	15	22	59
35-49	1400	7.9	84	<1	1	5	9	15	23	51
50-64	1736	9.6	111	1	2	7	11	19	31	63
65+	3149	13.4	182	2	3	9	16	31	50	99+
GRAND TOTAL	**11263**	**9.0**	**123**	**1**	**1**	**5**	**11**	**20**	**33**	**74**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5785	4.1	15	1	1	3	5	8	10	18
20-34	2454	3.9	24	<1	1	3	5	7	10	26
35-49	1355	4.9	33	<1	1	3	6	10	13	35
50-64	1369	5.8	30	1	1	4	8	13	15	28
65+	2062	7.5	64	1	2	5	9	15	21	51
2. MULTIPLE DX										
0-19 YRS	7891	6.1	41	1	2	4	7	12	17	33
20-34	2612	5.1	50	1	1	3	6	10	14	39
35-49	2394	6.5	59	1	1	4	8	13	19	42
50-64	4078	7.8	62	1	2	6	10	15	21	46
65+	9886	10.4	120	2	2	7	13	22	32	86
TOT. SINGLE DX	13025	4.9	30	1	1	3	6	10	14	27
" MULTIPLE DX	26861	7.9	80	1	2	5	9	16	24	55
TOTAL 0-19 YRS	13676	5.2	31	1	1	4	6	10	14	30
20-34	5066	4.5	38	<1	1	3	5	8	12	37
35-49	3749	5.9	51	1	1	4	7	12	16	40
50-64	5447	7.3	55	1	2	5	9	15	20	43
65+	11948	9.9	112	2	2	7	12	21	30	82
GRAND TOTAL	**39886**	**6.9**	**66**	**1**	**1**	**5**	**8**	**14**	**21**	**47**

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

OPERATION INDEX (continued)

Group Number	Title
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy
	Fistula – *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

OPERATION INDEX (continued)

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions – *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, exept of hand
728	Hand

OPERATION INDEX (continued)

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage – *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

OPERATION INDEX (continued)

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision – *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

OPERATION INDEX (continued)

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

OPERATION INDEX (continued)

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

OPERATION INDEX (continued)

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

OPERATION INDEX (continued)

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus — *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) – *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) – *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

OPERATION INDEX (continued)

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

OPERATION INDEX (continued)

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

OPERATION INDEX (continued)

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

OPERATION INDEX (continued)

Group Number	Title
	Reduction (continued)
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia – *see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions – *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	Without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	With incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva

OPERATION INDEX (continued)

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula – *see Fistulectomy*
704	Hallux valgus
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
	Hernia – *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration – *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

OPERATION INDEX (continued)

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt – *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

OPERATION INDEX (continued)

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
644	Stress incontinence repair, except by urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture – *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown – *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction – *see Reduction, fracture*
	Transfer – *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

OPERATION INDEX (continued)

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray – *see Radiography*
751	Z-plasty, skin

R3850-1.13 U
11/86

LOS

LENGTH OF STAY

CPHA PUBLICATIONS

Geriatric Length of Stay by Diagnosis and Operation, United States, 1985

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1986

LENGTH OF STAY

Copyright 1986 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1985
. . . by Diagnosis, United States, North Central Region, 1985
. . . by Diagnosis, United States, Northeastern Region, 1985
. . . by Diagnosis, United States, Southern Region, 1985
. . . by Diagnosis, United States, Western Region, 1985
. . . by Diagnosis, Canada, 1985

. . . by Operation, United States, 1985
. . . by Operation, United States, North Central Region, 1985
. . . by Operation, United States, Northeastern Region, 1985
. . . by Operation, United States, Southern Region, 1985
. . . by Operation, United States, Western Region, 1985
. . . by Operation, Canada, 1985

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1985
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1985

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1985 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1985 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1985 LENGTH OF STAY BOOKS

Peg Eby, Research Assistant, Research Services
Carol A. Prevost, Research Associate
Jeanine DeLay, Assistant Director
Edward J. Kobrinski, Director

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data. 1
  Data Quality. 2
  Coverage 3
  Organization of Length of Stay Tables. 5
    Definition of Multiple Diagnosis Patients 5
    Definition of Operated Patients 6
  Explanation of Statistics. 6
  Defining the Extended Stay Case 7
Length of Stay Tables 15
  Summary of All Patients in Diagnosis Groups 17
  Diagnosis Groups 1-398 18
  Summary of All Patients in Operation Groups. 218
  Operation Groups 501-764 219
Appendix: ***ICD-9-CM*** **Codes for Selected Diagnosis and Operation Groups** . . 285
Index to Length of Stay Tables 291

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.



** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.

January - December 1985

	Short-Term Nonfederal Hospitals			Short-Term Nonfederal Hospital Beds		
	U.S. Total[2]	Number in Books	Percent in Books	U.S. Total[2]	Number in Books	Percent in Books
Hospital Category						
Bedsize						
6-24	332	44	13.3	6,138	880	14.3
25-49	1,161	226	19.5	42,908	8,735	20.3
50-99	1,283	383	29.9	92,066	27,587	30.0
100-199	1,221	393	32.2	172,860	56,242	32.5
200-299	703	232	33.0	170,564	57,368	33.6
300-399	415	142	34.2	141,454	48,545	34.3
400-499	265	90	34.0	117,253	39,787	33.9
500+	307	73	23.8	212,299	47,783	22.5
Total	5,687	1,583	27.8	955,542	286,927	30.0
Region and Census Division						
Northeast	814	342	42.0	205,568	67,158	32.7
New England	241	131	54.4	48,426	20,234	41.8
Middle Atlantic	573	211	36.8	157,142	46,924	29.9
North Central	1,673	515	30.8	267,603	105,699	39.5
East North Central	880	418	47.5	182,843	90,510	49.5
West North Central	793	97	12.2	84,760	15,189	17.9
South	2,139	366	17.1	338,647	61,836	18.3
South Atlantic	810	186	23.0	158,360	34,351	21.7
East South Central	496	89	17.9	71,653	13,196	18.4
West South Central	833	91	10.9	108,634	14,289	13.2
West	1,061	360	33.9	143,724	52,234	36.3
Mountain	370	153	41.4	40,264	19,940	49.5
Pacific	691	207	30.0	103,460	32,294	31.2
Total	5,687	1,583	27.8	955,542	286,927	30.0

The Pediatric book was compiled from the data of 1,569 hospitals. The Geriatric book was compiled from the data of 1,559 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1984 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients. The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.* Within each procedure group patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Diagnosis and procedure information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activites, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

In the diagnosis tables, operated patients are patients who had at least one UHDDS Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated. In the procedure tables, operated patients are those whose principal procedure was grouped into an *ICD-9-CM List B* number where at least one UHDDS Class 1 procedure was present. While most *List B* groups contain only Class 1 procedures, the following groups contain Class 1 procedures and at least one procedure that is Class 2-4: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764.

Explanation of Statistics

The *List A* diagnosis group titles and *List B* procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis or procedure codes included in that *List A* or *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \bar{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\bar{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis or procedure group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups* or *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the admission diagnosis or principal procedure in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses or procedures can also be found in the Alphabetic Indexes at the back of the length of stay books.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening—Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table. Operated codes can be found in *ICD-9-CM,* Volume 3.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate operation length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 67 year old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,* and *Volume 3, Procedures, Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g.			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	**2**		**215**
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	**Cholelithiasis**
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis INDEX TO DISEASES

- **Cholangitis** (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  - chronic nonsuppurative destructive 571.6
  - nonsuppurative destructive (chronic) 571.6
- **Cholecystdocholithiasis** — *see* Choledocholithiasis
- **Cholecystitis** (chronic) 575.1

Note — Use the following fifth-digit subclassification with category 574:

0 without mention of obstruction

1 with obstruction

  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.4
      - gallbladder 574.1
    - choledocholithiasis 574.4
    - cholelithiasis 574.1
  - acute 575.0
    - with
      - calculus, stones in
        - bile duct (common) (hepatic) 574.3
        - gallbladder 574.0
      - choledocholithiasis 574.3
      - cholelithiasis 574.0
  - emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
  - gangrenous *(see also* Cholecystitis, acute) 575.0
  - paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
  - suppurative *(see also* cholecystitis, acute) 575.0
  - typhoidal 002.0
- **Choledochitis** (suppurative) 576.1
- **Choledocholith** — *see* Choledocholithiasis
- **Choledocholithiasis** 574.5

Note — Use the following fifth-digit subclassification with category 574:

0 without mention of obstruction

1 with obstruction

  - with cholecystitis (chronic) 574.4
    - acute 574.3
- **Cholelithiasis** (impacted) (multiple) 574.2

Note — Use the following fifth-digit subclassification with category 574:

0 without mention of obstruction

1 with obstruction

  - with cholecystitis (chronic) 574.1
    - acute 574.0
- **Cholemia** *(see also* Jaundice) 782.4
  - familial 277.4
  - Gilbert's (familial nonhemolytic) 277.4
- **Cholemic gallstone** — *see* Cholelithiasis
- **Choleperitoneum, choleperitonitis** *(see also* Disease, gallbladder) 567.8
- **Cholera** (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  - antimonial 985.4
  - carrier (suspected) of V02.0
  - classical 001.0
  - contact V01.0
  - due to
    - Vibrio
      - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        - El Tor 001.1
  - El Tor 001.1
  - exposure to V01.0
  - vaccination, prophylactic (against) V03.0
- **Cholerine** *(see also* Cholera) 001.9
- **Cholestasis** *(see also* Disease, gallbladder) 575.8
- **Cholesteatoma** (ear) 385.30
  - attic (primary) 385.31
  - diffuse 385.35
  - external ear (canal) 380.21
  - marginal (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
    - secondary (with middle ear involvement) 385.33
  - mastoid cavity 385.30
  - middle ear 385.30
    - secondary 385.32
      - with involvement of mastoid cavity 385.33
  - postmastoidectomy cavity (recurrent) 383.32
  - primary 385.31
  - recurrent, postmastoidectomy cavity 383.32
  - secondary (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
- **Cholesteatosis** (middle ear) *(see also* Cholesteatoma) 385.30
  - diffuse 385.35

124

Step 2. Find the table for group 215 in the length of stay book.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	492	4.7	16	1	2	4	6	9	11	16
70-74	362	4.8	9	1	2	4	6	9	10	14
75-79	264	5.7	11	2	2	5	7	10	12	15
80-84	182	6.6	25	2	2	6	8	11	14	31
85+	165	6.2	21	1	2	5	8	11	14	22
B. *Operated*										
65-69 YRS	3260	9.4	16	5	6	8	11	14	17	24
70-74	2155	10.2	19	6	6	9	12	16	19	26
75-79	1174	11.6	35	6	7	10	13	18	21	30
80-84	516	12.4	30	6	7	11	15	19	22	32
85+	289	14.0	53	6	7	13	17	23	29	39
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1629	6.5	24	2	2	5	8	12	15	23
70-74	1688	7.0	24	2	3	6	9	13	16	22
75-79	1639	7.8	32	2	3	6	10	15	18	30
80-84	1253	8.2	35	2	3	7	10	15	18	32
85+	1294	9.1	46	3	3	8	11	16	21	34
B. *Operated*										
65-69 YRS	6320	13.1	58	6	7	11	16	22	26	44
70-74	5233	14.5	70	6	7	12	17	24	30	50
75-79	3672	16.0	86	7	8	14	19	26	32	55
80-84	2020	18.2	104	8	9	16	22	30	38	59
85+	1293	19.9	137	8	9	17	24	34	42	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*	7503	7.6	32	2	3	6	10	14	17	28
B. *Operated*	18538	15.1	82	6	7	13	18	25	32	52
1. SINGLE DX	8859	9.5	26	3	5	8	11	16	19	28
2. MULTIPLE DX	26041	12.9	79	3	5	11	16	23	29	48
A. NOT OPERATED	8968	7.3	30	2	3	6	9	13	17	28
B. OPERATED	25932	13.7	70	6	7	11	17	23	29	47
TOTAL 65-69 YRS	11701	10.8	47	3	5	9	13	18	23	36
70-74	9438	11.8	58	3	5	10	15	20	26	41
75-79	6749	12.9	75	3	5	11	16	23	28	45
80-84	3971	13.7	91	3	5	11	17	25	31	52
85+	3041	14.0	112	3	4	12	18	26	34	57
GRAND TOTAL	**34900**	**12.1**	**68**	**3**	**5**	**10**	**15**	**21**	**27**	**44**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	492	4.7	16	1	2	4	6	9	11	16
70-74	362	4.8	9	1	2	4	6	9	10	14
75-79	264	5.7	11	2	2	5	7	10	12	15
80-84	182	6.6	25	2	2	6	8	11	14	31
85+	165	6.2	21	1	2	5	8	11	14	22
B. *Operated*										
65-69 YRS	3260	9.4	16	5	6	8	11	14	17	24
70-74	2155	10.2	19	6	6	9	12	16	19	26
75-79	1174	11.6	35	6	7	10	13	18	21	30
80-84	516	12.4	30	6	7	11	15	19	22	32
85+	289	14.0	53	6	7	13	17	23	29	39

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	492	4.7	16	1	2	4	6	9	11	16
70-74	362	4.8	9	1	2	4	6	9	10	14
75-79	264	5.7	11	2	2	5	7	10	12	15
80-84	182	6.6	25	2	2	6	8	11	14	31
85+	165	6.2	21	1	2	5	8	11	14	22
B. *Operated*										
65-69 YRS	3260	9.4	16	5	6	8	11	14	17	24
70-74	2155	10.2	19	6	6	9	12	16	19	26
75-79	1174	11.6	35	6	7	10	13	18	21	30
80-84	516	12.4	30	6	7	11	15	19	22	32
85+	289	14.0	53	6	7	13	17	23	29	39

Step 5. The patient is 67 years old and therefore falls in the age group 65-69.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	492	4.7	16	1	2	4	6	9	11	16
70-74	362	4.8	9	1	2	4	6	9	10	14
75-79	264	5.7	11	2	2	5	7	10	12	15
80-84	182	6.6	25	2	2	6	8	11	14	31
85+	165	6.2	21	1	2	5	8	11	14	22
B. *Operated*										
65-69 YRS	3260	9.4	16	5	6	8	11	14	17	24
70-74	2155	10.2	19	6	6	9	12	16	19	26
75-79	1174	11.6	35	6	7	10	13	18	21	30
80-84	516	12.4	30	6	7	11	15	19	22	32
85+	289	14.0	53	6	7	13	17	23	29	39

Step 6. The 50th percentile day is the date assigned for initial extended stay review. Column 7 shows the eighth day after admission to be the day that this patient comes up for extended stay review.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	492	[illegible]	16	1	2	4	6	9	11	16
70-74	362	[illegible]	9	1	2	4	6	9	10	14
75-79	264	5.7	11	2	2	5	7	10	12	15
80-84	182	6.6	25	2	2	6	8	11	14	31
85+	165	6.2	21	1	2	5	8	11	14	22
B. *Operated*										
65-69 YRS	3260	9.4	16	5	6	8	11	14	17	24
70-74	2155	10.2	19	6	6	9	12	16	19	26
75-79	1174	11.6	35	6	7	10	13	18	21	30
80-84	516	12.4	30	6	7	11	15	19	22	32
85+	289	14.0	53	6	7	13	17	23	29	39

The patient was admitted on 3 November; therefore, the eighth day will fall on 11 November. Prior to or on 11 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables
Diagnosis Groups

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	26557	5.7	37	1	1	4	7	11	16	32
70-74	23787	5.8	39	1	1	4	7	11	15	35
75-79	19458	5.9	37	1	1	4	7	11	16	33
80-84	13616	6.1	38	1	1	4	7	12	16	32
85+	12210	5.9	30	1	1	4	7	11	15	28
B. *Operated*										
65-69 YRS	52069	5.2	22	1	1	4	7	11	14	21
70-74	43508	5.5	26	1	1	4	8	12	15	23
75-79	31388	5.8	33	<1	1	4	8	13	16	26
80-84	18806	6.1	36	1	1	4	9	14	17	27
85+	12860	6.9	45	1	1	5	10	15	19	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	272764	7.0	42	1	2	5	9	13	18	34
70-74	297329	7.3	44	1	2	6	9	14	19	35
75-79	279430	7.7	48	2	2	6	9	14	19	37
80-84	226221	8.1	53	2	2	6	10	15	20	40
85+	217636	8.4	58	2	3	7	10	16	21	45
B. *Operated*										
65-69 YRS	226069	9.3	87	1	2	7	12	19	26	51
70-74	216056	10.1	95	1	2	8	13	20	28	54
75-79	174541	10.8	106	1	2	8	14	22	30	59
80-84	115701	11.7	120	2	2	9	15	24	33	67
85+	88172	12.7	125	2	2	10	16	25	34	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	95628	5.8	37	1	1	4	7	11	15	32
B. *Operated*	158631	5.6	29	1	1	4	8	12	15	24
2. MULTIPLE DX										
A. *Not Operated*	1293380	7.7	49	2	2	6	9	14	19	37
B. *Operated*	820539	10.5	103	1	2	8	14	21	29	58
1. SINGLE DX	254259	5.7	32	1	1	4	8	12	15	27
2. MULTIPLE DX	2113919	8.8	72	2	2	7	11	17	24	47
A. NOT OPERATED	1389008	7.5	48	2	2	6	9	14	19	37
B. OPERATED	979170	9.7	94	1	2	7	13	20	28	55
TOTAL 65-69 YRS	577459	7.7	60	1	2	6	10	15	21	41
70-74	580680	8.1	64	1	2	6	10	16	22	43
75-79	504817	8.6	70	1	2	6	11	17	23	46
80-84	374344	9.0	75	2	2	7	11	18	24	49
85+	330878	9.4	79	2	2	7	12	18	25	54
GRAND TOTAL	**2368178**	**8.4**	**69**	**1**	**2**	**6**	**11**	**17**	**23**	**46**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	120	3.8	7	1	1	3	5	7	9	15
70-74	96	3.8	6	1	1	4	5	7	8	12
75-79	81	3.8	6	<1	1	3	5	7	9	13
80-84	61	4.0	12	1	2	3	4	7	9	24
85+	50	4.1	29	<1	1	3	4	7	9	33
B. *Operated*										
65-69 YRS	8	6.0	14	2	2	5	7	12	14	14
70-74	7	4.7	3	3	3	4	6	8	8	8
75-79	7	9.7	50	<1	1	6	16	19	19	19
80-84	1	7.0		7	7	7	7	7	7	7
85+	3	6.7	14	4	4	5	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1119	4.7	13	1	2	4	6	8	11	21
70-74	1169	5.2	17	2	2	4	6	9	13	23
75-79	1086	5.4	16	1	2	4	7	10	12	20
80-84	832	6.0	19	2	2	5	8	11	14	23
85+	806	6.6	37	2	2	5	8	12	16	36
B. *Operated*										
65-69 YRS	128	10.2	66	3	4	8	13	20	25	44
70-74	117	10.6	53	3	4	9	13	18	26	40
75-79	105	11.4	98	3	4	9	14	21	31	85
80-84	90	12.0	119	2	3	9	15	27	43	99+
85+	56	12.3	94	2	3	10	16	30	34	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	408	3.9	10	1	1	3	5	7	9	15
B. *Operated*	26	6.8	22	2	3	5	7	15	17	19
2. MULTIPLE DX										
A. *Not Operated*	5012	5.5	20	1	2	4	7	10	13	24
B. *Operated*	496	11.1	82	3	4	9	14	21	31	58
1. SINGLE DX	434	4.0	11	1	1	3	5	7	10	17
2. MULTIPLE DX	5508	6.0	28	2	2	5	7	11	15	29
A. NOT OPERATED	5420	5.4	19	1	2	4	7	10	13	23
B. OPERATED	522	10.9	80	3	4	8	14	20	30	52
TOTAL 65-69 YRS	1375	5.1	20	1	2	4	6	9	13	24
70-74	1389	5.6	22	1	2	4	7	10	14	26
75-79	1279	5.8	25	1	2	5	7	11	14	28
80-84	984	6.4	31	2	2	5	8	12	17	30
85+	915	6.8	42	2	2	5	8	13	17	36
GRAND TOTAL	**5942**	**5.9**	**27**	**1**	**2**	**4**	**7**	**11**	**15**	**28**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	13	7.8	22	2	2	6	10	15	17	17
70-74	9	8.9	16	3	3	10	12	13	13	13
75-79	10	16.7	352	2	2	7	20	49	60	60
80-84	7	6.3	10	3	3	5	9	11	11	11
85+	8	14.1	86	1	3	12	22	27	28	28
B. *Operated*										
65-69 YRS	13	11.2	50	2	3	11	13	24	25	25
70-74	13	10.0	40	1	4	9	11	18	25	27
75-79	10	10.9	71	3	4	8	14	23	31	31
80-84	6	10.7	49	2	2	10	14	21	22	22
85+	4	14.3	180	5	5	9	22	34	34	34
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	88	15.9	248	4	5	12	18	31	66	96
70-74	107	12.9	88	3	5	10	16	27	29	52
75-79	99	12.5	92	3	4	10	15	21	30	59
80-84	66	15.1	154	3	4	12	19	30	36	70
85+	63	13.9	77	2	4	12	19	26	33	39
B. *Operated*										
65-69 YRS	98	14.8	119	4	5	12	18	29	41	78
70-74	127	17.2	148	5	6	14	22	31	40	68
75-79	109	16.2	170	4	6	12	20	30	40	77
80-84	70	17.0	163	3	6	15	20	25	36	80
85+	36	18.1	133	7	7	17	22	32	37	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	10.7	108	2	3	8	12	20	30	60
B. *Operated*	46	11.0	57	2	4	9	14	24	28	34
2. MULTIPLE DX										
A. *Not Operated*	423	13.9	131	3	5	11	18	26	34	69
B. *Operated*	440	16.4	148	4	5	14	20	29	39	71
1. SINGLE DX	93	10.9	82	2	3	9	13	22	28	51
2. MULTIPLE DX	863	15.2	141	3	5	12	19	28	36	70
A. NOT OPERATED	470	13.6	129	3	4	11	17	26	34	68
B. OPERATED	486	15.9	142	4	5	13	20	29	37	68
TOTAL 65-69 YRS	212	14.6	165	3	4	12	18	28	44	94
70-74	256	14.7	119	3	5	12	19	27	34	58
75-79	228	14.4	141	3	5	11	17	26	36	64
80-84	149	15.4	152	3	5	13	19	27	34	73
85+	111	15.3	100	3	5	13	20	29	34	48
GRAND TOTAL	**956**	**14.8**	**137**	**3**	**5**	**12**	**19**	**28**	**36**	**68**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	19.0		19	19	19	19	19	19	19
70-74										
75-79										
80-84										
85+	3	14.0	433	1	1	3	29	38	38	38
B. *Operated*										
65-69 YRS	1	9.0		9	9	9	9	9	9	9
70-74	8	10.9	148	1	1	8	12	31	39	39
75-79	6	4.8	18	1	1	3	10	10	10	10
80-84	1	15.0		15	15	15	15	15	15	15
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11	12.5	104	3	3	12	19	27	34	35
70-74	16	8.6	22	2	3	7	13	15	16	17
75-79	8	13.4	268	<1	<1	4	25	40	43	43
80-84	5	10.0	39	3	3	7	16	18	18	18
85+	6	27.5	1166	2	4	18	77	99	99+	99+
B. *Operated*										
65-69 YRS	35	22.1	389	4	5	17	27	54	64	95
70-74	27	26.7	638	7	8	19	32	88	96	99+
75-79	22	21.5	286	2	3	19	29	42	62	69
80-84	16	21.7	588	3	3	14	26	72	81	83
85+	8	26.0	618	1	2	19	40	66	73	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	15.3	295	1	1	11	28	38	38	38
B. *Operated*	16	8.8	86	1	1	8	10	15	32	39
2. MULTIPLE DX										
A. *Not Operated*	46	13.0	241	1	2	9	17	31	51	99+
B. *Operated*	108	23.4	463	3	4	17	28	57	80	98
1. SINGLE DX	20	10.1	122	1	1	8	12	28	38	39
2. MULTIPLE DX	154	20.3	417	3	3	14	26	51	79	99+
A. NOT OPERATED	50	13.2	240	1	2	9	18	34	43	99+
B. OPERATED	124	21.5	437	2	3	15	27	54	78	97
TOTAL 65-69 YRS	48	19.6	322	3	4	15	25	38	57	95
70-74	51	18.5	436	2	4	12	23	45	91	99+
75-79	36	16.9	269	<1	1	11	26	35	53	69
80-84	22	18.7	453	3	3	14	19	43	79	83
85+	17	24.4	714	1	1	17	38	89	98	99+
GRAND TOTAL	**174**	**19.1**	**393**	**2**	**3**	**13**	**25**	**44**	**76**	**99**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74										
75-79										
80-84										
85+	2	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	34	4.8	5	2	3	4	6	8	10	12
70-74	27	5.9	15	2	3	5	7	9	16	19
75-79	22	5.4	7	3	3	4	8	10	11	12
80-84	10	4.4	4	2	2	4	6	7	8	8
85+	15	7.7	34	2	2	6	9	20	21	21
B. *Operated*										
65-69 YRS										
70-74	1	10.0		10	10	10	10	10	10	10
75-79	3	20.3	320	10	10	10	33	41	41	41
80-84										
85+	3	14.3	234	5	5	6	25	32	32	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	4.7	1	4	4	4	6	6	6	6
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	108	5.6	12	2	3	4	7	9	12	20
B. *Operated*	7	16.3	202	5	5	10	27	39	41	41
1. SINGLE DX	3	4.7	1	4	4	4	6	6	6	6
2. MULTIPLE DX	115	6.2	29	2	3	5	7	10	14	35
A. NOT OPERATED	111	5.5	12	2	3	4	7	9	12	20
B. OPERATED	7	16.3	202	5	5	10	27	39	41	41
TOTAL 65-69 YRS	35	4.9	5	2	3	4	6	8	10	12
70-74	28	6.0	15	2	3	5	8	10	15	19
75-79	25	7.2	58	3	3	4	9	10	19	41
80-84	10	4.4	4	2	2	4	6	7	8	8
85+	20	8.4	57	2	3	6	9	20	26	32
GRAND TOTAL	**118**	**6.2**	**28**	**2**	**3**	**5**	**7**	**10**	**14**	**35**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	40	8.1	30	2	3	6	11	18	20	23
70-74	54	8.5	31	3	4	7	10	14	18	36
75-79	36	7.8	26	2	2	7	10	12	16	29
80-84	39	10.3	72	1	3	8	11	23	33	36
85+	59	7.5	15	2	3	7	9	13	15	20
B. *Operated*										
65-69 YRS	5	16.8	6	14	14	17	18	20	20	20
70-74	6	13.3	43	8	8	10	17	24	25	25
75-79	5	11.0	13	7	7	11	14	15	15	15
80-84	3	21.0	192	13	13	13	31	37	37	37
85+	2	28.5	5	27	27	28	30	30	30	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2012	10.4	48	3	5	9	13	17	23	38
70-74	2543	10.6	46	3	5	9	13	18	22	35
75-79	2802	11.0	54	4	5	9	13	19	24	39
80-84	2666	11.5	59	4	5	10	14	20	25	43
85+	3392	11.6	66	4	5	10	14	19	25	48
B. *Operated*										
65-69 YRS	695	19.9	244	6	7	15	24	43	52	90
70-74	821	19.5	203	6	7	15	24	39	47	87
75-79	808	19.1	179	6	8	15	24	36	46	85
80-84	632	19.9	166	7	8	16	26	38	50	95
85+	626	19.2	155	7	8	16	23	35	43	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	228	8.4	33	2	3	7	10	14	20	36
B. *Operated*	21	16.1	62	7	8	14	18	28	33	37
2. MULTIPLE DX										
A. *Not Operated*	13415	11.1	56	4	5	9	13	19	24	41
B. *Operated*	3582	19.5	191	6	8	15	24	37	48	85
1. SINGLE DX	249	9.0	40	2	3	7	11	16	21	36
2. MULTIPLE DX	16997	12.8	96	4	5	10	15	23	31	56
A. NOT OPERATED	13643	11.0	56	4	5	9	13	19	24	41
B. OPERATED	3603	19.5	190	6	8	15	24	37	48	85
TOTAL 65-69 YRS	2752	12.8	114	4	5	10	15	23	34	64
70-74	3424	12.7	98	4	5	10	15	23	31	53
75-79	3651	12.7	93	4	5	10	15	23	31	57
80-84	3340	13.1	90	4	5	11	16	24	33	54
85+	4079	12.7	87	4	5	10	15	22	29	57
GRAND TOTAL	**17246**	**12.8**	**95**	**4**	**5**	**10**	**15**	**23**	**31**	**56**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	15	6.7	39	2	2	5	7	9	23	28
70-74	16	5.6	11	1	2	5	7	10	13	14
75-79	8	5.9	11	3	3	5	7	11	13	13
80-84	6	4.5	5	1	1	4	5	8	8	8
85+	14	8.2	28	2	3	7	12	15	18	19
B. *Operated*										
65-69 YRS	4	8.5	25	2	2	9	12	14	14	14
70-74	3	13.7	112	4	4	12	22	25	25	25
75-79	4	13.3	104	6	6	9	20	28	28	28
80-84										
85+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	171	7.7	31	2	3	6	9	14	17	34
70-74	164	8.7	42	3	4	7	10	15	22	40
75-79	178	9.9	67	3	4	8	12	17	22	53
80-84	120	8.3	36	3	3	6	10	16	21	30
85+	168	9.8	91	3	4	7	12	17	21	61
B. *Operated*										
65-69 YRS	89	18.5	205	5	6	14	23	38	46	74
70-74	86	16.9	187	4	5	14	20	32	44	77
75-79	67	18.8	248	5	6	13	24	57	76	99+
80-84	33	21.9	300	3	6	16	32	47	54	79
85+	49	18.4	271	5	6	13	21	52	66	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	6.4	22	2	2	5	8	13	15	27
B. *Operated*	12	11.3	63	2	3	9	13	26	28	28
2. MULTIPLE DX										
A. *Not Operated*	801	8.9	55	3	3	7	11	16	21	39
B. *Operated*	324	18.5	228	4	6	14	23	40	60	99+
1. SINGLE DX	71	7.2	31	2	2	6	9	14	19	28
2. MULTIPLE DX	1125	11.7	123	3	4	8	14	23	33	66
A. NOT OPERATED	860	8.7	53	3	3	7	10	16	21	38
B. OPERATED	336	18.2	223	4	6	14	22	39	57	99+
TOTAL 65-69 YRS	279	11.1	112	2	3	8	13	22	34	58
70-74	269	11.2	103	3	4	8	13	23	32	52
75-79	257	12.1	128	3	4	9	14	24	38	97
80-84	159	11.0	120	3	3	7	14	22	33	55
85+	232	11.5	137	3	4	8	13	20	28	81
GRAND TOTAL	**1196**	**11.4**	**119**	**3**	**4**	**8**	**13**	**22**	**32**	**65**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	5.7	8	1	2	6	7	10	10	10
70-74	6	5.5	28	2	2	4	5	15	16	16
75-79	4	10.5	110	3	3	6	16	26	26	26
80-84	2	10.5	85	4	4	10	17	17	17	17
85+	4	4.0	9	<1	<1	4	6	7	7	7
B. *Operated*										
65-69 YRS	2	4.0	8	2	2	4	6	6	6	6
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	32	7.3	22	2	3	6	9	12	19	22
70-74	24	8.7	24	3	3	8	11	16	18	21
75-79	18	8.4	34	2	3	8	11	16	22	24
80-84	6	9.2	41	3	3	7	17	17	17	17
85+	6	13.5	46	6	6	12	20	22	22	22
B. *Operated*										
65-69 YRS	3	9.0	28	5	5	7	13	15	15	15
70-74	6	12.3	23	6	6	11	18	18	18	18
75-79	3	19.3	190	9	9	14	30	35	35	35
80-84	1	8.0		8	8	8	8	8	8	8
85+	1	32.0		32	32	32	32	32	32	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	6.5	32	1	2	5	7	16	19	26
B. *Operated*	2	4.0	8	2	2	4	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	86	8.5	29	3	3	7	11	17	20	23
B. *Operated*	14	14.2	84	5	6	11	18	32	34	35
1. SINGLE DX	27	6.3	31	1	2	5	7	15	18	26
2. MULTIPLE DX	100	9.3	40	3	3	8	11	18	21	33
A. NOT OPERATED	111	8.0	30	2	3	7	10	17	20	25
B. OPERATED	16	12.9	85	3	5	10	16	31	34	35
TOTAL 65-69 YRS	46	6.9	19	2	3	6	9	11	16	22
70-74	36	8.8	27	2	3	8	12	17	18	21
75-79	25	10.1	65	2	3	9	12	24	28	35
80-84	9	9.3	37	3	3	8	17	17	17	17
85+	11	11.7	92	<1	1	8	19	26	31	32
GRAND TOTAL	**127**	**8.6**	**39**	**2**	**3**	**7**	**11**	**17**	**21**	**33**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	89	6.3	19	2	2	6	8	11	15	25
70-74	86	5.5	16	1	2	5	7	10	13	22
75-79	66	5.1	7	1	2	5	6	8	10	14
80-84	53	6.6	18	1	2	6	8	11	13	25
85+	42	7.2	31	1	2	6	8	14	19	29
B. *Operated*										
65-69 YRS	3	4.7	4	3	3	4	6	7	7	7
70-74	9	6.0	19	1	1	6	9	12	13	13
75-79	5	4.2	16	1	1	2	8	9	9	9
80-84	1	3.0		3	3	3	3	3	3	3
85+	4	3.8	9	1	1	3	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	559	7.6	34	2	3	6	9	14	18	31
70-74	641	7.7	32	2	3	6	9	13	20	31
75-79	677	7.9	37	2	3	6	10	15	19	32
80-84	496	8.4	56	2	3	7	10	15	21	41
85+	486	8.7	38	2	3	7	11	16	20	28
B. *Operated*										
65-69 YRS	71	13.3	205	1	2	8	16	32	48	67
70-74	78	14.4	141	2	3	11	19	31	41	58
75-79	82	13.5	118	1	3	11	17	27	40	49
80-84	55	15.5	185	3	4	10	24	36	41	99
85+	46	16.4	189	3	4	13	18	34	50	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	336	6.0	17	1	2	5	7	10	14	23
B. *Operated*	22	4.9	13	1	1	4	8	10	12	13
2. MULTIPLE DX										
A. *Not Operated*	2859	8.0	39	2	3	7	10	15	20	33
B. *Operated*	332	14.4	162	2	3	10	18	32	43	66
1. SINGLE DX	358	6.0	17	1	2	5	7	10	14	23
2. MULTIPLE DX	3191	8.7	55	2	3	7	10	16	22	40
A. NOT OPERATED	3195	7.8	37	2	3	6	9	14	19	32
B. OPERATED	354	13.8	158	1	3	10	17	31	43	65
TOTAL 65-69 YRS	722	8.0	52	2	3	6	9	14	20	37
70-74	814	8.1	45	2	3	6	9	15	22	34
75-79	830	8.2	46	2	3	6	10	16	21	38
80-84	605	8.9	69	2	3	7	10	17	24	49
85+	578	9.2	54	2	3	7	12	17	21	35
GRAND TOTAL	**3549**	**8.4**	**52**	**2**	**3**	**7**	**10**	**16**	**22**	**39**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	17	6.0	15	2	3	6	7	8	15	19
70-74	12	5.3	11	2	2	4	6	10	13	14
75-79	7	6.3	5	3	3	7	8	9	9	9
80-84	4	10.8	68	2	2	10	17	20	20	20
85+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
65-69 YRS	2	8.0	2	7	7	8	9	9	9	9
70-74	3	7.3	50	1	1	6	13	15	15	15
75-79	4	9.0	30	<1	<1	11	12	13	13	13
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	108	8.0	30	3	3	6	10	16	19	29
70-74	85	8.8	31	3	4	7	11	19	22	26
75-79	69	9.1	40	2	3	8	11	18	25	29
80-84	46	9.9	61	2	3	8	13	17	22	49
85+	29	9.6	50	3	3	7	11	19	25	34
B. *Operated*										
65-69 YRS	21	12.0	61	3	4	11	15	21	31	35
70-74	24	11.2	23	5	6	10	14	16	20	25
75-79	19	16.1	285	2	5	10	19	45	61	63
80-84	8	21.1	480	5	6	12	25	60	71	71
85+	6	9.7	22	7	7	8	10	18	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	6.3	17	2	3	5	8	11	17	20
B. *Operated*	9	8.2	25	<1	<1	9	12	14	15	15
2. MULTIPLE DX										
A. *Not Operated*	337	8.8	38	3	3	7	11	17	22	29
B. *Operated*	78	13.5	146	4	5	10	15	24	34	69
1. SINGLE DX	50	6.6	19	2	2	6	8	13	15	20
2. MULTIPLE DX	415	9.7	61	3	3	8	12	18	24	40
A. NOT OPERATED	378	8.6	36	2	3	7	11	17	21	29
B. OPERATED	87	13.0	135	3	5	10	15	23	33	68
TOTAL 65-69 YRS	148	8.3	35	3	3	7	10	16	19	32
70-74	124	8.9	30	3	3	7	11	16	20	25
75-79	99	10.3	90	2	3	8	12	21	25	61
80-84	58	11.5	126	2	3	9	13	19	29	69
85+	36	9.5	43	3	3	7	11	19	23	34
GRAND TOTAL	**465**	**9.4**	**58**	**3**	**3**	**7**	**11**	**17**	**23**	**35**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	8.0	31	3	3	7	12	15	15	15
70-74	1	7.0		7	7	7	7	7	7	7
75-79										
80-84										
85+	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	14	6.4	26	1	1	5	9	13	18	19
70-74	11	5.8	17	1	1	6	7	12	15	15
75-79	5	12.4	33	6	6	10	18	19	19	19
80-84	3	5.7	14	3	3	4	8	10	10	10
85+	7	7.9	32	3	3	6	13	17	17	17
B. *Operated*										
65-69 YRS	2	10.0	18	7	7	10	13	13	13	13
70-74	4	12.0	35	7	7	10	16	20	20	20
75-79	1	7.0		7	7	7	7	7	7	7
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	6.6	21	2	2	5	9	14	15	15
B. *Operated*	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	40	7.2	27	1	2	6	10	16	18	19
B. *Operated*	7	10.7	24	7	7	8	13	19	20	20
1. SINGLE DX	8	6.5	18	2	2	5	8	13	15	15
2. MULTIPLE DX	47	7.7	27	1	2	7	10	17	19	20
A. NOT OPERATED	47	7.1	25	1	2	6	10	15	18	19
B. OPERATED	8	10.1	24	6	6	8	13	18	20	20
TOTAL 65-69 YRS	21	7.0	24	1	2	6	10	14	17	19
70-74	16	7.4	26	1	1	7	9	15	18	20
75-79	6	11.5	32	6	6	9	18	19	19	19
80-84	3	5.7	14	3	3	4	8	10	10	10
85+	9	6.9	29	2	2	5	8	16	17	17
GRAND TOTAL	**55**	**7.5**	**26**	**1**	**2**	**6**	**10**	**15**	**19**	**20**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	8	1.8	1	<1	<1	1	2	3	4	4
70-74	8	2.5	3	<1	<1	2	3	5	6	6
75-79	4	1.5	1	<1	<1	1	2	3	3	3
80-84	1	2.0		2	2	2	2	2	2	2
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	1.0		1	1	1	1	1	1	1
75-79										
80-84	1	1.0		<1	<1	<1	<1	<1	<1	<1
85+										
B. *Operated*										
65-69 YRS	22	3.6	7	<1	1	3	6	7	8	8
70-74	12	4.5	16	1	1	3	6	10	14	15
75-79	7	2.4	1	1	1	2	3	4	4	4
80-84	1	1.0		1	1	1	1	1	1	1
85+	2	4.0	2	3	3	4	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	22	2.0	2	<1	<1	1	2	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	44	3.6	8	1	1	3	5	7	8	15
1. SINGLE DX	22	2.0	2	<1	<1	1	2	4	5	6
2. MULTIPLE DX	46	3.5	8	<1	1	2	5	7	8	15
A. NOT OPERATED	2	1.0		<1	<1	<1	1	1	1	1
B. OPERATED	66	3.1	7	<1	<1	2	4	7	8	14
TOTAL 65-69 YRS	30	3.1	6	<1	<1	2	5	7	8	8
70-74	21	3.6	11	<1	1	2	4	7	11	15
75-79	11	2.1	1	<1	<1	2	3	4	4	4
80-84	3	1.3		<1	<1	1	2	2	2	2
85+	3	3.0	4	1	1	3	4	5	5	5
GRAND TOTAL	**68**	**3.0**	**7**	**<1**	**<1**	**2**	**4**	**7**	**8**	**14**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	40	4.5	13	1	1	4	6	8	11	21
70-74	27	6.0	147	1	1	3	5	8	22	65
75-79	27	3.3	6	1	1	3	4	7	9	10
80-84	31	3.6	3	2	2	3	5	6	7	9
85+	25	3.4	2	1	2	3	4	5	7	7
B. *Operated*										
65-69 YRS	3	13.3	196	2	2	9	24	29	29	29
70-74	1	15.0		15	15	15	15	15	15	15
75-79	3	9.3	4	7	7	10	11	11	11	11
80-84	1	7.0		7	7	7	7	7	7	7
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	482	5.0	14	2	2	4	6	9	11	19
70-74	561	5.2	13	2	2	4	7	10	12	19
75-79	506	5.2	17	2	2	4	6	10	12	24
80-84	402	5.6	18	2	2	4	7	10	13	22
85+	365	5.7	18	2	2	5	7	11	13	23
B. *Operated*										
65-69 YRS	48	10.4	59	2	3	9	13	20	29	37
70-74	63	15.5	303	4	5	11	15	25	54	92
75-79	39	11.9	48	4	5	9	17	23	27	28
80-84	24	10.1	36	3	4	8	13	19	24	25
85+	13	14.5	158	3	4	10	17	36	43	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	150	4.2	32	1	1	3	5	7	8	21
B. *Operated*	8	11.3	65	2	3	9	13	25	29	29
2. MULTIPLE DX										
A. *Not Operated*	2316	5.3	16	2	2	4	7	10	12	20
B. *Operated*	187	12.7	145	3	4	10	15	22	29	83
1. SINGLE DX	158	4.6	36	1	1	3	5	8	10	28
2. MULTIPLE DX	2503	5.9	29	2	2	5	7	11	14	26
A. NOT OPERATED	2466	5.3	17	2	2	4	6	10	12	20
B. OPERATED	195	12.6	142	3	4	10	15	22	29	83
TOTAL 65-69 YRS	573	5.5	21	1	2	4	6	10	13	27
70-74	652	6.2	55	2	2	5	7	12	15	34
75-79	575	5.6	22	2	2	4	7	10	14	26
80-84	458	5.7	19	2	2	4	7	11	14	23
85+	403	5.9	24	2	2	5	7	11	14	25
GRAND TOTAL	**2661**	**5.8**	**30**	**2**	**2**	**4**	**7**	**11**	**14**	**26**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	5.7	10	1	2	6	8	10	12	12
70-74	3	3.7		3	3	4	4	4	4	4
75-79	4	6.8	2	5	5	7	8	8	8	8
80-84	2	8.0		8	8	8	8	8	8	8
85+										
B. *Operated*										
65-69 YRS	2	6.0	2	5	5	6	7	7	7	7
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	19	5.9	20	1	1	4	10	13	15	15
70-74	12	6.0	5	3	4	5	8	9	10	10
75-79	7	9.7	64	3	3	6	14	23	25	25
80-84	5	8.2	15	5	5	7	11	14	14	14
85+	2	10.0		10	10	10	10	10	10	10
B. *Operated*										
65-69 YRS	4	16.0	120	8	8	12	23	32	32	32
70-74	2	15.0	32	11	11	15	19	19	19	19
75-79	2	5.0	32	1	1	5	9	9	9	9
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	5.8	7	2	3	6	8	8	10	12
B. *Operated*	2	6.0	2	5	5	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	45	7.0	22	2	3	5	10	14	15	25
B. *Operated*	8	13.0	85	1	3	10	16	28	32	32
1. SINGLE DX	21	5.9	6	2	3	6	8	8	10	12
2. MULTIPLE DX	53	7.9	35	1	3	6	10	15	19	32
A. NOT OPERATED	64	6.6	18	2	3	6	9	11	15	24
B. OPERATED	10	11.6	75	1	3	9	14	25	32	32
TOTAL 65-69 YRS	35	7.0	35	1	2	6	9	14	15	32
70-74	17	6.6	16	3	3	5	9	11	16	19
75-79	13	8.1	39	1	3	7	8	18	24	25
80-84	7	8.1	10	5	5	8	10	13	14	14
85+	2	10.0		10	10	10	10	10	10	10
GRAND TOTAL	**74**	**7.3**	**27**	**1**	**3**	**6**	**9**	**14**	**16**	**30**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	6.7	36	<1	<1	6	11	13	13	13
70-74	7	1.7	2	1	1	1	2	4	5	5
75-79	2	2.0		2	2	2	2	2	2	2
80-84	1	15.0		15	15	15	15	15	15	15
85+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
65-69 YRS	2	2.0		2	2	2	2	2	2	2
70-74	3	5.0	13	1	1	6	7	8	8	8
75-79	6	6.0	63	2	2	3	5	20	22	22
80-84	1	2.0		2	2	2	2	2	2	2
85+	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	31	6.9	41	1	2	5	10	12	14	34
70-74	24	12.4	152	<1	1	9	17	37	41	41
75-79	23	9.5	38	1	2	10	14	19	20	21
80-84	17	9.8	61	2	2	8	13	19	28	33
85+	11	5.9	20	<1	<1	4	10	12	12	12
B. *Operated*										
65-69 YRS	18	9.2	57	1	2	5	13	19	26	29
70-74	10	12.3	174	1	1	10	17	31	45	45
75-79	9	9.0	18	4	4	8	14	14	14	14
80-84	3	14.0	121	3	3	14	22	25	25	25
85+	3	10.0	49	3	3	10	15	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	4.4	24	<1	1	2	6	13	15	15
B. *Operated*	13	5.5	38	1	1	2	6	16	21	22
2. MULTIPLE DX										
A. *Not Operated*	106	9.1	69	1	1	7	12	19	23	41
B. *Operated*	43	10.3	75	1	2	9	14	19	26	45
1. SINGLE DX	27	4.9	29	<1	1	2	6	14	16	22
2. MULTIPLE DX	149	9.4	71	1	2	7	13	18	25	41
A. NOT OPERATED	120	8.5	66	1	1	6	11	18	21	41
B. OPERATED	56	9.2	70	1	2	6	14	18	24	44
TOTAL 65-69 YRS	54	7.5	45	1	2	5	11	14	20	34
70-74	44	10.2	136	1	1	5	15	22	41	45
75-79	40	8.5	37	2	2	7	13	18	20	22
80-84	22	10.3	64	2	2	8	15	21	28	33
85+	16	7.4	26	<1	<1	9	11	14	16	17
GRAND TOTAL	**176**	**8.7**	**67**	**1**	**1**	**6**	**12**	**18**	**22**	**41**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	7.0	64	2	2	4	10	21	21	21
70-74	3	10.0	43	4	4	9	15	17	17	17
75-79	2	6.5	5	5	5	6	8	8	8	8
80-84	3	7.7	25	3	3	7	11	13	13	13
85+	7	8.3	10	6	6	7	9	14	15	15
B. *Operated*										
65-69 YRS	16	5.6	5	1	2	6	7	8	9	9
70-74	4	4.5	12	1	1	4	7	8	8	8
75-79	6	4.3	9	<1	<1	3	8	8	8	8
80-84	5	6.6	31	1	1	5	12	13	13	13
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	93	8.3	31	2	2	7	10	14	21	29
70-74	108	9.7	61	1	3	7	13	21	27	34
75-79	99	9.7	79	2	3	8	11	20	23	54
80-84	80	10.0	98	3	3	8	12	16	21	68
85+	73	11.4	56	2	3	9	14	20	30	38
B. *Operated*										
65-69 YRS	84	13.5	134	3	4	11	17	24	31	71
70-74	82	16.4	187	3	4	11	24	33	47	63
75-79	59	17.6	190	1	3	15	24	38	49	57
80-84	35	21.7	347	2	4	20	29	42	54	95
85+	25	13.7	211	1	2	10	14	25	48	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	8.0	25	2	3	7	9	16	19	21
B. *Operated*	32	5.3	10	1	1	5	7	9	12	13
2. MULTIPLE DX										
A. *Not Operated*	453	9.7	65	2	3	8	12	19	25	40
B. *Operated*	285	16.2	198	2	4	12	22	33	45	69
1. SINGLE DX	52	6.3	17	1	2	6	8	12	15	21
2. MULTIPLE DX	738	12.2	126	2	3	9	15	25	33	57
A. NOT OPERATED	473	9.7	63	2	3	8	12	19	24	39
B. OPERATED	317	15.1	189	2	3	11	21	31	44	67
TOTAL 65-69 YRS	198	10.3	81	2	3	8	12	21	25	48
70-74	197	12.4	123	1	3	9	16	28	33	55
75-79	166	12.3	131	2	2	9	16	27	38	56
80-84	123	13.1	192	2	3	9	14	26	40	83
85+	106	11.7	90	2	3	9	14	20	30	54
GRAND TOTAL	**790**	**11.8**	**121**	**2**	**3**	**9**	**14**	**24**	**32**	**57**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	2	10.0	72	4	4	10	16	16	16	16
80-84	1	1.0		<1	<1	<1	<1	<1	<1	<1
85+										
B. *Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	1	11.0		11	11	11	11	11	11	11
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4	7.3	27	4	4	5	10	15	15	15
70-74	4	6.3	22	2	2	5	9	13	13	13
75-79	5	9.8	94	1	1	9	13	26	26	26
80-84	3	10.7	46	3	3	13	15	16	16	16
85+	1	14.0		14	14	14	14	14	14	14
B. *Operated*										
65-69 YRS	7	16.9	269	3	4	11	19	46	52	52
70-74	4	12.5	72	4	4	11	18	24	24	24
75-79										
80-84	1	27.0		27	27	27	27	27	27	27
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	7.0	63	<1	<1	4	13	16	16	16
B. *Operated*	2	7.0	32	3	3	7	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	17	8.8	43	1	2	5	13	16	22	26
B. *Operated*	12	16.3	182	3	4	12	22	34	49	52
1. SINGLE DX	5	7.0	40	<1	<1	4	12	16	16	16
2. MULTIPLE DX	29	11.9	110	2	3	9	14	25	28	52
A. NOT OPERATED	20	8.5	44	<1	1	5	14	16	21	26
B. OPERATED	14	14.9	168	3	3	11	21	29	47	52
TOTAL 65-69 YRS	12	12.5	184	3	3	9	13	30	49	52
70-74	9	9.6	46	2	3	9	13	20	24	24
75-79	7	9.9	74	1	2	9	14	24	26	26
80-84	5	12.0	111	<1	<1	13	19	27	27	27
85+	1	14.0		14	14	14	14	14	14	14
GRAND TOTAL	**34**	**11.1**	**102**	**1**	**3**	**9**	**14**	**24**	**27**	**52**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	11.8	329	1	1	6	16	44	44	44
70-74	7	4.6	6	1	1	5	7	8	8	8
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	11	5.7	75	1	1	3	5	18	30	31
70-74	7	5.6	18	2	2	4	9	12	13	13
75-79	2	8.5	5	7	7	8	10	10	10	10
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	49	8.9	50	2	3	7	11	15	19	43
70-74	40	7.3	38	3	3	6	8	12	16	40
75-79	38	8.9	34	2	3	8	11	16	17	32
80-84	31	8.2	40	1	3	7	9	14	26	30
85+	32	7.8	41	2	3	6	9	13	20	35
B. *Operated*										
65-69 YRS	51	15.1	165	2	3	10	22	35	43	49
70-74	34	13.1	261	2	3	8	16	27	32	92
75-79	11	12.4	82	3	4	10	18	26	30	30
80-84	3	9.3	44	2	2	11	14	15	15	15
85+	4	13.5	209	2	2	10	25	32	32	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	7.6	137	1	1	5	7	19	40	44
B. *Operated*	20	6.0	46	1	1	4	8	12	22	31
2. MULTIPLE DX										
A. *Not Operated*	190	8.2	41	2	3	7	10	15	18	38
B. *Operated*	103	13.9	182	2	3	9	18	32	40	69
1. SINGLE DX	32	6.6	78	1	1	4	7	11	29	44
2. MULTIPLE DX	293	10.2	97	2	3	7	12	20	31	46
A. NOT OPERATED	202	8.2	46	2	3	7	9	15	19	41
B. OPERATED	123	12.6	168	2	2	8	16	30	35	61
TOTAL 65-69 YRS	116	11.4	122	1	2	8	14	28	41	49
70-74	88	9.2	128	2	3	7	10	18	27	72
75-79	51	9.6	44	3	3	8	13	17	24	32
80-84	34	8.3	39	1	3	7	9	15	25	30
85+	36	8.4	57	2	2	6	9	18	28	35
GRAND TOTAL	**325**	**9.9**	**96**	**2**	**3**	**7**	**11**	**19**	**31**	**45**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	12.0		12	12	12	12	12	12	12
70-74	1	1.0		1	1	1	1	1	1	1
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84	1	3.0		3	3	3	3	3	3	3
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	3	7.3	14	3	3	9	10	10	10	10
75-79	3	2.7	4	1	1	2	4	5	5	5
80-84	1	6.0		6	6	6	6	6	6	6
85+										
B. *Operated*										
65-69 YRS	2	8.5	41	4	4	8	13	13	13	13
70-74	5	11.2	237	1	1	7	16	38	38	38
75-79	2	4.0	2	3	3	4	5	5	5	5
80-84	1	12.0		12	12	12	12	12	12	12
85+	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	6.5	61	1	1	6	12	12	12	12
B. *Operated*	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	7	5.1	12	1	1	5	8	10	10	10
B. *Operated*	11	8.9	109	1	1	5	11	23	37	38
1. SINGLE DX	3	5.3	34	1	1	3	10	12	12	12
2. MULTIPLE DX	18	7.4	72	1	1	5	9	13	28	38
A. NOT OPERATED	9	5.4	17	1	1	5	9	11	12	12
B. OPERATED	12	8.4	102	1	1	5	10	20	35	38
TOTAL 65-69 YRS	3	9.7	24	4	4	12	13	13	13	13
70-74	9	8.8	134	1	1	7	9	27	38	38
75-79	5	3.2	3	1	1	3	5	5	5	5
80-84	3	7.0	21	3	3	6	10	12	12	12
85+	1	5.0		5	5	5	5	5	5	5
GRAND TOTAL	**21**	**7.1**	**65**	**1**	**1**	**5**	**9**	**13**	**24**	**38**

1,559 Hospitals, United States, January-December 1985

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	22	5.4	10	<1	1	5	7	10	11	11
70-74	17	4.0	3	1	1	4	5	6	7	7
75-79	7	4.6	16	1	1	3	7	11	12	12
80-84	4	4.8	19	<1	<1	3	7	11	11	11
85+	5	3.4	11	1	1	2	5	9	9	9
B. *Operated*										
65-69 YRS	249	5.9	42	1	1	3	8	15	21	28
70-74	174	4.8	28	1	1	3	6	12	15	26
75-79	141	4.2	23	1	1	3	5	9	12	25
80-84	68	5.0	50	<1	1	3	6	8	12	49
85+	60	4.6	11	1	1	4	7	10	11	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	154	8.3	97	1	2	6	9	16	22	63
70-74	125	8.5	65	1	2	6	10	17	24	42
75-79	91	10.6	167	2	2	6	13	23	39	93
80-84	45	10.0	145	2	2	5	12	22	41	62
85+	28	10.1	161	2	2	8	12	19	25	69
B. *Operated*										
65-69 YRS	725	11.5	159	1	2	8	15	28	37	70
70-74	589	11.4	166	1	2	7	14	26	39	69
75-79	389	9.3	119	1	2	5	11	24	38	85
80-84	247	10.0	173	1	1	5	11	23	43	66
85+	134	9.8	179	1	2	5	11	22	32	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	4.6	9	1	1	4	6	9	11	12
B. *Operated*	692	5.1	33	1	1	3	6	12	17	26
2. MULTIPLE DX										
A. *Not Operated*	443	9.1	111	1	2	6	10	18	28	64
B. *Operated*	2084	10.8	157	1	2	7	13	25	38	70
1. SINGLE DX	747	5.1	31	1	1	3	6	12	15	26
2. MULTIPLE DX	2527	10.5	149	1	2	6	13	24	37	69
A. NOT OPERATED	498	8.6	102	1	2	6	9	17	25	63
B. OPERATED	2776	9.4	132	1	1	5	12	22	33	66
TOTAL 65-69 YRS	1150	9.8	128	1	1	6	13	22	32	69
70-74	905	9.6	130	1	1	6	12	22	33	63
75-79	628	8.3	108	1	1	5	10	19	33	68
80-84	364	9.0	148	1	1	5	9	21	40	65
85+	227	8.3	134	1	1	5	9	16	25	74
GRAND TOTAL	**3274**	**9.3**	**128**	**1**	**1**	**5**	**11**	**22**	**32**	**66**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	15	3.8	7	1	1	3	6	7	8	8
70-74	8	6.3	23	1	1	4	10	13	14	14
75-79	4	5.3	5	3	3	5	7	8	8	8
80-84	5	10.0	182	2	2	5	12	34	34	34
85+	1	17.0		17	17	17	17	17	17	17
B. *Operated*										
65-69 YRS	33	8.0	37	1	1	7	12	17	20	24
70-74	37	7.5	43	1	1	7	11	14	18	32
75-79	23	9.0	95	<1	1	6	12	19	35	39
80-84	17	9.1	101	1	1	5	13	19	33	40
85+	5	4.4	11	1	1	3	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	120	7.6	48	2	3	6	9	14	20	42
70-74	93	9.3	83	2	3	6	11	18	26	54
75-79	79	7.4	36	1	2	6	10	17	20	80
80-84	45	11.5	93	2	3	8	16	24	35	41
85+	29	11.2	211	2	3	7	13	21	44	74
B. *Operated*										
65-69 YRS	338	17.1	208	2	3	14	22	37	48	70
70-74	256	17.1	231	2	4	13	22	36	54	75
75-79	222	13.7	191	2	3	10	17	30	37	89
80-84	116	13.4	169	2	3	10	18	30	44	81
85+	75	15.2	141	2	3	12	21	32	39	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	5.9	40	1	1	4	7	12	17	34
B. *Operated*	115	8.0	58	1	1	6	12	16	20	39
2. MULTIPLE DX										
A. *Not Operated*	366	8.8	74	2	2	6	11	19	24	50
B. *Operated*	1007	15.8	203	2	3	12	21	32	46	74
1. SINGLE DX	148	7.6	54	1	1	5	11	16	19	39
2. MULTIPLE DX	1373	13.9	178	2	3	10	18	30	41	72
A. NOT OPERATED	399	8.5	71	2	2	6	11	18	24	48
B. OPERATED	1122	15.0	193	2	3	11	20	32	44	73
TOTAL 65-69 YRS	506	13.9	174	2	3	10	19	28	41	68
70-74	394	14.2	191	2	3	10	17	32	43	72
75-79	328	11.8	152	1	2	8	15	25	34	89
80-84	183	12.4	144	2	2	9	16	27	36	70
85+	110	13.7	157	2	3	10	19	29	39	64
GRAND TOTAL	**1521**	**13.3**	**170**	**2**	**3**	**10**	**17**	**29**	**39**	**70**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	10.9	102	3	3	8	16	27	34	34
70-74	12	3.5	5	<1	1	3	5	7	8	8
75-79	9	5.9	27	<1	1	3	9	14	16	16
80-84	5	5.2	5	3	3	5	6	9	9	9
85+	6	11.0	115	<1	<1	8	21	25	26	26
B. *Operated*										
65-69 YRS	55	11.9	65	2	4	10	15	20	30	46
70-74	48	11.5	51	1	2	11	15	21	26	33
75-79	47	13.8	99	2	3	12	18	26	32	49
80-84	35	11.2	48	2	3	9	13	22	28	31
85+	20	11.2	30	3	4	11	14	19	20	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	144	8.2	55	1	2	6	10	18	27	36
70-74	160	8.0	62	1	2	5	10	16	23	44
75-79	129	8.1	63	1	2	6	10	17	25	43
80-84	115	9.6	85	1	2	8	12	19	25	54
85+	102	8.6	33	2	2	7	12	17	18	27
B. *Operated*										
65-69 YRS	675	16.5	132	4	6	14	21	30	42	83
70-74	711	16.1	117	4	6	14	20	29	35	67
75-79	617	18.3	153	4	7	15	23	33	43	67
80-84	422	17.8	136	4	6	15	23	32	39	60
85+	332	17.0	148	3	5	14	22	32	39	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	7.0	54	<1	1	4	9	18	23	34
B. *Operated*	205	12.0	63	2	3	10	15	21	29	42
2. MULTIPLE DX										
A. *Not Operated*	650	8.4	60	1	2	6	11	17	24	38
B. *Operated*	2757	17.0	136	4	6	14	22	31	39	68
1. SINGLE DX	247	11.2	65	1	3	10	15	21	27	38
2. MULTIPLE DX	3407	15.4	133	3	4	13	20	29	37	63
A. NOT OPERATED	692	8.4	60	1	2	6	11	17	24	38
B. OPERATED	2962	16.7	133	4	6	14	21	30	39	66
TOTAL 65-69 YRS	884	14.8	125	3	4	12	19	28	38	76
70-74	931	14.3	114	2	3	12	18	27	32	59
75-79	802	16.2	149	3	4	13	22	31	39	64
80-84	577	15.7	132	3	4	13	21	30	37	57
85+	460	14.8	129	3	4	13	19	29	36	55
GRAND TOTAL	**3654**	**15.1**	**129**	**3**	**4**	**13**	**20**	**29**	**36**	**62**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	5.0		5	5	5	5	5	5	5
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	4	14.0	156	1	1	12	22	31	31	31
70-74	4	15.0	149	7	7	10	22	33	33	33
75-79	2	13.0	32	9	9	13	17	17	17	17
80-84	2	9.0	18	6	6	9	12	12	12	12
85+	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	13	8.3	158	2	2	2	7	26	42	46
70-74	12	9.6	37	2	3	9	14	19	20	20
75-79	10	7.5	30	2	2	5	14	15	15	15
80-84	8	7.1	20	2	2	7	9	14	16	16
85+	6	8.2	30	4	4	6	8	18	19	19
B. *Operated*										
65-69 YRS	94	18.2	161	6	7	15	23	33	45	68
70-74	74	20.8	167	7	9	18	28	38	48	94
75-79	89	20.2	213	8	8	17	23	35	48	80
80-84	61	19.5	175	7	9	15	24	45	51	96
85+	35	18.2	130	3	7	18	22	33	41	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	5.0		5	5	5	5	5	5	5
B. *Operated*	13	13.5	85	2	5	12	15	31	33	33
2. MULTIPLE DX										
A. *Not Operated*	49	8.2	60	2	2	6	11	17	20	46
B. *Operated*	353	19.5	174	7	8	16	24	35	46	79
1. SINGLE DX	14	12.9	83	2	5	11	15	31	33	33
2. MULTIPLE DX	402	18.1	174	4	6	15	22	35	46	78
A. NOT OPERATED	50	8.2	59	2	2	6	10	17	20	46
B. OPERATED	366	19.3	172	7	8	16	24	35	46	79
TOTAL 65-69 YRS	111	16.9	168	2	5	13	21	32	45	66
70-74	91	18.9	162	5	7	16	25	34	45	90
75-79	101	18.8	206	4	8	15	22	35	47	80
80-84	71	17.8	171	4	7	13	21	42	46	93
85+	42	16.7	125	3	5	14	22	30	38	57
GRAND TOTAL	**416**	**18.0**	**171**	**3**	**6**	**15**	**22**	**34**	**46**	**78**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	16	4.7	20	<1	<1	4	6	8	16	19
70-74	21	5.5	19	1	1	4	9	13	14	15
75-79	16	3.1	5	<1	1	3	4	5	8	10
80-84	13	4.4	12	1	1	3	5	11	12	12
85+	16	6.3	66	1	2	4	5	15	29	34
B. *Operated*										
65-69 YRS	453	10.3	21	5	7	9	12	15	18	26
70-74	476	10.6	24	3	7	10	12	15	19	23
75-79	359	10.7	26	3	7	10	12	15	19	34
80-84	241	10.9	21	4	7	10	13	16	19	25
85+	120	13.3	53	5	8	12	15	20	27	43
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	305	7.7	79	1	2	5	9	15	21	59
70-74	342	8.5	59	1	2	6	10	18	25	39
75-79	298	8.1	56	2	2	6	10	17	25	38
80-84	295	8.9	88	2	2	6	10	18	28	43
85+	310	8.4	58	2	2	7	11	16	21	35
B. *Operated*										
65-69 YRS	3517	14.0	75	6	8	12	16	23	29	54
70-74	3955	14.7	77	6	8	12	17	24	32	52
75-79	3648	15.8	97	7	8	13	18	27	35	60
80-84	2644	16.9	105	7	8	14	20	29	37	68
85+	2004	17.9	108	7	9	16	22	30	38	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	4.8	24	<1	1	4	5	11	14	29
B. *Operated*	1649	10.8	26	4	7	10	12	16	19	29
2. MULTIPLE DX										
A. *Not Operated*	1550	8.3	68	2	2	6	10	17	24	40
B. *Operated*	15768	15.6	92	7	8	13	18	26	34	58
1. SINGLE DX	1731	10.5	27	2	6	10	12	15	19	29
2. MULTIPLE DX	17318	14.9	94	4	7	13	18	26	33	58
A. NOT OPERATED	1632	8.2	66	1	2	6	10	17	23	39
B. OPERATED	17417	15.1	87	6	8	13	18	25	33	57
TOTAL 65-69 YRS	4291	13.2	73	4	7	11	15	22	28	54
70-74	4794	13.8	74	4	7	12	16	23	30	50
75-79	4321	14.8	94	4	7	12	17	25	33	57
80-84	3193	15.6	104	4	7	13	19	27	35	61
85+	2450	16.4	110	4	6	14	20	29	37	61
GRAND TOTAL	**19049**	**14.5**	**89**	**4**	**7**	**12**	**17**	**25**	**32**	**56**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	13	3.2	4	<1	1	3	4	6	7	7
70-74	18	4.3	6	<1	1	4	5	9	9	9
75-79	17	4.5	16	<1	1	4	5	8	14	18
80-84	8	5.1	33	1	1	3	5	15	19	19
85+	13	4.8	13	<1	1	5	5	9	14	15
B. *Operated*										
65-69 YRS	323	10.5	36	2	3	10	13	18	21	33
70-74	305	10.6	35	2	2	11	14	17	19	31
75-79	238	10.1	49	1	2	10	14	18	22	31
80-84	170	9.9	53	1	2	9	13	19	24	36
85+	102	8.9	43	1	2	8	13	18	21	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	207	8.0	67	1	2	5	9	18	25	41
70-74	213	8.4	74	1	2	6	10	18	23	51
75-79	208	7.6	51	1	2	6	10	14	21	39
80-84	154	11.4	168	2	3	7	14	26	38	73
85+	164	8.8	77	1	2	6	11	18	22	49
B. *Operated*										
65-69 YRS	1700	15.0	98	3	6	13	18	26	33	57
70-74	1756	15.2	93	3	6	13	19	27	33	59
75-79	1457	16.2	124	3	5	14	19	28	37	70
80-84	1034	16.5	118	3	5	14	21	30	37	59
85+	764	15.1	122	3	4	13	20	28	35	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	4.3	12	<1	1	4	5	8	10	19
B. *Operated*	1138	10.2	42	2	2	10	13	18	21	31
2. MULTIPLE DX										
A. *Not Operated*	946	8.7	84	1	2	6	10	18	26	50
B. *Operated*	6711	15.6	108	3	5	13	19	27	35	60
1. SINGLE DX	1207	9.9	42	1	2	10	13	18	21	31
2. MULTIPLE DX	7657	14.7	110	3	4	13	18	27	34	60
A. NOT OPERATED	1015	8.4	81	1	2	6	10	18	25	48
B. OPERATED	7849	14.8	102	3	4	13	18	26	33	59
TOTAL 65-69 YRS	2243	13.6	92	2	4	12	17	24	32	55
70-74	2292	13.9	89	2	4	12	17	24	32	54
75-79	1920	14.4	117	2	3	13	18	26	34	64
80-84	1366	15.0	122	2	3	13	19	28	35	59
85+	1043	13.4	114	2	3	11	18	26	32	57
GRAND TOTAL	**8864**	**14.1**	**104**	**2**	**3**	**12**	**18**	**25**	**33**	**57**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	14	3.6	3	1	1	3	5	6	7	7
70-74	22	9.5	119	1	1	6	12	25	35	45
75-79	8	7.3	56	<1	1	6	7	20	25	25
80-84	4	6.8	14	2	2	7	9	11	11	11
85+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
65-69 YRS	60	9.6	110	1	1	7	13	18	22	69
70-74	42	10.0	86	1	1	8	13	24	28	43
75-79	27	12.6	91	1	1	12	18	27	30	37
80-84	16	11.8	96	2	2	10	15	27	34	37
85+	13	12.9	95	1	2	10	19	25	33	35
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	105	8.8	78	1	2	5	12	18	23	47
70-74	126	9.9	80	2	3	8	13	19	28	46
75-79	118	8.6	62	1	2	7	10	20	22	42
80-84	71	9.5	104	2	3	7	12	17	25	67
85+	75	9.3	36	2	3	8	12	18	20	30
B. *Operated*										
65-69 YRS	405	17.0	176	3	5	14	21	34	44	84
70-74	441	15.9	122	3	5	14	20	29	37	56
75-79	384	16.9	155	3	6	14	21	32	41	78
80-84	260	16.0	91	3	6	15	20	30	34	48
85+	195	16.7	140	4	6	14	21	29	34	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	7.2	69	1	1	5	7	17	25	45
B. *Operated*	158	10.7	97	1	1	9	15	22	28	43
2. MULTIPLE DX										
A. *Not Operated*	495	9.2	71	2	2	7	12	18	23	38
B. *Operated*	1685	16.5	140	3	5	14	21	31	37	72
1. SINGLE DX	207	9.9	92	1	1	8	13	22	28	44
2. MULTIPLE DX	2180	14.8	134	3	4	12	19	29	36	65
A. NOT OPERATED	544	9.0	71	1	2	7	12	18	24	38
B. OPERATED	1843	16.0	139	3	4	13	20	30	37	70
TOTAL 65-69 YRS	584	14.5	163	2	3	11	18	30	38	77
70-74	631	14.0	118	2	3	12	18	28	34	55
75-79	537	14.7	142	2	3	12	19	29	37	63
80-84	351	14.4	100	3	3	12	19	28	33	48
85+	284	14.5	120	3	4	12	19	26	32	76
GRAND TOTAL	**2387**	**14.4**	**132**	**2**	**3**	**12**	**19**	**28**	**35**	**63**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	23	6.3	39	1	2	4	9	16	21	26
70-74	17	7.6	54	1	1	6	9	22	26	26
75-79	16	8.6	74	1	2	6	10	26	29	30
80-84	9	9.0	91	<1	1	7	10	25	32	32
85+	6	5.8	4	4	4	5	7	9	9	9
B. *Operated*										
65-69 YRS	43	12.6	86	1	2	12	16	22	30	47
70-74	47	11.3	128	1	2	9	15	20	26	68
75-79	30	11.3	53	1	2	11	14	22	26	29
80-84	21	11.7	64	3	3	11	15	23	29	35
85+	16	10.3	86	<1	1	9	14	16	32	39
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	256	8.8	51	2	2	7	11	18	22	41
70-74	268	8.3	50	2	2	6	10	17	23	37
75-79	224	7.9	54	2	3	6	10	15	19	33
80-84	175	9.5	52	2	3	8	12	20	27	39
85+	152	7.5	34	2	2	6	9	15	20	26
B. *Operated*										
65-69 YRS	688	17.2	147	3	5	14	22	33	44	66
70-74	719	17.3	143	3	6	15	22	32	41	59
75-79	583	18.2	168	4	6	15	23	34	42	71
80-84	355	17.8	122	4	7	15	22	31	41	59
85+	228	18.5	176	5	7	15	22	34	44	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	7.4	52	1	2	5	9	17	26	32
B. *Operated*	157	11.6	88	1	2	10	15	22	27	46
2. MULTIPLE DX										
A. *Not Operated*	1075	8.4	49	2	2	6	10	17	21	38
B. *Operated*	2573	17.6	150	4	6	15	22	33	42	68
1. SINGLE DX	228	10.3	80	1	2	9	14	21	26	41
2. MULTIPLE DX	3648	14.9	138	2	4	12	19	29	38	65
A. NOT OPERATED	1146	8.3	50	2	2	6	10	17	21	37
B. OPERATED	2730	17.3	148	3	5	15	22	32	42	68
TOTAL 65-69 YRS	1010	14.6	132	2	3	12	19	29	37	58
70-74	1051	14.6	133	2	3	12	19	28	37	56
75-79	853	15.1	153	2	4	12	20	29	39	67
80-84	560	14.8	112	3	4	12	20	29	37	56
85+	402	13.8	144	2	3	11	18	26	37	76
GRAND TOTAL	**3876**	**14.6**	**136**	**2**	**4**	**12**	**19**	**29**	**37**	**64**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	118	5.6	29	<1	1	4	7	11	16	27
70-74	98	5.9	22	<1	1	5	8	11	15	25
75-79	55	5.9	22	1	1	4	10	12	15	20
80-84	40	9.9	242	2	2	6	10	23	27	96
85+	5	6.8	24	2	2	5	11	13	13	13
B. *Operated*										
65-69 YRS	655	8.2	37	1	2	8	11	15	18	27
70-74	442	7.7	31	1	2	7	11	15	18	25
75-79	282	7.8	43	1	1	7	11	15	17	39
80-84	125	7.6	28	1	2	7	11	14	17	24
85+	42	6.7	54	<1	1	4	9	12	19	42
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1911	8.2	61	2	2	6	10	17	23	43
70-74	1729	8.8	66	2	2	7	11	18	24	42
75-79	1179	9.1	74	2	2	7	11	18	24	52
80-84	661	9.3	72	2	3	7	11	19	26	50
85+	348	9.0	55	2	3	7	12	17	22	35
B. *Operated*										
65-69 YRS	4742	12.2	89	2	3	10	16	23	29	48
70-74	4190	12.3	88	2	3	10	16	23	30	50
75-79	2623	12.6	98	2	3	10	16	24	31	49
80-84	1183	12.2	98	2	3	10	15	24	31	51
85+	427	13.2	121	2	3	10	17	26	33	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	316	6.3	54	1	1	4	8	12	17	28
B. *Operated*	1546	7.9	36	1	2	7	11	15	18	26
2. MULTIPLE DX										
A. *Not Operated*	5828	8.7	66	2	2	7	11	18	23	45
B. *Operated*	13165	12.3	93	2	3	10	16	23	30	50
1. SINGLE DX	1862	7.6	40	1	1	7	10	15	18	26
2. MULTIPLE DX	18993	11.2	87	2	3	9	15	22	29	48
A. NOT OPERATED	6144	8.6	66	2	2	6	11	17	23	44
B. OPERATED	14711	11.9	89	2	3	10	15	23	29	48
TOTAL 65-69 YRS	7426	10.7	80	2	2	9	14	21	27	45
70-74	6459	10.9	81	2	3	9	14	21	28	48
75-79	4139	11.2	90	2	3	9	14	22	29	49
80-84	2009	10.9	90	2	2	9	14	22	28	51
85+	822	11.1	94	2	3	8	14	21	29	48
GRAND TOTAL	**20855**	**10.9**	**84**	**2**	**2**	**9**	**14**	**21**	**28**	**47**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	20	2.6	4	<1	<1	2	4	6	7	7
70-74	25	4.2	18	<1	1	2	6	9	12	20
75-79	10	5.5	25	<1	<1	3	12	12	12	12
80-84	5	9.8	112	1	1	7	16	27	27	27
85+										
B. *Operated*										
65-69 YRS	213	6.7	42	<1	1	3	12	16	20	25
70-74	139	6.1	52	<1	1	3	10	16	20	37
75-79	79	6.2	44	1	1	3	10	15	17	33
80-84	32	4.3	38	1	1	2	3	14	18	28
85+	17	8.7	70	<1	1	7	13	22	25	26
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	87	7.4	127	1	1	5	8	14	19	74
70-74	65	8.0	61	2	2	6	10	18	22	46
75-79	66	10.2	167	1	2	8	12	17	24	88
80-84	42	9.5	98	1	2	6	13	21	27	53
85+	23	8.8	75	3	3	4	11	25	32	33
B. *Operated*										
65-69 YRS	530	13.2	173	1	2	10	17	29	41	70
70-74	423	12.5	139	1	2	10	18	26	34	71
75-79	274	12.0	169	1	1	9	16	25	36	71
80-84	141	11.5	118	2	2	9	15	26	31	51
85+	71	12.7	297	1	1	7	15	27	44	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	4.4	24	<1	1	2	6	11	12	26
B. *Operated*	480	6.4	46	<1	1	3	11	16	20	29
2. MULTIPLE DX										
A. *Not Operated*	283	8.6	112	1	2	6	10	17	23	52
B. *Operated*	1439	12.6	163	1	2	10	17	27	37	71
1. SINGLE DX	540	6.1	44	<1	1	3	10	15	19	28
2. MULTIPLE DX	1722	11.9	157	1	2	9	16	25	36	69
A. NOT OPERATED	343	7.9	99	1	1	5	9	16	22	49
B. OPERATED	1919	11.0	141	1	1	9	15	24	34	64
TOTAL 65-69 YRS	850	10.7	142	1	1	8	15	23	37	60
70-74	652	10.4	117	1	1	8	15	23	31	57
75-79	429	10.5	148	1	1	8	14	22	32	69
80-84	220	10.0	107	1	2	7	14	24	30	51
85+	111	11.3	218	1	1	7	14	25	33	88
GRAND TOTAL	**2262**	**10.5**	**136**	**1**	**1**	**8**	**15**	**23**	**32**	**63**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	7.6	24	2	2	7	10	15	15	15
70-74	8	8.6	88	3	3	4	11	25	30	30
75-79	4	5.5	22	1	1	5	9	10	10	10
80-84	2	4.5	25	1	1	4	8	8	8	8
85+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
65-69 YRS	85	7.1	42	1	1	5	10	14	19	35
70-74	84	6.1	25	<1	1	5	9	13	16	25
75-79	48	7.4	54	1	1	5	9	14	19	40
80-84	39	9.1	96	1	1	5	12	22	31	45
85+	32	6.2	20	1	2	5	8	13	15	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	50	7.9	53	1	1	6	10	19	28	30
70-74	45	7.2	27	2	2	6	9	16	18	21
75-79	52	8.0	48	2	2	6	10	16	21	40
80-84	28	11.5	82	3	4	9	14	29	42	99+
85+	21	9.8	172	1	1	6	10	25	42	58
B. *Operated*										
65-69 YRS	180	14.1	185	2	3	10	17	34	51	64
70-74	188	12.3	157	2	3	9	15	25	47	87
75-79	164	12.6	136	1	2	10	16	28	42	62
80-84	97	12.4	196	1	2	8	15	26	39	79
85+	68	14.2	280	1	2	10	16	37	60	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	7.2	45	1	1	5	9	14	22	30
B. *Operated*	288	7.0	44	1	1	5	10	14	19	35
2. MULTIPLE DX										
A. *Not Operated*	196	8.5	63	1	2	6	10	18	26	50
B. *Operated*	697	13.1	176	2	2	9	16	29	45	78
1. SINGLE DX	308	7.0	44	1	1	5	10	14	19	34
2. MULTIPLE DX	893	12.1	155	1	2	8	15	27	41	70
A. NOT OPERATED	216	8.4	61	1	2	6	10	18	26	46
B. OPERATED	985	11.3	145	1	2	8	14	24	38	68
TOTAL 65-69 YRS	320	11.2	135	1	2	8	14	27	36	60
70-74	325	9.9	111	1	2	7	13	21	29	67
75-79	268	10.7	108	1	2	8	14	22	37	56
80-84	166	11.3	152	1	2	7	14	24	36	84
85+	122	11.3	201	1	2	7	13	24	47	94
GRAND TOTAL	**1201**	**10.8**	**131**	**1**	**2**	**7**	**13**	**23**	**36**	**66**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	2	8.0	98	<1	<1	7	15	15	15	15
75-79	1	2.0		2	2	2	2	2	2	2
80-84	2	2.0		2	2	2	2	2	2	2
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	130	4.7	14	<1	1	3	7	9	11	18
70-74	119	4.5	20	<1	1	3	6	8	12	23
75-79	63	4.3	19	<1	1	3	5	9	12	26
80-84	36	3.9	7	1	1	3	6	7	9	12
85+	28	5.1	25	1	1	4	6	10	15	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	14	4.4	6	1	1	5	5	8	9	10
70-74	30	5.7	20	1	2	4	7	11	17	21
75-79	20	6.6	15	1	3	6	8	13	15	16
80-84	5	5.0	4	2	2	6	6	7	7	7
85+	8	4.3	5	2	2	4	6	8	8	8
B. *Operated*										
65-69 YRS	188	7.6	51	1	2	6	10	17	21	33
70-74	150	8.0	80	1	2	6	10	14	18	44
75-79	139	8.5	78	1	2	6	11	16	21	54
80-84	73	6.6	29	1	2	6	9	13	17	28
85+	55	7.4	55	1	2	5	10	15	28	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	4.0	25	<1	<1	2	4	13	15	15
B. *Operated*	376	4.5	17	<1	1	3	6	9	12	21
2. MULTIPLE DX										
A. *Not Operated*	77	5.5	14	1	2	5	7	10	14	20
B. *Operated*	605	7.8	62	1	2	6	10	15	21	42
1. SINGLE DX	383	4.5	17	<1	1	3	6	9	12	21
2. MULTIPLE DX	682	7.5	57	1	2	6	9	15	20	40
A. NOT OPERATED	84	5.4	15	1	2	5	7	10	15	20
B. OPERATED	981	6.5	47	1	1	5	8	13	18	36
TOTAL 65-69 YRS	333	6.3	37	1	1	5	8	12	18	29
70-74	301	6.4	53	1	1	4	8	13	16	39
75-79	223	7.1	59	1	1	5	9	15	18	46
80-84	116	5.6	22	1	1	4	7	11	13	25
85+	92	6.4	42	1	2	4	8	14	23	32
GRAND TOTAL	**1065**	**6.4**	**45**	**1**	**1**	**5**	**8**	**13**	**17**	**34**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	2.0	3	<1	<1	1	3	4	4	4
70-74	3	3.7	2	2	2	4	5	5	5	5
75-79	4	3.5	3	2	2	3	5	6	6	6
80-84	3	2.0	1	1	1	2	3	3	3	3
85+	7	9.6	225	1	1	4	8	36	43	43
B. *Operated*										
65-69 YRS	247	2.6	7	<1	<1	2	3	5	8	14
70-74	258	2.8	7	<1	<1	2	3	6	9	13
75-79	230	2.9	13	<1	<1	2	3	6	9	20
80-84	196	2.7	6	<1	<1	2	3	6	8	13
85+	184	2.9	9	<1	<1	2	3	5	8	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	20	6.5	34	<1	1	4	11	15	19	21
70-74	20	6.1	46	1	1	3	8	17	22	25
75-79	16	9.1	90	<1	1	6	12	27	32	33
80-84	18	8.4	50	1	2	5	15	19	21	22
85+	26	8.3	67	<1	1	6	12	20	30	31
B. *Operated*										
65-69 YRS	433	4.6	32	<1	1	3	5	10	16	31
70-74	464	5.6	59	<1	1	3	6	12	19	45
75-79	506	5.6	52	1	1	3	7	13	16	29
80-84	464	5.7	65	1	1	3	7	12	17	44
85+	499	6.1	59	1	1	3	7	14	21	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	5.2	83	<1	1	3	5	8	26	43
B. *Operated*	1115	2.8	8	<1	<1	2	3	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	100	7.6	56	<1	1	4	12	18	23	32
B. *Operated*	2366	5.5	54	1	1	3	7	12	18	42
1. SINGLE DX	1135	2.8	10	<1	<1	2	3	6	8	15
2. MULTIPLE DX	2466	5.6	54	1	1	3	7	13	18	42
A. NOT OPERATED	120	7.2	61	<1	1	4	11	17	23	36
B. OPERATED	3481	4.7	41	<1	1	2	5	10	15	33
TOTAL 65-69 YRS	703	4.0	24	<1	<1	2	5	9	13	26
70-74	745	4.6	42	<1	1	2	5	10	15	41
75-79	756	4.8	42	<1	1	3	6	11	15	29
80-84	681	4.9	49	<1	1	3	5	11	15	43
85+	716	5.4	50	<1	1	3	6	12	19	40
GRAND TOTAL	**3601**	**4.7**	**42**	**<1**	**1**	**2**	**5**	**11**	**15**	**33**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	23	4.0	4	<1	1	4	6	7	7	7
70-74	18	5.0	17	1	1	4	7	12	15	15
75-79	11	4.2	7	<1	1	3	5	9	10	10
80-84	3	7.0	28	3	3	5	11	13	13	13
85+	5	3.6	5	1	1	3	5	7	7	7
B. *Operated*										
65-69 YRS	1574	5.4	7	1	2	5	7	9	10	13
70-74	1296	5.6	8	2	2	5	7	9	10	14
75-79	949	5.7	7	2	2	6	7	9	10	14
80-84	491	5.5	7	1	2	5	7	9	10	13
85+	346	5.3	10	1	2	5	7	9	11	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	206	8.8	87	1	2	6	11	19	24	38
70-74	218	8.1	66	1	2	6	11	17	21	52
75-79	164	7.8	48	1	2	7	10	14	19	42
80-84	117	8.7	132	1	1	6	11	16	23	86
85+	110	9.2	70	1	2	7	12	19	25	46
B. *Operated*										
65-69 YRS	3359	7.1	26	2	3	6	8	11	14	26
70-74	3127	7.5	28	2	3	7	9	12	16	28
75-79	2569	7.7	36	2	3	7	9	13	16	29
80-84	1649	7.9	38	2	3	7	9	13	17	37
85+	1124	8.1	51	2	3	7	9	14	19	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	4.4	9	1	1	4	6	8	11	15
B. *Operated*	4656	5.5	8	1	2	5	7	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	815	8.5	77	1	2	6	11	17	23	48
B. *Operated*	11828	7.6	33	2	3	7	9	12	16	30
1. SINGLE DX	4716	5.5	8	1	2	5	7	9	10	14
2. MULTIPLE DX	12643	7.6	35	2	3	7	9	13	16	31
A. NOT OPERATED	875	8.2	74	1	2	6	10	16	22	46
B. OPERATED	16484	7.0	26	2	3	6	8	11	14	26
TOTAL 65-69 YRS	5162	6.7	23	2	3	6	8	11	13	24
70-74	4659	7.0	25	2	3	6	8	11	15	27
75-79	3693	7.2	30	2	3	6	8	12	15	27
80-84	2260	7.4	37	2	3	6	9	12	15	35
85+	1585	7.6	45	2	2	6	9	13	18	36
GRAND TOTAL	**17359**	**7.0**	**29**	**2**	**3**	**6**	**8**	**11**	**15**	**28**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	40	3.4	1	2	2	3	4	5	5	5
70-74	30	3.9	5	2	2	3	4	8	10	10
75-79	14	5.9	54	2	2	4	5	10	26	31
80-84	9	3.6	1	2	2	4	4	5	5	5
85+	7	4.7	11	3	3	4	4	10	12	12
B. *Operated*										
65-69 YRS	70	4.6	14	1	1	4	6	9	11	22
70-74	49	4.7	16	1	1	4	5	9	15	19
75-79	35	4.2	25	<1	1	3	5	6	8	31
80-84	19	4.9	14	1	2	3	6	12	14	15
85+	15	3.3	7	<1	1	3	4	6	10	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	81	6.0	37	1	2	4	7	12	18	36
70-74	79	6.3	41	1	2	4	7	16	20	82
75-79	58	5.6	26	2	2	4	6	13	17	27
80-84	46	7.2	80	2	3	4	8	12	23	55
85+	33	9.0	49	3	3	8	11	19	27	29
B. *Operated*										
65-69 YRS	225	8.8	99	1	2	6	10	17	23	60
70-74	189	9.0	73	2	2	6	11	19	28	44
75-79	140	9.8	123	1	2	7	11	19	35	52
80-84	94	9.1	150	1	2	6	11	19	23	80
85+	54	10.5	76	2	3	8	12	21	34	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	4.0	10	2	2	4	4	5	8	21
B. *Operated*	188	4.4	16	1	1	3	5	9	11	22
2. MULTIPLE DX										
A. *Not Operated*	297	6.5	44	2	2	4	7	14	19	39
B. *Operated*	702	9.2	102	2	2	6	11	19	27	52
1. SINGLE DX	288	4.3	14	1	1	3	5	8	11	22
2. MULTIPLE DX	999	8.4	86	2	2	6	10	17	24	49
A. NOT OPERATED	397	5.9	37	2	2	4	6	12	18	35
B. OPERATED	890	8.2	87	1	2	5	10	16	23	48
TOTAL 65-69 YRS	416	7.0	67	1	2	4	8	14	19	44
70-74	347	7.4	55	2	2	5	9	16	21	42
75-79	247	7.8	87	1	2	5	9	16	26	48
80-84	168	7.8	110	1	2	5	9	16	21	72
85+	109	8.7	60	2	2	6	11	18	24	39
GRAND TOTAL	**1287**	**7.5**	**73**	**1**	**2**	**5**	**9**	**16**	**21**	**44**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	50	3.5	4	1	2	3	4	4	6	13
70-74	41	3.6	5	2	2	3	4	5	6	16
75-79	28	3.5	4	1	1	3	4	7	8	10
80-84	20	4.2	13	<1	<1	4	5	6	12	18
85+	4	7.0	30	3	3	5	10	15	15	15
B. *Operated*										
65-69 YRS	339	5.9	7	1	2	6	7	9	11	12
70-74	263	6.1	9	1	2	6	8	9	11	16
75-79	155	5.9	11	1	1	6	8	9	11	16
80-84	63	6.0	9	1	1	6	8	10	11	12
85+	44	6.1	34	1	1	5	8	10	15	34
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	111	6.3	32	1	2	4	9	14	18	29
70-74	94	6.2	38	1	2	4	7	16	23	69
75-79	83	6.6	47	1	2	4	8	13	20	36
80-84	44	9.7	109	2	2	5	11	26	32	50
85+	46	8.8	101	1	2	6	10	22	42	99+
B. *Operated*										
65-69 YRS	1317	7.7	28	2	2	7	9	12	16	29
70-74	1148	8.1	29	2	2	7	9	13	17	28
75-79	769	8.5	31	2	2	7	10	14	19	29
80-84	411	9.0	42	2	2	8	11	16	20	30
85+	215	10.1	66	2	2	8	13	21	27	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	143	3.7	7	1	2	3	4	5	8	16
B. *Operated*	864	6.0	10	1	2	6	8	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	378	7.1	55	1	2	4	8	16	23	47
B. *Operated*	3860	8.2	33	2	2	7	10	14	18	31
1. SINGLE DX	1007	5.7	10	1	2	6	7	9	11	15
2. MULTIPLE DX	4238	8.1	35	2	2	7	10	14	19	32
A. NOT OPERATED	521	6.1	44	1	2	4	7	13	20	38
B. OPERATED	4724	7.8	30	2	2	7	9	13	17	28
TOTAL 65-69 YRS	1817	7.2	25	2	2	7	9	12	15	26
70-74	1546	7.5	27	2	2	7	9	12	16	28
75-79	1035	7.8	30	1	2	7	10	14	18	29
80-84	538	8.5	44	1	2	7	11	16	20	31
85+	309	9.3	68	1	2	7	12	21	27	47
GRAND TOTAL	**5245**	**7.7**	**31**	**1**	**2**	**7**	**9**	**13**	**17**	**30**

35: Malignant neoplasm of ovary (183.0)

				PERCENTILES						
TYPE OF PATIENT (1)	**TOTAL PATIENTS (2)**	**AVG. STAY (3)**	**VARI-ANCE (4)**	**5TH (5)**	**10TH (6)**	**50TH (7)**	**75TH (8)**	**90TH (9)**	**95TH (10)**	**99TH (11)**
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	18	4.6	76	<1	1	3	4	26	72	99+
70-74	22	3.6	11	1	1	2	4	10	11	12
75-79	10	4.4	5	1	1	4	5	8	8	8
80-84	4	4.5	4	2	2	5	6	6	6	6
85+	3	7.0	19	2	2	9	10	10	10	10
B. *Operated*										
65-69 YRS	72	8.7	21	1	4	8	11	13	17	29
70-74	49	9.1	17	3	5	8	11	16	18	21
75-79	21	7.4	14	1	2	8	11	12	13	14
80-84	8	9.3	13	5	6	8	10	15	17	17
85+	7	9.6	22	3	4	9	11	17	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	171	6.0	34	1	1	4	8	13	20	27
70-74	172	6.9	54	1	1	4	9	19	24	42
75-79	107	8.0	53	1	2	6	10	16	24	36
80-84	89	9.3	84	2	3	6	11	21	30	49
85+	45	8.8	44	2	2	8	11	18	25	28
B. *Operated*										
65-69 YRS	571	13.9	92	5	6	11	17	24	32	56
70-74	491	15.6	136	5	6	12	18	29	42	64
75-79	325	15.2	80	6	7	13	19	26	33	54
80-84	198	14.9	59	7	7	13	19	24	30	40
85+	110	19.0	194	6	7	15	21	33	38	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	4.3	30	1	1	3	5	10	12	95
B. *Operated*	157	8.7	18	2	4	8	11	14	17	21
2. MULTIPLE DX										
A. *Not Operated*	584	7.3	53	1	1	5	9	17	24	32
B. *Operated*	1695	15.1	107	6	7	12	18	26	34	59
1. SINGLE DX	214	7.6	25	1	2	7	10	12	17	34
2. MULTIPLE DX	2279	13.1	104	2	3	11	17	24	31	57
A. NOT OPERATED	641	7.1	52	1	1	5	9	16	24	36
B. OPERATED	1852	14.6	102	5	6	12	18	25	33	57
TOTAL 65-69 YRS	832	11.6	86	2	3	9	15	22	28	47
70-74	734	12.7	122	2	3	10	16	24	33	60
75-79	463	13.0	81	2	4	11	16	23	30	50
80-84	299	13.0	72	3	4	11	18	23	29	40
85+	165	15.6	165	2	5	13	20	27	35	68
GRAND TOTAL	**2493**	**12.6**	**100**	**2**	**3**	**10**	**16**	**23**	**31**	**56**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

				PERCENTILES						
TYPE OF PATIENT (1)	**TOTAL PATIENTS (2)**	**AVG. STAY (3)**	**VARI-ANCE (4)**	**5TH (5)**	**10TH (6)**	**50TH (7)**	**75TH (8)**	**90TH (9)**	**95TH (10)**	**99TH (11)**
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	4.4	8	2	2	3	7	9	9	9
70-74	8	4.3	2	2	2	4	5	6	6	6
75-79	6	9.3	25	2	2	8	15	15	15	15
80-84	8	4.6	21	1	1	3	6	13	15	15
85+	3	4.3	4	2	2	5	6	6	6	6
B. *Operated*										
65-69 YRS	37	7.2	38	1	2	5	10	17	22	25
70-74	36	5.9	32	1	1	3	9	15	20	20
75-79	28	6.1	25	1	2	4	7	15	17	20
80-84	28	10.8	89	2	3	7	14	25	34	36
85+	21	4.4	21	1	1	4	5	8	15	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	23	9.0	118	2	2	5	8	22	36	49
70-74	29	6.4	109	2	2	4	5	10	14	59
75-79	32	10.3	139	1	2	6	12	23	42	53
80-84	24	5.8	19	1	2	5	7	11	16	20
85+	17	9.5	95	2	3	6	8	29	30	30
B. *Operated*										
65-69 YRS	126	14.0	179	2	3	10	17	30	43	66
70-74	119	14.4	195	2	3	11	18	27	34	87
75-79	119	14.0	155	2	3	10	20	33	48	99+
80-84	91	13.4	135	2	3	10	20	24	38	60
85+	92	10.5	60	2	3	9	13	18	25	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	5.3	15	2	2	4	7	11	15	15
B. *Operated*	150	7.0	44	1	1	5	9	17	21	34
2. MULTIPLE DX										
A. *Not Operated*	125	8.1	99	2	2	5	8	19	29	54
B. *Operated*	547	13.4	150	2	3	10	17	27	38	84
1. SINGLE DX	182	6.7	39	1	2	4	9	15	20	31
2. MULTIPLE DX	672	12.4	145	2	3	9	16	26	38	71
A. NOT OPERATED	157	7.6	83	2	2	5	7	15	28	53
B. OPERATED	697	12.0	134	2	2	9	16	24	35	70
TOTAL 65-69 YRS	193	11.7	147	2	2	8	14	25	38	58
70-74	192	11.1	159	1	2	7	15	23	29	77
75-79	185	12.0	136	2	2	8	17	29	43	99+
80-84	151	11.2	111	2	2	7	15	23	36	49
85+	133	9.3	61	2	2	7	12	18	27	37
GRAND TOTAL	**854**	**11.2**	**128**	**2**	**2**	**8**	**15**	**23**	**34**	**66**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	18	4.8	23	<1	<1	3	5	14	16	16
70-74	25	5.2	23	<1	1	4	7	11	15	21
75-79	28	4.3	8	1	1	4	6	9	10	11
80-84	11	6.4	14	1	3	5	8	13	14	14
85+	5	2.4	4	1	1	2	3	6	6	6
B. *Operated*										
65-69 YRS	1022	5.5	15	1	1	5	8	10	13	18
70-74	991	5.3	14	1	1	5	7	10	13	18
75-79	824	4.9	12	1	1	4	6	9	11	16
80-84	508	5.1	11	1	1	5	7	9	11	16
85+	271	6.0	14	1	2	5	8	11	12	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	408	7.7	51	1	2	6	10	15	20	39
70-74	527	7.6	56	1	2	6	9	16	20	40
75-79	520	7.9	52	1	2	6	10	16	21	38
80-84	439	7.5	42	1	2	6	9	15	19	45
85+	340	8.6	87	2	2	6	10	16	24	74
B. *Operated*										
65-69 YRS	3551	7.7	40	1	2	6	10	15	19	32
70-74	4375	7.6	39	2	2	6	9	15	18	34
75-79	4221	7.8	42	2	2	6	9	15	19	31
80-84	2949	8.4	45	2	3	7	10	16	21	37
85+	1884	9.5	60	2	3	7	12	18	23	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	4.8	16	1	1	4	7	11	13	19
B. *Operated*	3616	5.3	13	1	1	5	7	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	2234	7.8	56	1	2	6	10	15	20	42
B. *Operated*	16980	8.0	44	2	2	6	10	15	20	34
1. SINGLE DX	3703	5.3	13	1	1	5	7	10	12	18
2. MULTIPLE DX	19214	8.0	45	2	2	6	10	15	20	35
A. NOT OPERATED	2321	7.7	55	1	2	6	9	15	20	42
B. OPERATED	20596	7.5	39	1	2	6	9	14	19	32
TOTAL 65-69 YRS	4999	7.2	37	1	2	6	9	14	18	29
70-74	5918	7.2	37	1	2	6	9	14	18	33
75-79	5593	7.4	39	1	2	6	9	14	18	30
80-84	3907	7.9	42	2	2	6	10	15	20	34
85+	2500	9.0	60	2	3	7	11	17	22	41
GRAND TOTAL	**22917**	**7.6**	**41**	**1**	**2**	**6**	**9**	**14**	**19**	**33**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	17	4.4	8	<1	<1	4	7	9	10	10
70-74	14	4.4	10	1	1	3	7	10	11	11
75-79	11	3.3	2	2	2	3	4	5	6	6
80-84	8	5.5	11	2	2	5	8	11	11	11
85+	5	5.0	4	3	3	5	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	9.0	52	1	1	11	14	15	15	15
70-74	1	1.0		1	1	1	1	1	1	1
75-79	3	5.7	17	1	1	7	8	9	9	9
80-84	1	2.0		2	2	2	2	2	2	2
85+	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
65-69 YRS	38	6.1	36	<1	1	4	8	15	21	25
70-74	47	9.0	91	1	1	7	9	21	25	49
75-79	28	8.9	55	2	2	7	10	23	28	28
80-84	24	6.3	22	2	2	5	8	10	16	24
85+	11	7.7	41	3	3	5	9	17	24	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	55	4.4	7	1	2	4	6	9	10	11
2. MULTIPLE DX										
A. *Not Operated*	10	5.4	24	1	1	3	9	13	15	15
B. *Operated*	148	7.7	56	1	2	6	9	18	24	39
1. SINGLE DX	55	4.4	7	1	2	4	6	9	10	11
2. MULTIPLE DX	158	7.5	54	1	2	6	9	17	24	38
A. NOT OPERATED	10	5.4	24	1	1	3	9	13	15	15
B. OPERATED	203	6.8	45	1	2	5	8	13	22	33
TOTAL 65-69 YRS	58	5.8	29	<1	1	4	8	12	18	25
70-74	62	7.8	75	1	1	6	9	20	22	48
75-79	42	7.2	43	2	2	6	8	16	26	28
80-84	33	5.9	19	2	2	5	7	10	12	24
85+	18	6.5	27	3	3	5	7	11	20	25
GRAND TOTAL	**213**	**6.7**	**44**	**1**	**2**	**5**	**8**	**13**	**22**	**32**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	6.6	32	<1	<1	6	11	15	16	16
70-74	15	4.4	10	1	1	4	6	10	11	11
75-79	21	4.1	15	1	1	3	5	10	13	15
80-84	6	6.8	30	2	2	6	11	14	14	14
85+	10	6.4	21	1	1	4	12	13	13	13
B. *Operated*										
65-69 YRS	961	4.0	14	1	1	3	5	8	12	18
70-74	947	3.9	16	1	1	3	4	8	12	17
75-79	828	3.9	14	1	1	3	5	8	11	19
80-84	585	4.2	13	1	1	3	5	8	11	16
85+	402	4.5	13	1	1	4	6	9	10	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	122	6.7	61	1	1	4	8	14	20	47
70-74	165	8.3	78	1	2	6	11	16	22	42
75-79	134	6.2	34	1	1	5	7	14	18	30
80-84	157	7.6	91	1	2	5	9	15	23	77
85+	124	9.1	60	2	3	7	11	20	26	36
B. *Operated*										
65-69 YRS	2500	6.8	57	1	1	4	8	16	21	39
70-74	2848	7.0	53	1	2	4	9	15	21	36
75-79	2625	7.0	50	1	2	5	9	15	21	39
80-84	2009	7.3	60	1	2	5	9	15	21	43
85+	1641	7.9	56	2	2	6	9	16	23	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	5.2	18	1	1	4	8	12	14	16
B. *Operated*	3723	4.0	14	1	1	3	5	8	12	19
2. MULTIPLE DX										
A. *Not Operated*	702	7.6	67	1	1	5	9	15	23	45
B. *Operated*	11623	7.1	55	1	2	5	9	15	21	38
1. SINGLE DX	3784	4.0	14	1	1	3	5	8	12	18
2. MULTIPLE DX	12325	7.2	56	1	2	5	9	15	21	39
A. NOT OPERATED	763	7.4	64	1	1	5	9	15	21	42
B. OPERATED	15346	6.4	47	1	1	4	8	14	19	35
TOTAL 65-69 YRS	3592	6.1	47	1	1	4	7	14	18	37
70-74	3975	6.3	47	1	1	4	8	14	19	33
75-79	3608	6.3	43	1	1	4	7	14	19	35
80-84	2757	6.6	53	1	2	4	8	14	19	35
85+	2177	7.3	50	1	2	5	9	15	21	37
GRAND TOTAL	**16109**	**6.4**	**48**	**1**	**1**	**4**	**8**	**14**	**19**	**35**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	3.0	4	<1	<1	3	5	5	5	5
70-74	12	4.6	7	1	1	4	7	8	8	8
75-79	7	2.3	3	<1	<1	2	4	5	5	5
80-84	4	4.3	4	3	3	4	5	7	7	7
85+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
65-69 YRS	132	8.4	30	1	1	8	10	13	17	32
70-74	125	10.1	41	3	4	9	12	17	21	33
75-79	105	8.4	13	2	3	8	11	13	14	17
80-84	37	11.9	146	1	3	9	13	21	26	74
85+	23	6.8	26	1	2	9	13	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	116	7.3	45	1	2	5	9	15	22	36
70-74	139	7.8	39	1	1	6	11	16	22	28
75-79	94	8.5	56	1	2	7	11	20	26	99+
80-84	87	8.6	38	2	2	7	11	18	20	33
85+	69	10.5	64	2	3	9	14	21	28	88
B. *Operated*										
65-69 YRS	697	12.8	86	2	4	11	16	23	29	49
70-74	684	12.6	69	2	4	11	16	22	28	45
75-79	527	13.2	77	2	4	11	17	23	30	50
80-84	322	13.1	62	2	4	12	16	23	29	37
85+	191	14.2	86	3	4	12	19	27	32	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	3.8	6	<1	1	3	5	7	8	8
B. *Operated*	422	9.2	40	1	2	9	11	15	18	28
2. MULTIPLE DX										
A. *Not Operated*	505	8.3	47	1	2	7	11	18	23	40
B. *Operated*	2421	13.0	76	2	4	11	16	23	30	46
1. SINGLE DX	452	8.9	39	1	2	8	11	15	18	27
2. MULTIPLE DX	2926	12.2	74	2	3	10	16	23	29	45
A. NOT OPERATED	535	8.1	46	1	2	6	10	17	22	39
B. OPERATED	2843	12.4	73	2	4	11	15	22	28	45
TOTAL 65-69 YRS	951	11.4	78	1	3	9	14	22	27	44
70-74	960	11.5	64	2	3	10	15	21	26	42
75-79	733	11.8	70	2	3	10	15	22	28	50
80-84	450	12.1	67	2	3	10	15	22	28	36
85+	284	12.9	79	3	4	11	16	27	32	46
GRAND TOTAL	**3378**	**11.7**	**71**	**2**	**3**	**10**	**15**	**22**	**27**	**44**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	3.0		3	3	3	3	3	3	3
75-79										
80-84										
85+	2	4.0	8	2	2	4	6	6	6	6
B. *Operated*										
65-69 YRS	21	3.2	3	2	2	3	3	6	8	8
70-74	25	3.2	4	1	1	3	4	6	7	9
75-79	7	2.4	2	1	1	2	4	4	4	4
80-84	7	3.3	2	2	2	3	4	6	6	6
85+	7	5.1	14	2	2	4	6	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	6	6.2	9	3	3	6	9	10	10	10
70-74	3	3.7		3	3	4	4	4	4	4
75-79	6	5.0	23	<1	<1	3	11	11	11	11
80-84	4	3.0	8	1	1	3	30	99+	99+	99+
85+	1	14.0		14	14	14	14	14	14	14
B. *Operated*										
65-69 YRS	30	3.6	6	1	1	3	5	6	6	13
70-74	25	3.8	13	1	1	3	4	7	12	17
75-79	22	3.7	5	1	2	3	5	7	8	9
80-84	15	4.1	6	1	2	3	5	9	9	9
85+	13	13.0	524	1	2	6	12	29	77	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	3.7	4	2	2	3	5	6	6	6
B. *Operated*	67	3.3	5	1	1	3	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	20	5.2	15	<1	1	4	9	12	53	99+
B. *Operated*	105	4.9	76	1	1	3	5	8	12	49
1. SINGLE DX	70	3.3	4	1	1	3	4	6	8	12
2. MULTIPLE DX	125	5.0	66	1	1	3	6	9	13	91
A. NOT OPERATED	23	5.0	14	<1	1	4	8	12	40	99+
B. OPERATED	172	4.3	49	1	1	3	5	7	9	16
TOTAL 65-69 YRS	57	3.7	6	1	2	3	4	7	9	13
70-74	54	3.5	8	1	1	3	4	7	9	17
75-79	35	3.7	8	1	1	3	5	8	10	11
80-84	26	3.7	5	1	1	3	5	8	23	99+
85+	23	9.9	307	1	2	5	10	14	40	88
GRAND TOTAL	**195**	**4.4**	**45**	**1**	**1**	**3**	**5**	**8**	**11**	**55**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	39	7.0	17	1	2	6	9	14	15	16
70-74	27	8.9	74	<1	1	8	12	20	24	39
75-79	20	5.5	20	1	2	4	6	12	15	18
80-84	12	9.0	30	3	3	8	12	17	20	21
85+	6	11.2	32	6	6	10	13	20	21	21
B. *Operated*										
65-69 YRS	81	11.4	40	3	4	10	15	20	24	29
70-74	74	14.2	154	2	3	11	16	28	44	70
75-79	36	16.6	186	2	5	13	19	29	53	64
80-84	16	10.8	40	2	3	10	14	20	23	24
85+	3	11.3	20	7	7	11	15	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	205	9.9	103	1	3	7	12	22	29	55
70-74	164	10.8	108	2	3	8	12	22	33	70
75-79	122	10.9	130	2	3	8	13	23	31	94
80-84	81	10.5	67	2	3	9	13	19	27	44
85+	44	13.7	138	3	4	9	17	38	43	45
B. *Operated*										
65-69 YRS	254	18.3	193	4	6	15	22	37	53	90
70-74	203	21.0	270	4	7	16	26	42	57	83
75-79	131	19.2	202	3	6	16	22	37	49	96
80-84	47	20.3	265	5	6	15	25	37	56	91
85+	16	17.3	109	5	6	16	21	25	42	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	7.7	36	1	2	6	10	15	20	29
B. *Operated*	210	13.2	107	2	4	11	16	23	29	60
2. MULTIPLE DX										
A. *Not Operated*	616	10.7	108	2	3	8	12	23	32	58
B. *Operated*	651	19.4	222	4	6	16	23	38	55	91
1. SINGLE DX	314	11.4	90	2	3	10	15	20	27	55
2. MULTIPLE DX	1267	15.2	185	3	3	11	19	31	43	78
A. NOT OPERATED	720	10.2	98	2	3	8	12	21	30	56
B. OPERATED	861	17.9	201	3	6	14	22	35	48	81
TOTAL 65-69 YRS	579	13.6	146	2	3	11	16	27	38	72
70-74	468	15.6	206	2	3	12	20	32	45	77
75-79	309	14.7	179	2	3	11	19	31	40	93
80-84	156	13.3	140	3	3	11	16	26	36	56
85+	69	14.2	118	4	5	11	18	28	42	48
GRAND TOTAL	**1581**	**14.4**	**169**	**2**	**3**	**11**	**18**	**29**	**42**	**76**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	5.5	13	3	3	5	8	8	8	8
70-74										
75-79	1	8.0		8	8	8	8	8	8	8
80-84	1	10.0		10	10	10	10	10	10	10
85+										
B. *Operated*										
65-69 YRS	5	9.0	20	4	4	8	11	16	16	16
70-74	2	22.0	128	14	14	22	30	30	30	30
75-79	2	19.5	41	15	15	19	24	24	24	24
80-84										
85+	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8	8.0	40	<1	1	7	10	18	21	21
70-74	15	12.3	134	3	3	10	17	30	40	43
75-79	8	12.4	241	2	3	6	14	40	48	48
80-84	7	6.9	14	2	2	7	9	12	12	12
85+	5	13.6	515	1	1	4	19	54	54	54
B. *Operated*										
65-69 YRS	26	18.7	138	3	8	16	22	36	43	56
70-74	31	22.8	382	1	3	18	27	56	70	71
75-79	18	16.8	51	8	8	17	19	27	31	34
80-84	7	23.3	108	11	12	21	31	39	40	40
85+	2	21.5	1	21	21	21	22	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	7.3	9	3	3	8	9	10	10	10
B. *Operated*	10	14.2	62	4	5	14	16	27	30	30
2. MULTIPLE DX										
A. *Not Operated*	43	10.8	149	1	2	7	12	23	45	54
B. *Operated*	84	20.3	204	3	6	17	23	37	52	71
1. SINGLE DX	14	12.2	56	3	4	10	15	25	29	30
2. MULTIPLE DX	127	17.0	205	2	3	14	22	36	48	71
A. NOT OPERATED	47	10.5	138	2	2	7	11	21	44	54
B. OPERATED	94	19.6	192	4	6	17	23	37	49	71
TOTAL 65-69 YRS	41	14.8	123	2	3	12	20	26	38	56
70-74	48	19.5	310	2	3	15	26	44	65	71
75-79	29	15.5	100	4	5	15	19	27	35	48
80-84	15	14.7	122	2	2	11	20	34	38	40
85+	8	15.6	308	1	1	10	21	44	54	54
GRAND TOTAL	**141**	**16.6**	**191**	**2**	**3**	**13**	**21**	**35**	**46**	**71**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	2.6	1	2	2	2	3	4	4	4
70-74	6	2.7	1	2	2	3	3	4	4	4
75-79	4	3.5	6	<1	<1	3	5	6	6	6
80-84	2	2.5	1	2	2	2	3	3	3	3
85+	2	5.5	1	5	5	5	6	6	6	6
B. *Operated*										
65-69 YRS	41	5.1	17	2	2	4	5	10	16	20
70-74	34	6.2	64	2	2	4	7	10	16	48
75-79	20	4.7	3	2	3	4	5	8	9	9
80-84	12	5.7	17	1	1	5	6	13	14	14
85+	3	9.3	76	2	2	7	16	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	31	5.9	23	2	2	4	8	12	14	24
70-74	35	6.3	31	1	2	5	8	12	21	23
75-79	24	7.0	104	2	2	4	6	13	26	52
80-84	18	4.4	8	1	1	4	6	9	10	10
85+	13	13.3	275	3	4	7	13	33	58	64
B. *Operated*										
65-69 YRS	144	8.7	80	2	2	6	11	17	25	44
70-74	117	9.2	61	2	3	7	11	19	24	37
75-79	93	10.7	155	2	3	6	13	24	39	92
80-84	53	13.0	151	4	4	9	16	25	39	99
85+	23	14.0	217	3	4	8	19	33	47	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	3.0	2	1	2	3	4	5	6	6
B. *Operated*	110	5.6	30	2	2	4	6	10	15	31
2. MULTIPLE DX										
A. *Not Operated*	121	6.8	69	2	2	4	7	12	21	55
B. *Operated*	430	10.1	109	2	3	7	12	21	32	70
1. SINGLE DX	131	5.2	26	2	2	4	5	9	14	25
2. MULTIPLE DX	551	9.4	102	2	2	6	11	20	28	67
A. NOT OPERATED	142	6.3	61	2	2	4	7	11	20	53
B. OPERATED	540	9.2	96	2	3	6	11	19	27	67
TOTAL 65-69 YRS	223	7.5	61	2	2	5	9	15	20	42
70-74	192	7.9	56	2	2	5	10	16	23	38
75-79	141	9.0	126	2	2	5	10	19	33	83
80-84	85	9.9	114	2	2	7	13	22	27	93
85+	41	13.0	210	3	4	7	15	28	49	67
GRAND TOTAL	**682**	**8.6**	**90**	**2**	**2**	**5**	**10**	**18**	**25**	**63**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	71	5.1	15	1	1	5	6	10	13	18
70-74	76	5.5	28	1	1	4	7	13	16	27
75-79	59	6.4	56	1	2	4	8	13	16	50
80-84	34	7.7	49	1	1	5	10	19	22	29
85+	30	8.1	74	1	1	5	9	18	27	41
B. *Operated*										
65-69 YRS	154	6.8	36	1	1	5	9	14	20	28
70-74	162	6.4	40	1	1	4	9	14	18	31
75-79	119	7.1	67	1	1	4	8	18	21	43
80-84	76	5.8	29	<1	1	4	8	14	16	26
85+	34	5.5	41	1	1	3	6	12	22	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4310	8.8	64	2	2	7	11	18	24	41
70-74	4222	9.0	62	2	2	7	11	18	24	38
75-79	3254	9.4	71	2	2	7	12	19	25	43
80-84	2057	9.4	73	2	3	7	12	19	24	46
85+	1340	9.4	61	2	3	7	12	19	24	38
B. *Operated*										
65-69 YRS	4990	12.2	123	2	2	9	16	25	33	58
70-74	4650	12.3	111	2	3	9	16	25	32	53
75-79	3200	13.0	135	2	3	10	17	26	35	61
80-84	1826	12.7	110	2	3	10	17	27	33	57
85+	969	12.7	113	2	3	10	17	24	34	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	270	6.2	39	1	1	4	8	14	18	30
B. *Operated*	545	6.5	43	1	1	5	9	14	18	31
2. MULTIPLE DX										
A. *Not Operated*	15183	9.1	66	2	2	7	11	18	24	41
B. *Operated*	15635	12.5	120	2	3	10	16	25	34	58
1. SINGLE DX	815	6.4	42	1	1	4	8	14	18	31
2. MULTIPLE DX	30818	10.8	96	2	2	8	14	22	29	51
A. NOT OPERATED	15453	9.1	66	2	2	7	11	18	24	41
B. OPERATED	16180	12.3	118	2	2	9	16	25	33	57
TOTAL 65-69 YRS	9525	10.5	97	2	2	8	14	22	29	51
70-74	9110	10.6	90	2	2	8	14	22	29	48
75-79	6632	11.1	105	2	2	8	14	23	30	52
80-84	3993	10.8	92	2	3	8	14	22	29	50
85+	2373	10.7	85	2	3	8	13	21	28	51
GRAND TOTAL	**31633**	**10.7**	**95**	**2**	**2**	**8**	**14**	**22**	**29**	**50**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	4.0	12	1	1	3	6	9	9	9
70-74	4	5.8	16	1	1	6	9	9	9	9
75-79	5	6.2	35	1	1	3	12	14	14	14
80-84	3	1.0		<1	<1	<1	1	1	1	1
85+	2	2.5	5	<1	<1	2	4	4	4	4
B. *Operated*										
65-69 YRS	28	6.1	41	1	1	4	8	16	20	28
70-74	22	6.0	45	<1	1	4	7	13	25	27
75-79	10	4.6	26	<1	<1	3	5	12	18	18
80-84	9	4.3	9	1	1	4	5	9	11	11
85+	7	8.6	90	1	1	8	8	25	29	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	35	8.7	44	3	3	6	12	16	22	31
70-74	45	8.5	123	1	2	6	9	15	20	74
75-79	16	6.4	18	1	1	6	11	12	13	14
80-84	13	6.5	49	<1	1	3	9	18	22	23
85+	5	14.2	237	1	1	4	30	32	32	32
B. *Operated*										
65-69 YRS	71	11.7	92	2	2	9	16	23	27	54
70-74	65	15.2	225	2	3	11	19	36	42	78
75-79	43	16.4	135	4	5	14	20	33	43	56
80-84	11	12.5	118	2	3	10	17	27	40	41
85+	20	11.4	58	1	2	9	18	23	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	4.3	17	<1	<1	3	9	10	13	14
B. *Operated*	76	5.9	40	<1	1	4	7	12	22	29
2. MULTIPLE DX										
A. *Not Operated*	114	8.3	80	1	2	6	11	16	22	47
B. *Operated*	215	13.8	142	2	3	11	18	29	38	60
1. SINGLE DX	94	5.6	36	<1	1	4	7	11	19	29
2. MULTIPLE DX	329	11.9	127	1	2	8	15	25	33	59
A. NOT OPERATED	132	7.7	73	1	1	5	10	15	22	40
B. OPERATED	291	11.7	127	1	2	8	16	25	35	57
TOTAL 65-69 YRS	138	9.5	72	1	2	7	14	21	25	40
70-74	136	11.2	170	1	2	7	13	27	36	75
75-79	79	12.2	117	1	2	10	17	25	36	52
80-84	36	7.3	67	<1	1	5	10	17	21	41
85+	34	10.7	86	1	1	8	18	26	30	32
GRAND TOTAL	**423**	**10.5**	**113**	**1**	**2**	**7**	**14**	**23**	**30**	**57**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	5.5	11	2	2	5	9	9	9	9
70-74	11	8.4	47	2	3	7	10	18	26	27
75-79	11	4.8	7	1	2	4	7	8	9	9
80-84	8	3.4	5	1	1	3	4	7	8	8
85+	7	4.1	9	1	1	4	6	9	10	10
B. *Operated*										
65-69 YRS	16	5.6	9	1	2	5	8	11	11	11
70-74	24	5.2	11	1	1	4	7	10	11	12
75-79	9	7.2	25	3	3	5	8	16	19	19
80-84	5	9.6	290	1	1	2	13	40	40	40
85+	5	9.6	46	4	4	8	13	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	137	6.8	38	1	2	5	9	13	18	35
70-74	151	9.7	104	1	2	6	14	21	26	36
75-79	142	7.4	41	1	1	6	10	16	19	33
80-84	122	7.0	61	1	2	5	9	14	18	47
85+	110	7.8	46	1	2	6	10	15	21	34
B. *Operated*										
65-69 YRS	113	13.4	214	1	2	8	15	31	45	71
70-74	157	11.4	92	2	3	9	14	21	28	47
75-79	111	12.6	128	2	3	9	16	25	36	58
80-84	76	12.8	151	2	3	9	16	27	46	92
85+	67	13.2	169	2	3	9	16	31	42	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	5.4	20	1	2	4	7	9	11	27
B. *Operated*	59	6.4	36	1	2	5	8	11	16	38
2. MULTIPLE DX										
A. *Not Operated*	662	7.8	60	1	2	5	10	16	21	35
B. *Operated*	524	12.5	144	2	3	9	15	25	36	68
1. SINGLE DX	102	6.0	29	1	2	5	8	11	12	33
2. MULTIPLE DX	1186	9.9	103	1	2	7	12	20	29	61
A. NOT OPERATED	705	7.6	58	1	2	5	9	15	21	35
B. OPERATED	583	11.9	136	2	3	9	14	24	34	67
TOTAL 65-69 YRS	272	9.4	119	1	2	6	11	20	30	64
70-74	343	10.1	92	2	2	8	13	21	26	42
75-79	273	9.4	81	1	2	7	12	19	26	50
80-84	211	9.0	104	1	2	6	11	19	29	67
85+	189	9.6	95	1	2	7	11	20	31	51
GRAND TOTAL	**1288**	**9.6**	**98**	**1**	**2**	**7**	**12**	**20**	**28**	**58**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	18	4.3	31	<1	<1	3	5	7	18	25
70-74	31	6.1	122	<1	1	3	6	14	16	61
75-79	27	6.2	34	1	1	4	9	14	21	21
80-84	12	5.6	42	<1	<1	2	10	17	19	19
85+	11	5.7	24	1	1	4	7	15	16	16
B. *Operated*										
65-69 YRS	35	9.1	85	1	1	5	13	22	30	33
70-74	25	10.0	200	1	1	4	7	39	41	48
75-79	22	10.9	98	1	1	8	16	24	32	42
80-84	9	6.3	10	3	3	6	8	11	13	13
85+	9	9.4	101	2	2	4	12	27	30	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	177	8.8	141	1	1	5	11	18	27	73
70-74	259	6.9	56	1	1	5	8	16	22	40
75-79	219	7.3	50	1	1	5	10	16	23	37
80-84	177	7.1	52	1	1	5	10	15	22	32
85+	139	5.8	23	1	2	4	8	13	17	21
B. *Operated*										
65-69 YRS	248	22.1	327	3	4	18	34	49	60	99+
70-74	278	19.3	299	2	3	13	30	43	56	81
75-79	218	17.2	246	3	3	11	27	40	51	79
80-84	166	16.7	333	3	4	10	22	38	56	93
85+	107	13.2	217	2	3	8	14	30	43	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	99	5.7	59	<1	1	3	7	14	18	43
B. *Operated*	100	9.5	109	1	1	5	10	24	36	45
2. MULTIPLE DX										
A. *Not Operated*	971	7.2	65	1	1	5	10	15	22	39
B. *Operated*	1017	18.5	298	3	3	11	29	42	55	92
1. SINGLE DX	199	7.6	88	1	1	4	9	20	26	45
2. MULTIPLE DX	1988	13.0	216	1	2	7	16	33	45	75
A. NOT OPERATED	1070	7.1	65	1	1	5	9	15	21	39
B. OPERATED	1117	17.7	287	2	3	11	28	41	54	90
TOTAL 65-69 YRS	478	15.6	276	1	2	9	25	38	52	89
70-74	593	12.8	217	1	1	7	16	34	44	75
75-79	486	11.8	163	1	2	8	14	29	39	59
80-84	364	11.4	201	1	2	7	13	27	37	82
85+	266	8.9	116	1	2	6	11	18	27	53
GRAND TOTAL	**2187**	**12.5**	**206**	**1**	**2**	**7**	**15**	**32**	**43**	**74**

49: Lymphatic and hematopoietic neoplasm, except hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	83	6.2	37	1	1	4	8	12	16	33
70-74	80	5.2	17	1	1	4	8	10	13	19
75-79	65	5.6	29	1	1	4	8	11	14	31
80-84	27	8.1	123	1	1	4	10	17	26	57
85+	17	7.5	22	3	3	7	9	13	18	21
B. *Operated*										
65-69 YRS	297	6.8	39	1	1	5	9	14	18	32
70-74	221	6.6	48	1	1	4	9	14	20	38
75-79	193	7.3	53	1	1	5	10	15	19	44
80-84	93	6.6	39	1	1	5	9	14	20	33
85+	57	5.1	11	<1	1	4	7	9	12	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	729	9.1	68	1	2	7	11	20	26	42
70-74	763	9.0	77	1	2	7	11	17	26	44
75-79	639	9.2	74	1	2	7	11	20	25	46
80-84	445	9.1	71	1	2	7	12	18	24	49
85+	249	8.9	104	1	2	6	11	18	23	71
B. *Operated*										
65-69 YRS	1100	13.2	140	2	3	10	17	29	38	59
70-74	1113	14.2	155	2	3	11	18	30	41	57
75-79	963	13.6	123	2	4	11	18	28	36	59
80-84	596	14.8	158	2	4	12	19	30	41	73
85+	348	13.5	114	2	4	10	17	28	35	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	272	6.0	37	1	1	4	8	12	15	32
B. *Operated*	861	6.7	43	1	1	5	9	14	18	37
2. MULTIPLE DX										
A. *Not Operated*	2825	9.0	75	1	2	7	11	19	26	46
B. *Operated*	4120	13.8	141	2	3	10	18	29	38	59
1. SINGLE DX	1133	6.6	41	1	1	5	9	14	17	35
2. MULTIPLE DX	6945	11.9	120	2	2	9	15	25	34	56
A. NOT OPERATED	3097	8.8	73	1	2	6	11	18	25	45
B. OPERATED	4981	12.6	131	2	2	9	16	27	36	57
TOTAL 65-69 YRS	2209	10.7	106	1	2	8	14	24	32	53
70-74	2177	11.3	122	1	2	8	14	24	34	52
75-79	1860	11.1	102	1	2	8	14	23	32	50
80-84	1161	11.8	124	2	2	9	15	24	34	63
85+	671	10.9	108	2	3	8	14	23	29	53
GRAND TOTAL	**8078**	**11.1**	**112**	**1**	**2**	**8**	**14**	**24**	**32**	**54**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	1.0		<1	<1	<1	1	1	1	1
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	211	2.9	2	1	1	3	4	5	6	8
70-74	143	2.7	2	1	1	2	4	5	5	6
75-79	94	3.0	3	<1	1	3	4	5	6	8
80-84	39	2.8	3	1	1	2	3	6	7	9
85+	23	3.1	2	1	1	3	4	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	3.0	12	1	1	1	6	7	7	7
70-74	3	3.3	4	1	1	4	5	5	5	5
75-79	1	79.0		79	79	79	79	79	79	79
80-84										
85+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
65-69 YRS	219	3.7	6	1	1	3	4	6	8	16
70-74	190	4.1	9	1	1	4	5	7	9	15
75-79	129	4.4	17	1	1	3	5	8	13	25
80-84	55	4.6	11	1	2	4	6	8	13	17
85+	27	5.6	13	1	2	5	7	11	13	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	510	2.9	2	1	1	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	8	12.9	719	1	1	4	6	57	79	79
B. *Operated*	620	4.2	10	1	1	3	5	7	10	17
1. SINGLE DX	512	2.9	2	1	1	3	4	5	6	7
2. MULTIPLE DX	628	4.3	19	1	1	3	5	7	10	17
A. NOT OPERATED	10	10.5	584	<1	<1	3	5	43	79	79
B. OPERATED	1130	3.6	7	1	1	3	4	6	8	15
TOTAL 65-69 YRS	435	3.3	4	1	1	3	4	5	7	12
70-74	336	3.5	6	1	1	3	4	6	8	14
75-79	224	4.2	37	1	1	3	5	7	9	26
80-84	94	3.9	9	1	1	3	5	7	9	16
85+	51	4.4	9	1	1	4	5	8	11	16
GRAND TOTAL	**1140**	**3.6**	**12**	**1**	**1**	**3**	**4**	**6**	**8**	**15**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	37	1.5	1	<1	<1	1	2	2	4	6
70-74	18	1.1		<1	<1	1	1	1	2	2
75-79	22	1.6	2	<1	<1	1	2	3	5	7
80-84	9	2.8	7	<1	<1	2	3	7	9	9
85+	5	3.0	6	1	1	3	4	7	7	7
B. *Operated*										
65-69 YRS	324	3.7	14	<1	<1	2	6	9	11	16
70-74	297	4.0	19	<1	<1	2	6	10	12	18
75-79	226	3.9	16	<1	<1	2	6	9	12	18
80-84	125	4.2	26	<1	1	2	5	11	13	25
85+	58	4.0	16	<1	1	2	6	10	11	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	105	3.6	13	<1	<1	2	4	8	9	20
70-74	107	4.3	9	1	1	4	6	8	10	15
75-79	130	4.2	13	1	1	3	6	10	11	17
80-84	84	6.4	59	1	1	4	8	14	17	48
85+	72	6.1	64	1	2	4	8	11	15	55
B. *Operated*										
65-69 YRS	1137	6.3	44	<1	1	5	9	12	17	29
70-74	1288	6.7	49	<1	1	5	9	14	18	30
75-79	1107	6.8	56	1	1	4	9	15	21	34
80-84	703	7.5	61	1	1	5	10	16	21	44
85+	420	8.4	64	1	1	6	12	19	24	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	1.6	2	<1	<1	1	2	3	5	8
B. *Operated*	1030	3.9	18	<1	<1	2	6	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	498	4.7	28	<1	1	3	6	9	13	19
B. *Operated*	4655	6.9	53	1	1	5	10	15	20	33
1. SINGLE DX	1121	3.7	17	<1	<1	2	5	10	11	18
2. MULTIPLE DX	5153	6.7	51	1	1	5	9	14	19	32
A. NOT OPERATED	589	4.3	26	<1	<1	3	6	9	12	18
B. OPERATED	5685	6.4	48	<1	1	4	9	14	18	30
TOTAL 65-69 YRS	1603	5.5	36	<1	<1	3	8	11	15	27
70-74	1710	6.0	43	<1	1	4	9	13	16	28
75-79	1485	6.1	47	<1	1	4	9	14	19	29
80-84	921	6.9	57	1	1	4	10	15	19	42
85+	555	7.6	60	1	1	5	10	17	24	36
GRAND TOTAL	**6274**	**6.2**	**46**	**<1**	**1**	**4**	**9**	**13**	**18**	**30**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84	1	1.0		1	1	1	1	1	1	1
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	63	4.2	13	<1	<1	3	6	8	10	21
70-74	43	4.8	26	<1	1	2	6	11	16	25
75-79	28	3.7	12	1	1	2	5	9	10	14
80-84	7	2.6	1	1	1	2	4	4	4	4
85+	6	2.0	4	1	1	1	2	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4	4.3	6	1	1	4	6	7	7	7
70-74	4	3.3	4	1	1	3	5	6	6	6
75-79	1	6.0		6	6	6	6	6	6	6
80-84										
85+	2	11.0	18	8	8	11	14	14	14	14
B. *Operated*										
65-69 YRS	130	7.6	45	1	1	6	11	16	18	59
70-74	110	8.8	72	1	1	8	11	17	24	45
75-79	58	7.6	46	1	1	6	10	20	23	26
80-84	28	5.7	24	1	1	4	8	13	16	19
85+	18	9.7	146	1	1	7	11	22	42	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	147	4.1	16	<1	1	2	6	9	11	22
2. MULTIPLE DX										
A. *Not Operated*	11	5.3	14	1	1	5	7	10	14	14
B. *Operated*	344	7.9	58	1	1	6	11	17	21	50
1. SINGLE DX	149	4.1	16	<1	1	2	6	9	11	22
2. MULTIPLE DX	355	7.9	56	1	1	6	10	17	21	49
A. NOT OPERATED	13	4.7	13	1	1	4	6	9	13	14
B. OPERATED	491	6.8	48	1	1	5	9	15	20	30
TOTAL 65-69 YRS	197	6.5	37	1	1	5	9	14	17	39
70-74	157	7.5	61	1	1	6	10	17	21	31
75-79	87	6.3	38	1	1	4	9	15	21	26
80-84	36	4.9	21	1	1	3	7	12	15	19
85+	27	7.8	109	1	1	6	9	14	30	52
GRAND TOTAL	**504**	**6.7**	**47**	**1**	**1**	**5**	**9**	**15**	**19**	**30**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	5	3.6	12	<1	<1	2	6	9	9	9
75-79	2	1.5	1	1	1	1	2	2	2	2
80-84	1	3.0		3	3	3	3	3	3	3
85+										
B. *Operated*										
65-69 YRS	257	2.5	4	<1	<1	2	3	5	7	11
70-74	168	2.7	7	<1	<1	2	3	7	8	12
75-79	88	2.6	5	<1	<1	2	3	5	7	13
80-84	41	2.2	6	<1	<1	2	2	4	7	13
85+	22	2.2	1	<1	<1	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	17	3.0	4	<1	1	3	3	4	8	10
70-74	15	4.5	16	<1	1	2	7	12	13	13
75-79	9	6.3	40	<1	<1	3	14	15	16	16
80-84	10	3.7	4	1	1	3	5	7	8	8
85+	10	5.6	9	3	3	5	6	10	13	13
B. *Operated*										
65-69 YRS	385	3.8	23	<1	1	2	4	9	10	17
70-74	302	4.7	25	<1	1	3	6	11	15	26
75-79	179	5.7	37	1	1	4	6	12	18	32
80-84	105	5.4	27	<1	1	3	6	14	16	26
85+	40	7.5	44	1	1	5	9	17	22	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	3.0	8	<1	<1	2	4	8	9	9
B. *Operated*	576	2.5	5	<1	<1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	61	4.4	14	<1	1	3	5	11	13	16
B. *Operated*	1011	4.7	28	<1	1	3	6	10	14	26
1. SINGLE DX	584	2.6	5	<1	<1	2	3	5	7	11
2. MULTIPLE DX	1072	4.7	27	<1	1	3	6	10	14	25
A. NOT OPERATED	69	4.2	13	<1	1	3	5	10	13	16
B. OPERATED	1587	3.9	21	<1	<1	2	4	9	12	22
TOTAL 65-69 YRS	659	3.3	15	<1	<1	2	4	7	10	14
70-74	490	4.0	20	<1	<1	2	5	9	12	21
75-79	278	4.7	29	<1	1	3	6	11	16	26
80-84	157	4.4	21	<1	<1	3	5	11	14	25
85+	72	5.6	31	<1	1	4	7	14	17	27
GRAND TOTAL	**1656**	**3.9**	**21**	**<1**	**<1**	**2**	**4**	**9**	**12**	**21**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	2.2	1	<1	<1	2	3	3	3	3
70-74	3	2.3	1	<1	<1	3	3	3	3	3
75-79										
80-84	1	8.0		8	8	8	8	8	8	8
85+	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	63	3.0	19	<1	<1	2	2	7	8	30
70-74	35	2.8	7	<1	<1	2	4	7	7	14
75-79	23	3.4	23	<1	<1	2	3	8	14	23
80-84	15	3.3	15	<1	1	3	3	4	14	17
85+	10	5.2	14	2	2	4	8	11	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7	4.7	8	1	1	4	7	8	8	8
70-74	20	8.1	59	1	1	6	10	21	27	28
75-79	22	6.2	25	1	2	4	9	12	17	23
80-84	15	7.2	18	1	2	6	11	13	14	15
85+	12	7.3	34	<1	1	5	9	17	20	20
B. *Operated*										
65-69 YRS	112	5.6	59	<1	1	3	6	13	22	67
70-74	117	5.4	51	<1	1	3	7	11	14	42
75-79	82	8.6	151	<1	1	5	10	22	30	72
80-84	46	7.8	41	<1	1	6	11	17	20	28
85+	33	8.8	106	<1	1	5	10	25	37	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	2.5	4	<1	<1	2	3	5	8	8
B. *Operated*	146	3.2	16	<1	<1	2	3	7	9	23
2. MULTIPLE DX										
A. *Not Operated*	76	6.9	32	1	1	5	9	13	19	28
B. *Operated*	390	6.7	79	<1	1	3	8	16	24	42
1. SINGLE DX	157	3.1	15	<1	<1	2	3	7	9	23
2. MULTIPLE DX	466	6.7	71	<1	1	4	8	15	23	41
A. NOT OPERATED	87	6.4	31	1	1	5	9	13	17	28
B. OPERATED	536	5.7	64	<1	1	3	7	13	22	40
TOTAL 65-69 YRS	187	4.6	44	<1	<1	2	5	9	17	44
70-74	175	5.1	44	<1	1	3	7	11	15	40
75-79	127	7.2	109	<1	1	4	8	19	24	48
80-84	77	6.8	34	<1	1	5	10	15	18	27
85+	57	7.6	73	<1	1	5	9	19	29	38
GRAND TOTAL	**623**	**5.8**	**60**	**<1**	**1**	**3**	**7**	**13**	**21**	**39**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	92	1.9	1	<1	<1	2	2	3	3	6
70-74	42	2.1	1	<1	1	2	2	3	4	5
75-79	26	2.0	1	<1	<1	2	2	3	4	4
80-84	12	2.0	1	<1	<1	2	3	3	3	3
85+	6	2.8	2	<1	<1	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	1.3		<1	<1	1	2	2	2	2
70-74										
75-79	2	4.0		4	4	4	4	4	4	4
80-84	1	2.0		2	2	2	2	2	2	2
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	140	2.3	2	<1	1	2	3	4	5	8
70-74	128	3.1	11	<1	1	2	3	7	9	21
75-79	77	3.0	6	<1	1	2	3	5	7	17
80-84	46	3.2	7	1	1	2	3	8	8	13
85+	30	3.9	9	1	1	3	5	8	10	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	178	2.0	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	7	2.3	2	<1	<1	2	3	4	4	4
B. *Operated*	421	2.9	7	<1	1	2	3	5	7	14
1. SINGLE DX	179	2.0	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX	428	2.9	7	<1	1	2	3	5	7	13
A. NOT OPERATED	8	2.1	2	<1	<1	2	3	4	4	4
B. OPERATED	599	2.6	5	<1	1	2	3	5	7	10
TOTAL 65-69 YRS	236	2.1	2	<1	<1	2	2	3	5	7
70-74	170	2.8	9	<1	1	2	3	5	7	17
75-79	105	2.8	5	<1	1	2	3	5	6	14
80-84	59	2.9	6	1	1	2	3	7	8	13
85+	37	3.7	8	1	1	3	4	7	9	15
GRAND TOTAL	**607**	**2.6**	**5**	**<1**	**1**	**2**	**3**	**5**	**7**	**10**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	3	8.3	70	3	3	4	14	18	18	18
80-84	3	2.7	2	1	1	3	4	4	4	4
85+										
B. *Operated*										
65-69 YRS	34	5.3	10	<1	1	5	7	8	11	15
70-74	19	7.0	18	1	2	6	8	14	17	17
75-79	10	5.4	5	<1	1	6	6	8	9	9
80-84	4	5.5	2	4	4	5	6	7	7	7
85+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	9	3.3	1	2	2	3	4	5	5	5
70-74	11	4.2	15	2	2	3	5	10	15	15
75-79	8	6.3	10	2	2	6	9	10	10	10
80-84	10	8.7	158	2	2	5	7	26	44	44
85+	11	6.1	19	1	1	5	9	13	15	15
B. *Operated*										
65-69 YRS	348	7.6	19	2	4	7	9	12	15	27
70-74	197	8.1	18	3	4	7	9	13	15	26
75-79	107	9.7	54	3	4	8	11	15	27	41
80-84	63	9.5	31	2	5	8	11	16	18	34
85+	44	7.4	22	1	2	6	9	13	19	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	5.5	39	1	1	3	4	17	18	18
B. *Operated*	68	5.8	11	<1	2	6	7	9	12	17
2. MULTIPLE DX										
A. *Not Operated*	49	5.7	42	2	2	4	6	10	15	44
B. *Operated*	759	8.2	25	2	4	7	9	13	16	31
1. SINGLE DX	74	5.8	13	<1	2	6	7	9	14	18
2. MULTIPLE DX	808	8.0	27	2	4	7	9	13	16	32
A. NOT OPERATED	55	5.7	41	2	2	4	6	10	15	43
B. OPERATED	827	8.0	25	2	4	7	9	13	16	30
TOTAL 65-69 YRS	391	7.3	19	2	3	7	8	11	15	25
70-74	227	7.8	18	2	3	7	9	13	15	23
75-79	128	9.1	49	2	3	7	10	15	24	40
80-84	80	9.0	45	2	3	7	10	16	18	41
85+	56	7.1	21	1	2	6	9	12	19	23
GRAND TOTAL	**882**	**7.8**	**26**	**2**	**3**	**7**	**9**	**13**	**16**	**31**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
70-74	6	5.7	12	2	2	6	7	11	11	11
75-79	3	2.7	4	1	1	2	4	5	5	5
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	5.0	32	1	1	5	9	9	9	9
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	10	7.3	14	2	3	6	9	13	14	14
70-74	16	6.8	19	2	2	6	8	15	17	17
75-79	4	8.8	35	3	3	7	12	17	17	17
80-84	3	10.0	49	5	5	7	15	18	18	18
85+	6	5.5	12	2	2	5	9	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	10	4.3	11	<1	<1	4	7	9	11	11
2. MULTIPLE DX										
A. *Not Operated*	2	5.0	32	1	1	5	9	9	9	9
B. *Operated*	39	7.2	19	2	2	6	8	15	17	18
1. SINGLE DX	10	4.3	11	<1	<1	4	7	9	11	11
2. MULTIPLE DX	41	7.1	19	2	2	6	8	15	17	18
A. NOT OPERATED	2	5.0	32	1	1	5	9	9	9	9
B. OPERATED	49	6.6	19	2	2	6	8	14	17	18
TOTAL 65-69 YRS	13	6.5	16	<1	1	6	9	13	14	14
70-74	22	6.5	17	2	2	6	8	12	16	17
75-79	7	6.1	29	1	1	5	8	15	17	17
80-84	3	10.0	49	5	5	7	15	18	18	18
85+	6	5.5	12	2	2	5	9	10	10	10
GRAND TOTAL	**51**	**6.5**	**19**	**1**	**2**	**6**	**8**	**13**	**17**	**18**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	3.5	5	2	2	3	5	5	5	5
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	80	6.7	7	4	4	6	7	9	13	18
70-74	69	7.3	5	5	5	7	8	10	12	17
75-79	34	7.1	5	4	5	7	8	10	12	13
80-84	16	8.1	11	4	5	7	9	14	16	16
85+	8	7.3	7	4	4	7	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	17.0		17	17	17	17	17	17	17
70-74	6	3.0	6	<1	<1	2	3	7	8	8
75-79	3	3.3	4	1	1	4	5	5	5	5
80-84	2	13.0	72	7	7	13	19	19	19	19
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	342	8.6	18	5	5	7	10	14	18	25
70-74	301	9.3	41	5	5	8	10	15	19	35
75-79	197	10.1	44	5	5	8	11	16	22	44
80-84	113	11.2	52	5	6	9	13	18	25	42
85+	65	10.3	24	5	6	9	12	17	20	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*	207	7.1	6	4	5	7	8	10	12	16
2. MULTIPLE DX										
A. *Not Operated*	13	5.7	35	<1	1	3	7	17	19	19
B. *Operated*	1018	9.5	34	5	5	8	11	15	20	33
1. SINGLE DX	209	7.1	7	4	5	7	8	10	12	16
2. MULTIPLE DX	1031	9.4	35	5	5	8	11	15	19	32
A. NOT OPERATED	15	5.4	31	<1	1	3	7	17	18	19
B. OPERATED	1225	9.1	30	5	5	8	10	15	19	32
TOTAL 65-69 YRS	425	8.2	16	4	5	7	9	14	17	23
70-74	376	8.9	35	5	5	7	10	14	18	34
75-79	234	9.6	39	5	5	8	11	15	21	42
80-84	131	10.8	48	5	6	9	12	18	25	39
85+	74	9.9	24	4	5	9	12	16	20	29
GRAND TOTAL	**1240**	**9.0**	**31**	**5**	**5**	**8**	**10**	**15**	**19**	**32**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	5	2.8	1	2	2	3	3	4	4	4
70-74	3	3.3	10	<1	<1	2	6	7	7	7
75-79	1	10.0		10	10	10	10	10	10	10
80-84	3	2.0		2	2	2	2	2	2	2
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	1	14.0		14	14	14	14	14	14	14
80-84										
85+										
B. *Operated*										
65-69 YRS	15	4.3	7	<1	1	4	6	8	9	10
70-74	10	6.6	13	2	2	6	9	12	14	14
75-79	2	6.0	32	2	2	6	10	10	10	10
80-84	3	8.0	49	<1	<1	8	13	15	15	15
85+	2	6.5	41	2	2	6	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	12	3.3	7	<1	1	2	4	8	10	10
2. MULTIPLE DX										
A. *Not Operated*	1	14.0		14	14	14	14	14	14	14
B. *Operated*	32	5.6	14	<1	1	5	8	11	14	15
1. SINGLE DX	12	3.3	7	<1	1	2	4	8	10	10
2. MULTIPLE DX	33	5.9	16	<1	1	5	8	12	14	15
A. NOT OPERATED	1	14.0		14	14	14	14	14	14	14
B. OPERATED	44	5.0	13	<1	1	4	7	10	12	15
TOTAL 65-69 YRS	20	4.0	6	<1	1	3	5	7	9	10
70-74	13	5.8	14	<1	1	6	8	11	13	14
75-79	4	9.0	25	2	2	10	12	14	14	14
80-84	6	5.0	30	<1	<1	2	8	14	15	15
85+	2	6.5	41	2	2	6	11	11	11	11
GRAND TOTAL	**45**	**5.2**	**15**	**<1**	**2**	**4**	**7**	**10**	**14**	**15**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	7	1.4	1	<1	<1	1	1	3	4	4
70-74	3	1.7		<1	<1	2	2	2	2	2
75-79										
80-84	2	3.0		3	3	3	3	3	3	3
85+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	14	5.1	40	<1	1	4	5	10	22	26
70-74	11	4.7	21	<1	1	3	6	11	16	17
75-79	11	8.9	72	2	2	6	12	21	30	31
80-84	2	4.0	8	2	2	4	6	6	6	6
85+	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	13	1.8	1	<1	<1	1	3	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	39	5.9	42	<1	1	4	6	14	22	31
1. SINGLE DX	13	1.8	1	<1	<1	1	3	3	4	4
2. MULTIPLE DX	39	5.9	42	<1	1	4	6	14	22	31
A. NOT OPERATED										
B. OPERATED	52	4.9	35	<1	1	3	6	12	17	31
TOTAL 65-69 YRS	21	3.9	30	<1	<1	2	4	7	16	26
70-74	14	4.1	18	<1	<1	3	6	8	15	17
75-79	11	8.9	72	2	2	6	12	21	30	31
80-84	4	3.5	3	2	2	3	5	6	6	6
85+	2	2.5	1	2	2	2	3	3	3	3
GRAND TOTAL	**52**	**4.9**	**35**	**<1**	**1**	**3**	**6**	**12**	**17**	**31**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	1.0		1	1	1	1	1	1	1
85+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
65-69 YRS	26	3.7	21	<1	<1	2	4	8	15	21
70-74	23	3.8	17	<1	1	2	3	13	14	14
75-79	21	2.5	2	<1	1	2	3	4	6	7
80-84	6	2.5	3	<1	<1	2	4	5	5	5
85+	3	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	3.0		3	3	3	3	3	3	3
80-84	1	10.0		10	10	10	10	10	10	10
85+	2	7.5	25	4	4	7	11	11	11	11
B. *Operated*										
65-69 YRS	76	4.6	14	1	1	3	6	11	13	15
70-74	78	5.0	20	1	1	3	7	10	14	21
75-79	57	5.0	21	1	1	3	7	12	15	94
80-84	48	6.9	64	1	2	4	8	17	23	45
85+	28	6.6	56	2	2	4	6	15	22	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.7	8	1	1	1	5	6	6	6
B. *Operated*	79	3.3	13	<1	<1	2	3	7	13	19
2. MULTIPLE DX										
A. *Not Operated*	6	5.0	20	1	1	3	10	11	11	11
B. *Operated*	287	5.4	30	1	1	3	7	12	16	33
1. SINGLE DX	82	3.2	13	<1	<1	2	3	7	13	19
2. MULTIPLE DX	293	5.3	29	1	1	3	7	12	16	33
A. NOT OPERATED	9	4.2	16	1	1	3	7	11	11	11
B. OPERATED	366	4.9	27	1	1	3	7	11	14	25
TOTAL 65-69 YRS	103	4.3	15	1	1	3	6	10	13	18
70-74	102	4.7	19	1	1	3	7	11	14	20
75-79	80	4.3	17	1	1	3	6	11	13	76
80-84	56	6.3	58	1	1	3	7	16	21	44
85+	34	6.2	49	2	2	4	6	12	19	38
GRAND TOTAL	**375**	**4.9**	**26**	**1**	**1**	**3**	**7**	**11**	**14**	**25**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	2	4.5	13	2	2	4	7	7	7	7
70-74	3	2.0	3	<1	<1	<1	3	4	4	4
75-79	1	7.0		7	7	7	7	7	7	7
80-84	1	1.0		1	1	1	1	1	1	1
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	2	5.5	41	1	1	5	10	10	10	10
70-74										
75-79	3	4.7	21	2	2	2	8	10	10	10
80-84	2	3.0		3	3	3	3	3	3	3
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	7	3.3	8	<1	<1	2	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	7	4.4	15	1	1	3	8	10	10	10
1. SINGLE DX	7	3.3	8	<1	<1	2	6	7	7	7
2. MULTIPLE DX	7	4.4	15	1	1	3	8	10	10	10
A. NOT OPERATED										
B. OPERATED	14	3.9	11	<1	<1	3	7	10	10	10
TOTAL 65-69 YRS	4	5.0	18	1	1	4	8	10	10	10
70-74	3	2.0	3	<1	<1	<1	3	4	4	4
75-79	4	5.3	16	2	2	5	8	10	10	10
80-84	3	2.3	1	1	1	3	3	3	3	3
85+										
GRAND TOTAL	**14**	**3.9**	**11**	**<1**	**<1**	**3**	**7**	**10**	**10**	**10**

1,559 Hospitals, United States, January-December 1985

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	18.0	983	1	1	3	34	65	65	65
70-74	10	6.0	37	1	1	4	8	15	21	21
75-79	3	1.7	1	1	1	1	3	3	3	3
80-84	4	2.5		2	2	2	3	3	3	3
85+	2	27.5	685	9	9	27	46	46	46	46
B. *Operated*										
65-69 YRS	86	10.6	38	1	3	10	14	19	24	28
70-74	59	9.9	43	1	2	9	13	20	24	28
75-79	30	11.8	225	1	2	9	12	18	37	81
80-84	16	14.2	87	2	5	12	18	27	35	38
85+	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	49	6.2	41	1	2	5	8	11	12	44
70-74	67	8.5	98	1	2	6	10	16	30	52
75-79	66	7.4	65	1	1	5	10	15	18	53
80-84	76	8.4	56	2	4	7	9	13	18	52
85+	61	9.1	70	2	3	7	11	16	27	49
B. *Operated*										
65-69 YRS	225	16.4	174	3	5	13	21	31	52	99+
70-74	217	19.1	230	2	4	16	24	39	60	92
75-79	158	19.3	208	3	6	16	25	41	58	97
80-84	65	20.4	243	4	5	17	26	38	53	88
85+	21	19.3	160	5	6	15	23	42	43	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	8.8	245	1	1	3	8	26	53	65
B. *Operated*	192	10.9	73	1	2	10	14	19	25	38
2. MULTIPLE DX										
A. *Not Operated*	319	8.0	67	2	2	6	9	14	18	51
B. *Operated*	686	18.4	206	3	5	15	23	38	53	99+
1. SINGLE DX	215	10.7	90	1	2	9	14	20	25	53
2. MULTIPLE DX	1005	15.1	185	2	3	11	20	32	45	90
A. NOT OPERATED	342	8.1	78	1	2	6	9	14	19	53
B. OPERATED	878	16.8	187	2	4	13	21	34	46	96
TOTAL 65-69 YRS	364	13.7	144	2	3	11	18	26	42	99
70-74	353	15.2	193	2	3	12	20	32	44	78
75-79	257	15.2	199	2	2	11	19	34	47	80
80-84	161	13.7	166	3	4	9	17	27	38	65
85+	85	12.1	122	2	3	8	14	27	42	49
GRAND TOTAL	**1220**	**14.3**	**171**	**2**	**3**	**11**	**18**	**30**	**44**	**83**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74										
75-79	1	3.0		3	3	3	3	3	3	3
80-84										
85+										
B. *Operated*										
65-69 YRS	121	3.5	2	1	2	3	4	5	6	9
70-74	64	3.5	2	2	2	3	4	5	6	7
75-79	49	3.9	3	2	2	3	5	6	7	9
80-84	14	4.8	20	1	1	4	5	8	17	19
85+	8	4.9	5	3	3	4	6	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	1.5	1	1	1	1	2	2	2	2
70-74	2	5.5	25	2	2	5	9	9	9	9
75-79	3	9.0	7	6	6	10	11	11	11	11
80-84	4	6.3	19	2	2	5	9	12	12	12
85+										
B. *Operated*										
65-69 YRS	176	4.4	11	2	2	4	5	7	8	15
70-74	138	5.4	24	2	3	4	6	9	14	30
75-79	85	5.3	17	2	2	4	6	8	14	25
80-84	30	7.8	72	2	3	5	8	12	23	47
85+	8	9.4	25	4	4	8	13	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*	256	3.7	3	1	2	4	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	11	6.0	16	1	1	6	10	11	12	12
B. *Operated*	437	5.2	21	2	2	4	6	8	12	28
1. SINGLE DX	258	3.7	3	1	2	3	4	5	6	9
2. MULTIPLE DX	448	5.3	21	2	2	4	6	8	12	28
A. NOT OPERATED	13	5.5	15	1	1	4	9	11	12	12
B. OPERATED	693	4.7	15	2	2	4	5	7	10	22
TOTAL 65-69 YRS	300	4.0	7	1	2	4	5	6	8	12
70-74	204	4.8	18	2	2	4	5	7	10	26
75-79	138	4.9	13	2	2	4	6	8	11	20
80-84	48	6.8	53	2	2	5	7	12	19	47
85+	16	7.1	19	3	3	6	9	15	17	17
GRAND TOTAL	**706**	**4.7**	**15**	**2**	**2**	**4**	**5**	**8**	**10**	**22**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	33	6.8	33	2	3	5	9	14	18	29
70-74	26	6.4	17	2	3	5	9	11	16	17
75-79	15	6.5	8	2	3	6	9	10	11	11
80-84	6	5.3	5	2	2	5	7	8	8	8
85+	5	6.0	16	3	3	5	7	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	24	10.0	233	2	3	6	10	16	37	78
70-74	16	7.1	25	2	2	6	9	14	18	20
75-79	25	11.6	81	3	4	8	14	23	31	40
80-84	12	5.0	7	1	2	5	6	8	11	11
85+	5	17.0	205	7	7	12	22	42	42	42
B. *Operated*										
65-69 YRS	187	9.0	66	2	3	6	13	18	27	41
70-74	150	9.9	84	3	3	6	12	19	26	45
75-79	100	10.2	98	3	3	7	13	19	25	61
80-84	43	11.1	124	3	4	8	13	22	26	69
85+	13	15.1	108	3	5	16	21	25	37	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	85	6.5	20	2	3	5	9	12	15	25
2. MULTIPLE DX										
A. *Not Operated*	82	9.6	115	2	3	7	11	19	25	66
B. *Operated*	493	9.9	85	3	3	7	13	19	26	48
1. SINGLE DX	85	6.5	20	2	3	5	9	12	15	25
2. MULTIPLE DX	575	9.8	89	2	3	7	13	19	26	49
A. NOT OPERATED	82	9.6	115	2	3	7	11	19	25	66
B. OPERATED	578	9.4	77	2	3	6	12	19	25	45
TOTAL 65-69 YRS	244	8.8	78	2	3	6	11	18	26	44
70-74	192	9.2	72	2	3	6	11	18	24	40
75-79	140	10.1	86	3	3	7	12	19	25	52
80-84	61	9.3	96	2	3	6	10	20	24	64
85+	23	13.5	116	3	4	9	20	25	41	42
GRAND TOTAL	**660**	**9.4**	**81**	**2**	**3**	**6**	**12**	**19**	**25**	**45**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84	1	3.0		3	3	3	3	3	3	3
85+										
B. *Operated*										
65-69 YRS	29	3.7	4	1	1	3	5	7	7	8
70-74	34	4.1	7	1	1	4	6	8	8	9
75-79	19	3.8	11	<1	<1	2	6	9	11	12
80-84	13	5.6	12	1	1	6	8	10	12	12
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4	3.0	3	<1	<1	3	4	5	5	5
70-74	1	3.0		3	3	3	3	3	3	3
75-79										
80-84	1	2.0		2	2	2	2	2	2	2
85+										
B. *Operated*										
65-69 YRS	108	6.0	8	2	2	6	8	9	11	16
70-74	75	7.1	31	2	2	6	8	10	15	38
75-79	42	5.7	26	1	1	5	7	9	12	32
80-84	22	6.7	24	1	2	6	7	13	18	22
85+	11	8.2	86	1	1	7	8	21	33	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	96	4.2	7	1	1	4	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	6	2.8	2	<1	<1	3	3	5	5	5
B. *Operated*	258	6.4	22	1	2	6	8	10	13	31
1. SINGLE DX	97	4.1	7	1	1	3	6	8	9	12
2. MULTIPLE DX	264	6.3	22	1	2	6	8	10	13	31
A. NOT OPERATED	7	2.9	1	<1	<1	3	3	5	5	5
B. OPERATED	354	5.8	19	1	2	6	7	9	12	22
TOTAL 65-69 YRS	141	5.4	8	1	2	6	7	8	9	14
70-74	110	6.1	25	1	2	6	8	10	12	30
75-79	61	5.1	22	<1	1	5	7	9	11	30
80-84	37	6.1	19	1	2	6	8	12	15	22
85+	12	7.9	79	1	2	6	8	19	32	34
GRAND TOTAL	**361**	**5.7**	**19**	**1**	**2**	**6**	**7**	**9**	**12**	**22**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	5.8	11	2	2	6	9	9	9	9
70-74	1	3.0		3	3	3	3	3	3	3
75-79	2	1.5	1	1	1	1	2	2	2	2
80-84										
85+										
B. *Operated*										
65-69 YRS	121	4.1	13	<1	1	3	6	8	11	18
70-74	125	4.1	12	<1	1	3	5	8	11	20
75-79	95	4.2	16	<1	<1	3	6	9	11	23
80-84	33	3.8	11	<1	1	3	5	10	12	13
85+	29	4.9	17	1	1	3	7	12	14	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11	2.4	2	1	1	2	3	5	5	5
70-74	10	4.2	15	1	1	3	6	11	11	11
75-79	5	7.4	43	<1	<1	5	11	18	18	18
80-84	8	4.6	16	<1	<1	3	7	11	12	12
85+	2	17.5	25	14	14	17	21	21	21	21
B. *Operated*										
65-69 YRS	350	6.6	33	1	2	5	9	14	17	35
70-74	368	7.5	75	1	1	5	10	15	21	55
75-79	296	7.5	46	1	2	6	10	16	21	32
80-84	185	9.9	98	2	2	6	14	22	29	49
85+	120	8.0	73	1	1	5	10	19	22	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	4.1	10	1	1	3	7	9	9	9
B. *Operated*	403	4.2	14	<1	1	3	5	9	11	20
2. MULTIPLE DX										
A. *Not Operated*	36	4.9	25	<1	1	3	6	12	17	21
B. *Operated*	1319	7.6	61	1	2	5	10	16	22	40
1. SINGLE DX	410	4.2	13	<1	1	3	5	9	11	20
2. MULTIPLE DX	1355	7.6	61	1	2	5	10	16	22	39
A. NOT OPERATED	43	4.8	23	<1	1	3	7	11	15	21
B. OPERATED	1722	6.8	52	1	1	5	9	15	20	36
TOTAL 65-69 YRS	486	5.9	29	1	1	4	8	13	15	31
70-74	504	6.6	60	1	1	4	8	13	18	35
75-79	398	6.7	40	1	1	5	9	15	20	30
80-84	226	8.8	87	1	2	5	12	20	26	46
85+	151	7.6	64	1	1	5	10	19	22	65
GRAND TOTAL	**1765**	**6.8**	**52**	**1**	**1**	**5**	**9**	**15**	**20**	**36**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	39	3.1	11	<1	<1	2	4	7	9	19
70-74	40	3.7	10	1	1	3	5	8	11	14
75-79	27	3.9	33	<1	<1	2	4	6	15	30
80-84	19	4.0	17	1	1	2	5	8	14	18
85+	11	4.2	9	1	1	3	7	8	9	9
B. *Operated*										
65-69 YRS	282	4.3	17	<1	1	3	6	10	11	23
70-74	290	4.4	17	<1	1	3	6	10	11	19
75-79	166	4.7	18	<1	1	3	7	10	13	21
80-84	120	4.9	21	<1	1	3	7	11	14	22
85+	54	4.3	13	1	2	3	5	9	13	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	265	5.6	36	1	1	4	7	11	17	39
70-74	316	6.2	50	1	1	4	8	12	22	42
75-79	336	5.9	36	1	1	4	8	12	16	23
80-84	267	6.9	43	1	1	5	9	15	17	35
85+	216	8.7	107	1	2	6	11	18	22	57
B. *Operated*										
65-69 YRS	755	7.8	55	1	2	6	10	15	19	43
70-74	794	7.9	46	1	2	6	11	16	20	32
75-79	721	8.8	58	1	2	7	11	18	24	35
80-84	509	9.8	76	1	2	8	13	20	26	49
85+	338	9.9	72	2	2	8	13	19	24	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	3.6	16	<1	1	2	4	7	10	21
B. *Operated*	912	4.5	18	<1	1	3	6	10	12	21
2. MULTIPLE DX										
A. *Not Operated*	1400	6.6	52	1	1	4	8	13	19	38
B. *Operated*	3117	8.6	60	1	2	7	11	17	23	38
1. SINGLE DX	1048	4.4	17	<1	1	3	6	10	12	21
2. MULTIPLE DX	4517	8.0	58	1	2	6	10	16	22	38
A. NOT OPERATED	1536	6.3	50	1	1	4	8	13	18	37
B. OPERATED	4029	7.7	53	1	1	6	10	16	21	36
TOTAL 65-69 YRS	1341	6.5	45	1	1	5	9	13	18	38
70-74	1440	6.7	42	1	1	5	9	14	18	31
75-79	1250	7.4	49	1	1	5	10	16	21	33
80-84	915	8.2	62	1	1	6	11	17	23	36
85+	619	8.9	81	1	2	7	12	18	23	48
GRAND TOTAL	**5565**	**7.3**	**52**	**1**	**1**	**5**	**10**	**15**	**20**	**36**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	3.2	3	1	1	3	4	6	6	6
70-74	1	3.0		3	3	3	3	3	3	3
75-79	2	2.5	5	<1	<1	2	4	4	4	4
80-84	3	2.3	2	1	1	2	3	4	4	4
85+										
B. *Operated*										
65-69 YRS	158	3.7	3	1	2	4	5	5	6	10
70-74	96	3.4	2	1	2	3	4	5	6	7
75-79	70	4.0	3	2	2	4	5	7	7	9
80-84	19	4.1	6	1	2	3	5	7	9	11
85+	8	5.0	10	2	2	4	6	10	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	20	4.3	20	1	1	3	5	7	14	21
70-74	25	5.0	8	<1	1	5	7	8	11	11
75-79	31	5.2	16	<1	1	4	7	9	12	20
80-84	23	6.5	24	1	2	5	9	15	17	18
85+	19	4.9	7	1	2	4	6	8	11	13
B. *Operated*										
65-69 YRS	246	5.4	35	2	2	4	6	8	13	25
70-74	202	5.6	12	2	3	4	6	10	13	20
75-79	110	6.9	32	2	3	5	9	15	21	99+
80-84	55	8.2	52	2	3	6	10	15	24	41
85+	16	10.4	106	2	2	6	16	27	30	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	2.8	2	<1	<1	3	4	5	6	6
B. *Operated*	351	3.7	3	1	2	4	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	118	5.2	15	1	1	4	7	10	13	20
B. *Operated*	629	6.1	31	2	3	5	7	11	16	29
1. SINGLE DX	362	3.7	3	1	2	4	4	5	7	10
2. MULTIPLE DX	747	6.0	29	2	2	4	7	11	15	28
A. NOT OPERATED	129	5.0	14	1	1	4	6	9	13	20
B. OPERATED	980	5.3	22	2	2	4	6	9	13	26
TOTAL 65-69 YRS	429	4.7	23	1	2	4	5	8	9	18
70-74	324	4.9	10	2	2	4	6	8	11	17
75-79	213	5.6	21	2	2	4	7	11	16	59
80-84	100	6.8	38	2	2	5	9	14	17	35
85+	43	7.0	50	2	2	5	7	15	26	31
GRAND TOTAL	**1109**	**5.2**	**21**	**2**	**2**	**4**	**6**	**9**	**13**	**25**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	18	4.3	10	<1	1	3	5	10	12	12
70-74	8	3.8	7	1	1	3	4	8	10	10
75-79	11	5.8	6	2	2	6	8	9	9	9
80-84	14	4.7	8	1	2	4	8	8	10	10
85+	6	6.7	20	2	2	5	10	14	14	14
B. *Operated*										
65-69 YRS	52	4.1	6	1	2	3	5	7	10	13
70-74	28	3.6	2	1	2	4	4	6	7	7
75-79	15	4.3	5	1	2	4	5	8	9	10
80-84	1	29.0		29	29	29	29	29	29	29
85+	2	6.5	13	4	4	6	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	285	6.9	28	2	3	6	9	12	16	23
70-74	283	9.1	52	2	3	8	11	16	20	40
75-79	274	8.8	72	3	3	7	10	16	21	61
80-84	186	9.2	53	3	3	7	13	18	22	33
85+	166	9.8	63	3	3	7	12	18	27	40
B. *Operated*										
65-69 YRS	116	6.8	37	1	2	5	8	15	18	34
70-74	98	10.5	138	2	3	6	14	25	30	68
75-79	71	10.0	91	2	3	7	12	24	28	50
80-84	45	15.8	276	2	4	12	19	30	46	97
85+	21	14.3	106	4	4	11	19	28	40	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	4.9	10	1	2	4	7	10	11	14
B. *Operated*	98	4.3	11	1	2	4	5	7	9	21
2. MULTIPLE DX										
A. *Not Operated*	1194	8.6	53	2	3	7	10	16	20	40
B. *Operated*	351	10.1	118	2	3	6	13	21	29	54
1. SINGLE DX	155	4.5	10	1	2	4	5	8	10	14
2. MULTIPLE DX	1545	9.0	68	2	3	7	11	17	23	44
A. NOT OPERATED	1251	8.5	52	2	3	7	10	16	20	39
B. OPERATED	449	8.8	101	2	2	5	10	20	26	46
TOTAL 65-69 YRS	471	6.5	28	2	2	5	8	12	16	23
70-74	417	9.0	71	2	3	7	11	17	24	43
75-79	371	8.8	72	2	3	7	10	16	23	53
80-84	246	10.3	100	2	3	7	13	20	25	54
85+	195	10.2	68	3	3	8	13	19	28	42
GRAND TOTAL	**1700**	**8.6**	**65**	**2**	**3**	**6**	**10**	**17**	**22**	**42**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	38	6.3	22	1	1	5	8	11	14	25
70-74	16	6.5	15	3	3	5	7	13	16	17
75-79	14	7.4	35	1	3	6	8	13	22	25
80-84	9	8.1	17	4	4	7	9	15	17	17
85+	6	8.2	62	3	3	5	7	22	24	24
B. *Operated*										
65-69 YRS	5	4.4	8	2	2	3	7	8	8	8
70-74	2	6.5	1	6	6	6	7	7	7	7
75-79	1	6.0		6	6	6	6	6	6	6
80-84										
85+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	273	6.4	15	2	3	6	8	11	14	22
70-74	245	6.1	15	2	3	5	7	10	13	22
75-79	179	6.9	20	2	3	6	9	12	16	23
80-84	122	7.9	44	2	3	6	9	13	18	43
85+	65	9.3	79	3	4	7	10	15	25	53
B. *Operated*										
65-69 YRS	40	13.3	143	1	2	10	18	24	38	57
70-74	37	11.2	47	2	3	9	15	21	26	30
75-79	16	10.8	27	1	2	13	15	18	71	99+
80-84	18	14.8	167	2	3	11	18	37	47	50
85+	7	12.4	23	5	6	11	16	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83	6.8	24	1	2	6	8	12	17	25
B. *Operated*	9	5.0	5	2	2	6	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	884	6.8	25	2	3	6	8	11	15	28
B. *Operated*	118	12.5	93	2	2	10	17	22	29	70
1. SINGLE DX	92	6.7	23	1	2	6	8	12	17	25
2. MULTIPLE DX	1002	7.5	37	2	3	6	9	13	18	37
A. NOT OPERATED	967	6.8	25	2	3	6	8	12	15	27
B. OPERATED	127	11.9	90	2	2	10	16	22	28	66
TOTAL 65-69 YRS	356	7.1	35	2	2	6	8	13	17	27
70-74	300	6.8	21	2	3	6	8	12	17	28
75-79	210	7.2	22	2	3	6	10	13	16	27
80-84	149	8.7	61	2	3	7	10	16	22	46
85+	79	9.5	72	3	4	7	11	18	24	52
GRAND TOTAL	**1094**	**7.4**	**35**	**2**	**3**	**6**	**9**	**13**	**17**	**32**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	72	6.4	16	1	2	6	8	12	14	18
70-74	58	6.3	12	3	3	5	7	11	14	20
75-79	48	6.6	13	2	3	6	8	13	14	16
80-84	42	6.5	12	2	3	6	8	11	13	15
85+	16	6.7	24	1	1	6	8	14	18	20
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	827	8.6	47	2	3	7	11	15	20	37
70-74	759	8.6	33	3	3	7	11	15	20	30
75-79	685	9.7	63	3	3	8	12	18	21	47
80-84	527	9.8	53	2	3	8	12	19	23	37
85+	430	10.2	41	3	4	8	13	18	23	41
B. *Operated*										
65-69 YRS	139	18.6	195	6	7	14	23	38	47	95
70-74	128	19.1	229	6	7	15	22	39	64	99+
75-79	85	21.7	310	6	8	16	26	39	62	98
80-84	74	19.9	138	7	9	17	25	39	49	90
85+	45	20.0	231	5	7	15	24	37	56	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	236	6.5	14	2	3	6	8	12	14	18
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	3228	9.2	47	3	3	8	11	17	21	37
B. *Operated*	471	19.6	219	6	7	15	24	39	52	98
1. SINGLE DX	236	6.5	14	2	3	6	8	12	14	18
2. MULTIPLE DX	3699	10.6	81	3	4	8	13	20	26	52
A. NOT OPERATED	3464	9.1	46	3	3	7	11	16	21	36
B. OPERATED	471	19.6	219	6	7	15	24	39	52	98
TOTAL 65-69 YRS	1038	9.8	77	2	3	7	12	19	25	47
70-74	945	9.9	72	3	3	8	12	18	24	45
75-79	818	10.7	100	3	3	8	13	19	26	62
80-84	643	10.7	71	2	4	9	13	21	26	49
85+	491	11.0	66	3	4	9	14	20	27	51
GRAND TOTAL	**3935**	**10.3**	**78**	**3**	**3**	**8**	**12**	**19**	**26**	**50**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	490	5.7	8	2	3	5	7	9	11	13
70-74	400	5.6	13	2	2	5	7	9	11	19
75-79	299	6.0	13	2	3	5	7	10	12	18
80-84	147	5.4	9	2	2	5	7	9	11	15
85+	89	6.7	17	2	2	6	8	12	16	21
B. *Operated*										
65-69 YRS	79	4.0	33	<1	1	2	3	10	13	35
70-74	65	5.6	54	1	1	2	6	16	19	41
75-79	47	3.6	17	<1	1	2	3	10	18	99+
80-84	21	5.1	29	1	2	2	5	15	16	17
85+	8	4.6	30	2	2	3	4	14	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	6114	7.2	25	2	3	6	9	12	15	25
70-74	5838	7.6	30	2	3	6	9	13	16	28
75-79	4400	8.0	44	2	3	7	9	14	18	35
80-84	2737	8.5	47	3	3	7	10	15	19	37
85+	1684	8.9	64	2	3	7	10	16	22	53
B. *Operated*										
65-69 YRS	2421	15.0	189	2	3	11	19	32	46	99+
70-74	2258	16.0	198	2	4	12	21	34	46	90
75-79	1643	16.5	207	2	4	12	21	36	50	99+
80-84	929	16.9	204	3	4	13	22	35	48	99+
85+	516	18.0	207	4	6	14	23	40	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1425	5.8	11	2	2	5	7	10	12	17
B. *Operated*	220	4.5	35	1	1	2	4	13	17	41
2. MULTIPLE DX										
A. *Not Operated*	20773	7.8	37	2	3	6	9	13	17	32
B. *Operated*	7767	16.1	199	2	4	12	21	35	48	99+
1. SINGLE DX	1645	5.6	14	2	2	5	7	10	12	19
2. MULTIPLE DX	28540	10.0	95	2	3	7	12	20	28	64
A. NOT OPERATED	22198	7.6	35	2	3	6	9	13	17	31
B. OPERATED	7987	15.7	198	2	3	12	21	34	48	99+
TOTAL 65-69 YRS	9104	9.1	81	2	3	7	10	18	25	58
70-74	8561	9.7	88	2	3	7	11	19	27	56
75-79	6389	10.0	99	2	3	7	12	20	28	68
80-84	3834	10.4	97	2	3	8	12	20	29	67
85+	2297	10.9	109	2	3	8	13	22	33	84
GRAND TOTAL	**30185**	**9.8**	**91**	**2**	**3**	**7**	**11**	**19**	**27**	**62**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84	1	7.0		7	7	7	7	7	7	7
85+										
B. *Operated*										
65-69 YRS	2	9.5	25	6	6	9	13	13	13	13
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	1	7.0		7	7	7	7	7	7	7
B. *Operated*	2	9.5	25	6	6	9	13	13	13	13
1. SINGLE DX	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX	3	8.7	14	6	6	7	11	13	13	13
A. NOT OPERATED	1	7.0		7	7	7	7	7	7	7
B. OPERATED	3	8.3	16	6	6	6	11	13	13	13
TOTAL 65-69 YRS	3	8.3	16	6	6	6	11	13	13	13
70-74										
75-79										
80-84	1	7.0		7	7	7	7	7	7	7
85+										
GRAND TOTAL	**4**	**8.0**	**11**	**6**	**6**	**7**	**10**	**13**	**13**	**13**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	50	3.6	6	1	1	3	5	7	8	11
70-74	46	3.8	8	1	1	3	5	8	9	14
75-79	38	3.4	18	1	1	2	4	6	9	26
80-84	31	3.6	7	<1	1	3	5	8	9	10
85+	31	4.1	19	<1	1	3	5	9	11	23
B. *Operated*										
65-69 YRS	23	6.1	16	2	2	5	8	9	13	20
70-74	15	7.1	21	1	2	6	9	11	18	20
75-79	8	4.4	3	1	2	4	6	7	7	7
80-84	4	11.0	198	3	3	5	19	32	32	32
85+	2	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1385	5.8	24	1	2	5	7	11	14	27
70-74	1574	6.2	39	1	2	5	8	12	16	29
75-79	1552	6.3	32	1	2	5	8	12	16	31
80-84	1193	6.7	32	1	2	5	8	13	17	31
85+	877	6.7	36	2	2	5	8	13	16	30
B. *Operated*										
65-69 YRS	223	11.3	123	3	3	8	15	22	35	72
70-74	232	11.0	87	2	3	8	14	25	30	50
75-79	193	12.2	143	2	3	9	15	24	36	99+
80-84	119	14.1	133	3	4	11	20	29	38	74
85+	63	16.9	235	3	5	12	20	40	52	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	196	3.7	11	1	1	3	5	8	9	19
B. *Operated*	52	6.6	27	2	2	6	8	10	19	32
2. MULTIPLE DX										
A. *Not Operated*	6581	6.3	33	1	2	5	8	12	16	29
B. *Operated*	830	12.3	130	3	3	9	15	25	36	77
1. SINGLE DX	248	4.3	16	1	1	3	5	8	10	23
2. MULTIPLE DX	7411	7.0	47	1	2	5	8	14	19	36
A. NOT OPERATED	6777	6.2	32	1	2	5	8	12	16	29
B. OPERATED	882	11.9	125	3	3	9	15	25	35	76
TOTAL 65-69 YRS	1681	6.5	40	1	2	5	8	12	17	34
70-74	1867	6.8	46	1	2	5	8	13	19	33
75-79	1791	6.9	47	1	2	5	8	13	18	36
80-84	1347	7.3	45	1	2	5	9	15	21	36
85+	973	7.3	55	2	2	5	9	14	19	41
GRAND TOTAL	**7659**	**6.9**	**46**	**1**	**2**	**5**	**8**	**13**	**19**	**36**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	6.0	22	1	1	5	9	13	13	13
70-74	6	6.7	43	3	3	4	5	19	20	20
75-79	2	8.5	5	7	7	8	10	10	10	10
80-84	8	4.3	9	1	1	4	7	8	8	8
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	2	7.0	32	3	3	7	11	11	11	11
70-74	1	22.0		22	22	22	22	22	22	22
75-79	3	8.3	30	3	3	8	12	14	14	14
80-84										
85+	5	6.8	3	5	5	7	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	221	9.8	60	2	3	8	12	22	28	36
70-74	269	9.1	51	2	3	7	11	17	24	39
75-79	280	9.8	50	3	3	8	12	20	24	38
80-84	309	9.5	56	2	3	8	12	19	26	99+
85+	349	9.6	88	2	3	7	11	16	22	68
B. *Operated*										
65-69 YRS	118	16.8	190	2	3	14	22	34	43	70
70-74	129	14.4	104	4	4	11	19	27	34	50
75-79	135	15.9	197	3	4	11	20	36	45	75
80-84	137	14.9	186	3	4	11	18	34	51	99+
85+	154	13.4	129	3	4	10	18	29	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	5.6	20	1	1	5	8	11	16	20
B. *Operated*	11	8.6	31	3	3	8	10	17	22	22
2. MULTIPLE DX										
A. *Not Operated*	1428	9.5	62	2	3	8	12	18	25	44
B. *Operated*	673	15.0	160	3	4	11	19	31	44	86
1. SINGLE DX	33	6.6	25	1	2	5	8	13	19	22
2. MULTIPLE DX	2101	11.3	100	2	3	8	14	23	32	65
A. NOT OPERATED	1450	9.5	62	2	3	8	12	18	24	44
B. OPERATED	684	14.9	159	3	4	11	19	31	44	86
TOTAL 65-69 YRS	346	12.1	115	2	3	9	15	26	33	50
70-74	405	10.7	74	3	3	8	14	22	27	42
75-79	420	11.8	105	3	4	9	14	23	31	47
80-84	454	11.0	101	2	3	8	14	23	34	99+
85+	509	10.7	103	3	3	8	13	20	31	83
GRAND TOTAL	**2134**	**11.2**	**99**	**2**	**3**	**8**	**14**	**22**	**32**	**64**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74	1	9.0		9	9	9	9	9	9	9
75-79										
80-84										
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	14	6.0	30	1	1	4	7	16	18	19
70-74	4	8.8	9	5	5	9	11	12	12	12
75-79	3	3.0	3	2	2	2	4	5	5	5
80-84	2	4.0		4	4	4	4	4	4	4
85+										
B. *Operated*										
65-69 YRS	17	10.3	38	5	6	8	12	21	25	26
70-74	5	10.0	38	4	4	8	16	17	17	17
75-79	2	10.5	41	6	6	10	15	15	15	15
80-84										
85+	1	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	2	7.0	8	5	5	7	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	23	5.9	22	1	1	4	8	13	17	19
B. *Operated*	25	10.1	34	5	5	8	13	19	23	26
1. SINGLE DX	2	7.0	8	5	5	7	9	9	9	9
2. MULTIPLE DX	48	8.1	32	1	2	6	10	17	20	26
A. NOT OPERATED	23	5.9	22	1	1	4	8	13	17	19
B. OPERATED	27	9.9	33	5	5	8	12	19	23	26
TOTAL 65-69 YRS	31	8.4	38	1	2	7	9	19	22	26
70-74	10	9.4	20	4	4	9	12	16	17	17
75-79	5	6.0	29	2	2	5	8	15	15	15
80-84	2	4.0		4	4	4	4	4	4	4
85+	2	5.5	1	5	5	5	6	6	6	6
GRAND TOTAL	**50**	**8.0**	**31**	**1**	**2**	**6**	**9**	**17**	**19**	**26**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	20	2.5	5	<1	<1	1	4	6	7	8
70-74	14	3.4	3	1	1	3	4	6	7	7
75-79	22	3.7	7	<1	1	3	5	8	9	10
80-84	15	5.2	14	1	1	4	8	10	13	14
85+	11	3.5	2	<1	1	3	5	6	6	6
B. *Operated*										
65-69 YRS	20	3.4	8	<1	<1	2	5	8	9	10
70-74	20	5.6	28	<1	<1	4	8	14	17	18
75-79	5	4.6	8	1	1	6	7	7	7	7
80-84	8	3.3	6	<1	<1	3	4	7	8	8
85+	1	11.0		11	11	55	99+	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	392	7.2	42	<1	1	5	9	15	20	34
70-74	345	7.7	41	1	2	6	10	15	20	31
75-79	272	8.2	41	2	3	7	10	16	20	33
80-84	223	7.9	61	2	2	6	10	14	19	34
85+	172	9.0	78	2	3	7	10	18	25	65
B. *Operated*										
65-69 YRS	172	10.2	108	1	2	7	12	23	30	60
70-74	167	12.1	131	1	2	9	15	27	39	67
75-79	95	11.3	92	2	3	9	15	24	29	52
80-84	80	10.8	68	2	3	8	16	23	28	82
85+	42	14.7	181	2	3	10	18	30	55	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	3.6	7	<1	<1	3	5	7	9	13
B. *Operated*	54	4.4	17	<1	1	3	7	10	15	96
2. MULTIPLE DX										
A. *Not Operated*	1404	7.9	49	1	2	6	10	15	20	36
B. *Operated*	556	11.4	112	1	2	9	14	24	32	61
1. SINGLE DX	136	3.9	11	<1	<1	3	5	8	10	29
2. MULTIPLE DX	1960	8.9	70	1	2	7	11	18	25	46
A. NOT OPERATED	1486	7.6	48	1	2	6	9	15	20	35
B. OPERATED	610	10.8	108	1	2	8	14	24	32	63
TOTAL 65-69 YRS	604	7.8	62	<1	1	6	10	16	24	38
70-74	546	8.9	72	1	2	7	11	18	25	48
75-79	394	8.7	54	1	2	7	11	17	24	34
80-84	326	8.4	62	2	2	6	10	17	22	43
85+	226	9.8	100	2	3	7	11	19	31	76
GRAND TOTAL	**2096**	**8.5**	**67**	**1**	**2**	**7**	**10**	**17**	**24**	**45**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	37	4.9	9	2	2	4	6	10	11	15
70-74	24	4.5	10	1	2	3	6	9	12	13
75-79	22	3.4	4	1	1	3	5	7	8	8
80-84	14	3.8	6	<1	1	4	4	7	9	10
85+	23	5.1	17	1	1	3	7	11	15	15
B. *Operated*										
65-69 YRS	11	4.0	24	<1	<1	3	5	11	17	18
70-74	6	2.0	1	<1	<1	2	3	3	3	3
75-79	8	5.0	12	<1	<1	5	6	10	12	12
80-84	4	6.0	23	2	2	4	9	13	13	13
85+	3	3.7	6	<1	<1	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	223	5.9	17	2	2	5	7	11	15	20
70-74	269	5.9	16	2	2	5	7	10	13	22
75-79	231	6.5	23	2	2	6	8	12	14	34
80-84	200	6.4	40	1	2	5	8	11	15	32
85+	158	6.5	29	2	2	5	8	11	17	27
B. *Operated*										
65-69 YRS	65	7.5	64	1	2	5	8	15	22	47
70-74	53	9.7	102	1	2	8	11	17	25	65
75-79	53	8.1	33	2	2	7	10	15	21	30
80-84	42	10.5	56	1	2	9	16	25	51	99+
85+	18	15.1	116	4	5	11	20	33	35	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120	4.5	10	1	2	4	6	9	11	15
B. *Operated*	32	4.1	15	<1	<1	3	5	8	13	18
2. MULTIPLE DX										
A. *Not Operated*	1081	6.2	24	2	2	5	8	11	14	26
B. *Operated*	231	9.3	71	1	2	7	11	19	30	72
1. SINGLE DX	152	4.4	11	1	1	4	6	9	12	15
2. MULTIPLE DX	1312	6.8	33	2	2	5	8	12	16	33
A. NOT OPERATED	1201	6.0	23	2	2	5	8	11	14	25
B. OPERATED	263	8.7	67	1	2	6	11	19	27	63
TOTAL 65-69 YRS	336	6.1	26	2	2	5	7	11	16	28
70-74	352	6.3	30	2	2	5	8	11	14	25
75-79	314	6.5	24	2	2	6	8	12	14	31
80-84	260	6.9	43	1	2	5	9	14	19	62
85+	202	7.1	41	2	2	5	8	15	19	35
GRAND TOTAL	**1464**	**6.5**	**32**	**2**	**2**	**5**	**8**	**12**	**16**	**32**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	65	4.6	16	1	1	4	6	9	12	24
70-74	77	4.5	38	1	1	3	5	7	11	41
75-79	90	5.0	14	1	2	4	6	9	13	20
80-84	91	5.2	30	1	2	4	6	9	15	35
85+	139	6.3	47	1	2	5	7	11	17	34
B. *Operated*										
65-69 YRS	4	15.3	324	3	3	8	25	42	42	42
70-74	5	13.0	95	3	3	13	18	28	28	28
75-79	3	3.7	2	2	2	4	5	5	5	5
80-84	2	6.5	5	5	5	6	8	8	8	8
85+	4	14.8	89	4	4	14	21	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4907	6.4	31	2	2	5	8	12	15	27
70-74	6433	6.7	36	2	2	5	8	12	16	31
75-79	7374	7.0	36	2	2	6	8	13	17	31
80-84	7283	7.7	45	2	3	6	9	14	19	38
85+	9292	8.1	55	2	3	6	10	15	19	43
B. *Operated*										
65-69 YRS	550	12.7	138	2	3	9	16	26	36	73
70-74	683	13.8	152	3	4	10	17	29	39	89
75-79	796	15.1	183	3	5	11	18	30	46	93
80-84	731	15.1	172	4	5	12	18	30	44	99+
85+	786	14.8	141	4	5	12	19	28	40	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	462	5.3	32	1	2	4	6	10	14	27
B. *Operated*	18	11.6	116	2	3	7	14	28	36	42
2. MULTIPLE DX										
A. *Not Operated*	35289	7.3	43	2	2	6	9	13	18	35
B. *Operated*	3546	14.4	159	3	4	11	18	29	41	98
1. SINGLE DX	480	5.5	36	1	2	4	6	10	15	30
2. MULTIPLE DX	38835	7.9	57	2	3	6	9	15	20	43
A. NOT OPERATED	35751	7.3	43	2	2	6	9	13	18	35
B. OPERATED	3564	14.4	159	3	4	11	18	29	41	98
TOTAL 65-69 YRS	5526	7.0	46	2	2	5	8	13	18	34
70-74	7198	7.3	52	2	2	5	9	14	19	40
75-79	8263	7.8	56	2	2	6	9	15	20	42
80-84	8107	8.3	61	2	3	6	10	15	21	47
85+	10221	8.6	65	2	3	7	10	16	21	48
GRAND TOTAL	**39315**	**7.9**	**57**	**2**	**2**	**6**	**9**	**15**	**20**	**43**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	35	3.7	4	1	2	3	5	6	7	11
70-74	41	4.1	5	1	2	3	5	7	9	10
75-79	37	3.4	5	<1	<1	3	5	6	7	10
80-84	40	3.4	6	<1	1	3	4	6	7	15
85+	48	3.5	8	1	1	2	5	7	8	16
B. *Operated*										
65-69 YRS	14	5.9	15	2	2	5	8	10	15	17
70-74	13	5.5	8	3	3	4	6	11	12	12
75-79	17	6.9	10	2	3	6	10	11	12	13
80-84	7	3.1		3	3	3	3	4	4	4
85+	8	4.4	6	1	2	4	5	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	722	5.6	22	1	2	5	7	10	13	23
70-74	918	5.5	19	1	2	5	7	10	12	19
75-79	1116	5.8	32	1	2	5	7	10	13	30
80-84	1149	6.1	23	1	2	5	8	11	14	24
85+	1346	6.2	32	1	2	5	8	12	14	31
B. *Operated*										
65-69 YRS	329	8.6	48	2	3	7	10	16	21	32
70-74	458	8.4	34	3	3	7	10	15	19	31
75-79	471	9.0	57	3	3	7	11	16	22	34
80-84	411	8.8	37	2	3	8	11	16	20	38
85+	314	10.1	48	3	4	8	13	18	22	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	201	3.6	6	<1	1	3	5	6	8	13
B. *Operated*	59	5.6	10	2	3	5	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	5251	5.9	26	1	2	5	7	11	14	26
B. *Operated*	1983	8.9	45	3	3	7	11	16	21	36
1. SINGLE DX	260	4.1	7	1	1	3	5	7	10	15
2. MULTIPLE DX	7234	6.7	33	1	2	6	8	12	16	31
A. NOT OPERATED	5452	5.8	26	1	2	5	7	10	13	25
B. OPERATED	2042	8.8	44	3	3	7	11	16	21	36
TOTAL 65-69 YRS	1100	6.4	31	1	2	5	8	12	15	28
70-74	1430	6.3	26	1	2	5	8	11	15	25
75-79	1641	6.7	41	1	2	5	8	12	16	32
80-84	1607	6.7	28	1	2	6	8	12	16	30
85+	1716	6.8	37	1	2	5	8	13	17	33
GRAND TOTAL	**7494**	**6.6**	**33**	**1**	**2**	**5**	**8**	**12**	**16**	**30**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	4.4	6	2	2	3	7	7	7	7
70-74										
75-79	3	5.3	10	3	3	4	8	9	9	9
80-84										
85+	4	4.5	7	2	2	4	6	8	8	8
B. *Operated*										
65-69 YRS										
70-74	1	20.0		20	20	20	20	20	20	20
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	17	5.9	46	1	2	4	6	8	23	31
70-74	5	5.2	14	1	1	5	7	11	11	11
75-79	1	5.0		5	5	5	5	5	5	5
80-84										
85+	4	6.3	9	3	3	6	8	10	10	10
B. *Operated*										
65-69 YRS	3	41.0	2532	9	9	15	78	99	99	99+
70-74										
75-79	1	31.0		31	31	31	31	31	31	31
80-84	1	10.0		10	10	10	10	10	10	10
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	4.7	6	2	2	4	7	8	9	9
B. *Operated*	1	20.0		20	20	20	20	20	20	20
2. MULTIPLE DX										
A. *Not Operated*	27	5.8	32	1	2	5	7	10	14	31
B. *Operated*	5	32.8	1447	9	9	15	48	99	99	99+
1. SINGLE DX	13	5.8	24	2	2	4	7	11	18	20
2. MULTIPLE DX	32	10.0	312	1	2	5	9	20	31	99
A. NOT OPERATED	39	5.5	24	1	2	5	7	9	11	31
B. OPERATED	6	30.7	1185	9	9	17	31	92	99	99+
TOTAL 65-69 YRS	25	9.8	381	1	2	5	7	15	48	99
70-74	6	7.7	48	1	1	5	11	19	20	20
75-79	5	10.4	138	3	3	5	14	31	31	31
80-84	1	10.0		10	10	10	10	10	10	10
85+	8	5.4	8	2	2	5	7	9	10	10
GRAND TOTAL	**45**	**8.8**	**230**	**2**	**2**	**5**	**8**	**15**	**31**	**99**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	134	2.3	4	<1	<1	1	3	5	7	8
70-74	129	3.0	13	<1	<1	2	4	5	7	26
75-79	214	2.7	6	<1	1	2	3	6	7	14
80-84	155	2.9	7	1	1	2	4	8	9	12
85+	184	3.2	11	<1	1	2	4	7	10	17
B. *Operated*										
65-69 YRS	43	5.7	19	1	2	4	7	11	16	20
70-74	40	6.2	11	2	2	6	8	10	12	18
75-79	48	6.2	45	2	2	4	6	12	17	39
80-84	42	5.5	11	1	2	5	7	11	12	15
85+	29	6.4	10	2	2	7	8	10	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1649	4.9	27	1	1	3	6	11	14	24
70-74	2034	4.8	24	1	1	3	6	10	13	23
75-79	1998	5.2	28	1	1	4	7	11	15	27
80-84	1863	5.7	37	1	1	4	7	12	16	32
85+	2277	5.7	34	1	1	4	7	12	16	31
B. *Operated*										
65-69 YRS	590	9.8	76	2	3	8	12	18	22	55
70-74	740	10.0	78	2	3	8	13	20	26	56
75-79	758	10.0	85	2	3	8	12	20	27	52
80-84	702	10.3	71	2	3	8	13	19	25	45
85+	616	10.5	85	2	3	8	13	20	28	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	816	2.8	8	<1	<1	2	4	6	8	13
B. *Operated*	202	6.0	21	1	2	5	7	11	14	24
2. MULTIPLE DX										
A. *Not Operated*	9821	5.3	30	1	1	4	7	11	15	27
B. *Operated*	3406	10.1	79	2	3	8	13	19	26	55
1. SINGLE DX	1018	3.5	12	<1	1	2	4	7	10	16
2. MULTIPLE DX	13227	6.5	47	1	1	5	8	14	18	36
A. NOT OPERATED	10637	5.1	29	1	1	4	7	11	14	27
B. OPERATED	3608	9.9	77	2	3	8	12	19	25	53
TOTAL 65-69 YRS	2416	6.0	43	1	1	4	8	13	17	33
70-74	2943	6.1	42	1	1	4	8	13	18	32
75-79	3018	6.2	46	1	1	4	8	13	18	36
80-84	2762	6.7	48	1	1	5	9	14	19	35
85+	3106	6.5	47	1	1	5	8	13	18	38
GRAND TOTAL	**14245**	**6.3**	**45**	**1**	**1**	**4**	**8**	**13**	**18**	**35**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	2	7.0	2	6	6	7	8	8	8	8
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7	7.4	12	2	3	7	9	12	13	13
70-74	1	11.0		11	11	11	11	11	11	11
75-79	1	3.0		3	3	3	3	3	3	3
80-84	2	6.5	1	6	6	6	7	7	7	7
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	1	7.0		7	7	7	7	7	7	7
70-74	1	5.0		5	5	5	5	5	5	5
75-79	1	50.0		50	50	50	50	50	50	50
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	7.0	2	6	6	7	8	8	8	8
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	12	6.8	11	2	3	7	9	12	13	13
B. *Operated*	3	20.7	646	5	5	7	39	50	50	50
1. SINGLE DX	2	7.0	2	6	6	7	8	8	8	8
2. MULTIPLE DX	15	9.6	134	2	3	7	9	13	41	50
A. NOT OPERATED	14	6.9	10	2	3	7	9	11	13	13
B. OPERATED	3	20.7	646	5	5	7	39	50	50	50
TOTAL 65-69 YRS	8	7.4	10	2	3	7	9	12	13	13
70-74	4	7.5	7	5	5	7	9	11	11	11
75-79	2	26.5	1105	3	3	26	50	50	50	50
80-84	2	6.5	1	6	6	6	7	7	7	7
85+	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**17**	**9.3**	**118**	**2**	**3**	**7**	**9**	**13**	**37**	**50**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	31	4.3	19	1	1	2	6	10	15	18
70-74	34	3.1	6	1	1	2	4	7	9	9
75-79	33	3.8	14	<1	<1	2	5	9	13	14
80-84	17	4.1	7	<1	1	3	6	9	10	10
85+	15	5.9	29	1	1	5	7	15	19	20
B. *Operated*										
65-69 YRS	51	7.3	44	2	2	7	8	12	12	48
70-74	39	7.8	25	1	2	7	10	13	19	25
75-79	26	7.5	40	2	2	5	9	15	22	27
80-84	15	8.3	23	2	2	8	11	16	17	18
85+	13	7.1	12	2	3	7	9	12	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	795	6.0	24	1	1	5	8	11	15	25
70-74	786	6.5	31	1	2	5	9	13	16	32
75-79	675	6.6	42	1	1	5	8	13	18	32
80-84	468	6.8	36	1	1	5	9	14	18	33
85+	381	6.7	51	1	2	5	9	13	16	44
B. *Operated*										
65-69 YRS	438	11.2	80	3	4	9	14	22	27	47
70-74	459	11.7	99	2	3	9	14	22	31	52
75-79	419	12.6	129	2	4	9	15	24	33	66
80-84	313	13.8	120	3	4	11	18	27	35	68
85+	216	11.2	68	3	4	9	13	21	27	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	4.0	14	1	1	3	5	9	12	18
B. *Operated*	144	7.5	32	2	2	7	9	13	17	28
2. MULTIPLE DX										
A. *Not Operated*	3105	6.4	35	1	1	5	8	13	16	30
B. *Operated*	1845	12.1	102	3	4	9	15	23	31	57
1. SINGLE DX	274	5.9	27	1	1	5	8	12	15	24
2. MULTIPLE DX	4950	8.5	67	1	2	6	11	17	23	41
A. NOT OPERATED	3235	6.4	34	1	1	5	8	12	16	30
B. OPERATED	1989	11.7	98	2	4	9	14	22	30	57
TOTAL 65-69 YRS	1315	7.7	49	1	2	6	10	15	21	35
70-74	1318	8.3	61	1	2	6	10	16	22	39
75-79	1153	8.7	81	1	2	6	11	18	24	47
80-84	813	9.4	79	1	2	7	12	20	28	42
85+	625	8.2	60	1	2	6	10	15	21	51
GRAND TOTAL	**5224**	**8.4**	**65**	**1**	**2**	**6**	**10**	**17**	**23**	**41**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	1.5	1	1	1	1	2	2	2	2
70-74	2	4.0	8	2	2	4	6	6	6	6
75-79										
80-84	1	3.0		3	3	3	3	3	3	3
85+										
B. *Operated*										
65-69 YRS										
70-74	1	3.0		3	3	3	3	3	3	3
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	9	4.4	2	3	3	4	6	6	6	6
70-74	6	6.5	28	2	2	4	12	14	14	14
75-79	4	4.8	5	2	2	5	6	7	7	7
80-84	3	2.3		2	2	2	3	3	3	3
85+	3	3.3	1	2	2	4	4	4	4	4
B. *Operated*										
65-69 YRS	3	12.0	73	3	3	13	18	20	20	20
70-74	4	7.3	11	4	4	7	10	11	11	11
75-79	3	11.7	5	9	9	13	13	13	13	13
80-84	1	5.0		5	5	5	5	5	5	5
85+	2	7.5	41	3	3	7	12	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.8	4	1	1	2	4	6	6	6
B. *Operated*	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	25	4.6	9	2	2	4	6	7	12	14
B. *Operated*	13	9.2	26	3	3	9	13	15	19	20
1. SINGLE DX	6	2.8	3	1	1	2	3	6	6	6
2. MULTIPLE DX	38	6.2	19	2	2	5	9	13	14	20
A. NOT OPERATED	30	4.3	8	2	2	4	6	7	12	14
B. OPERATED	14	8.8	27	3	3	9	13	14	19	20
TOTAL 65-69 YRS	14	5.6	25	1	2	4	6	14	19	20
70-74	13	6.1	17	2	2	5	9	12	14	14
75-79	7	7.7	18	2	2	7	12	13	13	13
80-84	5	3.0	2	2	2	3	4	5	5	5
85+	5	5.0	16	2	2	4	6	12	12	12
GRAND TOTAL	**44**	**5.7**	**18**	**2**	**2**	**4**	**7**	**13**	**14**	**20**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	3.0		3	3	3	3	3	3	3
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	6	3.0	9	1	1	2	2	8	9	9
70-74	8	1.8	1	<1	<1	2	2	3	3	3
75-79	7	2.3	2	<1	<1	2	3	5	5	5
80-84	5	2.4	4	<1	<1	1	4	5	5	5
85+	3	2.3		2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	6	9.5	49	4	4	7	12	21	22	22
75-79	2	8.5	1	8	8	8	9	9	9	9
80-84	3	6.7	17	2	2	8	9	10	10	10
85+	5	5.4	3	3	3	5	6	8	8	8
B. *Operated*										
65-69 YRS	20	3.3	9	<1	1	3	4	7	11	13
70-74	28	4.8	15	1	1	3	7	10	14	15
75-79	12	6.6	183	1	1	2	5	20	45	49
80-84	7	7.9	96	1	1	2	14	24	26	26
85+	4	12.0	45	4	4	13	17	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	29	2.3	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	17	7.3	23	2	3	6	9	12	18	22
B. *Operated*	71	5.4	52	1	1	3	7	13	17	44
1. SINGLE DX	30	2.3	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX	88	5.7	47	1	1	3	8	13	17	40
A. NOT OPERATED	18	7.1	22	2	3	6	9	11	18	22
B. OPERATED	100	4.5	40	<1	1	2	5	9	16	37
TOTAL 65-69 YRS	27	3.2	8	<1	1	3	3	8	10	13
70-74	43	4.8	21	<1	1	3	7	11	14	22
75-79	21	5.3	107	<1	1	2	5	9	27	49
80-84	15	5.8	51	<1	1	2	7	17	24	26
85+	12	6.8	30	2	2	5	8	17	18	18
GRAND TOTAL	**118**	**4.9**	**38**	**1**	**1**	**3**	**6**	**10**	**16**	**33**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	20	12.1	130	1	1	8	18	28	36	43
70-74	30	12.3	181	1	1	6	16	35	45	47
75-79	26	8.6	51	1	1	6	12	22	23	25
80-84	28	8.8	63	1	1	6	12	23	26	27
85+	26	6.7	63	1	2	5	8	13	51	99+
B. *Operated*										
65-69 YRS										
70-74	1	12.0		12	12	12	12	12	12	12
75-79										
80-84	1	8.0		8	8	8	8	8	8	8
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	279	10.6	101	2	2	7	13	26	33	50
70-74	302	10.5	105	2	2	7	13	24	34	61
75-79	347	9.5	88	2	2	6	12	21	28	47
80-84	306	9.2	113	2	2	6	10	19	25	65
85+	315	7.1	41	1	2	6	9	13	19	39
B. *Operated*										
65-69 YRS	42	13.5	213	2	3	9	18	28	51	68
70-74	44	10.4	84	1	1	9	14	27	39	99+
75-79	40	12.8	180	1	1	10	17	30	32	74
80-84	36	11.7	178	1	1	7	17	26	29	72
85+	31	10.3	147	1	1	7	14	34	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	9.6	100	1	1	6	13	25	29	57
B. *Operated*	2	10.0	8	8	8	10	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	1549	9.3	91	2	2	6	12	20	28	52
B. *Operated*	193	11.8	158	1	1	9	16	28	40	88
1. SINGLE DX	132	9.6	98	1	1	6	12	25	29	56
2. MULTIPLE DX	1742	9.6	99	1	2	6	12	21	30	59
A. NOT OPERATED	1679	9.4	91	1	2	6	12	21	28	51
B. OPERATED	195	11.8	157	1	1	9	16	28	40	88
TOTAL 65-69 YRS	341	11.1	117	2	2	7	14	26	34	59
70-74	377	10.6	108	1	2	7	14	26	35	63
75-79	413	9.8	95	1	2	7	13	21	28	49
80-84	371	9.4	115	1	2	6	11	20	26	67
85+	372	7.3	51	1	2	6	9	14	20	47
GRAND TOTAL	**1874**	**9.6**	**98**	**1**	**2**	**6**	**12**	**21**	**29**	**58**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	110	11.1	171	1	2	7	14	24	43	99+
70-74	165	10.6	155	1	2	7	13	23	39	98
75-79	243	11.1	144	2	2	7	14	26	37	99+
80-84	239	11.7	156	1	2	7	16	29	43	99+
85+	238	10.3	158	1	2	6	12	22	95	81
B. *Operated*										
65-69 YRS	6	6.2	27	2	2	5	7	15	16	16
70-74	7	12.9	636	2	2	3	5	57	70	70
75-79	3	6.7	26	1	1	8	10	11	11	11
80-84	4	10.3	75	2	2	8	16	22	22	22
85+	3	4.3	4	2	2	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	782	11.9	127	2	3	8	16	25	33	97
70-74	1394	11.5	130	2	3	8	15	25	37	99+
75-79	1903	11.4	148	2	3	8	14	25	41	99+
80-84	2010	11.3	159	2	3	8	13	25	46	99+
85+	2028	10.7	140	2	3	7	12	24	40	99+
B. *Operated*										
65-69 YRS	92	15.9	191	2	4	12	24	36	42	99+
70-74	144	16.8	222	3	4	12	26	43	89	99+
75-79	210	18.0	246	3	5	13	23	43	65	99+
80-84	175	17.8	262	3	4	15	27	61	99+	99+
85+	186	16.8	238	3	4	12	23	47	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	995	11.0	155	1	2	7	14	26	38	99
B. *Operated*	23	8.7	203	1	2	5	8	17	39	70
2. MULTIPLE DX										
A. *Not Operated*	8117	11.3	143	2	3	8	14	25	40	99+
B. *Operated*	807	17.2	236	3	4	13	24	43	84	99+
1. SINGLE DX	1018	10.9	156	1	2	7	14	26	38	99
2. MULTIPLE DX	8924	11.8	155	2	3	8	15	27	43	99+
A. NOT OPERATED	9112	11.2	145	2	3	8	14	25	40	99+
B. OPERATED	830	17.0	237	3	4	13	24	43	81	99+
TOTAL 65-69 YRS	990	12.1	139	2	3	8	16	27	36	99+
70-74	1710	11.9	144	2	3	8	15	27	40	99+
75-79	2359	12.0	159	2	3	8	14	27	43	99+
80-84	2428	11.8	168	2	3	8	15	28	48	99+
85+	2455	11.1	152	2	3	7	13	25	42	99+
GRAND TOTAL	**9942**	**11.7**	**155**	**2**	**3**	**8**	**14**	**27**	**43**	**99+**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	14.5	192	4	4	9	14	39	42	42
70-74	15	11.5	51	3	4	10	15	23	27	28
75-79	18	10.7	88	3	3	6	16	28	33	33
80-84	9	13.4	221	1	2	8	15	39	48	48
85+	9	8.2	32	3	3	6	14	17	17	17
B. *Operated*										
65-69 YRS										
70-74										
75-79	1	6.0		6	6	6	6	6	6	6
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	109	11.0	118	2	3	8	14	25	46	99+
70-74	203	12.2	101	2	3	9	16	26	41	99+
75-79	216	12.5	155	3	3	9	16	26	41	99+
80-84	213	13.1	244	2	3	8	15	39	93	99+
85+	191	10.4	107	2	3	8	13	25	34	99+
B. *Operated*										
65-69 YRS	16	14.1	72	3	5	14	20	27	28	28
70-74	19	16.8	189	3	4	12	21	40	49	53
75-79	28	19.1	246	3	5	16	22	55	59	99+
80-84	25	17.1	280	5	5	13	23	77	99+	99+
85+	22	16.0	237	4	6	10	17	39	59	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	11.4	96	3	3	8	14	25	33	48
B. *Operated*	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	932	11.9	150	2	3	8	15	27	47	99+
B. *Operated*	110	16.9	212	3	5	13	21	45	57	99+
1. SINGLE DX	58	11.3	95	3	3	8	14	25	33	48
2. MULTIPLE DX	1042	12.5	158	2	3	9	16	28	52	99+
A. NOT OPERATED	989	11.9	146	2	3	8	15	27	45	99+
B. OPERATED	111	16.8	211	3	5	13	21	44	57	99+
TOTAL 65-69 YRS	131	11.6	115	2	3	9	15	26	44	99+
70-74	237	12.5	105	2	3	10	17	26	41	99+
75-79	263	13.0	163	3	3	9	17	27	44	99+
80-84	247	13.5	246	2	3	9	17	40	94	99+
85+	222	10.9	119	2	3	8	14	25	35	99+
GRAND TOTAL	**1100**	**12.4**	**155**	**2**	**3**	**9**	**16**	**28**	**49**	**99+**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	38	5.7	28	1	2	5	6	10	16	31
70-74	12	11.0	208	2	2	4	15	33	48	50
75-79	9	6.6	40	2	2	5	6	16	23	23
80-84	7	7.6	35	2	2	6	15	75	99+	99+
85+										
B. *Operated*										
65-69 YRS	1	24.0		24	24	24	24	24	24	24
70-74										
75-79	1	18.0		18	18	18	18	18	18	18
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	608	8.9	89	2	2	6	11	21	27	85
70-74	364	9.1	101	2	2	6	11	19	24	68
75-79	181	9.7	77	2	3	7	12	19	26	62
80-84	77	9.6	145	1	2	6	11	17	25	65
85+	24	11.8	223	1	2	7	16	46	73	99+
B. *Operated*										
65-69 YRS	38	19.1	292	4	5	15	24	60	90	99+
70-74	25	14.8	98	4	5	12	18	33	37	38
75-79	28	16.5	175	3	4	15	22	32	69	99+
80-84	6	33.8	783	11	12	21	45	82	86	86
85+	1	18.0		18	18	18	18	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	7.0	64	2	2	5	7	17	27	91
B. *Operated*	2	21.0	18	18	18	21	24	24	24	24
2. MULTIPLE DX										
A. *Not Operated*	1254	9.2	96	2	2	6	11	20	27	69
B. *Operated*	98	18.2	244	4	5	15	22	41	74	99+
1. SINGLE DX	68	7.4	68	2	2	5	7	18	26	90
2. MULTIPLE DX	1352	9.8	112	2	2	6	12	21	29	86
A. NOT OPERATED	1320	9.1	95	2	2	6	11	19	27	72
B. OPERATED	100	18.2	239	4	5	15	22	39	73	99+
TOTAL 65-69 YRS	685	9.3	103	2	2	6	11	21	28	94
70-74	401	9.6	105	2	2	6	12	20	26	67
75-79	219	10.5	93	2	3	7	13	23	28	78
80-84	90	11.1	208	2	2	7	13	21	57	94
85+	25	12.0	215	1	2	7	18	44	71	99+
GRAND TOTAL	**1420**	**9.7**	**110**	**2**	**2**	**6**	**12**	**21**	**29**	**88**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	8.5	18	2	3	8	11	14	15	15
70-74	12	5.3	32	1	2	3	4	16	19	19
75-79	12	7.6	29	3	3	6	9	18	19	19
80-84	4	3.3	2	2	2	3	4	5	5	5
85+	12	3.6	3	2	2	3	5	6	7	7
B. *Operated*										
65-69 YRS										
70-74										
75-79	1	1.0		1	1	1	1	1	1	1
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	229	8.1	47	2	2	6	10	17	22	36
70-74	199	7.6	56	2	2	5	9	16	19	44
75-79	215	7.6	39	1	2	6	10	16	23	29
80-84	158	7.3	27	2	2	6	10	14	18	26
85+	125	6.6	45	1	2	5	8	13	20	66
B. *Operated*										
65-69 YRS	22	10.4	220	<1	1	7	11	16	41	73
70-74	20	13.3	160	1	3	8	15	38	44	44
75-79	10	20.6	620	2	3	12	16	67	69	69
80-84	17	10.4	26	3	4	9	14	17	20	21
85+	6	16.7	188	3	3	13	20	40	42	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	5.8	21	2	2	4	7	14	17	19
B. *Operated*	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	926	7.5	43	2	2	6	10	16	20	33
B. *Operated*	75	13.0	210	1	2	9	15	21	44	72
1. SINGLE DX	49	5.7	22	2	2	4	7	14	17	19
2. MULTIPLE DX	1001	7.9	58	2	2	6	10	16	21	42
A. NOT OPERATED	974	7.5	42	2	2	5	9	15	20	33
B. OPERATED	76	12.8	209	1	2	9	14	21	44	72
TOTAL 65-69 YRS	259	8.3	60	1	2	6	10	17	22	38
70-74	231	7.9	66	2	2	5	10	16	20	47
75-79	238	8.2	67	1	2	6	10	17	23	37
80-84	179	7.5	27	2	2	6	10	15	18	25
85+	143	6.7	51	1	2	5	8	13	20	58
GRAND TOTAL	**1050**	**7.8**	**56**	**2**	**2**	**6**	**10**	**16**	**21**	**42**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	112	15.3	172	1	2	12	21	32	50	99+
70-74	46	20.7	221	2	3	19	29	43	59	99+
75-79	21	19.1	190	4	7	16	27	51	74	99+
80-84	11	17.4	91	2	5	15	22	31	36	36
85+	7	16.0	460	3	3	7	22	54	61	61
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	206	19.5	192	4	6	17	27	40	64	99+
70-74	134	20.3	277	3	4	16	29	49	80	99+
75-79	74	21.0	278	3	5	18	27	38	59	80
80-84	36	14.3	156	2	3	12	19	40	85	99+
85+	15	12.9	64	1	3	11	19	26	26	26
B. *Operated*										
65-69 YRS	19	22.4	168	7	10	20	35	45	73	99+
70-74	8	24.6	83	9	15	32	83	99+	99+	99+
75-79	8	26.3	281	10	11	26	29	53	63	63
80-84	2	23.5	1	23	23	23	24	24	24	24
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	197	17.1	192	2	3	15	23	36	57	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	465	19.3	225	3	5	16	27	40	67	99+
B. *Operated*	37	23.8	157	9	11	23	35	78	99+	99+
1. SINGLE DX	197	17.1	192	2	3	15	23	36	57	99+
2. MULTIPLE DX	502	19.7	221	3	5	16	27	43	68	99+
A. NOT OPERATED	662	18.7	216	3	4	16	26	39	61	99+
B. OPERATED	37	23.8	157	9	11	23	35	78	99+	99+
TOTAL 65-69 YRS	337	18.3	188	3	4	15	26	40	54	99+
70-74	188	20.6	254	3	4	18	30	50	88	99+
75-79	103	21.0	258	3	6	18	28	41	62	91
80-84	49	15.3	137	2	3	14	22	34	63	99+
85+	22	13.9	177	2	3	10	19	26	40	61
GRAND TOTAL	**699**	**18.9**	**214**	**3**	**4**	**16**	**26**	**40**	**63**	**99+**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	14.0		14	14	14	14	14	14	14
70-74	2	36.0	200	26	26	36	46	46	46	46
75-79	3	12.0	36	6	6	12	16	18	18	18
80-84	3	13.0	21	8	8	14	16	17	17	17
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11	14.9	97	3	6	11	17	31	38	39
70-74	6	13.3	41	5	6	15	22	85	99+	99+
75-79	4	12.0	79	3	3	11	19	23	23	23
80-84	3	9.3	52	<1	<1	13	14	14	14	14
85+	3	8.7	25	4	4	8	12	14	14	14
B. *Operated*										
65-69 YRS										
70-74	1	23.0		23	23	23	23	23	23	23
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	17.5	131	6	7	14	18	36	46	46
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	27	12.8	66	2	3	12	15	25	45	99+
B. *Operated*	1	23.0		23	23	23	23	23	23	23
1. SINGLE DX	10	17.5	131	6	7	14	18	36	46	46
2. MULTIPLE DX	28	13.2	67	3	4	13	16	25	42	99+
A. NOT OPERATED	37	14.1	84	3	4	14	17	26	43	99+
B. OPERATED	1	23.0		23	23	23	23	23	23	23
TOTAL 65-69 YRS	13	14.8	81	4	8	14	16	28	37	39
70-74	9	19.4	149	5	7	19	26	73	99+	99+
75-79	7	12.0	51	3	4	12	17	22	23	23
80-84	6	11.2	33	<1	1	13	14	17	17	17
85+	3	8.7	25	4	4	8	12	14	14	14
GRAND TOTAL	**38**	**14.3**	**84**	**3**	**4**	**14**	**18**	**26**	**43**	**99+**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	166	16.4	144	3	4	13	21	34	42	70
70-74	103	16.9	214	1	3	14	23	38	53	87
75-79	47	18.4	282	2	4	15	19	38	55	84
80-84	14	14.3	344	2	4	10	14	22	65	77
85+	12	12.7	170	<1	1	8	20	33	40	41
B. *Operated*										
65-69 YRS	2	15.0	32	11	11	15	19	19	19	19
70-74	1	14.0		14	14	14	14	14	14	14
75-79	1	31.0		31	31	31	31	31	31	31
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	401	17.7	196	3	4	14	25	37	45	75
70-74	271	18.4	222	3	4	16	24	41	61	99+
75-79	132	18.5	340	3	4	13	24	56	96	99+
80-84	64	15.5	216	3	4	11	20	37	52	97
85+	43	16.8	318	3	3	11	25	47	95	99+
B. *Operated*										
65-69 YRS	34	30.2	335	9	12	26	34	50	75	93
70-74	16	32.4	438	11	14	24	46	56	79	89
75-79	10	28.3	366	5	7	29	40	83	99	99+
80-84	4	46.0	616	16	16	47	65	74	74	74
85+	1	93.0		93	93	93	93	93	93	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	342	16.6	192	2	4	14	21	35	45	78
B. *Operated*	4	18.8	78	11	11	16	25	31	31	31
2. MULTIPLE DX										
A. *Not Operated*	911	17.8	231	3	4	14	24	38	56	99+
B. *Operated*	65	32.4	430	8	12	28	41	70	90	99
1. SINGLE DX	346	16.6	190	2	4	14	21	35	44	77
2. MULTIPLE DX	976	18.8	257	3	4	14	26	42	57	99+
A. NOT OPERATED	1253	17.5	220	3	4	14	23	38	53	99+
B. OPERATED	69	31.6	418	8	12	27	38	64	89	99
TOTAL 65-69 YRS	603	18.0	197	3	4	14	25	36	45	79
70-74	391	18.5	235	2	4	15	24	42	56	99+
75-79	190	19.1	327	3	4	14	25	52	88	99+
80-84	82	16.8	290	3	4	12	20	43	63	93
85+	56	17.3	386	2	3	10	27	45	94	99+
GRAND TOTAL	**1322**	**18.2**	**240**	**3**	**4**	**14**	**25**	**39**	**56**	**99+**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	776	18.8	162	3	5	17	26	36	44	62
70-74	620	20.4	215	3	5	17	28	40	52	79
75-79	446	19.9	173	3	5	18	27	37	46	63
80-84	190	20.0	205	3	5	19	28	37	44	73
85+	85	16.5	124	3	5	13	22	34	37	53
B. *Operated*										
65-69 YRS	3	27.3	100	16	16	31	34	35	35	35
70-74	3	36.3	641	17	17	27	55	65	65	65
75-79	2	4.5	1	4	4	5	76	99+	99+	99+
80-84	6	25.8	163	13	13	23	38	42	43	43
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2341	19.4	215	3	5	16	26	39	49	82
70-74	2305	20.2	228	3	5	17	28	40	50	76
75-79	1756	20.7	243	3	5	17	28	42	52	78
80-84	845	19.5	259	3	4	15	27	40	53	94
85+	389	19.2	233	3	5	14	27	38	50	82
B. *Operated*										
65-69 YRS	228	26.6	340	6	9	22	35	55	72	99+
70-74	207	28.5	362	6	9	25	37	62	72	99+
75-79	156	28.9	357	7	9	25	40	61	76	99+
80-84	81	29.1	336	8	10	26	38	54	59	95
85+	36	26.6	361	7	8	21	37	69	94	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2117	19.5	183	3	5	17	26	37	46	71
B. *Operated*	14	25.4	272	4	5	27	37	65	91	99+
2. MULTIPLE DX										
A. *Not Operated*	7636	19.9	231	3	5	16	27	40	50	80
B. *Operated*	708	28.0	350	7	9	24	37	58	72	99+
1. SINGLE DX	2131	19.6	183	3	5	17	27	37	46	71
2. MULTIPLE DX	8344	20.6	246	3	5	17	28	42	53	86
A. NOT OPERATED	9753	19.8	221	3	5	17	27	39	50	78
B. OPERATED	722	27.9	348	6	9	24	37	59	72	99+
TOTAL 65-69 YRS	3348	19.7	215	3	5	17	27	39	49	82
70-74	3135	20.8	239	3	5	18	28	41	53	79
75-79	2360	21.0	241	3	5	18	29	43	54	84
80-84	1122	20.4	261	3	5	16	28	40	53	91
85+	510	19.3	228	3	5	15	27	39	51	88
GRAND TOTAL	**10475**	**20.4**	**234**	**3**	**5**	**17**	**28**	**41**	**52**	**83**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	276	17.4	170	3	5	15	22	31	45	72
70-74	205	15.4	144	2	3	13	21	34	43	83
75-79	93	17.6	182	2	3	14	24	35	49	84
80-84	53	17.0	177	<1	4	14	23	36	41	65
85+	16	22.4	123	7	8	19	30	40	41	41
B. *Operated*										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74										
75-79	1	5.0		5	5	5	5	5	5	5
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	744	20.0	213	3	5	17	26	42	53	99+
70-74	590	19.4	200	4	5	16	26	40	48	98
75-79	331	20.6	258	3	6	16	28	46	65	99+
80-84	165	21.5	245	3	6	18	28	43	54	82
85+	54	19.8	265	4	6	16	25	41	61	99+
B. *Operated*										
65-69 YRS	52	22.1	230	5	8	18	28	47	61	99
70-74	47	29.7	320	10	14	26	35	55	82	99+
75-79	33	26.6	303	4	6	23	39	57	67	99+
80-84	9	27.3	285	11	12	21	48	50	50	50
85+	1	58.0		58	58	58	58	58	58	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	643	16.9	164	2	4	14	22	34	46	70
B. *Operated*	2	5.5	1	5	5	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	1884	20.0	221	4	5	17	27	42	53	99+
B. *Operated*	142	26.3	290	6	10	22	36	54	67	99+
1. SINGLE DX	645	16.9	164	2	4	14	22	33	46	70
2. MULTIPLE DX	2026	20.5	228	4	6	17	27	43	54	99+
A. NOT OPERATED	2527	19.3	208	3	5	16	26	40	51	98
B. OPERATED	144	26.0	292	6	9	22	35	54	67	99+
TOTAL 65-69 YRS	1073	19.4	204	3	5	16	25	40	52	96
70-74	842	19.0	202	3	5	16	25	39	48	98
75-79	458	20.4	249	3	5	16	28	46	62	99+
80-84	227	20.7	234	2	5	18	28	42	51	79
85+	71	20.9	248	5	7	17	27	41	57	98
GRAND TOTAL	**2671**	**19.6**	**215**	**3**	**5**	**16**	**26**	**41**	**52**	**99+**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	125	11.5	94	1	2	9	15	24	28	50
70-74	132	11.0	107	1	2	8	16	25	32	46
75-79	95	11.1	130	1	2	8	16	22	29	57
80-84	79	10.9	114	1	2	7	16	24	34	49
85+	54	10.1	63	1	2	10	13	23	28	97
B. *Operated*										
65-69 YRS	2	4.5	5	3	3	4	6	6	6	6
70-74	1	12.0		12	12	12	12	12	12	12
75-79	3	5.0	1	4	4	5	6	6	6	6
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	579	11.4	111	2	3	8	15	24	34	58
70-74	681	10.4	131	2	2	7	13	23	30	71
75-79	711	10.0	101	2	2	7	13	20	27	55
80-84	578	10.6	142	2	2	6	13	23	34	77
85+	507	9.5	91	2	2	7	11	21	30	84
B. *Operated*										
65-69 YRS	50	17.6	362	2	5	13	21	28	63	99
70-74	78	18.2	311	2	3	11	26	36	56	87
75-79	71	16.7	210	3	4	14	23	31	59	99+
80-84	43	15.7	274	2	3	11	22	54	81	99+
85+	39	16.7	171	5	6	13	17	39	48	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	485	11.1	104	1	2	8	15	24	31	53
B. *Operated*	6	6.0	10	3	3	5	6	11	12	12
2. MULTIPLE DX										
A. *Not Operated*	3056	10.4	116	2	2	7	13	22	31	68
B. *Operated*	281	17.1	266	2	4	12	22	35	60	99+
1. SINGLE DX	491	11.0	103	1	2	8	15	24	31	52
2. MULTIPLE DX	3337	10.9	132	2	2	7	14	24	34	73
A. NOT OPERATED	3541	10.5	114	2	2	7	13	23	31	64
B. OPERATED	287	16.9	263	2	4	12	22	35	60	99+
TOTAL 65-69 YRS	756	11.8	126	2	3	9	15	24	32	63
70-74	892	11.2	147	2	2	7	14	25	34	71
75-79	880	10.6	115	2	2	7	14	21	30	64
80-84	700	10.9	148	2	2	7	14	24	37	78
85+	600	10.1	97	2	2	7	13	22	31	86
GRAND TOTAL	**3828**	**11.0**	**128**	**2**	**2**	**7**	**14**	**24**	**33**	**71**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	50	5.7	45	1	1	4	6	14	24	29
70-74	39	6.2	44	1	1	3	8	16	19	32
75-79	38	5.5	27	<1	<1	4	8	14	16	22
80-84	18	6.4	116	<1	1	3	5	13	33	47
85+	9	2.4	1	1	1	2	3	4	4	4
B. *Operated*										
65-69 YRS	2	4.0	18	1	1	4	7	7	7	7
70-74										
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	373	6.3	51	1	1	4	8	13	18	33
70-74	336	6.1	50	1	1	4	6	14	20	36
75-79	294	6.4	71	1	1	4	7	14	20	46
80-84	164	5.5	48	1	1	3	6	10	21	57
85+	102	5.2	49	1	1	4	6	9	15	44
B. *Operated*										
65-69 YRS	22	11.3	85	2	4	7	19	26	31	32
70-74	26	10.5	142	1	1	5	15	30	36	50
75-79	14	17.1	390	2	3	13	20	36	69	78
80-84	3	4.7	4	3	3	4	6	7	7	7
85+	2	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	154	5.7	45	1	1	3	7	13	20	32
B. *Operated*	3	3.3	10	1	1	2	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	1269	6.1	55	1	1	4	7	13	20	36
B. *Operated*	67	11.7	169	1	2	7	18	29	32	73
1. SINGLE DX	157	5.6	45	1	1	3	7	13	20	32
2. MULTIPLE DX	1336	6.3	62	1	1	4	7	14	21	40
A. NOT OPERATED	1423	6.0	54	1	1	4	7	13	20	36
B. OPERATED	70	11.3	165	1	2	6	18	28	32	72
TOTAL 65-69 YRS	447	6.5	53	1	1	4	7	14	21	32
70-74	401	6.4	57	1	1	4	7	16	21	36
75-79	347	6.7	83	1	1	4	7	15	22	47
80-84	185	5.6	54	1	1	3	6	10	21	56
85+	113	5.0	45	1	1	3	5	8	15	40
GRAND TOTAL	**1493**	**6.3**	**60**	**1**	**1**	**4**	**7**	**14**	**21**	**38**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	125	10.2	78	1	2	8	14	22	27	41
70-74	84	10.7	95	2	2	8	14	22	29	52
75-79	62	12.8	112	3	3	9	18	30	33	48
80-84	27	12.3	100	1	2	9	15	23	34	46
85+	15	8.2	30	1	3	6	11	16	20	21
B. *Operated*										
65-69 YRS										
70-74	1	7.0		7	7	7	7	7	7	7
75-79	2	18.0	8	16	16	18	20	20	20	20
80-84	1	16.0		16	16	16	16	16	16	16
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	586	11.1	129	2	2	8	14	23	32	63
70-74	502	10.3	84	2	3	7	13	23	29	50
75-79	427	10.7	101	2	3	8	13	22	31	45
80-84	208	11.2	110	2	3	8	14	24	33	63
85+	95	9.4	60	3	3	8	12	17	25	41
B. *Operated*										
65-69 YRS	48	17.6	295	3	3	11	23	42	59	68
70-74	34	14.9	160	3	3	12	20	30	44	58
75-79	26	12.2	43	3	4	12	16	20	26	29
80-84	15	15.2	139	4	6	10	24	28	42	47
85+	9	20.4	614	4	4	11	21	62	83	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	313	10.9	89	1	2	8	14	23	30	47
B. *Operated*	4	14.8	30	7	7	16	18	20	20	20
2. MULTIPLE DX										
A. *Not Operated*	1818	10.7	104	2	3	8	13	23	31	52
B. *Operated*	132	15.8	212	3	4	11	19	34	47	71
1. SINGLE DX	317	11.0	89	1	2	8	14	23	30	47
2. MULTIPLE DX	1950	11.1	113	2	3	8	14	23	32	58
A. NOT OPERATED	2131	10.7	102	2	3	8	14	23	31	50
B. OPERATED	136	15.7	206	3	4	11	19	33	47	70
TOTAL 65-69 YRS	759	11.4	133	2	2	8	14	23	35	64
70-74	621	10.6	90	2	3	7	13	24	30	53
75-79	517	11.0	100	2	3	8	14	23	31	46
80-84	251	11.5	110	2	3	8	15	25	33	52
85+	119	10.1	102	3	3	8	12	19	28	56
GRAND TOTAL	**2267**	**11.0**	**110**	**2**	**3**	**8**	**14**	**23**	**31**	**56**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	36	9.1	81	<1	1	5	15	24	28	30
70-74	27	7.1	49	1	1	3	12	16	23	25
75-79	22	5.4	41	1	1	3	5	19	21	23
80-84	9	9.1	86	<1	1	5	15	25	25	25
85+	9	11.4	217	1	2	4	14	38	43	43
B. *Operated*										
65-69 YRS	9	3.1	12	1	1	2	3	9	12	12
70-74	12	3.4	5	1	1	3	4	7	8	8
75-79										
80-84	1	2.0		2	2	2	2	2	2	2
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	192	9.3	112	1	1	5	11	25	30	68
70-74	182	8.8	116	1	2	5	11	20	29	93
75-79	121	9.0	107	1	2	6	12	21	35	69
80-84	107	8.4	86	2	3	6	9	18	25	50
85+	86	8.2	66	1	2	6	11	17	21	50
B. *Operated*										
65-69 YRS	49	8.6	117	1	2	5	8	21	31	59
70-74	29	13.7	272	3	3	6	16	48	52	56
75-79	15	12.8	99	1	1	12	20	26	31	33
80-84	9	17.9	47	5	8	19	24	25	25	25
85+	5	10.0	36	2	2	11	15	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	8.0	76	1	1	4	12	23	25	36
B. *Operated*	22	3.2	7	1	1	2	4	7	10	12
2. MULTIPLE DX										
A. *Not Operated*	688	8.8	102	1	2	6	11	21	28	77
B. *Operated*	107	11.4	152	1	2	6	15	26	42	57
1. SINGLE DX	125	7.1	67	1	1	3	10	21	25	33
2. MULTIPLE DX	795	9.2	109	1	2	6	11	22	28	69
A. NOT OPERATED	791	8.7	99	1	2	5	11	21	28	70
B. OPERATED	129	10.0	136	1	2	6	12	24	33	57
TOTAL 65-69 YRS	286	8.9	106	1	1	5	11	24	29	55
70-74	250	8.9	125	1	2	5	11	22	31	81
75-79	158	8.9	99	1	2	5	12	22	31	57
80-84	126	9.1	88	2	3	6	11	23	25	42
85+	100	8.6	77	1	2	6	11	17	21	52
GRAND TOTAL	**920**	**8.9**	**104**	**1**	**2**	**5**	**11**	**22**	**28**	**60**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	185	8.0	80	1	1	5	8	21	29	41
70-74	105	8.0	71	1	1	5	9	21	28	39
75-79	49	8.7	107	1	1	4	10	27	29	41
80-84	12	7.7	43	3	4	6	7	14	26	28
85+	6	7.8	99	2	2	4	5	26	28	28
B. *Operated*										
65-69 YRS	1	12.0		12	12	12	12	12	12	12
70-74	1	27.0		27	27	27	27	27	27	27
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1947	12.4	106	2	2	8	21	28	31	39
70-74	1192	11.7	95	2	2	8	20	27	30	42
75-79	536	11.3	98	2	2	7	19	27	30	38
80-84	153	9.7	87	2	2	6	14	25	28	55
85+	44	10.8	150	1	2	5	15	28	38	56
B. *Operated*										
65-69 YRS	102	15.5	160	3	4	12	22	30	47	99+
70-74	76	16.1	185	2	4	12	26	36	40	94
75-79	41	17.1	242	3	4	12	22	30	46	83
80-84	9	10.9	215	2	2	5	11	35	48	48
85+	2	25.5	41	21	21	25	30	30	30	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	357	8.1	79	1	1	5	8	21	28	41
B. *Operated*	3	14.3	136	4	4	12	23	27	27	27
2. MULTIPLE DX										
A. *Not Operated*	3872	11.9	101	2	2	7	21	28	30	40
B. *Operated*	230	15.9	183	2	4	12	22	31	42	99+
1. SINGLE DX	360	8.1	80	1	1	5	8	22	28	41
2. MULTIPLE DX	4102	12.1	107	2	2	8	21	28	31	42
A. NOT OPERATED	4229	11.6	101	2	2	7	20	28	30	40
B. OPERATED	233	15.9	182	2	4	12	23	30	42	99+
TOTAL 65-69 YRS	2235	12.2	108	2	2	8	21	28	31	41
70-74	1374	11.7	100	2	2	7	20	27	30	43
75-79	627	11.5	110	1	2	7	19	27	30	41
80-84	174	9.6	89	2	2	6	13	25	28	54
85+	52	11.1	146	1	2	5	17	28	35	56
GRAND TOTAL	**4462**	**11.8**	**106**	**2**	**2**	**7**	**20**	**28**	**30**	**42**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	11.0		11	11	11	11	11	11	11
70-74	2	13.0	18	10	10	13	16	16	16	16
75-79	1	5.0		5	5	5	5	5	5	5
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	24	13.1	84	2	2	10	21	25	32	34
70-74	17	13.1	89	2	3	11	21	27	29	30
75-79	11	11.9	158	3	4	7	10	35	41	42
80-84	3	19.7	2	18	18	20	21	21	21	21
85+	2	17.0	50	12	12	17	22	22	22	22
B. *Operated*										
65-69 YRS	1	15.0		15	15	15	15	15	15	15
70-74	2	30.0	722	11	11	30	49	49	49	49
75-79										
80-84	1	12.0		12	12	12	12	12	12	12
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	10.5	20	5	5	10	13	16	16	16
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	57	13.3	92	2	3	10	21	27	31	41
B. *Operated*	4	21.8	333	11	11	13	32	49	49	49
1. SINGLE DX	4	10.5	20	5	5	10	13	16	16	16
2. MULTIPLE DX	61	13.9	107	2	3	11	21	29	32	48
A. NOT OPERATED	61	13.1	87	2	3	10	21	26	31	41
B. OPERATED	4	21.8	333	11	11	13	32	49	49	49
TOTAL 65-69 YRS	26	13.1	78	2	2	10	21	24	32	34
70-74	21	14.7	134	2	3	11	21	29	39	49
75-79	12	11.3	148	3	4	7	9	34	41	42
80-84	4	17.8	16	12	12	19	20	21	21	21
85+	2	17.0	50	12	12	17	22	22	22	22
GRAND TOTAL	**65**	**13.7**	**102**	**2**	**3**	**11**	**21**	**28**	**32**	**48**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	4.0	2	3	3	4	5	5	5	5
70-74	7	16.7	256	2	2	8	29	39	42	42
75-79	1	18.0		18	18	18	18	18	18	18
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	59	14.6	142	2	3	11	21	34	41	43
70-74	52	15.9	103	2	5	15	22	26	36	44
75-79	30	14.5	157	2	3	9	21	38	42	42
80-84	7	15.1	116	3	4	13	24	31	32	32
85+	5	10.0	264	2	2	3	13	39	39	39
B. *Operated*										
65-69 YRS	4	8.5	11	6	6	8	11	13	13	13
70-74	2	23.5	421	9	9	23	38	38	38	38
75-79										
80-84	1	6.0		6	6	6	6	6	6	6
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	14.3	200	2	2	6	28	35	42	42
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	153	14.9	132	2	3	11	22	32	41	43
B. *Operated*	7	12.4	134	6	6	9	12	33	38	38
1. SINGLE DX	10	14.3	200	2	2	6	28	35	42	42
2. MULTIPLE DX	160	14.8	131	2	3	11	21	32	40	43
A. NOT OPERATED	163	14.9	135	2	3	11	22	32	41	43
B. OPERATED	7	12.4	134	6	6	9	12	33	38	38
TOTAL 65-69 YRS	65	13.9	135	2	3	9	21	30	40	43
70-74	61	16.2	122	2	4	15	23	29	40	44
75-79	31	14.6	153	2	4	10	21	38	42	42
80-84	8	14.0	110	3	4	11	21	30	32	32
85+	5	10.0	264	2	2	3	13	39	39	39
GRAND TOTAL	**170**	**14.8**	**134**	**2**	**3**	**11**	**21**	**32**	**41**	**43**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	25	5.6	186	<1	<1	1	3	14	33	67
70-74	13	4.3	65	<1	<1	1	3	13	27	30
75-79	6	3.0	10	1	1	2	4	8	9	9
80-84	4	3.0	2	2	2	3	4	5	5	5
85+	4	2.8	12	<1	<1	1	5	8	8	8
B. *Operated*										
65-69 YRS	1	9.0		9	9	9	9	9	9	9
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	107	6.6	64	1	1	4	7	15	29	36
70-74	88	4.7	23	1	1	4	6	9	14	27
75-79	39	5.6	66	<1	1	2	6	17	26	36
80-84	28	4.2	18	1	1	3	4	9	11	22
85+	16	5.6	45	<1	1	3	6	12	23	28
B. *Operated*										
65-69 YRS	4	8.3	12	4	4	8	11	12	12	12
70-74	11	8.4	48	1	1	7	11	20	21	21
75-79	3	4.3	10	2	2	3	7	8	8	8
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	4.6	106	<1	<1	2	3	9	21	66
B. *Operated*	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	278	5.6	46	1	1	3	6	12	22	34
B. *Operated*	18	7.7	34	1	1	7	10	18	21	21
1. SINGLE DX	53	4.6	104	<1	<1	2	3	9	21	66
2. MULTIPLE DX	296	5.7	45	1	1	3	7	12	22	34
A. NOT OPERATED	330	5.4	55	<1	1	3	6	12	22	35
B. OPERATED	19	7.7	32	1	1	7	10	17	21	21
TOTAL 65-69 YRS	137	6.5	83	<1	1	3	7	15	29	42
70-74	112	5.0	30	1	1	3	6	10	18	29
75-79	48	5.2	55	1	1	2	6	10	25	36
80-84	32	4.1	16	1	1	3	4	9	9	22
85+	20	5.1	39	<1	<1	3	6	11	20	28
GRAND TOTAL	**349**	**5.6**	**54**	**1**	**1**	**3**	**6**	**12**	**22**	**35**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	7.5	12	4	4	7	10	11	11	11
70-74										
75-79	1	1.0		1	1	1	1	1	1	1
80-84	3	6.3	14	2	2	8	9	9	9	9
85+	3	12.0	193	3	3	5	22	28	28	28
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	46	14.4	124	3	3	10	22	32	36	43
70-74	22	11.8	85	3	4	7	16	27	31	33
75-79	21	8.9	56	2	2	7	10	22	27	28
80-84	16	4.8	13	1	1	4	6	11	12	12
85+	16	7.0	41	1	2	5	8	20	23	24
B. *Operated*										
65-69 YRS										
70-74	3	14.3	146	5	5	10	23	28	28	28
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	7.8	56	1	2	5	10	18	27	28
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	121	10.7	90	2	3	7	15	26	31	40
B. *Operated*	3	14.3	146	5	5	10	23	28	28	28
1. SINGLE DX	11	7.8	56	1	2	5	10	18	27	28
2. MULTIPLE DX	124	10.8	90	2	3	7	15	26	31	40
A. NOT OPERATED	132	10.5	87	2	2	7	14	26	30	40
B. OPERATED	3	14.3	146	5	5	10	23	28	28	28
TOTAL 65-69 YRS	50	13.8	118	3	3	10	21	31	35	43
70-74	25	12.1	87	3	4	7	17	28	31	33
75-79	22	8.5	56	1	2	7	9	21	27	28
80-84	19	5.0	12	1	1	4	8	11	12	12
85+	19	7.8	60	1	2	5	8	23	26	28
GRAND TOTAL	**135**	**10.5**	**88**	**2**	**2**	**7**	**15**	**26**	**30**	**40**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	13	3.1	19	1	1	2	3	7	15	17
70-74	9	7.1	72	1	1	4	8	22	28	28
75-79	10	3.1	3	1	1	3	4	6	7	7
80-84	7	1.7	1	1	1	1	2	4	4	4
85+	4	3.0	7	1	1	2	5	7	7	7
B. *Operated*										
65-69 YRS	3	4.3	10	2	2	3	7	8	8	8
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	127	4.4	11	1	2	3	6	9	12	17
70-74	117	4.8	15	1	2	4	6	9	14	20
75-79	98	4.7	17	1	1	4	6	8	11	25
80-84	79	4.6	10	1	2	4	5	9	10	18
85+	36	4.7	7	1	2	4	6	8	10	13
B. *Operated*										
65-69 YRS	9	8.1	133	2	2	4	7	27	38	38
70-74	13	9.4	102	2	2	6	11	21	36	40
75-79	5	5.6	6	3	3	7	7	8	8	8
80-84	7	7.7	29	3	3	8	14	75	99+	99+
85+	2	24.5	925	3	3	24	46	46	46	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	3.7	24	1	1	2	4	7	14	28
B. *Operated*	3	4.3	10	2	2	3	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	457	4.6	13	1	2	4	6	9	11	18
B. *Operated*	36	9.1	113	2	2	6	10	34	44	99+
1. SINGLE DX	46	3.7	23	1	1	2	4	7	13	28
2. MULTIPLE DX	493	4.9	21	1	2	4	6	9	12	28
A. NOT OPERATED	500	4.5	14	1	1	4	6	9	12	18
B. OPERATED	39	8.7	106	2	2	6	9	28	43	99+
TOTAL 65-69 YRS	152	4.5	18	1	1	3	6	9	12	17
70-74	139	5.4	28	1	2	4	6	11	16	29
75-79	113	4.6	16	1	1	4	6	8	11	23
80-84	93	4.6	12	1	2	4	6	9	10	64
85+	42	5.5	48	1	2	4	6	8	11	46
GRAND TOTAL	**539**	**4.8**	**21**	**1**	**1**	**4**	**6**	**9**	**12**	**28**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	51	11.1	154	1	1	8	15	22	27	74
70-74	39	8.0	66	<1	1	5	11	19	29	33
75-79	33	7.4	24	<1	1	7	11	14	15	19
80-84	15	7.8	37	1	2	6	12	18	19	20
85+	21	6.8	38	<1	1	5	12	16	19	21
B. *Operated*										
65-69 YRS	2	11.5	61	6	6	11	17	17	17	17
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	348	8.1	51	1	2	6	11	18	22	39
70-74	285	9.5	97	1	2	6	12	21	28	54
75-79	220	8.7	65	1	2	6	12	18	26	45
80-84	137	8.4	56	1	2	6	12	20	23	38
85+	120	8.3	62	1	2	6	11	18	21	46
B. *Operated*										
65-69 YRS	18	16.1	103	1	2	16	26	28	29	30
70-74	21	10.7	54	2	3	11	15	19	26	31
75-79	12	15.9	173	4	5	11	20	30	50	53
80-84	8	8.9	75	1	1	5	15	23	25	25
85+	6	12.0	74	4	4	9	15	27	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	159	8.7	81	<1	1	6	13	18	23	44
B. *Operated*	2	11.5	61	6	6	11	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*	1110	8.6	67	1	2	6	11	19	25	43
B. *Operated*	65	13.0	96	2	3	12	20	27	29	50
1. SINGLE DX	161	8.7	80	<1	1	6	13	18	22	44
2. MULTIPLE DX	1175	8.9	70	1	2	6	12	20	25	43
A. NOT OPERATED	1269	8.6	69	1	2	6	11	19	25	43
B. OPERATED	67	13.0	94	2	3	12	19	27	29	49
TOTAL 65-69 YRS	419	8.9	68	1	2	6	12	20	26	44
70-74	345	9.4	91	1	2	6	12	21	28	50
75-79	265	8.8	66	1	2	7	12	18	25	51
80-84	160	8.4	55	1	2	6	12	19	23	36
85+	147	8.2	59	1	1	6	11	18	21	43
GRAND TOTAL	**1336**	**8.9**	**71**	**1**	**2**	**6**	**12**	**20**	**25**	**43**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	72	12.1	143	1	2	8	16	31	42	89
70-74	60	11.2	213	1	1	7	12	25	36	77
75-79	48	7.3	48	1	1	5	9	18	24	32
80-84	26	10.4	208	<1	<1	4	13	30	38	67
85+	12	5.5	25	1	1	4	7	15	15	15
B. *Operated*										
65-69 YRS	2	29.0	1458	2	2	29	56	56	56	56
70-74	2	21.0	162	12	12	21	30	30	30	30
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	409	9.4	86	1	2	6	12	21	27	48
70-74	463	8.7	79	1	2	6	11	20	26	55
75-79	386	8.6	60	2	2	6	10	17	27	40
80-84	239	8.6	79	1	2	6	11	19	25	56
85+	153	8.7	88	1	2	6	10	20	25	81
B. *Operated*										
65-69 YRS	49	15.2	224	1	3	9	21	33	56	60
70-74	42	14.3	230	3	4	10	14	32	40	88
75-79	40	14.0	262	3	4	8	14	28	57	77
80-84	21	14.3	102	2	3	12	20	33	35	37
85+	12	16.3	271	5	6	12	15	34	62	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	218	10.2	145	1	1	6	12	26	33	74
B. *Operated*	6	18.2	449	2	2	8	30	53	56	56
2. MULTIPLE DX										
A. *Not Operated*	1650	8.8	77	1	2	6	11	20	27	54
B. *Operated*	164	14.6	218	3	3	10	17	32	43	76
1. SINGLE DX	224	10.4	153	1	1	6	12	27	33	73
2. MULTIPLE DX	1814	9.4	92	2	2	6	12	20	29	57
A. NOT OPERATED	1868	9.0	85	1	2	6	11	20	29	56
B. OPERATED	170	14.8	224	3	3	10	17	32	44	76
TOTAL 65-69 YRS	532	10.4	113	1	2	7	13	24	33	57
70-74	567	9.4	107	1	2	6	12	22	30	76
75-79	475	8.9	78	2	2	6	11	18	28	53
80-84	286	9.2	94	1	2	6	11	20	30	57
85+	178	9.0	98	1	2	6	11	19	25	78
GRAND TOTAL	**2038**	**9.5**	**99**	**1**	**2**	**6**	**12**	**21**	**30**	**58**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	3.0		3	3	51	99+	99+	99+	99+
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7	16.4	193	1	2	13	25	39	41	41
70-74	2	5.5	5	4	4	7	77	99+	99+	99+
75-79	2	7.5	5	6	6	7	9	9	9	9
80-84	1	5.0		5	5	5	5	5	5	5
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	51	99+	99+	99+	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	12	12.2	134	1	3	9	18	53	91	99+
B. *Operated*										
1. SINGLE DX	1	3.0		3	3	51	99+	99+	99+	99+
2. MULTIPLE DX	12	12.2	134	1	3	9	18	53	91	99+
A. NOT OPERATED	13	11.5	130	1	3	9	25	99+	99+	99+
B. OPERATED										
TOTAL 65-69 YRS	7	16.4	193	1	2	13	25	39	41	41
70-74	3	4.7	4	3	3	7	99+	99+	99+	99+
75-79	2	7.5	5	6	6	7	9	9	9	9
80-84	1	5.0		5	5	5	5	5	5	5
85+										
GRAND TOTAL	**13**	**11.5**	**130**	**1**	**3**	**9**	**25**	**99+**	**99+**	**99+**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	11.1	23	4	5	11	13	18	20	20
70-74	7	6.7	27	<1	1	4	10	15	16	16
75-79	2	21.5	685	3	3	21	40	40	40	40
80-84	2	12.0		12	12	12	12	12	12	12
85+	4	12.0	42	4	4	12	17	19	19	19
B. *Operated*										
65-69 YRS	7	6.6	37	2	2	5	8	17	19	19
70-74	7	4.0	14	1	1	2	6	10	11	11
75-79	5	8.0	95	2	2	4	11	25	25	25
80-84	1	2.0		2	2	2	2	2	2	2
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	82	12.3	145	1	2	10	16	26	32	68
70-74	83	13.3	46	4	6	12	17	24	27	33
75-79	63	15.7	110	3	4	14	22	32	38	93
80-84	32	12.2	65	1	2	13	17	21	27	35
85+	15	13.7	119	3	4	11	17	24	40	46
B. *Operated*										
65-69 YRS	81	19.8	300	2	3	15	29	41	67	94
70-74	57	22.6	189	3	6	22	32	41	60	99+
75-79	49	24.8	329	3	4	22	39	51	58	75
80-84	24	24.8	329	2	8	21	26	58	63	67
85+	4	18.3	191	4	4	18	53	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	10.9	68	2	3	10	14	19	27	40
B. *Operated*	20	5.8	40	1	1	3	7	15	22	25
2. MULTIPLE DX										
A. *Not Operated*	275	13.4	97	2	4	12	17	26	32	50
B. *Operated*	215	22.2	278	3	4	18	33	45	63	99+
1. SINGLE DX	43	8.5	60	1	2	7	12	19	22	40
2. MULTIPLE DX	490	17.3	195	3	4	14	24	38	47	91
A. NOT OPERATED	298	13.3	95	2	3	12	17	26	32	49
B. OPERATED	235	20.8	279	2	3	16	31	44	60	99+
TOTAL 65-69 YRS	178	15.4	221	2	2	11	19	37	45	79
70-74	154	16.0	126	3	4	14	23	32	40	98
75-79	119	19.2	225	3	4	15	27	42	51	82
80-84	59	17.2	208	2	3	14	21	32	55	66
85+	23	14.2	111	3	4	12	19	38	62	99+
GRAND TOTAL	**533**	**16.6**	**189**	**2**	**3**	**13**	**23**	**37**	**46**	**82**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	71	7.9	35	2	2	8	11	13	16	35
70-74	79	9.9	89	2	3	8	11	17	30	56
75-79	58	10.5	108	3	3	7	13	19	24	64
80-84	36	10.3	69	2	2	8	14	19	23	45
85+	18	6.6	11	2	2	6	9	11	12	12
B. *Operated*										
65-69 YRS	4	17.3	26	13	13	17	21	23	23	23
70-74	4	5.8	17	2	2	5	9	11	11	11
75-79	4	6.3	25	1	1	6	10	11	11	11
80-84										
85+	2	15.5	265	4	4	15	27	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	539	9.8	82	2	3	8	12	18	25	60
70-74	741	10.8	99	3	3	8	13	20	28	54
75-79	848	10.6	87	3	4	8	13	21	28	69
80-84	549	10.2	87	3	3	7	12	20	31	55
85+	308	10.5	133	3	3	8	12	20	28	84
B. *Operated*										
65-69 YRS	72	16.9	132	3	5	15	26	33	50	99+
70-74	114	14.8	134	3	4	13	18	28	38	63
75-79	120	17.5	233	4	6	14	19	37	64	99+
80-84	61	20.4	369	4	6	14	28	49	76	99
85+	43	17.9	326	4	5	12	21	35	65	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	262	9.3	71	2	3	7	11	16	23	48
B. *Operated*	14	10.6	66	1	2	10	13	23	26	27
2. MULTIPLE DX										
A. *Not Operated*	2985	10.4	94	3	3	8	12	20	28	60
B. *Operated*	410	17.1	219	3	5	14	20	34	56	99+
1. SINGLE DX	276	9.4	71	2	3	7	11	16	24	47
2. MULTIPLE DX	3395	11.2	114	3	3	8	14	22	31	75
A. NOT OPERATED	3247	10.3	92	3	3	8	12	20	28	59
B. OPERATED	424	16.9	215	3	5	13	20	34	55	99+
TOTAL 65-69 YRS	686	10.4	87	2	3	8	13	21	28	67
70-74	938	11.2	104	2	3	8	14	21	30	57
75-79	1030	11.4	109	3	4	8	14	22	33	77
80-84	646	11.1	121	3	3	8	13	22	33	73
85+	371	11.2	156	3	3	8	13	21	32	84
GRAND TOTAL	**3671**	**11.1**	**111**	**3**	**3**	**8**	**13**	**21**	**31**	**72**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	15	9.8	51	1	2	9	13	23	24	25
70-74	8	10.4	63	1	1	10	15	22	24	24
75-79	1	4.0		4	4	4	4	4	4	4
80-84	1	3.0		3	3	3	3	3	3	3
85+										
B. *Operated*										
65-69 YRS	7	2.6	3	1	1	3	4	5	5	5
70-74	1	1.0		1	1	1	1	1	1	1
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	69	9.8	40	2	3	9	13	18	20	36
70-74	48	12.1	126	3	4	9	16	25	40	99+
75-79	15	11.7	115	4	4	7	12	35	36	37
80-84	4	11.0	55	2	2	12	17	18	18	18
85+	2	9.0	72	3	3	9	15	15	15	15
B. *Operated*										
65-69 YRS	26	18.8	379	2	4	10	28	42	68	81
70-74	9	16.7	278	5	5	10	21	43	58	58
75-79	4	34.5	1427	5	5	22	59	89	89	89
80-84	2	12.5	13	10	10	12	15	15	15	15
85+	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	9.5	51	1	1	9	13	23	24	25
B. *Operated*	8	2.4	3	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	138	10.8	78	2	3	9	14	21	27	71
B. *Operated*	42	19.1	424	2	4	10	23	47	71	89
1. SINGLE DX	33	7.8	49	1	1	5	11	18	24	25
2. MULTIPLE DX	180	12.8	169	2	3	9	15	25	38	87
A. NOT OPERATED	163	10.6	74	2	3	9	14	21	25	63
B. OPERATED	50	16.5	394	1	2	9	21	39	65	89
TOTAL 65-69 YRS	117	11.3	131	1	2	9	13	21	30	70
70-74	66	12.4	137	2	3	10	16	24	42	94
75-79	20	15.9	404	4	4	7	17	36	63	89
80-84	7	10.3	40	2	2	10	16	18	18	18
85+	3	6.7	52	2	2	3	12	15	15	15
GRAND TOTAL	**213**	**12.0**	**154**	**2**	**3**	**9**	**15**	**24**	**35**	**84**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	86	3.5	6	1	1	3	5	7	7	14
70-74	127	3.8	7	1	1	3	5	8	10	13
75-79	65	3.2	4	1	1	2	5	6	7	8
80-84	39	3.8	6	1	1	3	5	8	8	11
85+	28	3.8	3	2	2	3	5	6	7	8
B. *Operated*										
65-69 YRS	7	3.4	5	1	1	3	5	7	7	7
70-74	3	5.0	4	3	3	5	6	7	7	7
75-79	2	18.0	128	10	10	18	26	26	26	26
80-84	2	4.0	8	2	2	4	6	6	6	6
85+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1138	6.3	40	1	2	5	8	12	17	31
70-74	1113	6.4	31	1	2	5	8	12	17	30
75-79	1020	7.1	63	1	2	5	8	14	19	40
80-84	729	7.1	41	2	2	5	8	14	19	35
85+	510	7.8	71	1	2	6	9	15	21	70
B. *Operated*										
65-69 YRS	125	14.1	164	3	4	11	17	27	37	65
70-74	126	14.9	180	2	3	11	19	31	50	81
75-79	84	11.4	82	2	3	8	16	28	39	99+
80-84	56	13.7	128	2	3	11	18	35	42	96
85+	43	23.2	504	3	5	15	33	64	85	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	345	3.6	6	1	1	3	5	7	8	12
B. *Operated*	15	5.9	37	1	1	5	7	10	22	26
2. MULTIPLE DX										
A. *Not Operated*	4510	6.8	47	1	2	5	8	13	18	37
B. *Operated*	434	14.7	189	2	3	11	18	35	49	99+
1. SINGLE DX	360	3.7	7	1	1	3	5	7	8	13
2. MULTIPLE DX	4944	7.5	64	1	2	5	9	15	21	48
A. NOT OPERATED	4855	6.6	45	1	2	5	8	13	18	36
B. OPERATED	449	14.4	187	2	3	11	18	34	49	99+
TOTAL 65-69 YRS	1356	6.8	55	1	2	5	8	14	19	40
70-74	1369	7.0	50	1	2	5	8	13	20	40
75-79	1171	7.2	63	1	2	5	8	15	20	44
80-84	826	7.4	48	2	2	5	9	15	21	41
85+	582	8.8	116	2	2	6	10	17	26	79
GRAND TOTAL	**5304**	**7.2**	**61**	**1**	**2**	**5**	**8**	**14**	**20**	**46**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	114	6.5	87	1	1	4	8	13	20	51
70-74	133	5.9	44	<1	1	4	7	13	18	58
75-79	145	5.5	20	1	1	4	7	10	12	25
80-84	88	6.6	55	1	2	5	7	13	16	46
85+	52	6.5	20	1	2	6	9	11	16	22
B. *Operated*										
65-69 YRS	111	5.5	24	1	1	4	7	11	16	24
70-74	127	7.2	39	1	1	5	10	14	18	34
75-79	91	7.7	41	1	2	6	10	18	22	28
80-84	41	7.8	42	<1	1	6	10	18	22	26
85+	14	11.5	341	1	2	7	12	18	62	74
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1553	11.4	152	2	2	7	14	27	40	85
70-74	1880	11.9	158	2	3	8	14	28	39	78
75-79	2081	11.0	125	2	3	8	13	24	36	91
80-84	1710	10.8	135	2	3	7	13	23	34	97
85+	1251	10.2	101	2	3	7	12	21	32	90
B. *Operated*										
65-69 YRS	876	13.9	223	2	2	9	18	33	50	99
70-74	895	14.3	198	2	3	10	19	32	48	99+
75-79	824	15.1	199	2	3	11	20	34	49	99+
80-84	494	15.9	227	2	4	12	20	37	60	99+
85+	281	15.6	217	2	3	12	19	37	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	532	6.1	46	1	1	4	8	12	16	38
B. *Operated*	384	7.0	47	1	1	5	9	15	19	32
2. MULTIPLE DX										
A. *Not Operated*	8475	11.1	136	2	3	7	13	25	36	87
B. *Operated*	3370	14.7	211	2	3	11	19	34	51	99+
1. SINGLE DX	916	6.5	47	1	1	5	8	13	18	34
2. MULTIPLE DX	11845	12.1	160	2	3	8	15	28	41	99+
A. NOT OPERATED	9007	10.8	132	2	3	7	13	24	35	85
B. OPERATED	3754	14.0	200	2	2	10	18	32	48	99+
TOTAL 65-69 YRS	2654	11.8	172	1	2	7	14	28	42	89
70-74	3035	12.1	164	2	2	8	15	28	39	90
75-79	3141	11.7	143	2	3	8	15	26	38	99+
80-84	2333	11.7	155	2	3	8	14	26	39	99+
85+	1598	11.0	126	2	3	8	13	23	35	95
GRAND TOTAL	**12761**	**11.7**	**154**	**2**	**3**	**8**	**14**	**27**	**39**	**98**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	32	4.3	12	1	1	3	6	10	12	14
70-74	19	3.2	5	<1	1	3	4	7	9	9
75-79	15	4.3	44	1	1	2	4	9	22	27
80-84	4	3.5	2	2	2	3	4	5	5	5
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	5	2.8	1	2	2	2	4	4	4	4
70-74	3	3.0		3	3	3	3	3	3	3
75-79	2	6.5	1	6	6	6	7	7	7	7
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	173	4.7	19	1	1	3	6	10	14	24
70-74	113	4.3	9	1	1	3	5	8	12	15
75-79	80	5.1	22	1	2	3	6	10	17	22
80-84	42	4.7	18	1	2	4	5	8	13	23
85+	14	4.4	9	<1	1	3	6	9	11	11
B. *Operated*										
65-69 YRS	27	5.3	11	1	2	5	8	10	11	14
70-74	24	7.2	24	2	2	6	8	15	18	23
75-79	14	5.1	8	1	2	4	7	9	11	11
80-84	6	8.0	35	3	3	5	14	17	17	17
85+	3	23.7	472	4	4	20	40	47	47	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	3.9	16	1	1	3	4	9	10	24
B. *Operated*	10	3.6	3	2	2	3	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	422	4.7	17	1	1	3	6	9	13	21
B. *Operated*	74	6.8	42	1	2	5	8	14	17	41
1. SINGLE DX	81	3.9	14	1	1	3	4	8	10	23
2. MULTIPLE DX	496	5.0	21	1	1	4	6	9	14	22
A. NOT OPERATED	493	4.6	17	1	1	3	6	9	13	22
B. OPERATED	84	6.5	38	1	2	5	8	11	16	39
TOTAL 65-69 YRS	237	4.7	17	1	1	3	6	10	13	20
70-74	159	4.6	12	1	1	4	6	9	12	17
75-79	111	5.0	23	1	1	3	6	9	16	24
80-84	52	5.0	19	1	2	4	5	9	17	23
85+	18	7.5	118	<1	1	4	7	17	36	47
GRAND TOTAL	**577**	**4.8**	**20**	**1**	**1**	**3**	**6**	**9**	**13**	**23**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	2.0	2	1	1	3	76	99+	99+	99+
70-74	1	5.0		5	5	5	5	5	5	5
75-79	3	1.7	1	<1	<1	<1	2	3	3	3
80-84	1	3.0		3	3	3	3	3	3	3
85+	2	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	196	1.5	1	<1	<1	1	2	2	3	4
70-74	199	1.5	1	<1	<1	1	2	2	3	4
75-79	154	1.5	1	<1	<1	1	2	2	3	4
80-84	85	1.8	2	<1	<1	1	2	3	4	8
85+	46	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	19	3.6	4	1	2	3	4	6	8	10
70-74	15	3.7	4	1	1	3	5	7	7	7
75-79	18	2.6	4	<1	<1	2	4	6	7	7
80-84	11	6.7	27	1	1	5	12	13	13	13
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	331	2.4	4	<1	<1	2	3	4	6	11
70-74	308	2.5	5	<1	<1	2	3	5	7	13
75-79	254	2.6	7	<1	1	2	3	5	7	13
80-84	139	3.2	13	<1	1	2	3	7	10	20
85+	77	3.0	8	1	1	2	3	5	9	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.8	2	<1	<1	3	4	52	99+	99+
B. *Operated*	680	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	64	3.9	9	<1	1	3	5	8	12	13
B. *Operated*	1109	2.6	7	<1	1	2	3	5	7	15
1. SINGLE DX	689	1.6	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX	1173	2.7	7	<1	1	2	3	5	7	15
A. NOT OPERATED	73	3.7	8	<1	1	3	5	8	12	79
B. OPERATED	1789	2.2	5	<1	<1	2	2	4	6	12
TOTAL 65-69 YRS	548	2.1	3	<1	<1	2	2	4	5	10
70-74	523	2.1	4	<1	<1	2	2	4	6	10
75-79	429	2.2	5	<1	<1	2	2	4	6	9
80-84	236	2.8	10	<1	<1	2	3	6	10	17
85+	126	2.5	6	<1	<1	2	3	4	6	15
GRAND TOTAL	**1862**	**2.3**	**5**	**<1**	**<1**	**2**	**2**	**4**	**6**	**13**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	108	6.2	68	1	1	4	7	13	18	48
70-74	96	5.0	18	1	1	4	7	11	13	22
75-79	68	5.2	36	1	1	3	6	10	13	39
80-84	32	6.4	120	1	2	3	6	13	15	63
85+	27	4.1	8	1	1	3	6	7	9	14
B. *Operated*										
65-69 YRS	354	3.8	30	<1	1	2	4	8	12	16
70-74	232	3.7	21	<1	1	2	4	8	10	26
75-79	131	3.4	11	<1	1	2	4	9	10	16
80-84	72	2.9	6	1	1	2	4	6	9	12
85+	45	2.9	3	<1	1	2	4	5	5	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	654	6.9	45	1	2	5	8	14	20	39
70-74	706	8.2	73	2	2	5	10	17	22	47
75-79	492	7.9	73	2	2	6	9	15	20	42
80-84	378	7.9	44	2	2	6	10	16	21	36
85+	265	7.4	45	2	2	6	10	14	21	55
B. *Operated*										
65-69 YRS	641	7.5	97	1	1	4	9	17	23	73
70-74	513	8.4	123	1	1	5	11	18	27	95
75-79	367	10.0	177	1	2	6	11	24	43	97
80-84	190	12.0	136	2	2	8	17	30	40	99+
85+	90	10.3	135	1	2	7	14	23	29	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	331	5.5	47	1	1	4	7	11	14	37
B. *Operated*	834	3.6	21	<1	1	2	4	8	10	19
2. MULTIPLE DX										
A. *Not Operated*	2495	7.7	58	1	2	6	9	15	21	41
B. *Operated*	1801	8.9	129	1	1	5	11	21	31	90
1. SINGLE DX	1165	4.1	29	<1	1	2	5	9	12	23
2. MULTIPLE DX	4296	8.2	88	1	2	5	10	17	25	61
A. NOT OPERATED	2826	7.4	58	1	2	5	9	15	21	41
B. OPERATED	2635	7.2	101	1	1	4	9	17	26	66
TOTAL 65-69 YRS	1757	6.5	64	1	1	4	8	14	20	53
70-74	1547	7.4	81	1	1	5	9	15	23	57
75-79	1058	7.9	103	1	2	5	9	16	24	66
80-84	672	8.5	76	1	2	6	11	19	29	57
85+	427	7.4	61	1	2	5	9	15	22	55
GRAND TOTAL	**5461**	**7.3**	**78**	**1**	**1**	**5**	**9**	**15**	**23**	**56**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	2.5	5	1	1	2	4	4	4	4
70-74	4	3.0	2	<1	<1	3	4	4	4	4
75-79	4	2.0	1	<1	<1	2	3	3	3	3
80-84										
85+										
B. *Operated*										
65-69 YRS	543	3.3	4	1	1	3	4	6	7	9
70-74	388	3.2	6	1	1	3	4	5	6	10
75-79	245	3.4	3	1	1	3	4	6	6	10
80-84	110	3.1	2	1	1	3	4	5	6	7
85+	49	3.6	3	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	13	2.7	2	<1	1	2	4	4	5	5
70-74	28	2.4	3	<1	1	2	3	4	5	8
75-79	16	1.9	3	<1	<1	1	2	3	7	8
80-84	9	5.6	74	<1	<1	1	8	19	27	27
85+	5	3.0	4	1	1	2	4	6	6	6
B. *Operated*										
65-69 YRS	989	3.9	6	1	2	3	5	7	8	13
70-74	925	4.0	6	1	2	3	5	7	8	15
75-79	602	4.2	8	1	2	4	5	7	9	14
80-84	291	4.0	6	1	2	3	5	7	9	13
85+	123	4.2	6	2	2	4	5	7	9	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	2.5	2	<1	<1	3	4	4	4	4
B. *Operated*	1335	3.3	4	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	71	2.8	12	<1	<1	2	3	5	8	23
B. *Operated*	2930	4.0	6	1	2	3	5	7	8	14
1. SINGLE DX	1345	3.3	4	1	1	3	4	5	6	9
2. MULTIPLE DX	3001	4.0	7	1	2	3	5	7	8	14
A. NOT OPERATED	81	2.7	11	<1	<1	2	3	5	8	21
B. OPERATED	4265	3.8	6	1	2	3	5	6	8	13
TOTAL 65-69 YRS	1547	3.7	5	1	2	3	4	6	8	12
70-74	1345	3.7	6	1	1	3	5	6	8	13
75-79	867	3.9	7	1	2	3	5	6	8	13
80-84	410	3.8	6	1	2	3	5	6	8	13
85+	177	4.0	5	1	2	4	5	7	8	14
GRAND TOTAL	**4346**	**3.8**	**6**	**1**	**2**	**3**	**5**	**6**	**8**	**13**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	16	1.4	1	<1	<1	1	2	2	4	5
70-74	21	1.7	1	1	1	1	2	3	4	5
75-79	10	1.7	1	1	1	2	2	3	4	4
80-84	21	2.0	2	1	1	1	2	4	5	6
85+	12	2.2	2	<1	<1	2	3	4	5	5
B. *Operated*										
65-69 YRS	121	2.7	5	1	1	2	3	5	7	13
70-74	132	2.4	4	<1	1	2	3	4	6	11
75-79	121	2.4	2	<1	1	2	3	4	4	8
80-84	48	2.5	3	<1	1	2	3	5	6	11
85+	46	2.6	2	<1	1	2	3	5	5	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	26	2.2	3	1	1	2	3	5	6	7
70-74	47	3.4	7	1	1	3	5	7	9	11
75-79	43	3.5	14	1	1	3	4	8	15	99+
80-84	37	5.4	223	<1	1	3	4	6	9	93
85+	29	3.5	3	1	1	3	4	6	7	8
B. *Operated*										
65-69 YRS	237	3.6	8	1	1	3	4	7	9	16
70-74	256	4.3	38	1	1	3	4	8	11	30
75-79	252	3.8	15	1	1	3	4	7	10	24
80-84	170	3.3	10	1	1	2	4	6	9	17
85+	118	3.8	26	1	1	3	4	6	9	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	1.8	1	<1	1	1	2	4	5	6
B. *Operated*	468	2.5	3	<1	1	2	3	4	5	12
2. MULTIPLE DX										
A. *Not Operated*	182	3.7	51	1	1	3	4	6	8	69
B. *Operated*	1033	3.8	20	1	1	3	4	7	10	20
1. SINGLE DX	548	2.4	3	<1	1	2	3	4	5	11
2. MULTIPLE DX	1215	3.8	24	1	1	3	4	7	10	20
A. NOT OPERATED	262	3.1	37	1	1	2	4	6	7	18
B. OPERATED	1501	3.4	15	1	1	2	4	6	9	17
TOTAL 65-69 YRS	400	3.2	7	1	1	2	4	6	8	16
70-74	456	3.5	24	1	1	2	4	7	10	18
75-79	426	3.3	11	1	1	2	4	6	8	23
80-84	276	3.4	37	1	1	2	3	5	9	17
85+	205	3.4	16	1	1	3	4	5	7	13
GRAND TOTAL	**1763**	**3.3**	**18**	**1**	**1**	**2**	**4**	**6**	**8**	**17**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	5.6	70	1	1	2	6	20	25	25
70-74	7	1.4		<1	<1	1	2	2	2	2
75-79	11	1.6	1	<1	<1	1	2	3	3	3
80-84	4	1.5	1	<1	<1	1	2	3	3	3
85+	8	3.0	12	1	1	2	3	9	11	11
B. *Operated*										
65-69 YRS	51	1.8	1	<1	<1	2	2	3	4	5
70-74	46	2.2	3	<1	<1	2	2	4	6	8
75-79	48	2.0	1	<1	1	2	3	4	4	5
80-84	19	1.8	1	<1	<1	1	3	3	4	4
85+	13	2.4	2	<1	1	2	3	4	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	29	2.7	2	1	1	2	3	5	6	8
70-74	22	2.7	1	1	2	2	3	4	5	6
75-79	29	3.3	8	1	1	2	4	8	8	13
80-84	21	2.9	3	<1	1	3	4	5	6	6
85+	14	3.1	15	1	1	2	3	5	14	16
B. *Operated*										
65-69 YRS	106	2.8	6	1	1	2	3	5	7	14
70-74	139	3.3	8	1	1	3	4	6	8	12
75-79	124	3.0	5	<1	1	2	4	6	7	11
80-84	86	3.7	14	1	1	3	4	7	9	24
85+	73	3.0	7	1	1	2	3	5	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	2.7	18	<1	<1	1	2	4	11	25
B. *Operated*	177	2.0	1	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	115	2.9	5	1	1	2	3	6	7	14
B. *Operated*	528	3.1	8	1	1	2	4	6	8	13
1. SINGLE DX	215	2.1	4	<1	<1	2	2	3	5	10
2. MULTIPLE DX	643	3.1	7	1	1	2	4	6	8	13
A. NOT OPERATED	153	2.9	8	1	1	2	3	5	8	16
B. OPERATED	705	2.9	6	<1	1	2	3	5	7	12
TOTAL 65-69 YRS	194	2.7	7	1	1	2	3	5	7	16
70-74	214	2.9	6	<1	1	2	3	5	8	9
75-79	212	2.8	5	<1	1	2	3	6	7	11
80-84	130	3.2	10	1	1	3	4	6	7	16
85+	108	2.9	8	1	1	2	3	5	9	16
GRAND TOTAL	**858**	**2.9**	**7**	**1**	**1**	**2**	**3**	**5**	**7**	**12**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	12	1.8	1	<1	<1	2	2	3	3	3
70-74	4	1.0		<1	<1	<1	1	1	1	1
75-79	9	1.1		<1	<1	1	1	2	2	2
80-84	9	1.3	1	<1	<1	1	1	3	3	3
85+	6	1.8	1	1	1	2	2	3	3	3
B. *Operated*										
65-69 YRS	2451	1.7	1	<1	<1	2	2	2	3	3
70-74	3491	1.7	1	<1	<1	2	2	2	3	3
75-79	3639	1.7	1	<1	<1	2	2	2	3	4
80-84	2997	1.7	1	<1	<1	2	2	2	3	4
85+	2248	1.8	1	<1	<1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	116	2.7	16	<1	<1	1	2	5	10	23
70-74	147	2.1	5	<1	<1	1	2	4	6	11
75-79	158	2.4	7	<1	<1	1	3	5	9	14
80-84	138	2.1	6	<1	<1	1	2	4	6	15
85+	124	2.6	10	<1	<1	1	3	6	9	18
B. *Operated*										
65-69 YRS	3742	2.1	4	<1	1	2	2	3	4	9
70-74	5075	2.1	3	<1	1	2	2	3	4	8
75-79	5876	2.2	3	<1	1	2	2	3	4	10
80-84	4798	2.2	5	<1	1	2	2	3	4	10
85+	3752	2.2	3	<1	1	2	2	3	4	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	1.5		<1	<1	1	2	3	3	3
B. *Operated*	14826	1.7	1	<1	<1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	683	2.4	9	<1	<1	1	2	5	8	15
B. *Operated*	23243	2.2	4	<1	1	2	2	3	4	9
1. SINGLE DX	14866	1.7	1	<1	<1	2	2	2	3	4
2. MULTIPLE DX	23926	2.2	4	<1	1	2	2	3	4	10
A. NOT OPERATED	723	2.3	8	<1	<1	1	2	5	8	14
B. OPERATED	38069	2.0	3	<1	<1	2	2	3	3	7
TOTAL 65-69 YRS	6321	2.0	3	<1	<1	2	2	3	3	8
70-74	8717	2.0	2	<1	<1	2	2	3	3	6
75-79	9682	2.0	2	<1	<1	2	2	3	3	8
80-84	7942	2.0	3	<1	<1	2	2	3	3	8
85+	6130	2.1	2	<1	1	2	2	3	4	8
GRAND TOTAL	**38792**	**2.0**	**3**	**<1**	**<1**	**2**	**2**	**3**	**3**	**8**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	103	1.8		<1	<1	2	2	3	3	4
70-74	120	2.1	2	<1	1	2	2	3	3	9
75-79	108	1.9	1	<1	1	2	2	3	3	5
80-84	86	2.0	1	<1	1	2	2	3	4	6
85+	70	2.0	1	<1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8	1.8	2	<1	<1	1	2	4	5	5
70-74	4	1.3		1	1	1	2	2	2	2
75-79	4	1.8		<1	<1	2	2	2	2	2
80-84	3	2.3	2	1	1	2	3	4	4	4
85+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
65-69 YRS	174	2.5	9	1	1	2	2	4	5	10
70-74	225	2.2	3	1	1	2	2	3	4	9
75-79	212	2.5	9	<1	1	2	2	4	5	19
80-84	123	2.2	2	1	1	2	2	3	5	35
85+	94	2.3	5	1	1	2	2	3	4	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	487	1.9	1	<1	<1	2	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	20	1.9	2	<1	<1	1	2	4	5	5
B. *Operated*	828	2.4	6	1	1	2	2	3	5	14
1. SINGLE DX	487	1.9	1	<1	<1	2	2	3	3	6
2. MULTIPLE DX	848	2.4	6	1	1	2	2	3	5	14
A. NOT OPERATED	20	1.9	2	<1	<1	1	2	4	5	5
B. OPERATED	1315	2.2	4	<1	1	2	2	3	4	10
TOTAL 65-69 YRS	285	2.2	6	<1	1	2	2	3	4	9
70-74	349	2.1	3	<1	1	2	2	3	4	8
75-79	324	2.3	6	<1	1	2	2	3	4	15
80-84	212	2.1	2	<1	1	2	2	3	4	11
85+	165	2.2	3	<1	1	2	2	3	3	7
GRAND TOTAL	**1335**	**2.2**	**4**	**<1**	**1**	**2**	**2**	**3**	**4**	**10**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	2.8	2	1	1	3	4	4	4	4
70-74	3	4.0	7	2	2	3	6	7	7	7
75-79	2	3.0		3	3	3	3	3	3	3
80-84										
85+										
B. *Operated*										
65-69 YRS	14	2.4	4	<1	1	2	2	7	7	7
70-74	19	2.7	8	<1	1	2	3	5	9	13
75-79	8	2.4	3	<1	<1	2	3	5	6	6
80-84	5	2.4	4	1	1	2	3	6	6	6
85+	3	2.0	1	<1	<1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	62	6.9	144	1	2	5	7	10	18	85
70-74	39	4.6	21	1	1	3	5	9	14	25
75-79	32	5.8	28	1	2	5	7	9	12	31
80-84	24	5.6	10	2	2	5	8	12	35	99+
85+	9	5.0	18	1	1	4	6	12	15	15
B. *Operated*										
65-69 YRS	49	3.8	15	1	1	2	5	8	11	22
70-74	57	4.1	15	<1	1	2	5	10	13	18
75-79	24	3.7	6	1	1	3	5	7	9	10
80-84	18	10.8	415	1	1	5	10	21	63	89
85+	4	2.5	2	1	1	2	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.2	3	1	1	3	4	6	7	7
B. *Operated*	49	2.5	5	<1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	166	5.9	66	1	2	4	6	10	15	82
B. *Operated*	152	4.7	63	1	1	2	5	10	13	24
1. SINGLE DX	59	2.6	5	<1	1	2	3	5	7	12
2. MULTIPLE DX	318	5.3	65	1	1	4	6	10	14	49
A. NOT OPERATED	176	5.7	63	1	2	4	6	10	14	76
B. OPERATED	201	4.1	50	1	1	2	4	9	12	23
TOTAL 65-69 YRS	130	5.1	77	1	1	3	6	10	11	39
70-74	118	4.0	16	1	1	3	5	8	13	20
75-79	66	4.5	18	1	1	4	6	9	9	28
80-84	47	7.2	168	1	1	5	8	13	30	99+
85+	16	3.8	12	<1	1	3	5	6	12	15
GRAND TOTAL	**377**	**4.9**	**56**	**1**	**1**	**3**	**6**	**9**	**13**	**30**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	13	5.2	12	<1	1	4	8	10	12	12
70-74	24	5.0	28	<1	1	4	6	8	14	27
75-79	17	4.4	9	1	1	3	6	10	11	11
80-84	16	5.3	8	<1	2	5	8	9	9	9
85+	14	3.6	5	<1	1	3	6	6	7	7
B. *Operated*										
65-69 YRS	267	2.1	2	<1	<1	2	3	4	4	10
70-74	287	2.1	2	<1	<1	2	2	4	5	8
75-79	265	2.0	1	<1	<1	2	3	3	4	6
80-84	219	2.1	2	<1	<1	2	3	4	5	6
85+	131	2.3	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	76	5.9	19	<1	1	5	9	13	14	19
70-74	92	5.2	19	1	1	4	6	10	14	24
75-79	106	4.5	16	<1	<1	3	6	9	12	20
80-84	61	6.1	28	1	1	5	8	13	17	28
85+	83	7.0	37	1	2	5	9	14	19	32
B. *Operated*										
65-69 YRS	595	2.6	4	1	1	2	3	4	6	10
70-74	724	2.8	6	1	1	2	3	5	6	14
75-79	761	3.1	8	1	1	2	4	6	8	17
80-84	555	3.1	12	1	1	2	3	5	7	19
85+	371	3.2	9	1	1	2	4	7	9	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	4.7	14	1	1	4	6	9	10	22
B. *Operated*	1169	2.1	2	<1	<1	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	418	5.6	24	<1	1	4	8	12	15	25
B. *Operated*	3006	2.9	7	1	1	2	3	5	7	14
1. SINGLE DX	1253	2.3	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX	3424	3.3	10	1	1	2	4	6	9	18
A. NOT OPERATED	502	5.5	22	<1	1	4	7	11	14	25
B. OPERATED	4175	2.7	6	<1	1	2	3	5	6	13
TOTAL 65-69 YRS	951	2.7	6	<1	1	2	3	5	7	13
70-74	1127	2.9	7	<1	1	2	3	5	7	15
75-79	1149	3.0	8	<1	1	2	3	6	8	17
80-84	851	3.1	11	1	1	2	3	6	8	19
85+	599	3.6	13	1	1	2	4	7	11	19
GRAND TOTAL	**4677**	**3.0**	**9**	**<1**	**1**	**2**	**3**	**6**	**8**	**16**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	38	3.8	12	1	1	3	5	8	12	18
70-74	40	4.2	11	1	1	3	6	8	11	17
75-79	27	3.8	10	<1	1	2	5	7	10	15
80-84	29	3.8	11	1	1	3	5	7	13	14
85+	17	3.9	3	<1	1	4	5	7	7	7
B. *Operated*										
65-69 YRS	260	2.2	2	<1	<1	2	2	4	4	9
70-74	298	2.2	3	<1	<1	2	2	3	5	12
75-79	251	2.6	23	<1	<1	2	2	4	7	13
80-84	157	2.6	9	<1	<1	2	2	6	8	13
85+	118	2.5	4	<1	1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	179	5.1	13	1	1	4	6	10	12	17
70-74	175	4.4	12	1	1	4	6	9	11	19
75-79	179	5.0	20	1	1	4	6	9	11	28
80-84	114	5.5	22	1	2	4	7	9	14	28
85+	98	7.0	40	1	2	5	8	14	16	39
B. *Operated*										
65-69 YRS	722	3.7	18	1	1	2	4	7	10	21
70-74	741	3.7	17	1	1	2	4	7	11	23
75-79	672	3.9	16	1	1	2	5	8	11	21
80-84	430	3.9	26	1	1	2	4	8	12	21
85+	286	4.2	35	1	1	2	4	8	13	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	151	3.9	10	1	1	3	5	7	10	17
B. *Operated*	1084	2.4	9	<1	<1	2	2	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	745	5.2	20	1	1	4	7	10	12	20
B. *Operated*	2851	3.8	20	1	1	2	4	8	11	21
1. SINGLE DX	1235	2.6	9	<1	<1	2	3	5	7	13
2. MULTIPLE DX	3596	4.1	20	1	1	3	5	8	11	21
A. NOT OPERATED	896	5.0	19	1	1	4	6	10	12	20
B. OPERATED	3935	3.4	17	<1	1	2	4	7	10	19
TOTAL 65-69 YRS	1199	3.6	14	<1	1	2	4	7	10	18
70-74	1254	3.5	13	<1	1	2	4	7	10	17
75-79	1129	3.8	18	<1	1	2	5	8	11	20
80-84	730	3.9	22	<1	1	2	4	8	11	21
85+	519	4.3	30	1	1	3	5	8	13	23
GRAND TOTAL	**4831**	**3.7**	**18**	**<1**	**1**	**2**	**4**	**8**	**11**	**19**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	2.3	1	1	1	2	3	3	3	3
70-74	5	1.8	1	1	1	2	2	3	3	3
75-79	3	3.7	6	1	1	4	5	6	6	6
80-84	4	5.3	8	2	2	5	7	9	9	9
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	15	1.7	1	<1	1	1	2	3	4	4
70-74	9	2.7	2	<1	<1	2	4	5	5	5
75-79	5	1.2		<1	<1	1	1	2	2	2
80-84	2	2.5	1	2	2	2	3	3	3	3
85+	2	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	68	4.5	16	1	1	3	5	9	9	24
70-74	52	4.4	16	1	1	3	6	9	13	23
75-79	38	4.6	10	1	1	4	6	8	10	16
80-84	22	4.5	9	1	1	4	7	9	10	10
85+	29	5.2	14	2	2	4	7	10	14	16
B. *Operated*										
65-69 YRS	63	4.7	34	1	1	3	5	10	12	38
70-74	58	3.5	10	1	1	3	4	8	10	17
75-79	37	3.3	7	1	1	2	5	8	9	9
80-84	30	4.7	19	1	2	3	5	9	11	23
85+	9	3.8	10	1	1	3	6	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	2.9	4	1	1	2	4	6	8	9
B. *Operated*	33	1.9	1	<1	<1	2	2	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	209	4.6	14	1	1	3	6	9	10	21
B. *Operated*	197	4.1	18	1	1	3	5	8	10	23
1. SINGLE DX	52	2.3	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX	406	4.3	16	1	1	3	6	8	10	23
A. NOT OPERATED	228	4.4	13	1	1	3	6	9	10	21
B. OPERATED	230	3.7	16	1	1	3	4	8	10	23
TOTAL 65-69 YRS	152	4.2	22	1	1	3	5	9	10	25
70-74	124	3.7	12	1	1	3	4	8	11	19
75-79	83	3.8	8	1	1	3	5	8	9	14
80-84	58	4.6	13	1	1	4	7	9	10	22
85+	41	4.6	13	1	1	3	7	9	12	16
GRAND TOTAL	**458**	**4.1**	**15**	**1**	**1**	**3**	**5**	**8**	**10**	**22**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	1.5		1	1	1	2	2	2	2
70-74	5	3.6	13	2	2	2	4	10	10	10
75-79										
80-84	1	13.0		13	13	13	13	13	13	13
85+	8	3.0	1	1	1	3	4	4	4	4
B. *Operated*										
65-69 YRS	98	1.7		1	1	2	2	2	3	4
70-74	62	1.7	1	<1	1	1	2	3	3	6
75-79	36	2.0	3	<1	1	2	2	3	6	9
80-84	11	1.4		<1	<1	1	2	2	2	2
85+	7	1.6		<1	<1	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	27	4.5	7	1	1	4	7	8	9	10
70-74	28	7.2	60	2	2	5	9	14	20	41
75-79	21	5.8	12	1	2	5	7	11	13	14
80-84	13	8.2	61	2	3	5	11	24	26	26
85+	21	6.2	21	2	2	4	7	15	16	18
B. *Operated*										
65-69 YRS	217	2.4	13	1	1	2	2	3	5	19
70-74	124	2.4	13	1	1	2	3	4	5	16
75-79	63	3.4	26	<1	1	2	3	6	10	34
80-84	23	3.7	14	1	1	2	4	10	12	16
85+	17	3.1	21	<1	<1	1	3	8	15	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	3.4	10	1	1	2	4	8	12	13
B. *Operated*	214	1.7	1	<1	1	2	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	110	6.2	31	2	2	5	7	11	15	32
B. *Operated*	444	2.6	15	1	1	2	3	4	6	20
1. SINGLE DX	232	1.8	2	<1	1	2	2	3	3	9
2. MULTIPLE DX	554	3.4	20	1	1	2	3	7	10	26
A. NOT OPERATED	128	5.8	29	1	2	4	7	11	15	29
B. OPERATED	658	2.3	11	1	1	2	2	3	5	16
TOTAL 65-69 YRS	346	2.4	9	1	1	2	2	3	5	11
70-74	219	2.8	18	1	1	2	3	5	8	24
75-79	120	3.4	18	<1	1	2	4	7	10	24
80-84	48	4.6	30	1	1	2	5	11	17	26
85+	53	4.1	18	<1	1	3	4	9	15	19
GRAND TOTAL	**786**	**2.9**	**15**	**1**	**1**	**2**	**3**	**5**	**8**	**19**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	14	5.1	9	1	2	4	7	10	12	12
70-74	3	8.7	66	3	3	5	15	18	18	18
75-79	3	6.0	12	2	2	8	8	8	8	8
80-84	3	21.0	925	1	1	6	43	56	56	56
85+	2	12.5	85	6	6	12	19	19	19	19
B. *Operated*										
65-69 YRS	32	4.7	71	<1	<1	3	4	6	22	45
70-74	14	3.4	33	1	1	2	3	5	19	23
75-79	13	5.3	59	<1	<1	2	5	16	26	28
80-84	6	11.2	227	2	2	5	11	38	41	41
85+	4	6.3	62	<1	<1	3	11	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	69	7.8	55	2	3	7	9	13	31	89
70-74	57	10.4	79	2	3	7	15	21	32	42
75-79	51	9.1	94	1	2	6	11	19	27	56
80-84	29	10.9	151	3	3	7	10	26	44	55
85+	32	8.7	23	3	4	7	12	15	17	22
B. *Operated*										
65-69 YRS	106	6.2	77	1	1	3	5	19	27	44
70-74	78	7.0	94	1	1	3	7	18	29	50
75-79	47	8.1	119	1	1	3	9	20	36	54
80-84	45	13.5	207	1	2	11	18	28	33	86
85+	22	12.5	253	1	1	8	15	32	54	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	8.2	120	1	2	5	8	18	28	56
B. *Operated*	69	5.2	72	<1	<1	2	4	12	24	44
2. MULTIPLE DX										
A. *Not Operated*	238	9.2	76	2	3	7	10	18	31	55
B. *Operated*	298	8.3	126	1	1	3	11	21	30	55
1. SINGLE DX	94	6.0	86	<1	1	3	5	13	24	51
2. MULTIPLE DX	536	8.7	104	1	1	5	11	20	30	55
A. NOT OPERATED	263	9.1	80	2	3	7	10	18	30	56
B. OPERATED	367	7.7	117	1	1	3	10	20	30	53
TOTAL 65-69 YRS	221	6.4	66	1	1	4	7	13	25	46
70-74	152	8.0	86	1	1	4	10	19	30	43
75-79	114	8.2	98	1	1	5	10	18	28	55
80-84	83	12.7	203	1	2	8	15	29	42	76
85+	60	10.1	111	1	2	7	13	18	24	64
GRAND TOTAL	**630**	**8.3**	**102**	**1**	**1**	**4**	**10**	**19**	**30**	**55**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	279	2.9	4	1	1	2	4	5	6	11
70-74	234	3.0	5	1	1	2	4	5	8	11
75-79	197	3.4	5	1	1	3	4	6	8	12
80-84	105	3.3	4	1	1	3	4	6	7	10
85+	78	3.7	6	1	1	3	5	7	8	14
B. *Operated*										
65-69 YRS	56	2.8	4	1	1	2	3	6	7	10
70-74	41	3.4	5	1	1	3	4	7	8	10
75-79	17	3.2	5	1	1	3	4	6	9	10
80-84	4	6.8	9	3	3	7	9	10	10	10
85+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1329	3.9	7	1	1	3	5	7	8	14
70-74	1339	4.1	8	1	1	3	5	7	9	13
75-79	1252	4.4	7	1	2	4	6	8	10	13
80-84	838	4.6	10	1	2	4	6	8	10	15
85+	562	4.8	17	1	2	4	6	9	11	17
B. *Operated*										
65-69 YRS	134	5.5	17	1	2	4	7	10	14	21
70-74	100	6.9	37	2	2	6	9	12	15	40
75-79	105	6.3	15	2	3	6	7	11	13	22
80-84	67	7.7	46	2	3	5	9	15	23	35
85+	47	8.6	54	2	2	7	10	15	28	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	893	3.2	5	1	1	3	4	6	7	11
B. *Operated*	120	3.2	5	1	1	2	4	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	5370	4.2	9	1	2	4	5	8	9	14
B. *Operated*	453	6.7	30	2	2	5	8	12	16	30
1. SINGLE DX	1013	3.2	5	1	1	3	4	6	8	11
2. MULTIPLE DX	5823	4.4	11	1	2	4	6	8	10	15
A. NOT OPERATED	6263	4.1	8	1	1	3	5	7	9	14
B. OPERATED	573	5.9	27	1	2	5	7	11	15	30
TOTAL 65-69 YRS	1798	3.8	8	1	1	3	5	7	9	14
70-74	1764	4.1	10	1	1	3	5	7	9	14
75-79	1571	4.4	8	1	2	4	6	8	10	14
80-84	1014	4.6	12	1	2	4	6	8	10	17
85+	689	4.9	19	1	2	4	6	9	11	20
GRAND TOTAL	**6836**	**4.3**	**10**	**1**	**1**	**4**	**5**	**8**	**10**	**15**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	2.2		2	2	2	2	3	3	3
70-74	7	2.4	1	2	2	2	2	4	5	5
75-79	3	2.0		2	2	2	2	2	2	2
80-84	1	2.0		2	2	2	2	2	2	2
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	131	2.0	1	1	1	2	3	3	4	5
70-74	84	2.1	1	1	1	2	3	3	4	5
75-79	35	1.9	1	1	1	2	3	3	4	4
80-84	11	2.1	1	1	1	2	3	4	4	4
85+	4	1.5		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8	2.4		2	2	2	3	3	3	3
70-74	7	2.3	1	1	1	2	3	4	4	4
75-79	2	2.0		2	2	2	2	2	2	2
80-84										
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	114	2.1	1	1	1	2	3	3	4	6
70-74	58	2.5	6	1	1	2	3	4	5	17
75-79	32	1.9	1	1	1	2	3	3	3	6
80-84	9	3.0	10	1	1	2	3	8	11	11
85+	5	1.8	1	1	1	2	2	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	2.2	1	2	2	2	2	3	4	5
B. *Operated*	265	2.0	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	18	2.3		1	2	2	3	3	4	4
B. *Operated*	218	2.2	3	1	1	2	3	3	4	8
1. SINGLE DX	283	2.0	1	1	1	2	3	3	4	5
2. MULTIPLE DX	236	2.2	3	1	1	2	3	3	4	7
A. NOT OPERATED	36	2.3		2	2	2	2	3	4	5
B. OPERATED	483	2.1	2	1	1	2	3	3	4	6
TOTAL 65-69 YRS	259	2.1	1	1	1	2	3	3	4	6
70-74	156	2.3	3	1	1	2	3	3	4	6
75-79	72	1.9	1	1	1	2	3	3	3	6
80-84	21	2.5	5	1	1	2	3	4	7	11
85+	11	1.7		1	1	2	2	3	3	3
GRAND TOTAL	**519**	**2.1**	**2**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	17	3.4	4	1	1	3	4	6	7	7
70-74	8	3.6	12	<1	1	3	3	9	12	12
75-79	6	4.0	2	2	2	4	4	6	6	6
80-84	3	3.7	2	2	2	4	5	5	5	5
85+	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	131	1.8	1	1	1	1	2	3	4	7
70-74	61	1.7	1	<1	<1	1	2	3	3	7
75-79	50	2.0	2	1	1	2	2	3	3	9
80-84	11	2.2	1	1	1	2	3	4	4	4
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	48	4.1	9	1	1	3	5	9	10	14
70-74	55	4.4	10	<1	1	4	5	9	11	15
75-79	26	3.0	4	<1	1	2	5	6	7	7
80-84	23	5.5	15	1	2	4	8	10	14	17
85+	16	5.2	7	2	2	4	7	8	10	11
B. *Operated*										
65-69 YRS	299	2.4	4	1	1	2	3	4	6	12
70-74	201	3.0	14	1	1	2	3	5	10	19
75-79	77	2.5	4	<1	1	2	3	4	6	12
80-84	41	2.6	8	1	1	2	3	4	6	19
85+	11	2.4	6	1	1	1	3	6	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	3.4	5	1	1	3	4	6	7	12
B. *Operated*	254	1.8	1	<1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	168	4.3	9	1	1	3	6	9	10	15
B. *Operated*	629	2.6	8	1	1	2	3	4	7	17
1. SINGLE DX	290	2.0	2	1	1	2	2	4	4	8
2. MULTIPLE DX	797	3.0	8	1	1	2	3	6	9	16
A. NOT OPERATED	204	4.2	9	1	1	3	5	8	10	14
B. OPERATED	883	2.4	6	1	1	2	3	4	6	13
TOTAL 65-69 YRS	495	2.4	4	1	1	2	3	4	7	11
70-74	325	3.0	11	<1	1	2	3	5	9	18
75-79	159	2.5	3	1	1	2	3	4	6	11
80-84	78	3.4	11	1	1	3	4	8	9	18
85+	30	3.7	8	1	1	3	6	8	9	11
GRAND TOTAL	**1087**	**2.7**	**7**	**1**	**1**	**2**	**3**	**5**	**8**	**14**

1,559 Hospitals, United States, January-December 1985

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	9.0		9	9	9	9	9	9	9
70-74										
75-79	2	8.5	61	3	3	8	14	14	14	14
80-84										
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	1	2.0		2	2	2	2	2	2	2
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	25	8.2	46	2	3	6	10	18	24	30
70-74	33	10.6	218	2	3	7	13	17	29	85
75-79	18	11.9	157	2	3	6	13	36	41	44
80-84	14	7.8	24	3	4	6	8	18	19	19
85+	9	11.4	58	2	2	12	15	22	26	26
B. *Operated*										
65-69 YRS	13	13.3	295	2	3	8	11	43	58	61
70-74	12	19.8	211	1	2	25	27	36	47	49
75-79	13	17.2	290	2	3	8	24	46	52	54
80-84	3	10.7	2	9	9	11	12	12	12	12
85+	1	8.0		8	8	8	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	7.0	31	2	2	6	11	14	14	14
B. *Operated*	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	99	9.9	120	2	3	6	12	19	31	65
B. *Operated*	42	16.0	239	2	3	9	26	40	51	61
1. SINGLE DX	6	5.3	25	2	2	3	9	13	14	14
2. MULTIPLE DX	141	11.7	162	2	3	7	14	27	38	63
A. NOT OPERATED	103	9.8	117	2	3	6	12	18	30	63
B. OPERATED	44	15.4	236	2	2	9	25	39	50	61
TOTAL 65-69 YRS	40	9.7	126	2	2	7	10	20	34	61
70-74	46	12.8	225	2	2	7	16	28	35	85
75-79	33	13.8	202	2	3	6	17	38	44	54
80-84	17	8.3	21	3	4	7	10	17	19	19
85+	11	10.3	55	2	2	9	15	20	25	26
GRAND TOTAL	**147**	**11.5**	**158**	**2**	**3**	**7**	**14**	**27**	**37**	**62**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	4.2	7	<1	<1	4	6	8	8	8
70-74	3	5.0	9	2	2	5	7	8	8	8
75-79	4	5.5	10	2	2	5	8	9	9	9
80-84	7	4.6	2	2	2	4	6	6	6	6
85+	3	6.3	14	2	2	8	9	9	9	9
B. *Operated*										
65-69 YRS	50	5.8	29	1	1	2	11	14	15	18
70-74	36	7.0	52	1	1	2	13	16	21	30
75-79	11	4.7	49	1	1	2	3	16	23	24
80-84	2	17.5	481	2	2	17	33	33	33	33
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	269	7.9	35	1	2	7	10	15	21	29
70-74	306	7.0	24	1	2	6	9	13	16	24
75-79	250	7.7	33	2	3	7	10	14	17	22
80-84	148	8.4	64	2	3	6	10	14	22	54
85+	101	9.3	89	2	3	6	10	18	32	51
B. *Operated*										
65-69 YRS	600	10.9	110	1	2	10	15	22	27	57
70-74	515	11.2	114	1	2	10	15	25	32	59
75-79	251	12.6	131	1	2	10	17	27	35	64
80-84	83	10.3	111	1	2	9	13	25	34	50
85+	21	15.7	198	2	4	11	19	29	45	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	5.0	6	1	2	5	7	8	9	9
B. *Operated*	99	6.4	46	1	1	2	11	15	18	32
2. MULTIPLE DX										
A. *Not Operated*	1074	7.8	41	2	3	6	10	14	19	33
B. *Operated*	1470	11.3	117	1	2	10	15	24	31	63
1. SINGLE DX	121	6.1	39	1	1	3	9	14	17	31
2. MULTIPLE DX	2544	9.8	88	1	2	8	13	20	27	50
A. NOT OPERATED	1096	7.7	40	2	2	6	10	14	19	33
B. OPERATED	1569	11.0	114	1	2	10	15	23	31	61
TOTAL 65-69 YRS	924	9.7	86	1	2	8	13	20	25	47
70-74	860	9.5	83	1	2	7	13	20	27	46
75-79	516	10.0	87	1	2	8	13	21	28	63
80-84	240	9.0	82	2	2	7	10	16	26	51
85+	125	10.3	110	2	3	7	11	20	32	60
GRAND TOTAL	**2665**	**9.7**	**86**	**1**	**2**	**8**	**13**	**20**	**27**	**50**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	217	4.1	9	1	1	3	5	8	10	19
70-74	181	4.3	33	1	2	3	5	7	8	42
75-79	134	4.2	10	1	1	3	6	7	10	16
80-84	84	4.1	13	1	1	3	5	7	10	22
85+	56	5.4	149	1	1	3	5	10	14	87
B. *Operated*										
65-69 YRS	33	4.3	9	1	1	4	6	9	11	11
70-74	20	6.1	24	1	2	4	8	15	17	17
75-79	15	4.3	10	<1	2	4	5	11	12	12
80-84	7	9.6	21	2	3	9	13	15	16	16
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2098	5.3	24	2	2	4	6	10	13	22
70-74	2017	5.5	20	2	2	4	7	10	12	23
75-79	1638	5.7	26	2	2	5	7	10	13	21
80-84	1128	5.9	25	2	2	5	7	11	14	23
85+	757	6.2	33	1	2	5	8	12	15	30
B. *Operated*										
65-69 YRS	382	7.2	40	1	2	5	9	15	23	33
70-74	310	8.6	76	1	2	7	11	17	26	87
75-79	232	9.1	91	1	1	6	12	20	29	46
80-84	138	7.5	45	1	1	6	10	15	21	32
85+	80	8.4	134	1	1	5	10	18	22	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	672	4.3	28	1	1	3	5	7	10	21
B. *Operated*	76	5.2	16	1	2	4	7	11	14	17
2. MULTIPLE DX										
A. *Not Operated*	7638	5.6	25	2	2	4	7	10	13	23
B. *Operated*	1142	8.1	68	1	1	6	10	17	24	48
1. SINGLE DX	748	4.4	27	1	1	3	5	8	11	19
2. MULTIPLE DX	8780	5.9	31	1	2	5	7	11	14	27
A. NOT OPERATED	8310	5.5	25	1	2	4	7	10	13	23
B. OPERATED	1218	7.9	65	1	1	6	10	16	23	45
TOTAL 65-69 YRS	2730	5.5	25	1	2	4	7	10	14	25
70-74	2528	5.8	29	1	2	4	7	10	14	28
75-79	2019	5.9	34	1	2	5	7	11	15	27
80-84	1357	5.9	27	1	2	5	7	12	15	25
85+	894	6.3	49	1	2	5	8	12	16	30
GRAND TOTAL	**9528**	**5.8**	**31**	**1**	**2**	**4**	**7**	**11**	**14**	**26**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	69	5.2	9	2	2	4	6	9	11	16
70-74	79	5.1	10	2	2	4	6	8	11	18
75-79	75	5.7	16	1	2	4	7	11	14	20
80-84	63	6.1	20	2	3	5	7	10	12	29
85+	55	5.6	7	2	2	5	7	9	10	12
B. *Operated*										
65-69 YRS	25	3.2	11	1	1	2	3	7	11	15
70-74	12	4.6	19	1	1	2	8	12	12	12
75-79	6	2.8	5	<1	<1	2	3	7	7	7
80-84	2	3.0	2	2	2	3	4	4	4	4
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1541	7.5	44	2	3	6	9	14	18	32
70-74	1912	7.7	34	2	3	6	9	14	18	34
75-79	1893	8.2	40	2	3	7	10	15	18	32
80-84	1658	8.3	46	2	3	7	10	15	21	42
85+	1284	9.0	61	2	3	7	11	17	23	54
B. *Operated*										
65-69 YRS	308	11.0	108	1	2	8	15	23	33	51
70-74	301	12.7	138	2	2	10	16	26	36	88
75-79	238	13.4	151	2	3	10	17	27	40	91
80-84	178	14.3	115	3	4	12	17	30	39	99+
85+	116	16.8	175	3	5	13	23	34	50	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	341	5.5	12	2	2	5	7	10	12	19
B. *Operated*	45	3.5	12	1	1	2	4	9	12	15
2. MULTIPLE DX										
A. *Not Operated*	8288	8.1	44	2	3	6	10	15	19	37
B. *Operated*	1141	13.0	135	2	2	10	17	27	37	77
1. SINGLE DX	386	5.3	13	1	2	4	7	10	12	18
2. MULTIPLE DX	9429	8.7	58	2	3	7	10	16	22	45
A. NOT OPERATED	8629	8.0	43	2	3	6	10	15	19	37
B. OPERATED	1186	12.7	134	2	2	10	16	27	36	77
TOTAL 65-69 YRS	1943	7.9	55	2	2	6	9	15	20	38
70-74	2304	8.2	50	2	3	6	10	15	21	40
75-79	2212	8.7	54	2	3	7	10	16	21	42
80-84	1901	8.8	55	2	3	7	10	16	23	46
85+	1455	9.5	73	2	3	7	11	18	26	59
GRAND TOTAL	**9815**	**8.6**	**56**	**2**	**3**	**7**	**10**	**16**	**22**	**44**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	15	4.9	10	1	1	4	7	8	12	13
70-74	17	5.9	46	1	1	4	6	19	23	24
75-79	15	9.1	192	<1	2	4	9	22	47	55
80-84	7	8.3	32	3	3	6	9	18	20	20
85+	8	5.8	17	1	1	5	9	12	12	12
B. *Operated*										
65-69 YRS	36	4.3	13	<1	1	3	7	10	11	15
70-74	25	5.9	48	1	1	3	9	13	24	29
75-79	8	4.5	15	1	1	3	5	11	13	13
80-84	10	5.0	32	2	2	3	4	13	21	21
85+	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	259	8.4	53	2	3	6	11	16	22	43
70-74	285	8.4	56	2	2	7	10	16	20	56
75-79	235	9.6	101	2	3	7	12	17	23	94
80-84	180	11.0	115	2	3	8	13	23	34	65
85+	132	12.5	146	3	4	9	14	26	44	79
B. *Operated*										
65-69 YRS	380	11.8	152	1	2	8	16	29	39	95
70-74	320	11.3	85	1	2	9	16	25	29	55
75-79	205	15.3	201	2	3	12	19	36	49	76
80-84	103	14.0	186	2	3	10	19	32	45	99+
85+	41	20.1	400	4	4	12	29	27	71	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	6.7	66	1	1	4	8	13	21	51
B. *Operated*	80	5.1	27	1	1	3	7	12	14	27
2. MULTIPLE DX										
A. *Not Operated*	1091	9.6	87	2	3	7	12	18	25	64
B. *Operated*	1049	12.9	158	2	2	9	17	29	39	85
1. SINGLE DX	142	5.8	44	1	1	4	7	12	20	31
2. MULTIPLE DX	2140	11.2	124	2	3	8	14	24	34	75
A. NOT OPERATED	1153	9.4	86	2	3	7	11	18	25	61
B. OPERATED	1129	12.3	152	1	2	9	16	28	38	82
TOTAL 65-69 YRS	690	10.0	109	1	2	7	13	22	34	70
70-74	647	9.6	72	1	2	7	13	20	27	53
75-79	463	12.0	155	2	3	8	15	25	39	90
80-84	300	11.8	138	2	3	9	14	27	37	90
85+	182	13.9	208	3	4	9	15	30	45	88
GRAND TOTAL	**2282**	**10.9**	**121**	**2**	**2**	**8**	**13**	**23**	**33**	**72**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1124	9.3	15	4	5	9	11	13	15	20
70-74	892	9.2	12	4	5	9	11	13	14	19
75-79	698	9.3	14	4	5	9	11	14	16	21
80-84	406	9.1	13	3	5	9	11	14	16	20
85+	266	8.7	15	3	4	8	11	13	14	21
B. *Operated*										
65-69 YRS	171	10.4	44	2	4	9	13	16	18	39
70-74	96	10.2	40	2	2	9	13	18	21	34
75-79	34	9.7	25	2	3	10	13	14	17	25
80-84	14	10.3	21	3	5	10	13	16	19	20
85+	9	13.2	66	5	6	12	14	26	33	33
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	10732	10.5	27	4	6	10	12	16	19	29
70-74	11469	10.9	31	5	6	10	13	17	20	32
75-79	10335	11.3	36	5	6	10	13	18	22	34
80-84	7556	11.6	40	5	6	10	14	18	23	37
85+	5578	11.7	44	4	6	10	14	18	23	40
B. *Operated*										
65-69 YRS	3403	13.5	72	3	6	12	16	23	29	49
70-74	2697	14.9	94	5	7	13	18	26	33	56
75-79	1804	16.6	111	6	8	14	20	29	39	69
80-84	949	18.5	156	7	9	15	22	33	43	89
85+	571	17.5	103	7	8	15	21	31	40	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3386	9.2	14	4	5	9	11	13	15	20
B. *Operated*	324	10.4	40	2	4	9	13	16	20	34
2. MULTIPLE DX										
A. *Not Operated*	45670	11.1	34	5	6	10	13	17	21	33
B. *Operated*	9424	15.2	99	5	7	13	18	26	34	62
1. SINGLE DX	3710	9.3	16	4	5	9	11	14	15	21
2. MULTIPLE DX	55094	11.8	48	5	6	10	14	19	24	40
A. NOT OPERATED	49056	11.0	33	4	6	10	13	17	21	33
B. OPERATED	9748	15.1	98	5	7	13	18	26	34	62
TOTAL 65-69 YRS	15430	11.1	38	4	6	10	13	17	21	34
70-74	15154	11.5	44	4	6	10	13	18	23	38
75-79	12871	12.0	49	5	6	10	14	19	24	42
80-84	8925	12.3	56	5	6	11	14	20	25	44
85+	6424	12.1	52	4	6	11	14	19	24	42
GRAND TOTAL	**58804**	**11.7**	**46**	**4**	**6**	**10**	**14**	**18**	**23**	**39**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	549	3.2	5	1	1	3	4	6	7	13
70-74	494	3.0	3	1	1	3	4	5	7	8
75-79	366	3.3	4	1	1	3	4	6	7	11
80-84	268	3.4	5	1	1	3	4	6	7	13
85+	175	3.2	4	1	1	3	4	6	7	9
B. *Operated*										
65-69 YRS	197	2.8	10	1	1	2	2	6	8	18
70-74	110	3.5	13	1	1	2	4	8	13	18
75-79	27	3.9	47	1	1	2	4	7	12	37
80-84	6	2.7	6	1	1	2	4	7	7	7
85+	2	7.0	2	6	6	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7116	4.3	8	1	2	4	5	7	9	15
70-74	7396	4.6	11	1	2	4	6	8	10	15
75-79	6497	4.7	10	1	2	4	6	8	10	16
80-84	4888	5.0	15	2	2	4	6	9	11	18
85+	3422	5.1	18	1	2	4	6	9	12	20
B. *Operated*										
65-69 YRS	3231	5.2	32	1	1	3	8	12	16	26
70-74	2233	5.7	33	1	1	3	8	13	16	27
75-79	1013	7.0	46	1	1	5	10	15	20	32
80-84	353	8.9	60	1	2	7	11	18	23	43
85+	144	9.6	84	2	2	8	11	20	27	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1852	3.2	4	1	1	3	4	6	7	11
B. *Operated*	342	3.1	14	1	1	2	3	7	10	18
2. MULTIPLE DX										
A. *Not Operated*	29319	4.7	12	1	2	4	6	8	10	17
B. *Operated*	6974	5.9	38	1	1	3	8	13	17	29
1. SINGLE DX	2194	3.2	6	1	1	3	4	6	7	13
2. MULTIPLE DX	36293	4.9	17	1	2	4	6	9	12	20
A. NOT OPERATED	31171	4.6	11	1	2	4	6	8	10	16
B. OPERATED	7316	5.8	37	1	1	3	8	13	17	29
TOTAL 65-69 YRS	11093	4.5	15	1	1	3	6	9	11	20
70-74	10233	4.8	16	1	2	4	6	9	11	20
75-79	7903	4.9	15	1	2	4	6	9	11	20
80-84	5515	5.1	18	1	2	4	6	9	12	20
85+	3743	5.2	21	1	2	4	6	9	12	22
GRAND TOTAL	**38487**	**4.8**	**16**	**1**	**2**	**4**	**6**	**9**	**12**	**20**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	923	4.1	5	1	2	4	5	7	8	11
70-74	860	4.2	6	1	2	4	5	7	9	12
75-79	757	4.4	6	1	2	4	6	7	9	14
80-84	469	4.4	8	2	2	4	5	8	9	15
85+	276	4.4	6	2	2	4	5	7	9	15
B. *Operated*										
65-69 YRS	190	5.3	24	1	1	3	7	12	15	26
70-74	141	6.3	23	1	1	4	10	13	17	19
75-79	71	7.3	47	1	1	5	9	16	26	30
80-84	12	7.4	30	2	2	6	10	17	18	18
85+	3	8.3	4	6	6	9	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11268	5.3	13	2	2	5	7	9	11	18
70-74	12343	5.5	14	2	2	5	7	9	12	18
75-79	11350	5.9	18	2	2	5	7	10	13	21
80-84	8139	6.0	21	2	2	5	7	10	13	22
85+	5386	6.3	24	2	2	5	8	11	15	25
B. *Operated*										
65-69 YRS	4635	8.7	58	1	2	7	11	17	21	36
70-74	3612	9.7	68	1	2	8	13	18	24	41
75-79	2018	10.8	80	2	2	9	14	21	27	44
80-84	788	11.9	82	2	3	9	15	23	30	46
85+	374	12.3	119	3	4	9	15	23	32	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3285	4.3	6	1	2	4	5	7	9	13
B. *Operated*	417	6.1	28	1	1	4	9	13	17	26
2. MULTIPLE DX										
A. *Not Operated*	48486	5.7	17	2	2	5	7	10	12	20
B. *Operated*	11427	9.7	70	1	2	8	13	19	24	41
1. SINGLE DX	3702	4.5	9	1	2	4	6	8	10	16
2. MULTIPLE DX	59913	6.5	29	2	2	5	8	12	15	27
A. NOT OPERATED	51771	5.6	16	2	2	5	7	10	12	20
B. OPERATED	11844	9.6	69	1	2	8	13	19	24	41
TOTAL 65-69 YRS	17016	6.2	27	2	2	5	8	11	15	25
70-74	16956	6.4	28	2	2	5	8	12	15	26
75-79	14196	6.5	30	2	2	5	8	12	15	27
80-84	9408	6.4	28	2	2	5	8	11	15	27
85+	6039	6.6	31	2	2	5	8	12	16	28
GRAND TOTAL	**63615**	**6.4**	**28**	**2**	**2**	**5**	**8**	**12**	**15**	**26**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	109	4.8	27	1	2	3	5	12	15	29
70-74	96	6.7	56	1	2	3	9	16	20	40
75-79	73	4.5	10	1	2	4	5	9	12	15
80-84	37	5.7	43	1	2	4	6	8	13	41
85+	27	5.2	10	2	2	4	7	11	12	13
B. *Operated*										
65-69 YRS	1524	4.2	18	1	1	2	5	11	13	18
70-74	837	4.4	19	1	1	2	6	11	14	18
75-79	270	4.9	26	1	1	2	8	13	15	23
80-84	49	6.0	51	1	2	2	8	18	21	31
85+	7	7.0	39	2	2	5	10	17	19	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1829	5.3	19	1	2	4	7	10	13	23
70-74	1993	5.8	23	1	2	5	7	10	13	25
75-79	1824	6.1	19	2	2	5	8	11	14	22
80-84	1408	6.6	27	2	2	5	8	12	15	29
85+	1204	7.0	37	2	2	5	8	13	18	33
B. *Operated*										
65-69 YRS	9211	7.2	53	1	1	5	11	16	20	33
70-74	5777	8.3	73	1	1	6	12	17	23	42
75-79	2231	9.4	84	1	2	8	13	20	25	46
80-84	512	10.4	85	1	2	8	15	21	26	47
85+	161	11.5	73	2	3	9	17	23	29	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	342	5.4	32	1	2	3	6	12	15	24
B. *Operated*	2687	4.4	20	1	1	2	6	11	14	19
2. MULTIPLE DX										
A. *Not Operated*	8258	6.1	25	1	2	5	7	11	15	25
B. *Operated*	17892	8.0	65	1	1	6	11	17	22	39
1. SINGLE DX	3029	4.5	21	1	1	2	6	11	14	19
2. MULTIPLE DX	26150	7.4	53	1	2	5	10	15	20	35
A. NOT OPERATED	8600	6.0	25	1	2	5	7	11	15	25
B. OPERATED	20579	7.5	61	1	1	5	11	16	21	37
TOTAL 65-69 YRS	12673	6.6	45	1	1	4	10	14	18	30
70-74	8703	7.3	58	1	1	5	10	16	20	37
75-79	4398	7.6	55	1	2	5	10	16	20	38
80-84	2006	7.5	46	2	2	6	9	15	19	36
85+	1399	7.5	43	2	2	6	9	15	20	36
GRAND TOTAL	**29179**	**7.1**	**51**	**1**	**2**	**5**	**10**	**15**	**19**	**34**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	116	9.2	12	4	5	9	11	14	15	19
70-74	107	8.9	14	4	5	9	11	13	15	22
75-79	84	9.3	11	4	5	9	11	14	16	20
80-84	57	10.2	17	6	6	9	12	16	17	23
85+	37	9.7	22	2	3	10	12	15	17	23
B. *Operated*										
65-69 YRS	22	9.0	7	5	6	8	12	13	14	15
70-74	16	12.1	63	4	5	10	14	22	31	35
75-79	11	12.5	22	6	6	13	16	19	19	19
80-84	6	12.0	48	8	8	9	10	24	26	26
85+	5	8.4	22	1	1	9	11	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1118	11.0	28	5	6	10	13	18	21	31
70-74	1271	11.5	42	5	6	10	13	18	23	37
75-79	1142	11.7	40	5	6	10	14	18	22	37
80-84	894	11.8	38	5	6	10	14	19	23	33
85+	631	12.6	47	5	7	11	15	21	25	37
B. *Operated*										
65-69 YRS	416	14.2	65	6	7	12	17	25	30	42
70-74	387	15.1	82	6	7	13	18	27	31	51
75-79	313	16.4	116	7	8	13	19	30	40	75
80-84	217	16.7	119	6	7	14	20	28	37	65
85+	110	17.7	170	7	8	14	21	31	41	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	401	9.3	14	4	5	9	11	14	16	22
B. *Operated*	60	10.7	31	5	6	9	13	18	21	34
2. MULTIPLE DX										
A. *Not Operated*	5056	11.6	39	5	6	10	14	18	23	35
B. *Operated*	1443	15.6	98	6	7	13	19	28	34	55
1. SINGLE DX	461	9.5	16	4	5	9	11	15	16	23
2. MULTIPLE DX	6499	12.5	54	5	6	11	15	21	26	43
A. NOT OPERATED	5457	11.4	37	5	6	10	13	18	22	34
B. OPERATED	1503	15.4	96	6	7	13	19	28	33	55
TOTAL 65-69 YRS	1672	11.7	38	5	6	10	14	19	23	35
70-74	1781	12.1	52	5	6	10	14	20	25	41
75-79	1550	12.5	58	5	6	11	14	20	27	46
80-84	1174	12.6	56	5	6	11	15	21	25	45
85+	783	13.1	66	5	7	11	15	22	27	48
GRAND TOTAL	**6960**	**12.3**	**52**	**5**	**6**	**11**	**14**	**20**	**25**	**42**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	16.3	409	2	2	9	18	52	60	60
70-74	5	14.4	121	4	4	9	23	31	31	31
75-79	2	25.0	882	4	4	25	46	46	46	46
80-84	5	16.4	147	3	3	13	28	31	31	31
85+										
B. *Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74										
75-79	2	33.5	265	22	22	33	45	45	45	45
80-84	1	30.0		30	30	30	30	30	30	30
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	114	24.8	267	4	7	20	35	46	56	97
70-74	121	23.6	243	3	5	22	34	43	48	75
75-79	108	23.8	167	5	7	22	35	42	44	52
80-84	62	27.7	211	7	9	28	35	47	54	66
85+	48	23.3	276	4	6	19	30	46	56	82
B. *Operated*										
65-69 YRS	81	32.1	233	8	10	34	43	50	57	71
70-74	82	32.1	274	8	13	31	42	52	61	87
75-79	59	31.5	238	10	12	31	45	53	59	97
80-84	25	41.0	457	14	16	35	66	92	99+	99+
85+	17	29.1	236	11	13	28	38	47	61	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	16.7	254	2	3	9	25	40	54	60
B. *Operated*	4	24.8	321	2	2	26	37	45	45	45
2. MULTIPLE DX										
A. *Not Operated*	453	24.5	230	4	7	22	34	44	49	72
B. *Operated*	264	32.6	272	10	12	32	44	53	67	99
1. SINGLE DX	23	18.1	261	2	3	13	29	45	51	60
2. MULTIPLE DX	717	27.5	260	5	8	28	38	48	56	87
A. NOT OPERATED	472	24.2	233	4	7	21	34	44	49	71
B. OPERATED	268	32.5	272	9	12	32	44	53	67	99
TOTAL 65-69 YRS	203	27.3	274	4	7	28	39	48	57	83
70-74	208	26.7	271	3	6	27	36	47	53	78
75-79	171	26.6	207	7	9	28	38	45	52	66
80-84	93	30.7	311	7	9	30	40	59	69	99+
85+	65	24.8	269	4	7	20	32	48	58	80
GRAND TOTAL	**740**	**27.2**	**263**	**4**	**8**	**28**	**37**	**48**	**56**	**85**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	92	2.4	3	<1	1	2	3	5	6	10
70-74	79	2.7	7	1	1	2	3	5	6	18
75-79	55	3.2	4	1	1	3	4	5	8	10
80-84	27	3.2	4	1	1	2	5	7	7	7
85+	26	3.1	3	1	1	2	4	6	6	7
B. *Operated*										
65-69 YRS	2	2.0	2	<1	<1	1	3	3	3	3
70-74	4	7.8	31	2	2	8	12	13	13	13
75-79	2	2.5	5	1	1	2	4	4	4	4
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	725	4.4	13	1	2	3	5	8	10	17
70-74	776	4.6	14	1	1	4	6	9	11	22
75-79	688	5.1	17	1	2	4	6	10	12	23
80-84	445	5.3	18	1	2	4	7	9	12	24
85+	327	6.0	44	1	2	4	7	11	14	22
B. *Operated*										
65-69 YRS	50	10.3	108	2	2	8	11	20	24	67
70-74	63	9.6	42	2	2	8	14	18	23	28
75-79	40	8.5	50	2	3	7	11	14	18	42
80-84	27	8.6	23	2	2	9	12	13	17	23
85+	22	10.6	36	3	4	9	15	20	22	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	279	2.8	5	1	1	2	4	5	7	10
B. *Operated*	8	5.0	23	<1	<1	3	8	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	2961	4.9	19	1	2	4	6	9	12	21
B. *Operated*	202	9.5	56	2	2	8	12	17	23	36
1. SINGLE DX	287	2.9	5	1	1	2	4	5	7	12
2. MULTIPLE DX	3163	5.2	22	1	2	4	7	10	13	23
A. NOT OPERATED	3240	4.7	18	1	1	4	6	9	11	21
B. OPERATED	210	9.3	56	2	2	8	12	16	23	35
TOTAL 65-69 YRS	869	4.5	20	1	1	3	5	8	11	21
70-74	922	4.8	18	1	1	4	6	9	12	23
75-79	785	5.2	19	1	2	4	6	10	12	24
80-84	499	5.3	19	1	2	4	7	9	12	23
85+	375	6.1	43	1	2	4	8	11	14	22
GRAND TOTAL	**3450**	**5.0**	**21**	**1**	**1**	**4**	**6**	**10**	**12**	**23**

147: Atrial fibrillation and flutter (427.3)

TYPE CF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	468	2.5	3	<1	1	2	3	5	6	9
70-74	413	2.9	9	<1	1	2	4	5	7	11
75-79	305	3.0	5	<1	1	2	4	6	7	12
80-84	201	3.5	6	1	1	3	4	7	8	11
85+	137	4.1	17	1	1	3	5	8	10	22
B. *Operated*										
65-69 YRS	15	4.5	14	<1	1	3	6	9	13	15
70-74	5	12.2	135	1	1	10	18	31	31	31
75-79	10	3.5	5	<1	<1	3	6	7	7	7
80-84	5	5.0	4	3	3	4	7	7	7	7
85+	2	34.0	288	22	22	34	46	46	46	46
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4600	4.7	16	1	1	4	6	9	12	20
70-74	5413	5.2	21	1	2	4	7	10	13	22
75-79	5145	5.8	22	1	2	5	7	11	14	23
80-84	3766	6.2	27	1	2	5	8	11	15	27
85+	3164	6.7	39	2	2	5	8	12	16	38
B. *Operated*										
65-69 YRS	423	9.6	81	2	2	7	11	20	26	52
70 74	558	9.8	87	2	3	8	12	19	25	53
75-79	501	10.7	83	2	3	8	14	21	29	46
80-84	388	11.2	74	2	3	9	15	23	27	45
85+	311	13.0	141	2	4	10	16	25	41	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1524	3.0	7	<1	1	2	4	6	7	11
B. *Operated*	37	6.9	81	<1	1	4	7	15	28	46
2. MULTIPLE DX										
A. *Not Operated*	22088	5.6	24	1	2	4	7	11	14	24
B. *Operated*	2181	10.7	91	2	3	8	14	21	28	57
1. SINGLE DX	1561	3.1	9	<1	1	2	4	6	7	14
2. MULTIPLE DX	24269	6.1	32	1	2	5	8	12	15	29
A. NOT OPERATED	23612	5.4	24	1	2	4	7	10	13	23
B. OPERATED	2218	10.6	91	2	3	8	13	21	28	56
TOTAL 65-69 YRS	5506	4.9	22	1	1	4	6	10	13	23
70-74	6389	5.5	28	1	1	4	7	11	14	25
75-79	5961	6.0	29	1	2	5	8	11	15	28
80-84	4360	6.5	33	1	2	5	8	12	17	29
85+	3614	7.2	50	2	2	5	9	14	18	46
GRAND TOTAL	**25830**	**5.9**	**32**	**1**	**2**	**4**	**7**	**11**	**15**	**29**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	376	3.8	10	1	1	3	5	7	9	17
70-74	340	3.8	7	1	1	3	5	7	8	13
75-79	267	4.3	29	1	1	3	5	7	10	24
80-84	197	4.1	8	1	1	4	5	8	10	15
85+	144	4.6	14	1	1	4	6	8	11	24
B. *Operated*										
65-69 YRS	158	5.7	18	1	2	5	7	12	15	22
70-74	219	5.3	9	1	2	5	7	9	11	14
75-79	228	5.1	12	1	1	4	7	9	11	18
80-84	191	5.8	22	2	2	5	7	11	13	22
85+	167	6.2	39	2	2	5	7	10	15	28
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5683	5.6	22	1	2	4	7	10	13	24
70-74	6609	5.8	20	1	2	5	7	11	14	23
75-79	6198	6.2	25	2	2	5	7	11	14	24
80-84	4832	6.4	30	2	2	5	8	12	15	27
85+	3989	6.8	33	2	2	5	8	12	16	29
B. *Operated*										
65-69 YRS	2333	8.6	61	2	3	7	11	15	21	43
70-74	2970	8.6	53	2	3	7	11	16	21	38
75-79	3452	8.8	48	2	3	7	11	16	22	36
80-84	3102	9.4	55	2	3	8	12	17	22	40
85+	2685	9.7	61	2	3	8	12	18	23	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1324	4.1	13	1	1	3	5	7	9	17
B. *Operated*	963	5.6	19	1	2	5	7	10	13	19
2. MULTIPLE DX										
A. *Not Operated*	27311	6.1	25	2	2	5	7	11	14	25
B. *Operated*	14542	9.0	55	2	3	7	11	17	22	40
1. SINGLE DX	2287	4.7	16	1	1	4	6	8	11	19
2. MULTIPLE DX	41853	7.1	38	2	2	6	9	13	17	31
A. NOT OPERATED	28635	6.0	25	1	2	5	7	11	14	25
B. OPERATED	15505	8.8	54	2	3	7	11	16	21	39
TOTAL 65-69 YRS	8550	6.3	34	1	2	5	8	12	15	31
70-74	10138	6.5	31	2	2	5	8	12	16	27
75-79	10145	7.0	34	2	2	5	9	13	17	29
80-84	8322	7.4	41	2	2	6	9	14	18	33
85+	6985	7.9	45	2	2	6	10	15	19	37
GRAND TOTAL	**44140**	**7.0**	**37**	**2**	**2**	**5**	**9**	**13**	**17**	**31**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	370	5.5	14	1	2	5	7	10	13	18
70-74	557	5.6	19	1	2	5	7	10	13	20
75-79	578	6.0	20	2	2	5	7	11	13	23
80-84	601	5.8	14	2	2	5	7	10	12	20
85+	819	5.9	19	2	2	5	7	11	14	22
B. *Operated*										
65-69 YRS	21	12.0	131	1	2	10	14	31	40	40
70-74	17	7.7	32	2	2	6	10	17	19	20
75-79	18	9.3	38	1	2	8	15	19	20	20
80-84	13	13.2	62	4	6	10	17	25	31	32
85+	10	12.8	88	6	6	9	16	27	37	37
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	16222	7.7	35	2	3	6	9	14	18	30
70-74	21455	7.9	35	2	3	7	10	14	18	30
75-79	23293	8.1	39	2	3	7	10	15	19	32
80-84	22158	8.4	46	2	3	7	10	15	20	35
85+	23580	8.7	52	2	3	7	10	16	20	41
B. *Operated*										
65-69 YRS	2215	13.2	115	2	4	10	17	25	34	60
70-74	2565	14.4	126	3	4	12	18	28	36	66
75-79	2430	15.0	137	3	5	12	19	30	40	82
80-84	1939	15.3	140	4	5	12	19	29	39	95
85+	1794	15.3	135	4	5	12	19	29	38	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2925	5.8	17	2	2	5	7	10	13	21
B. *Operated*	79	10.8	73	2	2	9	15	20	29	40
2. MULTIPLE DX										
A. *Not Operated*	106708	8.2	42	2	3	7	10	15	19	34
B. *Operated*	10943	14.6	131	3	5	12	18	28	37	73
1. SINGLE DX	3004	5.9	19	2	2	5	7	11	14	23
2. MULTIPLE DX	117651	8.8	54	2	3	7	11	16	21	39
A. NOT OPERATED	109633	8.2	41	2	3	7	10	15	19	33
B. OPERATED	11022	14.6	130	3	5	12	18	28	37	73
TOTAL 65-69 YRS	18828	8.3	47	2	3	7	10	15	21	35
70-74	24594	8.5	48	2	3	7	10	16	21	36
75-79	26319	8.7	52	2	3	7	11	16	21	39
80-84	24711	8.9	56	2	3	7	11	17	22	41
85+	26203	9.1	60	2	3	7	11	17	22	44
GRAND TOTAL	**120655**	**8.7**	**53**	**2**	**3**	**7**	**11**	**16**	**21**	**39**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	141	4.3	15	<1	<1	3	6	8	11	23
70-74	90	5.4	29	1	1	4	7	11	12	34
75-79	53	4.4	9	1	2	3	5	8	10	17
80-84	38	4.8	10	1	1	4	7	9	12	14
85+	16	4.5	15	<1	1	4	5	12	14	14
B. *Operated*										
65-69 YRS	250	5.0	27	1	1	2	8	13	15	23
70-74	158	5.2	38	1	1	2	6	15	17	25
75-79	71	5.9	54	1	1	2	9	15	18	39
80-84	26	5.4	33	1	1	2	7	15	18	22
85+	5	4.0	22	1	1	2	6	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2533	7.5	33	2	2	6	9	14	18	29
70-74	2374	7.9	37	2	3	6	10	15	18	30
75-79	1881	8.1	40	2	3	7	10	15	20	32
80-84	1200	7.8	31	2	3	6	10	14	18	30
85+	918	8.7	64	2	3	7	11	17	22	37
B. *Operated*										
65-69 YRS	2028	9.5	92	1	1	7	13	20	27	49
70-74	1758	10.8	129	1	2	9	14	23	31	61
75-79	1117	11.2	106	1	2	9	16	24	30	57
80-84	424	13.1	137	1	2	11	18	28	36	60
85+	154	13.6	218	2	2	9	16	29	39	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	338	4.7	17	<1	1	4	6	9	11	23
B. *Operated*	510	5.2	35	1	1	2	8	13	17	25
2. MULTIPLE DX										
A. *Not Operated*	8906	7.9	38	2	3	6	10	15	19	31
B. *Operated*	5481	10.7	115	1	2	9	14	22	30	58
1. SINGLE DX	848	5.0	28	1	1	3	6	12	16	24
2. MULTIPLE DX	14387	8.9	69	2	2	7	11	18	24	42
A. NOT OPERATED	9244	7.8	38	2	3	6	10	15	19	31
B. OPERATED	5991	10.2	110	1	2	8	14	22	29	56
TOTAL 65-69 YRS	4952	8.1	58	1	2	6	11	16	21	37
70-74	4380	8.9	77	1	2	7	11	18	24	44
75-79	3122	9.1	66	2	2	7	12	18	24	42
80-84	1688	9.0	63	2	2	7	12	17	24	41
85+	1093	9.3	88	2	3	7	11	18	25	56
GRAND TOTAL	**15235**	**8.7**	**68**	**1**	**2**	**7**	**11**	**17**	**23**	**41**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	13.6	350	1	1	6	21	46	46	46
70-74	3	3.0	3	2	2	2	4	5	5	5
75-79	2	3.5	5	2	2	3	5	5	5	5
80-84	4	26.3	1927	1	1	6	49	92	92	92
85+	7	8.1	36	3	3	6	9	19	21	21
B. *Operated*										
65-69 YRS	8	4.3	21	1	1	2	5	12	15	15
70-74	1	13.0		13	13	13	13	13	13	13
75-79	2	4.5	13	2	2	4	7	7	7	7
80-84										
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	173	6.0	22	2	2	5	8	11	13	27
70-74	186	6.0	22	2	2	5	7	11	14	28
75-79	218	6.2	22	2	2	5	7	13	16	30
80-84	207	7.2	48	2	3	6	8	13	16	45
85+	227	7.7	78	2	3	6	8	14	21	99+
B. *Operated*										
65-69 YRS	124	7.1	61	1	1	4	9	17	30	53
70-74	89	6.8	56	1	1	4	9	15	20	41
75-79	61	10.0	57	1	2	9	14	20	22	36
80-84	30	10.7	62	1	2	9	16	25	29	99+
85+	25	20.5	628	2	4	11	17	74	87	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	11.7	436	1	1	6	8	31	67	92
B. *Operated*	12	4.8	22	1	1	2	6	14	15	15
2. MULTIPLE DX										
A. *Not Operated*	1011	6.7	40	2	2	5	8	12	16	36
B. *Operated*	329	8.9	113	1	1	6	11	20	29	87
1. SINGLE DX	33	9.2	291	1	2	5	7	16	42	92
2. MULTIPLE DX	1340	7.2	59	1	2	5	9	14	20	45
A. NOT OPERATED	1032	6.8	48	2	2	5	8	12	16	39
B. OPERATED	341	8.7	110	1	1	6	11	20	29	86
TOTAL 65-69 YRS	310	6.5	43	1	2	5	9	13	20	37
70-74	279	6.2	33	1	2	4	8	12	16	29
75-79	283	7.0	32	2	2	5	9	14	18	33
80-84	241	8.0	80	2	3	6	9	15	21	63
85+	260	8.9	141	2	3	6	9	15	34	99
GRAND TOTAL	**1373**	**7.3**	**64**	**1**	**2**	**5**	**9**	**14**	**20**	**52**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	29.0	338	16	16	29	42	42	42	42
70-74	4	11.5	80	2	2	11	19	21	21	21
75-79	4	5.5	28	<1	<1	5	10	11	11	11
80-84	3	11.7	2	10	10	12	13	13	13	13
85+	5	8.8	94	3	3	5	11	26	26	26
B. *Operated*										
65-69 YRS	17	15.1	105	1	2	13	21	33	35	36
70-74	14	18.2	282	4	6	15	18	32	64	73
75-79	5	20.4	110	6	6	20	30	31	31	31
80-84										
85+	1	28.0		28	28	28	28	28	28	28
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	33	13.1	176	<1	1	10	16	29	43	63
70-74	33	14.5	116	2	4	12	20	26	36	53
75-79	45	15.0	100	2	5	13	19	30	35	45
80-84	43	14.5	139	2	4	13	19	27	39	64
85+	36	13.3	72	2	4	13	17	22	30	42
B. *Operated*										
65-69 YRS	99	26.1	253	7	10	23	35	53	81	99+
70-74	91	26.2	264	4	10	22	34	53	78	99+
75-79	33	28.8	377	10	11	23	39	56	76	82
80-84	22	25.6	351	5	8	24	27	42	69	93
85+	10	24.2	175	5	7	26	37	67	97	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	11.4	108	<1	1	9	16	24	36	42
B. *Operated*	37	17.3	168	3	5	15	21	31	35	73
2. MULTIPLE DX										
A. *Not Operated*	190	14.1	118	2	3	12	18	27	37	59
B. *Operated*	255	26.4	275	6	10	23	34	53	78	99+
1. SINGLE DX	55	15.4	154	1	3	13	20	30	35	71
2. MULTIPLE DX	445	21.1	244	3	5	18	29	45	55	99+
A. NOT OPERATED	208	13.9	117	1	3	12	18	27	37	57
B. OPERATED	292	25.2	270	5	9	22	33	51	75	99+
TOTAL 65-69 YRS	151	22.0	251	2	5	19	31	47	61	99+
70-74	142	22.3	251	4	6	19	30	47	68	99+
75-79	87	20.1	251	3	6	15	28	42	50	81
80-84	68	18.0	226	3	4	14	23	33	43	88
85+	52	15.2	114	3	4	14	21	33	41	98
GRAND TOTAL	**500**	**20.5**	**237**	**3**	**5**	**17**	**27**	**43**	**54**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	24.7	144	13	13	24	34	37	37	37
70-74	6	32.7	274	3	5	37	42	49	50	50
75-79	2	5.5	1	5	5	5	6	6	6	6
80-84	5	17.0	181	6	6	11	23	40	40	40
85+	2	13.5	85	7	7	13	20	20	20	20
B. *Operated*										
65-69 YRS	11	29.5	373	5	10	24	54	73	96	99+
70-74	7	30.9	485	5	6	30	59	89	99+	99+
75-79	11	37.0	700	15	15	26	54	82	89	90
80-84	3	55.7	52	51	51	52	61	64	64	64
85+	3	26.7	184	14	14	25	37	41	41	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	18	21.8	234	4	5	18	37	41	47	50
B. *Operated*	35	34.1	473	6	13	27	56	74	96	99+
1. SINGLE DX										
2. MULTIPLE DX	53	29.9	420	5	6	25	48	64	86	99+
A. NOT OPERATED	18	21.8	234	4	5	18	37	41	47	50
B. OPERATED	35	34.1	473	6	13	27	56	74	96	99+
TOTAL 65-69 YRS	14	28.4	313	6	13	24	47	62	90	99+
70-74	13	31.7	358	3	5	34	50	68	93	99+
75-79	13	32.2	723	5	6	24	39	79	88	90
80-84	8	31.5	519	6	7	28	51	60	64	64
85+	5	21.4	165	7	7	20	29	41	41	41
GRAND TOTAL	**53**	**29.9**	**420**	**5**	**6**	**25**	**48**	**64**	**86**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	31	7.6	52	1	1	5	11	15	26	31
70-74	61	10.1	89	1	1	8	14	20	33	46
75-79	53	10.4	69	<1	2	8	14	23	29	34
80-84	48	10.8	50	2	2	10	14	21	27	29
85+	41	7.4	30	<1	1	7	10	14	17	28
B. *Operated*										
65-69 YRS	54	11.9	159	2	3	8	12	28	33	66
70-74	75	10.1	42	3	4	9	12	23	26	82
75-79	68	12.6	116	3	4	10	14	24	32	61
80-84	36	10.7	38	4	6	9	12	21	25	30
85+	23	13.5	54	5	6	11	20	24	27	28
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	353	12.2	103	2	3	9	15	25	34	46
70-74	448	12.2	90	2	4	10	16	24	29	99
75-79	493	13.6	151	3	4	10	17	29	45	99+
80-84	493	13.0	85	3	4	11	17	25	34	63
85+	454	13.9	150	3	4	10	16	25	35	84
B. *Operated*										
65-69 YRS	281	18.9	214	5	6	15	25	40	52	99+
70-74	304	19.4	268	4	6	15	24	47	62	99+
75-79	269	18.8	230	5	6	14	25	40	60	99+
80-84	203	21.8	272	5	8	17	26	42	65	87
85+	136	23.1	305	7	8	18	32	59	90	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	234	9.5	62	1	1	8	12	20	28	35
B. *Operated*	256	11.5	87	3	4	9	14	23	29	63
2. MULTIPLE DX										
A. *Not Operated*	2241	13.0	117	3	4	10	16	25	35	84
B. *Operated*	1193	20.0	253	5	7	15	25	42	64	99+
1. SINGLE DX	490	10.6	76	1	2	8	13	22	28	51
2. MULTIPLE DX	3434	15.4	175	3	4	12	19	32	46	99+
A. NOT OPERATED	2475	12.7	113	2	4	10	16	25	34	81
B. OPERATED	1449	18.5	234	4	6	14	24	40	60	99+
TOTAL 65-69 YRS	719	14.6	161	2	4	11	19	31	42	86
70-74	888	14.4	160	2	4	11	18	30	47	99+
75-79	883	14.9	174	3	4	11	18	32	49	99+
80-84	780	15.0	146	3	5	12	19	29	40	79
85+	654	15.4	189	3	5	11	19	31	45	99+
GRAND TOTAL	**3924**	**14.8**	**165**	**3**	**4**	**11**	**19**	**30**	**44**	**99+**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	150	17.7	271	4	5	13	20	38	52	91
70-74	159	15.9	207	3	4	12	20	33	48	91
75-79	221	15.9	123	4	6	13	21	33	42	99+
80-84	207	17.4	197	4	6	13	22	36	48	90
85+	166	14.8	111	5	6	13	18	26	36	97
B. *Operated*										
65-69 YRS	73	24.6	317	7	9	18	35	55	63	99
70-74	76	26.7	328	6	8	21	38	60	67	93
75-79	74	23.2	186	7	7	20	33	45	51	90
80-84	65	25.3	359	6	7	22	36	59	80	99+
85+	35	23.0	216	8	9	20	29	63	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	903	16.4	177	4	5	13	20	33	47	94
B. *Operated*	323	24.7	286	7	8	20	35	54	66	99+
1. SINGLE DX										
2. MULTIPLE DX	1226	18.6	219	4	6	14	23	40	53	99+
A. NOT OPERATED	903	16.4	177	4	5	13	20	33	47	94
B. OPERATED	323	24.7	286	7	8	20	35	54	66	99+
TOTAL 65-69 YRS	223	20.0	295	4	6	14	23	46	57	96
70-74	235	19.4	270	3	5	15	25	44	58	92
75-79	295	17.7	149	5	6	14	24	38	46	99+
80-84	272	19.3	246	4	6	14	25	43	59	99+
85+	201	16.2	138	5	7	14	19	31	51	99+
GRAND TOTAL	**1226**	**18.6**	**219**	**4**	**6**	**14**	**23**	**40**	**53**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	37	4.5	17	<1	1	3	5	9	15	19
70-74	35	3.0	9	1	1	2	4	6	10	14
75-79	40	3.9	8	1	1	3	6	8	10	10
80-84	22	5.0	20	<1	1	3	8	11	14	18
85+	8	6.1	28	1	1	5	8	15	17	17
B. *Operated*										
65-69 YRS	1105	4.8	11	1	1	4	6	9	11	16
70-74	1050	4.6	8	1	1	4	6	8	10	15
75-79	724	4.9	16	1	1	4	6	9	11	15
80-84	325	5.0	14	1	1	4	6	9	11	19
85+	97	5.4	10	1	2	5	7	9	12	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	418	6.0	43	1	1	4	7	12	15	32
70-74	535	5.9	41	1	1	4	7	11	16	27
75-79	540	6.5	49	1	2	5	8	12	15	42
80-84	459	7.9	78	2	2	6	9	14	21	55
85+	314	8.1	72	2	2	6	9	15	23	71
B. *Operated*										
65-69 YRS	4817	6.8	30	1	2	5	8	13	16	28
70-74	5050	7.1	35	2	2	6	9	13	18	30
75-79	3702	7.4	40	2	2	6	9	14	18	32
80-84	1621	7.9	44	2	2	6	10	15	20	37
85+	511	9.1	59	2	3	7	11	17	22	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	142	4.1	14	1	1	3	6	9	11	18
B. *Operated*	3301	4.8	12	1	1	4	6	8	11	16
2. MULTIPLE DX										
A. *Not Operated*	2266	6.8	55	1	2	5	8	13	17	42
B. *Operated*	15701	7.3	37	2	2	6	9	14	18	31
1. SINGLE DX	3443	4.7	12	1	1	4	6	8	11	16
2. MULTIPLE DX	17967	7.2	39	1	2	6	9	13	18	32
A. NOT OPERATED	2408	6.6	53	1	2	5	8	12	17	42
B. OPERATED	19002	6.8	33	1	2	5	8	13	17	30
TOTAL 65-69 YRS	6377	6.4	28	1	2	5	8	12	15	27
70-74	6670	6.6	32	1	2	5	8	12	16	27
75-79	5006	6.9	38	1	2	5	8	13	17	32
80-84	2427	7.5	47	1	2	6	9	14	18	39
85+	930	8.3	59	2	2	7	10	16	21	50
GRAND TOTAL	**21410**	**6.8**	**36**	**1**	**2**	**5**	**8**	**13**	**17**	**31**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	52	10.1	93	1	2	7	14	19	21	55
70-74	57	10.5	74	3	3	8	12	21	29	46
75-79	56	12.1	148	2	3	10	15	24	45	98
80-84	46	14.5	209	2	3	11	21	38	56	99+
85+	31	14.6	153	3	4	10	21	28	31	64
B. *Operated*										
65-69 YRS	273	11.2	165	2	3	7	13	21	33	77
70-74	241	13.6	155	2	3	10	17	31	36	77
75-79	168	11.9	125	2	3	8	14	23	40	63
80-84	93	12.0	77	3	4	9	17	23	35	99+
85+	28	14.8	129	4	4	11	18	32	39	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	242	12.1	132	2	3	8	15	24	36	78
B. *Operated*	803	12.3	143	2	3	9	15	25	36	77
1. SINGLE DX										
2. MULTIPLE DX	1045	12.3	140	2	3	9	15	25	36	77
A. NOT OPERATED	242	12.1	132	2	3	8	15	24	36	78
B. OPERATED	803	12.3	143	2	3	9	15	25	36	77
TOTAL 65-69 YRS	325	11.1	154	2	2	7	13	20	31	73
70-74	298	13.0	141	2	3	9	16	29	36	74
75-79	224	12.0	130	2	3	9	14	23	40	82
80-84	139	12.8	120	3	4	10	17	27	43	99+
85+	59	14.7	139	3	4	10	20	28	37	63
GRAND TOTAL	**1045**	**12.3**	**140**	**2**	**3**	**9**	**15**	**25**	**36**	**77**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	258	7.6	43	2	2	6	10	15	20	37
70-74	282	8.0	49	2	2	6	10	15	17	30
75-79	344	8.0	57	2	2	6	9	15	22	38
80-84	285	8.3	35	2	3	7	11	14	20	27
85+	228	8.5	43	2	3	7	10	17	23	99+
B. *Operated*										
65-69 YRS	56	6.3	14	1	2	6	9	12	13	16
70-74	54	8.8	109	2	2	6	9	17	30	56
75-79	44	6.5	27	2	2	5	8	13	18	24
80-84	17	9.8	121	1	2	8	11	39	80	99+
85+	9	12.2	103	1	2	8	19	28	29	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3389	10.0	68	2	3	8	12	19	25	46
70-74	4622	10.5	83	3	3	8	13	20	27	57
75-79	5168	10.8	90	3	4	8	13	20	28	62
80-84	4583	11.5	102	3	4	9	14	22	30	77
85+	4446	11.6	109	3	4	9	14	22	31	87
B. *Operated*										
65-69 YRS	1033	13.7	185	2	3	10	16	30	47	99+
70-74	1041	14.4	173	3	4	11	18	32	50	99+
75-79	940	16.2	214	3	4	12	20	35	52	99+
80-84	646	18.2	260	4	5	13	23	43	61	99+
85+	403	20.6	270	5	7	16	27	53	89	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1397	8.1	46	2	3	6	10	15	20	38
B. *Operated*	180	7.7	61	2	2	6	10	15	24	54
2. MULTIPLE DX										
A. *Not Operated*	22208	10.9	92	3	4	8	13	20	28	70
B. *Operated*	4063	15.9	214	3	4	11	20	36	56	99+
1. SINGLE DX	1577	8.0	48	2	2	6	10	15	21	44
2. MULTIPLE DX	26271	11.7	114	3	4	9	14	23	33	82
A. NOT OPERATED	23605	10.7	89	3	3	8	13	20	28	67
B. OPERATED	4243	15.5	210	3	4	11	19	35	54	99+
TOTAL 65-69 YRS	4736	10.6	94	2	3	8	13	20	29	68
70-74	5999	11.0	100	2	3	9	13	21	30	79
75-79	6496	11.4	110	3	4	9	14	22	32	71
80-84	5531	12.1	123	3	4	9	14	23	34	83
85+	5086	12.2	125	3	4	9	15	24	36	99+
GRAND TOTAL	**27848**	**11.5**	**111**	**3**	**3**	**9**	**14**	**22**	**32**	**81**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1536	13.4	137	3	4	10	16	27	38	79
70-74	2153	12.8	109	3	4	10	15	24	34	73
75-79	2364	13.4	120	4	5	11	16	26	35	85
80-84	2099	14.1	133	4	5	11	17	27	40	99+
85+	2090	14.0	144	4	5	11	16	27	38	90
B. *Operated*										
65-69 YRS	377	16.6	200	3	4	12	21	36	54	99+
70-74	402	18.7	218	5	6	14	24	38	56	99+
75-79	369	22.4	337	5	7	17	30	54	84	99+
80-84	243	19.8	207	5	7	16	27	45	76	99+
85+	172	22.8	288	5	7	18	33	50	85	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	10242	13.6	128	4	5	10	16	26	37	85
B. *Operated*	1563	19.7	253	4	6	15	26	45	65	99+
1. SINGLE DX										
2. MULTIPLE DX	11805	14.4	149	4	5	11	17	29	42	99+
A. NOT OPERATED	10242	13.6	128	4	5	10	16	26	37	85
B. OPERATED	1563	19.7	253	4	6	15	26	45	65	99+
TOTAL 65-69 YRS	1913	14.1	151	3	4	10	17	29	40	83
70-74	2555	13.7	131	3	4	11	17	27	38	80
75-79	2733	14.7	158	4	5	11	18	30	44	99+
80-84	2342	14.7	144	4	5	11	18	30	44	99+
85+	2262	14.7	160	4	5	11	17	29	42	99
GRAND TOTAL	**11805**	**14.4**	**149**	**4**	**5**	**11**	**17**	**29**	**42**	**99+**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	428	3.5	9	1	1	3	4	6	8	16
70-74	440	3.9	28	1	1	3	5	7	9	15
75-79	535	3.8	9	1	1	3	5	7	9	13
80-84	439	3.8	8	1	1	3	5	7	9	14
85+	451	3.8	7	1	1	3	5	7	9	18
B. *Operated*										
65-69 YRS	221	3.7	11	1	1	3	5	7	8	18
70-74	180	3.8	8	1	1	3	5	7	9	14
75-79	125	3.4	6	1	1	3	4	6	8	13
80-84	63	3.8	6	1	1	3	5	7	8	13
85+	27	4.0	14	1	1	3	4	8	10	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4250	5.1	19	1	2	4	6	9	12	20
70-74	5783	5.5	22	2	2	4	7	10	12	22
75-79	6833	5.7	21	2	2	5	7	10	13	24
80-84	6804	6.1	33	2	2	5	7	11	14	31
85+	7239	6.6	48	2	2	5	8	12	17	45
B. *Operated*										
65-69 YRS	1533	7.0	40	1	2	5	9	13	17	32
70-74	1660	7.0	33	1	2	6	9	13	17	33
75-79	1468	7.8	50	2	2	6	10	15	19	44
80-84	1013	9.0	68	2	2	7	11	19	26	66
85+	644	12.2	159	2	3	8	15	26	42	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2293	3.8	12	1	1	3	5	7	9	15
B. *Operated*	616	3.7	9	1	1	3	5	7	8	16
2. MULTIPLE DX										
A. *Not Operated*	30909	5.9	30	2	2	5	7	10	14	30
B. *Operated*	6318	8.0	60	2	2	6	10	16	22	48
1. SINGLE DX	2909	3.7	11	1	1	3	5	7	9	15
2. MULTIPLE DX	37227	6.2	36	2	2	5	7	11	15	33
A. NOT OPERATED	33202	5.7	29	1	2	5	7	10	13	29
B. OPERATED	6934	7.7	57	1	2	6	9	15	21	45
TOTAL 65-69 YRS	6432	5.4	24	1	2	4	7	10	13	24
70-74	8063	5.7	25	1	2	5	7	10	13	24
75-79	8961	5.9	25	1	2	5	7	11	14	27
80-84	8319	6.3	37	2	2	5	8	11	15	33
85+	8361	6.9	57	2	2	5	8	13	19	52
GRAND TOTAL	**40136**	**6.1**	**34**	**1**	**2**	**5**	**7**	**11**	**15**	**32**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	175	7.5	64	1	2	5	9	16	18	34
70-74	240	7.3	45	2	2	6	9	13	17	38
75-79	292	8.4	68	2	2	6	10	16	22	45
80-84	278	8.8	46	2	3	7	11	16	21	43
85+	287	9.1	71	2	3	7	11	18	23	57
B. *Operated*										
65-69 YRS	41	6.7	35	1	2	5	8	13	18	31
70-74	45	9.2	33	3	4	8	12	16	20	29
75-79	33	10.4	145	2	2	6	15	38	44	99+
80-84	18	10.6	51	2	3	10	15	26	68	99+
85+	7	18.1	524	5	5	11	16	59	69	69
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1855	8.9	55	2	3	7	11	17	22	41
70-74	2666	9.6	72	2	3	7	12	18	25	54
75-79	3109	9.6	65	3	3	8	12	18	23	48
80-84	3129	10.1	74	3	3	8	12	19	25	54
85+	3440	10.4	86	3	4	8	12	19	26	54
B. *Operated*										
65-69 YRS	447	13.1	164	3	3	10	15	25	37	93
70-74	484	13.5	133	3	4	10	17	32	42	99+
75-79	483	14.9	127	3	5	12	19	30	41	99+
80-84	336	15.9	144	4	5	13	21	33	38	96
85+	288	17.5	215	4	5	13	22	35	56	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1272	8.3	59	2	2	6	10	16	21	43
B. *Operated*	144	9.3	87	2	2	7	12	19	31	99+
2. MULTIPLE DX										
A. *Not Operated*	14199	9.8	72	2	3	8	12	18	24	51
B. *Operated*	2038	14.7	154	3	4	11	19	31	41	99+
1. SINGLE DX	1416	8.4	62	2	2	6	10	16	22	46
2. MULTIPLE DX	16237	10.4	85	2	3	8	13	20	28	57
A. NOT OPERATED	15471	9.7	72	2	3	8	12	18	24	51
B. OPERATED	2182	14.4	151	3	4	11	18	30	41	99+
TOTAL 65-69 YRS	2518	9.5	78	2	3	7	12	18	25	47
70-74	3435	10.0	81	2	3	8	12	19	27	61
75-79	3917	10.2	77	2	3	8	13	19	26	56
80-84	3761	10.5	81	3	3	8	13	20	28	56
85+	4022	10.9	98	3	4	8	13	20	28	59
GRAND TOTAL	**17653**	**10.3**	**84**	**2**	**3**	**8**	**12**	**20**	**27**	**57**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	798	11.6	110	3	4	9	14	22	30	72
70-74	1090	11.6	105	3	4	9	14	23	31	85
75-79	1240	12.3	124	3	4	9	15	24	35	81
80-84	1269	12.3	118	3	4	9	15	23	32	68
85+	1294	11.9	123	3	4	9	14	21	29	92
B. *Operated*										
65-69 YRS	140	15.7	204	4	5	11	19	34	49	66
70-74	196	17.9	232	4	5	13	22	40	56	95
75-79	180	19.2	262	4	5	13	26	42	54	80
80-84	141	18.3	177	5	7	15	24	40	77	99+
85+	95	18.3	143	5	7	15	25	36	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	5691	12.0	117	3	4	9	14	23	32	80
B. *Operated*	752	18.0	212	4	5	13	23	39	55	99+
1. SINGLE DX										
2. MULTIPLE DX	6443	12.7	132	3	4	9	15	25	36	85
A. NOT OPERATED	5691	12.0	117	3	4	9	14	23	32	80
B. OPERATED	752	18.0	212	4	5	13	23	39	55	99+
TOTAL 65-69 YRS	938	12.2	126	3	4	9	14	23	36	70
70-74	1286	12.6	129	3	4	9	15	25	37	86
75-79	1420	13.2	146	3	4	10	15	26	41	81
80-84	1410	12.9	127	3	4	10	15	25	34	86
85+	1389	12.3	127	3	4	9	15	23	33	94
GRAND TOTAL	**6443**	**12.7**	**132**	**3**	**4**	**9**	**15**	**25**	**36**	**85**

163: Other and ill-defined cerebrovas[illegible]ease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	91	4.4	9	1	1	4	6	8	11	15
70-74	88	4.1	10	1	1	3	5	8	10	18
75-79	108	5.1	42	1	1	3	6	10	12	44
80-84	79	5.1	17	1	1	4	6	11	16	77
85+	67	5.6	29	1	2	4	7	11	17	32
B. *Operated*										
65-69 YRS	61	5.1	27	1	1	2	7	13	19	22
70-74	61	2.8	5	1	1	2	3	6	7	12
75-79	35	3.4	9	1	1	2	4	8	9	14
80-84	15	3.7	17	<1	1	2	5	10	13	14
85+	6	3.2	3	2	2	3	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1218	6.7	40	2	2	5	8	12	17	34
70-74	1527	7.2	48	2	2	5	9	13	18	36
75-79	1688	7.5	61	2	2	5	9	14	20	59
80-84	1549	8.0	66	2	2	6	9	15	21	77
85+	1635	8.8	106	2	2	6	10	18	28	99+
B. *Operated*										
65-69 YRS	423	8.7	117	1	2	6	11	17	27	73
70-74	440	10.1	125	1	2	7	13	22	35	77
75-79	359	9.8	96	2	2	7	12	21	33	73
80-84	248	12.8	213	2	3	9	15	27	60	99+
85+	153	13.1	189	2	3	9	17	30	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	433	4.8	22	1	1	4	6	10	12	24
B. *Operated*	178	3.8	15	1	1	2	5	8	13	20
2. MULTIPLE DX										
A. *Not Operated*	7617	7.7	66	2	2	6	9	15	21	61
B. *Operated*	1623	10.4	138	1	2	7	13	22	36	99+
1. SINGLE DX	611	4.5	20	1	1	3	6	9	12	21
2. MULTIPLE DX	9240	8.2	80	2	2	6	10	16	23	73
A. NOT OPERATED	8050	7.6	64	2	2	6	9	14	21	60
B. OPERATED	1801	9.7	130	1	2	7	12	21	34	97
TOTAL 65-69 YRS	1793	7.0	57	1	2	5	8	14	19	43
70-74	2116	7.5	64	2	2	5	9	15	21	47
75-79	2190	7.7	66	2	2	6	9	15	21	61
80-84	1891	8.5	86	2	2	6	10	17	24	93
85+	1861	9.1	111	2	2	6	10	19	29	99+
GRAND TOTAL	**9851**	**8.0**	**77**	**2**	**2**	**6**	**9**	**16**	**22**	**71**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	1.5	1	1	1	1	2	2	2	2
70-74	9	4.6	20	1	1	2	7	12	14	14
75-79	8	10.4	490	1	1	2	5	47	65	65
80-84	4	3.5	3	2	2	3	5	6	6	6
85+	8	4.1	10	1	1	3	6	9	10	10
B. *Operated*										
65-69 YRS	203	5.3	19	1	1	4	8	12	14	17
70-74	174	5.4	18	1	1	4	9	11	13	17
75-79	102	6.6	52	1	1	5	10	13	17	39
80-84	55	5.2	45	<1	1	2	7	13	17	40
85+	24	5.5	19	<1	1	5	9	11	14	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	135	5.4	20	1	1	4	8	11	14	20
70-74	152	6.7	85	1	1	4	8	13	18	47
75-79	199	6.0	46	1	1	5	7	12	15	28
80-84	160	7.6	52	1	2	6	9	14	20	42
85+	220	8.9	86	2	2	6	11	17	24	60
B. *Operated*										
65-69 YRS	1860	11.1	116	1	2	9	14	24	33	65
70-74	1847	12.0	142	1	2	9	15	26	35	64
75-79	1408	12.4	142	1	2	10	15	26	35	69
80-84	899	14.4	164	1	2	11	18	32	43	89
85+	801	14.7	141	2	4	12	18	29	39	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	5.6	131	1	1	3	5	9	14	65
B. *Operated*	558	5.5	27	1	1	4	9	12	14	18
2. MULTIPLE DX										
A. *Not Operated*	866	7.0	61	1	2	5	8	14	18	45
B. *Operated*	6815	12.5	139	1	2	10	16	27	36	67
1. SINGLE DX	589	5.5	32	1	1	4	9	12	14	19
2. MULTIPLE DX	7681	11.8	133	1	2	9	15	25	35	67
A. NOT OPERATED	897	7.0	64	1	1	5	8	14	18	46
B. OPERATED	7373	11.9	134	1	2	9	15	26	35	66
TOTAL 65-69 YRS	2200	10.2	105	1	1	8	13	22	31	59
70-74	2182	11.0	132	1	2	8	14	24	32	59
75-79	1717	11.3	132	1	2	9	14	23	33	68
80-84	1118	12.9	150	1	2	10	16	29	40	77
85+	1053	13.2	134	2	3	10	16	27	38	73
GRAND TOTAL	**8270**	**11.4**	**129**	**1**	**2**	**9**	**14**	**24**	**34**	**65**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	19	3.3	17	<1	<1	1	3	11	13	14
70-74	16	1.8	1	1	1	1	3	4	4	4
75-79	24	3.1	7	<1	1	2	5	8	8	9
80-84	29	3.9	16	<1	1	3	5	8	10	20
85+	17	2.8	10	<1	<1	1	4	6	11	13
B. *Operated*										
65-69 YRS	222	9.0	21	1	2	9	11	13	15	25
70-74	223	8.7	24	1	2	9	11	14	17	23
75-79	127	10.2	29	1	2	10	13	15	20	45
80-84	64	10.5	43	1	1	11	14	19	21	29
85+	19	12.7	39	1	4	12	17	21	23	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	167	5.3	31	1	1	4	7	10	15	31
70-74	231	5.1	28	1	1	4	6	11	13	23
75-79	267	6.2	31	1	1	4	8	14	17	27
80-84	235	6.1	30	1	1	5	8	13	15	25
85+	213	6.9	45	1	2	5	8	12	19	46
B. *Operated*										
65-69 YRS	1939	13.2	90	2	5	11	15	22	30	58
70-74	2006	14.1	112	2	5	12	16	25	31	66
75-79	1483	14.7	106	2	5	12	17	27	35	58
80-84	689	15.9	142	2	6	13	19	28	41	92
85+	267	15.9	99	3	6	14	20	29	36	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	105	3.1	11	<1	<1	2	4	7	10	17
B. *Operated*	655	9.4	27	1	2	9	12	15	18	25
2. MULTIPLE DX										
A. *Not Operated*	1113	6.0	33	1	1	4	7	12	16	31
B. *Operated*	6384	14.2	107	2	5	12	16	25	33	64
1. SINGLE DX	760	8.5	29	1	1	9	11	15	18	25
2. MULTIPLE DX	7497	13.0	105	2	3	11	16	23	32	61
A. NOT OPERATED	1218	5.7	32	1	1	4	7	12	15	31
B. OPERATED	7039	13.8	102	2	4	12	16	24	32	62
TOTAL 65-69 YRS	2347	12.1	84	2	3	10	14	21	29	51
70-74	2476	12.7	105	2	2	11	15	23	30	61
75-79	1901	13.0	100	2	3	11	16	24	33	55
80-84	1017	13.0	125	1	2	11	16	24	34	78
85+	516	11.6	92	1	2	10	15	24	32	57
GRAND TOTAL	**8257**	**12.6**	**100**	**2**	**2**	**11**	**15**	**23**	**31**	**58**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	1.0		<1	<1	<1	1	1	1	1
70-74	2	3.5	5	2	2	3	5	5	5	5
75-79	1	2.0		2	2	2	2	2	2	2
80-84	1	2.0		2	2	2	2	2	2	2
85+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
65-69 YRS	62	6.5	21	1	2	5	8	12	18	24
70-74	44	8.6	42	2	3	7	11	14	18	39
75-79	37	7.5	16	1	1	7	10	13	15	16
80-84	18	5.5	13	1	1	6	8	10	12	13
85+	3	11.7	2	10	10	12	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	9	2.8	4	1	1	2	4	6	7	7
70-74	15	6.3	48	<1	1	3	8	17	23	25
75-79	16	6.9	31	1	2	4	12	13	18	20
80-84	12	6.5	48	1	1	6	7	14	25	27
85+	6	5.8	90	1	1	2	4	23	25	25
B. *Operated*										
65-69 YRS	308	10.2	71	1	2	8	13	20	28	45
70-74	317	11.7	113	2	3	9	14	23	31	71
75-79	245	11.9	112	2	3	9	14	23	30	65
80-84	131	12.7	124	2	3	10	16	26	39	70
85+	50	11.2	58	2	2	10	13	20	30	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.4	3	<1	<1	2	4	5	5	5
B. *Operated*	164	7.3	26	1	2	6	10	13	16	24
2. MULTIPLE DX										
A. *Not Operated*	58	5.9	39	1	1	3	7	13	23	27
B. *Operated*	1051	11.4	99	2	3	9	14	23	31	58
1. SINGLE DX	172	7.0	26	1	2	6	9	12	16	24
2. MULTIPLE DX	1109	11.1	98	2	3	9	14	22	30	57
A. NOT OPERATED	66	5.5	36	<1	1	3	7	13	21	27
B. OPERATED	1215	10.8	91	2	3	9	13	21	29	56
TOTAL 65-69 YRS	382	9.3	64	1	2	8	12	18	25	41
70-74	378	11.1	103	2	3	9	13	21	30	65
75-79	299	11.1	99	2	3	9	14	20	28	62
80-84	162	11.4	113	1	2	9	14	24	37	62
85+	60	10.6	59	1	2	10	13	20	27	36
GRAND TOTAL	**1281**	**10.6**	**90**	**1**	**2**	**9**	**13**	**20**	**28**	**55**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	21	4.1	11	<1	1	3	7	9	10	10
70-74	24	6.0	56	1	1	3	8	12	22	35
75-79	20	6.1	15	<1	1	6	10	11	12	12
80-84	12	4.8	9	1	1	4	8	9	9	9
85+	9	4.6	18	1	1	4	6	12	13	13
B. *Operated*										
65-69 YRS	374	6.4	26	1	1	6	9	12	16	24
70-74	316	6.2	23	1	1	6	9	13	15	20
75-79	199	7.2	38	1	1	7	10	14	16	28
80-84	97	6.9	20	1	1	7	10	12	16	18
85+	86	6.8	24	1	1	6	9	11	18	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	208	6.3	26	1	1	6	8	11	14	30
70-74	236	7.0	42	1	1	6	10	13	15	24
75-79	219	7.2	26	1	2	6	9	14	17	28
80-84	196	8.3	48	2	2	7	10	15	21	45
85+	206	8.2	40	1	2	7	10	15	18	37
B. *Operated*										
65-69 YRS	2845	11.4	99	1	2	9	15	21	29	58
70-74	2797	12.1	120	2	2	10	15	23	32	61
75-79	2127	12.8	128	2	2	10	16	25	35	66
80-84	1314	13.4	132	2	3	11	17	26	34	73
85+	1014	13.9	128	2	4	11	17	26	35	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	5.2	25	1	1	4	8	10	12	29
B. *Operated*	1072	6.6	27	1	1	6	9	13	16	22
2. MULTIPLE DX										
A. *Not Operated*	1065	7.4	37	1	2	6	9	14	17	31
B. *Operated*	10097	12.4	119	2	2	10	15	24	32	64
1. SINGLE DX	1158	6.5	27	1	1	6	9	12	16	22
2. MULTIPLE DX	11162	11.9	113	2	2	10	15	23	31	62
A. NOT OPERATED	1151	7.2	36	1	2	6	9	13	17	31
B. OPERATED	11169	11.9	113	1	2	10	15	23	31	61
TOTAL 65-69 YRS	3448	10.5	90	1	2	9	13	20	27	55
70-74	3373	11.1	109	1	2	9	14	21	30	57
75-79	2565	11.9	116	1	2	10	15	23	31	63
80-84	1619	12.3	119	2	2	10	16	24	33	71
85+	1315	12.5	113	2	3	10	15	24	33	65
GRAND TOTAL	**12320**	**11.4**	**107**	**1**	**2**	**9**	**14**	**22**	**30**	**59**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	36	6.1	34	1	1	4	9	15	19	25
70-74	43	5.4	42	<1	1	4	7	10	13	41
75-79	39	5.4	46	<1	1	3	8	10	14	41
80-84	22	3.8	6	<1	1	3	6	7	8	10
85+	23	5.8	14	1	1	5	9	10	13	14
B. *Operated*										
65-69 YRS	242	4.8	27	<1	1	2	7	11	15	21
70-74	223	5.1	34	1	1	3	7	12	16	30
75-79	151	5.9	30	1	1	4	10	13	16	26
80-84	90	5.3	35	1	1	3	7	13	18	31
85+	33	7.9	187	2	2	5	7	14	19	80
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	366	5.9	32	1	1	5	7	11	15	33
70-74	431	6.7	41	1	2	5	8	14	17	37
75-79	427	6.6	27	1	2	5	8	13	17	26
80-84	323	8.7	96	2	2	6	10	19	26	92
85+	345	7.3	32	1	2	6	10	14	17	35
B. *Operated*										
65-69 YRS	1555	9.4	95	1	1	7	13	21	28	49
70-74	1579	10.1	116	1	2	7	13	22	31	58
75-79	1193	11.2	143	1	2	8	14	23	33	70
80-84	671	13.6	186	1	2	10	17	30	38	79
85+	433	13.7	155	2	2	10	18	31	40	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	163	5.4	32	1	1	4	7	10	14	39
B. *Operated*	739	5.3	38	1	1	3	8	12	16	30
2. MULTIPLE DX										
A. *Not Operated*	1892	7.0	45	1	2	5	9	14	19	36
B. *Operated*	5431	10.9	130	1	2	8	14	24	32	64
1. SINGLE DX	902	5.3	37	1	1	3	7	12	15	30
2. MULTIPLE DX	7323	9.9	111	1	2	7	13	21	30	59
A. NOT OPERATED	2055	6.9	44	1	2	5	9	14	18	36
B. OPERATED	6170	10.2	122	1	2	7	13	22	31	59
TOTAL 65-69 YRS	2199	8.3	79	1	1	6	11	18	26	46
70-74	2276	8.9	95	1	1	6	11	19	28	54
75-79	1810	9.6	109	1	2	7	12	20	28	60
80-84	1106	11.3	153	1	2	8	14	25	33	78
85+	834	10.6	112	1	2	8	13	23	33	58
GRAND TOTAL	**8225**	**9.4**	**104**	**1**	**2**	**7**	**12**	**20**	**29**	**57**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	352	7.1	10	3	4	7	9	11	13	18
70-74	325	7.3	10	3	4	7	9	11	12	17
75-79	238	7.6	16	2	3	7	9	12	14	20
80-84	146	7.7	11	3	4	8	10	12	14	16
85+	101	7.7	12	2	3	8	10	12	13	17
B. *Operated*										
65-69 YRS	167	7.5	20	1	2	7	10	12	15	25
70-74	137	7.9	18	2	2	7	11	13	15	20
75-79	89	7.8	14	1	2	8	10	13	14	17
80-84	61	7.0	10	2	3	7	9	11	13	15
85+	45	7.7	21	1	1	7	10	14	16	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1779	8.5	20	3	4	8	10	13	16	25
70-74	1839	9.0	33	3	4	8	11	14	17	29
75-79	1536	9.1	33	3	4	8	11	14	17	29
80-84	1155	9.4	30	3	4	8	11	15	19	31
85+	899	9.9	48	3	4	8	12	16	20	51
B. *Operated*										
65-69 YRS	1008	10.2	51	3	4	9	12	17	22	37
70-74	1013	10.5	49	3	4	9	13	18	24	41
75-79	812	10.9	54	3	4	9	13	19	25	42
80-84	535	11.0	58	3	4	9	13	19	26	43
85+	392	11.4	56	3	4	10	14	19	25	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1162	7.4	12	2	3	7	9	11	13	18
B. *Operated*	499	7.6	17	1	2	7	10	13	14	21
2. MULTIPLE DX										
A. *Not Operated*	7208	9.1	31	3	4	8	11	14	17	29
B. *Operated*	3760	10.7	53	3	4	9	13	19	24	41
1. SINGLE DX	1661	7.5	13	2	3	7	10	12	14	18
2. MULTIPLE DX	10968	9.6	39	3	4	8	11	16	20	35
A. NOT OPERATED	8370	8.9	29	3	4	8	11	14	17	28
B. OPERATED	4259	10.3	49	2	4	9	12	18	23	40
TOTAL 65-69 YRS	3306	8.8	29	3	4	8	11	14	18	29
70-74	3314	9.3	36	3	4	8	11	15	18	33
75-79	2675	9.5	38	3	4	8	11	15	19	34
80-84	1897	9.7	37	3	4	8	11	16	20	34
85+	1437	10.1	48	3	4	9	12	17	21	42
GRAND TOTAL	**12629**	**9.3**	**36**	**3**	**4**	**8**	**11**	**15**	**19**	**34**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	29	8.2	24	<1	3	8	11	16	17	20
70-74	34	7.6	58	1	2	6	10	14	20	42
75-79	34	6.9	17	1	2	6	8	14	16	17
80-84	27	10.5	75	1	2	9	13	22	30	37
85+	16	8.6	51	1	2	7	10	17	26	30
B. *Operated*										
65-69 YRS	243	5.0	40	1	1	3	5	9	15	28
70-74	183	6.0	48	1	1	4	6	13	20	32
75-79	88	7.5	66	1	1	5	9	19	26	42
80-84	46	10.8	96	1	2	8	16	21	24	57
85+	33	11.9	97	1	1	8	18	27	31	36
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	305	10.5	75	3	4	8	12	20	24	49
70-74	358	9.9	46	2	4	8	13	18	23	49
75-79	388	10.9	85	3	4	9	13	19	23	57
80-84	388	11.3	84	3	4	9	13	20	32	52
85+	376	11.3	95	3	4	9	14	19	28	86
B. *Operated*										
65-69 YRS	508	10.4	96	2	2	6	15	25	30	44
70-74	436	12.0	113	2	3	9	17	26	33	53
75-79	359	16.5	174	3	4	14	22	34	43	75
80-84	251	16.2	125	3	4	14	23	31	38	56
85+	204	17.8	239	3	5	14	22	31	52	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	140	8.3	44	1	2	7	11	15	20	37
B. *Operated*	593	6.5	58	1	1	4	7	16	23	33
2. MULTIPLE DX										
A. *Not Operated*	1815	10.8	77	3	4	9	13	19	25	56
B. *Operated*	1758	13.7	145	2	3	11	19	29	36	60
1. SINGLE DX	733	6.9	55	1	1	4	8	16	22	34
2. MULTIPLE DX	3573	12.2	113	2	3	9	16	25	32	58
A. NOT OPERATED	1955	10.6	75	3	4	8	13	19	25	54
B. OPERATED	2351	11.9	133	2	2	8	16	27	33	57
TOTAL 65-69 YRS	1085	9.2	81	1	2	6	12	21	27	44
70-74	1011	10.0	80	2	2	7	13	22	29	50
75-79	869	12.7	128	2	3	10	16	26	34	68
80-84	712	13.0	104	3	4	10	16	27	34	56
85+	629	13.3	150	3	4	10	16	25	35	79
GRAND TOTAL	**4306**	**11.3**	**107**	**2**	**3**	**8**	**15**	**23**	**31**	**56**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	27	2.1	3	<1	<1	1	3	5	6	7
70-74	25	2.2	3	<1	<1	1	3	5	6	7
75-79	27	2.5	3	<1	<1	2	3	5	7	8
80-84	11	3.1	4	<1	1	2	4	6	8	8
85+	13	2.2	2	1	1	2	3	4	5	5
B. *Operated*										
65-69 YRS	155	3.7	4	1	1	3	5	6	7	10
70-74	102	4.0	3	1	2	4	5	6	7	9
75-79	48	3.4	3	1	1	3	4	6	7	7
80-84	30	4.1	5	1	1	4	5	7	10	10
85+	5	6.8	6	4	4	7	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	229	4.0	8	<1	1	3	5	8	10	15
70-74	227	4.8	58	1	1	3	5	9	11	43
75-79	194	4.3	7	1	1	4	6	8	9	14
80-84	181	4.8	14	1	2	4	6	8	11	22
85+	175	5.4	50	1	2	4	6	9	11	46
B. *Operated*										
65-69 YRS	1530	4.9	15	1	2	4	6	8	11	18
70-74	1047	5.1	11	2	2	4	6	9	11	17
75-79	577	5.5	13	2	2	5	7	10	12	19
80-84	267	6.2	24	2	3	5	7	12	14	26
85+	154	7.5	37	1	2	6	9	15	18	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	2.3	3	<1	<1	2	3	5	6	8
B. *Operated*	340	3.8	4	1	1	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	1006	4.6	28	1	1	4	6	8	10	18
B. *Operated*	3575	5.2	16	1	2	4	6	9	12	19
1. SINGLE DX	443	3.5	4	<1	1	3	5	6	7	10
2. MULTIPLE DX	4581	5.1	18	1	2	4	6	9	12	19
A. NOT OPERATED	1109	4.4	26	1	1	3	5	8	10	17
B. OPERATED	3915	5.1	15	1	2	4	6	9	12	19
TOTAL 65-69 YRS	1941	4.6	14	1	2	4	5	8	10	18
70-74	1401	4.9	18	1	2	4	6	8	11	17
75-79	846	5.0	12	1	2	4	6	9	11	17
80-84	489	5.5	19	1	2	4	7	10	12	25
85+	347	6.2	43	1	2	5	7	12	16	27
GRAND TOTAL	**5024**	**5.0**	**17**	**1**	**2**	**4**	**6**	**9**	**11**	**19**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	151	6.8	13	1	2	7	9	11	12	17
70-74	151	6.2	13	1	2	6	9	11	12	15
75-79	136	6.2	19	1	2	5	9	12	15	20
80-84	91	6.5	22	1	2	6	9	11	13	27
85+	84	6.5	10	2	2	7	8	11	13	15
B. *Operated*										
65-69 YRS	141	6.9	17	1	2	7	9	12	14	18
70-74	126	6.4	19	1	1	6	9	12	14	19
75-79	62	6.9	17	1	1	7	10	12	14	18
80-84	47	8.4	23	1	3	8	11	13	16	27
85+	37	9.3	47	2	3	8	13	16	19	38
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1811	7.0	28	1	2	6	9	13	16	27
70-74	2019	6.8	23	1	2	6	9	12	15	23
75-79	1980	7.1	26	2	2	6	9	13	16	27
80-84	1596	7.2	37	2	2	6	9	13	16	28
85+	1242	7.1	33	2	2	6	9	13	16	33
B. *Operated*										
65-69 YRS	1125	10.1	61	2	2	9	13	18	25	39
70-74	1097	11.3	91	2	3	9	14	22	30	51
75-79	902	11.6	96	2	3	9	14	21	30	53
80-84	658	11.2	79	2	3	9	14	21	29	49
85+	427	11.6	74	3	4	9	14	20	28	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	613	6.4	15	1	2	6	9	11	13	19
B. *Operated*	413	7.1	21	1	1	7	10	13	15	20
2. MULTIPLE DX										
A. *Not Operated*	8648	7.0	29	2	2	6	9	13	16	27
B. *Operated*	4209	11.1	81	2	3	9	13	21	28	49
1. SINGLE DX	1026	6.7	18	1	2	6	9	12	14	19
2. MULTIPLE DX	12857	8.3	49	2	2	7	10	15	20	38
A. NOT OPERATED	9261	7.0	28	2	2	6	9	13	16	27
B. OPERATED	4622	10.7	77	2	3	9	13	20	27	47
TOTAL 65-69 YRS	3228	8.1	41	1	2	7	10	15	19	34
70-74	3393	8.2	49	1	2	7	10	15	20	38
75-79	3080	8.3	50	2	2	7	10	15	20	39
80-84	2392	8.3	51	2	2	7	10	15	20	38
85+	1790	8.2	46	2	2	7	10	15	20	39
GRAND TOTAL	**13883**	**8.2**	**47**	**2**	**2**	**7**	**10**	**15**	**20**	**37**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	30	3.4	3	1	1	3	5	5	7	9
70-74	32	4.0	4	1	2	4	5	7	8	8
75-79	27	5.8	33	1	1	4	7	10	14	31
80-84	17	4.2	6	2	2	4	5	8	10	10
85+	26	3.1	3	1	1	3	4	6	22	99+
B. *Operated*										
65-69 YRS	9	3.9	30	<1	<1	1	4	14	15	15
70-74	7	2.9	3	1	1	2	4	6	6	6
75-79	3	4.3	4	2	2	5	6	6	6	6
80-84										
85+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	685	5.5	15	2	2	5	7	9	12	18
70-74	620	6.0	19	2	2	5	7	10	14	27
75-79	550	6.4	20	2	2	5	8	12	15	20
80-84	404	6.9	39	2	3	5	8	12	15	25
85+	403	7.1	66	2	2	5	9	12	16	50
B. *Operated*										
65-69 YRS	97	7.5	53	1	2	5	10	16	20	42
70-74	75	10.1	130	2	2	7	10	21	37	64
75-79	74	9.8	68	2	2	7	13	22	26	38
80-84	30	9.7	32	3	3	9	14	16	19	27
85+	20	10.3	108	1	1	8	17	30	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	132	4.1	10	1	1	4	5	8	9	43
B. *Operated*	21	3.4	14	<1	<1	2	4	9	13	15
2. MULTIPLE DX										
A. *Not Operated*	2662	6.3	29	2	2	5	8	11	14	25
B. *Operated*	296	9.1	78	1	2	7	11	19	26	48
1. SINGLE DX	153	4.0	11	1	1	3	5	8	9	30
2. MULTIPLE DX	2958	6.5	34	2	2	5	8	12	15	29
A. NOT OPERATED	2794	6.2	28	2	2	5	7	11	14	26
B. OPERATED	317	8.7	76	1	2	6	11	18	25	47
TOTAL 65-69 YRS	821	5.7	20	1	2	5	7	10	13	20
70-74	734	6.3	31	2	2	5	8	10	14	32
75-79	654	6.7	27	2	2	5	8	13	16	31
80-84	451	6.9	38	2	3	5	8	13	15	26
85+	451	7.0	65	2	2	5	9	13	17	66
GRAND TOTAL	**3111**	**6.4**	**34**	**2**	**2**	**5**	**8**	**12**	**15**	**29**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	189	4.7	5	2	2	4	6	8	9	12
70-74	182	4.9	7	2	2	4	6	8	10	15
75-79	162	4.9	8	2	2	4	6	8	10	16
80-84	112	5.2	8	2	3	5	7	9	10	16
85+	140	4.9	20	1	2	4	6	8	9	20
B. *Operated*										
65-69 YRS	7	3.4	4	1	1	4	4	6	7	7
70-74	9	5.0	24	1	1	4	6	13	17	17
75-79	2	6.5	41	2	2	6	11	11	11	11
80-84	2	5.5	13	3	3	5	8	8	8	8
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	6023	6.8	22	2	3	6	8	12	15	23
70-74	6534	7.0	22	2	3	6	8	12	15	24
75-79	5246	7.1	25	2	3	6	9	12	15	24
80-84	3660	7.4	28	2	3	6	9	13	16	27
85+	3320	7.7	33	2	3	6	9	13	17	29
B. *Operated*										
65-69 YRS	462	10.7	87	2	3	8	13	21	27	72
70-74	452	10.7	62	3	3	9	13	21	27	46
75-79	395	12.7	129	3	4	10	14	24	34	83
80-84	239	13.7	128	4	5	11	16	25	36	75
85+	173	13.4	111	3	5	10	17	28	47	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	785	4.9	9	2	2	4	6	8	10	15
B. *Operated*	20	4.7	15	1	1	4	6	9	14	17
2. MULTIPLE DX										
A. *Not Operated*	24783	7.1	25	2	3	6	9	12	15	25
B. *Operated*	1721	11.9	100	3	4	9	14	23	31	75
1. SINGLE DX	805	4.9	9	2	2	4	6	8	10	15
2. MULTIPLE DX	26504	7.4	32	2	3	6	9	13	17	29
A. NOT OPERATED	25568	7.0	25	2	3	6	9	12	15	25
B. OPERATED	1741	11.8	99	3	4	9	14	23	31	75
TOTAL 65-69 YRS	6681	7.0	28	2	3	6	8	12	15	26
70-74	7177	7.2	26	2	3	6	9	13	16	27
75-79	5805	7.4	34	2	3	6	9	13	17	29
80-84	4013	7.7	36	2	3	6	9	14	18	33
85+	3633	7.8	38	2	3	6	10	14	18	37
GRAND TOTAL	**27309**	**7.3**	**31**	**2**	**3**	**6**	**9**	**13**	**16**	**28**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	1	1.0		1	1	1	1	1	1	1
80-84										
85+										
B. *Operated*										
65-69 YRS	100	1.8	1	<1	1	2	2	3	4	6
70-74	35	1.7	1	<1	1	1	2	3	5	6
75-79	18	1.6	1	<1	<1	1	2	3	4	5
80-84	9	3.0	12	<1	<1	1	4	9	10	10
85+	5	1.6	1	1	1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7	1.7	2	<1	<1	1	2	4	5	5
70-74	3	5.7	17	1	1	7	8	9	9	9
75-79	1	4.0		4	4	4	4	4	4	4
80-84	1	2.0		2	2	2	2	2	2	2
85+										
B. *Operated*										
65-69 YRS	443	2.2	4	1	1	2	3	4	4	10
70-74	257	2.2	3	1	1	2	3	4	5	10
75-79	99	2.3	2	1	1	2	3	4	5	9
80-84	26	2.6	2	<1	1	2	3	5	5	5
85+	14	2.2	1	1	1	2	3	3	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	167	1.8	2	<1	1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	12	2.9	8	<1	<1	2	4	8	9	9
B. *Operated*	839	2.2	3	1	1	2	3	4	5	10
1. SINGLE DX	168	1.8	2	<1	1	1	2	3	4	8
2. MULTIPLE DX	851	2.2	3	1	1	2	3	4	5	10
A. NOT OPERATED	13	2.8	7	<1	<1	1	4	7	9	9
B. OPERATED	1006	2.2	3	1	1	2	3	4	5	9
TOTAL 65-69 YRS	550	2.1	3	1	1	2	3	3	4	10
70-74	295	2.2	3	1	1	2	3	4	5	10
75-79	119	2.2	2	1	1	2	3	4	5	8
80-84	36	2.7	4	<1	1	2	3	5	7	10
85+	19	2.1	1	1	1	2	3	3	4	4
GRAND TOTAL	**1019**	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	5.0	32	<1	<1	4	9	9	9	9
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	1.0		1	1	1	1	1	1	1
80-84										
85+										
B. *Operated*										
65-69 YRS	48	1.7	1	<1	<1	1	2	3	4	5
70-74	29	2.3	7	1	1	1	2	4	8	13
75-79	19	1.7	1	<1	<1	2	2	3	3	3
80-84	8	2.0	2	<1	<1	2	2	4	5	5
85+	6	1.5	1	1	1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	6	1.3	1	<1	<1	1	1	3	3	3
70-74	10	4.7	27	<1	<1	2	6	14	14	14
75-79	5	2.2	1	<1	<1	2	3	3	3	3
80-84	2	1.5	1	<1	<1	1	2	2	2	2
85+	2	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	227	2.4	3	1	1	2	3	4	5	11
70-74	152	2.4	3	1	1	2	3	4	5	10
75-79	90	2.9	10	1	1	2	3	5	7	20
80-84	42	2.3	1	1	1	2	3	4	4	6
85+	19	2.6	1	1	1	3	3	4	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	3.0	16	<1	<1	1	5	9	9	9
B. *Operated*	110	1.9	2	<1	<1	1	2	3	4	10
2. MULTIPLE DX										
A. *Not Operated*	25	3.0	13	<1	<1	2	3	6	14	14
B. *Operated*	530	2.5	4	1	1	2	3	4	5	11
1. SINGLE DX	114	1.9	3	<1	<1	1	2	3	4	10
2. MULTIPLE DX	555	2.5	4	1	1	2	3	4	5	12
A. NOT OPERATED	29	3.0	12	<1	<1	2	3	8	14	14
B. OPERATED	640	2.4	4	1	1	2	3	4	5	11
TOTAL 65-69 YRS	283	2.2	3	<1	1	2	3	4	5	10
70-74	192	2.5	5	1	1	2	3	4	6	13
75-79	115	2.7	8	<1	1	2	3	4	6	17
80-84	52	2.2	1	<1	1	2	3	4	4	6
85+	27	2.4	1	1	1	2	3	4	4	5
GRAND TOTAL	**669**	**2.4**	**4**	**<1**	**1**	**2**	**3**	**4**	**5**	**12**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	3.0		3	3	3	3	3	3	3
75-79										
80-84										
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	22	1.9	1	1	1	2	2	3	4	4
70-74	10	1.8	2	<1	<1	1	2	4	5	5
75-79	6	1.8	1	1	1	2	2	3	3	3
80-84	5	1.6		1	1	2	2	2	2	2
85+	21	1.6		<1	1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
70-74	2	14.5	61	9	9	14	20	20	20	20
75-79										
80-84										
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	24	2.7	5	1	1	2	4	6	7	8
70-74	18	3.7	22	1	1	1	5	9	15	19
75-79	7	2.3	2	<1	<1	2	3	4	4	4
80-84	6	1.3		<1	<1	1	2	2	2	2
85+	14	1.9	2	1	1	2	2	4	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*	64	1.7	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	4	8.0	77	<1	<1	5	14	20	20	20
B. *Operated*	69	2.6	8	1	1	2	3	6	8	17
1. SINGLE DX	66	1.7	1	1	1	2	2	3	3	5
2. MULTIPLE DX	73	2.9	12	1	1	2	3	7	9	20
A. NOT OPERATED	6	6.0	56	<1	<1	2	9	19	20	20
B. OPERATED	133	2.2	5	1	1	2	2	4	6	11
TOTAL 65-69 YRS	47	2.3	3	1	1	2	3	5	6	8
70-74	31	3.7	24	1	1	1	4	9	19	20
75-79	13	2.1	1	<1	1	2	3	4	4	4
80-84	11	1.5		<1	<1	1	2	2	2	2
85+	37	1.7	1	1	1	1	2	3	4	6
GRAND TOTAL	**139**	**2.4**	**7**	**1**	**1**	**2**	**2**	**5**	**7**	**19**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	39	3.1	4	<1	1	3	4	6	7	9
70-74	19	2.2	2	<1	<1	2	3	4	5	6
75-79	13	4.1	7	<1	1	4	6	8	9	9
80-84	9	2.6	2	<1	<1	2	4	5	5	5
85+	8	3.4	5	1	1	3	4	7	8	8
B. *Operated*										
65-69 YRS	368	1.8	2	<1	<1	2	2	3	4	5
70-74	277	2.3	31	<1	<1	2	2	3	5	12
75-79	113	2.6	12	<1	1	2	2	4	6	22
80-84	61	1.8	1	<1	1	2	2	3	3	5
85+	25	2.3	3	<1	<1	2	3	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	175	4.6	13	1	1	4	6	9	11	18
70-74	164	4.7	13	<1	1	4	6	10	13	17
75-79	123	4.8	16	1	1	4	6	9	12	21
80-84	102	5.3	38	1	1	4	6	10	15	37
85+	61	5.7	29	1	1	4	7	11	13	32
B. *Operated*										
65-69 YRS	851	3.9	39	1	1	2	4	8	11	43
70-74	602	3.8	29	1	1	2	4	8	12	29
75-79	359	5.4	64	1	1	2	5	15	23	45
80-84	161	5.0	33	1	1	3	5	13	19	34
85+	77	6.1	79	1	1	4	7	16	18	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	3.0	4	<1	1	2	4	6	8	9
B. *Operated*	844	2.1	13	<1	1	2	2	3	4	11
2. MULTIPLE DX										
A. *Not Operated*	625	4.9	19	1	1	4	6	9	12	21
B. *Operated*	2050	4.3	42	1	1	2	4	9	15	40
1. SINGLE DX	932	2.2	12	<1	1	2	2	4	5	11
2. MULTIPLE DX	2675	4.4	37	1	1	3	5	9	14	35
A. NOT OPERATED	713	4.6	18	1	1	4	6	9	12	20
B. OPERATED	2894	3.7	35	<1	1	2	4	7	12	34
TOTAL 65-69 YRS	1433	3.4	26	<1	1	2	4	7	10	22
70-74	1062	3.5	27	<1	1	2	4	7	11	20
75-79	608	4.7	45	1	1	2	5	10	18	38
80-84	333	4.4	30	1	1	3	5	10	16	30
85+	171	5.3	48	1	1	3	6	11	16	44
GRAND TOTAL	**3607**	**3.9**	**31**	**1**	**1**	**2**	**4**	**8**	**12**	**29**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	952	5.8	10	2	3	5	7	9	11	17
70-74	998	6.0	11	2	3	5	7	10	11	18
75-79	936	6.6	17	2	3	6	8	11	13	18
80-84	813	6.8	14	3	3	6	8	11	14	19
85+	972	7.4	21	2	3	6	9	13	15	24
B. *Operated*										
65-69 YRS	73	8.3	29	2	2	7	11	17	19	27
70-74	72	9.4	40	2	3	8	12	21	25	27
75-79	37	10.8	172	2	3	7	12	17	28	79
80-84	38	10.7	48	1	2	10	13	18	26	32
85+	29	12.9	74	1	4	12	16	19	29	46
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	12268	8.3	34	3	4	7	10	14	18	30
70-74	15027	8.6	34	3	4	7	10	15	18	30
75-79	16115	9.1	41	3	4	8	11	15	19	34
80-84	14985	9.6	46	3	4	8	12	16	21	38
85+	18978	10.1	51	3	4	8	12	17	22	40
B. *Operated*										
65-69 YRS	2006	14.8	129	4	5	12	18	28	39	83
70-74	2299	16.0	144	5	6	13	20	30	41	86
75-79	2150	16.8	158	5	6	14	21	32	42	99
80-84	1688	17.9	168	5	7	14	22	33	46	99
85+	1593	18.1	163	6	7	15	22	35	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4671	6.5	15	2	3	6	8	11	13	20
B. *Operated*	249	9.9	62	2	2	9	12	18	24	32
2. MULTIPLE DX										
A. *Not Operated*	77373	9.2	43	3	4	8	11	16	20	35
B. *Operated*	9736	16.6	153	5	6	13	21	31	43	95
1. SINGLE DX	4920	6.7	18	2	3	6	8	11	14	21
2. MULTIPLE DX	87109	10.1	60	3	4	8	12	18	23	45
A. NOT OPERATED	82044	9.1	41	3	4	8	11	16	20	34
B. OPERATED	9985	16.4	152	5	6	13	20	31	42	94
TOTAL 65-69 YRS	15299	9.0	50	3	4	7	11	16	21	39
70-74	18396	9.4	53	3	4	8	11	17	22	41
75-79	19238	9.8	60	3	4	8	12	17	23	44
80-84	17524	10.3	63	3	4	8	12	18	24	47
85+	21572	10.6	63	3	4	9	13	18	24	46
GRAND TOTAL	**92029**	**9.9**	**59**	**3**	**4**	**8**	**12**	**17**	**23**	**43**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	67	4.6	7	2	2	4	6	7	11	14
70-74	68	4.3	5	2	2	4	5	7	10	11
75-79	64	4.7	7	2	2	4	6	7	10	14
80-84	52	4.8	7	2	2	4	6	8	10	13
85+	41	5.7	16	1	2	5	6	12	13	21
B. *Operated*										
65-69 YRS										
70-74	1	24.0		24	24	24	24	24	24	24
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	687	5.6	15	2	2	5	7	10	12	17
70-74	829	6.0	16	2	2	5	7	10	13	23
75-79	818	6.6	22	2	3	5	8	13	16	22
80-84	661	7.0	30	2	3	6	8	13	17	26
85+	678	7.4	32	2	3	6	9	14	18	27
B. *Operated*										
65-69 YRS	37	12.9	145	2	4	10	14	22	45	58
70-74	40	13.6	92	3	4	11	16	29	35	39
75-79	30	11.9	50	4	5	10	15	22	27	33
80-84	28	10.8	28	4	5	10	16	20	25	99+
85+	25	15.6	102	6	9	12	15	35	40	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	292	4.7	8	2	2	4	6	8	11	14
B. *Operated*	1	24.0		24	24	24	24	24	24	24
2. MULTIPLE DX										
A. *Not Operated*	3673	6.5	23	2	3	5	8	12	15	24
B. *Operated*	160	12.9	87	4	5	11	15	24	35	58
1. SINGLE DX	293	4.8	9	2	2	4	6	8	11	15
2. MULTIPLE DX	3833	6.8	27	2	3	5	8	12	16	26
A. NOT OPERATED	3965	6.4	22	2	2	5	8	12	15	23
B. OPERATED	161	13.0	87	4	5	11	16	24	35	58
TOTAL 65-69 YRS	791	5.9	23	2	2	5	7	11	13	20
70-74	938	6.2	22	2	2	5	7	11	14	29
75-79	912	6.7	23	2	2	5	8	13	16	22
80-84	741	7.0	29	2	3	6	8	13	17	26
85+	744	7.6	35	2	3	6	9	14	18	35
GRAND TOTAL	**4126**	**6.6**	**26**	**2**	**2**	**5**	**8**	**12**	**16**	**26**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	173	5.6	23	1	2	5	6	9	12	26
70-74	181	6.1	17	2	2	5	7	11	13	25
75-79	130	5.4	10	2	2	5	7	9	13	16
80-84	77	6.1	21	2	2	5	7	13	15	27
85+	50	5.3	11	2	3	5	6	8	10	24
B. *Operated*										
65-69 YRS	22	5.1	12	1	1	5	7	10	12	14
70-74	21	4.8	20	<1	<1	4	6	10	14	19
75-79	10	4.7	18	<1	<1	3	9	11	11	11
80-84	1	4.0		4	4	4	4	4	4	4
85+	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1900	7.2	24	2	3	6	9	12	15	27
70-74	1937	7.6	40	2	3	6	9	13	17	31
75-79	1548	7.8	39	2	3	6	9	13	18	32
80-84	1024	7.6	40	2	3	6	9	13	17	26
85+	839	7.3	32	2	3	6	9	13	18	32
B. *Operated*										
65-69 YRS	277	9.8	74	1	2	8	12	20	25	53
70-74	255	10.6	122	2	2	7	12	21	33	54
75-79	200	9.8	77	2	2	8	13	19	26	99+
80-84	112	9.8	66	2	3	8	12	17	26	47
85+	62	10.6	50	2	3	9	13	20	23	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	611	5.8	17	2	2	5	7	10	13	23
B. *Operated*	56	4.9	15	<1	<1	4	7	10	11	19
2. MULTIPLE DX										
A. *Not Operated*	7248	7.5	35	2	3	6	9	13	17	30
B. *Operated*	906	10.1	85	2	2	8	13	20	27	54
1. SINGLE DX	667	5.7	17	1	2	5	7	10	13	22
2. MULTIPLE DX	8154	7.8	41	2	3	6	9	14	18	33
A. NOT OPERATED	7859	7.4	33	2	3	6	9	13	16	29
B. OPERATED	962	9.8	83	2	2	7	12	19	26	54
TOTAL 65-69 YRS	2372	7.4	30	2	3	6	9	13	17	30
70-74	2394	7.8	48	2	3	6	9	13	18	38
75-79	1888	7.8	41	2	3	6	10	14	18	33
80-84	1214	7.7	41	2	3	6	9	14	17	31
85+	953	7.4	33	2	3	6	9	13	18	32
GRAND TOTAL	**8821**	**7.6**	**39**	**2**	**3**	**6**	**9**	**13**	**18**	**32**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	134	6.8	19	2	3	6	8	13	15	25
70-74	139	7.0	21	2	3	6	9	12	16	26
75-79	69	5.8	24	2	2	5	7	11	13	31
80-84	34	5.9	9	2	3	5	7	12	12	12
85+	14	6.5	20	3	3	6	8	11	18	20
B. *Operated*										
65-69 YRS	1	16.0		16	16	16	16	16	16	16
70-74	2	10.0	8	8	8	10	12	12	12	12
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	2.0		2	2	2	2	2	2	2
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1337	8.5	44	2	3	7	10	16	21	36
70-74	1428	8.5	46	2	3	7	10	15	19	33
75-79	1021	8.2	39	2	3	7	10	14	19	41
80-84	584	8.5	71	2	3	6	10	15	22	46
85+	254	8.5	39	3	3	7	10	15	19	34
B. *Operated*										
65-69 YRS	153	16.1	138	3	5	13	21	32	42	53
70-74	185	16.3	189	4	5	12	20	30	46	85
75-79	113	16.3	131	3	6	13	23	33	40	99+
80-84	57	14.2	114	4	5	11	18	30	37	97
85+	26	17.0	138	6	7	13	23	34	45	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	390	6.6	19	2	3	6	8	12	15	25
B. *Operated*	5	7.8	41	1	1	8	13	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	4624	8.4	46	2	3	7	10	15	20	36
B. *Operated*	534	16.0	151	3	5	13	21	31	42	82
1. SINGLE DX	395	6.6	20	2	2	6	8	12	15	25
2. MULTIPLE DX	5158	9.2	63	2	3	7	11	17	23	45
A. NOT OPERATED	5014	8.3	45	2	3	7	10	15	19	35
B. OPERATED	539	16.0	150	3	5	13	21	31	42	81
TOTAL 65-69 YRS	1625	9.1	56	2	3	7	11	18	23	42
70-74	1754	9.2	65	2	3	7	11	17	22	46
75-79	1204	8.8	53	2	3	7	11	16	23	45
80-84	676	8.8	74	2	3	7	10	17	23	52
85+	294	9.2	52	3	3	7	10	16	23	41
GRAND TOTAL	**5553**	**9.0**	**60**	**2**	**3**	**7**	**11**	**17**	**23**	**44**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	988	5.1	9	1	2	5	6	9	10	15
70-74	686	5.1	9	2	2	4	6	8	10	14
75-79	473	5.2	10	2	2	4	7	9	11	19
80-84	226	5.4	9	1	2	5	7	10	11	14
85+	144	5.3	10	2	2	5	7	9	12	22
B. *Operated*										
65-69 YRS	8	6.4	25	2	2	5	9	14	16	16
70-74	7	11.6	48	3	3	12	15	22	23	23
75-79	2	3.5	5	2	2	3	5	5	5	5
80-84	1	8.0		8	8	8	8	8	8	8
85+	2	15.5	1	15	15	15	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5537	6.6	19	2	3	6	8	11	14	22
70-74	4834	6.8	21	2	3	6	8	12	15	24
75-79	3561	7.2	22	2	3	6	9	13	16	25
80-84	2015	7.5	25	2	3	6	9	13	16	26
85+	1247	8.1	37	2	3	7	10	14	19	33
B. *Operated*										
65-69 YRS	307	12.2	99	3	4	10	15	24	31	55
70-74	258	11.8	64	3	5	10	15	22	26	44
75-79	206	14.0	135	4	5	11	17	25	33	76
80-84	114	13.1	81	4	6	11	16	24	29	80
85+	50	14.6	85	4	5	13	18	28	34	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2517	5.2	9	2	2	5	7	9	11	15
B. *Operated*	20	8.9	37	2	2	7	14	16	20	23
2. MULTIPLE DX										
A. *Not Operated*	17194	7.0	23	2	3	6	9	12	15	25
B. *Operated*	935	12.7	95	3	5	10	15	23	30	55
1. SINGLE DX	2537	5.2	9	2	2	5	7	9	11	15
2. MULTIPLE DX	18129	7.3	28	2	3	6	9	13	16	27
A. NOT OPERATED	19711	6.8	21	2	3	6	8	12	15	24
B. OPERATED	955	12.7	94	3	4	10	15	23	30	54
TOTAL 65-69 YRS	6840	6.7	23	2	3	6	8	12	15	25
70-74	5785	6.9	23	2	3	6	8	12	15	25
75-79	4242	7.3	29	2	3	6	9	13	16	27
80-84	2356	7.5	28	2	3	6	9	13	16	29
85+	1443	8.1	38	2	3	7	10	14	19	34
GRAND TOTAL	**20666**	**7.0**	**26**	**2**	**3**	**6**	**9**	**12**	**16**	**27**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	741	6.0	15	2	2	5	8	10	13	19
70-74	776	6.1	14	2	2	5	8	11	13	20
75-79	440	6.2	15	2	3	5	8	10	13	23
80-84	198	6.9	49	2	2	6	8	12	14	42
85+	97	6.2	11	2	2	6	8	11	12	16
B. *Operated*										
65-69 YRS	29	6.3	32	1	1	4	8	16	17	22
70-74	22	6.6	12	1	2	7	9	11	12	14
75-79	15	9.6	171	<1	1	4	12	22	44	51
80-84	4	7.3	38	2	2	5	11	16	16	16
85+	3	7.0	25	2	2	7	11	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	6902	7.7	37	2	3	6	9	14	18	30
70-74	7271	7.9	38	2	3	6	9	14	18	34
75-79	5506	8.1	41	2	3	7	10	15	19	33
80-84	2964	8.2	42	2	3	7	10	15	19	33
85+	1618	8.6	61	2	3	7	10	16	21	49
B. *Operated*										
65-69 YRS	747	13.4	159	2	4	10	16	27	42	99
70-74	767	13.7	148	3	4	10	17	28	41	99+
75-79	537	15.5	183	4	5	11	20	32	45	99+
80-84	305	17.1	267	3	5	12	21	35	56	94
85+	118	17.8	268	3	5	13	23	41	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2252	6.2	17	2	2	5	8	11	13	20
B. *Operated*	73	7.2	53	1	1	6	9	15	17	44
2. MULTIPLE DX										
A. *Not Operated*	24261	8.0	40	2	3	6	10	14	19	33
B. *Operated*	2474	14.6	181	3	4	11	18	30	45	99+
1. SINGLE DX	2325	6.2	19	2	2	5	8	11	13	20
2. MULTIPLE DX	26735	8.6	57	2	3	7	10	16	21	42
A. NOT OPERATED	26513	7.8	39	2	3	6	9	14	18	33
B. OPERATED	2547	14.4	179	3	4	11	18	30	45	99+
TOTAL 65-69 YRS	8419	8.1	49	2	3	6	10	15	19	38
70-74	8836	8.2	48	2	3	7	10	15	20	39
75-79	6498	8.6	56	2	3	7	10	16	21	42
80-84	3471	8.9	69	2	3	7	11	16	22	47
85+	1836	9.1	77	2	3	7	11	17	24	58
GRAND TOTAL	**29060**	**8.4**	**55**	**2**	**3**	**7**	**10**	**15**	**21**	**41**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	5.4	12	2	2	5	7	11	12	12
70-74	12	4.8	14	1	1	4	6	10	13	14
75-79	11	5.5	33	1	2	4	5	14	21	22
80-84	4	2.8	8	1	1	2	4	7	7	7
85+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
65-69 YRS	42	6.3	27	2	2	5	8	13	16	28
70-74	43	7.2	33	2	3	5	9	13	24	25
75-79	20	7.1	35	2	2	5	8	16	22	25
80-84	19	7.5	40	1	2	4	12	18	21	21
85+	12	8.3	58	2	3	6	9	17	29	31
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	52	6.5	17	1	2	5	9	12	15	17
70-74	65	6.8	28	1	2	6	8	11	15	33
75-79	71	7.2	26	2	2	5	10	14	18	24
80-84	50	7.9	68	1	1	6	9	13	22	47
85+	34	6.4	12	1	2	6	9	11	13	14
B. *Operated*										
65-69 YRS	344	11.9	141	3	4	8	14	24	36	78
70-74	405	12.2	105	3	4	9	15	25	32	53
75-79	281	12.6	136	3	4	9	15	27	35	69
80-84	171	12.1	119	3	4	9	15	23	30	71
85+	84	11.3	64	3	4	9	14	22	29	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	4.9	18	1	1	4	6	8	13	22
B. *Operated*	136	7.1	34	2	2	5	9	15	21	28
2. MULTIPLE DX										
A. *Not Operated*	272	7.0	30	1	2	6	9	12	15	32
B. *Operated*	1285	12.1	121	3	4	9	15	24	34	61
1. SINGLE DX	171	6.6	31	2	2	5	8	13	20	27
2. MULTIPLE DX	1557	11.2	109	2	3	8	14	23	31	58
A. NOT OPERATED	307	6.8	29	1	2	5	9	12	15	29
B. OPERATED	1421	11.6	114	3	3	8	14	24	32	59
TOTAL 65-69 YRS	445	10.6	119	2	3	7	12	21	34	65
70-74	525	10.9	93	2	3	8	13	23	30	50
75-79	383	11.1	113	2	3	8	14	22	31	61
80-84	244	10.7	105	2	3	7	14	21	28	55
85+	131	9.7	54	2	3	8	12	20	28	36
GRAND TOTAL	**1728**	**10.8**	**103**	**2**	**3**	**8**	**13**	**22**	**30**	**55**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	157	4.6	12	1	1	4	6	9	10	18
70-74	143	5.2	24	1	1	4	7	10	17	25
75-79	143	5.9	24	1	1	5	8	10	14	32
80-84	103	5.8	17	1	2	5	8	10	15	20
85+	112	6.2	23	1	2	5	8	10	15	25
B. *Operated*										
65-69 YRS	192	5.5	26	1	1	4	8	10	15	28
70-74	160	6.4	37	<1	1	5	9	15	18	26
75-79	131	5.6	24	1	1	4	8	11	14	27
80-84	65	6.4	23	<1	1	6	9	13	15	21
85+	33	9.5	39	1	2	9	13	19	21	23
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3686	7.5	35	2	2	6	9	14	18	30
70-74	4271	7.7	38	2	2	6	10	14	18	32
75-79	4103	8.2	40	2	3	7	10	15	20	34
80-84	3385	8.9	48	2	3	7	11	16	21	34
85+	3813	9.7	61	2	3	8	12	17	23	41
B. *Operated*										
65-69 YRS	1837	11.7	126	2	2	9	15	24	32	69
70-74	1874	12.8	147	2	2	9	16	26	38	62
75-79	1557	13.7	163	2	3	10	17	28	38	81
80-84	1030	15.7	178	2	4	12	21	32	46	82
85+	852	16.1	160	4	5	13	21	32	43	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	658	5.5	20	1	1	4	7	10	14	22
B. *Operated*	581	6.1	30	1	1	5	9	13	16	27
2. MULTIPLE DX										
A. *Not Operated*	19258	8.4	45	2	3	7	10	15	20	34
B. *Operated*	7150	13.5	153	2	3	10	17	27	38	78
1. SINGLE DX	1239	5.8	25	1	1	4	8	11	15	23
2. MULTIPLE DX	26408	9.8	79	2	3	7	12	19	26	49
A. NOT OPERATED	19916	8.3	44	2	3	7	10	15	20	34
B. OPERATED	7731	12.9	148	2	2	10	17	27	37	74
TOTAL 65-69 YRS	5872	8.7	67	2	2	7	11	17	23	42
70-74	6448	9.1	75	2	2	7	11	18	24	48
75-79	5934	9.5	78	2	3	7	12	19	25	47
80-84	4583	10.3	84	2	3	8	13	20	26	53
85+	4810	10.8	84	2	3	8	13	21	28	55
GRAND TOTAL	**27647**	**9.6**	**77**	**2**	**3**	**7**	**12**	**19**	**25**	**48**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	3.2	7	<1	<1	2	5	7	7	7
70-74	3	5.0	16	1	1	5	8	9	9	9
75-79	4	3.8	8	2	2	3	5	8	8	8
80-84										
85+										
B. *Operated*										
65-69 YRS	168	2.4	3	<1	1	2	3	4	6	12
70-74	80	2.5	5	1	1	2	3	4	4	16
75-79	45	2.2	1	<1	1	2	3	4	4	6
80-84	32	3.3	17	<1	1	2	3	8	19	99+
85+	29	1.9	1	<1	<1	2	3	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	63	5.1	20	<1	1	4	6	10	17	20
70-74	41	6.0	25	<1	1	5	7	13	18	22
75-79	40	5.9	51	1	2	4	6	12	14	45
80-84	26	4.2	9	<1	<1	3	7	7	11	12
85+	20	5.0	42	1	1	4	4	8	20	31
B. *Operated*										
65-69 YRS	655	3.0	14	1	1	2	3	5	7	20
70-74	447	3.6	27	1	1	2	4	7	9	33
75-79	359	3.3	15	1	1	2	3	6	9	24
80-84	221	3.0	8	1	1	2	3	5	8	16
85+	154	3.2	18	1	1	2	3	5	8	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	3.8	8	<1	1	3	6	8	9	9
B. *Operated*	354	2.4	5	<1	1	2	3	4	5	18
2. MULTIPLE DX										
A. *Not Operated*	190	5.3	28	1	1	4	6	10	15	27
B. *Operated*	1836	3.2	17	1	1	2	3	6	8	21
1. SINGLE DX	366	2.5	5	<1	1	2	3	4	5	17
2. MULTIPLE DX	2026	3.4	18	1	1	2	3	6	9	21
A. NOT OPERATED	202	5.2	27	<1	1	4	6	10	15	26
B. OPERATED	2190	3.1	15	1	1	2	3	5	8	20
TOTAL 65-69 YRS	891	3.0	13	1	1	2	3	6	8	18
70-74	571	3.6	24	1	1	2	4	7	10	22
75-79	448	3.4	17	1	1	2	3	6	9	24
80-84	279	3.1	9	1	1	2	3	6	10	18
85+	203	3.2	18	1	1	2	3	5	8	28
GRAND TOTAL	**2392**	**3.3**	**16**	**1**	**1**	**2**	**3**	**6**	**9**	**20**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	21	4.0	4	1	1	4	5	7	8	8
70-74	15	4.5	4	2	3	4	5	8	9	9
75-79	17	4.2	4	1	1	4	6	7	7	7
80-84	10	5.8	8	3	3	5	7	10	11	11
85+	16	5.9	7	2	3	6	7	9	11	12
B. *Operated*										
65-69 YRS	145	2.7	12	1	1	2	3	4	5	27
70-74	122	2.7	5	1	1	2	3	5	6	14
75-79	65	2.4	2	<1	1	2	3	4	4	11
80-84	46	3.5	19	<1	1	3	4	6	10	29
85+	18	3.0	7	<1	1	2	3	4	10	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	111	5.8	15	1	2	5	8	11	13	20
70-74	153	6.9	34	1	2	5	8	15	19	43
75-79	105	7.1	24	2	3	6	8	12	19	26
80-84	91	8.4	38	3	3	7	10	14	20	39
85+	129	8.4	28	3	3	7	10	16	19	47
B. *Operated*										
65-69 YRS	264	4.3	22	1	1	3	4	9	13	25
70-74	216	4.8	45	1	1	3	5	10	14	33
75-79	165	4.8	25	1	1	4	5	10	14	41
80-84	111	5.3	30	1	1	3	6	11	14	31
85+	79	7.3	68	1	2	4	8	15	31	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	4.8	5	1	2	5	6	8	9	12
B. *Operated*	396	2.8	9	1	1	2	3	4	6	14
2. MULTIPLE DX										
A. *Not Operated*	589	7.3	29	2	3	6	9	14	18	29
B. *Operated*	835	4.9	34	1	1	3	5	10	15	33
1. SINGLE DX	475	3.1	9	1	1	2	4	5	7	14
2. MULTIPLE DX	1424	5.9	33	1	2	4	7	12	16	32
A. NOT OPERATED	668	7.0	27	2	3	6	8	13	17	27
B. OPERATED	1231	4.2	27	1	1	3	4	8	13	30
TOTAL 65-69 YRS	541	4.2	16	1	1	3	5	8	12	25
70-74	506	4.9	33	1	1	3	6	10	15	28
75-79	352	5.0	22	1	1	4	6	10	14	26
80-84	258	6.1	33	1	2	4	8	12	15	29
85+	242	7.5	40	1	2	6	9	14	18	38
GRAND TOTAL	**1899**	**5.2**	**29**	**1**	**1**	**4**	**6**	**10**	**15**	**30**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	89	3.2	4	1	1	3	4	6	7	9
70-74	93	3.5	10	<1	1	3	4	6	8	20
75-79	69	3.4	9	1	1	3	4	6	7	18
80-84	46	3.0	3	<1	1	3	4	6	6	7
85+	42	3.5	5	1	1	3	4	7	8	10
B. *Operated*										
65-69 YRS	135	4.4	19	<1	1	3	6	11	14	36
70-74	123	4.3	10	<1	<1	3	6	9	10	14
75-79	93	4.9	17	<1	1	4	7	9	11	23
80-84	62	4.9	17	<1	<1	4	8	10	11	19
85+	42	4.6	11	<1	<1	4	6	9	10	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1530	4.7	18	1	2	4	6	8	11	19
70-74	1595	5.1	18	1	2	4	6	9	12	20
75-79	1295	5.4	18	1	2	4	7	10	13	22
80-84	991	5.6	21	1	2	5	7	11	13	19
85+	843	6.4	42	2	2	5	7	12	16	31
B. *Operated*										
65-69 YRS	1140	8.0	62	1	2	6	10	16	24	45
70-74	1171	8.5	77	1	2	6	10	17	24	49
75-79	1057	8.6	68	1	2	6	11	18	23	47
80-84	845	9.0	95	2	2	7	11	17	24	68
85+	666	10.0	101	2	2	7	12	21	30	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	339	3.3	6	1	1	3	4	6	7	14
B. *Operated*	455	4.6	15	<1	<1	3	6	10	11	19
2. MULTIPLE DX										
A. *Not Operated*	6254	5.3	22	1	2	4	7	10	13	21
B. *Operated*	4879	8.7	78	1	2	6	10	18	25	50
1. SINGLE DX	794	4.0	12	<1	1	3	5	8	10	17
2. MULTIPLE DX	11133	6.8	49	1	2	5	8	13	18	37
A. NOT OPERATED	6593	5.2	22	1	2	4	6	10	13	21
B. OPERATED	5334	8.3	74	1	2	6	10	17	23	50
TOTAL 65-69 YRS	2894	6.0	38	1	2	4	7	11	16	32
70-74	2982	6.4	44	1	2	5	8	12	17	37
75-79	2514	6.7	41	1	2	5	8	14	18	33
80-84	1944	7.0	56	1	2	5	8	14	17	37
85+	1593	7.8	69	1	2	5	9	16	22	50
GRAND TOTAL	**11927**	**6.6**	**47**	**1**	**2**	**5**	**8**	**13**	**18**	**37**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	56	3.6	4	1	1	3	5	6	6	12
70-74	51	3.7	6	<1	1	3	5	7	9	11
75-79	31	5.1	13	<1	1	4	7	9	9	20
80-84	23	3.4	4	<1	1	4	5	5	7	9
85+	16	4.0	5	<1	1	3	6	7	8	9
B. *Operated*										
65-69 YRS	50	6.1	13	<1	1	6	9	11	12	13
70-74	43	5.9	22	<1	<1	5	9	11	15	22
75-79	39	7.5	32	<1	1	7	10	14	21	26
80-84	14	4.6	8	1	1	4	7	8	10	10
85+	12	4.3	8	<1	<1	4	6	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	436	5.5	15	2	2	5	7	10	12	18
70-74	410	5.7	13	2	2	5	7	10	12	18
75-79	405	6.6	24	2	2	5	8	12	14	23
80-84	315	6.0	12	2	2	5	8	10	12	18
85+	230	6.7	26	2	2	5	8	12	16	33
B. *Operated*										
65-69 YRS	456	7.8	31	2	3	7	10	13	18	32
70-74	492	8.4	44	2	3	7	10	15	20	37
75-79	423	8.5	63	2	3	7	10	15	21	41
80-84	293	9.0	56	2	3	7	11	15	23	41
85+	192	8.8	35	2	3	8	11	16	21	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	177	3.9	6	1	1	3	5	7	9	12
B. *Operated*	158	6.1	20	<1	<1	5	9	11	13	25
2. MULTIPLE DX										
A. *Not Operated*	1796	6.0	18	2	2	5	7	11	14	22
B. *Operated*	1856	8.4	46	2	3	7	10	15	20	36
1. SINGLE DX	335	5.0	14	<1	1	4	7	10	11	20
2. MULTIPLE DX	3652	7.2	33	2	3	6	9	13	16	30
A. NOT OPERATED	1973	5.8	17	2	2	5	7	10	13	22
B. OPERATED	2014	8.2	44	2	3	7	10	15	20	34
TOTAL 65-69 YRS	998	6.5	23	2	2	5	8	12	14	29
70-74	996	6.9	30	2	2	6	9	12	16	28
75-79	898	7.5	43	2	2	6	9	13	17	28
80-84	645	7.3	34	2	2	6	9	13	16	32
85+	450	7.5	30	2	3	6	9	14	18	29
GRAND TOTAL	**3987**	**7.1**	**32**	**2**	**2**	**6**	**9**	**13**	**16**	**29**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	118	4.3	5	2	2	4	5	7	9	12
70-74	114	4.7	5	2	2	4	6	8	10	13
75-79	87	5.1	8	2	2	5	6	9	11	16
80-84	63	5.9	11	2	2	5	8	9	12	18
85+	56	5.8	11	2	3	5	7	9	13	19
B. *Operated*										
65-69 YRS	94	7.7	30	2	3	7	10	13	17	32
70-74	79	6.3	21	2	3	5	8	12	16	27
75-79	68	7.9	27	3	3	7	10	12	14	34
80-84	49	8.1	15	3	4	8	10	13	15	20
85+	42	8.1	20	2	3	7	11	15	16	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	872	5.9	15	2	3	5	7	10	13	21
70-74	985	6.5	19	2	3	5	8	11	14	25
75-79	984	7.0	23	2	3	6	8	13	16	24
80-84	826	7.6	38	2	3	6	9	14	18	33
85+	787	8.0	40	3	3	7	9	14	17	37
B. *Operated*										
65-69 YRS	963	10.3	77	3	4	8	12	20	25	54
70-74	1118	10.8	97	3	4	8	13	20	30	56
75-79	1158	11.6	99	3	4	9	14	22	29	58
80-84	867	11.2	70	3	4	9	14	21	28	43
85+	701	12.0	89	3	4	9	15	23	30	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	438	5.0	8	2	2	4	6	8	10	16
B. *Operated*	332	7.5	24	2	3	6	10	13	16	30
2. MULTIPLE DX										
A. *Not Operated*	4454	7.0	27	2	3	6	8	12	16	28
B. *Operated*	4807	11.1	88	3	4	8	14	21	28	55
1. SINGLE DX	770	6.1	16	2	2	5	8	11	13	19
2. MULTIPLE DX	9261	9.1	63	3	3	7	11	17	23	44
A. NOT OPERATED	4892	6.8	25	2	3	6	8	12	15	26
B. OPERATED	5139	10.9	84	3	4	8	13	21	28	53
TOTAL 65-69 YRS	2047	7.9	49	2	3	6	9	15	21	35
70-74	2296	8.5	62	2	3	6	10	16	22	46
75-79	2297	9.3	66	3	3	7	11	18	23	46
80-84	1805	9.3	55	3	3	7	11	18	24	40
85+	1586	9.7	64	3	3	7	12	18	24	50
GRAND TOTAL	**10031**	**8.9**	**60**	**3**	**3**	**7**	**10**	**17**	**22**	**43**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	107	4.0	5	1	2	4	5	7	8	12
70-74	91	3.9	7	1	1	3	5	6	7	17
75-79	65	4.0	6	1	2	4	5	8	9	11
80-84	30	4.5	10	1	2	3	5	8	12	15
85+	25	5.6	12	2	3	5	7	9	12	19
B. *Operated*										
65-69 YRS	25	7.5	16	3	3	7	9	11	14	22
70-74	6	9.3	32	1	1	9	14	17	17	17
75-79	11	8.4	72	2	2	6	10	20	31	32
80-84	2	4.0	8	2	2	4	6	6	6	6
85+	4	3.0	5	<1	<1	2	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	914	5.2	12	2	2	4	6	9	10	17
70-74	890	5.5	11	2	2	5	7	9	12	18
75-79	771	5.7	12	2	2	5	7	10	12	19
80-84	596	6.1	16	2	3	5	8	11	14	22
85+	445	7.0	40	2	2	6	8	13	16	27
B. *Operated*										
65-69 YRS	231	10.1	75	2	3	8	12	17	27	47
70-74	223	9.7	57	3	4	8	12	17	25	42
75-79	202	9.8	77	2	3	7	12	18	25	52
80-84	145	10.1	45	3	4	9	13	18	22	38
85+	100	11.4	128	3	4	8	12	23	31	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	318	4.1	7	1	2	4	5	7	9	15
B. *Operated*	48	7.4	30	2	2	6	9	12	17	32
2. MULTIPLE DX										
A. *Not Operated*	3616	5.7	16	2	2	5	7	10	13	20
B. *Operated*	901	10.1	72	3	3	8	12	18	26	46
1. SINGLE DX	366	4.6	11	1	2	4	6	8	10	18
2. MULTIPLE DX	4517	6.6	30	2	2	5	8	12	15	30
A. NOT OPERATED	3934	5.6	15	2	2	5	7	10	12	20
B. OPERATED	949	9.9	70	3	3	8	12	17	25	46
TOTAL 65-69 YRS	1277	6.0	27	2	2	5	7	10	14	32
70-74	1210	6.1	22	2	2	5	7	11	14	25
75-79	1049	6.4	27	2	2	5	8	11	14	28
80-84	773	6.8	24	2	3	5	8	12	15	24
85+	574	7.7	57	2	3	6	9	13	17	35
GRAND TOTAL	**4883**	**6.4**	**29**	**2**	**2**	**5**	**8**	**11**	**15**	**29**

193: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	195	4.4	4	2	2	4	6	7	8	10
70-74	184	4.5	5	2	2	4	6	8	9	11
75-79	135	4.7	5	2	2	4	6	8	9	10
80-84	92	5.7	29	2	3	5	6	8	9	36
85+	75	6.9	40	2	3	5	8	12	16	39
B. *Operated*										
65-69 YRS	90	8.3	13	3	4	8	10	13	16	20
70-74	69	9.1	39	3	3	8	10	13	19	41
75-79	57	9.8	23	3	5	9	11	16	20	28
80-84	35	9.5	17	3	5	10	13	15	16	17
85+	32	10.9	45	5	6	9	11	18	24	39
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1315	6.0	17	2	3	5	7	10	12	20
70-74	1409	6.6	22	2	3	5	8	11	14	25
75-79	1355	7.0	26	2	3	6	8	12	16	29
80-84	1141	7.8	37	3	3	6	9	13	17	31
85+	1145	7.8	34	3	3	7	9	13	17	32
B. *Operated*										
65-69 YRS	714	12.5	105	4	5	10	15	23	28	64
70-74	795	13.9	139	4	5	11	17	25	38	73
75-79	721	14.1	125	4	5	11	17	26	37	93
80-84	634	14.6	114	4	5	11	18	28	35	78
85+	494	15.8	123	5	6	13	20	29	37	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	681	4.9	12	2	2	4	6	8	9	14
B. *Operated*	283	9.2	26	3	4	8	11	15	17	31
2. MULTIPLE DX										
A. *Not Operated*	6365	7.0	27	2	3	6	8	12	15	27
B. *Operated*	3358	14.1	123	4	5	11	17	26	35	72
1. SINGLE DX	964	6.2	20	2	2	5	8	11	13	22
2. MULTIPLE DX	9723	9.4	71	3	3	7	11	18	24	47
A. NOT OPERATED	7046	6.8	26	2	3	6	8	12	15	26
B. OPERATED	3641	13.7	117	4	5	11	17	25	35	69
TOTAL 65-69 YRS	2314	7.9	52	2	3	6	9	15	20	37
70-74	2457	8.9	72	2	3	7	11	17	22	51
75-79	2268	9.2	68	3	3	7	11	17	23	47
80-84	1902	10.0	73	3	3	8	12	19	26	52
85+	1746	10.1	73	3	3	8	12	19	25	44
GRAND TOTAL	**10687**	**9.2**	**68**	**2**	**3**	**7**	**11**	**17**	**23**	**45**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	18	4.2	5	1	1	4	6	8	8	8
70-74	9	6.0	3	3	3	6	7	8	8	8
75-79	8	5.6	6	2	2	6	7	9	10	10
80-84	10	6.7	11	4	4	6	7	12	14	14
85+	13	5.1	4	2	3	5	6	7	9	10
B. *Operated*										
65-69 YRS	28	11.3	20	6	6	10	15	18	19	21
70-74	25	10.6	11	5	8	10	13	15	17	17
75-79	19	11.3	69	<1	1	11	14	19	29	37
80-84	12	10.3	25	2	5	10	13	18	19	19
85+	5	17.2	68	9	9	15	20	31	31	31
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	93	6.6	18	3	3	5	8	12	15	24
70-74	137	7.0	18	2	2	6	9	13	16	22
75-79	125	7.3	17	3	3	6	9	13	16	21
80-84	122	7.6	18	3	3	7	10	13	16	24
85+	91	10.3	110	3	4	8	12	19	24	66
B. *Operated*										
65-69 YRS	253	15.7	143	4	5	13	20	28	34	83
70-74	221	16.7	201	4	5	13	20	31	54	92
75-79	216	16.5	151	4	5	13	22	34	47	99+
80-84	120	19.8	337	5	6	15	24	39	80	99+
85+	99	17.2	170	5	7	13	21	31	44	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	5.3	6	2	2	5	7	8	10	14
B. *Operated*	89	11.3	32	3	6	10	14	17	19	35
2. MULTIPLE DX										
A. *Not Operated*	568	7.7	33	2	3	6	9	13	17	24
B. *Operated*	909	16.8	188	4	5	13	21	32	47	94
1. SINGLE DX	147	8.9	30	2	3	8	12	16	18	31
2. MULTIPLE DX	1477	13.3	149	3	4	10	17	26	36	85
A. NOT OPERATED	626	7.5	31	2	3	6	9	13	17	24
B. OPERATED	998	16.3	177	4	5	13	20	31	44	91
TOTAL 65-69 YRS	392	12.7	116	3	4	10	16	25	31	69
70-74	392	12.7	142	3	4	9	16	24	36	79
75-79	368	12.9	117	3	4	9	17	26	37	76
80-84	264	13.2	198	3	4	9	16	25	38	96
85+	208	13.4	146	3	4	10	16	26	35	69
GRAND TOTAL	**1624**	**12.9**	**140**	**3**	**4**	**10**	**16**	**26**	**34**	**83**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	153	3.2	5	1	1	3	4	6	7	11
70-74	162	3.3	10	1	1	3	4	6	8	16
75-79	102	3.2	3	<1	1	3	4	6	6	9
80-84	67	3.8	9	1	1	3	4	7	9	17
85+	52	3.7	8	1	1	3	5	6	10	17
B. *Operated*										
65-69 YRS	45	4.8	22	<1	<1	4	8	10	11	27
70-74	32	3.7	13	<1	<1	2	6	8	13	14
75-79	35	6.5	180	<1	<1	4	7	8	11	82
80-84	15	4.8	9	<1	<1	4	7	9	10	10
85+	3	16.7	86	9	9	14	24	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2433	5.1	13	1	2	4	6	9	11	19
70-74	2420	5.3	16	2	2	4	7	9	12	18
75-79	2102	5.7	16	2	2	5	7	10	13	20
80-84	1606	6.0	26	2	2	5	7	11	14	31
85+	1453	6.3	23	2	2	5	8	11	14	26
B. *Operated*										
65-69 YRS	749	8.3	55	2	2	7	10	16	21	42
70-74	759	8.0	46	2	3	6	9	14	20	38
75-79	693	9.2	52	2	3	7	11	17	23	38
80-84	485	10.0	84	3	3	8	11	19	26	52
85+	314	11.1	73	3	3	9	14	20	25	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	536	3.4	7	1	1	3	4	6	8	14
B. *Operated*	130	5.3	65	<1	<1	4	7	10	12	38
2. MULTIPLE DX										
A. *Not Operated*	10014	5.6	18	2	2	5	7	10	13	21
B. *Operated*	3000	9.0	59	2	3	7	11	17	23	41
1. SINGLE DX	666	3.7	19	<1	1	3	5	7	9	16
2. MULTIPLE DX	13014	6.4	30	2	2	5	8	12	15	28
A. NOT OPERATED	10550	5.5	18	2	2	4	7	10	13	21
B. OPERATED	3130	8.8	60	2	3	7	10	17	23	41
TOTAL 65-69 YRS	3380	5.7	24	1	2	4	7	11	14	26
70-74	3373	5.8	24	1	2	5	7	10	14	23
75-79	2932	6.4	28	2	2	5	8	12	15	26
80-84	2173	6.8	42	2	2	5	8	12	17	35
85+	1822	7.1	35	2	2	5	8	13	17	33
GRAND TOTAL	**13680**	**6.2**	**30**	**2**	**2**	**5**	**8**	**11**	**15**	**28**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	29	3.6	11	<1	1	3	5	6	7	18
70-74	36	3.8	6	<1	<1	3	5	7	8	12
75-79	26	3.7	12	<1	1	3	5	7	10	18
80-84	11	5.0	17	<1	1	4	6	12	15	15
85+	11	4.7	6	2	2	5	6	8	10	10
B. *Operated*										
65-69 YRS	18	8.4	83	<1	<1	7	10	24	31	33
70-74	17	8.6	19	<1	1	8	11	15	16	16
75-79	10	16.1	101	<1	3	16	22	29	35	35
80-84	6	7.2	36	2	2	4	12	16	17	17
85+	4	6.0	15	<1	<1	6	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	480	5.6	24	1	2	4	7	10	15	26
70-74	483	5.7	22	1	2	4	7	10	14	26
75-79	410	6.3	24	2	2	5	8	12	15	26
80-84	298	6.9	44	1	2	5	8	14	18	41
85+	288	7.6	69	2	2	5	8	14	24	57
B. *Operated*										
65-69 YRS	277	13.7	154	2	3	11	17	24	35	74
70-74	303	14.7	122	2	4	12	20	31	39	57
75-79	262	15.1	141	2	4	12	20	27	34	68
80-84	195	16.2	183	3	5	13	22	33	43	89
85+	144	17.8	221	3	4	14	23	41	52	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	3.9	10	<1	1	3	5	7	10	18
B. *Operated*	55	9.6	63	<1	<1	8	12	21	27	35
2. MULTIPLE DX										
A. *Not Operated*	1959	6.3	34	1	2	5	8	12	16	31
B. *Operated*	1181	15.2	157	3	4	12	20	30	41	73
1. SINGLE DX	168	5.8	34	<1	<1	4	7	12	18	32
2. MULTIPLE DX	3140	9.6	98	2	2	6	12	21	28	56
A. NOT OPERATED	2072	6.1	33	1	2	5	7	12	16	30
B. OPERATED	1236	14.9	154	2	4	12	20	29	40	73
TOTAL 65-69 YRS	804	8.4	85	1	2	5	10	18	23	51
70-74	839	8.9	76	1	2	6	11	20	27	47
75-79	708	9.6	86	2	2	7	12	21	27	53
80-84	510	10.4	117	2	2	7	13	22	33	53
85+	447	10.8	139	2	2	7	13	25	37	69
GRAND TOTAL	**3308**	**9.4**	**96**	**2**	**2**	**6**	**12**	**21**	**27**	**55**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	4.3	9	1	1	4	6	8	8	8
70-74	1	2.0		2	2	2	2	2	2	2
75-79	2	5.0	2	4	4	5	6	6	6	6
80-84										
85+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
65-69 YRS	182	4.8	5	2	3	4	6	8	8	12
70-74	99	4.9	4	2	3	5	6	8	9	11
75-79	57	5.5	6	2	3	5	7	9	10	15
80-84	31	5.4	5	2	3	5	7	8	9	10
85+	21	5.1	12	1	2	4	6	11	12	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	6	3.2		3	3	3	3	4	4	4
70-74	4	4.8	2	3	3	5	6	6	6	6
75-79	12	6.9	24	1	2	7	8	14	17	18
80-84	2	4.5	1	4	4	4	5	5	5	5
85+	3	10.7	54	5	5	8	16	19	19	19
B. *Operated*										
65-69 YRS	216	7.0	48	3	3	6	8	11	14	32
70-74	169	7.6	32	3	3	6	9	14	19	34
75-79	101	7.7	16	3	4	7	9	13	15	21
80-84	57	9.6	21	3	4	9	12	17	19	21
85+	40	10.0	49	3	4	8	11	17	26	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	4.8	8	1	1	4	7	9	9	9
B. *Operated*	390	5.0	5	2	3	5	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	27	6.0	20	2	2	5	7	12	18	19
B. *Operated*	583	7.8	36	3	3	6	9	13	17	30
1. SINGLE DX	398	5.0	5	2	3	5	6	8	9	13
2. MULTIPLE DX	610	7.7	35	3	3	6	9	13	17	29
A. NOT OPERATED	35	5.7	17	1	2	5	7	9	17	19
B. OPERATED	973	6.6	25	3	3	5	8	11	15	24
TOTAL 65-69 YRS	408	5.9	29	2	3	5	7	9	12	20
70-74	273	6.6	23	3	3	5	8	11	15	30
75-79	172	6.9	14	3	3	6	8	12	14	18
80-84	90	8.0	19	3	3	7	10	14	18	21
85+	65	8.4	41	2	3	7	10	16	20	36
GRAND TOTAL	**1008**	**6.6**	**25**	**3**	**3**	**5**	**8**	**11**	**15**	**24**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	3.3	10	<1	<1	2	6	7	7	7
70-74	1	7.0		7	7	7	7	7	7	7
75-79	4	8.5	6	7	7	8	10	12	12	12
80-84										
85+										
B. *Operated*										
65-69 YRS	170	7.5	10	3	4	7	9	11	12	19
70-74	116	8.2	11	4	5	8	10	12	15	19
75-79	73	8.6	17	4	5	8	10	12	14	30
80-84	31	8.9	18	3	4	8	11	14	15	24
85+	20	8.5	11	4	5	8	10	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	20	10.0	30	3	4	9	13	17	22	25
70-74	11	9.9	40	1	3	8	13	19	23	23
75-79	5	10.8	24	3	3	12	14	16	16	16
80-84	5	10.0	64	2	2	7	18	19	19	19
85+	5	8.6	34	1	1	9	12	17	17	17
B. *Operated*										
65-69 YRS	539	11.7	53	5	6	10	14	19	24	43
70-74	412	13.0	72	5	6	11	15	23	29	51
75-79	324	12.7	56	5	6	11	15	21	28	47
80-84	201	14.1	87	6	7	12	17	24	33	62
85+	127	15.6	86	7	7	13	18	26	35	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	6.4	12	<1	1	7	8	11	12	12
B. *Operated*	410	8.0	12	4	5	8	10	12	14	20
2. MULTIPLE DX										
A. *Not Operated*	46	9.9	33	2	3	9	14	18	20	25
B. *Operated*	1603	12.8	66	5	6	11	15	22	28	52
1. SINGLE DX	418	8.0	12	4	5	8	10	12	14	19
2. MULTIPLE DX	1649	12.8	66	5	6	11	15	22	28	52
A. NOT OPERATED	54	9.4	31	1	3	8	12	17	19	25
B. OPERATED	2013	11.9	59	5	6	10	14	20	26	48
TOTAL 65-69 YRS	732	10.6	46	4	5	9	12	17	22	40
70-74	540	11.9	62	4	5	10	14	21	26	42
75-79	406	11.9	50	5	6	10	14	20	26	43
80-84	237	13.4	80	5	7	11	16	23	30	61
85+	152	14.4	81	6	7	12	17	24	34	60
GRAND TOTAL	**2067**	**11.8**	**58**	**5**	**6**	**10**	**14**	**20**	**25**	**47**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	2.5	1	2	2	2	3	3	3	3
70-74	3	3.3	10	1	1	2	6	7	7	7
75-79										
80-84	1	3.0		3	3	3	3	3	3	3
85+										
B. *Operated*										
65-69 YRS	13	5.6	7	3	3	5	7	9	11	11
70-74	10	5.7	6	2	2	5	8	9	10	10
75-79	6	5.3	5	3	3	5	7	9	9	9
80-84	3	6.0	13	3	3	5	9	10	10	10
85+	2	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	15	3.5	5	1	2	3	4	6	9	10
70-74	12	4.8	7	2	2	4	5	8	11	12
75-79	5	2.8	2	1	1	3	4	4	4	4
80-84	3	5.7		5	5	6	6	6	6	6
85+	3	5.3	26	1	1	4	9	11	11	11
B. *Operated*										
65-69 YRS	28	9.2	26	3	4	7	12	16	19	23
70-74	21	8.5	18	4	4	7	10	17	17	17
75-79	15	8.3	32	4	4	6	10	15	22	25
80-84	10	13.1	54	6	6	12	18	24	29	29
85+	4	7.8	38	4	4	5	11	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	3.0	4	1	1	2	3	7	7	7
B. *Operated*	34	5.5	6	3	3	5	7	9	10	11
2. MULTIPLE DX										
A. *Not Operated*	38	4.1	6	1	2	4	5	7	11	12
B. *Operated*	78	9.2	30	4	4	7	12	17	19	28
1. SINGLE DX	40	5.2	6	2	2	5	7	9	10	11
2. MULTIPLE DX	116	7.6	28	2	3	6	10	15	18	26
A. NOT OPERATED	44	4.0	6	1	2	3	5	7	10	12
B. OPERATED	112	8.1	25	3	4	7	10	16	18	27
TOTAL 65-69 YRS	58	6.7	22	2	2	6	9	14	16	23
70-74	46	6.6	15	2	3	6	8	12	17	17
75-79	26	6.5	24	2	3	5	8	12	17	25
80-84	17	9.9	48	3	4	7	14	19	25	29
85+	9	6.1	24	1	2	4	7	15	17	17
GRAND TOTAL	**156**	**6.9**	**23**	**2**	**3**	**6**	**8**	**14**	**17**	**25**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	11	2.7	5	<1	<1	1	5	6	7	7
70-74	15	2.0	3	<1	<1	1	3	5	6	6
75-79	11	2.2	3	<1	<1	1	3	4	6	6
80-84	2	1.5	1	<1	<1	1	2	2	2	2
85+	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	3099	2.9	2	1	1	3	4	5	6	8
70-74	2415	3.1	4	1	1	3	4	5	6	8
75-79	1635	3.2	3	1	1	3	4	5	6	8
80-84	867	3.4	4	1	1	3	4	6	7	10
85+	414	3.6	4	1	1	3	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	87	2.4	5	<1	<1	1	3	5	9	12
70-74	104	3.5	15	<1	1	2	4	7	11	20
75-79	99	3.8	11	<1	1	3	5	8	11	18
80-84	65	4.5	36	<1	1	2	5	10	15	91
85+	51	3.8	12	<1	<1	3	5	8	11	19
B. *Operated*										
65-69 YRS	4959	3.9	10	1	1	3	5	7	9	15
70-74	4502	4.1	8	1	1	3	5	7	9	15
75-79	3593	4.6	13	1	2	4	5	8	11	18
80-84	2031	5.1	21	1	2	4	6	9	12	22
85+	985	5.9	33	1	2	4	7	11	15	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	2.2	3	<1	<1	1	3	5	6	7
B. *Operated*	8430	3.1	3	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	406	3.5	15	<1	<1	2	4	8	11	19
B. *Operated*	16070	4.4	13	1	1	4	5	8	10	18
1. SINGLE DX	8471	3.1	3	1	1	3	4	5	6	8
2. MULTIPLE DX	16476	4.4	13	1	1	4	5	8	10	18
A. NOT OPERATED	447	3.4	14	<1	<1	2	4	7	11	19
B. OPERATED	24500	3.9	10	1	1	3	5	7	9	15
TOTAL 65-69 YRS	8156	3.5	7	1	1	3	4	6	7	13
70-74	7036	3.7	7	1	1	3	5	6	8	13
75-79	5338	4.1	10	1	1	3	5	7	9	16
80-84	2965	4.6	17	1	2	4	5	8	11	20
85+	1452	5.2	25	1	1	4	6	9	13	24
GRAND TOTAL	**24947**	**3.9**	**10**	**1**	**1**	**3**	**5**	**7**	**9**	**16**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	1.0		<1	<1	1	1	1	1	1
70-74	7	3.4	8	1	1	2	6	7	7	7
75-79	7	3.6	6	<1	<1	3	6	6	6	6
80-84	10	2.3	2	1	1	2	3	4	5	5
85+	8	2.3	5	1	1	1	3	6	7	7
B. *Operated*										
65-69 YRS	230	4.1	21	1	2	4	5	6	7	11
70-74	228	4.3	9	1	1	4	5	7	9	16
75-79	199	4.1	6	1	2	4	5	7	7	14
80-84	150	5.1	11	1	2	5	6	8	11	17
85+	144	5.3	10	2	2	5	7	9	12	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	20	3.9	10	<1	<1	3	5	8	11	14
70-74	23	4.2	13	<1	1	4	5	8	12	17
75-79	30	4.0	16	<1	<1	3	5	10	15	16
80-84	40	4.8	15	1	1	4	7	9	14	17
85+	76	6.0	106	1	1	4	7	10	12	65
B. *Operated*										
65-69 YRS	573	6.4	29	2	2	5	7	12	18	28
70-74	741	6.5	34	2	2	5	8	13	17	26
75-79	805	7.1	34	2	2	5	9	14	17	32
80-84	636	8.4	60	2	3	6	10	17	22	41
85+	609	9.1	68	2	3	7	11	18	23	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	2.6	4	<1	1	1	4	6	7	7
B. *Operated*	951	4.5	12	1	2	4	6	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	189	5.0	51	<1	1	3	6	9	12	46
B. *Operated*	3364	7.4	45	2	2	6	9	14	19	35
1. SINGLE DX	988	4.4	12	1	1	4	6	7	9	15
2. MULTIPLE DX	3553	7.3	46	2	2	5	9	14	19	35
A. NOT OPERATED	226	4.6	44	<1	1	3	5	9	12	29
B. OPERATED	4315	6.8	39	2	2	5	8	13	18	32
TOTAL 65-69 YRS	828	5.6	27	1	2	4	7	10	14	27
70-74	999	5.9	28	1	2	5	7	11	15	24
75-79	1041	6.4	30	2	2	5	8	12	16	30
80-84	836	7.5	51	2	2	6	9	14	20	35
85+	837	8.1	63	2	2	6	10	16	20	50
GRAND TOTAL	**4541**	**6.7**	**40**	**1**	**2**	**5**	**8**	**13**	**18**	**32**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	2.5	1	2	2	2	3	3	3	3
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+										
B. *Operated*										
65-69 YRS	77	2.9	3	1	1	3	4	5	6	9
70-74	65	3.0	3	1	1	3	4	5	7	9
75-79	38	3.1	3	1	1	3	4	6	7	7
80-84	13	3.5	9	<1	1	3	4	9	10	10
85+	9	2.9	6	1	1	2	4	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11	3.7	4	2	2	3	4	7	9	9
70-74	13	3.8	15	<1	<1	2	5	8	14	15
75-79	8	4.6	15	1	1	4	6	11	13	13
80-84	2	10.0	50	5	5	10	15	15	15	15
85+	4	11.5	76	5	5	8	17	24	24	24
B. *Operated*										
65-69 YRS	203	4.7	13	1	1	4	6	8	11	22
70-74	139	4.3	11	1	1	4	5	8	9	15
75-79	106	4.6	11	1	2	4	6	8	10	18
80-84	29	4.9	7	2	2	5	6	9	11	11
85+	22	7.1	26	1	2	5	11	13	17	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.5	2	1	1	2	3	4	4	4
B. *Operated*	202	3.0	4	1	1	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	38	5.1	23	<1	1	4	5	12	15	24
B. *Operated*	499	4.7	12	1	1	4	6	9	11	21
1. SINGLE DX	206	3.0	4	1	1	3	4	5	7	9
2. MULTIPLE DX	537	4.7	13	1	1	4	6	9	11	21
A. NOT OPERATED	42	4.8	22	<1	1	4	5	12	15	24
B. OPERATED	701	4.2	10	1	1	3	5	8	10	16
TOTAL 65-69 YRS	293	4.1	10	1	1	4	5	8	10	18
70-74	218	3.9	9	1	1	3	5	7	8	14
75-79	153	4.2	9	1	2	3	5	8	9	16
80-84	44	4.8	10	1	1	4	6	9	11	15
85+	35	6.5	31	1	1	5	10	13	20	24
GRAND TOTAL	**743**	**4.2**	**11**	**1**	**1**	**3**	**5**	**8**	**10**	**17**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	3.4	6	<1	<1	4	6	7	7	7
70-74	1	1.0		1	1	1	1	1	1	1
75-79	3	4.7	30	1	1	2	9	11	11	11
80-84	5	4.8	15	1	1	3	7	11	11	11
85+	4	3.0	6	1	1	3	5	6	6	6
B. *Operated*										
65-69 YRS	490	4.5	6	1	2	4	6	8	9	12
70-74	361	4.6	6	1	2	4	6	8	9	12
75-79	250	4.9	7	1	2	5	7	9	10	11
80-84	122	5.5	9	1	2	5	6	9	10	17
85+	27	5.2	5	<1	2	5	7	8	9	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	51	3.9	10	1	1	3	5	8	12	16
70-74	64	3.8	7	<1	1	3	5	8	9	10
75-79	54	4.4	12	<1	1	4	5	8	11	19
80-84	31	7.7	150	<1	1	5	8	12	22	69
85+	37	4.8	6	2	2	5	6	10	12	99+
B. *Operated*										
65-69 YRS	1253	6.7	27	2	2	6	8	11	16	25
70-74	1057	6.9	20	2	3	6	8	11	14	22
75-79	698	7.1	32	2	3	6	9	12	16	24
80-84	293	7.6	35	2	3	6	10	13	17	27
85+	137	7.6	39	2	3	6	9	13	17	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	3.7	10	<1	1	3	6	8	11	11
B. *Operated*	1250	4.7	7	1	2	4	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	237	4.6	28	<1	1	4	6	9	11	28
B. *Operated*	3438	6.9	27	2	3	6	8	12	15	24
1. SINGLE DX	1272	4.7	7	1	2	4	6	8	9	12
2. MULTIPLE DX	3675	6.8	27	2	2	6	8	12	15	24
A. NOT OPERATED	259	4.6	27	<1	1	4	6	9	11	23
B. OPERATED	4688	6.4	23	2	2	5	8	11	14	22
TOTAL 65-69 YRS	1803	6.0	22	1	2	5	7	10	13	21
70-74	1483	6.2	17	1	2	6	8	10	13	20
75-79	1005	6.4	26	1	2	5	8	11	15	22
80-84	451	7.0	36	2	2	6	9	12	15	24
85+	205	6.7	29	1	2	6	8	12	15	73
GRAND TOTAL	**4947**	**6.3**	**23**	**1**	**2**	**5**	**8**	**11**	**14**	**22**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	39	4.0	7	1	1	3	5	8	10	12
70-74	38	3.0	3	<1	1	3	4	5	6	7
75-79	32	4.0	11	1	2	3	4	8	13	16
80-84	22	3.0	2	1	2	3	3	4	6	7
85+	17	5.1	8	1	2	5	8	9	10	11
B. *Operated*										
65-69 YRS	24	6.8	10	1	2	7	9	11	12	12
70-74	16	7.8	14	1	3	7	9	11	16	18
75-79	7	8.6	7	5	5	7	11	12	12	12
80-84	2	8.0	8	6	6	8	10	10	10	10
85+	3	7.7	12	4	4	8	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	799	4.1	6	1	2	4	5	7	9	14
70-74	761	4.6	8	1	2	4	6	8	10	14
75-79	690	5.2	11	2	2	4	7	9	11	17
80-84	564	5.5	17	2	2	4	7	9	11	23
85+	437	6.2	47	2	2	5	7	11	15	41
B. *Operated*										
65-69 YRS	353	8.9	39	2	3	8	10	15	20	31
70-74	321	9.3	38	2	3	8	11	16	19	37
75-79	210	10.0	58	2	4	8	12	16	21	45
80-84	134	11.4	99	3	4	9	14	20	28	50
85+	66	13.7	212	3	3	9	16	30	51	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	148	3.7	7	1	1	3	5	7	9	13
B. *Operated*	52	7.4	11	1	3	7	10	11	12	18
2. MULTIPLE DX										
A. *Not Operated*	3251	5.0	15	1	2	4	6	9	11	18
B. *Operated*	1084	9.8	61	2	3	8	11	17	21	43
1. SINGLE DX	200	4.7	10	1	1	4	7	10	11	14
2. MULTIPLE DX	4335	6.2	31	2	2	5	8	11	15	28
A. NOT OPERATED	3399	4.9	15	1	2	4	6	9	11	18
B. OPERATED	1136	9.7	59	2	3	8	11	17	21	42
TOTAL 65-69 YRS	1215	5.6	21	1	2	4	7	10	13	22
70-74	1136	5.9	21	1	2	5	8	11	14	21
75-79	939	6.2	26	2	2	5	8	12	14	22
80-84	722	6.5	37	2	2	5	8	11	17	30
85+	523	7.1	72	2	2	5	8	13	19	59
GRAND TOTAL	**4535**	**6.1**	**31**	**2**	**2**	**5**	**8**	**11**	**15**	**28**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	2.0		2	2	2	2	2	2	2
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	66	3.7	5	1	1	3	4	7	8	12
70-74	65	3.3	4	1	1	3	4	5	7	12
75-79	52	3.3	3	1	1	3	4	6	7	8
80-84	27	3.7	5	1	1	3	5	7	8	10
85+	21	3.9	5	1	1	3	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	6	5.0	4	2	2	5	7	7	7	7
70-74	9	5.6	3	3	3	6	6	8	9	9
75-79	12	4.5	10	<1	<1	4	7	9	10	10
80-84	6	4.5	24	1	1	3	5	13	14	14
85+	8	5.8	28	<1	1	4	7	15	17	17
B. *Operated*										
65-69 YRS	132	4.9	15	1	2	4	6	10	12	24
70-74	128	4.6	9	1	1	4	6	10	10	14
75-79	123	5.6	24	1	1	4	7	12	14	26
80-84	63	6.4	36	1	2	5	7	13	18	36
85+	39	6.9	56	1	2	5	8	15	20	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	231	3.5	4	1	1	3	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	41	5.0	12	<1	1	5	6	9	12	17
B. *Operated*	485	5.4	22	1	1	4	6	10	14	24
1. SINGLE DX	232	3.5	4	1	1	3	5	6	7	11
2. MULTIPLE DX	526	5.4	21	1	1	4	6	10	14	23
A. NOT OPERATED	42	5.0	12	<1	1	4	6	9	12	17
B. OPERATED	716	4.8	17	1	1	4	6	9	12	21
TOTAL 65-69 YRS	204	4.5	12	1	1	4	5	8	11	21
70-74	203	4.2	7	1	1	4	5	8	10	13
75-79	187	4.9	18	1	1	4	6	9	14	20
80-84	96	5.5	28	1	1	5	6	9	16	31
85+	68	5.9	38	1	1	4	7	13	17	38
GRAND TOTAL	**758**	**4.8**	**17**	**1**	**1**	**4**	**6**	**9**	**12**	**21**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	2.3	2	1	1	2	3	4	5	5
70-74	17	3.4	11	<1	1	2	4	6	12	15
75-79	13	4.2	7	2	2	4	5	7	11	12
80-84	16	3.7	4	1	1	3	5	6	7	8
85+	13	3.9	3	<1	1	4	5	6	6	6
B. *Operated*										
65-69 YRS	282	5.0	13	1	1	4	6	9	11	17
70-74	231	5.1	10	1	2	5	7	9	10	14
75-79	195	6.0	12	2	2	5	8	11	13	16
80-84	143	6.4	19	1	2	5	8	13	14	20
85+	96	7.1	27	1	2	6	10	15	19	68
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	71	4.7	13	1	1	4	6	8	12	22
70-74	100	5.3	11	1	2	5	7	9	11	17
75-79	110	5.6	22	2	2	4	7	10	12	30
80-84	106	5.9	14	2	3	5	7	11	13	19
85+	116	6.6	22	2	2	6	8	13	16	52
B. *Operated*										
65-69 YRS	884	9.2	69	2	3	7	11	17	22	47
70-74	901	9.4	52	2	3	8	11	17	22	39
75-79	857	10.3	86	2	3	8	12	19	26	59
80-84	684	11.1	65	3	4	9	14	20	25	47
85+	527	12.4	86	3	4	10	16	23	29	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	3.6	6	1	1	3	5	6	7	14
B. *Operated*	947	5.6	15	1	2	5	7	10	13	19
2. MULTIPLE DX										
A. *Not Operated*	503	5.7	17	2	2	5	7	10	13	25
B. *Operated*	3853	10.3	72	2	3	8	13	19	25	48
1. SINGLE DX	1015	5.5	15	1	2	5	7	10	13	19
2. MULTIPLE DX	4356	9.7	68	2	3	8	12	18	24	47
A. NOT OPERATED	571	5.4	16	1	2	5	7	10	13	24
B. OPERATED	4800	9.3	64	2	3	7	12	18	23	45
TOTAL 65-69 YRS	1246	7.9	57	1	2	6	9	15	20	38
70-74	1249	8.2	45	2	2	7	10	15	20	34
75-79	1175	9.1	71	2	3	7	11	16	23	47
80-84	949	9.6	57	2	3	8	12	18	23	39
85+	752	10.7	74	2	3	8	14	21	27	65
GRAND TOTAL	**5371**	**8.9**	**60**	**2**	**3**	**7**	**11**	**17**	**22**	**43**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	541	4.5	9	1	2	4	6	8	9	15
70-74	467	4.6	9	1	2	4	6	8	10	15
75-79	367	4.4	7	1	2	4	5	8	10	15
80-84	239	4.8	13	1	2	4	6	9	11	17
85+	246	5.4	14	1	2	4	7	10	14	18
B. *Operated*										
65-69 YRS	231	11.2	42	5	6	10	13	18	21	38
70-74	190	10.8	28	5	6	10	12	17	20	37
75-79	154	11.5	43	5	7	10	13	18	22	25
80-84	117	11.0	22	5	6	10	12	18	22	25
85+	72	11.5	41	5	6	10	14	17	21	40
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2419	6.3	26	1	2	5	8	11	14	25
70-74	2830	6.4	24	2	2	5	8	12	15	21
75-79	2599	6.9	31	2	2	6	8	12	16	27
80-84	2349	7.4	34	2	3	6	9	14	18	30
85+	2415	7.8	36	2	3	6	10	14	18	32
B. *Operated*										
65-69 YRS	1630	16.0	126	6	7	13	19	28	39	68
70-74	1861	16.3	127	6	7	13	19	29	38	67
75-79	1662	16.3	110	6	7	14	20	28	36	66
80-84	1359	16.7	110	6	8	14	20	29	38	63
85+	1146	17.7	130	6	8	15	21	30	40	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1860	4.7	10	1	2	4	6	8	10	16
B. *Operated*	764	11.1	35	5	6	10	13	17	21	35
2. MULTIPLE DX										
A. *Not Operated*	12612	6.9	31	2	2	6	9	13	16	27
B. *Operated*	7658	16.5	121	6	7	14	20	29	38	66
1. SINGLE DX	2624	6.6	26	1	2	5	9	12	16	24
2. MULTIPLE DX	20270	10.6	86	2	3	8	13	21	28	50
A. NOT OPERATED	14472	6.7	29	2	2	5	8	12	15	27
B. OPERATED	8422	16.0	116	6	7	13	19	28	37	65
TOTAL 65-69 YRS	4821	9.6	81	2	2	7	12	19	25	51
70-74	5348	9.9	82	2	3	7	12	19	26	49
75-79	4782	10.1	78	2	3	8	13	20	26	47
80-84	4064	10.5	79	2	3	8	13	21	27	45
85+	3879	10.7	84	2	3	8	13	21	27	50
GRAND TOTAL	**22894**	**10.1**	**81**	**2**	**3**	**8**	**13**	**20**	**26**	**49**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	323	3.0	4	<1	1	2	4	6	7	10
70-74	269	3.3	6	1	1	3	4	7	8	11
75-79	224	3.4	5	1	1	3	4	7	8	11
80-84	145	3.4	10	1	1	3	4	6	9	19
85+	152	3.9	9	1	1	3	5	7	9	16
B. *Operated*										
65-69 YRS	33	6.4	39	<1	1	5	9	11	12	35
70-74	26	6.0	27	<1	<1	5	8	13	16	23
75-79	15	5.7	21	<1	<1	5	7	9	16	19
80-84	8	7.3	14	1	2	8	8	12	14	14
85+	3	8.3	2	7	7	8	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3035	4.7	13	1	2	4	6	8	11	19
70-74	3260	5.1	18	1	2	4	6	9	12	19
75-79	3232	5.3	20	2	2	4	6	10	12	21
80-84	2616	5.7	22	2	2	5	7	10	13	26
85+	2627	6.1	30	2	2	5	7	11	15	28
B. *Operated*										
65-69 YRS	469	10.5	97	2	3	8	12	21	28	49
70-74	489	10.2	73	2	3	8	13	19	28	57
75-79	446	11.0	83	3	3	8	14	22	30	47
80-84	338	12.8	127	3	4	9	15	25	34	74
85+	171	11.3	63	3	4	9	16	21	28	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1113	3.3	6	1	1	3	4	6	8	12
B. *Operated*	85	6.3	28	<1	1	6	8	11	14	31
2. MULTIPLE DX										
A. *Not Operated*	14770	5.4	20	1	2	4	7	10	13	22
B. *Operated*	1913	11.0	90	2	3	8	14	22	29	58
1. SINGLE DX	1198	3.5	8	1	1	3	4	7	9	14
2. MULTIPLE DX	16683	6.0	32	2	2	5	7	11	15	29
A. NOT OPERATED	15883	5.2	20	1	2	4	6	9	12	21
B. OPERATED	1998	10.8	89	2	3	8	13	21	29	57
TOTAL 65-69 YRS	3860	5.3	27	1	2	4	6	10	13	28
70-74	4044	5.6	27	1	2	4	7	10	14	26
75-79	3917	5.9	30	1	2	4	7	11	15	28
80-84	3107	6.4	38	2	2	5	8	12	16	36
85+	2953	6.3	32	2	2	5	8	12	16	29
GRAND TOTAL	**17881**	**5.8**	**30**	**1**	**2**	**4**	**7**	**11**	**15**	**29**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	713	5.0	7	1	2	5	7	9	9	14
70-74	573	4.6	7	1	2	4	6	8	10	13
75-79	461	4.9	8	1	2	4	7	8	10	12
80-84	362	4.9	10	1	2	4	6	9	11	16
85+	233	5.2	23	1	2	4	7	9	10	14
B. *Operated*										
65-69 YRS	193	9.8	18	3	5	9	11	15	17	25
70-74	147	10.7	30	3	5	10	12	17	19	37
75-79	98	11.7	38	2	5	10	15	21	24	28
80-84	50	12.0	35	4	5	10	16	20	22	30
85+	25	11.2	51	2	3	10	15	18	24	36
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2931	5.8	14	2	2	5	7	10	12	18
70-74	3532	6.1	18	2	2	5	8	10	13	22
75-79	3719	6.3	24	2	2	5	8	11	14	22
80-84	3223	6.6	24	2	2	5	8	12	15	26
85+	3300	7.3	35	2	3	6	9	13	17	30
B. *Operated*										
65-69 YRS	1775	13.2	81	4	5	11	16	23	29	54
70-74	1816	13.6	88	3	5	11	17	24	31	52
75-79	1604	14.6	113	3	5	12	18	26	34	63
80-84	1097	14.7	121	4	5	12	18	27	36	80
85+	802	15.4	141	4	5	13	19	30	41	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2342	4.9	9	1	2	4	6	8	10	14
B. *Operated*	513	10.7	29	3	5	10	12	17	21	28
2. MULTIPLE DX										
A. *Not Operated*	16705	6.4	23	2	2	5	8	11	14	24
B. *Operated*	7094	14.1	104	4	5	12	17	25	33	61
1. SINGLE DX	2855	5.9	18	1	2	5	8	11	13	21
2. MULTIPLE DX	23799	8.7	59	2	3	7	11	17	22	42
A. NOT OPERATED	19047	6.2	22	2	2	5	8	11	14	23
B. OPERATED	7607	13.9	99	4	5	11	17	25	33	59
TOTAL 65-69 YRS	5612	8.2	47	2	3	6	10	15	20	34
70-74	6068	8.3	51	2	2	7	10	16	21	37
75-79	5882	8.5	61	2	3	6	10	17	22	42
80-84	4732	8.4	58	2	3	6	10	17	22	43
85+	4360	8.7	64	2	3	7	11	17	22	47
GRAND TOTAL	**26654**	**8.4**	**56**	**2**	**3**	**6**	**10**	**16**	**21**	**40**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	3.7	14	2	2	2	3	10	12	12
70-74	3	5.0	1	4	4	5	6	6	6	6
75-79	6	3.8	5	2	2	3	4	8	8	8
80-84	4	5.5	16	2	2	5	9	9	9	9
85+	4	6.8	36	<1	<1	5	11	15	15	15
B. *Operated*										
65-69 YRS	245	3.2	6	1	1	3	4	5	7	16
70-74	132	3.4	5	1	1	3	4	6	9	10
75-79	78	3.4	5	1	2	3	4	6	10	11
80-84	25	4.0	5	1	2	3	6	8	8	9
85+	14	4.2	14	<1	1	2	8	13	78	99+
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	76	4.7	14	<1	1	4	6	8	9	25
70-74	47	5.3	18	1	1	4	7	10	14	22
75-79	46	6.6	52	1	2	5	8	11	14	47
80-84	41	6.9	46	2	2	5	7	13	19	40
85+	36	8.0	40	2	3	6	10	18	22	31
B. *Operated*										
65-69 YRS	793	5.0	24	1	1	4	6	9	14	28
70-74	562	5.5	38	1	2	4	6	11	17	36
75-79	300	6.2	50	1	2	4	7	11	19	38
80-84	164	7.2	53	2	2	5	8	14	20	45
85+	91	9.8	111	1	3	7	13	19	27	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	4.7	13	1	2	3	6	10	13	15
B. *Operated*	494	3.3	6	1	1	3	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	246	6.0	32	1	2	5	7	11	15	31
B. *Operated*	1910	5.7	40	1	2	4	6	11	17	34
1. SINGLE DX	518	3.4	6	1	1	3	4	6	8	14
2. MULTIPLE DX	2156	5.8	39	1	2	4	7	11	17	33
A. NOT OPERATED	270	5.9	30	1	2	5	7	11	15	31
B. OPERATED	2404	5.3	34	1	1	4	6	10	15	32
TOTAL 65-69 YRS	1121	4.6	20	1	1	3	5	8	12	25
70-74	744	5.1	31	1	1	3	6	10	15	32
75-79	430	5.7	43	1	2	4	6	11	16	37
80-84	234	6.7	47	2	2	5	8	13	19	41
85+	145	8.8	84	1	2	6	11	19	25	84
GRAND TOTAL	**2674**	**5.3**	**33**	**1**	**1**	**4**	**6**	**10**	**15**	**32**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	246	4.2	24	<1	1	3	5	8	11	19
70-74	235	3.6	6	1	1	3	5	7	8	12
75-79	248	4.0	14	<1	1	3	5	8	11	17
80-84	192	4.0	14	1	1	3	5	8	10	22
85+	178	3.5	8	1	1	3	5	6	9	15
B. *Operated*										
65-69 YRS	286	6.6	35	<1	1	5	9	12	17	29
70-74	270	7.2	45	1	1	5	9	15	21	36
75-79	176	7.3	64	1	1	5	9	14	20	44
80-84	101	7.3	35	1	2	6	10	13	18	32
85+	87	8.9	121	1	2	6	11	17	22	69
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2388	5.7	24	1	2	4	7	11	15	24
70-74	2631	6.0	28	1	2	5	7	12	15	27
75-79	2906	6.1	35	1	2	5	7	12	15	29
80-84	2594	6.4	39	1	2	5	8	12	16	34
85+	2787	6.8	48	1	2	5	8	13	17	36
B. *Operated*										
65-69 YRS	2426	12.4	137	2	3	9	15	25	34	69
70-74	2307	12.5	135	2	3	9	16	26	37	71
75-79	2059	13.1	147	2	3	10	16	27	38	72
80-84	1473	13.9	147	2	3	11	17	30	40	81
85+	1199	13.4	122	2	4	10	17	26	35	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1099	3.9	14	1	1	3	5	7	10	16
B. *Operated*	920	7.2	52	1	1	5	9	14	20	36
2. MULTIPLE DX										
A. *Not Operated*	13306	6.2	35	1	2	5	8	12	16	29
B. *Operated*	9464	12.9	138	2	3	10	16	27	37	71
1. SINGLE DX	2019	5.4	34	1	1	4	7	11	15	27
2. MULTIPLE DX	22770	9.0	89	2	2	6	11	19	26	52
A. NOT OPERATED	14405	6.1	34	1	2	5	7	12	15	29
B. OPERATED	10384	12.4	133	2	3	9	15	26	36	68
TOTAL 65-69 YRS	5346	8.7	87	1	2	6	11	18	25	48
70-74	5443	8.7	84	1	2	6	11	18	26	52
75-79	5389	8.7	90	1	2	6	11	18	26	53
80-84	4360	8.9	88	1	2	6	11	18	27	54
85+	4251	8.6	78	1	2	6	11	18	24	46
GRAND TOTAL	**24789**	**8.7**	**86**	**1**	**2**	**6**	**11**	**18**	**26**	**51**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	22	8.0	100	1	2	5	10	14	29	49
70-74	9	7.3	22	1	2	6	10	15	15	15
75-79	4	5.0	8	1	1	6	7	7	7	7
80-84	1	4.0		4	4	4	4	4	4	4
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	17	5.9	50	<1	1	2	8	17	24	26
70-74	8	7.1	62	1	1	4	10	20	24	24
75-79	5	2.4	7	1	1	1	3	7	7	7
80-84	2	4.0	8	2	2	4	6	6	6	6
85+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	712	9.7	49	3	4	8	12	19	24	35
70-74	402	10.6	76	2	3	8	13	21	26	47
75-79	203	11.1	81	3	3	8	14	24	31	50
80-84	55	10.5	71	2	4	9	13	21	24	52
85+	20	14.1	120	4	5	10	18	31	40	45
B. *Operated*										
65-69 YRS	266	13.8	163	2	3	10	17	26	38	67
70-74	170	15.1	214	1	3	11	19	29	37	83
75-79	72	13.4	224	1	2	9	15	31	41	85
80-84	19	11.5	74	1	2	11	15	23	31	36
85+	5	11.6	14	6	6	12	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	7.2	66	1	1	5	8	14	16	49
B. *Operated*	33	5.5	42	1	1	2	7	13	23	26
2. MULTIPLE DX										
A. *Not Operated*	1392	10.3	64	3	3	8	13	20	26	43
B. *Operated*	532	14.1	183	2	3	10	17	28	37	72
1. SINGLE DX	70	6.4	55	1	1	4	8	14	19	44
2. MULTIPLE DX	1924	11.3	99	2	3	9	14	22	29	56
A. NOT OPERATED	1429	10.2	64	3	3	8	13	20	26	43
B. OPERATED	565	13.5	178	1	2	10	17	28	36	70
TOTAL 65-69 YRS	1017	10.7	83	2	3	8	13	21	28	53
70-74	589	11.8	119	2	3	9	15	24	30	59
75-79	284	11.4	117	2	3	8	14	24	34	62
80-84	77	10.5	70	2	2	9	13	20	26	48
85+	27	12.7	100	3	4	10	15	25	37	45
GRAND TOTAL	**1994**	**11.1**	**99**	**2**	**3**	**8**	**14**	**22**	**29**	**55**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	19	7.6	81	1	1	5	9	16	30	40
70-74	18	4.9	7	1	2	4	7	9	9	9
75-79	9	4.7	5	1	1	5	7	7	7	7
80-84	2	6.5	25	3	3	6	10	10	10	10
85+	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
65-69 YRS	96	2.4	13	<1	1	1	2	4	7	23
70-74	56	3.6	37	<1	1	1	4	10	13	39
75-79	34	3.8	29	1	1	2	4	9	13	28
80-84	9	5.7	18	1	1	5	9	11	11	11
85+	3	4.0	3	2	2	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	432	8.9	53	2	3	7	11	16	21	38
70-74	381	9.9	69	2	3	8	13	16	21	65
75-79	265	9.9	57	2	3	8	13	19	25	42
80-84	160	10.2	60	2	3	9	12	17	25	48
85+	87	13.1	161	3	4	9	17	21	38	65
B. *Operated*										
65-69 YRS	494	9.4	95	1	1	7	13	21	28	45
70-74	369	9.9	95	1	1	7	13	21	29	38
75-79	241	11.2	132	1	1	8	15	25	35	69
80-84	102	13.0	159	1	2	10	17	26	32	72
85+	40	12.1	74	1	2	11	18	23	29	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	5.9	36	1	1	5	7	10	13	40
B. *Operated*	198	3.2	23	<1	1	1	3	8	11	30
2. MULTIPLE DX										
A. *Not Operated*	1325	9.8	67	2	3	8	12	18	23	44
B. *Operated*	1246	10.3	107	1	1	8	14	23	29	56
1. SINGLE DX	248	3.7	26	1	1	2	4	9	11	31
2. MULTIPLE DX	2571	10.0	87	1	2	8	13	20	27	52
A. NOT OPERATED	1375	9.7	66	2	3	8	12	17	23	44
B. OPERATED	1444	9.3	102	1	1	6	13	21	28	53
TOTAL 65-69 YRS	1041	8.5	73	1	1	6	11	18	25	40
70-74	824	9.4	80	1	1	7	12	18	25	41
75-79	549	10.0	91	1	1	7	13	22	29	56
80-84	273	11.1	98	2	2	9	13	20	28	58
85+	132	12.4	131	2	3	9	17	22	33	62
GRAND TOTAL	**2819**	**9.5**	**85**	**1**	**1**	**7**	**12**	**19**	**27**	**49**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	49	5.1	11	1	2	4	6	10	11	13
70-74	28	7.0	19	2	2	6	9	13	16	21
75-79	12	5.1	8	2	2	4	7	9	11	11
80-84	13	8.3	34	2	3	5	14	16	17	17
85+	6	11.2	54	3	3	10	19	20	20	20
B. *Operated*										
65-69 YRS	31	4.5	24	<1	1	3	6	9	14	25
70-74	20	10.2	141	<1	1	6	14	30	35	40
75-79	13	3.8	25	1	1	2	4	12	17	18
80-84	8	16.6	616	<1	<1	6	24	60	70	70
85+	3	7.3	26	3	3	6	11	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	751	8.2	40	2	3	7	10	16	19	31
70-74	676	9.0	57	2	3	7	11	17	22	36
75-79	476	9.1	71	2	3	7	11	18	24	46
80-84	236	9.6	40	3	3	8	12	18	23	32
85+	144	9.1	38	2	3	8	11	16	22	30
B. *Operated*										
65-69 YRS	276	13.3	122	2	2	10	18	27	34	55
70-74	254	14.2	142	1	2	12	21	32	37	53
75-79	163	14.5	122	1	3	12	20	31	38	94
80-84	90	15.4	183	2	2	11	19	37	47	82
85+	35	14.3	96	1	3	12	19	31	43	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	6.3	20	2	2	5	9	13	16	20
B. *Operated*	75	7.3	126	<1	1	3	8	18	30	62
2. MULTIPLE DX										
A. *Not Operated*	2283	8.8	51	2	3	7	11	17	22	36
B. *Operated*	818	14.1	133	2	2	11	19	31	37	60
1. SINGLE DX	183	6.7	63	1	1	4	9	13	19	39
2. MULTIPLE DX	3101	10.2	78	2	3	8	13	21	28	46
A. NOT OPERATED	2391	8.7	50	2	3	7	11	16	21	35
B. OPERATED	893	13.5	136	1	2	10	19	31	37	61
TOTAL 65-69 YRS	1107	9.3	65	2	2	7	11	18	25	37
70-74	978	10.3	85	2	3	8	13	22	30	44
75-79	664	10.2	88	2	3	7	12	22	30	49
80-84	347	11.2	95	2	3	9	14	23	32	57
85+	188	10.1	53	2	3	8	13	20	25	45
GRAND TOTAL	**3284**	**10.0**	**78**	**2**	**3**	**8**	**13**	**21**	**28**	**46**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	227	3.3	6	1	1	3	4	6	9	11
70-74	186	3.8	8	1	1	3	5	7	9	14
75-79	139	3.8	7	1	1	3	5	7	8	12
80-84	110	4.3	8	1	1	4	5	8	10	14
85+	93	4.4	8	1	2	4	5	8	9	15
B. *Operated*										
65-69 YRS	1847	6.8	6	4	4	6	8	10	12	15
70-74	1294	7.2	10	4	4	7	8	10	12	17
75-79	686	7.9	9	4	5	7	9	12	14	17
80-84	317	8.7	12	4	5	8	10	13	15	21
85+	142	9.9	60	4	5	8	11	14	19	33
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1433	4.9	12	1	2	4	6	9	11	17
70-74	1490	5.6	22	1	2	4	7	10	14	22
75-79	1357	6.2	26	2	2	5	8	11	14	22
80-84	1150	6.4	23	2	2	5	8	11	14	21
85+	1336	7.2	37	2	2	6	9	13	16	29
B. *Operated*										
65-59 YRS	7435	9.3	32	4	5	8	11	15	18	30
70-74	6475	10.3	39	5	5	9	12	17	21	37
75-79	4564	11.6	53	5	6	10	14	19	24	39
80-84	2628	13.0	80	5	6	11	15	21	28	51
85+	1630	14.8	85	6	7	12	17	25	32	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	755	3.8	7	1	1	3	5	7	9	13
B. *Operated*	4286	7.3	10	4	4	7	8	11	13	17
2. MULTIPLE DX										
A. *Not Operated*	6766	6.0	24	1	2	5	7	11	14	22
B. *Operated*	22732	10.9	50	5	5	9	13	18	23	39
1. SINGLE DX	5041	6.8	11	2	3	6	8	11	12	17
2. MULTIPLE DX	29498	9.7	48	3	4	8	12	17	21	37
A. NOT OPERATED	7521	5.8	23	1	2	5	7	11	14	22
B. OPERATED	27018	10.3	45	4	5	9	12	17	22	37
TOTAL 65-69 YRS	10942	8.1	28	3	4	7	10	13	17	27
70-74	9445	9.0	36	3	4	8	11	15	19	31
75-79	6746	9.9	48	3	4	8	12	17	21	37
80-84	4205	10.6	67	3	4	9	13	18	23	43
85+	3201	11.1	76	2	3	9	14	20	27	50
GRAND TOTAL	**34539**	**9.3**	**44**	**3**	**4**	**8**	**11**	**16**	**20**	**35**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	104	3.8	6	1	1	3	5	7	8	12
70-74	75	4.3	7	1	1	4	6	8	10	11
75-79	61	4.4	6	1	1	4	6	8	9	10
80-84	46	4.4	8	1	1	3	6	8	9	13
85+	38	4.9	7	1	2	5	7	9	10	12
B. *Operated*										
65-69 YRS	109	7.8	15	4	4	7	9	12	15	24
70-74	109	8.1	19	4	4	7	9	12	14	31
75-79	54	9.1	15	4	5	9	11	14	17	19
80-84	37	9.7	21	4	5	9	11	15	19	25
85+	12	11.1	23	3	6	10	14	17	21	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	509	5.6	14	1	2	5	7	10	12	18
70-74	476	6.3	16	2	2	6	8	11	14	22
75-79	418	6.4	18	2	2	5	8	11	13	24
80-84	369	7.2	46	2	2	6	8	12	16	36
85+	437	8.1	42	2	3	7	10	15	18	38
B. *Operated*										
65-69 YRS	749	10.9	64	4	5	9	12	19	24	44
70-74	676	11.8	47	5	6	10	14	20	25	43
75-79	497	12.3	44	5	6	10	15	21	26	38
80-84	312	14.3	101	6	7	12	17	24	31	54
85+	243	15.9	95	7	8	13	19	29	37	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	324	4.2	7	1	1	4	6	8	9	12
B. *Operated*	321	8.5	18	4	4	8	10	14	16	26
2. MULTIPLE DX										
A. *Not Operated*	2209	6.7	27	2	2	6	8	12	15	25
B. *Operated*	2477	12.3	65	5	6	10	15	21	27	45
1. SINGLE DX	645	6.3	17	1	2	6	8	11	14	20
2. MULTIPLE DX	4686	9.7	55	2	3	8	12	17	23	40
A. NOT OPERATED	2533	6.4	25	1	2	5	8	11	14	23
B. OPERATED	2798	11.9	61	5	5	10	14	20	26	44
TOTAL 65-69 YRS	1471	8.3	47	2	3	7	10	14	20	38
70-74	1336	9.1	39	2	3	8	11	16	21	34
75-79	1030	9.2	39	2	3	8	12	17	22	32
80-84	764	10.0	78	2	3	8	12	19	25	46
85+	730	10.6	72	2	3	8	13	19	26	50
GRAND TOTAL	**5331**	**9.3**	**52**	**2**	**3**	**8**	**11**	**17**	**22**	**38**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	18	3.7	8	1	1	3	5	8	10	10
70-74	26	3.0	2	1	1	3	3	6	6	6
75-79	22	3.8	6	1	1	3	6	7	8	9
80-84	25	4.7	9	1	1	5	6	8	10	12
85+	22	6.0	33	1	2	4	6	16	21	23
B. *Operated*										
65-69 YRS	136	7.4	21	1	2	7	10	13	17	22
70-74	135	7.6	26	1	1	7	11	14	17	22
75-79	107	8.7	49	1	1	8	12	16	19	37
80-84	81	8.3	29	1	1	8	11	16	18	21
85+	64	9.2	45	1	1	8	14	20	21	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	140	5.2	9	1	2	5	6	9	11	16
70-74	154	5.4	16	1	1	4	7	10	13	19
75-79	167	6.6	19	2	2	6	8	12	16	23
80-84	137	6.6	16	2	3	6	8	12	14	20
85+	204	7.7	34	2	2	6	10	14	18	34
B. *Operated*										
65-69 YRS	690	11.9	54	4	5	10	14	19	24	39
70-74	778	12.7	71	3	5	11	16	22	26	48
75-79	701	13.8	80	3	5	12	16	23	32	50
80-84	576	14.8	77	4	6	13	18	25	32	43
85+	534	15.1	91	3	5	13	19	25	33	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	4.2	12	1	1	3	6	8	10	20
B. *Operated*	523	8.1	33	1	1	8	11	16	19	22
2. MULTIPLE DX										
A. *Not Operated*	802	6.4	21	1	2	5	8	12	15	24
B. *Operated*	3279	13.5	75	3	5	12	17	23	29	45
1. SINGLE DX	636	7.4	31	1	1	7	10	15	18	22
2. MULTIPLE DX	4081	12.1	72	2	4	11	15	22	27	43
A. NOT OPERATED	915	6.1	20	1	2	5	8	12	15	23
B. OPERATED	3802	12.8	73	2	4	11	16	22	27	44
TOTAL 65-69 YRS	984	10.2	50	2	3	9	13	17	22	35
70-74	1093	10.8	65	2	2	10	14	20	25	39
75-79	997	11.8	75	2	3	10	15	21	27	47
80-84	819	12.4	73	2	4	11	16	22	28	41
85+	824	12.6	83	2	3	11	17	23	29	43
GRAND TOTAL	**4717**	**11.5**	**69**	**2**	**3**	**10**	**15**	**21**	**26**	**42**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	26	5.5	37	<1	1	4	6	9	18	31
70-74	25	4.8	12	<1	1	4	7	11	11	12
75-79	28	5.3	10	2	2	5	8	10	12	12
80-84	21	6.6	17	2	3	6	7	14	16	17
85+	18	4.2	9	<1	1	4	6	8	10	12
B. *Operated*										
65-69 YRS	32	5.4	14	1	1	5	8	11	12	14
70-74	28	7.9	41	1	1	6	12	17	20	25
75-79	25	9.7	66	<1	1	10	13	20	23	33
80-84	19	6.4	34	1	1	6	9	16	20	21
85+	7	4.9	17	2	2	2	7	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	233	6.4	19	1	2	6	8	12	15	22
70-74	246	6.8	25	1	2	6	8	13	18	23
75-79	217	7.8	40	2	2	7	9	13	19	34
80-84	183	7.5	25	1	2	6	9	13	17	26
85+	264	8.5	54	2	3	7	10	16	19	35
B. *Operated*										
65-69 YRS	322	12.9	97	2	3	11	17	26	33	64
70-74	327	13.7	125	2	3	11	18	28	35	67
75-79	276	14.7	130	2	3	12	19	30	39	55
80-84	241	14.7	113	3	4	12	19	27	36	72
85+	188	16.1	90	4	6	15	20	29	37	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	5.3	17	1	1	5	7	10	12	21
B. *Operated*	111	7.1	38	1	1	5	11	16	20	28
2. MULTIPLE DX										
A. *Not Operated*	1143	7.4	34	2	2	6	9	13	18	32
B. *Operated*	1354	14.2	113	2	3	12	18	28	35	62
1. SINGLE DX	229	6.2	28	1	1	5	8	13	17	26
2. MULTIPLE DX	2497	11.1	88	2	3	9	14	22	30	49
A. NOT OPERATED	1261	7.2	33	1	2	6	9	13	17	31
B. OPERATED	1465	13.7	111	2	3	11	18	27	35	58
TOTAL 65-69 YRS	613	9.7	72	1	2	8	13	19	27	45
70-74	626	10.3	90	1	2	8	13	21	30	46
75-79	546	11.3	97	2	2	9	14	23	32	50
80-84	464	11.2	84	2	3	9	14	21	28	46
85+	477	11.3	81	2	3	9	15	21	29	54
GRAND TOTAL	**2726**	**10.7**	**85**	**2**	**2**	**8**	**14**	**21**	**29**	**48**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	211	5.3	10	2	2	5	7	9	10	12
70-74	175	5.5	8	2	3	5	7	9	11	16
75-79	114	6.3	15	1	2	5	8	11	13	20
80-84	72	6.0	14	2	2	5	7	10	15	19
85+	69	5.4	11	2	2	5	7	9	11	19
B. *Operated*										
65-69 YRS	34	7.7	61	1	1	6	9	17	28	35
70-74	36	7.8	28	<1	2	8	12	14	16	21
75-79	15	5.6	29	1	1	2	7	15	16	16
80-84	10	14.2	281	1	1	12	13	37	60	60
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1346	7.4	38	2	3	6	9	13	18	33
70-74	1256	7.5	27	2	3	6	9	13	17	30
75-79	1001	7.7	31	2	3	6	9	13	18	27
80-84	780	8.0	32	2	3	7	10	14	18	29
85+	691	8.3	43	2	3	7	10	14	18	29
B. *Operated*										
65-69 YRS	559	16.2	225	3	5	12	19	34	53	99+
70-74	514	15.0	140	3	5	12	18	27	38	66
75-79	361	15.7	145	3	5	13	19	30	39	66
80-84	272	15.4	141	4	5	13	19	29	36	61
85+	145	14.5	139	3	5	11	17	30	38	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	641	5.6	11	2	2	5	7	9	11	18
B. *Operated*	95	8.1	68	1	1	7	12	15	18	49
2. MULTIPLE DX										
A. *Not Operated*	5074	7.7	34	2	3	6	9	13	17	30
B. *Operated*	1851	15.5	167	3	5	12	19	31	42	86
1. SINGLE DX	736	5.9	19	2	2	5	7	10	12	19
2. MULTIPLE DX	6925	9.8	81	2	3	7	12	18	25	51
A. NOT OPERATED	5715	7.5	32	2	3	6	9	13	17	29
B. OPERATED	1946	15.2	164	3	5	12	18	30	42	86
TOTAL 65-69 YRS	2150	9.5	[illegible]	2	3	7	11	18	27	67
70-74	1981	9.2	67	2	3	7	11	17	23	45
75-79	1491	9.5	70	2	3	7	11	18	24	45
80-84	1134	9.7	70	2	3	7	11	18	24	48
85+	905	9.0	62	2	3	7	11	16	24	39
GRAND TOTAL	**7661**	**9.4**	**77**	**2**	**3**	**7**	**11**	**18**	**24**	**50**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	144	3.7	5	<1	1	3	5	6	8	11
70-74	164	3.7	6	1	1	3	5	7	8	13
75-79	163	4.9	11	1	1	4	6	9	12	16
80-84	139	4.2	8	1	1	3	6	8	10	13
85+	160	4.2	6	1	2	4	5	7	9	12
B. *Operated*										
65-69 YRS	29	8.8	43	3	3	6	10	16	26	31
70-74	26	6.0	14	1	2	5	9	11	13	15
75-79	22	8.5	173	1	1	4	8	22	41	60
80-84	18	7.9	22	2	3	7	10	16	17	17
85+	14	13.8	246	1	2	6	16	38	47	50
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2627	5.5	14	2	2	5	7	10	12	20
70-74	3254	6.0	23	2	2	5	7	10	14	24
75-79	3536	6.4	26	2	2	5	8	11	15	25
80-84	3367	6.7	28	2	3	5	8	12	15	26
85+	4151	7.0	28	2	3	6	9	13	16	28
B. *Operated*										
65-69 YRS	912	9.7	79	2	3	7	11	20	27	50
70-74	1200	9.2	60	2	3	7	11	17	23	42
75-79	1152	10.0	73	2	3	8	12	19	26	50
80-84	948	10.9	98	3	4	8	14	21	29	68
85+	839	11.1	92	3	4	9	14	21	27	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	770	4.1	7	1	1	3	5	7	9	14
B. *Operated*	109	8.6	86	1	2	6	10	16	28	54
2. MULTIPLE DX										
A. *Not Operated*	16935	6.4	25	2	2	5	8	11	15	25
B. *Operated*	5051	10.1	79	2	3	8	12	19	26	50
1. SINGLE DX	879	4.7	19	1	1	4	6	8	11	19
2. MULTIPLE DX	21986	7.2	40	2	2	6	9	13	18	33
A. NOT OPERATED	17705	6.3	24	2	2	5	8	11	15	24
B. OPERATED	5160	10.1	80	2	3	8	12	19	26	50
TOTAL 65-69 YRS	3712	6.5	34	2	2	5	8	12	16	31
70-74	4644	6.7	34	2	2	5	8	12	17	29
75-79	4873	7.2	40	2	2	6	9	14	18	34
80-84	4472	7.5	45	2	3	6	9	14	18	35
85+	5164	7.6	41	2	3	6	9	14	18	35
GRAND TOTAL	**22865**	**7.1**	**39**	**2**	**2**	**6**	**9**	**13**	**18**	**33**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	2.6	2	1	1	2	4	5	5	5
70-74	2	4.0	18	1	1	4	7	7	7	7
75-79	2	2.5	1	2	2	2	3	3	3	3
80-84	2	4.5	1	4	4	4	5	5	5	5
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	3	3.3	10	1	1	2	6	7	7	7
70-74	2	31.0	1800	<1	<1	30	61	61	61	61
75-79	2	6.5	5	5	5	6	8	8	8	8
80-84	2	15.5	85	9	9	15	22	22	22	22
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	59	7.0	25	1	2	6	9	14	17	24
70-74	66	9.2	33	3	4	8	12	18	20	29
75-79	55	11.0	89	2	3	9	14	18	24	62
80-84	34	8.5	50	1	3	8	10	13	25	36
85+	23	10.5	51	4	5	9	12	19	25	37
B. *Operated*										
65-69 YRS	61	14.8	118	3	4	12	19	28	42	95
70-74	53	16.5	142	3	6	12	22	30	38	69
75-79	55	16.4	110	3	6	14	23	33	35	47
80-84	27	16.5	214	3	4	12	19	32	48	71
85+	6	14.8	51	7	7	13	21	25	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	3.1	3	1	1	3	4	5	7	7
B. *Operated*	9	12.9	367	<1	<1	7	12	45	61	61
2. MULTIPLE DX										
A. *Not Operated*	237	9.1	50	2	3	8	11	18	20	36
B. *Operated*	202	15.9	131	3	5	13	21	30	38	70
1. SINGLE DX	23	6.9	159	<1	1	3	6	12	36	61
2. MULTIPLE DX	439	12.2	99	2	3	10	16	24	31	61
A. NOT OPERATED	251	8.7	49	2	2	7	11	18	20	36
B. OPERATED	211	15.8	140	3	5	12	21	31	38	70
TOTAL 65-69 YRS	130	10.3	85	1	2	8	14	20	27	68
70-74	123	12.6	113	2	4	10	16	25	30	63
75-79	114	13.4	106	2	4	10	18	25	33	53
80-84	65	11.9	131	2	3	9	13	26	34	67
85+	30	11.1	53	3	4	9	13	20	25	37
GRAND TOTAL	**462**	**12.0**	**103**	**2**	**3**	**9**	**15**	**24**	**31**	**61**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	8.0	2	7	7	8	9	9	9	9
70-74	4	6.5	6	3	3	7	8	8	8	8
75-79	3	5.7	4	4	4	5	7	8	8	8
80-84	3	8.0	4	6	6	8	9	10	10	10
85+										
B. *Operated*										
65-69 YRS	20	2.3	2	<1	<1	2	3	4	5	6
70-74	20	4.9	18	1	1	3	7	11	14	16
75-79	6	8.5	119	1	1	3	15	27	28	28
80-84	4	2.0	1	1	1	2	3	3	3	3
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	96	7.5	40	2	2	6	10	15	17	37
70-74	101	8.3	47	1	2	7	10	14	23	37
75-79	82	8.3	47	2	3	6	10	16	26	35
80-84	50	8.9	59	3	3	7	10	16	31	36
85+	40	9.4	23	4	5	9	11	15	18	28
B. *Operated*										
65-69 YRS	137	8.2	65	1	1	6	12	19	27	32
70-74	117	8.7	68	1	2	6	12	20	25	39
75-79	91	11.3	89	2	2	9	15	25	31	43
80-84	29	14.8	284	2	2	10	17	37	57	75
85+	18	18.9	180	5	6	15	25	41	50	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	6.9	4	3	4	7	8	9	10	10
B. *Operated*	50	4.0	24	<1	1	2	4	10	15	28
2. MULTIPLE DX										
A. *Not Operated*	369	8.3	44	2	3	7	10	15	21	36
B. *Operated*	392	10.1	99	1	2	7	13	23	29	48
1. SINGLE DX	62	4.6	22	<1	1	3	7	9	13	27
2. MULTIPLE DX	761	9.2	73	1	2	7	12	19	27	44
A. NOT OPERATED	381	8.3	43	2	3	7	10	15	21	36
B. OPERATED	442	9.4	94	1	2	6	13	22	29	46
TOTAL 65-69 YRS	255	7.5	52	1	1	5	11	16	23	31
70-74	242	8.2	54	1	2	7	11	17	24	36
75-79	182	9.8	71	2	2	7	12	21	29	38
80-84	86	10.5	139	2	2	7	11	21	32	68
85+	58	12.4	89	4	5	10	14	24	29	52
GRAND TOTAL	**823**	**8.9**	**70**	**1**	**2**	**7**	**11**	**19**	**27**	**43**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	2	5.5	5	4	4	5	7	7	7	7
75-79										
80-84										
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS										
70-74	2	1.0		<1	<1	<1	1	1	1	1
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	23	9.0	69	1	2	6	10	23	30	30
70-74	32	8.1	26	3	3	7	10	16	18	25
75-79	29	9.1	66	3	4	7	10	19	22	43
80-84	31	9.2	37	3	3	8	11	19	20	26
85+	23	9.6	74	3	4	8	10	14	26	46
B. *Operated*										
65-69 YRS	29	10.2	63	2	2	9	16	22	25	28
70-74	38	14.5	169	2	2	11	18	26	47	63
75-79	20	18.9	162	4	5	16	27	36	44	48
80-84	15	18.2	237	7	7	14	19	39	59	66
85+	8	12.6	43	5	6	11	17	23	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	4.3	6	1	1	4	6	7	7	7
B. *Operated*	2	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	138	9.0	51	3	3	7	10	18	21	43
B. *Operated*	110	14.5	146	2	2	11	19	27	40	64
1. SINGLE DX	6	3.2	7	<1	<1	3	5	7	7	7
2. MULTIPLE DX	248	11.4	100	2	3	8	14	23	30	52
A. NOT OPERATED	142	8.8	50	3	3	7	10	18	21	43
B. OPERATED	112	14.3	146	2	2	11	19	27	40	64
TOTAL 65-69 YRS	53	9.6	64	1	2	7	15	22	28	30
70-74	74	11.1	110	2	3	8	14	21	27	60
75-79	49	13.1	126	3	4	8	19	30	41	48
80-84	46	12.2	117	3	4	9	15	20	29	66
85+	32	10.1	67	3	4	9	12	16	24	46
GRAND TOTAL	**254**	**11.2**	**99**	**2**	**3**	**8**	**14**	**22**	**29**	**52**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	13	3.7	11	1	1	2	3	10	12	12
70-74	4	5.3	16	2	2	4	8	11	11	11
75-79	4	3.3	7	<1	<1	2	5	7	7	7
80-84	8	7.3	34	2	2	5	13	15	16	16
85+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
65-69 YRS	64	4.1	20	1	1	2	5	10	11	28
70-74	38	4.7	19	<1	1	3	6	11	16	18
75-79	32	5.8	49	1	1	3	6	16	19	33
80-84	17	9.1	177	1	1	4	12	21	43	55
85+	6	3.3	7	1	1	2	5	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	254	7.6	67	1	2	6	9	14	20	52
70-74	311	8.9	82	2	3	7	10	17	24	60
75-79	336	9.0	72	2	3	7	11	17	25	45
80-84	302	9.6	60	2	3	7	12	19	25	41
85+	261	10.4	79	2	3	8	13	20	27	55
B. *Operated*										
65-69 YRS	707	10.6	107	1	2	7	14	24	31	51
70-74	599	11.6	141	2	2	8	15	25	37	73
75-79	466	13.0	138	2	2	10	17	26	38	65
80-84	213	13.9	172	2	3	10	17	33	39	61
85+	114	16.3	230	2	3	12	22	34	44	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	4.9	18	1	2	3	6	12	14	16
B. *Operated*	157	5.1	43	1	1	3	6	11	17	33
2. MULTIPLE DX										
A. *Not Operated*	1464	9.1	73	2	2	7	11	18	24	51
B. *Operated*	2099	12.1	139	2	2	9	16	26	36	61
1. SINGLE DX	187	5.1	39	1	1	3	6	12	16	32
2. MULTIPLE DX	3563	10.9	114	2	2	8	14	23	32	59
A. NOT OPERATED	1494	9.0	72	2	2	7	11	18	24	51
B. OPERATED	2256	11.6	135	1	2	8	15	25	35	60
TOTAL 65-69 YRS	1038	9.4	94	1	2	6	12	22	28	50
70-74	952	10.4	119	2	2	7	13	23	34	67
75-79	838	11.0	112	2	2	8	14	23	31	61
80-84	540	11.3	112	2	3	8	14	25	33	57
85+	382	12.0	131	2	3	9	15	25	35	62
GRAND TOTAL	**3750**	**10.6**	**112**	**2**	**2**	**7**	**13**	**23**	**32**	**58**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	11	8.8	46	<1	1	7	14	19	21	21
70-74	10	4.8	24	<1	<1	2	8	12	16	16
75-79	12	6.1	20	2	2	6	7	11	18	19
80-84	10	10.4	77	2	3	6	16	25	28	28
85+	9	12.7	93	7	7	8	14	28	37	37
B. *Operated*										
65-69 YRS	11	5.2	12	<1	1	4	8	10	12	12
70-74	7	14.1	348	<1	<1	12	15	46	54	54
75-79	5	7.4	88	2	2	4	10	24	24	24
80-84	4	11.8	221	<1	<1	6	22	33	33	33
85+	2	21.0	50	16	16	21	26	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	403	8.9	42	2	3	7	11	18	21	35
70-74	611	9.9	45	2	3	8	13	18	22	35
75-79	688	10.0	61	2	3	8	12	18	22	43
80-84	682	10.9	66	3	4	9	13	20	26	45
85+	794	11.0	65	3	4	9	14	20	27	47
B. *Operated*										
65-69 YRS	384	16.5	147	3	5	14	22	32	41	63
70-74	415	17.2	169	3	5	14	23	33	42	70
75-79	368	20.0	209	4	6	17	26	40	52	98
80-84	260	18.0	163	4	6	14	23	36	42	67
85+	176	17.3	138	5	7	15	21	31	45	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	8.4	54	1	1	7	11	18	22	37
B. *Operated*	29	9.7	141	<1	<1	5	12	25	34	54
2. MULTIPLE DX										
A. *Not Operated*	3178	10.3	58	3	4	8	13	19	25	42
B. *Operated*	1603	17.8	170	4	5	15	24	35	44	82
1. SINGLE DX	81	8.9	84	<1	1	6	12	20	27	49
2. MULTIPLE DX	4781	12.8	108	3	4	10	16	25	33	58
A. NOT OPERATED	3230	10.2	58	2	4	8	13	19	25	42
B. OPERATED	1632	17.7	170	3	5	15	23	34	44	81
TOTAL 65-69 YRS	809	12.5	106	2	3	9	17	25	33	53
70-74	1043	12.7	109	2	4	10	16	26	33	54
75-79	1073	13.4	134	3	4	10	17	27	36	73
80-84	956	12.8	102	3	4	10	16	25	33	55
85+	981	12.1	84	3	4	10	15	23	30	55
GRAND TOTAL	**4862**	**12.7**	**108**	**3**	**4**	**10**	**16**	**25**	**33**	**58**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	64	4.8	5	2	2	5	6	8	9	11
70-74	48	4.6	4	2	2	4	6	7	8	9
75-79	42	5.4	10	2	2	5	6	9	12	16
80-84	27	4.5	3	1	2	5	6	7	8	8
85+	27	4.0	4	2	2	3	5	7	8	11
B. *Operated*										
65-69 YRS	3	6.3	10	4	4	5	9	10	10	10
70-74	6	3.2	7	1	1	2	4	8	8	8
75-79	2	10.5	1	10	10	10	11	11	11	11
80-84	1	3.0		3	3	3	3	3	3	3
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	882	6.8	22	3	3	6	8	11	14	24
70-74	971	7.0	24	3	3	6	8	11	14	24
75-79	1016	7.4	24	3	3	6	9	12	15	24
80-84	780	7.5	21	3	3	7	9	13	16	26
85+	839	7.8	37	3	3	6	9	13	17	33
B. *Operated*										
65-69 YRS	181	12.3	119	4	5	9	15	20	26	61
70-74	196	13.3	103	4	5	11	16	25	32	44
75-79	188	12.6	89	4	5	10	16	24	28	98
80-84	152	12.9	61	3	5	11	16	25	31	38
85+	99	13.6	122	5	5	11	15	22	29	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	208	4.7	6	2	2	4	6	8	8	13
B. *Operated*	13	5.2	12	1	1	4	8	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	4488	7.3	26	3	3	6	9	12	15	26
B. *Operated*	816	12.9	98	4	5	11	15	23	30	58
1. SINGLE DX	221	4.7	6	2	2	4	6	8	9	13
2. MULTIPLE DX	5304	8.1	41	3	3	7	10	14	18	33
A. NOT OPERATED	4696	7.2	25	3	3	6	9	12	15	26
B. OPERATED	829	12.8	97	4	5	10	15	23	30	57
TOTAL 65-69 YRS	1130	7.5	41	3	3	6	9	13	16	29
70-74	1221	7.9	41	3	3	6	9	13	18	33
75-79	1248	8.1	37	3	3	7	9	14	18	33
80-84	960	8.3	31	3	3	7	10	15	19	32
85+	966	8.3	48	3	3	7	10	14	19	40
GRAND TOTAL	**5525**	**8.0**	**40**	**3**	**3**	**7**	**9**	**14**	**18**	**33**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	35	5.1	11	2	2	4	6	10	13	16
70-74	34	5.9	7	2	3	6	8	9	10	14
75-79	40	4.9	11	2	2	4	6	8	9	21
80-84	22	5.7	16	2	2	5	6	10	15	20
85+	16	5.9	10	1	2	6	8	10	11	12
B. *Operated*										
65-69 YRS	11	9.2	23	<1	2	10	13	15	15	15
70-74	7	7.1	20	2	2	8	11	13	13	13
75-79	7	5.0	9	1	1	4	7	9	10	10
80-84	2	3.5	1	3	3	3	4	4	4	4
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	420	6.4	11	2	3	6	8	10	13	17
70-74	498	7.1	21	2	3	6	9	12	15	27
75-79	459	7.5	29	3	3	6	9	13	16	52
80-84	405	7.4	24	2	3	6	9	13	15	26
85+	375	8.0	22	3	3	7	10	13	17	26
B. *Operated*										
65-69 YRS	179	13.2	79	3	4	12	16	25	31	43
70-74	186	12.0	82	2	4	10	15	20	27	46
75-79	165	15.3	107	3	5	14	19	29	36	53
80-84	98	16.3	175	4	5	13	20	30	43	73
85+	69	15.2	86	4	5	14	19	26	33	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	147	5.4	10	2	2	5	7	9	11	20
B. *Operated*	27	7.1	20	1	2	6	10	14	15	15
2 MULTIPLE DX										
A. *Not Operated*	2157	7.2	22	2	3	6	9	12	15	26
B. *Operated*	697	14.0	103	3	5	12	17	25	34	50
1. SINGLE DX	174	5.7	12	2	2	5	7	10	13	19
2. MULTIPLE DX	2854	8.9	50	3	3	7	11	16	22	40
A. NOT OPERATED	2304	7.1	21	2	3	6	9	12	15	25
B. OPERATED	724	13.7	101	3	4	12	17	25	33	50
TOTAL 65-69 YRS	645	8.2	39	2	3	6	10	15	20	35
70-74	725	8.3	41	2	3	7	10	15	18	33
75-79	671	9.2	59	3	3	7	11	18	24	52
80-84	527	8.9	63	2	3	7	10	16	22	45
85+	460	9.0	38	3	4	7	11	17	21	33
GRAND TOTAL	**3028**	**8.7**	**48**	**2**	**3**	**7**	**10**	**16**	**21**	**38**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	207	2.6	5	1	1	2	3	5	7	11
70-74	116	2.4	2	<1	1	2	3	4	5	7
75-79	58	2.8	3	1	1	2	4	5	6	7
80-84	22	2.0	1	<1	<1	2	3	4	4	4
85+	13	2.2	2	1	1	2	2	4	6	6
B. *Operated*										
65-69 YRS	210	6.1	13	1	2	6	8	11	13	17
70-74	155	6.4	14	1	2	6	8	11	15	20
75-79	84	6.6	16	2	2	6	9	12	14	21
80-84	29	6.0	9	2	2	6	8	10	12	15
85+	15	4.9	14	1	1	4	6	11	14	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	509	3.7	8	1	1	3	5	7	9	14
70-74	382	3.9	19	1	1	3	4	7	9	19
75-79	210	4.6	17	1	1	3	6	9	10	22
80-84	152	5.2	36	1	2	4	6	9	14	27
85+	104	5.3	19	1	2	4	7	10	17	57
B. *Operated*										
65-69 YRS	641	9.0	41	2	3	8	11	17	21	34
70-74	485	9.9	66	2	3	8	12	19	25	42
75-79	326	10.4	56	2	3	9	13	20	25	38
80-84	167	11.2	73	2	3	9	14	21	31	39
85+	90	11.0	63	3	4	9	13	22	28	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	416	2.5	3	1	1	2	3	5	6	8
B. *Operated*	493	6.2	14	1	2	6	8	11	14	18
2. MULTIPLE DX										
A. *Not Operated*	1357	4.2	17	1	1	3	5	8	10	21
B. *Operated*	1709	9.8	56	2	3	8	12	19	24	38
1. SINGLE DX	909	4.5	13	1	1	4	6	9	11	17
2. MULTIPLE DX	3066	7.3	47	1	2	5	9	15	20	35
A. NOT OPERATED	1773	3.8	14	1	1	3	5	7	9	19
B. OPERATED	2202	9.0	49	2	3	7	11	17	21	36
TOTAL 65-69 YRS	1567	6.0	29	1	1	4	8	13	16	28
70-74	1138	6.6	46	1	1	5	8	13	18	37
75-79	678	7.5	43	1	2	6	9	15	20	35
80-84	370	7.8	59	1	2	6	10	16	21	35
85+	222	7.4	45	1	2	5	10	16	22	38
GRAND TOTAL	**3975**	**6.7**	**40**	**1**	**1**	**5**	**9**	**14**	**18**	**34**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	641	2.1	2	1	1	2	3	4	5	7
70-74	338	2.2	2	1	1	2	3	4	4	8
75-79	167	2.3	3	1	1	2	3	4	6	10
80-84	58	2.2	2	1	1	2	3	4	5	9
85+	33	2.7	3	1	1	2	4	4	7	9
B. *Operated*										
65-69 YRS	614	4.8	9	1	2	4	6	9	11	14
70-74	355	5.4	15	1	2	5	7	10	13	19
75-79	164	5.6	20	1	1	4	8	11	13	22
80-84	56	4.9	8	2	2	4	8	8	10	14
85+	25	4.7	9	1	1	4	6	9	11	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	918	2.8	4	1	1	2	3	5	6	9
70-74	629	2.9	4	1	1	2	4	5	7	10
75-79	340	3.6	17	1	1	3	4	6	8	16
80-84	176	3.8	6	1	1	3	5	7	8	12
85+	89	4.7	34	1	2	3	6	7	11	38
B. *Operated*										
65-69 YRS	1306	7.1	24	2	2	6	9	13	16	23
70-74	952	7.7	32	2	2	6	10	15	18	28
75-79	596	8.6	50	2	3	7	11	17	22	33
80-84	279	9.5	49	2	3	8	13	19	23	34
85+	141	9.7	66	2	3	7	12	20	28	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1237	2.2	2	1	1	2	3	4	5	7
B. *Operated*	1214	5.1	12	1	2	4	7	10	12	16
2. MULTIPLE DX										
A. *Not Operated*	2152	3.1	8	1	1	3	4	6	7	11
B. *Operated*	3274	7.9	36	2	2	6	10	15	19	29
1. SINGLE DX	2451	3.6	9	1	1	3	5	8	10	14
2. MULTIPLE DX	5426	6.0	30	1	1	4	8	12	16	26
A. NOT OPERATED	3389	2.8	6	1	1	2	3	5	6	10
B. OPERATED	4488	7.1	31	2	2	6	9	14	17	27
TOTAL 65-69 YRS	3479	4.6	16	1	1	3	6	10	12	19
70-74	2274	5.2	23	1	1	4	7	11	15	23
75-79	1267	6.0	38	1	1	4	8	12	18	27
80-84	569	6.5	35	1	2	5	8	14	18	28
85+	288	6.9	52	1	2	5	8	14	21	47
GRAND TOTAL	**7877**	**5.3**	**25**	**1**	**1**	**4**	**7**	**11**	**15**	**24**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	23	2.1	2	<1	<1	2	3	5	5	5
70-74	24	4.4	13	1	1	3	6	8	11	17
75-79	5	2.2		2	2	2	3	3	3	3
80-84	7	5.7	30	1	1	3	10	14	15	15
85+	5	4.8	6	3	3	4	5	9	9	9
B. *Operated*										
65-69 YRS	110	4.4	14	<1	1	3	7	10	12	16
70-74	119	4.4	11	<1	1	3	7	9	11	16
75-79	53	5.5	27	<1	<1	3	8	12	16	22
80-84	30	4.9	23	1	1	3	7	11	15	21
85+	17	5.4	40	<1	<1	3	7	15	21	23
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	240	5.5	20	1	1	5	7	11	13	24
70-74	280	7.0	48	1	2	5	9	13	16	38
75-79	238	6.9	30	1	2	6	8	13	18	32
80-84	169	7.0	32	2	2	6	8	14	19	35
85+	196	8.4	60	2	3	6	10	16	20	46
B. *Operated*										
65-69 YRS	796	8.6	53	1	2	7	11	18	22	36
70-74	708	10.2	104	1	2	8	13	21	25	58
75-79	520	9.2	75	1	2	7	12	18	23	50
80-84	307	11.0	111	1	2	8	14	23	30	56
85+	187	12.2	85	2	3	10	16	24	32	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	3.6	11	1	1	2	5	7	10	17
B. *Operated*	329	4.7	17	<1	1	3	7	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	1123	6.9	38	1	2	5	8	13	18	34
B. *Operated*	2518	9.7	82	1	2	8	13	20	25	49
1. SINGLE DX	393	4.5	16	<1	1	3	7	9	13	19
2. MULTIPLE DX	3641	8.8	71	1	2	7	11	18	23	46
A. NOT OPERATED	1187	6.7	37	1	2	5	8	13	17	33
B. OPERATED	2847	9.1	77	1	2	7	12	19	24	47
TOTAL 65-69 YRS	1169	7.4	45	1	1	6	10	15	21	35
70-74	1131	8.7	83	1	2	6	11	17	23	50
75-79	816	8.2	60	1	2	6	11	17	22	45
80-84	513	9.2	83	1	2	7	12	19	27	55
85+	405	10.0	74	2	3	8	13	19	27	45
GRAND TOTAL	**4034**	**8.4**	**67**	**1**	**2**	**6**	**11**	**17**	**23**	**44**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	28	2.1	2	<1	<1	2	3	4	5	6
70-74	12	1.9	3	1	1	2	2	4	7	7
75-79	8	2.1	1	1	1	2	3	4	4	4
80-84	1	2.0		2	2	2	2	2	2	2
85+										
B. *Operated*										
65-69 YRS	53	3.8	6	1	1	3	5	7	9	11
70-74	61	4.0	16	<1	1	3	5	7	9	27
75-79	49	3.5	7	1	1	3	4	7	8	13
80-84	25	4.2	42	<1	1	2	4	7	16	33
85+	18	4.9	14	<1	1	3	7	11	12	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	56	3.5	8	1	1	3	4	7	9	16
70-74	55	4.1	14	1	1	3	5	9	12	19
75-79	30	3.5	6	1	1	3	4	7	8	12
80-84	16	4.8	8	1	1	4	6	8	11	12
85+	21	5.0	12	1	1	4	6	10	12	15
B. *Operated*										
65-69 YRS	316	5.9	27	1	1	4	8	13	16	23
70-74	370	6.1	21	1	2	5	8	12	15	21
75-79	284	6.7	30	1	2	5	8	13	17	26
80-84	187	7.2	41	1	2	5	9	15	21	35
85+	169	8.3	60	2	2	7	10	15	17	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	2.1	2	<1	1	2	3	4	5	7
B. *Operated*	206	3.9	14	1	1	3	5	8	10	20
2. MULTIPLE DX										
A. *Not Operated*	178	4.0	10	1	1	3	5	8	11	16
B. *Operated*	1326	6.6	33	1	2	5	9	13	17	25
1. SINGLE DX	255	3.6	12	1	1	3	4	7	9	13
2. MULTIPLE DX	1504	6.3	31	1	2	5	8	13	16	24
A. NOT OPERATED	227	3.6	9	1	1	3	4	7	10	15
B. OPERATED	1532	6.3	31	1	2	5	8	13	16	25
TOTAL 65-69 YRS	453	5.1	22	1	1	4	7	11	14	21
70-74	498	5.5	20	1	1	4	7	11	14	21
75-79	371	5.9	26	1	1	5	8	12	15	24
80-84	229	6.7	40	1	2	5	9	14	21	35
85+	208	7.7	53	1	2	6	10	14	17	33
GRAND TOTAL	**1759**	**5.9**	**29**	**1**	**1**	**4**	**8**	**12**	**15**	**24**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	18	2.2	2	<1	1	2	3	4	5	5
70-74	11	3.2	4	1	1	2	4	7	7	7
75-79	11	3.3	4	1	1	3	5	6	7	7
80-84	6	3.0	2	1	1	3	4	4	4	4
85+	12	3.8	5	1	1	3	5	7	9	9
B. *Operated*										
65-69 YRS	118	2.5	4	<1	<1	2	3	5	6	12
70-74	128	2.5	3	<1	1	2	3	4	6	9
75-79	85	3.0	4	<1	1	2	4	6	7	11
80-84	53	3.6	7	<1	1	3	5	8	9	11
85+	43	4.3	14	<1	1	3	6	8	12	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	226	5.6	34	1	2	5	7	9	11	23
70-74	258	5.6	14	1	2	5	7	10	12	19
75-79	349	6.4	23	2	2	5	8	11	14	23
80-84	270	6.4	39	2	3	5	8	11	13	27
85+	341	7.2	28	2	3	6	8	13	16	29
B. *Operated*										
65-69 YRS	684	5.5	30	1	1	4	7	11	16	26
70-74	803	5.6	34	1	1	4	7	11	15	37
75-79	768	6.3	38	1	2	5	8	12	16	28
80-84	610	7.1	45	1	2	5	9	13	18	38
85+	578	8.0	51	2	2	6	10	15	20	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	3.0	3	1	1	3	4	6	7	9
B. *Operated*	427	2.9	5	<1	1	2	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	1444	6.3	27	2	2	5	8	11	14	24
B. *Operated*	3443	6.4	39	1	2	5	8	13	17	34
1. SINGLE DX	485	2.9	5	<1	1	2	4	6	7	12
2. MULTIPLE DX	4887	6.4	36	1	2	5	8	12	16	31
A. NOT OPERATED	1502	6.2	27	2	2	5	8	11	14	24
B. OPERATED	3870	6.0	37	1	1	4	7	12	16	32
TOTAL 65-69 YRS	1046	5.1	28	1	1	4	6	10	14	24
70-74	1200	5.3	27	1	1	4	7	10	13	28
75-79	1213	6.1	31	1	2	5	7	11	15	28
80-84	939	6.7	41	1	2	5	8	12	16	34
85+	974	7.5	42	2	2	6	9	14	19	34
GRAND TOTAL	**5372**	**6.1**	**34**	**1**	**2**	**5**	**7**	**12**	**15**	**30**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	1.5	1	<1	<1	1	2	3	3	3
70-74	2	1.5	1	1	1	1	2	2	2	2
75-79	6	2.7	5	<1	<1	2	3	7	7	7
80-84	1	1.0		1	1	1	1	1	1	1
85+	6	3.8	5	<1	<1	4	5	7	7	7
B. *Operated*										
65-69 YRS	147	2.8	5	<1	1	2	4	6	8	16
70-74	160	3.0	5	1	1	2	4	5	7	12
75-79	115	3.0	6	<1	1	2	4	6	8	13
80-84	68	3.6	13	<1	1	3	4	7	9	23
85+	23	2.9	3	<1	1	3	3	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	26	4.0	13	<1	1	3	6	10	12	14
70-74	43	4.1	10	1	1	3	6	8	11	15
75-79	40	4.6	10	1	2	4	6	9	10	16
80-84	40	4.6	16	1	1	3	6	8	12	22
85+	45	5.0	10	1	1	5	7	9	11	15
B. *Operated*										
65-69 YRS	593	4.3	15	1	1	3	6	9	11	20
70-74	684	4.6	17	1	1	4	6	9	12	21
75-79	659	4.5	14	1	1	4	6	9	11	19
80-84	455	6.1	35	1	2	4	8	12	15	31
85+	338	6.5	44	1	2	5	8	12	16	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	2.5	4	<1	<1	2	3	6	7	7
B. *Operated*	513	3.0	6	<1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	194	4.5	11	1	1	4	6	9	11	16
B. *Operated*	2729	5.0	23	1	1	4	6	10	13	22
1. SINGLE DX	534	3.0	6	<1	1	2	4	6	8	13
2. MULTIPLE DX	2923	5.0	22	1	1	4	6	10	13	21
A. NOT OPERATED	215	4.3	11	1	1	3	6	9	11	16
B. OPERATED	3242	4.7	21	1	1	3	6	9	12	21
TOTAL 65-69 YRS	772	4.0	13	1	1	3	5	8	11	19
70-74	889	4.3	15	1	1	3	5	8	11	20
75-79	820	4.3	12	1	1	3	5	9	11	17
80-84	564	5.7	32	1	2	4	7	11	15	30
85+	412	6.1	38	1	2	5	8	12	15	28
GRAND TOTAL	**3457**	**4.7**	**20**	**1**	**1**	**3**	**6**	**9**	**12**	**21**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	144	4.5	13	1	2	4	5	8	10	20
70-74	149	4.2	16	1	1	4	5	7	9	26
75-79	178	5.1	22	1	1	4	6	9	12	27
80-84	126	4.9	18	2	2	4	6	8	10	21
85+	155	5.4	13	1	2	4	7	10	11	18
B. *Operated*										
65-69 YRS	343	3.2	8	<1	1	2	4	6	8	14
70-74	313	3.9	29	<1	1	3	5	7	9	16
75-79	252	3.6	8	1	1	3	5	7	10	13
80-84	163	3.4	6	<1	1	3	5	6	8	13
85+	105	4.7	14	1	1	4	6	9	11	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3026	6.9	34	2	2	6	8	12	15	30
70-74	4041	7.2	31	2	3	6	9	13	17	29
75-79	5101	7.7	39	2	3	6	9	14	18	33
80-84	5058	8.1	44	2	3	7	10	14	18	36
85+	6294	8.5	48	2	3	7	10	15	19	39
B. *Operated*										
65-69 YRS	2669	7.1	52	1	2	5	9	15	19	42
70-74	3124	7.5	52	1	2	5	9	15	20	38
75-79	3025	8.6	72	1	2	6	11	17	23	47
80-84	2213	9.3	81	2	2	7	12	20	26	58
85+	1814	10.8	104	2	3	8	13	21	29	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	752	4.8	17	1	1	4	6	9	10	23
B. *Operated*	1176	3.6	14	<1	1	3	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	23520	7.8	41	2	3	6	9	14	18	34
B. *Operated*	12845	8.4	71	1	2	6	10	17	23	47
1. SINGLE DX	1928	4.1	15	1	1	3	5	8	10	17
2. MULTIPLE DX	36365	8.0	51	2	3	6	10	15	20	39
A. NOT OPERATED	24272	7.7	40	2	3	6	9	14	18	34
B. OPERATED	14021	8.0	68	1	2	6	10	16	22	45
TOTAL 65-69 YRS	6182	6.7	41	1	2	5	8	13	17	36
70-74	7627	7.1	40	1	2	6	9	13	18	33
75-79	8556	7.8	50	2	2	6	10	15	20	38
80-84	7560	8.3	55	2	3	7	10	15	21	43
85+	8368	8.9	60	2	3	7	11	16	21	48
GRAND TOTAL	**38293**	**7.8**	**50**	**2**	**2**	**6**	**10**	**14**	**19**	**38**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	20	3.0	5	<1	<1	2	4	7	8	9
70-74	30	4.1	11	1	1	3	5	8	13	15
75-79	13	2.8	5	<1	<1	2	4	6	7	7
80-84	13	4.2	11	<1	<1	3	7	9	11	12
85+	5	21.0	623	4	4	10	28	65	65	65
B. Operated										
65-69 YRS	2917	4.8	7	1	2	5	6	7	9	12
70-74	2691	4.9	6	1	2	5	6	8	9	13
75-79	1752	5.2	7	1	2	5	6	8	10	15
80-84	797	5.5	8	2	3	5	7	8	11	16
85+	354	6.4	12	2	3	6	8	11	13	18
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	345	3.9	23	<1	1	3	5	8	11	19
70-74	385	4.0	15	<1	1	3	5	8	11	19
75-79	378	4.8	27	1	1	3	6	9	14	30
80-84	241	5.3	29	1	1	4	6	11	14	30
85+	223	7.0	41	1	2	5	9	13	21	37
B. Operated										
65-69 YRS	10935	6.1	14	2	3	5	7	10	13	19
70-74	11368	6.6	19	2	3	6	8	11	14	23
75-79	8849	7.2	26	2	3	6	8	12	16	27
80-84	5027	7.9	33	3	3	6	9	14	18	30
85+	2857	9.2	49	3	4	7	11	17	22	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	4.7	57	<1	1	3	5	9	12	50
B. *Operated*	8511	5.0	7	1	2	5	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	1572	4.8	26	<1	1	3	6	10	13	30
B. *Operated*	39036	6.9	24	2	3	6	8	12	15	26
1. SINGLE DX	8592	5.0	8	1	2	5	6	8	10	14
2. MULTIPLE DX	40608	6.9	24	2	3	6	8	12	15	26
A. NOT OPERATED	1653	4.8	28	<1	1	3	6	10	13	30
B. OPERATED	47547	6.6	22	2	3	6	8	11	14	24
TOTAL 65-69 YRS	14217	5.8	13	2	3	5	7	10	12	18
70-74	14474	6.2	17	2	3	5	7	10	13	22
75-79	10992	6.8	24	2	3	6	8	11	15	25
80-84	6078	7.5	30	2	3	6	9	13	17	28
85+	3439	8.8	47	3	4	7	11	16	21	37
GRAND TOTAL	**49200**	**6.5**	**22**	**2**	**3**	**5**	**8**	**11**	**14**	**24**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	25	4.4	3	2	2	4	5	7	8	9
70-74	21	3.5	2	1	2	3	4	5	6	6
75-79	14	4.1	2	1	2	4	5	7	7	7
80-84	3	2.3		2	2	2	3	3	3	3
85+	2	4.5	1	4	4	4	5	5	5	5
B. Operated										
65-69 YRS	33	2.5	3	<1	1	2	3	5	7	8
70-74	30	3.5	7	<1	1	3	5	6	10	12
75-79	20	3.8	6	1	1	3	4	8	9	10
80-84	6	3.8	2	2	2	4	5	5	5	5
85+	5	3.0	2	2	2	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	238	4.9	6	2	2	4	6	8	10	14
70-74	185	5.5	11	2	2	5	7	9	12	18
75-79	143	5.4	9	1	2	5	7	9	11	15
80-84	73	4.8	10	2	2	4	6	8	12	17
85+	61	6.1	23	2	2	5	8	10	15	30
B. Operated										
65-69 YRS	304	5.4	18	1	1	4	7	11	14	19
70-74	271	5.8	17	1	2	5	8	12	14	18
75-79	211	6.1	28	1	2	5	7	12	15	32
80-84	142	7.0	31	2	3	6	8	12	16	36
85+	82	8.6	64	2	3	7	10	15	22	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	4.0	3	2	2	4	5	6	7	9
B. *Operated*	94	3.2	5	<1	1	3	4	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	700	5.3	10	2	2	5	7	9	11	16
B. *Operated*	1010	6.1	26	1	2	5	8	12	14	27
1. SINGLE DX	159	3.5	4	1	1	3	5	6	7	10
2. MULTIPLE DX	1710	5.8	20	1	2	5	7	11	14	21
A. NOT OPERATED	765	5.2	9	2	2	4	7	9	10	16
B. OPERATED	1104	5.9	25	1	2	5	7	12	14	25
TOTAL 65-69 YRS	600	5.0	12	1	2	4	6	9	12	17
70-74	507	5.4	14	1	2	5	7	11	13	18
75-79	388	5.6	19	1	2	5	7	10	13	22
80-84	224	6.1	25	2	2	5	7	12	14	31
85+	150	7.3	47	2	2	6	9	13	19	31
GRAND TOTAL	**1869**	**5.6**	**19**	**1**	**2**	**5**	**7**	**10**	**13**	**20**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	1.0		<1	<1	<1	<1	<1	<1	<1
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	181	2.4	2	1	1	2	3	4	4	8
70-74	108	2.3	1	<1	1	2	3	4	4	5
75-79	58	2.2	2	<1	1	2	3	4	6	7
80-84	25	2.5	4	<1	<1	2	3	3	6	10
85+	13	2.2	2	<1	<1	2	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	9	4.4	32	<1	<1	2	6	14	18	18
70-74	5	2.0	2	<1	<1	1	3	4	4	4
75-79	5	4.0	4	2	2	3	5	7	7	7
80-84	1	6.0		6	6	6	6	6	6	6
85+	3	4.7	5	2	2	6	6	6	6	6
B. *Operated*										
65-69 YRS	274	3.6	8	1	1	3	4	7	10	14
70-74	224	3.6	7	1	1	3	4	7	8	13
75-79	175	3.4	5	1	1	3	4	6	8	9
80-84	85	4.2	12	1	1	3	5	7	10	21
85+	31	5.4	27	1	1	4	6	13	15	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	385	2.4	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	23	3.9	15	<1	<1	3	6	7	11	18
B. *Operated*	789	3.7	8	1	1	3	4	7	9	14
1. SINGLE DX	386	2.4	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	812	3.7	8	1	1	3	4	7	9	14
A. NOT OPERATED	24	3.8	14	<1	<1	3	6	7	11	18
B. OPERATED	1174	3.2	6	1	1	3	4	6	8	13
TOTAL 65-69 YRS	464	3.1	6	1	1	3	4	5	8	13
70-74	338	3.1	5	1	1	3	4	6	8	10
75-79	238	3.1	4	1	1	3	4	6	8	9
80-84	111	3.9	11	1	1	3	5	7	10	19
85+	47	4.5	20	1	1	3	5	9	15	25
GRAND TOTAL	**1198**	**3.3**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	80	5.6	7	1	2	6	7	9	10	15
70-74	52	5.3	5	2	3	5	6	9	10	13
75-79	22	4.5	6	1	2	5	5	7	9	13
80-84	12	6.4	15	3	3	6	8	12	15	16
85+	6	6.0	7	3	3	6	9	9	9	9
B. *Operated*										
65-69 YRS	38	3.6	6	1	1	3	5	7	9	10
70-74	30	3.7	8	1	1	3	4	8	10	13
75-79	19	5.1	15	1	1	4	6	12	14	14
80-84	7	4.6	12	1	1	4	7	9	10	10
85+	5	4.8	8	2	2	5	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	234	6.0	9	2	3	5	8	10	11	15
70-74	216	6.4	15	3	3	6	8	10	13	21
75-79	177	6.4	15	2	3	5	8	11	14	22
80-84	89	6.9	14	2	3	6	9	11	13	19
85+	58	7.5	15	3	4	7	9	13	15	21
B. *Operated*										
65-69 YRS	151	7.3	65	1	2	5	9	13	20	31
70-74	154	7.7	36	2	2	7	10	14	19	37
75-79	125	7.2	30	1	2	6	10	15	18	25
80-84	70	7.3	32	1	1	6	11	14	20	27
85+	32	10.8	36	2	4	11	14	17	19	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	172	5.4	7	2	3	5	7	9	10	15
B. *Operated*	99	4.0	9	1	1	3	5	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	774	6.4	13	2	3	6	8	10	13	21
B. *Operated*	532	7.6	43	1	2	6	10	14	19	31
1. SINGLE DX	271	4.9	8	1	2	5	6	9	10	14
2. MULTIPLE DX	1306	6.9	26	2	3	6	9	12	15	25
A. NOT OPERATED	946	6.2	12	2	3	6	8	10	13	18
B. OPERATED	631	7.0	39	1	2	5	9	14	18	29
TOTAL 65-69 YRS	503	6.1	26	2	2	5	8	10	12	24
70-74	452	6.6	22	2	2	6	8	12	14	25
75-79	343	6.5	20	2	2	5	8	13	15	22
80-84	178	6.9	21	1	2	6	9	12	15	23
85+	101	8.3	23	2	4	7	11	14	17	26
GRAND TOTAL	**1577**	**6.6**	**23**	**2**	**2**	**5**	**8**	**11**	**15**	**23**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84	1	4.0		4	4	4	4	4	4	4
85+										
B. *Operated*										
65-69 YRS	34	1.7	1	<1	1	1	2	3	3	6
70-74	22	2.1	6	<1	<1	1	2	3	8	13
75-79	14	1.3		<1	<1	1	1	2	3	3
80-84	14	1.6	1	<1	<1	1	2	3	4	4
85+	7	2.3	3	1	1	1	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	10	1.6	1	<1	<1	1	2	3	3	3
70-74	13	6.0	33	1	2	4	7	17	19	19
75-79	9	4.2	13	1	1	3	7	10	11	11
80-84	5	5.8	20	2	2	3	10	12	12	12
85+	7	2.6	1	1	1	3	3	4	4	4
B. *Operated*										
65-69 YRS	94	2.9	7	<1	1	2	3	6	8	14
70-74	88	2.8	15	1	1	2	3	4	7	27
75-79	75	3.7	17	1	1	2	4	8	11	24
80-84	48	3.7	14	1	1	2	5	8	12	18
85+	41	4.6	25	1	1	3	6	9	13	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	91	1.8	2	<1	<1	1	2	3	4	10
2. MULTIPLE DX										
A. *Not Operated*	44	4.1	17	<1	1	3	4	9	13	19
B. *Operated*	346	3.3	14	1	1	2	4	7	9	19
1. SINGLE DX	92	1.8	2	<1	<1	1	2	3	4	10
2. MULTIPLE DX	390	3.4	15	1	1	2	4	7	10	19
A. NOT OPERATED	45	4.1	17	<1	1	3	4	9	13	19
B. OPERATED	437	3.0	12	<1	1	2	3	6	8	18
TOTAL 65-69 YRS	138	2.5	5	<1	1	2	3	5	7	13
70-74	123	3.0	16	<1	1	2	3	5	8	22
75-79	98	3.4	15	<1	1	2	4	8	10	22
80-84	68	3.4	13	<1	1	2	4	8	12	18
85+	55	4.1	20	1	1	3	5	8	12	28
GRAND TOTAL	**482**	**3.1**	**13**	**<1**	**1**	**2**	**3**	**6**	**9**	**18**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	14	2.7	6	<1	1	2	3	5	9	10
70-74	12	2.8	3	<1	1	2	4	5	6	6
75-79	3	5.3	16	1	1	6	8	9	9	9
80-84	2	1.0		1	1	1	1	1	1	1
85+										
B. *Operated*										
65-69 YRS	261	2.7	3	1	1	2	3	5	6	8
70-74	140	3.2	5	1	1	3	4	6	7	13
75-79	54	3.3	11	1	1	3	4	5	8	23
80-84	13	2.4	2	<1	<1	3	3	4	6	6
85+	8	3.1	4	<1	<1	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	55	3.7	12	1	1	3	4	7	10	18
70-74	53	5.6	18	<1	1	5	8	12	13	19
75-79	40	8.3	127	<1	1	6	10	14	25	67
80-84	26	6.4	13	1	2	6	8	11	12	17
85+	22	7.3	15	3	4	7	10	15	47	99+
B. *Operated*										
65-69 YRS	689	4.4	28	1	1	3	5	8	11	26
70-74	420	4.9	50	1	1	3	5	9	14	45
75-79	213	5.5	44	1	1	3	6	10	22	37
80-84	93	6.6	63	1	2	3	8	15	27	43
85+	55	7.4	63	1	1	4	9	17	28	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	2.9	5	<1	1	2	4	6	9	10
B. *Operated*	476	2.9	5	1	1	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	196	5.9	40	1	1	5	8	11	15	52
B. *Operated*	1470	4.9	41	1	1	3	5	9	14	36
1. SINGLE DX	507	2.9	5	1	1	3	4	5	6	10
2. MULTIPLE DX	1666	5.1	41	1	1	3	5	9	14	36
A. NOT OPERATED	227	5.5	36	1	1	4	7	10	14	42
B. OPERATED	1946	4.5	32	1	1	3	5	8	12	31
TOTAL 65-69 YRS	1019	3.9	21	1	1	3	5	7	9	21
70-74	625	4.5	37	1	1	3	5	8	12	37
75-79	310	5.5	50	1	1	3	6	10	18	37
80-84	134	6.1	48	1	1	4	7	12	19	41
85+	85	7.0	46	1	1	5	9	16	27	77
GRAND TOTAL	**2173**	**4.6**	**33**	**1**	**1**	**3**	**5**	**8**	**12**	**32**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74										
75-79	1	3.0		3	3	3	3	3	3	3
80-84	1	1.0		1	1	1	1	1	1	1
85+	2	4.5	25	1	1	4	8	8	8	8
B. *Operated*										
65-69 YRS	368	1.8	1	<1	<1	2	2	3	4	7
70-74	282	1.9	2	<1	<1	2	2	3	4	5
75-79	123	2.1	3	<1	<1	2	2	3	5	10
80-84	57	2.1	3	<1	<1	2	2	3	4	12
85+	22	2.0	1	1	1	2	3	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4	1.8	1	<1	<1	1	2	3	3	3
70-74	11	3.2	4	<1	<1	3	4	6	7	7
75-79	3	5.7	20	1	1	6	9	10	10	10
80-84	2	7.5	61	2	2	7	13	13	13	13
85+										
B. *Operated*										
65-69 YRS	537	2.7	5	<1	1	2	3	5	7	11
70-74	453	2.8	5	<1	1	2	3	5	7	10
75-79	243	2.7	4	1	1	2	3	5	6	10
80-84	127	3.0	12	1	1	2	3	5	7	16
85+	60	3.1	4	1	1	2	4	6	7	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.8	9	1	1	1	4	8	8	8
B. *Operated*	852	1.9	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	20	3.7	11	<1	<1	3	5	8	11	13
B. *Operated*	1420	2.8	5	<1	1	2	3	5	7	11
1. SINGLE DX	857	1.9	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX	1440	2.8	6	<1	1	2	3	5	7	11
A. NOT OPERATED	25	3.5	10	<1	1	2	5	8	11	13
B. OPERATED	2272	2.5	4	<1	<1	2	3	4	6	10
TOTAL 65-69 YRS	910	2.4	4	<1	<1	2	3	4	6	10
70-74	746	2.5	4	<1	<1	2	3	4	6	9
75-79	370	2.5	4	<1	1	2	3	4	6	10
80-84	187	2.7	10	<1	1	2	3	4	7	13
85+	84	2.9	4	1	1	2	4	5	7	10
GRAND TOTAL	**2297**	**2.5**	**4**	**<1**	**<1**	**2**	**3**	**4**	**6**	**10**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	3.8	10	1	1	3	6	8	8	8
70-74	5	4.0	14	<1	<1	2	7	9	9	9
75-79	2	4.0	2	3	3	4	5	5	5	5
80-84	1	1.0		<1	<1	<1	<1	<1	<1	<1
85+	3	5.7	17	1	1	7	8	9	9	9
B. *Operated*										
65-69 YRS	177	2.3	2	<1	<1	2	3	4	4	9
70-74	107	2.5	5	<1	<1	2	3	5	6	12
75-79	69	2.0	1	<1	<1	2	2	3	4	6
80-84	30	2.0	1	<1	<1	2	3	4	4	5
85+	20	3.5	14	<1	<1	2	4	8	13	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	41	3.3	9	<1	<1	2	5	8	10	12
70-74	38	4.8	108	<1	<1	1	5	8	14	64
75-79	23	3.9	26	<1	1	2	4	8	17	23
80-84	16	4.9	42	<1	<1	2	6	14	21	24
85+	16	6.7	90	1	1	4	7	13	32	40
B. *Operated*										
65-69 YRS	293	3.6	12	1	1	3	4	6	9	16
70-74	235	3.5	10	1	1	3	4	6	8	17
75-79	125	3.5	11	<1	1	2	5	7	9	18
80-84	75	4.5	35	1	1	2	5	10	14	35
85+	48	4.8	22	<1	1	3	6	12	15	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	4.1	10	<1	<1	3	7	9	9	9
B. *Operated*	403	2.3	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	134	4.4	53	<1	<1	2	5	9	14	44
B. *Operated*	776	3.7	14	1	1	3	4	7	9	21
1. SINGLE DX	418	2.4	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX	910	3.8	20	1	1	3	4	7	10	23
A. NOT OPERATED	149	4.4	49	<1	<1	2	5	9	13	40
B. OPERATED	1179	3.2	11	<1	1	2	4	6	8	16
TOTAL 65-69 YRS	515	3.1	9	<1	1	2	4	5	8	13
70-74	385	3.4	18	<1	1	2	4	6	8	17
75-79	219	3.1	10	<1	<1	2	4	6	8	18
80-84	122	3.9	28	<1	1	2	4	8	14	30
85+	87	4.9	32	<1	1	3	5	11	15	33
GRAND TOTAL	**1328**	**3.4**	**15**	**<1**	**1**	**2**	**4**	**6**	**9**	**19**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	2.0		2	2	2	2	2	2	2
70-74	2	2.0	2	1	1	2	3	3	3	3
75-79	1	5.0		5	5	5	5	5	5	5
80-84	1	5.0		5	5	5	5	5	5	5
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	43	6.6	6	2	4	6	8	9	11	14
70-74	24	6.3	5	2	3	6	7	9	11	11
75-79	16	7.2	7	2	4	7	9	10	11	11
80-84	11	5.7	8	2	2	6	7	10	11	11
85+	9	5.0	19	2	2	3	7	12	15	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	10	4.1	15	1	1	3	4	11	13	13
70-74	5	5.8	13	2	2	5	9	10	10	10
75-79	6	9.0	93	1	1	6	12	25	27	27
80-84	5	5.4	11	2	2	5	7	11	11	11
85+	8	7.9	23	2	3	9	12	67	99+	99+
B. *Operated*										
65-69 YRS	176	7.1	10	4	4	6	8	10	15	18
70-74	138	8.2	19	4	5	7	9	12	16	26
75-79	95	9.2	30	4	5	8	11	14	21	32
80-84	45	10.7	71	4	6	9	11	16	21	59
85+	35	10.4	23	3	5	10	14	17	18	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.9	2	1	1	2	4	5	5	5
B. *Operated*	103	6.4	7	2	3	6	8	10	11	14
2. MULTIPLE DX										
A. *Not Operated*	34	6.3	29	1	2	5	10	13	24	99+
B. *Operated*	489	8.4	24	4	5	7	9	14	17	25
1. SINGLE DX	110	6.2	8	2	2	6	8	10	11	14
2. MULTIPLE DX	523	8.3	25	3	4	7	9	14	17	28
A. NOT OPERATED	41	5.7	26	1	2	4	9	12	21	99+
B. OPERATED	592	8.1	22	3	4	7	9	13	16	24
TOTAL 65-69 YRS	231	6.8	10	3	4	6	8	10	14	18
70-74	169	7.8	17	3	5	7	9	11	15	23
75-79	118	8.9	30	3	4	8	10	14	21	31
80-84	62	9.3	59	2	4	8	11	15	19	55
85+	53	9.0	27	2	2	8	14	17	18	97
GRAND TOTAL	**633**	**7.9**	**22**	**2**	**4**	**7**	**9**	**13**	**16**	**26**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	5.4	15	2	2	5	7	12	12	12
70-74	2	5.0	2	4	4	5	6	6	6	6
75-79	3	5.3	10	3	3	4	8	9	9	9
80-84	1	4.0		4	4	4	4	4	4	4
85+	3	2.3	1	1	1	3	3	3	3	3
B. *Operated*										
65-69 YRS	13	3.8	12	<1	<1	2	7	9	10	10
70-74	10	5.2	8	1	1	6	7	8	8	8
75-79	1	3.0		3	3	3	3	3	3	3
80-84	1	15.0		15	15	15	15	15	15	15
85+	3	5.0	16	1	1	5	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	23	5.7	8	2	3	5	7	10	11	12
70-74	19	6.9	39	1	2	7	8	11	22	30
75-79	19	8.7	14	3	4	8	12	14	15	15
80-84	11	7.9	25	2	3	7	10	15	20	21
85+	18	10.5	114	2	3	5	11	28	34	38
B. *Operated*										
65-69 YRS	82	10.4	100	1	3	8	13	21	28	91
70-74	66	11.4	137	3	5	8	15	20	23	82
75-79	30	12.6	77	4	5	11	15	25	27	44
80-84	29	11.5	74	1	2	9	17	28	34	99+
85+	17	10.5	177	1	1	7	13	19	45	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	4.6	8	1	2	4	5	9	11	12
B. *Operated*	28	4.8	14	1	1	4	8	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	90	7.8	40	2	3	6	9	13	21	35
B. *Operated*	224	11.1	109	2	3	8	14	22	26	95
1. SINGLE DX	42	4.7	12	1	1	4	7	9	11	15
2. MULTIPLE DX	314	10.2	91	2	3	7	13	20	26	80
A. NOT OPERATED	104	7.4	37	2	3	6	8	12	21	34
B. OPERATED	252	10.4	102	1	2	8	14	20	25	92
TOTAL 65-69 YRS	123	8.6	76	1	2	6	11	17	22	80
70-74	97	9.8	107	2	3	7	12	18	22	63
75-79	53	10.6	55	3	4	8	13	18	26	43
80-84	42	10.5	61	1	2	9	15	22	33	99+
85+	41	9.5	126	1	2	5	9	23	33	58
GRAND TOTAL	**356**	**9.5**	**85**	**1**	**2**	**7**	**12**	**19**	**23**	**72**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	3	5.0	9	2	2	5	7	8	8	8
70-74	4	6.5	2	5	5	6	7	8	8	8
75-79										
80-84	1	3.0		3	3	3	3	3	3	3
85+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	75	7.6	9	5	5	7	8	11	15	18
70-74	44	7.8	19	4	5	7	8	11	16	26
75-79	22	7.2	7	4	4	7	8	11	12	13
80-84	8	12.4	217	2	3	7	11	37	48	48
85+	12	6.6	3	4	5	6	8	9	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	9	5.7	5	2	2	6	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	161	7.8	21	4	5	7	8	11	14	26
1. SINGLE DX	9	5.7	5	2	2	6	7	8	8	8
2. MULTIPLE DX	162	7.7	21	4	5	7	8	11	14	26
A. NOT OPERATED	1	2.0		2	2	2	2	2	2	2
B. OPERATED	170	7.7	20	4	5	7	8	11	13	26
TOTAL 65-69 YRS	79	7.5	9	5	5	7	8	11	15	18
70-74	48	7.7	17	4	5	7	8	11	14	26
75-79	22	7.2	7	4	4	7	8	11	12	13
80-84	9	11.3	200	2	2	7	11	34	48	48
85+	13	6.6	2	4	5	6	8	9	10	10
GRAND TOTAL	**171**	**7.6**	**20**	**4**	**5**	**7**	**8**	**11**	**13**	**26**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	4	1.3		1	1	1	2	2	2	2
70-74	9	1.6	1	<1	<1	1	2	3	3	3
75-79	4	2.5	1	<1	<1	3	3	3	3	3
80-84	3	7.0	31	1	1	8	11	12	12	12
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4	4.8	5	2	2	5	6	7	7	7
70-74	1	1.0		<1	<1	<1	<1	<1	<1	<1
75-79										
80-84										
85+	3	13.0	13	10	10	12	16	17	17	17
B. *Operated*										
65-69 YRS	56	4.2	8	<1	1	3	6	8	8	15
70-74	29	4.4	14	<1	1	3	6	10	14	14
75-79	32	4.1	14	<1	1	3	6	11	12	14
80-84	9	4.8	3	2	2	5	6	7	7	7
85+	3	13.0	3	11	11	14	14	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	20	2.5	8	<1	<1	2	3	6	10	12
2. MULTIPLE DX										
A. *Not Operated*	8	7.4	29	<1	1	6	11	15	17	17
B. *Operated*	129	4.4	12	<1	1	3	6	9	12	15
1. SINGLE DX	20	2.5	8	<1	<1	2	3	6	10	12
2. MULTIPLE DX	137	4.6	13	<1	1	3	7	10	13	15
A. NOT OPERATED	8	7.4	29	<1	1	6	11	15	17	17
B. OPERATED	149	4.2	12	<1	1	3	6	9	12	14
TOTAL 65-69 YRS	64	4.0	8	<1	1	3	6	7	8	14
70-74	39	3.6	12	<1	<1	2	4	9	12	14
75-79	36	3.9	12	<1	1	3	5	10	12	14
80-84	12	5.3	9	1	2	5	7	9	12	12
85+	6	13.0	6	10	10	13	14	17	17	17
GRAND TOTAL	**157**	**4.4**	**13**	**<1**	**1**	**3**	**6**	**10**	**12**	**15**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	3	4.3		4	4	4	5	5	5	5
75-79										
80-84	1	7.0		7	7	7	7	7	7	7
85+	2	7.0	2	6	6	7	8	8	8	8
B. *Operated*										
65-69 YRS	26	2.5	4	<1	<1	2	3	5	7	9
70-74	15	3.4	15	<1	<1	2	4	9	13	15
75-79	4	3.0	7	<1	<1	2	5	7	7	7
80-84	6	2.5	1	2	2	2	3	4	4	4
85+	4	2.3	4	1	1	2	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	31	6.6	14	1	2	6	8	11	13	19
70-74	27	10.3	46	3	4	8	13	21	26	28
75-79	17	6.7	38	<1	1	4	9	14	21	25
80-84	23	8.0	19	2	3	7	12	15	16	17
85+	29	8.9	57	2	2	6	12	20	23	35
B. *Operated*										
65-69 YRS	66	5.4	35	<1	1	3	7	13	17	32
70-74	51	6.1	89	1	1	4	6	14	31	99
75-79	49	6.5	30	<1	1	5	8	16	19	22
80-84	31	7.6	47	1	1	5	14	18	26	99+
85+	34	6.2	17	2	2	5	9	12	15	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	5.1	4	2	2	5	7	8	8	8
B. *Operated*	55	2.7	6	<1	<1	2	3	5	8	15
2. MULTIPLE DX										
A. *Not Operated*	127	8.2	36	2	3	7	10	17	21	30
B. *Operated*	231	6.2	45	1	1	4	8	15	19	67
1. SINGLE DX	62	3.0	7	<1	<1	2	4	6	8	14
2. MULTIPLE DX	358	6.9	42	1	1	5	9	15	19	35
A. NOT OPERATED	134	8.0	34	2	3	7	10	16	21	29
B. OPERATED	286	5.5	39	<1	1	3	7	14	17	50
TOTAL 65-69 YRS	124	5.1	25	<1	1	4	7	11	14	26
70-74	96	6.8	67	1	1	4	8	15	25	81
75-79	70	6.3	30	<1	1	4	8	15	19	24
80-84	61	7.3	33	1	2	6	12	16	18	91
85+	69	7.1	35	2	2	5	9	15	18	33
GRAND TOTAL	**420**	**6.3**	**39**	**1**	**1**	**5**	**8**	**14**	**18**	**34**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	4.0	4	2	2	4	5	7	7	7
70-74	4	5.5	10	1	1	6	7	8	8	8
75-79	3	4.0	1	3	3	4	5	5	5	5
80-84	6	4.0	8	1	1	3	5	9	9	9
85+										
B. *Operated*										
65-69 YRS	1015	6.0	5	3	3	6	7	8	9	13
70-74	755	6.3	4	3	4	6	7	9	10	12
75-79	434	6.5	5	4	4	6	7	9	10	14
80-84	194	6.3	7	3	3	6	8	9	11	14
85+	48	6.5	5	3	4	6	8	9	11	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	64	3.0	7	<1	<1	2	4	7	8	13
70-74	64	3.7	19	<1	<1	2	5	8	13	23
75-79	61	4.7	17	<1	1	4	7	12	14	16
80-84	20	4.2	11	<1	1	3	6	8	11	14
85+	37	5.4	31	1	1	4	6	14	16	28
B. *Operated*										
65-69 YRS	3218	7.0	9	3	4	7	8	10	12	17
70-74	2635	7.2	9	4	4	7	8	10	12	18
75-79	1732	7.5	12	4	4	7	9	11	13	21
80-84	765	7.8	19	4	4	7	9	12	14	28
85+	254	8.0	16	3	4	7	10	13	16	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	4.3	5	1	1	4	6	8	9	9
B. *Operated*	2446	6.2	5	3	4	6	7	9	10	13
2. MULTIPLE DX										
A. *Not Operated*	246	4.1	17	<1	1	3	5	9	13	20
B. *Operated*	8604	7.2	11	4	4	7	8	10	13	19
1. SINGLE DX	2464	6.2	5	3	4	6	7	9	10	13
2. MULTIPLE DX	8850	7.2	11	3	4	7	8	10	13	19
A. NOT OPERATED	264	4.1	16	<1	1	3	5	8	13	20
B. OPERATED	11050	7.0	9	3	4	7	8	10	12	18
TOTAL 65-69 YRS	4302	6.7	8	3	4	6	8	10	11	17
70-74	3458	6.9	8	3	4	7	8	10	12	18
75-79	2230	7.2	11	3	4	7	8	10	13	20
80-84	985	7.4	17	3	4	7	9	11	13	26
85+	339	7.5	17	2	3	7	9	13	15	26
GRAND TOTAL	**11314**	**6.9**	**10**	**3**	**4**	**7**	**8**	**10**	**12**	**18**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	1.8	3	1	1	1	2	5	5	5
70-74	4	1.5		<1	<1	1	2	2	2	2
75-79	4	2.0	4	<1	<1	1	3	5	5	5
80-84	2	1.5	1	1	1	1	2	2	2	2
85+	3	3.3	2	2	2	3	4	5	5	5
B. *Operated*										
65-69 YRS	212	1.7	2	<1	<1	1	2	2	3	9
70-74	151	1.6	1	<1	<1	1	2	2	3	6
75-79	100	1.8	1	<1	<1	2	2	3	4	7
80-84	60	1.9	2	<1	<1	1	2	3	4	10
85+	22	2.0	2	<1	<1	2	2	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	32	3.6	18	1	1	2	4	8	16	18
70-74	30	2.9	5	<1	<1	2	4	6	9	9
75-79	25	4.4	14	1	1	3	6	9	12	17
80-84	26	3.5	7	<1	1	3	5	9	10	10
85+	33	4.0	6	1	2	3	5	7	9	12
B. *Operated*										
65-69 YRS	649	3.4	11	<1	1	2	5	8	10	16
70-74	516	3.3	10	<1	1	2	4	7	9	16
75-79	372	3.5	30	<1	1	2	4	7	9	16
80-84	198	3.8	15	<1	1	2	5	8	11	21
85+	138	3.8	11	1	1	2	5	8	11	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	2.0	2	<1	<1	1	2	5	5	5
B. *Operated*	545	1.7	1	<1	<1	1	2	2	3	8
2. MULTIPLE DX										
A. *Not Operated*	146	3.7	10	1	1	3	5	8	9	17
B. *Operated*	1873	3.5	15	<1	1	2	4	7	10	17
1. SINGLE DX	564	1.7	1	<1	<1	1	2	3	4	8
2. MULTIPLE DX	2019	3.5	15	<1	1	2	4	7	10	17
A. NOT OPERATED	165	3.5	10	<1	1	2	5	7	9	17
B. OPERATED	2418	3.1	13	<1	<1	2	3	7	9	15
TOTAL 65-69 YRS	899	3.0	10	<1	<1	2	3	7	9	16
70-74	701	2.9	8	<1	<1	2	3	6	8	15
75-79	501	3.2	24	<1	1	2	3	7	9	15
80-84	286	3.3	12	<1	1	2	4	7	10	20
85+	196	3.6	9	1	1	2	5	7	10	15
GRAND TOTAL	**2583**	**3.1**	**12**	**<1**	**1**	**2**	**3**	**7**	**9**	**16**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	2.0	1	<1	<1	2	2	3	3	3
70-74										
75-79	1	12.0		12	12	12	12	12	12	12
80-84	2	3.5	5	2	2	3	5	5	5	5
85+	5	1.2		<1	<1	1	1	2	2	2
B. *Operated*										
65-69 YRS	156	3.0	6	<1	<1	2	5	7	8	11
70-74	105	3.8	19	<1	1	2	5	9	12	22
75-79	59	2.8	5	<1	<1	2	3	7	8	10
80-84	39	3.0	11	<1	<1	2	3	6	10	18
85+	15	6.5	26	<1	2	5	9	14	18	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	36	4.5	15	<1	1	3	6	9	13	18
70-74	55	5.9	31	1	1	4	8	11	14	30
75-79	52	6.2	31	1	2	5	7	12	16	32
80-84	54	5.7	26	1	1	5	8	10	14	32
85+	58	5.3	19	2	2	4	7	11	13	23
B. *Operated*										
65-69 YRS	829	6.5	48	<1	1	5	8	13	17	33
70-74	612	6.2	42	1	1	4	8	13	19	39
75-79	420	7.0	66	1	1	5	9	14	19	40
80-84	236	7.4	70	1	1	5	10	17	21	83
85+	151	6.9	52	1	1	5	9	16	18	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.7	9	<1	<1	2	3	6	11	12
B. *Operated*	374	3.3	11	<1	<1	2	5	7	10	19
2. MULTIPLE DX										
A. *Not Operated*	255	5.6	25	1	1	4	7	11	14	30
B. *Operated*	2248	6.6	53	1	1	5	8	14	19	39
1. SINGLE DX	387	3.3	11	<1	<1	2	5	7	10	19
2. MULTIPLE DX	2503	6.5	50	1	1	5	8	14	19	38
A. NOT OPERATED	268	5.4	24	1	1	4	7	11	14	29
B. OPERATED	2622	6.2	48	<1	1	4	8	13	18	36
TOTAL 65-69 YRS	1026	5.9	42	<1	1	5	7	11	16	30
70-74	772	5.9	39	1	1	4	8	13	18	35
75-79	532	6.4	58	1	1	4	8	13	19	38
80-84	331	6.6	57	1	1	4	8	15	20	56
85+	229	6.4	42	1	1	5	8	15	18	34
GRAND TOTAL	**2890**	**6.1**	**46**	**<1**	**1**	**4**	**8**	**13**	**18**	**34**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	1.8	1	1	1	2	2	3	3	3
70-74										
75-79	1	1.0		1	1	1	1	1	1	1
80-84	4	3.5	3	2	2	3	5	5	5	5
85+										
B. *Operated*										
65-69 YRS	261	6.0	6	2	3	6	7	9	11	14
70-74	194	6.5	6	3	3	6	8	10	11	13
75-79	103	6.7	7	3	4	7	8	9	10	15
80-84	41	6.9	8	2	3	7	8	10	12	14
85+	9	6.0	5	<1	2	6	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	27	3.4	10	<1	<1	2	5	7	10	15
70-74	24	3.7	8	<1	<1	3	5	8	10	10
75-79	18	5.4	21	<1	1	4	7	11	16	19
80-84	15	5.1	7	<1	1	5	7	9	9	9
85+	9	3.2	4	1	1	3	4	7	7	7
B. *Operated*										
65-69 YRS	594	7.1	10	3	4	7	8	11	13	19
70-74	429	7.3	12	3	4	7	9	11	14	20
75-79	314	7.5	13	3	4	7	9	12	14	21
80-84	135	8.1	14	3	4	7	10	13	16	19
85+	56	7.3	16	2	3	7	9	12	15	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	2.4	2	1	1	2	3	5	5	5
B. *Operated*	608	6.3	6	3	3	6	8	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	93	4.1	11	<1	1	3	6	8	10	17
B. *Operated*	1528	7.4	12	3	4	7	9	11	14	20
1. SINGLE DX	618	6.3	7	2	3	6	8	9	10	14
2. MULTIPLE DX	1621	7.2	13	2	3	7	9	11	14	20
A. NOT OPERATED	103	3.9	10	<1	1	3	5	8	9	17
B. OPERATED	2136	7.1	11	3	3	7	8	11	13	18
TOTAL 65-69 YRS	887	6.7	10	2	3	6	8	10	12	17
70-74	647	6.9	11	3	3	7	8	10	12	18
75-79	436	7.2	12	2	3	7	9	11	14	20
80-84	195	7.5	13	2	3	7	9	13	14	18
85+	74	6.6	15	1	2	6	8	12	14	21
GRAND TOTAL	**2239**	**6.9**	**11**	**2**	**3**	**7**	**8**	**11**	**13**	**18**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

257: Spontaneous and unspecified abortion (634; 637)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

258: Other pregnancy with abortive outcome (630-632; 638-639)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

261: Hypertension complicating [illegible]ncy, childbirth, and the puerperium not delivered this admission ([illegible]ith 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

268: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

286: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

287: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

290: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	267	5.2	8	2	2	5	7	9	9	13
70-74	206	6.0	15	2	3	5	8	11	13	21
75-79	178	5.9	12	2	3	5	7	10	12	17
80-84	144	6.3	17	2	3	5	8	11	14	22
85+	139	6.4	14	2	3	6	8	11	15	19
B. *Operated*										
65-69 YRS	97	6.1	19	1	2	5	8	12	13	24
70-74	72	6.4	33	1	2	5	8	13	14	35
75-79	67	8.8	131	1	1	6	9	24	28	71
80-84	45	6.7	18	1	2	6	9	12	15	21
85+	38	9.1	49	3	3	7	10	18	28	32
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2262	7.7	27	3	3	6	9	13	17	27
70-74	2390	8.2	36	3	3	7	10	14	18	31
75-79	2213	8.3	33	3	3	7	10	15	19	33
80-84	1961	8.7	49	3	3	7	11	15	19	33
85+	2201	9.2	54	3	4	7	11	16	21	42
B. *Operated*										
65-69 YRS	1140	12.4	117	2	3	9	16	24	33	58
70-74	1039	13.7	143	3	4	10	17	28	36	76
75-79	902	14.1	137	3	4	10	18	31	39	96
80-84	693	14.0	149	3	4	10	17	27	39	77
85+	661	14.0	123	3	4	11	18	28	39	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	934	5.9	12	2	3	5	7	10	12	19
B. *Operated*	319	7.2	50	1	2	6	9	13	20	31
2. MULTIPLE DX										
A. *Not Operated*	11027	8.4	40	3	3	7	10	15	19	33
B. *Operated*	4435	13.6	133	3	4	10	17	28	37	71
1. SINGLE DX	1253	6.2	22	2	2	5	8	10	13	26
2. MULTIPLE DX	15462	9.9	72	3	3	8	12	18	25	51
A. NOT OPERATED	11961	8.2	38	3	3	7	10	14	18	31
B. OPERATED	4754	13.1	130	3	4	10	17	27	36	70
TOTAL 65-69 YRS	3766	8.9	58	2	3	7	11	17	22	43
70-74	3707	9.6	72	3	3	7	11	18	24	45
75-79	3360	9.7	69	3	3	7	11	19	27	51
80-84	2843	9.9	77	3	4	7	12	18	24	50
85+	3039	10.1	72	3	4	8	12	19	25	57
GRAND TOTAL	**16715**	**9.6**	**69**	**3**	**3**	**7**	**11**	**18**	**24**	**49**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	27	5.6	10	2	2	5	6	9	11	18
70-74	26	5.3	23	1	2	4	8	9	14	24
75-79	18	6.3	39	1	2	5	8	13	22	27
80-84	10	5.7	24	2	2	4	6	13	19	19
85+	13	5.1	8	2	2	5	7	9	10	10
B. *Operated*										
65-69 YRS	38	7.9	193	<1	1	4	7	17	24	84
70-74	27	4.6	9	1	1	4	7	8	9	12
75-79	14	5.4	22	<1	<1	4	8	13	15	16
80-84	11	4.8	10	<1	1	4	6	10	11	11
85+	12	6.7	24	1	1	5	10	14	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	274	7.5	43	2	3	6	9	12	20	37
70-74	263	7.6	24	3	3	6	10	14	18	25
75-79	230	7.6	36	2	3	6	9	13	18	28
80-84	170	8.6	39	2	3	7	10	16	20	39
85+	172	8.6	50	3	3	7	10	14	17	33
B. *Operated*										
65-69 YRS	261	9.8	79	2	3	8	12	21	24	45
70-74	227	10.6	84	2	3	8	13	23	29	52
75-79	164	10.0	76	1	2	8	14	21	28	56
80-84	144	10.6	69	3	3	8	13	19	25	47
85+	95	11.5	98	2	2	9	15	24	33	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	5.6	19	2	2	5	7	9	14	26
B. *Operated*	102	6.2	82	<1	1	4	7	12	16	54
2. MULTIPLE DX										
A. *Not Operated*	1109	7.9	38	2	3	6	9	14	19	33
B. *Operated*	891	10.4	80	2	3	8	13	21	28	50
1. SINGLE DX	196	5.9	52	1	1	4	7	10	16	27
2. MULTIPLE DX	2000	9.0	58	2	3	7	11	17	24	43
A. NOT OPERATED	1203	7.7	37	2	3	6	9	14	19	33
B. OPERATED	993	9.9	82	2	2	8	13	21	27	50
TOTAL 65-69 YRS	600	8.4	68	2	2	6	10	16	23	40
70-74	543	8.6	51	2	3	7	10	18	24	37
75-79	426	8.4	53	2	3	6	11	16	23	44
80-84	335	9.3	52	2	3	7	11	17	22	42
85+	292	9.3	65	2	3	7	11	16	24	55
GRAND TOTAL	**2196**	**8.7**	**58**	**2**	**3**	**7**	**11**	**17**	**23**	**43**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	9.0		9	9	9	9	9	9	9
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	14	2.9	6	<1	<1	2	4	6	8	9
70-74	11	3.8	11	1	1	3	4	8	13	13
75-79	2	10.5	61	5	5	10	16	16	16	16
80-84	3	3.7		3	3	4	4	4	4	4
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	2.5	1	2	2	2	3	3	3	3
70-74	3	6.7	5	4	4	8	8	8	8	8
75-79										
80-84	1	7.0		7	7	7	7	7	7	7
85+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
65-69 YRS	23	5.7	19	1	2	4	7	14	16	16
70-74	14	4.9	13	1	2	4	6	8	14	16
75-79	8	5.0	12	1	1	4	7	11	12	12
80-84	3	34.0	2281	3	3	10	69	89	89	89
85+	5	6.8	9	4	4	7	9	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	9.0		9	9	9	9	9	9	9
B. *Operated*	31	3.7	12	<1	<1	3	4	7	13	16
2. MULTIPLE DX										
A. *Not Operated*	7	5.6	6	2	2	7	8	8	8	8
B. *Operated*	53	7.1	146	1	2	4	7	12	16	87
1. SINGLE DX	32	3.9	12	<1	1	3	4	9	13	16
2. MULTIPLE DX	60	6.9	130	1	2	4	7	11	16	82
A. NOT OPERATED	8	6.0	7	2	2	7	8	9	9	9
B. OPERATED	84	5.8	98	1	1	4	6	11	16	64
TOTAL 65-69 YRS	39	4.5	15	<1	1	3	5	10	15	16
70-74	29	4.8	12	1	1	4	6	9	13	16
75-79	10	6.1	22	1	2	4	7	14	16	16
80-84	7	17.1	1010	3	3	4	9	73	89	89
85+	7	6.0	11	1	2	7	8	10	11	11
GRAND TOTAL	**92**	**5.9**	**90**	**1**	**1**	**4**	**7**	**10**	**15**	**58**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	1	10.0		10	10	10	10	10	10	10
75-79	1	1.0		<1	<1	<1	<1	<1	<1	<1
80-84										
85+										
B. *Operated*										
65-69 YRS	47	1.5	1	<1	<1	<1	1	3	4	7
70-74	27	1.3		<1	<1	<1	1	2	2	3
75-79	22	1.5	1	<1	<1	<1	1	3	4	5
80-84	12	1.5	1	<1	<1	<1	1	3	5	5
85+	7	1.9	2	<1	<1	1	2	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	3.0		3	3	3	3	3	3	3
70-74	1	6.0		6	6	6	6	6	6	6
75-79	3	3.0	1	2	2	3	4	4	4	4
80-84										
85+										
B. *Operated*										
65-69 YRS	66	3.0	9	<1	<1	2	4	7	8	18
70-74	52	3.5	10	<1	1	2	4	9	12	13
75-79	31	3.8	12	<1	1	3	4	8	13	15
80-84	24	6.5	152	1	1	3	7	9	26	63
85+	15	7.9	184	1	2	3	7	9	44	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	4.0	27	<1	<1	1	8	10	10	10
B. *Operated*	115	1.4	1	<1	<1	<1	1	2	4	6
2. MULTIPLE DX										
A. *Not Operated*	6	3.5	2	2	2	3	4	6	6	6
B. *Operated*	188	4.1	43	<1	<1	2	5	8	10	42
1. SINGLE DX	118	1.5	2	<1	<1	<1	1	3	4	8
2. MULTIPLE DX	194	4.1	41	<1	<1	2	5	8	10	40
A. NOT OPERATED	9	3.7	8	<1	<1	3	4	8	10	10
B. OPERATED	303	3.1	28	<1	<1	2	3	7	9	17
TOTAL 65-69 YRS	116	2.4	6	<1	<1	1	3	5	7	14
70-74	81	2.9	8	<1	<1	2	3	8	10	13
75-79	57	2.8	8	<1	<1	2	3	5	9	15
80-84	36	4.9	106	<1	<1	2	5	8	10	63
85+	22	6.0	131	<1	1	3	6	8	28	56
GRAND TOTAL	**312**	**3.1**	**28**	**<1**	**<1**	**2**	**3**	**7**	**9**	**17**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	87	7.4	52	1	2	5	9	19	25	33
70-74	73	8.0	80	1	2	6	11	17	20	57
75-79	66	8.2	40	1	2	7	11	17	20	31
80-84	51	7.7	38	1	1	6	11	15	22	28
85+	55	6.4	16	1	2	6	8	12	15	17
B. *Operated*										
65-69 YRS	279	4.7	52	<1	1	2	5	12	16	34
70-74	223	6.4	76	<1	1	2	8	17	26	41
75-79	148	9.3	164	<1	1	5	11	23	37	59
80-84	115	7.3	64	<1	1	5	9	19	25	38
85+	99	9.9	81	<1	1	7	14	21	26	45
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1005	9.1	64	2	3	7	11	17	24	41
70-74	1088	9.9	76	2	3	8	12	20	27	63
75-79	1234	10.7	112	2	3	8	13	20	30	67
80-84	1064	10.5	91	2	3	8	13	19	27	55
85+	1156	10.7	86	3	3	9	12	19	28	56
B. *Operated*										
65-69 YRS	1435	15.2	258	1	2	10	21	38	50	95
70-74	1462	16.1	251	1	2	11	21	40	55	99+
75-79	1444	17.2	256	2	3	13	22	40	56	99+
80-84	1327	17.9	233	2	4	14	24	40	55	99+
85+	1435	16.8	210	3	4	14	22	39	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	332	7.6	48	1	2	6	10	16	20	30
B. *Operated*	864	6.8	86	<1	1	3	9	16	25	45
2. MULTIPLE DX										
A. *Not Operated*	5547	10.2	87	2	3	8	12	19	27	57
B. *Operated*	7103	16.6	243	2	3	12	22	39	55	99+
1. SINGLE DX	1196	7.0	75	<1	1	4	9	16	23	41
2. MULTIPLE DX	12650	13.8	185	2	3	10	17	31	44	96
A. NOT OPERATED	5879	10.1	85	2	3	8	12	19	26	57
B. OPERATED	7967	15.6	235	1	2	11	21	37	51	99+
TOTAL 65-69 YRS	2806	11.7	176	1	2	8	15	27	39	83
70-74	2846	12.8	179	1	2	9	16	29	44	88
75-79	2892	13.8	196	2	3	10	17	31	46	95
80-84	2557	14.2	178	2	3	10	18	31	43	93
85+	2745	13.8	160	2	3	10	17	31	43	99+
GRAND TOTAL	**13846**	**13.2**	**179**	**1**	**2**	**9**	**17**	**30**	**43**	**92**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	13	5.3	11	2	2	4	8	10	12	13
70-74	15	5.9	22	2	2	5	7	15	17	18
75-79	6	3.8	7	<1	<1	4	6	7	7	7
80-84										
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	12	7.6	21	1	2	7	9	14	17	18
70-74	10	7.6	26	2	2	7	11	14	15	15
75-79	5	9.0	88	1	1	7	12	25	25	25
80-84	1	8.0		8	8	8	8	8	8	8
85+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	177	8.9	75	2	3	7	10	16	20	34
70-74	189	8.1	30	2	3	7	10	14	19	32
75-79	136	9.6	66	2	3	8	12	19	26	49
80-84	76	10.0	58	3	3	8	12	21	24	38
85+	30	9.8	148	2	3	7	11	14	35	65
B. *Operated*										
65-69 YRS	111	14.5	160	3	4	11	17	35	44	82
70-74	133	15.4	175	4	6	12	18	27	46	90
75-79	85	16.5	181	3	5	12	21	30	43	68
80-84	38	14.8	121	3	4	14	19	26	36	56
85+	9	14.3	37	3	5	17	17	21	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	5.3	14	1	2	4	7	9	14	18
B. *Operated*	29	8.0	30	1	2	8	11	15	18	25
2. MULTIPLE DX										
A. *Not Operated*	608	9.0	60	2	3	7	11	16	21	36
B. *Operated*	376	15.3	162	3	5	12	19	30	44	74
1. SINGLE DX	64	6.5	23	1	2	5	8	13	16	24
2. MULTIPLE DX	984	11.4	109	2	3	9	14	22	31	59
A. NOT OPERATED	643	8.8	58	2	3	7	11	16	21	36
B. OPERATED	405	14.8	156	3	4	11	18	30	42	73
TOTAL 65-69 YRS	313	10.7	109	2	3	8	12	20	32	62
70-74	347	10.8	98	2	3	9	13	19	27	59
75-79	232	12.0	119	2	3	9	15	26	30	58
80-84	115	11.5	82	3	3	8	16	22	30	45
85+	41	10.7	119	2	3	8	13	18	28	65
GRAND TOTAL	**1048**	**11.1**	**105**	**2**	**3**	**8**	**13**	**21**	**30**	**58**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	81	6.0	11	2	2	5	7	9	11	20
70-74	95	6.5	18	2	2	5	8	10	15	25
75-79	55	6.1	63	1	1	5	7	9	11	58
80-84	22	6.5	7	1	2	8	8	9	10	11
85+	12	4.3	8	1	1	4	6	9	10	10
B. *Operated*										
65-69 YRS	340	7.8	35	1	2	6	11	16	18	27
70-74	215	8.6	41	2	2	8	12	16	18	25
75-79	115	9.2	38	1	2	9	13	17	19	28
80-84	15	6.9	25	1	2	4	12	14	15	15
85+	4	12.0	74	1	1	13	18	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	613	7.9	44	2	3	7	10	14	20	44
70-74	617	8.0	36	2	3	7	10	14	18	30
75-79	476	8.4	46	2	3	7	11	15	22	50
80-84	291	8.8	52	3	3	7	10	17	19	38
85+	134	8.7	60	2	3	6	10	16	25	42
B. *Operated*										
65-69 YRS	805	10.0	76	2	2	9	13	18	26	79
70-74	691	11.2	84	2	3	10	14	20	26	47
75-79	356	12.4	80	2	3	11	16	22	30	47
80-84	160	14.1	131	2	3	12	17	30	39	68
85+	42	12.6	166	3	4	10	15	19	27	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	265	6.1	24	1	2	5	8	9	12	22
B. *Operated*	689	8.3	38	2	2	7	12	16	18	26
2. MULTIPLE DX										
A. *Not Operated*	2131	8.2	44	2	3	7	10	15	20	37
B. *Operated*	2054	11.2	87	2	3	10	14	20	28	59
1. SINGLE DX	954	7.7	35	2	2	6	11	15	17	25
2. MULTIPLE DX	4185	9.7	67	2	3	8	12	18	24	48
A. NOT OPERATED	2396	8.0	42	2	3	7	10	14	19	35
B. OPERATED	2743	10.5	76	2	2	9	14	19	25	50
TOTAL 65-69 YRS	1839	8.7	56	2	2	7	11	16	21	49
70-74	1618	9.4	59	2	3	8	12	17	22	37
75-79	1002	9.8	62	2	3	8	13	18	24	46
80-84	488	10.4	82	2	3	8	13	19	27	56
85+	192	9.4	83	2	3	7	12	17	25	50
GRAND TOTAL	**5139**	**9.3**	**62**	**2**	**3**	**8**	**12**	**17**	**22**	**45**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	38	4.9	14	<1	1	4	6	11	13	15
70-74	66	5.2	16	1	1	4	8	11	13	17
75-79	57	5.0	11	1	1	5	7	8	10	17
80-84	51	6.1	16	1	2	5	8	12	15	18
85+	50	5.4	31	1	1	4	7	9	11	36
B. *Operated*										
65-69 YRS	2554	10.3	21	2	4	10	13	15	17	23
70-74	2332	10.8	21	3	6	11	13	16	18	23
75-79	1802	11.7	21	4	7	11	14	16	19	25
80-84	833	12.0	19	5	7	12	15	17	19	25
85+	242	12.5	19	6	8	12	15	17	19	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	548	5.3	21	<1	1	4	7	11	14	24
70-74	705	5.8	30	1	1	5	8	11	15	24
75-79	782	6.6	46	1	1	5	8	13	17	48
80-84	730	7.6	63	1	2	6	9	14	21	41
85+	769	7.7	48	2	2	6	9	15	20	43
B. *Operated*										
65-69 YRS	5004	11.6	43	2	4	11	14	18	22	35
70-74	5403	12.6	39	3	6	12	15	19	22	35
75-79	4532	13.6	54	4	7	13	16	21	25	41
80-84	2322	14.6	65	5	8	13	17	23	28	51
85+	826	15.5	84	5	8	14	18	25	32	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	262	5.3	17	1	1	4	7	10	13	18
B. *Operated*	7763	11.0	21	3	6	11	14	16	18	24
2. MULTIPLE DX										
A. *Not Operated*	3534	6.7	44	1	1	5	8	13	17	33
B. *Operated*	18087	13.0	50	3	6	12	16	20	24	39
1. SINGLE DX	8025	10.8	22	2	5	11	14	16	18	24
2. MULTIPLE DX	21621	12.0	55	2	4	11	15	19	23	39
A. NOT OPERATED	3796	6.6	42	1	1	5	8	13	17	31
B. OPERATED	25850	12.4	42	3	6	12	15	19	22	36
TOTAL 65-69 YRS	8144	10.7	37	2	3	10	14	17	20	31
70-74	8506	11.5	37	2	4	11	15	18	21	32
75-79	7173	12.3	49	3	5	12	15	19	23	38
80-84	3936	12.7	62	3	4	12	16	20	25	45
85+	1887	11.6	74	2	3	10	15	20	26	51
GRAND TOTAL	**29646**	**11.7**	**46**	**2**	**4**	**11**	**15**	**18**	**22**	**36**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	35	5.2	12	<1	1	4	7	9	13	15
70-74	28	5.4	21	2	2	4	6	8	13	26
75-79	31	5.3	31	<1	1	4	6	9	14	31
80-84	25	6.0	14	1	2	5	8	10	14	17
85+	17	4.3	3	2	3	4	5	7	7	7
B. *Operated*										
65-69 YRS	137	7.9	31	1	1	7	11	15	16	25
70-74	107	9.3	32	1	2	9	12	17	20	25
75-79	68	9.9	36	1	2	10	13	16	20	31
80-84	29	12.3	161	2	3	10	13	19	29	72
85+	15	11.7	50	2	3	11	15	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	250	8.2	50	2	2	6	10	17	22	40
70-74	268	8.0	42	2	3	6	10	16	20	41
75-79	281	7.5	46	2	2	6	9	15	21	31
80-84	217	9.0	71	2	3	7	11	18	23	46
85+	225	9.8	164	2	3	6	11	19	28	89
B. *Operated*										
65-69 YRS	424	12.9	151	2	2	10	15	28	39	62
70-74	361	14.7	140	2	3	12	18	29	40	63
75-79	259	16.4	160	2	4	13	20	32	44	65
80-84	151	17.7	179	3	6	15	22	34	41	93
85+	106	18.1	155	5	6	16	25	39	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	5.3	17	1	2	4	6	9	13	27
B. *Operated*	356	9.2	45	1	2	9	12	16	20	27
2. MULTIPLE DX										
A. *Not Operated*	1241	8.4	72	2	2	6	10	17	22	43
B. *Operated*	1301	15.1	156	2	3	12	19	31	42	67
1. SINGLE DX	492	8.1	40	1	2	7	11	15	18	27
2. MULTIPLE DX	2542	11.8	126	2	3	9	15	25	35	60
A. NOT OPERATED	1377	8.1	67	2	2	6	10	16	22	43
B. OPERATED	1657	13.8	138	2	3	11	17	28	39	64
TOTAL 65-69 YRS	846	10.4	102	1	2	8	13	21	30	57
70-74	764	11.2	97	2	3	9	14	22	30	55
75-79	639	11.2	109	2	2	9	15	23	31	58
80-84	422	12.1	130	2	3	9	15	26	34	71
85+	363	12.0	165	2	3	8	15	27	38	93
GRAND TOTAL	**3034**	**11.2**	**114**	**2**	**2**	**8**	**14**	**23**	**32**	**60**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	1.0		<1	<1	<1	<1	<1	<1	<1
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	108	2.5	7	<1	<1	2	3	5	8	14
70-74	74	2.8	21	<1	1	2	3	4	7	32
75-79	47	2.5	5	<1	<1	1	3	5	8	11
80-84	19	2.6	5	<1	1	2	3	6	8	9
85+	11	2.4	3	<1	<1	2	3	5	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	26	3.2	11	<1	<1	2	5	7	10	15
70-74	16	3.4	5	<1	1	3	5	6	8	9
75-79	12	7.6	94	<1	1	4	9	20	34	36
80-84	9	6.1	6	3	3	6	8	9	9	9
85+	7	3.3	6	1	1	3	5	7	8	8
B. *Operated*										
65-69 YRS	529	3.1	21	<1	1	2	4	6	8	16
70-74	338	3.2	14	<1	1	2	4	6	9	21
75-79	205	3.3	9	1	1	2	4	7	9	17
80-84	84	4.3	19	1	1	3	5	11	15	20
85+	22	6.9	38	<1	1	5	10	16	20	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.7	2	<1	<1	3	4	4	4	4
B. *Operated*	259	2.6	10	<1	<1	2	3	5	8	13
2. MULTIPLE DX										
A. *Not Operated*	70	4.4	24	<1	<1	3	5	9	10	32
B. *Operated*	1178	3.3	17	<1	1	2	4	7	9	18
1. SINGLE DX	262	2.6	10	<1	<1	2	3	5	8	13
2. MULTIPLE DX	1248	3.4	18	<1	1	2	4	7	9	18
A. NOT OPERATED	73	4.3	23	<1	<1	3	5	9	10	31
B. OPERATED	1437	3.2	16	<1	1	2	4	7	9	18
TOTAL 65-69 YRS	663	3.0	18	<1	1	2	3	6	8	16
70-74	429	3.2	15	<1	1	2	3	6	9	21
75-79	265	3.3	13	<1	1	2	4	8	9	17
80-84	112	4.1	16	1	1	3	5	9	13	19
85+	41	5.0	26	<1	<1	3	7	13	17	22
GRAND TOTAL	**1510**	**3.2**	**16**	**<1**	**1**	**2**	**4**	**7**	**9**	**18**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	26	3.3	6	1	1	3	4	6	9	12
70-74	36	4.8	77	1	1	2	4	10	19	50
75-79	26	3.5	6	<1	1	3	4	7	9	11
80-84	43	3.7	9	1	1	3	5	7	8	17
85+	38	5.2	17	<1	1	4	7	10	13	21
B. *Operated*										
65-69 YRS	111	4.5	26	1	1	3	6	11	12	26
70-74	96	5.7	42	1	1	3	7	15	19	33
75-79	59	6.7	172	<1	1	4	7	14	16	92
80-84	37	6.1	30	1	1	5	8	12	19	26
85+	22	3.9	16	<1	1	3	5	7	12	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	253	6.8	41	1	2	5	8	14	21	30
70-74	280	7.7	64	1	2	5	9	18	24	47
75-79	346	8.8	92	1	2	5	10	20	29	53
80-84	299	9.0	113	2	2	6	10	20	27	56
85+	337	9.0	92	2	2	6	11	18	27	48
B. *Operated*										
65-69 YRS	338	7.0	39	1	2	5	10	15	19	31
70-74	301	8.3	82	1	1	5	10	18	24	41
75-79	252	9.9	82	1	1	8	14	21	33	49
80-84	149	10.9	109	2	2	8	14	25	34	72
85+	81	9.8	86	2	2	7	14	20	26	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	169	4.2	24	1	1	3	5	8	11	22
B. *Operated*	325	5.4	57	1	1	3	7	11	15	29
2. MULTIPLE DX										
A. *Not Operated*	1515	8.4	83	1	2	6	10	18	26	49
B. *Operated*	1121	8.7	75	1	2	6	12	19	26	44
1. SINGLE DX	494	5.0	46	1	1	3	6	11	14	26
2. MULTIPLE DX	2636	8.5	79	1	2	6	11	18	26	48
A. NOT OPERATED	1684	8.0	79	1	2	5	9	17	24	48
B. OPERATED	1446	8.0	73	1	1	5	11	17	24	42
TOTAL 65-69 YRS	728	6.4	37	1	1	4	8	14	18	30
70-74	713	7.6	70	1	1	5	9	17	23	43
75-79	683	8.8	94	1	2	6	11	19	29	52
80-84	528	8.9	101	1	2	6	11	20	27	58
85+	478	8.6	83	1	2	6	11	18	25	49
GRAND TOTAL	**3130**	**8.0**	**76**	**1**	**2**	**5**	**10**	**17**	**24**	**46**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	2.7		2	2	3	3	3	3	3
70-74	1	2.0		2	2	2	2	2	2	2
75-79	1	4.0		4	4	4	4	4	4	4
80-84	1	2.0		2	2	2	2	2	2	2
85+										
B. *Operated*										
65-69 YRS	5	9.0	76	<1	<1	7	14	23	23	23
70-74										
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	18	8.8	23	3	3	9	10	13	19	23
70-74	18	7.9	23	1	2	8	10	15	17	17
75-79	20	12.4	132	4	5	8	11	31	42	47
80-84	10	10.9	141	1	1	8	12	30	41	41
85+	5	6.4	21	3	3	5	9	14	14	14
B. *Operated*										
65-69 YRS	12	12.0	124	2	3	9	15	26	41	43
70-74	9	18.1	213	5	5	15	24	43	48	48
75-79	5	14.0	92	3	3	16	27	93	99+	99+
80-84	1	45.0		45	45	45	45	45	45	45
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.7	1	2	2	3	3	4	4	4
B. *Operated*	6	8.2	65	<1	<1	5	11	22	23	23
2. MULTIPLE DX										
A. *Not Operated*	71	9.7	70	2	3	8	11	17	25	46
B. *Operated*	27	15.6	174	3	3	11	20	44	53	99+
1. SINGLE DX	12	5.4	38	<1	1	3	6	15	22	23
2. MULTIPLE DX	98	11.3	104	2	3	9	13	24	42	74
A. NOT OPERATED	77	9.2	68	2	3	8	10	17	24	45
B. OPERATED	33	14.3	160	2	3	10	20	43	47	99+
TOTAL 65-69 YRS	38	9.3	62	2	3	8	11	18	23	43
70-74	28	11.0	103	2	2	9	14	19	36	48
75-79	27	12.1	116	3	4	8	15	35	52	99+
80-84	12	13.0	224	1	1	8	15	42	45	45
85+	5	6.4	21	3	3	5	9	14	14	14
GRAND TOTAL	**110**	**10.7**	**100**	**2**	**3**	**8**	**12**	**23**	**41**	**68**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	116	5.6	13	1	2	5	8	10	13	16
70-74	98	5.8	12	1	2	5	8	10	13	16
75-79	96	5.4	12	1	2	5	7	11	12	15
80-84	57	6.0	13	1	2	5	8	10	12	21
85+	36	7.3	40	2	2	6	10	14	17	35
B. *Operated*										
65-69 YRS	326	5.5	23	1	1	4	8	12	14	23
70-74	253	6.4	27	1	1	5	9	13	16	23
75-79	128	6.4	25	1	1	5	9	13	16	23
80-84	44	6.5	45	1	1	5	9	13	18	36
85+	23	7.8	58	1	1	6	11	14	22	35
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	980	6.8	24	2	2	6	8	12	15	30
70-74	1090	6.9	21	2	2	6	9	12	16	23
75-79	997	7.3	27	2	3	6	9	13	17	27
80-84	847	7.6	30	2	3	6	10	14	18	30
85+	795	7.9	55	2	3	6	9	14	19	39
B. *Operated*										
65-69 YRS	1012	8.8	67	1	2	7	11	17	23	42
70-74	915	9.6	70	1	2	8	13	20	26	46
75-79	580	11.1	83	2	2	9	14	23	29	43
80-84	273	12.3	112	2	3	10	16	24	32	72
85+	106	16.0	137	2	3	13	21	31	40	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	403	5.8	15	1	2	5	8	11	13	17
B. *Operated*	774	6.1	27	1	1	5	9	13	15	24
2. MULTIPLE DX										
A. *Not Operated*	4709	7.2	30	2	3	6	9	13	17	29
B. *Operated*	2886	10.1	80	1	2	8	13	20	28	47
1. SINGLE DX	1177	6.0	23	1	1	5	8	12	14	23
2. MULTIPLE DX	7595	8.3	51	2	2	7	10	16	21	38
A. NOT OPERATED	5112	7.1	29	2	2	6	9	13	16	29
B. OPERATED	3660	9.2	72	1	2	7	12	19	25	44
TOTAL 65-69 YRS	2434	7.4	43	1	2	6	9	14	18	34
70-74	2356	7.8	42	1	2	6	10	15	20	33
75-79	1801	8.3	48	2	2	7	10	16	21	37
80-84	1221	8.5	52	2	2	7	11	16	22	37
85+	960	8.7	70	2	3	7	10	17	23	48
GRAND TOTAL	**8772**	**8.0**	**48**	**1**	**2**	**6**	**10**	**15**	**20**	**37**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	310	7.0	19	1	2	6	9	13	15	19
70-74	200	6.9	14	2	2	7	9	12	13	18
75-79	122	8.3	33	2	3	7	10	15	18	33
80-84	40	7.8	29	2	3	6	10	14	18	29
85+	26	6.5	14	1	2	6	9	12	13	15
B. *Operated*										
65-69 YRS	939	7.0	27	1	1	6	9	13	17	22
70-74	560	7.0	29	1	1	6	9	13	18	24
75-79	219	7.3	33	1	1	6	10	14	18	25
80-84	81	7.6	28	1	1	7	11	15	17	21
85+	36	8.3	32	1	2	7	12	17	21	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1090	7.6	23	2	3	7	10	13	16	27
70-74	1055	8.4	34	2	3	7	11	15	18	28
75-79	864	8.3	37	2	3	7	10	15	18	28
80-84	531	9.0	55	3	3	7	11	15	20	37
85+	329	8.7	55	2	3	7	10	15	18	50
B. *Operated*										
65-69 YRS	1986	10.1	58	2	2	9	13	19	24	38
70-74	1382	10.9	63	2	3	9	14	20	26	39
75-79	793	11.5	77	2	3	10	15	22	28	49
80-84	331	13.1	99	2	3	10	17	25	31	51
85+	92	15.6	232	2	3	11	20	31	52	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	698	7.2	21	1	2	7	9	13	15	21
B. *Operated*	1835	7.1	28	1	1	6	10	14	17	23
2. MULTIPLE DX										
A. *Not Operated*	3869	8.2	36	2	3	7	10	14	18	31
B. *Operated*	4584	10.9	70	2	2	9	14	21	26	44
1. SINGLE DX	2533	7.1	26	1	1	6	10	14	17	23
2. MULTIPLE DX	8453	9.7	57	2	3	8	12	18	23	38
A. NOT OPERATED	4567	8.1	34	2	3	7	10	14	17	30
B. OPERATED	6419	9.8	61	1	2	8	13	19	24	38
TOTAL 65-69 YRS	4325	8.5	42	1	2	7	11	16	20	31
70-74	3197	9.1	47	1	2	8	12	17	22	35
75-79	1998	9.4	55	2	3	8	12	18	23	36
80-84	983	10.2	70	2	3	8	13	20	25	43
85+	483	9.9	92	2	3	8	11	18	24	60
GRAND TOTAL	**10986**	**9.1**	**51**	**1**	**2**	**8**	**11**	**17**	**22**	**35**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	47	6.6	20	1	2	6	8	12	15	21
70-74	29	5.4	6	2	2	5	7	9	9	11
75-79	13	5.6	7	2	3	5	8	10	10	10
80-84	4	6.5	10	2	2	7	8	9	9	9
85+	7	5.9	33	2	2	4	7	16	18	18
B. *Operated*										
65-69 YRS	131	5.9	22	1	1	5	9	12	17	21
70-74	42	5.3	22	1	1	3	8	13	14	17
75-79	7	6.3	5	3	3	6	8	9	9	9
80-84	6	5.0	44	1	1	2	6	17	18	18
85+	7	6.9	46	1	1	4	11	18	19	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	210	6.3	21	2	2	6	8	10	11	24
70-74	185	7.5	35	2	2	6	9	14	17	47
75-79	167	7.4	54	2	3	6	8	12	16	40
80-84	85	6.6	20	2	2	6	9	12	16	23
85+	70	7.3	19	2	3	7	10	13	18	84
B. *Operated*										
65-69 YRS	289	9.0	74	1	2	7	11	19	26	46
70-74	156	9.0	80	1	2	7	12	19	21	54
75-79	93	10.5	58	1	2	9	15	21	26	72
80-84	33	9.3	44	1	2	8	13	20	22	22
85+	12	14.1	93	2	3	12	21	29	30	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	6.1	15	2	2	5	8	10	13	21
B. *Operated*	193	5.8	23	1	1	5	8	12	17	21
2. MULTIPLE DX										
A. *Not Operated*	717	7.0	32	2	3	6	8	12	15	39
B. *Operated*	583	9.4	72	1	2	7	13	20	25	51
1. SINGLE DX	293	5.9	20	1	1	5	8	12	15	21
2. MULTIPLE DX	1300	8.1	51	1	2	6	10	16	21	41
A. NOT OPERATED	817	6.9	30	2	2	6	8	12	15	32
B. OPERATED	776	8.5	62	1	1	7	11	18	22	41
TOTAL 65-69 YRS	677	7.4	46	1	2	6	9	14	20	35
70-74	412	7.7	50	1	2	6	10	15	19	52
75-79	280	8.3	54	2	3	7	10	16	21	40
80-84	128	7.2	28	1	2	6	9	15	18	23
85+	96	8.0	35	2	2	7	11	17	22	67
GRAND TOTAL	**1593**	**7.7**	**46**	**1**	**2**	**6**	**9**	**15**	**20**	**39**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	12	5.5	12	<1	1	5	9	10	11	11
70-74	8	6.1	28	1	1	5	8	15	17	17
75-79	8	4.1	13	1	1	2	8	9	9	9
80-84	4	6.8	23	3	3	6	10	13	13	13
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	9	6.1	17	1	1	6	9	12	12	12
70-74	4	6.3	38	<1	<1	4	10	15	15	15
75-79	2	5.5	25	2	2	5	9	9	9	9
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	67	6.9	22	2	2	6	9	13	15	23
70-74	56	6.9	18	2	3	6	8	12	17	21
75-79	39	7.3	30	2	2	6	9	14	18	30
80-84	25	7.3	16	2	4	6	9	14	16	16
85+	26	7.5	29	2	2	6	10	13	17	27
B. *Operated*										
65-69 YRS	23	11.1	58	1	2	11	16	21	27	31
70-74	15	7.8	53	1	1	7	12	22	23	23
75-79	7	10.1	33	3	3	12	13	18	19	19
80-84	6	9.7	109	1	1	5	14	27	29	29
85+	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	5.4	16	1	1	4	8	10	13	17
B. *Operated*	15	6.1	20	<1	1	6	9	12	14	15
2. MULTIPLE DX										
A. *Not Operated*	213	7.1	22	2	3	6	9	13	16	25
B. *Operated*	52	9.8	56	1	2	10	13	21	25	31
1. SINGLE DX	48	5.6	17	1	1	5	9	11	13	17
2. MULTIPLE DX	265	7.6	30	2	2	6	10	14	19	29
A. NOT OPERATED	246	6.9	22	2	2	6	9	13	16	23
B. OPERATED	67	9.0	50	1	1	8	12	19	23	31
TOTAL 65-69 YRS	111	7.6	31	1	2	6	11	14	17	27
70-74	83	6.9	25	1	2	6	9	14	18	23
75-79	56	7.2	29	1	2	6	9	13	18	29
80-84	35	7.6	30	2	3	6	9	14	16	29
85+	28	7.4	28	2	2	6	10	13	15	27
GRAND TOTAL	**313**	**7.3**	**28**	**1**	**2**	**6**	**10**	**14**	**17**	**28**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	47	6.6	17	1	1	7	9	11	12	23
70-74	40	5.3	10	<1	1	5	8	10	11	13
75-79	28	7.3	14	2	2	7	10	12	13	17
80-84	9	5.2	10	1	1	4	8	10	10	10
85+	12	9.3	72	2	2	6	14	22	28	29
B. *Operated*										
65-69 YRS	26	4.4	21	1	1	2	5	12	14	16
70-74	10	2.2	5	1	1	1	2	6	8	8
75-79	6	3.8	5	2	2	3	5	8	8	8
80-84	4	2.0	4	1	1	1	3	5	5	5
85+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	223	7.7	25	2	3	6	10	14	17	26
70-74	239	8.1	21	3	3	7	10	15	17	23
75-79	225	7.5	19	2	3	7	9	14	16	20
80-84	146	8.0	24	3	3	7	10	14	17	28
85+	112	8.8	43	3	3	7	11	15	20	39
B. *Operated*										
65-69 YRS	66	8.4	30	2	2	7	12	17	18	21
70-74	60	10.6	81	1	2	8	15	23	32	37
75-79	30	11.6	75	1	2	10	16	21	31	37
80-84	25	12.0	68	2	4	10	15	23	31	36
85+	12	13.6	100	2	2	12	19	29	34	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	6.5	19	1	2	6	9	12	13	24
B. *Operated*	47	3.7	15	1	1	2	5	10	13	16
2. MULTIPLE DX										
A. *Not Operated*	945	7.9	25	2	3	7	10	14	17	25
B. *Operated*	193	10.4	63	1	2	9	14	19	26	37
1. SINGLE DX	183	5.8	19	1	1	5	8	11	13	22
2. MULTIPLE DX	1138	8.3	32	2	3	7	11	15	19	30
A. NOT OPERATED	1081	7.7	24	2	3	7	10	14	17	25
B. OPERATED	240	9.1	61	1	1	7	13	18	24	37
TOTAL 65-69 YRS	362	7.4	26	1	2	6	10	14	17	24
70-74	349	8.0	32	2	2	7	10	15	19	32
75-79	289	7.8	25	2	3	7	10	14	17	25
80-84	184	8.3	32	2	3	7	10	15	19	30
85+	137	9.2	51	2	3	7	11	18	22	37
GRAND TOTAL	**1321**	**8.0**	**31**	**2**	**2**	**7**	**10**	**15**	**18**	**29**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	262	5.4	17	1	1	4	8	11	15	20
70-74	230	6.0	23	1	1	5	8	11	14	28
75-79	160	6.0	20	1	1	6	8	11	14	20
80-84	91	5.7	18	1	1	4	8	12	15	20
85+	56	5.3	17	1	1	5	7	12	15	19
B. *Operated*										
65-69 YRS	632	5.7	30	1	1	5	8	11	13	19
70-74	498	6.5	25	1	1	6	9	13	16	22
75-79	325	7.1	34	1	1	7	10	15	17	25
80-84	107	7.1	35	1	1	6	10	13	19	29
85+	36	7.1	32	1	1	5	11	16	17	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1408	6.8	28	1	2	6	9	12	15	25
70-74	1434	6.7	22	1	2	6	9	12	15	24
75-79	1239	7.2	29	2	2	6	9	13	16	29
80-84	910	7.6	36	2	2	6	9	14	17	33
85+	696	7.7	42	2	3	6	9	14	18	29
B. *Operated*										
65-69 YRS	1771	8.9	57	1	2	8	12	17	22	40
70-74	1660	10.0	66	1	2	8	13	19	24	40
75-79	1052	11.5	95	1	2	9	15	23	31	57
80-84	534	12.9	97	2	2	11	17	25	33	53
85+	179	12.4	86	2	3	10	16	26	32	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	799	5.7	20	1	1	5	8	11	14	21
B. *Operated*	1598	6.4	30	1	1	6	9	13	16	22
2. MULTIPLE DX										
A. *Not Operated*	5687	7.1	30	2	2	6	9	13	16	27
B. *Operated*	5196	10.3	75	1	2	9	13	20	27	45
1. SINGLE DX	2397	6.1	27	1	1	5	9	12	15	22
2. MULTIPLE DX	10883	8.6	54	1	2	7	11	17	22	38
A. NOT OPERATED	6486	6.9	29	1	2	6	9	13	16	26
B. OPERATED	6794	9.4	67	1	1	8	12	19	24	42
TOTAL 65-69 YRS	4073	7.4	42	1	1	6	10	14	18	32
70-74	3822	8.1	45	1	2	7	11	16	20	32
75-79	2776	8.8	59	1	2	7	11	17	23	41
80-84	1642	9.2	62	2	2	7	12	18	24	39
85+	967	8.4	52	1	2	7	10	16	21	39
GRAND TOTAL	**13280**	**8.2**	**50**	**1**	**2**	**7**	**11**	**16**	**21**	**36**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	47	4.1	8	1	2	3	5	8	10	14
70-74	35	4.3	7	1	2	4	6	7	8	15
75-79	25	3.2	2	1	1	3	4	5	6	7
80-84	19	3.6	5	1	1	3	6	7	7	7
85+	15	4.7	9	<1	1	4	6	7	11	13
B. *Operated*										
65-69 YRS	311	2.8	5	<1	<1	2	3	5	7	12
70-74	190	2.9	6	<1	<1	2	3	6	8	15
75-79	98	3.0	6	<1	<1	2	4	6	9	11
80-84	32	2.9	3	<1	1	2	4	5	7	7
85+	21	5.2	126	<1	<1	2	4	8	29	53
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	242	5.4	11	1	2	5	7	10	12	16
70-74	255	6.1	24	1	2	5	7	11	15	19
75-79	235	5.5	11	2	2	5	7	10	13	16
80-84	191	5.5	15	1	2	5	7	10	13	21
85+	170	6.5	18	2	2	5	8	12	16	25
B. *Operated*										
65-69 YRS	612	4.7	28	1	1	3	5	9	13	28
70-74	438	4.8	19	1	1	4	6	10	14	23
75-79	257	6.3	55	1	1	4	7	14	22	33
80-84	126	8.3	83	<1	1	5	9	19	28	47
85+	64	7.0	71	1	2	5	8	14	17	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	141	4.0	6	1	1	3	5	7	8	14
B. *Operated*	652	2.9	9	<1	<1	2	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	1093	5.8	16	1	2	5	7	11	13	19
B. *Operated*	1497	5.4	38	1	1	4	6	11	16	32
1. SINGLE DX	793	3.1	9	<1	<1	2	4	6	8	13
2. MULTIPLE DX	2590	5.6	29	1	1	4	7	11	15	28
A. NOT OPERATED	1234	5.6	15	1	2	5	7	10	13	18
B. OPERATED	2149	4.7	30	<1	1	3	5	9	14	29
TOTAL 65-69 YRS	1212	4.3	19	<1	1	3	5	8	12	20
70-74	918	4.8	19	<1	1	4	6	9	13	20
75-79	615	5.3	29	1	1	4	7	11	14	31
80-84	368	6.1	39	1	1	5	7	13	16	33
85+	270	6.4	38	1	2	5	8	12	16	47
GRAND TOTAL	**3383**	**5.0**	**25**	**1**	**1**	**4**	**6**	**10**	**13**	**26**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	4.5	1	4	4	4	5	5	5	5
70-74	3	1.7	1	<1	<1	1	2	3	3	3
75-79	2	3.0		3	3	3	3	3	3	3
80-84	1	6.0		6	6	6	6	6	6	6
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	411	3.1	6	<1	1	3	4	5	6	10
70-74	244	2.8	3	<1	1	3	4	5	6	8
75-79	117	2.7	3	<1	1	2	4	5	6	9
80-84	70	2.4	2	<1	<1	2	3	5	5	8
85+	30	2.8	5	<1	<1	2	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	29	2.7	15	<1	<1	1	2	6	12	19
70-74	21	1.8	2	<1	<1	1	2	3	5	7
75-79	5	1.6		<1	<1	2	2	2	2	2
80-84	5	8.0	81	<1	<1	3	14	22	22	22
85+	2	4.5	13	2	2	4	7	7	7	7
B. *Operated*										
65-69 YRS	2012	3.5	5	1	1	3	4	6	7	11
70-74	1410	3.8	10	1	1	3	5	6	8	13
75-79	708	3.9	7	1	1	3	5	7	8	13
80-84	296	4.1	15	1	1	3	5	7	10	22
85+	101	4.3	8	1	1	4	6	8	10	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.2	3	<1	<1	3	4	6	6	6
B. *Operated*	872	2.9	4	<1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	62	2.8	16	<1	<1	1	2	6	12	22
B. *Operated*	4527	3.7	7	1	1	3	5	6	8	13
1. SINGLE DX	881	2.9	4	<1	1	3	4	5	6	9
2. MULTIPLE DX	4589	3.7	8	1	1	3	5	6	8	13
A. NOT OPERATED	71	2.8	14	<1	<1	1	3	6	12	21
B. OPERATED	5399	3.6	7	1	1	3	4	6	8	13
TOTAL 65-69 YRS	2454	3.4	5	1	1	3	4	6	7	11
70-74	1678	3.7	9	1	1	3	4	6	8	13
75-79	832	3.7	6	1	1	3	5	6	8	12
80-84	372	3.8	14	1	1	3	4	7	10	22
85+	134	4.0	8	1	1	3	5	8	9	15
GRAND TOTAL	**5470**	**3.6**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	3.0	3	2	2	2	4	5	5	5
70-74	4	2.8	2	<1	<1	3	4	4	4	4
75-79	2	4.0	18	1	1	4	7	7	7	7
80-84										
85+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
65-69 YRS	91	2.3	2	<1	<1	2	3	5	5	7
70-74	65	2.8	4	<1	<1	2	4	5	7	9
75-79	33	3.2	17	<1	<1	2	4	5	14	21
80-84	15	2.1	1	<1	<1	2	3	3	4	4
85+	7	2.9	3	<1	<1	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	14	4.9	16	1	1	3	8	11	13	13
70-74	15	3.9	7	1	1	4	5	7	9	10
75-79	15	4.9	18	<1	2	3	6	9	16	18
80-84	11	5.4	13	<1	1	4	8	10	12	12
85+	3	5.3	4	3	3	6	7	7	7	7
B. *Operated*										
65-69 YRS	141	3.9	11	<1	1	3	5	6	9	20
70-74	103	4.3	12	<1	1	3	5	9	12	17
75-79	61	4.0	9	<1	1	3	5	8	10	15
80-84	38	4.2	25	1	1	3	4	9	16	26
85+	19	4.4	16	<1	1	3	4	9	14	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.3	4	<1	<1	3	5	6	7	7
B. *Operated*	211	2.6	5	<1	<1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	58	4.7	12	1	1	4	7	9	12	18
B. *Operated*	362	4.1	13	<1	1	3	5	8	11	20
1. SINGLE DX	221	2.6	5	<1	<1	2	4	5	6	11
2. MULTIPLE DX	420	4.2	13	<1	1	3	5	8	11	19
A. NOT OPERATED	68	4.5	11	1	1	4	6	9	11	17
B. OPERATED	573	3.5	10	<1	<1	3	4	6	9	19
TOTAL 65-69 YRS	249	3.3	9	<1	<1	3	4	6	8	16
70-74	187	3.7	9	<1	<1	3	5	7	10	15
75-79	111	3.9	12	<1	<1	3	5	8	11	19
80-84	64	3.9	18	<1	1	3	4	8	10	25
85+	30	4.2	12	<1	<1	3	5	8	9	18
GRAND TOTAL	**641**	**3.6**	**11**	**<1**	**<1**	**3**	**4**	**7**	**9**	**18**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	25	11.6	113	2	3	9	13	28	37	45
70-74	22	9.6	31	2	4	9	12	14	20	29
75-79	17	10.6	52	3	4	9	14	19	27	31
80-84	12	12.0	171	<1	1	8	12	35	44	46
85+	8	10.4	19	2	3	11	13	15	16	16
B. *Operated*										
65-69 YRS	57	10.6	117	1	2	8	14	22	30	62
70-74	48	10.3	63	1	2	8	13	24	26	34
75-79	50	12.8	86	2	2	11	16	24	36	38
80-84	33	11.1	78	2	3	8	15	26	30	32
85+	17	9.1	35	1	2	8	12	17	20	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	201	14.1	137	3	5	10	16	30	38	52
70-74	167	15.1	158	2	4	12	19	31	41	58
75-79	185	16.1	172	3	4	12	21	32	44	65
80-84	107	15.2	115	4	5	13	19	31	36	76
85+	105	12.9	81	4	5	10	17	29	38	99+
B. *Operated*										
65-69 YRS	581	18.2	245	2	5	14	23	40	51	82
70-74	503	19.5	254	3	5	14	27	45	53	92
75-79	391	19.1	228	3	4	16	25	43	49	70
80-84	242	20.1	309	3	5	15	25	44	65	97
85+	221	17.8	232	3	4	14	24	37	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	10.8	76	2	3	9	13	20	30	46
B. *Operated*	205	11.0	83	2	2	9	14	23	28	39
2. MULTIPLE DX										
A. *Not Operated*	765	14.8	139	3	4	11	18	31	40	65
B. *Operated*	1938	18.9	250	3	5	14	24	42	53	88
1. SINGLE DX	289	11.0	81	2	2	9	14	23	30	43
2. MULTIPLE DX	2703	17.7	222	3	5	14	23	39	50	83
A. NOT OPERATED	849	14.4	134	3	4	11	18	31	39	60
B. OPERATED	2143	18.2	240	2	4	14	23	41	51	84
TOTAL 65-69 YRS	864	16.6	213	2	4	12	21	34	47	77
70-74	740	17.6	222	3	4	13	24	41	49	81
75-79	643	17.5	201	2	4	14	23	38	46	68
80-84	394	17.8	242	3	4	14	23	37	54	96
85+	351	15.7	180	3	4	12	19	35	48	99+
GRAND TOTAL	**2992**	**17.1**	**213**	**3**	**4**	**13**	**22**	**37**	**48**	**82**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	114	5.0	18	1	1	4	6	10	12	24
70-74	113	7.3	30	2	2	6	9	14	18	26
75-79	140	6.6	18	2	2	6	9	13	16	18
80-84	125	7.0	15	1	3	7	9	12	14	18
85+	117	6.6	14	2	2	6	9	12	14	16
B. *Operated*										
65-69 YRS	266	7.2	31	1	2	6	10	14	16	28
70-74	208	7.7	31	1	2	6	11	15	17	24
75-79	163	7.9	44	1	2	7	11	15	17	30
80-84	80	11.4	57	1	3	11	15	21	26	35
85+	64	11.0	48	2	3	11	16	20	25	28
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1552	8.0	44	2	2	6	10	15	19	35
70-74	2091	8.2	35	2	3	7	10	15	19	32
75-79	2596	8.7	48	2	3	7	11	15	20	38
80-84	2474	8.7	43	2	3	7	11	15	20	35
85+	2521	8.9	50	2	3	7	11	16	21	39
B. *Operated*										
65-69 YRS	1223	12.1	97	2	3	10	15	23	31	54
70-74	1256	13.0	98	2	3	11	16	24	32	51
75-79	1166	14.5	116	3	5	12	18	26	36	65
80-84	838	15.1	116	4	6	13	18	27	34	90
85+	628	16.0	129	4	6	14	19	29	38	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	609	6.5	19	1	2	6	9	12	15	23
B. *Operated*	781	8.2	40	1	2	7	11	16	19	28
2. MULTIPLE DX										
A. *Not Operated*	11234	8.5	45	2	3	7	11	15	20	35
B. *Operated*	5111	13.8	110	3	4	12	17	25	34	68
1. SINGLE DX	1390	7.5	31	1	2	6	10	15	17	27
2. MULTIPLE DX	16345	10.2	71	2	3	8	13	19	25	46
A. NOT OPERATED	11843	8.4	43	2	3	7	10	15	20	35
B. OPERATED	5892	13.1	105	2	3	11	16	24	32	62
TOTAL 65-69 YRS	3155	9.4	68	2	2	8	12	18	23	42
70-74	3668	9.8	61	2	3	8	13	18	24	40
75-79	4065	10.3	73	2	3	8	13	19	24	51
80-84	3517	10.2	68	2	3	8	13	19	24	45
85+	3330	10.2	72	2	3	8	13	19	25	54
GRAND TOTAL	**17735**	**10.0**	**69**	**2**	**3**	**8**	**13**	**19**	**24**	**45**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	47	5.2	29	<1	1	4	6	10	12	35
70-74	15	5.1	17	<1	2	4	5	11	15	17
75-79	11	6.4	21	1	1	4	11	12	14	14
80-84	1	5.0		5	5	5	5	5	5	5
85+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	37	18.1	297	1	1	12	29	43	50	68
70-74	46	13.4	113	1	2	11	18	27	37	50
75-79	33	20.1	193	4	7	16	25	37	41	72
80-84	17	16.3	93	2	4	17	21	29	35	37
85+	12	12.8	79	2	3	10	19	26	29	30
B. *Operated*										
65-69 YRS	174	6.2	27	1	2	5	8	11	14	28
70-74	117	8.0	76	1	2	6	9	16	25	82
75-79	68	11.1	133	2	2	7	14	20	39	59
80-84	25	12.0	140	1	2	7	14	31	36	41
85+	9	8.6	58	1	2	4	14	21	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	75	5.4	24	<1	1	4	6	11	13	30
2. MULTIPLE DX										
A. *Not Operated*	145	16.4	177	1	3	14	21	36	43	68
B. *Operated*	393	8.0	71	1	2	5	9	16	24	53
1. SINGLE DX	75	5.4	24	<1	1	4	6	11	13	30
2. MULTIPLE DX	538	10.3	113	1	2	7	13	23	34	57
A. NOT OPERATED	145	16.4	177	1	3	14	21	36	43	68
B. OPERATED	468	7.6	65	1	2	5	9	15	22	46
TOTAL 65-69 YRS	258	7.7	83	1	2	5	9	16	28	43
70-74	178	9.2	87	1	2	6	12	19	27	66
75-79	112	13.3	159	2	3	10	16	27	38	64
80-84	43	13.5	122	2	2	10	20	31	36	41
85+	22	10.9	68	2	2	9	18	23	26	30
GRAND TOTAL	**613**	**9.7**	**105**	**1**	**2**	**6**	**12**	**21**	**31**	**55**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	6	6.3	9	3	3	6	9	10	10	10
70-74	7	8.9	58	2	2	6	14	21	22	22
75-79	5	5.6	24	<1	<1	3	9	13	13	13
80-84	2	5.0	18	2	2	5	8	8	8	8
85+										
B. Operated										
65-69 YRS	8	3.3	11	1	1	2	4	9	11	11
70-74	5	4.6	5	2	2	4	7	7	7	7
75-79	4	5.0	18	1	1	4	8	10	10	10
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	67	7.4	20	2	2	6	10	13	16	22
70-74	68	6.1	26	1	2	5	7	13	17	29
75-79	46	5.6	11	1	2	5	8	10	11	14
80-84	31	6.4	22	2	2	5	9	12	14	24
85+	28	7.4	19	2	2	7	10	12	17	19
B. Operated										
65-69 YRS	36	7.3	46	1	1	5	10	15	18	35
70-74	14	10.6	115	1	2	7	10	31	36	37
75-79	14	8.4	89	1	3	6	8	14	34	40
80-84	5	6.4	27	1	1	7	9	14	14	14
85+	2	5.5	13	3	3	5	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	6.9	29	1	2	5	9	14	19	22
B. Operated	17	4.1	10	1	1	3	7	9	11	11
2. MULTIPLE DX										
A. Not Operated	240	6.6	21	1	2	5	9	12	15	22
B. Operated	71	8.0	65	1	1	6	9	16	29	39
1. SINGLE DX	37	5.6	22	1	1	4	8	11	15	22
2. MULTIPLE DX	311	6.9	31	1	2	5	9	13	17	33
A. NOT OPERATED	260	6.6	21	1	2	5	9	12	15	22
B. OPERATED	88	7.3	56	1	1	5	9	14	19	39
TOTAL 65-69 YRS	117	7.0	28	1	2	6	10	14	17	26
70-74	94	6.9	42	1	2	5	8	14	20	34
75-79	69	6.1	28	1	1	5	8	11	12	35
80-84	38	6.3	22	2	2	5	8	13	14	24
85+	30	7.3	19	2	2	7	10	12	17	19
GRAND TOTAL	**348**	**6.8**	**30**	**1**	**2**	**5**	**9**	**13**	**17**	**31**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	77	4.1	10	1	1	3	5	8	12	16
70-74	70	5.4	16	1	2	4	8	10	12	22
75-79	60	4.4	14	1	1	3	5	9	13	20
80-84	29	4.9	19	1	1	3	6	11	15	19
85+	32	4.6	31	<1	1	3	5	9	22	24
B. Operated										
65-69 YRS	404	2.8	6	<1	1	2	3	6	8	12
70-74	290	3.0	25	<1	1	2	3	5	9	16
75-79	159	2.9	7	<1	1	2	4	7	8	13
80-84	48	3.3	15	1	1	2	4	6	9	24
85+	16	3.8	10	1	1	3	5	9	11	12
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	619	5.9	30	1	1	4	7	12	16	28
70-74	636	6.0	25	1	2	5	8	11	16	31
75-79	562	6.4	31	1	2	5	8	13	17	30
80-84	422	6.5	32	1	2	5	8	12	16	23
85+	336	6.7	26	2	2	5	8	12	17	30
B. Operated										
65-69 YRS	894	6.4	70	1	1	3	8	14	19	52
70-74	666	7.0	75	1	1	4	9	15	19	52
75-79	449	7.2	75	1	1	4	10	16	23	47
80-84	209	8.1	81	1	1	6	11	16	19	50
85+	92	10.6	137	1	2	7	12	26	36	85
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	268	4.6	16	1	1	3	6	10	13	22
B. Operated	917	2.9	13	<1	1	2	3	6	8	14
2. MULTIPLE DX										
A. Not Operated	2575	6.3	29	1	2	5	8	12	16	28
B. Operated	2310	7.1	77	1	1	4	9	15	21	52
1. SINGLE DX	1185	3.3	14	<1	1	2	4	7	9	17
2. MULTIPLE DX	4885	6.6	52	1	1	5	8	14	18	37
A. NOT OPERATED	2843	6.1	28	1	2	5	8	12	16	26
B. OPERATED	3227	5.9	62	1	1	3	7	13	18	47
TOTAL 65-69 YRS	1994	5.4	44	1	1	3	6	12	16	33
70-74	1662	5.9	47	1	1	4	7	12	17	33
75-79	1230	6.2	45	1	1	4	8	13	18	35
80-84	708	6.7	46	1	2	5	8	13	16	28
85+	476	7.2	50	1	2	5	9	14	22	48
GRAND TOTAL	**6070**	**6.0**	**46**	**1**	**1**	**4**	**7**	**12**	**17**	**34**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74										
75-79										
80-84	1	4.0		4	4	4	4	4	4	4
85+	1	14.0		14	14	14	14	14	14	14
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	21	5.5	11	2	2	5	6	11	14	14
70-74	13	5.4	11	2	2	4	6	12	12	12
75-79	8	4.5	6	1	1	4	7	8	8	8
80-84	2	5.5	1	5	5	5	6	6	6	6
85+	8	4.8	5	2	2	4	6	8	9	9
B. *Operated*										
65-69 YRS	4	8.3	13	3	3	9	10	11	11	11
70-74	3	4.0	19	1	1	2	7	9	9	9
75-79										
80-84										
85+	1	42.0		42	42	42	42	42	42	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	8.0	28	4	4	6	12	14	14	14
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	52	5.2	9	2	2	5	6	9	12	14
B. *Operated*	8	10.9	174	1	1	9	10	33	42	42
1. SINGLE DX	3	8.0	28	4	4	6	12	14	14	14
2. MULTIPLE DX	60	6.0	32	1	2	5	7	10	13	39
A. NOT OPERATED	55	5.3	10	2	2	5	6	9	13	14
B. OPERATED	8	10.9	174	1	1	9	10	33	42	42
TOTAL 65-69 YRS	26	5.9	12	2	3	5	8	11	14	14
70-74	16	5.1	12	1	2	4	7	11	12	12
75-79	8	4.5	6	1	1	4	7	8	8	8
80-84	3	5.0	1	4	4	5	6	6	6	6
85+	10	9.4	144	2	2	5	9	28	42	42
GRAND TOTAL	**63**	**6.0**	**31**	**2**	**2**	**5**	**7**	**11**	**14**	**38**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	2	6.5	1	6	6	6	7	7	7	7
75-79	1	1.0		<1	<1	<1	<1	<1	<1	<1
80-84										
85+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
65-69 YRS										
70-74	3	4.7	6	2	2	5	6	7	7	7
75-79										
80-84	1	2.0		2	2	2	2	2	2	2
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4	7.3	50	1	1	6	13	16	16	16
70-74	5	6.2	21	1	1	5	9	13	13	13
75-79	11	3.8	3	2	2	4	5	6	6	6
80-84	5	3.2	4	1	1	4	5	5	5	5
85+	7	3.1	7	1	1	2	5	8	8	8
B. *Operated*										
65-69 YRS	17	12.9	138	3	5	10	13	23	44	54
70-74	8	13.4	33	6	6	14	17	21	22	22
75-79	8	9.3	64	1	2	7	15	22	22	22
80-84	3	17.0	172	5	5	15	27	31	31	31
85+	6	9.3	129	1	1	5	8	30	32	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	3.5	6	<1	<1	3	6	7	7	7
B. *Operated*	5	4.2	5	2	2	5	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	32	4.4	13	1	1	4	6	9	13	16
B. *Operated*	42	12.1	99	2	4	9	16	23	31	54
1. SINGLE DX	11	3.8	5	<1	1	3	6	7	7	7
2. MULTIPLE DX	74	8.8	76	1	1	6	11	18	24	49
A. NOT OPERATED	38	4.2	12	1	1	3	6	8	12	16
B. OPERATED	47	11.3	95	2	2	8	15	22	31	54
TOTAL 65-69 YRS	22	11.5	121	1	2	9	13	19	37	54
70-74	18	9.2	35	1	3	7	13	18	20	22
75-79	20	5.9	34	<1	1	4	6	15	21	22
80-84	9	7.7	94	1	1	5	8	25	31	31
85+	16	5.4	56	1	1	3	6	8	25	32
GRAND TOTAL	**85**	**8.1**	**70**	**1**	**1**	**6**	**10**	**17**	**23**	**46**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	31	1.9	1	<1	<1	2	3	3	4	4
70-74	17	1.8	1	<1	<1	2	2	3	4	4
75-79	22	1.7	1	<1	<1	1	2	3	4	4
80-84	18	1.6	1	<1	<1	1	2	3	3	3
85+	4	1.5		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	1.5	1	1	1	1	2	2	2	2
70-74	1	1.0		<1	<1	<1	<1	<1	<1	<1
75-79	2	1.5	1	<1	<1	1	2	2	2	2
80-84	1	1.0		1	1	1	1	1	1	1
85+										
B. *Operated*										
65-69 YRS	50	2.5	4	<1	<1	2	3	4	7	11
70-74	48	2.4	3	1	1	2	2	5	8	9
75-79	35	2.6	18	1	1	2	2	2	3	27
80-84	30	2.3	2	1	1	2	2	4	7	8
85+	21	2.6	2	1	1	2	3	5	6	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	92	1.7	1	<1	<1	2	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*	6	1.3		<1	<1	1	2	2	2	2
B. *Operated*	184	2.5	6	<1	1	2	2	4	7	11
1. SINGLE DX	92	1.7	1	<1	<1	2	2	3	4	4
2. MULTIPLE DX	190	2.4	6	<1	1	2	2	4	7	11
A. NOT OPERATED	6	1.3		<1	<1	1	2	2	2	2
B. OPERATED	276	2.2	4	<1	<1	2	2	3	5	10
TOTAL 65-69 YRS	83	2.2	3	<1	1	2	3	4	5	11
70-74	66	2.2	3	<1	<1	2	2	3	7	9
75-79	59	2.2	11	<1	<1	2	2	2	3	25
80-84	49	2.0	2	<1	<1	2	2	3	4	8
85+	25	2.4	2	<1	1	2	3	4	5	7
GRAND TOTAL	**282**	**2.2**	**4**	**<1**	**<1**	**2**	**2**	**3**	**5**	**10**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	2	3.0	8	<1	<1	2	5	5	5	5
75-79	2	5.0	18	2	2	5	8	8	8	8
80-84	1	2.0		2	2	2	2	2	2	2
85+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
65-69 YRS	23	6.0	34	1	1	2	10	12	16	24
70-74	8	3.0	6	2	2	2	3	7	9	9
75-79	4	9.8	128	2	2	6	17	26	26	26
80-84										
85+	3	12.7	137	4	4	8	21	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	46	5.7	22	1	2	4	7	11	15	24
70-74	40	6.6	37	1	1	5	7	18	23	24
75-79	42	5.5	15	2	2	4	8	11	14	17
80-84	38	7.0	18	2	3	6	10	11	16	21
85+	24	6.8	34	1	2	6	8	11	19	29
B. *Operated*										
65-69 YRS	124	8.5	82	1	1	5	11	19	24	44
70-74	102	10.6	108	1	2	8	13	24	31	53
75-79	62	9.2	52	1	2	8	13	19	22	34
80-84	28	15.1	418	2	2	8	14	38	63	95
85+	17	12.5	112	3	4	8	18	39	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.3	7	<1	<1	2	5	7	8	8
B. *Operated*	38	6.3	46	1	1	2	9	12	25	26
2. MULTIPLE DX										
A. *Not Operated*	190	6.2	24	1	2	5	8	11	17	24
B. *Operated*	333	10.0	116	1	2	8	12	22	32	60
1. SINGLE DX	45	5.8	41	1	1	2	9	12	24	26
2. MULTIPLE DX	523	8.6	86	1	2	6	11	19	24	52
A. NOT OPERATED	197	6.1	24	1	2	5	8	11	17	24
B. OPERATED	371	9.6	110	1	2	7	12	22	31	59
TOTAL 65-69 YRS	193	7.5	63	1	1	5	10	17	24	37
70-74	152	9.0	88	1	2	6	11	22	27	51
75-79	110	7.8	42	2	2	6	10	17	20	33
80-84	67	10.3	198	2	2	7	11	20	36	89
85+	46	9.1	73	2	2	7	11	25	33	99+
GRAND TOTAL	**568**	**8.4**	**83**	**1**	**2**	**6**	**10**	**18**	**24**	**50**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79	1	5.0		5	5	5	5	5	5	5
80-84										
85+	3	4.3	2	3	3	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74	1	2.0		2	2	2	2	2	2	2
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	4	4.5	2	3	3	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	1	2.0		2	2	2	2	2	2	2
1. SINGLE DX	4	4.5	2	3	3	4	5	6	6	6
2. MULTIPLE DX	1	2.0		2	2	2	2	2	2	2
A. NOT OPERATED										
B. OPERATED	5	4.0	3	2	2	4	5	6	6	6
TOTAL 65-69 YRS										
70-74	1	2.0		2	2	2	2	2	2	2
75-79	1	5.0		5	5	5	5	5	5	5
80-84										
85+	3	4.3	2	3	3	4	5	6	6	6
GRAND TOTAL	**5**	**4.0**	**3**	**2**	**2**	**4**	**5**	**6**	**6**	**6**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	1	3.0		3	3	3	3	3	3	3
75-79	4	1.8	2	<1	<1	1	3	4	4	4
80-84	2	1.5	1	<1	<1	1	2	2	2	2
85+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
65-69 YRS	13	5.6	20	1	1	3	9	12	14	15
70-74	10	3.8	15	1	1	2	5	10	14	14
75-79	9	5.7	27	<1	1	3	11	14	14	14
80-84	2	8.0	18	5	5	8	11	11	11	11
85+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	30	4.7	14	1	2	4	6	9	14	17
70-74	26	4.6	13	1	1	4	6	10	12	16
75-79	28	5.0	11	1	2	4	7	9	11	17
80-84	16	4.9	11	1	1	5	7	9	11	12
85+	16	7.4	29	2	2	6	10	15	19	21
B. *Operated*										
65-69 YRS	62	12.0	136	1	2	9	16	23	39	52
70-74	59	11.3	103	1	3	9	14	24	43	95
75-79	48	10.3	90	1	2	8	15	19	34	46
80-84	27	11.9	181	1	2	8	12	36	46	51
85+	16	6.3	26	1	1	5	10	14	17	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.1	2	<1	<1	1	3	5	5	5
B. *Operated*	35	5.2	19	1	1	3	9	13	14	15
2. MULTIPLE DX										
A. *Not Operated*	116	5.2	15	1	1	4	7	10	14	19
B. *Operated*	212	11.0	114	1	2	8	14	22	39	52
1. SINGLE DX	44	4.5	17	<1	1	3	6	11	14	15
2. MULTIPLE DX	328	8.9	86	1	2	6	11	19	28	51
A. NOT OPERATED	125	4.9	14	1	1	4	6	9	13	18
B. OPERATED	247	10.1	104	1	2	8	14	21	34	52
TOTAL 65-69 YRS	106	9.1	97	1	2	6	11	20	26	52
70-74	96	8.6	79	1	1	6	11	16	28	77
75-79	89	7.8	62	<1	1	6	10	16	19	42
80-84	47	8.9	119	1	1	5	10	21	41	51
85+	34	6.5	26	1	1	5	10	14	17	21
GRAND TOTAL	**372**	**8.4**	**80**	**1**	**1**	**6**	**11**	**17**	**24**	**51**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	3	3.7	4	2	2	3	5	6	6	6
70-74	1	2.0		2	2	2	2	2	2	2
75-79										
80-84										
85+	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84	1	1.0		1	1	1	1	1	1	1
85+										
B. *Operated*										
65-69 YRS	6	2.8	1	2	2	3	3	4	4	4
70-74	1	6.0		6	6	6	6	6	6	6
75-79										
80-84	1	1.0		1	1	1	1	1	1	1
85+	2	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	6	2.7	3	<1	<1	2	3	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	10	2.8	2	1	1	3	3	5	6	6
1. SINGLE DX	6	2.7	3	<1	<1	2	3	6	6	6
2. MULTIPLE DX	11	2.6	2	1	1	2	3	5	6	6
A. NOT OPERATED	1	1.0		1	1	1	1	1	1	1
B. OPERATED	16	2.8	2	<1	1	2	3	6	6	6
TOTAL 65-69 YRS	9	3.1	2	2	2	3	4	5	6	6
70-74	2	4.0	8	2	2	4	6	6	6	6
75-79										
80-84	2	1.0		1	1	1	1	1	1	1
85+	4	1.8		<1	<1	2	2	2	2	2
GRAND TOTAL	**17**	**2.6**	**2**	**<1**	**1**	**2**	**3**	**5**	**6**	**6**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	1.7		1	1	2	2	2	2	2
70-74	5	2.2	3	1	1	2	3	5	5	5
75-79	1	4.0		4	4	4	4	4	4	4
80-84	2	5.0	8	3	3	5	7	7	7	7
85+										
B. *Operated*										
65-69 YRS	9	5.6	16	1	1	6	8	11	12	12
70-74	7	4.9	27	1	1	2	6	14	16	16
75-79	10	6.7	32	2	2	6	8	15	21	21
80-84	2	8.5	85	2	2	8	15	15	15	15
85+	2	14.0	2	13	13	14	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	21	4.6	8	1	2	4	6	9	11	11
70-74	13	3.7	5	1	1	4	5	7	8	8
75-79	12	5.6	15	1	1	5	8	12	13	13
80-84	13	8.6	120	<1	1	5	8	23	38	42
85+	10	6.3	100	1	1	3	5	21	34	34
B. *Operated*										
65-69 YRS	51	7.6	23	2	3	7	10	14	18	21
70-74	55	7.6	39	1	2	6	10	15	20	33
75-79	37	6.8	44	1	1	4	10	16	22	27
80-84	18	11.4	120	2	3	8	14	24	40	48
85+	4	5.8	7	2	2	6	7	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	2.7	4	1	1	2	4	6	7	7
B. *Operated*	30	6.5	28	1	1	6	8	15	16	21
2. MULTIPLE DX										
A. *Not Operated*	69	5.6	43	1	1	4	7	10	13	40
B. *Operated*	165	7.8	44	1	2	6	10	15	21	32
1. SINGLE DX	41	5.5	24	1	1	4	7	14	16	21
2. MULTIPLE DX	234	7.1	44	1	2	5	9	15	19	35
A. NOT OPERATED	80	5.2	38	1	1	4	6	9	12	40
B. OPERATED	195	7.6	41	1	2	6	10	15	20	31
TOTAL 65-69 YRS	84	6.4	20	1	2	6	8	12	15	21
70-74	80	6.4	33	1	1	5	8	14	17	30
75-79	60	6.5	35	1	1	5	8	15	20	27
80-84	35	9.8	109	2	2	7	11	18	38	48
85+	16	7.1	69	1	1	5	8	15	28	34
GRAND TOTAL	**275**	**6.9**	**42**	**1**	**2**	**5**	**8**	**15**	**18**	**34**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	6	3.0	4	1	1	3	4	6	6	6
70-74	2	1.5	1	1	1	1	2	2	2	2
75-79	5	3.6	3	<1	<1	4	5	5	5	5
80-84										
85+	3	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	1.0		<1	<1	<1	<1	<1	<1	<1
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	48	3.9	4	1	1	4	5	7	7	11
70-74	39	3.6	3	1	1	3	5	6	7	8
75-79	10	4.0	3	1	1	4	5	6	7	7
80-84	7	3.1	3	1	1	2	5	5	5	5
85+	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	16	2.8	3	<1	1	3	4	5	6	6
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	105	3.8	4	1	1	4	5	6	7	9
1. SINGLE DX	16	2.8	3	<1	1	3	4	5	6	6
2. MULTIPLE DX	106	3.7	4	1	1	4	5	6	7	9
A. NOT OPERATED	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. OPERATED	121	3.6	4	1	1	3	5	6	7	9
TOTAL 65-69 YRS	54	3.8	4	1	1	4	5	6	7	11
70-74	42	3.4	3	<1	1	3	4	6	7	8
75-79	15	3.9	3	<1	1	4	5	6	7	7
80-84	7	3.1	3	1	1	2	5	5	5	5
85+	4	2.8	3	1	1	2	4	5	5	5
GRAND TOTAL	**122**	**3.6**	**4**	**1**	**1**	**3**	**5**	**6**	**7**	**9**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	1.7		1	1	2	2	2	2	2
70-74	9	4.4	15	<1	<1	4	7	11	12	12
75-79	7	4.3	33	1	1	2	4	14	17	17
80-84	1	4.0		4	4	4	4	4	4	4
85+	6	5.2	9	2	2	4	7	10	10	10
B. *Operated*										
65-69 YRS	38	5.8	86	1	1	3	7	11	13	57
70-74	22	5.2	16	1	1	4	8	11	14	15
75-79	20	6.2	27	1	2	4	8	15	19	19
80-84	3	4.3	24	1	1	2	8	10	10	10
85+	4	5.3	62	1	1	2	9	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	49	6.0	17	2	2	5	8	11	12	22
70-74	50	7.4	25	1	2	7	10	12	15	28
75-79	35	8.9	59	2	3	5	13	19	24	34
80-84	24	8.5	35	1	3	8	10	15	22	28
85+	24	7.4	29	1	1	6	11	14	18	19
B. *Operated*										
65-69 YRS	129	7.6	39	1	1	6	10	15	18	31
70-74	80	9.1	111	1	2	7	11	18	25	65
75-79	54	9.7	47	2	2	8	15	20	23	97
80-84	19	8.9	40	2	3	7	14	19	21	22
85+	5	10.8	154	1	1	6	18	31	31	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	4.2	15	<1	1	3	5	10	13	17
B. *Operated*	87	5.7	50	1	1	3	7	11	15	43
2. MULTIPLE DX										
A. *Not Operated*	182	7.5	31	1	2	6	10	14	19	28
B. *Operated*	287	8.6	62	1	2	7	12	17	22	36
1. SINGLE DX	113	5.3	42	1	1	3	7	11	15	33
2. MULTIPLE DX	469	8.1	51	1	2	7	11	17	20	34
A. NOT OPERATED	208	7.1	31	1	2	6	10	13	19	28
B. OPERATED	374	7.9	61	1	1	6	11	17	20	36
TOTAL 65-69 YRS	219	6.9	42	1	1	5	10	13	17	32
70-74	161	7.8	68	1	1	6	10	15	20	36
75-79	116	8.5	48	2	2	6	12	19	22	56
80-84	47	8.3	36	1	2	7	11	17	21	28
85+	39	7.3	42	1	1	5	11	16	19	31
GRAND TOTAL	**582**	**7.6**	**50**	**1**	**2**	**6**	**10**	**16**	**20**	**34**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	155	3.3	5	1	1	3	4	6	6	9
70-74	155	3.4	6	1	1	3	4	6	9	12
75-79	119	3.5	5	1	1	3	5	7	8	11
80-84	81	3.9	6	1	1	3	5	8	9	10
85+	60	3.1	4	<1	1	2	5	6	7	12
B. *Operated*										
65-69 YRS	7	3.4	7	1	1	2	4	8	9	9
70-74	7	5.3	1	4	4	5	6	7	7	7
75-79	8	3.8	5	2	2	3	6	7	7	7
80-84	1	7.0		7	7	7	7	7	7	7
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1593	5.6	22	1	2	4	7	11	14	25
70-74	1602	6.1	34	1	2	5	7	11	16	28
75-79	1428	6.2	40	1	2	5	7	12	15	30
80-84	1091	7.1	45	2	2	5	8	14	19	40
85+	871	7.0	51	2	2	5	8	13	17	44
B. *Operated*										
65-69 YRS	161	10.6	142	2	2	7	13	23	33	94
70-74	137	11.5	146	3	3	8	14	21	28	74
75-79	138	12.4	184	2	3	8	14	22	52	87
80-84	95	13.6	103	3	4	12	17	26	43	99+
85+	54	11.8	83	3	4	10	15	25	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	570	3.4	5	1	1	3	5	6	8	11
B. *Operated*	23	4.3	5	1	2	4	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	6585	6.3	37	1	2	5	8	12	16	32
B. *Operated*	585	11.8	141	2	3	8	15	23	40	99
1. SINGLE DX	593	3.5	5	1	1	3	5	6	8	11
2. MULTIPLE DX	7170	6.7	48	1	2	5	8	13	18	40
A. NOT OPERATED	7155	6.1	35	1	2	5	7	11	15	30
B. OPERATED	608	11.6	138	2	3	8	14	23	36	99
TOTAL 65-69 YRS	1916	5.8	33	1	2	4	7	11	15	29
70-74	1901	6.3	42	1	2	5	7	12	16	30
75-79	1693	6.5	52	1	2	5	8	12	16	48
80-84	1268	7.3	50	2	2	5	9	15	20	44
85+	985	7.0	52	2	2	5	8	13	18	48
GRAND TOTAL	**7763**	**6.5**	**45**	**1**	**2**	**5**	**8**	**12**	**17**	**38**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	43	4.8	9	1	2	4	6	9	12	14
70-74	53	5.4	8	2	2	4	7	9	12	13
75-79	38	4.6	6	2	2	4	6	9	10	11
80-84	39	4.8	9	2	2	4	6	8	11	15
85+	25	5.6	29	1	1	4	7	10	19	26
B. *Operated*										
65-69 YRS	2	7.5	1	7	7	7	8	8	8	8
70-74	3	6.0	3	4	4	7	7	7	7	7
75-79	3	17.7	60	9	9	20	23	24	24	24
80-84	5	10.8	26	6	6	9	14	19	19	19
85+	1	26.0		26	26	26	26	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	819	5.9	17	2	2	5	7	11	13	23
70-74	843	6.2	22	2	2	5	8	11	15	23
75-79	822	6.9	41	2	2	5	8	13	17	35
80-84	592	7.1	42	2	3	5	8	13	16	39
85+	530	7.1	49	2	3	6	8	12	16	30
B. *Operated*										
65-69 YRS	187	12.5	99	3	4	9	15	24	34	55
70-74	173	11.9	81	3	4	9	16	25	32	52
75-79	129	12.8	101	3	4	10	16	24	37	54
80-84	89	14.4	134	3	4	11	19	26	35	64
85+	70	15.9	106	3	6	14	22	28	42	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	198	5.0	11	2	2	4	6	9	11	16
B. *Operated*	14	11.9	52	4	6	8	19	24	26	26
2. MULTIPLE DX										
A. *Not Operated*	3606	6.6	33	2	2	5	8	12	15	28
B. *Operated*	648	13.0	101	3	4	10	16	25	34	54
1. SINGLE DX	212	5.5	16	2	2	4	7	9	13	25
2. MULTIPLE DX	4254	7.6	48	2	3	6	9	14	19	38
A. NOT OPERATED	3804	6.5	32	2	2	5	8	12	15	27
B. OPERATED	662	13.0	100	3	4	10	16	25	34	54
TOTAL 65-69 YRS	1051	7.0	38	2	2	5	8	13	17	36
70-74	1072	7.1	35	2	2	6	8	13	19	33
75-79	992	7.7	52	2	3	6	9	14	20	41
80-84	725	7.9	58	2	3	6	9	14	21	43
85+	626	8.1	63	2	3	6	9	15	22	44
GRAND TOTAL	**4466**	**7.5**	**47**	**2**	**2**	**6**	**9**	**14**	**19**	**37**

331: Headache (784.0)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	24	3.1	2	1	2	3	4	5	7	7
70-74	31	3.2	4	1	1	3	5	6	8	8
75-79	11	3.5	4	1	1	3	5	6	7	7
80-84	10	4.2	8	1	1	4	7	8	9	9
85+	4	2.3		2	2	2	3	3	3	3
B. *Operated*										
65-69 YRS	12	3.0	15	<1	<1	2	3	7	14	15
70-74	8	3.3	8	1	1	2	3	8	10	10
75-79	7	5.4	56	<1	<1	3	5	19	22	22
80-84	2	2.5	5	1	1	2	4	4	4	4
85+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	274	4.5	14	1	1	4	5	8	10	19
70-74	243	5.1	15	1	2	4	6	9	14	20
75-79	196	4.9	15	1	2	4	6	10	13	22
80-84	164	4.4	9	1	2	4	5	8	10	13
85+	105	4.6	11	2	2	4	6	8	11	18
B. *Operated*										
65-69 YRS	60	4.9	9	1	2	4	6	10	10	14
70-74	59	7.1	28	1	2	5	9	15	19	21
75-79	37	6.6	16	1	2	6	8	11	15	19
80-84	26	7.7	29	2	3	6	11	16	21	22
85+	11	8.4	11	4	5	7	11	13	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	3.3	4	1	1	3	4	7	7	9
B. *Operated*	30	3.7	21	<1	<1	2	4	8	15	22
2. MULTIPLE DX										
A. *Not Operated*	982	4.7	13	1	2	4	6	9	12	19
B. *Operated*	193	6.5	20	1	2	5	8	12	16	21
1. SINGLE DX	110	3.4	8	1	1	3	4	7	8	18
2. MULTIPLE DX	1175	5.0	15	1	2	4	6	10	12	21
A. NOT OPERATED	1062	4.6	13	1	2	4	6	8	12	19
B. OPERATED	223	6.1	21	1	2	5	8	12	15	21
TOTAL 65-69 YRS	370	4.4	13	1	1	4	5	8	10	17
70-74	341	5.2	17	1	1	4	7	11	14	21
75-79	251	5.1	16	1	2	4	6	10	13	22
80-84	202	4.8	12	1	2	4	6	8	12	21
85+	121	4.9	12	2	2	4	7	9	12	18
GRAND TOTAL	**1285**	**4.9**	**14**	**1**	**2**	**4**	**6**	**9**	**12**	**20**

332: Epistaxis (784.7)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	85	3.4	5	1	1	3	4	6	7	11
70-74	74	3.3	4	1	1	3	5	7	8	9
75-79	82	3.0	3	1	1	3	4	6	7	8
80-84	55	3.1	5	<1	1	3	4	5	6	14
85+	45	2.4	2	1	1	2	3	4	5	6
B. *Operated*										
65-69 YRS	114	4.2	7	1	1	4	5	8	8	14
70-74	81	4.2	6	1	1	4	5	7	10	11
75-79	60	3.5	3	<1	1	3	4	6	7	8
80-84	54	3.9	7	1	1	4	5	6	8	17
85+	36	3.6	6	1	1	3	5	8	9	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	374	3.7	7	1	1	3	5	6	8	13
70-74	385	4.2	12	1	1	3	5	8	10	17
75-79	354	3.8	8	1	1	3	5	7	9	16
80-84	274	3.8	7	1	1	3	5	6	9	15
85+	253	4.1	32	1	1	3	5	8	9	21
B. *Operated*										
65-69 YRS	400	5.4	26	1	2	4	6	9	13	31
70-74	349	5.6	21	1	2	4	7	11	15	22
75-79	300	5.5	22	1	2	4	7	10	13	30
80-84	193	5.3	23	1	1	4	6	10	13	28
85+	148	6.0	34	1	2	5	7	11	14	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	341	3.1	4	1	1	3	4	6	7	10
B. *Operated*	345	4.0	6	1	1	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	1640	3.9	13	1	1	3	5	7	9	16
B. *Operated*	1390	5.5	24	1	2	4	7	10	14	28
1. SINGLE DX	686	3.5	5	1	1	3	5	6	8	11
2. MULTIPLE DX	3030	4.6	19	1	1	4	6	8	11	20
A. NOT OPERATED	1981	3.8	11	1	1	3	5	7	9	16
B. OPERATED	1735	5.2	21	1	2	4	6	10	13	22
TOTAL 65-69 YRS	973	4.4	15	1	1	4	5	8	10	19
70-74	889	4.7	15	1	1	4	6	8	12	19
75-79	796	4.3	14	1	1	3	5	8	11	18
80-84	576	4.2	13	1	1	3	5	8	10	18
85+	482	4.5	29	1	1	3	5	9	11	25
GRAND TOTAL	**3716**	**4.4**	**16**	**1**	**1**	**4**	**5**	**8**	**11**	**19**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	17	2.8	3	<1	1	2	4	4	7	8
70-74	15	3.1	6	<1	<1	2	5	6	8	9
75-79	14	3.8	8	1	1	3	5	9	10	10
80-84	6	3.0	1	2	2	3	4	4	4	4
85+	7	4.3	9	1	1	4	6	9	10	10
B. *Operated*										
65-69 YRS	37	2.6	7	<1	<1	2	3	4	9	14
70-74	26	2.2	5	<1	1	1	2	6	8	9
75-79	16	2.4	6	<1	<1	1	3	5	9	10
80-84	15	7.1	278	<1	<1	2	2	19	53	65
85+	7	3.1	16	<1	<1	2	3	10	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	258	6.0	44	1	1	4	7	12	18	29
70-74	308	6.5	41	1	1	5	8	14	18	30
75-79	278	7.4	48	1	2	5	9	16	21	26
80-84	228	8.2	54	1	2	7	11	17	21	28
85+	231	8.5	56	2	2	7	11	16	20	37
B. *Operated*										
65-69 YRS	164	7.4	100	1	1	4	9	15	22	78
70-74	147	10.6	142	1	1	7	13	25	36	62
75-79	107	10.0	71	1	2	8	14	22	28	70
80-84	70	13.3	152	1	2	9	19	32	47	91
85+	40	13.7	117	2	3	11	17	24	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	3.3	5	<1	1	3	4	6	9	10
B. *Operated*	101	3.2	47	<1	<1	2	3	6	10	41
2. MULTIPLE DX										
A. *Not Operated*	1303	7.3	49	1	2	5	9	15	20	30
B. *Operated*	528	10.1	118	1	2	7	14	22	33	74
1. SINGLE DX	160	3.2	32	<1	<1	2	3	6	9	18
2. MULTIPLE DX	1831	8.1	70	1	2	6	10	17	22	50
A. NOT OPERATED	1362	7.1	47	1	2	5	9	15	19	29
B. OPERATED	629	9.0	113	1	1	5	12	21	29	66
TOTAL 65-69 YRS	476	6.1	61	1	1	4	7	13	18	50
70-74	496	7.4	73	1	1	5	10	17	22	45
75-79	415	7.8	54	1	2	5	10	17	22	32
80-84	319	9.2	89	1	2	7	12	19	25	59
85+	285	9.0	66	1	2	7	11	17	21	61
GRAND TOTAL	**1991**	**7.7**	**69**	**1**	**1**	**5**	**10**	**17**	**22**	**50**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	4.5	13	2	2	4	7	7	7	7
70-74	3	1.7	1	<1	<1	1	2	3	3	3
75-79	2	15.0	18	12	12	15	18	18	18	18
80-84	5	8.0	12	4	4	9	10	12	12	12
85+	4	8.3	29	2	2	8	12	15	15	15
B. *Operated*										
65-69 YRS	40	12.5	61	1	2	12	18	23	26	30
70-74	54	11.0	103	2	3	9	15	17	25	64
75-79	40	12.1	101	2	3	11	13	22	30	59
80-84	42	11.3	64	1	3	11	14	19	24	43
85+	60	11.0	62	2	4	9	13	20	31	41
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	106	9.5	49	2	3	8	13	16	21	40
70-74	125	8.6	39	2	2	7	10	16	22	30
75-79	117	9.3	63	2	3	7	11	16	26	43
80-84	131	8.2	44	2	2	7	10	15	21	58
85+	185	9.9	81	2	3	8	12	20	26	50
B. *Operated*										
65-69 YRS	847	17.7	178	3	5	14	24	36	47	72
70-74	999	17.6	175	4	5	14	22	35	44	77
75-79	924	17.0	169	4	5	14	22	34	45	79
80-84	770	17.4	199	4	6	13	21	36	49	99
85+	1049	15.6	139	4	5	13	19	30	40	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	7.3	27	<1	1	7	11	15	17	18
B. *Operated*	236	11.5	77	2	3	10	15	21	28	45
2. MULTIPLE DX										
A. *Not Operated*	664	9.2	58	2	3	7	11	16	24	43
B. *Operated*	4589	17.0	171	4	5	14	21	34	44	77
1. SINGLE DX	252	11.2	75	2	3	10	14	20	27	43
2. MULTIPLE DX	5253	16.0	163	3	5	13	20	33	43	74
A. NOT OPERATED	680	9.1	57	2	2	7	11	16	24	43
B. OPERATED	4825	16.7	167	4	5	13	21	34	44	75
TOTAL 65-69 YRS	995	16.6	167	3	4	13	22	34	44	70
70-74	1181	16.3	166	3	4	13	21	33	42	71
75-79	1083	16.0	160	3	5	13	20	32	43	74
80-84	948	15.8	181	3	5	12	19	33	46	97
85+	1298	14.5	132	3	5	11	18	29	38	64
GRAND TOTAL	**5505**	**15.8**	**160**	**3**	**5**	**13**	**20**	**32**	**42**	**72**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	713	2.8	4	1	1	2	3	5	6	9
70-74	534	2.7	3	1	1	2	3	5	6	9
75-79	290	2.8	4	1	1	2	4	5	6	10
80-84	173	3.1	5	1	1	2	4	6	8	11
85+	125	2.9	6	1	1	2	4	5	6	17
B. *Operated*										
65-69 YRS	311	2.1	2	1	1	2	2	4	5	7
70-74	178	2.5	4	1	1	2	2	5	7	10
75-79	42	2.7	5	1	1	2	3	5	7	12
80-84	6	2.5	5	1	1	2	2	7	7	7
85+	4	2.8	2	1	1	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5833	3.7	9	1	1	3	5	6	8	13
70-74	4881	3.8	8	1	1	3	5	7	9	14
75-79	3502	4.0	9	1	2	3	5	7	9	14
80-84	2350	4.1	10	1	2	3	5	7	9	16
85+	1562	4.3	13	1	2	3	5	8	10	18
B. *Operated*										
65-69 YRS	1535	4.0	13	1	1	2	5	8	10	18
70-74	904	4.7	23	1	1	3	6	10	13	24
75-79	417	5.6	27	1	1	4	7	11	15	26
80-84	175	7.9	36	2	2	6	10	17	20	26
85+	85	7.9	26	1	2	7	9	13	18	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1835	2.8	4	1	1	2	3	5	6	9
B. *Operated*	541	2.3	3	1	1	2	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	13128	3.9	9	1	1	3	5	7	9	14
B. *Operated*	3116	4.7	21	1	1	3	6	10	13	23
1. SINGLE DX	2376	2.7	4	1	1	2	3	5	6	9
2. MULTIPLE DX	21244	4.0	11	1	1	3	5	7	9	16
A. NOT OPERATED	19963	3.8	9	1	1	3	5	7	9	14
B. OPERATED	3657	4.4	19	1	1	3	6	9	12	21
TOTAL 65-69 YRS	8392	3.6	9	1	1	3	4	7	8	14
70-74	6497	3.8	10	1	1	3	5	7	9	16
75-79	4251	4.0	11	1	1	3	5	7	9	15
80-84	2704	4.3	12	1	2	3	5	8	10	19
85+	1776	4.3	14	1	1	3	5	8	10	19
GRAND TOTAL	**23620**	**3.9**	**10**	**1**	**1**	**3**	**5**	**7**	**9**	**16**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	48	3.6	15	1	1	2	4	6	13	21
70-74	43	4.7	42	<1	1	3	5	9	14	41
75-79	29	3.7	7	1	1	3	5	7	8	13
80-84	22	2.5	4	1	1	2	4	5	7	8
85+	20	5.4	16	1	1	4	7	11	14	16
B. *Operated*										
65-69 YRS	68	3.2	11	<1	<1	2	4	7	10	19
70-74	48	4.6	24	1	1	3	7	9	15	27
75-79	30	3.0	12	<1	<1	2	4	6	8	18
80-84	12	3.0	7	<1	<1	2	4	6	9	10
85+	7	5.9	39	1	1	5	7	17	19	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1275	6.2	28	1	2	5	8	12	16	29
70-74	1286	6.1	30	1	2	5	8	11	15	29
75-79	1045	6.2	25	1	2	5	8	12	16	24
80-84	651	6.2	23	1	2	5	8	12	15	22
85+	523	6.1	27	1	2	5	8	12	16	28
B. *Operated*										
65-69 YRS	454	6.1	35	1	2	4	7	12	17	31
70-74	483	7.1	53	1	2	5	9	15	20	33
75-79	349	7.4	42	1	2	6	9	16	21	34
80-84	172	7.5	38	1	2	6	10	15	20	42
85+	101	9.3	88	1	2	7	12	19	23	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	162	4.0	20	1	1	3	5	7	12	21
B. *Operated*	165	3.7	16	<1	<1	2	4	8	11	20
2. MULTIPLE DX										
A. *Not Operated*	4780	6.2	27	1	2	5	8	12	15	27
B. *Operated*	1559	7.1	46	1	2	5	9	15	21	34
1. SINGLE DX	327	3.8	18	<1	1	2	5	8	12	20
2. MULTIPLE DX	6339	6.4	32	1	2	5	8	12	17	29
A. NOT OPERATED	4942	6.1	27	1	2	5	8	12	15	26
B. OPERATED	1724	6.7	44	1	1	5	9	15	19	33
TOTAL 65-69 YRS	1845	6.0	29	1	1	4	8	12	16	30
70-74	1860	6.3	36	1	2	5	8	12	16	32
75-79	1453	6.4	29	1	2	5	8	12	17	25
80-84	857	6.3	26	1	2	5	8	13	16	25
85+	651	6.6	37	1	2	5	9	13	17	42
GRAND TOTAL	**6666**	**6.3**	**32**	**1**	**2**	**5**	**8**	**12**	**16**	**29**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	106	2.5	4	1	1	2	3	5	6	11
70-74	95	2.5	3	1	1	2	3	5	6	7
75-79	58	2.6	3	<1	<1	2	4	4	5	10
80-84	47	3.3	37	<1	1	2	4	5	6	43
85+	19	4.1	11	1	1	3	5	10	12	13
B. *Operated*										
65-69 YRS	44	5.0	14	1	2	4	7	10	12	20
70-74	51	5.0	15	1	1	4	7	11	11	21
75-79	28	6.0	15	1	2	5	8	11	15	16
80-84	23	6.1	23	1	1	5	9	12	17	20
85+	15	3.9	11	<1	1	3	5	10	11	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	536	4.3	13	1	1	3	5	8	11	17
70-74	582	4.6	23	1	1	3	6	9	11	22
75-79	538	5.2	36	1	1	4	6	9	12	29
80-84	405	5.8	23	1	2	5	7	11	14	22
85+	418	6.1	32	1	2	5	7	11	14	24
B. *Operated*										
65-69 YRS	492	7.5	58	1	2	6	9	15	19	40
70-74	603	8.0	39	1	2	7	10	15	19	30
75-79	570	8.0	33	2	2	7	10	15	18	28
80-84	454	8.8	91	2	3	7	10	16	22	44
85+	340	9.0	48	2	3	7	12	18	23	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	325	2.8	9	1	1	2	3	5	6	11
B. *Operated*	161	5.2	16	1	1	4	7	11	12	20
2. MULTIPLE DX										
A. *Not Operated*	2479	5.1	25	1	1	4	6	10	13	23
B. *Operated*	2459	8.2	52	2	2	6	10	16	20	34
1. SINGLE DX	486	3.6	12	1	1	3	4	7	10	16
2. MULTIPLE DX	4938	6.6	41	1	2	5	8	13	17	30
A. NOT OPERATED	2804	4.8	24	1	1	4	6	9	12	22
B. OPERATED	2620	8.0	51	1	2	6	10	15	19	34
TOTAL 65-69 YRS	1178	5.5	34	1	1	4	7	11	15	27
70-74	1331	6.0	32	1	1	4	8	12	16	26
75-79	1194	6.4	35	1	2	5	8	13	16	28
80-84	929	7.1	60	1	2	5	9	13	17	34
85+	792	7.3	40	1	2	6	9	14	19	33
GRAND TOTAL	**5424**	**6.4**	**39**	**1**	**2**	**5**	**8**	**13**	**16**	**29**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	336	3.0	5	1	1	2	4	6	7	12
70-74	257	2.9	4	1	1	2	4	6	7	10
75-79	206	3.2	7	<1	1	3	4	6	8	11
80-84	141	3.6	9	1	1	3	4	8	10	15
85+	114	3.3	6	1	1	3	4	6	8	12
B. *Operated*										
65-69 YRS	37	4.4	11	1	2	4	6	9	12	14
70-74	22	3.8	7	<1	1	3	5	8	9	9
75-79	17	5.2	10	1	2	4	7	11	11	11
80-84	13	5.2	13	1	1	4	7	11	12	12
85+	3	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1828	4.3	9	1	1	4	6	8	10	15
70-74	1944	4.6	13	1	2	4	6	8	10	16
75-79	1563	4.9	14	1	2	4	6	9	11	20
80-84	1266	4.9	14	1	2	4	6	9	11	20
85+	1128	5.3	27	1	2	4	7	10	12	24
B. *Operated*										
65-69 YRS	405	7.6	67	1	2	6	9	14	20	46
70-74	352	7.9	39	1	2	7	10	15	20	37
75-79	263	8.5	62	2	2	7	11	16	19	37
80-84	179	9.3	50	2	2	7	12	19	25	41
85+	112	9.5	47	2	3	8	11	18	25	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1054	3.1	6	1	1	3	4	6	8	12
B. *Operated*	92	4.5	10	1	1	4	6	10	11	14
2. MULTIPLE DX										
A. *Not Operated*	7729	4.7	14	1	2	4	6	9	11	18
B. *Operated*	1311	8.2	55	2	2	6	10	16	20	37
1. SINGLE DX	1146	3.3	6	1	1	3	4	6	8	12
2. MULTIPLE DX	9040	5.3	22	1	2	4	7	10	13	23
A. NOT OPERATED	8783	4.6	14	1	1	4	6	8	11	17
B. OPERATED	1403	8.0	53	2	2	6	10	16	20	36
TOTAL 65-69 YRS	2606	4.7	19	1	1	4	6	9	12	21
70-74	2575	4.9	17	1	1	4	6	9	12	20
75-79	2049	5.2	22	1	2	4	6	10	13	21
80-84	1599	5.3	19	1	2	4	6	10	14	24
85+	1357	5.5	28	1	2	4	7	10	13	27
GRAND TOTAL	**10186**	**5.0**	**21**	**1**	**1**	**4**	**6**	**9**	**12**	**21**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	48	2.8	6	<1	<1	2	3	7	9	11
70-74	31	4.0	9	1	1	3	6	8	9	12
75-79	43	3.7	8	<1	1	3	5	6	9	16
80-84	30	4.6	41	<1	<1	3	5	9	10	36
85+	27	4.1	8	<1	1	4	5	9	11	11
B. *Operated*										
65-69 YRS	29	4.6	13	<1	1	3	8	10	11	11
70-74	23	5.0	14	1	1	4	7	9	12	16
75-79	21	3.9	10	<1	<1	3	5	9	11	13
80-84	7	4.6	3	<1	1	5	6	6	6	6
85+	7	8.3	55	<1	1	4	16	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	976	5.1	17	1	1	4	6	10	13	22
70-74	1086	5.5	23	1	1	4	7	10	14	24
75-79	976	5.7	21	1	2	5	7	11	15	25
80-84	772	5.9	24	1	2	5	8	12	15	26
85+	731	6.0	25	1	2	5	8	11	15	31
B. *Operated*										
65-69 YRS	342	7.2	53	1	1	5	9	15	21	34
70-74	337	9.0	91	1	1	7	11	19	26	47
75-79	295	9.8	98	1	1	8	13	21	28	57
80-84	197	9.5	109	1	1	7	11	20	29	51
85+	194	9.6	60	1	2	8	13	19	25	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	179	3.7	13	<1	1	3	5	7	10	15
B. *Operated*	87	4.8	15	<1	1	4	7	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	4541	5.6	22	1	2	4	7	11	14	24
B. *Operated*	1365	8.9	82	1	1	7	11	19	26	43
1. SINGLE DX	266	4.1	14	<1	1	3	5	9	10	18
2. MULTIPLE DX	5906	6.4	38	1	2	5	8	13	17	32
A. NOT OPERATED	4720	5.5	22	1	2	4	7	11	14	24
B. OPERATED	1452	8.6	79	1	1	6	11	18	25	42
TOTAL 65-69 YRS	1395	5.5	27	1	1	4	7	11	15	28
70-74	1477	6.2	41	1	1	5	8	12	17	35
75-79	1335	6.5	41	1	2	5	8	13	18	31
80-84	1006	6.6	43	1	2	5	8	13	17	34
85+	959	6.7	34	1	2	5	8	13	18	31
GRAND TOTAL	**6172**	**6.3**	**37**	**1**	**1**	**5**	**8**	**12**	**17**	**31**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	929	5.7	48	1	1	3	6	12	20	35
70-74	972	5.9	46	1	1	4	7	12	17	41
75-79	862	6.2	51	1	1	4	7	13	19	35
80-84	597	7.0	60	1	1	4	9	16	23	42
85+	535	6.3	39	1	1	4	8	14	19	30
B. *Operated*										
65-69 YRS	243	7.0	97	1	1	4	9	16	21	98
70-74	229	7.8	101	1	1	4	10	18	30	51
75-79	174	8.9	106	1	1	6	12	17	29	60
80-84	117	10.3	119	1	1	6	14	29	35	46
85+	62	10.8	67	1	1	10	14	22	25	41
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8201	6.4	34	1	2	5	8	13	17	29
70-74	9603	6.4	33	1	2	5	8	12	17	29
75-79	9001	6.4	33	1	2	5	8	12	16	28
80-84	7112	6.3	32	1	2	5	8	12	15	28
85+	6380	6.2	39	1	2	5	7	11	15	32
B. *Operated*										
65-69 YRS	1581	10.7	160	1	2	7	14	24	36	91
70-74	1689	11.5	155	1	2	8	14	28	41	81
75-79	1448	10.6	117	1	2	8	13	23	33	69
80-84	929	11.2	135	2	2	8	14	22	34	65
85+	730	11.4	147	1	2	8	14	26	35	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3895	6.2	49	1	1	4	7	13	20	35
B. *Operated*	825	8.4	102	1	1	5	11	19	28	59
2. MULTIPLE DX										
A. *Not Operated*	40297	6.3	34	1	2	5	8	12	16	29
B. *Operated*	6377	11.0	144	1	2	8	14	25	36	79
1. SINGLE DX	4720	6.5	59	1	1	4	8	14	21	39
2. MULTIPLE DX	46674	7.0	51	1	2	5	8	14	19	38
A. NOT OPERATED	44192	6.3	35	1	2	5	8	12	16	29
B. OPERATED	7202	10.7	140	1	2	7	14	24	35	77
TOTAL 65-69 YRS	10954	6.9	57	1	2	5	9	14	20	38
70-74	12493	7.1	55	1	2	5	9	14	20	40
75-79	11485	6.9	48	1	2	5	8	14	19	36
80-84	8755	6.9	48	1	2	5	8	14	19	36
85+	7707	6.8	52	1	2	5	8	13	18	40
GRAND TOTAL	**51394**	**6.9**	**52**	**1**	**2**	**5**	**8**	**14**	**19**	**38**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	2.4		2	2	2	3	3	3	3
70-74	5	2.0	2	1	1	2	3	4	4	4
75-79	3	4.3	5	3	3	3	6	7	7	7
80-84	5	2.6	3	1	1	2	4	5	5	5
85+	5	2.4	1	<1	<1	2	3	4	4	4
B. *Operated*										
65-69 YRS	3	6.3	70	1	1	2	12	16	16	16
70-74										
75-79										
80-84	2	7.5	61	2	2	7	13	13	13	13
85+	1	27.0		27	27	27	27	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	32	9.1	93	1	1	6	13	19	22	50
70-74	21	8.3	49	1	2	6	12	21	23	24
75-79	22	9.3	128	1	2	6	9	23	37	51
80-84	23	7.3	59	1	1	6	10	12	22	37
85+	34	9.6	38	2	2	8	14	17	23	24
B. *Operated*										
65-69 YRS	31	12.7	109	1	2	11	18	23	38	44
70-74	30	29.2	726	2	4	19	59	65	77	96
75-79	20	19.3	168	2	2	18	26	37	45	51
80-84	13	21.2	591	2	3	13	23	49	85	93
85+	16	11.0	57	1	2	10	14	21	26	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	2.6	2	<1	1	2	3	4	6	7
B. *Operated*	6	10.2	109	1	1	8	16	26	27	27
2. MULTIPLE DX										
A. *Not Operated*	132	8.8	70	1	2	7	12	18	23	50
B. *Operated*	110	19.1	375	2	2	14	22	47	62	94
1. SINGLE DX	29	4.2	31	1	1	2	4	11	17	27
2. MULTIPLE DX	242	13.5	234	1	2	9	17	28	50	78
A. NOT OPERATED	155	7.9	65	1	1	5	11	16	23	49
B. OPERATED	116	18.7	364	1	2	14	22	44	61	94
TOTAL 65-69 YRS	71	10.1	98	1	1	7	15	21	24	49
70-74	56	18.9	527	1	2	8	22	60	66	95
75-79	45	13.4	164	2	2	9	19	30	42	51
80-84	43	11.0	250	1	1	7	12	23	38	93
85+	56	9.7	49	2	2	8	14	21	24	28
GRAND TOTAL	**271**	**12.5**	**221**	**1**	**2**	**7**	**16**	**26**	**44**	**75**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	8.4	151	<1	1	5	6	27	41	41
70-74	8	4.6	9	1	2	4	5	9	11	11
75-79	6	4.5	10	1	1	4	7	9	9	9
80-84	5	5.4	14	3	3	4	7	12	12	12
85+	7	10.9	358	1	1	2	13	45	52	52
B. *Operated*										
65-69 YRS										
70-74	1	2.0		2	2	2	2	2	2	2
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	50	7.1	36	1	2	5	9	14	22	29
70-74	35	9.0	140	1	1	6	11	14	19	71
75-79	44	6.9	27	1	1	6	11	14	17	21
80-84	39	9.1	57	1	2	7	11	20	22	38
85+	37	11.6	340	2	2	6	11	17	56	96
B. *Operated*										
65-69 YRS	25	22.8	300	3	4	20	38	52	66	99+
70-74	21	15.4	226	3	4	11	27	74	99+	99+
75-79	23	19.2	207	3	5	14	30	43	47	48
80-84	26	20.8	398	3	4	15	28	66	82	99+
85+	6	13.5	100	1	2	13	25	85	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	6.9	110	1	1	4	6	12	35	52
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	205	8.6	111	1	2	6	11	16	21	66
B. *Operated*	101	19.4	276	3	4	15	30	52	83	99+
1. SINGLE DX	36	6.8	108	1	1	4	6	12	33	52
2. MULTIPLE DX	306	12.1	191	1	2	8	15	30	48	99+
A. NOT OPERATED	240	8.3	111	1	2	5	10	16	21	63
B. OPERATED	102	19.2	276	3	4	15	30	51	82	99+
TOTAL 65-69 YRS	84	11.9	173	1	2	6	15	34	47	85
70-74	65	10.4	161	1	2	7	13	27	68	99+
75-79	73	10.6	115	1	2	7	13	23	37	48
80-84	70	13.2	212	2	3	9	17	31	59	96
85+	50	11.7	304	1	2	6	13	33	61	99+
GRAND TOTAL	**342**	**11.6**	**184**	**1**	**2**	**7**	**14**	**29**	**47**	**99+**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	1.0		1	1	1	1	1	1	1
70-74	4	1.8		1	1	2	2	2	2	2
75-79	3	3.3	5	2	2	2	5	6	6	6
80-84	4	2.8	1	2	2	3	3	4	4	4
85+	7	1.9	1	1	1	2	2	4	4	4
B. *Operated*										
65-69 YRS	30	2.0	1	<1	1	2	3	3	3	3
70-74	21	2.8	4	<1	1	2	3	6	7	8
75-79	19	2.6	4	1	1	2	3	6	7	7
80-84	11	3.7	6	1	1	4	4	7	10	10
85+	8	2.9	4	<1	<1	2	3	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	58	3.9	10	<1	1	3	5	8	11	15
70-74	79	4.6	29	1	1	3	6	10	14	33
75-79	79	5.0	14	1	1	4	7	11	13	14
80-84	84	5.3	28	1	1	4	6	14	18	77
85+	104	5.5	19	1	1	4	7	11	16	57
B. *Operated*										
65-69 YRS	171	5.5	40	1	1	4	7	10	14	41
70-74	148	6.3	38	1	1	4	8	14	21	30
75-79	123	8.4	83	1	2	6	10	19	23	43
80-84	103	8.2	81	1	1	6	10	18	22	53
85+	98	6.9	49	1	1	5	9	13	19	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	2.2	2	1	1	2	2	4	5	6
B. *Operated*	89	2.6	3	1	1	2	3	5	7	9
2. MULTIPLE DX										
A. *Not Operated*	404	4.9	21	1	1	4	6	11	14	28
B. *Operated*	643	6.9	57	1	1	5	9	15	20	38
1. SINGLE DX	109	2.5	3	1	1	2	3	5	7	9
2. MULTIPLE DX	1047	6.1	44	1	1	4	7	13	18	35
A. NOT OPERATED	424	4.8	20	1	1	4	6	11	14	25
B. OPERATED	732	6.4	52	1	1	4	8	13	19	36
TOTAL 65-69 YRS	261	4.7	30	1	1	3	6	9	13	36
70-74	252	5.4	33	1	1	3	7	12	17	30
75-79	224	6.6	55	1	1	5	9	14	20	28
80-84	202	6.6	56	1	1	4	8	16	20	53
85+	217	5.9	33	1	1	4	7	12	17	35
GRAND TOTAL	**1156**	**5.8**	**41**	**1**	**1**	**4**	**7**	**13**	**17**	**34**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	183	6.3	11	2	3	5	8	11	13	16
70-74	230	6.6	23	1	2	6	9	12	14	23
75-79	216	6.9	20	2	2	6	9	12	15	20
80-84	197	7.3	17	2	3	7	9	13	15	20
85+	174	7.2	14	2	3	7	10	12	14	16
B. *Operated*										
65-69 YRS	16	9.3	57	1	1	7	12	23	25	26
70-74	9	13.2	79	3	3	10	20	26	29	29
75-79	14	15.3	321	3	3	13	15	25	64	75
80-84	6	9.3	17	5	5	9	14	14	14	14
85+	2	12.0	128	4	4	12	20	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1076	8.3	36	2	3	7	10	15	18	31
70-74	1535	9.1	49	3	3	8	11	16	20	34
75-79	1895	9.2	49	3	3	8	11	16	21	36
80-84	1933	9.3	47	3	3	8	11	16	21	35
85+	2151	9.4	59	3	3	8	11	17	22	50
B. *Operated*										
65-69 YRS	167	15.8	209	3	4	11	20	32	38	84
70-74	185	16.6	221	3	5	12	20	35	58	98
75-79	221	16.9	214	3	5	13	21	33	45	92
80-84	173	17.9	172	5	7	14	22	36	45	67
85+	196	16.1	135	4	6	13	20	31	44	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1000	6.9	18	2	2	6	9	12	14	20
B. *Operated*	47	11.9	135	2	3	9	15	21	26	75
2. MULTIPLE DX										
A. *Not Operated*	8590	9.1	49	3	3	8	11	16	21	38
B. *Operated*	942	16.7	190	4	5	13	21	33	44	90
1. SINGLE DX	1047	7.1	24	2	2	6	9	13	15	21
2. MULTIPLE DX	9532	9.9	68	3	3	8	12	18	24	47
A. NOT OPERATED	9590	8.9	46	2	3	7	11	16	20	36
B. OPERATED	989	16.4	188	3	5	13	20	33	44	88
TOTAL 65-69 YRS	1442	8.9	59	2	3	7	11	16	22	38
70-74	1959	9.6	68	2	3	8	12	17	22	52
75-79	2346	9.8	69	3	3	8	12	17	24	45
80-84	2309	9.8	59	3	3	8	12	17	23	43
85+	2523	9.7	65	3	3	8	12	18	23	54
GRAND TOTAL	**10579**	**9.6**	**64**	**2**	**3**	**8**	**12**	**17**	**23**	**45**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	6	14.5	218	3	3	9	20	40	42	42
75-79	4	6.8	27	2	2	6	11	13	13	13
80-84										
85+	2	9.0	2	8	8	9	10	10	10	10
B. *Operated*										
65-69 YRS	2	16.0		16	16	16	16	16	16	16
70-74	2	11.5	25	8	8	11	15	15	15	15
75-79										
80-84	2	18.5	5	17	17	18	20	20	20	20
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	17	11.6	95	2	3	9	14	22	35	42
70-74	20	10.9	80	1	3	8	12	26	33	34
75-79	23	13.1	65	4	5	11	18	25	31	32
80-84	23	11.4	108	3	3	9	15	20	33	52
85+	33	11.2	49	2	4	10	13	21	23	36
B. *Operated*										
65-69 YRS	24	27.6	491	7	8	17	47	62	67	76
70-74	13	31.5	513	9	11	27	39	71	81	83
75-79	21	20.6	256	6	8	12	34	48	52	55
80-84	10	24.1	225	2	2	27	36	41	44	44
85+	7	14.7	64	5	6	13	19	27	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	11.0	121	2	3	9	12	27	40	42
B. *Operated*	6	15.3	16	8	9	16	17	20	20	20
2. MULTIPLE DX										
A. *Not Operated*	116	11.6	74	3	4	9	15	21	32	45
B. *Operated*	75	24.6	362	5	8	16	36	54	63	81
1. SINGLE DX	18	12.4	87	2	3	10	16	20	33	42
2. MULTIPLE DX	191	16.7	226	3	4	11	21	38	50	73
A. NOT OPERATED	128	11.6	77	3	4	9	14	21	32	44
B. OPERATED	81	23.9	342	6	8	16	34	52	62	81
TOTAL 65-69 YRS	43	20.7	367	4	5	12	27	55	62	76
70-74	41	18.0	308	3	4	11	22	40	55	83
75-79	48	15.9	161	3	5	11	19	36	47	55
80-84	35	15.5	163	3	3	12	21	36	42	52
85+	42	11.7	50	3	5	10	14	21	25	36
GRAND TOTAL	**209**	**16.4**	**215**	**3**	**4**	**11**	**20**	**37**	**50**	**71**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	65	3.5	6	1	1	3	5	7	9	11
70-74	73	3.5	9	1	1	2	4	7	11	14
75-79	49	4.0	7	1	1	4	5	7	8	15
80-84	44	4.5	13	1	1	4	6	9	10	21
85+	65	4.5	12	1	1	4	6	8	10	21
B. *Operated*										
65-69 YRS	3	2.7	4	1	1	2	4	5	5	5
70-74	2	15.0	72	9	9	15	21	21	21	21
75-79	2	10.5	41	6	6	10	15	15	15	15
80-84	3	7.0	39	2	2	5	12	14	14	14
85+	1	21.0		21	21	60	99+	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	810	6.2	25	1	2	5	8	11	15	24
70-74	897	6.7	37	1	2	5	8	12	16	32
75-79	891	6.7	37	2	2	5	8	12	16	36
80-84	919	7.7	43	2	2	6	9	14	19	33
85+	1096	7.4	44	2	2	6	9	13	18	40
B. *Operated*										
65-69 YRS	177	12.9	181	2	3	9	15	27	37	74
70-74	166	12.7	169	2	3	9	15	32	50	99+
75-79	145	13.0	155	2	3	9	15	28	49	66
80-84	94	16.5	259	3	4	11	19	36	61	95
85+	137	15.3	166	3	4	12	21	32	41	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	296	4.0	9	1	1	3	5	8	9	15
B. *Operated*	11	9.2	55	1	2	7	18	45	92	99+
2. MULTIPLE DX										
A. *Not Operated*	4613	7.0	38	2	2	6	9	13	17	33
B. *Operated*	719	13.8	181	2	3	9	17	30	47	91
1. SINGLE DX	307	4.1	12	1	1	3	5	8	11	21
2. MULTIPLE DX	5332	7.9	63	2	2	6	9	15	21	47
A. NOT OPERATED	4909	6.8	37	1	2	5	8	12	17	32
B. OPERATED	730	13.7	180	2	3	9	17	30	47	99+
TOTAL 65-69 YRS	1055	7.2	57	1	2	5	9	13	18	41
70-74	1138	7.4	60	1	2	5	9	14	19	50
75-79	1087	7.4	57	1	2	6	9	14	19	50
80-84	1060	8.4	68	2	2	6	10	16	22	44
85+	1299	8.1	62	2	2	6	10	16	23	46
GRAND TOTAL	**5639**	**7.7**	**61**	**2**	**2**	**6**	**9**	**15**	**21**	**45**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	137	8.8	76	2	3	6	10	15	23	55
70-74	164	8.2	30	2	3	7	10	16	18	26
75-79	196	8.5	54	2	3	7	10	15	19	36
80-84	216	8.4	63	2	3	7	10	13	16	44
85+	305	8.0	25	2	3	7	11	14	18	24
B. *Operated*										
65-69 YRS										
70-74	4	11.8	55	2	2	13	17	18	18	18
75-79	3	8.7	2	7	7	9	10	10	10	10
80-84	2	9.0		9	9	9	9	9	9	9
85+	3	16.7	36	11	11	16	21	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	489	12.1	105	3	4	9	15	22	31	52
70-74	712	11.1	72	3	4	9	13	20	28	50
75-79	1114	11.8	81	3	4	10	15	22	27	46
80-84	1321	11.4	75	3	4	9	14	20	27	52
85+	2121	11.6	90	3	4	9	14	21	29	67
B. *Operated*										
65-69 YRS	111	22.9	322	4	6	17	33	49	65	90
70-74	129	21.4	254	4	6	17	30	50	61	99+
75-79	162	21.1	282	5	7	17	25	48	58	92
80-84	171	19.9	263	6	7	15	23	38	53	83
85+	169	21.6	314	5	6	16	27	49	60	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1018	8.3	46	2	3	7	11	14	18	37
B. *Operated*	12	11.8	33	2	5	10	16	19	22	23
2. MULTIPLE DX										
A. *Not Operated*	5757	11.6	84	3	4	9	14	21	28	52
B. *Operated*	742	21.3	285	5	6	16	27	48	59	93
1. SINGLE DX	1030	8.4	46	2	3	7	11	15	18	37
2. MULTIPLE DX	6499	12.7	116	3	4	10	15	24	34	70
A. NOT OPERATED	6775	11.1	80	3	4	9	13	20	27	51
B. OPERATED	754	21.1	283	5	6	16	27	48	58	92
TOTAL 65-69 YRS	737	13.2	151	3	4	9	16	28	39	70
70-74	1009	12.0	102	3	4	9	14	23	33	59
75-79	1475	12.4	110	3	4	10	15	23	31	61
80-84	1710	11.8	100	3	4	9	14	21	30	61
85+	2598	11.8	105	3	4	9	14	22	30	68
GRAND TOTAL	**7529**	**12.1**	**109**	**3**	**4**	**9**	**14**	**23**	**32**	**65**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	80	3.6	8	1	1	3	5	7	9	15
70-74	127	3.8	26	1	1	2	4	7	10	25
75-79	149	4.3	21	1	1	3	5	8	10	30
80-84	109	3.6	8	1	1	3	5	8	9	50
85+	167	4.3	16	1	1	3	5	9	12	25
B. *Operated*										
65-69 YRS	184	4.4	9	1	1	4	5	8	10	17
70-74	198	5.0	22	1	1	4	6	9	13	25
75-79	206	5.0	15	1	1	4	7	10	13	23
80-84	111	6.0	38	1	1	4	8	12	14	38
85+	113	5.1	15	1	1	4	7	9	12	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	334	6.6	58	1	2	5	7	12	20	42
70-74	480	6.4	43	1	2	5	8	12	15	33
75-79	587	6.9	42	1	2	5	9	14	18	36
80-84	678	7.4	84	1	2	5	9	14	20	43
85+	830	7.9	76	1	2	6	10	16	23	63
B. *Operated*										
65-69 YRS	499	8.5	77	1	2	6	11	18	26	45
70-74	541	9.0	73	2	2	7	11	17	26	49
75-79	619	9.3	92	2	2	7	12	19	26	74
80-84	507	10.5	143	2	3	7	12	21	32	87
85+	467	10.6	94	2	3	8	13	23	32	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	632	4.0	17	1	1	3	5	8	10	19
B. *Operated*	812	5.0	19	1	1	4	7	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	2909	7.2	64	1	2	5	9	14	20	45
B. *Operated*	2633	9.6	96	2	2	7	11	20	28	61
1. SINGLE DX	1444	4.6	18	1	1	4	6	9	12	18
2. MULTIPLE DX	5542	8.3	81	1	2	6	10	17	24	54
A. NOT OPERATED	3541	6.6	57	1	2	5	8	13	18	41
B. OPERATED	3445	8.5	81	1	2	6	10	17	25	53
TOTAL 65-69 YRS	1097	6.9	58	1	2	5	8	14	20	42
70-74	1346	7.0	53	1	2	5	8	14	18	41
75-79	1561	7.3	60	1	2	5	9	15	20	46
80-84	1405	8.1	100	1	2	5	9	16	24	63
85+	1577	8.1	75	1	2	6	10	17	24	57
GRAND TOTAL	**6986**	**7.5**	**70**	**1**	**2**	**5**	**9**	**15**	**22**	**49**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	20	2.0	4	<1	1	1	2	4	7	9
70-74	24	2.4	3	1	1	2	4	5	5	6
75-79	20	2.9	5	<1	1	2	4	5	8	10
80-84	12	4.9	51	1	1	3	5	12	25	27
85+	28	2.3	3	<1	1	2	3	5	6	9
B. *Operated*										
65-69 YRS	577	2.4	3	1	1	2	3	4	5	10
70-74	409	2.7	5	1	1	2	3	5	6	11
75-79	371	2.5	3	1	1	2	3	5	6	9
80-84	235	2.8	4	1	1	2	3	5	7	11
85+	163	3.2	7	<1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	84	4.7	28	1	1	3	6	9	13	33
70-74	96	5.9	89	1	1	4	7	11	13	57
75-79	123	7.0	65	1	2	5	8	15	21	47
80-84	121	6.8	44	1	1	5	8	14	19	37
85+	163	6.3	59	1	1	4	7	13	19	60
B. *Operated*										
65-69 YRS	699	5.3	35	1	1	4	6	10	15	33
70-74	666	5.3	31	1	1	4	7	11	16	24
75-79	641	6.0	41	1	1	4	7	13	18	26
80-84	532	6.6	63	1	1	4	7	14	22	52
85+	468	7.7	105	1	2	5	8	14	25	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	2.7	9	1	1	2	3	5	6	18
B. *Operated*	1755	2.6	4	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	587	6.3	58	1	1	4	7	13	18	42
B. *Operated*	3006	6.1	52	1	1	4	7	12	18	41
1. SINGLE DX	1859	2.6	4	1	1	2	3	5	6	10
2. MULTIPLE DX	3593	6.1	53	1	1	4	7	12	18	41
A. NOT OPERATED	691	5.7	52	1	1	4	7	11	17	39
B. OPERATED	4761	4.8	37	1	1	3	6	10	14	31
TOTAL 65-69 YRS	1380	4.0	23	1	1	3	5	8	12	27
70-74	1195	4.4	28	1	1	3	5	9	13	22
75-79	1155	5.0	34	1	1	3	6	10	15	25
80-84	900	5.6	48	1	1	4	6	12	18	39
85+	822	6.3	77	1	1	4	7	13	19	66
GRAND TOTAL	**5452**	**4.9**	**39**	**1**	**1**	**3**	**6**	**10**	**15**	**32**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	2.0	3	1	1	1	3	4	4	4
70-74	5	1.6	2	1	1	1	2	4	4	4
75-79	4	9.3	131	<1	<1	5	16	26	26	26
80-84	3	4.0		4	4	4	4	4	4	4
85+	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
65-69 YRS	67	2.2	4	1	1	1	3	4	6	12
70-74	39	1.9	2	<1	1	1	3	4	5	6
75-79	43	3.3	9	1	1	3	4	7	8	18
80-84	16	2.4	3	1	1	2	3	4	6	7
85+	9	1.8	1	<1	<1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	26	6.0	13	1	2	5	8	11	12	15
70-74	21	6.3	83	1	1	4	6	11	28	43
75-79	33	4.9	27	1	1	4	6	7	11	31
80-84	31	6.2	25	1	1	5	7	17	17	18
85+	51	7.0	112	1	1	4	8	13	16	74
B. *Operated*										
65-69 YRS	142	3.4	11	1	1	2	4	8	10	17
70-74	116	3.1	8	1	1	2	4	6	9	16
75-79	83	5.5	83	1	1	4	7	10	15	59
80-84	52	5.8	31	1	1	3	8	16	17	21
85+	54	5.5	30	1	1	4	7	11	17	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	4.1	35	<1	1	3	4	6	19	26
B. *Operated*	174	2.4	5	1	1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	162	6.2	58	1	1	5	7	12	16	42
B. *Operated*	447	4.3	29	1	1	3	5	9	14	20
1. SINGLE DX	191	2.6	7	1	1	2	3	5	7	16
2. MULTIPLE DX	609	4.8	37	1	1	3	6	10	15	21
A. NOT OPERATED	179	6.0	56	1	1	4	7	11	16	40
B. OPERATED	621	3.7	23	1	1	2	4	8	12	20
TOTAL 65-69 YRS	238	3.3	10	1	1	2	4	8	10	15
70-74	181	3.2	16	1	1	2	4	6	8	17
75-79	163	4.9	53	1	1	3	6	8	14	30
80-84	102	5.4	25	1	1	4	7	14	17	20
85+	116	5.8	65	1	1	4	7	12	16	45
GRAND TOTAL	**800**	**4.2**	**31**	**1**	**1**	**3**	**5**	**9**	**13**	**21**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	43	7.0	23	<1	1	7	10	13	16	20
70-74	65	6.6	27	1	1	5	9	15	19	88
75-79	93	6.4	34	1	1	5	8	12	19	33
80-84	119	6.7	22	1	1	7	9	12	15	50
85+	203	7.6	57	1	1	6	10	14	19	34
B. *Operated*										
65-69 YRS	913	11.2	28	5	6	10	13	17	20	30
70-74	1180	12.0	27	6	7	11	14	17	20	28
75-79	1669	12.9	46	6	7	12	15	19	22	37
80-84	1851	13.3	45	6	7	12	16	19	23	38
85+	2558	13.1	46	6	7	12	15	20	24	40
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	232	10.9	106	1	3	8	13	23	32	57
70-74	354	10.9	105	2	3	8	13	20	35	71
75-79	504	11.4	130	2	3	8	14	22	34	80
80-84	617	11.5	109	2	3	9	15	24	34	56
85+	1156	11.3	124	2	3	8	14	22	33	94
B. *Operated*										
65-69 YRS	3212	15.3	104	6	8	13	17	25	33	63
70-74	5072	15.6	96	7	8	13	18	25	34	66
75-79	7823	16.1	100	7	8	14	18	27	35	74
80-84	9404	16.5	117	7	8	14	19	28	38	81
85+	13928	16.4	113	7	8	14	19	28	38	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	523	7.0	39	1	1	6	9	14	18	33
B. *Operated*	8171	12.7	41	6	7	12	15	19	23	36
2. MULTIPLE DX										
A. *Not Operated*	2863	11.3	118	2	3	8	14	22	33	73
B. *Operated*	39439	16.2	108	7	8	14	18	27	36	79
1. SINGLE DX	8694	12.4	43	5	6	11	15	19	22	36
2. MULTIPLE DX	42302	15.8	111	6	7	13	18	27	36	79
A. NOT OPERATED	3386	10.6	108	1	2	8	13	21	31	70
B. OPERATED	47610	15.6	99	6	8	13	18	26	34	72
TOTAL 65-69 YRS	4400	14.1	91	5	7	12	16	23	30	59
70-74	6671	14.6	87	6	7	13	17	24	32	60
75-79	10089	15.2	95	6	7	13	17	25	33	67
80-84	11991	15.7	108	6	7	13	18	26	35	73
85+	17845	15.5	107	6	7	13	18	26	35	86
GRAND TOTAL	**50996**	**15.2**	**101**	**6**	**7**	**13**	**18**	**25**	**34**	**72**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	29	16.4	423	2	2	7	15	54	57	75
70-74	34	13.2	311	1	2	6	11	39	62	67
75-79	33	12.0	175	1	2	8	12	39	45	47
80-84	35	11.7	187	1	1	8	12	35	48	53
85+	54	9.9	104	1	1	6	14	22	35	98
B. *Operated*										
65-69 YRS	58	15.9	168	6	7	12	17	25	55	65
70-74	68	13.0	58	3	5	12	16	23	26	46
75-79	75	16.0	138	4	7	12	19	30	37	69
80-84	82	14.9	95	5	6	14	17	25	28	65
85+	128	13.6	107	2	4	11	16	28	34	52
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	129	18.6	348	2	3	11	27	49	62	99+
70-74	156	19.3	455	2	3	10	22	58	72	90
75-79	169	15.6	284	2	3	9	19	46	63	99+
80-84	231	15.8	263	2	3	10	21	39	55	92
85+	358	15.6	328	2	3	9	18	39	60	90
B. *Operated*										
65-69 YRS	324	19.9	254	5	7	15	24	41	61	87
70-74	381	20.8	233	6	8	16	26	46	59	99+
75-79	487	19.7	220	6	7	16	23	42	60	99+
80-84	469	19.6	202	6	7	16	24	41	55	99+
85+	703	18.1	177	5	7	15	21	34	47	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	185	12.3	219	1	2	7	12	37	53	72
B. *Operated*	411	14.5	111	4	6	12	17	26	33	59
2. MULTIPLE DX										
A. *Not Operated*	1043	16.6	329	2	3	10	21	46	62	93
B. *Operated*	2364	19.4	211	5	7	15	23	41	57	99+
1. SINGLE DX	596	13.8	145	2	3	11	16	28	41	65
2. MULTIPLE DX	3407	18.5	249	3	5	14	23	42	59	99+
A. NOT OPERATED	1228	15.9	314	2	3	9	19	45	60	91
B. OPERATED	2775	18.7	199	5	7	15	22	38	53	99+
TOTAL 65-69 YRS	540	19.0	276	3	5	14	23	44	60	93
70-74	639	19.2	279	3	5	14	24	46	64	99+
75-79	764	18.1	228	3	5	14	22	42	59	99+
80-84	817	17.7	213	3	5	14	22	39	52	99+
85+	1243	16.6	214	3	4	13	20	34	51	83
GRAND TOTAL	**4003**	**17.8**	**236**	**3**	**5**	**14**	**22**	**40**	**56**	**99+**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	93	5.7	19	1	2	5	7	10	13	26
70-74	70	5.6	30	1	2	4	6	11	14	36
75-79	67	7.0	59	2	2	5	8	11	13	55
80-84	59	8.4	54	2	2	6	11	17	27	34
85+	58	5.8	20	1	1	5	8	12	17	17
B. *Operated*										
65-69 YRS	205	7.1	27	2	2	6	9	14	17	26
70-74	144	6.9	19	2	2	6	9	12	15	25
75-79	94	8.4	23	2	3	7	11	15	19	22
80-84	49	9.3	62	2	3	8	10	17	22	49
85+	56	8.1	98	1	1	6	10	14	17	69
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	209	7.7	57	2	2	6	9	15	27	46
70-74	214	9.4	112	2	3	6	10	17	27	62
75-79	238	9.3	74	2	3	7	11	18	24	50
80-84	221	9.9	97	2	3	8	11	18	26	58
85+	268	9.3	89	2	3	7	12	19	31	96
B. *Operated*										
65-69 YRS	445	12.0	101	3	3	9	15	25	32	58
70-74	371	13.4	150	3	4	10	16	27	37	78
75-79	293	16.1	191	3	5	12	20	31	57	87
80-84	217	14.6	186	2	4	11	18	31	38	91
85+	165	15.5	253	2	3	10	20	33	61	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	347	6.4	36	1	2	5	8	12	16	34
B. *Operated*	548	7.6	35	2	2	6	10	14	17	26
2. MULTIPLE DX										
A. *Not Operated*	1150	9.1	86	2	3	7	11	18	27	56
B. *Operated*	1491	13.9	162	3	4	10	17	29	40	83
1. SINGLE DX	895	7.1	35	1	2	6	9	13	17	29
2. MULTIPLE DX	2641	11.8	134	2	3	8	15	24	36	71
A. NOT OPERATED	1497	8.5	76	2	2	6	10	16	24	52
B. OPERATED	2039	12.2	135	2	3	9	15	24	35	71
TOTAL 65-69 YRS	952	9.4	73	2	2	7	12	19	27	48
70-74	799	10.5	114	2	3	7	13	20	30	61
75-79	692	11.8	128	2	3	9	14	22	32	67
80-84	546	11.6	130	2	3	8	14	24	33	63
85+	547	10.6	143	1	2	7	13	23	35	83
GRAND TOTAL	**3536**	**10.6**	**114**	**2**	**3**	**8**	**13**	**21**	**31**	**65**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	102	4.2	60	1	1	3	4	6	9	53
70-74	88	4.8	13	1	1	4	7	9	12	17
75-79	62	4.6	17	1	1	3	6	8	14	23
80-84	56	5.0	12	1	2	4	6	8	10	22
85+	50	4.5	6	1	2	4	6	7	8	14
B. *Operated*										
65-69 YRS	817	5.5	11	2	2	5	7	9	11	18
70-74	532	6.1	20	2	2	5	8	10	13	25
75-79	324	6.1	16	2	2	5	7	10	13	23
80-84	171	7.4	68	2	3	6	9	12	15	25
85+	98	7.4	25	2	3	6	10	14	16	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	289	5.7	25	1	2	4	7	10	13	31
70-74	318	6.6	46	2	2	5	8	11	17	31
75-79	324	7.6	82	2	2	5	8	14	19	56
80-84	273	6.7	34	2	2	5	8	13	16	26
85+	272	7.7	52	2	2	6	9	15	21	42
B. *Operated*										
65-69 YRS	1207	8.0	42	2	3	6	10	14	19	35
70-74	983	8.7	55	2	3	7	10	16	22	42
75-79	766	10.2	65	3	4	8	12	20	24	48
80-84	437	12.1	116	3	4	10	14	21	33	62
85+	325	10.8	81	2	4	8	13	21	27	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	358	4.6	26	1	1	4	6	8	11	23
B. *Operated*	1942	6.0	20	2	2	5	7	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	1476	6.8	49	2	2	5	8	13	17	35
B. *Operated*	3718	9.3	64	2	3	7	11	17	23	45
1. SINGLE DX	2300	5.8	22	1	2	5	7	10	13	21
2. MULTIPLE DX	5194	8.6	61	2	3	7	10	16	22	44
A. NOT OPERATED	1834	6.4	45	1	2	5	8	12	16	35
B. OPERATED	5660	8.2	52	2	3	6	10	15	20	39
TOTAL 65-69 YRS	2415	6.7	32	2	2	5	8	12	16	32
70-74	1921	7.5	43	2	3	6	9	13	18	33
75-79	1476	8.5	60	2	3	7	10	16	22	42
80-84	937	9.2	84	2	3	7	11	17	22	48
85+	745	8.8	62	2	3	7	11	17	23	45
GRAND TOTAL	**7494**	**7.8**	**51**	**2**	**2**	**6**	**9**	**14**	**19**	**37**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	2.1	2	1	1	2	3	5	5	5
70-74	5	3.8	13	1	1	2	5	10	10	10
75-79	6	4.3	15	<1	<1	3	6	10	11	11
80-84	4	3.0	5	1	1	2	4	6	6	6
85+	5	3.6	6	<1	<1	4	6	6	6	6
B. *Operated*										
65-69 YRS	3	2.3	2	1	1	2	3	4	4	4
70-74	2	2.0		2	2	2	2	2	2	2
75-79										
80-84	1	6.0		6	6	6	6	6	6	6
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	81	5.8	28	1	1	5	7	11	15	31
70-74	100	5.7	24	1	1	4	7	11	15	26
75-79	100	6.7	28	1	2	5	9	13	19	24
80-84	93	6.7	23	1	2	5	9	14	17	22
85+	98	7.9	68	2	3	6	10	15	18	50
B. *Operated*										
65-69 YRS	26	5.6	25	1	1	3	7	12	15	22
70-74	34	12.9	208	1	1	8	17	38	51	55
75-79	31	10.2	101	1	2	6	15	23	27	48
80-84	21	13.2	173	3	3	9	17	28	46	58
85+	19	12.8	129	1	2	10	18	34	39	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	3.3	8	<1	1	2	5	6	10	11
B. *Operated*	7	3.1	3	1	1	2	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	472	6.6	35	1	2	5	8	13	17	24
B. *Operated*	131	10.8	134	1	2	7	14	23	38	56
1. SINGLE DX	34	3.3	7	<1	1	2	5	6	9	11
2. MULTIPLE DX	603	7.5	59	1	2	5	9	15	20	39
A. NOT OPERATED	499	6.4	34	1	2	5	8	12	17	24
B. OPERATED	138	10.4	130	1	2	7	12	23	38	55
TOTAL 65-69 YRS	117	5.4	26	1	1	4	7	11	14	27
70-74	141	7.3	77	1	1	4	9	16	22	54
75-79	137	7.4	46	1	2	6	9	15	22	30
80-84	119	7.7	54	1	2	6	10	17	18	43
85+	123	8.4	78	2	2	6	10	16	21	49
GRAND TOTAL	**637**	**7.3**	**57**	**1**	**2**	**5**	**9**	**15**	**20**	**39**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	6.7	10	3	3	8	9	9	9	9
70-74	2	5.0	2	4	4	5	6	6	6	6
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74	1	5.0		5	5	5	5	5	5	5
75-79	1	16.0		16	16	16	16	16	16	16
80-84	2	13.5	61	8	8	13	19	19	19	19
85+	3	8.0	43	2	2	7	13	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7	9.4	41	3	3	10	12	19	21	21
70-74	7	8.1	14	3	3	9	10	13	14	14
75-79	2	15.0	128	7	7	15	23	23	23	23
80-84	5	11.0	174	2	2	5	16	34	34	34
85+	6	7.0	6	3	3	7	9	10	10	10
B. *Operated*										
65-69 YRS	6	28.2	494	9	10	19	32	67	71	71
70-74	3	29.3	108	21	21	26	37	41	41	41
75-79	7	44.1	857	18	19	28	70	89	91	91
80-84	2	19.5	145	11	11	19	28	28	28	28
85+	5	20.8	275	2	2	23	30	45	45	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	5.7	6	3	3	5	8	9	9	9
B. *Operated*	7	10.3	41	2	3	8	16	18	19	19
2. MULTIPLE DX										
A. *Not Operated*	27	9.3	50	3	3	8	10	20	25	34
B. *Operated*	23	30.8	506	6	9	25	39	73	84	91
1. SINGLE DX	13	8.2	28	2	3	7	10	17	19	19
2. MULTIPLE DX	50	19.2	372	3	3	11	25	41	71	91
A. NOT OPERATED	33	8.6	44	3	3	7	10	15	23	34
B. OPERATED	30	26.0	470	2	6	20	28	58	80	91
TOTAL 65-69 YRS	16	15.9	279	3	3	11	19	31	59	71
70-74	13	12.3	121	3	4	9	16	29	39	41
75-79	11	32.6	792	4	6	23	38	84	90	91
80-84	9	13.4	126	2	3	10	21	32	34	34
85+	14	12.1	139	2	2	8	15	27	41	45
GRAND TOTAL	**63**	**16.9**	**319**	**3**	**3**	**10**	**22**	**35**	**54**	**90**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	[illegible]	2	<1	<1	1	3	3	3	3
70-74	5	2.2	3	<1	<1	1	3	5	5	5
75-79	2	1.0		<1	<1	<1	1	1	1	1
80-84										
85+	3	2.3		2	2	2	3	3	3	3
B. *Operated*										
65-69 YRS	41	1.8	2	<1	<1	1	2	4	5	7
70-74	33	2.0	3	<1	<1	1	2	3	6	9
75-79	30	2.1	5	<1	<1	1	2	6	8	9
80-84	17	2.0	7	<1	<1	1	2	3	9	12
85+	18	2.7	7	<1	<1	2	3	6	9	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	21	5.5	18	<1	1	5	7	11	15	18
70-74	12	4.0	3	<1	1	4	5	6	7	7
75-79	22	7.9	169	1	1	3	7	23	44	53
80-84	18	5.4	15	1	1	4	8	11	13	14
85+	27	4.1	8	<1	<1	4	6	7	8	13
B. *Operated*										
65-69 YRS	73	3.9	26	1	1	2	4	7	14	28
70-74	87	5.6	46	1	1	3	7	14	19	34
75-79	78	4.9	23	1	1	4	6	10	14	24
80-84	61	7.4	99	1	1	4	9	15	30	49
85+	73	6.1	71	1	1	4	7	13	23	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	2.0	2	<1	<1	2	3	4	5	5
B. *Operated*	139	2.0	4	<1	<1	1	2	4	7	11
2. MULTIPLE DX										
A. *Not Operated*	100	5.5	46	<1	1	4	6	10	14	45
B. *Operated*	372	5.5	51	1	1	3	7	13	18	45
1. SINGLE DX	151	2.0	4	<1	<1	1	2	4	7	11
2. MULTIPLE DX	472	5.5	50	1	1	4	6	12	17	45
A. NOT OPERATED	112	5.1	43	<1	1	4	6	9	13	44
B. OPERATED	511	4.6	41	<1	1	2	5	10	15	38
TOTAL 65-69 YRS	137	3.5	19	<1	<1	2	4	7	12	25
70-74	137	4.4	32	1	1	2	5	9	17	32
75-79	132	4.7	45	1	1	3	5	9	15	41
80-84	96	6.1	71	1	1	3	8	13	16	47
85+	121	5.1	47	<1	1	3	6	11	14	72
GRAND TOTAL	**623**	**4.7**	**41**	**<1**	**1**	**3**	**5**	**10**	**14**	**40**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	2.2	2	<1	<1	2	2	5	5	5
70-74	3	2.7	2	<1	<1	3	4	4	4	4
75-79	1	8.0		8	8	8	8	8	8	8
80-84	1	5.0		5	5	5	5	5	5	5
85+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
65-69 YRS	119	2.5	3	<1	<1	2	3	5	6	9
70-74	71	2.9	6	<1	<1	2	4	5	9	13
75-79	32	3.6	9	<1	1	3	5	8	10	14
80-84	12	2.0	3	<1	<1	1	3	5	6	6
85+	13	2.1	2	<1	<1	1	3	4	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	16	3.6	15	<1	<1	1	5	10	11	12
70-74	23	4.3	16	<1	1	3	5	10	14	17
75-79	9	4.8	19	1	1	4	6	12	15	15
80-84	12	5.4	11	2	2	4	8	11	11	11
85+	7	6.1	24	1	1	5	10	13	14	14
B. *Operated*										
65-69 YRS	409	3.1	10	<1	1	2	4	7	9	16
70-74	282	3.2	11	<1	1	2	4	7	8	17
75-79	156	4.4	22	<1	1	3	5	9	14	27
80-84	60	3.9	11	1	1	3	5	9	11	16
85+	34	6.4	71	1	1	4	8	13	24	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	3.3	5	<1	<1	3	5	7	8	8
B. *Operated*	247	2.7	5	<1	<1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	67	4.6	15	<1	1	3	6	11	13	17
B. *Operated*	941	3.5	15	<1	1	2	4	7	10	21
1. SINGLE DX	259	2.7	5	<1	<1	2	3	5	7	11
2. MULTIPLE DX	1008	3.6	15	<1	1	2	4	8	11	20
A. NOT OPERATED	79	4.4	14	<1	<1	3	6	10	13	16
B. OPERATED	1188	3.3	13	<1	1	2	4	7	10	17
TOTAL 65-69 YRS	550	3.0	9	<1	1	2	3	6	9	15
70-74	379	3.2	10	<1	<1	2	4	7	9	17
75-79	198	4.3	20	<1	1	3	5	9	14	27
80-84	85	3.8	11	1	1	3	5	8	11	15
85+	55	5.4	50	<1	1	3	6	11	20	41
GRAND TOTAL	**1267**	**3.4**	**13**	**<1**	**1**	**2**	**4**	**7**	**10**	**17**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	4.9	8	1	1	4	7	9	10	10
70-74	4	5.0	9	<1	<1	5	7	8	8	8
75-79	2	4.0	2	3	3	4	5	5	5	5
80-84	7	3.3	16	1	1	2	3	10	12	12
85+	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
65-69 YRS	47	4.4	30	<1	1	3	5	11	15	27
70-74	36	4.7	22	1	1	3	7	12	14	20
75-79	29	5.3	24	1	1	3	7	13	15	20
80-84	19	4.5	18	<1	1	3	6	12	15	16
85+	11	3.5	14	1	1	3	4	10	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	42	6.5	23	1	2	6	8	11	16	25
70-74	43	7.7	30	1	2	7	10	16	19	24
75-79	46	7.2	25	1	1	7	10	15	17	21
80-84	28	6.9	43	1	2	5	8	14	18	35
85+	30	8.3	179	2	2	5	9	12	18	76
B. *Operated*										
65-69 YRS	122	8.1	118	1	1	4	9	18	29	65
70-74	103	6.8	49	1	1	5	8	14	20	37
75-79	81	10.3	124	1	1	7	13	25	37	52
80-84	52	12.3	163	1	2	8	17	27	39	62
85+	30	13.0	198	2	2	8	15	30	42	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	4.7	11	<1	1	4	7	10	12	12
B *Operated*	142	4.6	24	1	1	3	[illegible]	12	14	23
2. MULTIPLE DX										
A. *Not Operated*	189	7.3	52	1	2	6	9	14	18	31
B. *Operated*	388	9.2	117	1	1	5	11	21	31	59
1. SINGLE DX	166	4.6	22	1	1	3	6	12	14	23
2. MULTIPLE DX	577	8.5	96	1	1	6	10	18	26	54
A. NOT OPERATED	213	7.0	48	1	2	6	9	13	17	29
B. OPERATED	530	7.9	96	1	1	4	10	18	27	51
TOTAL 65-69 YRS	221	6.8	78	1	1	4	8	15	24	46
70-74	186	6.6	39	1	1	5	9	14	18	27
75-79	158	8.4	79	1	1	6	11	20	26	44
80-84	106	8.9	107	1	1	5	11	19	32	55
85+	72	9.6	167	1	2	6	11	20	36	74
GRAND TOTAL	**743**	**7.7**	**82**	**1**	**1**	**5**	**10**	**16**	**23**	**48**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	15	4.1	4	<1	2	4	6	7	7	7
70-74	9	3.1	2	1	1	3	4	5	6	6
75-79	17	4.8	11	<1	1	4	6	11	12	12
80-84	7	3.7	7	2	2	3	5	8	9	9
85+	4	3.3	2	2	2	3	4	5	5	5
B. *Operated*										
65-69 YRS	27	4.7	5	1	2	4	6	8	9	10
70-74	25	5.7	12	1	1	5	8	11	13	15
75-79	10	3.8	3	1	1	4	5	6	6	6
80-84	10	8.1	15	2	3	8	12	13	13	13
85+	4	5.3	9	2	2	5	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	73	6.3	28	2	2	5	7	14	16	30
70-74	70	5.1	22	1	1	4	6	9	11	26
75-79	80	5.3	14	2	2	4	6	11	15	17
80-84	96	7.0	85	1	2	5	8	10	15	66
85+	105	6.2	40	1	2	5	7	13	15	37
B. *Operated*										
65-69 YRS	89	6.2	16	2	2	5	8	12	13	18
70-74	65	7.4	30	2	3	6	9	13	18	29
75-79	50	10.2	95	2	3	8	12	21	28	60
80-84	29	10.2	72	3	3	8	12	18	24	45
85+	15	13.6	85	4	5	12	14	30	36	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	4.0	6	1	2	3	5	7	9	12
B. *Operated*	76	5.4	10	1	2	5	7	10	12	15
2. MULTIPLE DX										
A. *Not Operated*	424	6.0	40	1	2	5	7	11	15	28
B. *Operated*	248	8.2	50	2	2	7	10	15	20	38
1. SINGLE DX	128	4.8	9	1	2	4	6	9	11	14
2. MULTIPLE DX	672	6.8	45	2	2	5	8	13	16	32
A. NOT OPERATED	476	5.8	37	1	2	4	7	11	15	26
B. OPERATED	324	7.6	42	2	2	6	10	13	17	32
TOTAL 65-69 YRS	204	5.9	18	2	2	5	7	11	14	21
70-74	169	6.0	24	1	2	5	8	11	15	27
75-79	157	6.7	44	2	2	5	8	13	17	28
80-84	142	7.5	75	2	2	6	9	13	16	64
85+	128	7.0	48	2	2	5	8	13	16	42
GRAND TOTAL	**800**	**6.5**	**40**	**1**	**2**	**5**	**8**	**12**	**16**	**29**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	113	5.4	8	2	2	5	7	10	11	14
70-74	72	5.1	10	1	1	5	7	9	10	16
75-79	48	4.5	8	1	2	4	5	8	9	17
80-84	24	5.6	10	1	2	4	8	10	12	12
85+	26	6.7	19	2	2	6	9	15	16	17
B. *Operated*										
65-69 YRS	8	8.1	72	1	1	4	17	20	20	20
70-74	2	11.5	5	10	10	11	13	13	13	13
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	619	6.6	17	2	3	6	8	11	14	22
70-74	525	6.6	17	2	2	6	8	12	15	21
75-79	531	7.3	24	2	3	6	9	13	17	23
80-84	370	7.2	38	2	3	6	9	13	16	26
85+	411	7.2	46	2	3	6	8	13	16	48
B. *Operated*										
65-69 YRS	46	11.6	44	4	5	10	15	20	26	34
70-74	30	13.5	164	4	5	10	16	29	69	99+
75-79	42	11.3	60	3	4	9	16	26	30	99+
80-84	29	11.7	66	2	3	10	15	25	39	99+
85+	21	15.6	355	4	4	10	15	30	59	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	283	5.3	10	1	2	5	7	9	11	16
B. *Operated*	11	8.4	55	1	1	5	14	20	20	20
2. MULTIPLE DX										
A. *Not Operated*	2456	6.9	27	2	3	6	8	12	15	23
B. *Operated*	168	12.4	111	4	4	10	16	25	34	99+
1. SINGLE DX	294	5.4	12	1	2	5	7	10	12	17
2. MULTIPLE DX	2624	7.3	34	2	3	6	9	13	17	29
A. NOT OPERATED	2739	6.8	25	2	3	6	8	12	15	23
B. OPERATED	179	12.2	108	3	4	10	15	24	34	99+
TOTAL 65-69 YRS	786	6.7	20	2	3	6	8	12	15	24
70-74	629	6.8	25	2	2	6	8	12	16	24
75-79	622	7.4	27	2	3	6	9	13	18	28
80-84	423	7.4	40	2	3	6	9	14	16	34
85+	458	7.5	61	2	3	6	9	14	17	56
GRAND TOTAL	**2918**	**7.1**	**32**	**2**	**3**	**6**	**9**	**13**	**16**	**28**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	71	4.5	9	1	1	4	6	10	11	12
70-74	50	4.4	9	1	1	4	6	8	10	15
75-79	37	4.3	8	1	1	4	6	8	11	12
80-84	20	4.1	9	1	1	3	5	8	11	13
85+	24	4.2	24	1	1	3	4	8	13	25
B. *Operated*										
65-69 YRS	5	2.4	4	1	1	2	3	6	6	6
70-74	2	4.5	25	1	1	4	8	8	8	8
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	487	5.6	16	1	2	5	7	10	12	18
70-74	427	5.9	16	2	2	5	7	11	13	20
75-79	386	6.0	14	2	2	5	8	11	13	20
80-84	304	6.5	22	2	2	6	8	12	14	27
85+	323	7.0	38	2	2	6	9	13	16	37
B. *Operated*										
65-69 YRS	51	9.6	68	2	2	7	13	21	25	39
70-74	29	10.7	54	1	2	9	13	21	26	32
75-79	22	11.0	149	1	2	6	15	31	41	48
80-84	24	11.4	27	4	5	11	14	19	20	22
85+	20	12.0	136	2	4	8	14	31	42	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	202	4.4	10	1	1	4	6	9	11	14
B. *Operated*	7	3.0	8	1	1	2	5	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	1927	6.1	20	2	2	5	8	11	14	21
B. *Operated*	146	10.6	78	2	3	8	14	21	29	43
1. SINGLE DX	209	4.3	10	1	1	3	6	8	11	14
2. MULTIPLE DX	2073	6.5	26	2	2	5	8	12	15	26
A. NOT OPERATED	2129	6.0	20	1	2	5	8	11	13	20
B. OPERATED	153	10.3	77	1	2	8	14	20	28	43
TOTAL 65-69 YRS	614	5.8	20	1	2	5	7	10	13	23
70-74	508	6.0	19	1	2	5	8	12	14	21
75-79	445	6.1	21	2	2	5	8	11	14	22
80-84	348	6.7	23	2	2	6	9	13	15	26
85+	367	7.1	44	2	2	6	9	14	17	43
GRAND TOTAL	**2282**	**6.3**	**25**	**1**	**2**	**5**	**8**	**12**	**14**	**25**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	31	3.0	5	<1	<1	2	4	7	8	8
70-74	25	2.8	3	<1	1	3	4	5	6	8
75-79	16	3.7	3	1	2	3	5	6	6	6
80-84	16	4.2	8	1	1	4	5	6	11	13
85+	20	4.6	11	<1	1	3	7	10	11	11
B. *Operated*										
65-69 YRS	300	3.9	8	1	2	3	5	6	7	12
70-74	195	4.0	4	1	2	3	5	7	7	11
75-79	100	4.3	6	1	2	4	5	7	8	14
80-84	30	4.7	4	2	2	4	6	8	9	9
85+	13	4.8	17	<1	1	3	6	12	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	151	4.3	11	1	1	4	5	9	12	22
70-74	168	6.5	43	1	2	5	8	13	17	37
75-79	178	6.1	21	1	2	5	8	12	15	26
80-84	179	5.7	21	1	2	5	7	11	15	27
85+	203	6.1	24	1	2	5	8	12	15	32
B. *Operated*										
65-69 YRS	374	5.2	25	2	2	4	6	8	10	31
70-74	263	5.9	34	2	2	4	7	10	14	41
75-79	162	5.5	10	2	2	5	7	9	12	16
80-84	71	9.0	55	2	3	7	11	15	25	40
85+	38	7.9	42	2	2	7	12	17	28	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	3.5	6	<1	1	3	5	7	8	12
B. *Operated*	638	4.0	7	1	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	879	5.8	25	1	2	5	7	11	15	28
B. *Operated*	908	5.9	29	2	2	5	7	10	14	35
1. SINGLE DX	746	4.0	7	1	2	3	5	7	8	12
2. MULTIPLE DX	1787	5.8	27	1	2	5	7	11	14	32
A. NOT OPERATED	987	5.6	23	1	2	4	7	11	14	28
B. OPERATED	1546	5.1	21	2	2	4	6	9	12	25
TOTAL 65-69 YRS	856	4.5	16	1	2	4	5	8	10	17
70-74	651	5.4	27	1	2	4	6	9	13	26
75-79	456	5.4	14	2	2	5	7	10	12	18
80-84	296	6.3	29	1	2	5	8	12	16	33
85+	274	6.2	25	1	2	5	8	12	16	35
GRAND TOTAL	**2533**	**5.3**	**22**	**1**	**2**	**4**	**6**	**9**	**13**	**26**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	43	2.2	3	1	1	1	3	4	6	8
70-74	41	2.1	3	1	1	1	3	5	6	6
75-79	35	2.3	3	1	1	2	3	4	6	9
80-84	29	2.8	4	1	1	2	3	6	7	10
85+	35	2.1	2	<1	1	2	3	4	4	7
B. *Operated*										
65-69 YRS										
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	1.0		1	1	1	1	1	1	1
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	510	4.2	14	1	1	3	6	9	10	18
70-74	510	4.4	23	1	1	3	5	9	13	23
75-79	523	5.2	29	1	1	4	6	10	15	28
80-84	449	5.5	26	1	1	4	7	12	16	27
85+	651	5.9	42	1	1	4	7	12	17	40
B. *Operated*										
65-69 YRS	165	5.9	95	1	1	2	5	15	29	66
70-74	161	6.4	83	1	1	3	6	15	26	55
75-79	181	7.1	80	1	1	5	9	15	20	49
80-84	163	6.6	100	1	1	4	8	13	18	63
85+	196	6.1	40	1	1	4	7	14	19	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	183	2.3	3	1	1	2	3	5	6	9
B. *Operated*	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	2643	5.1	28	1	1	4	6	10	15	28
B. *Operated*	866	6.4	78	1	1	4	7	15	21	57
1. SINGLE DX	185	2.3	3	1	1	2	3	5	6	9
2. MULTIPLE DX	3509	5.4	41	1	1	4	7	11	16	36
A. NOT OPERATED	2826	4.9	27	1	1	3	6	10	14	27
B. OPERATED	868	6.4	78	1	1	4	7	14	21	57
TOTAL 65-69 YRS	718	4.4	33	1	1	3	5	9	12	33
70-74	713	4.7	36	1	1	3	5	10	14	32
75-79	740	5.5	41	1	1	4	7	11	16	29
80-84	641	5.7	45	1	1	4	7	12	16	36
85+	882	5.8	41	1	1	4	7	12	17	40
GRAND TOTAL	**3694**	**5.2**	**39**	**1**	**1**	**3**	**6**	**11**	**16**	**35**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	26	4.9	53	1	1	2	4	9	26	32
70-74	33	3.7	54	<1	<1	2	3	7	8	43
75-79	33	4.9	41	<1	1	2	6	14	18	30
80-84	27	8.6	238	1	1	3	8	27	42	73
85+	21	3.0	6	<1	1	3	4	6	8	10
B. *Operated*										
65-69 YRS	30	13.7	188	3	3	8	15	36	48	54
70-74	35	12.2	117	4	6	9	13	17	36	61
75-79	30	10.2	54	1	3	9	12	20	29	32
80-84	30	13.5	301	2	4	9	15	20	30	99
85+	11	12.4	68	3	4	10	15	26	31	31
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	284	7.3	108	1	1	4	8	17	29	84
70-74	328	6.8	52	1	1	4	8	15	23	38
75-79	439	8.1	95	1	1	5	10	18	24	60
80-84	412	8.1	67	1	2	6	10	18	27	53
85+	480	7.4	57	1	2	5	9	15	21	74
B. *Operated*										
65-69 YRS	214	15.3	298	1	2	9	21	38	58	87
70-74	264	15.3	232	1	2	11	20	36	52	98
75-79	245	16.3	248	1	2	12	22	43	61	99+
80-84	263	16.7	289	2	3	12	22	39	62	99+
85+	268	14.9	191	1	2	11	21	34	44	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	140	5.1	80	<1	1	2	5	9	21	46
B. *Operated*	136	12.4	153	3	4	9	14	24	32	66
2. MULTIPLE DX										
A. *Not Operated*	1943	7.6	74	1	1	5	9	17	24	60
B. *Operated*	1254	15.7	249	1	2	11	21	37	57	99+
1. SINGLE DX	276	8.7	129	1	1	6	10	18	31	59
2. MULTIPLE DX	3197	10.8	158	1	2	7	14	26	38	89
A. NOT OPERATED	2083	7.4	75	1	1	5	9	16	24	58
B. OPERATED	1390	15.4	241	1	2	11	20	36	55	99+
TOTAL 65-69 YRS	554	10.6	198	1	1	5	13	28	43	85
70-74	660	10.3	146	1	1	6	13	25	37	70
75-79	747	10.8	156	1	1	7	14	25	36	76
80-84	732	11.4	178	1	2	7	14	28	39	99
85+	780	9.9	115	1	2	6	13	23	33	79
GRAND TOTAL	**3473**	**10.6**	**156**	**1**	**2**	**7**	**13**	**25**	**37**	**88**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	3.6	2	2	2	3	4	6	7	7
70-74	9	3.3	4	<1	<1	3	5	6	7	7
75-79	9	3.7	8	1	1	3	5	8	9	9
80-84	2	2.5	5	<1	<1	2	4	4	4	4
85+	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
65-69 YRS	4	8.3	36	3	3	7	13	16	16	16
70-74	6	4.0	7	2	2	3	5	9	9	9
75-79	6	6.2	5	4	4	5	8	10	10	10
80-84	4	7.5	60	3	3	4	12	19	19	19
85+	4	6.3	44	2	2	4	10	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	145	7.0	36	1	2	5	8	12	18	33
70-74	114	6.6	26	1	2	5	8	13	18	24
75-79	92	6.5	19	2	2	6	8	11	14	25
80-84	93	8.0	32	2	2	7	10	15	20	27
85+	88	8.7	44	2	3	7	11	15	20	40
B. *Operated*										
65-69 YRS	154	13.4	211	3	3	9	15	29	51	94
70-74	133	11.4	145	3	4	8	12	23	35	65
75-79	120	12.3	106	3	4	9	16	30	35	72
80-84	68	12.0	78	2	4	9	16	26	29	92
85+	70	13.9	105	3	4	12	18	26	29	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	3.5	4	<1	1	3	4	7	7	9
B. *Operated*	24	6.2	23	2	2	5	8	16	17	19
2. MULTIPLE DX										
A. *Not Operated*	532	7.3	32	1	2	6	9	13	18	28
B. *Operated*	545	12.6	141	3	3	9	15	27	35	71
1. SINGLE DX	55	4.7	14	1	2	4	5	9	14	19
2. MULTIPLE DX	1077	10.0	94	2	3	7	12	20	28	59
A. NOT OPERATED	563	7.1	31	1	2	6	9	13	18	28
B. OPERATED	569	12.3	138	3	3	9	15	27	35	70
TOTAL 65-69 YRS	312	10.1	132	1	3	7	12	19	33	64
70-74	262	8.9	92	2	2	6	10	18	25	53
75-79	227	9.5	73	2	3	7	11	20	31	51
80-84	167	9.5	55	2	3	8	13	19	26	51
85+	164	10.8	76	2	3	9	14	20	26	47
GRAND TOTAL	**1132**	**9.7**	**92**	**2**	**3**	**7**	**12**	**19**	**28**	**59**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	1.8	1	1	1	2	2	3	3	3
70-74	10	4.3	13	2	2	3	5	10	14	14
75-79	4	3.0	8	1	1	2	5	7	7	7
80-84	2	2.5	1	2	2	2	3	3	3	3
85+	6	2.7	3	1	1	2	3	6	6	6
B. *Operated*										
65-69 YRS	13	6.0	9	1	2	6	7	10	12	13
70-74	6	8.3	12	3	3	8	11	13	13	13
75-79	1	9.0		9	9	9	9	9	9	9
80-84	3	9.7	9	7	7	9	12	13	13	13
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	64	5.6	14	2	2	4	8	10	13	18
70-74	70	4.9	13	1	1	4	6	11	13	16
75-79	77	5.4	13	1	2	5	7	11	13	18
80-84	54	7.0	28	1	2	6	9	13	20	25
85+	60	6.4	21	1	2	5	9	12	15	24
B. *Operated*										
65-69 YRS	118	15.6	240	3	4	11	18	29	54	79
70-74	113	15.7	204	2	3	11	20	36	48	91
75-79	80	13.7	91	3	5	12	17	29	33	86
80-84	69	17.2	195	2	4	13	21	38	49	67
85+	60	13.8	170	2	3	11	16	24	33	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	3.1	7	1	1	3	3	6	8	14
B. *Operated*	24	7.0	12	2	3	7	9	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	325	5.8	18	1	2	5	8	11	14	20
B. *Operated*	440	15.2	187	2	4	12	19	32	44	82
1. SINGLE DX	51	5.0	13	1	1	3	7	10	13	14
2. MULTIPLE DX	765	11.2	137	2	2	8	14	23	34	69
A. NOT OPERATED	352	5.6	17	1	2	4	7	11	14	20
B. OPERATED	464	14.8	181	2	3	11	18	31	43	81
TOTAL 65-69 YRS	200	11.4	171	2	2	8	13	22	31	77
70-74	199	11.1	149	1	2	7	14	27	37	72
75-79	162	9.4	69	1	2	7	12	21	29	52
80-84	128	12.5	143	1	2	9	15	26	38	63
85+	127	9.7	106	1	2	8	12	20	24	54
GRAND TOTAL	**816**	**10.8**	**131**	**1**	**2**	**8**	**13**	**22**	**33**	**68**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	3.0	3	<1	<1	3	4	5	5	5
70-74										
75-79	1	4.0		4	4	4	4	4	4	4
80-84	1	18.0		18	18	18	18	18	18	18
85+										
B. *Operated*										
65-69 YRS	22	2.0	1	<1	<1	2	3	4	5	5
70-74	7	2.3	3	1	1	1	4	4	4	4
75-79	17	3.2	9	<1	1	2	4	7	10	12
80-84	3	2.0	1	1	1	2	3	3	3	3
85+	7	3.7	6	2	2	3	4	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	3.0	1	2	2	3	4	4	4	4
70-74	7	2.3	2	<1	<1	3	3	4	4	4
75-79	5	5.0	9	3	3	4	6	10	10	10
80-84	5	3.4	5	1	1	3	4	7	7	7
85+	4	4.5	6	1	1	5	6	6	6	6
B. *Operated*										
65-69 YRS	53	3.4	7	1	1	3	5	6	7	16
70-74	53	4.7	14	1	1	4	6	10	13	17
75-79	61	4.7	25	1	1	3	6	10	14	30
80-84	47	3.7	16	1	1	3	4	7	14	22
85+	41	6.9	77	1	1	4	6	19	27	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	5.7	39	<1	<1	4	5	17	18	18
B. *Operated*	56	2.6	5	<1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	24	3.5	5	<1	1	3	5	6	8	10
B. *Operated*	255	4.6	27	1	1	3	5	10	15	28
1. SINGLE DX	62	2.9	8	<1	1	2	4	5	8	17
2. MULTIPLE DX	279	4.5	25	1	1	3	5	10	14	28
A. NOT OPERATED	30	4.0	11	<1	1	3	5	7	10	18
B. OPERATED	311	4.3	23	1	1	3	5	8	14	27
TOTAL 65-69 YRS	82	3.0	5	<1	1	2	4	5	6	13
70-74	67	4.2	12	1	1	4	6	9	12	17
75-79	84	4.4	21	1	1	3	6	10	12	27
80-84	56	3.9	18	1	1	3	4	7	14	22
85+	52	6.3	63	1	1	4	6	16	26	42
GRAND TOTAL	**341**	**4.2**	**22**	**1**	**1**	**3**	**5**	**8**	**13**	**27**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	1.8		1	1	2	2	2	2	2
70-74	4	1.5		1	1	1	2	2	2	2
75-79	4	1.3		1	1	1	2	2	2	2
80-84	6	4.7	81	<1	<1	1	1	21	23	23
85+	9	2.8	2	1	1	2	4	5	5	5
B. *Operated*										
65-69 YRS	16	2.6	3	<1	1	2	4	5	6	6
70-74	17	1.5	1	<1	<1	1	2	3	4	5
75-79	12	1.3		<1	<1	1	2	2	2	2
80-84	9	1.9	2	1	1	1	2	4	5	5
85+	13	2.7	6	<1	<1	1	4	7	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	82	3.6	6	1	1	3	5	7	9	11
70-74	89	4.3	14	1	1	3	5	9	12	19
75-79	107	4.7	27	1	1	3	5	10	14	30
80-84	101	5.0	20	1	1	4	7	10	11	26
85+	155	5.4	74	1	1	3	6	10	14	45
B. *Operated*										
65-69 YRS	203	4.6	26	1	1	3	6	9	13	29
70-74	225	4.7	25	1	1	3	6	9	14	28
75-79	198	5.0	33	1	1	3	6	11	17	28
80-84	202	5.2	47	1	1	3	6	11	14	34
85+	260	5.5	55	1	1	4	7	9	14	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	2.6	18	<1	1	2	2	5	8	23
B. *Operated*	67	2.0	3	<1	<1	1	2	5	5	9
2. MULTIPLE DX										
A. *Not Operated*	534	4.7	34	1	1	3	6	9	12	24
B. *Operated*	1088	5.0	38	1	1	3	6	10	14	32
1. SINGLE DX	94	2.2	7	<1	<1	1	2	5	5	17
2. MULTIPLE DX	1622	4.9	37	1	1	3	6	10	14	30
A. NOT OPERATED	561	4.6	34	1	1	3	6	9	12	23
B. OPERATED	1155	4.8	36	1	1	3	6	9	14	30
TOTAL 65-69 YRS	305	4.2	19	1	1	3	5	8	11	23
70-74	335	4.4	21	1	1	3	5	9	13	25
75-79	321	4.7	30	1	1	3	5	10	15	27
80-84	318	5.0	38	1	1	3	7	10	14	26
85+	437	5.3	59	1	1	3	6	9	14	52
GRAND TOTAL	**1716**	**4.8**	**36**	**1**	**1**	**3**	**6**	**9**	**14**	**29**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	1.8	1	<1	<1	1	2	4	4	4
70-74	2	4.5	13	2	2	4	7	7	7	7
75-79	3	1.3		1	1	1	2	2	2	2
80-84	4	3.5	3	1	1	4	5	5	5	5
85+										
B. *Operated*										
65-69 YRS	9	3.1	5	1	1	3	4	7	7	7
70-74	6	1.8	1	<1	<1	1	2	4	4	4
75-79	2	2.5	5	1	1	2	4	4	4	4
80-84	2	4.5	25	1	1	4	8	8	8	8
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	19	3.1	8	<1	<1	2	3	6	10	13
70-74	16	4.6	15	1	1	4	5	11	14	15
75-79	17	6.7	62	<1	1	4	8	15	27	33
80-84	8	7.9	73	<1	1	5	11	23	26	26
85+	10	3.8	8	1	1	3	5	8	11	11
B. *Operated*										
65-69 YRS	38	6.6	59	1	1	5	7	11	22	43
70-74	25	10.1	141	1	1	6	11	25	34	56
75-79	21	8.7	60	1	2	7	10	21	26	31
80-84	15	10.1	222	1	1	6	10	17	50	61
85+	9	7.6	63	3	3	5	8	20	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	2.4	3	<1	<1	2	4	5	6	7
B. *Operated*	19	2.8	5	<1	1	2	4	7	8	8
2. MULTIPLE DX										
A. *Not Operated*	70	5.0	31	<1	1	3	6	12	15	32
B. *Operated*	108	8.4	99	1	1	5	9	20	27	58
1. SINGLE DX	37	2.6	4	<1	<1	2	4	6	7	8
2. MULTIPLE DX	178	7.0	75	1	1	5	8	15	26	52
A. NOT OPERATED	88	4.4	26	<1	1	3	5	10	15	30
B. OPERATED	127	7.5	89	1	1	5	8	15	27	57
TOTAL 65-69 YRS	75	4.7	36	<1	1	3	6	9	13	39
70-74	49	7.0	86	1	1	4	7	15	25	56
75-79	43	7.1	57	1	1	5	8	17	25	33
80-84	29	8.2	136	1	1	5	10	16	28	61
85+	19	5.6	36	1	2	4	5	10	20	28
GRAND TOTAL	**215**	**6.3**	**65**	**1**	**1**	**4**	**7**	**13**	**22**	**48**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	15	2.1	1	1	1	2	3	3	5	5
70-74	12	2.6	1	<1	1	2	3	4	5	5
75-79	10	3.7	4	1	1	4	5	6	7	7
80-84	4	3.3	1	2	2	3	4	4	4	4
85+	4	2.5	2	1	1	2	3	4	4	4
B. *Operated*										
65-69 YRS	139	2.0	3	1	1	1	2	4	5	11
70-74	85	2.2	5	<1	1	1	2	6	7	11
75-79	56	2.1	5	<1	<1	1	2	5	7	14
80-84	38	2.3	3	1	1	2	3	5	5	9
85+	13	2.8	5	<1	<1	2	4	6	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	43	4.1	4	1	2	4	5	7	8	10
70-74	45	5.0	17	1	2	4	7	9	12	23
75-79	37	5.0	28	1	1	3	6	11	19	24
80-84	34	6.9	35	1	2	5	10	16	18	26
85+	30	6.7	15	3	3	6	8	12	15	19
B. *Operated*										
65-69 YRS	263	3.6	22	1	1	2	4	8	11	25
70-74	190	3.9	23	1	1	2	5	9	12	25
75-79	127	5.1	68	1	1	3	6	9	14	45
80-84	74	5.1	39	1	1	3	6	10	16	38
85+	69	7.8	106	1	1	5	9	17	19	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	2.7	2	1	1	2	3	5	5	7
B. *Operated*	331	2.1	4	<1	1	1	2	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	189	5.4	20	1	2	4	7	11	15	24
B. *Operated*	723	4.5	41	1	1	3	5	9	14	30
1. SINGLE DX	376	2.2	4	<1	1	1	3	5	6	10
2. MULTIPLE DX	912	4.7	37	1	1	3	6	10	14	28
A. NOT OPERATED	234	4.9	18	1	1	4	6	9	14	23
B. OPERATED	1054	3.8	31	1	1	2	4	8	11	27
TOTAL 65-69 YRS	460	3.1	14	1	1	2	4	6	9	24
70-74	332	3.6	18	1	1	2	4	8	11	21
75-79	230	4.3	45	1	1	3	5	8	12	36
80-84	150	4.7	30	1	1	3	5	11	16	28
85+	116	6.8	70	1	1	5	8	13	18	45
GRAND TOTAL	**1288**	**4.0**	**29**	**1**	**1**	**2**	**5**	**8**	**12**	**26**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	2.3	2	1	1	2	3	5	5	5
70-74	13	7.8	159	1	1	4	7	16	43	49
75-79	5	4.4	1	3	3	5	5	5	5	5
80-84	6	7.0	27	2	2	6	11	15	15	15
85+	2	4.5	1	4	4	4	5	5	5	5
B. *Operated*										
65-69 YRS	51	5.8	71	1	1	3	6	11	23	50
70-74	45	4.9	31	<1	1	3	6	11	12	33
75-79	29	5.4	26	1	1	3	6	14	19	20
80-84	10	8.3	66	1	1	6	10	22	27	27
85+	22	8.0	44	1	1	6	11	17	23	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	51	5.8	12	1	2	5	7	11	14	15
70-74	55	6.6	16	1	2	7	10	12	15	16
75-79	45	7.3	33	1	2	6	10	15	16	31
80-84	38	8.4	48	1	2	6	12	17	21	34
85+	49	10.3	102	2	2	8	12	19	27	62
B. *Operated*										
65-69 YRS	117	9.3	98	1	2	6	10	21	35	73
70-74	108	9.5	71	2	2	8	13	19	26	75
75-79	89	12.5	204	1	1	7	15	34	45	69
80-84	68	12.0	114	2	3	9	16	24	32	57
85+	70	13.1	288	1	2	8	13	31	61	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	5.6	66	1	1	4	6	8	14	49
B. *Operated*	157	5.9	47	1	1	4	7	13	20	33
2. MULTIPLE DX										
A. *Not Operated*	238	7.6	43	1	2	6	10	15	17	34
B. *Operated*	452	11.0	146	1	2	8	13	25	37	69
1. SINGLE DX	192	5.9	50	1	1	4	7	12	19	42
2. MULTIPLE DX	690	9.8	113	1	2	7	12	20	31	63
A. NOT OPERATED	273	7.4	46	1	2	6	10	14	16	36
B. OPERATED	609	9.7	125	1	1	6	11	22	32	66
TOTAL 65-69 YRS	228	7.4	72	1	1	5	8	15	23	52
70-74	221	7.8	57	1	2	6	10	15	21	51
75-79	168	9.6	130	1	1	6	11	23	34	65
80-84	122	10.4	87	2	2	8	14	22	29	51
85+	143	11.3	185	1	2	8	12	24	37	74
GRAND TOTAL	**882**	**9.0**	**102**	**1**	**2**	**6**	**11**	**18**	**29**	**61**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	4.0	18	<1	<1	3	7	7	7	7
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	5.0		5	5	5	5	5	5	5
80-84	1	6.0		6	6	6	6	6	6	6
85+										
B. *Operated*										
65-69 YRS	4	2.3	2	1	1	2	3	4	4	4
70-74	4	3.3	2	2	2	3	4	5	5	5
75-79	4	3.3	2	2	2	3	4	5	5	5
80-84	1	9.0		9	9	9	9	9	9	9
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	13.0	18	10	10	13	16	16	16	16
70-74	7	5.9	46	1	1	4	5	18	21	21
75-79	7	4.9	20	2	2	3	4	13	15	15
80-84	5	5.4	3	4	4	5	6	8	8	8
85+	10	5.6	8	2	3	5	6	10	12	12
B. *Operated*										
65-69 YRS	22	11.6	170	1	2	5	23	39	67	99+
70-74	21	7.0	98	1	1	3	7	20	35	36
75-79	20	9.6	48	1	1	9	14	18	22	25
80-84	7	13.0	93	1	1	12	17	27	30	30
85+	14	3.3	3	1	1	3	5	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	4.0	8	<1	<1	5	6	7	7	7
B. *Operated*	13	3.4	4	1	1	3	4	6	8	9
2. MULTIPLE DX										
A. *Not Operated*	31	5.9	21	2	2	4	6	13	16	21
B. *Operated*	84	8.7	94	1	1	5	12	25	35	82
1. SINGLE DX	18	3.6	5	<1	1	3	5	7	8	9
2. MULTIPLE DX	115	8.0	76	1	2	5	10	21	29	66
A. NOT OPERATED	36	5.7	19	1	2	4	6	12	16	21
B. OPERATED	97	8.0	86	1	1	5	10	23	33	75
TOTAL 65-69 YRS	30	10.0	138	1	1	5	15	31	48	99+
70-74	33	6.2	72	1	1	3	6	12	33	36
75-79	32	7.6	40	1	2	5	12	17	19	25
80-84	14	9.5	58	1	3	7	12	18	27	30
85+	24	4.3	6	1	2	4	5	7	10	12
GRAND TOTAL	**133**	**7.4**	**68**	**1**	**1**	**5**	**9**	**18**	**27**	**57**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	6.0	13	2	2	6	9	9	9	9
70-74	2	2.0	2	1	1	2	3	3	3	3
75-79										
80-84	4	3.8	2	2	2	4	5	5	5	5
85+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
65-69 YRS	11	3.0	3	1	1	3	4	6	6	6
70-74	8	3.8	7	1	1	3	5	8	9	9
75-79	3	5.7	22	2	2	4	9	11	11	11
80-84	6	7.3	33	3	3	6	8	17	18	18
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8	18.5	342	1	1	14	30	47	53	53
70-74	21	10.9	121	1	2	6	22	34	61	99+
75-79	16	8.0	64	1	1	5	10	19	27	31
80-84	14	5.9	24	1	2	4	8	11	18	20
85+	21	9.1	58	1	2	7	12	21	27	29
B. *Operated*										
65-69 YRS	41	8.5	101	1	1	4	10	20	26	54
70-74	28	8.5	61	1	1	7	12	21	26	28
75-79	21	8.0	83	1	1	6	9	17	32	40
80-84	14	14.1	199	2	3	8	21	35	45	48
85+	13	12.3	51	4	5	11	20	35	86	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	3.9	7	1	1	3	5	9	9	9
B. *Operated*	28	4.4	14	1	1	3	5	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	80	9.8	103	1	2	6	12	29	32	85
B. *Operated*	117	9.5	95	1	1	7	12	23	30	69
1. SINGLE DX	40	4.3	12	1	1	3	5	9	10	18
2. MULTIPLE DX	197	9.6	98	1	1	7	12	26	32	77
A. NOT OPERATED	92	9.0	94	1	2	5	10	27	32	80
B. OPERATED	145	8.5	83	1	1	6	10	21	28	56
TOTAL 65-69 YRS	64	8.6	122	1	1	4	9	20	30	54
70-74	59	8.5	78	1	1	5	11	25	31	93
75-79	40	7.9	69	1	1	6	9	17	28	40
80-84	38	8.9	99	2	2	5	9	21	33	48
85+	36	9.9	57	1	2	8	14	25	29	99+
GRAND TOTAL	**237**	**8.7**	**87**	**1**	**1**	**6**	**10**	**22**	**30**	**59**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	4.3	17	1	1	3	7	9	9	9
70-74	3	3.3	2	2	2	3	4	5	5	5
75-79	3	2.3	2	<1	<1	2	3	4	4	4
80-84	3	3.3	4	<1	<1	4	5	5	5	5
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	16	3.5	5	1	1	3	4	6	9	10
70-74	25	5.2	9	1	2	5	7	8	11	13
75-79	16	6.8	178	1	1	4	5	9	42	56
80-84	15	6.1	44	2	2	4	6	10	24	29
85+	28	6.4	34	1	2	5	9	16	31	99+
B. *Operated*										
65-69 YRS	14	4.1	25	1	1	2	6	10	17	19
70-74	4	3.8	8	1	1	3	6	7	7	7
75-79	7	7.7	90	1	1	4	9	24	28	28
80-84	6	5.3	46	1	1	3	4	18	19	19
85+	7	3.6	18	1	1	2	3	11	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	3.2	5	<1	<1	3	4	6	8	9
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	100	5.7	47	1	2	4	6	10	16	78
B. *Operated*	38	4.8	35	1	1	2	6	12	19	28
1. SINGLE DX	14	3.1	5	<1	<1	3	4	6	8	9
2. MULTIPLE DX	138	5.4	43	1	1	4	6	10	18	61
A. NOT OPERATED	113	5.4	42	1	1	4	6	10	15	72
B. OPERATED	39	4.7	35	1	1	2	6	11	19	28
TOTAL 65-69 YRS	33	3.8	14	1	1	3	5	9	10	19
70-74	32	4.8	8	1	2	5	7	8	10	13
75-79	26	6.5	131	<1	1	4	5	9	34	56
80-84	24	5.6	38	1	2	4	5	11	22	29
85+	37	5.6	31	1	2	3	8	15	23	99+
GRAND TOTAL	**152**	**5.2**	**40**	**1**	**1**	**3**	**6**	**10**	**16**	**55**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	92	2.7	4	1	1	2	3	5	7	9
70-74	79	3.9	11	1	1	3	5	9	11	16
75-79	97	3.7	9	<1	1	3	6	8	10	14
80-84	84	4.2	19	1	1	3	5	7	16	22
85+	124	3.7	8	1	1	3	5	7	9	15
B. *Operated*										
65-69 YRS	24	4.5	23	<1	<1	3	5	12	15	19
70-74	16	2.3	5	<1	<1	2	3	4	8	10
75-79	17	3.8	4	1	2	4	5	7	8	9
80-84	13	6.4	61	2	2	4	7	13	28	31
85+	12	5.9	13	1	2	6	9	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	759	5.0	21	1	1	4	6	9	13	25
70-74	940	5.4	28	1	1	4	7	11	15	26
75-79	1243	5.8	35	1	1	4	7	11	14	32
80-84	1340	6.1	28	1	2	5	8	12	15	28
85+	1846	6.7	49	1	2	5	8	13	17	40
B. *Operated*										
65-69 YRS	121	7.7	39	1	2	5	11	16	20	30
70-74	174	7.9	60	1	1	6	10	16	23	40
75-79	173	11.0	101	2	2	8	16	25	35	91
80-84	136	11.0	82	2	3	9	15	22	27	71
85+	189	11.1	97	1	2	8	15	25	33	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	476	3.6	10	1	1	3	5	7	10	16
B. *Operated*	82	4.4	21	<1	1	3	5	9	12	27
2. MULTIPLE DX										
A. *Not Operated*	6128	6.0	35	1	2	4	7	12	15	31
B. *Operated*	793	9.8	80	1	2	7	13	22	29	54
1. SINGLE DX	558	3.7	12	1	1	3	5	8	10	18
2. MULTIPLE DX	6921	6.4	42	1	2	5	8	13	18	35
A. NOT OPERATED	6604	5.8	34	1	1	4	7	11	15	28
B. OPERATED	875	9.3	77	1	2	7	12	21	28	51
TOTAL 65-69 YRS	996	5.1	23	1	1	4	6	10	14	25
70-74	1209	5.6	32	1	1	4	7	11	16	29
75-79	1530	6.2	44	1	1	5	8	12	17	39
80-84	1573	6.4	34	1	2	5	8	13	17	31
85+	2171	6.9	53	1	2	5	9	14	19	42
GRAND TOTAL	**7479**	**6.2**	**40**	**1**	**1**	**5**	**8**	**13**	**17**	**34**

377: Miscellaneous crushing injury (925-929)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
70-74	1	3.0		3	3	3	3	3	3	3
75-79	3	5.7	2	4	4	6	7	7	7	7
80-84	1	1.0		1	1	1	1	1	1	1
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	6	4.5	30	1	1	1	10	13	13	13
70-74	6	3.0	5	1	1	2	4	7	7	7
75-79	2	1.5	1	1	1	1	2	2	2	2
80-84	2	2.0		2	2	2	2	2	2	2
85+	4	3.0	3	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11	4.4	12	1	1	4	6	9	13	13
70-74	13	4.6	17	1	1	3	7	11	13	14
75-79	7	6.3	11	4	4	5	10	74	99+	99+
80-84	3	3.3	2	2	2	3	4	5	5	5
85+	5	9.0	65	1	1	8	15	20	20	20
B. *Operated*										
65-69 YRS	27	10.8	125	1	1	7	15	28	38	41
70-74	10	5.3	18	<1	<1	4	9	12	13	13
75-79	12	13.5	210	2	2	9	16	32	52	55
80-84	7	8.4	39	3	3	6	14	18	18	18
85+	3	10.3	14	6	6	12	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.3	6	<1	<1	3	5	7	7	7
B. *Operated*	20	3.2	11	1	1	2	4	8	11	13
2. MULTIPLE DX										
A. *Not Operated*	39	5.3	20	1	1	4	7	13	17	99+
B. *Operated*	59	10.1	110	1	1	7	13	21	34	54
1. SINGLE DX	27	3.2	9	<1	1	2	4	7	10	13
2. MULTIPLE DX	98	8.2	79	1	1	5	12	18	28	78
A. NOT OPERATED	46	5.0	18	1	1	4	7	13	15	99+
B. OPERATED	79	8.4	94	1	1	5	12	18	28	51
TOTAL 65-69 YRS	45	8.2	91	<1	1	4	12	19	31	41
70-74	30	4.5	14	1	1	3	6	10	13	14
75-79	24	9.4	122	1	2	6	12	22	66	99+
80-84	13	5.7	30	1	2	3	7	16	18	18
85+	13	6.8	38	1	1	5	12	15	19	20
GRAND TOTAL	**125**	**7.1**	**68**	**1**	**1**	**4**	**9**	**16**	**23**	**66**

378: Foreign body on external eye (930)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	90	1.3		<1	1	1	2	2	3	3
70-74	59	1.5	1	<1	1	1	1	3	5	6
75-79	56	1.4	1	<1	<1	1	1	3	4	5
80-84	41	1.3		<1	<1	1	2	2	3	3
85+	41	1.7	1	<1	1	1	2	4	5	5
B. *Operated*										
65-69 YRS	22	2.7	8	<1	<1	1	2	8	9	9
70-74	16	1.9	4	1	1	1	2	5	7	8
75-79	14	1.9	4	1	1	1	2	3	8	9
80-84	10	2.3	4	1	1	2	2	6	7	7
85+	6	1.7	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	189	3.1	9	<1	1	2	4	7	9	15
70-74	176	3.2	15	1	1	2	4	6	10	17
75-79	228	3.5	13	1	1	2	4	8	11	20
80-84	168	3.6	9	1	1	2	5	8	10	15
85+	194	3.8	14	1	1	2	4	9	12	19
B. *Operated*										
65-69 YRS	136	5.7	49	1	1	3	7	12	19	36
70-74	145	5.9	39	1	1	4	8	15	18	29
75-79	107	5.6	34	1	1	3	7	12	19	30
80-84	99	6.1	35	1	1	3	9	16	18	24
85+	116	6.3	66	1	1	4	8	13	18	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	287	1.4	1	<1	1	1	2	2	3	5
B. *Operated*	68	2.2	5	<1	1	1	2	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	955	3.5	12	1	1	2	4	7	11	17
B. *Operated*	603	5.9	45	1	1	3	8	14	19	35
1. SINGLE DX	355	1.6	2	<1	1	1	2	3	5	8
2. MULTIPLE DX	1558	4.4	26	1	1	3	5	10	14	27
A. NOT OPERATED	1242	3.0	10	1	1	2	4	6	9	16
B. OPERATED	671	5.5	42	1	1	3	7	13	18	35
TOTAL 65-69 YRS	437	3.5	22	<1	1	2	4	8	11	30
70-74	396	3.9	24	1	1	2	4	9	14	25
75-79	405	3.7	18	1	1	2	4	8	12	22
80-84	318	4.0	18	1	1	2	5	10	14	20
85+	357	4.3	32	1	1	2	5	10	13	35
GRAND TOTAL	**1913**	**3.9**	**23**	**1**	**1**	**2**	**5**	**9**	**13**	**25**

380: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	15.8	41	8	8	16	20	25	25	25
70-74	4	8.8	28	<1	<1	11	12	12	12	12
75-79	2	2.5	5	1	1	2	4	4	4	4
80-84										
85+	3	6.3	21	1	1	9	9	9	9	9
B. *Operated*										
65-69 YRS	11	7.2	19	1	2	7	9	13	18	18
70-74	5	8.4	50	1	1	9	13	18	18	18
75-79	6	12.7	246	2	2	7	11	41	44	44
80-84	9	13.0	64	2	4	11	17	25	29	29
85+	5	16.0	85	9	9	14	19	32	32	32
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	37	8.2	54	2	2	7	10	15	18	42
70-74	35	11.5	87	2	4	8	15	26	31	42
75-79	35	13.5	86	3	6	13	17	21	23	56
80-84	21	8.3	44	1	2	5	11	20	21	22
85+	13	12.2	142	<1	1	8	16	29	40	42
B. *Operated*										
65-69 YRS	127	17.9	162	2	4	16	26	38	43	99+
70-74	99	22.8	343	3	5	19	34	60	94	99+
75-79	91	21.4	302	2	5	18	29	46	75	99+
80-84	65	27.8	441	6	8	21	40	63	90	99+
85+	35	28.8	320	9	11	23	42	58	64	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	9.9	48	<1	1	10	12	19	24	25
B. *Operated*	36	10.9	81	1	2	9	14	18	31	44
2. MULTIPLE DX										
A. *Not Operated*	141	10.7	79	2	2	8	14	21	26	44
B. *Operated*	417	22.3	304	3	5	19	31	51	70	99+
1. SINGLE DX	50	10.6	71	1	2	9	14	18	29	44
2. MULTIPLE DX	558	19.4	272	2	4	15	27	44	61	99+
A. NOT OPERATED	155	10.6	76	2	2	9	14	20	26	42
B. OPERATED	453	21.4	295	3	5	18	30	48	67	99+
TOTAL 65-69 YRS	180	15.2	146	2	3	12	21	37	40	87
70-74	143	19.1	290	2	4	15	27	46	74	99+
75-79	134	18.7	254	2	4	14	24	39	59	99+
80-84	95	22.1	388	2	4	17	31	56	73	99+
85+	56	22.6	305	2	6	18	29	53	61	67
GRAND TOTAL	**608**	**18.6**	**261**	**2**	**3**	**14**	**25**	**42**	**59**	**99+**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	3.8	16	1	1	2	4	11	13	13
70-74	9	6.8	41	1	1	3	13	16	18	18
75-79	6	5.7	19	2	2	4	8	12	13	13
80-84	5	19.0	296	1	1	14	29	46	46	46
85+	6	4.5	5	2	2	5	5	8	8	8
B. *Operated*										
65-69 YRS	5	10.4	67	1	1	10	15	23	23	23
70-74	3	20.3	217	9	9	15	31	37	37	37
75-79										
80-84	3	10.0	109	3	3	5	18	22	22	22
85+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	113	7.6	49	1	1	5	12	17	19	33
70-74	94	7.8	56	1	1	5	10	18	24	36
75-79	77	7.6	48	1	2	6	9	17	20	37
80-84	74	9.0	44	1	2	8	12	20	26	82
85+	78	9.6	104	1	1	7	11	18	24	62
B. *Operated*										
65-69 YRS	49	15.4	146	2	3	13	22	30	40	55
70-74	60	16.3	260	3	4	10	21	35	42	87
75-79	36	19.9	184	4	6	16	29	37	47	60
80-84	23	21.0	319	3	4	15	26	50	64	68
85+	18	17.9	113	5	6	16	29	37	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	7.3	79	1	1	4	10	15	23	46
B. *Operated*	12	12.9	104	1	2	11	18	27	36	37
2. MULTIPLE DX										
A. *Not Operated*	436	8.2	60	1	1	6	11	18	22	39
B. *Operated*	186	17.5	208	3	4	14	24	36	47	83
1. SINGLE DX	46	8.7	89	1	1	5	13	22	27	46
2. MULTIPLE DX	622	11.0	122	1	2	8	14	25	33	64
A. NOT OPERATED	470	8.2	61	1	1	6	11	18	22	39
B. OPERATED	198	17.2	203	3	4	13	23	36	47	81
TOTAL 65-69 YRS	175	9.7	88	1	1	7	14	22	28	47
70-74	166	11.1	148	1	2	7	14	26	34	69
75-79	119	11.2	120	1	2	8	14	27	35	53
80-84	105	12.1	139	2	2	9	16	26	41	82
85+	103	10.8	110	1	2	8	13	22	37	84
GRAND TOTAL	**668**	**10.9**	**120**	**1**	**2**	**8**	**14**	**24**	**33**	**62**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	2.8	2	1	1	3	4	4	4	4
70-74	2	9.0	8	7	7	9	11	11	11	11
75-79	1	2.0		2	2	2	2	2	2	2
80-84	2	3.0	2	2	2	3	4	4	4	4
85+	2	6.5	5	5	5	6	8	8	8	8
B. *Operated*										
65-69 YRS	7	3.9	11	1	1	3	6	9	10	10
70-74	7	2.3	5	<1	<1	1	3	6	7	7
75-79	1	1.0		1	1	1	1	1	1	1
80-84	2	5.5	1	5	5	5	6	6	6	6
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	31	7.0	34	1	1	6	9	15	19	27
70-74	29	7.2	77	<1	1	4	9	13	15	48
75-79	29	7.4	33	1	2	7	9	13	23	26
80-84	19	10.3	158	1	2	8	12	40	78	99+
85+	39	8.8	32	3	3	8	11	17	26	99+
B. *Operated*										
65-69 YRS	47	8.7	153	1	1	4	11	21	39	59
70-74	27	10.2	155	1	2	6	15	34	59	99+
75-79	16	12.9	139	<1	1	11	22	37	79	99+
80-84	8	13.6	340	1	1	10	26	83	99+	99+
85+	5	28.8	683	7	7	21	37	74	74	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	4.5	9	1	1	4	6	9	11	11
B. *Operated*	18	3.3	7	<1	1	2	5	7	9	10
2. MULTIPLE DX										
A. *Not Operated*	147	8.0	57	1	2	7	10	15	26	99+
B. *Operated*	103	11.1	199	1	1	5	16	36	57	99+
1. SINGLE DX	29	3.8	8	1	1	3	5	8	10	11
2. MULTIPLE DX	250	9.3	117	1	1	6	12	23	39	99+
A. NOT OPERATED	158	7.8	54	1	2	6	10	14	25	95
B. OPERATED	121	9.9	178	1	1	5	14	27	55	99+
TOTAL 65-69 YRS	89	7.4	95	1	1	4	9	18	24	55
70-74	65	8.0	103	1	1	5	9	19	40	93
75-79	47	9.0	75	1	1	7	11	25	32	99+
80-84	31	10.4	183	1	2	7	13	57	93	99+
85+	47	10.7	126	3	4	8	12	24	31	99+
GRAND TOTAL	**279**	**8.7**	**109**	**1**	**1**	**6**	**11**	**21**	**37**	**99+**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	18	5.1	133	1	1	2	3	5	33	51
70-74	32	2.8	4	1	1	2	4	6	6	9
75-79	24	4.3	16	<1	1	3	6	8	12	19
80-84	18	3.3	6	1	1	3	5	7	9	9
85+	29	2.9	5	1	1	2	4	6	7	11
B. *Operated*										
65-69 YRS	7	4.0	12	1	1	2	7	9	9	9
70-74	10	7.4	14	1	1	7	10	12	13	13
75-79	2	20.5	41	16	16	20	25	25	25	25
80-84	2	3.0		3	3	3	3	3	3	3
85+	4	10.5	150	2	2	6	19	28	28	28
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	213	5.4	15	1	1	4	7	11	14	17
70-74	207	5.8	25	1	2	5	7	11	16	26
75-79	223	6.5	58	1	2	5	7	12	17	37
80-84	207	7.6	70	2	2	6	9	14	17	71
85+	286	7.2	59	2	2	5	8	13	18	50
B. *Operated*										
65-69 YRS	78	12.1	185	1	2	8	16	28	45	66
70-74	72	11.9	148	1	2	9	15	28	36	66
75-79	79	13.8	264	2	3	9	15	35	57	98
80-84	32	13.9	156	1	3	11	18	28	33	66
85+	45	10.8	85	2	3	8	15	24	40	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	3.5	26	1	1	3	4	7	8	28
B. *Operated*	25	7.6	49	1	2	7	10	16	26	28
2. MULTIPLE DX										
A. *Not Operated*	1136	6.5	47	1	2	5	8	12	16	34
B. *Operated*	306	12.5	178	1	2	9	15	28	44	81
1. SINGLE DX	146	4.2	32	1	1	3	5	9	11	29
2. MULTIPLE DX	1442	7.8	81	1	2	5	9	15	22	55
A. NOT OPERATED	1257	6.2	46	1	2	5	8	12	16	34
B. OPERATED	331	12.1	170	1	2	8	15	27	42	76
TOTAL 65-69 YRS	316	7.0	71	1	1	5	9	14	17	52
70-74	321	6.9	58	1	1	5	8	14	22	37
75-79	328	8.2	115	1	2	5	9	16	25	73
80-84	259	8.1	81	1	2	6	10	15	19	65
85+	364	7.3	62	1	2	5	9	14	22	52
GRAND TOTAL	**1588**	**7.5**	**77**	**1**	**2**	**5**	**9**	**15**	**22**	**54**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	63	2.3	2	1	1	2	3	4	5	8
70-74	56	3.4	34	<1	<1	2	3	6	10	39
75-79	33	4.5	99	<1	1	2	4	6	7	59
80-84	36	2.5	4	1	1	2	3	5	6	10
85+	28	4.5	65	1	1	2	4	7	13	44
B. *Operated*										
65-69 YRS	2	2.0		2	2	2	2	2	2	2
70-74										
75-79	3	9.3	30	4	4	9	13	15	15	15
80-84										
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1005	5.9	49	1	1	4	7	12	17	36
70-74	1063	6.2	53	1	2	4	7	12	16	34
75-79	1066	5.8	26	1	2	4	7	11	15	24
80-84	823	6.6	47	1	2	5	8	12	17	37
85+	695	6.3	30	1	2	5	8	12	16	32
B. *Operated*										
65-69 YRS	90	12.8	143	2	3	9	15	26	40	68
70-74	97	11.3	70	1	2	9	15	22	27	39
75-79	70	13.0	239	1	2	8	17	23	34	91
80-84	57	13.7	65	3	5	12	18	25	28	39
85+	48	13.6	205	3	4	10	17	26	33	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	216	3.2	33	1	1	2	4	5	7	41
B. *Operated*	6	5.5	30	1	1	3	9	14	15	15
2. MULTIPLE DX										
A. *Not Operated*	4652	6.2	42	1	2	5	8	12	16	32
B. *Operated*	362	12.7	137	2	3	10	16	24	31	79
1. SINGLE DX	222	3.3	33	1	1	2	4	5	8	41
2. MULTIPLE DX	5014	6.6	51	1	2	5	8	13	18	35
A. NOT OPERATED	4868	6.0	42	1	1	4	7	12	16	32
B. OPERATED	368	12.6	136	1	2	10	16	24	31	78
TOTAL 65-69 YRS	1160	6.3	58	1	1	4	8	13	18	41
70-74	1216	6.5	56	1	1	4	8	13	18	35
75-79	1172	6.2	44	1	2	5	8	13	17	30
80-84	916	6.9	50	1	2	5	8	13	19	37
85+	772	6.7	45	1	2	5	8	13	18	34
GRAND TOTAL	**5236**	**6.5**	**51**	**1**	**1**	**5**	**8**	**13**	**18**	**35**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	63	1.6	1	<1	1	1	2	3	4	7
70-74	36	1.3	1	<1	<1	1	1	2	3	4
75-79	27	2.0	1	<1	1	2	3	3	4	6
80-84	12	1.8	5	1	1	1	2	4	8	9
85+	13	1.7	1	<1	<1	1	2	3	4	4
B. *Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	1	16.0		16	16	16	16	16	16	16
75-79	2	3.0		3	3	3	3	3	3	3
80-84										
85+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	221	4.0	31	1	1	2	4	9	14	29
70-74	199	4.5	23	1	1	3	6	10	14	26
75-79	146	3.8	18	1	1	3	4	9	10	21
80-84	115	4.7	55	1	1	3	5	8	14	47
85+	86	4.7	25	1	1	3	6	9	13	28
B. *Operated*										
65-69 YRS	22	10.3	107	2	3	6	11	24	35	45
70-74	15	10.6	120	<1	2	5	17	25	35	38
75-79	11	16.9	453	2	2	9	22	49	72	74
80-84	13	20.2	531	3	5	11	19	67	72	73
85+	4	11.8	210	2	2	6	21	33	33	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	151	1.6	1	<1	1	1	2	3	4	7
B. *Operated*	5	6.4	32	3	3	3	9	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	767	4.3	29	1	1	3	5	9	13	29
B. *Operated*	65	13.6	258	2	2	9	15	33	50	74
1. SINGLE DX	156	1.8	3	<1	1	1	2	3	4	9
2. MULTIPLE DX	832	5.0	53	1	1	3	5	10	16	36
A. NOT OPERATED	918	3.8	26	1	1	2	4	8	12	27
B. OPERATED	70	13.0	245	2	2	8	15	32	45	74
TOTAL 65-69 YRS	307	4.0	34	1	1	2	4	9	14	29
70-74	251	4.4	29	<1	1	2	5	10	16	29
75-79	186	4.3	49	1	1	2	4	9	12	35
80-84	140	5.9	114	1	1	3	5	11	20	66
85+	104	4.6	30	1	1	3	6	9	13	30
GRAND TOTAL	**988**	**4.5**	**47**	**1**	**1**	**2**	**5**	**9**	**15**	**34**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	79	2.4	4	1	1	2	3	6	7	10
70-74	77	2.9	5	1	1	2	3	6	8	11
75-79	63	2.6	5	1	1	2	3	6	7	11
80-84	45	3.3	6	1	1	2	5	7	8	12
85+	47	2.7	5	<1	1	2	4	6	7	11
B. *Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	5	5.0	19	1	1	4	7	12	12	12
75-79	1	9.0		9	9	9	9	9	9	9
80-84	1	6.0		6	6	6	6	6	6	6
85+	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	937	5.2	27	1	1	4	6	10	15	26
70-74	1093	5.5	21	1	1	4	7	10	14	25
75-79	1043	6.0	35	1	2	5	7	11	15	26
80-84	856	6.3	28	1	2	5	8	12	16	30
85+	759	6.6	41	1	2	5	8	12	17	36
B. *Operated*										
65-69 YRS	150	8.4	65	1	1	7	11	20	27	99
70-74	142	11.6	164	1	1	8	15	31	42	81
75-79	103	11.8	164	1	1	8	17	29	50	99+
80-84	83	11.5	147	1	1	8	15	25	37	66
85+	78	12.1	111	1	2	9	16	25	37	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	311	2.8	5	1	1	2	3	6	7	11
B. *Operated*	10	4.5	14	1	1	3	6	10	12	12
2. MULTIPLE DX										
A. *Not Operated*	4688	5.9	30	1	2	5	7	11	15	27
B. *Operated*	556	10.8	129	1	1	8	14	26	39	97
1. SINGLE DX	321	2.8	5	1	1	2	3	6	8	11
2. MULTIPLE DX	5244	6.4	43	1	1	5	8	12	18	37
A. NOT OPERATED	4999	5.7	29	1	1	4	7	11	15	26
B. OPERATED	566	10.7	127	1	1	8	14	26	39	95
TOTAL 65-69 YRS	1167	5.4	32	1	1	4	7	11	16	31
70-74	1317	6.0	39	1	1	4	7	12	17	34
75-79	1210	6.3	47	1	2	5	8	12	17	39
80-84	985	6.6	39	1	2	5	8	12	17	37
85+	886	6.8	48	1	2	5	8	13	19	39
GRAND TOTAL	**5565**	**6.2**	**41**	**1**	**1**	**5**	**7**	**12**	**17**	**36**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	66	5.2	31	<1	1	3	6	12	20	26
70-74	58	6.5	61	1	1	4	9	15	20	47
75-79	79	7.1	86	1	1	4	8	16	29	47
80-84	53	6.2	35	1	1	4	8	11	16	34
85+	40	4.4	18	1	1	3	5	8	11	25
B. *Operated*										
65-69 YRS	845	7.0	34	1	1	5	10	15	18	26
70-74	902	7.3	45	1	1	5	11	15	19	34
75-79	752	7.1	53	1	1	4	10	15	18	35
80-84	549	6.4	36	1	1	4	9	14	18	28
85+	397	5.7	31	1	1	4	7	13	17	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	525	6.4	34	1	1	5	8	13	18	28
70-74	494	6.6	56	1	1	4	8	13	18	43
75-79	470	7.1	48	1	2	5	9	14	19	42
80-84	396	7.5	47	1	2	6	9	15	19	36
85+	351	7.1	43	1	2	6	9	14	18	31
B. *Operated*										
65-69 YRS	4148	10.0	114	1	2	7	13	22	30	60
70-74	4140	10.0	112	1	2	7	13	21	31	58
75-79	3408	10.4	115	1	2	8	14	23	31	59
80-84	2297	10.5	142	1	2	7	14	23	35	71
85+	1704	9.8	110	1	2	7	13	21	28	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	296	6.0	50	1	1	4	7	12	20	41
B. *Operated*	3445	6.8	41	1	1	5	10	15	18	31
2. MULTIPLE DX										
A. *Not Operated*	2236	6.9	46	1	1	5	9	14	18	33
B. *Operated*	15697	10.2	117	1	2	7	13	22	31	61
1. SINGLE DX	3741	6.8	42	1	1	5	10	15	18	32
2. MULTIPLE DX	17933	9.7	110	1	2	7	13	21	30	59
A. NOT OPERATED	2532	6.8	46	1	1	5	9	13	18	34
B. OPERATED	19142	9.6	105	1	2	7	13	20	29	56
TOTAL 65-69 YRS	5584	9.2	96	1	1	6	12	19	27	52
70-74	5594	9.2	97	1	2	6	12	20	28	54
75-79	4709	9.5	100	1	2	7	13	20	29	55
80-84	3295	9.4	114	1	2	6	12	20	29	64
85+	2492	8.7	89	1	2	6	11	19	25	49
GRAND TOTAL	**21674**	**9.2**	**99**	**1**	**2**	**6**	**12**	**20**	**28**	**55**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	230	3.0	3	1	1	3	4	5	6	11
70-74	210	3.1	6	1	1	3	4	6	7	13
75-79	161	3.2	3	1	1	3	4	6	6	8
80-84	87	3.6	5	1	1	3	5	7	7	13
85+	56	3.2	4	1	1	3	4	5	6	12
B. *Operated*										
65-69 YRS	112	3.7	8	1	1	3	5	8	11	12
70-74	88	4.2	10	1	1	3	6	8	9	17
75-79	71	3.8	10	1	1	3	5	9	12	14
80-84	28	3.3	6	1	1	2	5	8	8	9
85+	23	4.7	11	1	1	4	6	9	12	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	397	3.8	9	1	1	3	5	7	9	14
70-74	428	4.1	16	1	1	3	5	8	9	18
75-79	379	4.4	32	1	1	3	5	8	10	18
80-84	215	5.0	30	1	1	3	6	9	16	32
85+	131	5.1	34	1	2	4	6	8	11	27
B. *Operated*										
65-69 YRS	426	5.1	37	1	1	3	6	11	17	31
70-74	412	5.1	53	1	1	3	6	11	15	37
75-79	321	5.0	36	1	1	3	6	11	15	28
80-84	210	5.3	55	1	1	3	7	10	13	48
85+	120	5.5	46	1	1	3	7	12	19	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	744	3.2	4	1	1	3	4	6	7	11
B. *Operated*	322	3.9	9	1	1	3	5	8	10	13
2. MULTIPLE DX										
A. *Not Operated*	1550	4.3	22	1	1	3	5	8	10	20
B. *Operated*	1489	5.1	44	1	1	3	6	11	16	33
1. SINGLE DX	1066	3.4	6	1	1	3	4	6	8	13
2. MULTIPLE DX	3039	4.7	33	1	1	3	6	9	13	28
A. NOT OPERATED	2294	3.9	16	1	1	3	5	7	9	17
B. OPERATED	1811	4.9	38	1	1	3	6	10	14	30
TOTAL 65-69 YRS	1165	4.1	19	1	1	3	5	8	11	27
70-74	1138	4.3	27	1	1	3	5	8	12	24
75-79	932	4.4	27	1	1	3	5	8	11	21
80-84	540	4.8	35	1	1	3	6	9	13	31
85+	330	4.9	32	1	1	4	6	9	12	30
GRAND TOTAL	**4105**	**4.4**	**26**	**1**	**1**	**3**	**5**	**8**	**12**	**24**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	88	6.8	36	2	3	6	8	12	15	39
70-74	65	7.0	59	2	2	5	8	12	16	47
75-79	38	8.1	29	2	2	7	11	16	19	24
80-84	29	6.9	29	<1	2	5	9	16	19	21
85+	16	6.1	23	1	2	4	9	15	16	16
B. *Operated*										
65-69 YRS	99	10.0	86	1	2	8	12	23	28	48
70-74	67	8.5	53	2	2	5	12	19	26	29
75-79	52	9.7	100	<1	1	7	12	22	34	48
80-84	19	9.6	36	2	3	8	13	17	22	26
85+	14	9.7	47	2	3	7	15	20	24	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	449	8.6	46	2	3	7	10	16	23	37
70-74	391	8.9	54	3	3	7	11	16	19	33
75-79	289	9.5	64	3	3	7	12	18	24	51
80-84	175	9.0	48	2	3	8	11	17	22	86
85+	100	9.5	70	2	3	7	11	17	21	52
B. *Operated*										
65-69 YRS	521	15.3	174	2	3	11	21	32	44	68
70-74	475	15.5	190	2	4	11	20	33	45	78
75-79	310	15.7	177	3	4	11	19	33	45	63
80-84	180	18.1	281	3	5	13	23	40	49	91
85+	116	20.2	273	3	5	15	25	45	55	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	236	7.0	39	2	2	5	9	13	17	42
B. *Operated*	251	9.5	74	1	2	7	12	20	28	45
2. MULTIPLE DX										
A. *Not Operated*	1404	9.0	54	2	3	7	11	17	22	46
B. *Operated*	1602	16.1	200	3	4	12	21	34	46	73
1. SINGLE DX	487	8.3	58	2	2	6	10	17	24	44
2. MULTIPLE DX	3006	12.8	144	2	3	9	15	26	38	68
A. NOT OPERATED	1640	8.7	52	2	3	7	10	16	21	45
B. OPERATED	1853	15.2	188	2	3	11	19	33	45	70
TOTAL 65-69 YRS	1157	11.6	118	2	3	8	14	25	33	59
70-74	998	11.9	131	2	3	8	15	25	34	69
75-79	689	12.2	125	2	3	9	15	26	34	57
80-84	403	13.0	172	2	3	9	15	26	43	87
85+	246	14.3	192	3	3	10	17	32	46	65
GRAND TOTAL	**3493**	**12.1**	**135**	**2**	**3**	**8**	**15**	**25**	**35**	**66**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	88	4.5	10	1	1	4	6	9	10	15
70-74	86	4.9	19	1	1	4	7	10	12	23
75-79	77	4.7	21	1	1	3	6	10	13	24
80-84	31	5.2	36	1	1	3	7	10	16	31
85+	17	4.1	15	<1	1	3	5	12	13	13
B. *Operated*										
65-69 YRS	176	6.2	45	1	1	4	8	13	20	31
70-74	150	5.9	29	1	1	5	8	14	16	24
75-79	109	4.6	21	1	1	3	7	10	14	22
80-84	52	5.5	29	<1	1	3	9	13	17	25
85+	30	4.7	17	<1	<1	3	7	10	14	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	636	6.0	45	1	1	4	8	11	15	36
70-74	615	5.5	28	1	1	4	7	11	14	22
75-79	549	6.5	63	1	1	4	8	13	16	49
80-84	330	6.7	57	1	1	5	9	14	17	38
85+	244	6.5	38	1	1	5	8	14	19	36
B. *Operated*										
65-69 YRS	1450	8.6	127	1	1	5	11	22	32	69
70-74	1334	8.4	108	1	1	5	11	20	28	58
75-79	1079	8.3	99	1	1	5	11	20	29	50
80-84	616	8.1	93	1	1	5	11	20	27	55
85+	392	9.4	122	1	1	6	13	20	31	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	299	4.7	18	1	1	3	6	10	12	22
B. *Operated*	517	5.6	32	1	1	4	8	13	16	26
2. MULTIPLE DX										
A. *Not Operated*	2374	6.1	46	1	1	4	8	12	16	36
B. *Operated*	4871	8.5	111	1	1	5	11	21	29	61
1. SINGLE DX	816	5.3	27	1	1	4	7	11	15	25
2. MULTIPLE DX	7245	7.7	91	1	1	5	10	18	25	53
A. NOT OPERATED	2673	6.0	43	1	1	4	8	12	16	34
B. OPERATED	5388	8.2	104	1	1	5	11	20	28	57
TOTAL 65-69 YRS	2350	7.6	96	1	1	4	9	17	26	59
70-74	2185	7.3	79	1	1	5	9	16	23	45
75-79	1814	7.4	81	1	1	4	9	17	25	48
80-84	1029	7.4	77	1	1	5	10	17	23	48
85+	683	8.1	87	1	1	5	11	18	24	51
GRAND TOTAL	**8061**	**7.5**	**85**	**1**	**1**	**5**	**10**	**17**	**24**	**50**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	2.0	1	<1	<1	2	3	3	3	3
70-74	5	2.2	1	1	1	2	3	3	3	3
75-79	1	3.0		3	3	3	3	3	3	3
80-84	3	1.0		1	1	1	1	1	1	1
85+	4	4.3	16	1	1	3	7	10	10	10
B. *Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	2	2.5	1	2	2	2	3	3	3	3
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	49	4.5	13	1	1	3	7	10	10	17
70-74	73	4.0	9	1	1	3	6	8	9	14
75-79	57	3.9	19	1	1	2	6	8	10	27
80-84	40	2.9	6	1	1	2	4	7	8	9
85+	30	3.6	10	1	1	2	6	9	11	11
B. *Operated*										
65-69 YRS	29	7.6	29	2	2	7	10	16	19	21
70-74	22	12.0	207	1	1	8	20	25	45	63
75-79	16	6.4	32	1	1	4	12	15	16	16
80-84	11	9.3	32	3	3	8	12	18	19	19
85+	9	9.1	39	2	2	8	15	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	2.5	5	<1	1	2	3	4	8	10
B. *Operated*	3	2.7		2	2	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	249	3.9	12	1	1	3	6	9	10	14
B. *Operated*	87	8.9	77	1	2	7	12	19	21	52
1. SINGLE DX	20	2.5	4	<1	1	2	3	4	7	10
2. MULTIPLE DX	336	5.1	33	1	1	3	7	11	15	23
A. NOT OPERATED	266	3.8	11	1	1	3	6	8	10	14
B. OPERATED	90	8.7	76	1	2	7	12	19	21	51
TOTAL 65-69 YRS	83	5.5	20	1	1	4	8	12	16	20
70-74	102	5.6	61	1	1	3	7	11	20	47
75-79	74	4.4	22	1	1	3	6	11	14	25
80-84	54	4.1	17	1	1	3	6	9	12	19
85+	43	4.8	21	1	1	3	7	11	15	18
GRAND TOTAL	**356**	**5.0**	**32**	**1**	**1**	**3**	**7**	**11**	**15**	**22**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79	1	1.0		1	1	1	1	1	1	1
80-84	2	1.0		1	1	1	1	1	1	1
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74	2	3.0	2	2	2	3	4	4	4	4
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+	2	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	4	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	5	2.4	1	2	2	2	3	4	4	4
1. SINGLE DX	4	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX	5	2.4	1	2	2	2	3	4	4	4
A. NOT OPERATED										
B. OPERATED	9	1.8	1	1	1	2	2	3	4	4
TOTAL 65-69 YRS										
70-74	2	3.0	2	2	2	3	4	4	4	4
75-79	2	1.5	1	1	1	1	2	2	2	2
80-84	2	1.0		1	1	1	1	1	1	1
85+	3	1.7		1	1	2	2	2	2	2
GRAND TOTAL	**9**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**4**	**4**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
GRAND TOTAL										

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
GRAND TOTAL										

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
GRAND TOTAL										

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	2.0		2	2	2	2	2	2	2
70-74	2	3.0	8	1	1	3	5	5	5	5
75-79	3	3.0	3	<1	<1	4	4	4	4	4
80-84	2	2.5	1	2	2	2	3	3	3	3
85+										
B. *Operated*										
65-69 YRS	182	2.6	4	<1	<1	2	3	5	7	11
70-74	150	3.4	17	<1	1	2	4	6	8	13
75-79	107	3.1	9	<1	1	2	4	5	7	18
80-84	65	3.0	4	<1	<1	3	4	6	8	8
85+	50	4.8	18	1	1	3	6	12	15	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11	3.5	13	<1	<1	3	4	9	13	13
70-74	5	2.8	9	1	1	2	4	8	8	8
75-79	9	5.7	13	2	2	4	9	11	11	11
80-84	5	13.0	68	1	1	17	19	20	20	20
85+	5	2.0	3	1	1	1	3	5	5	5
B. *Operated*										
65-69 YRS	187	3.8	11	1	1	3	5	7	9	20
70-74	122	4.8	33	1	1	3	5	11	14	33
75-79	115	5.4	48	1	1	3	7	9	14	39
80-84	73	7.6	108	1	2	5	8	17	21	68
85+	62	6.0	23	1	2	5	8	12	17	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.7	2	<1	<1	2	4	5	5	5
B. *Operated*	554	3.2	10	<1	<1	2	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	35	5.1	28	<1	1	3	8	13	18	20
B. *Operated*	559	5.1	39	1	1	3	6	10	15	27
1. SINGLE DX	563	3.2	10	<1	<1	2	4	6	8	15
2. MULTIPLE DX	594	5.1	38	1	1	3	6	10	15	27
A. NOT OPERATED	44	4.6	24	<1	1	3	6	11	18	20
B. OPERATED	1113	4.1	25	<1	1	3	5	8	12	23
TOTAL 65-69 YRS	382	3.2	8	<1	1	2	4	6	8	15
70-74	279	4.0	25	<1	1	3	4	8	12	30
75-79	234	4.4	29	<1	1	3	5	8	12	25
80-84	145	5.6	65	<1	1	3	6	14	18	36
85+	117	5.3	20	1	1	4	7	12	15	21
GRAND TOTAL	**1157**	**4.2**	**25**	**<1**	**1**	**3**	**5**	**8**	**12**	**23**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	2.0		2	2	2	2	2	2	2
70-74										
75-79	3	3.3	5	2	2	2	5	6	6	6
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	99	1.7	1	1	1	2	2	2	4	6
70-74	67	1.5	2	1	1	1	2	2	5	7
75-79	85	1.8	2	1	1	2	2	2	3	9
80-84	18	2.0	2	1	1	2	2	3	5	7
85+	10	2.3		2	2	2	2	3	4	4
B. *Operated*										
65-69 YRS	94	3.5	17	<1	<1	2	4	8	14	20
70-74	51	3.2	12	<1	<1	2	4	7	10	19
75-79	18	3.9	14	<1	<1	3	5	10	13	14
80-84	17	4.1	15	<1	<1	3	6	11	12	13
85+	3	1.7	1	<1	<1	1	2	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.8	3	2	2	2	3	6	6	6
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	279	1.7	1	1	1	2	2	2	4	7
B. *Operated*	183	3.5	15	<1	<1	2	4	8	12	19
1. SINGLE DX	6	2.7	3	2	2	2	2	6	6	6
2. MULTIPLE DX	462	2.4	7	<1	<1	2	2	5	7	15
A. NOT OPERATED	284	1.8	1	1	1	2	2	2	4	7
B. OPERATED	184	3.5	15	<1	<1	2	4	8	12	19
TOTAL 65-69 YRS	195	2.6	9	<1	<1	2	2	5	8	17
70-74	118	2.2	7	<1	<1	1	2	5	7	16
75-79	107	2.2	4	1	1	2	2	4	6	12
80-84	35	3.0	9	<1	<1	2	3	8	10	13
85+	13	2.2	1	<1	1	2	3	3	4	4
GRAND TOTAL	**468**	**2.4**	**7**	**<1**	**<1**	**2**	**2**	**5**	**7**	**15**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	510	3.3	31	<1	<1	2	3	7	11	30
70-74	401	4.5	58	<1	<1	2	4	13	22	40
75-79	286	4.8	54	<1	<1	2	4	17	25	44
80-84	189	5.5	79	<1	<1	2	7	18	22	62
85+	140	6.0	57	<1	<1	2	8	16	23	38
B. *Operated*										
65-69 YRS	350	5.4	21	<1	1	4	8	11	13	21
70-74	272	5.4	35	<1	<1	4	8	11	13	17
75-79	212	6.5	41	<1	1	6	10	13	14	29
80-84	90	6.1	25	1	1	5	9	12	15	23
85+	42	9.1	216	1	1	7	9	16	39	71
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	14548	4.4	46	1	1	2	5	7	15	37
70-74	11589	5.1	60	1	1	3	5	11	21	43
75-79	6661	6.6	85	1	1	3	6	18	26	46
80-84	2934	9.0	129	1	1	4	12	25	34	56
85+	1682	10.4	129	1	1	6	16	25	34	74
B. *Operated*										
65-69 YRS	3473	6.7	71	1	1	4	8	14	20	45
70-74	2912	7.3	88	1	1	4	9	15	24	54
75-79	1970	7.8	104	1	1	4	10	17	27	55
80-84	1057	8.0	105	1	1	4	11	18	26	57
85+	522	7.8	102	1	1	4	10	20	30	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1526	4.4	51	<1	<1	2	4	12	20	38
B. *Operated*	966	5.9	39	<1	1	5	9	12	14	25
2. MULTIPLE DX										
A. *Not Operated*	37414	5.6	71	1	1	3	5	14	23	45
B. *Operated*	9934	7.3	88	1	1	4	9	15	24	53
1. SINGLE DX	2492	5.0	47	<1	<1	2	7	12	17	33
2. MULTIPLE DX	47348	6.0	75	1	1	3	6	15	23	46
A. NOT OPERATED	38940	5.6	70	1	1	3	5	14	23	45
B. OPERATED	10900	7.2	84	1	1	4	9	15	23	52
TOTAL 65-69 YRS	18881	4.8	51	1	1	3	5	10	16	39
70-74	15174	5.5	66	1	1	3	5	12	21	44
75-79	9129	6.8	88	1	1	3	7	18	26	49
80-84	4270	8.5	120	1	1	4	11	23	32	56
85+	2386	9.5	122	1	1	5	14	24	33	74
GRAND TOTAL	**49840**	**5.9**	**73**	**1**	**1**	**3**	**6**	**14**	**23**	**46**

Length of Stay Tables
Operation Groups

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	61350	5.3	23	1	1	4	7	11	14	22
70-74	51615	5.5	27	1	1	4	8	12	15	24
75-79	38101	5.9	33	1	1	4	8	12	16	26
80-84	23547	6.2	37	1	1	4	9	13	17	28
85+	16862	6.8	42	1	1	5	10	14	18	30
2. MULTIPLE DX										
65-69 YRS	344066	8.8	73	1	2	7	11	17	24	46
70-74	348109	9.3	78	2	2	7	12	18	25	48
75-79	300823	9.8	85	2	2	7	12	19	26	52
80-84	218915	10.4	93	2	3	8	13	21	28	57
85+	183392	10.9	97	2	3	8	14	21	29	63
TOT. SINGLE DX	191475	5.7	30	1	1	4	8	12	15	25
" MULTIPLE DX	1395305	9.6	84	2	2	7	12	19	26	52
TOTAL 65-69 YRS	405416	8.2	67	1	2	6	10	16	22	44
70-74	399724	8.8	73	1	2	7	11	18	24	46
75-79	338924	9.4	81	1	2	7	12	19	25	50
80-84	242462	10.0	89	2	2	8	13	20	27	55
85+	200254	10.6	94	2	2	8	13	21	28	60
GRAND TOTAL	**1586780**	**9.2**	**79**	**1**	**2**	**7**	**12**	**18**	**25**	**49**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	203	12.3	70	3	5	10	15	25	29	44
70-74	170	12.6	97	4	5	10	14	23	30	58
75-79	120	13.5	123	3	4	10	16	25	32	65
80-84	75	12.7	155	3	5	10	15	21	29	85
85+	25	13.4	53	3	6	11	17	23	28	31
2. MULTIPLE DX										
65-69 YRS	787	19.2	212	5	7	15	24	40	55	99+
70-74	718	20.8	232	5	7	17	26	43	59	99+
75-79	581	20.7	200	5	7	18	27	42	53	99+
80-84	366	20.6	222	5	7	17	26	39	55	99
85+	203	19.8	204	5	7	17	26	43	63	99+
TOT. SINGLE DX	593	12.7	98	4	5	10	15	24	30	54
" MULTIPLE DX	2655	20.2	217	5	7	16	26	41	56	99+
TOTAL 65-69 YRS	990	17.8	191	5	6	14	22	35	50	99+
70-74	888	19.2	217	5	6	15	25	40	55	96
75-79	701	19.4	195	5	6	16	25	39	51	97
80-84	441	19.3	220	5	7	15	24	37	52	99
85+	228	19.1	192	5	7	16	25	40	62	99+
GRAND TOTAL	**3248**	**18.8**	**203**	**5**	**6**	**15**	**24**	**38**	**53**	**99+**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	40	11.6	92	3	5	9	12	22	31	54
70-74	47	12.4	105	4	7	10	14	19	25	73
75-79	30	17.2	208	3	5	13	20	36	54	63
80-84	19	10.0	19	4	5	10	13	17	19	19
85+	11	12.0	71	2	3	10	19	25	27	27
2. MULTIPLE DX										
65-69 YRS	191	21.5	235	7	8	17	29	42	63	99+
70-74	181	22.1	311	5	7	17	28	48	66	98
75-79	137	21.5	288	6	7	16	26	49	67	99+
80-84	116	23.0	277	7	9	17	28	45	57	84
85+	79	21.7	228	8	9	18	25	47	65	91
TOT. SINGLE DX	147	12.8	112	3	5	10	14	23	29	63
" MULTIPLE DX	704	21.9	270	6	8	17	28	46	64	99+
TOTAL 65-69 YRS	231	19.7	224	6	7	15	25	41	60	99+
70-74	228	20.1	284	5	7	15	25	42	62	96
75-79	167	20.7	276	5	7	16	25	48	64	99
80-84	135	21.1	261	5	7	16	27	42	55	81
85+	90	20.5	218	4	8	17	24	42	64	88
GRAND TOTAL	**851**	**20.3**	**255**	**5**	**7**	**16**	**25**	**42**	**62**	**99**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	15	5.8	10	2	3	6	6	9	14	16
70-74	6	7.3	50	2	2	5	8	20	21	21
75-79	3	7.0	16	3	3	7	10	11	11	11
80-84	1	2.0		2	2	2	2	2	2	2
85+										
2. MULTIPLE DX										
65-69 YRS	34	11.8	67	3	4	9	15	22	31	38
70-74	28	11.5	140	4	4	7	12	26	34	60
75-79	11	25.1	596	6	7	17	31	60	88	91
80-84	6	20.7	408	4	4	14	22	56	60	60
85+	6	9.8	59	4	4	7	10	23	25	25
TOT. SINGLE DX	25	6.2	19	2	2	6	7	11	17	21
" MULTIPLE DX	85	13.9	195	4	4	9	16	28	38	80
TOTAL 65-69 YRS	49	9.9	57	3	3	8	13	20	24	38
70-74	34	10.8	125	3	4	7	12	22	30	60
75-79	14	21.2	521	4	6	11	27	44	81	91
80-84	7	18.0	390	2	2	13	20	52	60	60
85+	6	9.8	59	4	4	7	10	23	25	25
GRAND TOTAL	**110**	**12.1**	**165**	**3**	**3**	**8**	**14**	**25**	**33**	**73**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	24	8.6	27	3	3	7	11	15	20	24
70-74	54	10.8	39	4	5	9	13	17	23	35
75-79	41	11.5	37	5	6	10	14	21	23	31
80-84	15	10.7	49	2	3	8	15	23	25	26
85+	2	9.5	1	9	9	9	10	10	10	10
2. MULTIPLE DX										
65-69 YRS	158	21.3	280	5	6	15	29	46	55	84
70-74	199	19.2	219	5	6	16	24	40	57	99+
75-79	210	19.6	201	5	7	16	25	35	46	97
80-84	96	24.3	376	7	8	18	32	63	81	99+
85+	41	20.6	164	5	7	18	30	43	77	99+
TOT. SINGLE DX	136	10.6	38	3	4	9	13	19	23	33
" MULTIPLE DX	704	20.6	247	5	7	16	28	42	62	99+
TOTAL 65-69 YRS	182	19.7	266	4	5	14	25	46	52	83
70-74	253	17.4	193	5	6	14	21	36	53	99+
75-79	251	18.3	183	5	7	15	23	32	42	96
80-84	111	22.4	353	5	7	16	29	54	80	99+
85+	43	20.1	162	6	7	18	30	41	74	99+
GRAND TOTAL	**840**	**19.0**	**227**	**5**	**6**	**15**	**24**	**38**	**55**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	15	8.9	31	1	2	8	13	16	18	19
70-74	14	6.6	36	<1	1	5	9	16	18	19
75-79	13	10.8	56	2	2	10	16	22	23	23
80-84	5	6.6	8	4	4	5	9	11	11	11
85+	5	11.4	30	5	5	11	14	20	20	20
2. MULTIPLE DX										
65-69 YRS	132	18.7	354	2	3	13	24	42	60	98
70-74	111	17.1	260	1	3	13	26	38	63	99+
75-79	97	18.8	197	3	5	15	26	40	59	99+
80-84	38	16.4	117	3	4	15	24	35	43	99+
85+	29	16.7	278	4	5	13	20	36	90	99+
TOT. SINGLE DX	52	8.8	38	1	2	7	14	18	20	23
" MULTIPLE DX	407	17.9	262	2	3	14	25	40	61	99+
TOTAL 65-69 YRS	147	17.7	330	2	3	12	23	41	58	98
70-74	125	16.0	246	1	2	11	24	37	62	99+
75-79	110	17.8	186	3	4	15	24	37	49	99+
80-84	43	15.3	114	3	4	13	23	32	43	99+
85+	34	15.9	244	4	5	12	20	30	78	99+
GRAND TOTAL	**459**	**16.9**	**245**	**2**	**3**	**13**	**23**	**38**	**51**	**99+**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	396	9.2	36	4	5	8	10	14	19	28
70-74	331	9.0	17	4	5	8	11	15	17	23
75-79	186	10.6	27	5	5	9	13	16	19	30
80-84	68	11.3	42	4	6	10	12	19	27	36
85+	26	13.4	37	7	8	12	16	20	25	35
2. MULTIPLE DX										
65-69 YRS	1306	13.7	107	5	6	10	16	25	33	60
70-74	1228	14.8	116	5	6	12	18	28	37	66
75-79	790	15.8	112	6	7	13	19	30	37	64
80-84	347	18.0	135	6	8	15	23	32	37	77
85+	89	19.9	128	8	9	17	25	34	46	56
TOT. SINGLE DX	1007	9.6	30	4	5	8	12	16	19	28
" MULTIPLE DX	3760	15.0	117	5	6	12	18	28	36	63
TOTAL 65-69 YRS	1702	12.7	95	4	5	10	14	23	30	58
70-74	1559	13.6	101	5	6	10	16	25	34	58
75-79	976	14.8	101	5	6	12	18	28	35	58
80-84	415	16.9	126	6	7	13	21	31	37	70
85+	115	18.4	114	7	8	15	22	32	43	55
GRAND TOTAL	**4767**	**13.9**	**103**	**5**	**6**	**11**	**16**	**26**	**34**	**59**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	65	6.4	35	1	1	4	8	16	17	30
70-74	40	9.2	77	1	2	7	11	20	31	39
75-79	21	9.1	131	<1	1	5	13	21	37	49
80-84	14	8.9	120	1	1	4	14	24	35	38
85+	6	6.8	22	2	2	5	11	14	14	14
2. MULTIPLE DX										
65-69 YRS	253	16.0	180	2	4	13	21	31	45	67
70-74	203	17.2	234	2	3	12	24	37	48	71
75-79	123	15.1	147	2	3	13	20	33	45	70
80-84	50	17.6	179	1	3	15	27	40	46	99+
85+	32	17.2	159	2	4	12	23	39	43	52
TOT. SINGLE DX	146	7.8	68	1	1	5	10	17	23	40
" MULTIPLE DX	661	16.4	189	2	3	13	22	35	45	70
TOTAL 65-69 YRS	318	14.1	166	1	2	11	19	27	39	66
70-74	243	15.9	217	2	3	11	22	36	44	71
75-79	144	14.2	149	1	2	13	19	33	45	61
80-84	64	15.7	178	1	2	13	24	38	43	93
85+	38	15.6	151	2	3	12	22	35	42	52
GRAND TOTAL	**807**	**14.8**	**178**	**2**	**2**	**11**	**20**	**33**	**42**	**66**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	133	2.9	9	<1	<1	2	3	6	8	17
70-74	105	3.4	13	<1	<1	2	4	7	11	19
75-79	52	3.4	13	1	1	2	4	8	10	22
80-84	32	2.8	4	1	1	2	4	5	6	11
85+	20	3.2	4	1	1	3	4	5	8	11
2. MULTIPLE DX										
65-69 YRS	208	6.8	100	1	1	3	8	13	26	48
70-74	174	7.7	126	1	1	4	9	23	28	94
75-79	99	7.2	55	1	1	4	10	18	23	35
80-84	63	6.9	59	1	1	3	9	16	24	36
85+	21	7.3	45	2	2	4	11	18	23	24
TOT. SINGLE DX	342	3.2	10	<1	1	2	4	7	9	16
" MULTIPLE DX	565	7.2	93	1	1	3	9	17	26	65
TOTAL 65-69 YRS	341	5.3	68	<1	1	3	6	10	17	40
70-74	279	6.1	88	<1	1	3	7	14	25	76
75-79	151	5.9	44	1	1	3	8	15	22	29
80-84	95	5.5	44	1	1	3	6	13	17	36
85+	41	5.3	29	1	2	3	6	12	18	24
GRAND TOTAL	**907**	**5.7**	**66**	**1**	**1**	**3**	**7**	**13**	**22**	**39**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	357	2.3	4	<1	<1	2	2	4	7	13
70-74	314	2.0	2	<1	<1	2	2	3	5	9
75-79	213	1.9	3	<1	<1	1	2	3	5	11
80-84	121	2.1	2	<1	<1	2	2	4	6	9
85+	67	1.9	1	<1	<1	1	2	4	4	5
2. MULTIPLE DX										
65-69 YRS	622	3.7	17	<1	1	2	4	8	12	21
70-74	499	3.9	40	<1	1	2	4	9	12	26
75-79	404	4.0	27	<1	1	2	4	9	13	36
80-84	198	5.2	57	<1	1	2	6	13	20	40
85+	110	4.8	35	1	1	3	5	12	17	28
TOT. SINGLE DX	1072	2.1	3	<1	<1	2	2	4	6	11
" MULTIPLE DX	1833	4.0	31	<1	1	2	4	9	14	28
TOTAL 65-69 YRS	979	3.2	13	<1	1	2	3	7	10	18
70-74	813	3.1	27	<1	<1	2	3	7	10	21
75-79	617	3.3	20	<1	<1	2	3	7	11	24
80-84	319	4.0	39	<1	<1	2	4	9	14	30
85+	177	3.7	24	<1	<1	2	3	9	15	27
GRAND TOTAL	**2905**	**3.3**	**22**	**<1**	**<1**	**2**	**3**	**7**	**11**	**23**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	20	10.6	259	2	3	6	10	15	48	77
70-74	6	6.8	23	1	1	6	8	14	15	15
75-79	16	11.3	39	5	5	9	15	22	25	26
80-84	7	6.7	20	1	1	7	11	12	12	12
85+	2	6.0	8	4	4	6	8	8	8	8
2. MULTIPLE DX										
65-69 YRS	127	10.2	54	3	4	8	12	21	23	40
70-74	147	12.4	61	4	5	11	15	23	28	40
75-79	118	13.4	85	4	5	11	17	23	31	51
80-84	81	16.3	190	6	6	12	19	35	47	71
85+	34	16.1	219	5	8	12	19	33	76	99+
TOT. SINGLE DX	51	9.6	119	2	3	8	10	17	22	76
" MULTIPLE DX	507	12.9	100	4	5	10	15	23	33	61
TOTAL 65-69 YRS	147	10.3	81	3	4	8	12	20	23	57
70-74	153	12.2	61	4	5	10	15	22	28	40
75-79	134	13.1	80	5	5	11	17	23	30	49
80-84	88	15.6	183	5	6	11	18	32	45	70
85+	36	15.5	212	4	7	12	18	31	71	99+
GRAND TOTAL	**558**	**12.6**	**102**	**4**	**5**	**10**	**15**	**22**	**32**	**62**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	10	7.1	43	<1	<1	6	10	17	19	19
70-74	5	4.4	16	1	1	3	6	11	11	11
75-79	13	2.8	4	<1	<1	2	4	6	6	6
80-84	3	9.0	19	4	4	11	12	12	12	12
85+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	87	8.7	125	1	1	6	11	18	22	71
70-74	93	8.3	43	2	2	7	10	17	23	31
75-79	47	10.3	70	1	2	9	14	19	22	51
80-84	37	9.7	66	1	2	7	15	22	24	34
85+	23	11.7	180	1	2	8	15	29	41	60
TOT. SINGLE DX	33	4.8	23	<1	<1	3	7	11	15	19
" MULTIPLE DX	287	9.2	86	1	2	7	12	18	24	48
TOTAL 65-69 YRS	97	8.6	117	1	1	6	11	18	20	66
70-74	98	8.1	43	2	2	7	10	17	23	31
75-79	60	8.7	65	<1	1	7	11	18	21	48
80-84	40	9.6	62	1	2	7	14	21	24	34
85+	25	10.9	174	1	2	5	14	28	38	60
GRAND TOTAL	**320**	**8.7**	**82**	**1**	**1**	**6**	**11**	**18**	**23**	**45**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	357	3.7	2	1	2	4	4	5	6	10
70-74	214	3.7	2	2	2	4	4	5	7	9
75-79	147	4.1	2	2	2	4	5	7	7	9
80-84	41	5.2	29	1	1	4	6	8	15	33
85+	21	5.6	11	2	2	4	7	11	13	14
2. MULTIPLE DX										
65-69 YRS	614	6.2	52	2	2	4	6	11	17	38
70-74	484	6.5	32	2	3	5	7	13	17	39
75-79	309	7.6	71	2	3	5	8	18	24	67
80-84	134	10.7	108	3	4	7	14	24	33	99+
85+	49	12.9	99	3	4	9	17	27	32	48
TOT. SINGLE DX	780	3.9	4	2	2	4	5	6	7	11
" MULTIPLE DX	1590	7.2	59	2	3	5	8	15	22	43
TOTAL 65-69 YRS	971	5.3	36	2	2	4	5	9	13	31
70-74	698	5.6	25	2	2	4	6	10	14	25
75-79	456	6.5	52	2	2	4	7	12	20	42
80-84	175	9.4	96	2	3	6	11	23	28	94
85+	70	10.7	84	3	3	7	14	24	31	46
GRAND TOTAL	**2370**	**6.1**	**43**	**2**	**2**	**4**	**6**	**11**	**18**	**39**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	58	4.2	5	1	2	3	5	8	9	10
70-74	41	4.5	6	1	1	4	6	8	9	11
75-79	25	4.1	5	1	2	4	5	8	9	11
80-84	13	6.5	67	2	2	4	6	17	29	32
85+	5	3.6	3	1	1	4	5	5	5	5
2. MULTIPLE DX										
65-69 YRS	287	7.1	54	2	2	5	8	15	19	36
70-74	259	9.5	117	2	3	6	10	20	31	72
75-79	161	8.9	86	2	3	5	11	18	24	46
80-84	84	11.1	120	3	3	6	16	25	36	89
85+	39	10.8	65	2	2	10	15	21	23	40
TOT. SINGLE DX	142	4.5	11	1	2	4	5	8	9	15
" MULTIPLE DX	830	8.8	89	2	3	5	10	19	27	58
TOTAL 65-69 YRS	345	6.6	47	2	2	5	7	13	17	34
70-74	300	8.8	106	2	3	6	9	18	30	66
75-79	186	8.2	78	2	3	5	10	18	23	42
80-84	97	10.5	115	3	3	6	16	25	34	85
85+	44	10.0	63	2	2	7	13	21	22	40
GRAND TOTAL	**972**	**8.1**	**80**	**2**	**3**	**5**	**9**	**17**	**25**	**57**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	28	10.3	23	4	6	9	13	18	20	20
70-74	21	9.3	35	2	3	9	11	16	22	29
75-79	13	8.2	20	2	4	8	9	12	19	21
80-84	3	10.7	30	7	7	8	15	17	17	17
85+	2	10.5	13	8	8	10	13	13	13	13
2. MULTIPLE DX										
65-69 YRS	141	15.0	142	3	5	13	18	28	38	64
70-74	103	14.0	147	3	5	11	17	26	37	70
75-79	62	17.1	178	6	7	13	19	38	46	71
80-84	13	11.9	59	3	4	10	14	25	28	29
85+	3	16.0	61	7	7	20	21	21	21	21
TOT. SINGLE DX	67	9.6	26	2	5	9	11	17	20	28
" MULTIPLE DX	322	15.0	147	3	5	12	18	28	39	66
TOTAL 65-69 YRS	169	14.2	125	3	5	12	17	27	34	62
70-74	124	13.2	131	3	5	10	16	24	32	59
75-79	75	15.6	162	5	6	12	18	30	43	69
80-84	16	11.7	52	4	5	10	15	23	27	29
85+	5	13.8	43	7	7	13	20	21	21	21
GRAND TOTAL	**389**	**14.0**	**130**	**3**	**5**	**11**	**17**	**26**	**36**	**62**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	30	1.7	1	<1	<1	1	2	3	5	5
70-74	41	1.9	2	<1	<1	1	2	3	4	11
75-79	41	2.2	2	<1	<1	2	2	4	7	8
80-84	33	1.8	1	<1	<1	2	2	3	5	6
85+	22	2.2	3	<1	<1	2	3	4	6	9
2. MULTIPLE DX										
65-69 YRS	81	3.6	28	<1	1	2	4	8	12	34
70-74	97	5.1	52	<1	1	2	6	12	18	41
75-79	88	5.3	69	1	1	2	6	12	18	52
80-84	73	7.2	173	<1	1	3	8	15	26	84
85+	79	5.8	114	1	1	2	7	11	18	70
TOT. SINGLE DX	167	1.9	2	<1	<1	2	2	3	5	9
" MULTIPLE DX	418	5.3	84	<1	1	2	6	12	18	49
TOTAL 65-69 YRS	111	3.1	22	<1	<1	2	3	6	10	26
70-74	138	4.1	40	<1	<1	2	4	9	14	34
75-79	129	4.3	50	<1	1	2	5	8	15	39
80-84	106	5.5	126	<1	<1	2	5	11	17	69
85+	101	5.0	92	<1	1	2	5	10	17	56
GRAND TOTAL	**585**	**4.4**	**63**	**<1**	**<1**	**2**	**4**	**9**	**15**	**40**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	89	1.8	2	<1	<1	1	2	3	3	11
70-74	91	1.6	1	<1	<1	1	2	2	4	7
75-79	77	1.6	1	<1	<1	1	2	2	4	7
80-84	63	1.6		<1	<1	2	2	2	3	4
85+	37	1.6	1	<1	<1	1	2	2	5	7
2. MULTIPLE DX										
65-69 YRS	343	4.3	75	<1	1	2	4	8	17	52
70-74	325	4.4	28	1	1	2	5	11	16	26
75-79	319	4.8	51	1	1	2	5	11	15	32
80-84	248	6.4	82	1	1	3	7	16	28	47
85+	223	6.9	86	1	1	3	8	17	27	69
TOT. SINGLE DX	357	1.7	1	<1	<1	1	2	2	3	7
" MULTIPLE DX	1458	5.2	63	1	1	2	5	12	18	47
TOTAL 65-69 YRS	432	3.8	61	<1	<1	2	3	7	13	47
70-74	416	3.8	23	<1	1	2	4	9	14	25
75-79	396	4.2	43	<1	1	2	4	9	14	30
80-84	311	5.4	69	<1	1	2	5	13	23	47
85+	260	6.1	78	<1	1	3	8	14	24	59
GRAND TOTAL	**1815**	**4.5**	**53**	**<1**	**1**	**2**	**4**	**10**	**17**	**43**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	50	1.6		1	1	2	2	3	3	3
70-74	55	1.9		1	1	2	2	3	3	5
75-79	42	1.7		<1	1	2	2	3	3	3
80-84	25	1.9	1	<1	1	2	2	3	4	6
85+	17	1.8		1	1	2	2	2	3	4
2. MULTIPLE DX										
65-69 YRS	80	2.0	1	1	1	2	2	3	4	8
70-74	104	2.3	4	1	1	2	2	4	6	12
75-79	100	2.5	4	1	1	2	3	5	7	13
80-84	83	2.4	3	1	1	2	3	3	6	11
85+	50	3.0	12	1	1	2	3	6	12	20
TOT. SINGLE DX	189	1.8	1	1	1	2	2	3	3	5
" MULTIPLE DX	417	2.4	5	1	1	2	3	4	6	13
TOTAL 65-69 YRS	130	1.9	1	1	1	2	2	3	4	6
70-74	159	2.2	3	1	1	2	2	3	4	10
75-79	142	2.2	4	1	1	2	2	3	6	13
80-84	108	2.3	3	1	1	2	3	3	5	11
85+	67	2.7	10	1	1	2	3	4	9	19
GRAND TOTAL	**606**	**2.2**	**3**	**1**	**1**	**2**	**2**	**3**	**4**	**12**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	7	3.0	6	<1	<1	2	4	7	8	8
70-74	6	2.2	3	<1	<1	1	2	6	6	6
75-79	2	3.0	8	1	1	3	5	5	5	5
80-84	4	3.3	5	1	1	3	5	6	6	6
85+	5	8.0	48	2	2	6	13	18	18	18
2. MULTIPLE DX										
65-69 YRS	12	3.8	8	1	1	3	5	8	11	11
70-74	17	5.2	42	<1	1	3	6	10	22	28
75-79	13	5.2	60	<1	1	2	5	13	27	30
80-84	11	3.3	13	1	1	2	4	9	13	13
85+	11	5.5	46	1	1	2	6	17	22	23
TOT. SINGLE DX	24	3.9	17	<1	<1	2	5	8	14	18
" MULTIPLE DX	64	4.7	34	1	1	3	5	10	16	30
TOTAL 65-69 YRS	19	3.5	7	<1	1	3	4	8	10	11
70-74	23	4.4	34	<1	<1	2	6	10	16	28
75-79	15	4.9	53	<1	1	2	5	9	25	30
80-84	15	3.3	11	1	1	2	4	7	11	13
85+	16	6.3	46	1	1	4	9	17	21	23
GRAND TOTAL	**88**	**4.4**	**29**	**<1**	**1**	**2**	**5**	**10**	**14**	**29**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	123	2.5	2	1	1	2	3	4	5	9
70-74	135	2.4	2	1	1	2	3	4	5	8
75-79	158	2.4	1	1	1	2	3	4	5	7
80-84	133	2.5	1	1	1	2	3	4	5	7
85+	72	2.7	1	1	1	3	3	4	5	7
2. MULTIPLE DX										
65-69 YRS	312	3.1	3	1	1	3	4	5	6	11
70-74	501	3.1	5	1	1	3	4	5	6	13
75-79	505	3.4	8	1	1	3	4	6	8	15
80-84	374	3.3	14	1	1	3	4	5	7	24
85+	219	3.1	4	1	1	3	4	5	7	11
TOT. SINGLE DX	621	2.5	2	1	1	2	3	4	5	7
" MULTIPLE DX	1911	3.2	8	1	1	3	4	5	7	13
TOTAL 65-69 YRS	435	2.9	4	1	1	3	4	5	6	11
70-74	636	2.9	5	1	1	3	4	5	6	11
75-79	663	3.2	7	1	1	3	4	5	7	12
80-84	507	3.1	11	1	1	3	4	5	6	17
85+	291	3.0	4	1	1	3	4	5	7	11
GRAND TOTAL	**2532**	**3.0**	**6**	**1**	**1**	**3**	**4**	**5**	**6**	**12**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	33	2.1	6	<1	<1	1	2	4	10	11
70-74	38	2.2	4	<1	<1	1	2	6	7	9
75-79	28	2.0	2	<1	<1	1	2	4	6	6
80-84	18	1.3		<1	<1	1	2	2	3	3
85+	10	2.1	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
65-69 YRS	62	3.4	10	<1	1	2	5	7	10	17
70-74	62	5.2	113	<1	1	3	5	8	12	75
75-79	88	3.8	23	<1	1	2	4	10	12	27
80-84	51	3.1	7	1	1	2	4	7	9	14
85+	40	4.1	20	1	1	3	4	8	11	27
TOT. SINGLE DX	127	2.0	3	<1	<1	1	2	4	6	11
" MULTIPLE DX	303	3.9	36	1	1	2	4	8	12	26
TOTAL 65-69 YRS	95	3.0	10	<1	1	2	4	7	10	16
70-74	100	4.0	74	<1	<1	2	5	8	9	54
75-79	116	3.3	19	<1	1	2	3	9	12	24
80-84	69	2.7	6	<1	<1	2	3	7	8	13
85+	50	3.7	17	1	1	3	4	7	9	27
GRAND TOTAL	**430**	**3.4**	**27**	**<1**	**1**	**2**	**4**	**7**	**9**	**21**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	123	2.6	4	<1	1	2	3	4	6	12
70-74	142	2.4	3	<1	1	2	3	4	6	10
75-79	135	2.3	1	1	1	2	3	4	5	7
80-84	54	2.4	3	<1	1	2	3	4	7	11
85+	37	2.5	1	<1	<1	2	3	4	5	6
2. MULTIPLE DX										
65-69 YRS	284	3.5	7	1	1	3	4	7	8	16
70-74	321	3.8	14	1	1	3	4	8	10	20
75-79	301	3.6	18	1	1	3	4	6	9	23
80-84	190	4.1	20	1	1	3	4	8	12	31
85+	133	3.8	27	1	1	2	4	7	11	22
TOT. SINGLE DX	491	2.4	3	<1	1	2	3	4	6	10
" MULTIPLE DX	1229	3.7	16	1	1	3	4	7	10	21
TOTAL 65-69 YRS	407	3.2	7	1	1	2	4	6	8	15
70-74	463	3.4	12	1	1	2	4	7	9	17
75-79	436	3.2	14	1	1	2	4	6	8	19
80-84	244	3.7	17	1	1	2	4	7	11	30
85+	170	3.5	22	1	1	2	4	6	10	16
GRAND TOTAL	**1720**	**3.4**	**13**	**1**	**1**	**2**	**4**	**6**	**9**	**18**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	64	2.5	5	1	1	2	3	4	7	15
70-74	56	2.1	3	<1	<1	2	2	4	6	9
75-79	53	2.6	3	1	1	2	3	6	7	10
80-84	40	3.1	21	<1	1	2	3	5	9	29
85+	31	2.7	4	1	1	2	3	6	7	10
2. MULTIPLE DX										
65-69 YRS	148	4.0	32	1	1	2	4	9	15	25
70-74	180	4.8	40	1	1	3	6	10	15	28
75-79	183	3.9	24	1	1	3	5	8	9	26
80-84	129	4.2	24	1	1	2	5	10	13	32
85+	103	4.7	50	1	1	3	6	9	13	42
TOT. SINGLE DX	244	2.6	7	<1	1	2	3	5	7	12
" MULTIPLE DX	743	4.3	34	1	1	3	5	9	13	28
TOTAL 65-69 YRS	212	3.6	25	1	1	2	4	7	12	24
70-74	236	4.1	33	1	1	3	5	8	12	22
75-79	236	3.6	20	1	1	2	4	7	9	24
80-84	169	3.9	24	1	1	2	4	9	12	31
85+	134	4.2	41	1	1	2	5	9	13	30
GRAND TOTAL	**987**	**3.9**	**28**	**1**	**1**	**2**	**4**	**8**	**11**	**24**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	670	1.8		<1	<1	2	2	2	3	4
70-74	882	1.9	1	<1	<1	2	2	3	3	4
75-79	921	1.9		<1	<1	2	2	3	3	4
80-84	765	1.9		<1	1	2	2	3	3	4
85+	616	1.9		<1	1	2	2	3	3	4
2. MULTIPLE DX										
65-69 YRS	1040	2.6	12	1	1	2	2	3	5	14
70-74	1484	2.6	11	1	1	2	3	4	6	15
75-79	1665	2.6	11	1	1	2	2	3	5	15
80-84	1350	2.9	22	1	1	2	3	4	7	24
85+	1131	3.0	27	1	1	2	3	4	7	22
TOT. SINGLE DX	3854	1.9	1	<1	<1	2	2	3	3	4
" MULTIPLE DX	6670	2.7	17	1	1	2	2	4	6	18
TOTAL 65-69 YRS	1710	2.3	8	<1	1	2	2	3	4	12
70-74	2366	2.3	8	<1	1	2	2	3	4	13
75-79	2586	2.3	8	<1	1	2	2	3	4	11
80-84	2115	2.5	15	1	1	2	2	3	5	16
85+	1747	2.6	19	1	1	2	2	3	5	19
GRAND TOTAL	**10524**	**2.4**	**11**	**<1**	**1**	**2**	**2**	**3**	**4**	**14**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1908	1.7		<1	<1	2	2	2	2	4
70-74	2705	1.7		<1	<1	2	2	2	2	3
75-79	2803	1.7		<1	<1	2	2	2	2	3
80-84	2298	1.7		<1	<1	2	2	2	3	4
85+	1683	1.8	1	<1	<1	2	2	2	3	4
2. MULTIPLE DX										
65-69 YRS	3138	2.3	6	<1	1	2	2	3	5	13
70-74	4149	2.2	7	<1	1	2	2	3	4	12
75-79	4685	2.3	9	<1	1	2	2	3	4	12
80-84	3843	2.3	9	<1	1	2	2	3	4	13
85+	2989	2.4	13	<1	1	2	2	3	5	15
TOT. SINGLE DX	11397	1.7	1	<1	<1	2	2	2	3	4
" MULTIPLE DX	18804	2.3	9	<1	1	2	2	3	4	13
TOTAL 65-69 YRS	5046	2.1	5	<1	<1	2	2	3	4	10
70-74	6854	2.0	5	<1	<1	2	2	3	3	9
75-79	7488	2.0	6	<1	<1	2	2	3	3	10
80-84	6141	2.1	6	<1	<1	2	2	3	4	10
85+	4672	2.2	9	<1	1	2	2	3	4	13
GRAND TOTAL	**30201**	**2.1**	**6**	**<1**	**<1**	**2**	**2**	**3**	**4**	**10**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	190	1.6		<1	<1	2	2	2	3	4
70-74	244	1.8	1	<1	<1	2	2	2	3	7
75-79	218	1.7		<1	<1	2	2	2	3	4
80-84	142	1.8	1	<1	<1	2	2	2	3	5
85+	101	1.7		<1	<1	2	2	3	4	5
2. MULTIPLE DX										
65-69 YRS	270	2.1	1	<1	<1	2	2	3	4	7
70-74	305	2.2	3	<1	1	2	2	3	4	8
75-79	329	2.6	9	1	1	2	2	4	8	19
80-84	268	2.4	8	<1	1	2	2	3	5	18
85+	146	2.4	6	1	1	2	2	3	7	19
TOT. SINGLE DX	895	1.7	1	<1	<1	2	2	2	3	4
" MULTIPLE DX	1318	2.3	6	<1	1	2	2	3	5	15
TOTAL 65-69 YRS	460	1.9	1	<1	<1	2	2	3	4	6
70-74	549	2.0	3	<1	<1	2	2	3	3	8
75-79	547	2.2	6	<1	<1	2	2	3	5	15
80-84	410	2.2	6	<1	<1	2	2	3	4	14
85+	247	2.1	4	<1	1	2	2	3	5	15
GRAND TOTAL	**2213**	**2.1**	**4**	**<1**	**<1**	**2**	**2**	**3**	**4**	**12**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	542	3.3	3	1	1	3	4	6	7	9
70-74	382	3.2	6	1	1	3	4	5	6	9
75-79	242	3.4	2	1	1	3	4	6	6	9
80-84	111	3.1	2	1	1	3	4	5	6	7
85+	47	3.5	3	1	2	3	4	5	6	12
2. MULTIPLE DX										
65-69 YRS	1032	3.9	5	1	2	3	5	6	8	13
70-74	930	4.0	5	1	2	3	5	7	8	14
75-79	606	4.1	6	1	2	4	5	7	9	14
80-84	299	4.0	6	1	2	3	5	7	9	14
85+	128	4.2	6	1	2	4	5	8	9	14
TOT. SINGLE DX	1324	3.3	4	1	1	3	4	5	6	9
" MULTIPLE DX	2995	4.0	6	1	2	3	5	7	8	13
TOTAL 65-69 YRS	1574	3.6	5	1	2	3	4	6	8	12
70-74	1312	3.8	6	1	2	3	5	6	8	13
75-79	848	3.9	5	1	2	3	5	6	8	13
80-84	410	3.8	5	1	2	3	5	6	8	13
85+	175	4.0	6	1	2	3	5	7	9	13
GRAND TOTAL	**4319**	**3.8**	**5**	**1**	**2**	**3**	**5**	**6**	**8**	**12**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	85	2.9	3	<1	1	2	4	5	7	10
70-74	114	2.8	3	<1	1	2	3	5	6	9
75-79	99	3.0	6	<1	<1	2	3	5	9	15
80-84	49	3.0	6	<1	<1	2	3	7	8	12
85+	47	3.1	4	<1	<1	3	4	6	7	11
2. MULTIPLE DX										
65-69 YRS	455	3.7	8	1	1	3	4	7	9	16
70-74	455	4.0	14	1	1	3	5	8	10	17
75-79	397	4.2	22	1	1	3	5	8	12	24
80-84	217	4.1	30	1	1	3	4	7	12	19
85+	144	4.0	17	1	1	3	5	8	10	26
TOT. SINGLE DX	394	2.9	5	<1	1	2	3	5	8	11
" MULTIPLE DX	1668	4.0	17	1	1	3	5	8	11	18
TOTAL 65-69 YRS	540	3.6	8	1	1	3	4	7	9	14
70-74	569	3.8	12	1	1	3	4	7	9	16
75-79	496	3.9	20	1	1	3	5	8	11	18
80-84	266	3.9	26	1	1	3	4	7	11	18
85+	191	3.8	14	<1	1	3	5	7	8	22
GRAND TOTAL	**2062**	**3.8**	**15**	**1**	**1**	**3**	**4**	**7**	**10**	**16**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	11	1.5		<1	<1	1	2	2	2	2
70-74	14	1.6		<1	1	2	2	2	3	3
75-79	7	1.6		<1	<1	1	2	3	3	3
80-84	3	1.7		1	1	2	2	2	2	2
85+	3	2.0	1	<1	<1	2	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	33	1.7		1	1	2	2	2	3	3
70-74	37	1.8	1	<1	1	2	2	3	3	7
75-79	17	2.2	1	1	1	2	3	4	5	5
80-84	6	2.8	9	1	1	2	2	8	9	9
85+	5	2.0		1	1	2	2	3	3	3
TOT. SINGLE DX	38	1.6		<1	<1	2	2	2	3	3
" MULTIPLE DX	98	1.9	1	1	1	2	2	3	3	8
TOTAL 65-69 YRS	44	1.7		<1	1	2	2	2	3	3
70-74	51	1.8	1	<1	1	2	2	3	3	7
75-79	24	2.0	1	<1	<1	2	2	3	4	5
80-84	9	2.4	6	1	1	2	2	6	9	9
85+	8	2.0	1	<1	<1	2	3	3	3	3
GRAND TOTAL	**136**	**1.8**	**1**	**<1**	**1**	**2**	**2**	**3**	**3**	**7**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	3	6.0	13	2	2	7	8	9	9	9
70-74										
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	1	17.0		17	17	17	17	17	17	17
75-79	1	2.0		2	2	2	2	2	2	2
80-84	2	3.0		3	3	3	3	3	3	3
85+	3	3.7	5	1	1	5	5	5	5	5
TOT. SINGLE DX	5	4.4	11	2	2	2	7	9	9	9
" MULTIPLE DX	8	5.0	25	1	1	4	5	13	17	17
TOTAL 65-69 YRS	4	5.5	10	2	2	5	8	9	9	9
70-74	1	17.0		17	17	17	17	17	17	17
75-79	2	2.0		2	2	2	2	2	2	2
80-84	2	3.0		3	3	3	3	3	3	3
85+	4	3.3	4	1	1	3	5	5	5	5
GRAND TOTAL	**13**	**4.8**	**19**	**1**	**1**	**3**	**6**	**11**	**16**	**17**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	59	2.7	4	1	1	2	3	4	8	12
70-74	50	2.6	2	1	1	2	3	4	5	9
75-79	39	3.4	13	<1	1	2	4	7	13	18
80-84	26	2.5	2	<1	1	2	3	4	6	6
85+	23	3.3	3	1	2	3	4	6	8	9
2. MULTIPLE DX										
65-69 YRS	153	4.3	17	1	1	3	5	9	12	24
70-74	168	4.6	27	1	1	3	5	10	14	30
75-79	142	4.9	35	1	1	3	6	10	16	29
80-84	145	5.4	37	1	1	3	6	13	19	24
85+	122	6.0	53	1	1	4	7	13	17	46
TOT. SINGLE DX	197	2.9	5	1	1	2	3	5	7	13
" MULTIPLE DX	730	5.0	34	1	1	3	6	11	15	29
TOTAL 65-69 YRS	212	3.9	15	1	1	3	4	8	11	22
70-74	218	4.2	23	1	1	3	4	9	13	30
75-79	181	4.6	31	1	1	3	5	10	15	25
80-84	171	4.9	33	1	1	3	5	10	19	23
85+	145	5.5	46	1	1	4	6	12	16	43
GRAND TOTAL	**927**	**4.5**	**28**	**1**	**1**	**3**	**5**	**10**	**14**	**26**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	44	3.7	51	<1	<1	2	3	6	16	45
70-74	47	2.1	3	<1	<1	1	2	4	6	9
75-79	44	2.7	20	<1	<1	1	2	6	9	28
80-84	30	2.4	5	<1	<1	2	3	5	8	11
85+	24	2.5	1	<1	1	2	3	4	5	6
2. MULTIPLE DX										
65-69 YRS	141	6.7	73	1	1	3	8	16	26	58
70-74	116	6.4	61	<1	1	4	8	15	19	48
75-79	116	7.6	94	1	1	5	9	17	23	57
80-84	117	7.9	93	1	1	5	9	17	28	57
85+	115	8.3	133	1	1	4	9	15	29	61
TOT. SINGLE DX	189	2.7	19	<1	<1	2	3	5	8	24
" MULTIPLE DX	605	7.3	91	1	1	4	9	16	24	54
TOTAL 65-69 YRS	185	6.0	70	<1	1	3	7	15	22	51
70-74	163	5.1	48	<1	<1	3	6	11	17	39
75-79	160	6.2	78	<1	1	3	8	14	21	48
80-84	147	6.8	81	<1	1	3	8	15	23	54
85+	139	7.3	116	1	1	4	8	14	27	53
GRAND TOTAL	**794**	**6.2**	**77**	**<1**	**1**	**3**	**7**	**14**	**21**	**49**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	144	1.9		1	1	2	3	3	4	5
70-74	94	2.0		1	1	2	3	3	4	5
75-79	43	2.0	1	1	1	2	3	3	4	5
80-84	17	2.2	1	1	1	2	3	4	5	6
85+	4	1.5		1	1	1	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	140	2.1	1	1	1	2	3	3	4	7
70-74	78	2.1	1	1	1	2	3	3	4	6
75-79	40	2.0	1	1	1	2	3	3	4	6
80-84	9	2.7	10	1	1	2	2	8	11	11
85+	6	1.7		1	1	2	2	3	3	3
TOT. SINGLE DX	302	2.0	1	1	1	2	3	3	4	5
" MULTIPLE DX	273	2.1	2	1	1	2	3	3	4	6
TOTAL 65-69 YRS	284	2.0	1	1	1	2	3	3	4	6
70-74	172	2.1	1	1	1	2	3	3	4	6
75-79	83	2.0	1	1	1	2	3	3	4	6
80-84	26	2.3	5	1	1	2	3	4	7	11
85+	10	1.6		1	1	2	2	3	3	3
GRAND TOTAL	**575**	**2.1**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	116	1.6		1	1	2	2	2	3	5
70-74	64	1.6		<1	1	1	2	2	3	4
75-79	44	1.7		1	1	2	2	2	3	3
80-84	5	1.8		1	1	2	2	3	3	3
85+	3	1.7		1	1	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	236	2.0	2	1	1	2	2	3	4	9
70-74	128	2.0	2	1	1	2	2	3	4	11
75-79	59	1.9		<1	1	2	2	3	4	4
80-84	30	1.9	1	1	1	2	2	3	3	6
85+	5	1.2		1	1	1	2	2	2	2
TOT. SINGLE DX	232	1.6	1	1	1	2	2	2	3	4
" MULTIPLE DX	458	2.0	2	1	1	2	2	3	4	8
TOTAL 65-69 YRS	352	1.9	2	1	1	2	2	3	3	8
70-74	192	1.8	2	1	1	2	2	3	4	8
75-79	103	1.8	1	<1	1	2	2	3	3	4
80-84	35	1.9	1	1	1	2	2	3	3	6
85+	8	1.4		1	1	1	2	2	2	2
GRAND TOTAL	**690**	**1.8**	**2**	**1**	**1**	**2**	**2**	**3**	**3**	**7**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	22	1.3		<1	<1	1	2	2	3	3
70-74	14	1.5		<1	<1	1	2	3	3	3
75-79	11	2.2	5	<1	<1	<1	2	5	9	9
80-84	8	6.6	194	<1	<1	2	3	30	41	41
85+	6	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	50	6.9	89	1	1	2	10	22	40	99
70-74	59	6.4	56	<1	1	3	8	15	22	35
75-79	38	9.9	124	<1	1	7	15	21	24	62
80-84	17	8.8	58	1	1	9	12	20	26	28
85+	17	6.1	42	<1	<1	3	10	17	20	21
TOT. SINGLE DX	61	2.2	27	<1	<1	1	2	3	4	37
" MULTIPLE DX	181	7.5	79	<1	1	4	11	20	24	56
TOTAL 65-69 YRS	72	5.2	69	<1	1	2	7	14	25	87
70-74	73	5.5	49	<1	<1	2	7	14	21	34
75-79	49	8.2	108	<1	<1	4	12	20	22	62
80-84	25	8.1	96	<1	1	3	11	21	31	41
85+	23	4.9	36	<1	<1	1	9	13	20	21
GRAND TOTAL	**242**	**6.2**	**71**	**<1**	**<1**	**2**	**9**	**16**	**22**	**44**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	73	2.3	7	1	1	2	3	4	4	20
70-74	40	2.2	2	1	1	2	3	3	5	8
75-79	18	2.3	4	<1	1	2	3	5	7	9
80-84	5	2.0		1	1	2	2	3	3	3
85+	2	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	237	3.2	15	1	1	2	3	5	7	27
70-74	162	4.1	42	1	1	3	4	6	15	40
75-79	75	4.6	48	1	1	3	4	9	15	45
80-84	31	7.2	58	1	1	3	12	20	22	26
85+	10	16.2	449	1	1	4	26	50	66	66
TOT. SINGLE DX	138	2.3	5	1	1	2	3	4	4	11
" MULTIPLE DX	515	4.2	43	1	1	3	4	7	16	35
TOTAL 65-69 YRS	310	3.0	14	1	1	2	3	5	6	26
70-74	202	3.7	35	1	1	2	3	5	11	38
75-79	93	4.2	41	1	1	3	4	9	14	39
80-84	36	6.5	54	1	1	3	7	20	21	26
85+	12	14.0	394	1	2	3	22	44	63	66
GRAND TOTAL	**653**	**3.8**	**35**	**1**	**1**	**2**	**3**	**6**	**15**	**30**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	65	2.3	2	<1	1	2	3	5	5	7
70-74	36	2.7	3	<1	1	2	3	5	7	9
75-79	22	3.1	7	1	1	2	3	6	9	13
80-84	5	6.8	12	3	3	8	10	10	10	10
85+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	130	4.1	24	1	1	2	4	9	16	24
70-74	58	4.4	25	1	1	3	4	10	15	29
75-79	37	7.0	145	1	1	3	5	16	40	56
80-84	24	7.6	51	1	2	4	13	16	22	30
85+	10	6.7	39	1	1	5	10	17	19	19
TOT. SINGLE DX	130	2.7	4	1	1	2	3	5	7	11
" MULTIPLE DX	259	5.0	46	1	1	3	5	13	18	38
TOTAL 65-69 YRS	195	3.5	18	1	1	2	4	6	13	23
70-74	94	3.8	18	1	1	2	4	8	12	25
75-79	59	5.6	96	1	1	3	5	9	29	55
80-84	29	7.4	44	1	2	5	11	15	19	30
85+	12	5.8	37	1	1	3	9	16	19	19
GRAND TOTAL	**389**	**4.2**	**33**	**1**	**1**	**2**	**4**	**9**	**15**	**30**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	48	2.2	2	<1	1	2	3	3	5	8
70-74	15	2.1	2	<1	<1	2	3	4	5	6
75-79	3	2.7	8	<1	<1	1	5	6	6	6
80-84	6	4.8	17	1	1	3	10	10	10	10
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	184	2.7	8	1	1	2	3	5	7	15
70-74	113	3.1	11	1	1	2	3	5	10	20
75-79	45	2.8	5	<1	1	2	3	4	9	14
80-84	19	4.2	19	1	1	3	5	8	15	20
85+	8	3.4	2	2	2	3	4	6	7	7
TOT. SINGLE DX	73	2.4	4	<1	1	2	3	4	7	10
" MULTIPLE DX	369	2.9	9	1	1	2	3	5	9	16
TOTAL 65-69 YRS	232	2.6	7	1	1	2	3	4	7	13
70-74	128	3.0	11	1	1	2	3	5	8	18
75-79	48	2.8	6	<1	1	2	3	4	9	14
80-84	25	4.4	18	1	1	3	5	10	13	20
85+	9	3.2	2	2	2	3	4	6	7	7
GRAND TOTAL	**442**	**2.9**	**9**	**1**	**1**	**2**	**3**	**5**	**8**	**16**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	84	1.8	2	<1	1	1	2	3	3	12
70-74	42	2.0	3	<1	1	1	2	4	5	11
75-79	29	3.1	34	<1	1	1	2	6	10	32
80-84	9	2.2	5	<1	<1	1	3	6	7	7
85+	6	1.8	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	430	2.6	7	1	1	2	3	4	8	12
70-74	297	2.9	9	1	1	2	3	6	9	16
75-79	147	4.4	45	1	1	3	5	8	14	28
80-84	77	4.2	15	1	1	3	5	9	11	21
85+	48	4.4	15	1	1	3	5	10	13	19
TOT. SINGLE DX	170	2.1	8	<1	1	1	2	3	5	14
" MULTIPLE DX	999	3.2	15	1	1	2	3	7	10	18
TOTAL 65-69 YRS	514	2.4	7	1	1	2	3	4	6	13
70-74	339	2.8	9	1	1	2	3	6	9	16
75-79	176	4.2	44	1	1	2	4	8	13	31
80-84	86	4.0	14	1	1	3	5	9	11	21
85+	54	4.1	15	1	1	3	5	9	12	19
GRAND TOTAL	**1169**	**3.0**	**14**	**1**	**1**	**2**	**3**	**6**	**9**	**18**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	128	1.8	1	<1	<1	1	2	3	4	7
70-74	101	2.4	5	<1	<1	2	3	4	8	13
75-79	74	1.9	1	<1	<1	2	2	3	4	6
80-84	50	2.4	3	<1	<1	2	2	5	7	10
85+	44	2.9	10	<1	1	2	3	7	8	19
2. MULTIPLE DX										
65-69 YRS	403	3.3	15	<1	1	2	4	7	10	18
70-74	305	4.2	38	1	1	2	4	9	15	30
75-79	225	5.4	45	1	1	3	6	13	16	33
80-84	180	6.0	57	1	1	3	8	13	19	52
85+	171	7.1	70	1	1	4	9	16	23	66
TOT. SINGLE DX	397	2.1	4	<1	<1	2	2	4	6	11
" MULTIPLE DX	1284	4.8	41	1	1	3	5	11	15	33
TOTAL 65-69 YRS	531	2.9	12	<1	1	2	3	6	9	16
70-74	406	3.7	31	<1	1	2	4	8	13	27
75-79	299	4.5	37	<1	1	2	5	11	15	32
80-84	230	5.2	48	<1	1	2	7	12	17	51
85+	215	6.2	61	1	1	4	8	14	22	55
GRAND TOTAL	**1681**	**4.1**	**33**	**<1**	**1**	**2**	**4**	**9**	**14**	**29**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	122	4.2	9	1	1	4	5	7	9	17
70-74	87	4.0	5	1	1	4	5	7	9	11
75-79	57	3.2	2	1	1	3	4	6	6	8
80-84	52	4.1	7	1	1	4	5	7	9	17
85+	36	3.6	6	1	1	3	5	8	9	10
2. MULTIPLE DX										
65-69 YRS	460	5.0	14	1	2	4	6	9	12	21
70-74	398	5.8	53	1	2	4	6	11	15	32
75-79	385	6.2	43	1	2	5	7	12	16	32
80-84	241	5.7	26	1	1	4	7	11	16	33
85+	208	6.4	41	1	1	5	8	13	18	45
TOT. SINGLE DX	354	3.9	7	1	1	3	5	7	8	13
" MULTIPLE DX	1692	5.7	35	1	2	4	7	11	15	30
TOTAL 65-69 YRS	582	4.8	14	1	1	4	6	8	11	20
70-74	485	5.5	45	1	2	4	6	10	14	30
75-79	442	5.8	39	1	2	4	7	11	15	31
80-84	293	5.4	23	1	1	4	6	10	15	30
85+	244	5.9	37	1	1	4	7	12	16	42
GRAND TOTAL	**2046**	**5.4**	**31**	**1**	**1**	**4**	**6**	**10**	**14**	**29**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	96	2.3	3	1	1	2	3	4	4	13
70-74	79	2.3	2	1	1	2	3	3	4	11
75-79	26	2.5	1	1	1	2	3	4	5	6
80-84	16	2.6		<1	1	3	3	3	4	4
85+	4	4.5	9	2	2	3	6	9	9	9
2. MULTIPLE DX										
65-69 YRS	258	4.1	32	1	1	3	4	9	13	32
70-74	190	3.7	17	1	1	3	4	7	11	23
75-79	84	5.1	53	1	1	3	4	11	25	38
80-84	36	5.4	18	1	1	4	7	12	15	17
85+	11	7.7	208	1	1	4	5	25	49	51
TOT. SINGLE DX	221	2.4	3	1	1	2	3	4	4	11
" MULTIPLE DX	579	4.3	33	1	1	3	4	9	13	35
TOTAL 65-69 YRS	354	3.6	26	1	1	2	3	7	11	29
70-74	269	3.3	14	1	1	2	4	6	9	18
75-79	110	4.5	42	1	1	3	4	8	18	37
80-84	52	4.6	15	1	1	3	5	11	14	17
85+	15	6.9	153	1	2	4	5	9	40	51
GRAND TOTAL	**800**	**3.7**	**26**	**1**	**1**	**3**	**4**	**7**	**11**	**29**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	61	2.7	3	1	1	2	4	5	6	12
70-74	59	3.6	15	1	1	2	5	7	11	23
75-79	31	3.7	16	1	1	3	4	7	11	22
80-84	16	5.9	63	1	1	2	7	18	25	28
85+	6	2.8	4	1	1	2	5	6	6	6
2. MULTIPLE DX										
65-69 YRS	287	5.1	38	1	1	3	6	12	16	28
70-74	223	6.7	71	1	1	4	8	15	25	47
75-79	145	6.5	64	1	1	3	8	17	25	54
80-84	74	6.4	45	1	1	4	9	15	20	35
85+	35	11.3	239	1	1	5	17	35	65	99+
TOT. SINGLE DX	173	3.5	16	1	1	2	4	7	11	24
" MULTIPLE DX	764	6.2	64	1	1	3	7	15	22	52
TOTAL 65-69 YRS	348	4.7	33	1	1	3	5	11	14	25
70-74	282	6.0	61	1	1	3	7	13	23	43
75-79	176	6.1	57	1	1	3	7	15	24	48
80-84	90	6.3	48	1	1	3	9	15	21	34
85+	41	10.1	214	1	1	5	16	28	62	99+
GRAND TOTAL	**937**	**5.7**	**56**	**1**	**1**	**3**	**7**	**13**	**21**	**45**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	49	2.3	9	<1	<1	1	2	4	5	19
70-74	33	2.2	8	<1	1	2	2	3	4	18
75-79	22	1.9		<1	<1	2	2	3	4	4
80-84	21	3.0	11	<1	<1	2	3	9	50	99+
85+	18	1.6		<1	<1	1	2	3	3	3
2. MULTIPLE DX										
65-69 YRS	519	5.1	75	1	1	2	5	12	19	54
70-74	423	6.8	90	1	1	3	8	17	30	61
75-79	328	6.3	88	1	1	3	8	17	24	99+
80-84	259	6.0	81	1	1	3	8	14	23	99+
85+	236	8.2	180	1	1	3	11	18	29	99+
TOT. SINGLE DX	143	2.2	7	<1	<1	2	2	3	4	24
" MULTIPLE DX	1765	6.3	97	1	1	3	7	16	24	93
TOTAL 65-69 YRS	568	4.9	71	1	1	2	4	11	18	48
70-74	456	6.5	86	1	1	3	7	16	28	60
75-79	350	6.0	84	1	1	2	7	16	23	99
80-84	280	5.8	77	1	1	2	7	14	22	99+
85+	254	7.7	171	1	1	3	10	18	27	99
GRAND TOTAL	**1908**	**6.0**	**92**	**1**	**1**	**2**	**7**	**15**	**23**	**93**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	6	2.3	1	1	1	2	3	4	4	4
70-74	2	3.5	1	3	3	3	4	4	4	4
75-79										
80-84	2	2.5	5	1	1	2	4	4	4	4
85+										
2. MULTIPLE DX										
65-69 YRS	5	3.6	6	1	1	3	5	7	7	7
70-74	5	15.0	411	2	2	6	24	50	50	50
75-79	5	7.6	61	<1	<1	5	14	19	19	19
80-84	3	5.0	27	2	2	2	9	11	11	11
85+	1	6.0		6	6	6	6	6	6	6
TOT. SINGLE DX	10	2.6	2	1	1	3	4	4	4	4
" MULTIPLE DX	19	8.0	130	<1	1	5	10	17	36	50
TOTAL 65-69 YRS	11	2.9	4	1	1	3	4	6	7	7
70-74	7	11.7	306	2	2	4	13	43	50	50
75-79	5	7.6	61	<1	<1	5	14	19	19	19
80-84	5	4.0	17	1	1	2	6	11	11	11
85+	1	6.0		6	6	6	6	6	6	6
GRAND TOTAL	**29**	**6.1**	**91**	**1**	**1**	**3**	**6**	**14**	**21**	**50**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	57	2.7	4	1	1	2	3	5	6	13
70-74	26	2.8	4	<1	1	2	3	4	6	12
75-79	19	2.8	1	1	1	3	4	4	6	7
80-84	8	3.6	7	<1	<1	3	6	8	8	8
85+	5	3.6	1	2	2	4	4	5	5	5
2. MULTIPLE DX										
65-69 YRS	170	4.0	23	1	1	2	4	9	14	20
70-74	101	4.6	20	1	1	3	6	10	13	24
75-79	102	4.5	22	1	1	3	6	10	12	26
80-84	38	8.2	170	2	2	3	10	16	30	74
85+	23	5.1	24	1	1	3	8	12	17	18
TOT. SINGLE DX	115	2.8	4	1	1	2	3	5	7	12
" MULTIPLE DX	434	4.7	36	1	1	3	5	10	15	27
TOTAL 65-69 YRS	227	3.7	19	1	1	2	4	8	13	20
70-74	127	4.2	18	1	1	3	5	10	12	24
75-79	121	4.3	20	1	1	3	5	9	11	24
80-84	46	7.4	144	1	2	3	8	15	23	74
85+	28	4.8	20	1	1	3	6	10	17	18
GRAND TOTAL	**549**	**4.3**	**30**	**1**	**1**	**3**	**4**	**10**	**13**	**23**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	358	3.0	3	1	1	3	4	5	6	9
70-74	266	3.0	6	1	1	3	4	5	6	13
75-79	181	3.1	3	1	1	3	4	5	7	9
80-84	80	3.8	13	1	1	3	4	7	9	24
85+	46	3.9	9	1	1	3	4	8	13	13
2. MULTIPLE DX										
65-69 YRS	492	4.3	12	1	2	3	5	8	11	20
70-74	436	4.6	18	1	1	4	5	9	12	22
75-79	311	5.2	21	1	2	4	6	10	16	25
80-84	172	5.8	53	1	2	4	6	11	14	51
85+	138	7.4	56	2	2	5	9	16	22	60
TOT. SINGLE DX	931	3.1	5	1	1	3	4	5	7	12
" MULTIPLE DX	1549	5.0	25	1	2	4	5	10	14	29
TOTAL 65-69 YRS	850	3.7	9	1	1	3	4	7	9	16
70-74	702	4.0	14	1	1	3	5	7	11	21
75-79	492	4.4	16	1	1	3	5	8	12	23
80-84	252	5.2	42	1	2	3	6	9	14	32
85+	184	6.6	47	1	2	4	8	15	21	49
GRAND TOTAL	**2480**	**4.3**	**19**	**1**	**1**	**3**	**5**	**8**	**12**	**23**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	1	4.0		4	4	4	4	4	4	4
75-79	1	13.0		13	13	13	13	13	13	13
80-84										
85+	4	4.0	2	3	3	4	5	6	6	6
2. MULTIPLE DX										
65-69 YRS	28	4.4	16	1	2	3	5	10	12	20
70-74	7	2.0	1	1	1	2	3	4	4	4
75-79	2	6.0	8	4	4	6	8	8	8	8
80-84	1	14.0		14	14	14	14	14	14	14
85+	1	1.0		1	1	1	1	1	1	1
TOT. SINGLE DX	7	5.0	14	2	2	4	6	12	13	13
" MULTIPLE DX	39	4.2	16	1	1	3	5	10	13	20
TOTAL 65-69 YRS	29	4.3	16	1	2	3	5	10	12	20
70-74	8	2.3	2	1	1	2	3	4	4	4
75-79	3	8.3	20	4	4	8	12	13	13	13
80-84	1	14.0		14	14	14	14	14	14	14
85+	5	3.4	3	1	1	3	4	6	6	6
GRAND TOTAL	**46**	**4.3**	**16**	**1**	**1**	**3**	**5**	**11**	**13**	**20**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	222	4.1	31	<1	1	2	4	9	16	29
70-74	158	3.7	16	<1	1	2	4	8	12	22
75-79	109	3.1	6	<1	1	2	4	7	9	12
80-84	68	4.7	51	<1	1	3	5	9	14	49
85+	62	4.1	15	<1	<1	3	5	9	12	19
2. MULTIPLE DX										
65-69 YRS	604	7.6	83	1	1	4	10	18	24	55
70-74	553	8.0	110	1	1	5	9	18	27	67
75-79	425	6.1	51	1	1	4	8	13	21	46
80-84	316	7.4	91	1	1	4	9	15	23	53
85+	196	9.1	158	1	1	5	11	17	35	73
TOT. SINGLE DX	619	3.9	24	<1	1	2	4	8	12	24
" MULTIPLE DX	2094	7.5	93	1	1	4	9	17	24	59
TOTAL 65-69 YRS	826	6.7	72	1	1	3	8	16	23	50
70-74	711	7.0	93	1	1	4	8	16	24	64
75-79	534	5.5	44	1	1	3	7	12	18	40
80-84	384	6.9	86	1	1	4	8	14	22	54
85+	258	7.9	129	1	1	5	9	15	23	70
GRAND TOTAL	**2713**	**6.7**	**80**	**1**	**1**	**4**	**8**	**15**	**22**	**53**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	22	2.1	3	1	1	2	2	4	6	9
70-74	9	3.0	5	1	1	2	4	7	8	8
75-79	8	5.1	41	1	1	3	6	16	20	20
80-84	3	2.0		2	2	2	2	2	2	2
85+	11	2.1	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
65-69 YRS	31	4.1	21	1	1	2	4	9	17	21
70-74	24	5.6	58	1	1	3	7	13	23	34
75-79	11	3.3	2	2	2	3	4	5	7	7
80-84	6	3.7	10	1	1	2	6	9	9	9
85+	3	8.0	127	1	1	2	16	21	21	21
TOT. SINGLE DX	53	2.7	9	1	1	2	3	5	8	20
" MULTIPLE DX	75	4.6	33	1	1	2	5	11	18	31
TOTAL 65-69 YRS	53	3.3	15	1	1	2	3	8	10	21
70-74	33	4.9	45	1	1	2	5	12	18	34
75-79	19	4.1	18	1	1	3	4	8	15	20
80-84	9	3.1	7	1	1	2	3	8	9	9
85+	14	3.4	27	1	1	2	3	6	18	21
GRAND TOTAL	**128**	**3.8**	**24**	**1**	**1**	**2**	**4**	**8**	**13**	**24**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	4	1.8	1	1	1	2	2	3	3	3
70-74	2	1.0		1	1	1	1	1	1	1
75-79	2	2.0		2	2	2	2	2	2	2
80-84	1	1.0		1	1	1	1	1	1	1
85+	14	1.4		<1	1	1	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	5	1.6	1	1	1	1	2	3	3	3
70-74	1	4.0		4	4	4	4	4	4	4
75-79	3	1.0		<1	<1	1	1	1	1	1
80-84	5	1.2		<1	<1	1	1	2	2	2
85+	13	2.1	2	1	1	2	2	4	6	6
TOT. SINGLE DX	23	1.5		<1	1	1	2	2	3	3
" MULTIPLE DX	27	1.8	1	<1	1	1	2	4	5	6
TOTAL 65-69 YRS	9	1.7	1	1	1	1	2	3	3	3
70-74	3	2.0	3	1	1	1	3	4	4	4
75-79	5	1.4		<1	<1	1	2	2	2	2
80-84	6	1.2		<1	<1	1	1	2	2	2
85+	27	1.7	1	<1	1	2	2	2	4	6
GRAND TOTAL	**50**	**1.6**	**1**	**<1**	**1**	**1**	**2**	**3**	**4**	**6**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74	1	1.0		<1	<1	<1	<1	<1	<1	<1
75-79										
80-84	1	1.0		1	1	1	1	1	1	1
85+										
2. MULTIPLE DX										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74										
75-79										
80-84										
85+	1	1.0		1	1	1	1	1	1	1
TOT. SINGLE DX	2	1.0		<1	<1	<1	1	1	1	1
" MULTIPLE DX	2	3.0	8	1	1	3	5	5	5	5
TOTAL 65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	1	1.0		<1	<1	<1	<1	<1	<1	<1
75-79										
80-84	1	1.0		1	1	1	1	1	1	1
85+	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**4**	**2.0**	**4**	**<1**	**<1**	**1**	**3**	**5**	**5**	**5**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	85	4.1	16	1	1	3	4	11	14	19
70-74	63	2.7	8	1	1	2	3	5	8	18
75-79	42	3.2	6	<1	1	3	4	6	8	13
80-84	21	3.0	5	<1	1	2	4	6	8	9
85+	16	6.0	58	<1	1	3	7	15	25	30
2. MULTIPLE DX										
65-69 YRS	241	8.5	109	1	1	4	11	23	33	51
70-74	187	7.6	73	1	1	4	10	17	25	43
75-79	125	9.1	100	1	1	4	14	22	34	42
80-84	69	9.2	88	1	1	6	13	19	33	46
85+	40	9.5	49	1	2	8	12	21	22	30
TOT. SINGLE DX	227	3.6	15	1	1	2	4	8	12	20
" MULTIPLE DX	662	8.5	92	1	1	5	11	21	30	43
TOTAL 65-69 YRS	326	7.4	89	1	1	3	10	18	28	44
70-74	250	6.4	62	1	1	3	9	16	21	40
75-79	167	7.6	83	1	1	4	10	20	27	42
80-84	90	7.7	76	1	1	4	10	17	29	43
85+	56	8.5	54	1	1	7	11	21	23	30
GRAND TOTAL	**889**	**7.2**	**77**	**1**	**1**	**4**	**10**	**18**	**25**	**41**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	25	4.0	5	<1	1	4	5	7	8	10
70-74	18	2.7	3	<1	1	2	4	6	6	6
75-79	28	3.1	4	<1	<1	2	5	7	8	8
80-84	20	3.4	8	<1	1	3	4	6	10	14
85+	18	2.6	2	1	1	2	4	4	5	6
2. MULTIPLE DX										
65-69 YRS	182	5.8	37	1	1	4	7	13	19	29
70-74	154	5.5	33	1	1	4	7	11	14	36
75-79	151	5.2	30	1	1	3	6	10	14	32
80-84	114	5.4	24	1	2	4	6	10	16	27
85+	98	5.8	63	1	1	4	7	11	18	86
TOT. SINGLE DX	109	3.2	5	<1	1	3	4	6	7	12
" MULTIPLE DX	699	5.5	36	1	1	4	7	11	16	33
TOTAL 65-69 YRS	207	5.6	34	1	1	4	7	12	18	29
70-74	172	5.2	31	1	1	4	7	10	14	34
75-79	179	4.9	27	1	1	3	6	9	14	31
80-84	134	5.1	22	1	1	4	6	10	15	25
85+	116	5.3	56	1	1	4	6	10	15	81
GRAND TOTAL	**808**	**5.2**	**33**	**1**	**1**	**4**	**6**	**10**	**15**	**31**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	279	1.5		<1	<1	1	2	2	3	6
70-74	198	1.8	2	<1	<1	1	2	3	4	10
75-79	97	2.2	6	<1	<1	2	2	3	6	16
80-84	52	1.7		<1	1	2	2	2	3	5
85+	25	2.6	7	<1	<1	2	2	5	11	11
2. MULTIPLE DX										
65-69 YRS	476	3.8	27	<1	1	2	4	9	12	30
70-74	348	4.5	36	1	1	2	5	11	17	24
75-79	245	5.5	69	<1	1	2	7	15	28	99+
80-84	93	4.7	57	1	1	2	4	11	17	47
85+	47	7.1	195	<1	1	3	9	14	19	93
TOT. SINGLE DX	651	1.8	3	<1	<1	1	2	2	4	11
" MULTIPLE DX	1209	4.5	48	<1	1	2	4	11	17	45
TOTAL 65-69 YRS	755	2.9	19	<1	1	2	2	7	10	26
70-74	546	3.5	26	<1	1	2	3	9	12	22
75-79	342	4.5	54	<1	1	2	4	13	20	99+
80-84	145	3.6	39	1	1	2	3	9	12	33
85+	72	5.5	134	<1	1	2	5	12	16	79
GRAND TOTAL	**1860**	**3.6**	**34**	**<1**	**1**	**2**	**3**	**9**	**13**	**32**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	31	9.9	46	1	1	10	15	17	23	24
70-74	23	8.0	84	1	1	4	11	18	28	41
75-79	9	10.1	79	2	2	8	16	24	28	28
80-84	2	1.5	1	1	1	1	2	2	2	2
85+	4	7.8	74	1	1	6	14	19	19	19
2. MULTIPLE DX										
65-69 YRS	87	11.7	121	1	2	9	16	25	47	99+
70-74	79	12.0	175	1	2	9	17	26	40	69
75-79	45	13.2	212	1	1	11	18	25	40	82
80-84	13	13.0	240	1	1	9	16	33	53	58
85+	5	11.6	110	2	2	8	21	26	26	26
TOT. SINGLE DX	69	8.9	63	1	1	9	14	18	23	39
" MULTIPLE DX	229	12.1	162	1	2	9	17	26	41	85
TOTAL 65-69 YRS	118	11.2	102	1	1	9	15	23	39	99+
70-74	102	11.1	156	1	1	8	16	24	39	67
75-79	54	12.7	189	1	1	10	18	25	37	80
80-84	15	11.5	223	1	1	8	14	27	50	58
85+	9	9.9	87	1	1	8	19	23	26	26
GRAND TOTAL	**298**	**11.4**	**140**	**1**	**1**	**9**	**16**	**24**	**38**	**76**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	50	14.7	27	9	10	13	16	22	24	35
70-74	29	13.9	38	8	9	12	15	20	29	37
75-79	16	14.4	41	8	9	13	16	21	31	35
80-84	1	8.0		8	8	8	8	8	8	8
85+	3	20.3	54	12	12	23	25	26	26	26
2. MULTIPLE DX										
65-69 YRS	202	22.0	214	9	10	17	28	43	55	91
70-74	148	21.9	155	10	10	19	27	37	52	99+
75-79	79	19.9	149	10	11	16	22	36	45	67
80-84	34	22.8	243	9	10	17	24	50	61	68
85+	11	26.0	411	10	11	21	28	56	80	82
TOT. SINGLE DX	99	14.5	33	8	9	13	16	22	27	36
" MULTIPLE DX	474	21.8	191	9	10	17	25	40	54	84
TOTAL 65-69 YRS	252	20.6	186	9	10	16	23	40	51	84
70-74	177	20.6	145	9	10	16	25	36	48	95
75-79	95	19.0	135	9	10	15	22	35	42	67
80-84	35	22.4	242	8	10	17	24	50	60	68
85+	14	24.8	331	10	11	22	26	42	73	82
GRAND TOTAL	**573**	**20.5**	**171**	**9**	**10**	**16**	**24**	**38**	**50**	**84**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	7	12.0	66	1	2	13	19	23	23	23
70-74	4	10.8	19	5	5	11	14	15	15	15
75-79	1	5.0		5	5	5	5	5	5	5
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	139	29.8	488	4	6	26	47	72	99+	99+
70-74	119	34.3	494	7	10	35	57	92	99+	99+
75-79	77	34.4	495	6	8	33	52	82	99+	99+
80-84	43	37.8	792	11	15	27	63	98	99+	99+
85+	29	38.5	665	6	7	37	69	96	99+	99+
TOT. SINGLE DX	12	11.0	45	1	4	11	14	22	23	23
" MULTIPLE DX	407	33.5	539	6	8	32	52	88	99+	99+
TOTAL 65-69 YRS	146	28.9	482	3	6	23	45	70	99	99+
70-74	123	33.6	497	7	10	34	55	91	99+	99+
75-79	78	34.0	501	6	7	32	52	82	99+	99+
80-84	43	37.8	793	11	15	27	63	98	99+	99+
85+	29	38.5	665	6	7	37	69	96	99+	99+
GRAND TOTAL	**419**	**32.8**	**539**	**6**	**7**	**30**	**51**	**87**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	31	3.8	20	1	1	2	5	11	21	99+
70-74	29	6.6	124	1	1	2	5	22	35	47
75-79	20	11.1	405	1	1	2	11	39	65	79
80-84	6	3.2	28	1	1	1	1	13	14	14
85+	3	3.0	12	1	1	1	6	7	7	7
2. MULTIPLE DX										
65-69 YRS	381	28.6	659	1	2	26	52	91	99+	99+
70-74	350	31.1	611	1	2	30	55	82	99+	99+
75-79	253	31.5	518	2	3	31	51	71	98	99+
80-84	134	37.6	706	2	3	38	63	93	99+	99+
85+	87	36.8	667	5	8	36	63	82	92	99+
TOT. SINGLE DX	89	6.3	144	1	1	2	5	15	34	92
" MULTIPLE DX	1205	31.5	628	1	2	30	54	84	99+	99+
TOTAL 65-69 YRS	412	26.7	653	1	1	23	51	90	99+	99+
70-74	379	29.3	617	1	2	28	52	80	99+	99+
75-79	273	30.0	537	1	2	29	50	70	97	99+
80-84	140	36.1	726	1	2	34	63	92	99+	99+
85+	90	35.7	682	3	7	34	62	81	91	99+
GRAND TOTAL	**1294**	**29.8**	**636**	**1**	**2**	**27**	**52**	**82**	**99+**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	360	5.7	25	1	1	4	8	12	15	21
70-74	286	5.9	32	<1	1	4	8	12	18	26
75-79	204	5.7	26	1	1	4	8	13	15	21
80-84	100	7.4	44	1	1	6	10	14	19	35
85+	42	9.3	67	1	2	8	12	17	26	42
2. MULTIPLE DX										
65-69 YRS	3372	10.8	79	2	3	9	14	21	27	47
70-74	3413	11.3	86	2	3	9	15	22	30	50
75-79	2560	11.9	93	2	3	10	15	23	30	52
80-84	1426	12.7	107	2	3	11	16	24	30	69
85+	755	13.8	121	3	4	11	17	26	35	75
TOT. SINGLE DX	992	6.1	32	1	1	4	8	13	16	28
" MULTIPLE DX	11526	11.6	92	2	3	9	15	23	30	53
TOTAL 65-69 YRS	3732	10.3	77	2	2	8	13	21	26	46
70-74	3699	10.9	84	2	2	9	14	22	29	48
75-79	2764	11.5	91	2	3	9	15	23	29	50
80-84	1526	12.4	106	2	3	10	16	24	30	64
85+	797	13.6	120	2	4	11	17	26	35	73
GRAND TOTAL	**12518**	**11.2**	**89**	**2**	**2**	**9**	**15**	**22**	**29**	**51**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1	30.0		30	30	30	30	30	30	30
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	3	19.0	259	1	1	24	30	32	32	32
70-74	3	21.0	613	2	2	12	40	49	49	49
75-79	1	16.0		16	16	16	16	16	16	16
80-84	1	1.0		1	1	1	1	1	1	1
85+										
TOT. SINGLE DX	1	30.0		30	30	30	30	30	30	30
" MULTIPLE DX	8	17.1	294	1	1	14	28	44	49	49
TOTAL 65-69 YRS	4	21.8	203	1	1	27	31	32	32	32
70-74	3	21.0	613	2	2	12	40	49	49	49
75-79	1	16.0		16	16	16	16	16	16	16
80-84	1	1.0		1	1	1	1	1	1	1
85+										
GRAND TOTAL	**9**	**18.6**	**276**	**1**	**1**	**16**	**30**	**42**	**49**	**49**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	274	7.9	35	1	2	7	10	15	17	25
70-74	192	7.9	34	1	1	7	10	15	18	27
75-79	114	7.2	36	<1	1	7	10	14	18	32
80-84	52	6.8	30	1	1	5	10	16	18	23
85+	16	6.6	38	<1	1	5	9	16	21	23
2. MULTIPLE DX										
65-69 YRS	1712	12.5	117	2	3	10	16	24	34	56
70-74	1614	12.5	97	1	2	10	16	24	30	52
75-79	1040	12.5	99	2	2	10	17	25	32	49
80-84	488	12.2	91	1	2	10	16	24	31	49
85+	193	13.1	100	2	3	10	17	26	36	53
TOT. SINGLE DX	648	7.6	35	1	1	7	10	15	18	27
" MULTIPLE DX	5047	12.5	104	1	2	10	16	24	32	53
TOTAL 65-69 YRS	1986	11.8	109	2	2	9	15	23	32	56
70-74	1806	12.0	93	1	2	10	15	23	29	50
75-79	1154	12.0	96	1	2	10	16	24	31	49
80-84	540	11.7	88	1	2	10	16	23	30	46
85+	209	12.6	98	2	3	10	17	25	33	51
GRAND TOTAL	**5695**	**11.9**	**99**	**1**	**2**	**10**	**15**	**23**	**31**	**52**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	154	11.8	27	7	8	10	14	17	21	36
70-74	119	11.2	21	6	7	10	13	19	21	25
75-79	59	13.6	75	6	7	11	15	19	39	48
80-84	24	12.1	29	7	8	11	13	23	24	27
85+	3	8.7	1	8	8	8	10	10	10	10
2. MULTIPLE DX										
65-69 YRS	1021	15.6	92	7	8	13	18	27	32	61
70-74	847	16.3	90	8	9	14	19	27	35	66
75-79	414	16.7	92	7	8	14	20	28	36	64
80-84	108	17.3	132	7	8	14	20	28	38	70
85+	21	18.6	89	6	8	16	29	32	33	33
TOT. SINGLE DX	359	11.9	34	6	7	10	14	18	22	39
" MULTIPLE DX	2411	16.1	94	7	8	13	19	27	34	63
TOTAL 65-69 YRS	1175	15.1	85	7	8	12	18	25	31	57
70-74	966	15.7	85	7	8	13	19	26	32	60
75-79	473	16.3	92	7	8	14	19	28	37	60
80-84	132	16.4	118	7	8	13	19	26	37	68
85+	24	17.4	89	6	8	14	27	32	33	33
GRAND TOTAL	**2770**	**15.6**	**88**	**7**	**8**	**13**	**18**	**26**	**32**	**60**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	193	5.7	35	<1	1	3	8	14	18	30
70-74	140	6.3	27	1	1	5	9	13	17	23
75-79	102	5.8	31	<1	1	4	9	12	17	28
80-84	59	7.2	30	<1	1	5	10	16	18	23
85+	38	9.1	51	1	1	8	15	19	22	28
2. MULTIPLE DX										
65-69 YRS	2293	11.4	98	2	3	9	15	22	31	50
70-74	2225	12.1	106	2	3	10	15	24	33	57
75-79	1690	13.0	131	2	3	10	16	26	34	66
80-84	1071	14.4	136	2	4	12	18	28	37	68
85+	654	15.3	119	3	4	13	19	30	40	68
TOT. SINGLE DX	532	6.3	34	<1	1	4	9	14	18	26
" MULTIPLE DX	7933	12.7	116	2	3	10	16	25	34	59
TOTAL 65-69 YRS	2486	11.0	96	1	2	9	14	22	30	48
70-74	2365	11.7	104	2	3	9	15	24	32	56
75-79	1792	12.6	129	2	3	10	16	25	34	65
80-84	1130	14.0	133	2	4	11	18	27	36	64
85+	692	14.9	118	3	4	13	19	29	39	67
GRAND TOTAL	**8465**	**12.3**	**113**	**2**	**3**	**10**	**16**	**24**	**33**	**59**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	11	7.4	37	1	1	5	11	16	21	22
70-74	14	9.0	33	2	3	7	12	17	21	22
75-79	3	4.3		4	4	4	5	5	5	5
80-84	3	9.3	86	3	3	5	16	20	20	20
85+	2	7.0	8	5	5	7	9	9	9	9
2. MULTIPLE DX										
65-69 YRS	113	12.1	94	1	3	10	17	23	29	49
70-74	109	14.5	207	3	4	11	17	24	34	89
75-79	82	12.2	86	3	4	10	15	27	32	83
80-84	41	16.6	170	3	5	13	19	37	54	99+
85+	19	13.3	71	1	3	13	18	25	29	32
TOT. SINGLE DX	33	7.9	33	1	3	5	11	18	21	22
" MULTIPLE DX	364	13.4	135	3	4	11	17	25	33	83
TOTAL 65-69 YRS	124	11.7	91	1	3	10	17	23	28	45
70-74	123	13.8	190	3	4	10	16	24	34	88
75-79	85	11.9	86	3	4	9	15	27	31	81
80-84	44	16.1	166	3	4	13	19	35	50	99+
85+	21	12.7	68	2	4	10	18	25	28	32
GRAND TOTAL	**397**	**13.0**	**129**	**2**	**4**	**10**	**17**	**25**	**32**	**80**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	95	7.6	29	2	3	6	10	16	18	28
70-74	83	7.7	30	2	2	6	10	16	19	25
75-79	49	7.8	38	2	2	6	9	14	20	33
80-84	36	7.8	37	2	3	6	10	15	19	32
85+	23	7.9	23	2	2	8	11	17	43	99+
2. MULTIPLE DX										
65-69 YRS	1346	12.8	116	3	4	10	16	26	34	60
70-74	1296	13.1	121	3	4	10	15	27	35	58
75-79	919	13.8	148	3	4	10	18	28	34	80
80-84	594	14.1	143	3	4	11	18	27	35	68
85+	387	14.6	99	4	5	12	18	29	34	70
TOT. SINGLE DX	286	7.7	31	2	2	6	10	16	19	31
" MULTIPLE DX	4542	13.4	126	3	4	10	17	27	34	63
TOTAL 65-69 YRS	1441	12.5	112	3	4	9	16	25	34	59
70-74	1379	12.8	118	3	4	9	16	26	34	58
75-79	968	13.5	144	3	4	10	18	28	34	77
80-84	630	13.7	139	3	4	11	18	26	33	67
85+	410	14.2	97	3	5	12	18	28	34	81
GRAND TOTAL	**4828**	**13.1**	**123**	**3**	**4**	**10**	**17**	**27**	**34**	**62**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	132	6.7	35	<1	1	5	10	15	18	27
70-74	104	5.8	35	1	1	4	8	12	14	32
75-79	62	5.6	24	1	2	4	7	10	12	28
80-84	25	7.0	36	1	1	6	10	16	21	22
85+	17	9.2	59	1	2	11	13	16	26	31
2. MULTIPLE DX										
65-69 YRS	980	11.6	111	1	2	9	15	24	32	51
70-74	882	12.3	113	2	2	9	17	25	33	55
75-79	660	13.5	159	2	3	10	17	28	35	73
80-84	387	12.8	114	2	3	10	16	27	35	60
85+	232	13.4	116	2	3	11	18	29	37	78
TOT. SINGLE DX	340	6.4	35	1	1	4	9	14	17	28
" MULTIPLE DX	3141	12.5	123	2	2	10	16	26	34	58
TOTAL 65-69 YRS	1112	11.0	105	1	2	9	14	23	31	50
70-74	986	11.6	109	1	2	9	16	23	33	54
75-79	722	12.8	153	2	3	9	16	28	33	70
80-84	412	12.4	111	2	3	10	16	26	34	59
85+	249	13.1	114	2	3	11	17	28	37	74
GRAND TOTAL	**3481**	**11.9**	**118**	**1**	**2**	**9**	**16**	**25**	**33**	**57**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	84	12.5	14	8	9	12	14	17	20	24
70-74	51	14.0	21	8	9	13	16	21	23	30
75-79	25	14.6	68	6	8	12	16	26	33	42
80-84	6	15.3	116	2	3	12	22	32	33	33
85+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
65-69 YRS	1114	17.4	128	8	9	14	20	29	39	77
70-74	1030	18.8	147	8	9	15	22	35	43	79
75-79	552	18.9	107	9	10	16	23	32	40	66
80-84	169	22.7	200	10	11	18	27	42	54	77
85+	36	22.7	220	9	10	17	29	42	62	65
TOT. SINGLE DX	167	13.4	28	8	9	12	16	19	24	33
" MULTIPLE DX	2901	18.5	138	8	9	15	22	33	42	77
TOTAL 65-69 YRS	1198	17.1	122	8	9	14	19	28	38	75
70-74	1081	18.5	143	8	9	15	22	33	42	78
75-79	577	18.7	107	9	10	16	22	31	39	65
80-84	175	22.4	199	10	11	18	27	40	53	76
85+	37	22.4	218	9	10	16	29	41	62	65
GRAND TOTAL	**3068**	**18.3**	**134**	**8**	**9**	**15**	**21**	**32**	**41**	**75**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	375	11.6	18	7	8	11	13	17	19	27
70-74	227	11.8	16	7	8	11	14	17	19	30
75-79	76	13.8	34	8	8	12	15	23	27	35
80-84	13	17.7	27	10	13	17	20	24	30	31
85+	2	14.0	50	9	9	14	19	19	19	19
2. MULTIPLE DX										
65-69 YRS	5871	14.1	65	7	8	12	16	23	28	52
70-74	4013	15.3	81	8	8	13	17	25	32	56
75-79	1685	17.1	106	8	9	14	20	29	37	65
80-84	324	19.5	120	8	9	17	24	33	41	67
85+	31	20.3	152	9	9	17	24	36	45	68
TOT. SINGLE DX	693	12.1	21	7	8	11	14	18	20	30
" MULTIPLE DX	11924	15.1	80	8	8	13	17	24	31	55
TOTAL 65-69 YRS	6246	14.0	63	7	8	12	16	22	28	52
70-74	4240	15.1	79	8	8	12	17	24	32	56
75-79	1761	17.0	104	8	9	14	20	28	36	65
80-84	337	19.4	117	8	9	17	24	33	41	64
85-	33	19.9	147	9	9	17	23	36	44	68
GRAND TOTAL	**12617**	**14.9**	**78**	**8**	**8**	**12**	**17**	**24**	**31**	**55**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1937	2.7	6	1	1	2	2	5	9	14
70-74	1071	2.8	7	1	1	2	2	6	9	14
75-79	347	3.2	10	1	1	2	3	7	10	16
80-84	71	3.3	18	1	1	2	3	6	9	29
85+	14	5.2	19	1	1	3	10	11	13	13
2. MULTIPLE DX										
65-69 YRS	14165	4.9	27	1	1	2	7	11	15	24
70-74	9339	5.4	34	1	1	3	7	12	16	27
75-79	4104	6.6	48	1	1	4	9	15	19	33
80-84	1043	8.6	71	1	1	6	12	19	24	44
85+	279	10.1	81	1	2	8	14	21	27	41
TOT. SINGLE DX	3440	2.8	8	1	1	2	2	6	9	14
" MULTIPLE DX	28930	5.5	36	1	1	3	8	12	16	28
TOTAL 65-69 YRS	16102	4.6	26	1	1	2	6	11	14	24
70-74	10410	5.2	33	1	1	3	7	12	16	26
75-79	4451	6.3	46	1	1	4	9	14	19	32
80-84	1114	8.3	70	1	1	6	11	18	24	42
85+	293	9.8	79	1	2	8	13	21	27	41
GRAND TOTAL	**32370**	**5.2**	**34**	**1**	**1**	**2**	**7**	**12**	**16**	**27**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	307	4.8	16	1	1	4	6	10	14	20
70-74	430	4.9	27	1	1	4	6	10	11	20
75-79	484	4.2	11	1	1	3	5	9	11	18
80-84	425	4.8	21	1	1	4	6	9	12	20
85+	378	4.7	18	1	2	4	6	9	12	21
2. MULTIPLE DX										
65-69 YRS	3168	9.8	65	2	3	8	13	19	23	42
70-74	4438	9.6	64	2	3	8	13	19	23	42
75-79	5254	9.7	64	2	3	8	12	19	24	41
80-84	4914	9.9	64	2	3	8	13	19	25	41
85+	4328	10.2	70	2	3	8	13	20	26	45
TOT. SINGLE DX	2024	4.7	19	1	1	4	6	9	12	19
" MULTIPLE DX	22102	9.8	66	2	3	8	13	19	24	42
TOTAL 65-69 YRS	3475	9.3	63	2	2	7	12	18	23	40
70-74	4868	9.2	63	2	2	7	12	18	23	42
75-79	5738	9.2	62	2	2	7	12	18	23	40
80-84	5339	9.5	63	2	2	8	12	18	24	40
85+	4706	9.7	68	2	2	8	13	19	25	43
GRAND TOTAL	**24126**	**9.4**	**64**	**2**	**2**	**7**	**12**	**18**	**24**	**42**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	323	3.9	7	1	2	3	5	8	10	13
70-74	175	4.3	15	1	2	3	5	8	12	21
75-79	63	4.9	18	1	2	3	6	9	14	24
80-84	23	6.0	17	2	2	6	8	13	16	17
85+	4	8.3	11	5	5	7	10	13	13	13
2. MULTIPLE DX										
65-69 YRS	2435	7.1	38	2	2	5	9	14	18	30
70-74	1616	7.9	55	2	2	6	10	16	22	37
75-79	654	9.3	73	2	2	7	12	19	25	45
80-84	178	11.1	113	2	3	8	13	23	29	60
85+	70	13.4	145	3	4	9	18	25	33	75
TOT. SINGLE DX	588	4.3	12	1	2	3	5	8	11	17
" MULTIPLE DX	4953	7.9	54	2	2	6	10	16	21	37
TOTAL 65-69 YRS	2758	6.7	36	2	2	5	9	14	18	30
70-74	1791	7.5	53	2	2	5	10	16	21	36
75-79	717	8.9	71	2	2	6	12	18	24	45
80-84	201	10.5	105	2	3	8	12	22	26	54
85+	74	13.1	139	3	4	9	17	25	32	73
GRAND TOTAL	**5541**	**7.5**	**51**	**2**	**2**	**5**	**10**	**15**	**20**	**36**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	163	3.7	21	<1	1	2	4	9	13	28
70-74	134	4.9	39	<1	1	2	6	13	21	31
75-79	83	4.8	50	<1	1	2	7	10	13	46
80-84	68	5.5	20	<1	1	4	8	12	13	19
85+	50	8.1	41	1	2	6	11	19	22	27
2. MULTIPLE DX										
65-69 YRS	2298	10.1	83	1	2	8	13	20	27	45
70-74	2484	10.6	87	2	2	8	14	21	27	49
75-79	2328	11.3	87	2	3	9	14	22	29	54
80-84	1883	11.9	93	2	3	9	15	23	30	56
85+	2094	12.9	109	2	4	10	16	25	32	63
TOT. SINGLE DX	498	4.9	34	<1	1	2	7	12	15	28
" MULTIPLE DX	11087	11.3	93	2	3	9	15	22	29	53
TOTAL 65-69 YRS	2461	9.6	82	1	2	7	12	20	26	44
70-74	2618	10.3	87	1	2	8	14	21	27	48
75-79	2411	11.1	88	2	2	9	14	22	29	54
80-84	1951	11.7	92	2	3	9	15	23	30	55
85+	2144	12.8	109	2	4	10	16	25	32	63
GRAND TOTAL	**11585**	**11.0**	**92**	**2**	**2**	**9**	**14**	**22**	**29**	**53**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	221	3.5	4	1	1	3	4	6	7	11
70-74	142	4.0	12	1	1	3	4	7	9	22
75-79	58	3.8	3	1	1	4	5	6	7	11
80-84	16	6.0	29	1	1	4	7	17	18	18
85+	8	3.5	6	1	1	3	5	7	8	8
2. MULTIPLE DX										
65-69 YRS	333	5.8	38	1	2	4	6	12	17	32
70-74	207	6.4	35	1	2	4	7	14	19	30
75-79	110	12.6	257	2	2	7	15	25	43	88
80-84	59	10.5	113	2	3	7	12	25	34	55
85+	27	14.4	145	2	2	11	23	31	34	46
TOT. SINGLE DX	445	3.8	8	1	1	3	4	6	8	18
" MULTIPLE DX	736	7.7	87	1	2	5	8	17	25	47
TOTAL 65-69 YRS	554	4.9	26	1	2	4	5	9	14	27
70-74	349	5.4	28	1	2	4	6	11	18	29
75-79	168	9.6	187	1	2	5	10	21	27	81
80-84	75	9.5	98	2	2	7	12	20	30	53
85+	35	11.9	134	1	2	7	17	31	32	46
GRAND TOTAL	**1181**	**6.2**	**61**	**1**	**2**	**4**	**6**	**13**	**20**	**38**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	383	8.7	21	2	4	8	11	14	17	25
70-74	313	9.2	24	3	4	9	11	14	18	30
75-79	179	9.7	25	2	3	9	12	16	18	32
80-84	87	11.4	63	2	4	9	15	18	23	50
85+	25	12.2	222	2	5	7	14	18	34	80
2. MULTIPLE DX										
65-69 YRS	3989	14.3	121	4	5	11	17	27	36	68
70-74	3716	15.2	135	4	6	12	18	29	39	70
75-79	2507	16.5	143	5	6	13	20	31	42	73
80-84	1293	17.7	170	6	7	14	22	34	45	75
85+	568	18.6	139	6	7	15	24	34	42	70
TOT. SINGLE DX	987	9.4	32	2	4	9	11	15	18	30
" MULTIPLE DX	12073	15.6	138	4	6	12	19	30	39	70
TOTAL 65-69 YRS	4372	13.8	115	4	5	11	16	26	34	67
70-74	4029	14.7	129	4	6	11	18	28	37	66
75-79	2686	16.0	138	5	6	13	19	31	41	72
80-84	1380	17.3	166	5	7	13	21	33	44	72
85+	593	18.3	145	6	7	15	24	34	42	75
GRAND TOTAL	**13060**	**15.1**	**133**	**4**	**6**	**12**	**18**	**29**	**38**	**69**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1	11.0		11	11	11	11	11	11	11
70-74										
75-79	1	14.0		14	14	14	14	14	14	14
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	3	22.0	93	11	11	26	28	29	29	29
70-74	5	20.8	215	9	9	18	26	46	46	46
75-79	2	14.5	41	10	10	14	19	19	19	19
80-84										
85+										
TOT. SINGLE DX	2	12.5	5	11	11	12	14	14	14	14
" MULTIPLE DX	10	19.9	129	9	9	18	26	37	46	46
TOTAL 65-69 YRS	4	19.3	92	11	11	19	27	29	29	29
70-74	5	20.8	216	9	9	18	26	46	46	46
75-79	3	14.3	20	10	10	14	18	19	19	19
80-84										
85+										
GRAND TOTAL	**12**	**18.7**	**115**	**9**	**10**	**16**	**23**	**34**	**44**	**46**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	19	9.1	154	<1	1	7	9	13	39	58
70-74	10	7.8	266	<1	<1	3	4	30	54	54
75-79	8	6.5	59	1	1	3	8	19	24	24
80-84	4	10.8	63	4	4	9	17	21	21	21
85+										
2. MULTIPLE DX										
65-69 YRS	1674	7.2	56	1	2	5	9	15	21	38
70-74	1376	7.3	48	1	2	5	9	14	20	33
75-79	902	8.6	76	1	2	6	10	18	27	51
80-84	418	9.3	94	2	2	6	11	18	28	56
85+	134	8.4	63	2	2	6	10	16	29	41
TOT. SINGLE DX	41	8.4	146	<1	1	5	9	17	37	58
" MULTIPLE DX	4504	7.7	62	1	2	5	9	16	22	41
TOTAL 65-69 YRS	1693	7.2	57	1	2	5	9	15	21	39
70-74	1386	7.3	50	1	2	5	9	14	20	34
75-79	910	8.5	76	1	2	6	10	18	27	50
80-84	422	9.3	94	2	2	6	11	18	28	56
85+	134	8.4	63	2	2	6	10	16	29	41
GRAND TOTAL	**4545**	**7.7**	**63**	**1**	**2**	**5**	**9**	**16**	**22**	**42**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1430	6.4	20	1	2	5	8	11	14	21
70-74	1272	6.7	18	2	3	6	8	12	14	23
75-79	866	7.1	29	2	3	6	9	13	15	27
80-84	396	7.2	26	2	3	6	9	13	17	30
85+	187	7.9	27	2	3	7	10	14	19	25
2. MULTIPLE DX										
65-69 YRS	10461	10.7	90	2	3	8	13	20	28	57
70-74	10497	11.1	98	2	3	9	14	21	30	55
75-79	7691	11.9	105	3	4	9	15	23	32	59
80-84	3875	12.7	119	3	4	10	16	25	33	84
85+	1952	13.7	118	3	4	11	17	27	36	71
TOT. SINGLE DX	4151	6.8	23	2	3	6	9	12	15	25
" MULTIPLE DX	34476	11.5	102	2	3	9	14	22	31	59
TOTAL 65-69 YRS	11891	10.1	84	2	3	8	12	20	27	54
70-74	11769	10.6	92	2	3	8	13	21	29	53
75-79	8557	11.4	100	3	3	9	14	22	30	58
80-84	4271	12.2	113	3	4	10	15	24	32	70
85+	2139	13.2	113	3	4	11	17	26	34	67
GRAND TOTAL	**38627**	**11.0**	**95**	**2**	**3**	**8**	**14**	**21**	**29**	**57**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	276	4.8	15	<1	1	4	6	9	12	22
70-74	206	4.2	11	<1	1	3	6	9	11	15
75-79	139	4.9	19	<1	<1	4	7	10	13	24
80-84	81	4.8	42	<1	1	3	5	10	14	39
85+	34	5.0	27	<1	<1	3	8	9	12	29
2. MULTIPLE DX										
65-69 YRS	1222	8.6	66	1	2	7	11	18	23	42
70-74	1045	9.7	97	1	2	7	13	20	30	47
75-79	742	10.2	97	1	2	8	13	19	26	59
80-84	407	11.3	107	1	2	8	15	25	31	54
85+	280	11.0	89	2	2	9	14	24	28	52
TOT. SINGLE DX	736	4.7	19	<1	1	3	6	9	12	23
" MULTIPLE DX	3696	9.7	88	1	2	7	12	20	27	50
TOTAL 65-69 YRS	1498	7.9	59	1	2	6	10	17	22	40
70-74	1251	8.8	87	1	2	6	11	18	25	47
75-79	881	9.3	89	1	2	7	12	18	25	55
80-84	488	10.3	102	1	2	7	14	24	30	53
85+	314	10.4	86	1	2	8	13	22	28	47
GRAND TOTAL	**4432**	**8.9**	**80**	**1**	**2**	**6**	**11**	**18**	**25**	**46**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	128	6.7	16	2	2	6	8	13	16	20
70-74	78	5.9	18	1	2	5	7	11	14	25
75-79	38	5.7	15	1	2	5	8	10	13	20
80-84	13	5.4	3	2	3	6	6	7	9	9
85+	12	8.8	42	1	3	7	12	18	24	25
2. MULTIPLE DX										
65-69 YRS	489	9.7	80	2	3	7	11	18	26	43
70-74	413	9.7	77	2	3	7	11	19	26	48
75-79	218	10.5	91	2	3	8	12	21	32	48
80-84	103	11.3	106	3	4	8	13	21	35	56
85+	53	9.6	52	3	4	9	11	17	24	45
TOT. SINGLE DX	269	6.4	18	2	2	5	8	12	15	22
" MULTIPLE DX	1276	10.0	82	2	3	7	11	19	27	48
TOTAL 65-69 YRS	617	9.1	68	2	3	7	10	17	23	41
70-74	491	9.1	70	2	3	7	10	19	24	47
75-79	256	9.8	83	2	3	7	11	19	30	43
80-84	116	10.6	98	3	4	7	13	21	32	54
85+	65	9.4	50	3	4	8	11	17	24	43
GRAND TOTAL	**1545**	**9.3**	**73**	**2**	**3**	**7**	**11**	**18**	**25**	**46**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	2	2.5	5	1	1	2	4	4	4	4
70-74	1	2.0		2	2	2	2	2	2	2
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	2	8.0	32	4	4	8	12	12	12	12
70-74	3	24.0	225	9	9	24	35	39	39	39
75-79	4	13.3	164	3	3	9	21	32	32	32
80-84										
85+										
TOT. SINGLE DX	3	2.3	2	1	1	2	3	4	4	4
" MULTIPLE DX	9	15.7	166	3	3	9	26	36	39	39
TOTAL 65-69 YRS	4	5.3	22	1	1	4	8	12	12	12
70-74	4	18.5	271	2	2	16	31	39	39	39
75-79	4	13.3	164	3	3	9	21	32	32	32
80-84										
85+										
GRAND TOTAL	**12**	**12.3**	**157**	**1**	**2**	**9**	**18**	**34**	**38**	**39**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX	1	3.0		3	3	3	3	3	3	3
TOTAL 65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74										
75-79										
80-84										
85+										
GRAND TOTAL	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	222	7.4	45	1	2	6	9	14	19	37
70-74	208	7.5	60	1	2	5	9	14	20	43
75-79	183	7.1	35	1	2	5	9	14	18	35
80-84	103	6.8	26	1	2	6	8	13	16	29
85+	80	7.2	46	2	2	6	8	11	14	43
2. MULTIPLE DX										
65-69 YRS	3171	11.6	104	3	3	9	14	23	31	60
70-74	3697	11.9	98	3	4	9	15	23	31	55
75-79	3530	11.8	99	3	4	9	14	23	30	60
80-84	3042	12.4	111	3	4	9	15	24	32	68
85+	2289	12.3	94	3	4	10	15	23	31	53
TOT. SINGLE DX	796	7.2	45	1	2	6	9	14	18	39
" MULTIPLE DX	15729	12.0	102	3	4	9	15	23	31	61
TOTAL 65-69 YRS	3393	11.3	102	2	3	8	14	22	30	59
70-74	3905	11.6	97	3	3	9	14	23	31	54
75-79	3713	11.6	97	3	3	9	14	22	30	57
80-84	3145	12.2	110	3	4	9	15	23	31	67
85+	2369	12.1	94	3	4	9	15	23	31	52
GRAND TOTAL	**16525**	**11.7**	**100**	**3**	**4**	**9**	**14**	**23**	**31**	**59**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	78	7.8	76	<1	<1	5	10	17	28	46
70-74	47	7.0	53	1	1	4	11	16	18	39
75-79	40	12.2	137	1	2	8	17	28	43	45
80-84	16	7.3	33	1	1	6	11	15	19	21
85+	8	7.3	26	1	2	6	11	15	16	16
2. MULTIPLE DX										
65-69 YRS	1692	13.1	165	1	2	9	17	31	40	60
70-74	1433	14.2	167	2	3	10	19	31	42	71
75-79	1013	15.9	199	2	3	12	21	35	45	77
80-84	583	15.8	163	3	4	12	22	33	42	78
85+	461	15.6	130	4	6	13	19	28	38	92
TOT. SINGLE DX	189	8.5	81	<1	1	5	12	18	28	45
" MULTIPLE DX	5182	14.5	170	2	3	11	19	32	42	68
TOTAL 65-69 YRS	1770	12.9	163	1	2	8	17	30	40	60
70-74	1480	14.0	165	2	3	10	19	30	42	69
75-79	1053	15.8	198	2	3	12	21	35	44	76
80-84	599	15.6	162	3	4	12	21	32	42	77
85+	469	15.5	129	4	5	13	19	28	38	91
GRAND TOTAL	**5371**	**14.3**	**169**	**2**	**3**	**10**	**19**	**31**	**42**	**67**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	164	4.2	25	<1	<1	3	5	9	13	25
70-74	159	4.8	22	<1	<1	3	7	11	14	20
75-79	143	4.7	29	<1	1	3	6	11	12	38
80-84	75	4.8	19	<1	<1	3	7	10	15	19
85+	42	4.1	11	<1	<1	3	5	8	11	16
2. MULTIPLE DX										
65-69 YRS	1717	9.4	89	1	2	7	11	20	28	58
70-74	1722	9.5	87	1	2	7	12	20	28	51
75-79	1556	9.5	78	1	2	7	12	19	25	51
80-84	1117	9.9	89	1	2	7	12	20	29	59
85+	881	10.2	87	2	2	7	13	20	28	54
TOT. SINGLE DX	583	4.6	24	<1	<1	3	6	10	13	21
" MULTIPLE DX	6993	9.6	87	1	2	7	12	20	28	57
TOTAL 65-69 YRS	1881	8.9	86	1	2	6	11	19	27	57
70-74	1881	9.1	84	1	2	7	11	19	28	50
75-79	1699	9.1	76	1	2	7	11	18	24	48
80-84	1192	9.6	87	1	2	7	12	19	28	58
85+	923	9.9	86	2	2	7	13	20	26	53
GRAND TOTAL	**7576**	**9.2**	**84**	**1**	**2**	**7**	**11**	**19**	**27**	**54**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	5	8.4	5	6	6	8	10	12	12	12
70-74	4	10.5	20	7	7	9	13	17	17	17
75-79	1	12.0		12	12	12	12	12	12	12
80-84	3	11.3	12	8	8	11	14	15	15	15
85+	1	19.0		19	19	19	19	19	19	19
2. MULTIPLE DX										
65-69 YRS	28	14.1	73	3	4	13	21	25	31	34
70-74	43	13.9	95	4	6	11	17	23	36	52
75-79	35	17.3	172	7	7	14	21	32	36	74
80-84	28	18.3	87	7	8	16	24	30	35	45
85+	27	19.1	126	8	8	16	23	43	59	99+
TOT. SINGLE DX	14	10.6	16	6	7	9	12	17	19	19
" MULTIPLE DX	161	16.3	114	5	6	14	21	30	36	72
TOTAL 65-69 YRS	33	13.2	67	3	5	12	21	24	30	34
70-74	47	13.6	90	5	6	11	17	22	34	52
75-79	36	17.2	168	7	7	14	20	32	36	74
80-84	31	17.6	84	7	8	16	22	30	34	45
85+	28	19.1	122	8	9	17	23	41	56	99+
GRAND TOTAL	**175**	**15.9**	**109**	**5**	**7**	**14**	**21**	**29**	**35**	**69**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	15	9.8	46	2	3	10	12	18	26	29
70-74	18	18.3	336	3	4	16	27	62	91	99+
75-79	12	13.7	85	2	2	12	21	27	28	28
80-84	17	10.9	84	3	3	8	21	73	99+	99+
85+	25	12.6	186	3	4	8	12	28	39	69
2. MULTIPLE DX										
65-69 YRS	510	19.5	240	3	5	16	27	44	64	99+
70-74	644	19.4	226	4	5	16	26	44	63	99+
75-79	774	22.0	298	4	6	18	31	51	77	99+
80-84	903	20.2	251	4	6	16	27	45	65	99+
85+	1250	18.9	227	4	5	15	24	42	63	99+
TOT. SINGLE DX	87	13.1	162	3	3	9	18	29	69	99+
" MULTIPLE DX	4081	19.9	249	4	5	16	26	45	65	99+
TOTAL 65-69 YRS	525	19.2	238	3	5	16	27	43	62	99+
70-74	662	19.3	229	3	5	16	26	44	64	99+
75-79	786	21.8	296	4	5	18	31	51	75	99+
80-84	920	20.0	250	4	5	16	27	45	68	99+
85+	1275	18.8	228	4	5	15	23	41	63	99+
GRAND TOTAL	**4168**	**19.8**	**248**	**4**	**5**	**16**	**26**	**44**	**66**	**99+**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	138	5.0	18	<1	<1	4	6	9	11	21
70-74	143	5.5	25	<1	<1	4	7	11	15	26
75-79	144	6.2	57	<1	1	5	7	11	14	29
80-84	74	6.7	27	1	2	5	8	14	18	28
85+	58	6.5	22	1	2	5	8	13	16	25
2. MULTIPLE DX										
65-69 YRS	2596	8.8	52	2	3	7	10	16	22	38
70-74	2975	9.3	60	2	3	7	11	17	23	43
75-79	2904	9.7	64	2	3	8	12	18	24	43
80-84	2159	10.2	62	3	4	8	13	19	26	41
85+	1671	10.8	74	3	4	8	13	20	27	52
TOT. SINGLE DX	557	5.8	32	<1	<1	5	7	11	15	26
" MULTIPLE DX	12305	9.7	62	2	3	8	12	18	24	42
TOTAL 65-69 YRS	2734	8.6	52	2	3	7	10	16	21	38
70-74	3118	9.1	60	2	3	7	11	17	22	42
75-79	3048	9.6	65	2	3	8	11	18	24	42
80-84	2233	10.0	61	3	3	8	12	19	26	40
85+	1729	10.7	73	3	4	8	13	19	26	52
GRAND TOTAL	**12862**	**9.5**	**62**	**2**	**3**	**8**	**11**	**18**	**23**	**42**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	92	11.5	22	6	7	10	13	17	19	32
70-74	61	12.8	28	8	8	11	15	18	25	32
75-79	47	13.3	49	7	8	12	15	21	24	49
80-84	32	13.8	39	7	8	12	16	24	29	31
85+	15	15.3	61	7	7	14	18	21	34	39
2. MULTIPLE DX										
65-69 YRS	749	19.6	186	8	9	16	23	34	52	83
70-74	730	18.5	145	8	9	15	22	33	42	90
75-79	640	21.0	176	9	10	17	25	39	49	76
80-84	396	22.1	178	9	10	19	27	39	49	89
85+	236	22.6	144	10	11	20	27	38	46	90
TOT. SINGLE DX	247	12.7	34	7	8	11	15	19	23	33
" MULTIPLE DX	2751	20.3	170	8	9	17	24	36	47	86
TOTAL 65-69 YRS	841	18.7	175	8	8	15	22	33	48	80
70-74	791	18.1	139	8	9	15	21	32	41	89
75-79	687	20.5	171	8	9	16	24	38	48	75
80-84	428	21.5	173	9	10	18	27	38	48	85
85+	251	22.2	142	9	11	20	26	37	45	89
GRAND TOTAL	**2998**	**19.6**	**163**	**8**	**9**	**16**	**24**	**35**	**46**	**84**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	18	17.7	106	9	9	14	21	32	41	47
70-74	12	15.9	60	9	10	13	18	27	36	37
75-79	12	22.0	53	12	13	22	28	32	33	33
80-84	3	19.7	316	7	7	12	33	40	40	40
85+										
2. MULTIPLE DX										
65-69 YRS	175	23.2	228	10	12	19	27	44	65	99
70-74	140	21.1	133	10	11	18	25	34	46	99+
75-79	102	26.6	350	10	12	22	31	43	79	95
80-84	44	22.7	107	10	12	21	29	36	49	99+
85+	11	23.8	164	12	13	17	36	43	49	49
TOT. SINGLE DX	45	18.5	89	9	10	14	24	33	38	47
" MULTIPLE DX	472	23.3	216	10	12	19	27	39	59	99
TOTAL 65-69 YRS	193	22.7	219	10	11	18	27	40	63	99
70-74	152	20.7	129	10	11	18	24	34	45	99
75-79	114	26.1	321	11	12	22	30	40	72	95
80-84	47	22.5	115	9	11	20	29	38	47	99+
85+	11	23.8	164	12	13	17	36	43	49	49
GRAND TOTAL	**517**	**22.9**	**207**	**10**	**11**	**19**	**27**	**39**	**56**	**98**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	19	12.0	20	6	7	11	16	21	61	99+
70-74	12	10.5	8	7	7	10	12	15	17	17
75-79	16	12.3	48	6	7	11	14	17	30	35
80-84	6	10.0	6	7	7	10	12	13	13	13
85+	4	16.3	105	8	8	13	23	31	31	31
2. MULTIPLE DX										
65-69 YRS	204	15.3	82	7	8	13	19	28	32	61
70-74	183	17.6	149	7	8	13	22	36	45	72
75-79	139	18.6	112	8	9	16	22	30	49	63
80-84	113	20.5	145	8	9	17	26	36	43	88
85+	54	21.3	159	10	11	19	25	31	58	67
TOT. SINGLE DX	57	11.9	30	6	7	11	14	17	27	95
" MULTIPLE DX	693	17.9	126	7	8	14	22	32	41	71
TOTAL 65-69 YRS	223	15.0	78	7	8	13	18	28	32	85
70-74	195	17.1	143	7	8	13	21	35	44	71
75-79	155	18.0	110	8	8	15	22	29	47	59
80-84	119	19.9	144	8	9	16	25	36	42	87
85+	58	21.0	156	9	10	19	25	31	52	67
GRAND TOTAL	**750**	**17.4**	**121**	**7**	**8**	**14**	**22**	**32**	**41**	**73**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	95	9.5	39	4	6	8	10	14	17	44
70-74	65	11.0	68	5	6	9	13	15	18	58
75-79	55	11.9	52	4	6	10	12	21	27	37
80-84	38	10.5	14	4	6	10	13	16	17	18
85+	33	10.1	15	5	5	10	13	15	17	20
2. MULTIPLE DX										
65-69 YRS	815	15.7	128	6	7	12	19	29	40	75
70-74	854	17.3	155	6	7	14	20	34	46	76
75-79	680	18.2	151	7	8	15	22	34	44	89
80-84	527	18.9	181	7	8	15	22	33	48	92
85+	448	19.0	157	6	8	16	23	37	50	69
TOT. SINGLE DX	286	10.5	43	5	6	9	12	16	20	41
" MULTIPLE DX	3324	17.6	153	6	7	14	21	33	45	81
TOTAL 65-69 YRS	910	15.1	122	6	7	12	18	27	38	73
70-74	919	16.9	152	6	7	13	20	32	46	75
75-79	735	17.7	147	6	8	14	22	33	44	81
80-84	565	18.3	174	6	8	15	21	33	47	90
85+	481	18.4	152	6	7	15	22	36	49	69
GRAND TOTAL	**3610**	**17.0**	**148**	**6**	**7**	**14**	**20**	**32**	**43**	**77**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	406	4.1	17	<1	<1	2	6	9	11	21
70-74	378	4.1	20	<1	<1	2	6	10	13	22
75-79	248	3.9	18	<1	<1	2	5	9	13	19
80-84	131	4.3	14	<1	1	3	7	9	12	18
85+	75	4.5	28	1	1	2	6	10	14	28
2. MULTIPLE DX										
65-69 YRS	3443	8.3	60	1	2	6	11	16	22	42
70-74	3822	8.4	59	1	2	7	11	16	22	39
75-79	3516	8.9	67	1	2	7	11	18	23	45
80-84	2576	9.8	80	1	2	8	12	19	26	53
85+	1907	10.5	83	2	3	8	14	21	28	53
TOT. SINGLE DX	1238	4.1	19	<1	<1	2	6	9	12	22
" MULTIPLE DX	15264	9.0	69	1	2	7	11	18	24	45
TOTAL 65-69 YRS	3849	7.9	57	1	1	6	10	16	21	41
70-74	4200	8.0	58	1	1	6	10	16	21	38
75-79	3764	8.6	66	1	2	7	11	18	23	45
80-84	2707	9.5	78	1	2	8	12	19	25	52
85+	1982	10.3	83	2	2	8	13	21	27	51
GRAND TOTAL	**16502**	**8.6**	**67**	**1**	**2**	**7**	**11**	**17**	**23**	**44**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	50	15.3	106	5	7	13	16	25	35	58
70-74	45	11.5	27	6	7	9	14	18	24	28
75-79	46	13.2	96	6	6	11	15	21	27	68
80-84	30	12.1	32	5	7	10	15	21	26	27
85+	20	12.4	24	5	6	12	16	19	20	21
2. MULTIPLE DX										
65-69 YRS	745	18.9	171	7	8	15	23	36	49	76
70-74	765	19.7	194	7	8	16	24	36	51	84
75-79	656	19.4	208	8	8	15	23	36	52	99
80-84	520	19.4	147	8	9	16	24	37	45	99+
85+	421	19.3	157	8	9	16	23	34	46	70
TOT. SINGLE DX	191	13.1	66	6	7	11	15	21	26	56
" MULTIPLE DX	3107	19.4	179	7	8	15	23	36	49	86
TOTAL 65-69 YRS	795	18.7	168	7	8	15	23	35	49	76
70-74	810	19.3	189	7	8	15	23	36	50	83
75-79	702	19.0	204	8	8	14	23	35	51	97
80-84	550	19.0	144	8	9	15	23	35	45	99+
85+	441	19.0	154	7	9	16	22	33	45	68
GRAND TOTAL	**3298**	**19.0**	**175**	**7**	**8**	**15**	**23**	**35**	**48**	**84**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	756	10.4	14	7	7	10	11	15	17	25
70-74	701	11.3	21	7	7	10	12	16	19	27
75-79	496	11.4	26	7	7	10	12	16	20	35
80-84	307	12.0	22	7	8	11	14	18	20	32
85+	156	13.2	54	6	8	11	14	19	27	49
2. MULTIPLE DX										
65-69 YRS	5472	14.8	88	7	8	12	17	24	31	60
70-74	5861	15.7	95	7	8	13	18	26	35	62
75-79	5350	16.8	108	8	9	14	19	28	37	68
80-84	3614	18.0	120	8	9	15	21	31	39	78
85+	2478	19.5	135	9	10	17	23	33	43	76
TOT. SINGLE DX	2416	11.2	23	7	7	10	12	16	19	31
" MULTIPLE DX	22775	16.5	107	8	9	13	19	28	36	67
TOTAL 65-69 YRS	6228	14.2	81	7	8	12	16	23	29	56
70-74	6562	15.2	89	7	8	12	17	25	34	59
75-79	5846	16.3	104	8	9	13	19	28	36	64
80-84	3921	17.6	115	8	9	15	21	30	38	74
85+	2634	19.1	133	8	9	16	23	33	42	75
GRAND TOTAL	**25191**	**16.0**	**102**	**8**	**8**	**13**	**18**	**27**	**35**	**64**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	35	12.0	62	4	6	10	12	18	34	41
70-74	24	9.4	20	5	6	8	10	16	21	22
75-79	20	11.5	30	5	6	10	12	20	24	27
80-84	14	13.6	40	6	8	11	18	21	27	29
85+	8	23.9	811	7	7	16	21	72	93	93
2. MULTIPLE DX										
65-69 YRS	249	17.3	148	6	7	14	20	32	41	76
70-74	290	17.7	127	7	8	14	21	33	43	74
75-79	250	19.2	137	8	9	16	24	36	48	64
80-84	217	19.6	151	7	9	17	25	35	50	99+
85+	204	20.1	176	7	9	16	23	41	51	96
TOT. SINGLE DX	101	12.4	107	5	6	10	14	20	26	66
" MULTIPLE DX	1210	18.7	147	7	8	15	23	35	46	95
TOTAL 65-69 YRS	284	16.6	141	6	7	13	19	31	41	76
70-74	314	17.1	124	7	8	14	20	32	42	71
75-79	270	18.6	134	7	9	15	23	35	47	64
80-84	231	19.2	146	7	8	17	24	35	45	99+
85+	212	20.2	197	7	9	16	23	41	54	96
GRAND TOTAL	**1311**	**18.2**	**147**	**7**	**8**	**15**	**22**	**34**	**44**	**93**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	218	8.8	19	3	4	8	10	14	15	26
70-74	184	9.3	45	3	4	8	10	14	19	36
75-79	140	10.2	22	4	5	10	12	15	18	29
80-84	74	9.1	19	3	4	9	12	14	16	25
85+	41	9.8	35	2	3	8	12	18	20	31
2. MULTIPLE DX										
65-69 YRS	1182	13.4	102	5	6	11	15	23	35	63
70-74	1141	13.8	113	5	6	11	16	24	35	70
75-79	966	13.9	95	5	7	11	16	24	34	58
80-84	642	15.2	133	5	7	12	17	28	38	88
85+	394	14.9	117	4	6	12	17	26	36	86
TOT. SINGLE DX	657	9.3	28	3	4	9	11	14	18	31
" MULTIPLE DX	4325	14.0	110	5	6	11	16	25	35	65
TOTAL 65-69 YRS	1400	12.7	92	4	6	10	14	22	32	61
70-74	1325	13.1	106	4	6	10	15	23	33	66
75-79	1106	13.4	87	5	6	11	15	23	33	56
80-84	716	14.6	125	5	6	12	17	27	36	84
85+	435	14.4	112	4	6	12	17	25	34	82
GRAND TOTAL	**4982**	**13.4**	**102**	**5**	**6**	**11**	**15**	**23**	**33**	**63**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	19	12.9	51	5	8	10	14	26	31	31
70-74	25	13.3	55	6	8	10	15	26	29	36
75-79	18	12.9	29	7	8	11	16	22	24	25
80-84	25	15.3	77	6	8	13	15	30	37	37
85+	19	14.1	48	5	6	14	20	24	26	27
2. MULTIPLE DX										
65-69 YRS	490	20.3	188	7	9	16	25	37	52	78
70-74	601	20.5	192	7	9	17	24	38	51	95
75-79	506	21.8	227	8	9	17	25	41	57	96
80-84	399	21.2	211	7	9	17	25	42	51	95
85+	360	21.1	162	6	8	18	27	39	54	99+
TOT. SINGLE DX	106	13.8	53	6	8	12	16	25	30	37
" MULTIPLE DX	2356	21.0	198	7	9	17	25	40	53	96
TOTAL 65-69 YRS	509	20.0	185	7	9	16	24	37	51	77
70-74	626	20.2	189	7	9	16	24	38	50	95
75-79	524	21.5	223	8	9	17	25	41	56	96
80-84	424	20.9	206	7	9	17	25	41	51	93
85+	379	20.8	159	6	8	18	27	38	53	99+
GRAND TOTAL	**2462**	**20.6**	**194**	**7**	**9**	**17**	**25**	**39**	**51**	**95**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	361	6.0	9	2	3	5	8	10	11	16
70-74	223	6.5	10	2	3	6	8	10	13	18
75-79	133	6.9	8	3	3	7	9	10	13	15
80-84	64	6.8	13	2	3	6	8	11	13	23
85+	43	6.3	12	2	3	6	9	11	14	14
2. MULTIPLE DX										
65-69 YRS	768	9.7	44	3	4	8	12	16	20	35
70-74	603	11.1	64	4	4	9	13	21	26	40
75-79	408	10.8	44	4	5	9	13	18	23	35
80-84	253	12.1	45	5	6	11	14	21	26	37
85+	166	13.6	99	4	6	11	16	24	33	80
TOT. SINGLE DX	824	6.3	10	2	3	6	8	10	12	17
" MULTIPLE DX	2198	10.9	56	4	4	9	13	19	24	39
TOTAL 65-69 YRS	1129	8.5	37	3	3	7	10	15	19	32
70-74	826	9.8	54	3	4	8	12	18	24	39
75-79	541	9.9	39	3	4	9	12	17	21	31
80-84	317	11.1	43	4	5	10	14	19	24	36
85+	209	12.1	90	3	4	10	15	21	32	70
GRAND TOTAL	**3022**	**9.6**	**47**	**3**	**4**	**8**	**12**	**17**	**22**	**36**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	4	6.8	27	2	2	6	11	13	13	13
70-74										
75-79										
80-84	3	12.7	154	5	5	6	22	27	27	27
85+										
2. MULTIPLE DX										
65-69 YRS	9	12.0	54	5	5	8	18	24	24	24
70-74	2	13.5	61	8	8	13	19	19	19	19
75-79	6	17.7	73	6	7	17	26	27	27	27
80-84	1	9.0		9	9	9	9	9	9	9
85+	2	11.5	25	8	8	11	15	15	15	15
TOT. SINGLE DX	7	9.3	75	2	2	6	12	24	27	27
" MULTIPLE DX	20	13.7	55	5	6	11	20	25	26	27
TOTAL 65-69 YRS	13	10.4	49	2	3	8	14	23	24	24
70-74	2	13.5	61	8	8	13	19	19	19	19
75-79	6	17.7	73	6	7	17	26	27	27	27
80-84	4	11.8	106	5	5	7	18	27	27	27
85+	2	11.5	25	8	8	11	15	15	15	15
GRAND TOTAL	**27**	**12.5**	**61**	**3**	**5**	**9**	**18**	**28**	**27**	**27**

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	3	6.0	4	4	4	6	7	8	8	8
70-74	3	8.7	4	7	7	8	10	11	11	11
75-79	1	8.0		8	8	8	8	8	8	8
80-84	1	15.0		15	15	15	15	15	15	15
85+	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
65-69 YRS	18	16.4	124	6	7	14	17	38	42	44
70-74	10	12.6	37	4	5	11	16	21	24	24
75-79	7	14.9	11	10	10	15	17	19	19	19
80-84	8	25.8	772	8	9	17	23	72	93	93
85+	11	19.8	262	4	6	13	25	49	54	54
TOT. SINGLE DX	9	9.1	15	4	5	8	12	15	15	15
" MULTIPLE DX	54	17.6	216	6	7	14	19	34	45	91
TOTAL 65-69 YRS	21	15.0	120	5	6	12	16	36	42	44
70-74	13	11.7	31	4	6	11	16	20	23	24
75-79	8	14.0	15	8	9	15	17	19	19	19
80-84	9	24.6	689	8	9	15	23	65	93	93
85+	12	19.4	240	4	6	14	24	48	53	54
GRAND TOTAL	**63**	**16.4**	**196**	**5**	**7**	**13**	**18**	**28**	**44**	**88**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	198	3.4	16	<1	1	2	4	6	9	18
70-74	175	3.8	17	1	1	3	4	7	11	26
75-79	158	3.7	13	1	1	3	4	7	9	22
80-84	161	4.4	14	1	1	3	6	9	11	17
85+	94	4.8	18	1	2	3	5	10	14	23
2. MULTIPLE DX										
65-69 YRS	669	7.8	65	1	2	5	10	16	24	44
70-74	808	7.9	56	1	2	6	10	17	23	38
75-79	776	8.5	76	1	2	6	11	18	24	50
80-84	623	9.1	84	1	2	7	11	19	27	56
85+	622	9.5	75	2	2	7	12	19	24	46
TOT. SINGLE DX	786	3.9	16	1	1	3	5	8	10	22
" MULTIPLE DX	3498	8.5	72	1	2	6	11	18	24	46
TOTAL 65-69 YRS	867	6.8	58	1	1	4	8	15	21	42
70-74	983	7.2	52	1	2	5	9	16	22	37
75-79	934	7.7	69	1	2	5	9	17	23	47
80-84	784	8.1	74	1	2	6	10	17	24	48
85+	716	8.9	71	2	2	7	11	18	24	44
GRAND TOTAL	**4284**	**7.7**	**65**	**1**	**2**	**5**	**10**	**16**	**23**	**43**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	40	3.8	10	1	1	3	4	8	11	16
70-74	24	4.1	7	1	2	3	6	9	9	10
75-79	18	4.2	8	2	2	3	5	10	11	11
80-84	6	5.5	10	2	2	6	8	9	9	9
85+	6	3.7	13	<1	<1	2	6	10	10	10
2. MULTIPLE DX										
65-69 YRS	168	7.1	52	1	2	5	8	15	22	37
70-74	124	8.9	69	2	2	5	12	21	27	62
75-79	74	9.7	101	2	2	6	13	20	32	55
80-84	49	9.9	79	2	3	7	13	22	35	99+
85+	23	9.1	35	2	3	7	14	18	19	20
TOT. SINGLE DX	94	4.1	9	1	1	3	5	9	10	15
" MULTIPLE DX	438	8.5	68	2	2	6	10	19	25	50
TOTAL 65-69 YRS	208	6.4	46	1	2	4	7	14	18	35
70-74	148	8.2	63	2	2	5	10	20	24	49
75-79	92	8.6	88	2	2	5	10	20	29	51
80-84	55	9.4	73	2	3	7	12	22	32	97
85+	29	8.0	35	1	1	7	11	18	19	20
GRAND TOTAL	**532**	**7.7**	**61**	**1**	**2**	**5**	**9**	**18**	**23**	**47**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	207	12.1	26	6	7	11	14	18	22	26
70-74	192	12.4	18	7	8	12	14	18	19	26
75-79	142	13.8	46	4	8	13	17	22	26	34
80-84	54	15.0	32	8	9	13	18	23	27	30
85+	38	13.6	34	5	7	13	17	21	26	30
2. MULTIPLE DX										
65-69 YRS	1287	16.8	101	8	9	14	20	28	36	62
70-74	1312	17.1	84	8	10	15	20	28	35	63
75-79	993	19.0	142	8	10	16	22	31	42	80
80-84	660	19.5	121	9	10	17	23	32	39	67
85+	359	20.2	122	9	10	17	24	32	42	61
TOT. SINGLE DX	633	12.9	30	6	8	12	15	19	23	30
" MULTIPLE DX	4611	18.0	111	8	9	15	21	30	38	69
TOTAL 65-69 YRS	1494	16.2	94	8	9	13	19	27	35	59
70-74	1504	16.5	78	8	9	14	19	27	33	61
75-79	1135	18.4	133	8	9	15	21	30	40	79
80-84	714	19.2	116	9	10	16	23	32	38	66
85+	397	19.5	118	8	10	17	23	31	40	61
GRAND TOTAL	**5244**	**17.4**	**104**	**8**	**9**	**15**	**20**	**29**	**36**	**64**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	521	4.3	11	<1	<1	4	6	8	10	18
70-74	500	4.8	27	<1	<1	4	6	9	11	17
75-79	433	5.3	43	<1	<1	4	6	9	11	24
80-84	254	5.6	25	<1	1	5	7	11	13	22
85+	202	5.9	26	1	2	5	7	11	14	27
2. MULTIPLE DX										
65-69 YRS	7872	7.7	49	2	3	6	9	14	19	38
70-74	8611	8.3	54	2	3	6	10	15	21	38
75-79	7895	8.7	54	2	3	7	10	16	21	39
80-84	6093	9.2	61	2	3	7	11	17	23	46
85+	4953	9.6	67	2	3	8	12	18	24	44
TOT. SINGLE DX	1910	5.0	27	<1	<1	4	6	9	11	21
" MULTIPLE DX	35424	8.6	57	2	3	7	10	16	21	41
TOTAL 65-69 YRS	8393	7.5	47	2	2	6	9	14	18	38
70-74	9111	8.1	54	2	3	6	10	15	20	38
75-79	8328	8.5	55	2	3	7	10	16	21	38
80-84	6347	9.1	61	2	3	7	11	17	23	46
85+	5155	9.5	66	2	3	7	11	18	23	43
GRAND TOTAL	**37334**	**8.4**	**56**	**2**	**3**	**7**	**10**	**16**	**21**	**40**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	107	2.6	1	1	1	2	3	5	5	6
70-74	56	2.7	3	1	1	2	4	5	6	9
75-79	32	3.1	3	1	1	3	4	5	6	10
80-84	7	3.6	2	2	2	4	5	6	6	6
85+	3	3.7	14	1	1	2	6	8	8	8
2. MULTIPLE DX										
65-69 YRS	275	4.0	10	1	1	3	5	6	9	14
70-74	167	3.9	9	1	1	3	4	7	11	18
75-79	94	5.9	51	1	2	4	6	13	19	43
80-84	39	5.2	14	2	2	4	6	10	14	20
85+	16	8.5	36	3	4	7	8	19	23	25
TOT. SINGLE DX	205	2.8	3	1	1	2	4	5	6	8
" MULTIPLE DX	591	4.5	19	1	2	3	5	8	12	23
TOTAL 65-69 YRS	382	3.6	8	1	1	3	4	6	7	12
70-74	223	3.6	9	1	1	3	4	6	10	17
75-79	126	5.2	41	1	1	3	5	10	17	41
80-84	46	4.9	13	2	2	4	6	9	13	20
85+	19	7.7	35	1	2	7	8	17	22	25
GRAND TOTAL	**796**	**4.0**	**15**	**1**	**1**	**3**	**5**	**7**	**10**	**20**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	45	3.4	9	<1	1	3	4	5	7	20
70-74	34	3.1	5	1	1	2	4	6	6	13
75-79	27	3.4	4	1	1	3	5	6	7	10
80-84	7	3.3	4	1	1	3	4	6	7	7
85+	6	3.7	3	2	2	3	6	6	6	6
2. MULTIPLE DX										
65-69 YRS	259	4.4	18	1	1	4	5	8	10	19
70-74	211	5.2	45	1	1	4	5	9	14	44
75-79	157	5.7	55	1	1	4	6	9	16	44
80-84	58	6.9	48	1	2	5	8	14	21	41
85+	58	9.0	62	2	3	7	12	17	20	96
TOT. SINGLE DX	119	3.3	7	1	1	3	4	6	7	15
" MULTIPLE DX	743	5.5	41	1	1	4	6	10	15	45
TOTAL 65-69 YRS	304	4.3	17	1	1	4	5	7	10	19
70-74	245	4.9	40	1	1	4	5	8	13	40
75-79	184	5.4	49	1	1	4	6	9	15	39
80-84	65	6.5	45	1	2	4	7	13	20	39
85+	64	8.5	59	2	3	6	11	16	20	93
GRAND TOTAL	**862**	**5.2**	**37**	**1**	**1**	**4**	**6**	**10**	**14**	**42**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	152	3.7	4	1	1	3	5	6	7	10
70-74	97	4.2	2	2	2	4	5	6	7	10
75-79	44	3.5	2	1	2	4	5	6	7	7
80-84	30	4.5	6	1	2	4	5	9	10	10
85+	4	6.0	3	4	4	6	7	8	8	8
2. MULTIPLE DX										
65-69 YRS	1535	4.9	17	1	2	4	6	8	11	21
70-74	1063	5.4	16	2	2	4	6	10	13	22
75-79	571	5.7	16	2	2	5	7	10	13	21
80-84	269	6.6	39	2	3	5	7	12	15	41
85+	153	8.5	69	2	3	6	11	16	21	49
TOT. SINGLE DX	327	3.9	4	1	2	4	5	6	7	10
" MULTIPLE DX	3591	5.5	21	2	2	4	6	10	13	23
TOTAL 65-69 YRS	1687	4.8	16	1	2	4	5	8	11	20
70-74	1160	5.3	15	2	2	4	6	9	13	22
75-79	615	5.5	15	2	2	5	7	10	13	21
80-84	299	6.4	36	2	3	5	7	12	15	36
85+	157	8.5	68	2	3	6	10	16	20	48
GRAND TOTAL	**3918**	**5.3**	**20**	**1**	**2**	**4**	**6**	**9**	**13**	**22**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	98	3.7	8	<1	1	3	5	6	7	18
70-74	67	3.7	7	1	1	3	5	7	9	16
75-79	52	3.4	4	1	1	3	4	6	8	11
80-84	29	4.0	5	1	1	3	5	7	8	11
85+	24	4.8	24	1	1	3	6	11	43	99+
2. MULTIPLE DX										
65-69 YRS	314	6.9	76	1	2	4	8	15	22	44
70-74	276	5.8	39	1	2	4	7	12	16	31
75-79	189	7.2	60	1	2	5	9	12	20	40
80-84	127	7.5	53	2	2	6	8	13	21	42
85+	127	8.3	42	1	2	7	11	15	22	34
TOT. SINGLE DX	270	3.8	9	1	1	3	5	7	9	23
" MULTIPLE DX	1033	6.9	57	1	2	5	8	13	20	39
TOTAL 65-69 YRS	412	6.1	62	1	1	4	7	12	21	42
70-74	343	5.4	34	1	1	4	6	10	16	26
75-79	241	6.4	51	1	2	4	8	11	17	37
80-84	156	6.8	46	2	2	5	8	13	19	39
85+	151	7.7	41	1	2	6	10	15	22	38
GRAND TOTAL	**1303**	**6.3**	**49**	**1**	**2**	**4**	**7**	**12**	**18**	**37**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	8	6.5	33	1	1	5	11	15	16	16
70-74	5	16.4	305	1	1	11	32	40	40	40
75-79	3	6.0	16	2	2	6	9	10	10	10
80-84	1	1.0		1	1	1	1	1	1	1
85+										
2. MULTIPLE DX										
65-69 YRS	55	16.8	129	2	4	14	23	33	37	57
70-74	58	21.3	149	3	4	21	28	38	44	48
75-79	46	21.9	236	3	6	18	31	43	51	64
80-84	43	14.8	141	2	2	12	18	31	46	48
85+	13	16.9	90	2	6	17	22	32	34	35
TOT. SINGLE DX	17	9.0	119	1	1	6	12	26	36	40
" MULTIPLE DX	215	18.7	163	2	4	17	25	37	43	59
TOTAL 65-69 YRS	63	15.5	128	2	3	14	22	32	36	56
70-74	63	20.9	159	2	4	21	29	39	44	48
75-79	49	20.9	237	2	5	17	31	42	50	64
80-84	44	14.5	143	1	2	12	18	31	46	48
85+	13	16.9	90	2	6	17	22	32	34	35
GRAND TOTAL	**232**	**18.0**	**166**	**2**	**3**	**16**	**25**	**37**	**43**	**58**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	188	3.6	18	1	1	2	5	8	14	23
70-74	118	4.2	32	<1	1	1	6	11	16	28
75-79	71	5.3	40	1	1	2	8	13	18	34
80-84	32	7.4	147	<1	<1	5	10	12	13	70
85+	7	10.7	38	3	4	10	13	20	22	22
2. MULTIPLE DX										
65-69 YRS	1346	10.4	99	1	1	8	14	22	29	52
70-74	1266	10.3	84	1	1	8	14	21	28	42
75-79	891	11.6	103	1	2	10	15	23	30	57
80-84	457	12.1	86	2	3	10	16	23	30	54
85+	222	12.8	97	2	3	10	16	24	35	53
TOT. SINGLE DX	416	4.5	38	<1	1	2	6	11	15	26
" MULTIPLE DX	4182	10.9	95	1	2	9	14	22	29	51
TOTAL 65-69 YRS	1534	9.6	95	1	1	7	13	20	27	48
70-74	1384	9.8	83	1	1	8	13	20	27	41
75-79	962	11.1	101	1	1	9	14	23	29	56
80-84	489	11.8	92	1	3	10	15	22	30	54
85+	229	12.7	96	2	3	10	16	23	35	52
GRAND TOTAL	**4598**	**10.4**	**93**	**1**	**1**	**8**	**14**	**21**	**28**	**50**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	2022	7.0	9	4	4	6	8	10	12	16
70-74	1449	7.4	11	4	4	7	8	11	13	19
75-79	766	8.2	11	4	5	8	10	12	15	19
80-84	374	9.1	13	4	5	8	11	13	16	22
85+	170	10.3	51	4	5	9	12	15	20	27
2. MULTIPLE DX										
65-69 YRS	8782	10.1	46	4	5	8	12	16	21	38
70-74	7851	11.1	51	5	6	9	13	18	23	41
75-79	5591	12.4	58	5	6	10	15	21	27	43
80-84	3442	14.1	90	6	7	12	16	24	31	53
85+	2128	15.8	95	7	8	13	18	27	35	73
TOT. SINGLE DX	4781	7.6	13	4	4	7	9	11	13	20
" MULTIPLE DX	27794	11.8	63	5	6	10	14	20	26	45
TOTAL 65-69 YRS	10804	9.5	41	4	5	8	11	15	20	35
70-74	9300	10.6	47	5	5	9	12	17	22	39
75-79	6357	11.9	55	5	6	10	14	20	26	42
80-84	3816	13.6	85	5	6	11	16	23	30	52
85+	2298	15.4	95	6	7	13	18	26	34	73
GRAND TOTAL	**32575**	**11.2**	**58**	**5**	**5**	**9**	**13**	**19**	**24**	**43**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	95	7.7	28	1	2	7	10	15	18	23
70-74	111	8.3	39	1	1	8	12	17	20	28
75-79	92	9.4	48	1	2	9	13	19	22	31
80-84	57	8.0	35	1	1	8	13	17	18	21
85+	52	9.5	69	1	1	8	15	21	27	35
2. MULTIPLE DX										
65-69 YRS	799	15.3	119	3	5	13	19	29	38	70
70-74	832	15.9	125	3	5	14	20	28	36	70
75-79	793	17.0	158	3	6	14	22	31	42	75
80-84	611	16.7	104	3	6	15	20	30	39	51
85+	580	17.1	120	4	6	16	21	29	38	77
TOT. SINGLE DX	407	8.5	42	1	1	8	12	18	21	20
" MULTIPLE DX	3615	16.4	127	3	5	14	20	30	38	69
TOTAL 65-69 YRS	894	14.5	116	2	4	12	18	28	37	68
70-74	943	15.0	121	2	4	13	19	27	35	69
75-79	885	16.2	152	2	4	13	21	30	40	72
80-84	668	15.9	105	3	5	14	20	29	38	51
85+	632	16.5	121	2	5	15	21	29	37	76
GRAND TOTAL	**4022**	**15.6**	**124**	**2**	**4**	**13**	**20**	**29**	**37**	**67**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	97	6.4	47	1	1	4	8	15	22	33
70-74	99	7.2	91	<1	1	4	10	16	22	56
75-79	78	6.2	62	1	1	3	9	14	15	47
80-84	43	6.3	50	1	1	3	9	16	22	35
85+	23	7.3	74	<1	1	5	10	16	25	39
2. MULTIPLE DX										
65-69 YRS	821	14.6	226	2	2	10	18	33	51	88
70-74	792	13.2	133	1	2	10	17	29	37	57
75-79	635	12.9	146	2	2	9	17	27	35	65
80-84	406	12.2	113	2	3	9	16	25	31	49
85+	297	12.7	139	2	2	9	15	26	41	55
TOT. SINGLE DX	340	6.6	65	1	1	4	9	15	21	42
" MULTIPLE DX	2951	13.3	160	2	2	10	17	29	39	67
TOTAL 65-69 YRS	918	13.7	214	1	2	9	17	31	48	86
70-74	891	12.5	132	1	2	9	16	28	36	57
75-79	713	12.1	142	1	2	9	16	26	35	63
80-84	449	11.7	110	1	2	9	15	24	30	49
85+	320	12.4	136	1	2	9	15	25	40	53
GRAND TOTAL	**3291**	**12.6**	**155**	**1**	**2**	**9**	**16**	**28**	**38**	**66**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	490	4.5	15	<1	<1	3	6	9	10	22
70-74	396	4.4	13	<1	1	3	6	9	11	16
75-79	380	4.8	18	<1	1	4	7	9	11	17
80-84	294	5.3	32	1	1	4	6	10	15	32
85+	171	5.0	13	1	1	4	6	11	12	18
2. MULTIPLE DX										
65-69 YRS	4893	7.2	37	2	2	6	9	14	18	32
70-74	6007	7.6	43	2	2	6	9	14	19	35
75-79	5955	8.0	49	2	2	6	10	15	20	38
80-84	4985	8.4	52	2	3	7	10	16	21	41
85+	4452	8.7	56	2	3	7	11	16	22	45
TOT. SINGLE DX	1731	4.7	19	<1	1	4	6	9	12	21
" MULTIPLE DX	26292	7.9	48	2	2	6	10	15	20	37
TOTAL 65-69 YRS	5383	6.9	36	1	2	5	8	13	17	31
70-74	6403	7.4	42	1	2	6	9	14	19	34
75-79	6335	7.8	48	2	2	6	9	14	19	36
80-84	5279	8.2	52	2	2	6	10	16	20	40
85+	4623	8.6	55	2	3	7	11	16	22	43
GRAND TOTAL	**28023**	**7.7**	**47**	**2**	**2**	**6**	**9**	**15**	**19**	**36**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	2943	2.9	3	1	1	3	4	5	6	8
70-74	2316	3.0	4	1	1	3	4	5	6	8
75-79	1634	3.2	3	1	1	3	4	5	6	9
80-84	917	3.6	5	1	1	3	5	6	7	12
85+	492	3.9	5	1	1	4	5	7	8	12
2. MULTIPLE DX										
65-69 YRS	4925	4.1	12	1	1	3	5	7	10	20
70-74	4775	4.5	18	1	1	4	5	8	11	20
75-79	4070	5.1	24	1	1	4	6	9	13	23
80-84	2473	6.1	44	1	2	4	7	11	16	34
85+	1511	7.2	47	1	2	5	9	15	20	33
TOT. SINGLE DX	8302	3.2	4	1	1	3	4	5	6	9
" MULTIPLE DX	17754	5.0	25	1	1	4	6	9	13	24
TOTAL 65-69 YRS	7868	3.6	10	1	1	3	4	6	8	16
70-74	7091	4.1	14	1	1	3	5	7	10	18
75-79	5704	4.5	19	1	1	4	5	8	11	20
80-84	3390	5.4	35	1	2	4	6	10	14	30
85+	2003	6.4	39	1	2	5	8	13	18	31
GRAND TOTAL	**26056**	**4.4**	**19**	**1**	**1**	**3**	**5**	**8**	**11**	**22**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	387	3.5	2	1	2	3	4	5	6	9
70-74	326	3.8	3	1	2	4	5	6	7	9
75-79	206	3.7	4	1	1	3	5	6	7	10
80-84	98	4.1	4	1	2	4	5	6	8	11
85+	61	4.3	7	1	1	4	6	7	9	15
2. MULTIPLE DX										
65-69 YRS	788	4.7	12	1	2	4	5	8	11	18
70-74	661	5.1	25	1	2	4	6	9	12	20
75-79	529	5.6	30	2	2	4	7	10	12	19
80-84	301	6.8	37	1	2	5	8	13	18	38
85+	156	8.6	62	2	3	7	10	17	23	68
TOT. SINGLE DX	1078	3.7	4	1	1	4	5	6	7	10
" MULTIPLE DX	2435	5 5	27	1	2	4	6	10	13	23
TOTAL 65-69 YRS	1175	4.3	10	1	2	4	5	7	9	16
70-74	987	4.6	19	1	2	4	5	8	10	19
75-79	735	5.1	24	1	2	4	6	9	12	18
80-84	399	6.1	30	1	2	5	7	12	15	30
85+	217	7.4	50	1	2	6	9	15	20	49
GRAND TOTAL	**3513**	**4.9**	**21**	**1**	**2**	**4**	**6**	**8**	**12**	**20**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	146	3.9	11	1	1	3	5	6	8	17
70-74	139	3.7	3	1	1	3	5	7	7	9
75-79	127	4.4	6	1	1	4	6	7	9	14
80-84	93	5.0	9	1	2	5	6	9	11	15
85+	70	5.5	14	1	2	5	7	10	12	22
2. MULTIPLE DX										
65-69 YRS	265	5.8	35	1	2	4	7	11	16	37
70-74	305	6.4	36	1	2	5	7	12	14	32
75-79	365	7.6	72	1	2	6	9	14	18	80
80-84	301	9.0	72	2	3	7	11	17	23	65
85+	233	9.8	52	2	3	8	13	21	26	99+
TOT. SINGLE DX	575	4.3	9	1	1	4	6	7	9	15
" MULTIPLE DX	1469	7.7	57	1	2	6	9	15	21	53
TOTAL 65-69 YRS	411	5.1	28	1	1	4	5	9	13	31
70-74	444	5.5	28	1	2	4	7	10	13	25
75-79	492	6.8	58	1	2	5	8	12	15	52
80-84	394	8.0	60	2	2	6	9	16	21	55
85+	303	8.8	47	2	3	7	12	19	24	99+
GRAND TOTAL	**2044**	**6.7**	**46**	**1**	**2**	**5**	**8**	**13**	**18**	**42**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	148	3.4	5	1	1	3	5	6	8	11
70-74	106	3.6	4	1	1	3	5	7	8	11
75-79	60	3.6	4	1	1	3	5	7	8	12
80-84	28	3.1	5	1	1	3	4	5	9	10
85+	20	4.1	6	1	1	4	6	7	9	10
2. MULTIPLE DX										
65-69 YRS	434	6.1	27	1	1	5	7	12	16	29
70-74	333	6.3	34	1	2	5	8	12	17	31
75-79	269	7.3	50	2	2	6	9	15	21	48
80-84	111	8.8	38	2	3	8	11	16	19	34
85+	80	10.8	162	1	2	7	12	20	30	72
TOT. SINGLE DX	362	3.5	5	1	1	3	5	6	8	11
" MULTIPLE DX	1227	7.0	46	1	2	5	9	14	18	35
TOTAL 65-69 YRS	582	5.4	23	1	1	4	7	11	15	25
70-74	439	5.6	28	1	1	4	7	11	15	28
75-79	329	6.6	44	1	2	5	8	13	18	47
80-84	139	7.7	37	1	2	6	10	15	18	30
85+	100	9.4	138	1	2	6	11	18	27	70
GRAND TOTAL	**1589**	**6.2**	**38**	**1**	**1**	**4**	**7**	**12**	**16**	**32**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	599	4.7	6	1	2	4	6	8	9	13
70-74	448	4.8	6	1	2	4	6	8	10	13
75-79	320	5.2	8	1	2	5	7	9	10	13
80-84	162	5.6	9	1	2	5	7	9	11	17
85+	50	6.4	16	1	2	5	8	13	19	99
2. MULTIPLE DX										
65-69 YRS	1659	7.5	44	2	3	6	9	13	17	36
70-74	1446	7.7	30	2	3	7	9	13	17	30
75-79	1019	8.5	55	2	3	7	10	16	21	46
80-84	513	9.3	59	2	3	8	12	17	22	38
85+	276	10.3	68	2	3	8	13	20	27	86
TOT. SINGLE DX	1579	5.0	8	1	2	5	6	8	10	14
" MULTIPLE DX	4913	8.1	46	2	3	7	10	15	19	38
TOTAL 65-69 YRS	2258	6.8	36	2	2	5	6	11	16	28
70-74	1894	7.0	26	2	3	6	9	12	15	28
75-79	1339	7.7	46	2	3	6	9	14	19	42
80-84	675	8.4	50	2	3	7	10	16	20	35
85+	326	9.7	62	2	3	8	13	19	26	99+
GRAND TOTAL	**6492**	**7.4**	**39**	**2**	**2**	**6**	**9**	**13**	**17**	**33**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	27	8.7	23	1	2	9	12	16	17	19
70-74	27	8.6	31	3	4	7	10	13	20	31
75-79	17	9.1	12	3	3	10	11	14	14	14
80-84	8	10.3	9	6	6	10	13	14	14	14
85+	4	8.5	24	3	3	8	12	14	14	14
2. MULTIPLE DX										
65-69 YRS	235	11.7	72	5	6	9	13	19	23	60
70-74	187	13.0	101	5	6	10	15	23	30	59
75-79	159	14.7	99	5	7	12	17	26	38	65
80-84	104	15.2	66	7	8	12	19	25	33	45
85+	65	20.2	245	6	8	16	24	41	71	97
TOT. SINGLE DX	83	8.9	22	2	3	9	11	14	16	27
" MULTIPLE DX	750	13.9	105	5	6	11	16	24	33	66
TOTAL 65-69 YRS	262	11.4	68	5	6	9	12	18	23	58
70-74	214	12.5	95	5	6	10	14	20	30	56
75-79	176	14.2	94	5	7	12	16	26	37	64
80-84	112	14.8	64	7	8	12	18	24	32	44
85+	69	19.5	240	5	7	15	24	41	70	96
GRAND TOTAL	**833**	**13.4**	**98**	**5**	**6**	**11**	**16**	**23**	**32**	**64**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	185	6.5	29	1	2	5	9	12	15	30
70-74	121	5.6	23	1	1	4	7	12	17	24
75-79	89	6.5	27	1	1	5	9	13	17	26
80-84	54	7.4	38	<1	1	6	10	16	20	31
85+	23	7.7	34	1	2	6	9	18	20	22
2. MULTIPLE DX										
65-69 YRS	1861	11.4	93	2	3	9	15	22	30	50
70-74	1599	12.2	111	2	3	9	15	24	32	56
75-79	1117	12.0	91	2	3	9	15	24	30	50
80-84	717	13.1	119	2	3	11	17	25	31	56
85+	465	13.2	110	2	3	11	17	24	30	71
TOT. SINGLE DX	472	6.4	29	1	1	5	9	13	17	27
" MULTIPLE DX	5759	12.1	103	2	3	9	15	24	31	54
TOTAL 65-69 YRS	2046	10.9	90	1	3	9	14	22	29	49
70-74	1720	11.7	108	2	3	9	15	23	32	55
75-79	1206	11.6	89	2	3	9	15	23	30	49
80-84	771	12.7	116	2	3	10	17	25	31	54
85+	488	12.9	108	2	3	11	17	24	29	69
GRAND TOTAL	**6231**	**11.7**	**100**	**2**	**3**	**9**	**15**	**23**	**30**	**52**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	100	10.0	54	2	4	8	11	18	25	42
70-74	84	11.3	40	4	5	10	14	18	23	38
75-79	55	10.8	90	4	5	9	12	17	23	68
80-84	32	15.0	185	5	6	11	15	24	57	65
85+	19	8.9	23	2	4	8	11	15	18	21
2. MULTIPLE DX										
65-69 YRS	800	16.2	162	5	6	12	20	30	45	76
70-74	760	16.1	133	5	6	13	20	30	39	80
75-79	590	17.4	130	5	7	15	22	32	40	71
80-84	363	17.7	128	6	8	14	23	33	42	86
85+	280	18.9	155	6	7	16	24	38	47	71
TOT. SINGLE DX	290	11.0	71	4	5	9	13	19	24	56
" MULTIPLE DX	2793	16.9	143	5	6	14	21	32	42	78
TOTAL 65-69 YRS	900	15.5	154	4	5	12	19	29	44	72
70-74	844	15.6	127	5	6	13	19	30	38	80
75-79	645	16.8	131	5	6	14	21	31	39	70
80-84	395	17.4	133	6	7	14	22	32	42	83
85+	299	18.2	153	6	7	15	22	37	46	70
GRAND TOTAL	**3083**	**16.3**	**140**	**5**	**6**	**13**	**20**	**31**	**41**	**73**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	23	2.9	6	<1	<1	2	4	7	9	9
70-74	9	4.9	29	1	1	2	8	14	16	16
75-79	12	4.3	9	1	1	3	6	10	10	10
80-84	6	2.3		2	2	2	3	3	3	3
85+	6	4.5	10	2	2	4	6	10	10	10
2. MULTIPLE DX										
65-69 YRS	82	7.9	131	1	1	5	9	18	25	72
70-74	64	7.8	56	2	2	5	11	20	29	90
75-79	56	9.8	80	2	2	6	16	22	30	35
80-84	30	9.7	43	1	1	8	12	16	21	29
85+	27	13.5	102	1	1	11	22	29	33	36
TOT. SINGLE DX	56	3.6	11	<1	1	2	5	9	10	16
" MULTIPLE DX	259	8.9	90	1	2	6	12	21	29	37
TOTAL 65-69 YRS	105	6.8	108	<1	1	4	8	15	22	60
70-74	73	7.4	54	1	2	5	10	18	27	84
75-79	68	8.8	72	1	2	5	13	20	29	34
80-84	36	7.6	42	1	2	7	11	16	20	29
85+	33	11.8	97	1	2	9	18	27	33	36
GRAND TOTAL	**315**	**8.0**	**80**	**1**	**1**	**5**	**10**	**19**	**27**	**36**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	232	9.1	29	2	3	8	11	16	20	27
70-74	155	9.5	21	3	5	9	11	15	18	38
75-79	102	10.4	34	4	5	10	12	16	20	36
80-84	81	10.3	20	4	6	9	12	17	19	24
85+	52	10.5	30	4	5	10	13	16	17	39
2. MULTIPLE DX										
65-69 YRS	1350	14.2	112	3	5	11	18	26	36	62
70-74	1293	15.0	136	4	5	12	18	28	38	69
75-79	1009	16.1	132	4	6	13	20	29	41	72
80-84	707	16.9	110	6	8	14	20	29	38	56
85+	511	17.1	97	7	8	15	21	30	38	93
TOT. SINGLE DX	622	9.7	27	2	4	9	12	16	19	27
" MULTIPLE DX	4870	15.5	122	4	6	13	19	28	38	68
TOTAL 65-69 YRS	1582	13.4	103	3	4	11	17	25	34	60
70-74	1448	14.4	127	4	5	11	17	26	37	69
75-79	1111	15.6	126	4	6	12	19	28	40	71
80-84	788	16.2	105	6	7	14	20	29	37	55
85+	563	16.5	95	7	8	14	20	29	37	84
GRAND TOTAL	**5492**	**14.8**	**115**	**4**	**6**	**12**	**18**	**27**	**36**	**65**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	107	9.4	9	5	6	9	11	13	16	20
70-74	106	10.8	18	6	7	9	13	17	21	24
75-79	77	9.5	6	6	7	9	11	13	14	16
80-84	28	13.7	166	6	6	10	14	23	32	74
85+	12	11.4	8	8	8	10	14	16	16	16
2. MULTIPLE DX										
65-69 YRS	743	14.9	107	6	7	12	17	26	34	63
70-74	703	14.1	59	6	7	12	17	24	30	43
75-79	547	14.8	75	6	7	12	18	26	32	56
80-84	288	16.3	76	7	8	14	20	29	32	55
85+	141	17.1	70	7	9	15	22	29	34	50
TOT. SINGLE DX	330	10.3	26	5	7	9	12	15	17	25
" MULTIPLE DX	2422	15.0	81	6	7	12	18	26	32	54
TOTAL 65-69 YRS	850	14.2	99	6	7	11	16	24	33	60
70-74	809	13.7	55	6	7	11	17	23	28	42
75-79	624	14.2	70	6	7	12	17	25	31	55
80-84	316	16.1	84	7	8	13	20	29	32	56
85+	153	16.7	68	7	9	14	21	28	33	46
GRAND TOTAL	**2752**	**14.4**	**77**	**6**	**7**	**12**	**17**	**25**	**31**	**50**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	221	6.7	32	1	2	6	9	12	14	19
70-74	182	6.6	14	1	2	6	9	11	14	19
75-79	85	6.8	20	1	2	6	9	13	15	21
80-84	39	5.8	21	1	1	5	8	12	15	21
85+	15	7.2	22	1	2	6	11	15	16	16
2. MULTIPLE DX										
65-69 YRS	1081	11.1	77	2	2	9	14	22	28	42
70-74	874	11.6	100	2	2	9	14	24	32	53
75-79	577	13.2	103	2	3	10	18	26	34	48
80-84	312	13.1	129	2	4	10	16	26	32	71
85+	169	14.2	92	3	4	12	18	28	36	48
TOT. SINGLE DX	542	6.6	23	1	2	6	9	12	15	20
" MULTIPLE DX	3013	12.0	96	2	3	10	16	24	31	50
TOTAL 65-69 YRS	1302	10.3	73	1	2	8	13	20	26	41
70-74	1056	10.8	89	2	2	8	13	22	30	50
75-79	662	12.4	97	2	3	10	16	25	32	46
80-84	351	12.3	123	2	3	9	15	24	32	70
85+	184	13.6	90	3	4	11	18	28	36	48
GRAND TOTAL	**3555**	**11.2**	**89**	**2**	**2**	**9**	**14**	**23**	**30**	**49**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	146	7.1	12	1	2	7	9	12	13	17
70-74	111	8.1	24	1	2	8	10	14	16	25
75-79	58	9.0	25	2	3	9	11	16	21	26
80-84	15	6.0	8	2	2	8	8	9	10	10
85+	7	8.1	52	1	1	6	10	20	23	23
2. MULTIPLE DX										
65-69 YRS	553	10.2	54	2	3	9	13	18	23	36
70-74	436	11.3	82	2	3	9	15	20	26	52
75-79	321	11.9	81	2	3	10	15	21	28	53
80-84	167	12.6	78	2	3	12	17	24	29	46
85+	86	13.9	144	4	5	11	16	26	35	73
TOT. SINGLE DX	337	7.7	20	1	2	8	10	12	16	23
" MULTIPLE DX	1563	11.3	76	2	3	9	14	21	26	50
TOTAL 65-69 YRS	699	9.6	47	2	2	8	12	17	22	35
70-74	547	10.6	72	2	2	9	14	18	26	52
75-79	379	11.5	74	2	3	9	15	21	25	50
80-84	182	12.1	76	2	3	11	16	23	29	45
85+	93	13.4	139	4	5	10	15	25	33	72
GRAND TOTAL	**1900**	**10.7**	**68**	**2**	**3**	**9**	**13**	**19**	**25**	**46**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	12	9.4	51	2	2	7	13	22	24	24
70-74	14	11.4	169	1	3	9	14	20	46	53
75-79	13	10.2	32	4	4	10	15	18	18	18
80-84	3	10.7	70	1	1	15	16	16	16	16
85+										
2. MULTIPLE DX										
65-69 YRS	127	16.3	86	6	8	14	20	29	36	45
70-74	110	16.9	84	6	8	15	20	28	38	47
75-79	99	15.6	63	5	7	13	21	26	31	40
80-84	38	18.3	185	3	4	15	23	35	52	63
85+	12	17.3	71	4	7	16	22	31	32	32
TOT. SINGLE DX	42	10.4	81	2	3	8	14	18	22	53
" MULTIPLE DX	386	16.6	89	5	8	14	20	28	37	47
TOTAL 65-69 YRS	139	15.7	87	4	7	13	20	28	36	45
70-74	124	16.3	96	4	6	14	20	27	39	50
75-79	112	15.0	63	4	5	13	20	25	30	39
80-84	41	17.7	179	2	4	15	20	32	49	63
85+	12	17.3	71	4	7	16	22	31	32	32
GRAND TOTAL	**428**	**15.9**	**92**	**4**	**6**	**14**	**20**	**27**	**36**	**48**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	369	4.1	8	1	1	3	5	7	10	14
70-74	190	4.1	7	1	1	4	6	8	9	13
75-79	81	4.3	11	1	1	4	6	8	10	19
80-84	38	4.8	11	1	1	4	7	9	12	15
85+	12	4.2	3	1	2	4	6	7	7	7
2. MULTIPLE DX										
65-69 YRS	737	6.6	32	1	2	5	8	13	17	29
70-74	517	7.3	40	1	2	6	9	15	20	32
75-79	370	8.3	46	1	2	6	11	18	20	33
80-84	198	9.7	54	2	3	8	12	20	24	35
85+	95	9.8	94	2	2	6	12	20	31	53
TOT. SINGLE DX	690	4.1	9	1	1	3	5	8	10	14
" MULTIPLE DX	1917	7.6	44	1	2	6	10	16	20	34
TOTAL 65-69 YRS	1106	5.8	26	1	2	4	7	11	15	26
70-74	707	6.5	34	1	2	5	8	13	18	29
75-79	451	7.6	42	1	2	6	10	17	20	33
80-84	236	8.9	51	2	2	7	11	18	24	34
85+	107	9.2	88	2	2	6	11	20	25	50
GRAND TOTAL	**2607**	**6.7**	**37**	**1**	**2**	**5**	**8**	**14**	**18**	**32**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	581	3.5	10	<1	<1	2	5	7	10	16
70-74	517	3.9	13	<1	<1	3	5	8	11	18
75-79	415	3.9	14	<1	<1	3	5	8	12	19
80-84	214	4.2	20	<1	1	3	6	8	10	17
85+	148	4.9	20	<1	1	3	6	10	13	24
2. MULTIPLE DX										
65-69 YRS	4108	7.7	70	1	1	6	9	16	22	46
70-74	4503	8.4	73	1	2	6	11	18	25	50
75-79	4250	9.2	77	1	2	7	12	19	26	49
80-84	3361	10.2	100	2	2	8	13	21	29	66
85+	2780	10.8	96	2	3	8	13	21	31	61
TOT. SINGLE DX	1875	3.9	14	<1	<1	3	5	8	11	19
" MULTIPLE DX	19002	9.1	83	1	2	7	11	19	26	52
TOTAL 65-69 YRS	4689	7.2	65	1	1	5	9	15	21	44
70-74	5020	8.0	69	1	1	6	10	17	24	48
75-79	4665	8.7	74	1	2	6	11	18	24	48
80-84	3575	9.9	98	1	2	7	12	20	28	63
85+	2928	10.5	94	2	2	8	13	21	29	60
GRAND TOTAL	**20877**	**8.6**	**79**	**1**	**2**	**6**	**11**	**18**	**25**	**50**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1034	3.0	5	1	1	2	4	5	7	10
70-74	1075	3.1	4	1	1	3	4	6	7	11
75-79	908	3.3	8	1	1	3	4	6	8	13
80-84	633	3.6	7	1	1	3	4	6	8	14
85+	418	4.2	10	1	1	3	5	8	10	19
2. MULTIPLE DX										
65-69 YRS	3305	5.0	27	1	1	4	6	10	14	27
70-74	3787	5.2	28	1	1	4	6	10	14	28
75-79	3640	6.2	46	1	2	4	7	12	17	35
80-84	2714	6.9	53	1	2	5	8	14	20	38
85+	2116	7.8	58	2	2	6	10	16	22	41
TOT. SINGLE DX	4068	3.3	7	1	1	3	4	6	8	12
" MULTIPLE DX	15562	6.0	42	1	2	4	7	12	17	33
TOTAL 65-69 YRS	4339	4.5	23	1	1	3	5	9	12	25
70-74	4862	4.8	24	1	1	3	6	9	13	26
75-79	4548	5.6	41	1	1	4	7	11	15	32
80-84	3347	6.2	46	1	2	4	7	13	18	36
85+	2534	7.2	52	1	2	5	9	15	21	38
GRAND TOTAL	**19630**	**5.5**	**36**	**1**	**1**	**4**	**6**	**11**	**15**	**30**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	290	6.2	25	1	1	4	9	14	17	22
70-74	248	6.6	33	1	1	5	10	15	17	25
75-79	190	5.9	33	1	1	4	8	14	16	26
80-84	104	6.8	38	1	1	5	9	14	17	32
85+	81	5.6	27	1	1	4	8	12	14	29
2. MULTIPLE DX										
65-69 YRS	1372	9.8	88	1	2	7	14	20	28	48
70-74	1600	10.4	100	1	2	8	14	21	29	51
75-79	1417	10.3	99	1	2	8	14	21	28	50
80-84	988	11.1	118	2	2	8	14	22	31	68
85+	832	11.6	128	2	3	8	14	23	34	70
TOT. SINGLE DX	913	6.2	31	1	1	4	9	14	16	25
" MULTIPLE DX	6209	10.5	105	1	2	8	14	21	29	57
TOTAL 65-69 YRS	1662	9.2	80	1	2	6	13	19	26	46
70-74	1848	9.9	93	1	2	7	13	20	27	48
75-79	1607	9.8	94	1	2	7	13	21	27	49
80-84	1092	10.7	113	1	2	8	14	22	30	68
85+	913	11.0	123	2	2	8	13	21	33	69
GRAND TOTAL	**7122**	**10.0**	**97**	**1**	**2**	**7**	**13**	**21**	**28**	**54**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	7	2.4	2	<1	<1	3	4	4	4	4
70-74	2	1.5	1	<1	<1	1	2	2	2	2
75-79	1	2.0		2	2	2	2	2	2	2
80-84	2	7.5	5	6	6	7	9	9	9	9
85+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	33	7.4	101	1	1	5	7	16	25	55
70-74	33	5.8	30	1	2	4	7	11	15	30
75-79	27	5.9	59	<1	1	3	6	14	28	31
80-84	16	9.6	28	3	3	9	13	17	20	22
85+	10	12.0	43	4	4	10	19	21	22	22
TOT. SINGLE DX	14	2.9	5	<1	<1	2	4	6	8	9
" MULTIPLE DX	119	7.3	60	1	1	5	9	16	22	38
TOTAL 65-69 YRS	40	6.5	87	<1	1	4	7	13	22	55
70-74	35	5.5	30	<1	1	4	7	11	14	30
75-79	28	5.7	58	1	1	3	6	14	28	31
80-84	18	9.4	26	3	4	9	13	17	20	22
85+	12	10.3	52	1	2	8	17	21	22	22
GRAND TOTAL	**133**	**6.8**	**56**	**1**	**1**	**5**	**8**	**15**	**21**	**35**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	80	3.5	5	<1	1	3	5	7	8	12
70-74	73	4.0	39	1	1	3	4	7	9	44
75-79	46	3.6	7	1	2	3	5	6	9	16
80-84	33	3.2	8	<1	1	2	4	6	8	15
85+	23	4.4	13	<1	1	4	5	10	13	15
2. MULTIPLE DX										
65-69 YRS	223	5.7	51	1	1	4	7	11	15	39
70-74	246	5.9	37	1	1	4	7	13	18	32
75-79	194	5.9	37	1	1	4	7	13	20	30
80-84	143	5.9	35	1	2	4	7	11	21	32
85+	96	9.3	133	1	2	6	10	19	36	60
TOT. SINGLE DX	255	3.7	17	1	1	3	5	7	9	15
" MULTIPLE DX	902	6.2	52	1	1	4	7	13	19	37
TOTAL 65-69 YRS	303	5.2	40	1	1	3	6	10	14	30
70-74	319	5.5	39	1	1	4	7	12	17	34
75-79	240	5.4	33	1	1	4	6	12	17	29
80-84	176	5.4	32	1	1	4	7	11	17	31
85+	119	8.3	113	1	1	5	9	15	30	60
GRAND TOTAL	**1157**	**5.7**	**45**	**1**	**1**	**4**	**7**	**12**	**17**	**37**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	55	3.6	12	<1	<1	2	5	8	10	19
70-74	49	3.8	11	<1	<1	3	5	10	13	13
75-79	38	3.2	12	<1	<1	2	3	7	12	18
80-84	24	3.6	22	<1	<1	2	3	9	13	22
85+	13	4.5	22	<1	<1	3	6	10	16	18
2. MULTIPLE DX										
65-69 YRS	643	8.0	68	1	1	6	10	16	22	39
70-74	787	8.4	66	1	2	7	11	16	23	47
75-79	815	9.0	68	1	2	7	12	19	25	42
80-84	674	10.0	116	2	2	7	12	19	27	73
85+	606	9.2	57	2	2	7	12	17	23	42
TOT. SINGLE DX	179	3.6	14	<1	<1	2	5	8	12	19
" MULTIPLE DX	3525	8.9	76	1	2	7	11	18	24	48
TOTAL 65-69 YRS	698	7.6	65	1	1	5	10	16	21	38
70-74	836	8.1	65	1	1	6	11	16	23	45
75-79	853	8.8	67	1	2	6	11	19	25	41
80-84	698	9.8	115	1	2	7	12	19	26	73
85+	619	9.1	57	2	2	7	12	17	23	42
GRAND TOTAL	**3704**	**8.7**	**74**	**1**	**2**	**7**	**11**	**18**	**24**	**45**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	115	3.4	8	1	1	2	5	8	11	43
70-74	114	2.9	2	1	1	3	4	5	6	8
75-79	81	3.6	7	1	1	3	4	7	11	13
80-84	48	3.4	3	1	1	3	4	6	7	10
85+	17	3.9	9	<1	1	3	5	7	12	14
2. MULTIPLE DX										
65-69 YRS	452	5.6	52	1	1	3	7	13	16	30
70-74	537	5.6	28	1	1	4	7	12	15	30
75-79	489	5.7	24	1	1	4	7	12	16	23
80-84	342	7.5	60	1	2	5	9	16	22	35
85+	224	8.5	50	1	2	7	11	18	21	40
TOT. SINGLE DX	375	3.3	6	1	1	3	4	6	9	14
" MULTIPLE DX	2044	6.3	41	1	1	4	8	13	17	30
TOTAL 65-69 YRS	567	5.1	44	1	1	3	6	12	16	30
70-74	651	5.2	25	1	1	4	6	11	14	29
75-79	570	5.4	22	1	1	4	7	11	15	23
80-84	390	7.0	55	1	2	4	8	15	21	34
85+	241	8.1	49	1	2	6	10	17	20	39
GRAND TOTAL	**2419**	**5.8**	**37**	**1**	**1**	**4**	**7**	**12**	**17**	**30**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	137	6.3	6	3	3	6	8	9	11	15
70-74	107	6.9	4	3	4	7	8	10	10	12
75-79	47	7.5	4	4	4	8	9	9	10	13
80-84	27	7.9	10	3	3	8	9	12	14	16
85+	3	5.3	4	3	3	6	7	7	7	7
2. MULTIPLE DX										
65-69 YRS	404	8.0	19	3	5	8	9	11	14	24
70-74	285	8.3	14	4	4	8	9	13	16	22
75-79	195	9.0	27	3	4	8	10	14	18	32
80-84	83	8.7	17	4	5	8	10	14	16	26
85+	22	7.9	19	3	4	8	9	13	18	23
TOT. SINGLE DX	321	6.8	6	3	3	7	8	10	11	14
" MULTIPLE DX	989	8.3	20	3	4	8	10	13	16	25
TOTAL 65-69 YRS	541	7.6	17	3	4	7	9	11	14	24
70-74	392	7.9	12	4	4	7	9	12	15	21
75-79	242	8.7	24	3	4	8	10	13	16	31
80-84	110	8.5	16	3	4	8	10	14	16	25
85+	25	7.6	18	3	4	7	9	12	16	23
GRAND TOTAL	**1310**	**8.0**	**17**	**3**	**4**	**7**	**9**	**12**	**15**	**24**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	110	5.7	4	3	3	5	7	8	9	12
70-74	87	6.0	6	3	3	5	7	10	11	13
75-79	53	6.4	7	3	4	6	7	9	13	17
80-84	14	6.4	6	2	3	6	7	10	11	11
85+	6	7.5	4	5	5	7	8	11	11	11
2. MULTIPLE DX										
65-69 YRS	266	6.7	11	3	3	6	8	10	14	19
70-74	210	6.9	17	2	3	6	8	11	14	27
75-79	158	6.8	10	3	4	6	8	11	13	20
80-84	66	8.5	23	4	4	8	10	13	15	30
85+	21	7.6	11	2	3	8	9	12	13	15
TOT. SINGLE DX	270	6.0	6	3	3	6	7	9	11	13
" MULTIPLE DX	721	6.9	15	3	3	6	8	11	14	24
TOTAL 65-69 YRS	376	6.4	10	3	3	6	7	9	12	18
70-74	297	6.6	15	3	3	6	8	10	13	24
75-79	211	6.7	10	3	4	6	8	10	13	19
80-84	80	8.2	21	3	4	7	10	12	14	30
85+	27	7.6	9	3	3	8	9	11	12	15
GRAND TOTAL	**991**	**6.7**	**12**	**3**	**3**	**6**	**8**	**10**	**13**	**21**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	18	4.2	6	1	2	4	5	7	10	12
70-74	19	4.3	7	1	2	3	6	8	10	11
75-79	8	4.6	4	1	2	5	6	7	8	8
80-84	6	3.3	13	1	1	2	5	9	10	10
85+	2	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	121	8.3	67	1	2	6	11	17	20	46
70-74	109	9.6	109	1	2	6	12	22	34	51
75-79	96	9.5	73	1	2	8	11	19	31	39
80-84	57	10.3	130	1	1	7	14	23	30	68
85+	38	10.3	82	3	4	7	12	20	31	45
TOT. SINGLE DX	53	4.2	7	1	1	3	6	7	10	12
" MULTIPLE DX	421	9.4	89	1	2	7	12	19	27	47
TOTAL 65-69 YRS	139	7.8	61	1	2	5	11	16	19	41
70-74	128	8.8	98	1	2	6	11	20	33	50
75-79	104	9.2	70	1	2	8	11	18	29	39
80-84	63	9.6	123	1	1	6	13	22	28	66
85+	40	10.0	81	3	3	7	12	19	29	45
GRAND TOTAL	**474**	**8.8**	**83**	**1**	**2**	**6**	**11**	**18**	**25**	**47**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	84	4.3	12	1	1	3	6	9	12	18
70-74	50	4.1	8	1	1	4	5	7	9	17
75-79	19	4.8	6	1	2	5	7	9	9	9
80-84	9	3.7	3	1	1	4	5	6	6	6
85+	2	3.0	8	1	1	3	5	5	5	5
2. MULTIPLE DX										
65-69 YRS	114	9.2	82	1	2	6	13	21	34	64
70-74	112	9.6	97	2	2	7	11	23	32	73
75-79	56	10.6	146	1	1	6	13	29	35	61
80-84	49	12.6	243	1	2	7	14	35	55	68
85+	28	11.4	162	1	1	7	15	26	39	58
TOT. SINGLE DX	164	4.2	10	1	1	3	5	8	10	17
" MULTIPLE DX	359	10.1	125	1	2	7	13	24	36	63
TOTAL 65-69 YRS	198	7.1	59	1	1	4	9	17	22	43
70-74	162	7.9	76	1	2	5	9	17	26	56
75-79	75	9.1	117	1	1	5	9	23	34	57
80-84	58	11.2	216	1	2	6	11	31	48	68
85+	30	10.8	156	1	1	7	15	26	37	58
GRAND TOTAL	**523**	**8.3**	**96**	**1**	**1**	**5**	**9**	**19**	**30**	**59**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	2804	5.0	5	2	3	5	6	7	8	12
70-74	2759	5.2	4	2	3	5	6	8	9	12
75-79	1948	5.4	5	2	3	5	6	8	10	15
80-84	1047	5.7	7	3	3	5	7	9	11	17
85+	499	6.6	17	3	3	6	8	10	13	19
2. MULTIPLE DX										
65-69 YRS	12716	6.7	26	3	3	5	7	11	15	28
70-74	14289	7.2	30	3	3	6	8	13	17	30
75-79	12176	8.1	43	3	4	6	9	15	20	37
80-84	7641	9.0	49	3	4	7	11	17	22	39
85+	4730	10.6	74	4	4	8	13	20	26	52
TOT. SINGLE DX	9057	5.3	6	2	3	5	6	8	9	14
" MULTIPLE DX	51552	7.9	41	3	3	6	9	14	19	35
TOTAL 65-69 YRS	15520	6.4	23	3	3	5	7	10	14	25
70-74	17048	6.9	27	3	3	6	8	12	15	28
75-79	14124	7.7	39	3	3	6	9	14	19	34
80-84	8688	8.6	46	3	4	7	10	16	21	37
85+	5229	10.2	70	3	4	8	12	19	25	51
GRAND TOTAL	**60609**	**7.5**	**37**	**3**	**3**	**6**	**8**	**13**	**18**	**33**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	326	9.7	11	5	6	9	11	14	17	20
70-74	245	9.9	18	5	6	9	12	15	17	31
75-79	123	9.5	11	5	6	9	12	14	15	18
80-84	30	10.5	7	7	7	10	12	14	16	16
85+	24	11.5	17	6	7	11	14	17	19	22
2. MULTIPLE DX										
65-69 YRS	1241	11.1	26	5	6	10	13	17	21	30
70-74	1152	11.7	31	5	7	11	14	18	21	31
75-79	834	12.8	50	6	7	11	15	20	25	39
80-84	454	13.9	57	6	7	12	17	22	27	48
85+	203	15.9	106	7	8	14	18	26	32	82
TOT. SINGLE DX	748	9.8	14	5	6	9	12	15	16	21
" MULTIPLE DX	3884	12.2	43	5	7	11	14	19	23	36
TOTAL 65-69 YRS	1567	10.8	24	5	6	10	12	17	20	28
70-74	1397	11.4	30	5	6	10	14	18	21	31
75-79	957	12.4	47	6	7	11	14	20	24	38
80-84	484	13.7	55	6	7	12	16	22	26	46
85+	227	15.4	99	6	8	13	18	25	32	79
GRAND TOTAL	**4632**	**11.8**	**39**	**5**	**7**	**10**	**14**	**19**	**22**	**35**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	540	2.0	2	<1	<1	2	2	3	4	8
70-74	449	2.2	6	<1	<1	2	2	4	5	8
75-79	290	2.3	4	<1	<1	2	3	4	6	13
80-84	99	2.5	4	<1	<1	2	3	5	6	12
85+	47	3.3	9	<1	1	2	4	6	10	16
2. MULTIPLE DX										
65-69 YRS	1084	4.8	32	1	1	3	6	12	15	26
70-74	1143	5.5	44	1	1	3	7	13	17	33
75-79	960	6.1	55	1	1	4	8	13	19	37
80-84	580	7.5	70	1	1	5	10	16	22	41
85+	308	9.0	84	1	2	7	12	19	23	42
TOT. SINGLE DX	1425	2.2	4	<1	<1	2	3	4	5	10
" MULTIPLE DX	4075	6.0	52	1	1	3	8	14	19	35
TOTAL 65-69 YRS	1624	3.9	24	<1	1	2	4	9	13	23
70-74	1592	4.6	36	<1	1	2	5	11	15	32
75-79	1250	5.3	46	1	1	3	6	12	17	36
80-84	679	6.7	64	1	1	4	9	15	21	38
85+	355	8.2	78	1	1	5	11	18	22	42
GRAND TOTAL	**5500**	**5.0**	**42**	**<1**	**1**	**3**	**6**	**12**	**16**	**32**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	69	2.8	2	<1	1	3	3	5	6	8
70-74	46	2.6	5	<1	1	2	3	4	8	12
75-79	23	2.9	5	<1	1	2	3	7	8	10
80-84	13	2.4	1	1	1	2	3	4	4	4
85+	3	3.3	6	<1	<1	3	5	6	6	6
2. MULTIPLE DX										
65-69 YRS	152	6.1	96	1	1	3	7	12	16	79
70-74	127	6.4	63	1	1	4	7	15	21	49
75-79	108	7.5	81	1	2	4	8	23	28	41
80-84	57	7.8	56	1	2	6	9	16	24	40
85+	32	11.5	107	1	2	8	15	28	35	42
TOT. SINGLE DX	154	2.7	4	<1	1	2	3	5	7	10
" MULTIPLE DX	476	7.0	81	1	1	4	8	15	25	43
TOTAL 65-69 YRS	221	5.0	69	1	1	3	5	10	13	42
70-74	173	5.4	50	1	1	3	6	12	18	44
75-79	131	6.7	71	1	1	4	8	14	28	41
80-84	70	6.8	50	1	2	4	8	14	18	39
85+	35	10.8	104	1	2	7	14	27	34	42
GRAND TOTAL	**630**	**6.0**	**66**	**1**	**1**	**3**	**7**	**13**	**20**	**41**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	145	3.2	11	1	1	2	4	6	9	17
70-74	170	2.9	5	1	1	2	3	6	7	13
75-79	187	3.3	14	1	1	2	3	7	10	22
80-84	118	3.1	7	1	1	2	3	7	9	13
85+	56	3.6	8	1	2	3	4	7	7	19
2. MULTIPLE DX										
65-69 YRS	707	6.4	45	1	1	4	8	15	21	33
70-74	875	7.1	60	1	1	4	10	17	21	39
75-79	906	7.1	55	1	1	4	10	17	21	37
80-84	647	8.0	88	1	2	5	10	17	25	51
85+	326	9.5	94	1	2	7	13	20	28	61
TOT. SINGLE DX	676	3.2	10	1	1	2	4	6	9	17
" MULTIPLE DX	3461	7.4	65	1	1	4	10	17	22	42
TOTAL 65-69 YRS	852	5.9	41	1	1	3	7	14	20	32
70-74	1045	6.4	54	1	1	3	8	15	19	36
75-79	1093	6.5	51	1	1	4	9	15	20	34
80-84	765	7.3	79	1	1	4	9	16	22	50
85+	382	8.6	86	1	2	6	12	18	24	58
GRAND TOTAL	**4137**	**6.7**	**59**	**1**	**1**	**4**	**9**	**16**	**21**	**39**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	2	2.5	1	2	2	2	3	3	3	3
70-74										
75-79	1	14.0		14	14	14	14	14	14	14
80-84	2	4.0	18	1	1	4	7	7	7	7
85+	1	2.0		2	2	2	2	2	2	2
TOT. SINGLE DX	2	1.5	1	<1	<1	1	2	2	2	2
" MULTIPLE DX	6	4.8	25	1	1	3	7	13	14	14
TOTAL 65-69 YRS	2	2.5	1	2	2	2	3	3	3	3
70-74										
75-79	1	14.0		14	14	14	14	14	14	14
80-84	2	4.0	18	1	1	4	7	7	7	7
85+	3	1.7		<1	<1	2	2	2	2	2
GRAND TOTAL	**8**	**4.0**	**20**	**<1**	**<1**	**2**	**5**	**12**	**14**	**14**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	14	2.1	2	<1	1	2	3	4	5	6
70-74	6	3.0	2	1	1	3	4	5	5	5
75-79	1	6.0		6	6	6	6	6	6	6
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	24	5.4	15	1	2	4	8	11	14	16
70-74	9	11.4	314	1	1	4	14	41	56	56
75-79	9	8.7	26	3	3	8	14	16	16	16
80-84	8	5.1	59	1	1	3	4	18	24	24
85+	1	6.0		6	6	6	6	6	6	6
TOT. SINGLE DX	21	2.6	3	<1	1	2	3	5	6	6
" MULTIPLE DX	51	7.0	76	1	1	4	8	15	19	56
TOTAL 65-69 YRS	38	4.2	13	1	1	3	6	9	12	16
70-74	15	8.1	199	1	1	4	5	19	47	56
75-79	10	8.4	24	3	3	7	14	15	16	16
80-84	8	5.1	60	1	1	3	4	18	24	24
85+	1	6.0		6	6	6	6	6	6	6
GRAND TOTAL	**72**	**5.7**	**58**	**1**	**1**	**3**	**6**	**13**	**16**	**49**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	2	4.5	13	2	2	4	7	7	7	7
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	7	6.1	4	2	3	7	8	8	8	8
70-74	9	10.9	38	3	4	11	14	20	23	23
75-79	5	7.4	39	2	2	4	13	16	16	16
80-84	4	12.8	25	6	6	13	16	18	18	18
85+	1	16.0		16	16	16	16	16	16	16
TOT. SINGLE DX	3	4.0	7	2	2	3	6	7	7	7
" MULTIPLE DX	26	9.4	31	2	3	8	14	16	19	23
TOTAL 65-69 YRS	8	5.8	5	2	2	6	7	8	8	8
70-74	11	9.7	38	2	3	8	14	18	23	23
75-79	5	7.4	39	2	2	4	13	16	16	16
80-84	4	12.8	25	6	6	13	16	18	18	18
85+	1	16.0		16	16	16	16	16	16	16
GRAND TOTAL	**29**	**8.9**	**31**	**2**	**2**	**7**	**14**	**16**	**18**	**23**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	209	2.3	2	1	1	2	3	4	4	9
70-74	109	2.6	2	1	1	2	3	4	6	8
75-79	56	2.4	2	1	1	2	3	4	6	7
80-84	20	2.4	4	<1	<1	2	3	4	7	10
85+	12	2.4	2	1	1	2	4	5	5	5
2. MULTIPLE DX										
65-69 YRS	312	3.7	11	1	1	3	4	8	11	18
70-74	281	3.7	8	1	1	3	4	7	9	16
75-79	166	4.2	17	1	1	3	5	8	11	27
80-84	82	4.5	18	1	1	3	5	9	14	24
85+	25	4.6	11	1	2	4	5	9	13	14
TOT. SINGLE DX	406	2.4	2	1	1	2	3	4	5	9
" MULTIPLE DX	866	3.9	12	1	1	3	4	8	11	18
TOTAL 65-69 YRS	521	3.1	8	1	1	2	4	6	9	16
70-74	390	3.4	7	1	1	3	4	7	8	14
75-79	222	3.8	14	1	1	3	4	7	9	23
80-84	102	4.1	16	<1	1	3	4	8	13	23
85+	37	3.9	9	1	1	3	5	8	12	14
GRAND TOTAL	**1272**	**3.4**	**10**	**1**	**1**	**3**	**4**	**7**	**9**	**17**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	44	1.6		<1	1	1	2	3	3	5
70-74	31	1.9	4	<1	<1	1	2	3	4	13
75-79	18	1.4		<1	<1	1	2	2	3	3
80-84	16	1.3		<1	<1	1	2	2	2	2
85+	7	2.3	2	1	1	1	4	4	4	4
2. MULTIPLE DX										
65-69 YRS	148	3.8	16	<1	1	2	5	9	13	20
70-74	149	4.1	55	1	1	2	4	7	12	31
75-79	126	6.0	73	1	1	3	7	12	20	47
80-84	68	4.7	21	1	1	3	6	13	17	85
85+	73	6.6	37	1	1	4	10	14	21	27
TOT. SINGLE DX	116	1.6	2	<1	<1	1	2	3	4	8
" MULTIPLE DX	564	4.9	44	1	1	3	6	11	16	34
TOTAL 65-69 YRS	192	3.3	14	<1	1	2	4	7	12	20
70-74	180	3.7	47	<1	1	2	4	7	12	30
75-79	144	5.4	67	<1	1	2	7	10	17	43
80-84	84	4.0	19	<1	1	2	6	11	16	73
85+	80	6.2	36	1	1	4	8	14	19	27
GRAND TOTAL	**680**	**4.3**	**38**	**<1**	**1**	**2**	**5**	**10**	**14**	**32**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	220	3.1	3	1	1	3	4	6	7	9
70-74	110	3.5	5	1	1	3	4	6	7	13
75-79	45	3.2	3	1	1	3	4	5	6	10
80-84	11	4.5	11	1	1	4	6	10	11	11
85+	10	3.3	2	1	1	3	5	5	5	5
2. MULTIPLE DX										
65-69 YRS	621	4.5	22	1	2	3	5	8	10	24
70-74	341	5.0	34	1	2	3	5	9	15	37
75-79	144	4.9	18	1	2	4	5	10	14	32
80-84	52	7.6	60	2	2	5	9	18	26	39
85+	31	7.5	70	1	1	4	9	26	32	99+
TOT. SINGLE DX	396	3.3	4	1	1	3	4	6	7	11
" MULTIPLE DX	1189	4.9	29	1	2	4	5	9	14	31
TOTAL 65-69 YRS	841	4.1	18	1	1	3	5	7	9	19
70-74	451	4.6	28	1	1	3	5	8	13	26
75-79	189	4.5	15	1	1	4	5	8	14	27
80-84	63	7.1	53	1	2	4	9	16	25	38
85+	41	6.5	57	1	1	4	8	20	31	99+
GRAND TOTAL	**1585**	**4.5**	**23**	**1**	**1**	**3**	**5**	**8**	**11**	**26**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	14	6.6	7	3	4	6	8	10	12	13
70-74	13	8.5	10	5	6	7	10	13	15	16
75-79	13	7.1	3	5	5	7	8	10	11	11
80-84	5	8.0	9	4	4	9	10	12	12	12
85+	4	3.5	4	1	1	3	5	6	6	6
2. MULTIPLE DX										
65-69 YRS	67	11.1	31	5	5	10	14	20	21	31
70-74	65	13.6	119	5	6	10	15	28	38	54
75-79	59	16.7	199	5	6	11	22	33	48	78
80-84	40	14.5	44	7	7	12	19	24	26	33
85+	32	14.8	75	5	7	13	18	32	35	36
TOT. SINGLE DX	49	7.1	8	3	4	7	9	11	12	16
" MULTIPLE DX	263	13.9	101	5	6	10	18	24	33	53
TOTAL 65-69 YRS	81	10.4	30	4	5	9	12	19	21	30
70-74	78	12.7	104	5	6	9	14	23	33	54
75-79	72	15.0	178	5	6	10	20	28	45	75
80-84	45	13.8	45	6	7	11	18	23	26	33
85+	36	13.5	80	3	4	11	17	30	34	36
GRAND TOTAL	**312**	**12.9**	**92**	**5**	**6**	**10**	**16**	**23**	**31**	**53**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	37	6.5	5	4	4	6	7	10	12	14
70-74	30	7.0	8	4	4	6	8	11	14	15
75-79	18	7.3	7	4	4	6	9	12	13	13
80-84	4	6.8	5	4	4	7	8	9	9	9
85+	10	6.2	5	2	3	7	8	9	10	10
2. MULTIPLE DX										
65-69 YRS	163	11.0	51	5	5	8	14	19	24	39
70-74	133	11.5	54	5	5	9	13	22	29	56
75-79	101	10.7	32	5	5	9	14	18	21	32
80-84	73	13.6	61	6	6	10	18	25	29	36
85+	38	12.1	46	6	6	10	14	22	26	38
TOT. SINGLE DX	99	6.8	7	4	4	6	8	11	13	15
" MULTIPLE DX	508	11.5	50	5	5	9	14	21	25	37
TOTAL 65-69 YRS	200	10.2	46	4	5	8	12	18	21	37
70-74	163	10.6	49	4	5	8	12	19	26	46
75-79	119	10.2	30	4	5	9	13	18	20	31
80-84	77	13.3	61	5	6	10	18	25	29	36
85+	48	10.9	43	4	5	9	13	20	24	38
GRAND TOTAL	**607**	**10.8**	**46**	**4**	**5**	**8**	**13**	**19**	**24**	**37**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	60	7.2	5	4	4	7	8	10	12	14
70-74	45	7.2	10	4	4	6	8	11	13	21
75-79	18	7.8	5	4	5	7	10	11	12	12
80-84	9	8.6	18	5	5	7	11	16	16	16
85+	3	8.7	4	7	7	8	10	11	11	11
2. MULTIPLE DX										
65-69 YRS	332	10.9	52	5	5	8	13	19	24	41
70-74	252	11.7	69	5	6	9	14	22	27	49
75-79	170	12.7	67	5	6	10	16	23	30	41
80-84	95	12.8	58	5	6	11	16	20	27	46
85+	55	14.8	139	6	7	12	16	27	47	65
TOT. SINGLE DX	135	7.4	8	4	5	7	8	11	12	17
" MULTIPLE DX	904	11.9	67	5	5	9	15	21	28	46
TOTAL 65-69 YRS	392	10.3	47	4	5	8	12	18	23	40
70-74	297	11.0	63	5	5	8	13	20	25	47
75-79	188	12.2	64	5	6	9	15	22	29	41
80-84	104	12.4	56	5	6	10	16	19	26	44
85+	58	14.5	135	6	7	12	16	25	44	65
GRAND TOTAL	**1039**	**11.3**	**61**	**5**	**5**	**9**	**14**	**20**	**26**	**44**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	3	3.7	14	1	1	2	6	8	8	8
70-74	2	4.5	25	1	1	4	8	8	8	8
75-79	1	6.0		6	6	6	6	6	6	6
80-84										
85+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
65-69 YRS	5	24.6	1155	3	3	7	37	84	84	84
70-74	6	11.8	221	<1	<1	5	21	36	38	38
75-79	5	10.0	12	5	5	11	12	14	14	14
80-84	2	4.5	13	2	2	4	7	7	7	7
85+	5	7.2	5	5	5	7	9	10	10	10
TOT. SINGLE DX	7	5.4	18	1	1	6	8	11	12	12
" MULTIPLE DX	23	12.6	311	1	2	7	12	25	54	84
TOTAL 65-69 YRS	8	16.8	782	1	1	7	15	65	84	84
70-74	8	10.0	173	<1	<1	5	14	33	38	38
75-79	6	9.3	13	5	5	9	12	14	14	14
80-84	2	4.5	13	2	2	4	7	7	7	7
85+	6	8.0	8	5	5	8	10	12	12	12
GRAND TOTAL	**30**	**10.9**	**249**	**1**	**1**	**7**	**11**	**21**	**38**	**84**

664: Bilateral endoscopic destruction or occlusion of falloplan tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical inplausibility.

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical inplausibility.

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	2	6.5	5	5	5	6	8	8	8	8
70-74	1	10.0		10	10	10	10	10	10	10
75-79	1	5.0		5	5	5	5	5	5	5
80-84										
85+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
65-69 YRS	6	10.3	134	2	2	5	12	31	33	33
70-74	3	7.0	7	5	5	6	9	10	10	10
75-79	5	11.8	53	5	5	9	17	23	23	23
80-84	4	14.5	129	4	4	12	23	29	29	29
85+	4	4.0	3	2	2	4	5	6	6	6
TOT. SINGLE DX	5	6.4	6	4	4	5	8	10	10	10
" MULTIPLE DX	22	9.8	75	2	3	6	12	25	31	33
TOTAL 65-69 YRS	8	9.4	100	2	3	6	10	27	33	33
70-74	4	7.8	7	5	5	8	10	10	10	10
75-79	6	10.7	50	5	5	8	15	22	23	23
80-84	4	14.5	130	4	4	12	23	29	29	29
85+	5	4.0	3	2	2	4	5	6	6	6
GRAND TOTAL	**27**	**9.2**	**63**	**2**	**3**	**6**	**10**	**22**	**30**	**33**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	33	2.1	1	<1	1	2	3	4	5	6
70-74	31	2.2	1	<1	1	2	2	4	5	7
75-79	19	2.2	2	<1	<1	2	3	4	6	7
80-84	7	1.6		1	1	1	2	3	3	3
85+	5	2.8	1	2	2	2	3	5	5	5
2. MULTIPLE DX										
65-69 YRS	81	3.2	7	1	1	2	4	7	9	14
70-74	62	4.0	16	<1	1	2	4	11	15	16
75-79	37	2.4	3	<1	1	2	3	4	6	10
80-84	20	5.0	19	1	1	3	7	11	15	18
85+	5	8.2	208	1	1	2	11	34	34	34
TOT. SINGLE DX	95	2.2	2	<1	1	2	3	4	5	7
" MULTIPLE DX	205	3.6	15	1	1	2	4	8	12	17
TOTAL 65-69 YRS	114	2.9	6	1	1	2	3	6	8	14
70-74	93	3.4	12	<1	1	2	3	7	13	16
75-79	56	2.3	3	<1	1	2	3	4	6	10
80-84	27	4.1	17	1	1	2	6	9	13	18
85+	10	5.5	102	1	1	2	3	19	34	34
GRAND TOTAL	**300**	**3.1**	**12**	**1**	**1**	**2**	**3**	**6**	**10**	**16**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	70	2.8	6	<1	<1	2	3	6	9	11
70-74	55	3.5	10	<1	<1	2	5	8	8	19
75-79	46	3.9	10	<1	1	3	5	8	10	14
80-84	23	4.0	7	<1	1	3	6	7	9	12
85+	5	6.0	10	2	2	6	7	11	11	11
2. MULTIPLE DX										
65-69 YRS	313	4.9	38	1	1	3	6	10	15	31
70-74	276	5.7	45	1	1	4	7	11	16	37
75-79	256	7.5	100	1	2	5	9	15	22	56
80-84	146	7.2	63	1	2	6	8	14	19	39
85+	83	8.8	169	1	2	6	10	18	23	84
TOT. SINGLE DX	199	3.5	9	<1	1	2	5	8	9	14
" MULTIPLE DX	1074	6.3	70	1	1	4	7	13	19	44
TOTAL 65-69 YRS	383	4.6	34	<1	1	2	6	9	14	29
70-74	331	5.3	40	1	1	3	7	10	16	36
75-79	302	6.9	88	1	1	4	8	13	20	52
80-84	169	6.7	57	1	2	5	8	13	19	34
85+	88	8.6	160	1	2	6	10	18	22	82
GRAND TOTAL	**1273**	**5.9**	**61**	**1**	**1**	**4**	**7**	**12**	**17**	**38**

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74	1	3.0		3	3	3	3	3	3	3
75-79										
80-84										
85+	1	9.0		9	9	9	9	9	9	9
TOT. SINGLE DX										
" MULTIPLE DX	2	6.0	18	3	3	6	9	9	9	9
TOTAL 65-69 YRS										
70-74	1	3.0		3	3	3	3	3	3	3
75-79										
80-84										
85+	1	9.0		9	9	9	9	9	9	9
GRAND TOTAL	**2**	**6.0**	**18**	**3**	**3**	**6**	**9**	**9**	**9**	**9**

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	10	3.0	7	<1	<1	2	4	7	9	9
70-74	7	2.3	4	<1	<1	1	3	6	6	6
75-79	6	4.0	9	<1	<1	3	6	9	9	9
80-84	1	2.0		2	2	2	2	2	2	2
85+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	62	6.4	33	<1	1	4	10	14	18	25
70-74	61	5.8	54	1	1	3	8	11	18	40
75-79	43	8.8	126	1	2	6	9	19	26	66
80-84	32	6.4	29	1	1	4	10	15	18	20
85+	25	6.7	32	2	2	5	8	13	22	25
TOT. SINGLE DX	25	3.0	6	<1	<1	2	4	6	9	9
" MULTIPLE DX	223	6.7	57	1	1	4	9	15	20	38
TOTAL 65-69 YRS	72	5.9	31	<1	1	4	9	14	18	25
70-74	68	5.4	50	1	1	3	7	10	17	39
75-79	49	8.2	114	1	1	5	9	19	23	66
80-84	33	6.2	29	1	1	4	10	15	18	20
85+	26	6.5	32	2	2	5	7	13	22	25
GRAND TOTAL	**248**	**6.4**	**53**	**1**	**1**	**4**	**9**	**14**	**19**	**37**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	436	7.0	5	4	5	6	8	10	12	16
70-74	324	7.4	5	4	5	7	8	10	12	17
75-79	156	7.5	6	5	5	7	8	10	12	20
80-84	74	8.0	5	5	5	7	10	11	12	17
85+	25	8.6	9	4	6	8	9	12	16	18
2. MULTIPLE DX										
65-69 YRS	2714	8.7	27	5	5	7	9	14	17	28
70-74	1975	9.4	33	5	5	8	10	15	20	33
75-79	1235	10.1	33	5	6	8	12	16	21	34
80-84	546	11.1	48	5	6	9	13	18	22	48
85+	262	12.1	55	5	6	10	15	22	27	43
TOT. SINGLE DX	1015	7.3	6	4	5	7	8	10	12	17
" MULTIPLE DX	6732	9.5	34	5	5	8	10	15	20	33
TOTAL 65-69 YRS	3150	8.4	25	5	5	7	9	13	17	28
70-74	2299	9.1	30	5	5	8	10	14	19	32
75-79	1391	9.8	31	5	5	8	11	16	21	33
80-84	620	10.7	45	5	6	9	12	17	22	39
85+	287	11.8	52	5	6	9	15	21	26	42
GRAND TOTAL	**7747**	**9.2**	**31**	**5**	**5**	**8**	**10**	**15**	**19**	**32**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	398	6.7	3	4	5	6	8	9	10	14
70-74	325	6.9	3	4	5	7	8	9	10	12
75-79	177	7.0	3	4	5	7	8	9	11	13
80-84	79	7.3	7	4	5	7	8	10	12	20
85+	19	7.1	2	4	5	7	8	9	10	11
2. MULTIPLE DX										
65-69 YRS	1644	7.3	8	4	5	7	8	10	12	18
70-74	1323	7.5	9	4	5	7	8	10	12	19
75-79	847	8.1	16	5	5	7	9	12	14	23
80-84	338	8.6	29	4	5	8	10	12	16	30
85+	133	9.0	54	4	5	7	10	14	19	78
TOT. SINGLE DX	998	6.9	4	4	5	7	8	9	10	14
" MULTIPLE DX	4285	7.7	14	4	5	7	8	11	13	21
TOTAL 65-69 YRS	2042	7.2	8	4	5	7	8	10	12	17
70-74	1648	7.4	8	4	5	7	8	10	12	18
75-79	1024	7.9	14	5	5	7	9	11	14	22
80-84	417	8.4	25	4	5	7	9	12	15	24
85+	152	8.8	48	4	5	7	9	13	18	73
GRAND TOTAL	**5283**	**7.5**	**12**	**4**	**5**	**7**	**8**	**10**	**13**	**19**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	11	11.2	25	7	7	9	11	20	24	24
70-74	7	12.6	14	9	9	12	14	19	20	20
75-79	4	21.3	67	11	11	21	26	31	31	31
80-84	2	21.0	288	9	9	21	33	33	33	33
85+										
2. MULTIPLE DX										
65-69 YRS	68	14.8	70	6	7	13	16	27	31	49
70-74	56	16.7	97	7	8	15	18	28	41	58
75-79	26	18.0	129	6	7	16	23	37	61	99+
80-84	16	26.5	489	8	9	18	30	71	81	84
85+	2	15.5	145	7	7	15	24	24	24	24
TOT. SINGLE DX	24	14.1	54	8	8	11	18	25	32	33
" MULTIPLE DX	168	17.1	135	6	8	14	19	31	42	82
TOTAL 65-69 YRS	79	14.3	65	6	7	12	16	25	30	49
70-74	63	16.2	89	7	8	14	18	26	39	57
75-79	30	18.4	120	6	8	18	23	36	53	99+
80-84	18	25.9	452	8	9	18	32	62	80	84
85+	2	15.5	145	7	7	15	24	24	24	24
GRAND TOTAL	**192**	**16.7**	**126**	**7**	**8**	**14**	**19**	**31**	**38**	**80**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical inplausibility.

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	312	1.7	1	<1	<1	1	2	3	4	7
70-74	253	1.9	1	<1	<1	2	2	3	4	8
75-79	168	2.1	3	<1	<1	2	2	4	5	9
80-84	100	2.3	7	<1	<1	2	2	4	6	18
85+	56	2.8	19	<1	1	2	3	4	6	32
2. MULTIPLE DX										
65-69 YRS	1029	3.9	33	<1	1	2	4	9	13	33
70-74	957	3.9	26	<1	1	2	4	9	14	23
75-79	690	4.5	37	1	1	2	5	10	16	36
80-84	425	4.8	24	1	1	3	6	12	16	28
85+	315	5.8	52	1	1	3	8	13	17	99+
TOT. SINGLE DX	889	2.0	4	<1	<1	2	2	3	5	8
" MULTIPLE DX	3416	4.3	33	<1	1	2	5	10	14	34
TOTAL 65-69 YRS	1341	3.4	27	<1	<1	2	3	8	11	28
70-74	1210	3.5	22	<1	<1	2	3	8	12	21
75-79	858	4.0	32	<1	1	2	4	9	14	31
80-84	525	4.3	22	<1	1	2	5	11	15	26
85+	371	5.3	49	1	1	3	7	12	16	92
GRAND TOTAL	**4305**	**3.8**	**28**	**<1**	**1**	**2**	**4**	**9**	**13**	**31**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical inplausibility.

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74	1	2.0		2	2	2	2	2	2	2
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	6	18.2	579	2	2	9	20	60	65	65
70-74	5	9.0	29	1	1	12	13	14	14	14
75-79	9	6.2	38	1	1	5	7	16	21	21
80-84	1	3.0		3	3	3	3	3	3	3
85+	3	9.0	49	4	4	6	14	17	17	17
TOT. SINGLE DX	1	2.0		2	2	2	2	2	2	2
" MULTIPLE DX	24	10.0	174	1	1	6	13	20	34	65
TOTAL 65-69 YRS	6	18.2	580	2	2	9	20	60	65	65
70-74	6	7.8	31	1	1	9	12	14	14	14
75-79	9	6.2	38	1	1	5	7	16	21	21
80-84	1	3.0		3	3	3	3	3	3	3
85+	3	9.0	49	4	4	6	14	17	17	17
GRAND TOTAL	**25**	**9.7**	**169**	**1**	**1**	**5**	**13**	**20**	**32**	**65**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	6	6.3	3	4	4	6	8	9	9	9
70-74	3	5.0	3	4	4	4	6	7	7	7
75-79	1	7.0		7	7	7	7	7	7	7
80-84	2	5.0	2	4	4	5	6	6	6	6
85+										
2. MULTIPLE DX										
65-69 YRS	11	7.5	5	4	5	7	9	11	12	12
70-74	10	6.5	2	4	4	7	7	8	9	9
75-79	5	7.4	1	6	6	7	8	9	9	9
80-84	5	8.2	23	3	3	7	12	15	15	15
85+										
TOT. SINGLE DX	12	5.8	3	4	4	6	7	8	9	9
" MULTIPLE DX	31	7.3	6	4	4	7	8	11	12	15
TOTAL 65-69 YRS	17	7.1	5	4	4	7	8	10	11	12
70-74	13	6.2	3	4	4	7	7	8	9	9
75-79	6	7.3	1	6	6	7	8	9	9	9
80-84	7	7.3	18	3	3	6	10	14	15	15
85+										
GRAND TOTAL	**43**	**6.9**	**6**	**4**	**4**	**7**	**8**	**10**	**11**	**15**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	18	3.5	5	<1	<1	3	4	6	9	11
70-74	13	3.3	1	1	2	3	4	5	5	5
75-79	9	4.9	7	2	2	5	6	9	10	10
80-84	5	5.0	2	3	3	5	6	7	7	7
85+	2	9.0	50	4	4	9	14	14	14	14
2. MULTIPLE DX										
65-69 YRS	79	4.3	22	1	2	3	4	7	9	33
70-74	63	4.2	10	1	2	3	4	7	9	22
75-79	64	5.5	72	1	2	4	5	8	13	57
80-84	29	5.5	24	2	2	4	6	13	16	24
85+	19	5.8	14	1	2	4	8	12	13	14
TOT. SINGLE DX	47	4.1	7	1	2	4	5	7	10	14
" MULTIPLE DX	254	4.8	32	1	2	4	5	8	12	36
TOTAL 65-69 YRS	97	4.1	20	1	2	3	4	7	9	30
70-74	76	4.1	9	1	2	3	4	7	8	20
75-79	73	5.5	64	2	2	4	5	9	13	55
80-84	34	5.4	21	2	2	4	6	11	16	24
85+	21	6.1	17	1	2	4	9	13	14	14
GRAND TOTAL	**301**	**4.7**	**28**	**1**	**2**	**4**	**5**	**8**	**12**	**30**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	515	5.5	4	3	3	5	7	8	9	11
70-74	317	5.9	4	3	3	6	7	8	9	13
75-79	183	6.2	5	3	4	6	7	8	9	16
80-84	67	6.0	6	3	3	6	7	10	12	14
85+	14	6.0	5	3	3	6	7	9	11	12
2. MULTIPLE DX										
65-69 YRS	1086	6.7	10	3	4	6	8	10	12	17
70-74	847	6.8	7	3	4	6	8	10	12	16
75-79	568	7.1	12	3	4	7	8	11	13	18
80-84	256	7.4	11	3	4	7	9	11	13	25
85+	77	8.6	22	3	4	7	11	16	18	25
TOT. SINGLE DX	1096	5.8	5	3	3	6	7	8	9	13
" MULTIPLE DX	2834	6.9	10	3	4	6	8	10	12	18
TOTAL 65-69 YRS	1601	6.3	9	3	3	6	7	9	11	15
70-74	1164	6.5	7	3	4	6	8	10	11	15
75-79	751	6.9	11	3	4	6	8	10	12	18
80-84	323	7.1	11	3	4	6	9	11	13	21
85+	91	8.2	21	3	4	7	11	15	18	24
GRAND TOTAL	**3930**	**6.6**	**9**	**3**	**4**	**6**	**8**	**10**	**12**	**17**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	36	5.6	4	1	3	6	7	8	9	11
70-74	23	6.8	23	<1	1	6	10	13	17	20
75-79	21	6.1	13	1	2	6	7	10	14	18
80-84	3	2.3	5	1	1	1	4	5	5	5
85+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
65-69 YRS	124	9.0	91	2	4	7	9	14	23	53
70-74	82	7.3	25	1	2	6	9	13	16	28
75-79	51	9.1	35	3	4	8	11	17	25	29
80-84	34	11.1	93	1	4	9	12	19	32	51
85+	20	7.8	34	<1	1	6	10	16	21	24
TOT. SINGLE DX	84	5.9	12	1	1	6	7	10	12	19
" MULTIPLE DX	311	8.7	62	2	3	7	10	15	22	36
TOTAL 65-69 YRS	160	8.2	74	2	4	7	9	13	19	38
70-74	105	7.2	25	1	2	6	9	13	16	27
75-79	72	8.2	31	2	3	7	9	16	19	29
80-84	37	10.4	91	1	1	8	12	19	30	51
85+	21	7.7	33	<1	1	6	10	16	21	24
GRAND TOTAL	**395**	**8.1**	**53**	**1**	**3**	**7**	**9**	**14**	**19**	**34**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	69	4.2	7	<1	1	4	6	7	10	13
70-74	82	4.6	6	1	2	4	6	8	9	14
75-79	54	4.4	5	2	2	4	6	7	9	14
80-84	48	4.2	3	2	2	4	5	6	8	10
85+	23	4.7	6	1	1	5	6	9	10	11
2. MULTIPLE DX										
65-69 YRS	349	6.0	29	1	2	5	7	10	15	27
70-74	317	7.0	56	1	2	6	8	12	15	43
75-79	289	7.2	66	2	2	6	8	13	19	38
80-84	180	7.1	32	2	2	6	9	13	19	37
85+	103	8.7	81	2	2	6	10	18	28	46
TOT. SINGLE DX	276	4.4	6	1	2	4	6	7	9	13
" MULTIPLE DX	1238	6.9	50	1	2	5	8	12	17	41
TOTAL 65-69 YRS	418	5.7	26	1	2	5	7	9	14	26
70-74	399	6.5	48	1	2	5	8	11	15	32
75-79	343	6.8	58	2	2	5	8	12	17	29
80-84	228	6.5	27	2	2	5	8	12	16	34
85+	126	8.0	70	1	2	5	9	17	21	44
GRAND TOTAL	**1514**	**6.5**	**43**	**1**	**2**	**5**	**8**	**11**	**16**	**35**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	55	3.1	10	<1	<1	2	3	7	9	19
70-74	39	2.1	3	<1	<1	1	3	4	6	9
75-79	21	3.6	14	<1	<1	2	5	9	13	15
80-84	15	3.0	8	<1	<1	2	3	5	11	13
85+	13	2.7	1	1	1	2	3	4	5	5
2. MULTIPLE DX										
65-69 YRS	150	7.4	91	1	1	4	9	15	31	49
70-74	133	9.1	187	1	2	4	11	19	31	76
75-79	99	8.5	157	1	2	4	9	19	36	89
80-84	85	7.9	73	1	1	5	11	17	20	50
85+	85	8.5	79	1	2	7	11	14	23	54
TOT. SINGLE DX	143	2.9	8	<1	<1	2	3	5	8	15
" MULTIPLE DX	552	8.2	121	1	1	5	10	17	28	66
TOTAL 65-69 YRS	205	6.2	73	<1	1	3	7	15	20	47
70-74	172	7.5	154	1	1	3	8	16	26	71
75-79	120	7.6	135	1	1	4	8	17	31	84
80-84	100	7.1	67	1	1	4	10	15	19	48
85+	98	7.7	73	1	2	5	10	14	21	50
GRAND TOTAL	**695**	**7.1**	**103**	**1**	**1**	**4**	**9**	**15**	**24**	**63**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	31	8.1	31	2	3	6	10	15	23	25
70-74	23	7.3	35	1	1	6	10	19	20	20
75-79	17	7.4	32	1	2	5	10	17	19	20
80-84	20	11.2	70	2	4	7	14	23	30	36
85+	14	6.9	25	2	2	5	9	11	20	22
2. MULTIPLE DX										
65-69 YRS	67	15.6	196	2	3	12	20	35	42	78
70-74	66	16.2	197	3	3	14	23	29	34	81
75-79	72	14.9	156	2	3	13	18	31	41	67
80-84	58	15.3	174	3	4	11	20	36	45	66
85+	51	11.2	43	4	5	9	13	18	23	35
TOT. SINGLE DX	105	8.2	40	2	2	7	10	18	21	30
" MULTIPLE DX	314	14.8	159	3	3	11	20	29	38	69
TOTAL 65-69 YRS	98	13.3	156	2	3	10	18	27	38	65
70-74	89	13.9	170	2	3	10	20	27	32	77
75-79	89	13.4	141	2	2	11	17	27	37	63
80-84	78	14.3	150	3	4	11	20	32	37	63
85+	65	10.3	42	3	4	9	13	17	22	35
GRAND TOTAL	**419**	**13.2**	**137**	**2**	**3**	**10**	**17**	**26**	**36**	**67**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1	12.0		12	12	12	12	12	12	12
70-74	2	3.5	5	2	2	3	5	5	5	5
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	9	6.0	36	1	1	4	9	16	18	18
70-74	11	7.5	36	1	1	7	9	17	21	21
75-79	5	2.8		2	2	3	3	4	4	4
80-84	1	10.0		10	10	10	10	10	10	10
85+	5	3.8	3	2	2	3	5	7	7	7
TOT. SINGLE DX	3	6.3	26	2	2	5	10	12	12	12
" MULTIPLE DX	31	5.8	26	1	1	4	7	14	18	21
TOTAL 65-69 YRS	10	6.6	36	1	1	4	12	16	18	18
70-74	13	6.9	33	1	1	6	8	16	20	21
75-79	5	2.8	1	2	2	3	3	4	4	4
80-84	1	10.0		10	10	10	10	10	10	10
85+	5	3.8	4	2	2	3	5	7	7	7
GRAND TOTAL	**34**	**5.9**	**26**	**1**	**1**	**4**	**7**	**14**	**17**	**21**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	1	1.0		1	1	1	1	1	1	1
75-79	2	2.0		2	2	2	2	2	2	2
80-84	1	2.0		2	2	2	2	2	2	2
85+										
2. MULTIPLE DX										
65-69 YRS	2	7.5	41	3	3	7	12	12	12	12
70-74	9	4.2	11	1	1	3	7	9	10	10
75-79	5	8.4	41	2	2	10	12	17	17	17
80-84	6	7.7	7	3	3	8	9	11	11	11
85+	8	4.9	28	1	1	3	6	14	17	17
TOT. SINGLE DX	5	2.0	1	1	1	2	2	3	3	3
" MULTIPLE DX	30	6.0	21	1	1	5	9	12	17	17
TOTAL 65-69 YRS	3	6.0	27	3	3	3	10	12	12	12
70-74	10	3.9	11	1	1	2	7	9	10	10
75-79	7	6.6	37	2	2	2	11	16	17	17
80-84	7	6.9	10	2	2	8	9	11	11	11
85+	8	4.9	28	1	1	3	6	14	17	17
GRAND TOTAL	**35**	**5.4**	**20**	**1**	**1**	**3**	**8**	**11**	**16**	**17**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical inplausibility.

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical inplausibility.

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical inplausibility.

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical inplausibility.

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical inplausibility.

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical inplausibility.

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical inplausibility.

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical inplausibility.

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical inplausibility.

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical inplausibility.

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical inplausibility.

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	38	4.3	18	<1	1	3	7	10	13	21
70-74	22	4.8	7	1	2	4	7	9	10	10
75-79	9	8.4	134	1	1	3	9	29	36	36
80-84	5	3.8	5	2	2	3	4	8	8	8
85+	8	4.1	6	2	2	3	6	8	9	9
2. MULTIPLE DX										
65-69 YRS	96	8.6	73	1	2	5	12	20	29	40
70-74	96	9.2	85	1	1	7	14	21	29	78
75-79	51	9.8	130	2	2	6	12	26	40	99
80-84	39	12.8	295	1	2	7	15	26	54	86
85+	11	24.1	688	2	3	13	36	67	84	86
TOT. SINGLE DX	82	4.8	26	1	1	3	7	9	12	31
" MULTIPLE DX	293	10.2	145	1	2	7	14	22	35	86
TOTAL 65-69 YRS	134	7.4	62	1	1	4	10	18	23	36
70-74	118	8.4	74	1	1	5	13	19	27	68
75-79	60	9.6	129	1	2	6	12	27	38	96
80-84	44	11.8	270	1	2	6	14	25	48	86
85+	19	15.7	488	2	2	7	15	48	72	86
GRAND TOTAL	**375**	**9.0**	**124**	**1**	**1**	**5**	**12**	**20**	**31**	**80**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	44	3.6	12	1	1	3	4	6	10	22
70-74	20	2.7	1	1	1	2	3	5	5	6
75-79	12	3.6	6	1	1	3	4	9	9	9
80-84	2	2.5	1	2	2	2	3	3	3	3
85+	4	2.3	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	90	4.9	49	1	1	3	5	8	15	42
70-74	56	6.3	59	1	1	3	5	20	30	95
75-79	34	6.1	37	1	2	3	9	16	20	25
80-84	20	5.3	39	1	1	3	5	18	20	22
85+	4	17.8	797	1	1	5	33	60	60	60
TOT. SINGLE DX	82	3.3	8	1	1	3	4	5	8	18
" MULTIPLE DX	204	5.8	63	1	1	3	5	15	23	51
TOTAL 65-69 YRS	134	4.5	38	1	1	3	4	8	11	41
70-74	76	5.3	47	1	1	3	5	16	27	82
75-79	46	5.5	30	1	2	3	6	13	18	25
80-84	22	5.0	36	1	1	3	5	18	20	22
85+	8	10.0	411	1	1	3	5	44	60	60
GRAND TOTAL	**286**	**5.1**	**48**	**1**	**1**	**3**	**5**	**11**	**20**	**42**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	5	2.4	1	1	1	3	3	3	3	3
70-74	2	3.0	8	1	1	3	5	5	5	5
75-79	2	3.5	13	1	1	3	6	6	6	6
80-84	2	4.5	1	4	4	4	5	5	5	5
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	26	8.2	114	1	2	5	7	19	42	42
70-74	22	9.1	57	1	2	7	13	21	24	27
75-79	16	7.9	42	2	3	6	10	18	24	26
80-84	15	8.5	71	2	2	6	11	15	30	35
85+	6	5.7	16	1	1	4	9	12	12	12
TOT. SINGLE DX	12	3.0	3	1	1	3	4	5	6	6
" MULTIPLE DX	85	8.2	69	1	2	5	10	19	26	42
TOTAL 65-69 YRS	31	7.2	100	1	2	4	7	15	41	42
70-74	24	8.6	55	1	1	7	12	21	23	27
75-79	18	7.4	40	1	2	6	9	17	23	26
80-84	17	8.0	64	2	2	5	10	15	28	35
85+	7	5.1	15	1	1	4	8	11	12	12
GRAND TOTAL	**97**	**7.6**	**64**	**1**	**2**	**5**	**9**	**18**	**24**	**42**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	16	1.9		<1	1	2	2	3	3	3
70-74	14	2.5	2	<1	1	2	3	4	6	7
75-79	9	2.8	6	1	1	2	4	7	7	7
80-84	5	3.4	1	2	2	4	4	4	4	4
85+	5	3.2	5	<1	<1	2	5	7	7	7
2. MULTIPLE DX										
65-69 YRS	78	7.7	60	1	2	6	9	16	27	39
70-74	65	9.5	106	1	2	6	12	21	30	60
75-79	54	11.9	150	2	3	9	14	22	29	77
80-84	36	13.0	155	2	2	10	16	25	43	60
85+	34	10.7	101	1	3	8	13	20	25	55
TOT. SINGLE DX	49	2.5	3	<1	1	2	3	4	7	7
" MULTIPLE DX	267	10.1	110	1	2	7	13	22	30	59
TOTAL 65-69 YRS	94	6.7	55	1	1	4	8	14	24	39
70-74	79	8.2	95	1	2	5	10	18	29	55
75-79	63	10.6	140	1	2	7	13	22	27	74
80-84	41	11.8	147	2	2	9	14	23	39	60
85+	39	9.7	95	1	2	7	12	20	25	55
GRAND TOTAL	316	8.9	101	1	2	6	11	20	28	57

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	24	2.3	2	1	1	2	3	5	6	6
70-74	8	3.3	8	1	1	2	3	8	10	10
75-79	5	3.8		3	3	4	4	5	5	5
80-84	2	11.0	98	4	4	11	18	18	18	18
85+	4	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	48	5.1	51	1	1	3	6	9	13	40
70-74	31	5.4	37	1	1	3	7	11	15	33
75-79	19	8.7	126	1	1	5	9	26	36	44
80-84	15	4.4	19	1	1	3	5	14	15	15
85+	7	10.3	36	3	3	10	12	19	21	21
TOT. SINGLE DX	43	3.0	9	1	1	2	3	5	8	18
" MULTIPLE DX	120	6.0	56	1	1	3	7	11	23	41
TOTAL 65-69 YRS	72	4.2	37	1	1	3	4	8	10	39
70-74	39	5.0	32	1	1	3	5	11	13	33
75-79	24	7.7	103	1	2	4	6	25	32	44
80-84	17	5.2	28	1	1	3	6	15	17	18
85+	11	7.3	39	1	1	4	11	16	21	21
GRAND TOTAL	163	5.2	45	1	1	3	5	11	16	39

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	148	6.5	39	1	2	5	7	11	17	41
70-74	60	6.3	17	1	2	5	9	12	15	19
75-79	45	5.8	16	1	1	5	8	11	13	19
80-84	16	4.3	9	<1	1	4	5	8	11	13
85+	16	9.8	35	1	3	9	13	19	21	22
2. MULTIPLE DX										
65-69 YRS	345	7.7	63	1	2	5	9	14	22	48
70-74	229	9.2	109	2	2	6	10	19	30	57
75-79	112	13.2	168	2	2	9	17	37	46	75
80-84	75	12.5	100	2	3	10	15	29	37	86
85+	59	20.1	232	4	7	14	24	47	55	68
TOT. SINGLE DX	285	6.4	30	1	2	5	8	12	16	33
" MULTIPLE DX	820	10.2	117	2	2	7	12	22	34	58
TOTAL 65-69 YRS	493	7.3	56	1	2	5	8	13	20	43
70-74	289	8.6	91	1	2	6	10	17	23	56
75-79	157	11.1	136	1	2	7	14	28	42	59
80-84	91	11.1	94	1	2	8	14	28	35	77
85+	75	17.9	207	3	4	13	20	39	53	66
GRAND TOTAL	1105	9.2	97	1	2	6	11	19	30	56

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	303	3.2	6	1	1	3	4	5	7	10
70-74	147	3.0	2	1	1	3	4	5	6	8
75-79	64	3.1	4	1	1	3	4	6	6	13
80-84	30	3.5	31	<1	1	2	3	5	6	32
85+	12	2.6	3	<1	<1	2	3	6	7	7
2. MULTIPLE DX										
65-69 YRS	1672	3.6	6	1	1	3	4	6	8	14
70-74	1167	3.9	9	1	1	3	5	6	8	17
75-79	560	4.2	13	1	2	4	5	7	9	18
80-84	218	4.3	15	1	1	4	5	8	10	24
85+	85	4.9	12	1	2	4	6	9	15	71
TOT. SINGLE DX	556	3.2	6	1	1	3	4	5	6	9
" MULTIPLE DX	3702	3.9	9	1	1	3	5	6	8	16
TOTAL 65-69 YRS	1975	3.6	7	1	1	3	4	6	7	13
70-74	1314	3.8	9	1	1	3	5	6	8	16
75-79	624	4.1	12	1	1	3	5	7	9	17
80-84	248	4.2	17	1	1	3	5	7	9	32
85+	97	4.6	12	1	1	4	6	9	14	61
GRAND TOTAL	4258	3.8	9	1	1	3	5	6	8	15

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	393	4.4	17	1	1	3	5	9	12	20
70-74	305	4.6	27	1	1	3	6	9	12	29
75-79	202	6.0	50	1	1	4	7	13	23	39
80-84	100	5.9	24	1	2	4	8	12	15	27
85+	64	6.5	37	<1	1	5	9	13	17	33
2. MULTIPLE DX										
65-69 YRS	1465	10.3	153	1	1	6	13	24	36	69
70-74	1270	11.8	195	1	2	7	15	28	43	78
75-79	868	12.4	172	1	2	8	16	29	41	73
80-84	470	14.2	221	1	2	10	18	32	43	89
85+	293	14.8	149	2	3	12	20	31	44	99+
TOT. SINGLE DX	1064	5.0	29	1	1	3	6	10	15	31
" MULTIPLE DX	4366	11.9	179	1	2	7	15	28	40	77
TOTAL 65-69 YRS	1858	9.0	130	1	1	5	11	21	31	63
70-74	1575	10.4	171	1	1	6	13	25	38	72
75-79	1070	11.2	156	1	2	7	15	28	38	71
80-84	570	12.7	197	1	2	9	16	28	38	87
85+	357	13.3	140	1	2	10	18	29	41	97
GRAND TOTAL	**5430**	**10.5**	**157**	**1**	**2**	**6**	**14**	**25**	**37**	**71**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	127	7.9	37	1	3	7	10	13	16	33
70-74	139	10.5	43	1	3	10	13	17	20	37
75-79	131	11.0	59	3	4	10	13	18	22	50
80-84	112	10.0	29	3	4	9	13	16	18	32
85+	145	11.7	65	4	5	11	14	19	23	48
2. MULTIPLE DX										
65-69 YRS	425	12.7	99	3	4	10	16	25	32	50
70-74	478	12.4	90	3	4	10	15	22	31	54
75-79	548	15.1	126	4	6	12	18	28	38	90
80-84	513	15.9	138	5	6	13	18	30	42	78
85+	640	15.3	109	6	7	12	18	26	32	72
TOT. SINGLE DX	654	10.3	49	3	4	9	13	17	21	38
" MULTIPLE DX	2604	14.4	115	4	5	12	17	26	36	69
TOTAL 65-69 YRS	552	11.6	89	3	4	9	14	22	29	50
70-74	617	12.0	80	3	4	10	15	21	30	48
75-79	679	14.4	116	4	5	12	17	26	36	69
80-84	625	14.8	124	4	6	12	17	27	38	67
85+	785	14.6	103	5	7	12	17	25	30	70
GRAND TOTAL	**3258**	**13.6**	**105**	**3**	**5**	**11**	**16**	**24**	**33**	**64**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	285	3.8	26	<1	<1	2	4	8	11	21
70-74	264	4.3	25	<1	1	3	5	9	13	30
75-79	201	4.7	50	<1	1	3	5	8	13	42
80-84	132	5.5	59	<1	1	3	6	11	15	40
85+	121	6.1	24	1	1	5	8	13	16	26
2. MULTIPLE DX										
65-69 YRS	486	7.5	93	1	1	4	9	18	26	74
70-74	433	10.1	167	1	1	5	12	26	45	89
75-79	440	10.8	179	1	2	6	12	24	39	85
80-84	313	10.9	135	2	2	7	15	25	34	78
85+	359	12.1	151	2	3	9	15	25	32	74
TOT. SINGLE DX	1003	4.6	36	<1	1	3	5	9	14	29
" MULTIPLE DX	2031	10.1	147	1	2	6	12	23	36	78
TOTAL 65-69 YRS	771	6.2	72	1	1	3	7	15	20	61
70-74	697	7.9	121	1	1	4	9	20	32	67
75-79	641	8.9	147	1	1	5	10	20	35	72
80-84	445	9.3	119	1	2	6	12	21	31	71
85+	480	10.6	126	2	2	8	13	22	28	67
GRAND TOTAL	**3034**	**8.3**	**117**	**1**	**1**	**5**	**10**	**19**	**28**	**68**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	86	9.2	18	4	4	8	11	15	17	22
70-74	83	11.2	29	4	5	11	14	19	21	30
75-79	114	12.2	22	6	7	11	14	18	21	28
80-84	131	12.1	23	6	7	12	15	18	21	30
85+	180	12.2	51	5	6	11	14	18	25	57
2. MULTIPLE DX										
65-69 YRS	305	15.8	167	5	6	12	18	30	41	88
70-74	419	15.9	143	6	7	13	18	28	38	74
75-79	577	15.9	137	6	7	13	17	27	41	80
80-84	659	15.7	103	6	7	13	19	29	41	99+
85+	998	15.3	100	6	7	13	17	25	35	76
TOT. SINGLE DX	594	11.6	33	5	6	11	14	18	21	32
" MULTIPLE DX	2958	15.6	121	6	7	13	18	27	39	81
TOTAL 65-69 YRS	391	14.3	142	5	6	11	16	26	37	83
70-74	502	15.2	127	5	7	12	17	26	37	68
75-79	691	15.3	120	6	7	13	17	24	37	76
80-84	790	15.1	91	6	7	13	18	27	36	94
85+	1178	14.9	94	6	7	13	17	25	32	71
GRAND TOTAL	**3552**	**15.0**	**109**	**6**	**7**	**13**	**17**	**25**	**36**	**77**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	495	11.4	34	5	6	10	14	17	20	35
70-74	622	11.9	27	6	7	11	14	18	20	28
75-79	868	13.0	58	6	7	12	15	19	23	42
80-84	1024	13.9	62	6	7	12	16	21	26	48
85+	1446	13.4	52	6	7	12	16	20	26	42
2. MULTIPLE DX										
65-69 YRS	2002	16.1	117	6	8	13	18	28	36	71
70-74	3035	16.5	121	7	8	14	19	29	40	86
75-79	4427	16.6	116	7	8	14	19	28	40	80
80-84	5282	17.0	130	7	8	14	19	30	42	88
85+	8266	16.6	116	7	8	14	19	29	40	99+
TOT. SINGLE DX	4455	13.0	51	6	7	12	15	19	24	42
" MULTIPLE DX	23012	16.6	121	7	8	14	19	29	40	88
TOTAL 65-69 YRS	2497	15.2	105	6	7	13	17	26	34	63
70-74	3657	15.8	109	6	7	13	18	27	37	78
75-79	5295	16.0	109	7	8	14	18	27	36	75
80-84	6306	16.5	121	7	8	14	19	28	39	81
85+	9712	16.1	109	6	8	14	19	28	38	93
GRAND TOTAL	**27467**	**16.1**	**111**	**6**	**8**	**14**	**18**	**27**	**38**	**81**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	21	14.5	237	2	3	8	19	39	55	58
70-74	20	9.3	51	1	1	6	15	20	21	22
75-79	33	9.3	57	1	1	8	14	22	26	27
80-84	26	9.4	48	2	4	7	12	20	27	28
85+	46	9.5	126	1	2	6	10	21	35	59
2. MULTIPLE DX										
65-69 YRS	83	18.4	332	3	4	12	19	51	59	81
70-74	94	17.3	221	2	5	13	22	41	51	71
75-79	104	15.0	121	2	4	13	22	35	47	99+
80-84	120	17.6	216	4	5	13	22	42	63	99+
85+	177	14.4	174	2	4	10	18	33	41	94
TOT. SINGLE DX	146	10.1	103	1	2	7	14	21	27	58
" MULTIPLE DX	578	16.2	205	3	4	12	20	37	51	99+
TOTAL 65-69 YRS	104	17.6	313	2	3	12	19	51	57	80
70-74	114	15.9	200	1	3	12	20	36	49	67
75-79	137	13.6	112	1	3	12	19	29	42	99+
80-84	146	16.2	196	4	4	13	19	37	57	99+
85+	223	13.4	168	2	3	9	17	31	40	86
GRAND TOTAL	**724**	**15.0**	**190**	**2**	**3**	**11**	**19**	**34**	**49**	**99+**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	182	3.3	11	1	1	2	4	7	10	18
70-74	109	3.4	19	1	1	2	4	7	9	25
75-79	119	3.5	15	1	1	2	4	8	10	21
80-84	53	3.5	11	1	1	2	4	8	11	17
85+	46	5.0	19	<1	1	4	7	13	14	19
2. MULTIPLE DX										
65-69 YRS	216	8.7	162	1	1	5	9	20	38	66
70-74	196	7.4	86	1	1	4	9	17	22	51
75-79	200	9.4	123	1	2	6	11	20	27	73
80-84	119	10.7	160	1	2	7	12	24	37	65
85+	120	9.0	76	2	2	7	11	22	27	99+
TOT. SINGLE DX	509	3.5	15	1	1	2	4	7	10	18
" MULTIPLE DX	851	8.9	124	1	1	5	11	19	30	70
TOTAL 65-69 YRS	398	6.2	100	1	1	3	6	13	22	56
70-74	305	6.0	66	1	1	3	7	13	19	38
75-79	319	7.2	91	1	1	4	9	16	24	70
80-84	172	8.5	125	1	1	5	10	17	31	56
85+	166	7.9	64	1	2	6	10	17	26	93
GRAND TOTAL	**1360**	**6.9**	**90**	**1**	**1**	**4**	**8**	**15**	**24**	**62**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1017	5.3	13	1	2	5	7	9	11	18
70-74	669	5.8	14	1	2	5	7	10	12	18
75-79	486	6.0	16	1	2	5	8	11	14	20
80-84	227	7.3	30	2	2	6	10	13	16	26
85+	168	7.3	31	2	2	6	10	14	17	30
2. MULTIPLE DX										
65-69 YRS	1761	8.7	58	2	3	7	10	17	24	44
70-74	1487	9.8	86	2	3	7	12	19	27	51
75-79	1174	10.9	106	2	3	8	13	21	27	76
80-84	745	11.9	130	3	3	9	14	22	33	72
85+	529	12.2	108	3	4	9	15	24	32	61
TOT. SINGLE DX	2567	5.9	17	1	2	5	7	10	13	21
" MULTIPLE DX	5696	10.2	91	2	3	8	12	20	27	58
TOTAL 65-69 YRS	2778	7.4	45	2	2	6	9	14	19	38
70-74	2156	8.6	67	2	3	6	10	16	23	45
75-79	1660	9.5	85	2	3	7	12	18	24	63
80-84	972	10.8	111	2	3	8	13	20	29	64
85+	697	11.0	94	2	3	8	13	22	30	58
GRAND TOTAL	**8263**	**8.8**	**72**	**2**	**3**	**7**	**11**	**17**	**23**	**49**

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	531	3.3	9	1	1	2	4	7	10	15
70-74	447	3.8	15	1	1	3	5	8	10	23
75-79	375	3.5	12	1	1	2	4	7	11	18
80-84	267	4.1	52	1	1	3	5	8	11	19
85+	219	4.4	35	1	1	3	5	9	13	21
2. MULTIPLE DX										
65-69 YRS	937	7.2	65	1	1	5	9	15	23	48
70-74	964	7.1	55	1	1	5	9	15	20	42
75-79	971	8.0	82	1	2	5	10	18	23	57
80-84	828	8.3	85	1	2	6	10	19	25	55
85+	849	9.1	134	1	2	6	10	18	27	83
TOT. SINGLE DX	1839	3.7	21	1	1	2	4	8	10	19
" MULTIPLE DX	4549	7.9	84	1	2	5	9	17	23	57
TOTAL 65-69 YRS	1468	5.8	49	1	1	4	7	13	17	41
70-74	1411	6.1	45	1	1	4	8	13	18	37
75-79	1346	6.7	67	1	1	4	8	15	22	48
80-84	1095	7.3	80	1	1	5	8	16	23	51
85+	1068	8.1	118	1	2	5	9	16	25	72
GRAND TOTAL	**6388**	**6.7**	**69**	**1**	**1**	**4**	**8**	**14**	**21**	**48**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	134	4.4	32	<1	<1	2	5	11	14	29
70-74	152	4.5	22	<1	1	3	6	11	14	24
75-79	119	5.2	57	1	1	3	6	11	19	40
80-84	96	4.8	25	1	1	3	6	10	16	25
85+	66	4.3	15	<1	1	3	5	10	11	21
2. MULTIPLE DX										
65-69 YRS	231	6.6	47	1	1	4	9	16	23	31
70-74	257	7.0	70	1	1	4	9	16	26	49
75-79	328	9.0	116	1	1	5	11	25	33	56
80-84	237	10.0	171	1	1	6	13	22	39	97
85+	205	9.7	127	1	2	6	12	23	33	68
TOT. SINGLE DX	567	4.6	32	<1	1	3	6	11	15	26
" MULTIPLE DX	1258	8.5	108	1	1	5	11	20	29	60
TOTAL 65-69 YRS	365	5.8	43	1	1	3	7	15	21	30
70-74	409	6.1	54	1	1	4	7	14	20	42
75-79	447	8.0	103	1	1	5	9	19	29	55
80-84	333	8.5	135	1	1	5	11	19	28	79
85+	271	8.4	106	1	1	5	10	20	29	59
GRAND TOTAL	**1825**	**7.3**	**88**	**1**	**1**	**4**	**9**	**17**	**26**	**52**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	37	5.3	17	1	1	4	7	11	15	19
70-74	28	8.6	128	1	2	5	9	13	37	56
75-79	22	6.6	17	1	2	6	9	13	16	16
80-84	9	8.1	24	3	3	7	12	15	16	16
85+	12	10.7	145	<1	1	7	14	25	42	45
2. MULTIPLE DX										
65-69 YRS	58	9.8	80	2	3	6	13	21	26	45
70-74	59	9.8	123	1	1	7	11	22	28	68
75-79	59	12.6	176	2	4	10	15	20	26	88
80-84	43	14.5	115	3	4	11	18	27	43	50
85+	37	16.6	240	5	6	12	19	28	43	91
TOT. SINGLE DX	108	7.3	62	1	1	5	9	14	16	50
" MULTIPLE DX	256	12.2	145	2	3	9	15	23	30	70
TOTAL 65-69 YRS	95	8.1	60	1	2	6	11	17	22	44
70-74	87	9.4	124	1	1	7	10	19	32	65
75-79	81	11.0	139	1	3	9	14	18	22	80
80-84	52	13.4	105	3	4	11	17	26	40	50
85+	49	15.1	220	2	4	11	16	28	45	91
GRAND TOTAL	**364**	**10.7**	**126**	**1**	**2**	**8**	**13**	**21**	**28**	**56**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	98	7.0	42	1	1	4	11	17	21	27
70-74	97	8.4	73	1	2	5	11	18	26	43
75-79	56	8.5	104	1	1	6	11	16	24	62
80-84	29	12.7	108	2	2	10	20	27	29	46
85+	21	9.3	48	2	3	7	13	21	24	25
2. MULTIPLE DX										
65-69 YRS	372	14.1	229	1	2	8	18	39	48	74
70-74	376	15.8	237	1	2	11	21	38	50	73
75-79	284	17.7	267	2	3	14	25	42	56	96
80-84	207	19.4	293	2	4	15	28	40	56	99+
85+	132	18.2	251	4	5	14	21	38	56	98
TOT. SINGLE DX	301	8.4	72	1	1	6	11	20	25	43
" MULTIPLE DX	1371	16.5	254	2	2	12	22	40	51	88
TOTAL 65-69 YRS	470	12.6	198	1	2	8	16	33	45	68
70-74	473	14.3	212	1	2	10	19	35	47	72
75-79	340	16.2	252	2	2	12	21	38	54	91
80-84	236	18.6	276	2	3	15	27	39	54	99
85+	153	17.0	233	3	4	13	20	34	55	97
GRAND TOTAL	**1672**	**15.1**	**231**	**1**	**2**	**10**	**20**	**36**	**49**	**80**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	762	8.4	21	3	4	8	11	14	17	22
70-74	455	9.1	27	3	4	8	11	15	18	30
75-79	184	9.9	26	4	4	9	12	17	19	25
80-84	68	10.3	26	2	5	9	13	18	20	25
85+	32	9.1	18	3	4	9	13	14	17	19
2. MULTIPLE DX										
65-69 YRS	1800	11.7	71	4	5	9	14	21	27	48
70-74	1273	13.0	75	4	5	11	16	23	29	45
75-79	739	14.6	97	5	6	12	18	26	34	64
80-84	298	16.2	110	5	7	13	21	30	37	62
85+	69	16.4	113	5	7	14	22	27	31	64
TOT. SINGLE DX	1501	8.9	24	3	4	8	11	15	18	25
" MULTIPLE DX	4179	13.0	83	4	5	11	16	24	30	50
TOTAL 65-69 YRS	2562	10.7	59	4	4	9	13	19	24	41
70-74	1728	12.0	66	4	5	10	15	21	26	43
75-79	923	13.6	87	4	6	11	16	24	32	57
80-84	366	15.1	100	5	6	12	19	27	35	60
85+	101	14.1	94	4	5	12	17	26	30	56
GRAND TOTAL	**5680**	**11.9**	**71**	**4**	**5**	**10**	**14**	**21**	**27**	**46**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	181	2.4	5	<1	<1	2	3	4	6	14
70-74	121	2.5	4	<1	<1	2	3	5	7	11
75-79	64	2.2	1	<1	<1	2	3	4	5	6
80-84	24	2.8	6	<1	1	2	3	6	8	12
85+	19	3.2	40	<1	<1	1	3	4	18	29
2. MULTIPLE DX										
65-69 YRS	899	2.9	10	<1	1	2	3	6	8	14
70-74	593	3.0	9	<1	1	2	3	6	8	16
75-79	344	3.1	14	<1	1	2	4	6	9	16
80-84	130	3.9	24	1	1	2	5	8	11	27
85+	48	5.8	35	1	1	3	7	14	19	28
TOT. SINGLE DX	409	2.4	6	<1	<1	2	3	5	6	12
" MULTIPLE DX	2014	3.1	13	<1	1	2	4	6	9	16
TOTAL 65-69 YRS	1080	2.8	9	<1	1	2	3	6	8	14
70-74	714	2.9	9	<1	1	2	3	6	8	16
75-79	408	3.0	13	<1	1	2	4	5	8	15
80-84	154	3.7	22	1	1	2	4	8	11	24
85+	67	5.1	38	<1	<1	3	5	13	19	29
GRAND TOTAL	**2423**	**3.0**	**12**	**<1**	**1**	**2**	**3**	**6**	**8**	**16**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	243	3.6	16	<1	1	2	4	8	13	23
70-74	178	3.6	22	<1	<1	2	4	8	11	30
75-79	96	5.1	60	<1	<1	3	5	9	21	47
80-84	47	4.3	33	<1	1	3	4	10	14	30
85+	21	5.0	32	<1	1	3	8	13	19	23
2. MULTIPLE DX										
65-69 YRS	692	6.8	95	1	1	3	7	17	29	48
70-74	514	7.8	110	1	1	4	9	20	31	48
75-79	339	9.5	153	1	1	4	12	26	35	55
80-84	209	10.1	139	1	1	6	14	22	30	62
85+	87	13.4	224	1	1	8	18	34	43	74
TOT. SINGLE DX	585	4.0	28	<1	1	2	4	8	13	28
" MULTIPLE DX	1841	8.3	124	1	1	4	10	22	32	53
TOTAL 65-69 YRS	935	5.9	77	1	1	3	6	14	24	45
70-74	692	6.8	91	<1	1	3	7	17	27	45
75-79	435	8.5	136	1	1	4	9	23	33	54
80-84	256	9.0	125	1	1	5	11	22	29	53
85+	108	11.7	198	1	1	6	15	32	38	68
GRAND TOTAL	**2426**	**7.2**	**104**	**1**	**1**	**3**	**8**	**19**	**29**	**50**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	43	10.0	30	3	4	9	13	17	21	26
70-74	28	11.6	46	4	4	10	16	21	24	29
75-79	14	14.3	91	5	5	13	18	22	38	43
80-84	3	9.3	17	6	6	8	12	14	14	14
85+	2	7.5	5	6	6	7	9	9	9	9
2. MULTIPLE DX										
65-69 YRS	221	16.2	224	4	5	11	18	36	51	79
70-74	146	15.0	115	4	5	13	18	29	35	57
75-79	69	20.0	217	6	9	16	23	38	55	97
80-84	30	18.2	137	5	6	15	23	35	45	52
85+	10	13.7	46	2	5	12	18	23	24	24
TOT. SINGLE DX	90	11.1	45	4	4	10	14	19	23	37
" MULTIPLE DX	476	16.4	183	4	5	13	20	33	44	75
TOTAL 65-69 YRS	264	15.2	198	4	5	11	16	31	43	76
70-74	174	14.4	106	4	5	12	18	27	35	56
75-79	83	19.0	199	6	8	14	22	38	52	95
80-84	33	17.4	132	5	6	14	22	32	44	52
85+	12	12.7	44	2	5	11	17	23	24	24
GRAND TOTAL	**566**	**15.6**	**164**	**4**	**5**	**12**	**18**	**31**	**42**	**74**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	176	3.8	8	<1	1	3	5	7	9	13
70-74	110	4.6	23	<1	1	4	5	9	12	28
75-79	65	4.4	10	<1	1	4	6	10	11	14
80-84	25	5.3	83	<1	1	2	5	12	25	45
85+	11	2.4	2	<1	<1	2	3	5	6	6
2. MULTIPLE DX										
65-69 YRS	373	6.0	47	1	1	4	7	12	17	50
70-74	264	5.5	38	1	1	4	7	9	14	26
75-79	148	9.0	210	1	1	4	9	19	36	88
80-84	61	7.2	41	1	1	5	12	15	20	28
85+	19	12.1	129	1	2	9	20	29	35	38
TOT. SINGLE DX	387	4.2	18	<1	1	3	5	8	11	20
" MULTIPLE DX	865	6.6	75	1	1	4	7	13	20	56
TOTAL 65-69 YRS	549	5.3	36	1	1	4	6	10	14	28
70-74	374	5.3	34	1	1	4	6	9	14	25
75-79	213	7.6	154	1	1	4	8	13	23	85
80-84	86	6.6	53	1	1	4	11	15	20	39
85+	30	8.5	104	1	1	3	11	26	31	38
GRAND TOTAL	**1252**	**5.9**	**59**	**1**	**1**	**4**	**7**	**12**	**16**	**42**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1316	11.7	15	7	8	11	14	16	18	26
70-74	1263	11.8	16	7	8	11	14	16	18	26
75-79	1042	12.7	29	7	8	12	14	17	19	34
80-84	521	12.9	17	8	8	12	15	18	20	26
85+	237	13.5	23	7	8	13	16	20	23	28
2. MULTIPLE DX										
65-69 YRS	3062	14.0	60	7	8	12	15	21	26	46
70-74	3380	14.4	50	8	9	13	16	22	27	43
75-79	3124	15.6	69	8	9	14	17	24	31	57
80-84	1951	16.7	97	8	9	14	18	26	35	68
85+	1223	17.1	107	7	9	15	19	27	36	68
TOT. SINGLE DX	4379	12.2	20	7	8	11	14	17	19	27
" MULTIPLE DX	12740	15.2	72	8	9	13	17	23	30	55
TOTAL 65-69 YRS	4378	13.3	48	7	8	12	15	19	24	41
70-74	4643	13.7	43	7	8	12	16	20	25	41
75-79	4166	14.9	61	8	9	13	16	23	29	52
80-84	2472	15.9	83	8	9	14	18	24	31	63
85+	1460	16.5	95	7	8	14	19	26	34	64
GRAND TOTAL	**17119**	**14.4**	**60**	**7**	**8**	**13**	**16**	**22**	**27**	**49**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	357	12.2	35	6	7	11	14	17	21	46
70-74	479	12.3	22	6	7	12	14	17	20	27
75-79	609	13.3	48	6	8	12	15	20	23	39
80-84	618	13.2	29	7	8	12	15	19	23	33
85+	801	13.4	36	6	7	12	16	20	24	34
2. MULTIPLE DX										
65-69 YRS	1244	15.8	102	7	8	13	17	25	36	65
70-74	1851	16.0	87	7	8	14	18	26	34	66
75-79	2832	16.6	97	8	9	14	19	27	35	75
80-84	3208	16.8	116	7	8	14	19	27	37	87
85+	4247	16.9	117	7	8	14	19	28	37	90
TOT. SINGLE DX	2864	13.0	35	6	8	12	15	19	22	35
" MULTIPLE DX	13382	16.6	107	7	8	14	19	27	36	80
TOTAL 65-69 YRS	1601	15.0	89	7	8	13	17	23	31	60
70-74	2330	15.2	77	7	8	13	17	24	32	59
75-79	3441	16.0	90	7	8	14	18	26	34	70
80-84	3826	16.2	104	7	8	14	18	26	34	78
85+	5048	16.3	106	7	8	14	18	27	35	80
GRAND TOTAL	**16246**	**15.9**	**97**	**7**	**8**	**14**	**18**	**26**	**34**	**73**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1344	11.3	15	6	7	11	14	16	18	24
70-74	1284	11.8	20	6	7	11	14	17	19	25
75-79	1015	12.3	17	7	8	12	15	17	19	25
80-84	479	12.3	19	6	7	12	15	18	20	26
85+	145	12.6	21	7	8	12	15	18	22	28
2. MULTIPLE DX										
65-69 YRS	2725	12.7	40	5	7	12	15	18	22	37
70-74	3115	13.6	41	7	8	12	16	20	23	38
75-79	2689	14.2	48	7	8	13	16	21	26	40
80-84	1363	14.9	59	7	8	13	17	23	28	52
85+	452	15.5	74	8	9	14	17	24	31	54
TOT. SINGLE DX	4267	11.8	18	6	7	11	14	17	19	25
" MULTIPLE DX	10344	13.7	47	7	8	13	16	20	25	40
TOTAL 65-69 YRS	4069	12.2	33	6	7	11	15	18	21	33
70-74	4399	13.0	36	6	8	12	15	19	22	35
75-79	3704	13.6	41	7	8	13	16	20	24	37
80-84	1842	14.2	51	7	8	13	16	22	26	46
85+	597	14.8	63	7	9	13	17	22	29	43
GRAND TOTAL	**14611**	**13.2**	**40**	**6**	**8**	**12**	**15**	**19**	**23**	**37**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	438	3.9	10	1	1	3	5	7	9	14
70-74	263	4.5	9	1	1	4	6	8	11	15
75-79	137	4.9	12	1	2	4	6	10	13	17
80-84	51	5.6	12	1	2	5	9	11	12	13
85+	21	5.1	15	<1	1	3	10	11	12	12
2. MULTIPLE DX										
65-69 YRS	870	4.7	18	1	2	4	6	9	11	23
70-74	638	5.6	22	1	2	4	7	11	14	22
75-79	366	6.6	34	1	2	5	8	14	18	27
80-84	171	8.0	33	2	2	7	11	14	21	29
85+	59	9.8	110	1	2	7	12	26	52	99+
TOT. SINGLE DX	910	4.4	11	1	1	3	6	9	11	15
" MULTIPLE DX	2104	5.7	28	1	2	4	7	11	15	28
TOTAL 65-69 YRS	1308	4.4	16	1	1	3	5	8	11	20
70-74	901	5.3	19	1	2	4	7	10	13	21
75-79	503	6.1	29	1	2	5	8	12	16	25
80-84	222	7.4	30	1	2	6	10	14	18	28
85+	80	8.6	89	1	2	7	10	21	39	99+
GRAND TOTAL	**3014**	**5.3**	**23**	**1**	**2**	**4**	**7**	**10**	**13**	**24**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	97	2.9	16	<1	<1	2	3	6	9	27
70-74	65	2.7	5	<1	<1	2	4	6	7	13
75-79	37	3.6	7	<1	<1	3	5	8	10	10
80-84	13	3.5	10	<1	<1	2	7	8	10	10
85+	13	7.4	195	<1	<1	2	7	19	46	53
2. MULTIPLE DX										
65-69 YRS	231	7.4	72	1	1	5	10	17	20	46
70-74	171	9.6	124	1	1	7	11	20	32	72
75-79	138	11.2	89	1	1	8	17	26	30	37
80-84	80	11.1	107	1	2	7	13	24	37	45
85+	63	11.2	116	1	2	8	14	27	36	51
TOT. SINGLE DX	225	3.3	22	<1	<1	2	4	7	9	24
" MULTIPLE DX	683	9.5	99	1	1	7	12	21	31	53
TOTAL 65-69 YRS	328	6.1	60	<1	<1	3	8	13	19	43
70-74	236	7.7	101	<1	<1	5	9	16	26	64
75-79	175	9.6	81	<1	1	7	14	24	28	35
80-84	93	10.0	101	<1	1	7	12	23	34	45
85+	76	10.5	129	1	2	7	13	26	38	53
GRAND TOTAL	**908**	**7.9**	**87**	**<1**	**<1**	**5**	**10**	**19**	**27**	**51**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	186	3.5	20	<1	<1	2	4	8	10	17
70-74	132	4.4	26	<1	<1	3	5	11	16	24
75-79	68	3.6	8	<1	<1	3	5	8	10	13
80-84	48	5.1	55	<1	<1	3	5	12	19	45
85+	30	5.1	15	<1	1	4	7	12	13	14
2. MULTIPLE DX										
65-69 YRS	439	8.4	94	1	1	5	10	20	29	50
70-74	390	9.0	91	1	1	6	11	21	28	43
75-79	238	9.9	113	1	1	7	13	21	30	66
80-84	152	11.1	145	1	2	8	14	22	30	70
85+	85	11.0	144	2	2	7	13	28	37	65
TOT. SINGLE DX	464	4.0	24	<1	<1	2	5	9	12	24
" MULTIPLE DX	1304	9.3	107	1	1	6	12	21	29	55
TOTAL 65-69 YRS	625	6.9	78	<1	1	4	8	17	24	49
70-74	522	7.8	79	<1	1	5	10	18	25	42
75-79	306	8.5	97	<1	1	5	11	17	27	62
80-84	200	9.6	130	1	1	6	13	21	27	63
85+	115	9.5	117	1	2	6	11	17	33	59
GRAND TOTAL	**1768**	**7.9**	**91**	**<1**	**1**	**5**	**10**	**18**	**26**	**52**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	219	1.8	1	<1	1	2	2	3	4	6
70-74	173	1.7		<1	<1	1	2	3	3	4
75-79	84	1.6		<1	<1	2	2	2	3	5
80-84	25	2.1	1	1	1	2	3	4	4	5
85+	6	3.7	18	1	1	2	4	11	12	12
2. MULTIPLE DX										
65-69 YRS	248	2.9	23	1	1	2	3	5	8	18
70-74	155	2.7	6	1	1	2	3	5	8	15
75-79	103	3.0	29	<1	1	2	3	5	7	68
80-84	39	3.8	17	1	1	2	4	9	14	19
85+	15	4.9	14	1	2	4	7	11	13	14
TOT. SINGLE DX	507	1.8	1	<1	<1	2	2	3	4	5
" MULTIPLE DX	560	3.0	20	1	1	2	3	5	8	23
TOTAL 65-69 YRS	467	2.4	13	<1	1	2	2	4	5	14
70-74	328	2.2	4	<1	1	2	2	4	5	11
75-79	187	2.4	17	<1	<1	2	2	4	6	38
80-84	64	3.2	12	1	1	2	4	7	10	19
85+	21	4.6	15	1	1	3	6	11	13	14
GRAND TOTAL	**1067**	**2.4**	**11**	**<1**	**1**	**2**	**2**	**4**	**6**	**16**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	46	2.0	2	<1	<1	1	2	3	6	9
70-74	31	2.1	2	<1	<1	2	3	4	5	9
75-79	19	2.0	2	<1	<1	1	2	4	6	7
80-84	11	2.1	1	1	1	2	3	4	4	4
85+	3	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	99	2.8	10	1	1	2	3	5	8	19
70-74	75	2.4	3	1	1	2	3	4	6	11
75-79	47	4.9	113	<1	1	3	4	8	13	73
80-84	25	5.1	62	<1	1	3	5	8	18	41
85+	17	7.4	80	1	1	5	9	12	30	39
TOT. SINGLE DX	110	2.0	3	<1	<1	2	2	4	5	9
" MULTIPLE DX	263	3.6	38	1	1	2	4	6	11	37
TOTAL 65-69 YRS	145	2.5	8	<1	1	2	3	5	7	18
70-74	106	2.3	4	<1	1	2	3	4	5	10
75-79	66	4.1	83	<1	1	2	4	7	10	64
80-84	36	4.2	45	1	1	3	4	8	10	41
85+	20	6.6	72	1	1	4	8	12	25	39
GRAND TOTAL	**373**	**3.1**	**28**	**<1**	**1**	**2**	**3**	**5**	**9**	**20**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	330	3.7	5	1	1	3	5	7	8	12
70-74	225	4.0	7	1	1	3	5	7	9	15
75-79	116	4.1	5	1	1	4	5	7	9	11
80-84	30	3.7	3	1	2	4	4	6	7	9
85+	13	4.7	15	1	1	4	5	12	14	14
2. MULTIPLE DX										
65-69 YRS	483	5.9	46	1	2	4	7	10	16	39
70-74	330	5.8	39	1	2	4	7	11	14	39
75-79	211	6.9	49	1	2	5	8	13	20	37
80-84	88	8.1	55	1	1	6	10	16	18	45
85+	44	10.6	144	1	2	6	13	20	38	62
TOT. SINGLE DX	714	3.9	6	1	1	3	5	7	8	13
" MULTIPLE DX	1156	6.4	50	1	2	4	7	12	18	41
TOTAL 65-69 YRS	813	5.0	31	1	2	4	6	9	12	28
70-74	555	5.1	27	1	1	4	6	9	12	25
75-79	327	5.9	36	1	2	4	7	11	15	32
80-84	118	7.0	46	1	1	5	8	15	17	44
85+	57	9.3	121	1	2	5	12	19	30	61
GRAND TOTAL	**1870**	**5.4**	**35**	**1**	**2**	**4**	**6**	**10**	**14**	**34**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	101	4.2	4	1	1	4	5	7	8	10
70-74	67	4.3	9	1	2	4	5	8	10	17
75-79	37	4.6	9	2	2	4	5	8	9	19
80-84	19	6.8	10	2	3	7	8	12	13	13
85+	6	4.7	9	2	2	4	7	9	9	9
2. MULTIPLE DX										
65-69 YRS	159	8.7	96	2	2	6	9	19	28	57
70-74	130	7.1	49	2	2	5	8	15	24	56
75-79	95	10.6	114	2	2	7	12	27	34	54
80-84	41	14.4	386	2	4	8	12	39	62	90
85+	17	14.5	107	7	7	10	14	35	37	38
TOT. SINGLE DX	230	4.5	8	1	2	4	6	8	10	14
" MULTIPLE DX	442	9.4	118	2	2	6	10	19	33	60
TOTAL 65-69 YRS	260	7.0	65	1	2	5	7	13	21	52
70-74	197	6.2	37	2	2	4	8	13	17	43
75-79	132	8.9	92	2	2	6	10	17	30	49
80-84	60	12.0	278	2	3	7	11	25	43	89
85+	23	11.9	100	2	2	10	12	33	37	38
GRAND TOTAL	**672**	**7.7**	**85**	**1**	**2**	**5**	**8**	**15**	**27**	**52**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	56	2.4	5	1	1	2	3	5	8	11
70-74	38	3.1	15	<1	1	1	4	7	10	22
75-79	24	2.7	9	<1	<1	1	3	7	11	12
80-84	9	2.7	5	1	1	2	4	7	7	7
85+	10	2.6	7	1	1	1	3	7	9	9
2. MULTIPLE DX										
65-69 YRS	131	6.7	101	1	1	2	7	19	28	51
70-74	87	7.8	115	1	1	3	10	17	42	80
75-79	75	8.6	175	1	1	4	12	20	27	82
80-84	38	10.2	228	1	1	7	12	18	36	86
85+	39	6.4	27	1	2	5	9	16	59	99+
TOT. SINGLE DX	137	2.6	9	<1	1	1	3	6	9	14
" MULTIPLE DX	370	7.7	125	1	1	3	9	18	29	88
TOTAL 65-69 YRS	187	5.4	77	1	1	2	5	15	22	48
70-74	125	6.4	89	1	1	3	8	15	35	60
75-79	99	7.1	142	1	1	3	10	16	23	75
80-84	47	8.7	194	1	1	6	9	17	24	86
85+	49	5.7	26	1	1	4	9	14	25	99+
GRAND TOTAL	**507**	**6.3**	**99**	**1**	**1**	**3**	**7**	**15**	**23**	**70**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	3	6.7	22	3	3	5	10	12	12	12
70-74	3	5.3	20	1	1	5	9	10	10	10
75-79	3	5.7	25	1	1	5	9	11	11	11
80-84	3	4.7	21	2	2	2	8	10	10	10
85+										
2. MULTIPLE DX										
65-69 YRS	11	20.1	235	2	3	20	35	40	45	45
70-74	11	16.5	95	4	6	13	25	31	33	33
75-79	21	19.3	334	2	4	12	24	42	63	78
80-84	14	18.1	202	4	4	12	31	36	48	52
85+	16	24.3	507	6	9	15	39	78	94	99+
TOT. SINGLE DX	12	5.6	17	1	1	5	10	11	12	12
" MULTIPLE DX	73	19.8	288	4	4	13	30	45	61	96
TOTAL 65-69 YRS	14	17.2	217	2	3	12	31	37	43	45
70-74	14	14.1	99	2	4	11	20	30	32	33
75-79	24	17.6	314	1	3	11	23	38	58	78
80-84	17	15.8	195	2	3	11	23	34	46	52
85+	16	24.3	508	6	9	15	39	78	94	99+
GRAND TOTAL	**85**	**17.8**	**274**	**2**	**4**	**12**	**24**	**37**	**57**	**94**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	16	13.9	32	6	6	14	18	21	24	26
70-74	32	14.7	119	6	7	12	16	25	26	65
75-79	12	17.4	83	8	10	13	22	34	36	36
80-84	13	11.9	23	5	7	11	15	19	20	20
85+	17	10.2	30	2	3	10	13	18	21	23
2. MULTIPLE DX										
65-69 YRS	739	22.5	237	7	8	18	28	46	59	99+
70-74	863	22.6	251	7	9	18	28	43	60	99
75-79	752	22.3	263	7	8	17	28	46	69	99+
80-84	541	21.7	238	6	8	17	27	47	62	99+
85+	582	19.6	245	6	7	15	23	40	56	96
TOT. SINGLE DX	90	13.7	71	5	6	12	17	23	26	53
" MULTIPLE DX	3477	21.9	249	6	8	17	27	45	62	99+
TOTAL 65-69 YRS	755	22.3	234	7	8	18	28	45	58	99+
70-74	895	22.3	249	7	9	18	27	43	59	98
75-79	764	22.3	261	7	8	17	28	46	69	99+
80-84	554	21.5	236	6	8	17	27	46	61	99+
85+	599	19.4	242	5	7	15	23	39	56	95
GRAND TOTAL	**3567**	**21.7**	**246**	**6**	**8**	**17**	**27**	**44**	**60**	**99+**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	37	7.8	68	1	2	4	10	18	24	40
70-74	35	6.4	26	1	1	6	8	12	14	27
75-79	33	7.8	56	1	1	7	11	17	26	33
80-84	23	6.6	34	<1	1	4	8	16	19	22
85+	26	9.0	76	1	1	6	11	23	31	32
2. MULTIPLE DX										
65-69 YRS	802	16.4	181	2	4	13	22	35	44	74
70-74	823	16.3	186	2	3	12	22	35	45	76
75-79	620	15.9	178	2	3	13	21	33	46	99+
80-84	406	15.2	155	2	3	12	19	34	43	99+
85+	366	14.6	147	2	3	12	19	30	42	96
TOT. SINGLE DX	154	7.5	52	1	1	6	10	16	23	33
" MULTIPLE DX	3017	15.9	175	2	4	12	21	34	44	84
TOTAL 65-69 YRS	839	16.0	179	2	3	13	22	35	43	72
70-74	858	15.9	184	2	3	12	21	35	44	75
75-79	653	15.5	176	2	3	12	20	33	45	98
80-84	429	14.7	152	2	3	11	19	34	42	99+
85+	392	14.3	144	2	3	11	19	30	41	92
GRAND TOTAL	**3171**	**15.5**	**172**	**2**	**3**	**12**	**20**	**34**	**43**	**83**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	11	13.0	43	5	6	13	16	22	27	28
70-74	18	10.2	28	3	4	9	14	16	20	23
75-79	17	15.1	164	4	5	12	19	50	83	99+
80-84	20	10.8	39	3	4	10	14	15	23	31
85+	43	12.6	51	5	6	11	15	20	28	42
2. MULTIPLE DX										
65-69 YRS	471	22.2	275	7	8	17	29	48	67	99+
70-74	664	20.5	268	6	7	15	26	45	67	99+
75-79	746	19.6	261	5	6	14	25	41	61	99+
80-84	801	18.6	245	5	6	14	23	37	60	99+
85+	1259	16.5	162	5	6	13	20	33	44	97
TOT. SINGLE DX	109	12.3	62	4	5	11	15	20	30	75
" MULTIPLE DX	3941	18.9	233	5	6	14	24	39	58	99+
TOTAL 65-69 YRS	482	22.0	272	7	8	17	29	47	67	99+
70-74	682	20.3	265	5	7	15	26	44	66	99+
75-79	763	19.5	259	5	6	14	25	41	61	99+
80-84	821	18.4	242	5	6	14	22	37	60	99+
85+	1302	16.4	159	5	6	13	20	33	43	96
GRAND TOTAL	**4050**	**18.7**	**229**	**5**	**6**	**14**	**23**	**39**	**57**	**99+**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	5	17.2	91	8	8	15	25	30	30	30
70-74	4	10.0	40	4	4	10	15	16	16	16
75-79	6	20.3	466	4	4	11	32	56	59	59
80-84	10	11.7	108	1	2	9	16	29	30	30
85+	5	15.2	251	5	5	9	20	43	43	43
2. MULTIPLE DX										
65-69 YRS	263	23.3	265	6	8	19	29	55	66	99+
70-74	207	21.1	204	5	7	17	30	44	58	99+
75-79	189	24.2	349	6	8	18	31	50	72	99+
80-84	110	21.5	190	6	7	19	29	40	58	99+
85+	105	20.6	316	5	6	15	23	42	59	96
TOT. SINGLE DX	30	14.7	179	3	3	10	16	31	43	59
" MULTIPLE DX	874	22.4	266	6	7	18	29	48	62	99+
TOTAL 65-69 YRS	268	23.2	262	6	8	19	29	54	65	99+
70-74	211	20.9	203	5	7	16	30	44	57	99+
75-79	195	24.0	351	5	7	18	31	51	71	99+
80-84	120	20.6	190	4	6	17	28	39	58	99+
85+	110	20.4	313	5	6	15	23	42	57	96
GRAND TOTAL	**904**	**22.1**	**265**	**5**	**7**	**18**	**29**	**48**	**62**	**99+**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	2	3.5	1	3	3	3	4	4	4	4
70-74	1	6.0		6	6	6	6	6	6	6
75-79										
80-84	1	1.0		1	1	1	1	1	1	1
85+										
2. MULTIPLE DX										
65-69 YRS	7	4.9	11	1	1	6	8	9	9	9
70-74	4	5.3	16	1	1	5	8	10	10	10
75-79	4	5.8	11	1	1	6	8	9	9	9
80-84	4	6.0	8	2	2	6	8	9	9	9
85+	1	7.0		7	7	7	7	7	7	7
TOT. SINGLE DX	4	3.5	4	1	1	3	5	6	6	6
" MULTIPLE DX	20	5.5	10	1	1	6	8	9	10	10
TOTAL 65-69 YRS	9	4.6	9	1	1	4	7	9	9	9
70-74	5	5.4	12	1	1	6	8	10	10	10
75-79	4	5.8	12	1	1	6	8	9	9	9
80-84	5	5.0	12	1	1	6	7	9	9	9
85+	1	7.0		7	7	7	7	7	7	7
GRAND TOTAL	**24**	**5.1**	**9**	**1**	**1**	**6**	**7**	**9**	**10**	**10**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	35	4.9	16	1	1	3	8	11	13	16
70-74	26	8.2	61	2	2	6	10	16	21	39
75-79	16	6.1	18	1	1	5	9	13	14	14
80-84	15	9.5	48	2	2	8	13	19	23	25
85+	7	6.9	27	<1	1	7	8	15	17	17
2. MULTIPLE DX										
65-69 YRS	166	12.4	167	2	3	8	15	31	38	88
70-74	156	14.5	202	2	3	11	19	32	49	99
75-79	157	13.0	110	3	4	11	16	24	34	57
80-84	72	14.9	253	2	3	10	19	41	93	99+
85+	75	10.5	45	2	3	9	13	21	24	30
TOT. SINGLE DX	99	6.8	36	1	2	5	9	15	17	32
" MULTIPLE DX	626	13.2	158	2	3	10	17	29	39	99
TOTAL 65-69 YRS	201	11.1	149	1	2	7	14	28	37	78
70-74	132	13.6	187	2	3	10	18	31	43	98
75-79	173	12.4	106	2	3	10	15	23	34	56
80-84	87	14.0	222	2	3	10	17	35	74	99+
85+	82	10.1	44	2	3	8	13	21	24	30
GRAND TOTAL	**725**	**12.3**	**146**	**2**	**3**	**9**	**16**	**26**	**37**	**96**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	3	16.3	197	3	3	15	27	31	31	31
70-74	3	4.3	9	1	1	5	6	7	7	7
75-79	4	9.8	50	5	5	7	14	20	20	20
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	11	9.7	23	4	6	8	11	17	22	22
70-74	7	16.0	478	4	4	6	13	55	65	65
75-79	10	8.3	23	3	3	7	13	15	17	17
80-84	8	15.3	73	4	4	16	22	25	26	26
85+										
TOT. SINGLE DX	10	10.1	87	1	2	6	15	25	31	31
" MULTIPLE DX	36	11.8	120	3	4	8	14	22	25	65
TOTAL 65-69 YRS	14	11.1	56	3	4	9	14	23	29	31
70-74	10	12.5	353	1	2	6	12	39	65	65
75-79	14	8.7	28	3	3	7	13	17	19	20
80-84	8	15.3	73	4	4	16	22	25	26	26
85+										
GRAND TOTAL	**46**	**11.4**	**111**	**3**	**4**	**8**	**14**	**22**	**27**	**65**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	914	2.4	3	<1	<1	2	3	5	7	9
70-74	670	2.7	5	<1	<1	2	3	5	7	12
75-79	401	3.1	6	<1	<1	2	4	6	8	14
80-84	215	2.9	5	<1	1	2	4	5	7	12
85+	154	3.3	8	<1	1	2	4	6	9	16
2. MULTIPLE DX										
65-69 YRS	1592	4.9	36	1	1	3	6	10	15	29
70-74	1468	5.6	51	1	1	3	7	12	18	33
75-79	1082	6.4	59	1	1	4	8	14	19	45
80-84	727	7.0	62	1	1	5	9	15	21	50
85+	592	7.8	66	1	2	5	10	15	22	42
TOT. SINGLE DX	2354	2.7	5	<1	<1	2	3	5	7	12
" MULTIPLE DX	5461	6.0	53	1	1	3	7	13	18	38
TOTAL 65-69 YRS	2506	4.0	26	<1	<1	2	5	9	12	25
70-74	2138	4.7	39	<1	1	3	5	10	15	29
75-79	1483	5.5	47	<1	1	3	7	12	17	35
80-84	942	6.1	52	1	1	4	7	14	19	45
85+	746	6.8	58	1	1	4	9	14	20	39
GRAND TOTAL	**7815**	**5.0**	**41**	**<1**	**1**	**3**	**6**	**11**	**16**	**32**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	80	4.7	10	1	1	4	6	8	11	18
70-74	97	5.2	10	1	2	4	6	8	12	17
75-79	91	5.1	8	1	2	5	6	8	9	17
80-84	69	5.4	15	1	2	5	7	9	11	26
85+	89	5.7	8	2	2	6	7	9	11	16
2. MULTIPLE DX										
65-69 YRS	252	7.2	50	2	2	6	8	12	18	41
70-74	240	7.1	36	2	2	5	8	14	19	32
75-79	276	7.2	35	2	3	6	8	13	17	44
80-84	278	8.2	50	2	3	6	9	17	21	61
85+	305	8.8	104	2	3	6	9	16	24	52
TOT. SINGLE DX	426	5.2	11	1	2	5	7	9	11	17
" MULTIPLE DX	1351	7.7	57	2	3	6	9	14	20	46
TOTAL 65-69 YRS	332	6.6	42	2	2	5	8	11	16	39
70-74	337	6.5	30	2	2	5	7	13	17	31
75-79	367	6.7	30	2	2	6	8	11	15	34
80-84	347	7.6	45	2	3	6	9	15	20	50
85+	394	8.1	84	2	3	6	9	15	20	47
GRAND TOTAL	**1777**	**7.1**	**47**	**2**	**2**	**6**	**8**	**13**	**18**	**38**

744: Extended simple mastectomy and radical mastactomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1164	6.0	6	3	3	6	7	9	10	13
70-74	949	6.1	5	3	3	6	7	9	10	14
75-79	674	6.2	5	3	3	6	7	9	10	14
80-84	316	6.3	5	3	3	6	8	9	11	13
85+	150	6.3	7	3	3	6	7	10	12	15
2. MULTIPLE DX										
65-69 YRS	2646	7.3	18	3	4	7	9	11	14	23
70-74	2385	7.5	16	3	4	7	9	12	15	23
75-79	1926	8.1	33	3	4	7	9	13	16	29
80-84	1096	8.4	30	3	4	7	10	13	17	32
85+	550	9.2	38	4	4	8	10	16	22	37
TOT. SINGLE DX	3253	6.1	6	3	3	6	7	9	10	14
" MULTIPLE DX	8603	7.8	24	3	4	7	9	12	15	26
TOTAL 65-69 YRS	3810	6.9	15	3	3	6	8	11	13	20
70-74	3334	7.1	14	3	4	6	8	11	13	21
75-79	2600	7.6	27	3	4	7	9	12	15	26
80-84	1412	7.9	26	3	4	7	9	12	15	28
85+	700	8.6	33	3	4	7	10	14	20	35
GRAND TOTAL	**11856**	**7.3**	**20**	**3**	**4**	**7**	**9**	**11**	**14**	**24**

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	20	3.6	10	1	1	3	4	8	12	14
70-74	21	5.3	94	1	1	3	4	7	26	47
75-79	5	2.6	2	1	1	2	4	4	4	4
80-84	8	6.4	27	<1	<1	7	10	13	15	15
85+										
2. MULTIPLE DX										
65-69 YRS	154	10.6	134	2	3	7	11	24	35	67
70-74	162	10.3	100	2	3	7	12	22	34	53
75-79	172	9.8	62	2	3	8	13	18	24	43
80-84	144	9.4	44	3	3	8	12	17	23	43
85+	77	11.0	175	2	3	7	13	20	25	85
TOT. SINGLE DX	54	4.6	45	1	1	3	5	9	13	46
" MULTIPLE DX	709	10.1	95	2	3	7	12	20	28	57
TOTAL 65-69 YRS	174	9.8	125	1	2	6	11	22	30	65
70-74	183	9.7	102	2	2	7	11	21	34	53
75-79	177	9.5	63	2	3	7	12	18	23	42
80-84	152	9.2	44	2	3	8	11	17	23	40
85+	77	11.0	175	2	3	7	13	20	25	85
GRAND TOTAL	**763**	**9.7**	**94**	**2**	**3**	**7**	**12**	**19**	**28**	**56**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1021	3.3	18	1	1	2	4	8	10	17
70-74	631	3.2	12	1	1	2	4	8	10	16
75-79	357	3.3	19	1	1	2	4	7	10	19
80-84	122	3.2	12	1	1	2	3	6	10	20
85+	45	4.7	126	1	1	2	4	6	16	74
2. MULTIPLE DX										
65-69 YRS	2713	6.4	47	1	1	4	9	15	19	34
70-74	2147	7.1	62	1	1	4	10	16	21	40
75-79	1323	7.3	52	1	1	5	10	17	21	36
80-84	596	9.1	81	1	1	7	13	21	28	46
85+	179	10.2	108	1	1	7	13	23	31	69
TOT. SINGLE DX	2176	3.3	19	1	1	2	4	7	10	18
" MULTIPLE DX	6958	7.1	58	1	1	4	10	16	21	38
TOTAL 65-69 YRS	3734	5.5	42	1	1	3	7	13	17	31
70-74	2778	6.2	54	1	1	3	8	15	20	37
75-79	1680	6.4	48	1	1	4	9	15	19	34
80-84	718	8.1	74	1	1	5	11	19	26	44
85+	224	9.1	116	1	1	6	12	21	29	74
GRAND TOTAL	**9134**	**6.2**	**52**	**1**	**1**	**3**	**8**	**14**	**19**	**36**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	751	3.3	13	1	1	2	4	7	10	17
70-74	683	3.4	19	1	1	2	4	7	10	19
75-79	470	3.4	12	1	1	2	4	7	11	17
80-84	191	3.4	9	1	1	2	4	7	11	15
85+	62	4.9	29	1	1	3	6	8	19	28
2. MULTIPLE DX										
65-69 YRS	4108	6.1	35	1	1	4	8	12	16	28
70-74	4027	6.5	43	1	1	5	8	13	18	32
75-79	3035	6.8	43	1	2	5	9	14	17	33
80-84	1625	7.1	37	1	2	6	9	14	18	32
85+	633	8.3	44	2	2	7	10	16	20	33
TOT. SINGLE DX	2157	3.4	15	1	1	2	4	7	10	19
" MULTIPLE DX	13428	6.6	41	1	2	5	9	13	18	31
TOTAL 65-69 YRS	4859	5.7	34	1	1	4	8	12	16	28
70-74	4710	6.1	41	1	1	4	8	13	17	31
75-79	3505	6.3	41	1	1	5	8	13	17	30
80-84	1816	6.7	35	1	2	5	9	13	17	30
85+	695	8.0	44	1	2	6	10	16	20	31
GRAND TOTAL	**15585**	**6.2**	**38**	**1**	**1**	**4**	**8**	**13**	**17**	**30**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	85	2.9	5	<1	1	2	3	6	9	11
70-74	51	2.5	5	1	1	2	2	6	8	12
75-79	18	2.4	4	1	1	2	3	6	7	8
80-84	4	3.0	3	1	1	3	4	5	5	5
85+										
2. MULTIPLE DX										
65-69 YRS	792	4.5	19	1	1	3	6	10	14	20
70-74	480	4.9	25	1	1	3	7	11	14	26
75-79	206	5.1	25	1	1	3	7	13	15	23
80-84	50	6.0	31	1	1	4	8	13	16	32
85+	13	9.6	134	1	1	7	11	23	39	43
TOT. SINGLE DX	158	2.7	6	1	1	2	3	6	8	11
" MULTIPLE DX	1541	4.8	24	1	1	3	7	11	14	23
TOTAL 65-69 YRS	877	4.3	18	1	1	2	6	10	14	20
70-74	531	4.7	24	1	1	3	6	11	13	26
75-79	224	4.9	24	1	1	3	7	11	15	23
80-84	54	5.7	30	1	1	4	8	12	15	31
85+	13	9.6	135	1	1	7	11	23	39	43
GRAND TOTAL	**1699**	**4.6**	**22**	**1**	**1**	**3**	**6**	**10**	**14**	**22**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	912	4.1	14	1	1	2	6	10	12	17
70-74	839	4.0	15	1	1	2	6	10	12	17
75-79	501	4.5	19	1	1	2	7	11	13	20
80-84	333	4.5	16	1	1	3	7	10	12	16
85+	173	6.2	33	1	1	5	9	13	15	35
2. MULTIPLE DX										
65-69 YRS	5921	7.0	43	1	1	5	9	14	18	33
70-74	5745	7.5	49	1	1	6	10	15	20	35
75-79	4556	7.8	48	1	2	6	11	15	20	35
80-84	2690	8.4	57	1	2	7	11	16	21	39
85+	1702	9.5	64	2	2	8	12	18	23	44
TOT. SINGLE DX	2758	4.3	17	1	1	2	6	10	12	18
" MULTIPLE DX	20614	7.7	50	1	2	6	10	15	20	36
TOTAL 65-69 YRS	6833	6.6	40	1	1	5	9	13	17	31
70-74	6584	7.0	46	1	1	5	10	14	19	33
75-79	5057	7.5	47	1	1	6	10	15	19	35
80-84	3023	8.0	54	1	2	7	11	15	20	38
85+	1875	9.2	62	1	2	8	12	17	22	43
GRAND TOTAL	**23372**	**7.3**	**48**	**1**	**1**	**6**	**10**	**15**	**19**	**34**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	5047	5.5	26	1	1	4	7	11	14	27
70-74	4432	5.9	32	1	2	4	7	11	15	30
75-79	3707	6.2	31	1	2	5	8	11	15	27
80-84	2584	6.7	36	1	2	5	9	13	16	30
85+	2146	6.6	36	1	2	5	8	13	16	30
2. MULTIPLE DX										
65-69 YRS	63515	7.8	45	2	2	6	10	15	19	35
70-74	71402	8.2	49	2	3	6	10	15	20	38
75-79	68442	8.7	56	2	3	7	11	16	21	42
80-84	55747	9.1	60	2	3	7	11	17	22	44
85+	49994	9.5	70	2	3	7	11	18	24	53
TOT. SINGLE DX	17916	6.1	32	1	2	5	8	11	15	29
" MULTIPLE DX	309100	8.6	56	2	3	7	10	16	21	41
TOTAL 65-69 YRS	68562	7.7	44	2	2	6	9	14	19	35
70-74	75834	8.1	49	2	3	6	10	15	20	37
75-79	72149	8.5	55	2	3	7	10	16	21	41
80-84	58331	9.0	59	2	3	7	11	17	22	43
85+	52140	9.4	69	2	3	7	11	17	23	52
GRAND TOTAL	**327016**	**8.5**	**55**	**2**	**3**	**7**	**10**	**16**	**21**	**41**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1191	7.0	55	1	2	5	8	13	18	41
70-74	1011	7.0	49	1	2	5	9	13	18	39
75-79	802	7.6	53	2	2	6	9	14	20	41
80-84	603	8.1	81	1	2	6	9	15	22	52
85+	587	7.5	52	1	2	6	9	14	20	39
2. MULTIPLE DX										
65-69 YRS	11990	9.1	71	2	3	7	11	17	24	47
70-74	13098	9.3	75	2	3	7	11	18	25	48
75-79	12608	9.5	72	2	3	7	11	18	25	49
80-84	10374	9.9	79	2	3	8	12	19	26	52
85+	10502	10.0	76	2	3	8	12	19	25	56
TOT. SINGLE DX	4194	7.4	57	1	2	6	9	14	20	41
" MULTIPLE DX	58572	9.5	75	2	3	7	11	18	25	50
TOTAL 65-69 YRS	13181	8.9	71	2	3	7	11	17	24	47
70-74	14109	9.1	73	2	3	7	11	17	24	47
75-79	13410	9.4	72	2	3	7	11	18	24	49
80-84	10977	9.8	80	2	3	7	12	19	26	52
85+	11089	9.8	75	2	3	8	12	19	25	56
GRAND TOTAL	**62766**	**9.4**	**74**	**2**	**3**	**7**	**11**	**18**	**25**	**50**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	2448	5.6	30	1	1	4	7	11	14	28
70-74	2213	5.7	29	1	1	4	7	11	14	31
75-79	1673	5.8	30	1	2	4	7	11	14	29
80-84	1182	5.9	27	1	2	4	7	11	15	28
85+	967	6.2	26	1	2	5	8	12	16	27
2. MULTIPLE DX										
65-69 YRS	34353	7.3	42	2	2	6	9	14	18	34
70-74	37934	7.6	44	2	2	6	9	14	19	35
75-79	35537	7.9	46	2	2	6	10	15	20	37
80-84	28747	8.4	54	2	3	7	10	16	21	41
85+	26583	8.8	57	2	3	7	11	16	21	43
TOT. SINGLE DX	8483	5.8	29	1	2	4	7	11	14	29
" MULTIPLE DX	163154	8.0	49	2	2	6	10	15	20	37
TOTAL 65-69 YRS	36801	7.2	42	2	2	6	9	14	18	33
70-74	40147	7.5	44	2	2	6	9	14	19	34
75-79	37210	7.8	46	2	2	6	10	15	20	37
80-84	29929	8.3	53	2	3	7	10	16	21	40
85+	27550	8.7	57	2	3	7	11	16	21	43
GRAND TOTAL	**171637**	**7.9**	**48**	**2**	**2**	**6**	**10**	**15**	**20**	**37**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	102	3.0	3	1	1	3	4	5	6	11
70-74	56	3.0	6	1	1	3	3	5	7	17
75-79	26	3.3	5	1	1	3	4	7	8	10
80-84	6	2.0	1	1	1	2	2	4	4	4
85+	3	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
65-69 YRS	305	4.0	11	1	1	3	5	7	10	17
70-74	184	3.8	6	1	1	3	5	7	9	12
75-79	72	5.3	22	1	1	4	6	11	15	25
80-84	37	5.1	33	2	2	3	5	9	21	27
85+	28	4.5	18	1	1	3	5	12	14	19
TOT. SINGLE DX	193	3.0	4	1	1	3	4	5	6	12
" MULTIPLE DX	626	4.2	13	1	1	3	5	7	10	18
TOTAL 65-69 YRS	407	3.7	9	1	1	3	4	6	8	16
70-74	240	3.6	6	1	1	3	4	7	9	13
75-79	98	4.8	19	1	1	3	6	10	14	24
80-84	43	4.7	30	1	2	3	4	9	18	27
85+	31	4.5	17	1	1	3	4	11	14	19
GRAND TOTAL	**819**	**3.9**	**11**	**1**	**1**	**3**	**5**	**7**	**10**	**18**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	12	2.5	3	<1	<1	2	4	5	7	7
70-74	12	3.6	10	<1	1	3	4	7	12	13
75-79	3	7.7	54	2	2	5	13	16	16	16
80-84	2	4.0		4	4	4	4	4	4	4
85+										
2. MULTIPLE DX										
65-69 YRS	27	6.4	28	2	2	5	8	15	17	23
70-74	22	7.0	119	1	2	4	6	12	29	54
75-79	10	5.8	23	1	1	4	7	14	16	16
80-84	7	29.4	979	3	4	10	46	81	89	89
85+	4	6.8	11	4	4	6	9	11	11	11
TOT. SINGLE DX	29	3.6	12	<1	<1	3	4	6	13	16
" MULTIPLE DX	70	8.8	184	1	2	5	9	15	35	82
TOTAL 65-69 YRS	39	5.2	24	<1	1	4	6	13	16	23
70-74	34	5.8	82	1	1	4	5	12	13	54
75-79	13	6.2	27	1	2	4	8	16	16	16
80-84	9	23.8	860	3	3	10	39	73	89	89
85+	4	6.8	12	4	4	6	9	11	11	11
GRAND TOTAL	**99**	**7.3**	**138**	**1**	**1**	**4**	**7**	**14**	**20**	**72**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	394	3.1	15	<1	<1	2	3	7	10	18
70-74	293	3.6	24	<1	<1	2	4	7	11	34
75-79	210	3.4	15	<1	<1	2	3	9	12	23
80-84	149	3.7	20	<1	<1	2	4	10	14	23
85+	120	3.9	25	<1	<1	2	5	8	13	31
2. MULTIPLE DX										
65-69 YRS	1487	8.5	98	1	1	5	11	19	27	51
70-74	1486	9.6	104	1	2	7	12	20	29	57
75-79	1310	10.2	119	1	2	7	12	22	30	62
80-84	1014	10.6	134	1	2	7	13	23	35	80
85+	979	11.1	133	2	2	8	14	23	33	73
TOT. SINGLE DX	1166	3.4	19	<1	<1	2	4	8	11	24
" MULTIPLE DX	6276	9.9	116	1	2	7	12	21	30	63
TOTAL 65-69 YRS	1881	7.4	86	<1	1	4	9	17	24	46
70-74	1779	8.6	96	<1	1	6	11	18	26	55
75-79	1520	9.2	111	<1	1	6	11	20	28	59
80-84	1163	9.7	125	1	1	6	12	21	31	71
85+	1099	10.3	126	1	2	7	13	22	31	71
GRAND TOTAL	**7442**	**8.9**	**106**	**<1**	**1**	**6**	**11**	**19**	**28**	**59**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	539	6.2	63	1	1	4	8	14	21	32
70-74	474	6.1	52	<1	1	4	8	14	20	35
75-79	358	6.6	94	<1	1	4	8	14	22	54
80-84	224	7.0	46	<1	1	5	9	17	21	32
85+	228	6.9	46	<1	1	5	9	15	21	34
2. MULTIPLE DX										
65-69 YRS	4136	12.6	164	1	2	9	16	29	39	76
70-74	4230	13.6	183	1	2	9	17	31	44	85
75-79	3975	14.0	189	2	2	10	18	32	47	99+
80-84	3268	14.1	199	2	2	10	18	32	45	99
85+	3703	14.1	195	2	3	10	18	32	45	99+
TOT. SINGLE DX	1823	6.5	63	<1	1	4	8	14	21	36
" MULTIPLE DX	19312	13.6	186	1	2	10	18	31	44	97
TOTAL 65-69 YRS	4675	11.8	157	1	2	8	15	27	38	73
70-74	4704	12.8	175	1	2	9	16	30	42	82
75-79	4333	13.4	186	1	2	9	17	31	45	99+
80-84	3492	13.7	192	1	2	10	17	31	45	98
85+	3931	13.7	190	1	2	10	18	31	44	99+
GRAND TOTAL	**21135**	**13.0**	**179**	**1**	**2**	**9**	**17**	**30**	**43**	**93**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	106	8.2	52	1	1	6	11	20	26	30
70-74	108	10.6	129	1	1	7	13	28	33	54
75-79	81	11.1	87	2	2	8	15	26	29	45
80-84	79	9.5	96	1	1	6	11	22	30	53
85+	52	12.4	88	2	3	10	16	24	29	49
2. MULTIPLE DX										
65-69 YRS	550	17.3	215	2	3	14	24	38	49	93
70-74	599	20.1	272	3	4	16	27	44	58	99+
75-79	530	20.2	240	3	5	17	28	38	54	80
80-84	469	21.3	261	3	5	18	28	43	58	96
85+	370	18.4	189	2	5	15	24	37	49	71
TOT. SINGLE DX	426	10.1	92	1	2	7	14	23	29	48
" MULTIPLE DX	2518	19.5	241	2	4	16	26	41	54	92
TOTAL 65-69 YRS	656	15.8	200	2	3	12	21	35	46	91
70-74	707	18.6	262	2	3	14	26	42	55	99
75-79	611	19.0	230	2	4	16	26	37	52	77
80-84	548	19.6	255	2	4	16	27	42	55	89
85+	422	17.7	181	2	4	14	23	35	47	69
GRAND TOTAL	**2944**	**18.1**	**230**	**2**	**3**	**14**	**24**	**38**	**51**	**88**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	26	5.3	33	<1	<1	4	7	10	18	27
70-74	21	9.2	365	1	1	4	7	14	49	91
75-79	21	11.9	184	<1	1	8	18	35	41	47
80-84	10	7.1	61	1	1	4	7	21	23	23
85+	8	7.6	27	1	2	8	11	15	16	16
2. MULTIPLE DX										
65-69 YRS	129	15.1	259	1	2	11	23	38	55	99+
70-74	106	19.0	414	1	2	12	33	58	70	99+
75-79	111	20.3	557	1	2	11	29	71	87	99+
80-84	62	19.3	356	2	4	14	26	57	75	99+
85+	57	19.0	354	2	2	14	26	57	60	98
TOT. SINGLE DX	86	8.3	154	1	1	4	9	20	28	75
" MULTIPLE DX	465	18.3	391	1	2	12	27	57	75	99+
TOTAL 65-69 YRS	155	13.4	235	1	1	8	19	35	50	99
70-74	127	17.4	417	1	1	10	24	57	70	99+
75-79	132	18.9	506	1	2	10	27	65	84	99+
80-84	72	17.6	332	2	3	11	23	55	67	99+
85+	65	17.6	328	2	2	12	24	56	59	96
GRAND TOTAL	**551**	**16.7**	**367**	**1**	**2**	**10**	**23**	**53**	**69**	**99+**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	128	1.9	1	<1	1	2	3	3	4	7
70-74	67	2.4	15	<1	1	2	2	4	5	28
75-79	34	4.4	160	<1	1	2	2	7	9	75
80-84	18	2.8	5	<1	1	2	4	6	8	9
85+	13	4.1	6	1	1	4	7	18	82	99+
2. MULTIPLE DX										
65-69 YRS	409	7.9	108	1	1	5	10	20	28	92
70-74	363	9.8	131	1	1	7	12	22	33	99+
75-79	297	10.4	136	1	2	8	13	21	34	99+
80-84	228	13.4	151	2	3	10	17	34	57	99+
85+	226	13.6	201	2	3	10	17	41	81	99+
TOT. SINGLE DX	260	2.6	26	<1	1	2	3	4	6	30
" MULTIPLE DX	1523	10.5	144	1	2	7	13	24	42	99+
TOTAL 65-69 YRS	537	6.4	89	1	1	3	8	16	24	85
70-74	430	8.7	121	1	1	5	11	20	32	99+
75-79	331	9.7	142	1	1	7	12	21	33	99+
80-84	246	12.6	149	1	2	10	16	34	53	99+
85+	239	13.1	195	2	3	9	16	40	83	99+
GRAND TOTAL	**1783**	**9.3**	**135**	**1**	**1**	**6**	**12**	**22**	**37**	**99+**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

Appendix

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380
and for operation groups 552, 557, 576, 619, 686, 713, and 741

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02;

		673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2
290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5
552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19

713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index

Part 1: Diagnosis Index
Part 2: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, Volume 2 Diseases: Alphabetic Index or Volume 3 Procedures: Tabular List and Alphabetic Index. The diagnosis or operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs — *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular – *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer – *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer — *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve – *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes – *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease – *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease – *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma — *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain – *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

OPERATION INDEX (continued)

Group Number	Title
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy
	Fistula – *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

OPERATION INDEX (continued)

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions – *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, exept of hand
728	Hand

OPERATION INDEX (continued)

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage – *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

OPERATION INDEX (continued)

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision – *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

OPERATION INDEX (continued)

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

OPERATION INDEX (continued)

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

OPERATION INDEX (continued)

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicie, of skin

OPERATION INDEX (continued)

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus – *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) – *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) – *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

OPERATION INDEX (continued)

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

OPERATION INDEX (continued)

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

OPERATION INDEX (continued)

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

OPERATION INDEX (continued)

Group Number	Title
	Reduction (continued)
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia – *see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions – *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	Without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	With incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva

OPERATION INDEX (continued)

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula – *see Fistulectomy*
704	Hallux valgus
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
	Hernia – *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration – *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

OPERATION INDEX (continued)

Group Number — Title

- Repair (continued)
  - 654 Testis
  - 562 Trachea
  - 635 Ureter
  - 640 Urethra
  - 679 Uterus, except obstetric laceration and supporting structures
    - 697 Obstetric laceration
    - 678 Supporting structures
  - 681 Vagina, except for cystocele and rectocele, and obstetric laceration
    - 680 Cystocele and rectocele
    - 697 Obstetric laceration
  - 552 Vestibular arch (mouth)
  - 685 Vulva, except obstetric laceration
    - 697 Obstetric laceration
- Replacement
  - 574 Cardiac pacemaker
  - 571 Heart valve
  - 725 Joint, except hip and knee
    - 723 Hip, except total replacement
      - 722 Total replacement
    - 724 Knee
  - 647 Urinary catheter
- Resection
  - 638 Bladder
  - 581 Blood vessel
  - 564 Bronchus
  - 599 Large intestine
  - 730 Muscle, except of hand
    - 728 Hand
  - 541 Nasal septum, submucous
  - 530 Ocular muscle
  - 660 Ovary
  - 608 Rectum (abdominoperineal) (pull-through)
  - 549 Root of tooth
  - 598 Small intestine
  - 730 Tendon, except of hand
    - 728 Hand
- 548 Restoration, tooth
- 758 Retrograde pyelogram
- Revision
  - 739 Amputation stump
  - 581 Arteriovenous shunt for dialysis
  - 596 Gastric anastomosis

OPERATION INDEX (continued)

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt – *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

OPERATION INDEX (continued)

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
644	Stress incontinence repair, except by urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture – *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown – *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction – *see Reduction, fracture*
	Transfer – *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

OPERATION INDEX (continued)

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray — *see Radiography*
751	Z-plasty, skin

R3850-1.14 U
11/86

LOS

LENGTH OF STAY

CPHA PUBLICATIONS

Pediatric Length of Stay by Diagnosis and Operation, United States, 1985

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1986

LENGTH OF STAY

Copyright 1986 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1985
. . . by Diagnosis, United States, North Central Region, 1985
. . . by Diagnosis, United States, Northeastern Region, 1985
. . . by Diagnosis, United States, Southern Region, 1985
. . . by Diagnosis, United States, Western Region, 1985
. . . by Diagnosis, Canada, 1985

. . . by Operation, United States, 1985
. . . by Operation, United States, North Central Region, 1985
. . . by Operation, United States, Northeastern Region, 1985
. . . by Operation, United States, Southern Region, 1985
. . . by Operation, United States, Western Region, 1985
. . . by Operation, Canada, 1985

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1985
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1985

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1985 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1985 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1985 LENGTH OF STAY BOOKS

Peg Eby, Research Assistant, Research Services
Carol A. Prevost, Research Associate
Jeanine DeLay, Assistant Director
Edward J. Kobrinski, Director

CONTENTS

Preface iii

Discussion of the Data 1

- Source of the Data. 1
- Data Quality. 2
- Coverage 3
- Organization of Length of Stay Tables. 5
  - Definition of Multiple Diagnosis Patients 5
  - Definition of Operated Patients 6
- Explanation of Statistics. 6
- Defining the Extended Stay Case 7

Length of Stay Tables 15

- Summary of All Patients in Diagnosis Groups 16
- Summary of All Patients Except Newborn 17
- Diagnosis Groups 1-398 18
- Summary of All Patients in Operation Groups. 218
- Operation Groups 501-764 219

Appendix: ***ICD-9-CM*** **Codes for Selected Diagnosis and Operation Groups** . . 285

Index to Length of Stay Tables 291

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, PAS Case Abstract, or magnetic tape.
2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.
4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.
5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1985

	Short-Term Nonfederal Hospitals			Short-Term Nonfederal Hospital Beds		
	U.S. Total[2]	Number in Books	Percent in Books	U.S. Total[2]	Number in Books	Percent in Books
Hospital Category						
Bedsize						
6-24	332	44	13.3	6,138	880	14.3
25-49	1,161	226	19.5	42,908	8,735	20.3
50-99	1,283	383	29.9	92,066	27,587	30.0
100-199	1,221	393	32.2	172,860	56,242	32.5
200-299	703	232	33.0	170,564	57,368	33.6
300-399	415	142	34.2	141,454	48,545	34.3
400-499	265	90	34.0	117,253	39,787	33.9
500+	307	73	23.8	212,299	47,783	22.5
Total	5,687	1,583	27.8	955,542	286,927	30.0
Region and Census Division						
Northeast	814	342	42.0	205,568	67,158	32.7
New England	241	131	54.4	48,426	20,234	41.8
Middle Atlantic	573	211	36.8	157,142	46,924	29.9
North Central	1,673	515	30.8	267,603	105,699	39.5
East North Central	880	418	47.5	182,843	90,510	49.5
West North Central	793	97	12.2	84,760	15,189	17.9
South	2,139	366	17.1	338,647	61,836	18.3
South Atlantic	810	186	23.0	158,360	34,351	21.7
East South Central	496	89	17.9	71,653	13,196	18.4
West South Central	833	91	10.9	108,634	14,289	13.2
West	1,061	360	33.9	143,724	52,234	36.3
Mountain	370	153	41.4	40,264	19,940	49.5
Pacific	691	207	30.0	103,460	32,294	31.2
Total	5,687	1,583	27.8	955,542	286,927	30.0

The Pediatric book was compiled from the data of 1,569 hospitals. The Geriatric book was compiled from the data of 1,559 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1984 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients. The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.* Within each procedure group patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after-study explains why the patient was admitted to the hospital. Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Diagnosis and procedure information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

In the diagnosis tables, operated patients are patients who had at least one UHDDS Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated. In the procedure tables, operated patients are those whose principal procedure was grouped into an *ICD-9-CM List B* number where at least one UHDDS Class 1 procedure was present. While most *List B* groups contain only Class 1 procedures, the following groups contain Class 1 procedures and at least one procedure that is Class 2-4: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764.

Explanation of Statistics

The *List A* diagnosis group titles and *List B* procedure group titles heading the tables are followed in parenthesis by the *ICD-9-CM* diagnosis or procedure codes included in that *List A* or *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis or procedure group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups* or *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the admission diagnosis or principal procedure in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses and procedures can also be found in the Alphabetic Indexes at the back of the length of stay books.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening—Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table. Operated codes can be found in *ICD-9-CM,* Volume 3.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate operation length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 12 year old patient is admitted to a hospital. The admitting diagnosis is viral pneumonia and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,* and *Volume 3, Procedures, Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Pneumonia is listed as a diagnosis in *Concurrent Review Screening*. The length of stay table is number 179.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pleural effusion, excluding tuberculosis	3		186
Criteria for admission			
1. *For management of underlying cause (e.g., radiation or chemotherapy for lymphoma)*			
2. *Scheduled for operation other than thoracentesis*			
3.			
4.			
Pleurisy, without mention of effusion or tbc *	4		186
Pneumonia			
acute interstitial	3		17
broncho-, organism not specified	3		179
chronic, interstitial	3		186
lobar	3		179
organism or type not specified	3		179
pneumococcal	3		179
viral	3		179
Criteria for admission (for above 7)			
1. *Respiratory distress (cyanosis, dyspnea at rest, tachypnea > 40 resp/min, $PO_2 < 50$)*			
2. *Complicating respiratory disease e.g., emphysema, COPD, asthma*			
3. *Serious complicating illness, e.g., diabetes mellitus, leukemia, steroid therapy, neoplasms, renal disease*			
4.			
5.			

b. The Alphabetic Index at the back of the length of stay book shows that pneumonia is included in diagnosis group 179.

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

c. Pneumonia can be found in Volume 2 of *ICD-9-CM* on page 586.



Pleurodynia INDEX TO DISEASES

- **Pleurodynia** — *continued*
  - epidemic 074.1
  - viral 074.1
- **Pleurohepatitis** 573.8
- **Pleuropericarditis** *(see also* Pericarditis) 423.9
  - acute 420.90
- **Pleuropneumonia** (acute) (bilateral) (double) (septic) *(see also* Pneumonia) 486
  - chronic *(see also* Fibrosis, lung) 515
- **Pleurorrhea** *(see also* Hydrothorax) 511.8
- **Plexitis, brachial** 353.0
- **Plica**
  - polonica 132.0
  - tonsil 474.8
- **Plicae dysphonia ventricularis** 784.49
- **Plicated tongue** 529.5
  - congenital 750.13
- **Plug**
  - bronchus NEC 519.1
  - meconium (newborn) NEC 777.1
  - mucus — *see* Mucus, plug
- **Plumbism** 984.9
  - specified type of lead — *see* Table of drugs and chemicals
- **Plummer's disease** (toxic nodular goiter) 242.3
- **Plummer-Vinson syndrome** (sideropenic dysphagia) 280.8
- **Pluricarential syndrome of infancy** 260
- **Plurideficiency syndrome of infancy** 260
- **Plus** (and minus) hand (intrinsic) 736.09
- **Pneumathemia** — *see* Air, embolism, by type
- **Pneumatic drill or hammer disease** 994.9
- **Pneumatocele** (lung) 518.8
  - intracranial 348.8
  - tension 492.0
- **Pneumatosis**
  - cystoides intestinalis 569.89
  - peritonei 568.89
  - pulmonum 492.8
- **Pneumaturia** 599.8
- **Pneumoblastoma** (M8981/3) — *see* Neoplasm, lung, malignant
- **Pneumocephalus** 348.8
- **Pneumococcemia** 038.2
  - with pneumonia 481
- **Pneumococcus, pneumococcal** — *see* condition
- **Pneumoconiosis** (due to) (inhalation of) 505
  - aluminum 503
  - asbestos 501
  - bagasse 495.1
  - bauxite 503
  - beryllium 503
  - carbon electrode makers' 503
  - coal
    - miners' (simple) 500
    - workers' (simple) 500
  - cotton dust 504
- **Pneumoconiosis** (due to) (inhalation of) — *continued*
  - diatomite fibrosis 502
  - dust NEC 504
    - inorganic 503
    - lime 502
    - marble 502
    - organic NEC 504
  - fumes or vapors (from silo) 506.9
  - graphite 503
  - hard metal 503
  - mica 502
  - moldy hay 495.0
  - rheumatoid 714.81
  - silica NEC 502
    - and carbon 500
  - silicate NEC 502
  - talc 502
- **Pneumocystis carinii pneumonia** 136.3
- **Pneumocystosis** 136.3
  - with pneumonia 136.3
- **Pneumoenteritis** 025
- **Pneumohemopericardium** *(see also* Pericarditis) 423.9
- **Pneumohemothorax** *(see also* Hemothorax) 511.8
  - traumatic 860.4
    - with open wound into thorax 860.5
- **Pneumohydropericardium** *(see also* Pericarditis) 423.9
- **Pneumohydrothorax** *(see also* Hydrothorax) 511.8
- **Pneumomediastinum** 518.1
  - congenital 770.2
  - fetus or newborn 770.2
- **Pneumomycosis** 117.9
- **Pneumonia** (acute) (Alpenstich) (benign) (bilateral) (brain) (cerebral) (circumscribed) (congestive) (creeping) (delayed resolution) (double) (epidemic) (fever) (flash) (fulminant) (fungoid) (granulomatous) (hemorrhagic) (incipient) (infantile) (infectious) (infiltration) (insular) (intermittent) (intrauterine) (latent) (migratory) (newborn) (organized) (overwhelming) (primary) (progressive) (pseudolobar) (purulent) (resolved) (secondary) (senile) (septic) (suppurative) (terminal) (true) (unresolved) (vesicular) 486
  - with influenza, flu, or grippe 487.0
  - adenoviral 480.0
  - adynamic 514
  - alba 090.0
  - allergic 518.3
  - alveolar — *see* Pneumonia, lobar
  - anthrax 022.1 *[484.5]*
  - apex, apical — *see* Pneumonia, lobar
  - ascaris 127.0
  - aspiration 507.0

586

Step 2. Find the table for group 179 in the length of stay book.

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	470	5.8	9	2	2	5	7	10	11	15
1-11 MOS	8897	5.0	8	2	2	4	6	8	10	15
1-5 YRS	14878	4.4	7	2	2	4	6	8	9	13
6-12 YRS	5241	4.6	9	2	2	4	6	8	9	14
13-19 YRS	2746	5.1	8	2	2	5	5	8	10	15
B. *Operated*										
0-27 DYS	9	5.7	6	2	2	6	7	9	10	10
1-11 MOS	53	6.5	18	2	3	5	8	12	13	27
1-5 YRS	72	8.1	61	1	2	6	10	15	24	47
6-12 YRS	43	9.2	55	1	2	7	15	19	25	29
13-19 YRS	44	9.7	54	2	2	8	14	18	23	33
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	330	7.2	17	2	3	6	9	13	16	21
1-11 MOS	7894	6.0	17	2	2	5	7	11	13	21
1-5 YRS	13395	5.1	12	2	2	4	6	9	11	17
6-12 YRS	3717	5.4	13	2	2	5	7	10	12	19
13-19 YRS	2110	6.4	20	2	3	5	8	11	14	26
B. *Operated*										
0-27 DYS	13	11.6	59	4	6	9	12	22	32	34
1-11 MOS	169	13.7	157	3	4	10	17	28	46	95
1-5 YRS	251	12.2	112	3	3	9	15	24	32	64
6-12 YRS	124	12.1	54	3	4	11	17	22	26	34
13-19 YRS	139	15.7	147	3	4	12	20	34	41	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32232	4.7	8	2	2	4	6	8	10	14
B. *Operated*	221	8.1	47	2	2	6	10	17	20	33
2. MULTIPLE DX										
A. *Not Operated*	27446	5.5	15	2	2	5	7	10	12	19
B. *Operated*	696	13.2	120	3	4	10	17	25	36	69
1. SINGLE DX	32453	4.7	8	2	2	4	6	8	10	14
2. MULTIPLE DX	28142	5.7	19	2	2	5	7	10	13	22
A. NOT OPERATED	59678	5.1	11	2	2	4	6	9	11	17
B. OPERATED	917	12.0	107	2	3	9	16	23	32	63
TOTAL 0-27 DYS	822	6.5	14	2	3	6	8	11	13	20
1-11 MOS	17013	5.6	15	2	2	5	7	10	12	19
1-5 YRS	28596	4.8	11	2	2	4	6	8	10	16
6-12 YRS	9125	5.1	12	2	2	4	6	9	11	18
13-19 YRS	5039	6.0	20	2	3	5	7	10	13	25
GRAND TOTAL	**60595**	**5.2**	**13**	**2**	**2**	**4**	**6**	**9**	**11**	**18**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	470	5.8	9	2	2	5	7	10	11	15
1-11 MOS	8897	5.0	8	2	2	4	6	8	10	15
1-5 YRS	14878	4.4	7	2	2	4	6	8	9	13
6-12 YRS	5241	4.6	9	2	2	4	6	8	9	14
13-19 YRS	2746	5.1	8	2	2	5	6	8	10	15
B. *Operated*										
0-27 DYS	9	5.7	6	2	2	6	7	9	10	10
1-11 MOS	53	6.5	18	2	3	5	8	12	13	27
1-5 YRS	72	8.1	61	1	2	6	10	15	24	47
6-12 YRS	43	9.2	55	1	2	7	15	19	25	29
13-19 YRS	44	9.7	54	2	2	8	14	18	23	33

Step 4. Since no surgery is scheduled, use the first five lines of the table (Section 1.A).

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	470	5.8	9	2	2	5	7	10	11	15
1-11 MOS	8897	5.0	8	2	2	4	6	8	10	15
1-5 YRS	14878	4.4	7	2	2	4	6	8	9	13
6-12 YRS	5241	4.6	9	2	2	4	6	8	9	14
13-19 YRS	2746	5.1	8	2	2	5	6	8	10	15
B. *Operated*										
0-27 DYS	9	5.7	6	2	2	6	7	9	10	10
1-11 MOS	53	6.5	18	2	3	5	8	12	13	27
1-5 YRS	72	8.1	61	1	2	6	10	15	24	47
6-12 YRS	43	9.2	55	1	2	7	15	19	25	29
13-19 YRS	44	9.7	54	2	2	8	14	18	23	33

Step 5. The patient is 12 years old and therefore falls in the age group 6-12.

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	470	5.8	9	2	2	5	7	10	11	15
1-11 MOS	8897	5.0	8	2	2	4	6	8	10	15
1-5 YRS	14878	4.4	7	2	2	4	6	8	9	13
6-12 YRS	5241	4.6	9	2	2	4	6	8	9	14
13-19 YRS	2746	5.1	8	2	2	5	6	8	10	15
B. *Operated*										
0-27 DYS	9	5.7	6	2	2	6	7	9	10	10
1-11 MOS	53	6.5	18	2	3	5	8	12	13	27
1-5 YRS	72	8.1	61	1	2	6	10	15	24	47
6-12 YRS	43	9.2	55	1	2	7	15	19	25	29
13-19 YRS	44	9.7	54	2	2	8	14	18	23	33

Step 6. The 50th percentile day is the date assigned for initial extended stay review. Column 7 shows the fourth day after admission to be the day that this patient comes up for extended stay review.



179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	470	5.8	9	2	2	5	7	10	11	15
1-11 MOS	8897	5.0	8	2	2	4	6	8	10	15
1-5 YRS	14878	4.4	7	2	2	4	6	8	9	13
6-12 YRS	5241	4.6	9	2	2	4	6	8	9	14
13-19 YRS	2746	5.1	8	2	2	5	6	8	10	15
B. *Operated*										
0-27 DYS	9	5.7	6	2	2	6	7	9	10	10
1-11 MOS	53	6.5	18	2	3	5	8	12	13	27
1-5 YRS	72	8.1	61	1	2	6	10	15	24	47
6-12 YRS	43	9.2	55	1	2	7	15	19	25	29
13-19 YRS	44	9.7	54	2	2	8	14	18	23	33

The patient was admitted on 3 November; therefore, the fourth day will fall on 7 November. Prior to or on 7 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables
Diagnosis Groups

1,569 Hospitals, United States, January-December 1985

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	443841	2.7	2	1	1	2	3	4	5	7
1-11 MOS	39057	3.4	7	1	1	3	4	6	8	13
1-5 YRS	75084	3.0	9	1	1	2	4	5	7	15
6-12 YRS	46535	3.5	31	1	1	2	4	6	9	31
13-19 YRS	118946	3.8	47	<1	1	2	3	6	10	42
B. *Operated*										
0-27 DYS	1635	4.9	42	1	1	3	5	10	14	32
1-11 MOS	11930	3.3	16	<1	<1	2	4	7	10	18
1-5 YRS	43369	2.5	11	<1	<1	1	2	5	8	17
6-12 YRS	56880	2.6	12	<1	<1	2	3	5	8	17
13-19 YRS	136232	2.8	8	<1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	298667	4.1	20	1	2	3	5	6	9	23
1-11 MOS	68319	4.4	18	1	1	3	5	8	11	20
1-5 YRS	120165	3.6	15	1	1	3	4	7	9	17
6-12 YRS	57491	4.6	65	1	1	3	4	8	14	62
13-19 YRS	121685	6.6	123	1	1	3	6	15	31	69
B. *Operated*										
0-27 DYS	12864	18.6	442	2	3	10	27	60	83	99+
1-11 MOS	13182	7.6	105	1	1	4	9	18	28	69
1-5 YRS	43898	4.3	51	<1	<1	2	4	10	16	39
6-12 YRS	40267	4.5	51	<1	1	2	5	10	16	38
13-19 YRS	113526	4.9	47	1	1	3	5	9	14	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	723463	3.0	12	1	1	2	3	5	6	14
B. *Operated*	250046	2.8	10	<1	<1	2	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	666327	4.5	42	1	1	3	5	7	12	40
B. *Operated*	223737	5.7	85	<1	1	3	6	12	21	61
1. SINGLE DX	973509	2.9	12	<1	1	2	3	5	6	15
2. MULTIPLE DX	890064	4.8	53	1	1	3	5	8	14	45
A. NOT OPERATED	1389790	3.7	27	1	1	3	4	6	8	29
B. OPERATED	473783	4.1	48	<1	1	2	4	8	13	40
TOTAL 0-27 DYS	757007	3.5	21	1	1	3	4	5	7	22
1-11 MOS	132488	4.3	25	1	1	3	5	8	11	25
1-5 YRS	282516	3.4	18	<1	1	2	4	6	9	21
6-12 YRS	201173	3.8	40	<1	1	2	4	7	11	37
13-19 YRS	490389	4.5	57	<1	1	3	4	8	14	45
GRAND TOTAL	**1863573**	**3.8**	**33**	**1**	**1**	**3**	**4**	**6**	**10**	**32**

1,569 Hospitals, United States, January-December 1985

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	13091	3.1	9	1	1	2	3	5	8	16
1-11 MOS	39057	3.4	7	1	1	3	4	6	8	13
1-5 YRS	75084	3.0	9	1	1	2	4	5	7	15
6-12 YRS	46535	3.5	31	1	1	2	4	6	9	31
13-19 YRS	118946	3.8	47	<1	1	2	3	6	10	42
B. *Operated*										
0-27 DYS	1434	4.6	31	1	1	3	5	9	13	30
1-11 MOS	11930	3.3	16	<1	<1	2	4	7	10	18
1-5 YRS	43369	2.5	11	<1	<1	1	2	5	8	17
6-12 YRS	56880	2.6	12	<1	<1	2	3	5	8	17
13-19 YRS	136232	2.8	8	<1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	11014	5.9	60	1	2	4	6	12	19	42
1-11 MOS	68319	4.4	18	1	1	3	5	8	11	20
1-5 YRS	120165	3.6	15	1	1	3	4	7	9	17
6-12 YRS	57491	4.6	65	1	1	3	4	8	14	62
13-19 YRS	121685	6.6	123	1	1	3	6	15	31	69
B. *Operated*										
0-27 DYS	2023	13.5	282	1	2	8	16	38	66	99+
1-11 MOS	13182	7.6	105	1	1	4	9	18	28	69
1-5 YRS	43898	4.3	51	<1	<1	2	4	10	16	39
6-12 YRS	40267	4.5	51	<1	1	2	5	10	16	38
13-19 YRS	113526	4.9	47	1	1	3	5	9	14	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	292713	3.5	28	1	1	2	4	6	9	29
B. *Operated*	249845	2.8	10	<1	<1	2	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	378674	4.9	61	1	1	3	5	9	15	48
B. *Operated*	212896	5.0	56	<1	1	3	5	10	17	43
1. SINGLE DX	542558	3.1	20	<1	1	2	3	6	8	21
2. MULTIPLE DX	591570	4.9	59	1	1	3	5	9	16	46
A. NOT OPERATED	671387	4.3	47	1	1	3	4	7	12	42
B. OPERATED	462741	3.8	32	<1	1	2	4	8	11	29
TOTAL 0-27 DYS	27562	5.1	58	1	1	3	5	10	16	45
1-11 MOS	132488	4.3	25	1	1	3	5	8	11	25
1-5 YRS	282516	3.4	18	<1	1	2	4	6	9	21
6-12 YRS	201173	3.8	40	<1	1	2	4	7	11	37
13-19 YRS	490389	4.5	57	<1	1	3	4	8	14	45
GRAND TOTAL	**1134128**	**4.1**	**41**	**<1**	**1**	**3**	**4**	**7**	**12**	**37**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	185	3.7	11	1	2	3	4	6	8	14
1-11 MOS	1609	3.6	5	1	1	3	4	6	8	12
1-5 YRS	2234	3.0	4	1	1	3	4	5	7	10
6-12 YRS	1333	2.5	3	1	1	2	3	4	6	9
13-19 YRS	1359	2.7	4	1	1	2	3	5	6	10
B. *Operated*										
0-27 DYS	5	3.8	1	3	3	4	4	5	5	5
1-11 MOS	13	11.4	235	1	1	6	16	28	52	58
1-5 YRS	13	4.6	12	1	2	4	5	8	14	15
6-12 YRS	26	4.5	12	1	2	3	5	11	12	15
13-19 YRS	63	4.7	6	2	2	4	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	240	4.7	12	1	2	4	6	8	11	20
1-11 MOS	3285	4.0	11	1	2	3	5	7	8	15
1-5 YRS	5191	3.3	5	1	1	3	4	6	7	12
6-12 YRS	1692	3.0	9	1	1	3	4	5	7	10
13-19 YRS	1535	3.2	5	1	1	3	4	6	7	11
B. *Operated*										
0-27 DYS	5	12.8	220	4	4	8	16	39	39	39
1-11 MOS	73	14.4	287	3	3	7	15	44	62	95
1-5 YRS	77	8.2	59	2	3	5	9	17	29	34
6-12 YRS	43	6.0	23	2	3	5	6	10	16	27
13-19 YRS	83	6.3	57	2	2	4	7	12	15	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6720	3.0	4	1	1	3	4	5	7	10
B. *Operated*	120	5.3	35	2	2	4	6	9	15	31
2. MULTIPLE DX										
A. *Not Operated*	11943	3.5	8	1	1	3	4	6	8	13
B. *Operated*	281	9.0	124	2	3	5	9	16	33	66
1. SINGLE DX	6840	3.0	5	1	1	3	4	5	7	11
2. MULTIPLE DX	12224	3.6	11	1	1	3	4	6	8	15
A. NOT OPERATED	18663	3.3	6	1	1	3	4	6	7	12
B. OPERATED	401	7.9	100	2	2	5	8	15	28	64
TOTAL 0-27 DYS	435	4.4	14	1	2	3	5	8	10	20
1-11 MOS	4980	4.0	16	1	2	3	5	7	9	17
1-5 YRS	7515	3.3	6	1	1	3	4	6	7	12
6-12 YRS	3094	2.8	7	1	1	2	3	5	6	10
13-19 YRS	3040	3.1	6	1	1	3	4	6	7	11
GRAND TOTAL	**19064**	**3.4**	**9**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	8	6.4	37	1	2	4	8	17	20	20
1-5 YRS	37	4.5	13	1	2	3	5	8	11	20
6-12 YRS	14	4.6	33	1	1	3	4	7	20	24
13-19 YRS	21	8.3	25	2	3	8	12	15	17	18
B. *Operated*										
0-27 DYS										
1-11 MOS	1	18.0		18	18	18	18	18	18	18
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	7	9.1	14	4	5	8	12	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	7.0	16	4	4	5	10	13	13	13
1-5 YRS	15	6.7	18	3	3	4	10	11	15	16
6-12 YRS	7	3.0	2	1	1	3	4	5	5	5
13-19 YRS	19	8.2	11	2	3	8	11	12	13	14
B. *Operated*										
0-27 DYS	1	42.0		42	42	42	42	42	42	42
1-11 MOS	2	3.0	8	1	1	3	5	5	5	5
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	4	7.5	27	2	2	7	11	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	5.7	23	1	2	4	7	13	17	23
B. *Operated*	11	8.5	26	2	2	8	12	16	18	18
2. MULTIPLE DX										
A. *Not Operated*	46	6.8	15	2	3	6	10	12	13	16
B. *Operated*	9	10.0	161	1	1	5	10	31	42	42
1. SINGLE DX	91	6.0	24	1	2	4	8	13	18	22
2. MULTIPLE DX	55	7.3	38	2	3	6	10	12	14	41
A. NOT OPERATED	126	6.1	20	2	2	4	9	12	15	21
B. OPERATED	20	9.2	82	1	2	8	11	16	30	42
TOTAL 0-27 DYS	1	42.0		42	42	42	42	42	42	42
1-11 MOS	16	6.9	32	1	1	5	9	17	19	20
1-5 YRS	55	5.1	15	2	2	3	8	10	13	20
6-12 YRS	23	4.2	21	1	1	3	4	6	14	24
13-19 YRS	51	8.3	17	2	3	8	11	14	15	18
GRAND TOTAL	**146**	**6.5**	**29**	**2**	**2**	**4**	**9**	**13**	**16**	**25**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	23.8	997	2	3	9	31	79	81	81
6-12 YRS	2	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	4	4.8	11	1	1	4	7	9	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	2.2	1	1	1	2	2	4	4	4
6-12 YRS	4	5.5	70	<1	<1	1	10	18	18	18
13-19 YRS	3	11.3	80	<1	<1	16	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	13.5	158	3	3	12	24	28	28	28
6-12 YRS	2	7.5	25	4	4	7	11	11	11	11
13-19 YRS	5	12.4	46	3	3	11	18	20	20	20
B. *Operated*										
0-27 DYS										
1-11 MOS	2	39.5	25	36	36	39	43	43	43	43
1-5 YRS	16	15.9	462	<1	1	5	25	38	69	82
6-12 YRS	4	6.8	35	1	1	6	11	14	14	14
13-19 YRS	2	7.5	85	1	1	7	14	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	15.7	679	<1	1	6	11	77	80	81
B. *Operated*	13	5.3	45	<1	<1	2	7	17	18	18
2. MULTIPLE DX										
A. *Not Operated*	11	11.9	73	3	3	11	19	23	28	28
B. *Operated*	24	15.6	379	<1	1	6	25	39	55	82
1. SINGLE DX	28	10.9	400	<1	<1	4	10	18	77	81
2. MULTIPLE DX	35	14.5	281	1	1	9	22	36	42	82
A. NOT OPERATED	26	14.1	413	1	1	8	16	27	78	81
B. OPERATED	37	12.0	282	<1	1	4	17	35	42	82
TOTAL 0-27 DYS										
1-11 MOS	2	39.5	25	36	36	39	43	43	43	43
1-5 YRS	35	15.3	502	1	2	4	21	39	80	82
6-12 YRS	12	5.5	36	<1	<1	2	10	15	18	18
13-19 YRS	14	9.3	47	<1	1	9	16	18	20	20
GRAND TOTAL	**63**	**12.9**	**332**	**<1**	**1**	**5**	**17**	**30**	**55**	**82**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	3.0	1	2	2	3	4	4	4	4
1-11 MOS	28	2.6	2	1	1	2	3	5	5	7
1-5 YRS	230	2.6	3	1	1	2	3	5	5	9
6-12 YRS	256	2.3	2	1	1	2	3	4	5	6
13-19 YRS	197	2.7	2	1	1	3	3	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	22	1.3	1	<1	1	1	1	2	3	5
6-12 YRS	63	1.5	1	<1	1	1	2	2	3	7
13-19 YRS	33	1.9	2	1	1	1	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	3.2	1	2	2	3	4	5	5	5
1-11 MOS	71	3.1	2	1	1	3	4	5	5	9
1-5 YRS	684	2.8	3	1	1	2	4	5	6	9
6-12 YRS	666	2.7	2	1	1	2	3	5	5	7
13-19 YRS	515	3.3	8	1	1	3	4	5	7	11
B. *Operated*										
0-27 DYS										
1-11 MOS	3	6.3	44	2	2	3	11	14	14	14
1-5 YRS	38	2.2	3	1	1	2	3	5	5	8
6-12 YRS	44	2.2	8	1	1	1	2	4	5	19
13-19 YRS	16	3.1	9	1	1	2	4	5	11	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	714	2.5	2	1	1	2	3	4	5	7
B. *Operated*	118	1.6	1	1	1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	1941	2.9	4	1	1	3	4	5	6	9
B. *Operated*	101	2.4	7	1	1	2	3	5	6	16
1. SINGLE DX	832	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX	2042	2.9	4	1	1	3	4	5	6	9
A. NOT OPERATED	2655	2.8	4	1	1	2	4	5	6	8
B. OPERATED	219	2.0	4	1	1	1	2	4	5	13
TOTAL 0-27 DYS	8	3.1	1	2	2	3	4	5	5	5
1-11 MOS	102	3.0	3	1	1	3	4	5	6	12
1-5 YRS	974	2.7	3	1	1	2	3	5	6	9
6-12 YRS	1029	2.5	2	1	1	2	3	4	5	7
13-19 YRS	761	3.1	7	1	1	3	4	5	6	10
GRAND TOTAL	**2874**	**2.8**	**4**	**1**	**1**	**2**	**3**	**5**	**6**	**8**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	266	5.3	11	1	2	4	7	10	11	15
1-11 MOS	612	4.5	8	1	2	4	5	9	11	14
1-5 YRS	439	4.6	8	2	2	4	6	8	10	15
6-12 YRS	43	4.7	8	1	2	4	7	10	11	99+
13-19 YRS	36	5.4	12	1	1	4	7	11	13	13
B. Operated										
0-27 DYS	7	8.9	8	3	4	10	11	11	11	11
1-11 MOS	21	9.4	46	3	3	9	11	16	26	33
1-5 YRS	8	5.1	5	3	3	5	6	9	10	10
6-12 YRS	3	12.3	10	10	10	11	15	16	16	16
13-19 YRS	2	13.0	128	5	5	13	21	21	21	21
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	300	6.2	16	2	2	5	9	11	14	21
1-11 MOS	1108	5.7	18	2	2	4	8	11	13	20
1-5 YRS	967	5.8	22	2	2	4	7	11	13	22
6-12 YRS	181	7.0	25	2	2	6	10	14	17	24
13-19 YRS	249	7.5	29	2	3	6	9	13	18	31
B. Operated										
0-27 DYS	25	12.0	113	2	2	9	16	25	33	50
1-11 MOS	84	12.4	103	2	3	10	15	22	36	87
1-5 YRS	75	13.7	173	3	4	10	16	27	32	82
6-12 YRS	30	15.4	80	3	6	14	18	26	35	45
13-19 YRS	57	16.5	137	4	6	13	24	33	46	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1396	4.7	9	1	2	4	6	9	11	14
B. Operated	41	8.9	34	3	3	9	11	14	21	33
2. MULTIPLE DX										
A. Not Operated	2805	6.0	21	2	2	5	8	11	14	23
B. Operated	271	13.9	129	2	4	11	17	28	35	89
1. SINGLE DX	1437	4.8	10	1	2	4	6	10	11	15
2. MULTIPLE DX	3076	6.7	35	2	2	5	9	13	16	31
A. NOT OPERATED	4201	5.6	17	2	2	4	7	11	13	21
B. OPERATED	312	13.3	119	3	3	10	16	27	34	75
TOTAL 0-27 DYS	598	6.1	19	2	2	5	8	11	13	22
1-11 MOS	1825	5.6	21	1	2	4	7	11	13	22
1-5 YRS	1489	5.8	29	2	2	4	7	11	14	25
6-12 YRS	257	7.6	37	2	2	6	11	15	18	34
13-19 YRS	344	8.8	57	2	3	7	10	18	28	40
GRAND TOTAL	**4513**	**6.1**	**28**	**2**	**2**	**4**	**8**	**11**	**15**	**28**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	42	8.9	57	1	2	9	12	15	16	45
1-11 MOS	372	6.6	21	2	2	6	9	12	14	23
1-5 YRS	234	6.6	16	1	2	6	10	12	12	17
6-12 YRS	73	5.8	14	1	2	5	8	11	12	16
13-19 YRS	102	5.6	15	1	2	4	8	11	13	19
B. Operated										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	9	10.4	5	6	7	11	11	13	14	14
1-5 YRS	15	6.7	88	<1	<1	3	9	12	31	37
6-12 YRS	6	4.3	5	1	1	4	6	7	7	7
13-19 YRS	9	6.4	23	<1	<1	6	9	14	16	16
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	35	10.2	86	2	2	7	13	18	30	48
1-11 MOS	301	8.0	45	2	3	6	11	14	17	40
1-5 YRS	274	6.9	20	2	2	6	10	12	14	24
6-12 YRS	83	5.6	14	1	2	4	9	11	13	16
13-19 YRS	168	6.9	30	2	2	5	9	12	15	32
B. Operated										
0-27 DYS	3	14.7	230	<1	<1	12	26	31	31	31
1-11 MOS	18	26.1	388	6	8	21	41	68	86	99+
1-5 YRS	33	11.5	104	1	1	10	16	23	23	52
6-12 YRS	10	9.4	52	2	2	6	14	20	21	21
13-19 YRS	26	16.3	369	3	4	10	20	47	90	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	823	6.5	20	1	2	5	10	12	14	19
B. Operated	40	7.3	43	<1	1	6	11	13	15	37
2. MULTIPLE DX										
A. Not Operated	861	7.3	34	2	2	6	10	13	15	34
B. Operated	90	15.7	258	1	3	11	21	43	63	99+
1. SINGLE DX	863	6.5	21	1	2	5	10	12	14	20
2. MULTIPLE DX	951	8.1	61	2	2	6	10	14	19	48
A. NOT OPERATED	1684	6.9	27	2	2	6	10	12	15	26
B. OPERATED	130	13.1	206	1	1	10	16	35	51	99+
TOTAL 0-27 DYS	81	9.7	73	2	2	10	13	16	24	47
1-11 MOS	700	7.7	49	2	2	6	10	13	17	42
1-5 YRS	556	7.0	26	1	2	6	10	12	14	25
6-12 YRS	172	5.9	16	1	2	4	9	11	14	19
13-19 YRS	305	7.2	60	2	2	5	9	13	17	46
GRAND TOTAL	**1814**	**7.4**	**42**	**2**	**2**	**6**	**10**	**13**	**16**	**39**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	284	4.3	5	2	2	4	5	7	8	13
1-11 MOS	1077	3.6	4	1	2	3	4	5	7	11
1-5 YRS	527	3.5	5	1	1	3	4	6	7	13
6-12 YRS	539	2.8	3	1	1	2	3	5	6	10
13-19 YRS	563	3.1	4	1	1	3	4	5	7	11
B. *Operated*										
0-27 DYS	8	6.0	18	2	2	4	9	13	13	13
1-11 MOS	17	4.1	3	1	2	4	5	6	7	8
1-5 YRS	6	4.3	1	3	3	4	5	6	6	6
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	3	11.0	37	4	4	14	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	149	5.0	12	2	2	4	5	9	12	16
1-11 MOS	643	4.3	8	2	2	4	5	7	9	15
1-5 YRS	304	4.2	9	1	2	3	5	8	10	16
6-12 YRS	227	3.6	12	1	1	3	4	7	9	20
13-19 YRS	274	3.9	8	1	2	3	5	7	9	12
B. *Operated*										
0-27 DYS	5	22.4	1088	4	4	10	30	81	81	81
1-11 MOS	20	5.0	13	1	1	4	6	10	13	16
1-5 YRS	9	14.2	159	3	4	11	14	34	46	46
6-12 YRS	10	7.7	78	1	1	5	10	21	31	31
13-19 YRS	10	9.5	97	2	2	6	14	25	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2990	3.4	4	1	1	3	4	5	7	11
B. *Operated*	35	5.1	12	1	2	4	6	12	14	15
2. MULTIPLE DX										
A. *Not Operated*	1597	4.2	9	1	2	3	5	7	10	15
B. *Operated*	54	9.5	169	1	2	5	11	16	33	80
1. SINGLE DX	3025	3.4	4	1	1	3	4	5	7	12
2. MULTIPLE DX	1651	4.4	15	1	2	3	5	8	10	16
A. NOT OPERATED	4587	3.7	6	1	2	3	4	6	8	13
B. OPERATED	89	7.7	111	1	2	5	9	14	18	67
TOTAL 0-27 DYS	446	4.8	21	2	2	4	5	8	10	14
1-11 MOS	1757	3.8	5	2	2	3	4	6	8	13
1-5 YRS	846	3.9	9	1	2	3	5	7	9	15
6-12 YRS	777	3.1	7	1	1	3	4	5	8	12
13-19 YRS	850	3.5	7	1	1	3	4	6	8	13
GRAND TOTAL	**4676**	**3.8**	**8**	**1**	**2**	**3**	**4**	**6**	**8**	**13**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	22	6.1	22	1	2	3	10	11	15	19
1-11 MOS	204	2.7	3	1	1	3	3	4	5	9
1-5 YRS	388	3.1	4	1	1	3	4	5	6	9
6-12 YRS	136	3.4	5	1	1	3	5	7	8	11
13-19 YRS	153	3.8	6	1	1	3	5	7	8	14
B. *Operated*										
0-27 DYS										
1-11 MOS	2	12.5	1	12	12	12	13	13	13	13
1-5 YRS	2	8.5	1	8	8	8	9	9	9	9
6-12 YRS	4	4.0	13	1	1	3	6	9	9	9
13-19 YRS	3	4.0	13	1	1	3	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	20	6.5	20	<1	1	5	10	13	14	15
1-11 MOS	404	3.3	5	1	2	3	4	5	7	13
1-5 YRS	1044	3.7	9	1	1	3	5	6	8	14
6-12 YRS	335	4.3	9	1	2	3	6	9	10	14
13-19 YRS	317	4.7	9	1	2	4	6	9	10	14
B. *Operated*										
0-27 DYS	4	15.5	424	3	3	7	28	46	46	46
1-11 MOS	13	7.5	38	1	2	5	11	18	18	18
1-5 YRS	22	14.4	367	1	2	8	13	34	63	85
6-12 YRS	13	7.1	48	1	1	5	13	32	85	99+
13-19 YRS	7	13.9	172	2	2	8	28	32	32	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	903	3.2	5	1	1	3	4	6	7	11
B. *Operated*	11	6.4	19	1	1	8	9	12	13	13
2. MULTIPLE DX										
A. *Not Operated*	2120	3.9	9	1	2	3	5	7	9	14
B. *Operated*	59	11.3	203	1	2	7	14	29	47	98
1. SINGLE DX	914	3.3	5	1	1	3	4	6	8	11
2. MULTIPLE DX	2179	4.1	15	1	2	3	5	7	10	16
A. NOT OPERATED	3023	3.7	7	1	1	3	5	7	9	13
B. OPERATED	70	10.5	177	1	2	7	13	26	45	97
TOTAL 0-27 DYS	46	7.1	54	1	2	4	10	12	16	46
1-11 MOS	623	3.2	5	1	1	3	4	5	7	14
1-5 YRS	1456	3.7	15	1	1	3	4	6	8	15
6-12 YRS	488	4.1	9	1	1	3	5	8	10	15
13-19 YRS	480	4.5	12	1	2	4	6	8	10	16
GRAND TOTAL	**3093**	**3.9**	**12**	**1**	**1**	**3**	**5**	**7**	**9**	**15**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	7	5.9	19	2	2	5	7	13	15	15
1-5 YRS	40	4.7	13	1	2	3	6	10	13	15
6-12 YRS	77	3.7	4	1	1	3	5	6	8	10
13-19 YRS	190	5.1	11	1	2	4	6	9	11	17
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	5.0	18	2	2	5	8	8	8	8
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	8	7.5	33	1	2	7	8	17	20	20
1-5 YRS	24	4.9	17	1	2	4	6	10	14	20
6-12 YRS	47	4.6	11	1	2	4	6	9	14	15
13-19 YRS	151	6.0	59	1	2	4	7	11	12	23
B. *Operated*										
0-27 DYS										
1-11 MOS	3	8.0	28	2	2	10	11	12	12	12
1-5 YRS	4	6.5	50	2	2	3	10	17	17	17
6-12 YRS	2	4.5	13	2	2	4	7	7	7	7
13-19 YRS	6	8.2	34	1	1	10	12	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	315	4.7	10	1	2	4	6	8	10	15
B. *Operated*	2	5.0	18	2	2	5	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	230	5.7	44	1	2	4	7	10	14	21
B. *Operated*	15	7.2	29	1	1	7	11	15	16	17
1. SINGLE DX	317	4.7	10	1	2	4	6	8	10	15
2. MULTIPLE DX	245	5.8	43	1	2	4	7	11	14	20
A. NOT OPERATED	545	5.1	24	1	2	4	6	9	11	19
B. OPERATED	17	6.9	27	1	1	7	11	14	16	17
TOTAL 0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	18	6.9	24	1	2	6	9	14	18	20
1-5 YRS	68	4.9	16	1	2	3	6	10	14	19
6-12 YRS	128	4.1	7	1	2	3	5	7	8	14
13-19 YRS	347	5.6	32	1	2	5	7	10	12	19
GRAND TOTAL	**562**	**5.2**	**25**	**1**	**2**	**4**	**6**	**9**	**12**	**19**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	95	3.1	3	1	1	3	4	5	7	8
6-12 YRS	155	3.5	4	1	1	3	5	6	7	8
13-19 YRS	1018	3.8	5	1	2	3	5	6	8	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	2	5.0	18	2	2	5	8	8	8	8
13-19 YRS	8	7.0	20	3	3	6	10	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	8	3.8	2	2	2	4	5	6	6	6
1-5 YRS	235	3.7	6	1	2	3	5	6	8	12
6-12 YRS	299	3.6	4	1	2	3	4	6	7	10
13-19 YRS	2033	4.0	5	2	2	4	5	7	8	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	9.2	67	1	1	6	17	21	21	21
6-12 YRS	7	20.4	497	2	3	12	28	59	66	66
13-19 YRS	55	8.1	27	2	2	6	11	16	19	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1269	3.7	5	1	2	3	5	6	7	11
B. *Operated*	11	6.7	17	2	2	7	8	13	15	15
2. MULTIPLE DX										
A. *Not Operated*	2575	4.0	5	1	2	3	5	7	8	11
B. *Operated*	68	9.5	86	2	2	7	12	19	21	60
1. SINGLE DX	1280	3.7	5	1	2	3	5	6	8	11
2. MULTIPLE DX	2643	4.1	8	1	2	3	5	7	8	13
A. NOT OPERATED	3844	3.9	5	1	2	3	5	7	8	11
B. OPERATED	79	9.1	77	2	2	7	12	18	21	56
TOTAL 0-27 DYS										
1-11 MOS	9	3.7	2	2	2	3	5	6	6	6
1-5 YRS	337	3.7	7	1	1	3	4	6	8	14
6-12 YRS	463	3.8	14	1	2	3	5	6	7	12
13-19 YRS	3114	4.0	6	1	2	3	5	7	8	13
GRAND TOTAL	**3923**	**4.0**	**7**	**1**	**2**	**3**	**5**	**7**	**8**	**12**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	13.0		13	13	13	13	13	13	13
13-19 YRS	8	1.5	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	31	1.6	2	<1	<1	1	2	3	6	6
6-12 YRS	57	1.5	1	<1	<1	<1	2	3	4	5
13-19 YRS	260	1.6	1	<1	<1	1	2	3	3	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	3	4.0	13	<1	<1	3	7	8	8	8
13-19 YRS	6	3.2	6	<1	<1	2	5	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	11	3.6	12	<1	<1	3	4	9	13	13
6-12 YRS	9	7.2	193	1	1	2	5	28	44	44
13-19 YRS	71	2.6	3	1	1	2	4	5	5	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	2.6	14	<1	<1	1	2	8	13	13
B. *Operated*	350	1.6	1	<1	<1	1	2	3	3	7
2. MULTIPLE DX										
A. *Not Operated*	10	3.4	6	<1	<1	3	5	7	8	8
B. *Operated*	91	3.2	23	1	1	2	4	5	8	31
1. SINGLE DX	360	1.6	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	101	3.2	21	<1	1	2	4	5	8	28
A. NOT OPERATED	20	3.0	10	<1	<1	2	3	7	10	13
B. OPERATED	441	1.9	6	<1	<1	1	2	3	5	8
TOTAL 0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	44	2.1	5	<1	<1	1	2	4	6	13
6-12 YRS	70	2.5	29	<1	<1	1	2	4	5	38
13-19 YRS	345	1.8	2	<1	<1	1	2	3	4	6
GRAND TOTAL	**461**	**2.0**	**6**	**<1**	**<1**	**1**	**2**	**4**	**5**	**8**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	760	3.2	2	1	2	3	4	5	6	8
1-11 MOS	2067	2.7	2	1	1	3	3	4	5	7
1-5 YRS	1499	2.6	2	1	1	2	3	4	5	9
6-12 YRS	682	2.4	3	1	1	2	3	4	5	11
13-19 YRS	646	2.7	4	1	1	2	3	5	6	10
B. *Operated*										
0-27 DYS	15	3.2	1	2	2	3	4	5	5	5
1-11 MOS	17	3.4	3	1	2	3	4	6	7	8
1-5 YRS	35	3.8	22	<1	<1	3	4	7	12	26
6-12 YRS	29	3.1	6	<1	<1	2	4	7	8	11
13-19 YRS	45	3.0	4	<1	<1	2	4	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	508	3.3	2	1	2	3	4	5	6	8
1-11 MOS	2094	3.3	6	1	1	3	4	5	7	12
1-5 YRS	2549	2.9	4	1	1	2	4	5	6	10
6-12 YRS	1136	2.8	4	1	1	2	3	5	6	11
13-19 YRS	1060	3.2	11	1	1	3	4	5	7	13
B. *Operated*										
0-27 DYS	7	3.1		2	2	3	4	4	4	4
1-11 MOS	45	5.3	23	2	2	4	5	10	14	29
1-5 YRS	61	8.4	152	1	2	4	8	18	34	63
6-12 YRS	50	4.4	20	<1	1	3	6	9	10	23
13-19 YRS	63	7.7	66	1	1	5	9	19	26	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5654	2.7	2	1	1	2	3	4	5	8
B. *Operated*	141	3.3	8	<1	<1	3	4	6	7	15
2. MULTIPLE DX										
A. *Not Operated*	7347	3.1	6	1	1	3	4	5	6	11
B. *Operated*	226	6.5	70	1	1	4	7	14	22	48
1. SINGLE DX	5795	2.7	3	1	1	2	3	4	5	8
2. MULTIPLE DX	7573	3.2	8	1	1	3	4	5	7	12
A. NOT OPERATED	13001	2.9	4	1	1	3	4	5	6	10
B. OPERATED	367	5.3	49	<1	1	4	6	10	17	40
TOTAL 0-27 DYS	1290	3.2	2	1	2	3	4	5	6	8
1-11 MOS	4223	3.0	4	1	1	3	4	5	6	10
1-5 YRS	4144	2.9	6	1	1	2	3	5	6	10
6-12 YRS	1897	2.7	4	1	1	2	3	5	6	11
13-19 YRS	1814	3.2	11	1	1	2	4	5	7	13
GRAND TOTAL	**13368**	**3.0**	**6**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	3.7	1	3	3	3	5	5	5	5
1-5 YRS	41	4.2	3	1	2	4	5	6	7	9
6-12 YRS	74	4.0	6	1	1	3	5	8	9	12
13-19 YRS	46	3.6	5	1	1	3	5	6	8	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS										
13-19 YRS	2	6.0	18	3	3	6	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	2.8	2	1	1	3	3	5	5	5
1-5 YRS	36	4.8	8	1	2	4	7	9	11	11
6-12 YRS	31	4.5	9	1	2	4	5	9	10	14
13-19 YRS	44	5.1	11	1	2	5	7	10	11	16
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	2	6.0	2	5	5	6	7	7	7	7
13-19 YRS	2	8.5	25	5	5	8	12	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	164	3.9	5	1	1	4	5	7	8	10
B. *Operated*	3	6.3	9	3	3	7	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	117	4.7	9	1	2	4	6	10	11	15
B. *Operated*	5	6.2	14	2	2	5	8	12	12	12
1. SINGLE DX	167	4.0	5	1	1	4	5	7	8	10
2. MULTIPLE DX	122	4.8	9	1	2	4	6	10	11	15
A. NOT OPERATED	281	4.2	7	1	1	4	6	8	10	12
B. OPERATED	8	6.3	11	2	2	6	8	11	12	12
TOTAL 0-27 DYS										
1-11 MOS	9	3.1	2	1	1	3	4	5	5	5
1-5 YRS	79	4.5	6	1	2	4	6	7	9	11
6-12 YRS	107	4.1	7	1	1	3	5	8	10	13
13-19 YRS	94	4.5	9	1	1	4	6	9	10	14
GRAND TOTAL	**289**	**4.3**	**7**	**1**	**1**	**4**	**6**	**8**	**10**	**12**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	34	6.7	8	1	2	7	9	10	10	10
1-11 MOS	7	7.0	2	5	5	7	8	9	9	9
1-5 YRS	30	6.6	16	1	1	6	10	12	12	17
6-12 YRS	11	5.5	8	2	3	4	6	11	11	11
13-19 YRS	288	4.4	5	2	2	4	5	7	9	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	1.4		<1	<1	1	2	2	2	2
6-12 YRS	2	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	35	3.1	8	<1	1	2	5	6	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	9	7.9	18	1	2	7	10	14	15	15
1-11 MOS	8	9.8	73	1	1	9	14	23	26	26
1-5 YRS	29	6.1	23	1	2	5	9	13	18	19
6-12 YRS	11	6.8	10	2	3	7	9	11	13	13
13-19 YRS	285	5.2	9	2	2	4	6	9	11	16
B. *Operated*										
0-27 DYS										
1-11 MOS	1	15.0		15	15	15	15	15	15	15
1-5 YRS	2	11.5	85	5	5	11	18	18	18	18
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	48	5.7	15	1	2	5	8	9	10	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	370	4.9	7	2	2	4	6	8	10	12
B. *Operated*	42	2.8	7	<1	<1	2	5	6	7	14
2. MULTIPLE DX										
A. *Not Operated*	342	5.5	12	2	2	5	7	10	12	19
B. *Operated*	52	6.0	19	1	2	5	8	10	15	25
1. SINGLE DX	412	4.7	7	1	2	4	6	8	10	13
2. MULTIPLE DX	394	5.6	13	2	2	5	7	10	13	19
A. NOT OPERATED	712	5.2	10	2	2	4	6	9	11	17
B. OPERATED	94	4.6	16	<1	1	4	6	9	11	22
TOTAL 0-27 DYS	43	7.0	10	1	2	7	9	10	11	15
1-11 MOS	16	8.9	39	1	2	8	12	15	23	26
1-5 YRS	66	6.2	21	1	1	5	9	12	17	19
6-12 YRS	25	5.6	10	1	2	5	8	11	12	13
13-19 YRS	656	4.8	8	2	2	4	6	8	10	15
GRAND TOTAL	**806**	**5.1**	**10**	**1**	**2**	**4**	**6**	**9**	**11**	**17**

15: Mycoses (110-118)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	5.7	10	2	2	7	8	8	8	8
1-11 MOS	18	3.6	12	<1	1	3	3	7	12	15
1-5 YRS	24	4.1	4	1	2	3	6	7	8	8
6-12 YRS	14	4.6	14	1	1	3	6	11	13	13
13-19 YRS	9	4.3	6	<1	<1	5	5	8	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	13	6.2	32	<1	<1	6	9	16	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	12	2.2	3	<1	<1	2	3	5	6	6
1-11 MOS	75	3.6	5	1	1	3	5	7	8	11
1-5 YRS	72	6.0	103	<1	1	4	5	11	16	70
6-12 YRS	29	5.1	21	1	1	4	6	9	16	23
13-19 YRS	35	6.0	25	1	2	4	7	12	19	22
B. *Operated*										
0-27 DYS										
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS	11	23.9	355	2	3	13	41	49	52	52
6-12 YRS	8	12.6	73	3	3	12	18	25	27	27
13-19 YRS	18	12.9	114	1	2	12	22	34	73	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	4.2	8	<1	1	3	6	8	9	15
B. *Operated*	14	6.1	30	<1	<1	5	9	15	17	18
2. MULTIPLE DX										
A. *Not Operated*	223	4.9	43	<1	1	4	5	8	12	25
B. *Operated*	38	16.0	188	2	2	12	24	41	50	99+
1. SINGLE DX	82	4.5	12	<1	1	3	6	9	12	17
2. MULTIPLE DX	261	6.5	79	1	1	4	7	13	23	51
A. NOT OPERATED	291	4.7	35	<1	1	4	5	8	12	23
B. OPERATED	52	13.4	164	<1	2	9	18	38	46	99
TOTAL 0-27 DYS	15	2.9	6	<1	<1	2	4	7	8	8
1-11 MOS	94	3.7	7	1	1	3	5	7	9	14
1-5 YRS	107	7.4	136	<1	1	4	7	13	36	65
6-12 YRS	52	6.1	33	1	2	4	7	14	21	27
13-19 YRS	75	7.5	53	<1	1	5	10	18	24	84
GRAND TOTAL	**343**	**6.0**	**64**	**<1**	**1**	**4**	**6**	**12**	**20**	**47**

16: Helminthiases (120-129)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	2.3	2	<1	<1	2	3	4	4	4
6-12 YRS	13	3.5	4	1	1	3	4	6	8	8
13-19 YRS	8	8.3	129	2	2	4	6	27	36	36
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.0	2	2	2	3	4	4	4	4
6-12 YRS	18	3.1	1	1	2	3	4	4	5	6
13-19 YRS	8	4.0	4	<1	1	4	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS	17	4.8	9	1	1	4	7	9	11	12
6-12 YRS	13	6.1	69	<1	1	2	7	14	29	32
13-19 YRS	12	4.9	6	1	2	6	7	8	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	4.5	25	1	1	4	8	8	8	8
6-12 YRS	11	3.7	9	1	1	3	4	8	12	12
13-19 YRS	22	6.3	45	1	2	4	7	15	22	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	4.4	39	1	1	3	4	7	8	36
B. *Operated*	28	3.3	2	<1	2	3	4	6	6	7
2. MULTIPLE DX										
A. *Not Operated*	43	5.2	26	1	1	4	7	8	11	32
B. *Operated*	35	5.4	33	1	2	3	5	12	16	30
1. SINGLE DX	58	3.9	21	<1	1	3	4	6	7	34
2. MULTIPLE DX	78	5.3	28	1	1	4	7	10	13	31
A. NOT OPERATED	73	4.9	31	1	1	3	6	8	10	35
B. OPERATED	63	4.5	20	1	2	3	4	8	13	28
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS	30	3.9	8	1	1	3	5	8	9	12
6-12 YRS	55	4.0	20	1	1	3	4	7	9	31
13-19 YRS	50	5.9	42	1	2	4	7	10	17	36
GRAND TOTAL	**136**	**4.7**	**26**	**1**	**1**	**3**	**6**	**8**	**12**	**33**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	2	4.0	18	1	[illegible]	4	7	7	7	7
1-5 YRS	11	4.9	17	1	1	4	5	13	13	13
6-12 YRS	9	4.8	25	1	1	3	5	14	16	16
13-19 YRS	21	3.2	3	<1	<1	3	4	5	6	7
B. *Operated*										
0-27 DYS										
1-11 MOS	1	18.0		18	18	18	18	18	18	18
1-5 YRS	4	4.3	42	<1	<1	1	7	14	14	14
6-12 YRS	3	6.0	31	<1	<1	5	10	12	12	12
13-19 YRS	15	6.3	74	<1	<1	4	7	16	29	33
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	14	4.6	7	1	1	5	7	8	8	8
1-5 YRS	48	5.0	10	2	2	4	6	9	12	16
6-12 YRS	33	5.9	18	2	2	5	7	12	15	21
13-19 YRS	49	4.1	6	1	2	4	5	7	8	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	12.4	49	6	6	11	16	24	24	24
6-12 YRS	3	30.7	65	26	26	26	37	40	40	40
13-19 YRS	18	9.9	45	1	2	8	13	20	23	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	4.0	11	<1	1	3	5	8	13	16
B. *Operated*	23	6.4	63	<1	<1	4	11	16	23	33
2. MULTIPLE DX										
A. *Not Operated*	145	4.9	11	1	2	4	6	8	12	16
B. *Operated*	26	12.8	88	2	3	9	19	26	29	40
1. SINGLE DX	67	4.9	29	<1	<1	3	5	13	16	30
2. MULTIPLE DX	171	6.1	30	1	2	5	7	12	18	26
A. NOT OPERATED	189	4.7	11	1	2	4	6	8	12	16
B. OPERATED	49	9.8	85	<1	<1	8	13	25	27	40
TOTAL 0-27 DYS	2	7.5	13	5	5	7	10	10	10	10
1-11 MOS	17	5.4	17	1	1	6	7	8	15	18
1-5 YRS	68	5.5	18	1	2	4	7	12	13	23
6-12 YRS	48	7.2	58	1	2	5	8	16	26	40
13-19 YRS	103	5.3	27	<1	1	4	6	11	17	29
GRAND TOTAL	**238**	**5.7**	**30**	**1**	**1**	**4**	**7**	**12**	**16**	**27**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	8.5	85	2	2	8	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	6.5	25	3	3	6	10	10	10	10
6-12 YRS										
13-19 YRS	3	4.0	9	1	1	4	6	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	11.5	5	10	10	11	13	13	13	13
13-19 YRS	3	7.3	37	2	2	6	12	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	2	8.5	85	2	2	8	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	5	5.0	13	1	1	4	8	10	10	10
B. *Operated*	5	9.0	25	2	2	10	13	14	14	14
1. SINGLE DX	3	6.7	52	2	2	3	12	15	15	15
2. MULTIPLE DX	10	7.0	21	1	1	6	10	13	14	14
A. NOT OPERATED	6	4.7	11	1	1	4	7	10	10	10
B. OPERATED	7	8.9	31	2	2	10	14	15	15	15
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	2	6.5	25	3	3	6	10	10	10	10
6-12 YRS	3	8.7	26	3	3	10	12	13	13	13
13-19 YRS	8	6.4	29	1	1	5	10	15	15	15
GRAND TOTAL	**13**	**6.9**	**25**	**1**	**2**	**6**	**11**	**14**	**15**	**15**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	3.7		3	3	4	4	4	4	4
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	4	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	8	3.3	7	1	1	2	5	8	8	8
6-12 YRS	4	2.8	3	1	1	2	4	5	5	5
13-19 YRS	11	3.6	3	2	2	3	5	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	4	4.8	10	2	2	4	7	9	9	9
6-12 YRS	2	2.5	5	1	1	2	4	4	4	4
13-19 YRS	5	6.0	4	3	3	7	7	8	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS	2	7.0	32	3	3	7	11	11	11	11
1-5 YRS	3	18.0	237	1	1	22	29	31	31	31
6-12 YRS	5	4.4	12	1	1	4	6	10	10	10
13-19 YRS	12	8.7	57	2	2	7	11	18	27	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.9	2	1	1	3	4	4	4	4
B. *Operated*	24	3.5	4	1	1	3	5	7	7	8
2. MULTIPLE DX										
A. *Not Operated*	12	4.7	7	1	2	4	7	8	9	9
B. *Operated*	22	8.8	73	1	2	5	11	24	30	31
1. SINGLE DX	32	3.3	4	1	1	3	4	6	7	8
2. MULTIPLE DX	34	7.4	53	1	2	5	10	14	28	31
A. NOT OPERATED	20	4.0	5	1	1	4	5	8	8	9
B. OPERATED	46	6.0	44	1	1	4	7	12	23	31
TOTAL 0-27 DYS										
1-11 MOS	4	5.5	16	2	2	4	8	11	11	11
1-5 YRS	18	6.1	63	1	1	3	7	18	27	31
6-12 YRS	12	3.5	6	1	1	3	5	7	10	10
13-19 YRS	32	5.7	28	1	2	4	7	11	13	29
GRAND TOTAL	**66**	**5.4**	**33**	**1**	**1**	**4**	**7**	**11**	**15**	**31**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	12.5	5	11	11	12	14	14	14	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2	12.5	5	11	11	12	14	14	14	14
B. *Operated*	1	10.0		10	10	10	10	10	10	10
1. SINGLE DX										
2. MULTIPLE DX	3	11.7	4	10	10	11	13	14	14	14
A. NOT OPERATED	2	12.5	5	11	11	12	14	14	14	14
B. OPERATED	1	10.0		10	10	10	10	10	10	10
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS	2	12.5	5	11	11	12	14	14	14	14
GRAND TOTAL	**3**	**11.7**	**4**	**10**	**10**	**11**	**13**	**14**	**14**	**14**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	7.5	61	2	2	7	13	13	13	13
B. *Operated*										
0-27 DYS	2	25.0	162	16	16	25	34	34	34	34
1-11 MOS	2	11.0	98	4	4	11	18	18	18	18
1-5 YRS										
6-12 YRS	2	14.5	1	14	14	14	15	15	15	15
13-19 YRS	3	15.3	76	8	8	13	22	25	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	2	7.5	61	2	2	7	13	13	13	13
B. *Operated*	9	16.3	79	4	6	15	20	30	34	34
1. SINGLE DX	3	5.3	10	3	3	4	8	9	9	9
2. MULTIPLE DX	11	14.7	82	2	3	14	17	29	34	34
A. NOT OPERATED	4	5.5	26	2	2	3	8	13	13	13
B. OPERATED	10	15.6	75	4	6	14	18	29	34	34
TOTAL 0-27 DYS	2	25.0	162	16	16	25	34	34	34	34
1-11 MOS	3	8.3	70	3	3	4	14	18	18	18
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	2	14.5	1	14	14	14	15	15	15	15
13-19 YRS	6	11.7	59	2	3	11	13	24	25	25
GRAND TOTAL	**14**	**12.7**	**81**	**2**	**3**	**13**	**16**	**26**	**32**	**34**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	11.0		11	11	11	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	1	11.0		11	11	11	11	11	11	11
1. SINGLE DX										
2. MULTIPLE DX	1	11.0		11	11	11	11	11	11	11
A. NOT OPERATED										
B. OPERATED	1	11.0		11	11	11	11	11	11	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	11.0		11	11	11	11	11	11	11
GRAND TOTAL	**1**	**11.0**		**11**	**11**	**11**	**11**	**11**	**11**	**11**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS										
13-19 YRS	3	8.7	21	6	6	6	12	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	5	12.0	44	4	4	10	17	21	21	21
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	4	6.8	10	2	2	8	9	9	9	9
13-19 YRS	8	8.4	9	3	4	9	10	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	5	8.6	21	4	4	6	13	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	3	6.3	34	2	2	4	11	13	13	13
B. *Operated*	19	8.6	22	1	2	9	10	14	19	21
1. SINGLE DX	5	8.6	21	4	4	6	13	14	14	14
2. MULTIPLE DX	22	8.3	23	1	2	8	10	14	18	21
A. NOT OPERATED	3	6.3	34	2	2	4	11	13	13	13
B. OPERATED	24	8.6	21	1	3	8	11	14	17	21
TOTAL 0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	7	12.3	29	4	5	13	15	20	21	21
1-5 YRS	2	2.5	5	<1	<1	2	4	4	4	4
6-12 YRS	5	5.8	12	2	2	8	8	9	9	9
13-19 YRS	12	8.1	11	3	4	8	10	13	14	14
GRAND TOTAL	**27**	**8.3**	**22**	**1**	**2**	**8**	**11**	**14**	**17**	**21**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	12.0	2	11	11	12	13	13	13	13
1-5 YRS	1	11.0		11	11	11	11	11	11	11
6-12 YRS	1	13.0		13	13	13	13	13	13	13
13-19 YRS	2	9.5	113	2	2	9	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	2	17.5	481	2	2	17	33	33	33	33
1-11 MOS	4	13.3	129	5	5	9	20	30	30	30
1-5 YRS	1	11.0		11	11	11	11	11	11	11
6-12 YRS										
13-19 YRS	2	6.0	18	3	3	6	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	6	11.2	25	2	3	12	13	17	17	17
2. MULTIPLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	9	12.3	128	2	2	9	16	32	33	33
1. SINGLE DX	7	9.7	36	<1	<1	11	13	16	17	17
2. MULTIPLE DX	10	11.4	122	2	2	8	11	31	33	33
A. NOT OPERATED	2	2.0	2	<1	<1	1	3	3	3	3
B. OPERATED	15	11.9	82	2	2	11	13	30	32	33
TOTAL 0-27 DYS	2	17.5	481	2	2	17	33	33	33	33
1-11 MOS	7	11.4	79	3	3	10	12	27	30	30
1-5 YRS	3	7.7	33	<1	<1	11	11	11	11	11
6-12 YRS	1	13.0		13	13	13	13	13	13	13
13-19 YRS	4	7.8	48	2	2	6	13	17	17	17
GRAND TOTAL	**17**	**10.7**	**83**	**1**	**2**	**10**	**13**	**27**	**32**	**33**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	12	4.2	17	<1	<1	2	7	10	13	14
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	9	8.2	18	1	3	8	10	14	16	16
1-5 YRS	24	8.8	40	1	2	8	11	16	25	26
6-12 YRS	3	42.0	2281	11	11	18	77	97	97	97
13-19 YRS	4	7.0	10	3	3	7	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	8	10.8	150	1	1	4	20	30	30	30
1-5 YRS	26	4.1	14	<1	1	2	5	10	13	13
6-12 YRS	9	6.0	13	2	2	4	9	11	13	13
13-19 YRS	6	6.3	29	1	1	4	12	14	14	14
B. *Operated*										
0-27 DYS										
1-11 MOS	15	15.0	123	3	5	11	17	36	40	41
1-5 YRS	24	18.0	303	2	4	10	27	42	55	70
6-12 YRS	7	9.4	33	6	6	7	10	20	22	22
13-19 YRS	8	8.8	19	4	4	7	12	15	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	4.0	15	<1	<1	2	7	9	13	14
B. *Operated*	41	10.9	220	1	2	8	11	17	25	97
2. MULTIPLE DX										
A. *Not Operated*	49	5.8	40	1	1	4	8	13	15	30
B. *Operated*	54	14.7	184	3	5	10	17	36	41	69
1. SINGLE DX	55	9.1	176	1	1	8	10	15	22	93
2. MULTIPLE DX	103	10.5	134	1	2	7	12	27	37	59
A. NOT OPERATED	63	5.4	35	<1	1	3	8	13	14	30
B. OPERATED	95	13.0	201	2	3	9	15	26	41	85
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	32	12.0	103	1	3	9	15	30	35	41
1-5 YRS	86	9.3	133	1	1	6	10	23	33	62
6-12 YRS	20	12.4	423	2	3	7	10	20	59	97
13-19 YRS	19	7.4	19	1	2	6	11	14	15	16
GRAND TOTAL	**158**	**10.0**	**148**	**1**	**1**	**7**	**11**	**21**	**31**	**68**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	1	11.0		11	11	11	11	11	11	11
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	35.0		35	35	35	35	35	35	35
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	2	5.0	32	1	1	5	9	9	9	9
13-19 YRS	3	5.7	14	3	3	4	8	10	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	2	21.0	18	18	18	21	24	24	24	24
6-12 YRS	2	8.5	85	2	2	8	15	15	15	15
13-19 YRS	2	12.0	8	10	10	12	14	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	2	9.5	5	8	8	9	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	7	9.4	138	1	1	4	10	30	35	35
B. *Operated*	7	12.4	60	2	2	14	17	23	24	24
1. SINGLE DX	2	9.5	5	8	8	9	11	11	11	11
2. MULTIPLE DX	14	10.9	94	1	2	9	15	25	33	35
A. NOT OPERATED	7	9.4	138	1	1	4	10	30	35	35
B. OPERATED	9	11.8	47	2	3	11	16	22	24	24
TOTAL 0-27 DYS										
1-11 MOS	2	19.5	481	4	4	19	35	35	35	35
1-5 YRS	4	13.5	84	4	4	13	21	24	24	24
6-12 YRS	5	7.6	36	1	1	9	12	15	15	15
13-19 YRS	5	8.2	21	3	3	10	11	14	14	14
GRAND TOTAL	**16**	**10.8**	**82**	**1**	**2**	**9**	**14**	**23**	**32**	**35**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	4	2.5	3	1	1	2	4	5	5	5
1-11 MOS	3	13.0	27	10	10	10	17	19	19	19
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	7.8	43	2	2	6	13	16	16	16
1-5 YRS	3	12.7	408	1	1	1	27	36	36	36
6-12 YRS										
13-19 YRS	4	6.0	33	1	1	4	10	14	14	14
B. *Operated*										
0-27 DYS	4	10.8	78	2	2	10	18	21	21	21
1-11 MOS	5	20.2	185	7	8	18	43	94	99+	99+
1-5 YRS	2	20.0	242	9	9	20	31	31	31	31
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	6	13.3	181	2	2	10	15	37	39	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	10	7.1	29	1	1	6	10	15	19	19
2. MULTIPLE DX										
A. *Not Operated*	11	8.5	112	1	1	3	13	24	35	36
B. *Operated*	19	14.1	151	2	2	13	20	41	71	99+
1. SINGLE DX	11	6.5	30	<1	1	6	10	14	19	19
2. MULTIPLE DX	30	12.0	140	1	1	9	16	37	43	99+
A. NOT OPERATED	12	7.8	107	<1	<1	3	12	22	34	36
B. OPERATED	29	11.7	118	2	2	9	16	35	43	99+
TOTAL 0-27 DYS	8	6.6	54	1	1	4	10	19	21	21
1-11 MOS	13	13.2	120	<1	2	13	19	49	89	99+
1-5 YRS	6	14.0	240	1	1	7	31	35	36	36
6-12 YRS	3	3.3	5	2	2	2	5	6	6	6
13-19 YRS	11	10.4	113	1	2	8	13	25	38	39
GRAND TOTAL	**41**	**10.6**	**115**	**1**	**1**	**7**	**15**	**32**	**41**	**99+**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	4	2.0	1	1	1	2	3	3	3	3
6-12 YRS										
13-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	3	4.7	9	2	2	4	7	8	8	8
1-5 YRS	11	6.5	8	1	3	6	8	10	12	12
6-12 YRS	8	6.3	13	1	2	6	8	11	12	12
13-19 YRS	6	5.2	10	3	3	4	6	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	9	5.6	50	1	1	4	5	17	24	24
6-12 YRS	2	1.5	1	<1	<1	1	2	2	2	2
13-19 YRS	4	5.3	8	1	1	6	7	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS	11	8.5	25	2	3	7	14	16	16	16
1-5 YRS	11	9.9	177	2	2	6	9	27	47	49
6-12 YRS	5	8.4	91	<1	<1	5	11	25	25	25
13-19 YRS	15	9.6	40	2	2	8	12	21	22	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.0	2	<1	<1	1	3	4	4	4
B. *Operated*	28	5.9	9	1	2	6	8	11	12	12
2. MULTIPLE DX										
A. *Not Operated*	17	4.6	29	<1	1	4	6	7	18	24
B. *Operated*	42	9.2	72	2	2	7	11	18	24	49
1. SINGLE DX	35	5.1	10	1	1	5	7	10	12	12
2. MULTIPLE DX	59	7.9	63	1	2	6	9	16	24	47
A. NOT OPERATED	24	3.9	22	<1	1	3	4	7	12	24
B. OPERATED	70	7.9	49	2	2	6	9	15	21	44
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	16	6.8	26	1	1	6	10	15	16	16
1-5 YRS	35	6.8	73	1	1	5	7	12	21	49
6-12 YRS	15	6.3	37	<1	<1	5	7	12	22	25
13-19 YRS	27	7.4	31	1	2	7	9	15	21	23
GRAND TOTAL	**94**	**6.9**	**45**	**1**	**1**	**5**	**8**	**13**	**20**	**38**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	23	2.6	4	<1	1	2	3	5	7	9
6-12 YRS	27	2.3	2	<1	<1	2	3	4	5	5
13-19 YRS	66	2.6	2	1	1	3	3	5	5	6
B. *Operated*										
0-27 DYS	2	4.5	25	<1	<1	4	8	8	8	8
1-11 MOS	14	5.4	24	1	1	3	9	13	15	15
1-5 YRS	44	6.0	23	<1	1	4	10	12	15	23
6-12 YRS	101	6.4	20	1	1	5	9	13	16	18
13-19 YRS	147	5.6	15	1	1	5	8	11	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	8.0	33	1	1	7	10	17	17	17
1-5 YRS	51	4.5	19	<1	1	3	6	10	14	20
6-12 YRS	76	4.5	26	1	1	3	5	7	11	29
13-19 YRS	83	4.6	18	<1	1	3	6	10	13	22
B. *Operated*										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	6	12.0	48	1	2	14	16	20	20	20
1-5 YRS	32	10.7	139	2	2	7	12	22	42	54
6-12 YRS	51	11.1	84	1	2	9	14	25	34	39
13-19 YRS	101	12.0	251	1	2	8	14	24	41	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	117	2.5	2	<1	1	2	3	5	5	7
B. *Operated*	308	5.9	18	1	1	5	9	12	14	18
2. MULTIPLE DX										
A. *Not Operated*	215	4.6	21	1	1	3	5	10	13	27
B. *Operated*	191	11.6	179	1	2	8	14	24	36	77
1. SINGLE DX	425	5.0	16	1	1	4	7	11	13	17
2. MULTIPLE DX	406	7.9	107	1	1	4	10	17	24	59
A. NOT OPERATED	332	3.9	16	1	1	3	5	8	11	24
B. OPERATED	499	8.1	87	1	2	5	10	16	20	50
TOTAL 0-27 DYS	3	8.3	56	<1	<1	8	14	16	16	16
1-11 MOS	26	7.2	37	1	1	7	12	16	18	20
1-5 YRS	150	6.0	50	<1	1	4	8	13	16	44
6-12 YRS	255	6.3	39	1	1	4	8	14	18	34
13-19 YRS	397	6.5	84	1	1	4	8	12	18	56
GRAND TOTAL	**831**	**6.4**	**63**	**1**	**1**	**4**	**8**	**13**	**18**	**37**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS										
13-19 YRS	25	4.5	7	1	1	4	6	8	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	8.0	127	1	1	2	16	21	21	21
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	12	7.3	47	1	1	6	10	18	21	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	26	4.5	7	1	1	4	6	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	3	8.0	127	1	1	2	16	21	21	21
B. *Operated*	12	7.3	47	1	1	6	10	18	21	22
1. SINGLE DX	26	4.5	7	1	1	4	6	8	9	11
2. MULTIPLE DX	15	7.5	55	1	1	3	11	21	22	22
A. NOT OPERATED	3	8.0	127	1	1	2	16	21	21	21
B. OPERATED	38	5.4	20	1	1	4	8	11	15	22
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS										
13-19 YRS	40	5.6	26	1	1	4	8	11	19	22
GRAND TOTAL	**41**	**5.6**	**26**	**1**	**1**	**4**	**8**	**11**	**19**	**22**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	19.0		19	19	19	19	19	19	19
1-11 MOS	2	2.5	5	<1	<1	2	4	4	4	4
1-5 YRS	3	1.7	1	<1	<1	<1	2	3	3	3
6-12 YRS	8	1.5		<1	<1	1	2	2	2	2
13-19 YRS	14	4.3	13	<1	<1	3	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS										
6-12 YRS	2	4.5	5	3	3	4	6	6	6	6
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	3	9.3	142	<1	<1	4	18	23	23	23
1-5 YRS	5	5.8	55	2	2	2	8	19	19	19
6-12 YRS	2	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	2	4.5	25	1	1	4	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	28	3.6	17	<1	<1	2	4	10	11	19
2. MULTIPLE DX										
A. *Not Operated*	3	6.0	9	3	3	6	8	9	9	9
B. *Operated*	12	5.7	56	<1	<1	2	6	20	23	23
1. SINGLE DX	28	3.6	17	<1	<1	2	4	10	11	19
2. MULTIPLE DX	15	5.7	45	<1	<1	3	7	19	22	23
A. NOT OPERATED	3	6.0	9	3	3	6	8	9	9	9
B. OPERATED	40	4.2	29	<1	<1	2	5	10	19	23
TOTAL 0-27 DYS	1	19.0		19	19	19	19	19	19	19
1-11 MOS	6	7.0	70	<1	<1	4	9	22	23	23
1-5 YRS	8	4.3	37	<1	<1	2	3	14	19	19
6-12 YRS	12	1.9	2	<1	<1	1	2	4	6	6
13-19 YRS	16	4.3	13	<1	<1	3	8	10	10	10
GRAND TOTAL	**43**	**4.3**	**27**	**<1**	**<1**	**2**	**5**	**10**	**19**	**23**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	11	6.2	19	1	1	5	9	13	14	14
1-5 YRS	2	6.5	13	4	4	6	9	9	9	9
6-12 YRS	2	8.0		8	8	8	8	8	8	8
13-19 YRS	3	1.0		<1	<1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	3	7.7	1	7	7	7	9	9	9	9
1-5 YRS										
6-12 YRS										
13-19 YRS	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	15	7.5	11	1	3	8	8	12	14	15
1-5 YRS	2	9.5	41	5	5	9	14	14	14	14
6-12 YRS	3	5.0	13	<1	<1	6	7	8	8	8
13-19 YRS	3	4.3	1	3	3	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	18	5.6	17	<1	1	5	8	12	14	14
2. MULTIPLE DX										
A. *Not Operated*	5	6.8	2	5	5	7	8	9	9	9
B. *Operated*	23	7.0	12	1	2	7	8	12	14	15
1. SINGLE DX	19	5.4	16	<1	1	5	8	12	14	14
2. MULTIPLE DX	28	6.9	10	1	3	7	8	11	14	15
A. NOT OPERATED	6	6.2	4	3	3	6	7	9	9	9
B. OPERATED	41	6.3	14	<1	1	6	8	12	14	15
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	30	6.9	13	1	2	7	8	12	14	15
1-5 YRS	4	8.0	21	4	4	7	11	14	14	14
6-12 YRS	5	6.2	9	<1	<1	8	8	8	8	8
13-19 YRS	7	3.0	4	<1	<1	3	5	5	5	5
GRAND TOTAL	**47**	**6.3**	**13**	**1**	**1**	**6**	**8**	**12**	**14**	**15**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	2	5.0	32	<1	<1	4	9	9	9	9
1-5 YRS										
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS	2	5.5	5	4	4	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	5	3.6	3	2	2	4	5	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	2	3.5	13	1	1	3	6	6	6	6
1-5 YRS	1	18.0		18	18	18	18	18	18	18
6-12 YRS										
13-19 YRS	4	7.0	18	3	3	6	10	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.0		3	3	3	3	3	3	3
B. *Operated*	5	6.2	14	<1	<1	7	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	5	3.6	3	2	2	4	5	6	6	6
B. *Operated*	7	7.6	35	1	1	6	11	17	18	18
1. SINGLE DX	7	5.3	12	<1	1	4	8	10	10	10
2. MULTIPLE DX	12	5.9	24	1	2	4	8	14	17	18
A. NOT OPERATED	7	3.4	2	2	2	3	4	6	6	6
B. OPERATED	12	7.0	25	<1	1	6	10	14	17	18
TOTAL 0-27 DYS										
1-11 MOS	4	4.3	16	<1	<1	3	7	9	9	9
1-5 YRS	1	18.0		18	18	18	18	18	18	18
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS	13	4.8	9	2	2	4	6	10	12	12
GRAND TOTAL	**19**	**5.7**	**19**	**<1**	**1**	**4**	**8**	**11**	**15**	**18**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	3	6.7	6	4	4	7	8	9	9	9
1-5 YRS	1	19.0		19	19	19	19	19	19	19
6-12 YRS										
13-19 YRS	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	2	8.5	25	5	5	8	12	12	12	12
1-11 MOS	3	6.7	1	6	6	6	8	8	8	8
1-5 YRS	2	4.0	18	<1	<1	3	7	7	7	7
6-12 YRS										
13-19 YRS	3	6.7	20	2	2	7	10	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	5	8.6	38	4	4	7	11	19	19	19
2. MULTIPLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	10	6.5	12	<1	1	6	8	11	12	12
1. SINGLE DX	5	8.6	38	4	4	7	11	19	19	19
2. MULTIPLE DX	11	6.2	12	<1	1	6	8	11	12	12
A. NOT OPERATED	1	3.0		3	3	3	3	3	3	3
B. OPERATED	15	7.2	20	<1	2	7	9	12	17	19
TOTAL 0-27 DYS	2	8.5	25	5	5	8	12	12	12	12
1-11 MOS	6	6.7	3	4	4	7	8	9	9	9
1-5 YRS	4	7.5	65	<1	<1	5	13	19	19	19
6-12 YRS										
13-19 YRS	4	6.0	15	2	2	5	9	11	11	11
GRAND TOTAL	**16**	**6.9**	**19**	**1**	**2**	**6**	**8**	**12**	**17**	**19**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.7		3	3	4	4	4	4	4
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS	7	8.6	3	7	7	8	9	11	12	12
13-19 YRS	23	6.8	6	3	4	7	8	10	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	6	4.2	13	<1	<1	3	5	10	11	11
13-19 YRS	10	4.7	3	3	3	4	5	7	8	8
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	18.0		18	18	18	18	18	18	18
1-5 YRS										
6-12 YRS	5	7.8	10	5	5	7	9	13	13	13
13-19 YRS	29	9.7	116	4	5	7	10	12	16	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	3.5		3	3	3	4	4	4	4
B. *Operated*	31	7.3	6	4	4	7	9	11	12	12
2. MULTIPLE DX										
A. *Not Operated*	17	4.4	6	1	2	4	5	8	10	11
B. *Operated*	36	9.5	97	4	5	7	10	13	17	64
1. SINGLE DX	35	6.9	7	3	4	7	8	10	12	12
2. MULTIPLE DX	53	7.8	73	2	3	6	9	12	13	63
A. NOT OPERATED	21	4.2	5	1	2	4	5	7	9	11
B. OPERATED	67	8.5	55	4	4	7	9	12	13	56
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	18.0		18	18	18	18	18	18	18
1-5 YRS	2	6.0	32	2	2	6	10	10	10	10
6-12 YRS	21	6.4	11	1	2	7	8	11	12	13
13-19 YRS	63	7.7	59	3	4	7	9	11	12	57
GRAND TOTAL	**88**	**7.5**	**47**	**3**	**3**	**7**	**9**	**11**	**13**	**46**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	3.0	2	<1	<1	3	4	4	4	4
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	11.5	5	10	10	11	13	13	13	13
1-5 YRS	1	46.0		46	46	46	46	46	46	46
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.0	2	<1	<1	3	4	4	4	4
B. *Operated*	2	4.5	13	2	2	4	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	2	3.0		3	3	3	3	3	3	3
B. *Operated*	3	23.0	399	10	10	29	73	99+	99+	99+
1. SINGLE DX	7	3.4	4	<1	<1	3	4	6	7	7
2. MULTIPLE DX	5	15.0	320	3	3	11	46	95	99+	99+
A. NOT OPERATED	7	3.0	1	<1	1	3	4	4	4	4
B. OPERATED	5	15.6	305	2	2	11	46	95	99+	99+
TOTAL 0-27 DYS										
1-11 MOS	3	10.0	9	7	7	10	12	13	13	13
1-5 YRS	9	7.7	208	<1	1	3	4	29	46	46
6-12 YRS										
13-19 YRS										
GRAND TOTAL	**12**	**8.3**	**154**	**<1**	**2**	**4**	**11**	**57**	**92**	**99+**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	2	10.5	85	4	4	10	17	17	17	17
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	15.7	160	6	6	11	25	30	30	30
1-5 YRS	4	4.3	11	1	1	4	7	8	8	8
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS	2	5.0	8	3	3	5	7	7	7	7
1-11 MOS	8	6.6	24	2	3	5	7	15	18	18
1-5 YRS	7	5.3	3	2	2	6	6	7	7	7
6-12 YRS	2	10.5	13	8	8	10	13	13	13	13
13-19 YRS	3	21.0	559	4	4	11	39	48	48	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	5	6.0	40	1	1	4	7	17	17	17
2. MULTIPLE DX										
A. *Not Operated*	9	7.8	79	1	1	6	9	22	30	30
B. *Operated*	22	8.4	92	2	3	6	8	14	30	48
1. SINGLE DX	5	6.0	40	1	1	4	7	17	17	17
2. MULTIPLE DX	31	8.2	85	2	2	6	8	15	29	48
A. NOT OPERATED	9	7.8	79	1	1	6	9	22	30	30
B. OPERATED	27	7.9	81	2	2	6	8	16	22	48
TOTAL 0-27 DYS	4	3.5	6	1	1	3	5	7	7	7
1-11 MOS	12	8.7	63	2	3	6	9	22	29	30
1-5 YRS	13	5.8	16	1	2	6	7	10	16	17
6-12 YRS	3	8.3	20	4	4	8	12	13	13	13
13-19 YRS	4	16.5	454	3	3	7	29	48	48	48
GRAND TOTAL	**36**	**7.9**	**78**	**1**	**2**	**6**	**8**	**17**	**26**	**48**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	3.0	4	1	1	3	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	2	2.0	2	<1	<1	1	3	3	3	3
1-5 YRS	4	2.0	1	1	1	2	3	3	3	3
6-12 YRS	2	1.5	1	<1	<1	1	2	2	2	2
13-19 YRS	40	3.3	4	1	1	3	4	6	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	9	6.9	48	1	2	5	6	17	25	25
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS										
13-19 YRS	28	7.0	31	1	2	6	9	13	15	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	3.0	4	1	1	3	4	5	5	5
B. *Operated*	48	3.1	4	1	1	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	11	6.0	43	1	1	5	6	14	24	25
B. *Operated*	29	7.1	30	1	2	6	10	13	14	29
1. SINGLE DX	51	3.1	4	1	1	3	4	6	7	9
2. MULTIPLE DX	40	6.8	33	1	2	5	9	13	19	29
A. NOT OPERATED	14	5.4	35	1	1	5	5	8	21	25
B. OPERATED	77	4.6	18	1	1	3	6	10	12	25
TOTAL 0-27 DYS										
1-11 MOS	3	2.0	1	<1	<1	2	3	3	3	3
1-5 YRS	6	3.3	11	1	1	2	3	9	10	10
6-12 YRS	2	1.5	1	<1	<1	1	2	2	2	2
13-19 YRS	80	5.0	21	1	1	4	6	10	13	28
GRAND TOTAL	**91**	**4.7**	**20**	**1**	**1**	**3**	**6**	**9**	**13**	**27**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	3	2.3	2	1	1	2	3	4	4	4
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	5	3.2	1	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	13.0		13	13	13	13	13	13	13
6-12 YRS										
13-19 YRS	2	7.0	2	6	6	7	8	8	8	8
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	6	8.0	68	<1	<1	6	11	22	23	23
1-5 YRS	12	11.4	142	1	1	7	15	31	39	40
6-12 YRS										
13-19 YRS	2	12.5	265	1	1	12	24	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	10	3.4	4	1	1	3	4	6	8	8
2. MULTIPLE DX										
A. *Not Operated*	3	9.0	13	6	6	8	12	13	13	13
B. *Operated*	21	10.0	116	<1	1	6	15	25	33	40
1. SINGLE DX	10	3.4	4	1	1	3	4	6	8	8
2. MULTIPLE DX	24	9.9	102	<1	1	7	14	24	31	40
A. NOT OPERATED	3	9.0	13	6	6	8	12	13	13	13
B. OPERATED	31	7.9	88	1	1	4	10	23	27	40
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	7	7.3	61	<1	<1	5	10	21	23	23
1-5 YRS	16	9.8	119	1	1	6	14	26	36	40
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	9	6.1	50	1	1	3	6	18	24	24
GRAND TOTAL	**34**	**8.0**	**81**	**1**	**1**	**5**	**11**	**23**	**26**	**40**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	4.0		4	4	4	4	4	4	4
1-5 YRS	11	5.3	71	1	1	3	4	16	29	30
6-12 YRS	12	1.8	2	1	1	1	2	4	5	5
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	15	8.1	12	2	2	8	11	12	13	14
1-5 YRS	66	8.9	24	2	4	8	11	13	17	32
6-12 YRS	9	11.1	17	7	7	10	12	18	21	21
13-19 YRS	2	5.5	1	5	5	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	3.3	6	<1	<1	3	5	6	6	6
1-5 YRS	35	3.7	8	<1	<1	3	5	8	10	13
6-12 YRS	11	4.6	28	<1	<1	3	5	13	18	19
13-19 YRS	3	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	8	9.9	17	6	6	9	11	17	19	19
1-5 YRS	66	11.4	86	3	4	9	12	23	33	48
6-12 YRS	11	11.0	49	4	5	9	11	23	28	28
13-19 YRS	8	18.9	160	7	7	15	29	37	39	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	3.5	32	1	1	2	4	5	12	30
B. *Operated*	93	8.9	21	2	4	9	11	13	16	29
2. MULTIPLE DX										
A. *Not Operated*	52	3.8	12	<1	<1	3	5	8	10	19
B. *Operated*	93	11.8	84	4	4	9	12	24	32	47
1. SINGLE DX	119	7.8	28	1	1	8	10	12	16	31
2. MULTIPLE DX	145	8.9	73	1	2	7	10	19	27	45
A. NOT OPERATED	78	3.7	18	<1	1	3	4	7	10	27
B. OPERATED	186	10.4	55	3	4	9	11	19	25	44
TOTAL 0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	28	7.8	16	2	2	8	10	12	14	19
1-5 YRS	178	8.6	54	1	2	8	10	15	23	44
6-12 YRS	43	6.8	39	1	1	5	9	14	20	28
13-19 YRS	14	12.3	150	1	2	7	21	33	38	39
GRAND TOTAL	**264**	**8.4**	**53**	**1**	**1**	**7**	**10**	**15**	**22**	**41**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	32	1.1		<1	<1	<1	1	1	2	2
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS										
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	12	2.3	2	<1	<1	2	3	5	5	5
1-5 YRS	51	2.3	3	<1	<1	2	3	4	5	10
6-12 YRS	2	6.0	50	<1	<1	5	11	11	11	11
13-19 YRS	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	1.3		<1	<1	1	2	2	2	2
1-5 YRS	13	2.3	3	<1	<1	1	3	5	7	7
6-12 YRS	3	2.7	8	1	1	1	5	6	6	6
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	9	5.1	10	<1	1	5	7	10	10	10
1-5 YRS	15	5.2	38	<1	<1	2	7	18	19	19
6-12 YRS	2	4.5	13	2	2	4	7	7	7	7
13-19 YRS	2	13.5	313	1	1	13	26	26	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	1.1		<1	<1	<1	1	1	2	2
B. *Operated*	68	2.4	4	<1	<1	2	3	5	5	11
2. MULTIPLE DX										
A. *Not Operated*	20	2.3	3	<1	<1	1	3	5	6	7
B. *Operated*	28	5.7	39	<1	<1	3	7	16	20	26
1. SINGLE DX	106	1.9	3	<1	<1	1	2	4	5	10
2. MULTIPLE DX	48	4.3	27	<1	<1	2	5	10	18	26
A. NOT OPERATED	58	1.5	1	<1	<1	<1	1	3	4	7
B. OPERATED	96	3.4	16	<1	<1	2	4	7	11	23
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	28	2.9	6	<1	<1	2	5	6	9	10
1-5 YRS	111	2.3	8	<1	<1	1	2	5	7	18
6-12 YRS	9	3.4	14	<1	<1	1	6	9	11	11
13-19 YRS	5	7.0	114	1	1	3	9	26	26	26
GRAND TOTAL	**154**	**2.7**	**11**	**<1**	**<1**	**1**	**3**	**5**	**9**	**19**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	39	4.8	48	1	1	2	5	10	16	40
6-12 YRS	37	4.1	7	1	1	4	5	8	9	14
13-19 YRS	26	6.8	75	1	2	4	7	12	25	43
B. *Operated*										
0-27 DYS										
1-11 MOS	4	6.8	35	1	1	6	11	14	14	14
1-5 YRS	65	10.8	49	2	3	10	15	19	27	29
6-12 YRS	84	9.7	38	1	2	9	13	17	20	32
13-19 YRS	69	9.6	71	1	2	10	11	16	18	58
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	9	7.3	54	2	2	6	8	19	26	26
1-5 YRS	49	5.9	98	<1	1	3	6	12	17	67
6-12 YRS	70	4.6	48	1	1	2	6	10	16	90
13-19 YRS	55	6.5	137	<1	1	4	7	11	13	80
B. *Operated*										
0-27 DYS										
1-11 MOS	27	17.5	287	2	3	15	19	36	51	77
1-5 YRS	114	17.3	248	2	3	13	23	40	61	99+
6-12 YRS	134	15.2	253	2	4	11	16	35	57	98
13-19 YRS	120	15.4	177	2	3	11	19	30	44	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	5.0	40	1	1	4	5	10	13	41
B. *Operated*	222	10.0	51	1	2	9	13	17	21	30
2. MULTIPLE DX										
A. *Not Operated*	183	5.7	88	<1	1	3	6	11	16	78
B. *Operated*	395	16.0	230	2	3	11	19	36	54	93
1. SINGLE DX	324	8.4	53	1	1	7	11	16	20	36
2. MULTIPLE DX	578	12.7	208	1	2	9	16	30	45	86
A. NOT OPERATED	285	5.4	71	1	1	3	6	11	15	62
B. OPERATED	617	13.8	174	2	3	10	16	28	42	76
TOTAL 0-27 DYS										
1-11 MOS	40	14.2	229	1	2	9	17	34	42	77
1-5 YRS	267	11.8	168	1	1	8	16	26	40	85
6-12 YRS	325	10.3	146	1	1	7	13	20	34	80
13-19 YRS	270	11.2	145	1	2	9	13	24	35	65
GRAND TOTAL	**902**	**11.2**	**156**	**1**	**2**	**8**	**14**	**24**	**36**	**75**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	9	3.6	10	<1	<1	3	5	9	10	10
6-12 YRS	3	1.0		1	1	1	1	1	1	1
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	3.5	13	1	1	3	6	6	6	6
1-5 YRS	17	9.8	235	1	2	6	9	12	48	68
6-12 YRS	9	8.9	54	1	1	7	16	20	20	20
13-19 YRS	12	10.0	61	1	2	10	15	20	26	27
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	13	4.7	14	1	1	3	6	11	13	13
6-12 YRS	4	4.3	12	1	1	3	6	9	9	9
13-19 YRS	11	4.9	11	1	1	5	6	10	12	12
B. *Operated*										
0-27 DYS										
1-11 MOS	9	20.6	264	5	5	14	29	47	52	52
1-5 YRS	16	5.7	24	1	1	5	8	11	17	20
6-12 YRS	12	19.3	372	1	2	15	18	55	64	66
13-19 YRS	9	34.9	213	14	18	34	52	81	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.8	8	<1	1	2	4	19	82	99+
B. *Operated*	40	9.4	127	1	1	7	11	18	23	68
2. MULTIPLE DX										
A. *Not Operated*	28	4.7	12	1	1	4	6	10	12	13
B. *Operated*	46	17.8	296	1	2	14	26	51	63	99+
1. SINGLE DX	53	7.7	105	1	1	6	10	17	26	99
2. MULTIPLE DX	74	12.9	228	1	1	7	17	37	52	91
A. NOT OPERATED	41	4.1	11	1	1	3	6	10	12	99+
B. OPERATED	86	13.9	233	1	2	8	18	37	54	88
TOTAL 0-27 DYS										
1-11 MOS	12	16.1	259	1	1	10	23	44	51	52
1-5 YRS	55	6.4	87	1	1	5	8	11	13	66
6-12 YRS	28	11.8	218	1	1	7	16	20	52	66
13-19 YRS	32	15.3	241	1	2	11	27	53	92	99+
GRAND TOTAL	**127**	**10.7**	**182**	**1**	**1**	**6**	**14**	**29**	**52**	**99+**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	1.5		1	1	1	2	2	2	2
1-5 YRS	30	2.7	4	<1	<1	2	4	5	7	10
6-12 YRS	3	2.3	2	1	1	2	3	4	4	4
13-19 YRS	16	3.3	10	<1	1	2	3	6	12	14
B. *Operated*										
0-27 DYS										
1-11 MOS	10	5.6	15	1	1	5	9	11	11	11
1-5 YRS	22	5.6	22	1	1	5	7	11	17	20
6-12 YRS	9	4.7	18	<1	<1	3	7	12	12	12
13-19 YRS	47	5.7	150	1	2	3	5	8	12	86
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	10	6.0	25	2	2	4	7	15	16	16
1-5 YRS	75	4.5	26	<1	1	3	5	10	13	32
6-12 YRS	15	3.0	8	<1	<1	2	3	6	10	12
13-19 YRS	24	4.6	24	<1	1	3	5	13	17	17
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	20	12.5	124	4	4	9	16	20	37	54
1-5 YRS	52	16.6	316	3	3	12	18	30	54	99
6-12 YRS	17	12.2	216	<1	2	8	14	26	51	63
13-19 YRS	48	6.0	95	1	2	5	6	8	11	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	2.7	6	<1	1	2	4	5	7	14
B. *Operated*	88	5.5	88	1	1	4	6	10	12	61
2. MULTIPLE DX										
A. *Not Operated*	124	4.5	23	<1	1	3	5	11	14	22
B. *Operated*	138	11.7	213	1	3	7	13	22	36	80
1. SINGLE DX	141	4.5	58	1	1	3	5	9	11	26
2. MULTIPLE DX	262	8.3	136	1	1	5	10	16	26	69
A. NOT OPERATED	177	3.9	18	<1	1	3	4	9	13	17
B. OPERATED	226	9.3	173	1	2	5	10	17	29	79
TOTAL 0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	44	8.5	79	1	2	6	11	17	20	54
1-5 YRS	179	7.8	137	1	1	4	9	16	26	71
6-12 YRS	44	6.9	106	<1	1	4	8	14	20	63
13-19 YRS	135	5.3	91	1	1	3	5	8	13	72
GRAND TOTAL	**403**	**7.0**	**112**	**1**	**1**	**4**	**8**	**14**	**20**	**66**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	3.3	3	1	1	3	4	5	5	5
1-5 YRS	12	6.7	218	1	1	2	3	22	49	53
6-12 YRS	10	2.4	1	<1	<1	2	3	4	4	4
13-19 YRS	11	2.8	5	<1	<1	3	3	6	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS	15	5.7	13	1	3	4	8	12	13	13
1-5 YRS	31	8.6	71	2	2	6	12	15	18	46
6-12 YRS	15	4.9	14	<1	<1	5	7	11	11	11
13-19 YRS	13	4.8	11	1	1	5	7	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	18	5.1	7	3	3	4	6	8	11	13
1-5 YRS	77	3.7	10	<1	<1	3	5	8	10	16
6-12 YRS	34	4.1	20	<1	1	3	4	8	17	21
13-19 YRS	68	4.8	38	1	1	3	6	10	11	42
B. *Operated*										
0-27 DYS	2	5.5	13	3	3	5	8	8	8	8
1-11 MOS	27	10.5	63	1	2	9	14	25	29	32
1-5 YRS	64	12.8	328	1	2	7	12	32	48	96
6-12 YRS	39	9.6	77	1	2	6	12	23	33	36
13-19 YRS	113	10.0	105	1	2	8	11	23	27	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	4.0	72	<1	<1	2	3	5	9	53
B. *Operated*	74	6.6	39	1	1	5	9	13	15	39
2. MULTIPLE DX										
A. *Not Operated*	199	4.2	21	<1	1	3	5	9	11	20
B. *Operated*	245	10.7	153	1	2	8	12	25	32	69
1. SINGLE DX	111	5.7	51	<1	1	4	7	12	15	49
2. MULTIPLE DX	444	7.8	104	1	1	5	9	14	26	55
A. NOT OPERATED	236	4.2	29	<1	1	3	5	9	11	25
B. OPERATED	319	9.7	130	1	2	7	11	18	30	64
TOTAL 0-27 DYS	4	3.8	8	2	2	3	5	8	8	8
1-11 MOS	64	7.4	39	2	3	5	9	14	19	31
1-5 YRS	184	7.9	158	<1	1	4	8	15	28	79
6-12 YRS	98	6.2	47	<1	1	4	8	13	20	36
13-19 YRS	205	7.6	78	1	1	5	9	13	25	51
GRAND TOTAL	**555**	**7.4**	**94**	**1**	**1**	**5**	**9**	**14**	**25**	**53**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	7	3.6	35	<1	<1	1	2	14	17	17
13-19 YRS	29	2.2	2	<1	<1	1	4	4	5	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	15	4.3	8	1	1	5	7	7	9	9
6-12 YRS	36	6.1	26	1	1	5	7	10	19	25
13-19 YRS	197	4.5	10	1	1	4	6	9	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	11.0		11	11	11	11	11	11	11
1-5 YRS	3	2.7	2	1	1	3	4	4	4	4
6-12 YRS	11	5.6	66	<1	<1	3	6	16	28	29
13-19 YRS	55	3.8	8	<1	<1	3	5	7	9	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	8.2	53	1	1	5	16	16	16	16
6-12 YRS	19	11.8	52	2	3	12	19	22	24	25
13-19 YRS	132	7.8	28	2	2	7	10	15	17	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	2.5	8	<1	<1	1	4	4	6	17
B. *Operated*	248	4.7	13	1	1	5	6	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	71	4.2	17	<1	<1	3	5	8	11	26
B. *Operated*	156	8.3	33	2	2	7	11	16	19	28
1. SINGLE DX	285	4.4	12	<1	1	4	6	8	10	18
2. MULTIPLE DX	227	7.0	31	1	1	6	9	15	18	28
A. NOT OPERATED	108	3.6	15	<1	<1	3	5	7	11	22
B. OPERATED	404	6.1	23	1	1	5	8	12	16	24
TOTAL 0-27 DYS										
1-11 MOS	2	11.0		11	11	11	11	11	11	11
1-5 YRS	24	4.9	17	1	1	4	7	10	16	16
6-12 YRS	73	7.2	45	<1	1	5	9	19	22	28
13-19 YRS	413	5.3	18	1	1	5	7	10	13	20
GRAND TOTAL	**512**	**5.6**	**23**	**1**	**1**	**5**	**7**	**11**	**15**	**24**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	11	6.6	24	1	1	6	9	14	17	17
1-5 YRS	103	3.5	10	<1	<1	3	5	8	10	15
6-12 YRS	116	4.6	40	<1	1	3	4	9	20	34
13-19 YRS	82	4.3	23	<1	<1	2	5	11	16	22
B. *Operated*										
0-27 DYS	2	8.5	113	1	1	8	16	16	16	16
1-11 MOS	10	14.2	501	2	2	8	11	44	77	77
1-5 YRS	139	6.7	36	<1	1	5	9	14	21	29
6-12 YRS	124	4.6	20	<1	<1	3	7	11	13	22
13-19 YRS	51	7.5	79	<1	1	4	9	25	30	36
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	14	10.1	370	2	2	4	8	19	63	76
1-5 YRS	202	5.9	68	<1	<1	4	7	12	16	35
6-12 YRS	185	5.4	28	1	1	4	7	11	14	28
13-19 YRS	120	5.6	30	<1	1	4	7	12	16	27
B. *Operated*										
0-27 DYS	1	29.0		29	29	29	29	29	29	29
1-11 MOS	12	17.3	124	3	7	16	24	56	92	99+
1-5 YRS	191	13.4	145	3	4	10	17	28	35	66
6-12 YRS	118	15.7	371	1	2	9	20	37	76	99
13-19 YRS	89	17.0	190	2	3	13	27	35	45	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	313	4.2	25	<1	<1	3	5	10	15	28
B. *Operated*	326	6.3	53	<1	<1	4	9	13	20	30
2. MULTIPLE DX										
A. *Not Operated*	521	5.8	53	<1	1	4	7	12	15	31
B. *Operated*	411	15.0	220	2	3	11	20	33	46	95
1. SINGLE DX	639	5.3	40	<1	<1	3	7	12	16	29
2. MULTIPLE DX	932	9.9	148	1	1	6	12	23	32	76
A. NOT OPERATED	834	5.2	43	<1	1	4	6	11	15	29
B. OPERATED	737	11.2	165	<1	1	7	14	27	35	77
TOTAL 0-27 DYS	4	12.8	158	1	1	10	22	29	29	29
1-11 MOS	47	12.0	254	2	2	8	13	25	76	99+
1-5 YRS	635	8.0	89	<1	1	5	10	17	24	48
6-12 YRS	543	7.3	122	<1	1	4	8	15	25	76
13-19 YRS	342	8.5	103	<1	1	5	11	24	31	51
GRAND TOTAL	**1571**	**8.0**	**109**	**<1**	**1**	**5**	**10**	**18**	**28**	**63**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	4.8	5	<1	<1	5	7	7	7	7
1-5 YRS	33	3.6	10	<1	<1	2	5	7	9	16
6-12 YRS	44	3.5	6	<1	<1	4	5	8	9	99+
13-19 YRS	40	2.1	4	<1	<1	1	3	5	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS	4	10.5	100	2	2	7	16	25	25	25
1-5 YRS	19	9.6	61	1	2	8	13	21	26	29
6-12 YRS	21	9.3	80	1	1	9	10	21	33	35
13-19 YRS	38	12.4	199	1	1	7	18	35	40	59
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	10	4.5	9	1	1	4	7	9	10	10
1-5 YRS	73	5.8	24	<1	1	4	7	13	15	25
6-12 YRS	84	5.8	41	<1	1	3	8	15	18	33
13-19 YRS	71	6.6	43	<1	1	5	9	13	17	34
B. *Operated*										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	11	20.5	219	4	4	18	27	41	52	53
1-5 YRS	39	16.9	358	1	1	10	15	53	63	68
6-12 YRS	64	19.1	214	3	5	15	28	39	49	65
13-19 YRS	88	24.5	446	2	3	15	43	55	63	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	123	3.2	7	<1	<1	2	5	7	8	38
B. *Operated*	82	10.9	130	1	2	7	13	31	35	53
2. MULTIPLE DX										
A. *Not Operated*	238	6.0	35	<1	1	4	8	13	17	32
B. *Operated*	203	21.1	347	2	3	13	32	51	61	80
1. SINGLE DX	205	6.2	70	<1	<1	4	7	14	29	48
2. MULTIPLE DX	441	12.9	235	1	1	7	15	36	49	66
A. NOT OPERATED	361	5.0	27	<1	<1	4	7	11	15	32
B. OPERATED	285	18.1	305	1	2	11	28	48	55	73
TOTAL 0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	31	11.0	141	1	2	7	16	27	33	53
1-5 YRS	164	8.4	128	<1	1	5	10	16	29	63
6-12 YRS	213	9.7	129	<1	1	5	11	28	35	62
13-19 YRS	237	13.4	290	<1	<1	7	15	42	54	77
GRAND TOTAL	**646**	**10.8**	**192**	**<1**	**1**	**6**	**12**	**31**	**47**	**66**

49: Lymphatic and hematopoietic neoplasm, except hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	3.7	3	2	2	3	6	6	6	6
6-12 YRS	17	3.8	6	1	1	3	6	7	8	8
13-19 YRS	23	2.7	3	<1	1	2	4	4	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS	2	9.0	72	3	3	9	15	15	15	15
1-5 YRS	21	6.8	63	<1	1	5	8	14	25	37
6-12 YRS	33	6.6	30	1	1	5	9	13	19	23
13-19 YRS	48	5.8	27	1	1	4	8	11	20	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	2.8	6	<1	<1	2	4	6	6	6
1-5 YRS	22	4.5	11	<1	1	4	6	10	12	13
6-12 YRS	37	5.5	66	1	1	3	5	8	24	43
13-19 YRS	47	6.8	87	1	1	4	9	14	22	49
B. *Operated*										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	4	11.0	279	1	1	3	20	36	36	36
1-5 YRS	25	19.8	540	4	6	8	31	67	96	99+
6-12 YRS	35	14.3	288	2	4	9	16	26	51	89
13-19 YRS	60	15.6	192	2	3	11	20	37	41	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	3.2	4	1	1	3	4	6	8	8
B. *Operated*	104	6.3	35	1	1	5	9	13	20	29
2. MULTIPLE DX										
A. *Not Operated*	110	5.8	62	1	1	3	6	11	15	46
B. *Operated*	125	15.9	286	2	3	10	19	39	59	96
1. SINGLE DX	150	5.4	27	1	1	4	7	11	15	23
2. MULTIPLE DX	235	11.1	206	1	2	6	12	30	42	90
A. NOT OPERATED	156	5.0	46	1	1	3	5	9	13	43
B. OPERATED	229	11.5	194	1	2	7	13	25	40	90
TOTAL 0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	10	7.3	119	<1	<1	3	6	25	36	36
1-5 YRS	74	10.3	247	<1	1	6	9	31	51	99
6-12 YRS	122	8.1	125	1	1	5	9	17	25	67
13-19 YRS	178	9.0	118	1	1	5	10	22	34	58
GRAND TOTAL	**385**	**8.9**	**144**	**1**	**1**	**5**	**10**	**21**	**36**	**68**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	3	1.7		<1	<1	2	2	2	2	2
1-5 YRS	12	1.3		<1	<1	1	1	2	3	3
6-12 YRS	29	1.8	1	<1	<1	1	2	3	4	4
13-19 YRS	102	3.3	12	1	1	2	4	7	10	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS										
13-19 YRS	3	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	2	3.5	13	1	1	3	6	6	6	6
1-5 YRS	8	1.6	1	1	1	1	2	3	4	4
6-12 YRS	10	2.3	2	1	1	2	3	5	5	5
13-19 YRS	22	3.4	6	<1	1	3	4	7	9	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	146	2.8	9	<1	<1	2	3	6	9	17
2. MULTIPLE DX										
A. *Not Operated*	4	1.0		<1	<1	1	1	1	1	1
B. *Operated*	42	2.8	5	1	1	2	3	6	7	10
1. SINGLE DX	147	2.8	9	<1	<1	2	3	6	9	17
2. MULTIPLE DX	46	2.7	5	<1	1	2	3	6	7	10
A. NOT OPERATED	5	1.4	1	<1	<1	1	2	3	3	3
B. OPERATED	188	2.8	8	<1	1	2	3	6	8	15
TOTAL 0-27 DYS										
1-11 MOS	5	2.4	4	<1	<1	2	3	6	6	6
1-5 YRS	21	1.4	1	<1	<1	1	2	3	3	4
6-12 YRS	39	1.9	1	<1	<1	2	2	4	5	5
13-19 YRS	128	3.3	11	1	1	2	4	7	9	19
GRAND TOTAL	**193**	**2.8**	**8**	**<1**	**1**	**2**	**3**	**6**	**8**	**15**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	9	2.0	2	<1	<1	1	3	5	5	5
6-12 YRS	3	1.7	1	<1	<1	1	2	3	3	3
13-19 YRS	5	2.6	1	1	1	3	3	4	4	4
B. *Operated*										
0-27 DYS	1	70.0		70	70	70	70	70	70	70
1-11 MOS	3	6.3	16	2	2	7	9	10	10	10
1-5 YRS	46	2.5	3	<1	1	2	3	5	6	8
6-12 YRS	36	4.4	22	<1	<1	2	6	11	15	20
13-19 YRS	40	6.1	25	<1	1	6	10	11	13	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	5.0	45	1	1	2	9	15	15	15
1-5 YRS	6	1.8	1	1	1	2	2	3	3	3
6-12 YRS	10	4.7	13	1	1	4	5	10	14	14
13-19 YRS	8	2.3	2	<1	<1	2	3	4	4	4
B. *Operated*										
0-27 DYS	1	32.0		32	32	32	32	32	32	32
1-11 MOS	3	8.7	86	1	1	6	16	19	19	19
1-5 YRS	25	3.1	5	1	1	2	4	7	7	8
6-12 YRS	35	3.9	15	1	1	2	6	9	11	17
13-19 YRS	54	6.1	18	1	1	6	9	12	14	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	2.4	3	<1	<1	2	3	5	6	7
B. *Operated*	126	4.8	52	<1	1	3	6	10	12	35
2. MULTIPLE DX										
A. *Not Operated*	28	3.4	12	<1	1	2	4	6	14	15
B. *Operated*	118	5.1	23	1	1	3	8	11	14	23
1. SINGLE DX	144	4.5	46	<1	1	3	6	10	12	27
2. MULTIPLE DX	146	4.8	21	1	1	3	7	11	14	20
A. NOT OPERATED	46	3.0	8	<1	1	2	4	5	8	15
B. OPERATED	244	5.0	38	<1	1	3	7	11	13	24
TOTAL 0-27 DYS	2	51.0	722	32	32	51	70	70	70	70
1-11 MOS	11	6.5	36	1	1	6	9	17	19	19
1-5 YRS	86	2.6	3	<1	1	2	3	5	7	8
6-12 YRS	84	4.1	17	<1	1	2	6	10	14	19
13-19 YRS	107	5.7	20	<1	1	5	9	11	12	20
GRAND TOTAL	**290**	**4.6**	**34**	**<1**	**1**	**3**	**6**	**10**	**12**	**22**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	1.3		1	1	1	2	2	2	2
1-5 YRS	21	1.1		<1	<1	1	1	2	2	2
6-12 YRS	11	1.4		<1	<1	1	2	2	2	2
13-19 YRS	4	1.0		<1	<1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	13	2.3	7	<1	<1	1	2	8	8	8
1-5 YRS	176	1.6	1	<1	<1	1	2	2	3	7
6-12 YRS	128	1.8	3	<1	<1	1	2	2	5	10
13-19 YRS	41	2.8	11	<1	<1	1	3	6	8	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	11	3.2	5	1	1	3	5	6	8	8
6-12 YRS	3	2.7	4	1	1	2	4	5	5	5
13-19 YRS	3	5.0	7	2	2	6	7	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS	3	1.7	1	1	1	1	3	3	3	3
1-5 YRS	71	3.5	20	<1	1	2	4	8	14	24
6-12 YRS	38	2.9	14	<1	<1	2	3	6	12	19
13-19 YRS	31	4.1	21	1	1	2	4	15	17	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	1.2		<1	<1	1	1	2	2	2
B. *Operated*	358	1.8	3	<1	<1	1	2	2	5	9
2. MULTIPLE DX										
A. *Not Operated*	18	3.5	5	1	1	3	5	7	8	8
B. *Operated*	143	3.4	18	<1	1	2	3	9	15	29
1. SINGLE DX	397	1.8	3	<1	<1	1	2	2	5	9
2. MULTIPLE DX	161	3.4	17	<1	1	2	4	8	14	24
A. NOT OPERATED	57	1.9	3	<1	<1	1	2	5	6	8
B. OPERATED	501	2.3	8	<1	<1	2	2	4	8	18
TOTAL 0-27 DYS										
1-11 MOS	20	2.2	5	<1	<1	1	2	6	8	8
1-5 YRS	279	2.1	7	<1	<1	1	2	3	6	15
6-12 YRS	180	2.0	5	<1	<1	1	2	3	6	13
13-19 YRS	79	3.3	15	<1	<1	2	4	8	15	76
GRAND TOTAL	**558**	**2.3**	**7**	**<1**	**<1**	**2**	**2**	**4**	**7**	**17**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	2.7	4	<1	<1	2	5	5	5	5
1-5 YRS	8	1.6	1	<1	<1	1	2	3	4	4
6-12 YRS	9	7.0	205	1	1	2	3	29	45	45
13-19 YRS	10	2.7	4	<1	<1	2	4	6	7	7
B. *Operated*										
0-27 DYS	5	5.4	7	3	3	5	7	9	9	9
1-11 MOS	63	2.5	6	<1	<1	2	3	5	9	12
1-5 YRS	165	2.8	16	<1	<1	2	3	5	7	20
6-12 YRS	434	2.3	3	<1	1	2	3	4	6	8
13-19 YRS	958	2.4	3	<1	1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	2.7	2	<1	<1	3	4	4	4	4
1-5 YRS	9	1.7	1	<1	<1	1	2	3	3	3
6-12 YRS	16	3.0	12	<1	<1	1	3	10	10	10
13-19 YRS	17	3.4	67	<1	<1	1	2	4	24	35
B. *Operated*										
0-27 DYS	4	3.5	6	2	2	3	5	7	7	7
1-11 MOS	14	5.4	27	<1	<1	3	7	15	15	15
1-5 YRS	49	3.8	22	<1	<1	2	4	8	16	23
6-12 YRS	77	3.5	10	<1	1	3	4	8	10	16
13-19 YRS	205	3.8	14	1	1	2	5	9	12	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	3.6	56	<1	<1	2	4	5	7	45
B. *Operated*	1625	2.4	5	<1	<1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	45	2.9	29	<1	<1	1	2	4	10	35
B. *Operated*	349	3.8	14	<1	1	2	5	9	12	20
1. SINGLE DX	1659	2.4	6	<1	<1	2	3	5	6	10
2. MULTIPLE DX	394	3.7	16	<1	<1	2	4	9	12	21
A. NOT OPERATED	79	3.2	40	<1	<1	1	3	5	9	42
B. OPERATED	1974	2.7	7	<1	1	2	3	5	7	13
TOTAL 0-27 DYS	9	4.6	7	2	2	3	7	8	9	9
1-11 MOS	87	3.0	10	<1	<1	2	3	7	11	15
1-5 YRS	231	2.9	16	<1	<1	2	3	5	8	21
6-12 YRS	536	2.5	7	<1	1	2	3	5	7	10
13-19 YRS	1190	2.6	6	<1	1	2	3	5	7	12
GRAND TOTAL	**2053**	**2.7**	**8**	**<1**	**<1**	**2**	**3**	**5**	**7**	**14**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	6.3	70	1	1	2	12	16	16	16
1-11 MOS	22	3.4	15	<1	<1	2	3	8	13	18
1-5 YRS	19	4.1	30	<1	<1	1	4	15	18	19
6-12 YRS	7	2.3	1	<1	<1	2	3	4	4	4
13-19 YRS	7	2.3	3	1	1	2	3	5	6	6
B. *Operated*										
0-27 DYS	11	2.5	4	1	1	2	3	6	8	8
1-11 MOS	228	2.9	11	<1	<1	2	3	6	9	19
1-5 YRS	614	2.1	11	<1	<1	1	2	4	6	10
6-12 YRS	397	2.1	4	<1	<1	1	2	4	5	11
13-19 YRS	335	2.5	18	<1	<1	2	3	4	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	31	4.6	55	<1	<1	2	5	10	11	41
1-5 YRS	35	3.4	14	<1	<1	2	4	11	12	17
6-12 YRS	14	2.8	13	<1	<1	1	3	7	12	14
13-19 YRS	13	2.5	6	<1	<1	2	3	6	8	9
B. *Operated*										
0-27 DYS	7	13.7	310	2	2	9	14	45	52	52
1-11 MOS	91	5.8	49	<1	1	2	8	14	22	32
1-5 YRS	152	4.5	60	<1	<1	2	4	10	15	53
6-12 YRS	104	4.1	47	<1	<1	2	4	8	17	41
13-19 YRS	112	5.3	106	<1	<1	2	4	13	22	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	3.5	19	<1	<1	2	3	8	17	19
B. *Operated*	1585	2.3	11	<1	<1	1	2	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	94	3.6	26	<1	<1	2	4	9	11	30
B. *Operated*	466	5.0	70	<1	<1	2	5	12	19	51
1. SINGLE DX	1643	2.3	11	<1	<1	1	2	5	7	14
2. MULTIPLE DX	560	4.8	63	<1	<1	2	5	11	17	45
A. NOT OPERATED	152	3.5	23	<1	<1	2	4	9	12	19
B. OPERATED	2051	2.9	26	<1	<1	2	3	6	9	24
TOTAL 0-27 DYS	22	6.5	124	1	1	2	8	15	30	52
1-11 MOS	372	3.8	25	<1	<1	2	4	9	12	26
1-5 YRS	820	2.7	22	<1	<1	1	3	5	8	18
6-12 YRS	522	2.5	13	<1	<1	1	3	5	8	17
13-19 YRS	467	3.2	40	<1	<1	2	3	6	9	25
GRAND TOTAL	**2203**	**3.0**	**25**	**<1**	**<1**	**2**	**3**	**6**	**9**	**23**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	3.5	1	3	3	3	4	4	4	4
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	16	2.5	4	<1	1	2	3	5	8	9
13-19 YRS	341	1.6		<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS										
6-12 YRS	3	2.3	2	<1	<1	2	3	4	4	4
13-19 YRS	57	2.0	1	<1	<1	2	2	3	4	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	360	1.6	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	61	2.0	1	<1	<1	2	2	3	4	7
1. SINGLE DX	360	1.6	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX	62	2.0	1	<1	<1	2	2	3	4	7
A. NOT OPERATED	1	1.0		1	1	1	1	1	1	1
B. OPERATED	421	1.7	1	<1	<1	2	2	2	3	5
TOTAL 0-27 DYS										
1-11 MOS	3	2.7	2	<1	<1	3	4	4	4	4
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	19	2.5	4	<1	<1	2	3	5	7	9
13-19 YRS	399	1.6	1	<1	<1	1	2	2	3	4
GRAND TOTAL	**422**	**1.7**	**1**	**<1**	**<1**	**2**	**2**	**2**	**3**	**5**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	4	6.3		6	6	6	7	7	7	7
1-5 YRS										
6-12 YRS										
13-19 YRS	14	4.7	5	<1	1	5	6	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	4.5	1	4	4	4	5	5	5	5
B. *Operated*										
0-27 DYS	6	6.7	4	4	4	6	8	10	10	10
1-11 MOS	33	6.1	5	2	3	6	7	8	9	13
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	2	7.0		7	7	7	7	7	7	7
13-19 YRS	17	6.4	32	2	2	5	6	13	21	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*	18	5.1	4	<1	1	5	6	7	8	8
2. MULTIPLE DX										
A. *Not Operated*	2	4.5	1	4	4	4	5	5	5	5
B. *Operated*	59	6.3	12	2	3	6	7	9	12	24
1. SINGLE DX	20	4.9	4	<1	1	5	6	7	8	8
2. MULTIPLE DX	61	6.2	12	2	3	6	7	9	11	24
A. NOT OPERATED	4	3.8	2	2	2	4	5	5	5	5
B. OPERATED	77	6.0	10	2	2	6	7	8	10	22
TOTAL 0-27 DYS	6	6.7	4	4	4	6	8	10	10	10
1-11 MOS	37	6.1	4	2	3	6	7	8	9	13
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	2	7.0		7	7	7	7	7	7	7
13-19 YRS	35	5.4	18	1	2	5	6	8	13	25
GRAND TOTAL	**81**	**5.9**	**10**	**2**	**2**	**6**	**7**	**8**	**10**	**22**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	5	3.8	6	1	1	4	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	6	3.8	5	1	1	4	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	1	1.0		1	1	1	1	1	1	1
1. SINGLE DX	6	3.8	5	1	1	4	5	7	7	7
2. MULTIPLE DX	1	1.0		1	1	1	1	1	1	1
A. NOT OPERATED										
B. OPERATED	7	3.4	5	1	1	4	5	7	7	7
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	6	3.3	6	1	1	3	5	7	7	7
GRAND TOTAL	**7**	**3.4**	**5**	**1**	**1**	**4**	**5**	**7**	**7**	**7**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	5	1.6	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	9	4.9	4	2	2	5	6	8	9	9
6-12 YRS	24	5.2	3	3	3	5	6	8	8	8
13-19 YRS	324	4.8	2	3	3	5	5	7	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	4.3	6	2	2	4	6	7	7	7
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	2	5.0		5	5	5	5	5	5	5
1-5 YRS	5	4.0	2	3	3	4	5	6	6	6
6-12 YRS	19	6.3	10	4	4	5	6	10	15	17
13-19 YRS	274	5.5	5	3	3	5	6	8	9	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.6	1	<1	<1	1	2	3	3	3
B. *Operated*	358	4.8	2	3	3	5	6	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	3	4.3	6	2	2	4	6	7	7	7
B. *Operated*	301	5.6	6	3	3	5	6	8	9	17
1. SINGLE DX	363	4.8	2	3	3	5	6	7	7	9
2. MULTIPLE DX	304	5.5	6	3	3	5	6	8	9	17
A. NOT OPERATED	8	2.6	4	<1	<1	2	3	6	7	7
B. OPERATED	659	5.1	4	3	3	5	6	7	8	11
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	3	5.3		5	5	5	6	6	6	6
1-5 YRS	14	4.6	3	2	3	4	5	7	9	9
6-12 YRS	43	5.7	6	3	4	5	6	8	10	17
13-19 YRS	606	5.1	4	3	3	5	6	7	8	11
GRAND TOTAL	**667**	**5.1**	**4**	**3**	**3**	**5**	**6**	**7**	**8**	**11**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	<1	<1	1	2	2	2	2
1-5 YRS										
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	8	4.3	6	<1	1	4	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	2	4.0	2	3	3	4	5	5	5	5
13-19 YRS	4	5.5	4	3	3	5	7	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	12	3.3	6	<1	<1	3	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	7	4.6	4	2	2	5	6	8	8	8
1. SINGLE DX	13	3.3	5	<1	<1	3	4	7	8	8
2. MULTIPLE DX	8	4.1	5	1	1	4	6	7	8	8
A. NOT OPERATED	2	2.0	2	1	1	2	3	3	3	3
B. OPERATED	19	3.8	5	<1	1	3	5	7	8	8
TOTAL 0-27 DYS										
1-11 MOS	2	1.5	1	<1	<1	1	2	2	2	2
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	5	2.8	2	1	1	3	4	5	5	5
13-19 YRS	13	4.4	6	<1	1	4	6	8	8	8
GRAND TOTAL	**21**	**3.6**	**5**	**<1**	**1**	**3**	**5**	**7**	**8**	**8**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	6	1.2		<1	<1	<1	1	2	2	2
6-12 YRS	4	1.3		<1	<1	1	2	2	2	2
13-19 YRS	13	1.6	1	<1	<1	1	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	5	2.0	1	<1	<1	2	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	24	1.4	1	<1	<1	1	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	8	2.3	2	<1	<1	2	3	4	5	5
1. SINGLE DX	24	1.4	1	<1	<1	1	2	3	3	4
2. MULTIPLE DX	8	2.3	2	<1	<1	2	3	4	5	5
A. NOT OPERATED										
B. OPERATED	32	1.6	1	<1	<1	1	2	3	4	5
TOTAL 0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	7	1.7	2	<1	<1	<1	2	4	5	5
6-12 YRS	6	1.3		<1	<1	1	2	2	2	2
13-19 YRS	18	1.7	1	<1	<1	1	3	3	4	4
GRAND TOTAL	**32**	**1.6**	**1**	**<1**	**<1**	**1**	**2**	**3**	**4**	**5**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	5	8.4	19	4	4	7	12	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	15.0		15	15	15	15	15	15	15
6-12 YRS	3	2.7	4	1	1	2	4	5	5	5
13-19 YRS	3	5.7	12	2	2	6	8	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	8	5.9	23	1	1	4	9	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	7	5.7	25	1	1	5	8	14	15	15
1. SINGLE DX	9	5.6	21	1	1	4	8	13	14	14
2. MULTIPLE DX	7	5.7	25	1	1	5	8	14	15	15
A. NOT OPERATED	1	3.0		3	3	3	3	3	3	3
B. OPERATED	15	5.8	22	1	1	5	8	14	15	15
TOTAL 0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	8.0	98	1	1	8	15	15	15	15
6-12 YRS	4	2.5	3	1	1	2	4	5	5	5
13-19 YRS	9	6.9	17	2	2	6	10	13	14	14
GRAND TOTAL	**16**	**5.6**	**21**	**1**	**1**	**4**	**8**	**14**	**15**	**15**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	12	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	13	1.7	1	<1	<1	1	2	3	5	5
6-12 YRS	10	1.2		<1	<1	<1	1	2	2	2
13-19 YRS	16	1.5	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	9	1.6	1	<1	<1	1	2	3	3	3
6-12 YRS	5	2.2	2	1	1	2	3	4	4	4
13-19 YRS	3	15.0	508	1	1	3	31	41	41	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	51	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	4	1.3		<1	<1	<1	1	2	2	2
B. *Operated*	19	3.8	82	<1	<1	1	3	4	24	41
1. SINGLE DX	51	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX	23	3.3	68	<1	<1	1	2	3	17	41
A. NOT OPERATED	4	1.3		<1	<1	<1	1	2	2	2
B. OPERATED	70	2.0	23	<1	<1	1	2	3	3	34
TOTAL 0-27 DYS										
1-11 MOS	15	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	24	1.6	1	<1	<1	1	2	3	4	5
6-12 YRS	15	1.5	1	<1	<1	1	2	3	4	4
13-19 YRS	20	3.6	78	<1	<1	1	2	3	22	41
GRAND TOTAL	**74**	**2.0**	**22**	**<1**	**<1**	**1**	**2**	**3**	**3**	**32**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS	5	9.8	25	3	3	13	13	14	14	14
1-5 YRS	3	5.7	2	4	4	6	7	7	7	7
6-12 YRS	9	8.7	14	3	4	8	10	14	16	16
13-19 YRS	13	9.5	30	1	3	7	13	17	20	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	3	6.7	96	1	1	1	14	18	18	18
6-12 YRS	3	1.7	1	1	1	1	3	3	3	3
13-19 YRS	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS	1	35.0		35	35	35	35	35	35	35
1-11 MOS	3	21.7	177	7	7	25	31	33	33	33
1-5 YRS	7	10.4	22	6	6	9	14	18	18	18
6-12 YRS	12	13.7	111	2	4	11	17	31	38	39
13-19 YRS	32	16.3	187	5	6	13	17	31	50	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.8		<1	<1	2	2	2	2	2
B. *Operated*	30	8.9	21	3	3	8	12	15	16	21
2. MULTIPLE DX										
A. *Not Operated*	9	3.6	30	1	1	2	3	12	18	18
B. *Operated*	55	15.6	152	5	6	12	18	33	44	65
1. SINGLE DX	34	8.1	24	1	2	7	12	15	16	21
2. MULTIPLE DX	64	13.9	152	1	2	11	17	28	41	64
A. NOT OPERATED	13	3.0	21	<1	<1	2	2	6	16	18
B. OPERATED	85	13.2	116	4	5	10	15	25	36	61
TOTAL 0-27 DYS	2	18.5	545	2	2	18	35	35	35	35
1-11 MOS	10	11.8	107	<1	1	10	14	29	33	33
1-5 YRS	13	8.5	32	1	1	7	11	18	18	18
6-12 YRS	25	10.0	74	1	2	8	12	20	30	39
13-19 YRS	48	13.6	149	2	4	11	15	22	46	66
GRAND TOTAL	**98**	**11.9**	**115**	**1**	**2**	**9**	**15**	**22**	**34**	**59**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS	4	1.5	1	<1	<1	1	2	3	3	3
6-12 YRS	4	2.3	2	1	1	2	3	4	4	4
13-19 YRS	100	2.9	2	1	1	3	4	4	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	3	3.0	1	2	2	3	4	4	4	4
13-19 YRS	18	3.4	4	1	1	3	4	6	8	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	109	2.8	2	1	1	3	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*	22	3.4	3	1	2	3	4	6	7	9
1. SINGLE DX	109	2.8	2	1	1	3	3	4	5	10
2. MULTIPLE DX	24	3.4	3	1	2	3	4	6	7	9
A. NOT OPERATED	2	3.5	5	2	2	3	5	5	5	5
B. OPERATED	131	2.9	3	1	1	3	4	4	5	10
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	4	1.5	1	<1	<1	1	2	3	3	3
6-12 YRS	7	2.6	2	1	1	3	4	4	4	4
13-19 YRS	120	3.0	3	1	1	3	4	5	6	10
GRAND TOTAL	**133**	**2.9**	**3**	**1**	**1**	**3**	**4**	**4**	**5**	**10**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	5	3.4	2	2	2	3	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	7.6	5	4	4	9	9	9	9	9
13-19 YRS	21	6.5	8	2	3	7	8	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	4.0	3	2	2	4	5	6	6	6
13-19 YRS	8	3.5	7	1	1	3	5	8	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS	2	9.0	32	5	5	9	13	13	13	13
1-5 YRS	4	9.3	20	4	4	10	13	13	13	13
6-12 YRS	2	10.0	162	1	1	10	19	19	19	19
13-19 YRS	23	12.4	142	3	4	8	12	32	43	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	3.0	2	<1	<1	3	4	5	5	5
B. *Operated*	26	6.7	7	2	3	7	8	10	12	12
2. MULTIPLE DX										
A. *Not Operated*	12	3.7	6	1	1	3	5	7	9	9
B. *Operated*	31	11.6	114	2	3	8	13	25	39	49
1. SINGLE DX	34	5.9	8	2	2	6	8	9	11	12
2. MULTIPLE DX	43	9.4	96	1	2	7	11	19	33	49
A. NOT OPERATED	20	3.4	4	<1	1	3	5	6	7	9
B. OPERATED	57	9.4	70	2	3	7	10	15	27	48
TOTAL 0-27 DYS										
1-11 MOS	2	9.0	32	5	5	9	13	13	13	13
1-5 YRS	5	7.6	29	<1	<1	7	13	13	13	13
6-12 YRS	13	6.2	23	1	2	5	9	11	18	19
13-19 YRS	57	8.2	73	2	2	6	9	12	27	48
GRAND TOTAL	**77**	**7.8**	**60**	**1**	**2**	**6**	**9**	**13**	**20**	**47**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	3	5.0	3	4	4	4	6	7	7	7
1-5 YRS										
6-12 YRS										
13-19 YRS	25	2.3	2	<1	1	2	3	4	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	3	3.0	3	1	1	4	4	4	4	4
1-5 YRS										
6-12 YRS										
13-19 YRS	14	3.1	5	1	1	2	5	6	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	28	2.6	3	1	1	2	3	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	17	3.1	5	1	1	2	4	6	7	8
1. SINGLE DX	28	2.6	3	1	1	2	3	6	7	7
2. MULTIPLE DX	17	3.1	5	1	1	2	4	6	7	8
A. NOT OPERATED										
B. OPERATED	45	2.8	4	1	1	2	4	6	7	8
TOTAL 0-27 DYS										
1-11 MOS	6	4.0	4	1	1	4	4	7	7	7
1-5 YRS										
6-12 YRS										
13-19 YRS	39	2.6	3	1	1	2	3	6	7	8
GRAND TOTAL	**45**	**2.8**	**4**	**1**	**1**	**2**	**4**	**6**	**7**	**8**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS										
6-12 YRS	2	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS										
6-12 YRS										
13-19 YRS	2	7.5	85	1	1	7	14	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	6	1.8	2	<1	<1	1	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	3	7.7	42	1	1	8	12	14	14	14
1. SINGLE DX	7	2.0	2	<1	<1	1	3	4	4	4
2. MULTIPLE DX	3	7.7	42	1	1	8	12	14	14	14
A. NOT OPERATED	1	3.0		3	3	3	3	3	3	3
B. OPERATED	9	3.8	20	<1	<1	1	5	12	14	14
TOTAL 0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	2	4.5	25	<1	<1	4	8	8	8	8
1-5 YRS										
6-12 YRS	2	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	5	5.0	27	1	1	3	6	14	14	14
GRAND TOTAL	**10**	**3.7**	**18**	**<1**	**<1**	**2**	**4**	**11**	**14**	**14**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	7	2.6	5	1	1	2	4	6	7	7
1-5 YRS	27	2.6	9	<1	<1	1	2	8	10	12
6-12 YRS	36	2.7	3	<1	<1	2	4	5	6	8
13-19 YRS	46	3.0	5	<1	1	3	4	5	9	10
B. *Operated*										
0-27 DYS	7	5.3	7	2	2	5	7	9	10	10
1-11 MOS	23	3.6	8	<1	1	3	5	8	10	11
1-5 YRS	86	4.7	33	<1	1	2	6	11	16	31
6-12 YRS	117	4.6	18	<1	1	3	6	10	13	22
13-19 YRS	212	4.3	14	1	1	3	6	9	11	27
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	5.0	37	<1	<1	2	9	12	12	12
1-11 MOS	16	5.4	144	<1	<1	2	4	6	37	50
1-5 YRS	36	2.8	7	<1	<1	2	4	4	7	15
6-12 YRS	55	3.6	14	<1	1	2	4	9	10	21
13-19 YRS	69	4.2	24	1	1	3	5	9	11	25
B. *Operated*										
0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	20	10.6	107	1	2	8	12	28	34	37
1-5 YRS	61	8.9	69	1	2	6	13	18	25	45
6-12 YRS	93	9.1	79	1	2	6	11	22	30	43
13-19 YRS	149	8.7	151	1	1	5	10	17	27	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	117	2.8	5	<1	<1	2	4	5	8	11
B. *Operated*	445	4.4	18	<1	1	3	6	9	12	25
2. MULTIPLE DX										
A. *Not Operated*	179	3.9	28	<1	1	2	4	8	10	25
B. *Operated*	325	8.9	111	1	2	6	11	20	29	51
1. SINGLE DX	562	4.1	16	<1	1	3	5	9	11	23
2. MULTIPLE DX	504	7.1	87	1	1	4	9	16	23	47
A. NOT OPERATED	296	3.4	19	<1	1	2	4	8	10	24
B. OPERATED	770	6.3	62	1	1	4	8	13	20	37
TOTAL 0-27 DYS	13	4.5	12	<1	1	4	6	10	12	12
1-11 MOS	66	6.0	77	1	1	3	6	12	25	48
1-5 YRS	210	5.3	42	<1	1	3	7	13	17	32
6-12 YRS	301	5.6	40	<1	1	3	7	12	18	32
13-19 YRS	476	5.5	62	1	1	3	7	10	15	42
GRAND TOTAL	**1066**	**5.5**	**52**	**<1**	**1**	**3**	**7**	**12**	**17**	**34**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	8	2.6	1	1	1	3	3	4	4	4
13-19 YRS	57	2.9	1	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS	3	2.0	1	1	1	2	3	3	3	3
13-19 YRS	6	2.7	5	1	1	2	5	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	3	5.3	2	4	4	5	6	7	7	7
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	18	3.3	2	1	1	3	4	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.0	3	1	1	1	3	4	4	4
B. *Operated*	67	2.9	1	1	1	3	4	4	5	5
2. MULTIPLE DX										
A. *Not Operated*	10	2.3	3	1	1	2	3	5	6	6
B. *Operated*	22	3.5	3	1	1	3	5	6	7	7
1. SINGLE DX	70	2.9	1	1	1	3	4	4	5	5
2. MULTIPLE DX	32	3.2	3	1	1	3	5	6	6	7
A. NOT OPERATED	13	2.2	3	1	1	1	3	5	6	6
B. OPERATED	89	3.1	2	1	1	3	4	5	5	7
TOTAL 0-27 DYS										
1-11 MOS	5	4.0	5	1	1	4	5	7	7	7
1-5 YRS	3	1.3		1	1	1	2	2	2	2
6-12 YRS	12	2.5	1	1	1	2	3	4	4	4
13-19 YRS	82	3.0	2	1	1	3	4	5	5	6
GRAND TOTAL	**102**	**3.0**	**2**	**1**	**1**	**3**	**4**	**5**	**5**	**7**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	7	3.6	3	2	2	3	5	7	7	7
1-11 MOS										
1-5 YRS	12	4.3	10	<1	1	3	5	10	11	11
6-12 YRS	12	3.2	7	1	1	2	5	7	9	9
13-19 YRS	31	4.2	9	1	1	4	6	9	11	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	15	2.9	2	1	1	3	4	5	5	5
13-19 YRS	94	4.1	4	1	2	4	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	4.4	5	2	2	4	6	8	8	8
1-11 MOS	13	8.7	106	<1	<1	5	11	23	34	36
1-5 YRS	13	6.4	53	1	1	4	6	20	24	25
6-12 YRS	19	3.6	4	1	1	3	5	6	7	8
13-19 YRS	66	4.9	32	1	1	4	6	8	10	40
B. *Operated*										
0-27 DYS	1	18.0		18	18	18	18	18	18	18
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	7	11.9	168	2	2	6	20	34	36	36
13-19 YRS	35	5.1	12	1	2	4	5	11	12	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	4.0	8	1	1	3	5	8	11	12
B. *Operated*	110	3.9	4	1	2	4	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	116	5.3	38	1	1	4	6	8	17	39
B. *Operated*	44	6.4	43	1	2	4	6	13	20	36
1. SINGLE DX	172	3.9	6	1	1	4	5	7	9	12
2. MULTIPLE DX	160	5.6	39	1	1	4	6	9	18	36
A. NOT OPERATED	178	4.8	28	1	1	4	6	8	12	33
B. OPERATED	154	4.6	16	1	2	4	5	7	12	24
TOTAL 0-27 DYS	13	5.0	19	2	2	3	6	10	16	18
1-11 MOS	13	8.7	106	<1	<1	5	11	23	34	36
1-5 YRS	27	5.1	31	1	1	4	6	11	20	25
6-12 YRS	53	4.4	31	1	1	3	5	7	9	36
13-19 YRS	226	4.5	14	1	1	4	5	8	11	15
GRAND TOTAL	**332**	**4.7**	**22**	**1**	**1**	**4**	**5**	**8**	**12**	**27**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	141	5.2	5	2	2	5	7	8	9	11
6-12 YRS	298	5.6	6	2	3	5	7	8	10	14
13-19 YRS	235	4.7	7	1	2	4	6	8	10	13
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	3.8	30	1	1	2	2	14	15	15
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	7	6.0	4	3	3	6	7	9	9	9
1-5 YRS	84	5.4	9	1	1	5	7	9	12	14
6-12 YRS	225	5.0	18	1	1	5	6	9	10	24
13-19 YRS	252	5.8	43	1	2	5	7	10	14	39
B. Operated										
0-27 DYS										
1-11 MOS	2	20.0	2	19	19	20	21	21	21	21
1-5 YRS	2	15.0	98	8	8	15	22	22	22	22
6-12 YRS										
13-19 YRS	9	4.3	20	1	1	3	4	12	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	675	5.2	6	1	2	5	7	8	9	13
B. Operated	6	3.8	30	1	1	2	2	14	15	15
2. MULTIPLE DX										
A. Not Operated	569	5.4	28	1	1	5	7	9	12	36
B. Operated	13	8.4	64	1	2	3	16	21	22	22
1. SINGLE DX	681	5.2	6	1	2	5	7	8	9	14
2. MULTIPLE DX	582	5.5	29	1	1	5	7	9	12	34
A. NOT OPERATED	1244	5.3	16	1	2	5	7	8	10	16
B. OPERATED	19	6.9	56	1	1	3	13	20	22	22
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	10	8.6	39	3	3	6	9	20	21	21
1-5 YRS	227	5.4	8	1	2	5	7	8	10	14
6-12 YRS	523	5.3	11	1	2	5	7	8	10	14
13-19 YRS	502	5.2	26	1	2	4	7	9	11	24
GRAND TOTAL	**1263**	**5.3**	**17**	**1**	**2**	**5**	**7**	**9**	**10**	**17**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	9	6.4	24	<1	1	6	7	14	18	18
1-5 YRS	104	5.6	9	2	2	5	7	9	10	19
6-12 YRS	723	4.7	21	1	1	4	6	9	11	20
13-19 YRS	1733	3.5	6	1	1	3	5	6	8	12
B. Operated										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	8	5.3	5	3	3	5	7	9	9	9
13-19 YRS	9	5.6	12	2	2	5	7	11	13	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	6	2.8	2	1	1	3	4	5	5	5
1-11 MOS	16	6.4	13	1	1	7	9	11	11	11
1-5 YRS	128	5.9	11	1	2	6	7	11	12	16
6-12 YRS	801	4.9	25	1	1	4	6	9	11	19
13-19 YRS	2192	4.1	11	1	2	3	5	7	9	15
B. Operated										
0-27 DYS										
1-11 MOS	3	5.7	6	3	3	6	7	8	8	8
1-5 YRS	1	22.0		22	22	22	22	22	22	22
6-12 YRS	14	8.4	22	3	3	9	11	16	17	17
13-19 YRS	97	8.6	47	2	3	7	11	14	20	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2569	3.9	10	1	1	3	5	7	9	14
B. Operated	19	5.7	8	2	2	5	8	9	11	13
2. MULTIPLE DX										
A. Not Operated	3143	4.4	15	1	1	4	6	8	10	16
B. Operated	115	8.6	44	2	3	7	11	15	20	39
1. SINGLE DX	2588	4.0	10	1	1	3	5	7	9	14
2. MULTIPLE DX	3258	4.6	17	1	2	4	6	8	10	17
A. NOT OPERATED	5712	4.2	13	1	1	3	5	8	9	15
B. OPERATED	134	8.2	40	2	3	7	10	14	19	35
TOTAL 0-27 DYS	6	2.8	2	1	1	3	4	5	5	5
1-11 MOS	29	6.3	14	1	1	7	8	11	12	18
1-5 YRS	234	5.9	12	1	2	6	7	10	11	18
6-12 YRS	1546	4.8	23	1	1	4	6	9	11	19
13-19 YRS	4031	4.0	10	1	1	3	5	7	9	14
GRAND TOTAL	**5846**	**4.3**	**14**	**1**	**1**	**3**	**5**	**8**	**10**	**16**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	5.5	41	<1	<1	5	10	10	10	10
1-11 MOS	6	8.2	14	3	3	7	12	13	13	13
1-5 YRS	138	5.3	8	1	2	5	7	9	10	14
6-12 YRS	455	5.4	8	2	2	5	7	9	11	16
13-19 YRS	729	4.8	8	1	2	4	6	8	10	15
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	12	3.3	4	<1	1	2	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	13	14.8	354	4	5	8	16	31	67	75
1-11 MOS	27	6.8	20	2	3	6	8	11	15	24
1-5 YRS	91	6.5	29	1	2	6	8	13	14	74
6-12 YRS	377	5.7	35	1	2	4	7	10	12	42
13-19 YRS	946	5.0	21	1	1	4	6	9	12	26
B. *Operated*										
0-27 DYS	3	15.0	112	7	7	11	23	27	27	27
1-11 MOS	12	25.8	769	3	4	15	36	70	91	95
1-5 YRS	1	19.0		19	19	19	19	19	19	19
6-12 YRS	8	5.0	7	1	1	5	7	8	9	9
13-19 YRS	59	9.3	96	2	2	5	11	20	34	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1330	5.1	8	1	2	5	7	9	10	15
B. *Operated*	14	3.4	4	<1	1	2	5	6	8	8
2. MULTIPLE DX										
A. *Not Operated*	1454	5.4	29	1	1	4	7	9	12	33
B. *Operated*	83	11.6	213	2	3	7	12	28	42	83
1. SINGLE DX	1344	5.0	8	1	2	5	7	9	10	15
2. MULTIPLE DX	1537	5.7	41	1	2	4	7	10	13	41
A. NOT OPERATED	2784	5.2	19	1	2	4	7	9	11	22
B. OPERATED	97	10.4	191	2	2	5	10	24	39	78
TOTAL 0-27 DYS	18	13.8	275	2	4	9	15	25	56	75
1-11 MOS	45	12.0	276	3	3	7	11	24	45	95
1-5 YRS	231	5.8	17	1	2	5	7	10	13	29
6-12 YRS	841	5.5	20	1	2	5	7	9	11	26
13-19 YRS	1746	5.0	18	1	2	4	6	9	11	22
GRAND TOTAL	**2881**	**5.4**	**26**	**1**	**2**	**5**	**7**	**9**	**12**	**28**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	11	1.6		1	1	2	2	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	42	3.5	5	<1	1	3	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	13	4.1	8	1	1	3	5	8	10	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	70	3.5	7	<1	1	3	5	6	7	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	1.7		1	1	2	2	3	3	3
B. *Operated*	42	3.5	5	<1	1	3	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	15	3.9	7	1	1	3	5	7	10	11
B. *Operated*	71	3.5	7	<1	1	3	5	6	7	16
1. SINGLE DX	54	3.1	5	1	1	3	4	6	7	11
2. MULTIPLE DX	86	3.5	7	<1	1	3	5	6	8	15
A. NOT OPERATED	27	2.9	5	1	1	2	3	6	8	11
B. OPERATED	113	3.5	6	<1	1	3	5	6	7	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	3	2.7	1	2	2	2	4	4	4	4
13-19 YRS	136	3.4	6	<1	1	3	5	6	7	12
GRAND TOTAL	**140**	**3.4**	**6**	**<1**	**1**	**3**	**5**	**6**	**7**	**12**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	11	6.7	37	<1	<1	5	8	17	21	21
1-11 MOS	28	3.6	11	<1	<1	2	5	8	10	15
1-5 YRS	183	2.1	7	<1	1	1	2	4	7	15
6-12 YRS	144	1.9	2	<1	<1	1	2	3	4	9
13-19 YRS	149	2.6	3	<1	1	2	3	6	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS	4	5.8	33	<1	<1	4	9	14	14	14
1-5 YRS	25	5.1	20	<1	2	3	7	12	14	18
6-12 YRS	23	4.3	9	<1	1	3	7	9	10	10
13-19 YRS	19	5.1	10	<1	1	4	8	9	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	19	9.6	208	<1	1	6	11	16	44	66
1-11 MOS	85	4.6	20	1	1	3	6	12	15	19
1-5 YRS	306	2.8	8	1	1	2	3	5	8	13
6-12 YRS	275	2.6	11	<1	1	2	3	5	7	18
13-19 YRS	353	3.1	7	<1	1	2	4	6	9	15
B. *Operated*										
0-27 DYS	3	20.7	352	4	4	29	70	99+	99+	99+
1-11 MOS	15	19.7	614	1	2	9	28	63	79	84
1-5 YRS	24	5.5	33	1	1	4	7	9	17	29
6-12 YRS	8	3.4	5	1	1	2	5	7	7	7
13-19 YRS	37	6.6	23	2	2	5	8	14	17	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	515	2.4	6	<1	1	2	3	5	7	14
B. *Operated*	71	4.9	14	<1	1	4	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	1038	3.1	14	<1	1	2	4	6	9	17
B. *Operated*	87	8.7	160	1	2	5	9	19	37	94
1. SINGLE DX	586	2.7	8	<1	1	2	3	6	8	14
2. MULTIPLE DX	1125	3.6	28	1	1	2	4	7	10	23
A. NOT OPERATED	1553	2.9	12	<1	1	2	3	6	8	15
B. OPERATED	158	7.0	98	1	1	4	8	14	21	82
TOTAL 0-27 DYS	33	9.7	165	<1	1	6	12	23	61	99+
1-11 MOS	132	6.2	105	1	1	3	7	14	18	67
1-5 YRS	538	2.8	10	1	1	2	3	6	8	15
6-12 YRS	450	2.5	8	<1	1	2	3	5	7	12
13-19 YRS	558	3.3	8	1	1	2	4	7	9	15
GRAND TOTAL	**1711**	**3.3**	**21**	**<1**	**1**	**2**	**4**	**7**	**10**	**19**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	6.5	34	2	2	4	10	15	15	15
1-11 MOS	10	5.2	32	1	1	3	7	14	20	20
1-5 YRS	9	4.0	5	1	1	4	6	7	7	7
6-12 YRS	2	7.5	25	4	4	7	11	11	11	11
13-19 YRS	3	7.3	14	3	3	9	10	10	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	11	6.7	30	3	3	5	8	16	21	21
1-11 MOS	65	9.3	98	2	3	6	11	21	26	60
1-5 YRS	48	8.5	174	1	2	4	8	15	42	72
6-12 YRS	20	17.4	354	1	1	9	34	74	99+	99+
13-19 YRS	39	14.3	342	1	1	8	14	53	60	63
B. *Operated*										
0-27 DYS										
1-11 MOS	6	15.7	620	1	1	6	11	60	66	66
1-5 YRS	18	14.2	357	2	3	9	21	90	99+	99+
6-12 YRS	10	18.4	377	5	5	12	24	47	70	70
13-19 YRS	18	6.8	27	1	3	5	9	19	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	5.4	19	1	1	4	7	11	15	20
B. *Operated*	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	183	10.9	200	1	2	6	12	30	57	90
B. *Operated*	52	12.6	276	1	3	8	15	66	95	99+
1. SINGLE DX	29	5.2	19	1	1	4	7	11	15	20
2. MULTIPLE DX	235	11.3	216	1	2	6	13	31	62	99+
A. NOT OPERATED	211	10.2	179	1	2	5	11	27	49	82
B. OPERATED	53	12.4	273	1	3	7	15	63	94	99+
TOTAL 0-27 DYS	15	6.7	29	2	3	5	8	15	19	21
1-11 MOS	81	9.3	126	1	2	6	10	20	27	66
1-5 YRS	75	9.4	203	1	2	5	10	27	64	99+
6-12 YRS	32	17.1	334	1	2	10	30	64	94	99+
13-19 YRS	61	11.5	239	1	1	6	12	36	60	96
GRAND TOTAL	**264**	**10.6**	**198**	**1**	**2**	**6**	**12**	**29**	**58**	**99+**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	1.5	1	1	1	1	2	3	3	3
1-11 MOS	41	7.0	38	2	2	6	9	16	20	30
1-5 YRS	98	8.0	29	<1	1	8	11	14	16	25
6-12 YRS	154	10.9	32	3	4	10	14	17	20	28
13-19 YRS	184	11.0	20	3	6	10	14	16	18	27
B. *Operated*										
0-27 DYS	2	12.0	32	8	8	12	16	16	16	16
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	5	5.6	30	1	1	2	11	13	13	13
6-12 YRS	6	17.3	67	10	10	14	26	29	29	29
13-19 YRS	12	13.3	56	2	4	12	17	23	30	31
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	5.5	41	1	1	5	10	10	10	10
1-11 MOS	129	8.2	39	2	2	7	11	17	21	29
1-5 YRS	183	9.0	33	1	2	9	13	15	17	25
6-12 YRS	293	11.3	36	3	4	10	14	17	21	30
13-19 YRS	385	12.1	59	3	4	11	15	19	22	44
B. *Operated*										
0-27 DYS	5	51.8	488	30	30	61	76	98	99+	99+
1-11 MOS	18	19.8	460	2	2	14	23	48	74	87
1-5 YRS	17	16.9	79	2	6	16	21	26	35	40
6-12 YRS	29	14.0	100	1	3	13	24	28	29	31
13-19 YRS	52	15.3	144	3	5	14	17	26	35	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	481	10.0	30	2	3	10	13	16	19	28
B. *Operated*	26	12.3	63	2	2	11	16	25	29	31
2. MULTIPLE DX										
A. *Not Operated*	992	10.8	47	2	3	10	14	18	21	37
B. *Operated*	121	17.4	231	2	4	14	21	32	51	91
1. SINGLE DX	507	10.1	31	2	3	10	13	16	19	29
2. MULTIPLE DX	1113	11.5	71	2	3	10	14	19	23	46
A. NOT OPERATED	1473	10.5	41	2	3	10	14	17	20	31
B. OPERATED	147	16.5	205	2	3	14	20	31	41	87
TOTAL 0-27 DYS	13	23.1	740	1	1	13	49	78	95	99+
1-11 MOS	189	9.1	89	2	2	7	11	19	23	48
1-5 YRS	303	9.1	38	<1	2	9	13	16	20	27
6-12 YRS	482	11.4	40	3	4	10	14	18	22	30
13-19 YRS	633	12.1	56	3	5	11	15	19	22	41
GRAND TOTAL	**1620**	**11.1**	**59**	**2**	**3**	**10**	**14**	**18**	**22**	**40**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	9	3.1	3	2	2	2	4	6	7	7
6-12 YRS	15	2.7	4	1	1	2	3	5	7	8
13-19 YRS	12	4.4	56	1	1	2	3	11	26	28
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS										
13-19 YRS	36	6.1	2	3	4	6	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	14	8.2	352	1	1	3	5	14	60	73
6-12 YRS	20	8.9	186	1	2	4	7	28	47	52
13-19 YRS	42	15.7	643	1	1	5	12	44	93	99
B. *Operated*										
0-27 DYS										
1-11 MOS	4	7.8	9	4	4	8	10	11	11	11
1-5 YRS	2	9.0	8	7	7	9	11	11	11	11
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	59	8.6	69	4	5	7	9	14	16	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	3.3	19	1	1	2	4	5	8	28
B. *Operated*	37	6.0	2	3	4	6	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	77	12.4	468	1	1	5	10	35	69	99
B. *Operated*	66	8.5	62	4	5	7	9	12	16	56
1. SINGLE DX	75	4.7	13	1	2	4	6	8	8	23
2. MULTIPLE DX	143	10.6	282	1	2	6	9	16	45	98
A. NOT OPERATED	115	9.4	336	1	1	3	7	25	49	98
B. OPERATED	103	7.6	42	4	4	6	8	10	15	47
TOTAL 0-27 DYS										
1-11 MOS	8	5.4	11	1	2	4	8	10	11	11
1-5 YRS	25	6.4	198	1	1	3	5	7	26	73
6-12 YRS	36	6.3	112	1	1	3	5	13	34	52
13-19 YRS	149	9.7	226	1	2	6	8	15	32	98
GRAND TOTAL	**218**	**8.6**	**197**	**1**	**2**	**5**	**8**	**13**	**30**	**93**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	65	3.4	55	1	1	2	3	5	6	53
1-11 MOS	77	3.6	14	<1	<1	2	4	9	14	16
1-5 YRS	185	2.5	10	<1	<1	1	3	5	8	19
6-12 YRS	120	2.7	79	<1	<1	1	2	4	6	36
13-19 YRS	117	2.1	17	<1	<1	1	2	4	4	20
B. *Operated*										
0-27 DYS	2	29.5	13	27	27	29	32	32	32	32
1-11 MOS	17	9.3	146	1	1	5	10	22	40	49
1-5 YRS	53	3.4	9	<1	1	2	4	6	10	17
6-12 YRS	36	3.8	7	1	1	3	5	7	8	14
13-19 YRS	41	3.6	10	<1	1	3	4	8	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	37	4.5	18	1	1	3	6	9	12	24
1-11 MOS	161	7.2	120	<1	1	4	8	15	22	56
1-5 YRS	271	4.6	40	<1	<1	3	5	10	15	35
6-12 YRS	209	3.5	51	<1	<1	2	3	7	10	21
13-19 YRS	139	4.5	43	<1	<1	3	5	9	13	40
B. *Operated*										
0-27 DYS	6	14.7	265	2	2	8	36	87	99+	99+
1-11 MOS	36	16.9	420	1	2	10	30	78	99+	99+
1-5 YRS	76	12.3	288	1	1	7	16	40	83	99+
6-12 YRS	44	8.3	117	1	2	4	9	18	34	51
13-19 YRS	59	7.7	62	<1	1	6	10	17	22	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	564	2.7	32	<1	<1	1	3	5	7	18
B. *Operated*	149	4.6	35	1	1	3	5	8	14	32
2. MULTIPLE DX										
A. *Not Operated*	817	4.8	59	<1	<1	3	5	10	15	41
B. *Operated*	221	11.1	221	1	1	6	13	34	67	99+
1. SINGLE DX	713	3.1	33	<1	<1	2	3	6	8	22
2. MULTIPLE DX	1038	6.2	100	<1	<1	3	7	13	23	82
A. NOT OPERATED	1381	4.0	49	<1	<1	2	4	8	12	34
B. OPERATED	370	8.4	156	1	1	4	9	23	44	99+
TOTAL 0-27 DYS	110	4.9	68	1	1	3	5	8	27	76
1-11 MOS	291	7.5	143	<1	1	4	8	18	33	97
1-5 YRS	585	4.8	69	<1	<1	2	5	11	19	62
6-12 YRS	409	3.8	65	<1	<1	2	4	7	10	36
13-19 YRS	356	4.1	37	<1	<1	2	4	9	13	37
GRAND TOTAL	**1751**	**4.9**	**75**	**<1**	**<1**	**2**	**5**	**10**	**18**	**60**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	5	2.4	2	<1	<1	3	3	4	4	4
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX	5	2.4	2	<1	<1	3	3	4	4	4
A. NOT OPERATED	5	2.4	2	<1	<1	3	3	4	4	4
B. OPERATED										
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
GRAND TOTAL	**5**	**2.4**	**2**	**<1**	**<1**	**3**	**3**	**4**	**4**	**4**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	17	3.6	3	1	1	4	5	7	7	7
1-11 MOS	82	3.1	5	<1	1	3	4	5	7	13
1-5 YRS	191	2.4	2	1	1	2	3	4	5	7
6-12 YRS	71	2.2	2	1	1	2	3	4	4	8
13-19 YRS	57	2.9	14	1	1	2	3	4	6	27
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	18.0		18	18	18	18	18	18	18
6-12 YRS	2	8.5	61	3	3	8	14	14	14	14
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	162	4.4	9	2	2	3	6	8	9	15
1-11 MOS	2102	3.7	10	1	1	3	4	6	8	16
1-5 YRS	4065	2.9	5	1	1	2	3	5	6	11
6-12 YRS	1401	2.8	5	1	1	2	3	5	6	12
13-19 YRS	1154	3.2	12	1	1	3	4	5	7	15
B. *Operated*										
0-27 DYS	7	16.7	188	5	5	12	24	40	43	43
1-11 MOS	61	12.4	275	1	2	6	12	32	50	81
1-5 YRS	61	10.4	184	1	1	5	14	23	41	64
6-12 YRS	26	7.3	66	1	1	4	11	18	22	36
13-19 YRS	43	6.7	74	<1	1	4	5	15	26	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	418	2.6	4	1	1	2	3	4	6	9
B. *Operated*	3	11.7	60	3	3	14	17	18	18	18
2. MULTIPLE DX										
A. *Not Operated*	8884	3.2	7	1	1	3	4	5	7	13
B. *Operated*	198	10.0	177	1	1	5	13	24	39	68
1. SINGLE DX	421	2.7	5	1	1	2	3	4	6	11
2. MULTIPLE DX	9082	3.3	12	1	1	3	4	6	7	16
A. NOT OPERATED	9302	3.1	7	1	1	3	4	5	7	13
B. OPERATED	201	10.1	175	1	1	5	13	24	39	67
TOTAL 0-27 DYS	186	4.8	20	1	2	4	6	8	10	26
1-11 MOS	2245	3.9	18	1	1	3	4	7	9	19
1-5 YRS	4318	3.0	8	1	1	2	3	5	6	13
6-12 YRS	1500	2.9	6	1	1	2	3	5	7	13
13-19 YRS	1254	3.3	14	1	1	3	4	5	7	18
GRAND TOTAL	**9503**	**3.3**	**11**	**1**	**1**	**3**	**4**	**5**	**7**	**16**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	12	2.2	2	<1	<1	2	3	4	5	5
1-5 YRS	37	3.0	3	<1	1	3	5	6	6	7
6-12 YRS	5	2.8	2	1	1	3	4	4	4	4
13-19 YRS	23	4.0	8	1	1	3	6	9	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS	4	1.5		1	1	1	2	2	2	2
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	10	3.7	5	1	1	4	4	7	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	46	4.5	7	1	1	4	5	8	9	12
1-5 YRS	81	4.6	32	<1	1	3	6	8	10	38
6-12 YRS	20	3.2	2	1	2	3	4	5	6	6
13-19 YRS	94	3.7	5	1	1	3	5	6	8	12
B. *Operated*										
0-27 DYS										
1-11 MOS	4	3.3	4	1	1	3	5	5	5	5
1-5 YRS	8	4.8	30	1	1	3	4	14	18	18
6-12 YRS	4	5.8	11	2	2	5	8	10	10	10
13-19 YRS	33	7.7	126	1	2	5	8	13	25	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	3.2	5	1	1	3	4	6	8	10
B. *Operated*	16	3.6	9	1	1	3	4	9	11	12
2. MULTIPLE DX										
A. *Not Operated*	242	4.1	14	1	1	3	5	7	9	13
B. *Operated*	49	6.7	91	1	2	5	7	11	18	64
1. SINGLE DX	93	3.2	5	1	1	3	4	6	8	11
2. MULTIPLE DX	291	4.6	28	1	1	4	5	8	10	23
A. NOT OPERATED	319	3.9	12	1	1	3	5	7	9	12
B. OPERATED	65	5.9	73	1	1	4	6	10	16	58
TOTAL 0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	63	4.1	7	1	1	4	5	8	10	12
1-5 YRS	130	4.1	23	1	1	3	5	7	9	24
6-12 YRS	30	3.4	4	1	2	3	5	6	6	10
13-19 YRS	160	4.6	32	1	1	4	5	8	10	26
GRAND TOTAL	**384**	**4.2**	**23**	**1**	**1**	**3**	**5**	**8**	**9**	**17**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	34	3.5	3	1	2	3	5	6	7	8
1-5 YRS	319	3.6	5	1	1	3	4	7	8	12
6-12 YRS	557	3.6	5	1	1	3	5	7	8	10
13-19 YRS	961	4.6	10	1	2	4	6	8	10	15
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	4.0	2	3	3	4	5	5	5	5
6-12 YRS	1	14.0		14	14	14	14	14	14	14
13-19 YRS	6	3.7	3	1	1	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	5.5	5	4	4	5	7	7	7	7
1-11 MOS	50	4.3	16	1	1	3	4	8	10	26
1-5 YRS	484	4.6	10	1	2	4	5	8	10	15
6-12 YRS	477	4.7	15	1	1	4	6	9	12	21
13-19 YRS	825	5.9	23	1	2	5	7	11	14	21
B. *Operated*										
0-27 DYS	1	27.0		27	27	27	27	27	27	27
1-11 MOS	5	7.0	13	3	3	8	9	12	12	12
1-5 YRS	12	12.8	147	2	2	8	19	31	40	42
6-12 YRS	11	16.3	780	1	2	8	11	52	95	99
13-19 YRS	41	15.2	225	2	3	13	19	41	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1873	4.1	8	1	1	4	5	8	9	12
B. *Operated*	9	4.9	14	1	1	4	5	11	14	14
2. MULTIPLE DX										
A. *Not Operated*	1838	5.2	18	1	2	4	6	10	12	20
B. *Operated*	70	14.5	276	2	2	10	18	30	61	99+
1. SINGLE DX	1882	4.1	8	1	1	4	5	8	9	12
2. MULTIPLE DX	1908	5.5	30	1	2	4	7	10	14	25
A. NOT OPERATED	3711	4.6	13	1	1	4	6	8	11	18
B. OPERATED	79	13.4	255	2	2	8	16	27	59	99+
TOTAL 0-27 DYS	5	8.4	113	1	1	4	12	27	27	27
1-11 MOS	89	4.1	11	1	2	3	5	8	10	21
1-5 YRS	817	4.3	11	1	2	3	5	8	10	15
6-12 YRS	1046	4.3	19	1	1	3	5	8	10	18
13-19 YRS	1833	5.4	23	1	2	4	7	10	13	22
GRAND TOTAL	**3790**	**4.8**	**20**	**1**	**1**	**4**	**6**	**9**	**11**	**20**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	12	2.7	2	1	1	3	3	5	5	5
1-11 MOS	79	2.1	3	<1	<1	1	3	5	6	8
1-5 YRS	214	2.5	8	<1	<1	1	3	6	8	13
6-12 YRS	208	2.0	5	<1	<1	1	2	4	6	11
13-19 YRS	224	1.7	3	<1	<1	1	1	4	5	11
B. *Operated*										
0-27 DYS	3	3.3	2	2	2	3	4	5	5	5
1-11 MOS	24	3.1	3	1	1	3	4	6	6	6
1-5 YRS	61	4.9	19	1	1	3	6	11	15	19
6-12 YRS	47	4.4	3	1	2	4	6	7	7	8
13-19 YRS	30	5.1	13	1	3	5	5	7	16	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	17	6.5	82	<1	1	4	5	25	30	30
1-11 MOS	140	3.6	21	<1	1	2	4	7	11	31
1-5 YRS	376	3.2	12	<1	<1	2	4	7	10	18
6-12 YRS	327	3.1	19	<1	<1	1	4	7	10	21
13-19 YRS	304	3.8	29	<1	1	2	4	9	13	22
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	35	6.3	57	1	1	3	7	14	22	38
1-5 YRS	89	9.6	132	1	1	6	11	22	33	64
6-12 YRS	100	11.2	179	1	3	6	13	28	37	73
13-19 YRS	95	8.0	56	1	2	6	10	16	23	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	737	2.1	5	<1	<1	1	2	5	6	12
B. *Operated*	165	4.5	11	1	1	4	5	7	11	19
2. MULTIPLE DX										
A. *Not Operated*	1164	3.4	20	<1	<1	2	4	8	11	20
B. *Operated*	320	9.2	117	1	2	6	11	20	30	62
1. SINGLE DX	902	2.5	7	<1	<1	1	3	5	7	13
2. MULTIPLE DX	1484	4.7	47	<1	<1	2	5	10	15	36
A. NOT OPERATED	1901	2.9	15	<1	<1	1	3	6	10	17
B. OPERATED	485	7.6	86	1	2	5	8	16	24	54
TOTAL 0-27 DYS	33	4.7	45	1	1	3	5	6	26	30
1-11 MOS	278	3.5	20	<1	<1	2	4	7	10	29
1-5 YRS	740	3.9	30	<1	<1	2	5	9	12	28
6-12 YRS	682	4.0	46	<1	<1	2	5	8	13	35
13-19 YRS	653	3.7	27	<1	1	2	5	9	13	25
GRAND TOTAL	**2386**	**3.9**	**33**	**<1**	**<1**	**2**	**5**	**8**	**13**	**30**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	2.3	2	<1	<1	2	4	4	4	4
1-5 YRS	30	2.6	4	<1	<1	2	3	4	6	11
6-12 YRS	22	3.7	6	1	1	3	4	7	9	11
13-19 YRS	18	4.7	20	1	1	3	5	13	16	16
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	2.0	1	1	1	2	3	3	3	3
6-12 YRS	4	7.0	35	1	1	6	11	15	15	15
13-19 YRS	3	16.3	82	6	6	20	22	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	6.5	61	1	1	6	12	12	12	12
1-11 MOS	6	2.3	3	<1	<1	2	4	5	5	5
1-5 YRS	71	2.7	4	1	1	2	3	6	7	9
6-12 YRS	73	4.4	20	<1	1	3	5	7	16	24
13-19 YRS	90	4.9	15	1	1	4	7	11	14	66
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	10.6	70	1	1	12	15	22	24	24
6-12 YRS	9	13.0	319	2	2	8	12	42	59	59
13-19 YRS	12	10.2	73	2	3	7	15	24	27	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	3.4	9	<1	1	3	4	7	11	16
B. *Operated*	11	7.7	63	1	1	5	13	21	23	23
2. MULTIPLE DX										
A. *Not Operated*	242	4.1	14	1	1	3	5	9	12	22
B. *Operated*	28	11.2	141	2	2	8	15	23	31	59
1. SINGLE DX	87	3.9	17	<1	1	3	4	7	15	22
2. MULTIPLE DX	270	4.8	31	1	1	3	6	10	16	27
A. NOT OPERATED	318	3.9	13	1	1	3	5	8	11	20
B. OPERATED	39	10.2	120	1	1	6	15	23	26	59
TOTAL 0-27 DYS	2	6.5	61	1	1	6	12	12	12	12
1-11 MOS	12	2.3	2	<1	<1	2	4	5	5	5
1-5 YRS	112	3.2	11	<1	1	2	3	6	9	19
6-12 YRS	108	5.0	46	1	1	3	5	10	16	39
13-19 YRS	123	5.7	27	1	1	4	8	13	17	47
GRAND TOTAL	**357**	**4.6**	**28**	**1**	**1**	**3**	**6**	**10**	**15**	**25**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	2.5	1	2	2	2	3	4	4	4
1-11 MOS	48	3.2	16	<1	1	2	3	7	9	26
1-5 YRS	475	2.6	4	<1	<1	2	3	5	7	10
6-12 YRS	261	3.0	6	1	1	2	4	6	7	12
13-19 YRS	99	3.1	4	<1	1	3	4	6	7	10
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	21	5.0	17	<1	1	4	7	9	14	19
1-5 YRS	173	4.1	14	1	1	3	5	7	12	20
6-12 YRS	112	4.8	10	1	1	4	6	9	11	16
13-19 YRS	161	5.9	12	2	2	5	7	10	13	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	8	8.6	233	1	1	3	6	35	46	46
1-11 MOS	98	3.6	8	1	1	3	4	8	9	15
1-5 YRS	521	4.1	12	1	1	3	5	8	10	18
6-12 YRS	405	4.5	14	1	1	4	5	9	13	18
13-19 YRS	269	4.6	20	1	1	4	6	9	12	22
B. *Operated*										
0-27 DYS										
1-11 MOS	26	9.6	128	1	2	7	11	17	28	59
1-5 YRS	132	8.0	144	1	2	5	8	14	28	77
6-12 YRS	86	8.1	119	1	1	4	8	24	34	88
13-19 YRS	162	8.1	91	1	2	6	9	14	18	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	887	2.8	5	<1	<1	2	4	5	7	11
B. *Operated*	468	5.0	13	1	1	5	6	9	12	20
2. MULTIPLE DX										
A. *Not Operated*	1301	4.3	15	1	1	3	5	8	11	19
B. *Operated*	406	8.2	116	1	2	5	9	16	28	71
1. SINGLE DX	1355	3.5	9	<1	<1	3	5	7	9	15
2. MULTIPLE DX	1707	5.2	42	1	1	4	6	10	14	34
A. NOT OPERATED	2188	3.7	12	<1	1	3	5	7	9	17
B. OPERATED	874	6.4	63	1	1	5	7	12	17	48
TOTAL 0-27 DYS	13	6.5	145	1	1	2	4	16	40	46
1-11 MOS	193	4.5	31	1	1	3	5	9	12	23
1-5 YRS	1301	4.0	25	<1	<1	3	5	8	10	22
6-12 YRS	864	4.4	23	1	1	3	5	8	12	28
13-19 YRS	691	5.5	35	1	1	5	7	10	13	24
GRAND TOTAL	**3062**	**4.5**	**28**	**<1**	**1**	**3**	**5**	**9**	**12**	**24**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	158	1.7	2	<1	1	1	2	3	4	8
6-12 YRS	1027	1.8	1	1	1	2	2	3	3	5
13-19 YRS	1067	1.9	1	1	1	2	2	3	4	6
B. *Operated*										
0-27 DYS										
1-11 MOS	4	3.0	1	2	2	3	4	4	4	4
1-5 YRS	83	3.1	1	1	2	3	4	4	5	7
6-12 YRS	457	3.2	2	1	2	3	4	5	5	9
13-19 YRS	670	3.5	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	7	2.7	1	2	2	2	4	4	4	4
1-5 YRS	143	2.1	2	1	1	2	3	4	5	7
6-12 YRS	565	2.2	2	1	1	2	3	4	4	6
13-19 YRS	529	2.5	2	1	1	2	3	5	5	7
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	46	4.2	6	1	2	4	5	9	10	10
6-12 YRS	230	3.9	3	2	2	4	5	6	7	11
13-19 YRS	328	4.3	6	2	2	4	5	7	9	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2253	1.8	1	1	1	2	2	3	4	5
B. *Operated*	1214	3.3	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	1245	2.3	2	1	1	2	3	4	5	7
B. *Operated*	606	4.1	5	2	2	4	5	7	9	12
1. SINGLE DX	3467	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX	1851	2.9	4	1	1	2	4	5	6	10
A. NOT OPERATED	3498	2.0	1	1	1	2	2	3	4	6
B. OPERATED	1820	3.6	3	2	2	3	4	5	7	10
TOTAL 0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	13	2.7	1	1	1	3	3	4	4	4
1-5 YRS	430	2.4	3	1	1	2	3	4	5	9
6-12 YRS	2279	2.4	2	1	1	2	3	4	5	7
13-19 YRS	2594	2.7	3	1	1	2	4	5	6	9
GRAND TOTAL	**5318**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	3.7	9	1	1	3	6	7	7	7
1-11 MOS	54	4.3	4	2	2	4	5	7	8	11
1-5 YRS	246	4.0	5	1	1	4	5	7	8	10
6-12 YRS	131	4.1	6	1	2	4	5	7	9	12
13-19 YRS	54	3.5	4	1	1	3	4	6	8	11
B. *Operated*										
0-27 DYS										
1-11 MOS	15	4.7	7	2	2	4	6	9	10	11
1-5 YRS	66	3.7	17	<1	<1	2	5	7	12	23
6-12 YRS	72	2.7	5	<1	<1	2	3	6	8	10
13-19 YRS	90	2.7	9	<1	<1	2	3	6	8	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	6.7		6	6	7	7	7	7	7
1-11 MOS	55	5.1	8	2	2	4	7	9	11	14
1-5 YRS	246	4.4	6	1	2	4	5	8	10	12
6-12 YRS	94	4.3	7	1	2	4	5	8	11	13
13-19 YRS	56	4.1	5	1	2	4	5	8	8	10
B. *Operated*										
0-27 DYS										
1-11 MOS	31	7.5	21	1	3	6	10	14	17	19
1-5 YRS	78	4.8	12	<1	1	4	7	10	11	13
6-12 YRS	46	5.0	16	1	1	4	7	10	12	19
13-19 YRS	35	4.2	10	1	1	3	7	9	11	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	488	4.0	5	1	2	4	5	7	8	11
B. *Operated*	243	3.1	10	<1	<1	2	4	7	9	18
2. MULTIPLE DX										
A. *Not Operated*	454	4.5	6	1	2	4	6	8	10	13
B. *Operated*	190	5.2	15	1	1	4	8	10	12	18
1. SINGLE DX	731	3.7	7	<1	1	3	5	7	8	13
2. MULTIPLE DX	644	4.7	9	1	2	4	6	9	11	15
A. NOT OPERATED	942	4.2	6	1	2	4	5	7	9	12
B. OPERATED	433	4.0	13	<1	1	3	6	9	11	18
TOTAL 0-27 DYS	6	5.2	7	1	1	6	7	7	7	7
1-11 MOS	155	5.3	10	2	2	4	7	9	11	17
1-5 YRS	636	4.2	8	1	1	4	5	8	10	13
6-12 YRS	343	4.0	8	1	1	3	5	8	9	13
13-19 YRS	235	3.5	7	<1	1	3	4	7	8	14
GRAND TOTAL	**1375**	**4.2**	**8**	**1**	**1**	**4**	**5**	**8**	**10**	**14**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	3	1.7		1	1	2	2	2	2	2
6-12 YRS	4	1.0		<1	<1	1	1	1	1	1
13-19 YRS	27	7.8	112	1	1	4	11	25	55	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	10.3	124	2	2	6	19	23	23	23
1-5 YRS										
6-12 YRS	6	2.2	2	1	1	2	2	5	5	5
13-19 YRS	59	12.7	202	<1	1	6	22	32	47	96
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	6.3	93	1	1	2	9	16	44	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	68	11.7	188	1	1	5	21	29	43	93
B. *Operated*	1	6.0		6	6	6	6	6	6	6
1. SINGLE DX	35	6.3	93	1	1	2	9	16	44	99+
2. MULTIPLE DX	69	11.6	186	1	1	5	21	29	43	93
A. NOT OPERATED	103	9.9	161	1	1	3	15	29	45	99+
B. OPERATED	1	6.0		6	6	6	6	6	6	6
TOTAL 0-27 DYS										
1-11 MOS	4	8.3	100	2	2	4	14	23	23	23
1-5 YRS	3	1.7		1	1	2	2	2	2	2
6-12 YRS	10	1.7	2	<1	<1	1	2	4	5	5
13-19 YRS	87	11.1	176	1	1	5	17	29	50	99+
GRAND TOTAL	**104**	**9.8**	**160**	**1**	**1**	**4**	**15**	**29**	**44**	**99+**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	10	2.9	25	1	1	1	2	10	17	17
1-5 YRS	108	1.4		<1	1	1	2	2	3	3
6-12 YRS	172	2.9	65	<1	1	1	2	3	6	53
13-19 YRS	223	3.0	22	<1	1	2	3	5	8	20
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	18.0	589	3	3	5	36	46	46	46
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	20	7.8	194	1	1	3	7	15	41	64
1-5 YRS	86	3.9	98	1	1	2	3	9	31	99+
6-12 YRS	167	6.1	214	1	1	2	4	16	69	99+
13-19 YRS	375	7.2	142	1	1	3	7	21	34	88
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	13.8	161	<1	<1	24	99+	99+	99+	99+
6-12 YRS	7	9.0	394	1	1	2	99+	99+	99+	99+
13-19 YRS	24	8.6	268	<1	1	2	6	39	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	513	2.6	32	<1	1	1	2	4	6	31
B. *Operated*	3	18.0	589	3	3	5	36	46	46	46
2. MULTIPLE DX										
A. *Not Operated*	649	6.5	156	1	1	2	5	17	38	99+
B. *Operated*	35	9.3	267	<1	1	3	27	99+	99+	99+
1. SINGLE DX	516	2.7	36	<1	1	1	2	4	6	38
2. MULTIPLE DX	684	6.6	162	1	1	2	6	22	45	99+
A. NOT OPERATED	1162	4.8	105	1	1	2	4	9	24	87
B. OPERATED	38	9.9	283	<1	1	3	28	99+	99+	99+
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	30	6.1	140	1	1	2	5	14	18	64
1-5 YRS	198	2.7	49	<1	1	1	2	5	16	99+
6-12 YRS	346	4.6	145	1	1	1	3	7	39	99+
13-19 YRS	625	5.8	110	1	1	2	5	12	28	72
GRAND TOTAL	**1200**	**4.9**	**111**	**1**	**1**	**2**	**4**	**10**	**28**	**99+**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

CPHA excludes pediatric patients from this diagnosis group because of clinical implausibility.

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	12	3.3	8	<1	<1	2	5	8	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	6	3.7	1	2	2	4	4	5	5	5
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	58	8.2	95	1	1	4	8	28	32	35
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	3.3	8	<1	<1	2	5	8	8	8
B. *Operated*	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	67	7.7	84	1	1	4	7	27	31	35
B. *Operated*										
1. SINGLE DX	13	3.8	10	<1	1	3	7	9	10	10
2. MULTIPLE DX	67	7.7	84	1	1	4	7	27	31	35
A. NOT OPERATED	79	7.0	75	1	1	4	7	23	31	34
B. OPERATED	1	10.0		10	10	10	10	10	10	10
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	6	3.7	1	2	2	4	4	5	5	5
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	71	7.4	82	1	1	4	8	26	31	35
GRAND TOTAL	**80**	**7.1**	**74**	**1**	**1**	**4**	**7**	**22**	**31**	**34**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	3	1.0		1	1	1	1	1	1	1
13-19 YRS	54	8.2	94	1	1	4	11	18	34	41
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	7.5	25	4	4	7	11	11	11	11
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	11	3.0	13	<1	<1	2	2	9	13	13
6-12 YRS	15	5.7	122	1	1	3	4	9	36	45
13-19 YRS	201	10.9	225	1	1	6	12	30	41	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	7.8	88	1	1	3	11	17	33	41
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	230	10.1	209	1	1	5	11	29	40	99+
B. *Operated*	1	7.0		7	7	7	7	7	7	7
1. SINGLE DX	60	7.8	88	1	1	3	11	17	33	41
2. MULTIPLE DX	231	10.1	208	1	1	5	11	29	40	99+
A. NOT OPERATED	290	9.6	184	1	1	5	11	27	38	99
B. OPERATED	1	7.0		7	7	7	7	7	7	7
TOTAL 0-27 DYS	3	9.0	19	4	4	11	12	12	12	12
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS	12	3.3	13	<1	<1	2	4	8	12	13
6-12 YRS	18	4.9	104	1	1	2	3	8	31	45
13-19 YRS	256	10.3	197	1	1	6	11	29	39	99+
GRAND TOTAL	**291**	**9.6**	**184**	**1**	**1**	**5**	**11**	**27**	**38**	**99**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	10.3	9	7	7	11	12	13	13	13
1-11 MOS	6	11.3	21	4	4	13	13	17	17	17
1-5 YRS	2	8.5	113	1	1	8	16	16	16	16
6-12 YRS	6	33.2	1142	3	3	22	65	79	81	81
13-19 YRS	293	19.5	251	2	4	15	28	43	62	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	18.0		18	18	18	18	18	18	18
1-11 MOS	3	12.7	180	3	3	7	23	28	28	28
1-5 YRS										
6-12 YRS										
13-19 YRS	184	22.8	377	2	4	17	35	59	84	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	14.0	93	7	7	17	62	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	310	19.4	263	2	4	14	28	43	63	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	188	22.6	372	2	4	17	34	60	86	99+
B. *Operated*	3	14.0	93	7	7	17	62	99+	99+	99+
1. SINGLE DX	310	19.4	263	2	4	14	28	43	63	99+
2. MULTIPLE DX	191	22.5	369	2	4	17	34	60	92	99+
A. NOT OPERATED	498	20.6	306	2	4	15	29	50	66	99+
B. OPERATED	3	14.0	93	7	7	17	62	99+	99+	99+
TOTAL 0-27 DYS	4	12.3	21	7	7	12	15	18	18	18
1-11 MOS	9	11.8	59	3	3	13	14	24	28	28
1-5 YRS	2	8.5	113	1	1	8	16	16	16	16
6-12 YRS	6	33.2	1142	3	4	38	77	96	99+	99+
13-19 YRS	480	20.7	301	2	4	16	29	50	66	99+
GRAND TOTAL	**501**	**20.6**	**305**	**2**	**4**	**15**	**29**	**50**	**66**	**99+**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	45.5	1861	15	15	45	76	76	76	76
13-19 YRS	109	21.3	287	3	5	19	34	51	67	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS										
1-5 YRS										
6-12 YRS	3	65.0	489	48	48	73	95	99+	99+	99+
13-19 YRS	78	23.1	256	5	7	20	32	51	79	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	8.0		8	8	8	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	21.8	309	3	5	19	35	53	70	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	82	24.5	319	5	7	21	35	55	95	99+
B. *Operated*	1	8.0		8	8	8	8	8	8	8
1. SINGLE DX	111	21.8	309	3	5	19	35	53	70	99+
2. MULTIPLE DX	83	24.3	318	5	7	21	35	55	95	99+
A. NOT OPERATED	193	22.9	314	4	6	20	35	54	82	99+
B. OPERATED	1	8.0		8	8	8	8	8	8	8
TOTAL 0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS										
1-5 YRS										
6-12 YRS	5	57.2	824	15	18	66	90	99	99+	99+
13-19 YRS	188	22.0	273	4	6	20	33	51	67	99+
GRAND TOTAL	**194**	**22.9**	**313**	**4**	**6**	**20**	**35**	**54**	**82**	**99+**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	18.0		18	18	18	18	18	18	18
1-11 MOS	8	15.8	97	3	5	13	23	30	31	31
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	16	25.9	472	3	4	21	39	62	69	72
13-19 YRS	585	19.7	301	1	3	15	29	48	63	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	10.5	13	8	8	10	13	13	13	13
1-11 MOS	4	12.8	31	7	7	13	17	18	18	18
1-5 YRS										
6-12 YRS	15	45.3	592	6	13	48	68	99	99+	99+
13-19 YRS	479	22.3	378	2	4	18	36	62	99+	99+
B. *Operated*										
0-27 DYS										
1-11 MOS	1	16.0		16	16	16	16	16	16	16
1-5 YRS										
6-12 YRS	1	11.0		11	11	11	11	11	11	11
13-19 YRS	15	30.5	409	10	12	26	77	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	611	19.8	303	2	3	15	29	48	63	99+
B. *Operated*	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	500	22.9	396	2	4	18	37	64	99+	99+
B. *Operated*	17	28.5	391	10	11	26	62	99+	99+	99+
1. SINGLE DX	612	19.8	303	2	3	15	29	48	63	99+
2. MULTIPLE DX	517	23.1	396	3	4	18	38	66	99+	99+
A. NOT OPERATED	1111	21.2	347	2	4	16	32	54	79	99+
B. OPERATED	18	27.1	404	7	11	24	55	99+	99+	99+
TOTAL 0-27 DYS	3	13.0	25	8	8	13	17	18	18	18
1-11 MOS	13	14.8	67	4	6	15	18	29	31	31
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	32	34.5	608	4	5	31	57	79	99	99+
13-19 YRS	1080	21.0	339	2	4	16	32	54	84	99+
GRAND TOTAL	**1129**	**21.3**	**348**	**2**	**4**	**17**	**33**	**55**	**84**	**99+**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	59	16.3	145	1	2	19	21	27	33	71
6-12 YRS	187	21.2	232	3	7	21	21	41	71	99+
13-19 YRS	22	22.4	182	2	7	21	36	54	99+	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	31	20.0	473	2	2	14	42	99+	99+	99+
6-12 YRS	79	30.3	711	2	3	36	73	99+	99+	99+
13-19 YRS	10	27.0	548	3	4	36	86	99+	99+	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	51.0	4232	5	5	51	97	97	97	97
6-12 YRS	6	19.7	378	1	2	18	47	91	99+	99+
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	268	20.2	212	2	5	20	21	41	68	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	120	27.4	646	2	3	29	72	99+	99+	99+
B. *Operated*	8	27.5	1085	1	3	18	64	99	99+	99+
1. SINGLE DX	268	20.2	212	2	5	20	21	41	68	99+
2. MULTIPLE DX	128	27.4	665	2	3	29	71	99+	99+	99+
A. NOT OPERATED	383	22.4	356	2	4	21	31	77	99+	99+
B. OPERATED	8	27.5	1085	1	3	18	64	99	99+	99+
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	92	18.3	322	1	2	18	22	53	92	99+
6-12 YRS	272	23.8	388	2	4	21	35	82	99+	99+
13-19 YRS	32	23.8	287	2	5	21	45	99+	99+	99+
GRAND TOTAL	**396**	**22.5**	**368**	**2**	**4**	**21**	**31**	**80**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	6	17.5	242	3	3	10	30	42	43	43
1-11 MOS	2	7.5	61	2	2	7	13	13	13	13
1-5 YRS	4	17.8	211	4	4	14	27	38	38	38
6-12 YRS	86	27.4	527	2	3	27	41	73	97	99+
13-19 YRS	1009	22.5	419	2	3	16	33	57	78	99+
B. *Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS										
6-12 YRS										
13-19 YRS	4	13.5	145	2	2	11	22	30	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	30.5	685	12	12	30	49	49	49	49
1-11 MOS	10	17.3	761	1	1	7	20	60	92	92
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	142	38.4	592	4	7	43	66	99+	99+	99+
13-19 YRS	1826	23.8	467	2	3	19	37	67	95	99+
B. *Operated*										
0-27 DYS	2	15.5	5	14	14	15	17	17	17	17
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS										
6-12 YRS										
13-19 YRS	60	28.9	550	2	5	29	47	92	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1107	22.8	427	2	3	17	34	58	79	99+
B. *Operated*	5	12.4	115	2	2	8	18	30	30	30
2. MULTIPLE DX										
A. *Not Operated*	1981	24.8	491	2	3	20	41	71	99	99+
B. *Operated*	63	28.1	537	2	5	20	47	87	99+	99+
1. SINGLE DX	1112	22.8	426	2	3	17	34	58	79	99+
2. MULTIPLE DX	2044	24.9	493	2	3	20	41	71	99+	99+
A. NOT OPERATED	3088	24.1	469	2	3	19	38	67	93	99+
B. OPERATED	68	26.9	520	2	4	19	46	80	99+	99+
TOTAL 0-27 DYS	10	19.7	244	3	5	13	30	46	49	49
1-11 MOS	14	14.4	554	1	2	7	13	34	79	92
1-5 YRS	5	14.4	214	<1	<1	12	22	38	38	38
6-12 YRS	228	34.3	593	2	5	33	59	97	99+	99+
13-19 YRS	2899	23.4	453	2	3	18	36	63	90	99+
GRAND TOTAL	**3156**	**24.2**	**470**	**2**	**3**	**19**	**38**	**67**	**93**	**99+**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	25	25.4	629	5	6	17	54	98	99+	99+
13-19 YRS	437	21.3	368	2	3	16	29	56	77	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	13.0	74	3	3	15	17	24	25	25
1-5 YRS										
6-12 YRS	39	22.6	341	4	7	16	44	99+	99+	99+
13-19 YRS	703	25.3	450	2	4	19	41	63	83	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	15	34.6	604	4	10	38	55	99	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	465	21.4	380	2	3	16	30	57	80	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	748	25.0	442	3	4	19	41	64	85	99+
B. *Operated*	15	34.6	604	4	10	38	55	99	99+	99+
1. SINGLE DX	465	21.4	360	2	3	16	30	57	80	99+
2. MULTIPLE DX	763	25.2	446	3	5	19	41	64	85	99+
A. NOT OPERATED	1213	23.7	421	2	4	18	36	61	83	99+
B. OPERATED	15	34.6	604	4	10	38	55	99	99+	99+
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	7	12.7	62	3	3	15	17	23	25	25
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	64	23.7	447	5	7	16	49	99+	99+	99+
13-19 YRS	1155	23.9	425	2	4	18	37	61	82	99+
GRAND TOTAL	**1228**	**23.8**	**424**	**2**	**4**	**18**	**37**	**61**	**84**	**99+**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	29	18.6	564	1	1	9	38	78	99+	99+
13-19 YRS	296	14.5	248	1	1	9	20	37	44	89
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	4	2.3	1	<1	<1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	7.3	14	3	3	9	10	10	10	10
1-5 YRS	4	8.8	166	1	1	3	16	28	28	28
6-12 YRS	23	14.9	450	1	2	8	22	94	99+	99+
13-19 YRS	369	15.9	297	1	2	11	21	40	66	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	17	17.4	311	2	3	13	25	38	58	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	327	14.8	275	1	1	9	21	40	53	99+
B. *Operated*	6	2.2	1	<1	<1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	400	15.6	302	1	2	10	21	40	71	99+
B. *Operated*	17	17.4	311	2	3	13	25	38	58	69
1. SINGLE DX	333	14.6	273	1	1	9	20	40	53	99+
2. MULTIPLE DX	417	15.7	301	1	2	11	21	40	69	99+
A. NOT OPERATED	727	15.2	290	1	2	10	21	40	61	99+
B. OPERATED	23	13.4	273	1	2	5	18	37	49	69
TOTAL 0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	3	7.3	14	3	3	9	10	10	10	10
1-5 YRS	6	6.3	114	1	1	2	4	26	28	28
6-12 YRS	53	16.7	502	1	1	8	31	88	99+	99+
13-19 YRS	686	15.2	275	1	2	10	21	38	55	99+
GRAND TOTAL	**750**	**15.2**	**289**	**1**	**2**	**10**	**21**	**40**	**60**	**99+**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	21	3.9	22	<1	1	2	4	10	16	20
13-19 YRS	116	5.3	55	<1	1	3	5	15	24	68
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	7.0	63	1	1	4	13	16	16	16
1-5 YRS	7	24.4	1247	1	1	8	43	85	92	92
6-12 YRS	22	12.8	255	1	1	6	23	60	99+	99+
13-19 YRS	210	3.1	113	1	1	3	9	27	37	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	138	5.1	50	<1	1	3	4	14	19	57
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	242	9.0	161	1	1	4	11	30	43	99+
B. *Operated*	2	6.0	32	2	2	6	10	10	10	10
1. SINGLE DX	138	5.1	50	<1	1	3	4	14	19	57
2. MULTIPLE DX	244	8.9	160	1	1	4	11	30	43	99+
A. NOT OPERATED	380	7.6	124	1	1	3	8	20	37	99+
B. OPERATED	2	6.0	32	2	2	6	10	10	10	10
TOTAL 0-27 DYS										
1-11 MOS	3	7.0	63	1	1	4	13	16	16	16
1-5 YRS	8	21.6	1132	1	1	6	32	81	92	92
6-12 YRS	44	8.3	155	<1	1	3	12	31	65	99+
13-19 YRS	327	7.1	94	1	1	3	8	19	34	99+
GRAND TOTAL	**382**	**7.5**	**123**	**1**	**1**	**3**	**8**	**20**	**37**	**99+**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	24.0		24	24	24	24	24	24	24
1-5 YRS	1	82.0		82	82	82	82	82	82	82
6-12 YRS	63	28.9	445	2	3	30	45	59	68	97
13-19 YRS	707	21.0	420	1	2	13	33	53	68	98
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	25.0		25	25	25	25	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	1.5	1	<1	<1	1	2	2	2	2
1-11 MOS	4	4.0	7	1	1	4	6	7	7	7
1-5 YRS	3	19.0	256	3	3	19	31	35	35	35
6-12 YRS	141	36.8	705	3	7	36	63	93	99+	99+
13-19 YRS	1528	22.7	472	2	3	16	36	64	89	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	20.3	478	8	8	11	65	99+	99+	99+
13-19 YRS	41	33.1	825	3	4	26	45	91	94	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	772	21.7	430	1	2	14	35	54	68	98
B. *Operated*	1	25.0		25	25	25	25	25	25	25
2. MULTIPLE DX										
A. *Not Operated*	1678	23.8	506	2	3	17	39	69	91	99+
B. *Operated*	45	32.0	797	3	5	26	51	92	96	99+
1. SINGLE DX	773	21.7	429	1	2	14	35	54	68	98
2. MULTIPLE DX	1723	24.1	515	2	3	17	40	69	92	99+
A. NOT OPERATED	2450	23.2	483	2	3	16	37	63	84	99+
B. OPERATED	46	31.8	780	3	5	25	49	91	95	99+
TOTAL 0-27 DYS	2	1.5	1	<1	<1	1	2	2	2	2
1-11 MOS	5	8.0	85	1	1	5	11	24	24	24
1-5 YRS	4	34.8	1163	3	3	27	58	82	82	82
6-12 YRS	208	34.1	634	3	5	32	56	84	99+	99+
13-19 YRS	2277	22.4	464	2	3	15	36	61	83	99+
GRAND TOTAL	**2496**	**23.3**	**489**	**2**	**3**	**16**	**38**	**63**	**86**	**99+**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	<1	<1	1	2	2	2	2
1-5 YRS	11	9.9	473	1	1	2	6	35	72	75
6-12 YRS	87	10.1	276	1	1	4	8	48	76	99+
13-19 YRS	552	12.7	287	1	1	5	18	41	57	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	21.0		21	21	21	21	21	21	21
13-19 YRS	10	6.9	31	1	1	5	9	15	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	6	6.3	114	<1	<1	2	4	26	28	28
1-5 YRS	19	8.2	154	<1	1	4	8	40	75	99+
6-12 YRS	108	12.1	309	1	1	5	16	52	99+	99+
13-19 YRS	989	13.3	296	1	1	6	19	42	68	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	10.5	181	1	1	10	20	20	20	20
6-12 YRS	1	2.0		2	2	99+	99+	99+	99+	99+
13-19 YRS	39	19.9	482	1	2	10	37	73	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	652	12.3	288	1	1	5	16	41	59	99+
B. *Operated*	11	8.2	46	1	1	5	11	20	21	21
2. MULTIPLE DX										
A. *Not Operated*	1123	13.0	294	1	1	6	19	42	69	99+
B. *Operated*	42	19.0	463	1	1	10	38	95	99+	99+
1. SINGLE DX	663	12.2	284	1	1	5	16	41	59	99+
2. MULTIPLE DX	1165	13.3	301	1	1	6	20	44	73	99+
A. NOT OPERATED	1775	12.8	292	1	1	5	18	42	66	99+
B. OPERATED	53	16.8	393	1	1	9	31	75	99+	99+
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	8	5.1	87	<1	<1	1	3	21	28	28
1-5 YRS	32	8.9	249	1	1	4	7	34	71	99+
6-12 YRS	197	11.2	292	1	1	4	14	57	99+	99+
13-19 YRS	1590	13.2	297	1	1	6	19	42	64	99+
GRAND TOTAL	**1828**	**12.9**	**295**	**1**	**1**	**6**	**19**	**42**	**68**	**99+**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	15.8	132	5	5	14	25	30	30	30
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	4	1.8	2	<1	<1	1	28	99+	99+	99+
13-19 YRS	324	8.5	150	<1	<1	2	10	29	35	53
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	17.7	342	6	6	8	31	39	39	39
1-11 MOS	20	10.9	100	1	2	6	20	26	28	29
1-5 YRS	9	6.6	22	1	2	6	8	14	17	17
6-12 YRS	12	20.8	679	1	1	14	29	50	89	95
13-19 YRS	2290	23.9	263	1	2	25	36	43	48	64
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	46	30.2	438	1	3	28	41	52	78	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	334	8.5	148	<1	<1	2	10	29	35	55
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2334	23.7	265	1	2	24	35	43	48	64
B. *Operated*	46	30.2	438	1	3	28	41	52	78	92
1. SINGLE DX	334	8.5	148	<1	<1	2	10	29	35	55
2. MULTIPLE DX	2380	23.8	269	1	2	24	36	43	48	67
A. NOT OPERATED	2668	21.8	276	1	1	22	34	42	47	64
B. OPERATED	46	30.2	438	1	3	28	41	52	78	92
TOTAL 0-27 DYS	4	14.0	282	3	3	7	23	39	39	39
1-11 MOS	24	11.7	103	1	2	6	20	28	29	30
1-5 YRS	10	6.1	21	1	1	5	7	13	17	17
6-12 YRS	16	16.1	571	<1	1	5	29	82	98	99+
13-19 YRS	2660	22.1	278	1	1	22	35	42	47	64
GRAND TOTAL	**2714**	**21.9**	**279**	**1**	**1**	**22**	**35**	**42**	**47**	**65**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	26	15.7	202	1	2	9	29	33	38	57
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	5.0	2	4	4	5	6	6	6	6
1-5 YRS										
6-12 YRS	1	18.0		18	18	18	18	18	18	18
13-19 YRS	79	15.8	155	2	3	12	28	32	39	44
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	32.0		32	32	32	32	32	32	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	15.7	202	1	2	9	29	33	38	57
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	82	15.6	152	2	3	11	27	31	38	44
B. *Operated*	1	32.0		32	32	32	32	32	32	32
1. SINGLE DX	26	15.7	202	1	2	9	29	33	38	57
2. MULTIPLE DX	83	15.8	153	2	3	12	28	32	38	44
A. NOT OPERATED	108	15.6	162	2	3	10	28	32	37	49
B. OPERATED	1	32.0		32	32	32	32	32	32	32
TOTAL 0-27 DYS										
1-11 MOS	2	5.0	2	4	4	5	6	6	6	6
1-5 YRS										
6-12 YRS	1	18.0		18	18	18	18	18	18	18
13-19 YRS	106	15.9	166	2	3	11	29	32	38	50
GRAND TOTAL	**109**	**15.8**	**163**	**2**	**3**	**10**	**28**	**32**	**37**	**49**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	56.0		56	56	56	56	56	56	56
1-5 YRS										
6-12 YRS										
13-19 YRS	298	23.0	435	1	2	18	41	52	60	93
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	41.0	338	28	28	41	54	54	54	54
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	18.5	481	3	3	18	34	34	34	34
1-5 YRS										
6-12 YRS	10	22.2	385	1	1	15	34	52	53	53
13-19 YRS	1664	27.1	293	3	5	28	39	49	56	82
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	25	37.9	312	17	19	31	51	69	86	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	300	23.0	437	1	2	18	42	53	60	93
B. *Operated*	2	41.0	338	28	28	41	54	54	54	54
2. MULTIPLE DX										
A. *Not Operated*	1676	27.0	293	3	5	28	39	49	56	82
B. *Operated*	25	37.9	312	17	19	31	51	69	86	99+
1. SINGLE DX	302	23.1	438	1	2	19	42	54	59	93
2. MULTIPLE DX	1701	27.2	295	3	5	28	39	49	57	83
A. NOT OPERATED	1976	26.4	317	2	4	28	39	49	57	83
B. OPERATED	27	38.1	302	18	20	31	52	68	85	99+
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	31.0	709	3	3	34	50	56	56	56
1-5 YRS										
6-12 YRS	10	22.2	385	1	1	15	34	52	53	53
13-19 YRS	1989	26.6	318	2	4	28	39	49	58	84
GRAND TOTAL	**2003**	**26.6**	**318**	**2**	**4**	**28**	**39**	**49**	**57**	**84**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	6	6.7	125	<1	<1	1	7	27	29	29
6-12 YRS	50	1.2		<1	<1	1	1	2	2	3
13-19 YRS	734	1.4	4	<1	<1	1	1	2	2	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	<1	<1	1	2	2	2	2
1-5 YRS	6	2.2	2	1	1	2	3	4	4	4
6-12 YRS	34	4.9	141	<1	<1	1	2	6	40	51
13-19 YRS	926	9.4	249	<1	<1	1	7	38	47	60
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	22	8.6	353	<1	<1	1	2	37	59	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	792	1.4	5	<1	<1	1	1	2	2	11
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	968	9.2	244	<1	<1	1	7	37	47	60
B. *Operated*	23	8.3	339	<1	<1	1	2	35	58	74
1. SINGLE DX	792	1.4	5	<1	<1	1	1	2	2	11
2. MULTIPLE DX	991	9.2	246	<1	<1	1	6	37	47	60
A. NOT OPERATED	1760	5.7	151	<1	<1	1	2	24	41	56
B. OPERATED	23	8.3	339	<1	<1	1	2	35	58	74
TOTAL 0-27 DYS										
1-11 MOS	4	1.3		<1	<1	1	2	2	2	2
1-5 YRS	12	4.4	63	<1	<1	1	4	14	27	29
6-12 YRS	85	2.7	59	<1	<1	1	1	2	3	48
13-19 YRS	1682	5.9	159	<1	<1	1	2	27	42	57
GRAND TOTAL	**1783**	**5.7**	**154**	**<1**	**<1**	**1**	**2**	**25**	**41**	**57**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	<1	<1	1	2	2	2	2
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	2	9.0	50	4	4	9	14	14	14	14
13-19 YRS	171	13.0	295	<1	1	4	22	39	46	67
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	4	9.0	55	4	4	6	13	20	20	20
1-5 YRS	2	3.0	2	2	2	3	4	4	4	4
6-12 YRS	8	21.1	283	2	3	20	28	47	55	55
13-19 YRS	1054	25.0	371	1	2	26	41	50	60	81
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	29.0		29	29	29	29	29	29	29
13-19 YRS	19	35.8	465	3	4	41	53	63	67	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	176	12.7	289	<1	1	4	22	39	46	66
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1069	24.9	370	1	2	25	41	50	60	81
B. *Operated*	20	35.5	443	3	4	38	52	63	67	69
1. SINGLE DX	176	12.7	289	<1	1	4	22	39	46	66
2. MULTIPLE DX	1089	25.1	373	1	2	26	41	50	60	81
A. NOT OPERATED	1245	23.2	376	1	2	21	39	49	59	81
B. OPERATED	20	35.5	443	3	4	38	52	63	67	69
TOTAL 0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	6	6.5	48	<1	<1	4	7	19	20	20
1-5 YRS	3	2.3	2	1	1	2	3	4	4	4
6-12 YRS	11	19.6	236	2	3	17	28	40	54	55
13-19 YRS	1244	23.5	381	1	2	22	39	49	59	81
GRAND TOTAL	**1265**	**23.4**	**379**	**1**	**2**	**21**	**39**	**49**	**59**	**80**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	2.3	1	1	1	3	3	3	3	3
1-5 YRS	5	2.4	2	1	1	3	3	4	4	4
6-12 YRS	42	2.8	3	1	1	3	3	5	7	8
13-19 YRS	64	2.7	3	<1	1	2	3	5	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	3	2.0	1	<1	<1	2	3	3	3	3
13-19 YRS	9	3.4	4	<1	<1	3	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	3	1.7		1	1	2	2	2	2	2
1-5 YRS	17	6.1	96	1	1	3	4	15	32	41
6-12 YRS	52	3.8	12	1	1	3	4	6	9	19
13-19 YRS	141	4.5	43	1	1	3	5	8	11	64
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	14.6	915	1	1	2	6	68	83	83
13-19 YRS	14	10.1	117	3	3	7	12	19	39	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	114	2.7	3	1	1	2	3	4	6	8
B. *Operated*	14	2.9	3	<1	<1	3	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	215	4.4	39	1	1	3	4	8	11	48
B. *Operated*	21	11.6	355	1	2	6	11	28	62	83
1. SINGLE DX	128	2.7	3	1	1	2	3	5	6	8
2. MULTIPLE DX	236	5.0	70	1	1	3	5	8	15	64
A. NOT OPERATED	329	3.8	27	1	1	3	4	6	9	39
B. OPERATED	35	8.1	229	<1	1	4	7	13	38	83
TOTAL 0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	6	2.0	1	1	1	2	3	3	3	3
1-5 YRS	24	5.0	70	1	1	3	4	11	23	41
6-12 YRS	104	4.1	69	1	1	3	4	6	8	48
13-19 YRS	228	4.3	37	1	1	3	5	8	11	48
GRAND TOTAL	**364**	**4.2**	**47**	**1**	**1**	**3**	**4**	**7**	**11**	**44**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	3.0	8	1	1	3	5	5	5	5
1-11 MOS	5	6.0	23	1	1	4	10	12	12	12
1-5 YRS	12	12.2	247	1	1	7	15	33	54	57
6-12 YRS	209	17.4	312	1	2	11	28	49	62	99+
13-19 YRS	2014	12.1	198	1	1	7	16	32	44	70
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	2	3.5	13	1	1	6	76	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	7.8	52	1	1	8	14	14	14	14
1-11 MOS	6	10.5	168	1	1	6	10	33	36	36
1-5 YRS	25	27.1	430	4	5	27	53	99+	99+	99+
6-12 YRS	335	21.9	464	2	2	15	31	62	84	99+
13-19 YRS	3148	14.1	260	1	1	8	20	39	51	92
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	5	15.2	222	4	4	11	23	40	40	40
13-19 YRS	96	19.6	457	<1	1	13	30	59	85	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2242	12.6	210	1	1	7	17	34	47	75
B. *Operated*	3	3.7	6	1	1	5	53	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	3518	14.9	287	1	1	8	21	42	56	99+
B. *Operated*	103	19.1	441	1	1	12	30	59	84	99+
1. SINGLE DX	2245	12.6	210	1	1	7	17	34	47	77
2. MULTIPLE DX	3621	15.0	291	1	1	9	21	42	57	99+
A. NOT OPERATED	5760	14.0	258	1	1	8	19	39	52	97
B. OPERATED	106	18.6	435	1	1	12	30	59	86	99+
TOTAL 0-27 DYS	6	6.2	39	1	1	3	14	14	14	14
1-11 MOS	11	8.5	99	1	1	4	10	22	35	36
1-5 YRS	39	21.2	412	1	2	18	40	84	99+	99+
6-12 YRS	550	20.1	408	1	2	13	31	57	72	99+
13-19 YRS	5260	13.4	241	1	1	7	18	36	49	87
GRAND TOTAL	**5866**	**14.1**	**262**	**1**	**1**	**8**	**20**	**39**	**53**	**98**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	54.0		54	54	54	54	54	54	54
1-11 MOS	17	3.6	27	<1	1	2	3	6	17	23
1-5 YRS	115	8.7	262	<1	1	2	5	33	46	78
6-12 YRS	548	19.0	440	1	2	10	31	53	70	99+
13-19 YRS	1887	20.6	435	1	2	14	32	55	75	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	2.0	1	<1	<1	2	3	3	3	3
6-12 YRS	6	8.8	223	<1	<1	3	6	36	39	39
13-19 YRS	12	16.4	162	<1	3	12	29	35	37	37
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	35	9.4	280	1	1	3	8	26	50	83
1-5 YRS	243	14.9	498	1	1	4	24	78	99+	99+
6-12 YRS	1204	28.9	654	2	3	27	53	90	99+	99+
13-19 YRS	3635	24.6	508	2	3	18	42	68	91	99+
B. *Operated*										
0-27 DYS	1	41.0		41	41	41	41	41	41	41
1-11 MOS	5	10.6	151	3	3	4	15	32	32	32
1-5 YRS	9	13.0	169	4	4	9	27	71	99+	99+
6-12 YRS	26	21.0	515	3	3	13	41	95	99+	99+
13-19 YRS	91	32.3	657	2	5	35	63	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2568	19.6	433	1	2	12	31	54	72	99+
B. *Operated*	22	11.7	171	<1	<1	6	19	35	38	39
2. MULTIPLE DX										
A. *Not Operated*	5118	25.1	550	2	3	19	44	74	99+	99+
B. *Operated*	132	28.0	616	3	4	28	58	99+	99+	99+
1. SINGLE DX	2590	19.6	431	1	2	12	31	54	72	99+
2. MULTIPLE DX	5250	25.1	552	2	3	19	44	75	99+	99+
A. NOT OPERATED	7686	23.3	518	1	2	16	41	68	91	99+
B. OPERATED	154	25.7	583	2	3	25	54	99+	99+	99+
TOTAL 0-27 DYS	3	32.3	732	2	2	41	51	54	54	54
1-11 MOS	57	7.8	196	1	1	3	7	21	31	81
1-5 YRS	371	12.8	419	1	1	4	14	56	90	99+
6-12 YRS	1784	25.7	606	1	2	20	47	83	99+	99+
13-19 YRS	5625	23.4	490	1	2	17	40	65	88	99+
GRAND TOTAL	**7840**	**23.3**	**519**	**1**	**2**	**16**	**41**	**69**	**92**	**99+**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	3.0	1	2	2	3	4	4	4	4
6-12 YRS	6	10.7	77	<1	<1	12	14	23	24	24
13-19 YRS	14	5.1	38	<1	<1	2	8	12	20	22
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	2	10.5	25	7	7	10	14	14	14	14
13-19 YRS	6	3.7		3	3	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	16	12.8	369	2	2	5	15	25	63	79
6-12 YRS	41	7.3	110	1	1	3	7	21	44	99+
13-19 YRS	79	15.8	387	1	2	10	18	47	90	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	6.5	1	6	6	6	7	7	7	7
6-12 YRS	5	5.4	18	1	1	4	8	12	12	12
13-19 YRS	13	5.0	26	<1	1	4	5	9	19	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	6.2	46	<1	<1	3	10	15	23	24
B. *Operated*	9	5.3	12	3	3	4	5	11	14	14
2. MULTIPLE DX										
A. *Not Operated*	137	12.8	310	1	2	7	15	32	82	99+
B. *Operated*	20	5.3	21	<1	1	4	6	10	16	21
1. SINGLE DX	33	5.9	36	<1	1	4	8	14	21	24
2. MULTIPLE DX	157	11.8	279	1	2	7	14	31	78	99+
A. NOT OPERATED	161	11.8	275	1	1	7	14	31	78	99+
B. OPERATED	29	5.3	17	1	1	4	6	10	14	21
TOTAL 0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	23	10.2	269	2	2	5	9	23	44	79
6-12 YRS	54	7.6	94	1	1	3	10	18	36	98
13-19 YRS	112	12.5	305	1	1	8	15	31	84	99+
GRAND TOTAL	**190**	**10.8**	**241**	**1**	**1**	**6**	**13**	**28**	**64**	**99+**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	76	11.2	38	3	4	10	15	20	24	28
1-11 MOS	484	10.3	16	3	4	10	12	15	16	21
1-5 YRS	555	10.0	15	2	4	10	12	14	16	19
6-12 YRS	101	7.1	19	1	2	7	11	12	14	16
13-19 YRS	84	6.7	20	1	2	5	10	12	15	21
B. *Operated*										
0-27 DYS	5	19.6	65	11	11	20	24	32	32	32
1-11 MOS	47	11.7	9	8	9	11	13	16	16	20
1-5 YRS	33	12.5	57	3	6	11	12	20	29	43
6-12 YRS	13	16.9	108	4	5	12	26	32	34	34
13-19 YRS	20	12.9	149	2	2	8	17	35	41	44
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	72	13.5	85	2	3	13	20	24	29	49
1-11 MOS	740	11.3	24	3	4	11	13	17	20	28
1-5 YRS	655	10.8	23	3	4	11	12	15	18	34
6-12 YRS	94	7.9	89	1	2	6	10	14	17	57
13-19 YRS	81	10.2	145	1	2	8	11	20	30	69
B. *Operated*										
0-27 DYS	24	20.0	80	5	10	21	25	38	54	99+
1-11 MOS	188	17.1	102	8	10	15	20	29	37	72
1-5 YRS	112	18.8	191	9	10	14	21	40	56	84
6-12 YRS	27	21.3	180	2	5	18	30	42	44	49
13-19 YRS	47	30.9	362	5	7	30	48	58	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1300	9.7	18	2	3	10	12	15	16	21
B. *Operated*	118	13.0	61	3	5	11	14	22	32	43
2. MULTIPLE DX										
A. *Not Operated*	1642	10.9	37	2	3	11	13	16	20	32
B. *Operated*	398	19.7	178	7	10	15	23	43	52	99+
1. SINGLE DX	1418	10.0	23	2	3	10	12	15	17	27
2. MULTIPLE DX	2040	12.6	76	2	4	11	14	21	28	57
A. NOT OPERATED	2942	10.4	29	2	3	11	12	15	18	28
B. OPERATED	516	18.2	159	5	9	14	21	38	49	82
TOTAL 0-27 DYS	177	13.6	72	2	4	12	20	24	29	50
1-11 MOS	1459	11.7	35	3	4	11	14	17	21	31
1-5 YRS	1355	11.2	40	3	4	11	12	16	19	42
6-12 YRS	235	9.6	92	2	2	9	12	18	27	44
13-19 YRS	232	13.4	224	1	2	9	15	43	52	75
GRAND TOTAL	**3458**	**11.6**	**56**	**2**	**4**	**11**	**13**	**17**	**23**	**47**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	2	5.0	2	4	4	5	6	6	6	6
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	7.0	32	3	3	7	11	11	11	11
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	5	4.2	1	3	3	4	5	6	6	6
B. *Operated*										
1. SINGLE DX	2	7.0	32	3	3	7	11	11	11	11
2. MULTIPLE DX	5	4.2	1	3	3	4	5	6	6	6
A. NOT OPERATED	7	5.0	8	3	3	4	6	10	11	11
B. OPERATED										
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	2	5.0	2	4	4	5	6	6	6	6
1-5 YRS	2	3.5	1	3	3	3	4	4	4	4
6-12 YRS										
13-19 YRS	2	7.0	32	3	3	7	11	11	11	11
GRAND TOTAL	**7**	**5.0**	**8**	**3**	**3**	**4**	**6**	**10**	**11**	**11**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3		3	3	3	3	3	3	3
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS										
6-12 YRS										
13-19 YRS	26	9.0	85	2	3	6	9	20	29	44
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	1	26.0		26	26	26	26	26	26	26
6-12 YRS	4	3.0	3	1	1	3	4	5	5	5
13-19 YRS	26	7.5	26	2	3	6	11	18	33	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	20.0	81	11	11	20	27	29	29	29
13-19 YRS	11	17.6	512	1	2	9	38	75	96	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	8.9	80	2	3	6	10	20	27	44
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	33	7.6	34	2	2	6	11	19	25	99+
B. *Operated*	14	18.1	408	1	2	11	27	65	91	99+
1. SINGLE DX	29	8.6	79	2	2	6	10	20	26	44
2. MULTIPLE DX	47	10.7	163	2	2	7	13	28	67	99+
A. NOT OPERATED	61	8.2	55	2	3	6	11	19	25	93
B. OPERATED	15	17.1	396	1	2	10	24	64	89	99+
TOTAL 0-27 DYS	2	5.0	8	3	3	5	7	7	7	7
1-11 MOS	2	11.0		11	11	11	11	11	11	11
1-5 YRS	1	26.0		26	26	26	26	26	26	26
6-12 YRS	7	10.3	111	1	1	5	18	27	29	29
13-19 YRS	64	9.8	139	2	2	6	11	21	60	99+
GRAND TOTAL	**76**	**9.9**	**130**	**2**	**2**	**6**	**11**	**24**	**53**	**99+**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	11	3.7	18	1	1	2	3	10	15	16
1-11 MOS	183	4.3	28	1	1	3	5	9	13	29
1-5 YRS	757	3.3	18	1	1	2	4	6	8	22
6-12 YRS	671	3.1	25	1	1	2	3	5	8	20
13-19 YRS	751	3.2	17	1	1	2	4	6	8	22
B. *Operated*										
0-27 DYS										
1-11 MOS	6	7.7	45	1	1	6	13	17	18	18
1-5 YRS	11	3.5	16	<1	<1	2	4	10	14	14
6-12 YRS	17	9.1	61	1	1	8	15	18	25	28
13-19 YRS	19	8.5	54	1	1	7	15	19	23	25
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	19	5.0	12	1	1	4	7	11	13	13
1-11 MOS	347	5.7	33	1	1	4	7	10	16	33
1-5 YRS	1507	4.1	20	1	1	3	5	8	11	26
6-12 YRS	988	4.8	54	1	1	3	5	10	16	40
13-19 YRS	955	4.8	37	1	1	3	5	10	14	32
B. *Operated*										
0-27 DYS	1	32.0		32	32	32	32	32	32	32
1-11 MOS	27	17.9	247	3	4	13	26	46	51	62
1-5 YRS	92	12.8	321	1	2	7	15	32	57	99+
6-12 YRS	41	15.5	204	2	2	11	22	29	50	64
13-19 YRS	54	10.8	147	1	1	7	13	25	42	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2373	3.3	20	1	1	2	4	6	9	22
B. *Operated*	53	7.5	50	1	1	4	13	17	20	28
2. MULTIPLE DX										
A. *Not Operated*	3816	4.6	35	1	1	3	5	9	13	31
B. *Operated*	215	13.6	248	1	2	8	17	32	48	96
1. SINGLE DX	2426	3.4	21	1	1	2	4	6	9	23
2. MULTIPLE DX	4031	5.0	50	1	1	3	5	10	16	37
A. NOT OPERATED	6189	4.1	29	1	1	3	4	8	12	29
B. OPERATED	268	12.4	214	1	2	8	15	29	43	91
TOTAL 0-27 DYS	31	5.4	38	1	1	3	6	12	16	32
1-11 MOS	563	5.8	49	1	1	4	7	11	19	39
1-5 YRS	2367	4.2	34	1	1	3	4	8	12	30
6-12 YRS	1717	4.4	50	1	1	2	4	9	15	39
13-19 YRS	1779	4.3	34	1	1	3	4	9	13	32
GRAND TOTAL	**6457**	**4.4**	**40**	**1**	**1**	**3**	**5**	**9**	**14**	**33**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	17	2.5	1	1	1	2	3	4	5	5
1-11 MOS	94	2.9	9	<1	<1	2	3	5	10	18
1-5 YRS	239	2.9	12	<1	<1	2	3	6	9	99+
6-12 YRS	167	4.0	76	1	1	3	4	7	11	99+
13-19 YRS	260	4.3	44	1	1	3	5	9	12	82
B. *Operated*										
0-27 DYS	6	4.5	5	2	2	4	6	8	8	8
1-11 MOS	114	4.5	15	1	1	4	5	8	10	22
1-5 YRS	235	3.5	10	<1	1	3	4	8	10	16
6-12 YRS	217	4.3	11	<1	1	3	6	9	11	15
13-19 YRS	197	5.9	19	1	1	5	8	11	14	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	18	10.2	351	1	1	4	7	23	59	81
1-11 MOS	231	5.2	73	1	1	3	5	9	13	59
1-5 YRS	649	5.2	65	1	1	3	6	15	99	99+
6-12 YRS	671	7.2	191	1	1	4	6	49	99+	99+
13-19 YRS	588	8.0	165	1	1	4	8	25	59	99+
B. *Operated*										
0-27 DYS	8	15.6	340	2	3	7	24	47	50	50
1-11 MOS	201	12.2	262	2	2	7	14	45	83	99+
1-5 YRS	470	7.6	146	1	1	4	7	15	29	97
6-12 YRS	540	7.9	131	1	1	4	9	17	30	99+
13-19 YRS	438	10.3	191	1	2	6	12	26	39	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	777	3.6	36	<1	1	2	4	7	11	97
B. *Operated*	769	4.5	14	1	1	3	6	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	2157	6.6	136	1	1	4	6	22	90	99+
B. *Operated*	1657	9.0	171	1	2	5	10	21	41	99+
1. SINGLE DX	1546	4.0	25	<1	1	3	5	9	11	25
2. MULTIPLE DX	3814	7.7	152	1	1	4	8	21	58	99+
A. NOT OPERATED	2934	5.8	111	1	1	3	5	14	53	99+
B. OPERATED	2426	7.6	125	1	1	4	8	16	28	99+
TOTAL 0-27 DYS	49	7.7	198	1	1	3	6	13	40	81
1-11 MOS	640	6.9	126	1	1	4	7	14	29	99+
1-5 YRS	1593	5.3	76	<1	1	3	6	12	26	99+
6-12 YRS	1595	6.7	136	1	1	4	7	16	66	99+
13-19 YRS	1483	7.7	137	1	1	4	9	18	36	99+
GRAND TOTAL	**5360**	**6.6**	**118**	**1**	**1**	**4**	**7**	**15**	**37**	**99+**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	4.0		4	4	4	4	4	4	4
1-11 MOS	3	2.0	1	1	1	2	3	3	3	3
1-5 YRS	28	1.6	1	<1	1	2	2	3	3	4
6-12 YRS	242	2.0	2	<1	1	2	2	3	4	7
13-19 YRS	495	2.5	4	<1	1	2	3	4	6	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	3	2.0		2	2	2	2	2	2	2
13-19 YRS	14	2.9	2	1	1	3	4	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	5	3.6	6	2	2	3	4	8	8	8
1-5 YRS	24	2.2	2	<1	1	2	3	4	6	6
6-12 YRS	167	2.9	6	1	1	2	3	6	8	12
13-19 YRS	408	3.6	10	1	1	3	4	7	9	16
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	4.0	18	<1	<1	3	7	7	7	7
6-12 YRS	6	6.2	23	3	3	4	8	14	15	15
13-19 YRS	28	7.4	324	2	2	3	4	7	34	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	770	2.3	3	<1	1	2	3	4	6	9
B. *Operated*	18	2.6	2	1	1	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*	605	3.4	9	1	1	2	4	7	9	14
B. *Operated*	36	7.0	254	2	2	3	5	8	23	96
1. SINGLE DX	788	2.3	3	<1	1	2	3	4	6	9
2. MULTIPLE DX	641	3.6	23	1	1	3	4	7	9	16
A. NOT OPERATED	1375	2.8	6	1	1	2	3	5	8	12
B. OPERATED	54	5.6	173	1	2	3	4	7	14	93
TOTAL 0-27 DYS	3	3.3	1	2	2	4	4	4	4	4
1-11 MOS	8	3.0	5	1	1	2	3	7	8	8
1-5 YRS	55	2.0	2	<1	1	2	2	4	5	7
6-12 YRS	418	2.4	4	1	1	2	3	4	7	11
13-19 YRS	945	3.1	17	1	1	2	4	6	8	13
GRAND TOTAL	**1429**	**2.9**	**13**	**1**	**1**	**2**	**3**	**5**	**8**	**12**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	3	2.3	5	1	1	1	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	3	2.0	1	1	1	2	3	3	3	3
1-5 YRS										
6-12 YRS	4	1.5		<1	<1	1	2	2	2	2
13-19 YRS	39	1.3		<1	<1	1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	8	3.3	5	1	1	3	4	7	8	8
13-19 YRS	29	2.2	8	<1	<1	1	2	4	6	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.0	4	1	1	1	3	5	5	5
B. *Operated*	46	1.3		<1	<1	1	2	2	3	3
2. MULTIPLE DX										
A. *Not Operated*	2	2.0	2	<1	<1	1	3	3	3	3
B. *Operated*	38	2.4	7	<1	<1	2	3	5	7	16
1. SINGLE DX	50	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX	40	2.4	7	<1	<1	2	3	4	7	16
A. NOT OPERATED	6	2.0	3	<1	<1	1	3	5	5	5
B. OPERATED	84	1.8	4	<1	<1	1	2	3	4	13
TOTAL 0-27 DYS										
1-11 MOS	3	2.0	1	1	1	2	3	3	3	3
1-5 YRS	2	1.5	1	<1	<1	1	2	2	2	2
6-12 YRS	13	2.5	4	<1	<1	2	3	6	8	8
13-19 YRS	72	1.7	4	<1	<1	1	2	3	4	14
GRAND TOTAL	**90**	**1.8**	**4**	**<1**	**<1**	**1**	**2**	**3**	**5**	**13**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	10	3.7	30	<1	<1	2	3	11	19	19
1-5 YRS	48	6.4	43	<1	1	4	8	14	24	30
6-12 YRS	59	7.3	41	1	1	6	9	20	27	99+
13-19 YRS	134	6.3	73	1	1	4	8	12	23	69
B. *Operated*										
0-27 DYS										
1-11 MOS	4	2.0	1	1	1	2	3	3	3	3
1-5 YRS	19	3.6	6	1	1	3	5	7	10	11
6-12 YRS	44	3.4	16	1	1	2	4	5	8	26
13-19 YRS	244	2.9	8	<1	1	2	3	5	7	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	3.0	8	1	1	3	5	5	5	5
1-11 MOS	9	4.9	21	<1	1	3	6	13	14	14
1-5 YRS	37	5.1	18	<1	1	4	8	11	13	18
6-12 YRS	57	9.2	192	1	1	4	9	29	41	98
13-19 YRS	135	8.0	83	1	1	5	10	21	34	99+
B. *Operated*										
0-27 DYS										
1-11 MOS	8	3.8	7	1	1	4	6	64	99+	99+
1-5 YRS	30	7.0	103	1	1	4	7	20	34	43
6-12 YRS	38	8.0	213	1	1	3	6	20	43	74
13-19 YRS	207	6.9	150	1	1	3	6	12	39	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	251	6.5	58	1	1	4	8	16	23	98
B. *Operated*	311	3.0	9	<1	1	2	3	5	8	20
2. MULTIPLE DX										
A. *Not Operated*	240	7.7	97	1	1	4	9	21	32	99+
B. *Operated*	283	7.0	149	1	1	3	6	13	39	87
1. SINGLE DX	562	4.5	34	1	1	3	5	10	16	35
2. MULTIPLE DX	523	7.3	125	1	1	4	7	19	34	91
A. NOT OPERATED	491	7.1	77	1	1	4	8	18	29	99+
B. OPERATED	594	4.9	79	1	1	3	5	8	15	61
TOTAL 0-27 DYS	2	3.0	8	1	1	3	5	5	5	5
1-11 MOS	31	3.8	17	<1	1	3	4	12	18	99+
1-5 YRS	134	5.8	44	1	1	4	7	11	18	35
6-12 YRS	198	7.1	114	1	1	4	7	20	31	99+
13-19 YRS	720	5.6	79	1	1	3	6	11	21	65
GRAND TOTAL	**1085**	**5.9**	**80**	**1**	**1**	**3**	**6**	**12**	**24**	**76**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	3	1.0		<1	<1	1	1	1	1	1
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	3	2.7	4	<1	<1	2	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	4	4.8	24	1	1	3	8	12	12	12
1-5 YRS	13	2.7	3	1	1	3	4	5	5	5
6-12 YRS	50	3.4	3	1	1	3	5	6	7	7
13-19 YRS	136	3.5	8	1	1	3	4	5	6	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	8	1.5	1	<1	<1	1	2	3	4	4
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	4	2.8	4	<1	<1	2	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	13	3.2	5	1	1	3	4	5	9	10
1-5 YRS	24	3.2	2	1	1	3	4	5	6	6
6-12 YRS	71	4.3	8	1	1	4	5	8	10	16
13-19 YRS	131	4.1	9	1	2	3	5	6	9	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.0	2	<1	<1	1	3	4	5	5
B. *Operated*	203	3.4	6	1	1	3	4	5	7	16
2. MULTIPLE DX										
A. *Not Operated*	13	1.9	2	<1	<1	1	3	4	5	5
B. *Operated*	239	4.0	8	1	2	3	5	6	9	16
1. SINGLE DX	211	3.4	6	1	1	3	4	5	6	16
2. MULTIPLE DX	252	3.9	8	1	1	3	5	6	9	16
A. NOT OPERATED	21	2.0	2	<1	<1	1	3	4	5	5
B. OPERATED	442	3.7	7	1	1	3	4	6	8	16
TOTAL 0-27 DYS										
1-11 MOS	18	3.5	9	1	1	3	4	8	11	12
1-5 YRS	48	2.6	2	1	1	2	4	5	5	6
6-12 YRS	123	3.9	6	1	1	3	5	7	8	13
13-19 YRS	274	3.7	8	1	1	3	4	6	8	20
GRAND TOTAL	**463**	**3.7**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**16**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	3	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	8	2.0	1	<1	<1	2	2	4	4	4
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	6	3.0	4	1	1	2	6	81	99+	99+
13-19 YRS	6	2.5	2	<1	<1	3	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	1.0		1	1	1	1	1	1	1
1-5 YRS	6	1.8	3	<1	<1	1	2	5	5	5
6-12 YRS	2	2.5	5	1	1	2	4	4	4	4
13-19 YRS	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	4	4.0	22	1	1	2	7	11	11	11
1-5 YRS	5	3.4	6	1	1	2	6	6	6	6
6-12 YRS	4	1.0		<1	<1	1	1	1	1	1
13-19 YRS	5	5.4	25	1	1	3	9	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	1.3	1	1	1	1	1	3	3	3
B. *Operated*	21	2.4	2	<1	1	2	3	5	44	99+
2. MULTIPLE DX										
A. *Not Operated*	13	1.8	2	<1	<1	1	2	4	5	5
B. *Operated*	18	3.6	14	<1	1	2	6	10	12	13
1. SINGLE DX	27	2.2	2	<1	1	2	3	5	15	99+
2. MULTIPLE DX	31	2.8	9	<1	<1	2	3	7	11	13
A. NOT OPERATED	19	1.7	1	<1	<1	1	2	4	5	5
B. OPERATED	39	2.9	7	<1	1	2	4	7	12	99+
TOTAL 0-27 DYS										
1-11 MOS	17	2.2	6	<1	1	2	2	4	9	11
1-5 YRS	15	2.2	3	<1	<1	1	2	6	6	6
6-12 YRS	12	2.3	3	<1	<1	2	4	25	86	99+
13-19 YRS	14	3.6	10	<1	1	3	3	8	12	13
GRAND TOTAL	**58**	**2.5**	**6**	**<1**	**1**	**2**	**3**	**6**	**10**	**92**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	3	1.7		1	1	2	2	2	2	2
6-12 YRS	8	1.8	1	1	1	2	2	3	4	4
13-19 YRS	10	2.5	4	<1	<1	2	3	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	7	1.3	1	<1	<1	<1	1	3	3	3
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	3	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	2	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	7	2.4	3	1	1	2	4	5	5	5
13-19 YRS	17	3.5	11	<1	1	2	4	6	12	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.0		2	2	2	2	2	2	2
B. *Operated*	22	2.1	2	<1	1	2	2	4	6	7
2. MULTIPLE DX										
A. *Not Operated*	13	1.3		<1	<1	1	1	2	3	3
B. *Operated*	29	2.9	8	<1	1	2	3	5	6	15
1. SINGLE DX	24	2.1	2	<1	1	2	2	4	6	7
2. MULTIPLE DX	42	2.4	5	<1	<1	2	3	5	6	15
A. NOT OPERATED	15	1.4		<1	<1	1	2	2	3	3
B. OPERATED	51	2.5	5	<1	1	2	3	5	6	15
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	4	2.0		2	2	2	2	2	2	2
1-5 YRS	12	1.3		<1	<1	1	2	2	3	3
6-12 YRS	18	2.0	2	1	1	2	2	5	5	5
13-19 YRS	31	2.9	8	<1	1	2	3	6	7	15
GRAND TOTAL	**66**	**2.3**	**4**	**<1**	**<1**	**2**	**2**	**5**	**6**	**14**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

CPHA excludes pediatric patients from this diagnosis group because of clinical implausibility.

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS										
13-19 YRS										
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	19	1.2		<1	<1	<1	1	2	2	2
1-5 YRS	40	1.6	1	<1	<1	1	2	3	3	3
6-12 YRS	50	1.9	2	<1	<1	2	2	4	5	7
13-19 YRS	41	2.0	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	2.0	3	<1	<1	1	3	4	4	4
6-12 YRS	3	4.0	27	1	1	1	8	10	10	10
13-19 YRS										
B. Operated										
0-27 DYS										
1-11 MOS	9	1.9	1	<1	<1	2	2	3	3	3
1-5 YRS	25	1.8	1	<1	<1	2	2	3	4	6
6-12 YRS	42	3.4	17	<1	1	2	3	6	11	24
13-19 YRS	48	2.6	5	<1	1	2	3	4	5	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	5.0		5	5	5	5	5	5	5
B. Operated	151	1.7	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	6	3.0	13	<1	<1	1	4	9	10	10
B. Operated	124	2.7	8	<1	1	2	3	4	6	18
1. SINGLE DX	152	1.8	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX	130	2.7	8	<1	<1	2	3	4	6	18
A. NOT OPERATED	7	3.3	12	<1	<1	1	5	9	10	10
B. OPERATED	275	2.2	5	<1	<1	2	2	3	5	13
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	28	1.4		<1	<1	1	2	2	3	3
1-5 YRS	69	1.7	1	<1	<1	1	2	3	4	6
6-12 YRS	95	2.7	10	<1	1	2	3	5	7	20
13-19 YRS	89	2.3	3	<1	<1	2	3	4	4	12
GRAND TOTAL	**282**	**2.2**	**5**	**<1**	**<1**	**2**	**2**	**4**	**5**	**13**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	3	1.3		<1	<1	1	2	2	2	2
1-5 YRS	16	1.3	1	<1	<1	1	1	2	3	4
6-12 YRS	8	2.3	3	<1	<1	2	3	5	5	5
13-19 YRS	4	2.0	2	<1	<1	1	3	4	4	4
B. Operated										
0-27 DYS										
1-11 MOS	194	1.2		<1	<1	<1	1	2	2	2
1-5 YRS	1594	1.3	1	<1	<1	1	1	2	2	2
6-12 YRS	756	1.3		<1	<1	1	2	2	2	2
13-19 YRS	335	1.4		<1	<1	1	2	2	2	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	9	1.8	2	<1	<1	1	2	4	5	5
1-5 YRS	77	1.3	1	<1	<1	1	1	2	3	5
6-12 YRS	18	1.2		<1	<1	1	1	2	2	2
13-19 YRS	14	2.8	11	<1	<1	1	3	7	11	12
B. Operated										
0-27 DYS										
1-11 MOS	36	2.2	14	<1	<1	1	2	2	8	22
1-5 YRS	430	1.3		<1	<1	1	2	2	2	3
6-12 YRS	266	1.3		<1	<1	1	2	2	2	4
13-19 YRS	120	1.4	1	<1	<1	1	2	2	3	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	1.6	1	<1	<1	1	2	4	4	5
B. Operated	2879	1.3	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	119	1.5	2	<1	<1	1	1	3	4	9
B. Operated	852	1.4	1	<1	<1	1	2	2	2	4
1. SINGLE DX	2910	1.3	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX	971	1.4	1	<1	<1	1	2	2	2	5
A. NOT OPERATED	150	1.5	2	<1	<1	1	2	3	4	7
B. OPERATED	3731	1.3	1	<1	<1	1	2	2	2	3
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	242	1.3	2	<1	<1	<1	1	2	2	7
1-5 YRS	2117	1.3	1	<1	<1	1	1	2	2	3
6-12 YRS	1048	1.3		<1	<1	1	2	2	2	3
13-19 YRS	473	1.4	1	<1	<1	1	2	2	2	6
GRAND TOTAL	**3881**	**1.3**	**1**	**<1**	**<1**	**1**	**2**	**2**	**2**	**3**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	46	3.3	7	<1	1	3	4	5	9	15
1-11 MOS	188	1.9	15	<1	<1	<1	1	3	5	12
1-5 YRS	213	2.1	4	<1	<1	1	2	4	7	10
6-12 YRS	36	3.4	10	<1	1	3	4	6	8	18
13-19 YRS	46	3.0	4	<1	<1	2	4	5	7	9
B. *Operated*										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	21	1.7	2	<1	<1	<1	2	4	5	5
1-5 YRS	167	1.3		<1	<1	<1	1	2	2	4
6-12 YRS	108	1.5	2	<1	<1	1	2	2	3	8
13-19 YRS	107	1.8	2	<1	<1	1	2	3	4	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	64	4.0	4	1	2	3	5	7	8	8
1-11 MOS	147	3.4	4	<1	1	3	4	6	7	9
1-5 YRS	222	3.0	4	<1	1	3	4	5	7	12
6-12 YRS	60	3.9	10	<1	<1	3	5	7	10	18
13-19 YRS	52	3.1	4	<1	1	3	4	6	7	10
B. *Operated*										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	9	3.7	23	<1	<1	2	4	12	16	16
1-5 YRS	82	2.3	4	<1	<1	1	3	5	7	10
6-12 YRS	81	2.3	3	<1	<1	2	3	4	6	10
13-19 YRS	120	2.1	2	<1	1	2	3	4	5	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	529	2.3	9	<1	<1	1	3	5	6	11
B. *Operated*	405	1.5	1	<1	<1	1	2	2	3	7
2. MULTIPLE DX										
A. *Not Operated*	545	3.3	5	<1	1	3	4	6	8	11
B. *Operated*	294	2.2	3	<1	<1	2	3	4	5	10
1. SINGLE DX	934	2.0	6	<1	<1	1	2	4	5	9
2. MULTIPLE DX	839	2.9	5	<1	1	2	4	6	7	10
A. NOT OPERATED	1074	2.8	7	<1	<1	2	4	5	7	11
B. OPERATED	699	1.8	2	<1	<1	1	2	3	4	9
TOTAL 0-27 DYS	114	3.7	5	1	1	3	5	7	8	12
1-11 MOS	365	2.5	10	<1	<1	1	3	5	7	11
1-5 YRS	684	2.2	4	<1	<1	1	3	4	6	10
6-12 YRS	285	2.5	6	<1	<1	2	3	5	7	12
13-19 YRS	325	2.3	3	<1	<1	2	3	4	5	9
GRAND TOTAL	**1773**	**2.4**	**5**	**<1**	**<1**	**2**	**3**	**5**	**6**	**10**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	13	4.8	11	1	2	4	6	9	12	13
1-11 MOS	233	3.4	4	1	1	3	4	6	7	10
1-5 YRS	654	3.3	4	1	2	3	4	5	6	11
6-12 YRS	209	3.7	4	1	2	3	5	6	8	11
13-19 YRS	134	3.7	5	1	1	3	5	7	8	11
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	20	3.2	4	<1	1	3	4	6	7	8
1-5 YRS	47	3.0	7	<1	<1	2	3	8	9	11
6-12 YRS	58	3.3	9	<1	<1	2	5	8	9	16
13-19 YRS	52	3.3	20	<1	<1	2	4	6	11	28
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	19	4.3	3	2	2	4	6	7	7	7
1-11 MOS	357	4.3	7	1	2	4	5	7	10	12
1-5 YRS	737	3.8	5	1	2	3	5	7	8	11
6-12 YRS	258	4.0	5	1	1	3	5	7	9	11
13-19 YRS	153	4.8	10	1	2	4	6	9	11	15
B. *Operated*										
0-27 DYS	2	3.5	13	1	1	3	6	6	6	6
1-11 MOS	29	4.1	28	1	1	3	5	7	9	29
1-5 YRS	67	4.5	18	<1	1	3	7	9	11	22
6-12 YRS	68	6.0	34	1	1	4	9	12	17	28
13-19 YRS	89	4.7	14	1	1	3	6	10	14	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1243	3.4	4	1	1	3	4	6	7	11
B. *Operated*	178	3.2	11	<1	<1	2	4	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	1524	4.1	6	1	2	3	5	7	9	12
B. *Operated*	255	4.9	22	1	1	3	7	10	14	27
1. SINGLE DX	1421	3.4	5	1	1	3	4	6	7	11
2. MULTIPLE DX	1779	4.2	8	1	2	3	5	7	10	14
A. NOT OPERATED	2767	3.8	5	1	2	3	5	7	8	12
B. OPERATED	433	4.2	18	<1	1	3	6	9	12	23
TOTAL 0-27 DYS	35	4.4	6	1	2	4	6	7	8	13
1-11 MOS	639	3.9	7	1	1	3	5	7	9	12
1-5 YRS	1505	3.6	5	1	1	3	4	6	8	11
6-12 YRS	593	4.0	9	1	1	3	5	8	10	15
13-19 YRS	428	4.3	11	1	1	3	6	8	10	16
GRAND TOTAL	**3200**	**3.8**	**7**	**1**	**1**	**3**	**5**	**7**	**9**	**13**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	13	2.3	1	<1	1	2	3	4	5	5
1-5 YRS	7	1.7	1	<1	<1	2	2	3	3	3
6-12 YRS	9	2.0	3	1	1	2	2	5	6	6
13-19 YRS	9	2.3	3	1	1	2	3	5	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	13	1.3		<1	<1	1	2	2	2	2
6-12 YRS	16	1.4		<1	<1	1	2	2	2	2
13-19 YRS	10	1.8		1	1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	14	1.9	1	1	1	2	2	3	3	3
1-5 YRS	17	2.3	3	<1	<1	2	3	5	6	7
6-12 YRS	26	2.4	4	<1	<1	2	3	4	8	10
13-19 YRS	38	2.8	4	1	1	2	4	5	7	11
B. *Operated*										
0-27 DYS										
1-11 MOS	2	21.0	722	2	2	21	40	40	40	40
1-5 YRS	9	1.4	1	<1	<1	<1	2	3	3	3
6-12 YRS	25	2.2	3	<1	<1	1	3	5	6	8
13-19 YRS	22	2.8	7	<1	1	2	3	6	9	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	2.2	2	<1	1	2	3	4	6	6
B. *Operated*	41	1.4		<1	<1	1	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	95	2.5	4	<1	1	2	3	5	6	11
B. *Operated*	58	2.9	29	<1	<1	2	3	6	7	38
1. SINGLE DX	80	1.8	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX	153	2.7	13	<1	1	2	3	5	7	12
A. NOT OPERATED	134	2.4	3	<1	1	2	3	5	6	10
B. OPERATED	99	2.3	17	<1	<1	1	2	4	6	26
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	31	3.2	48	<1	<1	2	3	4	5	40
1-5 YRS	46	1.8	2	<1	<1	1	2	3	4	7
6-12 YRS	76	2.1	3	<1	<1	2	2	4	6	9
13-19 YRS	79	2.6	4	1	1	2	3	5	6	12
GRAND TOTAL	**233**	**2.4**	**9**	**<1**	**<1**	**2**	**3**	**4**	**6**	**11**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	112	3.1	2	1	1	3	4	5	6	8
1-11 MOS	841	2.6	2	1	1	2	3	4	5	7
1-5 YRS	679	2.6	2	1	1	2	3	4	5	8
6-12 YRS	63	3.0	7	1	1	2	3	5	8	14
13-19 YRS	21	3.5	5	<1	1	3	4	7	8	9
B. *Operated*										
0-27 DYS	11	2.9	5	<1	<1	2	4	6	8	8
1-11 MOS	646	1.1		<1	<1	<1	<1	1	2	5
1-5 YRS	3954	1.0		<1	<1	<1	<1	1	1	2
6-12 YRS	1533	1.2		<1	<1	<1	1	2	2	3
13-19 YRS	483	1.4		<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	184	3.4	4	1	2	3	4	6	7	11
1-11 MOS	2596	3.1	4	1	1	3	4	5	6	10
1-5 YRS	3487	3.0	4	1	1	3	4	5	7	9
6-12 YRS	376	3.1	5	<1	1	3	4	5	7	13
13-19 YRS	113	3.7	5	1	1	3	5	7	8	10
B. *Operated*										
0-27 DYS	8	2.8	3	<1	<1	3	3	5	6	6
1-11 MOS	277	3.2	8	<1	<1	2	4	7	10	14
1-5 YRS	3347	1.4	2	<1	<1	1	1	2	3	7
6-12 YRS	2040	1.4	2	<1	<1	1	2	2	3	5
13-19 YRS	661	1.6	2	<1	1	1	2	3	3	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1716	2.6	2	1	1	2	3	4	5	8
B. *Operated*	6627	1.1		<1	<1	<1	<1	1	2	3
2. MULTIPLE DX										
A. *Not Operated*	6756	3.1	4	1	1	3	4	5	7	10
B. *Operated*	6333	1.5	2	<1	<1	1	2	2	3	8
1. SINGLE DX	8343	1.4	1	<1	<1	<1	1	3	3	6
2. MULTIPLE DX	13089	2.3	4	<1	<1	2	3	4	6	9
A. NOT OPERATED	8472	3.0	4	1	1	3	4	5	6	10
B. OPERATED	12960	1.3	1	<1	<1	<1	1	2	2	6
TOTAL 0-27 DYS	315	3.3	3	1	1	3	4	5	7	10
1-11 MOS	4360	2.7	4	<1	<1	2	4	5	6	10
1-5 YRS	11467	1.8	3	<1	<1	1	2	4	5	8
6-12 YRS	4012	1.5	2	<1	<1	1	2	2	3	7
13-19 YRS	1278	1.8	2	<1	<1	1	2	3	4	8
GRAND TOTAL	**21432**	**2.0**	**3**	**<1**	**<1**	**1**	**2**	**4**	**5**	**8**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	14	4.0	4	2	2	3	6	7	8	8
1-11 MOS	77	3.2	4	1	1	3	4	5	7	10
1-5 YRS	165	2.9	3	1	1	3	4	5	6	9
6-12 YRS	84	3.6	12	1	1	3	4	7	9	22
13-19 YRS	57	3.7	7	1	1	3	4	8	10	12
B. *Operated*										
0-27 DYS										
1-11 MOS	66	1.6	1	<1	<1	<1	2	3	4	5
1-5 YRS	354	1.4	1	<1	<1	<1	1	2	5	7
6-12 YRS	263	1.6	2	<1	<1	<1	1	3	4	9
13-19 YRS	77	2.3	4	<1	<1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	22	3.6	2	1	2	4	4	5	6	7
1-11 MOS	246	3.2	4	1	1	3	4	6	7	11
1-5 YRS	573	3.7	10	1	1	3	5	6	9	15
6-12 YRS	138	4.1	8	1	2	3	5	8	10	14
13-19 YRS	116	4.4	9	1	2	4	6	8	9	17
B. *Operated*										
0-27 DYS	5	4.0	3	3	3	3	5	7	7	7
1-11 MOS	51	4.3	9	<1	1	4	6	8	10	17
1-5 YRS	402	2.1	7	<1	<1	1	2	4	6	11
6-12 YRS	296	2.7	16	<1	<1	1	2	6	9	20
13-19 YRS	172	3.3	13	<1	1	2	4	7	10	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	397	3.2	6	1	1	3	4	5	8	11
B. *Operated*	760	1.6	2	<1	<1	<1	1	3	5	8
2. MULTIPLE DX										
A. *Not Operated*	1095	3.7	8	1	1	3	5	7	8	14
B. *Operated*	926	2.6	11	<1	<1	1	3	6	9	16
1. SINGLE DX	1157	2.1	4	<1	<1	1	3	4	6	9
2. MULTIPLE DX	2021	3.2	10	<1	1	2	4	6	9	15
A. NOT OPERATED	1492	3.6	8	1	1	3	4	6	8	13
B. OPERATED	1686	2.1	7	<1	<1	1	2	5	7	12
TOTAL 0-27 DYS	41	3.8	2	2	2	3	4	6	7	8
1-11 MOS	440	3.1	5	<1	<1	3	4	6	7	11
1-5 YRS	1494	2.6	7	<1	<1	2	3	5	7	11
6-12 YRS	781	2.7	10	<1	<1	2	3	6	8	14
13-19 YRS	422	3.5	10	<1	1	2	4	7	9	17
GRAND TOTAL	**3178**	**2.8**	**8**	**<1**	**<1**	**2**	**4**	**6**	**8**	**13**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS	12	1.8	1	<1	<1	2	3	3	4	4
6-12 YRS	16	2.8	2	<1	1	3	4	5	5	5
13-19 YRS	47	3.0	4	1	1	3	4	5	5	12
B. *Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS										
1-5 YRS	8	2.3	10	<1	<1	<1	1	8	10	10
6-12 YRS	16	1.5	1	<1	<1	1	2	3	3	3
13-19 YRS	19	2.0	1	<1	<1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	2.0		2	2	2	2	2	2	2
1-11 MOS	7	3.0	1	2	2	3	4	5	5	5
1-5 YRS	9	6.6	125	1	1	3	5	24	36	36
6-12 YRS	19	3.5	5	1	1	3	4	7	9	10
13-19 YRS	76	3.5	5	1	1	3	4	6	9	11
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	4.7	6	2	2	5	6	7	7	7
1-5 YRS	3	1.3		<1	<1	1	2	2	2	2
6-12 YRS	9	1.4	1	<1	<1	1	2	3	4	4
13-19 YRS	17	2.8	7	<1	<1	1	4	7	8	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	2.8	3	1	1	2	4	5	5	10
B. *Operated*	44	2.0	4	<1	<1	1	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	114	3.7	14	1	1	3	4	6	9	21
B. *Operated*	33	2.5	5	<1	<1	1	3	6	7	9
1. SINGLE DX	121	2.5	3	<1	<1	2	3	5	5	11
2. MULTIPLE DX	147	3.4	12	<1	1	3	4	6	8	13
A. NOT OPERATED	191	3.3	10	1	1	3	4	5	8	12
B. OPERATED	77	2.2	4	<1	<1	1	3	5	7	10
TOTAL 0-27 DYS	5	3.6	9	2	2	2	4	9	9	9
1-11 MOS	12	3.5	3	2	2	3	5	6	7	7
1-5 YRS	32	3.2	39	<1	<1	2	3	5	10	36
6-12 YRS	60	2.5	3	<1	<1	2	3	5	6	10
13-19 YRS	159	3.1	5	1	1	3	4	6	8	12
GRAND TOTAL	**268**	**3.0**	**8**	**<1**	**1**	**2**	**4**	**5**	**7**	**11**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	12	2.1	1	1	1	2	3	4	4	4
13-19 YRS	59	1.7	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-27 DYS										
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	7	1.1		<1	<1	1	1	2	2	2
13-19 YRS	27	1.9	1	1	1	2	2	3	3	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.0		2	2	2	2	2	2	2
B. *Operated*	75	1.8	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	3	2.7	4	<1	<1	2	4	5	5	5
B. *Operated*	37	1.7	1	<1	1	2	2	3	4	4
1. SINGLE DX	77	1.8	1	1	1	2	2	3	3	4
2. MULTIPLE DX	40	1.8	1	<1	<1	2	2	3	4	5
A. NOT OPERATED	5	2.4	2	<1	<1	2	3	5	5	5
B. OPERATED	112	1.8	1	1	1	2	2	3	3	4
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	2.0	3	1	1	1	3	4	4	4
1-5 YRS	4	2.3	4	1	1	2	3	5	5	5
6-12 YRS	20	1.8	1	<1	<1	2	2	3	4	4
13-19 YRS	89	1.8	1	1	1	2	2	3	3	4
GRAND TOTAL	**117**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

134: Miscellaneous diseases of ear
(380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	29	1.3	1	<1	<1	<1	1	2	3	6
6-12 YRS	17	2.3	4	<1	<1	1	3	4	7	9
13-19 YRS	10	2.2	2	<1	<1	2	3	4	5	5
B. *Operated*										
0-27 DYS	3	2.7	4	1	1	2	4	5	5	5
1-11 MOS	10	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	241	1.4	1	<1	<1	1	2	2	2	4
6-12 YRS	808	1.4	1	<1	<1	1	2	2	2	4
13-19 YRS	620	1.5	1	<1	1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	1.9		<1	<1	2	2	3	3	3
1-5 YRS	34	3.8	13	<1	<1	4	5	7	14	16
6-12 YRS	33	2.0	5	<1	<1	1	2	5	8	10
13-19 YRS	25	3.7	27	<1	<1	2	4	14	18	20
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	7	2.3	9	<1	<1	1	2	8	9	9
1-5 YRS	218	1.6	2	<1	<1	1	2	2	3	7
6-12 YRS	742	1.5	1	<1	<1	1	2	2	3	5
13-19 YRS	627	1.6	1	1	1	1	2	3	3	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	1.7	2	<1	<1	1	2	4	5	9
B. *Operated*	1682	1.4	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	99	3.0	14	<1	<1	1	4	7	12	19
B. *Operated*	1595	1.6	1	<1	1	1	2	2	3	5
1. SINGLE DX	1742	1.5	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX	1694	1.7	2	<1	<1	1	2	3	3	7
A. NOT OPERATED	159	2.5	10	<1	<1	1	3	5	8	17
B. OPERATED	3277	1.5	1	<1	<1	1	2	2	3	5
TOTAL 0-27 DYS	4	2.3	4	1	1	2	3	5	5	5
1-11 MOS	28	1.5	2	<1	<1	<1	1	2	4	9
1-5 YRS	522	1.6	2	<1	<1	1	2	2	4	8
6-12 YRS	1600	1.5	1	<1	<1	1	2	2	3	5
13-19 YRS	1282	1.6	1	<1	1	1	2	3	3	5
GRAND TOTAL	**3436**	**1.6**	**1**	**<1**	**<1**	**1**	**2**	**2**	**3**	**5**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	25	5.1	19	1	1	4	7	9	13	21
6-12 YRS	112	5.8	15	1	2	5	8	11	14	18
13-19 YRS	53	6.3	35	1	1	5	8	12	15	36
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	13	14.1	392	2	3	6	13	43	67	73
6-12 YRS	62	7.7	89	1	2	5	8	16	21	52
13-19 YRS	41	5.9	28	1	2	4	7	15	16	27
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	15.0	18	12	12	15	18	18	18	18
6-12 YRS	7	16.1	178	2	3	13	19	38	43	43
13-19 YRS	9	10.3	52	2	3	7	16	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	190	5.8	21	1	2	5	8	11	14	21
B. *Operated*	2	5.0	8	3	3	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	116	7.8	103	1	2	5	8	16	21	59
B. *Operated*	18	13.1	96	2	3	10	18	22	35	43
1. SINGLE DX	192	5.8	21	1	2	5	8	11	14	21
2. MULTIPLE DX	134	8.5	105	1	2	5	10	18	22	55
A. NOT OPERATED	306	6.6	53	1	2	5	8	13	16	43
B. OPERATED	20	12.3	93	2	3	9	18	21	32	43
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	41	8.5	149	1	2	5	9	17	27	73
6-12 YRS	181	6.8	50	1	2	5	8	14	17	49
13-19 YRS	104	6.5	34	1	2	5	8	14	17	32
GRAND TOTAL	**326**	**6.9**	**57**	**1**	**2**	**5**	**8**	**14**	**18**	**45**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	3	3.0	7	1	1	2	5	6	6	6
13-19 YRS	5	5.0	22	1	1	4	8	12	12	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	4	1.8		<1	<1	2	2	2	2	2
13-19 YRS	6	4.7	11	1	1	4	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	3.0	8	1	1	3	5	5	5	5
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS										
6-12 YRS	7	3.7	6	2	2	3	4	8	9	9
13-19 YRS	17	4.5	30	<1	<1	2	5	11	18	22
B. *Operated*										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	3	2.0	1	1	1	2	3	3	3	3
1-5 YRS	9	3.9	22	1	1	2	5	12	13	13
6-12 YRS	12	7.8	167	<1	<1	2	11	25	42	45
13-19 YRS	23	11.2	115	1	1	11	17	21	31	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.9	15	1	1	2	6	10	12	12
B. *Operated*	12	3.2	7	<1	1	2	4	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	27	4.4	22	<1	<1	3	5	11	14	22
B. *Operated*	48	8.4	107	1	1	3	13	19	24	48
1. SINGLE DX	21	3.5	10	<1	1	2	5	8	10	12
2. MULTIPLE DX	75	7.0	80	<1	1	3	11	18	22	47
A. NOT OPERATED	36	4.3	20	<1	1	3	5	11	12	22
B. OPERATED	60	7.4	91	1	1	3	11	18	21	48
TOTAL 0-27 DYS	3	5.7	25	1	1	5	9	11	11	11
1-11 MOS	4	4.5	26	1	1	2	7	12	12	12
1-5 YRS	12	3.3	17	1	1	2	3	12	13	13
6-12 YRS	26	5.2	82	<1	1	2	4	14	22	45
13-19 YRS	51	7.6	74	<1	1	4	12	19	22	48
GRAND TOTAL	**96**	**6.2**	**66**	**<1**	**1**	**3**	**9**	**16**	**20**	**47**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	5	2.2	3	1	1	1	3	5	5	5
1-5 YRS	5	5.4	18	2	2	4	8	12	12	12
6-12 YRS	22	3.2	7	1	1	2	4	6	9	13
13-19 YRS	68	3.3	6	1	1	3	4	5	7	16
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	5	7.0	62	2	2	2	12	20	20	20
6-12 YRS	3	3.7	9	<1	<1	3	6	7	7	7
13-19 YRS	16	4.1	31	1	1	2	4	7	19	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	3.9	2	2	2	4	5	5	5	5
1-11 MOS	24	5.5	27	1	1	4	7	11	17	23
1-5 YRS	20	4.3	5	1	1	4	6	7	8	8
6-12 YRS	49	4.8	17	1	1	4	6	9	11	25
13-19 YRS	136	4.1	9	1	2	3	5	7	9	15
B. *Operated*										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	5	10.2	82	3	3	4	19	22	22	22
1-5 YRS	4	8.8	108	1	1	5	15	24	24	24
6-12 YRS	13	5.2	10	2	2	5	7	9	12	13
13-19 YRS	45	5.2	23	1	1	3	8	11	14	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	101	3.3	7	1	1	3	4	6	7	15
B. *Operated*	27	4.4	30	1	1	3	4	9	21	24
2. MULTIPLE DX										
A. *Not Operated*	236	4.4	12	1	1	4	5	8	10	23
B. *Operated*	68	5.9	30	1	2	4	8	13	18	25
1. SINGLE DX	128	3.6	12	1	1	3	4	6	9	21
2. MULTIPLE DX	304	4.7	16	1	1	4	6	9	13	24
A. NOT OPERATED	337	4.1	10	1	1	3	5	7	10	19
B. OPERATED	95	5.5	30	1	1	3	7	13	19	25
TOTAL 0-27 DYS	10	4.5	13	1	1	4	5	10	14	14
1-11 MOS	36	5.5	32	1	1	4	6	15	21	23
1-5 YRS	34	5.4	25	1	1	4	7	9	18	24
6-12 YRS	87	4.4	13	1	1	4	5	9	11	21
13-19 YRS	265	4.1	12	1	1	3	5	8	10	23
GRAND TOTAL	**432**	**4.4**	**15**	**1**	**1**	**3**	**5**	**8**	**12**	**24**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	9.8	12	6	6	9	14	14	14	14
1-5 YRS	2	8.0	8	6	6	8	10	10	10	10
6-12 YRS	3	7.0	21	2	2	8	10	11	11	11
13-19 YRS	3	6.7	4	5	5	6	8	9	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	4.0	3	2	2	5	5	5	5	5
B. *Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. *Not Operated*	14	8.3	11	3	5	8	10	14	14	14
B. *Operated*	2	10.0	8	8	8	10	12	12	12	12
1. SINGLE DX	4	3.3	4	<1	<1	3	5	5	5	5
2. MULTIPLE DX	16	8.5	11	3	5	8	11	14	14	14
A. NOT OPERATED	17	7.5	12	2	3	7	10	13	14	14
B. OPERATED	3	7.0	31	<1	<1	8	11	12	12	12
TOTAL 0-27 DYS										
1-11 MOS	7	10.1	11	6	6	10	13	14	14	14
1-5 YRS	5	6.0	12	<1	<1	6	8	10	10	10
6-12 YRS	4	6.5	15	2	2	6	9	11	11	11
13-19 YRS	4	5.5	8	2	2	5	7	9	9	9
GRAND TOTAL	**20**	**7.5**	**14**	**1**	**2**	**7**	**10**	**13**	**14**	**14**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	11.3	57	6	6	8	17	20	20	20
1-5 YRS	3	7.0	76	<1	<1	3	13	17	17	17
6-12 YRS	6	4.3	12	1	1	4	6	10	10	10
13-19 YRS	11	3.0	2	1	1	3	3	5	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	2	6.5	25	3	3	6	10	10	10	10
6-12 YRS	5	4.4	14	1	1	2	8	9	9	9
13-19 YRS	8	2.5	2	1	1	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	10	4.0	27	<1	<1	2	3	12	18	18
1-5 YRS	17	4.1	17	<1	1	3	5	12	14	15
6-12 YRS	21	6.5	18	1	2	6	8	12	16	19
13-19 YRS	36	5.8	22	1	1	5	7	12	17	21
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	12.3	129	2	2	8	16	32	35	35
6-12 YRS	29	9.0	55	1	2	7	13	18	24	35
13-19 YRS	58	9.1	76	2	2	6	13	20	28	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	5.0	24	<1	1	3	6	11	18	20
B. *Operated*	16	3.6	8	1	1	3	4	9	10	10
2. MULTIPLE DX										
A. *Not Operated*	84	5.4	21	1	1	4	7	12	16	20
B. *Operated*	96	9.4	74	2	2	7	13	20	28	38
1. SINGLE DX	39	4.4	18	1	1	3	6	9	14	20
2. MULTIPLE DX	180	7.5	53	1	2	6	9	17	22	36
A. NOT OPERATED	107	5.3	21	1	1	4	7	12	17	20
B. OPERATED	112	8.6	68	1	2	6	11	19	27	38
TOTAL 0-27 DYS										
1-11 MOS	14	5.5	38	<1	1	3	7	18	20	20
1-5 YRS	31	6.9	63	<1	1	3	9	16	26	35
6-12 YRS	61	7.3	37	1	2	6	9	15	18	34
13-19 YRS	113	7.0	52	1	2	5	8	16	21	37
GRAND TOTAL	**219**	**7.0**	**48**	**1**	**1**	**5**	**8**	**15**	**20**	**35**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	10.0	6	6	7	11	12	74	99+	99+
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	10.6	18	7	7	9	12	18	19	19
1-11 MOS	33	8.6	13	4	5	8	10	13	13	21
1-5 YRS	13	9.0	14	4	4	8	11	15	16	16
6-12 YRS	5	8.0	6	5	5	7	10	11	11	11
13-19 YRS	9	7.3	8	3	4	7	9	12	12	12
B. *Operated*										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	4	12.3	7	10	10	12	14	15	15	15
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	8	8.6	21	2	3	8	11	15	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	9.6	6	6	6	11	12	65	99+	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	67	8.7	12	4	5	8	10	13	15	21
B. *Operated*	15	9.7	16	3	5	9	13	15	16	16
1. SINGLE DX	8	9.6	6	6	6	11	12	65	99+	99+
2. MULTIPLE DX	82	8.9	13	4	5	8	10	14	15	20
A. NOT OPERATED	75	8.8	12	4	5	8	11	13	16	79
B. OPERATED	15	9.7	16	3	5	9	13	15	16	16
TOTAL 0-27 DYS	8	10.8	15	7	7	9	12	17	19	19
1-11 MOS	44	9.2	12	5	6	9	11	13	16	99+
1-5 YRS	15	8.9	12	4	4	8	10	15	16	16
6-12 YRS	6	7.7	5	5	5	7	10	11	11	11
13-19 YRS	17	7.9	14	2	3	7	10	14	15	16
GRAND TOTAL	**90**	**8.9**	**12**	**4**	**5**	**8**	**11**	**14**	**16**	**68**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	4.0	8	2	2	4	6	6	6	6
1-5 YRS										
6-12 YRS	2	3.0		3	3	3	3	3	3	3
13-19 YRS	4	3.3	2	1	1	4	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	3.3	5	1	1	3	5	6	6	6
1-11 MOS	32	4.4	9	1	2	3	5	9	10	15
1-5 YRS	9	4.2	3	2	2	5	5	7	7	7
6-12 YRS	5	3.2	5	2	2	2	4	7	7	7
13-19 YRS	21	4.0	8	1	1	3	6	7	10	13
B. *Operated*										
0-27 DYS	3	3.0	7	1	1	2	5	6	6	6
1-11 MOS	7	9.7	42	3	3	8	12	20	22	22
1-5 YRS										
6-12 YRS										
13-19 YRS	6	2.3	2	<1	<1	2	2	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	3.4	2	1	1	3	4	5	6	6
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	71	4.1	7	1	2	3	6	8	9	15
B. *Operated*	16	5.7	32	<1	1	3	7	13	19	22
1. SINGLE DX	9	3.2	2	1	1	3	4	5	6	6
2. MULTIPLE DX	87	4.4	12	1	2	3	6	8	11	19
A. NOT OPERATED	79	4.0	7	1	2	3	5	8	9	14
B. OPERATED	17	5.5	31	<1	1	3	7	13	19	22
TOTAL 0-27 DYS	7	3.1	5	1	1	2	5	6	6	6
1-11 MOS	41	5.3	18	1	2	3	7	10	14	22
1-5 YRS	9	4.2	3	2	2	5	5	7	7	7
6-12 YRS	7	3.1	3	2	2	3	3	6	7	7
13-19 YRS	32	3.6	6	1	1	3	5	6	8	13
GRAND TOTAL	**96**	**4.3**	**11**	**1**	**2**	**3**	**6**	**8**	**11**	**19**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	3.8	10	<1	<1	3	5	9	9	9
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	5.6	12	2	2	4	8	10	11	11
1-11 MOS	45	5.5	10	1	2	5	7	10	11	15
1-5 YRS	7	7.3	25	2	2	5	12	14	14	14
6-12 YRS	5	4.6	7	1	1	5	6	8	8	8
13-19 YRS	10	3.8	2	2	2	4	5	6	6	6
B. *Operated*										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	8	8.4	18	2	2	10	11	13	13	13
1-5 YRS										
6-12 YRS										
13-19 YRS	2	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	3.5	8	<1	<1	3	4	8	9	9
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	74	5.4	10	2	2	5	7	10	11	15
B. *Operated*	12	7.0	17	2	2	7	10	12	13	13
1. SINGLE DX	6	3.5	8	<1	<1	3	4	8	9	9
2. MULTIPLE DX	86	5.6	11	2	2	5	8	10	12	15
A. NOT OPERATED	80	5.2	10	1	2	4	7	10	11	15
B. OPERATED	12	7.0	17	2	2	7	10	12	13	13
TOTAL 0-27 DYS	9	4.9	11	2	2	3	8	10	11	11
1-11 MOS	58	5.7	12	1	2	5	9	10	12	15
1-5 YRS	8	6.6	25	2	2	5	11	14	14	14
6-12 YRS	5	4.6	7	1	1	5	6	8	8	8
13-19 YRS	12	4.2	3	2	2	4	6	6	6	6
GRAND TOTAL	**92**	**5.5**	**11**	**2**	**2**	**5**	**8**	**10**	**12**	**15**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	4.7	9	2	2	4	7	8	8	8
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS										
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS	4	1.8		1	1	2	2	2	2	2
1-5 YRS	2	4.0	8	2	2	4	6	6	6	6
6-12 YRS	5	3.6	22	1	1	2	5	12	12	12
13-19 YRS	2	5.0	32	1	1	5	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	13	5.8	40	1	1	3	9	14	21	23
1-5 YRS	4	6.5	60	<1	<1	3	11	18	18	18
6-12 YRS	2	2.0	2	<1	<1	1	3	3	3	3
13-19 YRS	2	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-27 DYS	1	25.0		25	25	25	25	25	25	25
1-11 MOS	16	11.4	264	<1	1	5	11	47	52	53
1-5 YRS	11	2.8	17	<1	<1	2	2	7	14	15
6-12 YRS	10	3.3	17	1	1	1	3	11	12	12
13-19 YRS	3	4.3	9	1	1	5	6	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.4	8	<1	<1	2	5	8	8	8
B. *Operated*	13	3.3	12	1	1	2	3	10	12	12
2. MULTIPLE DX										
A. *Not Operated*	22	5.2	34	<1	<1	3	6	14	20	23
B. *Operated*	41	7.0	132	<1	1	2	9	15	36	53
1. SINGLE DX	18	3.3	10	<1	1	2	4	9	11	12
2. MULTIPLE DX	63	6.3	97	<1	1	3	8	15	24	53
A. NOT OPERATED	27	4.9	29	<1	<1	3	6	11	19	23
B. OPERATED	54	6.1	105	<1	1	2	7	13	23	53
TOTAL 0-27 DYS	5	8.0	98	1	1	4	12	25	25	25
1-11 MOS	34	7.9	148	<1	1	3	9	17	45	53
1-5 YRS	17	3.8	25	<1	<1	2	3	13	17	18
6-12 YRS	17	3.2	16	<1	1	1	3	11	12	12
13-19 YRS	8	4.1	8	1	1	4	6	8	9	9
GRAND TOTAL	**81**	**5.7**	**79**	**<1**	**1**	**2**	**6**	**12**	**20**	**52**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	24	7.7	18	<1	2	8	9	11	15	21
B. *Operated*										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	6.3	5	2	2	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	2	7.5	5	6	6	7	9	9	9	9
6-12 YRS	1	24.0		24	24	24	24	24	24	24
13-19 YRS	40	9.1	21	2	3	9	11	16	18	20
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	13.3	140	6	6	7	22	27	27	27
13-19 YRS	8	16.9	212	6	6	13	19	41	50	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	7.7	18	<1	2	8	9	11	15	21
B. *Operated*	7	7.7	18	2	3	8	8	14	16	16
2. MULTIPLE DX										
A. *Not Operated*	44	9.3	25	2	3	9	11	16	19	24
B. *Operated*	11	15.9	179	6	6	9	19	36	49	50
1. SINGLE DX	31	7.7	17	<1	2	8	9	12	16	21
2. MULTIPLE DX	55	10.6	60	2	3	9	11	19	23	49
A. NOT OPERATED	68	8.7	23	1	2	8	10	16	19	23
B. OPERATED	18	12.7	129	3	6	8	18	25	41	50
TOTAL 0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	2	7.5	5	6	6	7	9	9	9	9
6-12 YRS	4	16.0	122	6	6	15	25	27	27	27
13-19 YRS	78	9.3	43	2	3	8	11	17	19	42
GRAND TOTAL	**86**	**9.5**	**46**	**2**	**3**	**8**	**11**	**18**	**20**	**42**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	3	8.3	44	1	1	10	13	14	14	14
13-19 YRS	6	24.5	145	10	10	25	30	42	43	43
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	17.8	628	2	2	7	32	55	55	55
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	25.5	338	2	3	23	46	46	46	46
1-5 YRS	9	23.1	317	2	2	22	40	44	45	45
6-12 YRS	20	24.7	261	2	4	28	33	47	51	53
13-19 YRS	47	22.1	185	2	4	20	32	41	43	58
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	18.5	406	2	2	21	59	99+	99+	99+
6-12 YRS	9	31.8	193	6	10	31	45	46	46	46
13-19 YRS	15	27.7	202	5	16	27	36	49	54	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	17.5	175	1	2	14	29	36	43	43
B. *Operated*	4	17.8	628	2	2	7	32	55	55	55
2. MULTIPLE DX										
A. *Not Operated*	82	23.1	220	2	3	22	33	43	46	56
B. *Operated*	28	27.7	225	2	5	28	42	48	58	99+
1. SINGLE DX	14	17.6	266	1	2	12	29	44	53	55
2. MULTIPLE DX	110	24.3	223	2	3	27	35	46	49	74
A. NOT OPERATED	92	22.5	216	2	3	21	33	43	46	56
B. OPERATED	32	26.5	268	2	4	28	42	50	56	99+
TOTAL 0-27 DYS										
1-11 MOS	6	25.5	338	2	3	23	46	46	46	46
1-5 YRS	14	20.4	318	2	2	21	42	46	86	99+
6-12 YRS	32	25.2	253	1	4	28	36	46	49	53
13-19 YRS	72	23.2	203	2	4	21	32	42	48	58
GRAND TOTAL	**124**	**23.5**	**231**	**2**	**3**	**22**	**34**	**46**	**49**	**68**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	12	4.7	7	1	2	4	7	8	9	9
1-11 MOS	23	3.0	5	<1	1	2	5	6	7	9
1-5 YRS	19	1.8	1	<1	1	2	2	4	5	5
6-12 YRS	10	1.6	1	<1	<1	1	2	3	3	3
13-19 YRS	36	1.8	1	<1	1	1	2	4	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	9	5.1	7	2	2	4	7	9	9	9
1-11 MOS	37	3.8	21	1	1	3	4	5	10	28
1-5 YRS	37	2.1	1	1	1	2	3	4	5	5
6-12 YRS	17	2.1	2	<1	<1	2	3	4	5	5
13-19 YRS	46	2.4	3	<1	1	2	3	5	6	7
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	14.8	30	7	7	16	18	19	19	19
1-5 YRS	2	21.5	685	3	3	21	40	40	40	40
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	6	3.3	5	1	1	3	4	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	2.4	4	<1	1	2	3	5	6	9
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	146	2.8	8	<1	1	2	3	5	7	11
B. *Operated*	14	9.0	118	1	2	4	15	21	36	40
1. SINGLE DX	101	2.4	4	<1	1	2	3	5	6	9
2. MULTIPLE DX	160	3.3	20	1	1	2	4	6	9	27
A. NOT OPERATED	246	2.6	6	<1	1	2	3	5	6	10
B. OPERATED	15	8.5	113	1	2	4	13	19	35	40
TOTAL 0-27 DYS	22	4.7	6	1	2	4	7	9	9	9
1-11 MOS	64	4.2	23	<1	1	3	5	9	16	27
1-5 YRS	58	2.7	26	1	1	2	3	4	5	37
6-12 YRS	29	1.9	1	<1	<1	2	3	3	5	5
13-19 YRS	88	2.2	2	<1	1	2	3	5	6	7
GRAND TOTAL	**261**	**3.0**	**14**	**<1**	**1**	**2**	**3**	**5**	**7**	**19**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	4.3		4	4	4	5	5	5	5
1-11 MOS	4	2.0	1	1	1	2	3	3	3	3
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	25	2.4	8	<1	<1	1	3	5	8	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	20	4.3	8	1	1	3	6	9	9	10
1-5 YRS	13	3.2	5	<1	<1	3	5	6	7	7
6-12 YRS	7	3.4	6	1	1	3	5	7	8	8
13-19 YRS	57	2.6	3	<1	1	2	3	5	6	7
B. *Operated*										
0-27 DYS	1	39.0		39	39	39	39	39	39	39
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	2	4.0	2	3	3	4	5	5	5	5
13-19 YRS	4	2.0	2	<1	<1	2	28	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	2.6	7	<1	<1	1	4	5	6	14
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	98	3.1	5	<1	1	3	4	7	8	10
B. *Operated*	10	6.1	135	<1	<1	3	5	63	97	99+
1. SINGLE DX	33	2.6	7	<1	<1	1	4	5	6	14
2. MULTIPLE DX	108	3.4	17	<1	1	3	4	7	8	64
A. NOT OPERATED	131	3.0	5	<1	1	2	4	6	8	11
B. OPERATED	10	6.1	135	<1	<1	3	5	63	97	99+
TOTAL 0-27 DYS	5	12.2	229	4	4	5	16	39	39	39
1-11 MOS	26	3.8	7	1	1	3	6	8	9	10
1-5 YRS	14	3.0	5	<1	1	3	5	6	7	7
6-12 YRS	10	3.6	4	1	1	3	5	7	8	8
13-19 YRS	86	2.5	4	<1	<1	2	3	5	7	68
GRAND TOTAL	**141**	**3.2**	**14**	**<1**	**1**	**2**	**4**	**6**	**8**	**44**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	22	4.3	15	1	1	3	5	9	12	17
1-11 MOS	58	2.7	3	1	1	2	3	5	6	9
1-5 YRS	38	2.4	4	<1	1	2	3	5	7	8
6-12 YRS	46	2.3	6	<1	1	2	3	5	6	15
13-19 YRS	80	2.5	3	<1	1	2	4	5	6	8
B. *Operated*										
0-27 DYS	2	5.5	13	3	3	5	8	8	8	8
1-11 MOS	2	5.0		5	5	5	5	5	5	5
1-5 YRS	17	3.7	6	1	1	4	5	7	9	10
6-12 YRS	11	4.5	20	1	1	3	5	11	16	17
13-19 YRS	33	4.1	15	1	1	2	5	10	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	41	5.5	25	1	1	4	7	12	16	26
1-11 MOS	142	5.1	35	1	1	3	6	11	15	36
1-5 YRS	64	4.0	25	1	1	3	5	8	9	34
6-12 YRS	80	2.9	4	1	1	2	4	6	7	10
13-19 YRS	237	3.5	43	1	1	2	4	5	8	17
B. *Operated*										
0-27 DYS	5	22.2	200	8	8	25	31	42	42	42
1-11 MOS	22	19.1	410	1	2	10	39	49	61	67
1-5 YRS	32	6.7	49	1	1	5	10	35	99+	99+
6-12 YRS	33	4.3	8	1	1	4	6	8	10	12
13-19 YRS	91	5.7	53	1	1	4	7	10	24	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	244	2.7	5	1	1	2	3	5	7	10
B. *Operated*	65	4.1	12	1	1	3	5	8	13	17
2. MULTIPLE DX										
A. *Not Operated*	564	4.0	33	1	1	3	5	8	11	26
B. *Operated*	183	7.7	113	1	1	4	8	23	43	99+
1. SINGLE DX	309	3.0	7	1	1	2	4	6	8	15
2. MULTIPLE DX	747	4.9	55	1	1	3	5	10	15	53
A. NOT OPERATED	808	3.6	25	1	1	2	4	7	10	20
B. OPERATED	248	6.7	89	1	1	4	8	15	34	99+
TOTAL 0-27 DYS	70	6.3	51	1	1	4	8	13	25	39
1-11 MOS	224	5.8	82	1	1	3	5	11	20	48
1-5 YRS	151	4.1	24	1	1	3	5	9	12	99+
6-12 YRS	170	3.1	7	1	1	2	4	6	8	14
13-19 YRS	441	3.8	37	1	1	2	4	7	10	27
GRAND TOTAL	**1056**	**4.3**	**41**	**1**	**1**	**3**	**5**	**8**	**12**	**42**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	16	4.9	7	1	2	4	6	9	10	11
1-5 YRS	9	6.2	17	2	2	6	7	13	16	16
6-12 YRS	4	5.0	8	3	3	4	7	9	9	9
13-19 YRS	4	4.3	3	2	2	4	5	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	2	6.5	25	3	3	6	10	10	10	10
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	28	5.2	12	<1	2	4	7	11	12	14
1-11 MOS	260	6.5	59	1	2	5	8	11	16	62
1-5 YRS	161	6.5	49	1	1	5	8	12	18	42
6-12 YRS	50	6.2	32	1	2	5	8	12	18	33
13-19 YRS	76	6.5	32	1	2	5	8	14	21	27
B. *Operated*										
0-27 DYS	12	7.9	20	3	3	6	12	14	15	15
1-11 MOS	61	15.0	234	3	4	8	20	35	62	96
1-5 YRS	30	14.7	256	2	2	8	17	39	53	63
6-12 YRS	8	22.6	691	2	3	17	25	66	83	83
13-19 YRS	17	7.6	61	<1	1	4	14	22	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	5.0	9	1	2	4	6	9	11	16
B. *Operated*	2	6.5	25	3	3	6	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	575	6.4	48	1	2	5	8	12	17	41
B. *Operated*	128	13.8	231	2	2	8	17	35	53	87
1. SINGLE DX	37	5.1	10	1	2	4	6	9	11	16
2. MULTIPLE DX	703	7.8	89	1	2	5	9	16	24	63
A. NOT OPERATED	610	6.3	46	1	2	5	8	12	16	38
B. OPERATED	130	13.7	228	2	2	8	17	35	53	86
TOTAL 0-27 DYS	42	5.8	16	1	2	5	8	13	14	15
1-11 MOS	339	8.0	98	1	2	5	9	16	31	68
1-5 YRS	200	7.7	86	1	2	5	8	15	25	53
6-12 YRS	62	8.2	137	1	2	5	9	18	25	77
13-19 YRS	97	6.6	36	1	2	4	9	15	23	26
GRAND TOTAL	**740**	**7.6**	**85**	**1**	**2**	**5**	**9**	**15**	**24**	**63**

150: Miscellaneous diseases of heart
(415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	2.0		2	2	2	2	2	2	2
1-11 MOS	14	3.1	6	1	1	2	4	5	10	11
1-5 YRS	12	3.5	14	<1	1	3	4	8	14	15
6-12 YRS	24	6.4	44	1	2	3	7	19	23	25
13-19 YRS	137	4.3	67	1	1	3	5	7	9	24
B. *Operated*										
0-27 DYS	2	5.5	25	2	2	5	9	9	9	9
1-11 MOS	12	4.1	13	1	1	2	7	10	11	11
1-5 YRS	66	2.5	8	<1	1	2	2	6	9	13
6-12 YRS	67	3.6	15	1	1	2	5	8	12	19
13-19 YRS	91	4.0	16	1	1	2	6	9	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	10.8	104	2	2	7	16	28	29	29
1-11 MOS	50	5.9	16	1	2	5	8	10	14	19
1-5 YRS	67	5.1	16	1	2	4	6	11	16	20
6-12 YRS	72	5.2	27	<1	1	3	7	11	15	28
13-19 YRS	264	4.3	18	1	1	3	5	8	11	24
B. *Operated*										
0-27 DYS	10	14.4	351	1	1	7	16	43	64	64
1-11 MOS	45	8.8	44	1	2	7	12	17	20	33
1-5 YRS	108	7.3	93	1	1	3	8	22	28	47
6-12 YRS	82	7.0	75	1	1	4	9	17	22	50
13-19 YRS	122	7.0	63	1	1	4	9	15	26	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	190	4.4	55	1	1	3	5	8	11	24
B. *Operated*	238	3.5	14	1	1	2	4	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	459	4.8	21	1	1	4	6	9	12	24
B. *Operated*	367	7.5	80	1	1	5	9	18	25	42
1. SINGLE DX	428	3.9	32	1	1	2	5	8	11	20
2. MULTIPLE DX	826	6.0	49	1	1	4	7	13	19	35
A. NOT OPERATED	649	4.7	31	1	1	3	5	9	12	24
B. OPERATED	605	5.9	58	1	1	2	8	14	22	36
TOTAL 0-27 DYS	21	10.8	206	1	2	7	14	25	45	64
1-11 MOS	121	6.5	28	1	1	5	9	13	17	26
1-5 YRS	253	5.3	50	1	1	3	6	12	21	35
6-12 YRS	245	5.5	43	1	1	3	7	13	18	26
13-19 YRS	614	4.8	39	1	1	3	6	9	13	28
GRAND TOTAL	**1254**	**5.3**	**44**	**1**	**1**	**3**	**7**	**11**	**16**	**33**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	2	5.0	2	4	4	5	6	6	6	6
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS	2	11.0		11	11	11	11	11	11	11
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	5	4.0	3	2	2	4	5	6	6	6
B. *Operated*	2	11.0		11	11	11	11	11	11	11
1. SINGLE DX										
2. MULTIPLE DX	7	6.0	13	2	2	5	10	11	11	11
A. NOT OPERATED	5	4.0	3	2	2	4	5	6	6	6
B. OPERATED	2	11.0		11	11	11	11	11	11	11
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	4	8.0	13	4	4	8	11	11	11	11
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**7**	**6.0**	**13**	**2**	**2**	**5**	**10**	**11**	**11**	**11**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	3	3.3	1	2	2	4	4	4	4	4
B. *Operated*										
0-27 DYS	1	1.0	—	1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS										
6-12 YRS	3	8.3	9	5	5	9	10	11	11	11
13-19 YRS	4	9.3	12	5	5	9	12	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	7.5	1	7	7	7	8	8	8	8
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	2	4.0	18	1	1	4	7	7	7	7
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	19.3	52	11	11	23	24	24	24	24
1-5 YRS										
6-12 YRS	6	23.8	407	7	7	14	42	55	56	56
13-19 YRS	12	24.8	816	5	5	14	25	77	92	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.8	1	2	2	3	4	4	4	4
B. *Operated*	8	7.9	16	1	2	8	11	12	13	13
2. MULTIPLE DX										
A. *Not Operated*	7	4.3	9	1	1	4	7	8	8	8
B. *Operated*	22	22.8	550	4	5	14	24	60	80	95
1. SINGLE DX	14	5.7	16	1	2	4	9	11	13	13
2. MULTIPLE DX	29	18.3	480	1	3	10	21	50	71	95
A. NOT OPERATED	13	3.6	6	1	1	3	5	7	8	8
B. OPERATED	30	18.8	447	4	5	11	20	49	70	95
TOTAL 0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	7	11.1	80	2	2	8	20	24	24	24
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	12	14.4	289	1	2	9	14	46	55	56
13-19 YRS	21	16.8	544	2	3	8	18	47	81	95
GRAND TOTAL	**43**	**14.2**	**360**	**1**	**2**	**8**	**14**	**33**	**61**	**95**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	4	14.8	113	7	7	11	22	30	30	30
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	2	18.5	613	1	1	18	36	36	36	36
13-19 YRS	5	4.0	14	1	1	4	6	10	10	10
B. *Operated*										
0-27 DYS	2	10.0	8	8	8	10	12	12	12	12
1-11 MOS	20	8.3	46	1	1	6	13	16	21	26
1-5 YRS	8	6.5	9	3	3	6	8	11	12	12
6-12 YRS	8	6.5	18	2	2	5	9	13	14	14
13-19 YRS	15	11.9	274	1	2	8	11	17	57	70
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	11.8	48	2	2	13	16	18	18	18
1-11 MOS	12	6.3	54	<1	<1	3	9	18	23	24
1-5 YRS	12	5.6	33	<1	1	3	7	17	18	18
6-12 YRS	8	8.6	37	1	2	8	13	17	18	18
13-19 YRS	7	3.1	3	1	1	2	5	6	6	6
B. *Operated*										
0-27 DYS	3	10.0	43	4	4	9	15	17	17	17
1-11 MOS	23	13.0	125	<1	1	11	17	33	37	42
1-5 YRS	26	12.6	83	3	4	11	17	24	32	40
6-12 YRS	10	24.4	532	2	4	18	56	80	98	99+
13-19 YRS	33	15.7	148	2	4	12	23	41	47	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	9.1	131	<1	<1	4	11	31	35	36
B. *Operated*	53	8.8	99	1	2	8	11	15	17	69
2. MULTIPLE DX										
A. *Not Operated*	43	6.5	39	<1	1	4	10	17	18	24
B. *Operated*	95	14.9	167	2	4	12	20	35	46	99+
1. SINGLE DX	66	8.9	103	1	1	7	11	16	27	65
2. MULTIPLE DX	138	12.3	141	1	1	10	17	28	41	99+
A. NOT OPERATED	56	7.1	59	<1	1	4	10	18	22	36
B. OPERATED	148	12.7	150	1	2	10	16	28	42	99+
TOTAL 0-27 DYS	10	9.8	37	<1	1	10	15	17	18	18
1-11 MOS	59	10.2	88	1	1	8	15	24	32	41
1-5 YRS	47	9.5	67	1	1	7	14	20	25	40
6-12 YRS	28	14.4	281	1	2	11	18	54	68	99+
13-19 YRS	60	12.3	169	1	2	9	15	31	45	97
GRAND TOTAL	**204**	**11.2**	**131**	**1**	**1**	**8**	**15**	**24**	**37**	**83**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	44.5	1985	13	13	44	76	76	76	76
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	4.0		4	4	52	99+	99+	99+	99+
13-19 YRS	1	8.0		8	8	54	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2	44.5	1985	13	13	44	76	76	76	76
B. *Operated*	3	4.7	9	2	2	8	99+	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	5	20.6	977	2	2	13	94	99+	99+	99+
A. NOT OPERATED	2	44.5	1985	13	13	44	76	76	76	76
B. OPERATED	3	4.7	9	2	2	8	99+	99+	99+	99+
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	4.0		4	4	52	99+	99+	99+	99+
13-19 YRS	3	32.3	1436	8	8	44	88	99+	99+	99+
GRAND TOTAL	**5**	**20.6**	**977**	**2**	**2**	**13**	**94**	**99+**	**99+**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	22.0	32	18	18	22	26	26	26	26
6-12 YRS										
13-19 YRS	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
0-27 DYS	3	12.0	108	6	6	6	20	24	24	24
1-11 MOS	5	3.6	4	1	1	5	5	5	5	5
1-5 YRS	1	14.0		14	14	14	14	14	14	14
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	7	5.1	3	2	3	5	6	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	4	12.5	132	2	2	11	[illegible]	26	26	26
B. *Operated*	17	6.4	28	1	2	5	6	13	20	24
1. SINGLE DX	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX	21	7.6	48	1	2	5	7	20	25	26
A. NOT OPERATED	4	12.5	132	2	2	11	22	26	26	26
B. OPERATED	18	6.1	28	1	1	5	6	12	20	24
TOTAL 0-27 DYS	3	12.0	108	6	6	6	20	24	24	24
1-11 MOS	5	3.6	4	1	1	5	5	5	5	5
1-5 YRS	3	19.3	37	14	14	18	24	26	26	26
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	10	4.3	4	1	1	5	5	7	7	7
GRAND TOTAL	**22**	**7.3**	**48**	**1**	**2**	**5**	**7**	**20**	**25**	**26**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	43.0		43	43	43	43	43	43	43
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	13.5	113	6	6	13	21	21	21	21
6-12 YRS										
13-19 YRS	2	4.5	13	2	2	4	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1	43.0		43	43	43	43	43	43	43
B. *Operated*	4	9.0	69	2	2	6	14	21	21	21
1. SINGLE DX										
2. MULTIPLE DX	5	15.8	283	2	2	7	26	43	43	43
A. NOT OPERATED	1	43.0		43	43	43	43	43	43	43
B. OPERATED	4	9.0	69	2	2	6	14	21	21	21
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	2	13.5	113	6	6	13	21	21	21	21
6-12 YRS	1	43.0		43	43	43	43	43	43	43
13-19 YRS	2	4.5	13	2	2	4	7	7	7	7
GRAND TOTAL	**5**	**15.8**	**283**	**2**	**2**	**7**	**26**	**43**	**43**	**43**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	4.0	3	2	2	4	6	6	6	6
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	3	4.7	12	<1	<1	5	7	8	8	8
13-19 YRS	3	4.3	6	2	2	4	6	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	5.0	8	3	3	5	7	7	7	7
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	4	3.5	10	1	1	2	5	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	14.0	60	7	7	12	19	25	25	25
1-11 MOS	14	6.7	11	2	3	7	9	11	12	13
1-5 YRS	15	12.0	86	1	2	10	22	26	27	27
6-12 YRS	4	9.8	10	7	7	10	35	99+	99+	99+
13-19 YRS	12	8.6	85	2	2	4	11	25	30	31
B. *Operated*										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	3	24.7	44	17	17	28	29	29	29	29
1-5 YRS	6	15.7	109	5	5	13	26	30	30	30
6-12 YRS	4	9.8	37	3	3	9	14	17	17	17
13-19 YRS	11	17.0	290	1	2	11	29	45	50	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	3.9	5	<1	1	3	6	7	8	8
B. *Operated*	7	3.7	7	1	1	3	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	49	9.6	58	2	2	8	13	25	27	99+
B. *Operated*	25	16.3	168	2	3	13	26	33	43	51
1. SINGLE DX	21	3.9	5	1	1	3	6	7	8	8
2. MULTIPLE DX	74	11.9	103	2	3	9	16	28	32	88
A. NOT OPERATED	63	8.4	51	2	2	6	11	24	26	90
B. OPERATED	32	13.5	160	1	2	8	17	31	40	51
TOTAL 0-27 DYS	5	13.8	45	7	7	13	16	25	25	25
1-11 MOS	23	8.3	54	2	3	6	10	19	28	29
1-5 YRS	25	11.5	89	1	2	8	19	26	28	30
6-12 YRS	12	7.8	23	<1	2	8	12	34	87	99+
13-19 YRS	30	10.6	162	1	2	5	13	32	41	51
GRAND TOTAL	**95**	**10.1**	**93**	**2**	**2**	**7**	**13**	**26**	**31**	**77**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	34.0		34	34	67	99+	99+	99+	99+
1-11 MOS	8	5.6	9	1	2	6	8	9	9	9
1-5 YRS	9	6.3	14	2	2	6	9	12	13	13
6-12 YRS	1	13.0		13	13	13	13	13	13	13
13-19 YRS	6	13.3	177	2	2	8	24	34	35	35
B. *Operated*										
0-27 DYS										
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS	4	9.3	51	2	2	8	14	19	19	19
6-12 YRS	2	40.0	1682	11	11	40	69	69	69	69
13-19 YRS	3	12.0	1	11	11	12	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	25	9.2	82	2	2	7	10	33	48	99+
B. *Operated*	10	16.6	358	2	4	12	13	44	69	69
1. SINGLE DX										
2. MULTIPLE DX	35	11.3	164	2	2	9	13	33	59	99+
A. NOT OPERATED	25	9.2	82	2	2	7	10	33	48	99+
B. OPERATED	10	16.6	358	2	4	12	13	44	69	69
TOTAL 0-27 DYS	1	34.0		34	34	67	99+	99+	99+	99+
1-11 MOS	9	6.4	14	1	2	7	9	11	13	13
1-5 YRS	13	7.2	24	2	2	7	9	14	18	19
6-12 YRS	3	31.0	1084	11	11	13	55	69	69	69
13-19 YRS	9	12.9	111	2	2	11	16	31	35	35
GRAND TOTAL	**35**	**11.3**	**164**	**2**	**2**	**9**	**13**	**33**	**59**	**99+**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	3	1.7		1	1	2	2	2	2	2
13-19 YRS	4	2.8	2	1	1	3	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS	1	23.0		23	23	23	23	23	23	23
13-19 YRS	2	5.0	8	3	3	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	24	4.0	5	2	2	4	4	6	9	13
1-5 YRS	13	5.6	14	1	2	5	7	10	14	15
6-12 YRS	8	5.9	69	1	1	3	5	20	26	26
13-19 YRS	21	3.1	4	1	1	3	4	6	7	9
B. *Operated*										
0-27 DYS	1	20.0		20	20	20	20	20	20	20
1-11 MOS	4	11.3	102	1	1	10	19	23	23	23
1-5 YRS	3	6.3	14	2	2	8	9	9	9	9
6-12 YRS	1	35.0		35	35	35	35	35	35	35
13-19 YRS	6	6.0	28	1	1	4	9	14	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.1	1	1	1	2	3	4	4	4
B. *Operated*	4	8.8	95	2	2	5	15	23	23	23
2. MULTIPLE DX										
A. *Not Operated*	68	4.3	14	1	1	3	5	7	10	24
B. *Operated*	15	10.3	96	1	1	8	16	23	32	35
1. SINGLE DX	13	4.2	35	1	1	2	3	10	21	23
2. MULTIPLE DX	83	5.3	33	1	1	4	6	10	17	32
A. NOT OPERATED	77	4.0	13	1	1	3	5	7	9	23
B. OPERATED	19	10.0	91	1	1	7	16	23	30	35
TOTAL 0-27 DYS	3	9.0	93	2	2	5	16	20	20	20
1-11 MOS	29	4.9	22	1	2	4	5	11	16	23
1-5 YRS	18	5.3	14	1	1	4	8	9	13	15
6-12 YRS	13	8.5	132	1	1	2	10	28	34	35
13-19 YRS	33	3.7	9	1	1	3	5	7	9	15
GRAND TOTAL	**96**	**5.2**	**33**	**1**	**1**	**3**	**6**	**9**	**19**	**31**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	3.0	8	1	1	3	5	5	5	5
1-5 YRS	6	2.7	3	<1	<1	2	4	5	5	5
6-12 YRS	4	2.3	4	1	1	2	3	5	5	5
13-19 YRS	4	3.5	3	<1	<1	4	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	3	3.7	4	2	2	3	5	6	6	6
13-19 YRS	3	4.0	7	<1	<1	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	36.0	288	24	24	36	48	48	48	48
1-11 MOS	4	4.8	5	3	3	4	6	8	8	8
1-5 YRS	10	6.2	22	1	1	5	11	12	13	13
6-12 YRS	4	4.5	16	1	1	3	7	10	10	10
13-19 YRS	10	7.4	27	2	2	5	10	16	17	17
B. *Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	2	5.5	1	5	5	5	6	6	6	6
13-19 YRS	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	2.8	3	<1	<1	3	4	5	5	5
B. *Operated*	7	4.4	6	<1	<1	5	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	30	8.2	86	1	2	5	10	16	24	48
B. *Operated*	5	5.6		5	5	6	6	6	6	6
1. SINGLE DX	23	3.3	4	<1	<1	3	5	6	7	8
2. MULTIPLE DX	35	7.8	74	1	2	5	10	15	22	48
A. NOT OPERATED	46	6.3	63	1	1	4	8	13	18	48
B. OPERATED	12	4.9	4	<1	1	5	6	7	8	8
TOTAL 0-27 DYS	2	36.0	288	24	24	36	48	48	48	48
1-11 MOS	7	4.4	5	1	1	4	6	8	8	8
1-5 YRS	18	5.1	16	<1	1	4	8	12	13	13
6-12 YRS	13	3.8	7	1	1	3	5	7	9	10
13-19 YRS	18	5.8	19	<1	1	5	6	13	16	17
GRAND TOTAL	**58**	**6.0**	**51**	**<1**	**1**	**4**	**6**	**12**	**16**	**46**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	19.0		19	19	19	19	19	19	19
1-11 MOS	4	5.3	8	2	2	5	7	8	8	8
1-5 YRS	4	12.5	207	4	4	6	20	34	34	34
6-12 YRS	3	34.7	1826	9	9	11	66	84	84	84
13-19 YRS	4	6.5	7	3	3	7	8	9	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	2	3.5	5	2	2	3	5	5	5	5
6-12 YRS	1	16.0		16	16	16	16	16	16	16
13-19 YRS	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	16	13.8	411	2	3	7	10	32	69	84
B. *Operated*	5	6.8	30	2	2	5	9	16	16	16
1. SINGLE DX										
2. MULTIPLE DX	21	12.1	323	2	3	7	10	25	56	84
A. NOT OPERATED	16	13.8	411	2	3	7	10	32	69	84
B. OPERATED	5	6.8	30	2	2	5	9	16	16	16
TOTAL 0-27 DYS	1	19.0		19	19	19	19	19	19	19
1-11 MOS	5	5.0	6	2	2	4	7	8	8	8
1-5 YRS	6	9.5	147	2	2	5	7	31	34	34
6-12 YRS	4	30.0	1305	9	9	13	50	84	84	84
13-19 YRS	5	6.6	5	3	3	7	8	9	9	9
GRAND TOTAL	**21**	**12.1**	**323**	**2**	**3**	**7**	**10**	**25**	**56**	**84**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	2.0	1	<1	<1	2	3	3	3	3
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	7	2.9	4	<1	<1	2	5	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	2	8.5	5	7	7	8	10	10	10	10
1-5 YRS										
6-12 YRS	3	12.7	185	2	2	8	23	28	28	28
13-19 YRS	4	6.3	38	2	2	4	10	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	4.7	30	1	1	2	9	11	11	11
1-11 MOS	6	7.2	8	5	5	6	9	12	12	12
1-5 YRS	10	5.7	13	1	1	6	7	11	14	14
6-12 YRS	11	2.6	7	<1	<1	2	3	6	10	10
13-19 YRS	12	3.4	10	<1	<1	2	5	9	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS	4	10.8	91	2	2	11	19	19	19	19
1-5 YRS	6	23.3	1245	2	2	9	21	87	94	94
6-12 YRS	12	9.6	94	1	2	6	11	28	31	31
13-19 YRS	10	18.0	688	2	2	6	25	57	88	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	2.5	3	<1	<1	2	4	5	6	6
B. *Operated*	9	8.9	70	2	2	7	11	23	28	28
2. MULTIPLE DX										
A. *Not Operated*	42	4.4	12	<1	1	3	6	10	11	14
B. *Operated*	32	14.9	472	2	2	7	19	28	82	94
1. SINGLE DX	21	5.2	40	<1	<1	3	6	12	21	28
2. MULTIPLE DX	74	8.9	235	1	1	5	9	19	27	93
A. NOT OPERATED	54	4.0	11	<1	1	3	6	9	11	14
B. OPERATED	41	13.6	387	2	2	7	16	28	57	94
TOTAL 0-27 DYS	3	4.7	30	1	1	2	9	11	11	11
1-11 MOS	12	8.6	32	2	3	7	11	19	19	19
1-5 YRS	19	10.7	432	<1	1	6	7	18	61	94
6-12 YRS	28	6.6	71	1	1	3	8	22	28	31
13-19 YRS	33	8.1	246	<1	1	4	7	17	27	88
GRAND TOTAL	**95**	**8.1**	**194**	**1**	**1**	**4**	**8**	**19**	**27**	**91**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	2.0	2	1	1	2	3	3	3	3
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	2	7.5	41	3	3	7	12	12	12	12
1-11 MOS	2	22.0	32	18	18	22	26	26	26	26
1-5 YRS	11	11.0	192	1	1	8	9	34	47	48
6-12 YRS	6	5.0	19	2	2	3	9	12	12	12
13-19 YRS	3	2.7		2	2	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	5	3.4	10	1	1	2	4	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	24	9.1	117	1	2	5	11	24	33	48
1. SINGLE DX	5	3.4	10	1	1	2	4	9	9	9
2. MULTIPLE DX	25	8.8	115	1	2	3	10	24	31	48
A. NOT OPERATED	1	1.0		1	1	1	1	1	1	1
B. OPERATED	29	8.1	102	1	2	3	9	22	27	48
TOTAL 0-27 DYS	2	7.5	41	3	3	7	12	12	12	12
1-11 MOS	4	11.8	151	1	1	10	22	26	26	26
1-5 YRS	13	9.6	171	1	1	7	9	29	44	48
6-12 YRS	7	4.6	17	2	2	2	7	11	12	12
13-19 YRS	4	4.3	10	2	2	3	6	9	9	9
GRAND TOTAL	**30**	**7.9**	**100**	**1**	**1**	**3**	**9**	**21**	**26**	**48**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	7.5	85	<1	<1	7	14	14	14	14
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-27 DYS	1	17.0		17	17	17	17	17	17	17
1-11 MOS	2	5.0	18	2	2	5	8	8	8	8
1-5 YRS										
6-12 YRS	3	11.7	44	6	6	10	17	19	19	19
13-19 YRS	7	25.9	552	6	7	17	37	66	72	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	3	4.0	19	1	1	2	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	4	5.0	38	<1	<1	2	9	14	14	14
B. *Operated*	13	18.7	359	3	5	14	24	75	94	99+
1. SINGLE DX	4	3.3	15	1	1	2	5	9	9	9
2. MULTIPLE DX	17	15.5	312	<1	1	11	19	63	89	99+
A. NOT OPERATED	5	4.2	32	<1	<1	1	6	14	14	14
B. OPERATED	16	15.9	324	1	2	10	20	66	90	99+
TOTAL 0-27 DYS	3	10.7	72	<1	<1	14	16	17	17	17
1-11 MOS	2	5.0	18	2	2	5	8	8	8	8
1-5 YRS	1	1.0		1	1	50	99+	99+	99+	99+
6-12 YRS	4	9.3	53	2	2	8	14	19	19	19
13-19 YRS	11	17.8	460	1	1	9	22	53	70	72
GRAND TOTAL	**21**	**13.1**	**276**	**<1**	**1**	**9**	**17**	**50**	**83**	**99+**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.0		<1	<1	<1	1	1	1	1
6-12 YRS										
13-19 YRS	14	3.7	11	1	1	2	6	8	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	3.5	13	1	1	3	6	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	6	4.3	13	1	1	3	8	9	9	9
6-12 YRS	3	13.7	185	3	3	9	24	29	29	29
13-19 YRS	14	6.4	20	1	2	6	8	14	16	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	16	3.4	10	<1	1	2	6	8	10	11
2. MULTIPLE DX										
A. *Not Operated*	2	3.5	13	1	1	3	6	6	6	6
B. *Operated*	24	6.9	38	1	1	6	9	14	21	29
1. SINGLE DX	17	3.2	10	<1	1	2	6	8	10	11
2. MULTIPLE DX	26	6.7	37	1	1	6	9	14	19	29
A. NOT OPERATED	3	2.7	8	1	1	1	5	6	6	6
B. OPERATED	40	5.5	30	1	1	4	8	10	15	29
TOTAL 0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	8	3.5	11	<1	<1	2	6	9	9	9
6-12 YRS	3	13.7	185	3	3	9	24	29	29	29
13-19 YRS	31	4.8	16	1	1	4	6	10	14	17
GRAND TOTAL	**43**	**5.3**	**28**	**1**	**1**	**4**	**7**	**10**	**15**	**29**

1,569 Hospitals, United States, January-December 1985

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	4	4.8	15	<1	<1	4	8	9	9	9
13-19 YRS	8	6.4	9	2	2	7	9	10	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	2	4.0	18	1	1	4	7	7	7	7
6-12 YRS	2	6.0	18	3	3	6	9	9	9	9
13-19 YRS	19	6.1	12	1	2	5	9	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	12.0	128	4	4	12	20	20	20	20
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	6.8	21	<1	<1	7	10	12	12	12
B. *Operated*										
0-27 DYS										
1-11 MOS	7	8.0	54	2	2	4	14	19	20	20
1-5 YRS	3	14.3	136	4	4	12	23	27	27	27
6-12 YRS	3	7.0	31	2	2	6	11	13	13	13
13-19 YRS	13	9.0	31	3	3	8	12	16	21	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	6.1	10	<1	1	7	9	9	10	10
B. *Operated*	24	6.1	12	1	2	5	9	11	11	12
2. MULTIPLE DX										
A. *Not Operated*	6	8.5	46	<1	<1	7	12	19	20	20
B. *Operated*	26	9.1	45	2	2	7	13	19	23	27
1. SINGLE DX	37	6.1	11	1	2	6	9	10	11	12
2. MULTIPLE DX	32	9.0	44	2	2	7	13	20	22	27
A. NOT OPERATED	19	6.8	21	<1	1	7	9	11	16	20
B. OPERATED	50	7.7	31	2	2	6	11	14	20	27
TOTAL 0-27 DYS	2	12.0	128	4	4	12	20	20	20	20
1-11 MOS	8	8.3	47	2	2	7	13	18	20	20
1-5 YRS	6	10.0	84	1	1	8	12	25	27	27
6-12 YRS	9	5.8	17	<1	1	6	9	11	13	13
13-19 YRS	44	7.1	18	1	2	6	10	12	14	22
GRAND TOTAL	**69**	**7.4**	**28**	**1**	**2**	**6**	**10**	**13**	**20**	**26**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	55	5.2	9	2	2	4	7	10	11	13
1-5 YRS	321	5.0	16	1	2	5	8	11	14	18
6-12 YRS	41	4.9	13	1	1	4	6	10	12	19
13-19 YRS	24	4.4	18	<1	<1	3	5	9	15	18
B. *Operated*										
0-27 DYS										
1-11 MOS	4	9.5	18	5	5	9	12	15	15	15
1-5 YRS	12	6.4	40	<1	1	4	10	16	20	21
6-12 YRS	14	6.4	104	<1	<1	2	5	29	31	31
13-19 YRS	23	3.8	14	1	1	3	4	8	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	30.0		30	30	30	30	30	30	30
1-11 MOS	56	7.6	46	2	2	5	11	18	23	30
1-5 YRS	219	7.0	29	2	2	6	9	13	16	33
6-12 YRS	44	6.4	20	1	2	6	9	12	14	22
13-19 YRS	49	3.9	6	1	1	3	5	8	8	14
B. *Operated*										
0-27 DYS	1	28.0		28	28	28	28	28	28	28
1-11 MOS	11	13.2	299	1	2	7	19	38	58	60
1-5 YRS	35	8.9	120	1	1	4	11	22	39	42
6-12 YRS	26	11.8	128	1	2	8	15	29	39	45
13-19 YRS	41	10.1	95	1	2	8	15	33	58	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	441	5.7	15	1	2	5	8	11	13	18
B. *Operated*	53	5.5	44	<1	1	3	8	14	20	31
2. MULTIPLE DX										
A. *Not Operated*	369	6.6	30	1	2	5	8	13	16	30
B. *Operated*	114	10.6	129	1	1	7	14	31	40	99+
1. SINGLE DX	494	5.7	18	1	2	5	8	11	14	20
2. MULTIPLE DX	483	7.6	56	1	2	5	9	15	24	42
A. NOT OPERATED	810	6.1	22	1	2	5	8	12	15	26
B. OPERATED	167	9.0	107	1	1	5	12	25	34	92
TOTAL 0-27 DYS	2	29.0	2	28	28	29	30	30	30	30
1-11 MOS	126	7.1	54	2	2	5	9	15	20	37
1-5 YRS	587	6.5	28	1	2	5	8	13	15	30
6-12 YRS	125	7.0	55	1	1	5	8	15	23	39
13-19 YRS	137	5.8	43	1	1	3	8	14	25	99+
GRAND TOTAL	**977**	**6.6**	**38**	**1**	**2**	**5**	**8**	**13**	**17**	**34**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	8.7	16	5	5	8	12	13	13	13
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	4	4.5	6	3	3	4	6	8	8	8
13-19 YRS	79	6.9	16	2	2	6	9	11	14	22
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	3	11.3	4	9	9	12	13	13	13	13
13-19 YRS	58	5.9	15	1	1	6	8	12	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	7	8.6	15	5	5	6	11	14	15	15
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	7	6.9	7	3	3	7	9	10	10	10
13-19 YRS	92	7.0	15	2	3	6	9	12	15	20
B. *Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	2	12.5	41	8	8	12	17	17	17	17
1-5 YRS	1	11.0		11	11	11	11	11	11	11
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	63	8.3	29	2	3	7	11	15	20	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	6.8	16	2	2	6	9	11	14	22
B. *Operated*	62	6.1	16	1	1	6	9	12	13	14
2. MULTIPLE DX										
A. *Not Operated*	108	7.1	15	2	3	6	9	12	15	19
B. *Operated*	68	8.5	28	2	3	7	11	15	19	25
1. SINGLE DX	149	6.5	16	1	2	6	9	12	13	21
2. MULTIPLE DX	176	7.7	20	2	3	7	10	14	16	25
A. NOT OPERATED	195	7.0	15	2	3	6	9	12	15	21
B. OPERATED	130	7.4	24	1	2	7	10	13	15	25
TOTAL 0-27 DYS	2	10.0		10	10	10	10	10	10	10
1-11 MOS	12	9.3	17	5	5	8	12	16	17	17
1-5 YRS	4	6.3	18	1	1	6	9	11	11	11
6-12 YRS	15	7.3	11	3	3	8	10	12	13	13
13-19 YRS	292	7.1	19	1	2	7	9	12	15	23
GRAND TOTAL	**325**	**7.2**	**18**	**1**	**2**	**7**	**9**	**13**	**15**	**22**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	64	2.5	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	2	9.0	50	4	4	9	14	14	14	14
1-5 YRS										
6-12 YRS										
13-19 YRS	3	6.0	75	1	1	1	12	16	16	16
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	8
1-11 MOS	3	7.3	56	3	3	3	13	16	16	16
1-5 YRS	2	2.5	5	1	1	2	4	4	4	4
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	18	5.1	10	2	2	4	6	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	66	2.5	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	6	7.8	45	1	1	7	14	16	16	16
B. *Operated*	25	4.9	14	1	2	4	5	11	12	16
1. SINGLE DX	67	2.5	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	31	5.5	20	1	1	4	8	12	16	16
A. NOT OPERATED	7	6.9	44	1	1	4	13	16	16	16
B. OPERATED	91	3.2	6	<1	1	3	4	6	9	14
TOTAL 0-27 DYS	2	7.0	32	3	3	7	11	11	11	11
1-11 MOS	6	7.2	37	3	3	4	14	16	16	16
1-5 YRS	2	2.5	5	1	1	2	4	4	4	4
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	86	3.2	7	<1	1	3	4	6	9	14
GRAND TOTAL	**98**	**3.4**	**9**	**<1**	**1**	**3**	**4**	**7**	**11**	**16**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	23	2.7	5	<1	<1	2	4	5	7	10
B. *Operated*										
0-27 DYS										
1-11 MOS	4	2.0	2	<1	<1	1	3	4	4	4
1-5 YRS										
6-12 YRS	2	1.5	1	<1	<1	1	2	2	2	2
13-19 YRS	38	3.3	3	1	1	3	5	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	3	6.3	46	<1	<1	4	11	14	14	14
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	3	3.7		3	3	4	4	4	4	4
13-19 YRS	23	3.2	4	<1	1	3	4	7	7	7
B. *Operated*										
0-27 DYS	3	3.0	1	2	2	3	4	4	4	4
1-11 MOS	6	5.3	3	3	3	5	6	8	8	8
1-5 YRS	4	1.5	1	<1	<1	1	2	3	3	3
6-12 YRS	3	2.0	1	<1	<1	2	3	3	3	3
13-19 YRS	115	3.8	3	1	1	4	5	6	7	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	2.7	4	<1	<1	2	4	5	6	10
B. *Operated*	44	3.1	3	<1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	32	3.5	7	<1	1	3	4	7	7	14
B. *Operated*	131	3.7	3	1	1	4	5	6	7	9
1. SINGLE DX	70	3.0	3	<1	1	3	4	5	6	10
2. MULTIPLE DX	163	3.7	4	1	1	4	4	6	7	10
A. NOT OPERATED	58	3.2	6	<1	1	3	4	6	7	14
B. OPERATED	175	3.6	3	1	1	4	4	6	7	9
TOTAL 0-27 DYS	4	4.0	5	2	2	3	5	7	7	7
1-11 MOS	14	4.4	12	<1	<1	4	6	9	13	14
1-5 YRS	6	1.5	1	<1	<1	1	2	3	3	3
6-12 YRS	10	2.6	1	<1	<1	3	4	4	4	4
13-19 YRS	199	3.5	3	1	1	3	4	6	7	10
GRAND TOTAL	**233**	**3.5**	**4**	**<1**	**1**	**3**	**4**	**6**	**7**	**10**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	6	3.8	6	1	1	4	6	7	7	7
1-5 YRS	13	3.1	13	1	1	1	4	8	12	13
6-12 YRS	22	3.5	15	1	1	2	3	9	14	15
13-19 YRS	84	4.4	10	1	1	4	7	9	10	12
B. *Operated*										
0-27 DYS										
1-11 MOS	3	11.7	40	8	8	8	16	19	19	19
1-5 YRS	16	5.6	31	<1	<1	3	9	14	17	19
6-12 YRS	66	2.4	10	<1	<1	2	2	4	8	20
13-19 YRS	323	2.6	7	<1	1	2	3	6	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	12.0	2	11	11	12	13	13	13	13
1-11 MOS	20	5.2	14	1	1	4	7	11	14	15
1-5 YRS	34	3.6	8	1	1	2	5	8	10	11
6-12 YRS	42	2.6	3	<1	1	2	3	5	6	7
13-19 YRS	160	4.5	21	1	1	3	6	9	11	25
B. *Operated*										
0-27 DYS	5	14.8	267	3	3	7	24	42	42	42
1-11 MOS	16	12.1	109	1	2	10	16	30	32	33
1-5 YRS	26	4.9	37	<1	1	2	7	10	18	28
6-12 YRS	46	3.7	23	1	1	2	4	9	14	26
13-19 YRS	200	4.4	26	<1	1	2	6	11	14	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	126	4.1	11	1	1	3	6	9	10	14
B. *Operated*	408	2.7	10	<1	<1	2	3	7	10	15
2. MULTIPLE DX										
A. *Not Operated*	258	4.2	17	1	1	3	5	9	11	17
B. *Operated*	293	4.9	39	<1	1	2	6	12	18	32
1. SINGLE DX	534	3.0	10	<1	1	2	3	8	10	14
2. MULTIPLE DX	551	4.6	28	1	1	3	6	10	15	29
A. NOT OPERATED	384	4.1	15	1	1	3	6	9	10	16
B. OPERATED	701	3.6	23	<1	1	2	3	9	13	25
TOTAL 0-27 DYS	8	12.4	175	1	2	9	15	35	42	42
1-11 MOS	45	7.9	59	1	1	6	10	16	29	33
1-5 YRS	89	4.2	21	<1	1	2	6	10	13	24
6-12 YRS	176	2.9	12	<1	1	2	3	6	9	20
13-19 YRS	767	3.6	16	<1	1	2	4	9	11	19
GRAND TOTAL	**1085**	**3.8**	**20**	**<1**	**1**	**2**	**4**	**9**	**12**	**23**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	178	2.6	2	1	1	2	3	5	5	8
1-11 MOS	2579	2.6	2	1	1	2	3	4	5	8
1-5 YRS	6205	2.2	3	1	1	2	3	4	5	7
6-12 YRS	962	2.2	2	<1	1	2	3	4	5	6
13-19 YRS	736	2.8	2	1	1	2	3	5	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS	13	3.1	7	<1	<1	2	4	7	9	9
1-5 YRS	226	2.1	4	<1	<1	1	2	5	6	12
6-12 YRS	416	1.5	1	<1	1	1	2	2	3	5
13-19 YRS	482	1.6	1	<1	1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	308	3.5	15	1	1	3	4	6	8	16
1-11 MOS	4227	3.3	5	1	1	3	4	6	7	12
1-5 YRS	8620	3.0	5	1	1	3	4	5	6	10
6-12 YRS	1990	2.9	5	1	1	2	4	5	6	10
13-19 YRS	2091	3.4	4	1	2	3	4	5	7	10
B. *Operated*										
0-27 DYS	7	3.4	2	1	1	4	5	5	5	5
1-11 MOS	63	9.2	107	1	2	6	11	18	29	64
1-5 YRS	494	3.2	16	<1	1	2	4	8	11	16
6-12 YRS	509	2.2	18	<1	1	2	2	3	6	13
13-19 YRS	437	3.0	10	1	1	2	4	7	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10660	2.4	2	1	1	2	3	4	5	7
B. *Operated*	1137	1.7	2	<1	1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	17236	3.1	5	1	1	3	4	5	7	11
B. *Operated*	1510	3.1	20	1	1	2	3	7	10	19
1. SINGLE DX	11797	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX	18746	3.1	6	1	1	3	4	5	7	11
A. NOT OPERATED	27896	2.8	4	1	1	2	4	5	6	10
B. OPERATED	2647	2.5	13	<1	1	2	2	5	8	15
TOTAL 0-27 DYS	493	3.1	11	1	1	3	4	5	6	14
1-11 MOS	6882	3.1	6	1	1	3	4	5	7	11
1-5 YRS	15545	2.7	4	1	1	2	3	5	6	10
6-12 YRS	3877	2.5	6	1	1	2	3	4	5	9
13-19 YRS	3746	3.0	5	1	1	3	4	5	6	11
GRAND TOTAL	**30543**	**2.8**	**5**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	186	3.8	5	1	2	3	4	6	8	13
1-11 MOS	6423	3.6	4	1	2	3	4	6	7	10
1-5 YRS	4927	3.0	3	1	1	3	4	5	6	8
6-12 YRS	543	2.8	2	1	1	3	3	5	6	8
13-19 YRS	291	3.3	3	1	1	3	4	5	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS	12	6.4	26	1	2	4	8	15	18	19
1-5 YRS	19	3.4	10	<1	<1	2	6	9	10	11
6-12 YRS	5	7.4	114	1	1	2	12	26	26	26
13-19 YRS	3	4.0	3	3	3	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	230	4.6	9	2	2	4	6	8	9	16
1-11 MOS	8838	4.2	7	1	2	4	5	7	9	13
1-5 YRS	5966	3.6	6	1	1	3	4	6	8	12
6-12 YRS	799	3.7	7	1	1	3	4	6	9	15
13-19 YRS	648	4.6	13	1	2	4	5	9	12	21
B. *Operated*										
0-27 DYS	6	11.2	9	9	9	10	11	16	17	17
1-11 MOS	81	9.6	67	2	3	7	11	19	22	51
1-5 YRS	46	8.3	87	1	1	5	11	17	21	57
6-12 YRS	11	10.8	53	1	2	8	16	20	24	24
13-19 YRS	25	8.0	50	2	2	7	11	15	26	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12370	3.3	4	1	1	3	4	6	7	9
B. *Operated*	39	4.9	27	<1	1	3	7	10	16	26
2. MULTIPLE DX										
A. *Not Operated*	16481	4.0	7	1	2	3	5	7	8	13
B. *Operated*	169	9.1	66	2	2	7	11	18	22	53
1. SINGLE DX	12409	3.3	4	1	1	3	4	6	7	9
2. MULTIPLE DX	16650	4.0	8	1	2	3	5	7	9	14
A. NOT OPERATED	28851	3.7	6	1	1	3	5	6	8	12
B. OPERATED	208	8.3	62	1	2	7	10	17	21	44
TOTAL 0-27 DYS	422	4.3	8	1	2	4	5	8	9	15
1-11 MOS	15354	4.0	6	1	2	3	5	7	8	12
1-5 YRS	10958	3.3	5	1	1	3	4	6	7	11
6-12 YRS	1358	3.4	7	1	1	3	4	6	8	15
13-19 YRS	967	4.3	11	1	2	3	5	8	11	21
GRAND TOTAL	**29059**	**3.7**	**6**	**1**	**1**	**3**	**5**	**6**	**8**	**12**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	5	1.4		<1	<1	1	2	2	2	2
B. *Operated*										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	6	1.5	1	<1	<1	1	2	3	3	3
6-12 YRS	54	1.6	1	<1	<1	1	2	3	3	5
13-19 YRS	1288	1.7	1	1	1	2	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS										
13-19 YRS	35	1.1		<1	<1	<1	1	1	2	3
B. *Operated*										
0-27 DYS	3	1.3		1	1	1	2	2	2	2
1-11 MOS	9	1.4	1	1	1	1	2	3	3	3
1-5 YRS	9	1.1		1	1	1	1	2	2	2
6-12 YRS	160	1.6	1	<1	1	1	2	3	3	5
13-19 YRS	2843	1.7	1	1	1	1	2	3	3	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.4		<1	<1	1	2	2	2	2
B. *Operated*	1352	1.7	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	37	1.1		<1	<1	<1	1	1	2	3
B. *Operated*	3024	1.7	1	1	1	1	2	3	3	5
1. SINGLE DX	1357	1.7	1	1	1	2	2	3	3	4
2. MULTIPLE DX	3061	1.7	1	1	1	1	2	3	3	5
A. NOT OPERATED	42	1.1		<1	<1	<1	1	2	2	3
B. OPERATED	4376	1.7	1	1	1	1	2	3	3	5
TOTAL 0-27 DYS	5	1.4		1	1	1	2	2	2	2
1-11 MOS	11	1.5		1	1	1	2	3	3	3
1-5 YRS	17	1.3		<1	<1	1	2	2	3	3
6-12 YRS	214	1.6	1	<1	1	1	2	3	3	5
13-19 YRS	4171	1.7	1	1	1	1	2	3	3	5
GRAND TOTAL	**4418**	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**3**	**5**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	4	1.5	1	1	1	1	2	3	3	3
6-12 YRS	26	1.6	2	<1	1	1	1	3	5	8
13-19 YRS	43	1.6	1	<1	<1	1	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	8.0	98	<1	<1	7	15	15	15	15
13-19 YRS	5	1.4	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	9	1.6	1	<1	<1	1	2	3	3	3
6-12 YRS	49	2.5	6	<1	1	1	3	5	9	13
13-19 YRS	136	2.5	26	1	1	2	3	4	4	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	76	1.8	3	<1	1	1	2	3	4	12
2. MULTIPLE DX										
A. *Not Operated*	7	3.3	27	<1	<1	1	3	13	15	15
B. *Operated*	195	2.5	20	<1	1	2	3	4	4	14
1. SINGLE DX	77	1.8	3	<1	1	1	2	3	4	12
2. MULTIPLE DX	202	2.5	20	<1	1	2	3	4	4	15
A. NOT OPERATED	8	3.3	23	<1	<1	1	3	11	15	15
B. OPERATED	271	2.3	15	<1	1	2	3	4	4	14
TOTAL 0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	3	2.0	1	1	1	2	3	3	3	3
1-5 YRS	13	1.5	1	<1	<1	1	2	3	3	3
6-12 YRS	77	2.3	7	<1	1	1	3	4	8	14
13-19 YRS	185	2.3	19	<1	1	2	3	3	4	11
GRAND TOTAL	**279**	**2.3**	**15**	**<1**	**1**	**2**	**3**	**4**	**4**	**15**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	3.0	8	1	1	2	5	7	7	7
1-5 YRS	47	1.6	1	<1	<1	1	2	3	4	5
6-12 YRS	48	1.7	1	<1	<1	1	2	3	4	6
13-19 YRS	63	1.9	2	<1	<1	1	2	3	4	7
B. *Operated*										
0-27 DYS	5	1.2		<1	<1	1	1	2	2	2
1-11 MOS	33	1.2		<1	<1	1	1	2	2	2
1-5 YRS	8527	1.3		<1	<1	1	2	2	2	3
6-12 YRS	14940	1.3		<1	1	1	2	2	2	3
13-19 YRS	13173	1.4		1	1	1	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	7	3.1	6	1	1	3	4	7	8	8
1-5 YRS	329	1.3	1	<1	<1	1	1	2	3	5
6-12 YRS	227	1.3	1	<1	<1	1	1	2	3	5
13-19 YRS	133	1.6	2	<1	<1	1	2	3	5	8
B. *Operated*										
0-27 DYS	7	1.9	1	1	1	2	3	3	3	3
1-11 MOS	51	1.7	2	<1	<1	1	2	3	5	8
1-5 YRS	10875	1.3	1	<1	<1	1	2	2	2	4
6-12 YRS	9338	1.3		<1	1	1	2	2	2	3
13-19 YRS	3749	1.5	1	1	1	1	2	2	3	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	162	1.8	2	<1	<1	1	2	3	4	7
B. *Operated*	36678	1.3		<1	1	1	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	697	1.4	1	<1	<1	1	1	2	3	7
B. *Operated*	24020	1.4	1	<1	1	1	2	2	2	4
1. SINGLE DX	36840	1.3		<1	1	1	2	2	2	3
2. MULTIPLE DX	24717	1.4	1	<1	<1	1	2	2	2	4
A. NOT OPERATED	859	1.5	1	<1	<1	1	1	3	4	7
B. OPERATED	60698	1.3		<1	1	1	2	2	2	3
TOTAL 0-27 DYS	13	1.5	1	<1	<1	1	2	3	3	3
1-11 MOS	95	1.7	2	<1	<1	1	2	3	5	8
1-5 YRS	19778	1.3	1	<1	<1	1	2	2	2	3
6-12 YRS	24553	1.3		<1	1	1	2	2	2	3
13-19 YRS	17118	1.4	1	1	1	1	2	2	2	4
GRAND TOTAL	**61557**	**1.3**		**<1**	**1**	**1**	**2**	**2**	**2**	**3**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	14	1.9	1	<1	<1	1	3	4	4	4
1-11 MOS	114	2.5	7	<1	<1	2	3	4	6	17
1-5 YRS	446	2.2	3	<1	<1	2	3	4	5	9
6-12 YRS	307	2.8	4	<1	1	3	3	5	7	10
13-19 YRS	674	2.9	2	1	1	3	4	5	6	8
B. *Operated*										
0-27 DYS	4	4.0	12	1	1	3	6	9	9	9
1-11 MOS	73	3.0	14	<1	<1	2	3	7	8	24
1-5 YRS	301	2.2	5	<1	<1	1	2	4	7	12
6-12 YRS	380	2.1	4	<1	<1	2	2	4	5	9
13-19 YRS	989	2.3	3	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	27	4.4	26	1	1	3	6	8	12	27
1-11 MOS	210	4.1	52	<1	1	3	4	7	10	42
1-5 YRS	587	3.4	21	1	1	3	4	6	7	12
6-12 YRS	348	3.5	8	1	1	3	4	6	7	14
13-19 YRS	588	3.4	4	1	1	3	4	6	7	10
B. *Operated*										
0-27 DYS	9	4.1	17	<1	1	2	5	11	14	14
1-11 MOS	128	7.5	79	<1	1	4	12	21	25	61
1-5 YRS	431	3.4	18	<1	<1	2	4	8	11	20
6-12 YRS	491	2.8	20	<1	<1	1	3	5	8	20
13-19 YRS	1111	2.5	5	1	1	2	3	5	7	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1555	2.7	3	<1	1	2	3	5	6	8
B. *Operated*	1747	2.3	4	<1	<1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	1760	3.5	16	1	1	3	4	6	8	14
B. *Operated*	2170	3.1	17	<1	1	2	3	6	9	22
1. SINGLE DX	3302	2.5	4	<1	1	2	3	4	6	9
2. MULTIPLE DX	3930	3.3	17	<1	1	2	4	6	8	19
A. NOT OPERATED	3315	3.1	10	1	1	3	4	5	7	11
B. OPERATED	3917	2.7	11	<1	1	2	3	5	8	17
TOTAL 0-27 DYS	54	3.7	18	<1	1	2	4	8	9	26
1-11 MOS	525	4.5	47	<1	<1	2	4	10	17	35
1-5 YRS	1765	2.9	13	<1	1	2	3	6	8	14
6-12 YRS	1526	2.8	10	<1	1	2	3	5	7	14
13-19 YRS	3362	2.7	4	1	1	2	3	5	6	10
GRAND TOTAL	**7232**	**2.9**	**11**	**<1**	**1**	**2**	**3**	**5**	**7**	**14**

1,569 Hospitals, United States, January-December 1985

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	407	4.5	7	2	2	4	6	8	10	13
1-11 MOS	5553	4.1	5	1	2	4	5	7	8	11
1-5 YRS	9442	3.6	5	1	2	3	4	6	7	10
6-12 YRS	2492	3.7	4	1	2	3	5	6	7	10
13-19 YRS	1371	4.1	4	2	2	4	5	7	8	11
B. *Operated*										
0-27 DYS	7	6.9	16	1	1	8	10	12	12	12
1-11 MOS	29	8.3	49	2	2	6	9	17	23	34
1-5 YRS	40	5.1	25	<1	1	3	7	11	16	24
6-12 YRS	21	7.0	43	1	1	5	9	15	22	30
13-19 YRS	22	9.2	41	2	2	9	11	17	26	27
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	467	5.5	14	2	2	4	7	10	13	19
1-11 MOS	9058	4.8	11	2	2	4	6	8	11	17
1-5 YRS	15796	4.2	9	1	2	4	5	7	9	15
6-12 YRS	3833	4.6	11	1	2	4	5	8	10	16
13-19 YRS	2157	5.7	17	2	2	5	7	11	14	21
B. *Operated*										
0-27 DYS	25	10.3	85	4	4	9	12	16	25	50
1-11 MOS	211	11.8	89	2	3	10	16	24	33	99+
1-5 YRS	307	11.4	113	2	3	8	14	24	34	64
6-12 YRS	106	12.8	120	1	3	10	18	22	28	60
13-19 YRS	165	14.2	125	3	4	12	19	25	32	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19265	3.8	5	1	2	3	5	6	8	11
B. *Operated*	119	7.1	38	1	2	6	9	15	20	31
2. MULTIPLE DX										
A. *Not Operated*	31311	4.6	11	1	2	4	5	8	10	16
B. *Operated*	814	12.2	110	2	3	10	16	24	33	63
1. SINGLE DX	19384	3.8	5	1	2	3	5	6	8	11
2. MULTIPLE DX	32125	4.8	15	1	2	4	6	8	11	19
A. NOT OPERATED	50576	4.3	9	1	2	4	5	7	9	14
B. OPERATED	933	11.6	104	2	3	9	15	23	31	61
TOTAL 0-27 DYS	906	5.2	14	2	2	4	6	10	12	17
1-11 MOS	14851	4.6	11	1	2	4	6	8	10	17
1-5 YRS	25585	4.1	9	1	2	3	5	7	9	14
6-12 YRS	6452	4.4	11	1	2	4	5	8	10	16
13-19 YRS	3715	5.5	21	2	2	4	6	10	14	23
GRAND TOTAL	**51509**	**4.4**	**11**	**1**	**2**	**4**	**5**	**8**	**10**	**17**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	20	3.1	3	1	2	3	4	5	7	9
1-11 MOS	109	3.3	4	1	1	3	4	6	7	9
1-5 YRS	252	2.8	2	1	1	3	4	5	6	8
6-12 YRS	168	2.6	2	1	1	2	3	4	5	8
13-19 YRS	159	3.0	3	1	1	3	4	5	7	10
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS	2	4.0	2	3	3	4	5	5	5	5
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	4.0	3	2	2	4	5	7	7	7
1-11 MOS	174	4.6	39	1	2	3	5	8	10	29
1-5 YRS	679	3.2	3	1	1	3	4	5	7	9
6-12 YRS	380	3.1	4	1	1	3	4	5	7	10
13-19 YRS	334	3.0	4	1	1	3	4	5	6	10
B. *Operated*										
0-27 DYS										
1-11 MOS	3	22.7	306	5	5	23	36	40	40	40
1-5 YRS	9	6.6	21	1	2	5	10	14	14	14
6-12 YRS	4	4.5	10	2	2	3	6	9	9	9
13-19 YRS	9	6.1	19	<1	1	5	8	13	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	708	2.9	3	1	1	3	4	5	6	8
B. *Operated*	3	3.3	2	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	1573	3.3	8	1	1	3	4	6	7	10
B. *Operated*	25	8.0	71	1	2	5	10	14	27	40
1. SINGLE DX	711	2.9	3	1	1	3	4	5	6	8
2. MULTIPLE DX	1598	3.4	9	1	1	3	4	6	7	12
A. NOT OPERATED	2281	3.2	6	1	1	3	4	5	7	10
B. OPERATED	28	7.5	65	1	2	5	9	14	25	40
TOTAL 0-27 DYS	27	3.3	3	1	2	3	4	6	7	9
1-11 MOS	286	4.3	31	1	1	3	5	7	9	29
1-5 YRS	942	3.1	3	1	1	3	4	5	7	9
6-12 YRS	552	2.9	4	1	1	3	4	5	6	9
13-19 YRS	502	3.1	4	1	1	3	4	5	7	11
GRAND TOTAL	**2309**	**3.2**	**7**	**1**	**1**	**3**	**4**	**5**	**7**	**10**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	15	5.7	139	<1	1	3	4	5	37	48
1-11 MOS	617	3.4	4	1	1	3	4	6	7	10
1-5 YRS	1112	2.7	3	1	1	2	3	5	6	9
6-12 YRS	179	2.8	3	1	1	2	4	5	6	9
13-19 YRS	78	3.4	3	1	2	3	4	5	6	11
B. *Operated*										
0-27 DYS										
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS	9	4.4	20	<1	<1	2	7	12	14	14
6-12 YRS	6	2.2	6	<1	<1	1	2	6	7	7
13-19 YRS	4	6.3	12	2	2	6	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	26	4.4	3	2	3	4	5	7	8	8
1-11 MOS	984	4.0	6	1	2	4	5	7	9	12
1-5 YRS	1384	3.3	4	1	1	3	4	6	7	11
6-12 YRS	266	4.0	8	1	2	3	5	7	11	14
13-19 YRS	205	4.3	12	1	2	3	5	7	12	20
B. *Operated*										
0-27 DYS	2	11.0	50	6	6	11	16	16	16	16
1-11 MOS	14	10.6	131	1	1	7	10	24	40	45
1-5 YRS	31	4.7	19	1	1	3	6	12	13	18
6-12 YRS	18	5.8	24	1	1	4	8	14	16	17
13-19 YRS	14	6.4	14	2	2	5	9	11	14	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2001	3.0	4	1	1	3	4	5	6	10
B. *Operated*	21	4.0	14	<1	<1	2	6	9	12	14
2. MULTIPLE DX										
A. *Not Operated*	2865	3.7	6	1	2	3	5	6	8	13
B. *Operated*	79	6.5	42	1	1	5	9	14	17	38
1. SINGLE DX	2022	3.0	4	1	1	3	4	5	6	10
2. MULTIPLE DX	2944	3.8	7	1	2	3	5	7	8	14
A. NOT OPERATED	4866	3.4	5	1	1	3	4	6	7	12
B. OPERATED	100	6.0	37	1	1	4	8	13	16	33
TOTAL 0-27 DYS	43	5.2	51	1	1	4	5	7	11	48
1-11 MOS	1617	3.9	7	1	2	3	5	7	8	12
1-5 YRS	2536	3.1	4	1	1	3	4	5	7	11
6-12 YRS	469	3.6	7	1	1	3	4	6	9	14
13-19 YRS	301	4.2	10	1	2	3	5	7	10	16
GRAND TOTAL	**4966**	**3.5**	**6**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	9.0	18	6	6	9	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	47.0		47	47	47	47	47	47	47
1-11 MOS	2	5.0	2	4	4	5	6	6	6	6
1-5 YRS	2	4.5	1	4	4	4	5	5	5	5
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	6	5.3	35	1	1	3	6	16	17	17
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	20.0		20	20	20	20	20	20	20
13-19 YRS	10	12.3	41	5	5	10	16	22	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	2	9.0	18	6	6	9	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	12	8.5	164	1	2	4	6	26	44	47
B. *Operated*	11	13.0	42	5	6	12	19	22	23	23
1. SINGLE DX	3	6.3	30	1	1	6	10	12	12	12
2. MULTIPLE DX	23	10.7	106	2	3	6	15	22	31	47
A. NOT OPERATED	13	7.9	154	1	1	4	6	23	42	47
B. OPERATED	13	12.4	39	5	6	12	17	22	23	23
TOTAL 0-27 DYS	1	47.0		47	47	47	47	47	47	47
1-11 MOS	2	5.0	2	4	4	5	6	6	6	6
1-5 YRS	2	4.5	1	4	4	4	5	5	5	5
6-12 YRS	2	12.0	128	4	4	12	20	20	20	20
13-19 YRS	19	9.2	45	1	2	8	14	20	23	23
GRAND TOTAL	**26**	**10.2**	**98**	**1**	**2**	**6**	**14**	**22**	**28**	**47**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	21	3.0	5	<1	1	2	4	6	8	8
1-11 MOS	1434	3.8	5	1	2	3	5	6	8	11
1-5 YRS	10338	2.9	3	1	1	3	4	5	6	8
6-12 YRS	7580	3.0	3	1	1	3	4	5	6	8
13-19 YRS	4464	3.3	5	1	1	3	4	5	7	10
B. Operated										
0-27 DYS										
1-11 MOS	9	4.2	10	1	1	3	5	10	10	10
1-5 YRS	14	3.8	7	<1	1	3	6	8	8	8
6-12 YRS	13	4.2	11	1	1	3	5	10	12	12
13-19 YRS	15	5.0	21	1	1	4	7	9	16	19
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	21	4.3	5	2	2	4	6	9	46	99+
1-11 MOS	2248	4.4	8	2	2	4	5	7	9	13
1-5 YRS	9768	3.4	4	1	1	3	4	6	7	10
6-12 YRS	4323	3.5	5	1	2	3	4	6	7	11
13-19 YRS	2885	3.9	16	1	2	3	5	6	8	13
B. Operated										
0-27 DYS										
1-11 MOS	59	10.5	102	2	3	8	13	20	31	60
1-5 YRS	93	7.8	67	1	2	5	8	14	27	43
6-12 YRS	38	6.1	23	1	2	5	7	13	18	22
13-19 YRS	47	8.5	48	2	3	7	11	16	23	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23837	3.0	3	1	1	3	4	5	6	9
B. Operated	51	4.3	12	1	1	3	6	9	10	19
2. MULTIPLE DX										
A. Not Operated	19245	3.6	7	1	2	3	4	6	7	12
B. Operated	237	8.3	66	1	2	6	9	17	23	42
1. SINGLE DX	23888	3.1	3	1	1	3	4	5	6	9
2. MULTIPLE DX	19482	3.7	8	1	2	3	4	6	7	12
A. NOT OPERATED	43082	3.3	5	1	1	3	4	5	7	10
B. OPERATED	288	7.6	59	1	2	5	9	15	22	40
TOTAL 0-27 DYS	42	3.7	5	1	1	3	5	8	9	99+
1-11 MOS	3750	4.3	9	1	2	4	5	7	9	14
1-5 YRS	20213	3.2	4	1	1	3	4	5	6	9
6-12 YRS	11954	3.2	4	1	1	3	4	5	6	9
13-19 YRS	7411	3.5	9	1	1	3	4	6	7	11
GRAND TOTAL	**43370**	**3.3**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**10**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	4.5	13	2	2	4	7	7	7	7
1-11 MOS	10	4.1	5	1	1	3	6	7	8	8
1-5 YRS	10	5.3	18	2	2	4	5	13	15	15
6-12 YRS	4	2.8	1	2	2	3	3	4	4	4
13-19 YRS	13	5.0	8	1	2	5	6	9	11	11
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	11	5.6	31	1	1	3	8	15	18	18
13-19 YRS	4	3.5	14	1	1	2	6	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	4	4.3	2	3	3	4	5	6	6	6
1-11 MOS	37	5.6	14	1	2	4	7	10	15	17
1-5 YRS	40	6.7	24	2	2	5	10	13	15	22
6-12 YRS	28	7.8	41	1	2	7	10	14	17	31
13-19 YRS	45	9.8	43	2	2	9	13	18	22	29
B. Operated										
0-27 DYS	2	16.0	200	6	6	16	26	26	26	26
1-11 MOS	5	16.8	396	5	5	7	23	52	52	52
1-5 YRS	13	13.5	108	3	5	10	20	45	88	99+
6-12 YRS	10	10.4	66	1	1	10	14	22	27	27
13-19 YRS	15	12.5	65	2	3	13	18	23	28	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	39	4.6	9	1	2	4	5	9	11	15
B. Operated	16	4.9	25	1	1	3	8	13	16	18
2. MULTIPLE DX										
A. Not Operated	154	7.4	32	2	2	6	10	16	18	29
B. Operated	45	13.0	108	2	3	10	18	29	42	99+
1. SINGLE DX	55	4.7	13	1	1	3	6	9	13	18
2. MULTIPLE DX	199	8.7	54	2	2	7	12	17	23	45
A. NOT OPERATED	193	6.9	28	2	2	5	10	14	17	27
B. OPERATED	61	10.9	98	1	2	9	14	26	34	94
TOTAL 0-27 DYS	8	7.3	61	2	2	5	7	20	26	26
1-11 MOS	52	6.4	54	1	2	4	7	11	16	51
1-5 YRS	64	7.8	47	2	2	5	11	15	24	91
6-12 YRS	53	7.5	43	1	1	7	10	15	18	31
13-19 YRS	77	9.2	46	1	2	8	12	18	23	30
GRAND TOTAL	**254**	**7.8**	**48**	**1**	**2**	**6**	**10**	**16**	**22**	**39**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	3	1.7		1	1	2	2	2	2	2
13-19 YRS	179	2.9	5	1	1	2	4	6	8	11
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS										
6-12 YRS	5	5.0	10	1	1	4	7	9	9	9
13-19 YRS	426	6.0	17	2	2	5	8	11	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	8.0	98	1	1	8	15	15	15	15
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	2	3.5	1	3	3	3	4	4	4	4
6-12 YRS	4	8.0	45	2	2	7	13	16	16	16
13-19 YRS	62	3.6	12	1	1	3	4	8	12	17
B. *Operated*										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	6	5.2	7	3	3	4	8	9	9	9
1-5 YRS	3	8.3	8	5	5	10	10	10	10	10
6-12 YRS	7	11.1	20	4	5	13	15	16	16	16
13-19 YRS	151	9.7	45	3	3	8	12	18	24	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	186	2.9	5	1	1	2	4	6	7	11
B. *Operated*	433	6.0	17	2	2	5	8	11	14	21
2. MULTIPLE DX										
A. *Not Operated*	71	4.0	15	1	1	3	4	10	15	17
B. *Operated*	168	9.6	42	3	3	8	12	17	24	33
1. SINGLE DX	619	5.1	15	1	1	4	6	10	13	19
2. MULTIPLE DX	239	8.0	41	1	2	6	11	16	20	32
A. NOT OPERATED	257	3.2	8	1	1	2	4	6	9	15
B. OPERATED	601	7.0	26	2	3	5	9	13	17	25
TOTAL 0-27 DYS	5	7.2	35	1	1	7	12	15	15	15
1-11 MOS	10	5.3	14	1	1	4	8	11	13	13
1-5 YRS	6	6.3	9	3	3	5	10	10	10	10
6-12 YRS	19	7.4	29	1	1	7	12	15	16	16
13-19 YRS	818	5.8	24	1	1	5	8	12	15	24
GRAND TOTAL	**858**	**5.9**	**24**	**1**	**1**	**5**	**8**	**12**	**15**	**24**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	30	3.7	14	1	1	3	5	6	6	21
1-11 MOS	278	3.4	4	1	1	3	4	6	7	11
1-5 YRS	579	2.8	3	1	1	2	3	5	6	9
6-12 YRS	199	2.6	3	1	1	2	3	5	6	9
13-19 YRS	231	3.0	7	<1	1	2	4	5	7	12
B. *Operated*										
0-27 DYS	2	8.0	50	3	3	8	13	13	13	13
1-11 MOS	42	8.9	188	<1	1	4	9	24	37	74
1-5 YRS	128	3.0	10	<1	1	2	4	8	11	15
6-12 YRS	61	3.8	17	<1	1	2	6	9	12	18
13-19 YRS	60	5.1	45	<1	<1	3	6	12	17	41
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	52	4.2	13	<1	1	4	6	8	10	21
1-11 MOS	816	5.5	40	1	2	4	6	10	14	36
1-5 YRS	1210	4.3	25	1	1	3	5	8	12	23
6-12 YRS	440	5.1	23	1	1	4	6	10	14	24
13-19 YRS	485	5.1	26	1	1	3	6	11	14	24
B. *Operated*										
0-27 DYS	10	14.6	298	3	3	9	14	41	61	61
1-11 MOS	105	12.2	213	1	1	8	16	36	51	99+
1-5 YRS	311	7.7	122	1	1	3	10	23	41	99+
6-12 YRS	162	7.6	83	<1	1	4	11	19	26	42
13-19 YRS	202	11.5	173	1	1	7	16	23	31	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1317	3.0	4	1	1	3	4	5	7	10
B. *Operated*	293	4.5	48	<1	1	2	5	10	14	38
2. MULTIPLE DX										
A. *Not Operated*	3003	4.9	29	1	1	3	6	9	13	27
B. *Operated*	790	9.3	145	1	1	5	13	22	37	95
1. SINGLE DX	1610	3.2	13	1	1	2	4	6	8	15
2. MULTIPLE DX	3793	5.8	56	1	1	4	7	12	18	43
A. NOT OPERATED	4320	4.3	22	1	1	3	5	8	11	23
B. OPERATED	1083	8.0	123	1	1	4	10	20	30	79
TOTAL 0-27 DYS	94	5.2	52	1	1	4	6	10	14	44
1-11 MOS	1241	5.7	56	1	1	4	6	11	16	43
1-5 YRS	2228	4.3	34	1	1	3	5	8	13	39
6-12 YRS	862	4.9	32	1	1	3	6	10	15	29
13-19 YRS	978	5.9	62	1	1	3	7	14	18	41
GRAND TOTAL	**5403**	**5.0**	**45**	**1**	**1**	**3**	**5**	**10**	**15**	**39**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	9	2.7	1	1	1	3	3	4	4	4
1-5 YRS	51	2.9	4	<1	<1	2	4	5	6	13
6-12 YRS	19	3.3	4	1	2	3	4	6	8	10
13-19 YRS	43	2.9	4	<1	1	2	4	5	7	10
B. *Operated*										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	5	2.2	5	<1	<1	1	3	6	6	6
1-5 YRS	604	1.2	1	<1	<1	<1	1	1	2	4
6-12 YRS	307	1.8	5	<1	<1	1	2	3	4	9
13-19 YRS	3251	2.1	2	<1	<1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	21	4.0	8	2	2	3	5	7	10	14
1-5 YRS	197	2.9	6	<1	<1	2	4	6	7	11
6-12 YRS	81	2.9	3	<1	1	3	4	5	6	8
13-19 YRS	141	2.7	4	<1	<1	2	4	5	7	19
B. *Operated*										
0-27 DYS	2	3.0	8	1	1	3	5	5	5	5
1-11 MOS	9	1.8	1	<1	<1	1	2	4	4	4
1-5 YRS	835	1.5	3	<1	<1	1	2	2	3	8
6-12 YRS	495	2.0	4	<1	<1	1	2	4	5	12
13-19 YRS	2448	2.8	3	<1	1	3	4	5	6	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	122	3.0	4	<1	1	2	4	5	6	11
B. *Operated*	4169	1.9	2	<1	<1	1	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	441	2.9	5	<1	<1	2	4	5	7	12
B. *Operated*	3789	2.4	3	<1	<1	2	3	4	5	8
1. SINGLE DX	4291	2.0	2	<1	<1	1	3	4	4	6
2. MULTIPLE DX	4230	2.5	4	<1	<1	2	3	4	5	9
A. NOT OPERATED	563	2.9	5	<1	<1	2	4	5	7	12
B. OPERATED	7958	2.2	3	<1	<1	2	3	4	5	7
TOTAL 0-27 DYS	5	5.4	26	1	1	5	7	14	14	14
1-11 MOS	44	3.1	5	<1	<1	2	4	6	7	14
1-5 YRS	1687	1.6	3	<1	<1	1	2	3	4	8
6-12 YRS	902	2.1	5	<1	<1	1	2	4	5	11
13-19 YRS	5883	2.4	2	<1	<1	2	3	4	5	7
GRAND TOTAL	**8521**	**2.2**	**3**	**<1**	**<1**	**2**	**3**	**4**	**5**	**8**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	8.0	18	5	5	8	11	11	11	11
1-11 MOS	29	3.3	4	<1	1	3	4	6	7	10
1-5 YRS	129	3.1	3	1	1	3	4	6	7	29
6-12 YRS	69	3.2	2	1	1	3	4	5	6	7
13-19 YRS	55	4.1	4	1	2	4	5	7	8	11
B. *Operated*										
0-27 DYS										
1-11 MOS	20	2.6	6	<1	<1	2	4	6	8	10
1-5 YRS	99	2.2	6	<1	<1	1	3	4	5	15
6-12 YRS	136	2.1	2	<1	<1	1	3	4	5	8
13-19 YRS	154	2.5	4	<1	1	2	3	5	6	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	4.5	10	2	2	3	6	9	9	9
1-11 MOS	72	3.8	5	1	2	3	5	7	9	11
1-5 YRS	312	3.5	4	1	2	3	4	6	7	10
6-12 YRS	118	3.7	4	1	1	4	5	6	7	11
13-19 YRS	113	4.6	11	1	2	4	6	9	11	17
B. *Operated*										
0-27 DYS										
1-11 MOS	24	4.5	11	<1	1	4	6	8	12	13
1-5 YRS	93	3.6	7	<1	1	3	5	6	10	13
6-12 YRS	110	3.2	6	1	1	3	4	6	7	15
13-19 YRS	151	3.6	11	1	1	3	4	7	9	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	284	3.4	4	1	1	3	4	6	7	11
B. *Operated*	409	2.3	4	<1	<1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	619	3.8	6	1	2	3	5	7	8	13
B. *Operated*	378	3.5	9	1	1	3	4	7	9	17
1. SINGLE DX	693	2.7	4	<1	<1	2	4	5	6	11
2. MULTIPLE DX	997	3.7	7	1	1	3	4	7	9	14
A. NOT OPERATED	903	3.7	5	1	1	3	4	6	8	12
B. OPERATED	787	2.9	7	<1	<1	2	4	6	7	16
TOTAL 0-27 DYS	6	5.7	13	2	2	4	9	11	11	11
1-11 MOS	145	3.6	6	<1	1	3	5	7	9	11
1-5 YRS	633	3.2	5	<1	1	3	4	6	7	11
6-12 YRS	433	3.0	4	<1	1	3	4	5	7	10
13-19 YRS	473	3.5	9	1	1	3	4	7	9	19
GRAND TOTAL	**1690**	**3.3**	**6**	**<1**	**1**	**3**	**4**	**6**	**8**	**13**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	193	2.6	3	1	1	2	3	5	6	9
1-11 MOS	539	2.9	6	1	1	2	4	6	7	12
1-5 YRS	126	2.6	5	1	1	2	3	5	6	12
6-12 YRS	62	2.3	8	1	1	1	2	4	5	19
13-19 YRS	107	2.7	4	<1	1	2	3	6	7	9
B. *Operated*										
0-27 DYS	2	10.5	145	2	2	10	19	19	19	19
1-11 MOS	94	4.1	17	<1	<1	3	6	8	12	22
1-5 YRS	117	4.9	42	<1	<1	2	7	10	18	35
6-12 YRS	71	3.4	9	<1	<1	2	6	8	9	11
13-19 YRS	87	4.0	13	<1	<1	2	7	8	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	226	3.9	6	1	1	3	5	7	8	12
1-11 MOS	835	4.2	13	1	1	3	5	8	10	20
1-5 YRS	207	4.8	61	1	1	3	5	10	14	34
6-12 YRS	104	3.8	10	1	1	3	5	9	10	16
13-19 YRS	252	3.8	10	1	1	3	5	7	9	20
B. *Operated*										
0-27 DYS	15	17.8	434	2	3	8	24	56	64	67
1-11 MOS	203	13.8	169	2	2	10	18	31	38	67
1-5 YRS	326	10.6	132	<1	1	8	14	22	31	51
6-12 YRS	163	11.0	138	1	1	8	14	25	33	58
13-19 YRS	170	8.4	105	1	1	5	10	16	25	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1027	2.8	5	1	1	2	3	5	7	11
B. *Operated*	371	4.2	23	<1	<1	2	6	9	12	23
2. MULTIPLE DX										
A. *Not Operated*	1624	4.2	17	1	1	3	5	8	10	21
B. *Operated*	877	11.1	145	1	1	8	14	26	34	63
1. SINGLE DX	1398	3.1	10	<1	1	2	4	7	8	15
2. MULTIPLE DX	2501	6.6	73	1	1	4	8	14	22	43
A. NOT OPERATED	2651	3.6	13	1	1	3	4	7	9	19
B. OPERATED	1248	9.0	118	<1	1	6	11	21	30	59
TOTAL 0-27 DYS	436	3.8	26	1	1	3	4	7	8	20
1-11 MOS	1671	5.0	41	1	1	3	5	10	15	34
1-5 YRS	776	6.9	89	<1	1	3	9	17	23	43
6-12 YRS	400	6.4	76	<1	1	3	8	15	22	48
13-19 YRS	616	4.9	40	1	1	3	6	10	14	29
GRAND TOTAL	**3899**	**5.4**	**53**	**1**	**1**	**3**	**6**	**11**	**18**	**36**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	15	3.7	2	1	1	4	5	5	7	7
13-19 YRS	22	3.6	5	1	1	3	5	7	8	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	4	2.8	4	<1	<1	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	5.5	20	2	2	4	8	12	12	12
1-5 YRS	5	5.0	17	<1	<1	4	8	11	11	11
6-12 YRS	6	4.3	11	1	1	3	8	9	9	9
13-19 YRS	45	4.0	6	2	2	3	4	6	10	13
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	4	6.5	23	2	2	6	10	12	12	12
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	4	4.8	32	1	1	3	8	13	13	13
13-19 YRS	16	4.8	6	2	2	4	6	8	10	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	3.5	4	1	1	3	5	6	7	9
B. *Operated*	6	3.2	3	<1	<1	4	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	60	4.2	8	1	2	3	5	9	11	13
B. *Operated*	26	5.2	10	1	2	4	7	11	12	13
1. SINGLE DX	46	3.4	4	<1	1	3	5	6	7	9
2. MULTIPLE DX	86	4.5	9	1	2	4	5	9	12	13
A. NOT OPERATED	100	3.9	6	1	2	3	5	7	9	13
B. OPERATED	32	4.8	10	<1	1	4	6	10	12	13
TOTAL 0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	9	5.6	18	2	2	3	10	12	12	12
1-5 YRS	9	4.1	11	<1	<1	4	5	9	11	11
6-12 YRS	26	4.0	8	1	1	4	5	8	10	13
13-19 YRS	87	4.0	6	1	2	3	5	7	9	13
GRAND TOTAL	**132**	**4.1**	**7**	**1**	**2**	**4**	**5**	**8**	**11**	**13**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	5	4.6	26	<1	<1	2	8	13	13	13
6-12 YRS	3	2.3	1	1	1	3	3	3	3	3
13-19 YRS	13	3.6	5	1	1	3	5	7	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	2	4.0	8	2	2	4	6	6	6	6
6-12 YRS										
13-19 YRS	8	5.0	7	2	2	4	6	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	3	8.7	44	3	3	7	14	16	16	16
1-5 YRS	3	3.7	5	1	1	5	5	5	5	5
6-12 YRS	6	3.5	6	1	1	3	5	7	7	7
13-19 YRS	33	4.3	5	2	2	4	5	8	9	9
B. *Operated*										
0-27 DYS	4	11.3	56	4	4	10	17	21	21	21
1-11 MOS	2	9.5	1	9	9	9	10	10	10	10
1-5 YRS	5	6.4	3	5	5	6	7	9	9	9
6-12 YRS	6	10.7	37	5	5	8	15	20	21	21
13-19 YRS	21	9.4	86	2	2	8	10	16	31	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	3.5	9	<1	1	3	4	7	10	13
B. *Operated*	11	4.6	6	2	2	4	6	8	10	10
2. MULTIPLE DX										
A. *Not Operated*	47	4.4	7	1	2	4	5	8	[illegible]	16
B. *Operated*	38	9.4	58	2	3	8	10	18	21	45
1. SINGLE DX	33	3.9	8	1	1	3	6	7	10	13
2. MULTIPLE DX	85	6.6	36	1	2	5	8	12	17	37
A. NOT OPERATED	69	4.1	8	1	1	3	5	8	9	15
B. OPERATED	49	8.3	50	2	3	7	10	15	21	45
TOTAL 0-27 DYS	6	8.7	50	3	3	6	13	20	21	21
1-11 MOS	7	7.0	27	1	1	7	10	15	16	16
1-5 YRS	15	4.9	11	<1	1	5	6	9	12	13
6-12 YRS	15	6.1	30	1	1	5	7	15	19	21
13-19 YRS	75	5.7	32	1	2	4	7	10	12	39
GRAND TOTAL	**118**	**5.9**	**29**	**1**	**2**	**5**	**7**	**10**	**15**	**29**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	52	99+	99+	99+	99+
1-11 MOS	3	4.3	2	3	3	4	5	6	6	6
1-5 YRS	8	2.4	5	<1	<1	2	2	6	8	8
6-12 YRS	46	3.0	2	<1	1	3	4	6	6	7
13-19 YRS	215	3.2	4	1	1	3	4	5	7	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	4.8	16	1	1	3	8	10	10	10
13-19 YRS	12	6.3	12	2	2	6	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	10	3.3	1	2	2	3	4	5	5	5
1-5 YRS	8	2.9	2	1	1	3	4	5	6	6
6-12 YRS	59	3.4	3	1	1	3	4	5	6	10
13-19 YRS	211	4.1	7	1	2	4	5	7	9	14
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	2	7.5	25	4	4	7	11	11	11	11
13-19 YRS	15	5.9	6	3	3	7	8	9	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	273	3.2	4	1	1	3	4	6	7	11
B. *Operated*	17	5.9	12	1	2	5	10	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	289	3.9	6	1	2	3	5	7	9	13
B. *Operated*	19	5.7	8	2	3	5	8	10	11	11
1. SINGLE DX	290	3.3	5	1	1	3	4	6	8	12
2. MULTIPLE DX	308	4.0	6	1	2	3	5	7	9	13
A. NOT OPERATED	562	3.5	5	1	1	3	4	6	8	13
B. OPERATED	36	5.8	10	1	2	5	8	10	11	11
TOTAL 0-27 DYS	2	3.5	5	2	2	5	76	99+	99+	99+
1-11 MOS	14	3.6	2	2	2	4	5	5	6	6
1-5 YRS	17	2.5	4	<1	<1	2	3	6	7	8
6-12 YRS	112	3.4	4	1	1	3	4	6	7	11
13-19 YRS	453	3.8	6	1	1	3	5	7	8	13
GRAND TOTAL	**598**	**3.7**	**5**	**1**	**1**	**3**	**5**	**7**	**8**	**12**

193: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	4.5	1	4	4	4	5	5	5	5
1-5 YRS	5	2.4	1	1	1	2	3	4	4	4
6-12 YRS	4	3.3	3	1	1	3	4	5	5	5
13-19 YRS	85	3.6	4	1	2	3	4	7	7	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.0	8	1	1	3	5	5	5	5
6-12 YRS	4	5.3	10	1	1	6	7	8	8	8
13-19 YRS	28	6.3	8	2	3	6	8	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	8	5.4	28	1	1	4	5	14	18	18
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	17	3.4	3	1	2	3	4	7	8	8
13-19 YRS	81	3.9	5	1	2	3	5	7	8	13
B. *Operated*										
0-27 DYS										
1-11 MOS	3	11.3	60	5	5	9	17	20	20	20
1-5 YRS	6	16.7	305	6	6	10	13	48	52	52
6-12 YRS	2	10.0		10	10	10	10	10	10	10
13-19 YRS	20	13.6	417	3	5	8	10	24	61	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	3.5	4	1	2	3	4	7	7	11
B. *Operated*	34	6.0	9	1	2	6	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	109	3.9	6	1	2	3	5	7	8	16
B. *Operated*	31	13.7	322	5	5	8	11	24	51	97
1. SINGLE DX	130	4.2	6	1	2	4	6	7	9	13
2. MULTIPLE DX	140	6.1	91	1	2	4	6	10	14	56
A. NOT OPERATED	205	3.7	5	1	2	3	5	7	8	13
B. OPERATED	65	9.7	171	2	3	7	9	13	24	90
TOTAL 0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	13	6.6	34	1	2	5	6	18	20	20
1-5 YRS	14	9.0	168	1	1	5	10	17	44	52
6-12 YRS	27	4.1	7	1	1	3	5	8	10	10
13-19 YRS	214	5.0	50	1	2	4	6	8	9	24
GRAND TOTAL	**270**	**5.2**	**51**	**1**	**2**	**4**	**6**	**8**	**11**	**24**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	5	4.6	7	1	1	4	6	8	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	6.8	3	5	5	6	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	8.0	32	4	4	8	12	12	12	12
13-19 YRS	7	3.6	5	2	2	2	5	7	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	6	18.2	137	8	8	14	27	36	37	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	4.6	7	1	1	4	6	8	8	8
B. *Operated*	4	6.8	3	5	5	6	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	9	4.6	12	2	2	4	6	10	12	12
B. *Operated*	8	15.5	123	6	7	10	22	34	37	37
1. SINGLE DX	9	5.6	6	1	2	6	7	9	9	9
2. MULTIPLE DX	17	9.7	91	2	2	8	10	25	33	37
A. NOT OPERATED	14	4.6	9	1	2	4	6	9	11	12
B. OPERATED	12	12.6	98	5	6	9	14	30	36	37
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	3	8.3	16	4	4	9	11	12	12	12
13-19 YRS	22	8.4	75	1	2	6	9	21	31	37
GRAND TOTAL	**26**	**8.3**	**64**	**1**	**2**	**6**	**9**	**17**	**29**	**37**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	14	2.5	5	<1	1	2	2	5	8	9
1-11 MOS	92	2.3	1	1	1	2	3	4	4	6
1-5 YRS	251	2.1	1	1	1	2	2	3	4	8
6-12 YRS	399	2.4	3	1	1	2	3	4	5	9
13-19 YRS	753	2.6	2	1	1	2	3	5	5	8
B. *Operated*										
0-27 DYS										
1-11 MOS	2	6.5	1	6	6	6	7	7	7	7
1-5 YRS	8	4.6	16	<1	1	4	5	11	14	14
6-12 YRS	18	3.7	4	<1	1	3	4	6	8	9
13-19 YRS	24	4.0	5	1	2	3	5	7	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	17	2.4	1	1	1	3	3	3	4	4
1-11 MOS	252	3.0	5	1	1	3	4	5	7	12
1-5 YRS	1032	2.6	2	1	1	2	3	4	5	8
6-12 YRS	929	2.6	3	1	1	2	3	4	5	9
13-19 YRS	1424	3.1	5	1	1	3	4	5	7	10
B. *Operated*										
0-27 DYS										
1-11 MOS	8	5.9	10	2	2	6	9	10	10	10
1-5 YRS	16	9.8	514	<1	1	3	6	13	70	94
6-12 YRS	28	3.7	5	<1	1	3	5	7	8	9
13-19 YRS	102	4.6	9	1	2	4	6	7	11	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1509	2.4	2	1	1	2	3	4	5	8
B. *Operated*	52	4.1	6	<1	2	4	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	3654	2.8	4	1	1	2	3	5	6	10
B. *Operated*	154	5.0	61	1	2	4	6	8	11	21
1. SINGLE DX	1561	2.5	3	1	1	2	3	4	5	8
2. MULTIPLE DX	3808	2.9	6	1	1	2	3	5	6	10
A. NOT OPERATED	5163	2.7	3	1	1	2	3	5	6	9
B. OPERATED	206	4.8	47	1	2	4	6	8	10	17
TOTAL 0-27 DYS	31	2.5	3	1	1	2	3	4	5	9
1-11 MOS	354	2.9	4	1	1	2	3	5	7	12
1-5 YRS	1307	2.6	9	1	1	2	3	4	5	8
6-12 YRS	1374	2.6	3	1	1	2	3	4	5	9
13-19 YRS	2303	3.0	5	1	1	3	4	5	7	10
GRAND TOTAL	**5369**	**2.8**	**5**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	11	2.3	3	<1	<1	2	3	5	6	6
1-11 MOS	47	1.9	1	<1	1	2	3	4	4	5
1-5 YRS	46	2.5	3	1	1	2	4	5	5	8
6-12 YRS	70	2.2	2	1	1	2	3	4	5	6
13-19 YRS	118	2.6	3	1	1	2	3	5	6	8
B. *Operated*										
0-27 DYS	52	3.5	3	2	2	3	4	5	6	11
1-11 MOS	174	3.3	3	1	2	3	4	5	6	9
1-5 YRS	12	4.8	12	2	2	4	5	11	13	13
6-12 YRS	5	7.0	36	<1	<1	6	9	17	17	17
13-19 YRS	7	5.3	9	<1	<1	6	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	18	3.6	4	1	1	4	5	6	7	8
1-11 MOS	77	3.6	6	1	2	3	4	6	9	14
1-5 YRS	134	4.0	35	1	1	2	4	7	11	31
6-12 YRS	134	3.0	4	1	1	3	4	6	6	9
13-19 YRS	264	5.4	72	1	1	3	5	8	26	43
B. *Operated*										
0-27 DYS	13	5.6	18	2	2	5	6	11	17	18
1-11 MOS	55	6.8	138	2	2	4	6	11	21	81
1-5 YRS	25	10.3	90	2	2	7	16	19	32	42
6-12 YRS	11	6.1	18	1	2	5	8	13	15	15
13-19 YRS	27	6.3	35	1	1	5	8	14	21	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	292	2.4	2	1	1	2	3	4	5	7
B. *Operated*	250	3.5	4	1	2	3	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	627	4.3	40	1	1	3	4	7	10	40
B. *Operated*	131	7.2	86	1	2	4	8	16	21	50
1. SINGLE DX	542	2.9	3	1	1	3	4	5	6	9
2. MULTIPLE DX	758	4.8	49	1	1	3	5	8	15	40
A. NOT OPERATED	919	3.7	29	1	1	2	4	6	8	39
B. OPERATED	381	4.8	35	1	2	3	5	8	12	27
TOTAL 0-27 DYS	94	3.6	6	1	1	3	5	6	7	15
1-11 MOS	353	3.7	26	1	1	3	4	6	8	19
1-5 YRS	217	4.5	38	1	1	3	4	9	16	33
6-12 YRS	220	3.0	5	1	1	2	4	6	6	14
13-19 YRS	416	4.7	50	1	1	3	5	7	12	40
GRAND TOTAL	**1300**	**4.0**	**31**	**1**	**1**	**3**	**4**	**7**	**9**	**36**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	5TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	2.2	1	<1	<1	2	3	3	3	3
6-12 YRS	58	2.1	2	<1	1	2	3	4	5	7
13-19 YRS	90	2.4	3	<1	1	2	3	4	5	9
B. *Operated*										
0-27 DYS	3	4.0	1	3	3	4	5	5	5	5
1-11 MOS	16	3.3	1	2	2	3	4	5	5	5
1-5 YRS	507	3.4	3	1	2	3	4	6	7	10
6-12 YRS	6066	3.1	2	1	2	3	4	5	5	8
13-19 YRS	9952	3.2	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	3.2	15	<1	<1	1	4	10	12	12
6-12 YRS	37	2.2	2	1	1	2	3	4	5	7
13-19 YRS	57	2.2	3	<1	1	2	3	4	6	9
B. *Operated*										
0-27 DYS										
1-11 MOS	5	4.4	4	3	3	3	6	7	7	7
1-5 YRS	161	5.2	11	2	2	4	7	9	11	18
6-12 YRS	1013	4.3	7	2	2	4	5	7	10	15
13-19 YRS	1893	4.3	6	2	2	4	5	7	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	154	2.3	2	<1	1	2	3	4	5	8
B. *Operated*	16544	3.2	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	103	2.3	4	<1	1	2	3	4	7	10
B. *Operated*	3072	4.3	7	2	2	4	5	7	9	14
1. SINGLE DX	16698	3.2	2	2	2	3	4	5	6	8
2. MULTIPLE DX	3175	4.2	7	2	2	4	5	7	9	14
A. NOT OPERATED	257	2.3	3	<1	1	2	3	4	6	9
B. OPERATED	19616	3.4	3	2	2	3	4	5	6	10
TOTAL 0-27 DYS	3	4.0	1	3	3	4	5	5	5	5
1-11 MOS	21	3.5	2	2	2	3	4	6	6	7
1-5 YRS	683	3.8	6	1	2	3	4	7	9	14
6-12 YRS	7174	3.3	3	1	2	3	4	5	6	10
13-19 YRS	11992	3.4	3	2	2	3	4	5	6	9
GRAND TOTAL	**19873**	**3.4**	**3**	**2**	**2**	**3**	**4**	**5**	**6**	**9**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	12	6.8	11	1	2	8	9	11	12	12
6-12 YRS	24	7.3	21	2	2	7	10	13	16	20
13-19 YRS	25	6.6	13	2	3	6	7	12	15	17
B. *Operated*										
0-27 DYS										
1-11 MOS	6	6.8	9	3	3	6	8	12	12	12
1-5 YRS	420	7.3	9	3	4	7	9	11	13	17
6-12 YRS	1502	6.5	10	3	3	6	8	10	12	17
13-19 YRS	1608	6.2	9	2	3	6	8	10	12	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	6.7		6	6	7	7	7	7	7
6-12 YRS	12	8.8	39	1	2	8	10	17	24	25
13-19 YRS	8	4.9	12	1	1	4	8	9	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS	6	9.0	48	5	5	6	8	21	23	23
1-5 YRS	326	9.6	38	4	5	8	11	15	18	27
6-12 YRS	1020	8.8	24	4	4	8	10	14	18	26
13-19 YRS	1031	8.6	23	4	4	7	10	14	17	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	6.9	16	2	3	6	9	12	14	20
B. *Operated*	3536	6.5	10	3	3	6	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	23	7.2	27	1	1	7	9	12	18	25
B. *Operated*	2383	8.8	26	4	4	8	10	14	18	27
1. SINGLE DX	3597	6.5	10	3	3	6	8	10	12	17
2. MULTIPLE DX	2406	8.8	26	4	4	8	10	14	18	27
A. NOT OPERATED	84	7.0	18	1	2	7	9	12	14	23
B. OPERATED	5919	7.4	18	3	3	7	9	12	15	23
TOTAL 0-27 DYS										
1-11 MOS	12	7.9	28	3	4	6	8	15	22	23
1-5 YRS	761	8.3	23	3	4	8	10	13	15	22
6-12 YRS	2558	7.4	17	3	3	7	9	12	15	24
13-19 YRS	2672	7.1	16	3	3	6	8	11	14	23
GRAND TOTAL	**6003**	**7.4**	**18**	**3**	**3**	**7**	**9**	**12**	**15**	**23**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	1.7	2	<1	<1	1	2	4	5	5
6-12 YRS	75	1.9	1	1	1	2	2	4	4	6
13-19 YRS	129	1.9	2	<1	1	1	2	4	4	7
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	43	3.1	1	1	2	3	4	4	5	6
6-12 YRS	363	3.1	2	2	2	3	4	5	6	9
13-19 YRS	730	3.6	3	2	2	3	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	1.4		1	1	1	2	2	2	2
6-12 YRS	43	2.6	5	1	1	2	3	5	8	11
13-19 YRS	89	2.5	2	<1	1	2	3	4	5	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	26	5.6	11	2	2	5	7	9	12	17
6-12 YRS	186	4.0	5	2	2	3	5	6	9	14
13-19 YRS	465	4.5	6	2	2	4	5	7	9	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	211	1.9	2	<1	1	1	2	4	4	6
B. *Operated*	1138	3.4	3	2	2	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	139	2.4	3	1	1	2	3	4	5	9
B. *Operated*	677	4.4	6	2	2	4	5	7	9	16
1. SINGLE DX	1349	3.2	3	1	1	3	4	5	6	9
2. MULTIPLE DX	816	4.1	6	1	2	4	5	7	9	15
A. NOT OPERATED	350	2.1	2	1	1	2	3	4	5	7
B. OPERATED	1815	3.8	4	2	2	3	4	6	8	12
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	83	3.6	6	1	1	3	4	6	8	15
6-12 YRS	667	3.2	3	1	1	3	4	5	6	10
13-19 YRS	1413	3.7	5	1	2	3	4	6	7	12
GRAND TOTAL	**2165**	**3.5**	**4**	**1**	**2**	**3**	**4**	**6**	**7**	**11**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	37	1.3	1	<1	<1	1	1	2	2	8
1-5 YRS	24	1.3		<1	<1	1	2	2	2	2
6-12 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	10	1.7	1	<1	<1	1	2	3	4	4
B. *Operated*										
0-27 DYS	70	1.6	2	<1	<1	1	2	3	4	9
1-11 MOS	1848	1.4	1	<1	<1	1	2	2	2	4
1-5 YRS	2368	1.3		<1	<1	1	2	2	2	4
6-12 YRS	1247	1.4		<1	<1	1	2	2	3	4
13-19 YRS	2160	2.0	1	<1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	2.7	11	<1	<1	1	3	9	10	10
1-11 MOS	163	1.7	4	<1	<1	1	1	3	4	16
1-5 YRS	152	1.4	4	<1	<1	1	1	2	3	18
6-12 YRS	28	1.5	1	<1	<1	1	2	3	4	6
13-19 YRS	25	1.4	2	<1	<1	1	1	2	4	7
B. *Operated*										
0-27 DYS	52	1.8	2	<1	<1	1	2	4	5	7
1-11 MOS	1564	2.0	11	<1	<1	1	2	3	5	11
1-5 YRS	1832	1.5	1	<1	<1	1	2	2	3	6
6-12 YRS	640	1.7	2	<1	<1	1	2	3	3	6
13-19 YRS	710	2.4	2	1	1	2	3	4	5	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	1.3	1	<1	<1	1	1	2	2	7
B. *Operated*	7693	1.5	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	375	1.6	4	<1	<1	1	1	3	4	15
B. *Operated*	4798	1.8	5	<1	<1	1	2	3	4	8
1. SINGLE DX	7767	1.5	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX	5173	1.8	5	<1	<1	1	2	3	4	9
A. NOT OPERATED	449	1.5	4	<1	<1	1	1	2	4	10
B. OPERATED	12491	1.7	2	<1	<1	1	2	3	4	6
TOTAL 0-27 DYS	130	1.7	2	<1	<1	1	2	3	5	10
1-11 MOS	3612	1.7	5	<1	<1	1	2	2	3	8
1-5 YRS	4376	1.4	1	<1	<1	1	2	2	3	5
6-12 YRS	1917	1.5	1	<1	<1	1	2	2	3	4
13-19 YRS	2905	2.1	2	<1	1	2	3	4	4	6
GRAND TOTAL	**12940**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**6**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	1.0		1	1	1	1	1	1	1
1-11 MOS	16	1.3	1	<1	<1	1	1	3	3	3
1-5 YRS	15	1.2	1	<1	<1	1	1	1	3	4
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*										
0-27 DYS	68	1.9	2	<1	1	1	2	4	5	9
1-11 MOS	480	1.6	1	<1	1	1	2	3	3	4
1-5 YRS	350	1.5	1	<1	1	1	2	3	3	4
6-12 YRS	51	1.7	1	<1	<1	1	2	3	3	5
13-19 YRS	145	2.4	2	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	28	1.9	3	<1	<1	1	2	3	5	10
1-5 YRS	15	3.5	31	1	1	1	3	9	19	22
6-12 YRS										
13-19 YRS	3	2.0	3	1	1	1	3	4	4	4
B. *Operated*										
0-27 DYS	60	3.3	12	<1	1	2	4	8	11	17
1-11 MOS	470	2.7	13	1	1	2	3	5	6	16
1-5 YRS	249	2.0	2	<1	1	2	2	4	5	7
6-12 YRS	37	2.3	6	<1	<1	1	2	5	8	13
13-19 YRS	65	2.9	4	1	1	2	3	5	7	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	1.2		<1	<1	1	1	2	3	4
B. *Operated*	1094	1.7	1	<1	1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	47	2.4	12	<1	1	1	2	4	9	22
B. *Operated*	881	2.6	9	1	1	2	3	5	6	14
1. SINGLE DX	1131	1.7	1	<1	1	1	2	3	4	5
2. MULTIPLE DX	928	2.6	9	<1	1	2	3	5	6	14
A. NOT OPERATED	84	1.9	7	<1	<1	1	2	3	5	18
B. OPERATED	1975	2.1	5	<1	1	2	2	4	5	9
TOTAL 0-27 DYS	132	2.5	7	<1	1	2	3	5	9	15
1-11 MOS	994	2.1	7	<1	1	2	2	4	5	10
1-5 YRS	629	1.8	2	<1	1	1	2	3	4	7
6-12 YRS	89	1.9	3	<1	<1	1	2	3	5	11
13-19 YRS	215	2.5	3	1	1	2	3	4	5	8
GRAND TOTAL	**2059**	**2.1**	**5**	**<1**	**1**	**2**	**2**	**4**	**5**	**10**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	1.7	1	<1	<1	1	2	3	3	3
1-5 YRS	5	1.8	1	<1	<1	1	3	3	3	3
6-12 YRS										
13-19 YRS	3	1.3		<1	<1	1	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS	104	1.5	1	<1	<1	1	2	2	3	4
1-5 YRS	605	1.6	1	<1	<1	1	2	2	3	5
6-12 YRS	308	1.6	1	<1	<1	1	2	3	3	5
13-19 YRS	117	2.0	2	<1	<1	2	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	13	1.8	4	<1	<1	1	2	4	7	8
1-5 YRS	30	1.3	1	<1	<1	1	1	2	4	5
6-12 YRS	11	1.5	1	<1	<1	1	2	3	4	4
13-19 YRS	5	1.8	2	1	1	1	2	4	4	4
B. *Operated*										
0-27 DYS	4	37.8	1828	2	2	25	66	99	99	99+
1-11 MOS	51	2.4	8	<1	<1	1	3	5	7	17
1-5 YRS	133	2.1	2	<1	<1	2	2	4	5	8
6-12 YRS	71	2.3	4	<1	<1	2	3	4	5	12
13-19 YRS	36	3.3	10	<1	1	2	4	7	8	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	1.8	1	<1	<1	1	3	3	3	3
B. *Operated*	1134	1.6	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	60	1.6	2	<1	<1	1	2	3	4	8
B. *Operated*	295	2.8	40	<1	<1	2	3	5	6	18
1. SINGLE DX	1146	1.6	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX	355	2.6	34	<1	<1	2	3	4	6	17
A. NOT OPERATED	72	1.6	1	<1	<1	1	2	3	4	7
B. OPERATED	1429	1.9	9	<1	<1	1	2	3	4	7
TOTAL 0-27 DYS	6	26.2	1419	2	2	10	33	92	99	99+
1-11 MOS	171	1.8	3	<1	<1	1	2	3	4	10
1-5 YRS	773	1.7	1	<1	<1	1	2	3	3	6
6-12 YRS	390	1.8	1	<1	<1	1	2	3	4	6
13-19 YRS	161	2.3	4	<1	<1	2	3	4	5	12
GRAND TOTAL	**1501**	**1.9**	**9**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	3	2.0	1	1	1	2	3	3	3	3
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS	17	2.2	2	<1	<1	2	4	4	5	5
1-5 YRS	65	2.0	4	<1	<1	1	2	5	7	11
6-12 YRS	54	1.5	1	<1	<1	1	2	2	4	6
13-19 YRS	115	2.2	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	2	4.5	25	1	1	4	8	8	8	8
13-19 YRS	5	2.6	5	1	1	1	4	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	20	4.1	8	<1	1	4	6	8	9	11
1-5 YRS	41	5.2	108	<1	<1	2	5	8	18	65
6-12 YRS	27	2.4	4	<1	<1	2	4	5	6	10
13-19 YRS	44	3.6	9	1	1	3	4	6	8	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.0	1	<1	<1	2	3	3	3	3
B. *Operated*	251	2.0	2	<1	<1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	8	2.9	8	<1	<1	1	5	7	8	8
B. *Operated*	132	3.9	39	<1	<1	3	4	7	9	29
1. SINGLE DX	258	2.0	2	<1	<1	1	2	4	5	8
2. MULTIPLE DX	140	3.9	37	<1	<1	3	4	7	9	25
A. NOT OPERATED	15	2.5	4	<1	<1	2	3	6	7	8
B. OPERATED	383	2.7	16	<1	<1	2	3	5	7	15
TOTAL 0-27 DYS										
1-11 MOS	39	3.2	6	<1	<1	3	4	7	8	11
1-5 YRS	108	3.2	46	<1	<1	1	3	7	8	39
6-12 YRS	86	1.9	3	<1	<1	1	2	4	5	9
13-19 YRS	165	2.6	4	<1	1	2	3	5	6	9
GRAND TOTAL	**398**	**2.7**	**15**	**<1**	**<1**	**2**	**3**	**5**	**7**	**14**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	4	3.0	3	1	1	3	4	5	5	5
B. *Operated*										
0-27 DYS	2	5.5	13	3	3	5	8	8	8	8
1-11 MOS	6	5.5	2	3	3	6	7	7	7	7
1-5 YRS	6	6.2	4	4	4	6	8	9	9	9
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS	2	4.5	13	2	2	4	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	7.7	34	1	1	10	11	12	12	12
1-5 YRS	10	4.2	5	<1	1	4	6	7	8	8
6-12 YRS	4	3.8	2	2	2	4	5	5	5	5
13-19 YRS	28	3.1	2	1	1	3	4	5	6	6
B. *Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	7	11.1	107	<1	1	9	12	29	33	33
1-5 YRS	15	9.2	59	2	4	7	11	21	28	30
6-12 YRS	13	8.8	32	2	3	10	13	17	19	20
13-19 YRS	12	6.8	16	<1	1	7	10	12	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.8	2	1	1	3	4	5	5	5
B. *Operated*	17	5.9	5	2	3	6	7	9	10	10
2. MULTIPLE DX										
A. *Not Operated*	45	3.7	6	<1	1	3	5	6	8	12
B. *Operated*	48	8.8	45	1	2	8	11	16	22	33
1. SINGLE DX	25	4.9	6	1	2	5	7	8	9	10
2. MULTIPLE DX	93	6.3	32	1	1	5	8	13	16	32
A. NOT OPERATED	53	3.5	5	1	1	3	5	6	8	12
B. OPERATED	65	8.0	36	1	3	7	10	13	20	33
TOTAL 0-27 DYS	3	6.7	10	3	3	8	9	9	9	9
1-11 MOS	18	7.7	52	<1	1	6	9	13	25	33
1-5 YRS	32	6.9	34	1	2	5	8	13	20	30
6-12 YRS	19	7.5	28	2	2	5	11	15	18	20
13-19 YRS	46	4.1	9	1	1	3	5	8	11	13
GRAND TOTAL	**118**	**6.0**	**27**	**1**	**1**	**5**	**8**	**12**	**14**	**31**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	3	1.7		<1	<1	2	2	2	2	2
1-5 YRS	9	1.3	1	<1	<1	1	1	3	3	3
6-12 YRS	12	1.2		<1	<1	1	1	2	2	2
13-19 YRS	16	1.9	1	1	1	2	3	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	4.5	13	2	2	4	7	7	7	7
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	2	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS	12	2.9	10	<1	<1	2	3	7	11	12
6-12 YRS	9	2.8	4	<1	<1	3	4	6	7	7
13-19 YRS	13	4.6	10	1	1	4	7	21	82	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	40	1.6	1	<1	<1	1	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	7	3.0	4	1	1	3	3	6	7	7
B. *Operated*	37	3.5	8	<1	1	3	5	8	12	99+
1. SINGLE DX	41	1.5	1	<1	<1	1	2	3	3	4
2. MULTIPLE DX	44	3.4	7	<1	1	3	5	7	12	99+
A. NOT OPERATED	8	2.8	4	1	1	2	3	6	7	7
B. OPERATED	77	2.5	5	<1	<1	2	3	6	8	75
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	6	2.3	2	<1	<1	2	2	5	5	5
1-5 YRS	23	2.4	7	<1	<1	2	2	5	9	12
6-12 YRS	23	1.9	2	<1	<1	1	3	4	6	7
13-19 YRS	32	3.1	6	1	1	2	4	7	11	99+
GRAND TOTAL	**85**	**2.5**	**5**	**<1**	**<1**	**2**	**3**	**6**	**7**	**68**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	5	1.2		1	1	1	2	2	2	2
6-12 YRS	3	1.3		1	1	1	2	2	2	2
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	25	2.4	7	<1	1	1	2	5	10	12
1-5 YRS	52	2.8	11	<1	1	2	3	6	9	18
6-12 YRS	20	2.1	2	<1	<1	2	3	4	5	5
13-19 YRS	49	3.1	7	<1	1	2	4	6	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	3.2	9	<1	<1	2	5	8	8	8
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	15	3.9	20	<1	1	2	5	13	14	15
1-5 YRS	25	7.0	159	<1	1	3	4	13	40	58
6-12 YRS	6	4.5	14	1	1	3	7	11	11	11
13-19 YRS	25	5.6	14	1	2	5	8	9	14	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	1.2		1	1	1	1	2	2	2
B. *Operated*	148	2.7	8	<1	1	2	3	5	9	15
2. MULTIPLE DX										
A. *Not Operated*	8	2.6	6	<1	<1	2	3	7	8	8
B. *Operated*	71	5.6	65	1	1	3	6	12	15	53
1. SINGLE DX	158	2.6	7	<1	1	2	3	5	8	15
2. MULTIPLE DX	79	5.3	60	<1	1	3	6	11	14	51
A. NOT OPERATED	18	1.8	3	<1	1	1	2	4	6	8
B. OPERATED	219	3.7	28	<1	1	2	4	8	12	23
TOTAL 0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	46	2.9	11	<1	1	2	3	8	12	15
1-5 YRS	84	3.9	57	<1	1	2	3	8	14	50
6-12 YRS	29	2.5	5	<1	1	2	3	5	7	11
13-19 YRS	76	3.9	10	1	1	3	5	8	10	15
GRAND TOTAL	**237**	**3.5**	**26**	**<1**	**1**	**2**	**4**	**8**	**11**	**20**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	10	2.7	5	<1	<1	2	3	6	8	8
1-11 MOS	157	2.1	2	<1	1	2	3	5	5	8
1-5 YRS	209	2.2	3	<1	1	2	3	4	6	8
6-12 YRS	75	3.1	7	1	1	2	4	6	8	15
13-19 YRS	162	3.2	5	1	1	3	4	6	8	10
B. *Operated*										
0-27 DYS	4	12.5	87	4	4	10	19	25	25	25
1-11 MOS	190	4.7	8	2	2	4	6	8	9	16
1-5 YRS	138	5.5	11	2	2	5	7	9	12	19
6-12 YRS	55	6.9	9	3	4	7	9	10	12	16
13-19 YRS	132	8.0	49	3	4	7	9	11	13	32
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	15	6.2	31	<1	<1	4	9	12	19	21
1-11 MOS	119	3.8	17	1	1	2	5	7	11	23
1-5 YRS	176	3.1	6	<1	1	2	4	6	8	12
6-12 YRS	117	5.2	90	1	1	3	5	8	10	71
13-19 YRS	179	5.0	20	1	1	4	6	10	14	21
B. *Operated*										
0-27 DYS	6	15.0	146	5	5	9	23	35	36	36
1-11 MOS	200	8.6	89	2	3	6	9	14	23	72
1-5 YRS	189	9.7	89	3	4	7	11	16	28	77
6-12 YRS	96	9.2	44	3	4	8	10	17	19	43
13-19 YRS	205	10.9	64	3	4	9	14	20	23	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	613	2.5	4	1	1	2	3	5	7	10
B. *Operated*	519	6.0	22	2	3	5	8	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	606	4.3	30	1	1	3	5	8	11	21
B. *Operated*	696	9.7	77	3	4	7	11	17	23	58
1. SINGLE DX	1132	4.2	15	1	1	3	6	8	10	15
2. MULTIPLE DX	1302	7.2	62	1	1	5	8	14	19	41
A. NOT OPERATED	1219	3.4	18	1	1	2	4	6	8	18
B. OPERATED	1215	8.1	56	2	3	6	9	15	19	41
TOTAL 0-27 DYS	35	7.4	63	<1	1	5	10	21	24	36
1-11 MOS	666	5.1	39	1	1	4	6	9	13	32
1-5 YRS	712	5.0	37	1	1	3	6	10	14	33
6-12 YRS	343	6.1	51	1	1	5	7	10	15	40
13-19 YRS	678	6.9	45	1	2	5	8	14	18	32
GRAND TOTAL	**2434**	**5.8**	**43**	**1**	**1**	**4**	**7**	**11**	**15**	**33**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	284	3.0	2	1	1	3	4	5	6	9
1-11 MOS	2781	3.0	4	1	1	3	4	5	6	9
1-5 YRS	3811	2.6	2	1	1	2	3	4	5	7
6-12 YRS	2409	2.0	2	1	1	2	2	3	4	6
13-19 YRS	2784	2.2	2	1	1	2	3	4	5	7
B. *Operated*										
0-27 DYS	4	15.5	320	3	3	8	26	42	42	42
1-11 MOS	25	4.9	11	2	2	4	5	8	12	18
1-5 YRS	46	3.8	14	<1	<1	3	4	8	10	22
6-12 YRS	69	3.4	5	1	1	3	4	6	8	13
13-19 YRS	185	3.8	4	1	2	3	5	6	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	483	4.2	21	1	2	3	5	7	9	21
1-11 MOS	7359	3.7	7	1	2	3	4	6	7	13
1-5 YRS	11802	3.0	4	1	1	3	4	5	6	10
6-12 YRS	3506	2.6	3	1	1	2	3	4	6	9
13-19 YRS	3074	2.8	5	1	1	2	3	5	6	9
B. *Operated*										
0-27 DYS	7	9.1	28	3	4	8	10	18	20	20
1-11 MOS	142	14.7	370	2	3	6	16	45	65	91
1-5 YRS	150	9.0	109	2	2	5	11	21	30	70
6-12 YRS	69	5.7	29	1	2	4	7	13	20	86
13-19 YRS	176	5.6	19	1	2	5	7	10	13	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12069	2.5	3	1	1	2	3	4	5	7
B. *Operated*	329	4.0	11	1	2	3	5	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	26224	3.1	5	1	1	3	4	5	7	11
B. *Operated*	544	9.0	150	2	2	5	9	20	36	82
1. SINGLE DX	12398	2.5	3	1	1	2	3	4	5	8
2. MULTIPLE DX	26768	3.3	9	1	1	3	4	5	7	12
A. NOT OPERATED	38293	2.9	4	1	1	3	4	5	6	10
B. OPERATED	873	7.1	103	1	2	4	7	14	24	69
TOTAL 0-27 DYS	778	3.9	16	1	2	3	4	6	8	18
1-11 MOS	10307	3.6	13	1	2	3	4	6	7	14
1-5 YRS	15809	3.0	5	1	1	3	4	5	6	10
6-12 YRS	6053	2.4	3	1	1	2	3	4	5	8
13-19 YRS	6219	2.6	4	1	1	2	3	5	6	9
GRAND TOTAL	**39166**	**3.0**	**7**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	5.0	2	4	[illegible]	5	6	6	6	6
1-11 MOS	1	7.0		7	[illegible]	7	7	7	7	7
1-5 YRS										
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	3	2.7	2	1	1	[illegible]	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	14.0		14	14	14	14	14	14	14
6-12 YRS										
13-19 YRS	4	8.0	3	6	6	8	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	4.8	4	2	2	5	6	7	7	7
1-11 MOS	15	5.5	7	1	2	5	8	9	10	10
1-5 YRS	7	4.6	4	2	2	5	6	7	7	7
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	9	4.0	3	2	2	3	5	7	7	7
B. *Operated*										
0-27 DYS	3	13.7	94	3	3	16	20	22	22	22
1-11 MOS	5	10.0	18	6	6	8	14	15	15	15
1-5 YRS	3	8.7	66	3	3	5	15	18	18	18
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	11	6.6	6	2	3	7	8	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	4.9	7	1	1	4	7	9	9	9
B. *Operated*	5	9.2	10	6	6	9	11	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	37	4.9	5	2	2	5	7	8	9	10
B. *Operated*	23	8.7	26	2	3	7	10	16	19	22
1. SINGLE DX	12	6.7	12	1	2	6	9	11	14	14
2. MULTIPLE DX	60	6.4	16	2	2	6	8	10	15	22
A. NOT OPERATED	44	4.9	5	1	2	5	7	8	9	10
B. OPERATED	28	8.8	23	3	3	8	10	16	18	22
TOTAL 0-27 DYS	10	7.5	41	2	2	5	7	19	22	22
1-11 MOS	21	6.7	12	2	2	7	8	12	14	15
1-5 YRS	11	6.5	25	2	2	5	7	16	18	18
6-12 YRS	3	8.3	1	7	7	9	9	9	9	9
13-19 YRS	27	5.5	7	2	2	6	7	10	10	10
GRAND TOTAL	**72**	**6.4**	**15**	**2**	**2**	**6**	**8**	**10**	**15**	**21**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	2.4	1	1	1	2	3	4	4	4
1-11 MOS	14	2.6	2	1	1	2	3	5	5	5
1-5 YRS	9	2.2	3	<1	<1	2	3	5	6	6
6-12 YRS	14	3.9	5	1	2	3	4	6	9	10
13-19 YRS	28	2.6	2	<1	<1	2	4	5	5	7
B. *Operated*										
0-27 DYS	10	2.8	2	1	1	3	4	5	5	5
1-11 MOS	88	2.0	3	<1	<1	2	2	3	4	10
1-5 YRS	54	2.3	3	<1	<1	2	3	5	5	8
6-12 YRS	34	2.6	7	<1	1	2	3	4	8	15
13-19 YRS	248	2.8	4	1	1	2	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	13	4.4	25	1	1	3	4	10	18	20
1-11 MOS	27	4.2	50	<1	1	3	4	6	13	38
1-5 YRS	27	3.7	12	1	1	3	5	6	9	18
6-12 YRS	18	3.6	7	1	1	3	6	8	8	8
13-19 YRS	41	4.0	9	1	1	3	5	8	10	15
B. *Operated*										
0-27 DYS	4	3.3	2	2	2	3	4	5	5	5
1-11 MOS	43	2.0	2	<1	<1	2	2	4	5	6
1-5 YRS	26	4.4	13	<1	1	3	6	10	12	14
6-12 YRS	25	3.9	10	<1	1	3	4	9	11	13
13-19 YRS	197	4.6	26	1	1	3	5	10	13	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	2.8	3	<1	1	3	4	5	6	9
B. *Operated*	434	2.6	4	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	126	3.9	19	1	1	3	5	7	9	24
B. *Operated*	295	4.2	20	1	1	3	5	9	11	25
1. SINGLE DX	504	2.6	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	421	4.1	20	1	1	3	5	8	11	23
A. NOT OPERATED	196	3.5	14	1	1	3	4	6	8	19
B. OPERATED	729	3.2	11	<1	1	2	4	6	9	15
TOTAL 0-27 DYS	32	3.4	11	1	1	3	4	5	7	20
1-11 MOS	172	2.4	10	<1	<1	2	3	4	5	11
1-5 YRS	116	3.1	8	<1	<1	2	4	6	9	15
6-12 YRS	91	3.3	8	<1	1	3	4	7	9	14
13-19 YRS	514	3.6	13	1	1	3	4	7	10	16
GRAND TOTAL	**925**	**3.3**	**12**	**<1**	**1**	**2**	**4**	**6**	**8**	**16**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	29	2.7	3	1	1	2	3	6	7	8
1-11 MOS	84	2.3	3	<1	1	2	3	4	7	10
1-5 YRS	273	2.4	4	<1	1	2	3	5	6	9
6-12 YRS	524	2.7	5	<1	1	2	3	5	7	12
13-19 YRS	872	4.0	17	1	1	3	5	8	11	19
B. *Operated*										
0-27 DYS	4	23.5	1634	<1	<1	4	45	84	84	84
1-11 MOS	42	5.5	35	<1	1	4	7	11	14	35
1-5 YRS	140	3.2	10	<1	<1	2	4	7	10	19
6-12 YRS	192	5.9	37	<1	1	4	8	11	17	31
13-19 YRS	369	6.8	49	1	2	5	8	13	17	35
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	27	3.4	16	<1	1	2	4	7	10	21
1-11 MOS	139	4.1	17	1	1	3	5	9	13	22
1-5 YRS	412	3.3	8	<1	1	2	4	6	9	15
6-12 YRS	636	3.6	11	1	1	3	4	7	9	17
13-19 YRS	1038	4.8	22	1	1	3	6	9	13	25
B. *Operated*										
0-27 DYS	12	28.4	811	4	5	23	61	99+	99+	99+
1-11 MOS	86	11.5	202	1	2	7	13	44	61	99+
1-5 YRS	190	8.7	108	<1	1	5	10	21	28	52
6-12 YRS	271	7.5	47	1	2	5	9	15	23	38
13-19 YRS	709	10.4	111	2	2	7	12	22	34	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1782	3.2	11	1	1	2	4	7	9	17
B. *Operated*	747	5.9	48	<1	1	4	8	11	16	32
2. MULTIPLE DX										
A. *Not Operated*	2252	4.1	16	1	1	3	5	8	11	22
B. *Operated*	1268	9.8	114	1	2	7	11	22	32	62
1. SINGLE DX	2529	4.0	23	<1	1	3	5	8	11	24
2. MULTIPLE DX	3520	6.2	59	1	1	4	7	13	20	44
A. NOT OPERATED	4034	3.7	14	1	1	3	4	7	10	20
B. OPERATED	2015	8.4	93	1	2	6	10	18	27	58
TOTAL 0-27 DYS	72	8.4	305	1	1	3	6	26	79	99+
1-11 MOS	351	5.6	73	1	1	3	6	12	21	62
1-5 YRS	1015	4.0	31	<1	1	2	5	8	12	27
6-12 YRS	1623	4.2	21	1	1	3	5	9	12	25
13-19 YRS	2988	6.1	51	1	1	4	7	12	19	38
GRAND TOTAL	**6049**	**5.3**	**45**	**1**	**1**	**3**	**6**	**11**	**16**	**37**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS										
13-19 YRS	6	10.0	41	4	4	7	18	18	18	18
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS										
13-19 YRS	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	7	9.0	41	3	3	6	16	18	18	18
B. *Operated*	2	2.5	5	1	1	2	4	4	4	4
1. SINGLE DX	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX	9	7.6	40	1	2	5	11	18	18	18
A. NOT OPERATED	7	9.0	41	3	3	6	16	18	18	18
B. OPERATED	4	2.3	2	1	1	2	3	4	4	4
TOTAL 0-27 DYS										
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	8	8.1	42	1	2	5	13	18	18	18
GRAND TOTAL	**11**	**6.5**	**37**	**1**	**1**	**4**	**8**	**18**	**18**	**18**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	5.4	5	2	2	5	7	8	8	8
6-12 YRS	6	4.7	37	1	1	3	3	16	17	17
13-19 YRS	10	2.6	1	1	1	3	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	2	3.5	1	3	3	3	4	4	4	4
1-5 YRS	20	1.7	1	1	1	2	2	2	4	5
6-12 YRS	17	2.6	5	1	1	2	3	6	8	9
13-19 YRS	20	2.9	3	1	1	2	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	4.9	10	<1	<1	4	8	9	9	9
1-5 YRS	24	5.2	69	1	1	3	5	8	21	42
6-12 YRS	18	2.6	2	1	1	2	3	5	6	6
13-19 YRS	35	6.2	97	1	1	4	6	9	13	60
B. *Operated*										
0-27 DYS										
1-11 MOS	13	6.2	28	1	1	4	9	15	17	17
1-5 YRS	19	5.1	22	1	1	4	6	13	17	18
6-12 YRS	34	6.7	148	1	1	3	6	12	29	67
13-19 YRS	47	6.1	29	1	1	4	9	14	19	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	3.9	13	1	1	3	4	7	12	17
B. *Operated*	59	2.4	3	1	1	2	3	5	7	9
2. MULTIPLE DX										
A. *Not Operated*	84	5.0	62	1	1	3	5	9	12	54
B. *Operated*	113	6.1	62	1	1	4	8	14	18	45
1. SINGLE DX	80	2.8	6	1	1	2	3	6	7	15
2. MULTIPLE DX	197	5.6	62	1	1	3	6	11	16	52
A. NOT OPERATED	105	4.8	52	1	1	3	5	8	12	50
B. OPERATED	172	4.8	45	1	1	3	6	11	16	29
TOTAL 0-27 DYS										
1-11 MOS	22	5.5	20	1	1	4	9	11	16	17
1-5 YRS	68	4.1	33	1	1	2	5	8	12	38
6-12 YRS	75	4.7	74	1	1	2	5	9	15	58
13-19 YRS	112	5.2	44	1	1	3	6	11	14	35
GRAND TOTAL	**277**	**4.8**	**47**	**1**	**1**	**3**	**5**	**10**	**15**	**39**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	13.0	128	5	5	13	21	21	21	21
1-5 YRS	19	2.8	3	<1	1	2	4	5	6	6
6-12 YRS	35	3.5	5	1	2	3	4	7	9	11
13-19 YRS	71	4.7	8	1	1	4	6	8	10	15
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	2	6.0	32	2	2	6	10	10	10	10
1-5 YRS	5	10.6	154	2	2	2	21	29	29	29
6-12 YRS	9	5.1	14	1	1	4	7	11	12	12
13-19 YRS	18	5.2	15	1	1	4	7	12	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	6.5	1	6	6	6	7	7	7	7
1-11 MOS	13	6.7	22	2	2	6	9	15	15	15
1-5 YRS	48	5.9	35	1	1	5	6	11	20	30
6-12 YRS	36	5.0	18	1	1	4	6	10	13	23
13-19 YRS	111	6.2	49	1	2	5	7	9	18	45
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	9	6.3	33	1	1	4	12	15	16	16
1-5 YRS	26	8.7	77	1	1	5	12	22	28	34
6-12 YRS	42	10.1	161	1	1	4	15	27	45	47
13-19 YRS	47	8.5	122	1	1	4	12	23	29	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	127	4.2	9	1	1	4	6	8	10	17
B. *Operated*	35	6.1	33	1	2	4	8	13	17	29
2. MULTIPLE DX										
A. *Not Operated*	210	6.0	38	1	2	5	7	10	15	36
B. *Operated*	125	8.9	117	1	1	4	13	24	29	51
1. SINGLE DX	162	4.6	15	1	1	4	6	9	11	21
2. MULTIPLE DX	335	7.1	69	1	1	5	8	15	24	46
A. NOT OPERATED	337	5.3	28	1	2	4	6	9	14	28
B. OPERATED	160	8.3	100	1	1	4	12	21	28	47
TOTAL 0-27 DYS	4	7.0	1	6	6	7	8	8	8	8
1-11 MOS	26	7.0	31	1	2	5	11	15	17	21
1-5 YRS	98	6.3	48	1	1	4	6	15	24	32
6-12 YRS	122	6.3	70	1	1	3	6	14	24	47
13-19 YRS	247	6.1	50	1	1	4	7	12	16	45
GRAND TOTAL	**497**	**6.3**	**53**	**1**	**1**	**4**	**7**	**13**	**21**	**45**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	4	3.5	4	1	1	3	5	6	6	6
6-12 YRS	3	3.3	5	2	2	2	5	6	6	6
13-19 YRS	122	2.7	4	1	1	2	3	5	7	10
B. *Operated*										
0-27 DYS	7	6.9	8	4	4	6	8	11	12	12
1-11 MOS	8	6.1	3	4	4	6	7	9	9	9
1-5 YRS	8	5.9	6	3	3	5	7	9	10	10
6-12 YRS	24	5.1	3	2	3	5	6	8	8	9
13-19 YRS	902	5.5	5	3	3	5	6	8	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	10	3.9	8	<1	<1	3	6	8	8	8
1-5 YRS	7	4.4	29	<1	<1	2	5	14	16	16
6-12 YRS	11	3.4	11	1	1	3	4	8	13	13
13-19 YRS	133	3.6	7	<1	1	3	4	7	9	14
B. *Operated*										
0-27 DYS	8	10.6	35	6	6	9	13	21	23	23
1-11 MOS	26	8.1	18	3	4	7	11	13	16	22
1-5 YRS	19	6.9	14	2	3	6	9	12	15	16
6-12 YRS	39	8.8	110	3	3	6	9	15	15	69
13-19 YRS	731	7.0	15	3	4	6	8	11	13	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	2.7	4	1	1	2	4	6	7	9
B. *Operated*	949	5.5	5	3	3	5	6	8	10	13
2. MULTIPLE DX										
A. *Not Operated*	163	3.6	8	<1	1	3	5	7	9	15
B. *Operated*	823	7.1	20	3	4	6	8	11	14	23
1. SINGLE DX	1079	5.2	6	2	2	5	6	8	9	13
2. MULTIPLE DX	986	6.5	20	2	3	6	8	11	13	21
A. NOT OPERATED	293	3.2	6	<1	1	2	4	6	8	13
B. OPERATED	1772	6.3	13	3	3	6	7	10	12	16
TOTAL 0-27 DYS	17	8.2	25	3	4	7	10	14	20	23
1-11 MOS	45	6.7	16	1	2	6	8	12	13	22
1-5 YRS	38	5.9	15	<1	1	5	8	11	15	16
6-12 YRS	77	6.7	63	1	2	5	8	11	15	54
13-19 YRS	1888	5.8	11	2	3	5	7	9	11	16
GRAND TOTAL	**2065**	**5.8**	**13**	**2**	**3**	**5**	**7**	**9**	**12**	**16**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	6	4.8	5	2	2	5	6	8	8	8
13-19 YRS	89	3.1	4	1	1	3	4	5	6	11
B. *Operated*										
0-27 DYS										
1-11 MOS	5	3.4	8	1	1	2	5	8	8	8
1-5 YRS	1	12.0		12	12	12	12	12	12	12
6-12 YRS	5	3.8	1	3	3	3	5	5	5	5
13-19 YRS	62	5.8	8	3	4	5	7	9	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	6.3	47	2	2	4	6	19	20	20
1-5 YRS	7	4.4	13	2	2	4	5	11	12	12
6-12 YRS	6	4.7	19	2	2	3	6	12	13	13
13-19 YRS	88	3.7	7	1	2	3	5	6	8	16
B. *Operated*										
0-27 DYS	4	11.5	25	6	6	11	15	18	18	18
1-11 MOS	10	8.8	30	1	1	9	12	16	18	18
1-5 YRS	4	6.3	15	4	4	5	8	12	12	12
6-12 YRS	7	8.7	62	4	4	5	11	23	25	25
13-19 YRS	85	7.2	17	3	4	6	9	12	13	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	98	3.2	4	1	1	3	4	6	6	11
B. *Operated*	73	5.6	8	2	3	5	6	9	12	17
2. MULTIPLE DX										
A. *Not Operated*	107	3.9	10	1	2	3	5	7	9	19
B. *Operated*	110	7.6	21	3	4	6	10	13	14	27
1. SINGLE DX	171	4.2	7	1	2	4	5	7	9	13
2. MULTIPLE DX	217	5.8	19	2	2	5	7	12	13	22
A. NOT OPERATED	205	3.6	7	1	2	3	4	6	8	16
B. OPERATED	183	6.8	17	3	3	6	9	12	13	23
TOTAL 0-27 DYS	4	11.5	25	6	6	11	15	18	18	18
1-11 MOS	23	6.4	31	1	1	4	10	15	19	20
1-5 YRS	13	5.4	15	2	2	4	7	12	12	12
6-12 YRS	24	5.7	26	2	2	4	6	13	17	25
13-19 YRS	324	4.9	11	1	2	4	6	9	12	15
GRAND TOTAL	**388**	**5.1**	**14**	**1**	**2**	**4**	**6**	**10**	**12**	**19**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS										
13-19 YRS	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	2	15.0	2	14	14	15	16	16	16	16
1-5 YRS										
6-12 YRS	1	19.0		19	19	19	19	19	19	19
13-19 YRS	39	6.3	8	2	3	6	8	11	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	2	2.5	5	1	1	2	4	4	4	4
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	5	3.6	3	2	2	4	5	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	17.0		17	17	17	17	17	17	17
6-12 YRS	4	8.5	20	5	5	7	11	15	15	15
13-19 YRS	42	8.7	16	4	4	8	11	14	17	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	3.0	1	2	2	3	4	4	4	4
B. *Operated*	42	7.0	15	2	3	6	9	12	15	19
2. MULTIPLE DX										
A. *Not Operated*	9	4.1	7	1	1	4	5	8	10	10
B. *Operated*	47	8.8	17	4	4	8	11	15	17	21
1. SINGLE DX	45	6.8	15	2	3	6	9	12	14	19
2. MULTIPLE DX	56	8.1	18	3	4	7	10	15	17	21
A. NOT OPERATED	12	3.8	6	1	1	4	4	7	10	10
B. OPERATED	89	8.0	17	4	4	7	10	14	16	20
TOTAL 0-27 DYS										
1-11 MOS	4	10.5	38	2	2	12	15	16	16	16
1-5 YRS	3	7.3	72	1	1	4	14	17	17	17
6-12 YRS	6	9.5	37	4	4	7	15	19	19	19
13-19 YRS	88	7.2	14	2	4	6	9	12	14	20
GRAND TOTAL	**101**	**7.5**	**17**	**2**	**4**	**6**	**10**	**14**	**16**	**20**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	9.8	22	4	4	10	13	14	14	14
1-5 YRS	8	5.1	10	2	2	4	7	10	11	11
6-12 YRS	2	10.5	1	10	10	10	11	11	11	11
13-19 YRS	5	4.2	20	1	1	2	6	12	12	12
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS	5	11.6	59	6	6	10	14	25	25	25
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS	4	4.3	5	2	2	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	31	10.8	94	1	2	8	14	24	31	43
1-5 YRS	39	9.1	42	1	2	8	12	19	23	26
6-12 YRS	7	4.7	4	3	3	4	6	8	8	8
13-19 YRS	12	6.0	19	2	2	4	8	14	15	15
B. *Operated*										
0-27 DYS										
1-11 MOS	13	17.8	90	5	7	14	26	31	34	35
1-5 YRS	17	13.4	128	2	3	12	17	31	40	44
6-12 YRS	6	8.5	12	3	3	9	11	12	12	12
13-19 YRS	17	13.2	210	1	2	9	17	42	48	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	6.4	18	1	2	5	11	13	14	14
B. *Operated*	11	7.8	43	1	2	7	10	16	24	25
2. MULTIPLE DX										
A. *Not Operated*	89	8.9	57	1	2	7	11	20	24	38
B. *Operated*	53	13.9	134	2	3	11	17	31	43	49
1. SINGLE DX	30	6.9	27	1	2	6	10	12	14	25
2. MULTIPLE DX	142	10.8	90	2	2	8	14	24	30	46
A. NOT OPERATED	108	8.5	51	1	2	6	11	17	22	36
B. OPERATED	64	12.8	122	2	2	10	16	27	38	49
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	48	12.6	94	1	3	10	16	27	31	43
1-5 YRS	69	9.9	65	2	2	8	12	21	25	42
6-12 YRS	16	7.2	11	3	3	7	10	11	12	12
13-19 YRS	38	8.8	116	1	2	5	10	18	38	49
GRAND TOTAL	**172**	**10.1**	**81**	**1**	**2**	**8**	**13**	**22**	**27**	**46**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS	17	4.3	5	2	2	4	5	8	9	9
6-12 YRS	55	4.4	10	1	2	4	5	7	9	18
13-19 YRS	239	4.6	10	1	2	4	6	8	10	20
B. *Operated*										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	1	35.0		35	35	35	35	35	35	35
1-5 YRS	3	16.3	184	8	8	9	26	32	32	32
6-12 YRS	7	11.1	25	5	5	10	14	19	20	20
13-19 YRS	25	9.4	70	1	1	7	12	20	29	31
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	14.0	91	3	3	14	21	25	25	25
1-11 MOS	11	4.9	6	2	2	4	7	8	9	9
1-5 YRS	17	7.3	36	1	2	6	8	17	21	23
6-12 YRS	50	6.7	18	2	2	6	8	12	16	21
13-19 YRS	245	5.1	15	1	2	4	6	8	12	21
B. *Operated*										
0-27 DYS										
1-11 MOS	4	14.5	220	1	1	11	25	35	35	35
1-5 YRS	11	21.1	178	7	8	15	31	43	45	45
6-12 YRS	12	18.2	393	3	4	12	19	57	60	61
13-19 YRS	70	15.9	225	3	4	10	21	37	49	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	315	4.5	10	1	2	4	6	8	10	19
B. *Operated*	37	11.0	81	1	1	9	14	26	32	35
2. MULTIPLE DX										
A. *Not Operated*	327	5.6	18	2	2	5	7	10	13	23
B. *Operated*	97	16.7	235	3	4	11	21	40	52	68
1. SINGLE DX	352	5.2	21	1	2	4	6	9	13	28
2. MULTIPLE DX	424	8.1	90	2	2	5	8	16	26	54
A. NOT OPERATED	642	5.1	14	1	2	4	6	9	12	21
B. OPERATED	134	15.1	198	2	3	10	19	35	48	67
TOTAL 0-27 DYS	7	10.3	75	2	2	10	16	24	25	25
1-11 MOS	18	8.6	103	1	2	5	8	29	35	35
1-5 YRS	48	10.0	105	2	2	6	11	25	34	45
6-12 YRS	124	7.0	64	1	2	5	8	14	19	57
13-19 YRS	579	6.4	54	1	2	4	7	12	18	43
GRAND TOTAL	**776**	**6.8**	**60**	**1**	**2**	**5**	**7**	**13**	**20**	**46**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	21	2.1	2	<1	1	2	3	4	5	5
1-11 MOS	58	2.1	2	<1	<1	2	3	4	5	7
1-5 YRS	50	2.6	2	1	1	2	4	5	6	7
6-12 YRS	56	2.6	3	<1	1	2	3	5	6	7
13-19 YRS	91	2.9	3	1	1	3	4	6	6	8
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	5	5.4	9	2	2	5	7	10	10	10
1-5 YRS										
6-12 YRS	4	9.8	70	4	4	6	15	22	22	22
13-19 YRS	10	4.2	8	<1	<1	4	5	8	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	24	3.6	12	1	1	3	4	5	9	19
1-11 MOS	106	3.5	7	1	1	3	4	7	8	15
1-5 YRS	148	3.5	9	1	1	3	4	7	10	17
6-12 YRS	102	3.5	8	1	1	3	4	6	9	16
13-19 YRS	288	3.5	7	1	1	3	4	7	8	15
B. *Operated*										
0-27 DYS	2	36.5	1513	9	9	36	64	64	64	64
1-11 MOS	13	9.0	77	<1	1	6	11	26	28	29
1-5 YRS	20	10.7	226	2	2	4	10	34	50	57
6-12 YRS	20	7.1	32	1	2	5	10	15	20	22
13-19 YRS	42	7.2	98	1	2	4	6	17	30	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	276	2.6	2	1	1	2	3	5	6	7
B. *Operated*	20	5.7	21	<1	1	5	6	10	16	22
2. MULTIPLE DX										
A. *Not Operated*	668	3.5	8	1	1	3	4	7	9	17
B. *Operated*	97	8.7	137	1	2	5	9	24	32	61
1. SINGLE DX	296	2.8	4	1	1	2	4	5	6	9
2. MULTIPLE DX	765	4.2	27	1	1	3	5	7	11	25
A. NOT OPERATED	944	3.2	7	1	1	3	4	6	7	15
B. OPERATED	117	8.2	118	1	2	5	8	21	28	59
TOTAL 0-27 DYS	48	4.4	85	1	1	3	4	5	10	64
1-11 MOS	182	3.5	13	<1	1	3	4	7	9	22
1-5 YRS	218	4.0	31	1	1	3	4	7	11	31
6-12 YRS	182	3.7	12	1	1	3	4	7	11	21
13-19 YRS	431	3.8	16	1	1	3	4	7	8	23
GRAND TOTAL	**1061**	**3.8**	**21**	**1**	**1**	**3**	**4**	**7**	**9**	**22**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	42	2.9	2	1	1	3	3	5	6	7
1-11 MOS	102	4.4	16	1	1	3	5	9	14	20
1-5 YRS	37	4.5	20	<1	<1	3	6	9	11	26
6-12 YRS	6	6.0	6	3	3	6	8	9	9	9
13-19 YRS	9	3.0	10	1	1	1	5	8	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS	2	6.0	50	1	1	6	11	11	11	11
1-5 YRS	17	3.0	7	<1	<1	2	4	7	8	9
6-12 YRS	5	8.2	82	<1	<1	2	17	20	20	20
13-19 YRS	6	10.3	167	<1	<1	3	22	30	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	61	3.9	6	1	1	3	5	7	9	12
1-11 MOS	203	5.6	65	1	2	3	6	12	15	74
1-5 YRS	76	7.1	110	1	1	4	7	13	32	60
6-12 YRS	13	3.9	9	1	1	3	4	10	11	11
13-19 YRS	22	3.0	7	1	1	1	4	8	8	8
B. *Operated*										
0-27 DYS	3	25.3	1496	3	3	3	53	70	70	70
1-11 MOS	27	14.2	156	1	1	17	23	43	99+	99+
1-5 YRS	31	12.0	196	<1	1	6	24	47	92	99+
6-12 YRS	5	5.0	6	3	3	4	6	9	9	9
13-19 YRS	5	4.6	7	2	2	4	6	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	196	4.1	13	1	1	3	5	8	11	20
B. *Operated*	30	5.5	55	<1	<1	2	7	18	22	31
2. MULTIPLE DX										
A. *Not Operated*	375	5.4	60	1	1	3	6	10	14	60
B. *Operated*	71	12.4	202	1	2	6	21	45	92	99+
1. SINGLE DX	226	4.3	19	1	1	3	5	9	13	23
2. MULTIPLE DX	446	6.5	89	1	1	4	6	15	29	99
A. NOT OPERATED	571	5.0	44	1	1	3	5	9	13	37
B. OPERATED	101	10.3	167	<1	1	5	19	32	53	99+
TOTAL 0-27 DYS	106	4.1	46	1	1	3	4	6	8	37
1-11 MOS	334	5.9	63	1	2	3	6	14	20	78
1-5 YRS	161	7.0	101	<1	1	4	7	21	34	95
6-12 YRS	29	5.3	20	1	2	4	7	11	16	20
13-19 YRS	42	4.2	33	1	1	2	5	9	15	31
GRAND TOTAL	**672**	**5.8**	**66**	**1**	**1**	**3**	**6**	**12**	**21**	**73**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	3.0	1	2	2	3	4	4	4	4
1-5 YRS	138	5.6	25	1	2	4	7	12	15	25
6-12 YRS	101	4.7	9	1	2	4	6	9	11	14
13-19 YRS	67	4.0	11	1	1	3	5	9	11	16
B. *Operated*										
0-27 DYS										
1-11 MOS	3	4.7	6	2	2	5	6	7	7	7
1-5 YRS	47	4.6	30	1	2	2	3	14	18	23
6-12 YRS	75	2.7	3	1	2	2	3	4	7	10
13-19 YRS	103	2.4	4	1	1	2	3	4	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	4.3		4	4	4	5	5	5	5
1-5 YRS	201	6.2	36	1	2	5	7	12	16	30
6-12 YRS	188	5.2	23	1	1	4	6	12	15	22
13-19 YRS	95	4.7	30	1	1	3	5	9	13	35
B. *Operated*										
0-27 DYS										
1-11 MOS	6	8.8	43	1	1	7	14	18	19	19
1-5 YRS	56	8.5	87	2	2	5	14	21	31	97
6-12 YRS	77	5.5	44	1	1	3	6	12	18	38
13-19 YRS	140	6.9	81	1	1	3	8	16	30	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	310	4.9	17	1	2	4	7	10	13	17
B. *Operated*	228	3.0	9	1	1	2	3	5	8	18
2. MULTIPLE DX										
A. *Not Operated*	488	5.5	30	1	1	4	7	11	15	30
B. *Operated*	279	6.9	72	1	1	3	9	17	25	54
1. SINGLE DX	538	4.1	14	1	1	3	5	9	12	17
2. MULTIPLE DX	767	6.0	46	1	1	4	7	13	18	38
A. NOT OPERATED	798	5.3	25	1	1	4	7	10	15	23
B. OPERATED	507	5.1	47	1	1	2	5	12	19	45
TOTAL 0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	15	5.9	23	1	2	5	7	14	18	19
1-5 YRS	442	6.1	39	1	2	4	7	14	17	35
6-12 YRS	441	4.7	21	1	1	3	6	10	13	21
13-19 YRS	405	4.8	41	1	1	3	5	10	15	37
GRAND TOTAL	**1305**	**5.2**	**34**	**1**	**1**	**3**	**6**	**11**	**16**	**34**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	34	5.1	8	1	2	5	7	9	11	12
6-12 YRS	60	4.7	8	1	2	4	6	9	10	12
13-19 YRS	36	4.0	7	1	2	3	6	9	9	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	3.7	14	1	1	2	6	8	8	8
6-12 YRS	2	6.0	18	3	3	6	9	9	9	9
13-19 YRS	14	3.9	8	1	1	3	5	8	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	5.0	18	2	2	5	8	8	8	8
1-5 YRS	37	5.4	11	2	3	4	7	8	13	18
6-12 YRS	112	5.6	13	2	2	5	7	9	13	21
13-19 YRS	53	4.5	8	1	2	4	5	9	10	15
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	5.7	9	2	2	5	7	10	11	11
6-12 YRS	8	3.0	1	1	1	3	4	5	5	5
13-19 YRS	17	5.2	13	1	2	3	8	10	13	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	4.6	8	1	2	4	6	9	10	12
B. *Operated*	19	4.1	9	1	1	3	5	9	10	11
2. MULTIPLE DX										
A. *Not Operated*	204	5.3	11	2	2	4	7	9	11	18
B. *Operated*	32	4.8	10	1	2	4	7	9	11	14
1. SINGLE DX	149	4.6	8	1	2	4	6	9	10	12
2. MULTIPLE DX	236	5.2	11	2	2	4	7	9	11	18
A. NOT OPERATED	334	5.0	10	2	2	4	7	9	10	16
B. OPERATED	51	4.5	9	1	1	3	7	9	11	14
TOTAL 0-27 DYS										
1-11 MOS	2	5.0	18	2	2	5	8	8	8	8
1-5 YRS	81	5.2	9	2	2	5	7	9	11	17
6-12 YRS	182	5.2	11	2	2	4	7	9	11	18
13-19 YRS	120	4.4	8	1	2	3	6	9	10	14
GRAND TOTAL	**385**	**5.0**	**10**	**1**	**2**	**4**	**7**	**9**	**10**	**16**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	5	2.0	1	<1	<1	2	3	3	3	3
6-12 YRS	7	1.1		<1	<1	1	1	2	2	2
13-19 YRS	13	4.8	51	<1	<1	2	5	13	24	27
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	4.8	22	1	1	3	6	13	13	13
6-12 YRS	23	7.7	49	1	2	5	10	17	25	28
13-19 YRS	51	6.1	36	1	2	4	8	12	18	34
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	17	11.8	192	<1	1	6	15	30	45	52
1-5 YRS	86	4.7	62	<1	1	1	5	13	26	39
6-12 YRS	56	4.5	24	<1	1	3	5	14	17	21
13-19 YRS	70	5.1	40	<1	1	3	5	13	15	33
B. *Operated*										
0-27 DYS	3	6.7	25	2	2	6	10	12	12	12
1-11 MOS	6	10.0	64	1	1	9	12	23	24	24
1-5 YRS	45	16.8	157	2	3	15	24	35	39	48
6-12 YRS	76	19.2	347	2	4	13	25	43	61	86
13-19 YRS	221	12.7	149	2	2	9	18	27	35	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	3.1	26	<1	<1	1	3	6	11	27
B. *Operated*	79	6.5	39	1	2	4	8	14	20	32
2. MULTIPLE DX										
A. *Not Operated*	230	5.3	58	<1	1	2	5	14	21	36
B. *Operated*	351	14.5	197	2	2	10	20	32	42	70
1. SINGLE DX	107	5.6	37	1	1	3	8	12	19	31
2. MULTIPLE DX	581	10.9	162	1	1	6	15	27	36	63
A. NOT OPERATED	258	5.1	55	<1	1	2	5	14	21	33
B. OPERATED	430	13.0	178	2	2	8	18	30	37	69
TOTAL 0-27 DYS	5	6.0	22	1	1	6	10	12	12	12
1-11 MOS	25	10.6	148	<1	1	6	13	28	36	52
1-5 YRS	141	8.5	120	1	1	3	12	26	32	45
6-12 YRS	162	11.7	228	1	1	5	15	28	41	80
13-19 YRS	355	9.9	120	1	1	6	13	23	32	54
GRAND TOTAL	**688**	**10.0**	**146**	**1**	**1**	**5**	**14**	**25**	**33**	**61**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	3.3	10	1	1	2	6	7	7	7
1-5 YRS	6	4.8	12	1	1	4	6	10	11	11
6-12 YRS	4	2.0	1	1	1	2	3	3	3	3
13-19 YRS	5	5.0	62	1	1	2	6	19	19	19
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.5	5	1	1	2	4	4	4	4
13-19 YRS	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	15	5.2	42	<1	1	3	6	8	22	27
1-5 YRS	22	7.9	53	<1	1	6	13	17	22	28
6-12 YRS	9	5.6	24	<1	<1	5	7	14	15	15
13-19 YRS	26	5.1	14	1	1	5	7	9	13	15
B. *Operated*										
0-27 DYS	4	25.0	382	12	12	17	36	54	54	54
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	8	14.9	152	<1	2	11	32	74	99+	99+
6-12 YRS	16	11.3	81	<1	1	10	16	25	29	30
13-19 YRS	40	13.3	266	1	1	8	15	30	53	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	3.9	20	1	1	3	4	9	15	19
B. *Operated*	3	3.0	3	1	1	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	73	6.0	33	<1	1	5	8	14	17	28
B. *Operated*	69	13.6	213	1	1	10	16	31	54	95
1. SINGLE DX	22	3.8	17	1	1	3	4	8	14	19
2. MULTIPLE DX	142	9.7	134	1	1	6	13	24	31	77
A. NOT OPERATED	92	5.6	31	1	1	4	7	13	17	28
B. OPERATED	72	13.1	209	1	1	9	16	31	52	94
TOTAL 0-27 DYS	6	17.7	358	3	3	13	19	50	54	54
1-11 MOS	19	4.9	34	<1	1	3	7	8	19	27
1-5 YRS	36	8.9	76	<1	1	6	13	26	34	99+
6-12 YRS	31	7.9	61	<1	1	5	13	18	26	30
13-19 YRS	72	9.6	172	1	1	5	10	22	31	73
GRAND TOTAL	**164**	**8.9**	**122**	**1**	**1**	**5**	**12**	**21**	**30**	**74**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	7.5	5	6	6	7	9	9	9	9
1-11 MOS	28	3.0	1	1	2	3	4	5	5	5
1-5 YRS	165	3.7	3	2	2	3	4	6	7	9
6-12 YRS	233	3.5	3	1	2	3	4	6	6	8
13-19 YRS	676	3.7	3	2	2	4	5	6	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	15	3.4	2	<1	<1	4	5	5	6	6
6-12 YRS	14	3.9	1	2	3	4	4	5	7	7
13-19 YRS	28	4.8	8	2	2	4	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	7.2	14	2	2	8	10	11	11	11
1-11 MOS	66	4.5	9	1	2	4	5	9	10	17
1-5 YRS	328	4.2	4	2	2	4	5	6	7	11
6-12 YRS	405	4.0	4	2	2	4	5	7	8	11
13-19 YRS	1223	4.3	5	2	2	4	5	7	8	13
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	10	7.3	16	3	3	6	9	14	14	14
1-5 YRS	44	6.6	11	3	3	6	8	10	14	16
6-12 YRS	37	5.4	22	2	2	5	6	7	13	29
13-19 YRS	99	6.7	19	2	3	6	8	11	13	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1104	3.7	3	1	2	3	5	6	7	9
B. *Operated*	57	4.2	5	1	2	4	5	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	2028	4.3	5	2	2	4	5	7	8	12
B. *Operated*	191	6.4	17	2	3	5	7	11	14	27
1. SINGLE DX	1161	3.7	3	1	2	3	5	6	7	9
2. MULTIPLE DX	2219	4.5	6	2	2	4	5	7	9	14
A. NOT OPERATED	3132	4.1	4	2	2	4	5	6	8	11
B. OPERATED	248	5.9	15	2	2	5	7	10	13	25
TOTAL 0-27 DYS	9	7.2	9	2	2	8	9	11	11	11
1-11 MOS	104	4.4	9	1	2	3	5	8	10	16
1-5 YRS	552	4.2	5	2	2	4	5	7	8	11
6-12 YRS	689	3.9	5	2	2	4	5	6	7	11
13-19 YRS	2026	4.3	5	2	2	4	5	7	8	13
GRAND TOTAL	**3380**	**4.2**	**5**	**2**	**2**	**4**	**5**	**7**	**8**	**12**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	4.5	14	2	2	3	7	10	10	10
1-11 MOS	34	3.6	2	2	2	3	4	6	6	8
1-5 YRS	139	3.8	4	1	2	3	5	6	7	11
6-12 YRS	192	3.8	4	2	2	3	4	6	8	12
13-19 YRS	515	3.7	3	1	2	3	5	6	7	10
B. *Operated*										
0-27 DYS										
1-11 MOS	3	5.0	1	4	4	5	6	6	6	6
1-5 YRS	18	6.8	31	<1	1	5	9	16	19	21
6-12 YRS	14	5.6	11	2	3	4	6	11	12	13
13-19 YRS	27	4.6	11	2	2	4	5	7	13	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	8.3	15	3	3	9	11	13	14	14
1-11 MOS	85	5.3	10	2	2	4	7	10	12	15
1-5 YRS	251	4.6	6	2	2	4	5	8	10	13
6-12 YRS	270	4.3	5	1	2	4	5	8	9	12
13-19 YRS	722	4.4	6	2	2	4	5	7	8	14
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	19	8.8	50	2	4	6	11	22	25	26
1-5 YRS	55	7.3	22	1	1	7	10	15	17	20
6-12 YRS	65	5.9	19	<1	3	5	7	11	13	27
13-19 YRS	101	8.1	66	2	3	6	8	14	20	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	884	3.7	3	1	2	3	4	6	7	11
B. *Operated*	62	5.5	16	1	2	4	6	11	15	21
2. MULTIPLE DX										
A. *Not Operated*	1335	4.5	6	2	2	4	5	8	10	14
B. *Operated*	241	7.4	42	1	3	6	9	13	17	31
1. SINGLE DX	946	3.8	4	1	2	3	5	6	7	12
2. MULTIPLE DX	1576	4.9	13	2	2	4	6	8	11	17
A. NOT OPERATED	2219	4.2	5	1	2	4	5	7	8	13
B. OPERATED	303	7.0	37	1	2	5	8	13	17	28
TOTAL 0-27 DYS	12	6.8	15	2	2	6	10	12	14	14
1-11 MOS	141	5.4	15	2	2	4	6	10	13	23
1-5 YRS	463	4.8	9	2	2	4	6	8	11	17
6-12 YRS	541	4.3	7	1	2	4	5	8	10	13
13-19 YRS	1365	4.4	11	1	2	4	5	7	9	15
GRAND TOTAL	**2522**	**4.5**	**10**	**1**	**2**	**4**	**5**	**8**	**10**	**15**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	3	1.3		1	1	1	2	2	2	2
6-12 YRS	24	2.1	2	1	1	2	3	3	5	7
13-19 YRS	176	2.2	2	1	1	2	3	4	5	8
B. *Operated*										
0-27 DYS										
1-11 MOS	3	4.3	4	2	2	5	6	6	6	6
1-5 YRS	3	4.3	17	1	1	3	7	9	9	9
6-12 YRS	11	4.9	4	2	2	5	6	7	9	9
13-19 YRS	66	5.2	13	1	2	4	7	9	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	2.3	3	1	1	2	4	5	5	5
1-5 YRS	3	1.3		<1	<1	1	2	2	2	2
6-12 YRS	24	2.6	4	<1	1	2	3	4	8	9
13-19 YRS	151	2.8	6	1	1	2	3	6	8	13
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	3	11.7	25	7	7	11	15	17	17	17
1-5 YRS	6	9.7	57	1	1	9	13	21	22	22
6-12 YRS	18	8.6	18	3	4	8	13	15	15	15
13-19 YRS	73	5.7	17	1	2	5	8	9	11	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	204	2.2	2	1	1	2	3	4	5	8
B. *Operated*	83	5.1	11	1	2	5	6	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	185	2.7	6	1	1	2	3	5	8	13
B. *Operated*	101	6.6	21	1	2	6	9	12	15	24
1. SINGLE DX	287	3.0	6	1	1	2	4	6	8	14
2. MULTIPLE DX	286	4.1	15	1	1	3	5	9	11	19
A. NOT OPERATED	389	2.4	4	1	1	2	3	4	6	11
B. OPERATED	184	5.9	17	1	2	5	8	11	14	21
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	14	4.6	21	1	1	3	6	12	16	17
1-5 YRS	15	5.3	38	<1	1	2	9	13	20	22
6-12 YRS	77	4.2	13	1	1	3	5	9	13	15
13-19 YRS	466	3.4	9	1	1	2	4	7	9	15
GRAND TOTAL	**573**	**3.6**	**11**	**1**	**1**	**2**	**4**	**8**	**10**	**16**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	11	1.9	2	1	1	2	2	4	5	5
1-5 YRS	7	1.6	1	1	1	1	2	4	4	4
6-12 YRS	49	2.3	3	1	1	2	3	4	5	10
13-19 YRS	574	1.9	1	1	1	2	2	3	4	6
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	6	5.7	8	3	3	5	8	10	10	10
1-5 YRS	7	3.3	5	2	2	2	4	7	8	8
6-12 YRS	29	5.1	7	<1	1	5	7	9	9	11
13-19 YRS	305	3.8	5	1	2	3	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	3.0	8	1	1	3	5	5	5	5
1-11 MOS	7	2.6	1	1	1	3	3	4	4	4
1-5 YRS	4	2.0	1	1	1	2	3	3	3	3
6-12 YRS	12	3.1	4	<1	<1	3	5	6	6	6
13-19 YRS	221	2.4	3	1	1	2	3	4	6	9
B. *Operated*										
0-27 DYS										
1-11 MOS	7	8.1	42	2	2	6	12	19	20	20
1-5 YRS	6	4.8	8	<1	<1	5	7	8	8	8
6-12 YRS	12	6.3	9	2	3	6	8	10	12	12
13-19 YRS	178	5.6	18	1	2	5	7	10	13	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	642	1.9	1	1	1	2	2	3	4	6
B. *Operated*	348	4.0	5	1	2	3	5	7	9	11
2. MULTIPLE DX										
A. *Not Operated*	246	2.4	3	1	1	2	3	5	5	8
B. *Operated*	203	5.7	18	1	2	5	7	10	13	22
1. SINGLE DX	990	2.6	4	1	1	2	3	5	7	10
2. MULTIPLE DX	449	3.9	12	1	1	3	5	8	10	18
A. NOT OPERATED	888	2.0	2	1	1	2	3	3	4	7
B. OPERATED	551	4.6	11	1	2	4	6	9	10	16
TOTAL 0-27 DYS	4	2.8	4	1	1	3	4	5	5	5
1-11 MOS	31	4.2	17	1	1	3	5	9	13	20
1-5 YRS	24	3.0	5	<1	1	2	4	7	8	8
6-12 YRS	102	3.6	7	<1	1	3	5	7	9	11
13-19 YRS	1278	2.9	6	1	1	2	4	6	8	11
GRAND TOTAL	**1439**	**3.0**	**7**	**1**	**1**	**2**	**4**	**6**	**8**	**11**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	1.7		<1	<1	2	2	2	2	2
1-11 MOS	20	4.0	8	<1	1	3	5	8	10	11
1-5 YRS	32	2.2	3	<1	1	2	2	4	6	9
6-12 YRS	28	2.6	4	<1	<1	2	3	6	7	9
13-19 YRS	47	2.0	1	1	1	2	2	3	4	6
B. *Operated*										
0-27 DYS	4	8.3	90	<1	<1	5	14	22	22	22
1-11 MOS	62	4.8	8	<1	1	5	7	9	10	12
1-5 YRS	396	5.8	9	<1	1	6	7	9	11	16
6-12 YRS	420	6.0	8	1	2	6	8	9	11	14
13-19 YRS	189	6.2	12	1	1	6	8	11	13	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	10.5	9	7	7	11	13	14	14	14
1-11 MOS	67	5.1	49	1	1	4	5	9	12	43
1-5 YRS	110	3.3	10	1	1	2	4	6	8	18
6-12 YRS	73	3.5	10	<1	1	2	4	7	10	16
13-19 YRS	97	3.1	5	1	1	2	4	6	7	12
B. *Operated*										
0-27 DYS	10	4.3	7	1	1	4	5	8	9	9
1-11 MOS	126	7.3	35	1	1	6	10	14	18	30
1-5 YRS	556	6.7	23	<1	1	6	9	12	15	23
6-12 YRS	502	6.6	23	<1	1	6	9	12	15	28
13-19 YRS	332	7.6	31	1	2	7	10	14	17	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	2.5	4	<1	1	2	3	5	6	10
B. *Operated*	1071	5.9	10	<1	1	6	8	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	353	3.7	17	1	1	3	5	7	10	19
B. *Operated*	1526	6.9	26	<1	1	6	9	12	16	27
1. SINGLE DX	1201	5.5	10	<1	1	6	7	9	11	15
2. MULTIPLE DX	1879	6.3	26	<1	1	5	8	12	15	26
A. NOT OPERATED	483	3.4	14	<1	1	2	4	7	9	16
B. OPERATED	2597	6.5	19	<1	1	6	8	11	14	22
TOTAL 0-27 DYS	23	6.3	27	<1	1	5	9	13	17	22
1-11 MOS	275	6.0	32	<1	1	5	8	12	15	34
1-5 YRS	1094	5.9	18	<1	1	6	8	10	13	21
6-12 YRS	1023	6.0	16	<1	1	6	8	10	12	20
13-19 YRS	665	6.2	23	1	1	5	8	12	14	23
GRAND TOTAL	**3080**	**6.0**	**20**	**<1**	**1**	**6**	**8**	**11**	**14**	**22**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	2.0	2	1	1	2	3	3	3	3
6-12 YRS	4	2.3	2	1	1	2	3	4	4	4
13-19 YRS	34	2.1	3	<1	1	2	2	3	5	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	2.7	4	<1	<1	2	4	5	5	5
6-12 YRS	5	1.6	1	<1	<1	1	2	3	3	3
13-19 YRS	8	5.4	21	1	1	4	7	13	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS	2	4.5	5	3	3	4	6	6	6	6
6-12 YRS	2	2.5	5	1	1	2	4	4	4	4
13-19 YRS	18	2.9	5	1	1	2	3	5	8	10
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	3	5.0	21	1	1	4	8	10	10	10
6-12 YRS	6	3.2	3	1	1	3	4	6	6	6
13-19 YRS	24	5.4	29	<1	1	4	7	11	18	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	2.1	3	<1	1	2	2	3	5	11
B. *Operated*	16	3.7	14	<1	<1	2	5	8	13	15
2. MULTIPLE DX										
A. *Not Operated*	23	3.0	4	1	1	3	4	5	7	10
B. *Operated*	34	4.8	23	1	1	4	6	10	14	24
1. SINGLE DX	57	2.5	6	<1	1	2	3	5	8	15
2. MULTIPLE DX	57	4.1	16	1	1	3	5	9	11	23
A. NOT OPERATED	64	2.4	4	1	1	2	3	4	6	11
B. OPERATED	50	4.5	20	<1	1	3	5	10	15	24
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	10	3.6	8	<1	<1	3	5	8	10	10
6-12 YRS	17	2.4	2	<1	1	2	4	4	5	6
13-19 YRS	84	3.5	14	1	1	2	4	9	11	21
GRAND TOTAL	**114**	**3.3**	**12**	**1**	**1**	**2**	**4**	**7**	**10**	**18**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	3.2	1	2	2	3	4	4	4	4
1-5 YRS	25	2.5	1	1	1	2	3	4	5	5
6-12 YRS	50	2.8	3	1	1	2	4	5	7	8
13-19 YRS	68	2.9	3	1	1	2	4	5	6	9
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	37	2.3	3	<1	<1	2	3	4	5	9
6-12 YRS	47	2.1	3	<1	<1	1	3	4	6	9
13-19 YRS	64	2.4	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	17	6.2	36	2	2	4	5	19	22	22
1-5 YRS	74	3.1	3	1	1	3	4	6	6	11
6-12 YRS	76	3.2	4	1	1	3	4	5	7	9
13-19 YRS	152	3.3	4	1	1	3	4	6	7	12
B. *Operated*										
0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	4	5.0	18	<1	<1	4	8	10	10	10
1-5 YRS	68	4.0	47	<1	<1	2	4	6	10	46
6-12 YRS	82	2.8	4	<1	<1	2	4	6	7	8
13-19 YRS	134	3.6	9	<1	1	3	5	7	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	148	2.8	3	1	1	2	4	5	6	8
B. *Operated*	149	2.3	3	<1	<1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	320	3.4	6	1	1	3	4	6	7	13
B. *Operated*	290	3.5	17	<1	<1	2	4	7	9	18
1. SINGLE DX	297	2.5	3	<1	<1	2	3	5	6	9
2. MULTIPLE DX	610	3.4	11	<1	1	3	4	6	8	15
A. NOT OPERATED	468	3.2	5	1	1	3	4	6	7	11
B. OPERATED	439	3.1	12	<1	<1	2	4	6	8	13
TOTAL 0-27 DYS	3	5.3	17	2	2	4	8	10	10	10
1-11 MOS	27	5.3	26	1	2	4	5	10	21	22
1-5 YRS	204	3.2	18	<1	1	2	4	6	6	20
6-12 YRS	255	2.8	4	<1	<1	2	4	5	7	9
13-19 YRS	418	3.2	6	<1	1	3	4	6	7	12
GRAND TOTAL	**907**	**3.1**	**9**	**<1**	**1**	**2**	**4**	**6**	**7**	**12**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	5	2.8	5	1	1	2	4	6	6	6
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	6	1.2		<1	<1	<1	1	2	2	2
1-5 YRS	331	1.4	2	<1	<1	<1	1	2	3	11
6-12 YRS	272	1.7	2	<1	<1	1	2	3	4	8
13-19 YRS	164	2.7	11	<1	<1	2	3	5	7	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	18	1.2		<1	<1	<1	1	2	2	2
6-12 YRS	4	1.3		<1	<1	1	1	2	2	2
13-19 YRS	11	2.6	3	<1	<1	2	4	5	6	6
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	12	5.6	30	<1	<1	4	7	16	16	16
1-5 YRS	296	1.8	3	<1	<1	1	2	3	4	9
6-12 YRS	247	1.9	9	<1	<1	1	2	3	4	12
13-19 YRS	181	3.0	9	<1	<1	2	4	6	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.1	4	1	1	1	3	5	6	6
B. *Operated*	774	1.8	4	<1	<1	1	2	3	5	12
2. MULTIPLE DX										
A. *Not Operated*	34	1.7	1	<1	<1	1	2	3	5	6
B. *Operated*	737	2.2	7	<1	<1	1	2	4	7	15
1. SINGLE DX	782	1.8	4	<1	<1	1	2	3	5	12
2. MULTIPLE DX	771	2.2	7	<1	<1	1	2	4	6	15
A. NOT OPERATED	42	1.8	2	<1	<1	1	2	4	5	6
B. OPERATED	1511	2.0	6	<1	<1	1	2	4	5	14
TOTAL 0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	19	4.1	23	<1	<1	2	6	12	16	16
1-5 YRS	648	1.6	3	<1	<1	1	2	3	4	9
6-12 YRS	523	1.8	5	<1	<1	1	2	3	4	9
13-19 YRS	361	2.9	10	<1	<1	2	3	6	8	19
GRAND TOTAL	**1553**	**2.0**	**6**	**<1**	**<1**	**1**	**2**	**4**	**5**	**14**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	45	4.0	6	1	1	3	5	7	9	11
1-11 MOS	213	3.7	6	1	2	3	4	7	9	12
1-5 YRS	400	2.9	3	1	1	3	4	5	6	10
6-12 YRS	381	2.6	3	1	1	2	3	5	6	8
13-19 YRS	395	2.8	3	1	1	2	4	5	6	8
B. *Operated*										
0-27 DYS	7	4.6	4	1	1	5	6	7	7	7
1-11 MOS	33	3.8	8	<1	1	3	6	8	10	12
1-5 YRS	254	2.2	6	<1	<1	1	2	5	7	15
6-12 YRS	225	2.1	3	<1	<1	1	2	5	6	8
13-19 YRS	193	2.5	6	<1	<1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	213	5.3	7	2	2	5	7	9	10	13
1-11 MOS	859	4.5	8	2	2	4	5	8	10	15
1-5 YRS	1347	4.0	8	1	1	3	5	7	10	13
6-12 YRS	815	3.4	5	1	1	3	4	6	8	12
13-19 YRS	1196	3.7	7	1	1	3	5	7	9	14
B. *Operated*										
0-27 DYS	29	6.7	11	2	3	7	9	11	13	15
1-11 MOS	134	6.4	20	1	2	6	8	11	16	24
1-5 YRS	447	4.0	20	<1	<1	2	6	9	11	24
6-12 YRS	385	3.6	13	<1	<1	2	5	8	10	18
13-19 YRS	393	5.0	34	<1	1	3	6	10	14	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1434	2.9	4	1	1	2	4	5	6	10
B. *Operated*	712	2.3	5	<1	<1	1	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	4430	4.0	7	1	1	3	5	7	9	13
B. *Operated*	1388	4.5	23	<1	<1	3	6	9	12	26
1. SINGLE DX	2146	2.7	4	<1	<1	2	4	5	7	10
2. MULTIPLE DX	5818	4.1	11	1	1	3	5	8	10	16
A. NOT OPERATED	5864	3.7	7	1	1	3	5	7	9	13
B. OPERATED	2100	3.8	18	<1	<1	2	5	8	11	21
TOTAL 0-27 DYS	294	5.2	7	2	2	5	7	9	10	14
1-11 MOS	1239	4.6	9	1	2	4	6	8	10	16
1-5 YRS	2448	3.7	10	<1	1	3	5	7	9	15
6-12 YRS	1806	3.1	6	<1	1	2	4	6	8	13
13-19 YRS	2177	3.7	12	1	1	3	5	7	9	16
GRAND TOTAL	**7964**	**3.7**	**10**	**<1**	**1**	**3**	**5**	**7**	**9**	**15**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	2	6.5	1	6	6	6	7	7	7	7
1-11 MOS	9	4.8	9	2	2	4	7	10	10	10
1-5 YRS	2	3.0	8	<1	<1	2	5	5	5	5
6-12 YRS										
13-19 YRS	2	3.0	8	1	1	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	14.0		14	14	14	14	14	14	14
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS										
B. *Operated*										
0-27 DYS	5	7.2	17	3	3	5	11	13	13	13
1-11 MOS	24	4.8	5	1	2	5	6	7	9	11
1-5 YRS	7	6.3	14	1	1	8	9	11	11	11
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	1	12.0		12	12	12	12	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	15	4.5	7	<1	1	4	6	9	10	10
2. MULTIPLE DX										
A. *Not Operated*	2	10.5	25	7	7	10	14	14	14	14
B. *Operated*	38	5.5	9	1	2	5	7	11	12	13
1. SINGLE DX	15	4.5	7	<1	1	4	6	9	10	10
2. MULTIPLE DX	40	5.8	11	1	2	5	8	11	12	14
A. NOT OPERATED	2	10.5	25	7	7	10	14	14	14	14
B. OPERATED	53	5.2	9	1	2	5	7	10	11	13
TOTAL 0-27 DYS	7	7.0	12	3	3	6	9	12	13	13
1-11 MOS	33	4.8	6	1	2	4	6	8	10	11
1-5 YRS	10	6.4	19	<1	<1	6	9	12	14	14
6-12 YRS	2	5.0	8	3	3	5	7	7	7	7
13-19 YRS	3	6.0	31	1	1	5	10	12	12	12
GRAND TOTAL	**55**	**5.4**	**10**	**1**	**2**	**5**	**7**	**10**	**12**	**14**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	2.0	2	<1	<1	1	3	3	3	3
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	16	3.0	4	1	1	3	5	5	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	20	2.1	2	<1	<1	1	3	5	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS										
6-12 YRS										
13-19 YRS	23	4.0	5	2	2	4	4	5	8	13
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	1	18.0		18	18	18	18	18	18	18
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	22	3.6	6	<1	<1	3	5	8	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	2.9	4	<1	1	2	5	5	6	7
B. *Operated*	20	2.1	2	<1	<1	1	3	5	5	6
2. MULTIPLE DX										
A. *Not Operated*	24	4.0	5	2	2	4	4	5	8	13
B. *Operated*	26	4.3	14	<1	<1	3	6	8	11	18
1. SINGLE DX	38	2.4	3	<1	<1	2	4	5	6	7
2. MULTIPLE DX	50	4.1	9	<1	1	3	5	8	9	18
A. NOT OPERATED	42	3.5	5	1	1	3	4	5	6	13
B. OPERATED	46	3.3	10	<1	<1	2	4	8	8	18
TOTAL 0-27 DYS	3	4.0	13	<1	<1	3	7	8	8	8
1-11 MOS	2	11.5	85	5	5	11	18	18	18	18
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	81	3.2	5	<1	<1	3	4	6	7	12
GRAND TOTAL	**88**	**3.4**	**7**	**<1**	**<1**	**3**	**4**	**6**	**8**	**16**

237: Hydrocele (603)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	2.0	2	<1	<1	1	3	3	3	3
1-11 MOS	6	1.3		1	1	1	2	2	2	2
1-5 YRS	3	1.7	1	1	1	1	3	3	3	3
6-12 YRS	3	1.3		1	1	1	2	2	2	2
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	89	1.4	1	<1	<1	1	1	2	4	6
1-5 YRS	258	1.3		<1	<1	1	2	2	3	3
6-12 YRS	107	1.5	1	<1	<1	1	2	3	4	5
13-19 YRS	181	1.9	1	<1	1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	12	3.0	13	<1	<1	2	3	9	12	13
1-5 YRS	33	1.2	1	<1	<1	1	1	1	2	5
6-12 YRS	6	1.0		<1	<1	1	1	1	1	1
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS	2	20.0	338	7	7	20	33	33	33	33
1-11 MOS	84	1.8	2	<1	<1	1	2	3	5	8
1-5 YRS	281	1.7	1	<1	<1	1	2	3	4	8
6-12 YRS	127	1.6	1	<1	<1	1	2	3	3	4
13-19 YRS	111	2.2	2	1	1	2	3	4	5	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	1.5	1	<1	1	1	2	3	3	3
B. *Operated*	636	1.6	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	52	1.6	4	<1	<1	1	1	2	5	13
B. *Operated*	605	1.8	3	<1	<1	1	2	3	4	7
1. SINGLE DX	651	1.6	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX	657	1.8	3	<1	<1	1	2	3	4	8
A. NOT OPERATED	67	1.6	3	<1	<1	1	1	3	4	12
B. OPERATED	1241	1.7	2	<1	<1	1	2	3	4	6
TOTAL 0-27 DYS	5	9.0	186	<1	<1	3	13	33	33	33
1-11 MOS	191	1.7	2	<1	<1	1	2	3	4	8
1-5 YRS	575	1.5	1	<1	<1	1	2	2	3	5
6-12 YRS	243	1.6	1	<1	<1	1	2	3	3	5
13-19 YRS	294	2.0	1	<1	1	2	3	4	4	6
GRAND TOTAL	**1308**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**6**

238: Orchitis and epididymitis (604)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	4	1.3		<1	<1	1	2	2	2	2
6-12 YRS	72	3.0	4	1	1	3	4	6	6	8
13-19 YRS	254	3.7	4	1	1	3	5	7	8	9
B. *Operated*										
0-27 DYS										
1-11 MOS	4	2.0	1	1	1	2	3	3	3	3
1-5 YRS	20	1.7	1	<1	1	1	2	4	4	5
6-12 YRS	44	2.0	2	1	1	2	2	3	6	7
13-19 YRS	90	3.1	7	1	1	2	4	6	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	6	3.7	6	1	1	3	6	7	7	7
6-12 YRS	28	3.3	3	1	1	3	4	6	7	9
13-19 YRS	118	4.0	5	1	2	4	5	7	7	12
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	4	1.8	2	1	1	1	3	4	4	4
6-12 YRS	16	3.3	10	<1	<1	2	4	9	10	11
13-19 YRS	71	4.0	10	1	1	4	5	8	10	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	331	3.5	4	1	1	3	5	6	7	9
B. *Operated*	158	2.6	5	1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	153	3.8	5	1	1	3	5	6	7	12
B. *Operated*	93	3.8	10	1	1	3	5	7	10	17
1. SINGLE DX	489	3.2	5	1	1	3	5	6	7	10
2. MULTIPLE DX	246	3.8	7	1	1	3	5	7	9	12
A. NOT OPERATED	484	3.6	4	1	1	3	5	6	7	10
B. OPERATED	251	3.0	7	1	1	2	4	6	9	12
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	7	3.0	4	1	1	2	4	6	7	7
1-5 YRS	34	2.0	3	<1	1	1	3	4	6	7
6-12 YRS	160	2.8	4	1	1	2	4	6	7	9
13-19 YRS	533	3.7	6	1	1	3	5	7	8	12
GRAND TOTAL	**735**	**3.4**	**5**	**1**	**1**	**3**	**5**	**6**	**8**	**11**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	8	1.0		<1	<1	<1	1	1	1	1
1-11 MOS	3	1.0		<1	<1	1	1	1	1	1
1-5 YRS	18	1.4	1	<1	<1	1	1	2	5	6
6-12 YRS	4	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	5	2.6	2	1	1	2	3	5	5	5
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	196	1.2		<1	<1	<1	1	2	2	3
1-5 YRS	954	1.2		<1	<1	<1	1	2	2	3
6-12 YRS	380	1.3		<1	<1	1	2	2	2	3
13-19 YRS	221	1.4	1	<1	<1	1	2	2	2	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	1.0		<1	<1	<1	1	1	1	1
1-11 MOS	14	1.2		<1	<1	1	1	2	3	3
1-5 YRS	61	1.2		<1	<1	1	1	2	2	3
6-12 YRS	16	1.7	2	<1	<1	<1	2	3	6	7
13-19 YRS	4	1.5	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	50	1.6	1	<1	<1	1	2	2	3	7
1-5 YRS	247	1.4	1	<1	<1	1	2	2	3	4
6-12 YRS	112	1.6	1	<1	<1	1	2	3	3	7
13-19 YRS	64	2.0	2	<1	<1	2	2	3	5	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	1.4	1	<1	<1	1	1	2	4	6
B. *Operated*	1752	1.3		<1	<1	1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	97	1.3	1	<1	<1	1	1	2	3	5
B. *Operated*	473	1.6	1	<1	<1	1	2	3	3	6
1. SINGLE DX	1790	1.3		<1	<1	1	1	2	2	3
2. MULTIPLE DX	570	1.5	1	<1	<1	1	2	2	3	6
A. NOT OPERATED	135	1.3	1	<1	<1	1	1	2	3	6
B. OPERATED	2225	1.3	1	<1	<1	1	2	2	2	4
TOTAL 0-27 DYS	11	1.0		<1	<1	<1	1	1	1	1
1-11 MOS	263	1.3		<1	<1	1	1	2	2	5
1-5 YRS	1280	1.3		<1	<1	1	1	2	2	3
6-12 YRS	512	1.4	1	<1	<1	1	2	2	2	5
13-19 YRS	294	1.6	1	<1	<1	1	2	2	3	7
GRAND TOTAL	**2360**	**1.3**	**1**	**<1**	**<1**	**1**	**2**	**2**	**2**	**4**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	3.0	2	<1	<1	3	4	4	4	4
1-11 MOS	10	3.3	4	1	1	3	4	6	8	8
1-5 YRS	42	2.0	1	<1	1	2	2	4	5	6
6-12 YRS	53	1.7	1	<1	<1	1	2	3	4	6
13-19 YRS	48	1.8	2	<1	<1	1	2	4	5	7
B. *Operated*										
0-27 DYS	7	1.6	1	<1	<1	1	2	3	3	3
1-11 MOS	22	2.4	4	<1	1	2	3	5	7	9
1-5 YRS	217	1.5	1	<1	<1	1	2	2	3	5
6-12 YRS	658	1.5	1	<1	<1	1	2	2	3	6
13-19 YRS	1304	1.7	1	<1	1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	12	3.3	4	<1	1	3	4	6	9	9
1-11 MOS	8	2.8	2	<1	<1	3	4	4	4	4
1-5 YRS	53	2.6	3	<1	1	3	3	4	5	11
6-12 YRS	36	2.7	3	<1	1	2	3	5	6	7
13-19 YRS	47	2.9	5	<1	1	2	4	7	8	10
B. *Operated*										
0-27 DYS	8	2.6	15	<1	<1	1	2	9	12	12
1-11 MOS	31	2.3	2	<1	<1	2	3	4	5	6
1-5 YRS	158	2.0	3	<1	<1	1	2	4	5	11
6-12 YRS	257	2.0	3	<1	1	1	2	4	5	10
13-19 YRS	448	2.4	3	1	1	2	3	5	6	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	157	2.0	2	<1	<1	1	2	4	5	7
B. *Operated*	2208	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	156	2.8	3	<1	1	2	3	5	7	10
B. *Operated*	902	2.2	3	<1	1	2	3	4	6	10
1. SINGLE DX	2365	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	1058	2.3	3	<1	1	2	3	4	6	10
A. NOT OPERATED	313	2.4	3	<1	1	2	3	4	6	9
B. OPERATED	3110	1.8	2	<1	1	1	2	3	4	7
TOTAL 0-27 DYS	31	2.7	6	<1	<1	2	3	4	9	12
1-11 MOS	71	2.5	3	<1	<1	2	3	5	5	9
1-5 YRS	470	1.8	2	<1	<1	1	2	3	4	7
6-12 YRS	1004	1.7	2	<1	<1	1	2	3	4	7
13-19 YRS	1847	1.9	2	<1	1	1	2	3	5	8
GRAND TOTAL	**3423**	**1.9**	**2**	**<1**	**1**	**1**	**2**	**3**	**4**	**7**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS	8	1.3	1	<1	<1	1	1	3	3	3
13-19 YRS	108	1.8	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
0-27 DYS	2	6.5	25	3	3	6	10	10	10	10
1-11 MOS	4	3.0	3	1	1	3	4	5	5	5
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS										
13-19 YRS	37	2.1	1	<1	<1	2	2	3	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	118	1.8	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*	44	2.5	3	<1	<1	2	3	5	6	10
1. SINGLE DX	118	1.8	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	46	2.5	3	<1	<1	2	3	5	6	10
A. NOT OPERATED	2	3.0	2	2	2	3	4	4	4	4
B. OPERATED	162	2.0	2	<1	<1	2	2	3	5	7
TOTAL 0-27 DYS	3	6.0	13	3	3	5	9	10	10	10
1-11 MOS	5	2.8	3	1	1	2	4	5	5	5
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	8	1.3	1	<1	<1	1	1	3	3	3
13-19 YRS	147	1.9	1	<1	<1	2	2	3	4	5
GRAND TOTAL	**164**	**2.0**	**2**	**<1**	**<1**	**2**	**2**	**3**	**5**	**7**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	10	4.1	8	1	1	3	5	9	10	10
1-11 MOS	6	4.5	8	1	1	4	7	8	8	8
1-5 YRS	5	5.0	3	3	3	5	6	7	7	7
6-12 YRS	7	4.0	5	2	2	3	5	8	8	8
13-19 YRS	41	3.0	2	1	1	3	4	5	6	8
B. *Operated*										
0-27 DYS	10	3.5	9	<1	<1	3	4	8	10	10
1-11 MOS	5	3.8	1	3	3	3	5	5	5	5
1-5 YRS	6	3.5	4	2	2	3	4	7	7	7
6-12 YRS	50	2.1	3	<1	<1	2	3	3	4	12
13-19 YRS	1074	2.5	2	<1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	9	4.2	8	1	2	3	5	9	10	10
1-11 MOS	10	4.2	3	2	2	4	5	7	8	8
1-5 YRS	3	5.0	12	1	1	7	7	7	7	7
6-12 YRS	5	2.6	3	1	1	3	4	5	5	5
13-19 YRS	24	2.9	8	<1	<1	2	4	7	9	12
B. *Operated*										
0-27 DYS	3	3.7	8	2	2	2	6	7	7	7
1-11 MOS	11	3.7	8	<1	1	3	4	8	11	11
1-5 YRS	4	5.3	13	2	2	4	8	10	10	10
6-12 YRS	10	2.7	4	<1	<1	2	3	6	8	8
13-19 YRS	330	2.9	3	1	1	3	4	5	5	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	3.6	4	1	2	3	5	7	8	10
B. *Operated*	1145	2.5	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	51	3.5	7	<1	1	3	5	7	8	12
B. *Operated*	358	3.0	3	1	1	3	4	5	6	10
1. SINGLE DX	1214	2.5	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	409	3.0	4	1	1	3	4	5	7	11
A. NOT OPERATED	120	3.5	5	1	1	3	5	7	8	11
B. OPERATED	1503	2.6	2	<1	1	2	3	4	5	8
TOTAL 0-27 DYS	32	3.9	8	1	1	3	5	9	10	10
1-11 MOS	32	4.0	5	1	2	4	5	7	8	11
1-5 YRS	18	4.6	6	1	2	4	7	7	9	10
6-12 YRS	72	2.4	4	<1	<1	2	3	4	6	11
13-19 YRS	1469	2.6	2	<1	1	2	3	4	5	8
GRAND TOTAL	**1623**	**2.7**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	3.5	13	1	1	3	6	6	6	6
1-11 MOS	5	2.2	1	1	1	2	3	4	4	4
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	75	2.1	2	<1	1	2	3	4	5	7
13-19 YRS	1176	2.1	2	1	1	2	3	4	5	7
B. *Operated*										
0-27 DYS	7	5.0	8	2	2	4	8	9	9	9
1-11 MOS	3	2.7	2	1	1	3	4	4	4	4
1-5 YRS	2	5.5	1	5	5	5	6	6	6	6
6-12 YRS	40	3.8	4	1	1	4	5	6	7	11
13-19 YRS	1365	3.6	4	1	1	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	2	7.0	50	2	2	7	12	12	12	12
6-12 YRS	42	2.4	2	1	1	2	3	4	5	8
13-19 YRS	787	2.7	14	1	1	2	3	5	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS	10	4.1	3	2	2	4	5	7	8	8
1-5 YRS	8	4.9	2	3	3	5	6	7	7	7
6-12 YRS	32	4.7	5	1	2	4	6	8	10	11
13-19 YRS	1414	4.4	10	1	2	4	5	7	8	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1259	2.1	2	1	1	2	3	4	5	7
B. *Operated*	1417	3.6	4	1	1	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	833	2.7	13	1	1	2	3	5	6	8
B. *Operated*	1464	4.4	9	1	2	4	5	7	8	13
1. SINGLE DX	2676	2.9	3	1	1	2	4	5	6	9
2. MULTIPLE DX	2297	3.8	11	1	1	3	5	6	8	12
A. NOT OPERATED	2092	2.4	6	1	1	2	3	4	5	8
B. OPERATED	2881	4.0	7	1	1	4	5	6	8	11
TOTAL 0-27 DYS	10	4.4	8	1	1	4	6	9	9	9
1-11 MOS	19	3.2	3	<1	1	3	4	5	7	8
1-5 YRS	13	5.0	7	<1	2	5	6	8	11	12
6-12 YRS	189	3.0	4	1	1	3	4	5	6	10
13-19 YRS	4742	3.3	7	1	1	3	4	6	7	10
GRAND TOTAL	**4973**	**3.3**	**7**	**1**	**1**	**3**	**4**	**6**	**7**	**10**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	6	3.0	2	2	2	3	4	5	5	5
1-5 YRS	5	4.8	2	3	3	5	6	6	6	6
6-12 YRS	17	5.3	12	1	2	5	6	7	13	17
13-19 YRS	3022	4.0	4	1	2	4	5	6	8	11
B. *Operated*										
0-27 DYS										
1-11 MOS	4	5.0	5	3	3	4	6	8	8	8
1-5 YRS	2	4.5	25	<1	<1	4	8	8	8	8
6-12 YRS	10	7.2	20	2	3	5	10	14	16	16
13-19 YRS	600	4.8	7	1	2	4	6	8	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	5.7	11	3	3	5	6	11	12	12
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	16	4.9	9	2	2	4	6	11	12	12
13-19 YRS	2218	4.4	6	2	2	4	5	7	9	12
B. *Operated*										
0-27 DYS	4	5.0	2	3	3	5	6	6	6	6
1-11 MOS	10	5.6	6	2	2	5	7	9	10	10
1-5 YRS	3	7.3	33	4	4	4	12	14	14	14
6-12 YRS	21	7.7	13	3	4	7	9	13	15	16
13-19 YRS	1238	5.7	12	1	2	5	7	10	12	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3051	4.0	4	1	2	4	5	6	8	11
B. *Operated*	616	4.8	7	1	2	5	6	8	10	13
2. MULTIPLE DX										
A. *Not Operated*	2241	4.4	6	2	2	4	5	7	9	12
B. *Operated*	1276	5.7	12	1	2	5	7	10	12	17
1. SINGLE DX	3667	4.1	5	1	2	4	5	7	8	12
2. MULTIPLE DX	3517	4.9	8	1	2	4	6	8	10	14
A. NOT OPERATED	5292	4.1	5	1	2	4	5	7	8	12
B. OPERATED	1892	5.5	11	1	2	5	7	9	11	16
TOTAL 0-27 DYS	5	5.0	2	3	3	5	6	6	6	6
1-11 MOS	26	4.9	6	2	2	5	6	8	10	12
1-5 YRS	11	5.3	12	<1	2	4	6	10	14	14
6-12 YRS	64	6.3	14	2	3	5	8	12	15	17
13-19 YRS	7078	4.5	7	1	2	4	6	7	9	13
GRAND TOTAL	**7184**	**4.5**	**7**	**1**	**2**	**4**	**6**	**7**	**9**	**13**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	24	2.8	4	<1	<1	2	4	6	7	8
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	4.7	9	2	2	4	7	8	8	8
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	111	2.8	4	<1	<1	2	4	6	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	29	2.8	2	<1	1	3	3	5	6	6
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	14	5.1	4	<1	2	5	6	7	9	9
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	2	6.5	5	5	5	6	8	8	8	8
13-19 YRS	213	3.7	6	<1	1	4	5	7	8	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	2.8	4	<1	<1	2	4	6	7	8
B. *Operated*	117	2.9	4	<1	<1	2	4	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	29	2.8	2	<1	1	3	3	5	6	6
B. *Operated*	231	3.8	6	<1	1	4	5	7	8	11
1. SINGLE DX	141	2.9	4	<1	<1	2	4	6	7	8
2. MULTIPLE DX	260	3.7	6	<1	1	3	5	7	8	11
A. NOT OPERATED	53	2.8	3	<1	1	3	4	6	6	8
B. OPERATED	348	3.5	5	<1	<1	3	5	6	8	10
TOTAL 0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	17	5.0	4	1	2	5	6	8	9	9
1-5 YRS	2	4.5	1	4	4	4	5	5	5	5
6-12 YRS	3	5.7	4	4	4	5	7	8	8	8
13-19 YRS	377	3.3	5	<1	<1	3	5	6	7	10
GRAND TOTAL	**401**	**3.4**	**5**	**<1**	**<1**	**3**	**5**	**6**	**8**	**10**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	4	1.3		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	14	3.1	1	<1	1	3	4	5	5	5
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	1	41.0		41	41	41	41	41	41	41
6-12 YRS										
13-19 YRS	22	2.5	4	<1	<1	2	4	6	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*	5	1.4		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	15	3.0	1	<1	2	3	4	5	5	5
B. *Operated*	25	4.2	63	<1	<1	2	5	6	15	41
1. SINGLE DX	7	1.7	1	<1	<1	2	2	3	3	3
2. MULTIPLE DX	40	3.8	39	<1	<1	3	4	6	7	41
A. NOT OPERATED	17	2.9	1	1	2	3	4	5	5	5
B. OPERATED	30	3.8	53	<1	<1	2	4	6	7	41
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	2	21.5	761	2	2	21	41	41	41	41
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	42	2.6	3	<1	<1	2	4	5	6	7
GRAND TOTAL	**47**	**3.5**	**34**	**<1**	**<1**	**2**	**4**	**5**	**6**	**41**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	20	2.9	6	<1	<1	2	4	5	8	12
6-12 YRS	16	2.6	8	<1	<1	1	3	6	9	11
13-19 YRS	106	3.2	2	1	1	3	4	5	6	7
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	3	3.7	9	1	1	3	6	7	7	7
6-12 YRS	6	2.0	4	1	1	1	2	6	6	6
13-19 YRS	165	2.0	2	<1	<1	1	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	2.0		2	2	2	2	2	2	2
1-5 YRS	27	4.1	7	1	1	3	5	8	9	11
6-12 YRS	20	3.4	4	<1	1	3	4	7	8	8
13-19 YRS	170	4.1	5	1	2	4	5	7	9	11
B. *Operated*										
0-27 DYS										
1-11 MOS	2	5.0	8	3	3	5	7	7	7	7
1-5 YRS	3	2.7	4	<1	<1	2	4	5	5	5
6-12 YRS	7	4.3	4	2	2	5	6	7	7	7
13-19 YRS	118	3.8	10	<1	1	3	5	8	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	143	3.1	3	<1	1	3	4	5	6	11
B. *Operated*	175	2.0	2	<1	<1	1	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	220	4.0	5	1	2	4	5	7	8	11
B. *Operated*	130	3.8	10	<1	1	3	5	8	9	17
1. SINGLE DX	318	2.5	3	<1	1	2	3	5	6	8
2. MULTIPLE DX	350	3.9	7	1	1	3	5	7	9	11
A. NOT OPERATED	363	3.7	4	1	1	3	5	6	8	11
B. OPERATED	305	2.8	6	<1	1	2	4	6	8	11
TOTAL 0-27 DYS										
1-11 MOS	7	2.9	3	2	2	2	3	6	7	7
1-5 YRS	53	3.5	7	<1	1	3	4	7	9	12
6-12 YRS	49	3.1	6	<1	<1	2	5	7	7	11
13-19 YRS	559	3.3	5	<1	1	3	4	6	8	11
GRAND TOTAL	**668**	**3.3**	**5**	**<1**	**1**	**3**	**4**	**6**	**8**	**11**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	5	4.6	2	3	3	4	5	7	7	7
1-5 YRS	3	4.0	19	1	1	2	7	9	9	9
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	6	4.5	2	2	2	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-27 DYS	4	8.0	14	4	4	7	10	13	13	13
1-11 MOS	9	5.9	6	3	3	6	7	9	10	10
1-5 YRS	2	7.5	1	7	7	8	77	99+	99+	99+
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	11	5.2	12	<1	1	4	7	11	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		1	1	1	1	1	1	1
B. *Operated*	15	4.3	4	1	2	4	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*	27	6.0	9	2	3	6	8	12	22	99+
1. SINGLE DX	17	3.9	5	1	1	4	5	7	8	9
2. MULTIPLE DX	29	5.8	9	1	2	6	8	11	13	99+
A. NOT OPERATED	4	2.0	4	1	1	1	3	5	5	5
B. OPERATED	42	5.4	8	1	2	5	7	9	13	99+
TOTAL 0-27 DYS	5	6.6	20	1	1	7	9	13	13	13
1-11 MOS	14	5.4	5	3	3	5	7	8	10	10
1-5 YRS	6	4.7	14	1	1	7	9	82	99+	99+
6-12 YRS	2	4.5	5	3	3	4	6	6	6	6
13-19 YRS	19	4.7	8	<1	1	4	6	8	11	13
GRAND TOTAL	**46**	**5.1**	**8**	**1**	**1**	**5**	**7**	**9**	**13**	**99+**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	1.3		1	1	1	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	12	1.8	1	<1	<1	2	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	9	1.9	2	<1	<1	1	3	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	14	2.2	3	<1	1	1	3	4	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.3		1	1	1	2	2	2	2
B. *Operated*	12	1.8	1	<1	<1	2	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*	10	1.9	1	<1	<1	2	2	4	4	4
B. *Operated*	14	2.2	3	<1	1	1	3	4	6	6
1. SINGLE DX	15	1.7	1	<1	1	2	2	2	4	4
2. MULTIPLE DX	24	2.1	2	<1	1	1	3	4	5	6
A. NOT OPERATED	13	1.8	1	<1	<1	1	2	4	4	4
B. OPERATED	26	2.0	2	<1	1	2	3	4	5	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	38	1.9	2	<1	1	1	2	4	4	6
GRAND TOTAL	**39**	**1.9**	**2**	**<1**	**1**	**1**	**2**	**4**	**4**	**6**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	11	1.9	2	1	1	2	2	4	5	5
13-19 YRS	212	1.9	2	<1	<1	2	2	3	4	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	3.2	7	1	1	2	4	8	8	8
13-19 YRS	339	1.6	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	28	2.3	1	1	1	2	3	4	4	4
13-19 YRS	314	2.4	2	1	1	2	3	4	5	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	19	3.8	12	1	1	2	6	9	12	13
13-19 YRS	457	2.8	6	<1	1	2	3	5	7	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	223	1.9	1	<1	<1	2	2	3	4	7
B. *Operated*	345	1.7	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	342	2.4	2	1	1	2	3	4	5	8
B. *Operated*	476	2.8	6	<1	1	2	3	6	7	11
1. SINGLE DX	568	1.8	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	818	2.6	5	<1	1	2	3	5	6	9
A. NOT OPERATED	565	2.2	2	<1	1	2	3	4	5	7
B. OPERATED	821	2.3	4	<1	1	2	3	5	6	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	64	2.8	5	1	1	2	3	5	7	13
13-19 YRS	1322	2.3	3	<1	1	2	3	4	5	8
GRAND TOTAL	**1386**	**2.3**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**8**

1,569 Hospitals, United States, January-December 1985

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	2.7		2	2	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	3	2.7		2	2	3	3	3	3	3
1. SINGLE DX	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX	3	2.7		2	2	3	3	3	3	3
A. NOT OPERATED										
B. OPERATED	5	2.4		2	2	2	3	3	3	3
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	5	2.4		2	2	2	3	3	3	3
GRAND TOTAL	**5**	**2.4**		**2**	**2**	**2**	**3**	**3**	**3**	**3**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	3	2.3		2	2	2	3	3	3	3
1-5 YRS	11	1.6	1	<1	<1	1	2	4	4	4
6-12 YRS	11	3.0	15	<1	<1	1	3	9	13	13
13-19 YRS	91	2.2	3	1	1	2	3	5	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS	6	3.5	4	<1	<1	3	6	6	6	6
1-5 YRS	13	2.5	3	<1	<1	2	3	5	6	6
6-12 YRS	42	3.3	4	<1	<1	3	4	6	6	10
13-19 YRS	253	2.6	4	<1	<1	2	4	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	9	2.4	1	<1	<1	3	3	4	4	4
6-12 YRS	12	3.3	7	<1	<1	3	4	7	10	10
13-19 YRS	113	2.7	8	<1	1	2	3	5	7	17
B. *Operated*										
0-27 DYS	6	8.0	59	1	1	6	7	21	23	23
1-11 MOS	18	4.9	13	<1	1	4	7	9	13	15
1-5 YRS	13	5.5	20	1	2	4	7	13	15	16
6-12 YRS	38	4.9	7	<1	2	4	6	8	10	13
13-19 YRS	376	3.6	8	<1	1	3	5	7	8	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	2.3	4	<1	<1	2	3	5	6	10
B. *Operated*	314	2.7	4	<1	<1	2	4	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	135	2.7	7	<1	1	2	3	5	7	15
B. *Operated*	451	3.9	10	<1	1	3	5	7	9	16
1. SINGLE DX	432	2.6	4	<1	<1	2	4	5	6	10
2. MULTIPLE DX	586	3.6	9	<1	1	3	5	7	8	16
A. NOT OPERATED	253	2.5	6	<1	<1	2	3	5	6	13
B. OPERATED	765	3.4	8	<1	<1	3	5	6	8	13
TOTAL 0-27 DYS	8	6.5	50	1	1	5	7	18	23	23
1-11 MOS	28	4.2	10	<1	1	3	6	8	10	15
1-5 YRS	46	3.1	9	<1	<1	2	4	6	10	16
6-12 YRS	103	3.8	7	<1	<1	4	5	7	9	13
13-19 YRS	833	3.0	7	<1	1	2	4	6	7	13
GRAND TOTAL	**1018**	**3.2**	**7**	**<1**	**<1**	**2**	**4**	**6**	**8**	**13**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS	49	1.8	1	1	1	1	2	3	4	5
13-19 YRS	539	1.8	2	<1	1	1	2	3	4	5
B. *Operated*										
0-27 DYS	2	3.0	8	<1	<1	2	5	5	5	5
1-11 MOS	4	2.0	1	<1	<1	2	3	3	3	3
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	10	2.3	2	1	1	2	3	4	5	5
13-19 YRS	249	2.5	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	3	2.0	3	<1	<1	1	3	4	4	4
6-12 YRS	23	2.1	3	<1	1	1	2	4	6	9
13-19 YRS	431	2.2	3	<1	1	2	3	4	5	7
B. *Operated*										
0-27 DYS	4	4.0	1	3	3	4	5	5	5	5
1-11 MOS	15	6.7	23	2	4	6	7	14	19	21
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	6	3.3	10	<1	<1	2	5	9	9	9
13-19 YRS	302	3.1	6	<1	1	2	4	6	8	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	589	1.8	2	<1	1	1	2	3	4	5
B. *Operated*	266	2.5	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	460	2.2	3	<1	1	2	3	4	5	7
B. *Operated*	328	3.3	7	<1	1	2	5	6	8	14
1. SINGLE DX	855	2.0	2	<1	<1	2	2	4	5	7
2. MULTIPLE DX	788	2.6	5	<1	1	2	3	5	6	11
A. NOT OPERATED	1049	2.0	2	<1	1	2	2	3	4	6
B. OPERATED	594	2.9	5	<1	<1	2	4	6	7	11
TOTAL 0-27 DYS	7	3.6	2	<1	1	4	5	5	5	5
1-11 MOS	22	5.2	21	<1	1	4	6	9	17	21
1-5 YRS	5	2.4	2	<1	<1	2	4	4	4	4
6-12 YRS	88	2.0	2	1	1	2	2	4	5	9
13-19 YRS	1521	2.3	3	<1	1	2	3	4	6	9
GRAND TOTAL	**1643**	**2.3**	**4**	**<1**	**1**	**2**	**3**	**5**	**6**	**9**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	27	1.8	1	<1	<1	1	2	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	503	4.2	2	2	3	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	19	1.9	2	<1	<1	1	3	4	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	453	4.7	5	2	3	4	5	7	8	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	1.8	1	<1	<1	1	2	4	4	4
B. *Operated*	504	4.2	2	2	3	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	19	1.9	2	<1	<1	1	3	4	5	5
B. *Operated*	454	4.7	5	2	3	4	5	7	8	12
1. SINGLE DX	531	4.0	2	1	2	4	5	6	6	8
2. MULTIPLE DX	473	4.6	5	2	3	4	5	7	8	12
A. NOT OPERATED	46	1.8	1	<1	<1	1	2	4	4	5
B. OPERATED	958	4.4	4	2	3	4	5	6	7	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	5.5	5	4	4	5	7	7	7	7
13-19 YRS	1002	4.3	4	2	2	4	5	6	7	11
GRAND TOTAL	**1004**	**4.3**	**4**	**2**	**2**	**4**	**5**	**6**	**7**	**11**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	93	1.7	3	<1	<1	1	2	2	4	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	12	1.5		<1	<1	1	2	3	3	3
13-19 YRS	2523	1.3		<1	<1	1	2	2	2	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	86	1.6	1	<1	<1	<1	2	3	5	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1010	1.4	2	<1	<1	<1	1	2	3	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	1.7	3	<1	<1	1	2	2	4	11
B. *Operated*	2535	1.3		<1	<1	1	2	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	86	1.6	1	<1	<1	<1	2	3	5	6
B. *Operated*	1011	1.4	2	<1	<1	<1	1	2	3	7
1. SINGLE DX	2628	1.3	1	<1	<1	1	2	2	2	4
2. MULTIPLE DX	1097	1.4	2	<1	<1	<1	1	2	3	7
A. NOT OPERATED	179	1.6	2	<1	<1	1	2	3	4	10
B. OPERATED	3546	1.3	1	<1	<1	<1	1	2	2	5
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	13	1.5		<1	<1	1	2	3	3	3
13-19 YRS	3712	1.4	1	<1	<1	<1	1	2	3	5
GRAND TOTAL	**3725**	**1.4**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**5**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	2.7	2	<1	<1	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	3.0	8	1	1	3	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	3	2.7	2	<1	<1	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	2	3.0	8	1	1	3	5	5	5	5
1. SINGLE DX	4	2.5	2	<1	<1	2	3	4	4	4
2. MULTIPLE DX	2	3.0	8	1	1	3	5	5	5	5
A. NOT OPERATED	1	2.0		2	2	2	2	2	2	2
B. OPERATED	5	2.8	3	<1	<1	3	4	5	5	5
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	2.7	3	<1	<1	2	4	5	5	5
GRAND TOTAL	**6**	**2.7**	**3**	**<1**	**<1**	**2**	**4**	**5**	**5**	**5**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	669	1.5	1	<1	<1	1	2	2	3	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	9	1.7	2	<1	<1	1	2	4	5	5
13-19 YRS	4795	1.4	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	181	2.1	2	<1	1	2	3	4	5	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	852	2.0	3	<1	1	1	2	4	5	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	670	1.5	1	<1	<1	1	2	2	3	5
B. *Operated*	4804	1.4	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	181	2.1	2	<1	1	2	3	4	5	8
B. *Operated*	854	2.0	3	<1	1	1	2	4	5	9
1. SINGLE DX	5474	1.4	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX	1035	2.0	3	<1	1	1	2	4	5	9
A. NOT OPERATED	851	1.6	1	<1	<1	1	2	3	4	7
B. OPERATED	5658	1.5	1	<1	<1	1	2	2	3	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	12	1.8	2	<1	<1	1	2	4	5	5
13-19 YRS	6497	1.5	1	<1	<1	1	2	3	3	6
GRAND TOTAL	**6509**	**1.5**	**1**	**<1**	**<1**	**1**	**2**	**3**	**3**	**6**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	240	2.8	3	1	1	2	4	5	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.3		3	3	3	4	4	4	4
13-19 YRS	577	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	116	3.2	4	1	1	3	4	6	7	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	246	2.8	8	<1	1	2	3	6	7	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	240	2.8	3	1	1	2	4	5	6	8
B. *Operated*	580	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	116	3.2	4	1	1	3	4	6	7	11
B. *Operated*	247	2.8	8	<1	1	2	3	6	7	17
1. SINGLE DX	820	2.1	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX	363	2.9	7	1	1	2	4	6	7	12
A. NOT OPERATED	356	2.9	3	1	1	3	4	5	6	10
B. OPERATED	827	2.1	4	<1	<1	1	2	4	5	10
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	3.5		3	3	3	4	4	4	4
13-19 YRS	1179	2.3	4	<1	1	2	3	5	6	10
GRAND TOTAL	**1183**	**2.3**	**4**	**<1**	**1**	**2**	**3**	**5**	**6**	**10**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	669	1.9	1	<1	1	2	2	3	4	6
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	15	1.7	1	<1	<1	1	2	3	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	176	2.7	5	<1	1	2	3	4	6	11
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	23	3.0	4	1	1	3	5	5	6	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	669	1.9	1	<1	1	2	2	3	4	6
B. Operated	15	1.7	1	<1	<1	1	2	3	5	5
2. MULTIPLE DX										
A. Not Operated	176	2.7	5	<1	1	2	3	4	6	11
B. Operated	23	3.0	4	1	1	3	5	5	6	8
1. SINGLE DX	684	1.9	1	<1	1	2	2	3	4	6
2. MULTIPLE DX	199	2.7	5	<1	1	2	3	5	6	11
A. NOT OPERATED	845	2.0	2	<1	1	2	2	4	4	7
B. OPERATED	38	2.5	3	<1	1	2	4	5	5	8
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	883	2.1	2	<1	1	2	3	4	5	7
GRAND TOTAL	**883**	**2.1**	**2**	**<1**	**1**	**2**	**3**	**4**	**5**	**7**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	55	1.7	1	<1	1	1	2	3	4	5
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	27	1.8	1	<1	1	2	2	3	3	4
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	2.5	1	2	2	2	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	55	1.7	1	<1	1	1	2	3	4	5
B. Operated	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	27	1.8	1	<1	1	2	2	3	3	4
B. Operated	2	2.5	1	2	2	2	3	3	3	3
1. SINGLE DX	57	1.7	1	<1	1	1	2	3	4	5
2. MULTIPLE DX	29	1.8	1	1	1	2	2	3	3	4
A. NOT OPERATED	82	1.8	1	<1	1	2	2	3	4	5
B. OPERATED	4	2.0	1	1	1	2	3	3	3	3
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	86	1.8	1	<1	1	2	2	3	4	5
GRAND TOTAL	**86**	**1.8**	**1**	**<1**	**1**	**2**	**2**	**3**	**4**	**5**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	14.0	338	1	1	14	27	27	27	27
13-19 YRS	928	3.0	5	1	1	2	4	5	7	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	96	3.0	4	<1	1	3	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	288	3.4	10	<1	1	3	4	6	9	21
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	68	3.3	7	<1	<1	2	4	7	10	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	930	3.0	6	1	1	2	4	5	7	13
B. *Operated*	96	3.0	4	<1	1	3	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	288	3.4	10	<1	1	3	4	6	9	21
B. *Operated*	68	3.3	7	<1	<1	2	4	7	10	13
1. SINGLE DX	1026	3.0	6	1	1	2	4	5	7	13
2. MULTIPLE DX	356	3.3	9	<1	1	3	4	6	9	20
A. NOT OPERATED	1218	3.1	7	1	1	2	4	5	8	14
B. OPERATED	164	3.1	6	<1	<1	3	4	6	8	12
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	14.0	338	1	1	14	27	27	27	27
13-19 YRS	1380	3.1	6	<1	1	2	4	5	8	13
GRAND TOTAL	**1382**	**3.1**	**7**	**<1**	**1**	**2**	**4**	**5**	**8**	**14**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1234	3.2	5	1	1	3	4	5	7	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	12	6.4	119	<1	<1	2	6	18	37	40
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	673	3.4	8	1	1	3	4	6	7	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	24	4.0	4	1	1	4	5	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1235	3.2	5	1	1	3	4	5	7	12
B. *Operated*	12	6.4	119	<1	<1	2	6	18	37	40
2. MULTIPLE DX										
A. *Not Operated*	674	3.4	8	1	1	3	4	6	7	13
B. *Operated*	24	4.0	4	1	1	4	5	7	7	7
1. SINGLE DX	1247	3.2	6	1	1	3	4	5	7	13
2. MULTIPLE DX	698	3.4	8	1	1	3	4	6	7	13
A. NOT OPERATED	1909	3.3	6	1	1	3	4	6	7	13
B. OPERATED	36	4.8	41	<1	<1	4	6	7	9	40
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	1943	3.3	7	1	1	3	4	6	7	13
GRAND TOTAL	**1945**	**3.3**	**7**	**1**	**1**	**3**	**4**	**6**	**7**	**13**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	3970	1.1	1	<1	<1	<1	1	1	2	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	517	1.2	1	<1	<1	<1	1	1	2	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	469	1.7	4	<1	<1	1	2	3	4	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	77	1.5	2	<1	<1	1	1	3	3	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3971	1.1	1	<1	<1	<1	1	1	2	4
B. *Operated*	517	1.2	1	<1	<1	<1	1	1	2	5
2. MULTIPLE DX										
A. *Not Operated*	471	1.7	4	<1	<1	1	2	3	4	9
B. *Operated*	77	1.5	2	<1	<1	1	1	3	3	10
1. SINGLE DX	4488	1.1	1	<1	<1	<1	1	1	2	4
2. MULTIPLE DX	548	1.6	4	<1	<1	1	2	3	4	9
A. NOT OPERATED	4442	1.2	1	<1	<1	1	1	1	2	5
B. OPERATED	594	1.2	1	<1	<1	<1	1	2	3	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	1.3		<1	<1	1	2	2	2	2
13-19 YRS	5033	1.2	1	<1	<1	<1	1	1	2	5
GRAND TOTAL	**5036**	**1.2**	**1**	**<1**	**<1**	**<1**	**1**	**1**	**2**	**5**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	159	2.7	10	<1	1	2	3	5	7	17
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	15	3.1	18	<1	1	2	3	4	14	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	60	4.1	33	1	1	3	5	7	8	40
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	7	5.7	53	1	1	4	4	18	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	159	2.7	10	<1	1	2	3	5	7	17
B. *Operated*	15	3.1	18	<1	1	2	3	4	14	18
2. MULTIPLE DX										
A. *Not Operated*	60	4.1	33	1	1	3	5	7	8	40
B. *Operated*	7	5.7	53	1	1	4	4	18	22	22
1. SINGLE DX	174	2.7	10	<1	1	2	3	5	7	18
2. MULTIPLE DX	67	4.2	35	1	1	3	5	7	10	39
A. NOT OPERATED	219	3.1	16	<1	1	2	3	5	8	22
B. OPERATED	22	3.9	29	<1	1	2	4	8	20	22
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	241	3.2	17	<1	1	2	3	5	8	23
GRAND TOTAL	**241**	**3.2**	**17**	**<1**	**1**	**2**	**3**	**5**	**8**	**23**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	474	1.7	2	<1	<1	1	2	3	4	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	45	1.6	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	185	2.6	11	<1	<1	1	3	5	8	20
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	16	2.7	3	<1	<1	2	3	6	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	474	1.7	2	<1	<1	1	2	3	4	10
B. *Operated*	45	1.6	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	185	2.6	11	<1	<1	1	3	5	8	20
B. *Operated*	16	2.7	3	<1	<1	2	3	6	7	7
1. SINGLE DX	519	1.7	2	<1	<1	1	2	3	4	9
2. MULTIPLE DX	201	2.6	10	<1	<1	2	3	5	8	19
A. NOT OPERATED	659	2.0	5	<1	<1	1	2	3	5	13
B. OPERATED	61	1.9	2	<1	<1	1	2	4	5	7
TOTAL 0-27 DYS	—									
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	720	1.9	5	<1	<1	1	2	3	5	12
GRAND TOTAL	**720**	**1.9**	**5**	**<1**	**<1**	**1**	**2**	**3**	**5**	**12**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1089	2.9	4	<1	1	3	4	5	6	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	43	2.7	4	<1	<1	2	3	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	1549	3.4	6	<1	1	3	4	6	7	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	67	4.2	10	1	1	4	5	8	11	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1089	2.9	4	<1	1	3	4	5	6	7
B. *Operated*	43	2.7	4	<1	<1	2	3	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	1550	3.4	6	<1	1	3	4	6	7	10
B. *Operated*	68	4.2	10	1	1	4	5	8	11	14
1. SINGLE DX	1132	2.9	4	<1	1	3	4	5	6	8
2. MULTIPLE DX	1618	3.5	6	<1	1	3	4	6	7	11
A. NOT OPERATED	2639	3.2	5	<1	1	3	4	5	6	9
B. OPERATED	111	3.6	8	<1	1	3	5	7	9	14
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	5.0	8	3	3	5	7	7	7	7
13-19 YRS	2748	3.2	5	<1	1	3	4	5	7	9
GRAND TOTAL	**2750**	**3.2**	**5**	**<1**	**1**	**3**	**4**	**5**	**7**	**9**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	320	3.2	7	<1	1	2	4	7	9	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	19	4.7	23	<1	<1	3	5	11	17	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	14.0		14	14	14	14	14	14	14
13-19 YRS	1401	3.3	15	<1	<1	2	4	6	8	16
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	170	4.0	45	<1	<1	3	5	8	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	320	3.2	7	<1	1	2	4	7	9	14
B. *Operated*	19	4.7	23	<1	<1	3	5	11	17	20
2. MULTIPLE DX										
A. *Not Operated*	1402	3.3	15	<1	<1	2	4	6	8	16
B. *Operated*	170	4.0	45	<1	<1	3	5	8	9	13
1. SINGLE DX	339	3.3	8	<1	1	3	4	7	9	15
2. MULTIPLE DX	1572	3.4	19	<1	<1	2	4	7	9	15
A. NOT OPERATED	1722	3.3	14	<1	<1	2	4	6	8	15
B. OPERATED	189	4.0	43	<1	<1	3	5	8	10	18
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	14.0		14	14	14	14	14	14	14
13-19 YRS	1910	3.3	17	<1	<1	2	4	7	9	15
GRAND TOTAL	**1911**	**3.4**	**17**	**<1**	**<1**	**2**	**4**	**7**	**9**	**15**

268: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	3.5		3	3	3	4	4	4	4
13-19 YRS	3584	2.1	6	<1	<1	1	2	4	5	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	904	2.2	8	<1	<1	1	3	4	6	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	12.0		12	12	12	12	12	12	12
13-19 YRS	1837	2.8	13	<1	<1	2	3	5	8	16
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	593	3.4	23	<1	<1	2	4	7	10	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3588	2.1	6	<1	<1	1	2	4	5	13
B. *Operated*	904	2.2	8	<1	<1	1	3	4	6	13
2. MULTIPLE DX										
A. *Not Operated*	1838	2.8	13	<1	<1	2	3	5	8	16
B. *Operated*	593	3.4	23	<1	<1	2	4	7	10	26
1. SINGLE DX	4492	2.1	6	<1	<1	1	2	4	6	13
2. MULTIPLE DX	2431	3.0	15	<1	<1	2	3	6	8	18
A. NOT OPERATED	5426	2.3	8	<1	<1	1	3	4	6	14
B. OPERATED	1497	2.7	14	<1	<1	1	3	5	8	19
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	5.2	15	3	3	4	6	12	12	12
13-19 YRS	6918	2.4	10	<1	<1	1	3	5	7	15
GRAND TOTAL	**6923**	**2.4**	**10**	**<1**	**<1**	**1**	**3**	**5**	**7**	**15**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	356	2.7	1	1	1	3	3	4	4	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	167	3.2	2	1	2	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	597	2.9	4	1	1	3	3	4	5	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	51	99+	99+	99+	99+
13-19 YRS	789	4.3	17	2	2	3	5	7	10	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	357	2.7	1	1	1	3	3	4	4	7
B. *Operated*	167	3.2	2	1	2	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	597	2.9	4	1	1	3	3	4	5	10
B. *Operated*	790	4.3	17	2	2	3	5	7	10	28
1. SINGLE DX	524	2.8	2	1	1	3	3	4	5	7
2. MULTIPLE DX	1387	3.7	12	1	2	3	4	6	8	21
A. NOT OPERATED	954	2.8	3	1	1	3	3	4	5	8
B. OPERATED	957	4.1	15	1	2	3	5	7	9	25
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.0	2	2	2	4	76	99+	99+	99+
13-19 YRS	1909	3.5	9	1	2	3	4	5	7	18
GRAND TOTAL	**1911**	**3.5**	**9**	**1**	**2**	**3**	**4**	**5**	**7**	**19**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	2.6		2	2	3	3	3	3	3
13-19 YRS	23369	2.4	1	1	1	2	3	3	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	2.0	1	1	1	2	3	3	3	3
13-19 YRS	6011	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	906	2.6	1	1	1	2	3	4	4	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	524	2.8	2	1	1	3	3	4	5	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23374	2.4	1	1	1	2	3	3	4	5
B. *Operated*	6016	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	908	2.6	1	1	1	2	3	4	4	7
B. *Operated*	524	2.8	2	1	1	3	3	4	5	7
1. SINGLE DX	29390	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX	1432	2.6	1	1	1	3	3	4	4	7
A. NOT OPERATED	24282	2.4	1	1	1	2	3	3	4	5
B. OPERATED	6540	2.5	1	1	1	2	3	3	4	5
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	12	2.3	1	1	1	2	3	3	3	3
13-19 YRS	30810	2.4	1	1	1	2	3	3	4	5
GRAND TOTAL	**30822**	**2.4**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	16	2.6	3	<1	1	2	3	6	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	35	6.7	105	3	3	4	5	8	22	61
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	12	3.2	3	1	1	3	4	6	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	90	7.7	123	1	2	4	7	11	40	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	2.6	3	<1	1	2	3	6	7	7
B. *Operated*	35	6.7	105	3	3	4	5	8	22	61
2. MULTIPLE DX										
A. *Not Operated*	12	3.2	3	1	1	3	4	6	7	7
B. *Operated*	90	7.7	123	1	2	4	7	11	40	59
1. SINGLE DX	51	5.4	76	1	2	4	5	7	10	61
2. MULTIPLE DX	102	7.1	111	1	2	4	6	10	33	59
A. NOT OPERATED	28	2.8	3	1	1	3	3	6	7	7
B. OPERATED	125	7.4	118	2	2	4	6	10	31	61
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	153	6.6	100	1	2	4	6	9	26	61
GRAND TOTAL	**153**	**6.6**	**100**	**1**	**2**	**4**	**6**	**9**	**26**	**61**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	79	2.3	2	<1	1	2	3	4	4	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	113	3.6	3	1	1	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	136	2.7	2	1	1	2	3	5	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	5.0		5	5	5	5	5	5	5
13-19 YRS	397	4.4	11	1	2	4	5	7	8	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	2.3	2	<1	1	2	3	4	4	7
B. *Operated*	113	3.6	3	1	1	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	137	2.7	2	1	1	2	3	5	5	7
B. *Operated*	399	4.4	11	1	2	4	5	7	8	20
1. SINGLE DX	192	3.0	3	<1	1	3	4	5	6	8
2. MULTIPLE DX	536	4.0	9	1	1	3	5	6	8	15
A. NOT OPERATED	216	2.6	2	<1	1	2	3	4	5	7
B. OPERATED	512	4.2	9	1	2	4	5	6	8	15
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	4.7		4	4	5	5	5	5	5
13-19 YRS	725	3.7	8	1	1	3	5	6	7	13
GRAND TOTAL	**728**	**3.7**	**8**	**1**	**1**	**3**	**5**	**6**	**7**	**13**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	14	2.2	1	1	1	2	3	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	227	2.4	1	1	1	2	3	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	13	2.1	1	1	1	2	3	3	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	163	2.6	1	1	1	2	3	4	5	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.2	1	1	1	2	3	4	4	4
B. *Operated*	228	2.4	1	1	1	2	3	3	4	4
2. MULTIPLE DX										
A. *Not Operated*	13	2.1	1	1	1	2	3	3	4	4
B. *Operated*	163	2.6	1	1	1	2	3	4	5	6
1. SINGLE DX	242	2.4	1	1	1	2	3	4	4	4
2. MULTIPLE DX	176	2.5	1	1	1	2	3	4	4	6
A. NOT OPERATED	27	2.1	1	1	1	2	3	4	4	4
B. OPERATED	391	2.5	1	1	1	2	3	4	4	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	417	2.4	1	1	1	2	3	4	4	5
GRAND TOTAL	**418**	**2.4**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**5**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	147	2.5	2	1	1	3	3	4	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	79	2.6	2	1	1	3	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	106	2.8	1	1	1	3	3	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	145	3.1	3	1	2	3	3	4	5	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	147	2.5	2	1	1	3	3	4	4	5
B. *Operated*	79	2.6	2	1	1	3	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	106	2.8	1	1	1	3	3	4	5	7
B. *Operated*	145	3.1	3	1	2	3	3	4	5	12
1. SINGLE DX	226	2.5	2	1	1	3	3	4	4	6
2. MULTIPLE DX	251	3.0	2	1	2	3	3	4	5	8
A. NOT OPERATED	253	2.7	2	1	1	3	3	4	4	7
B. OPERATED	224	2.9	2	1	1	3	3	4	5	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	477	2.8	2	1	1	3	3	4	5	8
GRAND TOTAL	**477**	**2.8**	**2**	**1**	**1**	**3**	**3**	**4**	**5**	**8**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	23	2.8	1	1	2	3	3	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	17	3.8	2	1	2	4	5	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	45	4.0	7	1	2	3	4	7	11	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	197	5.3	23	2	2	4	6	8	9	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	2.8	1	1	2	3	3	4	4	4
B. *Operated*	17	3.8	2	1	2	4	5	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	45	4.0	7	1	2	3	4	7	11	13
B. *Operated*	197	5.3	23	2	2	4	6	8	9	29
1. SINGLE DX	40	3.3	1	1	2	3	4	5	5	7
2. MULTIPLE DX	242	5.0	20	2	2	4	6	8	10	26
A. NOT OPERATED	68	3.6	5	1	2	3	4	6	8	13
B. OPERATED	214	5.1	22	2	2	4	6	8	9	28
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	282	4.8	18	2	2	4	5	8	9	23
GRAND TOTAL	**282**	**4.8**	**18**	**2**	**2**	**4**	**5**	**8**	**9**	**23**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	53	2.3	1	1	1	2	3	3	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	824	4.3	2	2	3	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	49	2.5	3	1	1	2	3	4	5	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	976	4.9	5	2	3	5	6	7	8	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	2.3	1	1	1	2	3	3	4	5
B. *Operated*	826	4.3	2	2	3	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	49	2.5	3	1	1	2	3	4	5	10
B. *Operated*	976	4.9	5	2	3	5	6	7	8	13
1. SINGLE DX	879	4.2	2	2	2	4	5	6	6	8
2. MULTIPLE DX	1025	4.8	5	2	3	5	6	7	8	13
A. NOT OPERATED	102	2.4	2	1	1	2	3	4	5	9
B. OPERATED	1802	4.6	4	2	3	4	5	6	8	12
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	1902	4.5	4	2	3	4	5	6	8	12
GRAND TOTAL	**1904**	**4.5**	**4**	**2**	**3**	**4**	**5**	**6**	**8**	**12**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	215	2.6	4	1	1	2	3	4	4	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	460	3.4	5	1	2	3	4	6	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	169	2.5	1	1	1	2	3	4	4	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	1813	4.1	7	1	2	4	5	6	8	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	215	2.6	4	1	1	2	3	4	4	6
B. *Operated*	460	3.4	5	1	2	3	4	6	6	9
2. MULTIPLE DX										
A. *Not Operated*	169	2.5	1	1	1	2	3	4	4	6
B. *Operated*	1815	4.1	7	1	2	4	5	6	8	13
1. SINGLE DX	675	3.2	5	1	2	3	4	5	6	8
2. MULTIPLE DX	1984	4.0	7	1	2	4	5	6	7	12
A. NOT OPERATED	384	2.6	3	1	1	2	3	4	4	6
B. OPERATED	2275	4.0	7	1	2	4	5	6	7	12
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	2657	3.8	7	1	2	3	5	6	7	12
GRAND TOTAL	**2659**	**3.8**	**7**	**1**	**2**	**3**	**5**	**6**	**7**	**12**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	12	3.1	2	1	1	3	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1319	4.9	2	3	3	5	6	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	17	3.5	3	2	2	3	4	6	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	4.0	1	3	3	4	5	5	5	5
13-19 YRS	3703	5.4	5	3	4	5	6	7	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	3.1	2	1	1	3	4	5	5	5
B. *Operated*	1319	4.9	2	3	3	5	6	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	17	3.5	3	2	2	3	4	6	7	7
B. *Operated*	3707	5.4	5	3	4	5	6	7	9	13
1. SINGLE DX	1331	4.8	2	3	3	5	6	6	7	9
2. MULTIPLE DX	3724	5.4	5	3	4	5	6	7	9	13
A. NOT OPERATED	29	3.3	2	2	2	3	4	5	7	7
B. OPERATED	5026	5.2	4	3	3	5	6	7	8	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	4.0	1	3	3	4	5	5	5	5
13-19 YRS	5051	5.2	4	3	3	5	6	7	8	13
GRAND TOTAL	**5055**	**5.2**	**4**	**3**	**3**	**5**	**6**	**7**	**8**	**13**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	418	2.7	1	1	2	3	3	4	4	5
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	713	3.7	2	1	2	3	5	5	6	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	378	2.9	1	1	2	3	3	4	4	6
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2142	4.2	5	1	2	4	5	7	8	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	418	2.7	1	1	2	3	3	4	4	5
B. Operated	713	3.7	2	1	2	3	5	5	6	8
2. MULTIPLE DX										
A. Not Operated	378	2.9	1	1	2	3	3	4	4	6
B. Operated	2142	4.2	5	1	2	4	5	7	8	11
1. SINGLE DX	1131	3.3	2	1	2	3	4	5	6	7
2. MULTIPLE DX	2520	4.0	5	1	2	4	5	6	7	11
A. NOT OPERATED	796	2.8	1	1	2	3	3	4	4	6
B. OPERATED	2855	4.0	5	1	2	4	5	6	7	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3651	3.8	4	1	2	3	5	6	7	10
GRAND TOTAL	**3651**	**3.8**	**4**	**1**	**2**	**3**	**5**	**6**	**7**	**10**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	48	2.7	1	1	2	3	3	4	4	6
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	183	4.1	3	1	2	4	5	6	7	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	50	2.8	5	1	1	2	3	5	7	14
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	425	4.9	5	2	2	5	6	8	8	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	48	2.7	1	1	2	3	3	4	4	6
B. Operated	183	4.1	3	1	2	4	5	6	7	8
2. MULTIPLE DX										
A. Not Operated	50	2.8	5	1	1	2	3	5	7	14
B. Operated	425	4.9	5	2	2	5	6	8	8	11
1. SINGLE DX	231	3.8	3	1	2	4	5	6	7	8
2. MULTIPLE DX	475	4.7	5	2	2	5	6	7	8	11
A. NOT OPERATED	98	2.8	3	1	1	3	3	4	5	12
B. OPERATED	608	4.6	4	2	2	5	6	7	8	10
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	706	4.4	5	2	2	4	5	7	8	10
GRAND TOTAL	**706**	**4.4**	**5**	**2**	**2**	**4**	**5**	**7**	**8**	**10**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	28	2.4	2	1	1	2	3	5	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1267	4.7	1	3	3	5	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	19	2.9	4	<1	1	2	3	6	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1122	5.0	5	3	3	5	6	7	8	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	2.4	2	1	1	2	3	5	6	6
B. *Operated*	1267	4.7	1	3	3	5	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	19	2.9	4	<1	1	2	3	6	8	8
B. *Operated*	1122	5.0	5	3	3	5	6	7	8	11
1. SINGLE DX	1295	4.6	2	3	3	5	5	6	6	8
2. MULTIPLE DX	1141	5.0	5	3	3	5	6	7	8	11
A. NOT OPERATED	47	2.6	3	1	1	2	3	5	6	8
B. OPERATED	2389	4.8	3	3	3	5	6	6	7	10
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2436	4.8	3	3	3	5	6	6	7	10
GRAND TOTAL	**2436**	**4.8**	**3**	**3**	**3**	**5**	**6**	**6**	**7**	**10**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	661	2.9	1	1	2	3	3	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	512	3.0	3	1	2	3	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	648	3.4	4	1	2	3	4	5	7	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1919	4.1	8	2	2	4	5	6	8	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	661	2.9	1	1	2	3	3	4	5	7
B. *Operated*	513	3.0	3	1	2	3	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	648	3.4	4	1	2	3	4	5	7	13
B. *Operated*	1920	4.1	8	2	2	4	5	6	8	15
1. SINGLE DX	1174	2.9	2	1	2	3	3	4	5	7
2. MULTIPLE DX	2568	3.9	7	1	2	3	5	6	8	14
A. NOT OPERATED	1309	3.1	3	1	2	3	4	5	6	10
B. OPERATED	2433	3.9	7	1	2	3	5	6	7	14
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	3740	3.6	6	1	2	3	4	6	7	13
GRAND TOTAL	**3742**	**3.6**	**6**	**1**	**2**	**3**	**4**	**6**	**7**	**13**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	2228	2.4	1	1	1	2	3	3	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1221	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	720	2.6	1	1	1	2	3	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	1426	2.9	3	1	1	3	3	4	5	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2229	2.4	1	1	1	2	3	3	4	5
B. *Operated*	1221	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	720	2.6	1	1	1	2	3	4	5	7
B. *Operated*	1427	2.9	3	1	1	3	3	4	5	8
1. SINGLE DX	3450	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX	2147	2.8	2	1	1	3	3	4	5	7
A. NOT OPERATED	2949	2.4	1	1	1	2	3	3	4	5
B. OPERATED	2648	2.6	2	1	1	2	3	4	5	7
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.0		3	3	3	3	3	3	3
13-19 YRS	5595	2.5	1	1	1	2	3	4	4	6
GRAND TOTAL	**5597**	**2.5**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	555	2.2	1	1	1	2	3	3	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4392	2.3	1	1	1	2	3	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	295	2.7	4	1	1	3	3	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	3.0	3	1	1	3	4	5	5	5
13-19 YRS	2374	2.6	4	1	1	2	3	4	4	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	555	2.2	1	1	1	2	3	3	4	4
B. *Operated*	4392	2.3	1	1	1	2	3	3	4	4
2. MULTIPLE DX										
A. *Not Operated*	295	2.7	4	1	1	3	3	4	5	7
B. *Operated*	2379	2.6	4	1	1	2	3	4	4	7
1. SINGLE DX	4947	2.3	1	1	1	2	3	3	4	4
2. MULTIPLE DX	2674	2.6	4	1	1	2	3	4	4	7
A. NOT OPERATED	850	2.4	2	1	1	2	3	3	4	6
B. OPERATED	6771	2.4	2	1	1	2	3	3	4	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	3.0	3	1	1	3	4	5	5	5
13-19 YRS	7616	2.4	2	1	1	2	3	3	4	6
GRAND TOTAL	**7621**	**2.4**	**2**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	230	2.5	1	1	1	2	3	4	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.0		3	3	3	3	3	3	3
13-19 YRS	3615	2.6	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	153	2.9	1	2	2	3	3	4	5	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.5	1	3	3	3	4	4	4	4
13-19 YRS	2794	2.9	2	1	2	3	3	4	5	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	230	2.5	1	1	1	2	3	4	4	5
B. *Operated*	3618	2.6	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	154	2.9	1	2	2	3	3	4	5	8
B. *Operated*	2796	2.9	2	1	2	3	3	4	5	8
1. SINGLE DX	3848	2.6	1	1	2	3	3	4	4	5
2. MULTIPLE DX	2950	2.9	2	1	2	3	3	4	5	8
A. NOT OPERATED	384	2.6	1	1	1	3	3	4	4	7
B. OPERATED	6414	2.7	1	1	2	3	3	4	4	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	3.0		2	2	3	3	4	4	4
13-19 YRS	6792	2.7	1	1	2	3	3	4	4	6
GRAND TOTAL	**6798**	**2.7**	**1**	**1**	**2**	**3**	**3**	**4**	**4**	**6**

286: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	285	2.2	1	1	1	2	3	3	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1487	2.5	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	172	2.8	2	1	2	3	3	4	5	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1203	2.7	1	1	1	3	3	4	4	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	287	2.2	1	1	1	2	3	3	4	5
B. *Operated*	1487	2.5	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	172	2.8	2	1	2	3	3	4	5	10
B. *Operated*	1203	2.7	1	1	1	3	3	4	4	6
1. SINGLE DX	1774	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX	1375	2.7	1	1	2	3	3	4	5	6
A. NOT OPERATED	459	2.4	1	1	1	2	3	3	4	7
B. OPERATED	2690	2.5	1	1	1	2	3	4	4	5
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	3147	2.5	1	1	1	2	3	4	4	6
GRAND TOTAL	**3149**	**2.5**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

287: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.7		3	3	4	4	4	4	4
13-19 YRS	4599	2.6	2	1	1	2	3	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.0	1	2	2	3	4	4	4	4
13-19 YRS	8408	3.0	3	1	2	3	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	10.2	379	<1	<1	2	13	45	45	45
13-19 YRS	3447	3.0	7	1	1	3	3	5	6	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	13	5.2	43	1	2	3	6	12	23	26
13-19 YRS	14051	4.0	9	1	2	3	5	7	8	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4602	2.6	2	1	1	2	3	4	5	7
B. *Operated*	8411	3.0	3	1	2	3	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	3452	3.0	7	1	1	3	3	5	6	11
B. *Operated*	14064	4.0	9	1	2	3	5	7	8	15
1. SINGLE DX	13013	2.9	3	1	1	3	3	4	5	8
2. MULTIPLE DX	17516	3.8	9	1	2	3	5	6	8	14
A. NOT OPERATED	8054	2.8	4	1	1	3	3	4	5	9
B. OPERATED	22475	3.6	7	1	2	3	4	6	7	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	24	5.8	94	1	1	3	4	10	32	45
13-19 YRS	30505	3.4	7	1	2	3	4	6	7	12
GRAND TOTAL	**30529**	**3.4**	**7**	**1**	**2**	**3**	**4**	**6**	**7**	**12**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	192	3.3	2	1	2	3	4	5	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	9	5.4	12	<1	1	4	7	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	114	4.0	4	2	2	3	5	7	8	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	19	5.5	15	1	1	5	8	10	14	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	192	3.3	2	1	2	3	4	5	6	8
B. *Operated*	9	5.4	12	<1	1	4	7	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	115	4.0	4	2	2	3	5	7	8	11
B. *Operated*	19	5.5	15	1	1	5	8	10	14	17
1. SINGLE DX	201	3.4	3	1	2	3	4	5	6	9
2. MULTIPLE DX	134	4.2	6	2	2	3	5	7	9	14
A. NOT OPERATED	307	3.5	3	1	2	3	4	6	7	9
B. OPERATED	28	5.5	14	1	1	5	7	11	12	17
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	334	3.7	4	1	2	3	4	6	7	11
GRAND TOTAL	**335**	**3.7**	**4**	**1**	**2**	**3**	**4**	**6**	**7**	**11**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	33	1.6		<1	<1	1	2	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	127	1.5	1	<1	<1	1	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	23	2.2	2	1	1	2	3	4	5	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	91	2.6	5	1	1	2	3	5	6	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	1.6		<1	<1	1	2	3	3	3
B. *Operated*	128	1.5	1	<1	<1	1	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	23	2.2	2	1	1	2	3	4	5	8
B. *Operated*	91	2.6	5	1	1	2	3	5	6	15
1. SINGLE DX	161	1.5	1	<1	<1	1	2	3	3	4
2. MULTIPLE DX	114	2.5	5	1	1	2	3	4	6	13
A. NOT OPERATED	56	1.8	1	<1	1	2	2	3	3	8
B. OPERATED	219	2.0	3	<1	<1	1	2	4	4	8
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	274	1.9	2	<1	1	1	2	3	4	8
GRAND TOTAL	**275**	**1.9**	**2**	**<1**	**1**	**2**	**2**	**3**	**4**	**8**

290: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	69	3.0	4	1	1	2	4	6	7	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	134	2.7	3	1	1	2	3	5	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	54	3.8	6	<1	1	4	5	7	8	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	11.0		11	11	11	11	11	11	11
13-19 YRS	90	3.6	10	1	2	3	4	6	10	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	3.0	4	1	1	2	4	6	7	11
B. *Operated*	134	2.7	3	1	1	2	3	5	7	9
2. MULTIPLE DX										
A. *Not Operated*	54	3.8	6	<1	1	4	5	7	8	14
B. *Operated*	91	3.7	11	1	2	3	4	6	10	20
1. SINGLE DX	203	2.8	4	1	1	2	3	5	7	10
2. MULTIPLE DX	145	3.7	9	1	2	3	4	7	10	15
A. NOT OPERATED	123	3.4	5	1	1	3	4	6	8	12
B. OPERATED	225	3.1	7	1	1	2	3	5	8	12
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	11.0		11	11	11	11	11	11	11
13-19 YRS	347	3.2	6	1	1	3	4	6	8	11
GRAND TOTAL	**348**	**3.2**	**6**	**1**	**1**	**3**	**4**	**6**	**8**	**11**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	23	4.1	11	1	2	3	5	8	12	16
1-11 MOS	210	3.7	4	1	2	3	4	6	8	11
1-5 YRS	815	3.5	4	1	2	3	4	6	7	11
6-12 YRS	703	3.7	5	1	2	3	5	6	8	11
13-19 YRS	818	3.7	4	1	2	3	5	6	7	11
B. *Operated*										
0-27 DYS	3	5.3	44	1	1	2	10	13	13	13
1-11 MOS	91	3.8	9	1	1	3	5	7	10	17
1-5 YRS	355	3.8	7	<1	1	3	5	7	9	13
6-12 YRS	252	4.7	15	<1	1	4	6	10	14	18
13-19 YRS	363	4.9	13	1	2	4	6	9	11	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	36	5.2	14	2	2	4	6	11	13	19
1-11 MOS	378	5.1	12	2	2	4	7	9	10	18
1-5 YRS	1022	4.0	6	1	2	3	5	7	9	14
6-12 YRS	850	4.2	8	1	2	3	5	7	9	16
13-19 YRS	1036	4.5	10	2	2	4	5	8	10	16
B. *Operated*										
0-27 DYS	11	7.5	115	2	2	4	7	22	38	39
1-11 MOS	121	5.6	19	1	2	5	7	9	15	24
1-5 YRS	364	6.1	56	1	2	4	7	11	15	58
6-12 YRS	320	6.3	26	1	2	5	8	11	16	25
13-19 YRS	499	6.9	46	2	2	5	8	13	18	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2569	3.7	4	1	2	3	4	6	7	11
B. *Operated*	1064	4.4	11	1	1	4	6	8	11	17
2. MULTIPLE DX										
A. *Not Operated*	3322	4.3	9	2	2	4	5	7	10	16
B. *Operated*	1315	6.4	42	1	2	5	8	12	16	30
1. SINGLE DX	3633	3.9	7	1	2	3	5	7	9	14
2. MULTIPLE DX	4637	4.9	19	1	2	4	6	9	11	21
A. NOT OPERATED	5891	4.0	7	1	2	3	5	7	9	14
B. OPERATED	2379	5.5	29	1	1	4	7	10	14	25
TOTAL 0-27 DYS	73	5.2	29	1	2	4	6	10	14	34
1-11 MOS	800	4.6	11	1	2	4	6	9	10	18
1-5 YRS	2556	4.1	13	1	2	3	5	7	9	15
6-12 YRS	2125	4.4	11	1	2	4	5	8	11	17
13-19 YRS	2716	4.8	16	1	2	4	6	8	11	21
GRAND TOTAL	**8270**	**4.5**	**14**	**1**	**2**	**4**	**5**	**8**	**10**	**18**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	97	3.5	3	1	2	3	4	6	7	9
1-11 MOS	91	4.1	6	1	2	4	5	7	10	14
1-5 YRS	351	4.1	5	1	2	4	5	7	8	11
6-12 YRS	148	3.9	4	1	2	4	5	7	8	10
13-19 YRS	167	3.5	5	1	1	3	4	6	8	11
B. *Operated*										
0-27 DYS										
1-11 MOS	53	3.9	13	<1	<1	4	6	7	9	22
1-5 YRS	186	3.8	10	<1	1	3	5	8	10	14
6-12 YRS	126	4.2	11	<1	1	3	6	9	12	14
13-19 YRS	157	3.4	10	<1	<1	2	4	7	10	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	76	3.8	3	1	2	3	5	6	7	10
1-11 MOS	141	4.7	8	1	2	4	6	8	10	13
1-5 YRS	491	4.1	6	1	2	4	5	7	9	12
6-12 YRS	265	4.1	12	1	2	3	5	7	10	21
13-19 YRS	269	4.3	7	1	2	4	5	8	10	15
B. *Operated*										
0-27 DYS	2	5.0	2	4	4	5	6	6	6	6
1-11 MOS	66	6.0	19	1	2	5	7	11	15	22
1-5 YRS	177	4.8	12	1	1	4	7	8	10	18
6-12 YRS	127	5.7	33	<1	1	4	7	11	17	30
13-19 YRS	167	5.4	27	1	1	4	6	10	15	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	854	3.9	5	1	2	3	5	7	8	11
B. *Operated*	522	3.8	10	<1	<1	3	5	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	1242	4.2	7	1	2	4	5	7	9	14
B. *Operated*	539	5.4	22	1	1	4	7	10	14	26
1. SINGLE DX	1376	3.8	7	1	1	3	5	7	9	13
2. MULTIPLE DX	1781	4.6	12	1	2	4	6	8	10	18
A. NOT OPERATED	2096	4.1	6	1	2	3	5	7	9	13
B. OPERATED	1061	4.6	17	<1	1	4	6	9	12	20
TOTAL 0-27 DYS	175	3.7	3	1	2	3	5	6	7	10
1-11 MOS	351	4.7	11	1	1	4	6	8	11	17
1-5 YRS	1205	4.2	7	1	1	4	5	8	9	12
6-12 YRS	666	4.4	14	1	1	3	5	8	11	21
13-19 YRS	760	4.2	12	1	1	3	5	8	10	18
GRAND TOTAL	**3157**	**4.3**	**10**	**1**	**1**	**4**	**5**	**8**	**10**	**16**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	4	2.0	4	<1	<1	1	3	5	5	5
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	20	3.8	6	<1	1	3	6	8	50	99+
B. *Operated*										
0-27 DYS	3	3.3	10	1	1	2	6	7	7	7
1-11 MOS	19	2.1	2	<1	<1	2	3	4	5	5
1-5 YRS	10	2.5	3	<1	<1	2	2	5	7	7
6-12 YRS	26	2.9	5	<1	1	2	4	6	9	9
13-19 YRS	2303	2.8	4	1	1	2	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	3.5	13	1	1	3	6	6	6	6
1-5 YRS	3	1.7		1	1	2	2	2	2	2
6-12 YRS										
13-19 YRS	22	2.0	2	<1	<1	1	3	4	5	6
B. *Operated*										
0-27 DYS										
1-11 MOS	7	3.3	4	1	1	4	5	6	6	6
1-5 YRS	10	3.9	7	1	1	3	5	8	9	9
6-12 YRS	5	2.0	1	1	1	2	2	3	3	3
13-19 YRS	323	3.5	7	1	1	3	4	6	8	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	3.4	5	<1	<1	3	5	7	19	99+
B. *Operated*	2361	2.8	4	1	1	2	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	27	2.1	3	<1	<1	1	3	5	6	6
B. *Operated*	345	3.5	7	1	1	3	4	6	8	12
1. SINGLE DX	2388	2.8	4	1	1	2	4	5	6	10
2. MULTIPLE DX	372	3.4	7	1	1	3	4	6	8	12
A. NOT OPERATED	54	2.7	4	<1	<1	2	4	6	7	95
B. OPERATED	2706	2.9	4	1	1	2	4	5	6	10
TOTAL 0-27 DYS	4	3.5	7	1	1	3	5	7	7	7
1-11 MOS	32	2.4	3	<1	<1	2	4	5	6	6
1-5 YRS	24	3.0	5	<1	1	2	4	7	8	9
6-12 YRS	32	2.7	5	<1	1	2	4	5	8	9
13-19 YRS	2668	2.9	4	1	1	2	4	5	6	10
GRAND TOTAL	**2760**	**2.8**	**4**	**1**	**1**	**2**	**4**	**5**	**6**	**10**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	26	1.6	2	<1	<1	<1	2	3	5	7
1-5 YRS	138	1.4	1	<1	<1	<1	1	2	3	5
6-12 YRS	67	1.1		<1	<1	<1	1	2	2	3
13-19 YRS	106	1.5	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	10	2.7	11	<1	<1	1	3	8	12	12
6-12 YRS	3	2.0	3	<1	<1	1	3	4	4	4
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	6	2.7	5	<1	<1	1	5	6	6	6
1-5 YRS	16	1.8	2	<1	<1	1	2	5	6	6
6-12 YRS	16	4.3	82	<1	<1	2	3	5	28	38
13-19 YRS	43	2.1	3	<1	<1	1	3	4	6	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	337	1.4	1	<1	<1	<1	1	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	15	2.8	8	<1	<1	2	4	5	10	12
B. *Operated*	81	2.5	19	<1	<1	1	3	5	6	29
1. SINGLE DX	339	1.4	1	<1	<1	<1	1	2	3	5
2. MULTIPLE DX	96	2.6	17	<1	<1	1	3	5	6	26
A. NOT OPERATED	17	2.6	8	<1	<1	1	3	5	10	12
B. OPERATED	418	1.6	4	<1	<1	1	2	3	4	7
TOTAL 0-27 DYS										
1-11 MOS	35	1.8	3	<1	<1	1	2	5	6	7
1-5 YRS	164	1.5	2	<1	<1	1	2	2	3	9
6-12 YRS	86	1.8	16	<1	<1	<1	1	2	3	26
13-19 YRS	150	1.7	2	<1	<1	1	2	3	4	6
GRAND TOTAL	**435**	**1.6**	**5**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	22	3.5	1	1	2	4	4	5	6	6
1-11 MOS	135	2.8	3	1	1	2	4	5	6	9
1-5 YRS	393	3.0	7	1	1	2	4	5	7	11
6-12 YRS	245	3.9	16	1	1	3	5	7	10	23
13-19 YRS	263	5.3	50	1	1	3	6	13	18	33
B. *Operated*										
0-27 DYS	4	3.5	3	2	2	3	5	6	6	6
1-11 MOS	21	5.4	123	<1	<1	2	5	10	29	52
1-5 YRS	192	2.5	10	<1	<1	1	2	5	8	19
6-12 YRS	358	2.4	10	<1	<1	2	2	4	8	16
13-19 YRS	659	2.7	16	<1	<1	2	3	5	8	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	46	3.9	6	1	2	3	4	8	10	13
1-11 MOS	259	3.9	13	1	1	3	5	7	10	19
1-5 YRS	586	3.9	19	1	1	3	4	7	9	22
6-12 YRS	333	4.9	52	1	1	3	5	10	15	42
13-19 YRS	455	6.1	56	1	1	4	7	12	20	36
B. *Operated*										
0-27 DYS	2	1.5	1	<1	<1	1	2	2	2	2
1-11 MOS	30	6.2	39	<1	1	5	8	13	16	30
1-5 YRS	244	4.8	39	<1	<1	2	5	12	20	31
6-12 YRS	312	5.5	54	<1	1	3	6	13	20	38
13-19 YRS	695	7.3	132	<1	1	3	8	19	33	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1058	3.8	20	1	1	3	4	7	10	23
B. *Operated*	1234	2.6	15	<1	<1	2	3	5	8	21
2. MULTIPLE DX										
A. *Not Operated*	1679	4.7	35	1	1	3	5	9	13	30
B. *Operated*	1283	6.3	94	<1	1	3	7	16	24	59
1. SINGLE DX	2292	3.1	18	<1	<1	2	3	6	9	21
2. MULTIPLE DX	2962	5.4	61	<1	1	3	6	11	19	45
A. NOT OPERATED	2737	4.3	29	1	1	3	5	8	12	27
B. OPERATED	2517	4.5	59	<1	<1	2	4	10	18	45
TOTAL 0-27 DYS	74	3.7	5	1	2	3	4	6	8	12
1-11 MOS	445	3.8	17	1	1	3	5	7	9	19
1-5 YRS	1415	3.6	19	<1	1	2	4	7	10	22
6-12 YRS	1248	4.1	35	<1	<1	2	4	9	13	30
13-19 YRS	2072	5.3	71	<1	<1	3	5	12	20	48
GRAND TOTAL	**5254**	**4.4**	**43**	**<1**	**1**	**2**	**5**	**9**	**15**	**37**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	8	2.3	2	<1	<1	2	3	5	5	5
6-12 YRS	48	3.3	10	<1	<1	2	4	9	10	13
13-19 YRS	72	3.8	7	<1	<1	3	5	7	9	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	9.0	83	1	1	7	16	21	21	21
6-12 YRS	15	4.1	14	2	2	2	5	11	13	14
13-19 YRS	51	4.8	17	1	1	3	7	10	14	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	10.3	44	6	6	7	15	18	18	18
1-5 YRS	12	4.7	24	<1	<1	3	7	14	15	15
6-12 YRS	58	7.4	119	1	1	5	8	16	32	98
13-19 YRS	173	6.9	38	1	2	5	8	15	20	31
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	12.4	181	<1	<1	8	18	34	38	38
6-12 YRS	18	9.6	113	1	2	6	10	27	36	40
13-19 YRS	88	11.2	143	2	2	8	13	28	32	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	128	3.5	8	<1	<1	3	5	7	10	13
B. *Operated*	70	4.9	20	1	1	3	7	11	14	20
2. MULTIPLE DX										
A. *Not Operated*	246	6.9	56	1	2	5	8	15	20	39
B. *Operated*	113	11.0	139	2	2	8	13	28	37	66
1. SINGLE DX	198	4.0	13	<1	1	3	5	9	11	17
2. MULTIPLE DX	359	8.2	85	1	2	5	10	18	28	62
A. NOT OPERATED	374	5.8	42	<1	1	4	7	12	17	33
B. OPERATED	183	8.7	102	1	2	5	11	19	29	56
TOTAL 0-27 DYS										
1-11 MOS	3	10.3	44	6	6	7	15	18	18	18
1-5 YRS	31	6.4	69	<1	<1	2	9	18	21	38
6-12 YRS	139	5.9	73	1	1	3	7	11	20	77
13-19 YRS	384	7.0	60	1	2	5	9	15	21	36
GRAND TOTAL	**557**	**6.7**	**63**	**1**	**1**	**4**	**8**	**14**	**21**	**38**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	6.8	8	3	3	7	9	10	10	10
1-5 YRS	107	4.0	8	1	1	4	5	7	10	16
6-12 YRS	143	5.1	24	1	1	4	6	10	13	29
13-19 YRS	71	5.6	16	1	1	5	7	12	14	17
B. *Operated*										
0-27 DYS										
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS	15	4.3	21	<1	<1	2	6	9	16	18
6-12 YRS	20	3.9	16	<1	<1	2	5	10	14	15
13-19 YRS	20	6.5	31	<1	<1	5	10	14	17	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	6.0	3	4	4	6	7	8	8	8
1-5 YRS	83	6.4	52	1	2	4	8	13	22	41
6-12 YRS	104	7.3	31	2	2	6	10	15	18	27
13-19 YRS	97	7.3	45	2	2	5	9	12	22	37
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	4	12.8	240	5	5	5	21	36	36	36
1-5 YRS	11	5.3	35	1	1	3	6	16	20	20
6-12 YRS	23	11.1	150	1	2	7	13	25	39	55
13-19 YRS	28	9.5	96	1	2	6	12	19	33	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	325	4.9	17	1	1	4	6	10	13	18
B. *Operated*	56	5.1	24	<1	<1	3	8	13	15	20
2. MULTIPLE DX										
A. *Not Operated*	288	7.1	41	2	2	5	9	14	19	35
B. *Operated*	67	9.4	111	1	2	5	12	21	33	53
1. SINGLE DX	381	4.9	18	1	1	4	6	10	13	18
2. MULTIPLE DX	355	7.5	55	2	2	5	9	15	22	39
A. NOT OPERATED	613	5.9	29	1	2	4	7	11	16	29
B. OPERATED	123	7.4	76	<1	1	5	10	15	22	48
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	13	8.8	73	3	4	6	8	17	32	36
1-5 YRS	216	5.0	28	1	1	4	6	10	14	29
6-12 YRS	290	6.3	38	1	2	4	8	13	18	29
13-19 YRS	216	7.0	42	1	2	5	9	13	18	36
GRAND TOTAL	**736**	**6.2**	**37**	**1**	**2**	**4**	**8**	**12**	**17**	**35**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	2	4.0	18	1	1	4	7	7	7	7
13-19 YRS	4	7.0	101	1	1	2	12	22	22	22
B. *Operated*										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	6	6.2	37	1	1	4	11	15	16	16
1-5 YRS	2	13.5	13	11	11	13	16	16	16	16
6-12 YRS	4	11.5	70	2	2	11	17	22	22	22
13-19 YRS	33	3.1	7	<1	1	2	3	8	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	4	3.5	9	2	2	2	5	8	8	8
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	7	8.3	30	3	3	7	10	17	19	19
B. *Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	13	6.8	22	<1	1	5	12	13	13	13
1-5 YRS	7	15.6	75	3	6	14	26	79	99+	99+
6-12 YRS	2	11.0	32	7	7	11	15	15	15	15
13-19 YRS	34	5.2	57	<1	1	3	5	11	14	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	5.3	49	1	1	3	5	17	22	22
B. *Operated*	46	4.8	25	<1	1	3	8	12	16	22
2. MULTIPLE DX										
A. *Not Operated*	13	6.6	22	2	2	7	8	13	18	19
B. *Operated*	57	6.9	59	<1	1	4	12	15	27	95
1. SINGLE DX	54	4.9	28	1	1	3	7	12	16	22
2. MULTIPLE DX	70	6.9	52	<1	1	4	11	14	21	88
A. NOT OPERATED	21	6.1	31	1	1	4	8	14	20	22
B. OPERATED	103	6.0	44	<1	1	3	9	14	18	69
TOTAL 0-27 DYS	2	6.5	61	<1	<1	6	12	12	12	12
1-11 MOS	21	6.4	23	<1	1	4	11	13	14	16
1-5 YRS	14	10.9	72	2	2	12	16	31	83	99+
6-12 YRS	9	9.2	43	1	1	7	13	19	22	22
13-19 YRS	78	4.7	36	<1	1	3	5	10	13	37
GRAND TOTAL	**124**	**6.0**	**42**	**<1**	**1**	**3**	**9**	**14**	**19**	**57**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	4.5	5	3	3	4	6	6	6	6
1-11 MOS	24	9.4	41	2	2	8	12	20	23	24
1-5 YRS	151	7.9	47	1	2	6	11	18	23	29
6-12 YRS	117	6.1	36	1	1	4	8	13	18	30
13-19 YRS	100	6.1	28	2	2	4	7	12	16	30
B. *Operated*										
0-27 DYS										
1-11 MOS	28	13.2	64	2	4	12	20	24	27	29
1-5 YRS	81	12.6	65	3	4	10	17	24	27	39
6-12 YRS	67	11.7	58	2	3	11	15	21	25	42
13-19 YRS	116	6.7	39	1	1	5	9	15	19	29
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	11.7	76	2	2	14	18	19	19	19
1-11 MOS	53	11.2	42	2	5	10	14	19	25	37
1-5 YRS	128	7.7	84	1	1	5	10	15	21	41
6-12 YRS	116	7.0	42	1	2	5	9	14	17	38
13-19 YRS	134	7.6	40	2	2	5	9	18	22	31
B. *Operated*										
0-27 DYS	8	20.8	77	4	7	22	28	30	30	30
1-11 MOS	72	15.2	106	4	5	14	19	25	41	52
1-5 YRS	123	15.1	130	5	6	12	17	25	32	75
6-12 YRS	85	17.3	88	5	7	15	23	29	36	43
13-19 YRS	126	10.9	96	1	1	8	15	23	30	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	394	7.0	39	1	2	5	9	14	21	29
B. *Operated*	292	10.1	60	1	2	8	15	21	24	37
2. MULTIPLE DX										
A. *Not Operated*	434	7.9	55	1	2	6	10	16	21	32
B. *Operated*	414	14.4	111	2	3	13	20	27	33	50
1. SINGLE DX	686	8.3	51	1	2	6	11	18	22	31
2. MULTIPLE DX	848	11.1	93	1	2	9	15	23	29	44
A. NOT OPERATED	828	7.5	48	1	2	5	10	15	21	31
B. OPERATED	706	12.6	95	1	2	11	17	24	29	44
TOTAL 0-27 DYS	13	16.2	99	2	3	16	24	29	30	30
1-11 MOS	177	12.9	75	2	4	11	17	22	28	43
1-5 YRS	483	10.5	90	1	2	8	14	21	26	41
6-12 YRS	385	9.8	73	1	2	8	14	21	27	42
13-19 YRS	476	7.9	56	1	2	5	11	18	22	38
GRAND TOTAL	**1534**	**9.9**	**76**	**1**	**2**	**8**	**14**	**21**	**25**	**42**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	24	1.8	2	<1	1	1	2	3	5	8
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	4	2.0	2	<1	<1	1	3	4	4	4
1-5 YRS	6	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	56	1.9	1	<1	<1	2	2	3	5	6
13-19 YRS	1374	2.1	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	40	1.9	3	<1	<1	1	2	4	5	8
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	7	2.3	3	1	1	2	3	5	6	6
1-5 YRS	3	4.0	12	2	2	2	7	8	8	8
6-12 YRS	43	2.4	2	<1	1	2	3	4	5	6
13-19 YRS	1337	2.5	3	<1	1	2	3	5	6	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	2.0	3	<1	1	1	2	4	7	8
B. *Operated*	1441	2.1	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	42	2.1	3	<1	<1	1	3	5	6	8
B. *Operated*	1391	2.5	3	<1	1	2	3	5	6	8
1. SINGLE DX	1466	2.1	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX	1433	2.5	3	<1	1	2	3	5	6	8
A. NOT OPERATED	67	2.0	3	<1	<1	1	2	4	6	8
B. OPERATED	2832	2.3	3	<1	<1	2	3	5	6	7
TOTAL 0-27 DYS	3	2.0	3	1	1	1	3	4	4	4
1-11 MOS	11	2.2	3	<1	<1	2	3	5	6	6
1-5 YRS	9	2.0	5	<1	<1	1	2	6	8	8
6-12 YRS	101	2.2	2	<1	<1	2	3	4	5	7
13-19 YRS	2775	2.3	3	<1	<1	2	3	5	6	8
GRAND TOTAL	**2899**	**2.3**	**3**	**<1**	**<1**	**2**	**3**	**5**	**6**	**8**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	2.2	1	1	1	2	3	3	3	3
1-5 YRS	152	2.9	6	1	1	2	3	6	7	10
6-12 YRS	142	3.2	6	1	1	3	4	6	7	16
13-19 YRS	111	3.2	7	<1	1	2	4	6	8	14
B. *Operated*										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	18	6.1	34	<1	1	3	10	14	18	21
1-5 YRS	67	2.4	2	<1	1	2	3	4	5	9
6-12 YRS	181	3.3	15	<1	1	2	3	6	10	21
13-19 YRS	2890	2.7	3	1	1	2	3	5	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	11	3.7	9	<1	<1	3	6	8	10	10
1-5 YRS	112	3.7	16	1	1	3	4	7	11	24
6-12 YRS	146	4.9	37	1	1	3	5	10	14	38
13-19 YRS	212	4.6	51	<1	<1	3	5	9	15	41
B. *Operated*										
0-27 DYS	3	1.7	1	<1	<1	1	2	3	3	3
1-11 MOS	18	3.9	11	1	1	2	6	9	11	13
1-5 YRS	256	4.1	11	1	1	3	5	7	10	21
6-12 YRS	401	5.2	27	1	1	4	6	10	16	30
13-19 YRS	1390	3.5	17	1	1	3	4	6	9	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	411	3.1	6	1	1	2	4	6	7	14
B. *Operated*	3158	2.8	4	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	481	4.5	38	<1	1	3	5	9	12	33
B. *Operated*	2068	3.9	18	1	1	3	5	7	11	24
1. SINGLE DX	3569	2.8	4	1	1	2	3	5	6	10
2. MULTIPLE DX	2549	4.0	22	1	1	3	5	8	11	26
A. NOT OPERATED	892	3.8	24	1	1	3	4	7	11	24
B. OPERATED	5226	3.2	10	1	1	3	4	5	7	17
TOTAL 0-27 DYS	5	2.4	3	<1	<1	2	3	5	5	5
1-11 MOS	53	4.4	18	1	1	3	6	11	13	21
1-5 YRS	587	3.5	10	1	1	3	4	7	9	18
6-12 YRS	870	4.5	23	1	1	3	5	8	13	30
13-19 YRS	4603	3.1	10	1	1	2	4	5	7	15
GRAND TOTAL	**6118**	**3.3**	**12**	**1**	**1**	**3**	**4**	**6**	**8**	**19**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	6	6.7	15	2	2	6	11	11	11	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	4.0	7	2	2	3	6	7	7	7
13-19 YRS	4	2.8	2	1	1	3	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	6.4	13	2	2	5	10	11	11	11
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	7	3.3	4	1	1	3	4	6	7	7
B. *Operated*	1	7.0		7	7	7	7	7	7	7
1. SINGLE DX	7	6.4	13	2	2	5	10	11	11	11
2. MULTIPLE DX	8	3.8	5	1	1	3	5	7	7	7
A. NOT OPERATED	14	4.9	10	1	2	4	7	11	11	11
B. OPERATED	1	7.0		7	7	7	7	7	7	7
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	4.3	5	2	2	4	6	7	7	7
13-19 YRS	11	5.3	12	1	2	4	8	11	11	11
GRAND TOTAL	**15**	**5.0**	**10**	**1**	**2**	**4**	**7**	**11**	**11**	**11**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	3	4.0	9	<1	<1	4	6	7	7	7
13-19 YRS	7	5.6	30	2	2	3	7	15	17	17
B. *Operated*										
0-27 DYS										
1-11 MOS	4	3.3	4	1	1	3	5	6	6	6
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS	4	3.0	5	1	1	3	5	5	5	5
13-19 YRS	13	6.2	33	1	1	6	7	12	21	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	3	10.0	129	2	2	5	18	23	23	23
1-5 YRS	5	4.6	11	<1	<1	4	6	10	10	10
6-12 YRS	6	3.5	11	<1	<1	2	6	9	9	9
13-19 YRS	13	5.1	24	1	1	4	6	11	17	19
B. *Operated*										
0-27 DYS	2	7.5	5	6	6	7	9	9	9	9
1-11 MOS	4	7.5	35	2	2	7	12	14	14	14
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	2	4.0	8	2	2	4	6	6	6	6
13-19 YRS	12	7.2	36	1	2	6	9	14	23	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	5.0	20	<1	1	4	6	12	17	17
B. *Operated*	22	5.3	23	1	1	5	7	9	15	23
2. MULTIPLE DX										
A. *Not Operated*	28	5.4	29	<1	<1	4	7	11	19	23
B. *Operated*	21	6.8	27	1	2	6	9	12	18	24
1. SINGLE DX	33	5.2	22	1	1	4	7	9	16	23
2. MULTIPLE DX	49	6.0	28	<1	1	5	9	12	19	24
A. NOT OPERATED	39	5.3	26	<1	<1	4	7	11	18	23
B. OPERATED	43	6.0	25	1	1	5	8	10	17	24
TOTAL 0-27 DYS	3	9.0	9	6	6	9	11	12	12	12
1-11 MOS	11	6.6	46	1	1	3	10	18	23	23
1-5 YRS	8	5.0	11	<1	1	4	7	10	10	10
6-12 YRS	15	3.5	7	<1	<1	2	6	7	8	9
13-19 YRS	45	6.0	29	1	1	5	8	10	20	24
GRAND TOTAL	**82**	**5.7**	**25**	**<1**	**1**	**4**	**7**	**11**	**18**	**24**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	8	5.0	6	2	2	5	7	8	8	8
1-5 YRS	11	5.4	29	<1	<1	3	8	13	18	18
6-12 YRS	12	6.7	22	1	2	4	10	14	14	14
13-19 YRS	123	6.2	15	1	2	5	8	11	12	20
B. *Operated*										
0-27 DYS	3	9.0	57	1	1	10	14	16	16	16
1-11 MOS	22	4.9	13	1	1	4	8	10	12	14
1-5 YRS	5	5.0	16	1	1	5	7	11	11	11
6-12 YRS	10	5.0	8	1	1	5	6	9	11	11
13-19 YRS	602	5.0	15	1	1	4	6	9	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	5.0	8	3	3	5	7	7	7	7
1-11 MOS	5	6.8	9	4	4	5	9	11	11	11
1-5 YRS	5	6.8	60	1	1	4	10	20	20	20
6-12 YRS	2	11.0	98	4	4	11	18	18	18	18
13-19 YRS	54	7.1	26	1	1	6	10	13	17	24
B. *Operated*										
0-27 DYS	2	10.0	50	5	5	10	15	15	15	15
1-11 MOS	8	7.0	17	1	1	7	10	12	12	12
1-5 YRS	3	8.0		8	8	8	8	8	8	8
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	141	7.8	38	1	1	6	10	16	19	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	154	6.1	16	1	2	5	8	11	13	18
B. *Operated*	642	5.0	15	1	1	4	6	9	13	19
2. MULTIPLE DX										
A. *Not Operated*	68	7.1	27	1	1	6	10	15	18	23
B. *Operated*	155	7.7	36	1	1	6	10	15	19	32
1. SINGLE DX	796	5.2	15	1	1	4	7	10	13	19
2. MULTIPLE DX	223	7.5	33	1	1	6	10	15	19	30
A. NOT OPERATED	222	6.4	19	1	2	5	9	12	15	21
B. OPERATED	797	5.5	20	1	1	4	7	11	14	23
TOTAL 0-27 DYS	7	8.1	33	1	1	7	14	16	16	16
1-11 MOS	43	5.5	12	1	1	5	8	10	12	14
1-5 YRS	24	5.9	27	<1	1	5	8	12	19	20
6-12 YRS	25	6.2	20	1	2	4	9	14	15	18
13-19 YRS	920	5.7	20	1	1	5	7	11	14	24
GRAND TOTAL	**1019**	**5.7**	**20**	**1**	**1**	**5**	**7**	**11**	**14**	**23**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	5.2	37	1	1	3	[illegible]	16	17	17
6-12 YRS	8	5.1	14	<1	<1	4	9	10	10	10
13-19 YRS	17	4.9	13	<1	1	4	6	11	12	12
B. *Operated*										
0-27 DYS										
1-11 MOS	4	3.8	8	1	1	3	6	7	7	7
1-5 YRS	2	5.0	8	3	3	5	7	7	7	7
6-12 YRS	4	3.5	6	2	2	3	5	7	7	7
13-19 YRS	25	4.9	15	1	1	4	6	8	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	8	7.9	40	1	1	7	12	17	19	19
6-12 YRS										
13-19 YRS	10	6.7	16	2	2	6	7	13	16	16
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS										
1-5 YRS	2	7.0	32	3	3	7	11	11	11	11
6-12 YRS	1	11.0		11	11	11	11	11	11	11
13-19 YRS	15	5.5	25	1	1	5	8	9	17	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	5.0	16	<1	1	4	8	11	12	17
B. *Operated*	35	4.6	12	1	1	4	6	8	11	18
2. MULTIPLE DX										
A. *Not Operated*	18	7.2	25	1	2	6	10	15	18	19
B. *Operated*	19	6.1	23	1	1	6	8	11	16	20
1. SINGLE DX	66	4.8	14	1	1	4	7	10	12	18
2. MULTIPLE DX	37	6.6	24	1	1	6	9	12	18	20
A. NOT OPERATED	49	5.8	20	<1	1	5	9	12	16	19
B. OPERATED	54	5.1	16	1	1	4	7	9	12	20
TOTAL 0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	4	3.8	8	1	1	3	6	7	7	7
1-5 YRS	18	6.6	31	1	1	5	11	16	18	19
6-12 YRS	13	5.1	13	<1	<1	3	9	10	11	11
13-19 YRS	67	5.3	17	1	1	5	7	11	13	20
GRAND TOTAL	**103**	**5.5**	**18**	**1**	**1**	**5**	**8**	**11**	**14**	**19**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	2	4.5	1	4	4	4	5	5	5	5
6-12 YRS	2	2.5	5	1	1	2	4	4	4	4
13-19 YRS	16	5.9	27	2	2	4	7	16	17	18
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS	8	2.1	3	1	1	2	2	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	9.5	41	5	5	9	14	14	14	14
1-5 YRS										
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	13	8.3	34	2	3	8	10	15	22	24
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	2	7.0	8	5	5	7	9	9	9	9
13-19 YRS	9	4.2	18	1	1	3	5	11	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	5.3	21	1	2	4	5	14	17	18
B. *Operated*	9	3.0	9	1	1	2	3	8	10	10
2. MULTIPLE DX										
A. *Not Operated*	16	8.4	30	2	4	8	11	14	21	24
B. *Operated*	13	4.9	14	1	1	4	7	10	13	14
1. SINGLE DX	31	4.6	18	1	1	3	5	11	16	18
2. MULTIPLE DX	29	6.9	25	1	1	5	9	13	15	24
A. NOT OPERATED	38	6.6	26	2	2	4	9	14	17	24
B. OPERATED	22	4.1	13	1	1	3	6	9	12	14
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	7.0	22	4	4	5	10	14	14	14
1-5 YRS	3	5.7	4	4	4	5	7	8	8	8
6-12 YRS	6	6.2	12	1	1	6	9	10	10	10
13-19 YRS	46	5.6	26	1	1	4	8	13	16	24
GRAND TOTAL	**60**	**5.7**	**23**	**1**	**1**	**4**	**8**	**13**	**15**	**23**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	9	5.6	9	2	2	5	7	10	11	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	7	5.0	26	1	1	2	9	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS										
6-12 YRS	3	8.7	4	7	7	8	10	11	11	11
13-19 YRS	19	5.2	6	1	2	5	8	8	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	11	7.7	45	1	1	5	11	19	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	4.8	8	1	2	4	6	10	11	11
B. *Operated*	7	5.0	26	1	1	2	9	13	14	14
2. MULTIPLE DX										
A. *Not Operated*	23	5.4	8	1	2	5	8	9	10	11
B. *Operated*	12	7.6	41	1	2	5	10	18	21	22
1. SINGLE DX	19	4.9	14	1	1	4	7	11	13	14
2. MULTIPLE DX	35	6.2	19	1	2	5	8	11	16	22
A. NOT OPERATED	35	5.2	8	1	2	5	8	9	10	11
B. OPERATED	19	6.6	36	1	1	5	10	16	20	22
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	2	2.0	2	<1	<1	1	3	3	3	3
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	4	8.0	5	6	6	7	9	11	11	11
13-19 YRS	46	5.8	19	1	2	5	8	11	15	22
GRAND TOTAL	**54**	**5.7**	**18**	**1**	**1**	**5**	**8**	**11**	**14**	**22**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	15	2.9	8	<1	<1	1	5	6	9	10
1-5 YRS	41	2.9	30	<1	1	2	2	5	6	36
6-12 YRS	57	3.7	27	1	1	3	4	7	10	36
13-19 YRS	251	4.1	9	1	1	3	6	8	10	15
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	8	1.5	1	<1	<1	1	2	3	4	4
1-5 YRS	10	3.6	7	1	1	3	5	8	10	10
6-12 YRS	32	2.9	4	<1	1	2	3	6	8	9
13-19 YRS	210	3.3	39	1	1	2	3	6	8	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	12.3	117	1	1	10	19	27	27	27
1-11 MOS	13	7.2	17	1	3	7	8	12	17	18
1-5 YRS	27	2.7	6	<1	1	2	3	6	10	10
6-12 YRS	73	3.0	6	1	1	3	3	6	8	13
13-19 YRS	295	4.4	16	1	1	3	6	10	11	18
B. *Operated*										
0-27 DYS	2	5.5	25	2	2	5	9	9	9	9
1-11 MOS	10	5.5	21	<1	<1	4	7	13	15	15
1-5 YRS	5	12.2	403	2	2	3	16	48	48	48
6-12 YRS	20	8.9	155	1	1	4	9	20	39	55
13-19 YRS	152	4.8	23	1	1	3	7	10	13	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	364	3.9	14	1	1	3	5	8	10	16
B. *Operated*	261	3.2	33	1	1	2	3	6	8	17
2. MULTIPLE DX										
A. *Not Operated*	412	4.2	15	1	1	3	5	9	11	18
B. *Operated*	189	5.5	47	1	1	3	7	11	15	43
1. SINGLE DX	625	3.6	22	1	1	2	4	7	9	16
2. MULTIPLE DX	601	4.6	25	1	1	3	6	10	12	27
A. NOT OPERATED	776	4.0	15	1	1	3	5	8	10	17
B. OPERATED	450	4.2	40	1	1	2	5	9	12	28
TOTAL 0-27 DYS	7	9.7	73	1	1	8	11	24	27	27
1-11 MOS	46	4.4	16	<1	<1	4	6	10	12	18
1-5 YRS	83	3.5	42	<1	1	2	3	6	10	44
6-12 YRS	182	3.9	31	1	1	3	4	7	10	34
13-19 YRS	908	4.1	21	1	1	3	5	9	11	17
GRAND TOTAL	**1226**	**4.1**	**24**	**1**	**1**	**3**	**5**	**9**	**11**	**18**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	3.7	9	1	1	3	6	7	7	7
1-5 YRS	283	2.7	4	1	1	2	4	5	6	9
6-12 YRS	203	3.5	5	1	1	3	4	7	8	12
13-19 YRS	91	3.6	5	1	1	3	5	7	8	11
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	6	2.3	3	<1	<1	2	3	5	5	5
1-5 YRS	73	2.0	5	<1	<1	1	2	4	7	12
6-12 YRS	81	3.4	26	<1	<1	2	4	6	9	33
13-19 YRS	546	2.2	3	<1	<1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	9	4.1	16	<1	<1	2	6	11	11	11
1-5 YRS	122	4.1	67	1	1	3	4	6	7	33
6-12 YRS	110	4.3	11	1	2	3	6	8	9	18
13-19 YRS	99	4.5	10	<1	1	3	6	9	12	14
B. *Operated*										
0-27 DYS										
1-11 MOS	5	6.6	45	<1	<1	5	18	92	99+	99+
1-5 YRS	20	4.0	7	1	1	4	6	8	9	9
6-12 YRS	52	5.8	31	<1	<1	4	8	13	16	24
13-19 YRS	290	3.2	22	<1	1	2	4	6	7	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	580	3.1	5	1	1	3	4	6	7	11
B. *Operated*	707	2.3	6	<1	<1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	340	4.3	30	1	1	3	5	7	9	13
B. *Operated*	367	3.6	24	<1	1	2	4	7	9	24
1. SINGLE DX	1287	2.7	5	<1	<1	2	3	5	7	11
2. MULTIPLE DX	707	3.9	27	1	1	3	5	7	9	22
A. NOT OPERATED	920	3.6	14	1	1	3	4	7	8	13
B. OPERATED	1074	2.8	12	<1	<1	2	3	5	7	14
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	23	4.1	18	<1	<1	3	6	12	43	99+
1-5 YRS	498	3.0	20	<1	1	2	4	5	7	11
6-12 YRS	446	4.0	14	<1	1	3	5	8	10	23
13-19 YRS	1026	2.8	10	<1	1	2	3	6	7	12
GRAND TOTAL	**1994**	**3.1**	**13**	**<1**	**1**	**2**	**4**	**6**	**8**	**13**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	3	2.3	2	1	1	2	3	4	4	4
B. *Operated*										
0-27 DYS	3	1.7		1	1	2	2	2	2	2
1-11 MOS	5	2.4	3	1	1	2	3	5	5	5
1-5 YRS	10	2.5	3	<1	<1	2	3	5	6	6
6-12 YRS	78	2.4	2	<1	1	2	3	4	5	7
13-19 YRS	673	2.4	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	17	1.1		<1	<1	<1	1	2	2	2
B. *Operated*										
0-27 DYS	3	3.0	1	2	2	3	4	4	4	4
1-11 MOS	10	3.4	3	1	1	3	5	6	7	7
1-5 YRS	7	2.9	6	1	1	2	4	7	8	8
6-12 YRS	68	2.5	1	1	1	3	3	4	5	6
13-19 YRS	848	2.7	2	1	1	3	3	4	5	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.0	2	1	1	2	3	4	4	4
B. *Operated*	769	2.4	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	19	1.1		<1	<1	<1	1	2	2	2
B. *Operated*	936	2.7	2	1	1	3	3	4	5	7
1. SINGLE DX	773	2.4	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	955	2.7	2	1	1	3	3	4	5	7
A. NOT OPERATED	23	1.3		<1	<1	1	1	2	3	4
B. OPERATED	1705	2.6	2	1	1	2	3	4	5	7
TOTAL 0-27 DYS	6	2.3	1	1	1	2	3	4	4	4
1-11 MOS	15	3.1	3	1	1	3	4	5	7	7
1-5 YRS	17	2.6	4	<1	1	2	3	6	7	8
6-12 YRS	149	2.4	2	<1	1	2	3	4	5	7
13-19 YRS	1541	2.6	2	1	1	2	3	4	5	7
GRAND TOTAL	**1728**	**2.6**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**7**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.0	2	<1	<1	1	3	3	3	3
6-12 YRS	2	1.5	1	<1	<1	1	2	2	2	2
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	1.3		<1	<1	1	2	2	2	2
1-5 YRS	112	1.4	1	<1	<1	1	2	2	3	6
6-12 YRS	192	1.4		<1	<1	1	2	2	3	4
13-19 YRS	392	1.4		<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	4	1.5	1	<1	<1	1	2	3	3	3
13-19 YRS	4	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS	20	1.6	1	<1	<1	1	2	3	4	4
6-12 YRS	22	1.9	2	<1	<1	1	3	4	5	5
13-19 YRS	62	1.9	3	<1	<1	1	3	3	5	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.8	1	<1	<1	2	2	3	3	3
B. *Operated*	701	1.4	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	9	1.2		<1	<1	<1	1	2	3	3
B. *Operated*	107	1.9	2	<1	<1	1	3	3	5	8
1. SINGLE DX	706	1.4	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX	116	1.8	2	<1	<1	1	2	3	5	8
A. NOT OPERATED	14	1.4	1	<1	<1	<1	2	3	3	3
B. OPERATED	808	1.5	1	<1	<1	1	2	2	3	5
TOTAL 0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	6	2.0	2	<1	<1	1	2	5	5	5
1-5 YRS	135	1.5	1	<1	<1	1	2	2	3	5
6-12 YRS	220	1.5	1	<1	<1	1	2	2	3	4
13-19 YRS	459	1.5	1	<1	<1	1	2	2	3	5
GRAND TOTAL	**822**	**1.5**	**1**	**<1**	**<1**	**1**	**2**	**2**	**3**	**5**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	22.0		22	22	22	22	22	22	22
1-11 MOS	24	11.8	30	3	5	12	15	18	21	24
1-5 YRS	76	10.7	65	1	1	9	16	22	26	32
6-12 YRS	119	12.0	73	2	3	10	16	23	29	43
13-19 YRS	88	11.1	80	2	3	8	14	26	29	42
B. *Operated*										
0-27 DYS										
1-11 MOS	12	14.6	87	1	1	15	23	27	28	28
1-5 YRS	52	13.1	106	<1	2	9	21	30	34	36
6-12 YRS	104	15.4	151	2	3	13	21	31	40	59
13-19 YRS	145	12.5	153	1	2	9	17	28	35	55
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	20.5	36	14	14	20	25	28	28	28
1-11 MOS	28	12.5	56	3	4	11	16	23	28	33
1-5 YRS	92	13.3	69	3	4	11	20	26	28	34
6-12 YRS	122	15.3	112	2	4	13	22	29	37	45
13-19 YRS	84	13.9	102	3	4	11	20	29	37	81
B. *Operated*										
0-27 DYS	6	23.0	131	10	10	20	33	39	40	40
1-11 MOS	27	18.4	126	3	6	15	24	34	42	45
1-5 YRS	80	16.1	179	1	3	12	22	33	41	69
6-12 YRS	195	17.8	183	2	4	15	24	38	48	91
13-19 YRS	243	16.9	204	3	4	12	24	40	44	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	308	11.4	69	1	2	9	15	23	28	41
B. *Operated*	313	13.7	143	1	2	10	21	29	36	53
2. MULTIPLE DX										
A. *Not Operated*	330	14.2	92	3	4	12	21	28	32	44
B. *Operated*	551	17.2	188	2	4	14	24	39	44	69
1. SINGLE DX	621	12.6	107	1	2	10	17	27	32	45
2. MULTIPLE DX	881	16.1	154	3	4	13	22	33	42	61
A. NOT OPERATED	638	12.9	83	2	3	10	18	27	30	43
B. OPERATED	864	15.9	174	2	3	13	22	34	42	63
TOTAL 0-27 DYS	11	22.0	78	10	12	22	27	36	40	40
1-11 MOS	91	14.3	79	3	4	13	18	26	31	44
1-5 YRS	300	13.4	106	1	2	11	20	27	32	45
6-12 YRS	540	15.5	140	2	3	13	21	32	42	55
13-19 YRS	560	14.4	161	2	3	10	20	31	41	60
GRAND TOTAL	**1502**	**14.6**	**138**	**2**	**3**	**11**	**21**	**30**	**39**	**56**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	1.7	1	<1	<1	1	2	3	3	3
1-11 MOS	7	6.4	77	<1	<1	3	8	22	25	25
1-5 YRS	111	4.8	16	<1	<1	4	7	9	14	18
6-12 YRS	199	6.4	49	<1	1	4	8	15	18	39
13-19 YRS	149	3.6	30	<1	1	2	4	8	9	29
B. *Operated*										
0-27 DYS										
1-11 MOS	12	2.8	5	<1	<1	2	3	6	9	9
1-5 YRS	154	3.9	17	<1	<1	3	5	8	13	22
6-12 YRS	891	4.8	21	<1	1	4	6	9	13	24
13-19 YRS	1943	3.7	14	<1	1	3	5	7	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	3.3	4	1	1	4	5	5	5	5
1-11 MOS	14	6.4	14	1	2	6	8	12	14	14
1-5 YRS	65	7.4	95	1	1	4	9	17	34	92
6-12 YRS	121	7.3	63	1	1	5	9	16	25	39
13-19 YRS	183	4.9	50	<1	<1	3	6	10	17	89
B. *Operated*										
0-27 DYS	3	4.3	4	2	2	5	6	6	6	6
1-11 MOS	12	8.8	55	<1	1	7	13	22	23	23
1-5 YRS	80	4.9	21	<1	1	3	6	11	14	25
6-12 YRS	341	6.8	52	1	1	4	8	16	22	38
13-19 YRS	953	5.0	34	1	1	3	6	11	14	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	469	5.1	36	<1	1	3	7	12	16	29
B. *Operated*	3000	4.0	16	<1	1	3	5	8	11	20
2. MULTIPLE DX										
A. *Not Operated*	386	6.1	61	<1	1	4	7	14	21	63
B. *Operated*	1389	5.4	38	1	1	3	7	12	17	31
1. SINGLE DX	3469	4.2	19	<1	1	3	5	8	12	22
2. MULTIPLE DX	1775	5.6	43	1	1	3	7	12	18	35
A. NOT OPERATED	855	5.6	48	<1	1	3	7	12	18	42
B. OPERATED	4389	4.5	24	1	1	3	5	9	13	24
TOTAL 0-27 DYS	9	3.1	4	<1	<1	3	5	6	6	6
1-11 MOS	45	6.1	35	<1	1	4	8	14	21	25
1-5 YRS	410	4.9	31	<1	1	3	6	10	16	29
6-12 YRS	1552	5.6	36	1	1	4	7	12	17	32
13-19 YRS	3228	4.1	23	1	1	3	5	8	12	23
GRAND TOTAL	**5244**	**4.6**	**28**	**<1**	**1**	**3**	**6**	**10**	**14**	**27**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	6	1.5	1	<1	<1	1	2	3	3	3
13-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	16	3.6	3	<1	1	3	5	6	7	7
1-5 YRS	95	2.7	3	<1	1	2	4	5	6	9
6-12 YRS	275	4.3	28	1	1	3	5	6	8	40
13-19 YRS	378	3.5	9	<1	1	3	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	17	1.6	2	<1	<1	1	2	4	5	6
6-12 YRS	31	4.5	32	<1	<1	1	6	15	17	18
13-19 YRS	24	7.3	326	<1	<1	1	7	17	39	89
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	12	2.4	1	<1	1	2	3	4	4	4
1-5 YRS	253	3.2	8	<1	1	3	4	5	8	13
6-12 YRS	515	4.6	38	1	1	3	5	8	10	43
13-19 YRS	586	5.6	57	1	2	4	6	9	13	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	2.0	5	<1	<1	1	2	5	8	8
B. *Operated*	764	3.7	15	1	1	3	4	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	74	4.9	121	<1	<1	1	5	12	17	72
B. *Operated*	1367	4.8	41	1	1	3	5	8	11	34
1. SINGLE DX	774	3.7	15	<1	1	3	4	6	8	16
2. MULTIPLE DX	1441	4.8	45	1	1	3	5	8	11	34
A. NOT OPERATED	84	4.5	108	<1	<1	1	4	11	17	65
B. OPERATED	2131	4.4	32	1	1	3	5	7	10	30
TOTAL 0-27 DYS	2	4.0	8	2	2	4	6	6	6	6
1-11 MOS	30	3.5	5	<1	1	3	4	7	8	10
1-5 YRS	366	3.0	6	<1	1	3	4	5	7	11
6-12 YRS	827	4.5	34	1	1	3	5	7	10	42
13-19 YRS	990	4.8	46	1	1	3	5	8	11	31
GRAND TOTAL	**2215**	**4.4**	**35**	**1**	**1**	**3**	**5**	**8**	**10**	**30**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	15.0		15	15	15	15	15	15	15
13-19 YRS	11	3.1	2	2	2	3	3	5	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	2.0	1	1	1	2	3	3	3	3
13-19 YRS	6	5.3	41	1	1	3	6	17	18	18
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	3	5.3	26	1	1	4	9	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	4.1	14	2	2	3	4	9	14	15
B. *Operated*	4	1.5		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	10	4.0	26	1	1	2	3	12	18	18
B. *Operated*	4	5.5	18	1	1	5	8	11	11	11
1. SINGLE DX	16	3.4	11	1	1	3	3	7	13	15
2. MULTIPLE DX	14	4.4	23	1	1	3	6	12	17	18
A. NOT OPERATED	22	4.0	18	1	1	3	3	9	16	18
B. OPERATED	8	3.5	12	1	1	2	5	9	11	11
TOTAL 0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS	7	4.3	25	1	1	2	5	13	15	15
13-19 YRS	22	3.9	15	1	1	3	4	8	14	18
GRAND TOTAL	**30**	**3.9**	**16**	**1**	**1**	**3**	**4**	**9**	**15**	**18**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	5.0	18	2	2	5	8	8	8	8
1-11 MOS	14	2.6	3	1	1	2	4	5	7	7
1-5 YRS	59	2.6	7	<1	<1	2	3	6	9	15
6-12 YRS	142	2.2	4	<1	<1	2	3	4	6	11
13-19 YRS	278	2.4	3	<1	<1	2	3	5	6	9
B. *Operated*										
0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	21	2.7	5	<1	<1	2	3	6	8	9
1-5 YRS	152	2.4	3	<1	<1	2	3	5	6	10
6-12 YRS	405	5.3	17	<1	1	4	8	11	13	16
13-19 YRS	1369	5.5	22	<1	1	4	9	11	13	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	12.0	32	8	8	12	16	16	16	16
1-11 MOS	24	4.1	24	1	1	3	4	8	17	23
1-5 YRS	78	3.2	24	<1	<1	2	3	7	10	32
6-12 YRS	163	3.8	34	<1	1	2	4	7	11	21
13-19 YRS	343	4.2	45	<1	1	2	5	7	12	28
B. *Operated*										
0-27 DYS	2	5.0	18	2	2	5	8	8	8	8
1-11 MOS	27	3.2	7	<1	<1	2	4	8	9	10
1-5 YRS	358	3.7	40	<1	1	3	4	6	10	28
6-12 YRS	564	6.7	63	1	1	4	9	15	20	41
13-19 YRS	1494	6.1	61	1	1	3	9	14	20	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	495	2.4	4	<1	<1	2	3	5	6	10
B. *Operated*	1949	5.2	20	<1	1	3	8	11	13	20
2. MULTIPLE DX										
A. *Not Operated*	610	4.0	39	<1	1	2	5	7	11	27
B. *Operated*	2445	5.9	59	1	1	3	8	14	19	38
1. SINGLE DX	2444	4.6	18	<1	<1	3	8	10	12	18
2. MULTIPLE DX	3055	5.5	55	<1	1	3	7	13	18	37
A. NOT OPERATED	1105	3.3	24	<1	<1	2	4	6	9	22
B. OPERATED	4394	5.6	42	<1	1	3	8	12	16	30
TOTAL 0-27 DYS	8	6.4	22	2	2	6	8	14	16	16
1-11 MOS	86	3.3	11	<1	1	2	4	7	9	20
1-5 YRS	647	3.3	27	<1	1	2	3	6	9	24
6-12 YRS	1274	5.4	40	<1	1	3	8	12	15	32
13-19 YRS	3484	5.4	41	<1	1	3	8	12	15	29
GRAND TOTAL	**5499**	**5.1**	**39**	**<1**	**1**	**3**	**7**	**11**	**15**	**29**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	10	3.5	3	2	2	3	5	6	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		1	1	1	1	1	1	1
B. *Operated*	3	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	13	3.8	4	2	2	3	5	7	8	8
B. *Operated*										
1. SINGLE DX	5	1.6		1	1	2	2	2	2	2
2. MULTIPLE DX	13	3.8	4	2	2	3	5	7	8	8
A. NOT OPERATED	15	3.5	5	1	1	3	5	7	8	8
B. OPERATED	3	2.0		2	2	2	2	2	2	2
TOTAL 0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	14	3.0	3	1	2	2	3	6	7	7
GRAND TOTAL	**18**	**3.2**	**4**	**1**	**1**	**3**	**4**	**7**	**8**	**8**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	7	2.1	5	<1	<1	1	2	6	7	7
1-11 MOS	51	3.0	27	<1	<1	1	3	7	9	34
1-5 YRS	68	2.2	14	<1	<1	1	2	4	4	26
6-12 YRS	19	1.9	2	<1	<1	1	2	4	6	7
13-19 YRS	12	2.4	2	1	1	2	3	4	5	5
B. *Operated*										
0-27 DYS	42	8.7	43	2	3	6	12	17	20	34
1-11 MOS	141	6.0	22	2	3	5	7	9	13	33
1-5 YRS	68	4.5	11	1	1	4	6	9	11	16
6-12 YRS	72	5.1	17	1	1	4	7	10	14	22
13-19 YRS	37	5.8	19	1	1	5	8	13	13	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	20	6.1	31	1	1	4	9	13	18	22
1-11 MOS	122	4.9	40	1	1	3	6	11	15	36
1-5 YRS	213	4.6	87	<1	1	2	5	7	13	91
6-12 YRS	92	7.0	139	<1	1	3	8	17	25	71
13-19 YRS	56	6.3	129	1	1	3	7	27	89	99+
B. *Operated*										
0-27 DYS	56	15.5	158	3	5	11	20	33	47	61
1-11 MOS	228	10.3	92	2	3	7	12	22	32	69
1-5 YRS	268	8.5	88	1	2	6	9	20	31	53
6-12 YRS	174	7.9	55	2	2	6	10	16	24	38
13-19 YRS	120	10.5	117	2	2	7	12	23	35	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	157	2.5	15	<1	<1	1	2	4	7	29
B. *Operated*	360	5.8	22	1	2	5	7	11	15	24
2. MULTIPLE DX										
A. *Not Operated*	503	5.3	88	<1	1	3	5	11	22	92
B. *Operated*	846	9.6	94	2	2	7	11	22	32	54
1. SINGLE DX	517	4.8	22	<1	1	4	6	10	13	26
2. MULTIPLE DX	1349	8.0	96	1	1	5	9	19	30	61
A. NOT OPERATED	660	4.7	72	<1	<1	2	5	10	16	80
B. OPERATED	1206	8.5	76	2	2	6	10	19	27	51
TOTAL 0-27 DYS	125	11.0	109	1	2	8	13	22	34	56
1-11 MOS	542	7.3	63	1	1	5	8	15	23	44
1-5 YRS	617	6.0	76	<1	1	3	7	12	23	54
6-12 YRS	357	6.8	68	1	1	4	9	14	22	42
13-19 YRS	225	8.3	104	1	1	5	10	20	34	99+
GRAND TOTAL	**1866**	**7.1**	**78**	**1**	**1**	**5**	**8**	**16**	**24**	**54**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	2.3	2	1	1	2	3	4	4	4
1-11 MOS	95	1.2		<1	<1	<1	1	1	2	5
1-5 YRS	114	1.3	2	<1	<1	<1	1	1	2	10
6-12 YRS	14	1.6	2	<1	<1	1	1	3	5	5
13-19 YRS	10	3.7	5	<1	<1	4	5	6	7	7
B. *Operated*										
0-27 DYS	26	1.7	2	<1	<1	1	2	4	4	5
1-11 MOS	176	1.7	3	<1	<1	1	2	3	4	10
1-5 YRS	563	1.7	1	<1	<1	1	2	3	4	7
6-12 YRS	489	1.9	2	<1	<1	1	2	3	5	8
13-19 YRS	303	2.3	7	<1	<1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	8.4	205	<1	<1	2	11	34	34	34
1-11 MOS	25	2.0	3	<1	<1	1	2	4	7	8
1-5 YRS	58	1.7	6	<1	<1	<1	1	3	5	16
6-12 YRS	25	2.6	25	<1	<1	1	2	4	10	26
13-19 YRS	15	1.3	1	<1	<1	1	1	2	4	5
B. *Operated*										
0-27 DYS	8	4.9	21	1	1	3	7	12	14	14
1-11 MOS	120	2.7	12	<1	<1	1	3	7	10	19
1-5 YRS	238	2.0	2	<1	<1	2	2	4	5	9
6-12 YRS	204	2.2	4	<1	<1	2	3	4	6	12
13-19 YRS	136	2.8	5	1	1	2	3	6	8	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	236	1.4	2	<1	<1	<1	1	2	4	7
B. *Operated*	1557	1.9	3	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	128	2.1	16	<1	<1	1	2	4	6	28
B. *Operated*	706	2.4	5	<1	<1	2	3	5	7	12
1. SINGLE DX	1793	1.8	3	<1	<1	1	2	3	4	8
2. MULTIPLE DX	834	2.3	7	<1	<1	1	3	4	7	14
A. NOT OPERATED	364	1.6	7	<1	<1	<1	1	3	5	12
B. OPERATED	2263	2.0	4	<1	<1	1	2	4	5	10
TOTAL 0-27 DYS	42	3.2	30	<1	<1	1	4	5	11	34
1-11 MOS	416	1.9	5	<1	<1	1	2	3	5	13
1-5 YRS	973	1.7	2	<1	<1	1	2	3	4	8
6-12 YRS	732	2.0	4	<1	<1	1	2	4	5	9
13-19 YRS	464	2.5	6	<1	1	2	3	5	6	11
GRAND TOTAL	**2627**	**2.0**	**4**	**<1**	**<1**	**1**	**2**	**4**	**5**	**10**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	32	2.0	1	1	1	2	3	4	4	5
1-11 MOS	44	2.9	9	<1	1	2	3	6	9	17
1-5 YRS	48	2.3	3	<1	<1	2	3	4	5	10
6-12 YRS	14	2.4	2	<1	1	2	3	5	5	5
13-19 YRS	19	2.9	4	<1	1	2	4	7	8	8
B. *Operated*										
0-27 DYS	36	6.1	15	<1	1	6	9	12	12	15
1-11 MOS	474	4.8	19	1	1	3	8	10	12	22
1-5 YRS	1237	4.2	12	1	1	2	7	8	10	15
6-12 YRS	481	3.9	11	1	1	2	6	8	10	15
13-19 YRS	259	4.1	13	<1	1	2	7	9	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	107	7.1	94	<1	1	4	8	16	19	62
1-11 MOS	366	4.1	19	<1	1	3	5	9	11	23
1-5 YRS	277	3.4	13	<1	<1	2	4	8	10	20
6-12 YRS	62	3.2	23	<1	1	2	3	6	8	33
13-19 YRS	69	3.0	6	<1	1	2	4	6	8	13
B. *Operated*										
0-27 DYS	224	11.2	136	1	2	9	14	25	37	99+
1-11 MOS	1614	8.3	99	1	1	6	11	18	28	77
1-5 YRS	2359	6.2	49	1	1	5	9	13	17	35
6-12 YRS	788	6.1	63	1	1	4	8	13	16	47
13-19 YRS	417	5.5	40	1	1	3	8	12	15	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	157	2.5	5	<1	1	2	3	5	6	11
B. *Operated*	2487	4.3	13	1	1	2	7	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	881	4.1	27	<1	1	3	5	9	12	23
B. *Operated*	5402	7.0	71	1	1	5	9	15	21	50
1. SINGLE DX	2644	4.2	13	1	1	2	7	9	10	16
2. MULTIPLE DX	6283	6.6	65	1	1	4	9	14	20	47
A. NOT OPERATED	1038	3.8	24	<1	1	2	4	8	11	22
B. OPERATED	7889	6.1	54	1	1	4	8	13	18	40
TOTAL 0-27 DYS	399	8.9	111	1	1	6	11	20	29	97
1-11 MOS	2498	6.9	74	1	1	4	9	15	22	49
1-5 YRS	3921	5.3	35	1	1	3	8	11	15	30
6-12 YRS	1345	5.2	43	1	1	2	7	11	14	26
13-19 YRS	764	4.7	28	1	1	2	7	10	13	26
GRAND TOTAL	**8927**	**5.9**	**51**	**1**	**1**	**3**	**8**	**12**	**17**	**39**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	9	3.9	23	<1	<1	2	4	12	16	16
1-11 MOS	8	1.8	2	<1	<1	1	2	4	5	5
1-5 YRS	7	1.7	1	<1	<1	1	2	4	4	4
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS	18	3.5	7	<1	<1	3	4	8	9	9
1-11 MOS	776	3.7	3	1	2	3	5	6	7	9
1-5 YRS	590	3.4	3	1	2	3	4	6	7	8
6-12 YRS	222	3.0	2	1	1	3	4	5	6	8
13-19 YRS	180	2.9	2	1	2	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	17	4.2	6	2	2	3	5	9	10	10
1-11 MOS	51	2.1	7	<1	<1	1	2	5	7	15
1-5 YRS	61	1.5	3	<1	<1	1	1	3	4	11
6-12 YRS	9	1.4	1	<1	<1	1	2	3	4	4
13-19 YRS	6	1.5	2	<1	<1	1	1	4	4	4
B. *Operated*										
0-27 DYS	7	9.1	86	1	1	6	14	25	27	27
1-11 MOS	544	4.2	9	1	2	4	5	7	8	14
1-5 YRS	658	3.7	5	1	2	3	4	6	7	10
6-12 YRS	174	3.0	3	1	2	3	4	5	6	11
13-19 YRS	229	3.0	4	1	1	3	4	5	6	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	2.5	9	<1	<1	1	3	5	8	16
B. *Operated*	1786	3.4	3	1	2	3	4	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	144	2.0	5	<1	<1	1	2	5	7	11
B. *Operated*	1612	3.7	7	1	2	3	4	6	8	13
1. SINGLE DX	1812	3.4	3	1	2	3	4	6	7	8
2. MULTIPLE DX	1756	3.6	7	1	1	3	4	6	7	13
A. NOT OPERATED	170	2.1	6	<1	<1	1	2	5	6	14
B. OPERATED	3398	3.6	5	1	2	3	4	6	7	10
TOTAL 0-27 DYS	51	4.6	22	<1	1	3	6	9	15	27
1-11 MOS	1379	3.8	6	1	2	3	5	6	8	11
1-5 YRS	1316	3.5	5	1	1	3	4	6	7	9
6-12 YRS	406	3.0	3	1	1	3	4	5	6	9
13-19 YRS	416	2.9	3	1	1	3	4	5	6	8
GRAND TOTAL	**3568**	**3.5**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**10**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	26	2.4	2	<1	1	2	3	4	5	7
1-11 MOS	40	2.2	2	1	1	2	3	4	5	7
1-5 YRS	6	1.5		1	1	1	2	2	2	2
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	549	3.5	3	2	2	3	4	6	7	9
1-11 MOS	1189	3.3	2	2	2	3	4	5	6	8
1-5 YRS	119	3.8	2	2	2	4	5	6	7	9
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	18	2.8	8	<1	<1	2	4	6	10	12
1-11 MOS	49	3.9	16	1	1	3	4	9	10	23
1-5 YRS	10	3.0	2	1	1	3	4	5	5	5
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	154	4.1	4	2	2	4	5	6	8	10
1-11 MOS	399	4.4	8	2	2	4	5	7	9	14
1-5 YRS	38	6.3	26	2	3	5	8	10	24	99+
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	2.2	2	1	1	2	3	4	5	7
B. *Operated*	1857	3.4	2	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	77	3.6	12	1	1	3	4	6	10	21
B. *Operated*	591	4.5	9	2	2	4	5	7	9	15
1. SINGLE DX	1929	3.3	2	1	2	3	4	5	6	9
2. MULTIPLE DX	668	4.4	9	2	2	4	5	7	9	16
A. NOT OPERATED	149	2.9	8	1	1	2	4	5	7	16
B. OPERATED	2448	3.6	4	2	2	3	4	6	7	10
TOTAL 0-27 DYS	747	3.6	3	1	2	3	4	6	7	10
1-11 MOS	1677	3.5	4	1	2	3	4	5	7	10
1-5 YRS	173	4.2	9	2	2	4	5	7	9	28
6-12 YRS										
13-19 YRS										
GRAND TOTAL	**2597**	**3.6**	**4**	**1**	**2**	**3**	**4**	**6**	**7**	**10**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	33	2.5	6	<1	1	2	3	4	6	14
1-11 MOS	122	2.6	6	<1	<1	2	3	6	8	13
1-5 YRS	98	3.0	25	<1	<1	2	3	6	9	31
6-12 YRS	22	2.8	6	<1	<1	2	3	6	9	11
13-19 YRS	12	2.9	6	<1	1	2	4	6	9	9
B. *Operated*										
0-27 DYS	73	9.4	69	2	2	7	12	20	27	43
1-11 MOS	352	5.8	30	<1	1	5	8	12	17	27
1-5 YRS	349	4.7	39	<1	<1	3	6	10	13	29
6-12 YRS	172	3.9	11	<1	1	3	5	8	12	16
13-19 YRS	148	3.4	6	<1	1	3	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	54	3.5	12	<1	1	2	4	7	10	21
1-11 MOS	193	8.0	108	1	1	4	9	22	33	55
1-5 YRS	177	4.7	30	<1	1	3	6	11	14	25
6-12 YRS	30	5.0	20	<1	1	3	8	10	12	20
13-19 YRS	26	5.1	15	<1	<1	5	7	11	14	15
B. *Operated*										
0-27 DYS	132	17.0	370	2	3	10	20	50	94	99+
1-11 MOS	441	10.7	154	1	2	7	13	26	43	99+
1-5 YRS	536	8.1	101	1	1	6	9	16	24	51
6-12 YRS	209	5.1	20	1	1	4	7	11	12	26
13-19 YRS	211	5.2	21	1	1	4	7	11	14	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	287	2.7	13	<1	<1	2	3	6	8	14
B. *Operated*	1094	5.1	31	<1	1	3	7	11	15	27
2. MULTIPLE DX										
A. *Not Operated*	480	5.9	61	<1	1	3	7	12	21	48
B. *Operated*	1529	8.8	128	1	2	6	10	19	33	98
1. SINGLE DX	1381	4.6	28	<1	<1	3	6	10	13	26
2. MULTIPLE DX	2009	8.1	113	1	1	5	9	18	28	84
A. NOT OPERATED	767	4.7	45	<1	<1	2	5	11	15	44
B. OPERATED	2623	7.2	91	1	1	5	9	15	24	71
TOTAL 0-27 DYS	292	10.9	222	1	1	6	13	31	49	99+
1-11 MOS	1108	7.8	98	<1	1	5	9	18	27	94
1-5 YRS	1160	6.1	69	<1	1	4	8	13	18	44
6-12 YRS	433	4.5	16	1	1	3	6	9	12	20
13-19 YRS	397	4.4	15	1	1	3	6	9	12	19
GRAND TOTAL	**3390**	**6.7**	**82**	**<1**	**1**	**4**	**8**	**14**	**22**	**59**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	16	1.2		<1	<1	1	1	2	2	2
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	30	1.6	1	<1	<1	1	2	3	3	5
1-5 YRS	862	1.6	1	<1	<1	1	2	3	4	5
6-12 YRS	793	1.8	1	<1	<1	1	2	3	4	6
13-19 YRS	207	1.9	1	<1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	1.0		<1	<1	1	1	1	1	1
1-5 YRS	72	1.4	1	<1	<1	1	1	3	4	7
6-12 YRS	25	1.1		<1	<1	1	1	1	2	2
13-19 YRS	9	1.2		<1	<1	1	1	2	2	2
B. *Operated*										
0-27 DYS	4	1.8		1	1	2	2	2	2	2
1-11 MOS	59	1.7	1	<1	<1	1	2	3	4	6
1-5 YRS	937	1.8	2	<1	<1	1	2	3	4	6
6-12 YRS	629	2.0	2	<1	<1	2	2	4	5	7
13-19 YRS	181	2.3	2	1	1	2	3	4	5	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	1.2		<1	<1	1	1	2	2	2
B. *Operated*	1892	1.7	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	111	1.3	1	<1	<1	1	1	2	3	6
B. *Operated*	1810	1.9	2	<1	<1	2	2	3	4	7
1. SINGLE DX	1909	1.7	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX	1921	1.9	2	<1	<1	1	2	3	4	7
A. NOT OPERATED	128	1.3	1	<1	<1	1	1	2	3	6
B. OPERATED	3702	1.8	2	<1	<1	1	2	3	4	6
TOTAL 0-27 DYS	5	2.0	1	1	1	2	2	3	3	3
1-11 MOS	93	1.7	1	<1	<1	1	2	3	4	6
1-5 YRS	1887	1.7	1	<1	<1	1	2	3	4	6
6-12 YRS	1447	1.9	2	<1	<1	2	2	3	4	6
13-19 YRS	398	2.1	2	<1	1	2	3	4	4	7
GRAND TOTAL	**3830**	**1.8**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**6**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	15	2.3	8	<1	<1	1	3	4	10	12
1-11 MOS	7	1.7	1	<1	<1	1	2	4	4	4
1-5 YRS	22	2.7	7	<1	<1	1	4	6	9	11
6-12 YRS	12	1.6		<1	<1	1	2	3	3	3
13-19 YRS	15	2.9	2	<1	1	2	4	4	6	7
B. *Operated*										
0-27 DYS	38	6.8	24	1	1	6	10	13	14	24
1-11 MOS	324	4.2	12	<1	<1	3	6	10	11	14
1-5 YRS	1509	4.4	14	<1	1	3	7	9	12	15
6-12 YRS	358	4.2	13	<1	<1	3	6	9	11	17
13-19 YRS	314	3.9	12	<1	<1	3	5	8	10	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	13	4.1	9	<1	1	3	6	9	10	10
1-11 MOS	41	4.0	31	<1	<1	2	4	9	16	30
1-5 YRS	91	2.1	4	<1	<1	1	2	5	7	10
6-12 YRS	36	4.9	145	<1	<1	3	4	5	10	74
13-19 YRS	33	3.1	14	1	1	2	3	5	7	22
B. *Operated*										
0-27 DYS	34	10.8	48	2	3	10	14	19	23	33
1-11 MOS	249	7.0	32	1	1	6	10	14	18	29
1-5 YRS	860	5.2	25	<1	1	4	7	11	14	26
6-12 YRS	277	4.7	17	<1	1	4	7	9	13	19
13-19 YRS	335	5.7	28	1	1	4	8	12	16	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	2.4	5	<1	<1	2	3	4	7	12
B. *Operated*	2543	4.3	13	<1	1	3	6	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	214	3.2	35	<1	<1	2	4	6	8	25
B. *Operated*	1755	5.6	27	<1	1	4	8	12	15	24
1. SINGLE DX	2614	4.3	13	<1	1	3	6	9	11	15
2. MULTIPLE DX	1969	5.3	28	<1	1	4	7	11	14	24
A. NOT OPERATED	285	3.0	28	<1	<1	2	3	6	7	21
B. OPERATED	4298	4.8	19	<1	1	3	7	10	13	19
TOTAL 0-27 DYS	100	7.1	37	<1	1	5	10	14	19	29
1-11 MOS	621	5.3	23	<1	<1	4	8	11	14	22
1-5 YRS	2482	4.6	18	<1	1	3	7	10	12	18
6-12 YRS	683	4.4	21	<1	1	3	6	9	12	18
13-19 YRS	697	4.7	21	<1	1	3	6	10	13	22
GRAND TOTAL	**4583**	**4.7**	**20**	**<1**	**1**	**3**	**7**	**10**	**13**	**19**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	16	1.4	1	<1	<1	<1	2	3	4	4
1-5 YRS	20	1.4	1	<1	<1	<1	1	3	4	4
6-12 YRS	4	1.5	1	<1	<1	<1	2	3	3	3
13-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-27 DYS	2	3.0	8	<1	<1	2	5	5	5	5
1-11 MOS	564	3.1	4	1	1	3	4	5	7	10
1-5 YRS	565	3.2	5	1	1	3	4	6	8	12
6-12 YRS	194	3.5	4	1	1	3	4	6	8	10
13-19 YRS	137	3.4	3	1	1	3	4	6	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	6.3	26	2	2	5	10	12	12	12
1-11 MOS	40	1.2		<1	<1	1	1	2	2	3
1-5 YRS	64	1.3	1	<1	<1	1	1	2	3	4
6-12 YRS	15	1.8	2	<1	<1	1	3	5	71	99+
13-19 YRS	6	1.7	1	1	1	1	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	164	4.0	8	1	1	3	5	8	10	16
1-5 YRS	339	3.8	13	1	1	3	4	7	9	21
6-12 YRS	224	3.6	4	1	1	3	5	6	7	10
13-19 YRS	265	4.0	13	1	1	3	5	7	8	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	1.4	1	<1	<1	<1	1	3	4	4
B. *Operated*	1462	3.2	4	1	1	3	4	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	128	1.5	2	<1	<1	1	1	3	4	30
B. *Operated*	992	3.8	10	1	1	3	5	7	8	15
1. SINGLE DX	1504	3.2	4	1	1	3	4	6	7	10
2. MULTIPLE DX	1120	3.6	10	<1	1	3	4	6	8	15
A. NOT OPERATED	170	1.4	1	<1	<1	1	1	3	4	11
B. OPERATED	2454	3.5	7	1	1	3	4	6	8	12
TOTAL 0-27 DYS	6	4.5	16	<1	<1	3	5	11	12	12
1-11 MOS	784	3.1	5	<1	1	3	4	6	8	12
1-5 YRS	988	3.3	8	<1	1	3	4	6	8	13
6-12 YRS	437	3.5	4	1	1	3	4	6	8	10
13-19 YRS	409	3.8	10	1	1	3	5	6	8	13
GRAND TOTAL	**2624**	**3.3**	**7**	**<1**	**1**	**3**	**4**	**6**	**8**	**12**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	13	3.7	14	<1	<1	3	5	8	13	14
1-11 MOS	187	2.3	8	<1	<1	1	2	5	7	15
1-5 YRS	207	2.7	25	<1	<1	1	2	5	8	26
6-12 YRS	60	5.0	75	<1	<1	2	5	8	21	55
13-19 YRS	48	5.9	45	1	1	3	9	21	21	99+
B. Operated										
0-27 DYS	29	6.2	58	1	1	4	6	15	21	38
1-11 MOS	902	4.9	21	<1	1	4	6	9	13	22
1-5 YRS	1539	3.6	15	<1	<1	2	5	7	9	22
6-12 YRS	1037	3.7	13	<1	1	3	5	7	9	15
13-19 YRS	1306	4.0	14	1	1	3	6	8	11	18
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	62	6.2	44	<1	1	4	8	14	16	40
1-11 MOS	306	5.2	68	<1	1	3	5	10	21	37
1-5 YRS	343	3.5	20	<1	<1	2	4	8	14	25
6-12 YRS	141	5.0	91	<1	<1	3	5	11	24	99+
13-19 YRS	141	4.7	62	<1	1	2	4	10	19	99+
B. Operated										
0-27 DYS	47	17.1	241	2	2	15	31	58	99+	99+
1-11 MOS	478	7.0	81	1	1	5	8	16	23	62
1-5 YRS	956	5.3	38	1	1	4	6	11	16	33
6-12 YRS	732	6.1	63	1	2	4	7	11	16	54
13-19 YRS	749	5.8	53	1	1	4	7	11	17	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	515	3.1	28	<1	<1	1	3	7	11	22
B. Operated	4813	4.0	16	<1	1	3	5	8	10	20
2. MULTIPLE DX										
A. Not Operated	993	4.6	53	<1	<1	2	5	10	17	53
B. Operated	2962	6.1	60	1	1	4	7	12	18	51
1. SINGLE DX	5328	3.9	17	<1	1	3	5	8	11	21
2. MULTIPLE DX	3955	5.7	59	1	1	4	7	12	18	51
A. NOT OPERATED	1508	4.1	45	<1	<1	2	4	9	15	44
B. OPERATED	7775	4.8	34	<1	1	3	6	9	14	30
TOTAL 0-27 DYS	151	9.4	131	1	1	5	12	28	45	99+
1-11 MOS	1873	5.2	45	<1	1	4	6	11	16	28
1-5 YRS	3045	4.0	24	<1	<1	2	5	8	12	26
6-12 YRS	1970	4.7	40	1	1	3	6	9	12	41
13-19 YRS	2244	4.7	32	1	1	3	6	10	13	27
GRAND TOTAL	**9283**	**4.7**	**36**	**<1**	**1**	**3**	**6**	**9**	**14**	**31**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	7441	2.8	8	1	1	2	3	4	7	17
1-11 MOS	672	4.0	28	1	1	3	4	8	12	25
1-5 YRS	645	4.3	17	1	1	3	5	9	12	19
6-12 YRS										
13-19 YRS										
B. Operated										
0-27 DYS	93	4.9	33	1	2	3	6	9	11	37
1-11 MOS	55	4.7	64	<1	1	2	5	10	16	53
1-5 YRS	74	7.0	45	<1	1	4	12	17	20	24
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	4390	7.6	109	1	2	4	8	19	29	56
1-11 MOS	1154	8.9	147	1	1	4	10	24	35	80
1-5 YRS	768	9.4	121	1	2	6	11	21	32	69
6-12 YRS										
13-19 YRS										
B. Operated										
0-27 DYS	579	20.7	479	2	4	12	29	70	89	99+
1-11 MOS	175	15.2	324	1	1	9	21	47	68	99+
1-5 YRS	178	15.6	289	2	3	11	20	50	86	99+
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8758	3.0	11	1	1	2	3	5	8	18
B. Operated	222	5.6	45	1	1	3	7	14	18	33
2. MULTIPLE DX										
A. Not Operated	6312	8.1	118	1	2	4	9	20	30	62
B. Operated	932	18.7	419	2	3	11	25	64	87	99+
1. SINGLE DX	8980	3.0	12	1	1	2	3	5	8	19
2. MULTIPLE DX	7244	9.5	170	1	2	5	11	24	38	88
A. NOT OPERATED	15070	5.1	62	1	1	3	5	11	19	43
B. OPERATED	1154	16.2	374	1	2	10	21	52	81	99+
TOTAL 0-27 DYS	12503	5.3	82	1	1	2	4	11	21	56
1-11 MOS	2056	7.8	131	1	1	4	8	21	31	79
1-5 YRS	1665	8.0	108	1	2	5	9	18	28	79
6-12 YRS										
13-19 YRS										
GRAND TOTAL	**16224**	**5.9**	**92**	**1**	**1**	**3**	**5**	**14**	**24**	**62**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	82	3.2	4	1	1	3	4	6	7	9
1-11 MOS	768	2.8	9	1	1	2	3	5	6	13
1-5 YRS	2674	2.3	3	1	1	2	3	4	5	8
6-12 YRS	1126	2.4	4	1	1	2	3	4	6	10
13-19 YRS	1173	2.7	7	1	1	2	3	5	6	11
B. *Operated*										
0-27 DYS										
1-11 MOS	9	5.6	21	1	1	4	8	13	14	14
1-5 YRS	7	2.1	3	<1	<1	1	3	5	5	5
6-12 YRS	4	2.3	1	1	1	2	3	3	3	3
13-19 YRS	18	4.7	35	1	1	3	5	10	20	26
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	69	4.7	14	1	1	4	6	8	10	24
1-11 MOS	1560	3.4	10	1	1	3	4	6	9	15
1-5 YRS	6372	2.7	4	1	1	2	3	5	6	10
6-12 YRS	1121	3.3	15	1	1	2	4	6	9	18
13-19 YRS	1031	3.5	9	1	1	3	4	6	8	16
B. *Operated*										
0-27 DYS	4	13.3	325	2	2	5	24	40	40	40
1-11 MOS	49	10.9	195	2	2	6	10	37	50	99+
1-5 YRS	85	7.8	120	1	1	4	8	17	34	61
6-12 YRS	30	5.7	45	1	1	4	7	11	15	36
13-19 YRS	73	6.6	100	1	1	4	7	14	23	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5823	2.5	5	1	1	2	3	4	6	10
B. *Operated*	38	4.2	23	1	1	3	4	10	13	26
2. MULTIPLE DX										
A. *Not Operated*	10153	3.0	7	1	1	2	4	5	7	13
B. *Operated*	241	7.9	124	1	1	4	8	16	37	67
1. SINGLE DX	5861	2.5	5	1	1	2	3	4	6	10
2. MULTIPLE DX	10394	3.1	10	1	1	2	4	5	7	14
A. NOT OPERATED	15976	2.8	6	1	1	2	3	5	7	12
B. OPERATED	279	7.4	112	1	1	4	7	15	34	67
TOTAL 0-27 DYS	155	4.1	17	1	1	3	5	7	9	25
1-11 MOS	2386	3.4	14	1	1	3	4	6	8	16
1-5 YRS	9138	2.6	5	1	1	2	3	5	6	11
6-12 YRS	2281	2.9	10	1	1	2	3	5	7	15
13-19 YRS	2295	3.2	12	1	1	2	4	6	8	15
GRAND TOTAL	**16255**	**2.9**	**8**	**1**	**1**	**2**	**3**	**5**	**7**	**13**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	221	3.0	2	1	1	3	4	5	6	8
1-11 MOS	719	2.7	2	1	1	3	3	4	5	7
1-5 YRS	679	2.6	2	1	1	2	3	5	5	7
6-12 YRS	170	2.9	3	1	1	3	4	5	6	9
13-19 YRS	116	3.3	4	1	1	3	4	6	7	10
B. *Operated*										
0-27 DYS	4	5.0	1	4	4	5	6	6	6	6
1-11 MOS	7	4.0	3	2	2	4	5	7	7	7
1-5 YRS	7	6.7	32	3	3	6	7	17	19	19
6-12 YRS	6	4.8	13	1	1	5	8	9	9	9
13-19 YRS	5	3.8	17	<1	<1	2	5	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	293	3.3	3	1	2	3	4	5	7	10
1-11 MOS	1455	3.1	4	1	1	3	4	5	6	9
1-5 YRS	1724	3.2	6	1	1	3	4	6	7	13
6-12 YRS	541	4.0	11	1	1	3	5	7	10	18
13-19 YRS	414	4.0	10	1	2	3	5	7	9	18
B. *Operated*										
0-27 DYS	5	4.4	5	2	2	4	6	8	8	8
1-11 MOS	40	5.1	17	1	2	4	6	10	14	22
1-5 YRS	54	8.2	175	1	1	4	9	15	31	72
6-12 YRS	32	11.8	258	2	2	7	11	29	37	86
13-19 YRS	46	8.9	75	2	2	6	12	17	21	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1905	2.8	2	1	1	3	3	5	6	8
B. *Operated*	29	4.9	14	1	1	4	6	9	11	19
2. MULTIPLE DX										
A. *Not Operated*	4427	3.4	6	1	1	3	4	6	7	13
B. *Operated*	177	8.2	126	1	2	5	9	15	23	70
1. SINGLE DX	1934	2.8	3	1	1	3	3	5	6	8
2. MULTIPLE DX	4604	3.6	12	1	1	3	4	6	8	15
A. NOT OPERATED	6332	3.2	5	1	1	3	4	5	7	12
B. OPERATED	206	7.8	112	1	2	5	9	15	21	67
TOTAL 0-27 DYS	523	3.2	3	1	1	3	4	5	6	9
1-11 MOS	2221	3.0	4	1	1	3	4	5	6	10
1-5 YRS	2464	3.2	10	1	1	3	4	5	7	13
6-12 YRS	749	4.1	22	1	1	3	5	7	10	20
13-19 YRS	581	4.3	16	1	2	3	5	7	11	21
GRAND TOTAL	**6538**	**3.3**	**9**	**1**	**1**	**3**	**4**	**6**	**7**	**14**

1,569 Hospitals, United States, January-December 1985

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	26	1.6	1	<1	<1	1	2	3	3	4
6-12 YRS	163	2.3	2	<1	1	2	3	4	5	8
13-19 YRS	322	2.5	2	1	1	2	3	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	4.0		4	4	4	4	4	4	4
13-19 YRS	22	2.8	3	<1	1	2	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	7	5.4	24	1	1	4	5	14	16	16
1-5 YRS	57	2.2	1	<1	1	2	3	4	4	5
6-12 YRS	238	2.5	3	1	1	2	3	4	5	8
13-19 YRS	503	3.1	5	1	1	2	4	6	7	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	3.5	3	1	1	4	5	5	5	5
6-12 YRS	12	2.6	5	1	1	2	3	6	9	9
13-19 YRS	20	4.8	11	<1	1	4	6	10	12	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	512	2.4	2	1	1	2	3	4	5	7
B. *Operated*	24	2.9	3	<1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	806	2.9	4	1	1	2	4	5	7	10
B. *Operated*	36	3.9	9	1	1	3	5	8	11	13
1. SINGLE DX	536	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX	842	2.9	5	1	1	2	4	5	7	10
A. NOT OPERATED	1318	2.7	4	1	1	2	3	5	6	9
B. OPERATED	60	3.5	7	1	1	3	4	7	9	13
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	8	4.9	23	1	1	4	5	13	16	16
1-5 YRS	87	2.1	1	<1	1	2	3	4	4	5
6-12 YRS	415	2.4	3	1	1	2	3	4	5	8
13-19 YRS	867	2.9	4	1	1	2	4	5	7	10
GRAND TOTAL	**1378**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	2.3	6	1	1	1	4	6	6	6
1-5 YRS	16	1.6	1	<1	1	1	2	3	4	4
6-12 YRS	17	1.6	1	<1	<1	1	2	3	3	3
13-19 YRS	36	3.0	4	<1	1	2	4	5	7	9
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	15	1.2		<1	<1	1	1	2	3	3
6-12 YRS	33	1.8	3	<1	<1	1	2	4	7	8
13-19 YRS	45	3.0	5	<1	1	2	5	7	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	4.3	12	1	1	4	7	8	8	8
1-5 YRS	50	2.2	2	<1	<1	2	3	4	5	7
6-12 YRS	41	2.8	13	<1	1	2	3	4	11	18
13-19 YRS	55	2.2	2	<1	1	2	3	4	5	7
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	13	2.6	4	1	1	2	3	6	7	7
6-12 YRS	19	3.3	8	<1	<1	2	5	8	10	11
13-19 YRS	29	4.2	10	1	1	3	6	9	11	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	2.3	3	<1	1	2	3	5	6	9
B. *Operated*	95	2.4	4	<1	<1	1	3	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	149	2.4	5	<1	1	2	3	4	5	18
B. *Operated*	63	3.6	8	<1	1	3	5	8	10	12
1. SINGLE DX	169	2.3	4	<1	<1	1	3	5	7	8
2. MULTIPLE DX	212	2.8	6	<1	1	2	3	5	7	14
A. NOT OPERATED	223	2.4	4	<1	1	2	3	5	5	11
B. OPERATED	158	2.9	6	<1	<1	2	4	7	8	11
TOTAL 0-27 DYS	3	4.0	7	2	2	3	6	7	7	7
1-11 MOS	9	3.6	8	1	1	3	6	8	8	8
1-5 YRS	94	2.0	2	<1	<1	1	2	4	5	7
6-12 YRS	110	2.4	8	<1	<1	2	2	5	7	18
13-19 YRS	165	3.0	5	<1	1	2	4	6	7	11
GRAND TOTAL	**381**	**2.6**	**5**	**<1**	**<1**	**2**	**3**	**5**	**7**	**11**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	7	2.7	8	1	1	2	3	8	9	9
1-11 MOS	10	2.2	2	<1	<1	2	3	4	5	5
1-5 YRS	32	3.2	3	1	2	3	4	6	7	8
6-12 YRS	32	2.8	3	1	1	2	4	5	6	7
13-19 YRS	38	2.5	3	<1	1	2	4	5	6	9
B. *Operated*										
0-27 DYS										
1-11 MOS	7	3.0	11	<1	<1	1	4	9	10	10
1-5 YRS	77	1.6	2	<1	<1	1	2	3	5	8
6-12 YRS	98	1.6	2	<1	<1	1	2	3	4	8
13-19 YRS	199	2.0	3	<1	<1	1	2	4	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	14	4.5	21	1	1	2	9	11	14	15
1-11 MOS	48	3.6	9	<1	1	3	4	8	11	14
1-5 YRS	67	3.6	27	<1	1	3	4	5	8	36
6-12 YRS	44	3.4	6	1	1	3	4	8	9	11
13-19 YRS	65	3.1	3	1	1	3	4	6	7	8
B. *Operated*										
0-27 DYS	1	35.0		35	35	35	35	35	35	35
1-11 MOS	12	7.7	57	1	1	4	10	22	23	23
1-5 YRS	42	4.5	71	<1	1	2	4	9	16	52
6-12 YRS	41	2.8	10	<1	1	2	3	5	7	19
13-19 YRS	85	6.5	106	<1	1	3	6	17	27	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	119	2.7	3	1	1	2	4	5	6	9
B. *Operated*	381	1.8	3	<1	<1	1	2	3	5	10
2. MULTIPLE DX										
A. *Not Operated*	238	3.5	12	1	1	3	4	7	9	16
B. *Operated*	181	5.4	79	<1	1	2	5	12	21	51
1. SINGLE DX	500	2.1	3	<1	<1	1	2	4	5	9
2. MULTIPLE DX	419	4.3	42	<1	1	2	4	9	13	41
A. NOT OPERATED	357	3.2	9	1	1	2	4	6	8	14
B. OPERATED	562	3.0	30	<1	<1	1	3	6	10	34
TOTAL 0-27 DYS	22	5.3	60	1	1	2	9	12	23	35
1-11 MOS	77	4.0	17	<1	1	3	4	10	11	22
1-5 YRS	218	3.0	24	<1	<1	2	3	5	8	26
6-12 YRS	215	2.4	5	<1	<1	2	3	4	7	10
13-19 YRS	387	3.2	29	<1	<1	2	3	6	9	34
GRAND TOTAL	**919**	**3.1**	**22**	**<1**	**<1**	**2**	**3**	**6**	**9**	**22**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.5	5	<1	<1	2	4	4	4	4
1-5 YRS	4	6.3	38	<1	<1	5	11	13	13	13
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	5.5	5	4	4	5	7	7	7	7
1-5 YRS	6	4.5	26	<1	<1	3	5	13	14	14
6-12 YRS	9	5.7	19	1	1	4	9	12	14	14
13-19 YRS	25	4.4	11	<1	1	3	7	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	4.3	18	1	1	3	7	10	10	10
1-5 YRS	3	11.0	244	1	1	3	22	29	29	29
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	2	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-27 DYS	1	24.0		24	24	24	24	24	24	24
1-11 MOS	5	23.8	65	11	11	26	28	33	33	33
1-5 YRS	9	5.7	48	<1	<1	3	7	18	20	20
6-12 YRS	11	6.9	72	<1	<1	4	7	23	26	26
13-19 YRS	31	10.6	73	1	1	8	16	23	27	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	5.0	28	<1	<1	2	10	13	13	13
B. *Operated*	42	4.7	14	<1	<1	4	7	9	14	14
2. MULTIPLE DX										
A. *Not Operated*	10	7.3	69	1	1	6	8	19	29	29
B. *Operated*	57	10.5	89	<1	1	7	20	25	27	33
1. SINGLE DX	48	4.8	15	<1	<1	4	7	10	14	14
2. MULTIPLE DX	67	10.0	86	1	1	7	16	25	27	32
A. NOT OPERATED	16	6.4	52	<1	<1	4	9	13	24	29
B. OPERATED	99	8.0	65	<1	1	5	11	22	26	32
TOTAL 0-27 DYS	1	24.0		24	24	24	24	24	24	24
1-11 MOS	13	11.7	127	<1	1	7	24	28	32	33
1-5 YRS	22	6.2	57	<1	<1	3	10	16	24	29
6-12 YRS	21	6.4	44	<1	1	4	8	17	23	26
13-19 YRS	58	7.8	52	1	1	6	11	21	23	30
GRAND TOTAL	**115**	**7.8**	**63**	**<1**	**1**	**5**	**11**	**22**	**26**	**31**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	1.7	1	1	1	1	3	3	3	3
1-11 MOS	4	2.3	2	1	1	2	3	4	4	4
1-5 YRS	4	2.3	2	<1	<1	2	3	4	4	4
6-12 YRS	51	2.1	1	1	1	2	3	3	4	7
13-19 YRS	185	2.5	3	<1	1	2	3	4	6	8
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	11	3.5	5	1	1	3	6	7	7	7
1-11 MOS	22	3.0	3	1	1	3	4	6	6	7
1-5 YRS	18	2.3	1	1	1	2	3	4	4	4
6-12 YRS	77	3.0	17	1	1	2	4	4	5	29
13-19 YRS	338	2.9	3	<1	1	2	4	5	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS	6	2.7	4	1	1	2	4	6	6	6
1-5 YRS	3	2.7	4	1	1	2	4	5	5	5
6-12 YRS										
13-19 YRS	17	3.9	4	1	1	4	6	6	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	247	2.4	2	<1	1	2	3	4	5	8
B. *Operated*	5	2.2	3	1	1	2	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	466	2.9	5	1	1	2	4	5	6	9
B. *Operated*	26	3.5	4	1	1	3	5	6	7	7
1. SINGLE DX	252	2.4	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	492	2.9	5	1	1	2	4	5	6	9
A. NOT OPERATED	713	2.7	4	1	1	2	3	5	6	8
B. OPERATED	31	3.3	4	1	1	3	5	6	6	7
TOTAL 0-27 DYS	15	2.9	4	1	1	2	5	6	7	7
1-11 MOS	33	2.9	3	1	1	2	4	5	6	7
1-5 YRS	26	2.3	2	<1	1	2	3	4	4	5
6-12 YRS	128	2.7	11	1	1	2	3	4	5	15
13-19 YRS	542	2.8	3	<1	1	2	4	5	7	8
GRAND TOTAL	**744**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**	**8**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	208	2.9	4	1	1	2	4	5	7	10
1-11 MOS	1151	2.7	5	1	1	2	3	5	7	10
1-5 YRS	297	2.5	6	<1	1	2	3	5	6	14
6-12 YRS	44	2.1	2	<1	1	2	3	4	5	5
13-19 YRS	44	2.3	3	<1	1	2	3	4	6	8
B. *Operated*										
0-27 DYS	2	6.5	25	3	3	6	10	10	10	10
1-11 MOS	26	3.9	21	<1	1	2	5	8	17	19
1-5 YRS	34	2.9	17	<1	<1	1	3	5	7	24
6-12 YRS	21	3.2	17	<1	<1	2	3	7	13	19
13-19 YRS	18	3.7	10	<1	<1	2	6	8	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	201	4.7	54	1	1	3	5	8	11	21
1-11 MOS	1560	4.3	15	1	1	3	5	8	11	21
1-5 YRS	718	3.5	11	1	1	3	4	7	10	17
6-12 YRS	166	3.5	11	1	1	3	4	7	10	18
13-19 YRS	203	3.7	16	1	1	2	4	7	12	22
B. *Operated*										
0-27 DYS	7	6.4	10	2	2	6	9	11	11	11
1-11 MOS	80	10.6	188	1	1	6	14	23	40	96
1-5 YRS	106	3.7	17	<1	<1	2	4	7	12	23
6-12 YRS	62	4.1	17	1	1	3	6	10	12	22
13-19 YRS	49	7.0	77	1	1	5	8	16	35	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1744	2.7	5	1	1	2	3	5	6	10
B. *Operated*	101	3.4	17	<1	<1	2	4	7	11	22
2. MULTIPLE DX										
A. *Not Operated*	2848	4.0	17	1	1	3	5	8	11	20
B. *Operated*	304	6.2	79	<1	1	3	7	14	23	75
1. SINGLE DX	1845	2.7	5	1	1	2	3	5	7	11
2. MULTIPLE DX	3152	4.2	23	1	1	3	5	8	12	23
A. NOT OPERATED	4592	3.5	13	1	1	3	4	7	9	18
B. OPERATED	405	5.5	65	<1	1	3	6	12	19	57
TOTAL 0-27 DYS	418	3.8	29	1	1	3	5	7	9	16
1-11 MOS	2817	3.8	18	1	1	3	5	7	10	21
1-5 YRS	1155	3.2	11	<1	1	2	4	6	8	16
6-12 YRS	293	3.4	12	1	1	2	4	7	10	18
13-19 YRS	314	4.0	25	1	1	2	5	8	12	29
GRAND TOTAL	**4997**	**3.7**	**17**	**1**	**1**	**3**	**4**	**7**	**10**	**20**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	7	2.4	1	1	1	2	3	4	4	4
1-5 YRS	32	1.9	1	<1	1	2	3	3	5	6
6-12 YRS	48	2.1	2	<1	1	2	3	4	4	10
13-19 YRS	127	2.4	4	1	1	2	3	4	5	10
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	42	1.9	3	<1	<1	1	2	4	5	10
6-12 YRS	81	2.2	10	<1	<1	1	2	4	7	21
13-19 YRS	30	2.0	1	<1	<1	2	2	4	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	14	3.7	2	1	2	4	5	6	6	6
1-5 YRS	53	2.6	5	<1	1	2	3	5	7	14
6-12 YRS	57	2.9	13	<1	1	2	3	4	7	25
13-19 YRS	134	2.7	3	<1	1	2	3	5	6	10
B. *Operated*										
0-27 DYS	2	5.5	5	4	4	5	7	7	7	7
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS	71	2.5	9	<1	<1	1	3	6	9	17
6-12 YRS	111	3.7	23	<1	<1	2	4	8	13	28
13-19 YRS	94	5.7	27	<1	1	4	7	12	15	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	216	2.2	3	1	1	2	3	4	5	8
B. *Operated*	154	2.1	7	<1	<1	1	2	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	260	2.8	6	<1	1	2	3	5	6	11
B. *Operated*	280	4.1	22	<1	<1	2	5	9	13	26
1. SINGLE DX	370	2.2	5	<1	<1	2	3	4	5	10
2. MULTIPLE DX	540	3.4	15	<1	<1	2	4	7	10	25
A. NOT OPERATED	476	2.5	5	<1	1	2	3	4	6	11
B. OPERATED	434	3.4	17	<1	<1	2	4	8	11	26
TOTAL 0-27 DYS	6	3.5	4	2	2	3	4	7	7	7
1-11 MOS	24	3.3	2	1	2	3	4	5	6	6
1-5 YRS	198	2.3	6	<1	<1	1	3	4	7	13
6-12 YRS	297	2.9	15	<1	<1	2	3	6	9	26
13-19 YRS	385	3.3	11	<1	1	2	4	6	9	21
GRAND TOTAL	**910**	**2.9**	**11**	**<1**	**<1**	**2**	**3**	**6**	**8**	**19**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	22	2.3	2	<1	<1	2	3	4	5	5
1-11 MOS	110	2.3	3	1	1	2	3	4	5	11
1-5 YRS	409	1.8	1	<1	1	1	2	3	4	6
6-12 YRS	1865	1.9	2	<1	1	2	2	3	4	7
13-19 YRS	3506	2.1	2	<1	1	2	3	4	5	7
B. *Operated*										
0-27 DYS	2	6.0	18	3	3	6	9	9	9	9
1-11 MOS	3	3.3	1	2	2	4	4	4	4	4
1-5 YRS	19	4.2	12	<1	1	3	5	9	13	15
6-12 YRS	169	3.4	4	1	2	3	4	5	8	12
13-19 YRS	537	3.4	3	1	2	3	4	5	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	24	2.6	3	1	1	2	3	4	6	9
1-11 MOS	118	2.8	4	<1	1	2	4	5	7	10
1-5 YRS	435	2.1	2	<1	1	2	3	4	5	7
6-12 YRS	1415	2.3	6	1	1	2	3	4	5	9
13-19 YRS	3038	2.6	4	<1	1	2	3	5	6	9
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	4	6.0	10	2	2	6	8	9	9	9
1-5 YRS	20	4.8	25	<1	1	4	5	7	16	25
6-12 YRS	155	4.0	6	2	2	3	5	8	10	12
13-19 YRS	488	4.4	10	1	1	4	6	8	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5912	2.0	2	<1	1	2	2	4	5	7
B. *Operated*	730	3.4	3	1	2	3	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	5030	2.5	4	<1	1	2	3	5	6	9
B. *Operated*	668	4.3	9	1	2	4	5	8	9	15
1. SINGLE DX	6642	2.1	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	5698	2.7	5	1	1	2	3	5	6	10
A. NOT OPERATED	10942	2.2	3	<1	1	2	3	4	5	8
B. OPERATED	1398	3.9	6	1	2	3	5	7	8	13
TOTAL 0-27 DYS	49	2.6	3	<1	1	2	3	5	6	9
1-11 MOS	235	2.6	4	<1	1	2	3	5	7	11
1-5 YRS	883	2.0	2	<1	1	2	2	4	5	7
6-12 YRS	3604	2.2	4	<1	1	2	3	4	5	9
13-19 YRS	7569	2.5	4	<1	1	2	3	5	6	9
GRAND TOTAL	**12340**	**2.4**	**4**	**<1**	**1**	**2**	**3**	**4**	**6**	**9**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	43	2.1	1	<1	1	2	3	4	5	5
1-11 MOS	164	2.5	4	1	1	2	3	5	6	9
1-5 YRS	142	2.3	4	1	1	2	3	4	6	9
6-12 YRS	147	2.8	4	1	1	2	4	5	6	8
13-19 YRS	121	2.2	3	<1	1	2	3	4	6	10
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	4	2.5	6	<1	<1	1	4	6	6	6
1-5 YRS	28	4.5	88	<1	1	2	4	9	15	50
6-12 YRS	16	2.9	5	<1	<1	2	5	7	7	7
13-19 YRS	22	4.0	6	<1	1	4	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	64	2.9	5	1	1	2	3	5	8	12
1-11 MOS	405	3.2	9	1	1	3	4	6	8	14
1-5 YRS	674	2.7	7	1	1	2	3	4	6	12
6-12 YRS	494	2.9	8	1	1	2	3	6	7	13
13-19 YRS	458	3.1	7	1	1	2	4	6	8	15
B. *Operated*										
0-27 DYS	3	2.3		2	2	2	3	3	3	3
1-11 MOS	27	5.3	15	1	1	4	8	11	13	14
1-5 YRS	52	4.2	18	1	1	2	6	12	14	14
6-12 YRS	92	3.8	38	1	1	1	5	8	10	38
13-19 YRS	131	4.1	25	1	1	2	5	9	17	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	617	2.4	4	1	1	2	3	5	6	9
B. *Operated*	71	3.8	37	<1	<1	2	5	7	9	42
2. MULTIPLE DX										
A. *Not Operated*	2095	2.9	8	1	1	2	3	5	7	13
B. *Operated*	305	4.1	27	1	1	2	6	10	13	23
1. SINGLE DX	688	2.6	7	<1	1	2	3	5	6	10
2. MULTIPLE DX	2400	3.1	10	1	1	2	4	6	8	14
A. NOT OPERATED	2712	2.8	7	1	1	2	3	5	7	13
B. OPERATED	376	4.0	29	1	1	2	5	9	13	23
TOTAL 0-27 DYS	111	2.5	3	1	1	2	3	4	6	11
1-11 MOS	600	3.1	8	1	1	2	4	6	8	14
1-5 YRS	896	2.8	10	1	1	2	3	5	7	13
6-12 YRS	749	3.0	11	1	1	2	4	6	7	14
13-19 YRS	732	3.1	10	1	1	2	4	6	9	18
GRAND TOTAL	**3088**	**3.0**	**10**	**1**	**1**	**2**	**4**	**6**	**7**	**14**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	536	2.9	5	1	1	2	3	5	7	13
1-11 MOS	1171	3.9	10	1	1	3	5	7	10	17
1-5 YRS	915	3.3	10	<1	1	2	4	7	9	16
6-12 YRS	594	2.5	7	<1	1	2	3	5	6	14
13-19 YRS	1157	4.4	66	1	1	2	4	7	15	52
B. *Operated*										
0-27 DYS	23	12.0	199	<1	2	6	20	48	64	99+
1-11 MOS	39	9.3	313	<1	1	3	7	31	76	99+
1-5 YRS	95	2.7	15	<1	<1	2	3	4	9	24
6-12 YRS	90	2.6	9	<1	<1	2	3	4	5	19
13-19 YRS	174	3.1	19	<1	<1	2	3	6	9	26
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	498	4.3	12	1	1	3	5	8	11	19
1-11 MOS	2477	5.9	31	1	2	4	7	11	16	31
1-5 YRS	1786	4.7	35	1	1	3	5	10	14	29
6-12 YRS	808	3.4	25	1	1	2	4	6	8	21
13-19 YRS	1717	3.5	23	1	1	3	4	6	8	20
B. *Operated*										
0-27 DYS	19	13.1	487	1	2	6	13	27	66	98
1-11 MOS	161	17.5	310	1	3	12	23	51	72	99+
1-5 YRS	197	9.2	145	1	1	5	12	23	34	68
6-12 YRS	116	5.6	148	<1	1	3	5	10	15	89
13-19 YRS	210	6.9	161	1	1	3	7	14	33	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4373	3.6	24	1	1	2	4	7	9	27
B. *Operated*	421	4.0	59	<1	<1	2	4	7	16	52
2. MULTIPLE DX										
A. *Not Operated*	7286	4.7	29	1	1	3	5	9	13	28
B. *Operated*	703	9.9	215	1	1	5	12	25	47	99
1. SINGLE DX	4794	3.6	27	<1	1	2	4	7	9	28
2. MULTIPLE DX	7989	5.1	48	1	1	3	6	10	15	38
A. NOT OPERATED	11659	4.3	28	1	1	3	5	8	12	28
B. OPERATED	1124	7.7	165	<1	1	3	8	20	35	92
TOTAL 0-27 DYS	1076	3.9	24	1	1	3	4	7	10	22
1-11 MOS	3848	5.8	46	1	2	4	7	11	16	38
1-5 YRS	2993	4.5	36	1	1	3	5	9	14	29
6-12 YRS	1608	3.2	27	<1	1	2	4	6	8	21
13-19 YRS	3258	4.0	48	1	1	2	4	7	10	45
GRAND TOTAL	**12783**	**4.6**	**41**	**1**	**1**	**3**	**5**	**9**	**13**	**34**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	45	2.4	4	1	1	2	3	5	6	11
1-11 MOS	573	1.6	1	<1	1	1	2	3	4	6
1-5 YRS	453	1.8	2	<1	1	1	2	3	5	6
6-12 YRS	216	2.3	5	1	1	2	3	4	5	11
13-19 YRS	100	3.0	5	1	1	2	4	6	8	10
B. *Operated*										
0-27 DYS	3	9.3	121	2	2	4	17	22	22	22
1-11 MOS	47	4.3	17	1	1	3	4	9	13	21
1-5 YRS	93	4.6	16	2	2	4	5	7	8	29
6-12 YRS	96	4.3	7	2	2	4	5	7	9	16
13-19 YRS	63	5.5	12	1	2	5	7	10	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	14	4.6	34	1	1	3	4	17	19	19
1-11 MOS	351	2.7	7	1	1	2	3	6	9	13
1-5 YRS	358	3.3	29	1	1	2	3	6	10	40
6-12 YRS	227	4.1	54	1	1	2	4	7	10	39
13-19 YRS	191	5.2	39	1	1	3	6	11	17	29
B. *Operated*										
0-27 DYS										
1-11 MOS	18	16.7	503	1	2	6	21	41	71	90
1-5 YRS	120	8.2	129	1	1	5	9	17	25	60
6-12 YRS	138	10.9	248	1	1	5	11	35	59	99+
13-19 YRS	234	14.4	262	1	2	9	19	45	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1387	1.9	3	1	1	1	2	4	5	8
B. *Operated*	302	4.7	13	1	2	4	6	8	10	21
2. MULTIPLE DX										
A. *Not Operated*	1141	3.6	30	1	1	2	4	7	11	25
B. *Operated*	510	12.1	241	1	1	6	13	37	52	99+
1. SINGLE DX	1689	2.4	6	1	1	2	3	5	6	11
2. MULTIPLE DX	1651	6.2	110	1	1	3	6	13	25	74
A. NOT OPERATED	2528	2.7	15	1	1	2	3	5	7	18
B. OPERATED	812	9.3	169	1	2	5	10	23	43	92
TOTAL 0-27 DYS	62	3.2	17	1	1	2	3	6	13	22
1-11 MOS	989	2.4	17	1	1	1	2	4	6	15
1-5 YRS	1024	3.3	31	1	1	2	3	6	10	29
6-12 YRS	677	5.0	81	1	1	3	5	9	15	70
13-19 YRS	588	8.5	143	1	1	5	9	22	40	79
GRAND TOTAL	**3340**	**4.3**	**61**	**1**	**1**	**2**	**4**	**9**	**14**	**49**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	1.0		1	1	1	1	1	1	1
1-11 MOS	80	1.5		<1	1	1	2	2	3	4
1-5 YRS	281	1.9	3	1	1	1	2	4	5	10
6-12 YRS	212	2.6	4	1	1	2	3	5	7	10
13-19 YRS	151	4.6	19	1	1	3	6	9	13	18
B. *Operated*										
0-27 DYS										
1-11 MOS	2	4.0	8	2	2	4	6	6	6	6
1-5 YRS	19	6.5	48	1	2	5	7	10	23	33
6-12 YRS	32	5.0	19	1	1	4	6	8	18	20
13-19 YRS	47	6.2	42	1	1	5	9	12	15	41
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	7.5	41	3	3	7	12	12	12	12
1-11 MOS	50	3.0	10	1	1	2	3	6	8	15
1-5 YRS	219	3.2	14	1	1	2	3	6	10	22
6-12 YRS	232	4.0	21	1	1	3	5	8	11	23
13-19 YRS	372	5.6	25	1	1	4	8	11	16	28
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	7	10.7	37	3	4	10	13	20	22	22
1-5 YRS	48	13.1	218	2	3	8	19	59	99+	99+
6-12 YRS	92	13.2	294	1	2	7	16	33	49	96
13-19 YRS	246	14.7	353	1	2	8	17	39	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	729	2.6	8	1	1	2	3	6	8	15
B. *Operated*	100	5.8	35	1	1	4	7	11	15	37
2. MULTIPLE DX										
A. *Not Operated*	875	4.4	21	1	1	3	5	10	13	24
B. *Operated*	394	14.0	316	1	2	8	17	40	71	99+
1. SINGLE DX	829	3.0	12	1	1	2	4	7	9	16
2. MULTIPLE DX	1269	7.4	133	1	1	4	8	17	28	90
A. NOT OPERATED	1604	3.6	16	1	1	2	4	8	11	21
B. OPERATED	494	12.4	270	1	2	7	14	33	56	99+
TOTAL 0-27 DYS	8	2.6	15	1	1	1	2	9	12	12
1-11 MOS	139	2.5	9	<1	1	2	2	6	9	16
1-5 YRS	567	3.5	36	1	1	2	3	7	12	53
6-12 YRS	568	5.0	72	1	1	3	5	10	17	48
13-19 YRS	816	8.2	142	1	1	5	9	17	28	87
GRAND TOTAL	**2098**	**5.7**	**90**	**1**	**1**	**3**	**6**	**12**	**20**	**71**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	11	2.5	3	1	1	2	3	5	7	7
6-12 YRS	28	1.5	1	<1	<1	1	2	3	3	3
13-19 YRS	94	1.9	2	<1	<1	1	2	3	4	10
B. *Operated*										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	2	2.0	2	<1	<1	1	3	3	3	3
1-5 YRS	77	1.8	3	<1	<1	1	2	3	5	10
6-12 YRS	399	1.6	1	<1	<1	1	2	3	4	7
13-19 YRS	1582	1.9	2	<1	<1	1	2	3	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	3	1.3		1	1	1	2	2	2	2
1-5 YRS	24	2.2	5	<1	1	2	2	4	7	12
6-12 YRS	94	2.2	4	<1	1	2	2	4	6	12
13-19 YRS	249	2.5	10	<1	<1	2	3	5	6	15
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	4	1.5		1	1	1	2	2	2	2
1-5 YRS	123	3.1	10	1	1	2	4	7	9	17
6-12 YRS	407	3.0	6	1	1	2	4	6	7	13
13-19 YRS	2062	3.4	16	1	1	2	4	7	9	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	135	1.8	2	<1	<1	1	2	3	4	8
B. *Operated*	2062	1.9	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	372	2.4	8	<1	1	2	3	4	6	13
B. *Operated*	2597	3.3	14	1	1	2	4	7	9	18
1. SINGLE DX	2197	1.8	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX	2969	3.2	13	1	1	2	4	6	8	18
A. NOT OPERATED	507	2.3	7	<1	1	2	3	4	5	12
B. OPERATED	4659	2.7	9	<1	1	2	3	5	7	14
TOTAL 0-27 DYS	5	2.2	2	1	1	2	3	4	4	4
1-11 MOS	11	1.6	1	<1	<1	1	2	3	3	3
1-5 YRS	235	2.6	7	<1	<1	2	3	6	8	13
6-12 YRS	928	2.3	4	<1	<1	2	3	5	6	11
13-19 YRS	3987	2.7	10	<1	1	2	3	5	7	15
GRAND TOTAL	**5166**	**2.6**	**9**	**<1**	**1**	**2**	**3**	**5**	**7**	**14**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	21	2.4	6	1	1	2	3	5	8	11
6-12 YRS	122	3.1	6	1	1	2	4	6	8	12
13-19 YRS	583	4.1	17	1	1	3	5	8	9	16
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	6.7	9	4	4	6	9	10	10	10
6-12 YRS	7	7.6	51	1	1	6	9	20	22	22
13-19 YRS	97	9.3	37	2	3	8	12	17	22	30
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	9	4.8	9	1	1	4	7	9	10	10
1-5 YRS	13	3.5	13	1	1	3	4	8	13	14
6-12 YRS	83	3.6	11	1	1	3	5	7	9	19
13-19 YRS	593	5.4	36	1	1	4	6	10	13	39
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	9	16.6	469	1	1	10	31	83	99+	99+
6-12 YRS	17	10.5	94	<1	1	6	16	28	28	28
13-19 YRS	288	11.6	91	2	3	9	14	24	32	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	726	3.9	15	1	1	3	5	8	9	16
B. *Operated*	107	9.1	37	2	3	7	12	17	22	29
2. MULTIPLE DX										
A. *Not Operated*	698	5.1	32	1	1	4	6	10	13	32
B. *Operated*	315	11.6	101	2	3	9	15	25	32	64
1. SINGLE DX	833	4.6	20	1	1	4	6	9	12	23
2. MULTIPLE DX	1013	7.2	63	1	1	5	8	15	22	50
A. NOT OPERATED	1424	4.5	24	1	1	3	5	8	11	22
B. OPERATED	422	11.0	86	2	3	8	14	23	29	58
TOTAL 0-27 DYS										
1-11 MOS	10	4.8	8	1	1	4	7	9	10	10
1-5 YRS	46	5.8	120	1	1	2	5	14	36	99+
6-12 YRS	229	3.9	19	1	1	3	5	8	12	27
13-19 YRS	1561	6.3	47	1	1	4	8	13	19	38
GRAND TOTAL	**1846**	**6.0**	**45**	**1**	**1**	**4**	**7**	**12**	**18**	**37**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	18	6.2	26	1	1	6	9	14	17	19
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	30	17.4	129	5	7	15	25	32	58	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	21	17.6	682	1	1	8	17	57	87	95
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	36.5	221	26	26	36	47	47	47	47
6-12 YRS	3	21.7	60	13	13	24	27	28	28	28
13-19 YRS	110	25.5	307	7	9	23	36	88	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	5.8	26	1	1	4	8	13	17	19
B. *Operated*	30	17.4	129	5	7	15	25	32	58	99+
2. MULTIPLE DX										
A. *Not Operated*	23	16.3	637	1	1	7	12	49	85	95
B. *Operated*	115	25.5	299	7	10	23	36	81	99+	99+
1. SINGLE DX	50	12.8	120	1	2	10	16	28	35	99+
2. MULTIPLE DX	138	24.0	363	1	5	21	35	77	99+	99+
A. NOT OPERATED	43	11.4	374	1	1	6	10	33	55	95
B. OPERATED	145	23.9	274	7	8	21	33	70	99+	99+
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	3	25.3	484	3	3	26	42	47	47	47
6-12 YRS	6	11.8	141	1	1	8	24	28	28	28
13-19 YRS	179	21.3	326	1	4	17	31	68	99+	99+
GRAND TOTAL	**188**	**21.0**	**322**	**1**	**3**	**17**	**31**	**65**	**99+**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	5.5	5	4	4	5	7	7	7	7
1-5 YRS	4	2.5	3	1	1	2	4	5	5	5
6-12 YRS	13	2.4	2	1	1	2	3	4	6	6
13-19 YRS	76	1.9	2	<1	1	2	2	3	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	6.7	23	3	3	5	7	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	13	5.4	28	1	1	4	9	12	18	19
1-5 YRS	29	4.1	11	1	1	3	5	8	13	14
6-12 YRS	42	3.3	7	<1	1	3	4	6	9	15
13-19 YRS	218	3.2	7	1	1	2	4	7	8	12
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	5	10.4	80	1	1	10	16	24	24	24
6-12 YRS	12	6.7	8	2	3	7	9	10	10	10
13-19 YRS	93	6.4	17	2	2	6	9	12	15	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	95	2.1	2	1	1	2	2	4	5	7
B. *Operated*	6	6.7	23	3	3	5	7	15	16	16
2. MULTIPLE DX										
A. *Not Operated*	302	3.4	9	1	1	3	4	7	9	14
B. *Operated*	112	6.6	19	2	2	6	9	12	15	23
1. SINGLE DX	101	2.3	4	1	1	2	3	5	6	12
2. MULTIPLE DX	414	4.2	13	1	1	3	6	9	11	19
A. NOT OPERATED	397	3.1	7	1	1	2	4	6	8	14
B. OPERATED	118	6.6	19	2	2	6	9	13	15	23
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	16	5.3	23	1	1	4	8	10	16	19
1-5 YRS	38	4.8	22	1	1	3	5	12	14	24
6-12 YRS	67	3.7	8	1	1	3	5	8	10	14
13-19 YRS	393	3.8	11	1	1	3	5	8	10	16
GRAND TOTAL	**515**	**3.9**	**12**	**1**	**1**	**3**	**5**	**8**	**10**	**17**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	8.7	36	3	3	8	13	15	15	15
1-5 YRS	23	3.4	5	<1	1	2	6	7	8	8
6-12 YRS	72	4.2	25	1	1	3	4	9	14	30
13-19 YRS	253	4.9	21	1	2	4	6	9	11	28
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	5.5	25	2	2	5	9	9	9	9
6-12 YRS	3	15.0	97	4	4	18	22	23	23	23
13-19 YRS	19	8.4	58	1	2	5	12	17	26	32
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	13.9	76	5	5	14	17	28	30	30
1-5 YRS	47	5.0	13	1	1	5	7	9	10	21
6-12 YRS	101	5.0	8	1	1	5	6	9	10	15
13-19 YRS	415	8.6	74	2	2	6	10	17	25	50
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	8.2	33	2	2	7	10	17	21	21
6-12 YRS	35	10.9	126	2	3	6	14	30	49	99+
13-19 YRS	262	17.6	272	2	4	11	23	40	49	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	351	4.7	21	1	1	3	6	9	11	28
B. *Operated*	24	9.0	61	1	2	5	13	19	26	32
2. MULTIPLE DX										
A. *Not Operated*	570	7.7	60	1	2	6	9	14	22	46
B. *Operated*	306	16.5	255	2	3	11	22	37	48	91
1. SINGLE DX	375	5.0	24	1	1	4	6	10	13	29
2. MULTIPLE DX	876	10.8	146	2	2	7	12	24	34	60
A. NOT OPERATED	921	6.6	47	1	2	5	8	12	18	40
B. OPERATED	330	16.0	244	2	3	11	22	34	47	91
TOTAL 0-27 DYS										
1-11 MOS	10	12.3	65	3	4	11	16	24	30	30
1-5 YRS	81	4.9	14	1	1	4	7	9	10	21
6-12 YRS	211	5.9	40	1	1	4	7	12	16	42
13-19 YRS	949	10.1	138	2	2	6	11	23	33	59
GRAND TOTAL	**1251**	**9.0**	**116**	**1**	**2**	**6**	**10**	**21**	**31**	**56**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	27	2.7	6	<1	1	2	3	7	8	11
1-5 YRS	189	2.0	9	<1	1	1	2	4	6	18
6-12 YRS	229	2.9	27	<1	1	1	2	7	14	27
13-19 YRS	98	3.1	19	<1	1	2	3	5	14	24
B. *Operated*										
0-27 DYS										
1-11 MOS	18	2.3	6	1	1	1	3	4	8	11
1-5 YRS	1419	3.0	15	1	1	2	3	7	13	20
6-12 YRS	1973	3.3	19	1	1	2	3	7	14	23
13-19 YRS	934	3.2	15	1	1	2	4	6	10	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	33	4.2	24	1	1	2	4	10	19	21
1-5 YRS	51	3.0	9	1	1	2	3	6	10	17
6-12 YRS	66	3.5	21	<1	1	2	3	11	15	20
13-19 YRS	91	3.0	11	1	1	2	4	5	10	69
B. *Operated*										
0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	15	7.4	125	1	1	3	6	21	37	43
1-5 YRS	224	5.2	35	1	1	3	6	13	20	29
6-12 YRS	552	5.0	37	1	1	2	5	14	19	26
13-19 YRS	424	6.7	83	1	1	4	7	14	21	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	544	2.6	18	<1	1	1	2	5	12	23
B. *Operated*	4344	3.2	17	1	1	2	3	6	13	22
2. MULTIPLE DX										
A. *Not Operated*	242	3.3	15	1	1	2	4	7	13	21
B. *Operated*	1217	5.7	54	1	1	3	6	14	20	33
1. SINGLE DX	4888	3.1	17	1	1	2	3	6	13	22
2. MULTIPLE DX	1459	5.3	49	1	1	3	5	13	19	32
A. NOT OPERATED	786	2.9	17	<1	1	1	3	5	12	23
B. OPERATED	5561	3.7	26	1	1	2	4	9	15	24
TOTAL 0-27 DYS	4	4.3	4	3	3	4	5	7	7	7
1-11 MOS	93	3.9	33	1	1	2	4	9	12	34
1-5 YRS	1883	3.2	17	1	1	2	3	7	13	20
6-12 YRS	2820	3.6	24	1	1	2	3	9	16	24
13-19 YRS	1547	4.2	36	1	1	2	4	9	14	28
GRAND TOTAL	**6347**	**3.6**	**25**	**1**	**1**	**2**	**3**	**8**	**15**	**24**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	3.5	1	3	3	3	4	4	4	4
1-5 YRS	65	1.6	2	<1	<1	1	2	3	4	9
6-12 YRS	163	1.6	3	<1	1	1	2	3	4	5
13-19 YRS	86	2.2	45	<1	1	1	2	3	4	42
B. *Operated*										
0-27 DYS	4	1.0		1	1	1	1	1	1	1
1-11 MOS	8	1.6	1	1	1	1	2	3	4	4
1-5 YRS	1036	1.3	1	<1	<1	1	1	2	3	5
6-12 YRS	3914	1.5	1	<1	1	1	2	2	3	5
13-19 YRS	2221	2.0	2	<1	1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	10	7.5	190	1	1	2	7	27	46	46
1-5 YRS	40	2.0	4	1	1	1	2	4	4	13
6-12 YRS	74	2.2	14	1	1	1	2	4	6	26
13-19 YRS	132	2.5	4	<1	1	2	3	5	7	10
B. *Operated*										
0-27 DYS										
1-11 MOS	9	3.4	7	1	1	2	5	8	9	9
1-5 YRS	145	2.2	5	1	1	1	2	4	6	23
6-12 YRS	655	2.7	20	1	1	2	3	5	8	19
13-19 YRS	928	4.2	27	1	1	3	5	9	13	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	316	1.8	14	<1	1	1	2	3	4	7
B. *Operated*	7183	1.6	2	<1	1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	256	2.5	14	<1	1	2	3	5	7	13
B. *Operated*	1737	3.4	23	1	1	2	4	7	10	23
1. SINGLE DX	7499	1.6	2	<1	1	1	2	3	4	6
2. MULTIPLE DX	1993	3.3	22	1	1	2	4	7	10	23
A. NOT OPERATED	572	2.1	14	<1	1	1	2	4	5	11
B. OPERATED	8920	2.0	6	<1	1	1	2	4	5	11
TOTAL 0-27 DYS	4	1.0		1	1	1	1	1	1	1
1-11 MOS	29	4.3	69	1	1	2	4	8	11	46
1-5 YRS	1286	1.5	2	<1	<1	1	1	2	4	7
6-12 YRS	4806	1.6	4	<1	1	1	2	3	4	8
13-19 YRS	3367	2.6	11	1	1	2	3	5	7	15
GRAND TOTAL	**9492**	**2.0**	**7**	**<1**	**1**	**1**	**2**	**4**	**5**	**11**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	13	2.2	2	<1	<1	2	3	4	6	6
6-12 YRS	15	2.1	2	<1	<1	2	3	4	5	5
13-19 YRS	29	2.9	6	1	1	2	4	5	7	13
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	5	1.6	1	<1	<1	1	2	3	3	3
1-5 YRS	102	2.0	14	<1	<1	1	2	3	5	23
6-12 YRS	297	1.6	2	<1	<1	1	2	2	3	8
13-19 YRS	1079	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS	16	2.4	3	1	1	2	3	5	6	7
6-12 YRS	21	3.9	42	<1	1	2	5	6	17	31
13-19 YRS	80	2.7	8	<1	1	2	3	5	8	17
B. *Operated*										
0-27 DYS										
1-11 MOS	8	2.9	12	<1	<1	2	3	9	11	11
1-5 YRS	89	2.7	23	1	1	1	2	5	8	32
6-12 YRS	140	3.0	14	1	1	2	3	5	8	20
13-19 YRS	570	3.1	20	<1	1	2	3	6	8	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	2.5	4	<1	1	2	3	5	6	12
B. *Operated*	1484	1.6	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	119	2.9	13	<1	1	2	3	5	8	23
B. *Operated*	807	3.1	19	<1	1	2	3	6	8	24
1. SINGLE DX	1543	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	926	3.0	18	<1	1	2	3	5	8	24
A. NOT OPERATED	178	2.8	10	<1	1	2	3	5	7	18
B. OPERATED	2291	2.1	9	<1	<1	1	2	4	5	13
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	17	2.4	6	<1	<1	2	3	5	9	11
1-5 YRS	220	2.4	16	<1	<1	1	2	5	6	27
6-12 YRS	473	2.1	8	<1	<1	1	2	4	5	14
13-19 YRS	1758	2.2	8	<1	<1	1	2	4	6	13
GRAND TOTAL	**2469**	**2.2**	**9**	**<1**	**<1**	**1**	**2**	**4**	**5**	**13**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	15	6.5	40	<1	1	4	12	17	18	19
1-5 YRS	66	12.8	112	1	2	12	21	25	28	45
6-12 YRS	37	13.0	159	1	2	7	22	33	40	48
13-19 YRS	48	11.4	218	1	1	4	22	34	43	56
B. *Operated*										
0-27 DYS										
1-11 MOS	14	9.1	48	1	1	9	14	18	21	22
1-5 YRS	43	11.1	77	1	2	9	17	25	29	31
6-12 YRS	169	10.2	74	2	3	7	11	23	29	37
13-19 YRS	190	8.6	72	2	3	6	9	17	26	47
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	9.0	44	3	3	7	14	19	20	20
1-5 YRS	28	11.9	117	1	2	7	19	28	33	40
6-12 YRS	41	23.0	394	1	3	23	33	44	62	89
13-19 YRS	32	18.8	497	<1	1	7	33	48	56	97
B. *Operated*										
0-27 DYS	7	18.4	96	8	8	13	29	31	31	31
1-11 MOS	28	16.0	187	5	6	13	20	26	35	76
1-5 YRS	58	12.3	56	1	3	12	17	24	27	31
6-12 YRS	67	13.7	108	4	5	10	18	29	36	52
13-19 YRS	187	15.7	182	4	5	11	19	35	52	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	166	11.9	147	1	1	6	20	28	36	48
B. *Operated*	416	9.5	73	2	3	7	11	22	28	36
2. MULTIPLE DX										
A. *Not Operated*	108	18.0	348	1	2	11	28	40	51	92
B. *Operated*	347	14.8	146	4	5	11	19	30	43	61
1. SINGLE DX	582	10.2	95	1	2	7	13	24	31	45
2. MULTIPLE DX	455	15.6	195	2	4	11	21	33	46	75
A. NOT OPERATED	274	14.3	234	1	2	7	22	34	43	71
B. OPERATED	763	11.9	113	2	3	9	15	26	31	56
TOTAL 0-27 DYS	7	18.4	96	8	8	13	29	31	31	31
1-11 MOS	64	11.5	120	1	1	10	15	21	26	70
1-5 YRS	195	12.2	87	1	2	11	19	25	28	42
6-12 YRS	314	12.9	149	2	3	8	19	30	36	52
13-19 YRS	457	12.5	174	2	3	8	15	30	43	61
GRAND TOTAL	**1037**	**12.6**	**146**	**2**	**2**	**8**	**17**	**28**	**36**	**57**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	4.0	8	2	2	4	6	6	6	6
1-11 MOS	140	7.7	61	<1	1	4	14	19	22	30
1-5 YRS	690	13.5	86	1	1	14	20	24	28	38
6-12 YRS	434	22.1	148	1	3	22	28	37	42	59
13-19 YRS	155	20.2	300	1	1	22	33	40	47	64
B. *Operated*										
0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	60	4.4	24	<1	<1	2	6	11	17	21
1-5 YRS	483	10.3	94	1	1	6	18	24	28	36
6-12 YRS	511	15.9	187	1	2	13	26	33	40	52
13-19 YRS	746	11.5	150	1	2	8	13	28	39	55
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	9	7.3	40	1	1	5	14	17	17	17
1-11 MOS	81	9.6	87	1	2	7	15	22	26	46
1-5 YRS	257	14.7	109	1	2	15	21	26	32	47
6-12 YRS	255	21.8	218	1	2	22	29	39	49	74
13-19 YRS	117	22.0	404	1	2	16	37	49	55	89
B. *Operated*										
0-27 DYS	2	30.5	925	9	9	30	52	52	52	52
1-11 MOS	33	9.0	42	1	2	7	15	17	18	27
1-5 YRS	225	14.2	108	2	2	14	21	26	32	44
6-12 YRS	407	22.0	219	2	4	22	31	42	54	95
13-19 YRS	1141	17.4	212	2	4	13	21	38	47	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1421	16.3	149	1	1	17	24	32	37	51
B. *Operated*	1802	12.2	148	1	1	8	19	28	36	51
2. MULTIPLE DX										
A. *Not Operated*	719	17.7	212	1	2	17	25	37	47	63
B. *Operated*	1808	17.9	205	2	3	15	24	37	47	73
1. SINGLE DX	3223	14.0	152	1	1	11	22	30	37	51
2. MULTIPLE DX	2527	17.9	207	2	3	15	24	37	47	71
A. NOT OPERATED	2140	16.8	170	1	1	17	24	33	39	58
B. OPERATED	3610	15.1	184	1	2	11	22	33	42	65
TOTAL 0-27 DYS	15	9.5	164	1	1	5	12	17	43	52
1-11 MOS	314	7.7	61	<1	1	4	13	19	23	31
1-5 YRS	1655	12.9	97	1	1	13	20	25	29	40
6-12 YRS	1607	20.0	197	1	2	21	28	37	45	65
13-19 YRS	2159	15.8	218	1	2	11	21	37	46	71
GRAND TOTAL	**5750**	**15.7**	**180**	**1**	**2**	**13**	**23**	**33**	**41**	**62**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	11	1.6	1	<1	<1	1	2	3	4	4
1-5 YRS	214	1.9	5	<1	1	1	2	4	5	8
6-12 YRS	392	2.1	2	1	1	2	3	4	5	7
13-19 YRS	388	2.5	4	1	1	2	3	5	6	11
B. *Operated*										
0-27 DYS										
1-11 MOS	9	2.3	2	1	1	2	3	52	99+	99+
1-5 YRS	261	2.2	4	1	1	1	3	5	6	10
6-12 YRS	1017	2.9	8	1	1	2	4	6	7	13
13-19 YRS	1721	4.1	13	1	1	3	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	14	4.6	19	1	1	3	6	10	15	17
1-5 YRS	75	4.8	53	1	1	2	5	9	19	41
6-12 YRS	113	3.0	8	1	1	2	3	6	10	14
13-19 YRS	164	3.9	42	1	1	3	4	7	8	26
B. *Operated*										
0-27 DYS										
1-11 MOS	11	13.3	641	1	2	5	10	42	85	89
1-5 YRS	96	5.5	53	1	1	3	6	11	26	38
6-12 YRS	380	6.3	56	1	1	4	7	13	23	41
13-19 YRS	1148	8.9	112	1	2	6	10	18	28	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1006	2.2	3	1	1	2	3	4	5	9
B. *Operated*	3008	3.5	11	1	1	3	4	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	367	3.9	33	1	1	2	4	7	11	28
B. *Operated*	1635	8.1	100	1	2	5	9	17	27	58
1. SINGLE DX	4014	3.2	9	1	1	2	4	6	8	15
2. MULTIPLE DX	2002	7.4	91	1	1	5	8	15	24	54
A. NOT OPERATED	1373	2.6	12	1	1	2	3	5	7	13
B. OPERATED	4643	5.1	47	1	1	3	6	10	15	38
TOTAL 0-27 DYS	2	9.5	25	6	6	9	13	13	13	13
1-11 MOS	45	5.6	173	1	1	3	5	10	31	99+
1-5 YRS	646	2.9	19	1	1	2	3	6	7	27
6-12 YRS	1902	3.4	18	1	1	2	4	6	9	25
13-19 YRS	3421	5.5	53	1	1	4	6	11	16	39
GRAND TOTAL	**6016**	**4.6**	**40**	**1**	**1**	**3**	**5**	**9**	**13**	**34**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	5	2.0	5	<1	<1	1	2	6	6	6
1-5 YRS	54	1.9	3	<1	<1	1	2	3	5	11
6-12 YRS	155	2.1	2	<1	1	2	3	4	5	7
13-19 YRS	256	2.3	3	<1	1	2	3	4	6	8
B. *Operated*										
0-27 DYS	3	3.0		3	3	3	3	3	3	3
1-11 MOS	8	3.8	3	1	1	4	5	6	7	7
1-5 YRS	94	2.7	7	<1	1	2	3	5	7	16
6-12 YRS	684	2.6	4	1	1	2	3	5	6	11
13-19 YRS	2939	3.0	6	1	1	3	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	6	9.2	217	1	1	3	6	36	39	39
1-5 YRS	21	3.2	6	1	1	2	4	8	8	8
6-12 YRS	62	3.4	14	<1	1	2	4	7	11	23
13-19 YRS	218	3.2	14	<1	1	2	4	6	8	14
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	15	6.7	34	1	2	5	7	18	20	21
1-5 YRS	67	5.3	38	1	1	3	6	10	23	29
6-12 YRS	282	5.2	33	1	1	4	6	10	14	30
13-19 YRS	1543	5.3	42	1	1	4	6	10	15	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	471	2.2	3	<1	1	2	3	4	6	8
B. *Operated*	3728	2.9	6	1	1	2	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	308	3.4	17	<1	1	2	4	6	8	19
B. *Operated*	1908	5.3	40	1	1	4	6	10	15	34
1. SINGLE DX	4199	2.9	5	1	1	2	4	5	7	10
2. MULTIPLE DX	2216	5.0	37	1	1	3	6	10	14	34
A. NOT OPERATED	779	2.7	9	<1	1	2	3	5	7	13
B. OPERATED	5636	3.7	19	1	1	3	4	7	9	20
TOTAL 0-27 DYS	6	4.0	6	1	1	3	6	8	8	8
1-11 MOS	34	5.8	54	1	1	4	6	13	20	39
1-5 YRS	236	3.3	16	<1	1	2	4	7	9	26
6-12 YRS	1183	3.2	12	1	1	2	4	6	8	16
13-19 YRS	4956	3.7	18	1	1	3	4	7	9	19
GRAND TOTAL	**6415**	**3.6**	**17**	**1**	**1**	**3**	**4**	**7**	**9**	**19**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	13	1.1		<1	<1	1	1	2	2	2
6-12 YRS	11	1.8	2	1	1	1	2	4	6	6
13-19 YRS	50	1.7	2	<1	<1	1	2	3	5	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	27	1.5		<1	<1	1	2	3	3	3
13-19 YRS	172	2.1	2	1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	4.6	11	1	1	3	8	9	9	9
1-5 YRS	47	2.9	19	<1	1	2	3	5	10	26
6-12 YRS	61	2.5	9	1	1	2	3	4	6	19
13-19 YRS	248	2.6	4	<1	1	2	3	5	7	10
B. *Operated*										
0-27 DYS										
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	5	1.8	1	1	1	2	2	3	3	3
6-12 YRS	27	3.3	5	1	1	2	5	7	8	10
13-19 YRS	127	5.3	75	1	1	3	5	9	21	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	1.6	2	<1	<1	1	2	3	5	7
B. *Operated*	201	2.0	2	1	1	2	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	363	2.6	7	1	1	2	3	5	8	12
B. *Operated*	160	4.9	62	1	1	3	5	9	14	49
1. SINGLE DX	277	1.9	2	<1	1	2	2	3	5	8
2. MULTIPLE DX	523	3.3	25	1	1	2	4	6	9	26
A. NOT OPERATED	439	2.5	6	<1	1	2	3	5	7	11
B. OPERATED	361	3.3	30	1	1	2	3	6	9	31
TOTAL 0-27 DYS										
1-11 MOS	10	4.9	13	1	1	4	8	10	11	11
1-5 YRS	67	2.4	14	<1	<1	1	2	4	6	24
6-12 YRS	126	2.4	6	1	1	2	3	5	6	14
13-19 YRS	597	3.0	20	1	1	2	3	5	8	23
GRAND TOTAL	**800**	**2.8**	**17**	**1**	**1**	**2**	**3**	**5**	**8**	**20**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	1.0		1	1	1	1	1	1	1
1-5 YRS	13	2.3	6	1	1	2	2	4	9	10
6-12 YRS	7	4.0	5	1	1	4	6	7	7	7
13-19 YRS	3	4.3	24	1	1	2	8	10	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	6	5.0	5	1	1	5	7	7	7	7
6-12 YRS	7	5.6	45	1	1	4	6	17	20	20
13-19 YRS	6	11.5	146	<1	<1	6	20	31	32	32
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	3.3	2	1	1	4	4	5	5	5
1-5 YRS	8	5.0	20	1	1	4	6	12	15	15
6-12 YRS	8	3.0	7	<1	<1	2	6	63	99+	99+
13-19 YRS	11	5.5	30	1	1	4	8	44	92	99+
B. *Operated*										
0-27 DYS										
1-11 MOS	1	24.0		24	24	24	24	24	24	24
1-5 YRS	5	12.2	146	1	1	7	22	30	30	30
6-12 YRS	13	13.8	238	1	1	8	20	33	51	55
13-19 YRS	31	16.5	214	1	2	13	30	56	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	2.8	7	1	1	2	3	7	10	10
B. *Operated*	20	7.3	62	<1	1	5	7	20	26	32
2. MULTIPLE DX										
A. *Not Operated*	34	4.4	16	<1	1	4	6	14	76	99+
B. *Operated*	50	15.5	205	1	1	10	26	48	93	99+
1. SINGLE DX	46	4.8	35	1	1	2	6	10	20	32
2. MULTIPLE DX	84	11.0	158	1	1	7	18	46	99+	99+
A. NOT OPERATED	60	3.7	13	1	1	2	5	9	17	99+
B. OPERATED	70	13.1	177	1	1	8	20	45	54	99+
TOTAL 0-27 DYS										
1-11 MOS	12	4.8	40	1	1	3	5	12	22	24
1-5 YRS	32	5.0	38	1	1	3	6	11	19	30
6-12 YRS	35	7.7	117	<1	1	4	8	24	47	99+
13-19 YRS	51	12.8	175	1	1	8	20	47	99+	99+
GRAND TOTAL	**130**	**8.8**	**123**	**1**	**1**	**5**	**10**	**30**	**50**	**99+**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	6.0	50	1	1	6	11	11	11	11
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	15	1.3	1	<1	<1	1	1	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS	3	1.3		1	1	1	2	2	2	2
13-19 YRS	376	2.4	10	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	3.5	13	1	1	3	6	6	6	6
6-12 YRS	3	3.7	14	1	1	2	6	8	8	8
13-19 YRS	27	2.8	5	<1	<1	2	5	6	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	6	2.7	3	1	1	3	4	5	5	5
13-19 YRS	85	3.6	11	<1	1	3	4	7	10	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	1.8	5	<1	<1	1	2	3	8	11
B. *Operated*	381	2.4	10	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	33	2.9	5	<1	<1	2	5	7	8	8
B. *Operated*	93	3.5	10	1	1	3	4	7	10	19
1. SINGLE DX	400	2.4	10	<1	1	2	3	4	5	8
2. MULTIPLE DX	126	3.4	9	<1	1	3	4	7	9	19
A. NOT OPERATED	52	2.5	6	<1	<1	1	3	6	8	11
B. OPERATED	474	2.6	10	1	1	2	3	4	5	11
TOTAL 0-27 DYS										
1-11 MOS	5	1.6		1	1	2	2	2	2	2
1-5 YRS	5	4.4	18	1	1	3	7	11	11	11
6-12 YRS	13	2.5	5	1	1	2	4	6	8	8
13-19 YRS	503	2.6	10	<1	1	2	3	4	5	11
GRAND TOTAL	**526**	**2.6**	**10**	**<1**	**1**	**2**	**3**	**4**	**6**	**11**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	9	1.8	1	1	1	2	2	3	4	4
13-19 YRS	33	1.6	1	<1	<1	1	2	3	4	5
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	4	2.5	2	<1	<1	2	3	4	4	4
6-12 YRS	81	2.7	7	<1	<1	2	3	5	6	18
13-19 YRS	1650	2.1	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS										
1-5 YRS										
6-12 YRS	5	4.2	19	1	1	2	7	11	11	11
13-19 YRS	33	1.9	3	<1	<1	1	2	4	5	10
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	6	2.2	3	<1	<1	1	4	5	5	5
1-5 YRS	5	3.6	1	3	3	3	4	5	5	5
6-12 YRS	40	4.4	39	<1	1	2	5	9	14	37
13-19 YRS	1355	2.7	7	<1	<1	2	3	5	6	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	1.7	1	<1	<1	1	2	3	4	5
B. *Operated*	1738	2.1	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	39	2.5	10	<1	<1	1	3	6	11	16
B. *Operated*	1407	2.8	8	<1	<1	2	3	5	6	13
1. SINGLE DX	1781	2.1	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX	1446	2.8	8	<1	<1	2	3	5	6	13
A. NOT OPERATED	82	2.1	6	<1	<1	1	2	4	6	14
B. OPERATED	3145	2.4	5	<1	<1	2	3	5	6	9
TOTAL 0-27 DYS	3	6.7	65	2	2	2	13	16	16	16
1-11 MOS	8	1.9	3	<1	<1	1	3	5	5	5
1-5 YRS	10	3.0	1	<1	1	3	4	5	5	5
6-12 YRS	135	3.2	17	<1	1	2	3	6	9	24
13-19 YRS	3071	2.4	5	<1	<1	2	3	4	5	9
GRAND TOTAL	**3227**	**2.4**	**5**	**<1**	**<1**	**2**	**3**	**5**	**6**	**10**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	17	2.8	4	<1	1	2	4	6	7	7
6-12 YRS	43	3.2	16	<1	1	2	4	7	12	21
13-19 YRS	67	4.1	39	<1	1	2	4	8	12	38
B. *Operated*										
0-27 DYS										
1-11 MOS	3	6.7	41	2	2	4	11	14	14	14
1-5 YRS	59	3.0	7	<1	<1	2	4	7	8	15
6-12 YRS	237	2.5	16	<1	1	1	2	5	8	17
13-19 YRS	381	3.0	11	<1	1	2	3	6	10	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	4.5	13	2	2	4	7	7	7	7
1-5 YRS	13	3.8	19	1	1	2	4	8	15	17
6-12 YRS	27	5.1	77	<1	1	3	5	10	20	46
13-19 YRS	98	5.1	18	<1	1	4	7	10	13	24
B. *Operated*										
0-27 DYS										
1-11 MOS	2	11.5	13	9	9	11	14	14	14	14
1-5 YRS	56	5.9	24	1	1	4	7	15	17	21
6-12 YRS	118	5.1	50	1	1	3	6	13	15	35
13-19 YRS	325	6.7	73	1	1	4	8	16	21	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	127	3.6	26	<1	1	2	4	7	10	29
B. *Operated*	680	2.8	12	<1	1	2	3	6	9	18
2. MULTIPLE DX										
A. *Not Operated*	140	5.0	29	<1	1	4	7	10	14	26
B. *Operated*	501	6.3	62	1	1	4	8	15	19	40
1. SINGLE DX	807	3.0	15	<1	1	2	3	6	9	20
2. MULTIPLE DX	641	6.0	55	1	1	4	7	14	18	39
A. NOT OPERATED	267	4.3	28	<1	1	3	6	9	12	26
B. OPERATED	1181	4.3	36	<1	1	2	5	10	15	24
TOTAL 0-27 DYS										
1-11 MOS	7	7.4	27	2	2	7	13	14	14	14
1-5 YRS	145	4.2	16	<1	1	3	5	8	15	18
6-12 YRS	425	3.4	30	<1	1	2	4	8	13	22
13-19 YRS	871	4.7	40	<1	1	3	6	11	16	26
GRAND TOTAL	**1448**	**4.3**	**35**	**<1**	**1**	**2**	**5**	**10**	**15**	**24**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	1.9	1	1	1	2	2	4	4	4
6-12 YRS	13	2.2	2	<1	<1	2	3	4	5	5
13-19 YRS	74	2.1	3	<1	<1	1	3	4	6	10
B. *Operated*										
0-27 DYS										
1-11 MOS	4	2.3	2	<1	<1	2	3	4	4	4
1-5 YRS										
6-12 YRS	44	2.8	3	<1	<1	3	3	6	7	8
13-19 YRS	1198	2.8	3	<1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	7.5	1	7	7	7	8	8	8	8
1-5 YRS	10	1.9	2	<1	<1	1	2	4	5	5
6-12 YRS	16	2.3	1	<1	<1	2	3	4	4	4
13-19 YRS	74	3.1	24	<1	1	2	3	6	6	34
B. *Operated*										
0-27 DYS										
1-11 MOS	4	3.0	5	1	1	3	5	5	5	5
1-5 YRS	2	2.5	5	1	1	2	4	4	4	4
6-12 YRS	51	3.5	12	<1	1	2	4	8	11	16
13-19 YRS	1482	3.5	4	1	1	3	5	6	7	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	2.1	3	<1	<1	2	3	4	5	9
B. *Operated*	1246	2.8	3	<1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	102	3.0	19	<1	<1	2	3	5	7	25
B. *Operated*	1539	3.5	5	1	1	3	5	6	7	11
1. SINGLE DX	1340	2.7	3	<1	1	2	4	5	6	8
2. MULTIPLE DX	1641	3.5	5	<1	1	3	5	6	7	11
A. NOT OPERATED	196	2.5	11	<1	<1	2	3	5	6	10
B. OPERATED	2785	3.2	4	<1	1	3	4	6	7	10
TOTAL 0-27 DYS										
1-11 MOS	10	3.6	7	<1	<1	3	5	7	8	8
1-5 YRS	19	1.9	2	<1	<1	2	2	4	5	5
6-12 YRS	124	3.0	7	<1	<1	2	3	6	7	16
13-19 YRS	2828	3.2	4	<1	1	3	4	6	7	9
GRAND TOTAL	**2981**	**3.1**	**5**	**<1**	**1**	**3**	**4**	**6**	**7**	**10**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	5	3.8	2	3	3	3	4	6	6	6
1-5 YRS										
6-12 YRS	12	4.2	15	1	1	3	5	9	14	15
13-19 YRS	208	4.0	7	1	1	3	5	7	8	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	28	7.1	50	1	1	5	10	19	23	25
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	6	5.7	3	3	3	6	7	7	7	7
1-5 YRS	8	8.3	40	3	3	5	13	18	18	18
6-12 YRS	14	3.2	6	<1	1	3	4	5	9	10
13-19 YRS	258	4.9	11	1	1	4	6	9	11	17
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	18	11.7	183	1	2	8	15	23	45	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	226	4.0	7	1	1	3	5	7	8	14
B. *Operated*	28	7.1	50	1	1	5	10	19	23	25
2. MULTIPLE DX										
A. *Not Operated*	287	5.0	11	1	1	4	7	9	12	18
B. *Operated*	18	11.7	183	1	2	8	15	23	45	59
1. SINGLE DX	254	4.3	13	1	1	3	6	8	10	20
2. MULTIPLE DX	305	5.4	24	1	1	4	7	9	14	19
A. NOT OPERATED	513	4.5	10	1	1	4	6	8	11	17
B. OPERATED	46	8.9	105	1	1	7	12	20	25	59
TOTAL 0-27 DYS	2	7.0	8	5	5	7	9	9	9	9
1-11 MOS	11	4.8	3	3	3	5	6	7	7	7
1-5 YRS	8	8.3	40	3	3	5	13	18	18	18
6-12 YRS	26	3.7	10	<1	1	3	4	7	11	15
13-19 YRS	512	4.9	19	1	1	4	6	9	13	19
GRAND TOTAL	**559**	**4.9**	**19**	**1**	**1**	**4**	**6**	**9**	**13**	**19**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	1.5	1	<1	<1	1	2	2	2	2
1-11 MOS	3	4.7	16	1	1	4	8	9	9	9
1-5 YRS	39	1.9	2	<1	<1	1	2	4	6	8
6-12 YRS	92	2.0	2	1	1	1	3	3	4	8
13-19 YRS	428	3.0	7	<1	1	2	4	6	8	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	43	3.4	8	1	1	2	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	9	4.8	14	1	1	4	6	11	13	13
1-5 YRS	18	2.1	2	1	1	2	3	4	5	5
6-12 YRS	83	2.6	6	1	1	2	3	5	6	16
13-19 YRS	805	3.9	11	1	1	3	5	8	9	15
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	3	7.7	32	3	3	6	12	14	14	14
13-19 YRS	65	3.6	8	<1	1	3	5	8	10	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	564	2.7	6	<1	1	2	4	6	8	14
B. *Operated*	45	3.4	8	1	1	2	5	6	9	14
2. MULTIPLE DX										
A. *Not Operated*	916	3.7	10	1	1	3	5	7	9	15
B. *Operated*	70	3.8	9	1	1	3	5	8	11	14
1. SINGLE DX	609	2.8	6	<1	1	2	4	6	8	14
2. MULTIPLE DX	986	3.7	10	1	1	3	5	7	9	15
A. NOT OPERATED	1480	3.3	9	1	1	2	4	7	9	14
B. OPERATED	115	3.7	9	1	1	3	5	8	11	14
TOTAL 0-27 DYS	4	3.0	3	<1	<1	3	4	5	5	5
1-11 MOS	12	4.8	13	1	1	4	6	10	13	13
1-5 YRS	58	2.0	2	<1	1	1	2	4	5	8
6-12 YRS	180	2.3	5	1	1	2	3	4	6	14
13-19 YRS	1341	3.5	10	1	1	3	5	7	9	14
GRAND TOTAL	**1595**	**3.4**	**9**	**1**	**1**	**2**	**4**	**7**	**9**	**14**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	21	2.0	1	1	1	2	2	4	4	4
6-12 YRS	41	2.7	4	<1	<1	2	4	5	6	10
13-19 YRS	144	2.3	3	<1	1	2	3	4	6	10
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	1.5		1	1	1	2	2	2	2
1-5 YRS	7	1.6		1	1	2	2	2	2	2
6-12 YRS	30	2.6	3	<1	1	2	3	5	6	7
13-19 YRS	421	2.0	1	<1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	5.5	41	1	1	5	10	10	10	10
1-5 YRS	15	2.9	26	<1	1	2	2	3	16	21
6-12 YRS	49	2.4	3	<1	1	2	3	5	6	8
13-19 YRS	151	2.5	4	<1	1	2	3	5	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS	3	3.3	1	2	2	4	4	4	4	4
1-5 YRS	2	3.5	13	1	1	3	6	6	6	6
6-12 YRS	19	2.7	8	<1	1	2	3	7	10	12
13-19 YRS	219	2.7	9	<1	1	2	3	5	6	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	207	2.3	3	<1	1	2	3	4	5	10
B. *Operated*	463	2.0	1	<1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	217	2.6	5	<1	1	2	3	5	7	10
B. *Operated*	243	2.7	8	<1	1	2	3	5	7	13
1. SINGLE DX	670	2.1	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	460	2.6	7	<1	1	2	3	5	7	12
A. NOT OPERATED	424	2.4	4	<1	1	2	3	5	6	10
B. OPERATED	706	2.2	4	<1	1	2	3	4	5	8
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	10	2.9	7	1	1	2	4	7	10	10
1-5 YRS	45	2.3	9	1	1	2	2	4	5	21
6-12 YRS	139	2.6	4	<1	1	2	3	5	7	10
13-19 YRS	935	2.3	4	<1	1	2	3	4	5	9
GRAND TOTAL	**1130**	**2.3**	**4**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	6	1.2		1	1	1	1	2	2	2
1-11 MOS	143	1.3		<1	1	1	1	2	3	4
1-5 YRS	1496	1.2		<1	1	1	1	2	2	4
6-12 YRS	2570	1.3	1	<1	1	1	1	2	2	4
13-19 YRS	2444	1.5	1	<1	1	1	2	2	3	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	5.0	37	1	1	2	9	12	12	12
6-12 YRS	3	1.3		1	1	1	2	2	2	2
13-19 YRS	13	1.7	2	<1	<1	1	2	4	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	3.8	36	<1	<1	1	3	15	16	16
1-11 MOS	121	1.8	2	<1	1	1	2	3	5	9
1-5 YRS	1181	1.7	2	1	1	1	2	3	4	10
6-12 YRS	2449	1.7	3	1	1	1	2	3	4	7
13-19 YRS	4676	2.1	3	<1	1	1	2	4	5	10
B. *Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	153	2.8	15	<1	1	2	3	5	10	20
6-12 YRS	384	2.4	16	1	1	1	2	4	6	26
13-19 YRS	1403	3.1	20	<1	1	2	3	6	9	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6659	1.4	1	<1	1	1	1	2	3	5
B. *Operated*	19	2.2	7	<1	<1	1	2	5	9	12
2. MULTIPLE DX										
A. *Not Operated*	8433	1.9	3	<1	1	1	2	4	5	9
B. *Operated*	1942	2.9	18	<1	1	2	3	6	9	20
1. SINGLE DX	6678	1.4	1	<1	1	1	1	2	3	5
2. MULTIPLE DX	10375	2.1	6	<1	1	1	2	4	5	11
A. NOT OPERATED	15092	1.7	2	<1	1	1	2	3	4	7
B. OPERATED	1961	2.9	18	<1	1	2	3	6	9	20
TOTAL 0-27 DYS	12	2.5	18	<1	<1	1	2	7	15	16
1-11 MOS	266	1.5	1	<1	1	1	2	3	3	7
1-5 YRS	2833	1.5	2	<1	1	1	2	2	3	9
6-12 YRS	5406	1.6	3	1	1	1	2	3	3	6
13-19 YRS	8536	2.1	6	<1	1	1	2	4	5	11
GRAND TOTAL	**17053**	**1.8**	**4**	**<1**	**1**	**1**	**2**	**3**	**5**	**9**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	13	2.1	6	1	1	1	2	5	9	10
1-11 MOS	201	1.5	2	<1	<1	1	1	3	3	6
1-5 YRS	857	1.4	1	<1	<1	1	1	2	3	6
6-12 YRS	995	1.5	2	<1	1	1	2	2	3	7
13-19 YRS	810	2.4	14	<1	<1	1	2	4	7	19
B. *Operated*										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	14	7.9	33	4	4	6	9	13	23	26
1-5 YRS	32	7.0	41	1	1	6	8	12	20	33
6-12 YRS	34	5.7	46	1	2	5	6	7	13	41
13-19 YRS	65	7.6	58	1	2	5	8	14	27	38
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	3.7	7	1	1	3	6	8	8	8
1-11 MOS	262	3.1	17	<1	1	2	3	7	13	24
1-5 YRS	1046	2.6	32	<1	1	1	2	4	7	25
6-12 YRS	1156	2.4	16	1	1	1	2	4	6	27
13-19 YRS	1658	3.8	53	<1	1	2	4	8	13	51
B. *Operated*										
0-27 DYS										
1-11 MOS	45	16.0	202	1	2	12	23	46	68	99+
1-5 YRS	175	9.0	199	1	1	3	9	27	39	84
6-12 YRS	221	10.7	263	1	1	4	11	36	55	99+
13-19 YRS	799	12.6	328	1	1	5	16	39	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2876	1.7	6	<1	1	1	2	3	4	10
B. *Operated*	146	7.1	49	1	2	6	7	14	22	38
2. MULTIPLE DX										
A. *Not Operated*	4128	3.0	35	<1	1	1	3	6	10	30
B. *Operated*	1240	11.9	295	1	1	5	15	37	60	99+
1. SINGLE DX	3022	2.0	9	<1	1	1	2	4	6	14
2. MULTIPLE DX	5368	5.1	109	<1	1	2	4	12	25	75
A. NOT OPERATED	7004	2.5	23	<1	1	1	2	4	7	23
B. OPERATED	1386	11.4	272	1	1	5	14	34	57	99+
TOTAL 0-27 DYS	20	3.1	12	1	1	2	3	9	11	13
1-11 MOS	522	3.7	43	<1	1	1	3	9	18	50
1-5 YRS	2110	2.7	38	<1	1	1	2	4	8	34
6-12 YRS	2406	2.9	40	1	1	1	2	5	9	39
13-19 YRS	3332	5.6	125	<1	1	2	5	14	27	80
GRAND TOTAL	**8390**	**4.0**	**75**	**<1**	**1**	**1**	**3**	**8**	**16**	**60**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	5	2.0	2	1	1	2	3	4	4	4
6-12 YRS	26	2.3	5	<1	1	2	2	5	8	10
13-19 YRS	82	2.7	6	1	1	2	3	5	8	14
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	3	5.3	2	4	4	5	6	7	7	7
6-12 YRS	6	4.8	17	2	2	3	4	12	13	13
13-19 YRS	145	4.9	8	2	2	4	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	6.3	12	3	3	6	9	10	10	10
1-5 YRS	34	4.5	23	1	1	3	5	12	15	23
6-12 YRS	44	3.4	5	1	1	3	5	7	8	12
13-19 YRS	256	3.9	18	1	1	3	4	8	11	27
B. *Operated*										
0-27 DYS	2	11.5	61	6	6	11	17	17	17	17
1-11 MOS	5	26.0	349	7	7	26	43	48	48	48
1-5 YRS	34	9.7	127	1	2	6	11	24	31	59
6-12 YRS	61	8.3	31	2	3	7	11	15	18	29
13-19 YRS	416	8.5	56	2	3	7	10	16	24	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	114	2.6	5	1	1	2	3	5	7	13
B. *Operated*	155	4.9	8	2	2	4	6	8	11	14
2. MULTIPLE DX										
A. *Not Operated*	338	3.9	17	1	1	3	5	8	11	25
B. *Operated*	518	8.8	62	2	3	7	10	16	25	49
1. SINGLE DX	269	3.9	8	1	1	3	5	8	9	14
2. MULTIPLE DX	856	6.8	50	1	2	5	8	13	20	36
A. NOT OPERATED	452	3.6	14	1	1	2	4	7	10	23
B. OPERATED	673	7.9	52	2	3	6	9	14	22	41
TOTAL 0-27 DYS	3	8.0	67	1	1	6	14	17	17	17
1-11 MOS	10	15.4	284	2	2	7	26	44	48	48
1-5 YRS	76	6.7	74	1	1	4	7	13	24	52
6-12 YRS	137	5.4	24	1	1	4	7	12	15	26
13-19 YRS	899	6.1	38	1	1	4	8	12	16	31
GRAND TOTAL	**1125**	**6.1**	**41**	**1**	**1**	**4**	**8**	**12**	**17**	**32**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	1.5		1	1	1	2	2	2	2
1-5 YRS	59	3.1	6	<1	1	2	5	7	8	10
6-12 YRS	305	3.5	10	<1	1	2	5	8	10	13
13-19 YRS	480	3.5	11	1	1	2	4	8	10	19
B. *Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	28	7.1	51	1	3	6	8	11	17	40
6-12 YRS	115	6.7	10	3	4	7	8	10	11	19
13-19 YRS	258	6.4	11	2	3	6	7	10	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	3.7	2	2	2	4	5	5	5	5
1-11 MOS	4	3.0	3	1	1	3	4	5	5	5
1-5 YRS	112	4.3	19	1	1	3	5	9	11	24
6-12 YRS	337	4.0	14	1	1	3	5	9	12	15
13-19 YRS	799	3.6	10	1	1	3	5	7	10	14
B. *Operated*										
0-27 DYS										
1-11 MOS	4	15.3	45	10	10	13	19	25	25	25
1-5 YRS	92	12.5	140	2	3	9	15	23	42	63
6-12 YRS	278	9.6	84	1	3	7	10	19	28	52
13-19 YRS	1139	11.3	120	3	4	8	12	23	35	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	848	3.5	10	1	1	2	5	8	10	16
B. *Operated*	402	6.5	13	2	3	6	8	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	1255	3.7	12	1	1	3	5	8	10	15
B. *Operated*	1513	11.1	115	3	4	8	12	22	33	62
1. SINGLE DX	1250	4.5	13	1	1	4	6	9	10	17
2. MULTIPLE DX	2768	7.8	81	1	1	6	9	15	24	51
A. NOT OPERATED	2103	3.6	11	1	1	2	5	8	10	15
B. OPERATED	1915	10.1	97	2	4	7	11	19	29	59
TOTAL 0-27 DYS	3	3.7	2	2	2	4	5	5	5	5
1-11 MOS	13	6.7	50	1	1	3	10	16	23	25
1-5 YRS	291	6.9	73	1	1	5	9	14	20	47
6-12 YRS	1035	5.7	38	1	1	4	7	11	14	30
13-19 YRS	2676	7.1	71	1	1	5	8	14	21	48
GRAND TOTAL	**4018**	**6.7**	**63**	**1**	**1**	**5**	**8**	**13**	**19**	**45**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	14	1.4		<1	<1	1	2	2	2	2
6-12 YRS	17	2.5	2	<1	1	2	3	4	5	6
13-19 YRS	16	2.4	3	<1	<1	2	4	4	6	6
B. *Operated*										
0-27 DYS	2	2.0	2	<1	<1	1	3	3	3	3
1-11 MOS	7	2.0	4	1	1	1	3	5	6	6
1-5 YRS	258	2.0	3	<1	<1	1	2	4	6	8
6-12 YRS	245	2.3	3	<1	1	2	3	5	6	8
13-19 YRS	200	2.7	7	<1	1	2	4	5	7	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	15	3.1	5	<1	<1	3	5	7	8	8
6-12 YRS	20	4.7	5	1	1	4	7	8	8	8
13-19 YRS	38	3.1	5	1	1	2	4	7	8	10
B. *Operated*										
0-27 DYS										
1-11 MOS	5	3.0	6	<1	<1	2	5	6	6	6
1-5 YRS	209	2.9	6	1	1	2	4	6	8	12
6-12 YRS	235	3.6	11	1	1	3	5	6	8	12
13-19 YRS	311	3.4	6	1	1	3	5	7	8	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	2.1	2	<1	<1	2	3	4	5	6
B. *Operated*	712	2.3	4	<1	1	1	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	74	3.6	6	<1	1	4	5	8	8	10
B. *Operated*	760	3.3	8	1	1	3	5	6	8	12
1. SINGLE DX	759	2.3	4	<1	1	1	3	5	6	8
2. MULTIPLE DX	834	3.4	7	1	1	3	5	7	8	11
A. NOT OPERATED	121	3.0	5	<1	1	2	4	6	8	9
B. OPERATED	1472	2.8	6	<1	1	2	4	6	7	10
TOTAL 0-27 DYS	2	2.0	2	<1	<1	1	3	3	3	3
1-11 MOS	13	2.5	4	<1	<1	1	4	6	6	6
1-5 YRS	496	2.4	4	<1	1	1	3	5	7	10
6-12 YRS	517	3.0	7	1	1	2	4	6	7	10
13-19 YRS	565	3.1	6	1	1	3	4	6	7	11
GRAND TOTAL	**1593**	**2.8**	**6**	**<1**	**1**	**2**	**4**	**6**	**7**	**10**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	10	1.9	2	<1	<1	1	3	4	4	4
1-5 YRS	122	1.9	2	<1	<1	1	2	4	5	6
6-12 YRS	79	2.2	2	<1	1	2	3	4	4	6
13-19 YRS	101	2.5	25	<1	<1	1	3	4	6	29
B. *Operated*										
0-27 DYS										
1-11 MOS	26	1.9	2	<1	1	1	3	4	5	5
1-5 YRS	556	1.5	2	<1	<1	1	2	3	4	7
6-12 YRS	226	1.7	2	<1	1	1	2	3	5	7
13-19 YRS	295	2.2	6	<1	<1	1	2	4	6	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	19	2.8	5	<1	1	2	4	6	8	9
1-5 YRS	158	2.5	4	1	1	2	3	4	6	10
6-12 YRS	123	2.2	3	<1	1	2	3	4	6	11
13-19 YRS	339	2.4	18	<1	<1	2	3	4	5	13
B. *Operated*										
0-27 DYS										
1-11 MOS	20	2.2	4	<1	<1	1	3	5	6	8
1-5 YRS	535	2.3	5	<1	1	1	3	5	7	11
6-12 YRS	431	2.4	5	1	1	2	3	5	7	13
13-19 YRS	1264	2.8	16	<1	1	2	3	5	7	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	314	2.2	9	<1	1	1	3	4	5	7
B. *Operated*	1103	1.8	3	<1	<1	1	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	639	2.4	11	<1	1	2	3	4	6	11
B. *Operated*	2250	2.6	12	<1	1	2	3	5	7	15
1. SINGLE DX	1417	1.9	5	<1	<1	1	2	4	5	9
2. MULTIPLE DX	2889	2.6	12	<1	1	2	3	5	7	14
A. NOT OPERATED	953	2.3	11	<1	1	2	3	4	5	10
B. OPERATED	3353	2.3	9	<1	1	1	3	5	6	13
TOTAL 0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	75	2.2	3	<1	<1	1	3	5	6	9
1-5 YRS	1371	2.0	4	<1	1	1	2	4	5	9
6-12 YRS	859	2.2	4	<1	1	1	3	4	6	11
13-19 YRS	1999	2.7	16	<1	1	2	3	5	7	17
GRAND TOTAL	**4306**	**2.3**	**9**	**<1**	**1**	**1**	**3**	**4**	**6**	**12**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	3.0	16	1	1	2	2	10	11	11
1-5 YRS	47	1.4	1	<1	1	1	1	3	3	3
6-12 YRS	75	1.7	1	<1	1	1	2	3	3	5
13-19 YRS	295	1.8	1	<1	1	1	2	3	4	7
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	2.8	6	1	1	2	4	6	6	6
1-5 YRS	95	1.4	1	<1	<1	1	1	3	5	5
6-12 YRS	182	2.0	3	<1	1	1	3	4	5	10
13-19 YRS	278	2.7	4	<1	<1	2	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	1.7	1	1	1	1	3	3	3	3
1-5 YRS	23	2.1	2	<1	1	2	2	4	5	6
6-12 YRS	40	2.7	11	1	1	2	3	4	8	20
13-19 YRS	213	2.9	11	<1	1	2	3	6	8	19
B. *Operated*										
0-27 DYS										
1-11 MOS	7	7.4	23	3	3	5	9	16	17	17
1-5 YRS	66	3.7	46	<1	<1	2	4	5	11	46
6-12 YRS	126	4.2	21	<1	1	2	5	11	14	20
13-19 YRS	463	5.4	34	1	1	4	7	11	14	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	423	1.7	1	<1	1	1	2	3	4	7
B. *Operated*	560	2.3	4	<1	1	1	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	279	2.8	10	<1	1	2	3	5	8	19
B. *Operated*	662	5.0	33	<1	1	4	6	10	14	24
1. SINGLE DX	983	2.0	3	<1	1	1	3	4	5	8
2. MULTIPLE DX	941	4.4	27	<1	1	3	5	9	13	23
A. NOT OPERATED	702	2.2	5	<1	1	2	3	4	5	11
B. OPERATED	1222	3.8	21	<1	1	2	5	8	11	20
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	20	4.3	18	1	1	3	6	10	14	17
1-5 YRS	231	2.1	15	<1	<1	1	2	4	5	16
6-12 YRS	423	2.6	10	<1	1	2	3	5	9	19
13-19 YRS	1249	3.5	18	<1	1	2	4	8	10	20
GRAND TOTAL	**1924**	**3.2**	**16**	**<1**	**1**	**2**	**4**	**7**	**10**	**19**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	2.0	2	<1	<1	1	3	3	3	3
1-5 YRS	58	2.7	4	<1	1	2	4	5	7	9
6-12 YRS	86	2.8	4	1	1	2	3	5	6	12
13-19 YRS	271	2.7	3	<1	1	2	3	5	6	9
B. *Operated*										
0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	33	1.9	16	<1	<1	1	1	2	3	24
1-5 YRS	440	1.7	2	<1	<1	1	2	5	4	7
6-12 YRS	575	1.9	3	<1	1	1	2	4	5	9
13-19 YRS	1513	2.1	5	<1	1	1	2	4	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	11	4.2	7	<1	1	4	5	8	11	11
1-5 YRS	55	3.0	3	1	1	3	4	5	7	9
6-12 YRS	66	3.4	4	1	2	3	4	5	8	12
13-19 YRS	299	4.0	30	<1	1	3	4	8	11	29
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	10	2.3	3	<1	<1	1	4	5	6	6
1-5 YRS	279	2.3	7	<1	1	1	2	5	7	15
6-12 YRS	418	2.6	7	1	1	2	3	5	7	13
13-19 YRS	1536	3.0	14	<1	1	2	3	6	9	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	418	2.7	3	<1	1	2	3	5	6	10
B. *Operated*	2563	2.0	4	<1	1	1	2	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	432	3.8	22	<1	1	3	4	7	9	23
B. *Operated*	2244	2.9	12	<1	1	2	3	6	9	18
1. SINGLE DX	2981	2.1	4	<1	1	1	2	4	5	10
2. MULTIPLE DX	2676	3.0	14	<1	1	2	3	6	9	[illegible]
A. NOT OPERATED	850	3.3	13	<1	1	3	4	6	8	[illegible]
B. OPERATED	4807	2.4	8	<1	1	2	3	5	7	13
TOTAL 0-27 DYS	5	2.6	2	1	1	3	4	4	4	4
1-11 MOS	56	2.4	12	<1	<1	1	3	5	6	23
1-5 YRS	832	2.0	4	<1	<1	1	2	4	5	11
6-12 YRS	1145	2.3	5	<1	1	2	3	5	6	10
13-19 YRS	3619	2.7	11	<1	1	2	3	5	8	16
GRAND TOTAL	**5657**	**2.5**	**9**	**<1**	**1**	**2**	**3**	**5**	**7**	**13**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	4.2	12	1	1	4	6	10	10	10
1-5 YRS	53	2.8	4	1	1	2	4	5	7	8
6-12 YRS	149	3.3	7	<1	1	3	4	6	9	13
13-19 YRS	285	2.7	6	<1	1	2	3	5	6	11
B. *Operated*										
0-27 DYS	1	17.0		17	17	17	17	17	17	17
1-11 MOS	6	2.7	4	1	1	2	4	6	6	6
1-5 YRS	259	3.5	19	<1	<1	2	4	8	12	22
6-12 YRS	611	3.4	17	<1	1	2	4	7	10	23
13-19 YRS	996	3.4	12	1	1	2	4	7	10	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	1.0		<1	<1	1	1	1	1	1
1-5 YRS	60	4.0	10	1	1	3	5	6	10	19
6-12 YRS	113	3.7	5	1	1	3	5	6	8	12
13-19 YRS	193	3.7	12	1	1	3	4	7	10	29
B. *Operated*										
0-27 DYS										
1-11 MOS	7	4.6	60	<1	<1	1	3	18	22	22
1-5 YRS	122	5.8	66	1	1	3	6	13	20	45
6-12 YRS	351	6.3	61	1	1	4	7	15	20	41
13-19 YRS	693	5.4	39	1	1	4	6	12	18	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	492	2.9	6	<1	1	2	4	5	8	12
B. *Operated*	1873	3.4	15	<1	1	2	4	7	10	21
2. MULTIPLE DX										
A. *Not Operated*	369	3.7	10	1	1	3	5	7	10	19
B. *Operated*	1173	5.7	48	1	1	4	6	13	19	37
1. SINGLE DX	2365	3.3	13	<1	1	2	4	7	10	19
2. MULTIPLE DX	1542	5.3	40	1	1	3	6	11	18	34
A. NOT OPERATED	861	3.2	8	1	1	3	4	6	8	13
B. OPERATED	3046	4.3	29	1	1	3	5	9	14	28
TOTAL 0-27 DYS	1	17.0		17	17	17	17	17	17	17
1-11 MOS	21	3.4	23	<1	<1	2	4	8	15	22
1-5 YRS	494	4.0	29	<1	1	2	5	9	13	24
6-12 YRS	1224	4.2	29	1	1	3	5	9	14	29
13-19 YRS	2167	4.0	21	1	1	3	5	8	12	26
GRAND TOTAL	**3907**	**4.1**	**24**	**1**	**1**	**3**	**5**	**8**	**12**	**26**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	2.5	3	1	1	2	4	5	5	5
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	12	3.5	10	1	1	2	5	9	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	1.0		1	1	1	1	1	1	1
6-12 YRS	15	2.5	3	1	1	2	3	4	6	7
13-19 YRS	48	3.4	6	<1	1	3	5	8	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	1.7		1	1	2	2	2	2	2
6-12 YRS	9	3.0	7	1	1	2	4	7	9	9
13-19 YRS	11	2.1	1	1	1	2	3	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	1	21.0		21	21	21	21	21	21	21
1-5 YRS	20	6.9	121	1	1	2	8	17	32	47
6-12 YRS	26	3.7	13	1	1	2	4	9	12	16
13-19 YRS	161	8.8	152	1	1	5	10	20	38	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	3.0	7	1	1	2	4	7	9	10
B. *Operated*	66	3.0	5	<1	1	2	4	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	23	2.4	3	1	1	2	3	4	6	9
B. *Operated*	208	8.1	134	1	1	4	9	18	37	64
1. SINGLE DX	86	3.0	6	1	1	2	4	7	8	10
2. MULTIPLE DX	231	7.5	124	1	1	3	9	17	36	63
A. NOT OPERATED	43	2.7	5	1	1	2	3	6	8	10
B. OPERATED	274	6.9	107	1	1	3	8	16	24	58
TOTAL 0-27 DYS										
1-11 MOS	1	21.0		21	21	21	21	21	21	21
1-5 YRS	32	5.0	81	1	1	2	4	16	18	47
6-12 YRS	52	3.1	8	1	1	2	4	6	9	16
13-19 YRS	232	7.1	114	1	1	3	8	15	31	63
GRAND TOTAL	**317**	**6.3**	**95**	**1**	**1**	**3**	**7**	**13**	**22**	**52**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	5	1.6	1	<1	<1	1	2	3	3	3
13-19 YRS	9	5.0	36	1	1	3	6	16	16	16
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	44	3.6	10	1	1	2	4	9	11	14
6-12 YRS	65	3.7	18	<1	1	2	3	10	12	24
13-19 YRS	127	3.4	18	<1	1	2	4	8	10	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	10	8.0	278	<1	<1	2	4	32	55	55
6-12 YRS	16	4.4	29	1	1	3	5	8	18	23
13-19 YRS	32	6.8	235	1	1	3	5	10	15	89
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	3	2.3	2	1	1	2	3	4	4	4
1-5 YRS	26	5.0	29	1	1	3	8	8	14	27
6-12 YRS	42	3.9	16	<1	1	2	5	9	12	19
13-19 YRS	110	3.5	11	1	1	3	4	8	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	3.4	23	<1	1	2	3	14	16	16
B. *Operated*	238	3.5	16	<1	1	2	4	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	59	6.4	178	<1	1	3	5	10	20	86
B. *Operated*	182	3.8	15	1	1	2	5	8	10	22
1. SINGLE DX	254	3.5	17	<1	1	2	4	8	11	16
2. MULTIPLE DX	241	4.4	56	1	1	3	5	9	11	29
A. NOT OPERATED	75	5.8	146	<1	1	3	4	10	16	80
B. OPERATED	420	3.6	16	<1	1	2	4	8	10	20
TOTAL 0-27 DYS	2	5.0	2	4	4	5	6	6	6	6
1-11 MOS	5	3.8	16	1	1	2	6	11	11	11
1-5 YRS	82	4.5	48	<1	1	2	5	9	11	46
6-12 YRS	128	3.8	18	1	1	2	4	9	12	24
13-19 YRS	278	3.9	41	<1	1	2	4	8	10	22
GRAND TOTAL	**495**	**4.0**	**36**	**<1**	**1**	**2**	**4**	**9**	**11**	**25**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	–									
1-11 MOS	6	1.5	1	<1	<1	1	2	3	3	3
1-5 YRS	89	3.8	4	1	1	4	5	6	7	10
6-12 YRS	345	3.8	4	1	1	4	5	6	7	10
13-19 YRS	331	3.6	5	1	1	3	5	6	7	11
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	4.9	5	2	2	5	6	8	9	9
6-12 YRS	9	8.1	35	1	1	7	11	17	20	20
13-19 YRS	19	4.9	15	<1	1	4	8	10	13	15
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	7	3.1	6	1	1	2	4	7	8	8
1-5 YRS	54	3.9	29	1	1	4	5	5	6	40
6-12 YRS	175	4.0	7	1	1	4	5	7	9	14
13-19 YRS	227	3.3	4	1	1	3	5	6	6	10
B. Operated										
0-27 DYS										
1-11 MOS	2	8.0	98	1	1	8	15	15	15	15
1-5 YRS	12	4.1	15	1	1	3	6	10	13	13
6-12 YRS	31	5.3	12	1	1	5	8	11	12	12
13-19 YRS	50	3.9	7	1	1	3	5	7	10	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	771	3.7	4	1	1	4	5	6	7	10
B. Operated	35	5.7	19	1	1	5	8	11	14	20
2. MULTIPLE DX										
A. Not Operated	463	3.6	8	1	1	3	5	6	7	12
B. Operated	95	4.5	11	1	1	4	6	10	11	14
1. SINGLE DX	806	3.8	5	1	1	4	5	6	7	11
2. MULTIPLE DX	558	3.8	9	1	1	3	5	6	9	13
A. NOT OPERATED	1234	3.7	6	1	1	4	5	6	7	11
B. OPERATED	130	4.8	13	1	1	4	6	10	12	16
TOTAL 0-27 DYS										
1-11 MOS	15	3.1	15	<1	1	2	3	8	13	15
1-5 YRS	162	3.9	13	1	1	4	5	6	8	13
6-12 YRS	560	4.0	6	1	1	4	5	6	8	13
13-19 YRS	627	3.6	5	1	1	3	5	6	7	11
GRAND TOTAL	**1364**	**3.8**	**6**	**1**	**1**	**4**	**5**	**6**	**8**	**12**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	8	1.6	1	<1	<1	1	2	3	3	3
1-11 MOS	77	1.6	1	<1	<1	1	2	3	4	5
1-5 YRS	368	1.6	1	<1	1	1	2	3	4	6
6-12 YRS	497	1.7	2	<1	1	1	2	3	4	7
13-19 YRS	975	1.9	4	<1	<1	1	2	4	4	8
B. Operated										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS										
1-5 YRS	64	1.7	1	<1	<1	1	2	3	4	5
6-12 YRS	115	2.0	4	<1	<1	1	2	4	5	12
13-19 YRS	174	2.6	7	<1	<1	2	3	5	7	19
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	11	2.3	1	<1	<1	2	3	4	4	4
1-11 MOS	134	2.3	3	1	1	2	3	5	6	8
1-5 YRS	713	2.3	4	1	1	2	3	5	6	11
6-12 YRS	784	2.0	2	1	1	2	2	4	5	7
13-19 YRS	1974	2.2	4	<1	1	2	3	4	6	10
B. Operated										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	6	6.8	45	1	1	4	10	18	19	19
1-5 YRS	65	3.3	15	<1	1	2	4	7	11	22
6-12 YRS	105	4.1	25	1	1	2	5	8	14	27
13-19 YRS	349	3.9	26	1	1	2	4	8	12	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1925	1.8	3	<1	1	1	2	3	4	7
B. Operated	354	2.3	5	<1	<1	2	2	5	5	11
2. MULTIPLE DX										
A. Not Operated	3616	2.2	3	<1	1	2	3	4	6	9
B. Operated	526	3.9	24	1	1	2	4	8	12	24
1. SINGLE DX	2279	1.9	3	<1	<1	1	2	3	5	8
2. MULTIPLE DX	4142	2.4	6	<1	1	2	3	5	6	11
A. NOT OPERATED	5541	2.0	3	<1	1	1	2	4	5	9
B. OPERATED	880	3.2	17	<1	1	2	4	6	10	22
TOTAL 0-27 DYS	21	2.3	2	<1	<1	2	3	4	5	5
1-11 MOS	217	2.2	4	<1	1	1	3	4	5	9
1-5 YRS	1210	2.1	4	<1	1	1	2	4	5	10
6-12 YRS	1501	2.0	4	<1	1	1	2	4	5	10
13-19 YRS	3472	2.3	6	<1	1	2	3	4	6	11
GRAND TOTAL	**6421**	**2.2**	**5**	**<1**	**1**	**1**	**3**	**4**	**6**	**10**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	61	2.0	5	1	1	1	2	3	4	15
6-12 YRS	38	2.1	1	1	1	2	2	4	5	5
13-19 YRS	58	2.2	3	<1	1	2	3	4	6	12
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	18	4.9	68	<1	<1	2	3	15	27	34
6-12 YRS	22	3.5	15	<1	<1	2	5	8	12	17
13-19 YRS	51	4.3	23	1	1	3	5	12	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	48	2.8	10	1	1	2	3	8	9	16
6-12 YRS	21	2.9	5	1	1	2	4	6	8	8
13-19 YRS	46	3.3	13	<1	1	2	4	6	9	22
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	29	2.4	4	<1	1	2	3	6	7	8
6-12 YRS	36	6.9	47	1	1	5	9	14	23	32
13-19 YRS	128	6.8	68	1	1	3	8	19	25	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	158	2.1	3	1	1	2	2	3	5	12
B. *Operated*	92	4.2	29	<1	1	2	4	9	17	30
2. MULTIPLE DX										
A. *Not Operated*	117	3.0	10	1	1	2	3	7	9	18
B. *Operated*	193	6.2	57	1	1	3	7	15	24	36
1. SINGLE DX	250	2.9	14	1	1	2	3	5	9	17
2. MULTIPLE DX	310	5.0	41	1	1	3	6	11	19	34
A. NOT OPERATED	275	2.5	6	1	1	2	3	5	7	15
B. OPERATED	285	5.5	48	1	1	3	6	14	22	34
TOTAL 0-27 DYS										
1-11 MOS	4	1.8	1	<1	<1	1	2	3	3	3
1-5 YRS	156	2.6	14	1	1	2	3	5	9	17
6-12 YRS	117	4.0	22	1	1	2	5	9	13	28
13-19 YRS	283	4.9	41	1	1	3	5	11	20	34
GRAND TOTAL	**560**	**4.0**	**30**	**1**	**1**	**2**	**4**	**9**	**15**	**33**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	18	1.1		<1	<1	<1	1	1	2	2
6-12 YRS	6	3.0	8	<1	<1	1	5	8	8	8
13-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	12	1.5	2	<1	<1	<1	1	3	6	6
6-12 YRS	12	1.5	1	<1	<1	1	2	3	5	5
13-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	5	3.2	2	2	2	3	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	4	2.3	4	1	1	2	3	5	5	5
6-12 YRS	5	1.8	2	1	1	1	2	4	4	4
13-19 YRS	3	3.3	4	1	1	4	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	1.5	2	<1	<1	1	1	2	6	8
B. *Operated*	28	1.4	1	<1	<1	<1	1	2	5	6
2. MULTIPLE DX										
A. *Not Operated*	6	3.0	2	2	2	3	4	5	5	5
B. *Operated*	13	2.4	3	1	1	2	4	5	5	5
1. SINGLE DX	54	1.5	2	<1	<1	<1	1	2	5	8
2. MULTIPLE DX	19	2.6	2	1	1	2	4	5	5	5
A. NOT OPERATED	32	1.8	3	<1	<1	1	2	4	5	8
B. OPERATED	41	1.7	2	<1	<1	1	2	4	5	6
TOTAL 0-27 DYS										
1-11 MOS	2	2.0	2	<1	<1	1	3	3	3	3
1-5 YRS	35	1.4	1	<1	<1	<1	1	2	4	6
6-12 YRS	23	2.0	3	<1	<1	1	2	5	6	8
13-19 YRS	13	2.4	3	<1	<1	2	4	5	5	5
GRAND TOTAL	**73**	**1.8**	**2**	**<1**	**<1**	**1**	**2**	**4**	**5**	**8**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	66	1.8	2	<1	<1	1	2	4	4	7
1-11 MOS	268	1.4	1	<1	<1	1	2	2	3	4
1-5 YRS	1108	1.2	1	<1	<1	1	1	2	2	4
6-12 YRS	373	1.2	1	<1	<1	1	1	2	2	5
13-19 YRS	187	1.4	2	<1	<1	1	1	2	3	7
B. *Operated*										
0-27 DYS										
1-11 MOS	80	1.4	1	<1	<1	1	2	2	2	6
1-5 YRS	370	1.5	1	<1	<1	1	2	3	4	6
6-12 YRS	72	1.7	1	<1	<1	1	2	4	4	5
13-19 YRS	61	2.7	6	<1	<1	1	4	6	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	56	2.7	3	1	1	2	4	5	6	10
1-11 MOS	193	2.5	10	<1	1	2	3	5	8	15
1-5 YRS	252	2.0	3	<1	<1	1	2	4	5	9
6-12 YRS	78	1.9	2	<1	<1	1	3	4	4	9
13-19 YRS	95	2.1	3	<1	<1	2	3	4	5	10
B. *Operated*										
0-27 DYS										
1-11 MOS	39	5.9	68	<1	1	3	6	25	32	99+
1-5 YRS	154	3.1	12	<1	1	2	3	7	9	16
6-12 YRS	47	5.3	48	<1	1	2	7	12	26	32
13-19 YRS	38	4.4	40	<1	<1	2	5	13	20	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2002	1.3	1	<1	<1	1	1	2	3	5
B. *Operated*	583	1.7	2	<1	<1	1	2	3	5	7
2. MULTIPLE DX										
A. *Not Operated*	674	2.2	5	<1	<1	2	3	4	5	11
B. *Operated*	278	4.0	30	<1	1	2	5	9	13	31
1. SINGLE DX	2585	1.4	1	<1	<1	1	1	2	3	6
2. MULTIPLE DX	952	2.7	13	<1	<1	2	3	5	8	26
A. NOT OPERATED	2676	1.5	2	<1	<1	1	2	3	4	7
B. OPERATED	861	2.4	12	<1	<1	1	2	5	7	26
TOTAL 0-27 DYS	122	2.2	3	<1	1	2	3	4	5	8
1-11 MOS	580	2.1	9	<1	<1	1	2	4	5	22
1-5 YRS	1884	1.5	2	<1	<1	1	1	3	4	8
6-12 YRS	570	1.7	6	<1	<1	1	1	3	4	11
13-19 YRS	381	2.1	7	<1	<1	1	2	4	6	13
GRAND TOTAL	**3537**	**1.7**	**5**	**<1**	**<1**	**1**	**2**	**3**	**4**	**10**

380: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	12	8.1	53	<1	1	7	13	19	21	21
1-5 YRS	52	6.3	32	1	1	5	10	15	16	23
6-12 YRS	20	7.8	52	1	2	6	9	14	25	34
13-19 YRS	30	5.0	14	<1	1	4	8	10	11	12
B. *Operated*										
0-27 DYS										
1-11 MOS	14	15.1	564	1	1	7	9	64	75	78
1-5 YRS	94	7.7	44	1	1	6	11	18	20	32
6-12 YRS	79	8.4	73	1	1	6	12	19	27	38
13-19 YRS	75	7.6	46	1	1	5	9	16	21	32
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	30	8.9	97	1	1	6	13	20	26	48
1-5 YRS	131	8.6	78	1	1	6	11	18	22	43
6-12 YRS	51	7.5	117	1	1	5	8	14	23	73
13-19 YRS	68	5.7	29	1	1	4	8	14	16	25
B. *Operated*										
0-27 DYS										
1-11 MOS	65	13.6	110	1	2	12	19	30	36	42
1-5 YRS	251	16.3	220	1	2	13	24	34	47	77
6-12 YRS	159	16.9	236	1	2	13	25	35	44	81
13-19 YRS	207	16.2	246	1	2	12	21	42	53	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	114	6.4	33	1	1	5	9	13	17	27
B. *Operated*	262	8.3	81	1	1	6	11	18	21	39
2. MULTIPLE DX										
A. *Not Operated*	280	7.8	76	1	1	5	10	17	22	45
B. *Operated*	682	16.1	221	1	2	12	23	34	48	80
1. SINGLE DX	376	7.7	67	1	1	6	10	17	21	37
2. MULTIPLE DX	962	13.7	193	1	2	9	19	31	42	76
A. NOT OPERATED	394	7.4	64	1	1	5	10	15	21	36
B. OPERATED	944	14.0	195	1	2	9	19	31	42	77
TOTAL 0-27 DYS										
1-11 MOS	121	12.1	155	1	1	9	16	25	36	67
1-5 YRS	528	11.9	152	1	1	8	16	26	35	69
6-12 YRS	309	12.6	181	1	2	8	16	30	37	75
13-19 YRS	380	11.7	174	1	1	7	15	28	44	77
GRAND TOTAL	**1338**	**12.0**	**165**	**1**	**1**	**8**	**16**	**27**	**37**	**72**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	121	3.5	11	1	1	2	5	8	10	16
1-5 YRS	521	4.5	21	1	1	3	6	10	13	23
6-12 YRS	132	5.1	28	1	1	4	6	11	14	27
13-19 YRS	191	3.3	10	<1	1	2	4	7	11	15
B. *Operated*										
0-27 DYS										
1-11 MOS	24	5.6	49	<1	1	3	7	13	20	32
1-5 YRS	94	6.9	42	1	1	5	10	15	18	31
6-12 YRS	49	9.9	137	1	1	6	14	22	30	69
13-19 YRS	49	7.5	104	1	2	5	8	14	27	60
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	3.3	7	1	1	3	5	6	6	6
1-11 MOS	306	4.8	19	1	1	3	7	10	14	21
1-5 YRS	1217	5.3	24	1	1	4	7	11	15	24
6-12 YRS	270	4.9	22	1	1	3	7	11	14	19
13-19 YRS	495	4.3	16	1	1	3	6	10	13	17
B. *Operated*										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	67	8.4	80	1	1	6	10	20	23	53
1-5 YRS	320	9.4	94	1	2	6	11	20	28	56
6-12 YRS	115	10.3	80	1	1	8	14	22	30	42
13-19 YRS	177	8.0	51	1	2	6	11	17	24	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	966	4.2	19	1	1	3	6	9	12	23
B. *Operated*	216	7.6	79	1	1	5	10	16	25	44
2. MULTIPLE DX										
A. *Not Operated*	2292	4.9	22	1	1	3	7	11	14	22
B. *Operated*	680	9.1	80	1	1	6	11	20	27	42
1. SINGLE DX	1182	4.8	32	1	1	3	6	11	15	27
2. MULTIPLE DX	2972	5.9	38	1	1	4	8	13	17	30
A. NOT OPERATED	3258	4.7	21	1	1	3	6	10	14	22
B. OPERATED	896	8.7	80	1	1	6	11	20	26	41
TOTAL 0-27 DYS	6	5.0	28	1	1	3	6	14	15	15
1-11 MOS	518	5.0	28	1	1	3	7	11	14	24
1-5 YRS	2152	5.8	37	1	1	4	7	12	17	29
6-12 YRS	566	6.4	51	1	1	4	8	14	18	38
13-19 YRS	912	5.0	29	1	1	3	7	11	15	26
GRAND TOTAL	**4154**	**5.6**	**36**	**1**	**1**	**4**	**7**	**12**	**16**	**29**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	2.0	3	1	1	1	3	4	4	4
1-5 YRS	6	1.8	3	<1	<1	1	2	5	5	5
6-12 YRS	21	2.0	2	<1	1	1	3	4	5	5
13-19 YRS	81	3.3	13	<1	<1	2	4	7	12	18
B. *Operated*										
0-27 DYS										
1-11 MOS	3	1.3		1	1	1	2	2	2	2
1-5 YRS	11	2.4	4	<1	<1	1	4	5	7	7
6-12 YRS	50	2.1	5	<1	<1	1	2	4	7	11
13-19 YRS	128	2.7	10	<1	<1	2	3	6	9	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	2.3	1	1	1	3	3	3	3	3
1-5 YRS	7	12.4	522	<1	1	4	7	53	64	64
6-12 YRS	19	4.2	26	<1	1	2	5	14	16	18
13-19 YRS	122	6.0	105	<1	1	3	6	10	26	59
B. *Operated*										
0-27 DYS										
1-11 MOS	1	45.0		45	45	45	45	45	45	45
1-5 YRS	31	2.3	6	<1	1	1	2	5	7	13
6-12 YRS	73	3.4	37	<1	<1	2	3	5	12	36
13-19 YRS	267	4.5	112	<1	1	2	3	7	20	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	2.9	10	<1	1	2	3	6	8	18
B. *Operated*	192	2.5	8	<1	<1	2	2	5	9	14
2. MULTIPLE DX										
A. *Not Operated*	151	6.0	111	<1	1	3	5	12	25	64
B. *Operated*	372	4.2	93	<1	1	2	3	7	17	55
1. SINGLE DX	303	2.7	9	<1	<1	2	3	6	8	16
2. MULTIPLE DX	523	4.7	99	<1	1	2	4	9	19	58
A. NOT OPERATED	262	4.7	70	<1	1	2	4	9	17	54
B. OPERATED	564	3.6	65	<1	1	2	3	6	12	47
TOTAL 0-27 DYS										
1-11 MOS	10	6.2	187	1	1	2	3	24	45	45
1-5 YRS	55	3.5	74	<1	<1	1	3	6	8	61
6-12 YRS	163	2.9	21	<1	<1	2	3	5	11	31
13-19 YRS	598	4.3	76	<1	1	2	3	8	16	54
GRAND TOTAL	**826**	**4.0**	**67**	**<1**	**1**	**2**	**3**	**7**	**13**	**51**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	11	3.1	5	1	1	3	3	7	9	9
1-5 YRS	180	1.9	3	<1	1	1	2	4	5	8
6-12 YRS	268	1.9	2	1	1	1	2	3	5	7
13-19 YRS	418	2.1	4	<1	1	1	2	4	6	13
B. *Operated*										
0-27 DYS										
1-11 MOS	2	7.0	2	6	6	7	8	8	8	8
1-5 YRS	32	3.7	13	1	1	2	5	7	12	17
6-12 YRS	43	4.2	11	<1	1	3	6	8	10	16
13-19 YRS	140	3.6	26	<1	1	2	4	8	10	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	35	2.6	3	<1	1	2	4	6	7	7
1-5 YRS	195	2.6	7	1	1	2	3	5	7	15
6-12 YRS	289	2.8	7	1	1	2	3	5	7	15
13-19 YRS	687	2.9	9	<1	1	2	3	6	8	13
B. *Operated*										
0-27 DYS										
1-11 MOS	9	6.6	41	1	1	5	8	18	18	18
1-5 YRS	50	5.2	22	1	1	4	7	11	15	25
6-12 YRS	83	8.5	117	1	1	5	10	23	32	56
13-19 YRS	277	7.6	97	1	1	4	9	17	25	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	877	2.0	3	<1	1	1	2	4	5	9
B. *Operated*	217	3.8	21	<1	1	2	5	8	10	18
2. MULTIPLE DX										
A. *Not Operated*	1207	2.8	8	<1	1	2	3	6	8	14
B. *Operated*	419	7.5	91	1	1	4	9	17	25	55
1. SINGLE DX	1094	2.3	7	<1	1	2	3	5	7	13
2. MULTIPLE DX	1626	4.0	34	1	1	2	4	8	13	31
A. NOT OPERATED	2084	2.5	6	<1	1	2	3	5	7	13
B. OPERATED	636	6.2	70	1	1	3	7	14	20	48
TOTAL 0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	57	3.5	11	<1	1	2	5	7	9	18
1-5 YRS	457	2.7	8	1	1	2	3	6	8	15
6-12 YRS	683	3.2	23	1	1	2	3	6	9	25
13-19 YRS	1522	3.6	29	<1	1	2	4	8	11	27
GRAND TOTAL	**2720**	**3.3**	**24**	**<1**	**1**	**2**	**4**	**7**	**10**	**24**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	11	1.6	1	<1	<1	1	2	3	5	5
1-11 MOS	115	1.5	3	<1	1	1	1	2	3	10
1-5 YRS	2742	1.3	1	<1	<1	1	1	2	3	4
6-12 YRS	343	1.8	1	<1	1	1	2	3	4	6
13-19 YRS	2934	1.9	3	<1	<1	1	2	3	4	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	2.3	2	<1	<1	2	4	4	4	4
6-12 YRS	2	4.5	13	2	2	4	7	7	7	7
13-19 YRS	3	2.3	5	1	1	1	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	15	2.7	3	1	1	3	4	4	6	7
1-11 MOS	129	2.7	9	<1	1	2	3	6	6	13
1-5 YRS	1158	1.9	4	<1	1	1	2	3	5	9
6-12 YRS	427	3.0	16	<1	1	2	3	6	9	17
13-19 YRS	6867	3.7	45	<1	1	2	3	7	12	36
B. *Operated*										
0-27 DYS										
1-11 MOS	2	8.5	61	3	3	8	14	14	14	14
1-5 YRS	11	10.2	181	1	1	3	17	29	44	45
6-12 YRS	6	5.2	22	2	2	3	9	13	13	13
13-19 YRS	73	10.0	149	1	1	5	12	27	35	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6145	1.6	2	<1	<1	1	2	3	4	6
B. *Operated*	14	2.6	4	<1	1	2	4	5	7	7
2. MULTIPLE DX										
A. *Not Operated*	8596	3.4	38	<1	1	2	3	6	10	32
B. *Operated*	92	9.7	141	1	1	5	13	26	35	58
1. SINGLE DX	6159	1.6	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	8688	3.4	40	<1	1	2	3	6	11	34
A. NOT OPERATED	14741	2.6	24	<1	1	1	3	4	7	24
B. OPERATED	106	8.8	129	1	1	4	10	23	34	57
TOTAL 0-27 DYS	26	2.2	2	<1	1	2	3	4	5	7
1-11 MOS	246	2.2	7	<1	1	1	2	4	6	14
1-5 YRS	3920	1.5	2	<1	<1	1	2	2	3	6
6-12 YRS	778	2.5	10	<1	1	2	3	5	7	13
13-19 YRS	9877	3.2	35	<1	1	2	3	5	10	30
GRAND TOTAL	**14847**	**2.7**	**25**	**<1**	**1**	**1**	**3**	**5**	**7**	**25**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	8	1.4	1	<1	<1	1	2	3	3	3
1-11 MOS	143	1.4	1	<1	1	1	2	2	3	12
1-5 YRS	1842	2.1	5	<1	1	1	2	5	6	10
6-12 YRS	405	1.7	2	<1	<1	1	2	3	5	7
13-19 YRS	634	1.5	1	<1	<1	1	2	3	3	6
B. *Operated*										
0-27 DYS					—					
1-11 MOS										
1-5 YRS	20	2.5	5	<1	<1	2	3	6	8	8
6-12 YRS	4	2.5	2	1	1	2	3	4	4	4
13-19 YRS	15	3.1	4	1	1	3	4	5	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	77	2.0	3	<1	1	1	2	4	6	10
1-5 YRS	938	2.9	9	1	1	2	4	6	8	13
6-12 YRS	188	2.4	6	<1	1	1	3	5	7	12
13-19 YRS	561	2.8	42	<1	<1	1	2	4	9	27
B. *Operated*										
0-27 DYS										
1-11 MOS	5	7.8	26	3	3	6	12	15	15	15
1-5 YRS	26	9.5	131	1	1	6	12	36	55	99+
6-12 YRS	7	7.4	25	<1	<1	8	10	15	16	16
13-19 YRS	27	11.8	300	1	1	5	12	50	58	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3032	1.9	4	<1	<1	1	2	4	6	9
B. *Operated*	39	2.7	4	<1	1	2	4	5	8	8
2. MULTIPLE DX										
A. *Not Operated*	1766	2.8	19	<1	1	2	3	6	8	17
B. *Operated*	65	10.1	180	1	1	6	12	22	57	93
1. SINGLE DX	3071	1.9	4	<1	<1	1	2	4	6	9
2. MULTIPLE DX	1831	3.0	26	<1	1	2	3	6	9	21
A. NOT OPERATED	4798	2.2	9	<1	1	1	2	5	6	12
B. OPERATED	104	7.3	126	1	1	4	8	16	42	77
TOTAL 0-27 DYS	10	1.3		<1	<1	1	1	2	3	3
1-11 MOS	225	1.7	3	<1	1	1	2	3	5	12
1-5 YRS	2826	2.4	8	<1	1	1	3	6	7	13
6-12 YRS	604	2.0	4	<1	<1	1	2	4	6	10
13-19 YRS	1237	2.4	28	<1	<1	1	2	4	6	20
GRAND TOTAL	**4902**	**2.3**	**12**	**<1**	**1**	**1**	**2**	**5**	**6**	**14**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	9	2.6	1	1	1	3	3	4	4	4
1-11 MOS	135	2.0	2	<1	1	1	2	4	5	8
1-5 YRS	509	2.2	15	<1	1	1	2	4	6	10
6-12 YRS	269	2.8	34	1	1	2	3	5	6	11
13-19 YRS	362	2.0	4	<1	1	1	2	3	5	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	3.6	7	2	2	2	5	8	8	8
6-12 YRS	11	2.4	4	<1	1	2	2	5	8	8
13-19 YRS	9	8.3	82	<1	<1	4	14	23	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	22	3.9	8	1	1	3	6	8	9	9
1-11 MOS	199	4.1	20	1	1	3	5	8	11	25
1-5 YRS	544	3.8	41	1	1	2	4	8	12	43
6-12 YRS	324	3.0	8	1	1	2	4	6	8	17
13-19 YRS	570	3.1	12	1	1	2	3	6	8	18
B. *Operated*										
0-27 DYS										
1-11 MOS	14	4.7	18	1	1	3	9	14	78	99+
1-5 YRS	65	14.9	386	1	1	7	21	60	76	99+
6-12 YRS	21	8.7	405	<1	<1	2	7	17	54	93
13-19 YRS	30	8.2	105	1	1	5	19	48	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1284	2.2	14	<1	1	1	2	4	6	10
B. *Operated*	25	4.8	38	<1	1	2	5	12	22	24
2. MULTIPLE DX										
A. *Not Operated*	1659	3.4	22	1	1	2	4	7	10	23
B *Operated*	130	11.2	294	1	1	5	16	35	89	99+
1. SINGLE DX	1309	2.3	15	<1	1	1	2	4	6	11
2. MULTIPLE DX	1789	4.0	46	1	1	2	4	8	13	50
A. NOT OPERATED	2943	2.9	19	1	1	2	3	6	8	18
B. OPERATED	155	10.2	258	1	1	3	14	33	77	99+
TOTAL 0-27 DYS	31	3.5	6	1	1	3	5	8	8	9
1-11 MOS	348	3.3	14	<1	1	2	4	7	10	24
1-5 YRS	1123	3.7	57	1	1	2	3	7	12	62
6-12 YRS	625	3.1	33	1	1	2	3	6	8	17
13-19 YRS	971	2.9	14	<1	1	2	3	6	8	24
GRAND TOTAL	**3098**	**3.3**	**33**	**1**	**1**	**2**	**3**	**6**	**9**	**31**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	28	3.9	42	1	1	2	3	9	14	34
1-5 YRS	54	3.1	10	<1	<1	2	4	7	12	13
6-12 YRS	60	3.1	11	<1	1	2	3	6	10	17
13-19 YRS	56	3.6	9	<1	1	2	5	9	10	12
B. *Operated*										
0-27 DYS	5	5.2	18	1	1	4	9	11	11	11
1-11 MOS	140	5.3	31	1	2	4	6	9	14	33
1-5 YRS	261	4.3	16	<1	1	3	5	9	12	24
6-12 YRS	247	3.6	8	<1	1	3	4	8	9	13
13-19 YRS	399	4.1	23	<1	1	3	5	8	12	27
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	5.7	41	<1	<1	3	10	13	13	13
1-11 MOS	89	6.0	39	1	1	4	8	12	21	31
1-5 YRS	239	5.4	40	1	1	3	7	12	16	28
6-12 YRS	166	4.4	21	1	1	3	5	8	12	24
13-19 YRS	210	5.1	26	1	1	3	7	11	15	26
B. *Operated*										
0-27 DYS	27	11.0	119	2	2	6	17	33	46	99+
1-11 MOS	497	11.0	154	1	2	6	14	26	36	61
1-5 YRS	855	7.7	79	1	2	5	9	18	26	54
6-12 YRS	807	6.4	48	1	1	4	8	14	21	34
13-19 YRS	898	7.3	67	1	1	5	9	16	23	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	198	3.3	14	<1	1	2	4	7	11	17
B. *Operated*	1052	4.2	19	<1	1	3	5	8	11	25
2. MULTIPLE DX										
A. *Not Operated*	707	5.2	31	1	1	3	7	11	15	27
B. *Operated*	3084	7.8	82	1	2	5	9	19	26	47
1. SINGLE DX	1250	4.0	18	<1	1	3	5	8	11	24
2. MULTIPLE DX	3791	7.3	74	1	1	4	9	17	24	45
A. NOT OPERATED	905	4.8	28	1	1	3	6	10	14	26
B. OPERATED	4136	6.9	69	1	1	4	8	16	23	44
TOTAL 0-27 DYS	35	9.7	101	1	2	6	14	30	38	99+
1-11 MOS	754	9.1	120	1	2	5	10	23	31	52
1-5 YRS	1409	6.5	60	1	1	4	8	14	22	39
6-12 YRS	1280	5.5	37	1	1	3	7	11	18	31
13-19 YRS	1563	6.1	51	1	1	4	7	13	19	41
GRAND TOTAL	**5041**	**6.5**	**62**	**1**	**1**	**4**	**8**	**15**	**22**	**42**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	6	1.0		1	1	1	1	1	1	1
1-11 MOS	9	1.8	1	<1	<1	1	3	3	3	3
1-5 YRS	144	1.3		<1	<1	1	1	2	3	3
6-12 YRS	239	1.4		<1	<1	1	2	2	3	4
13-19 YRS	243	1.7	1	<1	<1	1	2	3	4	6
B. *Operated*										
0-27 DYS	3	1.0		1	1	1	1	1	1	1
1-11 MOS	6	2.7	5	1	1	2	5	6	6	6
1-5 YRS	165	1.7	2	<1	<1	1	2	3	4	10
6-12 YRS	231	1.4	1	<1	<1	1	2	2	3	4
13-19 YRS	316	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	1.5	1	<1	<1	1	2	2	2	2
1-11 MOS	8	2.4	4	1	1	2	3	6	7	7
1-5 YRS	61	1.7	1	<1	1	1	2	3	4	5
6-12 YRS	58	2.1	3	<1	1	2	2	4	6	9
13-19 YRS	90	2.2	3	<1	1	2	2	4	5	9
B. *Operated*										
0-27 DYS	3	1.3		<1	<1	1	2	2	2	2
1-11 MOS	15	2.1	6	<1	<1	1	2	5	9	10
1-5 YRS	59	2.1	15	1	1	1	2	3	5	28
6-12 YRS	81	2.2	6	1	1	1	2	4	7	16
13-19 YRS	126	2.8	11	1	1	1	3	6	9	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	641	1.5	1	<1	<1	1	2	2	3	6
B. *Operated*	721	1.6	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	219	2.0	2	<1	1	2	2	4	5	8
B. *Operated*	284	2.4	10	1	1	1	3	5	8	19
1. SINGLE DX	1362	1.5	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	503	2.2	7	<1	1	1	2	4	6	13
A. NOT OPERATED	860	1.6	1	<1	<1	1	2	3	4	6
B. OPERATED	1005	1.8	4	<1	<1	1	2	3	5	9
TOTAL 0-27 DYS	14	1.1		<1	<1	1	1	2	2	2
1-11 MOS	38	2.2	4	<1	<1	1	3	5	7	10
1-5 YRS	429	1.6	3	<1	<1	1	2	3	3	8
6-12 YRS	609	1.5	2	<1	<1	1	2	3	4	7
13-19 YRS	775	1.9	3	<1	1	1	2	4	5	9
GRAND TOTAL	**1865**	**1.7**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	6	3.2	4	1	1	3	5	6	6	6
1-11 MOS	14	3.9	13	1	2	3	3	10	13	14
1-5 YRS	33	4.2	6	1	1	4	5	7	9	12
6-12 YRS	72	6.2	12	2	2	5	8	11	14	15
13-19 YRS	155	5.0	17	1	2	4	6	9	11	27
B. *Operated*										
0-27 DYS										
1-11 MOS	9	3.2	11	<1	<1	2	4	9	9	9
1-5 YRS	25	5.4	16	<1	1	5	6	13	14	16
6-12 YRS	73	6.6	18	1	2	6	9	12	13	21
13-19 YRS	143	7.7	38	1	2	7	10	15	19	32
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	7.4	109	<1	<1	2	9	26	30	30
1-11 MOS	41	6.0	18	1	2	5	7	13	16	18
1-5 YRS	58	5.4	18	1	2	4	7	12	15	22
6-12 YRS	72	5.8	22	2	2	4	7	12	14	29
13-19 YRS	151	5.7	14	2	2	5	7	11	14	20
B. *Operated*										
0-27 DYS	2	7.5	5	6	6	7	9	9	9	9
1-11 MOS	25	9.4	101	<1	1	5	13	22	27	41
1-5 YRS	56	7.2	57	1	1	5	9	19	22	39
6-12 YRS	94	10.0	77	2	3	8	12	18	22	52
13-19 YRS	201	9.4	44	2	3	8	13	18	22	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	280	5.1	14	1	2	4	7	10	12	18
B. *Operated*	250	7.0	30	1	2	6	9	13	16	26
2. MULTIPLE DX										
A. *Not Operated*	329	5.7	19	2	2	5	7	11	14	21
B. *Operated*	378	9.2	58	2	2	7	12	19	23	42
1. SINGLE DX	530	6.0	22	1	2	5	8	11	14	24
2. MULTIPLE DX	707	7.6	43	2	2	6	10	16	20	36
A. NOT OPERATED	609	5.5	17	1	2	4	7	10	13	20
B. OPERATED	628	8.3	48	1	2	7	11	16	21	41
TOTAL 0-27 DYS	15	5.7	53	<1	1	3	6	10	25	30
1-11 MOS	89	6.3	43	<1	1	4	8	15	21	34
1-5 YRS	172	5.8	29	1	1	4	6	13	17	25
6-12 YRS	311	7.3	38	2	2	6	9	13	16	36
13-19 YRS	650	7.1	32	2	2	6	9	14	18	30
GRAND TOTAL	**1237**	**6.9**	**35**	**1**	**2**	**5**	**9**	**14**	**18**	**31**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	3.5	19	1	1	2	6	10	10	10
1-11 MOS	21	2.7	4	<1	1	2	4	5	7	8
1-5 YRS	49	2.6	5	1	1	1	4	6	7	11
6-12 YRS	50	3.0	13	1	1	2	3	6	9	18
13-19 YRS	90	2.6	5	1	1	2	3	6	7	10
B. *Operated*										
0-27 DYS	3	2.0	1	1	1	2	3	3	3	3
1-11 MOS	25	3.9	8	<1	1	3	5	9	9	10
1-5 YRS	77	3.1	22	<1	<1	1	3	7	10	29
6-12 YRS	59	3.2	11	<1	<1	2	4	8	11	15
13-19 YRS	119	4.0	27	<1	1	3	5	8	9	36
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	5.0	14	1	1	5	9	9	9	9
1-11 MOS	44	4.5	19	<1	1	3	6	9	15	22
1-5 YRS	146	3.0	11	<1	1	2	3	7	12	15
6-12 YRS	134	3.2	9	1	1	2	5	7	11	13
13-19 YRS	195	2.9	10	1	1	2	3	6	8	17
B. *Operated*										
0-27 DYS	7	6.4	80	<1	<1	2	7	22	26	26
1-11 MOS	57	8.7	115	<1	1	5	11	18	28	63
1-5 YRS	201	5.2	68	1	1	2	5	14	21	40
6-12 YRS	189	3.9	49	1	1	1	4	9	16	39
13-19 YRS	392	3.7	29	1	1	1	4	10	14	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	214	2.7	7	1	1	2	3	6	8	14
B. *Operated*	283	3.5	20	<1	<1	2	4	8	9	28
2. MULTIPLE DX										
A. *Not Operated*	525	3.2	11	1	1	2	4	7	10	15
B. *Operated*	846	4.5	50	1	1	2	5	11	18	35
1. SINGLE DX	497	3.2	15	<1	1	2	4	7	9	18
2. MULTIPLE DX	1371	4.0	36	1	1	2	4	9	14	30
A. NOT OPERATED	739	3.0	10	1	1	2	4	7	9	15
B. OPERATED	1129	4.3	43	<1	1	2	5	10	16	34
TOTAL 0-27 DYS	20	4.8	35	<1	1	2	7	10	18	26
1-11 MOS	147	5.7	57	1	1	4	7	15	18	31
1-5 YRS	473	3.9	37	<1	1	2	4	9	14	32
6-12 YRS	432	3.5	28	1	1	2	4	8	12	32
13-19 YRS	796	3.4	22	1	1	2	4	8	11	27
GRAND TOTAL	**1868**	**3.8**	**30**	**1**	**1**	**2**	**4**	**9**	**13**	**29**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	30	1.7	1	<1	<1	1	2	3	3	5
1-5 YRS	46	2.0	2	<1	1	2	3	4	5	6
6-12 YRS	22	2.7	16	<1	<1	2	2	4	11	20
13-19 YRS	21	2.5	2	1	1	2	3	4	6	7
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	29	2.6	3	<1	1	2	3	5	5	9
1-5 YRS	70	2.4	3	<1	1	2	3	4	6	9
6-12 YRS	37	4.0	14	<1	1	3	5	9	13	17
13-19 YRS	45	4.1	18	1	1	3	5	8	13	24
B. *Operated*										
0-27 DYS										
1-11 MOS	3	1.0		<1	<1	1	1	1	1	1
1-5 YRS	3	1.7	1	<1	<1	1	2	3	3	3
6-12 YRS	4	5.8	27	<1	<1	5	10	12	12	12
13-19 YRS	5	9.6	109	1	1	8	14	27	27	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	119	2.1	4	<1	1	2	3	4	5	11
B. *Operated*	3	3.0	12	<1	<1	1	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	182	3.2	9	<1	1	2	4	6	9	17
B. *Operated*	15	5.3	51	<1	<1	2	8	12	23	27
1. SINGLE DX	122	2.1	4	<1	1	2	3	4	5	11
2. MULTIPLE DX	197	3.4	13	<1	1	2	4	7	10	21
A. NOT OPERATED	301	2.8	8	<1	1	2	3	5	7	16
B. OPERATED	18	4.9	44	<1	<1	2	8	11	21	27
TOTAL 0-27 DYS	2	4.0	18	1	1	4	7	7	7	7
1-11 MOS	62	2.1	2	<1	<1	2	3	4	5	9
1-5 YRS	120	2.2	2	<1	1	2	3	4	6	7
6-12 YRS	63	3.7	16	<1	1	2	4	8	13	20
13-19 YRS	72	4.0	21	1	1	3	4	8	12	26
GRAND TOTAL	**319**	**2.9**	**10**	**<1**	**1**	**2**	**3**	**6**	**8**	**18**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	3	1.7	1	<1	<1	1	2	3	3	3
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	37	1.8	1	<1	<1	1	2	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	7	2.3	5	<1	<1	1	3	6	7	7
1-5 YRS										
6-12 YRS	6	3.3	3	<1	<1	3	5	5	5	5
13-19 YRS	44	2.9	4	<1	1	2	4	6	7	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	43	1.7	1	<1	<1	1	2	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	3	2.3	2	<1	<1	2	3	4	4	4
B. *Operated*	57	2.9	4	<1	1	2	4	6	7	8
1. SINGLE DX	43	1.7	1	<1	<1	1	2	4	4	4
2. MULTIPLE DX	60	2.8	4	<1	<1	2	4	6	7	8
A. NOT OPERATED	3	2.3	2	<1	<1	2	3	4	4	4
B. OPERATED	100	2.4	3	<1	<1	2	3	5	6	8
TOTAL 0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	10	2.1	4	<1	<1	1	3	5	7	7
1-5 YRS	2	1.5	1	<1	<1	1	2	2	2	2
6-12 YRS	7	3.1	3	<1	<1	2	5	5	5	5
13-19 YRS	83	2.4	3	<1	<1	2	4	5	6	8
GRAND TOTAL	**103**	**2.4**	**3**	**<1**	**<1**	**2**	**3**	**5**	**6**	**8**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	13	39.8	304	17	19	33	50	66	75	77
1500-1749	14	20.8	48	9	12	22	26	30	30	30
1750-2499	6221	2.9	3	1	1	3	3	5	6	10
2500+	418795	2.6	2	1	1	2	3	4	5	6
B. *Operated*										
1-999 G	1	88.0		88	88	88	88	88	88	88
1000-1499	4	35.3	472	8	8	37	52	58	58	58
1500-1749	4	26.5	15	23	23	25	29	32	32	32
1750-2499	18	8.5	24	2	2	9	13	15	16	16
2500+	161	4.5	15	1	2	3	5	10	14	19
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	113	67.3	354	39	46	73	93	99+	99+	99+
1000-1499	828	39.2	247	17	22	37	48	62	69	92
1500-1749	1214	24.1	93	12	14	23	29	36	41	54
1750-2499	20257	6.7	38	1	2	5	8	15	19	30
2500+	256747	3.4	4	1	2	3	4	5	6	10
B. *Operated*										
1-999 G	334	74.4	241	52	60	89	99+	99+	99+	99+
1000-1499	1023	51.2	344	23	29	51	66	85	99	99+
1500-1749	604	33.1	198	15	19	31	40	54	68	99+
1750-2499	2094	17.2	167	2	5	15	23	33	44	98
2500+	5767	7.8	78	1	2	5	9	15	23	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	425043	2.6	2	1	1	2	3	4	5	6
B. *Operated*	188	6.5	88	1	2	4	7	14	19	53
2. MULTIPLE DX										
A. *Not Operated*	279159	3.9	16	1	2	3	4	6	8	19
B. *Operated*	9822	18.2	436	2	3	10	27	60	83	99+
1. SINGLE DX	425231	2.6	2	1	1	2	3	4	5	6
2. MULTIPLE DX	288981	4.3	37	1	2	3	5	6	10	35
A. NOT OPERATED	704202	3.1	8	1	1	3	4	5	6	12
B. OPERATED	10010	17.9	432	2	3	9	26	59	82	99+
TOTAL 1-999 G	448	72.6	279	47	55	86	99+	99+	99+	99+
1000-1499	1868	45.8	337	19	24	44	59	75	90	99+
1500-1749	1836	27.0	145	12	15	25	33	42	51	81
1750-2499	28590	6.7	51	1	2	4	8	15	20	34
2500+	681470	3.0	3	1	1	3	4	5	6	8
GRAND TOTAL	**714212**	**3.3**	**17**	**1**	**1**	**3**	**4**	**5**	**6**	**17**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	2	19.5	221	9	9	19	30	30	30	30
1500-1749	8	17.5	55	8	9	16	19	29	33	33
1750-2499	874	4.4	5	2	2	4	5	7	8	13
2500+	3689	4.0	3	2	2	4	5	6	6	8
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	5	12.8	43	5	5	10	19	21	21	21
2500+	6	17.2	1012	2	2	4	7	74	82	82
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	26	67.0	321	36	44	71	87	99	99+	99+
1000-1499	180	36.8	209	15	21	36	47	56	70	94
1500-1749	329	24.2	119	11	13	22	30	37	43	61
1750-2499	3568	8.7	42	3	3	6	12	17	21	32
2500+	3554	4.9	7	2	3	5	6	7	8	16
B. *Operated*										
1-999 G	72	74.6	302	43	58	88	99+	99+	99+	99+
1000-1499	236	51.7	317	25	32	53	65	92	99+	99+
1500-1749	165	33.5	134	18	22	31	39	51	62	96
1750-2499	367	20.0	178	5	6	17	25	34	50	68
2500+	106	8.4	48	2	3	6	11	16	19	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4573	4.1	4	2	2	4	5	6	7	10
B. *Operated*	11	15.2	528	2	3	7	16	45	79	82
2. MULTIPLE DX										
A. *Not Operated*	7657	8.4	81	2	3	5	9	17	25	48
B. *Operated*	946	33.1	552	5	7	29	54	83	99+	99+
1. SINGLE DX	4584	4.1	5	2	2	4	5	6	7	10
2. MULTIPLE DX	8603	11.2	192	2	3	6	13	27	44	90
A. NOT OPERATED	12230	6.8	57	2	3	5	6	14	21	41
B. OPERATED	957	32.9	555	5	7	29	54	82	99+	99+
TOTAL 1-999 G	98	72.6	315	41	54	86	99+	99+	99+	99+
1000-1499	418	45.1	326	17	25	45	59	78	98	99+
1500-1749	502	27.2	143	12	15	25	33	42	50	71
1750-2499	4814	8.8	59	2	3	6	11	18	23	38
2500+	7355	4.5	7	2	2	4	5	6	8	13
GRAND TOTAL	**13187**	**8.7**	**138**	**2**	**3**	**5**	**7**	**20**	**33**	**79**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	63	3.0	5	<1	1	3	3	6	6	14
2500+	1071	2.1	1	<1	1	2	3	3	4	7
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	1	32.0		32	32	32	32	32	32	32
2500+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	1	69.0		69	69	69	69	69	69	69
1000-1499	13	28.6	272	8	10	26	38	48	65	69
1500-1749	14	21.6	48	12	14	20	26	31	33	34
1750-2499	179	7.7	52	1	2	5	12	17	22	28
2500+	630	3.2	5	1	1	3	4	6	7	12
B. *Operated*										
1-999 G	4	88.8	147	71	75	97	99+	99+	99+	99+
1000-1499	11	58.8	537	23	28	67	74	99	99+	99+
1500-1749	8	23.3	278	7	8	19	36	48	51	51
1750-2499	17	19.9	284	6	7	13	24	41	63	73
2500+	33	8.8	162	2	2	6	9	14	20	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1134	2.2	2	<1	1	2	3	3	4	7
B. *Operated*	2	17.0	450	2	2	17	32	32	32	32
2. MULTIPLE DX										
A. *Not Operated*	837	5.0	42	1	1	3	5	11	17	31
B. *Operated*	73	24.9	771	2	3	12	42	88	99	99+
1. SINGLE DX	1136	2.2	2	<1	1	2	3	3	4	7
2. MULTIPLE DX	910	6.6	129	1	1	3	6	14	24	75
A. NOT OPERATED	1971	3.4	21	1	1	2	3	6	10	23
B. OPERATED	75	24.7	758	2	3	12	42	85	99	99+
TOTAL 1-999 G	5	84.8	188	69	70	96	99+	99+	99+	99+
1000-1499	24	42.5	612	10	14	37	69	74	98	99+
1500-1749	22	22.2	123	8	9	20	30	36	46	51
1750-2499	260	7.5	72	1	1	4	10	18	23	43
2500+	1735	2.6	7	1	1	2	3	4	6	10
GRAND TOTAL	**2046**	**4.1**	**63**	**1**	**1**	**2**	**3**	**7**	**13**	**51**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	8	1.4	1	<1	<1	1	2	3	3	3
6-12 YRS	16	2.1	5	<1	<1	1	2	3	8	10
13-19 YRS	18	2.7	16	<1	<1	2	2	4	12	18
B. *Operated*										
0-27 DYS	2	1.5	1	<1	<1	1	2	2	2	2
1-11 MOS	9	1.4	1	<1	<1	1	2	3	3	3
1-5 YRS	99	1.6	1	<1	<1	1	2	3	3	4
6-12 YRS	325	2.1	3	<1	<1	2	3	4	5	9
13-19 YRS	1515	2.0	2	<1	<1	2	2	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	11	1.3		<1	<1	1	1	2	3	3
6-12 YRS	14	2.7	6	<1	<1	1	4	7	8	8
13-19 YRS	17	7.0	440	<1	<1	1	3	8	60	88
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	17	1.4	1	<1	<1	<1	1	3	4	5
1-5 YRS	154	2.2	3	<1	<1	2	3	5	6	9
6-12 YRS	277	3.4	17	<1	1	2	4	6	11	26
13-19 YRS	483	3.1	14	<1	1	2	4	6	7	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	2.3	9	<1	<1	1	2	4	8	18
B. *Operated*	1950	2.0	2	<1	<1	2	2	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	42	4.1	180	<1	<1	1	3	5	8	88
B. *Operated*	932	3.0	13	<1	<1	2	3	5	7	16
1. SINGLE DX	1993	2.0	2	<1	<1	2	2	4	5	7
2. MULTIPLE DX	974	3.1	20	<1	<1	2	3	5	7	17
A. NOT OPERATED	85	3.2	93	<1	<1	1	2	4	8	63
B. OPERATED	2882	2.3	6	<1	<1	2	3	4	5	11
TOTAL 0-27 DYS	3	1.7		<1	<1	2	2	2	2	2
1-11 MOS	27	1.6	2	<1	<1	1	2	3	5	7
1-5 YRS	272	1.9	2	<1	<1	1	2	3	5	7
6-12 YRS	632	2.7	9	<1	<1	2	3	4	7	18
13-19 YRS	2033	2.3	9	<1	<1	2	3	4	5	9
GRAND TOTAL	**2967**	**2.3**	**8**	**<1**	**<1**	**2**	**3**	**4**	**5**	**12**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS										
13-19 YRS	13	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	24	1.3	1	<1	<1	<1	<1	1	4	6
1-5 YRS	70	1.2		<1	<1	<1	1	2	2	5
6-12 YRS	19	1.1		<1	1	1	1	2	2	2
13-19 YRS	4	2.3	1	1	1	2	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS	4	3.8	2	2	2	4	5	5	5	5
6-12 YRS	2	11.5	25	8	8	11	15	15	15	15
13-19 YRS	11	4.3	10	<1	1	3	5	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	1.2	1	1	1	1	1	2	3	4
B. *Operated*	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	118	1.3	1	<1	<1	<1	1	2	3	5
B. *Operated*	18	5.4	16	<1	1	4	8	11	14	15
1. SINGLE DX	16	1.3	1	1	1	1	1	2	3	4
2. MULTIPLE DX	136	1.8	4	<1	<1	<1	2	3	5	12
A. NOT OPERATED	132	1.3	1	<1	<1	<1	1	2	3	5
B. OPERATED	20	5.0	16	<1	1	4	7	11	13	15
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	25	1.7	6	<1	<1	<1	1	3	7	12
1-5 YRS	75	1.4	1	<1	<1	<1	1	2	4	5
6-12 YRS	21	2.1	11	<1	1	1	1	5	11	15
13-19 YRS	30	2.4	6	1	1	1	3	5	10	10
GRAND TOTAL	**152**	**1.7**	**4**	**<1**	**<1**	**1**	**1**	**3**	**5**	**12**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	352	3.4	22	<1	<1	2	3	7	13	19
1-11 MOS	425	2.2	5	<1	<1	1	3	4	6	12
1-5 YRS	691	1.7	2	<1	<1	1	2	4	5	8
6-12 YRS	457	2.7	38	<1	<1	1	3	4	7	16
13-19 YRS	1073	2.3	19	<1	<1	1	2	3	5	20
B. *Operated*										
0-27 DYS	2	5.5	5	4	4	5	7	7	7	7
1-11 MOS	110	5.1	32	<1	<1	4	8	9	10	34
1-5 YRS	246	2.9	8	<1	<1	1	4	7	9	13
6-12 YRS	275	2.3	5	<1	<1	1	2	5	8	11
13-19 YRS	555	3.0	10	<1	<1	2	4	7	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	308	5.6	46	1	1	3	6	13	19	37
1-11 MOS	681	3.4	27	<1	<1	2	4	6	9	28
1-5 YRS	2602	3.1	18	<1	<1	2	4	5	8	25
6-12 YRS	2318	3.4	31	<1	1	2	4	5	9	29
13-19 YRS	3332	5.9	138	<1	1	2	4	13	31	81
B. *Operated*										
0-27 DYS	11	2.5	6	1	1	1	4	7	8	8
1-11 MOS	285	6.4	83	1	1	4	8	14	20	63
1-5 YRS	936	3.7	36	<1	1	2	4	9	12	25
6-12 YRS	690	3.2	33	<1	1	1	3	7	10	29
13-19 YRS	1114	4.7	70	1	1	2	5	10	18	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2998	2.3	17	<1	<1	1	2	4	6	17
B. *Operated*	1188	3.0	11	<1	<1	2	4	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	9241	4.3	68	<1	1	2	4	7	15	49
B. *Operated*	3036	4.2	53	<1	1	2	5	9	15	50
1. SINGLE DX	4186	2.5	15	<1	<1	1	3	5	8	16
2. MULTIPLE DX	12277	4.3	64	<1	1	2	4	8	15	49
A. NOT OPERATED	12239	3.8	56	<1	<1	2	4	6	12	45
B. OPERATED	4224	3.9	41	<1	<1	2	4	9	12	34
TOTAL 0-27 DYS	673	4.4	34	<1	<1	3	5	10	15	31
1-11 MOS	1501	3.7	34	<1	<1	2	4	8	11	29
1-5 YRS	4475	3.0	19	<1	<1	2	3	6	9	22
6-12 YRS	3740	3.2	30	<1	1	2	3	5	9	26
13-19 YRS	6074	4.8	95	<1	<1	2	4	8	23	62
GRAND TOTAL	**16463**	**3.8**	**52**	**<1**	**<1**	**2**	**4**	**7**	**12**	**44**

Length of Stay Tables
Operation Groups

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	6809	3.6	14	1	1	3	4	6	8	17
1-11 MOS	19845	3.4	13	<1	<1	2	4	7	9	17
1-5 YRS	58602	2.7	12	<1	<1	2	3	6	8	19
6-12 YRS	68266	2.9	16	<1	<1	2	3	5	8	22
13-19 YRS	188944	3.0	14	<1	1	2	3	5	7	16
2. MULTIPLE DX										
0-27 DYS	31314	11.4	263	1	2	5	12	34	57	99+
1-11 MOS	28490	6.2	65	1	1	4	7	13	20	48
1-5 YRS	69171	4.2	39	<1	1	2	5	9	14	33
6-12 YRS	54914	4.6	52	<1	1	2	5	10	16	40
13-19 YRS	153051	5.1	56	1	1	3	5	9	15	45
TOT. SINGLE DX	342466	3.0	14	<1	1	2	3	5	8	18
" MULTIPLE DX	336940	5.5	76	1	1	3	6	11	19	56
TOTAL 0-27 DYS	38123	10.0	227	1	2	4	10	29	50	99+
1-11 MOS	48335	5.1	45	<1	1	3	6	10	15	37
1-5 YRS	127773	3.5	27	<1	<1	2	4	7	11	26
6-12 YRS	123180	3.6	33	<1	1	2	4	7	11	30
13-19 YRS	341995	3.9	34	1	1	3	4	7	10	32
GRAND TOTAL	**679406**	**4.2**	**46**	**<1**	**1**	**2**	**4**	**8**	**13**	**39**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	4	3.8	2	3	3	3	5	6	6	6
1-11 MOS	79	5.2	21	<1	1	3	8	13	15	17
1-5 YRS	133	7.7	43	<1	1	6	11	16	[illegible]	29
6-12 YRS	128	9.2	33	1	3	8	13	16	19	29
13-19 YRS	147	8.8	66	2	2	8	11	14	20	86
2. MULTIPLE DX										
0-27 DYS	8	17.5	278	<1	1	17	51	99+	99+	99+
1-11 MOS	176	12.4	114	1	2	9	18	28	34	93
1-5 YRS	261	13.0	179	1	2	9	18	28	41	98
6-12 YRS	215	15.5	243	1	3	11	18	37	56	99
13-19 YRS	259	19.3	347	3	4	13	26	51	66	99+
TOT. SINGLE DX	491	8.0	46	1	2	7	11	15	19	29
" MULTIPLE DX	919	15.3	237	2	3	11	19	36	56	99+
TOTAL 0-27 DYS	12	12.9	224	<1	2	10	31	99+	99+	99+
1-11 MOS	255	10.2	97	1	1	7	15	23	31	75
1-5 YRS	394	11.2	140	1	2	8	15	25	31	82
6-12 YRS	343	13.2	175	1	3	10	15	27	42	93
13-19 YRS	406	15.5	271	2	3	10	17	39	58	99+
GRAND TOTAL	**1410**	**12.7**	**183**	**1**	**2**	**9**	**16**	**28**	**44**	**99+**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	15.0	93	8	8	15	22	22	22	22
1-11 MOS	84	5.0	7	2	3	4	6	8	10	18
1-5 YRS	66	7.2	40	2	3	6	7	13	19	40
6-12 YRS	64	7.2	34	2	3	5	8	15	20	31
13-19 YRS	73	10.4	139	3	4	7	10	18	35	69
2. MULTIPLE DX										
0-27 DYS	6	11.5	84	3	3	10	14	27	28	28
1-11 MOS	63	11.6	107	3	4	9	14	25	33	54
1-5 YRS	84	16.8	288	3	4	10	23	50	64	99+
6-12 YRS	106	15.7	300	3	4	9	19	40	72	99+
13-19 YRS	200	20.4	346	4	5	12	30	48	70	99+
TOT. SINGLE DX	289	7.4	58	2	3	5	8	13	20	41
" MULTIPLE DX	459	17.4	297	3	4	11	23	44	64	99+
TOTAL 0-27 DYS	8	12.4	77	3	3	10	18	26	28	28
1-11 MOS	147	7.8	61	3	3	5	9	15	22	42
1-5 YRS	150	12.6	201	2	3	7	13	39	52	99
6-12 YRS	170	12.5	217	2	3	7	13	32	44	97
13-19 YRS	273	17.7	310	4	4	11	24	45	66	99
GRAND TOTAL	**748**	**13.5**	**228**	**3**	**3**	**8**	**15**	**36**	**50**	**98**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	11	4.7	1	3	3	5	5	6	8	8
1-11 MOS	350	4.7	3	2	3	4	5	7	8	10
1-5 YRS	162	5.4	14	2	2	5	7	8	9	30
6-12 YRS	125	4.5	6	2	2	4	6	8	9	17
13-19 YRS	108	4.6	9	1	1	4	6	9	11	14
2. MULTIPLE DX										
0-27 DYS	16	8.4	87	1	2	5	12	35	79	99+
1-11 MOS	128	8.1	141	3	4	5	8	11	16	95
1-5 YRS	148	7.1	27	2	3	6	8	13	17	30
6-12 YRS	131	9.1	141	2	2	5	9	18	37	84
13-19 YRS	157	12.5	213	2	2	8	14	43	60	99+
TOT. SINGLE DX	756	4.8	7	2	2	4	6	8	9	13
" MULTIPLE DX	580	9.3	134	2	3	6	9	19	37	99+
TOTAL 0-27 DYS	27	6.9	54	1	3	5	8	16	45	99+
1-11 MOS	478	5.6	43	2	3	4	6	8	10	17
1-5 YRS	310	6.2	21	2	2	5	7	10	14	31
6-12 YRS	256	6.9	81	2	2	5	7	11	20	72
13-19 YRS	265	9.3	145	1	2	5	10	25	47	99+
GRAND TOTAL	**1336**	**6.7**	**67**	**2**	**2**	**5**	**7**	**11**	**17**	**61**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	27	5.9	11	2	2	5	7	11	13	16
1-11 MOS	169	6.1	24	2	2	5	7	9	15	31
1-5 YRS	69	5.9	13	2	2	5	7	11	15	17
6-12 YRS	38	6.9	11	2	3	6	9	12	14	15
13-19 YRS	31	9.2	71	4	4	7	9	15	28	46
2. MULTIPLE DX										
0-27 DYS	140	29.9	674	5	6	23	63	99	99+	99+
1-11 MOS	296	13.2	192	3	3	8	15	30	44	69
1-5 YRS	168	11.5	140	3	3	7	15	27	35	99+
6-12 YRS	105	10.2	90	3	3	7	11	24	40	70
13-19 YRS	106	14.2	173	3	4	10	19	37	57	99+
TOT. SINGLE DX	334	6.4	25	2	3	5	8	10	15	29
" MULTIPLE DX	815	15.4	293	3	4	9	20	46	72	99+
TOTAL 0-27 DYS	167	26.1	645	4	5	18	54	89	99+	99+
1-11 MOS	465	10.6	143	2	3	6	11	24	37	63
1-5 YRS	237	9.9	109	2	3	7	12	23	31	99+
6-12 YRS	143	9.3	71	3	3	7	10	17	31	50
13-19 YRS	137	13.0	154	3	4	9	18	35	54	99+
GRAND TOTAL	**1149**	**12.8**	**231**	**3**	**3**	**7**	**15**	**35**	**61**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	10	6.4	22	1	1	5	11	13	14	14
1-11 MOS	144	5.2	26	1	2	4	6	9	14	24
1-5 YRS	223	4.5	12	1	2	4	5	8	11	21
6-12 YRS	152	4.5	12	1	2	3	5	9	11	20
13-19 YRS	130	6.1	36	1	2	4	7	11	16	31
2. MULTIPLE DX										
0-27 DYS	43	21.3	460	2	4	14	34	86	99+	99+
1-11 MOS	456	11.2	172	2	2	6	13	27	37	71
1-5 YRS	698	8.4	108	2	2	5	9	22	29	72
6-12 YRS	554	6.9	86	1	2	4	7	14	22	52
13-19 YRS	381	11.6	207	2	2	7	13	29	51	99+
TOT. SINGLE DX	659	5.0	21	1	2	4	6	9	13	26
" MULTIPLE DX	2132	9.4	147	2	2	5	10	23	34	83
TOTAL 0-27 DYS	53	18.5	410	2	2	12	29	78	99+	99+
1-11 MOS	600	9.7	144	2	2	5	10	24	34	60
1-5 YRS	921	7.5	88	1	2	4	8	18	27	63
6-12 YRS	706	6.4	71	1	2	4	7	12	20	42
13-19 YRS	511	10.2	170	1	2	6	11	24	41	95
GRAND TOTAL	**2791**	**8.4**	**121**	**1**	**2**	**5**	**9**	**20**	**30**	**75**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	9.5	5	8	8	9	11	11	11	11
1-11 MOS	6	7.7	32	2	2	6	10	17	18	18
1-5 YRS	12	17.1	357	4	5	9	19	48	65	68
6-12 YRS	19	10.1	47	5	5	8	12	17	27	34
13-19 YRS	41	9.8	41	3	4	8	11	21	24	30
2. MULTIPLE DX										
0-27 DYS	4	5.8	6	3	3	5	7	9	9	9
1-11 MOS	16	21.7	285	3	6	16	33	49	51	52
1-5 YRS	38	9.4	33	3	4	8	10	21	23	25
6-12 YRS	37	13.1	87	5	6	10	15	29	35	43
13-19 YRS	85	18.4	223	5	6	13	22	34	53	70
TOT. SINGLE DX	80	10.8	91	3	4	8	12	21	27	59
" MULTIPLE DX	180	15.4	172	4	5	10	20	32	47	68
TOTAL 0-27 DYS	6	7.0	8	3	3	7	9	11	11	11
1-11 MOS	22	17.9	253	2	3	12	22	48	50	52
1-5 YRS	50	11.3	116	4	4	8	11	23	25	68
6-12 YRS	56	12.1	75	5	6	9	14	25	33	43
13-19 YRS	126	15.6	180	4	5	10	20	30	48	69
GRAND TOTAL	**260**	**14.0**	**151**	**4**	**5**	**9**	**17**	**28**	**41**	**68**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	19	13.6	46	5	6	13	17	21	29	34
1-11 MOS	32	6.7	39	1	2	5	8	11	20	33
1-5 YRS	24	5.5	25	<1	1	4	7	9	14	26
6-12 YRS	37	8.1	23	1	2	7	12	14	18	20
13-19 YRS	74	9.2	82	1	2	7	12	19	24	53
2. MULTIPLE DX										
0-27 DYS	76	21.3	264	6	8	17	25	37	56	93
1-11 MOS	54	13.6	147	2	5	9	14	30	43	60
1-5 YRS	72	13.0	120	3	5	9	16	28	39	52
6-12 YRS	59	12.0	151	2	3	9	12	19	43	65
13-19 YRS	119	12.4	98	2	4	10	16	25	38	99+
TOT. SINGLE DX	186	8.5	56	1	2	7	11	17	21	35
" MULTIPLE DX	380	14.4	162	3	4	10	18	30	44	75
TOTAL 0-27 DYS	95	19.8	230	5	7	16	23	35	51	89
1-11 MOS	86	11.0	117	2	3	8	11	25	34	56
1-5 YRS	96	11.1	106	2	3	8	13	24	35	51
6-12 YRS	96	10.5	105	2	3	8	12	18	26	62
13-19 YRS	193	11.1	95	1	2	9	14	23	34	83
GRAND TOTAL	**566**	**12.5**	**134**	**2**	**3**	**9**	**15**	**25**	**36**	**62**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	6.5	13	4	4	6	9	9	9	9
1-11 MOS	4	5.5	23	1	1	4	9	12	12	12
1-5 YRS	16	2.9	7	<1	<1	2	4	7	10	11
6-12 YRS	31	2.9	5	1	1	2	3	7	8	9
13-19 YRS	75	3.1	10	<1	<1	2	3	7	11	16
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	5.5	25	2	2	9	77	99+	99+	99+
1-5 YRS	20	4.5	5	1	2	4	6	8	9	10
6-12 YRS	21	2.9	8	1	1	2	3	7	11	11
13-19 YRS	70	4.2	18	<1	1	2	5	11	14	21
TOT. SINGLE DX	128	3.1	9	<1	<1	2	3	7	11	15
" MULTIPLE DX	113	4.0	14	1	1	3	5	10	13	51
TOTAL 0-27 DYS	2	6.5	13	4	4	6	9	9	9	9
1-11 MOS	6	5.5	19	1	1	6	11	82	99+	99+
1-5 YRS	36	3.8	7	<1	<1	3	5	8	9	11
6-12 YRS	52	2.9	6	1	1	2	3	7	9	11
13-19 YRS	145	3.6	15	<1	<1	2	4	8	13	17
GRAND TOTAL	**241**	**3.5**	**12**	**<1**	**1**	**2**	**4**	**8**	**11**	**17**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	11	3.3	5	1	1	3	5	7	8	8
1-5 YRS	29	2.3	6	<1	<1	1	2	6	7	12
6-12 YRS	85	2.3	3	<1	<1	2	3	5	6	10
13-19 YRS	282	2.2	6	<1	<1	2	2	4	5	17
2. MULTIPLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	6	3.0	10	<1	<1	1	4	8	9	9
1-5 YRS	62	2.0	2	<1	<1	1	2	5	6	88
6-12 YRS	125	2.2	2	<1	1	2	3	4	5	10
13-19 YRS	454	2.8	20	<1	1	2	3	5	8	32
TOT. SINGLE DX	409	2.3	6	<1	<1	2	2	4	6	13
" MULTIPLE DX	648	2.6	15	<1	1	2	3	5	7	20
TOTAL 0-27 DYS	3	2.0	3	1	1	1	3	4	4	4
1-11 MOS	17	3.2	7	<1	<1	2	5	8	9	9
1-5 YRS	91	2.1	4	<1	<1	1	2	6	6	63
6-12 YRS	210	2.2	3	<1	<1	2	3	4	6	10
13-19 YRS	736	2.6	15	<1	1	2	3	5	7	20
GRAND TOTAL	**1057**	**2.5**	**12**	**<1**	**<1**	**2**	**3**	**5**	**7**	**17**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	2	3.0	8	1	1	3	5	5	5	5
6-12 YRS										
13-19 YRS	7	3.6	4	1	1	4	5	6	6	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	11	5.2	11	1	2	5	6	9	14	14
TOT. SINGLE DX	10	3.9	6	1	1	4	5	7	8	8
" MULTIPLE DX	11	5.2	12	1	2	5	6	9	14	14
TOTAL 0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	2	3.0	8	1	1	3	5	5	5	5
6-12 YRS										
13-19 YRS	18	4.6	9	1	1	4	6	6	11	14
GRAND TOTAL	**21**	**4.6**	**9**	**1**	**1**	**5**	**6**	**7**	**11**	**14**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.0	2	<1	<1	1	3	3	3	3
6-12 YRS	3	1.3		1	1	1	2	2	2	2
13-19 YRS	11	3.3	6	1	1	3	4	7	10	10
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	9	3.3	5	1	1	3	5	7	7	7
TOT. SINGLE DX	16	2.8	5	<1	1	3	3	4	8	10
" MULTIPLE DX	14	2.8	4	1	1	2	4	6	7	7
TOTAL 0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	4	1.5	1	<1	<1	1	2	3	3	3
6-12 YRS	5	1.4		1	1	1	2	2	2	2
13-19 YRS	20	3.3	5	1	1	3	4	6	8	10
GRAND TOTAL	**30**	**2.8**	**4**	**1**	**1**	**3**	**3**	**5**	**7**	**10**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	3	3.0		3	3	3	3	3	3	3
1-5 YRS	8	2.0	2	<1	<1	1	3	4	5	5
6-12 YRS	27	2.9	1	1	1	3	4	4	5	6
13-19 YRS	285	3.4	3	1	2	3	4	5	6	11
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	6	5.2	2	3	3	5	7	7	7	7
1-5 YRS	2	5.5	25	2	2	5	9	9	9	9
6-12 YRS	17	6.9	83	1	1	4	6	21	32	36
13-19 YRS	114	4.3	7	1	2	4	5	7	11	15
TOT. SINGLE DX	325	3.3	3	1	1	3	4	5	6	11
" MULTIPLE DX	140	4.7	17	1	2	4	5	8	11	25
TOTAL 0-27 DYS	3	2.0	1	1	1	2	3	3	3	3
1-11 MOS	9	4.4	3	3	3	4	6	7	7	7
1-5 YRS	10	2.7	6	<1	<1	2	3	7	9	9
6-12 YRS	44	4.5	36	1	1	3	4	6	13	36
13-19 YRS	399	3.7	5	1	2	3	4	6	8	12
GRAND TOTAL	**465**	**3.7**	**8**	**1**	**2**	**3**	**4**	**6**	**8**	**12**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	12	3.5	5	<1	1	3	5	7	8	8
1-5 YRS	296	1.7	2	<1	<1	1	2	3	4	7
6-12 YRS	176	1.9	1	<1	1	2	3	3	4	7
13-19 YRS	167	2.3	5	1	1	2	3	4	5	16
2. MULTIPLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	7	5.3	10	2	2	5	6	11	12	12
1-5 YRS	40	2.3	7	<1	<1	1	2	4	7	17
6-12 YRS	34	4.0	21	<1	1	2	6	9	21	99+
13-19 YRS	56	5.8	22	1	2	4	8	11	15	24
TOT. SINGLE DX	651	2.0	3	<1	1	2	2	3	4	8
" MULTIPLE DX	138	4.3	19	<1	1	3	6	10	13	33
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	19	4.2	8	<1	1	4	6	8	10	12
1-5 YRS	336	1.8	3	<1	<1	1	2	3	4	9
6-12 YRS	210	2.3	5	<1	1	2	3	4	6	16
13-19 YRS	223	3.2	12	1	1	2	3	7	10	20
GRAND TOTAL	**789**	**2.4**	**7**	**<1**	**1**	**2**	**3**	**4**	**7**	**16**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	7.8	25	1	1	8	12	14	14	14
1-5 YRS	12	9.3	25	1	3	8	15	16	17	17
6-12 YRS	17	5.6	12	1	1	5	9	9	11	12
13-19 YRS	34	7.3	7	4	5	7	8	11	12	15
2. MULTIPLE DX										
0-27 DYS	5	21.6	110	8	8	23	31	32	32	32
1-11 MOS	11	16.0	176	7	7	11	16	34	52	54
1-5 YRS	18	10.3	43	1	3	8	15	17	24	29
6-12 YRS	14	16.4	50	8	9	16	20	35	84	99+
13-19 YRS	35	12.0	150	4	5	7	11	26	37	66
TOT. SINGLE DX	68	7.3	14	1	3	7	9	12	15	17
" MULTIPLE DX	83	13.5	116	5	6	10	17	29	36	88
TOTAL 0-27 DYS	5	21.6	110	8	8	23	31	32	32	32
1-11 MOS	16	13.4	140	2	5	11	14	21	44	54
1-5 YRS	30	9.9	36	1	3	8	15	16	17	29
6-12 YRS	31	10.5	58	1	2	9	16	21	34	99+
13-19 YRS	69	9.7	84	4	5	7	9	14	26	61
GRAND TOTAL	**151**	**10.7**	**79**	**2**	**4**	**8**	**13**	**20**	**30**	**66**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	31	1.1		<1	<1	<1	1	2	2	2
1-5 YRS	156	1.3	3	<1	<1	<1	1	2	2	5
6-12 YRS	69	1.3		<1	<1	<1	1	2	2	4
13-19 YRS	44	1.3		<1	<1	<1	1	2	3	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	9	2.3	7	<1	<1	1	2	7	9	9
1-5 YRS	16	1.9	1	<1	<1	1	2	4	5	5
6-12 YRS	18	1.3		<1	<1	1	2	2	3	3
13-19 YRS	14	6.0	261	<1	<1	1	2	11	51	62
TOT. SINGLE DX	302	1.3	2	<1	<1	<1	1	2	2	5
" MULTIPLE DX	57	2.8	66	<1	<1	1	2	4	5	58
TOTAL 0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	40	1.4	2	<1	<1	<1	1	2	3	9
1-5 YRS	172	1.4	3	<1	<1	<1	1	2	3	5
6-12 YRS	87	1.3		<1	<1	<1	1	2	2	4
13-19 YRS	58	2.5	64	<1	<1	1	2	2	4	57
GRAND TOTAL	**359**	**1.5**	**12**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**6**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	18	1.7	1	<1	<1	1	2	4	5	5
1-5 YRS	328	1.4		<1	<1	1	2	2	3	5
6-12 YRS	178	1.5	1	<1	<1	1	2	2	4	6
13-19 YRS	112	1.7	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
0-27 DYS	12	7.2	72	1	2	4	7	19	30	32
1-11 MOS	13	3.5	17	<1	<1	1	4	9	14	15
1-5 YRS	207	2.1	3	<1	1	1	2	4	6	10
6-12 YRS	203	2.4	11	<1	1	1	2	4	8	19
13-19 YRS	492	2.8	10	<1	1	2	3	5	7	15
TOT. SINGLE DX	637	1.5	1	<1	<1	1	2	2	3	6
" MULTIPLE DX	927	2.6	10	<1	1	2	3	5	7	15
TOTAL 0-27 DYS	13	6.8	69	1	2	4	7	18	29	32
1-11 MOS	31	2.4	9	<1	<1	1	3	6	8	15
1-5 YRS	535	1.7	2	<1	<1	1	2	3	4	8
6-12 YRS	381	2.0	7	<1	<1	1	2	4	5	14
13-19 YRS	604	2.6	9	<1	1	2	3	5	7	14
GRAND TOTAL	**1564**	**2.2**	**7**	**<1**	**<1**	**1**	**2**	**4**	**6**	**13**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	4	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	54	1.4		<1	<1	1	2	2	3	6
6-12 YRS	37	1.6	1	<1	1	1	2	2	4	7
13-19 YRS	32	1.5	1	<1	1	1	2	3	3	7
2. MULTIPLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	2	3.0	8	<1	<1	2	5	5	5	5
1-5 YRS	47	2.3	21	<1	<1	1	2	3	9	31
6-12 YRS	28	2.4	3	<1	1	2	3	5	6	9
13-19 YRS	40	2.2	9	1	1	2	2	3	4	20
TOT. SINGLE DX	127	1.5	1	<1	<1	1	2	2	3	7
" MULTIPLE DX	118	2.3	12	<1	1	1	2	4	6	24
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	6	1.7	3	<1	<1	<1	1	5	5	5
1-5 YRS	101	1.8	10	<1	<1	1	2	2	4	20
6-12 YRS	65	1.9	2	<1	1	1	2	4	5	9
13-19 YRS	72	1.9	6	1	1	1	2	3	3	17
GRAND TOTAL	**245**	**1.9**	**7**	**<1**	**<1**	**1**	**2**	**3**	**5**	**10**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	9	1.1		<1	<1	<1	1	2	2	2
6-12 YRS	23	1.3		<1	<1	<1	1	3	3	3
13-19 YRS	15	1.1		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	9.0	2	8	8	9	10	10	10	10
1-5 YRS	16	5.0	118	<1	<1	1	4	7	34	45
6-12 YRS	14	5.5	77	<1	<1	3	6	11	30	35
13-19 YRS	18	3.6	5	1	1	3	4	7	8	9
TOT. SINGLE DX	48	1.2		<1	<1	1	1	2	3	3
" MULTIPLE DX	51	4.7	59	<1	<1	2	6	8	10	45
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	6.3	22	<1	<1	8	9	10	10	10
1-5 YRS	25	3.6	78	<1	<1	1	2	7	17	45
6-12 YRS	37	2.9	33	<1	<1	1	3	6	7	35
13-19 YRS	33	2.5	4	<1	<1	1	4	6	7	9
GRAND TOTAL	**99**	**3.0**	**33**	**<1**	**<1**	**1**	**3**	**6**	**8**	**40**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	6	3.2	1	2	2	3	4	4	4	4
1-5 YRS	19	1.9		<1	<1	2	2	3	4	4
6-12 YRS	14	2.1	4	<1	1	1	2	4	8	9
13-19 YRS	22	2.4	1	1	1	2	3	4	5	5
2. MULTIPLE DX										
0-27 DYS	2	3.5	13	1	1	3	6	6	6	6
1-11 MOS	7	4.0	16	<1	<1	2	6	11	12	12
1-5 YRS	15	2.7	1	1	1	3	4	4	4	4
6-12 YRS	16	3.1	6	1	1	2	4	8	9	9
13-19 YRS	23	2.5		1	1	3	3	4	4	4
TOT. SINGLE DX	61	2.2	2	<1	1	2	3	4	4	9
" MULTIPLE DX	63	2.9	4	1	1	3	3	5	7	12
TOTAL 0-27 DYS	2	3.5	13	1	1	3	6	6	6	6
1-11 MOS	13	3.6	9	<1	1	3	4	8	11	12
1-5 YRS	34	2.2	1	<1	<1	2	3	4	4	4
6-12 YRS	30	2.6	6	1	1	2	3	6	9	9
13-19 YRS	45	2.4	1	1	1	2	3	4	4	5
GRAND TOTAL	**124**	**2.6**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**10**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	7	2.7	5	<1	<1	1	5	6	6	5
1-5 YRS	92	2.5	3	<1	<1	2	4	5	6	10
6-12 YRS	101	2.8	4	<1	<1	2	4	6	6	11
13-19 YRS	89	2.5	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	7	2.1	3	<1	<1	1	3	5	6	6
1-5 YRS	81	3.7	5	<1	<1	3	5	7	8	11
6-12 YRS	100	3.7	5	1	1	3	5	7	9	12
13-19 YRS	78	3.5	4	1	1	3	4	6	7	10
TOT. SINGLE DX	289	2.6	4	<1	<1	2	4	5	6	10
" MULTIPLE DX	266	3.6	5	<1	1	3	5	6	8	12
TOTAL 0-27 DYS										
1-11 MOS	14	2.4	4	<1	<1	1	3	6	6	6
1-5 YRS	173	3.1	5	<1	<1	3	4	6	7	10
6-12 YRS	201	3.3	6	<1	1	3	4	6	8	12
13-19 YRS	167	3.0	4	<1	1	3	4	6	6	9
GRAND TOTAL	**555**	**3.1**	**5**	**<1**	**1**	**3**	**4**	**6**	**7**	**10**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	5	2.0	3	1	1	1	3	5	5	5
1-11 MOS	46	1.8	3	<1	<1	1	2	3	5	12
1-5 YRS	25	1.3		<1	1	1	2	2	2	2
6-12 YRS	31	3.0	11	<1	<1	2	4	6	18	99+
13-19 YRS	26	2.7	2	<1	1	2	3	5	6	7
2. MULTIPLE DX										
0-27 DYS	5	4.4	18	1	1	2	9	9	9	9
1-11 MOS	29	3.0	19	<1	<1	1	3	6	12	23
1-5 YRS	15	2.0	3	<1	1	1	2	6	6	6
6-12 YRS	15	3.7	15	<1	1	2	5	11	12	13
13-19 YRS	19	2.8	3	<1	<1	2	4	6	7	8
TOT. SINGLE DX	133	2.2	5	<1	<1	2	2	5	6	32
" MULTIPLE DX	83	3.0	12	<1	<1	2	4	7	10	20
TOTAL 0-27 DYS	10	3.2	11	1	1	2	5	9	9	9
1-11 MOS	75	2.3	10	<1	<1	1	2	4	7	20
1-5 YRS	40	1.6	1	<1	1	1	2	2	5	6
6-12 YRS	46	3.2	12	<1	1	2	5	7	14	99+
13-19 YRS	45	2.8	3	<1	<1	2	3	5	6	8
GRAND TOTAL	**216**	**2.5**	**8**	**<1**	**<1**	**2**	**3**	**5**	**7**	**20**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	5	1.6	1	<1	<1	<1	2	3	3	3
1-5 YRS	31	3.5	6	<1	1	3	5	7	9	11
6-12 YRS	47	3.7	12	1	1	2	5	7	11	20
13-19 YRS	36	4.3	8	<1	1	4	5	8	10	15
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	10	3.2	21	<1	<1	2	2	10	16	16
1-5 YRS	24	3.8	14	1	1	2	5	9	14	15
6-12 YRS	43	4.9	8	1	2	4	7	9	11	12
13-19 YRS	52	4.4	7	<1	1	4	6	9	10	11
TOT. SINGLE DX	120	3.7	10	<1	1	3	5	7	10	16
" MULTIPLE DX	130	4.4	10	1	1	3	6	9	11	15
TOTAL 0-27 DYS	2	2.0	2	<1	<1	1	3	3	3	3
1-11 MOS	15	2.7	15	<1	<1	1	2	5	13	16
1-5 YRS	55	3.6	10	1	1	2	5	7	11	15
6-12 YRS	90	4.3	11	1	1	3	6	9	11	17
13-19 YRS	88	4.3	8	<1	1	4	6	9	10	14
GRAND TOTAL	**250**	**4.0**	**10**	**<1**	**1**	**3**	**5**	**8**	**10**	**15**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	9	2.1	2	<1	<1	1	4	4	4	4
1-11 MOS	25	1.6	1	<1	<1	1	2	3	4	6
1-5 YRS	30	1.7		<1	<1	1	2	3	3	4
6-12 YRS	16	1.8	1	<1	1	2	2	3	4	5
13-19 YRS	12	2.2		<1	1	2	2	4	4	4
2. MULTIPLE DX										
0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	16	2.1	5	<1	<1	1	2	3	8	10
1-5 YRS	17	2.0	2	<1	<1	1	3	4	5	6
6-12 YRS	22	3.4	5	<1	1	3	4	6	8	10
13-19 YRS	22	4.4	18	<1	1	3	6	11	15	15
TOT. SINGLE DX	92	1.8	1	<1	<1	1	2	3	4	6
" MULTIPLE DX	79	3.1	9	<1	<1	2	4	6	10	15
TOTAL 0-27 DYS	11	2.3	2	<1	<1	2	4	4	4	4
1-11 MOS	41	1.8	3	<1	<1	1	2	3	5	10
1-5 YRS	47	1.8	1	<1	<1	1	2	3	4	6
6-12 YRS	38	2.7	4	<1	1	2	4	6	7	10
13-19 YRS	34	3.6	13	<1	1	2	4	8	14	15
GRAND TOTAL	**171**	**2.4**	**5**	**<1**	**<1**	**2**	**3**	**4**	**6**	**14**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	9	1.1		<1	<1	1	1	2	2	2
1-11 MOS	62	1.5	1	<1	<1	1	2	2	3	8
1-5 YRS	53	1.5		<1	<1	1	2	2	3	3
6-12 YRS	44	1.9	1	<1	1	2	2	3	5	7
13-19 YRS	43	1.7		<1	<1	2	2	3	3	3
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	45	2.0	2	<1	1	1	3	3	5	10
1-5 YRS	37	2.3	2	<1	1	2	3	4	6	7
6-12 YRS	39	2.6	7	<1	1	2	3	5	7	16
13-19 YRS	49	2.7	4	<1	1	2	3	5	8	12
TOT. SINGLE DX	211	1.6	1	<1	<1	1	2	2	3	6
" MULTIPLE DX	170	2.4	4	<1	1	2	3	4	7	12
TOTAL 0-27 DYS	9	1.1		<1	<1	1	1	2	2	2
1-11 MOS	107	1.7	2	<1	<1	1	2	3	4	9
1-5 YRS	90	1.8	1	<1	<1	2	2	3	4	7
6-12 YRS	83	2.2	4	<1	1	2	2	4	6	13
13-19 YRS	92	2.2	3	<1	<1	2	2	3	5	11
GRAND TOTAL	**381**	**2.0**	**3**	**<1**	**<1**	**2**	**2**	**3**	**4**	**9**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS	3	1.7	1	<1	<1	1	2	3	3	3
6-12 YRS	3	2.3		2	2	2	3	3	3	3
13-19 YRS	6	1.5		1	1	1	2	3	3	3
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	3	3.7	14	<1	<1	2	6	8	8	8
6-12 YRS	6	2.0		1	1	2	2	3	3	3
13-19 YRS	1	1.0		1	1	1	1	1	1	1
TOT. SINGLE DX	13	1.9	1	<1	<1	2	3	3	4	4
" MULTIPLE DX	12	2.3	4	<1	1	2	2	4	7	8
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	6	2.7	7	<1	<1	1	3	7	8	8
6-12 YRS	9	2.1		1	1	2	2	3	3	3
13-19 YRS	7	1.4	1	1	1	1	2	3	3	3
GRAND TOTAL	**25**	**2.1**	**2**	**<1**	**1**	**2**	**2**	**3**	**5**	**8**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	3.8	21	1	1	2	5	12	12	12
1-5 YRS	11	2.9	2	1	1	3	4	5	5	5
6-12 YRS	53	3.3	2	1	1	3	4	6	6	7
13-19 YRS	131	3.4	7	1	1	3	4	5	6	21
2. MULTIPLE DX										
0-27 DYS	2	92.5	5	91	91	92	94	94	94	94
1-11 MOS	14	3.6	6	1	1	3	4	7	9	10
1-5 YRS	26	3.7	5	1	1	3	4	5	7	13
6-12 YRS	77	4.4	12	1	1	3	5	8	10	22
13-19 YRS	126	4.0	9	1	2	3	5	6	7	19
TOT. SINGLE DX	200	3.3	6	1	1	3	4	5	6	16
" MULTIPLE DX	245	4.8	73	1	1	3	5	6	10	30
TOTAL 0-27 DYS	2	92.5	5	91	91	92	94	94	94	94
1-11 MOS	19	3.7	9	1	1	3	4	8	11	12
1-5 YRS	37	3.4	5	1	1	3	4	5	6	13
6-12 YRS	130	3.9	9	1	1	3	5	7	8	18
13-19 YRS	257	3.7	9	1	1	3	4	6	7	21
GRAND TOTAL	**445**	**4.1**	**44**	**1**	**1**	**3**	**4**	**6**	**8**	**22**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (3)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	14	2.9	5	<1	1	2	3	5	9	10
1-5 YRS	19	3.4	7	<1	1	2	5	8	9	10
6-12 YRS	19	3.1	5	<1	1	2	4	7	8	9
13-19 YRS	37	3.2	4	<1	1	3	4	6	7	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	22	2.7	8	<1	<1	2	3	4	9	15
1-5 YRS	23	2.3	2	<1	1	2	3	5	6	6
6-12 YRS	44	3.9	6	1	2	3	5	8	9	11
13-19 YRS	68	4.3	7	1	2	4	5	8	9	14
TOT. SINGLE DX	90	3.2	5	<1	1	3	4	7	8	10
" MULTIPLE DX	157	3.7	7	1	1	3	4	7	9	14
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	36	2.8	7	<1	1	2	3	4	8	15
1-5 YRS	42	2.8	5	<1	1	2	3	6	8	10
6-12 YRS	63	3.6	6	<1	1	3	5	7	9	11
13-19 YRS	105	3.9	7	1	1	3	5	7	9	14
GRAND TOTAL	**247**	**3.5**	**7**	**1**	**1**	**3**	**4**	**7**	**9**	**14**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	193	1.2		<1	<1	<1	1	2	2	2
1-5 YRS	1609	1.3		<1	<1	1	1	2	2	2
6-12 YRS	762	1.3		<1	<1	1	2	2	2	2
13-19 YRS	332	1.4		<1	<1	1	2	2	2	3
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	38	1.8	4	<1	<1	1	2	2	8	10
1-5 YRS	464	1.3		<1	<1	1	2	2	2	3
6-12 YRS	289	1.4	2	<1	<1	1	2	2	2	6
13-19 YRS	132	1.3		<1	<1	1	2	2	2	4
TOT. SINGLE DX	2896	1.3	1	<1	<1	1	2	2	2	2
" MULTIPLE DX	923	1.4	1	<1	<1	1	2	2	2	4
TOTAL 0-27 DYS										
1-11 MOS	231	1.3	1	<1	<1	<1	1	2	2	7
1-5 YRS	2073	1.3	1	<1	<1	1	1	2	2	3
6-12 YRS	1051	1.3	1	<1	<1	1	2	2	2	3
13-19 YRS	464	1.3		<1	<1	1	2	2	2	3
GRAND TOTAL	**3819**	**1.3**	**1**	**<1**	**<1**	**1**	**2**	**2**	**2**	**3**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	1.2		<1	<1	1	1	2	2	2
6-12 YRS	5	1.2		<1	<1	1	1	2	2	2
13-19 YRS	4	2.8	8	1	1	2	4	7	7	7
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	6	7.8	171	1	1	2	8	31	34	34
TOT. SINGLE DX	15	1.6	2	<1	<1	1	2	2	6	7
" MULTIPLE DX	10	5.5	105	<1	<1	2	3	21	34	34
TOTAL 0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	7	1.3		<1	<1	1	2	2	2	2
6-12 YRS	7	1.6	1	<1	<1	1	2	3	3	3
13-19 YRS	10	5.8	105	1	1	2	7	21	34	34
GRAND TOTAL	**25**	**3.2**	**44**	**<1**	**<1**	**1**	**2**	**7**	**14**	**34**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	4	2.5	1	<1	<1	2	3	4	4	4
1-11 MOS	69	4.6	5	<1	<1	6	6	7	7	9
1-5 YRS	153	3.4	5	<1	<1	3	5	6	8	9
6-12 YRS	87	3.4	12	<1	<1	2	4	7	9	21
13-19 YRS	112	3.1	11	<1	1	2	3	5	10	20
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	28	5.8	18	1	1	6	7	11	16	18
1-5 YRS	86	5.7	34	1	1	4	7	11	19	33
6-12 YRS	86	4.7	39	1	1	3	5	9	13	40
13-19 YRS	142	4.3	29	1	1	3	5	8	13	30
TOT. SINGLE DX	425	3.5	9	<1	<1	2	5	6	8	16
" MULTIPLE DX	342	4.9	33	1	1	3	6	9	14	39
TOTAL 0-27 DYS	4	2.5	2	<1	<1	2	3	4	4	4
1-11 MOS	97	4.9	9	<1	<1	6	6	7	9	17
1-5 YRS	239	4.2	17	<1	1	3	6	8	10	21
6-12 YRS	173	4.1	26	<1	1	2	5	8	11	36
13-19 YRS	254	3.7	22	1	1	2	4	7	11	27
GRAND TOTAL	**767**	**4.1**	**20**	**<1**	**1**	**3**	**6**	**8**	**10**	**24**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	10	2.8	1	1	1	3	3	4	5	5
1-11 MOS	29	1.6		<1	<1	1	2	3	3	4
1-5 YRS	249	1.8	3	<1	<1	1	2	3	4	9
6-12 YRS	377	1.8	1	<1	<1	1	2	3	4	7
13-19 YRS	213	2.2	7	<1	<1	1	2	4	6	11
2. MULTIPLE DX										
0-27 DYS	250	3.4	6	1	1	3	4	5	6	15
1-11 MOS	17	3.1	5	<1	<1	2	5	7	8	8
1-5 YRS	132	2.3	5	<1	<1	2	3	4	6	14
6-12 YRS	211	2.7	9	<1	<1	2	3	6	9	16
13-19 YRS	251	3.9	57	<1	1	2	4	8	17	89
TOT. SINGLE DX	878	1.9	4	<1	<1	1	2	3	5	8
" MULTIPLE DX	861	3.2	22	<1	1	2	4	6	8	26
TOTAL 0-27 DYS	260	3.4	6	1	1	3	4	5	6	15
1-11 MOS	46	2.2	3	<1	<1	1	3	4	6	8
1-5 YRS	381	2.0	5	<1	<1	1	2	4	5	10
6-12 YRS	588	2.2	5	<1	<1	2	2	4	6	11
13-19 YRS	464	3.1	35	<1	<1	2	3	6	9	35
GRAND TOTAL	**1739**	**2.6**	**13**	**<1**	**<1**	**2**	**3**	**5**	**6**	**19**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	8	1.4		<1	<1	1	2	2	2	2
6-12 YRS	43	1.6		<1	<1	1	2	3	3	4
13-19 YRS	106	1.6		1	1	1	2	3	3	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	5	1.6	1	1	1	1	2	3	3	3
6-12 YRS	32	1.3		<1	1	1	2	2	2	3
13-19 YRS	86	1.6		1	1	1	2	2	3	5
TOT. SINGLE DX	159	1.6	1	<1	1	1	2	3	3	4
" MULTIPLE DX	125	1.5	1	1	1	1	2	2	3	4
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	2.0	3	1	1	1	3	4	4	4
1-5 YRS	13	1.5		<1	<1	1	2	2	3	3
6-12 YRS	75	1.5		<1	1	1	2	2	3	4
13-19 YRS	192	1.6	1	1	1	1	2	3	3	4
GRAND TOTAL	**284**	**1.6**	**1**	**<1**	**1**	**1**	**2**	**2**	**3**	**4**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	1.0		1	1	1	1	1	1	1
1-5 YRS	146	1.4		<1	<1	1	2	2	2	4
6-12 YRS	782	1.4		<1	1	1	2	2	2	3
13-19 YRS	635	1.5		<1	1	1	2	2	3	4
2. MULTIPLE DX										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	137	1.6	2	<1	1	1	2	2	3	8
6-12 YRS	743	1.5	1	<1	1	1	2	2	3	3
13-19 YRS	604	1.6	4	1	1	1	2	2	3	5
TOT. SINGLE DX	1567	1.4		<1	1	1	2	2	2	3
" MULTIPLE DX	1487	1.5	3	<1	1	1	2	2	3	5
TOTAL 0-27 DYS	3	2.3		2	2	2	3	3	3	3
1-11 MOS	4	1.0		1	1	1	1	1	1	1
1-5 YRS	283	1.5	2	<1	<1	1	2	2	3	5
6-12 YRS	1525	1.4	1	<1	1	1	2	2	2	3
13-19 YRS	1239	1.5	3	<1	1	1	2	2	3	5
GRAND TOTAL	**3054**	**1.5**	**2**	**<1**	**1**	**1**	**2**	**2**	**3**	**4**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	9	3.1	5	<1	<1	2	4	7	8	8
1-11 MOS	703	1.1		<1	<1	<1	<1	1	2	5
1-5 YRS	4098	1.0		<1	<1	<1	<1	1	1	2
6-12 YRS	1340	1.0		<1	<1	<1	<1	1	1	2
13-19 YRS	172	1.3		<1	<1	<1	1	2	2	4
2. MULTIPLE DX										
0-27 DYS	16	3.4	2	1	2	3	5	6	67	99+
1-11 MOS	442	4.8	32	<1	<1	4	6	9	13	23
1-5 YRS	3644	1.6	5	<1	<1	1	1	2	5	10
6-12 YRS	1578	1.4	1	<1	<1	1	1	2	2	7
13-19 YRS	240	2.8	58	<1	<1	1	2	4	9	63
TOT. SINGLE DX	6322	1.1		<1	<1	<1	<1	1	1	3
" MULTIPLE DX	5920	1.9	9	<1	<1	1	2	3	6	13
TOTAL 0-27 DYS	25	3.3	3	<1	<1	3	4	6	26	99+
1-11 MOS	1145	2.5	16	<1	<1	<1	3	6	9	17
1-5 YRS	7742	1.3	3	<1	<1	<1	1	2	2	8
6-12 YRS	2918	1.2	1	<1	<1	<1	1	2	2	5
13-19 YRS	412	2.2	35	<1	<1	1	2	2	4	40
GRAND TOTAL	**12242**	**1.4**	**5**	**<1**	**<1**	**<1**	**1**	**2**	**4**	**9**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	4	3.8	3	<1	<1	4	5	5	5	5
1-5 YRS	79	2.0	2	1	1	2	2	4	6	7
6-12 YRS	272	1.8	1	1	1	2	2	3	4	9
13-19 YRS	212	1.8	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	7	8.6	84	1	1	5	14	24	26	26
1-5 YRS	115	3.6	25	1	1	2	3	9	10	33
6-12 YRS	511	2.2	9	1	1	2	2	4	5	16
13-19 YRS	438	2.2	5	1	1	2	3	4	6	13
TOT. SINGLE DX	567	1.9	2	1	1	2	2	3	4	8
" MULTIPLE DX	1072	2.4	10	1	1	2	2	4	6	17
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	11	6.8	58	<1	1	5	7	20	25	26
1-5 YRS	194	3.0	16	1	1	2	3	6	9	26
6-12 YRS	783	2.1	7	1	1	2	2	3	4	10
13-19 YRS	650	2.1	4	1	1	2	2	3	5	9
GRAND TOTAL	**1639**	**2.2**	**7**	**1**	**1**	**2**	**2**	**4**	**5**	**15**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	120	1.5	2	<1	<1	1	1	2	4	10
6-12 YRS	194	1.6	2	<1	<1	1	2	2	3	11
13-19 YRS	160	1.7	1	<1	<1	1	2	3	4	4
2. MULTIPLE DX										
0-27 DYS	6	10.3	236	<1	<1	3	14	37	40	40
1-11 MOS	7	7.4	74	<1	<1	2	13	21	23	23
1-5 YRS	130	2.1	4	<1	<1	1	2	5	9	11
6-12 YRS	203	1.9	3	<1	<1	1	2	3	5	12
13-19 YRS	167	2.0	8	<1	1	1	2	3	5	14
TOT. SINGLE DX	477	1.6	2	<1	<1	1	2	2	4	10
" MULTIPLE DX	513	2.2	10	<1	<1	1	2	4	7	14
TOTAL 0-27 DYS	7	9.0	210	<1	<1	1	12	35	40	40
1-11 MOS	9	6.0	64	<1	<1	1	11	19	23	23
1-5 YRS	250	1.8	4	<1	<1	1	2	4	6	11
6-12 YRS	397	1.7	3	<1	<1	1	2	3	4	12
13-19 YRS	327	1.9	5	<1	<1	1	2	3	4	11
GRAND TOTAL	**990**	**1.9**	**6**	**<1**	**<1**	**1**	**2**	**3**	**5**	**12**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	19	1.6		1	1	1	2	3	3	3
13-19 YRS	476	2.0	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	4	2.0		1	1	2	3	3	3	3
1-5 YRS	3	1.3		1	1	1	2	2	2	2
6-12 YRS	77	1.9	1	<1	<1	2	3	3	4	5
13-19 YRS	1362	1.9	1	1	1	2	2	3	4	6
TOT. SINGLE DX	497	2.0	1	1	1	2	2	3	4	5
" MULTIPLE DX	1448	1.9	1	1	1	2	2	3	4	6
TOTAL 0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	5	2.0	1	1	1	2	2	3	3	3
1-5 YRS	4	1.5		1	1	1	2	2	2	2
6-12 YRS	96	1.9	1	<1	1	2	2	3	4	5
13-19 YRS	1838	1.9	1	1	1	2	2	3	4	5
GRAND TOTAL	**1945**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**4**	**5**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	9	2.6	3	1	1	2	3	5	7	7
1-5 YRS	87	2.0	1	<1	<1	2	3	4	5	6
6-12 YRS	130	1.9	1	<1	1	2	3	3	4	5
13-19 YRS	1407	1.7		1	1	1	2	3	3	5
2. MULTIPLE DX										
0-27 DYS	6	3.3	6	1	1	2	6	7	7	7
1-11 MOS	16	2.3	3	<1	1	1	3	6	6	6
1-5 YRS	104	2.8	16	<1	1	2	3	5	6	23
6-12 YRS	261	2.1	3	<1	1	2	3	4	5	10
13-19 YRS	2704	1.8	2	1	1	1	2	3	4	7
TOT. SINGLE DX	1634	1.7	1	<1	1	2	2	3	4	5
" MULTIPLE DX	3091	1.9	3	1	1	2	2	3	4	8
TOTAL 0-27 DYS	7	3.1	6	1	1	2	5	7	7	7
1-11 MOS	25	2.4	3	<1	1	2	3	6	6	7
1-5 YRS	191	2.4	10	<1	1	2	3	4	6	8
6-12 YRS	391	2.1	3	<1	1	2	3	4	5	9
13-19 YRS	4111	1.8	2	1	1	1	2	3	4	6
GRAND TOTAL	**4725**	**1.9**	**2**	**1**	**1**	**2**	**2**	**3**	**4**	**6**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	14	1.9	2	<1	<1	1	3	4	6	7
1-5 YRS	58	1.8	1	<1	<1	1	2	4	5	6
6-12 YRS	65	1.5	1	<1	<1	1	2	3	3	7
13-19 YRS	103	1.9	3	<1	<1	1	2	3	6	11
2. MULTIPLE DX										
0-27 DYS	6	3.7	10	<1	<1	2	6	9	9	9
1-11 MOS	15	2.7	5	1	1	2	3	6	9	10
1-5 YRS	26	2.7	12	<1	<1	1	2	7	12	16
6-12 YRS	116	2.4	5	<1	<1	1	3	5	8	11
13-19 YRS	331	2.4	17	<1	1	1	2	4	5	22
TOT. SINGLE DX	240	1.8	2	<1	<1	1	2	3	5	10
" MULTIPLE DX	494	2.5	14	<1	1	1	3	4	7	16
TOTAL 0-27 DYS	6	3.7	10	<1	<1	2	6	9	9	9
1-11 MOS	29	2.3	4	<1	<1	1	3	5	7	10
1-5 YRS	84	2.1	5	<1	<1	1	2	4	5	14
6-12 YRS	181	2.1	4	<1	<1	1	2	4	7	10
13-19 YRS	434	2.3	14	<1	1	1	2	4	5	17
GRAND TOTAL	**734**	**2.2**	**10**	**<1**	**<1**	**1**	**2**	**4**	**6**	**13**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	2.0	1	1	1	2	3	3	3	3
1-11 MOS	3	3.3	10	1	1	2	6	7	7	7
1-5 YRS	59	1.4	1	<1	<1	1	1	2	4	8
6-12 YRS	277	1.3		<1	<1	1	1	2	3	5
13-19 YRS	751	1.5		<1	<1	1	2	3	4	5
2. MULTIPLE DX										
0-27 DYS	16	3.5	2	2	2	3	5	5	7	7
1-11 MOS	2	12.0	32	8	8	12	16	16	16	16
1-5 YRS	42	4.1	85	<1	1	2	4	7	9	61
6-12 YRS	140	2.9	19	<1	<1	2	3	6	10	51
13-19 YRS	820	2.4	9	1	1	2	3	4	7	11
TOT. SINGLE DX	1093	1.5	1	<1	<1	1	2	3	3	6
" MULTIPLE DX	1020	2.6	14	<1	1	2	3	5	7	12
TOTAL 0-27 DYS	19	3.3	2	1	2	3	4	5	6	7
1-11 MOS	5	6.8	36	1	1	7	10	16	16	16
1-5 YRS	101	2.6	38	<1	<1	1	2	4	7	35
6-12 YRS	417	1.8	7	<1	<1	1	2	3	5	11
13-19 YRS	1571	2.0	6	<1	<1	1	2	4	5	10
GRAND TOTAL	**2113**	**2.0**	**8**	**<1**	**<1**	**1**	**2**	**4**	**5**	**10**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	4	6.5	17	2	2	7	10	10	10	10
6-12 YRS	28	2.4	6	1	1	1	3	4	9	12
13-19 YRS	89	2.1	3	<1	1	2	2	4	7	10
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	1.7		1	1	2	2	2	2	2
1-5 YRS	4	22.5	1523	2	2	4	43	81	81	81
6-12 YRS	36	4.9	77	1	1	2	5	11	17	51
13-19 YRS	181	3.3	12	1	1	2	4	9	11	74
TOT. SINGLE DX	122	2.3	5	1	1	2	3	4	9	11
" MULTIPLE DX	225	3.8	49	1	1	2	4	9	11	85
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	1.8		1	1	2	2	2	2	2
1-5 YRS	8	14.5	733	2	2	4	10	60	81	81
6-12 YRS	64	3.8	48	1	1	2	3	8	13	46
13-19 YRS	270	2.9	10	1	1	2	3	7	10	23
GRAND TOTAL	**347**	**3.3**	**34**	**1**	**1**	**2**	**3**	**8**	**10**	**51**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	8.0	2	7	7	8	9	9	9	9
1-5 YRS	34	1.6		<1	<1	1	2	3	3	4
6-12 YRS	63	2.2	10	<1	<1	1	2	4	8	21
13-19 YRS	113	3.6	22	<1	<1	2	4	7	11	30
2. MULTIPLE DX										
0-27 DYS	3	3.0	1	2	2	3	4	4	4	4
1-11 MOS	8	5.5	53	1	1	2	8	18	21	21
1-5 YRS	51	3.1	10	<1	<1	2	3	8	11	14
6-12 YRS	144	5.1	49	<1	<1	3	7	12	17	41
13-19 YRS	280	4.9	34	1	1	3	6	13	15	26
TOT. SINGLE DX	212	2.9	16	<1	<1	1	3	6	9	25
" MULTIPLE DX	486	4.8	37	<1	1	2	6	12	15	28
TOTAL 0-27 DYS	3	3.0	1	2	2	3	4	4	4	4
1-11 MOS	10	6.0	43	1	1	3	9	16	21	21
1-5 YRS	85	2.5	7	<1	<1	1	3	5	9	14
6-12 YRS	207	4.2	39	<1	<1	2	5	10	14	34
13-19 YRS	393	4.5	32	<1	1	2	5	12	14	28
GRAND TOTAL	**698**	**4.2**	**31**	**<1**	**<1**	**2**	**5**	**10**	**14**	**28**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	2	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	167	1.1		<1	<1	<1	1	1	2	3
6-12 YRS	154	1.2		<1	<1	1	1	2	2	2
13-19 YRS	1655	1.3		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
0-27 DYS	40	5.0	25	1	1	3	5	12	19	22
1-11 MOS	4	1.8		1	1	2	2	2	2	2
1-5 YRS	361	2.0	5	<1	<1	1	2	3	6	13
6-12 YRS	279	2.8	35	<1	<1	1	2	4	10	45
13-19 YRS	923	2.8	43	<1	<1	2	2	4	8	53
TOT. SINGLE DX	1990	1.2		<1	<1	1	1	2	2	3
" MULTIPLE DX	1607	2.7	33	<1	<1	1	2	4	8	41
TOTAL 0-27 DYS	42	4.9	25	1	1	3	5	11	19	22
1-11 MOS	6	1.5		<1	<1	1	2	2	2	2
1-5 YRS	528	1.7	4	<1	<1	1	2	3	4	11
6-12 YRS	433	2.2	23	<1	<1	1	2	3	6	31
13-19 YRS	2588	1.8	16	<1	<1	1	2	2	3	19
GRAND TOTAL	**3597**	**1.9**	**15**	**<1**	**<1**	**1**	**2**	**2**	**4**	**19**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	378	1.0		<1	<1	<1	1	1	1	2
6-12 YRS	48	1.5	2	<1	<1	1	2	2	3	11
13-19 YRS	42	1.4		<1	<1	1	2	2	3	3
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	423	1.4	8	<1	<1	1	1	2	2	6
6-12 YRS	137	2.4	59	<1	<1	1	2	3	6	99+
13-19 YRS	106	2.8	54	<1	<1	1	2	3	5	54
TOT. SINGLE DX	469	1.1		<1	<1	<1	1	1	2	3
" MULTIPLE DX	667	1.8	26	<1	<1	1	1	2	3	24
TOTAL 0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	801	1.2	4	<1	<1	<1	1	2	2	4
6-12 YRS	185	2.2	45	<1	<1	1	2	3	5	95
13-19 YRS	148	2.4	39	<1	<1	1	2	3	4	52
GRAND TOTAL	**1136**	**1.5**	**16**	**<1**	**<1**	**1**	**1**	**2**	**2**	**11**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	3	1.3		<1	<1	<1	2	2	2	2
1-5 YRS	59	1.2		<1	<1	<1	1	2	[illegible]	3
6-12 YRS	56	1.8	1	<1	<1	2	2	3	4	9
13-19 YRS	52	2.5	2	1	1	2	3	4	5	9
2. MULTIPLE DX										
0-27 DYS	11	3.4	2	1	1	3	4	6	7	7
1-11 MOS	5	4.4	43	<1	<1	1	6	16	16	16
1-5 YRS	96	2.6	93	<1	<1	1	2	3	5	57
6-12 YRS	120	3.1	31	<1	1	2	3	4	6	35
13-19 YRS	161	2.6	18	<1	1	2	3	4	6	12
TOT. SINGLE DX	171	1.8	2	<1	<1	1	2	3	4	8
" MULTIPLE DX	393	2.8	40	<1	<1	2	3	4	6	25
TOTAL 0-27 DYS	12	3.5	3	1	2	3	4	6	7	7
1-11 MOS	8	3.3	27	<1	<1	1	2	12	16	16
1-5 YRS	155	2.1	58	<1	<1	1	1	2	4	12
6-12 YRS	176	2.7	22	<1	1	2	3	4	6	26
13-19 YRS	213	2.6	14	<1	1	2	3	4	6	10
GRAND TOTAL	**564**	**2.5**	**29**	**<1**	**<1**	**2**	**3**	**4**	**5**	**16**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	16	2.1	1	<1	1	2	3	4	5	5
1-5 YRS	44	2.2	2	<1	1	2	3	5	6	7
6-12 YRS	85	2.0	1	<1	<1	2	3	3	4	8
13-19 YRS	193	2.4	2	1	1	2	3	4	5	12
2. MULTIPLE DX										
0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	10	4.4	7	1	1	4	7	8	8	8
1-5 YRS	26	2.7	3	<1	1	2	4	5	6	9
6-12 YRS	42	3.0	5	<1	1	2	4	6	7	14
13-19 YRS	93	2.8	3	1	1	2	3	6	7	10
TOT. SINGLE DX	338	2.2	2	<1	1	2	3	4	5	9
" MULTIPLE DX	173	3.0	4	1	1	2	4	6	7	11
TOTAL 0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	26	3.0	5	<1	1	2	4	7	7	8
1-5 YRS	70	2.4	3	<1	1	2	3	5	5	9
6-12 YRS	127	2.3	3	<1	<1	2	3	4	6	10
13-19 YRS	286	2.5	3	1	1	2	3	4	6	11
GRAND TOTAL	**511**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**6**	**10**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	4	2.3	2	<1	<1	2	3	4	4	4
1-11 MOS	196	3.7	3	2	2	3	5	6	7	9
1-5 YRS	570	3.2	3	1	1	3	4	6	7	8
6-12 YRS	162	3.2	2	1	1	3	4	5	6	8
13-19 YRS	80	3.3	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
0-27 DYS	4	26.5	1128	2	2	14	49	75	75	75
1-11 MOS	223	3.6	3	1	2	3	4	6	7	11
1-5 YRS	640	3.8	3	1	2	3	5	6	7	10
6-12 YRS	148	3.4	3	1	1	3	4	5	7	10
13-19 YRS	81	3.1	2	1	1	3	4	6	6	9
TOT. SINGLE DX	1012	3.3	3	1	1	3	4	6	7	8
" MULTIPLE DX	1096	3.7	8	1	2	3	4	6	7	10
TOTAL 0-27 DYS	8	14.4	653	<1	<1	3	14	59	75	75
1-11 MOS	419	3.7	3	1	2	3	4	6	7	9
1-5 YRS	1210	3.5	3	1	2	3	4	6	7	9
6-12 YRS	310	3.3	3	1	1	3	4	5	7	8
13-19 YRS	161	3.2	3	1	1	3	4	5	6	9
GRAND TOTAL	**2108**	**3.5**	**6**	**1**	**2**	**3**	**4**	**6**	**7**	**9**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, See appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	16	3.5	7	<1	<1	3	5	8	9	9
1-11 MOS	610	3.6	3	1	2	3	5	6	7	9
1-5 YRS	463	2.3	7	<1	<1	1	3	5	6	10
6-12 YRS	243	2.1	4	<1	<1	2	3	4	5	8
13-19 YRS	215	2.6	3	<1	<1	2	3	5	6	9
2. MULTIPLE DX										
0-27 DYS	100	5.5	59	1	2	3	5	11	17	47
1-11 MOS	374	4.7	14	1	2	4	6	8	10	23
1-5 YRS	398	3.0	10	<1	1	2	3	7	8	15
6-12 YRS	322	3.0	9	1	1	2	3	6	8	15
13-19 YRS	591	3.0	14	1	1	2	4	6	7	17
TOT. SINGLE DX	1547	2.8	5	<1	<1	2	4	6	7	9
" MULTIPLE DX	1785	3.5	16	1	1	2	4	7	9	20
TOTAL 0-27 DYS	116	5.2	53	1	1	3	5	10	15	41
1-11 MOS	984	4.0	8	1	2	3	5	7	8	14
1-5 YRS	861	2.6	9	<1	<1	2	3	6	7	13
6-12 YRS	565	2.6	7	<1	<1	2	3	5	7	14
13-19 YRS	806	2.9	12	<1	1	2	3	6	7	14
GRAND TOTAL	**3332**	**3.2**	**11**	**<1**	**1**	**2**	**4**	**6**	**8**	**14**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	13	1.1		1	1	1	1	2	2	2
1-5 YRS	876	1.3		<1	1	1	2	2	2	3
6-12 YRS	3386	1.3		<1	1	1	2	2	2	3
13-19 YRS	10289	1.4		1	1	1	2	2	2	3
2. MULTIPLE DX										
0-27 DYS	3	2.0	1	1	1	2	3	3	3	3
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	622	1.4	1	<1	1	1	2	2	3	5
6-12 YRS	1141	1.4		<1	1	1	2	2	2	4
13-19 YRS	2534	1.7	7	1	1	1	2	3	4	8
TOT. SINGLE DX	14565	1.4	1	<1	1	1	2	2	2	3
" MULTIPLE DX	4302	1.6	5	1	1	1	2	2	3	7
TOTAL 0-27 DYS	4	1.8	1	<1	<1	1	2	3	3	3
1-11 MOS	15	1.1		1	1	1	1	1	2	2
1-5 YRS	1498	1.4	1	<1	1	1	2	2	2	4
6-12 YRS	4527	1.3		<1	1	1	2	2	2	3
13-19 YRS	12823	1.5	2	1	1	1	2	2	3	4
GRAND TOTAL	**18867**	**1.4**	**2**	**<1**	**1**	**1**	**2**	**2**	**3**	**4**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	4	1.3		1	1	1	2	2	2	2
1-11 MOS	18	1.2		<1	1	1	1	2	2	2
1-5 YRS	7680	1.3		<1	<1	1	2	2	2	3
6-12 YRS	11687	1.3		<1	1	1	2	2	2	3
13-19 YRS	3466	1.3		1	1	1	2	2	2	3
2. MULTIPLE DX										
0-27 DYS	5	1.8	1	1	1	1	3	3	3	3
1-11 MOS	22	2.2	5	1	1	1	2	5	8	11
1-5 YRS	9505	1.4	2	<1	1	1	2	2	2	5
6-12 YRS	8336	1.4	1	<1	1	1	2	2	2	4
13-19 YRS	1745	1.7	9	1	1	1	2	2	3	7
TOT. SINGLE DX	22855	1.3		<1	1	1	2	2	2	3
" MULTIPLE DX	19613	1.4	2	<1	1	1	2	2	2	5
TOTAL 0-27 DYS	9	1.6	1	1	1	1	2	3	3	3
1-11 MOS	40	1.8	3	1	1	1	2	3	5	11
1-5 YRS	17185	1.4	1	<1	1	1	2	2	2	4
6-12 YRS	20023	1.3	1	<1	1	1	2	2	2	3
13-19 YRS	5211	1.5	4	1	1	1	2	2	3	4
GRAND TOTAL	**42468**	**1.4**	**1**	**<1**	**1**	**1**	**2**	**2**	**2**	**4**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	10	1.7	1	<1	<1	1	2	4	5	5
1-5 YRS	428	1.2		<1	<1	1	1	2	2	2
6-12 YRS	520	1.2		<1	<1	1	1	2	2	2
13-19 YRS	95	1.3		<1	<1	1	2	2	2	3
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	42	2.1	4	<1	<1	1	2	6	8	9
1-5 YRS	1782	1.3	1	<1	<1	1	1	2	2	7
6-12 YRS	962	1.3	1	<1	<1	1	1	2	2	4
13-19 YRS	114	2.2	52	<1	<1	1	2	2	4	39
TOT. SINGLE DX	1053	1.2		<1	<1	1	1	2	2	2
" MULTIPLE DX	2901	1.3	4	<1	<1	1	1	2	2	7
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	52	2.0	4	<1	<1	1	2	5	7	9
1-5 YRS	2210	1.3	2	<1	<1	1	1	2	2	6
6-12 YRS	1482	1.3	1	<1	<1	1	1	2	2	4
13-19 YRS	209	1.8	29	<1	<1	1	2	2	2	13
GRAND TOTAL	**3954**	**1.3**	**3**	**<1**	**<1**	**1**	**1**	**2**	**2**	**5**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	7.3	32	1	1	9	11	12	12	12
1-11 MOS	31	1.8	3	<1	<1	1	2	3	8	9
1-5 YRS	322	2.0	3	<1	<1	1	2	4	6	11
6-12 YRS	414	1.9	1	<1	<1	1	2	3	5	7
13-19 YRS	797	2.4	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
0-27 DYS	6	27.5	401	9	9	21	38	60	62	62
1-11 MOS	24	3.8	19	<1	<1	2	5	17	38	99+
1-5 YRS	146	3.9	25	<1	1	2	5	9	11	27
6-12 YRS	161	2.7	5	<1	1	2	3	5	7	13
13-19 YRS	331	3.2	8	1	1	3	4	6	7	17
TOT. SINGLE DX	1567	2.2	3	<1	1	2	3	4	5	9
" MULTIPLE DX	668	3.5	20	1	1	2	4	6	10	25
TOTAL 0-27 DYS	9	20.8	361	1	4	14	30	52	62	62
1-11 MOS	55	2.7	12	<1	<1	1	3	8	14	95
1-5 YRS	468	2.6	11	<1	<1	1	3	6	8	13
6-12 YRS	575	2.1	3	<1	1	1	3	4	5	9
13-19 YRS	1128	2.6	5	1	1	2	3	5	6	11
GRAND TOTAL	**2235**	**2.6**	**9**	**<1**	**1**	**2**	**3**	**5**	**6**	**14**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	12	2.7	1	1	1	3	3	4	4	4
1-11 MOS	17	3.1	6	<1	<1	2	5	7	8	9
1-5 YRS	44	1.3		<1	<1	1	1	2	3	6
6-12 YRS	14	1.1		<1	<1	1	1	2	2	2
13-19 YRS	21	2.2	2	1	1	2	3	4	6	7
2. MULTIPLE DX										
0-27 DYS	310	3.2	3	1	2	3	4	5	6	8
1-11 MOS	12	7.3	55	<1	1	4	12	18	24	25
1-5 YRS	27	4.3	56	<1	1	2	2	12	28	30
6-12 YRS	26	4.3	41	<1	<1	2	4	15	20	28
13-19 YRS	29	3.1	5	<1	1	3	4	7	7	10
TOT. SINGLE DX	108	1.9	3	<1	<1	1	2	4	6	8
" MULTIPLE DX	404	3.4	11	1	1	3	4	5	7	22
TOTAL 0-27 DYS	322	3.2	3	1	2	3	4	5	6	8
1-11 MOS	29	4.8	30	<1	<1	4	6	12	15	25
1-5 YRS	71	2.5	24	<1	<1	1	2	3	6	30
6-12 YRS	40	3.2	29	<1	<1	1	2	5	17	28
13-19 YRS	50	2.8	4	1	1	2	4	6	7	10
GRAND TOTAL	**512**	**3.1**	**10**	**<1**	**1**	**3**	**4**	**5**	**6**	**18**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	32	2.8	6	1	1	2	2	7	9	10
1-5 YRS	182	1.6	1	<1	<1	1	2	2	3	8
6-12 YRS	122	1.4		<1	<1	1	2	2	2	3
13-19 YRS	61	1.4		<1	<1	1	2	2	3	6
2. MULTIPLE DX										
0-27 DYS	2	41.5	85	35	35	41	48	48	48	48
1-11 MOS	22	5.3	50	<1	<1	2	9	13	21	31
1-5 YRS	124	3.2	21	<1	<1	2	3	7	12	24
6-12 YRS	63	1.6	1	<1	<1	1	2	3	4	7
13-19 YRS	52	1.9	1	<1	<1	2	2	4	5	97
TOT. SINGLE DX	399	1.6	1	<1	<1	1	2	2	3	8
" MULTIPLE DX	263	3.0	28	<1	<1	1	2	6	11	38
TOTAL 0-27 DYS	4	22.3	522	3	3	19	41	48	48	48
1-11 MOS	54	3.9	25	<1	1	2	5	9	12	30
1-5 YRS	306	2.2	10	<1	<1	1	2	4	7	16
6-12 YRS	185	1.5	1	<1	<1	1	2	2	2	5
13-19 YRS	113	1.6	1	<1	<1	1	2	3	4	40
GRAND TOTAL	**662**	**2.2**	**12**	**<1**	**<1**	**1**	**2**	**3**	**6**	**18**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	2.3	1	<1	<1	3	3	3	3	3
1-5 YRS	19	1.5		<1	<1	1	2	2	3	3
6-12 YRS	8	3.9	11	<1	<1	3	6	9	10	10
13-19 YRS	8	2.4	9	<1	<1	1	2	8	10	10
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	14	5.6	91	<1	<1	2	5	14	32	37
1-5 YRS	46	4.2	45	<1	<1	2	4	9	12	44
6-12 YRS	13	5.1	43	1	1	3	5	14	23	25
13-19 YRS	9	11.9	454	<1	<1	2	12	46	67	67
TOT. SINGLE DX	38	2.2	5	<1	<1	1	2	4	9	10
" MULTIPLE DX	82	5.4	97	<1	<1	2	5	11	19	60
TOTAL 0-27 DYS										
1-11 MOS	17	5.0	76	<1	<1	2	4	11	28	37
1-5 YRS	65	3.4	33	<1	<1	2	3	7	10	40
6-12 YRS	21	4.6	31	<1	1	3	5	10	17	25
13-19 YRS	17	7.4	255	<1	<1	1	8	14	49	67
GRAND TOTAL	**120**	**4.4**	**70**	**<1**	**<1**	**2**	**4**	**9**	**13**	**51**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	13.5	13	11	11	13	16	16	16	16
1-5 YRS	2	39.0	200	29	29	39	49	49	49	49
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX	4	26.3	288	11	11	22	39	49	49	49
TOTAL 0-27 DYS										
1-11 MOS	2	13.5	13	11	11	13	16	16	16	16
1-5 YRS	2	39.0	200	29	29	39	49	49	49	49
6-12 YRS										
13-19 YRS										
GRAND TOTAL	**4**	**26.3**	**288**	**11**	**11**	**22**	**39**	**49**	**49**	**49**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	17.0		17	17	17	17	17	17	17
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
0-27 DYS	2	65.0	2178	32	32	98	99+	99+	99+	99+
1-11 MOS	10	29.4	723	2	5	18	38	74	85	85
1-5 YRS	8	26.6	517	2	6	26	77	99+	99+	99+
6-12 YRS	13	8.4	33	1	1	8	12	28	84	99+
13-19 YRS	10	30.5	411	7	9	33	62	99+	99+	99+
TOT. SINGLE DX	3	9.0	57	2	2	8	15	17	17	17
" MULTIPLE DX	43	24.4	565	2	4	19	47	99+	99+	99+
TOTAL 0-27 DYS	2	65.0	2178	32	32	98	99+	99+	99+	99+
1-11 MOS	11	28.3	665	2	6	18	38	72	84	85
1-5 YRS	9	23.9	520	2	2	22	66	99+	99+	99+
6-12 YRS	13	8.4	33	1	1	8	12	28	84	99+
13-19 YRS	11	28.5	417	7	8	28	60	99+	99+	99+
GRAND TOTAL	**46**	**23.4**	**544**	**2**	**3**	**19**	**41**	**99+**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	5	14.8	143	5	5	12	20	35	35	35
1-11 MOS	20	9.8	140	<1	<1	5	13	26	35	44
1-5 YRS	64	3.6	9	<1	1	2	6	7	10	14
6-12 YRS	32	3.8	29	<1	1	2	4	8	18	26
13-19 YRS	26	6.3	93	<1	<1	2	7	17	27	44
2. MULTIPLE DX										
0-27 DYS	36	31.2	532	6	9	33	50	99	99+	99+
1-11 MOS	74	16.4	252	1	2	15	28	99+	99+	99+
1-5 YRS	186	9.7	201	<1	1	5	12	31	66	99+
6-12 YRS	58	7.9	113	<1	<1	4	10	19	43	96
13-19 YRS	96	23.4	580	1	2	19	44	93	99+	99+
TOT. SINGLE DX	147	5.3	56	<1	<1	2	6	13	23	44
" MULTIPLE DX	450	15.2	357	<1	1	9	24	62	99+	99+
TOTAL 0-27 DYS	41	29.2	510	5	8	25	49	99	99+	99+
1-11 MOS	94	15.0	234	1	2	12	25	65	99+	99+
1-5 YRS	250	8.1	159	<1	1	4	9	23	44	99+
6-12 YRS	90	6.5	87	<1	1	3	8	18	26	82
13-19 YRS	122	19.8	524	1	1	13	36	79	99+	99+
GRAND TOTAL	**597**	**12.8**	**301**	**<1**	**1**	**6**	**19**	**49**	**94**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	3	10.3	234	1	1	2	21	28	28	28
1-5 YRS	13	2.8	3	<1	1	2	4	5	7	8
6-12 YRS	10	3.6	4	1	1	3	5	6	7	7
13-19 YRS	25	6.0	17	<1	1	6	9	11	13	17
2. MULTIPLE DX										
0-27 DYS	1	16.0		16	16	58	99+	99+	99+	99+
1-11 MOS	18	13.2	62	1	2	13	19	23	26	27
1-5 YRS	25	8.8	63	1	2	6	12	21	27	31
6-12 YRS	11	6.0	17	1	1	4	9	12	15	15
13-19 YRS	75	8.1	22	2	2	8	11	15	18	21
TOT. SINGLE DX	53	4.9	22	<1	1	4	7	10	12	28
" MULTIPLE DX	130	8.8	38	1	2	8	12	18	22	44
TOTAL 0-27 DYS	3	7.7	54	2	2	10	58	99+	99+	99+
1-11 MOS	21	12.8	78	1	1	13	20	25	27	28
1-5 YRS	38	6.8	50	1	1	4	8	17	24	31
6-12 YRS	21	4.9	12	1	1	4	7	9	12	15
13-19 YRS	100	7.6	22	1	2	7	10	14	17	20
GRAND TOTAL	**183**	**7.7**	**37**	**1**	**2**	**7**	**10**	**17**	**21**	**30**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS	1	18.0		18	18	18	18	18	18	18
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS	1	24.0		24	24	24	24	24	24	24
TOT. SINGLE DX										
" MULTIPLE DX	3	15.0	117	3	3	18	22	24	24	24
TOTAL 0-27 DYS	1	18.0		18	18	18	18	18	18	18
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS	1	24.0		24	24	24	24	24	24	24
GRAND TOTAL	**3**	**15.0**	**117**	**3**	**3**	**18**	**22**	**24**	**24**	**24**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	5	8.8	15	3	3	10	11	13	13	13
1-5 YRS	9	7.4	8	4	4	8	10	11	11	11
6-12 YRS	10	8.4	20	1	2	8	10	15	17	17
13-19 YRS	58	9.4	26	4	5	8	11	15	17	32
2. MULTIPLE DX										
0-27 DYS	8	36.9	1057	2	3	46	77	93	99+	99+
1-11 MOS	13	24.5	611	3	4	16	43	85	97	99+
1-5 YRS	50	12.5	150	4	4	8	14	28	53	99+
6-12 YRS	40	12.8	129	3	4	9	16	25	35	61
13-19 YRS	151	12.8	80	5	5	10	15	26	33	44
TOT. SINGLE DX	83	9.0	23	3	4	8	11	14	16	30
" MULTIPLE DX	262	14.1	173	4	5	10	16	32	44	97
TOTAL 0-27 DYS	9	33.6	1024	2	3	30	76	91	99+	99+
1-11 MOS	18	20.1	487	3	4	13	36	73	92	99+
1-5 YRS	59	11.7	131	4	4	8	13	25	48	96
6-12 YRS	50	11.9	110	2	4	9	15	21	34	61
13-19 YRS	209	11.9	68	5	5	9	14	24	32	40
GRAND TOTAL	**345**	**12.8**	**141**	**4**	**5**	**9**	**14**	**26**	**38**	**83**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	11.0	36	6	6	8	17	18	18	18
1-5 YRS	3	8.3		8	8	8	9	9	9	9
6-12 YRS	5	7.6	10	5	5	7	9	13	13	13
13-19 YRS	6	9.3	9	6	6	9	10	14	15	15
2. MULTIPLE DX										
0-27 DYS	5	38.8	1233	6	6	21	73	83	83	83
1-11 MOS	9	14.9	26	6	7	16	19	21	21	21
1-5 YRS	11	14.2	133	5	6	9	16	36	37	37
6-12 YRS	10	15.7	92	8	8	10	27	30	31	31
13-19 YRS	25	15.0	171	6	6	10	19	26	40	68
TOT. SINGLE DX	19	9.2	15	5	6	8	10	16	18	18
" MULTIPLE DX	60	17.0	238	6	6	11	20	31	52	82
TOTAL 0-27 DYS	5	38.8	1234	6	6	21	73	83	83	83
1-11 MOS	14	13.5	31	6	6	15	18	20	21	21
1-5 YRS	14	12.9	109	5	6	9	15	36	37	37
6-12 YRS	15	13.0	78	5	6	9	14	30	31	31
13-19 YRS	31	13.9	144	6	6	9	18	23	31	68
GRAND TOTAL	**79**	**15.1**	**195**	**6**	**6**	**10**	**18**	**29**	**37**	**79**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	11	2.5	1	1	1	2	3	4	6	6
1-11 MOS	156	2.9	8	<1	<1	2	3	8	9	14
1-5 YRS	374	2.1	5	<1	<1	1	2	4	7	14
6-12 YRS	98	3.6	22	<1	<1	2	4	9	14	25
13-19 YRS	77	4.2	23	<1	1	2	5	10	17	23
2. MULTIPLE DX										
0-27 DYS	28	13.1	267	2	2	9	26	99+	99+	99+
1-11 MOS	256	9.9	161	1	1	5	13	21	36	72
1-5 YRS	434	7.1	88	1	1	4	9	15	21	60
6-12 YRS	142	7.6	65	1	1	5	11	18	25	99+
13-19 YRS	171	12.0	194	1	2	8	15	28	52	99+
TOT. SINGLE DX	716	2.7	11	<1	<1	1	3	7	9	18
" MULTIPLE DX	1031	8.8	129	1	1	5	12	20	30	88
TOTAL 0-27 DYS	39	10.1	214	1	2	5	17	78	99+	99+
1-11 MOS	412	7.2	115	<1	1	3	9	17	23	58
1-5 YRS	808	4.8	56	<1	1	2	5	12	16	31
6-12 YRS	240	5.9	52	<1	1	3	8	16	23	62
13-19 YRS	248	9.6	154	1	1	6	12	22	32	99+
GRAND TOTAL	**1747**	**6.3**	**90**	**<1**	**1**	**3**	**8**	**15**	**22**	**68**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	3	9.7	116	2	2	5	18	22	22	22
1-5 YRS	9	1.8	2	1	1	1	2	4	5	5
6-12 YRS	2	10.5	5	9	9	10	12	12	12	12
13-19 YRS	40	6.3	48	1	2	4	7	12	14	44
2. MULTIPLE DX										
0-27 DYS	22	15.2	426	3	4	6	10	61	64	65
1-11 MOS	3	7.7	52	3	3	4	13	16	16	16
1-5 YRS	11	9.8	44	1	2	10	12	18	25	26
6-12 YRS	15	10.0	45	2	3	8	16	19	21	21
13-19 YRS	44	10.6	128	2	3	8	14	18	23	73
TOT. SINGLE DX	55	5.9	45	1	1	4	7	12	14	43
" MULTIPLE DX	95	11.4	172	2	3	7	13	20	35	69
TOTAL 0-27 DYS	23	14.8	410	3	4	7	9	61	64	65
1-11 MOS	6	8.7	69	2	2	4	16	21	22	22
1-5 YRS	20	6.2	41	1	1	4	10	13	19	26
6-12 YRS	17	10.1	40	2	3	8	15	19	20	21
13-19 YRS	84	8.5	95	2	2	5	10	16	20	63
GRAND TOTAL	**150**	**9.4**	**132**	**1**	**2**	**6**	**12**	**17**	**26**	**65**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	4	7.5	11	4	4	7	10	12	12	12
1-11 MOS	8	20.3	192	3	4	19	28	42	45	45
1-5 YRS	24	6.5	22	1	1	5	10	13	16	18
6-12 YRS	24	6.0	22	<1	<1	4	9	13	15	18
13-19 YRS	496	5.2	12	2	2	4	6	9	12	19
2. MULTIPLE DX										
0-27 DYS	322	21.3	510	2	4	12	32	69	87	99+
1-11 MOS	26	11.8	66	2	3	9	18	26	28	29
1-5 YRS	93	13.9	146	2	4	9	20	31	44	83
6-12 YRS	102	9.4	34	2	3	8	13	17	21	28
13-19 YRS	548	9.6	102	2	3	7	11	19	25	53
TOT. SINGLE DX	556	5.5	19	1	2	4	7	10	13	23
" MULTIPLE DX	1091	13.4	246	2	3	8	15	32	57	99+
TOTAL 0-27 DYS	326	21.1	507	2	4	12	32	69	87	99+
1-11 MOS	34	13.8	104	2	3	10	19	28	33	45
1-5 YRS	117	12.4	130	1	3	9	17	28	38	74
6-12 YRS	126	8.7	34	1	3	7	12	16	20	27
13-19 YRS	1044	7.5	64	2	3	5	8	14	20	43
GRAND TOTAL	**1647**	**10.8**	**183**	**2**	**3**	**6**	**12**	**23**	**43**	**92**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	6.5	25	3	3	6	10	10	10	10
1-11 MOS	18	4.7	10	<1	<1	4	7	9	11	13
1-5 YRS	197	5.0	5	1	1	5	6	7	8	14
6-12 YRS	165	5.5	4	1	2	6	7	8	9	11
13-19 YRS	254	6.1	11	1	2	6	7	9	12	19
2. MULTIPLE DX										
0-27 DYS	5	10.2	51	4	4	6	17	19	19	19
1-11 MOS	15	14.5	89	4	6	15	16	25	37	41
1-5 YRS	64	7.8	34	2	3	6	8	18	21	29
6-12 YRS	69	8.2	32	1	3	6	11	17	21	25
13-19 YRS	176	10.6	93	2	3	8	13	20	28	51
TOT. SINGLE DX	636	5.6	8	1	2	6	7	8	10	18
" MULTIPLE DX	329	9.7	70	2	3	7	12	19	25	39
TOTAL 0-27 DYS	7	9.1	42	3	3	6	15	19	19	19
1-11 MOS	33	9.2	69	<1	2	7	14	17	25	41
1-5 YRS	261	5.7	14	1	2	5	7	8	12	24
6-12 YRS	234	6.3	14	1	3	6	7	10	14	22
13-19 YRS	430	7.9	50	2	3	6	9	15	19	34
GRAND TOTAL	**965**	**7.0**	**33**	**1**	**2**	**6**	**7**	**12**	**17**	**29**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	5	7.8	14	2	2	10	10	11	11	11
1-11 MOS	88	11.7	120	6	7	9	11	18	23	80
1-5 YRS	374	7.5	10	4	4	7	9	10	12	21
6-12 YRS	125	7.4	10	4	4	7	8	11	13	20
13-19 YRS	66	7.9	12	2	5	8	9	12	14	22
2. MULTIPLE DX										
0-27 DYS	55	15.0	248	4	4	12	16	31	59	99+
1-11 MOS	486	14.7	127	6	7	11	17	30	42	99+
1-5 YRS	892	11.3	75	5	6	9	12	19	27	59
6-12 YRS	297	12.4	131	5	6	9	13	20	30	70
13-19 YRS	155	12.9	80	6	7	9	15	24	34	47
TOT. SINGLE DX	658	8.1	27	4	5	7	9	11	14	24
" MULTIPLE DX	1885	12.6	105	5	6	9	14	22	34	84
TOTAL 0-27 DYS	60	14.4	233	3	4	11	15	29	53	99+
1-11 MOS	574	14.2	128	6	7	11	16	28	41	99+
1-5 YRS	1266	10.2	59	4	5	8	11	16	23	51
6-12 YRS	422	10.9	100	4	5	8	11	18	24	64
13-19 YRS	221	11.4	65	5	6	9	13	21	27	47
GRAND TOTAL	**2543**	**11.4**	**89**	**5**	**6**	**9**	**12**	**19**	**28**	**77**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	12.0		12	12	12	12	12	12	12
13-19 YRS	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
0-27 DYS	1	25.0		25	25	25	25	25	25	25
1-11 MOS	11	18.8	265	9	9	11	15	51	53	53
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	2	10.5	5	9	9	10	12	12	12	12
13-19 YRS	1	6.0		6	6	6	6	6	6	6
TOT. SINGLE DX	2	10.5	5	9	9	10	12	12	12	12
" MULTIPLE DX	16	16.8	202	7	9	11	15	47	52	53
TOTAL 0-27 DYS	1	25.0		25	25	25	25	25	25	25
1-11 MOS	11	18.8	265	9	9	11	15	51	53	53
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	3	11.0	3	9	9	12	12	12	12	12
13-19 YRS	2	7.5	5	6	6	7	9	9	9	9
GRAND TOTAL	**18**	**16.1**	**182**	**7**	**9**	**11**	**13**	**42**	**52**	**53**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	20	4.5	14	<1	<1	3	6	11	12	12
1-11 MOS	264	1.9	2	<1	1	1	2	3	5	9
1-5 YRS	703	1.6		<1	1	2	2	2	2	5
6-12 YRS	320	1.8	1	<1	1	2	2	2	3	8
13-19 YRS	229	2.1	2	<1	1	2	2	3	5	9
2. MULTIPLE DX										
0-27 DYS	133	7.1	62	1	1	5	9	16	25	58
1-11 MOS	931	3.5	29	1	1	2	3	8	12	26
1-5 YRS	1420	2.0	6	<1	1	2	2	3	5	13
6-12 YRS	515	2.1	8	<1	1	2	2	3	5	13
13-19 YRS	397	2.8	10	1	1	2	2	6	8	18
TOT. SINGLE DX	1536	1.8	2	<1	1	2	2	2	4	9
" MULTIPLE DX	3396	2.7	17	1	1	2	2	5	9	20
TOTAL 0-27 DYS	153	6.7	57	1	1	4	9	16	19	50
1-11 MOS	1195	3.2	24	1	1	2	2	7	10	24
1-5 YRS	2123	1.9	5	<1	1	2	2	2	4	10
6-12 YRS	835	2.0	6	<1	1	2	2	2	4	12
13-19 YRS	626	2.5	8	<1	1	2	2	5	7	15
GRAND TOTAL	**4932**	**2.5**	**12**	**<1**	**1**	**2**	**2**	**4**	**7**	**17**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	2	6.0	2	5	5	6	7	7	7	7
1-5 YRS	15	4.9	4	2	2	5	6	7	9	10
6-12 YRS	19	2.8	4	1	1	2	4	6	8	9
13-19 YRS	23	2.7	2	1	1	2	4	5	5	5
2. MULTIPLE DX										
0-27 DYS	5	15.0	223	2	2	11	22	40	40	40
1-11 MOS	27	12.0	114	3	3	10	13	26	40	48
1-5 YRS	43	8.1	70	1	1	7	10	13	26	42
6-12 YRS	48	5.0	12	1	2	4	6	8	12	20
13-19 YRS	72	5.2	27	2	2	4	6	9	14	86
TOT. SINGLE DX	60	3.4	4	1	1	3	5	6	7	10
" MULTIPLE DX	195	7.0	56	1	2	5	8	12	19	45
TOTAL 0-27 DYS	6	13.3	195	2	2	8	16	38	40	40
1-11 MOS	29	11.6	109	3	4	9	12	24	39	48
1-5 YRS	58	7.3	55	1	1	6	9	12	16	42
6-12 YRS	67	4.4	11	1	1	4	6	7	10	19
13-19 YRS	95	4.6	23	1	2	4	5	8	12	72
GRAND TOTAL	**255**	**6.1**	**46**	**1**	**2**	**4**	**7**	**11**	**17**	**42**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	11	5.7	11	2	2	6	8	11	11	11
1-5 YRS	36	5.4	11	1	1	6	7	8	12	15
6-12 YRS	28	5.8	15	1	2	6	8	9	15	17
13-19 YRS	22	6.8	16	2	2	7	9	13	14	15
2. MULTIPLE DX										
0-27 DYS	11	12.1	196	3	4	8	14	67	95	99+
1-11 MOS	44	10.2	60	2	2	9	15	20	28	34
1-5 YRS	65	10.5	152	1	1	8	11	25	37	63
6-12 YRS	45	7.5	30	2	2	6	10	17	19	25
13-19 YRS	81	11.0	166	2	2	8	12	24	30	96
TOT. SINGLE DX	97	5.9	14	1	2	6	8	11	14	16
" MULTIPLE DX	246	10.1	120	2	2	8	12	22	29	88
TOTAL 0-27 DYS	11	12.1	197	3	4	8	14	67	95	99+
1-11 MOS	55	9.3	54	2	2	8	11	18	26	34
1-5 YRS	101	8.7	108	1	1	7	9	16	27	62
6-12 YRS	73	6.8	25	2	2	6	9	14	18	24
13-19 YRS	103	10.1	137	2	2	7	12	21	27	94
GRAND TOTAL	**343**	**8.9**	**94**	**1**	**2**	**7**	**10**	**18**	**26**	**70**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	164	2.7	1	1	2	3	3	4	5	6
1-11 MOS	189	3.0	32	<1	<1	2	3	6	9	12
1-5 YRS	442	2.6	6	<1	<1	2	3	6	8	12
6-12 YRS	142	2.6	14	<1	<1	1	2	5	8	29
13-19 YRS	127	3.0	10	<1	<1	2	3	6	10	18
2. MULTIPLE DX										
0-27 DYS	1544	4.6	57	2	2	3	4	7	10	61
1-11 MOS	295	8.2	132	<1	1	4	10	20	33	91
1-5 YRS	635	5.3	35	<1	1	3	7	11	15	41
6-12 YRS	190	5.8	72	<1	1	3	7	13	20	67
13-19 YRS	218	7.8	79	1	2	6	10	15	19	59
TOT. SINGLE DX	1064	2.7	12	<1	<1	2	3	6	8	13
" MULTIPLE DX	2882	5.4	65	1	1	3	6	11	16	62
TOTAL 0-27 DYS	1708	4.4	53	2	2	3	4	6	9	50
1-11 MOS	484	6.2	100	<1	<1	3	7	15	24	72
1-5 YRS	1077	4.2	25	<1	<1	2	5	10	13	29
6-12 YRS	332	4.4	50	<1	<1	2	5	10	16	42
13-19 YRS	345	6.0	59	<1	1	4	8	13	18	40
GRAND TOTAL	**3946**	**4.7**	**52**	**<1**	**1**	**3**	**5**	**9**	**14**	**47**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	67	2.5	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	15	4.1	5	2	2	4	5	6	10	11
TOT. SINGLE DX	69	2.5	2	<1	1	2	3	4	5	8
" MULTIPLE DX	20	3.8	5	2	2	3	5	6	8	11
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	3.0		3	3	3	3	3	3	3
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	3	2.0		2	2	2	2	2	2	2
13-19 YRS	82	2.8	3	<1	1	2	4	5	6	10
GRAND TOTAL	**89**	**2.8**	**3**	**<1**	**1**	**2**	**4**	**5**	**5**	**10**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	7	9.4	10	7	7	7	12	14	15	15
1-11 MOS	30	8.4	9	4	5	8	10	12	15	16
1-5 YRS	18	8.2	10	4	5	8	9	13	16	17
6-12 YRS	9	10.6	86	2	2	7	18	25	28	28
13-19 YRS	24	5.3	17	1	1	3	8	12	13	14
2. MULTIPLE DX										
0-27 DYS	43	16.4	139	6	7	12	23	31	37	64
1-11 MOS	95	12.5	89	5	6	10	14	25	36	83
1-5 YRS	121	10.5	66	5	5	9	10	17	27	52
6-12 YRS	54	14.1	162	5	6	10	13	28	42	64
13-19 YRS	118	11.1	115	1	2	8	16	26	40	99+
TOT. SINGLE DX	88	7.8	21	2	2	7	10	14	16	25
" MULTIPLE DX	431	12.2	106	3	4	9	14	25	37	71
TOTAL 0-27 DYS	50	15.5	127	6	7	12	20	29	37	64
1-11 MOS	125	11.5	73	5	6	9	13	20	31	73
1-5 YRS	139	10.2	60	5	5	9	10	16	24	49
6-12 YRS	63	13.6	152	2	5	10	14	28	40	64
13-19 YRS	142	10.1	104	1	2	8	14	25	38	99+
GRAND TOTAL	**519**	**11.4**	**95**	**2**	**3**	**9**	**13**	**24**	**32**	**65**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	7.0	8	5	5	7	9	9	9	9
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	1	20.0		20	20	20	20	20	20	20
1-5 YRS	5	23.0	645	7	7	12	30	68	68	68
6-12 YRS	1	14.0		14	14	14	14	14	14	14
13-19 YRS	1	5.0		5	5	5	5	5	5	5
TOT. SINGLE DX	3	7.0	4	5	5	7	8	9	9	9
" MULTIPLE DX	9	18.4	366	5	6	12	18	49	68	68
TOTAL 0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	1	20.0		20	20	20	20	20	20	20
1-5 YRS	7	18.4	493	5	5	11	16	58	68	68
6-12 YRS	2	10.5	25	7	7	10	14	14	14	14
13-19 YRS	1	5.0		5	5	5	5	5	5	5
GRAND TOTAL	**12**	**15.6**	**294**	**5**	**5**	**11**	**15**	**34**	**63**	**68**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	5	3.2	15	<1	<1	1	5	10	10	10
2. MULTIPLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	3	8.0	16	4	4	8	11	12	12	12
1-5 YRS	12	8.3	105	1	2	5	8	23	36	38
6-12 YRS	21	7.1	99	1	1	2	6	22	33	40
13-19 YRS	163	6.2	115	1	1	4	6	10	14	76
TOT. SINGLE DX	7	3.1	10	<1	<1	2	4	9	10	10
" MULTIPLE DX	200	6.5	110	1	1	4	7	12	18	75
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	3	8.0	16	4	4	8	11	12	12	12
1-5 YRS	12	8.3	106	1	2	5	8	23	36	38
6-12 YRS	23	6.7	92	1	1	2	6	20	32	40
13-19 YRS	168	6.1	112	1	1	4	6	10	14	76
GRAND TOTAL	**207**	**6.4**	**107**	**1**	**1**	**4**	**7**	**11**	**18**	**75**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	129	9.5	136	1	1	5	11	24	32	86
1-11 MOS	210	7.4	28	2	3	7	9	12	16	26
1-5 YRS	330	5.7	15	1	2	5	7	9	12	19
6-12 YRS	154	5.0	20	1	1	4	7	9	12	23
13-19 YRS	227	5.2	21	1	1	4	7	10	13	24
2. MULTIPLE DX										
0-27 DYS	6450	21.1	470	2	3	12	32	63	85	99+
1-11 MOS	585	12.1	151	2	3	9	15	25	34	90
1-5 YRS	656	10.4	140	2	2	7	12	21	34	94
6-12 YRS	286	8.5	83	1	1	6	10	19	25	41
13-19 YRS	630	9.4	136	1	1	6	11	22	35	65
TOT. SINGLE DX	1050	6.3	37	1	1	5	8	11	15	32
" MULTIPLE DX	8607	18.4	408	1	3	10	26	55	78	99+
TOTAL 0-27 DYS	6579	20.9	466	2	3	12	31	62	85	99+
1-11 MOS	795	10.9	123	2	3	8	12	21	31	80
1-5 YRS	986	8.9	103	1	2	6	10	17	27	78
6-12 YRS	440	7.3	64	1	1	6	9	15	22	40
13-19 YRS	857	8.3	110	1	1	5	10	19	27	61
GRAND TOTAL	**9657**	**17.1**	**382**	**1**	**2**	**9**	**23**	**52**	**74**	**99+**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	7	3.0	6	1	1	2	4	7	8	8
1-11 MOS	84	3.7	9	<1	<1	3	5	6	10	16
1-5 YRS	295	3.0	10	<1	<1	2	4	7	9	18
6-12 YRS	289	2.7	6	<1	<1	2	3	7	8	12
13-19 YRS	476	2.7	6	<1	<1	2	3	6	8	13
2. MULTIPLE DX										
0-27 DYS	7	27.4	1256	2	2	11	61	80	81	81
1-11 MOS	53	8.3	61	1	2	5	11	19	22	41
1-5 YRS	198	4.9	31	<1	1	4	7	10	13	32
6-12 YRS	174	5.1	43	<1	1	3	7	11	16	30
13-19 YRS	270	5.9	42	<1	1	4	8	13	18	37
TOT. SINGLE DX	1151	2.9	8	<1	<1	2	4	6	9	13
" MULTIPLE DX	702	5.8	56	<1	1	4	7	12	18	39
TOTAL 0-27 DYS	14	15.2	743	1	1	4	11	77	80	81
1-11 MOS	137	5.4	34	<1	1	3	6	12	17	28
1-5 YRS	493	3.8	20	<1	<1	2	5	8	11	24
6-12 YRS	463	3.6	22	<1	<1	2	4	8	11	23
13-19 YRS	746	3.9	22	<1	<1	2	5	9	12	23
GRAND TOTAL	**1853**	**4.0**	**28**	**<1**	**<1**	**2**	**5**	**9**	**12**	**25**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	2.5	5	<1	<1	2	4	4	4	4
1-5 YRS	14	3.3	5	1	1	3	5	6	8	8
6-12 YRS	6	4.3	27	2	2	2	3	14	15	15
13-19 YRS	26	4.0	10	<1	1	2	7	9	11	11
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	16.0		16	16	16	16	16	16	16
1-5 YRS	17	6.1	26	<1	1	4	10	14	16	17
6-12 YRS	10	3.8	10	2	2	2	4	9	12	12
13-19 YRS	24	5.6	11	1	2	5	9	9	11	13
TOT. SINGLE DX	49	3.7	10	<1	1	2	5	9	11	15
" MULTIPLE DX	52	5.6	18	1	2	4	9	12	14	17
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	7.0	63	<1	<1	4	13	16	16	16
1-5 YRS	31	4.8	18	1	1	4	6	12	14	17
6-12 YRS	16	4.0	15	2	2	2	4	11	14	15
13-19 YRS	50	4.7	11	1	1	4	8	9	11	13
GRAND TOTAL	**101**	**4.7**	**15**	**1**	**1**	**3**	**7**	**10**	**13**	**16**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	33.0		33	33	33	33	33	33	33
1-5 YRS	2	15.0	338	2	2	15	28	28	28	28
6-12 YRS										
13-19 YRS	1	19.0		19	19	19	19	19	19	19
TOT. SINGLE DX	2	5.5	13	3	3	5	8	8	8	8
" MULTIPLE DX	4	20.5	186	2	2	23	30	33	33	33
TOTAL 0-27 DYS										
1-11 MOS	1	33.0		33	33	33	33	33	33	33
1-5 YRS	3	12.7	185	2	2	8	23	28	28	28
6-12 YRS										
13-19 YRS	2	11.0	128	3	3	11	19	19	19	19
GRAND TOTAL	**6**	**15.5**	**174**	**2**	**2**	**13**	**28**	**32**	**33**	**33**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	2	32.0	18	29	29	32	35	35	35	35
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	69.0	8	67	67	85	99+	99+	99+	99+
1-5 YRS	13	56.5	453	33	35	53	64	97	99	99
6-12 YRS	11	55.8	397	25	29	66	74	77	79	79
13-19 YRS	9	46.1	466	25	27	38	71	92	99+	99+
TOT. SINGLE DX	4	17.0	307	1	1	16	32	35	35	35
" MULTIPLE DX	35	54.3	420	27	30	57	71	98	99+	99+
TOTAL 0-27 DYS										
1-11 MOS	3	47.0	1456	3	3	71	99+	99+	99+	99+
1-5 YRS	14	52.6	638	7	30	51	62	97	99	99
6-12 YRS	11	55.8	397	25	29	66	74	77	79	79
13-19 YRS	11	43.5	408	25	28	35	68	89	98	99+
GRAND TOTAL	**39**	**50.5**	**532**	**16**	**28**	**51**	**71**	**98**	**99+**	**99+**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	5	7.8	31	2	2	5	12	16	16	16
1-11 MOS	64	5.3	21	1	1	4	6	11	15	24
1-5 YRS	370	4.9	19	1	1	4	6	10	14	22
6-12 YRS	350	5.6	18	1	1	5	7	10	12	25
13-19 YRS	448	6.2	29	1	2	5	7	10	13	24
2. MULTIPLE DX										
0-27 DYS	18	19.0	321	2	3	13	29	51	57	59
1-11 MOS	112	7.6	49	1	2	5	10	17	22	36
1-5 YRS	486	8.3	73	1	2	6	10	18	23	44
6-12 YRS	431	9.5	102	1	2	6	10	21	29	57
13-19 YRS	1029	10.4	111	2	3	7	11	21	33	59
TOT. SINGLE DX	1237	5.6	23	1	1	5	7	10	13	24
" MULTIPLE DX	2076	9.6	101	2	2	7	11	20	30	56
TOTAL 0-27 DYS	23	16.6	276	2	3	11	21	46	56	59
1-11 MOS	176	6.8	40	1	2	5	8	15	22	32
1-5 YRS	856	6.8	53	1	1	5	8	15	21	39
6-12 YRS	781	7.7	69	1	2	6	9	14	23	47
13-19 YRS	1477	9.1	90	2	3	6	10	17	27	56
GRAND TOTAL	**3313**	**8.1**	**76**	**1**	**2**	**6**	**9**	**16**	**23**	**52**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	16	5.0	4	3	3	4	6	9	9	9
1-11 MOS	46	9.1	168	1	2	5	9	22	35	77
1-5 YRS	104	8.2	95	1	1	5	10	20	26	52
6-12 YRS	68	6.1	36	1	1	4	9	14	18	28
13-19 YRS	111	9.6	130	1	1	5	13	29	39	52
2. MULTIPLE DX										
0-27 DYS	333	20.1	474	2	3	12	29	69	92	99+
1-11 MOS	206	19.2	332	2	3	14	29	54	70	99+
1-5 YRS	329	13.3	214	1	2	9	16	37	52	99+
6-12 YRS	211	13.9	202	1	2	9	21	33	39	99
13-19 YRS	320	14.3	232	2	2	10	19	37	48	99+
TOT. SINGLE DX	345	8.2	102	1	1	5	10	19	29	48
" MULTIPLE DX	1399	16.1	304	1	2	10	22	45	67	99+
TOTAL 0-27 DYS	349	19.4	463	2	3	11	28	68	88	99+
1-11 MOS	252	17.4	317	2	3	11	26	50	68	99+
1-5 YRS	433	12.1	191	1	2	7	15	31	48	76
6-12 YRS	279	12.0	173	1	2	8	17	30	37	90
13-19 YRS	431	13.1	210	1	2	9	16	35	44	99
GRAND TOTAL	**1744**	**14.5**	**274**	**1**	**2**	**9**	**19**	**40**	**62**	**99+**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	12.7	102	<1	<1	18	19	19	19	19
1-11 MOS	64	3.8	21	<1	<1	2	4	8	14	26
1-5 YRS	102	3.1	30	<1	<1	1	2	6	9	36
6-12 YRS	60	2.1	5	<1	<1	1	2	4	9	11
13-19 YRS	75	3.1	10	<1	<1	2	3	8	11	15
2. MULTIPLE DX										
0-27 DYS	14	20.5	368	4	9	18	41	99+	99+	99+
1-11 MOS	81	12.2	219	1	2	8	15	35	60	99+
1-5 YRS	174	7.7	144	<1	<1	2	10	21	32	78
6-12 YRS	128	5.4	58	1	1	2	6	12	18	50
13-19 YRS	173	7.4	117	1	1	4	9	15	28	68
TOT. SINGLE DX	304	3.1	20	<1	<1	2	3	7	10	24
" MULTIPLE DX	570	8.0	140	<1	1	3	10	21	34	95
TOTAL 0-27 DYS	17	19.1	321	<1	5	18	27	99+	99+	99+
1-11 MOS	145	8.5	149	<1	1	4	10	24	38	99+
1-5 YRS	276	6.0	107	<1	<1	2	6	17	26	64
6-12 YRS	188	4.3	43	<1	<1	2	4	10	14	43
13-19 YRS	248	6.1	89	<1	1	3	7	13	21	67
GRAND TOTAL	**874**	**6.3**	**103**	**<1**	**<1**	**2**	**7**	**16**	**27**	**68**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	589	3.5	2	2	2	3	4	6	6	10
1-11 MOS	1336	3.3	2	2	2	3	4	5	6	8
1-5 YRS	128	3.8	2	2	2	4	5	6	7	11
6-12 YRS	7	5.0	1	4	4	5	6	7	7	7
13-19 YRS	11	5.4	1	3	4	5	6	7	7	7
2. MULTIPLE DX										
0-27 DYS	166	4.8	32	2	2	4	5	6	8	34
1-11 MOS	430	4.5	8	2	2	4	5	7	10	13
1-5 YRS	47	7.4	32	3	3	5	9	15	17	32
6-12 YRS	6	7.7	7	3	3	8	9	11	11	11
13-19 YRS	4	38.0	1678	12	12	20	61	99	99	99+
TOT. SINGLE DX	2071	3.4	2	2	2	3	4	5	6	9
" MULTIPLE DX	653	5.0	31	2	2	4	5	8	10	24
TOTAL 0-27 DYS	755	3.8	10	2	2	3	4	6	7	11
1-11 MOS	1766	3.6	4	2	2	3	4	5	7	10
1-5 YRS	175	4.7	13	2	2	4	5	7	10	21
6-12 YRS	13	6.2	6	3	4	6	8	10	11	11
13-19 YRS	15	14.1	584	3	4	6	11	24	80	99
GRAND TOTAL	**2724**	**3.8**	**10**	**2**	**2**	**3**	**4**	**6**	**7**	**12**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	15.0	8	13	13	15	17	17	17	17
1-11 MOS	5	14.6	176	1	1	16	27	28	28	28
1-5 YRS	11	12.7	211	1	2	7	15	37	49	50
6-12 YRS	5	10.6	96	<1	<1	7	17	26	26	26
13-19 YRS	7	5.7	4	2	3	6	7	9	9	9
2. MULTIPLE DX										
0-27 DYS	15	40.3	867	2	9	41	91	99+	99+	99+
1-11 MOS	61	18.3	283	2	3	15	23	45	90	99+
1-5 YRS	115	15.7	216	3	4	11	21	40	66	99+
6-12 YRS	59	15.9	274	3	3	11	20	36	61	72
13-19 YRS	67	22.1	514	3	4	13	26	59	84	97
TOT. SINGLE DX	30	11.2	123	1	1	7	16	27	28	50
" MULTIPLE DX	317	18.8	357	3	4	13	24	55	84	99+
TOTAL 0-27 DYS	17	37.3	830	3	9	33	83	99+	99+	99+
1-11 MOS	66	18.1	274	1	3	15	23	43	87	99+
1-5 YRS	126	15.5	215	3	4	11	21	40	63	99+
6-12 YRS	64	15.5	261	3	3	10	20	35	60	71
13-19 YRS	74	20.5	489	3	4	13	23	52	83	96
GRAND TOTAL	**347**	**18.1**	**341**	**2**	**4**	**13**	**23**	**49**	**80**	**99+**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	2.7	8	<1	<1	1	5	6	6	6
1-5 YRS	8	5.5	33	<1	<1	3	10	15	15	15
6-12 YRS	8	5.9	20	1	1	5	6	13	16	16
13-19 YRS	40	6.0	35	<1	1	4	7	12	23	25
2. MULTIPLE DX										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	10	9.4	141	2	2	6	10	26	42	42
1-5 YRS	7	4.3	20	<1	<1	2	6	12	13	13
6-12 YRS	18	4.8	20	1	1	4	6	8	16	21
13-19 YRS	108	6.3	32	2	2	5	7	11	21	30
TOT. SINGLE DX	59	5.7	31	<1	<1	4	7	14	19	25
" MULTIPLE DX	144	6.3	38	1	2	5	7	11	21	35
TOTAL 0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	13	7.8	116	<1	1	5	9	17	37	42
1-5 YRS	15	4.9	26	<1	<1	3	7	14	15	15
6-12 YRS	26	5.1	20	1	1	4	6	8	17	21
13-19 YRS	148	6.2	33	1	2	4	7	11	22	27
GRAND TOTAL	**203**	**6.1**	**36**	**1**	**2**	**4**	**7**	**11**	**21**	**31**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS										
6-12 YRS										
13-19 YRS	6	8.5	3	7	7	8	10	11	11	11
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	11.0	98	4	4	11	18	18	18	18
1-5 YRS	4	15.5	280	3	3	9	26	40	40	40
6-12 YRS	3	13.0	7	10	10	14	15	15	15	15
13-19 YRS	19	23.9	433	6	7	13	34	56	69	78
TOT. SINGLE DX	7	8.3	3	7	7	7	10	11	11	11
" MULTIPLE DX	28	20.6	349	4	6	13	24	51	60	78
TOTAL 0-27 DYS										
1-11 MOS	3	9.7	54	4	4	7	15	18	18	18
1-5 YRS	4	15.5	280	3	3	9	26	40	40	40
6-12 YRS	3	13.0	7	10	10	14	15	15	15	15
13-19 YRS	25	20.2	371	6	7	11	24	54	63	78
GRAND TOTAL	**35**	**18.1**	**303**	**4**	**7**	**11**	**22**	**45**	**57**	**78**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS	2	25.0	162	16	16	25	34	34	34	34
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX	2	25.0	162	16	16	25	34	34	34	34
TOTAL 0-27 DYS	2	25.0	162	16	16	25	34	34	34	34
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL	**2**	**25.0**	**162**	**16**	**16**	**25**	**34**	**34**	**34**	**34**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	9.0	2	8	8	9	10	10	10	10
13-19 YRS	4	8.0	8	4	4	9	10	10	10	10
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	15.7	154	8	8	9	25	30	30	30
1-5 YRS	1	13.0		13	13	13	13	13	13	13
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	8	23.8	924	7	7	11	23	76	97	97
TOT. SINGLE DX	6	8.3	5	4	4	9	10	10	10	10
" MULTIPLE DX	13	19.9	593	7	8	11	22	43	87	97
TOTAL 0-27 DYS										
1-11 MOS	3	15.7	154	8	8	9	25	30	30	30
1-5 YRS	1	13.0		13	13	13	13	13	13	13
6-12 YRS	3	9.0	1	8	8	9	10	10	10	10
13-19 YRS	12	18.5	650	4	6	10	16	48	90	97
GRAND TOTAL	**19**	**16.3**	**427**	**5**	**7**	**10**	**13**	**29**	**67**	**97**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	13	4.7	27	2	2	4	4	8	19	22
1-11 MOS	56	5.8	23	1	2	5	7	12	14	30
1-5 YRS	58	6.4	16	1	2	6	8	11	12	23
6-12 YRS	22	7.0	11	1	2	7	9	10	13	17
13-19 YRS	81	6.9	11	3	4	6	8	9	11	25
2. MULTIPLE DX										
0-27 DYS	34	38.8	771	3	7	54	88	99+	99+	99+
1-11 MOS	191	21.0	295	3	5	16	30	54	70	99+
1-5 YRS	288	17.2	287	3	4	11	21	40	61	99+
6-12 YRS	127	16.8	280	5	6	11	19	34	54	99
13-19 YRS	195	12.2	140	4	5	8	13	23	37	62
TOT. SINGLE DX	230	6.4	17	2	2	6	8	10	12	25
" MULTIPLE DX	835	17.7	300	3	5	11	23	48	73	99+
TOTAL 0-27 DYS	47	29.4	798	2	3	34	78	99+	99+	99+
1-11 MOS	247	17.5	274	2	3	12	26	47	61	99+
1-5 YRS	346	15.4	258	2	4	10	19	36	56	99+
6-12 YRS	149	15.4	253	4	5	9	16	33	53	99
13-19 YRS	276	10.6	108	4	5	8	11	19	33	61
GRAND TOTAL	**1065**	**15.3**	**260**	**3**	**4**	**9**	**19**	**40**	**61**	**99+**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	5	11.0	44	5	5	8	17	20	20	20
1-11 MOS	28	7.9	30	2	2	6	10	18	19	20
1-5 YRS	105	3.7	9	<1	1	3	5	8	11	15
6-12 YRS	94	4.7	13	1	1	4	6	9	13	19
13-19 YRS	209	5.3	19	1	2	4	7	9	11	26
2. MULTIPLE DX										
0-27 DYS	11	19.5	179	3	4	20	31	61	94	99+
1-11 MOS	86	11.6	296	1	2	6	11	33	71	99+
1-5 YRS	170	7.7	77	1	1	4	9	20	27	42
6-12 YRS	150	6.1	43	1	1	4	7	13	17	30
13-19 YRS	406	7.8	67	1	2	6	9	15	19	48
TOT. SINGLE DX	441	5.0	18	1	1	4	6	9	13	20
" MULTIPLE DX	823	8.0	94	1	2	5	9	17	27	69
TOTAL 0-27 DYS	16	16.9	148	4	5	19	24	44	81	99+
1-11 MOS	114	10.7	233	1	2	6	11	30	64	99+
1-5 YRS	275	6.2	55	<1	1	4	7	15	22	40
6-12 YRS	244	5.5	32	1	1	4	7	11	15	29
13-19 YRS	615	6.9	52	1	2	5	8	13	17	40
GRAND TOTAL	**1264**	**7.0**	**69**	**1**	**1**	**5**	**8**	**14**	**20**	**49**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	18.0	471	4	4	7	34	43	43	43
1-11 MOS	15	7.5	5	4	5	7	9	11	11	11
1-5 YRS	13	9.2	16	4	5	8	11	16	18	19
6-12 YRS	17	9.7	30	5	6	8	10	21	24	24
13-19 YRS	39	11.4	151	4	4	9	11	21	24	80
2. MULTIPLE DX										
0-27 DYS	49	44.3	723	9	11	58	87	99+	99+	99+
1-11 MOS	36	13.8	145	5	5	11	17	41	85	99+
1-5 YRS	67	12.2	162	4	5	8	12	21	51	97
6-12 YRS	49	11.6	138	5	5	8	13	19	24	81
13-19 YRS	121	14.0	146	5	6	10	16	28	39	83
TOT. SINGLE DX	87	10.3	91	4	5	8	10	18	23	66
" MULTIPLE DX	322	17.9	360	5	6	11	21	65	99+	99+
TOTAL 0-27 DYS	52	42.8	738	8	11	55	85	99+	99+	99+
1-11 MOS	51	12.0	112	5	5	9	13	29	59	99+
1-5 YRS	80	11.7	139	4	5	8	12	18	44	95
6-12 YRS	66	11.1	110	5	6	8	12	20	23	74
13-19 YRS	160	13.4	148	5	6	9	15	25	37	80
GRAND TOTAL	**409**	**16.3**	**312**	**5**	**6**	**10**	**19**	**57**	**84**	**99+**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	10.5	61	5	5	10	16	16	16	16
1-11 MOS	31	9.0	78	5	5	7	9	11	14	55
1-5 YRS	21	9.5	66	4	5	7	9	18	33	37
6-12 YRS	21	10.5	32	6	6	9	12	15	23	32
13-19 YRS	62	11.3	80	5	6	10	11	16	24	65
2. MULTIPLE DX										
0-27 DYS	34	46.7	814	8	11	65	99+	99+	99+	99+
1-11 MOS	60	12.5	139	4	5	9	14	24	47	96
1-5 YRS	43	15.8	272	5	6	11	16	40	78	99+
6-12 YRS	34	12.1	63	6	6	9	13	25	31	38
13-19 YRS	161	15.6	178	6	7	11	16	31	52	85
TOT. SINGLE DX	137	10.4	69	5	5	8	10	15	24	57
" MULTIPLE DX	332	17.9	331	5	6	11	22	63	99+	99+
TOTAL 0-27 DYS	36	44.7	840	5	11	62	99+	99+	99+	99+
1-11 MOS	91	11.3	121	5	5	8	12	21	31	86
1-5 YRS	64	13.7	211	5	5	9	14	29	52	98
6-12 YRS	55	11.5	52	6	6	9	13	20	31	38
13-19 YRS	223	14.4	155	6	7	10	15	26	45	79
GRAND TOTAL	**469**	**15.7**	**266**	**5**	**6**	**10**	**16**	**47**	**84**	**99+**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	10	19.5	570	6	6	11	14	58	84	84
1-11 MOS	11	7.4	54	1	2	5	12	47	92	99+
1-5 YRS	13	5.1	1	3	4	5	6	7	7	7
6-12 YRS	8	5.0	4	3	3	5	5	9	10	10
13-19 YRS	10	9.9	34	3	4	9	11	18	25	25
2. MULTIPLE DX										
0-27 DYS	28	27.4	550	6	7	18	42	71	98	99+
1-11 MOS	9	8.9	32	3	3	8	13	18	18	18
1-5 YRS	15	9.9	39	3	4	7	15	21	21	21
6-12 YRS	16	10.0	10	6	6	10	12	17	71	99+
13-19 YRS	32	12.9	197	3	4	8	15	24	33	78
TOT. SINGLE DX	52	9.3	147	3	3	6	10	19	31	99+
" MULTIPLE DX	100	15.7	277	4	5	10	18	38	67	99+
TOTAL 0-27 DYS	38	25.3	553	6	7	14	37	71	92	99+
1-11 MOS	20	8.1	43	2	2	6	13	21	59	99+
1-5 YRS	28	7.7	27	3	4	5	8	18	21	21
6-12 YRS	24	8.3	14	3	4	8	11	15	38	99+
13-19 YRS	42	12.2	158	3	4	8	14	22	32	78
GRAND TOTAL	**152**	**13.5**	**241**	**3**	**4**	**8**	**16**	**32**	**58**	**99+**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	9	13.0	56	6	6	8	20	23	25	25
1-11 MOS	234	5.1	14	2	2	4	7	9	10	17
1-5 YRS	129	5.4	8	2	2	5	7	9	12	13
6-12 YRS	52	7.4	13	3	4	7	8	10	17	21
13-19 YRS	95	8.0	18	4	5	7	9	10	16	29
2. MULTIPLE DX										
0-27 DYS	55	26.3	471	6	6	20	35	64	97	99+
1-11 MOS	280	9.9	106	2	3	7	10	19	29	83
1-5 YRS	244	9.6	76	4	4	8	10	16	21	66
6-12 YRS	83	8.2	34	3	4	7	9	12	16	41
13-19 YRS	223	11.0	81	4	5	8	12	18	26	68
TOT. SINGLE DX	519	6.1	16	2	2	6	8	9	12	22
" MULTIPLE DX	885	10.9	123	3	4	8	11	20	33	88
TOTAL 0-27 DYS	64	24.4	432	6	6	19	33	57	96	99+
1-11 MOS	514	7.7	70	2	3	6	8	13	21	59
1-5 YRS	373	8.2	57	2	3	7	9	13	18	56
6-12 YRS	135	7.9	27	3	4	7	9	11	17	33
13-19 YRS	318	10.1	64	4	5	8	11	16	23	51
GRAND TOTAL	**1404**	**9.2**	**89**	**2**	**3**	**7**	**10**	**16**	**25**	**65**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	7	9.0	19	5	5	9	10	16	18	18
1-11 MOS	13	8.6	15	3	4	8	11	13	17	18
1-5 YRS	9	8.3	14	3	4	8	10	14	16	16
6-12 YRS	4	11.8	14	7	7	12	14	16	16	16
13-19 YRS	9	11.3	118	5	5	7	10	30	39	39
2. MULTIPLE DX										
0-27 DYS	27	23.4	296	5	6	22	49	99+	99+	99+
1-11 MOS	24	17.2	109	5	6	14	25	34	57	99+
1-5 YRS	35	14.2	292	3	4	7	16	50	93	99+
6-12 YRS	27	15.0	153	4	5	11	18	30	43	57
13-19 YRS	53	20.7	293	5	5	14	32	52	62	99
TOT. SINGLE DX	42	9.5	36	4	5	8	11	16	18	39
" MULTIPLE DX	166	18.3	251	4	5	13	29	53	95	99+
TOTAL 0-27 DYS	34	20.4	272	5	6	18	42	99+	99+	99+
1-11 MOS	37	14.2	92	4	5	11	22	31	39	99+
1-5 YRS	44	13.0	240	3	4	8	15	42	84	99+
6-12 YRS	31	14.6	135	4	5	11	17	29	39	57
13-19 YRS	62	19.4	277	5	5	12	31	44	60	96
GRAND TOTAL	**208**	**16.5**	**219**	**4**	**5**	**11**	**24**	**44**	**70**	**99+**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	4	3.5	1	2	2	3	4	5	5	5
1-11 MOS	26	4.0	5	2	2	3	5	7	9	12
1-5 YRS	1048	4.9	8	2	2	4	7	9	10	14
6-12 YRS	8476	3.7	4	2	2	3	4	6	8	12
13-19 YRS	13377	3.6	3	2	2	3	4	6	7	11
2. MULTIPLE DX										
0-27 DYS	2	12.5	145	4	4	12	21	21	21	21
1-11 MOS	10	6.7	36	3	3	5	7	15	23	23
1-5 YRS	564	7.7	32	2	3	7	10	14	17	25
6-12 YRS	2553	5.9	18	2	2	5	7	11	14	22
13-19 YRS	4148	5.4	14	2	2	4	6	9	12	21
TOT. SINGLE DX	22931	3.7	4	2	2	3	4	6	8	11
" MULTIPLE DX	7277	5.8	18	2	2	5	7	10	13	22
TOTAL 0-27 DYS	6	6.5	52	2	2	4	5	19	21	21
1-11 MOS	36	4.8	14	2	2	4	6	8	11	23
1-5 YRS	1612	5.9	19	2	2	5	8	10	13	20
6-12 YRS	11029	4.2	9	2	2	3	5	8	10	16
13-19 YRS	17525	4.0	7	2	2	3	5	7	8	14
GRAND TOTAL	**30208**	**4.2**	**8**	**2**	**2**	**3**	**5**	**7**	**9**	**15**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	4.7	8	2	2	4	6	10	10	10
6-12 YRS	52	3.8	5	2	2	3	5	6	9	12
13-19 YRS	117	3.6	3	2	2	3	4	5	7	10
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	6	5.7	7	2	2	6	8	9	9	9
6-12 YRS	22	6.9	20	3	3	5	8	13	16	20
13-19 YRS	58	5.3	10	2	2	5	6	8	12	17
TOT. SINGLE DX	178	3.7	4	2	2	3	4	6	8	12
" MULTIPLE DX	87	5.7	13	2	3	5	7	10	14	19
TOTAL 0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	15	5.1	8	2	2	4	8	9	10	10
6-12 YRS	74	4.7	11	2	2	4	5	9	13	19
13-19 YRS	175	4.1	6	2	2	3	5	7	8	16
GRAND TOTAL	**265**	**4.4**	**8**	**2**	**2**	**3**	**5**	**8**	**9**	**16**

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)		TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX											
	0-27 DYS										
	1-11 MOS	1	4.0		4	4	4	4	4	4	4
	1-5 YRS	8	8.5	18	3	3	8	12	14	15	15
	6-12 YRS	31	7.7	13	2	3	7	10	13	14	16
	13-19 YRS	29	7.1	10	3	3	7	8	12	14	14
2. MULTIPLE DX											
	0-27 DYS										
	1-11 MOS										
	1-5 YRS	5	9.4	21	5	5	9	11	17	17	17
	6-12 YRS	28	9.4	34	5	5	8	11	13	16	36
	13-19 YRS	21	11.0	30	4	5	10	12	21	23	24
TOT. SINGLE DX		69	7.5	13	3	3	7	10	13	14	16
" MULTIPLE DX		54	10.0	31	5	5	9	11	15	22	36
TOTAL	0-27 DYS										
	1-11 MOS	1	4.0		4	4	4	4	4	4	4
	1-5 YRS	13	8.8	18	3	4	9	11	15	17	17
	6-12 YRS	59	8.5	24	3	4	8	11	13	14	34
	13-19 YRS	50	8.7	22	3	4	8	11	14	21	24
GRAND TOTAL		**123**	**8.6**	**22**	**3**	**4**	**8**	**11**	**14**	**16**	**27**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)		TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX											
	0-27 DYS	8	5.1	9	<1	1	5	7	9	10	10
	1-11 MOS	41	3.5	12	<1	<1	3	4	7	9	21
	1-5 YRS	82	2.4	6	<1	<1	1	3	5	7	15
	6-12 YRS	59	3.5	16	<1	<1	2	4	8	11	23
	13-19 YRS	82	3.3	4	<1	1	3	5	6	8	10
2. MULTIPLE DX											
	0-27 DYS	23	14.7	275	2	3	9	14	40	59	61
	1-11 MOS	41	9.3	252	<1	1	5	9	15	41	92
	1-5 YRS	66	5.2	27	<1	1	3	7	12	14	29
	6-12 YRS	61	4.0	10	1	1	3	5	9	12	14
	13-19 YRS	79	5.8	40	1	2	4	7	11	15	40
TOT. SINGLE DX		272	3.1	9	<1	<1	2	4	6	9	15
" MULTIPLE DX		270	6.5	90	1	1	4	7	13	15	56
TOTAL	0-27 DYS	31	12.2	222	2	2	7	11	35	57	61
	1-11 MOS	82	6.4	139	<1	<1	3	5	13	18	76
	1-5 YRS	148	3.6	18	<1	<1	2	4	8	13	22
	6-12 YRS	120	3.8	13	<1	1	3	4	9	11	18
	13-19 YRS	161	4.5	24	1	1	3	5	9	11	22
GRAND TOTAL		**542**	**4.8**	**52**	**<1**	**<1**	**3**	**5**	**10**	**14**	**40**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)		TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX											
	0-27 DYS	1	4.0		4	4	4	4	4	4	4
	1-11 MOS	23	1.9	1	<1	<1	2	3	3	4	4
	1-5 YRS	20	3.1	7	<1	1	2	4	7	9	11
	6-12 YRS	14	4.5	18	<1	1	3	6	10	14	15
	13-19 YRS	101	3.2	5	1	1	3	4	6	8	12
2. MULTIPLE DX											
	0-27 DYS	2	6.0	18	3	3	6	9	9	9	9
	1-11 MOS	13	3.8	8	1	1	2	5	9	10	10
	1-5 YRS	18	6.6	32	1	2	4	10	15	20	22
	6-12 YRS	15	10.4	138	2	2	6	11	31	41	44
	13-19 YRS	56	4.8	12	1	2	4	6	10	11	18
TOT. SINGLE DX		159	3.1	6	1	1	3	4	6	9	13
" MULTIPLE DX		104	5.8	36	1	2	4	7	11	16	37
TOTAL	0-27 DYS	3	5.3	10	3	3	4	8	9	9	9
	1-11 MOS	36	2.6	4	<1	1	2	3	5	8	10
	1-5 YRS	38	4.7	22	1	1	3	5	11	15	22
	6-12 YRS	29	7.6	87	1	1	5	9	14	32	44
	13-19 YRS	157	3.8	8	1	1	3	5	8	10	15
GRAND TOTAL		**263**	**4.2**	**20**	**1**	**1**	**3**	**5**	**9**	**11**	**21**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)		TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX											
	0-27 DYS										
	1-11 MOS	43	8.9	7	5	6	8	11	12	14	17
	1-5 YRS	42	11.0	127	1	2	9	12	15	18	77
	6-12 YRS	11	11.7	52	1	3	11	13	21	28	29
	13-19 YRS	8	9.1	29	1	2	9	13	16	17	17
2. MULTIPLE DX											
	0-27 DYS	2	19.5	25	16	16	19	23	23	23	23
	1-11 MOS	66	9.8	21	5	5	9	11	15	23	88
	1-5 YRS	86	11.9	48	5	6	10	13	22	28	39
	6-12 YRS	10	11.6	40	7	7	9	12	23	26	26
	13-19 YRS	33	14.8	89	7	7	11	17	32	37	40
TOT. SINGLE DX		104	10.1	62	2	4	9	12	15	17	51
" MULTIPLE DX		197	11.8	48	5	6	10	13	23	28	40
TOTAL	0-27 DYS	2	19.5	25	16	16	19	23	23	23	23
	1-11 MOS	109	9.4	16	5	6	9	11	13	17	58
	1-5 YRS	128	11.6	74	4	5	10	13	18	27	48
	6-12 YRS	21	11.7	44	3	6	11	13	22	27	29
	13-19 YRS	41	13.7	82	3	7	11	15	28	35	40
GRAND TOTAL		**301**	**11.2**	**53**	**4**	**6**	**10**	**12**	**18**	**26**	**40**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	9	2.6	2	1	1	2	4	5	5	5
1-11 MOS	58	3.2	8	<1	<1	2	3	8	9	14
1-5 YRS	160	2.5	4	<1	<1	2	3	5	7	12
6-12 YRS	192	3.8	19	<1	1	3	4	8	11	16
13-19 YRS	470	4.2	13	1	1	3	5	7	10	20
2. MULTIPLE DX										
0-27 DYS	17	5.5	21	1	2	3	7	14	16	16
1-11 MOS	129	6.7	66	<1	1	5	8	12	15	50
1-5 YRS	199	5.1	59	<1	1	4	5	9	14	28
6-12 YRS	279	4.8	15	1	1	4	6	9	12	27
13-19 YRS	1094	5.6	39	1	2	4	7	10	14	37
TOT. SINGLE DX	889	3.7	13	<1	1	3	4	7	10	16
" MULTIPLE DX	1718	5.5	40	1	2	4	7	10	14	35
TOTAL 0-27 DYS	26	4.5	16	1	1	3	7	9	16	16
1-11 MOS	187	5.6	51	<1	1	4	7	11	14	38
1-5 YRS	359	3.9	37	<1	<1	2	5	8	11	25
6-12 YRS	471	4.4	17	<1	1	3	5	9	11	25
13-19 YRS	1564	5.2	32	1	2	4	6	9	13	34
GRAND TOTAL	**2607**	**4.9**	**32**	**1**	**1**	**4**	**6**	**9**	**12**	**29**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	3.7	2	2	2	4	5	5	5	5
1-11 MOS	42	1.7	2	<1	<1	1	2	2	3	12
1-5 YRS	18	2.2	3	<1	<1	2	2	4	7	8
6-12 YRS	8	2.3	2	<1	<1	2	3	5	5	5
13-19 YRS	39	2.7	3	<1	1	2	3	5	7	8
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	14	1.9	1	<1	<1	2	2	3	5	6
1-5 YRS	8	3.9	4	1	1	3	6	7	7	7
6-12 YRS	4	4.3	1	3	3	4	5	6	6	6
13-19 YRS	44	4.8	53	1	1	3	5	8	11	49
TOT. SINGLE DX	110	2.2	3	<1	<1	2	2	4	5	10
" MULTIPLE DX	70	4.1	36	1	1	3	4	7	10	42
TOTAL 0-27 DYS	3	3.7	2	2	2	4	5	5	5	5
1-11 MOS	56	1.7	3	<1	<1	1	2	2	3	12
1-5 YRS	26	2.7	4	<1	<1	2	3	6	7	8
6-12 YRS	12	2.9	3	<1	1	3	4	5	6	6
13-19 YRS	83	3.8	31	1	1	2	4	7	9	37
GRAND TOTAL	**180**	**2.9**	**16**	**<1**	**<1**	**2**	**3**	**6**	**8**	**12**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	5	1.4	1	<1	<1	<1	1	3	3	3
1-5 YRS	11	1.4		<1	<1	1	2	3	3	3
6-12 YRS	9	2.1	1	1	1	2	3	4	4	4
13-19 YRS	91	2.0	1	<1	<1	2	3	4	4	7
2. MULTIPLE DX										
0-27 DYS	3	13.0	243	4	4	4	24	31	31	31
1-11 MOS	1	29.0		29	29	29	29	29	29	29
1-5 YRS	7	4.7	52	<1	<1	2	3	17	21	21
6-12 YRS	10	3.6	10	<1	<1	2	5	9	9	9
13-19 YRS	56	5.6	139	1	1	3	4	7	19	75
TOT. SINGLE DX	117	1.9	1	<1	<1	2	3	3	4	6
" MULTIPLE DX	77	5.9	122	1	1	3	4	9	26	69
TOTAL 0-27 DYS	4	10.0	198	1	1	4	18	31	31	31
1-11 MOS	6	6.0	128	<1	<1	1	3	26	29	29
1-5 YRS	18	2.7	22	<1	<1	1	2	3	14	21
6-12 YRS	19	2.9	6	<1	<1	2	4	7	9	9
13-19 YRS	147	3.4	57	<1	1	2	3	4	6	48
GRAND TOTAL	**194**	**3.5**	**53**	**<1**	**<1**	**2**	**3**	**5**	**8**	**40**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	2.4	2	<1	<1	2	4	4	4	4
1-5 YRS										
6-12 YRS	2	1.5	1	<1	<1	1	2	2	2	2
13-19 YRS	32	3.4	2	1	1	3	5	5	6	8
2. MULTIPLE DX										
0-27 DYS	4	2.8	1	2	2	3	3	4	4	4
1-11 MOS	5	5.2	3	3	3	5	6	8	8	8
1-5 YRS	3	1.7	1	1	1	1	3	3	3	3
6-12 YRS	4	2.5	1	<1	<1	2	3	4	4	4
13-19 YRS	114	3.8	2	1	2	4	5	6	7	9
TOT. SINGLE DX	39	3.2	3	<1	1	3	4	5	6	8
" MULTIPLE DX	130	3.8	3	1	2	4	5	6	7	9
TOTAL 0-27 DYS	4	2.8	1	2	2	3	3	4	4	4
1-11 MOS	10	3.8	5	<1	<1	4	5	7	8	8
1-5 YRS	3	1.7	1	1	1	1	3	3	3	3
6-12 YRS	6	2.2	1	<1	<1	2	3	4	4	4
13-19 YRS	146	3.8	3	1	2	4	5	6	7	9
GRAND TOTAL	**169**	**3.6**	**3**	**1**	**1**	**4**	**4**	**6**	**7**	**9**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	12	2.7	2	1	1	3	3	5	6	6
1-11 MOS	63	3.0	5	<1	<1	2	4	7	8	11
1-5 YRS	52	3.2	10	<1	<1	2	4	6	9	20
6-12 YRS	25	2.7	4	<1	1	2	3	5	8	9
13-19 YRS	110	2.8	2	1	1	2	3	5	6	8
2. MULTIPLE DX										
0-27 DYS	24	5.7	10	2	2	5	7	11	13	15
1-11 MOS	73	5.5	18	<1	1	5	7	12	15	19
1-5 YRS	64	5.3	21	<1	1	4	7	11	14	24
6-12 YRS	27	6.2	37	1	2	4	7	11	21	29
13-19 YRS	77	5.5	25	1	1	4	7	13	16	24
TOT. SINGLE DX	262	2.9	5	<1	1	2	4	6	7	10
" MULTIPLE DX	265	5.5	22	1	1	4	7	11	15	24
TOTAL 0-27 DYS	36	4.7	9	1	1	4	6	7	12	15
1-11 MOS	136	4.4	14	<1	<1	3	6	9	13	18
1-5 YRS	116	4.4	18	<1	1	3	5	9	13	22
6-12 YRS	52	4.5	25	1	1	3	5	9	11	29
13-19 YRS	187	3.9	14	1	1	3	5	8	11	22
GRAND TOTAL	**527**	**4.2**	**15**	**<1**	**1**	**3**	**5**	**9**	**12**	**20**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	3	10.7	44	5	5	9	16	18	18	18
6-12 YRS	1	15.0		15	15	15	15	15	15	15
13-19 YRS	5	6.4	13	2	2	5	9	11	11	11
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	4	18.8	203	4	4	18	30	35	35	35
1-5 YRS	3	16.7	90	7	7	17	24	26	26	26
6-12 YRS	9	15.1	167	3	5	11	18	36	47	47
13-19 YRS	20	16.2	210	4	5	12	15	36	50	62
TOT. SINGLE DX	10	8.8	24	2	3	9	11	16	18	18
" MULTIPLE DX	36	16.3	176	4	5	12	18	35	45	62
TOTAL 0-27 DYS										
1-11 MOS	5	16.8	172	4	4	10	28	35	35	35
1-5 YRS	6	13.7	65	5	5	13	18	25	26	26
6-12 YRS	10	15.1	149	3	5	11	18	33	47	47
13-19 YRS	25	14.2	185	3	5	11	14	34	45	62
GRAND TOTAL	**46**	**14.6**	**152**	**4**	**5**	**11**	**17**	**34**	**41**	**62**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	8	6.9	5	2	3	7	8	9	10	10
1-11 MOS	47	4.6	16	1	1	3	7	11	13	18
1-5 YRS	70	6.2	58	1	1	2	9	14	24	41
6-12 YRS	30	4.1	12	1	1	3	6	10	12	13
13-19 YRS	68	4.3	15	1	1	3	6	10	13	18
2. MULTIPLE DX										
0-27 DYS	16	21.9	745	2	2	9	31	71	76	78
1-11 MOS	94	9.5	89	1	1	7	15	24	38	99+
1-5 YRS	114	11.6	152	1	2	7	16	29	41	76
6-12 YRS	76	7.7	97	1	1	4	10	16	28	48
13-19 YRS	250	11.8	162	1	2	8	14	27	36	64
TOT. SINGLE DX	223	5.0	29	1	1	3	7	12	14	27
" MULTIPLE DX	550	11.1	160	1	1	7	14	27	41	74
TOTAL 0-27 DYS	24	16.9	541	2	2	8	12	68	73	78
1-11 MOS	141	7.9	70	1	1	5	12	18	29	99+
1-5 YRS	184	9.6	123	1	1	5	12	27	33	60
6-12 YRS	106	6.7	76	1	1	4	8	14	18	48
13-19 YRS	318	10.2	141	1	1	7	12	23	33	63
GRAND TOTAL	**773**	**9.4**	**130**	**1**	**1**	**6**	**11**	**23**	**33**	**67**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	7	7.1	9	4	4	6	10	12	12	12
1-11 MOS	12	9.3	31	4	4	7	12	18	21	22
1-5 YRS	11	7.5	11	3	3	7	10	12	13	13
6-12 YRS	29	5.5	9	3	3	5	6	8	9	19
13-19 YRS	995	5.5	5	3	3	5	6	8	10	13
2. MULTIPLE DX										
0-27 DYS	14	11.3	25	6	6	11	15	23	81	99+
1-11 MOS	38	9.9	36	4	4	8	12	15	20	36
1-5 YRS	26	10.5	220	3	3	7	11	14	29	81
6-12 YRS	56	8.6	45	3	4	6	10	15	22	43
13-19 YRS	878	7.5	29	3	4	6	9	12	14	28
TOT. SINGLE DX	1054	5.6	6	3	3	5	7	8	10	14
" MULTIPLE DX	1012	7.8	36	3	4	6	9	13	15	32
TOTAL 0-27 DYS	21	9.9	23	4	5	10	13	19	54	99+
1-11 MOS	50	9.7	35	4	4	8	12	16	22	36
1-5 YRS	37	9.6	159	3	3	7	11	13	15	81
6-12 YRS	85	7.6	35	3	3	6	8	15	16	37
13-19 YRS	1873	6.4	18	3	4	6	7	10	12	19
GRAND TOTAL	**2066**	**6.7**	**22**	**3**	**4**	**6**	**8**	**11**	**13**	**23**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	27.0		27	27	27	27	27	27	27
1-11 MOS	22	14.6	43	6	7	12	20	25	26	27
1-5 YRS	5	14.4	134	7	7	8	20	34	34	34
6-12 YRS	2	8.0	8	6	6	8	10	10	10	10
13-19 YRS	11	7.8	30	1	2	7	12	15	19	19
2. MULTIPLE DX										
0-27 DYS	1	26.0		26	26	26	26	26	26	26
1-11 MOS	28	21.8	252	7	8	17	28	53	71	99+
1-5 YRS	22	13.6	115	2	3	12	18	31	38	44
6-12 YRS	7	18.4	512	5	5	10	15	58	69	69
13-19 YRS	27	12.1	101	2	3	10	13	26	30	49
TOT. SINGLE DX	41	12.7	59	3	4	11	18	25	27	34
" MULTIPLE DX	85	16.4	197	3	5	12	20	34	51	89
TOTAL 0-27 DYS	2	26.5	1	26	26	26	27	27	27	27
1-11 MOS	50	13.6	170	6	8	14	25	37	58	99+
1-5 YRS	27	13.7	114	2	4	12	18	33	36	44
6-12 YRS	9	16.1	406	5	5	10	15	47	69	69
13-19 YRS	38	10.8	83	2	2	9	12	24	27	49
GRAND TOTAL	**126**	**15.2**	**154**	**3**	**5**	**11**	**19**	**29**	**43**	**77**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	27.3	1390	1	1	11	55	70	70	70
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	3	7.7	10	4	4	9	10	10	10	10
6-12 YRS	6	13.0	16	9	9	12	15	19	20	20
13-19 YRS	24	6.9	48	1	1	5	8	20	23	28
2. MULTIPLE DX										
0-27 DYS	3	19.0	363	8	8	8	33	41	41	41
1-11 MOS	4	17.3	297	1	1	16	32	35	35	35
1-5 YRS	7	15.6	119	<1	<1	21	24	26	26	26
6-12 YRS	22	16.1	334	2	2	10	18	56	58	61
13-19 YRS	53	14.0	171	1	2	9	19	33	46	53
TOT. SINGLE DX	37	9.7	145	1	1	7	11	20	26	70
" MULTIPLE DX	89	15.0	210	1	2	10	21	35	49	59
TOTAL 0-27 DYS	6	23.2	722	1	2	10	41	67	70	70
1-11 MOS	5	16.0	231	1	1	11	30	35	35	35
1-5 YRS	10	13.2	97	<1	<1	11	24	25	26	26
6-12 YRS	28	15.5	265	2	3	11	17	48	57	61
13-19 YRS	77	11.8	143	1	1	7	15	29	36	52
GRAND TOTAL	**126**	**13.4**	**195**	**1**	**1**	**9**	**18**	**31**	**48**	**63**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	15	3.3	6	1	1	3	3	7	10	11
1-11 MOS	50	3.3	10	<1	<1	2	4	8	11	14
1-5 YRS	106	2.6	8	<1	<1	2	3	5	6	19
6-12 YRS	155	3.8	13	<1	1	3	5	7	11	21
13-19 YRS	416	4.5	13	1	1	4	6	9	11	21
2. MULTIPLE DX										
0-27 DYS	22	5.2	9	2	2	4	7	9	12	15
1-11 MOS	94	6.2	26	1	2	5	8	13	17	70
1-5 YRS	133	5.2	37	1	1	3	6	10	17	33
6-12 YRS	156	5.4	33	1	1	4	7	11	15	26
13-19 YRS	567	5.7	39	1	2	4	7	10	15	30
TOT. SINGLE DX	742	4.0	13	<1	1	3	5	8	11	20
" MULTIPLE DX	972	5.6	36	1	1	4	7	10	15	30
TOTAL 0-27 DYS	37	4.4	9	1	2	3	6	8	11	15
1-11 MOS	144	5.2	23	<1	1	4	7	13	14	36
1-5 YRS	239	4.1	26	<1	1	2	5	9	12	23
6-12 YRS	311	4.6	24	1	1	3	6	9	14	23
13-19 YRS	983	5.2	29	1	1	4	6	9	13	28
GRAND TOTAL	**1714**	**4.9**	**27**	**1**	**1**	**4**	**6**	**9**	**13**	**26**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	85	1.9	1	<1	<1	1	2	3	5	8
1-11 MOS	1253	1.4		<1	<1	1	2	2	3	4
1-5 YRS	1979	1.4		<1	<1	1	2	2	2	4
6-12 YRS	1123	1.5		<1	<1	1	2	2	3	4
13-19 YRS	2203	2.0	1	<1	1	2	3	3	4	5
2. MULTIPLE DX										
0-27 DYS	89	11.8	552	<1	1	3	10	91	99+	99+
1-11 MOS	1004	2.4	9	<1	<1	2	2	5	7	15
1-5 YRS	1560	1.7	2	<1	<1	1	2	3	4	8
6-12 YRS	633	1.7	2	<1	<1	1	2	3	4	8
13-19 YRS	742	2.5	3	1	1	2	3	4	5	9
TOT. SINGLE DX	6643	1.6	1	<1	<1	1	2	3	3	5
" MULTIPLE DX	4028	2.2	19	<1	<1	1	2	4	5	14
TOTAL 0-27 DYS	174	6.9	307	<1	<1	2	4	21	91	99+
1-11 MOS	2257	1.9	5	<1	<1	1	2	3	5	10
1-5 YRS	3539	1.5	2	<1	<1	1	2	2	3	6
6-12 YRS	1756	1.6	1	<1	<1	1	2	2	3	5
13-19 YRS	2945	2.1	2	<1	1	2	3	4	4	6
GRAND TOTAL	**10671**	**1.8**	**8**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	53	3.2	142	<1	<1	1	2	3	5	86
1-11 MOS	1076	1.5	1	<1	<1	1	2	2	3	4
1-5 YRS	752	1.3		<1	<1	<1	2	2	2	3
6-12 YRS	171	1.3		<1	<1	1	2	2	3	3
13-19 YRS	102	2.6	1	1	1	2	3	4	5	6
2. MULTIPLE DX										
0-27 DYS	90	24.7	1034	<1	1	16	86	99+	99+	99+
1-11 MOS	1165	2.4	21	<1	<1	1	2	4	7	19
1-5 YRS	608	1.8	5	<1	<1	1	2	3	4	11
6-12 YRS	81	1.7	1	<1	<1	1	2	3	4	7
13-19 YRS	49	2.9	3	1	1	3	3	6	6	10
TOT. SINGLE DX	2154	1.5	5	<1	<1	1	2	2	3	5
" MULTIPLE DX	1993	3.2	83	<1	<1	1	2	4	10	99+
TOTAL 0-27 DYS	143	16.7	810	<1	<1	2	53	99+	99+	99+
1-11 MOS	2241	2.0	12	<1	<1	1	2	3	4	14
1-5 YRS	1360	1.5	3	<1	<1	1	2	2	3	8
6-12 YRS	252	1.4	1	<1	<1	1	2	2	3	5
13-19 YRS	151	2.7	2	1	1	2	3	5	6	6
GRAND TOTAL	**4147**	**2.3**	**43**	**<1**	**<1**	**1**	**2**	**3**	**5**	**56**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	10	3.9	30	<1	<1	2	3	13	18	18
6-12 YRS	7	1.1		<1	<1	1	1	2	2	2
13-19 YRS	21	1.9		1	1	2	2	3	4	4
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS	7	3.0	16	1	1	2	2	10	12	12
6-12 YRS	7	3.3	14	<1	<1	1	4	10	11	11
13-19 YRS	10	3.4	5	1	1	3	6	7	7	7
TOT. SINGLE DX	40	2.2	9	<1	<1	1	2	3	6	18
" MULTIPLE DX	27	3.3	9	<1	1	2	5	7	11	12
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	2.3	4	<1	<1	1	3	5	5	5
1-5 YRS	17	3.5	23	<1	<1	2	3	11	16	18
6-12 YRS	14	2.2	8	<1	<1	1	2	6	10	11
13-19 YRS	31	2.4	3	1	1	2	3	5	6	7
GRAND TOTAL	**67**	**2.6**	**9**	**<1**	**1**	**2**	**3**	**6**	**9**	**17**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	13.5	61	8	8	13	19	19	19	19
1-11 MOS	118	1.5		<1	<1	1	2	2	3	5
1-5 YRS	637	1.6	1	<1	<1	1	2	3	3	5
6-12 YRS	321	1.7		<1	<1	1	2	3	3	5
13-19 YRS	136	2.1	1	<1	<1	2	2	4	4	8
2. MULTIPLE DX										
0-27 DYS	25	19.8	204	4	5	18	33	47	65	99+
1-11 MOS	64	2.3	6	<1	<1	1	3	5	7	16
1-5 YRS	156	2.5	14	<1	<1	2	3	4	5	31
6-12 YRS	71	2.3	3	<1	<1	2	3	4	6	12
13-19 YRS	50	3.7	9	1	1	3	5	7	8	18
TOT. SINGLE DX	1214	1.7	1	<1	<1	1	2	3	3	5
" MULTIPLE DX	366	3.8	42	<1	<1	2	3	7	17	37
TOTAL 0-27 DYS	27	19.4	194	4	5	18	29	45	60	99+
1-11 MOS	182	1.8	3	<1	<1	1	2	3	4	9
1-5 YRS	793	1.8	4	<1	<1	1	2	3	4	6
6-12 YRS	392	1.8	1	<1	<1	2	2	3	4	7
13-19 YRS	186	2.5	4	<1	<1	2	3	4	6	11
GRAND TOTAL	**1580**	**2.2**	**12**	**<1**	**<1**	**2**	**2**	**3**	**5**	**19**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	16	2.3	1	<1	<1	2	3	4	5	5
1-5 YRS	70	2.0	4	<1	<1	1	2	6	7	11
6-12 YRS	64	1.6	1	<1	<1	1	2	3	4	6
13-19 YRS	130	2.2	1	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	22	4.2	9	<1	1	4	7	9	10	11
1-5 YRS	47	5.4	98	<1	<1	3	5	11	18	65
6-12 YRS	33	3.6	25	<1	<1	2	4	10	11	27
13-19 YRS	54	3.7	8	1	1	3	4	8	9	19
TOT. SINGLE DX	280	2.0	2	<1	<1	1	2	4	5	8
" MULTIPLE DX	156	4.2	39	<1	<1	3	5	8	11	27
TOTAL 0-27 DYS										
1-11 MOS	38	3.4	7	<1	<1	3	5	7	9	11
1-5 YRS	117	3.4	45	<1	<1	1	3	7	10	35
6-12 YRS	97	2.3	10	<1	<1	1	2	4	6	19
13-19 YRS	184	2.6	4	<1	1	2	3	5	6	9
GRAND TOTAL	**436**	**2.8**	**17**	**<1**	**<1**	**2**	**3**	**5**	**8**	**17**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	4	4.3	7	2	2	3	6	8	8	8
1-11 MOS	16	5.9	12	1	2	6	7	12	13	14
1-5 YRS	18	4.2	7	<1	<1	4	6	8	9	9
6-12 YRS	6	2.3	2	<1	<1	2	3	5	5	5
13-19 YRS	7	5.1	21	1	1	4	7	13	14	14
2. MULTIPLE DX										
0-27 DYS	29	23.9	427	2	6	18	35	81	99	99+
1-11 MOS	18	11.9	77	1	3	9	18	32	70	99+
1-5 YRS	23	11.6	159	1	2	8	13	45	62	99+
6-12 YRS	9	9.7	32	3	3	10	13	18	21	21
13-19 YRS	20	11.3	64	1	3	8	14	24	29	33
TOT. SINGLE DX	51	4.6	11	<1	1	4	7	8	12	14
" MULTIPLE DX	99	15.0	220	1	3	10	20	39	80	99+
TOTAL 0-27 DYS	33	21.5	417	2	3	17	33	73	98	99+
1-11 MOS	34	9.1	55	1	2	7	13	19	32	99+
1-5 YRS	41	8.3	105	<1	1	6	9	24	45	99+
6-12 YRS	15	6.7	33	<1	<1	5	11	13	19	21
13-19 YRS	27	9.7	60	1	1	8	13	22	26	33
GRAND TOTAL	**150**	**11.5**	**173**	**1**	**2**	**8**	**14**	**32**	**45**	**99+**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	12	6.3	9	2	2	7	8	10	11	11
1-11 MOS	39	4.1	12	<1	<1	3	5	9	12	16
1-5 YRS	207	3.0	12	<1	<1	2	3	7	9	17
6-12 YRS	131	3.9	75	<1	1	2	4	8	10	33
13-19 YRS	202	4.3	12	<1	1	3	5	8	10	19
2. MULTIPLE DX										
0-27 DYS	25	14.7	526	1	1	5	26	92	99+	99+
1-11 MOS	54	9.5	179	1	1	6	9	19	27	77
1-5 YRS	180	7.1	111	1	1	5	9	14	19	70
6-12 YRS	149	5.6	20	1	1	5	7	12	15	23
13-19 YRS	255	7.4	56	1	1	5	9	15	26	46
TOT. SINGLE DX	591	3.8	27	<1	<1	3	5	8	10	17
" MULTIPLE DX	663	7.4	93	1	1	5	9	15	23	75
TOTAL 0-27 DYS	37	12.0	370	1	1	6	12	53	99+	99+
1-11 MOS	93	7.2	116	<1	1	4	8	15	20	70
1-5 YRS	387	4.9	63	<1	1	3	5	11	14	31
6-12 YRS	280	4.8	47	<1	1	3	6	10	13	22
13-19 YRS	457	6.1	39	1	1	4	7	12	18	37
GRAND TOTAL	**1254**	**5.7**	**65**	**<1**	**1**	**4**	**7**	**11**	**17**	**46**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	5	7.8	19	3	3	9	10	14	14	14
1-11 MOS	33	5.5	20	2	2	4	6	9	17	23
1-5 YRS	72	5.8	43	1	2	4	6	10	14	43
6-12 YRS	144	5.6	13	2	2	4	8	11	12	17
13-19 YRS	521	5.0	8	2	2	4	6	8	10	15
2. MULTIPLE DX										
0-27 DYS	14	22.7	254	1	4	27	46	99+	99+	99+
1-11 MOS	45	10.6	101	2	3	7	13	19	36	51
1-5 YRS	103	8.9	69	1	2	7	12	18	23	82
6-12 YRS	173	9.2	80	2	3	7	11	19	21	42
13-19 YRS	752	8.5	68	2	3	6	10	16	21	45
TOT. SINGLE DX	775	5.2	13	2	2	4	6	9	11	17
" MULTIPLE DX	1087	8.9	76	2	3	7	10	17	23	54
TOTAL 0-27 DYS	19	18.8	234	2	4	20	35	99+	99+	99+
1-11 MOS	78	8.5	73	2	3	6	10	16	25	48
1-5 YRS	175	7.6	61	1	2	6	10	15	21	62
6-12 YRS	317	7.6	53	2	2	6	9	14	19	33
13-19 YRS	1273	7.1	47	2	3	5	8	13	17	37
GRAND TOTAL	**1862**	**7.4**	**53**	**2**	**3**	**5**	**9**	**14**	**19**	**44**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS										
1-5 YRS	3	2.3	2	<1	<1	2	3	4	4	4
6-12 YRS	21	3.2	4	1	1	3	4	6	7	9
13-19 YRS	1039	3.1	4	<1	1	2	4	6	7	11
2. MULTIPLE DX										
0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	3	4.3	6	2	2	4	6	7	7	7
1-5 YRS	2	3.5	5	2	2	3	5	5	5	5
6-12 YRS	22	4.8	15	<1	1	3	7	10	14	15
13-19 YRS	1170	3.9	16	<1	1	3	5	8	9	15
TOT. SINGLE DX	1064	3.1	5	<1	1	2	4	6	7	11
" MULTIPLE DX	1199	3.9	17	<1	1	3	5	8	9	15
TOTAL 0-27 DYS	3	3.0	4	<1	<1	3	4	5	5	5
1-11 MOS	3	4.3	6	2	2	4	6	7	7	7
1-5 YRS	5	2.8	3	<1	<1	2	4	5	5	5
6-12 YRS	43	4.0	10	1	1	3	5	8	11	15
13-19 YRS	2209	3.5	11	<1	1	3	5	7	8	12
GRAND TOTAL	**2263**	**3.5**	**11**	**<1**	**1**	**3**	**5**	**7**	**8**	**13**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	9	15.2	129	4	5	10	21	33	38	38
1-11 MOS	20	5.9	13	1	2	5	7	10	14	17
1-5 YRS	56	8.4	27	2	3	7	11	18	20	23
6-12 YRS	70	6.5	12	2	3	6	9	11	14	16
13-19 YRS	228	5.6	10	1	2	5	7	10	11	15
2. MULTIPLE DX										
0-27 DYS	71	28.5	559	4	6	24	46	90	99+	99+
1-11 MOS	66	12.8	168	3	3	8	13	30	47	61
1-5 YRS	155	13.1	195	2	3	8	15	27	37	93
6-12 YRS	136	10.5	78	2	3	8	12	23	31	42
13-19 YRS	447	8.4	65	1	2	6	10	18	25	42
TOT. SINGLE DX	383	6.4	19	1	2	6	8	11	14	22
" MULTIPLE DX	875	11.5	166	2	3	7	14	26	38	96
TOTAL 0-27 DYS	80	27.0	527	4	6	22	42	87	99+	99+
1-11 MOS	86	11.2	141	2	3	7	11	25	44	58
1-5 YRS	211	11.8	155	2	3	8	14	23	32	70
6-12 YRS	206	9.1	60	2	3	7	11	17	25	40
13-19 YRS	675	7.5	49	1	2	6	9	14	20	36
GRAND TOTAL	**1258**	**10.0**	**127**	**2**	**2**	**7**	**11**	**22**	**32**	**78**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	8	8.4	95	2	2	5	7	25	32	32
1-11 MOS	35	5.7	7	3	3	5	8	9	11	12
1-5 YRS	66	8.6	15	2	3	8	11	13	16	21
6-12 YRS	24	8.1	20	3	4	7	10	14	18	21
13-19 YRS	28	8.0	15	4	4	7	9	11	16	24
2. MULTIPLE DX										
0-27 DYS	12	12.2	63	5	5	8	18	24	27	28
1-11 MOS	53	9.4	102	2	3	7	12	16	22	66
1-5 YRS	116	10.2	70	4	4	8	11	18	25	51
6-12 YRS	88	9.3	104	3	4	7	10	16	27	66
13-19 YRS	133	10.8	70	4	5	8	13	20	27	73
TOT. SINGLE DX	161	7.8	19	3	3	7	10	12	16	24
" MULTIPLE DX	402	10.2	81	3	4	8	12	19	26	65
TOTAL 0-27 DYS	20	10.7	76	2	4	7	14	25	30	32
1-11 MOS	88	7.9	67	2	3	6	9	12	17	56
1-5 YRS	182	9.6	51	3	4	8	11	16	22	42
6-12 YRS	112	9.1	87	3	4	7	10	15	21	53
13-19 YRS	161	10.3	62	4	5	8	12	19	26	64
GRAND TOTAL	**563**	**9.5**	**65**	**3**	**4**	**7**	**11**	**16**	**23**	**44**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	21	9.0	26	2	3	8	11	15	20	24
1-11 MOS	76	6.4	10	1	2	6	9	10	13	14
1-5 YRS	144	6.3	24	2	2	5	8	13	17	23
6-12 YRS	202	5.2	19	2	2	4	7	10	13	26
13-19 YRS	371	4.9	18	1	1	3	7	10	13	21
2. MULTIPLE DX										
0-27 DYS	27	18.2	400	3	4	9	22	44	66	88
1-11 MOS	106	9.3	41	3	4	8	12	18	24	69
1-5 YRS	204	10.1	75	2	2	8	13	22	29	41
6-12 YRS	300	9.4	97	1	2	7	12	20	29	52
13-19 YRS	533	9.4	86	1	2	7	12	23	30	48
TOT. SINGLE DX	814	5.5	20	1	2	4	7	11	13	23
" MULTIPLE DX	1170	9.7	92	1	2	7	12	21	30	50
TOTAL 0-27 DYS	48	14.2	254	3	4	9	15	29	46	88
1-11 MOS	182	8.1	31	2	3	7	10	14	18	40
1-5 YRS	348	8.5	58	2	2	7	11	18	24	35
6-12 YRS	502	7.7	70	1	2	5	9	16	23	40
13-19 YRS	904	7.6	64	1	1	5	10	17	24	39
GRAND TOTAL	**1984**	**8.0**	**67**	**1**	**2**	**6**	**10**	**17**	**24**	**42**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	4	5.3	10	2	2	5	8	8	8	8
6-12 YRS	19	5.6	11	<1	2	5	7	9	13	16
13-19 YRS	37	5.2	10	1	2	4	7	9	12	15
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	5	2.6	3	1	1	2	4	5	5	5
1-5 YRS	9	6.6	44	1	1	4	9	18	22	22
6-12 YRS	20	6.7	50	1	2	4	7	19	25	26
13-19 YRS	63	7.9	39	1	2	7	9	15	22	31
TOT. SINGLE DX	62	5.2	11	1	2	5	7	9	11	16
" MULTIPLE DX	97	7.2	41	1	1	6	9	15	23	30
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	6	2.3	3	1	1	2	4	5	5	5
1-5 YRS	13	6.2	32	1	1	4	8	13	20	22
6-12 YRS	39	6.1	31	1	2	5	7	12	21	26
13-19 YRS	100	6.9	30	1	2	6	9	14	16	30
GRAND TOTAL	**159**	**6.4**	**30**	**1**	**1**	**5**	**8**	**13**	**17**	**28**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	32	6.7	9	2	3	6	8	11	12	15
1-5 YRS	283	6.6	6	3	4	6	8	9	11	16
6-12 YRS	285	6.5	4	3	4	6	8	9	10	12
13-19 YRS	53	7.5	5	3	5	7	8	10	11	15
2. MULTIPLE DX										
0-27 DYS	6	16.0	47	10	10	13	22	26	27	27
1-11 MOS	63	8.9	36	2	4	7	11	18	20	34
1-5 YRS	374	8.4	35	3	4	7	9	13	17	35
6-12 YRS	254	8.0	18	3	4	7	9	12	17	29
13-19 YRS	113	11.3	80	4	5	8	12	19	29	49
TOT. SINGLE DX	654	6.7	6	3	4	6	8	9	11	15
" MULTIPLE DX	810	8.8	38	3	4	7	10	14	19	36
TOTAL 0-27 DYS	7	15.1	45	10	10	12	20	26	27	27
1-11 MOS	95	8.2	28	2	3	7	10	14	19	31
1-5 YRS	657	7.6	24	3	4	7	9	12	15	28
6-12 YRS	539	7.2	12	3	4	7	8	10	13	20
13-19 YRS	166	10.1	59	3	5	8	10	16	23	48
GRAND TOTAL	**1464**	**7.8**	**25**	**3**	**4**	**7**	**9**	**12**	**15**	**30**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	4	12.8	55	4	4	12	18	22	22	22
1-11 MOS	16	7.3	18	2	2	7	10	14	15	15
1-5 YRS	28	4.9	11	<1	1	4	8	10	11	12
6-12 YRS	31	3.9	9	<1	<1	3	6	7	9	15
13-19 YRS	190	3.6	4	1	1	3	4	6	8	12
2. MULTIPLE DX										
0-27 DYS	6	9.5	32	3	3	9	15	17	17	17
1-11 MOS	28	9.3	27	2	3	8	14	16	18	20
1-5 YRS	87	8.3	49	1	1	6	12	17	23	33
6-12 YRS	43	7.3	33	<1	1	6	9	15	18	29
13-19 YRS	129	5.9	21	1	2	5	7	10	14	30
TOT. SINGLE DX	269	4.1	9	1	1	3	5	8	11	15
" MULTIPLE DX	293	7.2	33	1	2	6	9	15	17	31
TOTAL 0-27 DYS	10	10.8	39	3	3	10	15	19	22	22
1-11 MOS	44	8.6	25	2	3	8	13	15	17	20
1-5 YRS	115	7.5	42	<1	1	6	10	14	21	33
6-12 YRS	74	5.9	26	<1	1	5	8	12	16	27
13-19 YRS	319	4.5	13	1	1	4	5	8	11	17
GRAND TOTAL	**562**	**5.7**	**24**	**1**	**1**	**4**	**7**	**12**	**15**	**28**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	4	3.3	1	2	2	3	4	4	4	4
1-11 MOS	27	2.2	2	<1	<1	2	3	5	6	7
1-5 YRS	284	1.9	3	<1	<1	1	2	4	6	9
6-12 YRS	387	2.0	3	<1	<1	1	2	4	6	10
13-19 YRS	398	2.9	5	<1	<1	2	4	6	8	12
2. MULTIPLE DX										
0-27 DYS	22	8.1	45	2	3	6	10	13	23	34
1-11 MOS	57	6.5	37	<1	<1	4	10	16	20	26
1-5 YRS	504	3.4	15	<1	<1	2	4	8	10	19
6-12 YRS	520	3.3	13	<1	<1	2	4	7	9	17
13-19 YRS	739	5.2	41	<1	1	4	6	10	14	37
TOT. SINGLE DX	1100	2.3	5	<1	<1	1	3	5	7	10
" MULTIPLE DX	1842	4.2	27	<1	<1	3	5	9	12	26
TOTAL 0-27 DYS	26	7.4	41	2	3	5	9	12	19	34
1-11 MOS	84	5.1	30	<1	<1	3	7	13	17	25
1-5 YRS	788	2.9	12	<1	<1	1	3	7	9	17
6-12 YRS	907	2.7	10	<1	<1	2	3	6	8	14
13-19 YRS	1137	4.4	30	<1	<1	3	6	9	12	27
GRAND TOTAL	**2942**	**3.5**	**20**	**<1**	**<1**	**2**	**4**	**8**	**10**	**21**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	2.0	2	<1	<1	1	3	4	4	4
1-5 YRS	4	2.0	2	<1	<1	1	3	4	4	4
6-12 YRS	6	3.2	9	<1	<1	1	6	8	8	8
13-19 YRS	20	2.6	3	<1	1	2	3	5	6	7
2. MULTIPLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	15	5.1	19	<1	1	4	6	11	16	18
1-5 YRS	13	7.9	54	1	2	7	8	21	26	27
6-12 YRS	21	3.3	13	<1	<1	2	4	7	12	17
13-19 YRS	34	5.6	27	<1	1	4	7	14	17	24
TOT. SINGLE DX	35	2.5	4	<1	<1	2	3	5	7	8
" MULTIPLE DX	84	5.2	28	<1	1	3	7	11	18	26
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	20	4.3	17	<1	<1	3	5	9	14	18
1-5 YRS	17	6.5	48	<1	1	5	7	17	24	27
6-12 YRS	27	3.3	12	<1	<1	2	4	7	9	17
13-19 YRS	54	4.5	20	<1	1	3	6	8	16	24
GRAND TOTAL	**119**	**4.4**	**22**	**<1**	**1**	**3**	**6**	**8**	**17**	**25**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	37	4.4	11	1	2	3	5	10	12	15
1-11 MOS	40	3.9	7	<1	1	4	5	8	12	99
1-5 YRS	73	4.2	9	1	1	3	5	9	10	15
6-12 YRS	47	5.6	12	1	2	5	8	9	11	19
13-19 YRS	52	4.5	17	1	1	4	6	9	12	25
2. MULTIPLE DX										
0-27 DYS	199	9.3	115	2	3	6	10	19	26	75
1-11 MOS	121	7.1	32	1	2	5	10	16	21	24
1-5 YRS	146	8.1	57	1	1	5	11	18	22	51
6-12 YRS	128	8.8	49	1	2	7	11	18	24	32
13-19 YRS	159	11.1	108	1	2	8	15	26	32	67
TOT. SINGLE DX	249	4.5	12	1	1	4	6	9	11	19
" MULTIPLE DX	753	9.0	80	1	2	6	11	19	25	57
TOTAL 0-27 DYS	236	8.5	102	2	2	6	9	16	25	71
1-11 MOS	161	6.3	28	1	2	4	8	13	20	24
1-5 YRS	219	6.8	45	1	1	4	9	16	19	43
6-12 YRS	175	7.9	42	1	2	7	10	16	22	31
13-19 YRS	211	9.4	94	1	2	7	12	23	30	55
GRAND TOTAL	**1002**	**7.9**	**67**	**1**	**2**	**5**	**10**	**17**	**24**	**51**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	2.0	2	<1	<1	1	3	3	3	3
1-5 YRS	146	1.1		<1	<1	<1	1	1	2	3
6-12 YRS	92	1.2		<1	<1	<1	1	2	2	4
13-19 YRS	9	1.6	1	<1	<1	1	2	4	4	4
2. MULTIPLE DX										
0-27 DYS	3	9.0	76	3	3	5	15	19	19	19
1-11 MOS	6	1.3		<1	<1	1	2	2	2	2
1-5 YRS	82	1.7	1	<1	<1	1	2	3	4	8
6-12 YRS	63	2.3	21	<1	<1	1	2	5	6	33
13-19 YRS	21	3.5	13	<1	<1	2	5	9	11	14
TOT. SINGLE DX	249	1.2		<1	<1	<1	1	2	2	4
" MULTIPLE DX	175	2.3	12	<1	<1	1	2	5	6	18
TOTAL 0-27 DYS	3	9.0	76	3	3	5	15	19	19	19
1-11 MOS	8	1.5	1	<1	<1	1	2	3	3	3
1-5 YRS	228	1.3	1	<1	<1	<1	1	2	3	6
6-12 YRS	155	1.6	9	<1	<1	<1	1	2	4	6
13-19 YRS	30	2.9	10	<1	<1	1	3	8	9	14
GRAND TOTAL	**424**	**1.6**	**5**	**<1**	**<1**	**<1**	**1**	**3**	**4**	**9**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	8.3	30	3	3	8	12	14	14	14
1-11 MOS	182	3.6	9	<1	<1	2	5	8	11	12
1-5 YRS	1271	4.5	13	<1	1	3	7	9	12	16
6-12 YRS	266	4.1	13	<1	<1	3	6	9	10	17
13-19 YRS	120	4.5	21	<1	1	3	6	10	13	25
2. MULTIPLE DX										
0-27 DYS	8	14.3	116	2	3	13	17	31	37	37
1-11 MOS	63	5.1	20	<1	1	3	8	12	14	20
1-5 YRS	602	4.7	17	1	1	3	7	10	13	17
6-12 YRS	158	4.3	27	<1	1	3	6	9	12	29
13-19 YRS	132	7.4	91	<1	1	4	9	17	22	54
TOT. SINGLE DX	1842	4.4	14	<1	1	3	7	9	11	16
" MULTIPLE DX	963	5.1	32	<1	1	3	7	11	14	25
TOTAL 0-27 DYS	11	12.6	95	2	3	12	16	26	36	37
1-11 MOS	245	4.0	13	<1	<1	3	6	9	11	15
1-5 YRS	1873	4.6	14	<1	1	3	7	10	12	16
6-12 YRS	424	4.2	19	<1	<1	3	6	9	11	19
13-19 YRS	252	6.0	60	<1	1	4	7	14	19	44
GRAND TOTAL	**2805**	**4.6**	**20**	**<1**	**1**	**3**	**7**	**10**	**12**	**19**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	1.3		<1	<1	1	2	2	2	2
1-5 YRS	100	1.4		<1	<1	1	1	2	3	6
6-12 YRS	96	1.6	1	<1	<1	1	2	3	4	7
13-19 YRS	56	2.1	3	<1	<1	1	2	5	6	9
2. MULTIPLE DX										
0-27 DYS	7	5.3	25	2	2	3	9	13	14	14
1-11 MOS	8	3.0	12	<1	<1	1	4	9	10	10
1-5 YRS	185	2.0	2	<1	<1	1	2	4	6	9
6-12 YRS	195	2.4	5	<1	<1	1	3	6	7	11
13-19 YRS	154	4.7	74	<1	<1	2	5	10	14	46
TOT. SINGLE DX	257	1.6	2	<1	<1	1	2	3	4	8
" MULTIPLE DX	549	3.0	26	<1	<1	1	3	6	9	20
TOTAL 0-27 DYS	8	4.9	23	2	2	3	7	13	14	14
1-11 MOS	12	2.4	9	<1	<1	1	2	8	10	10
1-5 YRS	285	1.8	2	<1	<1	1	2	3	5	8
6-12 YRS	291	2.1	4	<1	<1	1	2	5	7	11
13-19 YRS	210	4.0	57	<1	<1	2	4	7	11	46
GRAND TOTAL	**806**	**2.5**	**18**	**<1**	**<1**	**1**	**3**	**5**	**7**	**14**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	94	1.7	3	<1	<1	1	2	3	4	13
6-12 YRS	56	1.6	1	<1	<1	1	2	3	4	8
13-19 YRS	87	2.4	2	<1	1	2	3	4	6	9
2. MULTIPLE DX										
0-27 DYS	6	2.5	5	1	1	2	2	7	7	7
1-11 MOS	4	4.0	12	1	1	3	6	9	9	9
1-5 YRS	132	2.0	4	<1	<1	1	2	4	7	12
6-12 YRS	89	2.0	5	<1	<1	1	2	4	6	14
13-19 YRS	80	4.2	46	<1	1	3	4	8	10	46
TOT. SINGLE DX	239	1.9	3	<1	<1	1	2	4	5	10
" MULTIPLE DX	311	2.6	16	<1	<1	2	3	5	8	14
TOTAL 0-27 DYS	6	2.5	5	1	1	2	2	7	7	7
1-11 MOS	6	3.0	10	<1	<1	2	4	8	9	9
1-5 YRS	226	1.9	4	<1	<1	1	2	3	5	12
6-12 YRS	145	1.9	4	<1	<1	1	2	3	5	10
13-19 YRS	167	3.3	24	<1	1	2	4	6	8	15
GRAND TOTAL	**550**	**2.3**	**11**	**<1**	**<1**	**1**	**3**	**4**	**7**	**13**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	3.3	5	2	2	2	5	6	6	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	6.0	1	5	5	6	7	7	7	7
1-5 YRS										
6-12 YRS										
13-19 YRS	3	3.0	3	2	2	2	4	5	5	5
TOT. SINGLE DX	3	3.3	5	2	2	2	5	6	6	6
" MULTIPLE DX	6	4.5	4	2	2	5	6	7	7	7
TOTAL 0-27 DYS										
1-11 MOS	3	6.0	1	5	5	6	7	7	7	7
1-5 YRS										
6-12 YRS										
13-19 YRS	6	3.2	3	2	2	2	5	6	6	6
GRAND TOTAL	**9**	**4.1**	**4**	**2**	**2**	**5**	**6**	**7**	**7**	**7**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.5	1	<1	<1	1	2	2	2	2
6-12 YRS										
13-19 YRS	2	4.0	2	3	3	4	5	5	5	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	6.0	3	4	4	7	7	7	7	7
1-5 YRS										
6-12 YRS	2	4.0	2	3	3	4	5	5	5	5
13-19 YRS	10	6.6	13	2	2	6	9	12	14	14
TOT. SINGLE DX	4	2.8	3	<1	<1	2	4	5	5	5
" MULTIPLE DX	15	6.1	10	2	3	6	7	10	13	14
TOTAL 0-27 DYS										
1-11 MOS	3	6.0	3	4	4	7	7	7	7	7
1-5 YRS	2	1.5	1	<1	<1	1	2	2	2	2
6-12 YRS	2	4.0	2	3	3	4	5	5	5	5
13-19 YRS	12	6.2	12	2	3	5	8	11	14	14
GRAND TOTAL	**19**	**5.4**	**10**	**1**	**2**	**5**	**7**	**10**	**12**	**14**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	3	3.3	1	2	2	4	4	4	4	4
13-19 YRS	12	3.6	5	<1	<1	3	6	7	7	7
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	7	1.9	3	<1	<1	1	2	5	6	6
6-12 YRS	8	12.6	140	1	1	8	23	30	30	30
13-19 YRS	24	3.8	5	1	1	3	5	7	9	10
TOT. SINGLE DX	16	3.4	5	<1	<1	3	5	7	7	7
" MULTIPLE DX	41	5.1	43	1	1	3	6	11	23	30
TOTAL 0-27 DYS										
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	8	1.8	3	<1	<1	1	2	5	6	6
6-12 YRS	11	10.1	117	1	1	4	16	29	30	30
13-19 YRS	36	3.7	6	<1	1	3	6	7	8	10
GRAND TOTAL	**57**	**4.6**	**32**	**<1**	**1**	**3**	**6**	**8**	**16**	**30**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	3	2.0	1	1	1	2	3	3	3	3
13-19 YRS	20	4.2	16	1	1	3	4	11	15	15
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	17.0		17	17	17	17	17	17	17
1-5 YRS	2	5.5	1	5	5	6	76	99+	99+	99+
6-12 YRS	7	5.0	46	<1	<1	2	7	17	19	19
13-19 YRS	16	8.9	47	2	3	7	9	23	26	27
TOT. SINGLE DX	26	4.3	16	1	1	3	6	11	15	15
" MULTIPLE DX	26	7.9	47	1	1	7	10	23	38	99+
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	2	14.0	18	11	11	14	17	17	17	17
1-5 YRS	3	5.7		5	5	6	53	99+	99+	99+
6-12 YRS	10	4.1	33	<1	<1	2	3	14	19	19
13-19 YRS	36	6.3	35	1	1	4	8	14	21	27
GRAND TOTAL	**52**	**6.1**	**34**	**1**	**1**	**5**	**8**	**16**	**23**	**98**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	6.5	1	6	6	6	7	7	7	7
1-11 MOS	8	4.4	4	2	2	4	5	8	9	9
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	4	1.8	2	1	1	1	3	4	4	4
13-19 YRS	2	7.5	13	5	5	7	10	10	10	10
2. MULTIPLE DX										
0-27 DYS	6	8.2	42	3	3	6	8	20	21	21
1-11 MOS	33	6.8	43	2	3	5	7	11	19	37
1-5 YRS	8	5.9	9	<1	1	6	7	10	11	11
6-12 YRS	5	6.6	12	3	3	8	9	11	11	11
13-19 YRS	3	13.0	61	4	4	17	18	18	18	18
TOT. SINGLE DX	17	4.4	7	1	1	4	6	9	10	10
" MULTIPLE DX	55	7.1	36	2	3	5	8	17	19	36
TOTAL 0-27 DYS	8	7.8	31	3	4	6	8	17	21	21
1-11 MOS	41	6.3	36	2	3	5	6	9	18	37
1-5 YRS	9	5.7	9	<1	1	6	7	10	11	11
6-12 YRS	9	4.4	14	1	1	3	8	10	11	11
13-19 YRS	5	10.8	43	4	4	10	17	18	18	18
GRAND TOTAL	**72**	**6.5**	**30**	**1**	**2**	**5**	**7**	**11**	**18**	**33**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	4	3.3	1	2	2	3	4	5	5	5
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	4	6.3	54	<1	<1	3	11	17	17	17
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS	9	5.1	15	1	1	4	6	12	13	13
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	3	9.7	81	1	1	9	16	19	19	19
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX	9	5.3	26	<1	1	3	6	14	17	17
" MULTIPLE DX	13	6.6	29	1	1	4	10	14	18	19
TOTAL 0-27 DYS	13	4.5	11	1	2	4	5	11	13	13
1-11 MOS	2	10.5	1	10	10	10	11	11	11	11
1-5 YRS	7	7.7	58	<1	<1	5	15	19	19	19
6-12 YRS										
13-19 YRS										
GRAND TOTAL	22	6.1	27	<1	1	4	10	14	18	19

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	1.7		1	1	2	2	2	2	2
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS										
13-19 YRS	4	17.3	275	7	7	10	26	42	42	42
TOT. SINGLE DX	4	1.5		1	1	1	2	2	2	2
" MULTIPLE DX	7	10.9	202	1	1	7	10	36	42	42
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS										
13-19 YRS	7	10.6	207	1	1	7	10	36	42	42
GRAND TOTAL	11	7.5	143	1	1	2	8	23	40	42

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	2.0	2	<1	<1	1	3	3	3	3
1-11 MOS	28	1.6	2	<1	<1	1	2	3	4	9
1-5 YRS	104	1.5	2	<1	<1	1	2	3	3	9
6-12 YRS	83	1.7	2	<1	<1	1	2	3	5	11
13-19 YRS	183	2.2	3	<1	1	2	3	4	5	10
2. MULTIPLE DX										
0-27 DYS	5	12.6	333	1	1	5	16	45	45	45
1-11 MOS	30	2.6	10	<1	<1	1	2	7	12	14
1-5 YRS	87	2.2	11	<1	<1	1	2	4	7	22
6-12 YRS	57	2.5	23	<1	1	1	2	3	5	34
13-19 YRS	93	2.8	4	1	1	2	4	6	7	10
TOT. SINGLE DX	400	1.9	3	<1	<1	1	2	3	5	10
" MULTIPLE DX	272	2.7	18	<1	<1	2	3	5	7	26
TOTAL 0-27 DYS	7	9.6	249	<1	<1	5	7	37	45	45
1-11 MOS	58	2.1	7	<1	<1	1	2	4	9	14
1-5 YRS	191	1.9	6	<1	<1	1	2	3	5	12
6-12 YRS.	140	2.0	11	<1	1	1	2	3	5	16
13-19 YRS	276	2.4	4	<1	1	2	3	5	6	11
GRAND TOTAL	672	2.2	9	<1	<1	1	2	4	6	13

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	6	1.5		<1	<1	1	2	3	3	3
1-11 MOS	14	1.4		<1	<1	1	2	3	3	3
1-5 YRS	113	1.5		<1	<1	1	2	2	3	5
6-12 YRS	122	1.7	1	<1	1	1	2	3	4	6
13-19 YRS	308	2.3	2	<1	1	2	3	4	6	9
2. MULTIPLE DX										
0-27 DYS	31	4.9	17	1	1	4	6	9	12	22
1-11 MOS	18	2.2	1	<1	<1	2	3	5	5	5
1-5 YRS	92	1.8		<1	<1	2	2	3	3	6
6-12 YRS	100	2.5	9	<1	1	2	3	5	6	19
13-19 YRS	289	3.1	23	1	1	2	4	6	8	12
TOT. SINGLE DX	563	2.0	2	<1	<1	2	2	3	5	7
" MULTIPLE DX	530	2.9	16	<1	1	2	3	5	7	12
TOTAL 0-27 DYS	37	4.3	16	<1	1	4	5	7	12	22
1-11 MOS	32	1.9	1	<1	<1	1	2	4	5	5
1-5 YRS	205	1.6	1	<1	<1	1	2	3	3	5
6-12 YRS	222	2.0	5	<1	1	2	2	4	5	8
13-19 YRS	597	2.7	13	1	1	2	3	5	7	11
GRAND TOTAL	1093	2.4	9	<1	1	2	3	4	6	11

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	33	1.5		<1	<1	1	2	3	3	3
1-5 YRS	822	1.6		<1	<1	1	2	3	3	5
6-12 YRS	966	1.7	1	<1	<1	1	2	3	4	6
13-19 YRS	877	1.6		<1	1	1	2	3	3	5
2. MULTIPLE DX										
0-27 DYS	12	8.9	208	1	1	3	6	39	41	41
1-11 MOS	68	2.1	4	<1	<1	1	2	4	6	12
1-5 YRS	899	1.8	1	<1	<1	1	2	3	4	7
6-12 YRS	629	2.1	7	<1	<1	2	2	4	5	8
13-19 YRS	260	2.6	20	1	1	2	3	4	6	10
TOT. SINGLE DX	2700	1.6	1	<1	<1	1	2	3	3	5
" MULTIPLE DX	1868	2.0	8	<1	<1	2	2	3	5	9
TOTAL 0-27 DYS	14	7.9	183	1	1	2	6	38	40	41
1-11 MOS	101	1.9	3	<1	<1	1	2	3	5	11
1-5 YRS	1721	1.7	1	<1	<1	1	2	3	4	6
6-12 YRS	1595	1.8	3	<1	<1	1	2	3	4	7
13-19 YRS	1137	1.8	6	<1	1	1	2	3	4	6
GRAND TOTAL	**4568**	**1.8**	**4**	**<1**	**<1**	**1**	**2**	**3**	**4**	**6**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	4	2.3		2	2	2	3	3	3	3
1-5 YRS	59	2.0	1	<1	<1	1	3	3	5	7
6-12 YRS	295	1.4		<1	<1	1	2	2	3	4
13-19 YRS	222	1.9	2	<1	1	1	2	4	5	8
2. MULTIPLE DX										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	41	1.8	1	<1	<1	1	2	4	5	6
6-12 YRS	123	1.8	2	<1	<1	1	2	4	5	9
13-19 YRS	82	2.4	3	<1	1	2	3	5	6	11
TOT. SINGLE DX	582	1.7	1	<1	<1	1	2	3	4	6
" MULTIPLE DX	249	2.0	3	<1	<1	1	2	4	5	7
TOTAL 0-27 DYS	4	3.8	2	2	2	4	5	5	5	5
1-11 MOS	5	2.2		2	2	2	3	3	3	3
1-5 YRS	100	1.9	2	<1	<1	1	3	4	5	6
6-12 YRS	418	1.6	1	<1	<1	1	2	3	4	6
13-19 YRS	304	2.0	3	<1	1	1	2	4	5	8
GRAND TOTAL	**831**	**1.8**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS										
1-5 YRS	6	1.7	1	<1	<1	1	2	4	4	4
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS										
13-19 YRS	1	19.0		19	19	19	19	19	19	19
TOT. SINGLE DX	8	1.5	1	<1	<1	1	2	3	4	4
" MULTIPLE DX	2	12.0	98	5	5	12	19	19	19	19
TOTAL 0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS										
1-5 YRS	7	2.1	3	<1	<1	1	3	5	5	5
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1	19.0		19	19	19	19	19	19	19
GRAND TOTAL	**10**	**3.6**	**31**	**<1**	**<1**	**1**	**4**	**12**	**19**	**19**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	77	1.4		<1	<1	1	1	2	3	6
1-5 YRS	239	1.3		<1	<1	1	2	2	2	4
6-12 YRS	216	1.5		<1	<1	1	2	2	3	5
13-19 YRS	556	1.7	1	<1	1	1	2	3	4	5
2. MULTIPLE DX										
0-27 DYS	6	7.2	161	1	1	2	4	30	33	33
1-11 MOS	88	1.9	1	<1	<1	1	2	4	5	7
1-5 YRS	242	1.7	1	<1	<1	1	2	3	4	7
6-12 YRS	145	1.7		<1	<1	1	2	3	4	5
13-19 YRS	250	2.3	6	<1	1	2	3	4	5	19
TOT. SINGLE DX	1088	1.6	1	<1	<1	1	2	3	3	5
" MULTIPLE DX	731	2.0	4	<1	<1	1	2	3	4	8
TOTAL 0-27 DYS	6	7.2	161	1	1	2	4	30	33	33
1-11 MOS	165	1.7	1	<1	<1	1	2	3	4	6
1-5 YRS	481	1.5	1	<1	<1	1	2	2	3	6
6-12 YRS	361	1.6	1	<1	<1	1	2	3	3	5
13-19 YRS	806	1.9	3	<1	1	1	2	3	4	7
GRAND TOTAL	**1819**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**6**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	214	1.3	1	<1	<1	<1	1	2	2	5
1-5 YRS	1023	1.6	5	<1	<1	1	1	2	3	17
6-12 YRS	383	1.3		<1	<1	1	2	2	2	3
13-19 YRS	237	1.4		<1	<1	1	2	2	2	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	104	10.3	240	<1	1	2	14	27	46	68
1-5 YRS	389	4.4	76	<1	<1	2	4	12	17	41
6-12 YRS	123	1.8	1	<1	<1	1	2	3	5	8
13-19 YRS	75	2.2	4	<1	<1	2	2	4	7	12
TOT. SINGLE DX	1857	1.5	3	<1	<1	1	1	2	2	12
" MULTIPLE DX	691	4.6	87	<1	<1	2	3	12	19	54
TOTAL 0-27 DYS										
1-11 MOS	318	4.2	97	<1	<1	1	2	12	21	61
1-5 YRS	1412	2.4	26	<1	<1	1	2	3	9	21
6-12 YRS	506	1.4	1	<1	<1	1	2	2	3	6
13-19 YRS	312	1.6	2	<1	<1	1	2	2	3	8
GRAND TOTAL	**2548**	**2.3**	**28**	**<1**	**<1**	**1**	**2**	**3**	**7**	**22**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	13	2.5	1	1	1	2	3	4	5	5
1-11 MOS	37	1.7	2	<1	<1	1	2	3	4	8
1-5 YRS	158	2.9	7	<1	<1	2	4	7	9	12
6-12 YRS	51	2.9	11	<1	<1	1	3	8	11	17
13-19 YRS	53	2.3	3	<1	<1	2	3	5	6	9
2. MULTIPLE DX										
0-27 DYS	58	3.2	2	2	2	3	4	6	6	10
1-11 MOS	22	2.5	4	<1	<1	2	3	5	7	9
1-5 YRS	79	2.8	7	<1	<1	2	4	6	9	12
6-12 YRS	38	3.4	11	<1	<1	2	5	7	10	18
13-19 YRS	41	4.5	18	<1	1	3	6	9	11	24
TOT. SINGLE DX	312	2.6	7	<1	<1	1	3	6	8	12
" MULTIPLE DX	238	3.3	9	<1	<1	2	4	6	9	13
TOTAL 0-27 DYS	71	3.1	2	1	2	3	4	5	6	9
1-11 MOS	59	2.0	3	<1	<1	1	3	4	5	9
1-5 YRS	237	2.8	7	<1	<1	2	4	6	9	12
6-12 YRS	89	3.1	12	<1	<1	2	4	7	11	18
13-19 YRS	94	3.3	11	<1	<1	2	4	7	9	19
GRAND TOTAL	**550**	**2.9**	**8**	**<1**	**<1**	**2**	**4**	**6**	**9**	**12**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	6	4.7	4	3	3	4	4	9	9	9
1-11 MOS	2	6.0		6	6	6	6	6	6	6
1-5 YRS	2	6.0	8	4	4	6	8	8	8	8
6-12 YRS	21	4.2	3	2	2	4	5	7	8	8
13-19 YRS	814	4.4	2	2	3	4	5	6	7	10
2. MULTIPLE DX										
0-27 DYS	3	12.3	49	5	5	16	59	99+	99+	99+
1-11 MOS	8	4.9	2	3	3	5	6	7	8	8
1-5 YRS	10	4.0	1	3	3	4	5	6	6	6
6-12 YRS	19	5.9	8	2	3	5	8	10	12	13
13-19 YRS	911	5.1	6	2	3	5	6	7	9	14
TOT. SINGLE DX	845	4.4	3	2	3	4	5	6	7	10
" MULTIPLE DX	951	5.1	7	2	3	5	6	7	9	15
TOTAL 0-27 DYS	9	7.2	30	3	3	5	13	59	99+	99+
1-11 MOS	10	5.1	2	3	3	5	6	7	8	8
1-5 YRS	12	4.3	2	3	3	4	5	7	8	8
6-12 YRS	40	5.0	6	2	2	5	6	9	10	13
13-19 YRS	1725	4.8	5	2	3	5	6	7	8	12
GRAND TOTAL	**1796**	**4.8**	**5**	**2**	**3**	**5**	**6**	**7**	**8**	**13**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	6	5.0	8	1	1	5	8	8	8	8
1-5 YRS	14	5.0	3	2	2	5	6	7	9	9
6-12 YRS	54	5.2	3	3	3	5	6	8	9	12
13-19 YRS	343	5.1	4	3	3	5	6	7	9	12
2. MULTIPLE DX										
0-27 DYS	4	7.8	9	5	5	7	10	12	12	12
1-11 MOS	7	3.3	4	2	2	2	4	7	7	7
1-5 YRS	11	4.9	4	3	3	4	6	8	10	10
6-12 YRS	48	5.4	8	3	3	5	6	8	11	17
13-19 YRS	524	6.0	10	3	4	5	7	9	11	20
TOT. SINGLE DX	418	5.1	4	3	3	5	6	7	9	12
" MULTIPLE DX	594	5.9	11	3	3	5	7	9	11	19
TOTAL 0-27 DYS	5	7.0	10	4	4	6	9	12	12	12
1-11 MOS	13	4.1	6	1	1	3	6	8	8	8
1-5 YRS	25	5.0	4	2	3	5	6	7	9	10
6-12 YRS	102	5.3	6	3	3	5	6	8	10	15
13-19 YRS	867	5.7	9	3	3	5	6	8	10	17
GRAND TOTAL	**1012**	**5.6**	**8**	**3**	**3**	**5**	**6**	**8**	**10**	**16**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	8	5.3	1	3	3	5	6	7	7	7
2. MULTIPLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	3	3.3	1	2	2	4	4	4	4	4
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS										
13-19 YRS	32	6.3	8	3	4	6	7	10	13	16
TOT. SINGLE DX	10	4.9	2	2	2	5	6	7	7	7
" MULTIPLE DX	37	6.0	8	3	3	5	6	9	13	16
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	4	3.8	2	2	2	4	5	5	5	5
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	40	6.1	7	3	3	6	7	9	13	16
GRAND TOTAL	**47**	**5.7**	**7**	**3**	**3**	**5**	**6**	**9**	**13**	**16**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	11	3.9	2	1	2	4	5	6	7	7
13-19 YRS	227	2.9	3	<1	1	3	4	5	6	9
2. MULTIPLE DX										
0-27 DYS	2	8.5	85	2	2	8	15	15	15	15
1-11 MOS										
1-5 YRS										
6-12 YRS	8	4.3	14	<1	1	3	5	11	13	13
13-19 YRS	266	4.4	7	1	1	4	5	8	10	13
TOT. SINGLE DX	240	3.0	3	<1	1	3	4	5	6	9
" MULTIPLE DX	276	4.4	8	1	1	4	5	8	10	13
TOTAL 0-27 DYS	2	8.5	85	2	2	8	15	15	15	15
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	19	4.1	7	<1	1	4	5	7	10	13
13-19 YRS	493	3.7	6	<1	1	3	5	7	8	12
GRAND TOTAL	**516**	**3.7**	**7**	**<1**	**1**	**3**	**5**	**7**	**8**	**12**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	10	2.2	3	<1	<1	1	2	5	6	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	33	1.9	1	<1	<1	1	3	3	4	4
TOT. SINGLE DX	10	2.2	3	<1	<1	1	2	5	6	6
" MULTIPLE DX	33	1.9	1	<1	<1	1	3	3	4	4
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	43	2.0	2	<1	<1	1	3	4	5	6
GRAND TOTAL	**43**	**2.0**	**2**	**<1**	**<1**	**1**	**3**	**4**	**5**	**6**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	47	3.1	7	<1	<1	2	4	6	8	13
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	130	3.3	3	1	1	3	4	6	7	29
TOT. SINGLE DX	47	3.1	7	<1	<1	2	4	6	8	13
" MULTIPLE DX	131	3.3	4	1	1	3	4	6	7	28
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	177	3.3	4	1	1	3	4	6	7	13
GRAND TOTAL	**178**	**3.3**	**4**	**1**	**1**	**3**	**4**	**6**	**7**	**13**

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	3.0	8	1	1	3	5	5	5	5
1-5 YRS										
6-12 YRS	3	3.0	1	2	2	3	4	4	4	4
13-19 YRS	459	4.2	2	2	3	4	5	6	7	8
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	4	4.0	4	<1	<1	4	5	6	6	6
1-5 YRS										
6-12 YRS	12	5.2	3	3	3	4	7	8	8	8
13-19 YRS	560	4.9	6	2	3	4	6	8	9	14
TOT. SINGLE DX	464	4.1	2	2	3	4	5	6	7	8
" MULTIPLE DX	576	4.9	6	2	3	4	6	8	9	14
TOTAL 0-27 DYS										
1-11 MOS	6	3.7	5	<1	<1	4	5	6	6	6
1-5 YRS										
6-12 YRS	15	4.7	4	2	3	4	7	7	8	8
13-19 YRS	1019	4.6	4	2	3	4	5	7	8	12
GRAND TOTAL	**1040**	**4.6**	**4**	**2**	**3**	**4**	**5**	**7**	**8**	**12**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS	2	3.5	13	<1	<1	3	6	6	6	6
13-19 YRS	51	1.6		<1	<1	2	2	3	3	3
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	1.3		1	1	1	2	2	2	2
1-5 YRS										
6-12 YRS										
13-19 YRS	45	1.8	1	<1	<1	1	2	3	4	5
TOT. SINGLE DX	54	1.8	1	<1	<1	2	2	3	3	6
" MULTIPLE DX	48	1.8	1	<1	<1	1	2	3	4	5
TOTAL 0-27 DYS										
1-11 MOS	4	2.0	2	1	1	2	3	4	4	4
1-5 YRS										
6-12 YRS	2	3.5	13	<1	<1	3	6	6	6	6
13-19 YRS	96	1.7	1	<1	<1	2	2	3	3	5
GRAND TOTAL	**102**	**1.8**	**1**	**<1**	**<1**	**2**	**2**	**3**	**4**	**5**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	56	1.7	3	<1	<1	1	2	3	4	12
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS										
13-19 YRS	79	2.9	15	<1	<1	2	3	6	9	25
TOT. SINGLE DX	58	1.7	3	<1	<1	1	2	3	5	12
" MULTIPLE DX	80	2.9	15	<1	<1	2	3	6	9	25
TOTAL 0-27 DYS										
1-11 MOS	2	4.0		4	4	4	4	4	4	4
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	135	2.4	11	<1	<1	1	2	5	7	16
GRAND TOTAL	**138**	**2.4**	**10**	**<1**	**<1**	**1**	**3**	**5**	**7**	**16**

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	108	2.5	2	1	1	2	3	4	5	10
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	32	3.3	7	1	1	3	3	6	11	14
TOT. SINGLE DX	108	2.5	2	1	1	2	3	4	5	10
" MULTIPLE DX	32	3.3	8	1	1	3	3	6	11	14
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	140	2.7	4	1	1	2	3	4	6	12
GRAND TOTAL	**140**	**2.7**	**4**	**1**	**1**	**2**	**3**	**4**	**6**	**12**

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS										
13-19 YRS	25	3.3	3	<1	1	3	5	5	6	6
2. MULTIPLE DX										
0-27 DYS	3	5.0	1	4	4	5	6	6	6	6
1-11 MOS	2	6.0	2	5	5	6	7	7	7	7
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	5	6.2	19	1	1	5	8	13	13	13
13-19 YRS	45	5.6	43	1	1	5	6	8	14	41
TOT. SINGLE DX	26	3.3	3	<1	1	3	5	5	6	6
" MULTIPLE DX	56	5.6	37	1	1	5	6	8	12	40
TOTAL 0-27 DYS	3	5.0	1	4	4	5	6	6	6	6
1-11 MOS	2	6.0	2	5	5	6	7	7	7	7
1-5 YRS	2	3.0	8	1	1	3	5	5	5	5
6-12 YRS	5	6.2	19	1	1	5	8	13	13	13
13-19 YRS	70	4.8	30	1	1	4	5	7	9	38
GRAND TOTAL	**82**	**4.9**	**27**	**1**	**1**	**5**	**5**	**7**	**9**	**36**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	8	6.3	2	4	4	6	7	8	9	9
1-5 YRS	2	11.5	113	4	4	11	19	19	19	19
6-12 YRS	3	7.3	6	5	5	7	9	10	10	10
13-19 YRS	28	6.3	6	3	4	6	8	11	11	12
2. MULTIPLE DX										
0-27 DYS	12	7.8	13	4	5	7	9	13	16	17
1-11 MOS	52	6.5	5	4	4	6	7	9	13	15
1-5 YRS	3	5.3	2	4	4	5	6	7	7	7
6-12 YRS	12	5.4	2	2	3	5	6	7	8	8
13-19 YRS	130	6.9	11	3	4	6	8	12	13	38
TOT. SINGLE DX	41	6.6	9	3	4	7	8	10	12	19
" MULTIPLE DX	209	6.7	9	4	4	6	8	11	13	21
TOTAL 0-27 DYS	12	7.8	13	4	5	7	9	13	16	17
1-11 MOS	60	6.5	5	4	4	6	7	9	11	15
1-5 YRS	5	7.8	41	4	4	5	10	19	19	19
6-12 YRS	15	5.8	3	2	4	5	7	8	9	10
13-19 YRS	158	6.8	10	3	4	6	8	11	13	23
GRAND TOTAL	**250**	**6.7**	**9**	**4**	**4**	**6**	**8**	**11**	**13**	**20**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	4.7	1	4	4	4	6	6	6	6
1-5 YRS										
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	6	4.0	2	1	1	4	5	6	6	6
2. MULTIPLE DX										
0-27 DYS	2	10.5	13	8	8	10	13	13	13	13
1-11 MOS	17	5.4	3	2	3	5	6	8	9	10
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	21	4.5	2	2	3	4	5	7	8	8
TOT. SINGLE DX	10	4.6	3	1	2	4	6	7	8	8
" MULTIPLE DX	42	5.3	5	2	3	5	6	8	9	13
TOTAL 0-27 DYS	2	10.5	13	8	8	10	13	13	13	13
1-11 MOS	20	5.3	3	2	3	5	6	8	9	10
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	2	6.5	5	5	5	6	8	8	8	8
13-19 YRS	27	4.4	3	2	3	4	5	7	8	8
GRAND TOTAL	**52**	**5.1**	**5**	**2**	**3**	**5**	**6**	**8**	**8**	**13**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	14.5	25	11	11	14	18	18	18	18
6-12 YRS										
13-19 YRS	2	9.0	8	7	7	9	11	11	11	11
TOT. SINGLE DX	1	9.0		9	9	9	9	9	9	9
" MULTIPLE DX	4	11.8	21	7	7	11	15	18	18	13
TOTAL 0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	2	14.5	25	11	11	14	18	18	18	18
6-12 YRS										
13-19 YRS	2	9.0	8	7	7	9	11	11	11	11
GRAND TOTAL	**5**	**11.2**	**17**	**7**	**7**	**11**	**13**	**18**	**18**	**18**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	466	1.2		<1	<1	<1	1	1	2	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	97	4.1	45	<1	<1	2	4	8	21	75
TOT. SINGLE DX	468	1.1		<1	<1	<1	1	1	2	4
" MULTIPLE DX	97	4.1	45	<1	<1	2	4	8	21	75
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	563	1.7	9	<1	<1	<1	1	2	4	18
GRAND TOTAL	**565**	**1.6**	**9**	**<1**	**<1**	**<1**	**1**	**2**	**4**	**18**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	1.0		<1	<1	<1	1	1	1	1
1-5 YRS										
6-12 YRS	17	2.1	2	<1	1	1	3	5	5	5
13-19 YRS	5230	1.5	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX										
0-27 DYS	3	2.7	2	1	1	3	4	4	4	4
1-11 MOS	12	3.3	9	<1	<1	2	4	9	11	11
1-5 YRS	3	4.0	9	<1	<1	4	6	7	7	7
6-12 YRS	18	3.7	6	1	1	3	5	7	9	11
13-19 YRS	2005	2.7	9	<1	1	2	3	5	7	13
TOT. SINGLE DX	5250	1.5	1	<1	<1	1	2	3	3	6
" MULTIPLE DX	2041	2.7	9	<1	1	2	3	5	7	13
TOTAL 0-27 DYS	3	2.7	2	1	1	3	4	4	4	4
1-11 MOS	15	2.8	9	<1	<1	2	3	8	10	11
1-5 YRS	3	4.0	9	<1	<1	4	6	7	7	7
6-12 YRS	35	2.9	5	1	1	2	4	6	7	11
13-19 YRS	7235	1.8	4	<1	<1	1	2	3	5	8
GRAND TOTAL	**7291**	**1.9**	**4**	**<1**	**<1**	**1**	**2**	**3**	**5**	**9**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	1.4	1	<1	<1	<1	1	3	3	3
13-19 YRS	994	1.1		<1	<1	<1	<1	1	2	3
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	846	1.7	15	<1	<1	<1	<1	2	5	19
TOT. SINGLE DX	999	1.1		<1	<1	<1	<1	1	2	3
" MULTIPLE DX	846	1.7	16	<1	<1	<1	<1	2	5	19
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	1.4	1	<1	<1	<1	1	3	3	3
13-19 YRS	1840	1.4	7	<1	<1	<1	<1	1	2	8
GRAND TOTAL	**1845**	**1.4**	**7**	**<1**	**<1**	**<1**	**<1**	**1**	**2**	**8**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	2.0	3	<1	<1	<1	3	4	4	4
13-19 YRS	842	1.3		<1	<1	1	1	2	3	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	210	2.6	13	<1	1	2	3	5	7	24
TOT. SINGLE DX	845	1.3	1	<1	<1	1	1	2	3	5
" MULTIPLE DX	210	2.6	13	<1	1	2	3	5	7	24
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	2.0	3	<1	<1	<1	3	4	4	4
13-19 YRS	1052	1.6	4	<1	<1	1	2	3	4	8
GRAND TOTAL	**1055**	**1.6**	**4**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS										
6-12 YRS										
13-19 YRS	7	4.3	2	1	2	5	5	6	6	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	20	4.9	4	1	2	5	6	8	9	10
TOT. SINGLE DX	8	4.5	3	1	2	5	6	6	6	6
" MULTIPLE DX	21	4.9	4	2	2	5	6	8	9	10
TOTAL 0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	27	4.7	4	1	2	5	5	7	9	10
GRAND TOTAL	**29**	**4.8**	**4**	**1**	**2**	**5**	**6**	**7**	**9**	**10**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	3	1.3		<1	<1	1	2	2	2	2
13-19 YRS	83	2.7	5	<1	<1	2	4	5	7	14
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	2	4.5	1	4	4	4	5	5	5	5
13-19 YRS	97	3.6	6	1	1	3	5	7	8	14
TOT. SINGLE DX	88	2.6	6	<1	<1	2	4	5	7	14
" MULTIPLE DX	101	3.6	6	1	1	3	5	6	8	13
TOTAL 0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	5	2.6	3	<1	<1	2	4	5	5	5
13-19 YRS	180	3.2	6	<1	<1	3	4	6	7	14
GRAND TOTAL	**189**	**3.1**	**6**	**<1**	**<1**	**3**	**4**	**6**	**7**	**14**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	5.0	8	3	3	5	7	7	7	7
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS										
13-19 YRS	5	2.8	2	<1	<1	2	4	5	5	5
2. MULTIPLE DX										
0-27 DYS	2	5.5	5	4	4	5	7	7	7	7
1-11 MOS										
1-5 YRS	2	5.0	8	3	3	5	7	7	7	7
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	3	6.0	39	<1	<1	4	11	13	13	13
TOT. SINGLE DX	8	4.1	8	<1	1	3	6	8	9	9
" MULTIPLE DX	8	5.6	13	<1	1	5	7	11	13	13
TOTAL 0-27 DYS	2	5.5	5	4	4	5	7	7	7	7
1-11 MOS	2	5.0	8	3	3	5	7	7	7	7
1-5 YRS	3	6.3	9	3	3	7	8	9	9	9
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	8	4.0	15	<1	<1	3	5	11	13	13
GRAND TOTAL	**16**	**4.9**	**10**	**<1**	**<1**	**4**	**7**	**9**	**12**	**13**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	20	3.4	19	<1	<1	2	4	9	15	18
6-12 YRS	33	2.4	6	<1	1	1	2	6	9	10
13-19 YRS	107	3.2	11	<1	<1	1	5	9	11	14
2. MULTIPLE DX										
0-27 DYS	2	19.5	25	16	16	19	23	23	23	23
1-11 MOS	5	6.2	8	3	3	6	7	11	11	11
1-5 YRS	20	5.9	53	<1	<1	3	5	16	25	29
6-12 YRS	23	2.9	4	1	1	2	4	5	9	9
13-19 YRS	101	3.5	13	<1	1	2	4	8	11	19
TOT. SINGLE DX	161	3.0	11	<1	<1	1	4	9	11	16
" MULTIPLE DX	151	4.0	21	<1	1	3	4	9	14	23
TOTAL 0-27 DYS	2	19.5	25	16	16	19	23	23	23	23
1-11 MOS	6	5.3	11	<1	<1	5	6	11	11	11
1-5 YRS	40	4.6	37	<1	<1	2	5	12	19	29
6-12 YRS	56	2.6	6	1	1	2	3	5	9	10
13-19 YRS	208	3.4	12	<1	<1	2	4	8	11	17
GRAND TOTAL	**312**	**3.5**	**16**	**<1**	**<1**	**2**	**4**	**9**	**11**	**21**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	6	2.8	3	1	1	2	5	5	5	5
1-11 MOS	7	3.6	4	<1	<1	3	5	7	7	7
1-5 YRS	13	1.8	2	<1	<1	1	2	4	6	7
6-12 YRS	24	3.7	10	<1	1	2	5	9	11	13
13-19 YRS	244	3.0	9	<1	<1	2	4	7	9	18
2. MULTIPLE DX										
0-27 DYS	16	4.1	31	1	2	3	4	4	19	25
1-11 MOS	2	6.0		6	6	6	6	6	6	6
1-5 YRS	6	6.8	47	<1	<1	5	9	18	19	19
6-12 YRS	28	3.5	13	<1	<1	2	5	10	12	12
13-19 YRS	279	4.3	34	1	1	3	5	9	11	37
TOT. SINGLE DX	294	3.0	9	<1	<1	2	4	7	9	16
" MULTIPLE DX	331	4.3	33	<1	1	3	5	9	11	29
TOTAL 0-27 DYS	22	3.8	24	1	1	3	4	5	13	25
1-11 MOS	9	4.1	5	<1	1	5	6	7	7	7
1-5 YRS	19	3.4	21	<1	<1	1	3	9	14	19
6-12 YRS	52	3.6	12	<1	<1	2	5	9	12	13
13-19 YRS	523	3.7	23	<1	<1	2	4	8	10	18
GRAND TOTAL	**625**	**3.7**	**22**	**<1**	**<1**	**2**	**5**	**8**	**10**	**19**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	7	2.9	2	<1	<1	3	4	5	5	5
1-5 YRS	29	2.3	4	<1	<1	1	3	5	7	10
6-12 YRS	30	2.4	3	<1	<1	2	3	5	7	8
13-19 YRS	275	2.0	2	<1	<1	1	2	4	5	8
2. MULTIPLE DX										
0-27 DYS	9	2.8	1	1	1	2	4	5	5	5
1-11 MOS	5	7.6	58	2	2	5	9	21	21	21
1-5 YRS	28	4.0	11	<1	1	4	5	8	13	14
6-12 YRS	12	2.9	2	<1	1	3	5	5	5	5
13-19 YRS	164	3.7	28	1	1	3	4	6	8	17
TOT. SINGLE DX	341	2.0	3	<1	<1	1	2	4	5	8
" MULTIPLE DX	218	3.7	24	1	1	3	4	6	8	18
TOTAL 0-27 DYS	9	2.8	2	1	1	2	4	5	5	5
1-11 MOS	12	4.8	29	<1	<1	4	5	10	19	21
1-5 YRS	57	3.1	9	<1	<1	2	4	7	9	14
6-12 YRS	42	2.6	3	<1	<1	2	3	5	6	8
13-19 YRS	439	2.6	13	<1	1	2	3	5	6	13
GRAND TOTAL	**559**	**2.7**	**12**	**<1**	**<1**	**2**	**3**	**5**	**7**	**14**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	4	2.8	8	1	1	2	4	7	7	7
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS	1	46.0		46	46	46	46	46	46	46
6-12 YRS										
13-19 YRS	2	7.0	50	2	2	7	12	12	12	12
TOT. SINGLE DX	5	3.0	7	1	1	2	5	7	7	7
" MULTIPLE DX	4	18.3	367	2	2	13	59	99+	99+	99+
TOTAL 0-27 DYS										
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS	1	46.0		46	46	46	46	46	46	46
6-12 YRS	1	4.0		4	4	52	99+	99+	99+	99+
13-19 YRS	6	4.2	20	1	1	2	7	11	12	12
GRAND TOTAL	**9**	**9.8**	**205**	**1**	**1**	**5**	**13**	**73**	**99+**	**99+**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	40	1.1		<1	<1	1	1	1	2	4
6-12 YRS	59	1.5	1	<1	1	1	2	3	4	6
13-19 YRS	21	2.2	2	<1	<1	2	3	4	6	8
2. MULTIPLE DX										
0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	3	4.0	3	2	2	5	5	5	5	5
1-5 YRS	20	2.3	8	<1	<1	1	2	3	9	14
6-12 YRS	37	1.7	2	<1	<1	1	2	2	5	8
13-19 YRS	34	3.2	26	<1	1	2	3	4	8	31
TOT. SINGLE DX	122	1.5	1	<1	<1	1	2	3	4	7
" MULTIPLE DX	96	2.4	12	<1	1	1	3	4	6	23
TOTAL 0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	5	2.8	4	1	1	2	5	5	5	5
1-5 YRS	60	1.5	3	<1	<1	1	1	3	3	13
6-12 YRS	96	1.6	2	<1	1	1	2	3	4	7
13-19 YRS	55	2.8	18	<1	1	2	3	4	7	30
GRAND TOTAL	**218**	**1.9**	**6**	**<1**	**1**	**1**	**2**	**4**	**5**	**11**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	8	2.0	8	<1	<1	<1	1	7	9	9
6-12 YRS	10	2.6	5	<1	<1	1	4	6	8	8
13-19 YRS	3	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	5	1.8	1	<1	<1	<1	2	4	4	4
6-12 YRS	3	2.0	3	1	1	1	3	4	4	4
13-19 YRS	6	2.8	2	<1	<1	3	4	5	5	5
TOT. SINGLE DX	21	2.2	6	<1	<1	<1	2	6	8	9
" MULTIPLE DX	15	2.3	2	<1	<1	2	3	4	5	5
TOTAL 0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	13	1.9	5	<1	<1	<1	1	5	8	9
6-12 YRS	13	2.5	5	<1	<1	1	4	6	8	8
13-19 YRS	9	2.3	2	<1	<1	2	3	5	5	5
GRAND TOTAL	**36**	**2.2**	**4**	**<1**	**<1**	**1**	**3**	**5**	**7**	**9**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.3	1	2	2	4	4	4	4	4
13-19 YRS	5057	2.6	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	2.4	1	1	1	2	3	4	4	4
13-19 YRS	5159	3.0	2	1	2	3	3	4	5	8
TOT. SINGLE DX	5060	2.6	1	1	2	3	3	4	4	5
" MULTIPLE DX	5164	3.0	3	1	2	3	3	4	5	8
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	8	2.8	1	1	1	3	4	4	4	4
13-19 YRS	10216	2.8	2	1	2	3	3	4	5	7
GRAND TOTAL	**10224**	**2.8**	**2**	**1**	**2**	**3**	**3**	**4**	**5**	**7**

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	74	2.3		1	1	2	3	3	4	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	203	2.8	4	1	1	3	3	5	6	13
TOT. SINGLE DX	75	2.3	1	1	1	2	3	3	4	5
" MULTIPLE DX	204	2.8	4	1	1	3	3	5	6	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	277	2.7	3	1	1	2	3	4	5	11
GRAND TOTAL	**279**	**2.7**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**11**

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3		3	3	3
13-19 YRS	1331	2.6	1	1	1	2		4	4	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	2094	3.0	3	1	2	3	3	4	5	8
TOT. SINGLE DX	1332	2.6	2	1	1	2	3	4	4	6
" MULTIPLE DX	2095	3.0	4	1	2	3	3	4	5	8
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.0		3	3	3	3	3	3	3
13-19 YRS	3425	2.8	3	1	1	3	3	4	5	8
GRAND TOTAL	**3427**	**2.8**	**3**	**1**	**1**	**3**	**3**	**4**	**5**	**8**

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	13	2.8		1	2	3	3	4	4	4
13-19 YRS	41039	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	15	5.3	121	1	2	2	3	5	35	45
13-19 YRS	15309	3.0	5	1	1	3	3	4	5	10
TOT. SINGLE DX	41052	2.4	1	1	1	2	3	3	4	5
" MULTIPLE DX	15324	3.0	6	1	1	3	3	4	5	10
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	28	4.2	65	1	2	3	3	4	9	45
13-19 YRS	56348	2.6	2	1	1	2	3	4	4	7
GRAND TOTAL	**56376**	**2.6**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**7**

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	4886	4.9	3	3	3	5	5	6	7	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	9	7.4	50	3	3	5	7	19	26	26
13-19 YRS	12774	5.7	8	3	4	5	6	8	10	16
TOT. SINGLE DX	4887	4.9	3	3	3	5	5	6	7	9
" MULTIPLE DX	12783	5.7	9	3	4	5	6	8	10	16
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	10	7.1	46	3	3	5	6	17	26	26
13-19 YRS	17660	5.4	7	3	4	5	6	7	9	15
GRAND TOTAL	**17670**	**5.4**	**7**	**3**	**4**	**5**	**6**	**7**	**9**	**15**

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	286	4.8	1	3	3	5	5	7	7	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	497	5.7	5	3	4	5	6	8	10	16
TOT. SINGLE DX	286	4.8	2	3	3	5	5	7	7	9
" MULTIPLE DX	497	5.7	5	3	4	5	6	8	10	16
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	783	5.4	4	3	3	5	6	7	9	14
GRAND TOTAL	**783**	**5.4**	**4**	**3**	**3**	**5**	**6**	**7**	**9**	**14**

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	34	4.5	4	2	2	4	5	6	8	14
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	35	4.6	5	2	3	4	5	8	8	15
TOT. SINGLE DX	34	4.5	5	2	2	4	5	6	8	14
" MULTIPLE DX	35	4.6	6	2	3	4	5	8	8	15
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	69	4.6	5	2	2	4	5	7	8	15
GRAND TOTAL	**69**	**4.6**	**5**	**2**	**2**	**4**	**5**	**7**	**8**	**15**

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	2.0		1	1	2	2	3	3	3
13-19 YRS	1023	1.6		1	1	2	2	2	3	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	119	2.3	3	1	1	2	2	4	6	11
TOT. SINGLE DX	1029	1.6	1	1	1	2	2	2	3	4
" MULTIPLE DX	120	2.3	4	1	1	2	2	4	6	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	2.0		1	1	2	2	3	3	3
13-19 YRS	1142	1.7	1	1	1	2	2	2	3	5
GRAND TOTAL	**1149**	**1.7**	**1**	**1**	**1**	**2**	**2**	**2**	**3**	**5**

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	231	4.3	27	<1	1	3	4	9	13	28
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	211	5.6	43	1	1	4	6	12	18	38
TOT. SINGLE DX	231	4.3	28	<1	1	3	4	9	13	28
" MULTIPLE DX	211	5.6	43	1	1	4	6	12	18	38
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	442	4.9	36	<1	1	3	5	10	16	36
GRAND TOTAL	**442**	**4.9**	**36**	**<1**	**1**	**3**	**5**	**10**	**16**	**36**

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	3504	2.2	1	<1	<1	2	3	3	4	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	1451	2.7	4	<1	1	2	3	4	5	11
TOT. SINGLE DX	3506	2.2	1	<1	<1	2	3	3	4	6
" MULTIPLE DX	1452	2.7	5	<1	1	2	3	4	5	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	2.0	1	1	1	2	3	3	3	3
13-19 YRS	4955	2.3	2	<1	<1	2	3	4	4	7
GRAND TOTAL	**4958**	**2.3**	**2**	**<1**	**<1**	**2**	**3**	**4**	**4**	**7**

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	3.0		3	3	3	3	3	3	3
13-19 YRS	6344	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	2.7	1	1	1	3	3	4	4	4
13-19 YRS	6437	2.8	3	1	1	3	3	4	5	8
TOT. SINGLE DX	6350	2.4	1	1	1	2	3	3	4	5
" MULTIPLE DX	6443	2.8	4	1	1	3	3	4	5	8
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	12	2.8	1	1	2	3	3	4	4	4
13-19 YRS	12781	2.6	2	1	1	2	3	4	4	6
GRAND TOTAL	**12793**	**2.6**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	10	4.9	47	1	1	2	5	17	20	20
6-12 YRS	26	2.8	2	<1	<1	3	4	5	6	6
13-19 YRS	53	3.2	5	<1	1	2	4	7	9	11
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	10	5.2	38	1	1	3	6	14	22	22
6-12 YRS	14	5.9	41	1	1	5	7	9	23	27
13-19 YRS	64	4.3	10	1	1	4	5	9	12	17
TOT. SINGLE DX	91	3.2	9	<1	1	2	4	6	9	18
" MULTIPLE DX	90	4.6	18	1	1	4	5	8	12	25
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	1.7		1	1	2	2	2	2	2
1-5 YRS	20	5.1	40	1	1	3	5	17	21	22
6-12 YRS	40	3.9	18	<1	<1	3	5	7	7	27
13-19 YRS	117	3.8	8	1	1	3	4	8	10	15
GRAND TOTAL	**181**	**3.9**	**14**	**<1**	**1**	**3**	**4**	**7**	**11**	**21**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	15	5.8	4	1	3	6	7	8	9	9
1-5 YRS	16	5.6	6	2	3	6	7	9	10	11
6-12 YRS	36	3.4	6	1	1	3	4	7	10	12
13-19 YRS	1519	3.1	1	1	1	3	4	5	5	8
2. MULTIPLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	9	7.0	8	3	3	7	11	56	99+	99+
1-5 YRS	14	14.1	116	3	5	9	25	31	35	36
6-12 YRS	37	5.1	8	2	2	5	6	10	10	15
13-19 YRS	1423	3.6	5	2	2	3	4	5	6	10
TOT. SINGLE DX	1587	3.1	2	1	1	3	4	5	6	8
" MULTIPLE DX	1484	3.8	8	2	2	3	4	6	7	12
TOTAL 0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	24	6.3	6	2	3	6	8	11	33	99+
1-5 YRS	30	9.6	74	3	3	7	9	26	30	36
6-12 YRS	73	4.3	9	1	2	3	6	9	10	14
13-19 YRS	2942	3.3	4	1	2	3	4	5	6	9
GRAND TOTAL	**3071**	**3.4**	**5**	**1**	**2**	**3**	**4**	**5**	**6**	**10**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	23	2.1	2	<1	1	2	2	4	6	8
6-12 YRS	95	2.0	1	<1	1	2	2	3	4	8
13-19 YRS	347	2.3	2	1	1	2	3	4	5	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	4	3.8	17	1	1	2	6	10	10	10
1-5 YRS	50	3.7	18	<1	1	2	4	8	15	21
6-12 YRS	150	4.1	24	1	1	3	5	7	8	33
13-19 YRS	539	4.0	14	1	1	3	5	8	12	21
TOT. SINGLE DX	466	2.2	2	1	1	2	3	4	5	9
" MULTIPLE DX	743	4.0	17	1	1	3	5	7	11	21
TOTAL 0-27 DYS										
1-11 MOS	5	3.2	15	<1	<1	2	4	10	10	10
1-5 YRS	73	3.2	14	<1	1	2	4	7	12	20
6-12 YRS	245	3.2	17	1	1	2	4	6	7	25
13-19 YRS	886	3.3	11	1	1	2	4	6	9	17
GRAND TOTAL	**1209**	**3.3**	**12**	**1**	**1**	**2**	**4**	**6**	**9**	**18**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	6	4.7	50	1	1	2	4	17	19	19
6-12 YRS	41	2.6	3	<1	1	2	3	5	7	9
13-19 YRS	440	2.4	4	1	1	2	3	4	5	10
2. MULTIPLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS	44	5.5	31	1	1	4	7	11	17	30
6-12 YRS	103	5.1	33	1	1	3	6	11	15	32
13-19 YRS	776	5.5	42	1	1	4	6	11	15	30
TOT. SINGLE DX	489	2.4	5	1	1	2	3	4	5	10
" MULTIPLE DX	925	5.4	41	1	1	4	6	11	15	30
TOTAL 0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	2	8.0	50	3	3	8	13	13	13	13
1-5 YRS	50	5.4	33	1	1	3	7	11	19	30
6-12 YRS	144	4.4	26	1	1	3	5	9	13	24
13-19 YRS	1216	4.4	31	1	1	3	5	9	12	26
GRAND TOTAL	**1414**	**4.4**	**31**	**1**	**1**	**3**	**5**	**9**	**12**	**26**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	8	3.0	2	1	1	3	4	5	5	5
1-5 YRS	4	4.0	10	1	1	3	6	8	8	8
6-12 YRS	34	3.6	16	<1	1	2	4	7	8	24
13-19 YRS	51	3.5	4	1	1	3	5	6	7	11
2. MULTIPLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	7	5.9	51	2	2	2	7	19	21	21
1-5 YRS	11	5.3	10	1	1	5	9	10	10	10
6-12 YRS	38	3.1	1	1	1	3	4	5	6	6
13-19 YRS	68	5.4	33	1	1	3	7	12	18	31
TOT. SINGLE DX	97	3.5	8	1	1	3	4	6	8	18
" MULTIPLE DX	125	4.7	23	1	2	3	5	9	17	27
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	15	4.3	25	1	2	2	5	9	18	21
1-5 YRS	15	4.9	10	1	1	5	8	9	10	10
6-12 YRS	72	3.3	9	1	1	3	4	5	7	21
13-19 YRS	119	4.6	22	1	1	3	5	8	15	27
GRAND TOTAL	**222**	**4.2**	**17**	**1**	**1**	**3**	**5**	**8**	**10**	**24**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	8	6.8	32	1	1	5	11	15	16	16
1-5 YRS	280	4.3	20	1	1	3	5	7	11	30
6-12 YRS	525	5.6	40	1	1	4	6	11	16	38
13-19 YRS	652	4.7	27	1	1	3	5	9	15	23
2. MULTIPLE DX										
0-27 DYS	5	12.0	189	<1	<1	4	22	33	33	33
1-11 MOS	22	8.3	37	1	2	7	13	16	18	20
1-5 YRS	363	5.6	36	1	2	4	6	9	15	32
6-12 YRS	597	6.3	36	1	2	5	7	'3	18	33
13-19 YRS	669	7.3	84	1	1	5	8	15	24	58
TOT. SINGLE DX	1467	4.9	31	1	1	3	5	9	15	30
" MULTIPLE DX	1656	6.6	57	1	2	5	7	13	20	42
TOTAL 0-27 DYS	7	9.4	145	<1	1	3	15	30	33	33
1-11 MOS	30	7.9	35	1	2	6	13	16	17	20
1-5 YRS	643	5.0	30	1	1	4	5	8	14	32
6-12 YRS	1122	6.0	39	1	2	4	7	11	17	34
13-19 YRS	1321	6.0	58	1	1	4	7	12	18	48
GRAND TOTAL	**3123**	**5.8**	**45**	**1**	**1**	**4**	**6**	**11**	**17**	**38**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	1.7		1	1	2	2	2	2	2
1-11 MOS	4	2.5	3	1	1	2	4	5	5	5
1-5 YRS	6	2.7	1	2	2	2	3	5	5	5
6-12 YRS	54	2.7	2	<1	1	2	4	4	5	7
13-19 YRS	575	2.6	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
0-27 DYS	4	3.3	1	2	2	3	4	4	4	4
1-11 MOS	12	3.0	2	1	1	3	4	26	86	99+
1-5 YRS	5	4.0	7	1	1	4	6	8	8	8
6-12 YRS	71	2.6	1	<1	1	3	3	4	5	6
13-19 YRS	858	2.8	2	1	1	3	3	5	5	8
TOT. SINGLE DX	642	2.6	2	1	1	2	3	4	5	7
" MULTIPLE DX	950	2.8	3	1	1	3	3	5	5	8
TOTAL 0-27 DYS	7	2.6	1	1	1	2	4	4	4	4
1-11 MOS	16	2.9	3	1	1	3	4	7	67	99+
1-5 YRS	11	3.3	4	1	1	2	5	6	8	8
6-12 YRS	125	2.6	2	<1	1	2	3	4	5	7
13-19 YRS	1433	2.7	2	1	1	2	3	4	5	7
GRAND TOTAL	**1592**	**2.7**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**7**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	9	4.0	5	<1	<1	4	6	7	7	7
1-11 MOS	34	3.4	15	<1	1	2	4	6	9	22
1-5 YRS	233	3.2	13	<1	1	2	4	6	9	21
6-12 YRS	1021	3.5	22	<1	1	2	4	6	9	28
13-19 YRS	2558	3.1	16	<1	1	2	3	6	8	20
2. MULTIPLE DX										
0-27 DYS	5	10.2	75	1	1	6	19	20	20	20
1-11 MOS	27	5.9	31	<1	1	4	7	17	20	21
1-5 YRS	154	8.2	94	1	1	4	10	22	31	45
6-12 YRS	428	8.1	80	1	1	5	10	23	30	53
13-19 YRS	1543	6.9	104	1	1	3	7	18	28	54
TOT. SINGLE DX	3855	3.2	18	<1	1	2	4	6	9	22
" MULTIPLE DX	2157	7.2	99	1	1	4	8	19	28	52
TOTAL 0-27 DYS	14	6.2	36	<1	1	5	7	19	20	20
1-11 MOS	61	4.5	24	<1	1	3	5	9	19	22
1-5 YRS	387	5.2	52	<1	1	3	5	12	21	40
6-12 YRS	1449	4.8	44	1	1	3	5	11	19	36
13-19 YRS	4101	4.6	53	<1	1	2	4	9	16	41
GRAND TOTAL	**6012**	**4.7**	**50**	**<1**	**1**	**2**	**5**	**10**	**18**	**39**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	20	3.6	15	<1	1	2	4	6	13	19
1-5 YRS	91	7.1	53	<1	1	3	13	20	21	25
6-12 YRS	594	6.6	53	1	2	4	7	14	25	36
13-19 YRS	1020	4.6	28	1	1	3	5	9	11	28
2. MULTIPLE DX										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	9	4.3	10	1	1	3	6	9	11	11
1-5 YRS	88	7.9	86	1	1	4	9	21	26	47
6-12 YRS	391	9.1	153	1	2	4	9	25	37	78
13-19 YRS	680	7.6	95	1	1	4	8	16	27	56
TOT. SINGLE DX	1726	5.4	39	1	1	4	6	11	16	33
" MULTIPLE DX	1169	8.1	114	1	2	4	9	19	32	57
TOTAL 0-27 DYS	2	7.0	8	5	5	7	9	9	9	9
1-11 MOS	29	3.8	14	<1	1	3	5	7	11	19
1-5 YRS	179	7.5	69	<1	1	4	10	20	23	42
6-12 YRS	985	7.6	95	1	2	4	8	19	28	54
13-19 YRS	1700	5.8	58	1	1	4	7	11	16	45
GRAND TOTAL	**2895**	**6.5**	**71**	**1**	**1**	**4**	**7**	**13**	**23**	**49**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	1.5	1	<1	<1	1	2	2	2	2
1-11 MOS	10	1.4		<1	<1	1	2	3	3	3
1-5 YRS	134	2.3	13	<1	<1	1	2	3	5	23
6-12 YRS	414	2.7	16	<1	<1	2	3	4	6	24
13-19 YRS	1722	2.3	8	<1	<1	2	3	4	5	14
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	23	1.8	1	<1	<1	1	3	4	5	5
1-5 YRS	214	3.0	20	<1	<1	2	3	5	9	32
6-12 YRS	424	5.0	62	<1	1	3	4	11	20	42
13-19 YRS	750	4.4	52	1	1	3	4	8	12	44
TOT. SINGLE DX	2282	2.4	10	<1	<1	2	3	4	5	18
" MULTIPLE DX	1412	4.3	50	<1	1	2	4	8	14	42
TOTAL 0-27 DYS	3	1.7		<1	<1	2	2	2	2	2
1-11 MOS	33	1.7	1	<1	<1	1	2	3	4	5
1-5 YRS	348	2.8	18	<1	<1	2	3	5	8	24
6-12 YRS	838	3.9	41	<1	<1	2	3	7	14	41
13-19 YRS	2472	3.0	23	<1	<1	2	3	5	7	27
GRAND TOTAL	**3694**	**3.1**	**26**	**<1**	**<1**	**2**	**3**	**5**	**8**	**29**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	4	6.3	21	2	2	5	10	12	12	12
1-5 YRS	46	14.1	110	1	2	14	22	29	32	35
6-12 YRS	162	17.7	179	1	2	19	26	35	41	47
13-19 YRS	180	11.6	132	2	3	8	13	28	38	54
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS	27	19.5	131	1	3	20	26	32	42	48
6-12 YRS	95	22.3	284	3	5	22	30	40	66	96
13-19 YRS	242	16.3	144	5	6	13	19	29	45	66
TOT. SINGLE DX	392	14.3	156	1	2	10	22	32	38	48
" MULTIPLE DX	365	18.1	186	4	6	14	23	33	48	75
TOTAL 0-27 DYS										
1-11 MOS	5	7.8	28	2	2	8	12	14	14	14
1-5 YRS	73	16.1	124	1	2	18	23	30	34	46
6-12 YRS	257	19.4	223	1	3	20	27	36	43	80
13-19 YRS	422	14.3	144	3	4	11	16	29	41	59
GRAND TOTAL	**757**	**16.1**	**174**	**2**	**3**	**12**	**23**	**32**	**42**	**72**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	4	12.3	4	10	10	12	14	14	14	14
1-5 YRS	19	10.4	60	1	2	8	17	22	23	23
6-12 YRS	134	8.0	65	2	2	6	8	18	23	43
13-19 YRS	438	8.9	46	2	3	7	11	15	20	32
2. MULTIPLE DX										
0-27 DYS	6	18.5	99	8	8	14	31	31	31	31
1-11 MOS	19	16.7	244	6	7	13	20	26	54	76
1-5 YRS	31	14.0	261	4	4	11	15	23	27	95
6-12 YRS	90	14.6	207	3	4	10	20	39	70	99+
13-19 YRS	708	16.3	143	4	6	13	20	30	44	67
TOT. SINGLE DX	596	8.7	51	2	3	7	11	16	22	40
" MULTIPLE DX	854	16.0	156	4	5	13	20	31	45	87
TOTAL 0-27 DYS	7	16.6	109	5	6	13	27	31	31	31
1-11 MOS	23	16.0	204	6	7	13	17	25	44	76
1-5 YRS	50	12.6	186	3	3	10	16	22	25	95
6-12 YRS	224	10.6	133	2	3	7	11	24	40	99+
13-19 YRS	1146	13.4	119	3	4	10	17	26	35	61
GRAND TOTAL	**1450**	**13.0**	**126**	**3**	**4**	**10**	**16**	**26**	**36**	**70**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	66	4.8	29	<1	<1	2	7	14	19	21
1-5 YRS	400	8.8	83	1	1	4	14	23	26	36
6-12 YRS	322	12.4	166	1	1	6	21	29	37	54
13-19 YRS	247	11.1	215	1	1	5	11	33	45	66
2. MULTIPLE DX										
0-27 DYS	4	15.5	593	2	2	4	28	52	52	52
1-11 MOS	34	6.9	27	1	1	6	11	15	17	18
1-5 YRS	165	10.9	92	1	2	8	17	25	29	42
6-12 YRS	187	17.4	222	2	2	14	27	38	48	56
13-19 YRS	158	16.1	288	1	2	9	23	39	54	74
TOT. SINGLE DX	1035	10.2	141	1	1	5	15	26	33	53
" MULTIPLE DX	548	14.4	203	1	2	9	22	34	43	59
TOTAL 0-27 DYS	4	15.5	594	2	2	4	28	52	52	52
1-11 MOS	100	5.5	30	<1	<1	3	8	15	18	21
1-5 YRS	565	9.4	87	1	1	5	16	23	27	36
6-12 YRS	509	14.2	193	1	2	8	23	34	41	56
13-19 YRS	405	13.1	250	1	2	6	18	34	47	69
GRAND TOTAL	**1583**	**11.7**	**166**	**1**	**1**	**6**	**18**	**29**	**37**	**56**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	363	3.7	25	1	1	2	3	11	16	24
6-12 YRS	534	3.6	24	1	1	2	3	10	15	24
13-19 YRS	537	2.9	12	<1	1	2	3	6	8	20
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	4	3.8	3	1	1	4	5	5	5	5
1-5 YRS	49	6.1	44	1	1	3	7	19	21	25
6-12 YRS	163	6.8	76	1	1	3	8	20	24	47
13-19 YRS	249	8.0	139	1	1	4	9	17	28	67
TOT. SINGLE DX	1436	3.3	20	<1	1	2	3	8	15	22
" MULTIPLE DX	465	7.4	106	1	1	4	9	19	24	56
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	5	3.6	3	1	1	4	5	5	5	5
1-5 YRS	412	4.0	28	1	1	2	4	12	18	24
6-12 YRS	697	4.3	39	1	1	2	4	14	17	27
13-19 YRS	786	4.5	58	<1	1	2	5	9	15	41
GRAND TOTAL	**1901**	**4.3**	**44**	**1**	**1**	**2**	**4**	**11**	**17**	**29**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	4	2.5	1	1	1	3	3	3	3	3
1-11 MOS	19	2.8	2	1	1	3	4	5	6	7
1-5 YRS	503	2.4	7	1	1	2	3	4	6	16
6-12 YRS	1546	2.5	4	1	1	2	3	4	6	10
13-19 YRS	4686	2.9	4	1	1	2	4	5	7	11
2. MULTIPLE DX										
0-27 DYS	2	5.0	2	4	4	5	6	6	6	6
1-11 MOS	19	6.6	39	1	2	4	8	19	20	21
1-5 YRS	157	4.0	29	1	1	2	4	9	20	30
6-12 YRS	553	4.5	32	1	1	3	5	9	13	35
13-19 YRS	2441	6.4	73	1	1	4	7	13	19	49
TOT. SINGLE DX	6758	2.8	5	1	1	2	3	5	7	11
" MULTIPLE DX	3172	6.0	64	1	1	4	6	12	18	44
TOTAL 0-27 DYS	6	3.3	3	1	1	3	4	6	6	6
1-11 MOS	38	4.7	24	1	1	3	5	11	19	21
1-5 YRS	660	2.8	13	1	1	2	3	5	8	24
6-12 YRS	2099	3.0	13	1	1	2	3	5	8	19
13-19 YRS	7127	4.1	31	1	1	3	5	8	11	26
GRAND TOTAL	**9930**	**3.8**	**26**	**1**	**1**	**3**	**4**	**7**	**10**	**24**

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	4	1.5	1	1	1	1	2	3	3	3
1-11 MOS	36	2.2	4	1	1	2	3	5	10	99+
1-5 YRS	1982	2.0	7	<1	1	1	2	3	6	17
6-12 YRS	5685	1.9	6	<1	1	1	2	3	5	16
13-19 YRS	3559	2.4	7	<1	1	2	3	5	6	12
2. MULTIPLE DX										
0-27 DYS	4	3.0		3	3	3	3	3	3	3
1-11 MOS	29	6.7	79	1	1	3	8	17	24	43
1-5 YRS	363	3.6	34	1	1	2	4	8	13	25
6-12 YRS	1245	3.8	26	1	1	2	4	8	13	27
13-19 YRS	1615	5.6	77	1	1	3	6	12	20	49
TOT. SINGLE DX	11266	2.1	7	<1	1	1	2	4	6	15
" MULTIPLE DX	3256	4.7	54	1	1	2	5	10	16	39
TOTAL 0-27 DYS	8	2.3	1	1	1	3	3	3	3	3
1-11 MOS	65	4.2	42	1	1	2	4	10	21	91
1-5 YRS	2345	2.2	12	<1	1	1	2	4	7	19
6-12 YRS	6930	2.3	10	<1	1	1	2	4	6	19
13-19 YRS	5174	3.4	31	<1	1	2	4	7	10	30
GRAND TOTAL	**14522**	**2.7**	**19**	**<1**	**1**	**1**	**3**	**5**	**8**	**21**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	127	7.8	65	<1	<1	6	11	16	22	36
1-5 YRS	116	6.2	50	<1	<1	3	8	17	22	32
6-12 YRS	186	2.5	12	<1	1	1	2	5	8	22
13-19 YRS	346	2.6	10	<1	<1	1	3	6	9	19
2. MULTIPLE DX										
0-27 DYS	19	3.9	2	1	2	4	5	6	7	7
1-11 MOS	30	9.0	66	<1	<1	7	14	23	25	26
1-5 YRS	41	7.6	95	1	1	4	11	17	25	53
6-12 YRS	63	5.5	157	1	1	2	4	14	18	85
13-19 YRS	261	6.8	85	<1	1	4	8	17	21	55
TOT. SINGLE DX	776	4.0	30	<1	<1	2	4	10	15	25
" MULTIPLE DX	414	6.7	93	1	1	3	8	17	22	54
TOTAL 0-27 DYS	20	4.1	2	1	2	4	5	6	7	7
1-11 MOS	157	8.0	66	<1	<1	6	11	17	23	28
1-5 YRS	157	6.6	62	<1	1	3	9	17	22	35
6-12 YRS	249	3.2	51	<1	1	1	3	7	13	22
13-19 YRS	607	4.4	47	<1	1	2	5	10	17	37
GRAND TOTAL	**1190**	**4.9**	**54**	**<1**	**1**	**2**	**6**	**13**	**18**	**33**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	42	6.5	62	1	1	3	9	17	20	42
1-5 YRS	87	5.3	39	1	1	3	5	15	20	32
6-12 YRS	92	2.5	9	1	1	1	3	5	6	19
13-19 YRS	307	2.6	6	<1	1	2	3	5	5	12
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	34	6.5	40	1	2	5	6	17	21	28
1-5 YRS	59	6.9	41	1	2	5	9	17	24	27
6-12 YRS	35	4.5	13	<1	1	3	6	10	12	14
13-19 YRS	119	6.3	81	1	1	3	7	13	23	50
TOT. SINGLE DX	528	3.4	18	1	1	2	4	5	10	24
" MULTIPLE DX	247	6.2	56	1	1	4	7	14	20	35
TOTAL 0-27 DYS										
1-11 MOS	76	6.5	52	1	2	4	7	17	21	38
1-5 YRS	146	6.0	41	1	1	4	6	16	23	27
6-12 YRS	127	3.1	11	<1	1	2	4	6	10	16
13-19 YRS	426	3.6	30	1	1	2	4	6	10	29
GRAND TOTAL	**775**	**4.3**	**32**	**1**	**1**	**3**	**5**	**9**	**15**	**28**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	179	4.4	19	1	1	3	5	9	14	24
1-5 YRS	287	5.1	32	1	1	3	6	11	18	29
6-12 YRS	251	4.8	29	<1	1	3	6	12	16	25
13-19 YRS	1166	2.6	10	<1	<1	2	3	5	6	18
2. MULTIPLE DX										
0-27 DYS	8	24.5	238	2	3	26	36	43	44	44
1-11 MOS	129	10.6	108	1	2	8	15	23	36	46
1-5 YRS	279	8.3	74	1	2	5	11	20	25	41
6-12 YRS	242	8.4	75	1	1	4	12	21	27	38
13-19 YRS	934	3.8	36	<1	1	2	4	7	12	30
TOT. SINGLE DX	1884	3.4	18	<1	1	2	4	7	11	24
" MULTIPLE DX	1592	5.9	63	1	1	3	6	15	22	40
TOTAL 0-27 DYS	9	22.0	265	2	2	23	33	43	44	44
1-11 MOS	308	7.0	66	1	1	4	8	18	23	42
1-5 YRS	566	6.7	55	1	1	4	8	17	23	39
6-12 YRS	493	6.6	55	1	1	4	9	17	23	37
13-19 YRS	2100	3.1	22	<1	1	2	3	5	9	24
GRAND TOTAL	**3476**	**4.6**	**41**	**<1**	**1**	**2**	**5**	**11**	**18**	**32**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	13.0	18	10	10	13	16	16	16	16
1-11 MOS	15	5.9	10	2	3	5	3	10	13	14
1-5 YRS	4	6.8	8	5	5	6	8	11	11	11
6-12 YRS	10	5.9	7	2	2	5	8	10	11	11
13-19 YRS	442	6.2	17	2	3	5	7	11	15	26
2. MULTIPLE DX										
0-27 DYS	4	7.3	35	1	1	6	11	15	15	15
1-11 MOS	8	11.8	75	6	6	8	13	27	32	32
1-5 YRS	8	8.8	41	2	2	8	10	19	23	23
6-12 YRS	12	16.3	117	3	5	13	26	52	91	99+
13-19 YRS	142	10.3	54	3	4	8	14	22	30	99+
TOT. SINGLE DX	473	6.2	17	2	3	5	7	11	15	25
" MULTIPLE DX	174	10.6	60	3	4	8	14	24	31	99+
TOTAL 0-27 DYS	6	9.2	33	1	1	9	15	16	16	16
1-11 MOS	23	7.9	39	2	3	6	9	14	20	32
1-5 YRS	12	8.1	30	2	3	7	10	15	22	23
6-12 YRS	22	11.6	93	2	3	9	17	33	61	99+
13-19 YRS	584	7.2	29	2	3	5	8	14	19	33
GRAND TOTAL	**647**	**7.4**	**32**	**2**	**3**	**6**	**8**	**15**	**20**	**34**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	2.3	2	<1	<1	2	3	4	4	4
1-5 YRS	4	1.3		<1	<1	1	2	2	2	2
6-12 YRS	41	2.0	1	<1	<1	2	2	4	4	5
13-19 YRS	1159	1.9	1	<1	<1	1	2	4	4	6
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	8	1.6	1	<1	<1	1	2	4	4	4
1-5 YRS	2	2.0	2	1	1	2	3	3	3	3
6-12 YRS	31	2.5	3	<1	<1	2	3	6	6	9
13-19 YRS	1378	2.5	6	<1	<1	2	3	5	6	11
TOT. SINGLE DX	1208	1.9	2	<1	<1	1	2	4	4	6
" MULTIPLE DX	1420	2.5	7	<1	<1	2	3	5	6	10
TOTAL 0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	11	1.8	2	<1	<1	1	3	4	4	4
1-5 YRS	6	1.5	1	<1	<1	1	2	3	3	3
6-12 YRS	72	2.2	2	<1	<1	2	3	4	6	8
13-19 YRS	2537	2.2	5	<1	<1	2	3	4	5	8
GRAND TOTAL	**2628**	**2.2**	**5**	**<1**	**<1**	**2**	**3**	**4**	**5**	**8**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	1.3		1	1	1	2	2	2	2
1-11 MOS	14	6.9	82	<1	<1	3	9	22	27	29
1-5 YRS	74	4.5	35	<1	<1	2	4	14	21	27
6-12 YRS	239	2.9	14	<1	<1	2	3	6	11	21
13-19 YRS	2082	1.9	4	<1	<1	1	2	3	4	9
2. MULTIPLE DX										
0-27 DYS	8	15.0	208	1	1	11	26	36	40	40
1-11 MOS	9	7.6	34	1	1	5	11	17	17	17
1-5 YRS	44	11.1	234	1	1	7	12	29	42	85
6-12 YRS	128	6.2	62	<1	<1	2	8	17	20	36
13-19 YRS	1497	2.8	20	<1	<1	2	3	5	7	27
TOT. SINGLE DX	2412	2.1	7	<1	<1	1	2	3	5	15
" MULTIPLE DX	1686	3.3	33	<1	<1	2	3	7	10	30
TOTAL 0-27 DYS	11	11.3	187	1	1	3	23	32	39	40
1-11 MOS	23	7.1	62	<1	<1	3	10	19	24	29
1-5 YRS	118	6.9	118	<1	<1	2	8	18	26	56
6-12 YRS	367	4.1	34	<1	<1	2	4	11	17	26
13-19 YRS	3579	2.3	11	<1	<1	1	2	4	6	15
GRAND TOTAL	**4098**	**2.6**	**18**	**<1**	**<1**	**2**	**2**	**4**	**7**	**22**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	7	7.0	3	5	5	7	9	9	9	9
1-5 YRS	26	8.6	18	4	5	8	10	15	17	23
6-12 YRS	237	9.4	15	5	6	9	11	13	15	25
13-19 YRS	799	9.9	14	6	6	9	11	14	17	25
2. MULTIPLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	5	6.6	8	3	3	6	9	10	10	10
1-5 YRS	70	15.1	203	5	5	10	17	29	47	82
6-12 YRS	298	14.3	114	6	7	11	15	25	34	65
13-19 YRS	751	15.0	119	6	7	11	17	28	36	76
TOT. SINGLE DX	1069	9.8	15	5	6	9	11	14	16	25
" MULTIPLE DX	1125	14.8	123	6	7	11	16	27	36	68
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	12	6.8	5	3	4	7	9	10	10	10
1-5 YRS	96	13.3	161	4	5	9	15	25	37	77
6-12 YRS	535	12.1	76	6	7	10	13	19	27	58
13-19 YRS	1550	12.4	72	6	7	10	13	21	28	54
GRAND TOTAL	**2194**	**12.3**	**76**	**6**	**7**	**10**	**13**	**21**	**28**	**56**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	1.2		<1	<1	1	1	2	2	2
1-5 YRS	20	2.7	2	<1	<1	2	4	4	6	8
6-12 YRS	78	3.4	4	1	1	3	5	7	8	8
13-19 YRS	261	3.8	8	1	1	3	5	7	9	12
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	3.0	8	1	1	3	5	5	5	5
1-5 YRS	31	3.6	3	1	2	3	4	6	7	9
6-12 YRS	137	4.7	27	1	2	4	5	7	9	38
13-19 YRS	314	5.7	28	1	2	4	6	10	14	32
TOT. SINGLE DX	364	3.6	8	1	1	3	5	7	8	12
" MULTIPLE DX	484	5.3	27	1	2	4	6	9	14	34
TOTAL 0-27 DYS										
1-11 MOS	7	1.7	2	<1	<1	1	2	4	5	5
1-5 YRS	51	3.3	3	<1	1	3	4	5	7	9
6-12 YRS	215	4.3	19	1	1	4	5	7	8	24
13-19 YRS	575	4.8	20	1	1	4	6	8	12	25
GRAND TOTAL	**848**	**4.5**	**19**	**1**	**1**	**4**	**5**	**8**	**10**	**24**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	10.7	37	4	4	12	15	16	16	16
1-5 YRS	1	16.0		16	16	16	16	16	16	16
6-12 YRS	1	13.0		13	13	13	13	13	13	13
13-19 YRS	12	11.8	44	2	4	10	14	22	26	27
2. MULTIPLE DX										
0-27 DYS	2	31.0	128	23	23	39	85	99+	99+	99+
1-11 MOS	7	14.7	57	9	9	12	17	28	30	30
1-5 YRS	2	12.5	13	10	10	15	79	99+	99+	99+
6-12 YRS										
13-19 YRS	21	11.2	39	5	6	9	12	22	27	28
TOT. SINGLE DX	17	11.9	37	3	4	11	15	19	25	27
" MULTIPLE DX	32	13.3	65	5	7	11	18	31	88	99+
TOTAL 0-27 DYS	2	31.0	128	23	23	39	85	99+	99+	99+
1-11 MOS	10	13.5	50	4	6	12	16	24	30	30
1-5 YRS	3	13.7	10	10	10	15	58	99+	99+	99+
6-12 YRS	1	13.0		13	13	13	13	13	13	13
13-19 YRS	33	11.4	40	4	5	10	13	21	27	28
GRAND TOTAL	**49**	**12.8**	**55**	**4**	**6**	**11**	**16**	**28**	**39**	**99+**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	13.7	54	8	8	11	19	22	22	22
1-5 YRS	4	18.0	74	8	8	18	25	27	27	27
6-12 YRS	20	11.1	117	4	4	6	14	26	35	44
13-19 YRS	28	8.1	78	1	2	6	8	23	30	38
2. MULTIPLE DX										
0-27 DYS	2	12.0	8	10	10	12	14	14	14	14
1-11 MOS	7	14.0	92	2	2	14	22	26	27	27
1-5 YRS	13	14.7	112	1	3	13	18	29	40	42
6-12 YRS	17	5.7	14	2	3	5	6	8	15	19
13-19 YRS	25	8.1	15	2	3	8	10	12	16	17
TOT. SINGLE DX	55	10.2	94	2	3	6	12	27	29	44
" MULTIPLE DX	64	9.6	52	2	3	8	12	18	25	40
TOTAL 0-27 DYS	2	12.0	8	10	10	12	14	14	14	14
1-11 MOS	10	13.9	73	2	2	13	22	25	27	27
1-5 YRS	17	15.5	100	2	4	14	20	27	37	42
6-12 YRS	37	8.6	76	3	4	5	7	21	27	44
13-19 YRS	53	8.1	47	1	2	7	9	13	25	38
GRAND TOTAL	**119**	**9.9**	**71**	**2**	**3**	**7**	**12**	**23**	**27**	**43**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	5	4.6	14	2	2	4	6	11	11	11
1-5 YRS	2	6.5	41	2	2	6	11	11	11	11
6-12 YRS	74	3.1	2	1	1	3	4	5	6	9
13-19 YRS	1735	3.5	3	1	1	3	4	6	6	9
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	10	7.4	18	1	1	7	12	13	13	13
1-5 YRS	8	6.4	45	1	1	4	8	18	21	21
6-12 YRS	61	4.7	15	1	1	3	6	11	15	17
13-19 YRS	1789	4.0	6	1	2	4	5	6	8	13
TOT. SINGLE DX	1817	3.5	3	1	1	3	4	6	6	9
" MULTIPLE DX	1869	4.1	7	1	2	4	5	7	8	14
TOTAL 0-27 DYS	2	7.0	50	2	2	7	12	12	12	12
1-11 MOS	15	6.5	18	1	2	5	11	12	13	13
1-5 YRS	10	6.4	40	1	1	4	11	16	21	21
6-12 YRS	135	3.8	9	1	1	3	5	7	10	16
13-19 YRS	3524	3.7	5	1	1	3	5	6	7	12
GRAND TOTAL	**3686**	**3.8**	**5**	**1**	**1**	**3**	**5**	**6**	**7**	**12**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	13	2.2	3	<1	<1	2	2	4	7	8
1-5 YRS	49	2.3	2	<1	1	2	3	5	6	9
6-12 YRS	63	2.6	3	<1	1	2	3	5	6	9
13-19 YRS	2003	2.5	1	1	1	2	3	4	5	6
2. MULTIPLE DX										
0-27 DYS	2	2.5	5	<1	<1	2	4	4	4	4
1-11 MOS	9	3.9	5	1	1	5	6	7	7	7
1-5 YRS	23	3.2	6	<1	<1	2	3	8	9	9
6-12 YRS	42	2.9	4	<1	1	2	4	6	7	10
13-19 YRS	616	3.0	6	1	1	3	4	5	7	13
TOT. SINGLE DX	2130	2.5	2	1	1	2	3	4	5	6
" MULTIPLE DX	692	3.0	6	1	1	3	4	5	7	13
TOTAL 0-27 DYS	4	3.0	3	<1	<1	3	4	5	5	5
1-11 MOS	22	2.9	5	<1	1	2	5	7	8	8
1-5 YRS	72	2.6	4	<1	1	2	3	6	8	9
6-12 YRS	105	2.7	3	<1	1	2	4	5	6	9
13-19 YRS	2619	2.7	3	1	1	2	3	4	5	8
GRAND TOTAL	**2822**	**2.7**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	5.5	1	5	5	5	6	6	6	6
1-11 MOS	100	4.8	28	<1	<1	2	6	14	15	24
1-5 YRS	281	2.9	13	<1	<1	2	3	5	9	18
6-12 YRS	224	3.7	12	<1	1	3	5	8	10	18
13-19 YRS	404	2.9	9	<1	1	2	4	6	8	11
2. MULTIPLE DX										
0-27 DYS	3	3.3		3	3	3	4	4	4	4
1-11 MOS	59	5.7	38	<1	1	3	7	15	21	28
1-5 YRS	449	4.1	15	1	1	3	5	7	11	19
6-12 YRS	465	5.9	49	1	2	4	6	11	16	43
13-19 YRS	490	6.2	63	1	1	4	7	13	19	54
TOT. SINGLE DX	1011	3.3	13	<1	<1	2	4	7	10	17
" MULTIPLE DX	1466	5.4	44	1	1	4	6	11	16	38
TOTAL 0-27 DYS	5	4.2	2	3	3	4	5	6	6	6
1-11 MOS	159	5.1	32	<1	1	3	6	14	16	27
1-5 YRS	730	3.7	15	<1	1	3	4	7	10	19
6-12 YRS	689	5.2	39	1	1	4	6	10	14	39
13-19 YRS	894	4.7	42	<1	1	3	6	10	14	37
GRAND TOTAL	**2477**	**4.5**	**33**	**<1**	**1**	**3**	**5**	**9**	**14**	**30**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	6	1.5		<1	<1	1	2	3	3	3
1-11 MOS	57	2.7	13	<1	<1	2	2	5	10	21
1-5 YRS	260	2.1	4	<1	<1	1	2	4	6	11
6-12 YRS	304	2.0	5	<1	<1	1	2	3	5	13
13-19 YRS	547	1.8	2	<1	<1	1	2	3	4	10
2. MULTIPLE DX										
0-27 DYS	13	21.2	553	2	3	14	46	99+	99+	99+
1-11 MOS	49	11.0	317	<1	1	4	12	36	60	83
1-5 YRS	89	4.0	19	<1	<1	2	4	10	16	19
6-12 YRS	83	4.2	19	<1	1	3	5	11	13	23
13-19 YRS	156	4.5	35	<1	1	2	5	10	18	33
TOT. SINGLE DX	1174	2.0	5	<1	<1	1	2	3	5	11
" MULTIPLE DX	390	5.7	92	<1	1	3	6	13	21	74
TOTAL 0-27 DYS	19	14.9	457	<1	<1	7	31	89	99+	99+
1-11 MOS	106	6.5	170	<1	<1	2	5	15	27	71
1-5 YRS	349	2.6	9	<1	<1	2	3	5	8	18
6-12 YRS	387	2.5	10	<1	<1	2	2	5	8	19
13-19 YRS	703	2.4	11	<1	<1	1	2	4	7	19
GRAND TOTAL	**1564**	**2.9**	**29**	**<1**	**<1**	**1**	**3**	**5**	**10**	**25**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	16	2.4	5	<1	<1	2	2	6	9	10
6-12 YRS	21	2.1	1	<1	<1	2	2	3	5	7
13-19 YRS	33	2.1	3	<1	<1	1	2	5	6	8
2. MULTIPLE DX										
0-27 DYS	3	3.0	3	1	1	4	4	4	4	4
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	12	2.0	2	1	1	2	2	4	7	7
6-12 YRS	18	2.8	16	<1	<1	2	2	6	14	18
13-19 YRS	29	4.2	15	1	1	3	5	10	12	19
TOT. SINGLE DX	72	2.2	3	<1	<1	2	2	5	6	10
" MULTIPLE DX	63	3.3	13	<1	1	2	4	7	11	19
TOTAL 0-27 DYS	4	3.3	2	1	1	4	4	4	4	4
1-11 MOS	2	3.5	13	1	1	3	6	6	6	6
1-5 YRS	28	2.3	4	<1	<1	2	2	5	7	10
6-12 YRS	39	2.4	8	<1	<1	2	2	3	7	18
13-19 YRS	62	3.1	10	<1	<1	2	4	6	9	18
GRAND TOTAL	**135**	**2.7**	**8**	**<1**	**<1**	**2**	**3**	**6**	**8**	**18**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	22	2.8	24	<1	<1	1	2	4	14	24
1-5 YRS	195	1.8	1	<1	1	1	2	3	4	8
6-12 YRS	244	1.8	1	<1	<1	1	2	3	4	8
13-19 YRS	663	1.8	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
0-27 DYS	3	5.3	33	2	2	2	10	12	12	12
1-11 MOS	14	2.4	2	<1	<1	2	3	5	5	5
1-5 YRS	148	2.2	6	<1	1	2	2	4	6	15
6-12 YRS	181	2.1	4	<1	1	1	2	4	6	12
13-19 YRS	622	2.3	14	<1	1	2	2	4	6	11
TOT. SINGLE DX	1124	1.8	2	<1	<1	1	2	3	4	7
" MULTIPLE DX	968	2.3	11	<1	1	2	2	4	6	12
TOTAL 0-27 DYS	3	5.3	33	2	2	2	10	12	12	12
1-11 MOS	36	2.6	15	<1	<1	2	3	5	6	24
1-5 YRS	343	2.0	4	<1	1	2	2	3	5	11
6-12 YRS	425	1.9	3	<1	1	1	2	3	5	9
13-19 YRS	1285	2.0	8	<1	1	1	2	3	5	9
GRAND TOTAL	**2092**	**2.0**	**6**	**<1**	**1**	**1**	**2**	**3**	**5**	**10**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	10	2.9	5	1	1	2	3	7	8	8
1-5 YRS	74	2.0	3	<1	<1	1	2	4	6	12
6-12 YRS	189	2.3	4	<1	1	2	3	5	6	10
13-19 YRS	416	2.2	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
0-27 DYS	3	15.0	433	2	2	4	30	39	39	39
1-11 MOS	5	2.4	1	1	1	2	3	4	4	4
1-5 YRS	52	5.0	120	1	1	2	4	12	15	74
6-12 YRS	105	3.6	21	<1	1	2	4	7	9	30
13-19 YRS	339	3.7	38	1	1	2	4	6	10	42
TOT. SINGLE DX	690	2.2	3	<1	1	2	3	4	6	9
" MULTIPLE DX	504	3.8	45	1	1	2	4	6	12	40
TOTAL 0-27 DYS	4	11.8	331	2	2	3	21	39	39	39
1-11 MOS	15	2.7	4	1	1	2	3	6	7	8
1-5 YRS	126	3.2	54	<1	<1	1	3	6	11	39
6-12 YRS	294	2.8	11	<1	1	2	3	6	7	18
13-19 YRS	755	2.9	19	<1	1	2	3	5	6	19
GRAND TOTAL	**1194**	**2.9**	**22**	**<1**	**1**	**2**	**3**	**5**	**7**	**21**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	399	3.0	3	1	1	3	4	5	6	11
1-5 YRS	493	2.9	4	1	1	2	4	5	7	11
6-12 YRS	287	3.1	6	1	1	3	4	5	6	15
13-19 YRS	441	3.2	9	1	1	3	4	6	7	15
2. MULTIPLE DX										
0-27 DYS	7	9.1	119	1	1	5	9	28	33	33
1-11 MOS	121	3.7	5	1	1	3	4	6	9	13
1-5 YRS	700	3.0	4	<1	1	3	4	5	7	11
6-12 YRS	678	3.9	15	1	1	3	4	6	10	23
13-19 YRS	468	4.4	42	1	1	3	5	8	10	41
TOT. SINGLE DX	1621	3.0	6	1	1	3	4	5	7	12
" MULTIPLE DX	1974	3.7	18	1	1	3	4	6	8	21
TOTAL 0-27 DYS	8	8.1	111	<1	<1	4	9	26	33	33
1-11 MOS	520	3.1	4	1	1	3	4	5	7	11
1-5 YRS	1193	2.9	4	1	1	3	4	5	7	11
6-12 YRS	965	3.6	13	1	1	3	4	6	9	21
13-19 YRS	909	3.8	27	1	1	3	4	6	9	24
GRAND TOTAL	**3595**	**3.4**	**13**	**1**	**1**	**3**	**4**	**6**	**8**	**17**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	17	1.5		<1	<1	1	2	3	4	4
1-5 YRS	52	1.5		<1	1	1	2	2	3	5
6-12 YRS	30	1.8	2	1	1	1	2	3	5	8
13-19 YRS	123	2.1	8	<1	1	1	2	3	5	18
2. MULTIPLE DX										
0-27 DYS	6	2.8	2	1	1	3	4	5	5	5
1-11 MOS	7	2.1	3	1	1	2	2	5	6	6
1-5 YRS	20	2.0	1	<1	<1	2	2	4	5	5
6-12 YRS	19	2.8	5	<1	1	2	3	7	9	9
13-19 YRS	103	3.9	42	<1	1	2	3	7	12	39
TOT. SINGLE DX	223	1.9	5	<1	1	1	2	3	4	10
" MULTIPLE DX	155	3.4	30	<1	1	2	3	6	9	35
TOTAL 0-27 DYS	7	2.6	2	1	1	2	4	5	5	5
1-11 MOS	24	1.7	1	<1	<1	1	2	3	5	6
1-5 YRS	72	1.6	1	<1	1	1	2	3	5	5
6-12 YRS	49	2.2	4	1	1	1	2	5	8	9
13-19 YRS	226	2.9	24	<1	1	2	3	5	8	33
GRAND TOTAL	**378**	**2.5**	**16**	**<1**	**1**	**2**	**2**	**4**	**6**	**25**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	4	3.5	4	1	1	3	5	6	6	6
13-19 YRS	11	3.3	8	1	1	2	5	8	10	10
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	7	10.7	43	1	2	12	13	20	22	22
TOT. SINGLE DX	16	3.3	6	1	1	3	5	6	9	10
" MULTIPLE DX	9	8.8	47	1	1	7	13	18	22	22
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	5	3.2	4	1	1	3	4	6	6	6
13-19 YRS	18	6.2	34	1	1	4	10	13	18	22
GRAND TOTAL	**25**	**5.2**	**27**	**1**	**1**	**3**	**7**	**13**	**15**	**22**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	7	2.1	2	<1	<1	1	3	5	5	5
1-5 YRS	25	1.8		<1	<1	2	2	3	3	3
6-12 YRS	13	3.1	9	1	1	2	3	7	11	12
13-19 YRS	57	3.4	5	<1	1	3	4	7	8	11
2. MULTIPLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	7	11.7	158	1	1	3	22	29	31	31
1-5 YRS	19	3.8	34	<1	1	2	4	8	19	26
6-12 YRS	24	6.3	67	1	1	3	6	16	30	33
13-19 YRS	53	6.3	45	1	1	4	8	18	22	30
TOT. SINGLE DX	102	2.9	5	<1	<1	2	4	6	7	11
" MULTIPLE DX	104	6.2	57	1	1	3	7	18	26	32
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	14	6.9	99	<1	1	2	5	24	29	31
1-5 YRS	44	2.6	16	<1	<1	2	3	4	7	26
6-12 YRS	37	5.2	49	1	1	3	5	11	24	33
13-19 YRS	110	4.8	27	<1	1	3	6	9	18	28
GRAND TOTAL	**206**	**4.6**	**34**	**<1**	**1**	**3**	**5**	**9**	**18**	**30**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	15.0	229	3	3	10	26	32	32	32
6-12 YRS	5	8.8	33	4	4	6	13	18	18	18
13-19 YRS	4	9.0	8	6	6	8	11	13	13	13
2. MULTIPLE DX										
0-27 DYS	1	27.0		27	27	27	27	27	27	27
1-11 MOS	5	13.2	83	2	2	11	22	24	24	24
1-5 YRS										
6-12 YRS	3	24.3	129	15	15	21	33	37	37	37
13-19 YRS	22	22.0	423	3	4	21	31	45	71	88
TOT. SINGLE DX	12	10.4	64	3	4	8	12	22	31	32
" MULTIPLE DX	31	20.9	330	3	4	21	26	38	59	88
TOTAL 0-27 DYS	1	27.0		27	27	27	27	27	27	27
1-11 MOS	5	13.2	84	2	2	11	22	24	24	24
1-5 YRS	3	15.0	229	3	3	10	26	32	32	32
6-12 YRS	8	14.6	121	4	4	13	19	32	37	37
13-19 YRS	26	20.0	380	3	4	13	23	38	66	88
GRAND TOTAL	**43**	**18.0**	**278**	**3**	**4**	**13**	**23**	**35**	**46**	**88**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	1	15.0		15	15	15	15	15	15	15
6-12 YRS	15	9.1	15	4	5	9	11	17	17	17
13-19 YRS	12	8.1	6	5	5	8	10	11	12	12
2. MULTIPLE DX										
0-27 DYS	4	12.5	75	3	3	11	18	24	24	24
1-11 MOS	5	28.0	317	15	15	22	34	59	59	59
1-5 YRS	7	12.6	69	3	4	9	21	24	24	24
6-12 YRS	7	10.4	28	5	5	10	15	18	18	18
13-19 YRS	13	18.1	421	5	7	12	20	85	97	99+
TOT. SINGLE DX	29	8.8	12	5	5	8	11	14	17	17
" MULTIPLE DX	36	16.3	236	4	5	12	20	28	75	99+
TOTAL 0-27 DYS	4	12.5	75	3	3	11	18	24	24	24
1-11 MOS	6	24.5	328	7	8	20	26	56	59	59
1-5 YRS	8	12.9	60	3	4	12	19	23	24	24
6-12 YRS	22	9.5	19	4	5	9	11	17	18	18
13-19 YRS	25	13.3	239	5	5	9	13	27	86	99+
GRAND TOTAL	**65**	**12.9**	**148**	**4**	**5**	**10**	**17**	**24**	**34**	**97**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	3.4	2	2	2	3	4	6	6	6
1-5 YRS	10	3.3	2	1	1	4	4	5	5	5
6-12 YRS	8	5.8	27	2	2	4	6	15	18	18
13-19 YRS	2	11.0	2	10	10	11	12	12	12	12
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	9	5.3	42	1	1	3	5	16	22	22
1-5 YRS	16	11.4	224	1	3	5	10	41	50	52
6-12 YRS	7	12.0	71	3	3	12	19	24	25	25
13-19 YRS	12	24.7	387	3	4	20	31	59	66	67
TOT. SINGLE DX	25	4.7	14	1	2	4	5	10	13	18
" MULTIPLE DX	44	13.9	246	2	3	7	20	36	53	67
TOTAL 0-27 DYS										
1-11 MOS	14	4.6	27	1	2	3	4	8	19	22
1-5 YRS	26	8.3	152	1	1	4	6	18	46	52
6-12 YRS	15	8.7	55	2	2	5	13	21	24	25
13-19 YRS	14	22.7	352	3	5	18	27	57	65	67
GRAND TOTAL	**69**	**10.6**	**180**	**1**	**2**	**5**	**12**	**25**	**44**	**65**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	1.0		1	1	1	1	1	1	1
1-5 YRS	33	2.0	2	<1	<1	1	3	4	5	7
6-12 YRS	21	3.4	8	1	1	2	4	9	10	10
13-19 YRS	46	5.3	22	1	1	4	6	10	15	24
2. MULTIPLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS	14	2.6	7	1	1	1	4	6	9	10
6-12 YRS	13	5.1	9	1	1	5	7	9	11	11
13-19 YRS	22	8.9	38	2	3	7	12	16	23	30
TOT. SINGLE DX	103	3.7	15	1	1	3	5	8	10	23
" MULTIPLE DX	50	6.1	28	1	1	5	8	12	15	30
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	1.0		1	1	1	1	1	1	1
1-5 YRS	47	2.2	4	<1	1	1	3	4	6	10
6-12 YRS	34	4.1	9	1	1	3	6	9	10	11
13-19 YRS	68	6.5	30	1	1	5	8	12	18	29
GRAND TOTAL	**153**	**4.5**	**20**	**1**	**1**	**3**	**6**	**10**	**12**	**24**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	11	1.5	1	<1	<1	1	1	3	5	5
6-12 YRS	16	2.3	5	<1	1	2	2	4	8	10
13-19 YRS	38	3.3	10	<1	<1	2	4	7	10	16
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	8	3.8	15	1	1	2	4	11	13	13
6-12 YRS	17	4.5	62	<1	<1	2	3	14	26	32
13-19 YRS	27	5.1	47	<1	1	2	6	12	25	29
TOT. SINGLE DX	66	2.7	8	<1	<1	2	3	6	10	15
" MULTIPLE DX	53	4.7	46	<1	1	2	4	12	23	32
TOTAL 0-27 DYS										
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	19	2.4	8	<1	1	1	3	5	10	13
6-12 YRS	33	3.4	35	<1	1	2	3	6	15	32
13-19 YRS	65	4.0	26	<1	1	2	4	10	13	28
GRAND TOTAL	**119**	**3.6**	**25**	**<1**	**1**	**2**	**3**	**9**	**13**	**30**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	14.0		14	14	14	14	14	14	14
13-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	11.0		11	11	11	11	11	11	11
13-19 YRS	1	5.0		5	5	5	5	5	5	5
TOT. SINGLE DX	2	7.5	85	<1	<1	7	14	14	14	14
" MULTIPLE DX	2	8.0	18	5	5	8	11	11	11	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	12.5	5	11	11	12	14	14	14	14
13-19 YRS	2	3.0	8	<1	<1	2	5	5	5	5
GRAND TOTAL	**4**	**7.8**	**34**	**<1**	**<1**	**8**	**12**	**14**	**14**	**14**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	4	3.0	3	<1	<1	3	4	5	5	5
1-11 MOS	4	2.5	3	1	1	2	4	5	5	5
1-5 YRS	3	5.0	13	2	2	4	8	9	9	9
6-12 YRS	38	1.7		<1	<1	1	2	3	4	5
13-19 YRS	566	1.6		<1	<1	1	2	2	3	5
2. MULTIPLE DX										
0-27 DYS	3	2.0	1	1	1	2	3	3	3	3
1-11 MOS	8	3.6	8	<1	<1	3	6	8	8	8
1-5 YRS	3	3.7	6	<1	<1	4	5	6	6	6
6-12 YRS	6	1.8	1	<1	<1	1	2	4	4	4
13-19 YRS	126	2.3	3	<1	<1	2	2	5	6	10
TOT. SINGLE DX	615	1.6	1	<1	<1	1	2	3	3	5
" MULTIPLE DX	146	2.4	4	<1	<1	2	3	5	7	9
TOTAL 0-27 DYS	7	2.6	2	<1	<1	2	4	5	5	5
1-11 MOS	12	3.3	6	<1	<1	2	5	7	8	8
1-5 YRS	6	4.3	8	<1	<1	4	6	9	9	9
6-12 YRS	44	1.7	1	<1	<1	1	2	3	4	5
13-19 YRS	692	1.7	1	<1	<1	1	2	3	4	7
GRAND TOTAL	**761**	**1.8**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	4.0	1	3	3	4	5	5	5	5
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	8	2.0		<1	<1	2	3	3	3	3
13-19 YRS	81	2.3	1	<1	1	2	3	4	5	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	7.3	1	6	6	8	8	8	8	8
1-5 YRS										
6-12 YRS										
13-19 YRS	24	5.6	89	<1	1	2	5	17	27	44
TOT. SINGLE DX	93	2.3	2	<1	1	2	3	4	5	6
" MULTIPLE DX	27	5.8	80	<1	1	3	6	15	24	44
TOTAL 0-27 DYS										
1-11 MOS	6	5.7	4	3	3	5	8	8	8	8
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	8	2.0	1	<1	<1	2	3	3	3	3
13-19 YRS	105	3.0	23	<1	1	2	3	5	6	31
GRAND TOTAL	**120**	**3.1**	**21**	**<1**	**1**	**2**	**3**	**5**	**6**	**27**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	6	8.2	25	1	1	8	13	14	14	14
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	3	5.7	16	1	1	8	8	8	8	8
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	10	7.2	14	1	2	7	8	12	15	15
1-5 YRS	2	9.5	41	5	5	9	14	14	14	14
6-12 YRS	3	7.0	1	6	6	7	8	8	8	8
13-19 YRS	2	5.0	8	3	3	5	7	7	7	7
TOT. SINGLE DX	12	5.8	23	1	1	5	9	13	14	14
" MULTIPLE DX	17	7.2	13	2	3	7	8	13	15	15
TOTAL 0-27 DYS										
1-11 MOS	16	7.6	17	1	1	7	10	14	15	15
1-5 YRS	3	6.7	44	1	1	5	12	14	14	14
6-12 YRS	6	6.3	7	1	1	7	8	8	8	8
13-19 YRS	4	3.3	7	1	1	2	5	7	7	7
GRAND TOTAL	**29**	**6.6**	**17**	**1**	**1**	**7**	**8**	**13**	**14**	**15**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	12	3.8	6	1	1	3	5	8	10	10
1-11 MOS	6	3.7	1	3	3	3	5	5	5	5
1-5 YRS	9	3.0	3	<1	<1	3	4	6	7	7
6-12 YRS	32	2.6	5	<1	<1	2	3	5	9	12
13-19 YRS	966	2.5	1	1	1	2	3	4	5	6
2. MULTIPLE DX										
0-27 DYS	9	4.9	11	1	1	4	8	10	10	10
1-11 MOS	14	4.8	12	2	2	3	5	11	12	12
1-5 YRS	3	5.0	19	2	2	3	8	10	10	10
6-12 YRS	11	2.7	3	1	1	2	3	5	8	8
13-19 YRS	388	2.9	2	1	1	3	4	5	6	9
TOT. SINGLE DX	1025	2.6	2	1	1	2	3	4	5	7
" MULTIPLE DX	425	3.0	3	1	1	3	4	5	7	10
TOTAL 0-27 DYS	21	4.3	9	1	1	3	7	9	10	10
1-11 MOS	20	4.5	9	2	2	3	5	10	11	12
1-5 YRS	12	3.5	7	<1	<1	3	4	8	10	10
6-12 YRS	43	2.6	5	<1	1	2	3	4	8	12
13-19 YRS	1354	2.6	2	1	1	2	3	4	5	8
GRAND TOTAL	**1450**	**2.7**	**2**	**1**	**1**	**3**	**3**	**4**	**5**	**9**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	4.0	18	1	1	4	7	7	7	7
1-11 MOS	8	2.3	2	<1	<1	2	4	4	4	4
1-5 YRS	8	1.8	1	<1	<1	1	2	3	4	4
6-12 YRS	23	2.5	2	<1	1	2	4	5	6	6
13-19 YRS	2226	2.8	3	1	1	2	4	5	6	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	3.3	1	2	2	3	4	5	5	5
6-12 YRS	5	4.4	15	2	2	2	6	11	11	11
13-19 YRS	340	4.0	22	1	1	3	5	7	9	38
TOT. SINGLE DX	2267	2.8	4	1	1	2	4	5	6	9
" MULTIPLE DX	349	4.0	22	1	1	3	5	7	9	37
TOTAL 0-27 DYS	2	4.0	18	1	1	4	7	7	7	7
1-11 MOS	8	2.3	2	<1	<1	2	4	4	4	4
1-5 YRS	12	2.3	2	<1	<1	2	3	4	5	5
6-12 YRS	28	2.8	5	<1	1	2	4	5	6	11
13-19 YRS	2566	2.9	6	1	1	3	4	5	6	11
GRAND TOTAL	**2616**	**2.9**	**6**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	17	5.2	47	1	1	3	4	16	24	27
1-11 MOS	194	2.7	8	<1	<1	2	3	6	8	16
1-5 YRS	690	1.9	4	<1	<1	1	2	3	5	11
6-12 YRS	615	2.2	7	<1	<1	1	2	4	7	14
13-19 YRS	908	2.5	16	<1	<1	2	2	4	7	18
2. MULTIPLE DX										
0-27 DYS	148	4.8	46	1	2	3	5	6	14	42
1-11 MOS	97	6.0	32	<1	1	4	8	14	16	28
1-5 YRS	284	4.8	64	<1	<1	2	5	11	18	51
6-12 YRS	271	4.5	48	<1	<1	2	5	11	22	99+
13-19 YRS	616	8.1	210	<1	1	3	7	26	42	99+
TOT. SINGLE DX	2424	2.3	10	<1	<1	1	2	4	7	16
" MULTIPLE DX	1416	6.3	124	<1	1	3	6	15	30	95
TOTAL 0-27 DYS	165	4.8	47	1	2	3	4	6	16	41
1-11 MOS	291	3.8	19	<1	<1	2	5	9	12	25
1-5 YRS	974	2.8	24	<1	<1	1	3	5	8	26
6-12 YRS	886	2.9	21	<1	<1	1	3	6	10	37
13-19 YRS	1524	4.8	102	<1	<1	2	4	9	21	81
GRAND TOTAL	**3840**	**3.8**	**56**	**<1**	**<1**	**2**	**3**	**7**	**14**	**44**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	16	7.0	123	1	1	3	6	17	37	45
1-11 MOS	167	4.5	62	<1	1	3	5	8	10	55
1-5 YRS	1215	3.4	15	<1	<1	2	4	8	11	20
6-12 YRS	1276	3.6	17	<1	1	2	4	7	11	21
13-19 YRS	2178	3.8	22	<1	1	2	5	8	10	25
2. MULTIPLE DX										
0-27 DYS	175	7.9	133	2	2	4	6	18	29	73
1-11 MOS	331	8.3	96	1	1	6	9	18	23	52
1-5 YRS	1755	5.4	51	1	1	3	6	12	19	40
6-12 YRS	1924	6.0	71	1	1	3	7	15	22	46
13-19 YRS	5350	5.2	65	<1	1	3	6	11	18	49
TOT. SINGLE DX	4852	3.7	21	<1	1	2	4	8	11	23
" MULTIPLE DX	9535	5.6	67	1	1	3	6	12	20	47
TOTAL 0-27 DYS	191	7.8	132	2	2	4	6	18	29	72
1-11 MOS	498	7.0	88	1	1	5	8	15	22	53
1-5 YRS	2970	4.6	38	<1	1	3	5	10	15	31
6-12 YRS	3200	5.0	51	1	1	3	5	11	18	40
13-19 YRS	7528	4.8	54	<1	1	3	5	10	16	44
GRAND TOTAL	**14387**	**4.9**	**52**	**<1**	**1**	**3**	**5**	**11**	**17**	**42**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	21	8.2	150	<1	<1	4	8	21	41	52
1-5 YRS	186	5.5	31	<1	1	4	7	14	17	26
6-12 YRS	211	5.8	40	<1	1	3	8	14	18	32
13-19 YRS	285	5.6	35	1	1	4	7	13	18	31
2. MULTIPLE DX										
0-27 DYS	3	18.0	79	11	11	15	25	28	28	28
1-11 MOS	52	13.6	152	<1	1	10	18	31	36	58
1-5 YRS	271	13.9	184	1	1	10	20	31	41	70
6-12 YRS	207	12.9	196	1	1	9	18	31	39	79
13-19 YRS	352	11.4	143	1	1	8	16	27	37	82
TOT. SINGLE DX	703	5.7	39	<1	1	4	7	14	18	32
" MULTIPLE DX	885	12.7	170	1	1	9	18	30	39	75
TOTAL 0-27 DYS	3	18.0	79	11	11	15	25	28	28	28
1-11 MOS	73	12.1	156	<1	1	8	17	31	35	57
1-5 YRS	457	10.5	139	1	1	7	15	26	33	62
6-12 YRS	418	9.3	130	1	1	5	12	22	32	54
13-19 YRS	637	8.8	104	1	1	5	11	22	30	52
GRAND TOTAL	**1588**	**9.6**	**124**	**1**	**1**	**6**	**13**	**24**	**32**	**58**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	9	1.6	1	<1	<1	1	2	4	4	4
1-5 YRS	56	2.9	11	<1	1	2	3	8	10	16
6-12 YRS	74	3.3	17	<1	<1	2	3	8	10	27
13-19 YRS	113	4.5	38	<1	1	2	5	11	17	31
2. MULTIPLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	10	10.5	375	2	2	4	8	38	65	65
1-5 YRS	38	4.9	32	<1	<1	2	7	14	17	27
6-12 YRS	38	7.5	115	<1	1	3	9	19	31	54
13-19 YRS	148	9.2	174	<1	1	4	11	24	34	76
TOT. SINGLE DX	252	3.7	25	<1	<1	2	4	9	13	29
" MULTIPLE DX	235	8.3	150	<1	1	3	10	21	31	67
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	19	6.3	209	<1	<1	2	4	10	41	65
1-5 YRS	94	3.8	21	<1	1	2	4	10	15	23
6-12 YRS	112	4.7	54	<1	<1	2	5	10	15	40
13-19 YRS	261	7.2	121	<1	1	3	9	17	29	53
GRAND TOTAL	**487**	**5.9**	**91**	**<1**	**1**	**2**	**6**	**14**	**24**	**52**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	74	2.3	4	<1	<1	2	2	4	8	12
1-5 YRS	324	2.1	4	<1	<1	2	2	3	5	11
6-12 YRS	273	2.5	20	<1	<1	2	2	4	7	15
13-19 YRS	342	2.0	4	<1	<1	1	2	3	5	8
2. MULTIPLE DX										
0-27 DYS	18	4.1	20	2	2	3	4	5	15	22
1-11 MOS	49	2.8	18	<1	<1	2	2	4	15	99+
1-5 YRS	250	2.9	11	<1	1	2	3	6	8	21
6-12 YRS	216	3.6	43	<1	1	2	4	7	10	43
13-19 YRS	360	4.8	85	<1	1	2	4	9	18	97
TOT. SINGLE DX	1015	2.2	9	<1	<1	2	2	4	5	11
" MULTIPLE DX	893	3.9	50	<1	1	2	4	7	11	68
TOTAL 0-27 DYS	20	3.9	19	2	2	3	4	5	13	22
1-11 MOS	123	2.5	10	<1	<1	2	2	4	10	47
1-5 YRS	574	2.4	8	<1	<1	2	2	4	7	18
6-12 YRS	489	3.0	31	<1	<1	2	3	6	9	21
13-19 YRS	702	3.5	48	<1	<1	2	3	6	9	64
GRAND TOTAL	**1908**	**3.0**	**29**	**<1**	**<1**	**2**	**3**	**5**	**9**	**31**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	3.0	1	2	2	3	4	4	4	4
1-11 MOS	11	2.0	1	1	1	2	2	4	4	4
1-5 YRS	12	4.7	45	<1	<1	2	4	15	23	24
6-12 YRS	14	3.1	5	1	1	2	4	6	9	10
13-19 YRS	23	3.9	10	1	1	3	5	7	13	14
2. MULTIPLE DX										
0-27 DYS	16	15.4	364	2	2	8	20	35	62	74
1-11 MOS	18	4.2	7	1	2	3	8	8	9	10
1-5 YRS	27	4.5	12	<1	1	4	7	8	11	16
6-12 YRS	31	4.0	8	1	1	3	6	9	10	11
13-19 YRS	65	7.6	144	1	2	3	7	14	39	62
TOT. SINGLE DX	63	3.5	14	<1	1	2	4	6	11	23
" MULTIPLE DX	157	6.8	110	1	1	3	7	11	27	63
TOTAL 0-27 DYS	19	13.5	325	2	2	7	14	35	57	74
1-11 MOS	29	3.4	6	1	1	3	4	8	8	10
1-5 YRS	39	4.5	22	<1	<1	3	6	9	14	24
6-12 YRS	45	3.7	8	1	1	3	5	9	10	11
13-19 YRS	88	6.6	111	1	1	3	6	12	29	60
GRAND TOTAL	**220**	**5.8**	**85**	**1**	**1**	**3**	**6**	**10**	**17**	**57**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	6	4.0	23	1	1	2	6	12	13	13
1-11 MOS	39	2.4	2	1	1	2	3	4	6	8
1-5 YRS	74	2.3	1	1	1	2	3	4	5	8
6-12 YRS	123	2.6	9	1	1	2	2	4	7	18
13-19 YRS	604	3.1	12	1	1	2	3	7	10	19
2. MULTIPLE DX										
0-27 DYS	7	5.3	11	2	2	5	9	9	9	9
1-11 MOS	53	4.7	24	1	1	2	6	13	17	23
1-5 YRS	118	4.0	32	1	1	2	4	8	12	35
6-12 YRS	132	3.8	31	1	1	2	4	8	14	29
13-19 YRS	411	4.6	25	1	1	3	6	10	14	20
TOT. SINGLE DX	846	2.9	11	1	1	2	3	6	9	18
" MULTIPLE DX	721	4.3	28	1	1	2	5	10	14	23
TOTAL 0-27 DYS	13	4.7	16	1	1	2	8	10	12	13
1-11 MOS	92	3.8	16	1	1	2	4	8	14	21
1-5 YRS	192	3.3	21	1	1	2	3	7	9	26
6-12 YRS	255	3.2	21	1	1	2	3	5	10	24
13-19 YRS	1015	3.7	18	1	1	2	4	9	12	20
GRAND TOTAL	**1567**	**3.6**	**19**	**1**	**1**	**2**	**4**	**8**	**11**	**20**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	6	5.5	35	2	2	3	7	16	17	17
1-5 YRS	25	3.0	7	<1	1	2	3	7	9	11
6-12 YRS	60	2.9	7	1	1	2	3	6	8	16
13-19 YRS	149	3.6	14	1	1	2	4	8	10	17
2. MULTIPLE DX										
0-27 DYS	5	9.2	37	3	3	9	13	18	18	18
1-11 MOS	22	4.7	18	1	1	3	6	10	15	18
1-5 YRS	49	6.3	50	1	2	4	7	15	21	40
6-12 YRS	67	5.2	27	1	1	3	7	12	15	27
13-19 YRS	191	6.4	99	1	1	4	6	13	17	56
TOT. SINGLE DX	242	3.4	12	1	1	2	4	7	10	17
" MULTIPLE DX	334	6.1	72	1	1	4	7	13	18	40
TOTAL 0-27 DYS	7	7.0	39	1	1	4	11	17	18	18
1-11 MOS	28	4.9	21	1	1	3	6	12	17	18
1-5 YRS	74	5.2	38	1	1	3	7	9	20	36
6-12 YRS	127	4.1	19	1	1	2	5	9	14	26
13-19 YRS	340	5.1	64	1	1	3	5	11	16	39
GRAND TOTAL	**576**	**4.9**	**48**	**1**	**1**	**3**	**6**	**11**	**16**	**32**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	4	1.0		<1	<1	1	1	1	1	1
6-12 YRS										
13-19 YRS	4	2.8	8	1	1	2	4	7	7	7
TOT. SINGLE DX	2	1.5	1	1	1	1	2	2	2	2
" MULTIPLE DX	10	1.8	4	<1	<1	1	2	5	7	7
TOTAL 0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	4	1.0		<1	<1	1	1	1	1	1
6-12 YRS										
13-19 YRS	6	2.3	5	1	1	2	2	7	7	7
GRAND TOTAL	**12**	**1.8**	**3**	**<1**	**<1**	**1**	**2**	**4**	**7**	**7**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	4	2.5	1	1	1	2	3	4	4	4
1-11 MOS	9	3.2	1	1	1	3	4	5	5	5
1-5 YRS	45	3.0	13	<1	1	2	3	8	10	20
6-12 YRS	59	3.4	21	<1	1	2	3	7	11	30
13-19 YRS	326	4.4	16	1	1	3	6	10	12	17
2. MULTIPLE DX										
0-27 DYS	11	7.2	15	2	2	7	10	13	14	14
1-11 MOS	50	6.9	164	1	2	4	6	15	21	89
1-5 YRS	64	6.0	85	1	1	3	7	12	20	51
6-12 YRS	88	5.5	54	1	1	3	7	12	15	46
13-19 YRS	380	6.1	66	1	1	4	8	13	18	35
TOT. SINGLE DX	443	4.1	17	1	1	3	6	9	12	18
" MULTIPLE DX	593	6.1	73	1	1	4	8	13	18	50
TOTAL 0-27 DYS	15	5.9	16	1	2	5	9	12	13	14
1-11 MOS	59	6.3	141	1	2	3	5	13	19	83
1-5 YRS	109	4.8	57	1	1	2	5	10	16	50
6-12 YRS	147	4.6	42	1	1	2	5	10	14	32
13-19 YRS	706	5.3	44	1	1	3	7	11	15	30
GRAND TOTAL	**1036**	**5.2**	**50**	**1**	**1**	**3**	**7**	**11**	**15**	**31**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1173	3.4	7	1	1	3	4	6	8	14
1-11 MOS	3039	3.5	7	1	1	3	4	7	9	15
1-5 YRS	5597	3.0	7	<1	1	2	4	6	7	15
6-12 YRS	5985	3.0	14	1	1	2	3	5	8	17
13-19 YRS	14309	3.7	29	1	1	3	4	6	9	29
2. MULTIPLE DX										
0-27 DYS	4906	10.1	181	2	2	5	10	26	39	75
1-11 MOS	6124	5.4	28	1	2	4	6	10	14	28
1-5 YRS	9992	4.3	20	1	1	3	5	8	11	21
6-12 YRS	8340	4.2	33	1	1	3	5	8	11	30
13-19 YRS	20126	5.3	67	1	1	3	5	9	16	50
TOT. SINGLE DX	30103	3.4	19	1	1	2	4	6	8	20
" MULTIPLE DX	49488	5.4	61	1	1	3	6	10	16	46
TOTAL 0-27 DYS	6079	8.8	155	1	2	4	8	23	36	71
1-11 MOS	9163	4.8	23	1	1	4	6	9	12	24
1-5 YRS	15589	3.8	16	1	1	3	5	7	10	19
6-12 YRS	14325	3.7	26	1	1	3	4	7	10	26
13-19 YRS	34435	4.7	52	1	1	3	5	8	12	44
GRAND TOTAL	**79591**	**4.7**	**47**	**1**	**1**	**3**	**5**	**8**	**13**	**39**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1048	3.1	8	1	1	3	4	5	6	13
1-11 MOS	2143	3.9	10	1	1	3	5	7	9	17
1-5 YRS	5079	4.4	29	1	1	3	4	10	18	26
6-12 YRS	2963	6.3	79	1	1	3	5	20	26	42
13-19 YRS	3164	10.2	231	1	1	4	9	33	45	75
2. MULTIPLE DX										
0-27 DYS	4744	8.0	152	1	2	4	7	19	34	80
1-11 MOS	3608	5.1	27	1	2	4	6	9	12	28
1-5 YRS	5963	4.5	23	1	1	3	5	8	13	25
6-12 YRS	2445	7.8	127	1	1	4	7	22	31	62
13-19 YRS	3881	11.1	256	1	1	5	11	35	50	89
TOT. SINGLE DX	14397	5.9	86	1	1	3	5	14	25	49
" MULTIPLE DX	20641	7.0	116	1	2	4	6	15	28	69
TOTAL 0-27 DYS	5792	7.1	130	1	2	4	6	15	30	75
1-11 MOS	5751	4.7	21	1	2	4	5	8	11	24
1-5 YRS	11042	4.5	26	1	1	3	5	8	15	26
6-12 YRS	5408	7.0	102	1	1	3	6	21	29	51
13-19 YRS	7045	10.7	245	1	1	4	10	34	47	85
GRAND TOTAL	**35038**	**6.6**	**104**	**1**	**1**	**3**	**6**	**15**	**26**	**61**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2889	3.1	3	1	1	3	4	5	6	10
1-11 MOS	2814	3.5	10	1	1	3	4	6	8	14
1-5 YRS	4594	3.1	9	<1	1	3	4	5	7	13
6-12 YRS	2457	3.9	40	1	1	3	4	6	8	35
13-19 YRS	4818	4.0	53	<1	1	2	4	7	12	44
2. MULTIPLE DX										
0-27 DYS	9584	7.4	111	1	2	4	7	16	27	65
1-11 MOS	5888	4.9	30	1	2	4	6	9	12	28
1-5 YRS	9621	4.0	19	1	1	3	5	7	9	21
6-12 YRS	4134	5.3	70	1	1	3	5	10	17	74
13-19 YRS	7823	6.5	107	1	1	3	6	14	29	66
TOT. SINGLE DX	17572	3.5	25	<1	1	3	4	6	8	25
" MULTIPLE DX	37050	5.7	71	1	1	3	6	10	19	55
TOTAL 0-27 DYS	12473	6.4	90	1	2	4	6	13	23	60
1-11 MOS	8702	4.4	25	1	1	3	5	8	11	24
1-5 YRS	14215	3.7	17	1	1	3	4	6	8	18
6-12 YRS	6591	4.8	60	1	1	3	5	8	14	59
13-19 YRS	12641	5.5	88	<1	1	3	5	11	23	59
GRAND TOTAL	**54622**	**5.0**	**57**	**1**	**1**	**3**	**5**	**9**	**15**	**48**

Appendix

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

7

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380
and for operation groups 552, 557, 576, 619, 686, 713, and 741

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02;

		673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2
290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5
552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19

713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index

Part 1: Diagnosis Index
Part 2: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, Volume 2 Diseases: Alphabetic Index or Volume 3 Procedures: Tabular List and Alphabetic Index. The diagnosis or operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease – *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis – *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs — *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital — *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular – *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer – *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer – *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve – *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes – *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease – *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease – *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer – *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease – *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma – *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open – *see Laceration*
12	Yellow fever

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	**Title**
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

OPERATION INDEX (continued)

Group Number	Title
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy
	Fistula – *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

OPERATION INDEX (continued)

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions – *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, exept of hand
728	Hand

OPERATION INDEX (continued)

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage – *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

OPERATION INDEX (continued)

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision – *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

OPERATION INDEX (continued)

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

OPERATION INDEX (continued)

Group Number **Title**

- Excision of lesion (continued)
  - 660 Ovary
  - 550 Parotid gland
  - 658 Penis
  - Perineum
    - 683 Female
    - 747 Male
  - 508 Peripheral nerve
  - 607 Perirectal tissue
  - 626 Peritoneum
  - 606 Rectum
  - 550 Salivary gland
  - 524 Sclera
  - 651 Scrotum
  - 747 Skin, except radical and of pilonidal cyst or sinus
    - 746 Pilonidal cyst or sinus
    - 748 Radical
  - 501 Skull
  - 597 Small intestine
  - 507 Spinal meninges
  - 592 Stomach
  - 727 Tendon
  - 654 Testis
  - 552 Tongue
  - 559 Trachea
  - 635 Ureter
  - 640 Urethra
  - 679 Uterine ligament
  - 670 Uterus
  - 682 Vagina
  - 559 Vocal cord
  - 683 Vulva
- Exenteration
  - 532 Eyeball, orbit
  - 673 Pelvic
- Exploration
  - 627 Abdominal cavity
  - 617 Bile duct
  - 632 Kidney
- 627 Exploratory laparotomy
- 600 Exteriorization, intestine
- 579 Extracorporeal circulation

OPERATION INDEX (continued)

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

OPERATION INDEX (continued)

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

OPERATION INDEX (continued)

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus — *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) – *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) – *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

OPERATION INDEX (continued)

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

OPERATION INDEX (continued)

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

OPERATION INDEX (continued)

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

OPERATION INDEX (continued)

Group Number	Title
	Reduction (continued)
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia – *see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions – *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	Without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	With incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva

OPERATION INDEX (continued)

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula – *see Fistulectomy*
704	Hallux valgus
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
	Hernia – *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration – *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

OPERATION INDEX (continued)

Group Number **Title**

- Repair (continued)
  - 654 Testis
  - 562 Trachea
  - 635 Ureter
  - 640 Urethra
  - 679 Uterus, except obstetric laceration and supporting structures
    - 697 Obstetric laceration
    - 678 Supporting structures
  - 681 Vagina, except for cystocele and rectocele, and obstetric laceration
    - 680 Cystocele and rectocele
    - 697 Obstetric laceration
  - 552 Vestibular arch (mouth)
  - 685 Vulva, except obstetric laceration
    - 697 Obstetric laceration
- Replacement
  - 574 Cardiac pacemaker
  - 571 Heart valve
  - 725 Joint, except hip and knee
    - 723 Hip, except total replacement
      - 722 Total replacement
    - 724 Knee
  - 647 Urinary catheter
- Resection
  - 638 Bladder
  - 581 Blood vessel
  - 564 Bronchus
  - 599 Large intestine
  - 730 Muscle, except of hand
    - 728 Hand
  - 541 Nasal septum, submucous
  - 530 Ocular muscle
  - 660 Ovary
  - 608 Rectum (abdominoperineal) (pull-through)
  - 549 Root of tooth
  - 598 Small intestine
  - 730 Tendon, except of hand
    - 728 Hand
- 548 Restoration, tooth
- 758 Retrograde pyelogram
- Revision
  - 739 Amputation stump
  - 581 Arteriovenous shunt for dialysis
  - 596 Gastric anastomosis

OPERATION INDEX (continued)

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt – *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

OPERATION INDEX (continued)

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
	Stress incontinence repair, except by
644	urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture — *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown — *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction – *see Reduction, fracture*
	Transfer – *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

OPERATION INDEX (continued)

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray – *see Radiography*
751	Z-plasty, skin